



HTML



快速开发 Emmet

讲师：许井龙

ngsteel@qq.com

- 一. Emmet 简介
- 二. Emmet 常用语法
- 三. 自定义 Emmet 模版

- Emmet的前身是大名鼎鼎的Zen coding。它使用仿CSS选择器的语法来生成代码，大大提高了HTML/CSS代码编写的速度。

官方网址：

<http://docs.emmet.io/abbreviations/syntax/>

- 子元素: `div>ul>li`
- 相邻元素: `div+p+bq`
- 层级提升: `div+div>p>span+em^^^bq`
- 相乘: `ul>li*5`
- 分组: `() div>(header>ul>li*2>a)+footer>p`
- ID and CLASS
 - `div#header+div.page+div#footer.class1.class2.class3`
- 自定义属性
 - `td[title="Hello world!" colspan=3]`
- 条目顺序号: `$`
- 条目顺序号: `ul>li.item$*5`, `ul>li.item$$$*5`
- 改变条目计数起始值和方向
 - `ul>li.item$@-*5`, `ul>li.item$@3*5`, `ul>li.item$@-3*5`
- 文本: `a{Click me}`

WS Settings

live

Keymap

Editor

Colors & Fonts

General

Inspections

File and Code Templates

Live Templates

Plugins

Build, Execution, Deployment

Debugger

Live Edit

Editor > Live Templates

By default expand with Tab

☒ select (<select name="..." id="...">...</select>)

☒ select+

☒ select:d (<select name="..." id="..." disabled>...</select>)

☒ select:disabled (<select name="..." id="..." disabled>...</select>)

☒ source:media (<source media="(...)" srcset="...">)

☒ source:media:sizes (<source media="(...)" sizes="..." srcset="...">)

Abbreviation: select Description: <select name="..." id="...">...</select>

Template text:
<select name="\$VAR0\$" id="\$VAR1\$">\$END\$
 <option name=""></option>
 <option name=""></option>
 <option name=""></option>
</select>

Applicable in HTML: HTML Text; JavaScript: JSX HTML. [Change](#)

Edit variables

Options

Expand with Default (Tab)

☒ Reformat according to style

OK

Cancel

Apply

Help