How to use the SBCA API.

Let’s Get Started.

Sage

Table of Contents

Sign up as a user on the Sandbox environment 3

How to access the API 4

How to use the Company/Get endpoint 5

How to use the Customer/Save endpoint 5

How to use the Customer/Get endpoint 6

Please follow the steps below on how to get started with using the SBCA API via Postman.

1. **Sign Up** as a user on the Sandbox environment.



2. To access the Sandbox API, please use the same email address and password that you used during the sign-up process.

   For example, the same email address: **firstname.lastname@sage.com** and password will be used for authentication on the API as shown below.





3. You will use the **Company/Get** API endpoint to fetch your CompanyId.

URL: https://resellers.accounting.sageone.co.za/api/2.0.0/Company/Get?apikey={{API-Key}}



N.B. *My CompanyId is **13988**, yours will be different.*

4. To create a customer, you will use the **Customer/Save** endpoint.
The CompanyId obtained in step 3, will be included in all calls moving forward.

URL: https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Save?apikey={{API-Key}}&CompanyId=13988



N.B. *When adding a new record (customer in this case), you will use ID 0. However, when updating an existing customer, you will use the existing ID.*

5. You will use the **Customer/Get** API endpoint to retrieve your Customers.

   URL:https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=13988



Make sure to always include the API Key in braces for all your API calls.

For any queries moving forward, do not hesitate to contact us on the API Support mailbox: api@accounting.sageone.co.za and we will gladly assist.

©2022 The Sage Group plc or its licensors. All rights reserved. Sage, Sage logos, and Sage product and service names mentioned herein are the trademarks of Sage Global Services Limited or its licensors. All other trademarks are the property of their respective owners.