OData Filters.

How to use OData filters on the SBCA API via Postman.

Sage

Table of Contents

How to use the $top filter 3

How to use the $skip filter 4

How to use the combination of the $top and $skip filter 5

How to filter by field name ..... 6 & 7

Please see steps below on how to use OData filters on the SBCA API via Postman.

How to use the $top filter

The $top filter is used to specify the maximum number of items or records to include in the result set of a query. It allows you to limit the number of items returned by a request.

For example, if you have many customers and want to retrieve 10 customers at a time, you will use the following filter.

URL: https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=XXX&$top=10



How to use the $skip filter

The $skip filter is used to control the pagination of results. It allows you to skip a specified amount of data in the result set and retrieve the remaining data.

Below I will apply the $skip filter such that it skips the first 20 customers and return the remaining customers.

URL: **https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=XXX&$skip=20**



How to use the combination of the $top and $skip filter

You can also use a combination of both the $top and $skip filter. The combination of both filters allows you to implement pagination and retrieve a specific range of items from a larger result set.

In the following example, the $skip filter is set to 10, specifying that you want to skip the first 10 customers. The $top filter is set to 20, indicating that you only want to retrieve 20 customers.

URL: **https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=XXX&$skip=10&$top=20**



How to filter by field name

Filter by Customer Name

You can also filter by a field name, in an instance where you would like to retrieve a customer by name you will use the following filter.

URL: **https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=XXX&$filter=Name eq 'BobbyTarantino'**



Filter by Created Date

We will now filter by the Created date; you can use this when you want to retrieve customers created at a specific date.

URL: **https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=XXX&$filter=Created ge datetime'2022-10-01'**



You can also filter by Modified date to retrieve customers which were modified after a particular date, your URL would be as follows:
https://resellers.accounting.sageone.co.za/api/2.0.0/Customer/Get?apikey={{API-Key}}&CompanyId=XXX&$filter=Modified ge datetime'2022-10-01'

Here are more logical operators you can use:
Eq → Equal
Ne → Not equal
Gt → Greater than
Ge → Greater than or equal
Lt → Less than
Le → Less than or equal

You can visit the following link for more information OData filters:
https://www.odata.org/documentation/odata-version-2-0/uri-conventions/

For any queries regarding the API, please do not hesitate to contact us on the API Support mailbox: **api@accounting.sageone.co.za** and we will be happy to assist.

©2022 The Sage Group plc or its licensors. All rights reserved. Sage, Sage logos, and Sage product and service names mentioned herein are the trademarks of Sage Global Services Limited or its licensors. All other trademarks are the property of their respective owners.