Hint-based typing for polymorphism

Wojciech Kołowski

Types and judgements

Types:

$$A, B ::= \alpha \mid \forall \alpha. A \mid A \rightarrow B$$

Contexts:

$$\Gamma ::= \cdot \mid \Gamma, x : A \mid \Gamma, \alpha$$

Judgements:

$$\Gamma \vdash e : A, \Gamma \vdash A \text{ type}$$

Valid context judgement

$$\frac{\Gamma \text{ ctx } x \notin \Gamma \quad \Gamma \vdash A \text{ type}}{\Gamma, x : A \text{ ctx}} \text{CTX-EXTEND}$$

$$\frac{\Gamma \text{ ctx } \alpha \notin \Gamma}{\Gamma, \alpha \text{ ctx}} \text{Ctx-ExtendType}$$

Valid type judgement

$$\frac{\Gamma \text{ ctx } \alpha \in \Gamma}{\Gamma \vdash \alpha \text{ type}} \text{TyVar}$$

$$\frac{\Gamma, \alpha \vdash A \text{ type}}{\Gamma \vdash \forall \alpha. A \text{ type}} ^{ALL}$$

$$\frac{\Gamma \vdash A \text{ type} \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash A \to B \text{ type}} F^{\text{UN}}$$

Sanity checks

- If $\Gamma \vdash A$ type, then Γ ctx
- If Γ ctx and $(x : A) \in \Gamma$, then $\Gamma \vdash A$ type
- We will set up the system so that if $\Gamma \vdash e : A$, then $\Gamma \vdash A$ type

Terms

```
Terms: e ::= x \mid \lambda x : A. e \mid e_1 \mid e_2 \mid \Lambda \alpha. e \mid e \mid @A
```

Declarative typing

$$\frac{\Gamma \operatorname{ctx} (x : A) \in \Gamma}{\Gamma \vdash x : A} \operatorname{VaR}$$

$$\frac{\Gamma, x: A \vdash e: B}{\Gamma \vdash \lambda x: A. e: A \rightarrow B} \qquad \frac{\Gamma \vdash f: A \rightarrow B \quad \Gamma \vdash a: A}{\Gamma \vdash f \ a: B}$$

$$\frac{\Gamma, \alpha \vdash e : A}{\Gamma \vdash \Lambda \alpha. e : \forall \alpha. A}$$

$$\frac{\Gamma \vdash e : \forall \alpha. A \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash e @B : A [\alpha := B]}$$

Algorithmic typing

$$\frac{\Gamma \operatorname{ctx} (x : A) \in \Gamma}{\Gamma \vdash x \Rightarrow A} \operatorname{VaR}$$

$$\frac{\Gamma, x : A \vdash e \Rightarrow B}{\Gamma \vdash \lambda x : A. e \Rightarrow A \rightarrow B} \qquad \frac{\Gamma \vdash f \Rightarrow A \rightarrow B \quad \Gamma \vdash a \Rightarrow A}{\Gamma \vdash f \ a \Rightarrow B}$$

$$\frac{\Gamma, \alpha \vdash e \Rightarrow A}{\Gamma \vdash \Lambda \alpha. e \Rightarrow \forall \alpha. A}$$

$$\frac{\Gamma \vdash e \Rightarrow \forall \alpha. A \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash e @B \Rightarrow A [\alpha := B]}$$

Terms

```
Terms: e ::= x \mid \lambda x. e \mid \operatorname{app}_A e_1 e_2 \mid e @A
```

Declarative typing

$$\frac{\Gamma \operatorname{ctx} (x : A) \in \Gamma}{\Gamma \vdash x : A} \operatorname{VaR}$$

$$\frac{\Gamma, x : A \vdash e : B}{\Gamma \vdash \lambda x. e : A \to B} \qquad \frac{\Gamma \vdash f : A \to B \quad \Gamma \vdash a : A}{\Gamma \vdash \mathsf{app}_A \ f \ a : B}$$

$$\frac{\Gamma, \alpha \vdash e : A}{\Gamma \vdash e : \forall \alpha . A}$$

$$\frac{\Gamma \vdash e : \forall \alpha. A \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash e @B : A [\alpha := B]}$$

Algorithmic typing

$$\frac{\Gamma \text{ ctx } (x:A) \in \Gamma}{\Gamma \vdash x \Leftarrow A} \text{VAR}$$

$$\frac{\Gamma, x : A \vdash e \Leftarrow B}{\Gamma \vdash \lambda x. \, e \Leftarrow A \to B} \qquad \frac{\Gamma \vdash f \Leftarrow A \to B \quad \Gamma \vdash a \Leftarrow A}{\Gamma \vdash \mathsf{app}_A \ f \ a \Leftarrow B}$$

$$\frac{\Gamma, \alpha \vdash e \Leftarrow A}{\Gamma \vdash e \Leftarrow \forall \alpha. A}$$

$$\frac{\Gamma \vdash e \Leftarrow \forall \alpha. A \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash e @B \Leftarrow A [\alpha := B]}$$

Terms

```
Terms: e ::= x \mid \lambda x. e \mid e_1 \mid e_2 \mid
```

Declarative typing

$$\frac{\Gamma \operatorname{ctx} (x : A) \in \Gamma}{\Gamma \vdash x : A} \operatorname{VaR}$$

$$\frac{\Gamma, x : A \vdash e : B}{\Gamma \vdash \lambda x. e : A \rightarrow B} \qquad \frac{\Gamma \vdash f : A \rightarrow B \quad \Gamma \vdash a : A}{\Gamma \vdash f \ a : B}$$

$$\frac{\Gamma, \alpha \vdash e : A}{\Gamma \vdash e : \forall \alpha . A}$$

$$\frac{\Gamma \vdash e : \forall \alpha. A \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash e : A[\alpha := B]}$$

Hints

Hints:

$$H ::= ? \mid H_1 \rightarrow H_2 \mid \forall \alpha. H \mid \alpha$$

Valid hint judgement

$$\frac{\Gamma \text{ ctx}}{\Gamma \vdash \textbf{?} \text{ hint}}_{\text{HINT-HOLE}}$$

$$\frac{\Gamma \text{ ctx} \quad \alpha \in \Gamma}{\Gamma \vdash \alpha \text{ hint}}_{\text{HINT-TYVAR}}$$

$$\frac{\Gamma, \alpha \vdash H \text{ hint}}{\Gamma \vdash \forall \alpha. H \text{ hint}}_{\text{HINT-ALL}}$$

$$\frac{\Gamma \vdash H_1 \text{ hint} \quad \Gamma \vdash H_2 \text{ hint}}{\Gamma \vdash H_1 \to H_2 \text{ hint}}_{\text{HINT-FUN}}$$

Order on hints

$$\frac{\Gamma \vdash H \text{ hint}}{\Gamma \vdash ? \sqsubseteq H}$$

$$\frac{\Gamma \, \mathtt{ctx}}{\Gamma \vdash \alpha \sqsubseteq \alpha}$$

$$\frac{\Gamma, \alpha \vdash H_1 \sqsubseteq H_2}{\Gamma \vdash \forall \alpha. H_1 \sqsubseteq \forall \alpha. H_2}$$

$$\frac{\Gamma \vdash H_1 \sqsubseteq H_1' \quad \Gamma \vdash H_2 \sqsubseteq H_2'}{\Gamma \vdash H_1 \to H_2 \sqsubseteq H_1' \to H_2'}$$

Combining hints

$$? \sqcup H = H$$

$$H \sqcup ? = H$$

$$(H_1 \to H_2) \sqcup (H'_1 \to H'_2) = (H_1 \sqcup H'_1) \to (H_2 \sqcup H'_2)$$

$$(\forall \alpha. H_1) \sqcup (\forall \alpha. H_2) = \forall \alpha. H_1 \sqcup H_2$$

$$\alpha \sqcup \alpha = \alpha$$

Hints for term constructors

$$\mathrm{hint}(\lambda x.\,e)=? o ?$$

Terms

Terms:

$$e ::= x \mid (e : H) \mid \lambda x. e \mid e_1 e_2 \mid$$

Declarative typing

$$\frac{\Gamma \operatorname{ctx} (x : A) \in \Gamma}{\Gamma \vdash x : A} \operatorname{Var}$$

$$\frac{\Gamma \vdash e : A \quad \Gamma \vdash H \sqsubseteq A}{\Gamma \vdash (e : H) : A}$$

$$\frac{\Gamma, x : A \vdash e : B}{\Gamma \vdash \lambda x. e : A \rightarrow B} \qquad \frac{\Gamma \vdash f : A \rightarrow B \quad \Gamma \vdash a : A}{\Gamma \vdash f \ a : B}$$

$$\frac{\Gamma, \alpha \vdash e : A}{\Gamma \vdash e : \forall \alpha . A}$$

$$\frac{\Gamma \vdash e : \forall \alpha. A \quad \Gamma \vdash B \text{ type}}{\Gamma \vdash e : A [\alpha := B]}$$



Algorithmic typing – basic rules

$$\frac{\Gamma \operatorname{ctx} (x:A) \in \Gamma \Gamma \vdash H \sqsubseteq A}{\Gamma \vdash x \Leftarrow H \Rightarrow A} \operatorname{VAR}$$

$$\frac{\Gamma \vdash e \Leftarrow H_1 \sqcup H_2 \Rightarrow A}{\Gamma \vdash (e : H_1) \Leftarrow H_2 \Rightarrow A} \text{Annor}$$

$$\frac{\Gamma \vdash e \Leftarrow \text{hint}(e) \Rightarrow A \quad e \text{ constructor}}{\Gamma \vdash e \Leftarrow ? \Rightarrow A}_{\text{HOLE}}$$

Algorithmic typing – other rules

$$\frac{\Gamma, x : A \vdash e \Leftarrow H \Rightarrow B}{\Gamma \vdash \lambda x. e \Leftarrow A \rightarrow H \Rightarrow A \rightarrow B}$$

$$\frac{\Gamma \vdash a \Leftarrow ? \Rightarrow A \quad \Gamma \vdash f \Leftarrow A \rightarrow H \Rightarrow A \rightarrow B}{\Gamma \vdash f \Rightarrow \Rightarrow B}$$

$$\frac{\Gamma, \alpha \vdash e \Leftarrow H \Rightarrow A}{\Gamma \vdash e \Leftarrow \forall \alpha, H \Rightarrow \forall \alpha, A}$$

Embedding

- $\lambda x : A. e := (\lambda x. e : A \rightarrow ?)$
- app_A f $a :\equiv (f : A \rightarrow ?)$ a
- $\Lambda \alpha. e :\equiv (e : \forall \alpha. ?)$
- $e @A :\equiv ???$