

WHAT'S NEW IN JAVA 9

BILLY KORANDO @BILLYKORANDO

SOFTWARE CONSULTANT - KEYHOLE SOFTWARE

<http://bit.ly/2kVj9Hk>

PLATINUM SPONSORS



GOLD SPONSORS



Asynchrony Labs

deckcommerce



SILVER SPONSORS



Conference Notebook
& Party

Promotional Items & Attendee
Lanyards

Attendee Swag Bags

Media





**JAVA 9 WENT GA ON
SEPTEMBER 21ST!**

<http://bit.ly/2kVj9Hk>

MISCONCEPTIONS ABOUT JAVA 9

- 1. ~~MY BUILD TOOL WILL NOT WORK~~**
- 2. ~~I'LL HAVE TO MODULARIZE MY CODE~~**
- 3. ~~MY LIBRARIES WILL NOT WORK *~~**

SOME LIBRARIES WILL NEED TO
UPGRADED

PROVE IT!

<http://bit.ly/2kVj9Hk>

AN UPGRADE WITH BENEFITS

<http://bit.ly/2kVj9Hk>

BENEFITS OF RUNNING IN JAVA 9

Better Use of Memory


Better Performance

Better Use of Hardware

Better Documentation


Prettier Graphics

Faster Compilation



JIGSAW

<http://bit.ly/2kVj9Hk>

A black and white photograph of a woman with dark hair, wearing a white sailor-style hat with blue stripes and a striped shirt. She is looking upwards and pointing her right index finger towards the top left corner of the frame. In her left hand, she holds a large, light-colored menu or piece of paper. The background shows shelves with various items, possibly in a shop or restaurant setting.

I KNOW SOME OF THESE WORDS

JIGSAW GOALS

- ▶ Stronger encapsulation
- ▶ More reliable configuration
- ▶ Create customized JDK images (jlink tool)

Module Types

UNNAMED

- Jars on classpath become unnamed modules
- Exports all packages
- Requires all modules
- Cannot be declared as a dependency

AUTOMATIC

- Jars placed on module path
- Name derived from jar name or optional
Automatic-Module-Name in MANIFEST.MF
- Exports all packages
- Requires all modules
- Can be declared as a dependency

EXPLICIT/NAMED

- Defined by module-info.java
- Can be declared as a dependency

Current file structure

```
src/  
  com.foo.bar/  
    com.foo.bar.model/  
      Foo.java  
  com.foo.bar.service/  
    FooService.java  
  com.foo.bar.service.impl/  
    FooServiceImpl.java
```

Modularized file structure

```
src/
  com.foo.bar/
    module-info.java
    com.foo.bar/
      com.foo.bar.model/
        Foo.java
      com.foo.bar.service/
        FooSvc.java
      com.foo.bar.service.impl/
        FooSvclmpl.java
```

Dissecting module-info

Note:

New reserved words ONLY
reserved in module-info

```
module com.foo.bar {  
    exports com.foo.bar.service;  
    exports com.foo.bar.model;  
  
    provides com.foo.bar.service.FooSvc  
        with  
        com.foo.bar.service.impl.FooSvclmpl;  
  
    uses org.evil.service.EvilService;  
  
    requires org.evil;  
    requires java.sql;  
}
```

<http://bit.ly/2kVj9Hk>

Module Declaration

Defines the name of the module.

Additional modifiers:

“open”

exports all packages and
allows deep reflective access

```
module com.foo.bar {
```

```
    exports com.foo.bar.service;
```

```
    exports com.foo.bar.model;
```

```
    provides com.foo.bar.service.FooSvc  
        with
```

```
        com.foo.bar.service.impl.FooSvclmpl;
```

```
    uses org.evil.service.EvilService;
```

```
    requires org.evil;
```

```
    requires java.sql;
```

```
}
```

<http://bit.ly/2kVj9Hk>

Export Declaration

Defines a module's public API

Note:

Each exported package must
be defined individually

Additional modifiers:

“opens” (in lieu of exports)

allows deep reflective access to
all client modules

“to” [module name]

allows only named modules to
have deep reflective access

```
module com.foo.bar {
```

```
    exports com.foo.bar.service;
```

```
    exports com.foo.bar.model;
```

```
    provides com.foo.bar.service.FooSvc  
        with
```

```
        com.foo.bar.service.impl.FooSvclmpl;
```

```
    uses org.evil.service.EvilService;
```

```
    requires org.evil;
```

```
    requires java.sql;
```

```
}
```

<http://bit.ly/2kVj9Hk>

Provides

Declares the service this module supports and the implementation it supports it with.

```
module com.foo.bar {
```

```
    exports com.foo.bar.service;  
    exports com.foo.bar.model;
```

```
    provides com.foo.bar.service.FooSvc  
        with  
        com.foo.bar.service.impl.FooSvclmpl;
```

```
    uses org.evil.service.EvilService;
```

```
    requires org.evil;  
    requires java.sql;
```

```
}
```

<http://bit.ly/2kVj9Hk>

Uses

Declares a service this module depends upon

```
module com.foo.bar {  
    exports com.foo.bar.service;  
    exports com.foo.bar.model;  
  
    provides com.foo.bar.service.FooSvc  
        with  
        com.foo.bar.service.impl.FooSvclmpl;  
  
    uses org.evil.service.EvilService;  
  
    requires org.evil;  
    requires java.sql;  
}
```

Requires

Modules this module depends upon.

Additional modifiers:

“transitive” dependent modules don’t have to additionally require this module to make use of it

Note:

`java.base` implicitly required by all modules

```
module com.foo.bar {
```

```
    exports com.foo.bar.service;
```

```
    exports com.foo.bar.model;
```

```
    provides com.foo.bar.service.FooSvc  
        with
```

```
        com.foo.bar.service.impl.FooSvclmpl;
```

```
    uses org.evil.service.EvilService;
```

```
    requires org.evil;
```

```
    requires java.sql;
```

```
}
```

<http://bit.ly/2kVj9Hk>



JHELL

<http://bit.ly/2kVj9Hk>

Read

Evaluate

Print

Loop

WHY JSHELL IS PART OF JAVA 9

- ▶ Explore APIs
- ▶ Tool to Teach Java

WHY JSHELL IS PART OF JAVA 9


- ▶ Explore APIs
- ▶ Tool to Teach Java

```
public class HelloWorld{  
    public static void main(String args[]) {  
        System.out.println("Hello World!");  
    }  
}
```

```
public class HelloWorld{  
    public static void main(String args[]) {  
        System.out.println("Hello World!");  
    }  
}
```

DEMO

<http://bit.ly/2kVj9Hk>



COLLECTION FACTORY METHODS

<http://bit.ly/2kVj9Hk>

```
public class TestFoo{  
  
    @Test  
    public void test() {  
        Foo newFoo = new Foo();  
        List<String> list = new ArrayList();  
        list.add("Hello World!");  
        list.add("Goodbye World!");  
        newFoo.takeListOfStrings(list);  
    }  
  
}
```

```
public class TestFoo{  
  
    @Test  
    public void test() {  
        Foo newFoo = new Foo();  
        List<String> list = List.of(  
            "Hello World!", "Goodbye World!");  
        newFoo.takeListOfStrings(list);  
    }  
}
```

```
public class TestFoo{  
  
    @Test  
    public void test() {  
        Foo newFoo = new Foo();  
        Map<Integer, String> map = Map.of(  
            1, "Hello World!", 2, "Goodbye  
            World!"  
        );  
        newFoo.readAMap(map);  
    }  
}
```

```
public class TestFoo{  
  
    @Test  
    public void test() {  
        Foo newFoo = new Foo();  
        Map<Integer, String> map =  
        Map.ofEntries(  
            Map.entry( 1, "Hello World!" ),  
            Map.entry( 2, "Goodbye World!" )  
        );  
        newFoo.readAMap( map );  
    }  
}
```



STREAMS UPDATES

<http://bit.ly/2kVj9Hk>

```
public class TakeKansasCitySportsTeams {  
  
    public void takeTeams () {  
        Stream.of("Chiefs", "Royals",  
                 "Sporting", "Mavericks", "", "Monarchs")  
            .takeWhile(s -> !String.isEmpty(s))  
            .forEach(String.out::print)  
    }  
  
}
```

Output: ChiefsRoyalsSportingMavericks

```
public class DropKansasCitySportsTeams {  
  
    public void dropTeams () {  
        Stream.of("", "Chiefs", "Royals",  
                "Sporting", "Mavericks")  
            .dropWhile(s -> !String.isEmpty(s))  
            .forEach(String.out::print)  
    }  
  
}
```

Output: ChiefsRoyalsSportingMavericks



PRIVATE INTERFACE METHODS

<http://bit.ly/2kVj9Hk>

```
public interface Foo{  
  
    default void bar(String arg) {  
        System.out.println("Hello World!");  
    }  
  
    private default String lorem() {  
        ...  
    }  
}
```

TRY-WITH-RESOURCES

UPDATES

<http://bit.ly/2kVj9Hk>

```
public class TryWithFoo {  
  
    public void TryWithBar() {  
        try(Resource bar = new Resource()) {  
            //use bar  
        }  
    }  
}
```

```
public class TryWithFoo{  
  
    public void TryWithBar() {  
        Resource bar = new Resource();  
        try (bar) {  
            //use bar  
        }  
    }  
}  
}
```

```
public class TryWithFoo {  
  
    final Resource bar = new Resource();  
    public void TryWithBar() {  
        try (bar) {  
            //use bar  
        }  
    }  
}  
}
```



MULTI-RELEASE JARS

<http://bit.ly/2kVj9Hk>

EXAMPLE MULTI-RELEASE FILE STRUCTURE

jar/
 foo.class
 bar.class
 evil.class
META-INF/

 MANIFEST.MF

 Multi-Release: true

 versions/

 9/
 foo.class
 bar.class

 10/
 bar.class

Code with Java 9 artifacts

Code with Java 10 artifacts



JAVADOC & DEPRECATION ENHANCEMENTS

<http://bit.ly/2kVj9Hk>

► Javadoc Enhancements

- searchable
- html5 compliant

► @Deprecation enhancements

- addition of forRemoval(boolean)
- addition of since(String)

ADDITIONAL CHANGES

<http://bit.ly/2kVj9Hk>

ADDITIONAL CHANGES

- ▶ Reactive updates
- ▶ G1 now default garbage collector
- ▶ Compact strings
- ▶ New version format
 - ▶ \$MAJOR.\$MINOR.\$SECURITY.\$PATCH
- ▶ HTTP/2 support (experimental)
- ▶ Unified GC Logging
- ▶ Unified JVM Logging
- ▶ Stackwalking API

REMOVALS

<http://bit.ly/2kVj9Hk>

REMOVALS

- ▶ jhat
- ▶ applet API
- ▶ Internal APIs (when encapsulation is turned on)
- ▶ Deprecated GC combinations
- ▶ JVM TI hprof Agent

DEVELOPER TOOLS

<http://bit.ly/2kVj9Hk>

DEVELOPER TOOL JAVA 9 COMPATIBILITY

- ▶ IntelliJ
 - ▶ IDEA 2017.1+
- ▶ Eclipse
 - ▶ Requires Oxygen, currently in beta, full support coming in October
- ▶ Netbeans
 - ▶ Currently available in nightly builds, full support part of Netbeans 9
- ▶ Maven
 - ▶ 3.0+
- ▶ Gradle
 - ▶ 4.1+ (limited Java 9 compatibility)
 - ▶ Full modules support coming soon

SPRING FRAMEWORK JAVA 9 SUPPORT



- ▶ SPRING 4.X (CURRENT)
 - LIMITED AND ONLY FOR 4.3.10
- ▶ SPRING 5.X (CURRENTER)
 - STABLE AUTOMATIC MODULE NAMES
- ▶ SPRING 6.X (2019+)
 - FULL JIGSAW SUPPORT

SPRING LIBRARIES JAVA 9 SUPPORT



- ▶ **SPRING BOOT 1.X (CURRENT)**
 - **NO SUPPORT**
- ▶ **SPRING BOOT 2.X (NOVEMBER 2017)**
 - **SUPPORTS RUNNING IN JAVA 9**
- ▶ **OTHER LIBRARIES WILL VARY**

WHO TO FOLLOW FOR JAVA 9 NEWS



@PBAKKER
PAUL BAKKER



@SANDER_MAK
SANDER MAK



@NIPAFX
NICOLAI PARLOG

RESOURCES

Source code: <https://github.com/wkorando/java-9-microservices-demo>

Real World Java 9 by Trisha Gee: <https://www.youtube.com/watch?v=GkP83hvdeMk>

AskArch DevoxxUK: https://www.youtube.com/watch?v=ac1v5kF_FGs

Java 9 Modularity in Action: <https://www.youtube.com/watch?v=oy3202OFPpM>

Full Java 9 feature list: <http://openjdk.java.net/projects/jdk9/>

What's in Java 9: <https://dzone.com/articles/java-9-besides-modules>

GET STARTED!

HTTP://JDK.JAVA.NET/9/