

Bibliography

- [1] N. Abachi, On variable metric algorithms, *J. Optimization Theory and Methods* 7 (1971) 391-410.
- [2] M. Al-Baali, Descent property and global convergence of the Fletcher-Reeves method with inexact line search, *IMA J. Numerical Analysis* 5 (1985) 121-124.
- [3] K.A. Ariyawansa, Deriving collinear scaling algorithms as extensions of quasi-Newton methods and the local convergence of DFP- and BFGS-related collinear scaling algorithms, *Mathematical Programming* 49 (1990) 23-48.
- [4] L. Armijo, Minimization of functions having Lipschitz continuous partial derivatives, *Pacific J. Mathematics* 16 (1966) 1-3.
- [5] M. Avriel, *Nonlinear Programming: Analysis and Methods*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, (1976).
- [6] P. Baptist and J. Stoer, On the relation between quadratic termination and convergence properties of minimization algorithms, Part II: Applications, *Numerische Mathematik* 28 (1977) 367-392.
- [7] R. Bartels and A. Conn, An approach to nonlinear l_1 data fitting, in: J.P. Hennart ed., *Lecture Notes in Mathematics 909: Numerical Analysis, Cocoyoc 1981* (Springer-Verlag, Berlin, 1982), 48-58.
- [8] J. Barzilai and J.M. Borwein, Two-point step size gradient methods, *IMA Journal of Numerical Analysis* 8 (1988) 141-148.
- [9] M.S. Bazara and C.M. Shetty, *Nonlinear Programming, Theory and Algorithms*, John Wiley and Sons, New York, (1979).

- [10] E.M.L. Beale, A derivative of conjugate gradients, in F.A. Lootsma eds., *Numerical Methods for Nonlinear Optimization*, London, Academic Press, (1972), 39-43.
- [11] C.S. Beightler, D.T. Phillips and D.J. Wilde, *Foundations of Optimization*, Prentice-Hall, Englewood Cliffs, N.J., (1979).
- [12] A. Ben-Israel and T.N.E. Greville, *Generalized Inverses: Theory and Applications*, John Wiley & Sons, New York, (1974).
- [13] D.P. Bertsekas, *Constrained Optimization and Lagrange Multiplier Methods*, Academic Press, New York, (1982).
- [14] D.P. Bertsekas, *Nonlinear Programming*, Athena Scientific, Belmont, Mass., (1995).
- [15] M.C. Bartholomew-Biggs, The estimation of the Hessian matrix in nonlinear least squares problems with non-zero residuals, *Mathematical Programming* 12 (1977) 67-80.
- [16] M.C. Bartholomew-Biggs, Recursive quadratic programming methods based on the augmented Lagrangian, *Mathematical Programming Study* 31 (1987) 21-24.
- [17] M.C. Biggs, Minimization algorithms making use of non-quadratic properties of the objective function, *Institute of Mathematics and Its Applications* 8 (1971) 315-327.
- [18] A. Bjöck, *Numerical Methods for Least Squares Problems*, SIAM Publications, Philadelphia, Penn, (1996).
- [19] P.T. Boggs and J.W. Tolle, Merit function for nonlinear programming problems, *Operations Research and System Analysis Report* No 81-2, University of North Carolina at Chapel Hill, (1981).
- [20] P.T. Boggs and J.W. Tolle, Convergence properties of a class of rank-two updates, *SIAM Journal on Optimization* 4 (1994) 262-287.
- [21] P.T. Boggs and J.W. Tolle, Sequential quadratic programming, *Acta Numerica* 4 (1996) 1-51.

- [22] P.T. Boggs, J.W. Tolle, and P. Wang, On the local convergence methods for constrained optimization, *SIAM J. Control and Optimization* 20 (1982) 161-171.
- [23] I. Bongartz, A.R. Conn, N.I.M. Gould, and Ph.L. Toint, CUTE: Constrained and unconstrained testing environment, *ACM Transactions on Mathematical Software* 21 (1995) 123-160.
- [24] C.A. Botsaris and D.H. Jacobson, A Newton-type curvilinear search method for optimization, *J. Mathematical Analysis and Applications* 54 (1976) 217-229.
- [25] A. Bouaricha and R.B. Schnabel, Tensor methods for large sparse nonlinear least-squares problems, *SIAM J. Scientific Computing* 21 (1999) 1199-1221.
- [26] C.G. Broyden, A class of methods for solving nonlinear simultaneous equations, *Mathematics of Computation* 19 (1965) 577-593.
- [27] C.G. Broyden, The convergence of a class double-rank minimization algorithms, *Journal of the Institute of Mathematics and its Applications* 6 (1970) 76-90.
- [28] C.G. Broyden, J.E. Dennis and J.J. Moré, On the local and superlinear convergence of quasi-Newton algorithm, *J. Inst. Math. Appl.* 12 (1973) 222-236.
- [29] C.G. Broyden, J.E. Dennis, Jr., and J.J. Moré, On the local superlinear convergence of quasi-Newton methods, *J. Institute of Mathematics and Applications* 12 (1973) 223-246.
- [30] A. Buckley, A combined conjugate gradient quasi-Newton minimization algorithm, *Mathematical Programming* 15 (1978) 200-210.
- [31] J.P. Buleau and J.Ph. Vial, Curvilinear path and trust region in unconstrained optimization: a convergence analysis, *Mathematical Programming Study* 30 (1987) 82-101.
- [32] J.R. Bunch and L. Kaufman, Some stable methods for calculating inertia and solving symmetric linear systems, *Mathematics of Computation* 31 (1977) 163-179.

- [33] J.R. Bunch and B.N. Parlett, Direct methods for solving symmetric indefinite systems of linear equations, *SIAM Journal on Numerical Analysis* 8 (1971) 639-655.
- [34] J.V. Burke, Descent methods for composite nondifferential optimization problems, *Mathematical Programming* 33 (1985) 260-279.
- [35] J.V. Burke, Second order necessary and sufficient conditions for convex composite NDO, *Mathematical Programming* 38 (1987) 287-302.
- [36] J.V. Burke, A robust trust region method for constrained nonlinear programming problems, *SIAM J. Optimization* 2 (1992) 325-347.
- [37] J.V. Burke and J.J. Moré, On the identification of active constraints, *SIAM J. Numerical Analysis* 25 (1988) 1197-1211.
- [38] J.V. Burke, J.J. Moré, and G. Toraldo, Convergence properties of trust region methods for linear and convex constraints, *Mathematical Programming* 47 (1990) 305-336.
- [39] W. Burmeister, Die konvergenzordnung des Fletcher-Powell algorithmus, *Z. Angew. Math. Mech.* 53 (1973) 693-699.
- [40] R.H. Byrd, An example of irregular convergence in some constrained optimization methods that use projected Hessian, *Mathematical Programming* 32 (1985) 232-237.
- [41] R.H. Byrd, M.E. Hribar, and J. Nocedal, An interior-point algorithm for large-scale nonlinear programming, Technical Report 97/05, Optimization Technology Center, Argonne National Laboratory and Northwestern University, July (1997).
- [42] R.H. Byrd, H.F. Khalfan, and R.B. Schnabel, Analysis of symmetric rank-one trust region method, *SIAM Journal on Optimization* 6 (1996) 1025-1039.
- [43] R.H. Byrd, D.C. Liu, and J. Nocedal, On the behavior of Broydens class of quasi-Newton methods, *SIAM Journal on Optimization* (1992).
- [44] R.H. Byrd and J. Nocedal, A tool for the analysis of quasi-Newton methods with application to unconstrained minimization, *SIAM Journal on Numerical Analysis* 26 (1989) 727-739.

- [45] R.H. Byrd and J. Nocedal, An analysis of reduced Hessian methods for constrained optimization, *Mathematical Programming* 49 (1991) 285-323.
- [46] R.H. Byrd, J. Nocedal, and R.B. Schnabel, Representations of quasi-Newton matrices and their use in limit-memory methods, *Mathematical Programming* 63 (1994) 129-156.
- [47] R.H. Byrd, J. Nocedal and Y. Yuan, Global convergence of a class of variable metric algorithms, *SIAM J. Numerical Analysis* 24 (1987) 1171-1190.
- [48] R.H. Byrd, R.B. Schnabel, and G.A. Schultz, A trust region algorithm for nonlinearly constrained optimization, *SIAM J. Numerical Analysis* 24 (1987) 1152-1170.
- [49] R.H. Byrd, R.B. Schnabel, and G.A. Schultz, Approximate solution of the trust region problem by minimization over two-dimensional subspaces, *Mathematical Programming* 40 (1988) 247-263.
- [50] P.H. Calamai and J.J. Moré, Projected gradient methods for linearly constrained problems, *Mathematical Programming* 39 (1987) 93-116.
- [51] M.R. Celis, A trust region strategy for nonlinear equality constrained optimization, Ph.D. thesis, Dept of Math. Sci., Rice University, Houston, (1985).
- [52] M.R. Celis, J.E. Dennis and R.A. Tapia, A trust region algorithm for nonlinear equality constrained optimization, in P.T. Boggs, R.H. Byrd and R.B. Schnabel, eds., *Numerical Optimization* (SIAM Philadelphia, 1985), 71-82.
- [53] R.M. Chamberlain, Some examples of cycling in variable metric methods for constrained minimization, *Mathematical Programming* 16 (1979) 378-383.
- [54] R.M. Chamberlain, C. Lemarechal, H.C. Pedersen, and M.J.D. Powell, The watchdog techniques for forcing convergence in algorithms for constrained optimization, *Mathematical Programming Study* 16 (1982) 1-17.

- [55] C. Charelambous, Unconstrained optimization based on homogeneous models, *Mathematical Programming* 5 (1973) 189-198.
- [56] C. Charelambous and A.R. Conn, An efficient method to solve the minimax problem directly, *SIAM J. Numerical Analysis* 15 (1978) 162-187.
- [57] X. Chen, Superlinear convergence of smoothing quasi-Newton methods for nonsmooth equations, *J. of Computational and Applied Mathematics* 80 (1997) 105-126.
- [58] E.W. Cheney and A.A. Goldstein, Newton's method for convex programming and Chebyshev approximation, *Numerische Mathematik* 1 (1959) 253-268.
- [59] V. Chvátal, *Linear Programming*, W.M. Freeman and Company, New York, (1983).
- [60] F.H. Clarke, *Optimization and Nonsmooth Analysis*, John Wiley and Sons, New York, (1983).
- [61] A. Cohen, Rate of convergence of several conjugate gradient algorithms, *SIAM J. Numer Anal.* 9 (1972) 248-259.
- [62] T.F. Coleman and A.R. Conn, Nonlinear programming via an exact penalty function: asymptotic analysis, *Mathematical Programming* 24 (1982) 123-136.
- [63] T.F. Coleman and A.R. Conn, On the local convergence of a quasi-Newton method for the nonlinear programming problem, *SIAM J. Numerical Analysis* 21 (1984) 755-769.
- [64] A.R. Conn, N.I.M. Gould, D. Orban, and Ph.L. Toint, A primal-dual trust region algorithm for nonconvex nonlinear programming, *Mathematical Programming* 87 (2000) 215-249.
- [65] A.R. Conn, N.I.M. Gould, and Ph.L. Toint, Global convergence of a class of trust region algorithms for optimization with simple bounds, *SIAM J. on Numerical Analysis* 25 (1988) 433-460.
- [66] A.R. Conn, N.I.M. Gould, and Ph.L. Toint, Testing a class of algorithms for solving minimization problems with simple bounds on the variables, *Mathematics of Computation* 50 (1988) 399-430.

- [67] A.R. Conn, N.I.M. Gould, and Ph.L. Toint, Convergence of quasi-Newton matrices generated by symmetric rank one update, *Mathematical Programming* 50 (1991) 177-195.
- [68] A.R. Conn, N.I.M. Gould, and Ph.L. Toint, LANCELOT: a FORTRAN package for large-scale nonlinear optimization (Release A), No. 17 in *Springer Series in Computational Mathematics*, Springer-Verlag, New York, (1992).
- [69] A.R. Conn, N.I.M. Gould, and Ph.L. Toint, Convergence properties of minimization algorithms for convex constraints using a structured trust region, *SIAM Journal on Numerical Analysis* 25 (1996) 1059-1086.
- [70] A.R. Conn, N.I.M. Gould and Ph.L. Toint, *Trust-Region Methods*, SIAM, (2000).
- [71] G. Corradi, Quasi-Newton methods for nonlinear equations and unconstrained optimization methods, *International Journal of Computer Mathematics* 38 (1991) 71-89.
- [72] C.W. Cryer, *Numerical Functional Analysis*, Clarendon Press, Oxford, (1982).
- [73] Y.H. Dai, New properties of a nonlinear conjugate gradient method, *Numerische Mathematik* 89 (2001) 83-98.
- [74] Y.H. Dai and Y. Yuan, Convergence properties of Fletcher-Reeves method, *IMA J. Numerical Analysis* 16 (1996) 155-164.
- [75] Y.H. Dai and Y. Yuan, A nonlinear conjugate gradient method with a strong global convergence property, *SIAM J. Optimization* 10 (1999) 177-182.
- [76] Y.H. Dai and Y. Yuan, An efficient hybrid conjugate gradient method for unconstrained optimization, *Annals of Operations Research* 103 (2001) 33-47.
- [77] Y.H. Dai and Y. Yuan, A three-parameter family of nonlinear conjugate gradient methods, *Mathematics of Computation* 70 (2001) 1155-1167.
- [78] G.B. Dantzig, *Linear Programming and Extensions*, Princeton University Press, Princeton, New Jersey, (1963).

- [79] W.C. Davidon, Variable metric methods for minimization, Argonne National Labs Report, ANL-5990, (1959).
- [80] W.C. Davidon, Optimally conditioned optimization algorithms without line searches, *Mathematical Programming* 9 (1975) 1-30.
- [81] W.C. Davidon, Optimization by nonlinear scaling, in: D. Jacobs ed., *Proceedings of the conference on Applications of Numerical Software — Needs and Availability*, Academic Press, New York, (1978), 377-383.
- [82] W.C. Davidon, Conic approximation and Collinear scaling for optimizers, *SIAM Numer. Anal.* 17 (1980) 268-281.
- [83] R.S. Dembo, S.C. Eisenstat, and T. Steihaug, Inexact Newton methods, *SIAM Journal on Numerical Analysis* 19 (1982) 400-408.
- [84] V.F. Demyanov and L.V. Vaselev, *Nondifferentiable Optimization*, Optimization Software, Inc., New York, (1985).
- [85] N.Y. Deng, *Computational Methods for Unconstrained Optimization*, Science Press, Beijing, (1982).
- [86] N.Y. Deng, Y. Xiao and F. Zhou, A nonmonotonic trust region algorithm, *Journal of Optimization Theory and Applications* 76 (1993) 259-285.
- [87] J.E. Dennis Jr., M. El-Alem, and M.C. Maciel, A global convergence theory for general trust region based algorithms for equality constrained optimization, *SIAM J. Optimization* 7 (1997) 177-207.
- [88] J.E. Dennis Jr., D.M. Gay and R.E. Welsch, An adaptive nonlinear least-squares algorithm, *ACM Transactions on Math. Software* 7 (1981) 348-368.
- [89] J.E. Dennis Jr., S.B. Li, and R.A. Tapia, A unified approach to global convergence of trust region methods for nonsmooth optimization, *Mathematical Programming* 68 (1995) 319-346.
- [90] J.E. Dennis and H.H.W. Mei, Two new unconstrained optimization algorithms with use function and gradient values, *Journal of Optimization Theory and Applications* 28 (1979) 453-482.

- [91] J.E. Dennis Jr., and J.J. Moré, A characterization of superlinear convergence and its application to quasi-Newton methods, *Math. Comp.* 28 (1974) 549-560.
- [92] J.E. Dennis Jr., and J.J. Moré, Quasi-Newton Methods, motivation and theory, *SIAM Review* 19 (1977) 46-89.
- [93] J.E. Dennis Jr., and R.B. Schnabel, Least change secant updates for quasi-Newton methods, *SIAM Review* 19 (1979) 443-459.
- [94] J.E. Dennis Jr., and R.B. Schnabel, A new derivation of symmetric positive definite secant updates, in: O.L. Mangasarian, R.R. Meyer and S.M. Robinson eds., *Nonlinear Programming* vol. 4, Academic Press, New York, (1980) 167-199.
- [95] J.E. Dennis and R.B. Schnabel, *Numerical Methods for Unconstrained Optimization and Nonlinear Equations*, Prentice-Hall, Englewood Cliffs, NJ, (1983).
- [96] J.E. Dennis and R.B. Schnabel, A view of unconstrained optimization, in: *Optimization Vol. 1 of Handbooks in Operations Research and Management*, Elsevier Science Publishers, Amsterdam, (1989) 1-72.
- [97] J.E. Dennis Jr. and K. Turner, Generalized conjugate directions, Report 85-11, Dept of Mathematics, Rice University, Houston, (1985).
- [98] J.E. Dennis Jr. and H.F. Walker, Convergence theorems for least change secant update methods, *SIAM J. Numer. Anal.* 18 (1981) 949-987; 19 (1982) 443-443.
- [99] J.E. Dennis Jr. and H.F. Walker, Least-change sparse secant update methods with inaccurate secant conditions, *SIAM J. Numer. Anal.* 22 (1985) 760-778.
- [100] J.E. Dennis, Jr. and H. Wolkowicz, Sizing and least change secant methods, Research Report 90-02, Faculty of Mathematics, University of Waterloo, Canada, (1990).
- [101] S. Di and W. Sun, Trust region method for conic model to solve unconstrained optimization problems, *Optimization Methods and Software* 6 (1996) 237-263.

- [102] G. Di Pillo and L. Grippo, A new class of augmented Lagrangians in nonlinear programming, *SIAM J. Control and Optimization* 17 (1979) 618-828.
- [103] G. Di Pillo and L. Grippo, An exact penalty function method with global convergence properties for nonlinear programming problem, *Math. Prog.* 36 (1986) 1-18.
- [104] G. Di Pillo, L. Grippo and F. Lampariello, A class of algorithms for the solution of optimization problems with inequalities, CNR Inst. di Anal. dei Sistemi ed Inf. Report R18, (1981).
- [105] L.C.W. Dixon, The choice of step length, a crucial factor in the performance of variable metric method, in: F.A. Lootsma, ed., *Numerical Methods for Nonlinear Optimization*, (Academic Press, London, 1972) 149-170.
- [106] L.C.W. Dixon, Variable metric algorithms: necessary and sufficient conditions for identical behavior of nonquadratical functions, *J. Optimization Theory and Appl.* 10 (1972) 34-40.
- [107] L.C.W. Dixon, Quasi-Newton family generates identical points, Part I and Part II, *Math. Prog.* 2 (1972) 383-387, 3 (1972) 345-358.
- [108] L.C.W. Dixon, E. Spedicato and G.P. Szego, eds. *Nonlinear Optimization* Birkhauser, Boston, (1980).
- [109] L.C.W. Dixon and G.P. Szegö, *Towards Global Optimization*, Vol. 1, Vol. 2, North-Holland, Amsterdam, (1975), (1978).
- [110] I.S. Duff, J. Nocedal, and J.K. Reid, The use of linear programming for the solution of sparse sets of nonlinear equations, *SIAM J. Scientific and Statistical Computing* 8 (1987) 99-108.
- [111] M. El-Alem, *A Global Convergence Theory for a Class of Trust Region Algorithms for Constrained Optimization*, Ph. D. Thesis, Dept of Mathematical Sciences, Rice University, Houston, (1988).
- [112] M. El-Alem, A global convergence theory for the Celis-Dennis-Tapia trust region algorithm for constrained optimization, *SIAM J. Numerical Analysis* 28 (1991) 266-290.

- [113] M. El-Alem, A robust trust region algorithm with nonmonotone penalty parameter scheme for constrained optimization, *SIAM J. Optimization* 5 (1995) 348–378.
- [114] M. El-Hallabi, A global convergence theory for a class of trust region methods for nonsmooth optimization, Report MASC TR 90-16, Rice University, USA.
- [115] M. El-Hallabi and Tapia, A global convergence theory for arbitrary norm trust-region methods for nonlinear equations, Report MASC TR 93-43, Rice University, Houston, USA.
- [116] M. El-Hallabi and R.A. Tapia, An inexact trust regionfeasible-point algorithm for nonlinear systems and inequalities, Report MASC TR 95-09, Rice University, Houston, USA.
- [117] I.I. Eremin, A generalization of the Motzkin-Agmon relaxation method, *Soviet Math. Doklady* 6 (1965) 219-221.
- [118] Yu.M. Ermoliev, Method of solution of nonlinear extremal problems, (in Russian), *Kibernetika* 2 (1966) 1-17.
- [119] D.J. Evans, W. Sun, R.J.B. Sampaio, and J. Yuan, Restricted generalized inverse corresponding to constrained quadratic system, *International Journal of Computer Mathematics* 62 (1996) 285-296.
- [120] F. Facchinei and S. Lucidi, Nonmonotone bundle-type scheme for convex nonsmooth minimization, *J. Optimization Theory and Applications* 76 (1993) 241-257.
- [121] Shu-Cheng Fang and S. Puthenpura, *Linear Programming and Extensions, Theory and Algorithms*, Prentice Hall, Inc., (1993).
- [122] A.V. Fiacco and G.P. McCormick, *Nonlinear Programming: Sequential Unconstrained Minimization Techniques*, (John Wiley, New York 1968).
- [123] J. Flachs, On the convergence, invariance, and related aspects of a modification of Huang's algorithm, *J. Optimization Theory and Methods* 37 (1982) 315-341.
- [124] J. Flachs, On the generalization of updates for quasi-Newton method, *J. Optimization Theory and Applications* 48 (1986) 379-418.

- [125] R. Fletcher, A new approach to variable metric algorithms, *Computer J.* 13 (1970) 317-322.
- [126] R. Fletcher, An exact penalty function for nonlinear programming with inequalities, *Math. Prog.* 5 (1973) 129-150.
- [127] R. Fletcher, An ideal penalty function for constrained optimization, *J. Inst. Math. Applications* 15 (1975) 319-342.
- [128] R. Fletcher, *Practical Methods of Optimization, Vol. 1, Unconstrained Optimization*, (John Wiley and Sons, Chichester, 1980).
- [129] R. Fletcher, *Practical Methods of Optimization, Vol. 2, Constrained Optimization*, (John Wiley and Sons, Chichester, 1981).
- [130] R. Fletcher, A model algorithm for composite NDO problem, *Math. Prog. Study* 17 (1982) 67-76. (1982a)
- [131] R. Fletcher, Second order correction for nondifferentiable optimization, in: G.A. Watson, ed., *Numerical Analysis*, (Springer-Verlag, Berlin, 1982), 85-115. (1982b).
- [132] R. Fletcher, Penalty functions, in: A. Bachem, M. Grötschel and B. Korte, eds., *Mathematical Programming: The State of the Art*, (Springer-Verlag, Berlin, 1983), 87-114.
- [133] R. Fletcher, *Practical Methods of Optimization* (second edition), (John Wiley and Sons, Chichester, 1987).
- [134] R. Fletcher, An optimal positive definite update for sparse hessian matrices, *SIAM Journal on Optimization* 5 (1995) 192-218.
- [135] R. Fletcher and T.L. Freeman, A modified Newton method for minimization, *J. Optimization Theory and Methods* 23 (1977) 357-372.
- [136] R. Fletcher, S. Leyffer, and Ph.L. Toint, On the global convergence of a filter-SQP algorithm, *SIAM J. Optimization* No.1 (2002) 44-59.
- [137] R. Fletcher and M.J.D. Powell, A rapid convergent descent method for minimization, *Computer Journal* 6 (1963) 163-168.
- [138] R. Fletcher and C.M. Reeves, Function minimization by conjugate gradients, *Computer Journal* 7 (1964) 149-154.

- [139] R. Fletcher and C. Xu, Hybrid methods of nonlinear least squares, *IMA J. of Numerical Analysis* 7 (1987).
- [140] J.A. Ford and R.A. Ghundhari, On the use of curvature estimates in quasi-Newton methods, *J. Comput. Appl. Math.* 35 (1991) 185-196.
- [141] M. Fukushima, A descent algorithm for non-smooth convex programming, *Mathematical Programming* 30 (1984) 163-175.
- [142] M. Fukushima, A successive quadratic programming algorithm with global and superlinear convergence properties, *Mathematical Programming* 35 (1986) 253-264.
- [143] M. Fukushima and L. Qi, A globally and superlinearly convergent algorithm for nonsmooth convex minimization, *SIAM J. Optimization* 6 (1996) 1106-1120.
- [144] D.M. Gay, Computing optimal local constrained step, *SIAM J. Sci. Stat. Comp.* 2 (1981) 186-197.
- [145] D.M. Gay, A trust region approach to linearly constrained optimization, in: D.F. Griffiths, ed., *Lecture Notes in Mathematics 1066: Numerical Analysis*, Springer-Verlag, Berlin, (1984) 72-105.
- [146] J.C. Gilbert and J. Nocedal, Global convergence properties of conjugate gradient methods for optimization, *SIAM J. Optimization* 2 (1992) 21-42.
- [147] P.E. Gill and W. Murray, Quasi-Newton methods for unconstrained optimization, *J. Inst. Maths. Appli.* 9 (1972) 91-108.
- [148] P.E. Gill, G.H. Golub, W. Murray, and M.A. Saunders, Methods for modifying matrix factorizations, *Mathematics of Computation* 28 (1974) 505-535.
- [149] P.E. Gill and W. Murray, Newton-type methods for unconstrained and linearly constrained optimization, *Mathematical Programming* 28 (1974) 311-350.
- [150] P.E. Gill and W. Murray, Numerically stable methods for quadratic programming, *Math. Prog.* 14 (1978) 348-372.

- [151] P.E. Gill and W. Murray, Conjugate gradient methods for large-scale nonlinear optimization, Technical Report SOL 79-15, Department of Operations Research, Stanford University, Stanford, California, (1979).
- [152] P.E. Gill and W. Murray and M.H. Wright, *Practical Optimization*, Academic Press, London, (1981).
- [153] D. Goldfarb, A family of variable metric methods derived by variation mean, *Mathematics of Computation* 23 (1970) 23-26.
- [154] D. Goldfarb, Curvilinear path steplength algorithms for minimization which use directions of negative curvature, *Mathematical Programming* 18 (1980) 31-40.
- [155] D. Goldfarb and A. Idinani, A numerical stable dual method for solving strictly convex quadratic programs, *Math. Prog.* 27 (1983) 1-33.
- [156] S.M. Goldfeld, R.E. Quandt, and H.F. Trotter, Maximisation by quadratic hill-climbing, *Econometrica* 34 (1966) 541-551.
- [157] A.A. Goldstein, On steepest descent, *SIAM J. Control* 3 (1965) 147-151.
- [158] A.A. Goldstein, *Constructive Real Analysis*, Harper & Row, New York, (1967).
- [159] A.A. Goldstein and J.F. Price, An effective algorithm for minimization, *Numer. Math.* 10 (1967) 184-189.
- [160] G.H. Golub and C.F. Van Loan, *Matrix Computations*, The Johns Hopkins University Press, Baltimore, 3rd ed., (1996).
- [161] N.I.M. Gould, D. Orban, Ph.L. Toint, CUTer and SifDec: A constrained and unconstrained testing environment revisited, *ACM Transactions on Mathematical Software* 29 (2003) 373-394.
- [162] L. Grandinetti, Some investigation in a new algorithm for nonlinear optimization based on conic model of objective function, *J. Optimization Theory and Applications* 43 (1984) 1-21.
- [163] J. Greenstadt, Variations on variable metric methods, *Mathematics of Computation* 24 (1970) 1-22.

- [164] L. Grippo, F. Lampariello and S. Lucidi, A nonmonotone line search technique for Newton's methods, *SIAM J. Numer. Anal.* 23 (1986) 707-716.
- [165] L. Grippo and S. Lucidi, A globally convergence version of the Polak-Ribiere conjugate gradient method, *Mathematical Programming* 78 (1997) 375-391.
- [166] J. Hald and K. Madsen, Combined LP and quasi-Newton methods for minmax, *Math. Prog.* 20 (1981) 49-62.
- [167] D. Han and W. Sun, New decomposition methods for solving variable inequality problems, *Mathematics and Computer Modeling* 37 (2003) 408-418.
- [168] Q. Han, W. Sun, J. Han and R.J.B. Sampaio, An adaptive conic trust-region method for unconstrained optimization, *Optimization Methods and Software* 20 (2005) 645-663.
- [169] S.P. Han, A global convergent method for nonlinear programming, *J. Optimization Theory and Applications* 22 (1977) 297-309.
- [170] S.P. Han, J.S. Pang and N. Rangaraj, Globally convergent Newton methods for nonsmooth equations, *Mathematics of Operations Research*, 17 (1992) 586-607.
- [171] X. He and W. Sun, Analysis on Greville's method, *Journal of Nanjing University, Mathematical Biquarterly* 5 (1988) 1-10.
- [172] X. He and W. Sun, *Introduction to Generalized Inverses of Matrices*, Jiangsu Sci. & Tech. Publishing House, Nanjing, (1991). (in Chinese).
- [173] M.R. Hestenes and E. Stiefel, Method of conjugate gradient for solving linear system, *J. Res. Nat. Bur. Stand.* 49 (1952) 409-436.
- [174] D.M. Himmelblau, *Applied Nonlinear Programming*, McGraw-Hill, (1972).
- [175] J.B. Hiriart-Urruty and C. Lemaréchal, *Convex Analysis and Minimization Algorithms*, Springer-Verlag, Berlin, New York, (1993).

- [176] W. Hock and K. Schittkowski, *Test Examples for Nonlinear Programming Codes*, Lecture Notes in Economical and Mathematical Systems 187, Springer-Verlag, Berlin, (1981).
- [177] E. Höpfinger, On the solution of the unidimensional local minimization problem, *J. Optimization Theory and Appl.* 18 (1976) 425-428.
- [178] R. Hooke and T.A. Jeeves, Direct search solution of numerical and statistical problems, *J. ACM* 8 (1961) 212-229.
- [179] Yuda Hu, *Nonlinear Programming*, Higher Education Press, Beijing, (1990). (in Chinese).
- [180] H.Y. Huang, Unified approach to quadratically convergent algorithms for function minimization, *J. Optimization Theory and Appl.* 5 (1970) 405-423.
- [181] D.H. Jacobson and W. Oxman, An algorithm that minimizes homogeneous functions of n variables in $n + 2$ iterations and rapidly minimizes general functions, *J. Math. Anal. Appl.* 38 (1972) 533-552.
- [182] D.H. Jacobson and L.M. Pels, A modified homogeneous algorithm for function minimization, *J. Math. Anal. Appl.* 46 (1974) 533-541.
- [183] F. John, Extremum problem with inequalities as subsidiary conditions, in: F.D. Friedrichs, et al. (eds.) *Studies and Essays, Courant Anniversary Volume* (Interscience Publishers, New York, 1948)
- [184] N. Karmarkar, A new polynomial-time algorithm for linear programming, *Combinatorica*, 4 (1984) 374-395.
- [185] W. Karush, *Minima of functions of several variables with inequalities as side conditions*, Master's thesis, University of Chicago, Chicago, Illinois, (1939).
- [186] J.E. Kelley, The cutting plane method for solving convex programs, *J. of SIAM* 8 (1960) 703-712.
- [187] J.E. Kelley, *Iterative Methods for Linear and Nonlinear Equations*, SIAM Publications, Philadelphia, Penn., (1995).
- [188] L.G. Khachiyan, A polynomial algorithm in linear programming, *Soviet Mathematics Doklady* 20 (1979) 191-194.

- [189] H.F.H. Khalfan, *Topics in quasi-Newton methods for unconstrained optimization*, Ph D thesis, University of Colorado, (1989).
- [190] K.C. Kiwiel, *Methods of Descent for Nondifferentiable Optimization*, Lecture Notes in Mathematics 1133, Springer-Verlag, Berlin, (1985).
- [191] M. Kojima and S. Shindo, Extensions of Newton and quasi-Newton methods to systems of PC^1 equations, *J. Oper. Res. Soc. Japan* 29 (1986) 352-374.
- [192] J. Kowalik and K. Ramakrishnan, A numerically stable optimization method based on homogeneous function, *Math. Prog.* 11 (1976) 50-66.
- [193] H.W. Kuhn and A.W. Tucker, Nonlinear programming, in: J. Neyman, ed., *Proceedings of the Second Berkeley Symposium on Mathematical Statistics and Probability* (University of California Press, Berkeley, California, 1951) 481-492.
- [194] C.J.L. Lagrange, Essai d'une nouvelle méthode pour déterminer les maxima et les minima, *Miscellanea Taurinensia* 2 (1760-61) *Oeuvres*, 1, pp. 356-357, 360.
- [195] C. Lemaréchal, Bundle methods in nonsmooth optimization, in: C. Lemaréchal and R. Mifflin, eds., *Nonsmooth Optimization* (Pergamon, Oxford, 1978) 79-102.
- [196] C. Lemaréchal, Nondifferentiable optimization, in: L.C.W. Dixon, E. Spedicato and G.P. Szego, eds., *Nonlinear Optimization* (Birkhauser, Boston, 1980) 149-199.
- [197] C. Lemaréchal and C. Sagastizabal, Variational metric bundle methods: From conceptual to implementable forms, *Mathematical Programming B*, 76 (1997) 393-410.
- [198] C. Lemaréchal and C. Sagastizabal, Practical aspects of the Moreau Yosida regularization: Theoretical preliminaries, *SIAM J. Optimization* 7 (1997).
- [199] K. Levenberg, A method for the solution of certain nonlinear problems in least squares, *Qart. Appl. Math.* 2 (1944) 164-166.

- [200] D.C. Liu and J. Nocedal, On the limited memory BFGS method for large scale optimization, *Mathematical Programming* 45 (1989) 503-528.
- [201] D.G. Luenberger, *Linear and Nonlinear Programming* (2nd Edition), (Addison-Wesley, Massachusetts, 1984).
- [202] Z.Q. Luo, J.S. Pang and D. Ralph, *Mathematical Programs with Equilibrium Constraints*, Cambridge University Press, Cambridge, (1996).
- [203] G. McCormick, A modification of Armijio's step-size rule for negative curvature, *Mathematical Programming* 13 (1977) 111-115.
- [204] G. McCormick, *Nonlinear Programming: Theory, Algorithms, and Applications*, (John Wiley and Sons, New York, 1983)
- [205] G. McCormick and K. Ritter, Alternative proofs of the convergence properties of the conjugate gradient method, *J. Optimization Theory and Applications* 13 (1974) 497-518.
- [206] K. Madsen, An algorithm for the minimax solution of overdetermined systems of nonlinear equations, *J. Inst. Math. Appl.* 16 (1975) 1-20.
- [207] O.L. Mangasarian, *Nonlinear Programming*, (McGraw-Hill, New York, 1969).
- [208] O.L. Mangasarian and S. Fromowitz, The Fritz John necessary optimality conditions in the presence of equality and inequality constraints, *J. Math. Anal. Appl.* 17 (1967) 37-47.
- [209] N. Maratos, *Exact Penalty Function Algorithms for Finite Dimensional and Control Optimization Problems*, Ph. D. thesis, Imperial College Sci. Tech., University of London, (1978).
- [210] D.W. Marquardt, An algorithm for least-squares estimation of nonlinear inequalities, *SIAM J. Appl. Math.* 11 (1963) 431-441.
- [211] J.M. Martinez, Quasi-Newton methods with factorization scaling for solving sparse nonlinear systems of equations, *Computing* 38 (1987) 133-144.

- [212] J.M. Martinez and A.C. Moretti, A trust region method for minimization of nonsmooth functions with linear constraints, *Mathematical Programming* 76 (1997) 431-449.
- [213] J.M. Martinez and S.A. Santos, A trust-region strategy for minimization on arbitrary domains, *Mathematical Programming* 68 (1995) 267-301.
- [214] D.Q. Mayne and E. Polak, A superlinearly convergent algorithm for constrained optimization problems, *Math. Prog. Study* 16 (1982) 45-61.
- [215] R.R. Meyer, Theoretical and computational aspects of nonlinear regression, in: J. Rosen, O. Mangasarian and K. Ritter eds., *Nonlinear Programming*, (Academic Press, London, 1970), 465-486.
- [216] R. Mifflin, An algorithm for constrained optimization with semismooth functions, *Math. Oper. Research* 2 (1977) 197-207.
- [217] R. Mifflin, Semismooth and semiconvex function in constrained optimization, *SIAM J. Control and Optimization* 15 (1977) 957-972.
- [218] J.J. Moré, The Levenberg-Marquardt algorithm: implementation and theory, in: G.A. Watson, ed., *Lecture Notes in Mathematics 630: Numerical Analysis* (Springer-Verlag, Berlin, 1978) 105-116.
- [219] J.J. Moré, Recent developments in algorithms and software for trust region methods, in: A. Bachem, M. Grötschel and B. Korte, eds., *Mathematical Programming: The State of the Art* (Springer-Verlag, Berlin, 1983) 258-287.
- [220] J.J. Moré, B.S. Garbow and K.E. Hilstrom, Testing unconstrained optimization software, *ACM Transactions on Mathematical Software* 7 (1983) 17-41; 9 (1983) 503-524.
- [221] J.J. Moré and D.C. Sorensen, On the use of directions of negative curvature in adified Newton method, *Mathematical Programming* 16 (1979) 1-20.
- [222] J.J. Moré and D.C. Sorensen, Computing a trust region step, *SIAM J. Sci. Stat. Comp.* 4 (1983) 553-572.

- [223] T. Motzkin and I.J. Schoenberg, The relaxation method for linear inequalities, *Canadian J. Math.* 6 (1954) 393-404.
- [224] W. Murray and M.L. Overton, A projected Lagrangian algorithm for nonlinear minimax optimization, *SIAM J. Sci. Stat. Comp.* 1 (1980) 345-370.
- [225] W. Murray and M.L. Overton, A projected Lagrangian algorithm for nonlinear L_1 optimization, *SIAM J. Sci. Stat. Comp.* 2 (1981) 207-224.
- [226] B.A. Murtagh, and R.H.W. Sargent, A constrained minimization method with quadratic convergence, in: R. Fletcher, ed., *Optimization* (Academic Press, London, 1969) 215-346.
- [227] S.G. Nash, Preconditioning of truncated-Newton methods, *SIAM J. Scientific Statistics and Computing* 6 (1985) 599-616.
- [228] S.G. Nash and J. Nocedal, A numerical study of the limited memory BFGS method and truncated-Newton method for large-scale optimization, *SIAM J. Optimization* 1 (1991) 358-372.
- [229] S.G. Nash, A survey of truncated-Newton methods, *Journal of Computational and Applied Mathematics* 124 (2000) 45-59.
- [230] L. Nazareth, A relationship between the BFGS and conjugate gradient algorithms and its implications for new algorithms, *SIAM J. Numer. Anal.* 16 (1979) 794-800.
- [231] L. Nazareth, Some recent approaches to solving large residual nonlinear least squares problems, *SIAM Review* 22 (1980) 1-11.
- [232] J. Nocedal and M.L. Overton, Projected Hessian update algorithms for nonlinear constrained optimization, *SIAM J. Numer. Anal.* 22 (1985) 821-850.
- [233] J. Nocedal and S.J. Wright, *Numerical Optimization*, Springer, New York, (1999).
- [234] J. Nocedal and Y. Yuan, Analysis of a self-scaling quasi-Newton method, *Math. Prog.* 61 (1993) 19-37.
- [235] E.A. Nurminski, (ed.) *Progress on Nondifferentiable Optimization* (IIASA, Laxenburg, 1982)

- [236] .O. Omojokun, *Trust Region Algorithms for Optimization with Non-linear Equality and Inequality Constraints*, Ph. D. Thesis, University of Colorado at Boulder, (1989).
- [237] S.S. Oren, *Self-scaling variable metric algorithm for unconstrained minimization*, Ph.D. Dissertation, Computer Science Department, Stanford University, USA, (1972).
- [238] S.S. Oren, Self-scaling variable metric algorithm without line-search for unconstrained minimization, *Mathematics of Computation* 27 (1973) 873-885.
- [239] S.S. Oren, On the selection of parameters in self-scaling variable metric algorithms, *Mathematical Programming* 7 (1974) 351-367.
- [240] S.S. Oren, Self-scaling variable metric algorithm II: Implementation and experiments, *Management Science* 20 (1974) 863-874.
- [241] S.S. Oren, Perspectives on self-scaling variable metric algorithms, *J. Optimization Theory and Methods* 37 (1982) 137-147.
- [242] S.S. Oren, Planar quasi-Newton algorithm for unconstrained saddle point problems, *J. Optimization Theory and Methods* 43 (1984) 167-204.
- [243] S.S. Oren and D.G. Luenberber, Self-scaling variable metric (SSVM) algorithm I: Criteria and sufficient conditions for scaling a class of algorithms, *Management Science* 20 (1974) 845-862.
- [244] S.S. Oren and E. Spedicato, Optimal conditioning of self-scaling variable metric algorithm, *Math. Prog.* 10 (1976) 70-90.
- [245] J.M. Ortega and W.C. Rheinboldt, *Iterative Solution of Nonlinear Equations in Several Variables*, (Academic Press, New York, 1970).
- [246] M.L. Overton, Algorithms for nonlinear l_1 and l_∞ fitting, in: M.J.D. Powell, ed., *Nonlinear Optimization 1981* (Academic Press, London, 1982).
- [247] J.S. Pang, Newton's method for B-differentiable equations, *Mathematics of Operations Research* 15 (1990) 311-341.

- [248] J.S. Pang, S.H. Han and N. Rangaraj, Minimization of locally Lipschitzian functions, *SIAM J. Optimization* 1 (1991) 57-82.
- [249] J.S. Pang, A B-differentiable equation based, globally and locally quadratic convergent algorithm for nonlinear programs, complementarity and variable inequality problems, *Mathematical Programming* 51 (1991) 101-131.
- [250] J.S. Pang and L. Qi, Nonsmooth equations: Motivation and Algorithms, *SIAM J. Optimization*
- [251] J.S. Pang and L. Qi, A globally convergent Newton method for convex SC^1 minimization problems, *J. Optimization Theory and Applications* 85 (1995) 633-648.
- [252] J.D. Pearson, Variable metric methods of minimization, *The Computer J.* 12 (1969) 171-178.
- [253] E. Polak and G. Ribière, Note sur la convergence de directions conjuguées, *Rev. Francaise Informat. Recherche Operationelle*, 3e année 16 (1969) 35-43.
- [254] B.T. Polyak, A general method of solving extremal problems, *Soviet Math. Doklady* 8 (1967) 14-29.
- [255] B.T. Polyak, The conjugate gradient method in extremum problems, *USSR Comp. Math. and Math. Phys.* 9 (1969) 94-112.
- [256] B.T. Polyak, Subgradient methods: A survey of Soviet research, in: C. Lemarechal and R. Mifflin, eds., *Nonsmooth Optimization* (Pergamon, Oxford, 1978) 5-30.
- [257] M.J.D. Powell, An efficient method for finding the minum of a function of several variables without calculating derivatives, *The Computer J.* 7 (1964) 155-162.
- [258] M.J.D. Powell, On the calculation of orthogonal vectors, *Computer J.* 11 (1968) 302-304.
- [259] M.J.D. Powell, A theory on rank one modifications to a matrix and its inverse, *The Computer J.* 12 (1969) 288-290.

- [260] M.J.D. Powell, A new algorithm for unconstrained optimization, in: J.B. Rosen, O.L. Mangasarian and K. Ritter, eds., *Nonlinear Programming* (Academic Press, New York, 1970) 31-66.
- [261] M.J.D. Powell, A hybrid method for nonlinear equations, in: P. Robinson, ed., *Numerical Methods for Nonlinear Algebraic Equations* (Gordon and Breach Science, London, 1970) 87-144.
- [262] M.J.D. Powell, On the convergence of the variable metric algorithm, *J. Inst. Maths. Appl.* 7 (1971) 21-36.
- [263] M.J.D. Powell, Quadratic termination properties of minimization algorithms, Part I and Part II, *J. Inst. Maths. Appl.* 10 (1972) 332-357.
- [264] M.J.D. Powell, Convergence properties of a class of minimization algorithms, in: O.L. Mangasarian, R.R. Meyer and S.M. Robinson, eds., *Nonlinear Programming 2* (Academic Press, New York, 1975) 1-27.
- [265] M.J.D. Powell, Some global convergence properties of a variable metric algorithm for minimization without exact line searches, in: R.W. Cottle and C.E. Lemke, eds., *Nonlinear Programming, SIAM-AMS Proceedings vol. IX* (SIAM publications, Philadelphia, 1976) 53-72. (1976a).
- [266] M.J.D. Powell, Some convergence properties of the conjugate gradient method, *Math. Prog.* 11 (1976) 42-49. (1976b)
- [267] M.J.D. Powell, Restart procedure for the conjugate gradient method *Mathematical Programming* 12 (1977) 241-254.
- [268] M.J.D. Powell, A fast algorithm for nonlinearly constrained optimization calculations, in: G.A. Watson, ed., *Numerical Analysis* (Springer-Verlag, Berlin, 1978) 144-157.
- [269] M.J.D. Powell, VMCWD: A FORTRAN subroutine for constrained optimization, DAMTP Report 1982/NA4, University of Cambridge, England (1982).
- [270] M.J.D. Powell, Nonconvex minimization calculations and the conjugate gradient method, in: D.F. Griffiths, ed., *Numerical Analysis Lecture Notes in Mathematics* 1066 (Springer-Verlag, Berlin, 1984) pp. 122-141.

- [271] M.J.D. Powell, On the rate of convergence of variable metric algorithms for unconstrained optimization, in: Z. Ciesielki and C. Olech, eds., *Proceeding of the International Congress of Mathematicians* (Elsevier, New York, 1984) 1525-1539.
- [272] M.J.D. Powell, General algorithms for discrete nonlinear approximation calculations, in: L.L. Schumacher, ed., *Approximation Theory IV* (Academic Press, New York, 1984) 187-218.
- [273] M.J.D. Powell, On the global convergence of trust region algorithms for unconstrained optimization, *Math. Prog.* 29 (1984) 297-303.
- [274] M.J.D. Powell, On the quadratic programming algorithm of Goldfarb and Idnani, *Math. Prog. Study* 25 (1985) 46-61.
- [275] M.J.D. Powell, Updating conjugate directions by the BFGS formular, *Mathematical Programming* 38 (1987) 29-46.
- [276] M.J.D. Powell and Ph.L. Toint, On the estimation of sparse Hessian matrices, *SIAM J. Numer. Anal.* 16 (1979) 1060-1074.
- [277] M.J.D. Powell and Y. Yuan, A recursive quadratic programming algorithm that uses differentiable exact penalty function, *Mathematical Programming* 35 (1986) 265-278.
- [278] M.J.D. Powell and Y. Yuan, A trust region algorithm for equality constrained optimization, *Mathematical Programming* 49 (1991) 189-211.
- [279] L. Qi, Convergence analysis of some algorithms for solving nonsmooth equations, *Mathematics of Operations Research* 18 (1993) 227-244.
- [280] L. Qi, Trust region algorithms for solving nonsmooth equations, *SIAM J. Optimization* 5 (1995) 219-230.
- [281] L. Qi and X. Chen, A globally convergent successive approximation method for severely nonsmooth equations, *SIAM J. Control and Optimization* 33 (1995) 402-418.
- [282] L. Qi and D. Sun, A survey of some nonsmooth equations and smoothing Newton methods, in: A. Eberhard, R. Hill, D. Ralph and B.M. Glover eds., *Progress in Optimization*, Kluwer Academic, Dordrecht, (1999), 121-146.

- [283] L. Qi and J. Sun, A nonsmooth version of Newton's method, *Mathematical Programming* 58 (1993) 353-367.
- [284] L. Qi and W. Sun, An iterative method for the minimax problem, in D.Z. Du and P.M. Pardalos eds., *Minimax and Applications*, Kluwer Academic Publisher, Boston, (1995), 55-67.
- [285] D. Ralph, Global convergence of damped Newton's method for nonsmooth equations, via the path search, *Mathematics of Operations Research*.
- [286] F. Rendle and H. Wolkowicz, A semidefinite framework for trust region subproblems with applications to large scale minimization, *Mathematical Programming* 77 (1997) 273-299.
- [287] K. Ritter, On the rate of superlinear convergence of a class of variable metric methods, *Numerische Mathematik* 35 (1980) 293-313.
- [288] R.T. Rockafellar, *Convex Analysis* (Princeton University Press, Princeton, 1970).
- [289] R.T. Rockafellar, Augmented Lagrangians and applications of the proximal point algorithm in convex programming, *Mathematics of Operations Research* 1 (1976) 97-116. (1976a).
- [290] R.T. Rockafellar, Monotone operators and the proximal point algorithm. *SIAM J. Control and Optimization* 14 (1976) 877-898.
- [291] R.T. Rockafellar, *The Theory of Subgradient and Its Application to Problems of Optimization: Convex and Not Convex Functions* (Heldermann-Verlag, West Berlin, 1981).
- [292] R.T. Rockafellar, Computational scheme for solving large-scale problems in extended linear-quadratic programming, *Mathematical Programming* 48 (1990) 447-474.
- [293] R.T. Rockafellar and R.J.B. Wets, *Variational Analysis*, Springer-Verlag, Berlin, (1998).
- [294] J.B. Rosen, The gradient projection method for nonlinear programming, Part 1: Linear constraints, *J. SIAM* 8 (1960) 181-217.

- [295] J.B. Rosen, The gradient projection method for nonlinear programming, Part 2: Nonlinear constraints, *J. SIAM* 9 (1961) 514-532.
- [296] R.J.B. Sampaio, W. Sun, and J. Yuan, On the trust region algorithm for nonsmooth optimization, *Applied Mathematics and Computation* 85 (1997) 109-116.
- [297] K. Schittkowski, The nonlinear programming method of Wilson, Han and Powell with an augmented Lagrangian type line search function, Part 1: convergence analysis, *Numerische Mathematik* 38 (1981) 83-114.
- [298] K. Schittkowski, More test examples for nonlinear programming codes, *Lecture Notes in Economics and Mathematical System* 282, Springer-Verlag, Berlin, (1987).
- [299] R.B. Schnabel, *Analysing and improving quasi-Newton methods for unconstrained optimization*, PhD thesis, Department of Computer Science, Cornell University, Ithaca, NY, (1977).
- [300] R.B. Schnabel, Conic methods for unconstrained optimization and tensor methods for nonlinear equations, in: A. Bachem, M. Grottschel and B. Korte eds., *Mathematical Programming, The State of the Art* (Springer-Verlag, Berlin, 1983) 417-438.
- [301] R.B. Schnabel and Ta-Tung Chow, Tensor methods for unconstrained optimization using second derivatives, *SIAM J. Optimization* 1 (1991) 293-315.
- [302] R.B. Schnabel and P.D. Frank, Tensor methods for nonlinear equations, *SIAM J.Numer.Anal.* 21 (1984) 815-843.
- [303] L.K. Schubert, Modification of a quasi-Newton method for nonlinear equations with sparse Jacobian, *Mathematics of Computation* 24 (1970) 27-30.
- [304] D.F. Shanno, Conditioning of quasi-Newton methods for function minimization, *Math. Comput.* 24 (1970) 647-656.
- [305] D.F. Shanno, Conjugate gradient methods with inexact searches, *Math. Oper. Res.* 3 (1978) 244-256.

- [306] D.F. Shanno and K.H. Phua, Matrix conditioning and nonlinear optimization, *Mathematical Programming* 14 (1978) 149-160.
- [307] D.F. Shanno and K.H. Phua, Remark on Algorithm 500: Minimization of unconstrained multivariate functions, *ACM Transactions on Mathematical Software* 6 (1980) 618-622.
- [308] S. Sheng, A class of collinear scaling algorithm for unconstrained optimization, *Numerical Mathematics, A Journal of Chinese Universities* 6 (1997) 219-230.
- [309] N.Z. Shor, An application of the method of gradient descent to the solution of the network transpotation problems (in Russian), in: Notes Scientific Seminar on Theory and Application of Cybernetics and Operations Research (Academy of Science, Ukrain, SSSR, 1 (1962) 9-17.
- [310] N.Z. Shor, On the speed of convergence of the generalized gradient, *Kibernetika* 3 (1968) 98-99.
- [311] N.Z. Shor, An application of the operation of space dilation to the problems of minimizing convex functions, *Kibernetika* 1 (1970) 6-12.
- [312] N.Z. Shor, Generalized gradient methods of nondifferentiable optimization emplying space dilation operations, in: A. Bachem, M. Grotchel, and B. Korte, eds., *Mathematical Programming, The State of the Art*, Springer-Verlag, Berlin, (1983), 501-529.
- [313] N.Z. Shor, *Minimization Methods for Non-differentiable Functions*, Springer-Verlag, Berlin, (1985).
- [314] G.A. Shultz, R.B. Schnable and R.H. Byrd, A family of trust region based algorithms for unconstrained minimization with strong global convergence properties, *SIAM J. Numerical Analysis* 22 (1985) 47-67.
- [315] D.C. Sorensen, The q-superlinear convergence of a collinear scaling algorithm for unconstrained optimization, *SIAM J.Numer.Anal.* 17 (1980) 84-114.
- [316] D.C. Sorensen, Newton's method with a model trust region modification, *SIAM J. Numer. Anal.* 20 (1982) 409-426.

- [317] D.C. Sorensen, Trust region methods for unconstrained optimization, in: M.J.D. Powell, ed., *Nonlinear Optimization 1981* (Academic Press, London, 1982) 29-38. (1982b).
- [318] E. Spedicato, A variable metric method for function minimization derived from invariancy to nonlinear scaling, *J. Optimization Theory and its Applications* (1976).
- [319] E. Spedicato, A note on the determination of the scaling parameters in a class of quasi-Newton methods for unconstrained optimization, *J. Inst. Maths. Applics.* 21 (1978) 285-291.
- [320] E. Spedicato and Zunquan Xia, Finding general solutions of the quasi-Newton equation via the ABS approach, *Optimization Methods and Software* 1 (1992) 243-252.
- [321] T. Steihaug, *Quasi-Newton methods for large scale optimization*, Ph. D. Dissertation, SOM Technical Report No.49, Yale University. (1980).
- [322] T. Steihaug, The conjugate gradient and trust regions in large scale optimization, *SIAM Journal on Numerical Analysis* 20 (1983) 626-637.
- [323] G.W. Stewart, A modification of Davidon's method to accept difference approximation of derivatives, *J. ACM* 14 (1967) 72-83.
- [324] J. Stoer, On the convergence rate of imperfect minimization algorithms in broyden's β class", *Math. Prog.*, 9 (1975) 313-335.
- [325] J. Stoer, On the relation between quadratic termination and convergence properties of minimization algorithms, Part I: Theory, *Numerische Mathematik* 28 (1977) 343-366.
- [326] J. Stoer, Foundations of recursive quadratic programming methods for solving nonlinear programs, in: K. Schittkowski, ed. *Computational Mathematical Programming* (Springer-Verlag, Berlin, 1985) 165-207.
- [327] J. Stoer and R. Bulirsch, *Introduction to Numerical Analysis*, (Springer-Verlag, New York, 1993).
- [328] J. Stoer, High order long-step methods for solving linear complementarity problems, *Annals of Operations Research* 103 (2001) 149-159.

- [329] J. Stoer, M. Wechs and S. Mizuno, High order infeasible-interior-point methods for solving sufficient linear complementarity problems, *Mathematics of Operations Research* 23 (1998) 832-862.
- [330] W. Sun and X. Chang, An unconstrained minimization method based on homogeneous functions, *Journal of Applied Mathematics & Computational Mathematics* 3 (1989) 81-88.
- [331] W. Sun and Z. Wu, Numerical research on self-scaling variable metric algorithm, *Numerical Mathematics, A Journal of Chinese Universities* 11 (1989) 145-158.
- [332] W. Sun, Generalized Newton method for LC^1 unconstrained optimization, *Journal of Computational Mathematics* 15 (1995) 502-508.
- [333] W. Sun, On nonquadratic model optimization methods, *Asia and Pacific Journal of Operations Research* 13 (1996) 43-63.
- [334] W. Sun, On convergence of an iterative method for minimax problem, *Journal of Australian Mathematics Society, Series B*, 39 (1997) 280-292.
- [335] W. Sun, Newton's method and quasi-Newton-SQP method for general LC^1 constrained optimization, *Applied Mathematics and Computation*, 92 (1998) 69-84.
- [336] W. Sun and Y. Wei, Inverse order rule for weighted generalized inverse, *SIAM Matrix Analysis and Applications* 19 (1998) 772-775.
- [337] W. Sun and Y. Yuan, A conic trust-region method for nonlinearly constrained optimization, *Annals of Operations Research* 103 (2001) 175-191.
- [338] W. Sun, J. Yuan and Y. Yuan, Conic trust-region method for linearly constrained optimization, *Journal of Computational Mathematics* 21 (2003) 295-304.
- [339] W. Sun, C. Xu and D. Zhu, *Optimization Methods*, Higher Education Press, Beijing, (2004). (in Chinese).
- [340] R.A. Tapia, Diagonalized multiplier methods and quasi-Newton methods for constrained optimization, *J. Optimization Theory and Applications* 22 (1977) 135-194.

- [341] Ph.L. Toint, Towards an efficient sparsity exploiting Newton method for minimization, in: I.S. Duff, ed., *Sparse Matrices and Their Uses* (Academic Press, London, 1981) 57-88.
- [342] Ph.L. Toint, Global convergence of a class of trust region methods for nonconvex minimization in Hilbert space, *IMA J. Numer. Anal.* 8 (1988) 231-252.
- [343] Ph.L. Toint, An assessment of nonmonotone linesearch technique for unconstrained optimization, *SIAM J. Scientific Computing* 17 (1996) 725-739.
- [344] L. Vandenberghe and S. Boyd, Semidefinite programming, *SIAM Review* 38 (1996) 49-95.
- [345] A. Vardi, A trust region algorithm for equality constrained minimization: convergence properties and implementation, *SIAM J. Numer. Anal.* 22 (1985) 575-591.
- [346] H. Wang and Y. Yuan, An second order convergent method for one-dimensional optimization, *Chinese Journal of Operations Research* 11 (1992) 1-10.
- [347] G.R. Walsch, *An Introduction to Linear Programming*, (John Wiley and Sons, New York, 1985).
- [348] G.A. Watson, Methods for best approximation and regression, in: A. Iserles and M.J.D. Powell eds., *The State of the Art in Numerical Analysis*, (Clarendon Press, Oxford, 1987) 139-164.
- [349] R.B. Wilson, A simplicial algorithm for concave programming, Ph.D. thesis, Graduate School of Business administration, Harvard University, (1963).
- [350] P. Wolfe, Methods of recent advances in mathematical programming, in: R.L. Graves and P. Wolfe, eds., *Recent Advances in Mathematical Programming* (McGraw-Hill, New York, 1963) 67-86.
- [351] P. Wolfe, Another variable metric method, working paper, (1968).
- [352] P. Wolfe, Convergence conditions for ascent methods, *SIAM Review* 11 (1969) 226-235.

- [353] P. Wolfe, Convergence conditions for ascent methods, (II): some corrections, *SIAM Review* 13 (1971) 185-188.
- [354] P. Wolfe, A method of conjugate subgradients for minimizing nondifferentiable functions, *Math. Prog. Study* 3 (1975) 145-173.
- [355] H. Wolkowitz, R. Saigal, and L. Vandenberghe, edc., *Handbook of Semidefinite Programming: Theory, Algorithms and Applications*, Kluwer International Series in Operational Research and Management Science, Kluwer, Boston, (2000).
- [356] R. S. Womersley, Local properties of algorithms for minimizing nonsmooth composite functions, *Mathematical Programming* 32 (1985) 69-89.
- [357] S.J. Wright, Local properties of inexact methods for minimizing nonsmooth composite functions, *Mathematical Programming* 37 (1987) 232-252.
- [358] S.J. Wright, *Primal-Dual Interior-Point Methods*, SIAM Publications, Philadelphia, PA, (1997).
- [359] S. Xi, *Nonlinear Optimization Methods*, Higher Education Press, Beijing, (1992). (in Chinese).
- [360] S. Xi and F. Zhao, *Computational Methods for Optimization*, Shanghai Sci & Tech Press, Shanghai, (1983). (in Chinese).
- [361] Y. Xiao and F.J. Zhou, Nonmonotone trust region methods with curvilinear path in unconstrained optimization, *Computing* 48 (1992) 303-317.
- [362] C.X. Xu and J. Zhang, A survey of quasi-Newton equations and quasi-Newton methods for optimization, *Annals of Operations Research* 103 (2001) 213-234.
- [363] Y. Ye and M.J. Todd, Containing and shrinking ellipsoids in the path-following algorithm, *Math. Porg.* 47 (1990) 1-9.
- [364] Y. Ye and E. Tse, An extension of Karmarkar's algorithm to convex quadratic programming, *Math. Prog.* 44 (1989) 157-179.

- [365] T.J. Ypma, Local convergence of inexact Newton methods, *SIAM J. Numer. Anal.* 21 (1984) 583-590.
- [366] Y. Yuan, On the least Q-order of convergence of variable metric algorithms, *IMA J. Numerical Analysis* 4 (1984) 233-239. (1984a).
- [367] Y. Yuan, An example of only linearly convergence of trust region algorithms for nonsmooth optimization, *IMA J. Numerical Analysis* 4(1984) 327-335. (1984b).
- [368] Y. Yuan, Conditions for convergence of trust region algorithms for nonsmooth optimization, *Mathematical Programming* 31 (1985) 220-228. (1985a).
- [369] Y. Yuan, On the superlinear convergence of a trust region algorithm for nonsmooth optimization, *Mathematical Programming* 31 (1985) 269-285. (1985b).
- [370] Y. Yuan, An only 2-step Q-superlinear convergence example for some algorithms that use reduced Hessian approximation, *Mathematical Programming* 32 (1985) 224-231. (1985c).
- [371] Y. Yuan, On a subproblem of trust region algorithms for constrained optimization, *Mathematical Programming* 47 (1990) 53-63.
- [372] Y. Yuan, A modified BFGS algorithm for unconstrained optimization, *IMA Journal of Numerical Analysis* 11 (1991) 325-332.
- [373] Y. Yuan, A dual algorithm for minimizing a quadratic function with two quadratic constraints, *Journal of Computational Mathematics* 9 (1991) 348-359.
- [374] Y.Yuan, On self-dual update formulae in the Broyden family, *Optimization Methods and Software* 1 (1992) 117-127.
- [375] Y. Yuan, *Numerical Methods for Nonlinear Programming*, Shanghai Sci. & Tech Press, Shanghai, (1993).
- [376] Y. Yuan and R. Byrd, Non-quasi-Newton updates for unconstrained optimization, *J. Comp. Math.* 13 (1995) 95-107.
- [377] Y. Yuan, On the truncated conjugate gradient method, *Mathematical Programming* 87 (2000) 561-573.

- [378] W.I. Zangwill. Non-linear programming via penalty functions, *Management Sci.* 13 (1967) 344-358.
- [379] J.Z. Zhang, N.Y. Deng, and L.H. Chen, A new quasi-Newton equation and related methods for unconstrained optimization, *Journal of Optimization Theory and applications* 102 (1999) 147-167.
- [380] J.Z. Zhang and C.X. Xu, A class of indefinite dogleg path methods for unconstrained minimization, *SIAM J. on Optimization* 9 (1994) 646-667.
- [381] Y. Zhang, Computing a Celis-Dennis-Tapia trust region step for equality constrained optimization, *Mathematical Programming* 55 (1992) 109-124.
- [382] H.C. Zhou and W. Sun, Optimality and duality without a constraint qualification for minimax programming, *Bulletin of the Australian Mathematical Society* 67 (2003) 121-130.
- [383] H.C. Zhou and W. Sun, Nonmonotone descent algorithm for nonsmooth unconstrained optimization problems, *International Journal of Pure and Applied Mathematics* 9 (2003) 153-163.
- [384] M. Zhu, Y. Xue, and F. Zhang, A quasi-Newton type trust region method based on the conic model, *Numerical Mathematics, A Journal of Chinese Universities* No.1 (1995) 36-47.
- [385] G. Zoutendijk, Nonlinear programming, computational methods, in: J. Abadie ed. *Integer and Nonlinear Programming*, North-Holland, Amsterdam, (1970), 37-86.
- [386] J. Zowe, Nondifferentiable optimization — a motivation and a short introduction into the subgradient and the bundle concept, in: K. Schittkowski, ed., *Computational Mathematical Programming* (Springer-Verlag, Berlin, 1985) 321-356.

Index

- Accumulation point: see Limit point,
23, 62, 76, 116, 120, 121,
151, 191, 193, 368, 463, 464,
478, 486, 520, 524, 545, 564,
621, 625
- Active constraint, 387, 489, 582
 - strong, 393
 - weak, 393
- Active set, 387, 394, 538
- Active set method, 427, 428, 431,
433, 435
- Actual reduction, 563
- Approximate Newton's method, 513
- Armijo line search, 103, 509, 513
- Augmented Lagrangian function, 460,
474, 480
- Average Hessian, 214
- Barrier function, 467
- Barzilai-Borwein gradient method,
127
- BFGS method, 217, 381, 536, 556
- Bunch-Parlett factorization, 152, 163
- Bundle method, 617, 619
- Cauchy point, 316, 570
- Cauchy sequence, 7, 9, 50, 51
- Cauchy-Schwarz inequality, 7, 119,
212
- Cholesky factorization, 14, 19–21,
136, 138, 148, 150, 373
- Clarke directional derivative, 598
- Collinear scaling, 325
- Collinear scaling algorithm, 324
- Collinear scaling BFGS algorithm,
334
- Complementarity condition, 393
- Composite nonsmooth optimization,
620, 623
- Concave function, 36
- Cone, 35
- Conic model, 324, 325, 329
- Conic model algorithm, 324
- Conic trust-region method, 336
- Conjugate direction, 175
- Conjugate direction method, 176,
177
- Conjugate gradient method, 1, 175,
178, 180
 - Beale, 186
 - convergence, 191, 193, 200
 - Crowder-Wolfe formula, 180
 - Dai-Yuan formula, 180
 - Dixon formula, 180
 - Fletcher-Reeves formula, 180
 - Hestenes-Stiefel formula, 180
 - Polak-Ribière-Polyak formula,
180
 - preconditioned, 189
 - restart, 183
- Conjugate subgradient method, 617

- Constraint qualification (CQ), 391–393, 401, 403
 - linear function (LFCQ), 394
 - linear independence (LICQ), 394, 396
- Constraint violation function, 455, 462, 476, 482
- Convergence, 524
- Convex combination, 32
- Convex cone, 35
- Convex function, 31, 36, 62, 114, 134, 472, 482, 496, 621
 - geometry, 43
 - property, 40, 41, 43, 44
- Convex hull, 34
- Convex programming, 39, 58, 615
- Convex set, 25–27, 31–34, 36, 37, 46, 47, 134, 358
 - separation and support, 50, 52, 54, 56
- Convexity, 9, 38, 46, 377
- Cutting plane method, 615, 616
- Descent direction, 58, 64, 119, 131, 148, 156, 493
- Descent pair, 156, 160
- DFP method, 210, 211, 215
- Dini directional derivative, 598
- Directional derivative, 24
 - second order, 24
- Dual method, 438
- Dual problem, 417, 435
- Duality, 406
- Eigen-pair, 13
- Eigenvalue, 4, 6, 12, 14, 17, 18, 181, 188, 366, 369, 371
- Eigenvector, 12, 14
- Epigraph, 37, 40
- Exact penalty function, 570
- Farkas Lemma, 53, 391, 401
- Feasible descent direction, 493, 496, 502
- Feasible direction, 388, 493, 496
 - linearized, 388
 - sequential, 388
- Feasible direction method, 509, 515
- Feasible point, 386, 456, 464
- Feasible point Armijo step, 493, 495
- Feasible point method, 493, 563
- Feasible region, 2, 34, 457, 467, 469, 473, 474, 476, 485
- Feasible set, 386, 493
- Feasible steepest descent direction, 499
- Finite-difference Newton's method, 140, 146
- First-order optimality condition, 59, 388, 391
- Fréchet derivative, 29
 - Strong, 631
- Fritz John optimality condition, 397
- Frobenius norm, 291, 380
- Gateaux derivative, 29
- Gauss-Newton equation, 356, 361
- Gauss-Newton method, 355, 356, 359, 360, 363
- Generalized elimination method, 422, 506
- Generalized inverse, 9
- Generalized Jacobian, 628
- Generalized quasi-Newton equation, 326
- Generalized reduced gradient method (GRG method), 509
- Gerschgorin circle, 17

- Global convergence, 369, 532, 552, 579, 593
- Global minimizer, 57, 58, 62, 63, 134
- Goldstein line search, 103
- Gradient method, 119
- Graph, 37
- Hölder inequality, 8
- Hypograph, 37
- Inactive constraint, 387, 393
- Indefinite factorization, 152, 163
- Indicator function, 40
- Inexact Log-barrier function method, 473
- Inexact Newton's method, 163, 164, 169
- Interior ellipsoid method, 443
- Interior point, 473
- Inverse barrier function, 457
- Karmarkar's algorithm, 441
- Karush-Kuhn-Tucker conditions: see KKT conditions, 393
- Karush-Kuhn-Tucker Theorem, 391
- KKT conditions, 393, 546
- KKT matrix, 426
- KKT point, 393, 401, 402, 460, 520, 526, 532, 564, 566, 576
- Krylov subspace, 182
- Lagrange multiplier, 391, 393, 460, 482, 523, 537
- Lagrange-Newton method, 524, 554
- Lagrangian dual problem, 406
- Lagrangian function, 391, 398, 403, 416, 503, 523, 554
- Least-squares problem, 353, 360, 373, 381
- Level set, 47
- Levenberg-Marquardt method, 362, 366
 - convergence, 367, 369
 - implementation, 372
- Limit point, 63, 134
- Limited memory BFGS method, 292
- Line search, 71, 127, 133, 140, 150, 176–178, 200, 360, 362
 - Armijo rule: see Armijo line search, 103
 - backtracking, 108
 - exact, 71, 75, 81, 120, 180, 184, 191, 192
 - Goldstein rule: see Goldstein line search, 103
 - inexact, 72, 102, 109, 114, 121, 183, 185, 195
 - interpolation, 89
 - nonmonotone: see Nonmonotone line search, 115, 127
 - second order, 157, 160
 - Wolfe rule: see Wolfe rule or Wolfe-Powell rule, 104
- Linear convergence, 81
- Linear programming, 34, 407, 616
- Linearized feasible direction method, 515
- Lipschitz condition, 597
- Lipschitz continuous, 25–27, 112, 132, 143, 169, 210, 241, 262, 337, 357, 358
- Lipschitzian function, 604
- Local minimizer, 57–60, 357, 371, 488, 622
- Logarithmic barrier function, 458

- Lower hemi-continuous, 26
- Lower semi-continuous, 39
- Maratos Effect, 541, 550
- Memoryless BFGS formula, 301
- Merit function, 543, 550, 572
- Minkowski inequality, 48
- Modified Newton's method, 136, 140, 147
- Monotone mapping, 44
- Negative curvature direction, 147
- Newton point, 316
- Newton's method, 130, 131
- Newton-Raphson step, 523
- Nondifferentiable function, 597
- Nonmonotone line search, 116
- Nonsmooth exact penalty method, 484
- Nonsmooth function, 609
- Nonsmooth Newton's method, 628, 631
 - global convergence, 632
- Nonsmooth optimization, 597, 608, 610
- Norm, 3, 37
 - l_1 -norm, 3
 - l_2 -norm, 3
 - l_p -norm, 3
 - l_∞ -norm, 3
 - consistency, 6
 - equivalence, 6
 - Frobenius norm, 4, 18
 - inequalities, 7
 - matrix norm, 4
 - orthogonally invariant matrix norm, 5
 - vector norm, 3
 - weighted, 5
- Null space, 538, 555, 562
- Null space method, 571
- Null space step, 573
- Objective function, 1, 26, 62
- Optimality condition, 59, 412, 620
- Penalty function, 455, 456, 524
 - L_1 exact penalty function, 484, 531, 572
 - L_1 penalty function, 457
 - L_∞ exact penalty function, 484
 - L_∞ penalty function, 457
 - Courant penalty function, 456
 - Fletcher's smooth exact penalty function, 459
 - interior point penalty function, 457, 466
 - multiplier penalty function: see Augmented Lagrangian function, 474
 - nonsmooth exact penalty function, 482
 - quadratic penalty function, 456
 - simple penalty function, 461
 - smooth exact penalty function, 480
- Penalty function method, 455, 461, 462
- Penalty parameter, 457
- Powell-Yuan's method, 551
- Preconditioned, 190
- Predicted reduction, 563
- Primal problem, 407, 408
- Primal-dual interior-point method, 445
 - central path, 447
- Projected gradient method, 513, 516
- Projection, 513

- Projection theorem, 50
- PSB method, 219
- Q-convergence, 65
- QR factorization, 21, 361, 554
- Quadratic convergence, 65, 100, 144, 146, 147, 169
- Quadratic model, 26, 130, 163
- Quadratic programming (QP), 34, 408, 411, 413, 419, 428, 441, 563
 - equality-constrained, 419, 425
 - necessary and sufficient conditions, 412
- Quadratic termination, 177
- Quasi-Newton equation, 205, 220, 380
- Quasi-Newton method, 204, 381, 535
 - BFGS: see BFGS method, 217
 - Broyden class, 226, 229
 - DFP: see DFP method, 211
 - global convergence, 231, 238
 - Huang class, 231
 - least change update, 223
 - local convergence, 240
 - PSB: see PSB method, 219
 - SR1: see Symmetric rank-one update (SR1), 207
- R-convergence, 66
- Rademacher's theorem, 628
- Range space, 555
- Range space step, 573
- Rank-one tensor, 339
- Rank-one update, 17
- Rayleigh quotient, 15
- Reduced gradient, 504
- Reduced Hessian matrix, 554
- Reduced Hessian matrix method, 554
 - one-side, 556
 - two-side, 557
- Sawtooth phenomenon, 515
- Second-order Armijo rule, 157
- Second-order correction step, 545
- Second-order optimality condition, 60, 61, 401
- Second-order Wolfe-Powell rule, 160
- Self-scaling variable metric method (SSVM), 277
- Semismooth, 629
- Semismooth function, 630
 - p -order, 631
- Separation theorem, 55, 56
- Sequential quadratic programming method (SQP), 530, 532
 - superlinear convergence, 537
- Sherman-Morrison formula, 17, 217
- Sherman-Morrison-Woodburg formula, 17
- Singular value, 13
- Singular value decomposition (SVD), 11
- Sparse PSB update, 286
- Sparse quasi-Newton method, 282
- Spectral radius, 13
- Stationary point, 62, 120, 121, 134, 148, 151, 160, 191, 193, 212, 368, 621, 625
 - Clarke stationary point, 604
 - Dini stationary point, 604
- Strong duality theorem, 406
- Subdifferential, 604
- Subgradient method, 609
- Superlinear convergence, 65, 93, 127,

- 144, 165, 168, 169, 336, 529,
537, 553, 556, 594
- Superlinearly convergent step, 538,
550, 552
- Support function, 37, 40, 601, 604
- Supporting hyperplane, 43, 54
- Symmetric rank-one update (SR1),
208, 210
- Tensor method, 337, 338
 - nonlinear equations, 337
 - optimization, 341, 348
- Trust-region method, 304, 363, 380,
561, 563, 624
 - CDT subproblem, 580
 - dogleg method, 316
 - double dogleg method, 318
 - null space technique, 574
 - Powell-Yuan algorithm, 585
 - Steihaug-CG method, 320
 - Steihaug-Toint method, 320
- Trust-region subproblem, 372, 562,
563, 568, 623
- Upper hemi-continuous, 26
- Variable elimination method, 420,
505
- Variable metric method: see Quasi-
Newton method, 207
- Von-Neumann Lemma, 9
- Watchdog technique, 543, 544
- Weak duality theorem, 408
- Weighted Frobenius norm, 291
- Wilson-Han-Powell method, 530
- Wolfe rule or Wolfe-Powell rule, 104
- Zigzagging, 514
- Zoutendijk condition, 112