Worldline-Direct Payments Cartridge

Worldline

Exported on 11/27/2024

Table of Contents

1	Functionality Overview	7
2	Install the cartridge	8
2.1	Before you begin	8
2.2	Step 1: Install the cartridge	8
2.3	Step 2: Install Node modules	9
2.4	Step 3: Build the code	9
2.5	Step 4: Add System Integrator Information (optional)	9
2.6	Step 5: Upload the code	9
2.7	Step 6: Import the metadata	9
3	Set up the cartridge	.11
3.1	Before you begin	.11
3.2	Step 1: Set up the cartridge path	.11
3.2.1	Set up the site cartridge path in the Business Manager:	.11
3.2.2	Set up the Business Manager cartridge path in the Business Manager:	.11
3.3	Step 2: Set up Business Manager permissions in the Business Manager.	.12
3.4	Step 3: Connect your Commerce Cloud store to Worldline-Direct API	.12
3.4.1	Step 3.1: Configure the service credentials	.12
3.4.2	Step 3.2: Configure the service	.13
3.5	Step 4: Set up Worldline-Direct Payments Cartridge	.13
3.5.1	Step 4.1: Set up Worldline-Direct Payments Cartridge Configuration	.13
3.5.2	Step 4.2: Configure Hosted Checkout Page Settings	.15
3.5.3	Step 4.3: Configure Hosted Tokenization Page Settings	.15
3.5.4	Step 4.4: Configure Intersolve payment ID (optional)	.15
3.6	Step 5: Verify your connection to Worldline-Direct API	.16
3.7	Step 6: Configure Worldline-Direct Subscriptions (optional)	.16
3.7.1	6.1: Enable subscription / replenish order functionality	.16
3.7.2	6.2: Configure the service credentials	.16

3.7.3	6.3: Configure the service	16
4	Take payments with the cartridge	17
4.1	Payment methods	17
4.2	Taking payments	17
4.2.1	Hosted Checkout Page	18
4.2.2	Hosted Tokenization Page	18
4.2.3	Sending line item prices to the API	18
4.3	PCI Compliance	19
4.4	Subscriptions	19
5	Manage payments with the cartridge	20
5.1	Open Details Dialog for a transaction in the Business Manager	20
5.2	Capture transactions in the Business Manager	20
5.2.1	View all captures for a transaction	21
5.2.2	Manual capture a transaction	22
5.2.3	Automatic capture a transaction	22
5.3	Refund transactions in the Business Manager	22
5.3.1	View all refunds for a transaction	23
5.3.2	Refund a transaction	23
5.4	Cancel transaction within the Business Manager	24
6	Manage subscriptions with the cartridge	25
6.1	Details page for a subscription	25
6.2	Subscription status Blocked	26
6.3	Subscription status Cancelled	26
7	Receive payment updates - Webhooks	27
7.1	Configure Salesforce Commerce Cloud to receive payment updates	27
7.1.1	Step 1: Set up webhooks in Worldline-Direct Backoffice and Salesforce Commerce Cloud	27
7.1.2	Step 2: Set up the Process Webhooks Job	27
7.2	Webhook handling and processing	28

7.2.1	Webhook event process flow	29
7.2.2	Business processes triggered by Process Webhooks Job	29
7.2.3	Webhook events and process mapping	30
7.2.4	Logging and debugging	32
8	Test the cartridge	33
8.1	Test cases (Registered + saved cards/Guest user HCP)	33
8.2	Test cases (Registered + saved cards/Guest user HTP)	35
9	Appendix 1: Salesforce Commerce Cloud data model extensions	40
9.1	System Objects	40
9.1.1	Site Preferences	40
9.1.2	Order	42
9.1.3	Customer Payment Instrument	44
9.1.4	Order Payment Instrument	44
9.2	Custom Objects	45
9.2.1	WorldlineDirectWebhooks	45
9.2.2	WorldlineDirectPaymentProducts	45
10	Appendix 2: Scheduled Jobs	47
10.1	Check Payment Status Job	48
10.1.1	Description	48
10.1.1.1	Processing orders in status "CREATED" which have a successful payment	48
10.1.1.2	Processing unconfirmed orders	48
10.1.2	Configuration	48
10.1.3	Schedule	49
10.2	Automatic Capture Job	49
10.2.1	Description	49
10.2.2	Configuration	49
10.2.2.1	Capture payments, placed more than X days ago	50
10.2.2.2	Capture all pending payments once per day, at the end of the day	50

10.2.3	Schedule	51
10.3	Subscription orders job	51
10.3.1	Description	51
10.3.2	Configurations	51
10.3.3	How it works	52
11	Appendix 3: Business processes	53
11.1	Validate Payment Business Process	53
11.1.1	Description	53
11.1.2	Steps	53
11.1.3	Flowchart	54
11.1.4	Worldline-Direct Payment statuses mapping	56
11.2	Process Unconfirmed Order Business Process	57
11.2.1	Description	57
11.2.2	Steps	57
11.2.3	Flowchart	58
11.2.4	Worldline-Direct API Payment statuses mapping	58
11.3	Handle Capture Business Process	59
11.3.1	Description	59
11.3.2	Steps	.60
11.3.3	Flowchart	61
11.3.4	Worldline-Direct API Capture statuses mapping	61
12	Appendix 4: Services	63
13	Appendix 5: Failover and Recovery	64
13.1	Log files	64
14	Appendix 6: Upgrading the cartridge	65
14.1	Previous versions	65
14.1.1	Upgrade from 21.* to 23.*	65
14.1.1.1	Deleting version 21.* code	65
14.1.1.2	Deleting version 21.* metadata	65

14.1.1.3	Importing the new version	.66
15	Appendix 7: Visa Specific Requirements	.67
15.1	Mapping table	.67

1 Functionality Overview

This cartridge provides integration of Worldline's payment system into a Salesforce Commerce Cloud store. It's built on top of SFRA v7.0.1 and when set up it will display Worldline's payment methods on the Salesforce checkout billing page and allow the payment to be completed and processed using them.

The merchant needs to have an account in Worldline's Backoffice in order to configure the communication between Salesforce and Worldline.

The process of setting up and configuring the integration is explained in the following sections.

2 Install the cartridge

2.1 Before you begin

The cartridge has been tested on the following platform versions:

- Salesforce Commerce Cloud platform Compatibility Modes 21.2, 21.7, 22.1 and 22.7
- SFRA version 6.0.0, 6.1.0, 6.2.0, 6.3.0, 7.0.0, 7.0.1
- All locales should work properly, as long as there are payment methods enabled for the specific country in the Worldline Backoffice
- The cartridge can be used with other SFRA/platform versions but it may require code changes performed by you or your system integrator.
- The cartridge is not compatible with SiteGenesis versions using Pipelines or Controllers.

2.2 Step 1: Install the cartridge

Install the cartridge to your project root directory at the same level as **storefront-reference-architecture**.

Example folder structure:

```
my-project/
|-- link_worldline_direct/
| |-- cartridges/
| | |-- bm_worldline_direct/
| | |-- int_worldline_direct/
| |-- documentation/
| |-- metadata/
|-- storefront-reference-architecture
| |-- cartridges/
| | |-- app_storefront_base/
| | |-- modules/
```



If you have renamed the **storefront-reference-architecture** folder, please make sure to update the **base** path in package.json

2.3 Step 2: Install Node modules

The recommended Node version to use is 12.21.0 - this is also the recommended version for SFRA v6. From the cartridge's root directory, install Node modules using your command line:

npm install

2.4 Step 3: Build the code

From the cartridge's root directory, compile the client-side assets using your command line:

npm run build

2.5 Step 4: Add System Integrator Information (optional)

If your integration with Worldline-Direct API is built by a system integrator let us know their name, so that we can offer you better support.

- 1. Open int_worldline_direct/cartridge/templates/resources/worldlineDirectSDK.properties
- 2. Replace YOUR_COMPANY_NAME with the system integrator's company name.

worldline.direct.sdk.integrator=YOUR_COMPANY_NAME

2.6 Step 5: Upload the code

Upload **int_worldline_direct** and **bm_worldline_direct** using Commerce Cloud UX Studio or sgmf-scripts command line utils.

2.7 Step 6: Import the metadata

To add new configuration items, import the predefined metadata:

- 1. Open the /metadata/site_import/sites/ folder.
- 2. Rename the yourSiteId folder to the ID of your site in the Business Manager.
- 3. Zip the site_import folder.
- 4. In the Business Manager, go to **Administration > Site Development > Site Import & Export** and import the zipped file.

After the import, attributes named worldlineDirect[attributeName] are added to:

- · Administration > Site Development > System Object Types > Site Preferences > Attribute Definitions
- · Administration > Site Development > System Object Types > Order > Attribute Definitions
- Administration > Site Development > System Object Types > OrderPaymentInstrument > Attribute Definitions
- Administration > Site Development > System Object
 Types > CustomerPaymentInstrument > Attribute Definitions
- Administration > Site Development > Custom Object Types

Also, the following service is added to **Administration > Operations > Services**:

· worldline.https.direct.yourSiteId

3 Set up the cartridge

3.1 Before you begin

Before you begin, make sure that you have performed the following steps:

- 1. Create an active test/live account with Worldline-Direct.
- 2. Install the cartridge.
- 3. In Salesforce Commerce Cloud, enforce HTTPS¹.



To be compatible with the Chrome v80 Cookie policy, you need to enforce the use of HTTPS for all sites.

3.2 Step 1: Set up the cartridge path

3.2.1 Set up the site cartridge path in the Business Manager:

- 1. Go to Administration > Sites > Manage Sites > [yourSite] > Settings.
- 2. In the **Cartridges** box add **int_worldline_direct** in front of **app_storefront_base** Example cartridges configuration:

int_worldline_direct:app_storefront_base

3. Select Apply.

3.2.2 Set up the Business Manager cartridge path in the Business Manager:

1. Go to Administration > Sites > Manage Sites > Manage the Business Manager site > Settings

¹ https://documentation.b2c.commercecloud.salesforce.com/DOC2/topic/com.demandware.dochelp/content/b2c_commerce/topics/admin/b2c_enforce_https.html? resultof=%22%65%6e%66%6f%72%63%65%22%20%22%65%6e%66%6f%72%63%22%20%22%68%74%74%70%73%22%20%22%68%74%74%70%22%20

2. In the **Cartridges** box add **bm_worldline_direct**:int_worldline_direct in front of any other cartridges. Example cartridges configuration:

```
bm_worldline_direct:int_worldline_direct:bm_app_storefront_base:bm_custom_plugi
n
```

3. Select Apply.

3.3 Step 2: Set up Business Manager permissions in the Business Manager

- 1. Go to Administration > Organization > Roles & Permissions > [roleToUpdate] > Business Manager Modules
- 2. From the pop-up select all storefront sites that will use Worldline-Direct Payments Cartridge
- 3. Find Ordering modules in the modules table
- 4. Assign the Worldline-Direct Transactions module permissions for the selected role.
- 5. Assign the Worldline-Direct Subscriptions module permissions for the selected role

3.4 Step 3: Connect your Commerce Cloud store to Worldline-Direct API

To connect your Commerce Cloud store to the Worldline-Direct API, you need to set up an API key in the Worldline-Direct Backoffice, and copy it over to the Business Manager.

Information on how to set up an API key in Worldline-Direct Backoffice can be found here. Read our dedicated guide² to learn how to generate one.

To copy the API key over to the Business Manager, go to Administration > Operations > Services

3.4.1 Step 3.1: Configure the service credentials

- 1. Open the Credentials tab
- 2. Open worldline.https.direct.yourSiteId.TEST and edit:
 - a. Name: replace yourSiteId with the actual ID for your site
 - b. User: enter your API key ID.
 - c. Password: enter your API key secret.
- 3. Select **Apply** in the bottom-right corner of the screen.

² https://support.direct.ingenico.com/documentation/api/authentication



Make sure you don't change the URL field in the service credentials.

Doing so could lead to errors in your integration. Double check the URL from our dedicated guide³.

3.4.2 Step 3.2: Configure the service

- 1. Open Services tab
- 2. Open worldline.https.direct.yourSiteId and edit:
 - a. Name: replace **yourSiteId** with the actual ID for your site.
 - b. On test environments, the communication log could be enabled for debugging purposes.
 - Credentials: Check the updated worldline.https.direct.yourSiteId.TEST service credentials is selected.
- 3. Select **Apply** in the bottom-right corner of the screen.



To configure the service for LIVE credentials you need to: Follow step 3.1 for the **worldline.https.direct.yourSiteId.LIVE** credentials

Follow step 3.2 selecting worldline.https.direct.yourSiteId.LIVE credentials in 3.2.2.c.

3.5 Step 4: Set up Worldline-Direct Payments Cartridge

3.5.1 Step 4.1: Set up Worldline-Direct Payments Cartridge Configuration

To set up the Worldline-Direct Payments Cartridge Configuration in the Business Manager, go to **Merchant tools > Site Preferences > Custom Preferences > Worldline-Direct: General Config**

- 1. In the Merchant ID box, enter your Worldline-Direct merchant ID (PSPID).
- 2. Set your **Operation code** to one of:
 - a. SALE direct capture (set by default)
 The amount has been ordered to be paid out in one go. Successful transactions will have StatusCode=9
 - FINAL_AUTHORIZATION delayed capture
 The amount is only blocked on your customer's card. Successful transactions will
 have StatusCode=5 (this is used when you wish to capture a transaction only after shipping
 the article)

³ https://support.direct.ingenico.com/documentation/api/endpoints



When FINAL_AUTHORIZATION is selected

- make sure that you capture them later. Only then the transaction will reach StatusCode=9, for which you receive the payment for the transaction.
- make sure to enable and configure the Automatic Capture Job (see page 49) or to implement a
 custom capture procedure on top of this cartridge.
- you can manually capture funds fully / partially by opening an individual order once you have delivered the goods/services
- 3. Set Checkout type to one of:
 - a. Hosted Checkout Page (set by default) read more information for Hosted Checkout Page⁴.
 - b. Hosted Tokenization Page read more information for Hosted Tokenization Page⁵.
- 4. Set Send line item prices to the API to Yes or No.
- 1 It must be set to Yes for payment methods like Oney and Klarna.
- 5. Configure 3DS settings:
 - a. Set Enforce Strong Customer Authentication to Yes or No.
 - b. Set Exemption for transactions under 30 EUR to Yes or No.
- if both of the options are set to Yes, **Enforce Strong Customer Authentication** takes precedence and no transactions will be exempt.
- 5. Set Instant Bank transfers only to Yes or No
- Activate this option to only accept instant bank transfers from your consumers.
- 6. Set Apply Surcharge to Yes or No.



Surcharge must be enabled on your Worldline account first or all payment requests will fail.

⁴ https://support.direct.ingenico.com/documentation/integrate/hosted-checkout-page/

⁵ https://support.direct.ingenico.com/documentation/integrate/hosted-tokenization-page/

7. Set Enable Subscriptions to Yes or No.



Read more about subscription configuration in Step 6.

8. Select **Save** in the upper-right corner of the screen.

3.5.2 Step 4.2: Configure Hosted Checkout Page Settings

To configure the Worldline-Direct Hosted Checkout Page settings in the Business Manager, go to **Merchant tools > Site Preferences > Custom Preferences > Worldline-Direct: Hosted Checkout Page Settings**

- 1. If you have uploaded a custom template⁶ for Hosted Checkout Page in Worldline-Direct Backoffice, in the **Hosted Checkout Template** box, enter the name of the template file including .html suffix.
- By default the cartridge lists all the credit card brands as separate payment methods. You can
 choose to group them together under single "Credit/Debit card" payment method by using the
 "Groups Cards on the Hosted Checkout Page" setting
- 3. Configure the **Hosted Checkout Session Timeout**. By default is set to 180 minutes.

3.5.3 Step 4.3: Configure Hosted Tokenization Page Settings

To configure the Worldline-Direct Hosted Checkout Page settings in the Business Manager, go to Merchant tools > Site Preferences > Custom Preferences > Worldline-Direct: Hosted Tokenization Page Settings

- If you set your checkout type to Hosted Tokenization Page, in the Hosted Tokenization JS box enter the URL to the Worldline-Direct Tokenizer Script⁷.
- 2. If you have uploaded a custom template⁸ for Hosted Tokenization form in Worldline-Direct Backoffice.
 - in the **Hosted Tokenization Template** box, enter the name of the template file including .html suffix.

3.5.4 Step 4.4: Configure Intersolve payment ID (optional)

The cartridge has the Intersolve payment method ID hardcoded to 5700. There is possibility that the Intersolve payment ID provided to you by Worldline is different. In such scenarios a small code change is needed.

 Open the following file with an IDE: int_worldline_direct/cartridge/scripts/ worldline/direct/constants.js

⁶ https://support.direct.ingenico.com/documentation/template-builder/

⁷ https://support.direct.ingenico.com/documentation/integrate/hosted-tokenization-page/#validtokenisationURL 8 https://support.direct.ingenico.com/documentation/integrate/hosted-tokenization-page/#createiframetemplate

2. Locate the following line:

```
Constants.PAYMENT_PRODUCT_INTERSOLVE_ID = 5700;
```

3. Update the value with the provided Intersolve ID.

3.6 Step 5: Verify your connection to Worldline-Direct API

To test the connection with Worldline-Direct Direct API:

- 1. Go to Merchant Tools > Ordering > Worldline-Direct Transactions
- 2. Click on **Test API Connection** button in the upper-right corner of the screen.
- If the set up is correct, an alert box Connection to the Worldline-Direct API succeeded should be displayed.

3.7 Step 6: Configure Worldline-Direct Subscriptions (optional)

3.7.1 6.1: Enable subscription / replenish order functionality

The site preference responsible for enabling and disabling the Subscription functionality is called "Enable subscriptions" and sits under the General configuration group.

Select YES if you want the functionality to be turned ON.

3.7.2 6.2: Configure the service credentials

- 1. Open the Credentials tab
- 2. Open worldline.httpform.ocapi and edit:
 - a. URL: add the URL to your site/instance
 - b. User: enter your API key ID.
 - c. Password: enter your API key secret.
- 3. Select **Apply** in the bottom-right corner of the screen.

3.7.3 6.3: Configure the service

- 1. Open Services tab
- 2. Select the worldline.httpform.ocapi credentials in the credentials drop down.
- 3. Select a profile suitable for OCAPI request, if you don't have one create it first and select
- 4. Select **Apply** in the bottom-right corner of the screen.

4 Take payments with the cartridge

4.1 Payment methods

After the metadata import, two new payment methods have been added to the platform with their corresponding payment processors.

To make sure that this has been set up correctly:

- 1. In the Business Manager, go to Merchant tools > Ordering > Payment Methods.
- 2. In the list, check that **WORLDLINE_DIRECT_CARD**, **WORLDLINE_DIRECT_REDIRECT** and **WORLDLINE_DIRECT_CREDIT_REDIRECT** are created.

The payment methods added to the platform are placeholders only, no additional configuration is required and they are hidden from the end customer.

The list of customer's applicable payment methods is retrieved in real-time API request to Worldline-Direct API during checkout. The cartridge maps Worldline-Direct payment methods to the payment methods in the platform as follows:

- Card payment methods, except Bancontact, are mapped to WORLDLINE_DIRECT_CARD
- The iDeal payment method is mapped to WORLDLINE_DIRECT_CREDIT_REDIRECT
- All other payment methods are mapped to WORLDLINE_DIRECT_REDIRECT



When **checkout mode** is set to **Hosted Tokenization Page**, the **WORLDLINE_DIRECT_CARD** method is visible on the storefront. It is being used to group Worldline-Direct card payment methods into a single credit card option for the customer.

The list of all available Worldline-Direct payment methods⁹ can be found in Worldline-Direct Support Portal.

4.2 Taking payments

The Worldline-Direct Payments Cartridge ships pre-integrated to Worldline-Direct API.

It supports two of the most commonly used integration methods:

- · Hosted Checkout Page
- Hosted Tokenization Page

⁹ https://support.direct.ingenico.com/payment-methods/view-by-payment-product/

4.2.1 Hosted Checkout Page

Hosted Checkout Page is the ideal solution to offer your customers online payments in your Salesforce Commerce Cloud store. The cartridge will redirect your customers from your checkout page to the Worldline-Direct platform for entering payment data.

Hosted Checkout Page supports all applicable Worldline-Direct payment methods.

Please read the Hosted Checkout Page¹⁰ documentation in Worldline-Direct Support Portal.

4.2.2 Hosted Tokenization Page

Worldline-Direct Hosted Tokenization Page solution offers you maximum security and flexibility at once. The cartridge will include an iFrame payment form in your checkout page. Worldline-Direct host the iFrame safely at their end, but you control its look and feel. The payment data entered by your customers is saved as a token, which you can use to make payments.

Hosted Checkout Page supports all Worldline-Direct card payment methods.

Please read the Hosted Tokenization Page¹¹ documentation in Worldline-Direct Support Portal.

4.2.3 Sending line item prices to the API

The Worldline API allows the line item prices to be sent when creating a Hosted Checkout request. In this case, the hosted page will also display a breakdown of the order prices, instead of showing only the order total.

This is mandatory for the Oney and Klarna payment methods and if the line item prices are not sent, Oney and Klarna will not be available in the payment methods list.

This behaviour is controlled through the following site preference: **Worldline-Direct: Shared Config > Send line item prices to the API** .



It is important to note that due to certain technical limitations sending the line item prices could lead to rounding errors if promotions are applied to the order. For example **ProductA** with **3** quantities and an order-level promotion can have a price of **10 EUR**. Therefore each individual quantity will have a price of **3.3333... EUR** which cannot be properly sent to the API.

In order to avoid an API error, this is handled in the following way:

On the Worldline website the products will be shown as:

ProductA x2 = 3.33 EUR

ProductA x1 = 3.34 EUR (any rounding errors get added to the price here)

The order total will be the same as shown on the SFCC website, but on the Worldline website the product with a rounding error will be split into two groups.

¹⁰ https://support.direct.ingenico.com/documentation/integrate/hosted-checkout-page/

¹¹ https://support.direct.ingenico.com/documentation/integrate/hosted-tokenization-page/

4.3 PCI Compliance

Hosted Checkout Page and Hosted Tokenization Page allow you to keep a low PCI profile as Worldline-Direct is responsible for managing sensitive data.

The compliance level for Hosted Checkout Page and Hosted Tokenization Page is SAQ A (14).

4.4 Subscriptions

The Worldline-Direct Subscriptions allow the customer to order a specific set of products from the online store once and configure an interval in which the order will be repeated.

This functionality is available only for registered customers.

When the customer reaches the basket page and is already logged in you will see the option to enable the "replenish order" functionality. If you do, you can configure the following fields:


- 1. Start date the first date on which the order will be recreated again
- 2. End date when the subscription should end (no orders will be created after this date), you can leave this field empty if you want the subscription to be valid for ever (until manually canceled)
- 3. Every the interval of execution of the subscription, works in the context of the Frequency field
- 4. Frequency the time context for the Eery property, so Days, Weeks, Months and Years

The subscriptions are visible in the My Account section of the online store for the customer and in the Worldline-Direct Subscription module in the BM.

The customer can cancel his subscriptions at any time from the My Account section, the same is possible for the store operators with access to the BM module.

5 Manage payments with the cartridge

The Worldline-Direct Payments Cartridge ships with a Business Manager module where you can see Worldline-Direct payment details as well as perform manual actions on transactions.



1 Worldline-Direct Transactions Business Manager Module

To access the Worldline-Direct Transactions in the Business Manager, go to **Merchant Tools > Ordering > Worldline-Direct Transactions**.

The Worldline-Direct Transactions module provides the ability to search by Order number or by Worldline-Direct Transaction ID.

Transactions matching the search criteria are displayed in a table with information about the order, customer and Worldline-Direct transaction.

5.1 Open Details Dialog for a transaction in the Business Manager

To view more details for the Worldline-Direct transaction, you need to:

- 1. Open Worldline-Direct Transactions module.
- 2. Find the transaction
- 3. Click on **Details** link in the last column

The **Details Dialog** will be shown providing you more information to the transaction and the ability to perform manual actions (capture, refund, cancel) against the transaction.

5.2 Capture transactions in the Business Manager

Worldline-Direct Transactions module allows you to perform manual captures against a transaction. The page also shows a list of all captures to the transaction.




Captures are available only when transaction is created in **FINAL_AUTHORIZATION** operation code.

Transactions created in **SALE** operation code are captured directly at the time of the authorisation.



Captures for payments with TWINT are limited to one per transaction.



2 Capture view in Details dialog

5.2.1 View all captures for a transaction

To view the list of all captures for a transaction, in the Business Manager:

- 1. Open the **Details Dialog** for the transaction.
- 2. Click on Captures tab (selected by default)



The capture transactions are retrieved in real-time using Worldline-Direct Direct API and you can see the latest status of the capture request.

5.2.2 Manual capture a transaction

To perform a manual capture, in the Business Manager:

- 1. Open the **Details Dialog** for the transaction
- 2. Click on Captures tab (selected by default)
- 3. At the bottom of the dialog window, find the **Add a new capture** form.
- 4. In the **Amount** box, enter the amount you wish to capture it could be **full** or **partial amount** of the transaction.
- 5. Click on **Capture** button next to the amount field.

When the capture request is submitted, the Details Dialog will refresh its contents and will display the new capture transaction in the captures list.

As part of the capture request the Handle Capture Business Process (see page 59) will be triggered.


5.2.3 Automatic capture a transaction

The Worldline-Direct Payments Cartridge ships with built-in scheduled job to automatically capture transactions after configurable amount of time.

To configure the job please read Automatic Capture Job (see page 49) documentation.

5.3 Refund transactions in the Business Manager

Worldline-Direct Transactions module allows you to perform manual refunds against a transaction. The page also shows a list of all refunds to the transaction.



3 Refunds view in Details dialog

5.3.1 View all refunds for a transaction

To view the list of all refunds for a transaction, in the Business Manager:

- 1. Open the **Details Dialog** for the transaction.
- 2. Click on Refunds tab



The refund transactions are retrieved in real-time using Worldline-Direct Direct API and you can see the latest status of the refund requests.

5.3.2 Refund a transaction

To refund a transaction, in the Business Manager:

- 1. Open the **Details Dialog** for the transaction
- 2. Click on Refunds tab
- 3. At the bottom of the dialog window, find the Add a new refund form.

- 4. In the **Amount** box, enter the amount you wish to refund it could be **full** or **partial amount** of the transaction.
- 5. Click on **Refund** button next to the amount field.

When the refund request is submitted, the Details Dialog will refresh its contents and will display the new refund transaction in the refunds list.


5.4 Cancel transaction within the Business Manager

To cancel a transaction (authorisation reversal), in the Business Manager:

- 1. Open the **Details Dialog** for the transaction
- 2. Find the Payment Status section in the upper-right corner of the Details Dialog
- 3. Click on the Cancel transaction button.

6 Manage subscriptions with the cartridge

The Worldline-Direct Payments Cartridge ships with a Business Manager module where you can see Worldline-Direct subscription details as well as perform manual actions on them.



To access the Worldline-Direct Transactions in the Business Manager, go to **Merchant Tools > Ordering > Worldline-Direct Subscriptions**


The Worldline-Direct Subscriptions provides the ability to search by Subscription order number, customer number and subscription status.

The search results are displayed in a table with information about the order date, customer, customer email, subscription status, order total and the option to see more details about the subscription.

6.1 Details page for a subscription

On this page you can see the start, end (if applicable) dates, period and frequency, the next execution date, status and retry count of the subscription. The customer data is also available.

From this page you have the ability to see the original order and the created recurring orders.



On this page you can Block or Cancel a subscription.

6.2 Subscription status Blocked

This status is used when an order can be fulfilled (if a product is temporary not available), the status can be triggered manually or by the job itself when the retry count reaches the configured retry count limit. The status is reversible, once the the reason for blocking the order is resolved you can go on the details page of the subscription and click the **Ublock subscription** button



6.3 Subscription status Cancelled

This status will permanently cancel the execution of the subscription.

7 Receive payment updates - Webhooks

Webhooks are messages sent from the Worldline-Direct platform to your Salesforce Commerce Cloud storefront. These messages inform you about the result of your transactions or about status changes that happen at a later point (i.e. captures, refunds).

More information about webhooks can be found in Worldline-Direct Support Site 12

7.1 Configure Salesforce Commerce Cloud to receive payment updates

7.1.1 Step 1: Set up webhooks in Worldline-Direct Backoffice and Salesforce Commerce Cloud

To set up your Commerce Cloud store to receive updates from Worldline-Direct API, you need to set up a **Webhook URL**, **Webhook Key** and **Webhook Secret** in the Worldline-Direct Backoffice and copy it over to the Business Manager.



The **Webhook URL** to be configured in Worldline-Direct Backoffice by default is: https://{domain}/on/demandware.store/Sites-{yourSiteId}-Site/{locale}/WorldlineDirect-Webhooks

Information on how to set up an Webhooks in Worldline-Direct Backoffice can be be found here 13.

To copy the Webhook Key and Webhook Secret over to the Business Manager:

- Go to Merchant Tools > Site Preferences > Custom Preferences > Worldline-Direct: Webhooks Config
- 2. In the Webhooks Key ID field, enter the webhook key ID created in Worldline-Direct Backoffice.
- 3. In the **Webhooks Key Secret** field, enter the webhook key secret created in Worldline-Direct Backoffice.
- 4. Select Save in the upper-right corner of the screen.

7.1.2 Step 2: Set up the Process Webhooks Job

To set up the Process Webhooks Job in the Business Manager:

¹² https://support.direct.ingenico.com/documentation/api/webhooks

¹³ https://support.direct.ingenico.com/documentation/api/webhooks#configurewebhooks

- 1. Go to Administration > Operations > Jobs
- 2. Click on WorldlineProcessWebhooks in the list
- 3. Open Job Steps tab
- 4. Make sure the scope is set to your site
- 5. Configure the schedule for the job based on your needs.



For near real-time processing a value between 1 and 5 minutes is recommended based on your order volume. By default, the job is scheduled to run every 5 minutes.


7.2 Webhook handling and processing

Whenever a message is recieved by the webhook endpoint, its signature is verified using the webhooks key and secret and if it's valid, then a new record is stored in WorldlineDirectWebhooks Custom Object.

The cartridge responds with HTTP 201 (Created) status code to notify Worldline-Direct that the webhook was received and it should not be sent again.

The webhook is later processed by the **Process Webhooks Job**.

7.2.1 Webhook event process flow



7.2.2 Business processes triggered by Process Webhooks Job

- Process Unconfirmed Order Business Process (see page 57)
- Handle Capture Business Process (see page 59)

7.2.3 Webhook events and process mapping

The table below describes the webhook events send to the system and actions performed for each of them.

Worldline-Direct API Event	Worldline-Direct API Event Description	Worldline-Direct Payment Cartirdge Action
payment.created	The transaction has been created. This is the initial state once a new payment is created	Not processed. Created payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.
payment.redirected	The consumer has been redirected to a 3rd party to complete the authentication/ payment	Not processed. Redirected payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.
payment.authorization_requested	We have requested an authorization against an asynchronous system and is awaiting its response (This is only applicable to Union Pay and Braspag.)	Not processed. Authorization requested payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.
payment.pending_approval	There are transactions waiting for your approval	Not processed. Pending approval payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.

payment.pending_completion	There are transactions waiting for you to complete them	Not processed. Pending completion payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.
payment.pending_capture	There are transactions waiting for you to capture them.	Not processed. Pending capture payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.
payment.capture_requested	The transaction is in the queue to be captured. (For Cards, this means that the that the transaction has been authorized.)	Not processed.
payment.captured	The transaction has been captured and we have received online confirmation	Processed. Triggers Handle Captures process.
payment.chargebacked	The transaction has been chargebacked	Processed. Raises flag "hasChargebacks" against the order.
payment.rejected	The transaction has been rejected	Not processed. Rejected payment is handled on customer redirection back to Commerce Cloud storefront after payment. Fallback: Payment Status Check Job.
payment.rejected_capture	We or one of our downstream acquirers/providers have rejected the capture requestFor every 4xx and 5xx response an errorld and an array of errors is returned providing detailed error information.	Not processed.

payment.cancelled	You have cancelled the transaction	Processed. Sets the worldlineDirectStatusCat egory custom order parameter to CANCELLED.
payment.refunded	The transaction has been refunded	Processed. Raises flag "hasRefunds" against the order.
refund.refund_requested	The transaction is in the queue to be refunded	Not processed.

7.2.4 Logging and debugging

The webhooks use the following custom log files:

Log file prefix	Log category	Description
worldline-webhooks	worldline-webhooks	Used by the controller that receives the webhooks. Set the "Log level" to DEBUG if you want to log each webhook that arrives. Otherwise set to WARN or ERROR (recommended for Production instances).
worldline-job-webhooks	worldline-jobs	Used by the scheduled job that processes the webhooks. Set the "Log level" to DEBUG if you want to log each webhook that gets processed. Otherwise set to WARN or ERROR (recommended for Production instances).

8 Test the cartridge

TBD: QA to provide test cases for storefront and Business Manager.

8.1 Test cases (Registered + saved cards/Guest user HCP)

Test Scenario	Outcome
1. Complete checkout with Amex (37411111111111). Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
2. Complete checkout with Amex (371449635311004). Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
3. Complete checkout with Dinners club (36255695580017). Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
4. Complete checkout with MasterCard 5137009801943438 3DS v2 Frictionless flow. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
5. Complete checkout with MasterCard 5130257474533310 3DS v2 Challenge flow. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

Test Scenario	Outcome
6. Complete checkout with JCB 3528798062014879. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
7. Complete checkout with Maestro 50339619890917. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
8. Complete checkout with Maestro 50339619890917. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
9. Complete checkout with Visa 4330264936344675 3ds v2 Frictionless flow. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
10. Complete checkout with BCMC 67030000000000003. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
11. Complete checkout with iDEAL. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

Test Scenario	Outcome
12. Complete checkout with ILLICADO. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
13. Complete checkout with OneyBrandedGiftCard. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
13. Complete checkout with PayPal. Check the payment methods, HCP and check the order in BM	All payment methods, including cards, are listed as separate payment methods on the payment step. The user is redirected to HCP to finish the checkout. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

8.2 Test cases (Registered + saved cards/Guest user HTP)

Test Scenario	Outcome
1.Complete checkout with AMEX (375418081197346) 3-D Secure V2 Frictionless flow. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

Test Scenario	Outcome
2. Complete checkout with Amex (379764422997381) 3-D Secure V2 Challenge flow Order. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
3. Complete checkout with Dinners club (36255695580017). Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is not placed successfully, card number shown as incorrect or incompatible.
4. Complete checkout with MasterCard 5168693992589936) 3DS v2 Challenge flow Not enrolled/proof of attempt (ECI=6). Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

Test Scenario	Outcome
5. Complete checkout with JCB 3528798062014879 3DS v2 Challenge flow. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
6. Complete checkout with Maestro 50339619890917. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
7. Complete checkout with Visa 4874970686672022 3DS v2 Challenge flow. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

Test Scenario	Outcome
8. Complete checkout with BCMC 670300000000000003. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
10. Complete checkout with BCMC 670300000000000003. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after providing the card data in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
11. Complete checkout with iDEAL. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after selecting the payment method in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

Test Scenario	Outcome
12. Complete checkout with ILLICADO. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after selecting the payment method in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
13. Complete checkout with OneyBrandedGiftCard. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after selecting the payment method in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)
13. Complete checkout with PayPal. Check the payment methods, HTP and check the order in BM	All card types are bundled together for selection as a single payment method. Bancontact QR code is displayed as a separate payment method. The remaining non-card payment methods are listed as separate payment methods. The additional parameters for non-card payment methods (if applicable) are also displayed for a customer to make a selection. The user can proceed to finish the checkout, after selecting the payment method in the iFrame on the payment step. The order is placed successfully with all relevant data reflected for the order in BM (transaction status, payment method, etc.)

9 Appendix 1: Salesforce Commerce Cloud data model extensions

9.1 System Objects

9.1.1 Site Preferences

Attribute ID	Attribute Group	Description
worldlineDirectMerchantID	WORLDLINE_DIRECT	Merchant ID for Worldline- Direct platform
worldlineDirectOperationCode	WORLDLINE_DIRECT	The operation code will be valid for all transactions: • SALE: capture the payments when the order is placed • FINAL_AUTHORIZATION: capture later (manually or through a job)
worldlineDirectCheckoutType	WORLDLINE_DIRECT	Checkout type for card payments: Hosted Checkout Page (Redirect) OR Hosted Tokenization Page (iFrame)
worldlineDirectCheckoutSendLineIte mPrices	WORLDLINE_DIRECT	Whether line item prices will be sent to the API or not. For details, please see Sending line item prices to the API
worldlineDirect3DSEnforceSCA	WORLDLINE_DIRECT	Whether to enforce Strong Customer Authentication or not
worldlineDirect3DSExemption	WORLDLINE_DIRECT	Whether to exempt for transactions under 30 EUR or not

Attribute ID	Attribute Group	Description
worldlineDirectA2AInstantPayment Only	WORLDLINE_DIRECT	Activate this option to only accept instant bank transfers from your consumers
worldlineDirectApplySurcharge	WORLDLINE_DIRECT	Whether to activate surcharge on transactions or not. The surcharge option should be active on the PSPID on Worldline side too.
worldlineDirectSubscription	WORLDLINE_DIRECT	If set to Yes, the recurring orders (subscriptions) will be enabled
worldlineDirectCheckoutType	WORLDLINE_DIRECT_CREDIT	Checkout type for card payments: Hosted Checkout Page (Redirect) OR Hosted Tokenization Page (iFrame)
worldlineDirectHTJS	WORLDLINE_DIRECT_HTP	Please provide the URL to Hosted Tokenization JS Library
worldlineDirectHTPTemplate	WORLDLINE_DIRECT_HTP	Please provide the template name as in Worldline-Direct Backoffice to be rendered to the customer
worldlineDirectHCPTemplate	WORLDLINE_DIRECT_HCP	Please provide the template name as in Worldline-Direct Backoffice to be rendered to the customer
worldlineDirectHCPGroupCards	WORLDLINE_DIRECT_HCP	Whether to groups Cards on the Hosted Checkout Pageor not
worldlineDirectHCPSessionTimeout	WORLDLINE_DIRECT_HCP	Hosted Checkout Session Timeout (min). Default value: 180 min

Attribute ID	Attribute Group	Description
worldlineDirectWebhooksKeyID	WORLDLINE_DIRECT_WEBHOOK S	The webhooks key id that should be copied from Worldline-Direct's backoffice
worldlineDirectWebhooksKeySecret	WORLDLINE_DIRECT_WEBHOOK S	The webhooks key secret that should be copied from Worldline-Direct's backoffice

9.1.2 Order

Attribute ID	Attribute Group	Description
isWorldlineDirectOrder	WORLDLINE_DIRECT	A flag to mark orders that have an Worldline-Direct payment
worldlineDirectTransactionID	WORLDLINE_DIRECT	The Worldline-Direct transaction ID
worldlineDirectStatusCategory	WORLDLINE_DIRECT	Payment status category
worldlineDirectStatus	WORLDLINE_DIRECT	Payment status
worldlineDirectStatusCode	WORLDLINE_DIRECT	Transaction status code
worldlineDirectIsAuthorized	WORLDLINE_DIRECT	Is the transaction authorized
worldlineDirectIsCancellable	WORLDLINE_DIRECT	Is the transaction cancellable
worldlineDirectIsRefundable	WORLDLINE_DIRECT	Is the transaction refundable
worldlineDirectHasCaptures	WORLDLINE_DIRECT	Whether there have been captures for this order
worldlineDirectHasRefunds	WORLDLINE_DIRECT	Whether there have been refunds for this order

Attribute ID	Attribute Group	Description
worldlineDirectHasChargebacks	WORLDLINE_DIRECT	Whether there have been chargebacks for this order
worldlineDirectSurchargeAmount	WORLDLINE_DIRECT	Stores the surcharge amount on top of the order total
worldlineDirectSubscriptionStartDate	WORLDLINE_DIRECT_ SUBSCRIPTION	Subscription start date
worldlineDirectSubscriptionEndDate	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription end date (could be empty)
worldlineDirectSubscriptionPeriod	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription period
worldlineDirectSubscriptionFrequency	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription frequency
worldlineDirectSubscriptionStatus	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription status
worldlineDirectSubscriptionNextDate	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription next execution date
worldlineDirectSubscriptionRetryCount	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription retry count
worldlineDirectSubscriptionOrderType	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription order type (created by the customer or the system)
worldlineDirectSubscriptionOriginalOrderID	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription original order ID
worldlineDirectSubscriptionInitialTransacti onID	WORLDLINE_DIRECT_S UBSCRIPTION	Subscription transaction ID

9.1.3 Customer Payment Instrument

Attribute ID	Attribute Group	Description
worldlineDirectPaymentProductID	WORLDLINE_DIRECT	Worldline-Direct Payment Product ID
worldlineDirectPaymentProductName	WORLDLINE_DIRECT	Worldline-Direct Payment Product Name
worldlineDirectPaymentMethod	WORLDLINE_DIRECT	Worldline-Direct Payment Method
worldlineDirectCreditCardAlias	WORLDLINE_DIRECT	The masked credit card number given by the Worldline API

9.1.4 Order Payment Instrument

Attribute ID	Attribute Group	Description
worldlineDirectPaymentProductID	WORLDLINE_DIRECT	Worldline-Direct Payment Product ID
worldlineDirectPaymentProductName	WORLDLINE_DIRECT	Worldline-Direct Payment Product Name
worldlineDirectPaymentMethod	WORLDLINE_DIRECT	Worldline-Direct Payment Method
worldlineDirectCreditCardAlias	WORLDLINE_DIRECT	The masked credit card number given by the Worldline API
worldlineDirectPaymentDirectoryIssuerID	WORLDLINE_DIRECT	Worldline-Direct Issuer ID
worldlineDirectCardExpiry	WORLDLINE_DIRECT	Card Expiry
worldlineDirectAuthorisationCode	WORLDLINE_DIRECT	Authorisation Code

Attribute ID	Attribute Group	Description
worldlineDirectHostedCheckoutID	WORLDLINE_DIRECT	Hosted Checkout ID
worldlineDirectSavedCardToken	WORLDLINE_DIRECT	Saved Card Token
worldlineDirectCreditCardAlias	WORLDLINE_DIRECT	Credit Card Alias
worldlineDirectCardSchemeRefere nceData	WORLDLINE_DIRECT	Card Scheme Reference Data
worldlineDirectMandateReference	WORLDLINE_DIRECT	Mandate Reference

9.2 Custom Objects

9.2.1 WorldlineDirectWebhooks

When a webhook¹⁴ arrives, first its signature will be checked and if it's valid, it will get stored in this custom object. It will later be processed by the Process Webhooks Events Job¹⁵. Once processed, the custom object will be deleted.

Attribute ID	Туре	Description
body	String	Stores the body of the webhook.

9.2.2 WorldlineDirectPaymentProducts

The plugin allows the merchant to hide certain Worldline payment methods from the billing page. In order to achieve this, the list of payment methods are stored in a custom object and each one has a boolean property that specifies if it should be hidden from the billing page or not.

¹⁴ https://support.direct.ingenico.com/documentation/api/webhooks

¹⁵ https://greenlight-digital.atlassian.net/wiki/pages/createpage.action?

fromPageId=3169583199&linkCreation=true&spaceKey=ING&title=Process+Webhook+Events+Job

Attribute ID	Туре	Description
entriesJSON	Text	Stores the list of Worldline payment products in JSON format.

10 Appendix 2: Scheduled Jobs

Job ID	Description	Default schedule
WorldlineCaptureAuthorizedPay ments	Captures the payments that are awaiting capture. It can be configured to either capture all awaiting payments or capture only the payments that have been made more than X days ago (using the worldlineDirectCaptureProcedure Delay parameter). More information can be found	Every day at 11:00 pm server time
	here: Automatic Capture Job (see page 49)	
WorldlinePaymentStatusCheck	Checks the Worldline-Direct status for payments in Pending status or orders in status Created and updates the order. More information can be found here: Check Payment Status Job (see page 48)	Every hour
WorldlineProcessWebhooks	Takes the webhooks that were previously stored in the WorldlineDirectWebhooks custom object and processes them. More information can be found here: Receive payment updates - Webhooks (see page 27)	Every 5 minutes
WorldineProcessRecurringOrders	The WorldlineRecuringOrders job is meant to select all active subscriptions and create new orders for them if they meet the job's criteria.	Once a day

10.1 Check Payment Status Job

10.1.1 Description

This job consists of two parts:

- processes orders that are in status "CREATED" (which means "incomplete"), but have a successful payment
- processes orders whose Worldline-Direct payment status is still not finalised and is waiting for a certain update (unconfirmed orders)

Detailed explanation of each part is given below.

10.1.1.1 Processing orders in status "CREATED" which have a successful payment

This can happen in case the user started checkout, got redirected to the Worldline-Direct site, completed the payment there and got charged, but for some reason, such as a network error, did not get redirected back to the SCC website to complete the order (i.e. the user did not see the "thank you for your order" page, which also completes the order on SCC side).

The scheduled job will try to finalise these orders. To do that, it will look for orders that are in status "CREATED", have a successful payment and have been created more than 1 hour ago. The 1 hour period is added to make sure the job does not mistakenly pick up orders that are currently being placed.

The job will then validate the payment and if it was successful, it will finalise the order, so that it will become in status "**NEW**" or "**OPEN**".

10.1.1.2 Processing unconfirmed orders

The job will pick up all unconfirmed orders (order status is not in "CREATED" or "FAILED" and confirmation status is "Not Confirmed"). For each order the job will make a request to check the latest payment status:

- If the payment status is successful, the job will update the confirmation status to "Confirmed".
- · If the payment status is rejected, the job will cancel the order.
- If the payment status is still pending and the order is older than 30 hours (the number of hours is configurable with a default value of 30), the job will cancel the order and the payment transaction.

A detail description of the process can be found in Process Unconfirmed Order Business Process (see page 57).

10.1.2 Configuration

The job uses the following configuration parameters:

Parameter Name	Default Value	Description
cancelUnconfirmedOrderAfterHours	30	How many hours to wait before cancelling an order with a pending Worldline-Direct payment status.

10.1.3 Schedule

The job is preconfigured to run once per hour in order to regularly receive payment updates. It is up to the merchant to determine if this default needs to be changed in order to fit their business requirements.

10.2 Automatic Capture Job

10.2.1 Description

This scheduled job can perform automatic captures of payments that have not been captured yet. This is typically needed when the payments do not get captured automatically when placing the order (i.e. when the "Operation code" site preference is set to "FINAL_AUTHORIZATION") and a mechanism is needed to perform these captures at a later stage.

There are cases in which the merchant may decide that this job is not needed and can be disabled:

- If the payment gets automatically captured as soon as the order is placed (i.e. when the "Operation code" site preference is set to "SALE").
- · If the merchant wants to perform the captures manually

Once a payment gets picked up by this job, the following process gets executed: Handle Capture Business Process (see page 59)

10.2.2 Configuration

The job uses the following parameters:

Parameter name	Description	Configuration steps
worldlineDirectCaptureProcedu reDelay	How many days to wait before capturing a pending payment	Administration > Jobs > WorldlineCaptureAuthorizedPayments > Job Steps > WorldlineCaptureAuthorizedPayments

How frequently the job should run and whether it should wait for a specific number of days before capturing a payment depends on the specific business case and is up to the merchant to decide.

Two typical use cases are described below as well as the configurations needed to achieve them.

10.2.2.1 Capture payments, placed more than X days ago

In this case the merchant may decide to run this job several times per day. This can be achieved with the following steps:

- Go to Business Manager, then Administration > Jobs > WorldlineCaptureAuthorizedPayments > Schedule and History
- 2. Make sure the "Enabled" checkbox is checked
- 3. Set "Trigger" to "Recurring Interval"
- 4. The job can be scheduled to run every N hours by setting "Interval" to "Hours" and "Amount" to N
- 5. The initial hour can be specified in the "From" field. For example: if configured to run every 3 hours and the "From" field specifies "01:00:00" as an hour, then the job will be executed at 01:00:00, 04:00:00, 07:00:00, etc. These hours will be in the server's timezone which can be seen at the bottom of the Business Manager page ("Instance Time Zone: ...").

Additionally the worldlineDirectCaptureProcedureDelay parameter needs to be set to the correct value:

- If it is set to 1, then all pending payments made more than 1 day ago will be captured
- · If it is set to 2, then all pending payments made more than 2 days ago will be captured
- ..

10.2.2.2 Capture all pending payments once per day, at the end of the day

This can be achieved with the following steps:

- Go to Business Manager, then Administration > Jobs > WorldlineCaptureAuthorizedPayments > Schedule and History
- 2. Make sure the "Enabled" checkbox is checked
- 3. Set "Trigger" to "Recurring Interval"
- 4. Set the "Amount" field to "1" and "Interval" to "Days"
- 5. The exact hour can be specified in the "From" field. This hour will be in the server's timezone which can be seen at the bottom of the Business Manager page ("Instance Time Zone: ...").

Additionally the worldlineDirectCaptureProcedureDelay parameter can be set to 0, in this case all pending payments will be captured.

10.2.3 Schedule

The job ships preconfigured to run once per day at 23:00 server time (the timezone can be seen at the bottom of the page in SCC Business Manager).

By default the worldlineDirectCaptureProcedureDelay parameter is set to 1, which means that payments made more than 1 day ago will be captured.

It is up to the merchant to determine if these defaults need to be changed to fit their specific business requirements.

10.3 Subscription orders job

10.3.1 Description

The WorldlineRecuringOrders job is meant to select all active subscriptions and create new orders for them if they meet the job's criteria.

It can be configured to run at any interval, but it should preferably be run daily.

10.3.2 Configurations

Parameter Name	Value	Description
worldlineDirectRetry	3	How many attempts to recreate a subscription order the job gets, before moving it into status Blocked
worldlineDirectOCAPIUsernam e	tbc	OCAPI Username
worldlineDirectOCAPIAgentKe y	tbc	OCAPI Agent Key
mailFrom	noreply@email.com	the email address from which the customer and the store administrator will receive notifications
adminEmail	admin@email.com	The email of a sore administrator, who is going to check on failed subscriptions

The service **worldline.httpform.ocapi** needs to be configured as well, please refer to https://greenlight-digital.atlassian.net/wiki/spaces/ING/pages/3169255493/Set+up+the+cartridge#Step-6%3A-Configure-Worldline-Direct-Subscriptions (see page 0) for more information

10.3.3 How it works

- 1. Calculates today's date
- 2. Executes a search query to retrieve all subscriptions which are due at the time of execution
 - a. worldlineDirectSubscriptionNextDate <= Today
 - b. worldlineDirectSubscriptionStatus = Active
 - c. worldlineDirectSubscriptionOrderType = CIT
 - d. status != CREATED | FAILD | CANCELLED
- 3. The result returned from point 2 is looped and processed 1 by 1 (this orders are referred as subscription order bellow) as follows:
 - a. The job creates a web service instance to use with the OCAPI account provided in the configurations
 - b. A Basket DTO (Data Transformation Object) is created based on the subscription order's data
 - c. A new order is created with OCAPI
 - d. A payment instrument is added to the order (from point C)
 - e. If the status of the order (from point C) is "created"
 - i. an error email is sent to the admin Email (configured in the adminEmail field of the job),
 - the worldlineDirectSubscriptionRetryCount is increased by 1, if it exceeds the configuration in worldlineDirectRetry, the subscription order (from point 2) status is set to Blocked.
 - f. If the status of the order (from point C) is **not** "**created**"
 - i. the next execution date is calculated for the subscription order and updated
 - ii. worldlineDirectSubscriptionRetryCount is set back to 0
 - iii. an order confirmation email is sent to the customer
 - g. If an exception occurs
 - i. an email with details is sent to the configure into the adminEmail field email
 - ii. if the exception is Payment or Product related, an email is sent to the customer as well

11 Appendix 3: Business processes

11.1 Validate Payment Business Process

11.1.1 Description

Worldline-Direct Payments Cartridge validates the payment response after customer has made a payment attempt.

The business process is triggered by following actions:


- Customer is redirected back to Commerce Cloud storefront from Hosted Checkout Page
- Customer is redirected back to Commerce Cloud storefront from 3DS verification
- · Customer has completed a payment on Hosted Tokenization flow without redirect

11.1.2 Steps

- 1. Get customer's order
- 2. Get payment instrument
- 3. Make a request to Worldline-Direct to retrieve the actual payment status
- 4. Save payment details against the payment instrument
- 5. Check payment status
 - a. When status is one of REJECTED statuses the process fails the order, restores customer
 baskets and redirects the customer to the Checkout: Payment page with an user-friendly error
 message
 - b. When status is one of SUCCESSFUL statuses the process **places the order**, sets Confirmation Status to **Confirmed** and redirects the customer to the Thank you page.
 - c. When status is one of STATUS_UNKNOW statuses the process **places the order**, sets Confirmation Status to **Not Confirmed** and redirects the customer to the Thank you page.

11.1.3

Flowchart



11.1.4 Worldline-Direct Payment statuses mapping

The table below showcase the mapping between Worldline-Direct API Payment Statuses, Worldline-Direct Payment Cartridge statuses and Salesforce Commerce Cloud Order statuses used in Validate Payment Business Process.

Worldline- Direct API Status Category	Worldline-Direct API Status	Worldline- Direct Payment Cartridge Status Category	Order Status	Order Confirmati on Status	Storefront Customer landing page
REJECTED	CREATED	REJECTED	FAILED	Not Confirmed	Checkout: Payment
	CANCELLED				page with error message
	REJECTED				
	REJECTED_CAPTURE				
STATUS_UNKN OWN	REDIRECTED	STATUS_UNKN OWN	NEW		Thank you page
SUCCESSFUL	AUTHORIZATION_REQU ESTED				
	CAPTURE_REQUESTED				
	PENDING_PAYMENT				
	PENDING_COMPLETION	SUCCESSFUL		Confirmed	
	PENDING_CAPTURE				
	CAPTURED				

11.2 Process Unconfirmed Order Business Process

11.2.1 Description

Worldline-Direct Payments Cartridge implements business process to process the unconfirmed orders in Salesforce Commerce Cloud platform.

The business process is triggered by following actions:

- Check Payment Status Job (see page 48) is processing an unconfirmed order
- Process Webhook Events Job¹⁶ is processing an unconfirmed order


11.2.2 Steps

- 1. Get the order
- 2. Get the payment transaction
- 3. Make a request to Worldline-Direct API to retrieve the latest available payment status
- 4. Save payment details against the payment instrument
- 5. Check payment status
 - a. When status is one of REJECTED statuses the process cancels the order.
 - b. When status is one of SUCCESSFUL statuses the process sets Confirmation Status to **Confirmed**.
 - c. When status is one of STATUS_UNKNOW statuses the process does nothing.

¹⁶ https://greenlight-digital.atlassian.net/wiki/pages/createpage.action? fromPageId=3159720503&linkCreation=true&spaceKey=ING&title=Process+Webhook+Events+Job

11.2.3

Flowchart



11.2.4 Worldline-Direct API Payment statuses mapping

The table below showcase the mapping between Worldline-Direct API Payment Statuses, Worldline-Direct Payment Cartridge statuses and Salesforce Commerce Cloud Order statuses used in Process Unconfirmed Order Business Process.

Worldline-Direct API Status Category	Worldline-Direct API Status	Worldline-Direct Payment Cartridge Status Category	Order Status	Order Confirmation Status
REJECTED	CREATED	REJECTED	Cancelle d	Not Confirmed
	CANCELLED			
	REJECTED			
	REJECTED_CAPTURE			
STATUS_UNKNOWN	REDIRECTED	STATUS_UNKNOW N	Not modified	
SUCCESSFUL	AUTHORIZATION_REQUEST ED			
	CAPTURE_REQUESTED			
	PENDING_PAYMENT			
	PENDING_COMPLETION	SUCCESSFUL		Confirmed
	PENDING_CAPTURE			
	CAPTURED			

11.3 Handle Capture Business Process

11.3.1 Description

Worldline-Direct Payments Cartridge implements business process to monitor the successful captures against an order.

The business process is triggered by following actions:

Merchant is requesting manual capture¹⁷ using Business Manager

¹⁷ https://greenlight-digital.atlassian.net/wiki/pages/createpage.action? fromPageId=3159720475&linkCreation=true&spaceKey=ING&title=Captures

- Cartridge is requesting automatic capture via Automatic Capture Job (see page 49)
- Process Webhook Events Job¹⁸ is processing a "payment.captured" event


11.3.2 Steps

- 1. Get the order
- 2. Get the payment transaction
- 3. Make a request to Worldline-Direct API to retrieve all captures for this payment
- 4. Parse the response and for each "CAPTURED" capture sums the captured amount
- 5. When captured amount equals the transaction amount sets the order's "Worldline Payment Status Category" to COMPLETED.

¹⁸ https://greenlight-digital.atlassian.net/wiki/pages/createpage.action? fromPageId=3159720475&linkCreation=true&spaceKey=ING&title=Process+Webhook+Events+Job

11.3.3

Flowchart



11.3.4 Worldline-Direct API Capture statuses mapping

The table below showcase the mapping between Worldline-Direct API Payment Statuses, Worldline-Direct Payment Cartridge statuses and Salesforce Commerce Cloud Order statuses used in Handle Capture Business Process.

Worldline-Direct API Status Category	Worldline-Direct API Status	Worldline-Direct Payment Cartridge Status Category
UNSUCCESSFUL	CANCELLED	Not modified
	REJECTED_CAPTURE	
	REVERSED	
PENDING_CONNECT_OR_3RD_PARTY	CAPTURE_REQUESTED	
COMPLETED	CAPTURED	COMPLETED

12 Appendix 4: Services

Service Name	Туре	Description
worldline.https.direct.yourSiteID	НТТР	The main service used to communicate to Worldline-Direct API.
worldline.httpform.ocapi	HTTPForm	Used to create the SFCC orders for the subscriptions

13 Appendix 5: Failover and Recovery

If during the checkout process communication between Salesforce and Worldline fails for some reason (server outage, misconfiguration, etc.) an error will be displayed on the checkout page.

Additionally all communication errors are recorded in the server logs where the merchant is able to examine the exact error.

13.1 Log files

The main communication between Salesforce and the Worldline API is logged in the service log that is configured in **Administration > Operations > Services > worldline.https.direct.yourSiteId**

If the checkbox "Communication Log Enabled" is enabled, then the API requests and responses will be available in the log file "service-worldline-...".

Additional log settings can be configured from **Administration > Operations > Custom Log Settings**The cartridge uses two additional log categories, besides the standard root category: "worldline-jobs" and "worldline-webhooks" for the jobs and webhooks respectively.
Log levels can be configured for each category.

14 Appendix 6: Upgrading the cartridge

Currently two major versions of this cartridge exist: 23.* and 24.*

The upgrade from version 23.* to version 24.* is seamless - just replace the cartridge with the latest version and follow the steps in Install the cartridge (see page 8) section of this document.

14.1 Previous versions

14.1.1 Upgrade from 21.* to 23.*

If an upgrade from version 21.* to 23.* is needed, this document provides a checklist with needed steps.

Version **23.*** introduces many code changes, including a rebranding and as a result the easiest way to upgrade from version **21.*** is to delete the previous cartridge and reimport the new one.

14.1.1.1 Deleting version 21.* code

The following cartridges need to be deleted:

- · int_ingenico_ogone
- · bm_ingenico_ogone

14.1.1.2 Deleting version 21.* metadata

A checklist of metadata that needs to be deleted can be found below:

Administration > Operations > Services: All services, profiles and credentials that start with "ingenico"

Administration > Operations > Jobs: All jobs that start with "Ingenico"

Administration > Site Development > Custom Object Types: All types that start with "Ingenico"

Administration > Site Development > System Object Types > CustomerPaymentInstrument: All attributes and groups that start with "ingenico"

Administration > Site Development > System Object Types > OrderPaymentInstrument: All attributes and groups that start with "ingenico"

Administration > Site Development > System Object Types > Order: All attributes and groups that start with "ingenico"

Administration > Site Development > System Object Types > SitePreferences: All attributes and groups that start with "ingenico"

Merchant Tools > [yourSiteId] > Payment Methods: All payment methods that start with "INGENICO"

Merchant Tools > [yourSiteId] > Payment Processors: All payment processors that start with "INGENICO"

14.1.1.3 Importing the new version

Once the previous version has been deleted, the new one can be imported as described here: Install the cartridge (see page 8)

15 Appendix 7: Visa Specific Requirements

From mid August 2024, Visa requires 11 fields to be filled in the authentication request in order to enhance its scoring tool and optimise Frictionless buying journeys.

The cartridge sent all the required fields since version 21.1.0. Below is a mapping table of the fields sent to Worldline Direct.

15.1 Mapping table

Visa parameter	Worldline Direct parameter	Salesforce Commerce Cloud parameter
Browser IP Address	order.customer.device.ipAddress	Current Request > HTTP Remote Address
Browser Screen Height	order.customer.device.browserData.sc reenHeight	Retrieved by JS function on billing page and sent to the server for processing
Browser Screen Width	order.customer.device.browserData.Sc reenWidth	Retrieved by JS function on billing page and sent to the server for processing
Cardholder Billing Address City	order.customer.billingaddress.city	Basket > Billing Address > City
Cardholder Billing Address Country	order.customer.billingAddress.country Code	Basket > Billing Address > Country
Cardholder Billing Address Line	order.customer.billingAddress.street	Basket > Billing Address > Address 1
Cardholder Billing Address Postal Code	order.customer.billingAddress.zip	Basket > Billing Address > Postal code
Cardholder Billing Address State	ordercustomer.billingAddress.state	Basket > Billing Address > State

Visa parameter	Worldline Direct parameter	Salesforce Commerce Cloud parameter
Cardholder Email Address	order.customer.contactDetails.emailAd dress	Basket > Customer Email
Cardholder Name	order.customer.personalInformation.na me.firstName	Basket > Billing Address > Name
Cardholder Phone Number (Work / Home / Mobile) (At least one of these fields must be provided)	order.customer.contactDetails.phoneN umber	Basket > Billing Address > Phone



The email address field is limited to 50 characters by Worldline Direct API.

The cartridge does NOT imply such limitation because the email field is being used in various forms and such limitation is outside the scope of the cartridge.

It is up to the merchant (or their SI) to implement such limitation on the forms across the site.