UFSCar

NOME DA INSTITUIÇÃO
NOME DO CENTRO/INSTITUTO/FACULDADE
DEPARTAMENTO OU CURSO

NOME DA AUTORA

TÍTULO DO TRABALHO

CIDADE – UF
2026

NOME DA AUTORA

TÍTULO DO TRABALHO

Monografia apresentada ao Curso de Bacharelado em ??? da Nome da Instituição.

Orientador: Prof. Dr. Nome do orientador

CIDADE – UF
2026

MODELO

Autor(a), Nome do(a)

Título do trabalho / Nome do(a) Autor(a) -- 2021.
100f.

TCC (Graduação) - Universidade Federal de São Carlos, campus São Carlos, São Carlos
Orientador (a): Nome do Orientador(a)
Banca Examinadora: Orientador, Membro da Comissão Examinadora I, Membro da Comissão Examinadora II
Bibliografia

1. Assunto ou Palavra-chave I. 2. Assunto ou Palavra-chave II. 3. Assunto ou Palavra-chave III. I. Autor(a), Nome do(a). II. Título.

Ficha catalográfica desenvolvida pela Secretaria Geral de Informática (SIn)

DADOS FORNECIDOS PELO AUTOR

Bibliotecário responsável:

UNIVERSIDADE FEDERAL DE SÃO CARLOS

Centro de Ciências Exatas e de Tecnologia
Programa de Pós-Graduação em

Folha de Aprovação

Defesa de Dissertação de Mestrado do candidato , realizada em

Comissão Julgadora:

Prof. Dr. (UFSCar)

Profa. Dra.

Prof. Dr. (UFSCar)

MODELO

O presente trabalho foi realizado com apoio da Coordenação de Aperfeiçoamento de Pessoal de Nível Superior - Brasil (CAPES) - Código de Financiamento 001.
O Relatório de Defesa assinado pelos membros da Comissão Julgadora encontra-se arquivado junto ao Programa de Pós-Graduação em Ensino de Ciências Exatas.

A dedicatória é um elemento OPCIONAL em que o autor presta homenagem ou dedica seu trabalho.

AGRADECIMENTOS

É um elemento OPCIONAL em que o autor faz agradecimentos aos que contribuíram de maneira relevante à elaboração do trabalho.

Epígrafe é um elemento OPCIONAL
Demonstração: Evidente
Elon Lages Lima *(Lima, 1976, p. 154).*

RESUMO

Elemento OBRIGATÓRIO, deve apresentar os pontos relevantes do texto, de forma concisa e que permita uma visão rápida e clara do conteúdo e das conclusões do trabalho. Indica-se que o resumo tenha no máximo 500 palavras e deve ser elaborado de acordo com ABNT NBR 6028/2003. Deve ser escrito em um único parágrafo, sem subdivisões e sem recuo de parágrafo. Abaixo do resumo devem ser colocadas as palavras-chave. A indicação Palavra-chave deve ser em negrito seguida de dois pontos e espaço. Cada palavra deve ser separada uma da outra por ponto final.

Palavras-chave: Chave 1. Chave 2. Chave 3.

ABSTRACT

Version of the abstract in another language for international dissemination. Prepare the abstract in a foreign language accordingly with ABNT NBR 6028/2003. Below the abstract the keywords must be placed. The indication Keywords must be in bold followed by a colon and space. Each word must be separated from each other by a period.

Keywords: Key 1. Key 2. Key 3.

LISTA DE FIGURAS

LISTA DE TABELAS

LISTA DE QUADROS

LISTA DE SIGLAS

BNCC Base Nacional Comum Curricular

SUMÁRIO

1 INTRODUÇÃO 13
2 DESENVOLVIMENTO 14
3 CONSIDERAÇÕES FINAIS 15
REFERÊNCIAS 16
APÊNDICE A TÍTULO DO APÊNDICE 17
ANEXO A TÍTULO DO ANEXO 18
DECLARAÇÃO 20

1 INTRODUÇÃO

Por exemplo, utilizando o acrônimo Base Nacional Comum Curricular (BNCC) pela primeira vez no seu documento. A partir desse momento, sempre teremos BNCC no documento.

2 DESENVOLVIMENTO

3 CONSIDERAÇÕES FINAIS

"Demonstração: Evidente" (Lima, 1976, p. 154).

Para a citação como sujeito da frase: Morais Filho (2018) faz diversas considerações sobre a boa redação matemática.

REFERÊNCIAS

LIMA, Elon Lages. **Curso de Análise - Volume 1**. 4. ed. Rio de Janeiro: Instituto de Matemática Pura e Aplicada, 1976. (Projeto Euclides). Citado nas pp. 5, 15.

MORAIS FILHO, Daniel Cordeiro de. **Manual de Redação Matemática**. 2. ed. Rio de Janeiro: SBM, 2018. (Coleção do Professor de Matemática). Citado na p. 15.

APÊNDICE A – TÍTULO DO APÊNDICE

A.1 SEÇÕES DO APÊNDICE

LaTeX 2_ε Cheat Sheet

Document classes

`book` Default is two-sided.
`report` No `\part` divisions.
`article` No `\part` or `\chapter` divisions.
`letter` Letter (?).
`slides` Large sans-serif font.

Used at the very beginning of a document: `\documentclass{`*class*`}`. Use `\begin{document}` to start contents and `\end{document}` to end the document.

Common `documentclass` options

`10pt/11pt/12pt` Font size.
`letterpaper/a4paper` Paper size.
`twocolumn` Use two columns.
`twoside` Set margins for two-sided.
`landscape` Landscape orientation. Must use `dvips -t landscape`.
`draft` Double-space lines.

Usage: `\documentclass[`*opt,opt*`]{`*class*`}`.

Packages

`fullpage` Use 1 inch margins.
`anysize` Set margins: `\marginsize{`*l*`}{`*r*`}{`*t*`}{`*b*`}`.
`multicol` Use *n* columns: `\begin{multicols}{`*n*`}`.
`latexsym` Use LaTeX symbol font.
`graphicx` Show image: `\includegraphics[width=`*x*`]{`*file*`}`.
`url` Insert URL: `\url{`*http://...*`}`.

Use before `\begin{document}`. Usage: `\usepackage{`*package*`}`

Title

`\author{`*text*`}` Author of document.
`\title{`*text*`}` Title of document.
`\date{`*text*`}` Date.

These commands go before `\begin{document}`. The declaration `\maketitle` goes at the top of the document.

Miscellaneous

`\pagestyle{empty}` Empty header, footer and no page numbers.
`\tableofcontents` Add a table of contents here.

Document structure

`\part{`*title*`}`
`\chapter{`*title*`}`
`\section{`*title*`}`
`\subsection{`*title*`}`
`\subsubsection{`*title*`}`
`\paragraph{`*title*`}`
`\subparagraph{`*title*`}`

Use `\setcounter{secnumdepth}{`*x*`}` suppresses heading numbers of depth $> x$, where `chapter` has depth 0. Use a `*`, as in `\section*{`*title*`}`, to not number a particular item—these items will also not appear in the table of contents.

Text environments

`\begin{comment}` Comment (not printed). Requires `verbatim` package.
`\begin{quote}` Indented quotation block.
`\begin{quotation}` Like `quote` with indented paragraphs.
`\begin{verse}` Quotation block for verse.

Lists

`\begin{enumerate}` Numbered list.
`\begin{itemize}` Bulleted list.
`\begin{description}` Description list.
`\item` *text* Add an item.
`\item[`*x*`]` *text* Use *x* instead of normal bullet or number. Required for descriptions.

References

`\label{`*marker*`}` Set a marker for cross-reference, often of the form `\label{sec:item}`.
`\ref{`*marker*`}` Give section/body number of marker.
`\pageref{`*marker*`}` Give page number of marker.
`\footnote{`*text*`}` Print footnote at bottom of page.

Floating bodies

`\begin{table}[`*place*`]` Add numbered table.
`\begin{figure}[`*place*`]` Add numbered figure.
`\begin{equation}[`*place*`]` Add numbered equation.
`\caption{`*text*`}` Caption for the body.

The *place* is a list valid placements for the body. `t`=top, `h`=here, `b`=bottom, `p`=separate page, `!`=place even if ugly. Captions and label markers should be within the environment.

Text properties

Font face

Command	*Declaration*	*Effect*
`\textrm{`*text*`}`	`{\rmfamily` *text*`}`	Roman family
`\textsf{`*text*`}`	`{\sffamily` *text*`}`	Sans serif family
`\texttt{`*text*`}`	`{\ttfamily` *text*`}`	`Typewriter family`
`\textmd{`*text*`}`	`{\mdseries` *text*`}`	Medium series
`\textbf{`*text*`}`	`{\bfseries` *text*`}`	**Bold series**
`\textup{`*text*`}`	`{\upshape` *text*`}`	Upright shape
`\textit{`*text*`}`	`{\itshape` *text*`}`	*Italic shape*
`\textsl{`*text*`}`	`{\slshape` *text*`}`	*Slanted shape*
`\textsc{`*text*`}`	`{\scshape` *text*`}`	Small Caps shape
`\emph{`*text*`}`	`{\em` *text*`}`	*Emphasized*
`\textnormal{`*text*`}`	`{\normalfont` *text*`}`	Document font
`\underline{`*text*`}`		Underline

The command (*tttt*) form handles spacing better than the declaration (*ttt*) form.

Font size

`\tiny` tiny
`\scriptsize` scriptsize
`\footnotesize` footnotesize
`\small` small
`\normalsize` normalsize
`\large` large
`\Large` Large
`\LARGE` LARGE
`\huge` huge
`\Huge` Huge

These are declarations and should be used in the form `{\small ...}`, or without braces to affect the entire document.

Verbatim text

`\begin{verbatim}` Verbatim environment.
`\begin{verbatim*}` Spaces are shown as ␣.
`\verb!text!` Text between the delimiting characters (in this case '`!`') is verbatim.

Justification

Environment	*Declaration*
`\begin{center}`	`\centering`
`\begin{flushleft}`	`\raggedright`
`\begin{flushright}`	`\raggedleft`

Miscellaneous

`\linespread{`*x*`}` changes the line spacing by the multiplier *x*.

Text-mode symbols

Symbols

&	`\&`	_	`\_`	...	`\ldots`	•	`\textbullet`
$	`\$`	^	`\^{}`	|	`\textbar`	\	`\textbackslash`
%	`\%`	~	`\~{}`	#	`\#`	§	`\S`

Accents

ò	`\‘o`	ó	`\’o`	ô	`\^o`	ō	`\~o`	ō	`\=o`
ȯ	`\.o`	ö	`\"o`	o̧	`\c o`	ŏ	`\v o`	ő	`\H o`
ç	`\c c`	o̩	`\d o`	o͡	`\b o`	o͡o	`\t oo`	œ	`\oe`
Œ	`\OE`	æ	`\ae`	Æ	`\AE`	å	`\aa`	Å	`\AA`
ø	`\o`	Ø	`\O`	ł	`\l`	Ł	`\L`	ı	`\i`
ȷ	`\j`	¡	`~‘`	¿	`?‘`				

Delimiters

‘	‘	“	‘‘	{	\{	[	[	(	(	<	`\textless`
’	’	”	’’	}	\}	]	]	)	)	>	`\textgreater`

Dashes

Name	*Source*	*Example*	*Usage*
hyphen	-	X-ray	In words.
en-dash	--	1–5	Between numbers.
em-dash	---	Yes—or no?	Punctuation.

Line and page breaks

`\\` Begin new line without new paragraph.
`\\*` Prohibit pagebreak after linebreak.
`\kill` Don't print current line.
`\pagebreak` Start new page.
`\noindent` Do not indent current line.

Miscellaneous

`\today` March 28, 2017.
`$\sim$` Prints ∼ instead of `\~{}`, which makes ˜.
`~` Space, disallow linebreak (`W.J.~Clinton`).
`\@.` Indicate that the `.` ends a sentence when following an uppercase letter.
`\hspace{`*l*`}` Horizontal space of length *l* (Ex: $l =$ `20pt`).
`\vspace{`*l*`}` Vertical space of length *l*.
`\rule{`*w*`}{`*h*`}` Line of width *w* and height *h*.

Tabular environments

`tabbing` environment

`\=` Set tab stop. `\>` Go to tab stop.

Tab stops can be set on "invisible" lines with `\kill` at the end of the line. Normally `\\` is used to separate lines.

tabular environment

```
\begin{array}[pos]{cols}
\begin{tabular}[pos]{cols}
\begin{tabular*}{width}[pos]{cols}
```

tabular column specification

`l`	Left-justified column.
`c`	Centered column.
`r`	Right-justified column.
`p{`*width*`}`	Same as `\parbox[t]{`*width*`}`.
`@{`*decl*`}`	Insert *decl* instead of inter-column space.
`|`	Inserts a vertical line between columns.

tabular elements

`\hline`	Horizontal line between rows.
`\cline{`*x*`-`*y*`}`	Horizontal line across columns *x* through *y*.
`\multicolumn{`*n*`}{`*cols*`}{`*text*`}`	A cell that spans *n* columns, with *cols* column specification.

Math mode

For inline math, use `\(...\)` or `$...$`. For displayed math, use `\[...\]` or `\begin{equation}`.

Superscript x^y	`^{x}`	Subscript x_y	`_{x}`
$\frac{x}{y}$	`\frac{x}{y}`	$\sum_{k=1}^{n}$	`\sum_{k=1}^n`
$\sqrt[n]{x}$	`\sqrt[n]{x}`	$\prod_{k=1}^{n}$	`\prod_{k=1}^n`

Math-mode symbols

$\leq$	`\leq`	$\geq$	`\geq`	$\neq$	`\neq`	$\approx$	`\approx`
$\times$	`\times`	$\div$	`\div`	$\pm$	`\pm`	$\cdot$	`\cdot`
$^\circ$	`^{\circ}`	$\circ$	`\circ`	$\prime$	`\prime`	$\cdots$	`\cdots`
∞	`\infty`	$\neg$	`\neg`	$\wedge$	`\wedge`	$\vee$	`\vee`
$\supset$	`\supset`	$\forall$	`\forall`	$\in$	`\in`	$\rightarrow$	`\rightarrow`
$\subset$	`\subset`	$\exists$	`\exists`	$\notin$	`\notin`	$\Rightarrow$	`\Rightarrow`
$\cup$	`\cup`	$\cap$	`\cap`	$\mid$	`\mid`	$\Leftrightarrow$	`\Leftrightarrow`
$\dot{a}$	`\dot a`	$\hat{a}$	`\hat a`	$\bar{a}$	`\bar a`	$\tilde{a}$	`\tilde a`
α	`\alpha`	β	`\beta`	γ	`\gamma`	δ	`\delta`
ϵ	`\epsilon`	ζ	`\zeta`	η	`\eta`	ε	`\varepsilon`
θ	`\theta`	ι	`\iota`	κ	`\kappa`	ϑ	`\vartheta`
λ	`\lambda`	μ	`\mu`	ν	`\nu`	ξ	`\xi`
π	`\pi`	ρ	`\rho`	σ	`\sigma`	τ	`\tau`
υ	`\upsilon`	ϕ	`\phi`	χ	`\chi`	ψ	`\psi`
ω	`\omega`	Γ	`\Gamma`	Δ	`\Delta`	Θ	`\Theta`
Λ	`\Lambda`	Ξ	`\Xi`	Π	`\Pi`	Σ	`\Sigma`
Υ	`\Upsilon`	Φ	`\Phi`	Ψ	`\Psi`	Ω	`\Omega`

Bibliography and citations

When using BibTeX, you need to run `latex`, `bibtex`, and `latex` twice more to resolve dependencies.

Citation types

`\cite{`*key*`}`	Full author list and year. (Watson and Crick 1953)
`\citeA{`*key*`}`	Full author list. (Watson and Crick)
`\citeN{`*key*`}`	Full author list and year. Watson and Crick (1953)
`\shortcite{`*key*`}`	Abbreviated author list and year. ?
`\shortciteA{`*key*`}`	Abbreviated author list. ?
`\shortciteN{`*key*`}`	Abbreviated author list and year. ?
`\citeyear{`*key*`}`	Cite year only. (1953)

All the above have an `NP` variant without parentheses; Ex. `\citeNP`.

BibTeX entry types

`@article`	Journal or magazine article.
`@book`	Book with publisher.
`@booklet`	Book without publisher.
`@conference`	Article in conference proceedings.
`@inbook`	A part of a book and/or range of pages.
`@incollection`	A part of book with its own title.
`@misc`	If nothing else fits.
`@phdthesis`	PhD. thesis.
`@proceedings`	Proceedings of a conference.
`@techreport`	Tech report, usually numbered in series.
`@unpublished`	Unpublished.

BibTeX fields

`address`	Address of publisher. Not necessary for major publishers.
`author`	Names of authors, of format ....
`booktitle`	Title of book when part of it is cited.
`chapter`	Chapter or section number.
`edition`	Edition of a book.
`editor`	Names of editors.
`institution`	Sponsoring institution of tech. report.
`journal`	Journal name.
`key`	Used for cross ref. when no author.
`month`	Month published. Use 3-letter abbreviation.
`note`	Any additional information.
`number`	Number of journal or magazine.
`organization`	Organization that sponsors a conference.
`pages`	Page range (`2,6,9--12`).
`publisher`	Publisher's name.
`school`	Name of school (for thesis).
`series`	Name of series of books.
`title`	Title of work.
`type`	Type of tech. report, ex. "Research Note".
`volume`	Volume of a journal or book.
`year`	Year of publication.

Not all fields need to be filled. See example below.

Common BibTeX style files

`abbrv`	Standard	`abstract`	`alpha` with abstract
`alpha`	Standard	`apa`	APA
`plain`	Standard	`unsrt`	Unsorted

The LaTeX document should have the following two lines just before `\end{document}`, where `bibfile.bib` is the name of the BibTeX file.

```
\bibliographystyle{plain}
\bibliography{bibfile}
```

BibTeX example

The BibTeX database goes in a file called *file*`.bib`, which is processed with `bibtex file`.

```
@String{N = {Na\-ture}}
@Article{WC:1953,
  author  = {James Watson and Francis Crick},
  title   = {A structure for Deoxyribose Nucleic Acid},
  journal = N,
  volume  = {171},
  pages   = {737},
  year    = 1953
}
```

Sample LaTeX document

```
\documentclass[11pt]{article}
\usepackage{fullpage}
\title{Template}
\author{Name}
\begin{document}
\maketitle

\section{section}
\subsection*{subsection without number}
text \textbf{bold text} text. Some math: $2+2=5$
\subsection{subsection}
text \emph{emphasized text} text. \cite{WC:1953}
discovered the structure of DNA.

A table:
\begin{table}[!th]
\begin{tabular}{|l|c|r|}
\hline
first  &  row  &  data \\
second &  row  &  data \\
\hline
\end{tabular}
\caption{This is the caption}
\label{ex:table}
\end{table}

The table is numbered \ref{ex:table}.
\end{document}
```

Copyright © 2014 Winston Chang
http://wch.github.io/latexsheet/


DECLARAÇÃO

Este trabalho utilizou a ferramenta de Inteligência Artificial ChatGPT (Versão 5.5) em etapas específicas do processo de pesquisa, com a finalidade de apoiar a revisão linguística e a melhoria da qualidade textual do manuscrito.

Na etapa de edição e revisão do texto, o ChatGPT foi empregado exclusivamente para auxiliar na correção gramatical, ortográfica, de pontuação e na melhoria da fluidez da redação. Para esse fim, foram utilizados comandos que restringiam a atuação da ferramenta à revisão linguística, vedando a inclusão de novas informações, interpretações, argumentos ou conteúdos que não estivessem presentes na versão original do texto. As sugestões geradas limitaram-se ao aprimoramento da clareza, da coerência, da coesão e da organização textual, sendo incorporadas ao manuscrito somente após criteriosa análise, verificação e validação pela autora.

O ChatGPT não foi utilizado para produzir resultados científicos, elaborar análises, interpretar dados, formular conclusões ou substituir o julgamento acadêmico da autora. Sua utilização restringiu-se ao apoio na revisão da redação e na melhoria da apresentação textual do trabalho.

Embora o ChatGPT tenha contribuído para a revisão de diferentes trechos deste trabalho, a autora permanece integralmente responsável pela precisão, pela originalidade, pela integridade e pela autenticidade do conteúdo apresentado. Todo o material revisado com o auxílio dessa ferramenta foi cuidadosamente analisado e, quando necessário, ajustado pela autora, de modo a assegurar sua conformidade com os princípios éticos da pesquisa acadêmica, bem como com as normas e diretrizes estabelecidas pela Universidade.



Classe LaTeX para documentos científicos segundo as normas ABNT, desenvolvida por Wladimir Seixas.