

Homelab Remediation — Critical Issues Across Laptop, Tiamat, Bahamut

Historical/reference note: This document may describe an older pre-NexusOS or pre-Riven architecture. Current live source of truth is `docs/NETWORKING.md`, `docs/NEXUSOS-COMPONENT.md`, and `README.md`. WireGuard, wg-easy, CT-100/CT-101, Traefik, Authentik, zurg, rclone, Docker-first Bahamut, and old multi-CT *arr flows are not active unless a current doc explicitly says otherwise.

Inventory date: 2026-05-20

Breaking / Active Risk (fix immediately)

1a. Laptop primary NVMe 94% full — CRITICAL

- **857 GB / 907 GB used** on `/dev/nvme1n1p3` (root filesystem) — only **4.6 GB free**
- Root cause (measured):
 - `.steam` — **322 GB** (Steam games library — dominant consumer)
 - `.local` — 76 GB (Flatpak runtimes + app data)
 - `.wine` — 62 GB (Wine prefix + Windows apps)
 - `.var` — 61 GB (Flatpak app state)
 - Android SDK + emulators — ~41 GB
 - Docker images/containers — ~58 GB (54 GB images, 30 GB reclaimable; data root is non-standard, not at `/var/lib/docker`)
 - Downloads, caches, build tools — ~25 GB
- Ollama models are **NOT on this drive** — they are on the separate model drive (see 1b)
- Fix:
 - Move Steam library to the model drive or external storage
 - `docker image prune -a` to reclaim 29.85 GB of unused images
 - `docker builder prune -af` to reclaim 1.2 GB build cache
 - `journalctl --vacuum-size=200M`
 - Clean `.cache` (8.1 GB): `rm -rf ~/.cache/thumbnails ~/.cache/pip ~/.cache/ms-playwright`
 - Target: below 80% (free up ~130 GB minimum)

1b. Laptop Ollama model drive 89% full — HIGH

- **282 GB / 337 GB used** on `/dev/nvme0n1p2` — only **38 GB free**
- Ollama models stored at `/media/loufogle/73cf9511-0af0-4ac4-9d83-ee21eb17ff5d/models/` (280 GB)
- Largest models (candidates for removal if not actively used):
 - `llama3.2-vision:90b` — **54 GB**
 - `llama3.3:70b` — **42 GB**
 - `mixtral:8x7b` — 26 GB
 - `wizard-vicuna-uncensored:30b` — 18 GB
 - `phi4:latest` — 9.1 GB, `llava:13b` — 8.0 GB, `llama3.2-vision:11b` — 7.8 GB
- Fix: `ollama rm llama3.2-vision:90b llama3.3:70b` frees **96 GB** instantly; review others

2. Laptop swap 92% full — CRITICAL

- **18.9 GB / 20.5 GB used**
- Root cause: 30+ Docker containers + systemd Ollama + Steam/Wine processes exhausting 64 GB RAM
- Risk: OOM kill of Ollama, Docker daemon, or VS Code at any moment
- Fix: correlated with disk fix 1a above; reclaiming Docker images releases RSS pressure; removing unused large Ollama models stops VRAM/RAM contention

3. Gluetun VPN UNHEALTHY on laptop — CRITICAL

- `gluetun` container status: Up 46 hours (unhealthy)
- `qbittorrent` container routes all traffic through gluetun; if tunnel is broken the real IP leaks on every torrent connection **right now**
- Fix: `docker logs gluetun --tail 100` to identify failure mode (auth error, dead endpoint, missing env); restart after fixing; verify with `docker exec gluetun curl https://ifconfig.me`

4. ~~CT-110 and CT-111 share identical MAC + IP~~ — RESOLVED 2026-05-20

- Both assigned `hwaddr=BC:24:11:E0:78:C6` and `ip=192.168.12.251/24`
- Both were "pulse" (Proxmox monitoring community script) and both were `onboot: 1`
- CT-111 **destroyed** — CT-110 remains running as the sole pulse instance
- ARP conflict eliminated

5. ~~qBittorrent CT-212 not responding~~ — RESOLVED 2026-05-20

- CT-212 **destroyed** — config no longer exists on Tiamat
- No data to migrate: Real-Debrid has replaced torrenting
- Traefik route `qbittorrent.tiamat.local` is now stale (cleanup in Phase 3)

Architecture / Data Integrity Issues (high priority)

6. Full *arr stack duplicated across laptop Docker and Tiamat LXC

The laptop runs a complete parallel media stack via Docker Compose. The following services have live instances in **both** places with separate databases:

Service	Laptop (Docker)	Tiamat (LXC)
Sonarr	:8989 (running)	CT-214 :8989 (running)
Radarr	:7878 (running)	CT-215 :7878 (running)
Prowlarr	:9696 (running)	CT-210 :9696 (running)
Jackett	:9117 (running)	CT-211 (stopped)
Readarr	:8787 (running)	CT-217 (stopped)
Lidarr	:8686 (running)	not in Tiamat
Bazarr	:6767 (running)	CT-240 (DHCP)
Jellyfin	(running)	CT-231 (running)
Jellyseerr	:5055 (running)	CT-242 :5055 (running)
Plex	(running)	CT-230 (stopped)
qBittorrent	:8080 via gluetun	CT-212 (broken)

Decision required: pick one stack as authoritative per service and decommission the other. Recommendation: Tiamat LXCs are the intended authoritative home. Laptop Docker services should be stopped and their config/DB backed up to Tiamat.

Additional laptop-only services not duplicated (no Tiamat equivalent):

- `immich` (photo library) + postgres + redis — :17486

- `homeassistant` — (port not exposed; likely :8123)
- `audiobookshelf` — :13378
- `autobrr` — :7474
- `doplarrr` , `flexget` , `htpcmanager` — various ports
- `mediastack-control` — :9900
- `ollama-gpt` — :3535
- `wg-easy` — healthy (see §8 below)
- `vaultwarden` — :4444 (see §7 below)

7. Vaultwarden in three half-deployed states

Location	Status	Port
CT-104 on Tiamat	running	HTTPS :443 via Caddy
Laptop Docker	running	:4444
Bahamut containerd	stopped snapshot only	—

User preference: Vaultwarden should live on **Bahamut**. Action: migrate the authoritative data to Bahamut, then stop both other instances. Data consolidation must happen before decommissioning either running instance.

8. wg-easy lives on laptop, not Bahamut

- `wg-easy` Docker container is healthy on the laptop
- Bahamut has no `wg-easy` systemd service and no running Docker container for it
- `docs/NETWORKING.md` incorrectly lists `wg-easy` at `http://192.168.12.244:51821`
- Decision: migrate to Bahamut as intended, or update docs to reflect laptop as the permanent home

9. ~~Dispatcharr CT-235 not responding~~ — RESOLVED 2026-05-20

- CT-235 **destroyed** — config no longer exists on Tiamat
- No data to migrate
- Traefik route `dispatcharr.tiamat.local` is now stale (cleanup in Phase 3)

10. Laptop IP .204, docs say .172

- `ip addr show enp4s0` shows `192.168.12.204`

- `docs/AI.md` and `docs/NETWORKING.md` say `.172` (static DHCP reservation)
 - `n8n` in CT-102 has `OLLAMA_HOST` pointing to wrong IP
 - Fix: verify current DHCP lease, set static reservation to `.204` in router, update docs
-

Dead / Stale Resources (medium priority, cleanup)

11. CT-275 (homarr) — stopped, DHCP, dead weight

- Homarr service migrated into CT-300 (nginx on `:7575`, responding 307)
- CT-275 has no static IP and is permanently stopped
- Fix: `pct stop 275 2>/dev/null; pct destroy 275` — frees disk on local-lvm

12. CT-900 (Open WebUI / Ziggy) — deleted, still in docs

- Not present in `pct list` — the CT was destroyed
- `docs/NETWORKING.md` and `docs/AI.md` still reference it
- Fix: remove from all docs in same commit as other doc updates

13. VM-901 (Windows gaming) — deleted, still in docs

- Not present in `qm list` — VM was destroyed
- `docs/NETWORKING.md` still lists it
- Fix: remove from docs

14. Tiamat `local` pool 75% full

- `local` (PVE root dir): 74 GB / 94 GB — approaching Proxmox 80% warning threshold
- Fix: `pve-manager` will warn at 80%; prune old CT backups, destroy CT-275 disk, clean APT cache on host

15. Bahamut memory critically low (idle)

- 117 MB free / 1.8 GB at idle with only AdGuardHome + DietPi + tailscaled running
- Will OOM if Vaultwarden is added without first removing something else or upgrading RAM
- Fix: if Vaultwarden migrates here, stop Xtigervnc (`:5901`) and DietPi dashboard (`:5253`) to recover ~100 MB

16. CT-245 recyclarr IP (.245) collides with Bahamut wlan0 (.245)

- CT-245 has static IP `192.168.12.245`
- Bahamut `wlan0` has IP `192.168.12.245` (currently DOWN)
- If Bahamut `wlan0` ever comes up, routing breaks for recyclarr
- Fix: reassign CT-245 to unused IP, or ensure Bahamut `wlan0` stays permanently down

Documentation Gaps (update NETWORKING.md in one commit)

Item	Current docs	Reality
Laptop IP	192.168.12.172	192.168.12.204
wg-easy location	Bahamut :51821	Laptop Docker (healthy)
Vaultwarden	CT-104 Tiamat	CT-104 + laptop Docker + dead Bahamut snapshot
Homarr	CT-275 :7575	CT-300 :7575 (nginx) — CT-275 dead
CT-900 ziggy	stopped/standby	deleted
VM-901 windows-gaming	stopped	deleted
CT-300 services	Riven + Jellyfin only	+apache2, mariadb, metatube, sportarr, riven-jd2-bridge, unified-guide, homarr, x11vnc/xvfb
CT-300 Homarr URL	not listed	<code>http://192.168.12.30:7575</code>

Remediation Sequence

Phase 1 – Stop active damage COMPLETED 2026-05-20

1. Fix gluetun → stop IP leak (pending – laptop task)
2. Stop CT-111 → resolve ARP conflict  destroyed
3. Free primary NVMe → prune Docker images etc. (pending – laptop task)
4. Free Ollama drive → remove large models (pending – laptop task)
5. qBittorrent CT-212 → destroyed (Real-Debrid replaced) 
6. Dispatcharr CT-235 → destroyed 
- CT-300 consolidation prep:
7. Rootfs expanded to 64 GB 
8. RAM confirmed at 12 GB 

Phase 2 – n8n + workflow migration COMPLETED 2026-05-22

- n8n migrated CT-102 → CT-300, workflows fixed, webhooks active
- 7 automation workflows added (Health Watchdog, Rootfs Guard, Riven Failure Handler, Library Digest, RD Expiry Alert, Maintenance Bundle, CrowdSec Digest)
- n8n-local-api sidecar (127.0.0.1:9876) for system operations

Phase 3 – Traefik → Caddy COMPLETED 2026-05-22

- All *.tiamat.local routes migrated to CT-300 Caddy
- AdGuard wildcard *.tiamat.local → 192.168.12.30 added
- CT-103 (Traefik) destroyed
- Caddyfile live in infrastructure/caddy/Caddyfile

Phase 4 – CT consolidation COMPLETED 2026-05-22

Destroyed: CT-102, CT-103, CT-104, CT-105, CT-106, CT-107, CT-110, CT-200, CT-234, CT-248, CT-279

Migrated into CT-300:

- Threadfin → /opt/threadfin, port 34400
 - Uptime Kuma → /opt/uptime-kuma, port 3001
 - Tailscale → node tiamat-tailscale, 100.115.82.71 (subnet routing disabled)
 - Pulse → /opt/pulse, port 7655/9091, Ollama URL fixed to laptop
- Vaultwarden backup: /var/backup/mediastack/ in CT-300
HA DuckDNS proxy moved to Bahamut Caddy

Phase 5 – Docs finalization COMPLETED 2026-05-22

- NETWORKING.md fully rewritten for final architecture
- AI.md updated with all 10 active n8n workflows
- infrastructure/caddy/Caddyfile added to repo

Verification (2026-05-22 – all from laptop)

-  ping 192.168.12.30 – 0% loss
-  Riven UI :3000 HTTP 307
-  Riven backend:8080 HTTP 401 (auth required)
-  Jellyfin :8096 HTTP 200
-  n8n :5678 HTTP 200

```
✓ Threadfin      :34400 HTTP 200
✓ Uptime Kuma    :3001  HTTP 426 (WebSocket / normal)
✓ Homarr         :7575  HTTP 307
✓ Pulse         :7655  HTTP 200
✓ Caddy HTTPS    n8n.tiamat.local          200
✓ Caddy HTTPS    uptime.tiamat.local          426
✓ Caddy HTTPS    jellyfin.mediastack.lan      302
✓ Caddy HTTPS    riven.mediastack.lan        307
✓ Tailscale      tiamat-tailscale 100.115.82.71 connected
✓ DNS            *.tiamat.local → 192.168.12.30 via AdGuard
✓ n8n webhooks   fix-code, jellyfin-refresh, media-ingested active
```

Still pending (laptop tasks)

- Fix gluetun VPN or remove (Real-Debrid makes torrenting obsolete)
- Stop laptop Docker duplicates (Sonarr, Radarr, Prowlarr containers)
- Free laptop primary NVMe (94% full – prune Docker/Steam)
- Free Ollama model drive (89% – remove unused 90b/70b models)

12. Remove stale Traefik routes: qbittorrent.tiamat.local,
dispatcharr.tiamat.local

Service Reachability Reference (as of 2026-05-20)

Service	URL	Status
Jellyfin CT-231	http://192.168.12.231:8096	✓ 302
Jellyseerr CT-242	http://192.168.12.151:5055	✓ 307
Sonarr CT-214	http://192.168.12.214:8989	✓ 302
Radarr CT-215	http://192.168.12.225:7878	✓ 302
Prowlarr CT-210	http://192.168.12.210:9696	✓ 302
n8n CT-300	http://192.168.12.30:5678	✓ 200 — synchronized from CT-102 on 2026-05-22
Traefik CT-103	http://192.168.12.103:8080	✓ 301
Authentik CT-107	http://192.168.12.107:9000	✓ 302
Uptime Kuma CT-248	http://192.168.12.248:3001	✓ 302
Threadfin CT-234	http://192.168.12.234:34400	✓ 200
Riven UI CT-300	http://192.168.12.30:3000	✓ 307
Jellyfin CT-300	http://192.168.12.30:8096	✓ 302
Homarr CT-300	http://192.168.12.30:7575	✓ 307
qBittorrent CT-212	http://192.168.12.212:8080	🗑 destroyed 2026-05-20
Dispatcharr CT-235	http://192.168.12.235:9191	🗑 destroyed 2026-05-20
Riven backend CT-300	http://192.168.12.30:8080	⚠ 404
AdGuard Bahamut	http://192.168.12.244:8081	✓ (port listening)