


# 股指日报 (2023-07-26)

## 总括

### 恐慌指数 2023-07-25

- 选用沪深**300ETF**期权波动率指数作为整个市场恐慌指数的表征
- 其后另附上证**50ETF**、中证**500ETF**等的期权波动率指数
- 计算分位数所用的周期长度 (20,60,120)
- 输出：指数-波动率指数-分位数

1. 300ETF: 14.66 (58.4,49.2,43.0)
2. 50ETF: 15.31 (63.6,53.4,48.6)



## 检索量波动 2023-07-24

- 选用多个检索词刻画股市热度
  - 计算分位数所用的周期长度 (60,120)
  - 输出：检索词-检索量-分位数
  - 其后附有上证50、中证500、创业板等检索情况
1. 股市: 9880 (52.0,28.7)
  2. 股票: 42566 (**85.5,88.3**)
  3. a股: 12661 (38.0,37.7)
  4. 上证: 5880 (57.0,55.7)
  5. 上证指数: 164410 (35.2,30.5)



1. 牛市: 425 (24.0,24.0)

2. 熊市: 241 (**14.0,11.4**)



## 新高新低分位 2023-07-25

- 20-60-120日的新高新低数, 再对该数量使用周期长度 (60,120) 求取分位数
- 输出: 指数-某一周期新高数(分位数)-某一周期新低数(分位数)

### 1. all

- High: 1101 (**100.0**,35.6); 402 (**91.3**,45.2); 130 (24.5,24.2);
- Low: 127 (**1.1,2.8**); 30 (**0.0,0.8**); 10 (**0.0,0.4**);



## 北向资金流入 2023-07-26

- 北向资金流入与其均线的偏离度
- 计算分位数所用的周期长度 (60,120,200)
- 输出: 累计流入量-偏离度-分位数

purchase: 0.71 (**95.1**,28.1,45.4)



## 主要指数分析 2023-07-24

包括内地宽基指数、港股指数等

### 上证50

#### 上证50期权波动率指数

- 计算分位数所用的周期长度 (20,60,120)
- 输出：指数-波动率指数-分位数

1. 300ETF: 14.66 (58.4,49.2,43.0)

2. 50ETF: 15.31 (63.6,53.4,48.6)



## 上证50搜索指数

- 计算分位数所用的周期长度 (60,120)
  - 输出：检索词-检索量-分位数
- 股市: 9880 (52.0,28.7)
  - 上证50: 1474 (26.2,26.1)



## 20-60-120日的新高新低数

- 对该数量使用周期长度 (60,120) 求取分位数
- 输出：指数-某一周期新高数(分位数)-某一周期新低数(分位数)

### 1. sz50


- High: 20 (**100.0,95.2**); 6 (50.0,50.0); 0 (**0.0,0.0**);
- Low: 0 (**0.0,0.0**); 0 (**0.0,0.0**); 0 (**0.0,0.0**);



## 沪深300

### 沪深300期权波动率指数

- 计算分位数所用的周期长度 (20,60,120)
  - 输出：指数-波动率指数-分位数
1. 300ETF: 14.66 (58.4,49.2,43.0)
  2. 50ETF: 15.31 (63.6,53.4,48.6)



## 沪深300搜索指数

- 计算分位数所用的周期长度 (60,120)
  - 输出：检索词-检索量-分位数
- 股市: 9880 (52.0,28.7)
  - 沪深300: 3618 (21.7, **17.4**)




### 沪深300成分股20-60-120日的新高新低数

- 对该数量使用周期长度 (60,120) 求取分位数
- 输出：指数-某一周期新高数(分位数)-某一周期新低数(分位数)

#### 1. hs300

- High: 111 (**100.0,92.3**); 23 (42.6,42.6); 6 (**12.8,12.8**);
- Low: 3 (**0.9,0.8**); 1 (**1.1,0.9**); 0 (**0.0,0.0**);



## 中证500

### 中证500搜索指数

- 计算分位数所用的周期长度 (60,120)
- 输出：检索词-检索量-分位数

- 股市: 9880 (52.0,28.7)
- 中证500: 3147 (**13.8,10.6**)



## 20-60-120日的新高新低数

- 再对该数量使用周期长度 (60,120) 求取分位数
- 输出：指数-某一周期新高数(分位数)-某一周期新低数(分位数)

### 1. zz500

- High: 145 (**100.0,57.0**); 28 (38.6,32.5); 9 (**15.5,15.5**);
- Low: 14 (**1.0,4.7**); 5 (**1.5,2.6**); 1 (**0.0,0.9**);



## 创业板指

### 创业板搜索指数

- 计算分位数所用的周期长度 (60,120)
- 输出：检索词-检索量-分位数

1. 股市: 9880 (52.0,28.7)
2. 创业板指: 11623 (31.0,31.0)




## 20-60-120日的新高新低数

- 再对该数量使用周期长度 (60,120) 求取分位数
- 输出：指数-某一周期新高数(分位数)-某一周期新低数(分位数)

### 1. cyb

- High: 12 (63.2,33.3); 2 (50.0, **12.5**); 0 (**0.0,0.0**);
- Low: 1 (**0.0,1.8**); 0 (**0.0,0.0**); 0 (**0.0,0.0**);



## 科创50

### 科创板搜索指数

- 计算分位数所用的周期长度 (60,120)
  - 输出：检索词-检索量-分位数
1. 股市: 9880 (52.0,28.7)
  2. 科创50: 3079 (**99.6,82.8**)




## 20-60-120日的新高新低数

- 对该数量使用周期长度 (60,120) 求取分位数
- 输出：指数-某一周期新高数(分位数)-某一周期新低数(分位数)

### 1. kc50

- High: 6 (54.5,40.0); 1 (33.3,8.3); 0 (0.0,0.0);
- Low: 2 (5.3,6.9); 2 (12.5,8.3); 0 (0.0,0.0);



## 恒生

恒生、恒生科技搜索指数

- 计算分位数所用的周期长度 (60,120)
- 输出：检索词-检索量-分位数

1. 港股: 1648 (31.6,31.6)
2. 恒生指数: 15232 (75.1,60.0)



恒生科技指数: 9171 (48.2,50.2)




## 美股

### 美股搜索指数

- 计算分位数所用的周期长度 (60,120)
- 输出: 检索词-检索量-分位数

1. 美股行情: 7011 (**0.0,0.0**)
2. 道琼斯指数: 6375 (**0.0,0.0**)
3. 纳斯达克指数: 5589 (**0.0,0.0**)



## 螺纹钢

### 螺纹钢搜索指数

- 计算分位数所用的周期长度 (60,120)
- 输出：检索词-检索量-分位数

螺纹钢: 932 (61.1,62.7)

