



COFFEE
SKILLS
PROGRAM

Brewing

Intermediate

Practical Examination

Learner Version (中文版)

Learner Name: _____

E-mail Address: _____

Learner No.: _____

Membership No.: _____

Learner's Country of Residence: _____

Trainer Name: _____ Exam Date: _____

Exam Information:

- No conferring is allowed, except where permitted in Section 3.
- Passing score on this exam is 70% overall.
- The learner has two attempts at the exam. If the learner does not pass after two attempts the learner, should take the course again.



Specialty
Coffee
Association



BREWING

部分	可获得总分	实际得分
第 1a 部分 - 萃取率 % 味道测试	12	
第 1b 部分 - 浓度 % 味道测试	12	
第 2 部分 - 冲煮测试	20	
第 3 部分 - 理想杯故障排除	20	
总分数	64	
最低合格分数: 45 分		

第 1 部分 - 味道测试 Part 1 - Taste tests

1a. 萃取率 % 味道测试: 1a. Solubles Yield % Taste Test:

这三个带编号的杯子里分别装有同一种咖啡的不同冲煮。Each of these three numbered cups contains a different brew of the same coffee.

溶出物浓度均为 1.30%，但萃取率分别为: All three have a 1.30% solubles concentration, but each has a different solubles yield:

- 16%、20% 和 24%。

请品尝每一杯，并确定每一杯的萃取率 %。Please taste each one and identify which solubles yield % matches each cup.

- 完成此部分的时间为 5 分钟。You have 5 minutes to complete this section.
- 必须正确识别至少一个样品。You must correctly identify at least one sample.

如果您正确识别一杯的萃取率，则可获得 4 分。If you correctly identify one cup, you will be awarded 4 points.

如果您 3 杯全部识别正确，则可获得 12 分。If you correctly identify all 3 cups, you will be awarded 12 points.

如有必要，您可在参加本次实践考试的其他部分前或后重考此部分。If necessary, you may retake this section before or after attempting other sections in this practical exam.

在您重考之前，样品将被重新标识并重新随机排序。The samples will be relabelled and re-randomised before you attempt a retake.

如果您重考第 1a 部分，则将失去在第一次考试中获得的分數。If you attempt a retake of Part 1a, you will lose any points awarded in your first attempt.

统一的溶出物浓度: 1.30%			
冲煮	确定冲煮 (圈出冲煮的编号)	第一次考试	重考
		正确 是/否	正确 是/否
16% 的萃取率	744 - 921 - 680		
	049 - 478 - 815		
20% 的萃取率	744 - 921 - 680		
	049 - 478 - 815		
24% 的萃取率	744 - 921 - 680		
	049 - 478 - 815		
正确识别的冲煮个数			
正确识别 1 个可获得 4 分 正确识别 3 个可获得 12 分 (最多可获得 12 分)		实际得分	

1b. 溶出物浓度 % 味道测试: Solubles Concentration % Taste Test:

这三个带编号的杯子里分别装有同一种咖啡的不同冲煮。Each of these three numbered cups contains a different brew of the same coffee.

萃取率均为 20%，但溶出物浓度分别为: All three have a 20% solubles yield but each has a different solubles concentration

- 1.10%、1.30% 和 1.50%。

请品尝每一杯，并确定每一杯的溶出物浓度 %。Please taste each one and identify which solubles concentration % matches each cup.

- 完成此部分的时间为 5 分钟。You have 5 minutes to complete this section.
- 必须正确识别至少一个样品。You must correctly identify at least one sample.

如果您正确识别一杯的萃取率，则可获得 4 分。If you correctly identify one cup, you will be awarded 4 points.

如果您 3 杯全部识别正确，则可获得 12 分。If you correctly identify all 3 cups, you will be awarded 12 points.

如有必要，您可在参加本次实践考试的其他部分前或后重考此部分。If necessary, you may retake this section before or after attempting other sections in this practical exam.

在您重考之前，样品将被重新标识并重新随机排序。The samples will be relabelled and re-randomised before you attempt a retake.

如果您重考第 1b 部分，则将失去在第一次考试中获得的分。If you attempt a retake of Part 1b, you will lose any points awarded in your first attempt.

统一的萃取率： 20%			
冲煮	确定冲煮 (圈出冲煮的编号)	第一次考试	重考
		正确 是/否	正确 是/否
1.10% 的溶出物浓度	251 - 506 - 475		
	696 - 076 - 367		
1.30% 的溶出物浓度	251 - 506 - 475		
	696 - 076 - 367		
1.50% 的溶出物浓度	251 - 506 - 475		
	696 - 076 - 367		
正确识别的冲煮个数			
正确识别 1 个可获得 4 分 正确识别 3 个可获得 12 分 (最多可获得 12 分)		实际得分	

2. 冲煮测试 Brewing Test

完成以下任务的时间为 40 分钟。You have 40 minutes to complete the following Parts.

请选择培训中所使用的任意 2 种冲煮设备（自动咖啡机除外）。Please choose any 2 brewing devices that are available at this campus (except an automatic brewer).

请分别使用每种设备准备一份冲煮，溶出物浓度最低为 1.15%。Please prepare one brew from each device that achieves a minimum solubles concentration of 1.15%.

如果您选择了过滤式冲煮，则该冲煮成品的萃取率需为 18%-22%。If you choose a drip filter brewer, the brew must also achieve a solubles yield of 18% to 22% (a successful brew).

如果您选择了替代的冲煮器材，则必须参照使用 AST 规定的水粉比，而且冲煮成品的最低可溶物浓度必须达到 1.15%（所谓成功的冲煮）。If you choose an alternative device, you must use a coffee to water ratio within the range described by the AST, and the brew must achieve a minimum solubles concentration of 1.15% (a successful brew).

您可以分别使用每种设备准备多次冲煮，但仅可提交其中一份冲煮进行评分。Multiple brews may be prepared with each device, but only one brew from each device may be submitted for scoring.

请为在此部分准备的每一份冲煮分别填写一份工作表（包括折射仪分析）提交相应的工作表后，方可获得成功冲煮的分数。You are required to complete a worksheet (including refractometer analysis) for each brew you prepare in this section. A successful brew will not receive points unless you submit a corresponding worksheet.

如果您使用第一台设备成功冲煮，并提交了相应的工作表，则可获得 8 分。如果您使用此设备成功冲煮，并正确填写工作表，则可额外获得 2 分。If you submit a successful brew from the first device, and a corresponding worksheet, you will be awarded 8 points. If your brew from this device is successful, and your worksheet is completed correctly, you will be awarded an additional 2 points.

如果您使用第二台设备成功冲煮，并提交了相应的工作表，则可获得 8 分。如果您使用此设备成功冲煮，并正确填写工作表，则可额外获得 2 分。If you submit a successful brew from the second device, and a corresponding worksheet, you will be awarded 8 points. If your brew from this device is successful, and your worksheet is completed correctly, you will be awarded an additional 2 points.

只有当成功冲煮时，才能获得正确填写工作表的分数。Points can only be awarded for correct worksheets if their corresponding brew is successful.

评估人将品尝每份冲煮，比较其味道分析；并会测量每份冲煮样品，确认其折射仪分析是否正确。The AST will taste each brew to compare taste analysis, and the assessor will measure a sample of each brew to confirm correct refractometer analysis.

您必须在 40 分钟的时限内成功冲煮并填写相应的工作表。Successful brews and their corresponding completed worksheets must be submitted within the 40-minute time limit.

如发现设备异常，请告知评估人，其可酌情停止计时。If you believe any of the equipment is not functioning correctly, please inform the assessor who may stop the time if appropriate.

如有必要，评估人还可重启测试，并酌情重置计时器。If necessary, the Part may be restarted, and the timer reset appropriately.

冲煮测试				可获得分数	实际得分
冲煮 1	溶出物浓度	萃取率	冲煮达成目标， 并提交了工作表 是/否	8	
	%	%	工作表填写正确 是/否	2	
冲煮 2	溶出物浓度	萃取率	冲煮达成目标， 并提交了工作表 是/否	8	
	%	%	工作表填写正确 是/否	2	
完成冲煮和工作表的时间：_____:					
				总得分	

3. 理想杯故障排除测试 Ideal Cup Troubleshooting Test

完成以下任务的时间为 30 分钟。You have 30 minutes to complete the following tasks.

在任务 3.1、3.2, 和 3.3 中, 您**不可**与其他学生商量。In Part 3.1, 3.2, and 3.3 you may **not** consult with other students.

如有必要, 则计时器将在您完成任务 3.3 之后到开始任务 3.4 之前的这段时间内停止。If necessary, the timer will be stopped between the completion of Part 3.3 and the beginning of Part 3.4.

如发现设备异常, 请告知评估人, 其可酌情停止计时。If you believe any of the equipment is not functioning correctly, please inform the assessor who may stop the time if appropriate.

如有必要, 评估人还可重启测试, 并酌情重置计时器。If necessary, a task may be restarted, and the timer reset appropriately.

任务 3.1

评估人使用自动过滤咖啡机冲煮了咖啡, 因为是有意为之, 所以咖啡萃取率低于 18% (萃取不足) 或 高于 22% (过度萃取)。The AST has brewed a coffee with an automatic filter brewer, and intentionally brewed the coffee so that it has achieved either a solubles yield below 18% (under extracted), or a solubles yield above 22% (over extracted).

您必须品尝并说明冲煮咖啡属于萃取不足还是过度萃取。You must taste the coffee and indicate whether you think the brew is under extracted, or over extracted.

如果您的味道分析正确, 则可获得 4 分。If your taste analysis is correct, you will be awarded 4 points.

任务 3.2

评估人会告诉您用于准备此次冲煮的咖啡粉量和用水量。您必须据此计算此次冲煮的粉水比, 并使用折射仪测量冲煮样品, 判断溶出物浓度。The AST will then tell you the ground coffee and water doses used to prepare the brew. You must then calculate the coffee to water ratio used for the brew, and then measure a sample of the brew with a refractometer to determine the solubles concentration.

必须遵循正确的样品测量方案。Correct sample measuring protocols must be followed.

使用该粉水比和溶出物浓度, 并结合冲煮品管表, 判断萃取率。You must then use the coffee to water ratio and the solubles concentration to determine the solubles yield with the brewing control chart.

如果您的计算正确, 并正确使用折射仪和冲煮品管表, 则可获得 4 分。If your calculations and use of the refractometer and brewing control chart are correct, you will be awarded 4 points.

任务 3.3

您必须检查自动过滤咖啡机和研磨机, 并诊断造成萃取不足或过度萃取的原因。如果您的诊断正确, 则可获得 4 分。You must then examine the automatic filter brewer and grinder and diagnose the cause of the brew being under or over extracted. If your diagnosis is correct, you will be awarded 4 points.

必须描述修正冲煮的解决方案。Then you must describe a solution to correct the brew.

如果您的解决方案正确, 则可获得 4 分。If your solution is correct you will be awarded 4 points.

如果您的诊断和解决方案均正确, 则可进入任务 3.4。If your diagnosis and solution are correct, you may proceed to Part 3.4.

否则不得进入任务 3.4。If your diagnosis and solution are not correct, you may not proceed to Part 3.4.

任务 3.4

现在您必须使用您的解决方案, 在同一台自动过滤咖啡机上准备冲煮, 并且溶出物浓度为 1.15% - 1.45%, 萃取率为 18% - 22%。必须使用与评估人所用相同的粉水比。You must now use your solution to prepare a brew in the same automatic filter brewer, and achieve a solubles concentration of 1.15% to 1.45%, and a solubles yield of 18% to 22%. You must use the same coffee to water ratio as was used by the AST.

您可以准备多次冲煮来获得目标冲煮, 但是目标冲煮必须在指定时间内完成。You may prepare multiple brews to achieve the target brew, but the target brew must be completed within the allocated time.

如果您在指定时间内成功冲煮, 则可获得 4 分。If you prepare a successful brew within the allocated time, you will be awarded 4 points.

理想杯故障排除测试				可获得 分数	实际得分
任务 3.1 味道分析: 描述冲煮。 (选择其一)	萃取不足 或 过度萃取		描述正确 是/否	4	
任务 3.2 折射仪分析: 计算粉水比, 并正 确测量和绘制冲煮 表。	粉水比 1: _____		正确计算粉水比, 正确使用折射仪, 正确使用冲煮品管 表。 是/否	4	
	溶出物浓度 _____ %	萃取 率 _____ %			
任务 3.3 诊断和 修正冲煮的解决方 案。	冲煮不当的原因?		描述正确 是/否	4	
	描述				
	修正冲煮的解决方案?		解决方案得当 是/否	4	
	解决方案				
学生在任务 3 中的诊断正确并且解决方案得当, 方可进入任务 3.4					
任务 3.4 学生冲煮的 浓度 和萃取率。	溶出物浓度 _____ %	萃取 率 _____ %	“理想” 范围 是/否	4	
				总得分	