

FRANK BATTEN SCHOOL • Batten IT


Getting Started with Claude Code

A step-by-step install guide.

~15 min setup

Mac or Windows

Billed to UVA

A terminal window titled "Terminal - cc-install" with three colored window control buttons (red, yellow, green) in the top-left corner. The terminal shows a command prompt where the user has entered "ccdocker". The output shows "Starting Claude Code..." followed by a message from Claude: "✦ Claude Ready when you are." Below this, a prompt character ">" is followed by the text "Summarize the CSV in my workspace" with a green cursor at the end.

```
Terminal - cc-install

→ ~ ccdocker
Starting Claude Code...

✦ Claude Ready when you are.

> Summarize the CSV in my workspace|
```

THE OUTCOME

What you'll end up with

01

An AI assistant in your terminal

A chat-style helper for writing, editing, and understanding files and code — in plain English.

02

A browser- based code editor

An optional full editor (VS Code) you drive with your mouse, at `localhost:8080`.

03

A workspace folder

A normal folder on your computer where everything you create lives — drag files in, back it up.

BEFORE YOU START

Three things you'll need

1 A computer

macOS (Apple Silicon or Intel) or Windows 10 / 11.

2 Docker Desktop

Free software that runs Claude Code in a safe, isolated container — it never touches the rest of your computer. We install it in Step 1.

3 Your UVA Amazon Bedrock credentials

How Claude Code connects to the AI, billed to the university. **Request these from Batten IT before you start** so they're ready at first launch.

THE PROCESS

Four steps, done once

~20–30 minutes the first time. Seconds every time after.

STEP 1

Install Docker Desktop

Download and run the installer.
One time.

STEP 2

Run one install command

Paste a single line. It builds
everything for you.

STEP 3

Launch Claude Code

Open a fresh terminal and
type `ccdocker`.

STEP 4

Sign in once

Enter your Bedrock credentials.
Remembered after.

Install Docker Desktop

Download from docker.com/products/docker-desktop and run the installer with default options.

Your computer	Choose this download
Mac — Apple Silicon	“Mac with Apple chip”
Mac — Intel	“Mac with Intel chip”
Windows	“Windows” (x86_64 unless ARM PC)
Not sure? Mac: → About This Mac. Windows: Settings → System → About.	

THEN

Open Docker Desktop and wait ~30–60 sec until it reads “**Docker Desktop is running**” (whale icon in the menu bar / tray).

WINDOWS ONLY

If it asks for WSL: open PowerShell as Admin, run `wsl --update`, restart, then start Docker.

STEP 2

Install the rest with one command

Open your terminal and paste the single line for your system. Then walk away — the build runs itself.

macOS — the **Terminal** app

```
Terminal  
→ ~ curl -fsSL https://raw.githubusercontent.com/wmo4buva/cc-install/main/scripts/installers/install.sh -o install.sh && bash install.sh
```

Click **OK** if macOS asks “Terminal would like to make changes.”

Windows — **PowerShell**

```
Windows PowerShell  
PS C:\> irm https://raw.githubusercontent.com/wmo4buva/cc-install/main/scripts/installers/install.ps1 | iex
```

This only works in **PowerShell** — not the black Command Prompt.


STEP 2 • WHAT TO EXPECT

Now wait — this part is supposed to be slow

10–15 minutes the first time. The command is downloading and building your whole environment.

Lots of text will scroll by. That's normal — you don't need to read it or do anything.

You're finished when you see the green **“Installation Complete!”** message.

A terminal window with a dark blue background and a title bar containing three colored dots (red, yellow, green) and the text 'install.sh'. The terminal displays the following text: 'Building environment...', '#8 [4/9] RUN apt-get install -y ...', '#12 [7/9] RUN npm install -g ...', 'Pulling base image debian:bookworm ✓', and '...'. Below this, there are two horizontal green lines, followed by a green checkmark icon and the text 'Installation Complete!', which is also flanked by two horizontal green lines.

```
install.sh

Building environment...
#8 [4/9] RUN apt-get install -y ...
#12 [7/9] RUN npm install -g ...
Pulling base image debian:bookworm ✓
...

✓ Installation Complete!
```

Launch Claude Code

DO THIS FIRST

Close your terminal and open a **fresh one**. This is required so the new shortcut commands appear.

```
→ ~ ccdocker # start the assistant
→ ~ ccvscode # browser editor
```

Shortcuts not found? Make sure you opened a new window. On Mac you can fall back to `cd cc-install then ./claude`.

Command	What it does
ccdocker	Launch Claude Code
ccvscode	Browser-based VS Code editor
ccstop	Stop it when you're done
ccrestart	Restart if something seems stuck
cclogs	Show technical logs

STEP 4

First-time sign-in

The first time you run ccdocker, choose **Amazon Bedrock** and enter the credentials from Batten IT.

› **AWS Access Key ID**

› **AWS Secret Access Key**

› **Region**
usually us-east-1 — Batten IT will confirm

GOOD TO KNOW

Usage is **billed to the university, not to you**. You enter these only once — they're remembered securely for next time.

DON'T HAVE THEM?

Contact Batten IT — they'll issue your Bedrock credentials.

USING IT DAY TO DAY

Once it's running

Just talk to it

Type what you want in plain English. It can read, write, and edit files for you.

```
"Summarize the CSV in my workspace."  
"Draft a script to rename these files."
```

Your files live in one place

Everything is saved in the workspace folder inside cc-install.

```
cc-install/workspace/
```

Your work is safe

Files and settings live outside the container, so they survive restarts, updates, and even rebuilding the environment.

Pre-installed skills

Your install includes helpful skill packs from Anthropic and others.

```
Type /skills to see them
```

HOUSEKEEPING

Keep it current, keep it backed up

Run both from inside the `cc-install` folder. Neither touches your workspace or saved settings.

Update to the latest

The self-update inside the container won't stick — use the script instead.

```
→ cd cc-install
→ ./scripts/maintenance/update.sh
Windows: .\scripts\maintenance\update.ps1
```

Back up your work

Creates a dated backup you can restore later with the matching restore script.

```
→ cd cc-install
→ ./scripts/maintenance/backup.sh
Windows: .\scripts\maintenance\backup.ps1
```

QUICK REFERENCE

Keep this handy

The commands you'll actually use, and how to get yourself unstuck — grouped by what you're trying to do.

Launch & everyday

Get unstuck

Update & back up

CHEAT SHEET 1 / 3

Launch & everyday

SHORTCUTS — USE THESE

<code>ccdocker</code>	Launch Claude Code
<code>ccdocker bash</code>	Open a bash shell
<code>ccvscode</code>	Browser VS Code editor
<code>ccstop</code>	Stop the container
<code>ccrestart</code>	Restart the container
<code>cclogs</code>	View container logs

THE BROWSER EDITOR

Runs at

`localhost:8080`

Give it ~10 seconds after `ccvscode`, then open it in your browser.

HANDY SHORTCUTS INSIDE

Ctrl + ` toggle terminal · Ctrl + P open file

Ctrl + C interrupt Claude · `/skills` list skills

1st

Always try the diagnostic tool first

It checks Docker, ports, disk, and your container — then tells you exactly what's wrong.

`./scripts/maintenance/diagnose.sh`

If you see...	Do this
<code>command not found: ccdocker</code>	Open a fresh terminal window. Or <code>cd cc-install</code> then <code>./claude</code> .
<code>Docker daemon is not running</code>	Open Docker Desktop, wait until it says “running,” try again.
Install command “doesn't work” on Windows	You're in Command Prompt — switch to PowerShell .
<code>port 8080 already allocated</code>	Something else uses that port. Run the diagnostic, or contact Batten IT.
Everything seems stuck	Run <code>ccrestart</code> , or the diagnostic tool.

Update, back up & reset

THE SAFE UPDATE WORKFLOW

```
# 1 • back up first
./scripts/maintenance/backup.sh

# 2 • update
./scripts/maintenance/update.sh

# 3 • restore if needed
./scripts/maintenance/restore.sh
```

FILE LOCATIONS

Your files	./workspace/
Backups	./backups/
Shortcut	~/.local/bin/

START OVER (RARELY NEEDED)

Uninstall, then re-run the one-line installer from the README.

```
./scripts/maintenance/uninstall.sh
```

GETTING HELP

You're never stuck alone

FIRST STOP

Run the diagnostic tool and note what it reports.

```
./scripts/maintenance/diagnose.sh
```

THEN CONTACT Batten IT

Include your operating system and a copy of the diagnostic output or a screenshot of the error.