Monistic Continuum Model (MCM10.1)

Space–Matter Identity and Persistent Vortex Ontology

Walter Moosbrugger

DOI: 10.5281/zenodo.23981657

Copyright (c) 2026 Walter Moosbrugger

October 2026

Licensed under Creative Commons Attribution 4.0 International (CC BY 4.0)

1 Preface

The Monistic Continuum Model has undergone several stages of development since its initial formulation.

Throughout these developments, one central objective has remained unchanged:

To identify the simplest possible ontological foundation from which structure, geometry, space, matter, and observable physics may emerge.

MCM10 established a continuum-based ontology in which the continuum

$$D$$

constitutes the sole fundamental reality.

From this continuum arise continuum reactions, reaction differences, residual vortices, persistent vortices, and ultimately the observable universe.

Subsequent analysis, however, revealed an important ontological simplification.

The original formulation treated Space and Matter as successive emergent levels:

$$V \rightarrow Space \rightarrow Matter.$$

A closer examination of the ontology demonstrated that this distinction introduces an unnecessary separation.

If persistent vortices represent bound organizational structures of the continuum, then the geometric aspect traditionally described as Space and the energetic aspect traditionally described as Matter correspond to the same underlying reality.

Consequently, the present revision introduces the Space–Matter Identity Principle:

$$\text{Space} = \text{Matter} = V.$$

This principle removes an entire ontological layer from the hierarchy and strengthens the monistic character of the model.

Space is no longer regarded as a container in which matter exists.

Matter is no longer regarded as something occupying space.

Both are understood as different descriptions of one persistent organizational structure of the continuum.

The resulting hierarchy becomes

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow Observable\ Physics.$$

where

$$V \equiv Space \equiv Matter.$$

MCM10.1 therefore represents not an extension of the original ontology, but a refinement and simplification of it.

Its purpose is to provide a more consistent, economical, and ontologically coherent foundation for future theoretical development.

The model presented in this work should be regarded as an ontological framework rather than a physical theory.

Its role is to establish the fundamental structure from which future mathematics, physics, and applied research may be developed.

Within this framework, persistent vortices occupy a central position.

They represent the first stable manifestation of continuum organization and constitute the common origin of both Space and Matter.

MCM10.1 therefore marks the transition from a continuum ontology containing separate geometric and material levels toward a fully unified ontological description of organized reality.

Contents

1 Preface **1**

1 Abstract **5**

2 Introduction **5**

3 Part I: Foundations **6**
3.1 Axiom 1: Continuum 6
3.2 Axiom 2: Reactivity 7
3.3 Axiom 3: Intrinsic Tension 7
3.4 Axiom 4: Intrinsic Update 7
3.5 Axiom 5: Reaction Differences 8
3.6 Axiom 6: Space–Matter Identity 8
3.7 Foundational Hierarchy 8

4 Part II: Continuum Dynamics **9**
4.1 The Continuum D 9
4.2 Continuum Reactions $F(O, T, \tau)$ 9
4.3 Intrinsic Tension T 10
4.4 Intrinsic Update Rate τ 10
4.5 Local and Global Reactions 10
4.6 Reaction Equilibrium 11
4.7 Summary 11

5 Part III: Emergence of Structure **11**
5.1 Reaction Differences Δr 12
5.2 Instability Formation 12
5.3 Dynamic Self-Organization 12
5.4 Residual Vortices Q_R 13
5.5 Vortex Formation Conditions 13
5.6 Summary 13

6 Part IV: Persistent Vortices **14**
6.1 Definition of V 14
6.2 Vortex Geometry 14
6.3 Closed Geometries L 15
6.4 Stability Conditions 15
6.5 Modal Forms 16
6.6 Resonance Effects 16
6.7 Geometric Stabilization 16
6.8 Summary 17

7 Part V: Space–Matter Identity **17**
7.1 Space = Matter 17
7.2 V = Space = Matter 18
7.3 Geometric Aspect 18
7.4 Energetic Aspect 18
7.5 Bound Energy 19

7.6 Persistent Structures 19
7.7 Ontological Consequences 19

8 Part VI: Observable Physics **20**
8.1 Emergence of Observation 20
8.2 Observable Structures 21
8.3 Motion 21
8.4 Interaction 21
8.5 Energy 21
8.6 Mass 22
8.7 Physical Reality 22
8.8 Summary 23

9 Part VII: Ontological Consequences **23**
9.1 Removal of Dualism 23
9.2 Space–Matter Equivalence 24
9.3 Bound Energy Interpretation 24
9.4 Geometry as Reality 24
9.5 Monistic Implications 25
9.6 Summary 25

10 Terminology **26**

11 Open Questions **27**

12 Conclusion **27**

13 Citation Recommendation **28**

1 Abstract

MCM10.1 presents a revised formulation of the Monistic Continuum Model based on the principle that Space and Matter are not independent ontological entities.

The model assumes a single ontological primitive, the continuum

$$D,$$

from which all subsequent structures emerge through continuum reactivity, reaction differences, residual vortices, and persistent vortices.

A central result of the present revision is the Space–Matter Identity Principle

$$V \equiv \text{Space} \equiv \text{Matter},$$

which removes the distinction between geometric and material reality.

Within this framework, persistent vortices constitute the first stable organizational structures of the continuum and simultaneously represent what is conventionally described as both Space and Matter.

The resulting ontology reduces conceptual redundancy, increases ontological economy, and strengthens the monistic character of the model.

MCM10.1 therefore provides a simplified and more internally coherent foundation for the future development of continuum-based mathematics, physics, and applied research.

2 Introduction

One of the oldest questions in philosophy and science concerns the nature of reality itself.

What is fundamental?

Why does structure exist?

Why do geometry, space, matter, and observable phenomena appear?

Most traditional theories begin with multiple fundamental entities such as particles, fields, space-time, or physical forces.

The Monistic Continuum Model follows a different approach.

Rather than assuming the existence of multiple fundamental entities, MCM10.1 begins with a single ontological primitive:

$$D,$$

the continuum.

The continuum is assumed to possess intrinsic reactivity and organizational potential.

Through continuum reactions

$$F(O, T, \tau),$$

local differences emerge,

$$\Delta r,$$

leading to the formation of residual vortices

$$Q_R.$$

Under suitable conditions, these residual vortices stabilize into persistent vortices

$$V.$$

The present revision introduces a fundamental ontological simplification.

Previous formulations treated Space and Matter as separate emergent layers.

However, a detailed re-examination of the ontology revealed that both arise from the same persistent vortex structure and therefore cannot be considered independent realities.

Consequently, MCM10.1 adopts the principle

$$V \equiv \text{Space} \equiv \text{Matter}.$$

Within this interpretation, geometry and matter are not different ontological categories.

They represent different descriptions of the same organizational structure.

The emergence hierarchy therefore becomes

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics}.$$

Space and Matter are no longer separate levels within the hierarchy but intrinsic properties of the persistent vortex itself.

The objective of MCM10.1 is not to construct a physical theory.

Its purpose is to establish the ontological foundation from which future mathematics, physics, and applications may be systematically derived.

The model therefore focuses exclusively on the question of what exists and how increasingly complex organizational structures emerge from a single continuum-based reality.

3 Part I: Foundations

The purpose of this section is to establish the fundamental ontological principles of MCM10.1.

The model is based upon a minimal set of axioms from which all subsequent structures emerge.

These axioms do not describe physical laws.

Instead, they define the fundamental properties required for the existence of an organized and observable reality.

3.1 Axiom 1: Continuum

The continuum

$$D$$

constitutes the sole ontological primitive.

No entity, structure, geometry, space, matter, or physical law exists independently of the continuum.

Formally,

$$\boxed{D = \text{Fundamental Reality}}$$

All subsequent ontological structures emerge from the continuum.

3.2 Axiom 2: Reactivity

The continuum possesses intrinsic reactivity.

A completely non-reactive continuum cannot generate change, organization, or emergence.

Therefore, the continuum must be capable of responding to local and global conditions.

Formally,

$$\boxed{D \Rightarrow F}$$

where

$$F$$

denotes the totality of continuum reactions.

Reactivity is therefore an intrinsic property of the continuum itself.

3.3 Axiom 3: Intrinsic Tension

The continuum possesses intrinsic tension

$$T.$$

Tension represents the capacity of the continuum to sustain differences and organizational structures.

Without tension, no organizational gradients can exist.

Formally,

$$\boxed{D \Rightarrow T}$$

The continuum and its tension are inseparable.

3.4 Axiom 4: Intrinsic Update

The continuum possesses an intrinsic update capacity

$$\tau.$$

This update capacity enables organizational change and dynamic evolution.

It does not represent physical time.

Instead, it represents the fundamental ability of the continuum to transition between organizational states.

Formally,

$$\boxed{D \Rightarrow \tau}$$

Without intrinsic update, no organizational evolution can occur.

3.5 Axiom 5: Reaction Differences

The existence of continuum reactions implies the existence of reaction differences.

If reactions occur, identical responses throughout the entire continuum are impossible.
Consequently,

$$F \Rightarrow \Delta r.$$

Reaction differences

$$\Delta r$$

represent the first source of organizational structure.
Formally,

$$\boxed{F \Rightarrow \Delta r}$$

All subsequent organization originates from reaction differences.

3.6 Axiom 6: Space–Matter Identity

Persistent vortices

$$V$$

represent the first stable organizational structures of the continuum.
The geometric aspect of a persistent vortex is described as Space.
The energetic aspect of the same persistent vortex is described as Matter.
Space and Matter are therefore not separate ontological entities.
They are two descriptions of the same underlying organizational structure.
Formally,

$$\boxed{V \equiv \text{Space} \equiv \text{Matter}}$$

Consequently,

$$\text{Space} = \text{Matter}.$$

The distinction exists only at the descriptive level and not at the ontological level.

3.7 Foundational Hierarchy

The six axioms collectively establish the ontological foundation of MCM10.1.

The resulting emergence hierarchy is

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics}.$$

with

$$V = \text{Space} = \text{Matter}.$$

This hierarchy serves as the foundation for all subsequent developments within MCM10.1.

4 Part II: Continuum Dynamics

The continuum is not interpreted as a static background.

Instead, it is regarded as an intrinsically dynamic reality whose organizational evolution gives rise to all observable structures.

Within MCM10.1, continuum dynamics originate from the interaction of reactivity, tension, intrinsic update, and reaction differences.

The purpose of this section is to establish the dynamic principles governing the evolution of the continuum.

4.1 The Continuum D

The continuum

$$D$$

constitutes the sole ontological primitive.

No structure exists independently of the continuum.

Consequently, all organization, geometry, space, matter, and observable phenomena are interpreted as states of the continuum itself.

The continuum is therefore not a substance embedded within a larger reality.

The continuum is reality.

Formally,

$$D = \text{Fundamental Reality}.$$

All subsequent dynamics occur entirely within the continuum.

4.2 Continuum Reactions $F(O, T, \tau)$

The continuum possesses intrinsic reactivity.

This property is represented by

$$F(O, T, \tau),$$

which denotes the totality of continuum reactions.

The parameters

$$O, \qquad T, \qquad \tau$$

respectively represent organization, intrinsic tension, and intrinsic update.

The reaction function is not interpreted as an external force acting upon the continuum.

Instead, it represents the continuum responding to its own organizational state.

Accordingly,

$$D \Rightarrow F(O, T, \tau).$$

Continuum reactions therefore constitute the fundamental source of organizational evolution.

4.3 Intrinsic Tension T

The continuum possesses intrinsic tension

$$T.$$

Tension represents the capacity of the continuum to support differences, gradients, and organizational structure.

Without tension, all reactions would immediately disappear and no persistent organization could exist.

Tension therefore provides the energetic potential required for organization.

Formally,

$$T > 0.$$

The existence of structure implies the existence of tension.

4.4 Intrinsic Update Rate τ

The continuum possesses an intrinsic update capacity

$$\tau.$$

This update capacity governs the ability of the continuum to transition between organizational states.

The quantity

$$\tau$$

must not be interpreted as physical time.

Rather, it represents the fundamental capability of the continuum to evolve.

Organizational evolution may therefore be expressed schematically as

$$D(\tau) \to D(\tau + \Delta\tau).$$

Every observable process ultimately derives from this intrinsic update mechanism.

4.5 Local and Global Reactions

Continuum reactions occur at both local and global levels.

Local reactions generate organizational irregularities within limited regions of the continuum.

These local reactions may be represented by

$$R_i.$$

The total organizational state of the continuum is the collective result of all local reactions.

Thus,

$$F = \sum_i R_i.$$

The continuum therefore operates simultaneously as a local and global organizational system.

Local reactions generate structure, while global reactions determine the overall organizational state of the continuum.

4.6 Reaction Equilibrium

The continuum continuously seeks organizational equilibrium.

Perfect equilibrium,

$$\Delta r = 0,$$

would correspond to the complete absence of organizational differences.

However, the existence of continuum reactions necessarily generates

$$\Delta r > 0.$$

The continuum therefore exists in a state of dynamic balance:

$$F \rightarrow \Delta r \rightarrow F.$$

Reaction differences continuously generate new reactions, while reactions continuously attempt to reduce those differences.

This self-regulating process constitutes the fundamental source of continuum dynamics.

The tension between organizational difference and organizational equilibrium drives the emergence of all higher-order structures within MCM10.1.

4.7 Summary

The dynamic foundation of MCM10.1 is established by

$$D, \qquad F(O,T,\tau), \qquad T, \qquad \tau, \qquad \Delta r.$$

Together these quantities describe a self-reactive, self-organizing, and continuously evolving continuum.

Reaction differences generated by continuum dynamics form the basis for the emergence of residual vortices and all subsequent organizational structures.

5 Part III: Emergence of Structure

The emergence of structure represents the first organizational consequence of continuum dynamics.

Within MCM10.1, structure does not appear as a fundamental component of reality.

Instead, structure emerges naturally from reaction differences generated by continuum reactivity.

The purpose of this section is to describe how organizational differentiation arises from an initially undifferentiated continuum and how this process ultimately leads to the formation of residual vortices and persistent structures.

5.1 Reaction Differences Δr

The existence of continuum reactions necessarily produces reaction differences

$$\Delta r.$$

Reaction differences arise whenever different regions of the continuum respond differently to their local organizational conditions.

Consequently,

$$F \Rightarrow \Delta r.$$

Reaction differences represent the first departure from organizational uniformity.

Without reaction differences no structure, organization, or complexity can emerge.

Therefore,

$$\Delta r$$

constitutes the primary source of structure within MCM10.1.

5.2 Instability Formation

The presence of reaction differences generates organizational instability.

Perfect equilibrium would require

$$\Delta r = 0.$$

However, once reaction differences exist, the continuum becomes locally imbalanced.

Formally,

$$\Delta r > 0 \quad \Rightarrow \quad \text{Instability.}$$

Instability is therefore not regarded as a defect of the continuum but as a necessary condition for organizational development.

Without instability no new structure can emerge.

5.3 Dynamic Self-Organization

The continuum continuously attempts to reduce local reaction differences.

This tendency generates self-organization.

The process may be represented schematically as

$$\Delta r \rightarrow \text{Reaction} \rightarrow \text{Reorganization} \rightarrow \Delta r.$$

The continuum therefore acts as a self-organizing system.

Reaction differences generate organizational responses, while organizational responses modify the existing reaction differences.

This feedback process drives the emergence of increasingly complex structures.

5.4 Residual Vortices Q_R

Reaction differences cannot disappear instantly.

Instead, local organizational imbalances become concentrated into residual structures.

Within MCM10.1 these structures are identified as residual vortices

$$Q_R.$$

The emergence process may be represented as

$$\Delta r \to Q_R.$$

Residual vortices represent localized organizational concentrations within the continuum.

They constitute the first identifiable structures produced by continuum dynamics.

Unlike transient fluctuations, residual vortices possess organizational persistence and can influence their surrounding continuum.

5.5 Vortex Formation Conditions

The formation of vortices is a consequence of the organizational requirement for stability.

Among possible dynamic structures, vortices possess a unique property:

They provide closed organizational geometries.

A closed geometry allows reaction differences to circulate within a bounded organizational region.

Consequently,

$$\Delta r \to Q_R$$

is interpreted as the natural outcome of continuum self-organization.

A vortex therefore represents the simplest organizational structure capable of maintaining coherence while simultaneously responding to continuum dynamics.

The formation conditions may be expressed schematically as

$$\Delta r > \Delta r_{\text{crit}} \quad \Rightarrow \quad Q_R.$$

where

$$\Delta r_{\text{crit}}$$

denotes the minimum reaction difference required for vortex formation.

5.6 Summary

Structure emerges through the sequence

$$F \to \Delta r \to \text{Instability} \to \text{Self-Organization} \to Q_R.$$

Reaction differences generate instability.

Instability drives self-organization.

Self-organization produces residual vortices.

Residual vortices therefore represent the first observable organizational structures within the continuum and provide the foundation for all subsequent stages of emergence in MCM10.1.

6 Part IV: Persistent Vortices

Persistent vortices represent the first stable organizational structures of the continuum.

While reaction differences generate residual vortices,

$$\Delta r \to Q_R,$$

not every residual vortex develops into a stable structure.

The emergence of persistence requires additional organizational conditions that allow a vortex to maintain coherence against the destabilizing effects of continuum dynamics.

Within MCM10.1, persistent vortices occupy a central ontological position because they constitute the common origin of both Space and Matter.

6.1 Definition of V

A persistent vortex

$$V$$

is defined as a residual vortex that has achieved a stable organizational configuration.

Formally,

$$Q_R \to V.$$

Persistence does not imply immobility.

A persistent vortex remains dynamically active while preserving its overall organizational identity.

Consequently,

$$V = \text{Stable Dynamic Organization}.$$

6.2 Vortex Geometry

Every vortex possesses a geometric structure.

This geometry is determined by the distribution of reaction differences and the organizational history of the vortex.

No vortex is assumed to be perfectly symmetric.

Instead, each vortex develops its own modal configuration.

The geometric individuality of vortices is a direct consequence of the individuality of the reaction differences from which they emerged.

Thus,

$$Q_{R_1} \neq Q_{R_2}$$

implies

$$V_1 \neq V_2.$$

6.3 Closed Geometries L

A vortex becomes capable of persistence only when its geometry forms a sufficiently closed organizational structure.

This closed geometry is denoted by

$$L.$$

The quantity

$$L$$

does not merely represent a geometric length.

Instead,

$$L$$

characterizes the degree of geometric closure and organizational coherence within a vortex.

The transition may therefore be represented as

$$Q_R \to L \to V.$$

Closed geometry provides the organizational foundation necessary for persistence.

6.4 Stability Conditions

The principal objective of a vortex is the reduction of internal reaction differences.

Formally,

$$\Delta r \to 0.$$

Complete elimination of reaction differences is impossible.

However, the progressive reduction of

$$\Delta r$$

increases organizational coherence.

The stability of a vortex may therefore be viewed as a function of its remaining internal reaction differences:

$$S = S(\Delta r).$$

with

$$\Delta r \downarrow \quad \Rightarrow \quad S \uparrow .$$

Persistent vortices correspond to local stability maxima.

6.5 Modal Forms

Every persistent vortex possesses one or more modal forms.

A modal form represents a geometrically stable organizational pattern.

Different modal forms may correspond to different physical manifestations.

The modal structure of a vortex is determined by

- geometric closure,
- reaction distribution,
- organizational coherence,
- resonance conditions.

The most stable modal state represents the preferred organizational configuration of the vortex.

6.6 Resonance Effects

Resonance occurs when organizational structures reinforce one another.

Constructive resonance increases stability.

Destructive resonance reduces stability.

The organizational influence of resonance may be represented schematically as

$$R \to S.$$

where

$$R$$

denotes resonance and

$$S$$

denotes stability.

Persistent vortices therefore emerge more readily under favorable resonance conditions.

6.7 Geometric Stabilization

The stabilization process may be understood through an analogy to rotational systems.

As a vortex reduces its internal asymmetries, it attempts to approach its most stable organizational configuration.

This process may involve:

$$\Delta r \downarrow,$$

$$f \uparrow,$$

$$S \uparrow .$$

The increase in rotational frequency contributes to organizational coherence and allows the vortex to approach a stable modal state.

The stabilization sequence may be summarized as

$$\Delta r \to L \to f \to S \to V.$$

Thus, geometric stabilization transforms temporary organizational structures into persistent vortices.

6.8 Summary

Persistent vortices emerge when residual vortices develop sufficiently closed and stable geometries.

The stabilization process is governed by the interaction of

$$\Delta r, \qquad L, \qquad f, \qquad R.$$

The resulting persistent vortex

$$V$$

constitutes the first stable organizational entity of the continuum and forms the ontological basis of

$$\text{Space} = \text{Matter}.$$

7 Part V: Space–Matter Identity

The emergence of persistent vortices constitutes the most important ontological transition within MCM10.1.

Previous formulations treated Space and Matter as separate levels of emergence.

MCM10.1 rejects this distinction.

Instead, Space and Matter are interpreted as different descriptions of the same persistent organizational structure.

Persistent vortices therefore represent the common ontological origin of both geometric and energetic reality.

7.1 Space = Matter

The central principle of MCM10.1 is the identity

$$\text{Space} = \text{Matter}.$$

This identity does not imply similarity.

It implies ontological equivalence.

Space and Matter are not two independent entities.

They are two descriptions of one and the same underlying organizational structure.

Consequently,

$$\text{Space} \not\to \text{Matter}$$

and

$$\text{Matter} \not\rightarrow \text{Space}.$$

Neither generates the other.
Both are identical.

7.2 V = Space = Matter

Persistent vortices constitute the first stable organizational structures of the continuum.
The geometric aspect of a persistent vortex is observed as Space.
The energetic aspect of the same persistent vortex is observed as Matter.
Therefore,

$$\boxed{V = \text{Space} = \text{Matter}}$$

Persistent vortices are therefore not objects located in Space.
Persistent vortices are Space itself.
Likewise, persistent vortices are not entities occupying Matter.
Persistent vortices are Matter itself.

7.3 Geometric Aspect

Every persistent vortex possesses geometric structure.
The organization of its closed vortex geometry defines its spatial characteristics.
The geometric aspect corresponds to

$$L,$$

the closed geometric organization of the vortex.
Spatial relations therefore emerge from geometric relationships between persistent vortices.
Geometry is not imposed externally upon the continuum.
Geometry is an intrinsic property of vortex organization.

7.4 Energetic Aspect

Every persistent vortex also possesses an energetic aspect.
This energetic aspect arises from the binding of continuum tension within a stable organizational configuration.
The energetic manifestation of a persistent vortex is interpreted as Matter.
Consequently,

$$\text{Matter} = \text{Bound Continuum Energy}.$$

The energetic and geometric aspects are inseparable.
No geometry exists without energy.
No energy exists without geometry.

7.5 Bound Energy

The persistence of a vortex requires the binding of continuum tension.

This binding process creates a localized and stable organizational state.

The mass relation may be expressed as

$$m = \frac{T}{L},$$

where

$$T$$

represents intrinsic continuum tension and

$$L$$

represents closed vortex geometry.

The corresponding energy becomes

$$E = mc^2.$$

Thus, mass and energy emerge as properties of stable vortex organization rather than as fundamental entities.

7.6 Persistent Structures

A persistent vortex represents the simplest stable organizational unit of the continuum.

Persistence is achieved through the reduction of internal reaction differences

$$\Delta r \to 0.$$

The stabilization process may be summarized as

$$\Delta r \to L \to V.$$

As reaction differences decrease, organizational coherence increases.

Stable geometric closure produces a persistent structure capable of maintaining its identity through continued continuum dynamics.

7.7 Ontological Consequences

The Space–Matter Identity Principle produces several important ontological consequences.

1. Space is not a container.
2. Matter is not a contained substance.
3. Space and Matter are identical aspects of the same vortex structure.
4. Persistent vortices become the primary ontological building blocks of observable reality.
5. The distinction between geometry and matter is reduced to a difference in description.

6. Ontological complexity is reduced through the elimination of redundant emergence levels.

Consequently, the emergence hierarchy of MCM10.1 becomes

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics.}$$

with

$$V = \text{Space} = \text{Matter.}$$

Space and Matter are therefore not separate stages of emergence but identical manifestations of persistent vortex organization.

8 Part VI: Observable Physics

Observable physics represents the final stage of ontological emergence within MCM10.1.

Unlike conventional approaches, physical reality is not regarded as fundamental.

Instead, observable phenomena emerge from stable organizational structures of the continuum.

The chain of emergence is therefore

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics.}$$

Since

$$V = \text{Space} = \text{Matter},$$

all observable physical phenomena ultimately originate from persistent vortex organization.

8.1 Emergence of Observation

Observation becomes possible only after stable organizational structures emerge.

A completely homogeneous continuum would possess no distinguishable structures and therefore no observable phenomena.

Observation requires:

- structure,
- persistence,
- differentiation,
- interaction.

These conditions first appear at the level of persistent vortices

$$V.$$

Consequently,

$$V \Rightarrow \text{Observation.}$$

The possibility of observation therefore emerges from stable organization.

8.2 Observable Structures

Observable structures correspond to stable and persistent vortex configurations.

Different physical forms arise from different organizational states.

Observable reality is therefore interpreted as a hierarchy of organized persistent vortices.

Formally,

$$V_1, \quad V_2, \quad V_3, \quad \ldots$$

represent different persistent organizational structures capable of producing distinguishable physical manifestations.

8.3 Motion

Motion is not interpreted as the displacement of an independent object through an independent space.

Since

$$\text{Space} = \text{Matter} = V,$$

motion corresponds to a transformation of organizational relationships among persistent vortices.

Observable motion therefore reflects changes in organizational configuration.

Formally,

$$V(t_1) \neq V(t_2).$$

Motion is thus an expression of organizational evolution.

8.4 Interaction

Persistent vortices do not exist in isolation.

Interactions emerge whenever multiple organizational structures influence one another.

Schematically,

$$V_i \leftrightarrow V_j.$$

Interactions therefore represent organizational couplings rather than exchanges between independent substances.

Observable forces may be interpreted as the physical manifestation of these organizational relationships.

8.5 Energy

Energy is interpreted as organized continuum tension.

Within MCM10.1, energy is not fundamental.

Instead, energy reflects the organizational state of a persistent vortex.

The energy associated with a stable vortex is

$$E = mc^2.$$

Using

$$m = \frac{T}{L},$$

one obtains

$$E = \frac{Tc^2}{L}.$$

Energy therefore emerges as a consequence of stable continuum organization.

8.6 Mass

Mass is interpreted as a manifestation of bound continuum tension.

It is not regarded as a fundamental property.

Instead,

$$m = \frac{T}{L}$$

expresses the dependence of mass upon intrinsic continuum tension

$$T$$

and stable geometric closure

$$L.$$

Mass therefore emerges from organizational stabilization.

The more coherent the vortex geometry, the greater its capacity to maintain bound continuum tension.

8.7 Physical Reality

Physical reality is interpreted as the observable manifestation of persistent vortex organization.

Within MCM10.1:

$$\text{Space} = \text{Matter} = V.$$

Consequently, physical reality is not composed of independent substances existing within an external space.

Instead, reality consists of organized, self-maintaining vortex structures embedded within the continuum.

Observable physics therefore represents the highest expressible level of continuum organization.

8.8 Summary

The emergence of observable physics may be summarized as

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics.}$$

Persistent vortices provide:

- observable structure,
- motion,
- interaction,
- energy,
- mass,
- physical reality itself.

Observable physics is therefore interpreted as the direct manifestation of stable continuum organization.

9 Part VII: Ontological Consequences

The ontological consequences of MCM10.1 follow directly from the preceding emergence hierarchy.

The introduction of the Space–Matter Identity Principle fundamentally changes the interpretation of reality.

Rather than treating geometry, space, and matter as separate ontological categories, MCM10.1 regards them as different expressions of the same persistent vortex structure.

Consequently, the ontology becomes more economical, more strongly monistic, and more internally consistent.

9.1 Removal of Dualism

Traditional worldviews commonly distinguish between

- object and container,
- matter and space,
- geometry and substance,
- structure and content.

MCM10.1 rejects these distinctions as ontologically fundamental.
Since

$$V = \text{Space} = \text{Matter},$$

the opposition between container and content is eliminated.
There is no empty space containing matter.

There is no matter occupying space.

Both correspond to a single organizational reality.

The ontology therefore removes a major form of dualism inherited from traditional physical thinking.

9.2 Space–Matter Equivalence

The Space–Matter Identity Principle implies a complete ontological equivalence between geometric and material reality.

Formally,

$$\text{Space} = \text{Matter}.$$

Consequently,

$$\text{Space} \Rightarrow \text{Matter},$$

and

$$\text{Matter} \Rightarrow \text{Space}.$$

Since both implications hold simultaneously, no ontological distinction exists between them.

Space and Matter therefore become equivalent descriptors of persistent vortex organization.

9.3 Bound Energy Interpretation

Energy is interpreted as organized continuum tension.

Persistent vortices bind continuum tension within stable organizational geometries.

Consequently, mass and energy are not fundamental entities but organizational properties of stable structures.

The mass relation

$$m = \frac{T}{L}$$

and the energy relation

$$E = mc^2$$

describe different aspects of the same underlying organizational state.

Bound energy therefore represents the energetic manifestation of persistent vortex organization.

9.4 Geometry as Reality

Within MCM10.1, geometry is not regarded as a mathematical description of an independently existing reality.

Geometry itself constitutes reality.

The geometric organization of persistent vortices

$$L$$

defines the structure of Space and Matter simultaneously.
Therefore,

$$L \Rightarrow V \Rightarrow \text{Reality}.$$

Reality is consequently interpreted as organized continuum geometry rather than as objects existing within an external geometric framework.

9.5 Monistic Implications

The ontology of MCM10.1 is fully monistic.
Only one fundamental entity exists:

$$D.$$

All subsequent structures emerge from continuum organization.
The emergence chain becomes

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics}.$$

with

$$V = \text{Space} = \text{Matter}.$$

Consequently,

- all structure emerges from the continuum,
- all geometry emerges from the continuum,
- all matter emerges from the continuum,
- all observable physics emerges from the continuum.

No additional ontological category is required.

9.6 Summary

The ontological consequences of MCM10.1 may be summarized by the following principles:

1. Dualism is eliminated.
2. Space and Matter are identical.
3. Energy represents organized continuum tension.
4. Geometry constitutes reality itself.
5. Persistent vortices form the ontological basis of observable physics.
6. The continuum remains the sole fundamental reality.

The final ontological statement of MCM10.1 is therefore

$$D \Rightarrow \text{Observable Reality},$$

through the emergence hierarchy

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V,$$

where

$$V = \text{Space} = \text{Matter}.$$

10 Terminology

The terminology used throughout MCM10.1 is intended to provide a consistent ontological language for the description of continuum organization and emergence.

The following definitions apply throughout this document.

D The continuum. The sole ontological primitive and fundamental reality.

$F(O, T, \tau)$ The totality of continuum reactions generated by organization, intrinsic tension, and intrinsic update.

O Organization. The arrangement and distribution of continuum states.

T Intrinsic continuum tension. The capacity of the continuum to sustain differences and generate organization.

τ Intrinsic update capacity. The ability of the continuum to transition between organizational states.

Δr Reaction differences. Local variations in continuum responses that generate organizational structure.

Q_R Residual vortices. Localized organizational concentrations produced by reaction differences.

L Closed vortex geometry. The degree of geometric closure and organizational coherence associated with a vortex structure.

V Persistent vortex. A stable organizational structure capable of maintaining its identity within continuum dynamics.

Space The geometric aspect of a persistent vortex.

Matter The energetic aspect of a persistent vortex.

Observable Physics The observable manifestation of stable continuum organization.

Within MCM10.1,

$$V = \text{Space} = \text{Matter}.$$

11 Open Questions

Although MCM10.1 establishes a coherent ontological framework, several important questions remain open.

1. What determines the exact geometry of a persistent vortex?
2. How does closed geometry

   $$L$$

   govern vortex stability?
3. What limits the maximum stability of a vortex?
4. Can different classes of persistent vortices exist?
5. What role do resonance effects play in long-term stability?
6. How do multiple persistent vortices interact to form larger organizational structures?
7. Can the relation

   $$m = \frac{T}{L}$$

   be generalized for all stable structures?
8. How do observable physical laws emerge from continuum organization?
9. Can all known physical phenomena be derived from persistent vortex dynamics?
10. What mathematical framework provides the most accurate description of MCM10.1?

These questions define the principal directions for future theoretical development.

12 Conclusion

MCM10.1 presents a revised and simplified form of the Monistic Continuum Model.

The model begins with a single ontological primitive,

$$D,$$

the continuum.

Through continuum reactions, intrinsic tension, and intrinsic update, organizational differences emerge.

These reaction differences generate residual vortices which under suitable conditions develop into persistent vortices.

The central result of MCM10.1 is the Space–Matter Identity Principle:

$$V = \text{Space} = \text{Matter}.$$

This principle removes the ontological distinction between geometry and matter and establishes the persistent vortex as the fundamental organizational unit of observable reality.

The complete emergence hierarchy is therefore

$$D \leftrightarrow F(O, T, \tau) \rightarrow \Delta r \rightarrow Q_R \rightarrow V \rightarrow \text{Observable Physics}.$$

MCM10.1 strengthens the monistic character of the model, reduces ontological redundancy, and provides a more economical description of reality.

Within this framework, observable physics is interpreted as the highest level of stable continuum organization.

13 Citation Recommendation

This document constitutes the official reference version of

Monistic Continuum Model (MCM10.1): Space–Matter Identity and Persistent Vortex Ontology.

Recommended Citation

Moosbrugger, W. (2026).

Monistic Continuum Model (MCM10.1): Space–Matter Identity and Persistent Vortex Ontology.

Zenodo.

https://doi.org/10.5281/zenodo.23981657

Short Citation

Moosbrugger, W. (2026).

MCM10.1.

DOI: 10.5281/zenodo.23981657

BibTeX

```
@misc{moosbrugger2026_mcm101,
 author    = {Moosbrugger, Walter},
 title     = {Monistic Continuum Model (MCM10.1):
  Space-Matter Identity and
  Persistent Vortex Ontology},
 year      = {2026},
 publisher = {Zenodo},
 doi       = {10.5281/zenodo.23981657},
 url       = {https://doi.org/10.5281/zenodo.23981657}
}
```

References

[1] Moosbrugger, W. *Monistic Continuum Model (MCM): V09 (EN).*