WRITING YOUR THESIS WITH LATEX WITH A VERY, VERY, VERY LONG TITLE

LIM LIAN TZE

UNIVERSITI SAINS MALAYSIA

WRITING YOUR THESIS WITH LATEX WITH A VERY, VERY, VERY LONG TITLE

by

LIM LIAN TZE

Thesis submitted in fulfilment of the requirements for the degree of Doctor of Philosophy

ACKNOWLEDGEMENT

Many thanks to Prof. Donald Knuth for giving us TEX, and Leslie Lamport for LATEX.

I first learned LATEX as an undergraduate student in Computer Science at the University of Warwick. Back in Malaysia, I picked it up again while doing my M.Sc. at USM, as part of some productive procrastination (there I've admitted it!!). This coincided with Dr. Dhanesh's and Dr. Azman's efforts in raising awareness about LATEX at USM during NaCSPC'05 – somehow one thing led to another, and I now conduct trainings and consultatons on LATEX. \odot

Since then, many friends and fellow LaTeX users have given feedback and helped relayed important updates from IPS to me, to help improve the class and template. It has actually come to a point where you are too numerous to name! Thank you all, as well as everyone who has attended my talks and workshops, used my various templates, downloaded examples from my website (http://liantze.penguinattack.org/latextypesetting.html).

Hope everyone graduates quickly then!

TABLE OF CONTENTS

| ACI | KNOWLEDGEMENT | ii |
|-----|---|------|
| TAB | BLE OF CONTENTS | iii |
| LIS | T OF TABLES | v |
| LIS | T OF FIGURES | vi |
| LIS | T OF PLATES | viii |
| LIS | T OF ALGORITHMS | ix |
| LIS | T OF SYMBOLS | X |
| LIS | Γ OF ABBREVIATIONS | xi |
| LIS | T OF APPENDICES | xii |
| ABS | STRAK | xiii |
| ABS | STRACT | xiv |
| CHA | APTER 1 INTRODUCTION: SAMPLES OF BASIC LATEX | 1 |
| 1.1 | Some Simple Command Usages. | 1 |
| 1.2 | Special Characters | 3 |
| 1.3 | Useful Resources | 4 |
| CHA | APTER 2 CITATIONS AND BIBLIOGRAPHY | 5 |
| 2.1 | The *.bib File | 5 |
| 2.2 | Citations using the natbib package | 6 |
| | 2.2.1 Author-Year System | 6 |
| | 2.2.2 Numeric System | 7 |
| CHA | APTER 3 FIGURES, TABLES, EQUATIONS, ALGORITHMS, ETC | 9 |
| 3.1 | Inserting Figures | 9 |

| 3.2 | How Do I Do Subfigures? | | | |
|------|---|----|--|--|
| 3.3 | Inserting Plates | | | |
| 3.4 | Inserting Tables | | | |
| 3.5 | Full-paged, Sideways Figures and Tables | 15 | | |
| 3.6 | Mathematical Equations | 17 | | |
| 3.7 | Acronyms | 18 | | |
| 3.8 | Typesetting Algorithms | 19 | | |
| 3.9 | 9 Program Listings | | | |
| СНА | PTER 4 IMPLEMENTATION | 23 | | |
| 4.1 | Printing Your Thesis | 23 | | |
| СНА | PTER 5 DISCUSSION | 24 | | |
| СНА | PTER 6 CONCLUSION | 25 | | |
| REFI | ERENCES | 26 | | |
| APPE | ENDICES | | | |
| LIST | OF PUBLICATIONS | | | |

LIST OF TABLES

| | | Page |
|-----------|---|------|
| Table 1.1 | Special Characters in IATEX | 4 |
| Table 3.1 | Sample Table Only | 14 |
| Table 3.2 | A table with decimal data | 15 |
| Table 3.3 | A table with decimal data (mis-aligned) | 15 |

LIST OF FIGURES

| | Pa | ıge |
|---------------|--|-----|
| Figure 1.1 | Common Layout and Formatting Tasks. Note how this long title wraps around I hope it works anyway. Look it needs more, so here's some more longer text. Is that enough? I hope it is. | 2 |
| Figure 1.2 | Compact Lists | 3 |
| Figure 2.1 | A BibTeX Entry | 5 |
| Figure 3.1 | Including a Graphics File | 10 |
| Figure 3.2 | Pythagoras' Theroem | 10 |
| Figure 3.3 | Creating subfigures within figures | 12 |
| Figure 3.4 | This is the main caption of the figure | 12 |
| Figure 3.4(a) | First caption | 12 |
| Figure 3.4(b) | Second caption | 12 |
| Figure 3.5 | Inserting a Plate | 13 |
| Figure 3.6 | Typesetting Tables | 14 |
| Figure 3.7 | Aligning decimal data in tables | 15 |
| Figure 3.8 | Including a sideway, full-page graphic | 15 |
| Figure 3.9 | A full-page, sideways figure | 16 |
| Figure 3.10 | Typesetting Mathematical Equations | 17 |
| Figure 3.11 | The template loa.tex for acronyms | 19 |
| Figure 3.12 | Typesetting Algorithms | 19 |
| Figure 3.13 | Typesetting a Java program listing | 20 |
| Figure 3.14 | A pretty-printed Java program listing with syntax highlight ing | 21 |

| Figure 3.15 | Typesetting a C program listing | 21 |
|-------------|---|----|
| Figure 3.16 | A pretty-printed C program listing with syntax highlighting | 21 |
| Figure 3.17 | A C program listing without syntax highlighting | 22 |

LIST OF PLATES

| | P | age |
|-----------|----------------------------------|-----|
| Plate 3.1 | School of Computer Sciences, USM | 13 |

LIST OF ALGORITHMS

| | I | Page |
|-------------|------------------------|------|
| Algorithm 1 | Computing $x^n, n > 0$ | 20 |

LIST OF SYMBOLS

lim Limit

 θ Angle in radians

LIST OF ABBREVIATIONS

IPS Institut Pengajian Siswazah

PPSK Pusat Pengajian Sains Komputer

USM Universiti Sains Malaysia

UTMK Unit Terjemahan Melalui Komputer

LIST OF APPENDICES

APPENDIX A DATA USED

APPENDIX B UML DIAGRAMS

PENULISAN TESIS DENGAN LATEX

ABSTRAK

Ini merupakan abstrak Melayu untuk tesis USM. Ianya disediakan dengan sistem penyediaan dokumen IATEX.

WRITING YOUR THESIS WITH LATEX WITH A VERY, VERY, VERY LONG TITLE

ABSTRACT

This is the English abstract of a USM thesis. It was prepared with the LATEX document typesetting system.

INTRODUCTION: SAMPLES OF BASIC LATEX

Hello and welcome, Universiti Sains Malaysia (USM) research postgrad! The usmthesis package and template files were written in the hope that they may help you prepare your research thesis using LATEX, based on the latest Institut Pengajian Siswazah (IPS) guidelines (IPS USM, 2019) and requirements (the latest version is indicated in usmthesis.tex and usmthesis.cls headers).

IATEX is powerful and produces beautiful documents. However, there is definitely a learning curve to it — one that is worth the effort. If you find any errors in these templates or documents, or have any suggestions or feedback, do e-mail me about it (wnarifin@gmail.com). The author cannot always guarantee prompt response, however. ©

MiKT_EX, my recommended L^AT_EX distribution for Windows, is available on the CSPC'07 CD. A step-by-step installation walkthrough is available at (Lim, 2007).

1.1 Some Simple Command Usages.

There are plenty of free LATEX tutorials online, some of which are listed in the bibliographies or available at http://e-office.cs.usm.my. This sample thesis includes some examples to do some common tasks. We start with some examples for lists (both bulleted and numbered), highlighting texts in bold and italic, and URLs:

1

```
\begin{enumerate}
\item bulleted and numbered lists,
\item footnotes\footnote{This is a footnote. However note that
    footnotes are not encouraged for the sciences.},
\item font effects such as

\begin{itemize}
\item \textbf{bold},
\item \emph{italic}, and
\item \texttt{typewriter-like}
\end{itemize}

\item URLs and e-mail addresses: \url{http://www.cs.usm.my/~llt/}, \url{dummy.add@hotmail.com};
\item citations: see Chapter \ref{chap:review}.
\end{enumerate}
```

Figure 1.1: Common Layout and Formatting Tasks. Note how this long title wraps around I hope it works anyway. Look it needs more, so here's some more longer text. Is that enough? I hope it is.

- 1. bulleted and numbered lists,
- 2. footnotes¹,
- 3. font effects such as
 - bold,
 - italic, and
 - typewriter-like
- 4. URLs and e-mail addresses: http://www.cs.usm.my/~llt/, dummy@hotmail .com;
- 5. citations: see Chapter 2

Incidentally, if you feel that the lists above are too far apart vertically, you can customise them using the enumitem package. The effect is then like the following:

¹This is a footnote. However note that footnotes are not encouraged for the sciences.

```
\begin{enumerate} [nosep]
\item item one,
\item item two,
\item item three.
\end{enumerate}

\begin{itemize} [nosep]
\item item one,
\item item two,
\item item three.
\end{itemize}
```

Figure 1.2: Compact Lists

- 1. item one,
- 2. item two,
- 3. item three.
- item one,
- item two,
- item three.

Granted, the lists are still wide, but this is because we need to honour the requirement for double line-spacing.

1.2 Special Characters

Bear in mind that certain characters are special LATEX symbols and need to be escaped, as shown in Table 1.1.

Note that for quotation marks, you might prefer ''this'' and 'that' ("this" and 'that') instead of "this" and 'that' ("this" and 'that').

Table 1.1: Special Characters in LATEX

| Symbol | Name | Escape code |
|--------|---------------------|-------------|
| # | hash, pound | \# |
| \$ | dollar | \\$ |
| % | percent | \% |
| ^ | "hat" | \^{} |
| & | ampersand | \& |
| _ | underscore | _ |
| { | left brace | \{ |
| } | right brace | \} |
| ~ | tilde | \~{} |
| \sim | wide tilde | \$\sim\$ |
| " | open double quotes | " |
| ** | close double quotes | , , |

If you need to typeset special characters (such as ⑤, ﴿ ○, △, etc), take a look at the Comprehensive LATEX Symbol List. It should be under C:\ProgramFiles\MiKTeX2.9\doc\info\symbols\comprehensive\symbols-a4.pdf if you installed MiKTeX on a Windows machine.

1.3 Useful Resources

(Mittelbach, Goossens, Braams, Carlisle, & Rowley, 2004) is a *very* useful book — but it's quite an investment at RM180++. A worthy one, nevertheless. Roberts (2005) has a website with very good LATEX tutorials at http://www.comp.leeds.ac.uk/andyr/misc/latex/, too. Don't forget the famous lshort tutorial (Oetiker, Partl, Hyna, & Schlegl, 2006).

I've also compiled a list that I find useful at http://liantze.penguinattack.org/latextypesetting (Lim, 2007).

CITATIONS AND BIBLIOGRAPHY

This chapter should have been a survey on the history of TeX and LaTeX, and a comparison to conventional word processors in preparing academic documents. Due to lack of time on the author's part, and also the abundance of such discussions on the web, we look at ways to prepare the bibliography and citations instead.

2.1 The *.bib File

First of all, bear in mind that your bibliography file (*.bib files) is like a database. That means you can maintain a centralised list, and reuse it for all your publications. LATEX will only list sources that you actually cite in the text for each document, according to the bibliography and citation style you select in each document. But you can still hack it so that your own publications are listed, even if you did not cite it.

```
@BOOK{latex:companion,
  title = {The {\LaTeX} Companion},
  publisher = {Addison-Wesley},
  year = {2004},
  author = {Frank Mittelbach and Michel Goosens and Johannes Braams
     and David Carlisle and Chris Rowley},
  series = {Addison-Wesley Series on Tools and Techniques for
        Computer Typesetting},
  address = {Boston, MA, USA},
  edition = {2nd}
}
```

Figure 2.1: A BibTeX Entry

As an example, in mybib.bib I created a BibTeX entry with JabRef, the source

text of which is shown in Figure 2.1.

One thing to note about authors' names: BibTFX recognises "Mittelbach" as the

last name for both Frank Mittelbach and Mittelbach, Frank. So for a name like

"Lim Lian Tze", you would have to specify it as either Lian Tze Lim or Lim, Lian

Tze for BibTeX to recognise "Lim" as the last name correctly. In addition, if the

surname or family name of an author consists of multiple words, enclose it with braces

to avoid surprises, like so: Syed Muhammad Naquib {al-Attas}.

2.2 Citations using the natbib package

The usmthesis package imports the natbib and apacite package which pro-

vides flexible citation mechanisms, so see its documentation for more details. On

a MiKTFX installation, use the command prompt to issue mthelp --view natbib

and mthelp --view apacite to access the documentation. On TeXLive, simply type

texdoc natbib and texdoc apacite and the documentation will be displayed auto-

matically, if it's found on your machine.

The basic citation commands are \citet and \citep, which stands for textual and

parenthetical citation respectively. They take extra arguments, too, for adding notes in

the citations.

2.2.1 Author-Year System

The default bibliography style is APA:

• \citet{latex:companion} \rightarrow Mittelbach et al. (2004)

6

- \citet[chap.~2]{latex:companion} \rightarrow Mittelbach et al. (2004, chap. 2)
- \citep{latex:companion} \rightarrow (Mittelbach et al., 2004)
- \citep[chap.~2] {latex:companion} → (Mittelbach et al., 2004, chap. 2)
- \citep[see also][]{latex:companion} \rightarrow (see also Mittelbach et al., 2004)
- \citep[see also][chap.~2]{latex:companion} \rightarrow (see also Mittelbach et al., 2004, chap. 2)
- \citet{latex:companion,roberts} \rightarrow Mittelbach et al. (2004); Roberts (2005)
- \citep{latex:companion,roberts} \rightarrow (Mittelbach et al., 2004; Roberts, 2005)

You may also want to write only the author's name or year occassionally:

- \citeauthor{latex:companion} \rightarrow Mittelbach et al.
- \citeyear{latex:companion} $\rightarrow 2004$
- \citeyearpar{latex:companion} \rightarrow (2004)

2.2.2 Numeric System

If you prefer the plain, numerical system, do the following steps first:

In usmthesis.cls, search for the line \RequirePackage[natbibapa] {apacite}
 and modify it to:

\RequirePackage[numbers] {natbib}

- 2. In usmthesis.tex:
 - modify the biblography styles to:

\bibliographystyle{plainnat}

\bibliographystyleown{plainnat}

or any other number system style that you prefer.

You will then get the following citation outputs:

- $\citet{latex:companion} \rightarrow Mittelbach et al. [1]$
- \citet[chap.~2] {latex:companion} \rightarrow Mittelbach et al. [1, chap. 2]
- \citep{latex:companion} \rightarrow [1]
- \citep[chap.~2]{latex:companion} \rightarrow [1, chap. 2]
- \citep[see also][]{latex:companion} \rightarrow [see also 1]
- \citep[see also] [chap.~2] {latex:companion} \rightarrow [see also 1, chap. 2]
- \citet{latex:companion,roberts} → Mittelbach et al. [1], Roberts [3]
- \citep{latex:companion,roberts} \rightarrow [1, 3]
- $\citeauthor{latex:companion} \rightarrow Mittelbach et al.$
- \citeyear{latex:companion} $\rightarrow 2004$
- \citeyearpar{latex:companion} \rightarrow [2004]

FIGURES, TABLES, EQUATIONS, ALGORITHMS, ETC

(This is supposed to be the design or methodology chapter. Instead, we include examples on inserting figures, tables, mathematical equations...i.e. things that you might want to include in your thesis.)

3.1 Inserting Figures

You can draw diagrams with special LATEX commands, but this may take some extra time to learn. I've had some forays into the pgf and tikz packages and must say I quite like the results; but as I said, they take time to learn. If you want a faster solution, you can draw your diagrams using other applications, and saving them as graphic files (EPS, PNG, JPG, PDF).

LATEX requires EPS (encapsulated postscript) graphic files when generating DVI output, and PNG, JPG or PDF when generating PDF output.

For exporting to EPS, try http://www.cloudconvert.com. It's like a Swiss knife for converting from almost any format, to almost any format.

Do note that IPS **discourages** the use of colours in your thesis, including diagrams and figures. Phographs and colour plates are exceptions to this rule: see Section 3.3.

Here's how to insert a picture with the filename pythag.eps or pythag.png. I'm going to display it here with 5cm width, and the caption "Pythagoras' Theorem".

\begin{figure}[hbt!]\centering
\includegraphics[width=50mm]{pythag}
\caption{Pythagoras' Theorem}\label{fig:pythagoras}
\end{figure}

Figure 3.1: Including a Graphics File

The result would be:




Figure 3.2: Pythagoras' Theroem

Don't specify the extension of the graphic file. The template will automatically look for the EPS or the PNG (or otherwise) versions, depending on whether latex or pdflatex was used. The figure environment will also ensure that that an entry is inserted into the *List of Figures* automatically – including the figure numbering, caption and page number.

In addition, the width of the included graphics can also be specified as a percentage of the text width, e.g. width=.2\textwidth would cause the graphics to occupy 20% of the text width.

Notice that I inserted a \label just after the \caption. This can be used for

referencing the figure number, like this:

Figure $\mathsf{ref}\{\mathsf{fig}:\mathsf{pythagoras}\}\to\mathsf{Figure}\ 3.2$

This works the same for chapters, sections, tables, equations too. In chap-intro.tex,

I labelled the Introduction chapter with \label{chap:intro}. I also labelled the sec-

tion on inserting figures, \label{sec:figure}. So now I can do

Chapter \ref{chap:intro} → Chapter 1

section $ref{sec:figure} \rightarrow section 3.1$

Everytime the numbering of the heading changes, the reference will change auto-

matically as well. This is another advantage of using LATEX: you do not need to

manually update the reference counters (nor the Table of Contents, List of Figures and

Tables) whenever you add or remove figures, tables, sections or chapters.

You might also want to try out JpgfDraw: it is a vector graphics and drawing

application (requiring Java), and can export to LATEX code which you can paste into

your LATEX source. JpgfDraw is available from http://theoval.cmp.uea.ac.uk/

~nlct/jpgfdraw/index.html.

3.2 How Do I Do Subfigures?

Here's an example on how to do subfigures (and similarly subtables):

3.3 Inserting Plates

Colour photographs are now regarded as *plates*. They must be listed in the *List of*

Plates instead of the List of Figures, and should be printed in colour on glossy photo

11

Figure 3.3: Creating subfigures within figures



Figure 3.4: This is the main caption of the figure.

paper (IPS USM, 2007).

The usmthesis document class defines a new plate environment, as well as a corresponding \listofplates command. (The \listofplates command is already placed in the sample template file usmthesis.tex.) In short, all you need to do to insert a photograph or plate (as a graphics file USMScience. {eps,png,jpg}) is shown in Figure 3.5, and you will then get Plate 3.1 as the result.

\begin{plate}[hbt!]\centering
\includegraphics[width=.9\textwidth]{USMScience}
\caption{School of Computer Sciences, USM}\label{plate:ppsk:usm}
\end{plate}






Plate 3.1: School of Computer Sciences, USM

3.4 Inserting Tables

Typesetting tables can be a little troublesome especially with complex layouts. Look up (Roberts, 2005) to learn about some tips, or you can use the LaTable program (http://www.g32.org/latable/) to help you.

If using LaTable, when you're done designing the table, copy the whole table as IATEX code, and paste it in your source file. (You may add additional formatting commands, like bold, italics, etc.) If this is going to be a numbered table, remember to surround it with \begin{table} and \end{table}, and give it a caption, like this:

```
\begin{table}[hbt!]\centering
\begin{tabular}{| l | c || r |}
\hline
\textbf{Name} & \textbf{Category} & \textbf{Quantity} \\
\hline\hline
Apple & Fruit & 10 \\
\hline
Cucumber & Vegetable & 25 \\
\hline
Daisy & Flower & 5 \\
\hline
\end{tabular}
\caption{Sample Table Only} \label{table:sample}
\end{table}
```

Figure 3.6: Typesetting Tables

Table 3.1: Sample Table Only

| Name | Category | Quantity |
|----------|-----------|----------|
| Apple | Fruit | 10 |
| Cucumber | Vegetable | 25 |
| Daisy | Flower | 5 |

Note also that usmthesis is configured such that captions for figures are placed *below* the figures, and captions for tables are placed *above* them, in accordance with the formatting guidelines.

Many of us would have had massive headaches about lining up decimal places in table columns (as mentioned in the IPS guidelines) if not for this tip from (Mittelbach et al., 2004, pp. 274–276). This method uses the dcolumn package (already loaded by usmthesis.cls). Instead of using 1,c or r as the column type in the tabular declaration, use

D{input sep}{output sep}{decimal places}.

The LATEX code in Figure 3.7 will give you Table 3.2.

```
\begin{table}[htb!]\centering
\begin{tabular}{| c | D{.}{.}{2} |}
\hline
Item & \multicolumn{1}{c|}{Reading}\\hline
A & 1.11\\hline
B & 3.99\\hline
C & 2.27\\hline
\end{tabular}
\caption{A table with decimal data}
\end{table}
```

Figure 3.7: Aligning decimal data in tables

Table 3.2: A table with decimal data

| Item | Reading |
|------|---------|
| A | 1.11 |
| В | 3.999 |
| С | 22.2 |

Without using dcolumn, you'd get something like this:

Table 3.3: A table with decimal data (mis-aligned)

| Item | Reading |
|------|---------|
| A | 1.11 |
| В | 3.999 |
| С | 22.2 |

3.5 Full-paged, Sideways Figures and Tables

To make a figure appear on a landscape, full-page layout, put your \includegraphics command in a sidewaysfigure environment (Figure 3.8).

```
\begin{sidewaysfigure}\centering
\includegraphics[width=\textheight]{latex-win-comp}
\caption{A full-page, sideways figure}\label{fig:sidewaysfig}
\end{sidewaysfigure}
```

Figure 3.8: Including a sideway, full-page graphic




Figure 3.9: A full-page, sideways figure

The resultant figure (Figure 3.9) should appear on the next page.

For a sideways table, use the sidewaystable environment instead around your usual tabular material.

3.6 Mathematical Equations

Typesetting mathematical material is one of, if not *the*, strongest capabilities of LAT_EX. After all, that was the Knuth's main motivation for creating T_EX. As it is impossible to enumerate all possible mathematically-related commands and macros here, we will just give some examples. The reader is directed to the many well-written online tutorials, such as (Roberts, 2005), for more elaborate examples. TeXnicCenter also provides many shortcut buttons for inserting mathematical symbols.

```
\begin{equation}\label{eq:pythagoras}
z^2 = x^2 + y^2
\end{equation}
\begin{equation}\label{eq:golden:ratio}
\phi = \frac{1}{2} (1 + \sqrt{5})
\end{equation}
\begin{equation}\label{eq:golden:ratio}
\phi = \frac{1}{2} (1 + \sqrt{5})
\end{equation}
\begin{equation}\label{eq:golden:ratio:fibonacci}
\phi = 1 + \sum ^ {\infty} _ {n=1}
              \frac{(-1) ^{n+1}}{F_n F_{n+1}}
\end{equation}
Equation~\ref{eq:pythagoras} is the Pythagoras Theorem.
\eqref{eq:golden:ratio} gives the golden ratio $\phi$, and
\eqref{eq:golden:ratio:fibonacci} relates it to the Fibonacci
series.
```

Figure 3.10: Typesetting Mathematical Equations

$$z^2 = x^2 + y^2 (3.1)$$

$$\phi = \frac{1}{2}(1+\sqrt{5})\tag{3.2}$$

$$\phi = 1 + \sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{F_n F_{n+1}}$$
(3.3)

Equation 3.1 is the Pythagoras Theorem. (3.2) gives the golden ratio ϕ , and (3.3) relates it to the Fibonacci series.

The LATEX code to generate the above mathematics materials are shown in Figure 3.10. As you can see, references to equations can be achieved with either \ref or \eqref.

A disclaimer: if you think the mathematic equations don't look as great as all those LATEX advocates make them out to be, that's because IPS requires Times to be used and the current offerings of free LATEX math fonts for Times don't look great. It would've been a different picture if we used Computer Modern.

3.7 Acronyms

If you have a list of acronyms or symbols, edit the file loa.tex as in Figure 3.11.

You can also use this acronym list to help expand it the first time you mention it in your text. For example, the first time you use \ac{USM}, 'Universiti Sains Malaysia (USM)' will be the output (without the quotes). After that, all calls to \ac{USM} will give 'USM' (without the quotes). For more information, see the documentation for the

```
\begin{acronym}[UTMK] %% replace 'UTMK' with the longest acronym in
    your list
\acro{IPS}{Institut Pengajian Siswazah}
\acro{PPSK}{Pusat Pengajian Sains Komputer}
\acro{USM}{Universiti Sains Malaysia}
\acro{UTMK}{Unit Terjemahan Melalui Komputer}
\end{acronym}
```

Figure 3.11: The template loa.tex for acronyms

acronym package.

3.8 Typesetting Algorithms

As computer scientists, it is quite common to include algorithms and/or pseudocode. There are a number of different packages available, but unfortunately they tend not to work well together! I'm using algorithmicx here.

```
\begin{algorithm}[hbt!]
\begin{algorithmic}
\Require $n \geq 0$
\Ensure y = x^n
\State $y \Leftarrow 1$
\State $X \Leftarrow x$
\State $N \Leftarrow n$
<page-header> \While{$N \neq 0$}
\If{$N$ is even}
 \State $X \Leftarrow X \times X$
 \State $N \Leftarrow \frac{N}{2} $ \Comment{This is a comment}
\ElsIf{$N$ is odd}
 <text> \State y \to X
 \State $N \Leftarrow N - 1$
\EndIf
\EndWhile
\end{algorithmic}
\caption{Computing x^n, n > 0}
\end{algorithm}
```

Figure 3.12: Typesetting Algorithms

Algorithm 1 Computing $x^n, n > 0$

```
Require: n \ge 0

Ensure: y = x^n

y \ne 1

X \ne x

N \leftarrow n

while N \ne 0 do

if N is even then

X \leftarrow X \times X

N \leftarrow \frac{N}{2} \triangleright This is a comment

else if N is odd then

y \leftarrow y \times X

N \leftarrow N - 1

end if

end while
```

3.9 Program Listings

You may have noticed that I used the lstlisting environment to typeset some of the LATEX examples – with pretty-printing¹, too, including automatic line-breaking. For more information, see the documentation for the listings package: it's available online at http://www.texdoc.net/pkg/listings.

Just to give some simple example here. For example, to typeset a "Hello World" Java program with syntax highlighting, you can use the following code:

Figure 3.13: Typesetting a Java program listing

¹Whether you agree that it *is* pretty is another story altogether.

```
public class HelloWorld {
   public static void main( String arg[] ) {
      for (int i = 0; i < 10; i++) {
      System.out.println( "Hello_World!" + i);
    }
  }
}</pre>
```

Figure 3.14: A pretty-printed Java program listing with syntax highlighting

If you want to turn off the syntax highlighting, set language={}. (See the listings documentation for a list of programming languages for which syntax highlighting is supported.) You can also change the basicstyle value to get different effects: e.g. a different font family, size or text formatting.

Here's another example for a C program:

```
\lstset{basicstyle=\sffamily, language=C, breaklines=true, columns=
   fullflexible, tabsize=2}
\begin{lstlisting}
int main() {
      int c = 0;
      c = c + 1;
      printf( "%d", c );
      return 0;
}
\end{lstlisting}
```

Figure 3.15: Typesetting a C program listing

```
int main() {
    int c = 0;
    c = c + 1;
    printf( "%d", c );
    return 0;
}
```

Figure 3.16: A pretty-printed C program listing with syntax highlighting

And here is the same C program listing *without* syntax highlighting (by setting language={}):

```
int main() {
    int c = 0;
    c = c + 1;
    printf( "%d", c );
    return 0;
}
```

Figure 3.17: A C program listing without syntax highlighting

IMPLEMENTATION

Now is the time to "implement" your thesis with I₄TEX. Go forth and typeset!

Happy I₄TEXing! ☺

4.1 Printing Your Thesis

This is *very* important. Assuming you're printing your thesis from Acrobat Reader, make sure the following settings are chosen correctly in the Print window:

- A4 paper size is selected.
- Make sure your Printer settings is using A4 too.
- No page scaling.

Otherwise, the margins of your printed outputs may go horribly wrong. Print one or two pages first to make sure everything looks fine before printing your entire thesis.

DISCUSSION


Just a placeholder for the discussion chapter.

CONCLUSION

T-that's all folks. Have fun with \LaTeX !

REFERENCES

- Institute of Graduate Studies, Universiti Sains Malaysia. (2007). A guide to the preparation, submission and examination of theses. Penang, Malaysia.
- Institute of Graduate Studies, Universiti Sains Malaysia. (2019). *Preparation of thesis submission and format guidelines*. Penang, Malaysia.
- Lim, L. T. (2007). *MEX: Beautiful typesetting*. Retrieved from http://liantze.penguinattack.org/latextypesetting.html
- Mittelbach, F., Goossens, M., Braams, J., Carlisle, D., & Rowley, C. (2004). *The LaTeX companion* (2nd ed.). Boston, MA, USA: Addison-Wesley.
- Oetiker, T., Partl, H., Hyna, I., & Schlegl, E. (2006). The not so short introduction to $\text{LAT}_{EX} 2_{\mathcal{E}}$ (4.2 ed.) [Computer software manual].
- Roberts, A. (2005). *Getting to grips with LTEX*. Retrieved from http://www.andy-roberts.net/misc/latex/index.html



APPENDIX A

DATA USED

Put some test data here.

APPENDIX B

UML DIAGRAMS

Yet another dummy placeholder for appendix material.

LIST OF PUBLICATIONS

- Lim, L. T. (2007a). *MT_EX: Beautiful typesetting*. Retrieved from http://liantze.penguinattack.org/latextypesetting.html
- Lim, L. T. (2007b). Writing your thesis with LaTeX. Internal circulation, School of Computer Sciences, Universiti Sains Malaysia.