

CẤU TRÚC CÂY THÌ MỤC

■■■■	.bash_logout	
■■■■	.bashrc	
■■■■	.cache	
■	■■■■ pip	
■	■	■■■■ http-v2
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 00337129219114d85c3047267443a8eebbbc1f984d3c676ea2a4d6d
■	■	■■■■ 00337129219114d85c3047267443a8eebbbc1f984d3c676ea2a4d6d
■	■	■
■	■	■■■■ b
■	■	■
■	■	■■■■ 2
■	■	■
■	■	■■■■ 3
■	■	■■■■ 00b230b10cf4aa3c8bbf96554305c1d163395a0857b204fb67a54dd
■	■	■■■■ 00b230b10cf4aa3c8bbf96554305c1d163395a0857b204fb67a54dd
■	■	■
■	■	■■■■ 1
■	■	■
■	■	■■■■ 8
■	■	■
■	■	■■■■ b
■	■	■
■	■	■■■■ 8
■	■	■■■■ 018b8ddcb655e6515bf64bb1b86977b99f07e568ca0351e3b9e3b06
■	■	■■■■ 018b8ddcb655e6515bf64bb1b86977b99f07e568ca0351e3b9e3b06
■	■	■
■	■	■■■■ 9
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 0
■	■	■■■■ 019703caa5e05a9b9706ba214a5306e2d8c88aa3fa8b273c78e14b6
■	■	■■■■ 019703caa5e05a9b9706ba214a5306e2d8c88aa3fa8b273c78e14b6
■	■	■
■	■	■■■■ a
■	■	■
■	■	■■■■ 4
■	■	■
■	■	■■■■ 0
■	■	■■■■ 01a40e69133cae00a418944df93058fcdf9d6f64cf3656d5716568c
■	■	■■■■ 01a40e69133cae00a418944df93058fcdf9d6f64cf3656d5716568c
■	■	■
■	■	■■■■ b
■	■	■
■	■	■■■■ 3
■	■	■■■■ 01ab38ac63d82e82f212dd86d62de883eb0d7de6be8db88f70d14a6
■	■	■■■■ 01ab38ac63d82e82f212dd86d62de883eb0d7de6be8db88f70d14a6
■	■	■
■	■	■■■■ e
■	■	■
■	■	■■■■ d
■	■	■
■	■	■■■■ 9
■	■	■■■■ 01ed99b1dd6712ba64e01d1abb128f25d7effe56e8ddde80a1a82aa
■	■	■■■■ 01ed99b1dd6712ba64e01d1abb128f25d7effe56e8ddde80a1a82aa
■	■	■
■	■	■■■■ 2
■	■	■
■	■	■■■■ 2
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 7
■	■	■■■■ 022773cce31516c2cfe4b67df4ee6b745b1173bdf4e853c35972d6b
■	■	■■■■ 022773cce31516c2cfe4b67df4ee6b745b1173bdf4e853c35972d6b
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 6
■	■	■
■	■	■■■■ 0
■	■	■■■■ 023609bbabb217a106a69eed3964472481e1740667019ed30ab494d
■	■	■■■■ 023609bbabb217a106a69eed3964472481e1740667019ed30ab494d
■	■	■
■	■	■■■■ 8
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 8

■	■	■	■	■	■	■	■	■■■	028081972f5b8400e1ee68cd1fe11a0448c05d48318b7eabd222bc6
■	■	■	■	■	■	■	■	■■■	028081972f5b8400e1ee68cd1fe11a0448c05d48318b7eabd222bc6
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■	■■■	0285d89ec61d2122ee04e76a3ee11179de760ddae970ce497336889
■	■	■	■	■	■	■	■	■■■	0285d89ec61d2122ee04e76a3ee11179de760ddae970ce497336889
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	02dad391e4e52572056facba6140bf282304fa3aa4a5a074859ec30
■	■	■	■	■	■	■	■	■■■	02dad391e4e52572056facba6140bf282304fa3aa4a5a074859ec30
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	02ea3a40bec709fb2e3011abf56d9ff0e8a057e522b64b520bfc74f
■	■	■	■	■	■	■	■	■■■	02ea3a40bec709fb2e3011abf56d9ff0e8a057e522b64b520bfc74f
■	■	■	■	■	■■■	3			
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	03a5f39965cc12837b91e5f0b3b132c06fd66118abf3403d2c9654a
■	■	■	■	■	■	■	■	■■■	03a5f39965cc12837b91e5f0b3b132c06fd66118abf3403d2c9654a
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	03b7e31ef41a67b4d5d0212d71d27b02703ce649d01a9d3a622a097
■	■	■	■	■	■	■	■	■■■	03b7e31ef41a67b4d5d0212d71d27b02703ce649d01a9d3a622a097
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	03fe171d67b98146cdcd25e3e10b0fdb28a346a1500eac83f9613c5
■	■	■	■	■	■	■	■	■■■	03fe171d67b98146cdcd25e3e10b0fdb28a346a1500eac83f9613c5
■	■	■	■	■	■■■	4			
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■	■■■	0418c83b80f7f7bfaec2738bfbbee53d2c1562196c0781702f6eddo
■	■	■	■	■	■	■	■	■■■	0418c83b80f7f7bfaec2738bfbbee53d2c1562196c0781702f6eddo
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	046df54530e19066b4add1db381002b195b15dbdabc6020b26a061a
■	■	■	■	■	■	■	■	■■■	046df54530e19066b4add1db381002b195b15dbdabc6020b26a061a
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	0478058a6d2e7828eaa0fdc96ba81d4cee3862c5c8a7760f8ac64eb
■	■	■	■	■	■	■	■	■■■	0478058a6d2e7828eaa0fdc96ba81d4cee3862c5c8a7760f8ac64eb
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	0489fdad9e76871abd0b43f13d927ace65338aa30ecc2fd5d0dc6a3
■	■	■	■	■	■	■	■	■■■	0489fdad9e76871abd0b43f13d927ace65338aa30ecc2fd5d0dc6a3
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	048c47e014f7f1f9c634d0eb2b6cbc878fcbf733da21827fa01a669
■	■	■	■	■	■	■	■	■■■	048c47e014f7f1f9c634d0eb2b6cbc878fcbf733da21827fa01a669
■	■	■	■	■	■■■	d			

[illegible]

■	■	■	■	■	■	■	■	■■■	06f1ef0a7b7e31e90ac863c89f28b0d9efa84f8d7f3b92d1a20afde
■	■	■	■	■	■	■	■	■■■	06f1ef0a7b7e31e90ac863c89f28b0d9efa84f8d7f3b92d1a20afde
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	07593bb905dded4b84aacb1d96c1e64704669d6bab658dcaeab79c3	
■	■	■	■	■	■	■	■■■	07593bb905dded4b84aacb1d96c1e64704669d6bab658dcaeab79c3	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	079e2fc7be83e228aa80e87b0da1199408fbe135bffdf39f57ee1e9	
■	■	■	■	■	■	■	■■■	079e2fc7be83e228aa80e87b0da1199408fbe135bffdf39f57ee1e9	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	07a09bbe61bd4fc1d8dc2e00117d5a89be4f99b19a5a45f6816e725	
■	■	■	■	■	■	■	■■■	07a09bbe61bd4fc1d8dc2e00117d5a89be4f99b19a5a45f6816e725	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	07a68ddc3289a48619ce6c214b90ea60f64ac34be7c048b66f25beb	
■	■	■	■	■	■	■	■■■	07a68ddc3289a48619ce6c214b90ea60f64ac34be7c048b66f25beb	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	07c5d98bea8cbc17c4288fb3e85cf6c4ff230a0fd2f146f494a5330	
■	■	■	■	■	■	■	■■■	07c5d98bea8cbc17c4288fb3e85cf6c4ff230a0fd2f146f494a5330	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	07d9db836b622469735f1dc24ff1a1cb6adb6dcf751a7526ef38f9b	
■	■	■	■	■	■	■	■■■	07d9db836b622469735f1dc24ff1a1cb6adb6dcf751a7526ef38f9b	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	0860560423fc5b90a3aa9b43d3515a5df4306bf87c56cc6560b30ad	
■	■	■	■	■	■	■	■■■	0860560423fc5b90a3aa9b43d3515a5df4306bf87c56cc6560b30ad	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	088856f2c6a7fbd7fb73c4996fc8bbbe4971cd8d6e059e82c1e766e	
■	■	■	■	■	■	■	■■■	088856f2c6a7fbd7fb73c4996fc8bbbe4971cd8d6e059e82c1e766e	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	08e0bfb505f5fc36196c51d5d61f8deee92ea6cfb56e42ede9abbff	
■	■	■	■	■	■	■	■■■	08e0bfb505f5fc36196c51d5d61f8deee92ea6cfb56e42ede9abbff	
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	08e10da6023709df6e6185f9b2cd1aa0ca4f2ed93d5cd498083f6dc	
■	■	■	■	■	■	■	■■■	08e10da6023709df6e6185f9b2cd1aa0ca4f2ed93d5cd498083f6dc	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	0986e74218a69e52ba13bce354bfcc2605ceaa519b7e93db100ebc9	
■	■	■	■	■	■	■	■■■	0986e74218a69e52ba13bce354bfcc2605ceaa519b7e93db100ebc9	

■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	09c848763b0eb6eed2c668e48e0d78b2d8c9b00af56a363e16ed47b
■	■	■	■	■	■	■■■	09c848763b0eb6eed2c668e48e0d78b2d8c9b00af56a363e16ed47b
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	09ef58260179e8db2673665919e5556942a78290f8c59e57867a7a2
■	■	■	■	■	■	■■■	09ef58260179e8db2673665919e5556942a78290f8c59e57867a7a2
■	■	■	■	■■■	a		
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	0a5b50aac9e22911a9e07de7b70cb2f99a1d1ad2d2a475d992a5dde
■	■	■	■	■	■	■■■	0a5b50aac9e22911a9e07de7b70cb2f99a1d1ad2d2a475d992a5dde
■	■	■	■	■	■■■	6	
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	0a690ae203cfcecc7cd36937c2c67e726a0b8c17695217fa14b6dd6
■	■	■	■	■	■	■■■	0a690ae203cfcecc7cd36937c2c67e726a0b8c17695217fa14b6dd6
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	0aaead1b9064eb1e21d7b027b40511c3bc1cd95270b12c0140ad1c6
■	■	■	■	■	■	■■■	0aaead1b9064eb1e21d7b027b40511c3bc1cd95270b12c0140ad1c6
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	0ae07408521e0b64be0536da1df942bcacc17e893807d52130df764
■	■	■	■	■	■	■■■	0ae07408521e0b64be0536da1df942bcacc17e893807d52130df764
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	0ae84cda1068eb8069d0d031ff1b592b6ce0646c279bf59396ff2d0
■	■	■	■	■	■	■■■	0ae84cda1068eb8069d0d031ff1b592b6ce0646c279bf59396ff2d0
■	■	■	■	■■■	b		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	0b0b047db41f75c2540ccdbd8bbbbbb9d7b46bb552990f8760f0ec89
■	■	■	■	■	■	■■■	0b0b047db41f75c2540ccdbd8bbbbbb9d7b46bb552990f8760f0ec89
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	0b1a295ddb2933f2945084b7d5c87edffc1a6474e567036176acaef
■	■	■	■	■	■	■■■	0b1a295ddb2933f2945084b7d5c87edffc1a6474e567036176acaef
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	0b592f244acdef74988f1a883082b2fa564971174345e288bf46957
■	■	■	■	■	■	■■■	0b592f244acdef74988f1a883082b2fa564971174345e288bf46957
■	■	■	■	■	■■■	6	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	0b61542dd4fd17173008ca290a30d5cad50d2eeb9e95d57ca1f9e72
■	■	■	■	■	■	■■■	0b61542dd4fd17173008ca290a30d5cad50d2eeb9e95d57ca1f9e72
■	■	■	■	■	■■■	7	
■	■	■	■	■	■■■	b	

```

7
0b7b7ce8511ac1f87e2d842eb950943dd2dfa63ab4d4d7c229423ea
0b7b7ce8511ac1f87e2d842eb950943dd2dfa63ab4d4d7c229423ea
8
c
1
0b8c14402d0a42a1afa27e381342c8ee814d5df97a04f9bed7f7c4a
0b8c14402d0a42a1afa27e381342c8ee814d5df97a04f9bed7f7c4a
9
e
7
0b9e7745e05e4ef6069669614ee40ff57efd2e5a715cd9640ebfe7d
0b9e7745e05e4ef6069669614ee40ff57efd2e5a715cd9640ebfe7d
b
8
1
0bb81274911f9523ab85b862cd376270447ca4cf963a6ac26596706
0bb81274911f9523ab85b862cd376270447ca4cf963a6ac26596706
c
5
a
0bc5adac67b22968d183f77f925e79c1f7c69c37236efb14f106abe
0bc5adac67b22968d183f77f925e79c1f7c69c37236efb14f106abe
f
1
f
0bf1f793dca1f481b1937618bb5723f52d1cd92393def558015f038
0bf1f793dca1f481b1937618bb5723f52d1cd92393def558015f038
7
f
0bf7fcf5fda51c744b053e87c8800aea90bd7db26075bc6e7034190
0bf7fcf5fda51c744b053e87c8800aea90bd7db26075bc6e7034190
d
b
0bfd77d504cfcaed0b4a936be02e5af3a289a02c1093755994bc00
0bfd77d504cfcaed0b4a936be02e5af3a289a02c1093755994bc00
c
2
1
8
0c218d526767991766d9b365a4f3e4449ce3579fd8b0f96a707d5a5
0c218d526767991766d9b365a4f3e4449ce3579fd8b0f96a707d5a5
3
7
d
0c37d286593ff8a75e8c6a5222ee2343acc1f326a2400db5eef97d2
0c37d286593ff8a75e8c6a5222ee2343acc1f326a2400db5eef97d2
c
5
0c3c5d3f0778e3469ba0f6fa34f6cea67ff2a6634625cda1a445c14
0c3c5d3f0778e3469ba0f6fa34f6cea67ff2a6634625cda1a445c14
6
b
f
0c6bf2a15fc6c65fde23df01a4dc0e703daadfd3c4c704b0e617fec
0c6bf2a15fc6c65fde23df01a4dc0e703daadfd3c4c704b0e617fec
9
d

```

[illegible]

■	■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■	■■■		0f632a0247cd0ecea4105745d6959e8b09eccc92e3c54343d8d2e78
■	■	■	■	■	■	■	■	■■■		0f632a0247cd0ecea4105745d6959e8b09eccc92e3c54343d8d2e78
■	■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■	■■■		0fb9e3091de4f40ea9031e23c8e25fea79ee5e5b34dcff8f41dc7ea
■	■	■	■	■	■	■	■	■■■		0fb9e3091de4f40ea9031e23c8e25fea79ee5e5b34dcff8f41dc7ea
■	■	■	■■■	1						
■	■	■	■	■	■■■	0				
■	■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■			10063826654c38f33fd7b1f8120272fd2000c2390d36097b7ed3f92
■	■	■	■	■	■	■	■■■			10063826654c38f33fd7b1f8120272fd2000c2390d36097b7ed3f92
■	■	■	■	■	■■■	1				
■	■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■			101695f63897c95c77f7bfde3be87ed78064a556a913691089ad1a2
■	■	■	■	■	■	■	■■■			101695f63897c95c77f7bfde3be87ed78064a556a913691089ad1a2
■	■	■	■	■	■■■	2				
■	■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■			1029992539519ac304dd191f43c11fab205a552dc08a8553e0cebeb
■	■	■	■	■	■	■	■■■			1029992539519ac304dd191f43c11fab205a552dc08a8553e0cebeb
■	■	■	■	■	■■■	d				
■	■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■			10dd03aee0ddf30847ed79d305dff6751b2bd8c58457722cbf93da9
■	■	■	■	■	■	■	■■■			10dd03aee0ddf30847ed79d305dff6751b2bd8c58457722cbf93da9
■	■	■	■	■	■■■	e				
■	■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■			10e920455aff9b9abbfbd27e192530e13bfdc790cc01875bba4121a
■	■	■	■	■	■	■	■■■			10e920455aff9b9abbfbd27e192530e13bfdc790cc01875bba4121a
■	■	■	■	■	■■■	1				
■	■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■			11239635aea15d2c6d80998b7784325970f8df2e167305589723598
■	■	■	■	■	■	■	■■■			11239635aea15d2c6d80998b7784325970f8df2e167305589723598
■	■	■	■	■	■■■	f				
■	■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■			11f654a04e406eb2c878675563f8c894e59e002d4b07566fddb9216
■	■	■	■	■	■	■	■■■			11f654a04e406eb2c878675563f8c894e59e002d4b07566fddb9216
■	■	■	■	■	■■■	2				
■	■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■			126bdad15f3acd473b11bee70d17da7517ad2812b94618b97199883
■	■	■	■	■	■	■	■■■			126bdad15f3acd473b11bee70d17da7517ad2812b94618b97199883
■	■	■	■	■	■■■	a				
■	■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■			12ae5abc3ac459350430b6f341fc79bcb433fc22f49ad21aa7a4ecb
■	■	■	■	■	■	■	■■■			12ae5abc3ac459350430b6f341fc79bcb433fc22f49ad21aa7a4ecb
■	■	■	■	■	■■■	f				

■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■■■	12ff41a3429c56f30ab33ceba3a6697d71360959fdcfcdcf09375d72
■	■	■	■	■	■	■	■■■	12ff41a3429c56f30ab33ceba3a6697d71360959fdcfcdcf09375d72
■	■	■	■	■■■	3			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■		131729a925c3e89f0b24a3e17ad6bf27a2eb63b9521328b8ec49d8a
■	■	■	■	■	■	■■■		131729a925c3e89f0b24a3e17ad6bf27a2eb63b9521328b8ec49d8a
■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■		13228f733208259198767bc89aa56332be60b0c9f26e4f395df0d87
■	■	■	■	■	■	■■■		13228f733208259198767bc89aa56332be60b0c9f26e4f395df0d87
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■		136544bb20a95998e8a523a0bc5508bd6c00cdee05b4d487d8387bo
■	■	■	■	■	■	■■■		136544bb20a95998e8a523a0bc5508bd6c00cdee05b4d487d8387bo
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■		13c5528b59580a7ac879db3623a1bb617722071958a67db8d82d003
■	■	■	■	■	■	■■■		13c5528b59580a7ac879db3623a1bb617722071958a67db8d82d003
■	■	■	■	■■■	4			
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■		14aaf7643dce3f389cfaa2f24beba9e2d02071e4624c02c288b2a44
■	■	■	■	■	■	■■■		14aaf7643dce3f389cfaa2f24beba9e2d02071e4624c02c288b2a44
■	■	■	■	■■■	5			
■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■		153cb6e7c2b4ab6e182d8242d5048b066a1cb432566d0518eb08fa3
■	■	■	■	■	■	■■■		153cb6e7c2b4ab6e182d8242d5048b066a1cb432566d0518eb08fa3
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■		15cc82c17ceb36fd046a6e38fa5308eac4239962aaf55c7f9bca35e
■	■	■	■	■	■	■■■		15cc82c17ceb36fd046a6e38fa5308eac4239962aaf55c7f9bca35e
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■		15d20ce7a6c5d0ec43a458f0584d0d3b225c3af1c5e82b9570cf0d0
■	■	■	■	■	■	■■■		15d20ce7a6c5d0ec43a458f0584d0d3b225c3af1c5e82b9570cf0d0
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■		15d646861fae4432b420044afefe4399a36a7cdf21fb533c717743c
■	■	■	■	■	■	■■■		15d646861fae4432b420044afefe4399a36a7cdf21fb533c717743c
■	■	■	■	■■■	6			
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■		16600863c0dafd3a214ae844871a46cd0cd819cab694731bfa58457
■	■	■	■	■	■	■■■		16600863c0dafd3a214ae844871a46cd0cd819cab694731bfa58457
■	■	■	■	■■■	7			

■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	176f700d5377d84942abb260cf6353f59f40156b7756955ea93ac6e
■	■	■	■	■	■	■■■	176f700d5377d84942abb260cf6353f59f40156b7756955ea93ac6e
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	17a5fb9b56261d074f374faac1a012d2091e629b7363a8f9c54ddd1
■	■	■	■	■	■	■■■	17a5fb9b56261d074f374faac1a012d2091e629b7363a8f9c54ddd1
■	■	■	■	■■■	8		
■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	18b1c348f0d7c3678ced5325bc1ad767f7e204525dbba361b9a541b
■	■	■	■	■	■	■■■	18b1c348f0d7c3678ced5325bc1ad767f7e204525dbba361b9a541b
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	18f66fffd0e865a2dfda960e1a2b7e2a65d83910db4ae860bc6a393
■	■	■	■	■	■	■■■	18f66fffd0e865a2dfda960e1a2b7e2a65d83910db4ae860bc6a393
■	■	■	■	■■■	9		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	1909f84776f0d1fb47b41611a2af325640033ddb35f04220f8ca730
■	■	■	■	■	■	■■■	1909f84776f0d1fb47b41611a2af325640033ddb35f04220f8ca730
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	19282c7a16585f343523becd344b5c20388065e1909e9c6df51ce7e
■	■	■	■	■	■	■■■	19282c7a16585f343523becd344b5c20388065e1909e9c6df51ce7e
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	199d128a8b0a6a727869cf288f0802d0ddfe7785a99b6957366e40a
■	■	■	■	■	■	■■■	199d128a8b0a6a727869cf288f0802d0ddfe7785a99b6957366e40a
■	■	■	■	■■■	a		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	1a001b268077ca05b14eca913670da8c8d1fdcadd73bf1359328fbf
■	■	■	■	■	■	■■■	1a001b268077ca05b14eca913670da8c8d1fdcadd73bf1359328fbf
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	1a4e4303f159ed293067603cfffabc8f62edcc48130a9b20f653fbf
■	■	■	■	■	■	■■■	1a4e4303f159ed293067603cfffabc8f62edcc48130a9b20f653fbf
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	1a6d74fbbf12dc165f66de93af05f20b8f48ad34936c01c6f2403a9
■	■	■	■	■	■	■■■	1a6d74fbbf12dc165f66de93af05f20b8f48ad34936c01c6f2403a9
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	1aaf12502d9d2700532b5c7786558a9bfb4d409422398ffa270ae51
■	■	■	■	■	■	■■■	1aaf12502d9d2700532b5c7786558a9bfb4d409422398ffa270ae51

■	■	■	■	■■■	b				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1b0e189a74a9e3ca4e9876b48a54f21ae9e99efc507301fb3590a3f		
■	■	■	■	■	■	■■■	1b0e189a74a9e3ca4e9876b48a54f21ae9e99efc507301fb3590a3f		
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1b121906158ba2d12abc2c30cfac9ca37bf57e7f25d46922f9e3a0b		
■	■	■	■	■	■	■■■	1b121906158ba2d12abc2c30cfac9ca37bf57e7f25d46922f9e3a0b		
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	1b2e34cc891f703a9bad9baa905b87ed982410068b4ba2d06ddbcdd		
■	■	■	■	■	■	■■■	1b2e34cc891f703a9bad9baa905b87ed982410068b4ba2d06ddbcdd		
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	1b75086198072a307509e86a02f979a5cf04b18f3b938fad621b15e		
■	■	■	■	■	■	■■■	1b75086198072a307509e86a02f979a5cf04b18f3b938fad621b15e		
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	1bfb3d5604b86e6c5375c0e132c5796647ade6063f0960870971380		
■	■	■	■	■	■	■■■	1bfb3d5604b86e6c5375c0e132c5796647ade6063f0960870971380		
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	1c07d5bacf09155514ea444d3484a56998d5290f9aa96eb09e2614a		
■	■	■	■	■	■	■■■	1c07d5bacf09155514ea444d3484a56998d5290f9aa96eb09e2614a		
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1c1d13cf6f04e8ff2f63c381e5ba49724657496aaadff6b9c27bf2f		
■	■	■	■	■	■	■■■	1c1d13cf6f04e8ff2f63c381e5ba49724657496aaadff6b9c27bf2f		
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1c27f2b7ae2eb6e3792627d204c058c10da2f626a3607ae1a5cfe4c		
■	■	■	■	■	■	■■■	1c27f2b7ae2eb6e3792627d204c058c10da2f626a3607ae1a5cfe4c		
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1c7c2008a8c46018df2e85f2b762a1d61acd306021cbf0016b7ba8b		
■	■	■	■	■	■	■■■	1c7c2008a8c46018df2e85f2b762a1d61acd306021cbf0016b7ba8b		
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1c8e10853c02d3d760c845eaec231b5368cfc4edc0b799cabf5661b		
■	■	■	■	■	■	■■■	1c8e10853c02d3d760c845eaec231b5368cfc4edc0b799cabf5661b		
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1c93f37d7cb9282c2abc48cb4d5831b40703314797b38c6f0afb73b		
■	■	■	■	■	■	■■■	1c93f37d7cb9282c2abc48cb4d5831b40703314797b38c6f0afb73b		
■	■	■	■	■	■■■	b			

■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■■■	1cbdf6447b1e3d3478ca80c9a308182b73022d3a1b7efe557f7eff4
■	■	■	■	■	■	■	■■■	1cbdf6447b1e3d3478ca80c9a308182b73022d3a1b7efe557f7eff4
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	1cd889a4201acefcef764dbd1354d323a0aacbef67a06ba518bca5f	
■	■	■	■	■	■	■■■	1cd889a4201acefcef764dbd1354d323a0aacbef67a06ba518bca5f	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	1cdb7ff8437a1c768b1425dad8b3be5488d52afbfb12b29a4fd6912	
■	■	■	■	■	■	■■■	1cdb7ff8437a1c768b1425dad8b3be5488d52afbfb12b29a4fd6912	
■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	1cf30268bb5a1bc0f5505a076802e0add2694457c1b23031516e995	
■	■	■	■	■	■	■■■	1cf30268bb5a1bc0f5505a076802e0add2694457c1b23031516e995	
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	1cf4d6283e660310ee0b6375246a09d8c52872ba9af749fa72b7520	
■	■	■	■	■	■	■■■	1cf4d6283e660310ee0b6375246a09d8c52872ba9af749fa72b7520	
■	■	■	■	■■■	d			
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	1d428a5d06689b7d452896e7d55bc8c1cbe7b6bd18ff95ec7fc20ef	
■	■	■	■	■	■	■■■	1d428a5d06689b7d452896e7d55bc8c1cbe7b6bd18ff95ec7fc20ef	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	1d46884217ce0a3877aae5a70d973284295a14851929d3ed86a90b6	
■	■	■	■	■	■	■■■	1d46884217ce0a3877aae5a70d973284295a14851929d3ed86a90b6	
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	1d979c6454e13dfceb909b38339281c5b84ea8790a4d17d6ec7bc7b	
■	■	■	■	■	■	■■■	1d979c6454e13dfceb909b38339281c5b84ea8790a4d17d6ec7bc7b	
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	1dc3232a49b4f396dda19f2b7550b64da4f69cba30184f144390d32	
■	■	■	■	■	■	■■■	1dc3232a49b4f396dda19f2b7550b64da4f69cba30184f144390d32	
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	1dd49b150f0ed1dc7697f551b6d3247d399d628fc54d9d47b1c84b8	
■	■	■	■	■	■	■■■	1dd49b150f0ed1dc7697f551b6d3247d399d628fc54d9d47b1c84b8	
■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	1df16816f7063a3cf92c3041dad6034e226973628d4f239c6b1ba37	
■	■	■	■	■	■	■■■	1df16816f7063a3cf92c3041dad6034e226973628d4f239c6b1ba37	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	1dfb68cc191d605377cf41cbc6bc1ece9e01530936ab5fac88314df	
■	■	■	■	■	■	■■■	1dfb68cc191d605377cf41cbc6bc1ece9e01530936ab5fac88314df	
■	■	■	■	■■■	e			
■	■	■	■	■	■■■	2		

[illegible]

■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	20e5352f04cf71c8b045377db26b6024c74b6029df00d83e65a4198	
■	■	■	■	■	■	■	■	20e5352f04cf71c8b045377db26b6024c74b6029df00d83e65a4198	
■	■	■	■	■	■	■	f		
■	■	■	■	■	■	■	0		
■	■	■	■	■	■	■	2		
■	■	■	■	■	■	■	20f026162aab2a28139ca06ecf354e6cd04495a92ae0eb56b72720		
■	■	■	■	■	■	■	20f026162aab2a28139ca06ecf354e6cd04495a92ae0eb56b72720		
■	■	■	■	■	■	1			
■	■	■	■	■	■	1			
■	■	■	■	■	■	f			
■	■	■	■	■	■	3			
■	■	■	■	■	■	211f3723b5342be6de46a08bd3c752919ece8e1c6a031872a517651			
■	■	■	■	■	■	211f3723b5342be6de46a08bd3c752919ece8e1c6a031872a517651			
■	■	■	■	■	■	7			
■	■	■	■	■	■	2			
■	■	■	■	■	■	7			
■	■	■	■	■	■	217278e0ed1f044377def737d90002986693301afc10b89642ec201			
■	■	■	■	■	■	217278e0ed1f044377def737d90002986693301afc10b89642ec201			
■	■	■	■	■	■	a			
■	■	■	■	■	■	b			
■	■	■	■	■	■	8			
■	■	■	■	■	■	21ab8c59d539c12f6ddf01f737bb6f52216878d0aa1f1e0010bde1f			
■	■	■	■	■	■	21ab8c59d539c12f6ddf01f737bb6f52216878d0aa1f1e0010bde1f			
■	■	■	■	■	■	d			
■	■	■	■	■	■	2			
■	■	■	■	■	■	2			
■	■	■	■	■	■	21d22a58a58e3dc2ec54a2a17ec3812a46f5fbe0afb3c3524a79a0f			
■	■	■	■	■	■	21d22a58a58e3dc2ec54a2a17ec3812a46f5fbe0afb3c3524a79a0f			
■	■	■	■	■	■	2			
■	■	■	■	■	■	4			
■	■	■	■	■	■	3			
■	■	■	■	■	■	d			
■	■	■	■	■	■	2243d0affec8d5cb42efd43b1919d571bafc8fde77a75ce082333d3			
■	■	■	■	■	■	2243d0affec8d5cb42efd43b1919d571bafc8fde77a75ce082333d3			
■	■	■	■	■	■	6			
■	■	■	■	■	■	e			
■	■	■	■	■	■	2			
■	■	■	■	■	■	226e20ef37baae18486c4b142f19362b0176ef112b8135637169c62			
■	■	■	■	■	■	226e20ef37baae18486c4b142f19362b0176ef112b8135637169c62			
■	■	■	■	■	■	b			
■	■	■	■	■	■	0			
■	■	■	■	■	■	f			
■	■	■	■	■	■	22b0fbecb6cae9617f6595edd31075e4e55fa339ef43c6ab8818f30			
■	■	■	■	■	■	22b0fbecb6cae9617f6595edd31075e4e55fa339ef43c6ab8818f30			
■	■	■	■	■	■	5			
■	■	■	■	■	■	a			
■	■	■	■	■	■	22b5aaece02452f641dc8149f982647518d1a7a4a72fddd8bf6953f			
■	■	■	■	■	■	22b5aaece02452f641dc8149f982647518d1a7a4a72fddd8bf6953f			
■	■	■	■	■	■	3			
■	■	■	■	■	■	0			
■	■	■	■	■	■	c			
■	■	■	■	■	■	4			
■	■	■	■	■	■	230c440600644c60959630258c90aefd6820d229c956d3ac0e68daf			
■	■	■	■	■	■	230c440600644c60959630258c90aefd6820d229c956d3ac0e68daf			
■	■	■	■	■	■	f			
■	■	■	■	■	■	8			
■	■	■	■	■	■	230f8b4d7bde7be2bc5c069bcf81eb84d94c09fb905ba4bbb8100cb			

■	■	■	■	■	■	■	■	■■■	230f8b4d7bde7be2bc5c069bcf81eb84d94c09fb905ba4bbb8100cb
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	23446cc6157b1ce7d0c47be470d3e3e086ba28baabb823def5b31de	
■	■	■	■	■	■	■	■■■	23446cc6157b1ce7d0c47be470d3e3e086ba28baabb823def5b31de	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	237dae19f32ade930d048c46802d7e4db438ed85dbe7a0354109cd7	
■	■	■	■	■	■	■	■■■	237dae19f32ade930d048c46802d7e4db438ed85dbe7a0354109cd7	
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	249966c7f1e7970eeae0088cdcd48fa18209582a788c44b34dc549c	
■	■	■	■	■	■	■	■■■	249966c7f1e7970eeae0088cdcd48fa18209582a788c44b34dc549c	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	24ca3abc02ebc6d6eb8f652d33f75f1d11a26ee9196b7d947744643	
■	■	■	■	■	■	■	■■■	24ca3abc02ebc6d6eb8f652d33f75f1d11a26ee9196b7d947744643	
■	■	■	■	■■■	6				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	264179aeab1d8942e5f72419f2c39e8a5577779f5155b081e3ad0fd	
■	■	■	■	■	■	■	■■■	264179aeab1d8942e5f72419f2c39e8a5577779f5155b081e3ad0fd	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	268d051e5863885220ef7b1acb75f686707fd7eed262fded7478adc	
■	■	■	■	■	■	■	■■■	268d051e5863885220ef7b1acb75f686707fd7eed262fded7478adc	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	27477a5d306500b0a8bb48a637b8fec5cc8382cf8fe10d6fe63c4d7	
■	■	■	■	■	■	■	■■■	27477a5d306500b0a8bb48a637b8fec5cc8382cf8fe10d6fe63c4d7	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	27531308a1744cdbeefdf1cb93d08102f573d5f550c1bc7dbd2538d	
■	■	■	■	■	■	■	■■■	27531308a1744cdbeefdf1cb93d08102f573d5f550c1bc7dbd2538d	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	2761ca369d9f3611be239ea1250dc3cbfeb04255ab865eba3989708	
■	■	■	■	■	■	■	■■■	2761ca369d9f3611be239ea1250dc3cbfeb04255ab865eba3989708	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	27a1edde14be7542d9940d19df9c35f66993d91e675e58b5cb68a3f	
■	■	■	■	■	■	■	■■■	27a1edde14be7542d9940d19df9c35f66993d91e675e58b5cb68a3f	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	27f3c5429abc8a3f029c3bb7bfc578d9518b8eedc308af8374119b7	

27f3c5429abc8a3f029c3bb7bfc578d9518b8eedc308af8374119b7

8

7

0

b

2870b20b33ce731696b18d4300d7acf5c4bbc4246b7569c0efd4945

2870b20b33ce731696b18d4300d7acf5c4bbc4246b7569c0efd4945

d

2

287d279a724edf5b80d09d6d03e97c5c72c6dd774ca03662b9a4672

287d279a724edf5b80d09d6d03e97c5c72c6dd774ca03662b9a4672

9

6

8

28968f65141c5f6c178aa08235de8841d5ae7c75bd4e53668bb923f

28968f65141c5f6c178aa08235de8841d5ae7c75bd4e53668bb923f

f

e

289fe3659d0b2b8d995506e81aca8650ef189d57456624bea08b27d

289fe3659d0b2b8d995506e81aca8650ef189d57456624bea08b27d

9

0

9

3

29093f0c0ead1fc0c937ce198931aa95f6d0ee303e46cde29ae1f6f

29093f0c0ead1fc0c937ce198931aa95f6d0ee303e46cde29ae1f6f

6

2

b

2962bb6803a35ebe153c05247bfe076a442c89f15759694e00474f1

2962bb6803a35ebe153c05247bfe076a442c89f15759694e00474f1

d

8

c

29d8cf607ea2a16e44896c73540d5df26f948add1256f16dc4a896e

29d8cf607ea2a16e44896c73540d5df26f948add1256f16dc4a896e

a

0

e

4

2a0e43fbe34b1a4055bddb0045e9dd18336c621c89657554079156c

2a0e43fbe34b1a4055bddb0045e9dd18336c621c89657554079156c

4

1

c

2a41cb8e405637e51ada370419ba2d90cff5ec7779741a4b3b53a25

2a41cb8e405637e51ada370419ba2d90cff5ec7779741a4b3b53a25

5

a

f

2a5af1320411e8ad19ec89cf104aa8a3b020a8b042560e2c4e16abd

2a5af1320411e8ad19ec89cf104aa8a3b020a8b042560e2c4e16abd

a

e

b

2aaebf6b506fe2a373b26f648dfc83bfc153f7671297de820141e25

2aaebf6b506fe2a373b26f648dfc83bfc153f7671297de820141e25

e

■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	2ae6e8c8068b9f22a236f6e89dab004ae518804ff74faab22571963
■	■	■	■	■	■	■	■■■	2ae6e8c8068b9f22a236f6e89dab004ae518804ff74faab22571963
■	■	■	■	■■■	b			
■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	2b03c93cb7bb3cb66e93ff5cfe7c2e9fcb14c5262b1516f1507f6e7
■	■	■	■	■	■	■	■■■	2b03c93cb7bb3cb66e93ff5cfe7c2e9fcb14c5262b1516f1507f6e7
■	■	■	■	■■■	c			
■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	2cb5f6bb359ebfdcac94dde219b7b67cb859795106c767d5d95cbad
■	■	■	■	■	■	■	■■■	2cb5f6bb359ebfdcac94dde219b7b67cb859795106c767d5d95cbad
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■	■■■	2cd9a30df6aecac75bcf0c8d225ffd68a7d38dccee1a44332df772c
■	■	■	■	■	■	■	■■■	2cd9a30df6aecac75bcf0c8d225ffd68a7d38dccee1a44332df772c
■	■	■	■	■■■	d			
■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	2d3382c1d03308691c50e9f2a8536719fa0aaed3db2a081e4bc56d0
■	■	■	■	■	■	■	■■■	2d3382c1d03308691c50e9f2a8536719fa0aaed3db2a081e4bc56d0
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■	■■■	2d74a73a77213b0be16659702085777dd9ab99b019e0d0459752e1a
■	■	■	■	■	■	■	■■■	2d74a73a77213b0be16659702085777dd9ab99b019e0d0459752e1a
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	2da7d3d0cb8fda433ad45e6488916319f31afaacf7a668ca3d23a28
■	■	■	■	■	■	■	■■■	2da7d3d0cb8fda433ad45e6488916319f31afaacf7a668ca3d23a28
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	2dafea6c0f1b47eeb64a6589a2b29e655db43127283a1f06acd54eb
■	■	■	■	■	■	■	■■■	2dafea6c0f1b47eeb64a6589a2b29e655db43127283a1f06acd54eb
■	■	■	■	■■■	e			
■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	2e2d841f57ca6a43dfc96af93374304dda5b757176df2cce7ca2b18
■	■	■	■	■	■	■	■■■	2e2d841f57ca6a43dfc96af93374304dda5b757176df2cce7ca2b18
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	2e5b6ced06806dcc8a76919087cfc0d76c4240a8acb8d34511ad15d
■	■	■	■	■	■	■	■■■	2e5b6ced06806dcc8a76919087cfc0d76c4240a8acb8d34511ad15d
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■■■	2e73c9ba8504aadd35c601460449f419f91b4a76257d47293825aca
■	■	■	■	■	■	■	■■■	2e73c9ba8504aadd35c601460449f419f91b4a76257d47293825aca
■	■	■	■	■	■■■	8		

■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	2e8aeb758c5c6b860c1f9f008a86bc6e99781e69743af720d8569e0
■	■	■	■	■	■	■	■■■	2e8aeb758c5c6b860c1f9f008a86bc6e99781e69743af720d8569e0
■	■	■	■	■■■	f			
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	2f4a612897beadcfabba10611e5f78783b6d8c4259a893cb1c04728
■	■	■	■	■	■	■	■■■	2f4a612897beadcfabba10611e5f78783b6d8c4259a893cb1c04728
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■■■	2f8fd931c93c5be659802b8094f0c4661fada6cdc5186b2b7947e82
■	■	■	■	■	■	■	■■■	2f8fd931c93c5be659802b8094f0c4661fada6cdc5186b2b7947e82
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	2fc53b7a83bab1187656c1ba764ccfed80f33ac444c1c1ec254856e
■	■	■	■	■	■	■	■■■	2fc53b7a83bab1187656c1ba764ccfed80f33ac444c1c1ec254856e
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■■■	2fe808e610e93cf96db8255254d3573a4af583e2ceb0d6c81239990
■	■	■	■	■	■	■	■■■	2fe808e610e93cf96db8255254d3573a4af583e2ceb0d6c81239990
■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■■■	2ffdd395dcb3a7e8edba3e0e56d3b4fe4ab9cf77874b9a82f9ab353
■	■	■	■	■	■	■	■■■	2ffdd395dcb3a7e8edba3e0e56d3b4fe4ab9cf77874b9a82f9ab353
■	■	■	■■■	3				
■	■	■	■	■■■	0			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	301f3f47e824fb3e5b4ae851bcee1aa30e8c242d1af7252c2e4c2f6
■	■	■	■	■	■	■	■■■	301f3f47e824fb3e5b4ae851bcee1aa30e8c242d1af7252c2e4c2f6
■	■	■	■	■	■■■	7		
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	3074c0e398bdb34ceb38d2295722a6a3bb3e5a6769d72c5eb20336b
■	■	■	■	■	■	■	■■■	3074c0e398bdb34ceb38d2295722a6a3bb3e5a6769d72c5eb20336b
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	30819a61fe989a2b79956c6f2b7c3b4f339383347bcb7b2849118f6
■	■	■	■	■	■	■	■■■	30819a61fe989a2b79956c6f2b7c3b4f339383347bcb7b2849118f6
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	30d4e87d14e60af7dc987765da5deb104b436d2a6d316aab8420bff
■	■	■	■	■	■	■	■■■	30d4e87d14e60af7dc987765da5deb104b436d2a6d316aab8420bff
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	30e314467d6fa2d8fd60f8d0a5d493b52d2e229224e345624971560
■	■	■	■	■	■	■	■■■	30e314467d6fa2d8fd60f8d0a5d493b52d2e229224e345624971560
■	■	■	■	■■■	1			

4
f
4
314f4d52d16a39cfc3ba96bb62b328ce3091e665ffd27321b059685
314f4d52d16a39cfc3ba96bb62b328ce3091e665ffd27321b059685
5
3
9
31539552f2303282ae40da968a51b4e53cadfeaff6b349f1c1a078d
31539552f2303282ae40da968a51b4e53cadfeaff6b349f1c1a078d
b
d
315bd5994915d999cc934902f11d8d89b7bce4fc77ed43b9a66f4aa
315bd5994915d999cc934902f11d8d89b7bce4fc77ed43b9a66f4aa
6
b
a
316baf701dc0c8f6530e5ac976b2d7aadd515d9f8f4dc0d246127fc
316baf701dc0c8f6530e5ac976b2d7aadd515d9f8f4dc0d246127fc
9
5
f
3195fafd7d52fac265e6034af1b6c3b25880e4e3127033a1600be2e
3195fafd7d52fac265e6034af1b6c3b25880e4e3127033a1600be2e
f
7
b
31f7b0f10d8b218b42531189f0fce3a7c6a2a602c899cf31e8b0b4a
31f7b0f10d8b218b42531189f0fce3a7c6a2a602c899cf31e8b0b4a
2
8
9
2
32892568afc9b7dc18b8d6ed05ba87b18b12d095a8fb3559f7cdd02
32892568afc9b7dc18b8d6ed05ba87b18b12d095a8fb3559f7cdd02
e
0
d
32e0dbeda5382e1b11f4d6b3b9c1b908b0b64f6163776ee3904f271
32e0dbeda5382e1b11f4d6b3b9c1b908b0b64f6163776ee3904f271
3
1
7
7
33177f7ce6b8649d8389e2232cc9309432b00e43b7f43c92974a03b
33177f7ce6b8649d8389e2232cc9309432b00e43b7f43c92974a03b
5
4
c
3354c6dd0ae115057f043a72c66428c23d5ed4de7e95c1852f00aed
3354c6dd0ae115057f043a72c66428c23d5ed4de7e95c1852f00aed
9
7
4
33974f84394d9a943f68359da08431dab4af9f86c33962982ea21b5
33974f84394d9a943f68359da08431dab4af9f86c33962982ea21b5
e
d

```

f
33edfdc631388d50e17fdcf77f6245d6a716f94b1333842b4cce605
33edfdc631388d50e17fdcf77f6245d6a716f94b1333842b4cce605
4
1
e
a
341ea512d84df17c5b2a0a9679aff535c9472cefbaa844dcea059dd
341ea512d84df17c5b2a0a9679aff535c9472cefbaa844dcea059dd
5
7
c
3457ceeb165a10e21eb7a09c6caeb600430118fc38a3a3f373a2b18
3457ceeb165a10e21eb7a09c6caeb600430118fc38a3a3f373a2b18
9
0
34590d681e49b009612ed5de910297ee0514114bcba276b3aaca026
34590d681e49b009612ed5de910297ee0514114bcba276b3aaca026
9
e
0
349e0eee389fdb002ce5585018abd067aeb6edcde721e88767b426
349e0eee389fdb002ce5585018abd067aeb6edcde721e88767b426
a
349eadc05293f17eefad080834cbe1844a407bfb9c9e9b3609f33981
349eadc05293f17eefad080834cbe1844a407bfb9c9e9b3609f33981
b
e
5
34be5ec53ed5f70a5812fbdca421d7fb27970d25d25c88246a11c29
34be5ec53ed5f70a5812fbdca421d7fb27970d25d25c88246a11c29
e
4
e
34e4ed9f6da78ec378e04be04de734c69a68c889dbef86cb0f5f498
34e4ed9f6da78ec378e04be04de734c69a68c889dbef86cb0f5f498
5
4
34e542d91615b0c756d5e520848b0d106c12a418e67932313394eaa
34e542d91615b0c756d5e520848b0d106c12a418e67932313394eaa
5
1
2
f
3512fbd8d8220805569d06cc88d7dd9925057801b770edeb14f8192
3512fbd8d8220805569d06cc88d7dd9925057801b770edeb14f8192
4
6
4
354643208419209e38ef01f024e21c713c0c8bac129bf32752e8f68
354643208419209e38ef01f024e21c713c0c8bac129bf32752e8f68
8
d
9
358d9164fbffff48dd2beae0acf1ea26f4118d7610c16b731b69dce
358d9164fbffff48dd2beae0acf1ea26f4118d7610c16b731b69dce
9
6

```

[illegible]

■	■	■	■	■	■	■	■	■■■	38ed5385c8ba9d3edaa6cca1ec24d320dd6123b9d0c08fc4d95c78b
■	■	■	■	■	■	■	■	■■■	38ed5385c8ba9d3edaa6cca1ec24d320dd6123b9d0c08fc4d95c78b
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■		■■■	3a04df55830d80cfab386f222eb6310ec446e34bac34e16639ea8d8
■	■	■	■	■	■	■■■		■■■	3a04df55830d80cfab386f222eb6310ec446e34bac34e16639ea8d8
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■		■■■	3a228aa8c9104afd633e49cc82ece39db5f38c0a38ff739db12f841
■	■	■	■	■	■	■■■		■■■	3a228aa8c9104afd633e49cc82ece39db5f38c0a38ff739db12f841
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■		■■■	3a69f39514198eeb5876a234940f46350c8a28dfaf41635b2687c5c
■	■	■	■	■	■	■■■		■■■	3a69f39514198eeb5876a234940f46350c8a28dfaf41635b2687c5c
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■		■■■	3a77baefc44546f167bbd903d58fb657bd59fa6ea78cc9a2225e5c3
■	■	■	■	■	■	■■■		■■■	3a77baefc44546f167bbd903d58fb657bd59fa6ea78cc9a2225e5c3
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■		■■■	3a9fc348926953a6f708396b55f4a040c07cdd479338cbc22293d81
■	■	■	■	■	■	■■■		■■■	3a9fc348926953a6f708396b55f4a040c07cdd479338cbc22293d81
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■		■■■	3aca8d09c5cca075c2af15ae52b365bf655c7ad5164fdeb6aa32f60
■	■	■	■	■	■	■■■		■■■	3aca8d09c5cca075c2af15ae52b365bf655c7ad5164fdeb6aa32f60
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		■■■	3ae3e3ca35bdad81e273cce2251a6d6a40825ed296eab539d2f675b
■	■	■	■	■	■	■■■		■■■	3ae3e3ca35bdad81e273cce2251a6d6a40825ed296eab539d2f675b
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		■■■	3affe893d93be60913b352c80fad610362ef682082985bb6bb8ff4a
■	■	■	■	■	■	■■■		■■■	3affe893d93be60913b352c80fad610362ef682082985bb6bb8ff4a
■	■	■	■	■	■■■	b			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		■■■	3b2d9f41e1df1d793bd65383aca747c187783f2c595c8ad4fd28c5d
■	■	■	■	■	■	■■■		■■■	3b2d9f41e1df1d793bd65383aca747c187783f2c595c8ad4fd28c5d
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		■■■	3b629f6c9567c1aa7f940e4478a7b20f08b70f746e022cc283b44b0
■	■	■	■	■	■	■■■		■■■	3b629f6c9567c1aa7f940e4478a7b20f08b70f746e022cc283b44b0
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		■■■	3b6c9fa26c7f731375203e366266c8c8983b5bbf01247b72ec78075
■	■	■	■	■	■	■■■		■■■	3b6c9fa26c7f731375203e366266c8c8983b5bbf01247b72ec78075

■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	3bc4ce10cb49248392004b93d14625a497187ce38f416b3c6864de4
■	■	■	■	■	■	■■■	3bc4ce10cb49248392004b93d14625a497187ce38f416b3c6864de4
■	■	■	■	■■■	c		
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	6	
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	3c36e82ecfd5e02f9958512f8c3d40758a5f36cb3b9c56e0f1fa9	
■	■	■	■	■	■■■	3c36e82ecfd5e02f9958512f8c3d40758a5f36cb3b9c56e0f1fa9	
■	■	■	■	■■■	d		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	3cd25be0cd266ea5d871ebaf82a67407103a7960f994efbbfc59b76	
■	■	■	■	■	■■■	3cd25be0cd266ea5d871ebaf82a67407103a7960f994efbbfc59b76	
■	■	■	■	■■■	d		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■■■	d	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■■■	3d0d190ce14061b06575edb14077d403d89d9f3a4985531d9dc3ad8	
■	■	■	■	■	■■■	3d0d190ce14061b06575edb14077d403d89d9f3a4985531d9dc3ad8	
■	■	■	■	■■■	1		
■	■	■	■	■	■■■	c	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■■■	3d1c0abb000b607af00bfb3428468c00220d6573acdb85246e582f6	
■	■	■	■	■	■■■	3d1c0abb000b607af00bfb3428468c00220d6573acdb85246e582f6	
■	■	■	■	■■■	2		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	b	
■	■	■	■	■	■■■	3d22bc0011f51acac996b2a73c59c8155607dc8e09e87be981a2903	
■	■	■	■	■	■■■	3d22bc0011f51acac996b2a73c59c8155607dc8e09e87be981a2903	
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	a	
■	■	■	■	■	■■■	3d23a5ad548471fdadffd54fe2363185ef4648db7c0bf11d16c83f1	
■	■	■	■	■	■■■	3d23a5ad548471fdadffd54fe2363185ef4648db7c0bf11d16c83f1	
■	■	■	■	■■■	a		
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■■■	3da34c449f44794ebdf0e0b361350908c05099c46a66a191fda09da	
■	■	■	■	■	■■■	3da34c449f44794ebdf0e0b361350908c05099c46a66a191fda09da	
■	■	■	■	■■■	b		
■	■	■	■	■	■■■	a	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■■■	3dba48e33e4deae5b8e0b5d8173f7d8b9ede86f6e2f3b423cb21306	
■	■	■	■	■	■■■	3dba48e33e4deae5b8e0b5d8173f7d8b9ede86f6e2f3b423cb21306	
■	■	■	■	■■■	d		
■	■	■	■	■	■■■	1	
■	■	■	■	■	■■■	f	
■	■	■	■	■	■■■	3dd1f4d98e06e8eaf3ee367a99c3a0170ca8a80d66453edf736c718	
■	■	■	■	■	■■■	3dd1f4d98e06e8eaf3ee367a99c3a0170ca8a80d66453edf736c718	
■	■	■	■	■■■	f		
■	■	■	■	■	■■■	c	
■	■	■	■	■	■■■	b	
■	■	■	■	■	■■■	3dfcb7e42fc92d05cef1d9c327dc5fa5a668c24ec5f552922101323	
■	■	■	■	■	■■■	3dfcb7e42fc92d05cef1d9c327dc5fa5a668c24ec5f552922101323	
■	■	■	■	■■■	e		
■	■	■	■	■	■■■	4	

5
2
3e452bf333df8ab434b237eb8b1e3beee7a01b16817f3cf5b899663
3e452bf333df8ab434b237eb8b1e3beee7a01b16817f3cf5b899663
8
1
d
3e81dc750dd89c0518ae28e02a1f4bbaa8bc3764568a5cc4899e997
3e81dc750dd89c0518ae28e02a1f4bbaa8bc3764568a5cc4899e997
9
a
4
3e9a4e7f56493e9f06407dbc32afae529f65c7ec2e8742451dcc427
3e9a4e7f56493e9f06407dbc32afae529f65c7ec2e8742451dcc427
c
c
b
3eccb186dc8d81dea49a4c53bcf9990528939c550907cc39699c703
3eccb186dc8d81dea49a4c53bcf9990528939c550907cc39699c703
f
7
3
9
3f739e544512a168c5098e89d94c7d8625ea02fd75513bc420b8ff1
3f739e544512a168c5098e89d94c7d8625ea02fd75513bc420b8ff1
d
d
2
3fdd2b71a28cf7bb5ce73cb583d37608c207d0c18b05e0b512299e6
3fdd2b71a28cf7bb5ce73cb583d37608c207d0c18b05e0b512299e6
4
0
0
d
b
400db3c9a550719d76958c9c597bfbff6eb98533f684c02cc870de9
400db3c9a550719d76958c9c597bfbff6eb98533f684c02cc870de9
8
9
1
40891d2d8fb994beec7ad2f4c96608fbc74e746445a39bf181414d4
40891d2d8fb994beec7ad2f4c96608fbc74e746445a39bf181414d4
a
5
1
40a51659b1aa39eaf2b491d5061ac8a0a72d9128139b67639dd9229
40a51659b1aa39eaf2b491d5061ac8a0a72d9128139b67639dd9229
b
c
40abc79f9a6c58f1583f4a8faf950e33cf15369ae3c191435a25456
40abc79f9a6c58f1583f4a8faf950e33cf15369ae3c191435a25456
f
5
40af5b1e10bf7a2a8239625801feeb553c394b76f44b00bc6f56e18
40af5b1e10bf7a2a8239625801feeb553c394b76f44b00bc6f56e18
d
c
6


```

40dc633e687704cc5a0d465899a1dd796c4cb4f877cb4bda9ade247f
40dc633e687704cc5a0d465899a1dd796c4cb4f877cb4bda9ade247f
1
3
7
1
4137117f0d7764f89968fe3a27faba9176245bfcbdba3d7e3fe228d
4137117f0d7764f89968fe3a27faba9176245bfcbdba3d7e3fe228d
6
d
3
416d3f0a11cf13fd07b80f5fc7b93c14bd202d7c8cbf452b94832dd
416d3f0a11cf13fd07b80f5fc7b93c14bd202d7c8cbf452b94832dd
9
a
9
419a95ea71a3ec12367a64cf0ee0c19f3660b60c0a05a0940707db2
419a95ea71a3ec12367a64cf0ee0c19f3660b60c0a05a0940707db2
e
1
4
41e14ab5a5d8fe4e7b7c5f4b36607ea0aba732763cf8745347c7473
41e14ab5a5d8fe4e7b7c5f4b36607ea0aba732763cf8745347c7473
2
4
5
b
4245bcf11d9ccc37efa7a362bcce43ba7bd09565b901ac6eb7a4be1
4245bcf11d9ccc37efa7a362bcce43ba7bd09565b901ac6eb7a4be1
a
c
f
42acf9e9f48f7436716c7d1d944adf882d72ca03a0466e9df9650e5
42acf9e9f48f7436716c7d1d944adf882d72ca03a0466e9df9650e5
b
a
9
42ba9a37894d8b0dac0d81963db8b520d479a1fb77acba5052434c6
42ba9a37894d8b0dac0d81963db8b520d479a1fb77acba5052434c6
d
1
1
42d1107a684bc7c672578885df22c72ffd5845fb2dc3df299e45ff9
42d1107a684bc7c672578885df22c72ffd5845fb2dc3df299e45ff9
e
5
0
42e50682f98715bd35b26ccf1fb8e3d779be2ccc1c7058e11b57758
42e50682f98715bd35b26ccf1fb8e3d779be2ccc1c7058e11b57758
f
a
2
42fa2e9e1ea92496683c15a8b3455bd834dc5426b328d987d32b382
42fa2e9e1ea92496683c15a8b3455bd834dc5426b328d987d32b382
3
1
0
a

```

■	■	■	■	■	■	■	■	■■■	4310a14c9aa3ce1575b521b198f0b746bc0c8a0ed1817b28db2f59f
■	■	■	■	■	■	■	■	■■■	4310a14c9aa3ce1575b521b198f0b746bc0c8a0ed1817b28db2f59f
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	431dd9f07f3b04a35f8d2320c2a79f67dcb038b9edddccba5cc4050e	
■	■	■	■	■	■	■	■■■	431dd9f07f3b04a35f8d2320c2a79f67dcb038b9edddccba5cc4050e	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	4368af615325c467e2f5c1a4f39d1bcfa768fbef277db861c7bc04a	
■	■	■	■	■	■	■	■■■	4368af615325c467e2f5c1a4f39d1bcfa768fbef277db861c7bc04a	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	4386e6ebdc7ef55a214a2d97d2f4b05346876b277ca67c486bddfd1	
■	■	■	■	■	■	■	■■■	4386e6ebdc7ef55a214a2d97d2f4b05346876b277ca67c486bddfd1	
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	446c9f53b0b263f7d8c307c1860f7e2a8d23469fe812ca8237db483	
■	■	■	■	■	■	■	■■■	446c9f53b0b263f7d8c307c1860f7e2a8d23469fe812ca8237db483	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	44a08affceccf45cc0123cfc1997487a75f3d1f8dfe80723c2ee839	
■	■	■	■	■	■	■	■■■	44a08affceccf45cc0123cfc1997487a75f3d1f8dfe80723c2ee839	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	44c503f246c9b7daee33dc2a85c7d3d53ce45c6e787b80ced82ef39	
■	■	■	■	■	■	■	■■■	44c503f246c9b7daee33dc2a85c7d3d53ce45c6e787b80ced82ef39	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	44e5b11a6caa92636d8ccfe658d420ba4ed8f67f7f4e835b214255a	
■	■	■	■	■	■	■	■■■	44e5b11a6caa92636d8ccfe658d420ba4ed8f67f7f4e835b214255a	
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	454dfe251c86db71803bf9442cbfcab5066a6426dabac8aae36c528	
■	■	■	■	■	■	■	■■■	454dfe251c86db71803bf9442cbfcab5066a6426dabac8aae36c528	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	45704cfe34b532cda787f37a7909644f07510f8eef34bb07ae387c5	
■	■	■	■	■	■	■	■■■	45704cfe34b532cda787f37a7909644f07510f8eef34bb07ae387c5	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	457dd06db1e54337c9200572f17873f3f1c6bbd6aacdbbf152685d3	
■	■	■	■	■	■	■	■■■	457dd06db1e54337c9200572f17873f3f1c6bbd6aacdbbf152685d3	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	45976c194ebb9180bf7410d422bcad653ce13bcb64dda0d07d72b09	
■	■	■	■	■	■	■	■■■	45976c194ebb9180bf7410d422bcad653ce13bcb64dda0d07d72b09	
■	■	■	■	■	■	■■■	c		

■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	459c164d9ee240dc086ea20e4130182feceabd583aa5367be8f6a67	
■	■	■	■	■	■	■	■	459c164d9ee240dc086ea20e4130182feceabd583aa5367be8f6a67	
■	■	■	■	■	■	■	■	7	
■	■	■	■	■	■	■	■	459c78bacdedb04c7e03d152081522ecf0ff46e1d14e7503997ea6c	
■	■	■	■	■	■	■	■	459c78bacdedb04c7e03d152081522ecf0ff46e1d14e7503997ea6c	
■	■	■	■	■	■	■	d		
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	459d8ce4df49a01f08e7b976319318a499c03950bfadbe47aa43623	
■	■	■	■	■	■	■	■	459d8ce4df49a01f08e7b976319318a499c03950bfadbe47aa43623	
■	■	■	■	■	■	c			
■	■	■	■	■	■	a			
■	■	■	■	■	■	f			
■	■	■	■	■	■	■	■	45cafe48214d7598428574541330275f76c6cf9f369c7119546ecaf	
■	■	■	■	■	■	■	■	45cafe48214d7598428574541330275f76c6cf9f369c7119546ecaf	
■	■	■	■	■	■	f			
■	■	■	■	■	■	a			
■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	45fa1727e9083a99a37f2542d2e0e6ce00a1b371f106eb72a9ea128	
■	■	■	■	■	■	■	■	45fa1727e9083a99a37f2542d2e0e6ce00a1b371f106eb72a9ea128	
■	■	■	■	■	■	6			
■	■	■	■	■	■	0			
■	■	■	■	■	■	7			
■	■	■	■	■	■	8			
■	■	■	■	■	■	■	■	46078468a8caf16b29e47f0b88655880195da412f38ca5dbd95e6c8	
■	■	■	■	■	■	■	■	46078468a8caf16b29e47f0b88655880195da412f38ca5dbd95e6c8	
■	■	■	■	■	■	7			
■	■	■	■	■	■	8			
■	■	■	■	■	■	2			
■	■	■	■	■	■	■	■	46782699abbec5872b7532f8fdb60b49d903fe55317d456987dab6f	
■	■	■	■	■	■	■	■	46782699abbec5872b7532f8fdb60b49d903fe55317d456987dab6f	
■	■	■	■	■	■	f			
■	■	■	■	■	■	d			
■	■	■	■	■	■	■	■	467fd4ec0b1d83a9e4f9fe0a7d2343bd38774ff97eb356ab0273662	
■	■	■	■	■	■	■	■	467fd4ec0b1d83a9e4f9fe0a7d2343bd38774ff97eb356ab0273662	
■	■	■	■	■	■	9			
■	■	■	■	■	■	0			
■	■	■	■	■	■	9			
■	■	■	■	■	■	■	■	46909227f1541130d028b38ddc9c507c988ccf7346cc0d4124ca7eb	
■	■	■	■	■	■	■	■	46909227f1541130d028b38ddc9c507c988ccf7346cc0d4124ca7eb	
■	■	■	■	■	■	6			
■	■	■	■	■	■	a			
■	■	■	■	■	■	■	■	4696aaa16977e26e2eb515a6e626848ca8e370bcec1eb2ed96b0c16	
■	■	■	■	■	■	■	■	4696aaa16977e26e2eb515a6e626848ca8e370bcec1eb2ed96b0c16	
■	■	■	■	■	■	8			
■	■	■	■	■	■	5			
■	■	■	■	■	■	■	■	4698527a79f9330733a86dab7c1df21e2340d20e952d3a0f9b4cdc3	
■	■	■	■	■	■	■	■	4698527a79f9330733a86dab7c1df21e2340d20e952d3a0f9b4cdc3	
■	■	■	■	■	■	c			
■	■	■	■	■	■	d			
■	■	■	■	■	■	e			
■	■	■	■	■	■	■	■	46cde12f96c267f2dc363fc8a487a027a180c317a55a41e34662948	
■	■	■	■	■	■	■	■	46cde12f96c267f2dc363fc8a487a027a180c317a55a41e34662948	
■	■	■	■	■	■	d			
■	■	■	■	■	■	c			
■	■	■	■	■	■	f			
■	■	■	■	■	■	■	■	46dcf3374671c042df8f63114b06ab3dc9963156f48a3f9e8326b0d	
■	■	■	■	■	■	■	■	46dcf3374671c042df8f63114b06ab3dc9963156f48a3f9e8326b0d	

```

d
6
46dd6c7d38d9678c38989b4cd14dca9da87ef21be758c0f56968dec
46dd6c7d38d9678c38989b4cd14dca9da87ef21be758c0f56968dec
7
0
3
8
47038759fe6cdc8b7725f4ca10cfc19a04a3af998a695975ff292ed
47038759fe6cdc8b7725f4ca10cfc19a04a3af998a695975ff292ed
e
6
470e6e6a315630452ab5eff32bf42bbb896b22515a48c375493956f
470e6e6a315630452ab5eff32bf42bbb896b22515a48c375493956f
9
0
c
4790ca8165bbadcb20b5204df80c700ea35b7e1b69f9e91ca5ec1d4
4790ca8165bbadcb20b5204df80c700ea35b7e1b69f9e91ca5ec1d4
c
e
1
47ce13475c48bd77c4ca1e385d3ce58b7198f4da1731cbd483535c0
47ce13475c48bd77c4ca1e385d3ce58b7198f4da1731cbd483535c0
8
0
d
6
480d6f7ef777fd4fe0178a90255bde2c80a7d6807db13d9efb77f8d
480d6f7ef777fd4fe0178a90255bde2c80a7d6807db13d9efb77f8d
1
2
b
4812b02ad4ae2a0980c69c18fb91c898c181c9cef24b4b134327ac2
4812b02ad4ae2a0980c69c18fb91c898c181c9cef24b4b134327ac2
3
2
b
4832b1cb4ef76f49358320cbabf20b43455a58dae458e0d83172b04
4832b1cb4ef76f49358320cbabf20b43455a58dae458e0d83172b04
5
4
e
4854e629f0a37cfe4deef480af4404d6cd6775b7bd9f6a4609ace69
4854e629f0a37cfe4deef480af4404d6cd6775b7bd9f6a4609ace69
d
e
1
48de165402dc71db624d8df28aaeb706741853d4f60e7fc7fd14b24
48de165402dc71db624d8df28aaeb706741853d4f60e7fc7fd14b24
9
7
6
4
49764a1573fea3edd09e29ce6be7a050726879fca5b51581236c9f4
49764a1573fea3edd09e29ce6be7a050726879fca5b51581236c9f4
d
c

```

■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■		49dc7a86663adde22161edd13cb7dd4a41a29de77e55092d5cba180
■	■	■	■	■	■	■	■■■		49dc7a86663adde22161edd13cb7dd4a41a29de77e55092d5cba180
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■		49dd32e88479e1335e618226ee4e5e81457f770c81451bcac3ba1f9
■	■	■	■	■	■	■	■■■		49dd32e88479e1335e618226ee4e5e81457f770c81451bcac3ba1f9
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■			49e36f423abd428b6ee175da9b48fdb6f5eb69f72e711ccc0f7251d
■	■	■	■	■	■	■■■			49e36f423abd428b6ee175da9b48fdb6f5eb69f72e711ccc0f7251d
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■			4a070ed365bca2bf96100d1d63fe059a473c70ffe88bbdac5000593
■	■	■	■	■	■	■■■			4a070ed365bca2bf96100d1d63fe059a473c70ffe88bbdac5000593
■	■	■	■	■	■■■	3			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■			4a39eaaff570279c384ea17c651304d20191daa0e1f8878ee125070
■	■	■	■	■	■	■■■			4a39eaaff570279c384ea17c651304d20191daa0e1f8878ee125070
■	■	■	■	■	■■■	7			
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■			4a75be5ec812145702e7abc0b090eee5a42b5f21dfa806aa0f24c90
■	■	■	■	■	■	■■■			4a75be5ec812145702e7abc0b090eee5a42b5f21dfa806aa0f24c90
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■			4a7acf7f8f37085ee6d5d23d1c67814cc5be0f91a335bf0f2018dec
■	■	■	■	■	■	■■■			4a7acf7f8f37085ee6d5d23d1c67814cc5be0f91a335bf0f2018dec
■	■	■	■	■	■■■	a			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■			4aa072069bf7642ef18e8ec5e146cc9e6531c8776caa3aab0469021
■	■	■	■	■	■	■■■			4aa072069bf7642ef18e8ec5e146cc9e6531c8776caa3aab0469021
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■			4aa9d3c3a21df43d881feb58aed7ecb5f945cfed694c4a7c12dd6d0
■	■	■	■	■	■	■■■			4aa9d3c3a21df43d881feb58aed7ecb5f945cfed694c4a7c12dd6d0
■	■	■	■	■	■■■	d			
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■			4aad339416e8026d1fa8b230a91e72b9dbcc20ce7675dd245fc4d95
■	■	■	■	■	■	■■■			4aad339416e8026d1fa8b230a91e72b9dbcc20ce7675dd245fc4d95
■	■	■	■	■	■■■	f			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■			4af2f2bf26d10a841568590c06f4ceb3d8c15499f6f67f10e803b6e
■	■	■	■	■	■	■■■			4af2f2bf26d10a841568590c06f4ceb3d8c15499f6f67f10e803b6e
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■■■	b			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■			4b3b05f30c97ca6caf341b00933bfefb791e056815228b3ae021f7a
■	■	■	■	■	■	■■■			4b3b05f30c97ca6caf341b00933bfefb791e056815228b3ae021f7a
■	■	■	■	■	■■■	5			
■	■	■	■	■	■■■	e			

```

5
4b5e59b539626467d13713a9655bc305c777f505a839baf5c71e7d4
4b5e59b539626467d13713a9655bc305c777f505a839baf5c71e7d4
7
3
a
4b73ab20020ce971c30a3511cbd0aa58e077202a569030c994e1895
4b73ab20020ce971c30a3511cbd0aa58e077202a569030c994e1895
a
5
8
4ba581cba8032aae5211a6298c81137c8b03f92c716fbce559c85f1
4ba581cba8032aae5211a6298c81137c8b03f92c716fbce559c85f1
e
0
7
4be07d3ac353e38d2c9e3a257cad36ee2a758fc88b4cd5f0d479a5a
4be07d3ac353e38d2c9e3a257cad36ee2a758fc88b4cd5f0d479a5a
6
e
4be6ea4c9825d8219df74a273b87a8ad3879d0ad9dd9bace41bb332
4be6ea4c9825d8219df74a273b87a8ad3879d0ad9dd9bace41bb332
8
f
4be8f79d037a8408436cfe043a5283bc83d37ff361458765097a0f4
4be8f79d037a8408436cfe043a5283bc83d37ff361458765097a0f4
f
f
2
4bff26ef32315dfd047477146873846cf62cf49a0b94d6e0d62e6f4
4bff26ef32315dfd047477146873846cf62cf49a0b94d6e0d62e6f4
c
0
d
7
4c0d7267ec7375532d947db242b63eaf6affb47791350eda6d22220
4c0d7267ec7375532d947db242b63eaf6affb47791350eda6d22220
4
4
f
4c44f933cbf0792672cc88a6d5e20e54fdb971b1a48fe9ad7258e43
4c44f933cbf0792672cc88a6d5e20e54fdb971b1a48fe9ad7258e43
5
d
c
4c5dc2cce393740a56ba43d75a0e19767884b64c23ee156c9ee4c83
4c5dc2cce393740a56ba43d75a0e19767884b64c23ee156c9ee4c83
7
3
5
4c735b8f7bc940949970fe7cc5df7f6636c3bc80cf42fc581e2a262
4c735b8f7bc940949970fe7cc5df7f6636c3bc80cf42fc581e2a262
f
3
d
4cf3d75a15edb8b41e448268a3756ab95beb7e122f7dfe55c71f4f5
4cf3d75a15edb8b41e448268a3756ab95beb7e122f7dfe55c71f4f5
d

```

■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	4d206ff81012aef02b689c85e75effe59ddbf339b7e5abed6a3f382
■	■	■	■	■	■	■■■	4d206ff81012aef02b689c85e75effe59ddbf339b7e5abed6a3f382
■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	4d360e90c78e92f27e49ba1bbb4e73ca05a2ba92b2c34cc53406cef
■	■	■	■	■	■	■■■	4d360e90c78e92f27e49ba1bbb4e73ca05a2ba92b2c34cc53406cef
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	4d62c77251a8a769c49924626123de8febb8d05b0a8ba0d7bd5e6b1
■	■	■	■	■	■	■■■	4d62c77251a8a769c49924626123de8febb8d05b0a8ba0d7bd5e6b1
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	4dd5cbd72dbbf4538fe948aac9b13fddf0fc510a62ceb42d073aa4e
■	■	■	■	■	■	■■■	4dd5cbd72dbbf4538fe948aac9b13fddf0fc510a62ceb42d073aa4e
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	4ddf163b95362654d353c1676c88db8194ac64b10257d7f0493e7b6
■	■	■	■	■	■	■■■	4ddf163b95362654d353c1676c88db8194ac64b10257d7f0493e7b6
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	4df4592389f74dd854e14fbc1f090839036ec1a3d17e7f4693d6b06
■	■	■	■	■	■	■■■	4df4592389f74dd854e14fbc1f090839036ec1a3d17e7f4693d6b06
■	■	■	■	■■■	e		
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	4ea76201e0590b8be0b20dcba3adb06e5a1bc8bc104cf8b530ce2a9
■	■	■	■	■	■	■■■	4ea76201e0590b8be0b20dcba3adb06e5a1bc8bc104cf8b530ce2a9
■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	4ec61ede633a2e6300104d0a3ba0dd102f75c9a4a82141f98af245c
■	■	■	■	■	■	■■■	4ec61ede633a2e6300104d0a3ba0dd102f75c9a4a82141f98af245c
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	4ee3138b60ee0c1b5c7c6d39d2830adba9f08a2f0a1a300dfb7d80b
■	■	■	■	■	■	■■■	4ee3138b60ee0c1b5c7c6d39d2830adba9f08a2f0a1a300dfb7d80b
■	■	■	■	■■■	f		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	4f25a39384b5a90088552061d45bffb7bc8e4ea036c467dda36077c
■	■	■	■	■	■	■■■	4f25a39384b5a90088552061d45bffb7bc8e4ea036c467dda36077c
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	4f25d1410652dea16b5c9eaccf1cbf1198e8e85778c2eb0d5bfb2c3
■	■	■	■	■	■	■■■	4f25d1410652dea16b5c9eaccf1cbf1198e8e85778c2eb0d5bfb2c3
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	4f5680b8c3a9079e8632c9ca877b4cf2117436cf944e94c8f23efdf

4f5680b8c3a9079e8632c9ca877b4cf2117436cf944e94c8f23efdf
c
6
5
4fc659c5f6aa65ea06a8aab500c28d357faea985093db0d4f080c00
4fc659c5f6aa65ea06a8aab500c28d357faea985093db0d4f080c00
d
3
3
4fd33e883a3cc368577fa4a99813c50900c643984b0a08e1eb1369b
4fd33e883a3cc368577fa4a99813c50900c643984b0a08e1eb1369b
f
8
6
4ff8606ef3565dd3d8cb49160a12b00a0874f4891b47bf246085586
4ff8606ef3565dd3d8cb49160a12b00a0874f4891b47bf246085586
5
0
1
a
6
501a6000a758f20ae92583ab706076d366212a920b87a5eadb7d22c
501a6000a758f20ae92583ab706076d366212a920b87a5eadb7d22c
c
d
5
50cd5d076782ac982704f22fef25b264ed19e15e63459bbd6a4fff6
50cd5d076782ac982704f22fef25b264ed19e15e63459bbd6a4fff6
d
2
9
50d29e5d48dd4cce6c95ce0880a008f168dcc60ed8781f80a7698d8
50d29e5d48dd4cce6c95ce0880a008f168dcc60ed8781f80a7698d8
1
2
8
f
5128faf84638c7b6f83fe2ce7c0307a95097049cbe8256e922efea5
5128faf84638c7b6f83fe2ce7c0307a95097049cbe8256e922efea5
8
4
a
5184aad3138f3c1f37287d167097a8f29f0dd44cb4d406be4a8adaa
5184aad3138f3c1f37287d167097a8f29f0dd44cb4d406be4a8adaa
2
4
e
a
524eaa378c5eeff9b07f34d936ce7bc411da078278be84566970502
524eaa378c5eeff9b07f34d936ce7bc411da078278be84566970502
8
b
7
528b7cf7a817d7a3e28fbf1a2b68305d313d24f70c86c06bf500271
528b7cf7a817d7a3e28fbf1a2b68305d313d24f70c86c06bf500271
9
d
8

■	■	■	■	■	■	■	■	■■■	529d899ead0a44e9413c02620d856780368c083eff8bf2466e32601
■	■	■	■	■	■	■	■	■■■	529d899ead0a44e9413c02620d856780368c083eff8bf2466e32601
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	534d2533ab74578c481e35aba42fd45f3408f92e8ac2eaed6745703	
■	■	■	■	■	■	■	■■■	534d2533ab74578c481e35aba42fd45f3408f92e8ac2eaed6745703	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	53be9ba711431b8cdb7f6e9a0b76e29ae3db828b8de5016878bcc36	
■	■	■	■	■	■	■	■■■	53be9ba711431b8cdb7f6e9a0b76e29ae3db828b8de5016878bcc36	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	53d47a5cb40d39eade49af40ab8c4c0e4c96be0bafb78f8aceb7736	
■	■	■	■	■	■	■	■■■	53d47a5cb40d39eade49af40ab8c4c0e4c96be0bafb78f8aceb7736	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	542b4cc43ba505501344f025a523bcd0be79d6594f1fd6a15e1d1c0	
■	■	■	■	■	■	■	■■■	542b4cc43ba505501344f025a523bcd0be79d6594f1fd6a15e1d1c0	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	543aa8a9fde7f40c8e89cdfdb118205c269b75193742e5ffd04a7d	
■	■	■	■	■	■	■	■■■	543aa8a9fde7f40c8e89cdfdb118205c269b75193742e5ffd04a7d	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	543f795bc74255514b333d6f1c8e9827ded40ed5037cc3fd0148b16	
■	■	■	■	■	■	■	■■■	543f795bc74255514b333d6f1c8e9827ded40ed5037cc3fd0148b16	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	5476a143dce6084b405e3a177fcc1d99bfdd7f39750c5fddae7115c	
■	■	■	■	■	■	■	■■■	5476a143dce6084b405e3a177fcc1d99bfdd7f39750c5fddae7115c	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	5530f1e9a3cfd8e6de1ea1c65cd69a0dd95894d02ea98f5f5e1b13b	
■	■	■	■	■	■	■	■■■	5530f1e9a3cfd8e6de1ea1c65cd69a0dd95894d02ea98f5f5e1b13b	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	55891e6605f78c968186c65b9b2fcef7a29bd3f383b76364a0f8c1b	
■	■	■	■	■	■	■	■■■	55891e6605f78c968186c65b9b2fcef7a29bd3f383b76364a0f8c1b	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	559ece193217821a25b78966d49c85bdd7fe6abab499830357251e7	
■	■	■	■	■	■	■	■■■	559ece193217821a25b78966d49c85bdd7fe6abab499830357251e7	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	55d4c8133a45f43ced38fdeb92695c35b8442dfdf533c19663cb4d	

55d4c8133a45f43ced38fdebf92695c35b8442dfdf533c19663cb4d

e

8

9

55e89b09594758366a997abbae14a69af04566121efa35f87cbadc7

55e89b09594758366a997abbae14a69af04566121efa35f87cbadc7

6

1

f

1

561f16b16f46bbc29689a6651a536dcca73ec3bc37aa79f403e8c4

561f16b16f46bbc29689a6651a536dcca73ec3bc37aa79f403e8c4

4

7

c

5647cf9d176ce748b93e8a195e038fc239f9c2bbc22ca7578001af9

5647cf9d176ce748b93e8a195e038fc239f9c2bbc22ca7578001af9

5

a

a

565aafaeef0e3c0f92455a58ca7e67219732153fffe7a8207abbec9

565aafaeef0e3c0f92455a58ca7e67219732153fffe7a8207abbec9

6

4

0

566401ae40959bead265ace90a7274c3859f15e306122993c661fc3

566401ae40959bead265ace90a7274c3859f15e306122993c661fc3

a

f

7

56af78496c38fef99775682135b2516b2dc5d3b3aa44ad556f452b7

56af78496c38fef99775682135b2516b2dc5d3b3aa44ad556f452b7

7

3

4

3

57343517d635bc3fe6316bc49b8b14409de7f6e035e8b0a20da9b7a

57343517d635bc3fe6316bc49b8b14409de7f6e035e8b0a20da9b7a

8

c

5738c4b25a82a883edc7dc551625df6fb9eb9be67c759ad595ca094

5738c4b25a82a883edc7dc551625df6fb9eb9be67c759ad595ca094

7

0

6

57706903f0e62ca8da8a202cebceb856524e9fc7352ebb1a6ae815f

57706903f0e62ca8da8a202cebceb856524e9fc7352ebb1a6ae815f

a

5

577a58fe5036cab520bc9770a1adb20945e6126851b5cc456aee8a5

577a58fe5036cab520bc9770a1adb20945e6126851b5cc456aee8a5

8

6

a

5786a92b5f9b19a4294d64751aff96069349061b1d2fd113952fbd9

5786a92b5f9b19a4294d64751aff96069349061b1d2fd113952fbd9

8

2

■	■	■	■	■	■	■	■	■■■	57882f8d616cfbcb1be8728b9348f0661e4f483fc827c45657572e6
■	■	■	■	■	■	■	■	■■■	57882f8d616cfbcb1be8728b9348f0661e4f483fc827c45657572e6
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	57c330c950275aa24700cce3a559d3a0fda94fc19862dcb728a07bb	
■	■	■	■	■	■	■	■■■	57c330c950275aa24700cce3a559d3a0fda94fc19862dcb728a07bb	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5814c4630dfd43def7561ac74826eb6d89814649d42c0230a267c6a	
■	■	■	■	■	■	■	■■■	5814c4630dfd43def7561ac74826eb6d89814649d42c0230a267c6a	
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	582d0593487b69da32c5a1e905255f1333fff2458c425362b248a1a	
■	■	■	■	■	■	■	■■■	582d0593487b69da32c5a1e905255f1333fff2458c425362b248a1a	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	58532868e1634f9d6748d3217f2b145ee36ba8bd42e7677ec77f3cc		
■	■	■	■	■	■	■■■	58532868e1634f9d6748d3217f2b145ee36ba8bd42e7677ec77f3cc		
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	5888c6f1ae39c13772eae6e9fb73d02e60c31a71a9435059fa59283		
■	■	■	■	■	■	■■■	5888c6f1ae39c13772eae6e9fb73d02e60c31a71a9435059fa59283		
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	58bfa7096fc83196c1c694e2bbf7bed1d307fcd726fce13e59fcf9a		
■	■	■	■	■	■	■■■	58bfa7096fc83196c1c694e2bbf7bed1d307fcd726fce13e59fcf9a		
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	591a0a7ea47d81cffb332bf5e1460e560ce743822558c6f345314d4		
■	■	■	■	■	■	■■■	591a0a7ea47d81cffb332bf5e1460e560ce743822558c6f345314d4		
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	595119384424f750543e201763b875c3f3e0ff028ba41e4b528b7dc		
■	■	■	■	■	■	■■■	595119384424f750543e201763b875c3f3e0ff028ba41e4b528b7dc		
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	595f01992f9f5fbeecc150b38875346e8994c242a466ab0cd4fed9ca		
■	■	■	■	■	■	■■■	595f01992f9f5fbeecc150b38875346e8994c242a466ab0cd4fed9ca		
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	5996fcfbe78012a888f1de26cea15f92b90975e989bed6d89fde4ea		
■	■	■	■	■	■	■■■	5996fcfbe78012a888f1de26cea15f92b90975e989bed6d89fde4ea		
■	■	■	■	■	■■■	a			
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	59a18785e62fce449ed99cdc911eff8991d8e3902371dd1653365f6		
■	■	■	■	■	■	■■■	59a18785e62fce449ed99cdc911eff8991d8e3902371dd1653365f6		

■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	59ba2b14c4c997645c75bbc2527b3e06f18efc9f32227234c5c5e42	
■	■	■	■	■	■	■	■■■	59ba2b14c4c997645c75bbc2527b3e06f18efc9f32227234c5c5e42	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	5a36775f3fa009fca7cef486c6a3f76d523a2bc1fcda55d69bd0c7d	
■	■	■	■	■	■	■	■■■	5a36775f3fa009fca7cef486c6a3f76d523a2bc1fcda55d69bd0c7d	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	5a8daf4775c6bcefc7e43bf5194a1e329c571a7e76117fa102085b3	
■	■	■	■	■	■	■	■■■	5a8daf4775c6bcefc7e43bf5194a1e329c571a7e76117fa102085b3	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5a91cad017aceab2ef1c132dfdc7bfbab650d7026ef40945ede25042	
■	■	■	■	■	■	■	■■■	5a91cad017aceab2ef1c132dfdc7bfbab650d7026ef40945ede25042	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5aa3c5ded1a343cbaff92348d4d73d6ac614523e51d92dc6a15665e	
■	■	■	■	■	■	■	■■■	5aa3c5ded1a343cbaff92348d4d73d6ac614523e51d92dc6a15665e	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	5ac9b9faf854c67fea32ed6b399d877e634609bf4b905557c9a7747	
■	■	■	■	■	■	■	■■■	5ac9b9faf854c67fea32ed6b399d877e634609bf4b905557c9a7747	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	5b2393ad2613166ebc22873b29723042778f41b0dc2710929d04089	
■	■	■	■	■	■	■	■■■	5b2393ad2613166ebc22873b29723042778f41b0dc2710929d04089	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	5b576ddc69cb2cda42f61333b85f066e4990a5eab5c96e0670cbb44	
■	■	■	■	■	■	■	■■■	5b576ddc69cb2cda42f61333b85f066e4990a5eab5c96e0670cbb44	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	5b75e508f580f904eab3dbca1f05459c59ca796c558b9bc23073b4d	
■	■	■	■	■	■	■	■■■	5b75e508f580f904eab3dbca1f05459c59ca796c558b9bc23073b4d	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	5b84a9e9b14145dd9af8abce6c1c4201055a3ce60b894b8f12b8e43	
■	■	■	■	■	■	■	■■■	5b84a9e9b14145dd9af8abce6c1c4201055a3ce60b894b8f12b8e43	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	5bd894eeb3dfe1c8aaee1daecd7b74bbb314293813a730238621f07	
■	■	■	■	■	■	■	■■■	5bd894eeb3dfe1c8aaee1daecd7b74bbb314293813a730238621f07	
■	■	■	■	■	■■■	c			

■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	5c045f46f3f8b8e6dceaf7ab411e6dca1ceb6b66747423694f388f7
■	■	■	■	■	■	■■■	5c045f46f3f8b8e6dceaf7ab411e6dca1ceb6b66747423694f388f7
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	5c0c1e6a3a8ce642af4c8750eb1f23ec3a1664d04549c179e45537c
■	■	■	■	■	■	■■■	5c0c1e6a3a8ce642af4c8750eb1f23ec3a1664d04549c179e45537c
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	5c55e3259f7365f813ee7ec7af119e4957229a83b25f3dae14b81c3
■	■	■	■	■	■	■■■	5c55e3259f7365f813ee7ec7af119e4957229a83b25f3dae14b81c3
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	5c669db596403445cf2e6b6c73527f65c57d472975c236543a0756f
■	■	■	■	■	■	■■■	5c669db596403445cf2e6b6c73527f65c57d472975c236543a0756f
■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	5c7324e1f6f306065fa6d1263cbce82c8310fb4475bb74e6f90422e
■	■	■	■	■	■	■■■	5c7324e1f6f306065fa6d1263cbce82c8310fb4475bb74e6f90422e
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	5c80915e528917ee0ab1ec4449bdaf0c7a495c9aae262bfd378917e
■	■	■	■	■	■	■■■	5c80915e528917ee0ab1ec4449bdaf0c7a495c9aae262bfd378917e
■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	5ccaacde439fe2093ec071fa044ad90152dd39f9072cdbca13dd0ab
■	■	■	■	■	■	■■■	5ccaacde439fe2093ec071fa044ad90152dd39f9072cdbca13dd0ab
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	5d1670580cd38118770584fc65fe4981414f8527bdebf378de182e8
■	■	■	■	■	■	■■■	5d1670580cd38118770584fc65fe4981414f8527bdebf378de182e8
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	5d467b733c7192a982133a604b40108522981f20a6152b89fc2a800
■	■	■	■	■	■	■■■	5d467b733c7192a982133a604b40108522981f20a6152b89fc2a800
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	5d862704d3e17307bb96b138da639ffd45fddd47817efcb99021385
■	■	■	■	■	■	■■■	5d862704d3e17307bb96b138da639ffd45fddd47817efcb99021385
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	5e1566c3cd6ebe85e96ca647578431e485dbc275e8e8ec5aaf5ff3e
■	■	■	■	■	■	■■■	5e1566c3cd6ebe85e96ca647578431e485dbc275e8e8ec5aaf5ff3e
■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	5

```

e
5e35e5b8dc7773ae3e720f685871cc3e1a64b41807d49368e02d9d4
5e35e5b8dc7773ae3e720f685871cc3e1a64b41807d49368e02d9d4
c
7
6
5ec76d3ea7d08dbfe328fb163efa03781dffaa1c3cff18783c797c5
5ec76d3ea7d08dbfe328fb163efa03781dffaa1c3cff18783c797c5
f
0
0
4
5f004fdadf388c278d5412a92e3ce7a26319c3bb90a94b3c8fe8e1d
5f004fdadf388c278d5412a92e3ce7a26319c3bb90a94b3c8fe8e1d
4
c
6
5f4c69f467ad71e652bdb5f2149b9e6f574e714d4c2855845067063
5f4c69f467ad71e652bdb5f2149b9e6f574e714d4c2855845067063
d
1
5f4d1fd151c05c40bb008ed6ca0367becb93d15293f8e5181108294
5f4d1fd151c05c40bb008ed6ca0367becb93d15293f8e5181108294
7
8
d
5f78d0505cab38b9a72a8c052ec5a766d11b7bce75cffc191f70fa2
5f78d0505cab38b9a72a8c052ec5a766d11b7bce75cffc191f70fa2
8
9
6
5f8967c74e4544cc5f12bd1b2af0b9bc30b2a66d2c14469e23c6b12
5f8967c74e4544cc5f12bd1b2af0b9bc30b2a66d2c14469e23c6b12
b
4
5f8b4f515974d10181278b552dc71618e84c490945899dab6ceb929
5f8b4f515974d10181278b552dc71618e84c490945899dab6ceb929
6
0
1
e
4
601e49f5abadc74fd5a1168de91b6f4dca586c1940a8bfd02f38058
601e49f5abadc74fd5a1168de91b6f4dca586c1940a8bfd02f38058
2
5
9
60259667d7d39bd8608113a500a5cb1d6dab87bd59c8ab501782e55
60259667d7d39bd8608113a500a5cb1d6dab87bd59c8ab501782e55
3
f
1
603f1e1594be154f400f417f3effab89178eb8cddb4ee58c458fe20
603f1e1594be154f400f417f3effab89178eb8cddb4ee58c458fe20
4
3
b
6043bf8844497d3f6893a24e04306574d9ae79a5a3804828cc5ad6

```

■	■	■	■	■	■	■	■	■■■	6043bf8844497d3f6893a24e04306574d9ae79a5a3804828cc5ad6e
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	6078dc20a4decd97c7815787054cd3adb74e43f2df67c28b40c4814	
■	■	■	■	■	■	■	■■■	6078dc20a4decd97c7815787054cd3adb74e43f2df67c28b40c4814	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	608aef5c766ddd62f308ddb7605b7db37ef169993e97d2888d8ae77	
■	■	■	■	■	■	■	■■■	608aef5c766ddd62f308ddb7605b7db37ef169993e97d2888d8ae77	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	60d76000e692d001575cc8b3c5636dbc7c1427cc1b31cd5b6a7ddf5	
■	■	■	■	■	■	■	■■■	60d76000e692d001575cc8b3c5636dbc7c1427cc1b31cd5b6a7ddf5	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	60f70a67d951e0a2ab20c1d19a022a2f2cf913338e69bb3d1a46f0b	
■	■	■	■	■	■	■	■■■	60f70a67d951e0a2ab20c1d19a022a2f2cf913338e69bb3d1a46f0b	
■	■	■	■	■■■	1				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	614f46c6d1c16fa5b0800dfd0497e41c5b320e16ee8c9d943d4dd34	
■	■	■	■	■	■	■	■■■	614f46c6d1c16fa5b0800dfd0497e41c5b320e16ee8c9d943d4dd34	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	61678d682a1ea716fb4acccebc1350da197d2251a96e4b922006105	
■	■	■	■	■	■	■	■■■	61678d682a1ea716fb4acccebc1350da197d2251a96e4b922006105	
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	616d1b580a17f368dd2febe85938f75ffbc7af4d5b79213614dab74	
■	■	■	■	■	■	■	■■■	616d1b580a17f368dd2febe85938f75ffbc7af4d5b79213614dab74	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	61ab4d3286a741c2e0eb485fb9b434d2738db38f1d8a405e25a3348	
■	■	■	■	■	■	■	■■■	61ab4d3286a741c2e0eb485fb9b434d2738db38f1d8a405e25a3348	
■	■	■	■	■■■	2				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	6200f0cb0fa083443ffac8864dd532af9ba8cbfbc186abe7c61067f	
■	■	■	■	■	■	■	■■■	6200f0cb0fa083443ffac8864dd532af9ba8cbfbc186abe7c61067f	
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	62020f55e2dbe16717b4caafc533c47639c1c50d408d52d60e6c947	
■	■	■	■	■	■	■	■■■	62020f55e2dbe16717b4caafc533c47639c1c50d408d52d60e6c947	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■	62355c5feaed9be0a92f7ae1fcc30578a4fcb239921cb44c018e598	
■	■	■	■	■	■	■	■■■	62355c5feaed9be0a92f7ae1fcc30578a4fcb239921cb44c018e598	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	3		

■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■		62c3d0615ba8d3d433f0a6bfd73aa2f2bd89fc24fd5b878a57f8bab
■	■	■	■	■	■	■	■■■		62c3d0615ba8d3d433f0a6bfd73aa2f2bd89fc24fd5b878a57f8bab
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■			62f2a511f15aaa94b7d87a1de568feb361a5c425a614e58d439d939
■	■	■	■	■	■	■■■			62f2a511f15aaa94b7d87a1de568feb361a5c425a614e58d439d939
■	■	■	■	■■■		3			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■			63234c3f8058e2c941361654e2dc2719410242e3191243f732cf488
■	■	■	■	■	■	■■■			63234c3f8058e2c941361654e2dc2719410242e3191243f732cf488
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■			632e3777f689094f96c0bfa14c16347c793efa4f08cda0636e248bc
■	■	■	■	■	■	■■■			632e3777f689094f96c0bfa14c16347c793efa4f08cda0636e248bc
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■			6350307711414bd3b35b3a3ad0b5700aa0de5d4d35f78f441b41018
■	■	■	■	■	■	■■■			6350307711414bd3b35b3a3ad0b5700aa0de5d4d35f78f441b41018
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■			63a61ab7ba6b1bca8b6c1d6d498e0e8de7000e4a973debe806f7c78
■	■	■	■	■	■	■■■			63a61ab7ba6b1bca8b6c1d6d498e0e8de7000e4a973debe806f7c78
■	■	■	■	■■■		4			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■			6494fe8e51a375938431b401c38ddd49051280b96e2061fc81c1b8e
■	■	■	■	■	■	■■■			6494fe8e51a375938431b401c38ddd49051280b96e2061fc81c1b8e
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■			64cfc03e83f9fad4049b1d2a1d785c9273270a4ab9788b538f5054e
■	■	■	■	■	■	■■■			64cfc03e83f9fad4049b1d2a1d785c9273270a4ab9788b538f5054e
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■			64d04797cfff2e1788bae8a2e68d5192f1cd3661018256259f8b519e
■	■	■	■	■	■	■■■			64d04797cfff2e1788bae8a2e68d5192f1cd3661018256259f8b519e
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■			64f5625255b6899fe89c5c31507ff0f86c622b0dd1e2ceb91b19a1d
■	■	■	■	■	■	■■■			64f5625255b6899fe89c5c31507ff0f86c622b0dd1e2ceb91b19a1d
■	■	■	■	■■■		5			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■			65072c35290c429df2e84cb69eba045284d50944561efa156675456
■	■	■	■	■	■	■■■			65072c35290c429df2e84cb69eba045284d50944561efa156675456
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	5		

[illegible]

■	■	■	■	■	■	■	■	■■■	66d324e0b7ff67fa941db0dfb9a1b7feda5dcacd97a9288ff7a5488
■	■	■	■	■	■	■	■	■■■	66d324e0b7ff67fa941db0dfb9a1b7feda5dcacd97a9288ff7a5488
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	66e3b8a6991d464e56fe1f23d0ae546295fdec	b4e6448db5b60f4b8
■	■	■	■	■	■	■	■■■	66e3b8a6991d464e56fe1f23d0ae546295fdec	b4e6448db5b60f4b8
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	66ec76a7b6ed4081044f5c7821af293b63c17bc2ac523ff93d5ca7d	
■	■	■	■	■	■	■	■■■	66ec76a7b6ed4081044f5c7821af293b63c17bc2ac523ff93d5ca7d	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	670e63af65b8c183bd7aa4816532a21a1e3216fd4cf6557ce2b5d66	
■	■	■	■	■	■	■	■■■	670e63af65b8c183bd7aa4816532a21a1e3216fd4cf6557ce2b5d66	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	6717d8b8b72866f162087b1470d9f2712947b3a295f8462ac087b4d	
■	■	■	■	■	■	■	■■■	6717d8b8b72866f162087b1470d9f2712947b3a295f8462ac087b4d	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	679d554903a7dff5bb778f33064f010b0ad17797dfea1de5044352	
■	■	■	■	■	■	■	■■■	679d554903a7dff5bb778f33064f010b0ad17797dfea1de5044352	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	67f06f9a67e44e284a63e45b57ff9db8630c40ea8cf861e444af047	
■	■	■	■	■	■	■	■■■	67f06f9a67e44e284a63e45b57ff9db8630c40ea8cf861e444af047	
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	67f5b5747518cbf74987d367c9e086a003d777484ff6398b7b101a9	
■	■	■	■	■	■	■	■■■	67f5b5747518cbf74987d367c9e086a003d777484ff6398b7b101a9	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	68d62d50655e89284750df1eefc750a2e793cb0abebf99c6a167ea0	
■	■	■	■	■	■	■	■■■	68d62d50655e89284750df1eefc750a2e793cb0abebf99c6a167ea0	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	694e09c0003d19567fdb2596c6b054a0ce77fc7d3b9a537161efbe2	
■	■	■	■	■	■	■	■■■	694e09c0003d19567fdb2596c6b054a0ce77fc7d3b9a537161efbe2	
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	694e2bf3f7b9fc73e1690dea790651bcdc6cc58d6887ec476cdbbc4	
■	■	■	■	■	■	■	■■■	694e2bf3f7b9fc73e1690dea790651bcdc6cc58d6887ec476cdbbc4	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	69a81aa8a2cb7fa524553de2b9eb53438ed639323fa22f812aaa4df	
■	■	■	■	■	■	■	■■■	69a81aa8a2cb7fa524553de2b9eb53438ed639323fa22f812aaa4df	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	4			

[illegible]

f
 6d04f208cf2f3894cef5c68d998228093b6524f4160fb8d9dd9597c
 6d04f208cf2f3894cef5c68d998228093b6524f4160fb8d9dd9597c
 4
 5
 6
 6d45661c8528eec24a3bda8c6ac0b2d711be10662b13fbf9fb560c1
 6d45661c8528eec24a3bda8c6ac0b2d711be10662b13fbf9fb560c1
 5
 4
 6
 6d5467d2c70a18cfd346d327d4f7c0b258b26d4f49378413e1bea46
 6d5467d2c70a18cfd346d327d4f7c0b258b26d4f49378413e1bea46
 e
 2
 b
 2
 6e2b25980435d97ba759638321fc3ec3005e2bf7b14db96935837eb
 6e2b25980435d97ba759638321fc3ec3005e2bf7b14db96935837eb
 7
 5
 2
 6e752795b0bfb1feac8fb904d071810d09c92eae9d44357c61313aa
 6e752795b0bfb1feac8fb904d071810d09c92eae9d44357c61313aa
 8
 1
 a
 6e81a5998776efb38f930224b8ff215440479e9bb342f3dcde41c23
 6e81a5998776efb38f930224b8ff215440479e9bb342f3dcde41c23
 b
 5
 4
 6eb54f73ec3319c26d409c5299b2e8284e498cf06d63fea070ff7a5
 6eb54f73ec3319c26d409c5299b2e8284e498cf06d63fea070ff7a5
 f
 4
 1
 9
 6f41912d3f2f2364414aba5c0708d39431b6bc5f9c080855da269d3
 6f41912d3f2f2364414aba5c0708d39431b6bc5f9c080855da269d3
 b
 e
 8
 6fbe88fed55afa233a8851fd9907623b521cc399239b7307edd8b38
 6fbe88fed55afa233a8851fd9907623b521cc399239b7307edd8b38
 f
 8
 6fbf85f59629e6468a00e8df81e87b132ddc47a30799dbbe123046b
 6fbf85f59629e6468a00e8df81e87b132ddc47a30799dbbe123046b
 c
 d
 3
 6fcd3b126a7f28da8c6b250fb4d2c671ef6486a1bb6d5a360175316
 6fcd3b126a7f28da8c6b250fb4d2c671ef6486a1bb6d5a360175316
 7
 0
 0
 5

```

a
7005aabcfc39781e51c0e3de730d96bbe6ce7f15fbad72a865d829e9
7005aabcfc39781e51c0e3de730d96bbe6ce7f15fbad72a865d829e9
7
f
2
707f29bf5a2c5234922a7b38fa6b01c3d7cf2f8e938595b7db28fe6
707f29bf5a2c5234922a7b38fa6b01c3d7cf2f8e938595b7db28fe6
9
9
6
709961bd10cdf7a4da0c968accf90e33d384913cbd9a19284515123
709961bd10cdf7a4da0c968accf90e33d384913cbd9a19284515123
f
7
7
70f7707d8a828ee907d426ac7967091226588628fc1f80ad2ba7139
70f7707d8a828ee907d426ac7967091226588628fc1f80ad2ba7139
d
0
70fd08e0ce4989bf6a500a3bc2ca126a6bdd924af86b2f9e03f7aef
70fd08e0ce4989bf6a500a3bc2ca126a6bdd924af86b2f9e03f7aef
1
2
6
0
712605de4e2d94db2e7e4d93509f980482ea8b94804b4660ae7c143
712605de4e2d94db2e7e4d93509f980482ea8b94804b4660ae7c143
4
0
d
7140d6ed1b1c89d89e9357c534bc4663b6b6ea323ad346668a972e6
7140d6ed1b1c89d89e9357c534bc4663b6b6ea323ad346668a972e6
5
3
f
7153f85f923c406fa4f801cf1383ca67a21c9b4ea4c496e3a00c52c
7153f85f923c406fa4f801cf1383ca67a21c9b4ea4c496e3a00c52c
d
4
715d4cd04b7aed2b81f7b9769654f0d4a9e7993ea355557c29a7797
715d4cd04b7aed2b81f7b9769654f0d4a9e7993ea355557c29a7797
b
6
c
71b6c803e9c1aaef633939017f228a1832bc8e3295feb059b05df60
71b6c803e9c1aaef633939017f228a1832bc8e3295feb059b05df60
9
2
71b929b59e30ca7f37605b6e9d3526a4fadcab84f08462dca570dd1
71b929b59e30ca7f37605b6e9d3526a4fadcab84f08462dca570dd1
2
0
f
7
720f7508f1bbefdd1a092026b5d8b520376c923ec867e2db9f0a346
720f7508f1bbefdd1a092026b5d8b520376c923ec867e2db9f0a346
4

```

[illegible]

■	■	■	■	■	■	■	■	■■■	73f3abcf6f7bae7a4f7224bca9394ab0b67176b94f9acd9c89ea7a
■	■	■	■	■	■	■	■	■■■	73f3abcf6f7bae7a4f7224bca9394ab0b67176b94f9acd9c89ea7a
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■	■■■	73fdab09de1972536edf9f68ebae6c11d71e85b23124007454a3f79
■	■	■	■	■	■	■	■	■■■	73fdab09de1972536edf9f68ebae6c11d71e85b23124007454a3f79
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■	■■■	7405b45a3ae328a8034f160731379ea498273d9496e940128448fa4
■	■	■	■	■	■	■	■	■■■	7405b45a3ae328a8034f160731379ea498273d9496e940128448fa4
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	740888090330b0dd7a2cf5dad2cb6e22a5d40cf4b894416c973d3fb
■	■	■	■	■	■	■	■	■■■	740888090330b0dd7a2cf5dad2cb6e22a5d40cf4b894416c973d3fb
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	741844c74a780e96ee4d26c4fb06160b351b967236da5d2d6999d13
■	■	■	■	■	■	■	■	■■■	741844c74a780e96ee4d26c4fb06160b351b967236da5d2d6999d13
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	74519485e1536359971ea776590d9b49239604b82f09cf4235d7592
■	■	■	■	■	■	■	■	■■■	74519485e1536359971ea776590d9b49239604b82f09cf4235d7592
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	7467fa30bcf941f3aad858c0092276633eb18af5039734244692491
■	■	■	■	■	■	■	■	■■■	7467fa30bcf941f3aad858c0092276633eb18af5039734244692491
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	74bdf372f3d845193f395b9ba4ed91510cd09dc32621fc25fe02568
■	■	■	■	■	■	■	■	■■■	74bdf372f3d845193f395b9ba4ed91510cd09dc32621fc25fe02568
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■	■■■	74e4b8dbca5ac8ed9b568934852785d2aee8cd8b880af52beb995fa
■	■	■	■	■	■	■	■	■■■	74e4b8dbca5ac8ed9b568934852785d2aee8cd8b880af52beb995fa
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	74ea03321368424a9c35d4a1b205596def6149a6bce580ed8983e06
■	■	■	■	■	■	■	■	■■■	74ea03321368424a9c35d4a1b205596def6149a6bce580ed8983e06
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	74f09646c419db58e72289c9d9958b156e21bab1ea0f1191be0fdd3
■	■	■	■	■	■	■	■	■■■	74f09646c419db58e72289c9d9958b156e21bab1ea0f1191be0fdd3
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	757b0a94491afab39f09977ff4ff93b398df2315f752fdc61f06c75
■	■	■	■	■	■	■	■	■■■	757b0a94491afab39f09977ff4ff93b398df2315f752fdc61f06c75
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	4		

[illegible]

■	■	■	■	■	■	■	■	■■■	79b477b1a7682428b09ec380b1a9c61c1e57598efebd6dc88a61922
■	■	■	■	■	■	■	■	■■■	79b477b1a7682428b09ec380b1a9c61c1e57598efebd6dc88a61922
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	79e6282994cdcad26989afa649d0b1fec7232572106137c0eeeb1e4	
■	■	■	■	■	■	■	■■■	79e6282994cdcad26989afa649d0b1fec7232572106137c0eeeb1e4	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7a5f717e7b3fb99ec006f4d173aad55224eb063005c662c586ba051	
■	■	■	■	■	■	■	■■■	7a5f717e7b3fb99ec006f4d173aad55224eb063005c662c586ba051	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	7a7544f20ac0c9e265a85b7d3ac7d5266b7b1ee499d454d2e3e6a61	
■	■	■	■	■	■	■	■■■	7a7544f20ac0c9e265a85b7d3ac7d5266b7b1ee499d454d2e3e6a61	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7a897ead7c606b81fa0fc01455baeea61318fef9c15dc89b2214941	
■	■	■	■	■	■	■	■■■	7a897ead7c606b81fa0fc01455baeea61318fef9c15dc89b2214941	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	7a9a30b21c19476094e26577f75c0c2231dee2907c18b91fece5f2d	
■	■	■	■	■	■	■	■■■	7a9a30b21c19476094e26577f75c0c2231dee2907c18b91fece5f2d	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	7ae4eb961e865909af2fed553790ab4e7795325bbe186f6fd2907a2	
■	■	■	■	■	■	■	■■■	7ae4eb961e865909af2fed553790ab4e7795325bbe186f6fd2907a2	
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	7b190e5eaec57a227a216cb9d3086ae5e31258699bccb82572891e4	
■	■	■	■	■	■	■	■■■	7b190e5eaec57a227a216cb9d3086ae5e31258699bccb82572891e4	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	7ba06c140b1fec85024826d632251543f3b6b78c2c8fa154be7dfe7	
■	■	■	■	■	■	■	■■■	7ba06c140b1fec85024826d632251543f3b6b78c2c8fa154be7dfe7	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	7bcb21ae39dcbaa6ef2ec164e30fe8d58ad45d81fc957ba55edaacd	
■	■	■	■	■	■	■	■■■	7bcb21ae39dcbaa6ef2ec164e30fe8d58ad45d81fc957ba55edaacd	
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	7c4b8a19f4f69494c22868b76649cd91120de17447e4ff71fb7a7f1	
■	■	■	■	■	■	■	■■■	7c4b8a19f4f69494c22868b76649cd91120de17447e4ff71fb7a7f1	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	7		

7c8b70396ad97f2d09000e2e2388af7c7fbc78398261bb52db3f267

c

b

9

7ccb994e5cb08d1aee93acb83ae5881083c4a349402f61c9f7d304f

7ccb994e5cb08d1aee93acb83ae5881083c4a349402f61c9f7d304f

d

0

6

d

7d06ddc2f8070ce09a5a2290e2020c460e8ab32b6a2c6b69fc06e97

7d06ddc2f8070ce09a5a2290e2020c460e8ab32b6a2c6b69fc06e97

b

e

7d0be049a04b5769dd9721cc258f755b637251a383bd88a21aeb01d

7d0be049a04b5769dd9721cc258f755b637251a383bd88a21aeb01d

9

2

5

7d925fad468f76878ae4f711adfcbdf1f191de63e2fbe786e8101a6d

7d925fad468f76878ae4f711adfcbdf1f191de63e2fbe786e8101a6d

f

c

7d9fc72980162cfdee107d68ed91af7f0d17635944a2be45d02dcc8

7d9fc72980162cfdee107d68ed91af7f0d17635944a2be45d02dcc8

e

2

0

f

7e20f67205460c2990dc3d43525f043c513381bcfe256dfd8072b3b

7e20f67205460c2990dc3d43525f043c513381bcfe256dfd8072b3b

7

9

9

7e799dd8124caf07a87e760488ab798314afa3e38857ed387bf0569

7e799dd8124caf07a87e760488ab798314afa3e38857ed387bf0569

f

0

c

2

7f0c22e0d79b4b8cfedeca6b0057b331b0ebf02a829c86a01e75b9e

7f0c22e0d79b4b8cfedeca6b0057b331b0ebf02a829c86a01e75b9e

1

3

4

7f134966aea71cee3f828ec6486d99df29263370ebd63521989935f

7f134966aea71cee3f828ec6486d99df29263370ebd63521989935f

4

a

d

7f4ada8a224440b8390f0efeb163a6ed9ae5758de0a3cf73ad26d4c

7f4ada8a224440b8390f0efeb163a6ed9ae5758de0a3cf73ad26d4c

8

0

6

0

5

■	■	■	■	■	■	■	■	■	806053c24018604b14c433ae0aaf9d9a49511a23bd0d62a22b13b0a
■	■	■	■	■	■	■	■	■	806053c24018604b14c433ae0aaf9d9a49511a23bd0d62a22b13b0a
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	f	
■	■	■	■	■	■	■	■	808afb37e8c2ecb6f0bdac9f494b9ece22cd6a366cafc2c8b5edae2	
■	■	■	■	■	■	■	■	808afb37e8c2ecb6f0bdac9f494b9ece22cd6a366cafc2c8b5edae2	
■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	e	
■	■	■	■	■	■	■	■	80bbbedc01f3480d9d2c25f1fffd846f9cd7ebef7da832e822438a2	
■	■	■	■	■	■	■	■	80bbbedc01f3480d9d2c25f1fffd846f9cd7ebef7da832e822438a2	
■	■	■	■	■	■	■	■	c	
■	■	■	■	■	■	■	■	5	
■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	80c53fecb34df2abdf90acb26fd7bac539add717dddfc16335cc791	
■	■	■	■	■	■	■	■	80c53fecb34df2abdf90acb26fd7bac539add717dddfc16335cc791	
■	■	■	■	■	■	■	■	f	
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	e	
■	■	■	■	■	■	■	■	80f8ec9d42ca16a4358091cbb467e17d7f2279c196a52819a8625e5	
■	■	■	■	■	■	■	■	80f8ec9d42ca16a4358091cbb467e17d7f2279c196a52819a8625e5	
■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	c	
■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	811cdc5b0df1a4862e5588ed7d10948f806b064e30962a3f3e310c2	
■	■	■	■	■	■	■	■	811cdc5b0df1a4862e5588ed7d10948f806b064e30962a3f3e310c2	
■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	c	
■	■	■	■	■	■	■	■	c	
■	■	■	■	■	■	■	■	813cc7096c25ba43edba14a4ab40832db33af638c43e975795995ae	
■	■	■	■	■	■	■	■	813cc7096c25ba43edba14a4ab40832db33af638c43e975795995ae	
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	818ab32b02e66a290a94c6570df2f6046412549ea5918218a636bc8	
■	■	■	■	■	■	■	■	818ab32b02e66a290a94c6570df2f6046412549ea5918218a636bc8	
■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	c	
■	■	■	■	■	■	■	■	4	
■	■	■	■	■	■	■	■	81dc46295fdf1e648c1bad281709948f289a47fa7c8927ae1c66848	
■	■	■	■	■	■	■	■	81dc46295fdf1e648c1bad281709948f289a47fa7c8927ae1c66848	
■	■	■	■	■	■	■	■	2	
■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	e	
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	82ae8fb1b9828cd36bfe734fbd552eddf80ca733f8dbc7887f270fb	
■	■	■	■	■	■	■	■	82ae8fb1b9828cd36bfe734fbd552eddf80ca733f8dbc7887f270fb	
■	■	■	■	■	■	■	■	c	
■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	6	
■	■	■	■	■	■	■	■	82cb6a7ab0f2277a7c78261aeaa1f2c561796b9321bfd8c2937c5fa	
■	■	■	■	■	■	■	■	82cb6a7ab0f2277a7c78261aeaa1f2c561796b9321bfd8c2937c5fa	
■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	6	
■	■	■	■	■	■	■	■	82dd63f1a5364ed12d9b357ea1104468c830d6df8c8e207695ec2bb	

[illegible]

■	■	■	■	■	■	■	■	■■■	8644573457e0e09cd4d4ee5d45dd100805ee25f518be97e4067d03e
■	■	■	■	■	■	■	■	■■■	8644573457e0e09cd4d4ee5d45dd100805ee25f518be97e4067d03e
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	86f4b4a08f676858c70307d87b4f037f2a0958f1b20c39d1644c5a1	
■	■	■	■	■	■	■	■■■	86f4b4a08f676858c70307d87b4f037f2a0958f1b20c39d1644c5a1	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	86fb8f1dd4fca925f14486231dc80883313b257c452d07a4ddfb0d3	
■	■	■	■	■	■	■	■■■	86fb8f1dd4fca925f14486231dc80883313b257c452d07a4ddfb0d3	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	871762efd86c287672357c9dbad2c79e747a09860b00f711baa84fe	
■	■	■	■	■	■	■	■■■	871762efd86c287672357c9dbad2c79e747a09860b00f711baa84fe	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	87471198cb7fc632cfcd6811310d8da1de7f956b049844a9c0ba89e	
■	■	■	■	■	■	■	■■■	87471198cb7fc632cfcd6811310d8da1de7f956b049844a9c0ba89e	
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	874aac7e0531859c4ffdba7c707fe13c5a17402412a957022cdd380	
■	■	■	■	■	■	■	■■■	874aac7e0531859c4ffdba7c707fe13c5a17402412a957022cdd380	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	87d2dc60118a31ee2e2082453b4f6fdd24b90bc86f11bc63ed0ce31	
■	■	■	■	■	■	■	■■■	87d2dc60118a31ee2e2082453b4f6fdd24b90bc86f11bc63ed0ce31	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	880391ceaa7ea9d0d25150a9399a5a087ddfa4bf8c7291487df8c32	
■	■	■	■	■	■	■	■■■	880391ceaa7ea9d0d25150a9399a5a087ddfa4bf8c7291487df8c32	
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	880f1582dd670fc7bb7231974c67fd946d71685651b47a71086ce5a	
■	■	■	■	■	■	■	■■■	880f1582dd670fc7bb7231974c67fd946d71685651b47a71086ce5a	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	881adb62a593fdbc521a5f13c5f6ef70e6fa0344a95806cbf62d4f4	
■	■	■	■	■	■	■	■■■	881adb62a593fdbc521a5f13c5f6ef70e6fa0344a95806cbf62d4f4	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	8842b5aef30466281e8bf7e0770031462413b763c739e7e7e63b44b	
■	■	■	■	■	■	■	■■■	8842b5aef30466281e8bf7e0770031462413b763c739e7e7e63b44b	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	88ce058c8ef8ff867a5dc7faa498d5b6aa7c830642b5bc2c335a276	
■	■	■	■	■	■	■	■■■	88ce058c8ef8ff867a5dc7faa498d5b6aa7c830642b5bc2c335a276	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	7		

[illegible]

■	■	■	■	■	■	■	■	■■■	8b943ef48adcc4dd67b8f823683c62f4681180d75dc1228a0a352b4
■	■	■	■	■	■	■	■	■■■	8b943ef48adcc4dd67b8f823683c62f4681180d75dc1228a0a352b4
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	8b9d0aa3613c803854ae0abcba7d8434a5e579479fae524b100ae
■	■	■	■	■	■	■	■	■■■	8b9d0aa3613c803854ae0abcba7d8434a5e579479fae524b100ae
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	8bd56e8541472760b8cb4d967160ee644b2fd6e5794754125ea7de5
■	■	■	■	■	■	■	■	■■■	8bd56e8541472760b8cb4d967160ee644b2fd6e5794754125ea7de5
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	8c0481a249f4fea42a8d02d1d310ab94b4f35e062f511304245480e
■	■	■	■	■	■	■	■	■■■	8c0481a249f4fea42a8d02d1d310ab94b4f35e062f511304245480e
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■	■■■	8c3ecf585c815a73af16247323d407e99afb8fdc40cee3542187ad4
■	■	■	■	■	■	■	■	■■■	8c3ecf585c815a73af16247323d407e99afb8fdc40cee3542187ad4
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	8c444fd46d19394076791036cafd8c4973840a3b36e6f0f0de9074a
■	■	■	■	■	■	■	■	■■■	8c444fd46d19394076791036cafd8c4973840a3b36e6f0f0de9074a
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■	■■■	8c45a6fce8e3d1e5257df554670605066211bf217d024f9155c6dce
■	■	■	■	■	■	■	■	■■■	8c45a6fce8e3d1e5257df554670605066211bf217d024f9155c6dce
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	8c583bfb2ba8f429d4f3cfa2202e873808c4faa469bf3d5b120b71f
■	■	■	■	■	■	■	■	■■■	8c583bfb2ba8f429d4f3cfa2202e873808c4faa469bf3d5b120b71f
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■	■■■	8c931d29807247202ca611e166838362cdf54758a3778c2d349ac0
■	■	■	■	■	■	■	■	■■■	8c931d29807247202ca611e166838362cdf54758a3778c2d349ac0
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■	■■■	8cd495d123673149888ed4d5fdfdb3133947bab06eedc47547f32a
■	■	■	■	■	■	■	■	■■■	8cd495d123673149888ed4d5fdfdb3133947bab06eedc47547f32a
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■	■■■	8cf9ce53e516e0f9a5963720c8453c7edbb1e3c76ce072d8d7073a0
■	■	■	■	■	■	■	■	■■■	8cf9ce53e516e0f9a5963720c8453c7edbb1e3c76ce072d8d7073a0
■	■	■	■	■■■	d				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	8d09653b135b6271ae02e812f9b1b524a72b3bac915070457031720
■	■	■	■	■	■	■	■	■■■	8d09653b135b6271ae02e812f9b1b524a72b3bac915070457031720
■	■	■	■	■	■	■■■	e		

■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	8d0e104919449355aedb55b5b546bb9fd53f0e1a8ca1b082109464e	
■	■	■	■	■	■	■	■	8d0e104919449355aedb55b5b546bb9fd53f0e1a8ca1b082109464e	
■	■	■	■	■	■	■	f		
■	■	■	■	■	■	■	b		
■	■	■	■	■	■	■	8d0fbf60356061d0cc15273d5c993059936bd17cc7cf1527aad61ce		
■	■	■	■	■	■	■	8d0fbf60356061d0cc15273d5c993059936bd17cc7cf1527aad61ce		
■	■	■	■	■	■	1			
■	■	■	■	■	■	a			
■	■	■	■	■	■	9			
■	■	■	■	■	■	8d1a97867b09dceb34f8a29c00326000cd6ecb9bfff329ef27ded241			
■	■	■	■	■	■	8d1a97867b09dceb34f8a29c00326000cd6ecb9bfff329ef27ded241			
■	■	■	■	■	6				
■	■	■	■	■	4				
■	■	■	■	■	e				
■	■	■	■	■	8d64ec7a8b3563ab154db640477bc08289b8d641b894a79bdc47242				
■	■	■	■	■	8d64ec7a8b3563ab154db640477bc08289b8d641b894a79bdc47242				
■	■	■	■	■	a				
■	■	■	■	■	8				
■	■	■	■	■	8d6a8b6c86c15b409338b21be5bbdf5ccec96b9ad012df737fa98ab				
■	■	■	■	■	8d6a8b6c86c15b409338b21be5bbdf5ccec96b9ad012df737fa98ab				
■	■	■	■	■	7				
■	■	■	■	■	9				
■	■	■	■	■	2				
■	■	■	■	■	8d7927b94435a93adb994ac98542ca803d07ccfade626c36dcddd90				
■	■	■	■	■	8d7927b94435a93adb994ac98542ca803d07ccfade626c36dcddd90				
■	■	■	■	■	f				
■	■	■	■	■	8				
■	■	■	■	■	0				
■	■	■	■	■	8df8070e7c660cc87e52f27cbfe6d7e6c48df541e87f9686dbb09a1				
■	■	■	■	■	8df8070e7c660cc87e52f27cbfe6d7e6c48df541e87f9686dbb09a1				
■	■	■	■	e					
■	■	■	■	0					
■	■	■	■	0					
■	■	■	■	0					
■	■	■	■	8e000e1f2a1e644539106bc8d5e0b1a791a3230f849eef1204d0ec6					
■	■	■	■	8e000e1f2a1e644539106bc8d5e0b1a791a3230f849eef1204d0ec6					
■	■	■	■	9					
■	■	■	■	a					
■	■	■	■	8e09ad2e4a886456b0ababf011bd9298aeaa02faa17da82c86da155					
■	■	■	■	8e09ad2e4a886456b0ababf011bd9298aeaa02faa17da82c86da155					
■	■	■	■	5					
■	■	■	■	6					
■	■	■	■	f					
■	■	■	■	8e56f1c01cead8c0e3f4df184fa6e9977b173b918d6d37b4d5cbdd2					
■	■	■	■	8e56f1c01cead8c0e3f4df184fa6e9977b173b918d6d37b4d5cbdd2					
■	■	■	■	7					
■	■	■	■	9					
■	■	■	■	8					
■	■	■	■	8e798d6130b509603c4474bb33ffc1fbafceb3702acd09334d5c18a					
■	■	■	■	8e798d6130b509603c4474bb33ffc1fbafceb3702acd09334d5c18a					
■	■	■	■	9					
■	■	■	■	6					
■	■	■	■	a					
■	■	■	■	8e96a52d238835f1dc31a81bb7cdec1fb0cf2a3240d7f953379c006					
■	■	■	■	8e96a52d238835f1dc31a81bb7cdec1fb0cf2a3240d7f953379c006					
■	■	■	■	c					
■	■	■	■	2					

```

a
8ec2a1fd787af5614e7d860a34c41432e5d159f92c484eb60647057
8ec2a1fd787af5614e7d860a34c41432e5d159f92c484eb60647057
d
6
2
8ed62c04eaf55867d1144c58a17706e06376507220633ae6cd8f101
8ed62c04eaf55867d1144c58a17706e06376507220633ae6cd8f101
e
1
0
8ee10146d5dc8c165a896d7d9f9b02dde06ae299279f7947738a8f
8ee10146d5dc8c165a896d7d9f9b02dde06ae299279f7947738a8f
f
2
3
e
8f23e90ca98765c443942e0a6561b6e41f616b382b7c6426fe49b09
8f23e90ca98765c443942e0a6561b6e41f616b382b7c6426fe49b09
7
8
a
8f78a59c750512c5eff98117526033c3ddca4a99c7d75426a1ad494
8f78a59c750512c5eff98117526033c3ddca4a99c7d75426a1ad494
9
7
e
8f97ef75556783011e845ded3fc9022e2cd218389c6cb033450483a
8f97ef75556783011e845ded3fc9022e2cd218389c6cb033450483a
c
e
d
8fcedc8d08638672f59f10b6e7f2f9b15475f2ee43b839de5bbcfac
8fcedc8d08638672f59f10b6e7f2f9b15475f2ee43b839de5bbcfac
e
5
b
8fe5bd485338d23962f97236c9ba1c83907879be211a65c7103c347
8fe5bd485338d23962f97236c9ba1c83907879be211a65c7103c347
6
9
8fe6907f4279c81fda776a6940015e65eb7df981d2eab8270695b0c
8fe6907f4279c81fda776a6940015e65eb7df981d2eab8270695b0c
9
0
3
6
8
9036827cb86728e36bc9cb0035a9a65393d08f028ff1c9fba53ab09
9036827cb86728e36bc9cb0035a9a65393d08f028ff1c9fba53ab09
7
6
6
90766496ac9326eb5195febe7cddee67e8fb002065c186d866cec6e
90766496ac9326eb5195febe7cddee67e8fb002065c186d866cec6e
d
9076d3d738bf42d2cb2940e9088c9d7642c8eb86773061a4f78d1e3
9076d3d738bf42d2cb2940e9088c9d7642c8eb86773061a4f78d1e3

```

9
2
907923396c07545f603ffb5be242c341ec4018023517349a330426f
907923396c07545f603ffb5be242c341ec4018023517349a330426f
a
e
6
90ae6503c8787815d475c0122583172c9535977570b1798253641ea
90ae6503c8787815d475c0122583172c9535977570b1798253641ea
e
5
e
90e5ec504a237f2106beb7281d12e52d0e3d0f391509092f0d0ab38
90e5ec504a237f2106beb7281d12e52d0e3d0f391509092f0d0ab38
1
5
5
7
91557d66d1b0f67e930851e7c81c73240b407984b1fe61001551daf
91557d66d1b0f67e930851e7c81c73240b407984b1fe61001551daf
8
7
5
91875426d3c8f4993cab8b87c839da10d66f36384ff600c97514d0e
91875426d3c8f4993cab8b87c839da10d66f36384ff600c97514d0e
a
c
4
91ac4141ee513b48d6e2106b8504eedf08543a9ac70e664c84a86c9
91ac4141ee513b48d6e2106b8504eedf08543a9ac70e664c84a86c9
c
e
7
91ce7207f0e2688c725f5948ca7d56a6dfd1afa303f1db238eaf687
91ce7207f0e2688c725f5948ca7d56a6dfd1afa303f1db238eaf687
f
2
4
91f2477c9d51659507090ca4fe97cf79ea5543edc54a2b5d7bc03a4
91f2477c9d51659507090ca4fe97cf79ea5543edc54a2b5d7bc03a4
2
0
3
9
9203921823fe516519f571a329104abb1a021737733d8bd3c0350fa
9203921823fe516519f571a329104abb1a021737733d8bd3c0350fa
e
d
920ed8d233ad8e6b9848933a63b4e7d23bbc0e0ca7b80d06f55ecf6
920ed8d233ad8e6b9848933a63b4e7d23bbc0e0ca7b80d06f55ecf6
a
3
9
92a392c846e17a46c16491ce2be5f5d269e9a452fac5c13b2c0bb0c
92a392c846e17a46c16491ce2be5f5d269e9a452fac5c13b2c0bb0c
c
5
b

■	■	■	■	■	■	■	■	■■■	92c5b93c38732defddecf4729b984474f6e83faa3b6f40b2229f26d
■	■	■	■	■	■	■	■	■■■	92c5b93c38732defddecf4729b984474f6e83faa3b6f40b2229f26d
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■	■■■	92ef7419eb6827a0ce7bd2e8302e814f6bce116c07a95506ca8dd6b
■	■	■	■	■	■	■	■	■■■	92ef7419eb6827a0ce7bd2e8302e814f6bce116c07a95506ca8dd6b
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■	■■■	92fcc9f089f64cf4186a6b582cb8cb35eda39b71675c537bef4770
■	■	■	■	■	■	■	■	■■■	92fcc9f089f64cf4186a6b582cb8cb35eda39b71675c537bef4770
■	■	■	■	■■■	3				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■	■■■	9305a9e52d32a90517dc3735658e0b7b86b46239fd457b2063368d0
■	■	■	■	■	■	■	■	■■■	9305a9e52d32a90517dc3735658e0b7b86b46239fd457b2063368d0
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■	■■■	9342ccd26cbebf3b7f292e682bc1a9e8141b62c8c93481f8de30cf7
■	■	■	■	■	■	■	■	■■■	9342ccd26cbebf3b7f292e682bc1a9e8141b62c8c93481f8de30cf7
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■	934bf2d5c28a8b90b5e40a6b5966e30ed7ebbd447ed809cc0d25d35
■	■	■	■	■	■	■	■	■■■	934bf2d5c28a8b90b5e40a6b5966e30ed7ebbd447ed809cc0d25d35
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■	93d1fbdd545cd156064245bd3d106b8fbcd5d018921b4431abad131
■	■	■	■	■	■	■	■	■■■	93d1fbdd545cd156064245bd3d106b8fbcd5d018921b4431abad131
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■	■■■	93d97950cc81cd83b0e249430a36de5accec3a32e4332ff943eb6677
■	■	■	■	■	■	■	■	■■■	93d97950cc81cd83b0e249430a36de5accec3a32e4332ff943eb6677
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■	■■■	93faa72e9b610009c625257f708e040d9f9abb016531e372ec5acbo
■	■	■	■	■	■	■	■	■■■	93faa72e9b610009c625257f708e040d9f9abb016531e372ec5acbo
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	94204f57373584c91238c5173a2be6120c35a4d41dfa90895b2d2e9
■	■	■	■	■	■	■	■	■■■	94204f57373584c91238c5173a2be6120c35a4d41dfa90895b2d2e9
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	9452417670b2e75527d793717779fce5d54e5f21adb3344c273876f
■	■	■	■	■	■	■	■	■■■	9452417670b2e75527d793717779fce5d54e5f21adb3344c273876f
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	94988c83d502481915e1ee201204ec4116aa835622fad8ce8d051e0
■	■	■	■	■	■	■	■	■■■	94988c83d502481915e1ee201204ec4116aa835622fad8ce8d051e0
■	■	■	■	■	■	■■■	c		

■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■		949cc7129b23f194e68a5ab5402a64deac1a5304e549866af3aa41c
■	■	■	■	■	■	■	■■■		949cc7129b23f194e68a5ab5402a64deac1a5304e549866af3aa41c
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■		94d2d0cd3f288f424291698567255352404dd8bdcfd62c2815a6adf	
■	■	■	■	■	■	■■■		94d2d0cd3f288f424291698567255352404dd8bdcfd62c2815a6adf	
■	■	■	■	■■■		5			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■		9598f046858ed2dcb80704ef840248529bc509d3b8312cebe31465c	
■	■	■	■	■	■	■■■		9598f046858ed2dcb80704ef840248529bc509d3b8312cebe31465c	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■		95ea69a86c587742aab971967d4cec6ca76e46eb86830c8b00216eb	
■	■	■	■	■	■	■■■		95ea69a86c587742aab971967d4cec6ca76e46eb86830c8b00216eb	
■	■	■	■	■■■		6			
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■		967857dd3681a1bb83c9632aad9815556f1da84934ad6aa3be0d770	
■	■	■	■	■	■	■■■		967857dd3681a1bb83c9632aad9815556f1da84934ad6aa3be0d770	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■		9698ad86cd4982b28971aa93ddb0ee6201ce88476558ba12a356dc9	
■	■	■	■	■	■	■■■		9698ad86cd4982b28971aa93ddb0ee6201ce88476558ba12a356dc9	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■		96b8265194d3aac9ab6e699b3fc4f3648a181b70344a826e2f8679f	
■	■	■	■	■	■	■■■		96b8265194d3aac9ab6e699b3fc4f3648a181b70344a826e2f8679f	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■		96d7bfcc564e21a990fdcce3a684b2d2a39b6fe80c68f69b3256384	
■	■	■	■	■	■	■■■		96d7bfcc564e21a990fdcce3a684b2d2a39b6fe80c68f69b3256384	
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■		96d88794fead5d0338f4c143109047d291a34b977920506e564f9ef	
■	■	■	■	■	■	■■■		96d88794fead5d0338f4c143109047d291a34b977920506e564f9ef	
■	■	■	■	■■■		7			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■		970d2c86a45ed1acc9682486b9b160373e01ece5882ffc61b50fd98	
■	■	■	■	■	■	■■■		970d2c86a45ed1acc9682486b9b160373e01ece5882ffc61b50fd98	
■	■	■	■	■■■		1			
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■		971aabd1d583d483ad5e912776f22c6f48e79088a03ef95c737a126	
■	■	■	■	■	■	■■■		971aabd1d583d483ad5e912776f22c6f48e79088a03ef95c737a126	
■	■	■	■	■■■		2			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	f		

■	■	■	■	■	■	■	■	■■■	9722fb20e3ea9cc35611a7af210f3a3c5763e70a73b0619f2dce743
■	■	■	■	■	■	■	■	■■■	9722fb20e3ea9cc35611a7af210f3a3c5763e70a73b0619f2dce743
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	9723f956c2832f0bf7a0b916be4cb31c77752847964e667e66c6bd9
■	■	■	■	■	■	■	■	■■■	9723f956c2832f0bf7a0b916be4cb31c77752847964e667e66c6bd9
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	9764e5308c030f26eca824de449ed9ad210cefc7708e40b21ef9198
■	■	■	■	■	■	■	■	■■■	9764e5308c030f26eca824de449ed9ad210cefc7708e40b21ef9198
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	9794d5906c90b1e6a0ed1aeb14f63fbf0ce2aa06927600b74e87a09
■	■	■	■	■	■	■	■	■■■	9794d5906c90b1e6a0ed1aeb14f63fbf0ce2aa06927600b74e87a09
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■	■■■	97ee2deff81f22481585a810a16f757673e431d936f8f50e63baaef
■	■	■	■	■	■	■	■	■■■	97ee2deff81f22481585a810a16f757673e431d936f8f50e63baaef
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	97fff0aeadf5dcd02e51ff23504c20a5f4012d558ca6f519d5a8dd2
■	■	■	■	■	■	■	■	■■■	97fff0aeadf5dcd02e51ff23504c20a5f4012d558ca6f519d5a8dd2
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	981e47747c7255bc07b785ef8bb0900fe62dc6ec3b49d820faa4ff7
■	■	■	■	■	■	■	■	■■■	981e47747c7255bc07b785ef8bb0900fe62dc6ec3b49d820faa4ff7
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	9823d7ce1d17c3663bfb20be158b0338bcbb3c3eb40cf5fbf294b73
■	■	■	■	■	■	■	■	■■■	9823d7ce1d17c3663bfb20be158b0338bcbb3c3eb40cf5fbf294b73
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	9835da88643bb5594466ae2ff5927f70be5716051b4aed29d77d11c
■	■	■	■	■	■	■	■	■■■	9835da88643bb5594466ae2ff5927f70be5716051b4aed29d77d11c
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■	■	■■■	984e93a71ce4c1959c5b3b2244196383f4cc3fa7e16c491dc027bf8
■	■	■	■	■	■	■	■	■■■	984e93a71ce4c1959c5b3b2244196383f4cc3fa7e16c491dc027bf8
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	989ef1bd3c8a6d885a48ce7e81153cafe75d7c49e62829679e912cd
■	■	■	■	■	■	■	■	■■■	989ef1bd3c8a6d885a48ce7e81153cafe75d7c49e62829679e912cd
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■	■	■■■	98b88854c6103fcdfce46cc77850925659eacf67aea3423d01e7ac1
■	■	■	■	■	■	■	■	■■■	98b88854c6103fcdfce46cc77850925659eacf67aea3423d01e7ac1
■	■	■	■	■	■■■	c			

■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■	■■■	98c96bc14d99811c8a79d29d3c4be7e9a6ce742ba458a996290dd24
■	■	■	■	■	■	■	■■■	98c96bc14d99811c8a79d29d3c4be7e9a6ce742ba458a996290dd24
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■■■	99412fc32269b7ad0e422d90fb80e27b631d156cfbf7c60691b9a01
■	■	■	■	■	■	■	■■■	99412fc32269b7ad0e422d90fb80e27b631d156cfbf7c60691b9a01
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■	■■■	9960b398632a7c78b0873939521cdf1c8f2255d92eecba7553179fe
■	■	■	■	■	■	■	■■■	9960b398632a7c78b0873939521cdf1c8f2255d92eecba7553179fe
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■■■	9a5979c3473735d747eec4d548521a1c79fe656c62db860b1a0255
■	■	■	■	■	■	■	■■■	9a5979c3473735d747eec4d548521a1c79fe656c62db860b1a0255
■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■	■■■	9b51619e20a708f99372afefd7dbe20a1b5e42ae213f02bf2726797
■	■	■	■	■	■	■	■■■	9b51619e20a708f99372afefd7dbe20a1b5e42ae213f02bf2726797
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	9b83e5c748eb7533b7f84be459069e76ce595ec257fd2b44e0b0565
■	■	■	■	■	■	■	■■■	9b83e5c748eb7533b7f84be459069e76ce595ec257fd2b44e0b0565
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	9b87ecbb4ea3a6c3cd32a94d03fcf73aec07523a9aa6782333f97a7
■	■	■	■	■	■	■	■■■	9b87ecbb4ea3a6c3cd32a94d03fcf73aec07523a9aa6782333f97a7
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■■■	9be77b5e893fdad28085ac2bcc214d89fa77341c157d6637cda0aab
■	■	■	■	■	■	■	■■■	9be77b5e893fdad28085ac2bcc214d89fa77341c157d6637cda0aab
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■	■■■	9c21be3250bb8058789300bf6ec856063ec4c049358305158aea849
■	■	■	■	■	■	■	■■■	9c21be3250bb8058789300bf6ec856063ec4c049358305158aea849
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■	9c71578e4764d1ef96fca2347624e2843e2ae38a5d755999137e003
■	■	■	■	■	■	■	■■■	9c71578e4764d1ef96fca2347624e2843e2ae38a5d755999137e003
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■■■	9c9a0d9b7030399fca15ba8ec7b3a8dfdf44308109b6e39d79d296a
■	■	■	■	■	■	■	■■■	9c9a0d9b7030399fca15ba8ec7b3a8dfdf44308109b6e39d79d296a
■	■	■	■	■	■■■	a		

9
5
9ca95ed574ce1bd512927fc0f2d829ae7daa1109481fda1942c4fd3
9ca95ed574ce1bd512927fc0f2d829ae7daa1109481fda1942c4fd3
c
6
9
9cc6939c61442ece13bdcac1a4f63ac9be8b2e7a5a8148e85ca678e
9cc6939c61442ece13bdcac1a4f63ac9be8b2e7a5a8148e85ca678e
e
1
f
9ce1f189185ef34561bfa36b126464b0470b134b3824245db668d4f
9ce1f189185ef34561bfa36b126464b0470b134b3824245db668d4f
d
1
b
5
9d1b5609ebe8e758b25afac0a3ddcc4e7db01242a2daf131637ef72
9d1b5609ebe8e758b25afac0a3ddcc4e7db01242a2daf131637ef72
4
6
9
9d4696ecb02e8047e3f010530d87eab44f0648b69b08ffc0bf88067
9d4696ecb02e8047e3f010530d87eab44f0648b69b08ffc0bf88067
e
1
0
b
9e10b8ed0de5945b74b115f32459edb435078d8c9b0c78ad8fb91f1
9e10b8ed0de5945b74b115f32459edb435078d8c9b0c78ad8fb91f1
e
8
9e1e87fd0b1feba06f600b881d4ff1fd1cc341220693d9024534a6b
9e1e87fd0b1feba06f600b881d4ff1fd1cc341220693d9024534a6b
2
9
3
9e293f5a39d8466e2b362aa21216c5e4bc32898b0a39bfff792d145
9e293f5a39d8466e2b362aa21216c5e4bc32898b0a39bfff792d145
4
b
1
9e4b14fdafddd2c2e51bfdcc571e110bf3f0f102590edda8aeca5b4
9e4b14fdafddd2c2e51bfdcc571e110bf3f0f102590edda8aeca5b4
5
8
a
9e58a08c68075808b8d5096945534f44297d6f779a5ec9782ce413c
9e58a08c68075808b8d5096945534f44297d6f779a5ec9782ce413c
6
c
e
9e6cec277ce6c67b568e96909a7a7b81017e369b2c0819abfa7db45
9e6cec277ce6c67b568e96909a7a7b81017e369b2c0819abfa7db45
7
6
b

■	■	■	■	■	■	■	■	■■■	9e76ba63914f47ca217a566da9735ea02483f163e0c8136378ab4c7
■	■	■	■	■	■	■	■	■■■	9e76ba63914f47ca217a566da9735ea02483f163e0c8136378ab4c7
■	■	■	■	■	■■■		c		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	9ece3089c819b87d8b6c4d2422fd61761added8791d0643500b246b
■	■	■	■	■	■	■	■	■■■	9ece3089c819b87d8b6c4d2422fd61761added8791d0643500b246b
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	9ef3ea448e23246bbb26b5010aa838fb1a3b86282d0499b6875128c
■	■	■	■	■	■	■	■	■■■	9ef3ea448e23246bbb26b5010aa838fb1a3b86282d0499b6875128c
■	■	■	■	■■■			f		
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	9f1218bbf9735cc082e83f15ec4ab51928d89f82806a04a2a203f08
■	■	■	■	■	■	■	■	■■■	9f1218bbf9735cc082e83f15ec4ab51928d89f82806a04a2a203f08
■	■	■	■	■	■■■		7		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■	■■■	9f70c3e58839fc1646395144bb15f472e091b7b4bdc45411753a64f
■	■	■	■	■	■	■	■	■■■	9f70c3e58839fc1646395144bb15f472e091b7b4bdc45411753a64f
■	■	■	■	■	■■■		8		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	9f870124df63c0feb889b43887cf68e377df6c3bfff116e0355b0733
■	■	■	■	■	■	■	■	■■■	9f870124df63c0feb889b43887cf68e377df6c3bfff116e0355b0733
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	9f93306d7b672475999e1ccb003ed535876b07060341d71f2c054af
■	■	■	■	■	■	■	■	■■■	9f93306d7b672475999e1ccb003ed535876b07060341d71f2c054af
■	■	■	■■■				a		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	a010d14d56fdfc8462183d86206734fc0a26fe02ca0e1ff53eaf7b2
■	■	■	■	■	■	■	■	■■■	a010d14d56fdfc8462183d86206734fc0a26fe02ca0e1ff53eaf7b2
■	■	■	■	■	■■■		3		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	a035f9d9464a3d5af4f93cdacfb32c3e74ef75273e13bea238c9528
■	■	■	■	■	■	■	■	■■■	a035f9d9464a3d5af4f93cdacfb32c3e74ef75273e13bea238c9528
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■	■■■	a03e77d6fd1aff6b4ee6b34a140bd46cfb7fa1873254b62a2d30e9d
■	■	■	■	■	■	■	■	■■■	a03e77d6fd1aff6b4ee6b34a140bd46cfb7fa1873254b62a2d30e9d
■	■	■	■	■	■■■		5		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	a05ce8510cce1b9f85cccdaa68aef0c91c73d9fc5bc3881bc14568f
■	■	■	■	■	■	■	■	■■■	a05ce8510cce1b9f85cccdaa68aef0c91c73d9fc5bc3881bc14568f
■	■	■	■	■	■■■		6		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■	■	■■■	a0685234214bcb23286935539f6dc58b6f90cc7c3ddc8926acf68f5

[illegible]

2

a5ca29ca0ff51595f8d05731c7f9b139ebe02f1667681fc87c4ee76

a5ca29ca0ff51595f8d05731c7f9b139ebe02f1667681fc87c4ee76

6

6

a

e

a66ae379472dbeea46ca07696d8700c5e33326520b2d78aa52d2161

a66ae379472dbeea46ca07696d8700c5e33326520b2d78aa52d2161

d

3

a66d3a325ef610a9a2db55092702124a24eaaab8d4cccaf73a36b3f

a66d3a325ef610a9a2db55092702124a24eaaab8d4cccaf73a36b3f

8

d

0

a68d001271cd9a964c9bcb21558648eb7042535c06dea56f7304199

a68d001271cd9a964c9bcb21558648eb7042535c06dea56f7304199

d

6

7

a6d67136e2e451b66ee746b74cdf2dd1af99e9c0339b6e9bdc2e334

a6d67136e2e451b66ee746b74cdf2dd1af99e9c0339b6e9bdc2e334

7

2

e

b

a72eb059579f9fedd8655c66e2c96d0a162682c37691de84ee6878a

a72eb059579f9fedd8655c66e2c96d0a162682c37691de84ee6878a

6

7

a

a767af22e584f40fe99260e20d81cebdf94d5cdc6c53eb3f96eff47

a767af22e584f40fe99260e20d81cebdf94d5cdc6c53eb3f96eff47

8

2

5

4

a8254af8e065f0d4b0f2dde69c6a70f49269fcc694def2d706331bb

a8254af8e065f0d4b0f2dde69c6a70f49269fcc694def2d706331bb

d

1

f

a8d1f33c48a0f7d2671cd059e2869f57ca114dfba7de5789f4d0224

a8d1f33c48a0f7d2671cd059e2869f57ca114dfba7de5789f4d0224

e

6

a

a8e6aaf8a0b1446aea19243e08f78fc32651d4c06f7498a04b17fcb

a8e6aaf8a0b1446aea19243e08f78fc32651d4c06f7498a04b17fcb

b

1

3

2

ab132a18b118df597948976369370812f574f015d33465a24b7ba82

ab132a18b118df597948976369370812f574f015d33465a24b7ba82

8

d

[illegible]

■	■	■	■	■	■	■	■	■■■	acd9c8cac407f560011b0be2057392f1de63f7abd3cb3729956ce3a
■	■	■	■	■	■	■	■	■■■	acd9c8cac407f560011b0be2057392f1de63f7abd3cb3729956ce3a
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	acfb6d97970e03cb2a68946a421d74ca8797ab1c31db30b9202c550	
■	■	■	■	■	■	■	■■■	acfb6d97970e03cb2a68946a421d74ca8797ab1c31db30b9202c550	
■	■	■	■	■■■	d				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	ad264d41777c463091d4b346bf61d69bec655adf759545436ec4a41	
■	■	■	■	■	■	■	■■■	ad264d41777c463091d4b346bf61d69bec655adf759545436ec4a41	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	adf86b60a5d5ddaeb23518c3a3fc455943e01094b724520e8f5fcfb	
■	■	■	■	■	■	■	■■■	adf86b60a5d5ddaeb23518c3a3fc455943e01094b724520e8f5fcfb	
■	■	■	■	■■■	e				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	ae49d3bbbc921e5d4375a43f8861a34155e7acce0d237d721bde8489	
■	■	■	■	■	■	■	■■■	ae49d3bbbc921e5d4375a43f8861a34155e7acce0d237d721bde8489	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	ae5faffb20c18d03a8d32e103e2a7344328d8d276566417eca03d00	
■	■	■	■	■	■	■	■■■	ae5faffb20c18d03a8d32e103e2a7344328d8d276566417eca03d00	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	ae98fc14bdd2ee1b10ec38b2f1932b92b622914c32b427ca2efedb1	
■	■	■	■	■	■	■	■■■	ae98fc14bdd2ee1b10ec38b2f1932b92b622914c32b427ca2efedb1	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	aedea0e8909156c0c2f9d858bf992564a238a36f33e56198db98b6c	
■	■	■	■	■	■	■	■■■	aedea0e8909156c0c2f9d858bf992564a238a36f33e56198db98b6c	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	aeffa1a8206bb30895a6278d82da2228b20736ed62924fde538fcc6	
■	■	■	■	■	■	■	■■■	aeffa1a8206bb30895a6278d82da2228b20736ed62924fde538fcc6	
■	■	■	■	■■■	f				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	af258757f1a612c78255189ba078c6b04e6a60f6f563fe42d7a8eed	
■	■	■	■	■	■	■	■■■	af258757f1a612c78255189ba078c6b04e6a60f6f563fe42d7a8eed	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	af859bd6fcd8e9cbba15528c7ecc5d7256ced8414b27753a8060995	
■	■	■	■	■	■	■	■■■	af859bd6fcd8e9cbba15528c7ecc5d7256ced8414b27753a8060995	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	af863570a93109dd2a13a5d9a2bae43704e10712f6af91c594577ab	

```

af863570a93109dd2a13a5d9a2bae43704e10712f6af91c594577ab
4
af89410408b6dfef1983db2a717e3c58e9f10f8f2ab2074b483c173
af89410408b6dfef1983db2a717e3c58e9f10f8f2ab2074b483c173
f
e
9
affe916b116a8bbf660f97cf70dc1be19b547beb79fab9ceed21d19
affe916b116a8bbf660f97cf70dc1be19b547beb79fab9ceed21d19
b
0
3
6
c
b036cf374473e954a7d0dbda4450875db8d8471b1d6496d711fe944
b036cf374473e954a7d0dbda4450875db8d8471b1d6496d711fe944
5
8
0
b05806055798f1a8e06daeeae26d61d6215fde966de9c3795338ffd
b05806055798f1a8e06daeeae26d61d6215fde966de9c3795338ffd
b
d
5
b0bd5290e32d1846ada6b80a20520cc449074018d324ab640d42130
b0bd5290e32d1846ada6b80a20520cc449074018d324ab640d42130
c
3
0
b0c304a2d0d2dd17cd2e818948220da223f52dfe26c6e170a35508e
b0c304a2d0d2dd17cd2e818948220da223f52dfe26c6e170a35508e
e
e
3
b0ee35b3a5783ec6d7141807b0cc281637f97b28abc080ae78b4934
b0ee35b3a5783ec6d7141807b0cc281637f97b28abc080ae78b4934
1
2
4
1
b124138b319c7f12c4cf78dd1d45182196e14e09a3bf6308a9dff82
b124138b319c7f12c4cf78dd1d45182196e14e09a3bf6308a9dff82
4
7
1
b1471353eeadba80fadd3a003acd340429acb64380ecf1b551b2a50
b1471353eeadba80fadd3a003acd340429acb64380ecf1b551b2a50
e
8
b
b1e8b10e651f637d9cf561cd9e43552f92968baeca56824e7fe2433
b1e8b10e651f637d9cf561cd9e43552f92968baeca56824e7fe2433
f
5
d
b1f5dc01896eee598e8915be35e61304ad2b16363d00711f8576642
b1f5dc01896eee598e8915be35e61304ad2b16363d00711f8576642

```

■	■	■	■	■■■	2				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	b23de389de909324fee7a580d53c9d3240f89c83ee0b56cf91b0040	
■	■	■	■	■	■	■	■■■	b23de389de909324fee7a580d53c9d3240f89c83ee0b56cf91b0040	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	b251beacd2ced3ea9a5952046e865850fcc9c98b071afa8d58aaa9	
■	■	■	■	■	■	■	■■■	b251beacd2ced3ea9a5952046e865850fcc9c98b071afa8d58aaa9	
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	b253771cf29c4f7c7db4c664e2d17c5f9b800a53a6e91a7f5970071	
■	■	■	■	■	■	■	■■■	b253771cf29c4f7c7db4c664e2d17c5f9b800a53a6e91a7f5970071	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	b25e81db38f94e6c56a291f1361a8b25acc3e5e8b9f9f54c340576b	
■	■	■	■	■	■	■	■■■	b25e81db38f94e6c56a291f1361a8b25acc3e5e8b9f9f54c340576b	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b2bc9b46ad9823305b4247547428d70a5708b40166821a81fcd5e1a	
■	■	■	■	■	■	■	■■■	b2bc9b46ad9823305b4247547428d70a5708b40166821a81fcd5e1a	
■	■	■	■	■■■	3				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b31293a66bb087b7aef4199cf529bd4d0f61c66eb9baca56826c272	
■	■	■	■	■	■	■	■■■	b31293a66bb087b7aef4199cf529bd4d0f61c66eb9baca56826c272	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	b337bb9122951a015c4048036447fc93000dcbf0fd1c35daedafcaf	
■	■	■	■	■	■	■	■■■	b337bb9122951a015c4048036447fc93000dcbf0fd1c35daedafcaf	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	b3a97bc1a9c0f810c417dddae3418cb1376cbfe60815610c16980fb	
■	■	■	■	■	■	■	■■■	b3a97bc1a9c0f810c417dddae3418cb1376cbfe60815610c16980fb	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	b3cc1406516098ab4a750b6cbd4a676d7523e94d887a6af8781e2e3	
■	■	■	■	■	■	■	■■■	b3cc1406516098ab4a750b6cbd4a676d7523e94d887a6af8781e2e3	
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	b407847513873adf9b2c35a117dedb4fdd5c12e175318e3ad0062f0	
■	■	■	■	■	■	■	■■■	b407847513873adf9b2c35a117dedb4fdd5c12e175318e3ad0062f0	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b4129c6f477ae9b963bdafa9f8eb39b26ace86ea93847a25041d3638	
■	■	■	■	■	■	■	■■■	b4129c6f477ae9b963bdafa9f8eb39b26ace86ea93847a25041d3638	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	0		

■	■	■	■	■	■	■	■	■	6	
■	■	■	■	■	■	■	■	■	■	b4606978f2be58b0bc258e4ca23806d7340abcceb8b36a0124edad1
■	■	■	■	■	■	■	■	■	■	b4606978f2be58b0bc258e4ca23806d7340abcceb8b36a0124edad1
■	■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	■	0	
■	■	■	■	■	■	■	■	■	■	b48303306194a4f86d005d7a1cb414569bffbb83e7dd2b2f1f4ec57
■	■	■	■	■	■	■	■	■	■	b48303306194a4f86d005d7a1cb414569bffbb83e7dd2b2f1f4ec57
■	■	■	■	■	■	■	■	■	9	
■	■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	■	■	b49bacf94411293e9d8115a2a1b57c210212832c9ac66e038e6f473
■	■	■	■	■	■	■	■	■	■	b49bacf94411293e9d8115a2a1b57c210212832c9ac66e038e6f473
■	■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	■	■	b4b83e44cdc0422ba988fb4561a9f84cfd08d8720712b3cd3055ea1
■	■	■	■	■	■	■	■	■	■	b4b83e44cdc0422ba988fb4561a9f84cfd08d8720712b3cd3055ea1
■	■	■	■	■	■	■	■	■	f	
■	■	■	■	■	■	■	■	■	e	
■	■	■	■	■	■	■	■	■	6	
■	■	■	■	■	■	■	■	■	■	b4fe60c8b8cb38b6638e69fbc7651d2db1921054c28e2d897f018e8
■	■	■	■	■	■	■	■	■	■	b4fe60c8b8cb38b6638e69fbc7651d2db1921054c28e2d897f018e8
■	■	■	■	■	■	■	■	■	5	
■	■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	■	■	b53ba161a6555f6ad2a051c3d86539c12c28ca877ec0a46dec95bf9
■	■	■	■	■	■	■	■	■	■	b53ba161a6555f6ad2a051c3d86539c12c28ca877ec0a46dec95bf9
■	■	■	■	■	■	■	■	■	4	
■	■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	■	■	b54ddc543403033ba740f6f58047870bf6f277fac17ac1b0362bb45
■	■	■	■	■	■	■	■	■	■	b54ddc543403033ba740f6f58047870bf6f277fac17ac1b0362bb45
■	■	■	■	■	■	■	■	■	9	
■	■	■	■	■	■	■	■	■	0	
■	■	■	■	■	■	■	■	■	7	
■	■	■	■	■	■	■	■	■	■	b5907e65ac4c681f49740d61f39aaff3a6b7c6915eefdf50c99597c
■	■	■	■	■	■	■	■	■	■	b5907e65ac4c681f49740d61f39aaff3a6b7c6915eefdf50c99597c
■	■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	■	4	
■	■	■	■	■	■	■	■	■	■	b591444f03bee1725bb679caaf6fddf648531d8a0968a878d6ca7f3
■	■	■	■	■	■	■	■	■	■	b591444f03bee1725bb679caaf6fddf648531d8a0968a878d6ca7f3
■	■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	■	0	
■	■	■	■	■	■	■	■	■	4	
■	■	■	■	■	■	■	■	■	■	b5a044ce96235fe6a2a115d047b48c293a8674c0737b8c9b7a7a67a
■	■	■	■	■	■	■	■	■	■	b5a044ce96235fe6a2a115d047b48c293a8674c0737b8c9b7a7a67a
■	■	■	■	■	■	■	■	■	b	
■	■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	■	a	
■	■	■	■	■	■	■	■	■	■	b5b8a1b85c9dd13c914b4dbb0eed0bd54f4d05a9952f4bd417b57b4
■	■	■	■	■	■	■	■	■	■	b5b8a1b85c9dd13c914b4dbb0eed0bd54f4d05a9952f4bd417b57b4
■	■	■	■	■	■	■	■	■	6	
■	■	■	■	■	■	■	■	■	4	
■	■	■	■	■	■	■	■	■	d	
■	■	■	■	■	■	■	■	■	f	
■	■	■	■	■	■	■	■	■	■	b64df579821114bba0f28ba670ec1d9b0ef72011a4de8567a7fd91c

b64df579821114bba0f28ba670ec1d9b0ef72011a4de8567a7fd91c
7
1
d
b671d6236bca1658c0758e354cbbe2ef31b262e027543f80e8b2c65
b671d6236bca1658c0758e354cbbe2ef31b262e027543f80e8b2c65
7
0
0
4
b70047230d6c8a78ba00553130f009e5ac8ae0d7b3f8149185ec5d1
b70047230d6c8a78ba00553130f009e5ac8ae0d7b3f8149185ec5d1
9
8
9
b7989402a05b5fe1a5bdfb1b6916dee8f6d6515db1d5b056f1ac81f
b7989402a05b5fe1a5bdfb1b6916dee8f6d6515db1d5b056f1ac81f
e
e
4
b7ee46c87998efe6ac9404e685c1806932248d50621e48b669a442d
b7ee46c87998efe6ac9404e685c1806932248d50621e48b669a442d
8
1
a
1
b81a166c5b12c1cf299d24139fb7244f1d73134c8c6912cf6c371ba
b81a166c5b12c1cf299d24139fb7244f1d73134c8c6912cf6c371ba
6
2
6
b862637a242a4033f1ba3be874e038f3a95ab29277da4c878f7c162
b862637a242a4033f1ba3be874e038f3a95ab29277da4c878f7c162
8
3
1
b883130dd3e2edd71d87118063b78f772aba9e3eb775260b7c108bb
b883130dd3e2edd71d87118063b78f772aba9e3eb775260b7c108bb
a
f
3
b8af396bed9b9f2a0e044b8580e3b6fb704f3a50e9dcf5bd51a94bf
b8af396bed9b9f2a0e044b8580e3b6fb704f3a50e9dcf5bd51a94bf
b
f
4
b8bf4a44dbb1c5e59b2500975b68a4301d11f85878b612151a649c3
b8bf4a44dbb1c5e59b2500975b68a4301d11f85878b612151a649c3
9
1
9
9
b9199464ff0070b4ff5a08df8bc96397b32bcfa65f6f4ba5ec190c5
b9199464ff0070b4ff5a08df8bc96397b32bcfa65f6f4ba5ec190c5
a
0
b
d

■	■	■	■	■	■	■	■	■■■	ba0bd05ccd867de1e58fc8de210018f921f00fbf73e237eab81a620
■	■	■	■	■	■	■	■	■■■	ba0bd05ccd867de1e58fc8de210018f921f00fbf73e237eab81a620
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	ba15b9a08d5e8b8dca6e79245ad741009b4bf33d0d7a1dcd53a4e61	
■	■	■	■	■	■	■	■■■	ba15b9a08d5e8b8dca6e79245ad741009b4bf33d0d7a1dcd53a4e61	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	ba9c19c2561d76fe11ca6abb8ce94518d4f666f9c3e6597b9c8e36e	
■	■	■	■	■	■	■	■■■	ba9c19c2561d76fe11ca6abb8ce94518d4f666f9c3e6597b9c8e36e	
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	bb48c78698376aae45e53b71a7be16f745b33dcb7c1047a6073d1a6	
■	■	■	■	■	■	■	■■■	bb48c78698376aae45e53b71a7be16f745b33dcb7c1047a6073d1a6	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	bb598d5d7a30936cf8d0c3d7860efec071bb107f64fb5f2a49e9ccb	
■	■	■	■	■	■	■	■■■	bb598d5d7a30936cf8d0c3d7860efec071bb107f64fb5f2a49e9ccb	
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	bb5de47a999286185176d441f157ba7e6a8775c116005413e071a49	
■	■	■	■	■	■	■	■■■	bb5de47a999286185176d441f157ba7e6a8775c116005413e071a49	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	bb963dda174e9c1c2ca919446dd60fc76f9ba480c325f9e9ec1495c	
■	■	■	■	■	■	■	■■■	bb963dda174e9c1c2ca919446dd60fc76f9ba480c325f9e9ec1495c	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	bbadc07fc383ff650474f2a8246a59ba64776ab6b35809d02400a39	
■	■	■	■	■	■	■	■■■	bbadc07fc383ff650474f2a8246a59ba64776ab6b35809d02400a39	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	bbb69bb29d6aaa836036a6c23af27e450ce290c4d63414a28bd13f7	
■	■	■	■	■	■	■	■■■	bbb69bb29d6aaa836036a6c23af27e450ce290c4d63414a28bd13f7	
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	bc131409e1d4c2e7e6dd4d2cddf69fb2049e65046ac2b7e1be3427e	
■	■	■	■	■	■	■	■■■	bc131409e1d4c2e7e6dd4d2cddf69fb2049e65046ac2b7e1be3427e	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	bc65c8da9753558247b3683eef3bf34ffefbbff8e1adffebbeec56d	
■	■	■	■	■	■	■	■■■	bc65c8da9753558247b3683eef3bf34ffefbbff8e1adffebbeec56d	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	bc6a92086801a50dd5f583a80927b2c3c53468820b85fcb5292f97f	
■	■	■	■	■	■	■	■■■	bc6a92086801a50dd5f583a80927b2c3c53468820b85fcb5292f97f	
■	■	■	■	■	■■■	7			

[illegible]

■	■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■	■■■		bfd6322b8f4c82d6b7ed54608512187e126478b3b0851b74973f4ad
■	■	■	■	■	■	■	■	■■■		bfd6322b8f4c82d6b7ed54608512187e126478b3b0851b74973f4ad
■	■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■		bff0f63b23a525266d50d3d4fca162a614481d6692a4b8cd9f3e220
■	■	■	■	■	■	■	■	■■■		bff0f63b23a525266d50d3d4fca162a614481d6692a4b8cd9f3e220
■	■	■	■■■	c						
■	■	■	■	■■■	0					
■	■	■	■	■	■■■	1				
■	■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■			c01aca7e139593a072695b51b4df26b884f8ced433bd9780d29883b
■	■	■	■	■	■	■	■■■			c01aca7e139593a072695b51b4df26b884f8ced433bd9780d29883b
■	■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■			c0400f4849a16bb7ec1db13ba6d964327b0869995ab53c54f666865
■	■	■	■	■	■	■	■■■			c0400f4849a16bb7ec1db13ba6d964327b0869995ab53c54f666865
■	■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■			c0e854830132b4466a4ad702e2f7168f1253a791e391b297676ef2c
■	■	■	■	■	■	■	■■■			c0e854830132b4466a4ad702e2f7168f1253a791e391b297676ef2c
■	■	■	■	■■■	1					
■	■	■	■	■	■■■	2				
■	■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■	■■■			c12a565bbb4247e5d7f709d0d3419cc3dea40058cfa7a931ef5c0de
■	■	■	■	■	■	■	■■■			c12a565bbb4247e5d7f709d0d3419cc3dea40058cfa7a931ef5c0de
■	■	■	■	■	■■■	5				
■	■	■	■	■	■■■	2				
■	■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■	■■■			c152eb6188cec74891b0c16703ab861dba913b78940279f8e1b90a6
■	■	■	■	■	■	■	■■■			c152eb6188cec74891b0c16703ab861dba913b78940279f8e1b90a6
■	■	■	■	■	■■■	7				
■	■	■	■	■	■■■	7				
■	■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■	■■■			c177ad67b7fd707ad65f87aa17c894ca67633730fecb39f5c5aa818
■	■	■	■	■	■	■	■■■			c177ad67b7fd707ad65f87aa17c894ca67633730fecb39f5c5aa818
■	■	■	■	■■■	2					
■	■	■	■	■	■■■	3				
■	■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■	■■■			c238c2526956ca4e6adddf6c3f9ba57852fcf97ccd71583188e3963
■	■	■	■	■	■	■	■■■			c238c2526956ca4e6adddf6c3f9ba57852fcf97ccd71583188e3963
■	■	■	■	■	■■■	8				
■	■	■	■	■	■■■	5				
■	■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■	■■■			c285875f96171c5b0b5ace3d19f1edcac54cdf4106de311e7c2f667
■	■	■	■	■	■	■	■■■			c285875f96171c5b0b5ace3d19f1edcac54cdf4106de311e7c2f667
■	■	■	■	■	■■■	e				
■	■	■	■	■	■■■	3				
■	■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■	■■■			c2e34d9b0ab803c5f26c2d9d3282d5aea3df34d99e99745d9eb4d7c
■	■	■	■	■	■	■	■■■			c2e34d9b0ab803c5f26c2d9d3282d5aea3df34d99e99745d9eb4d7c
■	■	■	■	■■■	3					

■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	c31ccd7900777be3fef481822d3178b4a947ca4b8e21b15649fb213
■	■	■	■	■	■	■■■	c31ccd7900777be3fef481822d3178b4a947ca4b8e21b15649fb213
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c3594c92e768b679b9870d594b959f5949793a29e2d552556a9c9c4
■	■	■	■	■	■	■■■	c3594c92e768b679b9870d594b959f5949793a29e2d552556a9c9c4
■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	c3770110383f928ca90c23460011d26d6d44102d6edb9011627a46a
■	■	■	■	■	■	■■■	c3770110383f928ca90c23460011d26d6d44102d6edb9011627a46a
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c37e473a3c88f293f49d265be9c83f6a03a2520055c74d0d5c895b8
■	■	■	■	■	■	■■■	c37e473a3c88f293f49d265be9c83f6a03a2520055c74d0d5c895b8
■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c3b544ef11fe4fe835f560a76a5354707be5260d91ac80dea4a56b8
■	■	■	■	■	■	■■■	c3b544ef11fe4fe835f560a76a5354707be5260d91ac80dea4a56b8
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	c3e88656ec9b47dda7b25b9c77869d1b29bbfbb6c0ed664eeae43a1
■	■	■	■	■	■	■■■	c3e88656ec9b47dda7b25b9c77869d1b29bbfbb6c0ed664eeae43a1
■	■	■	■	■■■	4		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c4024b82cfa89cab05f44fe8dac9f015061c1cb1a2534ff4f517950
■	■	■	■	■	■	■■■	c4024b82cfa89cab05f44fe8dac9f015061c1cb1a2534ff4f517950
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	c4203c5060d0f778eafd521050eab23e6aaa0f9eefa17eb1e671212
■	■	■	■	■	■	■■■	c4203c5060d0f778eafd521050eab23e6aaa0f9eefa17eb1e671212
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	c428c049587b7619a8a687619c14a001ba5e6188166fce55b12f1b9
■	■	■	■	■	■	■■■	c428c049587b7619a8a687619c14a001ba5e6188166fce55b12f1b9
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	c42ea31b751616024bdbf521f9d2f9f274fbc065b4462dc53b37974
■	■	■	■	■	■	■■■	c42ea31b751616024bdbf521f9d2f9f274fbc065b4462dc53b37974
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	c434a2d4f63f6d4628e4d83ee1572e5459e8c1d2f2ea2318f3c8f6b
■	■	■	■	■	■	■■■	c434a2d4f63f6d4628e4d83ee1572e5459e8c1d2f2ea2318f3c8f6b
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	c43e84afae45975044360f49a6e49577cf0258509d410eb524551e9
■	■	■	■	■	■	■■■	c43e84afae45975044360f49a6e49577cf0258509d410eb524551e9
■	■	■	■	■	■■■	4	

[illegible]

■	■	■	■	■	■	■	■	■■■■	c6306d205b48faecb62eb823053e850df036f38e59b11523829f5c3
■	■	■	■	■	■	■	■	■■■■	c6306d205b48faecb62eb823053e850df036f38e59b11523829f5c3
■	■	■	■	■	■	■■■■	e		
■	■	■	■	■	■	■■■■	e		
■	■	■	■	■	■	■	■■■■	c63ee2408f8573aa0c4ad4c2f3d0538ead9c0e46f592a32da81e101	
■	■	■	■	■	■	■	■■■■	c63ee2408f8573aa0c4ad4c2f3d0538ead9c0e46f592a32da81e101	
■	■	■	■	■	■■■■	d			
■	■	■	■	■	■	■■■■	d		
■	■	■	■	■	■	■	■■■■	f	
■	■	■	■	■	■	■	■■■■	c6ddfd1eeec1b7420e536b2e81e48880458e0774433e2c75ae2fc4e	
■	■	■	■	■	■	■	■■■■	c6ddfd1eeec1b7420e536b2e81e48880458e0774433e2c75ae2fc4e	
■	■	■	■	■■■■	7				
■	■	■	■	■	■■■■	0			
■	■	■	■	■	■	■■■■	a		
■	■	■	■	■	■	■■■■	9		
■	■	■	■	■	■	■	■■■■	c70a9195a26067b3a2a350a6c113b427e57db371a601ed2444f43c8	
■	■	■	■	■	■	■	■■■■	c70a9195a26067b3a2a350a6c113b427e57db371a601ed2444f43c8	
■	■	■	■	■	■■■■	9			
■	■	■	■	■	■■■■	7			
■	■	■	■	■	■	■■■■	1		
■	■	■	■	■	■	■	■■■■	c79714eeaf5c047f6c5624fccd640e820f5d1ae8ab77c947d067c61	
■	■	■	■	■	■	■	■■■■	c79714eeaf5c047f6c5624fccd640e820f5d1ae8ab77c947d067c61	
■	■	■	■	■	■■■■	a			
■	■	■	■	■	■	■■■■	4		
■	■	■	■	■	■	■	■■■■	c	
■	■	■	■	■	■	■	■■■■	c7a4c1b87dc599a45499602eb975bc41fa865a3d322ded408de6f2d	
■	■	■	■	■	■	■	■■■■	c7a4c1b87dc599a45499602eb975bc41fa865a3d322ded408de6f2d	
■	■	■	■	■	■■■■	b			
■	■	■	■	■	■	■■■■	4		
■	■	■	■	■	■	■■■■	9		
■	■	■	■	■	■	■	■■■■	c7b4935110f1dcc4296ef650f9404b95ce58f2005c439e3e34b3899	
■	■	■	■	■	■	■	■■■■	c7b4935110f1dcc4296ef650f9404b95ce58f2005c439e3e34b3899	
■	■	■	■	■■■■	8				
■	■	■	■	■	■■■■	4			
■	■	■	■	■	■	■■■■	6		
■	■	■	■	■	■	■	■■■■	0	
■	■	■	■	■	■	■	■■■■	c84608549463ae90303a0f39c4b1e01a1717f15e0529931eee51391	
■	■	■	■	■	■	■	■■■■	c84608549463ae90303a0f39c4b1e01a1717f15e0529931eee51391	
■	■	■	■	■	■■■■	8			
■	■	■	■	■	■	■■■■	f		
■	■	■	■	■	■	■	■■■■	8	
■	■	■	■	■	■	■	■■■■	c88f851ff79f6d57068b1f52fe071b4c42f1d0ed8248abadb9f7f43	
■	■	■	■	■	■	■	■■■■	c88f851ff79f6d57068b1f52fe071b4c42f1d0ed8248abadb9f7f43	
■	■	■	■	■■■■	9				
■	■	■	■	■	■■■■	1			
■	■	■	■	■	■	■■■■	f		
■	■	■	■	■	■	■■■■	2		
■	■	■	■	■	■	■	■■■■	c91f2e41337665457740aa256c527d2526390279f8c0d22dbb82a31	
■	■	■	■	■	■	■	■■■■	c91f2e41337665457740aa256c527d2526390279f8c0d22dbb82a31	
■	■	■	■	■	■■■■	6			
■	■	■	■	■	■	■■■■	b		
■	■	■	■	■	■	■■■■	6		
■	■	■	■	■	■	■	■■■■	c96b6802a25a4b370c3ca6d6fb571548bcfe334038a6db5a0601ad0	
■	■	■	■	■	■	■	■■■■	c96b6802a25a4b370c3ca6d6fb571548bcfe334038a6db5a0601ad0	
■	■	■	■	■	■■■■	7			
■	■	■	■	■	■	■■■■	f		
■	■	■	■	■	■	■■■■	6		
■	■	■	■	■	■	■	■■■■	c97f624c7435286fb92f4d10973d9481c8d00ab9ed16328189e8f17	

■	■	■	■	■	■	■	■	■■■	c97f624c7435286fb92f4d10973d9481c8d00ab9ed16328189e8f17
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c9d3e7de79ee25d0862ec83ea183536502ba97ed971b1c35e787d71	
■	■	■	■	■	■	■	■■■	c9d3e7de79ee25d0862ec83ea183536502ba97ed971b1c35e787d71	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	c9f0946fe1d567e24fa8ae804c7e99532d183dbc08503c00e4741a9	
■	■	■	■	■	■	■	■■■	c9f0946fe1d567e24fa8ae804c7e99532d183dbc08503c00e4741a9	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	ca40521d6f4ca2bc510659d13a3cff56d7241103db5d1e645bc10f8	
■	■	■	■	■	■	■	■■■	ca40521d6f4ca2bc510659d13a3cff56d7241103db5d1e645bc10f8	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	cac102894bf9a0191da0809b709c984118b0b4c73f126e4f993fade	
■	■	■	■	■	■	■	■■■	cac102894bf9a0191da0809b709c984118b0b4c73f126e4f993fade	
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	cac4c49846401c981f0d7e42b48d2a9e7c310ce9af601e522fd1b83	
■	■	■	■	■	■	■	■■■	cac4c49846401c981f0d7e42b48d2a9e7c310ce9af601e522fd1b83	
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	cb150cfdfd64a15aad202463b8760eb45e5a7352f2547dc2d99d519	
■	■	■	■	■	■	■	■■■	cb150cfdfd64a15aad202463b8760eb45e5a7352f2547dc2d99d519	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	cb1e97e46c13ddc6e3af6354da2d587ab884fa951d22974751af5f4	
■	■	■	■	■	■	■	■■■	cb1e97e46c13ddc6e3af6354da2d587ab884fa951d22974751af5f4	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	cb52a2d86b549893dbebd3c41cb632b74900e6546f238508e1029e0	
■	■	■	■	■	■	■	■■■	cb52a2d86b549893dbebd3c41cb632b74900e6546f238508e1029e0	
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	cb52f10f1afce27faca227d3664407b9ae425a7d5ec4698f3988eb5	
■	■	■	■	■	■	■	■■■	cb52f10f1afce27faca227d3664407b9ae425a7d5ec4698f3988eb5	
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	cc0739cd54b4eb78ac93db15c6b9aad4a7aa59199d000e016a231fe	
■	■	■	■	■	■	■	■■■	cc0739cd54b4eb78ac93db15c6b9aad4a7aa59199d000e016a231fe	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	cc133da5701a066bc3777b2575e0daa601596f19871db4608ca98b9	
■	■	■	■	■	■	■	■■■	cc133da5701a066bc3777b2575e0daa601596f19871db4608ca98b9	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	cc1bffa8b93542db1e8966134c8f3ff1ba593e7c8c6a82660226615e	

■	■	■	■	■	■	■	■	■■■	cc1bffa8b93542db1e8966134c8f3ff1ba593e7c8c6a82660226615e
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	cc55040824ee089dac43062d1dc7bc9c348f0bbb578eccef51a1abe	
■	■	■	■	■	■	■	■■■	cc55040824ee089dac43062d1dc7bc9c348f0bbb578eccef51a1abe	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	cc902747510a1521fdae0cf35c9f9ba95bc0b0b19cddc266bccf83c	
■	■	■	■	■	■	■	■■■	cc902747510a1521fdae0cf35c9f9ba95bc0b0b19cddc266bccf83c	
■	■	■	■	■■■	d				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	cd5de44b899cbe1869765c21b55cffc53c0c0ffa9d3c6f1fd40a42a	
■	■	■	■	■	■	■	■■■	cd5de44b899cbe1869765c21b55cffc53c0c0ffa9d3c6f1fd40a42a	
■	■	■	■	■■■	e				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	ce045abdbb8c80ff4a4291dca0b8b4baf8fd3f59470b3527db001f1	
■	■	■	■	■	■	■	■■■	ce045abdbb8c80ff4a4291dca0b8b4baf8fd3f59470b3527db001f1	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	ce32812beb16b2177b4c4a3410724125dbbeec01059d63c45ad7b3a	
■	■	■	■	■	■	■	■■■	ce32812beb16b2177b4c4a3410724125dbbeec01059d63c45ad7b3a	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	ce7cc71f6940430a904dc31b34c37b81cb8479e5de1b4f13e8e5f71	
■	■	■	■	■	■	■	■■■	ce7cc71f6940430a904dc31b34c37b81cb8479e5de1b4f13e8e5f71	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	ce912edf3c60d9041896cac1196277971e733f305597f57d2d9a294	
■	■	■	■	■	■	■	■■■	ce912edf3c60d9041896cac1196277971e733f305597f57d2d9a294	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	ced81c0de5aa0a88237b967eb77c52a05f488c56404db108c93fc4a	
■	■	■	■	■	■	■	■■■	ced81c0de5aa0a88237b967eb77c52a05f488c56404db108c93fc4a	
■	■	■	■	■■■	f				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	cf03377162fd071e75250e4827adf3bc208ef008cb9e4caa71d9566	
■	■	■	■	■	■	■	■■■	cf03377162fd071e75250e4827adf3bc208ef008cb9e4caa71d9566	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	cf4215965559ad672bb27c925fe184f772a428f8262b425d143f331	
■	■	■	■	■	■	■	■■■	cf4215965559ad672bb27c925fe184f772a428f8262b425d143f331	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	cf468a7533ed55db1e32eed30078d5a0e5149ff8a8d9ee84e26f1b3	
■	■	■	■	■	■	■	■■■	cf468a7533ed55db1e32eed30078d5a0e5149ff8a8d9ee84e26f1b3	

■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■■■	cf4e21a9dd3824f2a8d4bd195a4d78f1a473f55ef27b3e262dfa03c
■	■	■	■	■	■	■	■■■	cf4e21a9dd3824f2a8d4bd195a4d78f1a473f55ef27b3e262dfa03c
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	cf6d09c92b27459f442bcfd167e1aa1c15cefc3f5865289eae15610	
■	■	■	■	■	■	■■■	cf6d09c92b27459f442bcfd167e1aa1c15cefc3f5865289eae15610	
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	cfe05468a0571b2f45671a2e76765eaccb57f8d2c2795ff0efe7892	
■	■	■	■	■	■	■■■	cfe05468a0571b2f45671a2e76765eaccb57f8d2c2795ff0efe7892	
■	■	■	■■■	d				
■	■	■	■	■■■	0			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	d01b75bf0e331a9e22160ebda15b330e26789777201136ee08c89b1	
■	■	■	■	■	■	■■■	d01b75bf0e331a9e22160ebda15b330e26789777201136ee08c89b1	
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	d07fbafe04d712a3795c7f88cbbaa3fc419293161a3152f76a78e78	
■	■	■	■	■	■	■■■	d07fbafe04d712a3795c7f88cbbaa3fc419293161a3152f76a78e78	
■	■	■	■	■■■	1			
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	d1cb971e4002948fc8aba2779da7e9a0d0a7391757e218cd43b212e	
■	■	■	■	■	■	■■■	d1cb971e4002948fc8aba2779da7e9a0d0a7391757e218cd43b212e	
■	■	■	■	■■■	2			
■	■	■	■	■	■■■	2		
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	d2255f00783b7286163a5eaa1883e6b713954c895a2b209c4908fc0	
■	■	■	■	■	■	■■■	d2255f00783b7286163a5eaa1883e6b713954c895a2b209c4908fc0	
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	d229e658a820de2d2c6312c1332c669f57c253ed8a87b4f3d914a4b	
■	■	■	■	■	■	■■■	d229e658a820de2d2c6312c1332c669f57c253ed8a87b4f3d914a4b	
■	■	■	■	■	■■■	d		
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	d2de6508e2102726cab61e0536aee201ceaa1980c28535c8141402e	
■	■	■	■	■	■	■■■	d2de6508e2102726cab61e0536aee201ceaa1980c28535c8141402e	
■	■	■	■	■■■	3			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	d31ba0e7969814b3ffba17036245cbf6f4c4204d1fa08bf72ba00dc	
■	■	■	■	■	■	■■■	d31ba0e7969814b3ffba17036245cbf6f4c4204d1fa08bf72ba00dc	
■	■	■	■	■	■■■	c		
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	d3c5b74c694618346c861664fc1a9743fa46a0b583d0c896eadbdb7	
■	■	■	■	■	■	■■■	d3c5b74c694618346c861664fc1a9743fa46a0b583d0c896eadbdb7	

■	■	■	■	■■■	4				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	d432b1cbfd4fd18864f857dc9fc0ed73a4a67e17f3e105ebe79e52b	
■	■	■	■	■	■	■	■■■	d432b1cbfd4fd18864f857dc9fc0ed73a4a67e17f3e105ebe79e52b	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	d444fbccb825a7327b43f56949e4d3366aeef8dd6d55d8e9c55c8ab	
■	■	■	■	■	■	■	■■■	d444fbccb825a7327b43f56949e4d3366aeef8dd6d55d8e9c55c8ab	
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	d54281fcf088397b1920cc3ffeaa37e892cfb2c017275b6e14eaade	
■	■	■	■	■	■	■	■■■	d54281fcf088397b1920cc3ffeaa37e892cfb2c017275b6e14eaade	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	d585383cf79b2cf185e915a58c82687339a4a3942ed0489e61fbf32	
■	■	■	■	■	■	■	■■■	d585383cf79b2cf185e915a58c82687339a4a3942ed0489e61fbf32	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	d5acfabed8f7f5ebf300d652b27e531bb337d8c85b37d22def2b67f	
■	■	■	■	■	■	■	■■■	d5acfabed8f7f5ebf300d652b27e531bb337d8c85b37d22def2b67f	
■	■	■	■	■■■	6				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	d6544d2b616237f3b51c48d10df6aa27071fdaa0a5b3feb0715d62b	
■	■	■	■	■	■	■	■■■	d6544d2b616237f3b51c48d10df6aa27071fdaa0a5b3feb0715d62b	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	d673d8ce4de817f0eee0e3a4018d938ae3f7b25c6d8b26b86fce15b	
■	■	■	■	■	■	■	■■■	d673d8ce4de817f0eee0e3a4018d938ae3f7b25c6d8b26b86fce15b	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	d6a5d0856a7e93554e8be85cae6a61e3c3d38bd36521d22d8c0dc50	
■	■	■	■	■	■	■	■■■	d6a5d0856a7e93554e8be85cae6a61e3c3d38bd36521d22d8c0dc50	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	d6cf172ccbfc64fbd9508099165f97993d649370f236398f5ca0f1f	
■	■	■	■	■	■	■	■■■	d6cf172ccbfc64fbd9508099165f97993d649370f236398f5ca0f1f	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	d6d3bac35e834bfc5e17ee1004ced880326c05861c21c39fd8bf43b	
■	■	■	■	■	■	■	■■■	d6d3bac35e834bfc5e17ee1004ced880326c05861c21c39fd8bf43b	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	d6eec7950102fad272af52d6b14f9e0772336894348a32508ea6982	
■	■	■	■	■	■	■	■■■	d6eec7950102fad272af52d6b14f9e0772336894348a32508ea6982	

■	■	■	■	■■■	7				
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	d7baf11cef4c8d4f0f6105728ddb57c214e338423b42289405c7391		
■	■	■	■	■	■	■■■	d7baf11cef4c8d4f0f6105728ddb57c214e338423b42289405c7391		
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	d8659c525b4c58c691100c437d907168036f6af70ed979c9e53bee0		
■	■	■	■	■	■	■■■	d8659c525b4c58c691100c437d907168036f6af70ed979c9e53bee0		
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d87b20140422fe8fc3ccde46b57b4155e6a64e089bd003244f1b408		
■	■	■	■	■	■	■■■	d87b20140422fe8fc3ccde46b57b4155e6a64e089bd003244f1b408		
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	d95e0f01da1bb1b7f2859ec329b3c5472f1f6ed5d0f1614e1da08bc		
■	■	■	■	■	■	■■■	d95e0f01da1bb1b7f2859ec329b3c5472f1f6ed5d0f1614e1da08bc		
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	d9aa3ff92caa5f70a6620ccf434e6c216aefdbdfb7ac307191e4da6		
■	■	■	■	■	■	■■■	d9aa3ff92caa5f70a6620ccf434e6c216aefdbdfb7ac307191e4da6		
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d9e479ee5ab29dd944645c32aefa357246b55386fa1a4c39ce1e0d0		
■	■	■	■	■	■	■■■	d9e479ee5ab29dd944645c32aefa357246b55386fa1a4c39ce1e0d0		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	d9ec1bb4f4c55710e85a9def38965531d5de4a943d98f2ef88761b8		
■	■	■	■	■	■	■■■	d9ec1bb4f4c55710e85a9def38965531d5de4a943d98f2ef88761b8		
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	daaa0e2684ddc216434203c34d2387c4b544ff5b16a788cb41a784f		
■	■	■	■	■	■	■■■	daaa0e2684ddc216434203c34d2387c4b544ff5b16a788cb41a784f		
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	dab4cd08401edac747975ac5e86ee821f7e2c1221e4cb72ba4d4f2a		
■	■	■	■	■	■	■■■	dab4cd08401edac747975ac5e86ee821f7e2c1221e4cb72ba4d4f2a		
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	dae791c7e7f37ceeed2b1136e4c2fe2f795c6645ab088d6588854fe		
■	■	■	■	■	■	■■■	dae791c7e7f37ceeed2b1136e4c2fe2f795c6645ab088d6588854fe		
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	db21157b4d2cb0b4cc626561c93ca6a460ff6f19d89de95652c7e0b		

■	■	■	■	■	■	■	■	■■■■	db21157b4d2cb0b4cc626561c93ca6a460ff6f19d89de95652c7e0b
■	■	■	■	■	■■■■	4			
■	■	■	■	■	■	■■■■	a		
■	■	■	■	■	■	■■■■	e		
■	■	■	■	■	■	■	■■■■	db4aeba3ee8fd23f0d147f933ddb8016ef0e2824878956509cb7813	
■	■	■	■	■	■	■	■■■■	db4aeba3ee8fd23f0d147f933ddb8016ef0e2824878956509cb7813	
■	■	■	■	■	■■■■	6			
■	■	■	■	■	■	■■■■	b		
■	■	■	■	■	■	■	■■■■	9	
■	■	■	■	■	■	■	■■■■	db6b96169594ca63e24258293b470142d76aac2f889f414bf3dbb89	
■	■	■	■	■	■	■	■■■■	db6b96169594ca63e24258293b470142d76aac2f889f414bf3dbb89	
■	■	■	■	■	■■■■	8			
■	■	■	■	■	■	■■■■	2		
■	■	■	■	■	■	■	■■■■	4	
■	■	■	■	■	■	■	■■■■	db824c526d765b86c60e3a8f549e4d9f6b2c1e8876b000670174e0b	
■	■	■	■	■	■	■	■■■■	db824c526d765b86c60e3a8f549e4d9f6b2c1e8876b000670174e0b	
■	■	■	■	■	■■■■	a			
■	■	■	■	■	■	■■■■	3		
■	■	■	■	■	■	■■■■	3		
■	■	■	■	■	■	■	■■■■	dba33a67311146168a4fca80712b2eebbf7ba0548a0b3ea7d14a34f	
■	■	■	■	■	■	■	■■■■	dba33a67311146168a4fca80712b2eebbf7ba0548a0b3ea7d14a34f	
■	■	■	■	■	■■■■	c			
■	■	■	■	■	■	■■■■	d		
■	■	■	■	■	■	■	■■■■	7	
■	■	■	■	■	■	■	■■■■	dbcd7e5b79c9822cc20f0a0321d7776a107e08b14ad027a81f34e3d	
■	■	■	■	■	■	■	■■■■	dbcd7e5b79c9822cc20f0a0321d7776a107e08b14ad027a81f34e3d	
■	■	■	■	■■■■	c				
■	■	■	■	■	■■■■	1			
■	■	■	■	■	■	■■■■	0		
■	■	■	■	■	■	■	■■■■	e	
■	■	■	■	■	■	■	■■■■	dc10e0f91481d0158a42177c2cf1b1c19a02b0c03742040e3264cac	
■	■	■	■	■	■	■	■■■■	dc10e0f91481d0158a42177c2cf1b1c19a02b0c03742040e3264cac	
■	■	■	■	■	■■■■	3			
■	■	■	■	■	■	■■■■	5		
■	■	■	■	■	■	■	■■■■	1	
■	■	■	■	■	■	■	■■■■	dc351b8f62cca9e981c973548c3c9f5a2661248630ec9d4b47d02be	
■	■	■	■	■	■	■	■■■■	dc351b8f62cca9e981c973548c3c9f5a2661248630ec9d4b47d02be	
■	■	■	■	■	■■■■	5			
■	■	■	■	■	■	■■■■	4		
■	■	■	■	■	■	■	■■■■	1	
■	■	■	■	■	■	■	■■■■	dc5413f055107b5633cbb591f2cf01ee69ace484f58cbd8d09acef7	
■	■	■	■	■	■	■	■■■■	dc5413f055107b5633cbb591f2cf01ee69ace484f58cbd8d09acef7	
■	■	■	■	■	■■■■	8			
■	■	■	■	■	■	■■■■	8		
■	■	■	■	■	■	■	■■■■	d	
■	■	■	■	■	■	■	■■■■	dc88d5baec6775684fc23e22df4d0ce017b721f8b74dc76e66b71a6	
■	■	■	■	■	■	■	■■■■	dc88d5baec6775684fc23e22df4d0ce017b721f8b74dc76e66b71a6	
■	■	■	■	■	■■■■	9			
■	■	■	■	■	■	■■■■	a		
■	■	■	■	■	■	■	■■■■	7	
■	■	■	■	■	■	■	■■■■	dc9a7af666cafcb156cac8b83b87ef24f1172cc09045148f4f9dfa1	
■	■	■	■	■	■	■	■■■■	dc9a7af666cafcb156cac8b83b87ef24f1172cc09045148f4f9dfa1	
■	■	■	■	■	■■■■	b			
■	■	■	■	■	■	■■■■	3		
■	■	■	■	■	■	■	■■■■	f	
■	■	■	■	■	■	■	■■■■	dcb3fcb6a3ed619a70279596aa78642ea6f368351a81bd0da5969f8	
■	■	■	■	■	■	■	■■■■	dcb3fcb6a3ed619a70279596aa78642ea6f368351a81bd0da5969f8	
■	■	■	■	■■■■	d				

■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	dd0816be2482e48bb6ad7480c15b1d81e864b20945bacac1f2f1407
■	■	■	■	■	■	■■■	dd0816be2482e48bb6ad7480c15b1d81e864b20945bacac1f2f1407
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	dd1eb495fa45c2e8e78dcc14147d98c3b57a91598c6c58a747dc720
■	■	■	■	■	■	■■■	dd1eb495fa45c2e8e78dcc14147d98c3b57a91598c6c58a747dc720
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■■■		dd206ee8d449d4bec512242e8f8ebadb5a808c682766018f3921f62
■	■	■	■	■	■■■		dd206ee8d449d4bec512242e8f8ebadb5a808c682766018f3921f62
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■■■		ddf4656832b2f30751d842b9f09f403e4dd04a9392a9689c268d352
■	■	■	■	■	■■■		ddf4656832b2f30751d842b9f09f403e4dd04a9392a9689c268d352
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■■■		de16ec846d05b820cf14350b555c5b547ea8436dc36341d4133711e
■	■	■	■	■	■■■		de16ec846d05b820cf14350b555c5b547ea8436dc36341d4133711e
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■■■		de437938ef85929246af957191da12fbc37876e8e6bf1a090f59e1d
■	■	■	■	■	■■■		de437938ef85929246af957191da12fbc37876e8e6bf1a090f59e1d
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■■■		dee67dad37bb9378a879969d4e91a7062d2b42ccc2263c954514350
■	■	■	■	■	■■■		dee67dad37bb9378a879969d4e91a7062d2b42ccc2263c954514350
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■■■		def3cd8802414a0b0b532f077a57c52a1e1cb65ce070f1a2c4b0b12
■	■	■	■	■	■■■		def3cd8802414a0b0b532f077a57c52a1e1cb65ce070f1a2c4b0b12
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■■■		defa510e250bc3055aade0826e335ef42d51347101cdba9023d87c2
■	■	■	■	■	■■■		defa510e250bc3055aade0826e335ef42d51347101cdba9023d87c2
■	■	■	■	■	■■■	f	
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■■■		df2de705cba88154046c26b784a8747f7dce594f6f2e0563ca78772
■	■	■	■	■	■■■		df2de705cba88154046c26b784a8747f7dce594f6f2e0563ca78772
■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■■■		df3e6374dba50aac4fe2d8df4a63e4da7ebc6f424b0924302291c5a
■	■	■	■	■	■■■		df3e6374dba50aac4fe2d8df4a63e4da7ebc6f424b0924302291c5a
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	1	

```

5
df5151e792305143e81ca2f7a2c963cbc786303eea65fcc2e65cce
df5151e792305143e81ca2f7a2c963cbc786303eea65fcc2e65cce
7
0
7
df707b1feda7f90798d38a25755c9d23b9441d40e0237567a452110
df707b1feda7f90798d38a25755c9d23b9441d40e0237567a452110
f
3
d
dff3d15775f7efad32d8ece4b90b653b67dcd6598271dcf06170522
dff3d15775f7efad32d8ece4b90b653b67dcd6598271dcf06170522
e
0
1
d
9
e01d9ae49e6adc6646c9f2136ef162187b48cf0195db7098f71cd7e
e01d9ae49e6adc6646c9f2136ef162187b48cf0195db7098f71cd7e
2
7
6
e0276893d7489dad47ee19221f613ef206616211ff534c1fdcf7065
e0276893d7489dad47ee19221f613ef206616211ff534c1fdcf7065
5
f
0
e05f0d91f8df88c9349b141f38a86eaea4bf18c9e6190a296b1ada3
e05f0d91f8df88c9349b141f38a86eaea4bf18c9e6190a296b1ada3
e
c
2
e0ec2dc4f16c229de1a3b9cfde95f8d429c0097f1325cf7842b15aa
e0ec2dc4f16c229de1a3b9cfde95f8d429c0097f1325cf7842b15aa
1
0
2
1
e102129ec3eda00211eef9e8d1b4a9f1ca870f9e1a83dc530f859b6
e102129ec3eda00211eef9e8d1b4a9f1ca870f9e1a83dc530f859b6
1
b
3
e11b36991e776aa5d2ff3446ec38fbf5cd9b984686e90f90df41718
e11b36991e776aa5d2ff3446ec38fbf5cd9b984686e90f90df41718
2
f
9
e12f9cafb6de6faf3aa7c51205ecfba3c9635fc47c9384914a52ce5
e12f9cafb6de6faf3aa7c51205ecfba3c9635fc47c9384914a52ce5
3
7
4
e1374613b89e5ef99ce404da422d6e391c381cb3e690748f4344db0
e1374613b89e5ef99ce404da422d6e391c381cb3e690748f4344db0
4
e

```


e
 e14ee455f9979fe5a6652577450cf8c3ef5127d9fc84b20c08fae20
 e14ee455f9979fe5a6652577450cf8c3ef5127d9fc84b20c08fae20
 6
 a
 f
 e16aff1a3f121e44b7a7d104d7cf73a008a55e8e7b9ee657c267f5a
 e16aff1a3f121e44b7a7d104d7cf73a008a55e8e7b9ee657c267f5a
 8
 7
 5
 e1875509ef5b7ccea6628d651077d66b3c0dfb2da2a95b5fc9a1287
 e1875509ef5b7ccea6628d651077d66b3c0dfb2da2a95b5fc9a1287
 a
 1
 0
 e1a102a58d5f97b4d2a7ffd62157f43e68a5808f81e4779f2eb95e8
 e1a102a58d5f97b4d2a7ffd62157f43e68a5808f81e4779f2eb95e8
 e
 8
 d
 e1e8d011fe7544bde6650cf53d5f9ea18ef288203417f36eeea7a5f
 e1e8d011fe7544bde6650cf53d5f9ea18ef288203417f36eeea7a5f
 2
 0
 7
 4
 e207426cbcf220918fdf354826064190a066f96cd6ad8830f1f11fd
 e207426cbcf220918fdf354826064190a066f96cd6ad8830f1f11fd
 8
 a
 0
 e28a0694da0edd0e943a49055d31c350f41eb1dac7f41401f8612a7
 e28a0694da0edd0e943a49055d31c350f41eb1dac7f41401f8612a7
 3
 4
 3
 5
 e3435840f71d09e84137ad2ade41646c326a65b52fec36e75021662
 e3435840f71d09e84137ad2ade41646c326a65b52fec36e75021662
 5
 8
 9
 e3589efad9a8b4f133f18a121a6f17ebce334f282e4bb51d00536d7
 e3589efad9a8b4f133f18a121a6f17ebce334f282e4bb51d00536d7
 9
 c
 0
 e39c0feee79cf9bfff2ed9a95ccf84dae755a4e8a59ef48f018ab551
 e39c0feee79cf9bfff2ed9a95ccf84dae755a4e8a59ef48f018ab551
 4
 0
 4
 6
 e4046655fd34d51362b8ad04e6c2a3bac11cd92a99bf2d7f4c1a289
 e4046655fd34d51362b8ad04e6c2a3bac11cd92a99bf2d7f4c1a289
 7
 8

■	■	■	■	■	■	■	■	■■■	e4078b61fad089b817ff30bee6dd144e736780378455aaefb582148
■	■	■	■	■	■	■	■	■■■	e4078b61fad089b817ff30bee6dd144e736780378455aaefb582148
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	e451e3d9f947df0a1f9239713f36b95f7be8d366bacac154aa4a879
■	■	■	■	■	■	■	■	■■■	e451e3d9f947df0a1f9239713f36b95f7be8d366bacac154aa4a879
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	e473e9649c0c153685e808d68e28e05cc3ff4056e7dbc85e9322428
■	■	■	■	■	■	■	■	■■■	e473e9649c0c153685e808d68e28e05cc3ff4056e7dbc85e9322428
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	e50d3d74e658cec8e7d42cc2de970550463f8f2f595ed600a096e60
■	■	■	■	■	■	■	■	■■■	e50d3d74e658cec8e7d42cc2de970550463f8f2f595ed600a096e60
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	e5221576d172799c99acf2ccc900f57849f50c7444a740c7be1675a
■	■	■	■	■	■	■	■	■■■	e5221576d172799c99acf2ccc900f57849f50c7444a740c7be1675a
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	e560fee78ddc6bc31dc01985feb54f4ec8bc62a1e36838a5747b951
■	■	■	■	■	■	■	■	■■■	e560fee78ddc6bc31dc01985feb54f4ec8bc62a1e36838a5747b951
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	e5980d1b1a40b9579766c2e207e5f819f3cd862a46fe963b9d34164
■	■	■	■	■	■	■	■	■■■	e5980d1b1a40b9579766c2e207e5f819f3cd862a46fe963b9d34164
■	■	■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■	■	■■■	e599b6418d10d681ba6db09fb679a0e09e0381cdddc5ba630943949
■	■	■	■	■	■	■	■	■■■	e599b6418d10d681ba6db09fb679a0e09e0381cdddc5ba630943949
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■	■	■■■	e5d36c5766a883bb74cecc6c18466900df278968351e1b75b19c906
■	■	■	■	■	■	■	■	■■■	e5d36c5766a883bb74cecc6c18466900df278968351e1b75b19c906
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	e6824d6367c1c5a1a3c1e65544b17f143cef818c945993c2ecf2dbb
■	■	■	■	■	■	■	■	■■■	e6824d6367c1c5a1a3c1e65544b17f143cef818c945993c2ecf2dbb
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	e691483299f7c8c32d64bd2a6c8aba04364e3251e85b9ba909ad2db
■	■	■	■	■	■	■	■	■■■	e691483299f7c8c32d64bd2a6c8aba04364e3251e85b9ba909ad2db
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	e6bb4bc5540d59226c7360a51b1504438674cff9b3213dfa8dad0b3
■	■	■	■	■	■	■	■	■■■	e6bb4bc5540d59226c7360a51b1504438674cff9b3213dfa8dad0b3

■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	e6c64d93a658a6eb9d09e336e041394b16a3c65db2d86517cae558f
■	■	■	■	■	■	■■■	e6c64d93a658a6eb9d09e336e041394b16a3c65db2d86517cae558f
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	e6d0192297b41cd73bc202847ac4712a2af8ad0fb0deeba2267e077
■	■	■	■	■	■	■■■	e6d0192297b41cd73bc202847ac4712a2af8ad0fb0deeba2267e077
■	■	■	■	■■■	7		
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	e75e3a72ec5ffce867a4e738b4b84c7a8477fb04f819b70bfe83747
■	■	■	■	■	■	■■■	e75e3a72ec5ffce867a4e738b4b84c7a8477fb04f819b70bfe83747
■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	e7cad37ded85890992758213b2a650dafd85f5d6924aceade59811e
■	■	■	■	■	■	■■■	e7cad37ded85890992758213b2a650dafd85f5d6924aceade59811e
■	■	■	■	■■■	8		
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	e891cbc8086f8d997bac39425a40499e8f2dc3bc5ff9a09ed06444a
■	■	■	■	■	■	■■■	e891cbc8086f8d997bac39425a40499e8f2dc3bc5ff9a09ed06444a
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	e8aee2b0281e189cb2c9756d3dccf7d2720bc2769db71eaf3a21873
■	■	■	■	■	■	■■■	e8aee2b0281e189cb2c9756d3dccf7d2720bc2769db71eaf3a21873
■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	e8bd1d53b9712fa015d9a29e4851748dd0c234916fc2146014ee5a7
■	■	■	■	■	■	■■■	e8bd1d53b9712fa015d9a29e4851748dd0c234916fc2146014ee5a7
■	■	■	■	■■■	9		
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	e91bf4ce3bb3aee179adc2a799b2e9a1a369f2718c51fa2ed985b40
■	■	■	■	■	■	■■■	e91bf4ce3bb3aee179adc2a799b2e9a1a369f2718c51fa2ed985b40
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	e95df3587282402fa2fe868d06c711034f17567ebe972613410424f
■	■	■	■	■	■	■■■	e95df3587282402fa2fe868d06c711034f17567ebe972613410424f
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	e99d0d04c5741fe8d990e1c7858d9318a94cc124506431f6648e6a1
■	■	■	■	■	■	■■■	e99d0d04c5741fe8d990e1c7858d9318a94cc124506431f6648e6a1
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	e9ddabaae4f2f076db750b3d90a5477be1b87b191a515a9beb271a3
■	■	■	■	■	■	■■■	e9ddabaae4f2f076db750b3d90a5477be1b87b191a515a9beb271a3

```

a
1
0
2
ea10237d7e36760872cd7e0942790781abdf5cd55da38bba79b5064
ea10237d7e36760872cd7e0942790781abdf5cd55da38bba79b5064
9
0
d
ea90dfd1f6d50740d07ed4f10a57a61eda6c4c0bf864139330c00fa
ea90dfd1f6d50740d07ed4f10a57a61eda6c4c0bf864139330c00fa
c
6
1
eac61126daf80149d2a016f12a54eab5e3b5c1dbc77410ffa97edc
eac61126daf80149d2a016f12a54eab5e3b5c1dbc77410ffa97edc
d
7
2
ead7232851c1ef93c8b0b00532a6ebe9a68dc3aef3437af1631bf2a
ead7232851c1ef93c8b0b00532a6ebe9a68dc3aef3437af1631bf2a
b
0
b
7
eb0b7e287570ab5016d0a7e3ca554677bbafb669b25c815e698d1eb
eb0b7e287570ab5016d0a7e3ca554677bbafb669b25c815e698d1eb
2
3
2
eb232512e2ce7b4b251fae6d752f4c5462107a88e28db42ce27c71e
eb232512e2ce7b4b251fae6d752f4c5462107a88e28db42ce27c71e
5
4
a
eb54ad8098bbce2484999b06578a3689563ea077088029e738ccebfb
eb54ad8098bbce2484999b06578a3689563ea077088029e738ccebfb
6
3
a
eb63a36a9b0e17952b8a6f3e3bf1d701b68946965f8f2f66b93f080
eb63a36a9b0e17952b8a6f3e3bf1d701b68946965f8f2f66b93f080
8
c
d
eb8cd56ef455b7de93ea148bd0e376b9bfd7494c967be362707e63f
eb8cd56ef455b7de93ea148bd0e376b9bfd7494c967be362707e63f
a
7
c
eba7cdab71e7ecfd4883683a64614002e967d73415fb4eacd229815
eba7cdab71e7ecfd4883683a64614002e967d73415fb4eacd229815
d
b
ebadb73c6aaf128bc66e28ac5842254d8dad70e77d657cf0bee968
ebadb73c6aaf128bc66e28ac5842254d8dad70e77d657cf0bee968
c
8

```

ec836c1a06fa85a8ccf8642c5e8d6d2ef619e71aabef764b6064fcb
ec836c1a06fa85a8ccf8642c5e8d6d2ef619e71aabef764b6064fcb
a
0
8
eca08045fd1b2ca6e6f8cf14b9617db5884e7ecda9b830d79bf643d
eca08045fd1b2ca6e6f8cf14b9617db5884e7ecda9b830d79bf643d
d
2
5
d
ed25d1bb38edf83d84e0a08c7e2111da8cb788eddb019df7a96d321
ed25d1bb38edf83d84e0a08c7e2111da8cb788eddb019df7a96d321
4
2
b
ed42bdfc39ef74774542999cf7dc2e8be68c79e2ce0048a59aa5670
ed42bdfc39ef74774542999cf7dc2e8be68c79e2ce0048a59aa5670
8
e
a
ed8ea75bd339dd2e0f1e4e3cdfc21309d0a9761217ad908d83d31bd
ed8ea75bd339dd2e0f1e4e3cdfc21309d0a9761217ad908d83d31bd
9
e
c
ed9ec686c1fb6d32dd1cf336773984b5868895006fc443fe59a17cf
ed9ec686c1fb6d32dd1cf336773984b5868895006fc443fe59a17cf
b
3
b
edb3baf90632cffec441cc46b42df9b7b9bd5ae1fe19a2b8d93254f
edb3baf90632cffec441cc46b42df9b7b9bd5ae1fe19a2b8d93254f
e
0
5
a
ee05a71604d27eb0a70d8a3c628eb4b6a8ff5508c84e19b2d618944
ee05a71604d27eb0a70d8a3c628eb4b6a8ff5508c84e19b2d618944
2
4
b
ee24bc3de6d4893488df4593880132e374d595c0a3124d1ca1e62cf
ee24bc3de6d4893488df4593880132e374d595c0a3124d1ca1e62cf
7
9
ee279486658e109fcaefadddfbcafd37061a7b18ada033782dc6548
ee279486658e109fcaefadddfbcafd37061a7b18ada033782dc6548
7
8
1
ee78174c757ebf0a4ba8ee541daddfa331d8cf39fb436360a697cf9
ee78174c757ebf0a4ba8ee541daddfa331d8cf39fb436360a697cf9
9
5
b

■	■	■	■	■	■	■	■	■■■	ee95b743d852950480e9f213cf1cb9d4b0ecef06be11f72fad1aba9
■	■	■	■	■	■	■	■	■■■	ee95b743d852950480e9f213cf1cb9d4b0ecef06be11f72fad1aba9
■	■	■	■	■	■■■		c		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	eecc	e42f2656f3a2d5d63fe33ff387843eec514498ca3a5c8986c02
■	■	■	■	■	■	■	■■■	eecc	e42f2656f3a2d5d63fe33ff387843eec514498ca3a5c8986c02
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	eed	3310dd30ebbbfb59e331e8f75d083e3cbc543b42b74ea2619fc0
■	■	■	■	■	■	■	■■■	eed	3310dd30ebbbfb59e331e8f75d083e3cbc543b42b74ea2619fc0
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	eede	0ec7db9eb6bb5df2dd2133296a4bbb476a2c8abd24309bf3e5d
■	■	■	■	■	■	■	■■■	eede	0ec7db9eb6bb5df2dd2133296a4bbb476a2c8abd24309bf3e5d
■	■	■	■	■■■			f		
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	ef1781d64f97111f97e57476362f7013c40597cf6d505aa181ac2e6	
■	■	■	■	■	■	■	■■■	ef1781d64f97111f97e57476362f7013c40597cf6d505aa181ac2e6	
■	■	■	■	■	■■■		4		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	ef4ffe4b046aa2bf9145d5b2d185cee7cacc9251992b8dea090230c	
■	■	■	■	■	■	■	■■■	ef4ffe4b046aa2bf9145d5b2d185cee7cacc9251992b8dea090230c	
■	■	■	■	■■■			f		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■■■		7		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	f07848d1d4dd1ef85dc0c367aed2173ca7a0ad1f3390a0afe61fd5a	
■	■	■	■	■	■	■	■■■	f07848d1d4dd1ef85dc0c367aed2173ca7a0ad1f3390a0afe61fd5a	
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	f0920b9af58aa1880e714e757f10407734579222596e0098ccc69be	
■	■	■	■	■	■	■	■■■	f0920b9af58aa1880e714e757f10407734579222596e0098ccc69be	
■	■	■	■	■	■■■		a		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	f0a7dfd6faebe884216f61d528e2d71cdee1be31e8688ca77e3b16d	
■	■	■	■	■	■	■	■■■	f0a7dfd6faebe884216f61d528e2d71cdee1be31e8688ca77e3b16d	
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	f0df3a85265882ca6eaec454e7dc4ffb7c0ddb1b1dace08f72d9051	
■	■	■	■	■	■	■	■■■	f0df3a85265882ca6eaec454e7dc4ffb7c0ddb1b1dace08f72d9051	
■	■	■	■	■	■■■		e		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	f0e141ad2c9a2a2506dd1257574534064ffac0ad48b1eaeb82d7a83	
■	■	■	■	■	■	■	■■■	f0e141ad2c9a2a2506dd1257574534064ffac0ad48b1eaeb82d7a83	
■	■	■	■	■■■			1		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	7		

■	■	■	■	■	■	■	■	■■■	f10b7cabba186dc8126682c787ab795d4ca43f373ef103753991dc6
■	■	■	■	■	■	■	■	■■■	f10b7cabba186dc8126682c787ab795d4ca43f373ef103753991dc6
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	f177668b55736411c77d923756dd180e84294e3bc50211585678142
■	■	■	■	■	■	■	■	■■■	f177668b55736411c77d923756dd180e84294e3bc50211585678142
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■	f1e1f48532a143d1fa187854bd7b4c81f86d585b12afb5d514d1a68
■	■	■	■	■	■	■	■	■■■	f1e1f48532a143d1fa187854bd7b4c81f86d585b12afb5d514d1a68
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■	■■■	f1f693dc92a9e57b26651abe133655582eb2f2583b062ef2dfe8400
■	■	■	■	■	■	■	■	■■■	f1f693dc92a9e57b26651abe133655582eb2f2583b062ef2dfe8400
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	f21f442d06ae72e19190f1c6b617a093f7a8e01d4efd337676f9887
■	■	■	■	■	■	■	■	■■■	f21f442d06ae72e19190f1c6b617a093f7a8e01d4efd337676f9887
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■	■■■	f2313c9c2f4156d5a4aa712ee66c366f6536642308f0d18bde5949c
■	■	■	■	■	■	■	■	■■■	f2313c9c2f4156d5a4aa712ee66c366f6536642308f0d18bde5949c
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	f23f8855ba23d69e8a5eb4162b6b14a2d4bad120c66c6992c2a3428
■	■	■	■	■	■	■	■	■■■	f23f8855ba23d69e8a5eb4162b6b14a2d4bad120c66c6992c2a3428
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	f34d849e676ea114c1e02a4545c707fc1c00c56d41ab7063aee5362
■	■	■	■	■	■	■	■	■■■	f34d849e676ea114c1e02a4545c707fc1c00c56d41ab7063aee5362
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■	■■■	f38d0a2ad2680721cca1ec98a434938376ef815de5cfd21a5bd27b8
■	■	■	■	■	■	■	■	■■■	f38d0a2ad2680721cca1ec98a434938376ef815de5cfd21a5bd27b8
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■	■■■	f39776487363fd4a100c6b93bd781022324cb2e94b79d73082d5197
■	■	■	■	■	■	■	■	■■■	f39776487363fd4a100c6b93bd781022324cb2e94b79d73082d5197
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■	■■■	f3a6530dc7fb03fabb45f38f86d64f93ec229749526b88172b3d7d2
■	■	■	■	■	■	■	■	■■■	f3a6530dc7fb03fabb45f38f86d64f93ec229749526b88172b3d7d2
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	f3b584e90a466998b75f65a9344c87ce9569ff4a208c4ec059dd0e4
■	■	■	■	■	■	■	■	■■■	f3b584e90a466998b75f65a9344c87ce9569ff4a208c4ec059dd0e4

■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	f3d89399c2288195ea6858aa1e0821203e4edefd793932e4ccfa955
■	■	■	■	■	■	■■■	f3d89399c2288195ea6858aa1e0821203e4edefd793932e4ccfa955
■	■	■	■	■■■	4		
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	f450d449939c703ff9efab7460fb58b78c3fb24ec4a49aef233262c
■	■	■	■	■	■	■■■	f450d449939c703ff9efab7460fb58b78c3fb24ec4a49aef233262c
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	f45358cd40a41194f9ccb0fd307656472bab02e880659056d90bbfe
■	■	■	■	■	■	■■■	f45358cd40a41194f9ccb0fd307656472bab02e880659056d90bbfe
■	■	■	■	■	■■■	c	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	f4c10bf8d64dc1967920aa8605a2cd045aa9f130afd0e9c3db20c7d
■	■	■	■	■	■	■■■	f4c10bf8d64dc1967920aa8605a2cd045aa9f130afd0e9c3db20c7d
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	f4e4587dac20cad56975ca92d42c939e47fed9c27b67e913f2f0e37
■	■	■	■	■	■	■■■	f4e4587dac20cad56975ca92d42c939e47fed9c27b67e913f2f0e37
■	■	■	■	■	■■■	7	
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	f4e7a982087a3b75b34ec9bfcd02649b46e494fa9a64fb47abd21b7
■	■	■	■	■	■	■■■	f4e7a982087a3b75b34ec9bfcd02649b46e494fa9a64fb47abd21b7
■	■	■	■	■	■■■	f	
■	■	■	■	■	■■■	8	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	f4f844352cc00c68bccf12a93f9b714157905dab7a5d4501b180ef7
■	■	■	■	■	■	■■■	f4f844352cc00c68bccf12a93f9b714157905dab7a5d4501b180ef7
■	■	■	■	■■■	5		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	f521d066c3c11e577ff9bac4a7e16276a9949d9058b502022df3ca8
■	■	■	■	■	■	■■■	f521d066c3c11e577ff9bac4a7e16276a9949d9058b502022df3ca8
■	■	■	■	■■■	4		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	f54262c906f30cf1c5007c8ec9af9ade8b0d1f42c41333da9b6548e
■	■	■	■	■	■	■■■	f54262c906f30cf1c5007c8ec9af9ade8b0d1f42c41333da9b6548e
■	■	■	■	■	■■■	8	
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	f5488e4b9d9e12795b3ae821fc5d4edda1a99f24a19fa19ab7f9288
■	■	■	■	■	■	■■■	f5488e4b9d9e12795b3ae821fc5d4edda1a99f24a19fa19ab7f9288
■	■	■	■	■■■	7		
■	■	■	■	■	■■■	7	
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	f577813f4ca515a35041c12b0f4316cdc549f31b0b105426fc1bf4c
■	■	■	■	■	■	■■■	f577813f4ca515a35041c12b0f4316cdc549f31b0b105426fc1bf4c
■	■	■	■	■■■	9		
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	f59aa970d0bc01c4cdc76d6bb2ee41ef566310664d41cff02c45f45

■	■	■	■	■■■	8				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■		f85fc864d2d5fc000a0c70191cac33c091f085352a26cd5ba65ba1d	
■	■	■	■	■	■	■■■		f85fc864d2d5fc000a0c70191cac33c091f085352a26cd5ba65ba1d	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■		f8925b7422d9573abf13edfdcaec72ed378ce0669b5a964a673c6d7	
■	■	■	■	■	■	■■■		f8925b7422d9573abf13edfdcaec72ed378ce0669b5a964a673c6d7	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■		f93074d9e1f2b9de00817f2e4f1eeb4dd3d692a2e2d462390cf22da	
■	■	■	■	■	■	■■■		f93074d9e1f2b9de00817f2e4f1eeb4dd3d692a2e2d462390cf22da	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		f962e5e71203694d5370973d9c1e28688778c15f9790699913c9472	
■	■	■	■	■	■	■■■		f962e5e71203694d5370973d9c1e28688778c15f9790699913c9472	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■		f9acbc79c02ec839073f6473231d422f185648d6f5e67a2c99c67db	
■	■	■	■	■	■	■■■		f9acbc79c02ec839073f6473231d422f185648d6f5e67a2c99c67db	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■		f9c20f872b4e9d4140d42a5d071cd0793747c172e98d4a277f21c67	
■	■	■	■	■	■	■■■		f9c20f872b4e9d4140d42a5d071cd0793747c172e98d4a277f21c67	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■		f9f5d90d6638571c3b3c167ee5ae14eca0cd636ebde3fb4d2aa1995	
■	■	■	■	■	■	■■■		f9f5d90d6638571c3b3c167ee5ae14eca0cd636ebde3fb4d2aa1995	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■		fa0343b425a1d8cad7f3e50a09999a345422a79f3ae86b7a62ced2c	
■	■	■	■	■	■	■■■		fa0343b425a1d8cad7f3e50a09999a345422a79f3ae86b7a62ced2c	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■		fa105e43eeabc31343199cb7db4e917bdd58a0f9dc63afdc187c943	
■	■	■	■	■	■	■■■		fa105e43eeabc31343199cb7db4e917bdd58a0f9dc63afdc187c943	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		fa169d8ca8767f4320a72433f1c163d73554b7dbaa683537a453030	
■	■	■	■	■	■	■■■		fa169d8ca8767f4320a72433f1c163d73554b7dbaa683537a453030	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		fa1be9dcaecb4bf7b878e8d31be7791cb5c54378047f1f169196b73	
■	■	■	■	■	■	■■■		fa1be9dcaecb4bf7b878e8d31be7791cb5c54378047f1f169196b73	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	9		

■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■		fa6931ef01168763bf11c2539725b9f30d0117c07cd80f603c3d211
■	■	■	■	■	■	■	■■■		fa6931ef01168763bf11c2539725b9f30d0117c07cd80f603c3d211
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■		fa69bfbb5b97d780d952abb18191d0bf280872241f7652403f390e8
■	■	■	■	■	■	■	■■■		fa69bfbb5b97d780d952abb18191d0bf280872241f7652403f390e8
■	■	■	■	■	■■■			a	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■		faa6ab6aca82468c9d829519084781a14fееаaf3d647aa11c632265
■	■	■	■	■	■	■	■■■		faa6ab6aca82468c9d829519084781a14fееаaf3d647aa11c632265
■	■	■	■	■	■■■			b	
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■		fab90cb3c80534a851af98c31041d92acda1adbbbb07b067d676f58
■	■	■	■	■	■	■	■■■		fab90cb3c80534a851af98c31041d92acda1adbbbb07b067d676f58
■	■	■	■	■	■	■■■		f	
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■		fabfe664dbda7b88b146813dec553438d55d2f674e175159eb8cf19
■	■	■	■	■	■	■	■■■		fabfe664dbda7b88b146813dec553438d55d2f674e175159eb8cf19
■	■	■	■	■	■■■			b	
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■		fb07dab4ca5757b80c833561e2e31c6508a0cbaee238079478be14f
■	■	■	■	■	■	■	■■■		fb07dab4ca5757b80c833561e2e31c6508a0cbaee238079478be14f
■	■	■	■	■	■■■			1	
■	■	■	■	■	■	■■■		b	
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■		fb1b562b9b7e2f43f3e3c3d0e3134fdff6af8928d8d76f2aac40887
■	■	■	■	■	■	■	■■■		fb1b562b9b7e2f43f3e3c3d0e3134fdff6af8928d8d76f2aac40887
■	■	■	■	■	■■■			4	
■	■	■	■	■	■	■■■		d	
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■		fb4d8ea1ad81b03981aa95f87d11527185f4b569298fe5fdd6acdb5
■	■	■	■	■	■	■	■■■		fb4d8ea1ad81b03981aa95f87d11527185f4b569298fe5fdd6acdb5
■	■	■	■	■	■■■			7	
■	■	■	■	■	■	■■■		2	
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■		fb72c7b08277f1e40fcfcfaf977eecd5d5949cfbcce4c1932dcbb13e
■	■	■	■	■	■	■	■■■		fb72c7b08277f1e40fcfcfaf977eecd5d5949cfbcce4c1932dcbb13e
■	■	■	■	■	■■■			e	
■	■	■	■	■	■	■■■		3	
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■		fbe3a5eb3735a745707ab3bf39e17d76ea29c7cd1eaa7763f11e176
■	■	■	■	■	■	■	■■■		fbe3a5eb3735a745707ab3bf39e17d76ea29c7cd1eaa7763f11e176
■	■	■	■	■	■■■			c	
■	■	■	■	■	■■■			6	
■	■	■	■	■	■	■■■		d	
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■		fc6de7db5ee5dc73874f68245b0d2a634ab79af63e0e76379a8f0e1
■	■	■	■	■	■	■	■■■		fc6de7db5ee5dc73874f68245b0d2a634ab79af63e0e76379a8f0e1
■	■	■	■	■	■■■			8	
■	■	■	■	■	■	■■■		c	
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■		fc8c18f133f9315fa45e8c28dd272d88d23439a86e91510d99d91bc
■	■	■	■	■	■	■	■■■		fc8c18f133f9315fa45e8c28dd272d88d23439a86e91510d99d91bc
■	■	■	■	■	■■■			9	

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ff7cd8c6249d79dd9876c91e33096fd644902ebeea4ca593ff78c19
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ff7cd8c6249d79dd9876c91e33096fd644902ebeea4ca593ff78c19
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ e
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ff7eb83f26be22ed468e4b33bcece267fd7387aba0b8986470a1690
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ff7eb83f26be22ed468e4b33bcece267fd7387aba0b8986470a1690
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 9
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ff9416b33ebf7e8313a608084c5f0817692d471e11d30447b9b7048
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ff9416b33ebf7e8313a608084c5f0817692d471e11d30447b9b7048
■ ■ ■ ■ ■ selfcheck
■ ■ ■ ■ ■ fe300af6f7d708c14827daac3afc81fbb8306b73de8dd6e3f1f8ea3b
■ ■ ■ ■ ■ wheels
■ ■ ■ ■ ■ 03
■ ■ ■ ■ ■ d5
■ ■ ■ ■ ■ 1c
■ ■ ■ ■ ■ 4b526a5ebf20295ae9d89c4d55f6c0d3f3d490c0a518ab4581
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ snowflake_connector_python-2.7.12-py3-none-any.whl
■ ■ ■ ■ ■ 0f
■ ■ ■ ■ ■ 0e
■ ■ ■ ■ ■ 7a
■ ■ ■ ■ ■ 3094a4ceefe657bff7e12dd9592a9d5b6487ef4338ace0afa6
■ ■ ■ ■ ■ docx2txt-0.8-py3-none-any.whl
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ 11
■ ■ ■ ■ ■ 5a
■ ■ ■ ■ ■ ad
■ ■ ■ ■ ■ ebef6395e95b1dffd742afb44db6d92bd5e8921a572b9ff8618
■ ■ ■ ■ ■ etuples-0.3.9-py3-none-any.whl
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ cb
■ ■ ■ ■ ■ ce
■ ■ ■ ■ ■ fde887a99f107a6055724dfa532f0bcd45031f636d9666731d
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ pypandoc-1.6.3-py3-none-any.whl
■ ■ ■ ■ ■ 15
■ ■ ■ ■ ■ 08
■ ■ ■ ■ ■ 5e
■ ■ ■ ■ ■ 6ac1d06282a81a669d2838a217241e51bca4764e94e58971f5
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ pycountry-20.7.3-py2.py3-none-any.whl
■ ■ ■ ■ ■ 31
■ ■ ■ ■ ■ 06
■ ■ ■ ■ ■ bd
■ ■ ■ ■ ■ d713c97979c62c4439b29393ac3bfc3dbaa64798a286b78502
■ ■ ■ ■ ■ exchange_calendars-3.4-py3-none-any.whl
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ 43
■ ■ ■ ■ ■ 7b
■ ■ ■ ■ ■ 57
■ ■ ■ ■ ■ f273dbfba4aafa48ea5cad08d20dc12b5a990b5ea8ebb44357
■ ■ ■ ■ ■ ace_tools-0.0.1-py3-none-any.whl
■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ 4e
■ ■ ■ ■ ■ 1e
■ ■ ■ ■ ■ 4a
```



```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fe0a5b5e232401da571d514eb545833fbe220993ac8336c94e
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cons-0.4.6-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 96
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 0a
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ef3325d86b9a8f81580dd332d9ff195e71065f10e3008927a8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ websockets-10.3-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ a2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ f2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cd72d89ce3bf2e3bf1cabe73c71fceb7d68edf524f111d41d5
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ aeppl-0.0.31-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ a3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 53
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c143c7ad142199d3e063ab53e691054de7075c808146433bdb
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shap-0.39.0-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ac
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 47
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ce
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ e541f086abb2a2c394e38c8642ec85cb95ecf5af070c232f46
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Flask_CacheBuster-1.0.0-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 11
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 209e41af524253c9ba6c2a8b8ecec0f98ecbc28c732512803c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python_docx-0.8.11-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 34
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ a9
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c11a21ef1f1b6d2e5ae518dd5d28c0bd2b131c5d6e5d4417c3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ logical_unification-0.4.6-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cb
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 48
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 7e03d742a16fc4995e4b841cba776c2006fdf0fd6057be5681
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Shapely-1.7.1-py2.py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ d6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1d
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 8c29be1d73ca42d15977c75193d9f39a98499413c2838ac54c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ odfpy-1.4.1-py2.py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ db
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bb
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 71
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ f5d253c5eb10c8820dfd0590cd228e312b0768adc537466b45
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tabula-1.0.5-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dd
```

```

■ ■ ■ ■ ■■■ b0
■ ■ ■ ■ ■■■ e9
■ ■ ■ ■ ■■■ f04e7ba0cc6daa058d9c5f4f389ada8a1cf9a6bb8b6f72ca8f
■ ■ ■ ■ ■■■ origin.json
■ ■ ■ ■ ■■■ pygraphviz-1.7-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■■■■ df
■ ■ ■ ■■■■ 03
■ ■ ■ ■■■■ 19
■ ■ ■ ■■■■ 73d6ab496ab16b80e7ef09cf72ddd651100566f012ef712b41
■ ■ ■ ■■■■ origin.json
■ ■ ■ ■■■■ pytesseract-0.3.8-py2.py3-none-any.whl
■ ■ ■ ■■■■ ee
■ ■ ■ ■■■■ 4e
■ ■ ■ ■■■■ 19
■ ■ ■ ■■■■ b0935ea8d432182833c86e4a36f8026d8e212f8f7c5939cbca
■ ■ ■ ■■■■ origin.json
■ ■ ■ ■■■■ thrift-0.21.0-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■■■■ f4
■ ■ ■ ■■■■ c7
■ ■ ■ ■■■■ af
■ ■ ■ ■■■■ d1d91f3decfaa7621033f30b69a29bf0b1206005663d233e7a
■ ■ ■ ■■■■ origin.json
■ ■ ■ ■■■■ python_pptx-0.6.21-py3-none-any.whl
■■■■ .config
■ ■■■■ matplotlib
■ ■ ■■■■ matplotlibrc
■■■■ .ipython
■ ■■■■ profile_default
■ ■ ■■■■ history.sqlite
■ ■ ■■■■ log
■ ■ ■■■■ pid
■ ■ ■■■■ security
■ ■ ■■■■ startup
■ ■ ■■■■ README
■■■■ .local
■ ■■■■ LICENSE
■ ■■■■ bin
■ ■ ■■■■ __pycache__
■ ■ ■■■■ d1d91f3decfaa7621033f30b69a29bf0b1206005663d233e7a.pyc
■ ■ ■■■■ pdf2txt.cpython-311.pyc
■ ■ ■■■■ read_zbar.cpython-311.pyc
■ ■ ■■■■ vba_extract.cpython-311.pyc
■ ■ ■■■■ aesara-cache
■ ■ ■■■■ bokeh
■ ■ ■■■■ cairosvg
■ ■ ■■■■ camelot
■ ■ ■■■■ ccmake
■ ■ ■■■■ chardetect
■ ■ ■■■■ cmake
■ ■ ■■■■ convert-caffe2-to-onnx
■ ■ ■■■■ convert-onnx-to-caffe2
■ ■ ■■■■ cpack
■ ■ ■■■■ cpuinfo
■ ■ ■■■■ csv2ods
■ ■ ■■■■ csv2rdf
■ ■ ■■■■ ctest
■ ■ ■■■■ cygdb
■ ■ ■■■■ cython

```


■	■	■■■	cythonize
■	■	■■■	debugpy
■	■	■■■	docx2txt
■	■	■■■	dotenv
■	■	■■■	dumppdf.py
■	■	■■■	ecal
■	■	■■■	email_validator
■	■	■■■	f2py
■	■	■■■	f2py3
■	■	■■■	f2py3.11
■	■	■■■	faker
■	■	■■■	fastapi
■	■	■■■	fio
■	■	■■■	flask
■	■	■■■	fonttools
■	■	■■■	futurize
■	■	■■■	gtts-cli
■	■	■■■	httpx
■	■	■■■	hypercorn
■	■	■■■	imageio_download_bin
■	■	■■■	imageio_remove_bin
■	■	■■■	ipython
■	■	■■■	ipython3
■	■	■■■	isympy
■	■	■■■	jlpm
■	■	■■■	jsonschema
■	■	■■■	jupyter
■	■	■■■	jupyter-bundlerextension
■	■	■■■	jupyter-dejavu
■	■	■■■	jupyter-execute
■	■	■■■	jupyter-kernel
■	■	■■■	jupyter-kernelspec
■	■	■■■	jupyter-lab
■	■	■■■	jupyter-labextension
■	■	■■■	jupyter-labhub
■	■	■■■	jupyter-migrate
■	■	■■■	jupyter-nbclassic
■	■	■■■	jupyter-nbclassic-bundlerextension
■	■	■■■	jupyter-nbclassic-extension
■	■	■■■	jupyter-nbclassic-serverextension
■	■	■■■	jupyter-nbconvert
■	■	■■■	jupyter-nbextension
■	■	■■■	jupyter-notebook
■	■	■■■	jupyter-run
■	■	■■■	jupyter-server
■	■	■■■	jupyter-serverextension
■	■	■■■	jupyter-troubleshoot
■	■	■■■	jupyter-trust
■	■	■■■	lit
■	■	■■■	lsm2bin
■	■	■■■	mailodf
■	■	■■■	markdown-it
■	■	■■■	markdown2
■	■	■■■	mid3cp
■	■	■■■	mid3iconv
■	■	■■■	mid3v2
■	■	■■■	mne
■	■	■■■	moggsplit

■	■	■■■	mutagen-inspect
■	■	■■■	mutagen-pony
■	■	■■■	nltk
■	■	■■■	normalizer
■	■	■■■	numba
■	■	■■■	odf2mht
■	■	■■■	odf2xhtml
■	■	■■■	odf2xml
■	■	■■■	odfimgimport
■	■	■■■	odflint
■	■	■■■	odfmeta
■	■	■■■	odfoutline
■	■	■■■	odfuserfield
■	■	■■■	pasteurize
■	■	■■■	pdf2txt.py
■	■	■■■	pdfplumber
■	■	■■■	pt2to3
■	■	■■■	ptdump
■	■	■■■	ptrepack
■	■	■■■	pttree
■	■	■■■	py.test
■	■	■■■	pybabel
■	■	■■■	pyftmerge
■	■	■■■	pyftsubset
■	■	■■■	pygmentize
■	■	■■■	pyjson5
■	■	■■■	pyproj
■	■	■■■	pytesseract
■	■	■■■	pytest
■	■	■■■	qr
■	■	■■■	rdf2dot
■	■	■■■	rdfgraphisomorphism
■	■	■■■	rdfpipe
■	■	■■■	rdfs2dot
■	■	■■■	read_zbar
■	■	■■■	read_zbar.py
■	■	■■■	rio
■	■	■■■	send2trash
■	■	■■■	snowflake-dump-certs
■	■	■■■	snowflake-dump-ocsp-response
■	■	■■■	snowflake-dump-ocsp-response-cache
■	■	■■■	snowflake-export-certs
■	■	■■■	spacy
■	■	■■■	svg2pdf
■	■	■■■	tabulate
■	■	■■■	tiff2fsspec
■	■	■■■	tiffcomment
■	■	■■■	tiffiffile
■	■	■■■	torchrun
■	■	■■■	tqdm
■	■	■■■	ttx
■	■	■■■	typer
■	■	■■■	uvicorn
■	■	■■■	vba_extract.py
■	■	■■■	watchfiles
■	■	■■■	weasel
■	■	■■■	weasyprint
■	■	■■■	wordcloud_cli

```
■ ■ ■■■ wsdump
■ ■ ■■■ xml2odf
■ ■■■ data
■ ■ ■■■ afghanistan.json
■ ■ ■■■ albania.json
■ ■ ■■■ algeria.json
■ ■ ■■■ american_samoa.json
■ ■ ■■■ angola.json
■ ■ ■■■ anguilla.json
■ ■ ■■■ antarctica.json
■ ■ ■■■ antigua_and_barbuda.json
■ ■ ■■■ argentina.json
■ ■ ■■■ armenia.json
■ ■ ■■■ aruba.json
■ ■ ■■■ ashmore_and_cartier_island.json
■ ■ ■■■ australia.json
■ ■ ■■■ austria.json
■ ■ ■■■ azerbaijan.json
■ ■ ■■■ bahamas.json
■ ■ ■■■ bahrain.json
■ ■ ■■■ bangladesh.json
■ ■ ■■■ barbados.json
■ ■ ■■■ belarus.json
■ ■ ■■■ belgium.json
■ ■ ■■■ belize.json
■ ■ ■■■ benin.json
■ ■ ■■■ bermuda.json
■ ■ ■■■ bhutan.json
■ ■ ■■■ bolivia.json
■ ■ ■■■ bosnia_and_herzegovina.json
■ ■ ■■■ botswana.json
■ ■ ■■■ brazil.json
■ ■ ■■■ british_virgin_islands.json
■ ■ ■■■ brunei.json
■ ■ ■■■ bulgaria.json
■ ■ ■■■ burkina_faso.json
■ ■ ■■■ burma.json
■ ■ ■■■ burundi.json
■ ■ ■■■ cambodia.json
■ ■ ■■■ cameroon.json
■ ■ ■■■ canada.json
■ ■ ■■■ cape_verde.json
■ ■ ■■■ cayman_islands.json
■ ■ ■■■ central_african_republic.json
■ ■ ■■■ chad.json
■ ■ ■■■ chile.json
■ ■ ■■■ china.json
■ ■ ■■■ christmas_island.json
■ ■ ■■■ clipperton_island.json
■ ■ ■■■ cocos_keeling_islands.json
■ ■ ■■■ colombia.json
■ ■ ■■■ comoros.json
■ ■ ■■■ congo_democratic_republic_of_the.json
■ ■ ■■■ congo_republic_of_the.json
■ ■ ■■■ cook_islands.json
■ ■ ■■■ costa_rica.json
■ ■ ■■■ cote_d_ivoire.json
■ ■ ■■■ croatia.json
```

■	■	■■■	cuba.json
■	■	■■■	cyprus.json
■	■	■■■	czeck_republic.json
■	■	■■■	denmark.json
■	■	■■■	djibouti.json
■	■	■■■	dominica.json
■	■	■■■	dominican_republic.json
■	■	■■■	ecuador.json
■	■	■■■	egypt.json
■	■	■■■	el_salvador.json
■	■	■■■	equatorial_guinea.json
■	■	■■■	eritrea.json
■	■	■■■	estonia.json
■	■	■■■	ethiopia.json
■	■	■■■	europa_island.json
■	■	■■■	falkland_islands_islas_malvinas.json
■	■	■■■	faroe_islands.json
■	■	■■■	fiji.json
■	■	■■■	finland.json
■	■	■■■	france.json
■	■	■■■	french_guiana.json
■	■	■■■	french_polynesia.json
■	■	■■■	french_southern_and_antarctic_lands.json
■	■	■■■	gabon.json
■	■	■■■	gambia_the.json
■	■	■■■	gaza_strip.json
■	■	■■■	georgia.json
■	■	■■■	germany.json
■	■	■■■	ghana.json
■	■	■■■	gibraltar.json
■	■	■■■	glorioso_islands.json
■	■	■■■	greece.json
■	■	■■■	greenland.json
■	■	■■■	grenada.json
■	■	■■■	guadeloupe.json
■	■	■■■	guam.json
■	■	■■■	guatemala.json
■	■	■■■	guernsey.json
■	■	■■■	guinea.json
■	■	■■■	guinea_bissau.json
■	■	■■■	guyana.json
■	■	■■■	haiti.json
■	■	■■■	heard_island_and_mc_donald_islands.json
■	■	■■■	holy_see_vatican_city.json
■	■	■■■	honduras.json
■	■	■■■	hong_kong.json
■	■	■■■	howland_island.json
■	■	■■■	hungary.json
■	■	■■■	iceland.json
■	■	■■■	india.json
■	■	■■■	indonesia.json
■	■	■■■	iran.json
■	■	■■■	iraq.json
■	■	■■■	ireland.json
■	■	■■■	ireland_northern.json
■	■	■■■	israel.json
■	■	■■■	italy.json
■	■	■■■	jamaica.json

■	■	■■■	jan_mayen.json
■	■	■■■	japan.json
■	■	■■■	jarvis_island.json
■	■	■■■	jersey.json
■	■	■■■	johnston_atoll.json
■	■	■■■	jordan.json
■	■	■■■	juan_de_nova_island.json
■	■	■■■	kazakhstan.json
■	■	■■■	kenya.json
■	■	■■■	kiribati.json
■	■	■■■	korea_north.json
■	■	■■■	korea_south.json
■	■	■■■	kuwait.json
■	■	■■■	kyrgyzstan.json
■	■	■■■	laos.json
■	■	■■■	latvia.json
■	■	■■■	lebanon.json
■	■	■■■	lesotho.json
■	■	■■■	liberia.json
■	■	■■■	libya.json
■	■	■■■	liechtenstein.json
■	■	■■■	lithuania.json
■	■	■■■	luxembourg.json
■	■	■■■	macau.json
■	■	■■■	macedonia_former_yugoslav_republic_of.json
■	■	■■■	madagascar.json
■	■	■■■	malawi.json
■	■	■■■	malaysia.json
■	■	■■■	maldives.json
■	■	■■■	mali.json
■	■	■■■	malta.json
■	■	■■■	man_isle_of.json
■	■	■■■	marshall_islands.json
■	■	■■■	martinique.json
■	■	■■■	mauritania.json
■	■	■■■	mauritius.json
■	■	■■■	mayotte.json
■	■	■■■	mexico.json
■	■	■■■	micronesia_federated_states_of.json
■	■	■■■	midway_islands.json
■	■	■■■	moldova.json
■	■	■■■	monaco.json
■	■	■■■	mongolia.json
■	■	■■■	montserrat.json
■	■	■■■	morocco.json
■	■	■■■	mozambique.json
■	■	■■■	namibia.json
■	■	■■■	nauru.json
■	■	■■■	nepal.json
■	■	■■■	netherlands.json
■	■	■■■	netherlands_antilles.json
■	■	■■■	new_caledonia.json
■	■	■■■	new_zealand.json
■	■	■■■	nicaragua.json
■	■	■■■	niger.json
■	■	■■■	nigeria.json
■	■	■■■	niue.json
■	■	■■■	norfolk_island.json

■	■	■■■	northern_mariana_islands.json
■	■	■■■	norway.json
■	■	■■■	oman.json
■	■	■■■	pakistan.json
■	■	■■■	palau.json
■	■	■■■	panama.json
■	■	■■■	papua_new_guinea.json
■	■	■■■	paraguay.json
■	■	■■■	peru.json
■	■	■■■	philippines.json
■	■	■■■	pitcaim_islands.json
■	■	■■■	poland.json
■	■	■■■	portugal.json
■	■	■■■	puerto_rico.json
■	■	■■■	qatar.json
■	■	■■■	reunion.json
■	■	■■■	romania.json
■	■	■■■	ruissia.json
■	■	■■■	rwanda.json
■	■	■■■	saint_helena.json
■	■	■■■	saint_kitts_and_nevis.json
■	■	■■■	saint_lucia.json
■	■	■■■	saint_pierre_and_miquelon.json
■	■	■■■	saint_vincent_and_the_grenadines.json
■	■	■■■	samoa.json
■	■	■■■	san_marino.json
■	■	■■■	sao_tome_and_principe.json
■	■	■■■	saudi_arabia.json
■	■	■■■	scotland.json
■	■	■■■	senegal.json
■	■	■■■	serbia.json
■	■	■■■	seychelles.json
■	■	■■■	sierra_leone.json
■	■	■■■	singapore.json
■	■	■■■	slovakia.json
■	■	■■■	slovenia.json
■	■	■■■	solomon_islands.json
■	■	■■■	somalia.json
■	■	■■■	south_africa.json
■	■	■■■	south_georgia_and_south_sandwich_islands.json
■	■	■■■	south_sudan.json
■	■	■■■	spain.json
■	■	■■■	sri_lanka.json
■	■	■■■	sudan.json
■	■	■■■	suriname.json
■	■	■■■	svalbard.json
■	■	■■■	swaziland.json
■	■	■■■	sweden.json
■	■	■■■	switzerland.json
■	■	■■■	syria.json
■	■	■■■	taiwan.json
■	■	■■■	tajikistan.json
■	■	■■■	tanzania.json
■	■	■■■	thailand.json
■	■	■■■	tobago.json
■	■	■■■	toga.json
■	■	■■■	tokelau.json
■	■	■■■	tonga.json

- ■ ■■■ trinidad.json
- ■ ■■■ tunisia.json
- ■ ■■■ turkey.json
- ■ ■■■ turkmenistan.json
- ■ ■■■ tuvalu.json
- ■ ■■■ uganda.json
- ■ ■■■ ukraine.json
- ■ ■■■ united_arab_emirates.json
- ■ ■■■ united_kingdom.json
- ■ ■■■ united_states_of_america.json
- ■ ■■■ uruguay.json
- ■ ■■■ uzbekistan.json
- ■ ■■■ vanuatu.json
- ■ ■■■ venezuela.json
- ■ ■■■ vietnam.json
- ■ ■■■ virgin_islands.json
- ■ ■■■ wales.json
- ■ ■■■ wallis_and_futuna.json
- ■ ■■■ west_bank.json
- ■ ■■■ western_sahara.json
- ■ ■■■ yemen.json
- ■ ■■■ zambia.json
- ■ ■■■ zimbabwe.json
- ■■■ etc
- ■ ■■■ jupyter
 - ■ ■ ■■■ jupyter_notebook_config.d
 - ■ ■ ■ ■■■ jupyterlab.json
 - ■ ■ ■■■ jupyter_server_config.d
 - ■ ■ ■ ■■■ jupyterlab.json
 - ■ ■ ■ ■■■ nbclassic.json
 - ■ ■ ■ ■■■ notebook_shim.json
 - ■ ■ ■■■ nbconfig
 - ■ ■ ■ ■■■ notebook.d
 - ■ ■ ■ ■■■ jupyterlab-plotly.json
- ■■■ include
 - ■ ■■■ blosc2
 - ■ ■ ■■■ blosc2-common.h
 - ■ ■ ■■■ blosc2-export.h
 - ■ ■ ■■■ blosc2-stdio.h
 - ■ ■ ■■■ codecs-registry.h
 - ■ ■ ■■■ filters-registry.h
 - ■ ■■■ blosc2.h
- ■■■ lib
 - ■ ■■■ python3.11
 - ■ ■ ■■■ site-packages
 - ■ ■ ■ ■■■ 5bae8a57b5ef85818b48__mypyc.cpython-311-x86_64-linux-gnu.so
 - ■ ■ ■ ■■■ Brotli-1.1.0.dist-info
 - ■ ■ ■ ■■■ INSTALLER
 - ■ ■ ■ ■■■ LICENSE
 - ■ ■ ■ ■■■ METADATA
 - ■ ■ ■ ■■■ RECORD
 - ■ ■ ■ ■■■ WHEEL
 - ■ ■ ■ ■■■ top_level.txt
 - ■ ■ ■ ■■■ CairoSVG-2.5.2.dist-info
 - ■ ■ ■ ■■■ INSTALLER
 - ■ ■ ■ ■■■ LICENSE
 - ■ ■ ■ ■■■ METADATA
 - ■ ■ ■ ■■■ RECORD

```
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ Crypto
■ ■ ■ ■ ■ ■ ■ ■ Cipher
■ ■ ■ ■ ■ ■ ■ ■ AES.py
■ ■ ■ ■ ■ ■ ■ ■ AES.pyi
■ ■ ■ ■ ■ ■ ■ ■ ARC2.py
■ ■ ■ ■ ■ ■ ■ ■ ARC2.pyi
■ ■ ■ ■ ■ ■ ■ ■ ARC4.py
■ ■ ■ ■ ■ ■ ■ ■ ARC4.pyi
■ ■ ■ ■ ■ ■ ■ ■ Blowfish.py
■ ■ ■ ■ ■ ■ ■ ■ Blowfish.pyi
■ ■ ■ ■ ■ ■ ■ ■ CAST.py
■ ■ ■ ■ ■ ■ ■ ■ CAST.pyi
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20.py
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20.pyi
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20_Poly1305.py
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20_Poly1305.pyi
■ ■ ■ ■ ■ ■ ■ ■ DES.py
■ ■ ■ ■ ■ ■ ■ ■ DES.pyi
■ ■ ■ ■ ■ ■ ■ ■ DES3.py
■ ■ ■ ■ ■ ■ ■ ■ DES3.pyi
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_OAEP.py
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_OAEP.pyi
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_v1_5.py
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_v1_5.pyi
■ ■ ■ ■ ■ ■ ■ ■ Salsa20.py
■ ■ ■ ■ ■ ■ ■ ■ Salsa20.pyi
■ ■ ■ ■ ■ ■ ■ ■ _ARC4.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ _EKSBlowfish.py
■ ■ ■ ■ ■ ■ ■ ■ _EKSBlowfish.pyi
■ ■ ■ ■ ■ ■ ■ ■ _Salsa20.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ AES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ARC2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ARC4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ Blowfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ CAST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20_Poly1305.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ DES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ DES3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_OAEP.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_v1_5.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ Salsa20.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _EKSBlowfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_cbc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_ccm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_cfb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_ctr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_eax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_ecb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_gcm.cpython-311.pyc
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_oaep_decode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _chacha20.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _mode_cbc.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_cbc.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_ccm.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_ccm.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_cfb.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_cfb.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_ctr.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_ctr.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_eax.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_eax.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_ecb.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_ecb.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_gcm.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_gcm.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_ocb.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_ocb.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_ofb.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_ofb.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_openpgp.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_openpgp.pyi
■ ■ ■ ■ ■ ■ ■■■■ _mode_siv.py
■ ■ ■ ■ ■ ■ ■■■■ _mode_siv.pyi
■ ■ ■ ■ ■ ■ ■■■■ _pkcs1_decode.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _pkcs1_oaep_decode.py
■ ■ ■ ■ ■ ■ ■■■■ _raw_aes.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_aesni.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_arc2.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_blowfish.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_cast.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_cbc.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_cfb.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_ctr.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_des.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_des3.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_ecb.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_eksblowfish.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_ocb.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ _raw_ofb.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ Hash
■ ■ ■ ■ ■ ■ ■■■■ BLAKE2b.py
■ ■ ■ ■ ■ ■ ■■■■ BLAKE2b.pyi
■ ■ ■ ■ ■ ■ ■■■■ BLAKE2s.py
■ ■ ■ ■ ■ ■ ■■■■ BLAKE2s.pyi
■ ■ ■ ■ ■ ■ ■■■■ CMAC.py
■ ■ ■ ■ ■ ■ ■■■■ CMAC.pyi
■ ■ ■ ■ ■ ■ ■■■■ HMAC.py
■ ■ ■ ■ ■ ■ ■■■■ HMAC.pyi
■ ■ ■ ■ ■ ■ ■■■■ KMAC128.py
■ ■ ■ ■ ■ ■ ■■■■ KMAC128.pyi
■ ■ ■ ■ ■ ■ ■■■■ KMAC256.py
■ ■ ■ ■ ■ ■ ■■■■ KMAC256.pyi
■ ■ ■ ■ ■ ■ ■■■■ KangarooTwelve.py

```



```

__pycache__
BLAKE2b.cpython-311.pyc
BLAKE2s.cpython-311.pyc
CMAC.cpython-311.pyc
HMAC.cpython-311.pyc
KMAC128.cpython-311.pyc
KMAC256.cpython-311.pyc
KangarooTwelve.cpython-311.pyc
MD2.cpython-311.pyc
MD4.cpython-311.pyc
MD5.cpython-311.pyc
Poly1305.cpython-311.pyc
RIPEMD.cpython-311.pyc
RIPEMD160.cpython-311.pyc
SHA.cpython-311.pyc
SHA1.cpython-311.pyc
SHA224.cpython-311.pyc
SHA256.cpython-311.pyc
SHA384.cpython-311.pyc
SHA3_224.cpython-311.pyc
SHA3_256.cpython-311.pyc
SHA3_384.cpython-311.pyc
SHA3_512.cpython-311.pyc
SHA512.cpython-311.pyc
SHAKE128.cpython-311.pyc
SHAKE256.cpython-311.pyc
TupleHash128.cpython-311.pyc
TupleHash256.cpython-311.pyc
TurboSHAKE128.cpython-311.pyc
TurboSHAKE256.cpython-311.pyc
__init__.cpython-311.pyc
cSHAKE128.cpython-311.pyc
cSHAKE256.cpython-311.pyc
keccak.cpython-311.pyc
_ghash_clmul.abi3.so
_ghash_portable.abi3.so
_keccak.abi3.so
_poly1305.abi3.so
cSHAKE128.py
cSHAKE128.pyi
cSHAKE256.py
cSHAKE256.pyi
keccak.py
keccak.pyi
IO
PEM.py
PEM.pyi
PKCS8.py
PKCS8.pyi
_PBES.py
_PBES.pyi
__init__.py
__pycache__
PEM.cpython-311.pyc
PKCS8.cpython-311.pyc
_PBES.cpython-311.pyc
__init__.cpython-311.pyc
Math

```

■	■	■	■	■	■	■■■ Numbers.py
■	■	■	■	■	■	■■■ Numbers.pyi
■	■	■	■	■	■	■■■ Primality.py
■	■	■	■	■	■	■■■ Primality.pyi
■	■	■	■	■	■	■■■ _IntegerBase.py
■	■	■	■	■	■	■■■ _IntegerBase.pyi
■	■	■	■	■	■	■■■ _IntegerCustom.py
■	■	■	■	■	■	■■■ _IntegerCustom.pyi
■	■	■	■	■	■	■■■ _IntegerGMP.py
■	■	■	■	■	■	■■■ _IntegerGMP.pyi
■	■	■	■	■	■	■■■ _IntegerNative.py
■	■	■	■	■	■	■■■ _IntegerNative.pyi
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ Numbers.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ Primality.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerBase.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerCustom.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerGMP.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerNative.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ _modexp.abi3.so
■	■	■	■	■	■■■	Protocol
■	■	■	■	■	■	■■■ DH.py
■	■	■	■	■	■	■■■ DH.pyi
■	■	■	■	■	■	■■■ KDF.py
■	■	■	■	■	■	■■■ KDF.pyi
■	■	■	■	■	■	■■■ SecretSharing.py
■	■	■	■	■	■	■■■ SecretSharing.pyi
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __init__.pyi
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ DH.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ KDF.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ SecretSharing.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ _script.abi3.so
■	■	■	■	■	■■■	PublicKey
■	■	■	■	■	■	■■■ DSA.py
■	■	■	■	■	■	■■■ DSA.pyi
■	■	■	■	■	■	■■■ ECC.py
■	■	■	■	■	■	■■■ ECC.pyi
■	■	■	■	■	■	■■■ ElGamal.py
■	■	■	■	■	■	■■■ ElGamal.pyi
■	■	■	■	■	■	■■■ RSA.py
■	■	■	■	■	■	■■■ RSA.pyi
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __init__.pyi
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ DSA.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ ECC.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ ElGamal.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ RSA.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _curve.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _edwards.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _montgomery.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _nist_ecc.cpython-311.pyc

```

_ | _ | _ | _ | _ | _ | _ | _openssh.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ | _point.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ | _curve.py
_ | _ | _ | _ | _ | _ | _ | _curve25519.abi3.so
_ | _ | _ | _ | _ | _ | _ | _curve448.abi3.so
_ | _ | _ | _ | _ | _ | _ | _ec_ws.abi3.so
_ | _ | _ | _ | _ | _ | _ | _ed25519.abi3.so
_ | _ | _ | _ | _ | _ | _ | _ed448.abi3.so
_ | _ | _ | _ | _ | _ | _ | _edwards.py
_ | _ | _ | _ | _ | _ | _ | _montgomery.py
_ | _ | _ | _ | _ | _ | _ | _nist_ecc.py
_ | _ | _ | _ | _ | _ | _ | _openssh.py
_ | _ | _ | _ | _ | _ | _ | _openssh.pyi
_ | _ | _ | _ | _ | _ | _ | _point.py
_ | _ | _ | _ | _ | _ | _ | _point.pyi
_ | _ | _ | _ | _ | _ | _ | Random
_ | _ | _ | _ | _ | _ | _ |   ___init__.py
_ | _ | _ | _ | _ | _ | _ |   ___init__.pyi
_ | _ | _ | _ | _ | _ | _ |   __pycache__
_ | _ | _ | _ | _ | _ | _ |     ___init__.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |     random.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |     random.py
_ | _ | _ | _ | _ | _ | _ |     random.pyi
_ | _ | _ | _ | _ | _ | _ | SelfTest
_ | _ | _ | _ | _ | _ | _ |   Cipher
_ | _ | _ | _ | _ | _ | _ |     ___init__.py
_ | _ | _ | _ | _ | _ | _ |     __pycache__
_ | _ | _ | _ | _ | _ | _ |       ___init__.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       common.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_AES.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_ARC2.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_ARC4.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_Blowfish.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_CAST.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_CBC.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_CCM.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_CFB.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_CTR.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_Chacha20.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_Chacha20_Poly1305.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_DES.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_DES3.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_EAX.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_GCM.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_OCB.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_OFB.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_OpenPGP.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_SIV.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_Salsa20.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_pkcs1_15.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |       test_pkcs1_oaep.cpython-311.pyc
_ | _ | _ | _ | _ | _ | _ |     common.py
_ | _ | _ | _ | _ | _ | _ |     test_AES.py
_ | _ | _ | _ | _ | _ | _ |     test_ARC2.py
_ | _ | _ | _ | _ | _ | _ |     test_ARC4.py
_ | _ | _ | _ | _ | _ | _ |     test_Blowfish.py
_ | _ | _ | _ | _ | _ | _ |     test_CAST.py
_ | _ | _ | _ | _ | _ | _ |     test_CBC.py
```

■	■	■	■	■	■	■	■■■	test_CCM.py	
■	■	■	■	■	■	■	■■■	test_CFB.py	
■	■	■	■	■	■	■	■■■	test_CTR.py	
■	■	■	■	■	■	■	■■■	test_ChaCha20.py	
■	■	■	■	■	■	■	■■■	test_ChaCha20_Poly1305.py	
■	■	■	■	■	■	■	■■■	test_DES.py	
■	■	■	■	■	■	■	■■■	test_DES3.py	
■	■	■	■	■	■	■	■■■	test_EAX.py	
■	■	■	■	■	■	■	■■■	test_GCM.py	
■	■	■	■	■	■	■	■■■	test_OCB.py	
■	■	■	■	■	■	■	■■■	test_OFB.py	
■	■	■	■	■	■	■	■■■	test_OpenPGP.py	
■	■	■	■	■	■	■	■■■	test_SIV.py	
■	■	■	■	■	■	■	■■■	test_Salsa20.py	
■	■	■	■	■	■	■	■■■	test_pkcs1_15.py	
■	■	■	■	■	■	■	■■■	test_pkcs1_oaep.py	
■	■	■	■	■	■	■■■	Hash		
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_BLAKE2.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_CMAC.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_HMAC.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_KMAC.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_KangarooTwelve.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_MD2.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_MD4.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_MD5.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_Poly1305.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_RIPEMD160.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA1.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA224.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA256.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA384.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA3_224.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA3_256.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA3_384.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA3_512.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHA512.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_SHAKE.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_TupleHash.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_TurboSHAKE.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_cSHAKE.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_keccak.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■	■	■■■	test_BLAKE2.py	
■	■	■	■	■	■	■	■■■	test_CMAC.py	
■	■	■	■	■	■	■	■■■	test_HMAC.py	
■	■	■	■	■	■	■	■■■	test_KMAC.py	
■	■	■	■	■	■	■	■■■	test_KangarooTwelve.py	
■	■	■	■	■	■	■	■■■	test_MD2.py	
■	■	■	■	■	■	■	■■■	test_MD4.py	
■	■	■	■	■	■	■	■■■	test_MD5.py	
■	■	■	■	■	■	■	■■■	test_Poly1305.py	
■	■	■	■	■	■	■	■■■	test_RIPEMD160.py	
■	■	■	■	■	■	■	■■■	test_SHA1.py	
■	■	■	■	■	■	■	■■■	test_SHA224.py	

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_224.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TupleHash.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TurboSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_keccak.py
■ ■ ■ ■ ■ ■ ■ ■■■ IO
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.py
■ ■ ■ ■ ■ ■ ■ ■■■ Math
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primality.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.py
■ ■ ■ ■ ■ ■ ■ ■■■ Protocol
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■■■ PublicKey
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_NIST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ElGamal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_RSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_import_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_import_Curve448.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_ECC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_RSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Ed25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Ed448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_NIST.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ElGamal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_ECC.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Random
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Signature
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eddsa.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pkcs1_15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dss.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eddsa.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pkcs1_15.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pss.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Util
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Counter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Padding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_asn1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_number.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strxor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Counter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_asn1.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_number.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strxor.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ loader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ st_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ loader.py
```



```

■ ■ ■ st_common.py
■ ■ ■ Signature
■ ■ ■ DSS.py
■ ■ ■ DSS.pyi
■ ■ ■ PKCS1_PSS.py
■ ■ ■ PKCS1_PSS.pyi
■ ■ ■ PKCS1_v1_5.py
■ ■ ■ PKCS1_v1_5.pyi
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ DSS.cpython-311.pyc
■ ■ ■ PKCS1_PSS.cpython-311.pyc
■ ■ ■ PKCS1_v1_5.cpython-311.pyc
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ eddsa.cpython-311.pyc
■ ■ ■ pkcs1_15.cpython-311.pyc
■ ■ ■ pss.cpython-311.pyc
■ ■ ■ eddsa.py
■ ■ ■ eddsa.pyi
■ ■ ■ pkcs1_15.py
■ ■ ■ pkcs1_15.pyi
■ ■ ■ pss.py
■ ■ ■ pss.pyi
■ ■ Util
■ ■ Counter.py
■ ■ Counter.pyi
■ ■ Padding.py
■ ■ Padding.pyi
■ ■ RFC1751.py
■ ■ RFC1751.pyi
■ ■ __init__.py
■ ■ __pycache__
■ ■ Counter.cpython-311.pyc
■ ■ Padding.cpython-311.pyc
■ ■ RFC1751.cpython-311.pyc
■ ■ __init__.cpython-311.pyc
■ ■ _cpu_features.cpython-311.pyc
■ ■ _file_system.cpython-311.pyc
■ ■ _raw_api.cpython-311.pyc
■ ■ asn1.cpython-311.pyc
■ ■ number.cpython-311.pyc
■ ■ py3compat.cpython-311.pyc
■ ■ strxor.cpython-311.pyc
■ ■ _cpu_features.py
■ ■ _cpu_features.pyi
■ ■ _cuuid_c.abi3.so
■ ■ _file_system.py
■ ■ _file_system.pyi
■ ■ _raw_api.py
■ ■ _raw_api.pyi
■ ■ _strxor.abi3.so
■ ■ asn1.py
■ ■ asn1.pyi
■ ■ number.py
■ ■ number.pyi
■ ■ py3compat.py
■ ■ py3compat.pyi
■ ■ strxor.py
```

```

    strxor.pyi
    __init__.py
    __init__.pyi
    __pycache__
    __init__.cpython-311.pyc
    py.typed
    Cryptodome
    Cipher
    AES.py
    AES.pyi
    ARC2.py
    ARC2.pyi
    ARC4.py
    ARC4.pyi
    Blowfish.py
    Blowfish.pyi
    CAST.py
    CAST.pyi
    ChaCha20.py
    ChaCha20.pyi
    ChaCha20_Poly1305.py
    ChaCha20_Poly1305.pyi
    DES.py
    DES.pyi
    DES3.py
    DES3.pyi
    PKCS1_OAEP.py
    PKCS1_OAEP.pyi
    PKCS1_v1_5.py
    PKCS1_v1_5.pyi
    Salsa20.py
    Salsa20.pyi
    _ARC4.abi3.so
    _EKSBlowfish.py
    _EKSBlowfish.pyi
    _Salsa20.abi3.so
    __init__.py
    __init__.pyi
    __pycache__
    AES.cpython-311.pyc
    ARC2.cpython-311.pyc
    ARC4.cpython-311.pyc
    Blowfish.cpython-311.pyc
    CAST.cpython-311.pyc
    ChaCha20.cpython-311.pyc
    ChaCha20_Poly1305.cpython-311.pyc
    DES.cpython-311.pyc
    DES3.cpython-311.pyc
    PKCS1_OAEP.cpython-311.pyc
    PKCS1_v1_5.cpython-311.pyc
    Salsa20.cpython-311.pyc
    _EKSBlowfish.cpython-311.pyc
    __init__.cpython-311.pyc
    _mode_cbc.cpython-311.pyc
    _mode_ccm.cpython-311.pyc
    _mode_cfb.cpython-311.pyc
    _mode_ctr.cpython-311.pyc
    _mode_eax.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ecb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_gcm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_oaep_decode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _chacha20.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cbc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cbc.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ccm.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ccm.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cfb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cfb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ctr.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ctr.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_eax.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_eax.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ecb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ecb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_gcm.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_gcm.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_decode.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_oaep_decode.py
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_aes.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_aesni.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_arc2.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_blowfish.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_cast.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_cbc.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_cfb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ctr.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_des.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_des3.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ecb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_eksblowfish.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ocb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ofb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ Hash
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2b.py
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2b.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2s.py
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2s.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ CMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ CMAC.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ HMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ HMAC.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC128.py
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC128.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC256.py
```

						KMAC256.pyi
						KangarooTwelve.py
						KangarooTwelve.pyi
						MD2.py
						MD2.pyi
						MD4.py
						MD4.pyi
						MD5.py
						MD5.pyi
						Poly1305.py
						Poly1305.pyi
						RIPEND.py
						RIPEND.pyi
						RIPEND160.py
						RIPEND160.pyi
						SHA.py
						SHA.pyi
						SHA1.py
						SHA1.pyi
						SHA224.py
						SHA224.pyi
						SHA256.py
						SHA256.pyi
						SHA384.py
						SHA384.pyi
						SHA3_224.py
						SHA3_224.pyi
						SHA3_256.py
						SHA3_256.pyi
						SHA3_384.py
						SHA3_384.pyi
						SHA3_512.py
						SHA3_512.pyi
						SHA512.py
						SHA512.pyi
						SHAKE128.py
						SHAKE128.pyi
						SHAKE256.py
						SHAKE256.pyi
						TupleHash128.py
						TupleHash128.pyi
						TupleHash256.py
						TupleHash256.pyi
						TurboSHAKE128.py
						TurboSHAKE128.pyi
						TurboSHAKE256.py
						TurboSHAKE256.pyi
						_BLAKE2b.abi3.so
						_BLAKE2s.abi3.so
						_MD2.abi3.so
						_MD4.abi3.so
						_MD5.abi3.so
						_RIPEND160.abi3.so
						_SHA1.abi3.so
						_SHA224.abi3.so
						_SHA256.abi3.so
						_SHA384.abi3.so
						_SHA512.abi3.so

■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	BLAKE2b.cpython-311.pyc
■	■	■	■	■	■	■■■	BLAKE2s.cpython-311.pyc
■	■	■	■	■	■	■■■	CMAC.cpython-311.pyc
■	■	■	■	■	■	■■■	HMAC.cpython-311.pyc
■	■	■	■	■	■	■■■	KMAC128.cpython-311.pyc
■	■	■	■	■	■	■■■	KMAC256.cpython-311.pyc
■	■	■	■	■	■	■■■	KangarooTwelve.cpython-311.pyc
■	■	■	■	■	■	■■■	MD2.cpython-311.pyc
■	■	■	■	■	■	■■■	MD4.cpython-311.pyc
■	■	■	■	■	■	■■■	MD5.cpython-311.pyc
■	■	■	■	■	■	■■■	Poly1305.cpython-311.pyc
■	■	■	■	■	■	■■■	RIPEMD.cpython-311.pyc
■	■	■	■	■	■	■■■	RIPEMD160.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA1.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA224.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA256.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA384.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_224.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_256.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_384.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_512.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA512.cpython-311.pyc
■	■	■	■	■	■	■■■	SHAKE128.cpython-311.pyc
■	■	■	■	■	■	■■■	SHAKE256.cpython-311.pyc
■	■	■	■	■	■	■■■	TupleHash128.cpython-311.pyc
■	■	■	■	■	■	■■■	TupleHash256.cpython-311.pyc
■	■	■	■	■	■	■■■	TurboSHAKE128.cpython-311.pyc
■	■	■	■	■	■	■■■	TurboSHAKE256.cpython-311.pyc
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cSHAKE128.cpython-311.pyc
■	■	■	■	■	■	■■■	cSHAKE256.cpython-311.pyc
■	■	■	■	■	■	■■■	keccak.cpython-311.pyc
■	■	■	■	■	■	■■■	_ghash_clmul.abi3.so
■	■	■	■	■	■	■■■	_ghash_portable.abi3.so
■	■	■	■	■	■	■■■	_keccak.abi3.so
■	■	■	■	■	■	■■■	_poly1305.abi3.so
■	■	■	■	■	■	■■■	cSHAKE128.py
■	■	■	■	■	■	■■■	cSHAKE128.pyi
■	■	■	■	■	■	■■■	cSHAKE256.py
■	■	■	■	■	■	■■■	cSHAKE256.pyi
■	■	■	■	■	■	■■■	keccak.py
■	■	■	■	■	■	■■■	keccak.pyi
■	■	■	■	■	■■■	I0	
■	■	■	■	■	■	■■■	PEM.py
■	■	■	■	■	■	■■■	PEM.pyi
■	■	■	■	■	■	■■■	PKCS8.py
■	■	■	■	■	■	■■■	PKCS8.pyi
■	■	■	■	■	■	■■■	_PBES.py
■	■	■	■	■	■	■■■	_PBES.pyi
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	PEM.cpython-311.pyc
■	■	■	■	■	■	■■■	PKCS8.cpython-311.pyc
■	■	■	■	■	■	■■■	_PBES.cpython-311.pyc

[illegible]

```

    ##### _montgomery.cpython-311.pyc
    ##### _nist_ecc.cpython-311.pyc
    ##### _openssh.cpython-311.pyc
    ##### _point.cpython-311.pyc
    ##### _curve.py
    ##### _curve25519.abi3.so
    ##### _curve448.abi3.so
    ##### _ec_ws.abi3.so
    ##### _ed25519.abi3.so
    ##### _ed448.abi3.so
    ##### _edwards.py
    ##### _montgomery.py
    ##### _nist_ecc.py
    ##### _openssh.py
    ##### _openssh.pyi
    ##### _point.py
    ##### _point.pyi
    ##### Random
    ##### __init__.py
    ##### __init__.pyi
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### random.cpython-311.pyc
    ##### random.py
    ##### random.pyi
    ##### SelfTest
    ##### Cipher
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### common.cpython-311.pyc
    ##### test_AES.cpython-311.pyc
    ##### test_ARC2.cpython-311.pyc
    ##### test_ARC4.cpython-311.pyc
    ##### test_Blowfish.cpython-311.pyc
    ##### test_CAST.cpython-311.pyc
    ##### test_CBC.cpython-311.pyc
    ##### test_CCM.cpython-311.pyc
    ##### test_CFB.cpython-311.pyc
    ##### test_CTR.cpython-311.pyc
    ##### test_Chacha20.cpython-311.pyc
    ##### test_Chacha20_Poly1305.cpython-311.pyc
    ##### test_DES.cpython-311.pyc
    ##### test_DES3.cpython-311.pyc
    ##### test_EAX.cpython-311.pyc
    ##### test_GCM.cpython-311.pyc
    ##### test_OCB.cpython-311.pyc
    ##### test_OFB.cpython-311.pyc
    ##### test_OpenPGP.cpython-311.pyc
    ##### test_SIV.cpython-311.pyc
    ##### test_Salsa20.cpython-311.pyc
    ##### test_pkcs1_15.cpython-311.pyc
    ##### test_pkcs1_oaep.cpython-311.pyc
    ##### common.py
    ##### test_AES.py
    ##### test_ARC2.py
    ##### test_ARC4.py
    ##### test_Blowfish.py

```

■	■	■	■	■	■	■	■■■	test_CAST.py
■	■	■	■	■	■	■	■■■	test_CBC.py
■	■	■	■	■	■	■	■■■	test_CCM.py
■	■	■	■	■	■	■	■■■	test_CFB.py
■	■	■	■	■	■	■	■■■	test_CTR.py
■	■	■	■	■	■	■	■■■	test_ChaCha20.py
■	■	■	■	■	■	■	■■■	test_ChaCha20_Poly1305.py
■	■	■	■	■	■	■	■■■	test_DES.py
■	■	■	■	■	■	■	■■■	test_DES3.py
■	■	■	■	■	■	■	■■■	test_EAX.py
■	■	■	■	■	■	■	■■■	test_GCM.py
■	■	■	■	■	■	■	■■■	test_OCB.py
■	■	■	■	■	■	■	■■■	test_OFB.py
■	■	■	■	■	■	■	■■■	test_OpenPGP.py
■	■	■	■	■	■	■	■■■	test_SIV.py
■	■	■	■	■	■	■	■■■	test_Salsa20.py
■	■	■	■	■	■	■	■■■	test_pkcs1_15.py
■	■	■	■	■	■	■	■■■	test_pkcs1_oaep.py
■	■	■	■	■	■	■■■	Hash	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_BLAKE2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_CMAC.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_HMAC.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_KMAC.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_KangarooTwelve.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_MD2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_MD4.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_MD5.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_Poly1305.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_RIPEMD160.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA1.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA224.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA256.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA384.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_224.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_256.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_384.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_512.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA512.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHAKE.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_TupleHash.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_TurboSHAKE.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cSHAKE.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_keccak.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common.py
■	■	■	■	■	■	■	■■■	test_BLAKE2.py
■	■	■	■	■	■	■	■■■	test_CMAC.py
■	■	■	■	■	■	■	■■■	test_HMAC.py
■	■	■	■	■	■	■	■■■	test_KMAC.py
■	■	■	■	■	■	■	■■■	test_KangarooTwelve.py
■	■	■	■	■	■	■	■■■	test_MD2.py
■	■	■	■	■	■	■	■■■	test_MD4.py
■	■	■	■	■	■	■	■■■	test_MD5.py
■	■	■	■	■	■	■	■■■	test_Poly1305.py
■	■	■	■	■	■	■	■■■	test_RIPEMD160.py


```

■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA1.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA224.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_224.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TupleHash.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TurboSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_keccak.py
■ ■ ■ ■ ■ ■ ■ ■■■ IO
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.py
■ ■ ■ ■ ■ ■ ■ ■■■ Math
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primalty.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primalty.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.py
■ ■ ■ ■ ■ ■ ■ ■■■ Protocol
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■■■ PublicKey
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_NIST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ElGamal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_RSA.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_ECC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_RSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Ed25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Ed448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_NIST.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ElGamal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_ECC.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Random
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Signature
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eddsa.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pkcs1_15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dss.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eddsa.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pkcs1_15.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pss.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Util
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Counter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Padding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_asn1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_number.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strxor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Counter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_asn1.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_number.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strxor.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ loader.cpython-311.pyc

```

[illegible]

```

■      ■      ■      ■      ■      ■      py3compat.pyi
■      ■      ■      ■      ■      ■      ■■■ strxor.py
■      ■      ■      ■      ■      ■      ■■■ strxor.pyi
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __init__.pyi
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■■■ Cython
■      ■      ■      ■      ■      ■■■ Build
■      ■      ■      ■      ■      ■■■ BuildExecutable.py
■      ■      ■      ■      ■      ■■■ Cythonize.py
■      ■      ■      ■      ■      ■■■ Dependencies.py
■      ■      ■      ■      ■      ■■■ Distutils.py
■      ■      ■      ■      ■      ■■■ Inline.py
■      ■      ■      ■      ■      ■■■ IpythonMagic.py
■      ■      ■      ■      ■      ■■■ Tests
■      ■      ■      ■      ■      ■      ■■■ TestCyCache.py
■      ■      ■      ■      ■      ■      ■■■ TestInline.py
■      ■      ■      ■      ■      ■      ■■■ TestIpythonMagic.py
■      ■      ■      ■      ■      ■      ■■■ TestStripLiterals.py
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ TestCyCache.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ TestInline.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ TestIpythonMagic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ TestStripLiterals.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ BuildExecutable.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Cythonize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Dependencies.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Distutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Inline.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ IpythonMagic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■■■ CodeWriter.py
■      ■      ■      ■      ■■■ Compiler
■      ■      ■      ■      ■      ■■■ AnalysedTreeTransforms.py
■      ■      ■      ■      ■      ■■■ Annotate.py
■      ■      ■      ■      ■      ■■■ AutoDocTransforms.py
■      ■      ■      ■      ■      ■■■ Buffer.py
■      ■      ■      ■      ■      ■■■ Builtin.py
■      ■      ■      ■      ■      ■■■ CmdLine.py
■      ■      ■      ■      ■      ■■■ Code.pxd
■      ■      ■      ■      ■      ■■■ Code.py
■      ■      ■      ■      ■      ■■■ CodeGeneration.py
■      ■      ■      ■      ■      ■■■ CythonScope.py
■      ■      ■      ■      ■      ■■■ DebugFlags.py
■      ■      ■      ■      ■      ■■■ Errors.py
■      ■      ■      ■      ■      ■■■ ExprNodes.py
■      ■      ■      ■      ■      ■■■ FlowControl.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ FlowControl.pxd
■      ■      ■      ■      ■      ■■■ FlowControl.py
■      ■      ■      ■      ■      ■■■ FusedNode.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ FusedNode.py
■      ■      ■      ■      ■      ■■■ Future.py

```

■	■	■	■	■	■	■■■ Interpreter.py
■	■	■	■	■	■	■■■ Lexicon.py
■	■	■	■	■	■	■■■ Main.py
■	■	■	■	■	■	■■■ MemoryView.py
■	■	■	■	■	■	■■■ ModuleNode.py
■	■	■	■	■	■	■■■ Naming.py
■	■	■	■	■	■	■■■ Nodes.py
■	■	■	■	■	■	■■■ Optimize.py
■	■	■	■	■	■	■■■ Options.py
■	■	■	■	■	■	■■■ ParseTreeTransforms.pxd
■	■	■	■	■	■	■■■ ParseTreeTransforms.py
■	■	■	■	■	■	■■■ Parsing.pxd
■	■	■	■	■	■	■■■ Parsing.py
■	■	■	■	■	■	■■■ Pipeline.py
■	■	■	■	■	■	■■■ PyrexTypes.py
■	■	■	■	■	■	■■■ Pythran.py
■	■	■	■	■	■	■■■ Scanning.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ Scanning.pxd
■	■	■	■	■	■	■■■ Scanning.py
■	■	■	■	■	■	■■■ StringEncoding.py
■	■	■	■	■	■	■■■ Syntab.py
■	■	■	■	■	■	■■■ Tests
■	■	■	■	■	■	■■■ TestBuffer.py
■	■	■	■	■	■	■■■ TestCmdLine.py
■	■	■	■	■	■	■■■ TestFlowControl.py
■	■	■	■	■	■	■■■ TestGrammar.py
■	■	■	■	■	■	■■■ TestMemView.py
■	■	■	■	■	■	■■■ TestParseTreeTransforms.py
■	■	■	■	■	■	■■■ TestSignatureMatching.py
■	■	■	■	■	■	■■■ TestStringEncoding.py
■	■	■	■	■	■	■■■ TestTreeFragment.py
■	■	■	■	■	■	■■■ TestTreePath.py
■	■	■	■	■	■	■■■ TestTypes.py
■	■	■	■	■	■	■■■ TestUtilityLoad.py
■	■	■	■	■	■	■■■ TestVisitor.py
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■■■ TestBuffer.cpython-311.pyc
■	■	■	■	■	■	■■■ TestCmdLine.cpython-311.pyc
■	■	■	■	■	■	■■■ TestFlowControl.cpython-311.pyc
■	■	■	■	■	■	■■■ TestGrammar.cpython-311.pyc
■	■	■	■	■	■	■■■ TestMemView.cpython-311.pyc
■	■	■	■	■	■	■■■ TestParseTreeTransforms.cpython-311.pyc
■	■	■	■	■	■	■■■ TestSignatureMatching.cpython-311.pyc
■	■	■	■	■	■	■■■ TestStringEncoding.cpython-311.pyc
■	■	■	■	■	■	■■■ TestTreeFragment.cpython-311.pyc
■	■	■	■	■	■	■■■ TestTreePath.cpython-311.pyc
■	■	■	■	■	■	■■■ TestTypes.cpython-311.pyc
■	■	■	■	■	■	■■■ TestUtilityLoad.cpython-311.pyc
■	■	■	■	■	■	■■■ TestVisitor.cpython-311.pyc
■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ TreeFragment.py
■	■	■	■	■	■	■■■ TreePath.py
■	■	■	■	■	■	■■■ TypeInference.py
■	■	■	■	■	■	■■■ TypeSlots.py
■	■	■	■	■	■	■■■ UtilNodes.py
■	■	■	■	■	■	■■■ UtilityCode.py
■	■	■	■	■	■	■■■ Version.py

■	■	■	■	■	■	■■■	Visitor.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■	Visitor.pxd	
■	■	■	■	■	■	■■■	Visitor.py	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	AnalysedTreeTransforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Annotate.cpython-311.pyc
■	■	■	■	■	■	■	■■■	AutoDocTransforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Buffer.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Builtin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	CmdLine.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Code.cpython-311.pyc
■	■	■	■	■	■	■	■■■	CodeGeneration.cpython-311.pyc
■	■	■	■	■	■	■	■■■	CythonScope.cpython-311.pyc
■	■	■	■	■	■	■	■■■	DebugFlags.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ExprNodes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	FlowControl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	FusedNode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Future.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Interpreter.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Lexicon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Main.cpython-311.pyc
■	■	■	■	■	■	■	■■■	MemoryView.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ModuleNode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Naming.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Nodes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Options.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ParseTreeTransforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Parsing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Pipeline.cpython-311.pyc
■	■	■	■	■	■	■	■■■	PyrexTypes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Pythran.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Scanning.cpython-311.pyc
■	■	■	■	■	■	■	■■■	StringEncoding.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Symtab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TreeFragment.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TreePath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TypeInference.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TypeSlots.cpython-311.pyc
■	■	■	■	■	■	■	■■■	UtilNodes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	UtilityCode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Version.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Visitor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■■■		Coverage.py	
■	■	■	■	■	■■■		Debugger	
■	■	■	■	■	■	■■■	Cygdb.py	
■	■	■	■	■	■	■■■	DebugWriter.py	
■	■	■	■	■	■	■■■	Tests	
■	■	■	■	■	■	■■■	TestLibCython.py	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	TestLibCython.cpython-311.pyc
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_libcython_in_gdb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_libpython_in_gdb.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■■■ cfuncs.c
■ ■ ■ ■ ■ ■ ■ ■■■ codefile
■ ■ ■ ■ ■ ■ ■ ■■■ test_libcython_in_gdb.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_libpython_in_gdb.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ Cygdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ DebugWriter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libcython.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libpython.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libcython.py
■ ■ ■ ■ ■ ■ ■ ■■■ libpython.py
■ ■ ■ ■ ■ ■ ■ ■■■ Debugging.py
■ ■ ■ ■ ■ ■ ■ ■■■ Distutils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ build_ext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ old_build_ext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ build_ext.py
■ ■ ■ ■ ■ ■ ■ ■■■ extension.py
■ ■ ■ ■ ■ ■ ■ ■■■ old_build_ext.py
■ ■ ■ ■ ■ ■ ■ ■■■ Includes
■ ■ ■ ■ ■ ■ ■ ■■■ Deprecated
■ ■ ■ ■ ■ ■ ■ ■■■ python.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_bool.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_buffer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_bytes.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_cobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_complex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_dict.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_exc.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_float.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_function.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_getargs.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_instance.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_int.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_iterator.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_long.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_mapping.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_mem.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_method.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_module.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_number.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_object.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_oldbuffer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_pycapsule.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_ref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_sequence.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_tuple.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_type.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_unicode.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ python_version.pxd
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ python_weakref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdio.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdlib.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stl.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cpython
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ array.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ bool.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ buffer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ bytearray.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ bytes.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cellobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ ceval.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ codecs.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ complex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ conversion.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ dict.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ exc.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ float.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ function.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ genobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ getargs.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ instance.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ int.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ iterator.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ iterobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ long.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ longintrepr.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ mapping.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ mem.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ memoryview.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ method.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ module.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ number.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ object.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ oldbuffer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pycapsule.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pylifecycle.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pystate.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pythread.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ ref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ slice.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ tuple.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ type.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unicode.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ version.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ weakref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ libc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ errno.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ float.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ limits.pxd
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ locale.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ math.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ setjmp.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ signal.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stddef.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdint.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdio.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdlib.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ time.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ libcpp
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ algorithm.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cast.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ complex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ deque.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ forward_list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ functional.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ iterator.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ limits.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ map.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ memory.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pair.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ queue.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stack.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ typeindex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ typeinfo.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unordered_map.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unordered_set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ utility.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ vector.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ numpy
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ math.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ openmp.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ posix
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ dlfcn.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ fcntl.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ ioctl.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ mman.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ resource.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ select.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ signal.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stat.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdio.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdlib.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ strings.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ time.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ types.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unistd.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ wait.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ Plex
■ ■ ■ ■ ■ ■ ■ ■■■ Actions.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ Actions.pxd

```

■	■	■	■	■	■	■■■	Actions.py
■	■	■	■	■	■	■■■	DFA.py
■	■	■	■	■	■	■■■	Errors.py
■	■	■	■	■	■	■■■	Lexicons.py
■	■	■	■	■	■	■■■	Machines.py
■	■	■	■	■	■	■■■	Regexps.py
■	■	■	■	■	■	■■■	Scanners.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	Scanners.pxd
■	■	■	■	■	■	■■■	Scanners.py
■	■	■	■	■	■	■■■	Timing.py
■	■	■	■	■	■	■■■	Traditional.py
■	■	■	■	■	■	■■■	Transitions.py
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	Actions.cpython-311.pyc
■	■	■	■	■	■	■■■	DFA.cpython-311.pyc
■	■	■	■	■	■	■■■	Errors.cpython-311.pyc
■	■	■	■	■	■	■■■	Lexicons.cpython-311.pyc
■	■	■	■	■	■	■■■	Machines.cpython-311.pyc
■	■	■	■	■	■	■■■	Regexps.cpython-311.pyc
■	■	■	■	■	■	■■■	Scanners.cpython-311.pyc
■	■	■	■	■	■	■■■	Timing.cpython-311.pyc
■	■	■	■	■	■	■■■	Traditional.cpython-311.pyc
■	■	■	■	■	■	■■■	Transitions.cpython-311.pyc
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■■■	Runtime	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■■■	refnanny.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	refnanny.pyx	
■	■	■	■	■	■■■	Shadow.py	
■	■	■	■	■	■■■	StringIOTree.py	
■	■	■	■	■	■■■	Tempita	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_looper.cpython-311.pyc
■	■	■	■	■	■	■■■	_tempita.cpython-311.pyc
■	■	■	■	■	■	■■■	compat3.cpython-311.pyc
■	■	■	■	■	■■■	_looper.py	
■	■	■	■	■	■■■	_tempita.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	_tempita.py	
■	■	■	■	■	■■■	compat3.py	
■	■	■	■	■	■■■	TestUtils.py	
■	■	■	■	■	■■■	Tests	
■	■	■	■	■	■	■■■	TestCodeWriter.py
■	■	■	■	■	■	■■■	TestCythonUtils.py
■	■	■	■	■	■	■■■	TestJediTyper.py
■	■	■	■	■	■	■■■	TestStringIOTree.py
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	TestCodeWriter.cpython-311.pyc
■	■	■	■	■	■	■■■	TestCythonUtils.cpython-311.pyc
■	■	■	■	■	■	■■■	TestJediTyper.cpython-311.pyc
■	■	■	■	■	■	■■■	TestStringIOTree.cpython-311.pyc
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	xmlrunner.cpython-311.pyc

```

■■■ xmlrunner.py
■■■ Utility
■■■ AsyncGen.c
■■■ Buffer.c
■■■ Bultins.c
■■■ CConvert.pyx
■■■ CMath.c
■■■ Capsule.c
■■■ CommonStructures.c
■■■ Complex.c
■■■ Coroutine.c
■■■ CpdefEnums.pyx
■■■ CppConvert.pyx
■■■ CppSupport.cpp
■■■ CythonFunction.c
■■■ Embed.c
■■■ Exceptions.c
■■■ ExtensionTypes.c
■■■ FunctionArguments.c
■■■ ImportExport.c
■■■ MemoryView.pyx
■■■ MemoryView_C.c
■■■ ModuleSetupCode.c
■■■ ObjectHandling.c
■■■ Optimize.c
■■■ Overflow.c
■■■ Printing.c
■■■ Profile.c
■■■ StringTools.c
■■■ TestCyUtilityLoader.pyx
■■■ TestCythonScope.pyx
■■■ TestUtilityLoader.c
■■■ TypeConversion.c
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ arrayarray.h
■■■ Utils.py
■■■ __init__.py
■■■ __pycache__
■■■ CodeWriter.cpython-311.pyc
■■■ Coverage.cpython-311.pyc
■■■ Debugging.cpython-311.pyc
■■■ Shadow.cpython-311.pyc
■■■ StringIOTree.cpython-311.pyc
■■■ TestUtils.cpython-311.pyc
■■■ Utils.cpython-311.pyc
■■■ __init__.cpython-311.pyc
■■■ Cython-0.29.36.dist-info
■■■ COPYING.txt
■■■ INSTALLER
■■■ LICENSE.txt
■■■ METADATA
■■■ RECORD
■■■ REQUESTED
■■■ WHEEL
■■■ entry_points.txt
■■■ top_level.txt

```



```
■ ■ ■ ■ ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ consoleapp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ conftest.py
■ ■ ■ ■ ■ ■■■■ consoleapp.py
■ ■ ■ ■ ■ ■■■■ core
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ alias.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ async_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ autocall.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ builtin_trap.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ compilerop.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ completer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ completerlib.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ crashhandler.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ debugger.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ display_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ display_trap.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ displayhook.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ displaypub.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ excolors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ formatters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ getipython.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ guarded_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ history.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ historyapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ inputsplitter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ inputtransformer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ inputtransformer2.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ interactiveshell.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ latex_symbols.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ logger.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ macro.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ magic.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ magic_arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ oinspect.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ page.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ payload.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ payloadpage.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ prefilter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ profileapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ profiledir.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ prompts.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ pylabtools.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ release.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ shellapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ splitinput.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ ultratb.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ usage.cpython-311.pyc
```

```

■ ■ ■ alias.py
■ ■ ■ application.py
■ ■ ■ async_helpers.py
■ ■ ■ autocall.py
■ ■ ■ builtin_trap.py
■ ■ ■ compilerop.py
■ ■ ■ completer.py
■ ■ ■ completerlib.py
■ ■ ■ crashhandler.py
■ ■ ■ debugger.py
■ ■ ■ display.py
■ ■ ■ display_functions.py
■ ■ ■ display_trap.py
■ ■ ■ displayhook.py
■ ■ ■ displaypub.py
■ ■ ■ error.py
■ ■ ■ events.py
■ ■ ■ excolors.py
■ ■ ■ extensions.py
■ ■ ■ formatters.py
■ ■ ■ getipython.py
■ ■ ■ guarded_eval.py
■ ■ ■ history.py
■ ■ ■ historyapp.py
■ ■ ■ hooks.py
■ ■ ■ inputsplitter.py
■ ■ ■ inputtransformer.py
■ ■ ■ inputtransformer2.py
■ ■ ■ interactiveshell.py
■ ■ ■ latex_symbols.py
■ ■ ■ logger.py
■ ■ ■ macro.py
■ ■ ■ magic.py
■ ■ ■ magic_arguments.py
■ ■ ■ magics
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ast_mod.cpython-311.pyc
■ ■ ■ auto.cpython-311.pyc
■ ■ ■ basic.cpython-311.pyc
■ ■ ■ code.cpython-311.pyc
■ ■ ■ config.cpython-311.pyc
■ ■ ■ display.cpython-311.pyc
■ ■ ■ execution.cpython-311.pyc
■ ■ ■ extension.cpython-311.pyc
■ ■ ■ history.cpython-311.pyc
■ ■ ■ logging.cpython-311.pyc
■ ■ ■ namespace.cpython-311.pyc
■ ■ ■ osm.cpython-311.pyc
■ ■ ■ packaging.cpython-311.pyc
■ ■ ■ pylab.cpython-311.pyc
■ ■ ■ script.cpython-311.pyc
■ ■ ■ ast_mod.py
■ ■ ■ auto.py
■ ■ ■ basic.py
■ ■ ■ code.py
■ ■ ■ config.py
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ display.py
■ ■ ■ ■ ■ ■ ■ ■■■ execution.py
■ ■ ■ ■ ■ ■ ■ ■■■ extension.py
■ ■ ■ ■ ■ ■ ■ ■■■ history.py
■ ■ ■ ■ ■ ■ ■ ■■■ logging.py
■ ■ ■ ■ ■ ■ ■ ■■■ namespace.py
■ ■ ■ ■ ■ ■ ■ ■■■ osm.py
■ ■ ■ ■ ■ ■ ■ ■■■ packaging.py
■ ■ ■ ■ ■ ■ ■ ■■■ pylab.py
■ ■ ■ ■ ■ ■ ■ ■■■ script.py
■ ■ ■ ■ ■ ■ ■ ■■■ oinspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ page.py
■ ■ ■ ■ ■ ■ ■ ■■■ payload.py
■ ■ ■ ■ ■ ■ ■ ■■■ payloadpage.py
■ ■ ■ ■ ■ ■ ■ ■■■ prefilter.py
■ ■ ■ ■ ■ ■ ■ ■■■ profile
■ ■ ■ ■ ■ ■ ■ ■■■ README_STARTUP
■ ■ ■ ■ ■ ■ ■ ■■■ profileapp.py
■ ■ ■ ■ ■ ■ ■ ■■■ profiledir.py
■ ■ ■ ■ ■ ■ ■ ■■■ prompts.py
■ ■ ■ ■ ■ ■ ■ ■■■ pylabtools.py
■ ■ ■ ■ ■ ■ ■ ■■■ release.py
■ ■ ■ ■ ■ ■ ■ ■■■ shellapp.py
■ ■ ■ ■ ■ ■ ■ ■■■ splitinput.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ 2x2.jpg
■ ■ ■ ■ ■ ■ ■ ■■■ 2x2.png
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bad_all.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonascii.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonascii2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ print_argv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rebug.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ simpleerr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_alias.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_async_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_autocall.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compilerop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_completer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_completerlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_debugger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_displayhook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_exceptiongroup_tb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_formatters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_guarded_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_history.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inputsplitter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer2_line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_interactiveshell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ipilib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_magic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_magic_arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_magic_terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_oinspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_page.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_paths.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_prefilter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_profile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_prompts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pylabtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_run.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_shellapp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_splitinput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ultratb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ bad_all.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ daft_extension
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ daft_extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ daft_extension.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ nonascii.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ nonascii2.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ print_argv.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ reftbug.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ simpleerr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tclass.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_alias.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_application.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_async_helpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_autocall.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_compilerop.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_completer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_completerlib.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_debugger.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_display.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_displayhook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_events.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_exceptiongroup_tb.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_extension.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formatters.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_guarded_eval.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_handlers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_history.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_hooks.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_imports.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inputsplitter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer2.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer2_line.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_interactiveshell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ipilib.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_logger.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_magic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_magic_arguments.py
```



```

test_magic_terminal.py
test_oinspect.py
test_page.py
test_paths.py
test_prefilter.py
test_profile.py
test_prompts.py
test_pylabtools.py
test_run.py
test_shellapp.py
test_splitinput.py
test_ultratb.py
ultratb.py
usage.py
display.py
extensions
__init__.py
__pycache__
__init__.cpython-311.pyc
autoreload.cpython-311.pyc
storemagic.cpython-311.pyc
autoreload.py
storemagic.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_autoreload.cpython-311.pyc
test_storemagic.cpython-311.pyc
test_autoreload.py
test_storemagic.py
external
__init__.py
__pycache__
__init__.cpython-311.pyc
qt_for_kernel.cpython-311.pyc
qt_loaders.cpython-311.pyc
qt_for_kernel.py
qt_loaders.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_qt_loaders.cpython-311.pyc
test_qt_loaders.py
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
backgroundjobs.cpython-311.pyc
clipboard.cpython-311.pyc
deepreload.cpython-311.pyc
demo.cpython-311.pyc
display.cpython-311.pyc
editorhooks.cpython-311.pyc
guisupport.cpython-311.pyc
latextools.cpython-311.pyc
lexers.cpython-311.pyc

```

```

    pretty.cpython-311.pyc
    backgroundjobs.py
    clipboard.py
    deepreload.py
    demo.py
    display.py
    editorhooks.py
    guisupport.py
    latextools.py
    lexers.py
    pretty.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_backgroundjobs.cpython-311.pyc
    test_clipboard.cpython-311.pyc
    test_deepreload.cpython-311.pyc
    test_display.cpython-311.pyc
    test_editorhooks.cpython-311.pyc
    test_imports.cpython-311.pyc
    test_latextools.cpython-311.pyc
    test_lexers.cpython-311.pyc
    test_pretty.cpython-311.pyc
    test_pygments.cpython-311.pyc
    test.wav
    test_backgroundjobs.py
    test_clipboard.py
    test_deepreload.py
    test_display.py
    test_editorhooks.py
    test_imports.py
    test_latextools.py
    test_lexers.py
    test_pretty.py
    test_pygments.py
    paths.py
    py.typed
    sphinxext
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    custom_doctests.cpython-311.pyc
    ipython_console_highlighting.cpython-311.pyc
    ipython_directive.cpython-311.pyc
    custom_doctests.py
    ipython_console_highlighting.py
    ipython_directive.py
    terminal
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    console.cpython-311.pyc
    debugger.cpython-311.pyc
    embed.cpython-311.pyc
    interactiveshell.cpython-311.pyc
    ipapp.cpython-311.pyc
    magics.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      prompts.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ptutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      console.py
■      ■      ■      ■      ■      ■      ■      debugger.py
■      ■      ■      ■      ■      ■      ■      embed.py
■      ■      ■      ■      ■      ■      ■      interactiveshell.py
■      ■      ■      ■      ■      ■      ■      ipapp.py
■      ■      ■      ■      ■      ■      ■      magics.py
■      ■      ■      ■      ■      ■      ■      prompts.py
■      ■      ■      ■      ■      ■      ■      pt_inputhooks
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      asyncio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      glut.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      gtk.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      gtk3.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      gtk4.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      osx.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      pyglet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      qt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      tk.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      wx.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      asyncio.py
■      ■      ■      ■      ■      ■      ■      glut.py
■      ■      ■      ■      ■      ■      ■      gtk.py
■      ■      ■      ■      ■      ■      ■      gtk3.py
■      ■      ■      ■      ■      ■      ■      gtk4.py
■      ■      ■      ■      ■      ■      ■      osx.py
■      ■      ■      ■      ■      ■      ■      pyglet.py
■      ■      ■      ■      ■      ■      ■      qt.py
■      ■      ■      ■      ■      ■      ■      tk.py
■      ■      ■      ■      ■      ■      ■      wx.py
■      ■      ■      ■      ■      ■      ■      ptutils.py
■      ■      ■      ■      ■      ■      ■      shortcuts
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      auto_match.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      auto_suggest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      auto_match.py
■      ■      ■      ■      ■      ■      ■      auto_suggest.py
■      ■      ■      ■      ■      ■      ■      filters.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_debug_magic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_embed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_help.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_interactivshell.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_pt_inputhooks.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_shortcuts.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_debug_magic.py
■      ■      ■      ■      ■      ■      ■      test_embed.py
■      ■      ■      ■      ■      ■      ■      test_help.py
■      ■      ■      ■      ■      ■      ■      test_interactivshell.py

```

```

test_pt_inputhooks.py
test_shortcuts.py
testing
__init__.py
__pycache__
__init__.cpython-311.pyc
decorators.cpython-311.pyc
globalipapp.cpython-311.pyc
ipunittest.cpython-311.pyc
skipdoctest.cpython-311.pyc
tools.cpython-311.pyc
decorators.py
globalipapp.py
ipunittest.py
plugin
README.txt
__init__.py
__pycache__
__init__.cpython-311.pyc
dtexample.cpython-311.pyc
ipdoctest.cpython-311.pyc
pytest_ipdoctest.cpython-311.pyc
setup.cpython-311.pyc
simple.cpython-311.pyc
simplevars.cpython-311.pyc
test_ipdoctest.cpython-311.pyc
test_refs.cpython-311.pyc
dtexample.py
ipdoctest.py
pytest_ipdoctest.py
setup.py
simple.py
simplevars.py
test_combo.txt
test_example.txt
test_exampleip.txt
test_ipdoctest.py
test_refs.py
skipdoctest.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_decorators.cpython-311.pyc
test_ipunittest.cpython-311.pyc
test_tools.cpython-311.pyc
test_decorators.py
test_ipunittest.py
test_tools.py
tools.py
utils
PyColorize.py
__init__.py
__pycache__
PyColorize.cpython-311.pyc
__init__.cpython-311.pyc
_process_cli.cpython-311.pyc
_process_common.cpython-311.pyc

```

■	■	■	■	■	■	■■■	_process_emscripten.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_posix.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_win32.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_win32_controller.cpython-311.pyc
■	■	■	■	■	■	■■■	_sysinfo.cpython-311.pyc
■	■	■	■	■	■	■■■	capture.cpython-311.pyc
■	■	■	■	■	■	■■■	colorable.cpython-311.pyc
■	■	■	■	■	■	■■■	coloransi.cpython-311.pyc
■	■	■	■	■	■	■■■	contexts.cpython-311.pyc
■	■	■	■	■	■	■■■	daemonize.cpython-311.pyc
■	■	■	■	■	■	■■■	data.cpython-311.pyc
■	■	■	■	■	■	■■■	decorators.cpython-311.pyc
■	■	■	■	■	■	■■■	dir2.cpython-311.pyc
■	■	■	■	■	■	■■■	docs.cpython-311.pyc
■	■	■	■	■	■	■■■	encoding.cpython-311.pyc
■	■	■	■	■	■	■■■	eventful.cpython-311.pyc
■	■	■	■	■	■	■■■	frame.cpython-311.pyc
■	■	■	■	■	■	■■■	generics.cpython-311.pyc
■	■	■	■	■	■	■■■	importstring.cpython-311.pyc
■	■	■	■	■	■	■■■	io.cpython-311.pyc
■	■	■	■	■	■	■■■	ipstruct.cpython-311.pyc
■	■	■	■	■	■	■■■	jsonutil.cpython-311.pyc
■	■	■	■	■	■	■■■	localinterfaces.cpython-311.pyc
■	■	■	■	■	■	■■■	log.cpython-311.pyc
■	■	■	■	■	■	■■■	module_paths.cpython-311.pyc
■	■	■	■	■	■	■■■	openpy.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	process.cpython-311.pyc
■	■	■	■	■	■	■■■	py3compat.cpython-311.pyc
■	■	■	■	■	■	■■■	sentinel.cpython-311.pyc
■	■	■	■	■	■	■■■	shimmodule.cpython-311.pyc
■	■	■	■	■	■	■■■	signatures.cpython-311.pyc
■	■	■	■	■	■	■■■	strdispatch.cpython-311.pyc
■	■	■	■	■	■	■■■	sysinfo.cpython-311.pyc
■	■	■	■	■	■	■■■	syspathcontext.cpython-311.pyc
■	■	■	■	■	■	■■■	tempdir.cpython-311.pyc
■	■	■	■	■	■	■■■	terminal.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	timing.cpython-311.pyc
■	■	■	■	■	■	■■■	tokenutil.cpython-311.pyc
■	■	■	■	■	■	■■■	traitlets.cpython-311.pyc
■	■	■	■	■	■	■■■	tz.cpython-311.pyc
■	■	■	■	■	■	■■■	ulinecache.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	wildcard.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_cli.py
■	■	■	■	■	■	■■■	_process_common.py
■	■	■	■	■	■	■■■	_process_emscripten.py
■	■	■	■	■	■	■■■	_process_posix.py
■	■	■	■	■	■	■■■	_process_win32.py
■	■	■	■	■	■	■■■	_process_win32_controller.py
■	■	■	■	■	■	■■■	_sysinfo.py
■	■	■	■	■	■	■■■	capture.py
■	■	■	■	■	■	■■■	colorable.py
■	■	■	■	■	■	■■■	coloransi.py
■	■	■	■	■	■	■■■	contexts.py
■	■	■	■	■	■	■■■	daemonize.py
■	■	■	■	■	■	■■■	data.py

```

██████████ decorators.py
██████████ dir2.py
██████████ docs.py
██████████ encoding.py
██████████ eventful.py
██████████ frame.py
██████████ generics.py
██████████ importstring.py
██████████ io.py
██████████ ipstruct.py
██████████ jsonutil.py
██████████ localinterfaces.py
██████████ log.py
██████████ module_paths.py
██████████ openpy.py
██████████ path.py
██████████ process.py
██████████ py3compat.py
██████████ sentinel.py
██████████ shimmodule.py
██████████ signatures.py
██████████ strdispatch.py
██████████ sysinfo.py
██████████ syspathcontext.py
██████████ tempdir.py
██████████ terminal.py
██████████ tests
██████████   ██████████ __init__.py
██████████   ██████████ __pycache__
██████████   ██████████   ██████████ __init__.cpython-311.pyc
██████████   ██████████   ██████████ test_capture.cpython-311.pyc
██████████   ██████████   ██████████ test_decorators.cpython-311.pyc
██████████   ██████████   ██████████ test_deprecated.cpython-311.pyc
██████████   ██████████   ██████████ test_dir2.cpython-311.pyc
██████████   ██████████   ██████████ test_imports.cpython-311.pyc
██████████   ██████████   ██████████ test_importstring.cpython-311.pyc
██████████   ██████████   ██████████ test_io.cpython-311.pyc
██████████   ██████████   ██████████ test_module_paths.cpython-311.pyc
██████████   ██████████   ██████████ test_openpy.cpython-311.pyc
██████████   ██████████   ██████████ test_path.cpython-311.pyc
██████████   ██████████   ██████████ test_process.cpython-311.pyc
██████████   ██████████   ██████████ test_pycolorize.cpython-311.pyc
██████████   ██████████   ██████████ test_shimmodule.cpython-311.pyc
██████████   ██████████   ██████████ test_sysinfo.cpython-311.pyc
██████████   ██████████   ██████████ test_tempdir.cpython-311.pyc
██████████   ██████████   ██████████ test_text.cpython-311.pyc
██████████   ██████████   ██████████ test_tokenutil.cpython-311.pyc
██████████   ██████████   ██████████ test_wildcard.cpython-311.pyc
██████████   ██████████ test_capture.py
██████████   ██████████ test_decorators.py
██████████   ██████████ test_deprecated.py
██████████   ██████████ test_dir2.py
██████████   ██████████ test_imports.py
██████████   ██████████ test_importstring.py
██████████   ██████████ test_io.py
██████████   ██████████ test_module_paths.py
██████████   ██████████ test_openpy.py
██████████   ██████████ test_path.py

```

```

■      ■      ■      ■      ■      ■      ■      test_process.py
■      ■      ■      ■      ■      ■      ■      test_pycolorize.py
■      ■      ■      ■      ■      ■      ■      test_shimmodule.py
■      ■      ■      ■      ■      ■      ■      test_sysinfo.py
■      ■      ■      ■      ■      ■      ■      test_tempdir.py
■      ■      ■      ■      ■      ■      ■      test_text.py
■      ■      ■      ■      ■      ■      ■      test_tokenutil.py
■      ■      ■      ■      ■      ■      ■      test_wildcard.py
■      ■      ■      ■      ■      ■      ■      text.py
■      ■      ■      ■      ■      ■      ■      timing.py
■      ■      ■      ■      ■      ■      ■      tokenutil.py
■      ■      ■      ■      ■      ■      ■      traitlets.py
■      ■      ■      ■      ■      ■      ■      tz.py
■      ■      ■      ■      ■      ■      ■      ulinecache.py
■      ■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      ■      wildcard.py
■      ■      ■      ■      ■■■ MarkupSafe-3.0.2.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE.txt
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ top_level.txt
■      ■      ■      ■      ■■■ OpenSSL
■      ■      ■      ■      ■      ■■■ SSL.py
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ SSL.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ crypto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ debug.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ rand.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _util.py
■      ■      ■      ■      ■      ■■■ crypto.py
■      ■      ■      ■      ■      ■■■ debug.py
■      ■      ■      ■      ■      ■■■ rand.py
■      ■      ■      ■      ■      ■■■ version.py
■      ■      ■      ■      ■■■ PIL
■      ■      ■      ■      ■      ■■■ BdfFontFile.py
■      ■      ■      ■      ■      ■■■ BlpImagePlugin.py
■      ■      ■      ■      ■      ■■■ BmpImagePlugin.py
■      ■      ■      ■      ■      ■■■ BufrStubImagePlugin.py
■      ■      ■      ■      ■      ■■■ ContainerIO.py
■      ■      ■      ■      ■      ■■■ CurImagePlugin.py
■      ■      ■      ■      ■      ■■■ DcxImagePlugin.py
■      ■      ■      ■      ■      ■■■ DdsImagePlugin.py
■      ■      ■      ■      ■      ■■■ EpsImagePlugin.py
■      ■      ■      ■      ■      ■■■ ExifTags.py
■      ■      ■      ■      ■      ■■■ FitsImagePlugin.py
■      ■      ■      ■      ■      ■■■ FitsStubImagePlugin.py
■      ■      ■      ■      ■      ■■■ FliImagePlugin.py
■      ■      ■      ■      ■      ■■■ FontFile.py
■      ■      ■      ■      ■      ■■■ FpxImagePlugin.py
■      ■      ■      ■      ■      ■■■ FtexImagePlugin.py
■      ■      ■      ■      ■      ■■■ GbrImagePlugin.py
■      ■      ■      ■      ■      ■■■ GdImageFile.py
```

■	■	■	■	■	■■■■	GifImagePlugin.py
■	■	■	■	■	■■■■	GimpGradientFile.py
■	■	■	■	■	■■■■	GimpPaletteFile.py
■	■	■	■	■	■■■■	GribStubImagePlugin.py
■	■	■	■	■	■■■■	Hdf5StubImagePlugin.py
■	■	■	■	■	■■■■	IcnsImagePlugin.py
■	■	■	■	■	■■■■	IcoImagePlugin.py
■	■	■	■	■	■■■■	ImImagePlugin.py
■	■	■	■	■	■■■■	Image.py
■	■	■	■	■	■■■■	ImageChops.py
■	■	■	■	■	■■■■	ImageCms.py
■	■	■	■	■	■■■■	ImageColor.py
■	■	■	■	■	■■■■	ImageDraw.py
■	■	■	■	■	■■■■	ImageDraw2.py
■	■	■	■	■	■■■■	ImageEnhance.py
■	■	■	■	■	■■■■	ImageFile.py
■	■	■	■	■	■■■■	ImageFilter.py
■	■	■	■	■	■■■■	ImageFont.py
■	■	■	■	■	■■■■	ImageGrab.py
■	■	■	■	■	■■■■	ImageMath.py
■	■	■	■	■	■■■■	ImageMode.py
■	■	■	■	■	■■■■	ImageMorph.py
■	■	■	■	■	■■■■	ImageOps.py
■	■	■	■	■	■■■■	ImagePalette.py
■	■	■	■	■	■■■■	ImagePath.py
■	■	■	■	■	■■■■	ImageQt.py
■	■	■	■	■	■■■■	ImageSequence.py
■	■	■	■	■	■■■■	ImageShow.py
■	■	■	■	■	■■■■	ImageStat.py
■	■	■	■	■	■■■■	ImageTk.py
■	■	■	■	■	■■■■	ImageTransform.py
■	■	■	■	■	■■■■	ImageWin.py
■	■	■	■	■	■■■■	ImtImagePlugin.py
■	■	■	■	■	■■■■	IptcImagePlugin.py
■	■	■	■	■	■■■■	Jpeg2KImagePlugin.py
■	■	■	■	■	■■■■	JpegImagePlugin.py
■	■	■	■	■	■■■■	JpegPresets.py
■	■	■	■	■	■■■■	McIdasImagePlugin.py
■	■	■	■	■	■■■■	MicImagePlugin.py
■	■	■	■	■	■■■■	MpegImagePlugin.py
■	■	■	■	■	■■■■	MpoImagePlugin.py
■	■	■	■	■	■■■■	MspImagePlugin.py
■	■	■	■	■	■■■■	PSDraw.py
■	■	■	■	■	■■■■	PaletteFile.py
■	■	■	■	■	■■■■	PalmImagePlugin.py
■	■	■	■	■	■■■■	PcdImagePlugin.py
■	■	■	■	■	■■■■	PcfFontFile.py
■	■	■	■	■	■■■■	PcxImagePlugin.py
■	■	■	■	■	■■■■	PdfImagePlugin.py
■	■	■	■	■	■■■■	PdfParser.py
■	■	■	■	■	■■■■	PixarImagePlugin.py
■	■	■	■	■	■■■■	PngImagePlugin.py
■	■	■	■	■	■■■■	PpmImagePlugin.py
■	■	■	■	■	■■■■	PsdImagePlugin.py
■	■	■	■	■	■■■■	PyAccess.py
■	■	■	■	■	■■■■	SgiImagePlugin.py
■	■	■	■	■	■■■■	SpiderImagePlugin.py
■	■	■	■	■	■■■■	SunImagePlugin.py

■	■	■	■	■	■■■■	TarIO.py
■	■	■	■	■	■■■■	TgaImagePlugin.py
■	■	■	■	■	■■■■	TiffImagePlugin.py
■	■	■	■	■	■■■■	TiffTags.py
■	■	■	■	■	■■■■	WalImageFile.py
■	■	■	■	■	■■■■	WebPImagePlugin.py
■	■	■	■	■	■■■■	WmfImagePlugin.py
■	■	■	■	■	■■■■	XVThumbImagePlugin.py
■	■	■	■	■	■■■■	XbmImagePlugin.py
■	■	■	■	■	■■■■	XpmImagePlugin.py
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__main__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■■■■	BdfFontFile.cpython-311.pyc
■	■	■	■	■	■■■■	BlpImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	BmpImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	BufrStubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	ContainerIO.cpython-311.pyc
■	■	■	■	■	■■■■	CurImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	DcxImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	DdsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	EpsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	ExifTags.cpython-311.pyc
■	■	■	■	■	■■■■	FitsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FitsStubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FliImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FontFile.cpython-311.pyc
■	■	■	■	■	■■■■	FpxImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FtexImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	GbrImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	GdImageFile.cpython-311.pyc
■	■	■	■	■	■■■■	GifImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	GimpGradientFile.cpython-311.pyc
■	■	■	■	■	■■■■	GimpPaletteFile.cpython-311.pyc
■	■	■	■	■	■■■■	GribStubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	Hdf5StubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	IcnsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	IcoImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	ImImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	Image.cpython-311.pyc
■	■	■	■	■	■■■■	ImageChops.cpython-311.pyc
■	■	■	■	■	■■■■	ImageCms.cpython-311.pyc
■	■	■	■	■	■■■■	ImageColor.cpython-311.pyc
■	■	■	■	■	■■■■	ImageDraw.cpython-311.pyc
■	■	■	■	■	■■■■	ImageDraw2.cpython-311.pyc
■	■	■	■	■	■■■■	ImageEnhance.cpython-311.pyc
■	■	■	■	■	■■■■	ImageFile.cpython-311.pyc
■	■	■	■	■	■■■■	ImageFilter.cpython-311.pyc
■	■	■	■	■	■■■■	ImageFont.cpython-311.pyc
■	■	■	■	■	■■■■	ImageGrab.cpython-311.pyc
■	■	■	■	■	■■■■	ImageMath.cpython-311.pyc
■	■	■	■	■	■■■■	ImageMode.cpython-311.pyc
■	■	■	■	■	■■■■	ImageMorph.cpython-311.pyc
■	■	■	■	■	■■■■	ImageOps.cpython-311.pyc
■	■	■	■	■	■■■■	ImagePalette.cpython-311.pyc
■	■	■	■	■	■■■■	ImagePath.cpython-311.pyc
■	■	■	■	■	■■■■	ImageQt.cpython-311.pyc
■	■	■	■	■	■■■■	ImageSequence.cpython-311.pyc

■	■	■	■	■	■	■■■■	ImageShow.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageStat.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageTk.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageTransform.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageWin.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImtImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	IptcImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	Jpeg2KImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	JpegImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	JpegPresets.cpython-311.pyc
■	■	■	■	■	■	■■■■	McIdasImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MicImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MpegImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MpoImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MspImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PSDraw.cpython-311.pyc
■	■	■	■	■	■	■■■■	PaletteFile.cpython-311.pyc
■	■	■	■	■	■	■■■■	PalmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PcdImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PcfFontFile.cpython-311.pyc
■	■	■	■	■	■	■■■■	PcxImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PdfImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PdfParser.cpython-311.pyc
■	■	■	■	■	■	■■■■	PixarImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PngImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PpmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PsdImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PyAccess.cpython-311.pyc
■	■	■	■	■	■	■■■■	SgiImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	SpiderImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	SunImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	TarIO.cpython-311.pyc
■	■	■	■	■	■	■■■■	TgaImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	TiffImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	TiffTags.cpython-311.pyc
■	■	■	■	■	■	■■■■	WalImageFile.cpython-311.pyc
■	■	■	■	■	■	■■■■	WebPImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	WmfImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	XVThumbImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	XbmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	XpmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	__main__.cpython-311.pyc
■	■	■	■	■	■	■■■■	_binary.cpython-311.pyc
■	■	■	■	■	■	■■■■	_deprecate.cpython-311.pyc
■	■	■	■	■	■	■■■■	_tkinter_finder.cpython-311.pyc
■	■	■	■	■	■	■■■■	_util.cpython-311.pyc
■	■	■	■	■	■	■■■■	_version.cpython-311.pyc
■	■	■	■	■	■	■■■■	features.cpython-311.pyc
■	■	■	■	■	■■■■		_binary.py
■	■	■	■	■	■■■■		_deprecate.py
■	■	■	■	■	■■■■		_imaging.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingcms.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingft.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingmath.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingmorph.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingtk.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_tkinter_finder.py

```

■ ■ ■ ■ ■ ■ ■ ■ _util.py
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ _webp.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ features.py
■ ■ ■ ■ ■ ■ ■ ■ Pillow-9.2.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ zip-safe
■ ■ ■ ■ ■ ■ ■ ■ Pillow.libs
■ ■ ■ ■ ■ ■ ■ ■ libXau-154567c4.so.6.0.0
■ ■ ■ ■ ■ ■ ■ ■ libfreetype-9b226f05.so.6.18.3
■ ■ ■ ■ ■ ■ ■ ■ libharfbuzz-2a5452dc.so.0.40401.0
■ ■ ■ ■ ■ ■ ■ ■ libjpeg-a4c3d5e9.so.62.3.0
■ ■ ■ ■ ■ ■ ■ ■ liblcms2-92cb876b.so.2.0.13
■ ■ ■ ■ ■ ■ ■ ■ liblzma-96284f0d.so.5.2.5
■ ■ ■ ■ ■ ■ ■ ■ libopenjp2-8fa4ced9.so.2.5.0
■ ■ ■ ■ ■ ■ ■ ■ libpng16-f3cb5a53.so.16.37.0
■ ■ ■ ■ ■ ■ ■ ■ libtiff-f706b4a5.so.5.8.0
■ ■ ■ ■ ■ ■ ■ ■ libwebp-a2d91712.so.7.1.3
■ ■ ■ ■ ■ ■ ■ ■ libwebpdemux-df590b8f.so.2.0.9
■ ■ ■ ■ ■ ■ ■ ■ libwebpmux-625e1d4a.so.3.0.8
■ ■ ■ ■ ■ ■ ■ ■ libxcb-4971137c.so.1.1.0
■ ■ ■ ■ ■ ■ ■ ■ PyJWT-2.10.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ AUTHORS.rst
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ PyMuPDF-1.21.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ PyNaCl-1.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ PyPDF2
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _page.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _security.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _writer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ generic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ merger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pagerange.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ papersizes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ xmp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _page.py
■ ■ ■ ■ ■ ■ ■■■ _reader.py
■ ■ ■ ■ ■ ■ ■■■ _security.py
■ ■ ■ ■ ■ ■ ■■■ _utils.py
■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■ _writer.py
■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■■■ filters.py
■ ■ ■ ■ ■ ■ ■■■ generic.py
■ ■ ■ ■ ■ ■ ■■■ merger.py
■ ■ ■ ■ ■ ■ ■■■ pagerange.py
■ ■ ■ ■ ■ ■ ■■■ papersizes.py
■ ■ ■ ■ ■ ■ ■■■ pdf.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ xmp.py
■ ■ ■ ■ ■ ■ ■■■ PyPDF2-1.28.6.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ PyYAML-6.0.2.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ Send2Trash-1.8.3.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ Shapely-1.7.1.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
```

```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ SoundFile-0.10.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ DESCRIPTION.rst
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ metadata.json
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ zip-safe
■ ■ ■ ■ ■ ■ ■ ■ Wand-0.6.13.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ XlsxWriter-3.2.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ _soundfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ brotli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cython.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decorator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dot_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entrypoints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ffmpeg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ipykernel_launcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ isympy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jupyter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ markdown2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ monotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nest_asyncio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pandocfilters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pydot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pylab.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rarfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ shapefile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ six.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ soundfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ threadpoolctl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typing_extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argon2_cffi_bindings
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _ffi_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _ffi.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ _ffi_build.py
■ ■ ■ ■ ■ ■ ■ ■ _brotli.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _cffi_backend.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _dlib_pybind11.cpython-311-x86_64-linux-gnu.so

```

```

■ ■ ■ ■ ■■■ _geoslib.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _plotly_future_
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ extract_chart_studio.cpython-311.pyc
■ ■ ■ ■ ■■■ orca_defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ remove_deprecations.cpython-311.pyc
■ ■ ■ ■ ■■■ renderer_defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ template_defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ timezones.cpython-311.pyc
■ ■ ■ ■ ■■■ trace_uids.cpython-311.pyc
■ ■ ■ ■ ■■■ v4.cpython-311.pyc
■ ■ ■ ■ ■■■ v4_subplots.cpython-311.pyc
■ ■ ■ ■ ■■■ extract_chart_studio.py
■ ■ ■ ■ ■■■ orca_defaults.py
■ ■ ■ ■ ■■■ remove_deprecations.py
■ ■ ■ ■ ■■■ renderer_defaults.py
■ ■ ■ ■ ■■■ template_defaults.py
■ ■ ■ ■ ■■■ timezones.py
■ ■ ■ ■ ■■■ trace_uids.py
■ ■ ■ ■ ■■■ v4.py
■ ■ ■ ■ ■■■ v4_subplots.py
■ ■ ■ ■ ■■■ _plotly_utils
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ basevalidators.cpython-311.pyc
■ ■ ■ ■ ■■■ data_utils.cpython-311.pyc
■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■■■ files.cpython-311.pyc
■ ■ ■ ■ ■■■ importers.cpython-311.pyc
■ ■ ■ ■ ■■■ optional_imports.cpython-311.pyc
■ ■ ■ ■ ■■■ png.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ basevalidators.py
■ ■ ■ ■ ■■■ colors
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _swatches.cpython-311.pyc
■ ■ ■ ■ ■■■ carto.cpython-311.pyc
■ ■ ■ ■ ■■■ cmoclean.cpython-311.pyc
■ ■ ■ ■ ■■■ colorbrewer.cpython-311.pyc
■ ■ ■ ■ ■■■ cyclical.cpython-311.pyc
■ ■ ■ ■ ■■■ diverging.cpython-311.pyc
■ ■ ■ ■ ■■■ plotlyjs.cpython-311.pyc
■ ■ ■ ■ ■■■ qualitative.cpython-311.pyc
■ ■ ■ ■ ■■■ sequential.cpython-311.pyc
■ ■ ■ ■ ■■■ _swatches.py
■ ■ ■ ■ ■■■ carto.py
■ ■ ■ ■ ■■■ cmoclean.py
■ ■ ■ ■ ■■■ colorbrewer.py
■ ■ ■ ■ ■■■ cyclical.py
■ ■ ■ ■ ■■■ diverging.py
■ ■ ■ ■ ■■■ plotlyjs.py
■ ■ ■ ■ ■■■ qualitative.py
■ ■ ■ ■ ■■■ sequential.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ data_utils.py
■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ files.py
■ ■ ■ ■ ■ ■ ■ ■ importers.py
■ ■ ■ ■ ■ ■ ■ ■ optional_imports.py
■ ■ ■ ■ ■ ■ ■ ■ png.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ _pytest
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argcomplete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cacheprovider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ capture.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ debugging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ deprecated.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ doctest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ faulthandler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ fixtures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ freeze_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ helpconfig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ hookspec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ junitxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ monkeypatch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nodes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ outcomes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pastebin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pathlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pytester.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pytester_assertions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ python.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ python_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ recwarn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ reports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ runner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ setuponly.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ setupplan.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ skipping.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ stepwise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ store.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ threadexception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ timing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tmpdir.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unittest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unraisableexception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ warning_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argcomplete.py
■ ■ ■ ■ ■ ■ ■ ■ _code
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

```

code.cpython-311.pyc
source.cpython-311.pyc
code.py
source.py
_io
__init__.py
__pycache__
__init__.cpython-311.pyc
saferepr.cpython-311.pyc
terminalwriter.cpython-311.pyc
wcwidth.cpython-311.pyc
saferepr.py
terminalwriter.py
wcwidth.py
_version.py
assertion
__init__.py
__pycache__
__init__.cpython-311.pyc
rewrite.cpython-311.pyc
truncate.cpython-311.pyc
util.cpython-311.pyc
rewrite.py
truncate.py
util.py
cacheprovider.py
capture.py
compat.py
config
__init__.py
__pycache__
__init__.cpython-311.pyc
argparsing.cpython-311.pyc
exceptions.cpython-311.pyc
findpaths.cpython-311.pyc
argparsing.py
exceptions.py
findpaths.py
debugging.py
deprecated.py
doctest.py
faulthandler.py
fixtures.py
freeze_support.py
helpconfig.py
hookspec.py
junitxml.py
logging.py
main.py
mark
__init__.py
__pycache__
__init__.cpython-311.pyc
expression.cpython-311.pyc
structures.cpython-311.pyc
expression.py
structures.py
monkeypatch.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ nodes.py
■ ■ ■ ■ ■ ■ ■ ■ nose.py
■ ■ ■ ■ ■ ■ ■ ■ outcomes.py
■ ■ ■ ■ ■ ■ ■ ■ pastebin.py
■ ■ ■ ■ ■ ■ ■ ■ pathlib.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pytester.py
■ ■ ■ ■ ■ ■ ■ ■ pytester_assertions.py
■ ■ ■ ■ ■ ■ ■ ■ python.py
■ ■ ■ ■ ■ ■ ■ ■ python_api.py
■ ■ ■ ■ ■ ■ ■ ■ recwarn.py
■ ■ ■ ■ ■ ■ ■ ■ reports.py
■ ■ ■ ■ ■ ■ ■ ■ runner.py
■ ■ ■ ■ ■ ■ ■ ■ setupon.py
■ ■ ■ ■ ■ ■ ■ ■ setupplan.py
■ ■ ■ ■ ■ ■ ■ ■ skipping.py
■ ■ ■ ■ ■ ■ ■ ■ stepwise.py
■ ■ ■ ■ ■ ■ ■ ■ store.py
■ ■ ■ ■ ■ ■ ■ ■ terminal.py
■ ■ ■ ■ ■ ■ ■ ■ threadexception.py
■ ■ ■ ■ ■ ■ ■ ■ timing.py
■ ■ ■ ■ ■ ■ ■ ■ tmpdir.py
■ ■ ■ ■ ■ ■ ■ ■ unittest.py
■ ■ ■ ■ ■ ■ ■ ■ unraisableexception.py
■ ■ ■ ■ ■ ■ ■ ■ warning_types.py
■ ■ ■ ■ ■ ■ ■ ■ warnings.py
■ ■ ■ ■ ■ ■ ■ ■ _soundfile.py
■ ■ ■ ■ ■ ■ ■ ■ _yaml
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ absl
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ command_name.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.py
■ ■ ■ ■ ■ ■ ■ ■ app.pyi
■ ■ ■ ■ ■ ■ ■ ■ command_name.py
■ ■ ■ ■ ■ ■ ■ ■ flags
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argument_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _defines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _flag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _flagvalues.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _validators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _validators_classes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ argparse_flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argument_parser.py
■ ■ ■ ■ ■ ■ ■ ■ _defines.py
■ ■ ■ ■ ■ ■ ■ ■ _exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ _flag.py
■ ■ ■ ■ ■ ■ ■ ■ _flagvalues.py

```

```

_ _ _ _ _ helpers.py
_ _ _ _ _ _validators.py
_ _ _ _ _ _validators_classes.py
_ _ _ _ _ argparse_flags.py
_ _ _ _ _ logging
_ _ _ _ _ __init__.py
_ _ _ _ _ __init__.pyi
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ converter.cpython-311.pyc
_ _ _ _ _ converter.py
_ _ _ _ _ testing
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _bazelize_command.cpython-311.pyc
_ _ _ _ _ _pretty_print_reporter.cpython-311.pyc
_ _ _ _ _ absltest.cpython-311.pyc
_ _ _ _ _ flagsaver.cpython-311.pyc
_ _ _ _ _ parameterized.cpython-311.pyc
_ _ _ _ _ xml_reporter.cpython-311.pyc
_ _ _ _ _ _bazelize_command.py
_ _ _ _ _ _pretty_print_reporter.py
_ _ _ _ _ absltest.py
_ _ _ _ _ flagsaver.py
_ _ _ _ _ parameterized.py
_ _ _ _ _ xml_reporter.py
_ _ _ _ _ absl_py-2.1.0.dist-info
_ _ _ _ _ AUTHORS
_ _ _ _ _ INSTALLER
_ _ _ _ _ LICENSE
_ _ _ _ _ METADATA
_ _ _ _ _ RECORD
_ _ _ _ _ WHEEL
_ _ _ _ _ top_level.txt
_ _ _ _ _ ace_tools
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ ace_tools-0.0.1.dist-info
_ _ _ _ _ INSTALLER
_ _ _ _ _ METADATA
_ _ _ _ _ RECORD
_ _ _ _ _ REQUESTED
_ _ _ _ _ WHEEL
_ _ _ _ _ direct_url.json
_ _ _ _ _ top_level.txt
_ _ _ _ _ aeppl
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _version.cpython-311.pyc
_ _ _ _ _ abstract.cpython-311.pyc
_ _ _ _ _ cumsum.cpython-311.pyc
_ _ _ _ _ dists.cpython-311.pyc
_ _ _ _ _ joint_logprob.cpython-311.pyc
_ _ _ _ _ logprob.cpython-311.pyc
_ _ _ _ _ mixture.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ nanguardmode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ profiling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvalue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ builders.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiledir.py
■ ■ ■ ■ ■ ■ ■ ■■■ compilelock.py
■ ■ ■ ■ ■ ■ ■ ■■■ debugmode.py
■ ■ ■ ■ ■ ■ ■ ■■■ function
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pfunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pfunc.py
■ ■ ■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■ ■ ■■■ io.py
■ ■ ■ ■ ■ ■ ■ ■■■ mode.py
■ ■ ■ ■ ■ ■ ■ ■■■ monitormode.py
■ ■ ■ ■ ■ ■ ■ ■■■ nanguardmode.py
■ ■ ■ ■ ■ ■ ■ ■■■ ops.py
■ ■ ■ ■ ■ ■ ■ ■■■ profiling.py
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvalue.py
■ ■ ■ ■ ■ ■ ■ ■■■ configdefaults.py
■ ■ ■ ■ ■ ■ ■ ■■■ configparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ css
■ ■ ■ ■ ■ ■ ■ ■■■ d3-context-menu.css
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.css
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.py
■ ■ ■ ■ ■ ■ ■ ■■■ formatting.py
■ ■ ■ ■ ■ ■ ■ ■■■ html
■ ■ ■ ■ ■ ■ ■ ■■■ template.html
■ ■ ■ ■ ■ ■ ■ ■■■ js
■ ■ ■ ■ ■ ■ ■ ■■■ d3-context-menu.js
■ ■ ■ ■ ■ ■ ■ ■■■ d3.v3.min.js
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.js
■ ■ ■ ■ ■ ■ ■ ■■■ dagre-d3.min.js
■ ■ ■ ■ ■ ■ ■ ■■■ graphlib-dot.min.js
■ ■ ■ ■ ■ ■ ■ ■■■ gradient.py
■ ■ ■ ■ ■ ■ ■ ■■■ graph
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ callcache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ destroyhandler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kanren.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ null_type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ op.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      opt_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      optdb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      sched.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      toolbox.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      unify.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      ■      callcache.py
■      ■      ■      ■      ■      ■      ■      ■      destroyhandler.py
■      ■      ■      ■      ■      ■      ■      ■      features.py
■      ■      ■      ■      ■      ■      ■      ■      fg.py
■      ■      ■      ■      ■      ■      ■      ■      kanren.py
■      ■      ■      ■      ■      ■      ■      ■      null_type.py
■      ■      ■      ■      ■      ■      ■      ■      op.py
■      ■      ■      ■      ■      ■      ■      ■      opt.py
■      ■      ■      ■      ■      ■      ■      ■      opt_utils.py
■      ■      ■      ■      ■      ■      ■      ■      optdb.py
■      ■      ■      ■      ■      ■      ■      ■      sched.py
■      ■      ■      ■      ■      ■      ■      ■      toolbox.py
■      ■      ■      ■      ■      ■      ■      ■      type.py
■      ■      ■      ■      ■      ■      ■      ■      unify.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      ifelse.py
■      ■      ■      ■      ■      ■      ■      ■      link
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      vm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      ■      c
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cmodule.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cvm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      interface.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lazylinker_c.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      op.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      params_type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      ■      c_code
■      ■      ■      ■      ■      ■      ■      ■      aesara_mod_helper.h
■      ■      ■      ■      ■      ■      ■      ■      lazylinker_c.c
■      ■      ■      ■      ■      ■      ■      ■      cmodule.py
■      ■      ■      ■      ■      ■      ■      ■      cutils.py
■      ■      ■      ■      ■      ■      ■      ■      cvm.py
■      ■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      ■      interface.py
■      ■      ■      ■      ■      ■      ■      ■      lazylinker_c.py
■      ■      ■      ■      ■      ■      ■      ■      op.py
■      ■      ■      ■      ■      ■      ■      ■      params_type.py

```

```

type.py
  jax
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    dispatch.cpython-311.pyc
    jax_dispatch.cpython-311.pyc
    jax_linker.cpython-311.pyc
    linker.cpython-311.pyc
    dispatch.py
    jax_dispatch.py
    jax_linker.py
    linker.py
  numba
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    linker.cpython-311.pyc
    dispatch
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
      basic.cpython-311.pyc
      elemwise.cpython-311.pyc
      extra_ops.cpython-311.pyc
      nlinalg.cpython-311.pyc
      random.cpython-311.pyc
      scalar.cpython-311.pyc
      scan.cpython-311.pyc
      tensor_basic.cpython-311.pyc
      basic.py
      elemwise.py
      extra_ops.py
      nlinalg.py
      random.py
      scalar.py
      scan.py
      tensor_basic.py
    linker.py
  utils.py
  vm.py
  misc
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    check_blas.cpython-311.pyc
    check_duplicate_key.cpython-311.pyc
    elemwise_openmp_speedup.cpython-311.pyc
    elemwise_time_test.cpython-311.pyc
    frozendict.cpython-311.pyc
    latence_gpu_transfert.cpython-311.pyc
    may_share_memory.cpython-311.pyc
    ordered_set.cpython-311.pyc
    pkl_utils.cpython-311.pyc
    safe_asarray.cpython-311.pyc
    check_blas.py
    check_blas_many.sh
    check_duplicate_key.py

```

```

##### elemwise_openmp_speedup.py
##### elemwise_time_test.py
##### frozendict.py
##### latence_gpu_transfert.py
##### may_share_memory.py
##### ordered_set.py
##### pickle_utils.py
##### safe_asarray.py
#### printing.py
#### py.typed
#### raise_op.py
#### sandbox
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### fourier.cpython-311.pyc
##### minimal.cpython-311.pyc
##### multinomial.cpython-311.pyc
##### neighbours.cpython-311.pyc
##### rng_mrg.cpython-311.pyc
##### solve.cpython-311.pyc
#### fourier.py
#### linalg
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### ops.cpython-311.pyc
##### ops.py
#### minimal.py
#### multinomial.py
#### neighbours.py
#### rng_mrg.py
#### samples_MRG31k3p_12_7_5.txt
#### solve.py
#### scalar
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### basic.cpython-311.pyc
##### basic_scipy.cpython-311.pyc
##### basic_sympy.cpython-311.pyc
##### math.cpython-311.pyc
##### sharedvar.cpython-311.pyc
#### basic.py
#### basic_scipy.py
#### basic_sympy.py
#### c_code
##### Faddeeva.cc
##### Faddeeva.hh
##### gamma.c
#### math.py
#### sharedvar.py
#### scan
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### basic.cpython-311.pyc
##### checkpoints.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ op.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scan_perform_ext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ views.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ c_code
■ ■ ■ ■ ■ ■ ■ ■■■ scan_perform.c
■ ■ ■ ■ ■ ■ ■ ■■■ checkpoints.py
■ ■ ■ ■ ■ ■ ■ ■■■ op.py
■ ■ ■ ■ ■ ■ ■ ■■■ opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ scan_perform_ext.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ views.py
■ ■ ■ ■ ■ ■ ■ ■■■ sparse
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ sandbox
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sp2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sp.py
■ ■ ■ ■ ■ ■ ■ ■■■ sp2.py
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvar.py
■ ■ ■ ■ ■ ■ ■ ■■■ type.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ tensor
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blas_c.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blas_headers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blas_scipy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ elemwise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ elemwise_cgen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extra_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fourier.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inplace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ math.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ math_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nlinalg.cpython-311.pyc
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ opt_uncanonicalize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slinalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ subtensor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ subtensor_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_other.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ var.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xlogx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ basic_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas_c.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas_headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas_scipy.py
■ ■ ■ ■ ■ ■ ■ ■■■ c_code
■ ■ ■ ■ ■ ■ ■ ■■■ alt_blas_common.h
■ ■ ■ ■ ■ ■ ■ ■■■ alt_blas_template.c
■ ■ ■ ■ ■ ■ ■ ■■■ dimshuffle.c
■ ■ ■ ■ ■ ■ ■ ■■■ elemwise.py
■ ■ ■ ■ ■ ■ ■ ■■■ elemwise_cgen.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ extra_ops.py
■ ■ ■ ■ ■ ■ ■ ■■■ fft.py
■ ■ ■ ■ ■ ■ ■ ■■■ fourier.py
■ ■ ■ ■ ■ ■ ■ ■■■ inplace.py
■ ■ ■ ■ ■ ■ ■ ■■■ io.py
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ math.py
■ ■ ■ ■ ■ ■ ■ ■■■ math_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ nlinalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ nnet
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ abstract_conv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ batchnorm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blocksparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv3d2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ corr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ corr3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ctc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ neighbours.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sigm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ abstract_conv.py
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ batchnorm.py
■ ■ ■ ■ ■ ■ ■ ■■■ blocksparse.py
■ ■ ■ ■ ■ ■ ■ ■■■ c_code
■ ■ ■ ■ ■ ■ ■ ■■■ corr3d_gemm.c
■ ■ ■ ■ ■ ■ ■ ■■■ corr_gemm.c
■ ■ ■ ■ ■ ■ ■ ■■■ ctc_wrapper.c

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ conv.py
■      ■      ■      ■      ■      ■      ■      ■■■■ conv3d2d.py
■      ■      ■      ■      ■      ■      ■      ■■■■ corr.py
■      ■      ■      ■      ■      ■      ■      ■■■■ corr3d.py
■      ■      ■      ■      ■      ■      ■      ■■■■ ctc.py
■      ■      ■      ■      ■      ■      ■      ■■■■ neighbours.py
■      ■      ■      ■      ■      ■      ■      ■■■■ opt.py
■      ■      ■      ■      ■      ■      ■      ■■■■ sigm.py
■      ■      ■      ■      ■      ■      ■■■■ opt_uncanonicalize.py
■      ■      ■      ■      ■      ■      ■■■■ random
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ op.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ opt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ var.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ basic.py
■      ■      ■      ■      ■      ■      ■      ■■■■ op.py
■      ■      ■      ■      ■      ■      ■      ■■■■ opt.py
■      ■      ■      ■      ■      ■      ■      ■■■■ type.py
■      ■      ■      ■      ■      ■      ■      ■■■■ utils.py
■      ■      ■      ■      ■      ■      ■      ■■■■ var.py
■      ■      ■      ■      ■      ■      ■■■■ shape.py
■      ■      ■      ■      ■      ■      ■■■■ sharedvar.py
■      ■      ■      ■      ■      ■      ■■■■ signal
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ conv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ pool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ conv.py
■      ■      ■      ■      ■      ■      ■      ■■■■ pool.py
■      ■      ■      ■      ■      ■      ■■■■ slinalg.py
■      ■      ■      ■      ■      ■      ■■■■ sort.py
■      ■      ■      ■      ■      ■      ■■■■ subtensor.py
■      ■      ■      ■      ■      ■      ■■■■ subtensor_opt.py
■      ■      ■      ■      ■      ■      ■■■■ type.py
■      ■      ■      ■      ■      ■      ■■■■ type_other.py
■      ■      ■      ■      ■      ■      ■■■■ utils.py
■      ■      ■      ■      ■      ■      ■■■■ var.py
■      ■      ■      ■      ■      ■      ■■■■ xlogx.py
■      ■      ■      ■      ■      ■■■■ typed_list
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ opt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ basic.py
■      ■      ■      ■      ■      ■      ■■■■ opt.py
■      ■      ■      ■      ■      ■      ■■■■ type.py
■      ■      ■      ■      ■      ■■■■ updates.py
■      ■      ■      ■      ■      ■■■■ utils.py
■      ■      ■      ■      ■      ■■■■ version.py
■      ■      ■      ■      ■■■■ aesara-2.7.3.dist-info

```

```

■■■■ INSTALLER
■■■■ LICENSE.txt
■■■■ METADATA
■■■■ RECORD
■■■■ WHEEL
■■■■ entry_points.txt
■■■■ top_level.txt
■■■ affine
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ tests
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ test_pickle.cpython-311.pyc
■■■■ test_rotation.cpython-311.pyc
■■■■ test_serialize.cpython-311.pyc
■■■■ test_transform.cpython-311.pyc
■■■■ test_pickle.py
■■■■ test_rotation.py
■■■■ test_serialize.py
■■■■ test_transform.py
■■■ affine-2.4.0.dist-info
■■■■ INSTALLER
■■■■ LICENSE.txt
■■■■ METADATA
■■■■ RECORD
■■■■ WHEEL
■■■ aiohttp
■■■■ .hash
■■■■ _cparser.pxd.hash
■■■■ _find_header.pxd.hash
■■■■ _helpers.pyi.hash
■■■■ _helpers.pyx.hash
■■■■ _http_parser.pyx.hash
■■■■ _http_writer.pyx.hash
■■■■ _websocket.pyx.hash
■■■■ hdrs.py.hash
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ abc.cpython-311.pyc
■■■■ base_protocol.cpython-311.pyc
■■■■ client.cpython-311.pyc
■■■■ client_exceptions.cpython-311.pyc
■■■■ client_proto.cpython-311.pyc
■■■■ client_reqrep.cpython-311.pyc
■■■■ client_ws.cpython-311.pyc
■■■■ compression_utils.cpython-311.pyc
■■■■ connector.cpython-311.pyc
■■■■ cookiejar.cpython-311.pyc
■■■■ formdata.cpython-311.pyc
■■■■ hdrs.cpython-311.pyc
■■■■ helpers.cpython-311.pyc
■■■■ http.cpython-311.pyc
■■■■ http_exceptions.cpython-311.pyc
■■■■ http_parser.cpython-311.pyc

```

■	■	■	■	■	■	■■■■	http_websocket.cpython-311.pyc
■	■	■	■	■	■	■■■■	http_writer.cpython-311.pyc
■	■	■	■	■	■	■■■■	locks.cpython-311.pyc
■	■	■	■	■	■	■■■■	log.cpython-311.pyc
■	■	■	■	■	■	■■■■	multipart.cpython-311.pyc
■	■	■	■	■	■	■■■■	payload.cpython-311.pyc
■	■	■	■	■	■	■■■■	payload_streamer.cpython-311.pyc
■	■	■	■	■	■	■■■■	pytest_plugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	resolver.cpython-311.pyc
■	■	■	■	■	■	■■■■	streams.cpython-311.pyc
■	■	■	■	■	■	■■■■	tcp_helpers.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_utils.cpython-311.pyc
■	■	■	■	■	■	■■■■	tracing.cpython-311.pyc
■	■	■	■	■	■	■■■■	typedefs.cpython-311.pyc
■	■	■	■	■	■	■■■■	web.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_app.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_fileresponse.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_log.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_middlewares.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_protocol.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_request.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_response.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_routedef.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_runner.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_server.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_urldispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_ws.cpython-311.pyc
■	■	■	■	■	■	■■■■	worker.cpython-311.pyc
■	■	■	■	■	■■■■		_cparser.pxd
■	■	■	■	■	■■■■		_find_header.pxd
■	■	■	■	■	■■■■		_headers.pxi
■	■	■	■	■	■■■■		_helpers.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_helpers.pyi
■	■	■	■	■	■■■■		_helpers.pyx
■	■	■	■	■	■■■■		_http_parser.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_http_parser.pyx
■	■	■	■	■	■■■■		_http_writer.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_http_writer.pyx
■	■	■	■	■	■■■■		_websocket.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_websocket.pyx
■	■	■	■	■	■■■■		abc.py
■	■	■	■	■	■■■■		base_protocol.py
■	■	■	■	■	■■■■		client.py
■	■	■	■	■	■■■■		client_exceptions.py
■	■	■	■	■	■■■■		client_proto.py
■	■	■	■	■	■■■■		client_reqrep.py
■	■	■	■	■	■■■■		client_ws.py
■	■	■	■	■	■■■■		compression_utils.py
■	■	■	■	■	■■■■		connector.py
■	■	■	■	■	■■■■		cookiejar.py
■	■	■	■	■	■■■■		formdata.py
■	■	■	■	■	■■■■		hdrs.py
■	■	■	■	■	■■■■		helpers.py
■	■	■	■	■	■■■■		http.py
■	■	■	■	■	■■■■		http_exceptions.py
■	■	■	■	■	■■■■		http_parser.py
■	■	■	■	■	■■■■		http_websocket.py

```

■ ■ ■ ■ ■ ■■■ http_writer.py
■ ■ ■ ■ ■ ■■■ locks.py
■ ■ ■ ■ ■ ■■■ log.py
■ ■ ■ ■ ■ ■■■ multipart.py
■ ■ ■ ■ ■ ■■■ payload.py
■ ■ ■ ■ ■ ■■■ payload_streamer.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ pytest_plugin.py
■ ■ ■ ■ ■ ■■■ resolver.py
■ ■ ■ ■ ■ ■■■ streams.py
■ ■ ■ ■ ■ ■■■ tcp_helpers.py
■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■■■ tracing.py
■ ■ ■ ■ ■ ■■■ typedefs.py
■ ■ ■ ■ ■ ■■■ web.py
■ ■ ■ ■ ■ ■■■ web_app.py
■ ■ ■ ■ ■ ■■■ web_exceptions.py
■ ■ ■ ■ ■ ■■■ web_fileresponse.py
■ ■ ■ ■ ■ ■■■ web_log.py
■ ■ ■ ■ ■ ■■■ web_middlewares.py
■ ■ ■ ■ ■ ■■■ web_protocol.py
■ ■ ■ ■ ■ ■■■ web_request.py
■ ■ ■ ■ ■ ■■■ web_response.py
■ ■ ■ ■ ■ ■■■ web_routedef.py
■ ■ ■ ■ ■ ■■■ web_runner.py
■ ■ ■ ■ ■ ■■■ web_server.py
■ ■ ■ ■ ■ ■■■ web_urldispatcher.py
■ ■ ■ ■ ■ ■■■ web_ws.py
■ ■ ■ ■ ■ ■■■ worker.py
■ ■ ■ ■ ■ ■■■ aiohttp-3.9.5.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ aiosignal
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ aiosignal-1.3.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ analytics
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ consumer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ request.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      ■      ■      consumer.py
■      ■      ■      ■      ■      ■      ■      ■      request.py
■      ■      ■      ■      ■      ■      ■      ■      test
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      consumer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      module.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      request.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      ■      ■      consumer.py
■      ■      ■      ■      ■      ■      ■      ■      module.py
■      ■      ■      ■      ■      ■      ■      ■      request.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      ■      ■      analytics_python-1.4.post1.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      annotated_types
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_cases.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      test_cases.py
■      ■      ■      ■      ■      ■      ■      ■      annotated_types-0.7.0.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      anyio
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      from_thread.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lowlevel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pytest_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      to_process.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      to_thread.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _backends
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _asyncio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _trio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _asyncio.py
■      ■      ■      ■      ■      ■      ■      ■      _trio.py
■      ■      ■      ■      ■      ■      ■      ■      core

```

```

█ █ █ █ █ █ █ ███ __init__.py
█ █ █ █ █ █ █ ███ __pycache__
█ █ █ █ █ █ █ ███ __init__.cpython-311.pyc
█ █ █ █ █ █ █ ███ _compat.cpython-311.pyc
█ █ █ █ █ █ █ ███ _eventloop.cpython-311.pyc
█ █ █ █ █ █ █ ███ _exceptions.cpython-311.pyc
█ █ █ █ █ █ █ ███ _fileio.cpython-311.pyc
█ █ █ █ █ █ █ ███ _resources.cpython-311.pyc
█ █ █ █ █ █ █ ███ _signals.cpython-311.pyc
█ █ █ █ █ █ █ ███ _sockets.cpython-311.pyc
█ █ █ █ █ █ █ ███ _streams.cpython-311.pyc
█ █ █ █ █ █ █ ███ _subprocesses.cpython-311.pyc
█ █ █ █ █ █ █ ███ _synchronization.cpython-311.pyc
█ █ █ █ █ █ █ ███ _tasks.cpython-311.pyc
█ █ █ █ █ █ █ ███ _testing.cpython-311.pyc
█ █ █ █ █ █ █ ███ _typedattr.cpython-311.pyc
█ █ █ █ █ █ █ ███ _compat.py
█ █ █ █ █ █ █ ███ _eventloop.py
█ █ █ █ █ █ █ ███ _exceptions.py
█ █ █ █ █ █ █ ███ _fileio.py
█ █ █ █ █ █ █ ███ _resources.py
█ █ █ █ █ █ █ ███ _signals.py
█ █ █ █ █ █ █ ███ _sockets.py
█ █ █ █ █ █ █ ███ _streams.py
█ █ █ █ █ █ █ ███ _subprocesses.py
█ █ █ █ █ █ █ ███ _synchronization.py
█ █ █ █ █ █ █ ███ _tasks.py
█ █ █ █ █ █ █ ███ _testing.py
█ █ █ █ █ █ █ ███ _typedattr.py
█ █ █ █ █ █ █ ███ abc
█ █ █ █ █ █ █ ███ __init__.py
█ █ █ █ █ █ █ ███ __pycache__
█ █ █ █ █ █ █ ███ __init__.cpython-311.pyc
█ █ █ █ █ █ █ ███ _resources.cpython-311.pyc
█ █ █ █ █ █ █ ███ _sockets.cpython-311.pyc
█ █ █ █ █ █ █ ███ _streams.cpython-311.pyc
█ █ █ █ █ █ █ ███ _subprocesses.cpython-311.pyc
█ █ █ █ █ █ █ ███ _tasks.cpython-311.pyc
█ █ █ █ █ █ █ ███ _testing.cpython-311.pyc
█ █ █ █ █ █ █ ███ _resources.py
█ █ █ █ █ █ █ ███ _sockets.py
█ █ █ █ █ █ █ ███ _streams.py
█ █ █ █ █ █ █ ███ _subprocesses.py
█ █ █ █ █ █ █ ███ _tasks.py
█ █ █ █ █ █ █ ███ _testing.py
█ █ █ █ █ █ █ ███ from_thread.py
█ █ █ █ █ █ █ ███ lowlevel.py
█ █ █ █ █ █ █ ███ py.typed
█ █ █ █ █ █ █ ███ pytest_plugin.py
█ █ █ █ █ █ █ ███ streams
█ █ █ █ █ █ █ ███ __init__.py
█ █ █ █ █ █ █ ███ __pycache__
█ █ █ █ █ █ █ ███ __init__.cpython-311.pyc
█ █ █ █ █ █ █ ███ buffered.cpython-311.pyc
█ █ █ █ █ █ █ ███ file.cpython-311.pyc
█ █ █ █ █ █ █ ███ memory.cpython-311.pyc
█ █ █ █ █ █ █ ███ stapled.cpython-311.pyc
█ █ █ █ █ █ █ ███ text.cpython-311.pyc
```

[illegible]


```

levelordergroupiter.py
levelorderiter.py
postorderiter.py
preorderiter.py
zigzaggroupiter.py
node
__init__.py
__pycache__
__init__.cpython-311.pyc
anynode.cpython-311.pyc
exceptions.cpython-311.pyc
node.cpython-311.pyc
nodemixin.cpython-311.pyc
symlinknode.cpython-311.pyc
symlinknodemixin.cpython-311.pyc
util.cpython-311.pyc
anynode.py
exceptions.py
node.py
nodemixin.py
symlinknode.py
symlinknodemixin.py
util.py
render.py
resolver.py
search.py
util
__init__.py
__pycache__
__init__.cpython-311.pyc
walker.py
anytree-2.8.0.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
argon2
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_legacy.cpython-311.pyc
_password_hasher.cpython-311.pyc
_typing.cpython-311.pyc
_utils.cpython-311.pyc
exceptions.cpython-311.pyc
low_level.cpython-311.pyc
profiles.cpython-311.pyc
_legacy.py
_password_hasher.py
_typing.py
_utils.py
exceptions.py
low_level.py

```

```

■   ■   ■   ■   ■   ■   ■   profiles.py
■   ■   ■   ■   ■   ■   ■   py.typed
■   ■   ■   ■   ■   ■   ■   argon2_cffi-23.1.0.dist-info
■   ■   ■   ■   ■   ■   ■   INSTALLER
■   ■   ■   ■   ■   ■   ■   METADATA
■   ■   ■   ■   ■   ■   ■   RECORD
■   ■   ■   ■   ■   ■   ■   WHEEL
■   ■   ■   ■   ■   ■   ■   licenses
■   ■   ■   ■   ■   ■   ■   LICENSE
■   ■   ■   ■   ■   ■   ■   argon2_cffi_bindings-21.2.0.dist-info
■   ■   ■   ■   ■   ■   ■   INSTALLER
■   ■   ■   ■   ■   ■   ■   LICENSE
■   ■   ■   ■   ■   ■   ■   METADATA
■   ■   ■   ■   ■   ■   ■   RECORD
■   ■   ■   ■   ■   ■   ■   WHEEL
■   ■   ■   ■   ■   ■   ■   top_level.txt
■   ■   ■   ■   ■   ■   ■   arviz
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   labels.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   preview.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   rcparams.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   sel_utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   data
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   base.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   converters.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   datasets.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   inference_data.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_beanmachine.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_cmdstan.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_cmdstanpy.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_datatree.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_dict.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_emcee.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_json.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_netcdf.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_numpyro.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_pyjags.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_pyro.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_pystan.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_zarr.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   base.py
■   ■   ■   ■   ■   ■   ■   converters.py
■   ■   ■   ■   ■   ■   ■   datasets.py
■   ■   ■   ■   ■   ■   ■   example_data
■   ■   ■   ■   ■   ■   ■   code
■   ■   ■   ■   ■   ■   ■   ■   radon
■   ■   ■   ■   ■   ■   ■   ■   radon.json
■   ■   ■   ■   ■   ■   ■   data
■   ■   ■   ■   ■   ■   ■   centered_eight.nc
■   ■   ■   ■   ■   ■   ■   non_centered_eight.nc
■   ■   ■   ■   ■   ■   ■   data_local.json

```

```

■ ■ ■ ■ ■ ■ ■ ■ data_remote.json
■ ■ ■ ■ ■ ■ ■ ■ inference_data.py
■ ■ ■ ■ ■ ■ ■ ■ io_beanmachine.py
■ ■ ■ ■ ■ ■ ■ ■ io_cmdstan.py
■ ■ ■ ■ ■ ■ ■ ■ io_cmdstanpy.py
■ ■ ■ ■ ■ ■ ■ ■ io_datatree.py
■ ■ ■ ■ ■ ■ ■ ■ io_dict.py
■ ■ ■ ■ ■ ■ ■ ■ io_emcee.py
■ ■ ■ ■ ■ ■ ■ ■ io_json.py
■ ■ ■ ■ ■ ■ ■ ■ io_netcdf.py
■ ■ ■ ■ ■ ■ ■ ■ io_numpyro.py
■ ■ ■ ■ ■ ■ ■ ■ io_pyjags.py
■ ■ ■ ■ ■ ■ ■ ■ io_pyro.py
■ ■ ■ ■ ■ ■ ■ ■ io_pystan.py
■ ■ ■ ■ ■ ■ ■ ■ io_zarr.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ labels.py
■ ■ ■ ■ ■ ■ ■ ■ plots
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ autocorrplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bfplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bpvplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compareplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ densityplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ distcomparisonplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ distplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dotplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ecdfplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ elpdplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ energyplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ essplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ forestplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ hdiplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ kdeplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ khatplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ lmplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ loopitplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ mcseplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pairplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parallelplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ plot_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ posteriorplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ppcplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rankplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ separationplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ traceplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tsplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ violinplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ autocorrplot.py
■ ■ ■ ■ ■ ■ ■ ■ backends
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bokeh
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	autocorrplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	bfplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	bvpplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	compareplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	densityplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	distcomparisonplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	distplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	dotplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ecdfplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	elpdplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	energyplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	essplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	forestplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	hdiplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	kdeplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	khatplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	lmpplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	loopitplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	mcseplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	pairplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	parallelplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	posteriorplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ppcplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	rankplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	separationplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	traceplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	violinplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	autocorrplot.py
■	■	■	■	■	■	■	■	■	■■■■	bfplot.py
■	■	■	■	■	■	■	■	■	■■■■	bvpplot.py
■	■	■	■	■	■	■	■	■	■■■■	compareplot.py
■	■	■	■	■	■	■	■	■	■■■■	densityplot.py
■	■	■	■	■	■	■	■	■	■■■■	distcomparisonplot.py
■	■	■	■	■	■	■	■	■	■■■■	distplot.py
■	■	■	■	■	■	■	■	■	■■■■	dotplot.py
■	■	■	■	■	■	■	■	■	■■■■	ecdfplot.py
■	■	■	■	■	■	■	■	■	■■■■	elpdplot.py
■	■	■	■	■	■	■	■	■	■■■■	energyplot.py
■	■	■	■	■	■	■	■	■	■■■■	essplot.py
■	■	■	■	■	■	■	■	■	■■■■	forestplot.py
■	■	■	■	■	■	■	■	■	■■■■	hdiplot.py
■	■	■	■	■	■	■	■	■	■■■■	kdeplot.py
■	■	■	■	■	■	■	■	■	■■■■	khatplot.py
■	■	■	■	■	■	■	■	■	■■■■	lmpplot.py
■	■	■	■	■	■	■	■	■	■■■■	loopitplot.py
■	■	■	■	■	■	■	■	■	■■■■	mcseplot.py
■	■	■	■	■	■	■	■	■	■■■■	pairplot.py
■	■	■	■	■	■	■	■	■	■■■■	parallelplot.py
■	■	■	■	■	■	■	■	■	■■■■	posteriorplot.py
■	■	■	■	■	■	■	■	■	■■■■	ppcplot.py
■	■	■	■	■	■	■	■	■	■■■■	rankplot.py
■	■	■	■	■	■	■	■	■	■■■■	separationplot.py
■	■	■	■	■	■	■	■	■	■■■■	traceplot.py
■	■	■	■	■	■	■	■	■	■■■■	violinplot.py
■	■	■	■	■	■	■	■	■■■■	matplotlib	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	

[illegible]

```

■ ■ ■ ■ ■ ■ ■■■ bpvplot.py
■ ■ ■ ■ ■ ■ ■■■ compareplot.py
■ ■ ■ ■ ■ ■ ■■■ densityplot.py
■ ■ ■ ■ ■ ■ ■■■ distcomparisonplot.py
■ ■ ■ ■ ■ ■ ■■■ distplot.py
■ ■ ■ ■ ■ ■ ■■■ dotplot.py
■ ■ ■ ■ ■ ■ ■■■ ecdfplot.py
■ ■ ■ ■ ■ ■ ■■■ elpdplot.py
■ ■ ■ ■ ■ ■ ■■■ energyplot.py
■ ■ ■ ■ ■ ■ ■■■ essplot.py
■ ■ ■ ■ ■ ■ ■■■ forestplot.py
■ ■ ■ ■ ■ ■ ■■■ hdiplot.py
■ ■ ■ ■ ■ ■ ■■■ kdeplot.py
■ ■ ■ ■ ■ ■ ■■■ khatplot.py
■ ■ ■ ■ ■ ■ ■■■ lmplot.py
■ ■ ■ ■ ■ ■ ■■■ loopitplot.py
■ ■ ■ ■ ■ ■ ■■■ mcseplot.py
■ ■ ■ ■ ■ ■ ■■■ pairplot.py
■ ■ ■ ■ ■ ■ ■■■ parallelplot.py
■ ■ ■ ■ ■ ■ ■■■ plot_utils.py
■ ■ ■ ■ ■ ■ ■■■ posteriorplot.py
■ ■ ■ ■ ■ ■ ■■■ ppcplot.py
■ ■ ■ ■ ■ ■ ■■■ rankplot.py
■ ■ ■ ■ ■ ■ ■■■ separationplot.py
■ ■ ■ ■ ■ ■ ■■■ styles
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-bluish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-brownish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-colors.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-cyanish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-darkgrid.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-doc.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-docgrid.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-grayscale.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-greenish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-orangish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-plasmish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-purplish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-redish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-royish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-viridish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-white.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-whitegrid.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ traceplot.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ tsplot.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ violinplot.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ preview.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ ■■■ rcparams.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ sel_utils.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ static
■ ■ ■ ■ ■ ■ ■■■ ■■■ css
■ ■ ■ ■ ■ ■ ■■■ ■■■ style.css
■ ■ ■ ■ ■ ■ ■■■ ■■■ html
■ ■ ■ ■ ■ ■ ■■■ ■■■ icons-svg-inline.html
■ ■ ■ ■ ■ ■ ■■■ ■■■ stats
■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■ density_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ diagnostics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ ecdf_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stats_refitting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stats_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ density_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ diagnostics.py
■ ■ ■ ■ ■ ■ ■ ■■ ecdf_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ stats.py
■ ■ ■ ■ ■ ■ ■ ■■ stats_refitting.py
■ ■ ■ ■ ■ ■ ■ ■■ stats_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ base_tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_data_zarr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_labels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_plot_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_bokeh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_matplotlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_rcparams.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_ecdf_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_utils_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_data.py
■ ■ ■ ■ ■ ■ ■ ■■ test_data_zarr.py
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics.py
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics_numba.py
■ ■ ■ ■ ■ ■ ■ ■■ test_helpers.py
■ ■ ■ ■ ■ ■ ■ ■■ test_labels.py
■ ■ ■ ■ ■ ■ ■ ■■ test_plot_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_bokeh.py
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_matplotlib.py
■ ■ ■ ■ ■ ■ ■ ■■ test_rcparams.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_ecdf_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_numba.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_utils_numba.py
■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■■ external_tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
```

```

■■■■ __init__.cpython-311.pyc
■■■■ test_data_beanmachine.cpython-311.pyc
■■■■ test_data_cmdstan.cpython-311.pyc
■■■■ test_data_cmdstanpy.cpython-311.pyc
■■■■ test_data_emcee.cpython-311.pyc
■■■■ test_data_numpyro.cpython-311.pyc
■■■■ test_data_pyjags.cpython-311.pyc
■■■■ test_data_pyro.cpython-311.pyc
■■■■ test_data_pystan.cpython-311.pyc
■■■■ test_data_beanmachine.py
■■■■ test_data_cmdstan.py
■■■■ test_data_cmdstanpy.py
■■■■ test_data_emcee.py
■■■■ test_data_numpyro.py
■■■■ test_data_pyjags.py
■■■■ test_data_pyro.py
■■■■ test_data_pystan.py
■■■■ helpers.py
■■■■ utils.py
■■■■ wrappers
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ base.cpython-311.pyc
■■■■ wrap_pymc.cpython-311.pyc
■■■■ wrap_stan.cpython-311.pyc
■■■■ base.py
■■■■ wrap_pymc.py
■■■■ wrap_stan.py
■■■■ arviz-0.20.0.dist-info
■■■■ INSTALLER
■■■■ LICENSE
■■■■ METADATA
■■■■ RECORD
■■■■ WHEEL
■■■■ top_level.txt
■■■■ asn1crypto
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _errors.cpython-311.pyc
■■■■ _inet.cpython-311.pyc
■■■■ _int.cpython-311.pyc
■■■■ _iri.cpython-311.pyc
■■■■ _ordereddict.cpython-311.pyc
■■■■ _teletex_codec.cpython-311.pyc
■■■■ _types.cpython-311.pyc
■■■■ algos.cpython-311.pyc
■■■■ cms.cpython-311.pyc
■■■■ core.cpython-311.pyc
■■■■ crl.cpython-311.pyc
■■■■ csr.cpython-311.pyc
■■■■ keys.cpython-311.pyc
■■■■ ocsp.cpython-311.pyc
■■■■ parser.cpython-311.pyc
■■■■ pdf.cpython-311.pyc
■■■■ pem.cpython-311.pyc
■■■■ pkcs12.cpython-311.pyc

```



```

■ ■ ■ ■ ■ ■ ■■ tsp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ x509.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _errors.py
■ ■ ■ ■ ■ ■ ■■ _inet.py
■ ■ ■ ■ ■ ■ ■■ _int.py
■ ■ ■ ■ ■ ■ ■■ _iri.py
■ ■ ■ ■ ■ ■ ■■ _orderdict.py
■ ■ ■ ■ ■ ■ ■■ _teletex_codec.py
■ ■ ■ ■ ■ ■ ■■ _types.py
■ ■ ■ ■ ■ ■ ■■ algos.py
■ ■ ■ ■ ■ ■ ■■ cms.py
■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■■ crl.py
■ ■ ■ ■ ■ ■ ■■ csr.py
■ ■ ■ ■ ■ ■ ■■ keys.py
■ ■ ■ ■ ■ ■ ■■ ocsp.py
■ ■ ■ ■ ■ ■ ■■ parser.py
■ ■ ■ ■ ■ ■ ■■ pdf.py
■ ■ ■ ■ ■ ■ ■■ pem.py
■ ■ ■ ■ ■ ■ ■■ pkcs12.py
■ ■ ■ ■ ■ ■ ■■ tsp.py
■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ x509.py
■ ■ ■ ■ ■ ■ ■■ asn1crypto-1.5.1.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ asttokens
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ astroid_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ asttokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ line_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ mark_tokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ astroid_compat.py
■ ■ ■ ■ ■ ■ ■■ asttokens.py
■ ■ ■ ■ ■ ■ ■■ line_numbers.py
■ ■ ■ ■ ■ ■ ■■ mark_tokens.py
■ ■ ■ ■ ■ ■ ■■ py.typed
■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ asttokens-3.0.0.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ attr

```

■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__init__.pyi
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ _cmp.cpython-311.pyc
■	■	■	■	■	■	■■■■ _compat.cpython-311.pyc
■	■	■	■	■	■	■■■■ _config.cpython-311.pyc
■	■	■	■	■	■	■■■■ _funcs.cpython-311.pyc
■	■	■	■	■	■	■■■■ _make.cpython-311.pyc
■	■	■	■	■	■	■■■■ _next_gen.cpython-311.pyc
■	■	■	■	■	■	■■■■ _version_info.cpython-311.pyc
■	■	■	■	■	■	■■■■ converters.cpython-311.pyc
■	■	■	■	■	■	■■■■ exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■■ filters.cpython-311.pyc
■	■	■	■	■	■	■■■■ setters.cpython-311.pyc
■	■	■	■	■	■	■■■■ validators.cpython-311.pyc
■	■	■	■	■	■■■■	_cmp.py
■	■	■	■	■	■■■■	_cmp.pyi
■	■	■	■	■	■■■■	_compat.py
■	■	■	■	■	■■■■	_config.py
■	■	■	■	■	■■■■	_funcs.py
■	■	■	■	■	■■■■	_make.py
■	■	■	■	■	■■■■	_next_gen.py
■	■	■	■	■	■■■■	_typing_compat.pyi
■	■	■	■	■	■■■■	_version_info.py
■	■	■	■	■	■■■■	_version_info.pyi
■	■	■	■	■	■■■■	converters.py
■	■	■	■	■	■■■■	converters.pyi
■	■	■	■	■	■■■■	exceptions.py
■	■	■	■	■	■■■■	exceptions.pyi
■	■	■	■	■	■■■■	filters.py
■	■	■	■	■	■■■■	filters.pyi
■	■	■	■	■	■■■■	py.typed
■	■	■	■	■	■■■■	setters.py
■	■	■	■	■	■■■■	setters.pyi
■	■	■	■	■	■■■■	validators.py
■	■	■	■	■	■■■■	validators.pyi
■	■	■	■	■■■■		attrs
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__init__.pyi
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ converters.cpython-311.pyc
■	■	■	■	■	■	■■■■ exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■■ filters.cpython-311.pyc
■	■	■	■	■	■	■■■■ setters.cpython-311.pyc
■	■	■	■	■	■	■■■■ validators.cpython-311.pyc
■	■	■	■	■	■■■■	converters.py
■	■	■	■	■	■■■■	exceptions.py
■	■	■	■	■	■■■■	filters.py
■	■	■	■	■	■■■■	py.typed
■	■	■	■	■	■■■■	setters.py
■	■	■	■	■	■■■■	validators.py
■	■	■	■	■■■■		attrs-24.2.0.dist-info
■	■	■	■	■	■■■■	INSTALLER
■	■	■	■	■	■■■■	METADATA
■	■	■	■	■	■■■■	RECORD
■	■	■	■	■	■■■■	WHEEL

```

    licenses
    LICENSE
audioread
    __init__.py
    pycache__
        __init__.cpython-311.pyc
        base.cpython-311.pyc
        exceptions.cpython-311.pyc
        ffdec.cpython-311.pyc
        gstdéc.cpython-311.pyc
        macca.cpython-311.pyc
        maddec.cpython-311.pyc
        rawread.cpython-311.pyc
        version.cpython-311.pyc
    base.py
    exceptions.py
    ffdec.py
    gstdéc.py
    macca.py
    maddec.py
    rawread.py
    version.py
audioread-3.0.1.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
babel
    __init__.py
    pycache__
        __init__.cpython-311.pyc
        core.cpython-311.pyc
        dates.cpython-311.pyc
        languages.cpython-311.pyc
        lists.cpython-311.pyc
        localedata.cpython-311.pyc
        numbers.cpython-311.pyc
        plural.cpython-311.pyc
        support.cpython-311.pyc
        units.cpython-311.pyc
        util.cpython-311.pyc
    core.py
    dates.py
    global.dat
    languages.py
    lists.py
    locale-data
        LICENSE.unicode
        aa.dat
        aa_DJ.dat
        aa_ER.dat
        aa_ET.dat
        ab.dat
        ab_GE.dat
        af.dat
        af_NA.dat
        af_ZA.dat

```

						agq.dat
						agq_CM.dat
						ak.dat
						ak_GH.dat
						am.dat
						am_ET.dat
						an.dat
						an_ES.dat
						ann.dat
						ann_NG.dat
						apc.dat
						apc_SY.dat
						ar.dat
						ar_001.dat
						ar_AE.dat
						ar_BH.dat
						ar_DJ.dat
						ar_DZ.dat
						ar_EG.dat
						ar_EH.dat
						ar_ER.dat
						ar_IL.dat
						ar_IQ.dat
						ar_JO.dat
						ar_KM.dat
						ar_KW.dat
						ar_LB.dat
						ar_LY.dat
						ar_MA.dat
						ar_MR.dat
						ar_OM.dat
						ar_PS.dat
						ar_QA.dat
						ar_SA.dat
						ar_SD.dat
						ar_SO.dat
						ar_SS.dat
						ar_SY.dat
						ar_TD.dat
						ar_TN.dat
						ar_YE.dat
						arn.dat
						arn_CL.dat
						as.dat
						as_IN.dat
						asa.dat
						asa_TZ.dat
						ast.dat
						ast_ES.dat
						az.dat
						az_Arab.dat
						az_Arab_IQ.dat
						az_Arab_IR.dat
						az_Arab_TR.dat
						az_Cyrl.dat
						az_Cyrl_AZ.dat
						az_Latn.dat
						az_Latn_AZ.dat

■	■	■	■	■	■	■■■	ba.dat
■	■	■	■	■	■	■■■	ba_RU.dat
■	■	■	■	■	■	■■■	bal.dat
■	■	■	■	■	■	■■■	bal_Arab.dat
■	■	■	■	■	■	■■■	bal_Arab_PK.dat
■	■	■	■	■	■	■■■	bal_Latn.dat
■	■	■	■	■	■	■■■	bal_Latn_PK.dat
■	■	■	■	■	■	■■■	bas.dat
■	■	■	■	■	■	■■■	bas_CM.dat
■	■	■	■	■	■	■■■	be.dat
■	■	■	■	■	■	■■■	be_BY.dat
■	■	■	■	■	■	■■■	be_TARASK.dat
■	■	■	■	■	■	■■■	bem.dat
■	■	■	■	■	■	■■■	bem_ZM.dat
■	■	■	■	■	■	■■■	bew.dat
■	■	■	■	■	■	■■■	bew_ID.dat
■	■	■	■	■	■	■■■	bez.dat
■	■	■	■	■	■	■■■	bez_TZ.dat
■	■	■	■	■	■	■■■	bg.dat
■	■	■	■	■	■	■■■	bg_BG.dat
■	■	■	■	■	■	■■■	bgc.dat
■	■	■	■	■	■	■■■	bgc_IN.dat
■	■	■	■	■	■	■■■	bgn.dat
■	■	■	■	■	■	■■■	bgn_AE.dat
■	■	■	■	■	■	■■■	bgn_AF.dat
■	■	■	■	■	■	■■■	bgn_IR.dat
■	■	■	■	■	■	■■■	bgn_OM.dat
■	■	■	■	■	■	■■■	bgn_PK.dat
■	■	■	■	■	■	■■■	bho.dat
■	■	■	■	■	■	■■■	bho_IN.dat
■	■	■	■	■	■	■■■	blo.dat
■	■	■	■	■	■	■■■	blo_BJ.dat
■	■	■	■	■	■	■■■	blt.dat
■	■	■	■	■	■	■■■	blt_VN.dat
■	■	■	■	■	■	■■■	bm.dat
■	■	■	■	■	■	■■■	bm_ML.dat
■	■	■	■	■	■	■■■	bm_Nkoo.dat
■	■	■	■	■	■	■■■	bm_Nkoo_ML.dat
■	■	■	■	■	■	■■■	bn.dat
■	■	■	■	■	■	■■■	bn_BD.dat
■	■	■	■	■	■	■■■	bn_IN.dat
■	■	■	■	■	■	■■■	bo.dat
■	■	■	■	■	■	■■■	bo_CN.dat
■	■	■	■	■	■	■■■	bo_IN.dat
■	■	■	■	■	■	■■■	br.dat
■	■	■	■	■	■	■■■	br_FR.dat
■	■	■	■	■	■	■■■	brx.dat
■	■	■	■	■	■	■■■	brx_IN.dat
■	■	■	■	■	■	■■■	bs.dat
■	■	■	■	■	■	■■■	bs_Cyrl.dat
■	■	■	■	■	■	■■■	bs_Cyrl_BA.dat
■	■	■	■	■	■	■■■	bs_Latn.dat
■	■	■	■	■	■	■■■	bs_Latn_BA.dat
■	■	■	■	■	■	■■■	bss.dat
■	■	■	■	■	■	■■■	bss_CM.dat
■	■	■	■	■	■	■■■	byn.dat
■	■	■	■	■	■	■■■	byn_ER.dat
■	■	■	■	■	■	■■■	ca.dat

■	■	■	■	■	■	■■■	ca_AD.dat
■	■	■	■	■	■	■■■	ca_ES.dat
■	■	■	■	■	■	■■■	ca_ES VALENCIA.dat
■	■	■	■	■	■	■■■	ca_FR.dat
■	■	■	■	■	■	■■■	ca_IT.dat
■	■	■	■	■	■	■■■	cad.dat
■	■	■	■	■	■	■■■	cad_US.dat
■	■	■	■	■	■	■■■	cch.dat
■	■	■	■	■	■	■■■	cch_NG.dat
■	■	■	■	■	■	■■■	ccp.dat
■	■	■	■	■	■	■■■	ccp_BD.dat
■	■	■	■	■	■	■■■	ccp_IN.dat
■	■	■	■	■	■	■■■	ce.dat
■	■	■	■	■	■	■■■	ce_RU.dat
■	■	■	■	■	■	■■■	ceb.dat
■	■	■	■	■	■	■■■	ceb_PH.dat
■	■	■	■	■	■	■■■	cgg.dat
■	■	■	■	■	■	■■■	cgg_UG.dat
■	■	■	■	■	■	■■■	cho.dat
■	■	■	■	■	■	■■■	cho_US.dat
■	■	■	■	■	■	■■■	chr.dat
■	■	■	■	■	■	■■■	chr_US.dat
■	■	■	■	■	■	■■■	cic.dat
■	■	■	■	■	■	■■■	cic_US.dat
■	■	■	■	■	■	■■■	ckb.dat
■	■	■	■	■	■	■■■	ckb_IQ.dat
■	■	■	■	■	■	■■■	ckb_IR.dat
■	■	■	■	■	■	■■■	co.dat
■	■	■	■	■	■	■■■	co_FR.dat
■	■	■	■	■	■	■■■	cs.dat
■	■	■	■	■	■	■■■	cs_CZ.dat
■	■	■	■	■	■	■■■	csw.dat
■	■	■	■	■	■	■■■	csw_CA.dat
■	■	■	■	■	■	■■■	cu.dat
■	■	■	■	■	■	■■■	cu_RU.dat
■	■	■	■	■	■	■■■	cv.dat
■	■	■	■	■	■	■■■	cv_RU.dat
■	■	■	■	■	■	■■■	cy.dat
■	■	■	■	■	■	■■■	cy_GB.dat
■	■	■	■	■	■	■■■	da.dat
■	■	■	■	■	■	■■■	da_DK.dat
■	■	■	■	■	■	■■■	da_GL.dat
■	■	■	■	■	■	■■■	dav.dat
■	■	■	■	■	■	■■■	dav_KE.dat
■	■	■	■	■	■	■■■	de.dat
■	■	■	■	■	■	■■■	de_AT.dat
■	■	■	■	■	■	■■■	de_BE.dat
■	■	■	■	■	■	■■■	de_CH.dat
■	■	■	■	■	■	■■■	de_DE.dat
■	■	■	■	■	■	■■■	de_IT.dat
■	■	■	■	■	■	■■■	de_LI.dat
■	■	■	■	■	■	■■■	de_LU.dat
■	■	■	■	■	■	■■■	dje.dat
■	■	■	■	■	■	■■■	dje_NE.dat
■	■	■	■	■	■	■■■	doi.dat
■	■	■	■	■	■	■■■	doi_IN.dat
■	■	■	■	■	■	■■■	dsb.dat
■	■	■	■	■	■	■■■	dsb_DE.dat

■	■	■	■	■	■	■■■	dua.dat
■	■	■	■	■	■	■■■	dua_CM.dat
■	■	■	■	■	■	■■■	dv.dat
■	■	■	■	■	■	■■■	dv_MV.dat
■	■	■	■	■	■	■■■	dyo.dat
■	■	■	■	■	■	■■■	dyo_SN.dat
■	■	■	■	■	■	■■■	dz.dat
■	■	■	■	■	■	■■■	dz_BT.dat
■	■	■	■	■	■	■■■	ebu.dat
■	■	■	■	■	■	■■■	ebu_KE.dat
■	■	■	■	■	■	■■■	ee.dat
■	■	■	■	■	■	■■■	ee_GH.dat
■	■	■	■	■	■	■■■	ee_TG.dat
■	■	■	■	■	■	■■■	el.dat
■	■	■	■	■	■	■■■	el_CY.dat
■	■	■	■	■	■	■■■	el_GR.dat
■	■	■	■	■	■	■■■	el_POLYTON.dat
■	■	■	■	■	■	■■■	en.dat
■	■	■	■	■	■	■■■	en_001.dat
■	■	■	■	■	■	■■■	en_150.dat
■	■	■	■	■	■	■■■	en_AE.dat
■	■	■	■	■	■	■■■	en_AG.dat
■	■	■	■	■	■	■■■	en_AI.dat
■	■	■	■	■	■	■■■	en_AS.dat
■	■	■	■	■	■	■■■	en_AT.dat
■	■	■	■	■	■	■■■	en_AU.dat
■	■	■	■	■	■	■■■	en_BB.dat
■	■	■	■	■	■	■■■	en_BE.dat
■	■	■	■	■	■	■■■	en_BI.dat
■	■	■	■	■	■	■■■	en_BM.dat
■	■	■	■	■	■	■■■	en_BS.dat
■	■	■	■	■	■	■■■	en_BW.dat
■	■	■	■	■	■	■■■	en_BZ.dat
■	■	■	■	■	■	■■■	en_CA.dat
■	■	■	■	■	■	■■■	en_CC.dat
■	■	■	■	■	■	■■■	en_CH.dat
■	■	■	■	■	■	■■■	en_CK.dat
■	■	■	■	■	■	■■■	en_CM.dat
■	■	■	■	■	■	■■■	en_CX.dat
■	■	■	■	■	■	■■■	en_CY.dat
■	■	■	■	■	■	■■■	en_DE.dat
■	■	■	■	■	■	■■■	en_DG.dat
■	■	■	■	■	■	■■■	en_DK.dat
■	■	■	■	■	■	■■■	en_DM.dat
■	■	■	■	■	■	■■■	en_Dsrt.dat
■	■	■	■	■	■	■■■	en_Dsrt_US.dat
■	■	■	■	■	■	■■■	en_ER.dat
■	■	■	■	■	■	■■■	en_FI.dat
■	■	■	■	■	■	■■■	en_FJ.dat
■	■	■	■	■	■	■■■	en_FK.dat
■	■	■	■	■	■	■■■	en_FM.dat
■	■	■	■	■	■	■■■	en_GB.dat
■	■	■	■	■	■	■■■	en_GD.dat
■	■	■	■	■	■	■■■	en_GG.dat
■	■	■	■	■	■	■■■	en_GH.dat
■	■	■	■	■	■	■■■	en_GI.dat
■	■	■	■	■	■	■■■	en_GM.dat
■	■	■	■	■	■	■■■	en_GU.dat

						en_GY.dat
						en_HK.dat
						en_ID.dat
						en_IE.dat
						en_IL.dat
						en_IM.dat
						en_IN.dat
						en_IO.dat
						en_JE.dat
						en_JM.dat
						en_KE.dat
						en_KI.dat
						en_KN.dat
						en_KY.dat
						en_LC.dat
						en_LR.dat
						en_LS.dat
						en_MG.dat
						en_MH.dat
						en_MO.dat
						en_MP.dat
						en_MS.dat
						en_MT.dat
						en_MU.dat
						en_MV.dat
						en_MW.dat
						en_MY.dat
						en_NA.dat
						en_NF.dat
						en_NG.dat
						en_NL.dat
						en_NR.dat
						en_NU.dat
						en_NZ.dat
						en_PG.dat
						en_PH.dat
						en_PK.dat
						en_PN.dat
						en_PR.dat
						en_PW.dat
						en_RW.dat
						en_SB.dat
						en_SC.dat
						en_SD.dat
						en_SE.dat
						en_SG.dat
						en_SH.dat
						en_SI.dat
						en_SL.dat
						en_SS.dat
						en_SX.dat
						en_SZ.dat
						en_Shaw.dat
						en_Shaw_GB.dat
						en_TC.dat
						en_TK.dat
						en_TO.dat
						en_TT.dat

■	■	■	■	■	■	■■■	en_TV.dat
■	■	■	■	■	■	■■■	en_TZ.dat
■	■	■	■	■	■	■■■	en_UG.dat
■	■	■	■	■	■	■■■	en_UM.dat
■	■	■	■	■	■	■■■	en_US.dat
■	■	■	■	■	■	■■■	en_US_POSIX.dat
■	■	■	■	■	■	■■■	en_VC.dat
■	■	■	■	■	■	■■■	en_VG.dat
■	■	■	■	■	■	■■■	en_VI.dat
■	■	■	■	■	■	■■■	en_VU.dat
■	■	■	■	■	■	■■■	en_WS.dat
■	■	■	■	■	■	■■■	en_ZA.dat
■	■	■	■	■	■	■■■	en_ZM.dat
■	■	■	■	■	■	■■■	en_ZW.dat
■	■	■	■	■	■	■■■	eo.dat
■	■	■	■	■	■	■■■	eo_001.dat
■	■	■	■	■	■	■■■	es.dat
■	■	■	■	■	■	■■■	es_419.dat
■	■	■	■	■	■	■■■	es_AR.dat
■	■	■	■	■	■	■■■	es_B0.dat
■	■	■	■	■	■	■■■	es_BR.dat
■	■	■	■	■	■	■■■	es_BZ.dat
■	■	■	■	■	■	■■■	es_CL.dat
■	■	■	■	■	■	■■■	es_C0.dat
■	■	■	■	■	■	■■■	es_CR.dat
■	■	■	■	■	■	■■■	es_CU.dat
■	■	■	■	■	■	■■■	es_D0.dat
■	■	■	■	■	■	■■■	es_EA.dat
■	■	■	■	■	■	■■■	es_EC.dat
■	■	■	■	■	■	■■■	es_ES.dat
■	■	■	■	■	■	■■■	es_GQ.dat
■	■	■	■	■	■	■■■	es_GT.dat
■	■	■	■	■	■	■■■	es_HN.dat
■	■	■	■	■	■	■■■	es_IC.dat
■	■	■	■	■	■	■■■	es_MX.dat
■	■	■	■	■	■	■■■	es_NI.dat
■	■	■	■	■	■	■■■	es_PA.dat
■	■	■	■	■	■	■■■	es_PE.dat
■	■	■	■	■	■	■■■	es_PH.dat
■	■	■	■	■	■	■■■	es_PR.dat
■	■	■	■	■	■	■■■	es_PY.dat
■	■	■	■	■	■	■■■	es_SV.dat
■	■	■	■	■	■	■■■	es_US.dat
■	■	■	■	■	■	■■■	es_UY.dat
■	■	■	■	■	■	■■■	es_VE.dat
■	■	■	■	■	■	■■■	et.dat
■	■	■	■	■	■	■■■	et_EE.dat
■	■	■	■	■	■	■■■	eu.dat
■	■	■	■	■	■	■■■	eu_ES.dat
■	■	■	■	■	■	■■■	ewo.dat
■	■	■	■	■	■	■■■	ewo_CM.dat
■	■	■	■	■	■	■■■	fa.dat
■	■	■	■	■	■	■■■	fa_AF.dat
■	■	■	■	■	■	■■■	fa_IR.dat
■	■	■	■	■	■	■■■	ff.dat
■	■	■	■	■	■	■■■	ff_Adlm.dat
■	■	■	■	■	■	■■■	ff_Adlm_BF.dat
■	■	■	■	■	■	■■■	ff_Adlm_CM.dat

ff	Adlm	GH	.dat
ff	Adlm	GM	.dat
ff	Adlm	GN	.dat
ff	Adlm	GW	.dat
ff	Adlm	LR	.dat
ff	Adlm	MR	.dat
ff	Adlm	NE	.dat
ff	Adlm	NG	.dat
ff	Adlm	SL	.dat
ff	Adlm	SN	.dat
ff	Latn		.dat
ff	Latn	BF	.dat
ff	Latn	CM	.dat
ff	Latn	GH	.dat
ff	Latn	GM	.dat
ff	Latn	GN	.dat
ff	Latn	GW	.dat
ff	Latn	LR	.dat
ff	Latn	MR	.dat
ff	Latn	NE	.dat
ff	Latn	NG	.dat
ff	Latn	SL	.dat
ff	Latn	SN	.dat
fi			.dat
fi	FI		.dat
fil			.dat
fil	PH		.dat
fo			.dat
fo	DK		.dat
fo	F0		.dat
fr			.dat
fr	BE		.dat
fr	BF		.dat
fr	BI		.dat
fr	BJ		.dat
fr	BL		.dat
fr	CA		.dat
fr	CD		.dat
fr	CF		.dat
fr	CG		.dat
fr	CH		.dat
fr	CI		.dat
fr	CM		.dat
fr	DJ		.dat
fr	DZ		.dat
fr	FR		.dat
fr	GA		.dat
fr	GF		.dat
fr	GN		.dat
fr	GP		.dat
fr	GQ		.dat
fr	HT		.dat
fr	KM		.dat
fr	LU		.dat
fr	MA		.dat
fr	MC		.dat
fr	MF		.dat
fr	MG		.dat

■	■	■	■	■	■	■■■	fr_ML.dat
■	■	■	■	■	■	■■■	fr_MQ.dat
■	■	■	■	■	■	■■■	fr_MR.dat
■	■	■	■	■	■	■■■	fr_MU.dat
■	■	■	■	■	■	■■■	fr_NC.dat
■	■	■	■	■	■	■■■	fr_NE.dat
■	■	■	■	■	■	■■■	fr_PF.dat
■	■	■	■	■	■	■■■	fr_PM.dat
■	■	■	■	■	■	■■■	fr_RE.dat
■	■	■	■	■	■	■■■	fr_RW.dat
■	■	■	■	■	■	■■■	fr_SC.dat
■	■	■	■	■	■	■■■	fr_SN.dat
■	■	■	■	■	■	■■■	fr_SY.dat
■	■	■	■	■	■	■■■	fr_TD.dat
■	■	■	■	■	■	■■■	fr_TG.dat
■	■	■	■	■	■	■■■	fr_TN.dat
■	■	■	■	■	■	■■■	fr_VU.dat
■	■	■	■	■	■	■■■	fr_WF.dat
■	■	■	■	■	■	■■■	fr_YT.dat
■	■	■	■	■	■	■■■	frr.dat
■	■	■	■	■	■	■■■	frr_DE.dat
■	■	■	■	■	■	■■■	fur.dat
■	■	■	■	■	■	■■■	fur_IT.dat
■	■	■	■	■	■	■■■	fy.dat
■	■	■	■	■	■	■■■	fy_NL.dat
■	■	■	■	■	■	■■■	ga.dat
■	■	■	■	■	■	■■■	ga_GB.dat
■	■	■	■	■	■	■■■	ga_IE.dat
■	■	■	■	■	■	■■■	gaa.dat
■	■	■	■	■	■	■■■	gaa_GH.dat
■	■	■	■	■	■	■■■	gd.dat
■	■	■	■	■	■	■■■	gd_GB.dat
■	■	■	■	■	■	■■■	gez.dat
■	■	■	■	■	■	■■■	gez_ER.dat
■	■	■	■	■	■	■■■	gez_ET.dat
■	■	■	■	■	■	■■■	gl.dat
■	■	■	■	■	■	■■■	gl_ES.dat
■	■	■	■	■	■	■■■	gn.dat
■	■	■	■	■	■	■■■	gn_PY.dat
■	■	■	■	■	■	■■■	gsw.dat
■	■	■	■	■	■	■■■	gsw_CH.dat
■	■	■	■	■	■	■■■	gsw_FR.dat
■	■	■	■	■	■	■■■	gsw_LI.dat
■	■	■	■	■	■	■■■	gu.dat
■	■	■	■	■	■	■■■	gu_IN.dat
■	■	■	■	■	■	■■■	guz.dat
■	■	■	■	■	■	■■■	guz_KE.dat
■	■	■	■	■	■	■■■	gv.dat
■	■	■	■	■	■	■■■	gv_IM.dat
■	■	■	■	■	■	■■■	ha.dat
■	■	■	■	■	■	■■■	ha_Arab.dat
■	■	■	■	■	■	■■■	ha_Arab_NG.dat
■	■	■	■	■	■	■■■	ha_Arab_SD.dat
■	■	■	■	■	■	■■■	ha_GH.dat
■	■	■	■	■	■	■■■	ha_NE.dat
■	■	■	■	■	■	■■■	ha_NG.dat
■	■	■	■	■	■	■■■	haw.dat
■	■	■	■	■	■	■■■	haw_US.dat

■	■	■	■	■	■	■■■	he.dat
■	■	■	■	■	■	■■■	he_IL.dat
■	■	■	■	■	■	■■■	hi.dat
■	■	■	■	■	■	■■■	hi_IN.dat
■	■	■	■	■	■	■■■	hi_Latn.dat
■	■	■	■	■	■	■■■	hi_Latn_IN.dat
■	■	■	■	■	■	■■■	hnj.dat
■	■	■	■	■	■	■■■	hnj_Hmnp.dat
■	■	■	■	■	■	■■■	hnj_Hmnp_US.dat
■	■	■	■	■	■	■■■	hr.dat
■	■	■	■	■	■	■■■	hr_BA.dat
■	■	■	■	■	■	■■■	hr_HR.dat
■	■	■	■	■	■	■■■	hsb.dat
■	■	■	■	■	■	■■■	hsb_DE.dat
■	■	■	■	■	■	■■■	hu.dat
■	■	■	■	■	■	■■■	hu_HU.dat
■	■	■	■	■	■	■■■	hy.dat
■	■	■	■	■	■	■■■	hy_AM.dat
■	■	■	■	■	■	■■■	ia.dat
■	■	■	■	■	■	■■■	ia_001.dat
■	■	■	■	■	■	■■■	id.dat
■	■	■	■	■	■	■■■	id_ID.dat
■	■	■	■	■	■	■■■	ie.dat
■	■	■	■	■	■	■■■	ie_EE.dat
■	■	■	■	■	■	■■■	ig.dat
■	■	■	■	■	■	■■■	ig_NG.dat
■	■	■	■	■	■	■■■	ii.dat
■	■	■	■	■	■	■■■	ii_CN.dat
■	■	■	■	■	■	■■■	io.dat
■	■	■	■	■	■	■■■	io_001.dat
■	■	■	■	■	■	■■■	is.dat
■	■	■	■	■	■	■■■	is_IS.dat
■	■	■	■	■	■	■■■	it.dat
■	■	■	■	■	■	■■■	it_CH.dat
■	■	■	■	■	■	■■■	it_IT.dat
■	■	■	■	■	■	■■■	it_SM.dat
■	■	■	■	■	■	■■■	it_VA.dat
■	■	■	■	■	■	■■■	iu.dat
■	■	■	■	■	■	■■■	iu_CA.dat
■	■	■	■	■	■	■■■	iu_Latn.dat
■	■	■	■	■	■	■■■	iu_Latn_CA.dat
■	■	■	■	■	■	■■■	ja.dat
■	■	■	■	■	■	■■■	ja_JP.dat
■	■	■	■	■	■	■■■	jbo.dat
■	■	■	■	■	■	■■■	jbo_001.dat
■	■	■	■	■	■	■■■	jgo.dat
■	■	■	■	■	■	■■■	jgo_CM.dat
■	■	■	■	■	■	■■■	jmc.dat
■	■	■	■	■	■	■■■	jmc_TZ.dat
■	■	■	■	■	■	■■■	jv.dat
■	■	■	■	■	■	■■■	jv_ID.dat
■	■	■	■	■	■	■■■	ka.dat
■	■	■	■	■	■	■■■	ka_GE.dat
■	■	■	■	■	■	■■■	kab.dat
■	■	■	■	■	■	■■■	kab_DZ.dat
■	■	■	■	■	■	■■■	kaj.dat
■	■	■	■	■	■	■■■	kaj_NG.dat
■	■	■	■	■	■	■■■	kam.dat

■	■	■	■	■	■	■■■	kam_KE.dat
■	■	■	■	■	■	■■■	kcg.dat
■	■	■	■	■	■	■■■	kcg_NG.dat
■	■	■	■	■	■	■■■	kde.dat
■	■	■	■	■	■	■■■	kde_TZ.dat
■	■	■	■	■	■	■■■	kea.dat
■	■	■	■	■	■	■■■	kea_CV.dat
■	■	■	■	■	■	■■■	ken.dat
■	■	■	■	■	■	■■■	ken_CM.dat
■	■	■	■	■	■	■■■	kgp.dat
■	■	■	■	■	■	■■■	kgp_BR.dat
■	■	■	■	■	■	■■■	khq.dat
■	■	■	■	■	■	■■■	khq_ML.dat
■	■	■	■	■	■	■■■	ki.dat
■	■	■	■	■	■	■■■	ki_KE.dat
■	■	■	■	■	■	■■■	kk.dat
■	■	■	■	■	■	■■■	kk_KZ.dat
■	■	■	■	■	■	■■■	kkj.dat
■	■	■	■	■	■	■■■	kkj_CM.dat
■	■	■	■	■	■	■■■	kl.dat
■	■	■	■	■	■	■■■	kl_GL.dat
■	■	■	■	■	■	■■■	kl_n.dat
■	■	■	■	■	■	■■■	kl_n_KE.dat
■	■	■	■	■	■	■■■	km.dat
■	■	■	■	■	■	■■■	km_KH.dat
■	■	■	■	■	■	■■■	kn.dat
■	■	■	■	■	■	■■■	kn_IN.dat
■	■	■	■	■	■	■■■	ko.dat
■	■	■	■	■	■	■■■	ko_CN.dat
■	■	■	■	■	■	■■■	ko_KP.dat
■	■	■	■	■	■	■■■	ko_KR.dat
■	■	■	■	■	■	■■■	kok.dat
■	■	■	■	■	■	■■■	kok_IN.dat
■	■	■	■	■	■	■■■	kpe.dat
■	■	■	■	■	■	■■■	kpe_GN.dat
■	■	■	■	■	■	■■■	kpe_LR.dat
■	■	■	■	■	■	■■■	ks.dat
■	■	■	■	■	■	■■■	ks_Arab.dat
■	■	■	■	■	■	■■■	ks_Arab_IN.dat
■	■	■	■	■	■	■■■	ks_Deva.dat
■	■	■	■	■	■	■■■	ks_Deva_IN.dat
■	■	■	■	■	■	■■■	ksb.dat
■	■	■	■	■	■	■■■	ksb_TZ.dat
■	■	■	■	■	■	■■■	ksf.dat
■	■	■	■	■	■	■■■	ksf_CM.dat
■	■	■	■	■	■	■■■	ksh.dat
■	■	■	■	■	■	■■■	ksh_DE.dat
■	■	■	■	■	■	■■■	ku.dat
■	■	■	■	■	■	■■■	ku_TR.dat
■	■	■	■	■	■	■■■	kw.dat
■	■	■	■	■	■	■■■	kw_GB.dat
■	■	■	■	■	■	■■■	kxv.dat
■	■	■	■	■	■	■■■	kxv_Deva.dat
■	■	■	■	■	■	■■■	kxv_Deva_IN.dat
■	■	■	■	■	■	■■■	kxv_Latn.dat
■	■	■	■	■	■	■■■	kxv_Latn_IN.dat
■	■	■	■	■	■	■■■	kxv_Orya.dat
■	■	■	■	■	■	■■■	kxv_Orya_IN.dat

■	■	■	■	■	■	■■■	kxv_Telu.dat
■	■	■	■	■	■	■■■	kxv_Telu_IN.dat
■	■	■	■	■	■	■■■	ky.dat
■	■	■	■	■	■	■■■	ky_KG.dat
■	■	■	■	■	■	■■■	la.dat
■	■	■	■	■	■	■■■	la_VA.dat
■	■	■	■	■	■	■■■	lag.dat
■	■	■	■	■	■	■■■	lag_TZ.dat
■	■	■	■	■	■	■■■	lb.dat
■	■	■	■	■	■	■■■	lb_LU.dat
■	■	■	■	■	■	■■■	lg.dat
■	■	■	■	■	■	■■■	lg_UG.dat
■	■	■	■	■	■	■■■	lij.dat
■	■	■	■	■	■	■■■	lij_IT.dat
■	■	■	■	■	■	■■■	lkt.dat
■	■	■	■	■	■	■■■	lkt_US.dat
■	■	■	■	■	■	■■■	lmo.dat
■	■	■	■	■	■	■■■	lmo_IT.dat
■	■	■	■	■	■	■■■	ln.dat
■	■	■	■	■	■	■■■	ln_A0.dat
■	■	■	■	■	■	■■■	ln_CD.dat
■	■	■	■	■	■	■■■	ln_CF.dat
■	■	■	■	■	■	■■■	ln_CG.dat
■	■	■	■	■	■	■■■	lo.dat
■	■	■	■	■	■	■■■	lo_LA.dat
■	■	■	■	■	■	■■■	lrc.dat
■	■	■	■	■	■	■■■	lrc_IQ.dat
■	■	■	■	■	■	■■■	lrc_IR.dat
■	■	■	■	■	■	■■■	lt.dat
■	■	■	■	■	■	■■■	lt_LT.dat
■	■	■	■	■	■	■■■	lu.dat
■	■	■	■	■	■	■■■	lu_CD.dat
■	■	■	■	■	■	■■■	luo.dat
■	■	■	■	■	■	■■■	luo_KE.dat
■	■	■	■	■	■	■■■	luy.dat
■	■	■	■	■	■	■■■	luy_KE.dat
■	■	■	■	■	■	■■■	lv.dat
■	■	■	■	■	■	■■■	lv_LV.dat
■	■	■	■	■	■	■■■	mai.dat
■	■	■	■	■	■	■■■	mai_IN.dat
■	■	■	■	■	■	■■■	mas.dat
■	■	■	■	■	■	■■■	mas_KE.dat
■	■	■	■	■	■	■■■	mas_TZ.dat
■	■	■	■	■	■	■■■	mdf.dat
■	■	■	■	■	■	■■■	mdf_RU.dat
■	■	■	■	■	■	■■■	mer.dat
■	■	■	■	■	■	■■■	mer_KE.dat
■	■	■	■	■	■	■■■	mfe.dat
■	■	■	■	■	■	■■■	mfe_MU.dat
■	■	■	■	■	■	■■■	mg.dat
■	■	■	■	■	■	■■■	mg_MG.dat
■	■	■	■	■	■	■■■	mgh.dat
■	■	■	■	■	■	■■■	mgh_MZ.dat
■	■	■	■	■	■	■■■	mgo.dat
■	■	■	■	■	■	■■■	mgo_CM.dat
■	■	■	■	■	■	■■■	mi.dat
■	■	■	■	■	■	■■■	mi_NZ.dat
■	■	■	■	■	■	■■■	mic.dat

mic_CA.dat	mic	CA				
mk.dat	mk					
mk_MK.dat	mk	MK				
ml.dat	ml					
ml_IN.dat	ml	IN				
mn.dat	mn					
mn_MN.dat	mn	MN				
mn_Mong.dat	mn	Mong				
mn_Mong_CN.dat	mn	Mong	CN			
mn_Mong_MN.dat	mn	Mong	MN			
nni.dat	nni					
nni_Beng.dat	nni	Beng				
nni_Beng_IN.dat	nni	Beng	IN			
nni_Mtei.dat	nni	Mtei				
nni_Mtei_IN.dat	nni	Mtei	IN			
moh.dat	moh					
moh_CA.dat	moh	CA				
mr.dat	mr					
mr_IN.dat	mr	IN				
ms.dat	ms					
ms_Arab.dat	ms	Arab				
ms_Arab_BN.dat	ms	Arab	BN			
ms_Arab_MY.dat	ms	Arab	MY			
ms_BN.dat	ms	BN				
ms_ID.dat	ms	ID				
ms_MY.dat	ms	MY				
ms_SG.dat	ms	SG				
mt.dat	mt					
mt_MT.dat	mt	MT				
mua.dat	mua					
mua_CM.dat	mua	CM				
mus.dat	mus					
mus_US.dat	mus	US				
my.dat	my					
my_MM.dat	my	MM				
myv.dat	myv					
myv_RU.dat	myv	RU				
mzn.dat	mzn					
mzn_IR.dat	mzn	IR				
naq.dat	naq					
naq_NA.dat	naq	NA				
nb.dat	nb					
nb_NO.dat	nb	NO				
nb_SJ.dat	nb	SJ				
nd.dat	nd					
nd_ZW.dat	nd	ZW				
nds.dat	nds					
nds_DE.dat	nds	DE				
nds_NL.dat	nds	NL				
ne.dat	ne					
ne_IN.dat	ne	IN				
ne_NP.dat	ne	NP				
nl.dat	nl					
nl_AW.dat	nl	AW				
nl_BE.dat	nl	BE				
nl_BQ.dat	nl	BQ				
nl_CW.dat	nl	CW				
nl_NL.dat	nl	NL				

■	■	■	■	■	■	■■■	nl_SR.dat
■	■	■	■	■	■	■■■	nl_SX.dat
■	■	■	■	■	■	■■■	nmg.dat
■	■	■	■	■	■	■■■	nmg_CM.dat
■	■	■	■	■	■	■■■	nn.dat
■	■	■	■	■	■	■■■	nn_NO.dat
■	■	■	■	■	■	■■■	nnh.dat
■	■	■	■	■	■	■■■	nnh_CM.dat
■	■	■	■	■	■	■■■	no.dat
■	■	■	■	■	■	■■■	nqo.dat
■	■	■	■	■	■	■■■	nqo_GN.dat
■	■	■	■	■	■	■■■	nr.dat
■	■	■	■	■	■	■■■	nr_ZA.dat
■	■	■	■	■	■	■■■	nso.dat
■	■	■	■	■	■	■■■	nso_ZA.dat
■	■	■	■	■	■	■■■	nus.dat
■	■	■	■	■	■	■■■	nus_SS.dat
■	■	■	■	■	■	■■■	nv.dat
■	■	■	■	■	■	■■■	nv_US.dat
■	■	■	■	■	■	■■■	ny.dat
■	■	■	■	■	■	■■■	ny_Mw.dat
■	■	■	■	■	■	■■■	nyn.dat
■	■	■	■	■	■	■■■	nyn_UG.dat
■	■	■	■	■	■	■■■	oc.dat
■	■	■	■	■	■	■■■	oc_ES.dat
■	■	■	■	■	■	■■■	oc_FR.dat
■	■	■	■	■	■	■■■	om.dat
■	■	■	■	■	■	■■■	om_ET.dat
■	■	■	■	■	■	■■■	om_KE.dat
■	■	■	■	■	■	■■■	or.dat
■	■	■	■	■	■	■■■	or_IN.dat
■	■	■	■	■	■	■■■	os.dat
■	■	■	■	■	■	■■■	os_GE.dat
■	■	■	■	■	■	■■■	os_RU.dat
■	■	■	■	■	■	■■■	osa.dat
■	■	■	■	■	■	■■■	osa_US.dat
■	■	■	■	■	■	■■■	pa.dat
■	■	■	■	■	■	■■■	pa_Arab.dat
■	■	■	■	■	■	■■■	pa_Arab_PK.dat
■	■	■	■	■	■	■■■	pa_Guru.dat
■	■	■	■	■	■	■■■	pa_Guru_IN.dat
■	■	■	■	■	■	■■■	pap.dat
■	■	■	■	■	■	■■■	pap_AW.dat
■	■	■	■	■	■	■■■	pap_CW.dat
■	■	■	■	■	■	■■■	pcm.dat
■	■	■	■	■	■	■■■	pcm_NG.dat
■	■	■	■	■	■	■■■	pis.dat
■	■	■	■	■	■	■■■	pis_SB.dat
■	■	■	■	■	■	■■■	pl.dat
■	■	■	■	■	■	■■■	pl_PL.dat
■	■	■	■	■	■	■■■	prg.dat
■	■	■	■	■	■	■■■	prg_PL.dat
■	■	■	■	■	■	■■■	ps.dat
■	■	■	■	■	■	■■■	ps_AF.dat
■	■	■	■	■	■	■■■	ps_PK.dat
■	■	■	■	■	■	■■■	pt.dat
■	■	■	■	■	■	■■■	pt_A0.dat
■	■	■	■	■	■	■■■	pt_BR.dat

■	■	■	■	■	■	■■■	sc.dat
■	■	■	■	■	■	■■■	sc_IT.dat
■	■	■	■	■	■	■■■	scn.dat
■	■	■	■	■	■	■■■	scn_IT.dat
■	■	■	■	■	■	■■■	sd.dat
■	■	■	■	■	■	■■■	sd_Arab.dat
■	■	■	■	■	■	■■■	sd_Arab_PK.dat
■	■	■	■	■	■	■■■	sd_Deva.dat
■	■	■	■	■	■	■■■	sd_Deva_IN.dat
■	■	■	■	■	■	■■■	sdh.dat
■	■	■	■	■	■	■■■	sdh_IQ.dat
■	■	■	■	■	■	■■■	sdh_IR.dat
■	■	■	■	■	■	■■■	se.dat
■	■	■	■	■	■	■■■	se_FI.dat
■	■	■	■	■	■	■■■	se_NO.dat
■	■	■	■	■	■	■■■	se_SE.dat
■	■	■	■	■	■	■■■	seh.dat
■	■	■	■	■	■	■■■	seh_MZ.dat
■	■	■	■	■	■	■■■	ses.dat
■	■	■	■	■	■	■■■	ses_ML.dat
■	■	■	■	■	■	■■■	sg.dat
■	■	■	■	■	■	■■■	sg_CF.dat
■	■	■	■	■	■	■■■	shi.dat
■	■	■	■	■	■	■■■	shi_Latn.dat
■	■	■	■	■	■	■■■	shi_Latn_MA.dat
■	■	■	■	■	■	■■■	shi_Tfng.dat
■	■	■	■	■	■	■■■	shi_Tfng_MA.dat
■	■	■	■	■	■	■■■	shn.dat
■	■	■	■	■	■	■■■	shn_MM.dat
■	■	■	■	■	■	■■■	shn_TH.dat
■	■	■	■	■	■	■■■	si.dat
■	■	■	■	■	■	■■■	si_LK.dat
■	■	■	■	■	■	■■■	sid.dat
■	■	■	■	■	■	■■■	sid_ET.dat
■	■	■	■	■	■	■■■	sk.dat
■	■	■	■	■	■	■■■	sk_SK.dat
■	■	■	■	■	■	■■■	skr.dat
■	■	■	■	■	■	■■■	skr_PK.dat
■	■	■	■	■	■	■■■	sl.dat
■	■	■	■	■	■	■■■	sl_SI.dat
■	■	■	■	■	■	■■■	sma.dat
■	■	■	■	■	■	■■■	sma_NO.dat
■	■	■	■	■	■	■■■	sma_SE.dat
■	■	■	■	■	■	■■■	smj.dat
■	■	■	■	■	■	■■■	smj_NO.dat
■	■	■	■	■	■	■■■	smj_SE.dat
■	■	■	■	■	■	■■■	smn.dat
■	■	■	■	■	■	■■■	smn_FI.dat
■	■	■	■	■	■	■■■	sms.dat
■	■	■	■	■	■	■■■	sms_FI.dat
■	■	■	■	■	■	■■■	sn.dat
■	■	■	■	■	■	■■■	sn_ZW.dat
■	■	■	■	■	■	■■■	so.dat
■	■	■	■	■	■	■■■	so_DJ.dat
■	■	■	■	■	■	■■■	so_ET.dat
■	■	■	■	■	■	■■■	so_KE.dat
■	■	■	■	■	■	■■■	so_SO.dat
■	■	■	■	■	■	■■■	sq.dat

tk.dat	tk_TM.dat	tn.dat	tn_BW.dat	tn_ZA.dat	to.dat	to_TO.dat	tok.dat	tok_001.dat	tpi.dat	tpi_PG.dat	tr.dat	tr_CY.dat	tr_TR.dat	trv.dat	trv_TW.dat	trw.dat	trw_PK.dat	ts.dat	ts_ZA.dat	tt.dat	tt_RU.dat	twq.dat	twq_NE.dat	tyv.dat	tyv_RU.dat	tzm.dat	tzm_MA.dat	ug.dat	ug_CN.dat	uk.dat	uk_UA.dat	ur.dat	ur_IN.dat	ur_PK.dat	uz.dat	uz_Arab.dat	uz_Arab_AF.dat	uz_Cyrl.dat	uz_Cyrl_UZ.dat	uz_Latn.dat	uz_Latn_UZ.dat	vai.dat	vai_Latn.dat	vai_Latn_LR.dat	vai_Vaii.dat	vai_Vaii_LR.dat	ve.dat	ve_ZA.dat	vec.dat	vec_IT.dat	vi.dat	vi_VN.dat	vmw.dat	vmw_MZ.dat	vo.dat	vo_001.dat	vun.dat
--------	-----------	--------	-----------	-----------	--------	-----------	---------	-------------	---------	------------	--------	-----------	-----------	---------	------------	---------	------------	--------	-----------	--------	-----------	---------	------------	---------	------------	---------	------------	--------	-----------	--------	-----------	--------	-----------	-----------	--------	-------------	----------------	-------------	----------------	-------------	----------------	---------	--------------	-----------------	--------------	-----------------	--------	-----------	---------	------------	--------	-----------	---------	------------	--------	------------	---------

■	■	■	■	■	■	■■■	vun_TZ.dat
■	■	■	■	■	■	■■■	wa.dat
■	■	■	■	■	■	■■■	wa_BE.dat
■	■	■	■	■	■	■■■	wae.dat
■	■	■	■	■	■	■■■	wae_CH.dat
■	■	■	■	■	■	■■■	wal.dat
■	■	■	■	■	■	■■■	wal_ET.dat
■	■	■	■	■	■	■■■	wbp.dat
■	■	■	■	■	■	■■■	wbp_AU.dat
■	■	■	■	■	■	■■■	wo.dat
■	■	■	■	■	■	■■■	wo_SN.dat
■	■	■	■	■	■	■■■	xh.dat
■	■	■	■	■	■	■■■	xh_ZA.dat
■	■	■	■	■	■	■■■	xnr.dat
■	■	■	■	■	■	■■■	xnr_IN.dat
■	■	■	■	■	■	■■■	xog.dat
■	■	■	■	■	■	■■■	xog_UG.dat
■	■	■	■	■	■	■■■	yav.dat
■	■	■	■	■	■	■■■	yav_CM.dat
■	■	■	■	■	■	■■■	yi.dat
■	■	■	■	■	■	■■■	yi_UA.dat
■	■	■	■	■	■	■■■	yo.dat
■	■	■	■	■	■	■■■	yo_BJ.dat
■	■	■	■	■	■	■■■	yo_NG.dat
■	■	■	■	■	■	■■■	ysl.dat
■	■	■	■	■	■	■■■	ysl_BR.dat
■	■	■	■	■	■	■■■	ysl_CO.dat
■	■	■	■	■	■	■■■	ysl_VE.dat
■	■	■	■	■	■	■■■	yue.dat
■	■	■	■	■	■	■■■	yue_Hans.dat
■	■	■	■	■	■	■■■	yue_Hans_CN.dat
■	■	■	■	■	■	■■■	yue_Hant.dat
■	■	■	■	■	■	■■■	yue_Hant_HK.dat
■	■	■	■	■	■	■■■	za.dat
■	■	■	■	■	■	■■■	za_CN.dat
■	■	■	■	■	■	■■■	zgh.dat
■	■	■	■	■	■	■■■	zgh_MA.dat
■	■	■	■	■	■	■■■	zh.dat
■	■	■	■	■	■	■■■	zh_Hans.dat
■	■	■	■	■	■	■■■	zh_Hans_CN.dat
■	■	■	■	■	■	■■■	zh_Hans_HK.dat
■	■	■	■	■	■	■■■	zh_Hans_MO.dat
■	■	■	■	■	■	■■■	zh_Hans_SG.dat
■	■	■	■	■	■	■■■	zh_Hant.dat
■	■	■	■	■	■	■■■	zh_Hant_HK.dat
■	■	■	■	■	■	■■■	zh_Hant_MO.dat
■	■	■	■	■	■	■■■	zh_Hant_TW.dat
■	■	■	■	■	■	■■■	zu.dat
■	■	■	■	■	■	■■■	zu_ZA.dat
■	■	■	■	■	■■■	localedata.py	
■	■	■	■	■	■■■	localtime	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_fallback.cpython-311.pyc
■	■	■	■	■	■	■■■	_helpers.cpython-311.pyc
■	■	■	■	■	■	■■■	_unix.cpython-311.pyc
■	■	■	■	■	■	■■■	_win32.cpython-311.pyc

```

_ _ _ _ _ fallback.py
_ _ _ _ _ _helpers.py
_ _ _ _ _ _unix.py
_ _ _ _ _ _win32.py
_ _ _ _ _ messages
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _    _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _compat.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ catalog.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ checkers.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ extract.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ frontend.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ jslexer.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ mofile.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ plurals.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ pofile.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ setuptools_frontend.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _compat.py
_ _ _ _ _    _ _ _ _ _ catalog.py
_ _ _ _ _    _ _ _ _ _ checkers.py
_ _ _ _ _    _ _ _ _ _ extract.py
_ _ _ _ _    _ _ _ _ _ frontend.py
_ _ _ _ _    _ _ _ _ _ jslexer.py
_ _ _ _ _    _ _ _ _ _ mofile.py
_ _ _ _ _    _ _ _ _ _ plurals.py
_ _ _ _ _    _ _ _ _ _ pofile.py
_ _ _ _ _    _ _ _ _ _ setuptools_frontend.py
_ _ _ _ _ numbers.py
_ _ _ _ _ plural.py
_ _ _ _ _ py.typed
_ _ _ _ _ support.py
_ _ _ _ _ units.py
_ _ _ _ _ util.py
_ _ _ _ _ babel-2.16.0.dist-info
_ _ _ _ _ INSTALLER
_ _ _ _ _ LICENSE
_ _ _ _ _ METADATA
_ _ _ _ _ RECORD
_ _ _ _ _ WHEEL
_ _ _ _ _ entry_points.txt
_ _ _ _ _ top_level.txt
_ _ _ _ _ backoff
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _    _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _async.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _common.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _decorator.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _jitter.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _sync.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _wait_gen.cpython-311.pyc
_ _ _ _ _ _async.py
_ _ _ _ _ _common.py
_ _ _ _ _ _decorator.py
_ _ _ _ _ _jitter.py
_ _ _ _ _ _sync.py
_ _ _ _ _ _wait_gen.py

```

```

■ ■ ■ ■ ■■■ backoff-1.10.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ basemap-1.3.9-py3.11-nspkg.pth
■ ■ ■ ■ ■■■ basemap-1.3.9.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ LICENSE.geos
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ namespace_packages.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ basemap.libs
■ ■ ■ ■ ■■■ libgeos_c-a54df920.so.1
■ ■ ■ ■ ■■■ basemap_data-1.3.2-py2.7-nspkg.pth
■ ■ ■ ■ ■■■ basemap_data-1.3.2.dist-info
■ ■ ■ ■ ■■■ COPYING
■ ■ ■ ■ ■■■ COPYING.LESSER
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.epsg
■ ■ ■ ■ ■■■ LICENSE.mit
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ namespace_packages.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ bcrypt
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _bcrypt.abi3.so
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ bcrypt-4.2.1.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ beautifulsoup4-4.12.3.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■■■ AUTHORS
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ bin
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ aesara_cache.cpython-311.pyc

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sanitizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ whitespace.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html5parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ serializer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ treeadapters
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ treebuilders
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ treewalkers
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html5lib-1.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ AUTHORS.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.py.SHA256SUM
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vendor.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vendor_install.sh
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ css_sanitizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html5lib_shim.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linkifier.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse_shim.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sanitizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ six_shim.py

```

```

■ ■ ■ ■ ■■■■ bleach-6.2.0.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ blinker
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _utilities.cpython-311.pyc
■ ■ ■ ■ ■■■■ base.cpython-311.pyc
■ ■ ■ ■ ■■■■ _utilities.py
■ ■ ■ ■ ■■■■ base.py
■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■■■■ blinker-1.9.0.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ blis
■ ■ ■ ■ ■■■■ __init__.pxd
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ about.cpython-311.pyc
■ ■ ■ ■ ■■■■ benchmark.cpython-311.pyc
■ ■ ■ ■ ■■■■ about.py
■ ■ ■ ■ ■■■■ benchmark.py
■ ■ ■ ■ ■■■■ cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■■ cy.pxd
■ ■ ■ ■ ■■■■ cy.pyx
■ ■ ■ ■ ■■■■ py.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■■ py.pyx
■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ common.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_dotv.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_gemm.cpython-311.pyc
■ ■ ■ ■ ■■■■ common.py
■ ■ ■ ■ ■■■■ test_dotv.py
■ ■ ■ ■ ■■■■ test_gemm.py
■ ■ ■ ■ ■■■■ blis-0.7.11.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ blosc2
■ ■ ■ ■ ■■■■ SChunk.py
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ SChunk.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ env.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filesystem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ screenshot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ selenium.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compare.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ env.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ examples.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filesystem.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ screenshot.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ application
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ application.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handlers
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code_runner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ directory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ document_lifecycle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lifecycle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ script.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_lifecycle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_request_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code_runner.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ directory.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ document_lifecycle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lifecycle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ script.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_lifecycle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_request_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ client
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ connection.cpython-311.pyc
    ████ session.cpython-311.pyc
    ████ states.cpython-311.pyc
    ████ util.cpython-311.pyc
    ████ websocket.cpython-311.pyc
    ████ connection.py
    ████ session.py
    ████ states.py
    ████ util.py
    ████ websocket.py
    ████ colors
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ color.cpython-311.pyc
    ████ groups.cpython-311.pyc
    ████ hsl.cpython-311.pyc
    ████ named.cpython-311.pyc
    ████ rgb.cpython-311.pyc
    ████ util.cpython-311.pyc
    ████ color.py
    ████ groups.py
    ████ hsl.py
    ████ named.py
    ████ rgb.py
    ████ util.py
    ████ command
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ bootstrap.cpython-311.pyc
    ████ subcommand.cpython-311.pyc
    ████ util.cpython-311.pyc
    ████ bootstrap.py
    ████ subcommand.py
    ████ subcommands
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ build.cpython-311.pyc
    ████ file_output.cpython-311.pyc
    ████ info.cpython-311.pyc
    ████ init.cpython-311.pyc
    ████ json.cpython-311.pyc
    ████ sampledata.cpython-311.pyc
    ████ secret.cpython-311.pyc
    ████ serve.cpython-311.pyc
    ████ static.cpython-311.pyc
    ████ build.py
    ████ file_output.py
    ████ info.py
    ████ init.py
    ████ json.py
    ████ sampledata.py
    ████ secret.py
    ████ serve.py

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■■ pandas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ primitive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ readonly.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ singletons.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ struct.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ text_like.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ visual.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _sphinx.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ alias.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ any.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ auto.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ bases.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ color.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ container.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dataspec.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ datetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ descriptor_factory.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ descriptors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ either.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ enum.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ factors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ include.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ instance.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ json.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nullable.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ numeric.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ override.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pandas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ primitive.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ readonly.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ singletons.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ string.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ struct.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ text_like.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ validation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ visual.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ wrappers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ property_mixins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ query.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ templates.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ types.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ validation
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ issue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ check.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ issue.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ warnings.py
```

```
■ ■ ■ ■ ■ ■■■ document
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ document.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ json.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ locking.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ models.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ modules.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ callbacks.py
■ ■ ■ ■ ■ ■■■ document.py
■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■■■ json.py
■ ■ ■ ■ ■ ■■■ locking.py
■ ■ ■ ■ ■ ■■■ models.py
■ ■ ■ ■ ■ ■■■ modules.py
■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■■■ driving.py
■ ■ ■ ■ ■ ■■■ embed
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ bundle.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ elements.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ standalone.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ bundle.py
■ ■ ■ ■ ■ ■■■ elements.py
■ ■ ■ ■ ■ ■■■ notebook.py
■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■■■ standalone.py
■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■■■ wrappers.py
■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■■■ ext.py
■ ■ ■ ■ ■ ■■■ io
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ doc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ export.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ output.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ saving.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ showing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ state.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ webdriver.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ doc.py
■ ■ ■ ■ ■ ■■■ export.py
■ ■ ■ ■ ■ ■■■ notebook.py
■ ■ ■ ■ ■ ■■■ output.py
```



```

■ ■ ■ ■ ■ saving.py
■ ■ ■ ■ ■ showing.py
■ ■ ■ ■ ■ state.py
■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ webdriver.py
■ ■ ■ ■ layouts.py
■ ■ ■ ■ model
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ data_model.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ docs.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ model.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ data_model.py
■ ■ ■ ■ docs.py
■ ■ ■ ■ model.py
■ ■ ■ ■ util.py
■ ■ ■ ■ models
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ annotations.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ arrow_heads.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ axes.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ canvas.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ css.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ dom.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ expressions.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ formatters.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ glyph.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ glyphs.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ graphs.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ grids.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ labeling.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ layouts.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ map_plots.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ mappers.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ markers.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ plots.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ ranges.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ renderers.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ scales.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ selections.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ sources.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ text.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ textures.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ tickers.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ tiles.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ tools.cpython-311.pyc
■ ■ ■ ■   ■■■ ■■■ transforms.cpython-311.pyc
■ ■ ■ ■ annotations.py
■ ■ ■ ■ arrow_heads.py
■ ■ ■ ■ axes.py
■ ■ ■ ■ callbacks.py
■ ■ ■ ■ canvas.py

```

```
■ ■ ■ ■ ■ ■ ■■ css.py
■ ■ ■ ■ ■ ■ ■■ dom.py
■ ■ ■ ■ ■ ■ ■■ expressions.py
■ ■ ■ ■ ■ ■ ■■ filters.py
■ ■ ■ ■ ■ ■ ■■ formatters.py
■ ■ ■ ■ ■ ■ ■■ glyph.py
■ ■ ■ ■ ■ ■ ■■ glyphs.py
■ ■ ■ ■ ■ ■ ■■ graphs.py
■ ■ ■ ■ ■ ■ ■■ grids.py
■ ■ ■ ■ ■ ■ ■■ labeling.py
■ ■ ■ ■ ■ ■ ■■ layouts.py
■ ■ ■ ■ ■ ■ ■■ map_plots.py
■ ■ ■ ■ ■ ■ ■■ mappers.py
■ ■ ■ ■ ■ ■ ■■ markers.py
■ ■ ■ ■ ■ ■ ■■ plots.py
■ ■ ■ ■ ■ ■ ■■ ranges.py
■ ■ ■ ■ ■ ■ ■■ renderers.py
■ ■ ■ ■ ■ ■ ■■ scales.py
■ ■ ■ ■ ■ ■ ■■ selections.py
■ ■ ■ ■ ■ ■ ■■ sources.py
■ ■ ■ ■ ■ ■ ■■ text.py
■ ■ ■ ■ ■ ■ ■■ textures.py
■ ■ ■ ■ ■ ■ ■■ tickers.py
■ ■ ■ ■ ■ ■ ■■ tiles.py
■ ■ ■ ■ ■ ■ ■■ tools.py
■ ■ ■ ■ ■ ■ ■■ transforms.py
■ ■ ■ ■ ■ ■ ■■ util
■ ■ ■ ■ ■ ■ ■■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ structure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ structure.py
■ ■ ■ ■ ■ ■ ■■ ■■■ widgets
■ ■ ■ ■ ■ ■ ■■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ buttons.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ icons.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ inputs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ markups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ panels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ sliders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ widget.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■■ buttons.py
■ ■ ■ ■ ■ ■ ■■ ■■■ groups.py
■ ■ ■ ■ ■ ■ ■■ ■■■ icons.py
■ ■ ■ ■ ■ ■ ■■ ■■■ inputs.py
■ ■ ■ ■ ■ ■ ■■ ■■■ markups.py
■ ■ ■ ■ ■ ■ ■■ ■■■ panels.py
■ ■ ■ ■ ■ ■ ■■ ■■■ sliders.py
■ ■ ■ ■ ■ ■ ■■ ■■■ tables.py
■ ■ ■ ■ ■ ■ ■■ ■■■ widget.py
■ ■ ■ ■ ■ ■ ■■ ■■■ palettes.py
■ ■ ■ ■ ■ ■ ■■ ■■■ plotting
■ ■ ■ ■ ■ ■ ■■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ ■■■ __pycache__
```

[illegible]

```

■ ■ ■ sampledata
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ airport_routes.cpython-311.pyc
■ ■ ■ airports.cpython-311.pyc
■ ■ ■ anscombe.cpython-311.pyc
■ ■ ■ antibiotics.cpython-311.pyc
■ ■ ■ autmpg.cpython-311.pyc
■ ■ ■ autmpg2.cpython-311.pyc
■ ■ ■ browsers.cpython-311.pyc
■ ■ ■ commits.cpython-311.pyc
■ ■ ■ daylight.cpython-311.pyc
■ ■ ■ degrees.cpython-311.pyc
■ ■ ■ gapminder.cpython-311.pyc
■ ■ ■ glucose.cpython-311.pyc
■ ■ ■ haar_cascade.cpython-311.pyc
■ ■ ■ iris.cpython-311.pyc
■ ■ ■ les_mis.cpython-311.pyc
■ ■ ■ movies_data.cpython-311.pyc
■ ■ ■ mtb.cpython-311.pyc
■ ■ ■ olympics2014.cpython-311.pyc
■ ■ ■ penguins.cpython-311.pyc
■ ■ ■ perceptions.cpython-311.pyc
■ ■ ■ periodic_table.cpython-311.pyc
■ ■ ■ population.cpython-311.pyc
■ ■ ■ sample_geojson.cpython-311.pyc
■ ■ ■ sea_surface_temperature.cpython-311.pyc
■ ■ ■ sprint.cpython-311.pyc
■ ■ ■ stocks.cpython-311.pyc
■ ■ ■ unemployment.cpython-311.pyc
■ ■ ■ unemployment1948.cpython-311.pyc
■ ■ ■ us_cities.cpython-311.pyc
■ ■ ■ us_counties.cpython-311.pyc
■ ■ ■ us_holidays.cpython-311.pyc
■ ■ ■ us_marriages_divorces.cpython-311.pyc
■ ■ ■ us_states.cpython-311.pyc
■ ■ ■ world_cities.cpython-311.pyc
■ ■ ■ _data
■ ■ ■ USHolidays.ics
■ ■ ■ US_Regions_State_Boundaries.csv.gz
■ ■ ■ auto-mpg.csv
■ ■ ■ auto-mpg2.csv
■ ■ ■ browsers_nov_2013.csv
■ ■ ■ commits.txt.gz
■ ■ ■ daylight_warsaw_2013.csv
■ ■ ■ elements.csv
■ ■ ■ icons
■   ■■■ chrome_32x32.png
■   ■■■ firefox_32x32.png
■   ■■■ ie_32x32.png
■   ■■■ opera_32x32.png
■   ■■■ safari_32x32.png
■ ■ ■ iris.csv
■ ■ ■ les_mis.json
■ ■ ■ numberly.csv
■ ■ ■ obiszow_mtb_xcm.csv
■ ■ ■ olympics2014.json
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ penguins.csv
■ ■ ■ ■ ■ ■ ■ ■■■ percent-bachelors-degrees-women-usa.csv
■ ■ ■ ■ ■ ■ ■ ■■■ probly.csv
■ ■ ■ ■ ■ ■ ■ ■■■ sample_geojson.geojson
■ ■ ■ ■ ■ ■ ■ ■■■ sea_surface_temperature.csv.gz
■ ■ ■ ■ ■ ■ ■ ■■■ sprint.csv
■ ■ ■ ■ ■ ■ ■ ■■■ unemployment1948.csv
■ ■ ■ ■ ■ ■ ■ ■■■ us_marriages_divorces.csv
■ ■ ■ ■ ■ ■ ■ ■■■ airport_routes.py
■ ■ ■ ■ ■ ■ ■ ■■■ airports.py
■ ■ ■ ■ ■ ■ ■ ■■■ anscombe.py
■ ■ ■ ■ ■ ■ ■ ■■■ antibiotics.py
■ ■ ■ ■ ■ ■ ■ ■■■ autompg.py
■ ■ ■ ■ ■ ■ ■ ■■■ autompg2.py
■ ■ ■ ■ ■ ■ ■ ■■■ browsers.py
■ ■ ■ ■ ■ ■ ■ ■■■ commits.py
■ ■ ■ ■ ■ ■ ■ ■■■ daylight.py
■ ■ ■ ■ ■ ■ ■ ■■■ degrees.py
■ ■ ■ ■ ■ ■ ■ ■■■ gapminder.py
■ ■ ■ ■ ■ ■ ■ ■■■ glucose.py
■ ■ ■ ■ ■ ■ ■ ■■■ haar_cascade.py
■ ■ ■ ■ ■ ■ ■ ■■■ iris.py
■ ■ ■ ■ ■ ■ ■ ■■■ les_mis.py
■ ■ ■ ■ ■ ■ ■ ■■■ movies_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ mtb.py
■ ■ ■ ■ ■ ■ ■ ■■■ olympics2014.py
■ ■ ■ ■ ■ ■ ■ ■■■ penguins.py
■ ■ ■ ■ ■ ■ ■ ■■■ perceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ periodic_table.py
■ ■ ■ ■ ■ ■ ■ ■■■ population.py
■ ■ ■ ■ ■ ■ ■ ■■■ sample_geojson.py
■ ■ ■ ■ ■ ■ ■ ■■■ sea_surface_temperature.py
■ ■ ■ ■ ■ ■ ■ ■■■ sprint.py
■ ■ ■ ■ ■ ■ ■ ■■■ stocks.py
■ ■ ■ ■ ■ ■ ■ ■■■ unemployment.py
■ ■ ■ ■ ■ ■ ■ ■■■ unemployment1948.py
■ ■ ■ ■ ■ ■ ■ ■■■ us_cities.py
■ ■ ■ ■ ■ ■ ■ ■■■ us_counties.py
■ ■ ■ ■ ■ ■ ■ ■■■ us_holidays.py
■ ■ ■ ■ ■ ■ ■ ■■■ us_marriages_divorces.py
■ ■ ■ ■ ■ ■ ■ ■■■ us_states.py
■ ■ ■ ■ ■ ■ ■ ■■■ world_cities.py
■ ■ ■ ■ ■ ■ ■ ■■■ server
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ auth_provider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ contexts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protocol_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ session.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tornado.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ auth_provider.py
■ ■ ■ ■ ■ ■ ■ ■■■ callbacks.py

```

```
■ ■ ■ ■ ■ ■ ■■■ connection.py
■ ■ ■ ■ ■ ■ ■■■ contexts.py
■ ■ ■ ■ ■ ■ ■■■ django
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ apps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ consumers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ routing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ static.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ apps.py
■ ■ ■ ■ ■ ■ ■■■ consumers.py
■ ■ ■ ■ ■ ■ ■■■ routing.py
■ ■ ■ ■ ■ ■ ■■■ static.py
■ ■ ■ ■ ■ ■ ■■■ protocol_handler.py
■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■■■ session.py
■ ■ ■ ■ ■ ■ ■■■ static
■ ■ ■ ■ ■ ■ ■■■ .keep
■ ■ ■ ■ ■ ■ ■■■ js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.json
■ ■ ■ ■ ■ ■ ■■■ bokeh.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.min.js
■ ■ ■ ■ ■ ■ ■■■ bokehjs.tsbuildinfo
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compile.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compile.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compile.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.tsbuildinfo
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linker.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linker.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linker.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ prelude.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ prelude.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ prelude.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ styles.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ styles.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ styles.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sys.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sys.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sys.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transforms.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transforms.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transforms.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tsconfig.ext.json
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ lib
■ ■ ■ ■ ■ ■ ■ ■ ■■■ api
■ ■ ■ ■ ■ ■ ■ ■ ■■■ charts.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ gridplot.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ index.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ models.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ palettes.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ plotting.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ bokeh.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ client
■ ■ ■ ■ ■ ■ ■ ■ ■■■ connection.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ session.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ core
■ ■ ■ ■ ■ ■ ■ ■ ■■■ bokeh_events.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build_views.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ class.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dom.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dom_view.js

```



```

■ ■ ■ svg.js
■ ■ ■ svg_colors.js
■ ■ ■ templating.js
■ ■ ■ text.js
■ ■ ■ throttle.js
■ ■ ■ typed_array.js
■ ■ ■ types.js
■ ■ ■ wheel.js
■ ■ ■ zoom.js
■ ■ ■ vectorization.js
■ ■ ■ view.js
■ ■ ■ visuals
    ■ ■ ■ fill.js
    ■ ■ ■ hatch.js
    ■ ■ ■ index.js
    ■ ■ ■ line.js
    ■ ■ ■ patterns.js
    ■ ■ ■ text.js
    ■ ■ ■ visual.js
■ ■ ■ document
    ■ ■ ■ defs.js
    ■ ■ ■ document.js
    ■ ■ ■ events.js
    ■ ■ ■ index.js
■ ■ ■ embed
    ■ ■ ■ dom.js
    ■ ■ ■ index.js
    ■ ■ ■ json.js
    ■ ■ ■ notebook.js
    ■ ■ ■ server.js
    ■ ■ ■ standalone.js
■ ■ ■ index.js
■ ■ ■ legacy.js
■ ■ ■ main.js
■ ■ ■ model.js
■ ■ ■ models
    ■ ■ ■ annotations
        ■ ■ ■ annotation.js
        ■ ■ ■ arrow.js
        ■ ■ ■ arrow_head.js
        ■ ■ ■ band.js
        ■ ■ ■ box_annotation.js
        ■ ■ ■ color_bar.js
        ■ ■ ■ data_annotation.js
        ■ ■ ■ index.js
        ■ ■ ■ label.js
        ■ ■ ■ label_set.js
        ■ ■ ■ legend.js
        ■ ■ ■ legend_item.js
        ■ ■ ■ poly_annotation.js
        ■ ■ ■ slope.js
        ■ ■ ■ span.js
        ■ ■ ■ text_annotation.js
        ■ ■ ■ title.js
        ■ ■ ■ toolbar_panel.js
        ■ ■ ■ tooltip.js
        ■ ■ ■ upper_lower.js
        ■ ■ ■ whisker.js

```

```

■ ■ ■ axes
■ ■ ■ ■ axis.js
■ ■ ■ ■ categorical_axis.js
■ ■ ■ ■ continuous_axis.js
■ ■ ■ ■ datetime_axis.js
■ ■ ■ ■ index.js
■ ■ ■ ■ linear_axis.js
■ ■ ■ ■ log_axis.js
■ ■ ■ ■ mercator_axis.js
■ ■ ■ callbacks
■ ■ ■ ■ callback.js
■ ■ ■ ■ customjs.js
■ ■ ■ ■ index.js
■ ■ ■ ■ open_url.js
■ ■ ■ canvas
■ ■ ■ ■ canvas.js
■ ■ ■ ■ cartesian_frame.js
■ ■ ■ ■ coordinates.js
■ ■ ■ ■ index.js
■ ■ ■ dom
■ ■ ■ ■ index.js
■ ■ ■ ■ styles.js
■ ■ ■ expressions
■ ■ ■ ■ coordinate_transform.js
■ ■ ■ ■ cumsum.js
■ ■ ■ ■ customjs_expr.js
■ ■ ■ ■ expression.js
■ ■ ■ ■ index.js
■ ■ ■ ■ maximum.js
■ ■ ■ ■ minimum.js
■ ■ ■ ■ polar.js
■ ■ ■ ■ stack.js
■ ■ ■ filters
■ ■ ■ ■ boolean_filter.js
■ ■ ■ ■ customjs_filter.js
■ ■ ■ ■ filter.js
■ ■ ■ ■ group_filter.js
■ ■ ■ ■ index.js
■ ■ ■ ■ index_filter.js
■ ■ ■ formatters
■ ■ ■ ■ basic_tick_formatter.js
■ ■ ■ ■ categorical_tick_formatter.js
■ ■ ■ ■ datetime_tick_formatter.js
■ ■ ■ ■ func_tick_formatter.js
■ ■ ■ ■ index.js
■ ■ ■ ■ log_tick_formatter.js
■ ■ ■ ■ mercator_tick_formatter.js
■ ■ ■ ■ numeral_tick_formatter.js
■ ■ ■ ■ printf_tick_formatter.js
■ ■ ■ ■ tick_formatter.js
■ ■ ■ glyphs
■ ■ ■ ■ annular_wedge.js
■ ■ ■ ■ annulus.js
■ ■ ■ ■ arc.js
■ ■ ■ ■ area.js
■ ■ ■ ■ bezier.js
■ ■ ■ ■ box.js
■ ■ ■ ■ center_rotatable.js

```

■	■	■	■	■	■	■	■	■	■	■	■■■	circle.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	defs.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	ellipse.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	ellipse_oval.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	glyph.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	harea.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	hbar.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	hex_tile.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image_base.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image_rgba.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image_url.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	index.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	line.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	marker.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	multi_line.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	multi_polygons.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	oval.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	patch.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	patches.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	quad.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	quadratic.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	ray.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	rect.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	scatter.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	segment.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	spline.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	step.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	text.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	utils.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	varea.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	vbar.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	webgl		
■	■	■	■	■	■	■	■	■	■	■	■	■■■	base.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	buffer.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	dash_cache.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	index.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	line_gl.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	main.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	markers.frag.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	markers.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	markers.vert.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	rect.frag.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	rect.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	rect.vert.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	regl_line.frag.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	regl_line.vert.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	regl_wrap.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	types.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils	
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	math.js
■	■	■	■	■	■	■	■	■	■	■	■	■■■	webgl_utils.js	
■	■	■	■	■	■	■	■	■	■	■	■■■	wedge.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	xy_glyph.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	graphs		
■	■	■	■	■	■	■	■	■	■	■	■■■	graph_hit_test_policy.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	index.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	layout_provider.js		

```

■ ■ ■ static_layout_provider.js
■ ■ ■ grids
■ ■ ■ grid.js
■ ■ ■ index.js
■ ■ ■ index.js
■ ■ ■ layouts
■ ■ ■ box.js
■ ■ ■ column.js
■ ■ ■ grid_box.js
■ ■ ■ html_box.js
■ ■ ■ index.js
■ ■ ■ layout_dom.js
■ ■ ■ panel.js
■ ■ ■ row.js
■ ■ ■ spacer.js
■ ■ ■ tabs.js
■ ■ ■ widget_box.js
■ ■ ■ mappers
■ ■ ■ categorical_color_mapper.js
■ ■ ■ categorical_mapper.js
■ ■ ■ categorical_marker_mapper.js
■ ■ ■ categorical_pattern_mapper.js
■ ■ ■ color_mapper.js
■ ■ ■ continuous_color_mapper.js
■ ■ ■ eqhist_color_mapper.js
■ ■ ■ index.js
■ ■ ■ linear_color_mapper.js
■ ■ ■ log_color_mapper.js
■ ■ ■ mapper.js
■ ■ ■ scanning_color_mapper.js
■ ■ ■ plots
■ ■ ■ gmap_plot.js
■ ■ ■ gmap_plot_canvas.js
■ ■ ■ index.js
■ ■ ■ plot.js
■ ■ ■ plot_canvas.js
■ ■ ■ range_manager.js
■ ■ ■ state_manager.js
■ ■ ■ policies
■ ■ ■ index.js
■ ■ ■ labeling.js
■ ■ ■ ranges
■ ■ ■ data_range.js
■ ■ ■ data_range1d.js
■ ■ ■ factor_range.js
■ ■ ■ index.js
■ ■ ■ range.js
■ ■ ■ range1d.js
■ ■ ■ renderers
■ ■ ■ data_renderer.js
■ ■ ■ glyph_renderer.js
■ ■ ■ graph_renderer.js
■ ■ ■ guide_renderer.js
■ ■ ■ index.js
■ ■ ■ renderer.js
■ ■ ■ scales
■ ■ ■ categorical_scale.js
■ ■ ■ continuous_scale.js

```

```

■ ■ ■ index.js
■ ■ ■ linear_interpolation_scale.js
■ ■ ■ linear_scale.js
■ ■ ■ log_scale.js
■ ■ ■ scale.js
■ ■ ■ selections
■   ■ ■ ■ index.js
■   ■ ■ ■ interaction_policy.js
■   ■ ■ ■ selection.js
■ ■ ■ sources
■   ■ ■ ■ ajax_data_source.js
■   ■ ■ ■ cds_view.js
■   ■ ■ ■ column_data_source.js
■   ■ ■ ■ columnar_data_source.js
■   ■ ■ ■ data_source.js
■   ■ ■ ■ geojson_data_source.js
■   ■ ■ ■ index.js
■   ■ ■ ■ server_sent_data_source.js
■   ■ ■ ■ web_data_source.js
■ ■ ■ text
■   ■ ■ ■ base_text.js
■   ■ ■ ■ index.js
■   ■ ■ ■ math_text.js
■   ■ ■ ■ mathjax
■   ■   ■ ■ ■ index.js
■   ■   ■ ■ ■ main.js
■   ■ ■ ■ plain_text.js
■   ■ ■ ■ providers.js
■   ■ ■ ■ utils.js
■ ■ ■ textures
■   ■ ■ ■ canvas_texture.js
■   ■ ■ ■ image_url_texture.js
■   ■ ■ ■ index.js
■   ■ ■ ■ texture.js
■ ■ ■ tickers
■   ■ ■ ■ adaptive_ticker.js
■   ■ ■ ■ basic_ticker.js
■   ■ ■ ■ binned_ticker.js
■   ■ ■ ■ categorical_ticker.js
■   ■ ■ ■ composite_ticker.js
■   ■ ■ ■ continuous_ticker.js
■   ■ ■ ■ datetime_ticker.js
■   ■ ■ ■ days_ticker.js
■   ■ ■ ■ fixed_ticker.js
■   ■ ■ ■ index.js
■   ■ ■ ■ log_ticker.js
■   ■ ■ ■ mercator_ticker.js
■   ■ ■ ■ months_ticker.js
■   ■ ■ ■ single_interval_ticker.js
■   ■ ■ ■ ticker.js
■   ■ ■ ■ util.js
■   ■ ■ ■ years_ticker.js
■ ■ ■ tiles
■   ■ ■ ■ bbox_tile_source.js
■   ■ ■ ■ index.js
■   ■ ■ ■ mercator_tile_source.js
■   ■ ■ ■ quadkey_tile_source.js
■   ■ ■ ■ tile_renderer.js

```

```

■■■ tile_source.js
■■■ tile_utils.js
■■■ tms_tile_source.js
■■■ wmts_tile_source.js
■■■ tools
■■■ actions
■■■ action_tool.js
■■■ custom_action.js
■■■ help_tool.js
■■■ redo_tool.js
■■■ reset_tool.js
■■■ save_tool.js
■■■ undo_tool.js
■■■ zoom_base_tool.js
■■■ zoom_in_tool.js
■■■ zoom_out_tool.js
■■■ button_tool.js
■■■ edit
■■■ box_edit_tool.js
■■■ edit_tool.js
■■■ freehand_draw_tool.js
■■■ line_edit_tool.js
■■■ line_tool.js
■■■ point_draw_tool.js
■■■ poly_draw_tool.js
■■■ poly_edit_tool.js
■■■ poly_tool.js
■■■ gestures
■■■ box_select_tool.js
■■■ box_zoom_tool.js
■■■ gesture_tool.js
■■■ lasso_select_tool.js
■■■ pan_tool.js
■■■ poly_select_tool.js
■■■ range_tool.js
■■■ select_tool.js
■■■ tap_tool.js
■■■ wheel_pan_tool.js
■■■ wheel_zoom_tool.js
■■■ index.js
■■■ inspectors
■■■ crosshair_tool.js
■■■ customjs_hover.js
■■■ hover_tool.js
■■■ inspect_tool.js
■■■ on_off_button.js
■■■ tool.js
■■■ tool_proxy.js
■■■ toolbar.js
■■■ toolbar_base.js
■■■ toolbar_box.js
■■■ transforms
■■■ customjs_transform.js
■■■ dodge.js
■■■ index.js
■■■ interpolator.js
■■■ jitter.js
■■■ linear_interpolator.js

```

```

range_transform.js
step_interpolator.js
transform.js
util.js
widgets
  abstract_button.js
  abstract_icon.js
  abstract_slider.js
  autocomplete_input.js
  button.js
  button_group.js
  checkbox_button_group.js
  checkbox_group.js
  color_picker.js
  control.js
  date_picker.js
  date_range_slider.js
  date_slider.js
  div.js
  dropdown.js
  file_input.js
  index.js
  input_group.js
  input_widget.js
  main.js
  markup.js
  multichoice.js
  multiselect.js
  numeric_input.js
  oriented_control.js
  paragraph.js
  password_input.js
  pretext.js
  radio_button_group.js
  radio_group.js
  range_slider.js
  selectbox.js
  slider.js
  spinner.js
  tables
    cell_editors.js
    cell_formatters.js
    data_cube.js
    data_table.js
    definitions.js
    index.js
    main.js
    row_aggregators.js
    table_column.js
    table_widget.js
  text_input.js
  text_like_input.js
  textarea_input.js
  toggle.js
  widget.js
polyfill.js
protocol
index.js

```

```

    message.js
    receiver.js
    safely.js
    styles
    buttons.css.js
    clearfix.css.js
    icons.css.js
    logo.css.js
    menus.css.js
    notebook.css.js
    root.css.js
    tabs.css.js
    tiles.css.js
    toolbar.css.js
    tooltips.css.js
    widgets
    choices.css.js
    flatpickr.css.js
    inputs.css.js
    nouislider.css.js
    slickgrid.css.js
    sliders.css.js
    tables.css.js
    testing.js
    version.js
    types
    api
    charts.d.ts
    charts.d.ts.map
    gridplot.d.ts
    gridplot.d.ts.map
    index.d.ts
    index.d.ts.map
    linalg.d.ts
    linalg.d.ts.map
    main.d.ts
    main.d.ts.map
    models.d.ts
    models.d.ts.map
    palettes.d.ts
    palettes.d.ts.map
    plotting.d.ts
    plotting.d.ts.map
    base.d.ts
    base.d.ts.map
    bokeh.d.ts
    bokeh.d.ts.map
    client
    connection.d.ts
    connection.d.ts.map
    session.d.ts
    session.d.ts.map
    core
    bokeh_events.d.ts
    bokeh_events.d.ts.map
    build_views.d.ts
    build_views.d.ts.map
    class.d.ts

```


■	■	■	■	■	■	■	■	■	■	■■■	class.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	dom.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	dom.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	dom_view.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	dom_view.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	enums.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	enums.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	geometry.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	geometry.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	graphics.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	graphics.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	has_props.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	has_props.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	hittest.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	hittest.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	kinds.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	kinds.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	layout	
■	■	■	■	■	■	■	■	■	■	■	■■■	alignments.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	alignments.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	border.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	border.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	grid.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	grid.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	html.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	html.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	layoutable.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	layoutable.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	side_panel.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	side_panel.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts.map
■	■	■	■	■	■	■	■	■	■	■■■	logging.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	logging.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	properties.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	properties.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	property_mixins.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	property_mixins.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	selection_manager.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	selection_manager.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	serializer.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	serializer.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	settings.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	settings.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	signaling.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	signaling.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	ui_events.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	ui_events.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	uniforms.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	uniforms.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	util	
■	■	■	■	■	■	■	■	■	■	■	■■■	affine.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	affine.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	array.d.ts


```

■ ■ ■ spatial.d.ts.map
■ ■ ■ string.d.ts
■ ■ ■ string.d.ts.map
■ ■ ■ svg.d.ts
■ ■ ■ svg.d.ts.map
■ ■ ■ svg_colors.d.ts
■ ■ ■ svg_colors.d.ts.map
■ ■ ■ templating.d.ts
■ ■ ■ templating.d.ts.map
■ ■ ■ text.d.ts
■ ■ ■ text.d.ts.map
■ ■ ■ throttle.d.ts
■ ■ ■ throttle.d.ts.map
■ ■ ■ typed_array.d.ts
■ ■ ■ typed_array.d.ts.map
■ ■ ■ types.d.ts
■ ■ ■ types.d.ts.map
■ ■ ■ wheel.d.ts
■ ■ ■ wheel.d.ts.map
■ ■ ■ zoom.d.ts
■ ■ ■ zoom.d.ts.map
■ ■ ■ vectorization.d.ts
■ ■ ■ vectorization.d.ts.map
■ ■ ■ view.d.ts
■ ■ ■ view.d.ts.map
■ ■ ■ visuals
■ ■ ■ fill.d.ts
■ ■ ■ fill.d.ts.map
■ ■ ■ hatch.d.ts
■ ■ ■ hatch.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ line.d.ts
■ ■ ■ line.d.ts.map
■ ■ ■ patterns.d.ts
■ ■ ■ patterns.d.ts.map
■ ■ ■ text.d.ts
■ ■ ■ text.d.ts.map
■ ■ ■ visual.d.ts
■ ■ ■ visual.d.ts.map
■ ■ ■ document
■ ■ ■ defs.d.ts
■ ■ ■ defs.d.ts.map
■ ■ ■ document.d.ts
■ ■ ■ document.d.ts.map
■ ■ ■ events.d.ts
■ ■ ■ events.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ embed
■ ■ ■ dom.d.ts
■ ■ ■ dom.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ json.d.ts
■ ■ ■ json.d.ts.map
■ ■ ■ notebook.d.ts
■ ■ ■ notebook.d.ts.map

```

```

■ ■ ■ ■ server.d.ts
■ ■ ■ ■ server.d.ts.map
■ ■ ■ ■ standalone.d.ts
■ ■ ■ ■ standalone.d.ts.map
■ ■ ■ ■ index.d.ts
■ ■ ■ ■ index.d.ts.map
■ ■ ■ ■ legacy.d.ts
■ ■ ■ ■ legacy.d.ts.map
■ ■ ■ ■ main.d.ts
■ ■ ■ ■ main.d.ts.map
■ ■ ■ ■ model.d.ts
■ ■ ■ ■ model.d.ts.map
■ ■ ■ ■ models
■ ■ ■ ■ annotations
■ ■ ■ ■ annotation.d.ts
■ ■ ■ ■ annotation.d.ts.map
■ ■ ■ ■ arrow.d.ts
■ ■ ■ ■ arrow.d.ts.map
■ ■ ■ ■ arrow_head.d.ts
■ ■ ■ ■ arrow_head.d.ts.map
■ ■ ■ ■ band.d.ts
■ ■ ■ ■ band.d.ts.map
■ ■ ■ ■ box_annotation.d.ts
■ ■ ■ ■ box_annotation.d.ts.map
■ ■ ■ ■ color_bar.d.ts
■ ■ ■ ■ color_bar.d.ts.map
■ ■ ■ ■ data_annotation.d.ts
■ ■ ■ ■ data_annotation.d.ts.map
■ ■ ■ ■ index.d.ts
■ ■ ■ ■ index.d.ts.map
■ ■ ■ ■ label.d.ts
■ ■ ■ ■ label.d.ts.map
■ ■ ■ ■ label_set.d.ts
■ ■ ■ ■ label_set.d.ts.map
■ ■ ■ ■ legend.d.ts
■ ■ ■ ■ legend.d.ts.map
■ ■ ■ ■ legend_item.d.ts
■ ■ ■ ■ legend_item.d.ts.map
■ ■ ■ ■ poly_annotation.d.ts
■ ■ ■ ■ poly_annotation.d.ts.map
■ ■ ■ ■ slope.d.ts
■ ■ ■ ■ slope.d.ts.map
■ ■ ■ ■ span.d.ts
■ ■ ■ ■ span.d.ts.map
■ ■ ■ ■ text_annotation.d.ts
■ ■ ■ ■ text_annotation.d.ts.map
■ ■ ■ ■ title.d.ts
■ ■ ■ ■ title.d.ts.map
■ ■ ■ ■ toolbar_panel.d.ts
■ ■ ■ ■ toolbar_panel.d.ts.map
■ ■ ■ ■ tooltip.d.ts
■ ■ ■ ■ tooltip.d.ts.map
■ ■ ■ ■ upper_lower.d.ts
■ ■ ■ ■ upper_lower.d.ts.map
■ ■ ■ ■ whisker.d.ts
■ ■ ■ ■ whisker.d.ts.map
■ ■ ■ ■ axes
■ ■ ■ ■ axis.d.ts

```

```

axis.d.ts.map
categorical_axis.d.ts
categorical_axis.d.ts.map
continuous_axis.d.ts
continuous_axis.d.ts.map
datetime_axis.d.ts
datetime_axis.d.ts.map
index.d.ts
index.d.ts.map
linear_axis.d.ts
linear_axis.d.ts.map
log_axis.d.ts
log_axis.d.ts.map
mercator_axis.d.ts
mercator_axis.d.ts.map
callbacks
callback.d.ts
callback.d.ts.map
customjs.d.ts
customjs.d.ts.map
index.d.ts
index.d.ts.map
open_url.d.ts
open_url.d.ts.map
canvas
canvas.d.ts
canvas.d.ts.map
cartesian_frame.d.ts
cartesian_frame.d.ts.map
coordinates.d.ts
coordinates.d.ts.map
index.d.ts
index.d.ts.map
dom
index.d.ts
index.d.ts.map
styles.d.ts
styles.d.ts.map
expressions
coordinate_transform.d.ts
coordinate_transform.d.ts.map
cumsum.d.ts
cumsum.d.ts.map
customjs_expr.d.ts
customjs_expr.d.ts.map
expression.d.ts
expression.d.ts.map
index.d.ts
index.d.ts.map
maximum.d.ts
maximum.d.ts.map
minimum.d.ts
minimum.d.ts.map
polar.d.ts
polar.d.ts.map
stack.d.ts
stack.d.ts.map
filters

```

```

■ ■ ■ boolean_filter.d.ts
■ ■ ■ boolean_filter.d.ts.map
■ ■ ■ customjs_filter.d.ts
■ ■ ■ customjs_filter.d.ts.map
■ ■ ■ filter.d.ts
■ ■ ■ filter.d.ts.map
■ ■ ■ group_filter.d.ts
■ ■ ■ group_filter.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ index_filter.d.ts
■ ■ ■ index_filter.d.ts.map
■ ■ ■ formatters
■ ■ ■ basic_tick_formatter.d.ts
■ ■ ■ basic_tick_formatter.d.ts.map
■ ■ ■ categorical_tick_formatter.d.ts
■ ■ ■ categorical_tick_formatter.d.ts.map
■ ■ ■ datetime_tick_formatter.d.ts
■ ■ ■ datetime_tick_formatter.d.ts.map
■ ■ ■ func_tick_formatter.d.ts
■ ■ ■ func_tick_formatter.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ log_tick_formatter.d.ts
■ ■ ■ log_tick_formatter.d.ts.map
■ ■ ■ mercator_tick_formatter.d.ts
■ ■ ■ mercator_tick_formatter.d.ts.map
■ ■ ■ numeral_tick_formatter.d.ts
■ ■ ■ numeral_tick_formatter.d.ts.map
■ ■ ■ printf_tick_formatter.d.ts
■ ■ ■ printf_tick_formatter.d.ts.map
■ ■ ■ tick_formatter.d.ts
■ ■ ■ tick_formatter.d.ts.map
■ ■ ■ glyphs
■ ■ ■ annular_wedge.d.ts
■ ■ ■ annular_wedge.d.ts.map
■ ■ ■ annulus.d.ts
■ ■ ■ annulus.d.ts.map
■ ■ ■ arc.d.ts
■ ■ ■ arc.d.ts.map
■ ■ ■ area.d.ts
■ ■ ■ area.d.ts.map
■ ■ ■ bezier.d.ts
■ ■ ■ bezier.d.ts.map
■ ■ ■ box.d.ts
■ ■ ■ box.d.ts.map
■ ■ ■ center_rotatable.d.ts
■ ■ ■ center_rotatable.d.ts.map
■ ■ ■ circle.d.ts
■ ■ ■ circle.d.ts.map
■ ■ ■ defs.d.ts
■ ■ ■ defs.d.ts.map
■ ■ ■ ellipse.d.ts
■ ■ ■ ellipse.d.ts.map
■ ■ ■ ellipse_oval.d.ts
■ ■ ■ ellipse_oval.d.ts.map
■ ■ ■ glyph.d.ts
■ ■ ■ glyph.d.ts.map

```

[illegible]

```

■■■■ buffer.d.ts.map
■■■■ dash_cache.d.ts
■■■■ dash_cache.d.ts.map
■■■■ index.d.ts
■■■■ index.d.ts.map
■■■■ line_gl.d.ts
■■■■ line_gl.d.ts.map
■■■■ main.d.ts
■■■■ main.d.ts.map
■■■■ markers.d.ts
■■■■ markers.d.ts.map
■■■■ markers.frag.d.ts
■■■■ markers.vert.d.ts
■■■■ rect.d.ts
■■■■ rect.d.ts.map
■■■■ rect.frag.d.ts
■■■■ rect.vert.d.ts
■■■■ regl_line.frag.d.ts
■■■■ regl_line.vert.d.ts
■■■■ regl_wrap.d.ts
■■■■ regl_wrap.d.ts.map
■■■■ types.d.ts
■■■■ types.d.ts.map
■■■■ utils
■■■■ math.d.ts
■■■■ math.d.ts.map
■■■■ webgl_utils.d.ts
■■■■ webgl_utils.d.ts.map
■■■■ wedge.d.ts
■■■■ wedge.d.ts.map
■■■■ xy_glyph.d.ts
■■■■ xy_glyph.d.ts.map
■■■■ graphs
■■■■ graph_hit_test_policy.d.ts
■■■■ graph_hit_test_policy.d.ts.map
■■■■ index.d.ts
■■■■ index.d.ts.map
■■■■ layout_provider.d.ts
■■■■ layout_provider.d.ts.map
■■■■ static_layout_provider.d.ts
■■■■ static_layout_provider.d.ts.map
■■■■ grids
■■■■ grid.d.ts
■■■■ grid.d.ts.map
■■■■ index.d.ts
■■■■ index.d.ts.map
■■■■ index.d.ts
■■■■ index.d.ts.map
■■■■ layouts
■■■■ box.d.ts
■■■■ box.d.ts.map
■■■■ column.d.ts
■■■■ column.d.ts.map
■■■■ grid_box.d.ts
■■■■ grid_box.d.ts.map
■■■■ html_box.d.ts
■■■■ html_box.d.ts.map
■■■■ index.d.ts

```



```

■ ■ ■ index.d.ts.map
■ ■ ■ layout_dom.d.ts
■ ■ ■ layout_dom.d.ts.map
■ ■ ■ panel.d.ts
■ ■ ■ panel.d.ts.map
■ ■ ■ row.d.ts
■ ■ ■ row.d.ts.map
■ ■ ■ spacer.d.ts
■ ■ ■ spacer.d.ts.map
■ ■ ■ tabs.d.ts
■ ■ ■ tabs.d.ts.map
■ ■ ■ widget_box.d.ts
■ ■ ■ widget_box.d.ts.map
■ ■ ■ mappers
■ ■ ■ categorical_color_mapper.d.ts
■ ■ ■ categorical_color_mapper.d.ts.map
■ ■ ■ categorical_mapper.d.ts
■ ■ ■ categorical_mapper.d.ts.map
■ ■ ■ categorical_marker_mapper.d.ts
■ ■ ■ categorical_marker_mapper.d.ts.map
■ ■ ■ categorical_pattern_mapper.d.ts
■ ■ ■ categorical_pattern_mapper.d.ts.map
■ ■ ■ color_mapper.d.ts
■ ■ ■ color_mapper.d.ts.map
■ ■ ■ continuous_color_mapper.d.ts
■ ■ ■ continuous_color_mapper.d.ts.map
■ ■ ■ eqhist_color_mapper.d.ts
■ ■ ■ eqhist_color_mapper.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ linear_color_mapper.d.ts
■ ■ ■ linear_color_mapper.d.ts.map
■ ■ ■ log_color_mapper.d.ts
■ ■ ■ log_color_mapper.d.ts.map
■ ■ ■ mapper.d.ts
■ ■ ■ mapper.d.ts.map
■ ■ ■ scanning_color_mapper.d.ts
■ ■ ■ scanning_color_mapper.d.ts.map
■ ■ ■ plots
■ ■ ■ gmap_plot.d.ts
■ ■ ■ gmap_plot.d.ts.map
■ ■ ■ gmap_plot_canvas.d.ts
■ ■ ■ gmap_plot_canvas.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ plot.d.ts
■ ■ ■ plot.d.ts.map
■ ■ ■ plot_canvas.d.ts
■ ■ ■ plot_canvas.d.ts.map
■ ■ ■ range_manager.d.ts
■ ■ ■ range_manager.d.ts.map
■ ■ ■ state_manager.d.ts
■ ■ ■ state_manager.d.ts.map
■ ■ ■ policies
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ labeling.d.ts
■ ■ ■ labeling.d.ts.map

```



```

data_source.d.ts.map
geojson_data_source.d.ts
geojson_data_source.d.ts.map
index.d.ts
index.d.ts.map
server_sent_data_source.d.ts
server_sent_data_source.d.ts.map
web_data_source.d.ts
web_data_source.d.ts.map
text
base_text.d.ts
base_text.d.ts.map
index.d.ts
index.d.ts.map
math_text.d.ts
math_text.d.ts.map
mathjax
  index.d.ts
  index.d.ts.map
  main.d.ts
  main.d.ts.map
plain_text.d.ts
plain_text.d.ts.map
providers.d.ts
providers.d.ts.map
utils.d.ts
utils.d.ts.map
textures
  canvas_texture.d.ts
  canvas_texture.d.ts.map
  image_url_texture.d.ts
  image_url_texture.d.ts.map
  index.d.ts
  index.d.ts.map
  texture.d.ts
  texture.d.ts.map
tickers
  adaptive_ticker.d.ts
  adaptive_ticker.d.ts.map
  basic_ticker.d.ts
  basic_ticker.d.ts.map
  binned_ticker.d.ts
  binned_ticker.d.ts.map
  categorical_ticker.d.ts
  categorical_ticker.d.ts.map
  composite_ticker.d.ts
  composite_ticker.d.ts.map
  continuous_ticker.d.ts
  continuous_ticker.d.ts.map
  datetime_ticker.d.ts
  datetime_ticker.d.ts.map
  days_ticker.d.ts
  days_ticker.d.ts.map
  fixed_ticker.d.ts
  fixed_ticker.d.ts.map
  index.d.ts
  index.d.ts.map
  log_ticker.d.ts

```

```

■ log_ticker.d.ts.map
■ mercator_ticker.d.ts
■ mercator_ticker.d.ts.map
■ months_ticker.d.ts
■ months_ticker.d.ts.map
■ single_interval_ticker.d.ts
■ single_interval_ticker.d.ts.map
■ ticker.d.ts
■ ticker.d.ts.map
■ util.d.ts
■ util.d.ts.map
■ years_ticker.d.ts
■ years_ticker.d.ts.map
■ tiles
■ bbox_tile_source.d.ts
■ bbox_tile_source.d.ts.map
■ index.d.ts
■ index.d.ts.map
■ mercator_tile_source.d.ts
■ mercator_tile_source.d.ts.map
■ quadkey_tile_source.d.ts
■ quadkey_tile_source.d.ts.map
■ tile_renderer.d.ts
■ tile_renderer.d.ts.map
■ tile_source.d.ts
■ tile_source.d.ts.map
■ tile_utils.d.ts
■ tile_utils.d.ts.map
■ tms_tile_source.d.ts
■ tms_tile_source.d.ts.map
■ wmts_tile_source.d.ts
■ wmts_tile_source.d.ts.map
■ tools
■ actions
■ action_tool.d.ts
■ action_tool.d.ts.map
■ custom_action.d.ts
■ custom_action.d.ts.map
■ help_tool.d.ts
■ help_tool.d.ts.map
■ redo_tool.d.ts
■ redo_tool.d.ts.map
■ reset_tool.d.ts
■ reset_tool.d.ts.map
■ save_tool.d.ts
■ save_tool.d.ts.map
■ undo_tool.d.ts
■ undo_tool.d.ts.map
■ zoom_base_tool.d.ts
■ zoom_base_tool.d.ts.map
■ zoom_in_tool.d.ts
■ zoom_in_tool.d.ts.map
■ zoom_out_tool.d.ts
■ zoom_out_tool.d.ts.map
■ button_tool.d.ts
■ button_tool.d.ts.map
■ edit
■ box edit tool.d.ts

```

```

box_edit_tool.d.ts.map
edit_tool.d.ts
edit_tool.d.ts.map
freehand_draw_tool.d.ts
freehand_draw_tool.d.ts.map
line_edit_tool.d.ts
line_edit_tool.d.ts.map
line_tool.d.ts
line_tool.d.ts.map
point_draw_tool.d.ts
point_draw_tool.d.ts.map
poly_draw_tool.d.ts
poly_draw_tool.d.ts.map
poly_edit_tool.d.ts
poly_edit_tool.d.ts.map
poly_tool.d.ts
poly_tool.d.ts.map
gestures
box_select_tool.d.ts
box_select_tool.d.ts.map
box_zoom_tool.d.ts
box_zoom_tool.d.ts.map
gesture_tool.d.ts
gesture_tool.d.ts.map
lasso_select_tool.d.ts
lasso_select_tool.d.ts.map
pan_tool.d.ts
pan_tool.d.ts.map
poly_select_tool.d.ts
poly_select_tool.d.ts.map
range_tool.d.ts
range_tool.d.ts.map
select_tool.d.ts
select_tool.d.ts.map
tap_tool.d.ts
tap_tool.d.ts.map
wheel_pan_tool.d.ts
wheel_pan_tool.d.ts.map
wheel_zoom_tool.d.ts
wheel_zoom_tool.d.ts.map
index.d.ts
index.d.ts.map
inspectors
crosshair_tool.d.ts
crosshair_tool.d.ts.map
customjs_hover.d.ts
customjs_hover.d.ts.map
hover_tool.d.ts
hover_tool.d.ts.map
inspect_tool.d.ts
inspect_tool.d.ts.map
on_off_button.d.ts
on_off_button.d.ts.map
tool.d.ts
tool.d.ts.map
tool_proxy.d.ts
tool_proxy.d.ts.map
toolbar.d.ts

```


■	■	■	■	■	■	■	■	■	■	■	■■■	file_input.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_group.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_group.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_widget.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_widget.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	markup.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	markup.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	multichoice.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	multichoice.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	multiselect.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	multiselect.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	numeric_input.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	numeric_input.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	oriented_control.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	oriented_control.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	paragraph.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	paragraph.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	password_input.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	password_input.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	pretext.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	pretext.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_button_group.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_button_group.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_group.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_group.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	range_slider.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	range_slider.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	selectbox.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	selectbox.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	slider.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	slider.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	spinner.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	spinner.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	tables	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_editors.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_editors.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_formatters.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_formatters.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_cube.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_cube.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_table.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_table.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	definitions.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	definitions.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	row_aggregators.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	row_aggregators.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_column.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_column.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_widget.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_widget.d.ts.map

```

    text_input.d.ts
    text_input.d.ts.map
    text_like_input.d.ts
    text_like_input.d.ts.map
    textarea_input.d.ts
    textarea_input.d.ts.map
    toggle.d.ts
    toggle.d.ts.map
    widget.d.ts
    widget.d.ts.map
    polyfill.d.ts
    polyfill.d.ts.map
    protocol
    index.d.ts
    index.d.ts.map
    message.d.ts
    message.d.ts.map
    receiver.d.ts
    receiver.d.ts.map
    safely.d.ts
    safely.d.ts.map
    styles
    buttons.css.d.ts
    clearfix.css.d.ts
    icons.css.d.ts
    logo.css.d.ts
    menus.css.d.ts
    notebook.css.d.ts
    root.css.d.ts
    tabs.css.d.ts
    tiles.css.d.ts
    toolbar.css.d.ts
    tooltips.css.d.ts
    widgets
    choices.css.d.ts
    flatpickr.css.d.ts
    inputs.css.d.ts
    nouislider.css.d.ts
    slickgrid.css.d.ts
    sliders.css.d.ts
    tables.css.d.ts
    testing.d.ts
    testing.d.ts.map
    version.d.ts
  lib
    lib.dom.d.ts
    lib.dom.iterable.d.ts
    lib.es2015.collection.d.ts
    lib.es2015.core.d.ts
    lib.es2015.d.ts
    lib.es2015.generator.d.ts
    lib.es2015.iterable.d.ts
    lib.es2015.promise.d.ts
    lib.es2015.proxy.d.ts
    lib.es2015.reflect.d.ts
    lib.es2015.symbol.d.ts
    lib.es2015.symbol.wellknown.d.ts
    lib.es2016.array.include.d.ts

```


■	■	■	■	■	■	■	■	■■■	lib.es2016.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2016.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.intl.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.object.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.sharedmemory.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.string.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2017.typedarrays.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.asyncgenerator.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.asynciterable.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.intl.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.promise.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2018.regexp.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2019.array.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2019.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2019.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2019.object.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2019.string.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2019.symbol.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.bigint.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.intl.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.promise.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.sharedmemory.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.string.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2020.symbol.wellknown.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2021.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2021.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2021.promise.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2021.string.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es2021.weakref.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es5.d.ts
■	■	■	■	■	■	■	■	■■■	lib.es6.d.ts
■	■	■	■	■	■	■	■	■■■	lib.esnext.d.ts
■	■	■	■	■	■	■	■	■■■	lib.esnext.full.d.ts
■	■	■	■	■	■	■	■	■■■	lib.esnext.intl.d.ts
■	■	■	■	■	■	■	■	■■■	lib.esnext.promise.d.ts
■	■	■	■	■	■	■	■	■■■	lib.esnext.string.d.ts
■	■	■	■	■	■	■	■	■■■	lib.esnext.weakref.d.ts
■	■	■	■	■	■	■	■	■■■	lib.scripthost.d.ts
■	■	■	■	■	■	■	■	■■■	lib.webworker.d.ts
■	■	■	■	■	■	■	■	■■■	lib.webworker.importscripts.d.ts
■	■	■	■	■	■	■	■	■■■	lib.webworker.iterable.d.ts
■	■	■	■	■	■	■■■			tornado.py
■	■	■	■	■	■	■■■			urls.py
■	■	■	■	■	■	■■■			util.py
■	■	■	■	■	■	■■■			views
■	■	■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	auth_mixin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	autoload_js_handler.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	doc_handler.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	metadata_handler.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_root_static_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ root_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ session_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ static_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ws.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ app_index.html
■ ■ ■ ■ ■ ■ ■ ■ ■ auth_mixin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ autoload_js_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ doc_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ metadata_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_root_static_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ root_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ session_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ static_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ws.py
■ ■ ■ ■ ■ ■ ■ ■ ■ settings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sphinxext
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_autodoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_directive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_enum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_example_metadata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_gallery.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_jinja.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_palette.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_palette_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_prop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_releases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_roles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_sitemap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_content.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ collapsible_code_block.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ example_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ templates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _templates
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_codepen_init.html
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_content_epilogue.html
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_content_prologue.html
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_html_template.html
■ ■ ■ ■ ■ ■ ■ ■ ■ color_detail.html
■ ■ ■ ■ ■ ■ ■ ■ ■ enum_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ example_metadata.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ gallery_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ gallery_page.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ jinja_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ model_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ options_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ palette_detail.html
```

```

■ ■ ■ ■ ■ palette_group_detail.html
■ ■ ■ ■ prop_detail.rst
■ ■ ■ ■ settings_detail.rst
■ ■ ■ ■ sri_table.html
■ ■ ■ ■ bokeh_autodoc.py
■ ■ ■ ■ bokeh_color.py
■ ■ ■ ■ bokeh_dataframe.py
■ ■ ■ ■ bokeh_directive.py
■ ■ ■ ■ bokeh_enum.py
■ ■ ■ ■ bokeh_example_metadata.py
■ ■ ■ ■ bokeh_gallery.py
■ ■ ■ ■ bokeh_jinja.py
■ ■ ■ ■ bokeh_model.py
■ ■ ■ ■ bokeh_options.py
■ ■ ■ ■ bokeh_palette.py
■ ■ ■ ■ bokeh_palette_group.py
■ ■ ■ ■ bokeh_plot.py
■ ■ ■ ■ bokeh_prop.py
■ ■ ■ ■ bokeh_releases.py
■ ■ ■ ■ bokeh_roles.py
■ ■ ■ ■ bokeh_settings.py
■ ■ ■ ■ bokeh_sitemap.py
■ ■ ■ ■ bokehjs_content.py
■ ■ ■ ■ collapsible_code_block.py
■ ■ ■ ■ example_handler.py
■ ■ ■ ■ sample.py
■ ■ ■ ■ templates.py
■ ■ ■ ■ util.py
■ ■ ■ themes
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _caliber.cpython-311.pyc
■ ■ ■ ■ _contrast.cpython-311.pyc
■ ■ ■ ■ _dark_minimal.cpython-311.pyc
■ ■ ■ ■ _light_minimal.cpython-311.pyc
■ ■ ■ ■ _night_sky.cpython-311.pyc
■ ■ ■ ■ theme.cpython-311.pyc
■ ■ ■ ■ _caliber.py
■ ■ ■ ■ _contrast.py
■ ■ ■ ■ _dark_minimal.py
■ ■ ■ ■ _light_minimal.py
■ ■ ■ ■ _night_sky.py
■ ■ ■ ■ theme.py
■ ■ ■ tile_providers.py
■ ■ ■ transform.py
■ ■ ■ util
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ browser.cpython-311.pyc
■ ■ ■ ■ callback_manager.cpython-311.pyc
■ ■ ■ ■ compiler.cpython-311.pyc
■ ■ ■ ■ dataclasses.cpython-311.pyc
■ ■ ■ ■ datatypes.cpython-311.pyc
■ ■ ■ ■ dependencies.cpython-311.pyc
■ ■ ■ ■ deprecation.cpython-311.pyc
■ ■ ■ ■ functions.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ hex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ logconfig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sampledata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ session_id.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ token.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tornado.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ browser.py
■ ■ ■ ■ ■ ■ ■ ■■■ callback_manager.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataclasses.py
■ ■ ■ ■ ■ ■ ■ ■■■ datatypes.py
■ ■ ■ ■ ■ ■ ■ ■■■ dependencies.py
■ ■ ■ ■ ■ ■ ■ ■■■ deprecation.py
■ ■ ■ ■ ■ ■ ■ ■■■ functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ hex.py
■ ■ ■ ■ ■ ■ ■ ■■■ logconfig.py
■ ■ ■ ■ ■ ■ ■ ■■■ options.py
■ ■ ■ ■ ■ ■ ■ ■■■ paths.py
■ ■ ■ ■ ■ ■ ■ ■■■ sampledata.json
■ ■ ■ ■ ■ ■ ■ ■■■ sampledata.py
■ ■ ■ ■ ■ ■ ■ ■■■ serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ session_id.py
■ ■ ■ ■ ■ ■ ■ ■■■ string.py
■ ■ ■ ■ ■ ■ ■ ■■■ terminal.py
■ ■ ■ ■ ■ ■ ■ ■■■ token.py
■ ■ ■ ■ ■ ■ ■ ■■■ tornado.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■ ■■■ warnings.py
■ ■ ■ ■ ■ ■ ■■■ bokeh-2.4.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ branca
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ colormap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ element.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utilities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _cnames.json
■ ■ ■ ■ ■ ■ ■■■ _schemes.json
■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■ colormap.py
■ ■ ■ ■ ■ ■ ■■■ element.py
■ ■ ■ ■ ■ ■ ■■■ scheme_base_codes.json

```

```

■ ■ ■ ■ ■ scheme_info.json
■ ■ ■ ■ templates
■ ■ ■ ■ color_scale.js
■ ■ ■ ■ utilities.py
■ ■ ■ ■ branca-0.8.0.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ ■ brotli.py
■ ■ ■ ■ bs4
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ css.cpython-311.pyc
■ ■ ■ ■ dammit.cpython-311.pyc
■ ■ ■ ■ diagnose.cpython-311.pyc
■ ■ ■ ■ element.cpython-311.pyc
■ ■ ■ ■ formatter.cpython-311.pyc
■ ■ ■ ■ builder
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _html5lib.cpython-311.pyc
■ ■ ■ ■ _htmlparser.cpython-311.pyc
■ ■ ■ ■ _lxml.cpython-311.pyc
■ ■ ■ ■ _html5lib.py
■ ■ ■ ■ _htmlparser.py
■ ■ ■ ■ _lxml.py
■ ■ ■ ■ css.py
■ ■ ■ ■ dammit.py
■ ■ ■ ■ diagnose.py
■ ■ ■ ■ element.py
■ ■ ■ ■ formatter.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_builder.cpython-311.pyc
■ ■ ■ ■ test_builder_registry.cpython-311.pyc
■ ■ ■ ■ test_css.cpython-311.pyc
■ ■ ■ ■ test_dammit.cpython-311.pyc
■ ■ ■ ■ test_docs.cpython-311.pyc
■ ■ ■ ■ test_element.cpython-311.pyc
■ ■ ■ ■ test_formatter.cpython-311.pyc
■ ■ ■ ■ test_fuzz.cpython-311.pyc
■ ■ ■ ■ test_html5lib.cpython-311.pyc
■ ■ ■ ■ test_htmlparser.cpython-311.pyc
■ ■ ■ ■ test_lxml.cpython-311.pyc
■ ■ ■ ■ test_navigablestring.cpython-311.pyc
■ ■ ■ ■ test_pageelement.cpython-311.pyc
■ ■ ■ ■ test_soup.cpython-311.pyc
■ ■ ■ ■ test_tag.cpython-311.pyc
■ ■ ■ ■ test_tree.cpython-311.pyc
■ ■ ■ ■ fuzz
■ ■ ■ ■ clusterfuzz-testcase-minimized-bs4_fuzzer-4670634698080256
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-4818336571064320.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-4999465949331456.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5000587759190016.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5167584867909632.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5270998950477824.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5375146639360000.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5492400320282624.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5703933063462912.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5843991618256896.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5984173902397440.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6124268085182464.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6241471367348224.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6306874195312640.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6450958476902400.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6600557255327744.
■ ■ ■ ■ ■ ■ ■ ■■■ crash-0d306a50c8ed8bcd0785b67000fcd5dea1d33f08.testcase
■ ■ ■ ■ ■ ■ ■ ■■■ crash-ffbdfa8a2b26f13537b68d3794b0478a4090ee4a.testcase
■ ■ ■ ■ ■ ■ ■ ■■■ test_builder.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_builder_registry.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_css.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dammit.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_docs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_element.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_formatter.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fuzz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_html5lib.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_htmlparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_lxml.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_navigablestring.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pageelement.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_soup.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tag.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tree.py
■ ■ ■ ■ ■ ■ ■■■■ cachetools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ func.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ func.py
■ ■ ■ ■ ■ ■ ■ ■■■ keys.py
■ ■ ■ ■ ■ ■ ■■■■ cachetools-5.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ cairocffi
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ffi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ patterns.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■■■■ pixbuf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ surfaces.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_cairo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_pixbuf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_xcb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ xcb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ constants.py
■ ■ ■ ■ ■ ■ ■■■■ context.py
■ ■ ■ ■ ■ ■ ■■■■ ffi.py
■ ■ ■ ■ ■ ■ ■■■■ fonts.py
■ ■ ■ ■ ■ ■ ■■■■ matrix.py
■ ■ ■ ■ ■ ■ ■■■■ patterns.py
■ ■ ■ ■ ■ ■ ■■■■ pixbuf.py
■ ■ ■ ■ ■ ■ ■■■■ surfaces.py
■ ■ ■ ■ ■ ■ ■■■■ test_cairo.py
■ ■ ■ ■ ■ ■ ■■■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■■■■ test_pixbuf.py
■ ■ ■ ■ ■ ■ ■■■■ test_xcb.py
■ ■ ■ ■ ■ ■ ■■■■ xcb.py
■ ■ ■ ■ ■ ■ ■■■■ cairocfffi-1.7.1.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ cairosvg
■ ■ ■ ■ ■ ■ ■■■■ VERSION
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __main__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ bounding_box.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ css.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ defs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ surface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ svg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ url.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ bounding_box.py
■ ■ ■ ■ ■ ■ ■■■■ colors.py
■ ■ ■ ■ ■ ■ ■■■■ css.py
■ ■ ■ ■ ■ ■ ■■■■ defs.py
■ ■ ■ ■ ■ ■ ■■■■ features.py
■ ■ ■ ■ ■ ■ ■■■■ helpers.py
■ ■ ■ ■ ■ ■ ■■■■ image.py
■ ■ ■ ■ ■ ■ ■■■■ parser.py
■ ■ ■ ■ ■ ■ ■■■■ path.py
■ ■ ■ ■ ■ ■ ■■■■ shapes.py

```

```

■ surface.py
■ svg.py
■ test_api.py
■ text.py
■ url.py
■ camelot
■ __init__.py
■ __main__.py
■ __pycache__
■   ■ __init__.cpython-311.pyc
■   ■ __main__.cpython-311.pyc
■   ■ __version__.cpython-311.pyc
■   ■ cli.cpython-311.pyc
■   ■ core.cpython-311.pyc
■   ■ handlers.cpython-311.pyc
■   ■ image_processing.cpython-311.pyc
■   ■ io.cpython-311.pyc
■   ■ plotting.cpython-311.pyc
■   ■ utils.cpython-311.pyc
■   ■ __version__.py
■   ■ backends
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ ghostscript_backend.cpython-311.pyc
■   ■   ■   ■ image_conversion.cpython-311.pyc
■   ■   ■   ■ poppler_backend.cpython-311.pyc
■   ■   ■ ghostscript_backend.py
■   ■   ■ image_conversion.py
■   ■   ■ poppler_backend.py
■   ■ cli.py
■   ■ core.py
■   ■ handlers.py
■   ■ image_processing.py
■   ■ io.py
■   ■ parsers
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ base.cpython-311.pyc
■   ■   ■   ■ lattice.cpython-311.pyc
■   ■   ■   ■ stream.cpython-311.pyc
■   ■   ■ base.py
■   ■   ■ lattice.py
■   ■   ■ stream.py
■   ■ plotting.py
■   ■ utils.py
■ camelot_py-0.10.1.dist-info
■   ■ INSTALLER
■   ■ LICENSE
■   ■ METADATA
■   ■ RECORD
■   ■ REQUESTED
■   ■ WHEEL
■   ■ entry_points.txt
■   ■ top_level.txt
■ catalogue
■   ■ __init__.py

```



```

    pycache_
    __init__.cpython-311.pyc
    _importlib_metadata
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _compat.cpython-311.pyc
    _compat.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_catalogue.cpython-311.pyc
    test_catalogue.py
    catalogue-2.0.10.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    top_level.txt
    zip-safe
    certifi
    __init__.py
    __main__.py
    __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    core.cpython-311.pyc
    cacert.pem
    core.py
    py.typed
    certifi-2024.8.30.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    top_level.txt
    cffi
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _imp_emulation.cpython-311.pyc
    _shimmed_dist_utils.cpython-311.pyc
    api.cpython-311.pyc
    backend_ctypes.cpython-311.pyc
    cffi_opcode.cpython-311.pyc
    commontypes.cpython-311.pyc
    cparser.cpython-311.pyc
    error.cpython-311.pyc
    ffiplatform.cpython-311.pyc
    lock.cpython-311.pyc
    model.cpython-311.pyc
    pkgconfig.cpython-311.pyc
    recompiler.cpython-311.pyc
    setuptools_ext.cpython-311.pyc
    vengine_cpy.cpython-311.pyc

```

■	■	■	■	■	■	■■■	vengine_gen.cpython-311.pyc
■	■	■	■	■	■	■	verifier.cpython-311.pyc
■	■	■	■	■	■	■■■	_cffi_errors.h
■	■	■	■	■	■	■■■	_cffi_include.h
■	■	■	■	■	■	■■■	_embedding.h
■	■	■	■	■	■	■■■	_imp_emulation.py
■	■	■	■	■	■	■■■	_shimmed_dist_utils.py
■	■	■	■	■	■	■■■	api.py
■	■	■	■	■	■	■■■	backend_ctypes.py
■	■	■	■	■	■	■■■	cffi_opcode.py
■	■	■	■	■	■	■■■	commontypes.py
■	■	■	■	■	■	■■■	cparser.py
■	■	■	■	■	■	■■■	error.py
■	■	■	■	■	■	■■■	ffiplatform.py
■	■	■	■	■	■	■■■	lock.py
■	■	■	■	■	■	■■■	model.py
■	■	■	■	■	■	■■■	parse_c_type.h
■	■	■	■	■	■	■■■	pkgconfig.py
■	■	■	■	■	■	■■■	recompiler.py
■	■	■	■	■	■	■■■	setuptools_ext.py
■	■	■	■	■	■	■■■	vengine_cpy.py
■	■	■	■	■	■	■■■	vengine_gen.py
■	■	■	■	■	■	■■■	verifier.py
■	■	■	■	■	■■■	cffi-1.17.1.dist-info	
■	■	■	■	■	■	■■■	INSTALLER
■	■	■	■	■	■	■■■	LICENSE
■	■	■	■	■	■	■■■	METADATA
■	■	■	■	■	■	■■■	RECORD
■	■	■	■	■	■	■■■	WHEEL
■	■	■	■	■	■	■■■	entry_points.txt
■	■	■	■	■	■	■■■	top_level.txt
■	■	■	■	■	■■■	chardet	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	big5freq.cpython-311.pyc
■	■	■	■	■	■	■■■	big5prober.cpython-311.pyc
■	■	■	■	■	■	■■■	chardistribution.cpython-311.pyc
■	■	■	■	■	■	■■■	charsetgroupprober.cpython-311.pyc
■	■	■	■	■	■	■■■	charsetprober.cpython-311.pyc
■	■	■	■	■	■	■■■	codingstatemachine.cpython-311.pyc
■	■	■	■	■	■	■■■	compat.cpython-311.pyc
■	■	■	■	■	■	■■■	cp949prober.cpython-311.pyc
■	■	■	■	■	■	■■■	enums.cpython-311.pyc
■	■	■	■	■	■	■■■	escprober.cpython-311.pyc
■	■	■	■	■	■	■■■	escsm.cpython-311.pyc
■	■	■	■	■	■	■■■	eucjpprober.cpython-311.pyc
■	■	■	■	■	■	■■■	euckrfreq.cpython-311.pyc
■	■	■	■	■	■	■■■	euckrprober.cpython-311.pyc
■	■	■	■	■	■	■■■	euctwfreq.cpython-311.pyc
■	■	■	■	■	■	■■■	euctwprober.cpython-311.pyc
■	■	■	■	■	■	■■■	gb2312freq.cpython-311.pyc
■	■	■	■	■	■	■■■	gb2312prober.cpython-311.pyc
■	■	■	■	■	■	■■■	hebrewprober.cpython-311.pyc
■	■	■	■	■	■	■■■	jisfreq.cpython-311.pyc
■	■	■	■	■	■	■■■	jpcntx.cpython-311.pyc
■	■	■	■	■	■	■■■	langbulgarianmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	langcyrillicmodel.cpython-311.pyc

■	■	■	■	■	■	■■■■	langgreekmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langhebrewmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langhungarianmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langthaimodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langturkishmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	latin1prober.cpython-311.pyc
■	■	■	■	■	■	■■■■	mbcharsetprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	mbcsgroupprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	mbcssm.cpython-311.pyc
■	■	■	■	■	■	■■■■	sbcharsetprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	sbcsgroupprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	sjisprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	universaldetector.cpython-311.pyc
■	■	■	■	■	■	■■■■	utf8prober.cpython-311.pyc
■	■	■	■	■	■	■■■■	version.cpython-311.pyc
■	■	■	■	■	■■■■	big5freq.py	
■	■	■	■	■	■■■■	big5prober.py	
■	■	■	■	■	■■■■	chardistribution.py	
■	■	■	■	■	■■■■	charsetgroupprober.py	
■	■	■	■	■	■■■■	charsetprober.py	
■	■	■	■	■	■■■■	cli	
■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	chardetect.cpython-311.pyc
■	■	■	■	■	■■■■	chardetect.py	
■	■	■	■	■	■■■■	codingstatemachine.py	
■	■	■	■	■	■■■■	compat.py	
■	■	■	■	■	■■■■	cp949prober.py	
■	■	■	■	■	■■■■	enums.py	
■	■	■	■	■	■■■■	escprober.py	
■	■	■	■	■	■■■■	escsm.py	
■	■	■	■	■	■■■■	eucjpprober.py	
■	■	■	■	■	■■■■	euckrfreq.py	
■	■	■	■	■	■■■■	euckrprober.py	
■	■	■	■	■	■■■■	euctwfreq.py	
■	■	■	■	■	■■■■	euctwprober.py	
■	■	■	■	■	■■■■	gb2312freq.py	
■	■	■	■	■	■■■■	gb2312prober.py	
■	■	■	■	■	■■■■	hebrewprober.py	
■	■	■	■	■	■■■■	jisfreq.py	
■	■	■	■	■	■■■■	jpcntx.py	
■	■	■	■	■	■■■■	langbulgarianmodel.py	
■	■	■	■	■	■■■■	langcyrillicmodel.py	
■	■	■	■	■	■■■■	langgreekmodel.py	
■	■	■	■	■	■■■■	langhebrewmodel.py	
■	■	■	■	■	■■■■	langhungarianmodel.py	
■	■	■	■	■	■■■■	langthaimodel.py	
■	■	■	■	■	■■■■	langturkishmodel.py	
■	■	■	■	■	■■■■	latin1prober.py	
■	■	■	■	■	■■■■	mbcharsetprober.py	
■	■	■	■	■	■■■■	mbcsgroupprober.py	
■	■	■	■	■	■■■■	mbcssm.py	
■	■	■	■	■	■■■■	sbcharsetprober.py	
■	■	■	■	■	■■■■	sbcsgroupprober.py	
■	■	■	■	■	■■■■	sjisprober.py	
■	■	■	■	■	■■■■	universaldetector.py	
■	■	■	■	■	■■■■	utf8prober.py	

```

■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ chardet-3.0.4.dist-info
■ ■ ■ ■ ■ DESCRIPTION.rst
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ metadata.json
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ charset_normalizer
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ cd.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ constant.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ legacy.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ md.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ models.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ assets
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ cd.py
■ ■ ■ ■ ■ cli
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ normalizer.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ normalizer.py
■ ■ ■ ■ ■ constant.py
■ ■ ■ ■ ■ legacy.py
■ ■ ■ ■ ■ md.py
■ ■ ■ ■ ■ models.py
■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ charset_normalizer-2.1.1.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ click
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ _compat.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ _termui_impl.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ _textwrap.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ winconsole.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ globals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ shell_completion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ termui.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _compat.py
■ ■ ■ ■ ■ ■■■ _termui_impl.py
■ ■ ■ ■ ■ ■■■ _textwrap.py
■ ■ ■ ■ ■ ■■■ _winconsole.py
■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■■■ decorators.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ formatting.py
■ ■ ■ ■ ■ ■■■ globals.py
■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ shell_completion.py
■ ■ ■ ■ ■ ■■■ termui.py
■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ click-8.1.7.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.rst
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ click_plugins
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■■■ click_plugins-1.1.1.dist-info
■ ■ ■ ■ ■ ■■■ AUTHORS.txt
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■■■ cligj
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ features.py
■ ■ ■ ■ ■ ■■■ cligj-0.7.2.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE

```

```

METADATA
RECORD
WHEEL
top_level.txt
cloudpathlib
__init__.py
__pycache__
    __init__.cpython-311.pyc
    anypath.cpython-311.pyc
    client.cpython-311.pyc
    cloudpath.cpython-311.pyc
    enums.cpython-311.pyc
    exceptions.cpython-311.pyc
    url_utils.cpython-311.pyc
anypath.py
azure
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        azblobclient.cpython-311.pyc
        azblobpath.cpython-311.pyc
    azblobclient.py
    azblobpath.py
client.py
cloudpath.py
enums.py
exceptions.py
gs
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        gsclient.cpython-311.pyc
        gspath.cpython-311.pyc
    gsclient.py
    gspath.py
legacy
    __pycache__
        glob.cpython-311.pyc
    glob.py
local
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        localclient.cpython-311.pyc
        localpath.cpython-311.pyc
    implementations
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        azure.cpython-311.pyc
        gs.cpython-311.pyc
        s3.cpython-311.pyc
    azure.py
    gs.py
    s3.py
localclient.py
localpath.py
py.typed

```

```
■ ■ ■ ■ ■ ■ ■ ■ s3
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3client.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3path.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ url_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpathlib-0.20.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle_fast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle_fast.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle-3.1.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmake
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bin
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmake
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cpack
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctest
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ doc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmake-3.31
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Copyright.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmcppedap
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NOTICE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmcurl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmlibarchive
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmliblzma
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmlibrhash
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmlibuv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
```

```

cmnhttp2
COPYING
cmsys
Copyright.txt
cmzlib
Copyright.txt
cmzstd
LICENSE
share
aclocal
cmake.m4
bash-completion
completions
cmake
cpack
ctest
cmake-3.31
Help
command
DEPRECATED_POLICY_VERSIONS.txt
DEVICE_LINK_OPTIONS.txt
FIND_XXX.txt
FIND_XXX_ORDER.txt
FIND_XXX_REGISTRY_VIEW.txt
FIND_XXX_ROOT.txt
GENEX_NOTE.txt
LINK_OPTIONS_LINKER.txt
OPTIONS_SHELL.txt
SUPPORTED_LANGUAGES.txt
UNSET_NOTE.txt
add_compile_definitions.rst
add_compile_options.rst
add_custom_command.rst
add_custom_target.rst
add_definitions.rst
add_dependencies.rst
add_executable.rst
add_library.rst
add_link_options.rst
add_subdirectory.rst
add_test.rst
aux_source_directory.rst
block.rst
break.rst
build_command.rst
build_name.rst
cmake_file_api.rst
cmake_host_system_information.rst
cmake_language.rst
cmake_minimum_required.rst
cmake_parse_arguments.rst
cmake_path.rst
cmake_pkg_config.rst
cmake_policy.rst
configure_file.rst
continue.rst
create_test_sourcelist.rst
ctest_build.rst

```


■	■	■	■	■	■	■	■	■	■	■■■	cctest_configure.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_coverage.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_empty_binary_directory.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_memcheck.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_read_custom_files.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_run_script.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_sleep.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_start.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_submit.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_test.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_update.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_upload.rst
■	■	■	■	■	■	■	■	■	■	■■■	define_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	else.rst
■	■	■	■	■	■	■	■	■	■	■■■	elseif.rst
■	■	■	■	■	■	■	■	■	■	■■■	enable_language.rst
■	■	■	■	■	■	■	■	■	■	■■■	enable_testing.rst
■	■	■	■	■	■	■	■	■	■	■■■	endblock.rst
■	■	■	■	■	■	■	■	■	■	■■■	endforeach.rst
■	■	■	■	■	■	■	■	■	■	■■■	endfunction.rst
■	■	■	■	■	■	■	■	■	■	■■■	endif.rst
■	■	■	■	■	■	■	■	■	■	■■■	endmacro.rst
■	■	■	■	■	■	■	■	■	■	■■■	endwhile.rst
■	■	■	■	■	■	■	■	■	■	■■■	exec_program.rst
■	■	■	■	■	■	■	■	■	■	■■■	execute_process.rst
■	■	■	■	■	■	■	■	■	■	■■■	export.rst
■	■	■	■	■	■	■	■	■	■	■■■	export_library_dependencies.rst
■	■	■	■	■	■	■	■	■	■	■■■	file.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_file.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_library.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_package.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_path.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_program.rst
■	■	■	■	■	■	■	■	■	■	■■■	fltk_wrap_ui.rst
■	■	■	■	■	■	■	■	■	■	■■■	foreach.rst
■	■	■	■	■	■	■	■	■	■	■■■	function.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_cmake_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_directory_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_filename_component.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_source_file_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_target_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_test_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	if.rst
■	■	■	■	■	■	■	■	■	■	■■■	include.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_directories.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_external_msproject.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_guard.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_regular_expression.rst
■	■	■	■	■	■	■	■	■	■	■■■	install.rst
■	■	■	■	■	■	■	■	■	■	■■■	install_files.rst
■	■	■	■	■	■	■	■	■	■	■■■	install_programs.rst
■	■	■	■	■	■	■	■	■	■	■■■	install_targets.rst
■	■	■	■	■	■	■	■	■	■	■■■	link_directories.rst
■	■	■	■	■	■	■	■	■	■	■■■	link_libraries.rst
■	■	■	■	■	■	■	■	■	■	■■■	list.rst
■	■	■	■	■	■	■	■	■	■	■■■	load_cache.rst
■	■	■	■	■	■	■	■	■	■	■■■	load_command.rst

```

■ ■ ■ macro.rst
■ ■ ■ make_directory.rst
■ ■ ■ mark_as_advanced.rst
■ ■ ■ math.rst
■ ■ ■ message.rst
■ ■ ■ option.rst
■ ■ ■ output_required_files.rst
■ ■ ■ project.rst
■ ■ ■ qt_wrap_cpp.rst
■ ■ ■ qt_wrap_ui.rst
■ ■ ■ remove.rst
■ ■ ■ remove_definitions.rst
■ ■ ■ return.rst
■ ■ ■ separate_arguments.rst
■ ■ ■ set.rst
■ ■ ■ set_directory_properties.rst
■ ■ ■ set_property.rst
■ ■ ■ set_source_files_properties.rst
■ ■ ■ set_target_properties.rst
■ ■ ■ set_tests_properties.rst
■ ■ ■ site_name.rst
■ ■ ■ source_group.rst
■ ■ ■ string.rst
■ ■ ■ subdir_depends.rst
■ ■ ■ subdirs.rst
■ ■ ■ target_compile_definitions.rst
■ ■ ■ target_compile_features.rst
■ ■ ■ target_compile_options.rst
■ ■ ■ target_include_directories.rst
■ ■ ■ target_link_directories.rst
■ ■ ■ target_link_libraries.rst
■ ■ ■ target_link_options.rst
■ ■ ■ target_precompile_headers.rst
■ ■ ■ target_sources.rst
■ ■ ■ try_compile.rst
■ ■ ■ try_run.rst
■ ■ ■ unset.rst
■ ■ ■ use_mangled_mesa.rst
■ ■ ■ utility_source.rst
■ ■ ■ variable_requires.rst
■ ■ ■ variable_watch.rst
■ ■ ■ while.rst
■ ■ ■ write_file.rst
■ ■ ■ cpack_gen
■ ■ ■ archive.rst
■ ■ ■ bundle.rst
■ ■ ■ cygwin.rst
■ ■ ■ deb.rst
■ ■ ■ dmg.rst
■ ■ ■ external.rst
■ ■ ■ freebsd.rst
■ ■ ■ ifw.rst
■ ■ ■ innosetup.rst
■ ■ ■ nsis.rst
■ ■ ■ nuget.rst
■ ■ ■ packagemaker.rst
■ ■ ■ productbuild.rst
■ ■ ■ rpm.rst

```

```

wix.rst
envvar
ADSP_ROOT.rst
ASM_DIALECT.rst
ASM_DIALECTFLAGS.rst
CC.rst
CCMAKE_COLORS.rst
CFLAGS.rst
CMAKE_APPBUNDLE_PATH.rst
CMAKE_APPLE_SILICON_PROCESSOR.rst
CMAKE_BUILD_PARALLEL_LEVEL.rst
CMAKE_BUILD_TYPE.rst
CMAKE_COLOR_DIAGNOSTICS.rst
CMAKE_CONFIGURATION_TYPES.rst
CMAKE_CONFIG_DIR.rst
CMAKE_CONFIG_TYPE.rst
CMAKE_CROSSCOMPILING_EMULATOR.rst
CMAKE_EXPORT_BUILD_DATABASE.rst
CMAKE_EXPORT_COMPILE_COMMANDS.rst
CMAKE_FRAMEWORK_PATH.rst
CMAKE_GENERATOR.rst
CMAKE_GENERATOR_INSTANCE.rst
CMAKE_GENERATOR_PLATFORM.rst
CMAKE_GENERATOR_TOOLSET.rst
CMAKE_INCLUDE_PATH.rst
CMAKE_INSTALL_MODE.rst
CMAKE_INSTALL_PARALLEL_LEVEL.rst
CMAKE_INSTALL_PREFIX.rst
CMAKE_LANG_COMPILER_LAUNCHER.rst
CMAKE_LANG_IMPLICIT_LINK_DIRECTORIES_EXCLUDE.r
CMAKE_LANG_LINKER_LAUNCHER.rst
CMAKE_LIBRARY_PATH.rst
CMAKE_MAXIMUM_RECURSION_DEPTH.rst
CMAKE_MSVCIDE_RUN_PATH.rst
CMAKE_NO_VERBOSE.rst
CMAKE_OSX_ARCHITECTURES.rst
CMAKE_PREFIX_PATH.rst
CMAKE_PROGRAM_PATH.rst
CMAKE_TEST_LAUNCHER.rst
CMAKE_TLS_VERIFY.rst
CMAKE_TLS_VERSION.rst
CMAKE_TOOLCHAIN_FILE.rst
CSFLAGS.rst
CTEST_INTERACTIVE_DEBUG_MODE.rst
CTEST_NO_TESTS_ACTION.rst
CTEST_OUTPUT_ON_FAILURE.rst
CTEST_PARALLEL_LEVEL.rst
CTEST_PROGRESS_OUTPUT.rst
CTEST_USE_LAUNCHERS_DEFAULT.rst
CUDAARCHS.rst
CUDACXX.rst
CUDAFLAGS.rst
CUDAHOSTCXX.rst
CXX.rst
CXXFLAGS.rst
DASHBOARD_TEST_FROM_CTEST.rst
DESTDIR.rst
ENV_VAR.txt

```

```

■ ■ ■ FC.rst
■ ■ ■ FFLAGS.rst
■ ■ ■ HIPCXX.rst
■ ■ ■ HIPFLAGS.rst
■ ■ ■ HIPHOSTCXX.rst
■ ■ ■ ISPC.rst
■ ■ ■ ISPCFLAGS.rst
■ ■ ■ LANG_FLAGS.txt
■ ■ ■ LDFLAGS.rst
■ ■ ■ MACOSX_DEPLOYMENT_TARGET.rst
■ ■ ■ OBJC.rst
■ ■ ■ OBJCFLAGS.rst
■ ■ ■ OBJCXX.rst
■ ■ ■ OBJCXXFLAGS.rst
■ ■ ■ PackageName_ROOT.rst
■ ■ ■ RC.rst
■ ■ ■ RCFLAGS.rst
■ ■ ■ SSL_CERT_DIR.rst
■ ■ ■ SSL_CERT_FILE.rst
■ ■ ■ SWIFTC.rst
■ ■ ■ VERBOSE.rst
■ ■ ■ generator
■ ■ ■ Borland Makefiles.rst
■ ■ ■ CodeBlocks.rst
■ ■ ■ CodeLite.rst
■ ■ ■ Eclipse CDT4.rst
■ ■ ■ Green Hills MULTI.rst
■ ■ ■ Kate.rst
■ ■ ■ MSYS Makefiles.rst
■ ■ ■ MinGW Makefiles.rst
■ ■ ■ NMake Makefiles JOM.rst
■ ■ ■ NMake Makefiles.rst
■ ■ ■ Ninja Multi-Config.rst
■ ■ ■ Ninja.rst
■ ■ ■ Sublime Text 2.rst
■ ■ ■ Unix Makefiles.rst
■ ■ ■ VS_TOOLSET_HOST_ARCH.txt
■ ■ ■ VS_TOOLSET_HOST_ARCH_LEGACY.txt
■ ■ ■ Visual Studio 10 2010.rst
■ ■ ■ Visual Studio 11 2012.rst
■ ■ ■ Visual Studio 12 2013.rst
■ ■ ■ Visual Studio 14 2015.rst
■ ■ ■ Visual Studio 15 2017.rst
■ ■ ■ Visual Studio 16 2019.rst
■ ■ ■ Visual Studio 17 2022.rst
■ ■ ■ Visual Studio 6.rst
■ ■ ■ Visual Studio 7 .NET 2003.rst
■ ■ ■ Visual Studio 7.rst
■ ■ ■ Visual Studio 8 2005.rst
■ ■ ■ Visual Studio 9 2008.rst
■ ■ ■ Watcom WMake.rst
■ ■ ■ Xcode.rst
■ ■ ■ include
■ ■ ■ COMPILER_DEFINITIONS_DISCLAIMER.txt
■ ■ ■ INTERFACE_INCLUDE_DIRECTORIES_WARNING.txt
■ ■ ■ INTERFACE_LINK_LIBRARIES_WARNING.txt
■ ■ ■ index.rst
■ ■ ■ manual

```

```

■ CTEST_EXAMPLE_MAKEFILE_JOB_SERVER.make
■ ID_RESERVE.txt
■ LINKS.txt
■ OPTIONS_BUILD.txt
■ OPTIONS_HELP.txt
■ ccmake.1.rst
■ cmake-buildsystem.7.rst
■ cmake-commands.7.rst
■ cmake-compile-features.7.rst
■ cmake-configure-log.7.rst
■ cmake-cxxmodules.7.rst
■ cmake-developer.7.rst
■ cmake-env-variables.7.rst
■ cmake-file-api.7.rst
■ cmake-generator-expressions.7.rst
■ cmake-generators.7.rst
■ cmake-gui.1.rst
■ cmake-language.7.rst
■ cmake-modules.7.rst
■ cmake-packages.7.rst
■ cmake-policies.7.rst
■ cmake-presets.7.rst
■ cmake-properties.7.rst
■ cmake-qt.7.rst
■ cmake-server.7.rst
■ cmake-toolchains.7.rst
■ cmake-variables.7.rst
■ cmake.1.rst
■ cpack-generators.7.rst
■ cpack.1.rst
■ ctest.1.rst
■ presets
■   ■■■ example.json
■   ■■■ schema.json
■■■ module
■   ■■■ AddFileDependencies.rst
■   ■■■ AndroidTestUtilities.rst
■   ■■■ BundleUtilities.rst
■   ■■■ CMAKE_REQUIRED_DEFINITIONS.txt
■   ■■■ CMAKE_REQUIRED_FLAGS.txt
■   ■■■ CMAKE_REQUIRED_INCLUDES.txt
■   ■■■ CMAKE_REQUIRED_LIBRARIES.txt
■   ■■■ CMAKE_REQUIRED_LINK_DIRECTORIES.txt
■   ■■■ CMAKE_REQUIRED_LINK_OPTIONS.txt
■   ■■■ CMAKE_REQUIRED_QUIET.txt
■   ■■■ CMakeAddFortranSubdirectory.rst
■   ■■■ CMakeBackwardCompatibilityCXX.rst
■   ■■■ CMakeDependentOption.rst
■   ■■■ CMakeDetermineVSServicePack.rst
■   ■■■ CMakeExpandImportedTargets.rst
■   ■■■ CMakeFindDependencyMacro.rst
■   ■■■ CMakeFindFrameworks.rst
■   ■■■ CMakeFindPackageMode.rst
■   ■■■ CMakeForceCompiler.rst
■   ■■■ CMakeGraphVizOptions.rst
■   ■■■ CMakePackageConfigHelpers.rst
■   ■■■ CMakeParseArguments.rst
■   ■■■ CMakePrintHelpers.rst

```

[illegible]

[illegible]


```

■■■■ InstallRequiredSystemLibraries.rst
■■■■ MacroAddFileDependencies.rst
■■■■ ProcessorCount.rst
■■■■ SelectLibraryConfigurations.rst
■■■■ SquishTestScript.rst
■■■■ TestBigEndian.rst
■■■■ TestCXXAcceptsFlag.rst
■■■■ TestForANSIForScope.rst
■■■■ TestForANSIStreamHeaders.rst
■■■■ TestForSSTREAM.rst
■■■■ TestForSTDNamespace.rst
■■■■ UseEcos.rst
■■■■ UseJava.rst
■■■■ UseJavaClassFilelist.rst
■■■■ UseJavaSymlinks.rst
■■■■ UsePkgConfig.rst
■■■■ UseSWIG.rst
■■■■ Use_wxWindows.rst
■■■■ UsewxWidgets.rst
■■■■ WriteBasicConfigVersionFile.rst
■■■■ WriteCompilerDetectionHeader.rst
■■■■ policy
■■■■ CMP0000.rst
■■■■ CMP0001.rst
■■■■ CMP0002.rst
■■■■ CMP0003.rst
■■■■ CMP0004.rst
■■■■ CMP0005.rst
■■■■ CMP0006.rst
■■■■ CMP0007.rst
■■■■ CMP0008.rst
■■■■ CMP0009.rst
■■■■ CMP0010.rst
■■■■ CMP0011.rst
■■■■ CMP0012.rst
■■■■ CMP0013.rst
■■■■ CMP0014.rst
■■■■ CMP0015.rst
■■■■ CMP0016.rst
■■■■ CMP0017.rst
■■■■ CMP0018.rst
■■■■ CMP0019.rst
■■■■ CMP0020.rst
■■■■ CMP0021.rst
■■■■ CMP0022.rst
■■■■ CMP0023.rst
■■■■ CMP0024.rst
■■■■ CMP0025.rst
■■■■ CMP0026.rst
■■■■ CMP0027.rst
■■■■ CMP0028.rst
■■■■ CMP0029.rst
■■■■ CMP0030.rst
■■■■ CMP0031.rst
■■■■ CMP0032.rst
■■■■ CMP0033.rst
■■■■ CMP0034.rst
■■■■ CMP0035.rst

```



```

■ ■ ■ CMP0152.rst
■ ■ ■ CMP0153.rst
■ ■ ■ CMP0154.rst
■ ■ ■ CMP0155.rst
■ ■ ■ CMP0156.rst
■ ■ ■ CMP0157.rst
■ ■ ■ CMP0158.rst
■ ■ ■ CMP0159.rst
■ ■ ■ CMP0160.rst
■ ■ ■ CMP0161.rst
■ ■ ■ CMP0162.rst
■ ■ ■ CMP0163.rst
■ ■ ■ CMP0164.rst
■ ■ ■ CMP0165.rst
■ ■ ■ CMP0166.rst
■ ■ ■ CMP0167.rst
■ ■ ■ CMP0168.rst
■ ■ ■ CMP0169.rst
■ ■ ■ CMP0170.rst
■ ■ ■ CMP0171.rst
■ ■ ■ CMP0172.rst
■ ■ ■ CMP0173.rst
■ ■ ■ CMP0174.rst
■ ■ ■ CMP0175.rst
■ ■ ■ CMP0176.rst
■ ■ ■ CMP0177.rst
■ ■ ■ CMP0178.rst
■ ■ ■ CMP0179.rst
■ ■ ■ CMP0180.rst
■ ■ ■ DEPRECATED.txt
■ ■ ■ DISALLOWED_COMMAND.txt
■ ■ ■ STANDARD_ADVICE.txt
■ ■ ■ prop_cache
■ ■ ■ ADVANCED.rst
■ ■ ■ HELPSTRING.rst
■ ■ ■ MODIFIED.rst
■ ■ ■ STRINGS.rst
■ ■ ■ TYPE.rst
■ ■ ■ VALUE.rst
■ ■ ■ prop_dir
■ ■ ■ ADDITIONAL_CLEAN_FILES.rst
■ ■ ■ ADDITIONAL_MAKE_CLEAN_FILES.rst
■ ■ ■ BINARY_DIR.rst
■ ■ ■ BUILDSYSTEM_TARGETS.rst
■ ■ ■ CACHE_VARIABLES.rst
■ ■ ■ CLEAN_NO_CUSTOM.rst
■ ■ ■ CMAKE_CONFIGURE_DEPENDS.rst
■ ■ ■ COMPILE_DEFINITIONS.rst
■ ■ ■ COMPILE_DEFINITIONS_CONFIG.rst
■ ■ ■ COMPILE_OPTIONS.rst
■ ■ ■ DEFINITIONS.rst
■ ■ ■ EXCLUDE_FROM_ALL.rst
■ ■ ■ IMPLICIT_DEPENDS_INCLUDE_TRANSFORM.rst
■ ■ ■ IMPORTED_TARGETS.rst
■ ■ ■ INCLUDE_DIRECTORIES.rst
■ ■ ■ INCLUDE_REGULAR_EXPRESSION.rst
■ ■ ■ INTERPROCEDURAL_OPTIMIZATION.rst
■ ■ ■ INTERPROCEDURAL_OPTIMIZATION_CONFIG.rst

```

■	■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	LINK_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LISTFILE_STACK.rst
■	■	■	■	■	■	■	■	■	■	■■■	MACROS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PARENT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_CUSTOM.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	SUBDIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	TESTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	TEST_INCLUDE_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	TEST_INCLUDE_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_SECTION_POST_section.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_SECTION_PRE_section.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_STARTUP_PROJECT.rst
■	■	■	■	■	■	■	■	■	■■■	prop_gbl	
■	■	■	■	■	■	■	■	■	■	■■■	ALLOW_DUPLICATE_CUSTOM_TARGETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_TARGETS_FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_TARGETS_FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STD_FLAGS.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ROLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEBUG_CONFIGURATIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	DISABLED_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ECLIPSE_EXTRA_CPROJECT_CONTENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	ECLIPSE_EXTRA_NATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENABLED_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENABLED_LANGUAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_LIB32_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_LIB64_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_LIBX32_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_OPENBSD_VERSIONING.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATOR_IS_MULTI_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	GLOBAL_DEPENDS_DEBUG_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	GLOBAL_DEPENDS_NO_CYCLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_PARALLEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	IN_TRY_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	JOB_POOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PACKAGES_FOUND.rst
■	■	■	■	■	■	■	■	■	■	■■■	PACKAGES_NOT_FOUND.rst
■	■	■	■	■	■	■	■	■	■	■■■	PREDEFINED_TARGETS_FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROPAGATE_TOP_LEVEL_INCLUDES_TO_TRY_COMPILE.rs
■	■	■	■	■	■	■	■	■	■	■■■	REPORT_UNDEFINED_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_CUSTOM.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_MESSAGES.rst

■	■	■	■	■	■	■	■	■	■	■■■	TARGET_ARCHIVES_MAY_BE_SHARED_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	TARGET_MESSAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	TARGET_SUPPORTS_SHARED_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	USE_FOLDERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_EMIT_EFFECTIVE_PLATFORM_NAME.rst
■	■	■	■	■	■	■	■	■	■■■	prop_inst	
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_DESKTOP_SHORTCUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_NEVER_OVERWRITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_PERMANENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_STARTUP_SHORTCUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_START_MENU_SHORTCUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_WIX_ACL.rst
■	■	■	■	■	■	■	■	■	■■■	prop_sf	
■	■	■	■	■	■	■	■	■	■	■■■	ABSTRACT.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_SCAN_FOR_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXTERNAL_OBJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_PREPROCESS.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATED.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_FILE_ONLY.rst
■	■	■	■	■	■	■	■	■	■	■■■	INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	KEEP_EXTENSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LANGUAGE.rst
■	■	■	■	■	■	■	■	■	■	■■■	LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	MACOSX_PACKAGE_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	OBJECT_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	OBJECT_OUTPUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTOGEN.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTOMOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTORCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTOUIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_LINTING.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_UNITY_BUILD_INCLUSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	SYMBOLIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_DEPENDENCIES_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_DIAGNOSTICS_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_COPY_TO_OUT_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_CSHARP_tagname.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEPLOYMENT_CONTENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEPLOYMENT_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_INCLUDE_IN_VSIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_RESOURCE_GENERATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SETTINGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_DISABLE_OPTIMIZATIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_ENABLE_DEBUG.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_ENTRYPOINT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_MODEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_OBJECT_FILE_NAME.rst

■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_OUTPUT_HEADER_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_VARIABLE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_TOOL_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_XAML_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	WRAP_EXCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_EXPLICIT_FILE_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_FILE_ATTRIBUTES.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_LAST_KNOWN_FILE_TYPE.rst
■	■	■	■	■	■	■	■	■	■■■	prop_test	
■	■	■	■	■	■	■	■	■	■	■■■	ATTACHED_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ATTACHED_FILES_ON_FAIL.rst
■	■	■	■	■	■	■	■	■	■	■■■	COST.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	DISABLED.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENVIRONMENT_MODIFICATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	FAIL_REGULAR_EXPRESSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIXTURES_CLEANUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIXTURES_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIXTURES_SETUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATED_RESOURCE_SPEC_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	MEASUREMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	PASS_REGULAR_EXPRESSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROCESSORS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROCESSOR_AFFINITY.rst
■	■	■	■	■	■	■	■	■	■	■■■	REQUIRED_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	RESOURCE_GROUPS.rst
■	■	■	■	■	■	■	■	■	■	■■■	RESOURCE_LOCK.rst
■	■	■	■	■	■	■	■	■	■	■■■	RUN_SERIAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_REGULAR_EXPRESSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_RETURN_CODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT_AFTER_MATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT_SIGNAL_GRACE_PERIOD.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT_SIGNAL_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	WILL_FAIL.rst
■	■	■	■	■	■	■	■	■	■	■■■	WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■■■	prop_tgt	
■	■	■	■	■	■	■	■	■	■	■■■	ADDITIONAL_CLEAN_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	AIX_EXPORT_ALL_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AIX_SHARED_LIBRARY_ARCHIVE.rst
■	■	■	■	■	■	■	■	■	■	■■■	ALIASED_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	ALIAS_GLOBAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_ANT_ADDITIONAL_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_API.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_API_MIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_ARCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_ASSETS_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_GUI.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_JAR_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_JAR_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_JAVA_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_NATIVE_LIB_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_NATIVE_LIB_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_PROCESS_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_PROGUARD.rst

■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_PROGUARD_CONFIG_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_SECURE_PROPS_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_SKIP_ANT_STEP.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_STL_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_NAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_BETTER_GRAPH_MULTI_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_BUILD_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_COMMAND_LINE_LENGTH_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_ORIGIN_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_PARALLEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_TARGET_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_USE_SYSTEM_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_COMPILER_PREDEFINES.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_DEPEND_FILTERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_MACRO_NAMES.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_MOC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_PATH_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_SEARCH_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_RPATH_USE_ORIGIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_WITH_INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_WITH_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUNDLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUNDLE_EXTENSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMMON_LANGUAGE_RUNTIME.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_BOOL.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_NUMBER_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_NUMBER_MIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_STRING.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_NAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_NOTE.txt
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_WARNING_AS_ERROR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CONFIG_OUTPUT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CONFIG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CROSSCOMPILING_EMULATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_CUBIN_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_EXTENSIONS.rst

■	■	■	■	■	■	■	■	■	■	■■■	CUDA_FATBIN_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_OPTIX_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_PTX_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_RESOLVE_DEVICE_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_RUNTIME_LIBRARY-VALUES.txt
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_SEPARABLE_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_DIRS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_DIRS_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_SET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_SET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_STD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_SCAN_FOR_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	C_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	C_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	C_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEBUG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEFINE_SYMBOL.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPLOYMENT_ADDITIONAL_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPLOYMENT_REMOTE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPRECATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	DISABLE_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	DLL_NAME_WITH_SOVERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	DOTNET_SDK.rst
■	■	■	■	■	■	■	■	■	■	■■■	DOTNET_TARGET_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	DOTNET_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXCLUDE_FROM_ALL.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXCLUDE_FROM_DEFAULT_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXCLUDE_FROM_DEFAULT_BUILD_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_BUILD_DATABASE.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_COMPILE_COMMANDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_FIND_PACKAGE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_NO_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	EchoString.rst
■	■	■	■	■	■	■	■	■	■	■■■	FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	FRAMEWORK_MULTI_CONFIG_POSTFIX_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_BUILDING_INSTRINSIC_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_PREPROCESS.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATOR_FILE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	GHS_INTEGRITY_APP.rst
■	■	■	■	■	■	■	■	■	■	■■■	GHS_NO_SOURCE_GROUP_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	GNUtoMS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HAS_CXX.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_DIRS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_DIRS_NAME.rst

■	■	■	■	■	■	■	■	■	■	■■■	HEADER_SET.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_SET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPLICIT_DEPENDS_INCLUDE_TRANSFORM.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_COMMON_LANGUAGE_RUNTIME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CONFIGURATIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_LINK_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_GLOBAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_IMPLIB.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_IMPLIB_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LIBNAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LIBNAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_DEPENDENT_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_DEPENDENT_LIBRARIES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LANGUAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LANGUAGES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LIBRARIES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_MULTIPLICITY.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_MULTIPLICITY_CONFIG.rs
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LOCATION_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_NO_SONAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_NO_SONAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_NO_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_OBJECTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_OBJECTS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_SONAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_SONAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORT_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORT_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_REMOVE_ENVIRONMENT_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_RPATH_USE_LINK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_AUTOMOC_MACRO_NAMES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_BUILD_PROPERTY.txt
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_CXX_MODULE_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_HEADER_SETS_TO_VERIFY.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES.rst

■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES_DIRECT.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES_DIRECT.txt
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES_DIRECT_EXCLUDE.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_POSITION_INDEPENDENT_CODE.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_SOURCES.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_SYSTEM_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■■■	INTERPROCEDURAL_OPTIMIZATION.rst
■	■	■	■	■	■	■	■	■	■■■	INTERPROCEDURAL_OPTIMIZATION_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	IOS_INSTALL_COMBINED.rst
■	■	■	■	■	■	■	■	■	■■■	ISPC_HEADER_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■■■	ISPC_HEADER_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■■■	ISPC_INSTRUCTION_SETS.rst
■	■	■	■	■	■	■	■	■	■■■	JOB_POOL_COMPILE.rst
■	■	■	■	■	■	■	■	■	■■■	JOB_POOL_LINK.rst
■	■	■	■	■	■	■	■	■	■■■	JOB_POOL_PRECOMPILE_HEADER.rst
■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CLANG_TIDY.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CLANG_TIDY_EXPORT_FIXES_DIR.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_COMPILER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CPPCHECK.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CPPLINT.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_INCLUDE_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_LINKER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_STANDARD.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_VISIBILITY_PRESET.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_NAME.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_NAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINKER_LANGUAGE.rst
■	■	■	■	■	■	■	■	■	■■■	LINKER_TYPE.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_DEPENDS_NO_SHARED.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_FLAGS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_LIBRARIES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_MULTIPLICITY.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_MULTIPLICITY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES_INDIRECTION.txt
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES_ONLY_TARGETS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES_STRATEGY.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARY_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARY_OVERRIDE_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_SEARCH_END_STATIC.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_SEARCH_START_STATIC.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■■■	LOCATION.rst
■	■	■	■	■	■	■	■	■	■■■	LOCATION_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	MACHO_COMPATIBILITY_VERSION.rst
■	■	■	■	■	■	■	■	■	■■■	MACHO_CURRENT_VERSION.rst

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	Swift_COMPILATION_MODE-VALUES.txt
■	■	■	■	■	■	■	■	■	■	■■■	Swift_COMPILATION_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_DEPENDENCIES_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_LANGUAGE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_MODULE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	TEST_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	TRANSITIVE_COMPILE_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	TRANSITIVE_LINK_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_BATCH_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_CODE_AFTER_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_CODE_BEFORE_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_UNIQUE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	VERIFY_INTERFACE_HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VERSION_SOVERSION_EXAMPLE.txt
■	■	■	■	■	■	■	■	■	■	■■■	VISIBILITY_INLINES_HIDDEN.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_CONFIGURATION_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_COMMAND_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DESKTOP_EXTENSIONS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_DOCUMENTATION_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCEPROP_refname_TAG_tagname.rs
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCES_COPY_LOCAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCE_refname.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_STARTUP_OBJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DPI_AWARE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_FILTER_PROPS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_FRAMEWORK_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_KEYWORD.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_PROJECT_TYPES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_ROOTNAMESPACE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_variable.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_IOT_EXTENSIONS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_IOT_STARTUP_TASK.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_JUST_MY_CODE_DEBUGGING.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_KEYWORD.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_MOBILE_EXTENSIONS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_NO_COMPILE_BATCHING.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_NO_SOLUTION_DEPLOY.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_PACKAGE_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_PLATFORM_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_PROJECT_IMPORT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_AUXPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_LOCALPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_PROJECTNAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_PROVIDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SDK_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SOLUTION_DEPLOY.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SOURCE_SETTINGS_tool.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_USER_PROPS.rst

```

■ ■ ■ ■ ■ VS_USE_DEBUG_LIBRARIES-PURPOSE.txt
■ ■ ■ ■ ■ VS_USE_DEBUG_LIBRARIES.rst
■ ■ ■ ■ ■ VS_WINDOWS_TARGET_PLATFORM_MIN_VERSION.rst
■ ■ ■ ■ ■ VS_WINRT_COMPONENT.rst
■ ■ ■ ■ ■ VS_WINRT_EXTENSIONS.rst
■ ■ ■ ■ ■ VS_WINRT_REFERENCES.rst
■ ■ ■ ■ ■ WATCOM_RUNTIME_LIBRARY-VALUES.txt
■ ■ ■ ■ ■ WATCOM_RUNTIME_LIBRARY.rst
■ ■ ■ ■ ■ WIN32_EXECUTABLE.rst
■ ■ ■ ■ ■ WINDOWS_EXPORT_ALL_SYMBOLS.rst
■ ■ ■ ■ ■ XCODE_ATTRIBUTE_an-attribute.rst
■ ■ ■ ■ ■ XCODE_EMBED_FRAMEWORKS_CODE_SIGN_ON_COPY.rst
■ ■ ■ ■ ■ XCODE_EMBED_FRAMEWORKS_REMOVE_HEADERS_ON_COPY.
■ ■ ■ ■ ■ XCODE_EMBED_type.rst
■ ■ ■ ■ ■ XCODE_EMBED_type_CODE_SIGN_ON_COPY.rst
■ ■ ■ ■ ■ XCODE_EMBED_type_PATH.rst
■ ■ ■ ■ ■ XCODE_EMBED_type_REMOVE_HEADERS_ON_COPY.rst
■ ■ ■ ■ ■ XCODE_EXPLICIT_FILE_TYPE.rst
■ ■ ■ ■ ■ XCODE_GENERATE_SCHEME.rst
■ ■ ■ ■ ■ XCODE_LINK_BUILD_PHASE_MODE.rst
■ ■ ■ ■ ■ XCODE_PRODUCT_TYPE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ADDRESS_SANITIZER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ADDRESS_SANITIZER_USE_AFTER_RETURN
■ ■ ■ ■ ■ XCODE_SCHEME_ARGUMENTS.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DEBUG_AS_ROOT.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DEBUG_DOCUMENT_VERSIONING.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DISABLE_MAIN_THREAD_CHECKER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DYNAMIC_LIBRARY_LOADS.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DYNAMIC_LINKER_API_USAGE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENABLE_GPU_API_VALIDATION.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENABLE_GPU_FRAME_CAPTURE_MODE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENABLE_GPU_SHADER_VALIDATION.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENVIRONMENT.rst
■ ■ ■ ■ ■ XCODE_SCHEME_EXECUTABLE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_GUARD_MALLOC.rst
■ ■ ■ ■ ■ XCODE_SCHEME_LAUNCH_CONFIGURATION.rst
■ ■ ■ ■ ■ XCODE_SCHEME_LAUNCH_MODE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MAIN_THREAD_CHECKER_STOP.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MALLOC_GUARD_EDGES.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MALLOC_SCRIBBLE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MALLOC_STACK.rst
■ ■ ■ ■ ■ XCODE_SCHEME_THREAD_SANITIZER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_THREAD_SANITIZER_STOP.rst
■ ■ ■ ■ ■ XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZER_STOP
■ ■ ■ ■ ■ XCODE_SCHEME_WORKING_DIRECTORY.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ZOMBIE_OBJECTS.rst
■ ■ ■ ■ ■ XCODE_XCONFIG.rst
■ ■ ■ ■ ■ XCTEST.rst
■ ■ ■ ■ ■ XXX_OUTPUT_DIRECTORY.txt
■ ■ ■ ■ ■ XXX_OUTPUT_NAME.txt
■ ■ ■ ■ ■ release
■ ■ ■ ■ ■ 3.0.rst
■ ■ ■ ■ ■ 3.1.rst
■ ■ ■ ■ ■ 3.10.rst
■ ■ ■ ■ ■ 3.11.rst
■ ■ ■ ■ ■ 3.12.rst
■ ■ ■ ■ ■ 3.13.rst

```

■	■	■	■	■	■	■	■	■	■	■■■	3.14.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.15.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.16.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.17.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.18.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.19.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.2.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.20.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.21.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.22.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.23.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.24.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.25.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.26.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.27.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.28.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.29.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.3.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.30.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.31.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.4.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.5.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.6.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.7.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.8.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.9.rst
■	■	■	■	■	■	■	■	■	■	■■■	dev.txt
■	■	■	■	■	■	■	■	■	■	■■■	index.rst
■	■	■	■	■	■	■	■	■	■■■	variable	
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID.rst
■	■	■	■	■	■	■	■	■	■	■■■	APPLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	BORLAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	BSD.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_SHARED_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CACHE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ABSOLUTE_DESTINATION_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ADD_CUSTOM_COMMAND_DEPENDS_EXPLICIT_ONLY
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ADSP_ROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AIX_EXPORT_ALL_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AIX_SHARED_LIBRARY_ARCHIVE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ANT_ADDITIONAL_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_API.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_API_MIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARCH_ABI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARM_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARM_NEON.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ASSETS_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_EXCEPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_GUI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_JAR_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_JAR_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_JAVA_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NATIVE_LIB_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NATIVE_LIB_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_DEPRECATED_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_TOOLCHAIN_HOST_TAG.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_TOOLCHAIN_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_PROCESS_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_PROGUARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_PROGUARD_CONFIG_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_RTTI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_SECURE_PROPS_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_SKIP_ANT_STEP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_STANDALONE_TOOLCHAIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_STL_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_APPBUNDLE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_APPLE_SILICON_PROCESSOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARCHIVE_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARCHIVE_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARGC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARGV0.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_BETTER_GRAPH_MULTI_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_COMMAND_LINE_LENGTH_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_ORIGIN_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_PARALLEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_USE_SYSTEM_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_VERBOSE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_COMPILER_PREDEFINES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_DEPEND_FILTERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_MACRO_NAMES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_MOC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_PATH_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_RELAXED_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTORCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTORCC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTORCC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC_SEARCH_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BACKWARDS_COMPATIBILITY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_RPATH_USE_ORIGIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_TOOL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_WITH_INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_WITH_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHEFILE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHE_MAJOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHE_MINOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHE_PATCH_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CFG_INTDIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CLANG_VFS_OVERLAY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CL_64.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CODEBLOCKS_COMPILER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CODEBLOCKS_EXCLUDE_EXTERNAL_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CODELITE_USE_TARGETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COLOR_DIAGNOSTICS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COLOR_MAKEFILE.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_2005.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_IS_GNUCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_IS_GNUCXX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_IS_GNUG77.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILE_PDB_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILE_PDB_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILE_WARNING_AS_ERROR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CONFIGURATION_TYPES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CONFIG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CPACK_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CROSSCOMPILING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CROSSCOMPILING_EMULATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CROSS_CONFIGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CTEST_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CTEST_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_HOST_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_RESOLVE_DEVICE_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_SEPARABLE_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_TOOLKIT_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION_LIST_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION_LIST_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION_LIST_LINE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_LIST_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_LIST_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_LIST_LINE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_COMPILER_IMPORT_STD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_MODULE_STD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_SCAN_FOR_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEBUG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEBUG_TARGET_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEFAULT_BUILD_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEFAULT_CONFIGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEPENDS_IN_PROJECT_ONLY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEPENDS_USE_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DIRECTORY_LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DISABLE_FIND_PACKAGE_PackageName.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DISABLE_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DLL_NAME_WITH_SOVERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DL_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DOTNET_SDK.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DOTNET_TARGET_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DOTNET_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_GENERATE_LINKED_RESOURCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_GENERATE_SOURCE_PROJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_MAKE_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_RESOURCE_ENCODING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EDIT_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ERROR_DEPRECATED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ERROR_ON_ABSOLUTE_INSTALL_DESTINATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTABLE_ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTABLE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTABLE_SUFFIX_LANG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTE_PROCESS_COMMAND_ECHO.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_BUILD_DATABASE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_COMPILE_COMMANDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_FIND_PACKAGE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_NO_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXTRA_GENERATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXTRA_SHARED_LIBRARY_SUFFIXES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_APPBUNDLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_DEBUG_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_LIBRARY_CUSTOM_LIB_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_LIBRARY_PREFIXES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_LIBRARY_SUFFIXES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_NO_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_NO_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_NO_SYSTEM_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_PREFER_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_REDIRECTS_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_RESOLVE_SYMLINKS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_SORT_DIRECTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_SORT_ORDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_TARGETS_GLOBAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_WARN_NO_MODULE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_PACKAGE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_PROGRAM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_XXX.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_CMAKE_ENVIRONMENT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_CMAKE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_CMAKE_SYSTEM_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_PACKAGE_ROOT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_SYSTEM_ENVIRONMENT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_SYSTEM_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FOLDER.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FRAMEWORK_MULTI_CONFIG_POSTFIX_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FRAMEWORK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODDIR_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODDIR_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODOUT_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_PREPROCESS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR_INSTANCE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR_PLATFORM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GHS_NO_SOURCE_GROUP_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTOGEN_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTOGEN_TARGET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTORCC_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTORCC_TARGET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GNUtoMS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_PLATFORM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOME_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_APPLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_BSD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_EXECUTABLE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_LINUX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SOLARIS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM_PROCESSOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_UNIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_WIN32.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IGNORE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IGNORE_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IMPORT_LIBRARY_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IMPORT_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_CURRENT_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_CURRENT_DIR_IN_INTERFACE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_DIRECTORIES_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_DIRECTORIES_PROJECT_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_DEFAULT_COMPONENT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_DEFAULT_DIRECTORY_PERMISSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_MESSAGE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_PREFIX_INITIALIZED_TO_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_REMOVE_ENVIRONMENT_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_RPATH_USE_LINK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INTERNAL_PLATFORM_ABI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INTERPROCEDURAL_OPTIMIZATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INTERPROCEDURAL_OPTIMIZATION_CONFIG.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IOS_INSTALL_COMBINED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ISPC_HEADER_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ISPC_HEADER_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ISPC_INSTRUCTION_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOL_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOL_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOL_PRECOMPILE_HEADER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_KATE_FILES_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_KATE_MAKE_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ANDROID_TOOLCHAIN_MACHINE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ANDROID_TOOLCHAIN_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ANDROID_TOOLCHAIN_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ARCHIVE_APPEND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ARCHIVE_CREATE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ARCHIVE_FINISH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_BYTE_ORDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CLANG_TIDY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CLANG_TIDY_EXPORT_FIXES_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_ABI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_AR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_ARCHITECTURE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_EXTERNAL_TOOLCHAIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_FRONTEND_VARIANT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER_FRONTEND_VARIANT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LOADED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_PREDEFINES_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_RANLIB.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_VERSION_INTERNAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILE_OBJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CPPCHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CPPLINT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_SHARED_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_SHARED_LIBRARY_ARCHIVE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_SHARED_MODULE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_STATIC_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_EXTENSIONS_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_DEBUG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_DEBUG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_MINSIZEREL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_MINSIZEREL_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELEASE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELEASE_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELWITHDEBINFO.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELWITHDEBINFO_INIT.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_HOST_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_HOST_COMPILER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_HOST_COMPILER_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IGNORE_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_LINK_FRAMEWORK_DIRECTORIES
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_LINK_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_INCLUDE_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LIBRARY_ARCHITECTURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_PREFERENCE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_PREFERENCE_PROPAGATES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_WRAPPER_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_WRAPPER_FLAG_SEP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_GROUP_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_GROUP_USING_FEATURE_SUPPORTED.
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_FEATURE_ATTRIBUTES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_FILE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_USING_FEATURE_SUPPORTED
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_WHAT_YOU_USE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_OUTPUT_EXTENSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_PLATFORM_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SIMULATE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SIMULATE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SIZEOF_DATA_PTR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SOURCE_FILE_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_LATEST.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_USING_LINKER_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_USING_LINKER_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_VISIBILITY_PRESET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_ARCHITECTURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_ARCHITECTURE_REGEX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_PATH_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINKER_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DEF_FILE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DEPENDS_NO_SHARED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DEPENDS_USE_LINKER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DIRECTORIES_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_GROUP_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_GROUP_USING_FEATURE.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_GROUP_USING_FEATURE_SUPPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_INTERFACE_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARIES_ONLY_TARGETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARIES_STRATEGY.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_FEATURE_ATTRIBUTES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_FILE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_USING_FEATURE.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_USING_FEATURE_SUPPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_SEARCH_END_STATIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_SEARCH_START_STATIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_WHAT_YOU_USE_CHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MACOSX_BUNDLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MACOSX_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAJOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAKE_PROGRAM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAP_IMPORTED_CONFIG_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MATCH_COUNT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MATCH_n.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAXIMUM_RECURSION_DEPTH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_CONTEXT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_CONTEXT_SHOW.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_INDENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_LOG_LEVEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MFC_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MINIMUM_REQUIRED_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MINOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MSVCIDE_RUN_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MSVC_DEBUG_INFORMATION_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MSVC_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NETRC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NETRC_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NINJA_OUTPUT_PATH_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NOT_USING_CONFIG_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NO_BUILTIN_CHRPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NO_SYSTEM_FROM_IMPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJCXX_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJCXX_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJCXX_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJC_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJC_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJC_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJECT_PATH_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OPTIMIZE_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_DEPLOYMENT_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_SYSROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_VARIABLE.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PARENT_LIST_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PATCH_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PCH_INSTANTIATE_TEMPLATES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PCH_WARN_INVALID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PDB_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PDB_OUTPUT_DIRECTORY_CONFIG.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PLATFORM_NO_VERSIONED_SONAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_POLICY_DEFAULT_CMPNNNN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_POLICY_WARNING_CMPNNNN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_POSITION_INDEPENDENT_CODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROGRAM_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_DESCRIPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_HOMEPAGE_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_INCLUDE_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_PROJECT-NAME_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_PROJECT-NAME_INCLUDE_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_TOP_LEVEL_INCLUDES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_MAJOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_MINOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_PATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_TWEAK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RANLIB.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_REQUIRE_FIND_PACKAGE_PackageName.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RULE_MESSAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RUNTIME_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RUNTIME_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SCRIPT_MODE_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_ARCHIVE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_MODULE_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_MODULE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SIZEOF_VOID_P.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_BUILD_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_INSTALL_ALL_DEPENDENCY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_INSTALL_RULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_TEST_ALL_DEPENDENCY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STAGING_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LIBRARY_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SUBLINE_TEXT_2_ENV_SETTINGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SUBLINE_TEXT_2_EXCLUDE_BUILD_TREE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SUPPRESS_REGENERATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSROOT_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSROOT_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_APPBUNDLE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_FRAMEWORK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_IGNORE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_IGNORE_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_INCLUDE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_LIBRARY_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_PROCESSOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_PROGRAM_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_COMPILATION_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_LANGUAGE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_NUM_THREADS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TASKING_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TEST_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_CAINFO.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_VERIFY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_VERSION-VALUES.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TOOLCHAIN_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_CONFIGURATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_NO_PLATFORM_VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_PLATFORM_VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_TARGET_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TWEAK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_UNITY_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_UNITY_BUILD_BATCH_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_UNITY_BUILD_UNIQUE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_USER_MAKE_RULES_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_USER_MAKE_RULES_OVERRIDE_LANG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_USE_RELATIVE_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VERBOSE_MAKEFILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VERIFY_INTERFACE_HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VISIBILITY_INLINES_HIDDEN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_COMMAND_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEVENV_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_GLOBALS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_INCLUDE_INSTALL_TO_DEFAULT_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_INCLUDE_PACKAGE_TO_DEFAULT_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_INTEL_Fortran_PROJECT_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_JUST_MY_CODE_DEBUGGING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_MSBUILD_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_NO_COMPILE_BATCHING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_NUGET_PACKAGE_RESTORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_NsightTegra_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_NAME_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_CUDA.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_CUDA_CUSTOM_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_FORTRAN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_HOST_ARCHITECTURE.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_EXCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_EXECUTABLE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_LIBRARY_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_LIBRARY_WINRT_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_REFERENCE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_SOURCE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_TARGET_FRAMEWORK_IDENTIFIER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_TARGET_FRAMEWORK_TARGETS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_USE_DEBUG_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_VERSION_BUILD_NUMBER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_VERSION_BUILD_NUMBER_COMPONENTS.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINDOWS_TARGET_PLATFORM_MIN_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINDOWS_TARGET_PLATFORM_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINDOWS_TARGET_PLATFORM_VERSION_MAXIM
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINRT_BY_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WARN_DEPRECATED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WARN_ON_ABSOLUTE_INSTALL_DESTINATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WATCOM_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WIN32_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WINDOWS_EXPORT_ALL_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WINDOWS_KMDF_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_ATTRIBUTE_an-attribute.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_BUILD_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_GENERATE_SCHEME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_GENERATE_TOP_LEVEL_PROJECT_ONLY.rs
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_LINK_BUILD_PHASE_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_PLATFORM_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ADDRESS_SANITIZER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ADDRESS_SANITIZER_USE_AFTER
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DEBUG_DOCUMENT_VERSIONING.r
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DISABLE_MAIN_THREAD_CHECKER
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DYNAMIC_LIBRARY_LOADS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DYNAMIC_LINKER_API_USAGE.rs
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENABLE_GPU_API_VALIDATION.r
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENABLE_GPU_FRAME_CAPTURE_MO
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENABLE_GPU_SHADER_VALIDATIO
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_GUARD_MALLOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_LAUNCH_CONFIGURATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_LAUNCH_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MAIN_THREAD_CHECKER_STOP.rs
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MALLOC_GUARD_EDGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MALLOC_SCRIBBLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MALLOC_STACK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_THREAD_SANITIZER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_THREAD_SANITIZER_STOP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZ
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZ
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ZOMBIE_OBJECTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_XCCONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_ABSOLUTE_DESTINATION_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_COMPONENT_INCLUDE_TOPLEVEL_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_CUSTOM_INSTALL_VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_ERROR_ON_ABSOLUTE_INSTALL_DESTINATION.rs

■	■	■	■	■	■	■	■	■	■	■■■	CPACK_INCLUDE_TOPLEVEL_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_INSTALL_DEFAULT_DIRECTORY_PERMISSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_PACKAGING_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_SET_DESTDIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_WARN_ON_ABSOLUTE_INSTALL_DESTINATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BINARY_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BUILD_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BUILD_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BZR_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BZR_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CHANGE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CHECKOUT_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CONFIGURATION_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CONFIGURE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_COVERAGE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_COVERAGE_EXTRA_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CURL_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_COVERAGE_EXCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_EXCEPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_MATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_POST_CONTEXT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_PRE_CONTEXT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_FAILED_TEST_OUTPUT_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_NUMBER_OF_ERRORS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_NUMBER_OF_WARNINGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_PASSED_TEST_OUTPUT_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MEMCHECK_IGNORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_POST_MEMCHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_POST_TEST.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_PRE_MEMCHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_PRE_TEST.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_TESTS_IGNORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_TEST_OUTPUT_TRUNCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_WARNING_EXCEPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_WARNING_MATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_XXX.txt
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CVS_CHECKOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CVS_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CVS_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_METHOD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE_CDASH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE_PASSWORD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE_USER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_EXTRA_COVERAGE_GLOB.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_INIT_SUBMODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_UPDATE_CUSTOM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_HG_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_HG_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_LABELS_FOR_SUBPROJECTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_COMMAND_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_SANITIZER_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_SUPPRESSIONS_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_TYPE.rst

■	■	■	■	■	■	■	■	■	■	■■■	CTEST_NIGHTLY_START_TIME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_CLIENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_RESOURCE_SPEC_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_RUN_CURRENT_SCRIPT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SCP_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SCRIPT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SOURCE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SUBMIT_INACTIVITY_TIMEOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SUBMIT_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SVN_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SVN_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SVN_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TEST_LOAD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TEST_TIMEOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TLS_VERIFY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TLS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TRIGGER_SITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_VERSION_ONLY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_VERSION_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_USE_LAUNCHERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CYGWIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENV.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXECUTABLE_OUTPUT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	GHSMULTI.rst
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_LOCATIONS.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_NONSYSTEM.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_PATH.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_PREFIX.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_SYSTEM.txt
■	■	■	■	■	■	■	■	■	■	■■■	IOS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	LINKER_PREDEFINED_TYPES.txt
■	■	■	■	■	■	■	■	■	■	■■■	LINK_GROUP_PREDEFINED_FEATURES.txt
■	■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARY_PREDEFINED_FEATURES.txt
■	■	■	■	■	■	■	■	■	■	■■■	LINUX.rst
■	■	■	■	■	■	■	■	■	■	■■■	MINGW.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC10.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC11.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC12.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC14.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC60.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC70.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC71.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC80.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC90.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC_IDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC_TOOLSET_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSYS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROJECT-NAME_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROJECT-NAME_DESCRIPTION.rst

■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_HOMEPAGE_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_IS_TOP_LEVEL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_MAJOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_MINOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_PATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_TWEAK.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_DESCRIPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_HOMEPAGE_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_IS_TOP_LEVEL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_MAJOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_MINOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_PATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_TWEAK.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PackageName_ROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■■	UNIX.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WASI.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WIN32.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WINCE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WINDOWS_PHONE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WINDOWS_STORE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	XCODE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	XCODE_VERSION.rst
■	■	■	■	■	■	■	■	■	■■■■	Modules	
■	■	■	■	■	■	■	■	■	■	■■■■	AddFileDependencies.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AndroidTestUtilities
■	■	■	■	■	■	■	■	■	■	■■■■	PushToAndroidDevice.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AndroidTestUtilities.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-AnyNewerVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-ExactVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-SameMajorVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-SameMinorVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BundleUtilities.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMake.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM-ATTInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASMCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM_MARMASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM_MASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM_NASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeAddFortranSubdirectory
■	■	■	■	■	■	■	■	■	■	■■■■	build_mingw.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	config_mingw.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeAddFortranSubdirectory.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeAddNewLanguage.txt
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBackwardCompatibilityC.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBackwardCompatibilityCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBorlandFindMake.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBuildSettings.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCCompilerABI.c
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCCompilerId.c.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCInformation.cmake

■	■	■	■	■	■	■	■	■	■■■■	CMakeCSharpCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCSharpCompilerId.cs.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCSharpInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDACompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDACompilerABI.cu
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDACompilerId.cu.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDAInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXCompilerABI.cpp
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXCompilerId.cpp.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCheckCompilerFlagCommonPatterns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCommonLanguageInclude.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCompilerABI.h
■	■	■	■	■	■	■	■	■	■■■■	CMakeCompilerCUAArch.h
■	■	■	■	■	■	■	■	■	■■■■	CMakeCompilerIdDetection.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeConfigurableFile.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeDependentOption.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM-ATTCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM_MARMASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM_MASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM_NASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCSharpCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCUDACompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompilerABI.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompilerId.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompilerSupport.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineFortranCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineHIPCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineISPCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineJavaCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineOBJCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineOBJCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineRCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineSwiftCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineSystem.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineVSServicePack.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeExpandImportedTargets.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeExportBuildSettings.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeExtraGeneratorDetermineCompilerMacrosAndIncludes.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindBinUtils.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindCodeBlocks.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindDependencyMacro.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindEclipseCDT4.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindFrameworks.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindJavaCommon.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindKate.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindPackageMode.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindSublimeText2.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindWMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindXCode.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeForceCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompilerABI.F

■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompilerABI.F90
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompilerId.F.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeGenericSystem.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeGraphVizOptions.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPCompilerABI.hip
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPCompilerId.hip.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeIOSInstallCombined.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCCompilerABI.ispc
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCCompilerId.ispc.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeImportBuildSettings.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeInitializeConfigs.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeJOMFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeJavaCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeJavaInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeLanguageInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeMSYSFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeMinGWFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeNMakeFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeNinjaFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCCompilerABI.m
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCCompilerId.m.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXCompilerABI.mm
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXCompilerId.mm.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePackageConfigHelpers.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseArguments.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseImplicitIncludeInfo.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseImplicitLinkInfo.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseLibraryArchitecture.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePlatformId.h.in
■	■	■	■	■	■	■	■	■	■■■■	CMakePrintHelpers.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePrintSystemInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePushCheckState.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeRCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeRCInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeSwiftCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeSwiftInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeSystem.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeSystemSpecificInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeSystemSpecificInitialize.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM-ATTCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM_MARMASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM_MASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM_NASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCSharpCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCUDACompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCompilerCommon.cmake

■	■	■	■	■	■	■	■	■	■■■■	CMakeTestFortranCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestGNU.c
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestHIPCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestISPCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestJavaCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestOBJCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestOBJCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestRCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestSwiftCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeUnixFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeVerifyManifest.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPack.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPackComponent.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPackIFW.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPackIFWConfigureFile.cmake
■	■	■	■	■	■	■	■	■	■■■■	CSharpUtilities.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTest.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestCoverageCollectGCOV.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestScriptMode.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestTargets.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestUseLaunchers.cmake
■	■	■	■	■	■	■	■	■	■■■■	CXX-DetectStdlib.h
■	■	■	■	■	■	■	■	■	■■■■	CheckCCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXSymbolExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckForPthreads.c
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranFunctionExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFunctionExists.c
■	■	■	■	■	■	■	■	■	■■■■	CheckFunctionExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIPOSupported
■	■	■	■	■	■	■	■	■	■ ■■■■	CMakeLists-C.txt.in
■	■	■	■	■	■	■	■	■	■ ■■■■	CMakeLists-CXX.txt.in
■	■	■	■	■	■	■	■	■	■ ■■■■	CMakeLists-Fortran.txt.in
■	■	■	■	■	■	■	■	■	■ ■■■■	foo.c
■	■	■	■	■	■	■	■	■	■ ■■■■	foo.cpp
■	■	■	■	■	■	■	■	■	■ ■■■■	foo.f
■	■	■	■	■	■	■	■	■	■ ■■■■	main.c
■	■	■	■	■	■	■	■	■	■ ■■■■	main.cpp
■	■	■	■	■	■	■	■	■	■ ■■■■	main.f
■	■	■	■	■	■	■	■	■	■■■■	CheckIPOSupported.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFile.c.in
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFile.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFile.cxx.in
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFileCXX.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckLanguage.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckLibraryExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckLinkerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCSourceCompiles.cmake

■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCSourceRuns.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCXXCompilerFlag.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCXXSourceCompiles.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCXXSourceRuns.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckPIESupported.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckPrototypeDefinition.c.in	
■	■	■	■	■	■	■	■	■	■■■■	CheckPrototypeDefinition.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckSizeOf.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckSourceCompiles.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckSourceRuns.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckStructHasMember.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckSymbolExists.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckTypeSize.c.in	
■	■	■	■	■	■	■	■	■	■■■■	CheckTypeSize.cmake	
■	■	■	■	■	■	■	■	■	■■■■	CheckTypeSizeMap.cmake.in	
■	■	■	■	■	■	■	■	■	■■■■	CheckVariableExists.c	
■	■	■	■	■	■	■	■	■	■■■■	CheckVariableExists.cmake	
■	■	■	■	■	■	■	■	■	■■■■	Compiler	
■	■	■	■	■	■	■	■	■	■	■■■■	ADSP-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ADSP-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ADSP-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ADSP-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ADSP.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMCC-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMCC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMCC-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMCC.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	ARMClang.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Absoft-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-OBJC.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AppleClang-OBJCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Borland-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Bruce-C-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Bruce-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CCur-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCommonCompilerMacros.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-CXX-CXXImportStd.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-CXX-TestableFeatures.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	Clang-DetermineCompiler.cmake

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	IAR-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IAR-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IAR-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IAR.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMCPP-C-DetermineVersionInternal.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMCPP-CXX-DetermineVersionInternal.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-C-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-CXX-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-ISPC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-FindBinUtils.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-C-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-CXX-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-FindBinUtils.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LFortran-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LLVMFlang-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-CXX-CXXImportStd.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NAG-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA-HIP.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenWatcom-C.cmake

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Watcom-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-Fortran	
■	■	■	■	■	■	■	■	■	■	■	■■■	cpp
■	■	■	■	■	■	■	■	■	■	■■■	XL-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	zOS-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	zOS-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	CompilerId	
■	■	■	■	■	■	■	■	■	■	■■■	GHS_default.gpj.in	
■	■	■	■	■	■	■	■	■	■	■■■	GHS_lib.gpj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-10.csproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-10.vcxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-7.vcxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-Intel.vfproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-NsightTegra.vcxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	Xcode-3.pbxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	main.swift.in	
■	■	■	■	■	■	■	■	■	■	■■■	Dart.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	DartConfiguration.tcl.in	
■	■	■	■	■	■	■	■	■	■	■■■	DeployQt4.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Documentation.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	DummyCXXFile.cxx	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalData.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalData_config.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalProject	
■	■	■	■	■	■	■	■	■	■	■■■	PatchInfo.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	RepositoryInfo.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	UpdateInfo.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	cfgcmd.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	download.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	extractfile.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	gitclone.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	gitupdate.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	hgclone.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	mkdirs.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	shared_internal_commands.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	stepscript.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	verify.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalProject.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	FLTKCompatibility.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	FeatureSummary.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	FetchContent	
■	■	■	■	■	■	■	■	■	■	■■■	CMakeLists.cmake.in	

```

■ ■ ■ ■ package-config-version.cmake.in
■ ■ ■ ■ package-config.cmake.in
■ ■ ■ ■ FetchContent.cmake
■ ■ ■ ■ FindALSA.cmake
■ ■ ■ ■ FindASPELL.cmake
■ ■ ■ ■ FindAVIFile.cmake
■ ■ ■ ■ FindArmadillo.cmake
■ ■ ■ ■ FindBISON.cmake
■ ■ ■ ■ FindBLAS.cmake
■ ■ ■ ■ FindBZip2.cmake
■ ■ ■ ■ FindBacktrace.cmake
■ ■ ■ ■ FindBoost.cmake
■ ■ ■ ■ FindBullet.cmake
■ ■ ■ ■ FindCABLE.cmake
■ ■ ■ ■ FindCUDA
■ ■ ■ ■ make2cmake.cmake
■ ■ ■ ■ parse_cubin.cmake
■ ■ ■ ■ run_nvcc.cmake
■ ■ ■ ■ select_compute_arch.cmake
■ ■ ■ ■ FindCUDA.cmake
■ ■ ■ ■ FindCUDAToolkit.cmake
■ ■ ■ ■ FindCURL.cmake
■ ■ ■ ■ FindCVS.cmake
■ ■ ■ ■ FindCoin3D.cmake
■ ■ ■ ■ FindCups.cmake
■ ■ ■ ■ FindCurses.cmake
■ ■ ■ ■ FindCxxTest.cmake
■ ■ ■ ■ FindCygwin.cmake
■ ■ ■ ■ FindDCMTK.cmake
■ ■ ■ ■ FindDart.cmake
■ ■ ■ ■ FindDevIL.cmake
■ ■ ■ ■ FindDoxygen.cmake
■ ■ ■ ■ FindEXPAT.cmake
■ ■ ■ ■ FindEnvModules.cmake
■ ■ ■ ■ FindFLEX.cmake
■ ■ ■ ■ FindFLTK.cmake
■ ■ ■ ■ FindFLTK2.cmake
■ ■ ■ ■ FindFontconfig.cmake
■ ■ ■ ■ FindFreetype.cmake
■ ■ ■ ■ FindGCCXML.cmake
■ ■ ■ ■ FindGDAL.cmake
■ ■ ■ ■ FindGIF.cmake
■ ■ ■ ■ FindGLEW.cmake
■ ■ ■ ■ FindGLU.cmake
■ ■ ■ ■ FindGLUT.cmake
■ ■ ■ ■ FindGSL.cmake
■ ■ ■ ■ FindGTK.cmake
■ ■ ■ ■ FindGTK2.cmake
■ ■ ■ ■ FindGTest.cmake
■ ■ ■ ■ FindGettext.cmake
■ ■ ■ ■ FindGit.cmake
■ ■ ■ ■ FindGnuTLS.cmake
■ ■ ■ ■ FindGnuplot.cmake
■ ■ ■ ■ FindHDF5.cmake
■ ■ ■ ■ FindHSPPELL.cmake
■ ■ ■ ■ FindHTMLHelp.cmake
■ ■ ■ ■ FindHg.cmake
■ ■ ■ ■ FindICU.cmake

```

```

■ ■ ■ ■ FindIce.cmake
■ ■ ■ ■ FindIconv.cmake
■ ■ ■ ■ FindIcotoool.cmake
■ ■ ■ ■ FindImageMagick.cmake
■ ■ ■ ■ FindIntl.cmake
■ ■ ■ ■ FindJNI.cmake
■ ■ ■ ■ FindJPEG.cmake
■ ■ ■ ■ FindJasper.cmake
■ ■ ■ ■ FindJava.cmake
■ ■ ■ ■ FindKDE3.cmake
■ ■ ■ ■ FindKDE4.cmake
■ ■ ■ ■ FindLAPACK.cmake
■ ■ ■ ■ FindLATEX.cmake
■ ■ ■ ■ FindLTtngUST.cmake
■ ■ ■ ■ FindLibArchive.cmake
■ ■ ■ ■ FindLibLZMA.cmake
■ ■ ■ ■ FindLibXml2.cmake
■ ■ ■ ■ FindLibXslt.cmake
■ ■ ■ ■ FindLibinput.cmake
■ ■ ■ ■ FindLua.cmake
■ ■ ■ ■ FindLua50.cmake
■ ■ ■ ■ FindLua51.cmake
■ ■ ■ ■ FindMFC.cmake
■ ■ ■ ■ FindMPEG.cmake
■ ■ ■ ■ FindMPEG2.cmake
■ ■ ■ ■ FindMPI
■ ■ ■ ■ fortranparam_mpi.f90.in
■ ■ ■ ■ libver_mpi.c
■ ■ ■ ■ libver_mpi.f90.in
■ ■ ■ ■ mpiver.f90.in
■ ■ ■ ■ test_mpi.c
■ ■ ■ ■ test_mpi.f90.in
■ ■ ■ ■ FindMPI.cmake
■ ■ ■ ■ FindMatlab.cmake
■ ■ ■ ■ FindMotif.cmake
■ ■ ■ ■ FindMsys.cmake
■ ■ ■ ■ FindODBC.cmake
■ ■ ■ ■ FindOpenACC.cmake
■ ■ ■ ■ FindOpenAL.cmake
■ ■ ■ ■ FindOpenCL.cmake
■ ■ ■ ■ FindOpenGL.cmake
■ ■ ■ ■ FindOpenMP.cmake
■ ■ ■ ■ FindOpenSP.cmake
■ ■ ■ ■ FindOpenSSL.cmake
■ ■ ■ ■ FindOpenSceneGraph.cmake
■ ■ ■ ■ FindOpenThreads.cmake
■ ■ ■ ■ FindPHP4.cmake
■ ■ ■ ■ FindPNG.cmake
■ ■ ■ ■ FindPackageHandleStandardArgs.cmake
■ ■ ■ ■ FindPackageMessage.cmake
■ ■ ■ ■ FindPatch.cmake
■ ■ ■ ■ FindPerl.cmake
■ ■ ■ ■ FindPerlLibs.cmake
■ ■ ■ ■ FindPhysFS.cmake
■ ■ ■ ■ FindPike.cmake
■ ■ ■ ■ FindPkgConfig.cmake
■ ■ ■ ■ FindPostgreSQL.cmake
■ ■ ■ ■ FindProducer.cmake

```

■	■	■	■	■	■	■	■	■	■■■■	FindProtobuf.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython
■	■	■	■	■	■	■	■	■	■ ■■■■	Support.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython2.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython3.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPythonInterp.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPythonLibs.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQt.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQt3.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQt4.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQuickTime.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindRTI.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindRuby.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_gfx.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_image.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_mixer.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_net.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_sound.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_ttf.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSQLite3.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSWIG.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSelfPackers.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSquish.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSubversion.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTCL.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTIFF.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTclStub.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTclsh.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindThreads.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindUnixCommands.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindVulkan.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindWget.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindWish.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindX11.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXCTest.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXMLRPC.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXalanC.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXercesC.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindZLIB.cmake
■	■	■	■	■	■	■	■	■	■■■■	Findosg.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgAnimation.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgDB.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgFX.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgGA.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgIntrospection.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgManipulator.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgParticle.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgPresentation.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgProducer.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgQt.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgShadow.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgSim.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgTerrain.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgText.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgUtil.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgViewer.cmake

■	■	■	■	■	■	■	■	■	■■■■	FindosgVolume.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgWidget.cmake
■	■	■	■	■	■	■	■	■	■■■■	Findosg_functions.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindwxWidgets.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindwxWindows.cmake
■	■	■	■	■	■	■	■	■	■■■■	FortranCInterface
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeLists.txt
■	■	■	■	■	■	■	■	■	■	■■■■ Detect.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Input.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ MYMODULE.c
■	■	■	■	■	■	■	■	■	■	■■■■ MY_MODULE.c
■	■	■	■	■	■	■	■	■	■	■■■■ Macro.h.in
■	■	■	■	■	■	■	■	■	■	■■■■ Output.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ Verify
■	■	■	■	■	■	■	■	■	■	■ ■■■■ CMakeLists.txt
■	■	■	■	■	■	■	■	■	■	■ ■■■■ VerifyC.c
■	■	■	■	■	■	■	■	■	■	■ ■■■■ VerifyCXX.cxx
■	■	■	■	■	■	■	■	■	■	■ ■■■■ VerifyFortran.f
■	■	■	■	■	■	■	■	■	■	■ ■■■■ main.c
■	■	■	■	■	■	■	■	■	■	■■■■ call_mod.f90
■	■	■	■	■	■	■	■	■	■	■■■■ call_sub.f
■	■	■	■	■	■	■	■	■	■	■■■■ main.F
■	■	■	■	■	■	■	■	■	■	■■■■ my_module.f90
■	■	■	■	■	■	■	■	■	■	■■■■ my_module_.c
■	■	■	■	■	■	■	■	■	■	■■■■ my_sub.f
■	■	■	■	■	■	■	■	■	■	■■■■ mymodule.f90
■	■	■	■	■	■	■	■	■	■	■■■■ mymodule_.c
■	■	■	■	■	■	■	■	■	■	■■■■ mysub.f
■	■	■	■	■	■	■	■	■	■	■■■■ symbol.c.in
■	■	■	■	■	■	■	■	■	■■■■	FortranCInterface.cmake
■	■	■	■	■	■	■	■	■	■■■■	GNUInstallDirs.cmake
■	■	■	■	■	■	■	■	■	■■■■	GenerateExportHeader.cmake
■	■	■	■	■	■	■	■	■	■■■■	GetPrerequisites.cmake
■	■	■	■	■	■	■	■	■	■■■■	GoogleTest.cmake
■	■	■	■	■	■	■	■	■	■■■■	GoogleTestAddTests.cmake
■	■	■	■	■	■	■	■	■	■■■■	ITKCompatibility.cmake
■	■	■	■	■	■	■	■	■	■■■■	InstallRequiredSystemLibraries.cmake
■	■	■	■	■	■	■	■	■	■■■■	IntelVSImplicitPath
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeLists.txt
■	■	■	■	■	■	■	■	■	■	■■■■ detect.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ hello.f
■	■	■	■	■	■	■	■	■	■■■■	Internal
■	■	■	■	■	■	■	■	■	■	■■■■ AppleArchitectureSelection.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ ApplePlatformSelection.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM-ATTLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM_MARMASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM_MASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM_NASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAArchitecturesAll.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAArchitecturesNative.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAArchitecturesValidate.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAFilterImplicitLibs.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAFindToolkit.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDALinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCXXLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCommonLinkerInformation.cmake

■	■	■	■	■	■	■	■	■	■	■■■	CMakeDetermineLinkerId.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeFortranLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeHIPLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeNVCCFilterImplicitInfo.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeNVCCParseImplicitInfo.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeOBJCLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeOBJCXXLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeSwiftLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeTryCompilerOrLinkerFlag.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CPack		
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.DS_Store.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.Description.plist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.Info.plist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.NuGet.nuspec.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.OSXX11.Info.plist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.OSXX11.main.scpt.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.RuntimeScript.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.STGZ_Header.sh.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.VolumeIcon.icns.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.background.png.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.distribution.dist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackDeb.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackExternal.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackFreeBSD.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackNuGet.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackRPM.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackWIX.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackZIP.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	ISComponents.pas	
■	■	■	■	■	■	■	■	■	■	■	■■■	ISScript.template.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	NSIS.InstallOptions.ini.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	NSIS.template.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	WIX-v3	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	WIX.template.in
■	■	■	■	■	■	■	■	■	■	■	■■■	WIX.template.in	
■	■	■	■	■	■	■	■	■	■	■■■	CheckCompilerFlag.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CheckFlagCommonConfig.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CheckLinkerFlag.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CheckSourceCompiles.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CheckSourceRuns.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	FeatureTesting.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	HeaderpadWorkaround.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	OSRelease		
■	■	■	■	■	■	■	■	■	■	■	■■■	010-TryOldCentOS.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	020-TryDebianVersion.cmake	
■	■	■	■	■	■	■	■	■	■■■	KDE3Macros.cmake			
■	■	■	■	■	■	■	■	■	■■■	Linker			
■	■	■	■	■	■	■	■	■	■	■■■	AIX-ASM.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AIX-C.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AIX-CXX.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AIX-Fortran.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AIX.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-ASM.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-C.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-CXX.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-OBJC.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-OBJCXX.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	AppleClang.cmake		

■	■	■	■	■	■	■	■	■	■	■■■	GNU-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-OBJS.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-OBJSXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-OBJS.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-OBJSXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris.cmake	
■	■	■	■	■	■	■	■	■	■■■	MacOSXBundleInfo.plist.in		
■	■	■	■	■	■	■	■	■	■■■	MacOSXFrameworkInfo.plist.in		
■	■	■	■	■	■	■	■	■	■■■	MacroAddFileDependencies.cmake		
■	■	■	■	■	■	■	■	■	■■■	MatlabTestsRedirect.cmake		
■	■	■	■	■	■	■	■	■	■■■	Platform		
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-Common.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-Determine.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX	
■	■	■	■	■	■	■	■	■	■	■	■■■	ExportImportList
■	■	■	■	■	■	■	■	■	■	■■■	AIX-Clang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-Clang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-IBMClang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-IBMClang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-IBMClang.cmake	

■	■	■	■	■	■	■	■	■	■	■■■	AIX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-LLVMFlang-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-VisualAge-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-VisualAge-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-VisualAge-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XLClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XLClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XLClang.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ARTOS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ARTOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android
■	■	■	■	■	■	■	■	■	■	■	■■■ Determine-Compiler-NDK.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ Determine-Compiler-Standalone.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ Determine-Compiler.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ VCXProjInspect.vcxproj.in
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-arm64-v8a-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-arm64-v8a-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v6-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v6-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v7a-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v7a-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-common-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-common-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-common.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips64-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips64-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86_64-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86_64-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-c++.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-c++_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-c++_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gabi++.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gabi++_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gabi++_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gnustl.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gnustl_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gnustl_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-none.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-stlport.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-stlport_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-stlport_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-system.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang.cmake

[illegible]

[illegible]

```

■■■■ GHS-MULTI-Determine.cmake
■■■■ GHS-MULTI.cmake
■■■■ GNU-Initialize.cmake
■■■■ GNU.cmake
■■■■ GNUToMS_lib.bat.in
■■■■ GNUToMS_lib.cmake
■■■■ Generic-ADSP-ASM.cmake
■■■■ Generic-ADSP-C.cmake
■■■■ Generic-ADSP-CXX.cmake
■■■■ Generic-ADSP-Common.cmake
■■■■ Generic-ELF.cmake
■■■■ Generic-SDCC-C.cmake
■■■■ Generic.cmake
■■■■ HP-UX-GNU-ASM.cmake
■■■■ HP-UX-GNU-C.cmake
■■■■ HP-UX-GNU-CXX.cmake
■■■■ HP-UX-GNU-Fortran.cmake
■■■■ HP-UX-GNU.cmake
■■■■ HP-UX-HP-ASM.cmake
■■■■ HP-UX-HP-C.cmake
■■■■ HP-UX-HP-CXX.cmake
■■■■ HP-UX-HP-Fortran.cmake
■■■■ HP-UX-HP.cmake
■■■■ HP-UX-Initialize.cmake
■■■■ HP-UX.cmake
■■■■ Haiku-Initialize.cmake
■■■■ Haiku.cmake
■■■■ Linker
■■■■ AIX-AIX-ASM.cmake
■■■■ AIX-AIX-C.cmake
■■■■ AIX-AIX-CXX.cmake
■■■■ AIX-AIX-Fortran.cmake
■■■■ AIX-AIX.cmake
■■■■ AIX-ASM.cmake
■■■■ AIX-C.cmake
■■■■ AIX-CXX.cmake
■■■■ AIX-Fortran.cmake
■■■■ Android-ASM.cmake
■■■■ Android-C.cmake
■■■■ Android-CXX.cmake
■■■■ Android-GNU-ASM.cmake
■■■■ Android-GNU-C.cmake
■■■■ Android-GNU-CXX.cmake
■■■■ Android-LLD-ASM.cmake
■■■■ Android-LLD-C.cmake
■■■■ Android-LLD-CXX.cmake
■■■■ Apple-ASM.cmake
■■■■ Apple-AppleClang-ASM.cmake
■■■■ Apple-AppleClang-C.cmake
■■■■ Apple-AppleClang-CUDA.cmake
■■■■ Apple-AppleClang-CXX.cmake
■■■■ Apple-AppleClang-Fortran.cmake
■■■■ Apple-AppleClang-objc.cmake
■■■■ Apple-AppleClang-objcxx.cmake
■■■■ Apple-AppleClang.cmake
■■■■ Apple-C.cmake
■■■■ Apple-CUDA.cmake
■■■■ Apple-CXX.cmake

```


■	■	■	■	■	■	■	■	■	■	■■■	Linux-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LLVMFlang-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NAG-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVIDIA-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-OpenWatcom-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-OpenWatcom-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-OpenWatcom.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-SunPro-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-TinyCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-VisualAge-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-VisualAge-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-VisualAge-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-XL-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-XL-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-XL-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-como.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MP-RAS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MP-RAS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-windres.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Midipix-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Midipix.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MirBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NetBSD-Initialize.cmake

■	■	■	■	■	■	■	■	■	■	■■■	NetBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OHOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2-OpenWatcom-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2-OpenWatcom-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2-OpenWatcom.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OSF1-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OSF1.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenBSD-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenVMS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenVMS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	QNX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	QNX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	RISCos-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	RISCos.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SCO_SV-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SCO_SV.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SINIX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SINIX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Tru64-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Tru64.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ULTRIX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ULTRIX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UNIX_SV-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UNIX_SV.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UnixPaths.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UnixWare-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UnixWare.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WASI-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WASI.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Apple-Swift.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Borland-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Borland-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Clang-CUDA.cmake

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPaths.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-GNU-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-GNU-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Xenix-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Xenix.cmake
■	■	■	■	■	■	■	■	■	■	■■■	eCos-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	eCos.cmake
■	■	■	■	■	■	■	■	■	■	■■■	gas.cmake
■	■	■	■	■	■	■	■	■	■	■■■	iOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	iOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	iOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	kFreeBSD-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	kFreeBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	syllable-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	syllable.cmake
■	■	■	■	■	■	■	■	■	■	■■■	tvOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	tvOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	tvOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	visionOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	visionOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	visionOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	watchOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	watchOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	watchOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ProcessorCount.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Qt4ConfigDependentSettings.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Qt4Macros.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SelectLibraryConfigurations.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Squish4RunTestCase.bat
■	■	■	■	■	■	■	■	■	■	■■■	Squish4RunTestCase.sh
■	■	■	■	■	■	■	■	■	■	■■■	SquishRunTestCase.bat
■	■	■	■	■	■	■	■	■	■	■■■	SquishRunTestCase.sh

```

■ ■ ■ SquishTestScript.cmake
■ ■ ■ SystemInformation.cmake
■ ■ ■ SystemInformation.in
■ ■ ■ TestBigEndian.cmake
■ ■ ■ TestCXXAcceptsFlag.cmake
■ ■ ■ TestEndianness.c.in
■ ■ ■ TestForANSIForScope.cmake
■ ■ ■ TestForANSIStreamHeaders.cmake
■ ■ ■ TestForANSIStreamHeaders.cxx
■ ■ ■ TestForAnsiForScope.cxx
■ ■ ■ TestForSSTREAM.cmake
■ ■ ■ TestForSSTREAM.cxx
■ ■ ■ TestForSTDNamespace.cmake
■ ■ ■ TestForSTDNamespace.cxx
■ ■ ■ UseEcos.cmake
■ ■ ■ UseJava
■   ■ ■ ■ ClassFilelist.cmake
■   ■ ■ ■ ClearClassFiles.cmake
■   ■ ■ ■ Symlinks.cmake
■   ■ ■ ■ javaTargets.cmake.in
■ ■ ■ UseJava.cmake
■ ■ ■ UsePkgConfig.cmake
■ ■ ■ UseQt4.cmake
■ ■ ■ UseSWIG
■   ■ ■ ■ ManageSupportFiles.cmake
■ ■ ■ UseSWIG.cmake
■ ■ ■ Use_wxWindows.cmake
■ ■ ■ UsewxWidgets.cmake
■ ■ ■ VTKCompatibility.cmake
■ ■ ■ WriteBasicConfigVersionFile.cmake
■ ■ ■ WriteCompilerDetectionHeader.cmake
■ ■ ■ ecos_clean.cmake
■ ■ ■ exportheader.cmake.in
■ ■ ■ kde3init_dummy.cpp.in
■ ■ ■ kde3uic.cmake
■ ■ ■ readme.txt
■ ■ ■ Templates
■ ■ ■ AppleInfo.plist
■ ■ ■ CMakeVSMacros1.vsmacros
■ ■ ■ CMakeVSMacros2.vsmacros
■ ■ ■ CPack.GenericDescription.txt
■ ■ ■ CPack.GenericLicense.txt
■ ■ ■ CPack.GenericWelcome.txt
■ ■ ■ CPackConfig.cmake.in
■ ■ ■ MSBuild
■   ■ ■ ■ CustomBuildDepFile.targets
■   ■ ■ ■ FlagTables
■     ■ ■ ■ v10_CL.json
■     ■ ■ ■ v10_CSharp.json
■     ■ ■ ■ v10_CUDA.json
■     ■ ■ ■ v10_CUDAHost.json
■     ■ ■ ■ v10_LIB.json
■     ■ ■ ■ v10_Link.json
■     ■ ■ ■ v10_MARMASM.json
■     ■ ■ ■ v10_MASM.json
■     ■ ■ ■ v10_NASM.json
■     ■ ■ ■ v10_RC.json
■     ■ ■ ■ v11_CL.json

```



```

■ ■ ■ ■ v11_CSharp.json
■ ■ ■ ■ v11_LIB.json
■ ■ ■ ■ v11_Link.json
■ ■ ■ ■ v11_MASM.json
■ ■ ■ ■ v11_RC.json
■ ■ ■ ■ v12_CL.json
■ ■ ■ ■ v12_CSharp.json
■ ■ ■ ■ v12_LIB.json
■ ■ ■ ■ v12_Link.json
■ ■ ■ ■ v12_MASM.json
■ ■ ■ ■ v12_RC.json
■ ■ ■ ■ v140_CL.json
■ ■ ■ ■ v140_CSharp.json
■ ■ ■ ■ v140_Link.json
■ ■ ■ ■ v141_CL.json
■ ■ ■ ■ v141_CSharp.json
■ ■ ■ ■ v141_Link.json
■ ■ ■ ■ v142_CL.json
■ ■ ■ ■ v142_CSharp.json
■ ■ ■ ■ v142_Link.json
■ ■ ■ ■ v143_CL.json
■ ■ ■ ■ v143_CSharp.json
■ ■ ■ ■ v143_Link.json
■ ■ ■ ■ v14_LIB.json
■ ■ ■ ■ v14_MASM.json
■ ■ ■ ■ v14_RC.json
■ ■ ■ ■ nasm.props.in
■ ■ ■ ■ nasm.targets
■ ■ ■ ■ nasm.xml
■ ■ ■ ■ TestDriver.cxx.in
■ ■ ■ ■ Windows
■ ■ ■ ■ ApplicationIcon.png
■ ■ ■ ■ Logo.png
■ ■ ■ ■ SmallLogo.png
■ ■ ■ ■ SmallLogo44x44.png
■ ■ ■ ■ SplashScreen.png
■ ■ ■ ■ StoreLogo.png
■ ■ ■ ■ Windows_TemporaryKey.pfx
■ ■ ■ ■ include
■ ■ ■ ■ cmCPluginAPI.h
■ ■ ■ ■ emacs
■ ■ ■ ■ site-lisp
■ ■ ■ ■ cmake-mode.el
■ ■ ■ ■ vim
■ ■ ■ ■ vimfiles
■ ■ ■ ■ indent
■ ■ ■ ■ cmake.vim
■ ■ ■ ■ syntax
■ ■ ■ ■ cmake.vim
■ ■ ■ ■ py.typed
■ ■ ■ ■ cmake-3.31.1.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ licenses
■ ■ ■ ■ AUTHORS.rst
```

[illegible]

```

WHEEL
top_level.txt
zip-safe
cons
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
core.cpython-311.pyc
unify.cpython-311.pyc
_version.py
core.py
unify.py
cons-0.4.6.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
WHEEL
top_level.txt
contourpy
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
array.cpython-311.pyc
chunk.cpython-311.pyc
convert.cpython-311.pyc
dechunk.cpython-311.pyc
enum_util.cpython-311.pyc
typecheck.cpython-311.pyc
types.cpython-311.pyc
_contourpy.cpython-311-x86_64-linux-gnu.so
_contourpy.pyi
_version.py
array.py
chunk.py
convert.py
dechunk.py
enum_util.py
py.typed
typecheck.py
types.py
util
__init__.py
__pycache__
__init__.cpython-311.pyc
_build_config.cpython-311.pyc
bokeh_renderer.cpython-311.pyc
bokeh_util.cpython-311.pyc
data.cpython-311.pyc
mpl_renderer.cpython-311.pyc
mpl_util.cpython-311.pyc
renderer.cpython-311.pyc
_build_config.py
bokeh_renderer.py
bokeh_util.py
data.py

```

```
■ ■ ■ ■ ■ ■ ■■ mpl_renderer.py
■ ■ ■ ■ ■ ■ ■■ mpl_util.py
■ ■ ■ ■ ■ ■ ■■ renderer.py
■ ■ ■ ■ ■ ■■■ contourpy-1.3.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ countryinfo
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ countryinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ countryinfo.py
■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■■■ afghanistan.json
■ ■ ■ ■ ■ ■■■ albania.json
■ ■ ■ ■ ■ ■■■ algeria.json
■ ■ ■ ■ ■ ■■■ american_samoa.json
■ ■ ■ ■ ■ ■■■ angola.json
■ ■ ■ ■ ■ ■■■ anguilla.json
■ ■ ■ ■ ■ ■■■ antarctica.json
■ ■ ■ ■ ■ ■■■ antigua_and_barbuda.json
■ ■ ■ ■ ■ ■■■ argentina.json
■ ■ ■ ■ ■ ■■■ armenia.json
■ ■ ■ ■ ■ ■■■ aruba.json
■ ■ ■ ■ ■ ■■■ ashmore_and_cartier_island.json
■ ■ ■ ■ ■ ■■■ australia.json
■ ■ ■ ■ ■ ■■■ austria.json
■ ■ ■ ■ ■ ■■■ azerbaijan.json
■ ■ ■ ■ ■ ■■■ bahamas.json
■ ■ ■ ■ ■ ■■■ bahrain.json
■ ■ ■ ■ ■ ■■■ bangladesh.json
■ ■ ■ ■ ■ ■■■ barbados.json
■ ■ ■ ■ ■ ■■■ belarus.json
■ ■ ■ ■ ■ ■■■ belgium.json
■ ■ ■ ■ ■ ■■■ belize.json
■ ■ ■ ■ ■ ■■■ benin.json
■ ■ ■ ■ ■ ■■■ bermuda.json
■ ■ ■ ■ ■ ■■■ bhutan.json
■ ■ ■ ■ ■ ■■■ bolivia.json
■ ■ ■ ■ ■ ■■■ bosnia_and_herzegovina.json
■ ■ ■ ■ ■ ■■■ botswana.json
■ ■ ■ ■ ■ ■■■ brazil.json
■ ■ ■ ■ ■ ■■■ british_virgin_islands.json
■ ■ ■ ■ ■ ■■■ brunei.json
■ ■ ■ ■ ■ ■■■ bulgaria.json
■ ■ ■ ■ ■ ■■■ burkina_faso.json
■ ■ ■ ■ ■ ■■■ burma.json
■ ■ ■ ■ ■ ■■■ burundi.json
■ ■ ■ ■ ■ ■■■ cambodia.json
■ ■ ■ ■ ■ ■■■ cameroon.json
■ ■ ■ ■ ■ ■■■ canada.json
■ ■ ■ ■ ■ ■■■ cape_verde.json
■ ■ ■ ■ ■ ■■■ cayman_islands.json
■ ■ ■ ■ ■ ■■■ central_african_republic.json
■ ■ ■ ■ ■ ■■■ chad.json
```



```

■ ■ ■ ■ ■ ■ ■■ svalbard.json
■ ■ ■ ■ ■ ■ ■■ swaziland.json
■ ■ ■ ■ ■ ■ ■■ sweden.json
■ ■ ■ ■ ■ ■ ■■ switzerland.json
■ ■ ■ ■ ■ ■ ■■ syria.json
■ ■ ■ ■ ■ ■ ■■ taiwan.json
■ ■ ■ ■ ■ ■ ■■ tajikistan.json
■ ■ ■ ■ ■ ■ ■■ tanzania.json
■ ■ ■ ■ ■ ■ ■■ thailand.json
■ ■ ■ ■ ■ ■ ■■ tobago.json
■ ■ ■ ■ ■ ■ ■■ toga.json
■ ■ ■ ■ ■ ■ ■■ tokelau.json
■ ■ ■ ■ ■ ■ ■■ tonga.json
■ ■ ■ ■ ■ ■ ■■ trinidad.json
■ ■ ■ ■ ■ ■ ■■ tunisia.json
■ ■ ■ ■ ■ ■ ■■ turkey.json
■ ■ ■ ■ ■ ■ ■■ turkmenistan.json
■ ■ ■ ■ ■ ■ ■■ tuvalu.json
■ ■ ■ ■ ■ ■ ■■ uganda.json
■ ■ ■ ■ ■ ■ ■■ ukraine.json
■ ■ ■ ■ ■ ■ ■■ united_arab_emirates.json
■ ■ ■ ■ ■ ■ ■■ united_kingdom.json
■ ■ ■ ■ ■ ■ ■■ united_states_of_america.json
■ ■ ■ ■ ■ ■ ■■ uruguay.json
■ ■ ■ ■ ■ ■ ■■ uzbekistan.json
■ ■ ■ ■ ■ ■ ■■ vanuatu.json
■ ■ ■ ■ ■ ■ ■■ venezuela.json
■ ■ ■ ■ ■ ■ ■■ vietnam.json
■ ■ ■ ■ ■ ■ ■■ virgin_islands.json
■ ■ ■ ■ ■ ■ ■■ wales.json
■ ■ ■ ■ ■ ■ ■■ wallis_and_futuna.json
■ ■ ■ ■ ■ ■ ■■ west_bank.json
■ ■ ■ ■ ■ ■ ■■ western_sahara.json
■ ■ ■ ■ ■ ■ ■■ yemen.json
■ ■ ■ ■ ■ ■ ■■ zambia.json
■ ■ ■ ■ ■ ■ ■■ zimbabwe.json
■ ■ ■ ■ ■ ■■ countryinfo-0.1.2.dist-info
■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■■ cpuinfo
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ cpuinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■■ cpuinfo.py
■ ■ ■ ■ ■ ■■ cryptography
■ ■ ■ ■ ■ ■■ __about__.py
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __about__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc

```



```

■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ fernet.cpython-311.pyc
■ ■ ■ utils.cpython-311.pyc
■ ■ ■ exceptions.py
■ ■ ■ fernet.py
■ ■ ■ hazmat
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _der.cpython-311.pyc
■ ■ ■ _oid.cpython-311.pyc
■ ■ ■ _types.cpython-311.pyc
■ ■ ■ _der.py
■ ■ ■ _oid.py
■ ■ ■ _types.py
■ ■ ■ backends
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ interfaces.cpython-311.pyc
■ ■ ■ interfaces.py
■ ■ ■ openssl
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ aead.cpython-311.pyc
■ ■ ■ backend.cpython-311.pyc
■ ■ ■ ciphers.cpython-311.pyc
■ ■ ■ cmac.cpython-311.pyc
■ ■ ■ decode_asn1.cpython-311.pyc
■ ■ ■ dh.cpython-311.pyc
■ ■ ■ dsa.cpython-311.pyc
■ ■ ■ ec.cpython-311.pyc
■ ■ ■ ed25519.cpython-311.pyc
■ ■ ■ ed448.cpython-311.pyc
■ ■ ■ encode_asn1.cpython-311.pyc
■ ■ ■ hashes.cpython-311.pyc
■ ■ ■ hmac.cpython-311.pyc
■ ■ ■ ocsp.cpython-311.pyc
■ ■ ■ poly1305.cpython-311.pyc
■ ■ ■ rsa.cpython-311.pyc
■ ■ ■ utils.cpython-311.pyc
■ ■ ■ x25519.cpython-311.pyc
■ ■ ■ x448.cpython-311.pyc
■ ■ ■ x509.cpython-311.pyc
■ ■ ■ aead.py
■ ■ ■ backend.py
■ ■ ■ ciphers.py
■ ■ ■ cmac.py
■ ■ ■ decode_asn1.py
■ ■ ■ dh.py
■ ■ ■ dsa.py
■ ■ ■ ec.py
■ ■ ■ ed25519.py
■ ■ ■ ed448.py
■ ■ ■ encode_asn1.py
■ ■ ■ hashes.py
■ ■ ■ hmac.py

```

```

ocsp.py
poly1305.py
rsa.py
utils.py
x25519.py
x448.py
x509.py
bindings
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _openssl.abi3.so
  _padding.abi3.so
  _rust.abi3.so
  openssl
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _conditional.cpython-311.pyc
  binding.cpython-311.pyc
  _conditional.py
  binding.py
primitives
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _asymmetric.cpython-311.pyc
  _cipheralgorithm.cpython-311.pyc
  _serialization.cpython-311.pyc
  cmac.cpython-311.pyc
  constant_time.cpython-311.pyc
  hashes.cpython-311.pyc
  hmac.cpython-311.pyc
  keywrap.cpython-311.pyc
  padding.cpython-311.pyc
  poly1305.cpython-311.pyc
  _asymmetric.py
  _cipheralgorithm.py
  _serialization.py
  asymmetric
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  dh.cpython-311.pyc
  dsa.cpython-311.pyc
  ec.cpython-311.pyc
  ed25519.cpython-311.pyc
  ed448.cpython-311.pyc
  padding.cpython-311.pyc
  rsa.cpython-311.pyc
  utils.cpython-311.pyc
  x25519.cpython-311.pyc
  x448.cpython-311.pyc
  dh.py
  dsa.py
  ec.py
  ed25519.py
  ed448.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rsa.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x448.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ciphers
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ aead.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ algorithms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ aead.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ algorithms.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmac.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ constant_time.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hashes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hmac.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kdf
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ concatkdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hkdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kbkdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pbkdf2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scrypt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x963kdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ concatkdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hkdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kbkdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pbkdf2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scrypt.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x963kdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keywrap.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ poly1305.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ serialization
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs12.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs7.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs12.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs7.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssh.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ twofactor
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hotp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ totp.cpython-311.pyc
```

[illegible]

```

■      ■      ■      ■      ■      ■      config.cpython-311.pyc
■      ■      ■      ■      ■      ■      load_config_py2.cpython-311.pyc
■      ■      ■      ■      ■      ■      load_config_py3.cpython-311.pyc
■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ config-3.py
■      ■      ■      ■      ■      ■■■■ config.py
■      ■      ■      ■      ■      ■■■■ cv2.abi3.so
■      ■      ■      ■      ■      ■■■■ data
■      ■      ■      ■      ■      ■    ■■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_eye.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_eye_tree_eyeglasses.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_frontalcatface.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_frontalcatface_extended.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_frontalface_alt.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_frontalface_alt2.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_frontalface_alt_tree.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_frontalface_default.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_fullbody.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_lefteye_2splits.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_license_plate_rus_16stages.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_lowerbody.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_profileface.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_righteye_2splits.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_russian_plate_number.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_smile.xml
■      ■      ■      ■      ■      ■    ■■■■ haarcascade_upperbody.xml
■      ■      ■      ■      ■      ■■■■ gapi
■      ■      ■      ■      ■      ■    ■■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ load_config_py2.py
■      ■      ■      ■      ■      ■■■■ load_config_py3.py
■      ■      ■      ■      ■      ■■■■ mat_wrapper
■      ■      ■      ■      ■      ■    ■■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ misc
■      ■      ■      ■      ■      ■    ■■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■■ version.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■■ version.py
■      ■      ■      ■      ■      ■■■■ qt
■      ■      ■      ■      ■      ■    ■■■■ fonts
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSans-Bold.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSans-BoldOblique.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSans-ExtraLight.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSans-Oblique.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSans.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSansCondensed-Bold.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSansCondensed-BoldOblique.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSansCondensed-Oblique.ttf
■      ■      ■      ■      ■      ■    ■    ■■■■ DejaVuSansCondensed.ttf
■      ■      ■      ■      ■      ■■■■ plugins
■      ■      ■      ■      ■      ■    ■    ■■■■ platforms
■      ■      ■      ■      ■      ■    ■    ■    ■■■■ libqxcb.so
```

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dbapi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ client.py
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ dbapi.py
■ ■ ■ ■ ■ ■ ■ ■■■ exc.py
■ ■ ■ ■ ■ ■■■ databricks_sql_connector-0.9.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ NOTICE
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ dateutil
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ easter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ relativedelta.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ rrule.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tzwin.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.py
■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■■■ easter.py
■ ■ ■ ■ ■ ■■■ parser
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ isoparser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parser.py
■ ■ ■ ■ ■ ■■■ isoparser.py
■ ■ ■ ■ ■ ■■■ relativedelta.py
■ ■ ■ ■ ■ ■■■ rrule.py
■ ■ ■ ■ ■ ■■■ tz
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _factories.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tz.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ win.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.py
■ ■ ■ ■ ■ ■■■ _factories.py
■ ■ ■ ■ ■ ■■■ tz.py
■ ■ ■ ■ ■ ■■■ win.py
■ ■ ■ ■ ■ ■■■ tzwin.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ zoneinfo
■ ■ ■ ■ ■ ■■■ __init__.py
```

```

    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   └── rebuild.cpython-311.pyc
    ├── dateutil-zoneinfo.tar.gz
    ├── rebuild.py
    └── debugpy
        ├── ThirdPartyNotices.txt
        ├── __init__.py
        ├── __main__.py
        ├── __pycache__
        │   ├── __init__.cpython-311.pyc
        │   ├── __main__.cpython-311.pyc
        │   ├── _version.cpython-311.pyc
        │   ├── public_api.cpython-311.pyc
        │   └── _vendored
        │       ├── __init__.py
        │       ├── __pycache__
        │           ├── __init__.cpython-311.pyc
        │           ├── _pydevd_packaging.cpython-311.pyc
        │           ├── _util.cpython-311.pyc
        │           └── force_pydevd.cpython-311.pyc
        │       ├── _pydevd_packaging.py
        │       ├── _util.py
        │       ├── force_pydevd.py
        │       └── pydevd
        │           ├── __pycache__
        │               ├── pydev_app_engine_debug_startup.cpython-311.pyc
        │               ├── pydev_coverage.cpython-311.pyc
        │               ├── pydev_pysrc.cpython-311.pyc
        │               ├── pydev_run_in_console.cpython-311.pyc
        │               ├── pydevconsole.cpython-311.pyc
        │               ├── pydevd.cpython-311.pyc
        │               ├── pydevd_file_utils.cpython-311.pyc
        │               ├── pydevd_tracing.cpython-311.pyc
        │               └── setup_pydevd_cython.cpython-311.pyc
        │           ├── _pydev_bundle
        │           ├── __init__.py
        │           ├── __pycache__
        │               ├── __init__.cpython-311.pyc
        │               ├── _pydev_calltip_util.cpython-311.pyc
        │               ├── _pydev_completer.cpython-311.pyc
        │               ├── _pydev_execfile.cpython-311.pyc
        │               ├── _pydev_filesystem_encoding.cpython-311.pyc
        │               ├── _pydev_getopt.cpython-311.pyc
        │               ├── _pydev_imports_tipper.cpython-311.pyc
        │               ├── _pydev_jy_imports_tipper.cpython-311.pyc
        │               ├── _pydev_log.cpython-311.pyc
        │               ├── _pydev_saved_modules.cpython-311.pyc
        │               ├── _pydev_sys_patch.cpython-311.pyc
        │               ├── _pydev_tipper_common.cpython-311.pyc
        │               ├── pydev_console_utils.cpython-311.pyc
        │               ├── pydev_import_hook.cpython-311.pyc
        │               ├── pydev_imports.cpython-311.pyc
        │               ├── pydev_ipython_console.cpython-311.pyc
        │               ├── pydev_ipython_console_011.cpython-311.pyc
        │               ├── pydev_is_thread_alive.cpython-311.pyc
        │               ├── pydev_localhost.cpython-311.pyc
        │               └── pydev_log.cpython-311.pyc
```



```

■ ■ ■ ■ pydev_monkey.cpython-311.pyc
■ ■ ■ ■ pydev_monkey_qt.cpython-311.pyc
■ ■ ■ ■ pydev_override.cpython-311.pyc
■ ■ ■ ■ pydev_umd.cpython-311.pyc
■ ■ ■ ■ pydev_versioncheck.cpython-311.pyc
■ ■ ■ _pydev_calltip_util.py
■ ■ ■ _pydev_completer.py
■ ■ ■ _pydev_execfile.py
■ ■ ■ _pydev_filesystem_encoding.py
■ ■ ■ _pydev_getopt.py
■ ■ ■ _pydev_imports_tipper.py
■ ■ ■ _pydev_jy_imports_tipper.py
■ ■ ■ _pydev_log.py
■ ■ ■ _pydev_saved_modules.py
■ ■ ■ _pydev_sys_patch.py
■ ■ ■ _pydev_tipper_common.py
■ ■ ■ fsnotify
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ pydev_console_utils.py
■ ■ ■ pydev_import_hook.py
■ ■ ■ pydev_imports.py
■ ■ ■ pydev_ipython_console.py
■ ■ ■ pydev_ipython_console_011.py
■ ■ ■ pydev_is_thread_alive.py
■ ■ ■ pydev_localhost.py
■ ■ ■ pydev_log.py
■ ■ ■ pydev_monkey.py
■ ■ ■ pydev_monkey_qt.py
■ ■ ■ pydev_override.py
■ ■ ■ pydev_umd.py
■ ■ ■ pydev_versioncheck.py
■ ■ ■ _pydev_runfiles
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_coverage.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_nose.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_parallel.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_parallel_client.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_pytest2.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_unittest.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_xml_rpc.cpython-311.pyc
■ ■ ■ pydev_runfiles.py
■ ■ ■ pydev_runfiles_coverage.py
■ ■ ■ pydev_runfiles_nose.py
■ ■ ■ pydev_runfiles_parallel.py
■ ■ ■ pydev_runfiles_parallel_client.py
■ ■ ■ pydev_runfiles_pytest2.py
■ ■ ■ pydev_runfiles_unittest.py
■ ■ ■ pydev_runfiles_xml_rpc.py
■ ■ ■ _pydevd_bundle
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ pydevconsole_code.cpython-311.pyc

```

```
pydevd_additional_thread_info.cpython-311.pyc  
pydevd_additional_thread_info_regular.cpython-311.pyc  
pydevd_api.cpython-311.pyc  
pydevd_breakpoints.cpython-311.pyc  
pydevd_bytecode_utils.cpython-311.pyc  
pydevd_bytecode_utils_py311.cpython-311.pyc  
pydevd_code_to_source.cpython-311.pyc  
pydevd_collect_bytecode_info.cpython-311.pyc  
pydevd_comm.cpython-311.pyc  
pydevd_comm_constants.cpython-311.pyc  
pydevd_command_line_handling.cpython-311.pyc  
pydevd_console.cpython-311.pyc  
pydevd_constants.cpython-311.pyc  
pydevd_custom_frames.cpython-311.pyc  
pydevd_cython_wrapper.cpython-311.pyc  
pydevd_daemon_thread.cpython-311.pyc  
pydevd_defaults.cpython-311.pyc  
pydevd_dont_trace.cpython-311.pyc  
pydevd_dont_trace_files.cpython-311.pyc  
pydevd_exec2.cpython-311.pyc  
pydevd_extension_api.cpython-311.pyc  
pydevd_extension_utils.cpython-311.pyc  
pydevd_filtering.cpython-311.pyc  
pydevd_frame.cpython-311.pyc  
pydevd_frame_utils.cpython-311.pyc  
pydevd_gevent_integration.cpython-311.pyc  
pydevd_import_class.cpython-311.pyc  
pydevd_io.cpython-311.pyc  
pydevd_json_debug_options.cpython-311.pyc  
pydevd_net_command.cpython-311.pyc  
pydevd_net_command_factory_json.cpython-311.pyc  
pydevd_net_command_factory_xml.cpython-311.pyc  
pydevd_plugin_utils.cpython-311.pyc  
pydevd_process_net_command.cpython-311.pyc  
pydevd_process_net_command_json.cpython-311.pyc  
pydevd_referrers.cpython-311.pyc  
pydevd_reload.cpython-311.pyc  
pydevd_resolver.cpython-311.pyc  
pydevd_runpy.cpython-311.pyc  
pydevd_safe_repr.cpython-311.pyc  
pydevd_save_locals.cpython-311.pyc  
pydevd_signature.cpython-311.pyc  
pydevd_source_mapping.cpython-311.pyc  
pydevd_stackless.cpython-311.pyc  
pydevd_suspended_frames.cpython-311.pyc  
pydevd_thread_lifecycle.cpython-311.pyc  
pydevd_timeout.cpython-311.pyc  
pydevd_trace_dispatch.cpython-311.pyc  
pydevd_trace_dispatch_regular.cpython-311.pyc  
pydevd_traceproperty.cpython-311.pyc  
pydevd_utils.cpython-311.pyc  
pydevd_vars.cpython-311.pyc  
pydevd_vm_type.cpython-311.pyc  
pydevd_xml.cpython-311.pyc  
_debug_adapter  
__init__.py  
__main__pydevd_gen_debug_adapter_protocol.py  
__pycache__
```

■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	__main__pydevd_gen_debug_adapter_protocol.cpyt
■	■	■	■	■	■	■	■	■	■	■■■	pydevd_base_schema.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	pydevd_schema.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	pydevd_schema_log.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	debugProtocol.json	
■	■	■	■	■	■	■	■	■	■■■	debugProtocolCustom.json	
■	■	■	■	■	■	■	■	■	■■■	pydevd_base_schema.py	
■	■	■	■	■	■	■	■	■	■■■	pydevd_schema.py	
■	■	■	■	■	■	■	■	■	■■■	pydevd_schema_log.py	
■	■	■	■	■	■	■	■	■■■	pydevconsole_code.py		
■	■	■	■	■	■	■	■	■■■	pydevd_additional_thread_info.py		
■	■	■	■	■	■	■	■	■■■	pydevd_additional_thread_info_regular.py		
■	■	■	■	■	■	■	■	■■■	pydevd_api.py		
■	■	■	■	■	■	■	■	■■■	pydevd_breakpoints.py		
■	■	■	■	■	■	■	■	■■■	pydevd_bytecode_utils.py		
■	■	■	■	■	■	■	■	■■■	pydevd_bytecode_utils_py311.py		
■	■	■	■	■	■	■	■	■■■	pydevd_code_to_source.py		
■	■	■	■	■	■	■	■	■■■	pydevd_collect_bytecode_info.py		
■	■	■	■	■	■	■	■	■■■	pydevd_comm.py		
■	■	■	■	■	■	■	■	■■■	pydevd_comm_constants.py		
■	■	■	■	■	■	■	■	■■■	pydevd_command_line_handling.py		
■	■	■	■	■	■	■	■	■■■	pydevd_concurrency_analyser		
■	■	■	■	■	■	■	■	■■■	__init__.py		
■	■	■	■	■	■	■	■	■■■	__pycache__		
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■■■	pydevd_concurrency_logger.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■■■	pydevd_thread_wrappers.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	pydevd_concurrency_logger.py		
■	■	■	■	■	■	■	■	■■■	pydevd_thread_wrappers.py		
■	■	■	■	■	■	■	■	■■■	pydevd_console.py		
■	■	■	■	■	■	■	■	■■■	pydevd_constants.py		
■	■	■	■	■	■	■	■	■■■	pydevd_custom_frames.py		
■	■	■	■	■	■	■	■	■■■	pydevd_cython.c		
■	■	■	■	■	■	■	■	■■■	pydevd_cython.cpython-311-x86_64-linux-gnu.so		
■	■	■	■	■	■	■	■	■■■	pydevd_cython.pxd		
■	■	■	■	■	■	■	■	■■■	pydevd_cython.pyx		
■	■	■	■	■	■	■	■	■■■	pydevd_cython_wrapper.py		
■	■	■	■	■	■	■	■	■■■	pydevd_daemon_thread.py		
■	■	■	■	■	■	■	■	■■■	pydevd_defaults.py		
■	■	■	■	■	■	■	■	■■■	pydevd_dont_trace.py		
■	■	■	■	■	■	■	■	■■■	pydevd_dont_trace_files.py		
■	■	■	■	■	■	■	■	■■■	pydevd_exec2.py		
■	■	■	■	■	■	■	■	■■■	pydevd_extension_api.py		
■	■	■	■	■	■	■	■	■■■	pydevd_extension_utils.py		
■	■	■	■	■	■	■	■	■■■	pydevd_filtering.py		
■	■	■	■	■	■	■	■	■■■	pydevd_frame.py		
■	■	■	■	■	■	■	■	■■■	pydevd_frame_utils.py		
■	■	■	■	■	■	■	■	■■■	pydevd_gevent_integration.py		
■	■	■	■	■	■	■	■	■■■	pydevd_import_class.py		
■	■	■	■	■	■	■	■	■■■	pydevd_io.py		
■	■	■	■	■	■	■	■	■■■	pydevd_json_debug_options.py		
■	■	■	■	■	■	■	■	■■■	pydevd_net_command.py		
■	■	■	■	■	■	■	■	■■■	pydevd_net_command_factory_json.py		
■	■	■	■	■	■	■	■	■■■	pydevd_net_command_factory_xml.py		
■	■	■	■	■	■	■	■	■■■	pydevd_plugin_utils.py		
■	■	■	■	■	■	■	■	■■■	pydevd_process_net_command.py		
■	■	■	■	■	■	■	■	■■■	pydevd_process_net_command_json.py		

```

pydevd_referrers.py
pydevd_reload.py
pydevd_resolver.py
pydevd_runpy.py
pydevd_safe_repr.py
pydevd_save_locals.py
pydevd_signature.py
pydevd_source_mapping.py
pydevd_stackless.py
pydevd_suspended_frames.py
pydevd_thread_lifecycle.py
pydevd_timeout.py
pydevd_trace_dispatch.py
pydevd_trace_dispatch_regular.py
pydevd_traceproperty.py
pydevd_utils.py
pydevd_vars.py
pydevd_vm_type.py
pydevd_xml.py
_pydevd_frame_eval
.gitignore
__init__.py
__pycache__
    __init__.cpython-311.pyc
pydevd_frame_eval_cython_wrapper.cpython-311.pyc
pydevd_frame_eval_main.cpython-311.pyc
pydevd_frame_tracing.cpython-311.pyc
pydevd_modify_bytecode.cpython-311.pyc
pydevd_frame_eval_cython_wrapper.py
pydevd_frame_eval_main.py
pydevd_frame_evaluator.c
pydevd_frame_evaluator.pxd
pydevd_frame_evaluator.template.pyx
pydevd_frame_tracing.py
pydevd_modify_bytecode.py
release_mem.h
vendored
    README.txt
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    pydevd_fix_code.cpython-311.pyc
    bytecode
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
        bytecode.cpython-311.pyc
        cfg.cpython-311.pyc
        concrete.cpython-311.pyc
        flags.cpython-311.pyc
        instr.cpython-311.pyc
        peephole_opt.cpython-311.pyc
    bytecode.py
    cfg.py
    concrete.py
    flags.py
    instr.py
    peephole_opt.py

```

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	matplotlibtools.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	qt.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	qt_for_kernel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	qt_loaders.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	version.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	inputhook.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookglut.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookgtk.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookgtk3.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookpyglet.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookqt4.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookqt5.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookqt6.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhooktk.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookwx.py	
■	■	■	■	■	■	■	■	■	■■■■	matplotlibtools.py	
■	■	■	■	■	■	■	■	■	■■■■	qt.py	
■	■	■	■	■	■	■	■	■	■■■■	qt_for_kernel.py	
■	■	■	■	■	■	■	■	■	■■■■	qt_loaders.py	
■	■	■	■	■	■	■	■	■	■■■■	version.py	
■	■	■	■	■	■	■	■	■■■■	pydev_pysrc.py		
■	■	■	■	■	■	■	■	■■■■	pydev_run_in_console.py		
■	■	■	■	■	■	■	■	■■■■	pydev_sitecustomize		
■	■	■	■	■	■	■	■	■	■■■■	__not_in_default_pythonpath.txt	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	sitecustomize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	sitecustomize.py	
■	■	■	■	■	■	■	■	■■■■	pydevconsole.py		
■	■	■	■	■	■	■	■	■■■■	pydevd.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_attach_to_process		
■	■	■	■	■	■	■	■	■	■■■■	README.txt	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	_always_live_program.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_check.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process_linux.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	add_code_to_python_process.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	attach_pydevd.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	attach_script.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_always_live_program.py		
■	■	■	■	■	■	■	■	■■■■	_check.py		
■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process.py		
■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process_linux.py		
■	■	■	■	■	■	■	■	■■■■	add_code_to_python_process.py		
■	■	■	■	■	■	■	■	■■■■	attach_linux_amd64.so		
■	■	■	■	■	■	■	■	■■■■	attach_pydevd.py		
■	■	■	■	■	■	■	■	■■■■	attach_script.py		
■	■	■	■	■	■	■	■	■■■■	common		
■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace.hpp	
■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace_310.hpp	
■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace_311.hpp	
■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace_common.hpp	
■	■	■	■	■	■	■	■	■	■■■■	py_settrace.hpp	
■	■	■	■	■	■	■	■	■	■■■■	py_utils.hpp	
■	■	■	■	■	■	■	■	■	■■■■	py_version.hpp	
■	■	■	■	■	■	■	■	■	■■■■	python.h	
■	■	■	■	■	■	■	■	■	■■■■	ref_utils.hpp	
■	■	■	■	■	■	■	■	■■■■	linux_and_mac		

```
.gitignore
__pycache__
llldb_prepare.cpython-311.pyc
attach.cpp
compile_linux.sh
compile_mac.sh
compile_manylinux.cmd
lldb_prepare.py
winapdbg
__init__.py
__pycache__
__init__.cpython-311.pyc
breakpoint.cpython-311.pyc
compat.cpython-311.pyc
crash.cpython-311.pyc
debug.cpython-311.pyc
disasm.cpython-311.pyc
event.cpython-311.pyc
interactive.cpython-311.pyc
module.cpython-311.pyc
process.cpython-311.pyc
registry.cpython-311.pyc
search.cpython-311.pyc
sql.cpython-311.pyc
system.cpython-311.pyc
textio.cpython-311.pyc
thread.cpython-311.pyc
util.cpython-311.pyc
window.cpython-311.pyc
breakpoint.py
compat.py
crash.py
debug.py
disasm.py
event.py
interactive.py
module.py
process.py
registry.py
search.py
sql.py
system.py
textio.py
thread.py
util.py
win32
__init__.py
__pycache__
__init__.cpython-311.pyc
advapi32.cpython-311.pyc
context_amd64.cpython-311.pyc
context_i386.cpython-311.pyc
dbghelp.cpython-311.pyc
defines.cpython-311.pyc
gdi32.cpython-311.pyc
kernel32.cpython-311.pyc
ntdll.cpython-311.pyc
peb_teb.cpython-311.pyc
```

```

■■■■ psapi.cpython-311.pyc
■■■■ shell32.cpython-311.pyc
■■■■ shlwapi.cpython-311.pyc
■■■■ user32.cpython-311.pyc
■■■■ version.cpython-311.pyc
■■■■ wtsapi32.cpython-311.pyc
■■■■ advapi32.py
■■■■ context_amd64.py
■■■■ context_i386.py
■■■■ dbghelp.py
■■■■ defines.py
■■■■ gdi32.py
■■■■ kernel32.py
■■■■ ntdll.py
■■■■ peb_teb.py
■■■■ psapi.py
■■■■ shell32.py
■■■■ shlwapi.py
■■■■ user32.py
■■■■ version.py
■■■■ wtsapi32.py
■■■■ window.py
■■■■ windows
■■■■ attach.cpp
■■■■ attach.h
■■■■ compile_windows.bat
■■■■ inject_dll.cpp
■■■■ py_win_helpers.hpp
■■■■ run_code_in_memory.hpp
■■■■ run_code_on_dllmain.cpp
■■■■ stdafx.cpp
■■■■ stdafx.h
■■■■ targetver.h
■■■■ pydevd_file_utils.py
■■■■ pydevd_plugins
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ django_debug.cpython-311.pyc
■■■■ jinja2_debug.cpython-311.pyc
■■■■ pydevd_line_validation.cpython-311.pyc
■■■■ django_debug.py
■■■■ extensions
■■■■ README.md
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ types
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ pydevd_helpers.cpython-311.pyc
■■■■ pydevd_plugin_numpy_types.cpython-311.pyc
■■■■ pydevd_plugin_pandas_types.cpython-311.pyc
■■■■ pydevd_plugins_django_form_str.cpython-311.pyc
■■■■ pydevd_helpers.py
■■■■ pydevd_plugin_numpy_types.py
■■■■ pydevd_plugin_pandas_types.py

```



```
pydevd_plugins_django_form_str.py  
jinja2_debug.py  
pydevd_line_validation.py  
pydevd_tracing.py  
setup_pydevd_cython.py  
_version.py  
adapter  
    __init__.py  
    __main__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        __main__.cpython-311.pyc  
        clients.cpython-311.pyc  
        components.cpython-311.pyc  
        launchers.cpython-311.pyc  
        servers.cpython-311.pyc  
        sessions.cpython-311.pyc  
clients.py  
components.py  
launchers.py  
servers.py  
sessions.py  
common  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        json.cpython-311.pyc  
        log.cpython-311.pyc  
        messaging.cpython-311.pyc  
        singleton.cpython-311.pyc  
        sockets.cpython-311.pyc  
        stacks.cpython-311.pyc  
        timestamp.cpython-311.pyc  
        util.cpython-311.pyc  
json.py  
log.py  
messaging.py  
singleton.py  
sockets.py  
stacks.py  
timestamp.py  
util.py  
launcher  
    __init__.py  
    __main__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        __main__.cpython-311.pyc  
        debuggee.cpython-311.pyc  
        handlers.cpython-311.pyc  
        output.cpython-311.pyc  
        winapi.cpython-311.pyc  
debuggee.py  
handlers.py  
output.py  
winapi.py  
public_api.py  
server
```

```

███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ api.cpython-311.pyc
███ attach_pid_injected.cpython-311.pyc
███ cli.cpython-311.pyc
███ api.py
███ attach_pid_injected.py
███ cli.py
███ debugpy-1.8.9.dist-info
███ INSTALLER
███ LICENSE
███ METADATA
███ RECORD
███ WHEEL
███ entry_points.txt
███ top_level.txt
███ decorator-4.4.2.dist-info
███ INSTALLER
███ LICENSE.txt
███ METADATA
███ RECORD
███ WHEEL
███ pbr.json
███ top_level.txt
███ decorator.py
███ defusedxml
███ ElementTree.py
███ __init__.py
███ __pycache__
███ ElementTree.cpython-311.pyc
███ __init__.cpython-311.pyc
███ cElementTree.cpython-311.pyc
███ common.cpython-311.pyc
███ expatbuilder.cpython-311.pyc
███ expatreader.cpython-311.pyc
███ lxml.cpython-311.pyc
███ minidom.cpython-311.pyc
███ pulldom.cpython-311.pyc
███ sax.cpython-311.pyc
███ xmlrpc.cpython-311.pyc
███ cElementTree.py
███ common.py
███ expatbuilder.py
███ expatreader.py
███ lxml.py
███ minidom.py
███ pulldom.py
███ sax.py
███ xmlrpc.py
███ defusedxml-0.7.1.dist-info
███ INSTALLER
███ LICENSE
███ METADATA
███ RECORD
███ WHEEL
███ top_level.txt
███ dlib

```

```

███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ dlib-19.24.2.dist-info
███ INSTALLER
███ LICENSE.txt
███ METADATA
███ RECORD
███ REQUESTED
███ WHEEL
███ top_level.txt
███ dns
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _asyncbackend.cpython-311.pyc
███ _asyncio_backend.cpython-311.pyc
███ _ddr.cpython-311.pyc
███ _features.cpython-311.pyc
███ _immutable_ctx.cpython-311.pyc
███ _trio_backend.cpython-311.pyc
███ asyncbackend.cpython-311.pyc
███ asyncquery.cpython-311.pyc
███ asyncresolver.cpython-311.pyc
███ dnssec.cpython-311.pyc
███ dnssectypes.cpython-311.pyc
███ e164.cpython-311.pyc
███ edns.cpython-311.pyc
███ entropy.cpython-311.pyc
███ enum.cpython-311.pyc
███ exception.cpython-311.pyc
███ flags.cpython-311.pyc
███ grange.cpython-311.pyc
███ immutable.cpython-311.pyc
███ inet.cpython-311.pyc
███ ipv4.cpython-311.pyc
███ ipv6.cpython-311.pyc
███ message.cpython-311.pyc
███ name.cpython-311.pyc
███ namedict.cpython-311.pyc
███ nameserver.cpython-311.pyc
███ node.cpython-311.pyc
███ opcode.cpython-311.pyc
███ query.cpython-311.pyc
███ rcode.cpython-311.pyc
███ rdata.cpython-311.pyc
███ rdataclass.cpython-311.pyc
███ rdataset.cpython-311.pyc
███ rdatatype.cpython-311.pyc
███ renderer.cpython-311.pyc
███ resolver.cpython-311.pyc
███ reversename.cpython-311.pyc
███ rrset.cpython-311.pyc
███ serial.cpython-311.pyc
███ set.cpython-311.pyc
███ tokenizer.cpython-311.pyc
███ transaction.cpython-311.pyc
███ tsig.cpython-311.pyc

```

■	■	■	■	■	■	■■■	tsigkeyring.cpython-311.pyc
■	■	■	■	■	■	■■■	ttl.cpython-311.pyc
■	■	■	■	■	■	■■■	update.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	versioned.cpython-311.pyc
■	■	■	■	■	■	■■■	win32util.cpython-311.pyc
■	■	■	■	■	■	■■■	wire.cpython-311.pyc
■	■	■	■	■	■	■■■	xfr.cpython-311.pyc
■	■	■	■	■	■	■■■	zone.cpython-311.pyc
■	■	■	■	■	■	■■■	zonefile.cpython-311.pyc
■	■	■	■	■	■	■■■	zonetypes.cpython-311.pyc
■	■	■	■	■	■■■		_asyncbackend.py
■	■	■	■	■	■■■		_asyncio_backend.py
■	■	■	■	■	■■■		_ddr.py
■	■	■	■	■	■■■		_features.py
■	■	■	■	■	■■■		_immutable_ctx.py
■	■	■	■	■	■■■		_trio_backend.py
■	■	■	■	■	■■■		asyncbackend.py
■	■	■	■	■	■■■		asyncquery.py
■	■	■	■	■	■■■		asyncresolver.py
■	■	■	■	■	■■■		dnssec.py
■	■	■	■	■	■■■		dnssecalgs
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	base.cpython-311.pyc
■	■	■	■	■	■	■■■	cryptography.cpython-311.pyc
■	■	■	■	■	■	■■■	dsa.cpython-311.pyc
■	■	■	■	■	■	■■■	ecdsa.cpython-311.pyc
■	■	■	■	■	■	■■■	eddsa.cpython-311.pyc
■	■	■	■	■	■	■■■	rsa.cpython-311.pyc
■	■	■	■	■	■■■		base.py
■	■	■	■	■	■■■		cryptography.py
■	■	■	■	■	■■■		dsa.py
■	■	■	■	■	■■■		ecdsa.py
■	■	■	■	■	■■■		eddsa.py
■	■	■	■	■	■■■		rsa.py
■	■	■	■	■	■■■		dnssectypes.py
■	■	■	■	■	■■■		e164.py
■	■	■	■	■	■■■		edns.py
■	■	■	■	■	■■■		entropy.py
■	■	■	■	■	■■■		enum.py
■	■	■	■	■	■■■		exception.py
■	■	■	■	■	■■■		flags.py
■	■	■	■	■	■■■		grange.py
■	■	■	■	■	■■■		immutable.py
■	■	■	■	■	■■■		inet.py
■	■	■	■	■	■■■		ipv4.py
■	■	■	■	■	■■■		ipv6.py
■	■	■	■	■	■■■		message.py
■	■	■	■	■	■■■		name.py
■	■	■	■	■	■■■		namedict.py
■	■	■	■	■	■■■		nameserver.py
■	■	■	■	■	■■■		node.py
■	■	■	■	■	■■■		opcode.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		query.py
■	■	■	■	■	■■■		quic

■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_asyncio.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_sync.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_trio.cpython-311.pyc
■	■	■	■	■	■	■■■	_asyncio.py	
■	■	■	■	■	■	■■■	_common.py	
■	■	■	■	■	■	■■■	_sync.py	
■	■	■	■	■	■	■■■	_trio.py	
■	■	■	■	■	■■■	rcode.py		
■	■	■	■	■	■■■	rdata.py		
■	■	■	■	■	■■■	rdataclass.py		
■	■	■	■	■	■■■	rdataset.py		
■	■	■	■	■	■■■	rdatatype.py		
■	■	■	■	■	■■■	rdtypes		
■	■	■	■	■	■	■■■	ANY	
■	■	■	■	■	■	■■■	AFSDB.py	
■	■	■	■	■	■	■■■	AMTRELAY.py	
■	■	■	■	■	■	■■■	AVC.py	
■	■	■	■	■	■	■■■	CAA.py	
■	■	■	■	■	■	■■■	CDNSKEY.py	
■	■	■	■	■	■	■■■	CDS.py	
■	■	■	■	■	■	■■■	CERT.py	
■	■	■	■	■	■	■■■	CNAME.py	
■	■	■	■	■	■	■■■	CSYNC.py	
■	■	■	■	■	■	■■■	DLV.py	
■	■	■	■	■	■	■■■	DNAME.py	
■	■	■	■	■	■	■■■	DNSKEY.py	
■	■	■	■	■	■	■■■	DS.py	
■	■	■	■	■	■	■■■	EUI48.py	
■	■	■	■	■	■	■■■	EUI64.py	
■	■	■	■	■	■	■■■	GPOS.py	
■	■	■	■	■	■	■■■	HINFO.py	
■	■	■	■	■	■	■■■	HIP.py	
■	■	■	■	■	■	■■■	ISDN.py	
■	■	■	■	■	■	■■■	L32.py	
■	■	■	■	■	■	■■■	L64.py	
■	■	■	■	■	■	■■■	LOC.py	
■	■	■	■	■	■	■■■	LP.py	
■	■	■	■	■	■	■■■	MX.py	
■	■	■	■	■	■	■■■	NID.py	
■	■	■	■	■	■	■■■	NINFO.py	
■	■	■	■	■	■	■■■	NS.py	
■	■	■	■	■	■	■■■	NSEC.py	
■	■	■	■	■	■	■■■	NSEC3.py	
■	■	■	■	■	■	■■■	NSEC3PARAM.py	
■	■	■	■	■	■	■■■	OPENPGPKEY.py	
■	■	■	■	■	■	■■■	OPT.py	
■	■	■	■	■	■	■■■	PTR.py	
■	■	■	■	■	■	■■■	RESINFO.py	
■	■	■	■	■	■	■■■	RP.py	
■	■	■	■	■	■	■■■	RRSIG.py	
■	■	■	■	■	■	■■■	RT.py	
■	■	■	■	■	■	■■■	SMIMEA.py	
■	■	■	■	■	■	■■■	SOA.py	
■	■	■	■	■	■	■■■	SPF.py	

■	■	■	■	■	■	■	■■■	SSHFP.py	
■	■	■	■	■	■	■	■■■	TKEY.py	
■	■	■	■	■	■	■	■■■	TLSA.py	
■	■	■	■	■	■	■	■■■	TSIG.py	
■	■	■	■	■	■	■	■■■	TXT.py	
■	■	■	■	■	■	■	■■■	URI.py	
■	■	■	■	■	■	■	■■■	WALLET.py	
■	■	■	■	■	■	■	■■■	X25.py	
■	■	■	■	■	■	■	■■■	ZONEMD.py	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	AFSDB.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	AMTRELAY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	AVC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CAA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CDNSKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CDS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CERT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CNAME.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CSYNC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DLV.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DNAME.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DNSKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	EUI48.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	EUI64.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	GPOS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	HINFO.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	HIP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	ISDN.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	L32.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	L64.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	LOC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	LP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	MX.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NID.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NINFO.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NSEC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NSEC3.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NSEC3PARAM.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	OPENPGPKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	OPT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	PTR.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RESINFO.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RRSIG.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SMIMEA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SOA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SPF.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SSHFP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TLSA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TSIG.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TXT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	URI.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	WALLET.cpython-311.pyc

```

■ X25.cpython-311.pyc
■ ZONEMD.cpython-311.pyc
■ __init__.cpython-311.pyc
■■■ CH
■ ■■■ A.py
■ ■■■ __init__.py
■ ■■■ __pycache__
■ ■■■ A.cpython-311.pyc
■ ■■■ __init__.cpython-311.pyc
■■■ IN
■ ■■■ A.py
■ ■■■ AAAA.py
■ ■■■ APL.py
■ ■■■ DHCID.py
■ ■■■ HTTPS.py
■ ■■■ IPSECKEY.py
■ ■■■ KX.py
■ ■■■ NAPTR.py
■ ■■■ NSAP.py
■ ■■■ NSAP_PTR.py
■ ■■■ PX.py
■ ■■■ SRV.py
■ ■■■ SVCB.py
■ ■■■ WKS.py
■ ■■■ __init__.py
■ ■■■ __pycache__
■ ■■■ A.cpython-311.pyc
■ ■■■ AAAA.cpython-311.pyc
■ ■■■ APL.cpython-311.pyc
■ ■■■ DHCID.cpython-311.pyc
■ ■■■ HTTPS.cpython-311.pyc
■ ■■■ IPSECKEY.cpython-311.pyc
■ ■■■ KX.cpython-311.pyc
■ ■■■ NAPTR.cpython-311.pyc
■ ■■■ NSAP.cpython-311.pyc
■ ■■■ NSAP_PTR.cpython-311.pyc
■ ■■■ PX.cpython-311.pyc
■ ■■■ SRV.cpython-311.pyc
■ ■■■ SVCB.cpython-311.pyc
■ ■■■ WKS.cpython-311.pyc
■ ■■■ __init__.cpython-311.pyc
■■■ __init__.py
■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■ ■■■ dnskeybase.cpython-311.pyc
■ ■■■ dsbase.cpython-311.pyc
■ ■■■ euibase.cpython-311.pyc
■ ■■■ mxbase.cpython-311.pyc
■ ■■■ nsbase.cpython-311.pyc
■ ■■■ svcbbase.cpython-311.pyc
■ ■■■ tlsabase.cpython-311.pyc
■ ■■■ txtbase.cpython-311.pyc
■ ■■■ util.cpython-311.pyc
■■■ dnskeybase.py
■■■ dsbase.py
■■■ euibase.py
■■■ mxbase.py
■■■ nsbase.py

```

[illegible]


```

■      ■      ■      ■      ■      ■      ■      constants.py
■      ■      ■      ■      ■      ■      ■      coreprops.py
■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      oxml.py
■      ■      ■      ■      ■      ■      ■      package.py
■      ■      ■      ■      ■      ■      ■      packuri.py
■      ■      ■      ■      ■      ■      ■      part.py
■      ■      ■      ■      ■      ■      ■      parts
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      coreprops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      coreprops.py
■      ■      ■      ■      ■      ■      ■      phys_pkg.py
■      ■      ■      ■      ■      ■      ■      pkgreader.py
■      ■      ■      ■      ■      ■      ■      pkgwriter.py
■      ■      ■      ■      ■      ■      ■      rel.py
■      ■      ■      ■      ■      ■      ■      shared.py
■      ■      ■      ■      ■      ■      ■      spec.py
■      ■      ■      ■      ■      ■      ■      oxml
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      coreprops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      document.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ns.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      numbering.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      section.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      settings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      shape.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      shared.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      simletypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      styles.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      table.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      xmlchemy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      coreprops.py
■      ■      ■      ■      ■      ■      ■      document.py
■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      ns.py
■      ■      ■      ■      ■      ■      ■      numbering.py
■      ■      ■      ■      ■      ■      ■      section.py
■      ■      ■      ■      ■      ■      ■      settings.py
■      ■      ■      ■      ■      ■      ■      shape.py
■      ■      ■      ■      ■      ■      ■      shared.py
■      ■      ■      ■      ■      ■      ■      simletypes.py
■      ■      ■      ■      ■      ■      ■      styles.py
■      ■      ■      ■      ■      ■      ■      table.py
■      ■      ■      ■      ■      ■      ■      text
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      font.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      paragraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      parfmt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      run.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      font.py
■      ■      ■      ■      ■      ■      ■      paragraph.py

```

[illegible]

[illegible]

[illegible]

```

METADATA
RECORD
WHEEL
top_level.txt
etuples
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
core.cpython-311.pyc
dispatch.cpython-311.pyc
_version.py
core.py
dispatch.py
etuples-0.3.9.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
exchange_calendars
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
always_open.cpython-311.pyc
calendar_helpers.cpython-311.pyc
calendar_utils.cpython-311.pyc
common_holidays.cpython-311.pyc
ecal.cpython-311.pyc
errors.cpython-311.pyc
exchange_calendar.cpython-311.pyc
exchange_calendar_aixk.cpython-311.pyc
exchange_calendar_asex.cpython-311.pyc
exchange_calendar_bvmf.cpython-311.pyc
exchange_calendar_cmes.cpython-311.pyc
exchange_calendar_iepa.cpython-311.pyc
exchange_calendar_xams.cpython-311.pyc
exchange_calendar_xasx.cpython-311.pyc
exchange_calendar_xbkk.cpython-311.pyc
exchange_calendar_xbog.cpython-311.pyc
exchange_calendar_xbom.cpython-311.pyc
exchange_calendar_xbru.cpython-311.pyc
exchange_calendar_xbse.cpython-311.pyc
exchange_calendar_xbud.cpython-311.pyc
exchange_calendar_xbue.cpython-311.pyc
exchange_calendar_xcbf.cpython-311.pyc
exchange_calendar_xcse.cpython-311.pyc
exchange_calendar_xdub.cpython-311.pyc
exchange_calendar_xetr.cpython-311.pyc
exchange_calendar_xfra.cpython-311.pyc
exchange_calendar_xhel.cpython-311.pyc
exchange_calendar_xhkg.cpython-311.pyc
exchange_calendar_xice.cpython-311.pyc
exchange_calendar_xidx.cpython-311.pyc
exchange_calendar_xist.cpython-311.pyc
exchange_calendar_xjse.cpython-311.pyc

```

■	■	■	■	■	■	■■■	exchange_calendar_xkar.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xkls.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xkrx.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xlim.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xlis.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xlon.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmad.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmex.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmil.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmos.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xnys.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xnze.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xosl.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xpar.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xphs.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xpra.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xses.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xsgo.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xshg.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xsto.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xswx.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtae.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtai.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtks.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtse.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xwar.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xwbo.cpython-311.pyc
■	■	■	■	■	■	■■■	lunisolar_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	precomputed_exchange_calendar.cpython-311.pyc
■	■	■	■	■	■	■■■	tase_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	us_futures_calendar.cpython-311.pyc
■	■	■	■	■	■	■■■	us_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	weekday_calendar.cpython-311.pyc
■	■	■	■	■	■	■■■	xbkk_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	xkls_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	xkrx_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	xtks_holidays.cpython-311.pyc
■	■	■	■	■	■■■	_version.py	
■	■	■	■	■	■■■	always_open.py	
■	■	■	■	■	■■■	calendar_helpers.py	
■	■	■	■	■	■■■	calendar_utils.py	
■	■	■	■	■	■■■	common_holidays.py	
■	■	■	■	■	■■■	ecal.py	
■	■	■	■	■	■■■	errors.py	
■	■	■	■	■	■■■	exchange_calendar.py	
■	■	■	■	■	■■■	exchange_calendar_aixk.py	
■	■	■	■	■	■■■	exchange_calendar_asex.py	
■	■	■	■	■	■■■	exchange_calendar_bvmf.py	
■	■	■	■	■	■■■	exchange_calendar_cmes.py	
■	■	■	■	■	■■■	exchange_calendar_iepa.py	
■	■	■	■	■	■■■	exchange_calendar_xams.py	
■	■	■	■	■	■■■	exchange_calendar_xasx.py	
■	■	■	■	■	■■■	exchange_calendar_xbkk.py	
■	■	■	■	■	■■■	exchange_calendar_xbog.py	
■	■	■	■	■	■■■	exchange_calendar_xbom.py	
■	■	■	■	■	■■■	exchange_calendar_xbru.py	
■	■	■	■	■	■■■	exchange_calendar_xbse.py	
■	■	■	■	■	■■■	exchange_calendar_xbud.py	

```

■ ■ ■ ■ ■ ■■■ exchange_calendar_xbue.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xcbf.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xcse.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xdub.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xetr.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xfra.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xhel.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xhkg.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xice.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xidx.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xist.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xjse.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xkar.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xkls.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xkrx.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xlim.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xlis.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xlon.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmad.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmex.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmil.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmos.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xnys.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xnze.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xosl.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xpar.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xphs.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xpra.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xses.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xsgo.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xshg.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xsto.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xswx.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtae.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtai.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtks.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtse.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xwar.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xwbo.py
■ ■ ■ ■ ■ ■■■ lunisolar_holidays.py
■ ■ ■ ■ ■ ■■■ pandas_extensions
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ korean_holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ holiday.py
■ ■ ■ ■ ■ ■■■ korean_holiday.py
■ ■ ■ ■ ■ ■■■ offsets.py
■ ■ ■ ■ ■ ■■■ precomputed_exchange_calendar.py
■ ■ ■ ■ ■ ■■■ tase_holidays.py
■ ■ ■ ■ ■ ■■■ us_futures_calendar.py
■ ■ ■ ■ ■ ■■■ us_holidays.py
■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```



```

init__.py
__pycache__
__init__.cpython-311.pyc
en_IE
__init__.py
__pycache__
__init__.cpython-311.pyc
en_IN
__init__.py
__pycache__
__init__.cpython-311.pyc
en_NZ
__init__.py
__pycache__
__init__.cpython-311.pyc
en_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
es
__init__.py
__pycache__
__init__.cpython-311.pyc
es_ES
__init__.py
__pycache__
__init__.cpython-311.pyc
es_MX
__init__.py
__pycache__
__init__.cpython-311.pyc
fa_IR
__init__.py
__pycache__
__init__.cpython-311.pyc
fi_FI
__init__.py
__pycache__
__init__.cpython-311.pyc
fil_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_CH
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_FR
__init__.py
__pycache__
__init__.cpython-311.pyc
he_IL
__init__.py
__pycache__

```



```

init__init__.py
__pycache__
__init__.cpython-311.pyc
es_ES
__init__.py
__pycache__
__init__.cpython-311.pyc
fa_IR
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_FR
__init__.py
__pycache__
__init__.cpython-311.pyc
he_IL
__init__.py
__pycache__
__init__.cpython-311.pyc
hr_HR
__init__.py
__pycache__
__init__.cpython-311.pyc
hu_HU
__init__.py
__pycache__
__init__.cpython-311.pyc
hy_AM
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
uk_UA
__init__.py
__pycache__
__init__.cpython-311.pyc
company
__init__.py
__pycache__
__init__.cpython-311.pyc
bg_BG
__init__.py
__pycache__

```


[illegible]

[illegible]


```

__init__.py
__pycache__
__init__.cpython-311.pyc
nl_BE
__init__.py
__pycache__
__init__.cpython-311.pyc
nl_NL
__init__.py
__pycache__
__init__.cpython-311.pyc
no_NO
__init__.py
__pycache__
__init__.cpython-311.pyc
pl_PL
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_PT
__init__.py
__pycache__
__init__.cpython-311.pyc
ro_RO
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
sl_SI
__init__.py
__pycache__
__init__.cpython-311.pyc
sv_SE
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
tl_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
tr_TR
__init__.py
__pycache__

```


■	■	■	■	■	■	■■■	templating.cpython-311.pyc
■	■	■	■	■	■	■■■	testclient.cpython-311.pyc
■	■	■	■	■	■	■■■	types.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	websockets.cpython-311.pyc
■	■	■	■	■	■■■		_compat.py
■	■	■	■	■	■■■		applications.py
■	■	■	■	■	■■■		background.py
■	■	■	■	■	■■■		concurrency.py
■	■	■	■	■	■■■		datastructures.py
■	■	■	■	■	■■■		dependencies
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■■■		models.py
■	■	■	■	■	■■■		utils.py
■	■	■	■	■	■■■		encoders.py
■	■	■	■	■	■■■		exception_handlers.py
■	■	■	■	■	■■■		exceptions.py
■	■	■	■	■	■■■		logger.py
■	■	■	■	■	■■■		middleware
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cors.cpython-311.pyc
■	■	■	■	■	■	■■■	gzip.cpython-311.pyc
■	■	■	■	■	■	■■■	httpsredirect.cpython-311.pyc
■	■	■	■	■	■	■■■	trustedhost.cpython-311.pyc
■	■	■	■	■	■	■■■	wsgi.cpython-311.pyc
■	■	■	■	■	■■■		cors.py
■	■	■	■	■	■■■		gzip.py
■	■	■	■	■	■■■		httpsredirect.py
■	■	■	■	■	■■■		trustedhost.py
■	■	■	■	■	■■■		wsgi.py
■	■	■	■	■	■■■		openapi
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	constants.cpython-311.pyc
■	■	■	■	■	■	■■■	docs.cpython-311.pyc
■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■■■		constants.py
■	■	■	■	■	■■■		docs.py
■	■	■	■	■	■■■		models.py
■	■	■	■	■	■■■		utils.py
■	■	■	■	■	■■■		param_functions.py
■	■	■	■	■	■■■		params.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		requests.py
■	■	■	■	■	■■■		responses.py
■	■	■	■	■	■■■		routing.py
■	■	■	■	■	■■■		security
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■■■ api_key.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ oauth2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ open_id_connect_url.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api_key.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ http.py
■ ■ ■ ■ ■ ■ ■ ■■■ oauth2.py
■ ■ ■ ■ ■ ■ ■ ■■■ open_id_connect_url.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ staticfiles.py
■ ■ ■ ■ ■ ■ ■■■■ templating.py
■ ■ ■ ■ ■ ■ ■■■■ testclient.py
■ ■ ■ ■ ■ ■ ■■■■ types.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ websockets.py
■ ■ ■ ■ ■ ■■■■ fastapi-0.111.0.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ licenses
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■■ fastapi_cli
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __main__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ discover.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ cli.py
■ ■ ■ ■ ■ ■■■■ discover.py
■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■■■■ logging.py
■ ■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■ ■■■■ fastapi_cli-0.0.5.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■■ licenses
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■■ fastjsonschema
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __main__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ draft04.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ draft06.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ draft07.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ generator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ indent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ref_resolver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ draft04.py
■ ■ ■ ■ ■ ■ ■■ draft06.py
■ ■ ■ ■ ■ ■ ■■ draft07.py
■ ■ ■ ■ ■ ■ ■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■ generator.py
■ ■ ■ ■ ■ ■ ■■ indent.py
■ ■ ■ ■ ■ ■ ■■ ref_resolver.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ fastjsonschema-2.21.1.dist-info
■ ■ ■ ■ ■ ■ ■■ AUTHORS
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ fastprogress
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _nbdev.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ fastprogress.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _nbdev.py
■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■■ fastprogress.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ fastprogress-1.0.3.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ ffmpeg
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _ffmpeg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _probe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _run.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _view.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ dag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ nodes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _ffmpeg.py
■ ■ ■ ■ ■ ■ ■■ _filters.py
■ ■ ■ ■ ■ ■ ■■ _probe.py
■ ■ ■ ■ ■ ■ ■■ _run.py
■ ■ ■ ■ ■ ■ ■■ _utils.py
■ ■ ■ ■ ■ ■ ■■ _view.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ dag.py
■ ■ ■ ■ ■ ■ ■ ■ nodes.py
■ ■ ■ ■ ■ ■ ■ ■ ffmpeg_python-0.2.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ffmpegpy-0.4.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ffmpegpy.py
■ ■ ■ ■ ■ ■ ■ ■ filelock
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _soft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _unix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ asyncio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _api.py
■ ■ ■ ■ ■ ■ ■ ■ _error.py
■ ■ ■ ■ ■ ■ ■ ■ _soft.py
■ ■ ■ ■ ■ ■ ■ ■ _unix.py
■ ■ ■ ■ ■ ■ ■ ■ _util.py
■ ■ ■ ■ ■ ■ ■ ■ _windows.py
■ ■ ■ ■ ■ ■ ■ ■ asyncio.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ filelock-3.16.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ fiona
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ collection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ crs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ drvsupport.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ env.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ inspector.cpython-311.pyc

```

■	■	■	■	■	■	■■■	io.cpython-311.pyc
■	■	■	■	■	■	■■■	logutils.cpython-311.pyc
■	■	■	■	■	■	■■■	meta.cpython-311.pyc
■	■	■	■	■	■	■■■	model.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	rfc3339.cpython-311.pyc
■	■	■	■	■	■	■■■	session.cpython-311.pyc
■	■	■	■	■	■	■■■	transform.cpython-311.pyc
■	■	■	■	■	■	■■■	vfs.cpython-311.pyc
■	■	■	■	■	■■■		_cpl.pxd
■	■	■	■	■	■■■		_csl.pxd
■	■	■	■	■	■■■		_env.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_env.pxd
■	■	■	■	■	■■■		_err.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_err.pxd
■	■	■	■	■	■■■		_geometry.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_geometry.pxd
■	■	■	■	■	■■■		_show_versions.py
■	■	■	■	■	■■■		_transform.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		collection.py
■	■	■	■	■	■■■		compat.py
■	■	■	■	■	■■■		crs.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		crs.pxd
■	■	■	■	■	■■■		crs.py
■	■	■	■	■	■■■		drvsupport.py
■	■	■	■	■	■■■		enums.py
■	■	■	■	■	■■■		env.py
■	■	■	■	■	■■■		errors.py
■	■	■	■	■	■■■		fio
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	bounds.cpython-311.pyc
■	■	■	■	■	■	■■■	calc.cpython-311.pyc
■	■	■	■	■	■	■■■	cat.cpython-311.pyc
■	■	■	■	■	■	■■■	collect.cpython-311.pyc
■	■	■	■	■	■	■■■	distrib.cpython-311.pyc
■	■	■	■	■	■	■■■	dump.cpython-311.pyc
■	■	■	■	■	■	■■■	env.cpython-311.pyc
■	■	■	■	■	■	■■■	filter.cpython-311.pyc
■	■	■	■	■	■	■■■	helpers.cpython-311.pyc
■	■	■	■	■	■	■■■	info.cpython-311.pyc
■	■	■	■	■	■	■■■	insp.cpython-311.pyc
■	■	■	■	■	■	■■■	load.cpython-311.pyc
■	■	■	■	■	■	■■■	ls.cpython-311.pyc
■	■	■	■	■	■	■■■	main.cpython-311.pyc
■	■	■	■	■	■	■■■	options.cpython-311.pyc
■	■	■	■	■	■	■■■	rm.cpython-311.pyc
■	■	■	■	■	■■■		bounds.py
■	■	■	■	■	■■■		calc.py
■	■	■	■	■	■■■		cat.py
■	■	■	■	■	■■■		collect.py
■	■	■	■	■	■■■		distrib.py
■	■	■	■	■	■■■		dump.py
■	■	■	■	■	■■■		env.py
■	■	■	■	■	■■■		filter.py
■	■	■	■	■	■■■		helpers.py
■	■	■	■	■	■■■		info.py


```
■ ■ ■ ■ ■ ■ ■■■■ insp.py
■ ■ ■ ■ ■ ■ ■■■■ load.py
■ ■ ■ ■ ■ ■ ■■■■ ls.py
■ ■ ■ ■ ■ ■ ■■■■ main.py
■ ■ ■ ■ ■ ■ ■■■■ options.py
■ ■ ■ ■ ■ ■ ■■■■ rm.py
■ ■ ■ ■ ■ ■ ■■■■ gdal.pxi
■ ■ ■ ■ ■ ■ ■■■■ gdal_data
■ ■ ■ ■ ■ ■ ■■■■ GDALLogoBW.svg
■ ■ ■ ■ ■ ■ ■■■■ GDALLogoColor.svg
■ ■ ■ ■ ■ ■ ■■■■ GDALLogoGS.svg
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.TXT
■ ■ ■ ■ ■ ■ ■■■■ bag_template.xml
■ ■ ■ ■ ■ ■ ■■■■ cubewerx_extra.wkt
■ ■ ■ ■ ■ ■ ■■■■ default.rsc
■ ■ ■ ■ ■ ■ ■■■■ ecw_cs.wkt
■ ■ ■ ■ ■ ■ ■■■■ eedaconf.json
■ ■ ■ ■ ■ ■ ■■■■ epsg.wkt
■ ■ ■ ■ ■ ■ ■■■■ esri_StatePlane_extra.wkt
■ ■ ■ ■ ■ ■ ■■■■ gdalicon.png
■ ■ ■ ■ ■ ■ ■■■■ gdalmdiminfo_output.schema.json
■ ■ ■ ■ ■ ■ ■■■■ gdalvrt.xsd
■ ■ ■ ■ ■ ■ ■■■■ gml_registry.xml
■ ■ ■ ■ ■ ■ ■■■■ gmlasconf.xml
■ ■ ■ ■ ■ ■ ■■■■ gmlasconf.xsd
■ ■ ■ ■ ■ ■ ■■■■ grib2_center.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_process.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_subcenter.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_0.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_1.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_13.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_14.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_15.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_16.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_17.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_18.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_19.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_190.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_191.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_2.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_20.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_3.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_4.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_5.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_6.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_0_7.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_10_0.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_10_1.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_10_191.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_10_2.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_10_3.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_10_4.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_1_0.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_1_1.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_1_2.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_20_0.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_20_1.csv
■ ■ ■ ■ ■ ■ ■■■■ grib2_table_4_2_20_2.csv
```

■	■	■	■	■	■	■■■	grib2_table_4_2_2_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_6.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_10.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_6.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_7.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_8.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_9.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_Canada.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_HPC.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_MRMS.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_NCEP.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_NDFD.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_index.csv
■	■	■	■	■	■	■■■	grib2_table_4_5.csv
■	■	■	■	■	■	■■■	grib2_table_versions.csv
■	■	■	■	■	■	■■■	gt_datum.csv
■	■	■	■	■	■	■■■	gt_ellips.csv
■	■	■	■	■	■	■■■	header.dxf
■	■	■	■	■	■	■■■	inspire_cp_BasicPropertyUnit.gfs
■	■	■	■	■	■	■■■	inspire_cp_CadastralBoundary.gfs
■	■	■	■	■	■	■■■	inspire_cp_CadastralParcel.gfs
■	■	■	■	■	■	■■■	inspire_cp_CadastralZoning.gfs
■	■	■	■	■	■	■■■	jpfgdgml_AdmArea.gfs
■	■	■	■	■	■	■■■	jpfgdgml_AdmBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_AdmPt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_BldA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_BldL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_Cntr.gfs
■	■	■	■	■	■	■■■	jpfgdgml_CommBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_CommPt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_Cstline.gfs
■	■	■	■	■	■	■■■	jpfgdgml_ElevPt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_GCP.gfs
■	■	■	■	■	■	■■■	jpfgdgml_LeveeEdge.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RailCL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdASL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdArea.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdCompt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdEdg.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdMgtBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdSgmtA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RvrMgtBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_SBAPt.gfs

■	■	■	■	■	■	■■■	jpfgdgml_SBArea.gfs
■	■	■	■	■	■	■■■	jpfgdgml_SBBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WStrA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WStrL.gfs
■	■	■	■	■	■	■■■	netcdf_config.xsd
■	■	■	■	■	■	■■■	nitf_spec.xml
■	■	■	■	■	■	■■■	nitf_spec.xsd
■	■	■	■	■	■	■■■	ogrvrt.xsd
■	■	■	■	■	■	■■■	osmconf.ini
■	■	■	■	■	■	■■■	ozi_datum.csv
■	■	■	■	■	■	■■■	ozi_ellips.csv
■	■	■	■	■	■	■■■	pci_datum.txt
■	■	■	■	■	■	■■■	pci_ellips.txt
■	■	■	■	■	■	■■■	pdfcomposition.xsd
■	■	■	■	■	■	■■■	pds4_template.xml
■	■	■	■	■	■	■■■	plscenesconf.json
■	■	■	■	■	■	■■■	ruian_vf_ob_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_uvoh_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_v1.gfs
■	■	■	■	■	■	■■■	s57agencies.csv
■	■	■	■	■	■	■■■	s57attributes.csv
■	■	■	■	■	■	■■■	s57expectedinput.csv
■	■	■	■	■	■	■■■	s57objectclasses.csv
■	■	■	■	■	■	■■■	seed_2d.dgn
■	■	■	■	■	■	■■■	seed_3d.dgn
■	■	■	■	■	■	■■■	stateplane.csv
■	■	■	■	■	■	■■■	template_tiles.mapml
■	■	■	■	■	■	■■■	tms_LINZAntarticaMapTileGrid.json
■	■	■	■	■	■	■■■	tms_MapML_APSTILE.json
■	■	■	■	■	■	■■■	tms_MapML_CBMTILE.json
■	■	■	■	■	■	■■■	tms_NZTM2000.json
■	■	■	■	■	■	■■■	trailer.dxf
■	■	■	■	■	■	■■■	vdv452.xml
■	■	■	■	■	■	■■■	vdv452.xsd
■	■	■	■	■	■	■■■	vicar.json
■	■	■	■	■	■■■	inspector.py	
■	■	■	■	■	■■■	io.py	
■	■	■	■	■	■■■	logutils.py	
■	■	■	■	■	■■■	meta.py	
■	■	■	■	■	■■■	model.py	
■	■	■	■	■	■■■	ogrext.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	ogrext1.pxd	
■	■	■	■	■	■■■	ogrext2.pxd	
■	■	■	■	■	■■■	ogrext3.pxd	
■	■	■	■	■	■■■	path.py	
■	■	■	■	■	■■■	proj_data	
■	■	■	■	■	■■■	CH	
■	■	■	■	■	■■■	GL27	
■	■	■	■	■	■■■	ITRF2000	
■	■	■	■	■	■■■	ITRF2008	
■	■	■	■	■	■■■	ITRF2014	
■	■	■	■	■	■■■	deformation_model.schema.json	
■	■	■	■	■	■■■	nad.lst	
■	■	■	■	■	■■■	nad27	
■	■	■	■	■	■■■	nad83	

```

■      ■      ■      ■      ■      ■      other.extra
■      ■      ■      ■      ■      ■      proj.db
■      ■      ■      ■      ■      ■      proj.ini
■      ■      ■      ■      ■      ■      projjson.schema.json
■      ■      ■      ■      ■      ■      triangulation.schema.json
■      ■      ■      ■      ■      ■      world
■      ■      ■      ■      ■      ■      rfc3339.py
■      ■      ■      ■      ■      ■      schema.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      session.py
■      ■      ■      ■      ■      ■      transform.py
■      ■      ■      ■      ■      ■      vfs.py
■      ■      ■      ■      ■      ■      fitz
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      fitz.cpython-311.pyc
■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      _fitz.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      fitz.py
■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      flask
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      app.cpython-311.pyc
■      ■      ■      ■      ■      ■      blueprints.cpython-311.pyc
■      ■      ■      ■      ■      ■      cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ctx.cpython-311.pyc
■      ■      ■      ■      ■      ■      debughelpers.cpython-311.pyc
■      ■      ■      ■      ■      ■      globals.cpython-311.pyc
■      ■      ■      ■      ■      ■      helpers.cpython-311.pyc
■      ■      ■      ■      ■      ■      logging.cpython-311.pyc
■      ■      ■      ■      ■      ■      sessions.cpython-311.pyc
■      ■      ■      ■      ■      ■      signals.cpython-311.pyc
■      ■      ■      ■      ■      ■      templating.cpython-311.pyc
■      ■      ■      ■      ■      ■      testing.cpython-311.pyc
■      ■      ■      ■      ■      ■      typing.cpython-311.pyc
■      ■      ■      ■      ■      ■      views.cpython-311.pyc
■      ■      ■      ■      ■      ■      wrappers.cpython-311.pyc
■      ■      ■      ■      ■      ■      app.py
■      ■      ■      ■      ■      ■      blueprints.py
■      ■      ■      ■      ■      ■      cli.py
■      ■      ■      ■      ■      ■      config.py
■      ■      ■      ■      ■      ■      ctx.py
■      ■      ■      ■      ■      ■      debughelpers.py
■      ■      ■      ■      ■      ■      globals.py
■      ■      ■      ■      ■      ■      helpers.py
■      ■      ■      ■      ■      ■      json
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      provider.cpython-311.pyc
■      ■      ■      ■      ■      ■      tag.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      provider.py
■      ■      ■      ■      ■      ■      tag.py
■      ■      ■      ■      ■      ■      logging.py
■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      sansio
■      ■      ■      ■      ■      ■      README.md
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      app.cpython-311.pyc
■      ■      ■      ■      ■      ■      blueprints.cpython-311.pyc
■      ■      ■      ■      ■      ■      scaffold.cpython-311.pyc
■      ■      ■      ■      ■      ■      app.py
■      ■      ■      ■      ■      ■      blueprints.py
■      ■      ■      ■      ■      ■      scaffold.py
■      ■      ■      ■      ■      ■      sessions.py
■      ■      ■      ■      ■      ■      signals.py
■      ■      ■      ■      ■      ■      templating.py
■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■      ■      views.py
■      ■      ■      ■      ■      ■      wrappers.py
■      ■      ■      ■      ■      ■      flask-3.1.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE.txt
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      flask_cachebuster
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      flask_cors
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      core.cpython-311.pyc
■      ■      ■      ■      ■      ■      decorator.cpython-311.pyc
■      ■      ■      ■      ■      ■      extension.cpython-311.pyc
■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      core.py
■      ■      ■      ■      ■      ■      decorator.py
■      ■      ■      ■      ■      ■      extension.py
■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      flask_login
■      ■      ■      ■      ■      ■      __about__.py
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __about__.cpython-311.pyc
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      config.cpython-311.pyc
■      ■      ■      ■      ■      ■      login_manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      mixins.cpython-311.pyc
■      ■      ■      ■      ■      ■      signals.cpython-311.pyc
■      ■      ■      ■      ■      ■      test_client.cpython-311.pyc
■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      config.py
■      ■      ■      ■      ■      ■      login_manager.py
■      ■      ■      ■      ■      ■      mixins.py

```

```

■■■ signals.py
■■■ test_client.py
■■■ utils.py
■■■ folium
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _version.cpython-311.pyc
■■■ elements.cpython-311.pyc
■■■ features.cpython-311.pyc
■■■ folium.cpython-311.pyc
■■■ map.cpython-311.pyc
■■■ raster_layers.cpython-311.pyc
■■■ utilities.cpython-311.pyc
■■■ vector_layers.cpython-311.pyc
■■■ _version.py
■■■ elements.py
■■■ features.py
■■■ folium.py
■■■ map.py
■■■ plugins
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ antpath.cpython-311.pyc
■■■ beautify_icon.cpython-311.pyc
■■■ boat_marker.cpython-311.pyc
■■■ draw.cpython-311.pyc
■■■ dual_map.cpython-311.pyc
■■■ fast_marker_cluster.cpython-311.pyc
■■■ feature_group_sub_group.cpython-311.pyc
■■■ float_image.cpython-311.pyc
■■■ fullscreen.cpython-311.pyc
■■■ geocoder.cpython-311.pyc
■■■ heat_map.cpython-311.pyc
■■■ heat_map_withtime.cpython-311.pyc
■■■ locate_control.cpython-311.pyc
■■■ marker_cluster.cpython-311.pyc
■■■ measure_control.cpython-311.pyc
■■■ minimap.cpython-311.pyc
■■■ mouse_position.cpython-311.pyc
■■■ pattern.cpython-311.pyc
■■■ polyline_offset.cpython-311.pyc
■■■ polyline_text_path.cpython-311.pyc
■■■ scroll_zoom_toggler.cpython-311.pyc
■■■ search.cpython-311.pyc
■■■ semicircle.cpython-311.pyc
■■■ terminator.cpython-311.pyc
■■■ time_slider_choropleth.cpython-311.pyc
■■■ timestamped_geo_json.cpython-311.pyc
■■■ timestamped_wmstilelayer.cpython-311.pyc
■■■ antpath.py
■■■ beautify_icon.py
■■■ boat_marker.py
■■■ draw.py
■■■ dual_map.py
■■■ fast_marker_cluster.py
■■■ feature_group_sub_group.py

```

■	■	■	■	■	■	■■■ float_image.py
■	■	■	■	■	■	■■■ fullscreen.py
■	■	■	■	■	■	■■■ geocoder.py
■	■	■	■	■	■	■■■ heat_map.py
■	■	■	■	■	■	■■■ heat_map_withtime.py
■	■	■	■	■	■	■■■ locate_control.py
■	■	■	■	■	■	■■■ marker_cluster.py
■	■	■	■	■	■	■■■ measure_control.py
■	■	■	■	■	■	■■■ minimap.py
■	■	■	■	■	■	■■■ mouse_position.py
■	■	■	■	■	■	■■■ pattern.py
■	■	■	■	■	■	■■■ polyline_offset.py
■	■	■	■	■	■	■■■ polyline_text_path.py
■	■	■	■	■	■	■■■ scroll_zoom_toggler.py
■	■	■	■	■	■	■■■ search.py
■	■	■	■	■	■	■■■ semicircle.py
■	■	■	■	■	■	■■■ terminator.py
■	■	■	■	■	■	■■■ time_slider_choropleth.py
■	■	■	■	■	■	■■■ timestamped_geo_json.py
■	■	■	■	■	■	■■■ timestamped_wmstilelayer.py
■	■	■	■	■	■■■	raster_layers.py
■	■	■	■	■	■■■	templates
■	■	■	■	■	■	■■■ fit_bounds.js
■	■	■	■	■	■	■■■ leaflet_heat.min.js
■	■	■	■	■	■	■■■ pa7_hm.min.js
■	■	■	■	■	■	■■■ pa7_leaflet_hm.min.js
■	■	■	■	■	■■■	tiles
■	■	■	■	■	■	■■■ cartodbdark_matter
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ cartodbpositron
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ cartodbpositronnolabels
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ cartodbpositrononlylabels
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ openstreetmap
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamenterrain
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamentoner
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamentonerbackground
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamentonerlabels
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamenwatercolor
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■■■	utilities.py

```

vector_layers.py
folium-0.12.1.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
fontTools
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
afmLib.cpython-311.pyc
agl.cpython-311.pyc
fontBuilder.cpython-311.pyc
help.cpython-311.pyc
tfmLib.cpython-311.pyc
ttx.cpython-311.pyc
unicode.cpython-311.pyc
afmLib.py
agl.py
cffLib
CFF2ToCFF.py
CFFToCFF2.py
__init__.py
__pycache__
CFF2ToCFF.cpython-311.pyc
CFFToCFF2.cpython-311.pyc
__init__.cpython-311.pyc
specializer.cpython-311.pyc
transforms.cpython-311.pyc
width.cpython-311.pyc
specializer.py
transforms.py
width.py
colorLib
__init__.py
__pycache__
__init__.cpython-311.pyc
builder.cpython-311.pyc
errors.cpython-311.pyc
geometry.cpython-311.pyc
table_builder.cpython-311.pyc
unbuilder.cpython-311.pyc
builder.py
errors.py
geometry.py
table_builder.py
unbuilder.py
config
__init__.py
__pycache__
__init__.cpython-311.pyc
cu2qu
__init__.py

```


[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■■■ transform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ treeTools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ visitor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xmlReader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xmlWriter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arrayTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ bezierTools.c
■ ■ ■ ■ ■ ■ ■ ■■■ bezierTools.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ bezierTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ classifyTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ cliTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ configTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ cython.py
■ ■ ■ ■ ■ ■ ■ ■■■ dictTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ eexec.py
■ ■ ■ ■ ■ ■ ■ ■■■ encodingTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ etree.py
■ ■ ■ ■ ■ ■ ■ ■■■ filenames.py
■ ■ ■ ■ ■ ■ ■ ■■■ fixedTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ intTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ iterTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ lazyTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ loggingTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ macCreatorType.py
■ ■ ■ ■ ■ ■ ■ ■■■ macRes.py
■ ■ ■ ■ ■ ■ ■ ■■■ plistlib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ psCharStrings.py
■ ■ ■ ■ ■ ■ ■ ■■■ psLib.py
■ ■ ■ ■ ■ ■ ■ ■■■ psOperators.py
■ ■ ■ ■ ■ ■ ■ ■■■ py23.py
■ ■ ■ ■ ■ ■ ■ ■■■ roundTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ sstruct.py
■ ■ ■ ■ ■ ■ ■ ■■■ symfont.py
■ ■ ■ ■ ■ ■ ■ ■■■ testTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ textTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ timeTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ transform.py
■ ■ ■ ■ ■ ■ ■ ■■■ treeTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ vector.py
■ ■ ■ ■ ■ ■ ■ ■■■ visitor.py
■ ■ ■ ■ ■ ■ ■ ■■■ xmlReader.py
■ ■ ■ ■ ■ ■ ■ ■■■ xmlWriter.py
■ ■ ■ ■ ■ ■ ■ ■■■ mtilib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ otllib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ builder.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ error.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ maxContextCalc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ builder.py
■      ■      ■      ■      ■      ■      ■■■■ error.py
■      ■      ■      ■      ■      ■      ■■■■ maxContextCalc.py
■      ■      ■      ■      ■      ■      ■■■■ optimize
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __main__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gpos.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gpos.py
■      ■      ■      ■      ■      ■■■■ pens
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ areaPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ basePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ boundsPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cairoPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cocoaPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cu2quPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ explicitClosingLinePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ filterPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ freetypePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ hashPointPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ momentsPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ perimeterPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ pointInsidePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ pointPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ qtPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ qu2cuPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ quartzPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ recordingPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ reportLabPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ reverseContourPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ roundingPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ statisticsPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ svgPathPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ t2CharStringPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ teePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ transformPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ ttGlyphPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ wxPen.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ areaPen.py
■      ■      ■      ■      ■      ■■■■ basePen.py
■      ■      ■      ■      ■      ■■■■ boundsPen.py
■      ■      ■      ■      ■      ■■■■ cairoPen.py
■      ■      ■      ■      ■      ■■■■ cocoaPen.py
■      ■      ■      ■      ■      ■■■■ cu2quPen.py
■      ■      ■      ■      ■      ■■■■ explicitClosingLinePen.py
■      ■      ■      ■      ■      ■■■■ filterPen.py
■      ■      ■      ■      ■      ■■■■ freetypePen.py
■      ■      ■      ■      ■      ■■■■ hashPointPen.py
■      ■      ■      ■      ■      ■■■■ momentsPen.c
■      ■      ■      ■      ■      ■■■■ momentsPen.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■■ momentsPen.py

```

```

■      ■      ■      ■      ■      ■      ■      perimeterPen.py
■      ■      ■      ■      ■      ■      ■      pointInsidePen.py
■      ■      ■      ■      ■      ■      ■      pointPen.py
■      ■      ■      ■      ■      ■      ■      qtPen.py
■      ■      ■      ■      ■      ■      ■      qu2cuPen.py
■      ■      ■      ■      ■      ■      ■      quartzPen.py
■      ■      ■      ■      ■      ■      ■      recordingPen.py
■      ■      ■      ■      ■      ■      ■      reportLabPen.py
■      ■      ■      ■      ■      ■      ■      reverseContourPen.py
■      ■      ■      ■      ■      ■      ■      roundingPen.py
■      ■      ■      ■      ■      ■      ■      statisticsPen.py
■      ■      ■      ■      ■      ■      ■      svgPathPen.py
■      ■      ■      ■      ■      ■      ■      t2CharStringPen.py
■      ■      ■      ■      ■      ■      ■      teePen.py
■      ■      ■      ■      ■      ■      ■      transformPen.py
■      ■      ■      ■      ■      ■      ■      ttGlyphPen.py
■      ■      ■      ■      ■      ■      ■      wxPen.py
■      ■      ■      ■      ■      ■      ■      qu2cu
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      benchmark.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      qu2cu.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      benchmark.py
■      ■      ■      ■      ■      ■      ■      cli.py
■      ■      ■      ■      ■      ■      ■      qu2cu.c
■      ■      ■      ■      ■      ■      ■      qu2cu.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      qu2cu.py
■      ■      ■      ■      ■      ■      ■      subset
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cff.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      svg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      cff.py
■      ■      ■      ■      ■      ■      ■      svg.py
■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      svgLib
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      path
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      arc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      parser.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      shapes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      arc.py
■      ■      ■      ■      ■      ■      ■      ■      parser.py
■      ■      ■      ■      ■      ■      ■      ■      shapes.py
■      ■      ■      ■      ■      ■      ■      t1Lib

```

[illegible]

■	■	■	■	■	■	■	■■■	S_T_A_T_.py
■	■	■	■	■	■	■	■■■	S_V_G_.py
■	■	■	■	■	■	■	■■■	S__i_l_f.py
■	■	■	■	■	■	■	■■■	S__i_l_l.py
■	■	■	■	■	■	■	■■■	T_S_I_B_.py
■	■	■	■	■	■	■	■■■	T_S_I_C_.py
■	■	■	■	■	■	■	■■■	T_S_I_D_.py
■	■	■	■	■	■	■	■■■	T_S_I_J_.py
■	■	■	■	■	■	■	■■■	T_S_I_P_.py
■	■	■	■	■	■	■	■■■	T_S_I_S_.py
■	■	■	■	■	■	■	■■■	T_S_I_V_.py
■	■	■	■	■	■	■	■■■	T_S_I__0.py
■	■	■	■	■	■	■	■■■	T_S_I__1.py
■	■	■	■	■	■	■	■■■	T_S_I__2.py
■	■	■	■	■	■	■	■■■	T_S_I__3.py
■	■	■	■	■	■	■	■■■	T_S_I__5.py
■	■	■	■	■	■	■	■■■	T_T_F_A_.py
■	■	■	■	■	■	■	■■■	TupleVariation.py
■	■	■	■	■	■	■	■■■	V_A_R_C_.py
■	■	■	■	■	■	■	■■■	V_D_M_X_.py
■	■	■	■	■	■	■	■■■	V_O_R_G_.py
■	■	■	■	■	■	■	■■■	V_V_A_R_.py
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■ B_A_S_E_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ BitmapGlyphMetrics.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_B_D_T_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_B_L_C_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_F_F_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_F_F__2.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_O_L_R_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_P_A_L_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ D_S_I_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ D__e_b_g.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ DefaultTable.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ E_B_D_T_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ E_B_L_C_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ F_F_T_M_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ F__e_a_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_D_E_F_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_M_A_P_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_P_K_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_P_O_S_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_S_U_B_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G__l_a_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G__l_o_c.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ H_V_A_R_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ J_S_T_F_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ L_T_S_H_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ M_A_T_H_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ M_E_T_A_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ M_V_A_R_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ O_S_2f_2.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S_I_N_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S_T_A_T_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S_V_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S__i_l_f.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S__i_l_l.cpython-311.pyc

	T_S_I_B_.cpython-311.pyc
	T_S_I_C_.cpython-311.pyc
	T_S_I_D_.cpython-311.pyc
	T_S_I_J_.cpython-311.pyc
	T_S_I_P_.cpython-311.pyc
	T_S_I_S_.cpython-311.pyc
	T_S_I_V_.cpython-311.pyc
	T_S_I_0.cpython-311.pyc
	T_S_I_1.cpython-311.pyc
	T_S_I_2.cpython-311.pyc
	T_S_I_3.cpython-311.pyc
	T_S_I_5.cpython-311.pyc
	T_T_F_A_.cpython-311.pyc
	TupleVariation.cpython-311.pyc
	V_A_R_C_.cpython-311.pyc
	V_D_M_X_.cpython-311.pyc
	V_O_R_G_.cpython-311.pyc
	V_V_A_R_.cpython-311.pyc
	init.cpython-311.pyc
	_a_n_k_r.cpython-311.pyc
	_a_v_a_r.cpython-311.pyc
	_b_s_l_n.cpython-311.pyc
	_c_i_d_g.cpython-311.pyc
	_c_m_a_p.cpython-311.pyc
	_c_v_a_r.cpython-311.pyc
	_c_v_t.cpython-311.pyc
	_f_e_a_t.cpython-311.pyc
	_f_p_g_m.cpython-311.pyc
	_f_v_a_r.cpython-311.pyc
	_g_a_s_p.cpython-311.pyc
	_g_c_i_d.cpython-311.pyc
	_g_l_y_f.cpython-311.pyc
	_g_v_a_r.cpython-311.pyc
	_h_d_m_x.cpython-311.pyc
	_h_e_a_d.cpython-311.pyc
	_h_h_e_a.cpython-311.pyc
	_h_m_t_x.cpython-311.pyc
	_k_e_r_n.cpython-311.pyc
	_l_c_a_r.cpython-311.pyc
	_l_o_c_a.cpython-311.pyc
	_l_t_a_g.cpython-311.pyc
	_m_a_x_p.cpython-311.pyc
	_m_e_t_a.cpython-311.pyc
	_m_o_r_t.cpython-311.pyc
	_m_o_r_x.cpython-311.pyc
	_n_a_m_e.cpython-311.pyc
	_o_p_b_d.cpython-311.pyc
	_p_o_s_t.cpython-311.pyc
	_p_r_e_p.cpython-311.pyc
	_p_r_o_p.cpython-311.pyc
	_s_b_i_x.cpython-311.pyc
	_t_r_a_k.cpython-311.pyc
	_v_h_e_a.cpython-311.pyc
	_v_m_t_x.cpython-311.pyc
	asciiTable.cpython-311.pyc
	grUtils.cpython-311.pyc
	otBase.cpython-311.pyc
	otConverters.cpython-311.pyc


```

■ ■ ■ ■ ■ ■ ■ ■ ■ otData.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ otTables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ otTraverse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sbixGlyph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sbixStrike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ttProgram.cpython-311.pyc
■ ■ ■ ■ _a_n_k_r.py
■ ■ ■ ■ _a_v_a_r.py
■ ■ ■ ■ _b_s_l_n.py
■ ■ ■ ■ _c_i_d_g.py
■ ■ ■ ■ _c_m_a_p.py
■ ■ ■ ■ _c_v_a_r.py
■ ■ ■ ■ _c_v_t.py
■ ■ ■ ■ _f_e_a_t.py
■ ■ ■ ■ _f_p_g_m.py
■ ■ ■ ■ _f_v_a_r.py
■ ■ ■ ■ _g_a_s_p.py
■ ■ ■ ■ _g_c_i_d.py
■ ■ ■ ■ _g_l_y_f.py
■ ■ ■ ■ _g_v_a_r.py
■ ■ ■ ■ _h_d_m_x.py
■ ■ ■ ■ _h_e_a_d.py
■ ■ ■ ■ _h_h_e_a.py
■ ■ ■ ■ _h_m_t_x.py
■ ■ ■ ■ _k_e_r_n.py
■ ■ ■ ■ _l_c_a_r.py
■ ■ ■ ■ _l_o_c_a.py
■ ■ ■ ■ _l_t_a_g.py
■ ■ ■ ■ _m_a_x_p.py
■ ■ ■ ■ _m_e_t_a.py
■ ■ ■ ■ _m_o_r_t.py
■ ■ ■ ■ _m_o_r_x.py
■ ■ ■ ■ _n_a_m_e.py
■ ■ ■ ■ _o_p_b_d.py
■ ■ ■ ■ _p_o_s_t.py
■ ■ ■ ■ _p_r_e_p.py
■ ■ ■ ■ _p_r_o_p.py
■ ■ ■ ■ _s_b_i_x.py
■ ■ ■ ■ _t_r_a_k.py
■ ■ ■ ■ _v_h_e_a.py
■ ■ ■ ■ _v_m_t_x.py
■ ■ ■ ■ asciiTable.py
■ ■ ■ ■ grUtils.py
■ ■ ■ ■ otBase.py
■ ■ ■ ■ otConverters.py
■ ■ ■ ■ otData.py
■ ■ ■ ■ otTables.py
■ ■ ■ ■ otTraverse.py
■ ■ ■ ■ sbixGlyph.py
■ ■ ■ ■ sbixStrike.py
■ ■ ■ ■ table_API_readme.txt
■ ■ ■ ■ ttProgram.py
■ ■ ■ ■ ttCollection.py
■ ■ ■ ■ ttFont.py
■ ■ ■ ■ ttGlyphSet.py
■ ■ ■ ■ ttVisitor.py
■ ■ ■ ■ woff2.py
■ ■ ■ ttx.py
```

```

    ufoLib
    ___init___ .py
    ___pycache___
    ___init___ .cpython-311.pyc
    converters.cpython-311.pyc
    errors.cpython-311.pyc
    etree.cpython-311.pyc
    filenames.cpython-311.pyc
    glifLib.cpython-311.pyc
    kerning.cpython-311.pyc
    plistlib.cpython-311.pyc
    pointPen.cpython-311.pyc
    utils.cpython-311.pyc
    validators.cpython-311.pyc
    converters.py
    errors.py
    etree.py
    filenames.py
    glifLib.py
    kerning.py
    plistlib.py
    pointPen.py
    utils.py
    validators.py
    unicode.py
    unicodedata
    Blocks.py
    OTTags.py
    ScriptExtensions.py
    Scripts.py
    ___init___ .py
    ___pycache___
    Blocks.cpython-311.pyc
    OTTags.cpython-311.pyc
    ScriptExtensions.cpython-311.pyc
    Scripts.cpython-311.pyc
    ___init___ .cpython-311.pyc
    varLib
    ___init___ .py
    ___main___ .py
    ___pycache___
    ___init___ .cpython-311.pyc
    ___main___ .cpython-311.pyc
    avar.cpython-311.pyc
    avarPlanner.cpython-311.pyc
    builder.cpython-311.pyc
    cff.cpython-311.pyc
    errors.cpython-311.pyc
    featureVars.cpython-311.pyc
    interpolatable.cpython-311.pyc
    interpolatableHelpers.cpython-311.pyc
    interpolatablePlot.cpython-311.pyc
    interpolatableTestContourOrder.cpython-311.pyc
    interpolatableTestStartingPoint.cpython-311.pyc
    interpolate_layout.cpython-311.pyc
    iup.cpython-311.pyc
    merger.cpython-311.pyc
    models.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ multiVarStore.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mutator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mvar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ varStore.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ avar.py
■ ■ ■ ■ ■ ■ ■ ■■■ avarPlanner.py
■ ■ ■ ■ ■ ■ ■ ■■■ builder.py
■ ■ ■ ■ ■ ■ ■ ■■■ cff.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ featureVars.py
■ ■ ■ ■ ■ ■ ■ ■■■ instancer
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ featureVars.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ names.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ solver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ featureVars.py
■ ■ ■ ■ ■ ■ ■ ■■■ names.py
■ ■ ■ ■ ■ ■ ■ ■■■ solver.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatable.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatableHelpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatablePlot.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatableTestContourOrder.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatableTestStartingPoint.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolate_layout.py
■ ■ ■ ■ ■ ■ ■ ■■■ iup.c
■ ■ ■ ■ ■ ■ ■ ■■■ iup.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ iup.py
■ ■ ■ ■ ■ ■ ■ ■■■ merger.py
■ ■ ■ ■ ■ ■ ■ ■■■ models.py
■ ■ ■ ■ ■ ■ ■ ■■■ multiVarStore.py
■ ■ ■ ■ ■ ■ ■ ■■■ mutator.py
■ ■ ■ ■ ■ ■ ■ ■■■ mvar.py
■ ■ ■ ■ ■ ■ ■ ■■■ plot.py
■ ■ ■ ■ ■ ■ ■ ■■■ stat.py
■ ■ ■ ■ ■ ■ ■ ■■■ varStore.py
■ ■ ■ ■ ■ ■ ■ ■■■ voltLib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lexer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ voltToFea.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ast.py
■ ■ ■ ■ ■ ■ ■ ■■■ error.py
■ ■ ■ ■ ■ ■ ■ ■■■ lexer.py
■ ■ ■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ voltToFea.py
■ ■ ■ ■ ■ ■ ■ ■■■ fonttools-4.55.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE

```

```

■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ top_level.txt
■ ■ ■ fpdf
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ fonts.cpython-311.pyc
■ ■ ■ ■ fpdf.cpython-311.pyc
■ ■ ■ ■ html.cpython-311.pyc
■ ■ ■ ■ php.cpython-311.pyc
■ ■ ■ ■ py3k.cpython-311.pyc
■ ■ ■ ■ template.cpython-311.pyc
■ ■ ■ ■ ttfonts.cpython-311.pyc
■ ■ ■ ■ fonts.py
■ ■ ■ ■ fpdf.py
■ ■ ■ ■ html.py
■ ■ ■ ■ php.py
■ ■ ■ ■ py3k.py
■ ■ ■ ■ template.py
■ ■ ■ ■ ttfonts.py
■ ■ ■ fpdf-1.7.2.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ frozenlist
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __init__.pyi
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _frozenlist.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _frozenlist.pyx
■ ■ ■ ■ py.typed
■ ■ ■ frozenlist-1.5.0.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ functorch
■ ■ ■ ■ _C.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _src
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ aot_autograd
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

```

eager_transforms
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  make_functional
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  vmap
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  compile
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  dim
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  batch_tensor.cpython-311.pyc
  delayed_mul_tensor.cpython-311.pyc
  dim.cpython-311.pyc
  magic_trace.cpython-311.pyc
  op_properties.cpython-311.pyc
  reference.cpython-311.pyc
  tree_map.cpython-311.pyc
  wrap_type.cpython-311.pyc
  batch_tensor.py
  delayed_mul_tensor.py
  dim.py
  magic_trace.py
  op_properties.py
  reference.py
  tree_map.py
  wrap_type.py
  experimental
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _cond.cpython-311.pyc
  _map.cpython-311.pyc
  control_flow.cpython-311.pyc
  ops.cpython-311.pyc
  _cond.py
  _map.py
  control_flow.py
  ops.py
  future
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  backports
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _markupbase.cpython-311.pyc
  datetime.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ socket.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ socketserver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ total_ordering.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _markupbase.py
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ email
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _encoded_words.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _header_value_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _parseaddr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _policybase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base64mime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ charset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ encoders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ feedparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ header.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ headerregistry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ policy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ quoprimime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _encoded_words.py
■ ■ ■ ■ ■ ■ ■ ■■■ _header_value_parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ _parseaddr.py
■ ■ ■ ■ ■ ■ ■ ■■■ _policybase.py
■ ■ ■ ■ ■ ■ ■ ■■■ base64mime.py
■ ■ ■ ■ ■ ■ ■ ■■■ charset.py
■ ■ ■ ■ ■ ■ ■ ■■■ encoders.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ feedparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ generator.py
■ ■ ■ ■ ■ ■ ■ ■■■ header.py
■ ■ ■ ■ ■ ■ ■ ■■■ headerregistry.py
■ ■ ■ ■ ■ ■ ■ ■■■ iterators.py
■ ■ ■ ■ ■ ■ ■ ■■■ message.py
■ ■ ■ ■ ■ ■ ■ ■■■ mime
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ audio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multipart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonmultipart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ application.py
■ ■ ■ ■ ■ ■ ■ ■■■ audio.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ message.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ multipart.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nonmultipart.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ policy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ quoprimime.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entities.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ http
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cookiejar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cookies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ client.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cookiejar.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cookies.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ socket.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ socketserver.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pystone.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssl_servers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ badcert.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ badkey.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dh512.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ https_svn_python_org_root.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keycert.passwd.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keycert.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keycert2.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nokia.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nullbytecert.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nullcert.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pystone.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sha256.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssl_cert.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssl_key.passwd.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssl_key.pem
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssl_servers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ support.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ total_ordering.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ urllib
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
```

[illegible]


```

_ dummy_thread.py
_ markupbase.py
_ thread.py
builtins.py
collections.py
configparser.py
copyreg.py
dbm
__init__.py
__pycache__
__init__.cpython-311.pyc
dumb.cpython-311.pyc
gnu.cpython-311.pyc
ndbm.cpython-311.pyc
dumb.py
gnu.py
ndbm.py
html
__init__.py
__pycache__
__init__.cpython-311.pyc
entities.cpython-311.pyc
parser.cpython-311.pyc
entities.py
parser.py
http
__init__.py
__pycache__
__init__.cpython-311.pyc
client.cpython-311.pyc
cookiejar.cpython-311.pyc
cookies.cpython-311.pyc
server.cpython-311.pyc
client.py
cookiejar.py
cookies.py
server.py
itertools.py
multiprocessing.py
pickle.py
queue.py
reprlib.py
socketserver.py
subprocess.py
sys.py
test
__init__.py
__pycache__
__init__.cpython-311.pyc
support.cpython-311.pyc
support.py
tkinter
__init__.py
__pycache__
__init__.cpython-311.pyc
colorchooser.cpython-311.pyc
commondialog.cpython-311.pyc
constants.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ dialog.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dnd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ filedialog.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ messagebox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ scrolledtext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ simplifiedialog.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ttk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ colorchooser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ commondialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dnd.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ filedialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ font.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ messagebox.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ scrolledtext.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ simplifiedialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ttk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ urllib
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ parse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ request.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ response.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ robotparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ request.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ response.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ robotparser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ winreg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ xmlrpc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ client.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ standard_library
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ types
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ newbytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newdict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newmemoryview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newopen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newrange.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newstr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newbytes.py
■ ■ ■ ■ ■ ■ ■ ■■■ newdict.py
■ ■ ■ ■ ■ ■ ■ ■■■ newint.py
■ ■ ■ ■ ■ ■ ■ ■■■ newlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ newmemoryview.py
■ ■ ■ ■ ■ ■ ■ ■■■ newobject.py
■ ■ ■ ■ ■ ■ ■ ■■■ newopen.py
■ ■ ■ ■ ■ ■ ■ ■■■ newrange.py
■ ■ ■ ■ ■ ■ ■ ■■■ newstr.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ surrogateescape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ surrogateescape.py
■ ■ ■ ■ ■ ■ ■■■■ future-1.0.0.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ fuzzywuzzy
■ ■ ■ ■ ■ ■ ■■■■ StringMatcher.py
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ StringMatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ fuzz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ process.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ string_processing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ fuzz.py
■ ■ ■ ■ ■ ■ ■■■■ process.py
■ ■ ■ ■ ■ ■ ■■■■ string_processing.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ fuzzywuzzy-0.18.0.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ zip-safe
■ ■ ■ ■ ■ ■ ■■■■ gTTS-2.2.3.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE

```

```

■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ top_level.txt
■ ■ ■ gensim
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■ downloader.cpython-311.pyc
■ ■ ■   ■ ■ ■ interfaces.cpython-311.pyc
■ ■ ■   ■ ■ ■ matutils.cpython-311.pyc
■ ■ ■   ■ ■ ■ nosy.cpython-311.pyc
■ ■ ■   ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ _matutils.c
■ ■ ■ _matutils.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _matutils.pyx
■ ■ ■ corpora
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■     ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■     ■ ■ ■ bleicorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ csvcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ dictionary.cpython-311.pyc
■ ■ ■     ■ ■ ■ hashdictionary.cpython-311.pyc
■ ■ ■     ■ ■ ■ indexedcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ lowcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ malletcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ mmcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ opinosiscorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ sharded_corpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ svmlightcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ textcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ ucicorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ wikicorpus.cpython-311.pyc
■ ■ ■ _mmreader.c
■ ■ ■ _mmreader.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _mmreader.pyx
■ ■ ■ bleicorpus.py
■ ■ ■ csvcorpus.py
■ ■ ■ dictionary.py
■ ■ ■ hashdictionary.py
■ ■ ■ indexedcorpus.py
■ ■ ■ lowcorpus.py
■ ■ ■ malletcorpus.py
■ ■ ■ mmcorpus.py
■ ■ ■ opinosiscorpus.py
■ ■ ■ sharded_corpus.py
■ ■ ■ svmlightcorpus.py
■ ■ ■ textcorpus.py
■ ■ ■ ucicorpus.py
■ ■ ■ wikicorpus.py
■ ■ ■ downloader.py
■ ■ ■ interfaces.py
■ ■ ■ matutils.py
■ ■ ■ models
■ ■ ■   ■ ■ ■ __init__.py

```

■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_fasttext_bin.cpython-311.pyc
■	■	■	■	■	■	■■■	atmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	basemodel.cpython-311.pyc
■	■	■	■	■	■	■■■	bm25model.cpython-311.pyc
■	■	■	■	■	■	■■■	callbacks.cpython-311.pyc
■	■	■	■	■	■	■■■	coherencemodel.cpython-311.pyc
■	■	■	■	■	■	■■■	doc2vec.cpython-311.pyc
■	■	■	■	■	■	■■■	ensemblelda.cpython-311.pyc
■	■	■	■	■	■	■■■	fasttext.cpython-311.pyc
■	■	■	■	■	■	■■■	flsamodel.cpython-311.pyc
■	■	■	■	■	■	■■■	hdpmode.cpython-311.pyc
■	■	■	■	■	■	■■■	keyedvectors.cpython-311.pyc
■	■	■	■	■	■	■■■	lda_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■	lda_worker.cpython-311.pyc
■	■	■	■	■	■	■■■	ldamodel.cpython-311.pyc
■	■	■	■	■	■	■■■	ldamulticore.cpython-311.pyc
■	■	■	■	■	■	■■■	ldaseqmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	logentropy_model.cpython-311.pyc
■	■	■	■	■	■	■■■	lsi_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■	lsi_worker.cpython-311.pyc
■	■	■	■	■	■	■■■	lsimodel.cpython-311.pyc
■	■	■	■	■	■	■■■	nmf.cpython-311.pyc
■	■	■	■	■	■	■■■	normmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	phrases.cpython-311.pyc
■	■	■	■	■	■	■■■	poincare.cpython-311.pyc
■	■	■	■	■	■	■■■	rpmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	tfidfmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	translation_matrix.cpython-311.pyc
■	■	■	■	■	■	■■■	word2vec.cpython-311.pyc
■	■	■	■	■	■	■■■	_fasttext_bin.py
■	■	■	■	■	■	■■■	atmodel.py
■	■	■	■	■	■	■■■	basemodel.py
■	■	■	■	■	■	■■■	bm25model.py
■	■	■	■	■	■	■■■	callbacks.py
■	■	■	■	■	■	■■■	coherencemodel.py
■	■	■	■	■	■	■■■	doc2vec.py
■	■	■	■	■	■	■■■	doc2vec_corpusfile.cpp
■	■	■	■	■	■	■■■	doc2vec_corpusfile.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	doc2vec_corpusfile.pyx
■	■	■	■	■	■	■■■	doc2vec_inner.cpp
■	■	■	■	■	■	■■■	doc2vec_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	doc2vec_inner.pxd
■	■	■	■	■	■	■■■	doc2vec_inner.pyx
■	■	■	■	■	■	■■■	ensemblelda.py
■	■	■	■	■	■	■■■	fast_line_sentence.h
■	■	■	■	■	■	■■■	fasttext.py
■	■	■	■	■	■	■■■	fasttext_corpusfile.cpp
■	■	■	■	■	■	■■■	fasttext_corpusfile.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	fasttext_corpusfile.pyx
■	■	■	■	■	■	■■■	fasttext_inner.c
■	■	■	■	■	■	■■■	fasttext_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	fasttext_inner.pxd
■	■	■	■	■	■	■■■	fasttext_inner.pyx
■	■	■	■	■	■	■■■	flsamodel.py
■	■	■	■	■	■	■■■	hdpmode.py
■	■	■	■	■	■	■■■	keyedvectors.py

■	■	■	■	■	■	■■■	lda_dispatcher.py
■	■	■	■	■	■	■■■	lda_worker.py
■	■	■	■	■	■	■■■	ldamodel.py
■	■	■	■	■	■	■■■	ldamulticore.py
■	■	■	■	■	■	■■■	ldaseqmodel.py
■	■	■	■	■	■	■■■	logentropy_model.py
■	■	■	■	■	■	■■■	lsi_dispatcher.py
■	■	■	■	■	■	■■■	lsi_worker.py
■	■	■	■	■	■	■■■	lsimodel.py
■	■	■	■	■	■	■■■	nmf.py
■	■	■	■	■	■	■■■	nmf_pgd.c
■	■	■	■	■	■	■■■	nmf_pgd.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	nmf_pgd.pyx
■	■	■	■	■	■	■■■	normmodel.py
■	■	■	■	■	■	■■■	phrases.py
■	■	■	■	■	■	■■■	poincare.py
■	■	■	■	■	■	■■■	rpmodel.py
■	■	■	■	■	■	■■■	stdint_wrapper.h
■	■	■	■	■	■	■■■	tfidfmodel.py
■	■	■	■	■	■	■■■	translation_matrix.py
■	■	■	■	■	■	■■■	voidptr.h
■	■	■	■	■	■	■■■	word2vec.py
■	■	■	■	■	■	■■■	word2vec_corpusfile.cpp
■	■	■	■	■	■	■■■	word2vec_corpusfile.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	word2vec_corpusfile.pxd
■	■	■	■	■	■	■■■	word2vec_corpusfile.pyx
■	■	■	■	■	■	■■■	word2vec_inner.c
■	■	■	■	■	■	■■■	word2vec_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	word2vec_inner.pxd
■	■	■	■	■	■	■■■	word2vec_inner.pyx
■	■	■	■	■	■■■	nosy.py	
■	■	■	■	■	■■■	parsing	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	porter.cpython-311.pyc
■	■	■	■	■	■	■■■	preprocessing.cpython-311.pyc
■	■	■	■	■	■■■	porter.py	
■	■	■	■	■	■■■	preprocessing.py	
■	■	■	■	■	■■■	scripts	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	benchmark.cpython-311.pyc
■	■	■	■	■	■	■■■	glove2word2vec.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wiki.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wiki_online.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wiki_online_nodebug.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wikicorpus.cpython-311.pyc
■	■	■	■	■	■	■■■	package_info.cpython-311.pyc
■	■	■	■	■	■	■■■	segment_wiki.cpython-311.pyc
■	■	■	■	■	■	■■■	word2vec2tensor.cpython-311.pyc
■	■	■	■	■	■	■■■	word2vec_standalone.cpython-311.pyc
■	■	■	■	■	■■■	benchmark.py	
■	■	■	■	■	■■■	glove2word2vec.py	
■	■	■	■	■	■■■	make_wiki.py	
■	■	■	■	■	■■■	make_wiki_online.py	
■	■	■	■	■	■■■	make_wiki_online_nodebug.py	

```

■ ■ ■ make_wikicorpus.py
■ ■ ■ package_info.py
■ ■ ■ segment_wiki.py
■ ■ ■ word2vec2tensor.py
■ ■ ■ word2vec_standalone.py
■ ■ ■ similarities
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ annoy.cpython-311.pyc
■ ■ ■ docsim.cpython-311.pyc
■ ■ ■ levenshtein.cpython-311.pyc
■ ■ ■ nmslib.cpython-311.pyc
■ ■ ■ termsim.cpython-311.pyc
■ ■ ■ annoy.py
■ ■ ■ docsim.py
■ ■ ■ fastss.c
■ ■ ■ fastss.cpython-311-x86_64-linux-gnu.so
■ ■ ■ levenshtein.py
■ ■ ■ nmslib.py
■ ■ ■ termsim.py
■ ■ ■ test
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     __init__.cpython-311.pyc
■ ■ ■ basetmtests.cpython-311.pyc
■ ■ ■ simspeed.cpython-311.pyc
■ ■ ■ simspeed2.cpython-311.pyc
■ ■ ■ svd_error.cpython-311.pyc
■ ■ ■ test_aggregation.cpython-311.pyc
■ ■ ■ test_api.cpython-311.pyc
■ ■ ■ test_atmodel.cpython-311.pyc
■ ■ ■ test_big.cpython-311.pyc
■ ■ ■ test_bm25model.cpython-311.pyc
■ ■ ■ test_coherencemodel.cpython-311.pyc
■ ■ ■ test_corpora.cpython-311.pyc
■ ■ ■ test_corpora_dictionary.cpython-311.pyc
■ ■ ■ test_corpora_hashdictionary.cpython-311.pyc
■ ■ ■ test_datatype.cpython-311.pyc
■ ■ ■ test_direct_confirmation.cpython-311.pyc
■ ■ ■ test_doc2vec.cpython-311.pyc
■ ■ ■ test_ensemblelda.cpython-311.pyc
■ ■ ■ test_fasttext.cpython-311.pyc
■ ■ ■ test_glove2word2vec.cpython-311.pyc
■ ■ ■ test_hdpmodel.cpython-311.pyc
■ ■ ■ test_indirect_confirmation.cpython-311.pyc
■ ■ ■ test_keyedvectors.cpython-311.pyc
■ ■ ■ test_lda_callback.cpython-311.pyc
■ ■ ■ test_ldamodel.cpython-311.pyc
■ ■ ■ test_ldaseqmodel.cpython-311.pyc
■ ■ ■ test_lee.cpython-311.pyc
■ ■ ■ test_logentropy_model.cpython-311.pyc
■ ■ ■ test_lsimodel.cpython-311.pyc
■ ■ ■ test_matutils.cpython-311.pyc
■ ■ ■ test_miislita.cpython-311.pyc
■ ■ ■ test_nmf.cpython-311.pyc
■ ■ ■ test_normmodel.cpython-311.pyc
■ ■ ■ test_parsing.cpython-311.pyc
```

```
test_phrases.cpython-311.pyc
test_poincare.cpython-311.pyc
test_probability_estimation.cpython-311.pyc
test_rpmodel.cpython-311.pyc
test_scripts.cpython-311.pyc
test_segmentation.cpython-311.pyc
test_sharded_corpus.cpython-311.pyc
test_similarities.cpython-311.pyc
test_similarity_metrics.cpython-311.pyc
test_text_analysis.cpython-311.pyc
test_tfidfmodel.cpython-311.pyc
test_tmdiff.cpython-311.pyc
test_translation_matrix.cpython-311.pyc
test_utils.cpython-311.pyc
test_word2vec.cpython-311.pyc
utils.cpython-311.pyc
basetmtests.py
simsped.py
simsped2.py
svd_error.py
test_aggregation.py
test_api.py
test_atmodel.py
test_big.py
test_bm25model.py
test_coherencemodel.py
test_corpora.py
test_corpora_dictionary.py
test_corpora_hashdictionary.py
test_data
DTM
    ldaseq_3_0_1_model
    sstats_test.txt
EN.1-10.cbowl_wind5_hs0_neg10_size300_smpl1e-05.txt
IT.1-10.cbowl_wind5_hs0_neg10_size300_smpl1e-05.txt
OPUS_en_it_europarl_train_one2ten.txt
PathLineSentences
    1.txt
    2.txt.bz2
alldata-id-10.txt
atmodel_3_0_1_model
atmodel_3_0_1_model.expElogbeta.npy
atmodel_3_0_1_model.id2word
atmodel_3_0_1_model.state
bgwiki-latest-pages-articles-shortened.xml.bz2
compatible-hash-true.model
cp852_fasttext.bin
crime-and-punishment.bin
crime-and-punishment.txt
crime-and-punishment.vec
d2v-lee-v0.13.0
doc2vec_old
doc2vec_old_sep
doc2vec_old_sep.syn0_lockf.npy
doc2vec_old_sep.syn1neg.npy
dtm_test.dict
dtm_test.mm
ensemblelda
```


■	■	■	■	■	■	■	■■■	enwiki-latest-pages-articles1.xml-p0000000010p000030302-shor
■	■	■	■	■	■	■	■■■	enwiki-table-markup.xml.bz2
■	■	■	■	■	■	■	■■■	euclidean_vectors.bin
■	■	■	■	■	■	■	■■■	fasttext_old
■	■	■	■	■	■	■	■■■	fasttext_old_sep
■	■	■	■	■	■	■	■■■	fasttext_old_sep.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	fasttext_old_sep.syn1neg.npy
■	■	■	■	■	■	■	■■■	fb-ngrams.txt
■	■	■	■	■	■	■	■■■	ft_kv_3.6.0.model.gz
■	■	■	■	■	■	■	■■■	ft_model_2.3.0
■	■	■	■	■	■	■	■■■	head500.noblanks.cor
■	■	■	■	■	■	■	■■■	head500.noblanks.cor.bz2
■	■	■	■	■	■	■	■■■	head500.noblanks.cor_tfidf.model
■	■	■	■	■	■	■	■■■	head500.noblanks.cor_wordids.txt
■	■	■	■	■	■	■	■■■	high_precision.kv.bin
■	■	■	■	■	■	■	■■■	high_precision.kv.txt
■	■	■	■	■	■	■	■■■	large_tag_doc_10_iter50
■	■	■	■	■	■	■	■■■	lda_3_0_1_model
■	■	■	■	■	■	■	■■■	lda_3_0_1_model.expElogbeta.npy
■	■	■	■	■	■	■	■■■	lda_3_0_1_model.id2word
■	■	■	■	■	■	■	■■■	lda_3_0_1_model.state
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7.expElogbeta.npy
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7.id2word
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7.state
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5.expElogbeta.npy
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5.id2word
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5.state
■	■	■	■	■	■	■	■■■	ldavowpalwabbit.dict.txt
■	■	■	■	■	■	■	■■■	ldavowpalwabbit.txt
■	■	■	■	■	■	■	■■■	lee.cor
■	■	■	■	■	■	■	■■■	lee_background.cor
■	■	■	■	■	■	■	■■■	lee_fasttext
■	■	■	■	■	■	■	■■■	lee_fasttext.bin
■	■	■	■	■	■	■	■■■	lee_fasttext.vec
■	■	■	■	■	■	■	■■■	lee_fasttext_new.bin
■	■	■	■	■	■	■	■■■	miIslita.cor
■	■	■	■	■	■	■	■■■	mini_newsgroup
■	■	■	■	■	■	■	■■■	model-from-gensim-3.8.0.w2v
■	■	■	■	■	■	■	■■■	nmf_model
■	■	■	■	■	■	■	■■■	non_ascii_fasttext.bin
■	■	■	■	■	■	■	■■■	old_d2v_models
■	■	■	■	■	■	■	■■■	d2v_0.12.0.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.1.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.2.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.3.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.4.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.0.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.1.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.2.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.3.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.4.mdl
■	■	■	■	■	■	■	■■■	d2v_1.0.0.mdl
■	■	■	■	■	■	■	■■■	d2v_1.0.1.mdl
■	■	■	■	■	■	■	■■■	d2v_2.0.0.mdl
■	■	■	■	■	■	■	■■■	d2v_2.1.0.mdl
■	■	■	■	■	■	■	■■■	d2v_2.2.0.mdl

■	■	■	■	■	■	■	■	■■■	d2v_2.3.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.0.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.1.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.2.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.3.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.4.0.mdl
■	■	■	■	■	■	■	■■■	old_keyedvectors_320.dat	
■	■	■	■	■	■	■	■■■	old_w2v_models	
■	■	■	■	■	■	■	■	■■■	w2v_0.12.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.1.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.2.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.3.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.4.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.1.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.2.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.3.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.4.mdl
■	■	■	■	■	■	■	■	■■■	w2v_1.0.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_1.0.1.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.0.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.1.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.2.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.3.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.0.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.1.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.2.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.3.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.4.0.mdl
■	■	■	■	■	■	■	■■■	pang_lee_polarity.cor	
■	■	■	■	■	■	■	■■■	pang_lee_polarity_fasttext.bin	
■	■	■	■	■	■	■	■■■	pang_lee_polarity_fasttext.vec	
■	■	■	■	■	■	■	■■■	para2para_text1.txt	
■	■	■	■	■	■	■	■■■	para2para_text2.txt	
■	■	■	■	■	■	■	■■■	phraser-3.6.0.model	
■	■	■	■	■	■	■	■■■	phraser-no-common-terms.pkl	
■	■	■	■	■	■	■	■■■	phraser-no-scoring.pkl	
■	■	■	■	■	■	■	■■■	phraser-scoring-str.pkl	
■	■	■	■	■	■	■	■■■	phrases-3.6.0.model	
■	■	■	■	■	■	■	■■■	phrases-no-common-terms.pkl	
■	■	■	■	■	■	■	■■■	phrases-no-scoring.pkl	
■	■	■	■	■	■	■	■■■	phrases-scoring-str.pkl	
■	■	■	■	■	■	■	■■■	poincare_cp852.tsv	
■	■	■	■	■	■	■	■■■	poincare_hypernyms.tsv	
■	■	■	■	■	■	■	■■■	poincare_hypernyms_large.tsv	
■	■	■	■	■	■	■	■■■	poincare_test_3.4.0	
■	■	■	■	■	■	■	■■■	poincare_utf8.tsv	
■	■	■	■	■	■	■	■■■	poincare_vectors.bin	
■	■	■	■	■	■	■	■■■	pre_0_13_2_model	
■	■	■	■	■	■	■	■■■	pre_0_13_2_model.state	
■	■	■	■	■	■	■	■■■	pretrained.vec	
■	■	■	■	■	■	■	■■■	questions-words.txt	
■	■	■	■	■	■	■	■■■	reproduce.dat	
■	■	■	■	■	■	■	■■■	reproduce.dat.gz	
■	■	■	■	■	■	■	■■■	similarities0-1.txt	
■	■	■	■	■	■	■	■■■	simlex999.txt	
■	■	■	■	■	■	■	■■■	small_tag_doc_5_iter50	
■	■	■	■	■	■	■	■■■	test_corpus_ok.mm	

■	■	■	■	■	■	■	■■■	test_corpus_small.mm
■	■	■	■	■	■	■	■■■	test_glove.txt
■	■	■	■	■	■	■	■■■	test_mmcopus_corrupt.mm
■	■	■	■	■	■	■	■■■	test_mmcopus_no_index.mm
■	■	■	■	■	■	■	■■■	test_mmcopus_no_index.mm.bz2
■	■	■	■	■	■	■	■■■	test_mmcopus_no_index.mm.gz
■	■	■	■	■	■	■	■■■	test_mmcopus_overflow.mm
■	■	■	■	■	■	■	■■■	test_mmcopus_with_index.mm
■	■	■	■	■	■	■	■■■	test_mmcopus_with_index.mm.index
■	■	■	■	■	■	■	■■■	testcorpus.blei
■	■	■	■	■	■	■	■■■	testcorpus.blei.index
■	■	■	■	■	■	■	■■■	testcorpus.blei.vocab
■	■	■	■	■	■	■	■■■	testcorpus.low
■	■	■	■	■	■	■	■■■	testcorpus.low.index
■	■	■	■	■	■	■	■■■	testcorpus.mallet
■	■	■	■	■	■	■	■■■	testcorpus.mallet.index
■	■	■	■	■	■	■	■■■	testcorpus.mm
■	■	■	■	■	■	■	■■■	testcorpus.mm.index
■	■	■	■	■	■	■	■■■	testcorpus.svmlight
■	■	■	■	■	■	■	■■■	testcorpus.svmlight.index
■	■	■	■	■	■	■	■■■	testcorpus.txt
■	■	■	■	■	■	■	■■■	testcorpus.uci
■	■	■	■	■	■	■	■■■	testcorpus.uci.index
■	■	■	■	■	■	■	■■■	testcorpus.uci.vocab
■	■	■	■	■	■	■	■■■	testcorpus.xml.bz2
■	■	■	■	■	■	■	■■■	tfidf_model.tst
■	■	■	■	■	■	■	■■■	tfidf_model.tst.bz2
■	■	■	■	■	■	■	■■■	tfidf_model_3_2.tst
■	■	■	■	■	■	■	■■■	toy-data.txt
■	■	■	■	■	■	■	■■■	toy-model-pretrained.bin
■	■	■	■	■	■	■	■■■	toy-model.bin
■	■	■	■	■	■	■	■■■	toy-model.vec
■	■	■	■	■	■	■	■■■	varembd_lee_subcorpus.cor
■	■	■	■	■	■	■	■■■	varembd_morfessor.bin
■	■	■	■	■	■	■	■■■	varembd_vectors.pkl
■	■	■	■	■	■	■	■■■	w2v-lee-v0.12.0
■	■	■	■	■	■	■	■■■	w2v_keyedvectors_load_test.modeldata
■	■	■	■	■	■	■	■■■	w2v_keyedvectors_load_test.vocab
■	■	■	■	■	■	■	■■■	word2vec_3.3
■	■	■	■	■	■	■	■■■	word2vec_old
■	■	■	■	■	■	■	■■■	word2vec_old_sep
■	■	■	■	■	■	■	■■■	word2vec_old_sep.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	word2vec_old_sep.syn1neg.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_c
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_py2
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_py3
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_py3_4
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.neg_labels.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.syn0.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.syn1neg.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.neg_labels.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.syn0.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.syn1neg.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3_4

```

■ ■ ■ ■ ■ ■ ■ ■ word2vec_pre_kv_sep_py3_4.neg_labels.npy
■ ■ ■ ■ ■ ■ ■ ■ word2vec_pre_kv_sep_py3_4.syn0.npy
■ ■ ■ ■ ■ ■ ■ ■ word2vec_pre_kv_sep_py3_4.syn0_lockf.npy
■ ■ ■ ■ ■ ■ ■ ■ word2vec_pre_kv_sep_py3_4.syn1neg.npy
■ ■ ■ ■ ■ ■ ■ ■ wordsim353.tsv
■ ■ ■ ■ ■ ■ ■ ■ test_datatype.py
■ ■ ■ ■ ■ ■ ■ ■ test_direct_confirmation.py
■ ■ ■ ■ ■ ■ ■ ■ test_doc2vec.py
■ ■ ■ ■ ■ ■ ■ ■ test_ensemblelda.py
■ ■ ■ ■ ■ ■ ■ ■ test_fasttext.py
■ ■ ■ ■ ■ ■ ■ ■ test_glove2word2vec.py
■ ■ ■ ■ ■ ■ ■ ■ test_hdpmodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_indirect_confirmation.py
■ ■ ■ ■ ■ ■ ■ ■ test_keyedvectors.py
■ ■ ■ ■ ■ ■ ■ ■ test_lda_callback.py
■ ■ ■ ■ ■ ■ ■ ■ test_ldamodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_ldaseqmodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_lee.py
■ ■ ■ ■ ■ ■ ■ ■ test_logentropy_model.py
■ ■ ■ ■ ■ ■ ■ ■ test_lsmodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_matutils.py
■ ■ ■ ■ ■ ■ ■ ■ test_miislita.py
■ ■ ■ ■ ■ ■ ■ ■ test_nmf.py
■ ■ ■ ■ ■ ■ ■ ■ test_normmodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_parsing.py
■ ■ ■ ■ ■ ■ ■ ■ test_phrases.py
■ ■ ■ ■ ■ ■ ■ ■ test_poincare.py
■ ■ ■ ■ ■ ■ ■ ■ test_probability_estimation.py
■ ■ ■ ■ ■ ■ ■ ■ test_rpmodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_scripts.py
■ ■ ■ ■ ■ ■ ■ ■ test_segmentation.py
■ ■ ■ ■ ■ ■ ■ ■ test_sharded_corpus.py
■ ■ ■ ■ ■ ■ ■ ■ test_similarities.py
■ ■ ■ ■ ■ ■ ■ ■ test_similarity_metrics.py
■ ■ ■ ■ ■ ■ ■ ■ test_text_analysis.py
■ ■ ■ ■ ■ ■ ■ ■ test_tfidfmodel.py
■ ■ ■ ■ ■ ■ ■ ■ test_tmdiff.py
■ ■ ■ ■ ■ ■ ■ ■ test_translation_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ test_word2vec.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ topic_coherence
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ aggregation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ direct_confirmation_measure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ indirect_confirmation_measure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ probability_estimation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ segmentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ text_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ aggregation.py
■ ■ ■ ■ ■ ■ ■ ■ direct_confirmation_measure.py
■ ■ ■ ■ ■ ■ ■ ■ indirect_confirmation_measure.py
■ ■ ■ ■ ■ ■ ■ ■ probability_estimation.py
■ ■ ■ ■ ■ ■ ■ ■ segmentation.py
■ ■ ■ ■ ■ ■ ■ ■ text_analysis.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py

```

```

■ ■ ■ ■ ■■■■ gensim-4.3.1.dist-info
■ ■ ■ ■ ■■■■ COPYING
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ geographiclib
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ accumulator.cpython-311.pyc
■ ■ ■ ■ ■■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodesic.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodesiccapability.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodesicline.cpython-311.pyc
■ ■ ■ ■ ■■■■ geomath.cpython-311.pyc
■ ■ ■ ■ ■■■■ polygonarea.cpython-311.pyc
■ ■ ■ ■ ■■■■ accumulator.py
■ ■ ■ ■ ■■■■ constants.py
■ ■ ■ ■ ■■■■ geodesic.py
■ ■ ■ ■ ■■■■ geodesiccapability.py
■ ■ ■ ■ ■■■■ geodesicline.py
■ ■ ■ ■ ■■■■ geomath.py
■ ■ ■ ■ ■■■■ polygonarea.py
■ ■ ■ ■ ■■■■ test
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_geodesic.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_geodesic.py
■ ■ ■ ■ ■■■■ geographiclib-1.52.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ geopandas
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■■■■ _config.cpython-311.pyc
■ ■ ■ ■ ■■■■ _decorator.cpython-311.pyc
■ ■ ■ ■ ■■■■ _vectorized.cpython-311.pyc
■ ■ ■ ■ ■■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■■■■ array.cpython-311.pyc
■ ■ ■ ■ ■■■■ base.cpython-311.pyc
■ ■ ■ ■ ■■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■■■■ explore.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodataframe.cpython-311.pyc
■ ■ ■ ■ ■■■■ geoseries.cpython-311.pyc
■ ■ ■ ■ ■■■■ plotting.cpython-311.pyc
■ ■ ■ ■ ■■■■ sindex.cpython-311.pyc
■ ■ ■ ■ ■■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■■■■ _compat.py

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ test_geocode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_geodataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_geom_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_geoseries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_overlay.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pandas_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ null_geom.geojson
■ ■ ■ ■ ■ ■ ■ ■■■ test_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_crs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_datasets.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_decorator.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dissolve.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_explore.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_extension_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geocode.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geodataframe.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geom_methods.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geoseries.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_merge.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_overlay.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pandas_methods.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_plotting.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_show_versions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sindex.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ tools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geocoding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ overlay.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sjoin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _show_versions.py
■ ■ ■ ■ ■ ■ ■ ■■■ clip.py
■ ■ ■ ■ ■ ■ ■ ■■■ crs.py
■ ■ ■ ■ ■ ■ ■ ■■■ geocoding.py
■ ■ ■ ■ ■ ■ ■ ■■■ overlay.py
■ ■ ■ ■ ■ ■ ■ ■■■ sjoin.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__

```


■	■	■	■	■	■	■	■■■	geonames.cpython-311.pyc
■	■	■	■	■	■	■	■■■	google.cpython-311.pyc
■	■	■	■	■	■	■	■■■	googlelev3.cpython-311.pyc
■	■	■	■	■	■	■	■■■	here.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ignfrance.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mapbox.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mapquest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	maptiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mapzen.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nominatim.cpython-311.pyc
■	■	■	■	■	■	■	■■■	opencage.cpython-311.pyc
■	■	■	■	■	■	■	■■■	openmapquest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	osm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pelias.cpython-311.pyc
■	■	■	■	■	■	■	■■■	photon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pickpoint.cpython-311.pyc
■	■	■	■	■	■	■	■■■	placefinder.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smartystreets.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tomtom.cpython-311.pyc
■	■	■	■	■	■	■	■■■	what3words.cpython-311.pyc
■	■	■	■	■	■	■	■■■	yandex.cpython-311.pyc
■	■	■	■	■	■	■	■■■	algolia.py
■	■	■	■	■	■	■	■■■	arcgis.py
■	■	■	■	■	■	■	■■■	azure.py
■	■	■	■	■	■	■	■■■	baidu.py
■	■	■	■	■	■	■	■■■	banfrance.py
■	■	■	■	■	■	■	■■■	base.py
■	■	■	■	■	■	■	■■■	bing.py
■	■	■	■	■	■	■	■■■	databc.py
■	■	■	■	■	■	■	■■■	dot_us.py
■	■	■	■	■	■	■	■■■	geocodeearth.py
■	■	■	■	■	■	■	■■■	geocodfarm.py
■	■	■	■	■	■	■	■■■	geocodio.py
■	■	■	■	■	■	■	■■■	geolake.py
■	■	■	■	■	■	■	■■■	geonames.py
■	■	■	■	■	■	■	■■■	google.py
■	■	■	■	■	■	■	■■■	googlelev3.py
■	■	■	■	■	■	■	■■■	here.py
■	■	■	■	■	■	■	■■■	ignfrance.py
■	■	■	■	■	■	■	■■■	mapbox.py
■	■	■	■	■	■	■	■■■	mapquest.py
■	■	■	■	■	■	■	■■■	maptiler.py
■	■	■	■	■	■	■	■■■	mapzen.py
■	■	■	■	■	■	■	■■■	nominatim.py
■	■	■	■	■	■	■	■■■	opencage.py
■	■	■	■	■	■	■	■■■	openmapquest.py
■	■	■	■	■	■	■	■■■	osm.py
■	■	■	■	■	■	■	■■■	pelias.py
■	■	■	■	■	■	■	■■■	photon.py
■	■	■	■	■	■	■	■■■	pickpoint.py
■	■	■	■	■	■	■	■■■	placefinder.py
■	■	■	■	■	■	■	■■■	smartystreets.py
■	■	■	■	■	■	■	■■■	tomtom.py
■	■	■	■	■	■	■	■■■	what3words.py
■	■	■	■	■	■	■	■■■	yandex.py
■	■	■	■	■	■	■■■	location.py	
■	■	■	■	■	■	■■■	point.py	
■	■	■	■	■	■	■■■	timezone.py	


```

■ ■ ■ ■ ■ ■ ■ ■■■ test_connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_headers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_receivebuffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ test-file
■ ■ ■ ■ ■ ■ ■ ■■■ helpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_against_stdlib_http.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_connection.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_events.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_helpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_io.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_receivebuffer.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_state.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ h11-0.14.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■■■ h2
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frame_buffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utilities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ connection.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ frame_buffer.py
■ ■ ■ ■ ■ ■ ■ ■■■ settings.py
■ ■ ■ ■ ■ ■ ■ ■■■ stream.py
■ ■ ■ ■ ■ ■ ■ ■■■ utilities.py
■ ■ ■ ■ ■ ■ ■ ■■■ windows.py
■ ■ ■ ■ ■ ■ ■ ■■■ h2-4.1.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt

```

```

■ ■ ■ ■ ■■■ h5netcdf
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■■■ attrs.cpython-311.pyc
■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■ dimensions.cpython-311.pyc
■ ■ ■ ■ ■■■ legacyapi.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■■■ attrs.py
■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■■■ dimensions.py
■ ■ ■ ■ ■■■ legacyapi.py
■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■■■ test_h5netcdf.cpython-311.pyc
■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■■■ pytest.ini
■ ■ ■ ■ ■■■ test_h5netcdf.py
■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■■■ h5netcdf-1.4.1.dist-info
■ ■ ■ ■ ■■■ AUTHORS.txt
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ h5py
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ h5py_warnings.cpython-311.pyc
■ ■ ■ ■ ■■■ ipy_completer.cpython-311.pyc
■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■■■ _conv.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _errors.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _hl
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ attrs.cpython-311.pyc
■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■■■ compat.cpython-311.pyc
■ ■ ■ ■ ■■■ dataset.cpython-311.pyc
■ ■ ■ ■ ■■■ datatype.cpython-311.pyc
■ ■ ■ ■ ■■■ dims.cpython-311.pyc
■ ■ ■ ■ ■■■ files.cpython-311.pyc
■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■■■ group.cpython-311.pyc
■ ■ ■ ■ ■■■ selections.cpython-311.pyc
■ ■ ■ ■ ■■■ selections2.cpython-311.pyc
■ ■ ■ ■ ■■■ vds.cpython-311.pyc
■ ■ ■ ■ ■■■ attrs.py
■ ■ ■ ■ ■■■ base.py

```

```

■      ■      ■      ■      ■      ■      ■      compat.py
■      ■      ■      ■      ■      ■      ■      dataset.py
■      ■      ■      ■      ■      ■      ■      datatype.py
■      ■      ■      ■      ■      ■      ■      dims.py
■      ■      ■      ■      ■      ■      ■      files.py
■      ■      ■      ■      ■      ■      ■      filters.py
■      ■      ■      ■      ■      ■      ■      group.py
■      ■      ■      ■      ■      ■      ■      selections.py
■      ■      ■      ■      ■      ■      ■      selections2.py
■      ■      ■      ■      ■      ■      ■      vds.py
■      ■      ■      ■      ■      ■      ■      _objects.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _proxy.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _selector.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      defs.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5a.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5ac.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5d.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5ds.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5f.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5fd.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5g.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5i.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5l.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5o.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5p.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5pl.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5py_warnings.py
■      ■      ■      ■      ■      ■      ■      h5r.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5s.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5t.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      h5z.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ipy_completer.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_attribute_create.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_attrs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_attrs_data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_big_endian_file.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_completions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_dataset.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_dataset_getitem.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_dataset_swmr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_datatype.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_dimension_scales.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_dims_dimensionproxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_dtype.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_file.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_file2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_file_alignment.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_file_image.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_filters.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	test_group.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5d_direct_chunk.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5f.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5o.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5p.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5pl.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_h5t.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_objects.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_ros3.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_selections.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_slicing.cpython-311.pyc
■	■	■	■	■	■	■■■■		common.py
■	■	■	■	■	■	■■■■		conftest.py
■	■	■	■	■	■	■■■■		data_files
■	■	■	■	■	■	■■■■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	■■■■	__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	vlen_string_dset.h5
■	■	■	■	■	■	■	■■■■	vlen_string_dset_utc.h5
■	■	■	■	■	■	■	■■■■	vlen_string_s390x.h5
■	■	■	■	■	■	■■■■		test_attribute_create.py
■	■	■	■	■	■	■■■■		test_attrs.py
■	■	■	■	■	■	■■■■		test_attrs_data.py
■	■	■	■	■	■	■■■■		test_base.py
■	■	■	■	■	■	■■■■		test_big_endian_file.py
■	■	■	■	■	■	■■■■		test_completions.py
■	■	■	■	■	■	■■■■		test_dataset.py
■	■	■	■	■	■	■■■■		test_dataset_getitem.py
■	■	■	■	■	■	■■■■		test_dataset_swmr.py
■	■	■	■	■	■	■■■■		test_datatype.py
■	■	■	■	■	■	■■■■		test_dimension_scales.py
■	■	■	■	■	■	■■■■		test_dims_dimensionproxy.py
■	■	■	■	■	■	■■■■		test_dtype.py
■	■	■	■	■	■	■■■■		test_errors.py
■	■	■	■	■	■	■■■■		test_file.py
■	■	■	■	■	■	■■■■		test_file2.py
■	■	■	■	■	■	■■■■		test_file_alignment.py
■	■	■	■	■	■	■■■■		test_file_image.py
■	■	■	■	■	■	■■■■		test_filters.py
■	■	■	■	■	■	■■■■		test_group.py
■	■	■	■	■	■	■■■■		test_h5.py
■	■	■	■	■	■	■■■■		test_h5d_direct_chunk.py
■	■	■	■	■	■	■■■■		test_h5f.py
■	■	■	■	■	■	■■■■		test_h5o.py
■	■	■	■	■	■	■■■■		test_h5p.py
■	■	■	■	■	■	■■■■		test_h5pl.py
■	■	■	■	■	■	■■■■		test_h5t.py
■	■	■	■	■	■	■■■■		test_objects.py
■	■	■	■	■	■	■■■■		test_ros3.py
■	■	■	■	■	■	■■■■		test_selections.py
■	■	■	■	■	■	■■■■		test_slicing.py
■	■	■	■	■	■	■■■■		test_vds
■	■	■	■	■	■	■■■■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	■■■■	__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_highlevel_vds.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_lowlevel_vds.cpython-311.pyc


```

■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_virtual_source.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_highlevel_vds.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_lowlevel_vds.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_virtual_source.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      ■      ■      ■      h5py-3.8.0.dist-info
■      ■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      h5py.libs
■      ■      ■      ■      ■      ■      ■      ■      libaec-8db54129.so.0.0.10
■      ■      ■      ■      ■      ■      ■      ■      libhdf5-45610c27.so.200.2.0
■      ■      ■      ■      ■      ■      ■      ■      libhdf5_hl-408a1995.so.200.1.0
■      ■      ■      ■      ■      ■      ■      ■      libsz-60c3b967.so.2.0.1
■      ■      ■      ■      ■      ■      ■      hpack
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      hpack.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      huffman.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      huffman_constants.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      huffman_table.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      struct.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      table.cpython-311.pyc
■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      hpack.py
■      ■      ■      ■      ■      ■      huffman.py
■      ■      ■      ■      ■      ■      huffman_constants.py
■      ■      ■      ■      ■      ■      huffman_table.py
■      ■      ■      ■      ■      ■      struct.py
■      ■      ■      ■      ■      ■      table.py
■      ■      ■      ■      ■      hpack-4.0.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      html5lib
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ihatexml.cpython-311.pyc
■      ■      ■      ■      ■      ■      _inputstream.cpython-311.pyc
■      ■      ■      ■      ■      ■      _tokenizer.cpython-311.pyc
■      ■      ■      ■      ■      ■      _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      constants.cpython-311.pyc
■      ■      ■      ■      ■      ■      html5parser.cpython-311.pyc
■      ■      ■      ■      ■      ■      serializer.cpython-311.pyc
■      ■      ■      ■      ■      _ihatexml.py
■      ■      ■      ■      ■      _inputstream.py
■      ■      ■      ■      ■      tokenizer.py

```

```

_ _ _ _ _ trie
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _base.cpython-311.pyc
_ _ _ _ _ py.cpython-311.pyc
_ _ _ _ _ _base.py
_ _ _ _ _ py.py
_ _ _ _ _ _utils.py
_ _ _ _ _ constants.py
_ _ _ _ _ filters
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ alphabeticalattributes.cpython-311.pyc
_ _ _ _ _ base.cpython-311.pyc
_ _ _ _ _ inject_meta_charset.cpython-311.pyc
_ _ _ _ _ lint.cpython-311.pyc
_ _ _ _ _ optionaltags.cpython-311.pyc
_ _ _ _ _ sanitizer.cpython-311.pyc
_ _ _ _ _ whitespace.cpython-311.pyc
_ _ _ _ _ alphabeticalattributes.py
_ _ _ _ _ base.py
_ _ _ _ _ inject_meta_charset.py
_ _ _ _ _ lint.py
_ _ _ _ _ optionaltags.py
_ _ _ _ _ sanitizer.py
_ _ _ _ _ whitespace.py
_ _ _ _ _ html5parser.py
_ _ _ _ _ serializer.py
_ _ _ _ _ treeadapters
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ genshi.cpython-311.pyc
_ _ _ _ _ sax.cpython-311.pyc
_ _ _ _ _ genshi.py
_ _ _ _ _ sax.py
_ _ _ _ _ treebuilders
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ base.cpython-311.pyc
_ _ _ _ _ dom.cpython-311.pyc
_ _ _ _ _ etree.cpython-311.pyc
_ _ _ _ _ etree_lxml.cpython-311.pyc
_ _ _ _ _ base.py
_ _ _ _ _ dom.py
_ _ _ _ _ etree.py
_ _ _ _ _ etree_lxml.py
_ _ _ _ _ treewalkers
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ base.cpython-311.pyc
_ _ _ _ _ dom.cpython-311.pyc
_ _ _ _ _ etree.cpython-311.pyc
_ _ _ _ _ etree_lxml.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      genshi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      dom.py
■      ■      ■      ■      ■      ■      ■      ■      etree.py
■      ■      ■      ■      ■      ■      ■      ■      etree_lxml.py
■      ■      ■      ■      ■      ■      ■      ■      genshi.py
■      ■      ■      ■      ■      ■      ■      ■      html5lib-1.1.dist-info
■      ■      ■      ■      ■      ■      ■      ■      AUTHORS.rst
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      httpcore
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _api.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _models.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _ssl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _synchronization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _trace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _api.py
■      ■      ■      ■      ■      ■      ■      ■      _async
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connection.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connection_pool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      http11.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      http2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      http_proxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      interfaces.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      socks_proxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connection.py
■      ■      ■      ■      ■      ■      ■      ■      connection_pool.py
■      ■      ■      ■      ■      ■      ■      ■      http11.py
■      ■      ■      ■      ■      ■      ■      ■      http2.py
■      ■      ■      ■      ■      ■      ■      ■      http_proxy.py
■      ■      ■      ■      ■      ■      ■      ■      interfaces.py
■      ■      ■      ■      ■      ■      ■      ■      socks_proxy.py
■      ■      ■      ■      ■      ■      ■      ■      _backends
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      anyio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      auto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mock.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      sync.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      trio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      anyio.py
■      ■      ■      ■      ■      ■      ■      ■      auto.py
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      mock.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ sync.py
■ ■ ■ ■ ■ ■ ■ ■ trio.py
■ ■ ■ ■ ■ ■ ■ ■ _exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ _models.py
■ ■ ■ ■ ■ ■ ■ ■ _ssl.py
■ ■ ■ ■ ■ ■ ■ ■ _sync
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection_pool.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ http11.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ http2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ http_proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ interfaces.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ socks_proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection.py
■ ■ ■ ■ ■ ■ ■ ■ connection_pool.py
■ ■ ■ ■ ■ ■ ■ ■ http11.py
■ ■ ■ ■ ■ ■ ■ ■ http2.py
■ ■ ■ ■ ■ ■ ■ ■ http_proxy.py
■ ■ ■ ■ ■ ■ ■ ■ interfaces.py
■ ■ ■ ■ ■ ■ ■ ■ socks_proxy.py
■ ■ ■ ■ ■ ■ ■ ■ _synchronization.py
■ ■ ■ ■ ■ ■ ■ ■ _trace.py
■ ■ ■ ■ ■ ■ ■ ■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ httpcore-1.0.7.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.md
■ ■ ■ ■ ■ ■ ■ ■ httptools
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ parser
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cparser.pxd
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ parser.pyx
■ ■ ■ ■ ■ ■ ■ ■ python.pxd
■ ■ ■ ■ ■ ■ ■ ■ url_cparser.pxd
■ ■ ■ ■ ■ ■ ■ ■ url_parser.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ url_parser.pyx
■ ■ ■ ■ ■ ■ ■ ■ httptools-0.6.4.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
```

```

WHEEL
top_level.txt
httpx
__init__.py
__pycache__
__init__.cpython-311.pyc
__version__.cpython-311.pyc
_api.cpython-311.pyc
_auth.cpython-311.pyc
_client.cpython-311.pyc
_config.cpython-311.pyc
_content.cpython-311.pyc
_decoders.cpython-311.pyc
_exceptions.cpython-311.pyc
_main.cpython-311.pyc
_models.cpython-311.pyc
_multipart.cpython-311.pyc
_status_codes.cpython-311.pyc
_types.cpython-311.pyc
_urlparse.cpython-311.pyc
_urls.cpython-311.pyc
_utils.cpython-311.pyc
__version__.py
_api.py
_auth.py
_client.py
_config.py
_content.py
_decoders.py
_exceptions.py
_main.py
_models.py
_multipart.py
_status_codes.py
_transports
__init__.py
__pycache__
__init__.cpython-311.pyc
asgi.cpython-311.pyc
base.cpython-311.pyc
default.cpython-311.pyc
mock.cpython-311.pyc
wsgi.cpython-311.pyc
asgi.py
base.py
default.py
mock.py
wsgi.py
_types.py
_urlparse.py
_urls.py
_utils.py
py.typed
httpx-0.28.1.dist-info
INSTALLER
METADATA
RECORD
WHEEL

```

```

    entry_points.txt
    licenses
    LICENSE.md
hypercorn
    __init__.py
    __main__.py
    __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    app_wrappers.cpython-311.pyc
    config.cpython-311.pyc
    events.cpython-311.pyc
    logging.cpython-311.pyc
    run.cpython-311.pyc
    statsd.cpython-311.pyc
    typing.cpython-311.pyc
    utils.cpython-311.pyc
    app_wrappers.py
    asyncio
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    lifespan.cpython-311.pyc
    run.cpython-311.pyc
    statsd.cpython-311.pyc
    task_group.cpython-311.pyc
    tcp_server.cpython-311.pyc
    udp_server.cpython-311.pyc
    worker_context.cpython-311.pyc
    lifespan.py
    run.py
    statsd.py
    task_group.py
    tcp_server.py
    udp_server.py
    worker_context.py
    config.py
    events.py
    logging.py
    middleware
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    dispatcher.cpython-311.pyc
    http_to_https.cpython-311.pyc
    wsgi.cpython-311.pyc
    dispatcher.py
    http_to_https.py
    wsgi.py
    protocol
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    events.cpython-311.pyc
    h11.cpython-311.pyc
    h2.cpython-311.pyc
    h3.cpython-311.pyc
    http_stream.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ quic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ws_stream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ events.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ h11.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ h2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ h3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ http_stream.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ quic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ws_stream.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ run.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ statsd.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ trio
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lifespan.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ run.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ statsd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ task_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tcp_server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ udp_server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ worker_context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lifespan.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ run.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ statsd.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ task_group.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tcp_server.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ udp_server.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ worker_context.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ typing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hypercorn-0.14.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hyperframe
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flags.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ frame.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hyperframe-6.0.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt

```

```

    idna
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      codec.cpython-311.pyc
      compat.cpython-311.pyc
      core.cpython-311.pyc
      idnadata.cpython-311.pyc
      intranges.cpython-311.pyc
      package_data.cpython-311.pyc
      uts46data.cpython-311.pyc
      codec.py
      compat.py
      core.py
      idnadata.py
      intranges.py
      package_data.py
      py.typed
      uts46data.py
    idna-3.10.dist-info
      INSTALLER
      LICENSE.md
      METADATA
      RECORD
      WHEEL
    imageio
      __init__.py
      __main__.py
      __pycache__
      __init__.cpython-311.pyc
      __main__.cpython-311.pyc
      freeze.cpython-311.pyc
      testing.cpython-311.pyc
      typing.cpython-311.pyc
      v2.cpython-311.pyc
      v3.cpython-311.pyc
      config
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      extensions.cpython-311.pyc
      plugins.cpython-311.pyc
      extensions.py
      extensions.pyi
      plugins.py
      plugins.pyi
    core
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      fetching.cpython-311.pyc
      findlib.cpython-311.pyc
      format.cpython-311.pyc
      imopen.cpython-311.pyc
      legacy_plugin_wrapper.cpython-311.pyc
      request.cpython-311.pyc
      util.cpython-311.pyc
      v3_plugin_api.cpython-311.pyc

```


■	■	■	■	■	■	■■■	fetching.py
■	■	■	■	■	■	■■■	findlib.py
■	■	■	■	■	■	■■■	format.py
■	■	■	■	■	■	■■■	format.pyi
■	■	■	■	■	■	■■■	imopen.py
■	■	■	■	■	■	■■■	imopen.pyi
■	■	■	■	■	■	■■■	legacy_plugin_wrapper.py
■	■	■	■	■	■	■■■	legacy_plugin_wrapper.pyi
■	■	■	■	■	■	■■■	request.py
■	■	■	■	■	■	■■■	request.pyi
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■	■■■	v3_plugin_api.py
■	■	■	■	■	■■■	freeze.py	
■	■	■	■	■	■■■	plugins	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_bsdf.cpython-311.pyc
■	■	■	■	■	■	■■■	_dicom.cpython-311.pyc
■	■	■	■	■	■	■■■	_freeimage.cpython-311.pyc
■	■	■	■	■	■	■■■	_swf.cpython-311.pyc
■	■	■	■	■	■	■■■	_tifffile.cpython-311.pyc
■	■	■	■	■	■	■■■	bsdf.cpython-311.pyc
■	■	■	■	■	■	■■■	dicom.cpython-311.pyc
■	■	■	■	■	■	■■■	example.cpython-311.pyc
■	■	■	■	■	■	■■■	feisem.cpython-311.pyc
■	■	■	■	■	■	■■■	ffmpeg.cpython-311.pyc
■	■	■	■	■	■	■■■	fits.cpython-311.pyc
■	■	■	■	■	■	■■■	freeimage.cpython-311.pyc
■	■	■	■	■	■	■■■	freeimagemulti.cpython-311.pyc
■	■	■	■	■	■	■■■	gdal.cpython-311.pyc
■	■	■	■	■	■	■■■	grab.cpython-311.pyc
■	■	■	■	■	■	■■■	lytro.cpython-311.pyc
■	■	■	■	■	■	■■■	npz.cpython-311.pyc
■	■	■	■	■	■	■■■	opencv.cpython-311.pyc
■	■	■	■	■	■	■■■	pillow.cpython-311.pyc
■	■	■	■	■	■	■■■	pillow_info.cpython-311.pyc
■	■	■	■	■	■	■■■	pillow_legacy.cpython-311.pyc
■	■	■	■	■	■	■■■	pillowmulti.cpython-311.pyc
■	■	■	■	■	■	■■■	pyav.cpython-311.pyc
■	■	■	■	■	■	■■■	rawpy.cpython-311.pyc
■	■	■	■	■	■	■■■	simpleitk.cpython-311.pyc
■	■	■	■	■	■	■■■	spe.cpython-311.pyc
■	■	■	■	■	■	■■■	swf.cpython-311.pyc
■	■	■	■	■	■	■■■	tifffile.cpython-311.pyc
■	■	■	■	■	■	■■■	tifffile_v3.cpython-311.pyc
■	■	■	■	■	■■■	_bsdf.py	
■	■	■	■	■	■■■	_dicom.py	
■	■	■	■	■	■■■	_freeimage.py	
■	■	■	■	■	■■■	_swf.py	
■	■	■	■	■	■■■	_tifffile.py	
■	■	■	■	■	■■■	bsdf.py	
■	■	■	■	■	■■■	dicom.py	
■	■	■	■	■	■■■	example.py	
■	■	■	■	■	■■■	feisem.py	
■	■	■	■	■	■■■	ffmpeg.py	
■	■	■	■	■	■■■	fits.py	
■	■	■	■	■	■■■	freeimage.py	

```

■      ■      ■      ■      ■      ■      ■      freeimagemulti.py
■      ■      ■      ■      ■      ■      ■      gdal.py
■      ■      ■      ■      ■      ■      ■      grab.py
■      ■      ■      ■      ■      ■      ■      lytro.py
■      ■      ■      ■      ■      ■      ■      npz.py
■      ■      ■      ■      ■      ■      ■      opencv.py
■      ■      ■      ■      ■      ■      ■      pillow.py
■      ■      ■      ■      ■      ■      ■      pillow_info.py
■      ■      ■      ■      ■      ■      ■      pillow_legacy.py
■      ■      ■      ■      ■      ■      ■      pillowmulti.py
■      ■      ■      ■      ■      ■      ■      pyav.py
■      ■      ■      ■      ■      ■      ■      rawpy.py
■      ■      ■      ■      ■      ■      ■      simpleitk.py
■      ■      ■      ■      ■      ■      ■      spe.py
■      ■      ■      ■      ■      ■      ■      swf.py
■      ■      ■      ■      ■      ■      ■      tiffiffile.py
■      ■      ■      ■      ■      ■      ■      tiffiffile_v3.py
■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■      ■      ■      v2.py
■      ■      ■      ■      ■      ■      ■      v2.pyi
■      ■      ■      ■      ■      ■      ■      v3.py
■      ■      ■      ■      ■      ■      ■      v3.pyi
■      ■      ■      ■      ■      ■      ■      imageio-2.36.1.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      imageio_ffmpeg
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _definitions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _io.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _parsing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _definitions.py
■      ■      ■      ■      ■      ■      ■      _io.py
■      ■      ■      ■      ■      ■      ■      _parsing.py
■      ■      ■      ■      ■      ■      ■      _utils.py
■      ■      ■      ■      ■      ■      ■      binaries
■      ■      ■      ■      ■      ■      ■      ■      README.md
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ffmpeg-linux64-v4.2.2
■      ■      ■      ■      ■      ■      ■      imageio_ffmpeg-0.5.1.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      imgkit

```

```

■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ api.cpython-311.pyc
■■■■ config.cpython-311.pyc
■■■■ imgkit.cpython-311.pyc
■■■■ source.cpython-311.pyc
■■■■ api.py
■■■■ config.py
■■■■ imgkit.py
■■■■ source.py
■■■■ imgkit-1.2.2.dist-info
■■■■ INSTALLER
■■■■ LICENSE
■■■■ METADATA
■■■■ RECORD
■■■■ REQUESTED
■■■■ WHEEL
■■■■ top_level.txt
■■■■ importlib_metadata
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _adapters.cpython-311.pyc
■■■■ _collections.cpython-311.pyc
■■■■ _compat.cpython-311.pyc
■■■■ _functools.cpython-311.pyc
■■■■ _itertools.cpython-311.pyc
■■■■ _meta.cpython-311.pyc
■■■■ _text.cpython-311.pyc
■■■■ diagnose.cpython-311.pyc
■■■■ _adapters.py
■■■■ _collections.py
■■■■ _compat.py
■■■■ _functools.py
■■■■ _itertools.py
■■■■ _meta.py
■■■■ _text.py
■■■■ compat
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ py311.cpython-311.pyc
■■■■ py39.cpython-311.pyc
■■■■ py311.py
■■■■ py39.py
■■■■ diagnose.py
■■■■ py.typed
■■■■ importlib_metadata-8.5.0.dist-info
■■■■ INSTALLER
■■■■ LICENSE
■■■■ METADATA
■■■■ RECORD
■■■■ WHEEL
■■■■ top_level.txt
■■■■ importlib_resources
■■■■ __init__.py
■■■■ __pycache__

```

[illegible]

```

test_custom.py
test_files.py
test_functional.py
test_open.py
test_path.py
test_read.py
test_reader.py
test_resource.py
util.py
zip.py
importlib_resources-6.4.5.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
iniconfig
__init__.py
__pycache__
__init__.cpython-311.pyc
_parse.cpython-311.pyc
_version.cpython-311.pyc
exceptions.cpython-311.pyc
_parse.py
_version.py
exceptions.py
py.typed
iniconfig-2.0.0.dist-info
INSTALLER
METADATA
RECORD
WHEEL
licenses
LICENSE
ipykernel
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_eventloop_macos.cpython-311.pyc
_version.cpython-311.pyc
compiler.cpython-311.pyc
connect.cpython-311.pyc
control.cpython-311.pyc
datapub.cpython-311.pyc
debugger.cpython-311.pyc
displayhook.cpython-311.pyc
embed.cpython-311.pyc
eventloops.cpython-311.pyc
heartbeat.cpython-311.pyc
iostream.cpython-311.pyc
ipkernel.cpython-311.pyc
jsonutil.cpython-311.pyc
kernelapp.cpython-311.pyc
kernelbase.cpython-311.pyc
kernelshspec.cpython-311.pyc

```

■	■	■	■	■	■	■■■	log.cpython-311.pyc
■	■	■	■	■	■	■■■	parentpoller.cpython-311.pyc
■	■	■	■	■	■	■■■	pickleutil.cpython-311.pyc
■	■	■	■	■	■	■■■	serialize.cpython-311.pyc
■	■	■	■	■	■	■■■	trio_runner.cpython-311.pyc
■	■	■	■	■	■	■■■	zmqshell.cpython-311.pyc
■	■	■	■	■	■■■		_eventloop_macos.py
■	■	■	■	■	■■■		_version.py
■	■	■	■	■	■■■		comm
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	comm.cpython-311.pyc
■	■	■	■	■	■	■■■	manager.cpython-311.pyc
■	■	■	■	■	■■■		comm.py
■	■	■	■	■	■■■		manager.py
■	■	■	■	■	■■■		compiler.py
■	■	■	■	■	■■■		connect.py
■	■	■	■	■	■■■		control.py
■	■	■	■	■	■■■		datapub.py
■	■	■	■	■	■■■		debugger.py
■	■	■	■	■	■■■		displayhook.py
■	■	■	■	■	■■■		embed.py
■	■	■	■	■	■■■		eventloops.py
■	■	■	■	■	■■■		gui
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	gtk3embed.cpython-311.pyc
■	■	■	■	■	■	■■■	gtkembed.cpython-311.pyc
■	■	■	■	■	■■■		gtk3embed.py
■	■	■	■	■	■■■		gtkembed.py
■	■	■	■	■	■■■		heartbeat.py
■	■	■	■	■	■■■		inprocess
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	blocking.cpython-311.pyc
■	■	■	■	■	■	■■■	channels.cpython-311.pyc
■	■	■	■	■	■	■■■	client.cpython-311.pyc
■	■	■	■	■	■	■■■	constants.cpython-311.pyc
■	■	■	■	■	■	■■■	ipkernel.cpython-311.pyc
■	■	■	■	■	■	■■■	manager.cpython-311.pyc
■	■	■	■	■	■	■■■	socket.cpython-311.pyc
■	■	■	■	■	■■■		blocking.py
■	■	■	■	■	■■■		channels.py
■	■	■	■	■	■■■		client.py
■	■	■	■	■	■■■		constants.py
■	■	■	■	■	■■■		ipkernel.py
■	■	■	■	■	■■■		manager.py
■	■	■	■	■	■■■		socket.py
■	■	■	■	■	■■■		iostream.py
■	■	■	■	■	■■■		ipkernel.py
■	■	■	■	■	■■■		jsonutil.py
■	■	■	■	■	■■■		kernelapp.py
■	■	■	■	■	■■■		kernelbase.py
■	■	■	■	■	■■■		kernelspec.py
■	■	■	■	■	■■■		log.py

```

parentpoller.py
pickleutil.py
py.typed
pylab
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        backend_inline.cpython-311.pyc
        config.cpython-311.pyc
        backend_inline.py
        config.py
resources
    logo-32x32.png
    logo-64x64.png
    logo-svg.svg
serialize.py
trio_runner.py
zmqshell.py
ipykernel-6.29.5.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
    licenses
    LICENSE
ipykernel_launcher.py
ipython-8.30.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    entry_points.txt
    top_level.txt
ipython_genutils
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _version.cpython-311.pyc
        encoding.cpython-311.pyc
        importstring.cpython-311.pyc
        ipstruct.cpython-311.pyc
        path.cpython-311.pyc
        py3compat.cpython-311.pyc
        tempdir.cpython-311.pyc
        text.cpython-311.pyc
    _version.py
    encoding.py
    importstring.py
    ipstruct.py
    path.py
    py3compat.py
    tempdir.py
    testing
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        decorators.cpython-311.pyc

```

```

██████ decorators.py
██████ tests
██████ __init__.py
██████ __pycache__
██████   ██████ __init__.cpython-311.pyc
██████   ██████ test_importstring.cpython-311.pyc
██████   ██████ test_path.cpython-311.pyc
██████   ██████ test_tempdir.cpython-311.pyc
██████   ██████ test_text.cpython-311.pyc
██████   ██████ test_importstring.py
██████   ██████ test_path.py
██████   ██████ test_tempdir.py
██████   ██████ test_text.py
██████   ██████ text.py
██████ ipython_genutils-0.2.0.dist-info
██████ DESCRIPTION.rst
██████ INSTALLER
██████ METADATA
██████ RECORD
██████ WHEEL
██████ metadata.json
██████ top_level.txt
██████ isodate
██████   ██████ __init__.py
██████   ██████ __pycache__
██████   ██████ __init__.cpython-311.pyc
██████   ██████ duration.cpython-311.pyc
██████   ██████ isodates.cpython-311.pyc
██████   ██████ isodatetime.cpython-311.pyc
██████   ██████ isoduration.cpython-311.pyc
██████   ██████ isoerror.cpython-311.pyc
██████   ██████ isostrf.cpython-311.pyc
██████   ██████ isotime.cpython-311.pyc
██████   ██████ isotzinfo.cpython-311.pyc
██████   ██████ tzinfo.cpython-311.pyc
██████   ██████ version.cpython-311.pyc
██████   ██████ duration.py
██████   ██████ isodates.py
██████   ██████ isodatetime.py
██████   ██████ isoduration.py
██████   ██████ isoerror.py
██████   ██████ isostrf.py
██████   ██████ isotime.py
██████   ██████ isotzinfo.py
██████   ██████ tzinfo.py
██████   ██████ version.py
██████ isodate-0.7.2.dist-info
██████ INSTALLER
██████ LICENSE
██████ METADATA
██████ RECORD
██████ WHEEL
██████ top_level.txt
██████ isympy.py
██████ itsdangerous
██████   ██████ __init__.py
██████   ██████ __pycache__
██████   ██████ __init__.cpython-311.pyc

```


[illegible]

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      ■■■ parallel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ polar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ qdwh.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ slicing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ windowed_reductions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ control_flow.py
■      ■      ■      ■      ■      ■      ■      ■■■ convolution.py
■      ■      ■      ■      ■      ■      ■      ■■■ fft.py
■      ■      ■      ■      ■      ■      ■      ■■■ lax.py
■      ■      ■      ■      ■      ■      ■      ■■■ linalg.py
■      ■      ■      ■      ■      ■      ■      ■■■ other.py
■      ■      ■      ■      ■      ■      ■      ■■■ parallel.py
■      ■      ■      ■      ■      ■      ■      ■■■ polar.py
■      ■      ■      ■      ■      ■      ■      ■■■ qdwh.py
■      ■      ■      ■      ■      ■      ■      ■■■ slicing.py
■      ■      ■      ■      ■      ■      ■      ■■■ utils.py
■      ■      ■      ■      ■      ■      ■      ■■■ windowed_reductions.py
■      ■      ■      ■      ■      ■      ■■■ lax_reference.py
■      ■      ■      ■      ■      ■      ■■■ lib
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ xla_bridge.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ mlir
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ dialects
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ xla_bridge.py
■      ■      ■      ■      ■      ■      ■■■ nn
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ initializers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ functions.py
■      ■      ■      ■      ■      ■      ■      ■■■ initializers.py
■      ■      ■      ■      ■      ■      ■■■ numpy
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ fft.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ lax_numpy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ linalg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ polynomial.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ vectorize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ fft.py
■      ■      ■      ■      ■      ■      ■      ■■■ lax_numpy.py
■      ■      ■      ■      ■      ■      ■      ■■■ linalg.py
■      ■      ■      ■      ■      ■      ■      ■■■ polynomial.py
■      ■      ■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■      ■      ■■■ vectorize.py
■      ■      ■      ■      ■      ■      ■■■ ops

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ custom_transpose.py
■ ■ ■ ■ ■ ■ ■ ■ distributed.py
■ ■ ■ ■ ■ ■ ■ ■ dlpack.py
■ ■ ■ ■ ■ ■ ■ ■ dtypes.py
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ example_libraries
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ optimizers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ optimizers.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ experimental
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ann.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ callback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ checkify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ djax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ global_device_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ host_callback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ jet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ loops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ maps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ mesh_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ optimizers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pjit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ x64_context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ann.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callback.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ checkify.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compilation_cache
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ cache_interface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ compilation_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ file_system_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ cache_interface.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ compilation_cache.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ file_system_cache.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ djax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gda_serialization
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization_test.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ global_device_array.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ host_callback.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jax2tf
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ call_tf.cpython-311.pyc
    ████ impl_no_xla.cpython-311.pyc
    ████ jax2tf.cpython-311.pyc
    ████ shape_poly.cpython-311.pyc
    ████ call_tf.py
    ████ examples
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ keras_reuse_main.cpython-311.pyc
    ████ keras_reuse_main_test.cpython-311.pyc
    ████ mnist_lib.cpython-311.pyc
    ████ saved_model_lib.cpython-311.pyc
    ████ saved_model_main.cpython-311.pyc
    ████ saved_model_main_test.cpython-311.pyc
    ████ keras_reuse_main.py
    ████ keras_reuse_main_test.py
    ████ mnist_lib.py
    ████ saved_model_lib.py
    ████ saved_model_main.py
    ████ saved_model_main_test.py
    ████ serving
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ model_server_request.cpython-311.pyc
    ████ model_server_request.py
    ████ impl_no_xla.py
    ████ jax2tf.py
    ████ shape_poly.py
    ████ tests
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ call_tf_test.cpython-311.pyc
    ████ control_flow_ops_test.cpython-311.pyc
    ████ jax2tf_limitations.cpython-311.pyc
    ████ jax2tf_test.cpython-311.pyc
    ████ jax_primitives_coverage_test.cpython-311.pyc
    ████ primitive_harness.cpython-311.pyc
    ████ primitives_test.cpython-311.pyc
    ████ savedmodel_test.cpython-311.pyc
    ████ shape_poly_test.cpython-311.pyc
    ████ sharding_test.cpython-311.pyc
    ████ stax_test.cpython-311.pyc
    ████ tf_test_util.cpython-311.pyc
    ████ call_tf_test.py
    ████ control_flow_ops_test.py
    ████ jax2tf_limitations.py
    ████ jax2tf_test.py
    ████ jax_primitives_coverage_test.py
    ████ primitive_harness.py
    ████ primitives_test.py
    ████ savedmodel_test.py
    ████ shape_poly_test.py
    ████ sharding_test.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stax_test.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tf_test_util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loops.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ maps.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mesh_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ode.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ optimizers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pjit.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sparse
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bcoo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ coo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ csr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ transform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ad.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bcoo.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ coo.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ csr.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ transform.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x64_context.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flatten_util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ interpreters
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ batching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ invertible_ad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mlir.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ partial_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pxla.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sharded_jit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xla.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ad.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ batching.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ invertible_ad.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masking.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mlir.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ partial_eval.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pxla.py
```



```

sharded_jit.py
xla.py
jaxpr_util.py
lax
__init__.py
__pycache__
__init__.cpython-311.pyc
linalg.cpython-311.pyc
linalg.py
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
xla_bridge.cpython-311.pyc
xla_bridge.py
linear_util.py
nn
__init__.py
__pycache__
__init__.cpython-311.pyc
initializers.cpython-311.pyc
initializers.py
numpy
__init__.py
__pycache__
__init__.cpython-311.pyc
fft.cpython-311.pyc
linalg.cpython-311.pyc
fft.py
linalg.py
ops
__init__.py
__pycache__
__init__.cpython-311.pyc
prng.py
profiler.py
py.typed
random.py
scipy
__init__.py
__pycache__
__init__.cpython-311.pyc
fft.cpython-311.pyc
linalg.cpython-311.pyc
ndimage.cpython-311.pyc
signal.cpython-311.pyc
special.cpython-311.pyc
fft.py
interpolate
__init__.py
__pycache__
__init__.cpython-311.pyc
linalg.py
ndimage.py
optimize
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■■■■ signal.py
■      ■      ■      ■      ■      ■      ■■■■ sparse
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ linalg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ linalg.py
■      ■      ■      ■      ■      ■      ■■■■ special.py
■      ■      ■      ■      ■      ■      ■■■■ stats
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ bernoulli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ beta.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ betabinom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ cauchy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ chi2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dirichlet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ expon.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gamma.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ geom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ laplace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ logistic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ multivariate_normal.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ nbinom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ norm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pareto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ poisson.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ t.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ uniform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ bernoulli.py
■      ■      ■      ■      ■      ■      ■■■■ beta.py
■      ■      ■      ■      ■      ■      ■■■■ betabinom.py
■      ■      ■      ■      ■      ■      ■■■■ cauchy.py
■      ■      ■      ■      ■      ■      ■■■■ chi2.py
■      ■      ■      ■      ■      ■      ■■■■ dirichlet.py
■      ■      ■      ■      ■      ■      ■■■■ expon.py
■      ■      ■      ■      ■      ■      ■■■■ gamma.py
■      ■      ■      ■      ■      ■      ■■■■ geom.py
■      ■      ■      ■      ■      ■      ■■■■ laplace.py
■      ■      ■      ■      ■      ■      ■■■■ logistic.py
■      ■      ■      ■      ■      ■      ■■■■ multivariate_normal.py
■      ■      ■      ■      ■      ■      ■■■■ nbinom.py
■      ■      ■      ■      ■      ■      ■■■■ norm.py
■      ■      ■      ■      ■      ■      ■■■■ pareto.py
■      ■      ■      ■      ■      ■      ■■■■ poisson.py
■      ■      ■      ■      ■      ■      ■■■■ t.py
■      ■      ■      ■      ■      ■      ■■■■ uniform.py
■      ■      ■      ■      ■      ■■■■ test_util.py
■      ■      ■      ■      ■      ■■■■ tools
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ colab_tpu.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ jax_to_ir.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ colab_tpu.py
■      ■      ■      ■      ■      ■      ■■■■ jax_to_ir.py
■      ■      ■      ■      ■      ■■■■ tree_util.py

```

```

util.py
version.py
jax-0.2.28.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
jedi
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_compatibility.cpython-311.pyc
cache.cpython-311.pyc
common.cpython-311.pyc
debug.cpython-311.pyc
file_io.cpython-311.pyc
parser_utils.cpython-311.pyc
settings.cpython-311.pyc
utils.cpython-311.pyc
_compatibility.py
api
__init__.py
__pycache__
__init__.cpython-311.pyc
classes.cpython-311.pyc
completion.cpython-311.pyc
completion_cache.cpython-311.pyc
environment.cpython-311.pyc
errors.cpython-311.pyc
exceptions.cpython-311.pyc
file_name.cpython-311.pyc
helpers.cpython-311.pyc
interpreter.cpython-311.pyc
keywords.cpython-311.pyc
project.cpython-311.pyc
replstartup.cpython-311.pyc
strings.cpython-311.pyc
classes.py
completion.py
completion_cache.py
environment.py
errors.py
exceptions.py
file_name.py
helpers.py
interpreter.py
keywords.py
project.py
refactoring
__init__.py
__pycache__
__init__.cpython-311.pyc
extract.cpython-311.pyc

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■■■ value.py
■      ■      ■      ■      ■      ■      ■      ■■■ context.py
■      ■      ■      ■      ■      ■      ■      ■■■ docstring_utils.py
■      ■      ■      ■      ■      ■      ■      ■■■ docstrings.py
■      ■      ■      ■      ■      ■      ■      ■■■ dynamic_params.py
■      ■      ■      ■      ■      ■      ■      ■■■ filters.py
■      ■      ■      ■      ■      ■      ■      ■■■ finder.py
■      ■      ■      ■      ■      ■      ■      ■■■ flow_analysis.py
■      ■      ■      ■      ■      ■      ■      ■■■ gradual
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ annotation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ conversion.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ generics.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ stub_value.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ type_var.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ typeshed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ typing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ annotation.py
■      ■      ■      ■      ■      ■      ■      ■■■ base.py
■      ■      ■      ■      ■      ■      ■      ■■■ conversion.py
■      ■      ■      ■      ■      ■      ■      ■■■ generics.py
■      ■      ■      ■      ■      ■      ■      ■■■ stub_value.py
■      ■      ■      ■      ■      ■      ■      ■■■ type_var.py
■      ■      ■      ■      ■      ■      ■      ■■■ typeshed.py
■      ■      ■      ■      ■      ■      ■      ■■■ typing.py
■      ■      ■      ■      ■      ■      ■      ■■■ utils.py
■      ■      ■      ■      ■      ■      ■      ■■■ helpers.py
■      ■      ■      ■      ■      ■      ■      ■■■ imports.py
■      ■      ■      ■      ■      ■      ■      ■■■ lazy_value.py
■      ■      ■      ■      ■      ■      ■      ■■■ names.py
■      ■      ■      ■      ■      ■      ■      ■■■ param.py
■      ■      ■      ■      ■      ■      ■      ■■■ parser_cache.py
■      ■      ■      ■      ■      ■      ■      ■■■ recursion.py
■      ■      ■      ■      ■      ■      ■      ■■■ references.py
■      ■      ■      ■      ■      ■      ■      ■■■ signature.py
■      ■      ■      ■      ■      ■      ■      ■■■ star_args.py
■      ■      ■      ■      ■      ■      ■      ■■■ syntax_tree.py
■      ■      ■      ■      ■      ■      ■      ■■■ sys_path.py
■      ■      ■      ■      ■      ■      ■      ■■■ utils.py
■      ■      ■      ■      ■      ■      ■      ■■■ value
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ decorator.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ dynamic_arrays.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ function.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ instance.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ iterable.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ klass.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ module.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ namespace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ decorator.py
■      ■      ■      ■      ■      ■      ■      ■■■ dynamic_arrays.py
■      ■      ■      ■      ■      ■      ■      ■■■ function.py

```


[illegible]

```

    models.pyi
    views.pyi
    flatpages
    __init__.pyi
    forms.pyi
    middleware.pyi
    models.pyi
    sitemaps.pyi
    templatetags
    __init__.pyi
    flatpages.pyi
    urls.pyi
    views.pyi
    gis
    __init__.pyi
    db
    __init__.pyi
    models
    __init__.pyi
    fields.pyi
    humanize
    __init__.pyi
    templatetags
    __init__.pyi
    humanize.pyi
    messages
    __init__.pyi
    api.pyi
    constants.pyi
    context_processors.pyi
    middleware.pyi
    storage
    __init__.pyi
    base.pyi
    cookie.pyi
    fallback.pyi
    session.pyi
    utils.pyi
    views.pyi
    postgres
    __init__.pyi
    aggregates
    __init__.pyi
    general.pyi
    mixins.pyi
    statistics.pyi
    constraints.pyi
    fields
    __init__.pyi
    array.pyi
    citext.pyi
    hstore.pyi
    jsonb.pyi
    mixins.pyi
    ranges.pyi
    functions.pyi
    indexes.pyi
    lookups.pyi

```



```

■■■■ operations.pyi
■■■■ search.pyi
■■■■ signals.pyi
■■■■ validators.pyi
■■■ redirects
■    ■■■■ __init__.pyi
■    ■■■■ middleware.pyi
■    ■■■■ models.pyi
■■■ sessions
■    ■■■■ __init__.pyi
■    ■■■■ backends
■    ■    ■■■■ __init__.pyi
■    ■    ■■■■ base.pyi
■    ■    ■■■■ cache.pyi
■    ■    ■■■■ cached_db.pyi
■    ■    ■■■■ db.pyi
■    ■    ■■■■ file.pyi
■    ■    ■■■■ signed_cookies.pyi
■    ■■■■ base_session.pyi
■    ■■■■ exceptions.pyi
■    ■■■■ management
■    ■    ■■■■ __init__.pyi
■    ■    ■■■■ commands
■    ■    ■    ■■■■ __init__.pyi
■    ■    ■    ■■■■ clearsessions.pyi
■    ■■■■ middleware.pyi
■    ■■■■ models.pyi
■    ■■■■ serializers.pyi
■■■ sitemaps
■    ■■■■ __init__.pyi
■    ■■■■ management
■    ■    ■■■■ __init__.pyi
■    ■    ■■■■ commands
■    ■    ■    ■■■■ __init__.pyi
■    ■    ■    ■■■■ ping_google.pyi
■    ■■■■ views.pyi
■■■ sites
■    ■■■■ __init__.pyi
■    ■■■■ apps.pyi
■    ■■■■ management.pyi
■    ■■■■ managers.pyi
■    ■■■■ middleware.pyi
■    ■■■■ models.pyi
■    ■■■■ requests.pyi
■    ■■■■ shortcuts.pyi
■■■ staticfiles
■    ■■■■ __init__.pyi
■    ■■■■ apps.pyi
■    ■■■■ checks.pyi
■    ■■■■ finders.pyi
■    ■■■■ handlers.pyi
■    ■■■■ management
■    ■    ■■■■ __init__.pyi
■    ■    ■■■■ commands
■    ■    ■    ■■■■ __init__.pyi
■    ■    ■    ■■■■ collectstatic.pyi
■    ■    ■    ■■■■ findstatic.pyi
■    ■    ■    ■■■■ runserver.pyi

```

```

storage.pyi
templatetags
    __init__.pyi
staticfiles.pyi
testing.pyi
urls.pyi
utils.pyi
views.pyi
syndication
    __init__.pyi
    views.pyi
core
    __init__.pyi
    cache
        __init__.pyi
        backends
            __init__.pyi
            base.pyi
            db.pyi
            dummy.pyi
            filebased.pyi
            locmem.pyi
            memcached.pyi
            utils.pyi
    checks
        __init__.pyi
        caches.pyi
        database.pyi
        messages.pyi
        model_checks.pyi
        registry.pyi
        security
            __init__.pyi
            base.pyi
            csrf.pyi
            sessions.pyi
        templates.pyi
        translation.pyi
        urls.pyi
    exceptions.pyi
    files
        __init__.pyi
        base.pyi
        images.pyi
        locks.pyi
        move.pyi
        storage.pyi
        temp.pyi
        uploadedfile.pyi
        uploadhandler.pyi
        utils.pyi
    handlers
        __init__.pyi
        base.pyi
        exception.pyi
        wsgi.pyi
    mail
        __init__.pyi

```



```

postgresql
  ├── __init__.pyi
  ├── base.pyi
  ├── client.pyi
  ├── creation.pyi
  ├── operations.pyi
  ├── signals.pyi
  ├── sqlite3
  │   ├── __init__.pyi
  │   ├── base.pyi
  │   ├── creation.pyi
  │   ├── features.pyi
  │   ├── introspection.pyi
  │   ├── operations.pyi
  │   └── schema.pyi
  └── utils.pyi
migrations
  ├── __init__.pyi
  ├── autodetector.pyi
  ├── exceptions.pyi
  ├── executor.pyi
  ├── graph.pyi
  ├── loader.pyi
  ├── migration.pyi
  ├── operations
  │   ├── __init__.pyi
  │   ├── base.pyi
  │   ├── fields.pyi
  │   ├── models.pyi
  │   ├── special.pyi
  │   └── utils.pyi
  ├── optimizer.pyi
  ├── questioner.pyi
  ├── recorder.pyi
  ├── serializer.pyi
  ├── state.pyi
  ├── topological_sort.pyi
  ├── utils.pyi
  └── writer.pyi
models
  ├── __init__.pyi
  ├── aggregates.pyi
  ├── base.pyi
  ├── constraints.pyi
  ├── deletion.pyi
  ├── enums.pyi
  ├── expressions.pyi
  ├── fields
  │   ├── __init__.pyi
  │   ├── files.pyi
  │   ├── mixins.pyi
  │   ├── proxy.pyi
  │   ├── related.pyi
  │   ├── related_descriptors.pyi
  │   ├── related_lookups.pyi
  │   └── reverse_related.pyi
  └── functions
      ├── __init__.pyi

```

[illegible]

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dateformat.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dateparse.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dates.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ datetime_safe.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ deconstruct.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ deprecation.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ duration.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ encoding.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ feedgenerator.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ formats.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ functional.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ hashable.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ html.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ http.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ inspect.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ ipv6.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ itercompat.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ jslex.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ log.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ lorem_ipsum.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ module_loading.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ numberformat.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ regex_helper.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ safestring.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ six.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ termcolors.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ text.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ timesince.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ timezone.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ topological_sort.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ translation
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ reloader.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ template.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ trans_null.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ trans_real.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ tree.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ version.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ xmlutils.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ views
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ csrf.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ debug.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ cache.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ clickjacking.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ csrf.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ debug.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ gzip.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ http.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ vary.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ defaults.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ generic
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ base.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dates.pyi
```

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■■	bdist.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_dumb.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_msi.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_packager.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_rpm.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_wininst.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_clib.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_ext.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_py.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_scripts.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	check.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	clean.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	config.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_data.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_egg_info.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_headers.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_lib.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_scripts.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	register.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	sdist.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	upload.pyi
■	■	■	■	■	■	■	■	■	■■■■	config.pyi	
■	■	■	■	■	■	■	■	■	■■■■	core.pyi	
■	■	■	■	■	■	■	■	■	■■■■	cygwinccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	debug.pyi	
■	■	■	■	■	■	■	■	■	■■■■	dep_util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	dir_util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	dist.pyi	
■	■	■	■	■	■	■	■	■	■■■■	emxccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	errors.pyi	
■	■	■	■	■	■	■	■	■	■■■■	extension.pyi	
■	■	■	■	■	■	■	■	■	■■■■	fancy_getopt.pyi	
■	■	■	■	■	■	■	■	■	■■■■	file_util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	filelist.pyi	
■	■	■	■	■	■	■	■	■	■■■■	log.pyi	
■	■	■	■	■	■	■	■	■	■■■■	msvccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	spawn.pyi	
■	■	■	■	■	■	■	■	■	■■■■	sysconfig.pyi	
■	■	■	■	■	■	■	■	■	■■■■	text_file.pyi	
■	■	■	■	■	■	■	■	■	■■■■	unixccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	version.pyi	
■	■	■	■	■	■	■	■	■■■■	dummy_thread.pyi		
■	■	■	■	■	■	■	■	■■■■	email		
■	■	■	■	■	■	■	■	■■■■	MIMEText.pyi		
■	■	■	■	■	■	■	■	■■■■	__init__.pyi		
■	■	■	■	■	■	■	■	■■■■	_parseaddr.pyi		
■	■	■	■	■	■	■	■	■■■■	base64mime.pyi		
■	■	■	■	■	■	■	■	■■■■	charset.pyi		
■	■	■	■	■	■	■	■	■■■■	encoders.pyi		
■	■	■	■	■	■	■	■	■■■■	feedparser.pyi		
■	■	■	■	■	■	■	■	■■■■	generator.pyi		
■	■	■	■	■	■	■	■	■■■■	header.pyi		
■	■	■	■	■	■	■	■	■■■■	iterators.pyi		
■	■	■	■	■	■	■	■	■■■■	message.pyi		
■	■	■	■	■	■	■	■	■■■■	mime		

[illegible]

```

posixpath.pyi
random.pyi
re.pyi
repr.pyi
resource.pyi
rfc822.pyi
robotparser.pyi
runpy.pyi
sets.pyi
sha.pyi
shelve.pyi
shlex.pyi
signal.pyi
smtplib.pyi
spwd.pyi
sre_constants.pyi
sre_parse.pyi
stat.pyi
string.pyi
stringold.pyi
strop.pyi
subprocess.pyi
symbol.pyi
sys.pyi
tempfile.pyi
textwrap.pyi
thread.pyi
toaiff.pyi
tokenize.pyi
types.pyi
typing.pyi
unittest.pyi
urllib.pyi
urllib2.pyi
urlparse.pyi
user.pyi
whichdb.pyi
xmlrpclib.pyi
2and3
__future__.pyi
_bisect.pyi
_codecs.pyi
_csv.pyi
_curses.pyi
_dummy_threading.pyi
_heapq.pyi
_msi.pyi
_random.pyi
_typedshed
    __init__.pyi
    wsgi.pyi
    xml.pyi
_warnings.pyi
_weakref.pyi
_weakrefset.pyi
aifc.pyi
antigravity.pyi
argparse.pyi

```

```

array.pyi
asynchat.pyi
asyncore.pyi
audioop.pyi
base64.pyi
bdb.pyi
binascii.pyi
binhex.pyi
bisect.pyi
bz2.pyi
cProfile.pyi
calendar.pyi
cgi.pyi
cgitb.pyi
chunk.pyi
cmath.pyi
cmd.pyi
code.pyi
codecs.pyi
codeop.pyi
coloursys.pyi
contextlib.pyi
copy.pyi
crypt.pyi
csv.pyi
ctypes
    ___init__.pyi
    util.pyi
    wintypes.pyi
curses
    ___init__.pyi
    ascii.pyi
    panel.pyi
    textpad.pyi
datetime.pyi
decimal.pyi
difflib.pyi
dis.pyi
doctest.pyi
dummy_threading.pyi
ensurepip
    ___init__.pyi
errno.pyi
filecmp.pyi
fileinput.pyi
formatter.pyi
fractions.pyi
ftplib.pyi
genericpath.pyi
grp.pyi
hmac.pyi
imaplib.pyi
imghdr.pyi
keyword.pyi
lib2to3
    ___init__.pyi
    pgen2
    ___init__.pyi

```


■	■	■	■	■	■	■	■	■	■■■■	readline.pyi
■	■	■	■	■	■	■	■	■	■■■■	rlcompleter.pyi
■	■	■	■	■	■	■	■	■	■■■■	sched.pyi
■	■	■	■	■	■	■	■	■	■■■■	select.pyi
■	■	■	■	■	■	■	■	■	■■■■	shutil.pyi
■	■	■	■	■	■	■	■	■	■■■■	site.pyi
■	■	■	■	■	■	■	■	■	■■■■	smtpd.pyi
■	■	■	■	■	■	■	■	■	■■■■	sndhdr.pyi
■	■	■	■	■	■	■	■	■	■■■■	socket.pyi
■	■	■	■	■	■	■	■	■	■■■■	sqlite3
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	dbapi2.pyi
■	■	■	■	■	■	■	■	■	■■■■	sre_compile.pyi
■	■	■	■	■	■	■	■	■	■■■■	ssl.pyi
■	■	■	■	■	■	■	■	■	■■■■	stringprep.pyi
■	■	■	■	■	■	■	■	■	■■■■	struct.pyi
■	■	■	■	■	■	■	■	■	■■■■	sunau.pyi
■	■	■	■	■	■	■	■	■	■■■■	symtable.pyi
■	■	■	■	■	■	■	■	■	■■■■	sysconfig.pyi
■	■	■	■	■	■	■	■	■	■■■■	syslog.pyi
■	■	■	■	■	■	■	■	■	■■■■	tabnanny.pyi
■	■	■	■	■	■	■	■	■	■■■■	tarfile.pyi
■	■	■	■	■	■	■	■	■	■■■■	telnetlib.pyi
■	■	■	■	■	■	■	■	■	■■■■	termios.pyi
■	■	■	■	■	■	■	■	■	■■■■	this.pyi
■	■	■	■	■	■	■	■	■	■■■■	threading.pyi
■	■	■	■	■	■	■	■	■	■■■■	time.pyi
■	■	■	■	■	■	■	■	■	■■■■	timeit.pyi
■	■	■	■	■	■	■	■	■	■■■■	token.pyi
■	■	■	■	■	■	■	■	■	■■■■	trace.pyi
■	■	■	■	■	■	■	■	■	■■■■	traceback.pyi
■	■	■	■	■	■	■	■	■	■■■■	tty.pyi
■	■	■	■	■	■	■	■	■	■■■■	turtle.pyi
■	■	■	■	■	■	■	■	■	■■■■	unicodedata.pyi
■	■	■	■	■	■	■	■	■	■■■■	uu.pyi
■	■	■	■	■	■	■	■	■	■■■■	uuid.pyi
■	■	■	■	■	■	■	■	■	■■■■	warnings.pyi
■	■	■	■	■	■	■	■	■	■■■■	wave.pyi
■	■	■	■	■	■	■	■	■	■■■■	weakref.pyi
■	■	■	■	■	■	■	■	■	■■■■	webbrowser.pyi
■	■	■	■	■	■	■	■	■	■■■■	winsound.pyi
■	■	■	■	■	■	■	■	■	■■■■	wsgiref
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	handlers.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	headers.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	simple_server.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	types.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	util.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	validate.pyi
■	■	■	■	■	■	■	■	■	■■■■	xdrlib.pyi
■	■	■	■	■	■	■	■	■	■■■■	xml
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	dom
■	■	■	■	■	■	■	■	■	■ ■■■■	NodeFilter.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	domreg.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	expatbuilder.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	minicompat.pyi

```

minidom.pyi
pulldom.pyi
xmlbuilder.pyi
etree
ElementInclude.pyi
ElementPath.pyi
ElementTree.pyi
__init__.pyi
cElementTree.pyi
parsers
__init__.pyi
expat
    __init__.pyi
    errors.pyi
    model.pyi
sax
    __init__.pyi
    handler.pyi
    saxutils.pyi
    xmlreader.pyi
zipfile.pyi
zipimport.pyi
zlib.pyi
3
_ast.pyi
_bootlocale.pyi
_compat_pickle.pyi
_compression.pyi
_decimal.pyi
_dummy_thread.pyi
_imp.pyi
_importlib_modulespec.pyi
_json.pyi
_markupbase.pyi
_operator.pyi
_osx_support.pyi
_posixsubprocess.pyi
_pydecimal.pyi
_sitebuiltins.pyi
_stat.pyi
_thread.pyi
_threading_local.pyi
_tkinter.pyi
_tracemalloc.pyi
_winapi.pyi
abc.pyi
ast.pyi
asyncio
    __init__.pyi
    base_events.pyi
    base_futures.pyi
    base_subprocess.pyi
    base_tasks.pyi
    compat.pyi
    constants.pyi
    coroutines.pyi
    events.pyi
    exceptions.pyi

```

```

format_helpers.pyi
futures.pyi
locks.pyi
log.pyi
proactor_events.pyi
protocols.pyi
queues.pyi
runners.pyi
selector_events.pyi
sslproto.pyi
staggered.pyi
streams.pyi
subprocess.pyi
tasks.pyi
threads.pyi
transports.pyi
trsock.pyi
unix_events.pyi
windows_events.pyi
windows_utils.pyi
atexit.pyi
builtins.pyi
collections
    __init__.pyi
    abc.pyi
compileall.pyi
concurrent
    __init__.pyi
    futures
        __init__.pyi
        _base.pyi
        process.pyi
        thread.pyi
configparser.pyi
copyreg.pyi
dbm
    __init__.pyi
    dumb.pyi
    gnu.pyi
    ndbm.pyi
distutils
    __init__.pyi
    archive_util.pyi
    bcppcompiler.pyi
    ccompiler.pyi
    cmd.pyi
    command
        __init__.pyi
        bdist.pyi
        bdist_dumb.pyi
        bdist_msi.pyi
        bdist_packager.pyi
        bdist_rpm.pyi
        bdist_wininst.pyi
        build.pyi
        build_clib.pyi
        build_ext.pyi
        build_py.pyi

```



```

■■■■ build_scripts.pyi
■■■■ check.pyi
■■■■ clean.pyi
■■■■ config.pyi
■■■■ install.pyi
■■■■ install_data.pyi
■■■■ install_egg_info.pyi
■■■■ install_headers.pyi
■■■■ install_lib.pyi
■■■■ install_scripts.pyi
■■■■ register.pyi
■■■■ sdist.pyi
■■■■ upload.pyi
■■■■ config.pyi
■■■■ core.pyi
■■■■ cygwinccompiler.pyi
■■■■ debug.pyi
■■■■ dep_util.pyi
■■■■ dir_util.pyi
■■■■ dist.pyi
■■■■ errors.pyi
■■■■ extension.pyi
■■■■ fancy_getopt.pyi
■■■■ file_util.pyi
■■■■ filelist.pyi
■■■■ log.pyi
■■■■ msvccompiler.pyi
■■■■ spawn.pyi
■■■■ sysconfig.pyi
■■■■ text_file.pyi
■■■■ unixccompiler.pyi
■■■■ util.pyi
■■■■ version.pyi
■■■■ email
■■■■ __init__.pyi
■■■■ charset.pyi
■■■■ contentmanager.pyi
■■■■ encoders.pyi
■■■■ errors.pyi
■■■■ feedparser.pyi
■■■■ generator.pyi
■■■■ header.pyi
■■■■ headerregistry.pyi
■■■■ iterators.pyi
■■■■ message.pyi
■■■■ mime
■■■■ __init__.pyi
■■■■ application.pyi
■■■■ audio.pyi
■■■■ base.pyi
■■■■ image.pyi
■■■■ message.pyi
■■■■ multipart.pyi
■■■■ nonmultipart.pyi
■■■■ text.pyi
■■■■ parser.pyi
■■■■ policy.pyi
■■■■ utils.pyi

```

[illegible]

[illegible]

```

runner.pyi
signals.pyi
suite.pyi
util.pyi
urllib
__init__.pyi
error.pyi
parse.pyi
request.pyi
response.pyi
robotparser.pyi
venv
__init__.pyi
winreg.pyi
xmlrpc
__init__.pyi
client.pyi
server.pyi
xxlimited.pyi
zipapp.pyi
3.7
_py_abc.pyi
contextvars.pyi
dataclasses.pyi
3.9
graphlib.pyi
zoneinfo
__init__.pyi
third_party
2
OpenSSL
__init__.pyi
crypto.pyi
concurrent
__init__.pyi
futures
__init__.pyi
_base.pyi
process.pyi
thread.pyi
enum.pyi
fb303
FacebookService.pyi
__init__.pyi
ipaddress.pyi
kazoo
__init__.pyi
client.pyi
exceptions.pyi
recipe
__init__.pyi
watchers.pyi
pathlib2.pyi
pymssql.pyi
routes
__init__.pyi
mapper.pyi
util.pyi

```

```

■■■ scribe
■■■ __init__.pyi
■■■ scribe.pyi
■■■ ttypes.pyi
■■■ six
■■■ __init__.pyi
■■■ moves
■■■ BaseHTTPServer.pyi
■■■ CGIHTTPServer.pyi
■■■ SimpleHTTPServer.pyi
■■■ __init__.pyi
■■■ _dummy_thread.pyi
■■■ _thread.pyi
■■■ cPickle.pyi
■■■ collections_abc.pyi
■■■ configparser.pyi
■■■ email_mime_base.pyi
■■■ email_mime_multipart.pyi
■■■ email_mime_nonmultipart.pyi
■■■ email_mime_text.pyi
■■■ html_entities.pyi
■■■ html_parser.pyi
■■■ http_client.pyi
■■■ http_cookiejar.pyi
■■■ http_cookies.pyi
■■■ queue.pyi
■■■ reprlib.pyi
■■■ socketserver.pyi
■■■ urllib
■■■ __init__.pyi
■■■ error.pyi
■■■ parse.pyi
■■■ request.pyi
■■■ response.pyi
■■■ robotparser.pyi
■■■ urllib_error.pyi
■■■ urllib_parse.pyi
■■■ urllib_request.pyi
■■■ urllib_response.pyi
■■■ urllib_robotparser.pyi
■■■ xmlrpc_client.pyi
■■■ tornado
■■■ __init__.pyi
■■■ concurrent.pyi
■■■ gen.pyi
■■■ httpclient.pyi
■■■ httpserver.pyi
■■■ httputil.pyi
■■■ ioloop.pyi
■■■ locks.pyi
■■■ netutil.pyi
■■■ process.pyi
■■■ tcpserver.pyi
■■■ testing.pyi
■■■ util.pyi
■■■ web.pyi
■■■ 2and3
■■■ atomicwrites

```

[illegible]

```

██ decorators.pyi
██ func.pyi
██ lfu.pyi
██ lru.pyi
██ rr.pyi
██ ttl.pyi
██ certifi.pyi
██ characteristic
██ __init__.pyi
██ chardet
██ __init__.pyi
██ enums.pyi
██ langbulgarianmodel.pyi
██ langcyrillicmodel.pyi
██ langgreekmodel.pyi
██ langhebrewmodel.pyi
██ langhungarianmodel.pyi
██ langthaimodel.pyi
██ langturkishmodel.pyi
██ universaldetector.pyi
██ version.pyi
██ click
██ __init__.pyi
██ _termui_impl.pyi
██ core.pyi
██ decorators.pyi
██ exceptions.pyi
██ formatting.pyi
██ globals.pyi
██ parser.pyi
██ termui.pyi
██ testing.pyi
██ types.pyi
██ utils.pyi
██ croniter.pyi
██ cryptography
██ __init__.pyi
██ exceptions.pyi
██ fernet.pyi
██ hazmat
██ __init__.pyi
██ backends
██ __init__.pyi
██ interfaces.pyi
██ bindings
██ __init__.pyi
██ openssl
██ __init__.pyi
██ binding.pyi
██ primitives
██ __init__.pyi
██ asymmetric
██ __init__.pyi
██ dh.pyi
██ dsa.pyi
██ ec.pyi
██ ed25519.pyi
██ ed448.pyi

```

```

padding.pyi
rsa.pyi
utils.pyi
x25519.pyi
x448.pyi
ciphers
__init__.pyi
aead.pyi
algorithms.pyi
modes.pyi
cmac.pyi
constant_time.pyi
hashes.pyi
hmac.pyi
kdf
__init__.pyi
concatkdf.pyi
hkdf.pyi
kbkdf.pyi
pbkdf2.pyi
scrypt.pyi
x963kdf.pyi
keywrap.pyi
padding.pyi
poly1305.pyi
serialization
__init__.pyi
pkcs12.pyi
twofactor
__init__.pyi
hotp.pyi
totp.pyi
x509
__init__.pyi
extensions.pyi
oid.pyi
dateparser.pyi
datetimerange
__init__.pyi
dateutil
__init__.pyi
_common.pyi
easter.pyi
parser.pyi
relativedelta.pyi
rrule.pyi
tz
__init__.pyi
_common.pyi
tz.pyi
utils.pyi
decorator.pyi
deprecated
__init__.pyi
classic.pyi
sphinx.pyi
emoji
__init__.pyi

```



```

■■■ core.pyi
■■■ unicode_codes.pyi
■■■ first.pyi
■■■ flask
■■■ __init__.pyi
■■■ app.pyi
■■■ blueprints.pyi
■■■ cli.pyi
■■■ config.pyi
■■■ ctx.pyi
■■■ debughelpers.pyi
■■■ globals.pyi
■■■ helpers.pyi
■■■ json
■    ■■■ __init__.pyi
■    ■■■ tag.pyi
■■■ logging.pyi
■■■ sessions.pyi
■■■ signals.pyi
■■■ templating.pyi
■■■ testing.pyi
■■■ views.pyi
■■■ wrappers.pyi
■■■ geoip2
■■■ __init__.pyi
■■■ database.pyi
■■■ errors.pyi
■■■ mixins.pyi
■■■ models.pyi
■■■ records.pyi
■■■ gflags.pyi
■■■ google
■■■ __init__.pyi
■■■ protobuf
■    ■■■ __init__.pyi
■    ■■■ any_pb2.pyi
■    ■■■ api_pb2.pyi
■    ■■■ compiler
■    ■    ■■■ __init__.pyi
■    ■    ■■■ plugin_pb2.pyi
■    ■■■ descriptor.pyi
■    ■■■ descriptor_pb2.pyi
■    ■■■ descriptor_pool.pyi
■    ■■■ duration_pb2.pyi
■    ■■■ empty_pb2.pyi
■    ■■■ field_mask_pb2.pyi
■    ■■■ internal
■    ■    ■■■ __init__.pyi
■    ■    ■■■ containers.pyi
■    ■    ■■■ decoder.pyi
■    ■    ■■■ encoder.pyi
■    ■    ■■■ enum_type_wrapper.pyi
■    ■    ■■■ extension_dict.pyi
■    ■    ■■■ message_listener.pyi
■    ■    ■■■ python_message.pyi
■    ■    ■■■ well_known_types.pyi
■    ■    ■■■ wire_format.pyi
■■■ json_format.pyi

```

```

message.pyi
message_factory.pyi
reflection.pyi
service.pyi
source_context_pb2.pyi
struct_pb2.pyi
symbol_database.pyi
timestamp_pb2.pyi
type_pb2.pyi
util
    __init__.pyi
wrappers_pb2.pyi
itsdangerous.pyi
jinja2
    __init__.pyi
    _compat.pyi
    _stringdefs.pyi
    bccache.pyi
    compiler.pyi
    constants.pyi
    debug.pyi
    defaults.pyi
    environment.pyi
    exceptions.pyi
    ext.pyi
    filters.pyi
    lexer.pyi
    loaders.pyi
    meta.pyi
    nodes.pyi
    optimizer.pyi
    parser.pyi
    runtime.pyi
    sandbox.pyi
    tests.pyi
    utils.pyi
    visitor.pyi
markdown
    __init__.pyi
    __meta__.pyi
    blockparser.pyi
    blockprocessors.pyi
    core.pyi
    extensions
        __init__.pyi
        abbr.pyi
        admonition.pyi
        attr_list.pyi
        codehilite.pyi
        def_list.pyi
        extra.pyi
        fenced_code.pyi
        footnotes.pyi
        legacy_attrs.pyi
        legacy_em.pyi
        md_in_html.pyi
        meta.pyi
        nl2br.pyi

```


■	■	■	■	■	■	■	■	■	■	■■■	pipe.pyi
■	■	■	■	■	■	■	■	■	■	■■■	pkey.pyi
■	■	■	■	■	■	■	■	■	■	■■■	primes.pyi
■	■	■	■	■	■	■	■	■	■	■■■	proxy.pyi
■	■	■	■	■	■	■	■	■	■	■■■	py3compat.pyi
■	■	■	■	■	■	■	■	■	■	■■■	rsa.pyi
■	■	■	■	■	■	■	■	■	■	■■■	server.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp_attr.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp_client.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp_file.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp_handle.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp_server.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sftp_si.pyi
■	■	■	■	■	■	■	■	■	■	■■■	ssh_exception.pyi
■	■	■	■	■	■	■	■	■	■	■■■	ssh_gss.pyi
■	■	■	■	■	■	■	■	■	■	■■■	transport.pyi
■	■	■	■	■	■	■	■	■	■	■■■	util.pyi
■	■	■	■	■	■	■	■	■	■	■■■	win_pageant.pyi
■	■	■	■	■	■	■	■	■	■■■	polib.pyi	
■	■	■	■	■	■	■	■	■	■■■	pyVmomi	
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi	
■	■	■	■	■	■	■	■	■	■■■	vim	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	event.pyi
■	■	■	■	■	■	■	■	■	■	■■■	fault.pyi
■	■	■	■	■	■	■	■	■	■	■■■	option.pyi
■	■	■	■	■	■	■	■	■	■	■■■	view.pyi
■	■	■	■	■	■	■	■	■	■■■	vmodl	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	fault.pyi
■	■	■	■	■	■	■	■	■	■	■■■	query.pyi
■	■	■	■	■	■	■	■	■	■■■	pycurl.pyi	
■	■	■	■	■	■	■	■	■	■■■	pymysql	
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi	
■	■	■	■	■	■	■	■	■	■■■	charset.pyi	
■	■	■	■	■	■	■	■	■	■■■	connections.pyi	
■	■	■	■	■	■	■	■	■	■■■	constants	
■	■	■	■	■	■	■	■	■	■	■■■	CLIENT.pyi
■	■	■	■	■	■	■	■	■	■	■■■	COMMAND.pyi
■	■	■	■	■	■	■	■	■	■	■■■	ER.pyi
■	■	■	■	■	■	■	■	■	■	■■■	FIELD_TYPE.pyi
■	■	■	■	■	■	■	■	■	■	■■■	FLAG.pyi
■	■	■	■	■	■	■	■	■	■	■■■	SERVER_STATUS.pyi
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	converters.pyi	
■	■	■	■	■	■	■	■	■	■■■	cursors.pyi	
■	■	■	■	■	■	■	■	■	■■■	err.pyi	
■	■	■	■	■	■	■	■	■	■■■	times.pyi	
■	■	■	■	■	■	■	■	■	■■■	util.pyi	
■	■	■	■	■	■	■	■	■	■■■	pynamodb	
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi	
■	■	■	■	■	■	■	■	■	■■■	attributes.pyi	
■	■	■	■	■	■	■	■	■	■■■	connection	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	base.pyi
■	■	■	■	■	■	■	■	■	■	■■■	table.pyi
■	■	■	■	■	■	■	■	■	■	■■■	util.pyi

■	■	■	■	■	■	■	■	■	■	■■■ constants.pyi
■	■	■	■	■	■	■	■	■	■	■■■ exceptions.pyi
■	■	■	■	■	■	■	■	■	■	■■■ indexes.pyi
■	■	■	■	■	■	■	■	■	■	■■■ models.pyi
■	■	■	■	■	■	■	■	■	■	■■■ settings.pyi
■	■	■	■	■	■	■	■	■	■	■■■ throttle.pyi
■	■	■	■	■	■	■	■	■	■	■■■ types.pyi
■	■	■	■	■	■	■	■	■	■■■	pyre_extensions.pyi
■	■	■	■	■	■	■	■	■	■■■	pytz
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	redis
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	client.pyi
■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■■■	utils.pyi
■	■	■	■	■	■	■	■	■	■■■	requests
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	adapters.pyi
■	■	■	■	■	■	■	■	■	■■■	api.pyi
■	■	■	■	■	■	■	■	■	■■■	auth.pyi
■	■	■	■	■	■	■	■	■	■■■	compat.pyi
■	■	■	■	■	■	■	■	■	■■■	cookies.pyi
■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■■■	hooks.pyi
■	■	■	■	■	■	■	■	■	■■■	models.pyi
■	■	■	■	■	■	■	■	■	■■■	packages
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	urllib3
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	_collections.pyi
■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■■■	connectionpool.pyi
■	■	■	■	■	■	■	■	■	■■■	contrib
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■■■	fields.pyi
■	■	■	■	■	■	■	■	■	■■■	filepost.pyi
■	■	■	■	■	■	■	■	■	■■■	packages
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	ssl_match_hostname
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	_implementation.pyi
■	■	■	■	■	■	■	■	■	■■■	poolmanager.pyi
■	■	■	■	■	■	■	■	■	■■■	request.pyi
■	■	■	■	■	■	■	■	■	■■■	response.pyi
■	■	■	■	■	■	■	■	■	■■■	util
■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■■■	request.pyi
■	■	■	■	■	■	■	■	■	■■■	response.pyi
■	■	■	■	■	■	■	■	■	■■■	retry.pyi
■	■	■	■	■	■	■	■	■	■■■	ssl_.pyi
■	■	■	■	■	■	■	■	■	■■■	timeout.pyi
■	■	■	■	■	■	■	■	■	■■■	url.pyi
■	■	■	■	■	■	■	■	■	■■■	sessions.pyi
■	■	■	■	■	■	■	■	■	■■■	status_codes.pyi
■	■	■	■	■	■	■	■	■	■■■	structures.pyi

```

■■■ utils.pyi
■■■ retry
■■■ __init__.pyi
■■■ api.pyi
■■■ simplejson
■■■ __init__.pyi
■■■ decoder.pyi
■■■ encoder.pyi
■■■ scanner.pyi
■■■ singledispatch.pyi
■■■ slugify
■■■ __init__.pyi
■■■ slugify.pyi
■■■ special.pyi
■■■ tabulate.pyi
■■■ termcolor.pyi
■■■ toml.pyi
■■■ typing_extensions.pyi
■■■ tzlocal
■■■ __init__.pyi
■■■ ujson.pyi
■■■ werkzeug
■■■ __init__.pyi
■■■ _compat.pyi
■■■ _internal.pyi
■■■ _reloader.pyi
■■■ contrib
■■■ __init__.pyi
■■■ atom.pyi
■■■ cache.pyi
■■■ fixers.pyi
■■■ iterio.pyi
■■■ jsrouting.pyi
■■■ limiter.pyi
■■■ lint.pyi
■■■ profiler.pyi
■■■ securecookie.pyi
■■■ sessions.pyi
■■■ testtools.pyi
■■■ wrappers.pyi
■■■ datastructures.pyi
■■■ debug
■■■ __init__.pyi
■■■ console.pyi
■■■ repr.pyi
■■■ tbtools.pyi
■■■ exceptions.pyi
■■■ filesystem.pyi
■■■ formparser.pyi
■■■ http.pyi
■■■ local.pyi
■■■ middleware
■■■ __init__.pyi
■■■ dispatcher.pyi
■■■ http_proxy.pyi
■■■ lint.pyi
■■■ profiler.pyi
■■■ proxy_fix.pyi

```

```

■ ■ ■ shared_data.pyi
■■■ posixemulation.pyi
■■■ routing.pyi
■■■ script.pyi
■■■ security.pyi
■■■ serving.pyi
■■■ test.pyi
■■■ testapp.pyi
■■■ urls.pyi
■■■ useragents.pyi
■■■ utils.pyi
■■■ wrappers.pyi
■■■ wsgi.pyi
■■■ yaml
■■■ __init__.pyi
■■■ composer.pyi
■■■ constructor.pyi
■■■ cyaml.pyi
■■■ dumper.pyi
■■■ emitter.pyi
■■■ error.pyi
■■■ events.pyi
■■■ loader.pyi
■■■ nodes.pyi
■■■ parser.pyi
■■■ reader.pyi
■■■ representer.pyi
■■■ resolver.pyi
■■■ scanner.pyi
■■■ serializer.pyi
■■■ tokens.pyi
■■■ 3
■■■ aiofiles
■■■ __init__.pyi
■■■ base.pyi
■■■ os.pyi
■■■ threadpool
■ ■ ■ __init__.pyi
■ ■ ■ binary.pyi
■ ■ ■ text.pyi
■■■ contextvars.pyi
■■■ dataclasses.pyi
■■■ docutils
■■■ __init__.pyi
■■■ examples.pyi
■■■ nodes.pyi
■■■ parsers
■ ■ ■ __init__.pyi
■ ■ ■ rst
■ ■ ■ __init__.pyi
■ ■ ■ nodes.pyi
■ ■ ■ roles.pyi
■ ■ ■ states.pyi
■■■ filelock
■ ■ ■ __init__.pyi
■■■ freezegun
■ ■ ■ __init__.pyi
■■■ api.pyi

```

```

frozendict.pyi
jwt
__init__.pyi
algorithms.pyi
contrib
__init__.pyi
algorithms
__init__.pyi
py_ecdsa.pyi
pycrypto.pyi
orjson.pyi
pkg_resources
__init__.pyi
py31compat.pyi
pyrfc3339
__init__.pyi
generator.pyi
parser.pyi
utils.pyi
six
__init__.pyi
moves
BaseHTTPServer.pyi
CGIHTTPServer.pyi
SimpleHTTPServer.pyi
__init__.pyi
_dummy_thread.pyi
_thread.pyi
builtins.pyi
cPickle.pyi
collections_abc.pyi
configparser.pyi
email_mime_base.pyi
email_mime_multipart.pyi
email_mime_nonmultipart.pyi
email_mime_text.pyi
html_entities.pyi
html_parser.pyi
http_client.pyi
http_cookiejar.pyi
http_cookies.pyi
queue.pyi
reprlib.pyi
socketserver.pyi
tkinter.pyi
tkinter_commondialog.pyi
tkinter_constants.pyi
tkinter_dialog.pyi
tkinter_filedialog.pyi
tkinter_tkfiledialog.pyi
tkinter_ttk.pyi
urllib
__init__.pyi
error.pyi
parse.pyi
request.pyi
response.pyi
robotparser.pyi

```


[illegible]

```

■ ■ ■ ■ ■ ■ ■ runtime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ sandbox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ visitor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _identifier.py
■ ■ ■ ■ ■ ■ ■ async_utils.py
■ ■ ■ ■ ■ ■ ■ bccache.py
■ ■ ■ ■ ■ ■ ■ compiler.py
■ ■ ■ ■ ■ ■ ■ constants.py
■ ■ ■ ■ ■ ■ ■ debug.py
■ ■ ■ ■ ■ ■ ■ defaults.py
■ ■ ■ ■ ■ ■ ■ environment.py
■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ext.py
■ ■ ■ ■ ■ ■ ■ filters.py
■ ■ ■ ■ ■ ■ ■ idtracking.py
■ ■ ■ ■ ■ ■ ■ lexer.py
■ ■ ■ ■ ■ ■ ■ loaders.py
■ ■ ■ ■ ■ ■ ■ meta.py
■ ■ ■ ■ ■ ■ ■ nativetypes.py
■ ■ ■ ■ ■ ■ ■ nodes.py
■ ■ ■ ■ ■ ■ ■ optimizer.py
■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ runtime.py
■ ■ ■ ■ ■ ■ ■ sandbox.py
■ ■ ■ ■ ■ ■ ■ tests.py
■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ visitor.py
■ ■ ■ ■ ■ ■ ■ jinja2-3.1.4.dist-info
■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ joblib
■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _cloudpickle_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _dask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _memmapping_reducer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _multiprocessing_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _parallel_backends.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _store_backends.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ backports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ compressor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ disk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ executor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ func_inspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numpy_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numpy_pickle_compat.cpython-311.pyc

```

```

■ ■ ■ ■ numpy_pickle_utils.cpython-311.pyc
■ ■ ■ ■ parallel.cpython-311.pyc
■ ■ ■ ■ pool.cpython-311.pyc
■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ _cloudpickle_wrapper.py
■ ■ ■ ■ _dask.py
■ ■ ■ ■ _memmapping_reducer.py
■ ■ ■ ■ _multiprocessing_helpers.py
■ ■ ■ ■ _parallel_backends.py
■ ■ ■ ■ _store_backends.py
■ ■ ■ ■ _utils.py
■ ■ ■ ■ backports.py
■ ■ ■ ■ compressor.py
■ ■ ■ ■ disk.py
■ ■ ■ ■ executor.py
■ ■ ■ ■ externals
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ cloudpickle
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ cloudpickle.cpython-311.pyc
■ ■ ■ ■ cloudpickle_fast.cpython-311.pyc
■ ■ ■ ■ cloudpickle.py
■ ■ ■ ■ cloudpickle_fast.py
■ ■ ■ ■ loky
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _base.cpython-311.pyc
■ ■ ■ ■ cloudpickle_wrapper.cpython-311.pyc
■ ■ ■ ■ initializers.cpython-311.pyc
■ ■ ■ ■ process_executor.cpython-311.pyc
■ ■ ■ ■ reusable_executor.cpython-311.pyc
■ ■ ■ ■ _base.py
■ ■ ■ ■ backend
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _posix_reduction.cpython-311.pyc
■ ■ ■ ■ _win_reduction.cpython-311.pyc
■ ■ ■ ■ context.cpython-311.pyc
■ ■ ■ ■ fork_exec.cpython-311.pyc
■ ■ ■ ■ popen_loky_posix.cpython-311.pyc
■ ■ ■ ■ popen_loky_win32.cpython-311.pyc
■ ■ ■ ■ process.cpython-311.pyc
■ ■ ■ ■ queues.cpython-311.pyc
■ ■ ■ ■ reduction.cpython-311.pyc
■ ■ ■ ■ resource_tracker.cpython-311.pyc
■ ■ ■ ■ spawn.cpython-311.pyc
■ ■ ■ ■ synchronize.cpython-311.pyc
■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ _posix_reduction.py
■ ■ ■ ■ _win_reduction.py
■ ■ ■ ■ context.py
■ ■ ■ ■ fork_exec.py

```



```
joblib_0.10.0_compressed_pickle_py27_np17.gz  
joblib_0.10.0_compressed_pickle_py33_np18.gz  
joblib_0.10.0_compressed_pickle_py34_np19.gz  
joblib_0.10.0_compressed_pickle_py35_np19.gz  
joblib_0.10.0_pickle_py27_np17.pkl  
joblib_0.10.0_pickle_py27_np17.pkl.bz2  
joblib_0.10.0_pickle_py27_np17.pkl.gzip  
joblib_0.10.0_pickle_py27_np17.pkl.lzma  
joblib_0.10.0_pickle_py27_np17.pkl.xz  
joblib_0.10.0_pickle_py33_np18.pkl  
joblib_0.10.0_pickle_py33_np18.pkl.bz2  
joblib_0.10.0_pickle_py33_np18.pkl.gzip  
joblib_0.10.0_pickle_py33_np18.pkl.lzma  
joblib_0.10.0_pickle_py33_np18.pkl.xz  
joblib_0.10.0_pickle_py34_np19.pkl  
joblib_0.10.0_pickle_py34_np19.pkl.bz2  
joblib_0.10.0_pickle_py34_np19.pkl.gzip  
joblib_0.10.0_pickle_py34_np19.pkl.lzma  
joblib_0.10.0_pickle_py34_np19.pkl.xz  
joblib_0.10.0_pickle_py35_np19.pkl  
joblib_0.10.0_pickle_py35_np19.pkl.bz2  
joblib_0.10.0_pickle_py35_np19.pkl.gzip  
joblib_0.10.0_pickle_py35_np19.pkl.lzma  
joblib_0.10.0_pickle_py35_np19.pkl.xz  
joblib_0.11.0_compressed_pickle_py36_np111.gz  
joblib_0.11.0_pickle_py36_np111.pkl  
joblib_0.11.0_pickle_py36_np111.pkl.bz2  
joblib_0.11.0_pickle_py36_np111.pkl.gzip  
joblib_0.11.0_pickle_py36_np111.pkl.lzma  
joblib_0.11.0_pickle_py36_np111.pkl.xz  
joblib_0.8.4_compressed_pickle_py27_np17.gz  
joblib_0.9.2_compressed_pickle_py27_np16.gz  
joblib_0.9.2_compressed_pickle_py27_np17.gz  
joblib_0.9.2_compressed_pickle_py34_np19.gz  
joblib_0.9.2_compressed_pickle_py35_np19.gz  
joblib_0.9.2_pickle_py27_np16.pkl  
joblib_0.9.2_pickle_py27_np16.pkl_01.npy  
joblib_0.9.2_pickle_py27_np16.pkl_02.npy  
joblib_0.9.2_pickle_py27_np16.pkl_03.npy  
joblib_0.9.2_pickle_py27_np16.pkl_04.npy  
joblib_0.9.2_pickle_py27_np17.pkl  
joblib_0.9.2_pickle_py27_np17.pkl_01.npy  
joblib_0.9.2_pickle_py27_np17.pkl_02.npy  
joblib_0.9.2_pickle_py27_np17.pkl_03.npy  
joblib_0.9.2_pickle_py27_np17.pkl_04.npy  
joblib_0.9.2_pickle_py33_np18.pkl  
joblib_0.9.2_pickle_py33_np18.pkl_01.npy  
joblib_0.9.2_pickle_py33_np18.pkl_02.npy  
joblib_0.9.2_pickle_py33_np18.pkl_03.npy  
joblib_0.9.2_pickle_py33_np18.pkl_04.npy  
joblib_0.9.2_pickle_py34_np19.pkl  
joblib_0.9.2_pickle_py34_np19.pkl_01.npy  
joblib_0.9.2_pickle_py34_np19.pkl_02.npy  
joblib_0.9.2_pickle_py34_np19.pkl_03.npy  
joblib_0.9.2_pickle_py34_np19.pkl_04.npy  
joblib_0.9.2_pickle_py35_np19.pkl  
joblib_0.9.2_pickle_py35_np19.pkl_01.npy  
joblib_0.9.2_pickle_py35_np19.pkl_02.npy
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.2_pickle_py35_np19.pkl_03.npy
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.2_pickle_py35_np19.pkl_04.npy
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ test_backports.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cloudpickle_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dask.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_disk.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_func_inspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_func_inspect_special_encoding.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_hashing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_init.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_logger.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_memmapping.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_memory.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_memory_async.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_missing_multiprocessing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_module.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_pickle.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_pickle_compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_pickle_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_store_backends.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ testutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■ ■■■■ joblib-1.4.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ json5
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ host.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tool.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ host.py
■ ■ ■ ■ ■ ■ ■ ■■■ lib.py
■ ■ ■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ tool.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■■■■ json5-0.10.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
```

```

■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ jsonpickle
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tags_pd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unpickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ backend.py
■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ ext
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ gmpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pandas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ gmpy.py
■ ■ ■ ■ ■ ■ ■ ■ numpy.py
■ ■ ■ ■ ■ ■ ■ ■ pandas.py
■ ■ ■ ■ ■ ■ ■ ■ handlers.py
■ ■ ■ ■ ■ ■ ■ ■ pickler.py
■ ■ ■ ■ ■ ■ ■ ■ tags.py
■ ■ ■ ■ ■ ■ ■ ■ tags_pd.py
■ ■ ■ ■ ■ ■ ■ ■ unpickler.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ jsonpickle-4.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ jsonschema
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _keywords.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _legacy_keywords.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cli.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      protocols.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      validators.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _format.py
■      ■      ■      ■      ■      ■      ■      _keywords.py
■      ■      ■      ■      ■      ■      ■      _legacy_keywords.py
■      ■      ■      ■      ■      ■      ■      _types.py
■      ■      ■      ■      ■      ■      ■      _typing.py
■      ■      ■      ■      ■      ■      ■      _utils.py
■      ■      ■      ■      ■      ■      ■      benchmarks
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      const_vs_enum.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      contains.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      issue232.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      json_schema_test_suite.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      nested_schemas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      subcomponents.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      unused_registry.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      useless_applicator_schemas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      useless_keywords.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      validator_creation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      const_vs_enum.py
■      ■      ■      ■      ■      ■      ■      contains.py
■      ■      ■      ■      ■      ■      ■      issue232
■      ■      ■      ■      ■      ■      ■      issue.json
■      ■      ■      ■      ■      ■      ■      issue232.py
■      ■      ■      ■      ■      ■      ■      json_schema_test_suite.py
■      ■      ■      ■      ■      ■      ■      nested_schemas.py
■      ■      ■      ■      ■      ■      ■      subcomponents.py
■      ■      ■      ■      ■      ■      ■      unused_registry.py
■      ■      ■      ■      ■      ■      ■      useless_applicator_schemas.py
■      ■      ■      ■      ■      ■      ■      useless_keywords.py
■      ■      ■      ■      ■      ■      ■      validator_creation.py
■      ■      ■      ■      ■      ■      ■      cli.py
■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      protocols.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _suite.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fuzz_validate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_deprecations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_format.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_jsonschema_test_suite.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_validators.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _suite.py
■      ■      ■      ■      ■      ■      ■      fuzz_validate.py
■      ■      ■      ■      ■      ■      ■      test_cli.py
■      ■      ■      ■      ■      ■      ■      test_deprecations.py
■      ■      ■      ■      ■      ■      ■      test_exceptions.py
■      ■      ■      ■      ■      ■      ■      test_format.py

```



```

■      ■      ■      ■      ■      ■      test_jsonschema_test_suite.py
■      ■      ■      ■      ■      ■      test_types.py
■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      test_validators.py
■      ■      ■      ■      ■      ■      validators.py
■      ■      ■      ■      ■■■ jsonschema-4.23.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      COPYING
■      ■      ■      ■      ■■■ jsonschema_specifications
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _core.cpython-311.pyc
■      ■      ■      ■      ■      ■      _core.py
■      ■      ■      ■      ■      ■      schemas
■      ■      ■      ■      ■      ■      draft201909
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      ■      vocabularies
■      ■      ■      ■      ■      ■      ■      applicator
■      ■      ■      ■      ■      ■      ■      content
■      ■      ■      ■      ■      ■      ■      core
■      ■      ■      ■      ■      ■      ■      meta-data
■      ■      ■      ■      ■      ■      ■      validation
■      ■      ■      ■      ■      ■      draft202012
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      ■      vocabularies
■      ■      ■      ■      ■      ■      ■      applicator
■      ■      ■      ■      ■      ■      ■      content
■      ■      ■      ■      ■      ■      ■      core
■      ■      ■      ■      ■      ■      ■      format
■      ■      ■      ■      ■      ■      ■      format-annotation
■      ■      ■      ■      ■      ■      ■      format-assertion
■      ■      ■      ■      ■      ■      ■      meta-data
■      ■      ■      ■      ■      ■      ■      unevaluated
■      ■      ■      ■      ■      ■      ■      validation
■      ■      ■      ■      ■      ■      draft3
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      draft4
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      draft6
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      draft7
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_jsonschema_specifications.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_jsonschema_specifications.py
■      ■      ■      ■      ■■■ jsonschema_specifications-2024.10.1.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD

```

```

■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      COPYING
■      ■      ■      ■      ■      ■      jupyter.py
■      ■      ■      ■      ■      ■      jupyter_client
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      adapter.cpython-311.pyc
■      ■      ■      ■      ■      ■      channels.cpython-311.pyc
■      ■      ■      ■      ■      ■      channelsabc.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      clientabc.cpython-311.pyc
■      ■      ■      ■      ■      ■      connect.cpython-311.pyc
■      ■      ■      ■      ■      ■      consoleapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      jsonutil.cpython-311.pyc
■      ■      ■      ■      ■      ■      kernelapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      kernelspec.cpython-311.pyc
■      ■      ■      ■      ■      ■      kernelspecapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      launcher.cpython-311.pyc
■      ■      ■      ■      ■      ■      localinterfaces.cpython-311.pyc
■      ■      ■      ■      ■      ■      manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      managerabc.cpython-311.pyc
■      ■      ■      ■      ■      ■      multikernelmanager.cpython-311.pyc
■      ■      ■      ■      ■      ■      restarter.cpython-311.pyc
■      ■      ■      ■      ■      ■      runapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      session.cpython-311.pyc
■      ■      ■      ■      ■      ■      threaded.cpython-311.pyc
■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      win_interrupt.cpython-311.pyc
■      ■      ■      ■      ■      ■      _version.py
■      ■      ■      ■      ■      ■      adapter.py
■      ■      ■      ■      ■      ■      asynchronous
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      blocking
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      channels.py
■      ■      ■      ■      ■      ■      channelsabc.py
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      clientabc.py
■      ■      ■      ■      ■      ■      connect.py
■      ■      ■      ■      ■      ■      consoleapp.py
■      ■      ■      ■      ■      ■      ioloop
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      restarter.cpython-311.pyc
■      ■      ■      ■      ■      ■      manager.py

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      test_adapter.py
■      ■      ■      ■      ■      ■      ■      test_client.py
■      ■      ■      ■      ■      ■      ■      test_connect.py
■      ■      ■      ■      ■      ■      ■      test_jsonutil.py
■      ■      ■      ■      ■      ■      ■      test_kernelapp.py
■      ■      ■      ■      ■      ■      ■      test_kernelmanager.py
■      ■      ■      ■      ■      ■      ■      test_kernelspec.py
■      ■      ■      ■      ■      ■      ■      test_localinterfaces.py
■      ■      ■      ■      ■      ■      ■      test_manager.py
■      ■      ■      ■      ■      ■      ■      test_multikernelmanager.py
■      ■      ■      ■      ■      ■      ■      test_provisioning.py
■      ■      ■      ■      ■      ■      ■      test_public_api.py
■      ■      ■      ■      ■      ■      ■      test_restarter.py
■      ■      ■      ■      ■      ■      ■      test_session.py
■      ■      ■      ■      ■      ■      ■      test_ssh.py
■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      threaded.py
■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      win_interrupt.py
■      ■      ■      ■      ■      ■      ■      jupyter_client-7.4.9.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      ■      COPYING.md
■      ■      ■      ■      ■      ■      ■      jupyter_core
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      application.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      command.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      migrate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      paths.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      troubleshoot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      application.py
■      ■      ■      ■      ■      ■      ■      command.py
■      ■      ■      ■      ■      ■      ■      migrate.py
■      ■      ■      ■      ■      ■      ■      paths.py
■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mocking.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_application.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_async.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_command.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_migrate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_paths.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      dotipython
■      ■      ■      ■      ■      ■      ■      nbextensions
■      ■      ■      ■      ■      ■      ■      ■      myext.js

```

```

  profile_default
  ├── __pycache__
  │   ├── ipython_config.cpython-311.pyc
  │   ├── ipython_console_config.cpython-311.pyc
  │   ├── ipython_kernel_config.cpython-311.pyc
  │   ├── ipython_nbconvert_config.cpython-311.pyc
  │   └── ipython_notebook_config.cpython-311.pyc
  ├── ipython_config.py
  ├── ipython_console_config.py
  ├── ipython_kernel_config.py
  ├── ipython_nbconvert_config.py
  ├── ipython_notebook_config.py
  ├── static
  └── custom
      ├── custom.css
      └── custom.js
  ├── dotipython_empty
  ├── profile_default
  │   ├── __pycache__
  │   │   ├── ipython_config.cpython-311.pyc
  │   │   ├── ipython_console_config.cpython-311.pyc
  │   │   ├── ipython_kernel_config.cpython-311.pyc
  │   │   ├── ipython_nbconvert_config.cpython-311.pyc
  │   │   └── ipython_notebook_config.cpython-311.pyc
  │   ├── ipython_config.py
  │   ├── ipython_console_config.py
  │   ├── ipython_kernel_config.py
  │   ├── ipython_nbconvert_config.py
  │   ├── ipython_notebook_config.py
  │   ├── static
  │   └── custom
  │       ├── custom.css
  │       └── custom.js
  ├── mocking.py
  ├── test_application.py
  ├── test_async.py
  ├── test_command.py
  ├── test_migrate.py
  ├── test_paths.py
  ├── troubleshoot.py
  ├── utils
  ├── __init__.py
  ├── __pycache__
  │   └── __init__.cpython-311.pyc
  ├── version.py
  ├── jupyter_core-5.1.3.dist-info
  │   ├── INSTALLER
  │   ├── METADATA
  │   ├── RECORD
  │   ├── REQUESTED
  │   ├── WHEEL
  │   ├── entry_points.txt
  │   └── licenses
  ├── COPYING.md
  ├── jupyter_server
  │   ├── __init__.py
  │   ├── __main__.py
  │   └── __pycache__

```

[illegible]

```

■   ■   ■   ■   ■   ■   ■   files
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   gateway
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   gateway_client.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   managers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   gateway_client.py
■   ■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   ■   managers.py
■   ■   ■   ■   ■   ■   ■   i18n
■   ■   ■   ■   ■   ■   ■   ■   README.md
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   babel_nbui.cfg
■   ■   ■   ■   ■   ■   ■   ■   ■   babel_notebook.cfg
■   ■   ■   ■   ■   ■   ■   ■   ■   nbjs.json
■   ■   ■   ■   ■   ■   ■   ■   ■   nbui.pot
■   ■   ■   ■   ■   ■   ■   ■   ■   notebook.pot
■   ■   ■   ■   ■   ■   ■   ■   ■   zh_CN
■   ■   ■   ■   ■   ■   ■   ■   ■   ■   LC_MESSAGES
■   ■   ■   ■   ■   ■   ■   ■   ■   ■   nbui.po
■   ■   ■   ■   ■   ■   ■   ■   ■   ■   notebook.po
■   ■   ■   ■   ■   ■   ■   kernelspecs
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   log.py
■   ■   ■   ■   ■   ■   ■   nbconvert
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   prometheus
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   log_functions.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■   metrics.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   log_functions.py
■   ■   ■   ■   ■   ■   ■   ■   metrics.py
■   ■   ■   ■   ■   ■   ■   py.typed
■   ■   ■   ■   ■   ■   ■   pytest_plugin.py
■   ■   ■   ■   ■   ■   ■   serverapp.py
■   ■   ■   ■   ■   ■   ■   services
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc

```



```
jupyter_server-1.23.5.dist-info  
handlers.cpython-311.pyc  
handlers.py  
sessions  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
    handlers.cpython-311.pyc  
    sessionmanager.cpython-311.pyc  
handlers.py  
sessionmanager.py  
shutdown.py  
static  
    favicon.ico  
    favicons  
        favicon-busy-1.ico  
        favicon-busy-2.ico  
        favicon-busy-3.ico  
        favicon-file.ico  
        favicon-notebook.ico  
        favicon-terminal.ico  
        favicon.ico  
    logo  
    logo.png  
    style  
        bootstrap-theme.min.css  
        bootstrap-theme.min.css.map  
        bootstrap.min.css  
        bootstrap.min.css.map  
        index.css  
templates  
    404.html  
    browser-open.html  
    error.html  
    login.html  
    logout.html  
    main.html  
    page.html  
    view.html  
terminal  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        api_handlers.cpython-311.pyc  
        handlers.cpython-311.pyc  
        terminalmanager.cpython-311.pyc  
api_handlers.py  
handlers.py  
terminalmanager.py  
traittypes.py  
transutils.py  
utils.py  
view  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        handlers.cpython-311.pyc  
handlers.py
```

```

COPYING.md
INSTALLER
METADATA
RECORD
REQUESTED
WHEEL
entry_points.txt
top_level.txt
jupyterlab
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_version.cpython-311.pyc
browser_check.cpython-311.pyc
commands.cpython-311.pyc
coreconfig.cpython-311.pyc
debuglog.cpython-311.pyc
federated_labextensions.cpython-311.pyc
jupyterlab.cpython-311.pyc
labapp.cpython-311.pyc
labextensions.cpython-311.pyc
labhubapp.cpython-311.pyc
pytest_plugin.cpython-311.pyc
semver.cpython-311.pyc
serverextension.cpython-311.pyc
upgrade_extension.cpython-311.pyc
utils.cpython-311.pyc
_version.py
browser-test.js
browser_check.py
commands.py
coreconfig.py
debuglog.py
federated_labextensions.py
handlers
__init__.py
__pycache__
__init__.cpython-311.pyc
build_handler.cpython-311.pyc
error_handler.cpython-311.pyc
extension_manager_handler.cpython-311.pyc
yjs_echo_ws.cpython-311.pyc
build_handler.py
error_handler.py
extension_manager_handler.py
yjs_echo_ws.py
jupyterlab.py
labapp.py
labextensions.py
labhubapp.py
node-version-check.js
pytest_plugin.py
schemas
@jupyterlab
application-extension
commands.json

```

■	■	■	■	■	■	■	■	■■■■	context-menu.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	shell.json
■	■	■	■	■	■	■	■	■■■■	sidebar.json
■	■	■	■	■	■	■	■■■■	apputils-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	palette.json
■	■	■	■	■	■	■	■	■■■■	print.json
■	■	■	■	■	■	■	■	■■■■	themes.json
■	■	■	■	■	■	■	■	■■■■	workspaces.json
■	■	■	■	■	■	■	■■■■	cell-toolbar-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	codemirror-extension	
■	■	■	■	■	■	■	■	■■■■	commands.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	completer-extension	
■	■	■	■	■	■	■	■	■■■■	consoles.json
■	■	■	■	■	■	■	■	■■■■	files.json
■	■	■	■	■	■	■	■	■■■■	notebooks.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	console-extension	
■	■	■	■	■	■	■	■	■■■■	foreign.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	tracker.json
■	■	■	■	■	■	■	■■■■	csvviewer-extension	
■	■	■	■	■	■	■	■	■■■■	csv.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	tsv.json
■	■	■	■	■	■	■	■■■■	debugger-extension	
■	■	■	■	■	■	■	■	■■■■	main.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	docmanager-extension	
■	■	■	■	■	■	■	■	■■■■	download.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	documentsearch-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	extensionmanager-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	filebrowser-extension	
■	■	■	■	■	■	■	■	■■■■	browser.json
■	■	■	■	■	■	■	■	■■■■	download.json
■	■	■	■	■	■	■	■	■■■■	open-browser-tab.json
■	■	■	■	■	■	■	■	■■■■	open-with.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	widget.json
■	■	■	■	■	■	■	■■■■	fileeditor-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	help-extension	
■	■	■	■	■	■	■	■	■■■■	about.json
■	■	■	■	■	■	■	■	■■■■	jupyter-forum.json
■	■	■	■	■	■	■	■	■■■■	launch-classic.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	htmlviewer-extension	

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ hub-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ imageviewer-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ inspector-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ consoles.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ inspector.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ notebooks.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ launcher-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ logconsole-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ mainmenu-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ markdownviewer-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ notebook-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ export.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ panel.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ tracker.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ settingeditor-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ form-ui.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ shortcuts-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ shortcuts.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ statusbar-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ terminal-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ toc-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ tooltip-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ consoles.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ files.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ notebooks.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ translation-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ semver.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ serverextension.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ staging
■ ■ ■ ■ ■ ■ ■ ■ ■■ .yarnrc
```

```
■ ■ ■ ■ ■ ■ ■■■ bootstrap.js
■ ■ ■ ■ ■ ■ ■■■ index.js
■ ■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■ ■■■ publicpath.js
■ ■ ■ ■ ■ ■ ■■■ templates
■ ■ ■ ■ ■ ■ ■ ■■■ 403.html
■ ■ ■ ■ ■ ■ ■ ■■■ error.html
■ ■ ■ ■ ■ ■ ■ ■■■ partial.html
■ ■ ■ ■ ■ ■ ■ ■■■ template.html
■ ■ ■ ■ ■ ■ ■■■■ webpack.config.js
■ ■ ■ ■ ■ ■ ■■■■ webpack.prod.config.js
■ ■ ■ ■ ■ ■ ■■■■ webpack.prod.minimize.config.js
■ ■ ■ ■ ■ ■ ■■■■ webpack.prod.release.config.js
■ ■ ■ ■ ■ ■ ■■■■ yarn.js
■ ■ ■ ■ ■ ■ ■■■■ yarn.lock
■ ■ ■ ■ ■ ■ ■■■■ static
■ ■ ■ ■ ■ ■ ■■■■ 06f4d00923ea24697df5df0b92984175991d8bd25776a02d531bb401e393ec4f
■ ■ ■ ■ ■ ■ ■■■■ 1033.890eeae47460e241b1e9.js
■ ■ ■ ■ ■ ■ ■■■■ 1036.b407e23ec5843f2b574d.js
■ ■ ■ ■ ■ ■ ■■■■ 1036.b407e23ec5843f2b574d.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ 1044.4e54e3e338cfaccdfb46.js
■ ■ ■ ■ ■ ■ ■■■■ 1057.a0608544097dd22a589e.js
■ ■ ■ ■ ■ ■ ■■■■ 1142.074d125bb59f5a332666.js
■ ■ ■ ■ ■ ■ ■■■■ 1249.047c76b5ea96a41605db.js
■ ■ ■ ■ ■ ■ ■■■■ 126.1e2fb998804b27c72a3e.js
■ ■ ■ ■ ■ ■ ■■■■ 1358.9ab4f57e8227ce75f427.js
■ ■ ■ ■ ■ ■ ■■■■ 1397.4b53e533e7ca4d3f06fe.js
■ ■ ■ ■ ■ ■ ■■■■ 14c9db4ff87fde08f67b0a69dd594bab6d87174812a0dbd34c59833bfed8cc0
■ ■ ■ ■ ■ ■ ■■■■ 1842.1846f224482b066652bf.js
■ ■ ■ ■ ■ ■ ■■■■ 1944.9bb345a40325c23313e9.js
■ ■ ■ ■ ■ ■ ■■■■ 1944.9bb345a40325c23313e9.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ 198.ebf955f77b5c9807f163.js
■ ■ ■ ■ ■ ■ ■■■■ 2040.6489997c35a5d7b0b100.js
■ ■ ■ ■ ■ ■ ■■■■ 2249.0cc057d5b7da618aa4e0.js
■ ■ ■ ■ ■ ■ ■■■■ 2326849b6c3dfa217a0e9ecaec9553c910a4e2987c87315c85073d2b95a484f
■ ■ ■ ■ ■ ■ ■■■■ 2349.91555cd2ef72c84e9253.js
■ ■ ■ ■ ■ ■ ■■■■ 2353.baeba73a2e9f3d9e75d2.js
■ ■ ■ ■ ■ ■ ■■■■ 2356.f97dd8093f97f156efe4.js
■ ■ ■ ■ ■ ■ ■■■■ 2585.4d374708a4df1d35065d.js
■ ■ ■ ■ ■ ■ ■■■■ 2719.3fe9e6fa24f270d8b8d1.js
■ ■ ■ ■ ■ ■ ■■■■ 3029.8636761a48c8422ce37f.js
■ ■ ■ ■ ■ ■ ■■■■ 3087.06efd084edba2bea6ea1.js
■ ■ ■ ■ ■ ■ ■■■■ 3122.b1fda55c421da97a00a3.js
■ ■ ■ ■ ■ ■ ■■■■ 3219.8a3701725aaa457179f6.js
■ ■ ■ ■ ■ ■ ■■■■ 3236.4fabf963498daeeb9624.js
■ ■ ■ ■ ■ ■ ■■■■ 3308.3a94151c0d57440646ab.js
■ ■ ■ ■ ■ ■ ■■■■ 3387.bb8976de803b341fe7a3.js
■ ■ ■ ■ ■ ■ ■■■■ 3443.868b4f89289beb97adec.js
■ ■ ■ ■ ■ ■ ■■■■ 3496.ecb0e7fcc54191234ae6.js
■ ■ ■ ■ ■ ■ ■■■■ 3502.c915d993b864739407e3.js
■ ■ ■ ■ ■ ■ ■■■■ 3531.0bacde3facdc0c46766c.js
■ ■ ■ ■ ■ ■ ■■■■ 3532.5dff37bee3e7bf1673b8.js
■ ■ ■ ■ ■ ■ ■■■■ 3664.cfb68e6cb3654849310c.js
■ ■ ■ ■ ■ ■ ■■■■ 3791.6adeeacb6143a6599115.js
■ ■ ■ ■ ■ ■ ■■■■ 3935.4159b022aa6d82e44127.js
■ ■ ■ ■ ■ ■ ■■■■ 3935.4159b022aa6d82e44127.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ 3992.6587b8bb22d3b162cc6b.js
■ ■ ■ ■ ■ ■ ■■■■ 3d06af1f31cd83ace7a265a014b8fb5dee15770ecac8f7a55555190e627e03c
```

■	■	■	■	■	■	■■■	406.6f87c9a21bbaa5f39fc4.js
■	■	■	■	■	■	■■■	407a9723fc717c94e287496080d773e18e29c3cac49e2630172343c65c0864a
■	■	■	■	■	■	■■■	4151.fd7ca59b64f0adc97032.js
■	■	■	■	■	■	■■■	4155.784ca1752696680bf373.js
■	■	■	■	■	■	■■■	43c072c16c9ee6d67acdfa6c6d6685ff1e74eb4237b7cc3c1348ab1c108b26a
■	■	■	■	■	■	■■■	4402.d24b4a44244e256d0126.js
■	■	■	■	■	■	■■■	4429.c4f083ef6b6e29345fd4.js
■	■	■	■	■	■	■■■	45.91c59b0e1dca32f01373.js
■	■	■	■	■	■	■■■	4570.53adcb6f69939da383ff.js
■	■	■	■	■	■	■■■	4631.96a143e70f005fef7b59.js
■	■	■	■	■	■	■■■	466.239a0c009f33f1cb7cab.js
■	■	■	■	■	■	■■■	4894.f5e3a48d18905b75d07f.js
■	■	■	■	■	■	■■■	501.d77919e38ba77753c7f8.js
■	■	■	■	■	■	■■■	5065.49dd76cb64fd444f785f.js
■	■	■	■	■	■	■■■	5096.96faf5ddac346a9ad9c3.js
■	■	■	■	■	■	■■■	5096.96faf5ddac346a9ad9c3.js.LICENSE.txt
■	■	■	■	■	■	■■■	5223.0006e6e211b7c197b9f1.js
■	■	■	■	■	■	■■■	5289.6c67522c6a1c32fc2ea2.js
■	■	■	■	■	■	■■■	5383.d630abf49f5cb82bb76f.js
■	■	■	■	■	■	■■■	5493.237858aad53c9392fbd4.js
■	■	■	■	■	■	■■■	5493.237858aad53c9392fbd4.js.LICENSE.txt
■	■	■	■	■	■	■■■	5505.d108d38d683afca0e4ed.js
■	■	■	■	■	■	■■■	5557.625f5943a166b494ee38.js
■	■	■	■	■	■	■■■	5619.b1928648a190b38e627a.js
■	■	■	■	■	■	■■■	6005.cda1ecd972909c2a0250.js
■	■	■	■	■	■	■■■	6064.1a4a55a09511d4907870.js
■	■	■	■	■	■	■■■	6064.1a4a55a09511d4907870.js.LICENSE.txt
■	■	■	■	■	■	■■■	6080.39703b8cc7bd284ce1bd.js
■	■	■	■	■	■	■■■	6218.63b338a58c855634089e.js
■	■	■	■	■	■	■■■	6504.f578fea4ca18a937babd.js
■	■	■	■	■	■	■■■	6550.f5dbb748ddae3ef4b27e.js
■	■	■	■	■	■	■■■	6598.e2d4d064ef6bca780c2c.js
■	■	■	■	■	■	■■■	6700.3c95b4eec62b695c6f74.js
■	■	■	■	■	■	■■■	6777.1b7dcbf5a42c2daf11b8.js
■	■	■	■	■	■	■■■	679b5a5216bbdf913cc22d6ae44778c1ef975ee387a6c4c5de87e75d19a2223
■	■	■	■	■	■	■■■	6952.1bd5bcfeb0d87e61efcb.js
■	■	■	■	■	■	■■■	6962.6d7125f759d926dcf34f.js
■	■	■	■	■	■	■■■	6975.e0560614fd629195c9bf.js
■	■	■	■	■	■	■■■	6989.75bf0da94e660a6c26f8.js
■	■	■	■	■	■	■■■	7034.fce307da76771c0ef0c8.js
■	■	■	■	■	■	■■■	7050.fc2b565767a93966c20e.js
■	■	■	■	■	■	■■■	714.ff3007d0b781b5538482.js
■	■	■	■	■	■	■■■	7289.c749cf355edec3e37aa8.js
■	■	■	■	■	■	■■■	7294.f71c2889fedcd71bd1ee.js
■	■	■	■	■	■	■■■	7294.f71c2889fedcd71bd1ee.js.LICENSE.txt
■	■	■	■	■	■	■■■	7300.26360c57b8bd81344bd5.js
■	■	■	■	■	■	■■■	7454.5859b3e9803de4da9c05.js
■	■	■	■	■	■	■■■	7463.c34847707aeb55f90a82.js
■	■	■	■	■	■	■■■	74edc18b67c487e32f181719fdb347e2e77020744651f446e9acd7bd6821e2e
■	■	■	■	■	■	■■■	75a761159ae266c5332a4f266e07a5543712ffb76ee0260b07782195c04dc36
■	■	■	■	■	■	■■■	7717.2a6e6bb4e5f6b92e9798.js
■	■	■	■	■	■	■■■	7730.7e3a9fb140d2d55a51fc.js
■	■	■	■	■	■	■■■	7755.d506a1d9dadf30b1e490.js
■	■	■	■	■	■	■■■	7788.5e16fdcc197e245776fd.js
■	■	■	■	■	■	■■■	7796.098f091848a062457e84.js
■	■	■	■	■	■	■■■	7900.86dcbbbfb1a3d4f98375.js
■	■	■	■	■	■	■■■	8012.e4c8f67dc497d26c16fc.js
■	■	■	■	■	■	■■■	8059.6011120485fc3c4868d4.js

```
■ ■ ■ ■ ■ ■ ■■■ 807.96166378e2efe232d81e.js
■ ■ ■ ■ ■ ■ ■■■ 807.96166378e2efe232d81e.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ 8102.7f1644c3be420fb40db9.js
■ ■ ■ ■ ■ ■ ■■■ 8428.dd5a93f02f55af0d3d8c.js
■ ■ ■ ■ ■ ■ ■■■ 8523.9b232c15e4eb5bc08a37.js
■ ■ ■ ■ ■ ■ ■■■ 8580.974138f8b6ddb72035f9.js
■ ■ ■ ■ ■ ■ ■■■ 8657.bf693afb7646976b9a51.js
■ ■ ■ ■ ■ ■ ■■■ 870.e515a8a325f5ddb19079.js
■ ■ ■ ■ ■ ■ ■■■ 8708.35479b2d01be1e86804a.js
■ ■ ■ ■ ■ ■ ■■■ 8819.743ff7148bbdf35c7bbb.js
■ ■ ■ ■ ■ ■ ■■■ 8834.7621cb792c80bfa66e05.js
■ ■ ■ ■ ■ ■ ■■■ 8843.35ec0f0b1f61c25e0401.js
■ ■ ■ ■ ■ ■ ■■■ 8afc6e5e842baab16010c2ce6fcf48ec4ded8e1579a37c1f1bc027e120d0495
■ ■ ■ ■ ■ ■ ■■■ 900.6a1241c0269d5df615c8.js
■ ■ ■ ■ ■ ■ ■■■ 901.2ec3367a81663f96cc4b.js
■ ■ ■ ■ ■ ■ ■■■ 9039.5f28fec36b1eba3e4a52.js
■ ■ ■ ■ ■ ■ ■■■ 9109.1b114e9c83e36c6560df.js
■ ■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js
■ ■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ 9316.c4abfd78d98bb182cd2f.js
■ ■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js
■ ■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ 96.c281b119ab350d7dd3de.js
■ ■ ■ ■ ■ ■ ■■■ 9845.8b6c837a5ff754554b39.js
■ ■ ■ ■ ■ ■ ■■■ 9866.5db2f5cd62fb6e231305.js
■ ■ ■ ■ ■ ■ ■■■ aff76e5c986f295d4bc6f8142a78e2a31888b101c2d025db89f79c75f64fd90
■ ■ ■ ■ ■ ■ ■■■ bootstrap.js
■ ■ ■ ■ ■ ■ ■■■ build_log.json
■ ■ ■ ■ ■ ■ ■■■ c651b8a67d3193206f622c3c3b0fbca4a2f2727108c4212b52c1e2a2e84c9b3
■ ■ ■ ■ ■ ■ ■■■ cf83ffb8cf0023bd439dfdd5d02f1954b6ee027e85897d6cfc5f90bbca9ec1d
■ ■ ■ ■ ■ ■ ■■■ d0b4256abed72481585662971262eabee345c19f837af00d7ce24239d3b40ee
■ ■ ■ ■ ■ ■ ■■■ fa498fb2596a5235c5c86d7b68a7fbe76e9855c01af4b0e5ab41c41047c648e
■ ■ ■ ■ ■ ■ ■■■ index.html
■ ■ ■ ■ ■ ■ ■■■ index.out.js
■ ■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js
■ ■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ main.191f751bb4b62e169926.js
■ ■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■■■ third-party-licenses.json
■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ echo_kernel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_build_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_jupyterlab.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_registry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ echo_kernel.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ mock_packages
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ extension
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■ mock_package.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■   ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■   ■■■ index.js
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■   ■■■ mock_package.py
```

```

■■■ package.json
■■■ setup.py
■■■ incompat
■■■ index.js
■■■ package.json
■■■ interop
■■■ consumer
■■■ __pycache__
■■■ jlab_mock_consumer.cpython-311.pyc
■■■ setup.cpython-311.pyc
■■■ index.js
■■■ jlab_mock_consumer.py
■■■ package.json
■■■ setup.py
■■■ provider
■■■ __pycache__
■■■ jlab_mock_provider.cpython-311.pyc
■■■ setup.cpython-311.pyc
■■■ index.js
■■■ jlab_mock_provider.py
■■■ package.json
■■■ setup.py
■■■ token
■■■ index.js
■■■ package.json
■■■ mimeextension
■■■ index.js
■■■ package.json
■■■ package
■■■ index.js
■■■ package.json
■■■ test-hyphens
■■■ MANIFEST.in
■■■ __pycache__
■■■ setup.cpython-311.pyc
■■■ index.js
■■■ package.json
■■■ pyproject.toml
■■■ setup.py
■■■ test-hyphens
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test-hyphens-underscore
■■■ MANIFEST.in
■■■ __pycache__
■■■ setup.cpython-311.pyc
■■■ index.js
■■■ package.json
■■■ pyproject.toml
■■■ setup.py
■■■ test_hyphens_underscore
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test_no_hyphens
■■■ MANIFEST.in
■■■ __pycache__

```



```

    setup.cpython-311.pyc
index.js
package.json
pyproject.toml
setup.py
test_no_hyphens
__init__.py
__pycache__
__init__.cpython-311.pyc
test_app.py
test_build_api.py
test_jupyterlab.py
test_registry.py
themes
@jupyterlab
theme-dark-extension
index.css
index.js
theme-light-extension
index.css
index.js
upgrade_extension.py
utils.py
jupyterlab-3.4.8.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
entry_points.txt
top_level.txt
jupyterlab_plotly
__init__.py
__pycache__
__init__.cpython-311.pyc
labextension
package.json
static
133.0ed2ce65b9fe8645b8fb.js
133.30001697c17cb586ec3b.js
133.35c601b1a5cea3b00a.js
133.37cd56d92ea92ec63d08.js
133.501604bb354dd7efe549.js
133.75a3a5bfbc5045c6f18d.js
133.8124caf93d5d33d4afd4.js
133.8a1dbeb81a760ccf5b53.js
133.b04e2f5e3b9e9f935e0f.js
133.e50eee2988648e4e7233.js
133.e66698d3ced1c884e2bb.js
133.fa90072794e24ddca3af.js
423.5c5d1f420114d7d75b9b.js
423.615d9b10427ba53413db.js
423.8409ad662b0daea3de31.js
478.07d8d9ae56ba83491686.js
478.07d8d9ae56ba83491686.js.LICENSE.txt
478.61489d0c7ebb872fbec6.js
478.61489d0c7ebb872fbec6.js.LICENSE.txt
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ 478.648ae8f1d1447aef2787.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.648ae8f1d1447aef2787.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.682df48bde19ea546833.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.682df48bde19ea546833.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.8a2f95f89e9d4ef6640d.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.8a2f95f89e9d4ef6640d.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.97c9d6fd3284436ed825.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.97c9d6fd3284436ed825.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.df5d79887c2da54356d2.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.df5d79887c2da54356d2.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 486.52aa9063b291ec574154.js
■ ■ ■ ■ ■ ■ ■ ■■■ 486.52aa9063b291ec574154.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 657.09d4efff1ab818a08975.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.17023484aff5cb288d0d.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.1b271af388adb2a060ca.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.2bc457530a93538b82d9.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.359ea3055102f7a99e99.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.771dbad929cd22a323fe.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.7c2205afcedb06d23fda.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.a752195a0c0fbb693545.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.d58e7634cc9b278287fc.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.dd6f26e03235176d44f1.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.ec010038fbb3c3a5dedf.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.ff821171857db34c82f8.js
■ ■ ■ ■ ■ ■ ■ ■■■ 879.b55d82ff9b3516e96fb0.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.1016449a4f6ce437c861.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.1a2cc26ef0511c457ac7.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.286c741f93acc58d3401.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.2d63ed876c9803bb985e.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.45f4c6022dd1884d7098.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.47c704edacb30646672e.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.5db2c2d9c24eed455716.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.667a4f2400cb3e16288f.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.7b0dfd91a418a1e7eb37.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.b2c7a6a835b3d0c95a95.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.b8c677d4b23d37f46d1d.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.d9be7a2a902ee9d2c89d.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.dbafde46ecb0e3cf9a67.js
■ ■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■ ■■■ nbextension
■ ■ ■ ■ ■ ■ ■ ■■■ extension.js
■ ■ ■ ■ ■ ■ ■ ■■■ index.js
■ ■ ■ ■ ■ ■ ■ ■■■ index.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ jupyterlab_pygments
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■ ■■■ labextension
■ ■ ■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■ ■ ■■■ static
■ ■ ■ ■ ■ ■ ■ ■■■ 568.1e2faa2ba0bbe59c4780.js
■ ■ ■ ■ ■ ■ ■ ■■■ 747.8eb3ddccc7ec4987bff9.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.aa1060b2d1221f8e5688.js
■ ■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■ ■■■ third-party-licenses.json

```

```

■ ■ ■ ■ ■ ■ ■ ■ style.py
■ ■ ■ ■ ■ ■ ■ ■ jupyterlab_pygments-0.2.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jupyterlab_server
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ licenses_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ licenses_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ listings_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ process.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ process_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pytest_plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ settings_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ settings_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ themes_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ translation_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ translations_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ workspaces_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ workspaces_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ app.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handlers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ licenses_app.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ licenses_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ listings_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ process.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ process_app.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pytest_plugin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rest-api.yml
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ settings_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ settings_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ spec.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ templates
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 403.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ error.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ app-settings
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ overrides.json

```

```

- schemas
- @jupyterlab
- apputils-extension
- themes.json
- codemirror-extension
- commands.json
- shortcuts-extension
- package.json.orig
- plugin.json
- translation-extension
- plugin.json
- unicode-extension
- plugin.json
- workspaces
- foo-2c26.jupyterlab-workspace
- foo-92dd.jupyterlab-workspace
- test_utils.py
- themes_handler.py
- translation_utils.py
- translations_handler.py
- workspaces_app.py
- workspaces_handler.py
- jupyterlab_server-2.19.0.dist-info
- INSTALLER
- METADATA
- RECORD
- REQUESTED
- WHEEL
- licenses
- LICENSE
- jwt
- __init__.py
- __pycache__
- __init__.cpython-311.pyc
- algorithms.cpython-311.pyc
- api_jwk.cpython-311.pyc
- api_jws.cpython-311.pyc
- api_jwt.cpython-311.pyc
- exceptions.cpython-311.pyc
- help.cpython-311.pyc
- jwk_set_cache.cpython-311.pyc
- jwks_client.cpython-311.pyc
- types.cpython-311.pyc
- utils.cpython-311.pyc
- warnings.cpython-311.pyc
- algorithms.py
- api_jwk.py
- api_jws.py
- api_jwt.py
- exceptions.py
- help.py
- jwk_set_cache.py
- jwks_client.py
- py.typed
- types.py
- utils.py
- warnings.py
- kanren

```

```

    ├── __init__.py
    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   ├── _version.cpython-311.pyc
    │   ├── assoccomm.cpython-311.pyc
    │   ├── constraints.cpython-311.pyc
    │   ├── core.cpython-311.pyc
    │   ├── facts.cpython-311.pyc
    │   ├── goals.cpython-311.pyc
    │   ├── graph.cpython-311.pyc
    │   ├── term.cpython-311.pyc
    │   └── util.cpython-311.pyc
    ├── _version.py
    ├── assoccomm.py
    ├── constraints.py
    ├── core.py
    ├── facts.py
    ├── goals.py
    ├── graph.py
    ├── term.py
    └── util.py
keras
    ├── __init__.py
    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   ├── activations.cpython-311.pyc
    │   ├── backend.cpython-311.pyc
    │   ├── backend_config.cpython-311.pyc
    │   ├── callbacks.cpython-311.pyc
    │   ├── callbacks_v1.cpython-311.pyc
    │   ├── combinations.cpython-311.pyc
    │   ├── constraints.cpython-311.pyc
    │   ├── keras_parameterized.cpython-311.pyc
    │   ├── losses.cpython-311.pyc
    │   ├── metrics.cpython-311.pyc
    │   ├── models.cpython-311.pyc
    │   ├── optimizer_v1.cpython-311.pyc
    │   ├── optimizers.cpython-311.pyc
    │   ├── regularizers.cpython-311.pyc
    │   └── testing_utils.cpython-311.pyc
    ├── activations.py
    ├── api
    │   ├── __init__.py
    │   ├── __pycache__
    │   │   ├── __init__.cpython-311.pyc
    │   │   └── _v1
    │   │       ├── __init__.py
    │   │       ├── __pycache__
    │   │       │   ├── __init__.cpython-311.pyc
    │   │       └── keras
    │   │           ├── __init__.py
    │   │           ├── __internal__
    │   │           │   ├── __init__.py
    │   │           │   ├── __pycache__
    │   │           │   │   ├── __init__.cpython-311.pyc
    │   │           │   └── legacy
    │   │           │       ├── __init__.py
    │   │           │       └── __pycache__
    │   └── __pycache__

```

```

init__init__.cpython-311.pyc
layers
__init__.py
__pycache__
__init__.cpython-311.pyc
experimental
__init__.py
__pycache__
__init__.cpython-311.pyc
rnn_cell
__init__.py
__pycache__
__init__.cpython-311.pyc
__pycache__
__init__.cpython-311.pyc
activations
__init__.py
__pycache__
__init__.cpython-311.pyc
applications
__init__.py
__pycache__
__init__.cpython-311.pyc
densenet
__init__.py
__pycache__
__init__.cpython-311.pyc
efficientnet
__init__.py
__pycache__
__init__.cpython-311.pyc
imagenet_utils
__init__.py
__pycache__
__init__.cpython-311.pyc
inception_resnet_v2
__init__.py
__pycache__
__init__.cpython-311.pyc
inception_v3
__init__.py
__pycache__
__init__.cpython-311.pyc
mobilenet
__init__.py
__pycache__
__init__.cpython-311.pyc
mobilenet_v2
__init__.py
__pycache__
__init__.cpython-311.pyc
mobilenet_v3
__init__.py
__pycache__
__init__.cpython-311.pyc
nasnet
__init__.py
__pycache__

```

```
resnet      __init__.cpython-311.pyc  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
resnet50   __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
resnet_v2  __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
vgg16     __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
vgg19     __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
xception  __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
backend   __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
callbacks __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
experimental  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
constraints  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
datasets  __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
boston_housing  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
cifar10   __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
cifar100  __init__.py  
__pycache__  
    __init__.cpython-311.pyc  
fashion_mnist
```



```

    """__init__.cpython-311.pyc
optimizers
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
schedules
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
premade
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
preprocessing
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
image
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
sequence
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
text
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
regularizers
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
utils
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
wrappers
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
scikit_learn
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
_v2
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
keras
    """__init__.py
    """__internal__
        """__init__.py
        """__pycache__
            """__init__.cpython-311.pyc
backend
    """__init__.py
    """__pycache__

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```

    ■■■ _init__.cpython-311.pyc
    ■■■ optimizers
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ schedules
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ premade
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ preprocessing
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ image
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ sequence
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ text
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ regularizers
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ utils
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ wrappers
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ scikit_learn
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ applications
    ■■■ _init__.py
    ■■■ __pycache__
    ■■■ _init__.cpython-311.pyc
    ■■■ densenet.cpython-311.pyc
    ■■■ efficientnet.cpython-311.pyc
    ■■■ imagenet_utils.cpython-311.pyc
    ■■■ inception_resnet_v2.cpython-311.pyc
    ■■■ inception_v3.cpython-311.pyc
    ■■■ mobilenet.cpython-311.pyc
    ■■■ mobilenet_v2.cpython-311.pyc
    ■■■ mobilenet_v3.cpython-311.pyc
    ■■■ nasnet.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resnet_v2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vgg16.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vgg19.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ densenet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ efficientnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imagenet_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inception_resnet_v2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inception_v3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet_v2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet_v3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nasnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resnet_v2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vgg16.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vgg19.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xception.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backend.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backend_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks_v1.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ combinations.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ constraints.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ datasets
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boston_housing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cifar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cifar10.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cifar100.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fashion_mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ reuters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boston_housing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cifar.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cifar10.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cifar100.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fashion_mnist.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imdb.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mnist.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ reuters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distribute
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dataset_creator_model_fit_test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distribute_coordinator_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distribute_strategy_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distributed_file_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distributed_training_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distributed_training_utils_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keras_correctness_test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keras_dnn_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keras_embedding_model_correctness_test.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ keras_image_model_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_rnn_model_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_stateful_lstm_model_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_utils_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_collection_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_combinations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multi_worker_testing_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ optimizer_combinations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sidecar_evaluator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ simple_models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ strategy_combinations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_example.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ worker_training_state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_creator_model_fit_test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ distribute_coordinator_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ distribute_strategy_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ distributed_file_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ distributed_training_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ distributed_training_utils_v1.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_correctness_test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_dnn_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_embedding_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_image_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_rnn_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_stateful_lstm_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_utils_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_collection_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_combinations.py
■ ■ ■ ■ ■ ■ ■ ■■■ multi_worker_testing_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ optimizer_combinations.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ sidecar_evaluator.py
■ ■ ■ ■ ■ ■ ■ ■■■ simple_models.py
■ ■ ■ ■ ■ ■ ■ ■■■ strategy_combinations.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_example.py
■ ■ ■ ■ ■ ■ ■ ■■■ worker_training_state.py
■ ■ ■ ■ ■ ■ ■ ■■■ engine
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_layer_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_layer_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_preprocessing_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compile_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data_adapter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ functional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ input_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ input_spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_tensor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ node.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ partial_batch_padding_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saving.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequential.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ training.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ training_arrays_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ training_distributed_v1.cpython-311.pyc

```

[illegible]

```

■      ■      ■      ■      ■      ■■■ layers
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ advanced_activations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ convolutional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ convolutional_recurrent.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ cudnn_recurrent.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ dense_attention.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ einsum_dense.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ embeddings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ kernelized.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ local.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ merge.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ multi_head_attention.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ noise.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ pooling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ recurrent.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ recurrent_v2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ rnn_cell_wrapper_v2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ serialization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ wrappers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ advanced_activations.py
■      ■      ■      ■      ■      ■      ■■■ convolutional.py
■      ■      ■      ■      ■      ■      ■■■ convolutional_recurrent.py
■      ■      ■      ■      ■      ■      ■■■ core.py
■      ■      ■      ■      ■      ■      ■■■ cudnn_recurrent.py
■      ■      ■      ■      ■      ■      ■■■ dense_attention.py
■      ■      ■      ■      ■      ■      ■■■ einsum_dense.py
■      ■      ■      ■      ■      ■      ■■■ embeddings.py
■      ■      ■      ■      ■      ■      ■■■ kernelized.py
■      ■      ■      ■      ■      ■      ■■■ legacy_rnn
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ rnn_cell_impl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ rnn_cell_wrapper_impl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ rnn_cell_impl.py
■      ■      ■      ■      ■      ■      ■      ■■■ rnn_cell_wrapper_impl.py
■      ■      ■      ■      ■      ■      ■■■ local.py
■      ■      ■      ■      ■      ■      ■■■ merge.py
■      ■      ■      ■      ■      ■      ■■■ multi_head_attention.py
■      ■      ■      ■      ■      ■      ■■■ noise.py
■      ■      ■      ■      ■      ■      ■■■ normalization
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ batch_normalization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ batch_normalization_v1.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ layer_normalization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ batch_normalization.py
■      ■      ■      ■      ■      ■      ■      ■■■ batch_normalization_v1.py
■      ■      ■      ■      ■      ■      ■      ■■■ layer_normalization.py
■      ■      ■      ■      ■      ■      ■■■ pooling.py
■      ■      ■      ■      ■      ■      ■■■ preprocessing
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__

```


[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ image_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ timeseries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
■ ■ ■ ■ ■ ■ ■ ■■■ image_dataset.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ text_dataset.py
■ ■ ■ ■ ■ ■ ■ ■■■ timeseries.py
■ ■ ■ ■ ■ ■ ■ ■■■ protobuf
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ projector_config_pb2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saved_metadata_pb2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ versions_pb2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ projector_config_pb2.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_metadata_pb2.py
■ ■ ■ ■ ■ ■ ■ ■■■ versions_pb2.py
■ ■ ■ ■ ■ ■ ■ ■■■ regularizers.py
■ ■ ■ ■ ■ ■ ■ ■■■ saving
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hdf5_format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ save.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_experimental.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saving_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hdf5_format.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ save.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ json_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ layer_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ load.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ load_context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ metric_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ network_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ save.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ save_impl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialized_attributes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ json_utils.py
```



```
■ ■ ■ ■ ■ ■ ■ ■■■ layer_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ load.py
■ ■ ■ ■ ■ ■ ■ ■■■ load_context.py
■ ■ ■ ■ ■ ■ ■ ■■■ metric_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ network_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ save.py
■ ■ ■ ■ ■ ■ ■ ■■■ save_impl.py
■ ■ ■ ■ ■ ■ ■ ■■■ serialized_attributes.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_experimental.py
■ ■ ■ ■ ■ ■ ■ ■■■ saving_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils_v1
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ export_output.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ export_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ signature_def_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unexported_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ export_output.py
■ ■ ■ ■ ■ ■ ■ ■■■ export_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.py
■ ■ ■ ■ ■ ■ ■ ■■■ signature_def_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ unexported_constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_architectures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_subclassing_test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_architectures.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_subclassing_test_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ type
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ all_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ control_flow_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_creator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generic_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ io_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kernelized_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kpl_test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ layer_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ losses_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ metrics_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ multi_gpu_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ np_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ object_identity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tf_contextlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tf_inspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tf_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vis_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ all_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ control_flow_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ conv_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ data_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_creator.py
■ ■ ■ ■ ■ ■ ■ ■■■ generic_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ io_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ kernelized_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ kpl_test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ layer_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ losses_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ metrics_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.py
■ ■ ■ ■ ■ ■ ■ ■■■ multi_gpu_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ np_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ object_identity.py
■ ■ ■ ■ ■ ■ ■ ■■■ tf_contextlib.py
■ ■ ■ ■ ■ ■ ■ ■■■ tf_inspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ tf_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ version_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ vis_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ wrappers
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scikit_learn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scikit_learn.py
■ ■ ■ ■ ■ ■ ■■■ keras-2.6.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ kerykeion
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geoname.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ output_exemple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ geoname.py
■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■■■ output_exemple.py
■ ■ ■ ■ ■ ■ ■■■ utilities
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ aspects.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ discepolo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ general.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kr_settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ aspects.py
■ ■ ■ ■ ■ ■ ■ ■■■ charts
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ charts_svg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ charts_svg.py
■ ■ ■ ■ ■ ■ ■ ■■■ templates
■ ■ ■ ■ ■ ■ ■ ■■■ basic.xml
■ ■ ■ ■ ■ ■ ■ ■■■ extended.xml
■ ■ ■ ■ ■ ■ ■ ■■■ discepolo.py
■ ■ ■ ■ ■ ■ ■ ■■■ general.py
■ ■ ■ ■ ■ ■ ■ ■■■ kr_settings.py
■ ■ ■ ■ ■ ■ ■■■■ kerykeion-2.1.16.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ kiwisolver
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _cext.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■■■■ _cext.pyi
■ ■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■■ kiwisolver-1.4.7.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ korean_lunar_calendar
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ korean_lunar_calendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ korean_lunar_calendar.py
■ ■ ■ ■ ■ ■ ■■■■ korean_lunar_calendar-0.3.1.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ langcodes
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ build_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data_dicts.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ language_distance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ language_lists.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ registry_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tag_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ build_data.py
■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ language-subtag-registry.txt
■ ■ ■ ■ ■ ■ ■ ■ data_dicts.py
■ ■ ■ ■ ■ ■ ■ ■ language_distance.py
■ ■ ■ ■ ■ ■ ■ ■ language_lists.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ registry_parser.py
■ ■ ■ ■ ■ ■ ■ ■ tag_parser.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ README.md
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_alpha3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_issue_59.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_wikt_languages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_alpha3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_issue_59.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language_data.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_wikt_languages.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ langcodes-3.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ language_data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ build_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ language_lists.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ name_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ names.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ population_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ registry_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ build_data.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ extra_language_names.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ language-subtag-registry.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ languageInfo.xml
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ override_language_names.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ supplementalData.xml
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ trie
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ab
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ name_to_language.marisa
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ af
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ name_to_language.marisa

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

ko	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
kok	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
kpe	
name_to_language.marisa	
ks	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ksb	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ksf	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ksh	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ku	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
kw	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
kxv	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ky	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
la	
name_to_language.marisa	
lag	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
lah	
name_to_language.marisa	
lb	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
lg	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	

[illegible]

							mfe						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mg						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mgh						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mgo						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mi						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mic						
							name_to_language.marisa						
							mk						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							ml						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mn						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mni						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							moh						
							name_to_language.marisa						
							mr						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							ms						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mt						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mua						
							name_to_language.marisa						
							name_to_script.marisa						
							name_to_territory.marisa						
							mus						
							name_to_language.marisa						

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library_urllib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_input.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next_call.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_oldstr_wrap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_order__future__imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print_with_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_remove_old__future__imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_keep_u.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_literals_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_xrange_with_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_UserDict.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_absolute_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add__future__imports_except_unicode_literals.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_basestring.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_bytes.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_cmp.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division_safe.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_execfile.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library_urllib.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_input.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next_call.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_object.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_oldstr_wrap.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_order__future__imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print_with_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_remove_old__future__imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_keep_u.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_literals_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_xrange_with_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■■■ libpasteurize
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fixes
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ feature_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all__future__imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all_future_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_future_standard_library_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_annotations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_features.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ fix_fullargspec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_getcwd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_kwargs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_memoryview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_newstyle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_printfunction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_throw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unpacking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ feature_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all__future__imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all__future__builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_future_standard_library_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_annotations.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_features.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_fullargspec.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_getcwd.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports2.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_kwargs.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_memoryview.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_newstyle.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_printfunction.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise_.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_throw.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unpacking.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■■■■ librosa
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ beat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decompose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ effects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ onset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ segment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _cache.py
■ ■ ■ ■ ■ ■ ■ ■■■ beat.py
■ ■ ■ ■ ■ ■ ■ ■■■ core
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ audio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constantq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ convert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ harmonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ notation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pitch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spectrum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ audio.py
■ ■ ■ ■ ■ ■ ■■■■ constantq.py
■ ■ ■ ■ ■ ■ ■■■■ convert.py
■ ■ ■ ■ ■ ■ ■■■■ fft.py
■ ■ ■ ■ ■ ■ ■■■■ harmonic.py
■ ■ ■ ■ ■ ■ ■■■■ notation.py
■ ■ ■ ■ ■ ■ ■■■■ pitch.py
■ ■ ■ ■ ■ ■ ■■■■ spectrum.py
■ ■ ■ ■ ■ ■ ■■■■ decompose.py
■ ■ ■ ■ ■ ■ ■■■■ display.py
■ ■ ■ ■ ■ ■ ■■■■ effects.py
■ ■ ■ ■ ■ ■ ■■■■ feature
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inverse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rhythm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spectral.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ inverse.py
■ ■ ■ ■ ■ ■ ■■■■ rhythm.py
■ ■ ■ ■ ■ ■ ■■■■ spectral.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ filters.py
■ ■ ■ ■ ■ ■ ■■■■ onset.py
■ ■ ■ ■ ■ ■ ■■■■ segment.py
■ ■ ■ ■ ■ ■ ■■■■ sequence.py
■ ■ ■ ■ ■ ■ ■■■■ util
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _nnls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ deprecation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ files.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ matching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _nnls.py
■ ■ ■ ■ ■ ■ ■■■■ decorators.py
■ ■ ■ ■ ■ ■ ■■■■ deprecation.py
■ ■ ■ ■ ■ ■ ■■■■ example_data
■ ■ ■ ■ ■ ■ ■ ■■■ index.json
■ ■ ■ ■ ■ ■ ■ ■■■ registry.txt
■ ■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■■■ files.py
■ ■ ■ ■ ■ ■ ■■■■ matching.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ version.py
■ ■ ■ ■ ■ ■■■■ librosa-0.8.1.dist-info

```



```

■ ■ ■ ■ ■ ■ ■ ■ googletest.py
■ ■ ■ ■ ■ ■ ■ ■ shtest.py
■ ■ ■ ■ ■ ■ ■ ■ llvm
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ subst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ subst.py
■ ■ ■ ■ ■ ■ ■ ■ main.py
■ ■ ■ ■ ■ ■ ■ ■ reports.py
■ ■ ■ ■ ■ ■ ■ ■ run.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ worker.py
■ ■ ■ ■ ■ ■ ■ ■ lit-18.1.8.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.TXT
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ llvmlite
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ binding
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dylib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ executionengine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ffi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ initfini.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ object_file.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ orcjit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ passmanagers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ targets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typeref.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ value.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ analysis.py
■ ■ ■ ■ ■ ■ ■ ■ common.py
■ ■ ■ ■ ■ ■ ■ ■ context.py
■ ■ ■ ■ ■ ■ ■ ■ dylib.py
■ ■ ■ ■ ■ ■ ■ ■ executionengine.py
■ ■ ■ ■ ■ ■ ■ ■ ffi.py
■ ■ ■ ■ ■ ■ ■ ■ initfini.py

```



```

■ ■ ■ ■ ■■■ logical_unification-0.4.6.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ loguru
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _better_exceptions.cpython-311.pyc
■ ■ ■ ■ ■■■ _colorama.cpython-311.pyc
■ ■ ■ ■ ■■■ _colorizer.cpython-311.pyc
■ ■ ■ ■ ■■■ _ctime_functions.cpython-311.pyc
■ ■ ■ ■ ■■■ _datetime.cpython-311.pyc
■ ■ ■ ■ ■■■ _defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ _error_interceptor.cpython-311.pyc
■ ■ ■ ■ ■■■ _file_sink.cpython-311.pyc
■ ■ ■ ■ ■■■ _filters.cpython-311.pyc
■ ■ ■ ■ ■■■ _get_frame.cpython-311.pyc
■ ■ ■ ■ ■■■ _handler.cpython-311.pyc
■ ■ ■ ■ ■■■ _locks_machinery.cpython-311.pyc
■ ■ ■ ■ ■■■ _logger.cpython-311.pyc
■ ■ ■ ■ ■■■ _recattrs.cpython-311.pyc
■ ■ ■ ■ ■■■ _simple_sinks.cpython-311.pyc
■ ■ ■ ■ ■■■ _string_parsers.cpython-311.pyc
■ ■ ■ ■ ■■■ _better_exceptions.py
■ ■ ■ ■ ■■■ _colorama.py
■ ■ ■ ■ ■■■ _colorizer.py
■ ■ ■ ■ ■■■ _ctime_functions.py
■ ■ ■ ■ ■■■ _datetime.py
■ ■ ■ ■ ■■■ _defaults.py
■ ■ ■ ■ ■■■ _error_interceptor.py
■ ■ ■ ■ ■■■ _file_sink.py
■ ■ ■ ■ ■■■ _filters.py
■ ■ ■ ■ ■■■ _get_frame.py
■ ■ ■ ■ ■■■ _handler.py
■ ■ ■ ■ ■■■ _locks_machinery.py
■ ■ ■ ■ ■■■ _logger.py
■ ■ ■ ■ ■■■ _recattrs.py
■ ■ ■ ■ ■■■ _simple_sinks.py
■ ■ ■ ■ ■■■ _string_parsers.py
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ loguru-0.5.3.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ lxml
■ ■ ■ ■ ■■■ ElementInclude.py
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ ElementInclude.cpython-311.pyc

```

■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_elementpath.cpython-311.pyc
■	■	■	■	■	■	■■■	builder.cpython-311.pyc
■	■	■	■	■	■	■■■	cssselect.cpython-311.pyc
■	■	■	■	■	■	■■■	doctestcompare.cpython-311.pyc
■	■	■	■	■	■	■■■	pyclasslookup.cpython-311.pyc
■	■	■	■	■	■	■■■	sax.cpython-311.pyc
■	■	■	■	■	■	■■■	usedoctest.cpython-311.pyc
■	■	■	■	■	■■■	_elementpath.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	_elementpath.py	
■	■	■	■	■	■■■	apihelpers.pxi	
■	■	■	■	■	■■■	builder.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	builder.py	
■	■	■	■	■	■■■	classlookup.pxi	
■	■	■	■	■	■■■	cleanup.pxi	
■	■	■	■	■	■■■	cssselect.py	
■	■	■	■	■	■■■	debug.pxi	
■	■	■	■	■	■■■	docloader.pxi	
■	■	■	■	■	■■■	doctestcompare.py	
■	■	■	■	■	■■■	dtd.pxi	
■	■	■	■	■	■■■	etree.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	etree.h	
■	■	■	■	■	■■■	etree.pyx	
■	■	■	■	■	■■■	etree_api.h	
■	■	■	■	■	■■■	extensions.pxi	
■	■	■	■	■	■■■	html	
■	■	■	■	■	■	■■■	ElementSoup.py
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	ElementSoup.cpython-311.pyc
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_diffcommand.cpython-311.pyc
■	■	■	■	■	■	■■■	_html5builder.cpython-311.pyc
■	■	■	■	■	■	■■■	_setmixin.cpython-311.pyc
■	■	■	■	■	■	■■■	builder.cpython-311.pyc
■	■	■	■	■	■	■■■	clean.cpython-311.pyc
■	■	■	■	■	■	■■■	defs.cpython-311.pyc
■	■	■	■	■	■	■■■	diff.cpython-311.pyc
■	■	■	■	■	■	■■■	formfill.cpython-311.pyc
■	■	■	■	■	■	■■■	html5parser.cpython-311.pyc
■	■	■	■	■	■	■■■	soupparser.cpython-311.pyc
■	■	■	■	■	■	■■■	usedoctest.cpython-311.pyc
■	■	■	■	■	■■■	_diffcommand.py	
■	■	■	■	■	■■■	_html5builder.py	
■	■	■	■	■	■■■	_setmixin.py	
■	■	■	■	■	■■■	builder.py	
■	■	■	■	■	■■■	clean.py	
■	■	■	■	■	■■■	defs.py	
■	■	■	■	■	■■■	diff.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	diff.py	
■	■	■	■	■	■■■	formfill.py	
■	■	■	■	■	■■■	html5parser.py	
■	■	■	■	■	■■■	soupparser.py	
■	■	■	■	■	■■■	usedoctest.py	
■	■	■	■	■	■■■	includes	
■	■	■	■	■	■■■	__init__.pxd	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	


```

■ ■ ■ ■ ■ ■ ■ ■■■ xmlmodule.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlreader.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlregexp.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlsave.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlschemas.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlschemasypes.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlstring.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlunicode.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlversion.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlwriter.h
■ ■ ■ ■ ■ ■ ■ ■■■ xpath.h
■ ■ ■ ■ ■ ■ ■ ■■■ xpathInternals.h
■ ■ ■ ■ ■ ■ ■ ■■■ xpointer.h
■ ■ ■ ■ ■ ■ ■ ■■■ libxslt
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ attributes.h
■ ■ ■ ■ ■ ■ ■ ■■■ documents.h
■ ■ ■ ■ ■ ■ ■ ■■■ extensions.h
■ ■ ■ ■ ■ ■ ■ ■■■ extra.h
■ ■ ■ ■ ■ ■ ■ ■■■ functions.h
■ ■ ■ ■ ■ ■ ■ ■■■ imports.h
■ ■ ■ ■ ■ ■ ■ ■■■ keys.h
■ ■ ■ ■ ■ ■ ■ ■■■ namespaces.h
■ ■ ■ ■ ■ ■ ■ ■■■ numbersInternals.h
■ ■ ■ ■ ■ ■ ■ ■■■ pattern.h
■ ■ ■ ■ ■ ■ ■ ■■■ preproc.h
■ ■ ■ ■ ■ ■ ■ ■■■ security.h
■ ■ ■ ■ ■ ■ ■ ■■■ templates.h
■ ■ ■ ■ ■ ■ ■ ■■■ transform.h
■ ■ ■ ■ ■ ■ ■ ■■■ variables.h
■ ■ ■ ■ ■ ■ ■ ■■■ xslt.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltInternals.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltconfig.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltexports.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltlocale.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltutils.h
■ ■ ■ ■ ■ ■ ■ ■■■ lxml-version.h
■ ■ ■ ■ ■ ■ ■ ■■■ relaxng.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ schematron.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ tree.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ uri.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xinclude.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xmlerror.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xmlparser.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xmlschema.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xpath.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xslt.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ isoschematron
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ resources
■ ■ ■ ■ ■ ■ ■ ■■■ rng
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ iso-schematron.rng
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ xsl
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ RNG2Schtrn.xsl

```

```

XSD2Schnrn.xml
iso-schematron-xslt1
iso_abstract_expand.xml
iso_dsdl_include.xml
iso_schematron_message.xml
iso_schematron_skeleton_for_xslt1.xml
iso_svrl_for_xslt1.xml
readme.txt
iterparse.pxi
lxml.etree.h
lxml.etree_api.h
nsclasses.pxi
objectify.cpython-311-x86_64-linux-gnu.so
objectify.pyx
objectpath.pxi
parser.pxi
parsertarget.pxi
proxy.pxi
public-api.pxi
pyclasslookup.py
readonlytree.pxi
relaxng.pxi
sax.cpython-311-x86_64-linux-gnu.so
sax.py
saxparser.pxi
schematron.pxi
serializer.pxi
usedoctest.py
xininclude.pxi
xmlerror.pxi
xmlid.pxi
xmlschema.pxi
xpath.pxi
xslt.pxi
xslttext.pxi
lxml-5.3.0.dist-info
INSTALLER
LICENSE.txt
LICENSES.txt
METADATA
RECORD
WHEEL
top_level.txt
marisa_trie-1.2.1.dist-info
AUTHORS.rst
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
marisa_trie.cpython-311-x86_64-linux-gnu.so
markdown2-2.5.2.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
WHEEL

```

```

    entry_points.txt
    top_level.txt
    markdown2.py
    markdown_it
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _compat.cpython-311.pyc
    _punycode.cpython-311.pyc
    main.cpython-311.pyc
    parser_block.cpython-311.pyc
    parser_core.cpython-311.pyc
    parser_inline.cpython-311.pyc
    renderer.cpython-311.pyc
    ruler.cpython-311.pyc
    token.cpython-311.pyc
    tree.cpython-311.pyc
    utils.cpython-311.pyc
    _compat.py
    _punycode.py
    cli
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    parse.cpython-311.pyc
    parse.py
    common
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    entities.cpython-311.pyc
    html_blocks.cpython-311.pyc
    html_re.cpython-311.pyc
    normalize_url.cpython-311.pyc
    utils.cpython-311.pyc
    entities.py
    html_blocks.py
    html_re.py
    normalize_url.py
    utils.py
    helpers
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    parse_link_destination.cpython-311.pyc
    parse_link_label.cpython-311.pyc
    parse_link_title.cpython-311.pyc
    parse_link_destination.py
    parse_link_label.py
    parse_link_title.py
    main.py
    parser_block.py
    parser_core.py
    parser_inline.py
    port.yaml
    presets
    __init__.py
    __pycache__

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ rules_inline
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ autolink.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backticks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ balance_pairs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ emphasis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ escape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fragments_join.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html_inline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ link.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linkify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ state_inline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ strikethrough.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ autolink.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backticks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ balance_pairs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ emphasis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entity.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ escape.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fragments_join.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html_inline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ link.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linkify.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ state_inline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ strikethrough.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ token.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markdown_it_py-3.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE.markdown-it
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markdownify
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markdownify-0.9.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markupsafe

```

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _native.cpython-311.pyc
    _native.py
    _speedups.c
    _speedups.cpython-311-x86_64-linux-gnu.so
    _speedups.pyi
    py.typed
matplotlib
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _afm.cpython-311.pyc
        _animation_data.cpython-311.pyc
        _blocking_input.cpython-311.pyc
        _cm.cpython-311.pyc
        _cm_listed.cpython-311.pyc
        _color_data.cpython-311.pyc
        _constrained_layout.cpython-311.pyc
        _docstring.cpython-311.pyc
        _enums.cpython-311.pyc
        _fontconfig_pattern.cpython-311.pyc
        _internal_utils.cpython-311.pyc
        _layoutgrid.cpython-311.pyc
        _mathtext.cpython-311.pyc
        _mathtext_data.cpython-311.pyc
        _pylab_helpers.cpython-311.pyc
        _text_helpers.cpython-311.pyc
        _tight_bbox.cpython-311.pyc
        _tight_layout.cpython-311.pyc
        _type1font.cpython-311.pyc
        _version.cpython-311.pyc
        afm.cpython-311.pyc
        animation.cpython-311.pyc
        artist.cpython-311.pyc
        axis.cpython-311.pyc
        backend_bases.cpython-311.pyc
        backend_managers.cpython-311.pyc
        backend_tools.cpython-311.pyc
        bezier.cpython-311.pyc
        blocking_input.cpython-311.pyc
        category.cpython-311.pyc
        cm.cpython-311.pyc
        collections.cpython-311.pyc
        colorbar.cpython-311.pyc
        colors.cpython-311.pyc
        container.cpython-311.pyc
        contour.cpython-311.pyc
        dates.cpython-311.pyc
        docstring.cpython-311.pyc
        dviread.cpython-311.pyc
        figure.cpython-311.pyc
        font_manager.cpython-311.pyc
        fontconfig_pattern.cpython-311.pyc
        gridspec.cpython-311.pyc
        hatch.cpython-311.pyc
        image.cpython-311.pyc

```

■	■	■	■	■	■	■■■	layout_engine.cpython-311.pyc
■	■	■	■	■	■	■■■	legend.cpython-311.pyc
■	■	■	■	■	■	■■■	legend_handler.cpython-311.pyc
■	■	■	■	■	■	■■■	lines.cpython-311.pyc
■	■	■	■	■	■	■■■	markers.cpython-311.pyc
■	■	■	■	■	■	■■■	mathtext.cpython-311.pyc
■	■	■	■	■	■	■■■	mlab.cpython-311.pyc
■	■	■	■	■	■	■■■	offsetbox.cpython-311.pyc
■	■	■	■	■	■	■■■	patches.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	patheffects.cpython-311.pyc
■	■	■	■	■	■	■■■	pylab.cpython-311.pyc
■	■	■	■	■	■	■■■	pyplot.cpython-311.pyc
■	■	■	■	■	■	■■■	quiver.cpython-311.pyc
■	■	■	■	■	■	■■■	rcsetup.cpython-311.pyc
■	■	■	■	■	■	■■■	sankey.cpython-311.pyc
■	■	■	■	■	■	■■■	scale.cpython-311.pyc
■	■	■	■	■	■	■■■	spines.cpython-311.pyc
■	■	■	■	■	■	■■■	stackplot.cpython-311.pyc
■	■	■	■	■	■	■■■	streamplot.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	texmanager.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	textpath.cpython-311.pyc
■	■	■	■	■	■	■■■	ticker.cpython-311.pyc
■	■	■	■	■	■	■■■	tight_bbox.cpython-311.pyc
■	■	■	■	■	■	■■■	tight_layout.cpython-311.pyc
■	■	■	■	■	■	■■■	transforms.cpython-311.pyc
■	■	■	■	■	■	■■■	type1font.cpython-311.pyc
■	■	■	■	■	■	■■■	units.cpython-311.pyc
■	■	■	■	■	■	■■■	widgets.cpython-311.pyc
■	■	■	■	■	■■■		_afm.py
■	■	■	■	■	■■■		_animation_data.py
■	■	■	■	■	■■■		_api
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	deprecation.cpython-311.pyc
■	■	■	■	■	■■■		deprecation.py
■	■	■	■	■	■■■		_blocking_input.py
■	■	■	■	■	■■■		_c_internal_utils.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_cm.py
■	■	■	■	■	■■■		_cm_listed.py
■	■	■	■	■	■■■		_color_data.py
■	■	■	■	■	■■■		_constrained_layout.py
■	■	■	■	■	■■■		_docstring.py
■	■	■	■	■	■■■		_enums.py
■	■	■	■	■	■■■		_fontconfig_pattern.py
■	■	■	■	■	■■■		_image.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_internal_utils.py
■	■	■	■	■	■■■		_layoutgrid.py
■	■	■	■	■	■■■		_mathtext.py
■	■	■	■	■	■■■		_mathtext_data.py
■	■	■	■	■	■■■		_path.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_pylab_helpers.py
■	■	■	■	■	■■■		_qhull.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_text_helpers.py
■	■	■	■	■	■■■		_tight_bbox.py

■	■	■	■	■	■■■■	_tight_layout.py
■	■	■	■	■	■■■■	_tri.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■	_ttconv.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■	_type1font.py
■	■	■	■	■	■■■■	_version.py
■	■	■	■	■	■■■■	afm.py
■	■	■	■	■	■■■■	animation.py
■	■	■	■	■	■■■■	artist.py
■	■	■	■	■	■■■■	axes
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ _axes.cpython-311.pyc
■	■	■	■	■	■	■■■■ _base.cpython-311.pyc
■	■	■	■	■	■	■■■■ _secondary_axes.cpython-311.pyc
■	■	■	■	■	■	■■■■ _subplots.cpython-311.pyc
■	■	■	■	■	■■■■	_axes.py
■	■	■	■	■	■■■■	_base.py
■	■	■	■	■	■■■■	_secondary_axes.py
■	■	■	■	■	■■■■	_subplots.py
■	■	■	■	■	■■■■	axis.py
■	■	■	■	■	■■■■	backend_bases.py
■	■	■	■	■	■■■■	backend_managers.py
■	■	■	■	■	■■■■	backend_tools.py
■	■	■	■	■	■■■■	backends
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ _backend_gtk.cpython-311.pyc
■	■	■	■	■	■	■■■■ _backend_pdf_ps.cpython-311.pyc
■	■	■	■	■	■	■■■■ _backend_tk.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk3.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk3agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk3cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk4.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk4agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk4cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_macosx.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_mixed.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_nbagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_pdf.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_pgf.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_ps.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt5.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt5agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt5cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qtagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qtcairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_svg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_template.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_tkagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_tkcairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_webagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_webagg_core.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_wx.cpython-311.pyc

■	■	■	■	■	■	■	■■■■	backend_wxagg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	backend_wxcairo.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	qt_compat.cpython-311.pyc
■	■	■	■	■	■	■■■■	_backend_agg.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_backend_gtk.py	
■	■	■	■	■	■	■■■■	_backend_pdf_ps.py	
■	■	■	■	■	■	■■■■	_backend_tk.py	
■	■	■	■	■	■	■■■■	_tkagg.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	backend_agg.py	
■	■	■	■	■	■	■■■■	backend_cairo.py	
■	■	■	■	■	■	■■■■	backend_gtk3.py	
■	■	■	■	■	■	■■■■	backend_gtk3agg.py	
■	■	■	■	■	■	■■■■	backend_gtk3cairo.py	
■	■	■	■	■	■	■■■■	backend_gtk4.py	
■	■	■	■	■	■	■■■■	backend_gtk4agg.py	
■	■	■	■	■	■	■■■■	backend_gtk4cairo.py	
■	■	■	■	■	■	■■■■	backend_macosx.py	
■	■	■	■	■	■	■■■■	backend_mixed.py	
■	■	■	■	■	■	■■■■	backend_nbagg.py	
■	■	■	■	■	■	■■■■	backend_pdf.py	
■	■	■	■	■	■	■■■■	backend_pgf.py	
■	■	■	■	■	■	■■■■	backend_ps.py	
■	■	■	■	■	■	■■■■	backend_qt.py	
■	■	■	■	■	■	■■■■	backend_qt5.py	
■	■	■	■	■	■	■■■■	backend_qt5agg.py	
■	■	■	■	■	■	■■■■	backend_qt5cairo.py	
■	■	■	■	■	■	■■■■	backend_qtagg.py	
■	■	■	■	■	■	■■■■	backend_qtcairo.py	
■	■	■	■	■	■	■■■■	backend_svg.py	
■	■	■	■	■	■	■■■■	backend_template.py	
■	■	■	■	■	■	■■■■	backend_tkagg.py	
■	■	■	■	■	■	■■■■	backend_tkcairo.py	
■	■	■	■	■	■	■■■■	backend_webagg.py	
■	■	■	■	■	■	■■■■	backend_webagg_core.py	
■	■	■	■	■	■	■■■■	backend_wx.py	
■	■	■	■	■	■	■■■■	backend_wxagg.py	
■	■	■	■	■	■	■■■■	backend_wxcairo.py	
■	■	■	■	■	■	■■■■	qt_compat.py	
■	■	■	■	■	■	■■■■	qt_editor	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_formlayout.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	figureoptions.cpython-311.pyc
■	■	■	■	■	■	■■■■	_formlayout.py	
■	■	■	■	■	■	■■■■	figureoptions.py	
■	■	■	■	■	■	■■■■	web_backend	
■	■	■	■	■	■	■■■■	.eslintrc.js	
■	■	■	■	■	■	■■■■	.prettierignore	
■	■	■	■	■	■	■■■■	.prettierrc	
■	■	■	■	■	■	■■■■	all_figures.html	
■	■	■	■	■	■	■■■■	css	
■	■	■	■	■	■	■	■■■■	boilerplate.css
■	■	■	■	■	■	■	■■■■	fbm.css
■	■	■	■	■	■	■	■■■■	mpl.css
■	■	■	■	■	■	■	■■■■	page.css
■	■	■	■	■	■	■■■■	ipython_inline_figure.html	
■	■	■	■	■	■	■■■■	js	

```
mpl.js  
mpl_tornado.js  
nbagg_mpl.js  
nbagg_uat.ipynb  
package.json  
single_figure.html  
  
bezier.py  
blocking_input.py  
category.py  
cbook  
    __init__.py  
    __pycache__  
    __init__.cpython-311.pyc  
cm.py  
collections.py  
colorbar.py  
colors.py  
container.py  
contour.py  
dates.py  
docstring.py  
dviread.py  
figure.py  
font_manager.py  
fontconfig_pattern.py  
ft2font.cpython-311-x86_64-linux-gnu.so  
gridspec.py  
hatch.py  
image.py  
layout_engine.py  
legend.py  
legend_handler.py  
lines.py  
markers.py  
mathtext.py  
mlab.py  
mpl-data  
    fonts  
        afm  
            cmex10.afm  
            cmmi10.afm  
            cmr10.afm  
            cmsy10.afm  
            cmtt10.afm  
            pagd8a.afm  
            pagdo8a.afm  
            pagk8a.afm  
            pagko8a.afm  
            pbkd8a.afm  
            pbkdi8a.afm  
            pblk8a.afm  
            pbkli8a.afm  
            pcrb8a.afm  
            pcro8a.afm  
            pcrro8a.afm  
            phvb8a.afm  
            phvb8an.afm
```

■	■	■	■	■	■	■	■	■■■■	phvbo8a.afm
■	■	■	■	■	■	■	■	■■■■	phvbo8an.afm
■	■	■	■	■	■	■	■	■■■■	phvl8a.afm
■	■	■	■	■	■	■	■	■■■■	phvlo8a.afm
■	■	■	■	■	■	■	■	■■■■	phvr8a.afm
■	■	■	■	■	■	■	■	■■■■	phvr8an.afm
■	■	■	■	■	■	■	■	■■■■	phvro8a.afm
■	■	■	■	■	■	■	■	■■■■	phvro8an.afm
■	■	■	■	■	■	■	■	■■■■	pncb8a.afm
■	■	■	■	■	■	■	■	■■■■	pncbi8a.afm
■	■	■	■	■	■	■	■	■■■■	pncr8a.afm
■	■	■	■	■	■	■	■	■■■■	pncri8a.afm
■	■	■	■	■	■	■	■	■■■■	pplb8a.afm
■	■	■	■	■	■	■	■	■■■■	pplbi8a.afm
■	■	■	■	■	■	■	■	■■■■	pplr8a.afm
■	■	■	■	■	■	■	■	■■■■	pplr8a.afm
■	■	■	■	■	■	■	■	■■■■	pplr8a.afm
■	■	■	■	■	■	■	■	■■■■	psyr.afm
■	■	■	■	■	■	■	■	■■■■	ptmb8a.afm
■	■	■	■	■	■	■	■	■■■■	ptmbi8a.afm
■	■	■	■	■	■	■	■	■■■■	ptmr8a.afm
■	■	■	■	■	■	■	■	■■■■	ptmri8a.afm
■	■	■	■	■	■	■	■	■■■■	putb8a.afm
■	■	■	■	■	■	■	■	■■■■	putbi8a.afm
■	■	■	■	■	■	■	■	■■■■	putr8a.afm
■	■	■	■	■	■	■	■	■■■■	putri8a.afm
■	■	■	■	■	■	■	■	■■■■	pzcmi8a.afm
■	■	■	■	■	■	■	■	■■■■	pzdr.afm
■	■	■	■	■	■	■	■	■■■■	pdfcorefonts
■	■	■	■	■	■	■	■	■■■■	Courier-Bold.afm
■	■	■	■	■	■	■	■	■■■■	Courier-BoldOblique.afm
■	■	■	■	■	■	■	■	■■■■	Courier-Oblique.afm
■	■	■	■	■	■	■	■	■■■■	Courier.afm
■	■	■	■	■	■	■	■	■■■■	Helvetica-Bold.afm
■	■	■	■	■	■	■	■	■■■■	Helvetica-BoldOblique.afm
■	■	■	■	■	■	■	■	■■■■	Helvetica-Oblique.afm
■	■	■	■	■	■	■	■	■■■■	Helvetica.afm
■	■	■	■	■	■	■	■	■■■■	Symbol.afm
■	■	■	■	■	■	■	■	■■■■	Times-Bold.afm
■	■	■	■	■	■	■	■	■■■■	Times-BoldItalic.afm
■	■	■	■	■	■	■	■	■■■■	Times-Italic.afm
■	■	■	■	■	■	■	■	■■■■	Times-Roman.afm
■	■	■	■	■	■	■	■	■■■■	ZapfDingbats.afm
■	■	■	■	■	■	■	■	■■■■	readme.txt
■	■	■	■	■	■	■	■	■■■■	ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSans-Bold.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSans-BoldOblique.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSans-Oblique.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSans.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSansDisplay.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSansMono-Bold.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSansMono-BoldOblique.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSansMono-Oblique.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSansMono.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSerif-Bold.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSerif-BoldItalic.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSerif-Italic.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSerif.ttf
■	■	■	■	■	■	■	■	■■■■	DejaVuSerifDisplay.ttf

[illegible]

■	■	■	■	■	■	■	■■■	matplotlib_large.png
■	■	■	■	■	■	■	■■■	move-symbolic.svg
■	■	■	■	■	■	■	■■■	move.pdf
■	■	■	■	■	■	■	■■■	move.png
■	■	■	■	■	■	■	■■■	move.svg
■	■	■	■	■	■	■	■■■	move_large.png
■	■	■	■	■	■	■	■■■	qt4_editor_options.pdf
■	■	■	■	■	■	■	■■■	qt4_editor_options.png
■	■	■	■	■	■	■	■■■	qt4_editor_options.svg
■	■	■	■	■	■	■	■■■	qt4_editor_options_large.png
■	■	■	■	■	■	■	■■■	subplots-symbolic.svg
■	■	■	■	■	■	■	■■■	subplots.pdf
■	■	■	■	■	■	■	■■■	subplots.png
■	■	■	■	■	■	■	■■■	subplots.svg
■	■	■	■	■	■	■	■■■	subplots_large.png
■	■	■	■	■	■	■	■■■	zoom_to_rect-symbolic.svg
■	■	■	■	■	■	■	■■■	zoom_to_rect.pdf
■	■	■	■	■	■	■	■■■	zoom_to_rect.png
■	■	■	■	■	■	■	■■■	zoom_to_rect.svg
■	■	■	■	■	■	■	■■■	zoom_to_rect_large.png
■	■	■	■	■	■	■■■	kpsewhich.lua	
■	■	■	■	■	■	■■■	matplotlibrc	
■	■	■	■	■	■	■■■	plot_directive	
■	■	■	■	■	■	■	■■■	plot_directive.css
■	■	■	■	■	■	■■■	sample_data	
■	■	■	■	■	■	■	■■■	Minduka_Present_Blue_Pack.png
■	■	■	■	■	■	■	■■■	README.txt
■	■	■	■	■	■	■	■■■	Stocks.csv
■	■	■	■	■	■	■	■■■	axes_grid
■	■	■	■	■	■	■	■■■	bivariate_normal.npy
■	■	■	■	■	■	■	■■■	data_x_x2_x3.csv
■	■	■	■	■	■	■	■■■	eeg.dat
■	■	■	■	■	■	■	■■■	embedding_in_wx3.xrc
■	■	■	■	■	■	■	■■■	goog.npz
■	■	■	■	■	■	■	■■■	grace_hopper.jpg
■	■	■	■	■	■	■	■■■	jacksboro_fault_dem.npz
■	■	■	■	■	■	■	■■■	logo2.png
■	■	■	■	■	■	■	■■■	membrane.dat
■	■	■	■	■	■	■	■■■	msft.csv
■	■	■	■	■	■	■	■■■	percent_bachelors_degrees_women_usa.csv
■	■	■	■	■	■	■	■■■	s1045.ima.gz
■	■	■	■	■	■	■	■■■	topobathy.npz
■	■	■	■	■	■	■■■	stylelib	
■	■	■	■	■	■	■	■■■	Solarize_Light2.mplstyle
■	■	■	■	■	■	■	■■■	_classic_test_patch.mplstyle
■	■	■	■	■	■	■	■■■	_mpl-gallery-nogrid.mplstyle
■	■	■	■	■	■	■	■■■	_mpl-gallery.mplstyle
■	■	■	■	■	■	■	■■■	bmh.mplstyle
■	■	■	■	■	■	■	■■■	classic.mplstyle
■	■	■	■	■	■	■	■■■	dark_background.mplstyle
■	■	■	■	■	■	■	■■■	fast.mplstyle
■	■	■	■	■	■	■	■■■	fivethirtyeight.mplstyle
■	■	■	■	■	■	■	■■■	ggplot.mplstyle
■	■	■	■	■	■	■	■■■	grayscale.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-bright.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-colorblind.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-dark-palette.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-dark.mplstyle

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-darkgrid.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-deep.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-muted.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-notebook.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-paper.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-pastel.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-poster.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-talk.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-ticks.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-white.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-whitegrid.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ tableau-colorblind10.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ offsetbox.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ patches.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ path.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ patheffects.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ projections
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ geo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ polar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ geo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ polar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pylab.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pyplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quiver.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ rcsetup.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sankey.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scale.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sphinxext
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathmpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_directive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathmpl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_directive.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ spines.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stackplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ streamplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ style
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ testing
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ compare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■	test_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_colors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_compare_images.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_constrainedlayout.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_container.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_contour.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cycles.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dates.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_determinism.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_doc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dviread.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_figure.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_font_manager.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_fontconfig_pattern.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ft2font.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_getattr.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gridspec.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_image.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_legend.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_lines.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_marker.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mathtext.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_matplotlib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mlab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_offsetbox.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_patches.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_path.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_patheffects.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pickle.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_png.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_polar.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_preprocess_data.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pyplot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_quiver.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_rcparams.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sankey.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_scale.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_simplification.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_skew.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sphinxext.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_spines.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_streamplot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_style.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_subplots.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_table.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_texmanager.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_text.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_textpath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ticker.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_tightlayout.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_transforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_triangulation.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ttconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_type1font.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_units.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_usetex.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_widgets.cpython-311.pyc

						conftest.py
						test_afm.py
						test_agg.py
						test_agg_filter.py
						test_animation.py
						test_api.py
						test_arrow_patches.py
						test_artist.py
						test_axes.py
						test_backend_bases.py
						test_backend_cairo.py
						test_backend_gtk3.py
						test_backend_macosx.py
						test_backend_nbagg.py
						test_backend_pdf.py
						test_backend_pgf.py
						test_backend_ps.py
						test_backend_qt.py
						test_backend_svg.py
						test_backend_template.py
						test_backend_tk.py
						test_backend_tools.py
						test_backend_webagg.py
						test_backends_interactive.py
						test_basic.py
						test_bbox_tight.py
						test_category.py
						test_cbook.py
						test_collections.py
						test_colorbar.py
						test_colors.py
						test_compare_images.py
						test_constrainedlayout.py
						test_container.py
						test_contour.py
						test_cycles.py
						test_dates.py
						test_determinism.py
						test_doc.py
						test_dviread.py
						test_figure.py
						test_font_manager.py
						test_fontconfig_pattern.py
						test_ft2font.py
						test_getattr.py
						test_gridspec.py
						test_image.py
						test_legend.py
						test_lines.py
						test_marker.py
						test_mathtext.py
						test_matplotlib.py
						test_mlab.py
						test_offsetbox.py
						test_patches.py
						test_path.py
						test_patheffects.py
						test_pickle.py

■	■	■	■	■	■	■■■	test_png.py
■	■	■	■	■	■	■■■	test_polar.py
■	■	■	■	■	■	■■■	test_preprocess_data.py
■	■	■	■	■	■	■■■	test_pyplot.py
■	■	■	■	■	■	■■■	test_quiver.py
■	■	■	■	■	■	■■■	test_rcparams.py
■	■	■	■	■	■	■■■	test_sankey.py
■	■	■	■	■	■	■■■	test_scale.py
■	■	■	■	■	■	■■■	test_simplification.py
■	■	■	■	■	■	■■■	test_skew.py
■	■	■	■	■	■	■■■	test_sphinxext.py
■	■	■	■	■	■	■■■	test_spines.py
■	■	■	■	■	■	■■■	test_streamplot.py
■	■	■	■	■	■	■■■	test_style.py
■	■	■	■	■	■	■■■	test_subplots.py
■	■	■	■	■	■	■■■	test_table.py
■	■	■	■	■	■	■■■	test_testing.py
■	■	■	■	■	■	■■■	test_texmanager.py
■	■	■	■	■	■	■■■	test_text.py
■	■	■	■	■	■	■■■	test_textpath.py
■	■	■	■	■	■	■■■	test_ticker.py
■	■	■	■	■	■	■■■	test_tightlayout.py
■	■	■	■	■	■	■■■	test_transforms.py
■	■	■	■	■	■	■■■	test_triangulation.py
■	■	■	■	■	■	■■■	test_ttconv.py
■	■	■	■	■	■	■■■	test_type1font.py
■	■	■	■	■	■	■■■	test_units.py
■	■	■	■	■	■	■■■	test_usetex.py
■	■	■	■	■	■	■■■	test_widgets.py
■	■	■	■	■	■■■	texmanager.py	
■	■	■	■	■	■■■	text.py	
■	■	■	■	■	■■■	textpath.py	
■	■	■	■	■	■■■	ticker.py	
■	■	■	■	■	■■■	tight_bbox.py	
■	■	■	■	■	■■■	tight_layout.py	
■	■	■	■	■	■■■	transforms.py	
■	■	■	■	■	■■■	tri	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	triangulation.cpython-311.pyc
■	■	■	■	■	■	■■■	tricontour.cpython-311.pyc
■	■	■	■	■	■	■■■	trifinder.cpython-311.pyc
■	■	■	■	■	■	■■■	triinterpolate.cpython-311.pyc
■	■	■	■	■	■	■■■	tripcolor.cpython-311.pyc
■	■	■	■	■	■	■■■	triplot.cpython-311.pyc
■	■	■	■	■	■	■■■	trirefine.cpython-311.pyc
■	■	■	■	■	■	■■■	tritools.cpython-311.pyc
■	■	■	■	■	■■■	triangulation.py	
■	■	■	■	■	■■■	tricontour.py	
■	■	■	■	■	■■■	trifinder.py	
■	■	■	■	■	■■■	triinterpolate.py	
■	■	■	■	■	■■■	tripcolor.py	
■	■	■	■	■	■■■	triplot.py	
■	■	■	■	■	■■■	trirefine.py	
■	■	■	■	■	■■■	tritools.py	
■	■	■	■	■	■■■	type1font.py	
■	■	■	■	■	■■■	units.py	

```

■ ■ ■ widgets.py
■ ■ ■ matplotlib-3.6.3-py3.11-nspkg.pth
■ ■ ■ matplotlib-3.6.3.dist-info
■ ■ ■ INSTALLER
■ ■ ■ LICENSE
■ ■ ■ LICENSE_AMSFonts
■ ■ ■ LICENSE_BAKOMA
■ ■ ■ LICENSE_CARLOGO
■ ■ ■ LICENSE_COLORBREWER
■ ■ ■ LICENSE_COURIERTEN
■ ■ ■ LICENSE_JSXTOOLS_RESIZE_OBSERVER
■ ■ ■ LICENSE_QHULL
■ ■ ■ LICENSE_QT4_EDITOR
■ ■ ■ LICENSE_SOLARIZED
■ ■ ■ LICENSE_STIX
■ ■ ■ LICENSE_YORICK
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ REQUESTED
■ ■ ■ WHEEL
■ ■ ■ namespace_packages.txt
■ ■ ■ top_level.txt
■ ■ ■ matplotlib_inline
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ backend_inline.cpython-311.pyc
■ ■ ■ config.cpython-311.pyc
■ ■ ■ backend_inline.py
■ ■ ■ config.py
■ ■ ■ matplotlib_inline-0.1.7.dist-info
■ ■ ■ INSTALLER
■ ■ ■ LICENSE
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ entry_points.txt
■ ■ ■ top_level.txt
■ ■ ■ matplotlib_venn
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _arc.cpython-311.pyc
■ ■ ■ _common.cpython-311.pyc
■ ■ ■ _math.cpython-311.pyc
■ ■ ■ _region.cpython-311.pyc
■ ■ ■ _util.cpython-311.pyc
■ ■ ■ _venn2.cpython-311.pyc
■ ■ ■ _venn3.cpython-311.pyc
■ ■ ■ _arc.py
■ ■ ■ _common.py
■ ■ ■ _math.py
■ ■ ■ _region.py
■ ■ ■ _util.py
■ ■ ■ _venn2.py
■ ■ ■ _venn3.py
■ ■ ■ matplotlib_venn-0.11.6.dist-info
■ ■ ■ INSTALLER
```

```

METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
zip-safe
mdurl
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _decode.cpython-311.pyc
    _encode.cpython-311.pyc
    _format.cpython-311.pyc
    _parse.cpython-311.pyc
    _url.cpython-311.pyc
    _decode.py
    _encode.py
    _format.py
    _parse.py
    _url.py
    py.typed
mdurl-0.1.2.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
miniKanren-1.0.3.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    WHEEL
    top_level.txt
mistune
    __init__.py
    __main__.py
    __pycache__
        __init__.cpython-311.pyc
        __main__.cpython-311.pyc
        block_parser.cpython-311.pyc
        core.cpython-311.pyc
        helpers.cpython-311.pyc
        inline_parser.cpython-311.pyc
        list_parser.cpython-311.pyc
        markdown.cpython-311.pyc
        toc.cpython-311.pyc
        util.cpython-311.pyc
    block_parser.py
    core.py
    directives
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _base.cpython-311.pyc
        _fenced.cpython-311.pyc
        _rst.cpython-311.pyc
        admonition.cpython-311.pyc

```

[illegible]

```

METADATA
RECORD
WHEEL
top_level.txt
mizani
__init__.py
__pycache__
__init__.cpython-311.pyc
bounds.cpython-311.pyc
breaks.cpython-311.pyc
formatters.cpython-311.pyc
labels.cpython-311.pyc
palettes.cpython-311.pyc
scale.cpython-311.pyc
transforms.cpython-311.pyc
typing.cpython-311.pyc
utils.cpython-311.pyc
_core
__init__.py
__pycache__
__init__.cpython-311.pyc
date_utils.cpython-311.pyc
dates.cpython-311.pyc
types.cpython-311.pyc
date_utils.py
dates.py
types.py
bounds.py
breaks.py
colors
__init__.py
__pycache__
__init__.cpython-311.pyc
_colormap.cpython-311.pyc
_cubehelix.cpython-311.pyc
_gradient.cpython-311.pyc
_listed.cpython-311.pyc
_named_color_values.cpython-311.pyc
color_palette.cpython-311.pyc
hsluv.cpython-311.pyc
named_colors.cpython-311.pyc
_colormap.py
_cubehelix.py
_gradient.py
_listed.py
_named_color_values.py
brewer
__init__.py
__pycache__
__init__.cpython-311.pyc
diverging.cpython-311.pyc
qualitative.cpython-311.pyc
sequential.cpython-311.pyc
diverging.py
qualitative.py
sequential.py
color_palette.py
diverging

```



```

fixes.cpython-311.pyc
label.cpython-311.pyc
misc.cpython-311.pyc
morph.cpython-311.pyc
parallel.cpython-311.pyc
proj.cpython-311.pyc
rank.cpython-311.pyc
report.cpython-311.pyc
source_estimate.cpython-311.pyc
source_space.cpython-311.pyc
surface.cpython-311.pyc
transforms.cpython-311.pyc
_ola.py
_version.py
annotations.py
baseline.py
beamformer
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _compute_beamformer.cpython-311.pyc
        _dics.cpython-311.pyc
        _lcmv.cpython-311.pyc
        _rap_music.cpython-311.pyc
        resolution_matrix.cpython-311.pyc
    _compute_beamformer.py
    _dics.py
    _lcmv.py
    _rap_music.py
    resolution_matrix.py
    tests
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            test_dics.cpython-311.pyc
            test_external.cpython-311.pyc
            test_lcmv.cpython-311.pyc
            test_rap_music.cpython-311.pyc
            test_resolution_matrix.cpython-311.pyc
        test_dics.py
        test_external.py
        test_lcmv.py
        test_rap_music.py
        test_resolution_matrix.py
bem.py
channels
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dig_montage_utils.cpython-311.pyc
        _standard_montage_utils.cpython-311.pyc
        channels.cpython-311.pyc
        interpolation.cpython-311.pyc
        layout.cpython-311.pyc
        montage.cpython-311.pyc
    _dig_montage_utils.py
    _standard_montage_utils.py
    channels.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ layouts
■ ■ ■ ■ ■ ■ ■ ■ CTF-275.lout
■ ■ ■ ■ ■ ■ ■ ■ CTF151.lay
■ ■ ■ ■ ■ ■ ■ ■ CTF275.lay
■ ■ ■ ■ ■ ■ ■ ■ EEG1005.lay
■ ■ ■ ■ ■ ■ ■ ■ EGI256.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-125.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-157.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-160.lay
■ ■ ■ ■ ■ ■ ■ ■ KIT-AD.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-AS-2008.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-3.lout
■ ■ ■ ■ ■ ■ ■ ■ Neuromag_122.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-all.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-grad.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-grad_norm.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-mag.lout
■ ■ ■ ■ ■ ■ ■ ■ biosemi.lay
■ ■ ■ ■ ■ ■ ■ ■ magnesWH3600.lout
■ ■ ■ ■ ■ ■ ■ ■ montages
■ ■ ■ ■ ■ ■ ■ ■ EGI_256.csd
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-128.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-129.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-256.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-257.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-32.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-64_1.0.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-65_1.0.sfp
■ ■ ■ ■ ■ ■ ■ ■ artinis-brite23.elc
■ ■ ■ ■ ■ ■ ■ ■ artinis-octamon.elc
■ ■ ■ ■ ■ ■ ■ ■ biosemi128.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi16.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi160.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi256.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi32.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi64.txt
■ ■ ■ ■ ■ ■ ■ ■ easycap-M1.txt
■ ■ ■ ■ ■ ■ ■ ■ easycap-M10.txt
■ ■ ■ ■ ■ ■ ■ ■ mgh60.elc
■ ■ ■ ■ ■ ■ ■ ■ mgh70.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_1005.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_1020.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_alphabetic.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_postfixed.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_prefixed.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_primed.elc
■ ■ ■ ■ ■ ■ ■ ■ neighbors
■ ■ ■ ■ ■ ■ ■ ■ KIT-157_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-208_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-NYU-2019_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-1_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-2_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-3_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-4_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ biosemi16_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ biosemi32_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ biosemi64_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bti148_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bti248_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bti248grad_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctf151_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctf275_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctf64_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycap128ch-avg_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycap32ch-avg_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycap64ch-avg_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycapM11_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycapM14_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycapM15_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ easycapM1_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ neuromag306mag_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ neuromag306planar_neighb.mat
■ ■ ■ interpolation.py
■ ■ ■ layout.py
■ ■ ■ montage.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_channels.cpython-311.pyc
■ ■ ■ test_interpolation.cpython-311.pyc
■ ■ ■ test_layout.cpython-311.pyc
■ ■ ■ test_montage.cpython-311.pyc
■ ■ ■ test_standard_montage.cpython-311.pyc
■ ■ ■ test_channels.py
■ ■ ■ test_interpolation.py
■ ■ ■ test_layout.py
■ ■ ■ test_montage.py
■ ■ ■ test_standard_montage.py
■ ■ ■ chpi.py
■ ■ ■ commands
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ mne_anonymize.cpython-311.pyc
■ ■ ■ mne_browse_raw.cpython-311.pyc
■ ■ ■ mne_btififf.cpython-311.pyc
■ ■ ■ mne_clean_eog_ecg.cpython-311.pyc
■ ■ ■ mne_compare_fiff.cpython-311.pyc
■ ■ ■ mne_compute_proj_ecg.cpython-311.pyc
■ ■ ■ mne_compute_proj_eog.cpython-311.pyc
■ ■ ■ mne_coreg.cpython-311.pyc
■ ■ ■ mne_flash_bem.cpython-311.pyc
■ ■ ■ mne_freeview_bem_surfaces.cpython-311.pyc
■ ■ ■ mne_kitfiff.cpython-311.pyc
■ ■ ■ mne_make_scalp_surfaces.cpython-311.pyc
■ ■ ■ mne_maxfilter.cpython-311.pyc
■ ■ ■ mne_prepare_bem_model.cpython-311.pyc
■ ■ ■ mne_report.cpython-311.pyc
■ ■ ■ mne_setup_forward_model.cpython-311.pyc
■ ■ ■ mne_setup_source_space.cpython-311.pyc
■ ■ ■ mne_show_fiff.cpython-311.pyc
```

```
mne_show_info.cpython-311.pyc
mne_surf2bem.cpython-311.pyc
mne_sys_info.cpython-311.pyc
mne_watershed_bem.cpython-311.pyc
mne_what.cpython-311.pyc
utils.cpython-311.pyc
mne_anonymize.py
mneBrowseRaw.py
mne_btififf.py
mne_clean_eeg_ecg.py
mne_compare_fiff.py
mne_compute_proj_ecg.py
mne_compute_proj_eeg.py
mne_coreg.py
mne_flash_bem.py
mne_freeview_bem_surfaces.py
mne_kitfiff.py
mne_make_scalp_surfaces.py
mne_maxfilter.py
mne_prepare_bem_model.py
mne_report.py
mne_setup_forward_model.py
mne_setup_source_space.py
mne_show_fiff.py
mne_show_info.py
mne_surf2bem.py
mne_sys_info.py
mne_watershed_bem.py
mne_what.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_commands.cpython-311.pyc
        test_commands.py
    utils.py
conf_test.py
connectivity
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        effective.cpython-311.pyc
        envelope.cpython-311.pyc
        spectral.cpython-311.pyc
        utils.cpython-311.pyc
    effective.py
    envelope.py
    spectral.py
    tests
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            test_effective.cpython-311.pyc
            test_envelope.cpython-311.pyc
            test_spectral.cpython-311.pyc
            test_utils.cpython-311.pyc
        test_effective.py
        test_envelope.py
```

```

test_spectral.py
test_utils.py
utils.py
coreg.py
cov.py
cuda.py
data
FreeSurferColorLUT.txt
__init__.py
__pycache__
__init__.cpython-311.pyc
html_templates.cpython-311.pyc
coil_def.dat
coil_def_Elekta.dat
extinction_coef.mat
fsaverage
fsaverage-fiducials.fif
fsaverage-head.fif
fsaverage-inner_skull-bem.fif
fsaverage-trans.fif
helmets
122m.fif.gz
306m.fif.gz
306m_rt.fif.gz
BabySQUID.fif.gz
CTF_275.fif.gz
KIT.fif.gz
Magnes_2500wh.fif.gz
Magnes_3600wh.fif.gz
html_templates.py
icos.fif.gz
image
custom_layout.lout
mni_brain.gif
mne_analyze.sel
datasets
__init__.py
__pycache__
__init__.cpython-311.pyc
utils.cpython-311.pyc
_fake
__init__.py
__pycache__
__init__.cpython-311.pyc
_fake.cpython-311.pyc
_fake.py
_fsaverage
__init__.py
__pycache__
__init__.cpython-311.pyc
base.cpython-311.pyc
base.py
bem.txt
root.txt
_infant
ANTS1-0Months3T.txt
ANTS10-5Months3T.txt
ANTS12-0Months3T.txt

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS15-0Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS18-0Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS2-0Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS2-0Weeks3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS2-0Years3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS3-0Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS4-5Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS6-0Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS7-5Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ANTS9-0Months3T.txt
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ brainstorm
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bst_auditory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bst_phantom_ctf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bst_phantom_elekta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bst_raw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bst_resting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bst_auditory.py
■ ■ ■ ■ ■ ■ ■ ■■■ bst_phantom_ctf.py
■ ■ ■ ■ ■ ■ ■ ■■■ bst_phantom_elekta.py
■ ■ ■ ■ ■ ■ ■ ■■■ bst_raw.py
■ ■ ■ ■ ■ ■ ■ ■■■ bst_resting.py
■ ■ ■ ■ ■ ■ ■ ■■■ eegbci
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ eegbci.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ eegbci.py
■ ■ ■ ■ ■ ■ ■ ■■■ epilepsy_ecog
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _data.py
■ ■ ■ ■ ■ ■ ■ ■■■ erp_core
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ erp_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ erp_core.py
■ ■ ■ ■ ■ ■ ■ ■■■ fieldtrip_cmc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fieldtrip_cmc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fieldtrip_cmc.py
■ ■ ■ ■ ■ ■ ■ ■■■ fnirs_motor
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fnirs_motor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fnirs_motor.py
■ ■ ■ ■ ■ ■ ■ ■■■ hf_sef
```

[illegible]

```

sample.py
sleep_physionet
SHA1SUMS
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
age.cpython-311.pyc
temazepam.cpython-311.pyc
_utils.py
age.py
age_records.csv
temazepam.py
temazepam_records.csv
tests
__pycache__
test_physionet.cpython-311.pyc
test_physionet.py
somato
__init__.py
__pycache__
__init__.cpython-311.pyc
somato.cpython-311.pyc
somato.py
spm_face
__init__.py
__pycache__
__init__.cpython-311.pyc
spm_data.cpython-311.pyc
spm_data.py
ssvep
__init__.py
__pycache__
__init__.cpython-311.pyc
ssvep.cpython-311.pyc
ssvep.py
testing
__init__.py
__pycache__
__init__.cpython-311.pyc
_testing.cpython-311.pyc
_testing.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_datasets.cpython-311.pyc
test_datasets.py
utils.py
visual_92_categories
__init__.py
__pycache__
__init__.cpython-311.pyc
visual_92_categories.cpython-311.pyc
visual_92_categories.py
decoding
__init__.py
__pycache__

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ems.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ receptive_field.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ search_light.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ssd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ time_delaying_ridge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ time_frequency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ transformer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ csp.py
■ ■ ■ ■ ■ ■ ■ ■■■ ems.py
■ ■ ■ ■ ■ ■ ■ ■■■ mixin.py
■ ■ ■ ■ ■ ■ ■ ■■■ receptive_field.py
■ ■ ■ ■ ■ ■ ■ ■■■ search_light.py
■ ■ ■ ■ ■ ■ ■ ■■■ ssd.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_csp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ems.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_receptive_field.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_search_light.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ssd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_time_frequency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transformer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_csp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ems.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_receptive_field.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_search_light.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ssd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_time_frequency.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_transformer.py
■ ■ ■ ■ ■ ■ ■ ■■■ time_delaying_ridge.py
■ ■ ■ ■ ■ ■ ■ ■■■ time_frequency.py
■ ■ ■ ■ ■ ■ ■ ■■■ transformer.py
■ ■ ■ ■ ■ ■ ■ ■■■ defaults.py
■ ■ ■ ■ ■ ■ ■ ■■■ dipole.py
■ ■ ■ ■ ■ ■ ■ ■■■ epochs.py
■ ■ ■ ■ ■ ■ ■ ■■■ event.py
■ ■ ■ ■ ■ ■ ■ ■■■ evoked.py
■ ■ ■ ■ ■ ■ ■ ■■■ externals
■ ■ ■ ■ ■ ■ ■ ■■■ FieldTrip.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ FieldTrip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decorator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ doccer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decorator.py
■ ■ ■ ■ ■ ■ ■ ■■■ doccer.py
■ ■ ■ ■ ■ ■ ■ ■■■ h5io
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py

```


[illegible]

```

███ __init__.cpython-311.pyc
███ test_coreg_gui.cpython-311.pyc
███ test_fiducials_gui.cpython-311.pyc
███ test_file_traits.cpython-311.pyc
███ test_kit2fiff_gui.cpython-311.pyc
███ test_marker_gui.cpython-311.pyc
███ test_coreg_gui.py
███ test_fiducials_gui.py
███ test_file_traits.py
███ test_kit2fiff_gui.py
███ test_marker_gui.py
███ html
████ bootstrap.min.css
████ bootstrap.min.js
████ d3.v3.min.js
████ jquery-ui.min.css
████ jquery-ui.min.js
████ jquery.js
████ mpld3.v0.2.min.js
███ icons
████ README.rst
████ __pycache__
████ resources.cpython-311.pyc
████ clear-black-18dp.svg
████ help-black-18dp.svg
████ mne-circle-black.png
████ mne.qrc
████ mne_icon.png
████ movie-black-18dp.svg
████ pause-black-18dp.svg
████ play-black-18dp.svg
████ reset-black-18dp.svg
████ resources.py
████ restore-black-18dp.svg
████ scale-black-18dp.svg
████ screenshot-black-18dp.svg
████ visibility_off-black-18dp.svg
████ visibility_on-black-18dp.svg
███ inverse_sparse
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _gamma_map.cpython-311.pyc
████ mxne_debiasing.cpython-311.pyc
████ mxne_inverse.cpython-311.pyc
████ mxne_optim.cpython-311.pyc
████ _gamma_map.py
████ mxne_debiasing.py
████ mxne_inverse.py
████ mxne_optim.py
████ tests
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ test_gamma_map.cpython-311.pyc
████ test_mxne_debiasing.cpython-311.pyc
████ test_mxne_inverse.cpython-311.pyc
████ test_mxne_optim.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      test_gamma_map.py
■      ■      ■      ■      ■      ■      ■      test_mxne_debiasing.py
■      ■      ■      ■      ■      ■      ■      test_mxne_inverse.py
■      ■      ■      ■      ■      ■      ■      test_mxne_optim.py
■      ■      ■      ■      ■      ■■■ io
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ _digitization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ _read_raw.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ compensator.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ constants.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ ctf_comp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ diff.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ matrix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ meas_info.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ open.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ pick.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ proc_history.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ proj.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ reference.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ tag.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ what.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ write.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _digitization.py
■      ■      ■      ■      ■      ■■■ _read_raw.py
■      ■      ■      ■      ■      ■■■ array
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ array.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ array.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_array.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_array.py
■      ■      ■      ■      ■      ■■■ artemis123
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ artemis123.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ artemis123.py
■      ■      ■      ■      ■      ■      ■■■ resources
■      ■      ■      ■      ■      ■      ■      ■■■ Artemis123_ChannelMap.csv
■      ■      ■      ■      ■      ■      ■      ■■■ Artemis123_mneLoc.csv
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_artemis123.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_artemis123.py
■      ■      ■      ■      ■      ■      ■■■ utils.py

```

```

base.py
boxy
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  boxy.cpython-311.pyc
  boxy.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_boxy.cpython-311.pyc
  test_boxy.py
brainvision
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  brainvision.cpython-311.pyc
  brainvision.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_brainvision.cpython-311.pyc
  test_brainvision.py
bti
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  bti.cpython-311.pyc
  constants.cpython-311.pyc
  read.cpython-311.pyc
  bti.py
  constants.py
  read.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_bti.cpython-311.pyc
  test_bti.py
cnt
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _utils.cpython-311.pyc
  cnt.cpython-311.pyc
  _utils.py
  cnt.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_cnt.cpython-311.pyc
  test_cnt.py
compensator.py
constants.py
ctf

```

[illegible]

```

eeglab.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
test_eeglab.cpython-311.pyc
_utils.py
test_eeglab.py

egi
__init__.py
__pycache__
__init__.cpython-311.pyc
egi.cpython-311.pyc
egimff.cpython-311.pyc
events.cpython-311.pyc
general.cpython-311.pyc
egi.py
egimff.py
events.py
general.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_egi.cpython-311.pyc
test_egi.py

eximia
__init__.py
__pycache__
__init__.cpython-311.pyc
eximia.cpython-311.pyc
eximia.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_eximia.cpython-311.pyc
test_eximia.py

fieldtrip
__init__.py
__pycache__
__init__.cpython-311.pyc
fieldtrip.cpython-311.pyc
utils.cpython-311.pyc
fieldtrip.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
helpers.cpython-311.pyc
test_fieldtrip.cpython-311.pyc
helpers.py
test_fieldtrip.py
utils.py

fiff
__init__.py
__pycache__

```



```

    ■■■ __init__.cpython-311.pyc
    ■■■ raw.cpython-311.pyc
    ■■■ raw.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_raw_fiff.cpython-311.pyc
    ■■■ test_raw_fiff.py
    ■■■ kit
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ constants.cpython-311.pyc
    ■■■ coreg.cpython-311.pyc
    ■■■ kit.cpython-311.pyc
    ■■■ constants.py
    ■■■ coreg.py
    ■■■ kit.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_coreg.cpython-311.pyc
    ■■■ test_kit.cpython-311.pyc
    ■■■ test_coreg.py
    ■■■ test_kit.py
    ■■■ matrix.py
    ■■■ meas_info.py
    ■■■ nedf
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ nedf.cpython-311.pyc
    ■■■ nedf.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_nedf.cpython-311.pyc
    ■■■ test_nedf.py
    ■■■ nicolet
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ nicolet.cpython-311.pyc
    ■■■ nicolet.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_nicolet.cpython-311.pyc
    ■■■ test_nicolet.py
    ■■■ nihon
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ nihon.cpython-311.pyc

```

```

nirhon.py
tests
    __pycache__
    test_nirhon.cpython-311.pyc
    test_nirhon.py
nirx
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    nirx.cpython-311.pyc
    nirx.py
    tests
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        test_nirx.cpython-311.pyc
        test_nirx.py
open.py
persyst
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    persyst.cpython-311.pyc
    persyst.py
    tests
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        test_persyst.cpython-311.pyc
        test_persyst.py
pick.py
proc_history.py
proj.py
reference.py
snirf
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _snirf.cpython-311.pyc
    _snirf.py
    tests
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        test_snirf.cpython-311.pyc
        test_snirf.py
tag.py
tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_apply_function.cpython-311.pyc
    test_compensator.cpython-311.pyc
    test_constants.cpython-311.pyc
    test_meas_info.cpython-311.pyc
    test_pick.cpython-311.pyc
    test_proc_history.cpython-311.pyc
    test_raw.cpython-311.pyc

```

```

■ ■ ■ ■ ■ test_read_raw.cpython-311.pyc
■ ■ ■ ■ ■ test_reference.cpython-311.pyc
■ ■ ■ ■ ■ test_show_fiff.cpython-311.pyc
■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ test_what.cpython-311.pyc
■ ■ ■ ■ ■ test_write.cpython-311.pyc
■ ■ ■ ■ ■ test_apply_function.py
■ ■ ■ ■ ■ test_compensator.py
■ ■ ■ ■ ■ test_constants.py
■ ■ ■ ■ ■ test_meas_info.py
■ ■ ■ ■ ■ test_pick.py
■ ■ ■ ■ ■ test_proc_history.py
■ ■ ■ ■ ■ test_raw.py
■ ■ ■ ■ ■ test_read_raw.py
■ ■ ■ ■ ■ test_reference.py
■ ■ ■ ■ ■ test_show_fiff.py
■ ■ ■ ■ ■ test_utils.py
■ ■ ■ ■ ■ test_what.py
■ ■ ■ ■ ■ test_write.py
■ ■ ■ ■ ■ tree.py
■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ what.py
■ ■ ■ ■ ■ write.py
■ ■ ■ ■ label.py
■ ■ ■ ■ minimum_norm
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _eloreta.cpython-311.pyc
■ ■ ■ ■ inverse.cpython-311.pyc
■ ■ ■ ■ resolution_matrix.cpython-311.pyc
■ ■ ■ ■ spatial_resolution.cpython-311.pyc
■ ■ ■ ■ time_frequency.cpython-311.pyc
■ ■ ■ ■ _eloreta.py
■ ■ ■ ■ inverse.py
■ ■ ■ ■ resolution_matrix.py
■ ■ ■ ■ spatial_resolution.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_inverse.cpython-311.pyc
■ ■ ■ ■ test_resolution_matrix.cpython-311.pyc
■ ■ ■ ■ test_resolution_metrics.cpython-311.pyc
■ ■ ■ ■ test_snr.cpython-311.pyc
■ ■ ■ ■ test_time_frequency.cpython-311.pyc
■ ■ ■ ■ test_inverse.py
■ ■ ■ ■ test_resolution_matrix.py
■ ■ ■ ■ test_resolution_metrics.py
■ ■ ■ ■ test_snr.py
■ ■ ■ ■ test_time_frequency.py
■ ■ ■ ■ time_frequency.py
■ ■ ■ ■ misc.py
■ ■ ■ ■ morph.py
■ ■ ■ ■ parallel.py
■ ■ ■ ■ preprocessing
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_csd.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_fine_cal.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_peak_finder.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_regress.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	artifact_detection.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	bad.s.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	ctps_.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	ecg.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	eog.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	flat.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	ica.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	infomax_.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	interpolate.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	maxfilter.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	maxwell.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	otp.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	realign.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	ssp.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	stim.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	xdawn.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_csd.py	
■	■	■	■	■	■	■	■■■	_fine_cal.py	
■	■	■	■	■	■	■	■■■	_peak_finder.py	
■	■	■	■	■	■	■	■■■	_regress.py	
■	■	■	■	■	■	■	■■■	artifact_detection.py	
■	■	■	■	■	■	■	■■■	bad.s.py	
■	■	■	■	■	■	■	■■■	ctps_.py	
■	■	■	■	■	■	■	■■■	ecg.py	
■	■	■	■	■	■	■	■■■	eog.py	
■	■	■	■	■	■	■	■■■	flat.py	
■	■	■	■	■	■	■	■■■	ica.py	
■	■	■	■	■	■	■	■■■	infomax_.py	
■	■	■	■	■	■	■	■■■	interpolate.py	
■	■	■	■	■	■	■	■■■	maxfilter.py	
■	■	■	■	■	■	■	■■■	maxwell.py	
■	■	■	■	■	■	■	■■■	nirs	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_beer_lambert_law.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_optical_density.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_scalp_coupling_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tddr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	nirs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_beer_lambert_law.py	
■	■	■	■	■	■	■	■■■	_optical_density.py	
■	■	■	■	■	■	■	■■■	_scalp_coupling_index.py	
■	■	■	■	■	■	■	■■■	_tddr.py	
■	■	■	■	■	■	■	■■■	nirs.py	
■	■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_beer_lambert_law.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_nirs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_optical_density.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_scalp_coupling_index.cpython-311.pyc

```

test_temporal_derivative_distribution_repair.cpython-311.pyc
test_beer_lambert_law.py
test_nirs.py
test_optical_density.py
test_scalp_coupling_index.py
test_temporal_derivative_distribution_repair.py
otp.py
realign.py
ssp.py
stim.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_artifact_detection.cpython-311.pyc
test_csd.cpython-311.pyc
test_ctps.cpython-311.pyc
test_ecg.cpython-311.pyc
test_eeglab_infomax.cpython-311.pyc
test_eog.cpython-311.pyc
test_fine_cal.cpython-311.pyc
test_flat.cpython-311.pyc
test_ica.cpython-311.pyc
test_infomax.cpython-311.pyc
test_interpolate.cpython-311.pyc
test_maxwell.cpython-311.pyc
test_otp.cpython-311.pyc
test_peak_finder.cpython-311.pyc
test_realign.cpython-311.pyc
test_regress.cpython-311.pyc
test_ssp.cpython-311.pyc
test_stim.cpython-311.pyc
test_xdown.cpython-311.pyc
test_artifact_detection.py
test_csd.py
test_ctps.py
test_ecg.py
test_eeglab_infomax.py
test_eog.py
test_fine_cal.py
test_flat.py
test_ica.py
test_infomax.py
test_interpolate.py
test_maxwell.py
test_otp.py
test_peak_finder.py
test_realign.py
test_regress.py
test_ssp.py
test_stim.py
test_xdown.py
xdown.py
proj.py
rank.py
report.py
simulation
__init__.py

```

[illegible]

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stockwell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multitaper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ psd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tfr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stft.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stockwell.py
■ ■ ■ ■ ■ ■ ■ ■■■ ar.py
■ ■ ■ ■ ■ ■ ■ ■■■ csd.py
■ ■ ■ ■ ■ ■ ■ ■■■ multitaper.py
■ ■ ■ ■ ■ ■ ■ ■■■ psd.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_csd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_multitaper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_psd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_stft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_stockwell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tfr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ar.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_csd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_multitaper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_psd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stft.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stockwell.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tfr.py
■ ■ ■ ■ ■ ■ ■ ■■■ tfr.py
■ ■ ■ ■ ■ ■ ■ ■■■ transforms.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bunch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fetching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numerics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ progressbar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bunch.py
■ ■ ■ ■ ■ ■ ■ ■■■ _logging.py
■ ■ ■ ■ ■ ■ ■ ■■■ _testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ check.py
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.py
■ ■ ■ ■ ■ ■ ■ ■■■ docs.py
```



```

fetching.py
linalg.py
misc.py
mixin.py
numerics.py
progressbar.py
tests
    __pycache__
    test_bunch.cpython-311.pyc
    test_check.cpython-311.pyc
    test_config.cpython-311.pyc
    test_docs.cpython-311.pyc
    test_fetching.cpython-311.pyc
    test_linalg.cpython-311.pyc
    test_logging.cpython-311.pyc
    test_misc.cpython-311.pyc
    test_mixin.cpython-311.pyc
    test_numerics.cpython-311.pyc
    test_progressbar.cpython-311.pyc
    test_testing.cpython-311.pyc
    test_bunch.py
    test_check.py
    test_config.py
    test_docs.py
    test_fetching.py
    test_linalg.py
    test_logging.py
    test_misc.py
    test_mixin.py
    test_numerics.py
    test_progressbar.py
    test_testing.py
viz
    _3d.py
    __init__.py
    __pycache__
    _3d.cpython-311.pyc
    __init__.cpython-311.pyc
    _figure.cpython-311.pyc
    circle.cpython-311.pyc
    conftest.cpython-311.pyc
    epochs.cpython-311.pyc
    evoked.cpython-311.pyc
    ica.cpython-311.pyc
    misc.cpython-311.pyc
    montage.cpython-311.pyc
    raw.cpython-311.pyc
    topo.cpython-311.pyc
    topomap.cpython-311.pyc
    utils.cpython-311.pyc
    _brain
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _brain.cpython-311.pyc
    _linkviewer.cpython-311.pyc
    _scraper.cpython-311.pyc
    callback.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ colormap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ surface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ view.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _brain.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _linkviewer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _scraper.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ callback.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ colormap.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ surface.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_brain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_brain.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ view.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _figure.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ backends
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _abstract.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _pysurfer_mayavi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _pyvista.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _qt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _abstract.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _pysurfer_mayavi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _pyvista.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _qt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ renderer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_renderer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ circle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ epochs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ evoked.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ montage.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ raw.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_3d_mpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_circle.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_epochs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_evoked.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_figure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_raw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topomap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_3d.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_3d_mpl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_circle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_epochs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_evoked.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_figure.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montage.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_raw.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topomap.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ topo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ topomap.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mne-0.23.4.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ monotonic-1.6.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ monotonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ moviepy
■ ■ ■ ■ ■ ■ ■ ■ ■■ Clip.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ Clip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ config_defaults.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ editor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ audio

```

```

AudioClip.py
__init__.py
__pycache__
  AudioClip.cpython-311.pyc
  __init__.cpython-311.pyc
fx
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  audio_fadein.cpython-311.pyc
  audio_fadeout.cpython-311.pyc
  audio_left_right.cpython-311.pyc
  audio_loop.cpython-311.pyc
  audio_normalize.cpython-311.pyc
  volumex.cpython-311.pyc
all
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  audio_fadein.py
  audio_fadeout.py
  audio_left_right.py
  audio_loop.py
  audio_normalize.py
  volumex.py
io
  AudioFileClip.py
  __init__.py
  __pycache__
    AudioFileClip.cpython-311.pyc
    __init__.cpython-311.pyc
  ffmpeg_audiowriter.cpython-311.pyc
  preview.cpython-311.pyc
  readers.cpython-311.pyc
  ffmpeg_audiowriter.py
  preview.py
  readers.py
tools
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  cuts.cpython-311.pyc
  cuts.py
compat.py
config.py
config_defaults.py
decorators.py
editor.py
tools.py
utils.py
version.py
video
  VideoClip.py
  __init__.py
  __pycache__
    VideoClip.cpython-311.pyc
    __init__.cpython-311.pyc
  compositing

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ CompositeVideoClip.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ CompositeVideoClip.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ concatenate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ on_color.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ positioning.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ transitions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ concatenate.py
■      ■      ■      ■      ■      ■      ■      ■■■■ on_color.py
■      ■      ■      ■      ■      ■      ■      ■■■■ positioning.py
■      ■      ■      ■      ■      ■      ■      ■■■■ transitions.py
■      ■      ■      ■      ■      ■      ■■■■ fx
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ accel_decel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ blackwhite.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ blink.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ colorx.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ crop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ even_size.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ fadein.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ fadeout.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ freeze.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ freeze_region.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gamma_corr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ headblur.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ invert_colors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ loop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ lum_contrast.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ make_loopable.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ margin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mask_and.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mask_color.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mask_or.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mirror_x.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mirror_y.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ painting.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ resize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ rotate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ scroll.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ speedx.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ supersample.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ time_mirror.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ time_symmetrize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ accel_decel.py
■      ■      ■      ■      ■      ■      ■■■■ all
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ blackwhite.py
■      ■      ■      ■      ■      ■      ■■■■ blink.py
■      ■      ■      ■      ■      ■      ■■■■ colorx.py
■      ■      ■      ■      ■      ■      ■■■■ crop.py
■      ■      ■      ■      ■      ■      ■■■■ even_size.py
■      ■      ■      ■      ■      ■      ■■■■ fadein.py

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ fadeout.py
■ ■ ■ ■ ■ ■ ■ ■■■ freeze.py
■ ■ ■ ■ ■ ■ ■ ■■■ freeze_region.py
■ ■ ■ ■ ■ ■ ■ ■■■ gamma_corr.py
■ ■ ■ ■ ■ ■ ■ ■■■ headblur.py
■ ■ ■ ■ ■ ■ ■ ■■■ invert_colors.py
■ ■ ■ ■ ■ ■ ■ ■■■ loop.py
■ ■ ■ ■ ■ ■ ■ ■■■ lum_contrast.py
■ ■ ■ ■ ■ ■ ■ ■■■ make_loopable.py
■ ■ ■ ■ ■ ■ ■ ■■■ margin.py
■ ■ ■ ■ ■ ■ ■ ■■■ mask_and.py
■ ■ ■ ■ ■ ■ ■ ■■■ mask_color.py
■ ■ ■ ■ ■ ■ ■ ■■■ mask_or.py
■ ■ ■ ■ ■ ■ ■ ■■■ mirror_x.py
■ ■ ■ ■ ■ ■ ■ ■■■ mirror_y.py
■ ■ ■ ■ ■ ■ ■ ■■■ painting.py
■ ■ ■ ■ ■ ■ ■ ■■■ resize.py
■ ■ ■ ■ ■ ■ ■ ■■■ rotate.py
■ ■ ■ ■ ■ ■ ■ ■■■ scroll.py
■ ■ ■ ■ ■ ■ ■ ■■■ speedx.py
■ ■ ■ ■ ■ ■ ■ ■■■ supersample.py
■ ■ ■ ■ ■ ■ ■ ■■■ time_mirror.py
■ ■ ■ ■ ■ ■ ■ ■■■ time_symmetrize.py
■ ■ ■ ■ ■ ■ ■ ■■■ io
■ ■ ■ ■ ■ ■ ■ ■■■ ImageSequenceClip.py
■ ■ ■ ■ ■ ■ ■ ■■■ VideoFileClip.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ImageSequenceClip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ VideoFileClip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bindings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ downloader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ffmpeg_reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ffmpeg_tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ffmpeg_writer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gif_writers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ html_tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ preview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sliders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bindings.py
■ ■ ■ ■ ■ ■ ■ ■■■ downloader.py
■ ■ ■ ■ ■ ■ ■ ■■■ ffmpeg_reader.py
■ ■ ■ ■ ■ ■ ■ ■■■ ffmpeg_tools.py
■ ■ ■ ■ ■ ■ ■ ■■■ ffmpeg_writer.py
■ ■ ■ ■ ■ ■ ■ ■■■ gif_writers.py
■ ■ ■ ■ ■ ■ ■ ■■■ html_tools.py
■ ■ ■ ■ ■ ■ ■ ■■■ preview.py
■ ■ ■ ■ ■ ■ ■ ■■■ sliders.py
■ ■ ■ ■ ■ ■ ■ ■■■ tools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ credits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cuts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drawing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ interpolators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ segmenting.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ subtitles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tracking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ credits.py
■ ■ ■ ■ ■ ■ ■■■ cuts.py
■ ■ ■ ■ ■ ■ ■■■ drawing.py
■ ■ ■ ■ ■ ■ ■■■ interpolators.py
■ ■ ■ ■ ■ ■ ■■■ segmenting.py
■ ■ ■ ■ ■ ■ ■■■ subtitles.py
■ ■ ■ ■ ■ ■ ■■■ tracking.py
■ ■ ■ ■ ■ ■■■ moviepy-1.0.3.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENCE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ mpl_toolkits
■ ■ ■ ■ ■ ■■■ axes_grid1
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ anchored_artists.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_divider.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_grid.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_rgb.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_size.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ inset_locator.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ mpl_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ parasite_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ anchored_artists.py
■ ■ ■ ■ ■ ■■■ axes_divider.py
■ ■ ■ ■ ■ ■■■ axes_grid.py
■ ■ ■ ■ ■ ■■■ axes_rgb.py
■ ■ ■ ■ ■ ■■■ axes_size.py
■ ■ ■ ■ ■ ■■■ inset_locator.py
■ ■ ■ ■ ■ ■■■ mpl_axes.py
■ ■ ■ ■ ■ ■■■ parasite_axes.py
■ ■ ■ ■ ■ ■■■ axisartist
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ angle_helper.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_divider.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_grid.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axes_rgb.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axis_artist.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axisline_style.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ axislines.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ clip_path.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ floating_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ grid_finder.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ grid_helper_curvelinear.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ parasite_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ angle_helper.py
■ ■ ■ ■ ■ ■■■ axes_divider.py
■ ■ ■ ■ ■ ■■■ axes_grid.py
■ ■ ■ ■ ■ ■■■ axes_rgb.py
```

```
■ ■ ■ ■ ■ ■ ■■■ axis_artist.py
■ ■ ■ ■ ■ ■ ■■■ axisline_style.py
■ ■ ■ ■ ■ ■ ■■■ axislines.py
■ ■ ■ ■ ■ ■ ■■■ clip_path.py
■ ■ ■ ■ ■ ■ ■■■ floating_axes.py
■ ■ ■ ■ ■ ■ ■■■ grid_finder.py
■ ■ ■ ■ ■ ■ ■■■ grid_helper_curvelinear.py
■ ■ ■ ■ ■ ■ ■■■ parasite_axes.py
■ ■ ■ ■ ■ ■ ■■■ basemap
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ cm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ diagnostic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ proj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ solar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ cm.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ diagnostic.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ proj.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ solar.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ test.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ basemap_data
■ ■ ■ ■ ■ ■ ■■■   ■■■ UScounties.dbf
■ ■ ■ ■ ■ ■ ■■■   ■■■ UScounties.prj
■ ■ ■ ■ ■ ■ ■■■   ■■■ UScounties.shp
■ ■ ■ ■ ■ ■ ■■■   ■■■ UScounties.shx
■ ■ ■ ■ ■ ■ ■■■   ■■■ bmng.jpg
■ ■ ■ ■ ■ ■ ■■■   ■■■ countries_c.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ countries_i.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ countries_l.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ countriesmeta_c.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ countriesmeta_i.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ countriesmeta_l.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ epsg
■ ■ ■ ■ ■ ■ ■■■   ■■■ etopo1.jpg
■ ■ ■ ■ ■ ■ ■■■   ■■■ gshhs_c.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ gshhs_i.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ gshhs_l.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ gshhsmeta_c.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ gshhsmeta_i.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ gshhsmeta_l.dat
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_1.25min_c.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_1.25min_f.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_1.25min_h.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_1.25min_i.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_1.25min_l.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_10min_c.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_10min_f.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_10min_h.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_10min_i.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_10min_l.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_2.5min_c.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_2.5min_f.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_2.5min_h.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_2.5min_i.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_2.5min_l.bin
■ ■ ■ ■ ■ ■ ■■■   ■■■ lsmask_5min_c.bin
```



```

lsmask_5min_f.bin
lsmask_5min_h.bin
lsmask_5min_i.bin
lsmask_5min_l.bin
rivers_c.dat
rivers_i.dat
rivers_l.dat
riversmeta_c.dat
riversmeta_i.dat
riversmeta_l.dat
shadedrelief.jpg
states_c.dat
states_i.dat
states_l.dat
statesmeta_c.dat
statesmeta_i.dat
statesmeta_l.dat
mplot3d
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    art3d.cpython-311.pyc
    axes3d.cpython-311.pyc
    axis3d.cpython-311.pyc
    proj3d.cpython-311.pyc
    art3d.py
    axes3d.py
    axis3d.py
    proj3d.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      conftest.cpython-311.pyc
      test_axes_grid.cpython-311.pyc
      test_axes_grid1.cpython-311.pyc
      test_axisartist_angle_helper.cpython-311.pyc
      test_axisartist_axis_artist.cpython-311.pyc
      test_axisartist_axislines.cpython-311.pyc
      test_axisartist_clip_path.cpython-311.pyc
      test_axisartist_floating_axes.cpython-311.pyc
      test_axisartist_grid_finder.cpython-311.pyc
      test_axisartist_grid_helper_curvilinear.cpython-311.pyc
      test_mplot3d.cpython-311.pyc
    conftest.py
    test_axes_grid.py
    test_axes_grid1.py
    test_axisartist_angle_helper.py
    test_axisartist_axis_artist.py
    test_axisartist_axislines.py
    test_axisartist_clip_path.py
    test_axisartist_floating_axes.py
    test_axisartist_grid_finder.py
    test_axisartist_grid_helper_curvilinear.py
    test_mplot3d.py
mpmath
  __init__.py
  __pycache__

```

■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	ctx_base.cpython-311.pyc
■	■	■	■	■	■	■■■■	ctx_fp.cpython-311.pyc
■	■	■	■	■	■	■■■■	ctx_iv.cpython-311.pyc
■	■	■	■	■	■	■■■■	ctx_mp.cpython-311.pyc
■	■	■	■	■	■	■■■■	ctx_mp_python.cpython-311.pyc
■	■	■	■	■	■	■■■■	function_docs.cpython-311.pyc
■	■	■	■	■	■	■■■■	identification.cpython-311.pyc
■	■	■	■	■	■	■■■■	math2.cpython-311.pyc
■	■	■	■	■	■	■■■■	rational.cpython-311.pyc
■	■	■	■	■	■	■■■■	usertools.cpython-311.pyc
■	■	■	■	■	■	■■■■	visualization.cpython-311.pyc
■	■	■	■	■	■■■■	calculus	
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	approximation.cpython-311.pyc
■	■	■	■	■	■	■■■■	calculus.cpython-311.pyc
■	■	■	■	■	■	■■■■	differentiation.cpython-311.pyc
■	■	■	■	■	■	■■■■	extrapolation.cpython-311.pyc
■	■	■	■	■	■	■■■■	inverselaplace.cpython-311.pyc
■	■	■	■	■	■	■■■■	odes.cpython-311.pyc
■	■	■	■	■	■	■■■■	optimization.cpython-311.pyc
■	■	■	■	■	■	■■■■	polynomials.cpython-311.pyc
■	■	■	■	■	■	■■■■	quadrature.cpython-311.pyc
■	■	■	■	■	■■■■	approximation.py	
■	■	■	■	■	■■■■	calculus.py	
■	■	■	■	■	■■■■	differentiation.py	
■	■	■	■	■	■■■■	extrapolation.py	
■	■	■	■	■	■■■■	inverselaplace.py	
■	■	■	■	■	■■■■	odes.py	
■	■	■	■	■	■■■■	optimization.py	
■	■	■	■	■	■■■■	polynomials.py	
■	■	■	■	■	■■■■	quadrature.py	
■	■	■	■	■	■■■■	ctx_base.py	
■	■	■	■	■	■■■■	ctx_fp.py	
■	■	■	■	■	■■■■	ctx_iv.py	
■	■	■	■	■	■■■■	ctx_mp.py	
■	■	■	■	■	■■■■	ctx_mp_python.py	
■	■	■	■	■	■■■■	function_docs.py	
■	■	■	■	■	■■■■	functions	
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	bessel.cpython-311.pyc
■	■	■	■	■	■	■■■■	elliptic.cpython-311.pyc
■	■	■	■	■	■	■■■■	expintegrals.cpython-311.pyc
■	■	■	■	■	■	■■■■	factorials.cpython-311.pyc
■	■	■	■	■	■	■■■■	functions.cpython-311.pyc
■	■	■	■	■	■	■■■■	hypergeometric.cpython-311.pyc
■	■	■	■	■	■	■■■■	orthogonal.cpython-311.pyc
■	■	■	■	■	■	■■■■	qfunctions.cpython-311.pyc
■	■	■	■	■	■	■■■■	rszeta.cpython-311.pyc
■	■	■	■	■	■	■■■■	signals.cpython-311.pyc
■	■	■	■	■	■	■■■■	theta.cpython-311.pyc
■	■	■	■	■	■	■■■■	zeta.cpython-311.pyc
■	■	■	■	■	■	■■■■	zetazeros.cpython-311.pyc
■	■	■	■	■	■■■■	bessel.py	

```

██████████ elliptic.py
██████████ expintegrals.py
██████████ factorials.py
██████████ functions.py
██████████ hypergeometric.py
██████████ orthogonal.py
██████████ qfunctions.py
██████████ rszeta.py
██████████ signals.py
██████████ theta.py
██████████ zeta.py
██████████ zetazeros.py
██████████ identification.py
██████████ libmp
██████████     __init__.py
██████████     __pycache__
██████████         ██████████ __init__.cpython-311.pyc
██████████         ██████████ backend.cpython-311.pyc
██████████         ██████████ gammazeta.cpython-311.pyc
██████████         ██████████ libelefun.cpython-311.pyc
██████████         ██████████ libhyper.cpython-311.pyc
██████████         ██████████ libintmath.cpython-311.pyc
██████████         ██████████ libmpc.cpython-311.pyc
██████████         ██████████ libmpf.cpython-311.pyc
██████████         ██████████ libmpi.cpython-311.pyc
██████████         ██████████ backend.py
██████████         ██████████ gammazeta.py
██████████         ██████████ libelefun.py
██████████         ██████████ libhyper.py
██████████         ██████████ libintmath.py
██████████         ██████████ libmpc.py
██████████         ██████████ libmpf.py
██████████         ██████████ libmpi.py
██████████     ██████████ math2.py
██████████     ██████████ matrices
██████████         ██████████ __init__.py
██████████         ██████████ __pycache__
██████████             ██████████ __init__.cpython-311.pyc
██████████             ██████████ calculus.cpython-311.pyc
██████████             ██████████ eigen.cpython-311.pyc
██████████             ██████████ eigen_symmetric.cpython-311.pyc
██████████             ██████████ linalg.cpython-311.pyc
██████████             ██████████ matrices.cpython-311.pyc
██████████             ██████████ calculus.py
██████████             ██████████ eigen.py
██████████             ██████████ eigen_symmetric.py
██████████             ██████████ linalg.py
██████████             ██████████ matrices.py
██████████     ██████████ rational.py
██████████     ██████████ tests
██████████         ██████████ __init__.py
██████████         ██████████ __pycache__
██████████             ██████████ __init__.cpython-311.pyc
██████████             ██████████ extratest_gamma.cpython-311.pyc
██████████             ██████████ extratest_zeta.cpython-311.pyc
██████████             ██████████ runtests.cpython-311.pyc
██████████             ██████████ test_basic_ops.cpython-311.pyc
██████████             ██████████ test_bitwise.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_calculus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_compatibility.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_convert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_diff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_division.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_eigen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_eigen_symmetric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_elliptic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_fp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_gammazeta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_hp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_identify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_interval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_levin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_matrices.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_mpmath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_quad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_rootfinding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_special.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_summation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_trig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_visualization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ torture.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ extratest_gamma.py
■ ■ ■ ■ ■ ■ ■ ■ ■ extratest_zeta.py
■ ■ ■ ■ ■ ■ ■ ■ ■ runtests.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_basic_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bitwise.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_calculus.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_compatibility.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_convert.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_diff.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_division.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_eigen.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_eigen_symmetric.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_elliptic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_fp.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_gammazeta.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_hp.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_identify.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_interval.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_levin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_linalg.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_matrices.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_mpmath.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ode.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_power.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_quad.py

```

```

test_rootfinding.py
test_special.py
test_str.py
test_summation.py
test_trig.py
test_visualization.py
torture.py
usertools.py
visualization.py
mpmath-1.3.0.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
msgpack
__init__.py
__pycache__
__init__.cpython-311.pyc
exceptions.cpython-311.pyc
ext.cpython-311.pyc
fallback.cpython-311.pyc
_cmsgpack.cpython-311-x86_64-linux-gnu.so
exceptions.py
ext.py
fallback.py
msgpack-1.1.0.dist-info
COPYING
INSTALLER
METADATA
RECORD
WHEEL
top_level.txt
mtcnn
__init__.py
__pycache__
__init__.cpython-311.pyc
layer_factory.cpython-311.pyc
mtcnn.cpython-311.pyc
network.cpython-311.pyc
data
mtcnn_weights.npy
exceptions
__init__.py
__pycache__
__init__.cpython-311.pyc
invalid_image.cpython-311.pyc
invalid_image.py
layer_factory.py
mtcnn.py
network
__init__.py
__pycache__
__init__.cpython-311.pyc
factory.cpython-311.pyc
factory.py
network.py

```

```

■ ■ ■ ■ ■■■ mtcnn-0.1.1.dist-info
■ ■ ■ ■ ■■■ AUTHORS
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ multidict
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _abc.cpython-311.pyc
■ ■ ■ ■ ■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■■■ _multidict_base.cpython-311.pyc
■ ■ ■ ■ ■■■ _multidict_py.cpython-311.pyc
■ ■ ■ ■ ■■■ _abc.py
■ ■ ■ ■ ■■■ _compat.py
■ ■ ■ ■ ■■■ _multidict.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _multidict_base.py
■ ■ ■ ■ ■■■ _multidict_py.py
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ multidict-6.1.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ multipart
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ decoders.cpython-311.pyc
■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■■■ multipart.cpython-311.pyc
■ ■ ■ ■ ■■■ decoders.py
■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■■■ multipart.py
■ ■ ■ ■ ■■■ multipledispatch
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ conflict.cpython-311.pyc
■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ variadic.cpython-311.pyc
■ ■ ■ ■ ■■■ conflict.py
■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■■■ dispatcher.py
■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■■■ variadic.py
■ ■ ■ ■ ■■■ multipledispatch-1.0.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt

```

```

■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ munch
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ munch-4.0.0.dist-info
■ ■ ■ ■ AUTHORS
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ pbr.json
■ ■ ■ top_level.txt
■ ■ ■ murmurhash
■ ■ ■ ■ __init__.pxd
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ about.cpython-311.pyc
■ ■ ■ about.py
■ ■ ■ include
■ ■ ■ ■ murmurhash
■ ■ ■ ■ ■ MurmurHash2.h
■ ■ ■ ■ ■ MurmurHash3.h
■ ■ ■ mrmr.cpython-311-x86_64-linux-gnu.so
■ ■ ■ mrmr.pxd
■ ■ ■ mrmr.pyx
■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_hash.cpython-311.pyc
■ ■ ■ ■ test_import.cpython-311.pyc
■ ■ ■ test_hash.py
■ ■ ■ test_import.py
■ ■ ■ murmurhash-1.0.11.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ top_level.txt
■ ■ ■ mutagen
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _constants.cpython-311.pyc
■ ■ ■ ■ _file.cpython-311.pyc
■ ■ ■ ■ _iff.cpython-311.pyc
■ ■ ■ ■ _riff.cpython-311.pyc
■ ■ ■ ■ _tags.cpython-311.pyc
■ ■ ■ ■ _util.cpython-311.pyc
■ ■ ■ ■ _vorbis.cpython-311.pyc
■ ■ ■ ■ aac.cpython-311.pyc

```

■	■	■	■	■	■	■■■	ac3.cpython-311.pyc
■	■	■	■	■	■	■■■	aiff.cpython-311.pyc
■	■	■	■	■	■	■■■	apev2.cpython-311.pyc
■	■	■	■	■	■	■■■	dsdiff.cpython-311.pyc
■	■	■	■	■	■	■■■	dsf.cpython-311.pyc
■	■	■	■	■	■	■■■	easyid3.cpython-311.pyc
■	■	■	■	■	■	■■■	easyp4.cpython-311.pyc
■	■	■	■	■	■	■■■	flac.cpython-311.pyc
■	■	■	■	■	■	■■■	m4a.cpython-311.pyc
■	■	■	■	■	■	■■■	monkeysaudio.cpython-311.pyc
■	■	■	■	■	■	■■■	musepack.cpython-311.pyc
■	■	■	■	■	■	■■■	ogg.cpython-311.pyc
■	■	■	■	■	■	■■■	oggflac.cpython-311.pyc
■	■	■	■	■	■	■■■	oggopus.cpython-311.pyc
■	■	■	■	■	■	■■■	oggspeex.cpython-311.pyc
■	■	■	■	■	■	■■■	oggtheora.cpython-311.pyc
■	■	■	■	■	■	■■■	oggvorbis.cpython-311.pyc
■	■	■	■	■	■	■■■	optimfrog.cpython-311.pyc
■	■	■	■	■	■	■■■	smf.cpython-311.pyc
■	■	■	■	■	■	■■■	tak.cpython-311.pyc
■	■	■	■	■	■	■■■	trueaudio.cpython-311.pyc
■	■	■	■	■	■	■■■	wave.cpython-311.pyc
■	■	■	■	■	■	■■■	wavpack.cpython-311.pyc
■	■	■	■	■	■■■		_constants.py
■	■	■	■	■	■■■		_file.py
■	■	■	■	■	■■■		_iff.py
■	■	■	■	■	■■■		_riff.py
■	■	■	■	■	■■■		_senf
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_argv.cpython-311.pyc
■	■	■	■	■	■	■■■	_compat.cpython-311.pyc
■	■	■	■	■	■	■■■	_environ.cpython-311.pyc
■	■	■	■	■	■	■■■	_fsnative.cpython-311.pyc
■	■	■	■	■	■	■■■	_print.cpython-311.pyc
■	■	■	■	■	■	■■■	_stdlib.cpython-311.pyc
■	■	■	■	■	■	■■■	_temp.cpython-311.pyc
■	■	■	■	■	■	■■■	_winansi.cpython-311.pyc
■	■	■	■	■	■	■■■	_winapi.cpython-311.pyc
■	■	■	■	■	■■■		_argv.py
■	■	■	■	■	■■■		_compat.py
■	■	■	■	■	■■■		_environ.py
■	■	■	■	■	■■■		_fsnative.py
■	■	■	■	■	■■■		_print.py
■	■	■	■	■	■■■		_stdlib.py
■	■	■	■	■	■■■		_temp.py
■	■	■	■	■	■■■		_winansi.py
■	■	■	■	■	■■■		_winapi.py
■	■	■	■	■	■■■		_tags.py
■	■	■	■	■	■■■		_tools
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_util.cpython-311.pyc
■	■	■	■	■	■	■■■	mid3cp.cpython-311.pyc
■	■	■	■	■	■	■■■	mid3iconv.cpython-311.pyc
■	■	■	■	■	■	■■■	mid3v2.cpython-311.pyc

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _as_entry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _atom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _as_entry.py
■ ■ ■ ■ ■ ■ ■ ■■■ _atom.py
■ ■ ■ ■ ■ ■ ■ ■■■ _util.py
■ ■ ■ ■ ■ ■ ■■■■ musepack.py
■ ■ ■ ■ ■ ■ ■■■■ ogg.py
■ ■ ■ ■ ■ ■ ■■■■ oggflac.py
■ ■ ■ ■ ■ ■ ■■■■ oggopus.py
■ ■ ■ ■ ■ ■ ■■■■ oggspeex.py
■ ■ ■ ■ ■ ■ ■■■■ oggtheora.py
■ ■ ■ ■ ■ ■ ■■■■ oggvorbis.py
■ ■ ■ ■ ■ ■ ■■■■ optimfrog.py
■ ■ ■ ■ ■ ■ ■■■■ smf.py
■ ■ ■ ■ ■ ■ ■■■■ tak.py
■ ■ ■ ■ ■ ■ ■■■■ trueaudio.py
■ ■ ■ ■ ■ ■ ■■■■ wave.py
■ ■ ■ ■ ■ ■ ■■■■ wavpack.py
■ ■ ■ ■ ■ ■ ■■■■ mutagen-1.45.1.dist-info
■ ■ ■ ■ ■ ■ ■■■■ COPYING
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ nacl
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ encoding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hashlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ public.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ secret.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ signing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _sodium.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ bindings
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_aead.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_box.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_generichash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_hash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_kx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_pwhash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_scalarmult.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretbox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretstream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_shorthash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_sign.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ randombytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sodium_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_aead.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_box.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_core.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_generichash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_hash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_kx.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_pwhash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_scalarmult.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretbox.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretstream.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_shorthash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_sign.py
■ ■ ■ ■ ■ ■ ■ ■■■ randombytes.py
■ ■ ■ ■ ■ ■ ■ ■■■ sodium_core.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ encoding.py
■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■■ hash.py
■ ■ ■ ■ ■ ■ ■■■ hashlib.py
■ ■ ■ ■ ■ ■ ■■■ public.py
■ ■ ■ ■ ■ ■ ■■■ pwhash
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _argon2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ argon2i.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ argon2id.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scrypt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _argon2.py
■ ■ ■ ■ ■ ■ ■ ■■■ argon2i.py
■ ■ ■ ■ ■ ■ ■ ■■■ argon2id.py
■ ■ ■ ■ ■ ■ ■ ■■■ scrypt.py
■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ secret.py
■ ■ ■ ■ ■ ■ ■■■ signing.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ nashpy
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ game.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ algorithms
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson_lex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ support_enumeration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vertex_enumeration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson.py
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson_lex.py
■ ■ ■ ■ ■ ■ ■ ■■■ support_enumeration.py
■ ■ ■ ■ ■ ■ ■ ■■■ vertex_enumeration.py
■ ■ ■ ■ ■ ■ ■■■ egt
■ ■ ■ ■ ■ ■ ■■■ __init__.py

```

[illegible]

[illegible]

```

■ ■ ■ nbjs.json
■ ■ ■ nbjs.po
■ ■ ■ nbui.mo
■ ■ ■ nbui.po
■ ■ ■ ja_JP
■ ■ ■ LC_MESSAGES
■ ■ ■ nbclassic.mo
■ ■ ■ nbclassic.po
■ ■ ■ nbjs.json
■ ■ ■ nbjs.po
■ ■ ■ nbui.mo
■ ■ ■ nbui.po
■ ■ ■ nl
■ ■ ■ LC_MESSAGES
■ ■ ■ nbclassic.po
■ ■ ■ nbjs.po
■ ■ ■ nbui.po
■ ■ ■ ru_RU
■ ■ ■ LC_MESSAGES
■ ■ ■ nbclassic.mo
■ ■ ■ nbclassic.po
■ ■ ■ nbjs.json
■ ■ ■ nbjs.po
■ ■ ■ nbui.mo
■ ■ ■ nbui.po
■ ■ ■ zh_CN
■ ■ ■ LC_MESSAGES
■ ■ ■ nbclassic.mo
■ ■ ■ nbclassic.po
■ ■ ■ nbjs.json
■ ■ ■ nbjs.po
■ ■ ■ nbui.mo
■ ■ ■ nbui.po
■ ■ ■ jstest.py
■ ■ ■ nbextensions.py
■ ■ ■ notebook
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ handlers.cpython-311.pyc
■ ■ ■ handlers.py
■ ■ ■ notebookapp.py
■ ■ ■ serverextensions.py
■ ■ ■ shim.py
■ ■ ■ shim_notebook.py
■ ■ ■ static
■ ■ ■ acc_overwrite.less
■ ■ ■ auth
■ ■ ■ css
■ ■ ■ override.css
■ ■ ■ js
■ ■ ■ loginmain.js
■ ■ ■ loginwidget.js
■ ■ ■ logoutmain.js
■ ■ ■ main.js
■ ■ ■ main.min.js
■ ■ ■ main.min.js.map
■ ■ ■ base
```

```

    images
    ■■■ favicon-busy-1.ico
    ■■■ favicon-busy-2.ico
    ■■■ favicon-busy-3.ico
    ■■■ favicon-file.ico
    ■■■ favicon-notebook.ico
    ■■■ favicon-terminal.ico
    ■■■ favicon.ico
    ■■■ logo.png
    ■■■ js
    ■■■ dialog.js
    ■■■ events.js
    ■■■ i18n.js
    ■■■ keyboard.js
    ■■■ markdown.js
    ■■■ mathjaxutils.js
    ■■■ namespace.js
    ■■■ notificationarea.js
    ■■■ notificationwidget.js
    ■■■ page.js
    ■■■ promises.js
    ■■■ security.js
    ■■■ utils.js
    ■■■ bidi
    ■■■ bidi.js
    ■■■ numericshaping.js
    ■■■ components
    ■■■ MathJax
    ■■■ MathJax.js
    ■■■ config
    ■■■ Safe.js
    ■■■ TeX-AMS-MML_HTMLorMML-full.js
    ■■■ extensions
    ■■■ AssistiveMML.js
    ■■■ CHTML-preview.js
    ■■■ FontWarnings.js
    ■■■ HTML-CSS
    ■■■ handle-floats.js
    ■■■ HelpDialog.js
    ■■■ MatchWebFonts.js
    ■■■ MathEvents.js
    ■■■ MathML
    ■■■ content-mathml.js
    ■■■ mml3.js
    ■■■ MathMenu.js
    ■■■ MathZoom.js
    ■■■ Safe.js
    ■■■ TeX
    ■■■ AMScd.js
    ■■■ AMSmath.js
    ■■■ AMSsymbols.js
    ■■■ HTML.js
    ■■■ action.js
    ■■■ autobold.js
    ■■■ autoload-all.js
    ■■■ bbox.js
    ■■■ begingroup.js
    ■■■ boldsymbol.js

```


STIXMathJax_Main-Bold.woff

STIXMathJax_Main-BoldItalic.woff

STIXMathJax_Main-Italic.woff

STIXMathJax_Main-Regular.woff

STIXMathJax_Marks-Bold.woff

STIXMathJax_Marks-BoldItalic.woff

STIXMathJax_Marks-Italic.woff

STIXMathJax_Marks-Regular.woff

STIXMathJax_Misc-Bold.woff

STIXMathJax_Misc-BoldItalic.woff

STIXMathJax_Misc-Italic.woff

STIXMathJax_Misc-Regular.woff

STIXMathJax_Monospace-Regular.woff

STIXMathJax_Normal-Bold.woff

STIXMathJax_Normal-BoldItalic.woff

STIXMathJax_Normal-Italic.woff

STIXMathJax_Operators-Bold.woff

STIXMathJax_Operators-Regular.woff

STIXMathJax_SansSerif-Bold.woff

STIXMathJax_SansSerif-BoldItalic.woff

STIXMathJax_SansSerif-Italic.woff

STIXMathJax_SansSerif-Regular.woff

STIXMathJax_Script-BoldItalic.woff

STIXMathJax_Script-Italic.woff

STIXMathJax_Script-Regular.woff

STIXMathJax_Shapes-Bold.woff

STIXMathJax_Shapes-BoldItalic.woff

STIXMathJax_Shapes-Regular.woff

STIXMathJax_Size1-Regular.woff

STIXMathJax_Size2-Regular.woff

STIXMathJax_Size3-Regular.woff

STIXMathJax_Size4-Regular.woff

STIXMathJax_Size5-Regular.woff

STIXMathJax_Symbols-Bold.woff

STIXMathJax_Symbols-Regular.woff

STIXMathJax_Variants-Bold.woff

STIXMathJax_Variants-BoldItalic.woff

STIXMathJax_Variants-Italic.woff

STIXMathJax_Variants-Regular.woff

jax

element

mml

jax.js

optable

Arrows.js

BasicLatin.js

CombDiacritMarks.js

CombDiactForSymbols.js

Dingbats.js

GeneralPunctuation.js

GeometricShapes.js

GreekAndCoptic.js

Latin1Supplement.js

LetterlikeSymbols.js

MathOperators.js

MiscMathSymbolsA.js

MiscMathSymbolsB.js

MiscSymbolsAndArrows.js

```

■■■ MiscTechnical.js
■■■ SpacingModLetters.js
■■■ SuppMathOperators.js
■■■ SupplementalArrowsA.js
■■■ SupplementalArrowsB.js
■■■ input
■■■ TeX
■■■ config.js
■■■ jax.js
■■■ output
■■■ CommonHTML
■■■ autoload
■■■ annotation-xml.js
■■■ maction.js
■■■ menclose.js
■■■ mglyph.js
■■■ mmultiscripts.js
■■■ ms.js
■■■ mtable.js
■■■ multiline.js
■■■ config.js
■■■ jax.js
■■■ HTML-CSS
■■■ autoload
■■■ annotation-xml.js
■■■ maction.js
■■■ menclose.js
■■■ mglyph.js
■■■ mmultiscripts.js
■■■ ms.js
■■■ mtable.js
■■■ multiline.js
■■■ config.js
■■■ fonts
■■■ STIX-Web
■■■ Alphabets
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ Arrows
■■■ Bold
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ DoubleStruck
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js

```

[illegible]

Main.js
 BoldItalic
 Main.js
 Italic
 Main.js
 Regular
 Main.js
 Script
 BoldItalic
 Main.js
 Italic
 Main.js
 Regular
 Main.js
 Shapes
 Bold
 Main.js
 BoldItalic
 Main.js
 Regular
 Main.js
 Size1
 Regular
 Main.js
 Size2
 Regular
 Main.js
 Size3
 Regular
 Main.js
 Size4
 Regular
 Main.js
 Size5
 Regular
 Main.js
 Symbols
 Bold
 Main.js
 Regular
 Main.js
 Variants
 Bold
 Main.js
 BoldItalic
 Main.js
 Italic
 Main.js
 Regular
 Main.js
 fontdata-extra.js
 fontdata.js
 imageFonts.js
 jax.js
 NativeMML
 config.js
 jax.js
 PlainSource

■	■■■	config.js
■	■■■	jax.js
■	■■■	PreviewHTML
■	■■■	config.js
■	■■■	jax.js
■	■■■	SVG
■	■■■	autoload
■	■■■	annotation-xml.js
■	■■■	maction.js
■	■■■	menclose.js
■	■■■	mglyph.js
■	■■■	mmultiscripts.js
■	■■■	ms.js
■	■■■	mtable.js
■	■■■	multiline.js
■	■■■	config.js
■	■■■	fonts
■	■■■	STIX-Web
■	■■■	Alphabets
■	■■■	Bold
■	■■■	Main.js
■	■■■	BoldItalic
■	■■■	Main.js
■	■■■	Italic
■	■■■	Main.js
■	■■■	Regular
■	■■■	Main.js
■	■■■	Arrows
■	■■■	Bold
■	■■■	Main.js
■	■■■	Regular
■	■■■	Main.js
■	■■■	DoubleStruck
■	■■■	Bold
■	■■■	Main.js
■	■■■	BoldItalic
■	■■■	Main.js
■	■■■	Italic
■	■■■	Main.js
■	■■■	Regular
■	■■■	Main.js
■	■■■	Fraktur
■	■■■	Bold
■	■■■	Main.js
■	■■■	Regular
■	■■■	Main.js
■	■■■	Latin
■	■■■	Bold
■	■■■	Main.js
■	■■■	BoldItalic
■	■■■	Main.js
■	■■■	Italic
■	■■■	Main.js
■	■■■	Regular
■	■■■	Main.js
■	■■■	Main
■	■■■	Bold
■	■■■	Main.js

[illegible]

```

      ████ BoldItalic
      ████ Main.js
      ████ Regular
      ████ Main.js
      ████ Size1
      ████ Regular
      ████ Main.js
      ████ Size2
      ████ Regular
      ████ Main.js
      ████ Size3
      ████ Regular
      ████ Main.js
      ████ Size4
      ████ Regular
      ████ Main.js
      ████ Size5
      ████ Regular
      ████ Main.js
      ████ Symbols
      ████ Bold
      ████ Main.js
      ████ Regular
      ████ Main.js
      ████ Variants
      ████ Bold
      ████ Main.js
      ████ BoldItalic
      ████ Main.js
      ████ Italic
      ████ Main.js
      ████ Regular
      ████ Main.js
      ████ fontdata-extra.js
      ████ fontdata.js
      ████ jax.js
      ████ localization
      ████ ar
      ████ FontWarnings.js
      ████ HTML-CSS.js
      ████ HelpDialog.js
      ████ MathML.js
      ████ MathMenu.js
      ████ TeX.js
      ████ ar.js
      ████ ast
      ████ FontWarnings.js
      ████ HTML-CSS.js
      ████ HelpDialog.js
      ████ MathML.js
      ████ MathMenu.js
      ████ TeX.js
      ████ ast.js
      ████ bcc
      ████ FontWarnings.js
      ████ HTML-CSS.js
      ████ HelpDialog.js
      ████ MathML.js

```

[illegible]

[illegible]

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	FontWarnings.js
■	■	■	■	■	■	■	■	■	■	■■■	HTML-CSS.js
■	■	■	■	■	■	■	■	■	■	■■■	HelpDialog.js
■	■	■	■	■	■	■	■	■	■	■■■	MathML.js
■	■	■	■	■	■	■	■	■	■	■■■	MathMenu.js
■	■	■	■	■	■	■	■	■	■	■■■	TeX.js
■	■	■	■	■	■	■	■	■	■	■■■	zh-hans.js
■	■	■	■	■	■	■	■	■	■■■	zh-hant	
■	■	■	■	■	■	■	■	■	■	■■■	FontWarnings.js
■	■	■	■	■	■	■	■	■	■	■■■	HTML-CSS.js
■	■	■	■	■	■	■	■	■	■	■■■	HelpDialog.js
■	■	■	■	■	■	■	■	■	■	■■■	MathML.js
■	■	■	■	■	■	■	■	■	■	■■■	MathMenu.js
■	■	■	■	■	■	■	■	■	■	■■■	TeX.js
■	■	■	■	■	■	■	■	■	■	■■■	zh-hant.js
■	■	■	■	■	■	■	■■■	backbone			
■	■	■	■	■	■	■	■	■■■	backbone-min.js		
■	■	■	■	■	■	■	■■■	bootstrap			
■	■	■	■	■	■	■	■	■■■	dist		
■	■	■	■	■	■	■	■	■	■■■	js	
■	■	■	■	■	■	■	■	■	■	■■■	bootstrap.min.js
■	■	■	■	■	■	■	■■■	bootstrap-tour			
■	■	■	■	■	■	■	■	■■■	build		
■	■	■	■	■	■	■	■	■	■■■	css	
■	■	■	■	■	■	■	■	■	■	■■■	bootstrap-tour.min.css
■	■	■	■	■	■	■	■	■	■■■	js	
■	■	■	■	■	■	■	■	■	■	■■■	bootstrap-tour.min.js
■	■	■	■	■	■	■	■■■	codemirror			
■	■	■	■	■	■	■	■	■■■	addon		
■	■	■	■	■	■	■	■	■	■■■	comment	
■	■	■	■	■	■	■	■	■	■	■■■	comment.js
■	■	■	■	■	■	■	■	■	■	■■■	continuecomment.js
■	■	■	■	■	■	■	■	■■■	dialog		
■	■	■	■	■	■	■	■	■	■■■	dialog.css	
■	■	■	■	■	■	■	■	■	■■■	dialog.js	
■	■	■	■	■	■	■	■	■■■	display		
■	■	■	■	■	■	■	■	■	■■■	autorefresh.js	
■	■	■	■	■	■	■	■	■	■■■	fullscreen.css	
■	■	■	■	■	■	■	■	■	■■■	fullscreen.js	
■	■	■	■	■	■	■	■	■	■■■	panel.js	
■	■	■	■	■	■	■	■	■	■■■	placeholder.js	
■	■	■	■	■	■	■	■	■	■■■	rulers.js	
■	■	■	■	■	■	■	■	■■■	edit		
■	■	■	■	■	■	■	■	■	■■■	closebrackets.js	
■	■	■	■	■	■	■	■	■	■■■	closetag.js	
■	■	■	■	■	■	■	■	■	■■■	continuelist.js	
■	■	■	■	■	■	■	■	■	■■■	matchbrackets.js	
■	■	■	■	■	■	■	■	■	■■■	matchtags.js	
■	■	■	■	■	■	■	■	■	■■■	trailingspace.js	
■	■	■	■	■	■	■	■	■■■	fold		
■	■	■	■	■	■	■	■	■	■■■	brace-fold.js	
■	■	■	■	■	■	■	■	■	■■■	comment-fold.js	
■	■	■	■	■	■	■	■	■	■■■	foldcode.js	
■	■	■	■	■	■	■	■	■	■■■	foldgutter.css	
■	■	■	■	■	■	■	■	■	■■■	foldgutter.js	
■	■	■	■	■	■	■	■	■	■■■	indent-fold.js	
■	■	■	■	■	■	■	■	■	■■■	markdown-fold.js	
■	■	■	■	■	■	■	■	■	■■■	xml-fold.js	

```

hint
  anyword-hint.js
  css-hint.js
  html-hint.js
  javascript-hint.js
  show-hint.css
  show-hint.js
  sql-hint.js
  xml-hint.js
lint
  coffeescript-lint.js
  css-lint.js
  html-lint.js
  javascript-lint.js
  json-lint.js
  lint.css
  lint.js
  yaml-lint.js
merge
  merge.css
  merge.js
mode
  loadmode.js
  multiplex.js
  multiplex_test.js
  overlay.js
  simple.js
runmode
  colorize.js
  runmode-standalone.js
  runmode.js
  runmode.node.js
scroll
  annotatescrollbar.js
  scrollpastend.js
  simplescrollbars.css
  simplescrollbars.js
search
  jump-to-line.js
  match-highlighter.js
  matchesonscrollbar.css
  matchesonscrollbar.js
  search.js
  searchcursor.js
selection
  active-line.js
  mark-selection.js
  selection-pointer.js
tern
  tern.css
  tern.js
  worker.js
wrap
  hardwrap.js
keymap
  emacs.js
  sublime.js
  vim.js

```

```
lib  
codemirror.css  
codemirror.js  
mode  
apl  
    apl.js  
asciarmor  
    asciarmor.js  
asn.1  
    asn.1.js  
asterisk  
    asterisk.js  
brainfuck  
    brainfuck.js  
clike  
    clike.js  
clojure  
    clojure.js  
cmake  
    cmake.js  
cobol  
    cobol.js  
coffeescript  
    coffeescript.js  
commonlisp  
    commonlisp.js  
crystal  
    crystal.js  
css  
    css.js  
cypher  
    cypher.js  
d  
    d.js  
dart  
    dart.js  
diff  
    diff.js  
django  
    django.js  
dockerfile  
    dockerfile.js  
dtd  
    dtd.js  
dylan  
    dylan.js  
ebnf  
    ebnf.js  
ecl  
    ecl.js  
eiffel  
    eiffel.js  
elm  
    elm.js  
erlang  
    erlang.js  
factor  
    factor.js
```


[illegible]

[illegible]

[illegible]

```

vue.js
wast
wast.js
webidl
webidl.js
xml
xml.js
xquery
xquery.js
yacac
yacac.js
yaml
yaml.js
yaml-frontmatter
yaml-frontmatter.js
z80
z80.js
rollup.config.js
src
addon
  runmode
    codemirror-standalone.js
    codemirror.node.js
    runmode-standalone.js
    runmode.node.js
  codemirror.js
display
  Display.js
  focus.js
  gutters.js
  highlight_worker.js
  line_numbers.js
  mode_state.js
  operations.js
  scroll_events.js
  scrollbars.js
  scrolling.js
  selection.js
  update_display.js
  update_line.js
  update_lines.js
  view_tracking.js
edit
  CodeMirror.js
  commands.js
  deleteNearSelection.js
  drop_events.js
  fromTextArea.js
  global_events.js
  key_events.js
  legacy.js
  main.js
  methods.js
  mouse_events.js
  options.js
  utils.js
input
  ContentEditableInput.js

```

```

■■■■ TextareaInput.js
■■■■ indent.js
■■■■ input.js
■■■■ keymap.js
■■■■ keynames.js
■■■■ movement.js
■■■■ line
■■■■ highlight.js
■■■■ line_data.js
■■■■ pos.js
■■■■ saw_special_spans.js
■■■■ spans.js
■■■■ utils_line.js
■■■■ measurement
■■■■ position_measurement.js
■■■■ widgets.js
■■■■ model
■■■■ Doc.js
■■■■ change_measurement.js
■■■■ changes.js
■■■■ chunk.js
■■■■ document_data.js
■■■■ history.js
■■■■ line_widget.js
■■■■ mark_text.js
■■■■ selection.js
■■■■ selection_updates.js
■■■■ modes.js
■■■■ util
■■■■ StringStream.js
■■■■ bidi.js
■■■■ browser.js
■■■■ dom.js
■■■■ event.js
■■■■ feature_detection.js
■■■■ misc.js
■■■■ operation_group.js
■■■■ theme
■■■■ 3024-day.css
■■■■ 3024-night.css
■■■■ abcdef.css
■■■■ ambiance-mobile.css
■■■■ ambiance.css
■■■■ ayu-dark.css
■■■■ ayu-mirage.css
■■■■ base16-dark.css
■■■■ base16-light.css
■■■■ bespin.css
■■■■ blackboard.css
■■■■ cobalt.css
■■■■ colorforth.css
■■■■ darcula.css
■■■■ dracula.css
■■■■ duotone-dark.css
■■■■ duotone-light.css
■■■■ eclipse.css
■■■■ elegant.css
■■■■ erlang-dark.css

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ gruvbox-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ hopscotch.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ icecoder.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ idea.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ isotope.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ lesser-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ liquibyte.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ lucario.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material-darker.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material-ocean.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material-palenight.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ mbo.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ mdn-like.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ midnight.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ monokai.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ moxer.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ neat.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ neo.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ night.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ nord.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ oceanic-next.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ panda-syntax.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ paraiso-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ paraiso-light.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ pastel-on-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ railscasts.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ rubyblue.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ seti.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ shadowfox.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ solarized.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ ssms.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ the-matrix.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ tomorrow-night-bright.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ tomorrow-night-eighties.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ ttcn.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ twilight.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ vibrant-ink.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ xq-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ xq-light.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ yeti.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ yonce.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ zenburn.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ create-react-class
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ index.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ es6-promise
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ promise.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ promise.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ font-awesome
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ font-awesome.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ font-awesome.min.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fonts
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ FontAwesome.otf
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.eot
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.svg
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.ttf
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.woff
```

```

fontawesome-webfont.woff2
google-caja
html-css-sanitizer-minified.js
jed
jed.js
jquery
jquery.min.js
jquery-typeahead
dist
jquery.typeahead.min.css
jquery.typeahead.min.js
jquery-ui
dist
jquery-ui.min.js
themes
smoothness
images
ui-bg_glass_55_fbf9ee_1x400.png
ui-bg_glass_65_ffffff_1x400.png
ui-bg_glass_75_dadada_1x400.png
ui-bg_glass_75_e6e6e6_1x400.png
ui-bg_glass_95_fef1ec_1x400.png
ui-bg_highlight-soft_75_cccccc_1x100.png
ui-icons_222222_256x240.png
ui-icons_2e83ff_256x240.png
ui-icons_454545_256x240.png
ui-icons_888888_256x240.png
ui-icons_cd0a0a_256x240.png
jquery-ui.min.css
marked
lib
marked.js
moment
min
locales.js
locales.min.js
moment-with-locales.js
moment-with-locales.min.js
moment.min.js
moment.js
react
react-dom.production.min.js
react.production.min.js
requirejs
require.js
requirejs-plugins
src
json.js
requirejs-text
text.js
sanitizer
index.js
text-encoding
lib
encoding.js
underscore
underscore-min.js
xterm.js

```

```

■      ■      ■      ■      ■      ■      ■      ■      index.js
■      ■      ■      ■      ■      ■      ■      ■      xterm.js-css
■      ■      ■      ■      ■      ■      ■      ■      index.css
■      ■      ■      ■      ■      ■      ■      ■      xterm.js-fit
■      ■      ■      ■      ■      ■      ■      ■      index.js
■      ■      ■      ■      ■      ■      ■      ■      custom
■      ■      ■      ■      ■      ■      ■      ■      custom.css
■      ■      ■      ■      ■      ■      ■      ■      custom.js
■      ■      ■      ■      ■      ■      ■      ■      edit
■      ■      ■      ■      ■      ■      ■      ■      js
■      ■      ■      ■      ■      ■      ■      ■      editor.js
■      ■      ■      ■      ■      ■      ■      ■      main.js
■      ■      ■      ■      ■      ■      ■      ■      main.min.js
■      ■      ■      ■      ■      ■      ■      ■      main.min.js.map
■      ■      ■      ■      ■      ■      ■      ■      menubar.js
■      ■      ■      ■      ■      ■      ■      ■      notificationarea.js
■      ■      ■      ■      ■      ■      ■      ■      savewidget.js
■      ■      ■      ■      ■      ■      ■      ■      favicon.ico
■      ■      ■      ■      ■      ■      ■      ■      notebook
■      ■      ■      ■      ■      ■      ■      ■      css
■      ■      ■      ■      ■      ■      ■      ■      override.css
■      ■      ■      ■      ■      ■      ■      ■      js
■      ■      ■      ■      ■      ■      ■      ■      about.js
■      ■      ■      ■      ■      ■      ■      ■      actions.js
■      ■      ■      ■      ■      ■      ■      ■      cell.js
■      ■      ■      ■      ■      ■      ■      ■      celltoolbar.js
■      ■      ■      ■      ■      ■      ■      ■      celltoolbarpresets
■      ■      ■      ■      ■      ■      ■      ■      attachments.js
■      ■      ■      ■      ■      ■      ■      ■      default.js
■      ■      ■      ■      ■      ■      ■      ■      example.js
■      ■      ■      ■      ■      ■      ■      ■      rawcell.js
■      ■      ■      ■      ■      ■      ■      ■      slideshow.js
■      ■      ■      ■      ■      ■      ■      ■      tags.js
■      ■      ■      ■      ■      ■      ■      ■      clipboard.js
■      ■      ■      ■      ■      ■      ■      ■      codecell.js
■      ■      ■      ■      ■      ■      ■      ■      codemirror-ipython.js
■      ■      ■      ■      ■      ■      ■      ■      codemirror-ipythongfm.js
■      ■      ■      ■      ■      ■      ■      ■      commandpalette.js
■      ■      ■      ■      ■      ■      ■      ■      completer.js
■      ■      ■      ■      ■      ■      ■      ■      contexthint.js
■      ■      ■      ■      ■      ■      ■      ■      kernelselector.js
■      ■      ■      ■      ■      ■      ■      ■      keyboardmanager.js
■      ■      ■      ■      ■      ■      ■      ■      main.js
■      ■      ■      ■      ■      ■      ■      ■      main.min.js
■      ■      ■      ■      ■      ■      ■      ■      main.min.js.map
■      ■      ■      ■      ■      ■      ■      ■      maintoolbar.js
■      ■      ■      ■      ■      ■      ■      ■      mathjaxutils.js
■      ■      ■      ■      ■      ■      ■      ■      menubar.js
■      ■      ■      ■      ■      ■      ■      ■      notebook.js
■      ■      ■      ■      ■      ■      ■      ■      notificationarea.js
■      ■      ■      ■      ■      ■      ■      ■      outputarea.js
■      ■      ■      ■      ■      ■      ■      ■      pager.js
■      ■      ■      ■      ■      ■      ■      ■      promises.js
■      ■      ■      ■      ■      ■      ■      ■      quickhelp.js
■      ■      ■      ■      ■      ■      ■      ■      savewidget.js
■      ■      ■      ■      ■      ■      ■      ■      scrollmanager.js
■      ■      ■      ■      ■      ■      ■      ■      searchandreplace.js
■      ■      ■      ■      ■      ■      ■      ■      shortcuteditor.js

```



```

textcell.js
toolbar.js
tooltip.js
tour.js
robots.txt
services
config.js
contents.js
kernels
comm.js
kernel.js
serialize.js
sessions
session.js
style
ipython.less
ipython.min.css
ipython.min.css.map
style.less
style.min.css
style.min.css.map
terminal
css
override.css
js
main.js
main.min.js
main.min.js.map
terminado.js
tree
js
kernellist.js
main.js
main.min.js
main.min.js.map
newnotebook.js
notebooklist.js
sessionlist.js
shutdownbutton.js
terminallist.js
templates
404.html
browser-open.html
edit.html
error.html
login.html
logout.html
notebook.html
page.html
terminal.html
tree.html
view.html
terminal
__init__.py
__pycache__
__init__.cpython-311.pyc
handlers.cpython-311.pyc
handlers.py
```

```

■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■ ■ ■ launchnotebook.cpython-311.pyc
■   ■ ■ ■ base
■     ■ ■ ■ highlight.js
■     ■ ■ ■ keyboard.js
■     ■ ■ ■ misc.js
■     ■ ■ ■ security.js
■     ■ ■ ■ utils.js
■   ■ ■ ■ launchnotebook.py
■   ■ ■ ■ mockextension
■     ■ ■ ■ index.js
■   ■ ■ ■ notebook
■     ■ ■ ■ attachments.js
■     ■ ■ ■ display_id.js
■     ■ ■ ■ dualmode.js
■     ■ ■ ■ dualmode_merge.js
■     ■ ■ ■ execute_selected_cells.js
■     ■ ■ ■ inject_js.js
■     ■ ■ ■ markdown.js
■     ■ ■ ■ output.js
■     ■ ■ ■ roundtrip.js
■     ■ ■ ■ safe_append_output.js
■     ■ ■ ■ tags.js
■   ■ ■ ■ selenium
■     ■ ■ ■ __init__.py
■     ■ ■ ■ __pycache__
■       ■ ■ ■ __init__.cpython-311.pyc
■       ■ ■ ■ conftest.cpython-311.pyc
■       ■ ■ ■ quick_selenium.cpython-311.pyc
■       ■ ■ ■ test_buffering.cpython-311.pyc
■       ■ ■ ■ test_clipboard_multiselect.cpython-311.pyc
■       ■ ■ ■ test_dashboard_nav.cpython-311.pyc
■       ■ ■ ■ test_deletecell.cpython-311.pyc
■       ■ ■ ■ test_display_image.cpython-311.pyc
■       ■ ■ ■ test_display_isolation.cpython-311.pyc
■       ■ ■ ■ test_dualmode_arrows.cpython-311.pyc
■       ■ ■ ■ test_dualmode_cellmode.cpython-311.pyc
■       ■ ■ ■ test_dualmode_clipboard.cpython-311.pyc
■       ■ ■ ■ test_dualmode_execute.cpython-311.pyc
■       ■ ■ ■ test_dualmode_insertcell.cpython-311.pyc
■       ■ ■ ■ test_dualmode_markdown.cpython-311.pyc
■       ■ ■ ■ test_execute_code.cpython-311.pyc
■       ■ ■ ■ test_find_and_replace.cpython-311.pyc
■       ■ ■ ■ test_interrupt.cpython-311.pyc
■       ■ ■ ■ test_kernel_menu.cpython-311.pyc
■       ■ ■ ■ test_markdown.cpython-311.pyc
■       ■ ■ ■ test_merge_cells.cpython-311.pyc
■       ■ ■ ■ test_move_multiselection.cpython-311.pyc
■       ■ ■ ■ test_multiselect.cpython-311.pyc
■       ■ ■ ■ test_multiselect_toggle.cpython-311.pyc
■       ■ ■ ■ test_notifications.cpython-311.pyc
■       ■ ■ ■ test_prompt_numbers.cpython-311.pyc
■       ■ ■ ■ test_save.cpython-311.pyc
■       ■ ■ ■ test_save_as_notebook.cpython-311.pyc
■       ■ ■ ■ test_save_readonly_as.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quick_selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_buffering.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_clipboard_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dashboard_nav.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deletecell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_image.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_isolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_arrows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_cellmode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_clipboard.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_execute.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_insertcell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_execute_code.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_find_and_replace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interrupt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_kernel_menu.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_merge_cells.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_move_multiselection.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect_toggle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notifications.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_prompt_numbers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_as_notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_readonly_as.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ services
■ ■ ■ ■ ■ ■ ■ ■ ■■ kernel.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ serialize.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ session.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ traits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tree
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ handlers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nbclassic-0.4.5.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ nbclient
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py

```

```

      |       |       |       |       |   ████ __pycache__
      |       |       |       |       |   ████ __init__.cpython-311.pyc
      |       |       |       |       |   ████ _version.cpython-311.pyc
      |       |       |       |       |   ████ cli.cpython-311.pyc
      |       |       |       |       |   ████ client.cpython-311.pyc
      |       |       |       |       |   ████ exceptions.cpython-311.pyc
      |       |       |       |       |   ████ jsonutil.cpython-311.pyc
      |       |       |       |       |   ████ output_widget.cpython-311.pyc
      |       |       |       |       |   ████ util.cpython-311.pyc
      |       |       |       |       |   ████ _version.py
      |       |       |       |       |   ████ cli.py
      |       |       |       |       |   ████ client.py
      |       |       |       |       |   ████ exceptions.py
      |       |       |       |       |   ████ jsonutil.py
      |       |       |       |       |   ████ output_widget.py
      |       |       |       |       |   ████ py.typed
      |       |       |       |       |   ████ util.py
      |       |       |       |   ████ nbclient-0.10.1.dist-info
      |       |       |       |   ████ INSTALLER
      |       |       |       |   ████ METADATA
      |       |       |       |   ████ RECORD
      |       |       |       |   ████ WHEEL
      |       |       |       |   ████ entry_points.txt
      |       |       |       |   ████ licenses
      |       |       |       |   ████ LICENSE
      |       |       |   ████ nbconvert
      |       |       |   ████ __init__.py
      |       |       |   ████ __main__.py
      |       |       |   ████ __pycache__
      |       |       |   ████ __init__.cpython-311.pyc
      |       |       |   ████ __main__.cpython-311.pyc
      |       |       |   ████ _version.cpython-311.pyc
      |       |       |   ████ conftest.cpython-311.pyc
      |       |       |   ████ nbconvertapp.cpython-311.pyc
      |       |       |   ████ _version.py
      |       |       |   ████ conftest.py
      |       |       |   ████ exporters
      |       |       |   ████ __init__.py
      |       |       |   ████ __pycache__
      |       |       |   ████ __init__.cpython-311.pyc
      |       |       |   ████ asciidoc.cpython-311.pyc
      |       |       |   ████ base.cpython-311.pyc
      |       |       |   ████ exporter.cpython-311.pyc
      |       |       |   ████ html.cpython-311.pyc
      |       |       |   ████ latex.cpython-311.pyc
      |       |       |   ████ markdown.cpython-311.pyc
      |       |       |   ████ notebook.cpython-311.pyc
      |       |       |   ████ pdf.cpython-311.pyc
      |       |       |   ████ python.cpython-311.pyc
      |       |       |   ████ qt_exporter.cpython-311.pyc
      |       |       |   ████ qt_screenshot.cpython-311.pyc
      |       |       |   ████ qtpdf.cpython-311.pyc
      |       |       |   ████ qtpng.cpython-311.pyc
      |       |       |   ████ rst.cpython-311.pyc
      |       |       |   ████ script.cpython-311.pyc
      |       |       |   ████ slides.cpython-311.pyc
      |       |       |   ████ templateexporter.cpython-311.pyc
      |       |       |   ████ webpdf.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      asciidoc.py
■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      exporter.py
■      ■      ■      ■      ■      ■      ■      html.py
■      ■      ■      ■      ■      ■      ■      latex.py
■      ■      ■      ■      ■      ■      ■      markdown.py
■      ■      ■      ■      ■      ■      ■      notebook.py
■      ■      ■      ■      ■      ■      ■      pdf.py
■      ■      ■      ■      ■      ■      ■      python.py
■      ■      ■      ■      ■      ■      ■      qt_exporter.py
■      ■      ■      ■      ■      ■      ■      qt_screenshot.py
■      ■      ■      ■      ■      ■      ■      qtpdf.py
■      ■      ■      ■      ■      ■      ■      qtpng.py
■      ■      ■      ■      ■      ■      ■      rst.py
■      ■      ■      ■      ■      ■      ■      script.py
■      ■      ■      ■      ■      ■      ■      slides.py
■      ■      ■      ■      ■      ■      ■      templateexporter.py
■      ■      ■      ■      ■      ■      ■      webpdf.py
■      ■      ■      ■      ■      ■      ■■■ filters
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ ansi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ citation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ datatypefilter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ filter_links.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ highlight.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ latex.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ markdown.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ markdown_mistune.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ metadata.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ pandoc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ strings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ widgetsdatatypefilter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ ansi.py
■      ■      ■      ■      ■      ■      ■      ■■■ citation.py
■      ■      ■      ■      ■      ■      ■      ■■■ datatypefilter.py
■      ■      ■      ■      ■      ■      ■      ■■■ filter_links.py
■      ■      ■      ■      ■      ■      ■      ■■■ highlight.py
■      ■      ■      ■      ■      ■      ■      ■■■ latex.py
■      ■      ■      ■      ■      ■      ■      ■■■ markdown.py
■      ■      ■      ■      ■      ■      ■      ■■■ markdown_mistune.py
■      ■      ■      ■      ■      ■      ■      ■■■ metadata.py
■      ■      ■      ■      ■      ■      ■      ■■■ pandoc.py
■      ■      ■      ■      ■      ■      ■      ■■■ strings.py
■      ■      ■      ■      ■      ■      ■      ■■■ widgetsdatatypefilter.py
■      ■      ■      ■      ■      ■      ■■■ nbconvertapp.py
■      ■      ■      ■      ■      ■      ■■■ postprocessors
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ serve.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ base.py
■      ■      ■      ■      ■      ■      ■      ■■■ serve.py
■      ■      ■      ■      ■      ■      ■■■ preprocessors
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clearmetadata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clearoutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coalescestreams.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ convertfigures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csshtmlheader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ execute.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extractattachments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extractoutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ highlightmagics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ regexremove.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sanitize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ svg2pdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tagremove.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ clearmetadata.py
■ ■ ■ ■ ■ ■ ■ ■■■ clearoutput.py
■ ■ ■ ■ ■ ■ ■ ■■■ coalescestreams.py
■ ■ ■ ■ ■ ■ ■ ■■■ convertfigures.py
■ ■ ■ ■ ■ ■ ■ ■■■ csshtmlheader.py
■ ■ ■ ■ ■ ■ ■ ■■■ execute.py
■ ■ ■ ■ ■ ■ ■ ■■■ extractattachments.py
■ ■ ■ ■ ■ ■ ■ ■■■ extractoutput.py
■ ■ ■ ■ ■ ■ ■ ■■■ highlightmagics.py
■ ■ ■ ■ ■ ■ ■ ■■■ latex.py
■ ■ ■ ■ ■ ■ ■ ■■■ regexremove.py
■ ■ ■ ■ ■ ■ ■ ■■■ sanitize.py
■ ■ ■ ■ ■ ■ ■ ■■■ svg2pdf.py
■ ■ ■ ■ ■ ■ ■ ■■■ tagremove.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ resources
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ templates
■ ■ ■ ■ ■ ■ ■ ■■■ README.md
■ ■ ■ ■ ■ ■ ■ ■■■ skeleton
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ Makefile
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ README.md
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _contextlib_chdir.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ iso639_1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ lexers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ pandoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _contextlib_chdir.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ io.py

```

```

iso639_1.py
lexers.py
pandoc.py
text.py
version.py
writers
__init__.py
__pycache__
__init__.cpython-311.pyc
base.cpython-311.pyc
debug.cpython-311.pyc
files.cpython-311.pyc
stdout.cpython-311.pyc
base.py
debug.py
files.py
stdout.py
nbconvert-7.16.4.dist-info
INSTALLER
METADATA
RECORD
WHEEL
entry_points.txt
licenses
LICENSE
nbformat
__init__.py
__pycache__
__init__.cpython-311.pyc
_imports.cpython-311.pyc
_struct.cpython-311.pyc
_version.cpython-311.pyc
converter.cpython-311.pyc
current.cpython-311.pyc
json_compat.cpython-311.pyc
notebooknode.cpython-311.pyc
reader.cpython-311.pyc
sentinel.cpython-311.pyc
sign.cpython-311.pyc
validator.cpython-311.pyc
warnings.cpython-311.pyc
_imports.py
_struct.py
_version.py
converter.py
corpus
__init__.py
__pycache__
__init__.cpython-311.pyc
words.cpython-311.pyc
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_words.cpython-311.pyc
test_words.py
words.py
current.py

```

```

    json_compat.py
    notebooknode.py
    py.typed
    reader.py
    sentinel.py
    sign.py
    v1
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    convert.cpython-311.pyc
    nbbase.cpython-311.pyc
    nbjson.cpython-311.pyc
    rwbase.cpython-311.pyc
    convert.py
    nbbase.py
    nbjson.py
    rwbase.py
    v2
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    convert.cpython-311.pyc
    nbbase.cpython-311.pyc
    nbjson.cpython-311.pyc
    nbpy.cpython-311.pyc
    nbxml.cpython-311.pyc
    rwbase.cpython-311.pyc
    convert.py
    nbbase.py
    nbjson.py
    nbpy.py
    nbxml.py
    rwbase.py
    v3
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    convert.cpython-311.pyc
    nbbase.cpython-311.pyc
    nbjson.cpython-311.pyc
    nbpy.cpython-311.pyc
    rwbase.cpython-311.pyc
    convert.py
    nbbase.py
    nbformat.v3.schema.json
    nbjson.py
    nbpy.py
    rwbase.py
    v4
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    convert.cpython-311.pyc
    nbbase.cpython-311.pyc
    nbjson.cpython-311.pyc
    rwbase.cpython-311.pyc
    convert.py

```


■	■	■	■	■	■	■	■■■ dominance.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dominating.cpython-311.pyc
■	■	■	■	■	■	■	■■■ efficiency_measures.cpython-311.pyc
■	■	■	■	■	■	■	■■■ euler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ graph_hashing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ graphical.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hierarchy.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hybrid.cpython-311.pyc
■	■	■	■	■	■	■	■■■ isolate.cpython-311.pyc
■	■	■	■	■	■	■	■■■ link_prediction.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lowest_common_ancestors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ matching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mis.cpython-311.pyc
■	■	■	■	■	■	■	■■■ moral.cpython-311.pyc
■	■	■	■	■	■	■	■■■ non_randomness.cpython-311.pyc
■	■	■	■	■	■	■	■■■ planar_drawing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ planarity.cpython-311.pyc
■	■	■	■	■	■	■	■■■ polynomials.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reciprocity.cpython-311.pyc
■	■	■	■	■	■	■	■■■ regular.cpython-311.pyc
■	■	■	■	■	■	■	■■■ richclub.cpython-311.pyc
■	■	■	■	■	■	■	■■■ similarity.cpython-311.pyc
■	■	■	■	■	■	■	■■■ simple_paths.cpython-311.pyc
■	■	■	■	■	■	■	■■■ smallworld.cpython-311.pyc
■	■	■	■	■	■	■	■■■ smetric.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sparsifiers.cpython-311.pyc
■	■	■	■	■	■	■	■■■ structuralholes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ summarization.cpython-311.pyc
■	■	■	■	■	■	■	■■■ swap.cpython-311.pyc
■	■	■	■	■	■	■	■■■ threshold.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tournament.cpython-311.pyc
■	■	■	■	■	■	■	■■■ triads.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vitality.cpython-311.pyc
■	■	■	■	■	■	■	■■■ voronoi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ wiener.cpython-311.pyc
■	■	■	■	■	■	■■■	approximation
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ clique.cpython-311.pyc
■	■	■	■	■	■	■	■■■ clustering_coefficient.cpython-311.pyc
■	■	■	■	■	■	■	■■■ connectivity.cpython-311.pyc
■	■	■	■	■	■	■	■■■ distance_measures.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dominating_set.cpython-311.pyc
■	■	■	■	■	■	■	■■■ kcomponents.cpython-311.pyc
■	■	■	■	■	■	■	■■■ matching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ maxcut.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ramsey.cpython-311.pyc
■	■	■	■	■	■	■	■■■ steinertree.cpython-311.pyc
■	■	■	■	■	■	■	■■■ traveling_salesman.cpython-311.pyc
■	■	■	■	■	■	■	■■■ treewidth.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vertex_cover.cpython-311.pyc
■	■	■	■	■	■	■■■	clique.py
■	■	■	■	■	■	■■■	clustering_coefficient.py
■	■	■	■	■	■	■■■	connectivity.py
■	■	■	■	■	■	■■■	distance_measures.py
■	■	■	■	■	■	■■■	dominating_set.py
■	■	■	■	■	■	■■■	kcomponents.py

```

matching.py
maxcut.py
ramsey.py
steinertree.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_approx_clust_coeff.cpython-311.pyc
test_clique.cpython-311.pyc
test_connectivity.cpython-311.pyc
test_distance_measures.cpython-311.pyc
test_dominating_set.cpython-311.pyc
test_kcomponents.cpython-311.pyc
test_matching.cpython-311.pyc
test_maxcut.cpython-311.pyc
test_ramsey.cpython-311.pyc
test_steinertree.cpython-311.pyc
test_traveling_salesman.cpython-311.pyc
test_treewidth.cpython-311.pyc
test_vertex_cover.cpython-311.pyc
test_approx_clust_coeff.py
test_clique.py
test_connectivity.py
test_distance_measures.py
test_dominating_set.py
test_kcomponents.py
test_matching.py
test_maxcut.py
test_ramsey.py
test_steinertree.py
test_traveling_salesman.py
test_treewidth.py
test_vertex_cover.py
traveling_salesman.py
treewidth.py
vertex_cover.py
assortativity
__init__.py
__pycache__
__init__.cpython-311.pyc
connectivity.cpython-311.pyc
correlation.cpython-311.pyc
mixing.cpython-311.pyc
neighbor_degree.cpython-311.pyc
pairs.cpython-311.pyc
connectivity.py
correlation.py
mixing.py
neighbor_degree.py
pairs.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
base_test.cpython-311.pyc
test_connectivity.cpython-311.pyc
test_correlation.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_project.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_redundancy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_spectral_bipartivity.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ boundary.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ bridges.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ centrality
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ closeness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_closeness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ degree_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispersion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ eigenvector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ flow_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ harmonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ katz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ load.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ percolation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ reaching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ second_order.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ subgraph_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ trophic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ voterank_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness_subset.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ closeness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness_subset.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_closeness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ degree_alg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispersion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ eigenvector.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ flow_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ group.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ harmonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ katz.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ load.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ percolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ reaching.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ second_order.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ subgraph_alg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_betweenness_centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_betweenness_centrality_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_closeness_centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_current_flow_betweenness_centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_current_flow_betweenness_centrality_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_current_flow_closeness.cpython-311.pyc
```



```

■      ■      ■      ■      ■      ■      ■      ■      centrality.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      community_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      kclique.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      kernighan_lin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      label_propagation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      louvain.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lukes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      modularity_max.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      quality.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      asyn_fluid.py
■      ■      ■      ■      ■      ■      ■      ■      centrality.py
■      ■      ■      ■      ■      ■      ■      ■      community_utils.py
■      ■      ■      ■      ■      ■      ■      ■      kclique.py
■      ■      ■      ■      ■      ■      ■      ■      kernighan_lin.py
■      ■      ■      ■      ■      ■      ■      ■      label_propagation.py
■      ■      ■      ■      ■      ■      ■      ■      louvain.py
■      ■      ■      ■      ■      ■      ■      ■      lukes.py
■      ■      ■      ■      ■      ■      ■      ■      modularity_max.py
■      ■      ■      ■      ■      ■      ■      ■      quality.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_asyn_fluid.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_centrality.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_kclique.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_kernighan_lin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_label_propagation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_louvain.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_lukes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_modularity_max.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_quality.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_asyn_fluid.py
■      ■      ■      ■      ■      ■      ■      ■      test_centrality.py
■      ■      ■      ■      ■      ■      ■      ■      test_kclique.py
■      ■      ■      ■      ■      ■      ■      ■      test_kernighan_lin.py
■      ■      ■      ■      ■      ■      ■      ■      test_label_propagation.py
■      ■      ■      ■      ■      ■      ■      ■      test_louvain.py
■      ■      ■      ■      ■      ■      ■      ■      test_lukes.py
■      ■      ■      ■      ■      ■      ■      ■      test_modularity_max.py
■      ■      ■      ■      ■      ■      ■      ■      test_quality.py
■      ■      ■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      ■      ■      components
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      attracting.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      biconnected.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connected.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      semiconnected.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      strongly_connected.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      weakly_connected.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      attracting.py
■      ■      ■      ■      ■      ■      ■      ■      biconnected.py
■      ■      ■      ■      ■      ■      ■      ■      connected.py
■      ■      ■      ■      ■      ■      ■      ■      semiconnected.py
■      ■      ■      ■      ■      ■      ■      ■      strongly_connected.py

```


[illegible]


```

test_hits.py
test_pagerank.py
link_prediction.py
lowest_common_ancestors.py
matching.py
minors
__init__.py
__pycache__
__init__.cpython-311.pyc
contraction.cpython-311.pyc
contraction.py
tests
__pycache__
test_contraction.cpython-311.pyc
test_contraction.py
mis.py
moral.py
node_classification
__init__.py
__pycache__
__init__.cpython-311.pyc
hmn.cpython-311.pyc
lgc.cpython-311.pyc
utils.cpython-311.pyc
hmn.py
lgc.py
utils.py
non_randomness.py
operators
__init__.py
__pycache__
__init__.cpython-311.pyc
all.cpython-311.pyc
binary.cpython-311.pyc
product.cpython-311.pyc
unary.cpython-311.pyc
all.py
binary.py
product.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_all.cpython-311.pyc
test_binary.cpython-311.pyc
test_product.cpython-311.pyc
test_unary.cpython-311.pyc
test_all.py
test_binary.py
test_product.py
test_unary.py
unary.py
planar_drawing.py
planarity.py
polynomials.py
reciprocity.py
regular.py
richclub.py

```


■	■	■	■	■	■	■	■■■	test_graph_hashing.py
■	■	■	■	■	■	■	■■■	test_graphical.py
■	■	■	■	■	■	■	■■■	test_hierarchy.py
■	■	■	■	■	■	■	■■■	test_hybrid.py
■	■	■	■	■	■	■	■■■	test_isolate.py
■	■	■	■	■	■	■	■■■	test_link_prediction.py
■	■	■	■	■	■	■	■■■	test_lowest_common_ancestors.py
■	■	■	■	■	■	■	■■■	test_matching.py
■	■	■	■	■	■	■	■■■	test_max_weight_clique.py
■	■	■	■	■	■	■	■■■	test_mis.py
■	■	■	■	■	■	■	■■■	test_moral.py
■	■	■	■	■	■	■	■■■	test_node_classification.py
■	■	■	■	■	■	■	■■■	test_node_classification_deprecations.py
■	■	■	■	■	■	■	■■■	test_non_randomness.py
■	■	■	■	■	■	■	■■■	test_planar_drawing.py
■	■	■	■	■	■	■	■■■	test_planarity.py
■	■	■	■	■	■	■	■■■	test_polynomials.py
■	■	■	■	■	■	■	■■■	test_reciprocity.py
■	■	■	■	■	■	■	■■■	test_regular.py
■	■	■	■	■	■	■	■■■	test_richclub.py
■	■	■	■	■	■	■	■■■	test_similarity.py
■	■	■	■	■	■	■	■■■	test_simple_paths.py
■	■	■	■	■	■	■	■■■	test_smallworld.py
■	■	■	■	■	■	■	■■■	test_smetric.py
■	■	■	■	■	■	■	■■■	test_sparsifiers.py
■	■	■	■	■	■	■	■■■	test_structuralholes.py
■	■	■	■	■	■	■	■■■	test_summarization.py
■	■	■	■	■	■	■	■■■	test_swap.py
■	■	■	■	■	■	■	■■■	test_threshold.py
■	■	■	■	■	■	■	■■■	test_tournament.py
■	■	■	■	■	■	■	■■■	test_triads.py
■	■	■	■	■	■	■	■■■	test_vitality.py
■	■	■	■	■	■	■	■■■	test_voronoi.py
■	■	■	■	■	■	■	■■■	test_wiener.py
■	■	■	■	■	■	■■■	threshold.py	
■	■	■	■	■	■	■■■	tournament.py	
■	■	■	■	■	■	■■■	traversal	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	beamsearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■	breadth_first_search.cpython-311.pyc
■	■	■	■	■	■	■	■■■	depth_first_search.cpython-311.pyc
■	■	■	■	■	■	■	■■■	edgebfs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	edgedfs.cpython-311.pyc
■	■	■	■	■	■	■■■	beamsearch.py	
■	■	■	■	■	■	■■■	breadth_first_search.py	
■	■	■	■	■	■	■■■	depth_first_search.py	
■	■	■	■	■	■	■■■	edgebfs.py	
■	■	■	■	■	■	■■■	edgedfs.py	
■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_beamsearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_bfs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dfs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_edgebfs.cpython-311.pyc

```

    test_edgedfs.cpython-311.pyc
    test_beamsearch.py
    test_bfs.py
    test_dfs.py
    test_edgebfs.py
    test_edgedfs.py
tree
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    branchings.cpython-311.pyc
    coding.cpython-311.pyc
    decomposition.cpython-311.pyc
    mst.cpython-311.pyc
    operations.cpython-311.pyc
    recognition.cpython-311.pyc
    branchings.py
    coding.py
    decomposition.py
    mst.py
    operations.py
    recognition.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_branchings.cpython-311.pyc
    test_coding.cpython-311.pyc
    test_decomposition.cpython-311.pyc
    test_mst.cpython-311.pyc
    test_operations.cpython-311.pyc
    test_recognition.cpython-311.pyc
    test_branchings.py
    test_coding.py
    test_decomposition.py
    test_mst.py
    test_operations.py
    test_recognition.py
    triads.py
    vitality.py
    voronoi.py
    wiener.py
classes
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    coreviews.cpython-311.pyc
    digraph.cpython-311.pyc
    filters.cpython-311.pyc
    function.cpython-311.pyc
    graph.cpython-311.pyc
    graphviews.cpython-311.pyc
    multidigraph.cpython-311.pyc
    multigraph.cpython-311.pyc
    ordered.cpython-311.pyc
    reportviews.cpython-311.pyc
    coreviews.py
    digraph.py

```

```

■      ■      ■      ■      ■      ■      ■      filters.py
■      ■      ■      ■      ■      ■      ■      function.py
■      ■      ■      ■      ■      ■      ■      graph.py
■      ■      ■      ■      ■      ■      ■      graphviews.py
■      ■      ■      ■      ■      ■      ■      multidigraph.py
■      ■      ■      ■      ■      ■      ■      multigraph.py
■      ■      ■      ■      ■      ■      ■      ordered.py
■      ■      ■      ■      ■      ■      ■      reportviews.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      historical_tests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_coreviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_digraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_digraph_historical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_function.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_graph_historical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_graphviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_multidigraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_multigraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_ordered.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_reportviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_special.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_subgraphviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      historical_tests.py
■      ■      ■      ■      ■      ■      ■      ■      test_coreviews.py
■      ■      ■      ■      ■      ■      ■      ■      test_digraph.py
■      ■      ■      ■      ■      ■      ■      ■      test_digraph_historical.py
■      ■      ■      ■      ■      ■      ■      ■      test_filters.py
■      ■      ■      ■      ■      ■      ■      ■      test_function.py
■      ■      ■      ■      ■      ■      ■      ■      test_graph.py
■      ■      ■      ■      ■      ■      ■      ■      test_graph_historical.py
■      ■      ■      ■      ■      ■      ■      ■      test_graphviews.py
■      ■      ■      ■      ■      ■      ■      ■      test_multidigraph.py
■      ■      ■      ■      ■      ■      ■      ■      test_multigraph.py
■      ■      ■      ■      ■      ■      ■      ■      test_ordered.py
■      ■      ■      ■      ■      ■      ■      ■      test_reportviews.py
■      ■      ■      ■      ■      ■      ■      ■      test_special.py
■      ■      ■      ■      ■      ■      ■      ■      test_subgraphviews.py
■      ■      ■      ■      ■      ■      ■      ■      conftest.py
■      ■      ■      ■      ■      ■      ■      ■      convert.py
■      ■      ■      ■      ■      ■      ■      ■      convert_matrix.py
■      ■      ■      ■      ■      ■      ■      ■      drawing
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      layout.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nx_agraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nx_pydot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nx_pylab.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      layout.py
■      ■      ■      ■      ■      ■      ■      ■      nx_agraph.py
■      ■      ■      ■      ■      ■      ■      ■      nx_pydot.py
■      ■      ■      ■      ■      ■      ■      ■      nx_pylab.py
■      ■      ■      ■      ■      ■      ■      ■      tests

```


[illegible]

■	■	■	■	■	■	■■■	internet_as_graphs.py
■	■	■	■	■	■	■■■	intersection.py
■	■	■	■	■	■	■■■	interval_graph.py
■	■	■	■	■	■	■■■	joint_degree_seq.py
■	■	■	■	■	■	■■■	lattice.py
■	■	■	■	■	■	■■■	line.py
■	■	■	■	■	■	■■■	mycielski.py
■	■	■	■	■	■	■■■	nonisomorphic_trees.py
■	■	■	■	■	■	■■■	random_clustered.py
■	■	■	■	■	■	■■■	random_graphs.py
■	■	■	■	■	■	■■■	small.py
■	■	■	■	■	■	■■■	social.py
■	■	■	■	■	■	■■■	spectral_graph_forge.py
■	■	■	■	■	■	■■■	stochastic.py
■	■	■	■	■	■	■■■	sudoku.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_atlas.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_classic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cographs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_community.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_degree_seq.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_directed.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_duplication.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ego.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_expanders.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_geometric.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_harary_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_internet_as_graphs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_intersection.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_interval_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_joint_degree_seq.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lattice.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_line.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_mycielski.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_nonisomorphic_trees.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_random_clustered.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_random_graphs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_small.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_spectral_graph_forge.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_stochastic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_sudoku.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_trees.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_triads.cpython-311.pyc
■	■	■	■	■	■	■■■	test_atlas.py
■	■	■	■	■	■	■■■	test_classic.py
■	■	■	■	■	■	■■■	test_cographs.py
■	■	■	■	■	■	■■■	test_community.py
■	■	■	■	■	■	■■■	test_degree_seq.py
■	■	■	■	■	■	■■■	test_directed.py
■	■	■	■	■	■	■■■	test_duplication.py
■	■	■	■	■	■	■■■	test_ego.py
■	■	■	■	■	■	■■■	test_expanders.py
■	■	■	■	■	■	■■■	test_geometric.py
■	■	■	■	■	■	■■■	test_harary_graph.py
■	■	■	■	■	■	■■■	test_internet_as_graphs.py

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_intersection.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_interval_graph.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_joint_degree_seq.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_lattice.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_line.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_mycielski.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_nonisomorphic_trees.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_random_clustered.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_random_graphs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_small.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spectral_graph_forge.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stochastic.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sudoku.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_trees.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_triads.py
■ ■ ■ ■ ■ ■ ■ ■■■ trees.py
■ ■ ■ ■ ■ ■ ■ ■■■ triads.py
■ ■ ■ ■ ■ ■ ■■■■ lazy_imports.py
■ ■ ■ ■ ■ ■ ■■■■ linalg
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ algebraicconnectivity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ attrmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bethehessianmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graphmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ laplacianmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ modularitymatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spectrum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ algebraicconnectivity.py
■ ■ ■ ■ ■ ■ ■■■■ attrmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ bethehessianmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ graphmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ laplacianmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ modularitymatrix.py
■ ■ ■ ■ ■ ■ ■■■■ spectrum.py
■ ■ ■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_algebraic_connectivity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_attrmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bethehessian.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_graphmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_laplacian.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modularity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spectrum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_algebraic_connectivity.py
■ ■ ■ ■ ■ ■ ■■■■ test_attrmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ test_bethehessian.py
■ ■ ■ ■ ■ ■ ■■■■ test_graphmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ test_laplacian.py
■ ■ ■ ■ ■ ■ ■■■■ test_modularity.py
■ ■ ■ ■ ■ ■ ■■■■ test_spectrum.py
■ ■ ■ ■ ■ ■ ■■■■ readwrite
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ adjlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ edgelist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gexf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graph6.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graphml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ leda.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multiline_adjlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nx_shp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nx_yaml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ p2g.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pajek.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sparse6.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ adjlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ edgelist.py
■ ■ ■ ■ ■ ■ ■ ■■■ gexf.py
■ ■ ■ ■ ■ ■ ■ ■■■ gml.py
■ ■ ■ ■ ■ ■ ■ ■■■ gpickle.py
■ ■ ■ ■ ■ ■ ■ ■■■ graph6.py
■ ■ ■ ■ ■ ■ ■ ■■■ graphml.py
■ ■ ■ ■ ■ ■ ■ ■■■ json_graph
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ adjacency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cytoscape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ jit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ node_link.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ adjacency.py
■ ■ ■ ■ ■ ■ ■ ■■■ cytoscape.py
■ ■ ■ ■ ■ ■ ■ ■■■ jit.py
■ ■ ■ ■ ■ ■ ■ ■■■ node_link.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_adjacency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_cytoscape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_jit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_node_link.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_adjacency.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cytoscape.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_jit.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_node_link.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tree.py
■ ■ ■ ■ ■ ■ ■ ■■■ tree.py
■ ■ ■ ■ ■ ■ ■ ■■■ leda.py
■ ■ ■ ■ ■ ■ ■ ■■■ multiline_adjlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ nx_shp.py
■ ■ ■ ■ ■ ■ ■ ■■■ nx_yaml.py
■ ■ ■ ■ ■ ■ ■ ■■■ p2g.py
■ ■ ■ ■ ■ ■ ■ ■■■ pajek.py
■ ■ ■ ■ ■ ■ ■ ■■■ sparse6.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_adjlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_edgelist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_getattr_nxyaml_removal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gexf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_graph6.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_graphml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_leda.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_p2g.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pajek.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_shp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sparse6.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_adjlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_edgelist.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_getattr_nxyaml_removal.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gexf.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gml.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gpickle.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_graph6.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_graphml.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_leda.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_p2g.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pajek.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_shp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sparse6.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_text.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ relabel.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_all_random_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert_pandas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert_scipy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_import.cpython-311.pyc
```

```

    test_lazy_imports.cpython-311.pyc
    test_relabel.cpython-311.pyc
    test_all_random_functions.py
    test_convert.py
    test_convert_numpy.py
    test_convert_pandas.py
    test_convert_scipy.py
    test_exceptions.py
    test_import.py
    test_lazy_imports.py
    test_relabel.py
  utils
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    contextmanagers.cpython-311.pyc
    decorators.cpython-311.pyc
    heaps.cpython-311.pyc
    mapped_queue.cpython-311.pyc
    misc.cpython-311.pyc
    random_sequence.cpython-311.pyc
    rcm.cpython-311.pyc
    union_find.cpython-311.pyc
    contextmanagers.py
    decorators.py
    heaps.py
    mapped_queue.py
    misc.py
    random_sequence.py
    rcm.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test__init__.cpython-311.pyc
    test_contextmanager.cpython-311.pyc
    test_decorators.cpython-311.pyc
    test_heaps.cpython-311.pyc
    test_mapped_queue.cpython-311.pyc
    test_misc.cpython-311.pyc
    test_random_sequence.cpython-311.pyc
    test_rcm.cpython-311.pyc
    test_unionfind.cpython-311.pyc
    test__init__.py
    test_contextmanager.py
    test_decorators.py
    test_heaps.py
    test_mapped_queue.py
    test_misc.py
    test_random_sequence.py
    test_rcm.py
    test_unionfind.py
  union_find.py
networkx-2.8.8.dist-info
  INSTALLER
  LICENSE.txt
  METADATA
  RECORD

```

```

■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nltk
■ ■ ■ ■ ■ ■ ■ ■ VERSION
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ book.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ collections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ collocations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ downloader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ featstruct.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ grammar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ help.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jsontags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ langnames.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ lazyimport.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ probability.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tabdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tgrep.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ toolbox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ treeprettyprinter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ treetransforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wsd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chartparser_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chunkparser_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ collocations_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ concordance_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nemo_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rdparser_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ srparser_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wordfreq_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wordnet_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chartparser_app.py
■ ■ ■ ■ ■ ■ ■ ■ chunkparser_app.py
■ ■ ■ ■ ■ ■ ■ ■ collocations_app.py
■ ■ ■ ■ ■ ■ ■ ■ concordance_app.py
■ ■ ■ ■ ■ ■ ■ ■ nemo_app.py
■ ■ ■ ■ ■ ■ ■ ■ rdparser_app.py
■ ■ ■ ■ ■ ■ ■ ■ srparser_app.py
■ ■ ■ ■ ■ ■ ■ ■ wordfreq_app.py
■ ■ ■ ■ ■ ■ ■ ■ wordnet_app.py
■ ■ ■ ■ ■ ■ ■ ■ book.py
■ ■ ■ ■ ■ ■ ■ ■ ccg
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ combinator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lexicon.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ logic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart.py
■ ■ ■ ■ ■ ■ ■ ■■■ combinator.py
■ ■ ■ ■ ■ ■ ■ ■■■ lexicon.py
■ ■ ■ ■ ■ ■ ■ ■■■ logic.py
■ ■ ■ ■ ■ ■ ■ ■■■ chat
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ eliza.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ iesha.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rude.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ suntsu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ zen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ eliza.py
■ ■ ■ ■ ■ ■ ■ ■■■ iesha.py
■ ■ ■ ■ ■ ■ ■ ■■■ rude.py
■ ■ ■ ■ ■ ■ ■ ■■■ suntsu.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ zen.py
■ ■ ■ ■ ■ ■ ■ ■■■ chunk
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ named_entity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ regexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■ ■■■ named_entity.py
■ ■ ■ ■ ■ ■ ■ ■■■ regexp.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ classify
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decisiontree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ maxent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ megam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ naivebayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ positivenaivebayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rte_classify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scikitlearn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ senna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ svm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tadm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ textcat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ weka.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.py
```


■	■	■	■	■	■	■■■	decisiontree.py
■	■	■	■	■	■	■■■	maxent.py
■	■	■	■	■	■	■■■	megam.py
■	■	■	■	■	■	■■■	naivebayes.py
■	■	■	■	■	■	■■■	positivenaivebayes.py
■	■	■	■	■	■	■■■	rte_classify.py
■	■	■	■	■	■	■■■	scikitlearn.py
■	■	■	■	■	■	■■■	senna.py
■	■	■	■	■	■	■■■	svm.py
■	■	■	■	■	■	■■■	tadm.py
■	■	■	■	■	■	■■■	textcat.py
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■	■■■	weka.py
■	■	■	■	■	■■■	cli.py	
■	■	■	■	■	■■■	cluster	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	em.cpython-311.pyc
■	■	■	■	■	■	■■■	gaac.cpython-311.pyc
■	■	■	■	■	■	■■■	kmeans.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	api.py	
■	■	■	■	■	■■■	em.py	
■	■	■	■	■	■■■	gaac.py	
■	■	■	■	■	■■■	kmeans.py	
■	■	■	■	■	■■■	util.py	
■	■	■	■	■	■■■	collections.py	
■	■	■	■	■	■■■	collocations.py	
■	■	■	■	■	■■■	compat.py	
■	■	■	■	■	■■■	corpus	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	europarl_raw.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	europarl_raw.py	
■	■	■	■	■	■■■	reader	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	aligned.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	bcp47.cpython-311.pyc
■	■	■	■	■	■	■■■	bnc.cpython-311.pyc
■	■	■	■	■	■	■■■	bracket_parse.cpython-311.pyc
■	■	■	■	■	■	■■■	categorized_sents.cpython-311.pyc
■	■	■	■	■	■	■■■	chasen.cpython-311.pyc
■	■	■	■	■	■	■■■	childes.cpython-311.pyc
■	■	■	■	■	■	■■■	chunked.cpython-311.pyc
■	■	■	■	■	■	■■■	cmudict.cpython-311.pyc
■	■	■	■	■	■	■■■	comparative_sents.cpython-311.pyc
■	■	■	■	■	■	■■■	conll.cpython-311.pyc
■	■	■	■	■	■	■■■	crubadan.cpython-311.pyc
■	■	■	■	■	■	■■■	dependency.cpython-311.pyc
■	■	■	■	■	■	■■■	framenet.cpython-311.pyc
■	■	■	■	■	■	■■■	ieer.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	indian.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	ipipan.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	knbc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	lin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	markdown.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	mte.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	nkjp.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	nombank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	nps_chat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	opinion_lexicon.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	panlex_lite.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	panlex_swadesh.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	pl196x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	plaintext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	ppattach.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	propbank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	pros_cons.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	reviews.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	rte.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	semcor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	senseval.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	sentiwordnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	sinica_treebank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	string_category.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	switchboard.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	tagged.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	timit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	toolbox.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	twitter.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	udhr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	util.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	verbnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	wordlist.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	wordnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	xmldocs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	ycoe.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	aligned.py
■	■	■	■	■	■	■	■	■■■■	api.py
■	■	■	■	■	■	■	■	■■■■	bcp47.py
■	■	■	■	■	■	■	■	■■■■	bnc.py
■	■	■	■	■	■	■	■	■■■■	bracket_parse.py
■	■	■	■	■	■	■	■	■■■■	categorized_sents.py
■	■	■	■	■	■	■	■	■■■■	chasen.py
■	■	■	■	■	■	■	■	■■■■	childes.py
■	■	■	■	■	■	■	■	■■■■	chunked.py
■	■	■	■	■	■	■	■	■■■■	cmudict.py
■	■	■	■	■	■	■	■	■■■■	comparative_sents.py
■	■	■	■	■	■	■	■	■■■■	conll.py
■	■	■	■	■	■	■	■	■■■■	crubadan.py
■	■	■	■	■	■	■	■	■■■■	dependency.py
■	■	■	■	■	■	■	■	■■■■	framenet.py
■	■	■	■	■	■	■	■	■■■■	ieer.py
■	■	■	■	■	■	■	■	■■■■	indian.py
■	■	■	■	■	■	■	■	■■■■	ipipan.py
■	■	■	■	■	■	■	■	■■■■	knbc.py
■	■	■	■	■	■	■	■	■■■■	lin.py
■	■	■	■	■	■	■	■	■■■■	markdown.py
■	■	■	■	■	■	■	■	■■■■	mte.py

```

■ ■ ■ ■ ■ ■ ■ ■■■ nkjp.py
■ ■ ■ ■ ■ ■ ■ ■■■ nombank.py
■ ■ ■ ■ ■ ■ ■ ■■■ nps_chat.py
■ ■ ■ ■ ■ ■ ■ ■■■ opinion_lexicon.py
■ ■ ■ ■ ■ ■ ■ ■■■ panlex_lite.py
■ ■ ■ ■ ■ ■ ■ ■■■ panlex_swadesh.py
■ ■ ■ ■ ■ ■ ■ ■■■ pl196x.py
■ ■ ■ ■ ■ ■ ■ ■■■ plaintext.py
■ ■ ■ ■ ■ ■ ■ ■■■ ppattach.py
■ ■ ■ ■ ■ ■ ■ ■■■ propbank.py
■ ■ ■ ■ ■ ■ ■ ■■■ pros_cons.py
■ ■ ■ ■ ■ ■ ■ ■■■ reviews.py
■ ■ ■ ■ ■ ■ ■ ■■■ rte.py
■ ■ ■ ■ ■ ■ ■ ■■■ semcor.py
■ ■ ■ ■ ■ ■ ■ ■■■ senseval.py
■ ■ ■ ■ ■ ■ ■ ■■■ sentiwordnet.py
■ ■ ■ ■ ■ ■ ■ ■■■ sinica_treebank.py
■ ■ ■ ■ ■ ■ ■ ■■■ string_category.py
■ ■ ■ ■ ■ ■ ■ ■■■ switchboard.py
■ ■ ■ ■ ■ ■ ■ ■■■ tagged.py
■ ■ ■ ■ ■ ■ ■ ■■■ timit.py
■ ■ ■ ■ ■ ■ ■ ■■■ toolbox.py
■ ■ ■ ■ ■ ■ ■ ■■■ twitter.py
■ ■ ■ ■ ■ ■ ■ ■■■ udhr.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ verbnet.py
■ ■ ■ ■ ■ ■ ■ ■■■ wordlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ wordnet.py
■ ■ ■ ■ ■ ■ ■ ■■■ xmldocs.py
■ ■ ■ ■ ■ ■ ■ ■■■ ycoe.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ data.py
■ ■ ■ ■ ■ ■ ■ ■■■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ downloader.py
■ ■ ■ ■ ■ ■ ■ ■■■ draw
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cfg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dispersion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cfg.py
■ ■ ■ ■ ■ ■ ■ ■■■ dispersion.py
■ ■ ■ ■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■ ■ ■ ■■■ tree.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ featstruct.py
■ ■ ■ ■ ■ ■ ■ ■■■ grammar.py
■ ■ ■ ■ ■ ■ ■ ■■■ help.py
■ ■ ■ ■ ■ ■ ■ ■■■ inference
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ discourse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mace.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ babelfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chomsky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ minimalset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wordfinder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ babelfish.py
■ ■ ■ ■ ■ ■ ■ ■■■ chomsky.py
■ ■ ■ ■ ■ ■ ■ ■■■ minimalset.py
■ ■ ■ ■ ■ ■ ■ ■■■ sort.py
■ ■ ■ ■ ■ ■ ■ ■■■ wordfinder.py
■ ■ ■ ■ ■ ■ ■ ■■■ parse
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bllip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ corenlp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dependencygraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ earleychart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ evaluate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ featurechart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ malt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonprojectivedependencyparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pchart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ projectivedependencyparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ recursivedescent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shiftreduce.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stanford.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ transitionparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ viterbi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■ ■■■ bllip.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart.py
■ ■ ■ ■ ■ ■ ■ ■■■ corenlp.py
■ ■ ■ ■ ■ ■ ■ ■■■ dependencygraph.py
■ ■ ■ ■ ■ ■ ■ ■■■ earleychart.py
■ ■ ■ ■ ■ ■ ■ ■■■ evaluate.py
■ ■ ■ ■ ■ ■ ■ ■■■ featurechart.py
■ ■ ■ ■ ■ ■ ■ ■■■ generate.py
■ ■ ■ ■ ■ ■ ■ ■■■ malt.py
■ ■ ■ ■ ■ ■ ■ ■■■ nonprojectivedependencyparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ pchart.py
■ ■ ■ ■ ■ ■ ■ ■■■ projectivedependencyparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ recursivedescent.py
■ ■ ■ ■ ■ ■ ■ ■■■ shiftreduce.py
■ ■ ■ ■ ■ ■ ■ ■■■ stanford.py
■ ■ ■ ■ ■ ■ ■ ■■■ transitionparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ viterbi.py
■ ■ ■ ■ ■ ■ ■ ■■■ probability.py
■ ■ ■ ■ ■ ■ ■ ■■■ sem
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■	boxer.cpython-311.pyc
■	■	■	■	■	■	■■■	chat80.cpython-311.pyc
■	■	■	■	■	■	■■■	cooper_storage.cpython-311.pyc
■	■	■	■	■	■	■■■	drt.cpython-311.pyc
■	■	■	■	■	■	■■■	drt_glue_demo.cpython-311.pyc
■	■	■	■	■	■	■■■	evaluate.cpython-311.pyc
■	■	■	■	■	■	■■■	glue.cpython-311.pyc
■	■	■	■	■	■	■■■	hole.cpython-311.pyc
■	■	■	■	■	■	■■■	lfg.cpython-311.pyc
■	■	■	■	■	■	■■■	linearlogic.cpython-311.pyc
■	■	■	■	■	■	■■■	logic.cpython-311.pyc
■	■	■	■	■	■	■■■	relextract.cpython-311.pyc
■	■	■	■	■	■	■■■	skolemize.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	boxer.py	
■	■	■	■	■	■■■	chat80.py	
■	■	■	■	■	■■■	cooper_storage.py	
■	■	■	■	■	■■■	drt.py	
■	■	■	■	■	■■■	drt_glue_demo.py	
■	■	■	■	■	■■■	evaluate.py	
■	■	■	■	■	■■■	glue.py	
■	■	■	■	■	■■■	hole.py	
■	■	■	■	■	■■■	lfg.py	
■	■	■	■	■	■■■	linearlogic.py	
■	■	■	■	■	■■■	logic.py	
■	■	■	■	■	■■■	relextract.py	
■	■	■	■	■	■■■	skolemize.py	
■	■	■	■	■	■■■	util.py	
■	■	■	■	■	■■■	sentiment	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	sentiment_analyzer.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	vader.cpython-311.pyc
■	■	■	■	■	■■■	sentiment_analyzer.py	
■	■	■	■	■	■■■	util.py	
■	■	■	■	■	■■■	vader.py	
■	■	■	■	■	■■■	stem	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	arlstem.cpython-311.pyc
■	■	■	■	■	■	■■■	arlstem2.cpython-311.pyc
■	■	■	■	■	■	■■■	cistem.cpython-311.pyc
■	■	■	■	■	■	■■■	isri.cpython-311.pyc
■	■	■	■	■	■	■■■	lancaster.cpython-311.pyc
■	■	■	■	■	■	■■■	porter.cpython-311.pyc
■	■	■	■	■	■	■■■	regexp.cpython-311.pyc
■	■	■	■	■	■	■■■	rslp.cpython-311.pyc
■	■	■	■	■	■	■■■	snowball.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	wordnet.cpython-311.pyc
■	■	■	■	■	■■■	api.py	
■	■	■	■	■	■■■	arlstem.py	
■	■	■	■	■	■■■	arlstem2.py	
■	■	■	■	■	■■■	cistem.py	

```

■ ■ ■ isri.py
■ ■ ■ lancaster.py
■ ■ ■ porter.py
■ ■ ■ regexp.py
■ ■ ■ rslp.py
■ ■ ■ snowball.py
■ ■ ■ util.py
■ ■ ■ wordnet.py
■ ■ ■ tabdata.py
■ ■ ■ tag
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ brill.cpython-311.pyc
■ ■ ■ brill_trainer.cpython-311.pyc
■ ■ ■ crf.cpython-311.pyc
■ ■ ■ hmm.cpython-311.pyc
■ ■ ■ hunpos.cpython-311.pyc
■ ■ ■ mapping.cpython-311.pyc
■ ■ ■ perceptron.cpython-311.pyc
■ ■ ■ senna.cpython-311.pyc
■ ■ ■ sequential.cpython-311.pyc
■ ■ ■ stanford.cpython-311.pyc
■ ■ ■ tnt.cpython-311.pyc
■ ■ ■ util.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ brill.py
■ ■ ■ brill_trainer.py
■ ■ ■ crf.py
■ ■ ■ hmm.py
■ ■ ■ hunpos.py
■ ■ ■ mapping.py
■ ■ ■ perceptron.py
■ ■ ■ senna.py
■ ■ ■ sequential.py
■ ■ ■ stanford.py
■ ■ ■ tnt.py
■ ■ ■ util.py
■ ■ ■ tbl
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ demo.cpython-311.pyc
■ ■ ■ erroranalysis.cpython-311.pyc
■ ■ ■ feature.cpython-311.pyc
■ ■ ■ rule.cpython-311.pyc
■ ■ ■ template.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ demo.py
■ ■ ■ erroranalysis.py
■ ■ ■ feature.py
■ ■ ■ rule.py
■ ■ ■ template.py
■ ■ ■ test
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	all.cpython-311.pyc
■	■	■	■	■	■	■	■■■	childes_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	classify_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	conftest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gensim_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gluesemantics_malt_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	portuguese_en_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	probability_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	setup_fixt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	all.py
■	■	■	■	■	■	■	■■■	bleu.doctest
■	■	■	■	■	■	■	■■■	bnc.doctest
■	■	■	■	■	■	■	■■■	cgc.doctest
■	■	■	■	■	■	■	■■■	cgc_semantics.doctest
■	■	■	■	■	■	■	■■■	chat80.doctest
■	■	■	■	■	■	■	■■■	childes.doctest
■	■	■	■	■	■	■	■■■	childes_fixt.py
■	■	■	■	■	■	■	■■■	chunk.doctest
■	■	■	■	■	■	■	■■■	classify.doctest
■	■	■	■	■	■	■	■■■	classify_fixt.py
■	■	■	■	■	■	■	■■■	collections.doctest
■	■	■	■	■	■	■	■■■	collocations.doctest
■	■	■	■	■	■	■	■■■	concordance.doctest
■	■	■	■	■	■	■	■■■	conftest.py
■	■	■	■	■	■	■	■■■	corpus.doctest
■	■	■	■	■	■	■	■■■	crubadan.doctest
■	■	■	■	■	■	■	■■■	data.doctest
■	■	■	■	■	■	■	■■■	dependency.doctest
■	■	■	■	■	■	■	■■■	discourse.doctest
■	■	■	■	■	■	■	■■■	drt.doctest
■	■	■	■	■	■	■	■■■	featgram.doctest
■	■	■	■	■	■	■	■■■	featstruct.doctest
■	■	■	■	■	■	■	■■■	framenet.doctest
■	■	■	■	■	■	■	■■■	generate.doctest
■	■	■	■	■	■	■	■■■	gensim.doctest
■	■	■	■	■	■	■	■■■	gensim_fixt.py
■	■	■	■	■	■	■	■■■	gluesemantics.doctest
■	■	■	■	■	■	■	■■■	gluesemantics_malt.doctest
■	■	■	■	■	■	■	■■■	gluesemantics_malt_fixt.py
■	■	■	■	■	■	■	■■■	grammar.doctest
■	■	■	■	■	■	■	■■■	grammartestsuites.doctest
■	■	■	■	■	■	■	■■■	index.doctest
■	■	■	■	■	■	■	■■■	inference.doctest
■	■	■	■	■	■	■	■■■	internals.doctest
■	■	■	■	■	■	■	■■■	japanese.doctest
■	■	■	■	■	■	■	■■■	lm.doctest
■	■	■	■	■	■	■	■■■	logic.doctest
■	■	■	■	■	■	■	■■■	meteor.doctest
■	■	■	■	■	■	■	■■■	metrics.doctest
■	■	■	■	■	■	■	■■■	misc.doctest
■	■	■	■	■	■	■	■■■	nonmonotonic.doctest
■	■	■	■	■	■	■	■■■	paice.doctest
■	■	■	■	■	■	■	■■■	parse.doctest
■	■	■	■	■	■	■	■■■	portuguese_en.doctest
■	■	■	■	■	■	■	■■■	portuguese_en_fixt.py
■	■	■	■	■	■	■	■■■	probability.doctest
■	■	■	■	■	■	■	■■■	probability_fixt.py


```

■ ■ ■ ■ ■ ■ ■■■ propbank.doctest
■ ■ ■ ■ ■ ■ ■■■ relextract.doctest
■ ■ ■ ■ ■ ■ ■■■ resolution.doctest
■ ■ ■ ■ ■ ■ ■■■ semantics.doctest
■ ■ ■ ■ ■ ■ ■■■ sentiment.doctest
■ ■ ■ ■ ■ ■ ■■■ sentiwordnet.doctest
■ ■ ■ ■ ■ ■ ■■■ setup_fixt.py
■ ■ ■ ■ ■ ■ ■■■ simple.doctest
■ ■ ■ ■ ■ ■ ■■■ stem.doctest
■ ■ ■ ■ ■ ■ ■■■ tag.doctest
■ ■ ■ ■ ■ ■ ■■■ tokenize.doctest
■ ■ ■ ■ ■ ■ ■■■ toolbox.doctest
■ ■ ■ ■ ■ ■ ■■■ translate.doctest
■ ■ ■ ■ ■ ■ ■■■ tree.doctest
■ ■ ■ ■ ■ ■ ■■■ treeprettyprinter.doctest
■ ■ ■ ■ ■ ■ ■■■ treetransforms.doctest
■ ■ ■ ■ ■ ■ ■■■ unit
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_aline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_bllip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_brill.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_cfd_mutation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_cfg2chomsky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_chunk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_classify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_collocations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_concordance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_corenlp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_corpora.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_corpus_views.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_disagreement.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_distance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_downloader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_freqdist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_hmm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_json2csv_corpus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_json_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_metrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_naivebayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_nombank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pl196x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pos_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_ribes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_rte_classify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_seekable_unicode_stream_reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_senna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_stem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tgrep.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tokenize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_twitter_auth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_wordnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ lm
■ ■ ■ ■ ■ ■ ■■■ __init__.py

```


[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notifications.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_prompt_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_as_notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_readonly_as.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quick_selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_buffering.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_clipboard_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dashboard_nav.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deletecell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_image.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_isolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_arrows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_cellmode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_clipboard.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_execute.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_insertcell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_execute_code.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_find_and_replace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interrupt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_kernel_menu.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_merge_cells.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_move_multiselection.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect_toggle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notifications.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_prompt_numbers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_as_notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_readonly_as.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_config_manager.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_files.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gateway.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_i18n.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_log.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nbextensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notebookapp.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notebookapp_integration.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_paths.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serverextensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_traittypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ traittypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tree
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■ caching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ callconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■ callwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ccallback.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cgutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ codegen.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compiler_lock.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compiler_machinery.cpython-311.pyc
■	■	■	■	■	■	■	■■■ config.cpython-311.pyc
■	■	■	■	■	■	■	■■■ consts.cpython-311.pyc
■	■	■	■	■	■	■	■■■ controlflow.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cpu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cpu_options.cpython-311.pyc
■	■	■	■	■	■	■	■■■ debuginfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■ decorators.cpython-311.pyc
■	■	■	■	■	■	■	■■■ descriptors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dispatcher.cpython-311.pyc
■	■	■	■	■	■	■	■■■ entrypoints.cpython-311.pyc
■	■	■	■	■	■	■	■■■ environment.cpython-311.pyc
■	■	■	■	■	■	■	■■■ errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ event.cpython-311.pyc
■	■	■	■	■	■	■	■■■ extending.cpython-311.pyc
■	■	■	■	■	■	■	■■■ externals.cpython-311.pyc
■	■	■	■	■	■	■	■■■ fastmathpass.cpython-311.pyc
■	■	■	■	■	■	■	■■■ funcdesc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ generators.cpython-311.pyc
■	■	■	■	■	■	■	■■■ imputils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ inline_closurecall.cpython-311.pyc
■	■	■	■	■	■	■	■■■ interpreter.cpython-311.pyc
■	■	■	■	■	■	■	■■■ intrinsics.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ir.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ir_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ itanium_mangler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ llvm_bindings.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lowering.cpython-311.pyc
■	■	■	■	■	■	■	■■■ object_mode_passes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ optional.cpython-311.pyc
■	■	■	■	■	■	■	■■■ options.cpython-311.pyc
■	■	■	■	■	■	■	■■■ postproc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pylowering.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pythonapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ registry.cpython-311.pyc
■	■	■	■	■	■	■	■■■ removerefctpass.cpython-311.pyc
■	■	■	■	■	■	■	■■■ serialize.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sigutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ssa.cpython-311.pyc
■	■	■	■	■	■	■	■■■ target_extension.cpython-311.pyc
■	■	■	■	■	■	■	■■■ targetconfig.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tracing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ transforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■ typed_passes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ typeinfer.cpython-311.pyc
■	■	■	■	■	■	■	■■■ untyped_passes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ withcontexts.cpython-311.pyc
■	■	■	■	■	■	■■■	analysis.py
■	■	■	■	■	■	■■■	annotations

■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	pretty_annotate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	type_annotations.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pretty_annotate.py	
■	■	■	■	■	■	■	■■■	template.html	
■	■	■	■	■	■	■	■■■	type_annotations.py	
■	■	■	■	■	■	■■■	base.py		
■	■	■	■	■	■	■■■	boxing.py		
■	■	■	■	■	■	■■■	bytecode.py		
■	■	■	■	■	■	■■■	byteflow.py		
■	■	■	■	■	■	■■■	caching.py		
■	■	■	■	■	■	■■■	callconv.py		
■	■	■	■	■	■	■■■	callwrapper.py		
■	■	■	■	■	■	■■■	ccallback.py		
■	■	■	■	■	■	■■■	cgutils.py		
■	■	■	■	■	■	■■■	codegen.py		
■	■	■	■	■	■	■■■	compiler.py		
■	■	■	■	■	■	■■■	compiler_lock.py		
■	■	■	■	■	■	■■■	compiler_machinery.py		
■	■	■	■	■	■	■■■	config.py		
■	■	■	■	■	■	■■■	consts.py		
■	■	■	■	■	■	■■■	controlflow.py		
■	■	■	■	■	■	■■■	cpu.py		
■	■	■	■	■	■	■■■	cpu_options.py		
■	■	■	■	■	■	■■■	datamodel		
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	manager.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	packer.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	registry.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	manager.py	
■	■	■	■	■	■	■	■■■	models.py	
■	■	■	■	■	■	■	■■■	packer.py	
■	■	■	■	■	■	■	■■■	registry.py	
■	■	■	■	■	■	■	■■■	testing.py	
■	■	■	■	■	■	■■■	debuginfo.py		
■	■	■	■	■	■	■■■	decorators.py		
■	■	■	■	■	■	■■■	descriptors.py		
■	■	■	■	■	■	■■■	dispatcher.py		
■	■	■	■	■	■	■■■	entrypoints.py		
■	■	■	■	■	■	■■■	environment.py		
■	■	■	■	■	■	■■■	errors.py		
■	■	■	■	■	■	■■■	event.py		
■	■	■	■	■	■	■■■	extending.py		
■	■	■	■	■	■	■■■	externals.py		
■	■	■	■	■	■	■■■	fastmathpass.py		
■	■	■	■	■	■	■■■	funcdesc.py		
■	■	■	■	■	■	■■■	generators.py		
■	■	■	■	■	■	■■■	imputils.py		
■	■	■	■	■	■	■■■	inline_closurecall.py		
■	■	■	■	■	■	■■■	interpreter.py		
■	■	■	■	■	■	■■■	intrinsic.py		
■	■	■	■	■	■	■■■	ir.py		


```

ir_utils.py
itanium_mangler.py
llvm_bindings.py
lowering.py
object_mode_passes.py
optional.py
options.py
postproc.py
pylowering.py
pythonapi.py
registry.py
removerefctpass.py
rewrites
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    ir_print.cpython-311.pyc
    registry.cpython-311.pyc
    static_binop.cpython-311.pyc
    static_getitem.cpython-311.pyc
    static_raise.cpython-311.pyc
  ir_print.py
  registry.py
  static_binop.py
  static_getitem.py
  static_raise.py
runtime
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    context.cpython-311.pyc
    nrt.cpython-311.pyc
    nrtdynmod.cpython-311.pyc
    nrtopt.cpython-311.pyc
  _nrt_python.c
  _nrt_python.cpython-311-x86_64-linux-gnu.so
  _nrt_pythonmod.c
  context.py
  nrt.cpp
  nrt.h
  nrt.py
  nrt_external.h
  nrtdynmod.py
  nrtopt.py
rvsdg_frontend
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    bcinterp.cpython-311.pyc
  bcinterp.py
  rvsdg
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      bc2rvsdg.cpython-311.pyc
      regionpasses.cpython-311.pyc
      regionrenderer.cpython-311.pyc
    bc2rvsdg.py

```

```

    ■■■■ regionpasses.py
    ■■■■ regionrenderer.py
    ■■■■ serialize.py
    ■■■■ sigutils.py
    ■■■■ ssa.py
    ■■■■ target_extension.py
    ■■■■ targetconfig.py
    ■■■■ tracing.py
    ■■■■ transforms.py
    ■■■■ typeconv
        ■■■■ __init__.py
        ■■■■ __pycache__
            ■■■■ __init__.cpython-311.pyc
            ■■■■ castgraph.cpython-311.pyc
            ■■■■ rules.cpython-311.pyc
            ■■■■ typeconv.cpython-311.pyc
        ■■■■ _typeconv.cpython-311-x86_64-linux-gnu.so
        ■■■■ castgraph.py
        ■■■■ rules.py
        ■■■■ typeconv.py
    ■■■■ typed_passes.py
    ■■■■ typeinfer.py
    ■■■■ types
        ■■■■ __init__.py
        ■■■■ __pycache__
            ■■■■ __init__.cpython-311.pyc
            ■■■■ abstract.cpython-311.pyc
            ■■■■ common.cpython-311.pyc
            ■■■■ containers.cpython-311.pyc
            ■■■■ function_type.cpython-311.pyc
            ■■■■ functions.cpython-311.pyc
            ■■■■ iterators.cpython-311.pyc
            ■■■■ misc.cpython-311.pyc
            ■■■■ npytypes.cpython-311.pyc
            ■■■■ scalars.cpython-311.pyc
        ■■■■ abstract.py
        ■■■■ common.py
        ■■■■ containers.py
        ■■■■ function_type.py
        ■■■■ functions.py
        ■■■■ iterators.py
        ■■■■ misc.py
        ■■■■ npytypes.py
        ■■■■ scalars.py
    ■■■■ typing
        ■■■■ __init__.py
        ■■■■ __pycache__
            ■■■■ __init__.cpython-311.pyc
            ■■■■ arraydecl.cpython-311.pyc
            ■■■■ asnumbatype.cpython-311.pyc
            ■■■■ bufproto.cpython-311.pyc
            ■■■■ builtins.cpython-311.pyc
            ■■■■ cffi_utils.cpython-311.pyc
            ■■■■ cmathdecl.cpython-311.pyc
            ■■■■ collections.cpython-311.pyc
            ■■■■ context.cpython-311.pyc
            ■■■■ ctypes_utils.cpython-311.pyc
            ■■■■ dictdecl.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ enumdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ listdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ npdatetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ npydecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ setdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ templates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ typeof.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ arraydecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ asnumbatype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ bufproto.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ builtins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cffi_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cmathdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ collections.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ context.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ctypes_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dictdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ enumdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ listdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ npdatetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ npydecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ setdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ templates.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ typeof.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ unsafe
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ eh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ nrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ refcount.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bytes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ eh.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nrt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ refcount.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ untyped_passes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ withcontexts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cpython
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ charseq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ cmathimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ enumimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ heapq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ listobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ printimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ randomimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ rangeobj.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ setobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slicing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tupleobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unicode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unicode_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ charseq.py
■ ■ ■ ■ ■ ■ ■ ■■■ cmathimpl.py
■ ■ ■ ■ ■ ■ ■ ■■■ enumimpl.py
■ ■ ■ ■ ■ ■ ■ ■■■ hashing.py
■ ■ ■ ■ ■ ■ ■ ■■■ heapq.py
■ ■ ■ ■ ■ ■ ■ ■■■ iterators.py
■ ■ ■ ■ ■ ■ ■ ■■■ listobj.py
■ ■ ■ ■ ■ ■ ■ ■■■ mathimpl.py
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ printimpl.py
■ ■ ■ ■ ■ ■ ■ ■■■ randomimpl.py
■ ■ ■ ■ ■ ■ ■ ■■■ rangeobj.py
■ ■ ■ ■ ■ ■ ■ ■■■ setobj.py
■ ■ ■ ■ ■ ■ ■ ■■■ slicing.py
■ ■ ■ ■ ■ ■ ■ ■■■ tupleobj.py
■ ■ ■ ■ ■ ■ ■ ■■■ unicode.py
■ ■ ■ ■ ■ ■ ■ ■■■ unicode_support.py
■ ■ ■ ■ ■ ■ ■ ■■■ unsafe
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tuple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ tuple.py
■ ■ ■ ■ ■ ■ ■ ■■■ cuda
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ args.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ codegen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cuda_paths.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cudadecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cudaimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cudamath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ descriptor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ device_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extending.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ initialize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ intrinsic_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ intrinsics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libdevice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libdevicedecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libdevicefuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libdeviceimpl.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■ mathimpl.cpython-311.pyc
■	■	■	■	■	■	■	■■■ models.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nvvmutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ printimpl.cpython-311.pyc
■	■	■	■	■	■	■	■■■ random.cpython-311.pyc
■	■	■	■	■	■	■	■■■ simulator_init.cpython-311.pyc
■	■	■	■	■	■	■	■■■ stubs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ target.cpython-311.pyc
■	■	■	■	■	■	■	■■■ testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ types.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vector_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vectorizers.cpython-311.pyc
■	■	■	■	■	■	■■■	api.py
■	■	■	■	■	■	■■■	api_util.py
■	■	■	■	■	■	■■■	args.py
■	■	■	■	■	■	■■■	cg.py
■	■	■	■	■	■	■■■	codegen.py
■	■	■	■	■	■	■■■	compiler.py
■	■	■	■	■	■	■■■	cpp_function_wrappers.cu
■	■	■	■	■	■	■■■	cuda_fp16.h
■	■	■	■	■	■	■■■	cuda_fp16.hpp
■	■	■	■	■	■	■■■	cuda_paths.py
■	■	■	■	■	■	■■■	cudadecl.py
■	■	■	■	■	■	■■■	cudadv
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ devicearray.cpython-311.pyc
■	■	■	■	■	■	■	■■■ devices.cpython-311.pyc
■	■	■	■	■	■	■	■■■ driver.cpython-311.pyc
■	■	■	■	■	■	■	■■■ drvapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ enums.cpython-311.pyc
■	■	■	■	■	■	■	■■■ error.cpython-311.pyc
■	■	■	■	■	■	■	■■■ libs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ndarray.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nvrtc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nvvm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ rtapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ runtime.cpython-311.pyc
■	■	■	■	■	■	■■■	_extras.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	devicearray.py
■	■	■	■	■	■	■■■	devices.py
■	■	■	■	■	■	■■■	driver.py
■	■	■	■	■	■	■■■	drvapi.py
■	■	■	■	■	■	■■■	enums.py
■	■	■	■	■	■	■■■	error.py
■	■	■	■	■	■	■■■	libs.py
■	■	■	■	■	■	■■■	ndarray.py
■	■	■	■	■	■	■■■	nvrtc.py
■	■	■	■	■	■	■■■	nvvm.py
■	■	■	■	■	■	■■■	rtapi.py
■	■	■	■	■	■	■■■	runtime.py
■	■	■	■	■	■	■■■	cudaimpl.py
■	■	■	■	■	■	■■■	cudamath.py
■	■	■	■	■	■	■■■	decorators.py
■	■	■	■	■	■	■■■	descriptor.py
■	■	■	■	■	■	■■■	device_init.py

```

##### dispatcher.py
##### errors.py
##### extending.py
##### initialize.py
##### intrinsic_wrapper.py
##### intrinsics.py
##### kernels
#####   ____init____.py
#####   ____pycache____
#####       #####   ____init____.cpython-311.pyc
#####       #####   reduction.cpython-311.pyc
#####       #####   transpose.cpython-311.pyc
#####   #####   reduction.py
#####   #####   transpose.py
#####   libdevice.py
#####   libdevicedecl.py
#####   libdevicefuncs.py
#####   libdeviceimpl.py
#####   mathimpl.py
#####   models.py
#####   nvvmutils.py
#####   printimpl.py
#####   random.py
#####   simulator
#####   ____init____.py
#####   ____pycache____
#####       #####   ____init____.cpython-311.pyc
#####       #####   api.cpython-311.pyc
#####       #####   compiler.cpython-311.pyc
#####       #####   kernel.cpython-311.pyc
#####       #####   kernelapi.cpython-311.pyc
#####       #####   reduction.cpython-311.pyc
#####       #####   vector_types.cpython-311.pyc
#####   #####   api.py
#####   #####   compiler.py
#####   #####   cudadr
#####       #####   ____init____.py
#####       #####   ____pycache____
#####           #####   ____init____.cpython-311.pyc
#####           #####   devicearray.cpython-311.pyc
#####           #####   devices.cpython-311.pyc
#####           #####   driver.cpython-311.pyc
#####           #####   drvapi.cpython-311.pyc
#####           #####   error.cpython-311.pyc
#####           #####   libs.cpython-311.pyc
#####           #####   nvvm.cpython-311.pyc
#####           #####   runtime.cpython-311.pyc
#####       #####   devicearray.py
#####       #####   devices.py
#####       #####   driver.py
#####       #####   drvapi.py
#####       #####   error.py
#####       #####   libs.py
#####       #####   nvvm.py
#####       #####   runtime.py
#####   #####   kernel.py
#####   #####   kernelapi.py
#####   #####   reduction.py

```

```

vector_types.py
simulator_init.py
stubs.py
target.py
testing.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  cudadriv
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    test_array_attr.cpython-311.pyc
    test_context_stack.cpython-311.pyc
    test_cuda_array_slicing.cpython-311.pyc
    test_cuda_auto_context.cpython-311.pyc
    test_cuda_devicerecord.cpython-311.pyc
    test_cuda_driver.cpython-311.pyc
    test_cuda_libraries.cpython-311.pyc
    test_cuda_memory.cpython-311.pyc
    test_cuda_ndarray.cpython-311.pyc
    test_deallocations.cpython-311.pyc
    test_detect.cpython-311.pyc
    test_emm_plugins.cpython-311.pyc
    test_events.cpython-311.pyc
    test_host_alloc.cpython-311.pyc
    test_init.cpython-311.pyc
    test_inline_ptx.cpython-311.pyc
    test_is_fp16.cpython-311.pyc
    test_linker.cpython-311.pyc
    test_managed_alloc.cpython-311.pyc
    test_mvc.cpython-311.pyc
    test_nvvm_driver.cpython-311.pyc
    test_pinned.cpython-311.pyc
    test_profiler.cpython-311.pyc
    test_ptds.cpython-311.pyc
    test_reset_device.cpython-311.pyc
    test_runtime.cpython-311.pyc
    test_select_device.cpython-311.pyc
    test_streams.cpython-311.pyc
  test_array_attr.py
  test_context_stack.py
  test_cuda_array_slicing.py
  test_cuda_auto_context.py
  test_cuda_devicerecord.py
  test_cuda_driver.py
  test_cuda_libraries.py
  test_cuda_memory.py
  test_cuda_ndarray.py
  test_deallocations.py
  test_detect.py
  test_emm_plugins.py
  test_events.py
  test_host_alloc.py
  test_init.py
  test_inline_ptx.py
  test_is_fp16.py

```

■	■	■	■	■	■	■	■	■■■■	test_linker.py
■	■	■	■	■	■	■	■	■■■■	test_managed_alloc.py
■	■	■	■	■	■	■	■	■■■■	test_mvc.py
■	■	■	■	■	■	■	■	■■■■	test_nvvm_driver.py
■	■	■	■	■	■	■	■	■■■■	test_pinned.py
■	■	■	■	■	■	■	■	■■■■	test_profiler.py
■	■	■	■	■	■	■	■	■■■■	test_ptds.py
■	■	■	■	■	■	■	■	■■■■	test_reset_device.py
■	■	■	■	■	■	■	■	■■■■	test_runtime.py
■	■	■	■	■	■	■	■	■■■■	test_select_device.py
■	■	■	■	■	■	■	■	■■■■	test_streams.py
■	■	■	■	■	■	■	■■■■	cudapy	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	cache_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	cache_with_cpu_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	extensions_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	recursion_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_alignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_array.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_array_args.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_array_methods.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_atomics.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_blackscholes.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_boolean.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_caching.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_casting.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cffi.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_compiler.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_complex.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_complex_kernel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_const_string.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_constmem.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cooperative_groups.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cuda_array_interface.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cuda_jit_no_types.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_datetime.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_debug.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_debuginfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_device_func.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_enums.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_errors.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_exception.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_extending.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_fastmath.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_forall.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_freevar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_frexp_ldexp.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_globals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_gufunc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_gufunc_scalar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_gufunc_scheduling.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_idiv.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_inspect.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_intrinsics.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ipc.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	test_iterators.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_lang.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_laplace.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_libdevice.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_lineinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_localmem.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_mandel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_math.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matmul.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_minmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_montecarlo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_multigpu.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_multiprocessing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_multithreads.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_nondet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_optimization.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_overload.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_powi.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_print.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_py2_div_issue.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_record_dtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_recursion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reduction.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_retrieve_autoconverted_arrays.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_serialize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_slicing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sm.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sm_creation.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sync.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_userexc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vector_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_complex.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_decor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_device.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_scalar_arg.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_warning.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_warp_ops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	cache_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	cache_with_cpu_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	extensions_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	recursion_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	test_alignment.py
■	■	■	■	■	■	■	■	■	■■■■	test_array.py
■	■	■	■	■	■	■	■	■	■■■■	test_array_args.py
■	■	■	■	■	■	■	■	■	■■■■	test_array_methods.py
■	■	■	■	■	■	■	■	■	■■■■	test_atomics.py
■	■	■	■	■	■	■	■	■	■■■■	test_blacksholes.py
■	■	■	■	■	■	■	■	■	■■■■	test_boolean.py
■	■	■	■	■	■	■	■	■	■■■■	test_caching.py
■	■	■	■	■	■	■	■	■	■■■■	test_casting.py
■	■	■	■	■	■	■	■	■	■■■■	test_cffi.py
■	■	■	■	■	■	■	■	■	■■■■	test_compiler.py
■	■	■	■	■	■	■	■	■	■■■■	test_complex.py

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_transpose.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_ufuncs.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_userexc.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vector_type.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vectorize.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vectorize_complex.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vectorize_decor.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vectorize_device.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vectorize_scalar_arg.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_warning.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_warp_ops.py
■      ■      ■      ■      ■      ■      ■      ■■■■ cudasim
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ support.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_cudasim_issues.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ support.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cudasim_issues.py
■      ■      ■      ■      ■      ■      ■■■■ data
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ cuda_include.cu
■      ■      ■      ■      ■      ■      ■      ■■■■ error.cu
■      ■      ■      ■      ■      ■      ■      ■■■■ jitlink.cu
■      ■      ■      ■      ■      ■      ■      ■■■■ jitlink.ptx
■      ■      ■      ■      ■      ■      ■      ■■■■ warn.cu
■      ■      ■      ■      ■      ■      ■■■■ doc_examples
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_cg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_cpu_gpu_compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_ffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_laplace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_matmul.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_montecarlo.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_random.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_reduction.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_sessionize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_ufunc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_vecadd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ ffi
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ functions.cu
■      ■      ■      ■      ■      ■      ■■■■ test_cg.py
■      ■      ■      ■      ■      ■      ■■■■ test_cpu_gpu_compat.py
■      ■      ■      ■      ■      ■      ■■■■ test_ffi.py
■      ■      ■      ■      ■      ■      ■■■■ test_laplace.py
■      ■      ■      ■      ■      ■      ■■■■ test_matmul.py
■      ■      ■      ■      ■      ■      ■■■■ test_montecarlo.py
■      ■      ■      ■      ■      ■      ■■■■ test_random.py
■      ■      ■      ■      ■      ■      ■■■■ test_reduction.py
■      ■      ■      ■      ■      ■      ■■■■ test_sessionize.py
■      ■      ■      ■      ■      ■      ■■■■ test_ufunc.py

```



```

■ ■ ■ ■ ■ ■ ■ mergesort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numba_entry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numba_gdbinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numba_sysinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ quicksort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ special.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ timsort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ appdirs.py
■ ■ ■ ■ ■ ■ ■ cffiimpl.py
■ ■ ■ ■ ■ ■ ■ cmdlang.gdb
■ ■ ■ ■ ■ ■ ■ dummyarray.py
■ ■ ■ ■ ■ ■ ■ dump_style.py
■ ■ ■ ■ ■ ■ ■ findlib.py
■ ■ ■ ■ ■ ■ ■ firstlinefinder.py
■ ■ ■ ■ ■ ■ ■ gdb_hook.py
■ ■ ■ ■ ■ ■ ■ gdb_print_extension.py
■ ■ ■ ■ ■ ■ ■ help
■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ inspector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ inspector.py
■ ■ ■ ■ ■ ■ ■ init_utils.py
■ ■ ■ ■ ■ ■ ■ inspection.py
■ ■ ■ ■ ■ ■ ■ literal.py
■ ■ ■ ■ ■ ■ ■ llvm_pass_timings.py
■ ■ ■ ■ ■ ■ ■ mergesort.py
■ ■ ■ ■ ■ ■ ■ numba_entry.py
■ ■ ■ ■ ■ ■ ■ numba_gdbinfo.py
■ ■ ■ ■ ■ ■ ■ numba_sysinfo.py
■ ■ ■ ■ ■ ■ ■ quicksort.py
■ ■ ■ ■ ■ ■ ■ special.py
■ ■ ■ ■ ■ ■ ■ timsort.py
■ ■ ■ ■ ■ ■ ■ mviewbuf.c
■ ■ ■ ■ ■ ■ ■ mviewbuf.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ np
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ arraymath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ arrayobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npdatetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npdatetime_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npyfuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npymath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ numpy_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ufunc_db.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ arraymath.py
■ ■ ■ ■ ■ ■ ■ arrayobj.py
■ ■ ■ ■ ■ ■ ■ extensions.py
■ ■ ■ ■ ■ ■ ■ linalg.py
■ ■ ■ ■ ■ ■ ■ math
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ cmathimpl.cpython-311.pyc

```

[illegible]

```

    ufuncbuilder.py
    workqueue.cpython-311-x86_64-linux-gnu.so
    wrappers.py
    ufunc_db.py
    unsafe
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    ndarray.cpython-311.pyc
    ndarray.py
    parfors
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    array_analysis.cpython-311.pyc
    parfor.cpython-311.pyc
    parfor_lowering.cpython-311.pyc
    parfor_lowering_utils.cpython-311.pyc
    array_analysis.py
    parfor.py
    parfor_lowering.py
    parfor_lowering_utils.py
    pycc
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    cc.cpython-311.pyc
    compiler.cpython-311.pyc
    decorators.cpython-311.pyc
    llvm_types.cpython-311.pyc
    platform.cpython-311.pyc
    cc.py
    compiler.py
    decorators.py
    llvm_types.py
    modulemixin.c
    platform.py
    runtests.py
    scripts
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    generate_lower_listing.cpython-311.pyc
    generate_lower_listing.py
    stencils
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    stencil.cpython-311.pyc
    stencilparfor.cpython-311.pyc
    stencil.py
    stencilparfor.py
    testing
    __init__.py
    __main__.py
    __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ _runtests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ loader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _runtests.py
■ ■ ■ ■ ■ ■ ■ ■■■ loader.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■ ■■■ notebook.py
■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cache_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cffi_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cfunc_cache_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chained_assign_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cloudpickle_main_class.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compile_with_pycc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ complex_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ctypes_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ doctest_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dummy_module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ enum_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ error_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errorhandling_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gdb_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inlining_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ matmul_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ orphaned_semaphore_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ overload_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parfor_iss9490_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parfors_cache_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pdlike_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ recursion_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialize_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_alignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_annotations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_attr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_exprs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_manipulation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_reductions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_return.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_asnumbatype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_auto_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_blacksholes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_boundscheck.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_buffer_protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_byteflow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_caching.cpython-311.pyc
```


■	■	■	■	■	■	■■■	test_casting.cpython-311.pyc
■	■	■	■	■	■	■■■	test_cffi.cpython-311.pyc
■	■	■	■	■	■	■■■	test_cfunc.cpython-311.pyc
■	■	■	■	■	■	■■■	test_cgutils.cpython-311.pyc
■	■	■	■	■	■	■■■	test_chained_assign.cpython-311.pyc
■	■	■	■	■	■	■■■	test_chrome_trace.cpython-311.pyc
■	■	■	■	■	■	■■■	test_cli.cpython-311.pyc
■	■	■	■	■	■	■■■	test_closure.cpython-311.pyc
■	■	■	■	■	■	■■■	test_codegen.cpython-311.pyc
■	■	■	■	■	■	■■■	test_compile_cache.cpython-311.pyc
■	■	■	■	■	■	■■■	test_compiler_flags.cpython-311.pyc
■	■	■	■	■	■	■■■	test_compiler_lock.cpython-311.pyc
■	■	■	■	■	■	■■■	test_complex.cpython-311.pyc
■	■	■	■	■	■	■■■	test_comprehension.cpython-311.pyc
■	■	■	■	■	■	■■■	test_conditions_as_predicates.cpython-311.pyc
■	■	■	■	■	■	■■■	test_config.cpython-311.pyc
■	■	■	■	■	■	■■■	test_conversion.cpython-311.pyc
■	■	■	■	■	■	■■■	test_copy_propagate.cpython-311.pyc
■	■	■	■	■	■	■■■	test_ctypes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dataflow.cpython-311.pyc
■	■	■	■	■	■	■■■	test_datamodel.cpython-311.pyc
■	■	■	■	■	■	■■■	test_debug.cpython-311.pyc
■	■	■	■	■	■	■■■	test_debuginfo.cpython-311.pyc
■	■	■	■	■	■	■■■	test_deprecations.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dictimpl.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dictobject.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dicts.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■	test_doctest.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dummyarray.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dyn_array.cpython-311.pyc
■	■	■	■	■	■	■■■	test_dyn_func.cpython-311.pyc
■	■	■	■	■	■	■■■	test_entrypoints.cpython-311.pyc
■	■	■	■	■	■	■■■	test_enums.cpython-311.pyc
■	■	■	■	■	■	■■■	test_errorhandling.cpython-311.pyc
■	■	■	■	■	■	■■■	test_errormodels.cpython-311.pyc
■	■	■	■	■	■	■■■	test_event.cpython-311.pyc
■	■	■	■	■	■	■■■	test_exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	test_extended_arg.cpython-311.pyc
■	■	■	■	■	■	■■■	test_extending.cpython-311.pyc
■	■	■	■	■	■	■■■	test_extending_types.cpython-311.pyc
■	■	■	■	■	■	■■■	test_fancy_indexing.cpython-311.pyc
■	■	■	■	■	■	■■■	test_fastmath.cpython-311.pyc
■	■	■	■	■	■	■■■	test_findlib.cpython-311.pyc
■	■	■	■	■	■	■■■	test_firstlinefinder.cpython-311.pyc
■	■	■	■	■	■	■■■	test_flow_control.cpython-311.pyc
■	■	■	■	■	■	■■■	test_func_interface.cpython-311.pyc
■	■	■	■	■	■	■■■	test_func_lifetime.cpython-311.pyc
■	■	■	■	■	■	■■■	test_funcdesc.cpython-311.pyc
■	■	■	■	■	■	■■■	test_function_type.cpython-311.pyc
■	■	■	■	■	■	■■■	test_gdb_bindings.cpython-311.pyc
■	■	■	■	■	■	■■■	test_gdb_dwarf.cpython-311.pyc
■	■	■	■	■	■	■■■	test_generators.cpython-311.pyc
■	■	■	■	■	■	■■■	test_getitem_on_types.cpython-311.pyc
■	■	■	■	■	■	■■■	test_gil.cpython-311.pyc
■	■	■	■	■	■	■■■	test_globals.cpython-311.pyc
■	■	■	■	■	■	■■■	test_hashing.cpython-311.pyc
■	■	■	■	■	■	■■■	test_heapq.cpython-311.pyc

■	■	■	■	■	■	■	■■■	test_help.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_import.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_init_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_inlining.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_interpreter.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_interproc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_intwidth.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ir.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ir_inlining.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ir_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_itanium_mangler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_iteration.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_jit_module.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_jitclasses.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_jitmethod.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_linalg.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_listimpl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_listobject.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_lists.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_literal_dispatch.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_llvm_pass_timings.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_llvm_version_check.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_locals.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_looplifting.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_make_function_to_jit_function.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mandelbrot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mangling.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_map_filter_reduce.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mathlib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_maxmin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mixed_tuple_unroller.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_moved_modules.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_multi3.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_nan.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ndarray_subclasses.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_nested_calls.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_np_functions.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_np_randomgen.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_npdatetime.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_nrt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_nrt_refct.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_num_threads.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numberctor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numbers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numpy_support.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numpyadapt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_obj_lifetime.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_object_mode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_objects.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_operators.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_optional.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_overlap.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_parallel_backend.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_parfors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_parfors_caching.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_parfors_passes.cpython-311.pyc

■	■	■	■	■	■	■	■■■	test_pipeline.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_polynomial.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_practical_lowering_issues.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_print.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_profiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pycc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_python_int.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pythonapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_range.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_reccarray_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_record_dtype.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_recursion.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_refop_pruning.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_remove_dead.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_repr.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_return_values.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_runtests.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_serialize.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sets.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_slices.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sort.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ssa.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_stencils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_storeslice.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_struct_ref.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_support.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_svml.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sys_monitoring.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sys_stdin_assignment.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sysinfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_target_extension.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_target_overloadselector.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_threadafety.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_tracing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_try_except.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_tuples.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typedlist.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typedobjectutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeguard.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeinfer.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typednames.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeof.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typingerror.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unicode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unicode_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unicode_names.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unpack_sequence.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unpickle_without_module.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unsafe_intrinsics.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_vectorization.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_vectorization_type_inference.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_warnings.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_withlifting.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■■■ threading_backend_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ typedlist_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cache_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cffi_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cfunc_cache_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ chained_assign_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cloudpickle_main_class.py
■ ■ ■ ■ ■ ■ ■ ■■■ compile_with_pycc.py
■ ■ ■ ■ ■ ■ ■ ■■■ complex_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ ctypes_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ doc_examples
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_interval_example.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_jitclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal_container_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_literally_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_llvm_pass_timings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_generators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel_chunksize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rec_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_structref_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_dict_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_list_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_examples.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_interval_example.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_jitclass.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal_container_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_literally_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_llvm_pass_timings.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_generators.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel_chunksize.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rec_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_structref_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_dict_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_list_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ doctest_usecase.py
■ ■ ■ ■ ■ ■ ■ ■■■ dummy_module.py
■ ■ ■ ■ ■ ■ ■ ■■■ enum_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ error_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ errorhandling_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ gdb
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_arg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_break_on_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_break_on_symbol_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_conditional_breakpoint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pretty_print.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_arg.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_break_on_symbol.py

```

■	■	■	■	■	■	■	■■■ test_break_on_symbol_version.py
■	■	■	■	■	■	■	■■■ test_conditional_breakpoint.py
■	■	■	■	■	■	■	■■■ test_pretty_print.py
■	■	■	■	■	■	■■■	gdb_support.py
■	■	■	■	■	■	■■■	inlining_usecases.py
■	■	■	■	■	■	■■■	matmul_usecase.py
■	■	■	■	■	■	■■■	npufunc
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cache_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_caching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_dufunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_gufunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_env_variable.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_low_work.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_ufunc_issues.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ufunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ufuncbuilding.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_update_inplace.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_vectorize_decor.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ufuncbuilding_usecases.cpython-311.pyc
■	■	■	■	■	■	■■■	cache_usecases.py
■	■	■	■	■	■	■■■	test_caching.py
■	■	■	■	■	■	■■■	test_dufunc.py
■	■	■	■	■	■	■■■	test_errors.py
■	■	■	■	■	■	■■■	test_gufunc.py
■	■	■	■	■	■	■■■	test_parallel_env_variable.py
■	■	■	■	■	■	■■■	test_parallel_low_work.py
■	■	■	■	■	■	■■■	test_parallel_ufunc_issues.py
■	■	■	■	■	■	■■■	test_ufunc.py
■	■	■	■	■	■	■■■	test_ufuncbuilding.py
■	■	■	■	■	■	■■■	test_update_inplace.py
■	■	■	■	■	■	■■■	test_vectorize_decor.py
■	■	■	■	■	■	■■■	ufuncbuilding_usecases.py
■	■	■	■	■	■	■■■	orphaned_semaphore_usecase.py
■	■	■	■	■	■	■■■	overload_usecases.py
■	■	■	■	■	■	■■■	parfor_iss9490_usecase.py
■	■	■	■	■	■	■■■	parfors_cache_usecases.py
■	■	■	■	■	■	■■■	pdlike_usecase.py
■	■	■	■	■	■	■■■	pycc_distutils_usecase
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_distutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_distutils_nested.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_setuptools.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_setuptools_nested.cpython-311.pyc
■	■	■	■	■	■	■	■■■ source_module.cpython-311.pyc
■	■	■	■	■	■	■■■	nested
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ source_module.cpython-311.pyc
■	■	■	■	■	■	■■■	source_module.py
■	■	■	■	■	■	■■■	setup_distutils.py
■	■	■	■	■	■	■■■	setup_distutils_nested.py

■	■	■	■	■	■	■	■■■	setup_setuptools.py
■	■	■	■	■	■	■	■■■	setup_setuptools_nested.py
■	■	■	■	■	■	■	■■■	source_module.py
■	■	■	■	■	■	■	■■■	recursion_usecases.py
■	■	■	■	■	■	■	■■■	serialize_usecases.py
■	■	■	■	■	■	■	■■■	support.py
■	■	■	■	■	■	■	■■■	test_alignment.py
■	■	■	■	■	■	■	■■■	test_analysis.py
■	■	■	■	■	■	■	■■■	test_annotations.py
■	■	■	■	■	■	■	■■■	test_api.py
■	■	■	■	■	■	■	■■■	test_array_analysis.py
■	■	■	■	■	■	■	■■■	test_array_attr.py
■	■	■	■	■	■	■	■■■	test_array_constants.py
■	■	■	■	■	■	■	■■■	test_array_exprs.py
■	■	■	■	■	■	■	■■■	test_array_iterators.py
■	■	■	■	■	■	■	■■■	test_array_manipulation.py
■	■	■	■	■	■	■	■■■	test_array_methods.py
■	■	■	■	■	■	■	■■■	test_array_reductions.py
■	■	■	■	■	■	■	■■■	test_array_return.py
■	■	■	■	■	■	■	■■■	test_asnumbatype.py
■	■	■	■	■	■	■	■■■	test_auto_constants.py
■	■	■	■	■	■	■	■■■	test_blacksholes.py
■	■	■	■	■	■	■	■■■	test_boundscheck.py
■	■	■	■	■	■	■	■■■	test_buffer_protocol.py
■	■	■	■	■	■	■	■■■	test_builtins.py
■	■	■	■	■	■	■	■■■	test_byteflow.py
■	■	■	■	■	■	■	■■■	test_caching.py
■	■	■	■	■	■	■	■■■	test_casting.py
■	■	■	■	■	■	■	■■■	test_cffi.py
■	■	■	■	■	■	■	■■■	test_cfunc.py
■	■	■	■	■	■	■	■■■	test_cgutils.py
■	■	■	■	■	■	■	■■■	test_chained_assign.py
■	■	■	■	■	■	■	■■■	test_chrome_trace.py
■	■	■	■	■	■	■	■■■	test_cli.py
■	■	■	■	■	■	■	■■■	test_closure.py
■	■	■	■	■	■	■	■■■	test_codegen.py
■	■	■	■	■	■	■	■■■	test_compile_cache.py
■	■	■	■	■	■	■	■■■	test_compiler_flags.py
■	■	■	■	■	■	■	■■■	test_compiler_lock.py
■	■	■	■	■	■	■	■■■	test_complex.py
■	■	■	■	■	■	■	■■■	test_comprehension.py
■	■	■	■	■	■	■	■■■	test_conditions_as_predicates.py
■	■	■	■	■	■	■	■■■	test_config.py
■	■	■	■	■	■	■	■■■	test_conversion.py
■	■	■	■	■	■	■	■■■	test_copy_propagate.py
■	■	■	■	■	■	■	■■■	test_ctypes.py
■	■	■	■	■	■	■	■■■	test_dataflow.py
■	■	■	■	■	■	■	■■■	test_datamodel.py
■	■	■	■	■	■	■	■■■	test_debug.py
■	■	■	■	■	■	■	■■■	test_debuginfo.py
■	■	■	■	■	■	■	■■■	test_deprecations.py
■	■	■	■	■	■	■	■■■	test_dictimpl.py
■	■	■	■	■	■	■	■■■	test_dictobject.py
■	■	■	■	■	■	■	■■■	test_dicts.py
■	■	■	■	■	■	■	■■■	test_dispatcher.py
■	■	■	■	■	■	■	■■■	test_doctest.py
■	■	■	■	■	■	■	■■■	test_dummyarray.py
■	■	■	■	■	■	■	■■■	test_dyn_array.py

```

■■■ test_dyn_func.py
■■■ test_entrpoints.py
■■■ test_enums.py
■■■ test_errorhandling.py
■■■ test_errormodels.py
■■■ test_event.py
■■■ test_exceptions.py
■■■ test_extended_arg.py
■■■ test_extending.py
■■■ test_extending_types.py
■■■ test_fancy_indexing.py
■■■ test_fastmath.py
■■■ test_findlib.py
■■■ test_firstlinefinder.py
■■■ test_flow_control.py
■■■ test_func_interface.py
■■■ test_func_lifetime.py
■■■ test_funcdesc.py
■■■ test_function_type.py
■■■ test_gdb_bindings.py
■■■ test_gdb_dwarf.py
■■■ test_generators.py
■■■ test_getitem_on_types.py
■■■ test_gil.py
■■■ test_globals.py
■■■ test_hashing.py
■■■ test_heapq.py
■■■ test_help.py
■■■ test_import.py
■■■ test_indexing.py
■■■ test_init_utils.py
■■■ test_inlining.py
■■■ test_interpreter.py
■■■ test_interproc.py
■■■ test_intwidth.py
■■■ test_ir.py
■■■ test_ir_inlining.py
■■■ test_ir_utils.py
■■■ test_itanium_mangler.py
■■■ test_iteration.py
■■■ test_jit_module.py
■■■ test_jitclasses.py
■■■ test_jitmethod.py
■■■ test_linalg.py
■■■ test_listimpl.py
■■■ test_listobject.py
■■■ test_lists.py
■■■ test_literal_dispatch.py
■■■ test_llvm_pass_timings.py
■■■ test_llvm_version_check.py
■■■ test_locals.py
■■■ test_looplifting.py
■■■ test_make_function_to_jit_function.py
■■■ test_mandelbrot.py
■■■ test_mangling.py
■■■ test_map_filter_reduce.py
■■■ test_mathlib.py
■■■ test_maxmin.py

```

■	■	■	■	■	■■■ test_mixed_tuple_unroller.py
■	■	■	■	■	■■■ test_moved_modules.py
■	■	■	■	■	■■■ test_multi3.py
■	■	■	■	■	■■■ test_nan.py
■	■	■	■	■	■■■ test_ndarray_subclasses.py
■	■	■	■	■	■■■ test_nested_calls.py
■	■	■	■	■	■■■ test_np_functions.py
■	■	■	■	■	■■■ test_np_randomgen.py
■	■	■	■	■	■■■ test_npdatetime.py
■	■	■	■	■	■■■ test_nrt.py
■	■	■	■	■	■■■ test_nrt_refct.py
■	■	■	■	■	■■■ test_num_threads.py
■	■	■	■	■	■■■ test_numberctor.py
■	■	■	■	■	■■■ test_numbers.py
■	■	■	■	■	■■■ test_numconv.py
■	■	■	■	■	■■■ test_numpy_support.py
■	■	■	■	■	■■■ test_numpyadapt.py
■	■	■	■	■	■■■ test_obj_lifetime.py
■	■	■	■	■	■■■ test_object_mode.py
■	■	■	■	■	■■■ test_objects.py
■	■	■	■	■	■■■ test_operators.py
■	■	■	■	■	■■■ test_optional.py
■	■	■	■	■	■■■ test_overlap.py
■	■	■	■	■	■■■ test_parallel_backend.py
■	■	■	■	■	■■■ test_parfors.py
■	■	■	■	■	■■■ test_parfors_caching.py
■	■	■	■	■	■■■ test_parfors_passes.py
■	■	■	■	■	■■■ test_pipeline.py
■	■	■	■	■	■■■ test_polynomial.py
■	■	■	■	■	■■■ test_practical_lowering_issues.py
■	■	■	■	■	■■■ test_print.py
■	■	■	■	■	■■■ test_profiler.py
■	■	■	■	■	■■■ test_pycc.py
■	■	■	■	■	■■■ test_python_int.py
■	■	■	■	■	■■■ test_pythonapi.py
■	■	■	■	■	■■■ test_random.py
■	■	■	■	■	■■■ test_range.py
■	■	■	■	■	■■■ test_recarray_usecases.py
■	■	■	■	■	■■■ test_record_dtype.py
■	■	■	■	■	■■■ test_recursion.py
■	■	■	■	■	■■■ test_refop_pruning.py
■	■	■	■	■	■■■ test_remove_dead.py
■	■	■	■	■	■■■ test_repr.py
■	■	■	■	■	■■■ test_return_values.py
■	■	■	■	■	■■■ test_runtests.py
■	■	■	■	■	■■■ test_serialize.py
■	■	■	■	■	■■■ test_sets.py
■	■	■	■	■	■■■ test_slices.py
■	■	■	■	■	■■■ test_sort.py
■	■	■	■	■	■■■ test_ssa.py
■	■	■	■	■	■■■ test_stencils.py
■	■	■	■	■	■■■ test_store_slice.py
■	■	■	■	■	■■■ test_struct_ref.py
■	■	■	■	■	■■■ test_support.py
■	■	■	■	■	■■■ test_svml.py
■	■	■	■	■	■■■ test_sys_monitoring.py
■	■	■	■	■	■■■ test_sys_stdin_assignment.py
■	■	■	■	■	■■■ test_sysinfo.py


```

■ ■ ■ ■ ■ ■ ■■■ test_target_extension.py
■ ■ ■ ■ ■ ■ ■■■ test_target_overloadselector.py
■ ■ ■ ■ ■ ■ ■■■ test_threadsafety.py
■ ■ ■ ■ ■ ■ ■■■ test_tracing.py
■ ■ ■ ■ ■ ■ ■■■ test_try_except.py
■ ■ ■ ■ ■ ■ ■■■ test_tuples.py
■ ■ ■ ■ ■ ■ ■■■ test_typeconv.py
■ ■ ■ ■ ■ ■ ■■■ test_typedlist.py
■ ■ ■ ■ ■ ■ ■■■ test_typedobjectutils.py
■ ■ ■ ■ ■ ■ ■■■ test_typeguard.py
■ ■ ■ ■ ■ ■ ■■■ test_typeinfer.py
■ ■ ■ ■ ■ ■ ■■■ test_typenames.py
■ ■ ■ ■ ■ ■ ■■■ test_typeof.py
■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■■■ test_typingerror.py
■ ■ ■ ■ ■ ■ ■■■ test_ufuncs.py
■ ■ ■ ■ ■ ■ ■■■ test_unicode.py
■ ■ ■ ■ ■ ■ ■■■ test_unicode_array.py
■ ■ ■ ■ ■ ■ ■■■ test_unicode_names.py
■ ■ ■ ■ ■ ■ ■■■ test_unpack_sequence.py
■ ■ ■ ■ ■ ■ ■■■ test_unpickle_without_module.py
■ ■ ■ ■ ■ ■ ■■■ test_unsafe_intrinsics.py
■ ■ ■ ■ ■ ■ ■■■ test_usecases.py
■ ■ ■ ■ ■ ■ ■■■ test_vectorization.py
■ ■ ■ ■ ■ ■ ■■■ test_vectorization_type_inference.py
■ ■ ■ ■ ■ ■ ■■■ test_warnings.py
■ ■ ■ ■ ■ ■ ■■■ test_withlifting.py
■ ■ ■ ■ ■ ■ ■■■ threading_backend_usecases.py
■ ■ ■ ■ ■ ■ ■■■ typedlist_usecases.py
■ ■ ■ ■ ■ ■ ■■■ usecases.py
■ ■ ■ ■ ■ ■ ■■■ typed
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dictimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dictobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ listobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ typeddict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ typedlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ typedobjectutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dictimpl.py
■ ■ ■ ■ ■ ■ ■■■ dictobject.py
■ ■ ■ ■ ■ ■ ■■■ listobject.py
■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ typeddict.py
■ ■ ■ ■ ■ ■ ■■■ typedlist.py
■ ■ ■ ■ ■ ■ ■■■ typedobjectutils.py
■ ■ ■ ■ ■ ■ ■■■ types
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ numba-0.60.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ LICENSES.third-party
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL

```

```

■ ■ ■ top_level.txt
■ ■ ■ numexpr
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■     ■ ■ ■   cpuinfo.cpython-311.pyc
■ ■ ■     ■ ■ ■   expressions.cpython-311.pyc
■ ■ ■     ■ ■ ■   necompiler.cpython-311.pyc
■ ■ ■     ■ ■ ■   utils.cpython-311.pyc
■ ■ ■     ■ ■ ■   version.cpython-311.pyc
■ ■ ■   complex_functions.hpp
■ ■ ■   cpuinfo.py
■ ■ ■   expressions.py
■ ■ ■   functions.hpp
■ ■ ■   interp_body.cpp
■ ■ ■   interpreter.cpp
■ ■ ■   interpreter.cpython-311-x86_64-linux-gnu.so
■ ■ ■   interpreter.hpp
■ ■ ■   missing_posix_functions.hpp
■ ■ ■   module.cpp
■ ■ ■   module.hpp
■ ■ ■   msvc_function_stubs.hpp
■ ■ ■   necompiler.py
■ ■ ■   numexpr_config.hpp
■ ■ ■   numexpr_object.cpp
■ ■ ■   numexpr_object.hpp
■ ■ ■   opcodes.hpp
■ ■ ■   str-two-way.hpp
■ ■ ■   tests
■ ■ ■     ■ ■ ■   __init__.py
■ ■ ■     ■ ■ ■   __pycache__
■ ■ ■       ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■       ■ ■ ■   test_numexpr.cpython-311.pyc
■ ■ ■     ■ ■ ■   test_numexpr.py
■ ■ ■   utils.py
■ ■ ■   version.py
■ ■ ■   win32
■ ■ ■     ■ ■ ■   pthread.c
■ ■ ■     ■ ■ ■   pthread.h
■ ■ ■     ■ ■ ■   stdint.h
■ ■ ■ numexpr-2.10.2.dist-info
■ ■ ■   AUTHORS.txt
■ ■ ■   INSTALLER
■ ■ ■   LICENSE.txt
■ ■ ■   METADATA
■ ■ ■   RECORD
■ ■ ■   WHEEL
■ ■ ■   top_level.txt
■ ■ ■ numpy
■ ■ ■   LICENSE.txt
■ ■ ■   __config__.py
■ ■ ■   __init__.cython-30.pxd
■ ■ ■   __init__.pxd
■ ■ ■   __init__.py
■ ■ ■   __init__.pyi
■ ■ ■   __pycache__
■ ■ ■     ■ ■ ■   __config__.cpython-311.pyc
■ ■ ■     ■ ■ ■   __init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■	_distributor_init.cpython-311.pyc
■	■	■	■	■	■	■■■	_globals.cpython-311.pyc
■	■	■	■	■	■	■■■	_pytesttester.cpython-311.pyc
■	■	■	■	■	■	■■■	_version.cpython-311.pyc
■	■	■	■	■	■	■■■	conftest.cpython-311.pyc
■	■	■	■	■	■	■■■	ctypeslib.cpython-311.pyc
■	■	■	■	■	■	■■■	dual.cpython-311.pyc
■	■	■	■	■	■	■■■	matlib.cpython-311.pyc
■	■	■	■	■	■	■■■	setup.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■■■	_distributor_init.py	
■	■	■	■	■	■■■	_globals.py	
■	■	■	■	■	■■■	_pyinstaller	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	hook-numpy.cpython-311.pyc
■	■	■	■	■	■	■■■	pyinstaller-smoke.cpython-311.pyc
■	■	■	■	■	■	■■■	test_pyinstaller.cpython-311.pyc
■	■	■	■	■	■■■	hook-numpy.py	
■	■	■	■	■	■■■	pyinstaller-smoke.py	
■	■	■	■	■	■■■	test_pyinstaller.py	
■	■	■	■	■	■■■	_pytesttester.py	
■	■	■	■	■	■■■	_pytesttester.pyi	
■	■	■	■	■	■■■	_typing	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_add_docstring.cpython-311.pyc
■	■	■	■	■	■	■■■	_array_like.cpython-311.pyc
■	■	■	■	■	■	■■■	_char_codes.cpython-311.pyc
■	■	■	■	■	■	■■■	_dtype_like.cpython-311.pyc
■	■	■	■	■	■	■■■	_extended_precision.cpython-311.pyc
■	■	■	■	■	■	■■■	_generic_alias.cpython-311.pyc
■	■	■	■	■	■	■■■	_nbit.cpython-311.pyc
■	■	■	■	■	■	■■■	_nested_sequence.cpython-311.pyc
■	■	■	■	■	■	■■■	_scalars.cpython-311.pyc
■	■	■	■	■	■	■■■	_shape.cpython-311.pyc
■	■	■	■	■	■	■■■	setup.cpython-311.pyc
■	■	■	■	■	■■■	_add_docstring.py	
■	■	■	■	■	■■■	_array_like.py	
■	■	■	■	■	■■■	_callable.pyi	
■	■	■	■	■	■■■	_char_codes.py	
■	■	■	■	■	■■■	_dtype_like.py	
■	■	■	■	■	■■■	_extended_precision.py	
■	■	■	■	■	■■■	_generic_alias.py	
■	■	■	■	■	■■■	_nbit.py	
■	■	■	■	■	■■■	_nested_sequence.py	
■	■	■	■	■	■■■	_scalars.py	
■	■	■	■	■	■■■	_shape.py	
■	■	■	■	■	■■■	_ufunc.pyi	
■	■	■	■	■	■■■	setup.py	
■	■	■	■	■	■■■	_version.py	
■	■	■	■	■	■■■	array_api	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_array_object.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■■■ _constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _creation_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _data_type_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _elementwise_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _manipulation_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _searching_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _set_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _sorting_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _statistical_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _utility_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _array_object.py
■ ■ ■ ■ ■ ■ ■ ■■■ _constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ _creation_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _data_type_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _dtypes.py
■ ■ ■ ■ ■ ■ ■ ■■■ _elementwise_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _manipulation_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _searching_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _set_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _sorting_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _statistical_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _typing.py
■ ■ ■ ■ ■ ■ ■ ■■■ _utility_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_creation_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_data_type_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_elementwise_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_set_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_object.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_creation_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_data_type_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_elementwise_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_set_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_validation.py
■ ■ ■ ■ ■ ■ ■ ■■■ compat
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _inspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pep440.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ py3k.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _inspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ _pep440.py
■ ■ ■ ■ ■ ■ ■ ■■■ py3k.py

```

[illegible]

```

■■■ _rational_tests.cpython-311-x86_64-linux-gnu.so
■■■ _simd.cpython-311-x86_64-linux-gnu.so
■■■ _string_helpers.py
■■■ _struct_ufunc_tests.cpython-311-x86_64-linux-gnu.so
■■■ _type_aliases.py
■■■ _type_aliases.pyi
■■■ _ufunc_config.py
■■■ _ufunc_config.pyi
■■■ _umath_tests.cpython-311-x86_64-linux-gnu.so
■■■ arrayprint.py
■■■ arrayprint.pyi
■■■ cversions.py
■■■ defchararray.py
■■■ defchararray.pyi
■■■ einsumfunc.py
■■■ einsumfunc.pyi
■■■ fromnumeric.py
■■■ fromnumeric.pyi
■■■ function_base.py
■■■ function_base.pyi
■■■ generate_numpy_api.py
■■■ getlimits.py
■■■ getlimits.pyi
■■■ include
■■■ numpy
■■■ .doxyfile
■■■ __multiarray_api.h
■■■ __ufunc_api.h
■■■ _neighborhood_iterator_imp.h
■■■ _numpyconfig.h
■■■ arrayobject.h
■■■ arrayscalars.h
■■■ experimental_dtype_api.h
■■■ halffloat.h
■■■ libdivide
■■■ LICENSE.txt
■■■ libdivide.h
■■■ multiarray_api.txt
■■■ ndarrayobject.h
■■■ ndarraytypes.h
■■■ noprefix.h
■■■ npy_1_7_deprecated_api.h
■■■ npy_3kcompat.h
■■■ npy_common.h
■■■ npy_cpu.h
■■■ npy_endian.h
■■■ npy_interrupt.h
■■■ npy_math.h
■■■ npy_no_deprecated_api.h
■■■ npy_os.h
■■■ numpyconfig.h
■■■ old_defines.h
■■■ oldnumeric.h
■■■ random
■■■ bitgen.h
■■■ distributions.h
■■■ ufunc_api.txt
■■■ ufuncobject.h

```



```

■      ■      ■      ■      ■      ■      ■      ■      test_machar.cpython-311.pyc
■■■■   test_mem_overlap.cpython-311.pyc
■■■■   test_mem_policy.cpython-311.pyc
■■■■   test_mmap.cpython-311.pyc
■■■■   test_multiarray.cpython-311.pyc
■■■■   test_nditer.cpython-311.pyc
■■■■   test_nep50_promotions.cpython-311.pyc
■■■■   test_numeric.cpython-311.pyc
■■■■   test_numerictypes.cpython-311.pyc
■■■■   test_overrides.cpython-311.pyc
■■■■   test_print.cpython-311.pyc
■■■■   test_protocols.cpython-311.pyc
■■■■   test_records.cpython-311.pyc
■■■■   test_regression.cpython-311.pyc
■■■■   test_scalar_ctors.cpython-311.pyc
■■■■   test_scalar_methods.cpython-311.pyc
■■■■   test_scalarbuffer.cpython-311.pyc
■■■■   test_sclarinherit.cpython-311.pyc
■■■■   test_scalarmath.cpython-311.pyc
■■■■   test_scalarprint.cpython-311.pyc
■■■■   test_shape_base.cpython-311.pyc
■■■■   test_simd.cpython-311.pyc
■■■■   test_simd_module.cpython-311.pyc
■■■■   test_strings.cpython-311.pyc
■■■■   test_ufunc.cpython-311.pyc
■■■■   test_umath.cpython-311.pyc
■■■■   test_umath_accuracy.cpython-311.pyc
■■■■   test_umath_complex.cpython-311.pyc
■■■■   test_unicode.cpython-311.pyc
■■■■   _locales.py
■■■■   data
■      ■■■■ astype_copy.pkl
■      ■■■■ generate_umath_validation_data.cpp
■      ■■■■ recarray_from_file.fits
■      ■■■■ umath-validation-set-README.txt
■      ■■■■ umath-validation-set-arccos.csv
■      ■■■■ umath-validation-set-arccosh.csv
■      ■■■■ umath-validation-set-arcsin.csv
■      ■■■■ umath-validation-set-arcsinh.csv
■      ■■■■ umath-validation-set-arctan.csv
■      ■■■■ umath-validation-set-arctanh.csv
■      ■■■■ umath-validation-set-cbrt.csv
■      ■■■■ umath-validation-set-cos.csv
■      ■■■■ umath-validation-set-cosh.csv
■      ■■■■ umath-validation-set-exp.csv
■      ■■■■ umath-validation-set-exp2.csv
■      ■■■■ umath-validation-set-expm1.csv
■      ■■■■ umath-validation-set-log.csv
■      ■■■■ umath-validation-set-log10.csv
■      ■■■■ umath-validation-set-log1p.csv
■      ■■■■ umath-validation-set-log2.csv
■      ■■■■ umath-validation-set-sin.csv
■      ■■■■ umath-validation-set-sinh.csv
■      ■■■■ umath-validation-set-tan.csv
■      ■■■■ umath-validation-set-tanh.csv
■■■■   examples
■      ■■■■ cython
■      ■      ■■■■ __pycache__

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarmath.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarprint.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_simd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_simd_module.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_strings.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunc.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_umath.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_umath_accuracy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_umath_complex.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_unicode.py
■ ■ ■ ■ ■ ■ ■ ■■■ umath.py
■ ■ ■ ■ ■ ■ ■ ■■■ umath_tests.py
■ ■ ■ ■ ■ ■ ■■■■ ctypeslib.py
■ ■ ■ ■ ■ ■ ■■■■ ctypeslib.pyi
■ ■ ■ ■ ■ ■ ■■■■ distutils
■ ■ ■ ■ ■ ■ ■ ■■■ __config__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __config__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _shell_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ armccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv_template.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cpuinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exec_command.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ from_template.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ intelccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lib2def.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ line_endings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ log.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mingw32ccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ misc_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ msvc9compiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ msvccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ npy_pkg_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numpy_distribution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pathccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ system_info.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unixccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _shell_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ armccompiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ checks
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimd.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimddp.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimdfhm.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimdhp.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_avx.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_avx2.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_avx512_clx.c

```

■	■	■	■	■	■	■	■■■	cpu_avx512_cnl.c
■	■	■	■	■	■	■	■■■	cpu_avx512_icl.c
■	■	■	■	■	■	■	■■■	cpu_avx512_knl.c
■	■	■	■	■	■	■	■■■	cpu_avx512_knm.c
■	■	■	■	■	■	■	■■■	cpu_avx512_skx.c
■	■	■	■	■	■	■	■■■	cpu_avx512cd.c
■	■	■	■	■	■	■	■■■	cpu_avx512f.c
■	■	■	■	■	■	■	■■■	cpu_f16c.c
■	■	■	■	■	■	■	■■■	cpu_fma3.c
■	■	■	■	■	■	■	■■■	cpu_fma4.c
■	■	■	■	■	■	■	■■■	cpu_neon.c
■	■	■	■	■	■	■	■■■	cpu_neon_fp16.c
■	■	■	■	■	■	■	■■■	cpu_neon_vfpv4.c
■	■	■	■	■	■	■	■■■	cpu_popcnt.c
■	■	■	■	■	■	■	■■■	cpu_sse.c
■	■	■	■	■	■	■	■■■	cpu_sse2.c
■	■	■	■	■	■	■	■■■	cpu_sse3.c
■	■	■	■	■	■	■	■■■	cpu_sse41.c
■	■	■	■	■	■	■	■■■	cpu_sse42.c
■	■	■	■	■	■	■	■■■	cpu_ssse3.c
■	■	■	■	■	■	■	■■■	cpu_vsx.c
■	■	■	■	■	■	■	■■■	cpu_vsx2.c
■	■	■	■	■	■	■	■■■	cpu_vsx3.c
■	■	■	■	■	■	■	■■■	cpu_vsx4.c
■	■	■	■	■	■	■	■■■	cpu_vx.c
■	■	■	■	■	■	■	■■■	cpu_vxe.c
■	■	■	■	■	■	■	■■■	cpu_vxe2.c
■	■	■	■	■	■	■	■■■	cpu_xop.c
■	■	■	■	■	■	■	■■■	extra_avx512bw_mask.c
■	■	■	■	■	■	■	■■■	extra_avx512dq_mask.c
■	■	■	■	■	■	■	■■■	extra_avx512f_reduce.c
■	■	■	■	■	■	■	■■■	extra_vsx4_mma.c
■	■	■	■	■	■	■	■■■	extra_vsx_asm.c
■	■	■	■	■	■	■	■■■	test_flags.c
■	■	■	■	■	■	■■■	command	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	autodist.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bdist_rpm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_clib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_ext.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_scripts.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_src.cpython-311.pyc
■	■	■	■	■	■	■	■■■	config.cpython-311.pyc
■	■	■	■	■	■	■	■■■	config_compiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	develop.cpython-311.pyc
■	■	■	■	■	■	■	■■■	egg_info.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install_clib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install_data.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install_headers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sdist.cpython-311.pyc
■	■	■	■	■	■	■■■	autodist.py	
■	■	■	■	■	■	■■■	bdist_rpm.py	
■	■	■	■	■	■	■■■	build.py	

■	■	■	■	■	■	■	■■■ build_clib.py
■	■	■	■	■	■	■	■■■ build_ext.py
■	■	■	■	■	■	■	■■■ build_py.py
■	■	■	■	■	■	■	■■■ build_scripts.py
■	■	■	■	■	■	■	■■■ build_src.py
■	■	■	■	■	■	■	■■■ config.py
■	■	■	■	■	■	■	■■■ config_compiler.py
■	■	■	■	■	■	■	■■■ develop.py
■	■	■	■	■	■	■	■■■ egg_info.py
■	■	■	■	■	■	■	■■■ install.py
■	■	■	■	■	■	■	■■■ install_clib.py
■	■	■	■	■	■	■	■■■ install_data.py
■	■	■	■	■	■	■	■■■ install_headers.py
■	■	■	■	■	■	■	■■■ sdist.py
■	■	■	■	■	■	■■■	conv_template.py
■	■	■	■	■	■	■■■	core.py
■	■	■	■	■	■	■■■	cpuinfo.py
■	■	■	■	■	■	■■■	exec_command.py
■	■	■	■	■	■	■■■	extension.py
■	■	■	■	■	■	■■■	fcompiler
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ absoft.cpython-311.pyc
■	■	■	■	■	■	■	■■■ arm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compaq.cpython-311.pyc
■	■	■	■	■	■	■	■■■ environment.cpython-311.pyc
■	■	■	■	■	■	■	■■■ fujitsu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ g95.cpython-311.pyc
■	■	■	■	■	■	■	■■■ gnu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hpux.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ibm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ intel.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lahey.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mips.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nag.cpython-311.pyc
■	■	■	■	■	■	■	■■■ none.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nv.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pathf95.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pg.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sun.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vast.cpython-311.pyc
■	■	■	■	■	■	■■■	absoft.py
■	■	■	■	■	■	■■■	arm.py
■	■	■	■	■	■	■■■	compaq.py
■	■	■	■	■	■	■■■	environment.py
■	■	■	■	■	■	■■■	fujitsu.py
■	■	■	■	■	■	■■■	g95.py
■	■	■	■	■	■	■■■	gnu.py
■	■	■	■	■	■	■■■	hpux.py
■	■	■	■	■	■	■■■	ibm.py
■	■	■	■	■	■	■■■	intel.py
■	■	■	■	■	■	■■■	lahey.py
■	■	■	■	■	■	■■■	mips.py
■	■	■	■	■	■	■■■	nag.py
■	■	■	■	■	■	■■■	none.py
■	■	■	■	■	■	■■■	nv.py
■	■	■	■	■	■	■■■	pathf95.py


```

■ ■ ■ ■ constants.cpython-311.pyc
■ ■ ■ ■ ufuncs.cpython-311.pyc
■ ■ ■ ■ constants.py
■ ■ ■ ■ ufuncs.py
■ ■ ■ dual.py
■ ■ ■ f2py
■ ■ ■ __init__.py
■ ■ ■ __init__.pyi
■ ■ ■ __main__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ __version__.cpython-311.pyc
■ ■ ■ auxfuncs.cpython-311.pyc
■ ■ ■ capi_maps.cpython-311.pyc
■ ■ ■ cb_rules.cpython-311.pyc
■ ■ ■ cfuncs.cpython-311.pyc
■ ■ ■ common_rules.cpython-311.pyc
■ ■ ■ crackfortran.cpython-311.pyc
■ ■ ■ diagnose.cpython-311.pyc
■ ■ ■ f2py2e.cpython-311.pyc
■ ■ ■ f90mod_rules.cpython-311.pyc
■ ■ ■ func2subr.cpython-311.pyc
■ ■ ■ rules.cpython-311.pyc
■ ■ ■ setup.cpython-311.pyc
■ ■ ■ symbolic.cpython-311.pyc
■ ■ ■ use_rules.cpython-311.pyc
■ ■ ■ __version__.py
■ ■ ■ auxfuncs.py
■ ■ ■ capi_maps.py
■ ■ ■ cb_rules.py
■ ■ ■ cfuncs.py
■ ■ ■ common_rules.py
■ ■ ■ crackfortran.py
■ ■ ■ diagnose.py
■ ■ ■ f2py2e.py
■ ■ ■ f90mod_rules.py
■ ■ ■ func2subr.py
■ ■ ■ rules.py
■ ■ ■ setup.py
■ ■ ■ src
■ ■ ■ fortranobject.c
■ ■ ■ fortranobject.h
■ ■ ■ symbolic.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_abstract_interface.cpython-311.pyc
■ ■ ■ test_array_from_pyobj.cpython-311.pyc
■ ■ ■ test_assumed_shape.cpython-311.pyc
■ ■ ■ test_block_docstring.cpython-311.pyc
■ ■ ■ test_callback.cpython-311.pyc
■ ■ ■ test_character.cpython-311.pyc
■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ test_compile_function.cpython-311.pyc
■ ■ ■ test_crackfortran.cpython-311.pyc
■ ■ ■ test_docs.cpython-311.pyc

```

```

test_f2cmap.cpython-311.pyc
test_f2py2e.cpython-311.pyc
test_kind.cpython-311.pyc
test_mixed.cpython-311.pyc
test_module_doc.cpython-311.pyc
test_parameter.cpython-311.pyc
test_quoted_character.cpython-311.pyc
test_regression.cpython-311.pyc
test_return_character.cpython-311.pyc
test_return_complex.cpython-311.pyc
test_return_integer.cpython-311.pyc
test_return_logical.cpython-311.pyc
test_return_real.cpython-311.pyc
test_semicolon_split.cpython-311.pyc
test_size.cpython-311.pyc
test_string.cpython-311.pyc
test_symbolic.cpython-311.pyc
test_value_attrspect.cpython-311.pyc
util.cpython-311.pyc
src
abstract_interface
    foo.f90
    gh18403_mod.f90
array_from_pyobj
    wrapmodule.c
assumed_shape
    .f2py_f2cmap
    foo_free.f90
    foo_mod.f90
    foo_use.f90
    precision.f90
block_docstring
    foo.f
callback
    foo.f
    gh17797.f90
    gh18335.f90
cli
    hi77.f
    hiworld.f90
common
    block.f
crackfortran
    accesstype.f90
    foo_deps.f90
    gh15035.f
    gh17859.f
    gh2848.f90
    operators.f90
    privatemod.f90
    publicmod.f90
    pubprivmod.f90
f2cmap
    .f2py_f2cmap
    isoFortranEnvMap.f90
kind
    foo.f90
mixed

```

■	■	■	■	■	■	■	■	■	■■■	foo.f
■	■	■	■	■	■	■	■	■	■■■	foo_fixed.f90
■	■	■	■	■	■	■	■	■	■■■	foo_free.f90
■	■	■	■	■	■	■	■	■■■	module_data	
■	■	■	■	■	■	■	■	■	■■■	mod.mod
■	■	■	■	■	■	■	■	■	■■■	module_data_docstring.f90
■	■	■	■	■	■	■	■	■■■	negative_bounds	
■	■	■	■	■	■	■	■	■	■■■	issue_20853.f90
■	■	■	■	■	■	■	■	■■■	parameter	
■	■	■	■	■	■	■	■	■	■■■	constant_both.f90
■	■	■	■	■	■	■	■	■	■■■	constant_compound.f90
■	■	■	■	■	■	■	■	■	■■■	constant_integer.f90
■	■	■	■	■	■	■	■	■	■■■	constant_non_compound.f90
■	■	■	■	■	■	■	■	■	■■■	constant_real.f90
■	■	■	■	■	■	■	■	■■■	quoted_character	
■	■	■	■	■	■	■	■	■	■■■	foo.f
■	■	■	■	■	■	■	■	■■■	regression	
■	■	■	■	■	■	■	■	■	■■■	inout.f90
■	■	■	■	■	■	■	■	■■■	return_character	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_complex	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_integer	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_logical	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_real	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	size	
■	■	■	■	■	■	■	■	■	■■■	foo.f90
■	■	■	■	■	■	■	■	■■■	string	
■	■	■	■	■	■	■	■	■	■■■	char.f90
■	■	■	■	■	■	■	■	■	■■■	fixed_string.f90
■	■	■	■	■	■	■	■	■	■■■	string.f
■	■	■	■	■	■	■	■	■■■	value_attrspec	
■	■	■	■	■	■	■	■	■	■■■	gh21665.f90
■	■	■	■	■	■	■	■	■■■	test_abstract_interface.py	
■	■	■	■	■	■	■	■	■■■	test_array_from_pyobj.py	
■	■	■	■	■	■	■	■	■■■	test_assumed_shape.py	
■	■	■	■	■	■	■	■	■■■	test_block_docstring.py	
■	■	■	■	■	■	■	■	■■■	test_callback.py	
■	■	■	■	■	■	■	■	■■■	test_character.py	
■	■	■	■	■	■	■	■	■■■	test_common.py	
■	■	■	■	■	■	■	■	■■■	test_compile_function.py	
■	■	■	■	■	■	■	■	■■■	test_crackfortran.py	
■	■	■	■	■	■	■	■	■■■	test_docs.py	
■	■	■	■	■	■	■	■	■■■	test_f2cmap.py	
■	■	■	■	■	■	■	■	■■■	test_f2py2e.py	
■	■	■	■	■	■	■	■	■■■	test_kind.py	
■	■	■	■	■	■	■	■	■■■	test_mixed.py	
■	■	■	■	■	■	■	■	■■■	test_module_doc.py	
■	■	■	■	■	■	■	■	■■■	test_parameter.py	
■	■	■	■	■	■	■	■	■■■	test_quoted_character.py	


```

■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_character.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_complex.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_integer.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_logical.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_real.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_semicolon_split.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_size.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_string.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_symbolic.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_value_attrspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ use_rules.py
■ ■ ■ ■ ■ ■ ■■■■ fft
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft.py
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft_internal.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ helper.py
■ ■ ■ ■ ■ ■ ■ ■■■ helper.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pocketfft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_helper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pocketfft.py
■ ■ ■ ■ ■ ■ ■■■■ lib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _datasource.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _iotools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arraypad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arraysetops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arrayiterator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ function_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ histograms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ index_tricks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nanfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ npyio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ polynomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ recfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scimath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shape_base.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ stride_tricks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ twodim_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ufunclike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ user_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _datasource.py
■ ■ ■ ■ ■ ■ ■■■■ _iotools.py
■ ■ ■ ■ ■ ■ ■■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■■ _version.pyi
■ ■ ■ ■ ■ ■ ■■■■ arraypad.py
■ ■ ■ ■ ■ ■ ■■■■ arraypad.pyi
■ ■ ■ ■ ■ ■ ■■■■ arraysetops.py
■ ■ ■ ■ ■ ■ ■■■■ arraysetops.pyi
■ ■ ■ ■ ■ ■ ■■■■ arrayiterator.py
■ ■ ■ ■ ■ ■ ■■■■ arrayiterator.pyi
■ ■ ■ ■ ■ ■ ■■■■ format.py
■ ■ ■ ■ ■ ■ ■■■■ format.pyi
■ ■ ■ ■ ■ ■ ■■■■ function_base.py
■ ■ ■ ■ ■ ■ ■■■■ function_base.pyi
■ ■ ■ ■ ■ ■ ■■■■ histograms.py
■ ■ ■ ■ ■ ■ ■■■■ histograms.pyi
■ ■ ■ ■ ■ ■ ■■■■ index_tricks.py
■ ■ ■ ■ ■ ■ ■■■■ index_tricks.pyi
■ ■ ■ ■ ■ ■ ■■■■ mixins.py
■ ■ ■ ■ ■ ■ ■■■■ mixins.pyi
■ ■ ■ ■ ■ ■ ■■■■ nanfunctions.py
■ ■ ■ ■ ■ ■ ■■■■ nanfunctions.pyi
■ ■ ■ ■ ■ ■ ■■■■ npyio.py
■ ■ ■ ■ ■ ■ ■■■■ npyio.pyi
■ ■ ■ ■ ■ ■ ■■■■ polynomial.py
■ ■ ■ ■ ■ ■ ■■■■ polynomial.pyi
■ ■ ■ ■ ■ ■ ■■■■ recfunctions.py
■ ■ ■ ■ ■ ■ ■■■■ scimath.py
■ ■ ■ ■ ■ ■ ■■■■ scimath.pyi
■ ■ ■ ■ ■ ■ ■■■■ setup.py
■ ■ ■ ■ ■ ■ ■■■■ shape_base.py
■ ■ ■ ■ ■ ■ ■■■■ shape_base.pyi
■ ■ ■ ■ ■ ■ ■■■■ stride_tricks.py
■ ■ ■ ■ ■ ■ ■■■■ stride_tricks.pyi
■ ■ ■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test__datasource.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test__iotools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test__version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_arraypad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_arraysetops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_arrayiterator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_financial_expired.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_function_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_histograms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_index_tricks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_loadtxt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_mixins.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nanfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_packbits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_polynomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_recfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_stride_tricks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_twodim_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_type_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunclike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py2-objarr.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py2-objarr.npz
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py3-objarr.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py3-objarr.npz
■ ■ ■ ■ ■ ■ ■ ■ ■■■ python3.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ win64python2.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test__datasource.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test__iotools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test__version.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_arraypad.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_arraysetops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_arrayiterator.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_financial_expired.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_format.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_function_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_histograms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_index_tricks.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_io.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_loadtxt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mixins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nanfunctions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_packbits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_polynomial.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_recfunctions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_stride_tricks.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_twodim_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_type_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunclike.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ twodim_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ twodim_base.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ type_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ type_check.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ufunclike.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ufunclike.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ user_array.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ utils.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      setup.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _umath_linalg.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■ lapack_lite.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■ linalg.py
■      ■      ■      ■      ■      ■      ■■■ linalg.pyi
■      ■      ■      ■      ■      ■      ■■■ setup.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■    ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■    ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■    ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■    ■■■ test_deprecations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■    ■■■ test_linalg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■    ■■■ test_regression.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_deprecations.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_linalg.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_regression.py
■      ■      ■      ■      ■      ■■■ ma
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __init__.pyi
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■    ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ bench.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ core.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ extras.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ mrecords.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ setup.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ testutils.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ timer_comparison.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ bench.py
■      ■      ■      ■      ■      ■■■ core.py
■      ■      ■      ■      ■      ■■■ core.pyi
■      ■      ■      ■      ■      ■■■ extras.py
■      ■      ■      ■      ■      ■■■ extras.pyi
■      ■      ■      ■      ■      ■■■ mrecords.py
■      ■      ■      ■      ■      ■■■ mrecords.pyi
■      ■      ■      ■      ■      ■■■ setup.py
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■    ■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■    ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_deprecations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_mrecords.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_old_ma.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_regression.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    ■■■ test_subclassing.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ test_core.py
■      ■      ■      ■      ■      ■■■ test_deprecations.py
■      ■      ■      ■      ■      ■■■ test_extras.py
■      ■      ■      ■      ■      ■■■ test_mrecords.py
■      ■      ■      ■      ■      ■■■ test_old_ma.py
■      ■      ■      ■      ■      ■■■ test_regression.py
■      ■      ■      ■      ■      ■■■ test_subclassing.py
■      ■      ■      ■      ■■■ testutils.py
■      ■      ■      ■      ■■■ timer_comparison.py
■      ■      ■      ■■■ matplotlib
■      ■      ■■■ matrixlib

```

```

■■■ __init__.py
■■■ __init__.pyi
■■■ __pycache__
■    ■■■ __init__.cpython-311.pyc
■    ■■■ defmatrix.cpython-311.pyc
■    ■■■ setup.cpython-311.pyc
■■■ defmatrix.py
■■■ defmatrix.pyi
■■■ setup.py
■■■ tests
■    ■■■ __init__.py
■    ■■■ __pycache__
■        ■■■ __init__.cpython-311.pyc
■        ■■■ test_defmatrix.cpython-311.pyc
■        ■■■ test_interaction.cpython-311.pyc
■        ■■■ test_masked_matrix.cpython-311.pyc
■        ■■■ test_matrix_linalg.cpython-311.pyc
■        ■■■ test_multiarray.cpython-311.pyc
■        ■■■ test_numeric.cpython-311.pyc
■        ■■■ test_regression.cpython-311.pyc
■■■ test_defmatrix.py
■■■ test_interaction.py
■■■ test_masked_matrix.py
■■■ test_matrix_linalg.py
■■■ test_multiarray.py
■■■ test_numeric.py
■■■ test_regression.py
■■■ polynomial
■    ■■■ __init__.py
■    ■■■ __init__.pyi
■    ■■■ __pycache__
■        ■■■ __init__.cpython-311.pyc
■        ■■■ _polybase.cpython-311.pyc
■        ■■■ chebyshev.cpython-311.pyc
■        ■■■ hermite.cpython-311.pyc
■        ■■■ hermite_e.cpython-311.pyc
■        ■■■ laguerre.cpython-311.pyc
■        ■■■ legendre.cpython-311.pyc
■        ■■■ polynomial.cpython-311.pyc
■        ■■■ polyutils.cpython-311.pyc
■        ■■■ setup.cpython-311.pyc
■■■ _polybase.py
■■■ _polybase.pyi
■■■ chebyshev.py
■■■ chebyshev.pyi
■■■ hermite.py
■■■ hermite.pyi
■■■ hermite_e.py
■■■ hermite_e.pyi
■■■ laguerre.py
■■■ laguerre.pyi
■■■ legendre.py
■■■ legendre.pyi
■■■ polynomial.py
■■■ polynomial.pyi
■■■ polyutils.py
■■■ polyutils.pyi
■■■ setup.py

```

```

■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_chebyshev.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_classes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_hermite.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_hermite_e.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_laguerre.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_legendre.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_polynomial.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_polyutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_printing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_symbol.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_chebyshev.py
■      ■      ■      ■      ■      ■      ■      test_classes.py
■      ■      ■      ■      ■      ■      ■      test_hermite.py
■      ■      ■      ■      ■      ■      ■      test_hermite_e.py
■      ■      ■      ■      ■      ■      ■      test_laguerre.py
■      ■      ■      ■      ■      ■      ■      test_legendre.py
■      ■      ■      ■      ■      ■      ■      test_polynomial.py
■      ■      ■      ■      ■      ■      ■      test_polyutils.py
■      ■      ■      ■      ■      ■      ■      test_printing.py
■      ■      ■      ■      ■      ■      ■      test_symbol.py
■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      random
■      ■      ■      ■      ■      ■      ■      __init__.pxd
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pickle.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      setup.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _bounded_integers.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _bounded_integers.pxd
■      ■      ■      ■      ■      ■      ■      _common.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _common.pxd
■      ■      ■      ■      ■      ■      ■      _examples
■      ■      ■      ■      ■      ■      ■      cffi
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      extending.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      parse.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      extending.py
■      ■      ■      ■      ■      ■      ■      parse.py
■      ■      ■      ■      ■      ■      ■      cython
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      setup.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      extending.pyx
■      ■      ■      ■      ■      ■      ■      ■      extending_distributions.pyx
■      ■      ■      ■      ■      ■      ■      ■      setup.py
■      ■      ■      ■      ■      ■      ■      numba
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      extending.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      extending_distributions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      extending.py
■      ■      ■      ■      ■      ■      ■      ■      extending_distributions.py
■      ■      ■      ■      ■      ■      ■      _generator.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _generator.pyi

```

■	■	■	■	■	■	■■■■	_mt19937.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_mt19937.pyi
■	■	■	■	■	■	■■■■	_pcg64.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_pcg64.pyi
■	■	■	■	■	■	■■■■	_philox.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_philox.pyi
■	■	■	■	■	■	■■■■	_pickle.py
■	■	■	■	■	■	■■■■	_sfc64.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_sfc64.pyi
■	■	■	■	■	■	■■■■	bit_generator.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	bit_generator.pxd
■	■	■	■	■	■	■■■■	bit_generator.pyi
■	■	■	■	■	■	■■■■	c_distributions.pxd
■	■	■	■	■	■	■■■■	lib
■	■	■	■	■	■	■■■■	libnpyparandom.a
■	■	■	■	■	■	■■■■	mtrand.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	mtrand.pyi
■	■	■	■	■	■	■■■■	setup.py
■	■	■	■	■	■	■■■■	tests
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_direct.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_extending.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_generator_mt19937.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_generator_mt19937_regressions.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_randomstate.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_randomstate_regression.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_regression.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_seed_sequence.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_smoke.cpython-311.pyc
■	■	■	■	■	■	■■■■	data
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	mt19937-testset-1.csv
■	■	■	■	■	■	■■■■	mt19937-testset-2.csv
■	■	■	■	■	■	■■■■	pcg64-testset-1.csv
■	■	■	■	■	■	■■■■	pcg64-testset-2.csv
■	■	■	■	■	■	■■■■	pcg64dxsm-testset-1.csv
■	■	■	■	■	■	■■■■	pcg64dxsm-testset-2.csv
■	■	■	■	■	■	■■■■	philox-testset-1.csv
■	■	■	■	■	■	■■■■	philox-testset-2.csv
■	■	■	■	■	■	■■■■	sfc64-testset-1.csv
■	■	■	■	■	■	■■■■	sfc64-testset-2.csv
■	■	■	■	■	■	■■■■	test_direct.py
■	■	■	■	■	■	■■■■	test_extending.py
■	■	■	■	■	■	■■■■	test_generator_mt19937.py
■	■	■	■	■	■	■■■■	test_generator_mt19937_regressions.py
■	■	■	■	■	■	■■■■	test_random.py
■	■	■	■	■	■	■■■■	test_randomstate.py
■	■	■	■	■	■	■■■■	test_randomstate_regression.py
■	■	■	■	■	■	■■■■	test_regression.py
■	■	■	■	■	■	■■■■	test_seed_sequence.py
■	■	■	■	■	■	■■■■	test_smoke.py
■	■	■	■	■	■■■■	setup.py	
■	■	■	■	■	■■■■	testing	

```

    __init__.py
    __init__.pyc
    __pycache__
    __init__.cpython-311.pyc
    print_coercion_tables.cpython-311.pyc
    setup.cpython-311.pyc
    utils.cpython-311.pyc
    _private
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    decorators.cpython-311.pyc
    extbuild.cpython-311.pyc
    noseclasses.cpython-311.pyc
    nosetester.cpython-311.pyc
    parameterized.cpython-311.pyc
    utils.cpython-311.pyc
    decorators.py
    extbuild.py
    noseclasses.py
    nosetester.py
    parameterized.py
    utils.py
    utils.pyi
    print_coercion_tables.py
    setup.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_doctest.cpython-311.pyc
    test_utils.cpython-311.pyc
    test_doctest.py
    test_utils.py
    utils.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_all.cpython-311.pyc
    test_ctypeslib.cpython-311.pyc
    test_lazyloading.cpython-311.pyc
    test_matlib.cpython-311.pyc
    test_numpy_version.cpython-311.pyc
    test_public_api.cpython-311.pyc
    test_reloading.cpython-311.pyc
    test_scripts.cpython-311.pyc
    test_warnings.cpython-311.pyc
    test_all.py
    test_ctypeslib.py
    test_lazyloading.py
    test_matlib.py
    test_numpy_version.py
    test_public_api.py
    test_reloading.py
    test_scripts.py
    test_warnings.py
    typing

```



```

■■■ ufunc_config.pyi
■■■ ufunclike.pyi
■■■ ufuncs.pyi
■■■ warnings_and_errors.pyi
■■■ misc
■■■ extended_precision.pyi
■■■ mypy.ini
■■■ pass
■■■ __pycache__
■■■ arithmetic.cpython-311.pyc
■■■ array_constructors.cpython-311.pyc
■■■ array_like.cpython-311.pyc
■■■ arrayprint.cpython-311.pyc
■■■ arrayiterator.cpython-311.pyc
■■■ bitwise_ops.cpython-311.pyc
■■■ comparisons.cpython-311.pyc
■■■ dtype.cpython-311.pyc
■■■ einsumfunc.cpython-311.pyc
■■■ flatiter.cpython-311.pyc
■■■ fromnumeric.cpython-311.pyc
■■■ index_tricks.cpython-311.pyc
■■■ lib_utils.cpython-311.pyc
■■■ lib_version.cpython-311.pyc
■■■ literal.cpython-311.pyc
■■■ mod.cpython-311.pyc
■■■ modules.cpython-311.pyc
■■■ multiarray.cpython-311.pyc
■■■ ndarray_conversion.cpython-311.pyc
■■■ ndarray_misc.cpython-311.pyc
■■■ ndarray_shape_manipulation.cpython-311.pyc
■■■ numeric.cpython-311.pyc
■■■ numerictypes.cpython-311.pyc
■■■ random.cpython-311.pyc
■■■ scalars.cpython-311.pyc
■■■ simple.cpython-311.pyc
■■■ simple_py3.cpython-311.pyc
■■■ ufunc_config.cpython-311.pyc
■■■ ufunclike.cpython-311.pyc
■■■ ufuncs.cpython-311.pyc
■■■ warnings_and_errors.cpython-311.pyc
■■■ arithmetic.py
■■■ array_constructors.py
■■■ array_like.py
■■■ arrayprint.py
■■■ arrayiterator.py
■■■ bitwise_ops.py
■■■ comparisons.py
■■■ dtype.py
■■■ einsumfunc.py
■■■ flatiter.py
■■■ fromnumeric.py
■■■ index_tricks.py
■■■ lib_utils.py
■■■ lib_version.py
■■■ literal.py
■■■ mod.py
■■■ modules.py
■■■ multiarray.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_shape_manipulation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numeric.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numerictypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scalars.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ simple.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ simple_py3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ufunc_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ufunclike.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ufuncs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ warnings_and_errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ reveal
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arithmetic.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ array_constructors.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arraypad.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arrayprint.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arraysetops.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arrayiterator.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bitwise_ops.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ char.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ chararray.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ comparisons.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ constants.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctypeslib.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ datasource.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dtype.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ einsumfunc.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ emath.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ false_positives.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fft.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flatiter.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fromnumeric.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ getlimits.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ histograms.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_tricks.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_function_base.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_polynomial.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_utils.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_version.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mmap.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mod.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modules.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ multiarray.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nbit_base_example.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_conversion.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_misc.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_shape_manipulation.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nditer.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nested_sequence.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ npyio.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numeric.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numerictypes.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rec.pyi
```

[illegible]

```

__init__.cpython-311.pyc
cublas
  include
    cublas.h
    cublasLt.h
    cublasXt.h
    cublas_api.h
    cublas_v2.h
    nvblas.h
  lib
    libcublas.so.11
    libcublasLt.so.11
    libnvblas.so.11
cuda_cupti
  extras
    CUPTI
      include
        Openacc
          cupti_openacc.h
        Openmp
          cupti_openmp.h
          omp-tools.h
        cuda_stdint.h
        cupti.h
        cupti_activity.h
        cupti_callbacks.h
        cupti_checkpoint.h
        cupti_driver_cbid.h
        cupti_events.h
        cupti_metrics.h
        cupti_nvtx_cbid.h
        cupti_pcsampling.h
        cupti_pcsampling_util.h
        cupti_profiler_target.h
        cupti_result.h
        cupti_runtime_cbid.h
        cupti_target.h
        cupti_version.h
        generated_cudaGL_meta.h
        generated_cudaVDPau_meta.h
        generated_cuda_gl_interop_meta.h
        generated_cuda_meta.h
        generated_cuda_runtime_api_meta.h
        generated_cuda_vdpau_interop_meta.h
        generated_nvtx_meta.h
        nvperf_common.h
        nvperf_cuda_host.h
        nvperf_host.h
        nvperf_target.h
      lib
        libcheckpoint.so
        libcupti.so.11.7
        libnvperf_host.so
        libnvperf_target.so
        libpcsamplingutil.so
cuda_nvrtc
  __init__.py
  __pycache__

```

```

    __init__.cpython-311.pyc
    include
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    nvrtc.h
    lib
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    libnvrtc-builtins.so.11.7
    libnvrtc.so.11.2
    cuda_runtime
    include
    CL
    cl.h
    cl.hpp
    cl_egl.h
    cl_ext.h
    cl_gl.h
    cl_gl_ext.h
    cl_platform.h
    opencl.h
    builtin_types.h
    channel_descriptor.h
    common_functions.h
    cooperative_groups
    details
    async.h
    coalesced_reduce.h
    coalesced_scan.h
    driver_abi.h
    functional.h
    helpers.h
    info.h
    partitioning.h
    reduce.h
    scan.h
    sync.h
    memcpy_async.h
    reduce.h
    scan.h
    cooperative_groups.h
    cuComplex.h
    cuda.h
    cudaEGL.h
    cudaEGLTypedefs.h
    cudaGL.h
    cudaGLTypedefs.h
    cudaProfilerTypedefs.h
    cudaTypedefs.h
    cudaVDPAU.h
    cudaVDPAUTypedefs.h
    cuda_awbarrier.h
    cuda_awbarrier_helpers.h
    cuda_awbarrier_primitives.h
    cuda_bf16.h
    cuda_bf16.hpp

```

■	■	■	■	■	■	■	■■■	cuda_device_runtime_api.h
■	■	■	■	■	■	■	■■■	cuda_egl_interop.h
■	■	■	■	■	■	■	■■■	cuda_fp16.h
■	■	■	■	■	■	■	■■■	cuda_fp16.hpp
■	■	■	■	■	■	■	■■■	cuda_gl_interop.h
■	■	■	■	■	■	■	■■■	cuda_occupancy.h
■	■	■	■	■	■	■	■■■	cuda_pipeline.h
■	■	■	■	■	■	■	■■■	cuda_pipeline_helpers.h
■	■	■	■	■	■	■	■■■	cuda_pipeline_primitives.h
■	■	■	■	■	■	■	■■■	cuda_runtime.h
■	■	■	■	■	■	■	■■■	cuda_runtime_api.h
■	■	■	■	■	■	■	■■■	cuda_surface_types.h
■	■	■	■	■	■	■	■■■	cuda_texture_types.h
■	■	■	■	■	■	■	■■■	cuda_vdpau_interop.h
■	■	■	■	■	■	■	■■■	cudart_platform.h
■	■	■	■	■	■	■	■■■	device_atomic_functions.h
■	■	■	■	■	■	■	■■■	device_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	device_double_functions.h
■	■	■	■	■	■	■	■■■	device_functions.h
■	■	■	■	■	■	■	■■■	device_launch_parameters.h
■	■	■	■	■	■	■	■■■	device_types.h
■	■	■	■	■	■	■	■■■	driver_functions.h
■	■	■	■	■	■	■	■■■	driver_types.h
■	■	■	■	■	■	■	■■■	host_config.h
■	■	■	■	■	■	■	■■■	host_defines.h
■	■	■	■	■	■	■	■■■	library_types.h
■	■	■	■	■	■	■	■■■	math_constants.h
■	■	■	■	■	■	■	■■■	math_functions.h
■	■	■	■	■	■	■	■■■	mma.h
■	■	■	■	■	■	■	■■■	sm_20_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_20_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	sm_20_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_20_intrinsics.hpp
■	■	■	■	■	■	■	■■■	sm_30_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_30_intrinsics.hpp
■	■	■	■	■	■	■	■■■	sm_32_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_32_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	sm_32_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_32_intrinsics.hpp
■	■	■	■	■	■	■	■■■	sm_35_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_35_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_60_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_60_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	sm_61_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_61_intrinsics.hpp
■	■	■	■	■	■	■	■■■	surface_functions.h
■	■	■	■	■	■	■	■■■	surface_indirect_functions.h
■	■	■	■	■	■	■	■■■	surface_types.h
■	■	■	■	■	■	■	■■■	texture_fetch_functions.h
■	■	■	■	■	■	■	■■■	texture_indirect_functions.h
■	■	■	■	■	■	■	■■■	texture_types.h
■	■	■	■	■	■	■	■■■	vector_functions.h
■	■	■	■	■	■	■	■■■	vector_functions.hpp
■	■	■	■	■	■	■	■■■	vector_types.h
■	■	■	■	■	■	■■■	lib	
■	■	■	■	■	■	■	■■■	libOpenCL.so.1
■	■	■	■	■	■	■	■■■	libcudart.so.11.0
■	■	■	■	■	■■■	■■■	cudnn	

```

■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ include
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cudnn.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_infer.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_infer_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_train.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_train_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_backend.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_backend_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_infer.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_infer_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_train.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_train_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_infer.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_infer_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_train.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_train_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_version.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_version_v8.h
■      ■      ■      ■      ■      ■      ■■■■ lib
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ libcudnn.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_adv_infer.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_adv_train.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_cnn_infer.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_cnn_train.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_ops_infer.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_ops_train.so.8
■      ■      ■      ■      ■      ■      ■■■■ cuFFT
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ include
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cudalibxt.h
■      ■      ■      ■      ■      ■      ■■■■ cufft.h
■      ■      ■      ■      ■      ■      ■■■■ cufftXt.h
■      ■      ■      ■      ■      ■      ■■■■ cufftw.h
■      ■      ■      ■      ■      ■      ■■■■ lib
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ libcufft.so.10
■      ■      ■      ■      ■      ■      ■■■■ libcufftw.so.10
■      ■      ■      ■      ■      ■      ■■■■ curand
■      ■      ■      ■      ■      ■      ■■■■ include
■      ■      ■      ■      ■      ■      ■■■■ curand.h
■      ■      ■      ■      ■      ■      ■■■■ curand_discrete.h

```



```

curand_discrete2.h
curand_globals.h
curand_kernel.h
curand_lognormal.h
curand_mrg32k3a.h
curand_mtg32.h
curand_mtg32_host.h
curand_mtg32_kernel.h
curand_mtg32dc_p_11213.h
curand_normal.h
curand_normal_static.h
curand_philox4x32_x.h
curand_poisson.h
curand_precalc.h
curand_uniform.h
lib
libcurand.so.10
cusolver
__init__.py
__pycache__
__init__.cpython-311.pyc
include
__init__.py
__pycache__
__init__.cpython-311.pyc
cusolverDn.h
cusolverMg.h
cusolverRf.h
cusolverSp.h
cusolverSp_LOWLEVEL_PREVIEW.h
cusolver_common.h
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
libcusolver.so.11
libcusolverMg.so.11
cusparse
include
cusparse.h
cusparse_v2.h
lib
libcusparse.so.11
nccl
include
nccl.h
nccl_net.h
lib
libnccl.so.2
nvtx
include
nvToolsExt.h
nvToolsExtCuda.h
nvToolsExtCudaRt.h
nvToolsExtOpenCL.h
nvToolsExtSync.h
nvtx3
nvToolsExt.h

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_curand_cu11-10.2.10.91.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_cusolver_cu11-11.4.0.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_cuspars cu11-11.7.4.91.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_nccl_cu11-2.14.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_nvtx_cu11-11.7.91.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ odf
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ anim.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ attrconverters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dr3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ draw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ easylstyle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ element.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ elementtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ form.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ grammar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ load.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ manifest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ math.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ namespaces.cpython-311.pyc

```

■	■	■	■	■	■	■■■	number.cpython-311.pyc
■	■	■	■	■	■	■■■	odf2moinmoin.cpython-311.pyc
■	■	■	■	■	■	■■■	odf2xhtml.cpython-311.pyc
■	■	■	■	■	■	■■■	odfmanifest.cpython-311.pyc
■	■	■	■	■	■	■■■	office.cpython-311.pyc
■	■	■	■	■	■	■■■	opendocument.cpython-311.pyc
■	■	■	■	■	■	■■■	presentation.cpython-311.pyc
■	■	■	■	■	■	■■■	script.cpython-311.pyc
■	■	■	■	■	■	■■■	style.cpython-311.pyc
■	■	■	■	■	■	■■■	svg.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	teletype.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	thumbnail.cpython-311.pyc
■	■	■	■	■	■	■■■	userfield.cpython-311.pyc
■	■	■	■	■	■	■■■	xforms.cpython-311.pyc
■	■	■	■	■	■	■■■	anim.py
■	■	■	■	■	■	■■■	attrconverters.py
■	■	■	■	■	■	■■■	chart.py
■	■	■	■	■	■	■■■	config.py
■	■	■	■	■	■	■■■	dc.py
■	■	■	■	■	■	■■■	dr3d.py
■	■	■	■	■	■	■■■	draw.py
■	■	■	■	■	■	■■■	easylstyle.py
■	■	■	■	■	■	■■■	element.py
■	■	■	■	■	■	■■■	elementtypes.py
■	■	■	■	■	■	■■■	form.py
■	■	■	■	■	■	■■■	grammar.py
■	■	■	■	■	■	■■■	load.py
■	■	■	■	■	■	■■■	manifest.py
■	■	■	■	■	■	■■■	math.py
■	■	■	■	■	■	■■■	meta.py
■	■	■	■	■	■	■■■	namespaces.py
■	■	■	■	■	■	■■■	number.py
■	■	■	■	■	■	■■■	odf2moinmoin.py
■	■	■	■	■	■	■■■	odf2xhtml.py
■	■	■	■	■	■	■■■	odfmanifest.py
■	■	■	■	■	■	■■■	office.py
■	■	■	■	■	■	■■■	opendocument.py
■	■	■	■	■	■	■■■	presentation.py
■	■	■	■	■	■	■■■	script.py
■	■	■	■	■	■	■■■	style.py
■	■	■	■	■	■	■■■	svg.py
■	■	■	■	■	■	■■■	table.py
■	■	■	■	■	■	■■■	teletype.py
■	■	■	■	■	■	■■■	text.py
■	■	■	■	■	■	■■■	thumbnail.py
■	■	■	■	■	■	■■■	userfield.py
■	■	■	■	■	■	■■■	xforms.py
■	■	■	■	■	■■■	odfpy-1.4.1.dist-info	
■	■	■	■	■	■■■	INSTALLER	
■	■	■	■	■	■■■	METADATA	
■	■	■	■	■	■■■	RECORD	
■	■	■	■	■	■■■	REQUESTED	
■	■	■	■	■	■■■	WHEEL	
■	■	■	■	■	■■■	top_level.txt	
■	■	■	■	■	■■■	opencv_python-4.5.5.62.dist-info	
■	■	■	■	■	■■■	INSTALLER	

```

LICENSE-3RD-PARTY.txt
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
opencv_python.libs
libQt5Core-39545cc7.so.5.15.0
libQt5Gui-ba0a2070.so.5.15.0
libQt5Test-c38a5234.so.5.15.0
libQt5Widgets-e69d94fb.so.5.15.0
libQt5XcbQpa-ca221f44.so.5.15.0
libX11-xcb-69166bdf.so.1.0.0
libXau-00ec42fe.so.6.0.0
libavcodec-64ac49e1.so.58.91.100
libavformat-4b79e479.so.58.45.100
libavutil-805734e8.so.56.51.100
libbz2-a273e504.so.1.0.6
libcrypto-018b8c17.so.1.1
libfreetype-c0e61f0c.so.6.14.0
libgfortran-91cc3cb1.so.3.0.0
libopenblas-r0-f650aae0.3.3.so
libpng15-ce838cd1.so.15.13.0
libquadmath-96973f99.so.0.0.0
libssl-6082116c.so.1.1
libswresample-83ce3247.so.3.7.100
libswscale-7e960168.so.5.7.100
libvpx-392cd848.so.6.4.0
libxcb-icccm-413c9f41.so.4.0.0
libxcb-image-e82a276d.so.0.0.0
libxcb-keysyms-21015570.so.1.0.0
libxcb-randr-a96a5a87.so.0.1.0
libxcb-render-637b984a.so.0.0.0
libxcb-render-util-43ce00f5.so.0.0.0
libxcb-shape-25c2b258.so.0.0.0
libxcb-shm-7a199f70.so.0.0.0
libxcb-sync-89374f40.so.1.0.0
libxcb-util-4d666913.so.1.0.0
libxcb-xfixes-9be3ba6f.so.0.0.0
libxcb-xinerama-ae147f87.so.0.0.0
libxcb-xkb-9ba31ab3.so.1.0.0
libxkbcommon-71ae2972.so.0.0.0
libxkbcommon-x11-c65ed502.so.0.0.0
openpyxl
__init__.py
__pycache__
__init__.cpython-311.pyc
_constants.cpython-311.pyc
_constants.py
cell
__init__.py
__pycache__
__init__.cpython-311.pyc
_writer.cpython-311.pyc
cell.cpython-311.pyc
read_only.cpython-311.pyc
text.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■■■ _writer.py
■      ■      ■      ■      ■      ■      ■      ■■■ cell.py
■      ■      ■      ■      ■      ■      ■      ■■■ read_only.py
■      ■      ■      ■      ■      ■      ■      ■■■ text.py
■      ■      ■      ■      ■      ■      ■■■ chart
■      ■      ■      ■      ■      ■      ■      ■■■ _3d.py
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ _3d.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ _chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ area_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ axis.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ bar_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ bubble_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ chartspace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ data_source.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ descriptors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ error_bar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ label.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ layout.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ legend.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ line_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ marker.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ picture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ pie_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ pivot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plotarea.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ print_settings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ radar_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ reader.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ reference.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ scatter_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ series.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ series_factory.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ shapes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ stock_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ surface_chart.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ text.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ title.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ trendline.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ updown_bars.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ _chart.py
■      ■      ■      ■      ■      ■      ■      ■■■ area_chart.py
■      ■      ■      ■      ■      ■      ■      ■■■ axis.py
■      ■      ■      ■      ■      ■      ■      ■■■ bar_chart.py
■      ■      ■      ■      ■      ■      ■      ■■■ bubble_chart.py
■      ■      ■      ■      ■      ■      ■      ■■■ chartspace.py
■      ■      ■      ■      ■      ■      ■      ■■■ data_source.py
■      ■      ■      ■      ■      ■      ■      ■■■ descriptors.py
■      ■      ■      ■      ■      ■      ■      ■■■ error_bar.py
■      ■      ■      ■      ■      ■      ■      ■■■ label.py
■      ■      ■      ■      ■      ■      ■      ■■■ layout.py
■      ■      ■      ■      ■      ■      ■      ■■■ legend.py
■      ■      ■      ■      ■      ■      ■      ■■■ line_chart.py
■      ■      ■      ■      ■      ■      ■      ■■■ marker.py
■      ■      ■      ■      ■      ■      ■      ■■■ picture.py
■      ■      ■      ■      ■      ■      ■      ■■■ pie_chart.py

```

```
■ ■ ■ ■ ■ ■ ■■■ pivot.py
■ ■ ■ ■ ■ ■ ■■■ plotarea.py
■ ■ ■ ■ ■ ■ ■■■ print_settings.py
■ ■ ■ ■ ■ ■ ■■■ radar_chart.py
■ ■ ■ ■ ■ ■ ■■■ reader.py
■ ■ ■ ■ ■ ■ ■■■ reference.py
■ ■ ■ ■ ■ ■ ■■■ scatter_chart.py
■ ■ ■ ■ ■ ■ ■■■ series.py
■ ■ ■ ■ ■ ■ ■■■ series_factory.py
■ ■ ■ ■ ■ ■ ■■■ shapes.py
■ ■ ■ ■ ■ ■ ■■■ stock_chart.py
■ ■ ■ ■ ■ ■ ■■■ surface_chart.py
■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■■■ title.py
■ ■ ■ ■ ■ ■ ■■■ trendline.py
■ ■ ■ ■ ■ ■ ■■■ updown_bars.py
■ ■ ■ ■ ■ ■ ■■■ chartsheet
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ chartsheet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ custom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ publish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ relation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ views.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ chartsheet.py
■ ■ ■ ■ ■ ■ ■■■ custom.py
■ ■ ■ ■ ■ ■ ■■■ properties.py
■ ■ ■ ■ ■ ■ ■■■ protection.py
■ ■ ■ ■ ■ ■ ■■■ publish.py
■ ■ ■ ■ ■ ■ ■■■ relation.py
■ ■ ■ ■ ■ ■ ■■■ views.py
■ ■ ■ ■ ■ ■ ■■■ comments
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ author.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ comment_sheet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ comments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ shape_writer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ author.py
■ ■ ■ ■ ■ ■ ■■■ comment_sheet.py
■ ■ ■ ■ ■ ■ ■■■ comments.py
■ ■ ■ ■ ■ ■ ■■■ shape_writer.py
■ ■ ■ ■ ■ ■ ■■■ compat
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ abc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ product.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ singleton.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ abc.py
■ ■ ■ ■ ■ ■ ■■■ numbers.py
■ ■ ■ ■ ■ ■ ■■■ product.py
```

```

■      ■      ■      ■      ■      ■      ■      singleton.py
■      ■      ■      ■      ■      ■      ■      strings.py
■      ■      ■      ■      ■      ■      ■■■ descriptors
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ excel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ namespace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ nested.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ sequence.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ serialisable.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ slots.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ base.py
■      ■      ■      ■      ■      ■      ■■■ excel.py
■      ■      ■      ■      ■      ■      ■■■ namespace.py
■      ■      ■      ■      ■      ■      ■■■ nested.py
■      ■      ■      ■      ■      ■      ■■■ sequence.py
■      ■      ■      ■      ■      ■      ■■■ serialisable.py
■      ■      ■      ■      ■      ■      ■■■ slots.py
■      ■      ■      ■      ■      ■      ■■■ drawing
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ colors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ connector.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ drawing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ effect.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ fill.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ geometry.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ graphic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ image.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ line.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ picture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ properties.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ relation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ spreadsheet_drawing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ text.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ xdr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ colors.py
■      ■      ■      ■      ■      ■      ■■■ connector.py
■      ■      ■      ■      ■      ■      ■■■ drawing.py
■      ■      ■      ■      ■      ■      ■■■ effect.py
■      ■      ■      ■      ■      ■      ■■■ fill.py
■      ■      ■      ■      ■      ■      ■■■ geometry.py
■      ■      ■      ■      ■      ■      ■■■ graphic.py
■      ■      ■      ■      ■      ■      ■■■ image.py
■      ■      ■      ■      ■      ■      ■■■ line.py
■      ■      ■      ■      ■      ■      ■■■ picture.py
■      ■      ■      ■      ■      ■      ■■■ properties.py
■      ■      ■      ■      ■      ■      ■■■ relation.py
■      ■      ■      ■      ■      ■      ■■■ spreadsheet_drawing.py
■      ■      ■      ■      ■      ■      ■■■ text.py
■      ■      ■      ■      ■      ■      ■■■ xdr.py
■      ■      ■      ■      ■      ■      ■■■ formatting
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cell_style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ differential.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fills.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ named_styles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ styleable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stylesheet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ alignment.py
■ ■ ■ ■ ■ ■ ■ ■■■ borders.py
■ ■ ■ ■ ■ ■ ■ ■■■ builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ cell_style.py
■ ■ ■ ■ ■ ■ ■ ■■■ colors.py
■ ■ ■ ■ ■ ■ ■ ■■■ differential.py
■ ■ ■ ■ ■ ■ ■ ■■■ fills.py
■ ■ ■ ■ ■ ■ ■ ■■■ fonts.py
■ ■ ■ ■ ■ ■ ■ ■■■ named_styles.py
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ protection.py
■ ■ ■ ■ ■ ■ ■ ■■■ proxy.py
■ ■ ■ ■ ■ ■ ■ ■■■ styleable.py
■ ■ ■ ■ ■ ■ ■ ■■■ stylesheet.py
■ ■ ■ ■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bound_dictionary.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ escape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formulas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ indexed_list.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ units.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bound_dictionary.py
■ ■ ■ ■ ■ ■ ■ ■■■ cell.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.py
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ escape.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ formulas.py
■ ■ ■ ■ ■ ■ ■ ■■■ indexed_list.py
■ ■ ■ ■ ■ ■ ■ ■■■ inference.py
■ ■ ■ ■ ■ ■ ■ ■■■ protection.py
■ ■ ■ ■ ■ ■ ■ ■■■ units.py
■ ■ ■ ■ ■ ■ ■ ■■■ workbook
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■■	_writer.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	child.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	defined_name.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	external_reference.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	function_group.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	properties.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	protection.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	smart_tags.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	views.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	web.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	workbook.cpython-311.pyc
■	■	■	■	■	■	■■■■		_writer.py
■	■	■	■	■	■	■■■■		child.py
■	■	■	■	■	■	■■■■		defined_name.py
■	■	■	■	■	■	■■■■		external_link
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	external.cpython-311.pyc
■	■	■	■	■	■	■■■■		external.py
■	■	■	■	■	■	■■■■		external_reference.py
■	■	■	■	■	■	■■■■		function_group.py
■	■	■	■	■	■	■■■■		properties.py
■	■	■	■	■	■	■■■■		protection.py
■	■	■	■	■	■	■■■■		smart_tags.py
■	■	■	■	■	■	■■■■		views.py
■	■	■	■	■	■	■■■■		web.py
■	■	■	■	■	■	■■■■		workbook.py
■	■	■	■	■	■■■■			worksheet
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_read_only.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_reader.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_write_only.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_writer.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	cell_range.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	cell_watch.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	controls.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	copier.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	custom.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	datavalidation.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	dimensions.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	drawing.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	filters.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	header_footer.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	hyperlink.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	merge.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ole.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	page.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	pagebreak.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	picture.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	properties.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	protection.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	related.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	scenario.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	smart_tag.cpython-311.pyc

■	■	■	■	■	■	■	■■■■	table.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	views.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	worksheet.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_read_only.py
■	■	■	■	■	■	■	■■■■	_reader.py
■	■	■	■	■	■	■	■■■■	_write_only.py
■	■	■	■	■	■	■	■■■■	_writer.py
■	■	■	■	■	■	■	■■■■	cell_range.py
■	■	■	■	■	■	■	■■■■	cell_watch.py
■	■	■	■	■	■	■	■■■■	controls.py
■	■	■	■	■	■	■	■■■■	copier.py
■	■	■	■	■	■	■	■■■■	custom.py
■	■	■	■	■	■	■	■■■■	datavalidation.py
■	■	■	■	■	■	■	■■■■	dimensions.py
■	■	■	■	■	■	■	■■■■	drawing.py
■	■	■	■	■	■	■	■■■■	errors.py
■	■	■	■	■	■	■	■■■■	filters.py
■	■	■	■	■	■	■	■■■■	header_footer.py
■	■	■	■	■	■	■	■■■■	hyperlink.py
■	■	■	■	■	■	■	■■■■	merge.py
■	■	■	■	■	■	■	■■■■	ole.py
■	■	■	■	■	■	■	■■■■	page.py
■	■	■	■	■	■	■	■■■■	pagebreak.py
■	■	■	■	■	■	■	■■■■	picture.py
■	■	■	■	■	■	■	■■■■	properties.py
■	■	■	■	■	■	■	■■■■	protection.py
■	■	■	■	■	■	■	■■■■	related.py
■	■	■	■	■	■	■	■■■■	scenario.py
■	■	■	■	■	■	■	■■■■	smart_tag.py
■	■	■	■	■	■	■	■■■■	table.py
■	■	■	■	■	■	■	■■■■	views.py
■	■	■	■	■	■	■	■■■■	worksheet.py
■	■	■	■	■	■	■■■■	writer	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	excel.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	theme.cpython-311.pyc
■	■	■	■	■	■	■■■■	excel.py	
■	■	■	■	■	■	■■■■	theme.py	
■	■	■	■	■	■■■■	xml		
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	constants.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	functions.cpython-311.pyc
■	■	■	■	■	■	■■■■	constants.py	
■	■	■	■	■	■	■■■■	functions.py	
■	■	■	■	■■■■	openpyxl-3.0.10.dist-info			
■	■	■	■	■	■■■■	INSTALLER		
■	■	■	■	■	■■■■	LICENCE.rst		
■	■	■	■	■	■■■■	METADATA		
■	■	■	■	■	■■■■	RECORD		
■	■	■	■	■	■■■■	REQUESTED		
■	■	■	■	■	■■■■	WHEEL		
■	■	■	■	■	■■■■	top_level.txt		
■	■	■	■	■■■■	opt_einsum			
■	■	■	■	■	■■■■	__init__.py		

```
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ blas.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ contract.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ path_random.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sharing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■■■ backends
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ dispatch.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ jax.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ object_arrays.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tensorflow.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ theano.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ torch.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cupy.py
■ ■ ■ ■ ■ ■■■ dispatch.py
■ ■ ■ ■ ■ ■■■ jax.py
■ ■ ■ ■ ■ ■■■ object_arrays.py
■ ■ ■ ■ ■ ■■■ tensorflow.py
■ ■ ■ ■ ■ ■■■ theano.py
■ ■ ■ ■ ■ ■■■ torch.py
■ ■ ■ ■ ■ ■■■ blas.py
■ ■ ■ ■ ■ ■■■ contract.py
■ ■ ■ ■ ■ ■■■ helpers.py
■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■■■ path_random.py
■ ■ ■ ■ ■ ■■■ paths.py
■ ■ ■ ■ ■ ■■■ sharing.py
■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_backends.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_blas.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_contract.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_edge_cases.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_input.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_sharing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_backends.py
■ ■ ■ ■ ■ ■■■ test_blas.py
■ ■ ■ ■ ■ ■■■ test_contract.py
■ ■ ■ ■ ■ ■■■ test_edge_cases.py
■ ■ ■ ■ ■ ■■■ test_input.py
■ ■ ■ ■ ■ ■■■ test_parser.py
■ ■ ■ ■ ■ ■■■ test_paths.py
```

```

■      ■      ■      ■      ■      ■      test_sharing.py
■      ■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■■■    opt_einsum-3.4.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■■■    orjson
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      orjson.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■■■    orjson-3.10.12.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      LICENSE-APACHE
■      ■      ■      ■      ■      ■      LICENSE-MIT
■      ■      ■      ■      ■■■    oscrypto
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      _asn1.cpython-311.pyc
■      ■      ■      ■      ■      ■      _asymmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      _cipher_suites.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ecdsa.cpython-311.pyc
■      ■      ■      ■      ■      ■      _errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      _int.cpython-311.pyc
■      ■      ■      ■      ■      ■      _pkcs1.cpython-311.pyc
■      ■      ■      ■      ■      ■      _pkcs12.cpython-311.pyc
■      ■      ■      ■      ■      ■      _pkcs5.cpython-311.pyc
■      ■      ■      ■      ■      ■      _rand.cpython-311.pyc
■      ■      ■      ■      ■      ■      _tls.cpython-311.pyc
■      ■      ■      ■      ■      ■      _types.cpython-311.pyc
■      ■      ■      ■      ■      ■      asymmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      kdf.cpython-311.pyc
■      ■      ■      ■      ■      ■      keys.cpython-311.pyc
■      ■      ■      ■      ■      ■      symmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      tls.cpython-311.pyc
■      ■      ■      ■      ■      ■      trust_list.cpython-311.pyc
■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      _asn1.py
■      ■      ■      ■      ■      ■      _asymmetric.py
■      ■      ■      ■      ■      ■      _cipher_suites.py
■      ■      ■      ■      ■      ■      _ecdsa.py
■      ■      ■      ■      ■      ■      _errors.py
■      ■      ■      ■      ■      ■      _ffi.py
■      ■      ■      ■      ■      ■      _int.py
■      ■      ■      ■      ■      ■      _linux_bsd

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      symmetric.py
■      ■      ■      ■      ■      ■      ■      ■      tls.py
■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      _pkcs1.py
■      ■      ■      ■      ■      ■      ■      ■      _pkcs12.py
■      ■      ■      ■      ■      ■      ■      ■      _pkcs5.py
■      ■      ■      ■      ■      ■      ■      ■      _rand.py
■      ■      ■      ■      ■      ■      ■      ■      _tls.py
■      ■      ■      ■      ■      ■      ■      ■      _types.py
■      ■      ■      ■      ■      ■      ■      ■      _win
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _cng.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _cng_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _cng_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _crypt32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _decode.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _kernel32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _secur32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _secur32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _secur32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      asymmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      symmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      tls.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      trust_list.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32.py
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _cng.py
■      ■      ■      ■      ■      ■      ■      ■      _cng_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _cng_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _crypt32.py
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _decode.py
■      ■      ■      ■      ■      ■      ■      ■      _kernel32.py
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _secur32.py
■      ■      ■      ■      ■      ■      ■      ■      _secur32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _secur32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      asymmetric.py
■      ■      ■      ■      ■      ■      ■      ■      symmetric.py
■      ■      ■      ■      ■      ■      ■      ■      tls.py
■      ■      ■      ■      ■      ■      ■      ■      trust_list.py
■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      asymmetric.py
■      ■      ■      ■      ■      ■      ■      ■      errors.py
■      ■      ■      ■      ■      ■      ■      ■      kdf.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ keys.py
■ ■ ■ ■ ■ ■ ■ ■ symmetric.py
■ ■ ■ ■ ■ ■ ■ ■ tls.py
■ ■ ■ ■ ■ ■ ■ ■ trust_list.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ oscrypto-1.3.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ packaging
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _elffile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _manylinux.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _musllinux.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ metadata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ requirements.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ specifiers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _elffile.py
■ ■ ■ ■ ■ ■ ■ ■ _manylinux.py
■ ■ ■ ■ ■ ■ ■ ■ _musllinux.py
■ ■ ■ ■ ■ ■ ■ ■ _parser.py
■ ■ ■ ■ ■ ■ ■ ■ _structures.py
■ ■ ■ ■ ■ ■ ■ ■ _tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _spdx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _spdx.py
■ ■ ■ ■ ■ ■ ■ ■ markers.py
■ ■ ■ ■ ■ ■ ■ ■ metadata.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ requirements.py
■ ■ ■ ■ ■ ■ ■ ■ specifiers.py
■ ■ ■ ■ ■ ■ ■ ■ tags.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ packaging-24.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.APACHE
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.BSD
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL

```

```

■      ■      ■      ■      ■      ■      pandas
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _typing.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ testing.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _config
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ config.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ dates.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ display.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ localization.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ config.py
■      ■      ■      ■      ■      ■■■ dates.py
■      ■      ■      ■      ■      ■■■ display.py
■      ■      ■      ■      ■      ■■■ localization.py
■      ■      ■      ■      ■      ■■■ _libs
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ algos.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ algos.pxd
■      ■      ■      ■      ■      ■■■ algos.pyi
■      ■      ■      ■      ■      ■■■ algos.pyx
■      ■      ■      ■      ■      ■■■ algos_common_helper.pxi.in
■      ■      ■      ■      ■      ■■■ algos_take_helper.pxi.in
■      ■      ■      ■      ■      ■■■ arrays.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ arrays.pxd
■      ■      ■      ■      ■      ■■■ arrays.pyi
■      ■      ■      ■      ■      ■■■ arrays.pyx
■      ■      ■      ■      ■      ■■■ dtypes.pxd
■      ■      ■      ■      ■      ■■■ groupby.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ groupby.pyi
■      ■      ■      ■      ■      ■■■ groupby.pyx
■      ■      ■      ■      ■      ■■■ hashing.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ hashing.pyi
■      ■      ■      ■      ■      ■■■ hashing.pyx
■      ■      ■      ■      ■      ■■■ hashtable.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ hashtable.pxd
■      ■      ■      ■      ■      ■■■ hashtable.pyi
■      ■      ■      ■      ■      ■■■ hashtable.pyx
■      ■      ■      ■      ■      ■■■ hashtable_class_helper.pxi.in
■      ■      ■      ■      ■      ■■■ hashtable_func_helper.pxi.in
■      ■      ■      ■      ■      ■■■ index.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ index.pyi
■      ■      ■      ■      ■      ■■■ index.pyx
■      ■      ■      ■      ■      ■■■ index_class_helper.pxi.in
■      ■      ■      ■      ■      ■■■ indexing.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ indexing.pyi
■      ■      ■      ■      ■      ■■■ indexing.pyx
■      ■      ■      ■      ■      ■■■ internals.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ internals.pyi
■      ■      ■      ■      ■      ■■■ internals.pyx
■      ■      ■      ■      ■      ■■■ interval.cpython-311-x86_64-linux-gnu.so

```

■	■	■	■	■	■	■■■ interval.pyi
■	■	■	■	■	■	■■■ interval.pyx
■	■	■	■	■	■	■■■ intervaltree.pxi.in
■	■	■	■	■	■	■■■ join.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ join.pyi
■	■	■	■	■	■	■■■ join.pyx
■	■	■	■	■	■	■■■ json.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ json.pyi
■	■	■	■	■	■	■■■ khash.pxd
■	■	■	■	■	■	■■■ khash_for_primitive_helper.pxi.in
■	■	■	■	■	■	■■■ lib.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ lib.pxd
■	■	■	■	■	■	■■■ lib.pyi
■	■	■	■	■	■	■■■ lib.pyx
■	■	■	■	■	■	■■■ missing.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ missing.pxd
■	■	■	■	■	■	■■■ missing.pyi
■	■	■	■	■	■	■■■ missing.pyx
■	■	■	■	■	■	■■■ ops.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ ops.pyi
■	■	■	■	■	■	■■■ ops.pyx
■	■	■	■	■	■	■■■ ops_dispatch.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ ops_dispatch.pyi
■	■	■	■	■	■	■■■ ops_dispatch.pyx
■	■	■	■	■	■	■■■ parsers.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ parsers.pyi
■	■	■	■	■	■	■■■ parsers.pyx
■	■	■	■	■	■	■■■ properties.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ properties.pyi
■	■	■	■	■	■	■■■ properties.pyx
■	■	■	■	■	■	■■■ reduction.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ reduction.pyi
■	■	■	■	■	■	■■■ reduction.pyx
■	■	■	■	■	■	■■■ reshape.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ reshape.pyi
■	■	■	■	■	■	■■■ reshape.pyx
■	■	■	■	■	■	■■■ sparse.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ sparse.pyi
■	■	■	■	■	■	■■■ sparse.pyx
■	■	■	■	■	■	■■■ sparse_op_helper.pxi.in
■	■	■	■	■	■	■■■ testing.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ testing.pyi
■	■	■	■	■	■	■■■ testing.pyx
■	■	■	■	■	■	■■■ tslib.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ tslib.pyi
■	■	■	■	■	■	■■■ tslib.pyx
■	■	■	■	■	■	■■■ tslibs
■	■	■	■	■	■	■ ■■■ __init__.py
■	■	■	■	■	■	■ ■■■ __pycache__
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ base.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ base.pxd
■	■	■	■	■	■	■■■ base.pyx
■	■	■	■	■	■	■■■ ccalendar.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ ccalendar.pxd
■	■	■	■	■	■	■■■ ccalendar.pyi
■	■	■	■	■	■	■■■ ccalendar.pyx
■	■	■	■	■	■	■■■ conversion.cpython-311-x86_64-linux-gnu.so

■	■	■	■	■	■	■	■■■	conversion.pxd
■	■	■	■	■	■	■	■■■	conversion.pyi
■	■	■	■	■	■	■	■■■	conversion.pyx
■	■	■	■	■	■	■	■■■	dtypes.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	dtypes.pxd
■	■	■	■	■	■	■	■■■	dtypes.pyi
■	■	■	■	■	■	■	■■■	dtypes.pyx
■	■	■	■	■	■	■	■■■	fields.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	fields.pyi
■	■	■	■	■	■	■	■■■	fields.pyx
■	■	■	■	■	■	■	■■■	natype.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	natype.pxd
■	■	■	■	■	■	■	■■■	natype.pyi
■	■	■	■	■	■	■	■■■	natype.pyx
■	■	■	■	■	■	■	■■■	np_datetime.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	np_datetime.pxd
■	■	■	■	■	■	■	■■■	np_datetime.pyi
■	■	■	■	■	■	■	■■■	np_datetime.pyx
■	■	■	■	■	■	■	■■■	offsets.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	offsets.pxd
■	■	■	■	■	■	■	■■■	offsets.pyi
■	■	■	■	■	■	■	■■■	offsets.pyx
■	■	■	■	■	■	■	■■■	parsing.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	parsing.pxd
■	■	■	■	■	■	■	■■■	parsing.pyi
■	■	■	■	■	■	■	■■■	parsing.pyx
■	■	■	■	■	■	■	■■■	period.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	period.pxd
■	■	■	■	■	■	■	■■■	period.pyi
■	■	■	■	■	■	■	■■■	period.pyx
■	■	■	■	■	■	■	■■■	strptime.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	strptime.pyi
■	■	■	■	■	■	■	■■■	strptime.pyx
■	■	■	■	■	■	■	■■■	timedeltas.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	timedeltas.pxd
■	■	■	■	■	■	■	■■■	timedeltas.pyi
■	■	■	■	■	■	■	■■■	timedeltas.pyx
■	■	■	■	■	■	■	■■■	timestamps.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	timestamps.pxd
■	■	■	■	■	■	■	■■■	timestamps.pyi
■	■	■	■	■	■	■	■■■	timestamps.pyx
■	■	■	■	■	■	■	■■■	timezones.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	timezones.pxd
■	■	■	■	■	■	■	■■■	timezones.pyi
■	■	■	■	■	■	■	■■■	timezones.pyx
■	■	■	■	■	■	■	■■■	tzconversion.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	tzconversion.pxd
■	■	■	■	■	■	■	■■■	tzconversion.pyi
■	■	■	■	■	■	■	■■■	tzconversion.pyx
■	■	■	■	■	■	■	■■■	util.pxd
■	■	■	■	■	■	■	■■■	vectorized.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	vectorized.pyi
■	■	■	■	■	■	■	■■■	vectorized.pyx
■	■	■	■	■	■	■■■	util.pxd	
■	■	■	■	■	■	■■■	window	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■ aggregations.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ aggregations.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ aggregations.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ writers.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ writers.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ writers.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ _testing
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _hypothesis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ asserters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ contexts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _hypothesis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _io.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _random.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _warnings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ asserters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ contexts.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _typing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ api
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ extensions
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ interchange
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ types
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ arrays
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ compat
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _optional.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ chainmap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pickle_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pyarrow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _optional.py
■ ■ ■ ■ ■ ■ ■ ■ ■ chainmap.py
■ ■ ■ ■ ■ ■ ■ ■ ■ numpy
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pickle_compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pyarrow.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ accessor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ algorithms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ apply.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arraylike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ construction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ describe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nanops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ roperator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shared_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sorting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _numba
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ executor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ executor.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kernels
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mean_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ min_max_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sum_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ var_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mean_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ min_max_.py
```

```

■ ■ ■ shared.py
■ ■ ■ sum_.py
■ ■ ■ var_.py
■ ■ ■ accessor.py
■ ■ ■ algorithms.py
■ ■ ■ api.py
■ ■ ■ apply.py
■ ■ ■ array_algos
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ masked_reductions.cpython-311.pyc
■ ■ ■ putmask.cpython-311.pyc
■ ■ ■ quantile.cpython-311.pyc
■ ■ ■ replace.cpython-311.pyc
■ ■ ■ take.cpython-311.pyc
■ ■ ■ transforms.cpython-311.pyc
■ ■ ■ masked_reductions.py
■ ■ ■ putmask.py
■ ■ ■ quantile.py
■ ■ ■ replace.py
■ ■ ■ take.py
■ ■ ■ transforms.py
■ ■ ■ arraylike.py
■ ■ ■ arrays
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _mixins.cpython-311.pyc
■ ■ ■ _ranges.cpython-311.pyc
■ ■ ■ base.cpython-311.pyc
■ ■ ■ boolean.cpython-311.pyc
■ ■ ■ categorical.cpython-311.pyc
■ ■ ■ datetimelike.cpython-311.pyc
■ ■ ■ datetimes.cpython-311.pyc
■ ■ ■ floating.cpython-311.pyc
■ ■ ■ integer.cpython-311.pyc
■ ■ ■ interval.cpython-311.pyc
■ ■ ■ masked.cpython-311.pyc
■ ■ ■ numeric.cpython-311.pyc
■ ■ ■ numpy_.cpython-311.pyc
■ ■ ■ period.cpython-311.pyc
■ ■ ■ string_.cpython-311.pyc
■ ■ ■ string_arrow.cpython-311.pyc
■ ■ ■ timedeltas.cpython-311.pyc
■ ■ ■ _mixins.py
■ ■ ■ _ranges.py
■ ■ ■ arrow
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _arrow_utils.cpython-311.pyc
■ ■ ■ array.cpython-311.pyc
■ ■ ■ dtype.cpython-311.pyc
■ ■ ■ extension_types.cpython-311.pyc
■ ■ ■ _arrow_utils.py
■ ■ ■ array.py
■ ■ ■ dtype.py

```

```

extension_types.py
base.py
boolean.py
categorical.py
datetimelike.py
datetimes.py
floating.py
integer.py
interval.py
masked.py
numeric.py
numpy_.py
period.py
sparse
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        accessor.cpython-311.pyc
        array.cpython-311.pyc
        dtype.cpython-311.pyc
        scipy_sparse.cpython-311.pyc
    accessor.py
    array.py
    dtype.py
    scipy_sparse.py
string_.py
string_arrow.py
timedeltas.py
base.py
common.py
computation
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        align.cpython-311.pyc
        api.cpython-311.pyc
        check.cpython-311.pyc
        common.cpython-311.pyc
        engines.cpython-311.pyc
        eval.cpython-311.pyc
        expr.cpython-311.pyc
        expressions.cpython-311.pyc
        ops.cpython-311.pyc
        parsing.cpython-311.pyc
        pytables.cpython-311.pyc
        scope.cpython-311.pyc
    align.py
    api.py
    check.py
    common.py
    engines.py
    eval.py
    expr.py
    expressions.py
    ops.py
    parsing.py
    pytables.py
    scope.py

```



```

##### config_init.py
##### construction.py
##### describe.py
##### dtypes
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### api.cpython-311.pyc
##### astype.cpython-311.pyc
##### base.cpython-311.pyc
##### cast.cpython-311.pyc
##### common.cpython-311.pyc
##### concat.cpython-311.pyc
##### dtypes.cpython-311.pyc
##### generic.cpython-311.pyc
##### inference.cpython-311.pyc
##### missing.cpython-311.pyc
##### api.py
##### astype.py
##### base.py
##### cast.py
##### common.py
##### concat.py
##### dtypes.py
##### generic.py
##### inference.py
##### missing.py
##### flags.py
##### frame.py
##### generic.py
##### groupby
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### base.cpython-311.pyc
##### categorical.cpython-311.pyc
##### generic.cpython-311.pyc
##### groupby.cpython-311.pyc
##### grouper.cpython-311.pyc
##### indexing.cpython-311.pyc
##### numba_.cpython-311.pyc
##### ops.cpython-311.pyc
##### base.py
##### categorical.py
##### generic.py
##### groupby.py
##### grouper.py
##### indexing.py
##### numba_.py
##### ops.py
##### index.py
##### indexers
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### objects.cpython-311.pyc
##### utils.cpython-311.pyc
##### objects.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ indexes
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ accessors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ category.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ datetimelike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ datetimes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ frozen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ interval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ multi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ period.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ range.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ timedeltas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ accessors.py
■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■■■ category.py
■ ■ ■ ■ ■ ■ ■■■ datetimelike.py
■ ■ ■ ■ ■ ■ ■■■ datetimes.py
■ ■ ■ ■ ■ ■ ■■■ extension.py
■ ■ ■ ■ ■ ■ ■■■ frozen.py
■ ■ ■ ■ ■ ■ ■■■ interval.py
■ ■ ■ ■ ■ ■ ■■■ multi.py
■ ■ ■ ■ ■ ■ ■■■ numeric.py
■ ■ ■ ■ ■ ■ ■■■ period.py
■ ■ ■ ■ ■ ■ ■■■ range.py
■ ■ ■ ■ ■ ■ ■■■ timedeltas.py
■ ■ ■ ■ ■ ■ ■■■ indexing.py
■ ■ ■ ■ ■ ■ ■■■ interchange
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ buffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dataframe_protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ from_dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ buffer.py
■ ■ ■ ■ ■ ■ ■■■ column.py
■ ■ ■ ■ ■ ■ ■■■ dataframe.py
■ ■ ■ ■ ■ ■ ■■■ dataframe_protocol.py
■ ■ ■ ■ ■ ■ ■■■ from_dataframe.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ internals
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ array_manager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ blocks.cpython-311.pyc
```

```

■      ■      ■      ■      ■      ■      ■      ■      ■■■■ concat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ construction.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ managers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ api.py
■      ■      ■      ■      ■      ■      ■      ■■■■ array_manager.py
■      ■      ■      ■      ■      ■      ■      ■■■■ base.py
■      ■      ■      ■      ■      ■      ■      ■■■■ blocks.py
■      ■      ■      ■      ■      ■      ■      ■■■■ concat.py
■      ■      ■      ■      ■      ■      ■      ■■■■ construction.py
■      ■      ■      ■      ■      ■      ■      ■■■■ managers.py
■      ■      ■      ■      ■      ■      ■      ■■■■ ops.py
■      ■      ■      ■      ■      ■      ■■■■ missing.py
■      ■      ■      ■      ■      ■      ■■■■ nanops.py
■      ■      ■      ■      ■      ■      ■■■■ ops
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ array_ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dispatch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ docstrings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ invalid.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mask_ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ methods.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ missing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ array_ops.py
■      ■      ■      ■      ■      ■      ■■■■ common.py
■      ■      ■      ■      ■      ■      ■■■■ dispatch.py
■      ■      ■      ■      ■      ■      ■■■■ docstrings.py
■      ■      ■      ■      ■      ■      ■■■■ invalid.py
■      ■      ■      ■      ■      ■      ■■■■ mask_ops.py
■      ■      ■      ■      ■      ■      ■■■■ methods.py
■      ■      ■      ■      ■      ■      ■■■■ missing.py
■      ■      ■      ■      ■      ■■■■ resample.py
■      ■      ■      ■      ■      ■■■■ reshape
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ api.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ concat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ encoding.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ melt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ merge.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pivot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ reshape.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ tile.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ api.py
■      ■      ■      ■      ■      ■      ■■■■ concat.py
■      ■      ■      ■      ■      ■      ■■■■ encoding.py
■      ■      ■      ■      ■      ■      ■■■■ melt.py
■      ■      ■      ■      ■      ■      ■■■■ merge.py
■      ■      ■      ■      ■      ■      ■■■■ pivot.py
■      ■      ■      ■      ■      ■      ■■■■ reshape.py
■      ■      ■      ■      ■      ■      ■■■■ tile.py
■      ■      ■      ■      ■      ■      ■■■■ util.py
■      ■      ■      ■      ■      ■■■■ roperator.py

```



```

    errors
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    io
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
    clipboards.cpython-311.pyc
    common.cpython-311.pyc
    date_converters.cpython-311.pyc
    feather_format.cpython-311.pyc
    gbq.cpython-311.pyc
    html.cpython-311.pyc
    orc.cpython-311.pyc
    parquet.cpython-311.pyc
    pickle.cpython-311.pyc
    pytables.cpython-311.pyc
    spss.cpython-311.pyc
    sql.cpython-311.pyc
    stata.cpython-311.pyc
    xml.cpython-311.pyc
    api.py
    clipboard
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    clipboards.py
    common.py
    date_converters.py
    excel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _base.cpython-311.pyc
    _odfreader.cpython-311.pyc
    _odswriter.cpython-311.pyc
    _openpyxl.cpython-311.pyc
    _pyxlsb.cpython-311.pyc
    _util.cpython-311.pyc
    _xlrd.cpython-311.pyc
    _xlsxwriter.cpython-311.pyc
    _xlwt.cpython-311.pyc
    _base.py
    _odfreader.py
    _odswriter.py
    _openpyxl.py
    _pyxlsb.py
    _util.py
    _xlrd.py
    _xlsxwriter.py
    _xlwt.py
    feather_format.py
    formats
    __init__.py
    __pycache__
    __init__.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ readers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arrow_parser_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c_parser_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ readers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pytables.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas7bdat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_xport.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sasreader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _sas.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _sas.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas7bdat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_xport.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sasreader.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ spss.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sql.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stata.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xml.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ plotting
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _core.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _matplotlib
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boxplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ converter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ timeseries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boxplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ converter.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ groupby.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hist.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ style.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ timeseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tools.py
```

```

■ ■ ■ _misc.py
■ ■ ■ testing.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■■■ __init__.cpython-311.pyc
■ ■ ■   ■■■ test_aggregation.cpython-311.pyc
■ ■ ■   ■■■ test_algos.cpython-311.pyc
■ ■ ■   ■■■ test_common.cpython-311.pyc
■ ■ ■   ■■■ test_downstream.cpython-311.pyc
■ ■ ■   ■■■ test_errors.cpython-311.pyc
■ ■ ■   ■■■ test_expressions.cpython-311.pyc
■ ■ ■   ■■■ test_flags.cpython-311.pyc
■ ■ ■   ■■■ test_multilevel.cpython-311.pyc
■ ■ ■   ■■■ test_nanops.cpython-311.pyc
■ ■ ■   ■■■ test_optional_dependency.cpython-311.pyc
■ ■ ■   ■■■ test_register_accessor.cpython-311.pyc
■ ■ ■   ■■■ test_sorting.cpython-311.pyc
■ ■ ■   ■■■ test_take.cpython-311.pyc
■ ■ ■ api
■ ■ ■   ■■■ __init__.py
■ ■ ■   ■■■ __pycache__
■ ■ ■   ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_api.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_types.cpython-311.pyc
■ ■ ■   ■■■ test_api.py
■ ■ ■   ■■■ test_types.py
■ ■ ■ apply
■ ■ ■   ■■■ __init__.py
■ ■ ■   ■■■ __pycache__
■ ■ ■   ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_frame_apply.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_frame_apply_relabeling.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_frame_transform.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_invalid_arg.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_series_apply.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_series_apply_relabeling.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_series_transform.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_str.cpython-311.pyc
■ ■ ■   ■■■ common.py
■ ■ ■   ■■■ conftest.py
■ ■ ■   ■■■ test_frame_apply.py
■ ■ ■   ■■■ test_frame_apply_relabeling.py
■ ■ ■   ■■■ test_frame_transform.py
■ ■ ■   ■■■ test_invalid_arg.py
■ ■ ■   ■■■ test_series_apply.py
■ ■ ■   ■■■ test_series_apply_relabeling.py
■ ■ ■   ■■■ test_series_transform.py
■ ■ ■   ■■■ test_str.py
■ ■ ■ arithmetic
■ ■ ■   ■■■ __init__.py
■ ■ ■   ■■■ __pycache__
■ ■ ■   ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■   ■ ■ ■■■ test_array_ops.cpython-311.pyc

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_categorical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetime64.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedelta64.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_categorical.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetime64.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interval.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numeric.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_object.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedelta64.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ arrays
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ masked_shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetimelike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetimes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ndarray_backed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedeltas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ boolean
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arithmetic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_astype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_comparison.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_construction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reduction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arithmetic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_astype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_comparison.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_construction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_function.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logical.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reduction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ categorical
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_algos.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transpose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_unique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_value_counts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_transpose.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_unique.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_value_counts.py
■ ■ ■ ■ ■ ■ ■ ■■■ computation
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval.py
■ ■ ■ ■ ■ ■ ■ ■■■ config
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_localization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_localization.py
■ ■ ■ ■ ■ ■ ■ ■■■ construction
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_extract_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_extract_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ copy_view
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_setitem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_internals.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_methods.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_setitem.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ dtypes
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
```



```

■      ■      ■      ■      ■      ■      ■      ■■■■ array_with_attr
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ array.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_array_with_attr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ array.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_array_with_attr.py
■      ■      ■      ■      ■      ■      ■■■■ arrow
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ arrays.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_bool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_string.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_timestamp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ arrays.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_bool.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_string.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_timestamp.py
■      ■      ■      ■      ■      ■      ■■■■ base
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ casting.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ constructors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dim2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dtype.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ getitem.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ groupby.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ index.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ interface.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ io.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ methods.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ missing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ printing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ reduce.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ reshaping.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ setitem.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ base.py
■      ■      ■      ■      ■      ■      ■■■■ casting.py
■      ■      ■      ■      ■      ■      ■■■■ constructors.py
■      ■      ■      ■      ■      ■      ■■■■ dim2.py
■      ■      ■      ■      ■      ■      ■■■■ dtype.py
■      ■      ■      ■      ■      ■      ■■■■ getitem.py
■      ■      ■      ■      ■      ■      ■■■■ groupby.py
■      ■      ■      ■      ■      ■      ■■■■ index.py
■      ■      ■      ■      ■      ■      ■■■■ interface.py
■      ■      ■      ■      ■      ■      ■■■■ io.py
■      ■      ■      ■      ■      ■      ■■■■ methods.py
■      ■      ■      ■      ■      ■      ■■■■ missing.py
■      ■      ■      ■      ■      ■      ■■■■ ops.py
■      ■      ■      ■      ■      ■      ■■■■ printing.py
■      ■      ■      ■      ■      ■      ■■■■ reduce.py
■      ■      ■      ■      ■      ■      ■■■■ reshaping.py
■      ■      ■      ■      ■      ■      ■■■■ setitem.py

```

```

conftest.py
date
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
array.py
decimal
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
test_decimal.cpython-311.pyc
array.py
test_decimal.py
json
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
test_json.cpython-311.pyc
array.py
test_json.py
list
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
test_list.cpython-311.pyc
array.py
test_list.py
test_arrow.py
test_boolean.py
test_categorical.py
test_common.py
test_datetime.py
test_extension.py
test_external_block.py
test_floating.py
test_integer.py
test_interval.py
test_numpy.py
test_period.py
test_sparse.py
test_string.py
frame
__init__.py
__pycache__
__init__.cpython-311.pyc
common.cpython-311.pyc
conftest.cpython-311.pyc
test_alter_axes.cpython-311.pyc
test_api.cpython-311.pyc
test_arithmetic.cpython-311.pyc
test_block_internals.cpython-311.pyc
test_constructors.cpython-311.pyc
test_cumulative.cpython-311.pyc
test_iteration.cpython-311.pyc

```



```

test_logical_ops.cpython-311.pyc
test_nonunique_indexes.cpython-311.pyc
test_npfuncs.cpython-311.pyc
test_query_eval.cpython-311.pyc
test_reductions.cpython-311.pyc
test_repr_info.cpython-311.pyc
test_stack_unstack.cpython-311.pyc
test_subclass.cpython-311.pyc
test_ufunc.cpython-311.pyc
test_unary.cpython-311.pyc
test_validate.cpython-311.pyc
common.py
conftest.py
constructors
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_from_dict.cpython-311.pyc
        test_from_records.cpython-311.pyc
        test_from_dict.py
        test_from_records.py
indexing
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_coercion.cpython-311.pyc
        test_delitem.cpython-311.pyc
        test_get.cpython-311.pyc
        test_get_value.cpython-311.pyc
        test_getitem.cpython-311.pyc
        test_indexing.cpython-311.pyc
        test_insert.cpython-311.pyc
        test_lookup.cpython-311.pyc
        test_mask.cpython-311.pyc
        test_set_value.cpython-311.pyc
        test_setitem.cpython-311.pyc
        test_take.cpython-311.pyc
        test_where.cpython-311.pyc
        test_xs.cpython-311.pyc
    test_coercion.py
    test_delitem.py
    test_get.py
    test_get_value.py
    test_getitem.py
    test_indexing.py
    test_insert.py
    test_lookup.py
    test_mask.py
    test_set_value.py
    test_setitem.py
    test_take.py
    test_where.py
    test_xs.py
methods
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_add_prefix_suffix.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	test_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_append.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_asfreq.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_asof.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_assign.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_astype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_at_time.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_between_time.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_clip.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_combine.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_combine_first.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_compare.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_convert.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_convert_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_copy.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_count.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_count_with_level_deprecated.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_cov_corr.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_describe.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_diff.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_drop.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_drop_duplicates.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_droplevel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dropna.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_duplicated.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_equals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_explode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_fillna.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_filter.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_first_and_last.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_first_valid_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_get_numeric_data.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_head_tail.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_infer_objects.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_interpolate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_is_homogeneous_dtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_isin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_join.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matmul.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_nlargest.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pct_change.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pipe.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pop.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_quantile.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rank.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reindex.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reindex_like.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rename.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rename_axis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reorder_levels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_replace.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reset_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_round.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sample.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_select_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_set_axis.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	test_set_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_shift.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sort_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sort_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_swapaxes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_swaplevel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_csv.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_dict.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_dict_of_blocks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_numpy.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_period.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_records.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_timestamp.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_truncate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tz_convert.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tz_localize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_update.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_value_counts.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_add_prefix_suffix.py	
■	■	■	■	■	■	■	■	■■■■	test_align.py	
■	■	■	■	■	■	■	■	■■■■	test_append.py	
■	■	■	■	■	■	■	■	■■■■	test_asfreq.py	
■	■	■	■	■	■	■	■	■■■■	test_asof.py	
■	■	■	■	■	■	■	■	■■■■	test_assign.py	
■	■	■	■	■	■	■	■	■■■■	test_astype.py	
■	■	■	■	■	■	■	■	■■■■	test_at_time.py	
■	■	■	■	■	■	■	■	■■■■	test_between_time.py	
■	■	■	■	■	■	■	■	■■■■	test_clip.py	
■	■	■	■	■	■	■	■	■■■■	test_combine.py	
■	■	■	■	■	■	■	■	■■■■	test_combine_first.py	
■	■	■	■	■	■	■	■	■■■■	test_compare.py	
■	■	■	■	■	■	■	■	■■■■	test_convert.py	
■	■	■	■	■	■	■	■	■■■■	test_convert_dtypes.py	
■	■	■	■	■	■	■	■	■■■■	test_copy.py	
■	■	■	■	■	■	■	■	■■■■	test_count.py	
■	■	■	■	■	■	■	■	■■■■	test_count_with_level_deprecated.py	
■	■	■	■	■	■	■	■	■■■■	test_cov_corr.py	
■	■	■	■	■	■	■	■	■■■■	test_describe.py	
■	■	■	■	■	■	■	■	■■■■	test_diff.py	
■	■	■	■	■	■	■	■	■■■■	test_dot.py	
■	■	■	■	■	■	■	■	■■■■	test_drop.py	
■	■	■	■	■	■	■	■	■■■■	test_drop_duplicates.py	
■	■	■	■	■	■	■	■	■■■■	test_droplevel.py	
■	■	■	■	■	■	■	■	■■■■	test_dropna.py	
■	■	■	■	■	■	■	■	■■■■	test_dtypes.py	
■	■	■	■	■	■	■	■	■■■■	test_duplicated.py	
■	■	■	■	■	■	■	■	■■■■	test_equals.py	
■	■	■	■	■	■	■	■	■■■■	test_explode.py	
■	■	■	■	■	■	■	■	■■■■	test_fillna.py	
■	■	■	■	■	■	■	■	■■■■	test_filter.py	
■	■	■	■	■	■	■	■	■■■■	test_first_and_last.py	
■	■	■	■	■	■	■	■	■■■■	test_first_valid_index.py	
■	■	■	■	■	■	■	■	■■■■	test_get_numeric_data.py	
■	■	■	■	■	■	■	■	■■■■	test_head_tail.py	
■	■	■	■	■	■	■	■	■■■■	test_infer_objects.py	
■	■	■	■	■	■	■	■	■■■■	test_interpolate.py	

■	■	■	■	■	■	■	■	■	■■■	test_is_homogeneous_dtype.py
■	■	■	■	■	■	■	■	■	■■■	test_isin.py
■	■	■	■	■	■	■	■	■	■■■	test_join.py
■	■	■	■	■	■	■	■	■	■■■	test_matmul.py
■	■	■	■	■	■	■	■	■	■■■	test_nlargest.py
■	■	■	■	■	■	■	■	■	■■■	test_pct_change.py
■	■	■	■	■	■	■	■	■	■■■	test_pipe.py
■	■	■	■	■	■	■	■	■	■■■	test_pop.py
■	■	■	■	■	■	■	■	■	■■■	test_quantile.py
■	■	■	■	■	■	■	■	■	■■■	test_rank.py
■	■	■	■	■	■	■	■	■	■■■	test_reindex.py
■	■	■	■	■	■	■	■	■	■■■	test_reindex_like.py
■	■	■	■	■	■	■	■	■	■■■	test_rename.py
■	■	■	■	■	■	■	■	■	■■■	test_rename_axis.py
■	■	■	■	■	■	■	■	■	■■■	test_reorder_levels.py
■	■	■	■	■	■	■	■	■	■■■	test_replace.py
■	■	■	■	■	■	■	■	■	■■■	test_reset_index.py
■	■	■	■	■	■	■	■	■	■■■	test_round.py
■	■	■	■	■	■	■	■	■	■■■	test_sample.py
■	■	■	■	■	■	■	■	■	■■■	test_select_dtypes.py
■	■	■	■	■	■	■	■	■	■■■	test_set_axis.py
■	■	■	■	■	■	■	■	■	■■■	test_set_index.py
■	■	■	■	■	■	■	■	■	■■■	test_shift.py
■	■	■	■	■	■	■	■	■	■■■	test_sort_index.py
■	■	■	■	■	■	■	■	■	■■■	test_sort_values.py
■	■	■	■	■	■	■	■	■	■■■	test_swapaxes.py
■	■	■	■	■	■	■	■	■	■■■	test_swaplevel.py
■	■	■	■	■	■	■	■	■	■■■	test_to_csv.py
■	■	■	■	■	■	■	■	■	■■■	test_to_dict.py
■	■	■	■	■	■	■	■	■	■■■	test_to_dict_of_blocks.py
■	■	■	■	■	■	■	■	■	■■■	test_to_numpy.py
■	■	■	■	■	■	■	■	■	■■■	test_to_period.py
■	■	■	■	■	■	■	■	■	■■■	test_to_records.py
■	■	■	■	■	■	■	■	■	■■■	test_to_timestamp.py
■	■	■	■	■	■	■	■	■	■■■	test_transpose.py
■	■	■	■	■	■	■	■	■	■■■	test_truncate.py
■	■	■	■	■	■	■	■	■	■■■	test_tz_convert.py
■	■	■	■	■	■	■	■	■	■■■	test_tz_localize.py
■	■	■	■	■	■	■	■	■	■■■	test_update.py
■	■	■	■	■	■	■	■	■	■■■	test_value_counts.py
■	■	■	■	■	■	■	■	■	■■■	test_values.py
■	■	■	■	■	■	■	■	■■■	test_alter_axes.py	
■	■	■	■	■	■	■	■	■■■	test_api.py	
■	■	■	■	■	■	■	■	■■■	test_arithmetic.py	
■	■	■	■	■	■	■	■	■■■	test_block_internals.py	
■	■	■	■	■	■	■	■	■■■	test_constructors.py	
■	■	■	■	■	■	■	■	■■■	test_cumulative.py	
■	■	■	■	■	■	■	■	■■■	test_iteration.py	
■	■	■	■	■	■	■	■	■■■	test_logical_ops.py	
■	■	■	■	■	■	■	■	■■■	test_nonunique_indexes.py	
■	■	■	■	■	■	■	■	■■■	test_npfuns.py	
■	■	■	■	■	■	■	■	■■■	test_query_eval.py	
■	■	■	■	■	■	■	■	■■■	test_reductions.py	
■	■	■	■	■	■	■	■	■■■	test_repr_info.py	
■	■	■	■	■	■	■	■	■■■	test_stack_unstack.py	
■	■	■	■	■	■	■	■	■■■	test_subclass.py	
■	■	■	■	■	■</					

```

■ ■ ■ test_validate.py
■ ■ ■ generic
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_duplicate_labels.cpython-311.pyc
■ ■ ■ test_finalize.cpython-311.pyc
■ ■ ■ test_frame.cpython-311.pyc
■ ■ ■ test_generic.cpython-311.pyc
■ ■ ■ test_label_or_level_utils.cpython-311.pyc
■ ■ ■ test_series.cpython-311.pyc
■ ■ ■ test_to_xarray.cpython-311.pyc
■ ■ ■ test_duplicate_labels.py
■ ■ ■ test_finalize.py
■ ■ ■ test_frame.py
■ ■ ■ test_generic.py
■ ■ ■ test_label_or_level_utils.py
■ ■ ■ test_series.py
■ ■ ■ test_to_xarray.py
■ ■ ■ groupby
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ test_allowlist.cpython-311.pyc
■ ■ ■ test_any_all.cpython-311.pyc
■ ■ ■ test_apply.cpython-311.pyc
■ ■ ■ test_apply_mutate.cpython-311.pyc
■ ■ ■ test_bin_groupby.cpython-311.pyc
■ ■ ■ test_categorical.cpython-311.pyc
■ ■ ■ test_counting.cpython-311.pyc
■ ■ ■ test_filters.cpython-311.pyc
■ ■ ■ test_frame_value_counts.cpython-311.pyc
■ ■ ■ test_function.cpython-311.pyc
■ ■ ■ test_groupby.cpython-311.pyc
■ ■ ■ test_groupby_dropna.cpython-311.pyc
■ ■ ■ test_groupby_shift_diff.cpython-311.pyc
■ ■ ■ test_groupby_subclass.cpython-311.pyc
■ ■ ■ test_grouping.cpython-311.pyc
■ ■ ■ test_index_as_string.cpython-311.pyc
■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ test_libgroupby.cpython-311.pyc
■ ■ ■ test_min_max.cpython-311.pyc
■ ■ ■ test_missing.cpython-311.pyc
■ ■ ■ test_nth.cpython-311.pyc
■ ■ ■ test_numba.cpython-311.pyc
■ ■ ■ test_nunique.cpython-311.pyc
■ ■ ■ test_pipe.cpython-311.pyc
■ ■ ■ test_quantile.cpython-311.pyc
■ ■ ■ test_rank.cpython-311.pyc
■ ■ ■ test_sample.cpython-311.pyc
■ ■ ■ test_size.cpython-311.pyc
■ ■ ■ test_timegrouper.cpython-311.pyc
■ ■ ■ test_value_counts.cpython-311.pyc
■ ■ ■ aggregate
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_frozen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_index_new.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_subclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base_class
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_where.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_where.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ categorical
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_append.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_category.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_map.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_append.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_category.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equals.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_map.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ datetimelike.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ datetimelike_
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_drop_duplicates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
```

```

■ ■ ■ test_is_monotonic.cpython-311.pyc
■ ■ ■ test_nat.cpython-311.pyc
■ ■ ■ test_sort_values.cpython-311.pyc
■ ■ ■ test_value_counts.cpython-311.pyc
■ ■ ■ test_drop_duplicates.py
■ ■ ■ test_equals.py
■ ■ ■ test_indexing.py
■ ■ ■ test_is_monotonic.py
■ ■ ■ test_nat.py
■ ■ ■ test_sort_values.py
■ ■ ■ test_value_counts.py
■ ■ ■ datetimes
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_asof.cpython-311.pyc
■ ■ ■ test_constructors.cpython-311.pyc
■ ■ ■ test_date_range.cpython-311.pyc
■ ■ ■ test_datetime.cpython-311.pyc
■ ■ ■ test_datetimelike.cpython-311.pyc
■ ■ ■ test_delete.cpython-311.pyc
■ ■ ■ test_formats.cpython-311.pyc
■ ■ ■ test_freq_attr.cpython-311.pyc
■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ test_join.cpython-311.pyc
■ ■ ■ test_map.cpython-311.pyc
■ ■ ■ test_misc.cpython-311.pyc
■ ■ ■ test_npfuncs.cpython-311.pyc
■ ■ ■ test_ops.cpython-311.pyc
■ ■ ■ test_partial_slicing.cpython-311.pyc
■ ■ ■ test_pickle.cpython-311.pyc
■ ■ ■ test_reindex.cpython-311.pyc
■ ■ ■ test_scalar_compat.cpython-311.pyc
■ ■ ■ test_setops.cpython-311.pyc
■ ■ ■ test_timezones.cpython-311.pyc
■ ■ ■ test_unique.cpython-311.pyc
■ ■ ■ methods
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_astype.cpython-311.pyc
■ ■ ■ test_factorize.cpython-311.pyc
■ ■ ■ test_fillna.cpython-311.pyc
■ ■ ■ test_insert.cpython-311.pyc
■ ■ ■ test_isocalendar.cpython-311.pyc
■ ■ ■ test_repeat.cpython-311.pyc
■ ■ ■ test_shift.cpython-311.pyc
■ ■ ■ test_snap.cpython-311.pyc
■ ■ ■ test_to_frame.cpython-311.pyc
■ ■ ■ test_to_period.cpython-311.pyc
■ ■ ■ test_to_series.cpython-311.pyc
■ ■ ■ test_astype.py
■ ■ ■ test_factorize.py
■ ■ ■ test_fillna.py
■ ■ ■ test_insert.py
■ ■ ■ test_isocalendar.py
■ ■ ■ test_repeat.py
■ ■ ■ test_shift.py

```


■	■	■	■	■	■	■	■	■	■■■■	test_snap.py	
■	■	■	■	■	■	■	■	■	■	■■■■	test_to_frame.py
■	■	■	■	■	■	■	■	■	■	■■■■	test_to_period.py
■	■	■	■	■	■	■	■	■	■	■■■■	test_to_series.py
■	■	■	■	■	■	■	■	■	■■■■	test_asof.py	
■	■	■	■	■	■	■	■	■	■■■■	test_constructors.py	
■	■	■	■	■	■	■	■	■	■■■■	test_date_range.py	
■	■	■	■	■	■	■	■	■	■■■■	test_datetime.py	
■	■	■	■	■	■	■	■	■	■■■■	test_datetimelike.py	
■	■	■	■	■	■	■	■	■	■■■■	test_delete.py	
■	■	■	■	■	■	■	■	■	■■■■	test_formats.py	
■	■	■	■	■	■	■	■	■	■■■■	test_freq_attr.py	
■	■	■	■	■	■	■	■	■	■■■■	test_indexing.py	
■	■	■	■	■	■	■	■	■	■■■■	test_join.py	
■	■	■	■	■	■	■	■	■	■■■■	test_map.py	
■	■	■	■	■	■	■	■	■	■■■■	test_misc.py	
■	■	■	■	■	■	■	■	■	■■■■	test_npfuncs.py	
■	■	■	■	■	■	■	■	■	■■■■	test_ops.py	
■	■	■	■	■	■	■	■	■	■■■■	test_partial_slicing.py	
■	■	■	■	■	■	■	■	■	■■■■	test_pickle.py	
■	■	■	■	■	■	■	■	■	■■■■	test_reindex.py	
■	■	■	■	■	■	■	■	■	■■■■	test_scalar_compat.py	
■	■	■	■	■	■	■	■	■	■■■■	test_setops.py	
■	■	■	■	■	■	■	■	■	■■■■	test_timezones.py	
■	■	■	■	■	■	■	■	■	■■■■	test_unique.py	
■	■	■	■	■	■	■	■	■■■■	interval		
■	■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_astype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_base.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_constructors.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_equals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_formats.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_interval.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_interval_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_interval_tree.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_join.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_pickle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_setops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_astype.py		
■	■	■	■	■	■	■	■	■■■■	test_base.py		
■	■	■	■	■	■	■	■	■■■■	test_constructors.py		
■	■	■	■	■	■	■	■	■■■■	test_equals.py		
■	■	■	■	■	■	■	■	■■■■	test_formats.py		
■	■	■	■	■	■	■	■	■■■■	test_indexing.py		
■	■	■	■	■	■	■	■	■■■■	test_interval.py		
■	■	■	■	■	■	■	■	■■■■	test_interval_range.py		
■	■	■	■	■	■	■	■	■■■■	test_interval_tree.py		
■	■	■	■	■	■	■	■	■■■■	test_join.py		
■	■	■	■	■	■	■	■	■■■■	test_pickle.py		
■	■	■	■	■	■	■	■	■■■■	test_setops.py		
■	■	■	■	■	■	■	■	■■■■	multi		
■	■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	conftest.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_analytics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_drop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_duplicates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equivalence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_level_values.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_set.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_integrity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_isin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_join.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_lexsort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_monotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_names.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_partial_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_take.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_analytics.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_drop.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_duplicates.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equivalence.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_level_values.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_set.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_integrity.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_isin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_join.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_lexsort.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_missing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_monotonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_names.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_partial_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_take.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ numeric
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
```



```

■ ■ ■ methods
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■ ■ ■ test_astype.cpython-311.pyc
■     ■ ■ ■ test_factorize.cpython-311.pyc
■     ■ ■ ■ test_fillna.cpython-311.pyc
■     ■ ■ ■ test_insert.cpython-311.pyc
■     ■ ■ ■ test_repeat.cpython-311.pyc
■     ■ ■ ■ test_shift.cpython-311.pyc
■     ■ ■ ■ test_astype.py
■     ■ ■ ■ test_factorize.py
■     ■ ■ ■ test_fillna.py
■     ■ ■ ■ test_insert.py
■     ■ ■ ■ test_repeat.py
■     ■ ■ ■ test_shift.py
■   ■ ■ ■ test_constructors.py
■   ■ ■ ■ test_delete.py
■   ■ ■ ■ test_formats.py
■   ■ ■ ■ test_freq_attr.py
■   ■ ■ ■ test_indexing.py
■   ■ ■ ■ test_join.py
■   ■ ■ ■ test_ops.py
■   ■ ■ ■ test_pickle.py
■   ■ ■ ■ test_scalar_compat.py
■   ■ ■ ■ test_searchsorted.py
■   ■ ■ ■ test_setops.py
■   ■ ■ ■ test_timedelta.py
■   ■ ■ ■ test_timedelta_range.py
■ ■ ■ indexing
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■ ■ ■ common.cpython-311.pyc
■     ■ ■ ■ test_at.cpython-311.pyc
■     ■ ■ ■ test_categorical.cpython-311.pyc
■     ■ ■ ■ test_chaining_and_caching.cpython-311.pyc
■     ■ ■ ■ test_check_indexer.cpython-311.pyc
■     ■ ■ ■ test_coercion.cpython-311.pyc
■     ■ ■ ■ test_datetime.cpython-311.pyc
■     ■ ■ ■ test_floats.cpython-311.pyc
■     ■ ■ ■ test_iat.cpython-311.pyc
■     ■ ■ ■ test_iloc.cpython-311.pyc
■     ■ ■ ■ test_indexers.cpython-311.pyc
■     ■ ■ ■ test_indexing.cpython-311.pyc
■     ■ ■ ■ test_loc.cpython-311.pyc
■     ■ ■ ■ test_na_indexing.cpython-311.pyc
■     ■ ■ ■ test_partial.cpython-311.pyc
■     ■ ■ ■ test_scalar.cpython-311.pyc
■   ■ ■ ■ common.py
■   ■ ■ ■ interval
■     ■ ■ ■ __init__.py
■     ■ ■ ■ __pycache__
■       ■ ■ ■ __init__.cpython-311.pyc
■       ■ ■ ■ test_interval.cpython-311.pyc
■       ■ ■ ■ test_interval_new.cpython-311.pyc
■     ■ ■ ■ test_interval.py
■     ■ ■ ■ test_interval_new.py

```



```

■ ■ ■ test_textreader.cpython-311.pyc
■ ■ ■ test_unsupported.cpython-311.pyc
■ ■ ■ common
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_chunksize.cpython-311.pyc
■ ■ ■ test_common_basic.cpython-311.pyc
■ ■ ■ test_data_list.cpython-311.pyc
■ ■ ■ test_decimal.cpython-311.pyc
■ ■ ■ test_file_buffer_url.cpython-311.pyc
■ ■ ■ test_float.cpython-311.pyc
■ ■ ■ test_index.cpython-311.pyc
■ ■ ■ test_inf.cpython-311.pyc
■ ■ ■ test_ints.cpython-311.pyc
■ ■ ■ test_iterator.cpython-311.pyc
■ ■ ■ test_read_errors.cpython-311.pyc
■ ■ ■ test_verbose.cpython-311.pyc
■ ■ ■ test_chunksize.py
■ ■ ■ test_common_basic.py
■ ■ ■ test_data_list.py
■ ■ ■ test_decimal.py
■ ■ ■ test_file_buffer_url.py
■ ■ ■ test_float.py
■ ■ ■ test_index.py
■ ■ ■ test_inf.py
■ ■ ■ test_ints.py
■ ■ ■ test_iterator.py
■ ■ ■ test_read_errors.py
■ ■ ■ test_verbose.py
■ ■ ■ conftest.py
■ ■ ■ dtypes
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_categorical.cpython-311.pyc
■ ■ ■ test_dtypes_basic.cpython-311.pyc
■ ■ ■ test_empty.cpython-311.pyc
■ ■ ■ test_categorical.py
■ ■ ■ test_dtypes_basic.py
■ ■ ■ test_empty.py
■ ■ ■ test_c_parser_only.py
■ ■ ■ test_comment.py
■ ■ ■ test_compression.py
■ ■ ■ test_converters.py
■ ■ ■ test_dialect.py
■ ■ ■ test_encoding.py
■ ■ ■ test_header.py
■ ■ ■ test_index_col.py
■ ■ ■ test_mangle_dupes.py
■ ■ ■ test_multi_thread.py
■ ■ ■ test_na_values.py
■ ■ ■ test_network.py
■ ■ ■ test_parse_dates.py
■ ■ ■ test_python_parser_only.py
■ ■ ■ test_quoting.py
■ ■ ■ test_read_fwf.py
■ ■ ■ test_skiprows.py

```



```

■      ■      ■      ■      ■      ■      ■      ■■■ common.py
■      ■      ■      ■      ■      ■      ■      ■■■ conftest.py
■      ■      ■      ■      ■      ■      ■      ■■■ frame
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_color.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_groupby.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_legend.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_subplots.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_hist_box_by.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_color.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_groupby.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_legend.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_frame_subplots.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_hist_box_by.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_backend.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_boxplot_method.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_common.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_converter.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_datetimelike.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_groupby.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_hist_method.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_misc.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_series.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_style.py
■      ■      ■      ■      ■      ■      ■■■ reductions
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_reductions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_stat_reductions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_reductions.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_stat_reductions.py
■      ■      ■      ■      ■      ■      ■■■ resample
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_datetime_index.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_deprecated.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_period_index.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_resample_api.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_resampler_grouper.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_time_grouper.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_timedelta.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ conftest.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_base.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_datetime_index.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_deprecated.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_period_index.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_resample_api.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_resampler_grouper.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_time_grouper.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_timedelta.py

```



```

test_delitem.py
test_get.py
test_getitem.py
test_indexing.py
test_mask.py
test_set_value.py
test_setitem.py
test_take.py
test_where.py
test_xs.py
methods
__init__.py
__pycache__
__init__.cpython-311.pyc
test_align.cpython-311.pyc
test_append.cpython-311.pyc
test_argsort.cpython-311.pyc
test_asof.cpython-311.pyc
test_astype.cpython-311.pyc
test_autocorr.cpython-311.pyc
test_between.cpython-311.pyc
test_clip.cpython-311.pyc
test_combine.cpython-311.pyc
test_combine_first.cpython-311.pyc
test_compare.cpython-311.pyc
test_convert.cpython-311.pyc
test_convert_dtypes.cpython-311.pyc
test_copy.cpython-311.pyc
test_count.cpython-311.pyc
test_cov_corr.cpython-311.pyc
test_describe.cpython-311.pyc
test_diff.cpython-311.pyc
test_drop.cpython-311.pyc
test_drop_duplicates.cpython-311.pyc
test_dropna.cpython-311.pyc
test_dtypes.cpython-311.pyc
test_duplicated.cpython-311.pyc
test_equals.cpython-311.pyc
test_explode.cpython-311.pyc
test_fillna.cpython-311.pyc
test_get_numeric_data.cpython-311.pyc
test_head_tail.cpython-311.pyc
test_infer_objects.cpython-311.pyc
test_interpolate.cpython-311.pyc
test_is_monotonic.cpython-311.pyc
test_is_unique.cpython-311.pyc
test_isin.cpython-311.pyc
test_isna.cpython-311.pyc
test_item.cpython-311.pyc
test_matmul.cpython-311.pyc
test_nlargest.cpython-311.pyc
test_nunique.cpython-311.pyc
test_pct_change.cpython-311.pyc
test_pop.cpython-311.pyc
test_quantile.cpython-311.pyc
test_rank.cpython-311.pyc
test_reindex.cpython-311.pyc
test_reindex_like.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	test_rename.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rename_axis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_repeat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_replace.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reset_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_round.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_searchsorted.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_set_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sort_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sort_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_csv.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_dict.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_frame.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_truncate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tz_localize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_unique.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_unstack.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_update.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_value_counts.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_view.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_align.py	
■	■	■	■	■	■	■	■	■■■■	test_append.py	
■	■	■	■	■	■	■	■	■■■■	test_argsort.py	
■	■	■	■	■	■	■	■	■■■■	test_asof.py	
■	■	■	■	■	■	■	■	■■■■	test_astype.py	
■	■	■	■	■	■	■	■	■■■■	test_autocorr.py	
■	■	■	■	■	■	■	■	■■■■	test_between.py	
■	■	■	■	■	■	■	■	■■■■	test_clip.py	
■	■	■	■	■	■	■	■	■■■■	test_combine.py	
■	■	■	■	■	■	■	■	■■■■	test_combine_first.py	
■	■	■	■	■	■	■	■	■■■■	test_compare.py	
■	■	■	■	■	■	■	■	■■■■	test_convert.py	
■	■	■	■	■	■	■	■	■■■■	test_convert_dtypes.py	
■	■	■	■	■	■	■	■	■■■■	test_copy.py	
■	■	■	■	■	■	■	■	■■■■	test_count.py	
■	■	■	■	■	■	■	■	■■■■	test_cov_corr.py	
■	■	■	■	■	■	■	■	■■■■	test_describe.py	
■	■	■	■	■	■	■	■	■■■■	test_diff.py	
■	■	■	■	■	■	■	■	■■■■	test_drop.py	
■	■	■	■	■	■	■	■	■■■■	test_drop_duplicates.py	
■	■	■	■	■	■	■	■	■■■■	test_dropna.py	
■	■	■	■	■	■	■	■	■■■■	test_dtypes.py	
■	■	■	■	■	■	■	■	■■■■	test_duplicated.py	
■	■	■	■	■	■	■	■	■■■■	test_equals.py	
■	■	■	■	■	■	■	■	■■■■	test_explode.py	
■	■	■	■	■	■	■	■	■■■■	test_fillna.py	
■	■	■	■	■	■	■	■	■■■■	test_get_numeric_data.py	
■	■	■	■	■	■	■	■	■■■■	test_head_tail.py	
■	■	■	■	■	■	■	■	■■■■	test_infer_objects.py	
■	■	■	■	■	■	■	■	■■■■	test_interpolate.py	
■	■	■	■	■	■	■	■	■■■■	test_is_monotonic.py	
■	■	■	■	■	■	■	■	■■■■	test_is_unique.py	
■	■	■	■	■	■	■	■	■■■■	test_isin.py	
■	■	■	■	■	■	■	■	■■■■	test_isna.py	
■	■	■	■	■	■	■	■	■■■■	test_item.py	
■	■	■	■	■	■	■	■	■■■■	test_matmul.py	
■	■	■	■	■	■	■	■	■■■■	test_nlargest.py	

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nunique.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pct_change.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pop.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_quantile.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rank.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reindex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reindex_like.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rename.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rename_axis.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repeat.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_replace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reset_index.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_round.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_searchsorted.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_set_name.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sort_index.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sort_values.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_csv.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_dict.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_frame.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_truncate.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tz_localize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_unique.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_unstack.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_update.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_value_counts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_values.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_view.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arithmetic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cumulative.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_iteration.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logical_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_missing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_npfuncs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reductions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_subclass.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ufunc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_unary.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ strings
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_case_justify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_extract.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_find_replace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_get_dummies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_split_partition.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_string_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_api.py
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_case_justify.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_extract.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_find_replace.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_get_dummies.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_split_partition.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_string_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_strings.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_aggregation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_algos.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_common.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_downstream.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_expressions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_flags.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_multilevel.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_nanops.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_optional_dependency.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_register_accessor.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_take.py
■ ■ ■ ■ ■ ■ ■ ■■■ tools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_time.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_timedelta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_numeric.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_time.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_timedelta.py
■ ■ ■ ■ ■ ■ ■ ■■■ tseries
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frequencies
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_freq_code.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_frequencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_freq_code.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_frequencies.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_inference.py
■ ■ ■ ■ ■ ■ ■ ■■■ holiday
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_calendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_federal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_observance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_calendar.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_federal.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_holiday.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ test_observance.py
■ ■ ■ ■ ■ ■ ■ ■ ■ offsets
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_day.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_hour.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_month.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_quarter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_year.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_custom_business_day.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_custom_business_hour.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_custom_business_month.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_dst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_easter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fiscal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_index.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_month.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_offsets_properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_quarter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ticks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_week.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_year.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_day.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_hour.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_month.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_quarter.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_business_year.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_custom_business_day.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_custom_business_hour.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_custom_business_month.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_dst.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_easter.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fiscal.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_index.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_month.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_offsets.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_offsets_properties.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_quarter.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ticks.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_week.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_year.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tslibs
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_array_to_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ccalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fields.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_libfrequencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_liboffsets.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_np_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parse_iso8601.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parsing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period_asfreq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_resolution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedeltas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timezones.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_offset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tzconversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array_to_datetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ccalendar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fields.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_libfrequencies.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_liboffsets.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_np_datetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parse_iso8601.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parsing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period_asfreq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_resolution.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedeltas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timezones.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_offset.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tzconversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_almost_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_attr_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_categorical_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_extension_array_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_frame_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_index_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_interval_array_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_numpy_array_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_produces_warning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_series_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecate_kwarg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecate_nonkeyword_arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_make_objects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rewrite_warning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_safe_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shares_memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_args.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_args_and_kwargs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_inclusive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_kwargs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_almost_equal.py
```

```

test_assert_attr_equal.py
test_assert_categorical_equal.py
test_assert_extension_array_equal.py
test_assert_frame_equal.py
test_assert_index_equal.py
test_assert_interval_array_equal.py
test_assert_numpy_array_equal.py
test_assert_produces_warning.py
test_assert_series_equal.py
test_deprecate.py
test_deprecate_kwarg.py
test_deprecate_nonkeyword_arguments.py
test_doc.py
test_hashing.py
test_make_objects.py
test_numba.py
test_rewrite_warning.py
test_safe_import.py
test_shares_memory.py
test_show_versions.py
test_util.py
test_validate_args.py
test_validate_args_and_kwargs.py
test_validate_inclusive.py
test_validate_kwargs.py
window
__init__.py
__pycache__
__init__.cpython-311.pyc
conftest.cpython-311.pyc
test_api.cpython-311.pyc
test_apply.cpython-311.pyc
test_base_indexer.cpython-311.pyc
test_cython_aggregations.cpython-311.pyc
test_dtypes.cpython-311.pyc
test_ewm.cpython-311.pyc
test_expanding.cpython-311.pyc
test_groupby.cpython-311.pyc
test_numba.cpython-311.pyc
test_online.cpython-311.pyc
test_pairwise.cpython-311.pyc
test_rolling.cpython-311.pyc
test_rolling_functions.cpython-311.pyc
test_rolling_quantile.cpython-311.pyc
test_rolling_skew_kurt.cpython-311.pyc
test_timeseries_window.cpython-311.pyc
test_win_type.cpython-311.pyc
conftest.py
moments
__init__.py
__pycache__
__init__.cpython-311.pyc
conftest.cpython-311.pyc
test_moments_consistency_ewm.cpython-311.pyc
test_moments_consistency_expanding.cpython-311.pyc
test_moments_consistency_rolling.cpython-311.pyc
conftest.py
test_moments_consistency_ewm.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_moments_consistency_expanding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_moments_consistency_rolling.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_apply.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_base_indexer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_cython_aggregations.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_dtypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ewm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_expanding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_groupby.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_numba.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_online.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pairwise.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_rolling.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_rolling_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_rolling_quantile.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_rolling_skew_kurt.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_timeseries_window.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_win_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tseries
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ frequencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ frequencies.py
■ ■ ■ ■ ■ ■ ■ ■ ■ holiday.py
■ ■ ■ ■ ■ ■ ■ ■ ■ offsets.py
■ ■ ■ ■ ■ ■ ■ ■ ■ util
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _doctools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _print_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _test_decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _tester.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _validators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _decorators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _doctools.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _print_versions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _test_decorators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _tester.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _validators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ testing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ version
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pandas-1.5.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE

```



```
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■■■■ pandocfilters-1.5.1.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■■■■ pandocfilters.py
■ ■ ■ ■ ■ ■■■■ paramiko
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _winapi.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ agent.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ auth_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ auth_strategy.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ ber.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ buffered_pipe.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ channel.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ compress.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ dsskey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ ecdsakey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ ed25519key.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ file.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ hostkeys.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_ecdh_nist.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_gex.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_group1.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_group14.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_group16.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ kex_gss.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ packet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ pipe.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ pkey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ primes.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ rsakey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp_attr.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp_client.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp_file.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp_handle.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp_server.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sftp_si.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ ssh_exception.cpython-311.pyc
```

■	■	■	■	■	■	■■■	ssh_gss.cpython-311.pyc
■	■	■	■	■	■	■■■	transport.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	win_openssh.cpython-311.pyc
■	■	■	■	■	■	■■■	win_pageant.cpython-311.pyc
■	■	■	■	■	■■■		_version.py
■	■	■	■	■	■■■		_winapi.py
■	■	■	■	■	■■■		agent.py
■	■	■	■	■	■■■		auth_handler.py
■	■	■	■	■	■■■		auth_strategy.py
■	■	■	■	■	■■■		ber.py
■	■	■	■	■	■■■		buffered_pipe.py
■	■	■	■	■	■■■		channel.py
■	■	■	■	■	■■■		client.py
■	■	■	■	■	■■■		common.py
■	■	■	■	■	■■■		compress.py
■	■	■	■	■	■■■		config.py
■	■	■	■	■	■■■		dsskey.py
■	■	■	■	■	■■■		ecdsa_key.py
■	■	■	■	■	■■■		ed25519key.py
■	■	■	■	■	■■■		file.py
■	■	■	■	■	■■■		hostkeys.py
■	■	■	■	■	■■■		kex_curve25519.py
■	■	■	■	■	■■■		kex_ecdh_nist.py
■	■	■	■	■	■■■		kex_gex.py
■	■	■	■	■	■■■		kex_group1.py
■	■	■	■	■	■■■		kex_group14.py
■	■	■	■	■	■■■		kex_group16.py
■	■	■	■	■	■■■		kex_gss.py
■	■	■	■	■	■■■		message.py
■	■	■	■	■	■■■		packet.py
■	■	■	■	■	■■■		pipe.py
■	■	■	■	■	■■■		pkey.py
■	■	■	■	■	■■■		primes.py
■	■	■	■	■	■■■		proxy.py
■	■	■	■	■	■■■		rsakey.py
■	■	■	■	■	■■■		server.py
■	■	■	■	■	■■■		sftp.py
■	■	■	■	■	■■■		sftp_attr.py
■	■	■	■	■	■■■		sftp_client.py
■	■	■	■	■	■■■		sftp_file.py
■	■	■	■	■	■■■		sftp_handle.py
■	■	■	■	■	■■■		sftp_server.py
■	■	■	■	■	■■■		sftp_si.py
■	■	■	■	■	■■■		ssh_exception.py
■	■	■	■	■	■■■		ssh_gss.py
■	■	■	■	■	■■■		transport.py
■	■	■	■	■	■■■		util.py
■	■	■	■	■	■■■		win_openssh.py
■	■	■	■	■	■■■		win_pageant.py
■	■	■	■	■■■		paramiko-3.5.0.dist-info	
■	■	■	■	■	■■■	INSTALLER	
■	■	■	■	■	■■■	LICENSE	
■	■	■	■	■	■■■	METADATA	
■	■	■	■	■	■■■	RECORD	
■	■	■	■	■	■■■	WHEEL	
■	■	■	■	■	■■■	top_level.txt	
■	■	■	■	■■■		parso	

```

■      ■      ■      ■      ■      ████ __init__.py
■      ■      ■      ■      ■      ████ __pycache__
■      ■      ■      ■      ■      ████ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ████ _compatibility.cpython-311.pyc
■      ■      ■      ■      ■      ████ cache.cpython-311.pyc
■      ■      ■      ■      ■      ████ file_io.cpython-311.pyc
■      ■      ■      ■      ■      ████ grammar.cpython-311.pyc
■      ■      ■      ■      ■      ████ normalizer.cpython-311.pyc
■      ■      ■      ■      ■      ████ parser.cpython-311.pyc
■      ■      ■      ■      ■      ████ tree.cpython-311.pyc
■      ■      ■      ■      ■      ████ utils.cpython-311.pyc
■      ■      ■      ■      ████ _compatibility.py
■      ■      ■      ■      ████ cache.py
■      ■      ■      ■      ████ file_io.py
■      ■      ■      ■      ████ grammar.py
■      ■      ■      ■      ████ normalizer.py
■      ■      ■      ■      ████ parser.py
■      ■      ■      ■      ████ pgen2
■      ■      ■      ■      ████ __init__.py
■      ■      ■      ■      ████ __pycache__
■      ■      ■      ■      ████ __init__.cpython-311.pyc
■      ■      ■      ■      ████ generator.cpython-311.pyc
■      ■      ■      ■      ████ grammar_parser.cpython-311.pyc
■      ■      ■      ■      ████ generator.py
■      ■      ■      ■      ████ grammar_parser.py
■      ■      ■      ████ py.typed
■      ■      ████ python
■      ■      ████ __init__.py
■      ■      ████ __pycache__
■      ■      ████ __init__.cpython-311.pyc
■      ■      ████ diff.cpython-311.pyc
■      ■      ████ errors.cpython-311.pyc
■      ■      ████ parser.cpython-311.pyc
■      ■      ████ pep8.cpython-311.pyc
■      ■      ████ prefix.cpython-311.pyc
■      ■      ████ token.cpython-311.pyc
■      ■      ████ tokenize.cpython-311.pyc
■      ■      ████ tree.cpython-311.pyc
■      ████ diff.py
■      ████ errors.py
■      ████ grammar310.txt
■      ████ grammar311.txt
■      ████ grammar312.txt
■      ████ grammar313.txt
■      ████ grammar36.txt
■      ████ grammar37.txt
■      ████ grammar38.txt
■      ████ grammar39.txt
■      ████ parser.py
■      ████ pep8.py
■      ████ prefix.py
■      ████ token.py
■      ████ tokenize.py
■      ████ tree.py
■      ████ tree.py
■      ████ utils.py
■      ████ parso-0.8.4.dist-info
■      ████ AUTHORS.txt
```

```

■■■ INSTALLER
■■■ LICENSE.txt
■■■ METADATA
■■■ RECORD
■■■ WHEEL
■■■ top_level.txt
■■■ past
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ builtins
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ misc.cpython-311.pyc
■■■ noniterators.cpython-311.pyc
■■■ misc.py
■■■ noniterators.py
■■■ translation
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ types
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ basestring.cpython-311.pyc
■■■ olddict.cpython-311.pyc
■■■ oldstr.cpython-311.pyc
■■■ basestring.py
■■■ olddict.py
■■■ oldstr.py
■■■ utils
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ patsy
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ build.cpython-311.pyc
■■■ builtins.cpython-311.pyc
■■■ categorical.cpython-311.pyc
■■■ compat.cpython-311.pyc
■■■ compat_ordereddict.cpython-311.pyc
■■■ constraint.cpython-311.pyc
■■■ contrasts.cpython-311.pyc
■■■ desc.cpython-311.pyc
■■■ design_info.cpython-311.pyc
■■■ eval.cpython-311.pyc
■■■ highlevel.cpython-311.pyc
■■■ infix_parser.cpython-311.pyc
■■■ mgcv_cubic_splines.cpython-311.pyc
■■■ missing.cpython-311.pyc
■■■ origin.cpython-311.pyc
■■■ parse_formula.cpython-311.pyc
■■■ redundancy.cpython-311.pyc
■■■ splines.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_highlevel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_regressions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_splines_bs_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_splines_crs_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ user_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ build.py
■ ■ ■ ■ ■ ■ ■ ■ builtins.py
■ ■ ■ ■ ■ ■ ■ ■ categorical.py
■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ compat_ordereddict.py
■ ■ ■ ■ ■ ■ ■ ■ constraint.py
■ ■ ■ ■ ■ ■ ■ ■ contrasts.py
■ ■ ■ ■ ■ ■ ■ ■ desc.py
■ ■ ■ ■ ■ ■ ■ ■ design_info.py
■ ■ ■ ■ ■ ■ ■ ■ eval.py
■ ■ ■ ■ ■ ■ ■ ■ highlevel.py
■ ■ ■ ■ ■ ■ ■ ■ infix_parser.py
■ ■ ■ ■ ■ ■ ■ ■ mgcv_cubic_splines.py
■ ■ ■ ■ ■ ■ ■ ■ missing.py
■ ■ ■ ■ ■ ■ ■ ■ origin.py
■ ■ ■ ■ ■ ■ ■ ■ parse_formula.py
■ ■ ■ ■ ■ ■ ■ ■ redundancy.py
■ ■ ■ ■ ■ ■ ■ ■ splines.py
■ ■ ■ ■ ■ ■ ■ ■ state.py
■ ■ ■ ■ ■ ■ ■ ■ test_build.py
■ ■ ■ ■ ■ ■ ■ ■ test_highlevel.py
■ ■ ■ ■ ■ ■ ■ ■ test_regressions.py
■ ■ ■ ■ ■ ■ ■ ■ test_splines_bs_data.py
■ ■ ■ ■ ■ ■ ■ ■ test_splines_crs_data.py
■ ■ ■ ■ ■ ■ ■ ■ test_state.py
■ ■ ■ ■ ■ ■ ■ ■ tokens.py
■ ■ ■ ■ ■ ■ ■ ■ user_util.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ patsy-1.0.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pdf2image
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ generators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parsers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdf2image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ generators.py
■ ■ ■ ■ ■ ■ ■ ■ parsers.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ pdf2image.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pdf2image-1.16.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pdfkit
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ configuration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfkit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ source.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ configuration.py
■ ■ ■ ■ ■ ■ ■ ■ pdfkit.py
■ ■ ■ ■ ■ ■ ■ ■ source.py
■ ■ ■ ■ ■ ■ ■ ■ pdfkit-0.6.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ DESCRIPTION.rst
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ metadata.json
■ ■ ■ ■ ■ ■ ■ ■ pbr.json
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pdfminer
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _saslprep.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ arcfour.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ascii85.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ccitt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cmapdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ converter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data_structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ encodingdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ fontmetrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ glyphlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ high_level.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jbig2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ latin_enc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ layout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ lzw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfcolor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfdevice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfdocument.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdffont.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfinterp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfpage.cpython-311.pyc

```

```

■ ■ ■ ■ ■ pdfparser.cpython-311.pyc
■ ■ ■ ■ ■ pdftypes.cpython-311.pyc
■ ■ ■ ■ ■ psparser.cpython-311.pyc
■ ■ ■ ■ ■ runlength.cpython-311.pyc
■ ■ ■ ■ ■ settings.cpython-311.pyc
■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ _saslprep.py
■ ■ ■ ■ arcfour.py
■ ■ ■ ■ ascii85.py
■ ■ ■ ■ ccitt.py
■ ■ ■ ■ cmap
■ ■ ■ ■ 78-EUC-H.pickle.gz
■ ■ ■ ■ 78-EUC-V.pickle.gz
■ ■ ■ ■ 78-H.pickle.gz
■ ■ ■ ■ 78-RKSJ-H.pickle.gz
■ ■ ■ ■ 78-RKSJ-V.pickle.gz
■ ■ ■ ■ 78-V.pickle.gz
■ ■ ■ ■ 78ms-RKSJ-H.pickle.gz
■ ■ ■ ■ 78ms-RKSJ-V.pickle.gz
■ ■ ■ ■ 83pv-RKSJ-H.pickle.gz
■ ■ ■ ■ 83pv-RKSJ-V.pickle.gz
■ ■ ■ ■ 90ms-RKSJ-H.pickle.gz
■ ■ ■ ■ 90ms-RKSJ-V.pickle.gz
■ ■ ■ ■ 90msp-RKSJ-H.pickle.gz
■ ■ ■ ■ 90msp-RKSJ-V.pickle.gz
■ ■ ■ ■ 90pv-RKSJ-H.pickle.gz
■ ■ ■ ■ 90pv-RKSJ-V.pickle.gz
■ ■ ■ ■ Add-H.pickle.gz
■ ■ ■ ■ Add-RKSJ-H.pickle.gz
■ ■ ■ ■ Add-RKSJ-V.pickle.gz
■ ■ ■ ■ Add-V.pickle.gz
■ ■ ■ ■ B5-H.pickle.gz
■ ■ ■ ■ B5-V.pickle.gz
■ ■ ■ ■ B5pc-H.pickle.gz
■ ■ ■ ■ B5pc-V.pickle.gz
■ ■ ■ ■ CNS-EUC-H.pickle.gz
■ ■ ■ ■ CNS-EUC-V.pickle.gz
■ ■ ■ ■ CNS1-H.pickle.gz
■ ■ ■ ■ CNS1-V.pickle.gz
■ ■ ■ ■ CNS2-H.pickle.gz
■ ■ ■ ■ CNS2-V.pickle.gz
■ ■ ■ ■ ETHK-B5-H.pickle.gz
■ ■ ■ ■ ETHK-B5-V.pickle.gz
■ ■ ■ ■ ETen-B5-H.pickle.gz
■ ■ ■ ■ ETen-B5-V.pickle.gz
■ ■ ■ ■ ETenms-B5-H.pickle.gz
■ ■ ■ ■ ETenms-B5-V.pickle.gz
■ ■ ■ ■ EUC-H.pickle.gz
■ ■ ■ ■ EUC-V.pickle.gz
■ ■ ■ ■ Ext-H.pickle.gz
■ ■ ■ ■ Ext-RKSJ-H.pickle.gz
■ ■ ■ ■ Ext-RKSJ-V.pickle.gz
■ ■ ■ ■ Ext-V.pickle.gz
■ ■ ■ ■ GB-EUC-H.pickle.gz
■ ■ ■ ■ GB-EUC-V.pickle.gz
■ ■ ■ ■ GB-H.pickle.gz
■ ■ ■ ■ GB-V.pickle.gz
■ ■ ■ ■ GBK-EUC-H.pickle.gz

```

■	■	■	■	■	■	■■■	GBK-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBK2K-H.pickle.gz
■	■	■	■	■	■	■■■	GBK2K-V.pickle.gz
■	■	■	■	■	■	■■■	GBKp-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBKp-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBT-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBT-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBT-H.pickle.gz
■	■	■	■	■	■	■■■	GBT-V.pickle.gz
■	■	■	■	■	■	■■■	GBTpc-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBTpc-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBpc-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBpc-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	H.pickle.gz
■	■	■	■	■	■	■■■	HKdla-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKdla-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKdlb-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKdlb-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKgccs-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKgccs-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKm314-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKm314-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKm471-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKm471-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKscs-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKscs-B5-V.pickle.gz
■	■	■	■	■	■	■■■	Hankaku-H.pickle.gz
■	■	■	■	■	■	■■■	Hankaku-V.pickle.gz
■	■	■	■	■	■	■■■	Hiragana-H.pickle.gz
■	■	■	■	■	■	■■■	Hiragana-V.pickle.gz
■	■	■	■	■	■	■■■	KSC-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	KSC-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	KSC-H.pickle.gz
■	■	■	■	■	■	■■■	KSC-Johab-H.pickle.gz
■	■	■	■	■	■	■■■	KSC-Johab-V.pickle.gz
■	■	■	■	■	■	■■■	KSC-V.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-H.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-HW-H.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-HW-V.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-V.pickle.gz
■	■	■	■	■	■	■■■	KSCpc-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	KSCpc-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	Katakana-H.pickle.gz
■	■	■	■	■	■	■■■	Katakana-V.pickle.gz
■	■	■	■	■	■	■■■	NWP-H.pickle.gz
■	■	■	■	■	■	■■■	NWP-V.pickle.gz
■	■	■	■	■	■	■■■	RKSJ-H.pickle.gz
■	■	■	■	■	■	■■■	RKSJ-V.pickle.gz
■	■	■	■	■	■	■■■	Roman-H.pickle.gz
■	■	■	■	■	■	■■■	Roman-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF8-V.pickle.gz

■	■	■	■	■	■	■■■	UniGB-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-HW-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-HW-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	UniJISX0213-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJISX0213-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniJISX02132004-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJISX02132004-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	V.pickle.gz
■	■	■	■	■	■	■■■	WP-Symbol-H.pickle.gz
■	■	■	■	■	■	■■■	WP-Symbol-V.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-CNS1.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-GB1.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-Japan1.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-Korea1.pickle.gz
■	■	■	■	■	■■■	cmapdb.py	
■	■	■	■	■	■■■	converter.py	
■	■	■	■	■	■■■	data_structures.py	
■	■	■	■	■	■■■	encodingdb.py	
■	■	■	■	■	■■■	fontmetrics.py	
■	■	■	■	■	■■■	glyphlist.py	
■	■	■	■	■	■■■	high_level.py	
■	■	■	■	■	■■■	image.py	
■	■	■	■	■	■■■	jbig2.py	
■	■	■	■	■	■■■	latin_enc.py	
■	■	■	■	■	■■■	layout.py	
■	■	■	■	■	■■■	lzw.py	
■	■	■	■	■	■■■	pdfcolor.py	
■	■	■	■	■	■■■	pdfdevice.py	
■	■	■	■	■	■■■	pdfdocument.py	


```

■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ findobjs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pagemerge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfreader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfwriter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ py23_diffs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ tokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ toreportlab.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ uncompress.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ buildxobj.py
■ ■ ■ ■ ■ ■■■ compress.py
■ ■ ■ ■ ■ ■■■ crypt.py
■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■■■ findobjs.py
■ ■ ■ ■ ■ ■■■ objects
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfarray.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfdict.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfindirect.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfname.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfobject.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfstring.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfarray.py
■ ■ ■ ■ ■ ■■■ pdfdict.py
■ ■ ■ ■ ■ ■■■ pdfindirect.py
■ ■ ■ ■ ■ ■■■ pdfname.py
■ ■ ■ ■ ■ ■■■ pdfobject.py
■ ■ ■ ■ ■ ■■■ pdfstring.py
■ ■ ■ ■ ■ ■■■ pagemerge.py
■ ■ ■ ■ ■ ■■■ pdfreader.py
■ ■ ■ ■ ■ ■■■ pdfwriter.py
■ ■ ■ ■ ■ ■■■ py23_diffs.py
■ ■ ■ ■ ■ ■■■ tokens.py
■ ■ ■ ■ ■ ■■■ toreportlab.py
■ ■ ■ ■ ■ ■■■ uncompress.py
■ ■ ■ ■ ■ ■■■ pdfrw-0.4.dist-info
■ ■ ■ ■ ■ ■■■ DESCRIPTION.rst
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ metadata.json
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■■■ pexpect
■ ■ ■ ■ ■ ■■■ ANSI.py
■ ■ ■ ■ ■ ■■■ FSM.py
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ ANSI.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ FSM.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _async.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _async_pre_await.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _async_w_await.cpython-311.pyc

```

■	■	■	■	■	■	■■■	exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	expect.cpython-311.pyc
■	■	■	■	■	■	■■■	fdpexpect.cpython-311.pyc
■	■	■	■	■	■	■■■	popen_spawn.cpython-311.pyc
■	■	■	■	■	■	■■■	pty_spawn.cpython-311.pyc
■	■	■	■	■	■	■■■	pxssh.cpython-311.pyc
■	■	■	■	■	■	■■■	replwrap.cpython-311.pyc
■	■	■	■	■	■	■■■	run.cpython-311.pyc
■	■	■	■	■	■	■■■	screen.cpython-311.pyc
■	■	■	■	■	■	■■■	socket_pexpect.cpython-311.pyc
■	■	■	■	■	■	■■■	spawnbase.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■■■		_async.py
■	■	■	■	■	■■■		_async_pre_await.py
■	■	■	■	■	■■■		_async_w_await.py
■	■	■	■	■	■■■		bashrc.sh
■	■	■	■	■	■■■		exceptions.py
■	■	■	■	■	■■■		expect.py
■	■	■	■	■	■■■		fdpexpect.py
■	■	■	■	■	■■■		popen_spawn.py
■	■	■	■	■	■■■		pty_spawn.py
■	■	■	■	■	■■■		pxssh.py
■	■	■	■	■	■■■		replwrap.py
■	■	■	■	■	■■■		run.py
■	■	■	■	■	■■■		screen.py
■	■	■	■	■	■■■		socket_pexpect.py
■	■	■	■	■	■■■		spawnbase.py
■	■	■	■	■	■■■		utils.py
■	■	■	■	■■■			pexpect-4.9.0.dist-info
■	■	■	■	■	■■■		INSTALLER
■	■	■	■	■	■■■		LICENSE
■	■	■	■	■	■■■		METADATA
■	■	■	■	■	■■■		RECORD
■	■	■	■	■	■■■		WHEEL
■	■	■	■	■	■■■		top_level.txt
■	■	■	■	■■■			platformdirs
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__main__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■■■		__init__.cpython-311.pyc
■	■	■	■	■	■■■		__main__.cpython-311.pyc
■	■	■	■	■	■■■		android.cpython-311.pyc
■	■	■	■	■	■■■		api.cpython-311.pyc
■	■	■	■	■	■■■		macos.cpython-311.pyc
■	■	■	■	■	■■■		unix.cpython-311.pyc
■	■	■	■	■	■■■		version.cpython-311.pyc
■	■	■	■	■	■■■		windows.cpython-311.pyc
■	■	■	■	■	■■■		android.py
■	■	■	■	■	■■■		api.py
■	■	■	■	■	■■■		macos.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		unix.py
■	■	■	■	■	■■■		version.py
■	■	■	■	■	■■■		windows.py
■	■	■	■	■■■			platformdirs-4.3.6.dist-info
■	■	■	■	■	■■■		INSTALLER
■	■	■	■	■	■■■		METADATA
■	■	■	■	■	■■■		RECORD

```
WHEEL  
licenses  
LICENSE  
plotly  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
    _version.cpython-311.pyc  
    _widget_version.cpython-311.pyc  
    animation.cpython-311.pyc  
    basedatatypes.cpython-311.pyc  
    basewidget.cpython-311.pyc  
    callbacks.cpython-311.pyc  
    config.cpython-311.pyc  
    conftest.cpython-311.pyc  
    dashboard_objs.cpython-311.pyc  
    exceptions.cpython-311.pyc  
    files.cpython-311.pyc  
    grid_objs.cpython-311.pyc  
    missing_ipywidgets.cpython-311.pyc  
    optional_imports.cpython-311.pyc  
    presentation_objs.cpython-311.pyc  
    serializers.cpython-311.pyc  
    session.cpython-311.pyc  
    shapeannotation.cpython-311.pyc  
    subplots.cpython-311.pyc  
    tools.cpython-311.pyc  
    utils.cpython-311.pyc  
    validator_cache.cpython-311.pyc  
    version.cpython-311.pyc  
    widgets.cpython-311.pyc  
_version.py  
_widget_version.py  
animation.py  
basedatatypes.py  
basewidget.py  
callbacks.py  
colors  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
config.py  
conftest.py  
dashboard_objs.py  
data  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
exceptions.py  
express  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        _chart_types.cpython-311.pyc  
        _core.cpython-311.pyc  
        _doc.cpython-311.pyc  
        _imshow.cpython-311.pyc  
        special_inputs.cpython-311.pyc
```

```

■ ■ ■ imshow_utils.cpython-311.pyc
■ ■ ■ _chart_types.py
■ ■ ■ _core.py
■ ■ ■ _doc.py
■ ■ ■ _imshow.py
■ ■ ■ _special_inputs.py
■ ■ ■ colors
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■    ■■■ __init__.cpython-311.pyc
■ ■ ■ data
■ ■ ■     __init__.py
■ ■ ■     __pycache__
■ ■ ■       ■■■ __init__.cpython-311.pyc
■ ■ ■ imshow_utils.py
■ ■ ■ trendline_functions
■ ■ ■     __init__.py
■ ■ ■     __pycache__
■ ■ ■       ■■■ __init__.cpython-311.pyc
■ ■ ■ figure_factory
■ ■ ■   _2d_density.py
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     ■■■ _2d_density.cpython-311.pyc
■ ■ ■     ■■■ __init__.cpython-311.pyc
■ ■ ■     ■■■ _annotated_heatmap.cpython-311.pyc
■ ■ ■     ■■■ _bullet.cpython-311.pyc
■ ■ ■     ■■■ _candlestick.cpython-311.pyc
■ ■ ■     ■■■ _county_choropleth.cpython-311.pyc
■ ■ ■     ■■■ _dendrogram.cpython-311.pyc
■ ■ ■     ■■■ _distplot.cpython-311.pyc
■ ■ ■     ■■■ _facet_grid.cpython-311.pyc
■ ■ ■     ■■■ _gantt.cpython-311.pyc
■ ■ ■     ■■■ _hexbin_mapbox.cpython-311.pyc
■ ■ ■     ■■■ _ohlc.cpython-311.pyc
■ ■ ■     ■■■ _quiver.cpython-311.pyc
■ ■ ■     ■■■ _scatterplot.cpython-311.pyc
■ ■ ■     ■■■ _streamline.cpython-311.pyc
■ ■ ■     ■■■ _table.cpython-311.pyc
■ ■ ■     ■■■ _ternary_contour.cpython-311.pyc
■ ■ ■     ■■■ _trisurf.cpython-311.pyc
■ ■ ■     ■■■ _violin.cpython-311.pyc
■ ■ ■     ■■■ utils.cpython-311.pyc
■ ■ ■ _annotated_heatmap.py
■ ■ ■ _bullet.py
■ ■ ■ _candlestick.py
■ ■ ■ _county_choropleth.py
■ ■ ■ _dendrogram.py
■ ■ ■ _distplot.py
■ ■ ■ _facet_grid.py
■ ■ ■ _gantt.py
■ ■ ■ _hexbin_mapbox.py
■ ■ ■ _ohlc.py
■ ■ ■ _quiver.py
■ ■ ■ _scatterplot.py
■ ■ ■ _streamline.py
■ ■ ■ _table.py
■ ■ ■ ternary_contour.py
```

[illegible]

■	■	■	■	■	■	■	■■■ _sunburst.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _surface.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _table.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _treemap.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _violin.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _volume.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _waterfall.cpython-311.pyc
■	■	■	■	■	■	■	■■■ graph_objs.cpython-311.pyc
■	■	■	■	■	■	■■■	_area.py
■	■	■	■	■	■	■■■	_bar.py
■	■	■	■	■	■	■■■	_barpolar.py
■	■	■	■	■	■	■■■	_box.py
■	■	■	■	■	■	■■■	_candlestick.py
■	■	■	■	■	■	■■■	_carpet.py
■	■	■	■	■	■	■■■	_choropleth.py
■	■	■	■	■	■	■■■	_choroplethmapbox.py
■	■	■	■	■	■	■■■	_cone.py
■	■	■	■	■	■	■■■	_contour.py
■	■	■	■	■	■	■■■	_contourcarpet.py
■	■	■	■	■	■	■■■	_densitymapbox.py
■	■	■	■	■	■	■■■	_deprecations.py
■	■	■	■	■	■	■■■	_figure.py
■	■	■	■	■	■	■■■	_figurewidget.py
■	■	■	■	■	■	■■■	_frame.py
■	■	■	■	■	■	■■■	_funnel.py
■	■	■	■	■	■	■■■	_funnelarea.py
■	■	■	■	■	■	■■■	_heatmap.py
■	■	■	■	■	■	■■■	_heatmapgl.py
■	■	■	■	■	■	■■■	_histogram.py
■	■	■	■	■	■	■■■	_histogram2d.py
■	■	■	■	■	■	■■■	_histogram2dcontour.py
■	■	■	■	■	■	■■■	_icicle.py
■	■	■	■	■	■	■■■	_image.py
■	■	■	■	■	■	■■■	_indicator.py
■	■	■	■	■	■	■■■	_isosurface.py
■	■	■	■	■	■	■■■	_layout.py
■	■	■	■	■	■	■■■	_mesh3d.py
■	■	■	■	■	■	■■■	_ohlc.py
■	■	■	■	■	■	■■■	_parcats.py
■	■	■	■	■	■	■■■	_parcoords.py
■	■	■	■	■	■	■■■	_pie.py
■	■	■	■	■	■	■■■	_pointcloud.py
■	■	■	■	■	■	■■■	_sankey.py
■	■	■	■	■	■	■■■	_scatter.py
■	■	■	■	■	■	■■■	_scatter3d.py
■	■	■	■	■	■	■■■	_scattercarpet.py
■	■	■	■	■	■	■■■	_scattergeo.py
■	■	■	■	■	■	■■■	_scattergl.py
■	■	■	■	■	■	■■■	_scattermapbox.py
■	■	■	■	■	■	■■■	_scatterpolar.py
■	■	■	■	■	■	■■■	_scatterpolargl.py
■	■	■	■	■	■	■■■	_scatterternary.py
■	■	■	■	■	■	■■■	_splom.py
■	■	■	■	■	■	■■■	_streamtube.py
■	■	■	■	■	■	■■■	_sunburst.py
■	■	■	■	■	■	■■■	_surface.py
■	■	■	■	■	■	■■■	_table.py
■	■	■	■	■	■	■■■	_treemap.py


```

_ violin.py
_ volume.py
_ waterfall.py
area
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _marker.cpython-311.pyc
    _stream.cpython-311.pyc
    _hoverlabel.py
    _marker.py
    _stream.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
bar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _error_x.cpython-311.pyc
    _error_y.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _insidetextfont.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _marker.cpython-311.pyc
    _outsidetextfont.cpython-311.pyc
    _selected.cpython-311.pyc
    _stream.cpython-311.pyc
    _textfont.cpython-311.pyc
    _unselected.cpython-311.pyc
    _error_x.py
    _error_y.py
    _hoverlabel.py
    _insidetextfont.py
    _legendgrouptitle.py
    _marker.py
    _outsidetextfont.py
    _selected.py
    _stream.py
    _textfont.py
    _unselected.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
marker

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _colorbar.cpython-311.pyc
  _line.cpython-311.pyc
  _pattern.cpython-311.pyc
  _colorbar.py
  _line.py
  _pattern.py
  colorbar
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _tickfont.cpython-311.pyc
      _tickformatstop.cpython-311.pyc
      _title.cpython-311.pyc
      _tickfont.py
      _tickformatstop.py
      _title.py
      title
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _font.cpython-311.pyc
      _font.py
  selected
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _marker.cpython-311.pyc
      _textfont.cpython-311.pyc
      _marker.py
      _textfont.py
  unselected
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _marker.cpython-311.pyc
      _textfont.cpython-311.pyc
      _marker.py
      _textfont.py
  barpolar
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _hoverlabel.cpython-311.pyc
      _legendgrouptitle.cpython-311.pyc
      _marker.cpython-311.pyc
      _selected.cpython-311.pyc
      _stream.cpython-311.pyc
      _unselected.cpython-311.pyc
      _hoverlabel.py
      _legendgrouptitle.py
      _marker.py
      _selected.py
      _stream.py
      _unselected.py
      hoverlabel

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _font.py
legendgrouptitle
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _font.py
marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _colorbar.cpython-311.pyc
  _line.cpython-311.pyc
  _pattern.cpython-311.pyc
  _colorbar.py
  _line.py
  _pattern.py
  colorbar
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _tickfont.cpython-311.pyc
  _tickformatstop.cpython-311.pyc
  _title.cpython-311.pyc
  _tickfont.py
  _tickformatstop.py
  _title.py
  title
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _font.py
selected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _textfont.cpython-311.pyc
  _marker.py
  _textfont.py
unselected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _textfont.cpython-311.pyc
  _marker.py
  _textfont.py
box
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _hoverlabel.cpython-311.pyc

```

```

_ legendgrouptitle.cpython-311.pyc
_ line.cpython-311.pyc
_ marker.cpython-311.pyc
_ selected.cpython-311.pyc
_ stream.cpython-311.pyc
_ unselected.cpython-311.pyc
_hoverlabel.py
_legendgrouptitle.py
_line.py
_marker.py
_selected.py
_stream.py
_unselected.py
hoverlabel
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _font.py
legendgrouptitle
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _font.py
marker
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _line.cpython-311.pyc
        _line.py
selected
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _marker.py
unselected
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _marker.py
candlestick
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _decreasing.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _increasing.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _line.cpython-311.pyc
        _stream.cpython-311.pyc
_decreasing.py
_hoverlabel.py
_increasing.py
_legendgrouptitle.py
_line.py

```

```

    stream.py
    decreasing
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    increasing
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    carpet
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _aaxis.cpython-311.pyc
    _baxis.cpython-311.pyc
    _font.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _stream.cpython-311.pyc
    _aaxis.py
    _baxis.py
    _font.py
    _legendgrouptitle.py
    _stream.py
    aaxis
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    baxis
    __init__.py
    __pycache__

```

[illegible]

```

font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_line.cpython-311.pyc
_line.py
selected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_marker.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_marker.py
choroplethmapbox
__init__.py
__pycache__
__init__.cpython-311.pyc
_colorbar.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_marker.cpython-311.pyc
_selected.cpython-311.pyc
_stream.cpython-311.pyc
_unselected.cpython-311.pyc
_colorbar.py
_hoverlabel.py
_legendgrouptitle.py
_marker.py
_selected.py
_stream.py
_unselected.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformatstop.cpython-311.pyc
_title.cpython-311.pyc
_tickfont.py
_tickformatstop.py
_title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc

```

```

    font.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    selected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    cone
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _stream.cpython-311.pyc
    _colorbar.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py
    _stream.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title

```



```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
contour
__init__.py
__pycache__
__init__.cpython-311.pyc
__colorbar.cpython-311.pyc
__contours.cpython-311.pyc
__hoverlabel.cpython-311.pyc
__legendgrouptitle.cpython-311.pyc
__line.cpython-311.pyc
__stream.cpython-311.pyc
__colorbar.py
__contours.py
__hoverlabel.py
__legendgrouptitle.py
__line.py
__stream.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__tickfont.cpython-311.pyc
__tickformatstop.cpython-311.pyc
__title.cpython-311.pyc
__tickfont.py
__tickformatstop.py
__title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
contours
__init__.py
__pycache__
__init__.cpython-311.pyc
__labelfont.cpython-311.pyc
__labelfont.py
hoverlabel
__init__.py
__pycache__

```

[illegible]

```

■■■■ _stream.cpython-311.pyc
■■■■ _colorbar.py
■■■■ _hoverlabel.py
■■■■ _legendgrouptitle.py
■■■■ _stream.py
■■■■ colorbar
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformatstop.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _tickfont.py
■■■■ _tickformatstop.py
■■■■ _title.py
■■■■ title
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ hoverlabel
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ legendgrouptitle
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ funnel
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _connector.cpython-311.pyc
■■■■ _hoverlabel.cpython-311.pyc
■■■■ _insidetextfont.cpython-311.pyc
■■■■ _legendgrouptitle.cpython-311.pyc
■■■■ _marker.cpython-311.pyc
■■■■ _outsidetextfont.cpython-311.pyc
■■■■ _stream.cpython-311.pyc
■■■■ _textfont.cpython-311.pyc
■■■■ _connector.py
■■■■ _hoverlabel.py
■■■■ _insidetextfont.py
■■■■ _legendgrouptitle.py
■■■■ _marker.py
■■■■ _outsidetextfont.py
■■■■ _stream.py
■■■■ _textfont.py
■■■■ connector
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _line.cpython-311.pyc

```

```

_ line.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_colorbar.cpython-311.pyc
_line.cpython-311.pyc
_colorbar.py
_line.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformatstop.cpython-311.pyc
_title.cpython-311.pyc
_tickfont.py
_tickformatstop.py
_title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
funnelarea
__init__.py
__pycache__
__init__.cpython-311.pyc
_domain.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_insidetextfont.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_marker.cpython-311.pyc
_stream.cpython-311.pyc
_textfont.cpython-311.pyc
_title.cpython-311.pyc
_domain.py
_hoverlabel.py
_insidetextfont.py
_legendgrouptitle.py
_marker.py
_stream.py
_textfont.py
_title.py
hoverlabel

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__line.cpython-311.pyc
__line.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
graph_objs.py
heatmap
__init__.py
__pycache__
__init__.cpython-311.pyc
__colorbar.cpython-311.pyc
__hoverlabel.cpython-311.pyc
__legendgrouptitle.cpython-311.pyc
__stream.cpython-311.pyc
__colorbar.py
__hoverlabel.py
__legendgrouptitle.py
__stream.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__tickfont.cpython-311.pyc
__tickformatstop.cpython-311.pyc
__title.cpython-311.pyc
__tickfont.py
__tickformatstop.py
__title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py

```

```

    legendgrouptitle
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    heatmapgl
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___colorbar.cpython-311.pyc
    ___hoverlabel.cpython-311.pyc
    ___legendgrouptitle.cpython-311.pyc
    ___stream.cpython-311.pyc
    ___colorbar.py
    ___hoverlabel.py
    ___legendgrouptitle.py
    ___stream.py
    colorbar
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___tickfont.cpython-311.pyc
    ___tickformatstop.cpython-311.pyc
    ___title.cpython-311.pyc
    ___tickfont.py
    ___tickformatstop.py
    ___title.py
    title
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    hoverlabel
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    legendgrouptitle
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    histogram
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___cumulative.cpython-311.pyc
    ___error_x.cpython-311.pyc
    ___error_y.cpython-311.pyc
    ___hoverlabel.cpython-311.pyc
    ___legendgrouptitle.cpython-311.pyc
    ___marker.cpython-311.pyc
    ___selected.cpython-311.pyc
    ___stream.cpython-311.pyc

```

[illegible]

[illegible]


```

_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _ _contours.cpython-311.pyc
_ _ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _ _xbins.cpython-311.pyc
_ _ _ _ _ _ybins.cpython-311.pyc
_ _ _ _ _ _colorbar.py
_ _ _ _ _ _contours.py
_ _ _ _ _ _hoverlabel.py
_ _ _ _ _ _legendgrouptitle.py
_ _ _ _ _ _line.py
_ _ _ _ _ _marker.py
_ _ _ _ _ _stream.py
_ _ _ _ _ _xbins.py
_ _ _ _ _ _ybins.py
_ _ _ _ _ colorbar
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _ _title.cpython-311.pyc
_ _ _ _ _ _tickfont.py
_ _ _ _ _ _tickformatstop.py
_ _ _ _ _ _title.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ contours
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _labelfont.cpython-311.pyc
_ _ _ _ _ _labelfont.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ icicle
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_leaf.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_pathbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_root.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tiling.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_insidetextfont.py	
■	■	■	■	■	■	■	■■■■	_leaf.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_marker.py	
■	■	■	■	■	■	■	■■■■	_outsidetextfont.py	
■	■	■	■	■	■	■	■■■■	_pathbar.py	
■	■	■	■	■	■	■	■■■■	_root.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_tiling.py	
■	■	■	■	■	■	■	■■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_font.py
■	■	■	■	■	■	■	■■■■	legendgrouptitle	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_font.py
■	■	■	■	■	■	■	■■■■	marker	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstop.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■■■■	_tickformatstop.py	
■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■■■■	title	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc

```

font.cpython-311.pyc
font.py
pathbar
__init__.py
__pycache__
__init__.cpython-311.pyc
_textfont.cpython-311.pyc
_textfont.py
image
__init__.py
__pycache__
__init__.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_stream.cpython-311.pyc
_hoverlabel.py
_legendgrouptitle.py
_stream.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
indicator
__init__.py
__pycache__
__init__.cpython-311.pyc
_delta.cpython-311.pyc
_domain.cpython-311.pyc
_gauge.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_number.cpython-311.pyc
_stream.cpython-311.pyc
_title.cpython-311.pyc
_delta.py
_domain.py
_gauge.py
_legendgrouptitle.py
_number.py
_stream.py
_title.py
delta
__init__.py
__pycache__
__init__.cpython-311.pyc
_decreasing.cpython-311.pyc
_font.cpython-311.pyc
_increasing.cpython-311.pyc
_decreasing.py
_font.py
_increasing.py

```

[illegible]

[illegible]

```
████ _pycache_  
███ __init__.cpython-311.pyc  
███ _font.cpython-311.pyc  
███ _font.py  
████ slices  
███ __init__.py  
███ __pycache__  
███ __init__.cpython-311.pyc  
███ _x.cpython-311.pyc  
███ _y.cpython-311.pyc  
███ _z.cpython-311.pyc  
███ _x.py  
███ _y.py  
███ _z.py  
████ layout  
███ __init__.py  
███ __pycache__  
███ __init__.cpython-311.pyc  
███ _activeshape.cpython-311.pyc  
███ _angularaxis.cpython-311.pyc  
███ _annotation.cpython-311.pyc  
███ _coloraxis.cpython-311.pyc  
███ _colorscale.cpython-311.pyc  
███ _font.cpython-311.pyc  
███ _geo.cpython-311.pyc  
███ _grid.cpython-311.pyc  
███ _hoverlabel.cpython-311.pyc  
███ _image.cpython-311.pyc  
███ _legend.cpython-311.pyc  
███ _mapbox.cpython-311.pyc  
███ _margin.cpython-311.pyc  
███ _modebar.cpython-311.pyc  
███ _newshape.cpython-311.pyc  
███ _polar.cpython-311.pyc  
███ _radialaxis.cpython-311.pyc  
███ _scene.cpython-311.pyc  
███ _shape.cpython-311.pyc  
███ _slider.cpython-311.pyc  
███ _template.cpython-311.pyc  
███ _ternary.cpython-311.pyc  
███ _title.cpython-311.pyc  
███ _transition.cpython-311.pyc  
███ _uniformtext.cpython-311.pyc  
███ _updatemenu.cpython-311.pyc  
███ _xaxis.cpython-311.pyc  
███ _yaxis.cpython-311.pyc  
████ _activeshape.py  
████ _angularaxis.py  
████ _annotation.py  
████ _coloraxis.py  
████ _colorscale.py  
████ _font.py  
████ _geo.py  
████ _grid.py  
████ _hoverlabel.py  
████ _image.py  
████ _legend.py  
████ _mapbox.py
```

■	■	■	■	■	■	■	■■■	_margin.py	
■	■	■	■	■	■	■	■■■	_modebar.py	
■	■	■	■	■	■	■	■■■	_newshape.py	
■	■	■	■	■	■	■	■■■	_polar.py	
■	■	■	■	■	■	■	■■■	_radialaxis.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_shape.py	
■	■	■	■	■	■	■	■■■	_slider.py	
■	■	■	■	■	■	■	■■■	_template.py	
■	■	■	■	■	■	■	■■■	_ternary.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	_transition.py	
■	■	■	■	■	■	■	■■■	_uniformtext.py	
■	■	■	■	■	■	■	■■■	_updatemenu.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	annotation	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_font.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	coloraxis	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_colorbar.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstop.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■■■	_tickformatstop.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	title	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	geo	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_center.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_domain.cpython-311.pyc

```

_ _ _ _ _lataxis.cpython-311.pyc
_ _ _ _ _lonaxis.cpython-311.pyc
_ _ _ _ _projection.cpython-311.pyc
_ _ _ _ _center.py
_ _ _ _ _domain.py
_ _ _ _ _lataxis.py
_ _ _ _ _lonaxis.py
_ _ _ _ _projection.py
_ _ _ _ _projection
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _rotation.cpython-311.pyc
_ _ _ _ _ _rotation.py
_ _ _ _ _grid
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _domain.cpython-311.pyc
_ _ _ _ _ _domain.py
_ _ _ _ _hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _legend
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _title.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _title.py
_ _ _ _ _title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _mapbox
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _center.cpython-311.pyc
_ _ _ _ _ _domain.cpython-311.pyc
_ _ _ _ _ _layer.cpython-311.pyc
_ _ _ _ _ _center.py
_ _ _ _ _ _domain.py
_ _ _ _ _ _layer.py
_ _ _ _ _layer
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _circle.cpython-311.pyc
_ _ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _symbol.cpython-311.pyc

```



```

    _circle.py
    _fill.py
    _line.py
    _symbol.py
    symbol
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _textfont.cpython-311.pyc
    _textfont.py
newshape
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
polar
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _angularaxis.cpython-311.pyc
    _domain.cpython-311.pyc
    _radialaxis.cpython-311.pyc
    _angularaxis.py
    _domain.py
    _radialaxis.py
    angularaxis
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    radialaxis
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
scene
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _annotation.cpython-311.pyc
    _aspectratio.cpython-311.pyc
    _camera.cpython-311.pyc
    _domain.cpython-311.pyc

```

```

_ _ _ _ _xaxis.cpython-311.pyc
_ _ _ _ _yaxis.cpython-311.pyc
_ _ _ _ _zaxis.cpython-311.pyc
_ _ _ _ _annotation.py
_ _ _ _ _aspectratio.py
_ _ _ _ _camera.py
_ _ _ _ _domain.py
_ _ _ _ _xaxis.py
_ _ _ _ _yaxis.py
_ _ _ _ _zaxis.py
_ _ _ _ _annotation
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ __font.cpython-311.pyc
_ _ _ _ _ __hoverlabel.cpython-311.pyc
_ _ _ _ _ __font.py
_ _ _ _ _ __hoverlabel.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ __font.cpython-311.pyc
_ _ _ _ _ __font.py
_ _ _ _ _ camera
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ __center.cpython-311.pyc
_ _ _ _ _ __eye.cpython-311.pyc
_ _ _ _ _ __projection.cpython-311.pyc
_ _ _ _ _ __up.cpython-311.pyc
_ _ _ _ _ __center.py
_ _ _ _ _ __eye.py
_ _ _ _ _ __projection.py
_ _ _ _ _ __up.py
_ _ _ _ _ xaxis
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ __tickfont.cpython-311.pyc
_ _ _ _ _ __tickformatstop.cpython-311.pyc
_ _ _ _ _ __title.cpython-311.pyc
_ _ _ _ _ __tickfont.py
_ _ _ _ _ __tickformatstop.py
_ _ _ _ _ __title.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ __font.cpython-311.pyc
_ _ _ _ _ __font.py
_ _ _ _ _ yaxis
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ __tickfont.cpython-311.pyc
_ _ _ _ _ __tickformatstop.cpython-311.pyc

```

```

_ _ _ _ _title.cpython-311.pyc
_ _ _ _ _tickfont.py
_ _ _ _ _tickformatstop.py
_ _ _ _ _title.py
_ _ _ _ title
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ zaxis
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _title.cpython-311.pyc
_ _ _ _ _tickfont.py
_ _ _ _ _tickformatstop.py
_ _ _ _ _title.py
_ _ _ _ title
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ shape
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _line.py
_ _ _ _ slider
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _currentvalue.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _pad.cpython-311.pyc
_ _ _ _ _step.cpython-311.pyc
_ _ _ _ _transition.cpython-311.pyc
_ _ _ _ _currentvalue.py
_ _ _ _ _font.py
_ _ _ _ _pad.py
_ _ _ _ _step.py
_ _ _ _ _transition.py
_ _ _ _ currentvalue
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ template
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _data.cpython-311.pyc
_ _ _ _ _layout.cpython-311.pyc

```

```

_ data.py
_ layout.py
data
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ area.cpython-311.pyc
_ bar.cpython-311.pyc
_ barpolar.cpython-311.pyc
_ box.cpython-311.pyc
_ candlestick.cpython-311.pyc
_ carpet.cpython-311.pyc
_ choropleth.cpython-311.pyc
_ choroplethmapbox.cpython-311.pyc
_ cone.cpython-311.pyc
_ contour.cpython-311.pyc
_ contourcarpet.cpython-311.pyc
_ densitymapbox.cpython-311.pyc
_ funnel.cpython-311.pyc
_ funnelarea.cpython-311.pyc
_ heatmap.cpython-311.pyc
_ heatmapgl.cpython-311.pyc
_ histogram.cpython-311.pyc
_ histogram2d.cpython-311.pyc
_ histogram2dcontour.cpython-311.pyc
_ icicle.cpython-311.pyc
_ image.cpython-311.pyc
_ indicator.cpython-311.pyc
_ isosurface.cpython-311.pyc
_ mesh3d.cpython-311.pyc
_ ohlc.cpython-311.pyc
_ parcats.cpython-311.pyc
_ parcoords.cpython-311.pyc
_ pie.cpython-311.pyc
_ pointcloud.cpython-311.pyc
_ sankey.cpython-311.pyc
_ scatter.cpython-311.pyc
_ scatter3d.cpython-311.pyc
_ scattercarpet.cpython-311.pyc
_ scattergeo.cpython-311.pyc
_ scattergl.cpython-311.pyc
_ scattermapbox.cpython-311.pyc
_ scatterpolar.cpython-311.pyc
_ scatterpolargl.cpython-311.pyc
_ scatterternary.cpython-311.pyc
_ splom.cpython-311.pyc
_ streamtube.cpython-311.pyc
_ sunburst.cpython-311.pyc
_ surface.cpython-311.pyc
_ table.cpython-311.pyc
_ treemap.cpython-311.pyc
_ violin.cpython-311.pyc
_ volume.cpython-311.pyc
_ waterfall.cpython-311.pyc
_ area.py
_ bar.py
_ barpolar.py
_ box.py

```

■	■	■	■	■	■	■	■	■	■■■	_candlestick.py
■	■	■	■	■	■	■	■	■	■■■	_carpet.py
■	■	■	■	■	■	■	■	■	■■■	_choropleth.py
■	■	■	■	■	■	■	■	■	■■■	_choroplethmapbox.py
■	■	■	■	■	■	■	■	■	■■■	_cone.py
■	■	■	■	■	■	■	■	■	■■■	_contour.py
■	■	■	■	■	■	■	■	■	■■■	_contourcarpet.py
■	■	■	■	■	■	■	■	■	■■■	_densitymapbox.py
■	■	■	■	■	■	■	■	■	■■■	_funnel.py
■	■	■	■	■	■	■	■	■	■■■	_funnelarea.py
■	■	■	■	■	■	■	■	■	■■■	_heatmap.py
■	■	■	■	■	■	■	■	■	■■■	_heatmapgl.py
■	■	■	■	■	■	■	■	■	■■■	_histogram.py
■	■	■	■	■	■	■	■	■	■■■	_histogram2d.py
■	■	■	■	■	■	■	■	■	■■■	_histogram2dcontour.py
■	■	■	■	■	■	■	■	■	■■■	_icicle.py
■	■	■	■	■	■	■	■	■	■■■	_image.py
■	■	■	■	■	■	■	■	■	■■■	_indicator.py
■	■	■	■	■	■	■	■	■	■■■	_isosurface.py
■	■	■	■	■	■	■	■	■	■■■	_mesh3d.py
■	■	■	■	■	■	■	■	■	■■■	_ohlc.py
■	■	■	■	■	■	■	■	■	■■■	_parcats.py
■	■	■	■	■	■	■	■	■	■■■	_parcoords.py
■	■	■	■	■	■	■	■	■	■■■	_pie.py
■	■	■	■	■	■	■	■	■	■■■	_pointcloud.py
■	■	■	■	■	■	■	■	■	■■■	_sankey.py
■	■	■	■	■	■	■	■	■	■■■	_scatter.py
■	■	■	■	■	■	■	■	■	■■■	_scatter3d.py
■	■	■	■	■	■	■	■	■	■■■	_scattercarpet.py
■	■	■	■	■	■	■	■	■	■■■	_scattergeo.py
■	■	■	■	■	■	■	■	■	■■■	_scattergl.py
■	■	■	■	■	■	■	■	■	■■■	_scattermapbox.py
■	■	■	■	■	■	■	■	■	■■■	_scatterpolar.py
■	■	■	■	■	■	■	■	■	■■■	_scatterpolargl.py
■	■	■	■	■	■	■	■	■	■■■	_scatterternary.py
■	■	■	■	■	■	■	■	■	■■■	_splom.py
■	■	■	■	■	■	■	■	■	■■■	_streamtube.py
■	■	■	■	■	■	■	■	■	■■■	_sunburst.py
■	■	■	■	■	■	■	■	■	■■■	_surface.py
■	■	■	■	■	■	■	■	■	■■■	_table.py
■	■	■	■	■	■	■	■	■	■■■	_treemap.py
■	■	■	■	■	■	■	■	■	■■■	_violin.py
■	■	■	■	■	■	■	■	■	■■■	_volume.py
■	■	■	■	■	■	■	■	■	■■■	_waterfall.py
■	■	■	■	■	■	■	■■■	ternary		
■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	_aaxis.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	_baxis.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	_caxis.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	_domain.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_aaxis.py		
■	■	■	■	■	■	■	■■■	_baxis.py		
■	■	■	■	■	■	■	■■■	_caxis.py		
■	■	■	■	■	■	■	■■■	_domain.py		
■	■	■	■	■	■	■	■■■	aaxis		
■	■	■	■	■	■	■	■	■■■	__init__.py	

[illegible]

```

_ button.cpython-311.pyc
_ font.cpython-311.pyc
_ pad.cpython-311.pyc
_ button.py
_ font.py
_ pad.py
xaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_rangebreak.cpython-311.pyc
_rangeselector.cpython-311.pyc
_rangeslider.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformatstop.cpython-311.pyc
_title.cpython-311.pyc
_rangebreak.py
_rangeselector.py
_rangeslider.py
_tickfont.py
_tickformatstop.py
_title.py
rangeselector
__init__.py
__pycache__
__init__.cpython-311.pyc
_button.cpython-311.pyc
_font.cpython-311.pyc
_button.py
_font.py
rangeslider
__init__.py
__pycache__
__init__.cpython-311.pyc
_yaxis.cpython-311.pyc
_yaxis.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
yaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_rangebreak.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformatstop.cpython-311.pyc
_title.cpython-311.pyc
_rangebreak.py
_tickfont.py
_tickformatstop.py
_title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

_      _font.cpython-311.pyc
_      _font.py
mesh3d
_      __init__.py
_      __pycache__
_      __init__.cpython-311.pyc
_      _colorbar.cpython-311.pyc
_      _contour.cpython-311.pyc
_      _hoverlabel.cpython-311.pyc
_      _legendgrouptitle.cpython-311.pyc
_      _lighting.cpython-311.pyc
_      _lightposition.cpython-311.pyc
_      _stream.cpython-311.pyc
_      _colorbar.py
_      _contour.py
_      _hoverlabel.py
_      _legendgrouptitle.py
_      _lighting.py
_      _lightposition.py
_      _stream.py
_      colorbar
_      __init__.py
_      __pycache__
_      __init__.cpython-311.pyc
_      _tickfont.cpython-311.pyc
_      _tickformatstop.cpython-311.pyc
_      _title.cpython-311.pyc
_      _tickfont.py
_      _tickformatstop.py
_      _title.py
_      title
_      __init__.py
_      __pycache__
_      __init__.cpython-311.pyc
_      _font.cpython-311.pyc
_      _font.py
_      hoverlabel
_      __init__.py
_      __pycache__
_      __init__.cpython-311.pyc
_      _font.cpython-311.pyc
_      _font.py
_      legendgrouptitle
_      __init__.py
_      __pycache__
_      __init__.cpython-311.pyc
_      _font.cpython-311.pyc
_      _font.py
ohlc
_      __init__.py
_      __pycache__
_      __init__.cpython-311.pyc
_      _decreasing.cpython-311.pyc
_      _hoverlabel.cpython-311.pyc
_      _increasing.cpython-311.pyc
_      _legendgrouptitle.cpython-311.pyc
_      _line.cpython-311.pyc
_      _stream.cpython-311.pyc

```



```

_ decreasing.py
_ hoverlabel.py
_ increasing.py
_ legendgrouptitle.py
_ line.py
_ stream.py
decreasing
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _line.cpython-311.pyc
_ _line.py
hoverlabel
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
increasing
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _line.cpython-311.pyc
_ _line.py
legendgrouptitle
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
parcats
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _dimension.cpython-311.pyc
_ _domain.cpython-311.pyc
_ _labelfont.cpython-311.pyc
_ _legendgrouptitle.cpython-311.pyc
_ _line.cpython-311.pyc
_ _stream.cpython-311.pyc
_ _tickfont.cpython-311.pyc
_ _dimension.py
_ _domain.py
_ _labelfont.py
_ _legendgrouptitle.py
_ _line.py
_ _stream.py
_ _tickfont.py
legendgrouptitle
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
line
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc

```

```

■■■■ _colorbar.cpython-311.pyc
■■■■ _colorbar.py
■■■■ colorbar
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformatstop.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _tickfont.py
■■■■ _tickformatstop.py
■■■■ _title.py
■■■■ title
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ parcoords
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _dimension.cpython-311.pyc
■■■■ _domain.cpython-311.pyc
■■■■ _labelfont.cpython-311.pyc
■■■■ _legendgrouptitle.cpython-311.pyc
■■■■ _line.cpython-311.pyc
■■■■ _rangefont.cpython-311.pyc
■■■■ _stream.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _dimension.py
■■■■ _domain.py
■■■■ _labelfont.py
■■■■ _legendgrouptitle.py
■■■■ _line.py
■■■■ _rangefont.py
■■■■ _stream.py
■■■■ _tickfont.py
■■■■ legendgrouptitle
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ line
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _colorbar.cpython-311.pyc
■■■■ _colorbar.py
■■■■ colorbar
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformatstop.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _tickfont.py

```

```

tickformatstop.py
_title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
pie
__init__.py
__pycache__
__init__.cpython-311.pyc
_domain.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_insidetextfont.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_marker.cpython-311.pyc
_outsidetextfont.cpython-311.pyc
_stream.cpython-311.pyc
_textfont.cpython-311.pyc
_title.cpython-311.pyc
_domain.py
_hoverlabel.py
_insidetextfont.py
_legendgrouptitle.py
_marker.py
_outsidetextfont.py
_stream.py
_textfont.py
_title.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_line.cpython-311.pyc
_line.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
pointcloud
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

_ _ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ _ legendgrouptitle.cpython-311.pyc
_ _ _ _ _ marker.cpython-311.pyc
_ _ _ _ _ stream.cpython-311.pyc
_ _ _ _ _ hoverlabel.py
_ _ _ _ _ legendgrouptitle.py
_ _ _ _ _ marker.py
_ _ _ _ _ stream.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ border.cpython-311.pyc
_ _ _ _ _ border.py
sankey
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ domain.cpython-311.pyc
_ _ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ _ legendgrouptitle.cpython-311.pyc
_ _ _ _ _ link.cpython-311.pyc
_ _ _ _ _ node.cpython-311.pyc
_ _ _ _ _ stream.cpython-311.pyc
_ _ _ _ _ textfont.cpython-311.pyc
_ _ _ _ _ domain.py
_ _ _ _ _ hoverlabel.py
_ _ _ _ _ legendgrouptitle.py
_ _ _ _ _ link.py
_ _ _ _ _ node.py
_ _ _ _ _ stream.py
_ _ _ _ _ textfont.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
link
__init__.py

```

[illegible]

```

■      legendgrouptitle
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■      ■■■ marker
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ _colorbar.cpython-311.pyc
■      ■      ■■■ _gradient.cpython-311.pyc
■      ■      ■■■ _line.cpython-311.pyc
■      ■■■ _colorbar.py
■      ■■■ _gradient.py
■      ■■■ _line.py
■      ■■■ colorbar
■      ■      ■■■ __init__.py
■      ■      ■■■ __pycache__
■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■■■ _tickfont.cpython-311.pyc
■      ■      ■      ■■■ _tickformatstop.cpython-311.pyc
■      ■      ■      ■■■ _title.cpython-311.pyc
■      ■      ■■■ _tickfont.py
■      ■      ■■■ _tickformatstop.py
■      ■      ■■■ _title.py
■      ■      ■■■ title
■      ■      ■      ■■■ __init__.py
■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■■■ _font.cpython-311.pyc
■      ■      ■      ■■■ _font.py
■      ■■■ selected
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ _marker.cpython-311.pyc
■      ■      ■■■ _textfont.cpython-311.pyc
■      ■■■ _marker.py
■      ■■■ _textfont.py
■      ■■■ unselected
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ _marker.cpython-311.pyc
■      ■      ■■■ _textfont.cpython-311.pyc
■      ■■■ _marker.py
■      ■■■ _textfont.py
■      ■■■ scatter3d
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ _error_x.cpython-311.pyc
■      ■      ■■■ _error_y.cpython-311.pyc
■      ■      ■■■ _error_z.cpython-311.pyc
■      ■      ■■■ _hoverlabel.cpython-311.pyc
■      ■      ■■■ _legendgrouptitle.cpython-311.pyc
■      ■      ■■■ _line.cpython-311.pyc

```

```

_marker.cpython-311.pyc
__projection.cpython-311.pyc
__stream.cpython-311.pyc
__textfont.cpython-311.pyc
_error_x.py
_error_y.py
_error_z.py
_hoverlabel.py
_legendgrouptitle.py
_line.py
_marker.py
_projection.py
_stream.py
_textfont.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
    _font.py
legendgrouptitle
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
    _font.py
line
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _colorbar.cpython-311.pyc
    _colorbar.py
    colorbar
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _tickfont.cpython-311.pyc
            _tickformatstop.cpython-311.pyc
            _title.cpython-311.pyc
        _tickfont.py
        _tickformatstop.py
        _title.py
        title
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _font.cpython-311.pyc
            _font.py
marker
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _colorbar.cpython-311.pyc
        _line.cpython-311.pyc
    _colorbar.py
    _line.py
    colorbar
        __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _tickfont.cpython-311.pyc
    ████ _tickformatstop.cpython-311.pyc
    ████ _title.cpython-311.pyc
    ████ _tickfont.py
    ████ _tickformatstop.py
    ████ _title.py
    ████ title
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ projection
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _x.cpython-311.pyc
    ████ _y.cpython-311.pyc
    ████ _z.cpython-311.pyc
    ████ _x.py
    ████ _y.py
    ████ _z.py
    ████ scattercarpet
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _line.cpython-311.pyc
    ████ _marker.cpython-311.pyc
    ████ _selected.cpython-311.pyc
    ████ _stream.cpython-311.pyc
    ████ _textfont.cpython-311.pyc
    ████ _unselected.cpython-311.pyc
    ████ _hoverlabel.py
    ████ _legendgrouptitle.py
    ████ _line.py
    ████ _marker.py
    ████ _selected.py
    ████ _stream.py
    ████ _textfont.py
    ████ _unselected.py
    ████ hoverlabel
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ legendgrouptitle
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ marker
    ████ __init__.py

```



```

████ _pycache__
████ _init__.cpython-311.pyc
████ _colorbar.cpython-311.pyc
████ _gradient.cpython-311.pyc
████ _line.cpython-311.pyc
████ _colorbar.py
████ _gradient.py
████ _line.py
████ colorbar
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _tickfont.cpython-311.pyc
████ _tickformatstop.cpython-311.pyc
████ _title.cpython-311.pyc
████ _tickfont.py
████ _tickformatstop.py
████ _title.py
████ title
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _font.cpython-311.pyc
████ _font.py
████ selected
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _textfont.cpython-311.pyc
████ _marker.py
████ _textfont.py
████ unselected
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _textfont.cpython-311.pyc
████ _marker.py
████ _textfont.py
████ scattergeo
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _hoverlabel.cpython-311.pyc
████ _legendgrouptitle.cpython-311.pyc
████ _line.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _selected.cpython-311.pyc
████ _stream.cpython-311.pyc
████ _textfont.cpython-311.pyc
████ _unselected.cpython-311.pyc
████ _hoverlabel.py
████ _legendgrouptitle.py
████ _line.py
████ _marker.py
████ _selected.py
████ _stream.py

```

```

    _textfont.py
    _unselected.py
    hoverlabel
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
    marker
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _colorbar.cpython-311.pyc
            _gradient.cpython-311.pyc
            _line.cpython-311.pyc
        _colorbar.py
        _gradient.py
        _line.py
        colorbar
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _tickfont.cpython-311.pyc
                _tickformatstop.cpython-311.pyc
                _title.cpython-311.pyc
            _tickfont.py
            _tickformatstop.py
            _title.py
            title
                __init__.py
                __pycache__
                    __init__.cpython-311.pyc
                    _font.cpython-311.pyc
                _font.py
    selected
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _marker.cpython-311.pyc
            _textfont.cpython-311.pyc
        _marker.py
        _textfont.py
    unselected
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _marker.cpython-311.pyc
            _textfont.cpython-311.pyc
        _marker.py
        _textfont.py
    scattergl
        __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _error_x.cpython-311.pyc
    ████ _error_y.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _line.cpython-311.pyc
    ████ _marker.cpython-311.pyc
    ████ _selected.cpython-311.pyc
    ████ _stream.cpython-311.pyc
    ████ _textfont.cpython-311.pyc
    ████ _unselected.cpython-311.pyc
    ████ _error_x.py
    ████ _error_y.py
    ████ _hoverlabel.py
    ████ _legendgrouptitle.py
    ████ _line.py
    ████ _marker.py
    ████ _selected.py
    ████ _stream.py
    ████ _textfont.py
    ████ _unselected.py
    ████ hoverlabel
    ████ __init__.py
    ████ __pycache__
    ████   ████ __init__.cpython-311.pyc
    ████   ████ _font.cpython-311.pyc
    ████   ████ _font.py
    ████ legendgrouptitle
    ████ __init__.py
    ████ __pycache__
    ████   ████ __init__.cpython-311.pyc
    ████   ████ _font.cpython-311.pyc
    ████   ████ _font.py
    ████ marker
    ████ __init__.py
    ████ __pycache__
    ████   ████ __init__.cpython-311.pyc
    ████   ████ _colorbar.cpython-311.pyc
    ████   ████ _line.cpython-311.pyc
    ████   ████ _colorbar.py
    ████   ████ _line.py
    ████ colorbar
    ████   ████ __init__.py
    ████   ████ __pycache__
    ████   ████   ████ __init__.cpython-311.pyc
    ████   ████   ████ _tickfont.cpython-311.pyc
    ████   ████   ████ _tickformatstop.cpython-311.pyc
    ████   ████   ████ _title.cpython-311.pyc
    ████   ████   ████ _tickfont.py
    ████   ████   ████ _tickformatstop.py
    ████   ████   ████ _title.py
    ████   ████ title
    ████   ████   ████ __init__.py
    ████   ████   ████ __pycache__
    ████   ████   ████   ████ __init__.cpython-311.pyc
    ████   ████   ████   ████ _font.cpython-311.pyc
    ████   ████   ████   ████ _font.py

```

```

selected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __marker.cpython-311.pyc
  __textfont.cpython-311.pyc
  __marker.py
  __textfont.py
unselected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __marker.cpython-311.pyc
  __textfont.cpython-311.pyc
  __marker.py
  __textfont.py
scattermapbox
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __hoverlabel.cpython-311.pyc
  __legendgrouptitle.cpython-311.pyc
  __line.cpython-311.pyc
  __marker.cpython-311.pyc
  __selected.cpython-311.pyc
  __stream.cpython-311.pyc
  __textfont.cpython-311.pyc
  __unselected.cpython-311.pyc
  __hoverlabel.py
  __legendgrouptitle.py
  __line.py
  __marker.py
  __selected.py
  __stream.py
  __textfont.py
  __unselected.py
  hoverlabel
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __font.cpython-311.pyc
  __font.py
  legendgrouptitle
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __font.cpython-311.pyc
  __font.py
  marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __colorbar.cpython-311.pyc
  __colorbar.py
  colorbar
  __init__.py
  __pycache__
  __init__.cpython-311.pyc

```

```

_ _ _ _ _ tickfont.cpython-311.pyc
_ _ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _ _title.cpython-311.pyc
_ _ _ _ _ _tickfont.py
_ _ _ _ _ _tickformatstop.py
_ _ _ _ _ _title.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
selected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
unselected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
scatterpolar
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _selected.cpython-311.pyc
_ _ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _ _unselected.cpython-311.pyc
_ _ _ _ _ _hoverlabel.py
_ _ _ _ _ _legendgrouptitle.py
_ _ _ _ _ _line.py
_ _ _ _ _ _marker.py
_ _ _ _ _ _selected.py
_ _ _ _ _ _stream.py
_ _ _ _ _ _textfont.py
_ _ _ _ _ _unselected.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py

```

```

████ _pycache__
████ _init__.cpython-311.pyc
████ _colorbar.cpython-311.pyc
████ _gradient.cpython-311.pyc
████ _line.cpython-311.pyc
████ _colorbar.py
████ _gradient.py
████ _line.py
████ colorbar
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _tickfont.cpython-311.pyc
████ _tickformatstop.cpython-311.pyc
████ _title.cpython-311.pyc
████ _tickfont.py
████ _tickformatstop.py
████ _title.py
████ title
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _font.cpython-311.pyc
████ _font.py
████ selected
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _textfont.cpython-311.pyc
████ _marker.py
████ _textfont.py
████ unselected
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _textfont.cpython-311.pyc
████ _marker.py
████ _textfont.py
████ scatterpolargl
████ _init__.py
████ _pycache__
████ _init__.cpython-311.pyc
████ _hoverlabel.cpython-311.pyc
████ _legendgrouptitle.cpython-311.pyc
████ _line.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _selected.cpython-311.pyc
████ _stream.cpython-311.pyc
████ _textfont.cpython-311.pyc
████ _unselected.cpython-311.pyc
████ _hoverlabel.py
████ _legendgrouptitle.py
████ _line.py
████ _marker.py
████ _selected.py
████ _stream.py

```

```

    _textfont.py
    _unselected.py
    hoverlabel
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
    marker
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _colorbar.cpython-311.pyc
            _line.cpython-311.pyc
        _colorbar.py
        _line.py
        colorbar
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _tickfont.cpython-311.pyc
                _tickformatstop.cpython-311.pyc
                _title.cpython-311.pyc
            _tickfont.py
            _tickformatstop.py
            _title.py
            title
                __init__.py
                __pycache__
                    __init__.cpython-311.pyc
                    _font.cpython-311.pyc
                _font.py
    selected
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _marker.cpython-311.pyc
            _textfont.cpython-311.pyc
        _marker.py
        _textfont.py
    unselected
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _marker.cpython-311.pyc
            _textfont.cpython-311.pyc
        _marker.py
        _textfont.py
    scatterternary
        __init__.py
        __pycache__
            __init__.cpython-311.pyc

```

```

_ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ legendgrouptitle.cpython-311.pyc
_ _ _ _ line.cpython-311.pyc
_ _ _ _ marker.cpython-311.pyc
_ _ _ _ selected.cpython-311.pyc
_ _ _ _ stream.cpython-311.pyc
_ _ _ _ textfont.cpython-311.pyc
_ _ _ _ unselected.cpython-311.pyc
_ _ _ _ hoverlabel.py
_ _ _ _ legendgrouptitle.py
_ _ _ _ line.py
_ _ _ _ marker.py
_ _ _ _ selected.py
_ _ _ _ stream.py
_ _ _ _ textfont.py
_ _ _ _ unselected.py
_ _ _ _ hoverlabel
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _gradient.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _colorbar.py
_ _ _ _ _gradient.py
_ _ _ _ _line.py
_ _ _ _ colorbar
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _title.cpython-311.pyc
_ _ _ _ _tickfont.py
_ _ _ _ _tickformatstop.py
_ _ _ _ _title.py
_ _ _ _ title
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ selected
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc

```



```

■ ■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ ■ _textfont.cpython-311.pyc
■ ■ ■ ■ _marker.py
■ ■ ■ ■ _textfont.py
■ ■ ■ ■ unselected
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ ■ _textfont.cpython-311.pyc
■ ■ ■ ■ _marker.py
■ ■ ■ ■ _textfont.py
■ ■ ■ splom
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _diagonal.cpython-311.pyc
■ ■ ■ _dimension.cpython-311.pyc
■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ _legendgrouptitle.cpython-311.pyc
■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ _selected.cpython-311.pyc
■ ■ ■ _stream.cpython-311.pyc
■ ■ ■ _unselected.cpython-311.pyc
■ ■ ■ _diagonal.py
■ ■ ■ _dimension.py
■ ■ ■ _hoverlabel.py
■ ■ ■ _legendgrouptitle.py
■ ■ ■ _marker.py
■ ■ ■ _selected.py
■ ■ ■ _stream.py
■ ■ ■ _unselected.py
■ ■ ■ dimension
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _axis.cpython-311.pyc
■ ■ ■ _axis.py
■ ■ ■ hoverlabel
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _font.cpython-311.pyc
■ ■ ■ _font.py
■ ■ ■ legendgrouptitle
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _font.cpython-311.pyc
■ ■ ■ _font.py
■ ■ ■ marker
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ _line.cpython-311.pyc
■ ■ ■ _colorbar.py
■ ■ ■ _line.py

```

```

colorbar
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
  _tickfont.py
  _tickformatstop.py
  _title.py
  title
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
  _font.py
selected
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
  _marker.py
unselected
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
  _marker.py
streamtube
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _starts.cpython-311.pyc
    _stream.cpython-311.pyc
  _colorbar.py
  _hoverlabel.py
  _legendgrouptitle.py
  _lighting.py
  _lightposition.py
  _starts.py
  _stream.py
  colorbar
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _tickfont.cpython-311.pyc
      _tickformatstop.cpython-311.pyc
      _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py

```

```

■      ■■■ _pycache_
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■     ■■■ _font.py
■    ■■■ hoverlabel
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■    ■■■ legendgrouptitle
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■    ■■■ sunburst
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _domain.cpython-311.pyc
■      ■■■ _hoverlabel.cpython-311.pyc
■      ■■■ _insidetextfont.cpython-311.pyc
■      ■■■ _leaf.cpython-311.pyc
■      ■■■ _legendgrouptitle.cpython-311.pyc
■      ■■■ _marker.cpython-311.pyc
■      ■■■ _outsidetextfont.cpython-311.pyc
■      ■■■ _root.cpython-311.pyc
■      ■■■ _stream.cpython-311.pyc
■      ■■■ _textfont.cpython-311.pyc
■    ■■■ _domain.py
■    ■■■ _hoverlabel.py
■    ■■■ _insidetextfont.py
■    ■■■ _leaf.py
■    ■■■ _legendgrouptitle.py
■    ■■■ _marker.py
■    ■■■ _outsidetextfont.py
■    ■■■ _root.py
■    ■■■ _stream.py
■    ■■■ _textfont.py
■    ■■■ hoverlabel
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■    ■■■ legendgrouptitle
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■    ■■■ marker
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _colorbar.cpython-311.pyc
■      ■   ■■■ _line.cpython-311.pyc

```

```

    colorbar.py
    _line.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    surface
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _contours.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _stream.cpython-311.pyc
    _colorbar.py
    _contours.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py
    _stream.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    contours
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc

```

```

    █ _z.cpython-311.pyc
    █ _x.py
    █ _y.py
    █ _z.py
    █ x
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _project.cpython-311.pyc
    █     █ _project.py
    █ y
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _project.cpython-311.pyc
    █     █ _project.py
    █ z
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _project.cpython-311.pyc
    █     █ _project.py
    █ hoverlabel
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _font.cpython-311.pyc
    █     █ _font.py
    █ legendgrouptitle
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _font.cpython-311.pyc
    █     █ _font.py
    █ table
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _cells.cpython-311.pyc
    █     █ _domain.cpython-311.pyc
    █     █ _header.cpython-311.pyc
    █     █ _hoverlabel.cpython-311.pyc
    █     █ _legendgrouptitle.cpython-311.pyc
    █     █ _stream.cpython-311.pyc
    █   █ _cells.py
    █   █ _domain.py
    █   █ _header.py
    █   █ _hoverlabel.py
    █   █ _legendgrouptitle.py
    █   █ _stream.py
    █   █ cells
    █     █ __init__.py
    █     █ __pycache__
    █       █ __init__.cpython-311.pyc
    █       █ _fill.cpython-311.pyc
    █       █ _font.cpython-311.pyc
    █       █ _line.cpython-311.pyc
    █       █ _fill.py

```

```

font.py
_line.py
header
__init__.py
__pycache__
__init__.cpython-311.pyc
_fill.cpython-311.pyc
_font.cpython-311.pyc
_line.cpython-311.pyc
_fill.py
_font.py
_line.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
treemap
__init__.py
__pycache__
__init__.cpython-311.pyc
_domain.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_insidetextfont.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_marker.cpython-311.pyc
_outsidetextfont.cpython-311.pyc
_pathbar.cpython-311.pyc
_root.cpython-311.pyc
_stream.cpython-311.pyc
_textfont.cpython-311.pyc
_tiling.cpython-311.pyc
_domain.py
_hoverlabel.py
_insidetextfont.py
_legendgrouptitle.py
_marker.py
_outsidetextfont.py
_pathbar.py
_root.py
_stream.py
_textfont.py
_tiling.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py

```



```

    box
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    selected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    volume
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _caps.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _contour.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _slices.cpython-311.pyc
    _spaceframe.cpython-311.pyc
    _stream.cpython-311.pyc
    _surface.cpython-311.pyc
    _caps.py
    _colorbar.py
    _contour.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py

```



```

_ slices.py
_ spaceframe.py
_ stream.py
_ surface.py
caps
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _z.cpython-311.pyc
  _x.py
  _y.py
  _z.py
colorbar
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
  _tickfont.py
  _tickformatstop.py
  _title.py
  title
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _font.cpython-311.pyc
    _font.py
hoverlabel
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
  _font.py
legendgrouptitle
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
  _font.py
slices
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _z.cpython-311.pyc
  _x.py
  _y.py
  _z.py
waterfall
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _connector.cpython-311.pyc
    _decreasing.cpython-311.pyc

```

```

_ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ _increasing.cpython-311.pyc
_ _ _ _ _insidetextfont.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _outsidetextfont.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _totals.cpython-311.pyc
_ _ _ _ _connector.py
_ _ _ _ _decreasing.py
_ _ _ _ _hoverlabel.py
_ _ _ _ _increasing.py
_ _ _ _ _insidetextfont.py
_ _ _ _ _legendgrouptitle.py
_ _ _ _ _outsidetextfont.py
_ _ _ _ _stream.py
_ _ _ _ _textfont.py
_ _ _ _ _totals.py
_ _ _ _ connector
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _line.py
_ _ _ _ decreasing
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _marker.py
_ _ _ _ marker
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _line.py
_ _ _ _ hoverlabel
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ increasing
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _marker.py
_ _ _ _ marker
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _line.py
_ _ _ _ legendgrouptitle
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc

```

```

    _font.cpython-311.pyc
    _font.py
    totals
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    grid_objs.py
    io
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _base_renderers.cpython-311.pyc
    _html.cpython-311.pyc
    _json.cpython-311.pyc
    _kaleido.cpython-311.pyc
    _orca.cpython-311.pyc
    _renderers.cpython-311.pyc
    _sg_scraper.cpython-311.pyc
    _templates.cpython-311.pyc
    _utils.cpython-311.pyc
    base_renderers.cpython-311.pyc
    json.cpython-311.pyc
    kaleido.cpython-311.pyc
    orca.cpython-311.pyc
    _base_renderers.py
    _html.py
    _json.py
    _kaleido.py
    _orca.py
    _renderers.py
    _sg_scraper.py
    _templates.py
    _utils.py
    base_renderers.py
    json.py
    kaleido.py
    orca.py
    matplotliblylib
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    mpltools.cpython-311.pyc
    renderer.cpython-311.pyc
    mplexporter
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _py3k_compat.cpython-311.pyc
    exporter.cpython-311.pyc
    tools.cpython-311.pyc

```

[illegible]

```
■ ■ ■ ■ ■ ■ ■■ chunked_requests.py
■ ■ ■ ■ ■ ■■■ presentation_objs.py
■ ■ ■ ■ ■ ■■■ serializers.py
■ ■ ■ ■ ■ ■■■ session.py
■ ■ ■ ■ ■ ■■■ shapeannotation.py
■ ■ ■ ■ ■ ■■■ subplots.py
■ ■ ■ ■ ■ ■■■ tools.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ validator_cache.py
■ ■ ■ ■ ■ ■■■ validators
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _area.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _bar.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _barpolar.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _box.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _candlestick.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _carpet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _choropleth.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _choroplethmapbox.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _cone.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _contour.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _contourcarpet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _data.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _densitymapbox.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _frames.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _funnel.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _funnelarea.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _heatmap.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _heatmapgl.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _histogram.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _histogram2d.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _histogram2dcontour.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _icicle.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _image.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _indicator.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _isosurface.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _layout.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _mesh3d.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _ohlc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parcats.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parcoords.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _pie.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _pointcloud.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _sankey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatter3d.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattercarpet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattergeo.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattergl.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattermapbox.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatterpolar.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatterpolargl.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatterternary.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _splom.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _streamtube.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _sunburst.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■	_surface.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_table.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_treemap.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_violin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_volume.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_waterfall.cpython-311.pyc
■	■	■	■	■	■	■■■	_area.py	
■	■	■	■	■	■	■■■	_bar.py	
■	■	■	■	■	■	■■■	_barpolar.py	
■	■	■	■	■	■	■■■	_box.py	
■	■	■	■	■	■	■■■	_candlestick.py	
■	■	■	■	■	■	■■■	_carpet.py	
■	■	■	■	■	■	■■■	_choropleth.py	
■	■	■	■	■	■	■■■	_choroplethmapbox.py	
■	■	■	■	■	■	■■■	_cone.py	
■	■	■	■	■	■	■■■	_contour.py	
■	■	■	■	■	■	■■■	_contourcarpet.py	
■	■	■	■	■	■	■■■	_data.py	
■	■	■	■	■	■	■■■	_densitymapbox.py	
■	■	■	■	■	■	■■■	_frames.py	
■	■	■	■	■	■	■■■	_funnel.py	
■	■	■	■	■	■	■■■	_funnelarea.py	
■	■	■	■	■	■	■■■	_heatmap.py	
■	■	■	■	■	■	■■■	_heatmapgl.py	
■	■	■	■	■	■	■■■	_histogram.py	
■	■	■	■	■	■	■■■	_histogram2d.py	
■	■	■	■	■	■	■■■	_histogram2dcontour.py	
■	■	■	■	■	■	■■■	_icicle.py	
■	■	■	■	■	■	■■■	_image.py	
■	■	■	■	■	■	■■■	_indicator.py	
■	■	■	■	■	■	■■■	_isosurface.py	
■	■	■	■	■	■	■■■	_layout.py	
■	■	■	■	■	■	■■■	_mesh3d.py	
■	■	■	■	■	■	■■■	_ohlc.py	
■	■	■	■	■	■	■■■	_parcats.py	
■	■	■	■	■	■	■■■	_parcoords.py	
■	■	■	■	■	■	■■■	_pie.py	
■	■	■	■	■	■	■■■	_pointcloud.py	
■	■	■	■	■	■	■■■	_sankey.py	
■	■	■	■	■	■	■■■	_scatter.py	
■	■	■	■	■	■	■■■	_scatter3d.py	
■	■	■	■	■	■	■■■	_scattercarpet.py	
■	■	■	■	■	■	■■■	_scattergeo.py	
■	■	■	■	■	■	■■■	_scattergl.py	
■	■	■	■	■	■	■■■	_scattermapbox.py	
■	■	■	■	■	■	■■■	_scatterpolar.py	
■	■	■	■	■	■	■■■	_scatterpolargl.py	
■	■	■	■	■	■	■■■	_scatterternary.py	
■	■	■	■	■	■	■■■	_splom.py	
■	■	■	■	■	■	■■■	_streamtube.py	
■	■	■	■	■	■	■■■	_sunburst.py	
■	■	■	■	■	■	■■■	_surface.py	
■	■	■	■	■	■	■■■	_table.py	
■	■	■	■	■	■	■■■	_treemap.py	
■	■	■	■	■	■	■■■	_violin.py	
■	■	■	■	■	■	■■■	_volume.py	
■	■	■	■	■	■	■■■	_waterfall.py	
■	■	■	■	■	■	■■■	area	

■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_r.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_rsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_r.py	
■	■	■	■	■	■	■	■■■	_rsrc.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_t.py	
■	■	■	■	■	■	■	■■■	_tsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignmentgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_base.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_basesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_constrainttext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_r.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_rsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_widthsrc.cpython-311.pyc

[illegible]

```

_ stream.py
_ t.py
_ text.py
_ textangle.py
_ textfont.py
_ textposition.py
_ textpositionsrc.py
_ textsrc.py
_ texttemplate.py
_ texttemplatesrc.py
_ tsrc.py
_ uid.py
_ uirevision.py
_ unselected.py
_ visible.py
_ width.py
_ widthsrc.py
_ x.py
_ x0.py
_ xaxis.py
_ xcalendar.py
_ xhoverformat.py
_ xperiod.py
_ xperiod0.py
_ xperiodalignment.py
_ xsrc.py
_ y.py
_ y0.py
_ yaxis.py
_ ycalendar.py
_ yhoverformat.py
_ yperiod.py
_ yperiod0.py
_ yperiodalignment.py
_ ysrc.py
error_x
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _array.cpython-311.pyc
    _arrayminus.cpython-311.pyc
    _arrayminussrc.cpython-311.pyc
    _arraysrc.cpython-311.pyc
    _color.cpython-311.pyc
    _copy_ystyle.cpython-311.pyc
    _symmetric.cpython-311.pyc
    _thickness.cpython-311.pyc
    _traceref.cpython-311.pyc
    _tracerefminus.cpython-311.pyc
    _type.cpython-311.pyc
    _value.cpython-311.pyc
    _valueminus.cpython-311.pyc
    _visible.cpython-311.pyc
    _width.cpython-311.pyc
_array.py
_arrayminus.py
_arrayminussrc.py
_arraysrc.py
```

```

_ color.py
_ copy_ystyle.py
_ symmetric.py
_ thickness.py
_ traceref.py
_ tracerefminus.py
_ type.py
_ value.py
_ valueminus.py
_ visible.py
_ width.py
error_y
__init__.py
__pycache__
    _init__.cpython-311.pyc
    _array.cpython-311.pyc
    _arrayminus.cpython-311.pyc
    _arrayminussrc.cpython-311.pyc
    _arraysrc.cpython-311.pyc
    _color.cpython-311.pyc
    _symmetric.cpython-311.pyc
    _thickness.cpython-311.pyc
    _traceref.cpython-311.pyc
    _tracerefminus.cpython-311.pyc
    _type.cpython-311.pyc
    _value.cpython-311.pyc
    _valueminus.cpython-311.pyc
    _visible.cpython-311.pyc
    _width.cpython-311.pyc
_array.py
_arrayminus.py
_arrayminussrc.py
_arraysrc.py
_color.py
_symmetric.py
_thickness.py
_traceref.py
_tracerefminus.py
_type.py
_value.py
_valueminus.py
_visible.py
_width.py
hoverlabel
__init__.py
__pycache__
    _init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py

```

```

_ _ _ _ _ bgcolor.py
_ _ _ _ _ bgcolorsrc.py
_ _ _ _ _ bordercolor.py
_ _ _ _ _ bordercolorsrc.py
_ _ _ _ _ font.py
_ _ _ _ _ namelength.py
_ _ _ _ _ namelengthsrc.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ insidetextfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ marker

```


[illegible]

```

ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
line
    __init__.py
    __pycache__

```



```

■■■ __init__.cpython-311.pyc
■■■ _autocolorscale.cpython-311.pyc
■■■ _cauto.cpython-311.pyc
■■■ _cmax.cpython-311.pyc
■■■ _cmid.cpython-311.pyc
■■■ _cmin.cpython-311.pyc
■■■ _color.cpython-311.pyc
■■■ _coloraxis.cpython-311.pyc
■■■ _colormap.cpython-311.pyc
■■■ _colormaps.cpython-311.pyc
■■■ _colormapsrc.cpython-311.pyc
■■■ _reversescale.cpython-311.pyc
■■■ _width.cpython-311.pyc
■■■ _widthsrc.cpython-311.pyc
■■■ _autocolorscale.py
■■■ _cauto.py
■■■ _cmax.py
■■■ _cmid.py
■■■ _cmin.py
■■■ _color.py
■■■ _coloraxis.py
■■■ _colormap.py
■■■ _colormapsrc.py
■■■ _reversescale.py
■■■ _width.py
■■■ _widthsrc.py
■■■ pattern
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _bgcolor.cpython-311.pyc
■■■ _bgcolormap.cpython-311.pyc
■■■ _fgcolor.cpython-311.pyc
■■■ _fgcolormap.cpython-311.pyc
■■■ _fgopacity.cpython-311.pyc
■■■ _fillmode.cpython-311.pyc
■■■ _shape.cpython-311.pyc
■■■ _shapemapsrc.cpython-311.pyc
■■■ _size.cpython-311.pyc
■■■ _sizemapsrc.cpython-311.pyc
■■■ _solidity.cpython-311.pyc
■■■ _soliditysrc.cpython-311.pyc
■■■ _bgcolor.py
■■■ _bgcolormap.py
■■■ _fgcolor.py
■■■ _fgcolormap.py
■■■ _fgopacity.py
■■■ _fillmode.py
■■■ _shape.py
■■■ _shapemapsrc.py
■■■ _size.py
■■■ _sizemapsrc.py
■■■ _solidity.py
■■■ _soliditysrc.py
■■■ outsidetextfont
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _color.cpython-311.pyc

```

```

_ colorsrc.cpython-311.pyc
_ family.cpython-311.pyc
_ familysrc.cpython-311.pyc
_ size.cpython-311.pyc
_ sizesrc.cpython-311.pyc
_ color.py
_ colorsrc.py
_ family.py
_ familysrc.py
_ size.py
_ sizesrc.py
selected
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ __marker.cpython-311.pyc
_ __textfont.cpython-311.pyc
_ __marker.py
_ __textfont.py
_ __marker
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ __color.cpython-311.pyc
_ __opacity.cpython-311.pyc
_ __color.py
_ __opacity.py
_ __textfont
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ __color.cpython-311.pyc
_ __color.py
stream
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ __maxpoints.cpython-311.pyc
_ __token.cpython-311.pyc
_ __maxpoints.py
_ __token.py
_ __textfont
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ __color.cpython-311.pyc
_ __colorsrc.cpython-311.pyc
_ __family.cpython-311.pyc
_ __familysrc.cpython-311.pyc
_ __size.cpython-311.pyc
_ __sizesrc.cpython-311.pyc
_ __color.py
_ __colorsrc.py
_ __family.py
_ __familysrc.py
_ __size.py
_ __sizesrc.py
unselected

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  __marker.cpython-311.pyc
  __textfont.cpython-311.pyc
  _marker.py
  _textfont.py
  marker
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    __color.cpython-311.pyc
    __opacity.cpython-311.pyc
    _color.py
    _opacity.py
  textfont
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    __color.cpython-311.pyc
    __color.py
  barpolar
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    __base.cpython-311.pyc
    __basesrc.cpython-311.pyc
    __customdata.cpython-311.pyc
    __customdatasrc.cpython-311.pyc
    __dr.cpython-311.pyc
    __dtheta.cpython-311.pyc
    __hoverinfo.cpython-311.pyc
    __hoverinfosrc.cpython-311.pyc
    __hoverlabel.cpython-311.pyc
    __hovertemplate.cpython-311.pyc
    __hovertemplatesrc.cpython-311.pyc
    __hovertext.cpython-311.pyc
    __hovertextsrc.cpython-311.pyc
    __ids.cpython-311.pyc
    __idssrc.cpython-311.pyc
    __legendgroup.cpython-311.pyc
    __legendgrouptitle.cpython-311.pyc
    __legendrank.cpython-311.pyc
    __marker.cpython-311.pyc
    __meta.cpython-311.pyc
    __metasrc.cpython-311.pyc
    __name.cpython-311.pyc
    __offset.cpython-311.pyc
    __offsetsrc.cpython-311.pyc
    __opacity.cpython-311.pyc
    __r.cpython-311.pyc
    __r0.cpython-311.pyc
    __rsrc.cpython-311.pyc
    __selected.cpython-311.pyc
    __selectedpoints.cpython-311.pyc
    __showlegend.cpython-311.pyc
    __stream.cpython-311.pyc
    __subplot.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_theta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_theta0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thetasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thetaunit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_widthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_base.py	
■	■	■	■	■	■	■	■■■■	_basesrc.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_dr.py	
■	■	■	■	■	■	■	■■■■	_dtheta.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_marker.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_offset.py	
■	■	■	■	■	■	■	■■■■	_offsetsrc.py	
■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■■■■	_r.py	
■	■	■	■	■	■	■	■■■■	_r0.py	
■	■	■	■	■	■	■	■■■■	_rsrc.py	
■	■	■	■	■	■	■	■■■■	_selected.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_subplot.py	
■	■	■	■	■	■	■	■■■■	_text.py	
■	■	■	■	■	■	■	■■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■■	_theta.py	
■	■	■	■	■	■	■	■■■■	_theta0.py	
■	■	■	■	■	■	■	■■■■	_thetasrc.py	
■	■	■	■	■	■	■	■■■■	_thetaunit.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_unselected.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	_width.py	
■	■	■	■	■	■	■	■■■■	_widthsrc.py	
■	■	■	■	■	■	■	■■■■	hoverlabel	

```

■ ■ ■ __init__.py
■ ■ ■ __pycache__
■   ■ ■ ■ __init__.cpython-311.pyc
■   ■ ■ ■ _align.cpython-311.pyc
■   ■ ■ ■ _alignsrc.cpython-311.pyc
■   ■ ■ ■ _bgcolor.cpython-311.pyc
■   ■ ■ ■ _bgcolorsrc.cpython-311.pyc
■   ■ ■ ■ _bordercolor.cpython-311.pyc
■   ■ ■ ■ _bordercolorsrc.cpython-311.pyc
■   ■ ■ ■ _font.cpython-311.pyc
■   ■ ■ ■ _namelength.cpython-311.pyc
■   ■ ■ ■ _namelengthsrc.cpython-311.pyc
■ ■ ■ _align.py
■ ■ ■ _alignsrc.py
■ ■ ■ _bgcolor.py
■ ■ ■ _bgcolorsrc.py
■ ■ ■ _bordercolor.py
■ ■ ■ _bordercolorsrc.py
■ ■ ■ _font.py
■ ■ ■ _namelength.py
■ ■ ■ _namelengthsrc.py
■ ■ ■ font
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■ ■ ■ _color.cpython-311.pyc
■     ■ ■ ■ _colorsrc.cpython-311.pyc
■     ■ ■ ■ _family.cpython-311.pyc
■     ■ ■ ■ _familysrc.cpython-311.pyc
■     ■ ■ ■ _size.cpython-311.pyc
■     ■ ■ ■ _sizesrc.cpython-311.pyc
■     ■ ■ ■ _color.py
■     ■ ■ ■ _colorsrc.py
■     ■ ■ ■ _family.py
■     ■ ■ ■ _familysrc.py
■     ■ ■ ■ _size.py
■     ■ ■ ■ _sizesrc.py
■ ■ ■ legendgrouptitle
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■   ■ ■ ■ __init__.cpython-311.pyc
■   ■ ■ ■ _font.cpython-311.pyc
■   ■ ■ ■ _text.cpython-311.pyc
■ ■ ■ _font.py
■ ■ ■ _text.py
■ ■ ■ font
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■ ■ ■ _color.cpython-311.pyc
■     ■ ■ ■ _family.cpython-311.pyc
■     ■ ■ ■ _size.cpython-311.pyc
■     ■ ■ ■ _color.py
■     ■ ■ ■ _family.py
■     ■ ■ ■ _size.py
■ ■ ■ marker
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__

```


[illegible]

```

_ _ _ _ _ tickvalssrc.py
_ _ _ _ _ tickwidth.py
_ _ _ _ _ title.py
_ _ _ _ _ x.py
_ _ _ _ _ xanchor.py
_ _ _ _ _ xpad.py
_ _ _ _ _ y.py
_ _ _ _ _ yanchor.py
_ _ _ _ _ ypad.py
_ _ _ _ _ tickfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _dtickrange.py
_ _ _ _ _ _enabled.py
_ _ _ _ _ _name.py
_ _ _ _ _ _templateitemname.py
_ _ _ _ _ _value.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _side.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _side.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ autocolorscale.cpython-311.pyc

```


[illegible]

```

    _textfont.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _color.py
    _opacity.py
    textfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _color.py
    stream
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _textfont.cpython-311.pyc
    _marker.py
    _textfont.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _color.py
    _opacity.py
    textfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _color.py
    box
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _alignmentgroup.cpython-311.pyc
    _boxmean.cpython-311.pyc
    _boxpoints.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _dx.cpython-311.pyc
    _dy.cpython-311.pyc
    _fillcolor.cpython-311.pyc
    _hoverinfo.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoveron.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_jitter.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lowerfence.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lowerfencesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mean.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meansrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_median.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mediansrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notched.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notchspan.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notchspansrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notchwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_pointpos.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q1.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q1src.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q3.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q3src.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_quartilemethod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sd.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sdsr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_upperfence.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_upperfencesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_whiskerwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc

[illegible]

```

_quartilemethod.py
_sd.py
_sdsrsrc.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textsrsrc.py
_uid.py
_uirevision.py
_unselected.py
_upperfence.py
_upperfencesrsrc.py
_visible.py
_whiskerwidth.py
_width.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrrsrc.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrrsrc.py
_hoverlabel
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrsrc.cpython-311.pyc
_align.py
_alignsrsrc.py
_bgcolor.py
_bgcolorsrsrc.py
_bordercolor.py
_bordercolorsrsrc.py
_font.py
_namelength.py
_namelengthsrsrc.py
font

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_width.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_line.cpython-311.pyc
_opacity.cpython-311.pyc
_outliercolor.cpython-311.pyc
_size.cpython-311.pyc
_symbol.cpython-311.pyc
_color.py
_line.py
_opacity.py
_outliercolor.py
_size.py
_symbol.py
line

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _outliercolor.cpython-311.pyc
  _outlierwidth.cpython-311.pyc
  _width.cpython-311.pyc
  _color.py
  _outliercolor.py
  _outlierwidth.py
  _width.py
selected
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
  _marker.py
  marker
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _color.cpython-311.pyc
      _opacity.cpython-311.pyc
      _size.cpython-311.pyc
    _color.py
    _opacity.py
    _size.py
stream
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
  _maxpoints.py
  _token.py
unselected
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
  _marker.py
  marker
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _color.cpython-311.pyc
      _opacity.cpython-311.pyc
      _size.cpython-311.pyc
    _color.py
    _opacity.py
    _size.py
candlestick
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _close.cpython-311.pyc
    _closesrc.cpython-311.pyc
    _customdata.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_low.py	
■	■	■	■	■	■	■	■■■	_lowsrc.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_open.py	
■	■	■	■	■	■	■	■■■	_opensrc.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_whiskerwidth.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xperiod.py	
■	■	■	■	■	■	■	■■■	_xperiod0.py	
■	■	■	■	■	■	■	■■■	_xperiodalignment.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	decreasing	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	line	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■■■	_width.py
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc


```

family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_width.cpython-311.pyc
_width.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
carpet
__init__.py
__pycache__
__init__.cpython-311.pyc
_a.cpython-311.pyc
_a0.cpython-311.pyc
_aaxis.cpython-311.pyc
_asrc.cpython-311.pyc
_b.cpython-311.pyc
_b0.cpython-311.pyc
_baxis.cpython-311.pyc
_bsrc.cpython-311.pyc
_carpet.cpython-311.pyc
_cheaterslope.cpython-311.pyc
_color.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_da.cpython-311.pyc
_db.cpython-311.pyc
_font.cpython-311.pyc
_ids.cpython-311.pyc
_idssrc.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_legendrank.cpython-311.pyc
_meta.cpython-311.pyc
 metasrc.cpython-311.pyc
_name.cpython-311.pyc
_opacity.cpython-311.pyc
_stream.cpython-311.pyc
_uid.cpython-311.pyc
_uirevision.cpython-311.pyc
_visible.cpython-311.pyc
_x.cpython-311.pyc
_xaxis.cpython-311.pyc
_xsrc.cpython-311.pyc
_y.cpython-311.pyc
_yaxis.cpython-311.pyc
_ysrc.cpython-311.pyc
_a.py

```

■	■	■	■	■	■	■	■■■	_a0.py	
■	■	■	■	■	■	■	■■■	_aaxis.py	
■	■	■	■	■	■	■	■■■	_asrc.py	
■	■	■	■	■	■	■	■■■	_b.py	
■	■	■	■	■	■	■	■■■	_b0.py	
■	■	■	■	■	■	■	■■■	_baxis.py	
■	■	■	■	■	■	■	■■■	_bsrc.py	
■	■	■	■	■	■	■	■■■	_carpet.py	
■	■	■	■	■	■	■	■■■	_cheaterslope.py	
■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_da.py	
■	■	■	■	■	■	■	■■■	_db.py	
■	■	■	■	■	■	■	■■■	_font.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	aaxis	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arraydtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arraytick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autorange.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autotypenumbers.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_categoryarray.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_categoryorder.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cheatertype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endline.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fixedrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_gridcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_gridwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_labelpadding.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_labelprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_labelsuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linecolor.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minorgridcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minorgridcount.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minorgridwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_smoothing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_arraydtick.py
■	■	■	■	■	■	■	■	■	■■■■	_arraytick0.py
■	■	■	■	■	■	■	■	■	■■■■	_autorange.py
■	■	■	■	■	■	■	■	■	■■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■■■■	_categoryarray.py
■	■	■	■	■	■	■	■	■	■■■■	_categoryarraysrc.py
■	■	■	■	■	■	■	■	■	■■■■	_categoryorder.py
■	■	■	■	■	■	■	■	■	■■■■	_cheatertype.py
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■■	_endline.py
■	■	■	■	■	■	■	■	■	■■■■	_endlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_endlinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■■	_fixedrange.py
■	■	■	■	■	■	■	■	■	■■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_labelpadding.py
■	■	■	■	■	■	■	■	■	■■■■	_labelprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_labelsuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_minorgridcolor.py

```

_ _ _ _ _ minorgridcount.py
_ _ _ _ _ _minorgridwidth.py
_ _ _ _ _ _nticks.py
_ _ _ _ _ _range.py
_ _ _ _ _ _rangemode.py
_ _ _ _ _ _separatethousands.py
_ _ _ _ _ _showexponent.py
_ _ _ _ _ _showgrid.py
_ _ _ _ _ _showline.py
_ _ _ _ _ _showticklabels.py
_ _ _ _ _ _showtickprefix.py
_ _ _ _ _ _showticksuffix.py
_ _ _ _ _ _smoothing.py
_ _ _ _ _ _startline.py
_ _ _ _ _ _startlinecolor.py
_ _ _ _ _ _startlinewidth.py
_ _ _ _ _ _tick0.py
_ _ _ _ _ _tickangle.py
_ _ _ _ _ _tickfont.py
_ _ _ _ _ _tickformat.py
_ _ _ _ _ _tickformatstopdefaults.py
_ _ _ _ _ _tickformatstops.py
_ _ _ _ _ _tickmode.py
_ _ _ _ _ _tickprefix.py
_ _ _ _ _ _ticksuffix.py
_ _ _ _ _ _ticktext.py
_ _ _ _ _ _ticktextsrc.py
_ _ _ _ _ _tickvals.py
_ _ _ _ _ _tickvalssrc.py
_ _ _ _ _ _title.py
_ _ _ _ _ _type.py
_ _ _ _ _ tickfont
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.py
_ _ _ _ _ _ _ _ _ _ _ _family.py
_ _ _ _ _ _ _ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _dtickrange.py
_ _ _ _ _ _ _ _ _ _ _ _enabled.py
_ _ _ _ _ _ _ _ _ _ _ _name.py
_ _ _ _ _ _ _ _ _ _ _ _templateitemname.py
_ _ _ _ _ _ _ _ _ _ _ _value.py
_ _ _ _ _ title
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__

```

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_startline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_arraydtick.py
■	■	■	■	■	■	■	■	■■■■		_arraytick0.py
■	■	■	■	■	■	■	■	■■■■		_autorange.py
■	■	■	■	■	■	■	■	■■■■		_autotypenumbers.py
■	■	■	■	■	■	■	■	■■■■		_categoryarray.py
■	■	■	■	■	■	■	■	■■■■		_categoryarraysrc.py
■	■	■	■	■	■	■	■	■■■■		_categoryorder.py
■	■	■	■	■	■	■	■	■■■■		_cheatertype.py
■	■	■	■	■	■	■	■	■■■■		_color.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_endline.py
■	■	■	■	■	■	■	■	■■■■		_endlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_endlinewidth.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_fixedrange.py
■	■	■	■	■	■	■	■	■■■■		_gridcolor.py
■	■	■	■	■	■	■	■	■■■■		_gridwidth.py
■	■	■	■	■	■	■	■	■■■■		_labelpadding.py
■	■	■	■	■	■	■	■	■■■■		_labelprefix.py
■	■	■	■	■	■	■	■	■■■■		_labelsuffix.py
■	■	■	■	■	■	■	■	■■■■		_linecolor.py
■	■	■	■	■	■	■	■	■■■■		_linewidth.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_minorgridcolor.py
■	■	■	■	■	■	■	■	■■■■		_minorgridcount.py
■	■	■	■	■	■	■	■	■■■■		_minorgridwidth.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_range.py
■	■	■	■	■	■	■	■	■■■■		_rangemode.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showgrid.py
■	■	■	■	■	■	■	■	■■■■		_showline.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_smoothing.py
■	■	■	■	■	■	■	■	■■■■		_startline.py
■	■	■	■	■	■	■	■	■■■■		_startlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_startlinewidth.py


```

tick0.py
_tickangle.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_tickmode.py
_tickprefix.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_title.py
_type.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _offset.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _offset.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py

```

```

font
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
legendgrouptitle
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _text.cpython-311.pyc
  _font.py
  _text.py
  font
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
stream
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _maxpoints.cpython-311.pyc
  _token.cpython-311.pyc
  _maxpoints.py
  _token.py
choropleth
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _autocolorscale.cpython-311.pyc
  _coloraxis.cpython-311.pyc
  _colorbar.cpython-311.pyc
  _colorscale.cpython-311.pyc
  _customdata.cpython-311.pyc
  _customdatasrc.cpython-311.pyc
  _featureidkey.cpython-311.pyc
  _geo.cpython-311.pyc
  _geojson.cpython-311.pyc
  _hoverinfo.cpython-311.pyc
  _hoverinfosrc.cpython-311.pyc
  _hoverlabel.cpython-311.pyc
  _hovertemplate.cpython-311.pyc
  _hovertemplatesrc.cpython-311.pyc
  _hovertext.cpython-311.pyc
  _hovertextsrc.cpython-311.pyc
  _ids.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locations.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_featureidkey.py
■	■	■	■	■	■	■	■	■■■■	_geo.py
■	■	■	■	■	■	■	■	■■■■	_geojson.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertext.py
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.py
■	■	■	■	■	■	■	■	■■■■	_ids.py
■	■	■	■	■	■	■	■	■■■■	_idssrc.py
■	■	■	■	■	■	■	■	■■■■	_legendgroup.py
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■	■■■■	_legendrank.py
■	■	■	■	■	■	■	■	■■■■	_locationmode.py
■	■	■	■	■	■	■	■	■■■■	_locations.py
■	■	■	■	■	■	■	■	■■■■	_locationssrc.py
■	■	■	■	■	■	■	■	■■■■	_marker.py
■	■	■	■	■	■	■	■	■■■■	_meta.py
■	■	■	■	■	■	■	■	■■■■	_metasrc.py
■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py

■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc

[illegible]

```

████ _color.py
████ _family.py
████ _size.py
████ tickformatstop
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _dtickrange.cpython-311.pyc
████   █████ _enabled.cpython-311.pyc
████   █████ _name.cpython-311.pyc
████   █████ _templateitemname.cpython-311.pyc
████   █████ _value.cpython-311.pyc
████ _dtickrange.py
████ _enabled.py
████ _name.py
████ _templateitemname.py
████ _value.py
████ title
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _font.cpython-311.pyc
████   █████ _side.cpython-311.pyc
████   █████ _text.cpython-311.pyc
████ _font.py
████ _side.py
████ _text.py
████ font
████   █████ __init__.py
████   █████ __pycache__
████   █████   █████ __init__.cpython-311.pyc
████   █████   █████ _color.cpython-311.pyc
████   █████   █████ _family.cpython-311.pyc
████   █████   █████ _size.cpython-311.pyc
████   █████ _color.py
████   █████ _family.py
████   █████ _size.py
████ hoverlabel
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _align.cpython-311.pyc
████   █████ _alignsrc.cpython-311.pyc
████   █████ _bgcolor.cpython-311.pyc
████   █████ _bgcolorsrc.cpython-311.pyc
████   █████ _bordercolor.cpython-311.pyc
████   █████ _bordercolorsrc.cpython-311.pyc
████   █████ _font.cpython-311.pyc
████   █████ _namelength.cpython-311.pyc
████   █████ _namelengthsrc.cpython-311.pyc
████ _align.py
████ _alignsrc.py
████ _bgcolor.py
████ _bgcolorsrc.py
████ _bordercolor.py
████ _bordercolorsrc.py
████ _font.py
████ _namelength.py

```

```

name length src.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legend group title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_line.cpython-311.pyc
_opacity.cpython-311.pyc
_opacitysrc.cpython-311.pyc
_line.py
_opacity.py
_opacitysrc.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_color.py
_colorsrc.py
_width.py
_widthsrc.py
selected

```

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    marker
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _opacity.cpython-311.pyc
            _opacity.py
stream
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _maxpoints.cpython-311.pyc
        _token.cpython-311.pyc
        _maxpoints.py
        _token.py
unselected
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _marker.py
        marker
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _opacity.cpython-311.pyc
                _opacity.py
choroplethmapbox
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _autocolorscale.cpython-311.pyc
        _below.cpython-311.pyc
        _coloraxis.cpython-311.pyc
        _colorbar.cpython-311.pyc
        _colorscale.cpython-311.pyc
        _customdata.cpython-311.pyc
        _customdatasrc.cpython-311.pyc
        _featureidkey.cpython-311.pyc
        _geojson.cpython-311.pyc
        _hoverinfo.cpython-311.pyc
        _hoverinfosrc.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _hovertemplate.cpython-311.pyc
        _hovertemplatesrc.cpython-311.pyc
        _hovertime.cpython-311.pyc
        _hovertextrsrc.cpython-311.pyc
        _ids.cpython-311.pyc
        _idssrc.cpython-311.pyc
        _legendgroup.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _legendrank.cpython-311.pyc
        _locations.cpython-311.pyc
        _locationssrc.cpython-311.pyc

```


[illegible]

■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc

```

■ ■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _dtick.py
■ ■ ■ ■ _exponentformat.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minexponent.py
■ ■ ■ ■ _nticks.py
■ ■ ■ ■ _outlinecolor.py
■ ■ ■ ■ _outlinewidth.py
■ ■ ■ ■ _separatethousands.py
■ ■ ■ ■ _showexponent.py
■ ■ ■ ■ _showticklabels.py
■ ■ ■ ■ _showtickprefix.py
■ ■ ■ ■ _showticksuffix.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _thicknessmode.py
■ ■ ■ ■ _tick0.py
■ ■ ■ ■ _tickangle.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _tickfont.py
■ ■ ■ ■ _tickformat.py
■ ■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ ■ _tickformatstops.py
■ ■ ■ ■ _ticklabeloverflow.py
■ ■ ■ ■ _ticklabelposition.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickmode.py
■ ■ ■ ■ _tickprefix.py
■ ■ ■ ■ _ticks.py
■ ■ ■ ■ _ticksuffix.py
■ ■ ■ ■ _ticktext.py
■ ■ ■ ■ _ticktextsrc.py
■ ■ ■ ■ _tickvals.py
■ ■ ■ ■ _tickvalssrc.py
■ ■ ■ ■ _tickwidth.py
■ ■ ■ ■ _title.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xanchor.py
■ ■ ■ ■ _xpad.py
■ ■ ■ ■ _y.py
■ ■ ■ ■ _yanchor.py
■ ■ ■ ■ _ypad.py
■ ■ ■ ■ tickfont
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ _family.cpython-311.pyc
■ ■ ■ ■ _size.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _family.py
■ ■ ■ ■ _size.py
■ ■ ■ ■ tickformatstop
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__

```

[illegible]

```

_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _ _opacitysrc.cpython-311.pyc
_ _ _ _ _ _line.py
_ _ _ _ _ _opacity.py
_ _ _ _ _ _opacitysrc.py
_ _ _ _ _ line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _width.py
_ _ _ _ _ _widthsrc.py
_ _ _ _ _ selected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
_ _ _ _ _ marker

```

```

■ ■ ■ ■ _init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ___init___cpython-311.pyc
■ ■ ■ ■   ___opacity.cpython-311.pyc
■ ■ ■ ■   ___opacity.py
■ ■ stream
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init___cpython-311.pyc
■ ■ ■ ■     ___maxpoints.cpython-311.pyc
■ ■ ■ ■     ___token.cpython-311.pyc
■ ■ ■ ■     ___maxpoints.py
■ ■ ■ ■     ___token.py
■ ■ unselected
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init___cpython-311.pyc
■ ■ ■ ■     ___marker.cpython-311.pyc
■ ■ ■ ■     ___marker.py
■ ■ ■ ■ marker
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init___cpython-311.pyc
■ ■ ■ ■     ___opacity.cpython-311.pyc
■ ■ ■ ■     ___opacity.py
■ ■ cone
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init___cpython-311.pyc
■ ■ ■ ■     ___anchor.cpython-311.pyc
■ ■ ■ ■     ___autocolorscale.cpython-311.pyc
■ ■ ■ ■     ___cauto.cpython-311.pyc
■ ■ ■ ■     ___cmax.cpython-311.pyc
■ ■ ■ ■     ___cmid.cpython-311.pyc
■ ■ ■ ■     ___cmin.cpython-311.pyc
■ ■ ■ ■     ___coloraxis.cpython-311.pyc
■ ■ ■ ■     ___colorbar.cpython-311.pyc
■ ■ ■ ■     ___colormap.cpython-311.pyc
■ ■ ■ ■     ___customdata.cpython-311.pyc
■ ■ ■ ■     ___customdatasrc.cpython-311.pyc
■ ■ ■ ■     ___hoverinfo.cpython-311.pyc
■ ■ ■ ■     ___hoverinfosrc.cpython-311.pyc
■ ■ ■ ■     ___hoverlabel.cpython-311.pyc
■ ■ ■ ■     ___hovertemplate.cpython-311.pyc
■ ■ ■ ■     ___hovertemplatesrc.cpython-311.pyc
■ ■ ■ ■     ___hovertime.cpython-311.pyc
■ ■ ■ ■     ___hovertime_src.cpython-311.pyc
■ ■ ■ ■     ___ids.cpython-311.pyc
■ ■ ■ ■     ___idsrc.cpython-311.pyc
■ ■ ■ ■     ___legendgroup.cpython-311.pyc
■ ■ ■ ■     ___legendgrouptitle.cpython-311.pyc
■ ■ ■ ■     ___legendrank.cpython-311.pyc
■ ■ ■ ■     ___lighting.cpython-311.pyc
■ ■ ■ ■     ___lightposition.cpython-311.pyc
■ ■ ■ ■     ___meta.cpython-311.pyc
■ ■ ■ ■     ___metasrc.cpython-311.pyc
■ ■ ■ ■     ___name.cpython-311.pyc
■ ■ ■ ■     ___opacity.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_sizemode.py	
■	■	■	■	■	■	■	■■■	_sizeref.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_u.py	
■	■	■	■	■	■	■	■■■	_uhoverformat.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_usrc.py	
■	■	■	■	■	■	■	■■■	_v.py	
■	■	■	■	■	■	■	■■■	_vhoverformat.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_vsrc.py	
■	■	■	■	■	■	■	■■■	_w.py	
■	■	■	■	■	■	■	■■■	_whoverformat.py	
■	■	■	■	■	■	■	■■■	_wsrc.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_bgcolor.py
■	■	■	■	■	■	■	■	■■■■		_bordercolor.py
■	■	■	■	■	■	■	■	■■■■		_borderwidth.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_len.py
■	■	■	■	■	■	■	■	■■■■		_lenmode.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_outlinewidth.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_thickness.py
■	■	■	■	■	■	■	■	■■■■		_thicknessmode.py
■	■	■	■	■	■	■	■	■■■■		_tick0.py
■	■	■	■	■	■	■	■	■■■■		_tickangle.py
■	■	■	■	■	■	■	■	■■■■		_tickcolor.py
■	■	■	■	■	■	■	■	■■■■		_tickfont.py
■	■	■	■	■	■	■	■	■■■■		_tickformat.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■		_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■		_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■		_ticklen.py
■	■	■	■	■	■	■	■	■■■■		_tickmode.py
■	■	■	■	■	■	■	■	■■■■		_tickprefix.py
■	■	■	■	■	■	■	■	■■■■		_ticks.py
■	■	■	■	■	■	■	■	■■■■		_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_ticktext.py
■	■	■	■	■	■	■	■	■■■■		_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■		_tickvals.py
■	■	■	■	■	■	■	■	■■■■		_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■		_tickwidth.py

```

_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        _init__.py
        __pycache__
            _init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc

```

```

_ _ _ _ _ bgcolorsrc.cpython-311.pyc
_ _ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _ _bordercolorsrc.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _namelength.cpython-311.pyc
_ _ _ _ _ _namelengthsrc.cpython-311.pyc
_ _ _ _ _ _align.py
_ _ _ _ _ _alignsrc.py
_ _ _ _ _ _bgcolor.py
_ _ _ _ _ _bgcolorsrc.py
_ _ _ _ _ _bordercolor.py
_ _ _ _ _ _bordercolorsrc.py
_ _ _ _ _ _font.py
_ _ _ _ _ _namelength.py
_ _ _ _ _ _namelengthsrc.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
lighting
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _ambient.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _diffuse.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _facenormalsepsilon.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _fresnel.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _roughness.cpython-311.pyc

```

```

    _specular.cpython-311.pyc
    _vertexnormalsepsilon.cpython-311.pyc
    _ambient.py
    _diffuse.py
    _facenormalsepsilon.py
    _fresnel.py
    _roughness.py
    _specular.py
    _vertexnormalsepsilon.py
    lightposition
    __init__.py
    __pycache__
    _init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _z.cpython-311.pyc
    _x.py
    _y.py
    _z.py
    stream
    __init__.py
    __pycache__
    _init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    contour
    __init__.py
    __pycache__
    _init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _autocontour.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _connectgaps.cpython-311.pyc
    _contours.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _dx.cpython-311.pyc
    _dy.cpython-311.pyc
    _fillcolor.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverinfosrc.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _hoverongaps.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _hovertemplatesrc.cpython-311.pyc
    _hovertext.cpython-311.pyc
    _hovertextsrc.cpython-311.pyc
    _ids.cpython-311.pyc
    _idssrc.cpython-311.pyc
    _legendgroup.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _legendrank.cpython-311.pyc
    _line.cpython-311.pyc
    _meta.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ncontours.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ytype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_autocontour.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_contours.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_dx.py
■	■	■	■	■	■	■	■	■■■■	_dy.py
■	■	■	■	■	■	■	■	■■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hoverongaps.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py

■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_ncontours.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_transpose.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_x0.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xperiod.py	
■	■	■	■	■	■	■	■■■	_xperiod0.py	
■	■	■	■	■	■	■	■■■	_xperiodalignment.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_xtype.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_y0.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_yperiod.py	
■	■	■	■	■	■	■	■■■	_yperiod0.py	
■	■	■	■	■	■	■	■■■	_yperiodalignment.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_ytype.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc

```

■■■■_dtick.cpython-311.pyc
■■■■_exponentformat.cpython-311.pyc
■■■■_len.cpython-311.pyc
■■■■_lenmode.cpython-311.pyc
■■■■_minexponent.cpython-311.pyc
■■■■_nticks.cpython-311.pyc
■■■■_outlinecolor.cpython-311.pyc
■■■■_outlinewidth.cpython-311.pyc
■■■■_separatethousands.cpython-311.pyc
■■■■_showexponent.cpython-311.pyc
■■■■_showticklabels.cpython-311.pyc
■■■■_showtickprefix.cpython-311.pyc
■■■■_showticksuffix.cpython-311.pyc
■■■■_thickness.cpython-311.pyc
■■■■_thicknessmode.cpython-311.pyc
■■■■_tick0.cpython-311.pyc
■■■■_tickangle.cpython-311.pyc
■■■■_tickcolor.cpython-311.pyc
■■■■_tickfont.cpython-311.pyc
■■■■_tickformat.cpython-311.pyc
■■■■_tickformatstopdefaults.cpython-311.pyc
■■■■_tickformatstops.cpython-311.pyc
■■■■_ticklabeloverflow.cpython-311.pyc
■■■■_ticklabelposition.cpython-311.pyc
■■■■_ticklen.cpython-311.pyc
■■■■_tickmode.cpython-311.pyc
■■■■_tickprefix.cpython-311.pyc
■■■■_ticks.cpython-311.pyc
■■■■_ticksuffix.cpython-311.pyc
■■■■_ticktext.cpython-311.pyc
■■■■_ticktextsrc.cpython-311.pyc
■■■■_tickvals.cpython-311.pyc
■■■■_tickvalssrc.cpython-311.pyc
■■■■_tickwidth.cpython-311.pyc
■■■■_title.cpython-311.pyc
■■■■_x.cpython-311.pyc
■■■■_xanchor.cpython-311.pyc
■■■■_xpad.cpython-311.pyc
■■■■_y.cpython-311.pyc
■■■■_yanchor.cpython-311.pyc
■■■■_ypad.cpython-311.pyc
■■■■_bgcolor.py
■■■■_bordercolor.py
■■■■_borderwidth.py
■■■■_dtick.py
■■■■_exponentformat.py
■■■■_len.py
■■■■_lenmode.py
■■■■_minexponent.py
■■■■_nticks.py
■■■■_outlinecolor.py
■■■■_outlinewidth.py
■■■■_separatethousands.py
■■■■_showexponent.py
■■■■_showticklabels.py
■■■■_showtickprefix.py
■■■■_showticksuffix.py
■■■■_thickness.py

```

■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■ __init__.py
■	■	■	■	■	■	■	■	■	■■■■ __pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _color.py
■	■	■	■	■	■	■	■	■	■■■■ _family.py
■	■	■	■	■	■	■	■	■	■■■■ _size.py
■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■ __init__.py
■	■	■	■	■	■	■	■	■	■■■■ __pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _value.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _dtickrange.py
■	■	■	■	■	■	■	■	■	■■■■ _enabled.py
■	■	■	■	■	■	■	■	■	■■■■ _name.py
■	■	■	■	■	■	■	■	■	■■■■ _templateitemname.py
■	■	■	■	■	■	■	■	■	■■■■ _value.py
■	■	■	■	■	■	■	■	■■■■	title
■	■	■	■	■	■	■	■	■	■■■■ __init__.py
■	■	■	■	■	■	■	■	■	■■■■ __pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _font.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _side.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _text.cpython-311.pyc


```

font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
contours
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _coloring.cpython-311.pyc
        _end.cpython-311.pyc
        _labelfont.cpython-311.pyc
        _labelformat.cpython-311.pyc
        _operation.cpython-311.pyc
        _showlabels.cpython-311.pyc
        _showlines.cpython-311.pyc
        _size.cpython-311.pyc
        _start.cpython-311.pyc
        _type.cpython-311.pyc
        _value.cpython-311.pyc
    _coloring.py
    _end.py
    _labelfont.py
    _labelformat.py
    _operation.py
    _showlabels.py
    _showlines.py
    _size.py
    _start.py
    _type.py
    _value.py
    labelfont
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dash.cpython-311.pyc
    _smoothing.cpython-311.pyc
    _width.cpython-311.pyc
    _color.py
    _dash.py
    _smoothing.py

```

```

width.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
contourcarpet
__init__.py
__pycache__
__init__.cpython-311.pyc
_a.cpython-311.pyc
_a0.cpython-311.pyc
_asrc.cpython-311.pyc
_atype.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_autocontour.cpython-311.pyc
_b.cpython-311.pyc
_b0.cpython-311.pyc
_bsrc.cpython-311.pyc
_btype.cpython-311.pyc
_carpet.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorbar.cpython-311.pyc
_colorscale.cpython-311.pyc
_contours.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_da.cpython-311.pyc
_db.cpython-311.pyc
_fillcolor.cpython-311.pyc
_hovertext.cpython-311.pyc
_hovertextsrc.cpython-311.pyc
_ids.cpython-311.pyc
_idssrc.cpython-311.pyc
_legendgroup.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_legendrank.cpython-311.pyc
_line.cpython-311.pyc
_meta.cpython-311.pyc
 metasrc.cpython-311.pyc
_name.cpython-311.pyc
_ncontours.cpython-311.pyc
_opacity.cpython-311.pyc
_reversescale.cpython-311.pyc
_showlegend.cpython-311.pyc
_showscale.cpython-311.pyc
_stream.cpython-311.pyc
_text.cpython-311.pyc
_textsrc.cpython-311.pyc
_transpose.cpython-311.pyc
_uid.cpython-311.pyc
_uirevision.cpython-311.pyc
_visible.cpython-311.pyc
_xaxis.cpython-311.pyc
_yaxis.cpython-311.pyc

```

[illegible]

```

■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _bgcolor.cpython-311.pyc
■■■■ _bordercolor.cpython-311.pyc
■■■■ _borderwidth.cpython-311.pyc
■■■■ _dtick.cpython-311.pyc
■■■■ _exponentformat.cpython-311.pyc
■■■■ _len.cpython-311.pyc
■■■■ _lenmode.cpython-311.pyc
■■■■ _minexponent.cpython-311.pyc
■■■■ _nticks.cpython-311.pyc
■■■■ _outlinecolor.cpython-311.pyc
■■■■ _outlinewidth.cpython-311.pyc
■■■■ _separatethousands.cpython-311.pyc
■■■■ _showexponent.cpython-311.pyc
■■■■ _showticklabels.cpython-311.pyc
■■■■ _showtickprefix.cpython-311.pyc
■■■■ _showticksuffix.cpython-311.pyc
■■■■ _thickness.cpython-311.pyc
■■■■ _thicknessmode.cpython-311.pyc
■■■■ _tick0.cpython-311.pyc
■■■■ _tickangle.cpython-311.pyc
■■■■ _tickcolor.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformat.cpython-311.pyc
■■■■ _tickformatstopdefaults.cpython-311.pyc
■■■■ _tickformatstops.cpython-311.pyc
■■■■ _ticklabeloverflow.cpython-311.pyc
■■■■ _ticklabelposition.cpython-311.pyc
■■■■ _ticklen.cpython-311.pyc
■■■■ _tickmode.cpython-311.pyc
■■■■ _tickprefix.cpython-311.pyc
■■■■ _ticks.cpython-311.pyc
■■■■ _ticksuffix.cpython-311.pyc
■■■■ _ticktext.cpython-311.pyc
■■■■ _ticktextsrc.cpython-311.pyc
■■■■ _tickvals.cpython-311.pyc
■■■■ _tickvalssrc.cpython-311.pyc
■■■■ _tickwidth.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _x.cpython-311.pyc
■■■■ _xanchor.cpython-311.pyc
■■■■ _xpad.cpython-311.pyc
■■■■ _y.cpython-311.pyc
■■■■ _yanchor.cpython-311.pyc
■■■■ _ypad.cpython-311.pyc
■■■■ _bgcolor.py
■■■■ _bordercolor.py
■■■■ _borderwidth.py
■■■■ _dtick.py
■■■■ _exponentformat.py
■■■■ _len.py
■■■■ _lenmode.py
■■■■ _minexponent.py
■■■■ _nticks.py
■■■■ _outlinecolor.py
■■■■ _outlinewidth.py

```

```

████ _separatethousands.py
████ _showexponent.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _thickness.py
████ _thicknessmode.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklabeloverflow.py
████ _ticklabelposition.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _x.py
████ _xanchor.py
████ _xpad.py
████ _y.py
████ _yanchor.py
████ _ypad.py
████ tickfont
██   █████ __init__.py
██   █████ __pycache__
██   ███ █████ __init__.cpython-311.pyc
██   ███ █████ _color.cpython-311.pyc
██   ███ █████ _family.cpython-311.pyc
██   ███ █████ _size.cpython-311.pyc
██   █████ _color.py
██   █████ _family.py
██   █████ _size.py
████ tickformatstop
██   █████ __init__.py
██   █████ __pycache__
██   ███ █████ __init__.cpython-311.pyc
██   ███ █████ _dtickrange.cpython-311.pyc
██   ███ █████ _enabled.cpython-311.pyc
██   ███ █████ _name.cpython-311.pyc
██   ███ █████ _templateitemname.cpython-311.pyc
██   ███ █████ _value.cpython-311.pyc
██   █████ _dtickrange.py
██   █████ _enabled.py
██   █████ _name.py
██   █████ _templateitemname.py
██   █████ _value.py
████ title

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
contours
__init__.py
__pycache__
__init__.cpython-311.pyc
_coloring.cpython-311.pyc
_end.cpython-311.pyc
_labelfont.cpython-311.pyc
_labelformat.cpython-311.pyc
_operation.cpython-311.pyc
_showlabels.cpython-311.pyc
_showlines.cpython-311.pyc
_size.cpython-311.pyc
_start.cpython-311.pyc
_type.cpython-311.pyc
_value.cpython-311.pyc
_coloring.py
_end.py
_labelfont.py
_labelformat.py
_operation.py
_showlabels.py
_showlines.py
_size.py
_start.py
_type.py
_value.py
labelfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
legendgrouptitle
__init__.py
__pycache__

```

```

_      _init__.cpython-311.pyc
_      _font.cpython-311.pyc
_      _text.cpython-311.pyc
_      _font.py
_      _text.py
_      font
_      _init__.py
_      _pycache__
_      _init__.cpython-311.pyc
_      _color.cpython-311.pyc
_      _family.cpython-311.pyc
_      _size.cpython-311.pyc
_      _color.py
_      _family.py
_      _size.py
line
_      _init__.py
_      _pycache__
_      _init__.cpython-311.pyc
_      _color.cpython-311.pyc
_      _dash.cpython-311.pyc
_      _smoothing.cpython-311.pyc
_      _width.cpython-311.pyc
_      _color.py
_      _dash.py
_      _smoothing.py
_      _width.py
stream
_      _init__.py
_      _pycache__
_      _init__.cpython-311.pyc
_      _maxpoints.cpython-311.pyc
_      _token.cpython-311.pyc
_      _maxpoints.py
_      _token.py
densitymapbox
_      _init__.py
_      _pycache__
_      _init__.cpython-311.pyc
_      _autocolorscale.cpython-311.pyc
_      _below.cpython-311.pyc
_      _coloraxis.cpython-311.pyc
_      _colorbar.cpython-311.pyc
_      _colormap.cpython-311.pyc
_      _customdata.cpython-311.pyc
_      _customdatasrc.cpython-311.pyc
_      _hoverinfo.cpython-311.pyc
_      _hoverinfosrc.cpython-311.pyc
_      _hoverlabel.cpython-311.pyc
_      _hovertemplate.cpython-311.pyc
_      _hovertemplatesrc.cpython-311.pyc
_      _hovertext.cpython-311.pyc
_      _hovertextsrc.cpython-311.pyc
_      _ids.cpython-311.pyc
_      _idssrc.cpython-311.pyc
_      _lat.cpython-311.pyc
_      _latsrc.cpython-311.pyc
_      _legendgroup.cpython-311.pyc

```



```

_ legendgrouptitle.cpython-311.pyc
_ legendrank.cpython-311.pyc
_ lon.cpython-311.pyc
_ lonsrc.cpython-311.pyc
_ meta.cpython-311.pyc
_ metasrc.cpython-311.pyc
_ name.cpython-311.pyc
_ opacity.cpython-311.pyc
_ radius.cpython-311.pyc
_ radiussrc.cpython-311.pyc
_ reversescale.cpython-311.pyc
_ showlegend.cpython-311.pyc
_ showscale.cpython-311.pyc
_ stream.cpython-311.pyc
_ subplot.cpython-311.pyc
_ text.cpython-311.pyc
_ textsrc.cpython-311.pyc
_ uid.cpython-311.pyc
_ uirevision.cpython-311.pyc
_ visible.cpython-311.pyc
_ z.cpython-311.pyc
_ zauto.cpython-311.pyc
_ zmax.cpython-311.pyc
_ zmid.cpython-311.pyc
_ zmin.cpython-311.pyc
_ zsrc.cpython-311.pyc
_ autocolorscale.py
_ below.py
_ coloraxis.py
_ colorbar.py
_ colorscale.py
_ customdata.py
_ customdatasrc.py
_ hoverinfo.py
_ hoverinfosrc.py
_ hoverlabel.py
_ hovertemplate.py
_ hovertemplatesrc.py
_ hovertext.py
_ hovertextsrc.py
_ ids.py
_ idssrc.py
_ lat.py
_ latsrc.py
_ legendgroup.py
_ legendgrouptitle.py
_ legendrank.py
_ lon.py
_ lonsrc.py
_ meta.py
_ metasrc.py
_ name.py
_ opacity.py
_ radius.py
_ radiussrc.py
_ reversescale.py
_ showlegend.py
_ showscale.py

```

■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_subplot.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc		
■	■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.py		
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.py		
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.py		
■	■	■	■	■	■	■	■	■	■■■■	_dtick.py		
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py		
■	■	■	■	■	■	■	■	■	■■■■	_len.py		
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py		
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py		
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py		
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py		
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py		
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py		
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py		
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py		
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py		
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py		
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py		
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py		
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py		
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py		
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py		
■	■	■	■	■	■	■	■	■	■■■■	_title.py		
■	■	■	■	■	■	■	■	■	■■■■	_x.py		
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py		
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py		
■	■	■	■	■	■	■	■	■	■■■■	_y.py		
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py		
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py		
■	■	■	■	■	■	■	■	■	■■■■	tickfont		
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■	■	■■■■	_family.py	
■	■	■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop		

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
        _font.py
        _side.py
        _text.py
        font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
            _color.py
            _family.py
            _size.py
    hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
        _align.py
        _alignsrc.py
        _bgcolor.py
        _bgcolorsrc.py
        _bordercolor.py
        _bordercolorsrc.py
        _font.py
        _namelength.py
        _namelengthsrc.py
        font
        __init__.py
        __pycache__

```

```

_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
stream
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
frame
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _baseframe.cpython-311.pyc
_ _ _ _ _data.cpython-311.pyc
_ _ _ _ _group.cpython-311.pyc
_ _ _ _ _layout.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _traces.cpython-311.pyc
_ _ _ _ _baseframe.py
_ _ _ _ _data.py
_ _ _ _ _group.py
_ _ _ _ _layout.py
_ _ _ _ _name.py
_ _ _ _ _traces.py
funnel
_ _ _ _ __init__.py
_ _ _ _ __pycache__

```

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignmentgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_connector.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_constrainttext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■		_alignmentgroup.py
■	■	■	■	■	■	■	■■■■		_cliponaxis.py
■	■	■	■	■	■	■	■■■■		_connector.py
■	■	■	■	■	■	■	■■■■		_constrainttext.py
■	■	■	■	■	■	■	■■■■		_customdata.py
■	■	■	■	■	■	■	■■■■		_customdatasrc.py
■	■	■	■	■	■	■	■■■■		_dx.py
■	■	■	■	■	■	■	■■■■		_dy.py
■	■	■	■	■	■	■	■■■■		_hoverinfo.py
■	■	■	■	■	■	■	■■■■		_hoverinfosrc.py
■	■	■	■	■	■	■	■■■■		_hoverlabel.py
■	■	■	■	■	■	■	■■■■		_hovertemplate.py
■	■	■	■	■	■	■	■■■■		_hovertemplatesrc.py
■	■	■	■	■	■	■	■■■■		_hovertext.py
■	■	■	■	■	■	■	■■■■		_hovertextsrc.py
■	■	■	■	■	■	■	■■■■		_ids.py
■	■	■	■	■	■	■	■■■■		_idsrc.py
■	■	■	■	■	■	■	■■■■		_insidetextanchor.py
■	■	■	■	■	■	■	■■■■		_insidetextfont.py
■	■	■	■	■	■	■	■■■■		_legendgroup.py
■	■	■	■	■	■	■	■■■■		_legendgrouptitle.py
■	■	■	■	■	■	■	■■■■		_legendrank.py
■	■	■	■	■	■	■	■■■■		_marker.py
■	■	■	■	■	■	■	■■■■		_meta.py
■	■	■	■	■	■	■	■■■■		_metasrc.py
■	■	■	■	■	■	■	■■■■		_name.py
■	■	■	■	■	■	■	■■■■		_offset.py
■	■	■	■	■	■	■	■■■■		_offsetgroup.py
■	■	■	■	■	■	■	■■■■		_opacity.py
■	■	■	■	■	■	■	■■■■		_orientation.py
■	■	■	■	■	■	■	■■■■		_outsidetextfont.py
■	■	■	■	■	■	■	■■■■		_selectedpoints.py
■	■	■	■	■	■	■	■■■■		_showlegend.py
■	■	■	■	■	■	■	■■■■		_stream.py
■	■	■	■	■	■	■	■■■■		_text.py
■	■	■	■	■	■	■	■■■■		_textangle.py
■	■	■	■	■	■	■	■■■■		_textfont.py
■	■	■	■	■	■	■	■■■■		_textinfo.py
■	■	■	■	■	■	■	■■■■		_textposition.py
■	■	■	■	■	■	■	■■■■		_textpositionsrc.py
■	■	■	■	■	■	■	■■■■		_textsrc.py
■	■	■	■	■	■	■	■■■■		_texttemplate.py
■	■	■	■	■	■	■	■■■■		_texttemplatesrc.py
■	■	■	■	■	■	■	■■■■		_uid.py
■	■	■	■	■	■	■	■■■■		_uirevision.py
■	■	■	■	■	■	■	■■■■		_visible.py
■	■	■	■	■	■	■	■■■■		_width.py
■	■	■	■	■	■	■	■■■■		_x.py
■	■	■	■	■	■	■	■■■■		_x0.py
■	■	■	■	■	■	■	■■■■		_xaxis.py
■	■	■	■	■	■	■	■■■■		_xhoverformat.py
■	■	■	■	■	■	■	■■■■		_xperiod.py

```

_ xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
connector
    ___init__.py
    ___pycache__
        ___init__.cpython-311.pyc
        _fillcolor.cpython-311.pyc
        _line.cpython-311.pyc
        _visible.cpython-311.pyc
    _fillcolor.py
    _line.py
    _visible.py
    line
        ___init__.py
        ___pycache__
            ___init__.cpython-311.pyc
            _color.cpython-311.pyc
            _dash.cpython-311.pyc
            _width.cpython-311.pyc
        _color.py
        _dash.py
        _width.py
hoverlabel
    ___init__.py
    ___pycache__
        ___init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
        ___init__.py
        ___pycache__
            ___init__.cpython-311.pyc
            _color.cpython-311.pyc

```



```

_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ insidetextfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _ _colormap.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_autocolorscale.py
■	■	■	■	■	■	■	■	■■■		_cauto.py
■	■	■	■	■	■	■	■	■■■		_cmax.py
■	■	■	■	■	■	■	■	■■■		_cmid.py
■	■	■	■	■	■	■	■	■■■		_cmin.py
■	■	■	■	■	■	■	■	■■■		_color.py
■	■	■	■	■	■	■	■	■■■		_coloraxis.py
■	■	■	■	■	■	■	■	■■■		_colorbar.py
■	■	■	■	■	■	■	■	■■■		_colorscale.py
■	■	■	■	■	■	■	■	■■■		_colorsrc.py
■	■	■	■	■	■	■	■	■■■		_line.py
■	■	■	■	■	■	■	■	■■■		_opacity.py
■	■	■	■	■	■	■	■	■■■		_opacitysrc.py
■	■	■	■	■	■	■	■	■■■		_reversescale.py
■	■	■	■	■	■	■	■	■■■		_showscale.py
■	■	■	■	■	■	■	■	■■■		colorbar
■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc

[illegible]


```

_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorscales.py
_coloursrc.py
_reversescale.py
_width.py
_widthsrc.py
outsidetextfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_coloursrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_coloursrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_coloursrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_coloursrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
funnelarea
__init__.py
__pycache__
__init__.cpython-311.pyc
_aspectratio.cpython-311.pyc
_baseratio.cpython-311.pyc
_customdata.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_labels.py	
■	■	■	■	■	■	■	■■■	_labelsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_scalegroup.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textinfo.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_values.py	
■	■	■	■	■	■	■	■■■	_valuessrc.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	domain	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_column.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_row.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_column.py	
■	■	■	■	■	■	■	■■■	_row.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py	
■	■	■	■	■	■	■	■■■	_alignsrc.py	
■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py	
■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py	

```

font.py
    _namelength.py
    _namelengthsrc.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _colorsrc.cpython-311.pyc
            _family.cpython-311.pyc
            _familysrc.cpython-311.pyc
            _size.cpython-311.pyc
            _sizesrc.cpython-311.pyc
            _color.py
            _colorsrc.py
            _family.py
            _familysrc.py
            _size.py
            _sizesrc.py
    insidetextfont
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _colorsrc.cpython-311.pyc
            _family.cpython-311.pyc
            _familysrc.cpython-311.pyc
            _size.cpython-311.pyc
            _sizesrc.cpython-311.pyc
            _color.py
            _colorsrc.py
            _family.py
            _familysrc.py
            _size.py
            _sizesrc.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
            _text.cpython-311.pyc
            _font.py
            _text.py
            font
                __init__.py
                __pycache__
                    __init__.cpython-311.pyc
                    _color.cpython-311.pyc
                    _family.cpython-311.pyc
                    _size.cpython-311.pyc
                    _color.py
                    _family.py
                    _size.py
    marker
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _colors.cpython-311.pyc

```



```

_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _colors.py
_ _ _ _ _colorssrc.py
_ _ _ _ _line.py
_ _ _ _ _line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _width.py
_ _ _ _ _ _widthsrc.py
_ _ _ _ _stream
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _ _token.cpython-311.pyc
_ _ _ _ _ _maxpoints.py
_ _ _ _ _ _token.py
_ _ _ _ _textfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _position.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _position.py
_ _ _ _ _ _text.py
_ _ _ _ _font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc

```

```

_ familysrc.cpython-311.pyc
_ size.cpython-311.pyc
_ sizesrc.cpython-311.pyc
_ color.py
_ colorsrc.py
_ family.py
_ familysrc.py
_ size.py
_ sizesrc.py
heatmap
__init__.py
__pycache__
__init__.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorbar.cpython-311.pyc
_colorscale.cpython-311.pyc
_connectgaps.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_dx.cpython-311.pyc
_dy.cpython-311.pyc
_hoverinfo.cpython-311.pyc
_hoverinfosrc.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_hoverongaps.cpython-311.pyc
_hovertemplate.cpython-311.pyc
_hovertemplatesrc.cpython-311.pyc
_hovertext.cpython-311.pyc
_hovertextsrc.cpython-311.pyc
_ids.cpython-311.pyc
_idssrc.cpython-311.pyc
_legendgroup.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_legendrank.cpython-311.pyc
_meta.cpython-311.pyc
 metasrc.cpython-311.pyc
_name.cpython-311.pyc
_opacity.cpython-311.pyc
_reversescale.cpython-311.pyc
_showlegend.cpython-311.pyc
_showscale.cpython-311.pyc
_stream.cpython-311.pyc
_text.cpython-311.pyc
_textsrc.cpython-311.pyc
_transpose.cpython-311.pyc
_uid.cpython-311.pyc
_uirevision.cpython-311.pyc
_visible.cpython-311.pyc
_x.cpython-311.pyc
_x0.cpython-311.pyc
_xaxis.cpython-311.pyc
_xcalendar.cpython-311.pyc
_xgap.cpython-311.pyc
_xhoverformat.cpython-311.pyc
_xperiod.cpython-311.pyc
_xperiod0.cpython-311.pyc
_xperiodalignment.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ _xsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _xtype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _y0.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _yaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _ycalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _ygap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _yhoverformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _yperiod.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _yperiod0.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _yperiodalignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _ysrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _ytype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _z.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zauto.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zhoverformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zmax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zmid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zmin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zsmooth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _zsrc.cpython-311.pyc
■ ■ ■ ■ _autocolorscale.py
■ ■ ■ ■ _coloraxis.py
■ ■ ■ ■ _colorbar.py
■ ■ ■ ■ _colorscale.py
■ ■ ■ ■ _connectgaps.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _dx.py
■ ■ ■ ■ _dy.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverinfosrc.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hoverongaps.py
■ ■ ■ ■ _hovertemplate.py
■ ■ ■ ■ _hovertemplatesrc.py
■ ■ ■ ■ _hovertext.py
■ ■ ■ ■ _hovertextsrc.py
■ ■ ■ ■ _ids.py
■ ■ ■ ■ _idssrc.py
■ ■ ■ ■ _legendgroup.py
■ ■ ■ ■ _legendgrouptitle.py
■ ■ ■ ■ _legendrank.py
■ ■ ■ ■ _meta.py
■ ■ ■ ■ _metasrc.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _opacity.py
■ ■ ■ ■ _reversescale.py
■ ■ ■ ■ _showlegend.py
■ ■ ■ ■ _showscales.py
■ ■ ■ ■ _stream.py
■ ■ ■ ■ _text.py
■ ■ ■ ■ _textsrc.py
■ ■ ■ ■ _transpose.py
■ ■ ■ ■ _uid.py
■ ■ ■ ■ _uirevision.py
■ ■ ■ ■ _visible.py
■ ■ ■ ■ _x.py
```

■	■	■	■	■	■	■	■■■	_x0.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xgap.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xperiod.py	
■	■	■	■	■	■	■	■■■	_xperiod0.py	
■	■	■	■	■	■	■	■■■	_xperiodalignment.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_xtype.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_y0.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_ygap.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_yperiod.py	
■	■	■	■	■	■	■	■■■	_yperiod0.py	
■	■	■	■	■	■	■	■■■	_yperiodalignment.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_ytype.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsmooth.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_dtick.py	
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■■■■	_len.py	
■	■	■	■	■	■	■	■	■■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_ticks.py	
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■	■■■■	_x.py	

```

_anchors.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

    ■■■■ _bordercolorsrc.cpython-311.pyc
    ■■■■ _font.cpython-311.pyc
    ■■■■ _namelength.cpython-311.pyc
    ■■■■ _namelengthsrc.cpython-311.pyc
    ■■■■ _align.py
    ■■■■ _alignsrc.py
    ■■■■ _bgcolor.py
    ■■■■ _bgcolorsrc.py
    ■■■■ _bordercolor.py
    ■■■■ _bordercolorsrc.py
    ■■■■ _font.py
    ■■■■ _namelength.py
    ■■■■ _namelengthsrc.py
    ■■■■ font
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _color.cpython-311.pyc
    ■■■■ _colorsrc.cpython-311.pyc
    ■■■■ _family.cpython-311.pyc
    ■■■■ _familysrc.cpython-311.pyc
    ■■■■ _size.cpython-311.pyc
    ■■■■ _sizesrc.cpython-311.pyc
    ■■■■ _color.py
    ■■■■ _colorsrc.py
    ■■■■ _family.py
    ■■■■ _familysrc.py
    ■■■■ _size.py
    ■■■■ _sizesrc.py
    ■■■■ legendgrouptitle
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _font.cpython-311.pyc
    ■■■■ _text.cpython-311.pyc
    ■■■■ _font.py
    ■■■■ _text.py
    ■■■■ font
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _color.cpython-311.pyc
    ■■■■ _family.cpython-311.pyc
    ■■■■ _size.cpython-311.pyc
    ■■■■ _color.py
    ■■■■ _family.py
    ■■■■ _size.py
    ■■■■ stream
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _maxpoints.cpython-311.pyc
    ■■■■ _token.cpython-311.pyc
    ■■■■ _maxpoints.py
    ■■■■ _token.py
    ■■■■ heatmapgl
    ■■■■ __init__.py
    ■■■■ __pycache__

```

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ytype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsmooth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colormap.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_dx.py
■	■	■	■	■	■	■	■	■■■■	_dy.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_ids.py

■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_transpose.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_x0.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_xtype.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_y0.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_ytype.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsmooth.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc

```

■ ■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ ■ _title.cpython-311.pyc
■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _dtick.py
■ ■ ■ ■ _exponentformat.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minexponent.py
■ ■ ■ ■ _nticks.py
■ ■ ■ ■ _outlinecolor.py
■ ■ ■ ■ _outlinewidth.py
■ ■ ■ ■ _separatethousands.py
■ ■ ■ ■ _showexponent.py
■ ■ ■ ■ _showticklabels.py
■ ■ ■ ■ _showtickprefix.py
■ ■ ■ ■ _showticksuffix.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _thicknessmode.py
■ ■ ■ ■ _tick0.py
■ ■ ■ ■ _tickangle.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _tickfont.py
■ ■ ■ ■ _tickformat.py
■ ■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ ■ _tickformatstops.py
■ ■ ■ ■ _ticklabeloverflow.py
■ ■ ■ ■ _ticklabelposition.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickmode.py
■ ■ ■ ■ _tickprefix.py
■ ■ ■ ■ _ticks.py
■ ■ ■ ■ _ticksuffix.py
■ ■ ■ ■ _ticktext.py
■ ■ ■ ■ _ticktextsrc.py
■ ■ ■ ■ _tickvals.py

```

```

_ tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc

```

```

    [ ] _alignsrc.cpython-311.pyc
    [ ] _bgcolor.cpython-311.pyc
    [ ] _bgcolorsrc.cpython-311.pyc
    [ ] _bordercolor.cpython-311.pyc
    [ ] _bordercolorsrc.cpython-311.pyc
    [ ] _font.cpython-311.pyc
    [ ] _namelength.cpython-311.pyc
    [ ] _namelengthsrc.cpython-311.pyc
    [ ] _align.py
    [ ] _alignsrc.py
    [ ] _bgcolor.py
    [ ] _bgcolorsrc.py
    [ ] _bordercolor.py
    [ ] _bordercolorsrc.py
    [ ] _font.py
    [ ] _namelength.py
    [ ] _namelengthsrc.py
    [ ] font
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _color.cpython-311.pyc
    [ ] _colorsrc.cpython-311.pyc
    [ ] _family.cpython-311.pyc
    [ ] _familysrc.cpython-311.pyc
    [ ] _size.cpython-311.pyc
    [ ] _sizesrc.cpython-311.pyc
    [ ] _color.py
    [ ] _colorsrc.py
    [ ] _family.py
    [ ] _familysrc.py
    [ ] _size.py
    [ ] _sizesrc.py
    [ ] legendgrouptitle
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _font.cpython-311.pyc
    [ ] _text.cpython-311.pyc
    [ ] _font.py
    [ ] _text.py
    [ ] font
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _color.cpython-311.pyc
    [ ] _family.cpython-311.pyc
    [ ] _size.cpython-311.pyc
    [ ] _color.py
    [ ] _family.py
    [ ] _size.py
    [ ] stream
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _maxpoints.cpython-311.pyc
    [ ] _token.cpython-311.pyc
    [ ] _maxpoints.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _token.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ histogram
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _alignmentgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _autobinx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _autobiny.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _bingroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _cumulative.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _customdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _customdatasrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _error_x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _error_y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _histfunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _histnorm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hoverinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hoverinfosrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertemplate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertemplatesrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertextsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _idsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _legendgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _legendgrouptitle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _legendrank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _metasrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _name.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _nbinsx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _nbinsy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _offsetgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _orientation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _selected.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _selectedpoints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _showlegend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _stream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _textsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _uid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _uirevision.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _unselected.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _visible.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xbins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xcalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xhoverformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ybins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ycalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yhoverformat.cpython-311.pyc
```

[illegible]

```

_ _ _ _ _init__ .cpython-311.pyc
_ _ _ _ _currentbin.cpython-311.pyc
_ _ _ _ _direction.cpython-311.pyc
_ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _currentbin.py
_ _ _ _ _direction.py
_ _ _ _ _enabled.py
_ _ _ _ _error_x
_ _ _ _ _init__ .py
_ _ _ _ _pycache__
_ _ _ _ _init__ .cpython-311.pyc
_ _ _ _ _array.cpython-311.pyc
_ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _copy_ystyle.cpython-311.pyc
_ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _array.py
_ _ _ _ _arrayminus.py
_ _ _ _ _arrayminussrc.py
_ _ _ _ _arraysrc.py
_ _ _ _ _color.py
_ _ _ _ _copy_ystyle.py
_ _ _ _ _symmetric.py
_ _ _ _ _thickness.py
_ _ _ _ _traceref.py
_ _ _ _ _tracerefminus.py
_ _ _ _ _type.py
_ _ _ _ _value.py
_ _ _ _ _valueminus.py
_ _ _ _ _visible.py
_ _ _ _ _width.py
_ _ _ _ _error_y
_ _ _ _ _init__ .py
_ _ _ _ _pycache__
_ _ _ _ _init__ .cpython-311.pyc
_ _ _ _ _array.cpython-311.pyc
_ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc

```

```

_ width.cpython-311.pyc
_array.py
_arrayminus.py
_arrayminussrc.py
_arraysrc.py
_color.py
_symmetric.py
_thickness.py
_traceref.py
_tracerefminus.py
_type.py
_value.py
_valueminus.py
_visible.py
_width.py
hoverlabel
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _family.cpython-311.pyc
        _familysrc.cpython-311.pyc
        _size.cpython-311.pyc
        _sizesrc.cpython-311.pyc
        _color.py
        _colorsrc.py
        _family.py
        _familysrc.py
        _size.py
        _sizesrc.py
legendgrouptitle
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc

```



```

    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormapsrc.cpython-311.pyc
    _line.cpython-311.pyc
    _opacity.cpython-311.pyc
    _opacitysrc.cpython-311.pyc
    _pattern.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _showscale.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colormap.py
    _colormapsrc.py
    _line.py
    _opacity.py
    _opacitysrc.py
    _pattern.py
    _reversescale.py
    _showscale.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _borderwidth.cpython-311.pyc
    _dtick.cpython-311.pyc
    _exponentformat.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_len.py
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py

```

tickangle.py
tickcolor.py
tickfont.py
tickformat.py
tickformatstopdefaults.py
tickformatstops.py
ticklabeloverflow.py
ticklabelposition.py
ticklen.py
tickmode.py
tickprefix.py
ticks.py
ticksuffix.py
ticktext.py
ticktextsrc.py
tickvals.py
tickvalssrc.py
tickwidth.py
title.py
x.py
xanchor.py
xpad.py
y.py
yanchor.py
ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py

```

```

    text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormapsrc.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _width.cpython-311.pyc
    _widthsrc.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colormap.py
    _colormapsrc.py
    _reversescale.py
    _width.py
    _widthsrc.py
pattern
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolormapsrc.cpython-311.pyc
    _fgcolor.cpython-311.pyc
    _fgcolormapsrc.cpython-311.pyc
    _fgopacity.cpython-311.pyc
    _fillmode.cpython-311.pyc
    _shape.cpython-311.pyc
    _shapemapsrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizemapsrc.cpython-311.pyc
    _solidity.cpython-311.pyc
    _soliditysrc.cpython-311.pyc
    _bgcolor.py
    _bgcolormapsrc.py
    _fgcolor.py

```

```

_fgcolorsrc.py
_fgopacity.py
_fillmode.py
_shape.py
_shapescr.py
_size.py
_sizesrc.py
_solidity.py
_soliditysrc.py
selected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_color.py
_opacity.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_color.py
_opacity.py
textfont
__init__.py
__pycache__

```


[illegible]

■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xbingroup.py	
■	■	■	■	■	■	■	■■■	_xbins.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xgap.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ybingroup.py	
■	■	■	■	■	■	■	■■■	_ybins.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_ygap.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsmooth.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_bgcolor.py
■	■	■	■	■	■	■	■	■■■■		_bordercolor.py
■	■	■	■	■	■	■	■	■■■■		_borderwidth.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_len.py
■	■	■	■	■	■	■	■	■■■■		_lenmode.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_outlinewidth.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_thickness.py
■	■	■	■	■	■	■	■	■■■■		_thicknessmode.py
■	■	■	■	■	■	■	■	■■■■		_tick0.py
■	■	■	■	■	■	■	■	■■■■		_tickangle.py
■	■	■	■	■	■	■	■	■■■■		_tickcolor.py
■	■	■	■	■	■	■	■	■■■■		_tickfont.py
■	■	■	■	■	■	■	■	■■■■		_tickformat.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■		_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■		_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■		_ticklen.py
■	■	■	■	■	■	■	■	■■■■		_tickmode.py
■	■	■	■	■	■	■	■	■■■■		_tickprefix.py
■	■	■	■	■	■	■	■	■■■■		_ticks.py
■	■	■	■	■	■	■	■	■■■■		_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_ticktext.py
■	■	■	■	■	■	■	■	■■■■		_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■		_tickvals.py
■	■	■	■	■	■	■	■	■■■■		_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■		_tickwidth.py
■	■	■	■	■	■	■	■	■■■■		_title.py
■	■	■	■	■	■	■	■	■■■■		_x.py

```

_anchors.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

[illegible]

[illegible]

■	■	■	■	■	■	■	■	■■■■	_nbinsy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ncontours.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xbingroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xbins.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ybingroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ybins.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autobinx.py
■	■	■	■	■	■	■	■	■■■■	_autobiny.py
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_autocontour.py
■	■	■	■	■	■	■	■	■■■■	_bingroup.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_contours.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_histfunc.py
■	■	■	■	■	■	■	■	■■■■	_histnorm.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■	■■■■	_ids.py
■	■	■	■	■	■	■	■	■■■■	_idssrc.py
■	■	■	■	■	■	■	■	■■■■	_legendgroup.py
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■	■■■■	_legendrank.py
■	■	■	■	■	■	■	■	■■■■	_line.py
■	■	■	■	■	■	■	■	■■■■	_marker.py
■	■	■	■	■	■	■	■	■■■■	_meta.py
■	■	■	■	■	■	■	■	■■■■	_metasrc.py

■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_nbinsx.py	
■	■	■	■	■	■	■	■■■	_nbinsy.py	
■	■	■	■	■	■	■	■■■	_ncontours.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xbingroup.py	
■	■	■	■	■	■	■	■■■	_xbins.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ybingroup.py	
■	■	■	■	■	■	■	■■■	_ybins.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc

```

■ ■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ ■ _title.cpython-311.pyc
■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _dtick.py
■ ■ ■ ■ _exponentformat.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minexponent.py
■ ■ ■ ■ _nticks.py
■ ■ ■ ■ _outlinecolor.py
■ ■ ■ ■ _outlinewidth.py
■ ■ ■ ■ _separatethousands.py
■ ■ ■ ■ _showexponent.py
■ ■ ■ ■ _showticklabels.py
■ ■ ■ ■ _showtickprefix.py
■ ■ ■ ■ _showticksuffix.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _thicknessmode.py
■ ■ ■ ■ _tick0.py
■ ■ ■ ■ _tickangle.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _tickfont.py
■ ■ ■ ■ _tickformat.py
■ ■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ ■ _tickformatstops.py
■ ■ ■ ■ _ticklabeloverflow.py
■ ■ ■ ■ _ticklabelposition.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickmode.py
■ ■ ■ ■ _tickprefix.py
■ ■ ■ ■ _ticks.py
■ ■ ■ ■ _ticksuffix.py
■ ■ ■ ■ _ticktext.py
■ ■ ■ ■ _ticktextsrc.py
■ ■ ■ ■ _tickvals.py

```

```

███ _tickvalssrc.py
███ _tickwidth.py
███ _title.py
███ _x.py
███ _xanchor.py
███ _xpad.py
███ _y.py
███ _yanchor.py
███ _ypad.py
███ tickfont
███ __init__.py
███ __pycache__
███   ███ __init__.cpython-311.pyc
███   ███ _color.cpython-311.pyc
███   ███ _family.cpython-311.pyc
███   ███ _size.cpython-311.pyc
███   ███ _color.py
███   ███ _family.py
███   ███ _size.py
███ tickformatstop
███ __init__.py
███ __pycache__
███   ███ __init__.cpython-311.pyc
███   ███ _dtickrange.cpython-311.pyc
███   ███ _enabled.cpython-311.pyc
███   ███ _name.cpython-311.pyc
███   ███ _templateitemname.cpython-311.pyc
███   ███ _value.cpython-311.pyc
███   ███ _dtickrange.py
███   ███ _enabled.py
███   ███ _name.py
███   ███ _templateitemname.py
███   ███ _value.py
███ title
███ __init__.py
███ __pycache__
███   ███ __init__.cpython-311.pyc
███   ███ _font.cpython-311.pyc
███   ███ _side.cpython-311.pyc
███   ███ _text.cpython-311.pyc
███   ███ _font.py
███   ███ _side.py
███   ███ _text.py
███ font
███   ███ __init__.py
███   ███ __pycache__
███   ███   ███ __init__.cpython-311.pyc
███   ███   ███ _color.cpython-311.pyc
███   ███   ███ _family.cpython-311.pyc
███   ███   ███ _size.cpython-311.pyc
███   ███   ███ _color.py
███   ███   ███ _family.py
███   ███   ███ _size.py
███ contours
███ __init__.py
███ __pycache__
███   ███ __init__.cpython-311.pyc
███   ███ _coloring.cpython-311.pyc

```



```

████ _end.cpython-311.pyc
████ _labelfont.cpython-311.pyc
████ _labelformat.cpython-311.pyc
████ _operation.cpython-311.pyc
████ _showlabels.cpython-311.pyc
████ _showlines.cpython-311.pyc
████ _size.cpython-311.pyc
████ _start.cpython-311.pyc
████ _type.cpython-311.pyc
████ _value.cpython-311.pyc
████ _coloring.py
████ _end.py
████ _labelfont.py
████ _labelformat.py
████ _operation.py
████ _showlabels.py
████ _showlines.py
████ _size.py
████ _start.py
████ _type.py
████ _value.py
████ labelfont
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _family.cpython-311.pyc
████ _size.cpython-311.pyc
████ _color.py
████ _family.py
████ _size.py
████ hoverlabel
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _align.cpython-311.pyc
████ _alignsrc.cpython-311.pyc
████ _bgcolor.cpython-311.pyc
████ _bgcolorsrc.cpython-311.pyc
████ _bordercolor.cpython-311.pyc
████ _bordercolorsrc.cpython-311.pyc
████ _font.cpython-311.pyc
████ _namelength.cpython-311.pyc
████ _namelengthsrc.cpython-311.pyc
████ _align.py
████ _alignsrc.py
████ _bgcolor.py
████ _bgcolorsrc.py
████ _bordercolor.py
████ _bordercolorsrc.py
████ _font.py
████ _namelength.py
████ _namelengthsrc.py
████ font
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc

```

```

_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _dash.cpython-311.pyc
_ _ _ _ _ _smoothing.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _dash.py
_ _ _ _ _ _smoothing.py
_ _ _ _ _ _width.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ stream
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _ _token.cpython-311.pyc
_ _ _ _ _ _maxpoints.py
_ _ _ _ _ _token.py
_ _ _ _ _ xbins

```

```

    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ __end.cpython-311.pyc
    ████ __size.cpython-311.pyc
    ████ __start.cpython-311.pyc
    ████ __end.py
    ████ __size.py
    ████ __start.py
    ████ ybins
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ __end.cpython-311.pyc
    ████ __size.cpython-311.pyc
    ████ __start.cpython-311.pyc
    ████ __end.py
    ████ __size.py
    ████ __start.py
    ████ icicle
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _branchvalues.cpython-311.pyc
    ████ _count.cpython-311.pyc
    ████ _customdata.cpython-311.pyc
    ████ _customdatasrc.cpython-311.pyc
    ████ _domain.cpython-311.pyc
    ████ _hoverinfo.cpython-311.pyc
    ████ _hoverinfosrc.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _hovertemplate.cpython-311.pyc
    ████ _hovertemplatesrc.cpython-311.pyc
    ████ _hovertime.cpython-311.pyc
    ████ _hovertime_src.cpython-311.pyc
    ████ _ids.cpython-311.pyc
    ████ _idssrc.cpython-311.pyc
    ████ _insidetextfont.cpython-311.pyc
    ████ _labels.cpython-311.pyc
    ████ _labelssrc.cpython-311.pyc
    ████ _leaf.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _legendrank.cpython-311.pyc
    ████ _level.cpython-311.pyc
    ████ _marker.cpython-311.pyc
    ████ _maxdepth.cpython-311.pyc
    ████ _meta.cpython-311.pyc
    ████ _metasrc.cpython-311.pyc
    ████ _name.cpython-311.pyc
    ████ _opacity.cpython-311.pyc
    ████ _outsidetextfont.cpython-311.pyc
    ████ _parents.cpython-311.pyc
    ████ _parentssrc.cpython-311.pyc
    ████ _pathbar.cpython-311.pyc
    ████ _root.cpython-311.pyc
    ████ _sort.cpython-311.pyc
    ████ _stream.cpython-311.pyc
    ████ _text.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tiling.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■		_branchvalues.py
■	■	■	■	■	■	■	■■■■		_count.py
■	■	■	■	■	■	■	■■■■		_customdata.py
■	■	■	■	■	■	■	■■■■		_customdatasrc.py
■	■	■	■	■	■	■	■■■■		_domain.py
■	■	■	■	■	■	■	■■■■		_hoverinfo.py
■	■	■	■	■	■	■	■■■■		_hoverinfosrc.py
■	■	■	■	■	■	■	■■■■		_hoverlabel.py
■	■	■	■	■	■	■	■■■■		_hovertemplate.py
■	■	■	■	■	■	■	■■■■		_hovertemplatesrc.py
■	■	■	■	■	■	■	■■■■		_hovertext.py
■	■	■	■	■	■	■	■■■■		_hovertextsrc.py
■	■	■	■	■	■	■	■■■■		_ids.py
■	■	■	■	■	■	■	■■■■		_idssrc.py
■	■	■	■	■	■	■	■■■■		_insidetextfont.py
■	■	■	■	■	■	■	■■■■		_labels.py
■	■	■	■	■	■	■	■■■■		_labelssrc.py
■	■	■	■	■	■	■	■■■■		_leaf.py
■	■	■	■	■	■	■	■■■■		_legendgrouptitle.py
■	■	■	■	■	■	■	■■■■		_legendrank.py
■	■	■	■	■	■	■	■■■■		_level.py
■	■	■	■	■	■	■	■■■■		_marker.py
■	■	■	■	■	■	■	■■■■		_maxdepth.py
■	■	■	■	■	■	■	■■■■		_meta.py
■	■	■	■	■	■	■	■■■■		_metasrc.py
■	■	■	■	■	■	■	■■■■		_name.py
■	■	■	■	■	■	■	■■■■		_opacity.py
■	■	■	■	■	■	■	■■■■		_outsidetextfont.py
■	■	■	■	■	■	■	■■■■		_parents.py
■	■	■	■	■	■	■	■■■■		_parentssrc.py
■	■	■	■	■	■	■	■■■■		_pathbar.py
■	■	■	■	■	■	■	■■■■		_root.py
■	■	■	■	■	■	■	■■■■		_sort.py
■	■	■	■	■	■	■	■■■■		_stream.py
■	■	■	■	■	■	■	■■■■		_text.py
■	■	■	■	■	■	■	■■■■		_textfont.py
■	■	■	■	■	■	■	■■■■		_textinfo.py
■	■	■	■	■	■	■	■■■■		_textposition.py
■	■	■	■	■	■	■	■■■■		_textsrc.py
■	■	■	■	■	■	■	■■■■		_texttemplate.py
■	■	■	■	■	■	■	■■■■		_texttemplatesrc.py
■	■	■	■	■	■	■	■■■■		_tiling.py
■	■	■	■	■	■	■	■■■■		_uid.py
■	■	■	■	■	■	■	■■■■		_uirevision.py
■	■	■	■	■	■	■	■■■■		_values.py
■	■	■	■	■	■	■	■■■■		_valuessrc.py

```

    _visible.py
    domain
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _column.cpython-311.pyc
    _row.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _column.py
    _row.py
    _x.py
    _y.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    insidetextfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc

```


■	■	■	■	■	■	■	■	■■■■	_colormapscale.py
■	■	■	■	■	■	■	■	■■■■	_colormapsrc.py
■	■	■	■	■	■	■	■	■■■■	_line.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py
■	■	■	■	■	■	■	■	■■■■	_showscale.py
■	■	■	■	■	■	■	■	■■■■	colorbar
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py

■	■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc

[illegible]

```

_ _ _ _ side.cpython-311.pyc
_ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _edgeshape.py
_ _ _ _ _side.py
_ _ _ _ _textfont.py
_ _ _ _ _thickness.py
_ _ _ _ _visible.py
_ _ _ _ textfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ root
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ stream
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
_ _ _ _ textfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ tiling
_ _ _ _ __init__.py
_ _ _ _ __pycache__

```

```

_       _init_.cpython-311.pyc
_       _flip.cpython-311.pyc
_       _orientation.cpython-311.pyc
_       _pad.cpython-311.pyc
_       _flip.py
_       _orientation.py
_       _pad.py
image
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _colormodel.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _dx.cpython-311.pyc
    _dy.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverinfosrc.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _hovertemplatesrc.cpython-311.pyc
    _hovertext.cpython-311.pyc
    _hovertextsrc.cpython-311.pyc
    _ids.cpython-311.pyc
    _idssrc.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _legendranks.cpython-311.pyc
    _meta.cpython-311.pyc
    _metasrc.cpython-311.pyc
    _name.cpython-311.pyc
    _opacity.cpython-311.pyc
    _source.cpython-311.pyc
    _stream.cpython-311.pyc
    _text.cpython-311.pyc
    _textsrc.cpython-311.pyc
    _uid.cpython-311.pyc
    _uirevision.cpython-311.pyc
    _visible.cpython-311.pyc
    _x0.cpython-311.pyc
    _xaxis.cpython-311.pyc
    _y0.cpython-311.pyc
    _yaxis.cpython-311.pyc
    _z.cpython-311.pyc
    _zmax.cpython-311.pyc
    _zmin.cpython-311.pyc
    _zsmooth.cpython-311.pyc
    _zsrc.cpython-311.pyc
_colormodel.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
```

■	■	■	■	■	■	■	■■■	_hovertextrsrc.py
■	■	■	■	■	■	■	■■■	_ids.py
■	■	■	■	■	■	■	■■■	_idssrc.py
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■■■	_legendrank.py
■	■	■	■	■	■	■	■■■	_meta.py
■	■	■	■	■	■	■	■■■	_metasrc.py
■	■	■	■	■	■	■	■■■	_name.py
■	■	■	■	■	■	■	■■■	_opacity.py
■	■	■	■	■	■	■	■■■	_source.py
■	■	■	■	■	■	■	■■■	_stream.py
■	■	■	■	■	■	■	■■■	_text.py
■	■	■	■	■	■	■	■■■	_textsrc.py
■	■	■	■	■	■	■	■■■	_uid.py
■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	_x0.py
■	■	■	■	■	■	■	■■■	_xaxis.py
■	■	■	■	■	■	■	■■■	_y0.py
■	■	■	■	■	■	■	■■■	_yaxis.py
■	■	■	■	■	■	■	■■■	_z.py
■	■	■	■	■	■	■	■■■	_zmax.py
■	■	■	■	■	■	■	■■■	_zmin.py
■	■	■	■	■	■	■	■■■	_zsmooth.py
■	■	■	■	■	■	■	■■■	_zsrc.py
■	■	■	■	■	■	■	■■■	hoverlabel
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py
■	■	■	■	■	■	■	■■■	_alignsrc.py
■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py
■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py
■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	_namelength.py
■	■	■	■	■	■	■	■■■	_namelengthsrc.py
■	■	■	■	■	■	■	■■■	font
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	_familysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_color.py

```

_ colorsrc.py
_ family.py
_ familysrc.py
_ size.py
_ sizesrc.py
legendgrouptitle
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ font.cpython-311.pyc
_ text.cpython-311.pyc
_ font.py
_ text.py
font
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ color.cpython-311.pyc
_ family.cpython-311.pyc
_ size.cpython-311.pyc
_ color.py
_ family.py
_ size.py
stream
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ maxpoints.cpython-311.pyc
_ token.cpython-311.pyc
_ maxpoints.py
_ token.py
indicator
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ align.cpython-311.pyc
_ customdata.cpython-311.pyc
_ customdatasrc.cpython-311.pyc
_ delta.cpython-311.pyc
_ domain.cpython-311.pyc
_ gauge.cpython-311.pyc
_ ids.cpython-311.pyc
_ idssrc.cpython-311.pyc
_ legendgrouptitle.cpython-311.pyc
_ legendrank.cpython-311.pyc
_ meta.cpython-311.pyc
_ metasrc.cpython-311.pyc
_ mode.cpython-311.pyc
_ name.cpython-311.pyc
_ number.cpython-311.pyc
_ stream.cpython-311.pyc
_ title.cpython-311.pyc
_ uid.cpython-311.pyc
_ uirevision.cpython-311.pyc
_ value.cpython-311.pyc
_ visible.cpython-311.pyc
_ align.py
_ customdata.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ _customdatasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _delta.py
■ ■ ■ ■ ■ ■ ■ ■■■ _domain.py
■ ■ ■ ■ ■ ■ ■ ■■■ _gauge.py
■ ■ ■ ■ ■ ■ ■ ■■■ _ids.py
■ ■ ■ ■ ■ ■ ■ ■■■ _idssrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legendgrouptitle.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legendrank.py
■ ■ ■ ■ ■ ■ ■ ■■■ _meta.py
■ ■ ■ ■ ■ ■ ■ ■■■ _metasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode.py
■ ■ ■ ■ ■ ■ ■ ■■■ _name.py
■ ■ ■ ■ ■ ■ ■ ■■■ _number.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stream.py
■ ■ ■ ■ ■ ■ ■ ■■■ _title.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uid.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uirevision.py
■ ■ ■ ■ ■ ■ ■ ■■■ _value.py
■ ■ ■ ■ ■ ■ ■ ■■■ _visible.py
■ ■ ■ ■ ■ ■ ■ ■■■ delta
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _decreasing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _increasing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _position.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _reference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _relative.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _valueformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _decreasing.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _font.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _increasing.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _position.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _reference.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _relative.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _valueformat.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ decreasing
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _symbol.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ font
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _family.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _family.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _size.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ increasing
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __pycache__
```

```

_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _symbol.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _symbol.py
_ _ _ _ domain
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _column.cpython-311.pyc
_ _ _ _ _row.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _column.py
_ _ _ _ _row.py
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ gauge
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _axis.cpython-311.pyc
_ _ _ _ _bar.cpython-311.pyc
_ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _borderwidth.cpython-311.pyc
_ _ _ _ _shape.cpython-311.pyc
_ _ _ _ _stepdefaults.cpython-311.pyc
_ _ _ _ _steps.cpython-311.pyc
_ _ _ _ _threshold.cpython-311.pyc
_ _ _ _ _axis.py
_ _ _ _ _bar.py
_ _ _ _ _bgcolor.py
_ _ _ _ _bordercolor.py
_ _ _ _ _borderwidth.py
_ _ _ _ _shape.py
_ _ _ _ _stepdefaults.py
_ _ _ _ _steps.py
_ _ _ _ _threshold.py
_ _ _ _ axis
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _dtick.cpython-311.pyc
_ _ _ _ _exponentformat.cpython-311.pyc
_ _ _ _ _minexponent.cpython-311.pyc
_ _ _ _ _nticks.cpython-311.pyc
_ _ _ _ _range.cpython-311.pyc
_ _ _ _ _separatethousands.cpython-311.pyc
_ _ _ _ _showexponent.cpython-311.pyc
_ _ _ _ _showticklabels.cpython-311.pyc
_ _ _ _ _showtickprefix.cpython-311.pyc
_ _ _ _ _showticksuffix.cpython-311.pyc
_ _ _ _ _tick0.cpython-311.pyc
_ _ _ _ _tickangle.cpython-311.pyc
_ _ _ _ _tickcolor.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _tickformat.cpython-311.pyc

```

```

_ _ _ _ _ tickformatstopdefaults.cpython-311.pyc
_ _ _ _ _ tickformatstops.cpython-311.pyc
_ _ _ _ _ ticklen.cpython-311.pyc
_ _ _ _ _ tickmode.cpython-311.pyc
_ _ _ _ _ tickprefix.cpython-311.pyc
_ _ _ _ _ ticks.cpython-311.pyc
_ _ _ _ _ ticksuffix.cpython-311.pyc
_ _ _ _ _ ticktext.cpython-311.pyc
_ _ _ _ _ ticktextsrc.cpython-311.pyc
_ _ _ _ _ tickvals.cpython-311.pyc
_ _ _ _ _ tickvalssrc.cpython-311.pyc
_ _ _ _ _ tickwidth.cpython-311.pyc
_ _ _ _ _ visible.cpython-311.pyc
_ _ _ _ _ dtick.py
_ _ _ _ _ exponentformat.py
_ _ _ _ _ minexponent.py
_ _ _ _ _ nticks.py
_ _ _ _ _ range.py
_ _ _ _ _ separatethousands.py
_ _ _ _ _ showexponent.py
_ _ _ _ _ showticklabels.py
_ _ _ _ _ showtickprefix.py
_ _ _ _ _ showticksuffix.py
_ _ _ _ _ tick0.py
_ _ _ _ _ tickangle.py
_ _ _ _ _ tickcolor.py
_ _ _ _ _ tickfont.py
_ _ _ _ _ tickformat.py
_ _ _ _ _ tickformatstopdefaults.py
_ _ _ _ _ tickformatstops.py
_ _ _ _ _ ticklen.py
_ _ _ _ _ tickmode.py
_ _ _ _ _ tickprefix.py
_ _ _ _ _ ticks.py
_ _ _ _ _ ticksuffix.py
_ _ _ _ _ ticktext.py
_ _ _ _ _ ticktextsrc.py
_ _ _ _ _ tickvals.py
_ _ _ _ _ tickvalssrc.py
_ _ _ _ _ tickwidth.py
_ _ _ _ _ visible.py
_ _ _ _ _ tickfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ dtickrange.cpython-311.pyc
_ _ _ _ _ enabled.cpython-311.pyc
_ _ _ _ _ name.cpython-311.pyc

```



```

_       _templateitemname.cpython-311.pyc
_       _value.cpython-311.pyc
_       _dtickrange.py
_       _enabled.py
_       _name.py
_       _templateitemname.py
_       _value.py
bar
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _line.cpython-311.pyc
    _thickness.cpython-311.pyc
_color.py
_line.py
_thickness.py
line
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _width.cpython-311.pyc
    _color.py
    _width.py
step
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _line.cpython-311.pyc
    _name.cpython-311.pyc
    _range.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _thickness.cpython-311.pyc
_color.py
_line.py
_name.py
_range.py
_templateitemname.py
_thickness.py
line
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _width.cpython-311.pyc
    _color.py
    _width.py
threshold
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _thickness.cpython-311.pyc
    _value.cpython-311.pyc
_line.py
_thickness.py

```

```

value.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_width.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
number
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_prefix.cpython-311.pyc
_suffix.cpython-311.pyc
_valueformat.cpython-311.pyc
_font.py
_prefix.py
_suffix.py
_valueformat.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
title

```

```

    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _align.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _text.cpython-311.pyc
    ████ _align.py
    ████ _font.py
    ████ _text.py
    ████ font
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _color.cpython-311.pyc
    ████ _family.cpython-311.pyc
    ████ _size.cpython-311.pyc
    ████ _color.py
    ████ _family.py
    ████ _size.py
    ████ isosurface
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _autocolorscale.cpython-311.pyc
    ████ _caps.cpython-311.pyc
    ████ _cauto.cpython-311.pyc
    ████ _cmax.cpython-311.pyc
    ████ _cmid.cpython-311.pyc
    ████ _cmin.cpython-311.pyc
    ████ _coloraxis.cpython-311.pyc
    ████ _colorbar.cpython-311.pyc
    ████ _colorscale.cpython-311.pyc
    ████ _contour.cpython-311.pyc
    ████ _customdata.cpython-311.pyc
    ████ _customdatasrc.cpython-311.pyc
    ████ _flatshading.cpython-311.pyc
    ████ _hoverinfo.cpython-311.pyc
    ████ _hoverinfosrc.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _hovertemplate.cpython-311.pyc
    ████ _hovertemplatesrc.cpython-311.pyc
    ████ _hovertime.cpython-311.pyc
    ████ _hovertime.cpython-311.pyc
    ████ _ids.cpython-311.pyc
    ████ _idssrc.cpython-311.pyc
    ████ _isomax.cpython-311.pyc
    ████ _isomin.cpython-311.pyc
    ████ _legendgroup.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _legendrank.cpython-311.pyc
    ████ _lighting.cpython-311.pyc
    ████ _lightposition.cpython-311.pyc
    ████ _meta.cpython-311.pyc
    ████ _metasrc.cpython-311.pyc
    ████ _name.cpython-311.pyc
    ████ _opacity.cpython-311.pyc
    ████ _reversescale.cpython-311.pyc
    ████ _scene.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■	_linewidth.py

```

████ _separatethousands.py
████ _showexponent.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _thickness.py
████ _thicknessmode.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklabeloverflow.py
████ _ticklabelposition.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _x.py
████ _xanchor.py
████ _xpad.py
████ _y.py
████ _yanchor.py
████ _ypad.py
████ tickfont
██   █████ __init__.py
██   █████ __pycache__
██   ███ █████ __init__.cpython-311.pyc
██   ███ █████ _color.cpython-311.pyc
██   ███ █████ _family.cpython-311.pyc
██   ███ █████ _size.cpython-311.pyc
██   █████ _color.py
██   █████ _family.py
██   █████ _size.py
████ tickformatstop
██   █████ __init__.py
██   █████ __pycache__
██   ███ █████ __init__.cpython-311.pyc
██   ███ █████ _dtickrange.cpython-311.pyc
██   ███ █████ _enabled.cpython-311.pyc
██   ███ █████ _name.cpython-311.pyc
██   ███ █████ _templateitemname.cpython-311.pyc
██   ███ █████ _value.cpython-311.pyc
██   █████ _dtickrange.py
██   █████ _enabled.py
██   █████ _name.py
██   █████ _templateitemname.py
██   █████ _value.py
████ title

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
contour
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_show.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_show.py
_width.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namlength.cpython-311.pyc
_namlengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namlength.py
_namlengthsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc

```


■	■	■	■	■	■	■	■	■■■■	_hovermode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_iciclecolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_imagedefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_images.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mapbox.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_margin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_modebar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_newshape.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_paper_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_piecolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_plot_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_polar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_radialaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectdirection.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectionrevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separators.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_shapedefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_shapes.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sliderdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sliders.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_spikedistance.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sunburstcolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_template.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ternary.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_transition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_treemapcolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uniformtext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_updatemenudefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_updatemenus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_violingap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_violingroupgap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_violinmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_waterfallgap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_waterfallgroupgap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_waterfallmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_activeshape.py
■	■	■	■	■	■	■	■	■■■■	_angularaxis.py
■	■	■	■	■	■	■	■	■■■■	_annotationdefaults.py
■	■	■	■	■	■	■	■	■■■■	_annotations.py
■	■	■	■	■	■	■	■	■■■■	_autosize.py
■	■	■	■	■	■	■	■	■■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■■■■	_bargap.py
■	■	■	■	■	■	■	■	■■■■	_bargroupgap.py
■	■	■	■	■	■	■	■	■■■■	_barmode.py
■	■	■	■	■	■	■	■	■■■■	_barnorm.py
■	■	■	■	■	■	■	■	■■■■	_boxgap.py
■	■	■	■	■	■	■	■	■■■■	_boxgroupgap.py

■	■	■	■	■	■	■	■■■	_boxmode.py
■	■	■	■	■	■	■	■■■	_calendar.py
■	■	■	■	■	■	■	■■■	_clickmode.py
■	■	■	■	■	■	■	■■■	_coloraxis.py
■	■	■	■	■	■	■	■■■	_colorscale.py
■	■	■	■	■	■	■	■■■	_colorway.py
■	■	■	■	■	■	■	■■■	_computed.py
■	■	■	■	■	■	■	■■■	_datarevision.py
■	■	■	■	■	■	■	■■■	_direction.py
■	■	■	■	■	■	■	■■■	_dragmode.py
■	■	■	■	■	■	■	■■■	_editrevision.py
■	■	■	■	■	■	■	■■■	_extendfunnelareacolors.py
■	■	■	■	■	■	■	■■■	_extendiciclecolors.py
■	■	■	■	■	■	■	■■■	_extendpiecolors.py
■	■	■	■	■	■	■	■■■	_extendsunburstcolors.py
■	■	■	■	■	■	■	■■■	_extendtreemapcolors.py
■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	_funnelareacolorway.py
■	■	■	■	■	■	■	■■■	_funnelgap.py
■	■	■	■	■	■	■	■■■	_funnelgroupgap.py
■	■	■	■	■	■	■	■■■	_funnelmode.py
■	■	■	■	■	■	■	■■■	_geo.py
■	■	■	■	■	■	■	■■■	_grid.py
■	■	■	■	■	■	■	■■■	_height.py
■	■	■	■	■	■	■	■■■	_hiddenlabels.py
■	■	■	■	■	■	■	■■■	_hiddenlabelsrc.py
■	■	■	■	■	■	■	■■■	_hidesources.py
■	■	■	■	■	■	■	■■■	_hoverdistance.py
■	■	■	■	■	■	■	■■■	_hoverlabel.py
■	■	■	■	■	■	■	■■■	_hovermode.py
■	■	■	■	■	■	■	■■■	_iciclecolorway.py
■	■	■	■	■	■	■	■■■	_imagedefaults.py
■	■	■	■	■	■	■	■■■	_images.py
■	■	■	■	■	■	■	■■■	_legend.py
■	■	■	■	■	■	■	■■■	_mapbox.py
■	■	■	■	■	■	■	■■■	_margin.py
■	■	■	■	■	■	■	■■■	_meta.py
■	■	■	■	■	■	■	■■■	_metasrc.py
■	■	■	■	■	■	■	■■■	_modebar.py
■	■	■	■	■	■	■	■■■	_newshape.py
■	■	■	■	■	■	■	■■■	_orientation.py
■	■	■	■	■	■	■	■■■	_paper_bgcolor.py
■	■	■	■	■	■	■	■■■	_piecolorway.py
■	■	■	■	■	■	■	■■■	_plot_bgcolor.py
■	■	■	■	■	■	■	■■■	_polar.py
■	■	■	■	■	■	■	■■■	_radialaxis.py
■	■	■	■	■	■	■	■■■	_scene.py
■	■	■	■	■	■	■	■■■	_selectdirection.py
■	■	■	■	■	■	■	■■■	_selectionrevision.py
■	■	■	■	■	■	■	■■■	_separators.py
■	■	■	■	■	■	■	■■■	_shapedefaults.py
■	■	■	■	■	■	■	■■■	_shapes.py
■	■	■	■	■	■	■	■■■	_showlegend.py
■	■	■	■	■	■	■	■■■	_sliderdefaults.py
■	■	■	■	■	■	■	■■■	_sliders.py
■	■	■	■	■	■	■	■■■	_spikedistance.py
■	■	■	■	■	■	■	■■■	_sunburstcolorway.py
■	■	■	■	■	■	■	■■■	_template.py

■	■	■	■	■	■	■	■■■	_ternary.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	_transition.py	
■	■	■	■	■	■	■	■■■	_treemapcolorway.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_uniformtext.py	
■	■	■	■	■	■	■	■■■	_updatemenudefaults.py	
■	■	■	■	■	■	■	■■■	_updatemenus.py	
■	■	■	■	■	■	■	■■■	_violingap.py	
■	■	■	■	■	■	■	■■■	_violingroupgap.py	
■	■	■	■	■	■	■	■■■	_violinmode.py	
■	■	■	■	■	■	■	■■■	_waterfallgap.py	
■	■	■	■	■	■	■	■■■	_waterfallgroupgap.py	
■	■	■	■	■	■	■	■■■	_waterfallmode.py	
■	■	■	■	■	■	■	■■■	_width.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	activeshape	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■■■	_opacity.py
■	■	■	■	■	■	■	■■■	angularaxis	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endpadding.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickorientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_domain.py
■	■	■	■	■	■	■	■	■■■	_endpadding.py
■	■	■	■	■	■	■	■	■■■	_range.py
■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■■■	_ticklen.py
■	■	■	■	■	■	■	■	■■■	_tickorientation.py
■	■	■	■	■	■	■	■	■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	annotation	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowhead.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowside.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowsize.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_arrowwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_axref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ay.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ayref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_captureevents.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_clicktoshow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_height.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showarrow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_standoff.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startarrowhead.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startarrowsize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startstandoff.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_valign.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xclick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xshift.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yclick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yshift.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_align.py	
■	■	■	■	■	■	■	■	■■■■	_arrowcolor.py	
■	■	■	■	■	■	■	■	■■■■	_arrowhead.py	
■	■	■	■	■	■	■	■	■■■■	_arrowside.py	
■	■	■	■	■	■	■	■	■■■■	_arrowsize.py	
■	■	■	■	■	■	■	■	■■■■	_arrowwidth.py	
■	■	■	■	■	■	■	■	■■■■	_ax.py	
■	■	■	■	■	■	■	■	■■■■	_axref.py	
■	■	■	■	■	■	■	■	■■■■	_ay.py	
■	■	■	■	■	■	■	■	■■■■	_ayref.py	
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderpad.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_captureevents.py	
■	■	■	■	■	■	■	■	■■■■	_clicktoshow.py	
■	■	■	■	■	■	■	■	■■■■	_font.py	
■	■	■	■	■	■	■	■	■■■■	_height.py	
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■	■■■■	_hovertext.py	

■	■	■	■	■	■	■	■	■	■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_autocolormapscale.py
■	■	■	■	■	■	■	■	■■■		_cauto.py
■	■	■	■	■	■	■	■	■■■		_cmax.py
■	■	■	■	■	■	■	■	■■■		_cmid.py
■	■	■	■	■	■	■	■	■■■		_cmin.py
■	■	■	■	■	■	■	■	■■■		_colorbar.py
■	■	■	■	■	■	■	■	■■■		_colormapscale.py
■	■	■	■	■	■	■	■	■■■		_reversescale.py
■	■	■	■	■	■	■	■	■■■		_showscale.py
■	■	■	■	■	■	■	■	■■■		colorbar
■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvalsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_len.py
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_title.py
■	■	■	■	■	■	■	■	■	■	■■■	_x.py
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■	■■■	_y.py
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■	■■■	tickfont
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_size.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_center.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_coastlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_coastlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_countrycolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_countrywidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_fitbounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_framecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_framewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lakecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_landcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lataxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lonaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_oceancolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_projection.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_resolution.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rivercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_riverwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scope.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showcoastlines.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showcountries.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showframe.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showlakes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showland.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showocean.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showrivers.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showsunits.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_subunitcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_subunitwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_center.py	
■	■	■	■	■	■	■	■	■■■■	_coastlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_coastlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_countrycolor.py	
■	■	■	■	■	■	■	■	■■■■	_countrywidth.py	
■	■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■	■■■■	_fitbounds.py	
■	■	■	■	■	■	■	■	■■■■	_framecolor.py	
■	■	■	■	■	■	■	■	■■■■	_framewidth.py	
■	■	■	■	■	■	■	■	■■■■	_lakecolor.py	
■	■	■	■	■	■	■	■	■■■■	_landcolor.py	
■	■	■	■	■	■	■	■	■■■■	_lataxis.py	
■	■	■	■	■	■	■	■	■■■■	_lonaxis.py	
■	■	■	■	■	■	■	■	■■■■	_oceancolor.py	
■	■	■	■	■	■	■	■	■■■■	_projection.py	
■	■	■	■	■	■	■	■	■■■■	_resolution.py	
■	■	■	■	■	■	■	■	■■■■	_rivercolor.py	
■	■	■	■	■	■	■	■	■■■■	_riverwidth.py	
■	■	■	■	■	■	■	■	■■■■	_scope.py	
■	■	■	■	■	■	■	■	■■■■	_showcoastlines.py	
■	■	■	■	■	■	■	■	■■■■	_showcountries.py	
■	■	■	■	■	■	■	■	■■■■	_showframe.py	

```

_ showlakes.py
_ showland.py
_ showocean.py
_ showrivers.py
_ showsubunits.py
_ subunitcolor.py
_ subunitwidth.py
_ uirevision.py
_ visible.py
center
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ __lat__.cpython-311.pyc
        _ __lon__.cpython-311.pyc
    _ lat.py
    _ lon.py
domain
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ __column__.cpython-311.pyc
        _ __row__.cpython-311.pyc
        _ __x__.cpython-311.pyc
        _ __y__.cpython-311.pyc
    _ column.py
    _ row.py
    _ x.py
    _ y.py
lataxis
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ __dtick__.cpython-311.pyc
        _ __gridcolor__.cpython-311.pyc
        _ __gridwidth__.cpython-311.pyc
        _ __range__.cpython-311.pyc
        _ __showgrid__.cpython-311.pyc
        _ __tick0__.cpython-311.pyc
    _ dtick.py
    _ gridcolor.py
    _ gridwidth.py
    _ range.py
    _ showgrid.py
    _ tick0.py
lonaxis
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ __dtick__.cpython-311.pyc
        _ __gridcolor__.cpython-311.pyc
        _ __gridwidth__.cpython-311.pyc
        _ __range__.cpython-311.pyc
        _ __showgrid__.cpython-311.pyc
        _ __tick0__.cpython-311.pyc
    _ dtick.py
    _ gridcolor.py
    _ gridwidth.py

```

```

_ range.py
_ showgrid.py
_ tick0.py
projection
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _distance.cpython-311.pyc
    _parallels.cpython-311.pyc
    _rotation.cpython-311.pyc
    _scale.cpython-311.pyc
    _tilt.cpython-311.pyc
    _type.cpython-311.pyc
_distance.py
_parallels.py
_rotation.py
_scale.py
_tilt.py
_type.py
rotation
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _lat.cpython-311.pyc
        _lon.cpython-311.pyc
        _roll.cpython-311.pyc
_lat.py
_lon.py
_roll.py
grid
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _columns.cpython-311.pyc
    _domain.cpython-311.pyc
    _pattern.cpython-311.pyc
    _roworder.cpython-311.pyc
    _rows.cpython-311.pyc
    _subplots.cpython-311.pyc
    _xaxes.cpython-311.pyc
    _xgap.cpython-311.pyc
    _xside.cpython-311.pyc
    _yaxes.cpython-311.pyc
    _ygap.cpython-311.pyc
    _yside.cpython-311.pyc
_columns.py
_domain.py
_pattern.py
_roworder.py
_rows.py
_subplots.py
_xaxes.py
_xgap.py
_xside.py
_yaxes.py
_ygap.py
_yside.py
domain

```


■	■	■	■	■	■	■	■	■	■	■■■■	_row.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_column.py	
■	■	■	■	■	■	■	■	■	■	■■■■	_row.py	
■	■	■	■	■	■	■	■	■	■	■■■■	_x.py	
■	■	■	■	■	■	■	■	■	■	■■■■	_y.py	
■	■	■	■	■	■	■	■	■■■■	layer			
■	■	■	■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_below.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_circle.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_coordinates.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_fill.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_maxzoom.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_minzoom.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_source.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_sourceattribution.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_sourcelayer.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_sourcetype.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■■■■	_below.py		
■	■	■	■	■	■	■	■	■	■■■■	_circle.py		
■	■	■	■	■	■	■	■	■	■■■■	_color.py		
■	■	■	■	■	■	■	■	■	■■■■	_coordinates.py		
■	■	■	■	■	■	■	■	■	■■■■	_fill.py		
■	■	■	■	■	■	■	■	■	■■■■	_line.py		
■	■	■	■	■	■	■	■	■	■■■■	_maxzoom.py		
■	■	■	■	■	■	■	■	■	■■■■	_minzoom.py		
■	■	■	■	■	■	■	■	■	■■■■	_name.py		
■	■	■	■	■	■	■	■	■	■■■■	_opacity.py		
■	■	■	■	■	■	■	■	■	■■■■	_source.py		
■	■	■	■	■	■	■	■	■	■■■■	_sourceattribution.py		
■	■	■	■	■	■	■	■	■	■■■■	_sourcelayer.py		
■	■	■	■	■	■	■	■	■	■■■■	_sourcetype.py		
■	■	■	■	■	■	■	■	■	■■■■	_symbol.py		
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.py		
■	■	■	■	■	■	■	■	■	■■■■	_type.py		
■	■	■	■	■	■	■	■	■	■■■■	_visible.py		
■	■	■	■	■	■	■	■	■	■■■■	circle		
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_radius.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_radius.py	
■	■	■	■	■	■	■	■	■■■■	fill			
■	■	■	■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc	

■	■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_autotypenumbers.py	
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarray.py	
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_categoryorder.py	
■	■	■	■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■	■	■	■■■	_direction.py	
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_layer.py	
■	■	■	■	■	■	■	■	■	■	■■■	_linecolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_linewidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_period.py	
■	■	■	■	■	■	■	■	■	■	■■■	_rotation.py	
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showgrid.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showline.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thetaunit.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_type.py	
■	■	■	■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickfont	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■	■	■	■■■	_family.py	
■	■	■	■	■	■	■	■	■	■	■■■	_size.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickformatstop	

[illegible]

```

templateitemname.py
_text.py
_textangle.py
_valign.py
_visible.py
_width.py
_x.py
_xanchor.py
_xshift.py
_y.py
_yanchor.py
_yshift.py
_z.py
font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _font.cpython-311.pyc
    _bgcolor.py
    _bordercolor.py
    _font.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
aspectratio
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _x.cpython-311.pyc
        _y.cpython-311.pyc
        _z.cpython-311.pyc
    _x.py
    _y.py
    _z.py
camera
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _center.cpython-311.pyc

```



```

■■■ _init_.cpython-311.pyc
■■■ _autorange.cpython-311.pyc
■■■ _autotypenumbers.cpython-311.pyc
■■■ _backgroundcolor.cpython-311.pyc
■■■ _calendar.cpython-311.pyc
■■■ _categoryarray.cpython-311.pyc
■■■ _categoryarraysrc.cpython-311.pyc
■■■ _categoryorder.cpython-311.pyc
■■■ _color.cpython-311.pyc
■■■ _dtick.cpython-311.pyc
■■■ _exponentformat.cpython-311.pyc
■■■ _gridcolor.cpython-311.pyc
■■■ _gridwidth.cpython-311.pyc
■■■ _hoverformat.cpython-311.pyc
■■■ _linecolor.cpython-311.pyc
■■■ _linewidth.cpython-311.pyc
■■■ _minexponent.cpython-311.pyc
■■■ _mirror.cpython-311.pyc
■■■ _nticks.cpython-311.pyc
■■■ _range.cpython-311.pyc
■■■ _rangemode.cpython-311.pyc
■■■ _separatethousands.cpython-311.pyc
■■■ _showaxeslabels.cpython-311.pyc
■■■ _showbackground.cpython-311.pyc
■■■ _showexponent.cpython-311.pyc
■■■ _showgrid.cpython-311.pyc
■■■ _showline.cpython-311.pyc
■■■ _showspikes.cpython-311.pyc
■■■ _showticklabels.cpython-311.pyc
■■■ _showtickprefix.cpython-311.pyc
■■■ _showticksuffix.cpython-311.pyc
■■■ _spikecolor.cpython-311.pyc
■■■ _spikesides.cpython-311.pyc
■■■ _spikethickness.cpython-311.pyc
■■■ _tick0.cpython-311.pyc
■■■ _tickangle.cpython-311.pyc
■■■ _tickcolor.cpython-311.pyc
■■■ _tickfont.cpython-311.pyc
■■■ _tickformat.cpython-311.pyc
■■■ _tickformatstopdefaults.cpython-311.pyc
■■■ _tickformatstops.cpython-311.pyc
■■■ _ticklen.cpython-311.pyc
■■■ _tickmode.cpython-311.pyc
■■■ _tickprefix.cpython-311.pyc
■■■ _ticks.cpython-311.pyc
■■■ _ticksuffix.cpython-311.pyc
■■■ _ticktext.cpython-311.pyc
■■■ _ticktextsrc.cpython-311.pyc
■■■ _tickvals.cpython-311.pyc
■■■ _tickvalssrc.cpython-311.pyc
■■■ _tickwidth.cpython-311.pyc
■■■ _title.cpython-311.pyc
■■■ _type.cpython-311.pyc
■■■ _visible.cpython-311.pyc
■■■ _zeroline.cpython-311.pyc
■■■ _zerolinecolor.cpython-311.pyc
■■■ _zerolinewidth.cpython-311.pyc
■■■ _autorange.py

```

■	■	■	■	■	■	■	■	■	■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■■■	_backgroundcolor.py
■	■	■	■	■	■	■	■	■	■■■	_calendar.py
■	■	■	■	■	■	■	■	■	■■■	_categoryarray.py
■	■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.py
■	■	■	■	■	■	■	■	■	■■■	_categoryorder.py
■	■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py
■	■	■	■	■	■	■	■	■	■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■	_mirror.py
■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■	_range.py
■	■	■	■	■	■	■	■	■	■■■	_rangemode.py
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■	_showaxeslabels.py
■	■	■	■	■	■	■	■	■	■■■	_showbackground.py
■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■	■■■	_showspikes.py
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■	■■■	_spikesides.py
■	■	■	■	■	■	■	■	■	■■■	_spikethickness.py
■	■	■	■	■	■	■	■	■	■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■	_type.py
■	■	■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■	■	■■■	_zeroline.py
■	■	■	■	■	■	■	■	■	■■■	_zerolinecolor.py
■	■	■	■	■	■	■	■	■	■■■	_zerolinewidth.py
■	■	■	■	■	■	■	■	■	■■■	tickfont
■	■	■	■	■	■	■	■	■	■ ■■■	__init__.py
■	■	■	■	■	■	■	■	■	■ ■■■	__pycache__

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_range.py
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showaxeslabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showbackground.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■■■■	_showline.py
■	■	■	■	■	■	■	■	■	■■■■	_showspikes.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_spikesides.py
■	■	■	■	■	■	■	■	■	■■■■	_spikethickness.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_type.py
■	■	■	■	■	■	■	■	■	■■■■	_visible.py
■	■	■	■	■	■	■	■	■	■■■■	_zeroline.py
■	■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc

```

_ dtickrange.py
_ _enabled.py
_ _name.py
_ _templateitemname.py
_ _value.py
title
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _text.cpython-311.pyc
_ _font.py
_ _text.py
_ font
_ _init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ _color.py
_ _family.py
_ _size.py
zaxis
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ _autorange.cpython-311.pyc
_ _autotypenumbers.cpython-311.pyc
_ _backgroundcolor.cpython-311.pyc
_ _calendar.cpython-311.pyc
_ _categoryarray.cpython-311.pyc
_ _categoryarraysrc.cpython-311.pyc
_ _categoryorder.cpython-311.pyc
_ _color.cpython-311.pyc
_ _dtick.cpython-311.pyc
_ _exponentformat.cpython-311.pyc
_ _gridcolor.cpython-311.pyc
_ _gridwidth.cpython-311.pyc
_ _hoverformat.cpython-311.pyc
_ _linecolor.cpython-311.pyc
_ _linewidth.cpython-311.pyc
_ _minexponent.cpython-311.pyc
_ _mirror.cpython-311.pyc
_ _nticks.cpython-311.pyc
_ _range.cpython-311.pyc
_ _rangemode.cpython-311.pyc
_ _separatethousands.cpython-311.pyc
_ _showaxeslabels.cpython-311.pyc
_ _showbackground.cpython-311.pyc
_ _showexponent.cpython-311.pyc
_ _showgrid.cpython-311.pyc
_ _showline.cpython-311.pyc
_ _showslices.cpython-311.pyc
_ _showticklabels.cpython-311.pyc
_ _showtickprefix.cpython-311.pyc
_ _showticksuffix.cpython-311.pyc
_ _spikecolor.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_spikesides.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_spikethickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_zeroline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_zerolinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_zerolinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_autorange.py
■	■	■	■	■	■	■	■	■	■	■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■	■■■	_backgroundcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_calendar.py
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarray.py
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_categoryorder.py
■	■	■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_mirror.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_range.py
■	■	■	■	■	■	■	■	■	■	■■■	_rangemode.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showaxeslabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showbackground.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■	■	■■■	_showspikes.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_spikesides.py
■	■	■	■	■	■	■	■	■	■	■■■	_spikethickness.py

```

tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _text.py
    font
        __init__.py
        __pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ shape
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _editable.cpython-311.pyc
_ _ _ _ _fillcolor.cpython-311.pyc
_ _ _ _ _fillrule.cpython-311.pyc
_ _ _ _ _layer.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _path.cpython-311.pyc
_ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _x0.cpython-311.pyc
_ _ _ _ _x1.cpython-311.pyc
_ _ _ _ _xanchor.cpython-311.pyc
_ _ _ _ _xref.cpython-311.pyc
_ _ _ _ _xsize.cpython-311.pyc
_ _ _ _ _y0.cpython-311.pyc
_ _ _ _ _y1.cpython-311.pyc
_ _ _ _ _yanchor.cpython-311.pyc
_ _ _ _ _yref.cpython-311.pyc
_ _ _ _ _ysize.cpython-311.pyc
_ _ _ _ _editable.py
_ _ _ _ _fillcolor.py
_ _ _ _ _fillrule.py
_ _ _ _ _layer.py
_ _ _ _ _line.py
_ _ _ _ _name.py
_ _ _ _ _opacity.py
_ _ _ _ _path.py
_ _ _ _ _templateitemname.py
_ _ _ _ _type.py
_ _ _ _ _visible.py
_ _ _ _ _x0.py
_ _ _ _ _x1.py
_ _ _ _ _xanchor.py
_ _ _ _ _xref.py
_ _ _ _ _xsize.py
_ _ _ _ _y0.py
_ _ _ _ _y1.py
_ _ _ _ _yanchor.py
_ _ _ _ _yref.py
_ _ _ _ _ysize.py
_ _ _ _ line
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc

```

```

■ ■ ■ ■ ■ _dash.cpython-311.pyc
■ ■ ■ ■ ■ _width.cpython-311.pyc
■ ■ ■ ■ ■ _color.py
■ ■ ■ ■ ■ _dash.py
■ ■ ■ ■ ■ _width.py
■ ■ ■ slider
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ ■ _active.cpython-311.pyc
■ ■ ■ ■ ■ _activebgcolor.cpython-311.pyc
■ ■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ ■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ ■ _borderwidth.cpython-311.pyc
■ ■ ■ ■ ■ _currentvalue.cpython-311.pyc
■ ■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ ■ _len.cpython-311.pyc
■ ■ ■ ■ ■ _lenmode.cpython-311.pyc
■ ■ ■ ■ ■ _minorticklen.cpython-311.pyc
■ ■ ■ ■ ■ _name.cpython-311.pyc
■ ■ ■ ■ ■ _pad.cpython-311.pyc
■ ■ ■ ■ ■ _stepdefaults.cpython-311.pyc
■ ■ ■ ■ ■ _steps.cpython-311.pyc
■ ■ ■ ■ ■ _templateitemname.cpython-311.pyc
■ ■ ■ ■ ■ _tickcolor.cpython-311.pyc
■ ■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ ■ ■ _transition.cpython-311.pyc
■ ■ ■ ■ ■ _visible.cpython-311.pyc
■ ■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ ■ _active.py
■ ■ ■ ■ _activebgcolor.py
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _currentvalue.py
■ ■ ■ ■ _font.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minorticklen.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _pad.py
■ ■ ■ ■ _stepdefaults.py
■ ■ ■ ■ _steps.py
■ ■ ■ ■ _templateitemname.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickwidth.py
■ ■ ■ ■ _transition.py
■ ■ ■ ■ _visible.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xanchor.py
■ ■ ■ ■ _y.py
■ ■ ■ ■ _yanchor.py
■ ■ ■ currentvalue

```

[illegible]


```

    ■■■ _visible.cpython-311.pyc
    ■■■ _args.py
    ■■■ _execute.py
    ■■■ _label.py
    ■■■ _method.py
    ■■■ _name.py
    ■■■ _templateitemname.py
    ■■■ _value.py
    ■■■ _visible.py
    ■■■ transition
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _duration.cpython-311.pyc
    ■■■ _easing.cpython-311.pyc
    ■■■ _duration.py
    ■■■ _easing.py
    ■■■ template
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _data.cpython-311.pyc
    ■■■ _layout.cpython-311.pyc
    ■■■ _data.py
    ■■■ _layout.py
    ■■■ data
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _area.cpython-311.pyc
    ■■■ _bar.cpython-311.pyc
    ■■■ _barpolar.cpython-311.pyc
    ■■■ _box.cpython-311.pyc
    ■■■ _candlestick.cpython-311.pyc
    ■■■ _carpet.cpython-311.pyc
    ■■■ _choropleth.cpython-311.pyc
    ■■■ _choroplethmapbox.cpython-311.pyc
    ■■■ _cone.cpython-311.pyc
    ■■■ _contour.cpython-311.pyc
    ■■■ _contourcarpet.cpython-311.pyc
    ■■■ _densitymapbox.cpython-311.pyc
    ■■■ _funnel.cpython-311.pyc
    ■■■ _funnelarea.cpython-311.pyc
    ■■■ _heatmap.cpython-311.pyc
    ■■■ _heatmapgl.cpython-311.pyc
    ■■■ _histogram.cpython-311.pyc
    ■■■ _histogram2d.cpython-311.pyc
    ■■■ _histogram2dcontour.cpython-311.pyc
    ■■■ _icicle.cpython-311.pyc
    ■■■ _image.cpython-311.pyc
    ■■■ _indicator.cpython-311.pyc
    ■■■ _isosurface.cpython-311.pyc
    ■■■ _mesh3d.cpython-311.pyc
    ■■■ _ohlcv.cpython-311.pyc
    ■■■ _parcats.cpython-311.pyc
    ■■■ _parcoords.cpython-311.pyc
    ■■■ _pie.cpython-311.pyc
    ■■■ _pointcloud.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_sankey.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatter.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatter3d.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattercarpet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattergeo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattergl.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattermapbox.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolargl.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatterternary.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_splom.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_streamtube.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_sunburst.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_surface.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_table.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_treemap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_violin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_volume.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_waterfall.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_area.py
■	■	■	■	■	■	■	■	■	■	■■■	_bar.py
■	■	■	■	■	■	■	■	■	■	■■■	_barpolar.py
■	■	■	■	■	■	■	■	■	■	■■■	_box.py
■	■	■	■	■	■	■	■	■	■	■■■	_candlestick.py
■	■	■	■	■	■	■	■	■	■	■■■	_carpet.py
■	■	■	■	■	■	■	■	■	■	■■■	_choropleth.py
■	■	■	■	■	■	■	■	■	■	■■■	_choroplethmapbox.py
■	■	■	■	■	■	■	■	■	■	■■■	_cone.py
■	■	■	■	■	■	■	■	■	■	■■■	_contour.py
■	■	■	■	■	■	■	■	■	■	■■■	_contourcarpet.py
■	■	■	■	■	■	■	■	■	■	■■■	_densitymapbox.py
■	■	■	■	■	■	■	■	■	■	■■■	_funnel.py
■	■	■	■	■	■	■	■	■	■	■■■	_funnelarea.py
■	■	■	■	■	■	■	■	■	■	■■■	_heatmap.py
■	■	■	■	■	■	■	■	■	■	■■■	_heatmapgl.py
■	■	■	■	■	■	■	■	■	■	■■■	_histogram.py
■	■	■	■	■	■	■	■	■	■	■■■	_histogram2d.py
■	■	■	■	■	■	■	■	■	■	■■■	_histogram2dcontour.py
■	■	■	■	■	■	■	■	■	■	■■■	_icicle.py
■	■	■	■	■	■	■	■	■	■	■■■	_image.py
■	■	■	■	■	■	■	■	■	■	■■■	_indicator.py
■	■	■	■	■	■	■	■	■	■	■■■	_isosurface.py
■	■	■	■	■	■	■	■	■	■	■■■	_mesh3d.py
■	■	■	■	■	■	■	■	■	■	■■■	_ohlc.py
■	■	■	■	■	■	■	■	■	■	■■■	_parcats.py
■	■	■	■	■	■	■	■	■	■	■■■	_parcoords.py
■	■	■	■	■	■	■	■	■	■	■■■	_pie.py
■	■	■	■	■	■	■	■	■	■	■■■	_pointcloud.py
■	■	■	■	■	■	■	■	■	■	■■■	_sankey.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatter.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatter3d.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattercarpet.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattergeo.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattergl.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattermapbox.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolar.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolargl.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatterternary.py

```

_ splom.py
_ streamtube.py
_ sunburst.py
_ surface.py
_ table.py
_ treemap.py
_ violin.py
_ volume.py
_ waterfall.py
ternary
__init__.py
__pycache__
__init__.cpython-311.pyc
_aaxis.cpython-311.pyc
_baxis.cpython-311.pyc
_bgcolor.cpython-311.pyc
_caxis.cpython-311.pyc
_domain.cpython-311.pyc
_sum.cpython-311.pyc
_uirevision.cpython-311.pyc
_aaxis.py
_baxis.py
_bgcolor.py
_caxis.py
_domain.py
_sum.py
_uirevision.py
aaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_dtick.cpython-311.pyc
_exponentformat.cpython-311.pyc
_gridcolor.cpython-311.pyc
_gridwidth.cpython-311.pyc
_hoverformat.cpython-311.pyc
_layer.cpython-311.pyc
_linecolor.cpython-311.pyc
_linewidth.cpython-311.pyc
_min.cpython-311.pyc
_minexponent.cpython-311.pyc
_nticks.cpython-311.pyc
_separatethousands.cpython-311.pyc
_showexponent.cpython-311.pyc
_showgrid.cpython-311.pyc
_showline.cpython-311.pyc
_showticklabels.cpython-311.pyc
_showtickprefix.cpython-311.pyc
_showticksuffix.cpython-311.pyc
_tick0.cpython-311.pyc
_tickangle.cpython-311.pyc
_tickcolor.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformat.cpython-311.pyc
_tickformatstopdefaults.cpython-311.pyc
_tickformatstops.cpython-311.pyc
_ticklen.cpython-311.pyc

```

[illegible]

```

    size.py
    tickformatstop
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    baxis
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dtick.cpython-311.pyc
    _exponentformat.cpython-311.pyc
    _gridcolor.cpython-311.pyc
    _gridwidth.cpython-311.pyc
    _hoverformat.cpython-311.pyc
    _layer.cpython-311.pyc
    _linecolor.cpython-311.pyc
    _linewidth.cpython-311.pyc
    _min.cpython-311.pyc
    _minexponent.cpython-311.pyc
    _nticks.cpython-311.pyc
    _separatethousands.cpython-311.pyc
    _showexponent.cpython-311.pyc
    _showgrid.cpython-311.pyc
    _showline.cpython-311.pyc
    _showticklabels.cpython-311.pyc
    _showtickprefix.cpython-311.pyc
    _showticksuffix.cpython-311.pyc
    _tick0.cpython-311.pyc
    tickangle.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_layer.py
■	■	■	■	■	■	■	■	■	■	■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_min.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_title.py
■	■	■	■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■	■	■	■■■	tickfont
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__

[illegible]


```

tickwidth.py
    _title.py
    _uirevision.py
    tickfont
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
    tickformatstop
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _dtickrange.cpython-311.pyc
            _enabled.cpython-311.pyc
            _name.cpython-311.pyc
            _templateitemname.cpython-311.pyc
            _value.cpython-311.pyc
        _dtickrange.py
        _enabled.py
        _name.py
        _templateitemname.py
        _value.py
    title
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
            _text.cpython-311.pyc
        _font.py
        _text.py
        font
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _color.cpython-311.pyc
                _family.cpython-311.pyc
                _size.cpython-311.pyc
            _color.py
            _family.py
            _size.py
    domain
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _column.cpython-311.pyc
            _row.cpython-311.pyc
            _x.cpython-311.pyc
            _y.cpython-311.pyc
        _column.py
        _row.py
        _x.py
        _y.py
    title

```

```

██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _font.cpython-311.pyc
██████████ _pad.cpython-311.pyc
██████████ _text.cpython-311.pyc
██████████ _x.cpython-311.pyc
██████████ _xanchor.cpython-311.pyc
██████████ _xref.cpython-311.pyc
██████████ _y.cpython-311.pyc
██████████ _yanchor.cpython-311.pyc
██████████ _yref.cpython-311.pyc
██████████ _font.py
██████████ _pad.py
██████████ _text.py
██████████ _x.py
██████████ _xanchor.py
██████████ _xref.py
██████████ _y.py
██████████ _yanchor.py
██████████ _yref.py
██████████ font
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _color.cpython-311.pyc
██████████ _family.cpython-311.pyc
██████████ _size.cpython-311.pyc
██████████ _color.py
██████████ _family.py
██████████ _size.py
██████████ pad
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _b.cpython-311.pyc
██████████ _l.cpython-311.pyc
██████████ _r.cpython-311.pyc
██████████ _t.cpython-311.pyc
██████████ _b.py
██████████ _l.py
██████████ _r.py
██████████ _t.py
██████████ transition
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _duration.cpython-311.pyc
██████████ _easing.cpython-311.pyc
██████████ _ordering.cpython-311.pyc
██████████ _duration.py
██████████ _easing.py
██████████ _ordering.py
██████████ uniformtext
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _minsize.cpython-311.pyc

```

```

    _mode.cpython-311.pyc
    _minsize.py
    _mode.py
    updatemenu
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _active.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _borderwidth.cpython-311.pyc
    _buttondefaults.cpython-311.pyc
    _buttons.cpython-311.pyc
    _direction.cpython-311.pyc
    _font.cpython-311.pyc
    _name.cpython-311.pyc
    _pad.cpython-311.pyc
    _showactive.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _type.cpython-311.pyc
    _visible.cpython-311.pyc
    _x.cpython-311.pyc
    _xanchor.cpython-311.pyc
    _y.cpython-311.pyc
    _yanchor.cpython-311.pyc
    _active.py
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _buttondefaults.py
    _buttons.py
    _direction.py
    _font.py
    _name.py
    _pad.py
    _showactive.py
    _templateitemname.py
    _type.py
    _visible.py
    _x.py
    _xanchor.py
    _y.py
    _yanchor.py
    button
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _args.cpython-311.pyc
    _args2.cpython-311.pyc
    _execute.cpython-311.pyc
    _label.cpython-311.pyc
    _method.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _visible.cpython-311.pyc
    _args.py
    _args2.py
    _execute.py

```

```

_ label.py
_ method.py
_ name.py
_ templateitemname.py
_ visible.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
pad
__init__.py
__pycache__
__init__.cpython-311.pyc
_b.cpython-311.pyc
_l.cpython-311.pyc
_r.cpython-311.pyc
_t.cpython-311.pyc
_b.py
_l.py
_r.py
_t.py
xaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_anchor.cpython-311.pyc
_automargin.cpython-311.pyc
_aurorange.cpython-311.pyc
_autotypenumbers.cpython-311.pyc
_calendar.cpython-311.pyc
_categoryarray.cpython-311.pyc
_categoryarraysrc.cpython-311.pyc
_categoryorder.cpython-311.pyc
_color.cpython-311.pyc
_constrain.cpython-311.pyc
_constraintoward.cpython-311.pyc
_dividercolor.cpython-311.pyc
_dividerwidth.cpython-311.pyc
_domain.cpython-311.pyc
_dtick.cpython-311.pyc
_exponentformat.cpython-311.pyc
_fixedrange.cpython-311.pyc
_gridcolor.cpython-311.pyc
_gridwidth.cpython-311.pyc
_hoverformat.cpython-311.pyc
_layer.cpython-311.pyc
_linecolor.cpython-311.pyc
_linewidth.cpython-311.pyc
_matches.cpython-311.pyc
_minexponent.cpython-311.pyc
_mirror.cpython-311.pyc
_nticks.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	_overlaying.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_position.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangebreakdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangebreaks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangeselector.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangeslider.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scaleanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scaleratio.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showdividers.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showspikes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_side.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikedash.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikesnap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikethickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickson.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zeroline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_anchor.py
■	■	■	■	■	■	■	■	■	■■■■	_automargin.py
■	■	■	■	■	■	■	■	■	■■■■	_autorange.py
■	■	■	■	■	■	■	■	■	■■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■■■■	_calendar.py


```

_ tickmode.py
_tickprefix.py
_ticks.py
_tickson.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_uirevision.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
rangebreak
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _bounds.cpython-311.pyc
        _dvalue.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _pattern.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _values.cpython-311.pyc
    _bounds.py
    _dvalue.py
    _enabled.py
    _name.py
    _pattern.py
    _templateitemname.py
    _values.py
rangeselector
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _activecolor.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _borderwidth.cpython-311.pyc
        _buttondefaults.cpython-311.pyc
        _buttons.cpython-311.pyc
        _font.cpython-311.pyc
        _visible.cpython-311.pyc
        _x.cpython-311.pyc
        _xanchor.cpython-311.pyc
        _y.cpython-311.pyc
        _yanchor.cpython-311.pyc
    _activecolor.py
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _buttondefaults.py
    _buttons.py
    _font.py

```

```

_ _ _ _ _ visible.py
_ _ _ _ _ _x.py
_ _ _ _ _ _xanchor.py
_ _ _ _ _ _y.py
_ _ _ _ _ _yanchor.py
_ _ _ _ _ button
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _count.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _label.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _step.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _stepmode.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _ _count.py
_ _ _ _ _ _label.py
_ _ _ _ _ _name.py
_ _ _ _ _ _step.py
_ _ _ _ _ _stepmode.py
_ _ _ _ _ _templateitemname.py
_ _ _ _ _ _visible.py
_ _ _ _ _ font
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ rangeslider
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _autorange.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _borderwidth.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _range.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _yaxis.cpython-311.pyc
_ _ _ _ _ _autorange.py
_ _ _ _ _ _bgcolor.py
_ _ _ _ _ _bordercolor.py
_ _ _ _ _ _borderwidth.py
_ _ _ _ _ _range.py
_ _ _ _ _ _thickness.py
_ _ _ _ _ _visible.py
_ _ _ _ _ _yaxis.py
_ _ _ _ _ yaxis
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _range.cpython-311.pyc

```


[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_categoryorder.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_constrain.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_constraintoward.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dividercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dividerwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_fixedrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_gridcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_gridwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_layer.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_matches.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_mirror.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_overlaying.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_position.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangebreakdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangebreaks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scaleanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scaleratio.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showdividers.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showspikes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_side.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikedash.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikesnap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikethickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickson.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zeroline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_anchor.py
■	■	■	■	■	■	■	■	■■■■		_automargin.py
■	■	■	■	■	■	■	■	■■■■		_autorange.py
■	■	■	■	■	■	■	■	■■■■		_autotypenumbers.py
■	■	■	■	■	■	■	■	■■■■		_calendar.py
■	■	■	■	■	■	■	■	■■■■		_categoryarray.py
■	■	■	■	■	■	■	■	■■■■		_categoryarraysrc.py
■	■	■	■	■	■	■	■	■■■■		_categoryorder.py
■	■	■	■	■	■	■	■	■■■■		_color.py
■	■	■	■	■	■	■	■	■■■■		_constrain.py
■	■	■	■	■	■	■	■	■■■■		_constraintoward.py
■	■	■	■	■	■	■	■	■■■■		_dividercolor.py
■	■	■	■	■	■	■	■	■■■■		_dividerwidth.py
■	■	■	■	■	■	■	■	■■■■		_domain.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_fixedrange.py
■	■	■	■	■	■	■	■	■■■■		_gridcolor.py
■	■	■	■	■	■	■	■	■■■■		_gridwidth.py
■	■	■	■	■	■	■	■	■■■■		_hoverformat.py
■	■	■	■	■	■	■	■	■■■■		_layer.py
■	■	■	■	■	■	■	■	■■■■		_linecolor.py
■	■	■	■	■	■	■	■	■■■■		_linewidth.py
■	■	■	■	■	■	■	■	■■■■		_matches.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_mirror.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_overlying.py
■	■	■	■	■	■	■	■	■■■■		_position.py
■	■	■	■	■	■	■	■	■■■■		_range.py
■	■	■	■	■	■	■	■	■■■■		_rangebreakdefaults.py
■	■	■	■	■	■	■	■	■■■■		_rangebreaks.py
■	■	■	■	■	■	■	■	■■■■		_rangemode.py
■	■	■	■	■	■	■	■	■■■■		_scaleanchor.py
■	■	■	■	■	■	■	■	■■■■		_scaleratio.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showdividers.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showgrid.py
■	■	■	■	■	■	■	■	■■■■		_showline.py
■	■	■	■	■	■	■	■	■■■■		_showspikes.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_side.py

■	■	■	■	■	■	■	■	■■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■■■■	_spikedash.py
■	■	■	■	■	■	■	■	■■■■	_spikemode.py
■	■	■	■	■	■	■	■	■■■■	_spikesnap.py
■	■	■	■	■	■	■	■	■■■■	_spikethickness.py
■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■	_ticklabelmode.py
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■■■■	_tickson.py
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■■■■	_type.py
■	■	■	■	■	■	■	■	■■■■	_uirevision.py
■	■	■	■	■	■	■	■	■■■■	_visible.py
■	■	■	■	■	■	■	■	■■■■	_zeroline.py
■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.py
■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.py
■	■	■	■	■	■	■	■	■■■■	rangebreak
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dvalue.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_pattern.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bounds.py
■	■	■	■	■	■	■	■	■■■■	_dvalue.py
■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■■■■	_pattern.py
■	■	■	■	■	■	■	■	■■■■	_templateitemname.py
■	■	■	■	■	■	■	■	■■■■	_values.py
■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc

```

████ _color.py
████ _family.py
████ _size.py
████ tickformatstop
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _dtickrange.cpython-311.pyc
████   █████ _enabled.cpython-311.pyc
████   █████ _name.cpython-311.pyc
████   █████ _templateitemname.cpython-311.pyc
████   █████ _value.cpython-311.pyc
████ _dtickrange.py
████ _enabled.py
████ _name.py
████ _templateitemname.py
████ _value.py
████ title
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _font.cpython-311.pyc
████   █████ _standoff.cpython-311.pyc
████   █████ _text.cpython-311.pyc
████ _font.py
████ _standoff.py
████ _text.py
████ font
████   █████ __init__.py
████   █████ __pycache__
████   █████   █████ __init__.cpython-311.pyc
████   █████   █████ _color.cpython-311.pyc
████   █████   █████ _family.cpython-311.pyc
████   █████   █████ _size.cpython-311.pyc
████   █████ _color.py
████   █████ _family.py
████   █████ _size.py
████ mesh3d
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _alphahull.cpython-311.pyc
████   █████ _autocolorscale.cpython-311.pyc
████   █████ _cauto.cpython-311.pyc
████   █████ _cmax.cpython-311.pyc
████   █████ _cmid.cpython-311.pyc
████   █████ _cmin.cpython-311.pyc
████   █████ _color.cpython-311.pyc
████   █████ _coloraxis.cpython-311.pyc
████   █████ _colorbar.cpython-311.pyc
████   █████ _colormap.cpython-311.pyc
████   █████ _contour.cpython-311.pyc
████   █████ _customdata.cpython-311.pyc
████   █████ _customdatasrc.cpython-311.pyc
████   █████ _deelaunayaxis.cpython-311.pyc
████   █████ _facecolor.cpython-311.pyc
████   █████ _facecolorsrc.cpython-311.pyc
████   █████ _flatshading.cpython-311.pyc

```

[illegible]

							_coloraxis.py
							_colorbar.py
							_colorscale.py
							_contour.py
							_customdata.py
							_customdatasrc.py
							_deelaunayaxis.py
							_facecolor.py
							_facecolorsrc.py
							_flatshading.py
							_hoverinfo.py
							_hoverinfosrc.py
							_hoverlabel.py
							_hovertemplate.py
							_hovertemplatesrc.py
							_hovertext.py
							_hovertextsrc.py
							_i.py
							_ids.py
							_idssrc.py
							_intensity.py
							_intensitymode.py
							_intensitiesrc.py
							_isrc.py
							_j.py
							_jsrc.py
							_k.py
							_ksrc.py
							_legendgroup.py
							_legendgrouptitle.py
							_legendrank.py
							_lighting.py
							_lightposition.py
							_meta.py
							_metasrc.py
							_name.py
							_opacity.py
							_reversescale.py
							_scene.py
							_showlegend.py
							_showscales.py
							_stream.py
							_text.py
							_textsra.py
							_uid.py
							_uirevision.py
							_vertexcolor.py
							_vertexcolorsrc.py
							_visible.py
							_x.py
							_xcalendar.py
							_xhoverformat.py
							_xsra.py
							_y.py
							_ycalendar.py
							_yhoveformat.py
							_ysra.py
							_z.py

```

████ _zcalendar.py
████ _zhoverformat.py
████ _zsrc.py
████ colorbar
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _bgcolor.cpython-311.pyc
████ _bordercolor.cpython-311.pyc
████ _borderwidth.cpython-311.pyc
████ _dtick.cpython-311.pyc
████ _exponentformat.cpython-311.pyc
████ _len.cpython-311.pyc
████ _lenmode.cpython-311.pyc
████ _minexponent.cpython-311.pyc
████ _nticks.cpython-311.pyc
████ _outlinecolor.cpython-311.pyc
████ _outlinewidth.cpython-311.pyc
████ _separatethousands.cpython-311.pyc
████ _showexponent.cpython-311.pyc
████ _showticklabels.cpython-311.pyc
████ _showtickprefix.cpython-311.pyc
████ _showticksuffix.cpython-311.pyc
████ _thickness.cpython-311.pyc
████ _thicknessmode.cpython-311.pyc
████ _tick0.cpython-311.pyc
████ _tickangle.cpython-311.pyc
████ _tickcolor.cpython-311.pyc
████ _tickfont.cpython-311.pyc
████ _tickformat.cpython-311.pyc
████ _tickformatstopdefaults.cpython-311.pyc
████ _tickformatstops.cpython-311.pyc
████ _ticklabeloverflow.cpython-311.pyc
████ _ticklabelposition.cpython-311.pyc
████ _ticklen.cpython-311.pyc
████ _tickmode.cpython-311.pyc
████ _tickprefix.cpython-311.pyc
████ _ticks.cpython-311.pyc
████ _ticksuffix.cpython-311.pyc
████ _ticktext.cpython-311.pyc
████ _ticktextsrc.cpython-311.pyc
████ _tickvals.cpython-311.pyc
████ _tickvalssrc.cpython-311.pyc
████ _tickwidth.cpython-311.pyc
████ _title.cpython-311.pyc
████ _x.cpython-311.pyc
████ _xanchor.cpython-311.pyc
████ _xpad.cpython-311.pyc
████ _y.cpython-311.pyc
████ _yanchor.cpython-311.pyc
████ _ypad.cpython-311.pyc
████ _bgcolor.py
████ _bordercolor.py
████ _borderwidth.py
████ _dtick.py
████ _exponentformat.py
████ _len.py
████ _lenmode.py

```


■	■	■	■	■	■	■	■	■■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_ticks.py	
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■	■■■■	_x.py	
■	■	■	■	■	■	■	■	■■■■	_xanchor.py	
■	■	■	■	■	■	■	■	■■■■	_xpad.py	
■	■	■	■	■	■	■	■	■■■■	_y.py	
■	■	■	■	■	■	■	■	■■■■	_yanchor.py	
■	■	■	■	■	■	■	■	■■■■	_ypad.py	
■	■	■	■	■	■	■	■	■■■■	tickfont	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_family.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	tickformatstop	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtickrange.py	
■	■	■	■	■	■	■	■	■■■■	_enabled.py	

```

_ name.py
_ templateitemname.py
_ value.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
contour
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_show.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_show.py
_width.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelength.cpython-311.pyc
_namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
__init__.py
__pycache__

```

```

    ■■■ _init_.cpython-311.pyc
    ■■■ _color.cpython-311.pyc
    ■■■ _colorsrc.cpython-311.pyc
    ■■■ _family.cpython-311.pyc
    ■■■ _familysrc.cpython-311.pyc
    ■■■ _size.cpython-311.pyc
    ■■■ _sizesrc.cpython-311.pyc
    ■■■ _color.py
    ■■■ _colorsrc.py
    ■■■ _family.py
    ■■■ _familysrc.py
    ■■■ _size.py
    ■■■ _sizesrc.py
    ■■■ legendgrouptitle
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _font.cpython-311.pyc
    ■■■ _text.cpython-311.pyc
    ■■■ _font.py
    ■■■ _text.py
    ■■■ font
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _color.cpython-311.pyc
    ■■■ _family.cpython-311.pyc
    ■■■ _size.cpython-311.pyc
    ■■■ _color.py
    ■■■ _family.py
    ■■■ _size.py
    ■■■ lighting
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _ambient.cpython-311.pyc
    ■■■ _diffuse.cpython-311.pyc
    ■■■ _facenormalsepsilon.cpython-311.pyc
    ■■■ _fresnel.cpython-311.pyc
    ■■■ _roughness.cpython-311.pyc
    ■■■ _specular.cpython-311.pyc
    ■■■ _vertexnormalsepsilon.cpython-311.pyc
    ■■■ _ambient.py
    ■■■ _diffuse.py
    ■■■ _facenormalsepsilon.py
    ■■■ _fresnel.py
    ■■■ _roughness.py
    ■■■ _specular.py
    ■■■ _vertexnormalsepsilon.py
    ■■■ lightposition
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _x.cpython-311.pyc
    ■■■ _y.cpython-311.pyc
    ■■■ _z.cpython-311.pyc
    ■■■ _x.py
    ■■■ _y.py

```

```

████ _z.py
████ stream
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _maxpoints.cpython-311.pyc
████   █████ _token.cpython-311.pyc
████   █████ _maxpoints.py
████   █████ _token.py
████ ohlc
████   █████ __init__.py
████   █████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _close.cpython-311.pyc
████   █████ _closesrc.cpython-311.pyc
████   █████ _customdata.cpython-311.pyc
████   █████ _customdatasrc.cpython-311.pyc
████   █████ _decreasing.cpython-311.pyc
████   █████ _high.cpython-311.pyc
████   █████ _highsrc.cpython-311.pyc
████   █████ _hoverinfo.cpython-311.pyc
████   █████ _hoverinfosrc.cpython-311.pyc
████   █████ _hoverlabel.cpython-311.pyc
████   █████ _hovertext.cpython-311.pyc
████   █████ _hovertextsrc.cpython-311.pyc
████   █████ _ids.cpython-311.pyc
████   █████ _idssrc.cpython-311.pyc
████   █████ _increasing.cpython-311.pyc
████   █████ _legendgroup.cpython-311.pyc
████   █████ _legendgrouptitle.cpython-311.pyc
████   █████ _legendrank.cpython-311.pyc
████   █████ _line.cpython-311.pyc
████   █████ _low.cpython-311.pyc
████   █████ _lowsrc.cpython-311.pyc
████   █████ _meta.cpython-311.pyc
████   █████ _metasrc.cpython-311.pyc
████   █████ _name.cpython-311.pyc
████   █████ _opacity.cpython-311.pyc
████   █████ _open.cpython-311.pyc
████   █████ _opensrc.cpython-311.pyc
████   █████ _selectedpoints.cpython-311.pyc
████   █████ _showlegend.cpython-311.pyc
████   █████ _stream.cpython-311.pyc
████   █████ _text.cpython-311.pyc
████   █████ _textsrc.cpython-311.pyc
████   █████ _tickwidth.cpython-311.pyc
████   █████ _uid.cpython-311.pyc
████   █████ _uirevision.cpython-311.pyc
████   █████ _visible.cpython-311.pyc
████   █████ _x.cpython-311.pyc
████   █████ _xaxis.cpython-311.pyc
████   █████ _xcalendar.cpython-311.pyc
████   █████ _xhoverformat.cpython-311.pyc
████   █████ _xperiod.cpython-311.pyc
████   █████ _xperiod0.cpython-311.pyc
████   █████ _xperiodalignment.cpython-311.pyc
████   █████ _xsrc.cpython-311.pyc
████   █████ _yaxis.cpython-311.pyc

```

```

■ ■ ■ ■ _hoverformat.cpython-311.pyc
■ ■ ■ ■ _close.py
■ ■ ■ ■ _closesrc.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _decreasing.py
■ ■ ■ ■ _high.py
■ ■ ■ ■ _highsrc.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverinfosrc.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertext.py
■ ■ ■ ■ _hovertextsrc.py
■ ■ ■ ■ _ids.py
■ ■ ■ ■ _idssrc.py
■ ■ ■ ■ _increasing.py
■ ■ ■ ■ _legendgroup.py
■ ■ ■ ■ _legendgrouptitle.py
■ ■ ■ ■ _legendrank.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _low.py
■ ■ ■ ■ _lowsrc.py
■ ■ ■ ■ _meta.py
■ ■ ■ ■ _metasrc.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _opacity.py
■ ■ ■ ■ _open.py
■ ■ ■ ■ _opensrc.py
■ ■ ■ ■ _selectedpoints.py
■ ■ ■ ■ _showlegend.py
■ ■ ■ ■ _stream.py
■ ■ ■ ■ _text.py
■ ■ ■ ■ _textsrc.py
■ ■ ■ ■ _tickwidth.py
■ ■ ■ ■ _uid.py
■ ■ ■ ■ _uirevision.py
■ ■ ■ ■ _visible.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xaxis.py
■ ■ ■ ■ _xcalendar.py
■ ■ ■ ■ _xhoverformat.py
■ ■ ■ ■ _xperiod.py
■ ■ ■ ■ _xperiod0.py
■ ■ ■ ■ _xperiodalignment.py
■ ■ ■ ■ _xsrc.py
■ ■ ■ ■ _yaxis.py
■ ■ ■ ■ _yhoverformat.py
■ ■ ■ ■ decreasing
■ ■ ■ ■ _init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ _line.py
■ ■ ■ ■ line
■ ■ ■ ■ _init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ _color.cpython-311.pyc

```

```

■ ■ ■ _dash.cpython-311.pyc
■ ■ ■ _width.cpython-311.pyc
■ ■ ■ _color.py
■ ■ ■ _dash.py
■ ■ ■ _width.py
■ ■ ■ hoverlabel
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _align.cpython-311.pyc
■ ■ ■ _alignsrc.cpython-311.pyc
■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ _bgcolorsrc.cpython-311.pyc
■ ■ ■ _bordercolor.cpython-311.pyc
■ ■ ■ _bordercolorsrc.cpython-311.pyc
■ ■ ■ _font.cpython-311.pyc
■ ■ ■ _namelength.cpython-311.pyc
■ ■ ■ _namelengthsrc.cpython-311.pyc
■ ■ ■ _split.cpython-311.pyc
■ ■ ■ _align.py
■ ■ ■ _alignsrc.py
■ ■ ■ _bgcolor.py
■ ■ ■ _bgcolorsrc.py
■ ■ ■ _bordercolor.py
■ ■ ■ _bordercolorsrc.py
■ ■ ■ _font.py
■ ■ ■ _namelength.py
■ ■ ■ _namelengthsrc.py
■ ■ ■ _split.py
■ ■ ■ font
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _color.cpython-311.pyc
■ ■ ■ _colorsrc.cpython-311.pyc
■ ■ ■ _family.cpython-311.pyc
■ ■ ■ _familysrc.cpython-311.pyc
■ ■ ■ _size.cpython-311.pyc
■ ■ ■ _sizesrc.cpython-311.pyc
■ ■ ■ _color.py
■ ■ ■ _colorsrc.py
■ ■ ■ _family.py
■ ■ ■ _familysrc.py
■ ■ ■ _size.py
■ ■ ■ _sizesrc.py
■ ■ ■ increasing
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _line.cpython-311.pyc
■ ■ ■ _line.py
■ ■ ■ line
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _color.cpython-311.pyc
■ ■ ■ _dash.cpython-311.pyc
■ ■ ■ _width.cpython-311.pyc

```

```

_ color.py
_ _dash.py
_ _width.py
legendgrouptitle
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _text.cpython-311.pyc
_ _font.py
_ _text.py
_ font
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ _color.py
_ _family.py
_ _size.py
line
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _dash.cpython-311.pyc
_ _width.cpython-311.pyc
_ _dash.py
_ _width.py
stream
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _maxpoints.cpython-311.pyc
_ _token.cpython-311.pyc
_ _maxpoints.py
_ _token.py
parcats
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _arrangement.cpython-311.pyc
_ _bundlecolors.cpython-311.pyc
_ _counts.cpython-311.pyc
_ _countssrc.cpython-311.pyc
_ _dimensiondefaults.cpython-311.pyc
_ _dimensions.cpython-311.pyc
_ _domain.cpython-311.pyc
_ _hoverinfo.cpython-311.pyc
_ _hoveron.cpython-311.pyc
_ _hovertemplate.cpython-311.pyc
_ _labelfont.cpython-311.pyc
_ _legendgrouptitle.cpython-311.pyc
_ _line.cpython-311.pyc
_ _meta.cpython-311.pyc
_ _metasrc.cpython-311.pyc
_ _name.cpython-311.pyc
_ _sortpaths.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_arrangement.py	
■	■	■	■	■	■	■	■■■■	_bundlecolors.py	
■	■	■	■	■	■	■	■■■■	_counts.py	
■	■	■	■	■	■	■	■■■■	_countssrc.py	
■	■	■	■	■	■	■	■■■■	_dimensiondefaults.py	
■	■	■	■	■	■	■	■■■■	_dimensions.py	
■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoveron.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_labelfont.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_sortpaths.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	dimension	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_categoryarray.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_categoryarraysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_categoryorder.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_displayindex.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_label.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_categoryarray.py	
■	■	■	■	■	■	■	■■■■	_categoryarraysrc.py	
■	■	■	■	■	■	■	■■■■	_categoryorder.py	
■	■	■	■	■	■	■	■■■■	_displayindex.py	
■	■	■	■	■	■	■	■■■■	_label.py	
■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■■■■	_values.py	
■	■	■	■	■	■	■	■■■■	_valuessrc.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	domain	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_column.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_row.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc


```

_ypython-311.pyc
_column.py
_row.py
_x.py
_y.py
labelfont
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
_color.py
_family.py
_size.py
legendgrouptitle
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
_font.py
_text.py
font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
line
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colorscale.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _shape.cpython-311.pyc
    _showscale.cpython-311.pyc
_autocolorscale.py
_cauto.py
_cmax.py
_cmid.py
_cmin.py
_color.py
_coloraxis.py

```

■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colormap.py
■	■	■	■	■	■	■	■	■■■■	_colorsrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py
■	■	■	■	■	■	■	■	■■■■	_shape.py
■	■	■	■	■	■	■	■	■■■■	_showscale.py
■	■	■	■	■	■	■	■	■■■■	colorbar
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py

■	■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc


```

_ _ _ _ _labelside.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _legendrank.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _meta.cpython-311.pyc
_ _ _ _ _metasrc.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _rangefont.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _uid.cpython-311.pyc
_ _ _ _ _uirevision.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _customdata.py
_ _ _ _ _customdatasrc.py
_ _ _ _ _dimensiondefaults.py
_ _ _ _ _dimensions.py
_ _ _ _ _domain.py
_ _ _ _ _ids.py
_ _ _ _ _idssrc.py
_ _ _ _ _labelangle.py
_ _ _ _ _labelfont.py
_ _ _ _ _labelside.py
_ _ _ _ _legendgrouptitle.py
_ _ _ _ _legendrank.py
_ _ _ _ _line.py
_ _ _ _ _meta.py
_ _ _ _ _metasrc.py
_ _ _ _ _name.py
_ _ _ _ _rangefont.py
_ _ _ _ _stream.py
_ _ _ _ _tickfont.py
_ _ _ _ _uid.py
_ _ _ _ _uirevision.py
_ _ _ _ _visible.py
_ _ _ _ dimension
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _constrainrange.cpython-311.pyc
_ _ _ _ _label.cpython-311.pyc
_ _ _ _ _multiselect.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _range.cpython-311.pyc
_ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _tickformat.cpython-311.pyc
_ _ _ _ _ticktext.cpython-311.pyc
_ _ _ _ _ticktextsrc.cpython-311.pyc
_ _ _ _ _tickvals.cpython-311.pyc
_ _ _ _ _tickvalssrc.cpython-311.pyc
_ _ _ _ _values.cpython-311.pyc
_ _ _ _ _valuessrc.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ constrainrange.py
_ _ _ _ label.py
_ _ _ _ multiselect.py
_ _ _ _ name.py
_ _ _ _ range.py

```

```

■■■■ _templateitemname.py
■■■■ _tickformat.py
■■■■ _ticktext.py
■■■■ _ticktextsrc.py
■■■■ _tickvals.py
■■■■ _tickvalssrc.py
■■■■ _values.py
■■■■ _valuessrc.py
■■■■ _visible.py
■■■■ domain
■■■■ __init__.py
■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ _column.cpython-311.pyc
■■■■   ■■■■ _row.cpython-311.pyc
■■■■   ■■■■ _x.cpython-311.pyc
■■■■   ■■■■ _y.cpython-311.pyc
■■■■ _column.py
■■■■ _row.py
■■■■ _x.py
■■■■ _y.py
■■■■ labelfont
■■■■ __init__.py
■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ _color.cpython-311.pyc
■■■■   ■■■■ _family.cpython-311.pyc
■■■■   ■■■■ _size.cpython-311.pyc
■■■■ _color.py
■■■■ _family.py
■■■■ _size.py
■■■■ legendgrouptitle
■■■■ __init__.py
■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ _font.cpython-311.pyc
■■■■   ■■■■ _text.cpython-311.pyc
■■■■ _font.py
■■■■ _text.py
■■■■ font
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■   ■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■   ■■■■ _color.cpython-311.pyc
■■■■   ■■■■   ■■■■ _family.cpython-311.pyc
■■■■   ■■■■   ■■■■ _size.cpython-311.pyc
■■■■   ■■■■ _color.py
■■■■   ■■■■ _family.py
■■■■   ■■■■ _size.py
■■■■ line
■■■■ __init__.py
■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ _autocolorscale.cpython-311.pyc
■■■■   ■■■■ _cauto.cpython-311.pyc
■■■■   ■■■■ _cmax.cpython-311.pyc
■■■■   ■■■■ _cmid.cpython-311.pyc
■■■■   ■■■■ _cmin.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colormaps.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_autocolormapscale.py
■	■	■	■	■	■	■	■	■■■		_cmap.py
■	■	■	■	■	■	■	■	■■■		_cmid.py
■	■	■	■	■	■	■	■	■■■		_cmin.py
■	■	■	■	■	■	■	■	■■■		_color.py
■	■	■	■	■	■	■	■	■■■		_coloraxis.py
■	■	■	■	■	■	■	■	■■■		_colorbar.py
■	■	■	■	■	■	■	■	■■■		_colormapscale.py
■	■	■	■	■	■	■	■	■■■		_colormaps.py
■	■	■	■	■	■	■	■	■■■		_reversescale.py
■	■	■	■	■	■	■	■	■■■		_showscale.py
■	■	■	■	■	■	■	■	■■■		colorbar
■	■	■	■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.py	
■	■	■	■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickfont	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc

[illegible]

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_indices.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_indicessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xbounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xboundssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ybounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yboundssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_ids.py
■	■	■	■	■	■	■	■	■■■■	_idsrc.py
■	■	■	■	■	■	■	■	■■■■	_indices.py
■	■	■	■	■	■	■	■	■■■■	_indicessrc.py
■	■	■	■	■	■	■	■	■■■■	_legendgroup.py
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■	■■■■	_legendrank.py
■	■	■	■	■	■	■	■	■■■■	_marker.py
■	■	■	■	■	■	■	■	■■■■	_meta.py
■	■	■	■	■	■	■	■	■■■■	_metasrc.py
■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■■■■	_opacity.py
■	■	■	■	■	■	■	■	■■■■	_showlegend.py
■	■	■	■	■	■	■	■	■■■■	_stream.py
■	■	■	■	■	■	■	■	■■■■	_text.py
■	■	■	■	■	■	■	■	■■■■	_textsrc.py

■	■	■	■	■	■	■	■■■	_uid.py
■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	_x.py
■	■	■	■	■	■	■	■■■	_xaxis.py
■	■	■	■	■	■	■	■■■	_xbounds.py
■	■	■	■	■	■	■	■■■	_xboundssrc.py
■	■	■	■	■	■	■	■■■	_xsrc.py
■	■	■	■	■	■	■	■■■	_xy.py
■	■	■	■	■	■	■	■■■	_xysrc.py
■	■	■	■	■	■	■	■■■	_y.py
■	■	■	■	■	■	■	■■■	_yaxis.py
■	■	■	■	■	■	■	■■■	_ybounds.py
■	■	■	■	■	■	■	■■■	_yboundssrc.py
■	■	■	■	■	■	■	■■■	_ysrc.py
■	■	■	■	■	■	■	■■■	hoverlabel
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py
■	■	■	■	■	■	■	■■■	_alignsrc.py
■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py
■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py
■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	_namelength.py
■	■	■	■	■	■	■	■■■	_namelengthsrc.py
■	■	■	■	■	■	■	■■■	font
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	_familysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■■■	_colorsrc.py
■	■	■	■	■	■	■	■■■	_family.py
■	■	■	■	■	■	■	■■■	_familysrc.py
■	■	■	■	■	■	■	■■■	_size.py
■	■	■	■	■	■	■	■■■	_sizesrc.py
■	■	■	■	■	■	■	■■■	legendgrouptitle
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_font.cpython-311.pyc


```

    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    marker
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _blend.cpython-311.pyc
    _border.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _sizemax.cpython-311.pyc
    _sizemin.cpython-311.pyc
    _blend.py
    _border.py
    _color.py
    _opacity.py
    _sizemax.py
    _sizemin.py
    border
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _arearatio.cpython-311.pyc
    _color.cpython-311.pyc
    _arearatio.py
    _color.py
    stream
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    sankey
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _arrangement.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _domain.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _ids.cpython-311.pyc
    _idssrc.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_link.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_node.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valueformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuesuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_arrangement.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_link.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_node.py	
■	■	■	■	■	■	■	■■■■	_orientation.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_valueformat.py	
■	■	■	■	■	■	■	■■■■	_valuesuffix.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	domain	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_column.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_row.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_column.py	
■	■	■	■	■	■	■	■■■■	_row.py	
■	■	■	■	■	■	■	■■■■	_x.py	
■	■	■	■	■	■	■	■■■■	_y.py	
■	■	■	■	■	■	■	■■■■	hoverlabel	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc

[illegible]

```

■ ■ ■ ■ _customdatasrc.cpython-311.pyc
■ ■ ■ ■ _hoverinfo.cpython-311.pyc
■ ■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ _hovertemplate.cpython-311.pyc
■ ■ ■ ■ _hovertemplatesrc.cpython-311.pyc
■ ■ ■ ■ _label.cpython-311.pyc
■ ■ ■ ■ _labelsrc.cpython-311.pyc
■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ _source.cpython-311.pyc
■ ■ ■ ■ _sourcesrc.cpython-311.pyc
■ ■ ■ ■ _target.cpython-311.pyc
■ ■ ■ ■ _targetsrc.cpython-311.pyc
■ ■ ■ ■ _value.cpython-311.pyc
■ ■ ■ ■ _valuesrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colormaskdefaults.py
■ ■ ■ ■ _colormasks.py
■ ■ ■ ■ _colormasksrc.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertemplate.py
■ ■ ■ ■ _hovertemplatesrc.py
■ ■ ■ ■ _label.py
■ ■ ■ ■ _labelsrc.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _source.py
■ ■ ■ ■ _sourcesrc.py
■ ■ ■ ■ _target.py
■ ■ ■ ■ _targetsrc.py
■ ■ ■ ■ _value.py
■ ■ ■ ■ _valuesrc.py
■ ■ ■ ■ colormask
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _cmask.cpython-311.pyc
■ ■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ ■ _colormask.cpython-311.pyc
■ ■ ■ ■ _label.cpython-311.pyc
■ ■ ■ ■ _name.cpython-311.pyc
■ ■ ■ ■ _templateitemname.cpython-311.pyc
■ ■ ■ ■ _cmask.py
■ ■ ■ ■ _cmin.py
■ ■ ■ ■ _colormask.py
■ ■ ■ ■ _label.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _templateitemname.py
■ ■ ■ ■ hoverlabel
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _align.cpython-311.pyc
■ ■ ■ ■ _alignsrc.cpython-311.pyc
■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ _bgcolormask.cpython-311.pyc
■ ■ ■ ■ _bordercolor.cpython-311.pyc

```

```

    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    line
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _width.cpython-311.pyc
    _widthsrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _width.py
    _widthsrc.py
    node
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _groups.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _hovertemplatesrc.cpython-311.pyc
    _label.cpython-311.pyc
    _labelsrc.cpython-311.pyc
    _line.cpython-311.pyc
    _pad.cpython-311.pyc

```

```

■ ■ ■ ■ _thickness.cpython-311.pyc
■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ _xsrc.cpython-311.pyc
■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ _ysrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colorsrc.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _groups.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertemplate.py
■ ■ ■ ■ _hovertemplatesrc.py
■ ■ ■ ■ _label.py
■ ■ ■ ■ _labelsrc.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _pad.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xsrc.py
■ ■ ■ ■ _y.py
■ ■ ■ ■ _ysrc.py
■ ■ ■ ■ hoverlabel
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _align.cpython-311.pyc
■ ■ ■ ■ _alignsrc.cpython-311.pyc
■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ _bgcolorsrc.cpython-311.pyc
■ ■ ■ ■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ _bordercolorsrc.cpython-311.pyc
■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ _namelength.cpython-311.pyc
■ ■ ■ ■ _namelengthsrc.cpython-311.pyc
■ ■ ■ ■ _align.py
■ ■ ■ ■ _alignsrc.py
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bgcolorsrc.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _bordercolorsrc.py
■ ■ ■ ■ _font.py
■ ■ ■ ■ _namelength.py
■ ■ ■ ■ _namelengthsrc.py
■ ■ ■ ■ font
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ _colorsrc.cpython-311.pyc
■ ■ ■ ■ _family.cpython-311.pyc
■ ■ ■ ■ _familysrc.cpython-311.pyc
■ ■ ■ ■ _size.cpython-311.pyc
■ ■ ■ ■ _sizesrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colorsrc.py
■ ■ ■ ■ _family.py

```

```

_       _familysrc.py
_       _size.py
_       _sizesrc.py
line
    ___ __init__.py
    ___ __pycache__
        ___ __init__.cpython-311.pyc
        ___ _color.cpython-311.pyc
        ___ _colorsrc.cpython-311.pyc
        ___ _width.cpython-311.pyc
        ___ _widthsrc.cpython-311.pyc
        ___ _color.py
        ___ _colorsrc.py
        ___ _width.py
        ___ _widthsrc.py
stream
    ___ __init__.py
    ___ __pycache__
        ___ __init__.cpython-311.pyc
        ___ _maxpoints.cpython-311.pyc
        ___ _token.cpython-311.pyc
    ___ _maxpoints.py
    ___ _token.py
textfont
    ___ __init__.py
    ___ __pycache__
        ___ __init__.cpython-311.pyc
        ___ _color.cpython-311.pyc
        ___ _family.cpython-311.pyc
        ___ _size.cpython-311.pyc
    ___ _color.py
    ___ _family.py
    ___ _size.py
scatter
    ___ __init__.py
    ___ __pycache__
        ___ __init__.cpython-311.pyc
        ___ _claponaxis.cpython-311.pyc
        ___ _connectgaps.cpython-311.pyc
        ___ _customdata.cpython-311.pyc
        ___ _customdatasrc.cpython-311.pyc
        ___ _dx.cpython-311.pyc
        ___ _dy.cpython-311.pyc
        ___ _error_x.cpython-311.pyc
        ___ _error_y.cpython-311.pyc
        ___ _fill.cpython-311.pyc
        ___ _fillcolor.cpython-311.pyc
        ___ _groupnorm.cpython-311.pyc
        ___ _hoverinfo.cpython-311.pyc
        ___ _hoverinfosrc.cpython-311.pyc
        ___ _hoverlabel.cpython-311.pyc
        ___ _hoveron.cpython-311.pyc
        ___ _hovertemplate.cpython-311.pyc
        ___ _hovertemplatesrc.cpython-311.pyc
        ___ _hovertext.cpython-311.pyc
        ___ _hovertextsrc.cpython-311.pyc
        ___ _ids.cpython-311.pyc
        ___ _idssrc.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_r.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_rsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stackgaps.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stackgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.py
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_dx.py
■	■	■	■	■	■	■	■	■■■■	_dy.py
■	■	■	■	■	■	■	■	■■■■	_error_x.py
■	■	■	■	■	■	■	■	■■■■	_error_y.py


```

_ghoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
error_x
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _array.cpython-311.pyc
        _arrayminus.cpython-311.pyc
        _arrayminussrc.cpython-311.pyc
        _arraysrc.cpython-311.pyc
        _color.cpython-311.pyc
        _copy_ystyle.cpython-311.pyc
        _symmetric.cpython-311.pyc
        _thickness.cpython-311.pyc
        _traceref.cpython-311.pyc
        _tracerefminus.cpython-311.pyc
        _type.cpython-311.pyc
        _value.cpython-311.pyc
        _valueminus.cpython-311.pyc
        _visible.cpython-311.pyc
        _width.cpython-311.pyc
    _array.py
    _arrayminus.py
    _arrayminussrc.py
    _arraysrc.py
    _color.py
    _copy_ystyle.py
    _symmetric.py
    _thickness.py
    _traceref.py
    _tracerefminus.py
    _type.py
    _value.py
    _valueminus.py
    _visible.py
    _width.py
error_y
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _array.cpython-311.pyc
        _arrayminus.cpython-311.pyc
        _arrayminussrc.cpython-311.pyc
        _arraysrc.cpython-311.pyc
        _color.cpython-311.pyc
        _symmetric.cpython-311.pyc
        _thickness.cpython-311.pyc
        _traceref.cpython-311.pyc
        _tracerefminus.cpython-311.pyc
        _type.cpython-311.pyc
        _value.cpython-311.pyc
        _valueminus.cpython-311.pyc
        _visible.cpython-311.pyc
        _width.cpython-311.pyc
    _array.py

```

```

_ arrayminus.py
_ arrayminussrc.py
_ arraysrc.py
_ color.py
_ symmetric.py
_ thickness.py
_ traceref.py
_ tracerefminus.py
_ type.py
_ value.py
_ valueminus.py
_ visible.py
_ width.py
  hoverlabel
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _align.cpython-311.pyc
      _alignsrc.cpython-311.pyc
      _bgcolor.cpython-311.pyc
      _bgcolorsrc.cpython-311.pyc
      _bordercolor.cpython-311.pyc
      _bordercolorsrc.cpython-311.pyc
      _font.cpython-311.pyc
      _namelength.cpython-311.pyc
      _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _family.cpython-311.pyc
        _familysrc.cpython-311.pyc
        _size.cpython-311.pyc
        _sizesrc.cpython-311.pyc
      _color.py
      _colorsrc.py
      _family.py
      _familysrc.py
      _size.py
      _sizesrc.py
  legendgrouptitle
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _font.cpython-311.pyc
      _text.cpython-311.pyc
    font.py

```

```

    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dash.cpython-311.pyc
    _shape.cpython-311.pyc
    _simplify.cpython-311.pyc
    _smoothing.cpython-311.pyc
    _width.cpython-311.pyc
    _color.py
    _dash.py
    _shape.py
    _simplify.py
    _smoothing.py
    _width.py
    marker
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormapsrc.cpython-311.pyc
    _gradient.cpython-311.pyc
    _line.cpython-311.pyc
    _maxdisplayed.cpython-311.pyc
    _opacity.cpython-311.pyc
    _opacitysrc.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _showscale.cpython-311.pyc
    _size.cpython-311.pyc
    _sizemin.cpython-311.pyc
    _sizemode.cpython-311.pyc
    _sizeref.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _symbol.cpython-311.pyc
    _symbolsrc.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py

```

```

_ cmid.py
_ cmin.py
_ color.py
_ coloraxis.py
_ colorbar.py
_ colorscale.py
_ colorsrc.py
_ gradient.py
_ line.py
_ maxdisplayed.py
_ opacity.py
_ opacitysrc.py
_ reversescale.py
_ showscale.py
_ size.py
_ sizemin.py
_ sizemode.py
_ sizeref.py
_ sizesrc.py
_ symbol.py
_ symbolsrc.py
colorbar
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ bgcolor.cpython-311.pyc
        _ bordercolor.cpython-311.pyc
        _ borderwidth.cpython-311.pyc
        _ dtick.cpython-311.pyc
        _ exponentformat.cpython-311.pyc
        _ len.cpython-311.pyc
        _ lenmode.cpython-311.pyc
        _ minexponent.cpython-311.pyc
        _ nticks.cpython-311.pyc
        _ outlinecolor.cpython-311.pyc
        _ outlinewidth.cpython-311.pyc
        _ separatethousands.cpython-311.pyc
        _ showexponent.cpython-311.pyc
        _ showticklabels.cpython-311.pyc
        _ showtickprefix.cpython-311.pyc
        _ showticksuffix.cpython-311.pyc
        _ thickness.cpython-311.pyc
        _ thicknessmode.cpython-311.pyc
        _ tick0.cpython-311.pyc
        _ tickangle.cpython-311.pyc
        _ tickcolor.cpython-311.pyc
        _ tickfont.cpython-311.pyc
        _ tickformat.cpython-311.pyc
        _ tickformatstopdefaults.cpython-311.pyc
        _ tickformatstops.cpython-311.pyc
        _ ticklabeloverflow.cpython-311.pyc
        _ ticklabelposition.cpython-311.pyc
        _ ticklen.cpython-311.pyc
        _ tickmode.cpython-311.pyc
        _ tickprefix.cpython-311.pyc
        _ ticks.cpython-311.pyc
        _ ticksuffix.cpython-311.pyc
        _ ticktext.cpython-311.pyc

```

[illegible]


```

_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _colorscale.cpython-311.pyc
_ _ _ _ _colormsg.cpython-311.pyc
_ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _autocolorscale.py
_ _ _ _ _cauto.py
_ _ _ _ _cmax.py
_ _ _ _ _cmid.py
_ _ _ _ _cmin.py
_ _ _ _ _color.py
_ _ _ _ _coloraxis.py
_ _ _ _ _colorscale.py
_ _ _ _ _colormsg.py
_ _ _ _ _reversescale.py
_ _ _ _ _width.py
_ _ _ _ _widthsrc.py
_ _ _ _ _selected
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ ___marker.cpython-311.pyc
_ _ _ _ ___textfont.cpython-311.pyc
_ _ _ _ ___marker.py
_ _ _ _ ___textfont.py
_ _ _ _ ___marker
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ ___color.cpython-311.pyc
_ _ _ _ ___opacity.cpython-311.pyc
_ _ _ _ ___size.cpython-311.pyc
_ _ _ _ ___color.py
_ _ _ _ ___opacity.py
_ _ _ _ ___size.py
_ _ _ _ ___textfont
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ ___color.cpython-311.pyc
_ _ _ _ ___color.py
_ _ _ _ _stream
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ ___maxpoints.cpython-311.pyc
_ _ _ _ ___token.cpython-311.pyc
_ _ _ _ ___maxpoints.py
_ _ _ _ ___token.py
_ _ _ _ ___textfont
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__

```


[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_projection.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_surfaceaxis.py	
■	■	■	■	■	■	■	■■■	_surfacecolor.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zcalendar.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	error_x	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_array.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrayminus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrayminussrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arraysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_copy_zstyle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_symmetric.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_traceref.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tracerefminus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_valueminus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_array.py	
■	■	■	■	■	■	■	■■■	_arrayminus.py	
■	■	■	■	■	■	■	■■■	_arrayminussrc.py	
■	■	■	■	■	■	■	■■■	_arraysrc.py	
■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■■■	_copy_zstyle.py	
■	■	■	■	■	■	■	■■■	_symmetric.py	
■	■	■	■	■	■	■	■■■	_thickness.py	

```

_ _ _ _ _traceref.py
_ _ _ _ _tracerefminus.py
_ _ _ _ _type.py
_ _ _ _ _value.py
_ _ _ _ _valueminus.py
_ _ _ _ _visible.py
_ _ _ _ _width.py
_ _ _ _ error_y
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _array.cpython-311.pyc
_ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _copy_zstyle.cpython-311.pyc
_ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _array.py
_ _ _ _ _arrayminus.py
_ _ _ _ _arrayminussrc.py
_ _ _ _ _arraysrc.py
_ _ _ _ _color.py
_ _ _ _ _copy_zstyle.py
_ _ _ _ _symmetric.py
_ _ _ _ _thickness.py
_ _ _ _ _traceref.py
_ _ _ _ _tracerefminus.py
_ _ _ _ _type.py
_ _ _ _ _value.py
_ _ _ _ _valueminus.py
_ _ _ _ _visible.py
_ _ _ _ _width.py
_ _ _ _ error_z
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _array.cpython-311.pyc
_ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc

```

[illegible]

```

    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormap.cpython-311.pyc
    _dash.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _showscale.cpython-311.pyc
    _width.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colormap.py
    _colormap.py
    _dash.py
    _reversescale.py
    _showscale.py
    _width.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _borderwidth.cpython-311.pyc
    _dtick.cpython-311.pyc
    _exponentformat.cpython-311.pyc
    _len.cpython-311.pyc
    _lenmode.cpython-311.pyc
    _minexponent.cpython-311.pyc
    _nticks.cpython-311.pyc

```

[illegible]

```

tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__

```



```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _colormap.cpython-311.pyc
_ _ _ _ _colormaps.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _showscale.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizemin.cpython-311.pyc
_ _ _ _ _sizemode.cpython-311.pyc
_ _ _ _ _sizeref.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _symbol.cpython-311.pyc
_ _ _ _ _symbolsrc.cpython-311.pyc
_ _ _ _ _autocolorscale.py
_ _ _ _ _cauto.py
_ _ _ _ _cmax.py
_ _ _ _ _cmid.py
_ _ _ _ _cmin.py
_ _ _ _ _color.py
_ _ _ _ _coloraxis.py
_ _ _ _ _colorbar.py
_ _ _ _ _colormap.py
_ _ _ _ _colormaps.py
_ _ _ _ _line.py
_ _ _ _ _opacity.py
_ _ _ _ _reversescale.py
_ _ _ _ _showscale.py
_ _ _ _ _size.py
_ _ _ _ _sizemin.py
_ _ _ _ _sizemode.py
_ _ _ _ _sizeref.py
_ _ _ _ _sizesrc.py
_ _ _ _ _symbol.py
_ _ _ _ _symbolsrc.py
_ _ _ _ colorbar
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _bgcolor.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.py
■	■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.py
■	■	■	■	■	■	■	■	■	■■■■	_value.py
■	■	■	■	■	■	■	■	■	■■■■	title
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc

```

_       _side.cpython-311.pyc
_       _text.cpython-311.pyc
_       _font.py
_       _side.py
_       _text.py
_       font
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _color.cpython-311.pyc
_       _family.cpython-311.pyc
_       _size.cpython-311.pyc
_       _color.py
_       _family.py
_       _size.py
line
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _autocolorscale.cpython-311.pyc
_       _cauto.cpython-311.pyc
_       _cmax.cpython-311.pyc
_       _cmid.cpython-311.pyc
_       _cmin.cpython-311.pyc
_       _color.cpython-311.pyc
_       _coloraxis.cpython-311.pyc
_       _colorscale.cpython-311.pyc
_       _colorsrc.cpython-311.pyc
_       _reversescale.cpython-311.pyc
_       _width.cpython-311.pyc
_       _autocolorscale.py
_       _cauto.py
_       _cmax.py
_       _cmid.py
_       _cmin.py
_       _color.py
_       _coloraxis.py
_       _colorscale.py
_       _colorsrc.py
_       _reversescale.py
_       _width.py
projection
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _x.cpython-311.pyc
_       _y.cpython-311.pyc
_       _z.cpython-311.pyc
_       _x.py
_       _y.py
_       _z.py
_       x
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _opacity.cpython-311.pyc
_       _scale.cpython-311.pyc
_       _show.cpython-311.pyc

```

```

_ opacity.py
_ scale.py
_ show.py
y
__init__.py
__pycache__
__init__.cpython-311.pyc
__opacity__.cpython-311.pyc
__scale__.cpython-311.pyc
__show__.cpython-311.pyc
_opacity.py
_scale.py
_show.py
z
__init__.py
__pycache__
__init__.cpython-311.pyc
__opacity__.cpython-311.pyc
__scale__.cpython-311.pyc
__show__.cpython-311.pyc
_opacity.py
_scale.py
_show.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
__maxpoints__.cpython-311.pyc
__token__.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_size.py
_sizesrc.py
scattercarpet
__init__.py
__pycache__
__init__.cpython-311.pyc
_a.cpython-311.pyc
_asrc.cpython-311.pyc
_b.cpython-311.pyc
_bsrc.cpython-311.pyc
_carpet.cpython-311.pyc
_connectgaps.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_fill.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_legendgroup.py
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■■■	_legendrank.py
■	■	■	■	■	■	■	■■■	_line.py
■	■	■	■	■	■	■	■■■	_marker.py
■	■	■	■	■	■	■	■■■	_meta.py
■	■	■	■	■	■	■	■■■	_metasrc.py
■	■	■	■	■	■	■	■■■	_mode.py
■	■	■	■	■	■	■	■■■	_name.py
■	■	■	■	■	■	■	■■■	_opacity.py
■	■	■	■	■	■	■	■■■	_selected.py
■	■	■	■	■	■	■	■■■	_selectedpoints.py
■	■	■	■	■	■	■	■■■	_showlegend.py
■	■	■	■	■	■	■	■■■	_stream.py
■	■	■	■	■	■	■	■■■	_text.py
■	■	■	■	■	■	■	■■■	_textfont.py
■	■	■	■	■	■	■	■■■	_textposition.py
■	■	■	■	■	■	■	■■■	_textpositionsrc.py
■	■	■	■	■	■	■	■■■	_textsrc.py
■	■	■	■	■	■	■	■■■	_texttemplate.py
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py
■	■	■	■	■	■	■	■■■	_uid.py
■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■■■	_unselected.py
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	_xaxis.py
■	■	■	■	■	■	■	■■■	_yaxis.py
■	■	■	■	■	■	■	■■■	hoverlabel
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelenh.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelenhsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py
■	■	■	■	■	■	■	■■■	_alignsrc.py
■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py
■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py
■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	_namelenh.py
■	■	■	■	■	■	■	■■■	_namelenhsrc.py
■	■	■	■	■	■	■	■■■	font
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	_familysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_size.cpython-311.pyc

```

■ ■ ■ ■ ■ sizesrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colorsrc.py
■ ■ ■ ■ _family.py
■ ■ ■ ■ _familysrc.py
■ ■ ■ ■ _size.py
■ ■ ■ ■ _sizesrc.py
■ ■ ■ legendgrouptitle
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ _text.cpython-311.pyc
■ ■ ■ _font.py
■ ■ ■ _text.py
■ ■ ■ font
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ ■ _family.cpython-311.pyc
■ ■ ■ ■ ■ _size.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _family.py
■ ■ ■ ■ _size.py
■ ■ ■ line
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ ■ _dash.cpython-311.pyc
■ ■ ■ ■ ■ _shape.cpython-311.pyc
■ ■ ■ ■ ■ _smoothing.cpython-311.pyc
■ ■ ■ ■ ■ _width.cpython-311.pyc
■ ■ ■ _color.py
■ ■ ■ _dash.py
■ ■ ■ _shape.py
■ ■ ■ _smoothing.py
■ ■ ■ _width.py
■ ■ ■ marker
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ _autocolorscale.cpython-311.pyc
■ ■ ■ ■ ■ _cauto.cpython-311.pyc
■ ■ ■ ■ ■ _cmax.cpython-311.pyc
■ ■ ■ ■ ■ _cmid.cpython-311.pyc
■ ■ ■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ ■ _coloraxis.cpython-311.pyc
■ ■ ■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ ■ ■ _colormap.cpython-311.pyc
■ ■ ■ ■ ■ _colorsrc.cpython-311.pyc
■ ■ ■ ■ ■ _gradient.cpython-311.pyc
■ ■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ ■ _maxdisplayed.cpython-311.pyc
■ ■ ■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ ■ ■ _opacitysrc.cpython-311.pyc

```


■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbolsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colormapsrc.py	
■	■	■	■	■	■	■	■	■■■■	_gradient.py	
■	■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■	■■■■	_maxdisplayed.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	_sizemin.py	
■	■	■	■	■	■	■	■	■■■■	_sizemode.py	
■	■	■	■	■	■	■	■	■■■■	_sizeref.py	
■	■	■	■	■	■	■	■	■■■■	_sizesrc.py	
■	■	■	■	■	■	■	■	■■■■	_symbol.py	
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc

[illegible]

```

    tickvalssrc.py
    _tickwidth.py
    _title.py
    _x.py
    _xanchor.py
    _xpad.py
    _y.py
    _yanchor.py
    _ypad.py
    tickfont
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    tickformatstop
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _side.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    gradient
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc

```

[illegible]

```

    █ _color.py
    █ stream
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _maxpoints.cpython-311.pyc
    █     █ _token.cpython-311.pyc
    █   █ _maxpoints.py
    █   █ _token.py
    █ textfont
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _color.cpython-311.pyc
    █     █ _colorsrc.cpython-311.pyc
    █     █ _family.cpython-311.pyc
    █     █ _familysrc.cpython-311.pyc
    █     █ _size.cpython-311.pyc
    █     █ _sizesrc.cpython-311.pyc
    █   █ _color.py
    █   █ _colorsrc.py
    █   █ _family.py
    █   █ _familysrc.py
    █   █ _size.py
    █   █ _sizesrc.py
    █ unselected
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _marker.cpython-311.pyc
    █     █ _textfont.cpython-311.pyc
    █   █ _marker.py
    █   █ _textfont.py
    █   █ marker
    █     █ __init__.py
    █     █ __pycache__
    █       █ __init__.cpython-311.pyc
    █       █ _color.cpython-311.pyc
    █       █ _opacity.cpython-311.pyc
    █       █ _size.cpython-311.pyc
    █     █ _color.py
    █     █ _opacity.py
    █     █ _size.py
    █   █ textfont
    █     █ __init__.py
    █     █ __pycache__
    █       █ __init__.cpython-311.pyc
    █       █ _color.cpython-311.pyc
    █     █ _color.py
    █ scattergeo
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _connectgaps.cpython-311.pyc
    █     █ _customdata.cpython-311.pyc
    █     █ _customdatasrc.cpython-311.pyc
    █     █ _featureidkey.cpython-311.pyc
    █     █ _fill.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_geo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_geojson.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_latsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locations.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lon.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lonsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_featureidkey.py
■	■	■	■	■	■	■	■	■■■■	_fill.py
■	■	■	■	■	■	■	■	■■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■■■■	_geo.py
■	■	■	■	■	■	■	■	■■■■	_geojson.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertext.py

```

_ hovertextsrc.py
_ _ids.py
_ _idssrc.py
_ _lat.py
_ _latsrc.py
_ _legendgroup.py
_ _legendgrouptitle.py
_ _legendrank.py
_ _line.py
_ _locationmode.py
_ _locations.py
_ _locationssrc.py
_ _lon.py
_ _lonsrc.py
_ _marker.py
_ _meta.py
_ _metasrc.py
_ _mode.py
_ _name.py
_ _opacity.py
_ _selected.py
_ _selectedpoints.py
_ _showlegend.py
_ _stream.py
_ _text.py
_ _textfont.py
_ _textposition.py
_ _textpositionsrc.py
_ _textsrc.py
_ _texttemplate.py
_ _texttemplatesrc.py
_ _uid.py
_ _uirevision.py
_ _unselected.py
_ _visible.py
hoverlabel
_   _init_.py
_   _pycache__
_     _init_.cpython-311.pyc
_     _align.cpython-311.pyc
_     _alignsrc.cpython-311.pyc
_     _bgcolor.cpython-311.pyc
_     _bgcolorsrc.cpython-311.pyc
_     _bordercolor.cpython-311.pyc
_     _bordercolorsrc.cpython-311.pyc
_     _font.cpython-311.pyc
_     _namelength.cpython-311.pyc
_     _namelengthsrc.cpython-311.pyc
_   _align.py
_   _alignsrc.py
_   _bgcolor.py
_   _bgcolorsrc.py
_   _bordercolor.py
_   _bordercolorsrc.py
_   _font.py
_   _namelength.py
_   _namelengthsrc.py
_   font

```

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
legendgrouptitle
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
line
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _dash.cpython-311.pyc
        _width.cpython-311.pyc
    _color.py
    _dash.py
    _width.py
marker
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _autocolorscale.cpython-311.pyc
        _cauto.cpython-311.pyc
        _cmax.cpython-311.pyc
        _cmid.cpython-311.pyc
        _cmin.cpython-311.pyc
        _color.cpython-311.pyc
        _coloraxis.cpython-311.pyc
        _colorbar.cpython-311.pyc
        _colorscale.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _gradient.cpython-311.pyc

```


■	■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbolsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colormapsrc.py	
■	■	■	■	■	■	■	■	■■■■	_gradient.py	
■	■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	_sizemin.py	
■	■	■	■	■	■	■	■	■■■■	_sizemode.py	
■	■	■	■	■	■	■	■	■■■■	_sizeref.py	
■	■	■	■	■	■	■	■	■■■■	_sizesrc.py	
■	■	■	■	■	■	■	■	■■■■	_symbol.py	
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc

[illegible]

```

ticktextsrc.py
_ticktextsrc.py
_tickvals.py
_tickvals.py
_tickvalssrc.py
_tickvalssrc.py
_tickwidth.py
_tickwidth.py
_title.py
_title.py
_x.py
_x.py
_xanchor.py
_xanchor.py
_xpad.py
_xpad.py
_y.py
_y.py
_yanchor.py
_yanchor.py
_ypad.py
_ypad.py
tickfont
tickfont
__init__.py
__init__.py
__pycache__
__pycache__
__init__.cpython-311.pyc
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_color.py
_family.py
_family.py
_size.py
_size.py
tickformatstop
tickformatstop
__init__.py
__init__.py
__pycache__
__pycache__
__init__.cpython-311.pyc
__init__.cpython-311.pyc
_dtickrange.cpython-311.pyc
_dtickrange.cpython-311.pyc
_enabled.cpython-311.pyc
_enabled.cpython-311.pyc
_name.cpython-311.pyc
_name.cpython-311.pyc
_templateitemname.cpython-311.pyc
_templateitemname.cpython-311.pyc
_value.cpython-311.pyc
_value.cpython-311.pyc
_dtickrange.py
_dtickrange.py
_enabled.py
_enabled.py
_name.py
_name.py
_templateitemname.py
_templateitemname.py
_value.py
_value.py
title
title
__init__.py
__init__.py
__pycache__
__pycache__
__init__.cpython-311.pyc
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_font.py
_side.py
_side.py
_text.py
_text.py
font
font
__init__.py
__init__.py
__pycache__
__pycache__
__init__.cpython-311.pyc
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_color.py
_family.py
_family.py
_size.py
_size.py
gradient
gradient
__init__.py
__init__.py
__pycache__
__pycache__

```

```

■■■■ _init_.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _type.cpython-311.pyc
■■■■ _typesrc.cpython-311.pyc
■■■■ _color.py
■■■■ _colorsrc.py
■■■■ _type.py
■■■■ _typesrc.py
■■■■ line
■■■■ __init__.py
■■■■ __pycache__
■■■■ _init_.cpython-311.pyc
■■■■ _autocolorscale.cpython-311.pyc
■■■■ _cauto.cpython-311.pyc
■■■■ _cmax.cpython-311.pyc
■■■■ _cmid.cpython-311.pyc
■■■■ _cmin.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _coloraxis.cpython-311.pyc
■■■■ _colormap.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _reversescale.cpython-311.pyc
■■■■ _width.cpython-311.pyc
■■■■ _widthsrc.cpython-311.pyc
■■■■ _autocolorscale.py
■■■■ _cauto.py
■■■■ _cmax.py
■■■■ _cmid.py
■■■■ _cmin.py
■■■■ _color.py
■■■■ _coloraxis.py
■■■■ _colormap.py
■■■■ _colorsrc.py
■■■■ _reversescale.py
■■■■ _width.py
■■■■ _widthsrc.py
■■■■ selected
■■■■ __init__.py
■■■■ __pycache__
■■■■ _init_.cpython-311.pyc
■■■■ _marker.cpython-311.pyc
■■■■ _textfont.cpython-311.pyc
■■■■ _marker.py
■■■■ _textfont.py
■■■■ marker
■■■■ __init__.py
■■■■ __pycache__
■■■■ _init_.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _opacity.cpython-311.pyc
■■■■ _size.cpython-311.pyc
■■■■ _color.py
■■■■ _opacity.py
■■■■ _size.py
■■■■ textfont
■■■■ __init__.py
■■■■ __pycache__

```

```

__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_opacity.py
_size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
scattergl
__init__.py
__pycache__
__init__.cpython-311.pyc
_connectgaps.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_fill.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■						


```

_yparallel0.py
_yparallelalignment.py
_yparallelsrc.py
_yparallelerror_x
_yparallel__init__.py
_yparallel__pycache__
_yparallel__init__.cpython-311.pyc
_yparallel__array.cpython-311.pyc
_yparallel__arrayminus.cpython-311.pyc
_yparallel__arrayminussrc.cpython-311.pyc
_yparallel__arraysrc.cpython-311.pyc
_yparallel__color.cpython-311.pyc
_yparallel__copy_ystyle.cpython-311.pyc
_yparallel__symmetric.cpython-311.pyc
_yparallel__thickness.cpython-311.pyc
_yparallel__traceref.cpython-311.pyc
_yparallel__tracerefminus.cpython-311.pyc
_yparallel__type.cpython-311.pyc
_yparallel__value.cpython-311.pyc
_yparallel__valueminus.cpython-311.pyc
_yparallel__visible.cpython-311.pyc
_yparallel__width.cpython-311.pyc
_yparallel_array.py
_yparallel_arrayminus.py
_yparallel_arrayminussrc.py
_yparallel_arraysrc.py
_yparallel_color.py
_yparallel_copy_ystyle.py
_yparallel_symmetric.py
_yparallel_thickness.py
_yparallel_traceref.py
_yparallel_tracerefminus.py
_yparallel_type.py
_yparallel_value.py
_yparallel_valueminus.py
_yparallel_visible.py
_yparallel_width.py
_yparallelerror_y
_yparallel__init__.py
_yparallel__pycache__
_yparallel__init__.cpython-311.pyc
_yparallel__array.cpython-311.pyc
_yparallel__arrayminus.cpython-311.pyc
_yparallel__arrayminussrc.cpython-311.pyc
_yparallel__arraysrc.cpython-311.pyc
_yparallel__color.cpython-311.pyc
_yparallel__symmetric.cpython-311.pyc
_yparallel__thickness.cpython-311.pyc
_yparallel__traceref.cpython-311.pyc
_yparallel__tracerefminus.cpython-311.pyc
_yparallel__type.cpython-311.pyc
_yparallel__value.cpython-311.pyc
_yparallel__valueminus.cpython-311.pyc
_yparallel__visible.cpython-311.pyc
_yparallel__width.cpython-311.pyc
_yparallel_array.py
_yparallel_arrayminus.py
_yparallel_arrayminussrc.py

```



```

_ arraysrc.py
_ color.py
_ symmetric.py
_ thickness.py
_ traceref.py
_ tracerefminus.py
_ type.py
_ value.py
_ valueminus.py
_ visible.py
_ width.py
  hoverlabel
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _align.cpython-311.pyc
      _alignsrc.cpython-311.pyc
      _bgcolor.cpython-311.pyc
      _bgcolorsrc.cpython-311.pyc
      _bordercolor.cpython-311.pyc
      _bordercolorsrc.cpython-311.pyc
      _font.cpython-311.pyc
      _namelength.cpython-311.pyc
      _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _family.cpython-311.pyc
        _familysrc.cpython-311.pyc
        _size.cpython-311.pyc
        _sizesrc.cpython-311.pyc
      _color.py
      _colorsrc.py
      _family.py
      _familysrc.py
      _size.py
      _sizesrc.py
  legendgrouptitle
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _font.cpython-311.pyc
      _text.cpython-311.pyc
    _font.py
    _text.py
    font

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	_opacity.py
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py
■	■	■	■	■	■	■	■	■■■■	_showscale.py
■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■■■■	_sizemin.py
■	■	■	■	■	■	■	■	■■■■	_sizemode.py
■	■	■	■	■	■	■	■	■■■■	_sizeref.py
■	■	■	■	■	■	■	■	■■■■	_sizesrc.py
■	■	■	■	■	■	■	■	■■■■	_symbol.py
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py
■	■	■	■	■	■	■	■	■■■■	colorbar
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc

```

■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ _bgcolor.py
■ ■ ■ _bordercolor.py
■ ■ ■ _borderwidth.py
■ ■ ■ _dtick.py
■ ■ ■ _exponentformat.py
■ ■ ■ _len.py
■ ■ ■ _lenmode.py
■ ■ ■ _minexponent.py
■ ■ ■ _nticks.py
■ ■ ■ _outlinecolor.py
■ ■ ■ _outlinewidth.py
■ ■ ■ _separatethousands.py
■ ■ ■ _showexponent.py
■ ■ ■ _showticklabels.py
■ ■ ■ _showtickprefix.py
■ ■ ■ _showticksuffix.py
■ ■ ■ _thickness.py
■ ■ ■ _thicknessmode.py
■ ■ ■ _tick0.py
■ ■ ■ _tickangle.py
■ ■ ■ _tickcolor.py
■ ■ ■ _tickfont.py
■ ■ ■ _tickformat.py
■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ _tickformatstops.py
■ ■ ■ _ticklabeloverflow.py
■ ■ ■ _ticklabelposition.py
■ ■ ■ _ticklen.py
■ ■ ■ _tickmode.py
■ ■ ■ _tickprefix.py
■ ■ ■ _ticks.py
■ ■ ■ _ticksuffix.py
■ ■ ■ _ticktext.py
■ ■ ■ _ticktextsrc.py
■ ■ ■ _tickvals.py
■ ■ ■ _tickvalssrc.py
■ ■ ■ _tickwidth.py
■ ■ ■ _title.py
■ ■ ■ _x.py
■ ■ ■ _xanchor.py
■ ■ ■ _xpad.py
■ ■ ■ _y.py
■ ■ ■ _yanchor.py
■ ■ ■ _ypad.py
■ ■ ■ tickfont
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _color.cpython-311.pyc
■ ■ ■ _family.cpython-311.pyc
■ ■ ■ _size.cpython-311.pyc
■ ■ ■ _color.py
■ ■ ■ _family.py
■ ■ ■ _size.py
■ ■ ■ tickformatstop
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _dtickrange.py
_ _ _ _ _enabled.py
_ _ _ _ _name.py
_ _ _ _ _templateitemname.py
_ _ _ _ _value.py
_ _ _ _ title
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _side.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _side.py
_ _ _ _ _text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ line
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _colormap.cpython-311.pyc
_ _ _ _ _colormapsrc.cpython-311.pyc
_ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _autocolorscale.py
_ _ _ _ _cauto.py
_ _ _ _ _cmax.py
_ _ _ _ _cmid.py
_ _ _ _ _cmin.py
_ _ _ _ _color.py
_ _ _ _ _coloraxis.py
_ _ _ _ _colormap.py
_ _ _ _ _colormapsrc.py
_ _ _ _ _reversescale.py
_ _ _ _ _width.py

```

[illegible]

```
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
    _color.cpython-311.pyc  
    _opacity.cpython-311.pyc  
    _size.cpython-311.pyc  
    _color.py  
    _opacity.py  
    _size.py  
textfont  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        _color.cpython-311.pyc  
        _color.py  
scattermapbox  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        _below.cpython-311.pyc  
        _connectgaps.cpython-311.pyc  
        _customdata.cpython-311.pyc  
        _customdatasrc.cpython-311.pyc  
        _fill.cpython-311.pyc  
        _fillcolor.cpython-311.pyc  
        _hoverinfo.cpython-311.pyc  
        _hoverinfosrc.cpython-311.pyc  
        _hoverlabel.cpython-311.pyc  
        _hovertemplate.cpython-311.pyc  
        _hovertemplatesrc.cpython-311.pyc  
        _hovertext.cpython-311.pyc  
        _hovertextsrc.cpython-311.pyc  
        _ids.cpython-311.pyc  
        _idssrc.cpython-311.pyc  
        _lat.cpython-311.pyc  
        _latsrc.cpython-311.pyc  
        _legendgroup.cpython-311.pyc  
        _legendgrouptitle.cpython-311.pyc  
        _legendrank.cpython-311.pyc  
        _line.cpython-311.pyc  
        _lon.cpython-311.pyc  
        _lonsrc.cpython-311.pyc  
        _marker.cpython-311.pyc  
        _meta.cpython-311.pyc  
        _metasrc.cpython-311.pyc  
        _mode.cpython-311.pyc  
        _name.cpython-311.pyc  
        _opacity.cpython-311.pyc  
        _selected.cpython-311.pyc  
        _selectedpoints.cpython-311.pyc  
        _showlegend.cpython-311.pyc  
        _stream.cpython-311.pyc  
        _subplot.cpython-311.pyc  
        _text.cpython-311.pyc  
        _textfont.cpython-311.pyc  
        _textposition.cpython-311.pyc  
        _textsric.cpython-311.pyc  
        _texttemplate.cpython-311.pyc
```

■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_below.py	
■	■	■	■	■	■	■	■■■■	_connectgaps.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_fill.py	
■	■	■	■	■	■	■	■■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■■	_lat.py	
■	■	■	■	■	■	■	■■■■	_latsrc.py	
■	■	■	■	■	■	■	■■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■■■■	_lon.py	
■	■	■	■	■	■	■	■■■■	_lonsrc.py	
■	■	■	■	■	■	■	■■■■	_marker.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_mode.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■■■■	_selected.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_subplot.py	
■	■	■	■	■	■	■	■■■■	_text.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_textposition.py	
■	■	■	■	■	■	■	■■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_unselected.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc


```

    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _width.cpython-311.pyc
    _color.py
    _width.py
    marker
    __init__.py
    __pycache__

```

■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_allowoverlap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_angle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_anglesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbolsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_allowoverlap.py	
■	■	■	■	■	■	■	■	■■■■	_angle.py	
■	■	■	■	■	■	■	■	■■■■	_anglesrc.py	
■	■	■	■	■	■	■	■	■■■■	_autocolormap.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colsrc.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	_sizemin.py	
■	■	■	■	■	■	■	■	■■■■	_sizemode.py	
■	■	■	■	■	■	■	■	■■■■	_sizeref.py	
■	■	■	■	■	■	■	■	■■■■	_sizsrc.py	
■	■	■	■	■	■	■	■	■■■■	_symbol.py	
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc

```

■■■ _len.cpython-311.pyc
■■■ _lenmode.cpython-311.pyc
■■■ _minexponent.cpython-311.pyc
■■■ _nticks.cpython-311.pyc
■■■ _outlinecolor.cpython-311.pyc
■■■ _outlinewidth.cpython-311.pyc
■■■ _separatethousands.cpython-311.pyc
■■■ _showexponent.cpython-311.pyc
■■■ _showticklabels.cpython-311.pyc
■■■ _showtickprefix.cpython-311.pyc
■■■ _showticksuffix.cpython-311.pyc
■■■ _thickness.cpython-311.pyc
■■■ _thicknessmode.cpython-311.pyc
■■■ _tick0.cpython-311.pyc
■■■ _tickangle.cpython-311.pyc
■■■ _tickcolor.cpython-311.pyc
■■■ _tickfont.cpython-311.pyc
■■■ _tickformat.cpython-311.pyc
■■■ _tickformatstopdefaults.cpython-311.pyc
■■■ _tickformatstops.cpython-311.pyc
■■■ _ticklabeloverflow.cpython-311.pyc
■■■ _ticklabelposition.cpython-311.pyc
■■■ _ticklen.cpython-311.pyc
■■■ _tickmode.cpython-311.pyc
■■■ _tickprefix.cpython-311.pyc
■■■ _ticks.cpython-311.pyc
■■■ _ticksuffix.cpython-311.pyc
■■■ _ticktext.cpython-311.pyc
■■■ _ticktextsrc.cpython-311.pyc
■■■ _tickvals.cpython-311.pyc
■■■ _tickvalssrc.cpython-311.pyc
■■■ _tickwidth.cpython-311.pyc
■■■ _title.cpython-311.pyc
■■■ _x.cpython-311.pyc
■■■ _xanchor.cpython-311.pyc
■■■ _xpad.cpython-311.pyc
■■■ _y.cpython-311.pyc
■■■ _yanchor.cpython-311.pyc
■■■ _ypad.cpython-311.pyc
■■■ _bgcolor.py
■■■ _bordercolor.py
■■■ _borderwidth.py
■■■ _dtick.py
■■■ _exponentformat.py
■■■ _len.py
■■■ _lenmode.py
■■■ _minexponent.py
■■■ _nticks.py
■■■ _outlinecolor.py
■■■ _outlinewidth.py
■■■ _separatethousands.py
■■■ _showexponent.py
■■■ _showticklabels.py
■■■ _showtickprefix.py
■■■ _showticksuffix.py
■■■ _thickness.py
■■■ _thicknessmode.py
■■■ _tick0.py

```

```

_ _ _ _ _ tickangle.py
_ _ _ _ _ tickcolor.py
_ _ _ _ _ tickfont.py
_ _ _ _ _ tickformat.py
_ _ _ _ _ tickformatstopdefaults.py
_ _ _ _ _ tickformatstops.py
_ _ _ _ _ ticklabeloverflow.py
_ _ _ _ _ ticklabelposition.py
_ _ _ _ _ ticklen.py
_ _ _ _ _ tickmode.py
_ _ _ _ _ tickprefix.py
_ _ _ _ _ ticks.py
_ _ _ _ _ ticksuffix.py
_ _ _ _ _ ticktext.py
_ _ _ _ _ ticktextsrc.py
_ _ _ _ _ tickvals.py
_ _ _ _ _ tickvalssrc.py
_ _ _ _ _ tickwidth.py
_ _ _ _ _ title.py
_ _ _ _ _ x.py
_ _ _ _ _ xanchor.py
_ _ _ _ _ xpad.py
_ _ _ _ _ y.py
_ _ _ _ _ yanchor.py
_ _ _ _ _ ypad.py
_ _ _ _ _ tickfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _dtickrange.py
_ _ _ _ _ _enabled.py
_ _ _ _ _ _name.py
_ _ _ _ _ _templateitemname.py
_ _ _ _ _ _value.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _side.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _side.py

```

```

font
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
selected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _marker.py
  marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _opacity.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _opacity.py
  _size.py
stream
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _maxpoints.cpython-311.pyc
  _token.cpython-311.pyc
  _maxpoints.py
  _token.py
textfont
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
unselected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _marker.py
  marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _opacity.cpython-311.pyc
  _size.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_cliponaxis.py	
■	■	■	■	■	■	■	■■■	_connectgaps.py	
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_dr.py	
■	■	■	■	■	■	■	■■■	_dtheta.py	
■	■	■	■	■	■	■	■■■	_fill.py	
■	■	■	■	■	■	■	■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_hoveron.py	
■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_r.py	
■	■	■	■	■	■	■	■■■	_r0.py	
■	■	■	■	■	■	■	■■■	_rsrc.py	
■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_subplot.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_theta.py	
■	■	■	■	■	■	■	■■■	_theta0.py	
■	■	■	■	■	■	■	■■■	_thetasrc.py	
■	■	■	■	■	■	■	■■■	_thetaunit.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc

```

_ _ _ _ _ bgcolorsrc.cpython-311.pyc
_ _ _ _ _ bordercolor.cpython-311.pyc
_ _ _ _ _ bordercolorsrc.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ namelength.cpython-311.pyc
_ _ _ _ _ namelengthsrc.cpython-311.pyc
_ _ _ _ _ align.py
_ _ _ _ _ alignsrc.py
_ _ _ _ _ bgcolor.py
_ _ _ _ _ bgcolorsrc.py
_ _ _ _ _ bordercolor.py
_ _ _ _ _ bordercolorsrc.py
_ _ _ _ _ font.py
_ _ _ _ _ namelength.py
_ _ _ _ _ namelengthsrc.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ family.cpython-311.pyc
_ _ _ _ _ familysrc.cpython-311.pyc
_ _ _ _ _ size.cpython-311.pyc
_ _ _ _ _ sizesrc.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ colorsrc.py
_ _ _ _ _ family.py
_ _ _ _ _ familysrc.py
_ _ _ _ _ size.py
_ _ _ _ _ sizesrc.py
legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ text.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ family.cpython-311.pyc
_ _ _ _ _ size.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ family.py
_ _ _ _ _ size.py
line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ dash.cpython-311.pyc
_ _ _ _ _ shape.cpython-311.pyc
_ _ _ _ _ smoothing.cpython-311.pyc
_ _ _ _ _ width.cpython-311.pyc

```



```

■■■■ _color.py
■■■■ _dash.py
■■■■ _shape.py
■■■■ _smoothing.py
■■■■ _width.py
■■■■ marker
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _autocolorscale.cpython-311.pyc
■■■■ _cauto.cpython-311.pyc
■■■■ _cmax.cpython-311.pyc
■■■■ _cmid.cpython-311.pyc
■■■■ _cmin.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _coloraxis.cpython-311.pyc
■■■■ _colorbar.cpython-311.pyc
■■■■ _colorscale.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _gradient.cpython-311.pyc
■■■■ _line.cpython-311.pyc
■■■■ _maxdisplayed.cpython-311.pyc
■■■■ _opacity.cpython-311.pyc
■■■■ _opacitysrc.cpython-311.pyc
■■■■ _reversescale.cpython-311.pyc
■■■■ _showscale.cpython-311.pyc
■■■■ _size.cpython-311.pyc
■■■■ _sizemin.cpython-311.pyc
■■■■ _sizemode.cpython-311.pyc
■■■■ _sizeref.cpython-311.pyc
■■■■ _sizesrc.cpython-311.pyc
■■■■ _symbol.cpython-311.pyc
■■■■ _symbolsrc.cpython-311.pyc
■■■■ _autocolorscale.py
■■■■ _cauto.py
■■■■ _cmax.py
■■■■ _cmid.py
■■■■ _cmin.py
■■■■ _color.py
■■■■ _coloraxis.py
■■■■ _colorbar.py
■■■■ _colorscale.py
■■■■ _colorsrc.py
■■■■ _gradient.py
■■■■ _line.py
■■■■ _maxdisplayed.py
■■■■ _opacity.py
■■■■ _opacitysrc.py
■■■■ _reversescale.py
■■■■ _showscale.py
■■■■ _size.py
■■■■ _sizemin.py
■■■■ _sizemode.py
■■■■ _sizeref.py
■■■■ _sizesrc.py
■■■■ _symbol.py
■■■■ _symbolsrc.py
■■■■ colorbar

```

■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py

```

████ _separatethousands.py
████ _showexponent.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _thickness.py
████ _thicknessmode.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklabeloverflow.py
████ _ticklabelposition.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _x.py
████ _xanchor.py
████ _xpad.py
████ _y.py
████ _yanchor.py
████ _ypad.py
████ tickfont
  █████ __init__.py
  █████ __pycache__
    █████ __init__.cpython-311.pyc
    █████ _color.cpython-311.pyc
    █████ _family.cpython-311.pyc
    █████ _size.cpython-311.pyc
  █████ _color.py
  █████ _family.py
  █████ _size.py
  █████ tickformatstop
  █████ __init__.py
  █████ __pycache__
    █████ __init__.cpython-311.pyc
    █████ _dtickrange.cpython-311.pyc
    █████ _enabled.cpython-311.pyc
    █████ _name.cpython-311.pyc
    █████ _templateitemname.cpython-311.pyc
    █████ _value.cpython-311.pyc
  █████ _dtickrange.py
  █████ _enabled.py
  █████ _name.py
  █████ _templateitemname.py
  █████ _value.py
  █████ title

```


[illegible]

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _opacity.py
    _size.py
    textfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _color.py
    scatterpolargl
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _connectgaps.cpython-311.pyc
        _customdata.cpython-311.pyc
        _customdatasrc.cpython-311.pyc
        _dr.cpython-311.pyc
        _dtheta.cpython-311.pyc
        _fill.cpython-311.pyc
        _fillcolor.cpython-311.pyc
        _hoverinfo.cpython-311.pyc
        _hoverinfosrc.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _hovertemplate.cpython-311.pyc
        _hovertemplatesrc.cpython-311.pyc
        _hovertext.cpython-311.pyc
        _hovertextsrc.cpython-311.pyc
        _ids.cpython-311.pyc
        _idssrc.cpython-311.pyc
        _legendgroup.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _legendrank.cpython-311.pyc
        _line.cpython-311.pyc
        _marker.cpython-311.pyc
        _meta.cpython-311.pyc
        _metasrc.cpython-311.pyc
        _mode.cpython-311.pyc
        _name.cpython-311.pyc
        _opacity.cpython-311.pyc
        _r.cpython-311.pyc
        _r0.cpython-311.pyc
        _rsrc.cpython-311.pyc
        _selected.cpython-311.pyc
        _selectedpoints.cpython-311.pyc
        _showlegend.cpython-311.pyc
        _stream.cpython-311.pyc
        _subplot.cpython-311.pyc
        _text.cpython-311.pyc
        _textfont.cpython-311.pyc
        _textposition.cpython-311.pyc
        _textpositionsrc.cpython-311.pyc
        _textsrc.cpython-311.pyc

```

								■■■	_texttemplate.cpython-311.pyc
								■■■	_texttemplatesrc.cpython-311.pyc
								■■■	_theta.cpython-311.pyc
								■■■	_theta0.cpython-311.pyc
								■■■	_thetasrc.cpython-311.pyc
								■■■	_thetaunit.cpython-311.pyc
								■■■	_uid.cpython-311.pyc
								■■■	_uirevision.cpython-311.pyc
								■■■	_unselected.cpython-311.pyc
								■■■	_visible.cpython-311.pyc
							■■■		_connectgaps.py
							■■■		_customdata.py
							■■■		_customdatasrc.py
							■■■		_dr.py
							■■■		_dtheta.py
							■■■		_fill.py
							■■■		_fillcolor.py
							■■■		_hoverinfo.py
							■■■		_hoverinfosrc.py
							■■■		_hoverlabel.py
							■■■		_hovertemplate.py
							■■■		_hovertemplatesrc.py
							■■■		_hovertext.py
							■■■		_hovertextsrc.py
							■■■		_ids.py
							■■■		_idssrc.py
							■■■		_legendgroup.py
							■■■		_legendgrouptitle.py
							■■■		_legendrank.py
							■■■		_line.py
							■■■		_marker.py
							■■■		_meta.py
							■■■		_metasrc.py
							■■■		_mode.py
							■■■		_name.py
							■■■		_opacity.py
							■■■		_r.py
							■■■		_r0.py
							■■■		_rsrc.py
							■■■		_selected.py
							■■■		_selectedpoints.py
							■■■		_showlegend.py
							■■■		_stream.py
							■■■		_subplot.py
							■■■		_text.py
							■■■		_textfont.py
							■■■		_textposition.py
							■■■		_textpositionsrc.py
							■■■		_textsrc.py
							■■■		_texttemplate.py
							■■■		_texttemplatesrc.py
							■■■		_theta.py
							■■■		_theta0.py
							■■■		_thetasrc.py
							■■■		_thetaunit.py
							■■■		_uid.py
							■■■		_uirevision.py
							■■■		_unselected.py

```

_ visible.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelength.cpython-311.pyc
_namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line

```



```

■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _dash.cpython-311.pyc
■■■■ _shape.cpython-311.pyc
■■■■ _width.cpython-311.pyc
■■■■ _color.py
■■■■ _dash.py
■■■■ _shape.py
■■■■ _width.py
■■■■ marker
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _autocolorscale.cpython-311.pyc
■■■■ _cauto.cpython-311.pyc
■■■■ _cmax.cpython-311.pyc
■■■■ _cmid.cpython-311.pyc
■■■■ _cmin.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _coloraxis.cpython-311.pyc
■■■■ _colorbar.cpython-311.pyc
■■■■ _colorscale.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _line.cpython-311.pyc
■■■■ _opacity.cpython-311.pyc
■■■■ _opacitysrc.cpython-311.pyc
■■■■ _reversescale.cpython-311.pyc
■■■■ _showscale.cpython-311.pyc
■■■■ _size.cpython-311.pyc
■■■■ _sizemin.cpython-311.pyc
■■■■ _sizemode.cpython-311.pyc
■■■■ _sizeref.cpython-311.pyc
■■■■ _sizesrc.cpython-311.pyc
■■■■ _symbol.cpython-311.pyc
■■■■ _symbolsrc.cpython-311.pyc
■■■■ _autocolorscale.py
■■■■ _cauto.py
■■■■ _cmax.py
■■■■ _cmid.py
■■■■ _cmin.py
■■■■ _color.py
■■■■ _coloraxis.py
■■■■ _colorbar.py
■■■■ _colorscale.py
■■■■ _colorsrc.py
■■■■ _line.py
■■■■ _opacity.py
■■■■ _opacitysrc.py
■■■■ _reversescale.py
■■■■ _showscale.py
■■■■ _size.py
■■■■ _sizemin.py
■■■■ _sizemode.py
■■■■ _sizeref.py
■■■■ _sizesrc.py
■■■■ _symbol.py

```

```

■■■■ _symbolsrc.py
■■■■ colorbar
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _bgcolor.cpython-311.pyc
■■■■ _bordercolor.cpython-311.pyc
■■■■ _borderwidth.cpython-311.pyc
■■■■ _dtick.cpython-311.pyc
■■■■ _exponentformat.cpython-311.pyc
■■■■ _len.cpython-311.pyc
■■■■ _lenmode.cpython-311.pyc
■■■■ _minexponent.cpython-311.pyc
■■■■ _nticks.cpython-311.pyc
■■■■ _outlinecolor.cpython-311.pyc
■■■■ _outlinewidth.cpython-311.pyc
■■■■ _separatethousands.cpython-311.pyc
■■■■ _showexponent.cpython-311.pyc
■■■■ _showticklabels.cpython-311.pyc
■■■■ _showtickprefix.cpython-311.pyc
■■■■ _showticksuffix.cpython-311.pyc
■■■■ _thickness.cpython-311.pyc
■■■■ _thicknessmode.cpython-311.pyc
■■■■ _tick0.cpython-311.pyc
■■■■ _tickangle.cpython-311.pyc
■■■■ _tickcolor.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformat.cpython-311.pyc
■■■■ _tickformatstopdefaults.cpython-311.pyc
■■■■ _tickformatstops.cpython-311.pyc
■■■■ _ticklabeloverflow.cpython-311.pyc
■■■■ _ticklabelposition.cpython-311.pyc
■■■■ _ticklen.cpython-311.pyc
■■■■ _tickmode.cpython-311.pyc
■■■■ _tickprefix.cpython-311.pyc
■■■■ _ticks.cpython-311.pyc
■■■■ _ticksuffix.cpython-311.pyc
■■■■ _ticktext.cpython-311.pyc
■■■■ _ticktextsrc.cpython-311.pyc
■■■■ _tickvals.cpython-311.pyc
■■■■ _tickvalssrc.cpython-311.pyc
■■■■ _tickwidth.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _x.cpython-311.pyc
■■■■ _xanchor.cpython-311.pyc
■■■■ _xpad.cpython-311.pyc
■■■■ _y.cpython-311.pyc
■■■■ _yanchor.cpython-311.pyc
■■■■ _ypad.cpython-311.pyc
■■■■ _bgcolor.py
■■■■ _bordercolor.py
■■■■ _borderwidth.py
■■■■ _dtick.py
■■■■ _exponentformat.py
■■■■ _len.py
■■■■ _lenmode.py
■■■■ _minexponent.py
■■■■ _nticks.py

```

■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.py
■	■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.py

```

value.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_cauto.cpython-311.pyc
_cmax.cpython-311.pyc
_cmidx.cpython-311.pyc
_cmin.cpython-311.pyc
_color.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorscale.cpython-311.pyc
_colorsrc.cpython-311.pyc
_reversescale.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorscale.py
_colorsrc.py
_reversescale.py
_width.py
_widthsrc.py
selected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_opacity.py
_size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_opacity.py
_size.py
textfont

```

[illegible]

■	■	■	■	■	■	■	■■■	_a.py	
■	■	■	■	■	■	■	■■■	_asrc.py	
■	■	■	■	■	■	■	■■■	_b.py	
■	■	■	■	■	■	■	■■■	_bsrc.py	
■	■	■	■	■	■	■	■■■	_c.py	
■	■	■	■	■	■	■	■■■	_cliponaxis.py	
■	■	■	■	■	■	■	■■■	_connectgaps.py	
■	■	■	■	■	■	■	■■■	_csrc.py	
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_fill.py	
■	■	■	■	■	■	■	■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_hoveron.py	
■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_subplot.py	
■	■	■	■	■	■	■	■■■	_sum.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc


```

■ ■ ■ _shape.py
■ ■ ■ _smoothing.py
■ ■ ■ _width.py
■ ■ ■ marker
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ _autocolorscale.cpython-311.pyc
■ ■ ■ ■ ■ _cauto.cpython-311.pyc
■ ■ ■ ■ ■ _cmax.cpython-311.pyc
■ ■ ■ ■ ■ _cmid.cpython-311.pyc
■ ■ ■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ ■ _coloraxis.cpython-311.pyc
■ ■ ■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ ■ ■ _colormap.cpython-311.pyc
■ ■ ■ ■ ■ _colormaps.cpython-311.pyc
■ ■ ■ ■ ■ _colourscale.cpython-311.pyc
■ ■ ■ ■ ■ _colormapsrc.cpython-311.pyc
■ ■ ■ ■ ■ _gradient.cpython-311.pyc
■ ■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ ■ _maxdisplayed.cpython-311.pyc
■ ■ ■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ ■ ■ _opacitysrc.cpython-311.pyc
■ ■ ■ ■ ■ _reversescale.cpython-311.pyc
■ ■ ■ ■ ■ _showscale.cpython-311.pyc
■ ■ ■ ■ ■ _size.cpython-311.pyc
■ ■ ■ ■ ■ _sizemin.cpython-311.pyc
■ ■ ■ ■ ■ _sizemode.cpython-311.pyc
■ ■ ■ ■ ■ _sizeref.cpython-311.pyc
■ ■ ■ ■ ■ _sizesrc.cpython-311.pyc
■ ■ ■ ■ ■ _symbol.cpython-311.pyc
■ ■ ■ ■ ■ _symbolsrc.cpython-311.pyc
■ ■ ■ _autocolorscale.py
■ ■ ■ _cauto.py
■ ■ ■ _cmax.py
■ ■ ■ _cmid.py
■ ■ ■ _cmin.py
■ ■ ■ _color.py
■ ■ ■ _coloraxis.py
■ ■ ■ _colorbar.py
■ ■ ■ _colormap.py
■ ■ ■ _colormaps.py
■ ■ ■ _colourscale.py
■ ■ ■ _colormapsrc.py
■ ■ ■ _gradient.py
■ ■ ■ _line.py
■ ■ ■ _maxdisplayed.py
■ ■ ■ _opacity.py
■ ■ ■ _opacitysrc.py
■ ■ ■ _reversescale.py
■ ■ ■ _showscale.py
■ ■ ■ _size.py
■ ■ ■ _sizemin.py
■ ■ ■ _sizemode.py
■ ■ ■ _sizeref.py
■ ■ ■ _sizesrc.py
■ ■ ■ _symbol.py
■ ■ ■ _symbolsrc.py
■ ■ ■ colorbar
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_bgcolor.py
■	■	■	■	■	■	■	■	■■■		_bordercolor.py
■	■	■	■	■	■	■	■	■■■		_borderwidth.py
■	■	■	■	■	■	■	■	■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■		_len.py
■	■	■	■	■	■	■	■	■■■		_lenmode.py
■	■	■	■	■	■	■	■	■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■		_outlinecolor.py
■	■	■	■	■	■	■	■	■■■		_outlinewidth.py
■	■	■	■	■	■	■	■	■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■		_showexponent.py

```

_ showticklabels.py
_ showtickprefix.py
_ showticksuffix.py
_ thickness.py
_ thicknessmode.py
_ tick0.py
_ tickangle.py
_ tickcolor.py
_ tickfont.py
_ tickformat.py
_ tickformatstopdefaults.py
_ tickformatstops.py
_ ticklabeloverflow.py
_ ticklabelposition.py
_ ticklen.py
_ tickmode.py
_ tickprefix.py
_ ticks.py
_ ticksuffix.py
_ ticktext.py
_ ticktextsrc.py
_ tickvals.py
_ tickvalssrc.py
_ tickwidth.py
_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__

```

```

    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _side.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    gradient
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _type.cpython-311.pyc
    _typesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _type.py
    _typesrc.py
    line
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _width.cpython-311.pyc
    _widthsrc.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colormap.py
    _colorsrc.py
    _reversescale.py
    _width.py
    _widthsrc.py
    selected

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__opacity.cpython-311.pyc
__size.cpython-311.pyc
__color.py
__opacity.py
__size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
__maxpoints.cpython-311.pyc
__token.cpython-311.pyc
__maxpoints.py
__token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__colorsrc.cpython-311.pyc
__family.cpython-311.pyc
__familysrc.cpython-311.pyc
__size.cpython-311.pyc
__sizesrc.cpython-311.pyc
__color.py
__colorsrc.py
__family.py
__familysrc.py
__size.py
__sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
marker
__init__.py
__pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _opacity.py
_ _ _ _ _size.py
_ _ _ _ _textfont
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _splom
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _diagonal.cpython-311.pyc
_ _ _ _ _dimensiondefaults.cpython-311.pyc
_ _ _ _ _dimensions.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _hovertemplate.cpython-311.pyc
_ _ _ _ _hovertemplatesrc.cpython-311.pyc
_ _ _ _ _hovertext.cpython-311.pyc
_ _ _ _ _hovertextsrc.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _legendgroup.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _legendrank.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _meta.cpython-311.pyc
_ _ _ _ _metasrc.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _selected.cpython-311.pyc
_ _ _ _ _selectedpoints.cpython-311.pyc
_ _ _ _ _showlegend.cpython-311.pyc
_ _ _ _ _showlowerhalf.cpython-311.pyc
_ _ _ _ _showupperhalf.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _textsrc.cpython-311.pyc
_ _ _ _ _uid.cpython-311.pyc
_ _ _ _ _uirevision.cpython-311.pyc
_ _ _ _ _unselected.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _xaxes.cpython-311.pyc
_ _ _ _ _xhoverformat.cpython-311.pyc
_ _ _ _ _yaxes.cpython-311.pyc
_ _ _ _ _yhoverformat.cpython-311.pyc
_ _ _ _ _customdata.py
_ _ _ _ _customdatasrc.py
_ _ _ _ _diagonal.py

```

■	■	■	■	■	■	■	■■■	_dimensiondefaults.py
■	■	■	■	■	■	■	■■■	_dimensions.py
■	■	■	■	■	■	■	■■■	_hoverinfo.py
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■■■	_hoverlabel.py
■	■	■	■	■	■	■	■■■	_hovertemplate.py
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■■■	_hovertext.py
■	■	■	■	■	■	■	■■■	_hovertextsrc.py
■	■	■	■	■	■	■	■■■	_ids.py
■	■	■	■	■	■	■	■■■	_idsrc.py
■	■	■	■	■	■	■	■■■	_legendgroup.py
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■■■	_legendrank.py
■	■	■	■	■	■	■	■■■	_marker.py
■	■	■	■	■	■	■	■■■	_meta.py
■	■	■	■	■	■	■	■■■	_metasrc.py
■	■	■	■	■	■	■	■■■	_name.py
■	■	■	■	■	■	■	■■■	_opacity.py
■	■	■	■	■	■	■	■■■	_selected.py
■	■	■	■	■	■	■	■■■	_selectedpoints.py
■	■	■	■	■	■	■	■■■	_showlegend.py
■	■	■	■	■	■	■	■■■	_showlowerhalf.py
■	■	■	■	■	■	■	■■■	_showupperhalf.py
■	■	■	■	■	■	■	■■■	_stream.py
■	■	■	■	■	■	■	■■■	_text.py
■	■	■	■	■	■	■	■■■	_textsrc.py
■	■	■	■	■	■	■	■■■	_uid.py
■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■■■	_unselected.py
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	_xaxes.py
■	■	■	■	■	■	■	■■■	_xhoverformat.py
■	■	■	■	■	■	■	■■■	_yaxes.py
■	■	■	■	■	■	■	■■■	_yhoverformat.py
■	■	■	■	■	■	■	■■■	diagonal
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	dimension
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _axis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _label.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_axis.py
■	■	■	■	■	■	■	■■■	_label.py
■	■	■	■	■	■	■	■■■	_name.py
■	■	■	■	■	■	■	■■■	_templateitemname.py
■	■	■	■	■	■	■	■■■	_values.py
■	■	■	■	■	■	■	■■■	_valuessrc.py

```

    _visible.py
    axis
    _init__.py
    _pycache__
    _init__.cpython-311.pyc
    _matches.cpython-311.pyc
    _type.cpython-311.pyc
    _matches.py
    _type.py
    hoverlabel
    _init__.py
    _pycache__
    _init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    _init__.py
    _pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    _init__.py
    _pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    _init__.py
    _pycache__

```


[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	

```

_ showticklabels.py
_ showtickprefix.py
_ showticksuffix.py
_ thickness.py
_ thicknessmode.py
_ tick0.py
_ tickangle.py
_ tickcolor.py
_ tickfont.py
_ tickformat.py
_ tickformatstopdefaults.py
_ tickformatstops.py
_ ticklabeloverflow.py
_ ticklabelposition.py
_ ticklen.py
_ tickmode.py
_ tickprefix.py
_ ticks.py
_ ticksuffix.py
_ ticktext.py
_ ticktextsrc.py
_ tickvals.py
_ tickvalssrc.py
_ tickwidth.py
_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__

```



```

■ ■ ■ _color.py
■ ■ ■ _opacity.py
■ ■ ■ _size.py
■ ■ stream
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ _maxpoints.cpython-311.pyc
■ ■ ■ ■ _token.cpython-311.pyc
■ ■ ■ _maxpoints.py
■ ■ ■ _token.py
■ ■ unselected
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ _marker.py
■ ■ ■ marker
■ ■ ■ ■ _init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ ■ ■ _size.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _opacity.py
■ ■ ■ ■ _size.py
■ ■ streamtube
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ _autocolorscale.cpython-311.pyc
■ ■ ■ ■ _cauto.cpython-311.pyc
■ ■ ■ ■ _cmax.cpython-311.pyc
■ ■ ■ ■ _cmid.cpython-311.pyc
■ ■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ ■ _coloraxis.cpython-311.pyc
■ ■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ ■ _colorscale.cpython-311.pyc
■ ■ ■ ■ _customdata.cpython-311.pyc
■ ■ ■ ■ _customdatasrc.cpython-311.pyc
■ ■ ■ ■ _hoverinfo.cpython-311.pyc
■ ■ ■ ■ _hoverinfosrc.cpython-311.pyc
■ ■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ _hovertemplate.cpython-311.pyc
■ ■ ■ ■ _hovertemplatesrc.cpython-311.pyc
■ ■ ■ ■ _hovertext.cpython-311.pyc
■ ■ ■ ■ _ids.cpython-311.pyc
■ ■ ■ ■ _idssrc.cpython-311.pyc
■ ■ ■ ■ _legendgroup.cpython-311.pyc
■ ■ ■ ■ _legendgrouptitle.cpython-311.pyc
■ ■ ■ ■ _legendranks.cpython-311.pyc
■ ■ ■ ■ _lighting.cpython-311.pyc
■ ■ ■ ■ _lightposition.cpython-311.pyc
■ ■ ■ ■ _maxdisplayed.cpython-311.pyc
■ ■ ■ ■ _meta.cpython-311.pyc
■ ■ ■ ■ _metasrc.cpython-311.pyc
■ ■ ■ ■ _name.cpython-311.pyc
```

■	■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_starts.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_u.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_uhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_usrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_v.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_vhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_vsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_w.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_whoeverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_wsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■	_colorscale.py	
■	■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■	■■■	_lighting.py	
■	■	■	■	■	■	■	■	■■■	_lightposition.py	
■	■	■	■	■	■	■	■	■■■	_maxdisplayed.py	
■	■	■	■	■	■	■	■	■■■	_meta.py	
■	■									

■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_sizeref.py	
■	■	■	■	■	■	■	■■■	_starts.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_u.py	
■	■	■	■	■	■	■	■■■	_uhoverformat.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_usrc.py	
■	■	■	■	■	■	■	■■■	_v.py	
■	■	■	■	■	■	■	■■■	_vhoverformat.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_vsrc.py	
■	■	■	■	■	■	■	■■■	_w.py	
■	■	■	■	■	■	■	■■■	_whoeverformat.py	
■	■	■	■	■	■	■	■■■	_wsrc.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_bgcolor.py
■	■	■	■	■	■	■	■	■■■■		_bordercolor.py
■	■	■	■	■	■	■	■	■■■■		_borderwidth.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_len.py
■	■	■	■	■	■	■	■	■■■■		_lenmode.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_outlinewidth.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_thickness.py
■	■	■	■	■	■	■	■	■■■■		_thicknessmode.py
■	■	■	■	■	■	■	■	■■■■		_tick0.py
■	■	■	■	■	■	■	■	■■■■		_tickangle.py
■	■	■	■	■	■	■	■	■■■■		_tickcolor.py
■	■	■	■	■	■	■	■	■■■■		_tickfont.py
■	■	■	■	■	■	■	■	■■■■		_tickformat.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■		_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■		_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■		_ticklen.py
■	■	■	■	■	■	■	■	■■■■		_tickmode.py
■	■	■	■	■	■	■	■	■■■■		_tickprefix.py
■	■	■	■	■	■	■	■	■■■■		_ticks.py
■	■	■	■	■	■	■	■	■■■■		_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_ticktext.py
■	■	■	■	■	■	■	■	■■■■		_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■		_tickvals.py
■	■	■	■	■	■	■	■	■■■■		_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■		_tickwidth.py
■	■	■	■	■	■	■	■	■■■■		_title.py
■	■	■	■	■	■	■	■	■■■■		_x.py


```

_anchors.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

    ##### bordercolorsrc.cpython-311.pyc
    ##### _font.cpython-311.pyc
    ##### _namelength.cpython-311.pyc
    ##### _namelengthsrc.cpython-311.pyc
    ##### _align.py
    ##### _alignsrc.py
    ##### _bgcolor.py
    ##### _bgcolorsrc.py
    ##### _bordercolor.py
    ##### _bordercolorsrc.py
    ##### _font.py
    ##### _namelength.py
    ##### _namelengthsrc.py
    ##### font
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _color.cpython-311.pyc
    ##### _colorsrc.cpython-311.pyc
    ##### _family.cpython-311.pyc
    ##### _familysrc.cpython-311.pyc
    ##### _size.cpython-311.pyc
    ##### _sizesrc.cpython-311.pyc
    ##### _color.py
    ##### _colorsrc.py
    ##### _family.py
    ##### _familysrc.py
    ##### _size.py
    ##### _sizesrc.py
    ##### legendgrouptitle
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _font.cpython-311.pyc
    ##### _text.cpython-311.pyc
    ##### _font.py
    ##### _text.py
    ##### font
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _color.cpython-311.pyc
    ##### _family.cpython-311.pyc
    ##### _size.cpython-311.pyc
    ##### _color.py
    ##### _family.py
    ##### _size.py
    ##### lighting
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _ambient.cpython-311.pyc
    ##### _diffuse.cpython-311.pyc
    ##### _facenormalsepsilon.cpython-311.pyc
    ##### _fresnel.cpython-311.pyc
    ##### _roughness.cpython-311.pyc
    ##### _specular.cpython-311.pyc
    ##### _vertexnormalsepsilon.cpython-311.pyc

```

```

_ambient.py
_diffuse.py
_facenormalsepsilon.py
_fresnel.py
_roughness.py
_specular.py
_vertexnormalsepsilon.py
lightposition
__init__.py
__pycache__
__init__.cpython-311.pyc
_x.cpython-311.pyc
_y.cpython-311.pyc
_z.cpython-311.pyc
_x.py
_y.py
_z.py
starts
__init__.py
__pycache__
__init__.cpython-311.pyc
_x.cpython-311.pyc
_xsrc.cpython-311.pyc
_y.cpython-311.pyc
_ysrc.cpython-311.pyc
_z.cpython-311.pyc
_zsrc.cpython-311.pyc
_x.py
_xsrc.py
_y.py
_ysrc.py
_z.py
_zsrc.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
sunburst
__init__.py
__pycache__
__init__.cpython-311.pyc
_branchvalues.cpython-311.pyc
_count.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_domain.cpython-311.pyc
_hoverinfo.cpython-311.pyc
_hoverinfosrc.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_hovertemplate.cpython-311.pyc
_hovertemplatesrc.cpython-311.pyc
_hovertext.cpython-311.pyc
_hovertextsrc.cpython-311.pyc
_ids.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextorientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_labels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_labelssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_leaf.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_level.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_maxdepth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_parents.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_parentssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_root.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_rotation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sort.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_branchvalues.py
■	■	■	■	■	■	■	■	■■■■	_count.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_domain.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertext.py
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.py
■	■	■	■	■	■	■	■	■■■■	_ids.py
■	■	■	■	■	■	■	■	■■■■	_idssrc.py
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.py
■	■	■	■	■	■	■	■	■■■■	_insidetextorientation.py
■	■	■	■	■	■	■	■	■■■■	_labels.py
■	■	■	■	■	■	■	■	■■■■	_labelssrc.py
■	■	■	■	■	■	■	■	■■■■	_leaf.py
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■	■■■■	_legendrank.py
■	■	■	■	■	■	■	■	■■■■	_level.py
■	■	■	■	■	■	■	■	■■■■	_marker.py
■	■	■	■	■	■	■	■	■■■■	_maxdepth.py
■	■	■	■	■	■	■	■	■■■■	_meta.py

```

_ metasrc.py
_ _name.py
_ _opacity.py
_ _outsidetextfont.py
_ _parents.py
_ _parentssrc.py
_ _root.py
_ _rotation.py
_ _sort.py
_ _stream.py
_ _text.py
_ _textfont.py
_ _textinfo.py
_ _textsrc.py
_ _texttemplate.py
_ _texttemplatesrc.py
_ _uid.py
_ _uirevision.py
_ _values.py
_ _valuessrc.py
_ _visible.py
domain
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _column.cpython-311.pyc
_ _row.cpython-311.pyc
_ _x.cpython-311.pyc
_ _y.cpython-311.pyc
_ _column.py
_ _row.py
_ _x.py
_ _y.py
hoverlabel
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _align.cpython-311.pyc
_ _alignsrc.cpython-311.pyc
_ _bgcolor.cpython-311.pyc
_ _bgcolorsrc.cpython-311.pyc
_ _bordercolor.cpython-311.pyc
_ _bordercolorsrc.cpython-311.pyc
_ _font.cpython-311.pyc
_ _namelength.cpython-311.pyc
_ _namelengthsrc.cpython-311.pyc
_ _align.py
_ _alignsrc.py
_ _bgcolor.py
_ _bgcolorsrc.py
_ _bordercolor.py
_ _bordercolorsrc.py
_ _font.py
_ _namelength.py
_ _namelengthsrc.py
font
_ _init__.py
_ _pycache_

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ insidetextfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ leaf
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _opacity.py
_ _ _ _ legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ autocolorscale.cpython-311.pyc

```

```

■ ■ ■ ■ _cauto.cpython-311.pyc
■ ■ ■ ■ _cmax.cpython-311.pyc
■ ■ ■ ■ _cmid.cpython-311.pyc
■ ■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ ■ _coloraxis.cpython-311.pyc
■ ■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ ■ _colors.cpython-311.pyc
■ ■ ■ ■ _colormap.cpython-311.pyc
■ ■ ■ ■ _colorscale.cpython-311.pyc
■ ■ ■ ■ _colorssrc.cpython-311.pyc
■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ _reversescale.cpython-311.pyc
■ ■ ■ ■ _showscale.cpython-311.pyc
■ ■ ■ ■ _autocolorscale.py
■ ■ ■ ■ _cauto.py
■ ■ ■ ■ _cmax.py
■ ■ ■ ■ _cmid.py
■ ■ ■ ■ _cmin.py
■ ■ ■ ■ _coloraxis.py
■ ■ ■ ■ _colorbar.py
■ ■ ■ ■ _colors.py
■ ■ ■ ■ _colormap.py
■ ■ ■ ■ _colorscale.py
■ ■ ■ ■ _colorssrc.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _reversescale.py
■ ■ ■ ■ _showscale.py
■ ■ ■ ■ colorbar
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ _borderwidth.cpython-311.pyc
■ ■ ■ ■ _dtick.cpython-311.pyc
■ ■ ■ ■ _exponentformat.cpython-311.pyc
■ ■ ■ ■ _len.cpython-311.pyc
■ ■ ■ ■ _lenmode.cpython-311.pyc
■ ■ ■ ■ _minexponent.cpython-311.pyc
■ ■ ■ ■ _nticks.cpython-311.pyc
■ ■ ■ ■ _outlinecolor.cpython-311.pyc
■ ■ ■ ■ _outlinewidth.cpython-311.pyc
■ ■ ■ ■ _separatethousands.cpython-311.pyc
■ ■ ■ ■ _showexponent.cpython-311.pyc
■ ■ ■ ■ _showticklabels.cpython-311.pyc
■ ■ ■ ■ _showtickprefix.cpython-311.pyc
■ ■ ■ ■ _showticksuffix.cpython-311.pyc
■ ■ ■ ■ _thickness.cpython-311.pyc
■ ■ ■ ■ _thicknessmode.cpython-311.pyc
■ ■ ■ ■ _tick0.cpython-311.pyc
■ ■ ■ ■ _tickangle.cpython-311.pyc
■ ■ ■ ■ _tickcolor.cpython-311.pyc
■ ■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ _tickmode.cpython-311.pyc

```

[illegible]


```

████ _ypad.py
████ tickfont
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _family.cpython-311.pyc
████ _size.cpython-311.pyc
████ _color.py
████ _family.py
████ _size.py
████ tickformatstop
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _dtickrange.cpython-311.pyc
████ _enabled.cpython-311.pyc
████ _name.cpython-311.pyc
████ _templateitemname.cpython-311.pyc
████ _value.cpython-311.pyc
████ _dtickrange.py
████ _enabled.py
████ _name.py
████ _templateitemname.py
████ _value.py
████ title
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _font.cpython-311.pyc
████ _side.cpython-311.pyc
████ _text.cpython-311.pyc
████ _font.py
████ _side.py
████ _text.py
████ font
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _family.cpython-311.pyc
████ _size.cpython-311.pyc
████ _color.py
████ _family.py
████ _size.py
████ line
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _colormsg.cpython-311.pyc
████ _width.cpython-311.pyc
████ _widthsrc.cpython-311.pyc
████ _color.py
████ _colormsg.py
████ _width.py
████ _widthsrc.py
████ outsidetextfont

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	_contours.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hidesurface.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lighting.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lightposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacityscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_surfacecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_surfacecolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_cauto.py
■	■	■	■	■	■	■	■	■■■■	_cmax.py
■	■	■	■	■	■	■	■	■■■■	_cmid.py
■	■	■	■	■	■	■	■	■■■■	_cmin.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_contours.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py

■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_hidesurface.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_lighting.py	
■	■	■	■	■	■	■	■■■	_lightposition.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_opacityscale.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_surfacecolor.py	
■	■	■	■	■	■	■	■■■	_surfacecolorsrc.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zcalendar.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc

```

■ ■ ■ _outlinecolor.cpython-311.pyc
■ ■ ■ _outlinewidth.cpython-311.pyc
■ ■ ■ _separatethousands.cpython-311.pyc
■ ■ ■ _showexponent.cpython-311.pyc
■ ■ ■ _showticklabels.cpython-311.pyc
■ ■ ■ _showtickprefix.cpython-311.pyc
■ ■ ■ _showticksuffix.cpython-311.pyc
■ ■ ■ _thickness.cpython-311.pyc
■ ■ ■ _thicknessmode.cpython-311.pyc
■ ■ ■ _tick0.cpython-311.pyc
■ ■ ■ _tickangle.cpython-311.pyc
■ ■ ■ _tickcolor.cpython-311.pyc
■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ _title.cpython-311.pyc
■ ■ ■ _x.cpython-311.pyc
■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ _y.cpython-311.pyc
■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ _bgcolor.py
■ ■ ■ _bordercolor.py
■ ■ ■ _borderwidth.py
■ ■ ■ _dtick.py
■ ■ ■ _exponentformat.py
■ ■ ■ _len.py
■ ■ ■ _lenmode.py
■ ■ ■ _minexponent.py
■ ■ ■ _nticks.py
■ ■ ■ _outlinecolor.py
■ ■ ■ _outlinewidth.py
■ ■ ■ _separatethousands.py
■ ■ ■ _showexponent.py
■ ■ ■ _showticklabels.py
■ ■ ■ _showtickprefix.py
■ ■ ■ _showticksuffix.py
■ ■ ■ _thickness.py
■ ■ ■ _thicknessmode.py
■ ■ ■ _tick0.py
■ ■ ■ _tickangle.py
■ ■ ■ _tickcolor.py
■ ■ ■ _tickfont.py
■ ■ ■ _tickformat.py

```

```

tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__

```

```

██████████ _init__.cpython-311.pyc
██████████ _color.cpython-311.pyc
██████████ _family.cpython-311.pyc
██████████ _size.cpython-311.pyc
██████████ _color.py
██████████ _family.py
██████████ _size.py
██████████ contours
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _x.cpython-311.pyc
██████████ _y.cpython-311.pyc
██████████ _z.cpython-311.pyc
██████████ _x.py
██████████ _y.py
██████████ _z.py
██████████ x
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _color.cpython-311.pyc
██████████ _end.cpython-311.pyc
██████████ _highlight.cpython-311.pyc
██████████ _highlightcolor.cpython-311.pyc
██████████ _highlightwidth.cpython-311.pyc
██████████ _project.cpython-311.pyc
██████████ _show.cpython-311.pyc
██████████ _size.cpython-311.pyc
██████████ _start.cpython-311.pyc
██████████ _usecolormap.cpython-311.pyc
██████████ _width.cpython-311.pyc
██████████ _color.py
██████████ _end.py
██████████ _highlight.py
██████████ _highlightcolor.py
██████████ _highlightwidth.py
██████████ _project.py
██████████ _show.py
██████████ _size.py
██████████ _start.py
██████████ _usecolormap.py
██████████ _width.py
██████████ project
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _x.cpython-311.pyc
██████████ _y.cpython-311.pyc
██████████ _z.cpython-311.pyc
██████████ _x.py
██████████ _y.py
██████████ _z.py
██████████ y
██████████ __init__.py
██████████ __pycache__
██████████ __init__.cpython-311.pyc
██████████ _color.cpython-311.pyc

```

```

_ _ _ _ _end.cpython-311.pyc
_ _ _ _ _highlight.cpython-311.pyc
_ _ _ _ _highlightcolor.cpython-311.pyc
_ _ _ _ _highlightwidth.cpython-311.pyc
_ _ _ _ _project.cpython-311.pyc
_ _ _ _ _show.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _start.cpython-311.pyc
_ _ _ _ _usecolormap.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _end.py
_ _ _ _ _highlight.py
_ _ _ _ _highlightcolor.py
_ _ _ _ _highlightwidth.py
_ _ _ _ _project.py
_ _ _ _ _show.py
_ _ _ _ _size.py
_ _ _ _ _start.py
_ _ _ _ _usecolormap.py
_ _ _ _ _width.py
_ _ _ _ project
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _z.cpython-311.pyc
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ _z.py
_ _ _ z
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _end.cpython-311.pyc
_ _ _ _ _highlight.cpython-311.pyc
_ _ _ _ _highlightcolor.cpython-311.pyc
_ _ _ _ _highlightwidth.cpython-311.pyc
_ _ _ _ _project.cpython-311.pyc
_ _ _ _ _show.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _start.cpython-311.pyc
_ _ _ _ _usecolormap.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _end.py
_ _ _ _ _highlight.py
_ _ _ _ _highlightcolor.py
_ _ _ _ _highlightwidth.py
_ _ _ _ _project.py
_ _ _ _ _show.py
_ _ _ _ _size.py
_ _ _ _ _start.py
_ _ _ _ _usecolormap.py
_ _ _ _ _width.py
_ _ _ _ project

```



```

__init__.py
__pycache__
__init__.cpython-311.pyc
_x.cpython-311.pyc
_y.cpython-311.pyc
_z.cpython-311.pyc
_x.py
_y.py
_z.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelenh.cpython-311.pyc
_namelenhsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelenh.py
_namelenhsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
lighting
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _ambient.cpython-311.pyc
_ _ _ _ _diffuse.cpython-311.pyc
_ _ _ _ _fresnel.cpython-311.pyc
_ _ _ _ _roughness.cpython-311.pyc
_ _ _ _ _specular.cpython-311.pyc
_ _ _ _ _ambient.py
_ _ _ _ _diffuse.py
_ _ _ _ _fresnel.py
_ _ _ _ _roughness.py
_ _ _ _ _specular.py
lightposition
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _z.cpython-311.pyc
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ _z.py
stream
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
table
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _cells.cpython-311.pyc
_ _ _ _ _columnorder.cpython-311.pyc
_ _ _ _ _columnordersrc.cpython-311.pyc
_ _ _ _ _columnwidth.cpython-311.pyc
_ _ _ _ _columnwidthsrc.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _domain.cpython-311.pyc
_ _ _ _ _header.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc

```

[illegible]

```

_ prefixsrc.py
_ suffix.py
_ suffixsrc.py
_ values.py
_ valuessrc.py
fill
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_color.py
_colorsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_color.py
_colorsrc.py
_width.py
_widthsrc.py
domain
__init__.py
__pycache__
__init__.cpython-311.pyc
_column.cpython-311.pyc
_row.cpython-311.pyc
_x.cpython-311.pyc
_y.cpython-311.pyc
_column.py
_row.py
_x.py
_y.py
header
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc

```

```

_ _ _ _ _alignsrc.cpython-311.pyc
_ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _format.cpython-311.pyc
_ _ _ _ _formatsrc.cpython-311.pyc
_ _ _ _ _height.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _prefix.cpython-311.pyc
_ _ _ _ _prefixsrc.cpython-311.pyc
_ _ _ _ _suffix.cpython-311.pyc
_ _ _ _ _suffixsrc.cpython-311.pyc
_ _ _ _ _values.cpython-311.pyc
_ _ _ _ _valuessrc.cpython-311.pyc
_ _ _ _ _align.py
_ _ _ _ _alignsrc.py
_ _ _ _ _fill.py
_ _ _ _ _font.py
_ _ _ _ _format.py
_ _ _ _ _formatsrc.py
_ _ _ _ _height.py
_ _ _ _ _line.py
_ _ _ _ _prefix.py
_ _ _ _ _prefixsrc.py
_ _ _ _ _suffix.py
_ _ _ _ _suffixsrc.py
_ _ _ _ _values.py
_ _ _ _ _valuessrc.py
_ _ _ _ fill
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ font
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ line
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc

```

```

_ widthsrc.cpython-311.pyc
_ color.py
_ colorsrc.py
_ width.py
_ widthsrc.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelength.cpython-311.pyc
_namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc

```

[illegible]

[illegible]


```

    █ _row.py
    █ _x.py
    █ _y.py
    █ hoverlabel
    █ __init__.py
    █ __pycache__
    █ █ __init__.cpython-311.pyc
    █ █ _align.cpython-311.pyc
    █ █ _alignsrc.cpython-311.pyc
    █ █ _bgcolor.cpython-311.pyc
    █ █ _bgcolorsrc.cpython-311.pyc
    █ █ _bordercolor.cpython-311.pyc
    █ █ _bordercolorsrc.cpython-311.pyc
    █ █ _font.cpython-311.pyc
    █ █ _namelength.cpython-311.pyc
    █ █ _namelengthsrc.cpython-311.pyc
    █ █ _align.py
    █ █ _alignsrc.py
    █ █ _bgcolor.py
    █ █ _bgcolorsrc.py
    █ █ _bordercolor.py
    █ █ _bordercolorsrc.py
    █ █ _font.py
    █ █ _namelength.py
    █ █ _namelengthsrc.py
    █ █ font
    █ █ █ __init__.py
    █ █ █ __pycache__
    █ █ █ █ __init__.cpython-311.pyc
    █ █ █ █ _color.cpython-311.pyc
    █ █ █ █ _colorsrc.cpython-311.pyc
    █ █ █ █ _family.cpython-311.pyc
    █ █ █ █ _familysrc.cpython-311.pyc
    █ █ █ █ _size.cpython-311.pyc
    █ █ █ █ _sizesrc.cpython-311.pyc
    █ █ █ █ _color.py
    █ █ █ █ _colorsrc.py
    █ █ █ █ _family.py
    █ █ █ █ _familysrc.py
    █ █ █ █ _size.py
    █ █ █ █ _sizesrc.py
    █ █ insidetextfont
    █ █ █ __init__.py
    █ █ █ __pycache__
    █ █ █ █ __init__.cpython-311.pyc
    █ █ █ █ _color.cpython-311.pyc
    █ █ █ █ _colorsrc.cpython-311.pyc
    █ █ █ █ _family.cpython-311.pyc
    █ █ █ █ _familysrc.cpython-311.pyc
    █ █ █ █ _size.cpython-311.pyc
    █ █ █ █ _sizesrc.cpython-311.pyc
    █ █ █ █ _color.py
    █ █ █ █ _colorsrc.py
    █ █ █ █ _family.py
    █ █ █ █ _familysrc.py
    █ █ █ █ _size.py
    █ █ █ █ _sizesrc.py
    █ █ legendgrouptitle

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__family.cpython-311.pyc
__size.cpython-311.pyc
_color.py
_family.py
_size.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_cauto.cpython-311.pyc
_cmax.cpython-311.pyc
_cmidx.cpython-311.pyc
_cmin.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorbar.cpython-311.pyc
_colors.cpython-311.pyc
_colorscale.cpython-311.pyc
_colorssrc.cpython-311.pyc
_depthfade.cpython-311.pyc
_line.cpython-311.pyc
_pad.cpython-311.pyc
_reversescale.cpython-311.pyc
_showscale.cpython-311.pyc
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_coloraxis.py
_colorbar.py
_colors.py
_colorscale.py
_colorssrc.py
_depthfade.py
_line.py
_pad.py
_reversescale.py
_showscale.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bordercolor.cpython-311.pyc
_borderwidth.cpython-311.pyc

```

```

■■■ _dtick.cpython-311.pyc
■■■ _exponentformat.cpython-311.pyc
■■■ _len.cpython-311.pyc
■■■ _lenmode.cpython-311.pyc
■■■ _minexponent.cpython-311.pyc
■■■ _nticks.cpython-311.pyc
■■■ _outlinecolor.cpython-311.pyc
■■■ _outlinewidth.cpython-311.pyc
■■■ _separatethousands.cpython-311.pyc
■■■ _showexponent.cpython-311.pyc
■■■ _showticklabels.cpython-311.pyc
■■■ _showtickprefix.cpython-311.pyc
■■■ _showticksuffix.cpython-311.pyc
■■■ _thickness.cpython-311.pyc
■■■ _thicknessmode.cpython-311.pyc
■■■ _tick0.cpython-311.pyc
■■■ _tickangle.cpython-311.pyc
■■■ _tickcolor.cpython-311.pyc
■■■ _tickfont.cpython-311.pyc
■■■ _tickformat.cpython-311.pyc
■■■ _tickformatstopdefaults.cpython-311.pyc
■■■ _tickformatstops.cpython-311.pyc
■■■ _ticklabeloverflow.cpython-311.pyc
■■■ _ticklabelposition.cpython-311.pyc
■■■ _ticklen.cpython-311.pyc
■■■ _tickmode.cpython-311.pyc
■■■ _tickprefix.cpython-311.pyc
■■■ _ticks.cpython-311.pyc
■■■ _ticksuffix.cpython-311.pyc
■■■ _ticktext.cpython-311.pyc
■■■ _ticktextsrc.cpython-311.pyc
■■■ _tickvals.cpython-311.pyc
■■■ _tickvalssrc.cpython-311.pyc
■■■ _tickwidth.cpython-311.pyc
■■■ _title.cpython-311.pyc
■■■ _x.cpython-311.pyc
■■■ _xanchor.cpython-311.pyc
■■■ _xpad.cpython-311.pyc
■■■ _y.cpython-311.pyc
■■■ _yanchor.cpython-311.pyc
■■■ _ypad.cpython-311.pyc
■■■ _bgcolor.py
■■■ _bordercolor.py
■■■ _borderwidth.py
■■■ _dtick.py
■■■ _exponentformat.py
■■■ _len.py
■■■ _lenmode.py
■■■ _minexponent.py
■■■ _nticks.py
■■■ _outlinecolor.py
■■■ _outlinewidth.py
■■■ _separatethousands.py
■■■ _showexponent.py
■■■ _showticklabels.py
■■■ _showtickprefix.py
■■■ _showticksuffix.py
■■■ _thickness.py

```

■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■■■■	tickformatstop	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtickrange.py	
■	■	■	■	■	■	■	■	■■■■	_enabled.py	
■	■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■	■■■■	_templateitemname.py	
■	■	■	■	■	■	■	■	■■■■	_value.py	
■	■	■	■	■	■	■	■	■■■■	title	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_side.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc

```

font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_color.py
_colorsrc.py
_width.py
_widthsrc.py
pad
__init__.py
__pycache__
__init__.cpython-311.pyc
_b.cpython-311.pyc
_l.cpython-311.pyc
_r.cpython-311.pyc
_t.cpython-311.pyc
_b.py
_l.py
_r.py
_t.py
outsidetextfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
pathbar
__init__.py
__pycache__
__init__.cpython-311.pyc
_edgeshape.cpython-311.pyc

```

```

_ _ _ _ side.cpython-311.pyc
_ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _edgeshape.py
_ _ _ _ _side.py
_ _ _ _ _textfont.py
_ _ _ _ _thickness.py
_ _ _ _ _visible.py
_ _ _ _ textfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ root
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ stream
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
_ _ _ _ textfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ tiling
_ _ _ _ __init__.py
_ _ _ _ __pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _flip.cpython-311.pyc
_ _ _ _ _packing.cpython-311.pyc
_ _ _ _ _pad.cpython-311.pyc
_ _ _ _ _squarifyratio.cpython-311.pyc
_ _ _ _ _flip.py
_ _ _ _ _packing.py
_ _ _ _ _pad.py
_ _ _ _ _squarifyratio.py
_ _ _ _ violin
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _alignmentgroup.cpython-311.pyc
_ _ _ _ _bandwidth.cpython-311.pyc
_ _ _ _ _box.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _fillcolor.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _hoveron.cpython-311.pyc
_ _ _ _ _hovertemplate.cpython-311.pyc
_ _ _ _ _hovertemplatesrc.cpython-311.pyc
_ _ _ _ _hovertext.cpython-311.pyc
_ _ _ _ _hovertextsrc.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _jitter.cpython-311.pyc
_ _ _ _ _legendgroup.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _legendrank.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _meanline.cpython-311.pyc
_ _ _ _ _meta.cpython-311.pyc
_ _ _ _ _metasrc.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _offsetgroup.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _orientation.cpython-311.pyc
_ _ _ _ _pointpos.cpython-311.pyc
_ _ _ _ _points.cpython-311.pyc
_ _ _ _ _scalegroup.cpython-311.pyc
_ _ _ _ _scalemode.cpython-311.pyc
_ _ _ _ _selected.cpython-311.pyc
_ _ _ _ _selectedpoints.cpython-311.pyc
_ _ _ _ _showlegend.cpython-311.pyc
_ _ _ _ _side.cpython-311.pyc
_ _ _ _ _span.cpython-311.pyc
_ _ _ _ _spanmode.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _textsrc.cpython-311.pyc
_ _ _ _ _uid.cpython-311.pyc
_ _ _ _ _uirevision.cpython-311.pyc
_ _ _ _ _unselected.cpython-311.pyc

```

[illegible]


```

width.py
_x.py
_x0.py
_xaxis.py
_xhoverformat.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_ysrc.py
box
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fillcolor.cpython-311.pyc
        _line.cpython-311.pyc
        _visible.cpython-311.pyc
        _width.cpython-311.pyc
    _fillcolor.py
    _line.py
    _visible.py
    _width.py
    line
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _width.cpython-311.pyc
        _color.py
        _width.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc

```



```

_ _ _ _ _ outliercolor.cpython-311.pyc
_ _ _ _ _ outlierwidth.cpython-311.pyc
_ _ _ _ _ width.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ outliercolor.py
_ _ _ _ _ outlierwidth.py
_ _ _ _ _ width.py
_ _ _ _ _ meanline
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ visible.cpython-311.pyc
_ _ _ _ _ width.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ visible.py
_ _ _ _ _ width.py
_ _ _ _ _ selected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ marker.cpython-311.pyc
_ _ _ _ _ marker.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ opacity.cpython-311.pyc
_ _ _ _ _ size.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ opacity.py
_ _ _ _ _ size.py
_ _ _ _ _ stream
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ maxpoints.cpython-311.pyc
_ _ _ _ _ token.cpython-311.pyc
_ _ _ _ _ maxpoints.py
_ _ _ _ _ token.py
_ _ _ _ _ unselected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ marker.cpython-311.pyc
_ _ _ _ _ marker.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ opacity.cpython-311.pyc
_ _ _ _ _ size.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ opacity.py
_ _ _ _ _ size.py
_ _ _ _ _ volume

```

■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_caps.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_contour.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_flatshading.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_isomax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_isomin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lighting.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lightposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacityscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_slices.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_spaceframe.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_surface.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_valuehoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_valuesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_yhoverformat.cpython-311.pyc


```

■ ■ ■ _showticksuffix.cpython-311.pyc
■ ■ ■ _thickness.cpython-311.pyc
■ ■ ■ _thicknessmode.cpython-311.pyc
■ ■ ■ _tick0.cpython-311.pyc
■ ■ ■ _tickangle.cpython-311.pyc
■ ■ ■ _tickcolor.cpython-311.pyc
■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ _title.cpython-311.pyc
■ ■ ■ _x.cpython-311.pyc
■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ _y.cpython-311.pyc
■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ _bgcolor.py
■ ■ ■ _bordercolor.py
■ ■ ■ _borderwidth.py
■ ■ ■ _dtick.py
■ ■ ■ _exponentformat.py
■ ■ ■ _len.py
■ ■ ■ _lenmode.py
■ ■ ■ _minexponent.py
■ ■ ■ _nticks.py
■ ■ ■ _outlinecolor.py
■ ■ ■ _outlinewidth.py
■ ■ ■ _separatethousands.py
■ ■ ■ _showexponent.py
■ ■ ■ _showticklabels.py
■ ■ ■ _showtickprefix.py
■ ■ ■ _showticksuffix.py
■ ■ ■ _thickness.py
■ ■ ■ _thicknessmode.py
■ ■ ■ _tick0.py
■ ■ ■ _tickangle.py
■ ■ ■ _tickcolor.py
■ ■ ■ _tickfont.py
■ ■ ■ _tickformat.py
■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ _tickformatstops.py
■ ■ ■ _ticklabeloverflow.py
■ ■ ■ _ticklabelposition.py
■ ■ ■ _ticklen.py
■ ■ ■ _tickmode.py

```

```

tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py

```



```

_ _ _ _ _size.py
contour
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _show.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _show.py
_ _ _ _ _width.py
hoverlabel
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _align.cpython-311.pyc
_ _ _ _ _alignsrc.cpython-311.pyc
_ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _bgcolorsrc.cpython-311.pyc
_ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _bordercolorsrc.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _namelength.cpython-311.pyc
_ _ _ _ _namelengthsrc.cpython-311.pyc
_ _ _ _ _align.py
_ _ _ _ _alignsrc.py
_ _ _ _ _bgcolor.py
_ _ _ _ _bgcolorsrc.py
_ _ _ _ _bordercolor.py
_ _ _ _ _bordercolorsrc.py
_ _ _ _ _font.py
_ _ _ _ _namelength.py
_ _ _ _ _namelengthsrc.py
font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _text.py
font

```


■	■	■	■	■	■	■	■	■■■■	_base.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_connector.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_constrainttext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_decreasing.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_increasing.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_measure.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_measuresrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_totals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_widthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_alignmentgroup.py	
■	■	■	■	■	■	■	■■■■	_base.py	
■	■	■	■	■	■	■	■■■■	_claponaxis.py	
■	■	■	■	■	■	■	■■■■	_connector.py	
■	■	■	■	■	■	■	■■■■	_constrainttext.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_decreasing.py	
■	■	■	■	■	■	■	■■■■	_dx.py	
■	■	■	■	■	■	■	■■■■	_dy.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■■	_increasing.py	
■	■	■	■	■	■	■	■■■■	_insidetextanchor.py	
■	■	■	■	■	■	■	■■■■	_insidetextfont.py	
■	■	■	■	■	■	■	■■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_measure.py	
■	■	■	■	■	■	■	■■■■	_measuresrc.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_offset.py	
■	■	■	■	■	■	■	■■■■	_offsetgroup.py	
■	■	■	■	■	■	■	■■■■	_offsetsrc.py	
■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■■■■	_orientation.py	
■	■	■	■	■	■	■	■■■■	_outsidetextfont.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_text.py	
■	■	■	■	■	■	■	■■■■	_textangle.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_textinfo.py	
■	■	■	■	■	■	■	■■■■	_textposition.py	
■	■	■	■	■	■	■	■■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■■	_texttemplate.py	

```

■ ■ ■ ■ ■ ■ ■ ■■■ _texttemplatesrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _totals.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uid.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uirevision.py
■ ■ ■ ■ ■ ■ ■ ■■■ _visible.py
■ ■ ■ ■ ■ ■ ■ ■■■ _width.py
■ ■ ■ ■ ■ ■ ■ ■■■ _widthsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _x.py
■ ■ ■ ■ ■ ■ ■ ■■■ _x0.py
■ ■ ■ ■ ■ ■ ■ ■■■ _xaxis.py
■ ■ ■ ■ ■ ■ ■ ■■■ _xhoverformat.py
■ ■ ■ ■ ■ ■ ■ ■■■ _xperiod.py
■ ■ ■ ■ ■ ■ ■ ■■■ _xperiod0.py
■ ■ ■ ■ ■ ■ ■ ■■■ _xperiodalignment.py
■ ■ ■ ■ ■ ■ ■ ■■■ _xsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _y.py
■ ■ ■ ■ ■ ■ ■ ■■■ _y0.py
■ ■ ■ ■ ■ ■ ■ ■■■ _yaxis.py
■ ■ ■ ■ ■ ■ ■ ■■■ _yhoverformat.py
■ ■ ■ ■ ■ ■ ■ ■■■ _yperiod.py
■ ■ ■ ■ ■ ■ ■ ■■■ _yperiod0.py
■ ■ ■ ■ ■ ■ ■ ■■■ _yperiodalignment.py
■ ■ ■ ■ ■ ■ ■ ■■■ _ysrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ connector
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ _line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ _mode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ _visible.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ _line.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ _mode.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ _visible.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ line
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _dash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _width.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ _color.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _dash.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _width.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■■ decreasing
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ _marker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ _marker.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■■ marker
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■■ _color.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ _line.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■ ■■■■ line

```



```

████ _sizesrc.py
████ stream
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _maxpoints.cpython-311.pyc
████ _token.cpython-311.pyc
████ _maxpoints.py
████ _token.py
████ textfont
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _colorsrc.cpython-311.pyc
████ _family.cpython-311.pyc
████ _familysrc.cpython-311.pyc
████ _size.cpython-311.pyc
████ _sizesrc.cpython-311.pyc
████ _color.py
████ _colorsrc.py
████ _family.py
████ _familysrc.py
████ _size.py
████ _sizesrc.py
████ totals
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _marker.py
████ marker
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _line.cpython-311.pyc
████ _color.py
████ _line.py
████ line
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _width.cpython-311.pyc
████ _color.py
████ _width.py
████ version.py
████ widgets.py
████ plotly-5.3.0.dist-info
████ INSTALLER
████ LICENSE.txt
████ METADATA
████ RECORD
████ REQUESTED
████ WHEEL
████ top_level.txt
████ plotlywidget

```

[illegible]

```

█████ __init__.py
█████ __pycache__
█████   ___init___cpython-311.pyc
█████ facet.cpython-311.pyc
█████ facet_grid.cpython-311.pyc
█████ facet_null.cpython-311.pyc
█████ facet_wrap.cpython-311.pyc
█████ labelling.cpython-311.pyc
█████ layout.cpython-311.pyc
█████ strips.cpython-311.pyc
█████ facet.py
█████ facet_grid.py
█████ facet_null.py
█████ facet_wrap.py
█████ labelling.py
█████ layout.py
█████ strips.py
█████ geoms
█████   ___init___py
█████   __pycache__
█████     ___init___cpython-311.pyc
█████ annotate.cpython-311.pyc
█████ annotation_logticks.cpython-311.pyc
█████ annotation_stripes.cpython-311.pyc
█████ geom.cpython-311.pyc
█████ geom_abline.cpython-311.pyc
█████ geom_area.cpython-311.pyc
█████ geom_bar.cpython-311.pyc
█████ geom_bin_2d.cpython-311.pyc
█████ geom_blank.cpython-311.pyc
█████ geom_boxplot.cpython-311.pyc
█████ geom_col.cpython-311.pyc
█████ geom_count.cpython-311.pyc
█████ geom_crossbar.cpython-311.pyc
█████ geom_density.cpython-311.pyc
█████ geom_density_2d.cpython-311.pyc
█████ geom_dotplot.cpython-311.pyc
█████ geom_errorbar.cpython-311.pyc
█████ geom_errorbarh.cpython-311.pyc
█████ geom_freqpoly.cpython-311.pyc
█████ geom_histogram.cpython-311.pyc
█████ geom_hline.cpython-311.pyc
█████ geom_jitter.cpython-311.pyc
█████ geom_label.cpython-311.pyc
█████ geom_line.cpython-311.pyc
█████ geom_linerange.cpython-311.pyc
█████ geom_map.cpython-311.pyc
█████ geom_path.cpython-311.pyc
█████ geom_point.cpython-311.pyc
█████ geom_pointdensity.cpython-311.pyc
█████ geom_poinrange.cpython-311.pyc
█████ geom_polygon.cpython-311.pyc
█████ geom_qq.cpython-311.pyc
█████ geom_qq_line.cpython-311.pyc
█████ geom_quantile.cpython-311.pyc
█████ geom_raster.cpython-311.pyc
█████ geom_rect.cpython-311.pyc
█████ geom_ribbon.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ geom_rug.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_segment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_sina.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_smooth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_spoke.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_step.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_tile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_violin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_vline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ annotate.py
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_logticks.py
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_stripes.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_abline.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_area.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_bar.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_bin_2d.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_blank.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_boxplot.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_col.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_count.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_crossbar.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_density.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_density_2d.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_dotplot.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_errorbar.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_errorbarh.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_freqpoly.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_histogram.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_hline.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_jitter.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_label.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_line.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_linerange.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_map.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_path.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_point.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_pointdensity.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_pointrange.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_polygon.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_qq.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_qq_line.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_quantile.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_raster.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_rect.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_ribbon.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_rug.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_segment.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_sina.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_smooth.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_spoke.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_step.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_text.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_tile.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_violin.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_vline.py
■ ■ ■ ■ ■ ■ ■ ■■■ ggplot.py
```

```

    guides
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    guide.cpython-311.pyc
    guide_axis.cpython-311.pyc
    guide_colorbar.cpython-311.pyc
    guide_legend.cpython-311.pyc
    guides.cpython-311.pyc
    guide.py
    guide_axis.py
    guide_colorbar.py
    guide_legend.py
    guides.py
    labels.py
    layer.py
    mapping
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    aes.cpython-311.pyc
    evaluation.cpython-311.pyc
    aes.py
    evaluation.py
    options.py
    positions
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    position.cpython-311.pyc
    position_dodge.cpython-311.pyc
    position_dodge2.cpython-311.pyc
    position_fill.cpython-311.pyc
    position_identity.cpython-311.pyc
    position_jitter.cpython-311.pyc
    position_jitterdodge.cpython-311.pyc
    position_nudge.cpython-311.pyc
    position_stack.cpython-311.pyc
    position.py
    position_dodge.py
    position_dodge2.py
    position_fill.py
    position_identity.py
    position_jitter.py
    position_jitterdodge.py
    position_nudge.py
    position_stack.py
    qplot.py
    scales
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    limits.cpython-311.pyc
    range.cpython-311.pyc
    scale.cpython-311.pyc
    scale_alpha.cpython-311.pyc
    scale_color.cpython-311.pyc
    scale_identity.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■ scale_linetype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_manual.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_stroke.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_xy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scales.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ limits.py
■ ■ ■ ■ ■ ■ ■ ■■ range.py
■ ■ ■ ■ ■ ■ ■ ■■ scale.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_alpha.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_color.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_identity.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_linetype.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_manual.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_shape.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_size.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_stroke.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_xy.py
■ ■ ■ ■ ■ ■ ■ ■■ scales.py
■ ■ ■ ■ ■ ■ ■ ■■ stats
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ binning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ density.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ distributions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ smoothers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_bin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_bin_2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_bindot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_boxplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_count.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_density.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_density_2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_ecdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_ellipse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_hull.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_identity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_pointdensity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_qq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_qq_line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_quantile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_sina.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_smooth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_sum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_summary.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_summary_bin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_unique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_ydensity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ binning.py
■ ■ ■ ■ ■ ■ ■ ■■ density.py
■ ■ ■ ■ ■ ■ ■ ■■ distributions.py
■ ■ ■ ■ ■ ■ ■ ■■ smoothers.py
■ ■ ■ ■ ■ ■ ■ ■■ stat.py
■ ■ ■ ■ ■ ■ ■ ■■ stat_bin.py

```

```

stat_bin_2d.py
stat_bindot.py
stat_boxplot.py
stat_count.py
stat_density.py
stat_density_2d.py
stat_ecdf.py
stat_ellipse.py
stat_function.py
stat_hull.py
stat_identity.py
stat_pointdensity.py
stat_qq.py
stat_qq_line.py
stat_quantile.py
stat_sina.py
stat_smooth.py
stat_sum.py
stat_summary.py
stat_summary_bin.py
stat_unique.py
stat_ydensity.py
themes
__init__.py
__pycache__
__init__.cpython-311.pyc
elements.cpython-311.pyc
seaborn_rcmod.cpython-311.pyc
theme.cpython-311.pyc
theme_538.cpython-311.pyc
theme_bw.cpython-311.pyc
theme_classic.cpython-311.pyc
theme_dark.cpython-311.pyc
theme_gray.cpython-311.pyc
theme_light.cpython-311.pyc
theme_linedraw.cpython-311.pyc
theme_matplotlib.cpython-311.pyc
theme_minimal.cpython-311.pyc
theme_seaborn.cpython-311.pyc
theme_tufte.cpython-311.pyc
theme_void.cpython-311.pyc
theme_xkcd.cpython-311.pyc
themeable.cpython-311.pyc
elements.py
seaborn_rcmod.py
theme.py
theme_538.py
theme_bw.py
theme_classic.py
theme_dark.py
theme_gray.py
theme_light.py
theme_linedraw.py
theme_matplotlib.py
theme_minimal.py
theme_seaborn.py
theme_tufte.py
theme_void.py

```

```

■   ■   ■   ■   ■   ■   theme_xkcd.py
■   ■   ■   ■   ■   ■   themeable.py
■   ■   ■   ■   ■   ■   utils.py
■   ■   ■   ■   ■   ■   watermark.py
■   ■   ■   ■   ■■■ plotnine-0.10.1.dist-info
■   ■   ■   ■   ■   ■   INSTALLER
■   ■   ■   ■   ■   ■   LICENSE
■   ■   ■   ■   ■   ■   METADATA
■   ■   ■   ■   ■   ■   RECORD
■   ■   ■   ■   ■   ■   REQUESTED
■   ■   ■   ■   ■   ■   WHEEL
■   ■   ■   ■   ■   ■   top_level.txt
■   ■   ■   ■   ■■■ pluggy
■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _callers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _hooks.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _manager.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _result.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _tracing.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _version.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _warnings.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _callers.py
■   ■   ■   ■   ■   ■   ■■■ _hooks.py
■   ■   ■   ■   ■   ■   ■■■ _manager.py
■   ■   ■   ■   ■   ■   ■■■ _result.py
■   ■   ■   ■   ■   ■   ■■■ _tracing.py
■   ■   ■   ■   ■   ■   ■■■ _version.py
■   ■   ■   ■   ■   ■   ■■■ _warnings.py
■   ■   ■   ■   ■   ■   ■■■ py.typed
■   ■   ■   ■   ■■■ pluggy-1.5.0.dist-info
■   ■   ■   ■   ■   ■   INSTALLER
■   ■   ■   ■   ■   ■   LICENSE
■   ■   ■   ■   ■   ■   METADATA
■   ■   ■   ■   ■   ■   RECORD
■   ■   ■   ■   ■   ■   WHEEL
■   ■   ■   ■   ■   ■   top_level.txt
■   ■   ■   ■   ■■■ pooch
■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _version.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ core.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ downloaders.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ hashes.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ processors.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ _version.py
■   ■   ■   ■   ■   ■   ■■■ core.py
■   ■   ■   ■   ■   ■   ■■■ downloaders.py
■   ■   ■   ■   ■   ■   ■■■ hashes.py
■   ■   ■   ■   ■   ■   ■■■ processors.py
■   ■   ■   ■   ■   ■   ■■■ tests
■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ test_core.cpython-311.pyc

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ test_downloaders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hashes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_integration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_processors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ large-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry-custom-url.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry-invalid.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry-spaces.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry_comments.txt
■ ■ ■ ■ ■ ■ ■ ■■■ store
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■■ subdir
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■■ tiny-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■■ tiny-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■■■ store.tar.gz
■ ■ ■ ■ ■ ■ ■ ■■■■■ store.zip
■ ■ ■ ■ ■ ■ ■ ■■■■■ tiny-data.tar.gz
■ ■ ■ ■ ■ ■ ■ ■■■■■ tiny-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■■■ tiny-data.txt.bz2
■ ■ ■ ■ ■ ■ ■ ■■■■■ tiny-data.txt.gz
■ ■ ■ ■ ■ ■ ■ ■■■■■ tiny-data.txt.xz
■ ■ ■ ■ ■ ■ ■ ■■■■■ tiny-data.zip
■ ■ ■ ■ ■ ■ ■ ■■■■ test_core.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_downloaders.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_hashes.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_integration.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_processors.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_version.py
■ ■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ pooch-1.8.2.dist-info
■ ■ ■ ■ ■ ■ ■■■■ AUTHORS.md
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ ppx
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ action.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ exc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ media.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ package.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ presentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ slide.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ util.cpython-311.pyc

```

```

■■■ action.py
■■■ api.py
■■■ chart
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ axis.cpython-311.pyc
■■■ category.cpython-311.pyc
■■■ chart.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ datalabel.cpython-311.pyc
■■■ legend.cpython-311.pyc
■■■ marker.cpython-311.pyc
■■■ plot.cpython-311.pyc
■■■ point.cpython-311.pyc
■■■ series.cpython-311.pyc
■■■ xlsx.cpython-311.pyc
■■■ xmlwriter.cpython-311.pyc
■■■ axis.py
■■■ category.py
■■■ chart.py
■■■ data.py
■■■ datalabel.py
■■■ legend.py
■■■ marker.py
■■■ plot.py
■■■ point.py
■■■ series.py
■■■ xlsx.py
■■■ xmlwriter.py
■■■ compat
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ python2.cpython-311.pyc
■■■ python3.cpython-311.pyc
■■■ python2.py
■■■ python3.py
■■■ dml
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ chtfmt.cpython-311.pyc
■■■ color.cpython-311.pyc
■■■ effect.cpython-311.pyc
■■■ fill.cpython-311.pyc
■■■ line.cpython-311.pyc
■■■ chtfmt.py
■■■ color.py
■■■ effect.py
■■■ fill.py
■■■ line.py
■■■ enum
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ action.cpython-311.pyc
■■■ base.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lang.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ action.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart.py
■ ■ ■ ■ ■ ■ ■ ■■■ dml.py
■ ■ ■ ■ ■ ■ ■ ■■■ lang.py
■ ■ ■ ■ ■ ■ ■ ■■■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ exc.py
■ ■ ■ ■ ■ ■ ■ ■■■ media.py
■ ■ ■ ■ ■ ■ ■ ■■■ opc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ oxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ package.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ packuri.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialized.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ oxml.py
■ ■ ■ ■ ■ ■ ■ ■■■ package.py
■ ■ ■ ■ ■ ■ ■ ■■■ packuri.py
■ ■ ■ ■ ■ ■ ■ ■■■ serialized.py
■ ■ ■ ■ ■ ■ ■ ■■■ shared.py
■ ■ ■ ■ ■ ■ ■ ■■■ spec.py
■ ■ ■ ■ ■ ■ ■ ■■■ oxml
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ action.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coreprops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ presentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ simpletypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slide.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ theme.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xmlchemy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ action.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ axis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datalabel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ legend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ marker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ series.cpython-311.pyc
```

```

■■■■ shared.cpython-311.pyc
■■■■ axis.py
■■■■ chart.py
■■■■ datalabel.py
■■■■ legend.py
■■■■ marker.py
■■■■ plot.py
■■■■ series.py
■■■■ shared.py
■■■■ coreprops.py
■■■■ dml
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ color.cpython-311.pyc
■■■■ fill.cpython-311.pyc
■■■■ line.cpython-311.pyc
■■■■ color.py
■■■■ fill.py
■■■■ line.py
■■■■ ns.py
■■■■ presentation.py
■■■■ shapes
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ autoshape.cpython-311.pyc
■■■■ connector.cpython-311.pyc
■■■■ graphfrm.cpython-311.pyc
■■■■ groupshape.cpython-311.pyc
■■■■ picture.cpython-311.pyc
■■■■ shared.cpython-311.pyc
■■■■ autoshape.py
■■■■ connector.py
■■■■ graphfrm.py
■■■■ groupshape.py
■■■■ picture.py
■■■■ shared.py
■■■■ simpletypes.py
■■■■ slide.py
■■■■ table.py
■■■■ text.py
■■■■ theme.py
■■■■ xmlchemy.py
■■■■ package.py
■■■■ parts
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ chart.cpython-311.pyc
■■■■ coreprops.cpython-311.pyc
■■■■ embeddedpackage.cpython-311.pyc
■■■■ image.cpython-311.pyc
■■■■ media.cpython-311.pyc
■■■■ presentation.cpython-311.pyc
■■■■ slide.cpython-311.pyc
■■■■ chart.py
■■■■ coreprops.py

```

```

■■■■ embeddedpackage.py
■■■■ image.py
■■■■ media.py
■■■■ presentation.py
■■■■ slide.py
■■■■ presentation.py
■■■■ shapes
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ autoshape.cpython-311.pyc
■■■■ base.cpython-311.pyc
■■■■ connector.cpython-311.pyc
■■■■ freeform.cpython-311.pyc
■■■■ graphfrm.cpython-311.pyc
■■■■ group.cpython-311.pyc
■■■■ picture.cpython-311.pyc
■■■■ placeholder.cpython-311.pyc
■■■■ shapetree.cpython-311.pyc
■■■■ autoshape.py
■■■■ base.py
■■■■ connector.py
■■■■ freeform.py
■■■■ graphfrm.py
■■■■ group.py
■■■■ picture.py
■■■■ placeholder.py
■■■■ shapetree.py
■■■■ shared.py
■■■■ slide.py
■■■■ spec.py
■■■■ table.py
■■■■ templates
■■■■ default.pptx
■■■■ docx-icon.emf
■■■■ generic-icon.emf
■■■■ notes.xml
■■■■ notesMaster.xml
■■■■ pptx-icon.emf
■■■■ theme.xml
■■■■ xlsx-icon.emf
■■■■ text
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ fonts.cpython-311.pyc
■■■■ layout.cpython-311.pyc
■■■■ text.cpython-311.pyc
■■■■ fonts.py
■■■■ layout.py
■■■■ text.py
■■■■ util.py
■■■■ preshed
■■■■ __init__.pxd
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ about.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■■■ about.py
■ ■ ■ ■ ■ ■■■ bloom.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■ bloom.pxd
■ ■ ■ ■ ■ ■■■ bloom.pyx
■ ■ ■ ■ ■ ■■■ counter.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■ counter.pxd
■ ■ ■ ■ ■ ■■■ counter.pyx
■ ■ ■ ■ ■ ■■■ maps.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■ maps.pxd
■ ■ ■ ■ ■ ■■■ maps.pyx
■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_bloom.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_counter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_pop.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_bloom.py
■ ■ ■ ■ ■ ■■■ test_counter.py
■ ■ ■ ■ ■ ■■■ test_hashing.py
■ ■ ■ ■ ■ ■■■ test_pop.py
■ ■ ■ ■ ■ ■■■ preshed-3.0.9.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ priority
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ priority.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ priority.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ priority-2.0.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ proglog
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ proglog.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ proglog.py
■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■■■ proglog-0.1.10.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt

```

```

■ ■ ■ ■ ■■■ prometheus_client
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ asgi.cpython-311.pyc
■ ■ ■ ■ ■■■ context_managers.cpython-311.pyc
■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■ decorator.cpython-311.pyc
■ ■ ■ ■ ■■■ exposition.cpython-311.pyc
■ ■ ■ ■ ■■■ gc_collector.cpython-311.pyc
■ ■ ■ ■ ■■■ metrics.cpython-311.pyc
■ ■ ■ ■ ■■■ metrics_core.cpython-311.pyc
■ ■ ■ ■ ■■■ mmap_dict.cpython-311.pyc
■ ■ ■ ■ ■■■ multiprocessing.cpython-311.pyc
■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■■■ platform_collector.cpython-311.pyc
■ ■ ■ ■ ■■■ process_collector.cpython-311.pyc
■ ■ ■ ■ ■■■ registry.cpython-311.pyc
■ ■ ■ ■ ■■■ samples.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ values.cpython-311.pyc
■ ■ ■ ■ ■■■ asgi.py
■ ■ ■ ■ ■■■ bridge
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ graphite.cpython-311.pyc
■ ■ ■ ■ ■■■ graphite.py
■ ■ ■ ■ ■■■ context_managers.py
■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■■■ decorator.py
■ ■ ■ ■ ■■■ exposition.py
■ ■ ■ ■ ■■■ gc_collector.py
■ ■ ■ ■ ■■■ metrics.py
■ ■ ■ ■ ■■■ metrics_core.py
■ ■ ■ ■ ■■■ mmap_dict.py
■ ■ ■ ■ ■■■ multiprocessing.py
■ ■ ■ ■ ■■■ openmetrics
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ exposition.cpython-311.pyc
■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■■■ exposition.py
■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■■■ platform_collector.py
■ ■ ■ ■ ■■■ process_collector.py
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ registry.py
■ ■ ■ ■ ■■■ samples.py
■ ■ ■ ■ ■■■ twisted
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _exposition.cpython-311.pyc
■ ■ ■ ■ ■■■ _exposition.py
■ ■ ■ ■ ■■■ utils.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ values.py
■ ■ ■ ■ ■ ■ ■ ■ prometheus_client-0.21.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ NOTICE
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ prompt_toolkit
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ auto_suggest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ buffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cursor_shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data_structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ document.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ history.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ keys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ log.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ mouse_events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ patch_stdout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ search.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ selection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ token.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ win32_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ application
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ current.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ run_in_terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ application.py
■ ■ ■ ■ ■ ■ ■ ■ current.py
■ ■ ■ ■ ■ ■ ■ ■ dummy.py
■ ■ ■ ■ ■ ■ ■ ■ run_in_terminal.py
■ ■ ■ ■ ■ ■ ■ ■ auto_suggest.py
■ ■ ■ ■ ■ ■ ■ ■ buffer.py
■ ■ ■ ■ ■ ■ ■ ■ cache.py
■ ■ ■ ■ ■ ■ ■ ■ clipboard
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ in_memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pyperclip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ in_memory.py
■ ■ ■ ■ ■ ■ ■ ■ pyperclip.py
■ ■ ■ ■ ■ ■ ■ ■ completion

```


[illegible]

```

enum_.py
eventloop
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    async_generator.cpython-311.pyc
    inputhook.cpython-311.pyc
    utils.cpython-311.pyc
    win32.cpython-311.pyc
  async_generator.py
  inputhook.py
  utils.py
  win32.py
filters
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    app.cpython-311.pyc
    base.cpython-311.pyc
    cli.cpython-311.pyc
    utils.cpython-311.pyc
  app.py
  base.py
  cli.py
  utils.py
formatted_text
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    ansi.cpython-311.pyc
    base.cpython-311.pyc
    html.cpython-311.pyc
    pygments.cpython-311.pyc
    utils.cpython-311.pyc
  ansi.py
  base.py
  html.py
  pygments.py
  utils.py
history.py
input
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    ansi_escape_sequences.cpython-311.pyc
    base.cpython-311.pyc
    defaults.cpython-311.pyc
    posix_pipe.cpython-311.pyc
    posix_utils.cpython-311.pyc
    typeahead.cpython-311.pyc
    vt100.cpython-311.pyc
    vt100_parser.cpython-311.pyc
    win32.cpython-311.pyc
    win32_pipe.cpython-311.pyc
  ansi_escape_sequences.py
  base.py
  defaults.py
  posix_pipe.py

```

```

##### posix_utils.py
##### typeahead.py
##### vt100.py
##### vt100_parser.py
##### win32.py
##### win32_pipe.py
##### key_binding
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### defaults.cpython-311.pyc
##### digraphs.cpython-311.pyc
##### emacs_state.cpython-311.pyc
##### key_bindings.cpython-311.pyc
##### key_processor.cpython-311.pyc
##### vi_state.cpython-311.pyc
##### bindings
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### auto_suggest.cpython-311.pyc
##### basic.cpython-311.pyc
##### completion.cpython-311.pyc
##### cpr.cpython-311.pyc
##### emacs.cpython-311.pyc
##### focus.cpython-311.pyc
##### mouse.cpython-311.pyc
##### named_commands.cpython-311.pyc
##### open_in_editor.cpython-311.pyc
##### page_navigation.cpython-311.pyc
##### scroll.cpython-311.pyc
##### search.cpython-311.pyc
##### vi.cpython-311.pyc
##### auto_suggest.py
##### basic.py
##### completion.py
##### cpr.py
##### emacs.py
##### focus.py
##### mouse.py
##### named_commands.py
##### open_in_editor.py
##### page_navigation.py
##### scroll.py
##### search.py
##### vi.py
##### defaults.py
##### digraphs.py
##### emacs_state.py
##### key_bindings.py
##### key_processor.py
##### vi_state.py
##### keys.py
##### layout
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### containers.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■	controls.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dimension.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dummy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	layout.cpython-311.pyc
■	■	■	■	■	■	■	■■■	margins.cpython-311.pyc
■	■	■	■	■	■	■	■■■	menus.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mouse_handlers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	processors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	screen.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scrollable_pane.cpython-311.pyc
■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	containers.py
■	■	■	■	■	■	■	■■■	controls.py
■	■	■	■	■	■	■	■■■	dimension.py
■	■	■	■	■	■	■	■■■	dummy.py
■	■	■	■	■	■	■	■■■	layout.py
■	■	■	■	■	■	■	■■■	margins.py
■	■	■	■	■	■	■	■■■	menus.py
■	■	■	■	■	■	■	■■■	mouse_handlers.py
■	■	■	■	■	■	■	■■■	processors.py
■	■	■	■	■	■	■	■■■	screen.py
■	■	■	■	■	■	■	■■■	scrollable_pane.py
■	■	■	■	■	■	■	■■■	utils.py
■	■	■	■	■	■	■■■	lexers	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	base.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pygments.cpython-311.pyc
■	■	■	■	■	■	■■■	base.py	
■	■	■	■	■	■	■■■	pygments.py	
■	■	■	■	■	■■■	log.py		
■	■	■	■	■	■■■	mouse_events.py		
■	■	■	■	■	■■■	output		
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	base.cpython-311.pyc
■	■	■	■	■	■	■	■■■	color_depth.cpython-311.pyc
■	■	■	■	■	■	■	■■■	conemu.cpython-311.pyc
■	■	■	■	■	■	■	■■■	defaults.cpython-311.pyc
■	■	■	■	■	■	■	■■■	flush_stdout.cpython-311.pyc
■	■	■	■	■	■	■	■■■	plain_text.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vt100.cpython-311.pyc
■	■	■	■	■	■	■	■■■	win32.cpython-311.pyc
■	■	■	■	■	■	■	■■■	windows10.cpython-311.pyc
■	■	■	■	■	■	■■■	base.py	
■	■	■	■	■	■	■■■	color_depth.py	
■	■	■	■	■	■	■■■	conemu.py	
■	■	■	■	■	■	■■■	defaults.py	
■	■	■	■	■	■	■■■	flush_stdout.py	
■	■	■	■	■	■	■■■	plain_text.py	
■	■	■	■	■	■	■■■	vt100.py	
■	■	■	■	■	■	■■■	win32.py	
■	■	■	■	■	■	■■■	windows10.py	
■	■	■	■	■	■■■	patch_stdout.py		
■	■	■	■	■	■■■	py.typed		
■	■	■	■	■	■■■	renderer.py		

```

■ ■ ■ ■ ■ search.py
■ ■ ■ ■ ■ selection.py
■ ■ ■ ■ ■ shortcuts
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ dialogs.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ prompt.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ dialogs.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ progress_bar
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ formatters.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ formatters.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ prompt.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ styles
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ defaults.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ named_colors.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ pigments.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ style.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ style_transformation.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ defaults.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ named_colors.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ pigments.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ style.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ style_transformation.py
■ ■ ■ ■ ■ token.py
■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ validation.py
■ ■ ■ ■ ■ widgets
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ dialogs.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ menus.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ toolbars.cpython-311.pyc
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ dialogs.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ menus.py
■ ■ ■ ■ ■   ■ ■ ■ ■ ■ toolbars.py
■ ■ ■ ■ ■ win32_types.py
■ ■ ■ ■ ■ prompt_toolkit-3.0.48.dist-info
■ ■ ■ ■ ■ AUTHORS.rst
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
```

```

■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      pronouncing
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      pronouncing-0.2.0.dist-info
■      ■      ■      ■      ■      ■      AUTHORS.rst
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      zip-safe
■      ■      ■      ■      ■      ■      propcache
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _helpers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _helpers_py.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      api.cpython-311.pyc
■      ■      ■      ■      ■      ■      _helpers.py
■      ■      ■      ■      ■      ■      _helpers_c.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      _helpers_c.pyx
■      ■      ■      ■      ■      ■      _helpers_py.py
■      ■      ■      ■      ■      ■      api.py
■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      propcache-0.2.1.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      NOTICE
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      psutil
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psaix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psbsd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pslinux.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psosx.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psposix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pssunos.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pswindows.cpython-311.pyc
■      ■      ■      ■      ■      ■      _common.py
■      ■      ■      ■      ■      ■      _compat.py
■      ■      ■      ■      ■      ■      _psaix.py
■      ■      ■      ■      ■      ■      _psbsd.py
■      ■      ■      ■      ■      ■      _pslinux.py
■      ■      ■      ■      ■      ■      _psosx.py
■      ■      ■      ■      ■      ■      _psposix.py
■      ■      ■      ■      ■      ■      _pssunos.py

```

```

■ ■ ■ ■ ■ ■■■ _psutil_linux.abi3.so
■ ■ ■ ■ ■ ■■■ _psutil_posix.abi3.so
■ ■ ■ ■ ■ ■■■ _pswindows.py
■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_aix.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_bsd.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_connections.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_contracts.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_linux.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_memleaks.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_osx.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_posix.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_process.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_process_all.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_sunos.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_system.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_testutils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_unicode.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_windows.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_aix.py
■ ■ ■ ■ ■ ■■■ test_bsd.py
■ ■ ■ ■ ■ ■■■ test_connections.py
■ ■ ■ ■ ■ ■■■ test_contracts.py
■ ■ ■ ■ ■ ■■■ test_linux.py
■ ■ ■ ■ ■ ■■■ test_memleaks.py
■ ■ ■ ■ ■ ■■■ test_misc.py
■ ■ ■ ■ ■ ■■■ test_osx.py
■ ■ ■ ■ ■ ■■■ test_posix.py
■ ■ ■ ■ ■ ■■■ test_process.py
■ ■ ■ ■ ■ ■■■ test_process_all.py
■ ■ ■ ■ ■ ■■■ test_sunos.py
■ ■ ■ ■ ■ ■■■ test_system.py
■ ■ ■ ■ ■ ■■■ test_testutils.py
■ ■ ■ ■ ■ ■■■ test_unicode.py
■ ■ ■ ■ ■ ■■■ test_windows.py
■ ■ ■ ■ ■ ■■■ psutil-6.1.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ ptyprocess
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _fork_pty.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ ptyprocess.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _fork_pty.py
■ ■ ■ ■ ■ ■■■ ptyprocess.py
■ ■ ■ ■ ■ ■■■ util.py

```

```

■ ■ ■ ■ ■■■■ ptyprocess-0.7.0.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ pure_eval
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■■ my_getattr_static.cpython-311.pyc
■ ■ ■ ■ ■■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■■ version.cpython-311.pyc
■ ■ ■ ■ ■■■■ core.py
■ ■ ■ ■ ■■■■ my_getattr_static.py
■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■■■■ version.py
■ ■ ■ ■ ■■■■ pure_eval-0.2.3.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ py
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __init__.pyi
■ ■ ■ ■ ■■■■ __metainfo.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ __metainfo.cpython-311.pyc
■ ■ ■ ■ ■■■■ _builtin.cpython-311.pyc
■ ■ ■ ■ ■■■■ _error.cpython-311.pyc
■ ■ ■ ■ ■■■■ _std.cpython-311.pyc
■ ■ ■ ■ ■■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■■■■ _xmlgen.cpython-311.pyc
■ ■ ■ ■ ■■■■ test.cpython-311.pyc
■ ■ ■ ■ ■■■■ _builtin.py
■ ■ ■ ■ ■■■■ _code
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _assertionnew.cpython-311.pyc
■ ■ ■ ■ ■■■■ _assertionold.cpython-311.pyc
■ ■ ■ ■ ■■■■ _py2traceback.cpython-311.pyc
■ ■ ■ ■ ■■■■ assertion.cpython-311.pyc
■ ■ ■ ■ ■■■■ code.cpython-311.pyc
■ ■ ■ ■ ■■■■ source.cpython-311.pyc
■ ■ ■ ■ ■■■■ _assertionnew.py
■ ■ ■ ■ ■■■■ _assertionold.py
■ ■ ■ ■ ■■■■ _py2traceback.py
■ ■ ■ ■ ■■■■ assertion.py
■ ■ ■ ■ ■■■■ code.py
■ ■ ■ ■ ■■■■ source.py
■ ■ ■ ■ ■■■■ _error.py
■ ■ ■ ■ ■■■■ _io

```


[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      iniconfig
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      iniconfig-1.1.1.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      _version.py
■      ■      ■      ■      ■      ■      ■      ■      _xmlgen.py
■      ■      ■      ■      ■      ■      ■      ■      error.pyi
■      ■      ■      ■      ■      ■      ■      ■      iniconfig.pyi
■      ■      ■      ■      ■      ■      ■      ■      io.pyi
■      ■      ■      ■      ■      ■      ■      ■      path.pyi
■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      test.py
■      ■      ■      ■      ■      ■      ■      ■      xml.pyi
■      ■      ■      ■      ■      ■      ■      ■      py-1.11.0.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      pyOpenSSL-21.0.0.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      py_cpuinfo-9.0.0.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      pycountry
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      db.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      databases
■      ■      ■      ■      ■      ■      ■      ■      iso15924.json
■      ■      ■      ■      ■      ■      ■      ■      iso3166-1.json
■      ■      ■      ■      ■      ■      ■      ■      iso3166-2.json

```

```

iso3166-3.json
iso4217.json
iso639-3.json
iso639-5.json
db.py
locales
  ab
    LC_MESSAGES
      iso3166-1.mo
    ace
    LC_MESSAGES
      iso3166-1.mo
    ach
    LC_MESSAGES
      iso3166-1.mo
    af
    LC_MESSAGES
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
      iso639-3.mo
      iso639_3.mo
    ak
    LC_MESSAGES
      iso3166-1.mo
    am
    LC_MESSAGES
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
      iso639-3.mo
      iso639_3.mo
    an
    LC_MESSAGES
      iso3166-1.mo
    ar
    LC_MESSAGES
      iso15924.mo
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
      iso4217.mo
      iso639-3.mo
      iso639_3.mo
    as
    LC_MESSAGES
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
    ast
    LC_MESSAGES
      iso15924.mo
      iso3166-1.mo
      iso3166-2.mo
      iso3166-3.mo
      iso3166.mo
      iso4217.mo
      iso639-3.mo

```

[illegible]

```

■■■ br
■■■ LC_MESSAGES
■■■ iso15924.mo
■■■ iso3166-1.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso4217.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ bs
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ iso3166-2.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso3166_2.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ byn
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ ca
■■■ LC_MESSAGES
■■■ iso15924.mo
■■■ iso3166-1.mo
■■■ iso3166-2.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso3166_2.mo
■■■ iso4217.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ ce
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ ch
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ chr
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ ckb
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ crh
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ iso3166-2.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso3166_2.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ cs

```


■	■	■■■■	iso3166-1.mo
■	■	■■■■	el
■	■	■■■■	LC_MESSAGES
■	■	■■■■	iso15924.mo
■	■	■■■■	iso3166-1.mo
■	■	■■■■	iso3166-2.mo
■	■	■■■■	iso3166-3.mo
■	■	■■■■	iso3166.mo
■	■	■■■■	iso3166_2.mo
■	■	■■■■	iso4217.mo
■	■	■■■■	iso639-3.mo
■	■	■■■■	iso639-5.mo
■	■	■■■■	iso639_3.mo
■	■	■■■■	en
■	■	■■■■	LC_MESSAGES
■	■	■■■■	iso3166-2.mo
■	■	■■■■	iso3166_2.mo
■	■	■■■■	eo
■	■	■■■■	LC_MESSAGES
■	■	■■■■	iso15924.mo
■	■	■■■■	iso3166-1.mo
■	■	■■■■	iso3166-2.mo
■	■	■■■■	iso3166-3.mo
■	■	■■■■	iso3166.mo
■	■	■■■■	iso3166_2.mo
■	■	■■■■	iso639-3.mo
■	■	■■■■	iso639_3.mo
■	■	■■■■	es
■	■	■■■■	LC_MESSAGES
■	■	■■■■	iso15924.mo
■	■	■■■■	iso3166-1.mo
■	■	■■■■	iso3166-2.mo
■	■	■■■■	iso3166-3.mo
■	■	■■■■	iso3166.mo
■	■	■■■■	iso3166_2.mo
■	■	■■■■	iso4217.mo
■	■	■■■■	iso639-3.mo
■	■	■■■■	iso639_3.mo
■	■	■■■■	et
■	■	■■■■	LC_MESSAGES
■	■	■■■■	iso15924.mo
■	■	■■■■	iso3166-1.mo
■	■	■■■■	iso3166-2.mo
■	■	■■■■	iso3166-3.mo
■	■	■■■■	iso3166.mo
■	■	■■■■	iso4217.mo
■	■	■■■■	iso639-3.mo
■	■	■■■■	iso639-5.mo
■	■	■■■■	iso639_3.mo
■	■	■■■■	eu
■	■	■■■■	LC_MESSAGES
■	■	■■■■	iso15924.mo
■	■	■■■■	iso3166-1.mo
■	■	■■■■	iso3166-2.mo
■	■	■■■■	iso3166-3.mo
■	■	■■■■	iso3166.mo
■	■	■■■■	iso3166_2.mo
■	■	■■■■	iso639-3.mo

```

fa
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso639-3.mo
iso639_3.mo
ff
LC_MESSAGES
iso3166-1.mo
fi
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
fo
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
fr
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
iso639_3.mo
frp
LC_MESSAGES
iso3166-1.mo
fur
LC_MESSAGES
iso3166-1.mo
fy
LC_MESSAGES
iso3166-1.mo
ga
LC_MESSAGES
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo

```


[illegible]

[illegible]

[illegible]

[illegible]

my	LC_MESSAGES	iso3166-1.mo
na	LC_MESSAGES	iso3166-1.mo
nah	LC_MESSAGES	iso3166-1.mo
nb	LC_MESSAGES	iso15924.mo
		iso3166-1.mo
		iso3166-3.mo
		iso3166.mo
		iso4217.mo
		iso639-3.mo
		iso639_3.mo
nb_NO	LC_MESSAGES	iso3166-2.mo
		iso639-5.mo
ne	LC_MESSAGES	iso3166-1.mo
		iso3166-3.mo
		iso3166.mo
nl	LC_MESSAGES	iso15924.mo
		iso3166-1.mo
		iso3166-2.mo
		iso3166-3.mo
		iso3166.mo
		iso3166_2.mo
		iso4217.mo
		iso639-3.mo
		iso639-5.mo
		iso639_3.mo
nn	LC_MESSAGES	iso15924.mo
		iso3166-1.mo
		iso3166-3.mo
		iso3166.mo
		iso4217.mo
		iso639-3.mo
		iso639_3.mo
nso	LC_MESSAGES	iso3166-1.mo
		iso3166-2.mo
		iso3166-3.mo
		iso3166.mo
		iso3166_2.mo
		iso639-3.mo
		iso639_3.mo
ny		

[illegible]

```

iso3166.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
pt_BR
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
iso639_3.mo
ro
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
ru
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
rw
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
sc
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
sd
LC_MESSAGES
iso3166-1.mo
si
LC_MESSAGES
iso3166-1.mo

```


[illegible]

[illegible]

```

tig
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso639-3.mo
iso639_3.mo
tk
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
tl
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
tr
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
tt
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso639-3.mo
iso639_3.mo
tt@iqtelif
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso639-3.mo
iso639_3.mo
ug
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
uk
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
```

[illegible]

```

iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
zh_HK
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
zh_Hant
LC_MESSAGES
iso639-5.mo
zh_TW
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
zu
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso639-3.mo
iso639_3.mo
tests
__pycache__
test_general.cpython-311.pyc
test_general.py
pycountry-20.7.3.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
pycparser
__init__.py
__pycache__
__init__.cpython-311.pyc
_ast_gen.cpython-311.pyc
_build_tables.cpython-311.pyc
ast_transforms.cpython-311.pyc
c_ast.cpython-311.pyc
c_generator.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■■■	alias_generators.cpython-311.pyc
■	■	■	■	■	■	■■■	aliases.cpython-311.pyc
■	■	■	■	■	■	■■■	annotated_handlers.cpython-311.pyc
■	■	■	■	■	■	■■■	class_validators.cpython-311.pyc
■	■	■	■	■	■	■■■	color.cpython-311.pyc
■	■	■	■	■	■	■■■	config.cpython-311.pyc
■	■	■	■	■	■	■■■	dataclasses.cpython-311.pyc
■	■	■	■	■	■	■■■	datetime_parse.cpython-311.pyc
■	■	■	■	■	■	■■■	decorator.cpython-311.pyc
■	■	■	■	■	■	■■■	env_settings.cpython-311.pyc
■	■	■	■	■	■	■■■	error_wrappers.cpython-311.pyc
■	■	■	■	■	■	■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■■■	fields.cpython-311.pyc
■	■	■	■	■	■	■■■	functional_serializers.cpython-311.pyc
■	■	■	■	■	■	■■■	functional_validators.cpython-311.pyc
■	■	■	■	■	■	■■■	generics.cpython-311.pyc
■	■	■	■	■	■	■■■	json.cpython-311.pyc
■	■	■	■	■	■	■■■	json_schema.cpython-311.pyc
■	■	■	■	■	■	■■■	main.cpython-311.pyc
■	■	■	■	■	■	■■■	mypy.cpython-311.pyc
■	■	■	■	■	■	■■■	networks.cpython-311.pyc
■	■	■	■	■	■	■■■	parse.cpython-311.pyc
■	■	■	■	■	■	■■■	root_model.cpython-311.pyc
■	■	■	■	■	■	■■■	schema.cpython-311.pyc
■	■	■	■	■	■	■■■	tools.cpython-311.pyc
■	■	■	■	■	■	■■■	type_adapter.cpython-311.pyc
■	■	■	■	■	■	■■■	types.cpython-311.pyc
■	■	■	■	■	■	■■■	typing.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	validate_call_decorator.cpython-311.pyc
■	■	■	■	■	■	■■■	validators.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	warnings.cpython-311.pyc
■	■	■	■	■	■■■		_internal
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _config.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _core_metadata.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _core_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _dataclasses.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _decorators.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _decorators_v1.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _discriminated_union.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _docs_extraction.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _fields.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _forward_ref.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _generate_schema.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _generics.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _git.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _import_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _internal_dataclass.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _known_annotated_metadata.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _mock_val_ser.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _model_construction.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _repr.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _schema_generation_shared.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _serializers.cpython-311.pyc

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ networks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ schema.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ validators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _hypothesis_plugin.py
■ ■ ■ ■ ■ ■ ■ ■ annotated_types.py
■ ■ ■ ■ ■ ■ ■ ■ class_validators.py
■ ■ ■ ■ ■ ■ ■ ■ color.py
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ dataclasses.py
■ ■ ■ ■ ■ ■ ■ ■ datetime_parse.py
■ ■ ■ ■ ■ ■ ■ ■ decorator.py
■ ■ ■ ■ ■ ■ ■ ■ env_settings.py
■ ■ ■ ■ ■ ■ ■ ■ error_wrappers.py
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ fields.py
■ ■ ■ ■ ■ ■ ■ ■ generics.py
■ ■ ■ ■ ■ ■ ■ ■ json.py
■ ■ ■ ■ ■ ■ ■ ■ main.py
■ ■ ■ ■ ■ ■ ■ ■ mypy.py
■ ■ ■ ■ ■ ■ ■ ■ networks.py
■ ■ ■ ■ ■ ■ ■ ■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ schema.py
■ ■ ■ ■ ■ ■ ■ ■ tools.py
■ ■ ■ ■ ■ ■ ■ ■ types.py
■ ■ ■ ■ ■ ■ ■ ■ typing.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ validators.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ validate_call_decorator.py
■ ■ ■ ■ ■ ■ ■ ■ validators.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ warnings.py
■ ■ ■ ■ ■ ■ ■ ■ pydantic-2.9.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ pydantic_core
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core_schema.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _pydantic_core.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _pydantic_core.pyi
■ ■ ■ ■ ■ ■ ■ ■ core_schema.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pydantic_core-2.23.4.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER

```

```

■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ licenses
■ ■ ■ LICENSE
■ ■ pydantic_extra_types
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ color.cpython-311.pyc
■ ■ ■ coordinate.cpython-311.pyc
■ ■ ■ country.cpython-311.pyc
■ ■ ■ currency_code.cpython-311.pyc
■ ■ ■ domain.cpython-311.pyc
■ ■ ■ epoch.cpython-311.pyc
■ ■ ■ isbn.cpython-311.pyc
■ ■ ■ language_code.cpython-311.pyc
■ ■ ■ mac_address.cpython-311.pyc
■ ■ ■ payment.cpython-311.pyc
■ ■ ■ pendulum_dt.cpython-311.pyc
■ ■ ■ phone_numbers.cpython-311.pyc
■ ■ ■ routing_number.cpython-311.pyc
■ ■ ■ s3.cpython-311.pyc
■ ■ ■ script_code.cpython-311.pyc
■ ■ ■ semantic_version.cpython-311.pyc
■ ■ ■ semver.cpython-311.pyc
■ ■ ■ timezone_name.cpython-311.pyc
■ ■ ■ ulid.cpython-311.pyc
■ ■ ■ color.py
■ ■ ■ coordinate.py
■ ■ ■ country.py
■ ■ ■ currency_code.py
■ ■ ■ domain.py
■ ■ ■ epoch.py
■ ■ ■ isbn.py
■ ■ ■ language_code.py
■ ■ ■ mac_address.py
■ ■ ■ payment.py
■ ■ ■ pendulum_dt.py
■ ■ ■ phone_numbers.py
■ ■ ■ py.typed
■ ■ ■ routing_number.py
■ ■ ■ s3.py
■ ■ ■ script_code.py
■ ■ ■ semantic_version.py
■ ■ ■ semver.py
■ ■ ■ timezone_name.py
■ ■ ■ ulid.py
■ ■ ■ pydantic_extra_types-2.10.1.dist-info
■ ■ ■ INSTALLER
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ licenses
■ ■ ■ LICENSE
■ ■ ■ pydantic_settings
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
```

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pydyf
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pydyf-0.11.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ pygments
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmdline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ console.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ formatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lexer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ regexopt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scanner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sphinxext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ token.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ unistring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmdline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ console.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filter.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filters
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ formatter.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ formatters
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _mapping.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bbcode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ groff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ img.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ irc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ other.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pangomarkup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rtf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ svg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ terminal256.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _mapping.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bbcode.py
```

■	■	■	■	■	■	■■■	groff.py
■	■	■	■	■	■	■■■	html.py
■	■	■	■	■	■	■■■	img.py
■	■	■	■	■	■	■■■	irc.py
■	■	■	■	■	■	■■■	latex.py
■	■	■	■	■	■	■■■	other.py
■	■	■	■	■	■	■■■	pangomarkup.py
■	■	■	■	■	■	■■■	rtf.py
■	■	■	■	■	■	■■■	svg.py
■	■	■	■	■	■	■■■	terminal.py
■	■	■	■	■	■	■■■	terminal256.py
■	■	■	■	■	■■■	lexer.py	
■	■	■	■	■	■■■	lexers	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_ada_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_asy_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_cl_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_cocoa_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_csound_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_css_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_julia_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_lasso_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_lilypond_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_lua_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_luau_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_mapping.cpython-311.pyc
■	■	■	■	■	■	■■■	_mql_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_mysql_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_openedge_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_php_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_postgres_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_qlik_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_scheme_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_scilab_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_sourcmod_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_stan_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_stata_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_tsql_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_usd_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_vbscript_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	_vim_builtins.cpython-311.pyc
■	■	■	■	■	■	■■■	actionscript.cpython-311.pyc
■	■	■	■	■	■	■■■	ada.cpython-311.pyc
■	■	■	■	■	■	■■■	agile.cpython-311.pyc
■	■	■	■	■	■	■■■	algebra.cpython-311.pyc
■	■	■	■	■	■	■■■	ambient.cpython-311.pyc
■	■	■	■	■	■	■■■	amdgpu.cpython-311.pyc
■	■	■	■	■	■	■■■	ampl.cpython-311.pyc
■	■	■	■	■	■	■■■	apdlexer.cpython-311.pyc
■	■	■	■	■	■	■■■	apl.cpython-311.pyc
■	■	■	■	■	■	■■■	archetype.cpython-311.pyc
■	■	■	■	■	■	■■■	arrow.cpython-311.pyc
■	■	■	■	■	■	■■■	arturo.cpython-311.pyc
■	■	■	■	■	■	■■■	asc.cpython-311.pyc
■	■	■	■	■	■	■■■	asm.cpython-311.pyc
■	■	■	■	■	■	■■■	asn1.cpython-311.pyc

[illegible]

■	■	■	■	■	■	■	■■■	grammar_notation.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphics.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphviz.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gresql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	haskell.cpython-311.pyc
■	■	■	■	■	■	■	■■■	haxe.cpython-311.pyc
■	■	■	■	■	■	■	■■■	hdl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	hexdump.cpython-311.pyc
■	■	■	■	■	■	■	■■■	html.cpython-311.pyc
■	■	■	■	■	■	■	■■■	idl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	igor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	inferno.cpython-311.pyc
■	■	■	■	■	■	■	■■■	installers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	int_fiction.cpython-311.pyc
■	■	■	■	■	■	■	■■■	iolang.cpython-311.pyc
■	■	■	■	■	■	■	■■■	j.cpython-311.pyc
■	■	■	■	■	■	■	■■■	javascript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jmespath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jslt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jsonnet.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jsx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	julia.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jvm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	kuin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	kusto.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ldap.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lean.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lilypond.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lisp.cpython-311.pyc
■	■	■	■	■	■	■	■■■	macaulay2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	make.cpython-311.pyc
■	■	■	■	■	■	■	■■■	markup.cpython-311.pyc
■	■	■	■	■	■	■	■■■	math.cpython-311.pyc
■	■	■	■	■	■	■	■■■	matlab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	maxima.cpython-311.pyc
■	■	■	■	■	■	■	■■■	meson.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mime.cpython-311.pyc
■	■	■	■	■	■	■	■■■	minecraft.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mips.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ml.cpython-311.pyc
■	■	■	■	■	■	■	■■■	modeling.cpython-311.pyc
■	■	■	■	■	■	■	■■■	modula2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mojo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	monte.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mosel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ncl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nimrod.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nit.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nix.cpython-311.pyc
■	■	■	■	■	■	■	■■■	oberon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	objective.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ooc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	openscad.cpython-311.pyc
■	■	■	■	■	■	■	■■■	other.cpython-311.pyc
■	■	■	■	■	■	■	■■■	parasail.cpython-311.pyc
■	■	■	■	■	■	■	■■■	parsers.cpython-311.pyc

■	■	■	■	■	■	■	■■■	pascal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pawn.cpython-311.pyc
■	■	■	■	■	■	■	■■■	perl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	phix.cpython-311.pyc
■	■	■	■	■	■	■	■■■	php.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pointless.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pony.cpython-311.pyc
■	■	■	■	■	■	■	■■■	praat.cpython-311.pyc
■	■	■	■	■	■	■	■■■	procfile.cpython-311.pyc
■	■	■	■	■	■	■	■■■	prolog.cpython-311.pyc
■	■	■	■	■	■	■	■■■	promql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	prql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ptx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	python.cpython-311.pyc
■	■	■	■	■	■	■	■■■	q.cpython-311.pyc
■	■	■	■	■	■	■	■■■	qlik.cpython-311.pyc
■	■	■	■	■	■	■	■■■	qvt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	r.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rdf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rebol.cpython-311.pyc
■	■	■	■	■	■	■	■■■	resource.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ride.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rita.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	roboconf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	robotframework.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ruby.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rust.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sas.cpython-311.pyc
■	■	■	■	■	■	■	■■■	savi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scdoc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scripting.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sgf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	shell.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sieve.cpython-311.pyc
■	■	■	■	■	■	■	■■■	slash.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smalltalk.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smithy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	snobol.cpython-311.pyc
■	■	■	■	■	■	■	■■■	solidity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	soong.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sophia.cpython-311.pyc
■	■	■	■	■	■	■	■■■	special.cpython-311.pyc
■	■	■	■	■	■	■	■■■	spice.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	srcinfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	stata.cpython-311.pyc
■	■	■	■	■	■	■	■■■	supercollider.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tact.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tcl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	teal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	templates.cpython-311.pyc
■	■	■	■	■	■	■	■■■	teraterm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■	■■■	textedit.cpython-311.pyc

■	■	■	■	■	■	■	■■■	textfmts.cpython-311.pyc
■	■	■	■	■	■	■	■■■	theorem.cpython-311.pyc
■	■	■	■	■	■	■	■■■	thingsdb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tlb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tls.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tnt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	trafficscript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	typoscript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	typst.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ul4.cpython-311.pyc
■	■	■	■	■	■	■	■■■	unicon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	urbi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	usd.cpython-311.pyc
■	■	■	■	■	■	■	■■■	varnish.cpython-311.pyc
■	■	■	■	■	■	■	■■■	verification.cpython-311.pyc
■	■	■	■	■	■	■	■■■	verifpal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vip.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vyper.cpython-311.pyc
■	■	■	■	■	■	■	■■■	web.cpython-311.pyc
■	■	■	■	■	■	■	■■■	webassembly.cpython-311.pyc
■	■	■	■	■	■	■	■■■	webidl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	webmisc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wgsl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	whiley.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wowtoc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wren.cpython-311.pyc
■	■	■	■	■	■	■	■■■	x10.cpython-311.pyc
■	■	■	■	■	■	■	■■■	xorg.cpython-311.pyc
■	■	■	■	■	■	■	■■■	yang.cpython-311.pyc
■	■	■	■	■	■	■	■■■	yara.cpython-311.pyc
■	■	■	■	■	■	■	■■■	zig.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_ada_builtins.py
■	■	■	■	■	■	■	■■■	_asy_builtins.py
■	■	■	■	■	■	■	■■■	_cl_builtins.py
■	■	■	■	■	■	■	■■■	_cocoa_builtins.py
■	■	■	■	■	■	■	■■■	_csound_builtins.py
■	■	■	■	■	■	■	■■■	_css_builtins.py
■	■	■	■	■	■	■	■■■	_julia_builtins.py
■	■	■	■	■	■	■	■■■	_lasso_builtins.py
■	■	■	■	■	■	■	■■■	_lilypond_builtins.py
■	■	■	■	■	■	■	■■■	_lua_builtins.py
■	■	■	■	■	■	■	■■■	_luau_builtins.py
■	■	■	■	■	■	■	■■■	_mapping.py
■	■	■	■	■	■	■	■■■	_mql_builtins.py
■	■	■	■	■	■	■	■■■	_mysql_builtins.py
■	■	■	■	■	■	■	■■■	_openedge_builtins.py
■	■	■	■	■	■	■	■■■	_php_builtins.py
■	■	■	■	■	■	■	■■■	_postgres_builtins.py
■	■	■	■	■	■	■	■■■	_qlik_builtins.py
■	■	■	■	■	■	■	■■■	_scheme_builtins.py
■	■	■	■	■	■	■	■■■	_scilab_builtins.py
■	■	■	■	■	■	■	■■■	_sourcmod_builtins.py
■	■	■	■	■	■	■	■■■	_stan_builtins.py
■	■	■	■	■	■	■	■■■	_stata_builtins.py
■	■	■	■	■	■	■	■■■	_tsql_builtins.py
■	■	■	■	■	■	■	■■■	_usd_builtins.py
■	■	■	■	■	■	■	■■■	_vbscript_builtins.py
■	■	■	■	■	■	■	■■■	_vim_builtins.py

■	■	■	■	■	■	■■■	actionscript.py
■	■	■	■	■	■	■■■	ada.py
■	■	■	■	■	■	■■■	agile.py
■	■	■	■	■	■	■■■	algebra.py
■	■	■	■	■	■	■■■	ambient.py
■	■	■	■	■	■	■■■	amdgpu.py
■	■	■	■	■	■	■■■	ampl.py
■	■	■	■	■	■	■■■	apdlexer.py
■	■	■	■	■	■	■■■	apl.py
■	■	■	■	■	■	■■■	archetype.py
■	■	■	■	■	■	■■■	arrow.py
■	■	■	■	■	■	■■■	arturo.py
■	■	■	■	■	■	■■■	asc.py
■	■	■	■	■	■	■■■	asm.py
■	■	■	■	■	■	■■■	asn1.py
■	■	■	■	■	■	■■■	automation.py
■	■	■	■	■	■	■■■	bare.py
■	■	■	■	■	■	■■■	basic.py
■	■	■	■	■	■	■■■	bdd.py
■	■	■	■	■	■	■■■	berry.py
■	■	■	■	■	■	■■■	bibtex.py
■	■	■	■	■	■	■■■	blueprint.py
■	■	■	■	■	■	■■■	boa.py
■	■	■	■	■	■	■■■	bqn.py
■	■	■	■	■	■	■■■	business.py
■	■	■	■	■	■	■■■	c_cpp.py
■	■	■	■	■	■	■■■	c_like.py
■	■	■	■	■	■	■■■	capnproto.py
■	■	■	■	■	■	■■■	carbon.py
■	■	■	■	■	■	■■■	cddl.py
■	■	■	■	■	■	■■■	chapel.py
■	■	■	■	■	■	■■■	clean.py
■	■	■	■	■	■	■■■	comal.py
■	■	■	■	■	■	■■■	compiled.py
■	■	■	■	■	■	■■■	configs.py
■	■	■	■	■	■	■■■	console.py
■	■	■	■	■	■	■■■	cplint.py
■	■	■	■	■	■	■■■	crystal.py
■	■	■	■	■	■	■■■	csound.py
■	■	■	■	■	■	■■■	css.py
■	■	■	■	■	■	■■■	d.py
■	■	■	■	■	■	■■■	dalvik.py
■	■	■	■	■	■	■■■	data.py
■	■	■	■	■	■	■■■	dax.py
■	■	■	■	■	■	■■■	devicetree.py
■	■	■	■	■	■	■■■	diff.py
■	■	■	■	■	■	■■■	dns.py
■	■	■	■	■	■	■■■	dotnet.py
■	■	■	■	■	■	■■■	dsls.py
■	■	■	■	■	■	■■■	dylan.py
■	■	■	■	■	■	■■■	ecl.py
■	■	■	■	■	■	■■■	eiffel.py
■	■	■	■	■	■	■■■	elm.py
■	■	■	■	■	■	■■■	elpi.py
■	■	■	■	■	■	■■■	email.py
■	■	■	■	■	■	■■■	erlang.py
■	■	■	■	■	■	■■■	esoteric.py
■	■	■	■	■	■	■■■	ezhil.py

■	■	■	■	■	■	■■■	factor.py
■	■	■	■	■	■	■■■	fantom.py
■	■	■	■	■	■	■■■	felix.py
■	■	■	■	■	■	■■■	fift.py
■	■	■	■	■	■	■■■	floscript.py
■	■	■	■	■	■	■■■	forth.py
■	■	■	■	■	■	■■■	fortran.py
■	■	■	■	■	■	■■■	foxpro.py
■	■	■	■	■	■	■■■	freefem.py
■	■	■	■	■	■	■■■	func.py
■	■	■	■	■	■	■■■	functional.py
■	■	■	■	■	■	■■■	futhark.py
■	■	■	■	■	■	■■■	gcodelexer.py
■	■	■	■	■	■	■■■	gdscrip.py
■	■	■	■	■	■	■■■	go.py
■	■	■	■	■	■	■■■	grammar_notation.py
■	■	■	■	■	■	■■■	graph.py
■	■	■	■	■	■	■■■	graphics.py
■	■	■	■	■	■	■■■	graphql.py
■	■	■	■	■	■	■■■	graphviz.py
■	■	■	■	■	■	■■■	gresql.py
■	■	■	■	■	■	■■■	haskell.py
■	■	■	■	■	■	■■■	haxe.py
■	■	■	■	■	■	■■■	hdl.py
■	■	■	■	■	■	■■■	hexdump.py
■	■	■	■	■	■	■■■	html.py
■	■	■	■	■	■	■■■	idl.py
■	■	■	■	■	■	■■■	igor.py
■	■	■	■	■	■	■■■	inferno.py
■	■	■	■	■	■	■■■	installers.py
■	■	■	■	■	■	■■■	int_fiction.py
■	■	■	■	■	■	■■■	iolang.py
■	■	■	■	■	■	■■■	j.py
■	■	■	■	■	■	■■■	javascript.py
■	■	■	■	■	■	■■■	jmespath.py
■	■	■	■	■	■	■■■	jslt.py
■	■	■	■	■	■	■■■	jsonnet.py
■	■	■	■	■	■	■■■	jsx.py
■	■	■	■	■	■	■■■	julia.py
■	■	■	■	■	■	■■■	jvm.py
■	■	■	■	■	■	■■■	kuin.py
■	■	■	■	■	■	■■■	kusto.py
■	■	■	■	■	■	■■■	ldap.py
■	■	■	■	■	■	■■■	lean.py
■	■	■	■	■	■	■■■	lilypond.py
■	■	■	■	■	■	■■■	lisp.py
■	■	■	■	■	■	■■■	macaulay2.py
■	■	■	■	■	■	■■■	make.py
■	■	■	■	■	■	■■■	markup.py
■	■	■	■	■	■	■■■	math.py
■	■	■	■	■	■	■■■	matlab.py
■	■	■	■	■	■	■■■	maxima.py
■	■	■	■	■	■	■■■	meson.py
■	■	■	■	■	■	■■■	mime.py
■	■	■	■	■	■	■■■	minecraft.py
■	■	■	■	■	■	■■■	mips.py
■	■	■	■	■	■	■■■	ml.py
■	■	■	■	■	■	■■■	modeling.py

■	■	■	■	■	■	■■■	special.py
■	■	■	■	■	■	■■■	spice.py
■	■	■	■	■	■	■■■	sql.py
■	■	■	■	■	■	■■■	srcinfo.py
■	■	■	■	■	■	■■■	stata.py
■	■	■	■	■	■	■■■	supercollider.py
■	■	■	■	■	■	■■■	tact.py
■	■	■	■	■	■	■■■	tal.py
■	■	■	■	■	■	■■■	tcl.py
■	■	■	■	■	■	■■■	teal.py
■	■	■	■	■	■	■■■	templates.py
■	■	■	■	■	■	■■■	teraterm.py
■	■	■	■	■	■	■■■	testing.py
■	■	■	■	■	■	■■■	text.py
■	■	■	■	■	■	■■■	textedit.py
■	■	■	■	■	■	■■■	textfmts.py
■	■	■	■	■	■	■■■	theorem.py
■	■	■	■	■	■	■■■	thingsdb.py
■	■	■	■	■	■	■■■	tlb.py
■	■	■	■	■	■	■■■	tls.py
■	■	■	■	■	■	■■■	tnt.py
■	■	■	■	■	■	■■■	trafficscript.py
■	■	■	■	■	■	■■■	typoscript.py
■	■	■	■	■	■	■■■	typst.py
■	■	■	■	■	■	■■■	ul4.py
■	■	■	■	■	■	■■■	unicon.py
■	■	■	■	■	■	■■■	urbi.py
■	■	■	■	■	■	■■■	usd.py
■	■	■	■	■	■	■■■	varnish.py
■	■	■	■	■	■	■■■	verification.py
■	■	■	■	■	■	■■■	verifpal.py
■	■	■	■	■	■	■■■	vip.py
■	■	■	■	■	■	■■■	vyper.py
■	■	■	■	■	■	■■■	web.py
■	■	■	■	■	■	■■■	webassembly.py
■	■	■	■	■	■	■■■	webidl.py
■	■	■	■	■	■	■■■	webmisc.py
■	■	■	■	■	■	■■■	wgsl.py
■	■	■	■	■	■	■■■	whiley.py
■	■	■	■	■	■	■■■	wowtoc.py
■	■	■	■	■	■	■■■	wren.py
■	■	■	■	■	■	■■■	x10.py
■	■	■	■	■	■	■■■	xorg.py
■	■	■	■	■	■	■■■	yang.py
■	■	■	■	■	■	■■■	yara.py
■	■	■	■	■	■	■■■	zig.py
■	■	■	■	■	■■■	modeline.py	
■	■	■	■	■	■■■	plugin.py	
■	■	■	■	■	■■■	regexopt.py	
■	■	■	■	■	■■■	scanner.py	
■	■	■	■	■	■■■	sphinxext.py	
■	■	■	■	■	■■■	style.py	
■	■	■	■	■	■■■	styles	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_mapping.cpython-311.pyc
■	■	■	■	■	■	■■■	abap.cpython-311.pyc

■	■	■	■	■	■	■■■	algol.cpython-311.pyc
■	■	■	■	■	■	■■■	algol_nu.cpython-311.pyc
■	■	■	■	■	■	■■■	arduino.cpython-311.pyc
■	■	■	■	■	■	■■■	autumn.cpython-311.pyc
■	■	■	■	■	■	■■■	borland.cpython-311.pyc
■	■	■	■	■	■	■■■	bw.cpython-311.pyc
■	■	■	■	■	■	■■■	coffee.cpython-311.pyc
■	■	■	■	■	■	■■■	colorful.cpython-311.pyc
■	■	■	■	■	■	■■■	default.cpython-311.pyc
■	■	■	■	■	■	■■■	dracula.cpython-311.pyc
■	■	■	■	■	■	■■■	emacs.cpython-311.pyc
■	■	■	■	■	■	■■■	friendly.cpython-311.pyc
■	■	■	■	■	■	■■■	friendly_grayscale.cpython-311.pyc
■	■	■	■	■	■	■■■	fruity.cpython-311.pyc
■	■	■	■	■	■	■■■	gh_dark.cpython-311.pyc
■	■	■	■	■	■	■■■	gruvbox.cpython-311.pyc
■	■	■	■	■	■	■■■	igor.cpython-311.pyc
■	■	■	■	■	■	■■■	inkpot.cpython-311.pyc
■	■	■	■	■	■	■■■	lightbulb.cpython-311.pyc
■	■	■	■	■	■	■■■	lilypond.cpython-311.pyc
■	■	■	■	■	■	■■■	lovelace.cpython-311.pyc
■	■	■	■	■	■	■■■	manni.cpython-311.pyc
■	■	■	■	■	■	■■■	material.cpython-311.pyc
■	■	■	■	■	■	■■■	monokai.cpython-311.pyc
■	■	■	■	■	■	■■■	murphy.cpython-311.pyc
■	■	■	■	■	■	■■■	native.cpython-311.pyc
■	■	■	■	■	■	■■■	nord.cpython-311.pyc
■	■	■	■	■	■	■■■	onedark.cpython-311.pyc
■	■	■	■	■	■	■■■	paraiso_dark.cpython-311.pyc
■	■	■	■	■	■	■■■	paraiso_light.cpython-311.pyc
■	■	■	■	■	■	■■■	pastie.cpython-311.pyc
■	■	■	■	■	■	■■■	perldoc.cpython-311.pyc
■	■	■	■	■	■	■■■	rainbow_dash.cpython-311.pyc
■	■	■	■	■	■	■■■	rrt.cpython-311.pyc
■	■	■	■	■	■	■■■	sas.cpython-311.pyc
■	■	■	■	■	■	■■■	solarized.cpython-311.pyc
■	■	■	■	■	■	■■■	staroffice.cpython-311.pyc
■	■	■	■	■	■	■■■	stata_dark.cpython-311.pyc
■	■	■	■	■	■	■■■	stata_light.cpython-311.pyc
■	■	■	■	■	■	■■■	tango.cpython-311.pyc
■	■	■	■	■	■	■■■	trac.cpython-311.pyc
■	■	■	■	■	■	■■■	vim.cpython-311.pyc
■	■	■	■	■	■	■■■	vs.cpython-311.pyc
■	■	■	■	■	■	■■■	xcode.cpython-311.pyc
■	■	■	■	■	■	■■■	zenburn.cpython-311.pyc
■	■	■	■	■	■■■		_mapping.py
■	■	■	■	■	■■■		abap.py
■	■	■	■	■	■■■		algol.py
■	■	■	■	■	■■■		algol_nu.py
■	■	■	■	■	■■■		arduino.py
■	■	■	■	■	■■■		autumn.py
■	■	■	■	■	■■■		borland.py
■	■	■	■	■	■■■		bw.py
■	■	■	■	■	■■■		coffee.py
■	■	■	■	■	■■■		colorful.py
■	■	■	■	■	■■■		default.py
■	■	■	■	■	■■■		dracula.py
■	■	■	■	■	■■■		emacs.py

```

■ ■ ■ ■ ■ ■ ■■ friendly.py
■ ■ ■ ■ ■ ■ ■■ friendly_grayscale.py
■ ■ ■ ■ ■ ■ ■■ fruity.py
■ ■ ■ ■ ■ ■ ■■ gh_dark.py
■ ■ ■ ■ ■ ■ ■■ gruvbox.py
■ ■ ■ ■ ■ ■ ■■ igor.py
■ ■ ■ ■ ■ ■ ■■ inkpot.py
■ ■ ■ ■ ■ ■ ■■ lightbulb.py
■ ■ ■ ■ ■ ■ ■■ lilypond.py
■ ■ ■ ■ ■ ■ ■■ lovelace.py
■ ■ ■ ■ ■ ■ ■■ manni.py
■ ■ ■ ■ ■ ■ ■■ material.py
■ ■ ■ ■ ■ ■ ■■ monokai.py
■ ■ ■ ■ ■ ■ ■■ murphy.py
■ ■ ■ ■ ■ ■ ■■ native.py
■ ■ ■ ■ ■ ■ ■■ nord.py
■ ■ ■ ■ ■ ■ ■■ onedark.py
■ ■ ■ ■ ■ ■ ■■ paraiso_dark.py
■ ■ ■ ■ ■ ■ ■■ paraiso_light.py
■ ■ ■ ■ ■ ■ ■■ pastie.py
■ ■ ■ ■ ■ ■ ■■ perldoc.py
■ ■ ■ ■ ■ ■ ■■ rainbow_dash.py
■ ■ ■ ■ ■ ■ ■■ rrt.py
■ ■ ■ ■ ■ ■ ■■ sas.py
■ ■ ■ ■ ■ ■ ■■ solarized.py
■ ■ ■ ■ ■ ■ ■■ staroffice.py
■ ■ ■ ■ ■ ■ ■■ stata_dark.py
■ ■ ■ ■ ■ ■ ■■ stata_light.py
■ ■ ■ ■ ■ ■ ■■ tango.py
■ ■ ■ ■ ■ ■ ■■ trac.py
■ ■ ■ ■ ■ ■ ■■ vim.py
■ ■ ■ ■ ■ ■ ■■ vs.py
■ ■ ■ ■ ■ ■ ■■ xcode.py
■ ■ ■ ■ ■ ■ ■■ zenburn.py
■ ■ ■ ■ ■ ■ ■■ token.py
■ ■ ■ ■ ■ ■ ■■ unistring.py
■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■■ pygments-2.18.0.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■ licenses
■ ■ ■ ■ ■ ■ ■■ AUTHORS
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ pygraphviz
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ agraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ graphviz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ scraper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _graphviz.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■■ agraph.py
■ ■ ■ ■ ■ ■ ■■ graphviz.i
■ ■ ■ ■ ■ ■ ■■ graphviz.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ graphviz_wrap.c
■ ■ ■ ■ ■ ■ ■ ■ scraper.py
■ ■ ■ ■ ■ ■ ■ ■ testing.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_attribute_defaults.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_clear.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_close.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_drawing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_edge_attributes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_graph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_layout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_node_attributes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_readwrite.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_scraper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_subgraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_unicode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   test_attribute_defaults.py
■ ■ ■ ■ ■ ■ ■ ■   test_clear.py
■ ■ ■ ■ ■ ■ ■ ■   test_close.py
■ ■ ■ ■ ■ ■ ■ ■   test_drawing.py
■ ■ ■ ■ ■ ■ ■ ■   test_edge_attributes.py
■ ■ ■ ■ ■ ■ ■ ■   test_graph.py
■ ■ ■ ■ ■ ■ ■ ■   test_html.py
■ ■ ■ ■ ■ ■ ■ ■   test_layout.py
■ ■ ■ ■ ■ ■ ■ ■   test_node_attributes.py
■ ■ ■ ■ ■ ■ ■ ■   test_readwrite.py
■ ■ ■ ■ ■ ■ ■ ■   test_scraper.py
■ ■ ■ ■ ■ ■ ■ ■   test_string.py
■ ■ ■ ■ ■ ■ ■ ■   test_subgraph.py
■ ■ ■ ■ ■ ■ ■ ■   test_unicode.py
■ ■ ■ ■ ■ ■ ■ ■ pygraphviz-1.7.dist-info
■ ■ ■ ■ ■ ■ ■ ■   INSTALLER
■ ■ ■ ■ ■ ■ ■ ■   LICENSE
■ ■ ■ ■ ■ ■ ■ ■   METADATA
■ ■ ■ ■ ■ ■ ■ ■   RECORD
■ ■ ■ ■ ■ ■ ■ ■   REQUESTED
■ ■ ■ ■ ■ ■ ■ ■   WHEEL
■ ■ ■ ■ ■ ■ ■ ■   top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pylab.py
■ ■ ■ ■ ■ ■ ■ ■ pylog
■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   control_structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   logic_variables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   control_structures.py
■ ■ ■ ■ ■ ■ ■ ■   logic_variables.py
■ ■ ■ ■ ■ ■ ■ ■   sequence_options
■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   linked_list.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   sequences.cpython-311.pyc

```



```

ode.cpython-311.pyc
utils.cpython-311.pyc
ode.py
utils.py
parallel_sampling.py
plots
__init__.py
__pycache__
__init__.cpython-311.pyc
printing.py
sampling.py
sampling_jax.py
smc
__init__.py
__pycache__
__init__.cpython-311.pyc
sample_smc.cpython-311.pyc
smc.cpython-311.pyc
sample_smc.py
smc.py
stats
__init__.py
__pycache__
__init__.cpython-311.pyc
step_methods
__init__.py
__pycache__
__init__.cpython-311.pyc
arraystep.cpython-311.pyc
compound.cpython-311.pyc
metropolis.cpython-311.pyc
mlda.cpython-311.pyc
slicer.cpython-311.pyc
step_sizes.cpython-311.pyc
arraystep.py
compound.py
hmc
__init__.py
__pycache__
__init__.cpython-311.pyc
base_hmc.cpython-311.pyc
hmc.cpython-311.pyc
integration.cpython-311.pyc
nuts.cpython-311.pyc
quadpotential.cpython-311.pyc
base_hmc.py
hmc.py
integration.py
nuts.py
quadpotential.py
metropolis.py
mlda.py
slicer.py
step_sizes.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■ backend_fixtures.cpython-311.pyc
■	■	■	■	■	■	■	■■■ checks.cpython-311.pyc
■	■	■	■	■	■	■	■■■ conftest.cpython-311.pyc
■	■	■	■	■	■	■	■■■ helpers.cpython-311.pyc
■	■	■	■	■	■	■	■■■ models.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sampler_fixtures.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_aesaraf.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_data_container.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_dist_math.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_distributions.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_distributions_moments.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_distributions_random.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_distributions_timeseries.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_func_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_gp.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_hmc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_idata_conversion.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_initial_point.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_logprob.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_math.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_minibatches.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_missing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_mixture.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_model.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_model_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_modelcontext.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ndarray_backend.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ode.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_sampling.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_pickling.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_posdef_sym.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_posteriors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_printing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_profile.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_quadpotential.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_sampling.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_sampling_jax.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_shape_handling.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_shared.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_smc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_starting.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_step.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_transforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_tuning.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_updates.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_variational_inference.cpython-311.pyc
■	■	■	■	■	■	■■■	backend_fixtures.py
■	■	■	■	■	■	■■■	checks.py
■	■	■	■	■	■	■■■	conftest.py
■	■	■	■	■	■	■■■	helpers.py
■	■	■	■	■	■	■■■	models.py
■	■	■	■	■	■	■■■	sampler_fixtures.py
■	■	■	■	■	■	■■■	test_aesaraf.py
■	■	■	■	■	■	■■■	test_data_container.py
■	■	■	■	■	■	■■■	test_dist_math.py
■	■	■	■	■	■	■■■	test_distributions.py

```

■ ■ ■ ■ ■ ■ ■■■ test_distributions_moments.py
■ ■ ■ ■ ■ ■ ■■■ test_distributions_random.py
■ ■ ■ ■ ■ ■ ■■■ test_distributions_timeseries.py
■ ■ ■ ■ ■ ■ ■■■ test_func_utils.py
■ ■ ■ ■ ■ ■ ■■■ test_gp.py
■ ■ ■ ■ ■ ■ ■■■ test_hmc.py
■ ■ ■ ■ ■ ■ ■■■ test_idata_conversion.py
■ ■ ■ ■ ■ ■ ■■■ test_initial_point.py
■ ■ ■ ■ ■ ■ ■■■ test_logprob.py
■ ■ ■ ■ ■ ■ ■■■ test_math.py
■ ■ ■ ■ ■ ■ ■■■ test_minibatches.py
■ ■ ■ ■ ■ ■ ■■■ test_missing.py
■ ■ ■ ■ ■ ■ ■■■ test_mixture.py
■ ■ ■ ■ ■ ■ ■■■ test_model.py
■ ■ ■ ■ ■ ■ ■■■ test_model_graph.py
■ ■ ■ ■ ■ ■ ■■■ test_modelcontext.py
■ ■ ■ ■ ■ ■ ■■■ test_ndarray_backend.py
■ ■ ■ ■ ■ ■ ■■■ test_ode.py
■ ■ ■ ■ ■ ■ ■■■ test_parallel_sampling.py
■ ■ ■ ■ ■ ■ ■■■ test_pickling.py
■ ■ ■ ■ ■ ■ ■■■ test_posdef_sym.py
■ ■ ■ ■ ■ ■ ■■■ test_posteriors.py
■ ■ ■ ■ ■ ■ ■■■ test_printing.py
■ ■ ■ ■ ■ ■ ■■■ test_profile.py
■ ■ ■ ■ ■ ■ ■■■ test_quadpotential.py
■ ■ ■ ■ ■ ■ ■■■ test_sampling.py
■ ■ ■ ■ ■ ■ ■■■ test_sampling_jax.py
■ ■ ■ ■ ■ ■ ■■■ test_shape_handling.py
■ ■ ■ ■ ■ ■ ■■■ test_shared.py
■ ■ ■ ■ ■ ■ ■■■ test_smc.py
■ ■ ■ ■ ■ ■ ■■■ test_starting.py
■ ■ ■ ■ ■ ■ ■■■ test_step.py
■ ■ ■ ■ ■ ■ ■■■ test_transforms.py
■ ■ ■ ■ ■ ■ ■■■ test_tuning.py
■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■■■ test_updates.py
■ ■ ■ ■ ■ ■ ■■■ test_util.py
■ ■ ■ ■ ■ ■ ■■■ test_variational_inference.py
■ ■ ■ ■ ■ ■ ■■■ tuning
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ scaling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ starting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ scaling.py
■ ■ ■ ■ ■ ■ ■■■ starting.py
■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■■■ variational
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ approximations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ operators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ opvi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ stein.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_functions.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■■ hyph_en_US.dic
■ ■ ■ ■ ■ ■ ■■ hyph_eo.dic
■ ■ ■ ■ ■ ■ ■■ hyph_es.dic
■ ■ ■ ■ ■ ■ ■■ hyph_et_EE.dic
■ ■ ■ ■ ■ ■ ■■ hyph_eu.dic
■ ■ ■ ■ ■ ■ ■■ hyph_fr.dic
■ ■ ■ ■ ■ ■ ■■ hyph_gl.dic
■ ■ ■ ■ ■ ■ ■■ hyph_hr_HR.dic
■ ■ ■ ■ ■ ■ ■■ hyph_hu_HU.dic
■ ■ ■ ■ ■ ■ ■■ hyph_id_ID.dic
■ ■ ■ ■ ■ ■ ■■ hyph_is.dic
■ ■ ■ ■ ■ ■ ■■ hyph_it_IT.dic
■ ■ ■ ■ ■ ■ ■■ hyph_lt.dic
■ ■ ■ ■ ■ ■ ■■ hyph_lv_LV.dic
■ ■ ■ ■ ■ ■ ■■ hyph_mn_MN.dic
■ ■ ■ ■ ■ ■ ■■ hyph_nb_NO.dic
■ ■ ■ ■ ■ ■ ■■ hyph_nl_NL.dic
■ ■ ■ ■ ■ ■ ■■ hyph_nn_NO.dic
■ ■ ■ ■ ■ ■ ■■ hyph_pl_PL.dic
■ ■ ■ ■ ■ ■ ■■ hyph_pt_BR.dic
■ ■ ■ ■ ■ ■ ■■ hyph_pt_PT.dic
■ ■ ■ ■ ■ ■ ■■ hyph_ro_RO.dic
■ ■ ■ ■ ■ ■ ■■ hyph_ru_RU.dic
■ ■ ■ ■ ■ ■ ■■ hyph_sk_SK.dic
■ ■ ■ ■ ■ ■ ■■ hyph_sl_SI.dic
■ ■ ■ ■ ■ ■ ■■ hyph_sq_AL.dic
■ ■ ■ ■ ■ ■ ■■ hyph_sr.dic
■ ■ ■ ■ ■ ■ ■■ hyph_sr_Latn.dic
■ ■ ■ ■ ■ ■ ■■ hyph_sv.dic
■ ■ ■ ■ ■ ■ ■■ hyph_te_IN.dic
■ ■ ■ ■ ■ ■ ■■ hyph_th_TH.dic
■ ■ ■ ■ ■ ■ ■■ hyph_uk_UA.dic
■ ■ ■ ■ ■ ■ ■■ hyph_zu_ZA.dic
■ ■ ■ ■ ■ ■ ■■ update.sh
■ ■ ■ ■ ■ ■■ pyphen-0.17.0.dist-info
■ ■ ■ ■ ■ ■■ COPYING.GPL
■ ■ ■ ■ ■ ■■ COPYING.LGPL
■ ■ ■ ■ ■ ■■ COPYING.MPL
■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■■ pyproj
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ _show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■■ aoi.cpython-311.pyc
■ ■ ■ ■ ■ ■■ datadir.cpython-311.pyc
■ ■ ■ ■ ■ ■■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■ geod.cpython-311.pyc
■ ■ ■ ■ ■ ■■ network.cpython-311.pyc
■ ■ ■ ■ ■ ■■ proj.cpython-311.pyc
■ ■ ■ ■ ■ ■■ sync.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■■■ transformer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _compat.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _compat.pxd
■ ■ ■ ■ ■ ■■■■ _compat.pyi
■ ■ ■ ■ ■ ■■■■ _compat.pyx
■ ■ ■ ■ ■ ■■■■ _crs.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _crs.pxd
■ ■ ■ ■ ■ ■■■■ _crs.pyi
■ ■ ■ ■ ■ ■■■■ _crs.pyx
■ ■ ■ ■ ■ ■■■■ _datadir.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _datadir.pxd
■ ■ ■ ■ ■ ■■■■ _datadir.pyi
■ ■ ■ ■ ■ ■■■■ _datadir.pyx
■ ■ ■ ■ ■ ■■■■ _geod.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _geod.pxd
■ ■ ■ ■ ■ ■■■■ _geod.pyi
■ ■ ■ ■ ■ ■■■■ _geod.pyx
■ ■ ■ ■ ■ ■■■■ _network.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _network.pyi
■ ■ ■ ■ ■ ■■■■ _network.pyx
■ ■ ■ ■ ■ ■■■■ _show_versions.py
■ ■ ■ ■ ■ ■■■■ _sync.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _sync.pyi
■ ■ ■ ■ ■ ■■■■ _sync.pyx
■ ■ ■ ■ ■ ■■■■ _transformer.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ _transformer.pxd
■ ■ ■ ■ ■ ■■■■ _transformer.pyi
■ ■ ■ ■ ■ ■■■■ _transformer.pyx
■ ■ ■ ■ ■ ■■■■ aoi.py
■ ■ ■ ■ ■ ■■■■ base.pxi
■ ■ ■ ■ ■ ■■■■ crs
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _cf1x8.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ coordinate_operation.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ coordinate_system.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ crs.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ datum.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _cf1x8.py
■ ■ ■ ■ ■ ■■■■ coordinate_operation.py
■ ■ ■ ■ ■ ■■■■ coordinate_system.py
■ ■ ■ ■ ■ ■■■■ crs.py
■ ■ ■ ■ ■ ■■■■ datum.py
■ ■ ■ ■ ■ ■■■■ enums.py
■ ■ ■ ■ ■ ■■■■ database.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ database.pyi
■ ■ ■ ■ ■ ■■■■ database.pyx
■ ■ ■ ■ ■ ■■■■ datadir.py
■ ■ ■ ■ ■ ■■■■ enums.py
■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■■■■ geod.py
■ ■ ■ ■ ■ ■■■■ list.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■■ list.pyi
■ ■ ■ ■ ■ ■■■■ list.pyx
■ ■ ■ ■ ■ ■■■■ network.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ proj.pxi
■ ■ ■ ■ ■ ■ ■ ■ proj.py
■ ■ ■ ■ ■ ■ ■ ■ proj_dir
■ ■ ■ ■ ■ ■ ■ ■ share
■ ■ ■ ■ ■ ■ ■ ■ proj
■ ■ ■ ■ ■ ■ ■ ■ CH
■ ■ ■ ■ ■ ■ ■ ■ GL27
■ ■ ■ ■ ■ ■ ■ ■ ITRF2000
■ ■ ■ ■ ■ ■ ■ ■ ITRF2008
■ ■ ■ ■ ■ ■ ■ ■ ITRF2014
■ ■ ■ ■ ■ ■ ■ ■ deformation_model.schema.json
■ ■ ■ ■ ■ ■ ■ ■ nad.lst
■ ■ ■ ■ ■ ■ ■ ■ nad27
■ ■ ■ ■ ■ ■ ■ ■ nad83
■ ■ ■ ■ ■ ■ ■ ■ other.extra
■ ■ ■ ■ ■ ■ ■ ■ proj.db
■ ■ ■ ■ ■ ■ ■ ■ proj.ini
■ ■ ■ ■ ■ ■ ■ ■ projjson.schema.json
■ ■ ■ ■ ■ ■ ■ ■ triangulation.schema.json
■ ■ ■ ■ ■ ■ ■ ■ world
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ sync.py
■ ■ ■ ■ ■ ■ ■ ■ transformer.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ pyproj-3.6.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ LICENSE_proj
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pyproj.libs
■ ■ ■ ■ ■ ■ ■ ■ libcurl-0a1527eb.so.4.8.0
■ ■ ■ ■ ■ ■ ■ ■ libnghttp2-55af48d7.so.14.24.2
■ ■ ■ ■ ■ ■ ■ ■ libproj-1552b914.so.25.9.3.0
■ ■ ■ ■ ■ ■ ■ ■ libsqlite3-7ee472c1.so.0.8.6
■ ■ ■ ■ ■ ■ ■ ■ libtiff-ada18b9b.so.6.0.0
■ ■ ■ ■ ■ ■ ■ ■ pyprover
■ ■ ■ ■ ■ ■ ■ ■ __coconut__.py
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __coconut__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ atoms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ logic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ atoms.py
■ ■ ■ ■ ■ ■ ■ ■ constants.py
■ ■ ■ ■ ■ ■ ■ ■ logic.py
■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ tests.py
■ ■ ■ ■ ■ ■ ■ ■ tools.py
```



```

■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ multipart.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ python_multipart-0.0.19.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ python_pptx-0.6.21.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pythonjsonlogger
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jsonlogger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jsonlogger.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pytttsx3
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ driver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ engine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ six.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ voice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ driver.py
■ ■ ■ ■ ■ ■ ■ ■ drivers
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _espeak.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ espeak.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nsss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sapi5.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _espeak.py
■ ■ ■ ■ ■ ■ ■ ■ dummy.py
■ ■ ■ ■ ■ ■ ■ ■ espeak.py
■ ■ ■ ■ ■ ■ ■ ■ nsss.py
■ ■ ■ ■ ■ ■ ■ ■ sapi5.py
■ ■ ■ ■ ■ ■ ■ ■ engine.py
■ ■ ■ ■ ■ ■ ■ ■ six.py
■ ■ ■ ■ ■ ■ ■ ■ voice.py
■ ■ ■ ■ ■ ■ ■ ■ pytttsx3-2.90.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL

```

```

■   ■   ■   ■   ■   ■■■ top_level.txt
■   ■   ■   ■   ■■■ pytz
■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■■■ exceptions.cpython-311.pyc
■   ■   ■   ■   ■■■ lazy.cpython-311.pyc
■   ■   ■   ■   ■■■ reference.cpython-311.pyc
■   ■   ■   ■   ■■■ tzfile.cpython-311.pyc
■   ■   ■   ■   ■■■ tzinfo.cpython-311.pyc
■   ■   ■   ■   ■■■ exceptions.py
■   ■   ■   ■   ■■■ lazy.py
■   ■   ■   ■   ■■■ reference.py
■   ■   ■   ■   ■■■ tzfile.py
■   ■   ■   ■   ■■■ tzinfo.py
■   ■   ■   ■   ■■■ zoneinfo
■   ■   ■   ■   ■■■ Africa
■   ■   ■   ■   ■■■ Abidjan
■   ■   ■   ■   ■■■ Accra
■   ■   ■   ■   ■■■ Addis_Ababa
■   ■   ■   ■   ■■■ Algiers
■   ■   ■   ■   ■■■ Asmara
■   ■   ■   ■   ■■■ Asmera
■   ■   ■   ■   ■■■ Bamako
■   ■   ■   ■   ■■■ Bangui
■   ■   ■   ■   ■■■ Banjul
■   ■   ■   ■   ■■■ Bissau
■   ■   ■   ■   ■■■ Blantyre
■   ■   ■   ■   ■■■ Brazzaville
■   ■   ■   ■   ■■■ Bujumbura
■   ■   ■   ■   ■■■ Cairo
■   ■   ■   ■   ■■■ Casablanca
■   ■   ■   ■   ■■■ Ceuta
■   ■   ■   ■   ■■■ Conakry
■   ■   ■   ■   ■■■ Dakar
■   ■   ■   ■   ■■■ Dar_es_Salaam
■   ■   ■   ■   ■■■ Djibouti
■   ■   ■   ■   ■■■ Douala
■   ■   ■   ■   ■■■ El_Aaiun
■   ■   ■   ■   ■■■ Freetown
■   ■   ■   ■   ■■■ Gaborone
■   ■   ■   ■   ■■■ Harare
■   ■   ■   ■   ■■■ Johannesburg
■   ■   ■   ■   ■■■ Juba
■   ■   ■   ■   ■■■ Kampala
■   ■   ■   ■   ■■■ Khartoum
■   ■   ■   ■   ■■■ Kigali
■   ■   ■   ■   ■■■ Kinshasa
■   ■   ■   ■   ■■■ Lagos
■   ■   ■   ■   ■■■ Libreville
■   ■   ■   ■   ■■■ Lome
■   ■   ■   ■   ■■■ Luanda
■   ■   ■   ■   ■■■ Lubumbashi
■   ■   ■   ■   ■■■ Lusaka
■   ■   ■   ■   ■■■ Malabo
■   ■   ■   ■   ■■■ Maputo
■   ■   ■   ■   ■■■ Maseru
■   ■   ■   ■   ■■■ Mbabane

```


■	■	■	■	■	■	■	■■■	Mogadishu
■	■	■	■	■	■	■	■■■	Monrovia
■	■	■	■	■	■	■	■■■	Nairobi
■	■	■	■	■	■	■	■■■	Ndjamena
■	■	■	■	■	■	■	■■■	Niamey
■	■	■	■	■	■	■	■■■	Nouakchott
■	■	■	■	■	■	■	■■■	Ouagadougou
■	■	■	■	■	■	■	■■■	Porto-Novo
■	■	■	■	■	■	■	■■■	Sao_Tome
■	■	■	■	■	■	■	■■■	Timbuktu
■	■	■	■	■	■	■	■■■	Tripoli
■	■	■	■	■	■	■	■■■	Tunis
■	■	■	■	■	■	■	■■■	Windhoek
■	■	■	■	■	■	■■■	■■■	America
■	■	■	■	■	■	■	■■■	Adak
■	■	■	■	■	■	■	■■■	Anchorage
■	■	■	■	■	■	■	■■■	Anguilla
■	■	■	■	■	■	■	■■■	Antigua
■	■	■	■	■	■	■	■■■	Araguaina
■	■	■	■	■	■	■	■■■	Argentina
■	■	■	■	■	■	■	■ ■■■	Buenos_Aires
■	■	■	■	■	■	■	■ ■■■	Catamarca
■	■	■	■	■	■	■	■ ■■■	ComodRivadavia
■	■	■	■	■	■	■	■ ■■■	Cordoba
■	■	■	■	■	■	■	■ ■■■	Jujuy
■	■	■	■	■	■	■	■ ■■■	La_Rioja
■	■	■	■	■	■	■	■ ■■■	Mendoza
■	■	■	■	■	■	■	■ ■■■	Rio_Gallegos
■	■	■	■	■	■	■	■ ■■■	Salta
■	■	■	■	■	■	■	■ ■■■	San_Juan
■	■	■	■	■	■	■	■ ■■■	San_Luis
■	■	■	■	■	■	■	■ ■■■	Tucuman
■	■	■	■	■	■	■	■ ■■■	Ushuaia
■	■	■	■	■	■	■	■■■	Aruba
■	■	■	■	■	■	■	■■■	Asuncion
■	■	■	■	■	■	■	■■■	Atikokan
■	■	■	■	■	■	■	■■■	Atka
■	■	■	■	■	■	■	■■■	Bahia
■	■	■	■	■	■	■	■■■	Bahia_Banderas
■	■	■	■	■	■	■	■■■	Barbados
■	■	■	■	■	■	■	■■■	Belem
■	■	■	■	■	■	■	■■■	Belize
■	■	■	■	■	■	■	■■■	Blanc-Sablon
■	■	■	■	■	■	■	■■■	Boa_Vista
■	■	■	■	■	■	■	■■■	Bogota
■	■	■	■	■	■	■	■■■	Boise
■	■	■	■	■	■	■	■■■	Buenos_Aires
■	■	■	■	■	■	■	■■■	Cambridge_Bay
■	■	■	■	■	■	■	■■■	Campo_Grande
■	■	■	■	■	■	■	■■■	Cancun
■	■	■	■	■	■	■	■■■	Caracas
■	■	■	■	■	■	■	■■■	Catamarca
■	■	■	■	■	■	■	■■■	Cayenne
■	■	■	■	■	■	■	■■■	Cayman
■	■	■	■	■	■	■	■■■	Chicago
■	■	■	■	■	■	■	■■■	Chihuahua
■	■	■	■	■	■	■	■■■	Ciudad_Juarez
■	■	■	■	■	■	■	■■■	Coral_Harbour

■	■	■	■	■	■	■	■■■	Cordoba
■	■	■	■	■	■	■	■■■	Costa_Rica
■	■	■	■	■	■	■	■■■	Creston
■	■	■	■	■	■	■	■■■	Cuiaba
■	■	■	■	■	■	■	■■■	Curacao
■	■	■	■	■	■	■	■■■	Danmarkshavn
■	■	■	■	■	■	■	■■■	Dawson
■	■	■	■	■	■	■	■■■	Dawson_Creek
■	■	■	■	■	■	■	■■■	Denver
■	■	■	■	■	■	■	■■■	Detroit
■	■	■	■	■	■	■	■■■	Dominica
■	■	■	■	■	■	■	■■■	Edmonton
■	■	■	■	■	■	■	■■■	Eirunepe
■	■	■	■	■	■	■	■■■	El_Salvador
■	■	■	■	■	■	■	■■■	Ensenada
■	■	■	■	■	■	■	■■■	Fort_Nelson
■	■	■	■	■	■	■	■■■	Fort_Wayne
■	■	■	■	■	■	■	■■■	Fortaleza
■	■	■	■	■	■	■	■■■	Glace_Bay
■	■	■	■	■	■	■	■■■	Godthab
■	■	■	■	■	■	■	■■■	Goose_Bay
■	■	■	■	■	■	■	■■■	Grand_Turk
■	■	■	■	■	■	■	■■■	Grenada
■	■	■	■	■	■	■	■■■	Guadeloupe
■	■	■	■	■	■	■	■■■	Guatemala
■	■	■	■	■	■	■	■■■	Guayaquil
■	■	■	■	■	■	■	■■■	Guyana
■	■	■	■	■	■	■	■■■	Halifax
■	■	■	■	■	■	■	■■■	Havana
■	■	■	■	■	■	■	■■■	Hermosillo
■	■	■	■	■	■	■	■■■	Indiana
■	■	■	■	■	■	■	■ ■■■	Indianapolis
■	■	■	■	■	■	■	■ ■■■	Knox
■	■	■	■	■	■	■	■ ■■■	Marengo
■	■	■	■	■	■	■	■ ■■■	Petersburg
■	■	■	■	■	■	■	■ ■■■	Tell_City
■	■	■	■	■	■	■	■ ■■■	Vevay
■	■	■	■	■	■	■	■ ■■■	Vincennes
■	■	■	■	■	■	■	■ ■■■	Winamac
■	■	■	■	■	■	■	■■■	Indianapolis
■	■	■	■	■	■	■	■■■	Inuvik
■	■	■	■	■	■	■	■■■	Iqaluit
■	■	■	■	■	■	■	■■■	Jamaica
■	■	■	■	■	■	■	■■■	Jujuy
■	■	■	■	■	■	■	■■■	Juneau
■	■	■	■	■	■	■	■■■	Kentucky
■	■	■	■	■	■	■	■ ■■■	Louisville
■	■	■	■	■	■	■	■ ■■■	Monticello
■	■	■	■	■	■	■	■■■	Knox_IN
■	■	■	■	■	■	■	■■■	Kralendijk
■	■	■	■	■	■	■	■■■	La_Paz
■	■	■	■	■	■	■	■■■	Lima
■	■	■	■	■	■	■	■■■	Los_Angeles
■	■	■	■	■	■	■	■■■	Louisville
■	■	■	■	■	■	■	■■■	Lower_Princes
■	■	■	■	■	■	■	■■■	Maceio
■	■	■	■	■	■	■	■■■	Managua
■	■	■	■	■	■	■	■■■	Manaus

■	■	■	■	■	■	■	■■■	Marigot
■	■	■	■	■	■	■	■■■	Martinique
■	■	■	■	■	■	■	■■■	Matamoros
■	■	■	■	■	■	■	■■■	Mazatlan
■	■	■	■	■	■	■	■■■	Mendoza
■	■	■	■	■	■	■	■■■	Menominee
■	■	■	■	■	■	■	■■■	Merida
■	■	■	■	■	■	■	■■■	Metlakatla
■	■	■	■	■	■	■	■■■	Mexico_City
■	■	■	■	■	■	■	■■■	Miquelon
■	■	■	■	■	■	■	■■■	Moncton
■	■	■	■	■	■	■	■■■	Monterrey
■	■	■	■	■	■	■	■■■	Montevideo
■	■	■	■	■	■	■	■■■	Montreal
■	■	■	■	■	■	■	■■■	Montserrat
■	■	■	■	■	■	■	■■■	Nassau
■	■	■	■	■	■	■	■■■	New_York
■	■	■	■	■	■	■	■■■	Nipigon
■	■	■	■	■	■	■	■■■	Nome
■	■	■	■	■	■	■	■■■	Noronha
■	■	■	■	■	■	■	■■■	North_Dakota
■	■	■	■	■	■	■	■ ■■■	Beulah
■	■	■	■	■	■	■	■ ■■■	Center
■	■	■	■	■	■	■	■ ■■■	New_Salem
■	■	■	■	■	■	■	■■■	Nuuk
■	■	■	■	■	■	■	■■■	Ojinaga
■	■	■	■	■	■	■	■■■	Panama
■	■	■	■	■	■	■	■■■	Pangnirtung
■	■	■	■	■	■	■	■■■	Paramaribo
■	■	■	■	■	■	■	■■■	Phoenix
■	■	■	■	■	■	■	■■■	Port-au-Prince
■	■	■	■	■	■	■	■■■	Port_of_Spain
■	■	■	■	■	■	■	■■■	Porto_Acre
■	■	■	■	■	■	■	■■■	Porto_Velho
■	■	■	■	■	■	■	■■■	Puerto_Rico
■	■	■	■	■	■	■	■■■	Punta_Arenas
■	■	■	■	■	■	■	■■■	Rainy_River
■	■	■	■	■	■	■	■■■	Rankin_Inlet
■	■	■	■	■	■	■	■■■	Recife
■	■	■	■	■	■	■	■■■	Regina
■	■	■	■	■	■	■	■■■	Resolute
■	■	■	■	■	■	■	■■■	Rio_Branco
■	■	■	■	■	■	■	■■■	Rosario
■	■	■	■	■	■	■	■■■	Santa_Isabel
■	■	■	■	■	■	■	■■■	Santarem
■	■	■	■	■	■	■	■■■	Santiago
■	■	■	■	■	■	■	■■■	Santo_Domingo
■	■	■	■	■	■	■	■■■	Sao_Paulo
■	■	■	■	■	■	■	■■■	Scoresbysund
■	■	■	■	■	■	■	■■■	Shiprock
■	■	■	■	■	■	■	■■■	Sitka
■	■	■	■	■	■	■	■■■	St_Barthelemy
■	■	■	■	■	■	■	■■■	St_Johns
■	■	■	■	■	■	■	■■■	St_Kitts
■	■	■	■	■	■	■	■■■	St_Lucia
■	■	■	■	■	■	■	■■■	St_Thomas
■	■	■	■	■	■	■	■■■	St_Vincent
■	■	■	■	■	■	■	■■■	Swift_Current

■	■	■	■	■	■	■	■■■	Tegucigalpa
■	■	■	■	■	■	■	■■■	Thule
■	■	■	■	■	■	■	■■■	Thunder_Bay
■	■	■	■	■	■	■	■■■	Tijuana
■	■	■	■	■	■	■	■■■	Toronto
■	■	■	■	■	■	■	■■■	Tortola
■	■	■	■	■	■	■	■■■	Vancouver
■	■	■	■	■	■	■	■■■	Virgin
■	■	■	■	■	■	■	■■■	Whitehorse
■	■	■	■	■	■	■	■■■	Winnipeg
■	■	■	■	■	■	■	■■■	Yakutat
■	■	■	■	■	■	■	■■■	Yellowknife
■	■	■	■	■	■	■■■	■■■	Antarctica
■	■	■	■	■	■	■	■■■	Casey
■	■	■	■	■	■	■	■■■	Davis
■	■	■	■	■	■	■	■■■	DumontDURville
■	■	■	■	■	■	■	■■■	Macquarie
■	■	■	■	■	■	■	■■■	Mawson
■	■	■	■	■	■	■	■■■	McMurdo
■	■	■	■	■	■	■	■■■	Palmer
■	■	■	■	■	■	■	■■■	Rothera
■	■	■	■	■	■	■	■■■	South_Pole
■	■	■	■	■	■	■	■■■	Syowa
■	■	■	■	■	■	■	■■■	Troll
■	■	■	■	■	■	■	■■■	Vostok
■	■	■	■	■	■	■■■	■■■	Arctic
■	■	■	■	■	■	■	■■■	Longyearbyen
■	■	■	■	■	■	■■■	■■■	Asia
■	■	■	■	■	■	■	■■■	Aden
■	■	■	■	■	■	■	■■■	Almaty
■	■	■	■	■	■	■	■■■	Amman
■	■	■	■	■	■	■	■■■	Anadyr
■	■	■	■	■	■	■	■■■	Aqtau
■	■	■	■	■	■	■	■■■	Aqtobe
■	■	■	■	■	■	■	■■■	Ashgabat
■	■	■	■	■	■	■	■■■	Ashkhabad
■	■	■	■	■	■	■	■■■	Atyrau
■	■	■	■	■	■	■	■■■	Baghdad
■	■	■	■	■	■	■	■■■	Bahrain
■	■	■	■	■	■	■	■■■	Baku
■	■	■	■	■	■	■	■■■	Bangkok
■	■	■	■	■	■	■	■■■	Barnaul
■	■	■	■	■	■	■	■■■	Beirut
■	■	■	■	■	■	■	■■■	Bishkek
■	■	■	■	■	■	■	■■■	Brunei
■	■	■	■	■	■	■	■■■	Calcutta
■	■	■	■	■	■	■	■■■	Chita
■	■	■	■	■	■	■	■■■	Choibalsan
■	■	■	■	■	■	■	■■■	Chongqing
■	■	■	■	■	■	■	■■■	Chungking
■	■	■	■	■	■	■	■■■	Colombo
■	■	■	■	■	■	■	■■■	Dacca
■	■	■	■	■	■	■	■■■	Damascus
■	■	■	■	■	■	■	■■■	Dhaka
■	■	■	■	■	■	■	■■■	Dili
■	■	■	■	■	■	■	■■■	Dubai
■	■	■	■	■	■	■	■■■	Dushanbe
■	■	■	■	■	■	■	■■■	Famagusta

							Ujung_Pandang
							Ulaanbaatar
							Ulan_Bator
							Urumqi
							Ust-Nera
							Vientiane
							Vladivostok
							Yakutsk
							Yangon
							Yekaterinburg
							Yerevan
						Atlantic	
						Azores	
						Bermuda	
						Canary	
						Cape_Verde	
						Faeroe	
						Faroe	
						Jan_Mayen	
						Madeira	
						Reykjavik	
						South_Georgia	
						St_Helena	
						Stanley	
						Australia	
						ACT	
						Adelaide	
						Brisbane	
						Broken_Hill	
						Canberra	
						Currie	
						Darwin	
						Eucla	
						Hobart	
						LHI	
						Lindeman	
						Lord_Howe	
						Melbourne	
						NSW	
						North	
						Perth	
						Queensland	
						South	
						Sydney	
						Tasmania	
						Victoria	
						West	
						Yancowinna	
						Brazil	
						Acre	
						DeNoronha	
						East	
						West	
						CET	
						CST6CDT	
						Canada	
						Atlantic	
						Central	

■	■	■	■	■	■	■	■■■	Eastern
■	■	■	■	■	■	■	■■■	Mountain
■	■	■	■	■	■	■	■■■	Newfoundland
■	■	■	■	■	■	■	■■■	Pacific
■	■	■	■	■	■	■	■■■	Saskatchewan
■	■	■	■	■	■	■	■■■	Yukon
■	■	■	■	■	■	■■■	Chile	
■	■	■	■	■	■	■	■■■	Continental
■	■	■	■	■	■	■	■■■	EasterIsland
■	■	■	■	■	■	■■■	Cuba	
■	■	■	■	■	■	■■■	EET	
■	■	■	■	■	■	■■■	EST	
■	■	■	■	■	■	■■■	EST5EDT	
■	■	■	■	■	■	■■■	Egypt	
■	■	■	■	■	■	■■■	Eire	
■	■	■	■	■	■	■■■	Etc	
■	■	■	■	■	■	■	■■■	GMT
■	■	■	■	■	■	■	■■■	GMT+0
■	■	■	■	■	■	■	■■■	GMT+1
■	■	■	■	■	■	■	■■■	GMT+10
■	■	■	■	■	■	■	■■■	GMT+11
■	■	■	■	■	■	■	■■■	GMT+12
■	■	■	■	■	■	■	■■■	GMT+2
■	■	■	■	■	■	■	■■■	GMT+3
■	■	■	■	■	■	■	■■■	GMT+4
■	■	■	■	■	■	■	■■■	GMT+5
■	■	■	■	■	■	■	■■■	GMT+6
■	■	■	■	■	■	■	■■■	GMT+7
■	■	■	■	■	■	■	■■■	GMT+8
■	■	■	■	■	■	■	■■■	GMT+9
■	■	■	■	■	■	■	■■■	GMT-0
■	■	■	■	■	■	■	■■■	GMT-1
■	■	■	■	■	■	■	■■■	GMT-10
■	■	■	■	■	■	■	■■■	GMT-11
■	■	■	■	■	■	■	■■■	GMT-12
■	■	■	■	■	■	■	■■■	GMT-13
■	■	■	■	■	■	■	■■■	GMT-14
■	■	■	■	■	■	■	■■■	GMT-2
■	■	■	■	■	■	■	■■■	GMT-3
■	■	■	■	■	■	■	■■■	GMT-4
■	■	■	■	■	■	■	■■■	GMT-5
■	■	■	■	■	■	■	■■■	GMT-6
■	■	■	■	■	■	■	■■■	GMT-7
■	■	■	■	■	■	■	■■■	GMT-8
■	■	■	■	■	■	■	■■■	GMT-9
■	■	■	■	■	■	■	■■■	GMT0
■	■	■	■	■	■	■	■■■	Greenwich
■	■	■	■	■	■	■	■■■	UCT
■	■	■	■	■	■	■	■■■	UTC
■	■	■	■	■	■	■	■■■	Universal
■	■	■	■	■	■	■	■■■	Zulu
■	■	■	■	■	■	■■■	Europe	
■	■	■	■	■	■	■	■■■	Amsterdam
■	■	■	■	■	■	■	■■■	Andorra
■	■	■	■	■	■	■	■■■	Astrakhan
■	■	■	■	■	■	■	■■■	Athens
■	■	■	■	■	■	■	■■■	Belfast
■	■	■	■	■	■	■	■■■	Belgrade

[illegible]

■	■	■	■	■	■	■	■■■	Johnston
■	■	■	■	■	■	■	■■■	Kanton
■	■	■	■	■	■	■	■■■	Kiritimati
■	■	■	■	■	■	■	■■■	Kosrae
■	■	■	■	■	■	■	■■■	Kwajalein
■	■	■	■	■	■	■	■■■	Majuro
■	■	■	■	■	■	■	■■■	Marquesas
■	■	■	■	■	■	■	■■■	Midway
■	■	■	■	■	■	■	■■■	Nauru
■	■	■	■	■	■	■	■■■	Niue
■	■	■	■	■	■	■	■■■	Norfolk
■	■	■	■	■	■	■	■■■	Noumea
■	■	■	■	■	■	■	■■■	Pago_Pago
■	■	■	■	■	■	■	■■■	Palau
■	■	■	■	■	■	■	■■■	Pitcairn
■	■	■	■	■	■	■	■■■	Pohnpei
■	■	■	■	■	■	■	■■■	Ponape
■	■	■	■	■	■	■	■■■	Port_Moresby
■	■	■	■	■	■	■	■■■	Rarotonga
■	■	■	■	■	■	■	■■■	Saipan
■	■	■	■	■	■	■	■■■	Samoa
■	■	■	■	■	■	■	■■■	Tahiti
■	■	■	■	■	■	■	■■■	Tarawa
■	■	■	■	■	■	■	■■■	Tongatapu
■	■	■	■	■	■	■	■■■	Truk
■	■	■	■	■	■	■	■■■	Wake
■	■	■	■	■	■	■	■■■	Wallis
■	■	■	■	■	■	■	■■■	Yap
■	■	■	■	■	■	■■■	■■■	Poland
■	■	■	■	■	■	■■■	■■■	Portugal
■	■	■	■	■	■	■■■	■■■	ROC
■	■	■	■	■	■	■■■	■■■	ROK
■	■	■	■	■	■	■■■	■■■	Singapore
■	■	■	■	■	■	■■■	■■■	Turkey
■	■	■	■	■	■	■■■	■■■	UCT
■	■	■	■	■	■	■■■	■■■	US
■	■	■	■	■	■	■	■■■	Alaska
■	■	■	■	■	■	■	■■■	Aleutian
■	■	■	■	■	■	■	■■■	Arizona
■	■	■	■	■	■	■	■■■	Central
■	■	■	■	■	■	■	■■■	East-Indiana
■	■	■	■	■	■	■	■■■	Eastern
■	■	■	■	■	■	■	■■■	Hawaii
■	■	■	■	■	■	■	■■■	Indiana-Starke
■	■	■	■	■	■	■	■■■	Michigan
■	■	■	■	■	■	■	■■■	Mountain
■	■	■	■	■	■	■	■■■	Pacific
■	■	■	■	■	■	■	■■■	Samoa
■	■	■	■	■	■	■■■	■■■	UTC
■	■	■	■	■	■	■■■	■■■	Universal
■	■	■	■	■	■	■■■	■■■	W-SU
■	■	■	■	■	■	■■■	■■■	WET
■	■	■	■	■	■	■■■	■■■	Zulu
■	■	■	■	■	■	■■■	■■■	iso3166.tab
■	■	■	■	■	■	■■■	■■■	leapseconds
■	■	■	■	■	■	■■■	■■■	tzdata.zi
■	■	■	■	■	■	■■■	■■■	zone.tab
■	■	■	■	■	■	■■■	■■■	zone1970.tab

[illegible]

[illegible]

```

test_perfect_reconstruction.py
test_swt.py
test_thresholding.py
test_wavelet.py
test_wp.py
test_wp2d.py
test_wpond.py
version.py
pyximport
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  pyxbld.cpython-311.pyc
  pyximport.cpython-311.pyc
  pyxbld.py
  pyximport.py
pyxlsb
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    biff12.cpython-311.pyc
    handlers.cpython-311.pyc
    reader.cpython-311.pyc
    stringtable.cpython-311.pyc
    workbook.cpython-311.pyc
    worksheet.cpython-311.pyc
  biff12.py
  handlers.py
  reader.py
  stringtable.py
  workbook.py
  worksheet.py
pyxlsb-1.0.8.dist-info
  COPYING
  COPYING.LESSER
  INSTALLER
  METADATA
  RECORD
  REQUESTED
  WHEEL
  top_level.txt
pyzbar
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    locations.cpython-311.pyc
    pyzbar.cpython-311.pyc
    pyzbar_error.cpython-311.pyc
    wrapper.cpython-311.pyc
    zbar_library.cpython-311.pyc
  locations.py
  pyzbar.py
  pyzbar_error.py
  scripts
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    read_zbar.cpython-311.pyc

```

[illegible]

```

image
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  base.cpython-311.pyc
  pil.cpython-311.pyc
  pure.cpython-311.pyc
  styledpil.cpython-311.pyc
  svg.cpython-311.pyc
  base.py
  pil.py
  pure.py
  styledpil.py
  styles
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  colormasks.cpython-311.pyc
  moduledrawers.cpython-311.pyc
  colormasks.py
  moduledrawers.py
  svg.py
  main.py
  release.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  svg.cpython-311.pyc
  test_example.cpython-311.pyc
  test_qrcode.cpython-311.pyc
  test_release.cpython-311.pyc
  test_script.cpython-311.pyc
  test_util.cpython-311.pyc
  svg.py
  test_example.py
  test_qrcode.py
  test_release.py
  test_script.py
  test_util.py
  util.py
qrcode-7.3.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  REQUESTED
  WHEEL
  entry_points.txt
  top_level.txt
rarfile-4.0.dist-info
  DESCRIPTION.rst
  INSTALLER
  METADATA
  RECORD
  REQUESTED
  WHEEL
  metadata.json

```

```

■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      rarfile.py
■      ■      ■      ■      ■      ■      rasterio
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _path.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _show_versions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      control.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      coords.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      drivers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      dtypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      enums.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      env.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      features.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fill.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      io.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      mask.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      merge.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      path.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      plot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      profiles.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      rpc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      sample.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      session.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      tools.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      transform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      vrt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      warp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      windows.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _base.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _env.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _err.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _example.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _features.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _filepath.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _fill.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _io.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _path.py
■      ■      ■      ■      ■      ■      ■      _show_versions.py
■      ■      ■      ■      ■      ■      ■      _transform.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _version.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _warp.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      control.py
■      ■      ■      ■      ■      ■      ■      coords.py
■      ■      ■      ■      ■      ■      ■      crs.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      drivers.py
■      ■      ■      ■      ■      ■      ■      dtypes.py
■      ■      ■      ■      ■      ■      ■      enums.py
■      ■      ■      ■      ■      ■      ■      env.py
■      ■      ■      ■      ■      ■      ■      errors.py
■      ■      ■      ■      ■      ■      ■      features.py
■      ■      ■      ■      ■      ■      ■      fill.py
■      ■      ■      ■      ■      ■      ■      gdal_data
■      ■      ■      ■      ■      ■      ■      GDALLogoBW.svg
■      ■      ■      ■      ■      ■      ■      GDALLogoColor.svg
■      ■      ■      ■      ■      ■      ■      GDALLogoGS.svg

```


■	■	■	■	■	■	■■■	LICENSE.TXT
■	■	■	■	■	■	■■■	bag_template.xml
■	■	■	■	■	■	■■■	cubewerx_extra.wkt
■	■	■	■	■	■	■■■	default.rsc
■	■	■	■	■	■	■■■	ecw_cs.wkt
■	■	■	■	■	■	■■■	eedaconf.json
■	■	■	■	■	■	■■■	epsg.wkt
■	■	■	■	■	■	■■■	esri_StatePlane_extra.wkt
■	■	■	■	■	■	■■■	gdalicon.png
■	■	■	■	■	■	■■■	gdalmdiminfo_output.schema.json
■	■	■	■	■	■	■■■	gdalvrt.xsd
■	■	■	■	■	■	■■■	gml_registry.xml
■	■	■	■	■	■	■■■	gmlasconf.xml
■	■	■	■	■	■	■■■	gmlasconf.xsd
■	■	■	■	■	■	■■■	grib2_center.csv
■	■	■	■	■	■	■■■	grib2_process.csv
■	■	■	■	■	■	■■■	grib2_subcenter.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_13.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_14.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_15.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_16.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_17.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_18.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_19.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_190.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_191.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_20.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_6.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_7.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_191.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_1_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_1_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_1_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_20_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_20_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_20_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_6.csv

■	■	■	■	■	■	■■■	ozi_datum.csv
■	■	■	■	■	■	■■■	ozi_ellips.csv
■	■	■	■	■	■	■■■	pci_datum.txt
■	■	■	■	■	■	■■■	pci_ellips.txt
■	■	■	■	■	■	■■■	pdfcomposition.xsd
■	■	■	■	■	■	■■■	pds4_template.xml
■	■	■	■	■	■	■■■	plscenesconf.json
■	■	■	■	■	■	■■■	ruian_vf_ob_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_uvoh_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_v1.gfs
■	■	■	■	■	■	■■■	s57agencies.csv
■	■	■	■	■	■	■■■	s57attributes.csv
■	■	■	■	■	■	■■■	s57expectedinput.csv
■	■	■	■	■	■	■■■	s57objectclasses.csv
■	■	■	■	■	■	■■■	seed_2d.dgn
■	■	■	■	■	■	■■■	seed_3d.dgn
■	■	■	■	■	■	■■■	stateplane.csv
■	■	■	■	■	■	■■■	template_tiles.mapml
■	■	■	■	■	■	■■■	tms_LINZAntarticaMapTileGrid.json
■	■	■	■	■	■	■■■	tms_MapML_APSTILE.json
■	■	■	■	■	■	■■■	tms_MapML_CBMTILE.json
■	■	■	■	■	■	■■■	tms_NZTM2000.json
■	■	■	■	■	■	■■■	trailer.dxf
■	■	■	■	■	■	■■■	vdv452.xml
■	■	■	■	■	■	■■■	vdv452.xsd
■	■	■	■	■	■	■■■	vicar.json
■	■	■	■	■	■■■	io.py	
■	■	■	■	■	■■■	mask.py	
■	■	■	■	■	■■■	merge.py	
■	■	■	■	■	■■■	path.py	
■	■	■	■	■	■■■	plot.py	
■	■	■	■	■	■■■	profiles.py	
■	■	■	■	■	■■■	proj_data	
■	■	■	■	■	■■■	CH	
■	■	■	■	■	■■■	GL27	
■	■	■	■	■	■■■	ITRF2000	
■	■	■	■	■	■■■	ITRF2008	
■	■	■	■	■	■■■	ITRF2014	
■	■	■	■	■	■■■	deformation_model.schema.json	
■	■	■	■	■	■■■	nad.lst	
■	■	■	■	■	■■■	nad27	
■	■	■	■	■	■■■	nad83	
■	■	■	■	■	■■■	other.extra	
■	■	■	■	■	■■■	proj.db	
■	■	■	■	■	■■■	proj.ini	
■	■	■	■	■	■■■	projjson.schema.json	
■	■	■	■	■	■■■	triangulation.schema.json	
■	■	■	■	■	■■■	world	
■	■	■	■	■	■■■	rio	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	blocks.cpython-311.pyc
■	■	■	■	■	■	■■■	bounds.cpython-311.pyc
■	■	■	■	■	■	■■■	calc.cpython-311.pyc
■	■	■	■	■	■	■■■	clip.cpython-311.pyc
■	■	■	■	■	■	■■■	convert.cpython-311.pyc


```

■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■■■■ rasterio.libs
■ ■ ■ ■ ■ ■■■■ libaec-7506c78d.so.0.0.10
■ ■ ■ ■ ■ ■■■■ libcurl-eb5b6711.so.4.7.0
■ ■ ■ ■ ■ ■■■■ libgdal-fe50f3e8.so.31.0.2
■ ■ ■ ■ ■ ■■■■ libgeos-5d7e03f5.so.3.11.0
■ ■ ■ ■ ■ ■■■■ libgeos_c-93989d8b.so.1.17.0
■ ■ ■ ■ ■ ■■■■ libgif-0706e08a.so.7.0.0
■ ■ ■ ■ ■ ■■■■ libhdf5-e2994792.so.200.1.0
■ ■ ■ ■ ■ ■■■■ libhdf5_hl-cfd10301.so.200.0.1
■ ■ ■ ■ ■ ■■■■ libjpeg-82e9a1fb.so.9.3.0
■ ■ ■ ■ ■ ■■■■ libjson-c-94fd386a.so.5.1.0
■ ■ ■ ■ ■ ■■■■ liblzma-c949e524.so.5.2.2
■ ■ ■ ■ ■ ■■■■ libnetcdf-0040b334.so.13.1.1
■ ■ ■ ■ ■ ■■■■ libnghttp2-e183d352.so.14.21.1
■ ■ ■ ■ ■ ■■■■ libopenjp2-a166e295.so.2.4.0
■ ■ ■ ■ ■ ■■■■ libpcre-9513aab5.so.1.2.0
■ ■ ■ ■ ■ ■■■■ libpng16-8ebcc106.so.16.35.0
■ ■ ■ ■ ■ ■■■■ libproj-198cf725.so.25.9.0.1
■ ■ ■ ■ ■ ■■■■ libsqlite3-b9d397b9.so.0.8.6
■ ■ ■ ■ ■ ■■■■ libsz-cbeefad7.so.2.0.1
■ ■ ■ ■ ■ ■■■■ libtiff-eeefa7591.so.5.7.0
■ ■ ■ ■ ■ ■■■■ libwebp-2a0a5086.so.7.0.5
■ ■ ■ ■ ■ ■■■■ libzstd-8255c9c1.so.1.5.0
■ ■ ■ ■ ■ ■■■■ rdflib
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ collection.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ compare.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ container.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ graph.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ query.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ resource.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ serializer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ store.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ term.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ void.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ collection.py
■ ■ ■ ■ ■ ■■■■ compare.py
■ ■ ■ ■ ■ ■■■■ compat.py
■ ■ ■ ■ ■ ■■■■ container.py
■ ■ ■ ■ ■ ■■■■ events.py
■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■■■■ extras
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ cmdlineutils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ describer.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ external_graph_libs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ infixowl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmdlineutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ describer.py
■ ■ ■ ■ ■ ■ ■ ■■■ external_graph_libs.py
■ ■ ■ ■ ■ ■ ■ ■■■ infixowl.py
■ ■ ■ ■ ■ ■ ■■■■ graph.py
■ ■ ■ ■ ■ ■ ■■■■ namespace
■ ■ ■ ■ ■ ■ ■■■■ _CSVW.py
■ ■ ■ ■ ■ ■ ■■■■ _DC.py
■ ■ ■ ■ ■ ■ ■■■■ _DCAM.py
■ ■ ■ ■ ■ ■ ■■■■ _DCAT.py
■ ■ ■ ■ ■ ■ ■■■■ _DCMITYPE.py
■ ■ ■ ■ ■ ■ ■■■■ _DCTERMS.py
■ ■ ■ ■ ■ ■ ■■■■ _DOAP.py
■ ■ ■ ■ ■ ■ ■■■■ _FOAF.py
■ ■ ■ ■ ■ ■ ■■■■ _ODRL2.py
■ ■ ■ ■ ■ ■ ■■■■ _ORG.py
■ ■ ■ ■ ■ ■ ■■■■ _OWL.py
■ ■ ■ ■ ■ ■ ■■■■ _PROF.py
■ ■ ■ ■ ■ ■ ■■■■ _PROV.py
■ ■ ■ ■ ■ ■ ■■■■ _QB.py
■ ■ ■ ■ ■ ■ ■■■■ _RDF.py
■ ■ ■ ■ ■ ■ ■■■■ _RDFS.py
■ ■ ■ ■ ■ ■ ■■■■ _SDO.py
■ ■ ■ ■ ■ ■ ■■■■ _SH.py
■ ■ ■ ■ ■ ■ ■■■■ _SKOS.py
■ ■ ■ ■ ■ ■ ■■■■ _SOSA.py
■ ■ ■ ■ ■ ■ ■■■■ _SSN.py
■ ■ ■ ■ ■ ■ ■■■■ _TIME.py
■ ■ ■ ■ ■ ■ ■■■■ _VANN.py
■ ■ ■ ■ ■ ■ ■■■■ _VOID.py
■ ■ ■ ■ ■ ■ ■■■■ _XSD.py
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ _CSVW.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCAM.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCAT.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCMITYPE.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCTERMS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DOAP.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _FOAF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _ODRL2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _ORG.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _OWL.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _PROF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _PROV.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _QB.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _RDF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _RDFS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SDO.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SH.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SKOS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SOSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SSN.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _TIME.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _VANN.cpython-311.pyc
```

```

_ _ _ _ _ VOID.cpython-311.pyc
_ _ _ _ _ XSD.cpython-311.pyc
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ parser.py
_ _ _ _ _ paths.py
_ _ _ _ _ plugin.py
_ _ _ _ _ plugins
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ parsers
_ _ _ _ _ RDFVOC.py
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ RDFVOC.cpython-311.pyc
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ jsonld.cpython-311.pyc
_ _ _ _ _ notation3.cpython-311.pyc
_ _ _ _ _ nquads.cpython-311.pyc
_ _ _ _ _ ntriples.cpython-311.pyc
_ _ _ _ _ rdFXML.cpython-311.pyc
_ _ _ _ _ trig.cpython-311.pyc
_ _ _ _ _ trix.cpython-311.pyc
_ _ _ _ _ jsonld.py
_ _ _ _ _ notation3.py
_ _ _ _ _ nquads.py
_ _ _ _ _ ntriples.py
_ _ _ _ _ rdFXML.py
_ _ _ _ _ trig.py
_ _ _ _ _ trix.py
_ _ _ _ _ serializers
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ jsonld.cpython-311.pyc
_ _ _ _ _ n3.cpython-311.pyc
_ _ _ _ _ nquads.cpython-311.pyc
_ _ _ _ _ nt.cpython-311.pyc
_ _ _ _ _ rdFXML.cpython-311.pyc
_ _ _ _ _ trig.cpython-311.pyc
_ _ _ _ _ trix.cpython-311.pyc
_ _ _ _ _ turtle.cpython-311.pyc
_ _ _ _ _ xmlwriter.cpython-311.pyc
_ _ _ _ _ jsonld.py
_ _ _ _ _ n3.py
_ _ _ _ _ nquads.py
_ _ _ _ _ nt.py
_ _ _ _ _ rdFXML.py
_ _ _ _ _ trig.py
_ _ _ _ _ trix.py
_ _ _ _ _ turtle.py
_ _ _ _ _ xmlwriter.py
_ _ _ _ _ shared
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ jsonld
_ _ _ _ _ __init__.py

```


[illegible]

```
jsschema.py  
py.typed  
retrieval.py  
tests  
  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        test_core.cpython-311.pyc  
        test_exceptions.cpython-311.pyc  
        test_jsschema.cpython-311.pyc  
        test_referencing_suite.cpython-311.pyc  
        test_retrieval.cpython-311.pyc  
  
test_core.py  
test_exceptions.py  
test_jsschema.py  
test_referencing_suite.py  
test_retrieval.py  
typing.py  
referencing-0.35.1.dist-info  
INSTALLER  
METADATA  
RECORD  
WHEEL  
licenses  
COPYING  
regex  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        _regex_core.cpython-311.pyc  
        regex.cpython-311.pyc  
        test_regex.cpython-311.pyc  
_regex.cpython-311-x86_64-linux-gnu.so  
_regex_core.py  
regex.py  
test_regex.py  
regex-2024.11.6.dist-info  
INSTALLER  
LICENSE.txt  
METADATA  
RECORD  
WHEEL  
top_level.txt  
reportlab  
    __init__.py  
    __pycache__  
        __init__.cpython-311.pyc  
        rl_config.cpython-311.pyc  
        rl_settings.cpython-311.pyc  
fonts  
      readme.txt  
DarkGarden-changelog.txt  
DarkGarden-copying-gpl.txt  
DarkGarden-copying.txt  
DarkGarden-readme.txt  
DarkGarden.sfd  
DarkGardenMK.afm  
DarkGardenMK.pfb
```

■	■	■	■	■	■	■■■	Vera.ttf
■	■	■	■	■	■	■■■	VeraBI.ttf
■	■	■	■	■	■	■■■	VeraBd.ttf
■	■	■	■	■	■	■■■	VeraIt.ttf
■	■	■	■	■	■	■■■	_a____.pfb
■	■	■	■	■	■	■■■	_ab____.pfb
■	■	■	■	■	■	■■■	_abi____.pfb
■	■	■	■	■	■	■■■	_ai____.pfb
■	■	■	■	■	■	■■■	_eb____.pfb
■	■	■	■	■	■	■■■	_ebi____.pfb
■	■	■	■	■	■	■■■	_ei____.pfb
■	■	■	■	■	■	■■■	_er____.pfb
■	■	■	■	■	■	■■■	bitstream-vera-license.txt
■	■	■	■	■	■	■■■	callig15.afm
■	■	■	■	■	■	■■■	callig15.pfb
■	■	■	■	■	■	■■■	cob____.pfb
■	■	■	■	■	■	■■■	cobo____.pfb
■	■	■	■	■	■	■■■	com____.pfb
■	■	■	■	■	■	■■■	coo____.pfb
■	■	■	■	■	■	■■■	sy____.pfb
■	■	■	■	■	■	■■■	zd____.pfb
■	■	■	■	■	■	■■■	zx____.pfb
■	■	■	■	■	■	■■■	zy____.pfb
■	■	■	■	■	■■■	graphics	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	renderPDF.cpython-311.pyc
■	■	■	■	■	■	■■■	renderPM.cpython-311.pyc
■	■	■	■	■	■	■■■	renderPS.cpython-311.pyc
■	■	■	■	■	■	■■■	renderSVG.cpython-311.pyc
■	■	■	■	■	■	■■■	renderbase.cpython-311.pyc
■	■	■	■	■	■	■■■	shapes.cpython-311.pyc
■	■	■	■	■	■	■■■	testdrawings.cpython-311.pyc
■	■	■	■	■	■	■■■	testshapes.cpython-311.pyc
■	■	■	■	■	■	■■■	transform.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	widgetbase.cpython-311.pyc
■	■	■	■	■	■■■	_renderPM.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	barcode	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	code128.cpython-311.pyc
■	■	■	■	■	■	■■■	code39.cpython-311.pyc
■	■	■	■	■	■	■■■	code93.cpython-311.pyc
■	■	■	■	■	■	■■■	common.cpython-311.pyc
■	■	■	■	■	■	■■■	dmtx.cpython-311.pyc
■	■	■	■	■	■	■■■	eanbc.cpython-311.pyc
■	■	■	■	■	■	■■■	ecc200datamatrix.cpython-311.pyc
■	■	■	■	■	■	■■■	fourstate.cpython-311.pyc
■	■	■	■	■	■	■■■	lto.cpython-311.pyc
■	■	■	■	■	■	■■■	qr.cpython-311.pyc
■	■	■	■	■	■	■■■	qrencoder.cpython-311.pyc
■	■	■	■	■	■	■■■	test.cpython-311.pyc
■	■	■	■	■	■	■■■	usps.cpython-311.pyc
■	■	■	■	■	■	■■■	usps4s.cpython-311.pyc
■	■	■	■	■	■	■■■	widgets.cpython-311.pyc

■	■	■	■	■	■	■	■■■	code128.py	
■	■	■	■	■	■	■	■■■	code39.py	
■	■	■	■	■	■	■	■■■	code93.py	
■	■	■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■	■	■■■	dmtx.py	
■	■	■	■	■	■	■	■■■	eanbc.py	
■	■	■	■	■	■	■	■■■	ecc200datamatrix.py	
■	■	■	■	■	■	■	■■■	fourstate.py	
■	■	■	■	■	■	■	■■■	lto.py	
■	■	■	■	■	■	■	■■■	qr.py	
■	■	■	■	■	■	■	■■■	qrencoder.py	
■	■	■	■	■	■	■	■■■	test.py	
■	■	■	■	■	■	■	■■■	usps.py	
■	■	■	■	■	■	■	■■■	usps4s.py	
■	■	■	■	■	■	■	■■■	widgets.py	
■	■	■	■	■	■	■■■	charts		
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	areas.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	axes.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	barcharts.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	dotbox.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	doughnut.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	legends.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	linecharts.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	lineplots.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	markers.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	piecharts.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	slidebox.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	spider.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	textlabels.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	utils3d.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	areas.py	
■	■	■	■	■	■	■	■■■	axes.py	
■	■	■	■	■	■	■	■■■	barcharts.py	
■	■	■	■	■	■	■	■■■	dotbox.py	
■	■	■	■	■	■	■	■■■	doughnut.py	
■	■	■	■	■	■	■	■■■	legends.py	
■	■	■	■	■	■	■	■■■	linecharts.py	
■	■	■	■	■	■	■	■■■	lineplots.py	
■	■	■	■	■	■	■	■■■	markers.py	
■	■	■	■	■	■	■	■■■	piecharts.py	
■	■	■	■	■	■	■	■■■	slidebox.py	
■	■	■	■	■	■	■	■■■	spider.py	
■	■	■	■	■	■	■	■■■	textlabels.py	
■	■	■	■	■	■	■	■■■	utils.py	
■	■	■	■	■	■	■	■■■	utils3d.py	
■	■	■	■	■	■	■■■	renderPDF.py		
■	■	■	■	■	■	■■■	renderPM.py		
■	■	■	■	■	■	■■■	renderPS.py		
■	■	■	■	■	■	■■■	renderSVG.py		
■	■	■	■	■	■	■■■	renderbase.py		
■	■	■	■	■	■	■■■	samples		
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ bubble.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_bar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ excelcolors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ exploded_pie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ filled_radar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ line_chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ linechart_with_markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ radar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ runall.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines_markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ simple_pie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_bar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bubble.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_bar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_column.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ excelcolors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ exploded_pie.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ filled_radar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ line_chart.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ linechart_with_markers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ radar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ runall.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines_markers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ simple_pie.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_bar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_column.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ testdrawings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ testshapes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transform.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ widgetbase.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ widgets
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ adjustableArrow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ eventcal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ grids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ signsandsymbols.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ adjustableArrow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ eventcal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ flags.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ grids.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ markers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ signsandsymbols.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib
■ ■ ■ ■ ■ ■ ■ ■ ■■ PyFontify.py
```

```

■■■■ __init__.py
■■■■ __pycache__
■■■■ PyFontify.cpython-311.pyc
■■■■ __init__.cpython-311.pyc
■■■■ abag.cpython-311.pyc
■■■■ arciv.cpython-311.pyc
■■■■ attrmap.cpython-311.pyc
■■■■ boxstuff.cpython-311.pyc
■■■■ codecharts.cpython-311.pyc
■■■■ colors.cpython-311.pyc
■■■■ corp.cpython-311.pyc
■■■■ enums.cpython-311.pyc
■■■■ extformat.cpython-311.pyc
■■■■ fontfinder.cpython-311.pyc
■■■■ fonts.cpython-311.pyc
■■■■ formatters.cpython-311.pyc
■■■■ geomutils.cpython-311.pyc
■■■■ logger.cpython-311.pyc
■■■■ normalDate.cpython-311.pyc
■■■■ pagesizes.cpython-311.pyc
■■■■ pdfencrypt.cpython-311.pyc
■■■■ pygments2xpre.cpython-311.pyc
■■■■ randomtext.cpython-311.pyc
■■■■ rl_accel.cpython-311.pyc
■■■■ rl_safe_eval.cpython-311.pyc
■■■■ rltempfile.cpython-311.pyc
■■■■ rparsexml.cpython-311.pyc
■■■■ sequencer.cpython-311.pyc
■■■■ styles.cpython-311.pyc
■■■■ testutils.cpython-311.pyc
■■■■ textsplit.cpython-311.pyc
■■■■ units.cpython-311.pyc
■■■■ utils.cpython-311.pyc
■■■■ validators.cpython-311.pyc
■■■■ yaml.cpython-311.pyc
■■■■ _rl_accel.cpython-311-x86_64-linux-gnu.so
■■■■ abag.py
■■■■ arciv.py
■■■■ attrmap.py
■■■■ boxstuff.py
■■■■ codecharts.py
■■■■ colors.py
■■■■ corp.py
■■■■ enums.py
■■■■ extformat.py
■■■■ fontfinder.py
■■■■ fonts.py
■■■■ formatters.py
■■■■ geomutils.py
■■■■ logger.py
■■■■ normalDate.py
■■■■ pagesizes.py
■■■■ pdfencrypt.py
■■■■ pygments2xpre.py
■■■■ randomtext.py
■■■■ rl_accel.py
■■■■ rl_safe_eval.py
■■■■ rltempfile.py

```

```

■ ■ ■ ■ ■ ■ ■■ rparsexml.py
■ ■ ■ ■ ■ ■ ■■ sequencer.py
■ ■ ■ ■ ■ ■ ■■ styles.py
■ ■ ■ ■ ■ ■ ■■ testutils.py
■ ■ ■ ■ ■ ■ ■■ textsplitt.py
■ ■ ■ ■ ■ ■ ■■ units.py
■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■■ validators.py
■ ■ ■ ■ ■ ■ ■■ yaml.py
■ ■ ■ ■ ■ ■ ■■ pdfbase
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _can_cmap_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _cidfontdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_macexpert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_macroman.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_pdffdoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_standard.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_winansi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_zapfdingbats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_courier.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_courierbold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_courierboldoblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_courieroblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_helvetica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_helvicabold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_helvicaboldoblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_helveticaoblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_timesbold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_timesbolditalic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_timesitalic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_timesroman.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_zapfdingbats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _glyphlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ acroform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ cidfonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ pdffdoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ pdfform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ pdfmetrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ pdfpattern.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ pdfutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ rl_codecs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ttfonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _can_cmap_data.py
■ ■ ■ ■ ■ ■ ■■ _cidfontdata.py
■ ■ ■ ■ ■ ■ ■■ _fontdata.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_macexpert.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_macroman.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_pdffdoc.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_standard.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_symbol.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_winansi.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_enc_zapfdingbats.py
■ ■ ■ ■ ■ ■ ■■ _fontdata_widths_courier.py

```

```

_ fontdata_widths_courierbold.py
_ fontdata_widths_courierboldoblique.py
_ fontdata_widths_courieroblique.py
_ fontdata_widths_helvetica.py
_ fontdata_widths_helvicabold.py
_ fontdata_widths_helvicaboldoblique.py
_ fontdata_widths_helveticaoblique.py
_ fontdata_widths_symbol.py
_ fontdata_widths_timesbold.py
_ fontdata_widths_timesbolditalic.py
_ fontdata_widths_timesitalic.py
_ fontdata_widths_timesroman.py
_ fontdata_widths_zapfdingbats.py
_ glyphlist.py
acroform.py
cidfonts.py
pdfdoc.py
pdfform.py
pdfmetrics.py
pdfpattern.py
pdfutils.py
rl_codecs.py
ttfonts.py
pdfgen
__init__.py
__pycache__
__init__.cpython-311.pyc
canvas.cpython-311.pyc
pathobject.cpython-311.pyc
pdfgeom.cpython-311.pyc
pdfimages.cpython-311.pyc
textobject.cpython-311.pyc
canvas.py
pathobject.py
pdfgeom.py
pdfimages.py
textobject.py
platypus
__init__.py
__pycache__
__init__.cpython-311.pyc
doctemplate.cpython-311.pyc
figures.cpython-311.pyc
flowables.cpython-311.pyc
frames.cpython-311.pyc
multicol.cpython-311.pyc
para.cpython-311.pyc
paragraph.cpython-311.pyc
paraparser.cpython-311.pyc
tableofcontents.cpython-311.pyc
tables.cpython-311.pyc
xpreformatted.cpython-311.pyc
doctemplate.py
figures.py
flowables.py
frames.py
multicol.py
para.py

```


[illegible]

[illegible]

■	■	■	■	■	■	■■■	bar.cpython-311.pyc
■	■	■	■	■	■	■■■	box.cpython-311.pyc
■	■	■	■	■	■	■■■	cells.cpython-311.pyc
■	■	■	■	■	■	■■■	color.cpython-311.pyc
■	■	■	■	■	■	■■■	color_triplet.cpython-311.pyc
■	■	■	■	■	■	■■■	columns.cpython-311.pyc
■	■	■	■	■	■	■■■	console.cpython-311.pyc
■	■	■	■	■	■	■■■	constrain.cpython-311.pyc
■	■	■	■	■	■	■■■	containers.cpython-311.pyc
■	■	■	■	■	■	■■■	control.cpython-311.pyc
■	■	■	■	■	■	■■■	default_styles.cpython-311.pyc
■	■	■	■	■	■	■■■	diagnose.cpython-311.pyc
■	■	■	■	■	■	■■■	emoji.cpython-311.pyc
■	■	■	■	■	■	■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■■■	file_proxy.cpython-311.pyc
■	■	■	■	■	■	■■■	filesize.cpython-311.pyc
■	■	■	■	■	■	■■■	highlighter.cpython-311.pyc
■	■	■	■	■	■	■■■	json.cpython-311.pyc
■	■	■	■	■	■	■■■	jupyter.cpython-311.pyc
■	■	■	■	■	■	■■■	layout.cpython-311.pyc
■	■	■	■	■	■	■■■	live.cpython-311.pyc
■	■	■	■	■	■	■■■	live_render.cpython-311.pyc
■	■	■	■	■	■	■■■	logging.cpython-311.pyc
■	■	■	■	■	■	■■■	markdown.cpython-311.pyc
■	■	■	■	■	■	■■■	markup.cpython-311.pyc
■	■	■	■	■	■	■■■	measure.cpython-311.pyc
■	■	■	■	■	■	■■■	padding.cpython-311.pyc
■	■	■	■	■	■	■■■	pager.cpython-311.pyc
■	■	■	■	■	■	■■■	palette.cpython-311.pyc
■	■	■	■	■	■	■■■	panel.cpython-311.pyc
■	■	■	■	■	■	■■■	pretty.cpython-311.pyc
■	■	■	■	■	■	■■■	progress.cpython-311.pyc
■	■	■	■	■	■	■■■	progress_bar.cpython-311.pyc
■	■	■	■	■	■	■■■	prompt.cpython-311.pyc
■	■	■	■	■	■	■■■	protocol.cpython-311.pyc
■	■	■	■	■	■	■■■	region.cpython-311.pyc
■	■	■	■	■	■	■■■	repr.cpython-311.pyc
■	■	■	■	■	■	■■■	rule.cpython-311.pyc
■	■	■	■	■	■	■■■	scope.cpython-311.pyc
■	■	■	■	■	■	■■■	screen.cpython-311.pyc
■	■	■	■	■	■	■■■	segment.cpython-311.pyc
■	■	■	■	■	■	■■■	spinner.cpython-311.pyc
■	■	■	■	■	■	■■■	status.cpython-311.pyc
■	■	■	■	■	■	■■■	style.cpython-311.pyc
■	■	■	■	■	■	■■■	styled.cpython-311.pyc
■	■	■	■	■	■	■■■	syntax.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	terminal_theme.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	theme.cpython-311.pyc
■	■	■	■	■	■	■■■	themes.cpython-311.pyc
■	■	■	■	■	■	■■■	traceback.cpython-311.pyc
■	■	■	■	■	■	■■■	tree.cpython-311.pyc
■	■	■	■	■	■■■	_cell_widths.py	
■	■	■	■	■	■■■	_emoji_codes.py	
■	■	■	■	■	■■■	_emoji_replace.py	
■	■	■	■	■	■■■	_export_format.py	
■	■	■	■	■	■■■	_extension.py	

■	■	■	■	■	■■■■	_fileno.py
■	■	■	■	■	■■■■	_inspect.py
■	■	■	■	■	■■■■	_log_render.py
■	■	■	■	■	■■■■	_loop.py
■	■	■	■	■	■■■■	_null_file.py
■	■	■	■	■	■■■■	_palettes.py
■	■	■	■	■	■■■■	_pick.py
■	■	■	■	■	■■■■	_ratio.py
■	■	■	■	■	■■■■	_spinners.py
■	■	■	■	■	■■■■	_stack.py
■	■	■	■	■	■■■■	_timer.py
■	■	■	■	■	■■■■	_win32_console.py
■	■	■	■	■	■■■■	_windows.py
■	■	■	■	■	■■■■	_windows_renderer.py
■	■	■	■	■	■■■■	_wrap.py
■	■	■	■	■	■■■■	abc.py
■	■	■	■	■	■■■■	align.py
■	■	■	■	■	■■■■	ansi.py
■	■	■	■	■	■■■■	bar.py
■	■	■	■	■	■■■■	box.py
■	■	■	■	■	■■■■	cells.py
■	■	■	■	■	■■■■	color.py
■	■	■	■	■	■■■■	color_triplet.py
■	■	■	■	■	■■■■	columns.py
■	■	■	■	■	■■■■	console.py
■	■	■	■	■	■■■■	constrain.py
■	■	■	■	■	■■■■	containers.py
■	■	■	■	■	■■■■	control.py
■	■	■	■	■	■■■■	default_styles.py
■	■	■	■	■	■■■■	diagnose.py
■	■	■	■	■	■■■■	emoji.py
■	■	■	■	■	■■■■	errors.py
■	■	■	■	■	■■■■	file_proxy.py
■	■	■	■	■	■■■■	filesize.py
■	■	■	■	■	■■■■	highlighter.py
■	■	■	■	■	■■■■	json.py
■	■	■	■	■	■■■■	jupyter.py
■	■	■	■	■	■■■■	layout.py
■	■	■	■	■	■■■■	live.py
■	■	■	■	■	■■■■	live_render.py
■	■	■	■	■	■■■■	logging.py
■	■	■	■	■	■■■■	markdown.py
■	■	■	■	■	■■■■	markup.py
■	■	■	■	■	■■■■	measure.py
■	■	■	■	■	■■■■	padding.py
■	■	■	■	■	■■■■	pager.py
■	■	■	■	■	■■■■	palette.py
■	■	■	■	■	■■■■	panel.py
■	■	■	■	■	■■■■	pretty.py
■	■	■	■	■	■■■■	progress.py
■	■	■	■	■	■■■■	progress_bar.py
■	■	■	■	■	■■■■	prompt.py
■	■	■	■	■	■■■■	protocol.py
■	■	■	■	■	■■■■	py.typed
■	■	■	■	■	■■■■	region.py
■	■	■	■	■	■■■■	repr.py
■	■	■	■	■	■■■■	rule.py
■	■	■	■	■	■■■■	scope.py

```

■ ■ ■ ■ ■ ■■■ screen.py
■ ■ ■ ■ ■ ■■■ segment.py
■ ■ ■ ■ ■ ■■■ spinner.py
■ ■ ■ ■ ■ ■■■ status.py
■ ■ ■ ■ ■ ■■■ style.py
■ ■ ■ ■ ■ ■■■ styled.py
■ ■ ■ ■ ■ ■■■ syntax.py
■ ■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■ ■■■ terminal_theme.py
■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■■■ theme.py
■ ■ ■ ■ ■ ■■■ themes.py
■ ■ ■ ■ ■ ■■■ traceback.py
■ ■ ■ ■ ■ ■■■ tree.py
■ ■ ■ ■ ■ ■■■ rich-13.9.4.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ rpds
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ rpds.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■ rpds_py-0.22.3.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ scikit_image-0.20.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ scikit_learn-1.1.3.dist-info
■ ■ ■ ■ ■ ■■■ COPYING
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ scikit_learn.libs
■ ■ ■ ■ ■ ■■■ libgomp-a34b3233.so.1.0.0
■ ■ ■ ■ ■ ■■■ scipy
■ ■ ■ ■ ■ ■■■ __config__.py
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __config__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _distributor_init.cpython-311.pyc

```

```

■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ version.cpython-311.pyc
■ ■ ■ _distributor_init.py
■ ■ ■ _lib
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■ _bunch.cpython-311.pyc
■ ■ ■   ■ ■ ■ _ccallback.cpython-311.pyc
■ ■ ■   ■ ■ ■ _disjoint_set.cpython-311.pyc
■ ■ ■   ■ ■ ■ _docscrape.cpython-311.pyc
■ ■ ■   ■ ■ ■ _gcutils.cpython-311.pyc
■ ■ ■   ■ ■ ■ _pep440.cpython-311.pyc
■ ■ ■   ■ ■ ■ _testutils.cpython-311.pyc
■ ■ ■   ■ ■ ■ _threadsafety.cpython-311.pyc
■ ■ ■   ■ ■ ■ _tmpdirs.cpython-311.pyc
■ ■ ■   ■ ■ ■ _util.cpython-311.pyc
■ ■ ■   ■ ■ ■ decorator.cpython-311.pyc
■ ■ ■   ■ ■ ■ deprecation.cpython-311.pyc
■ ■ ■   ■ ■ ■ doccer.cpython-311.pyc
■ ■ ■   ■ ■ ■ uarray.cpython-311.pyc
■ ■ ■ _bunch.py
■ ■ ■ _ccallback.py
■ ■ ■ _ccallback_c.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _disjoint_set.py
■ ■ ■ _docscrape.py
■ ■ ■ _fpumode.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _gcutils.py
■ ■ ■ _pep440.py
■ ■ ■ _test_ccallback.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _test_deprecation_call.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _test_deprecation_def.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _testutils.py
■ ■ ■ _threadsafety.py
■ ■ ■ _tmpdirs.py
■ ■ ■ _uarray
■ ■ ■   ■ ■ ■ LICENSE
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ _backend.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ _backend.py
■ ■ ■   ■ ■ ■   ■ ■ ■ _uarray.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _util.py
■ ■ ■ decorator.py
■ ■ ■ deprecation.py
■ ■ ■ doccer.py
■ ■ ■ messagestream.cpython-311-x86_64-linux-gnu.so
■ ■ ■ tests
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_gcutils.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_pep440.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_testutils.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_threadsafety.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_util.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_bunch.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ccallback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_cycles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_public_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_scipy_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tmpdirs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gcutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__pep440.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__testutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__threadsafety.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bunch.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ccallback.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_cycles.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_public_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_scipy_version.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tmpdirs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_warnings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ uarray.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cluster
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ vq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _hierarchy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optimal_leaf_ordering.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _vq.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy_test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_disjoint_set.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hierarchy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy_test_data.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_disjoint_set.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hierarchy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ vq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ constants
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _codata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ codata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _codata.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ codata.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests

```

[illegible]


```

test_backend.py
test_fft_function.py
test_fftllog.py
test_helper.py
test_multithreading.py
test_numpy.py
test_real_transforms.py
fttpack
__init__.py
__pycache__
__init__.cpython-311.pyc
_basic.cpython-311.pyc
_helper.cpython-311.pyc
_pseudo_diffs.cpython-311.pyc
_realtransforms.cpython-311.pyc
basic.cpython-311.pyc
helper.cpython-311.pyc
pseudo_diffs.cpython-311.pyc
realtransforms.cpython-311.pyc
_basic.py
_helper.py
_pseudo_diffs.py
_realtransforms.py
basic.py
convolve.cpython-311-x86_64-linux-gnu.so
helper.py
pseudo_diffs.py
realtransforms.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_basic.cpython-311.pyc
test_helper.cpython-311.pyc
test_import.cpython-311.pyc
test_pseudo_diffs.cpython-311.pyc
test_real_transforms.cpython-311.pyc
fftw_double_ref.npz
fftw_longdouble_ref.npz
fftw_single_ref.npz
test.npz
test_basic.py
test_helper.py
test_import.py
test_pseudo_diffs.py
test_real_transforms.py
integrate
__init__.py
__pycache__
__init__.cpython-311.pyc
_bvp.cpython-311.pyc
_ode.cpython-311.pyc
_odepack_py.cpython-311.pyc
_quad_vec.cpython-311.pyc
_quadpack_py.cpython-311.pyc
_quadrature.cpython-311.pyc
dop.cpython-311.pyc
lsoda.cpython-311.pyc

```

```

odepack.cpython-311.pyc
quadpack.cpython-311.pyc
setup.cpython-311.pyc
vode.cpython-311.pyc
_bvp.py
_dop.cpython-311-x86_64-linux-gnu.so
_ivp
__init__.py
__pycache__
    __init__.cpython-311.pyc
    base.cpython-311.pyc
    bdf.cpython-311.pyc
    common.cpython-311.pyc
    dop853_coefficients.cpython-311.pyc
    ivp.cpython-311.pyc
    lsoda.cpython-311.pyc
    radau.cpython-311.pyc
    rk.cpython-311.pyc
    base.py
    bdf.py
    common.py
    dop853_coefficients.py
    ivp.py
    lsoda.py
    radau.py
    rk.py
    tests
    __pycache__
        test_ivp.cpython-311.pyc
        test_rk.cpython-311.pyc
        test_ivp.py
        test_rk.py
_lsoda.cpython-311-x86_64-linux-gnu.so
_ode.py
odepack.cpython-311-x86_64-linux-gnu.so
odepack_py.py
_quad_vec.py
_quadpack.cpython-311-x86_64-linux-gnu.so
_quadpack_py.py
_quadrature.py
_test_multivariate.cpython-311-x86_64-linux-gnu.so
_test_odeint_banded.cpython-311-x86_64-linux-gnu.so
_vode.cpython-311-x86_64-linux-gnu.so
dop.py
lsoda.py
odepack.py
quadpack.py
setup.py
tests
__init__.py
__pycache__
    __init__.cpython-311.pyc
    test_quad_vec.cpython-311.pyc
    test_banded_ode_solvers.cpython-311.pyc
    test_bvp.cpython-311.pyc
    test_integrate.cpython-311.pyc
    test_odeint_jac.cpython-311.pyc
    test_quadpack.cpython-311.pyc

```

```

test_quadrate.cpython-311.pyc
test_quad_vec.py
test_banded_ode_solvers.py
test_bvp.py
test_integrate.py
test_odeint_jac.py
test_quadpack.py
test_quadrature.py
vode.py
interpolate
__init__.py
__pycache__
__init__.cpython-311.pyc
_bsplines.cpython-311.pyc
_cubic.cpython-311.pyc
_fitpack2.cpython-311.pyc
_fitpack_impl.cpython-311.pyc
_fitpack_py.cpython-311.pyc
_interpnd_info.cpython-311.pyc
_interpolate.cpython-311.pyc
_ndgriddata.cpython-311.pyc
_pade.cpython-311.pyc
_polyint.cpython-311.pyc
_rbf.cpython-311.pyc
_rbfinterp.cpython-311.pyc
_rbfinterp_pythran.cpython-311.pyc
_rgi.cpython-311.pyc
_fitpack.cpython-311.pyc
_fitpack2.cpython-311.pyc
_interpolate.cpython-311.pyc
_ndgriddata.cpython-311.pyc
_polyint.cpython-311.pyc
_rbf.cpython-311.pyc
_bspl.cpython-311-x86_64-linux-gnu.so
_bsplines.py
_cubic.py
_fitpack.cpython-311-x86_64-linux-gnu.so
_fitpack2.py
_fitpack_impl.py
_fitpack_py.py
_interpnd_info.py
_interpolate.py
_ndgriddata.py
_pade.py
_polyint.py
_ppoly.cpython-311-x86_64-linux-gnu.so
_rbf.py
_rbfinterp.py
_rbfinterp_pythran.cpython-311-x86_64-linux-gnu.so
_rbfinterp_pythran.py
_rgi.py
dfitpack.cpython-311-x86_64-linux-gnu.so
_fitpack.py
_fitpack2.py
_interpnd.cpython-311-x86_64-linux-gnu.so
_interpolate.py
_ndgriddata.py
_polyint.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ rbf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_bsplines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_gil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpnd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpolate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ndgriddata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pade.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_polyint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbfinterp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rgi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ bug-1310.npz
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ estimate_gradients_hang.npy
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_bsplines.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack2.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_gil.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpnd.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpolate.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ndgriddata.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pade.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_polyint.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbf.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbfinterp.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rgi.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ io
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _idl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _mmio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _netcdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ harwell_boeing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ idl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ mmio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ netcdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ wavfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _harwell_boeing
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran_format_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ hb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran_format_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ hb.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
```

```

test_fortran_format.cpython-311.pyc
test_hb.cpython-311.pyc
test_fortran_format.py
test_hb.py
_idl.py
_mmio.py
_netcdf.py
_test_fortran.cpython-311-x86_64-linux-gnu.so
arff
__init__.py
__pycache__
__init__.cpython-311.pyc
_arffread.cpython-311.pyc
arffread.cpython-311.pyc
_arffread.py
arffread.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_arffread.cpython-311.pyc
data
iris.arff
missing.arff
nodata.arff
quoted_nominal.arff
quoted_nominal_spaces.arff
test1.arff
test10.arff
test11.arff
test2.arff
test3.arff
test4.arff
test5.arff
test6.arff
test7.arff
test8.arff
test9.arff
test_arffread.py
harwell_boeing.py
idl.py
matlab
__init__.py
__pycache__
__init__.cpython-311.pyc
_byteordercodes.cpython-311.pyc
_mio.cpython-311.pyc
_mio4.cpython-311.pyc
_mio5.cpython-311.pyc
_mio5_params.cpython-311.pyc
_miobase.cpython-311.pyc
byteordercodes.cpython-311.pyc
mio.cpython-311.pyc
mio4.cpython-311.pyc
mio5.cpython-311.pyc
mio5_params.cpython-311.pyc
mio5_utils.cpython-311.pyc
mio_utils.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ testbool_8_WIN64.mat
■ ■ ■ ■ ■ testcell_6.1_SOL2.mat
■ ■ ■ ■ ■ testcell_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testcell_7.1_GLNx86.mat
■ ■ ■ ■ ■ testcell_7.4_GLNx86.mat
■ ■ ■ ■ ■ testcellnest_6.1_SOL2.mat
■ ■ ■ ■ ■ testcellnest_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testcellnest_7.1_GLNx86.mat
■ ■ ■ ■ ■ testcellnest_7.4_GLNx86.mat
■ ■ ■ ■ ■ testcomplex_4.2c_SOL2.mat
■ ■ ■ ■ ■ testcomplex_6.1_SOL2.mat
■ ■ ■ ■ ■ testcomplex_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testcomplex_7.1_GLNx86.mat
■ ■ ■ ■ ■ testcomplex_7.4_GLNx86.mat
■ ■ ■ ■ ■ testdouble_4.2c_SOL2.mat
■ ■ ■ ■ ■ testdouble_6.1_SOL2.mat
■ ■ ■ ■ ■ testdouble_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testdouble_7.1_GLNx86.mat
■ ■ ■ ■ ■ testdouble_7.4_GLNx86.mat
■ ■ ■ ■ ■ testemptycell_5.3_SOL2.mat
■ ■ ■ ■ ■ testemptycell_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testemptycell_7.1_GLNx86.mat
■ ■ ■ ■ ■ testemptycell_7.4_GLNx86.mat
■ ■ ■ ■ ■ testfunc_7.4_GLNx86.mat
■ ■ ■ ■ ■ testhdf5_7.4_GLNx86.mat
■ ■ ■ ■ ■ testmatrix_4.2c_SOL2.mat
■ ■ ■ ■ ■ testmatrix_6.1_SOL2.mat
■ ■ ■ ■ ■ testmatrix_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testmatrix_7.1_GLNx86.mat
■ ■ ■ ■ ■ testmatrix_7.4_GLNx86.mat
■ ■ ■ ■ ■ testminus_4.2c_SOL2.mat
■ ■ ■ ■ ■ testminus_6.1_SOL2.mat
■ ■ ■ ■ ■ testminus_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testminus_7.1_GLNx86.mat
■ ■ ■ ■ ■ testminus_7.4_GLNx86.mat
■ ■ ■ ■ ■ testmulti_4.2c_SOL2.mat
■ ■ ■ ■ ■ testmulti_7.1_GLNx86.mat
■ ■ ■ ■ ■ testmulti_7.4_GLNx86.mat
■ ■ ■ ■ ■ testobject_6.1_SOL2.mat
■ ■ ■ ■ ■ testobject_6.5.1_GLNx86.mat
■ ■ ■ ■ ■ testobject_7.1_GLNx86.mat
■ ■ ■ ■ ■ testobject_7.4_GLNx86.mat
■ ■ ■ ■ ■estonechar_4.2c_SOL2.mat
■ ■ ■ ■ ■estonechar_6.1_SOL2.mat
■ ■ ■ ■ ■estonechar_6.5.1_GLNx86.mat
■ ■ ■ ■ ■estonechar_7.1_GLNx86.mat
■ ■ ■ ■ ■estonechar_7.4_GLNx86.mat
■ ■ ■ ■ ■testscalarcell_7.4_GLNx86.mat
■ ■ ■ ■ ■testsimplecell.mat
■ ■ ■ ■ ■testsparse_4.2c_SOL2.mat
■ ■ ■ ■ ■testsparse_6.1_SOL2.mat
■ ■ ■ ■ ■testsparse_6.5.1_GLNx86.mat
■ ■ ■ ■ ■testsparse_7.1_GLNx86.mat
■ ■ ■ ■ ■testsparse_7.4_GLNx86.mat
■ ■ ■ ■ ■testsparsesecondary_4.2c_SOL2.mat
■ ■ ■ ■ ■testsparsesecondary_6.1_SOL2.mat
■ ■ ■ ■ ■testsparsesecondary_6.5.1_GLNx86.mat
■ ■ ■ ■ ■testsparsesecondary_7.1_GLNx86.mat

```

```

testparsecomplex_7.4_GLNx86.mat
testparsefloat_7.4_GLNx86.mat
teststring_4.2c_SOL2.mat
teststring_6.1_SOL2.mat
teststring_6.5.1_GLNx86.mat
teststring_7.1_GLNx86.mat
teststring_7.4_GLNx86.mat
teststringarray_4.2c_SOL2.mat
teststringarray_6.1_SOL2.mat
teststringarray_6.5.1_GLNx86.mat
teststringarray_7.1_GLNx86.mat
teststringarray_7.4_GLNx86.mat
teststruct_6.1_SOL2.mat
teststruct_6.5.1_GLNx86.mat
teststruct_7.1_GLNx86.mat
teststruct_7.4_GLNx86.mat
teststructarr_6.1_SOL2.mat
teststructarr_6.5.1_GLNx86.mat
teststructarr_7.1_GLNx86.mat
teststructarr_7.4_GLNx86.mat
teststructnest_6.1_SOL2.mat
teststructnest_6.5.1_GLNx86.mat
teststructnest_7.1_GLNx86.mat
teststructnest_7.4_GLNx86.mat
testunicode_7.1_GLNx86.mat
testunicode_7.4_GLNx86.mat
testvec_4_GLNx86.mat
test_byteordercodes.py
test_mio.py
test_mio5_utils.py
test_mio_funcs.py
test_mio_utils.py
test_miobase.py
test_pathological.py
test_streams.py
mmio.py
netcdf.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_fortran.cpython-311.pyc
test_idl.cpython-311.pyc
test_mmio.cpython-311.pyc
test_netcdf.cpython-311.pyc
test_paths.cpython-311.pyc
test_wavfile.cpython-311.pyc
data
Transparent Busy.ani
array_float32_1d.sav
array_float32_2d.sav
array_float32_3d.sav
array_float32_4d.sav
array_float32_5d.sav
array_float32_6d.sav
array_float32_7d.sav
array_float32_8d.sav
array_float32_pointer_1d.sav

```


■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_2d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_3d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_4d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_5d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_6d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_7d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_8d.sav
■	■	■	■	■	■	■	■	■■■■	example_1.nc
■	■	■	■	■	■	■	■	■■■■	example_2.nc
■	■	■	■	■	■	■	■	■■■■	example_3_maskedvals.nc
■	■	■	■	■	■	■	■	■■■■	fortran-3x3d-2i.dat
■	■	■	■	■	■	■	■	■■■■	fortran-mixed.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-11x1x10.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-15x10x22.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x1x1.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x1x5.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x1x7.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x3x5.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-11x1x10.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-15x10x22.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x1x1.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x1x5.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x1x7.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x3x5.dat
■	■	■	■	■	■	■	■	■■■■	invalid_pointer.sav
■	■	■	■	■	■	■	■	■■■■	null_pointer.sav
■	■	■	■	■	■	■	■	■■■■	scalar_byte.sav
■	■	■	■	■	■	■	■	■■■■	scalar_byte_descr.sav
■	■	■	■	■	■	■	■	■■■■	scalar_complex32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_complex64.sav
■	■	■	■	■	■	■	■	■■■■	scalar_float32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_float64.sav
■	■	■	■	■	■	■	■	■■■■	scalar_heap_pointer.sav
■	■	■	■	■	■	■	■	■■■■	scalar_int16.sav
■	■	■	■	■	■	■	■	■■■■	scalar_int32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_int64.sav
■	■	■	■	■	■	■	■	■■■■	scalar_string.sav
■	■	■	■	■	■	■	■	■■■■	scalar_uint16.sav
■	■	■	■	■	■	■	■	■■■■	scalar_uint32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_uint64.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays_byte_idl80.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	struct_inherit.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointer_arrays.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointer_arrays_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointer_arrays_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointers.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointers_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointers_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	struct_scalars.sav
■	■	■	■	■	■	■	■	■■■■	struct_scalars_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_scalars_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-2ch-32bit-float-be.wav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-2ch-32bit-float-le.wav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-be-1ch-4bytes.wav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-le-1ch-4bytes-early-eof-no-data.wav

```
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-44100Hz-le-1ch-4bytes-early-eof.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-44100Hz-le-1ch-4bytes-incomplete-chunk.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-44100Hz-le-1ch-4bytes.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-48000Hz-2ch-64bit-float-le-wavex.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-be-3ch-5S-24bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-1ch-10S-20bit-extra.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-1ch-1byte-ulaw.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-2ch-1byteu.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-24bit-inconsistent.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-24bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-36bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-45bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-53bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-64bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-4ch-9S-12bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-5ch-9S-5bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ various_compressed.sav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fortran.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_idl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mmio.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_netcdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_paths.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_wavfile.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ wavfile.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_cholesky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_cossin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_ldl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_lu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_polar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_qr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_qz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_schur.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_svd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _expm_frechet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _flinalg_py.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _interpolative_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _matfuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _matfuncs_inv_ssqr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _matfuncs_sqrtm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _procrustes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _sketches.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _solvers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _special_matrices.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _testutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ blas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_cholesky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_lu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_qr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_schur.cpython-311.pyc
```

■	■	■	■	■	■	■■■	decomp_svd.cpython-311.pyc
■	■	■	■	■	■	■■■	flinalg.cpython-311.pyc
■	■	■	■	■	■	■■■	interpolative.cpython-311.pyc
■	■	■	■	■	■	■■■	lapack.cpython-311.pyc
■	■	■	■	■	■	■■■	matfuncs.cpython-311.pyc
■	■	■	■	■	■	■■■	misc.cpython-311.pyc
■	■	■	■	■	■	■■■	special_matrices.cpython-311.pyc
■	■	■	■	■	■■■		_basic.py
■	■	■	■	■	■■■		_blas_subroutine_wrappers.f
■	■	■	■	■	■■■		_blas_subroutines.h
■	■	■	■	■	■■■		_cythonized_array_utils.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_cythonized_array_utils.pxd
■	■	■	■	■	■■■		_cythonized_array_utils.pyi
■	■	■	■	■	■■■		_decomp.py
■	■	■	■	■	■■■		_decomp_cholesky.py
■	■	■	■	■	■■■		_decomp_cossin.py
■	■	■	■	■	■■■		_decomp_ldl.py
■	■	■	■	■	■■■		_decomp_lu.py
■	■	■	■	■	■■■		_decomp_polar.py
■	■	■	■	■	■■■		_decomp_qr.py
■	■	■	■	■	■■■		_decomp_qz.py
■	■	■	■	■	■■■		_decomp_schur.py
■	■	■	■	■	■■■		_decomp_svd.py
■	■	■	■	■	■■■		_decomp_update.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_expm_frechet.py
■	■	■	■	■	■■■		_fblas.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_flapack.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_flinalg.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_flinalg_py.py
■	■	■	■	■	■■■		_interpolative.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_interpolative_backend.py
■	■	■	■	■	■■■		_lapack_subroutine_wrappers.f
■	■	■	■	■	■■■		_lapack_subroutines.h
■	■	■	■	■	■■■		_matfuncs.py
■	■	■	■	■	■■■		_matfuncs_expm.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_matfuncs_expm.pyi
■	■	■	■	■	■■■		_matfuncs_inv_ssqr.py
■	■	■	■	■	■■■		_matfuncs_sqrtm.py
■	■	■	■	■	■■■		_matfuncs_sqrtm_triu.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_misc.py
■	■	■	■	■	■■■		_procrustes.py
■	■	■	■	■	■■■		_sketches.py
■	■	■	■	■	■■■		_solve_toeplitz.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_solvers.py
■	■	■	■	■	■■■		_special_matrices.py
■	■	■	■	■	■■■		_testutils.py
■	■	■	■	■	■■■		basic.py
■	■	■	■	■	■■■		blas.py
■	■	■	■	■	■■■		cython_blas.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		cython_blas.pxd
■	■	■	■	■	■■■		cython_blas.pyx
■	■	■	■	■	■■■		cython_lapack.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		cython_lapack.pxd
■	■	■	■	■	■■■		cython_lapack.pyx
■	■	■	■	■	■■■		decomp.py
■	■	■	■	■	■■■		decomp_cholesky.py
■	■	■	■	■	■■■		decomp_lu.py
■	■	■	■	■	■■■		decomp_qr.py

```

■      ■      ■      ■      ■      ■      ■■■■ decomp_schur.py
■      ■      ■      ■      ■      ■      ■■■■ decomp_svd.py
■      ■      ■      ■      ■      ■      ■■■■ flinalg.py
■      ■      ■      ■      ■      ■      ■■■■ interpolative.py
■      ■      ■      ■      ■      ■      ■■■■ lapack.py
■      ■      ■      ■      ■      ■      ■■■■ matfuncs.py
■      ■      ■      ■      ■      ■      ■■■■ misc.py
■      ■      ■      ■      ■      ■      ■■■■ special_matrices.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_blas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_blas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_lapack.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cythonized_array_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cholesky.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cossin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_ldl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_polar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_update.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_fblas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_interpolative.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_lapack.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matfuncs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matmul_toeplitz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_misc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_procrustes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_sketches.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_solve_toeplitz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_solvers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_special_matrices.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ data
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_15_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_18_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_19_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_20_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_6_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ gendare_20170120_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ test_basic.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_blas.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_blas.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_lapack.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cythonized_array_utils.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cholesky.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cossin.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_ldl.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_polar.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_update.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_fblas.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_interpolative.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_lapack.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matfuncs.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matmul_toeplitz.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_misc.py

```

```

■      ■      ■      ■      ■      ■      ■      ■      test_procrustes.py
■      ■      ■      ■      ■      ■      ■      ■      test_sketches.py
■      ■      ■      ■      ■      ■      ■      ■      test_solve_toeplitz.py
■      ■      ■      ■      ■      ■      ■      ■      test_solvers.py
■      ■      ■      ■      ■      ■      ■      ■      test_special_matrices.py
■      ■      ■      ■      ■      ■      ■      ■      linalg.pxd
■      ■      ■      ■      ■      ■      ■      ■      misc
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      doccer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _common.py
■      ■      ■      ■      ■      ■      ■      ■      ascent.dat
■      ■      ■      ■      ■      ■      ■      ■      common.py
■      ■      ■      ■      ■      ■      ■      ■      doccer.py
■      ■      ■      ■      ■      ■      ■      ■      ecg.dat
■      ■      ■      ■      ■      ■      ■      ■      face.dat
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_doccer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_common.py
■      ■      ■      ■      ■      ■      ■      ■      test_doccer.py
■      ■      ■      ■      ■      ■      ■      ■      ndimage
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _fourier.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _interpolation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _measurements.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _morphology.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _ni_docstrings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _ni_support.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      fourier.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      interpolation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      measurements.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      morphology.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _ctest.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _cytest.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _filters.py
■      ■      ■      ■      ■      ■      ■      ■      _fourier.py
■      ■      ■      ■      ■      ■      ■      ■      _interpolation.py
■      ■      ■      ■      ■      ■      ■      ■      _measurements.py
■      ■      ■      ■      ■      ■      ■      ■      _morphology.py
■      ■      ■      ■      ■      ■      ■      ■      _nd_image.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _ni_docstrings.py
■      ■      ■      ■      ■      ■      ■      ■      _ni_label.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _ni_support.py
■      ■      ■      ■      ■      ■      ■      ■      filters.py
■      ■      ■      ■      ■      ■      ■      ■      fourier.py
■      ■      ■      ■      ■      ■      ■      ■      interpolation.py
■      ■      ■      ■      ■      ■      ■      ■      measurements.py

```

```

morphology.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_c_api.cpython-311.pyc
    test_datatypes.cpython-311.pyc
    test_filters.cpython-311.pyc
    test_fourier.cpython-311.pyc
    test_interpolation.cpython-311.pyc
    test_measurements.cpython-311.pyc
    test_morphology.cpython-311.pyc
    test_splines.cpython-311.pyc
  data
    label_inputs.txt
    label_results.txt
    label_strels.txt
    dots.png
    test_c_api.py
    test_datatypes.py
    test_filters.py
    test_fourier.py
    test_interpolation.py
    test_measurements.py
    test_morphology.py
    test_splines.py
odr
  __init__.py
  __odrpack.cpython-311-x86_64-linux-gnu.so
  __pycache__
    __init__.cpython-311.pyc
    _add_newdocs.cpython-311.pyc
    _models.cpython-311.pyc
    _odrpack.cpython-311.pyc
    models.cpython-311.pyc
    odrpack.cpython-311.pyc
  _add_newdocs.py
  _models.py
  _odrpack.py
  models.py
  odrpack.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_odr.cpython-311.pyc
    test_odr.py
optimize
  README
  __init__.py
  __nnls.cpython-311-x86_64-linux-gnu.so
  __nnls.pyi
  __pycache__
    __init__.cpython-311.pyc
    _basinhopping.cpython-311.pyc
    _cobyla_py.cpython-311.pyc
    _constraints.cpython-311.pyc
    differentiable_functions.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	_differential_evolution.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_direct_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_dual_annealing.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_hessian_update_strategy.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_lbfgsb_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linesearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_doc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_highs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_ip.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_rs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_simplex.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_milp.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_minimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_minpack_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_nnls.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_nonlin.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_numdiff.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_qap.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_remove_redundancy.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_root.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_root_scalar.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_shgo.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_slsqp_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_tnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_dogleg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_exact.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_krylov.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_ncg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_tstutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_zeros_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	cobyla.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	lbfgsb.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	linesearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	minpack.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	minpack2.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	moduleTNC.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	nonlin.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	slsqp.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	tnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	zeros.cpython-311.pyc
■	■	■	■	■	■	■■■■	■■■■	_basinhopping.py
■	■	■	■	■	■	■■■■	■■■■	_bglu_dense.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_cobyla.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_cobyla_py.py
■	■	■	■	■	■	■■■■	■■■■	_constraints.py
■	■	■	■	■	■	■■■■	■■■■	_differentiable_functions.py
■	■	■	■	■	■	■■■■	■■■■	_differential_evolution.py
■	■	■	■	■	■	■■■■	■■■■	_direct.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_direct_py.py
■	■	■	■	■	■	■■■■	■■■■	_dual_annealing.py
■	■	■	■	■	■	■■■■	■■■■	_group_columns.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_hessian_update_strategy.py

```

■■■ _highs
■■■ __init__.py
■■■ __pycache__
■■■   ■■■ __init__.cpython-311.pyc
■■■   ■■■ _highs_constants.cpython-311-x86_64-linux-gnu.so
■■■   ■■■ _highs_wrapper.cpython-311-x86_64-linux-gnu.so
■■■   ■■■ src
■■■       ■■■ cython
■■■           ■■■ HConst.pxd
■■■           ■■■ Highs.pxd
■■■           ■■■ HighsIO.pxd
■■■           ■■■ HighsInfo.pxd
■■■           ■■■ HighsIp.pxd
■■■           ■■■ HighsIpUtils.pxd
■■■           ■■■ HighsModelUtils.pxd
■■■           ■■■ HighsOptions.pxd
■■■           ■■■ HighsRuntimeOptions.pxd
■■■           ■■■ HighsStatus.pxd
■■■           ■■■ SimplexConst.pxd
■■■           ■■■ highs_c_api.pxd
■■■ _lbfgsb.cpython-311-x86_64-linux-gnu.so
■■■ _lbfgsb.py
■■■ _linesearch.py
■■■ _linprog.py
■■■ _linprog_doc.py
■■■ _linprog_highs.py
■■■ _linprog_ip.py
■■■ _linprog_rs.py
■■■ _linprog_simplex.py
■■■ _linprog_util.py
■■■ _lsap.cpython-311-x86_64-linux-gnu.so
■■■ _lsq
■■■     ■■■ __init__.py
■■■     ■■■ __pycache__
■■■         ■■■ __init__.cpython-311.pyc
■■■         ■■■ bvls.cpython-311.pyc
■■■         ■■■ common.cpython-311.pyc
■■■         ■■■ dogbox.cpython-311.pyc
■■■         ■■■ least_squares.cpython-311.pyc
■■■         ■■■ lsq_linear.cpython-311.pyc
■■■         ■■■ trf.cpython-311.pyc
■■■         ■■■ trf_linear.cpython-311.pyc
■■■         ■■■ bvls.py
■■■         ■■■ common.py
■■■         ■■■ dogbox.py
■■■         ■■■ givens_elimination.cpython-311-x86_64-linux-gnu.so
■■■         ■■■ least_squares.py
■■■         ■■■ lsq_linear.py
■■■         ■■■ trf.py
■■■         ■■■ trf_linear.py
■■■ _milp.py
■■■ _minimize.py
■■■ _minpack.cpython-311-x86_64-linux-gnu.so
■■■ _minpack2.cpython-311-x86_64-linux-gnu.so
■■■ _minpack_py.py
■■■ _moduleTNC.cpython-311-x86_64-linux-gnu.so
■■■ _nnls.py
■■■ _nonlin.py

```



```

■■■■ _numdiff.py
■■■■ _optimize.py
■■■■ _qap.py
■■■■ _remove_redundancy.py
■■■■ _root.py
■■■■ _root_scalar.py
■■■■ _shgo.py
■■■■ _shgo_lib
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ triangulation.cpython-311.pyc
■■■■       ■■■■ triangulation.py
■■■■ _slsqp.cpython-311-x86_64-linux-gnu.so
■■■■ _slsqp_py.py
■■■■ _spectral.py
■■■■ _tnc.py
■■■■ _trlib
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ _trlib.cpython-311-x86_64-linux-gnu.so
■■■■ _trustregion.py
■■■■ _trustregion_constr
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ canonical_constraint.cpython-311.pyc
■■■■       ■■■■ equality_constrained_sqp.cpython-311.pyc
■■■■       ■■■■ minimize_trustregion_constr.cpython-311.pyc
■■■■       ■■■■ projections.cpython-311.pyc
■■■■       ■■■■ qp_subproblem.cpython-311.pyc
■■■■       ■■■■ report.cpython-311.pyc
■■■■       ■■■■ tr_interior_point.cpython-311.pyc
■■■■ canonical_constraint.py
■■■■ equality_constrained_sqp.py
■■■■ minimize_trustregion_constr.py
■■■■ projections.py
■■■■ qp_subproblem.py
■■■■ report.py
■■■■ tests
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ test_canonical_constraint.cpython-311.pyc
■■■■       ■■■■ test_projections.cpython-311.pyc
■■■■       ■■■■ test_qp_subproblem.cpython-311.pyc
■■■■       ■■■■ test_report.cpython-311.pyc
■■■■       ■■■■ test_canonical_constraint.py
■■■■       ■■■■ test_projections.py
■■■■       ■■■■ test_qp_subproblem.py
■■■■       ■■■■ test_report.py
■■■■ tr_interior_point.py
■■■■ _trustregion_dogleg.py
■■■■ _trustregion_exact.py
■■■■ _trustregion_krylov.py
■■■■ _trustregion_ncg.py
■■■■ tstutils.py

```

■	■	■	■	■	■	■■■	_zeros.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_zeros.py.py
■	■	■	■	■	■	■■■	cobyla.py
■	■	■	■	■	■	■■■	cython_optimize
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_zeros.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_zeros.pxd
■	■	■	■	■	■	■	■■■ c_zeros.pxd
■	■	■	■	■	■	■■■	cython_optimize.pxd
■	■	■	■	■	■	■■■	lbfgsb.py
■	■	■	■	■	■	■■■	linesearch.py
■	■	■	■	■	■	■■■	minpack.py
■	■	■	■	■	■	■■■	minpack2.py
■	■	■	■	■	■	■■■	moduleTNC.py
■	■	■	■	■	■	■■■	nonlin.py
■	■	■	■	■	■	■■■	optimize.py
■	■	■	■	■	■	■■■	slsqp.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__basinhopping.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__differential_evolution.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__dual_annealing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__linprog_clean_inputs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__numdiff.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__remove_redundancy.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__root.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__shgo.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test__spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cobyla.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_constraint_conversion.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_constraints.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cython_optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_differentiable_functions.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_direct.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_hessian_update_strategy.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lbfgsb_hessinv.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lbfgsb_setulb.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_least_squares.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_linear_assignment.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_linesearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_linprog.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lsq_common.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lsq_linear.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_milp.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_minimize_constrained.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_minpack.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_nnls.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_nonlin.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_quadratic_assignment.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_regression.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_slsqp.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_tnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_trustregion.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_exact.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_krylov.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_zeros.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__basinhopping.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__differential_evolution.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__dual_annealing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__linprog_clean_inputs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__numdiff.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__remove_redundancy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__root.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__shgo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__spectral.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cobyla.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constraint_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constraints.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cython_optimize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_differentiable_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_direct.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hessian_update_strategy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lbfgsb_hessinv.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lbfgsb_setulb.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_least_squares.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_linear_assignment.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_linesearch.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_linprog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lsq_common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lsq_linear.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_milp.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_minimize_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_minpack.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nnls.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nonlin.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_optimize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_quadratic_assignment.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regression.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_slsqp.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tnc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_exact.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_krylov.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_zeros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tnc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ zeros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ optimize.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■■ signal
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _arraytools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _bsplines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _czt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _filter_design.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _fir_filter_design.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _lti_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _ltisys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _max_len_seq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _max_len_seq_inner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _peak_finding.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	_savitzky_golay.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_signaltools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_spectral_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_upfirdn.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_waveforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_wavelets.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	bsplines.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	filter_design.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	fir_filter_design.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	lti_conversion.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ltisys.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	signaltools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	spline.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	waveforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	wavelets.cpython-311.pyc
■	■	■	■	■	■	■■■■	_arraytools.py	
■	■	■	■	■	■	■■■■	_bsplines.py	
■	■	■	■	■	■	■■■■	_czt.py	
■	■	■	■	■	■	■■■■	_filter_design.py	
■	■	■	■	■	■	■■■■	_fir_filter_design.py	
■	■	■	■	■	■	■■■■	_lti_conversion.py	
■	■	■	■	■	■	■■■■	_ltisys.py	
■	■	■	■	■	■	■■■■	_max_len_seq.py	
■	■	■	■	■	■	■■■■	_max_len_seq_inner.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_max_len_seq_inner.py	
■	■	■	■	■	■	■■■■	_peak_finding.py	
■	■	■	■	■	■	■■■■	_peak_finding_utils.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_savitzky_golay.py	
■	■	■	■	■	■	■■■■	_signaltools.py	
■	■	■	■	■	■	■■■■	_sigtools.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_sosfilt.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_spectral.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_spectral.py	
■	■	■	■	■	■	■■■■	_spectral_py.py	
■	■	■	■	■	■	■■■■	_spline.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_upfirdn.py	
■	■	■	■	■	■	■■■■	_upfirdn_apply.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_waveforms.py	
■	■	■	■	■	■	■■■■	_wavelets.py	
■	■	■	■	■	■	■■■■	bsplines.py	
■	■	■	■	■	■	■■■■	filter_design.py	
■	■	■	■	■	■	■■■■	fir_filter_design.py	
■	■	■	■	■	■	■■■■	lti_conversion.py	
■	■	■	■	■	■	■■■■	ltisys.py	
■	■	■	■	■	■	■■■■	signaltools.py	
■	■	■	■	■	■	■■■■	spectral.py	
■	■	■	■	■	■	■■■■	spline.py	
■	■	■	■	■	■	■■■■	tests	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	mpsig.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_array_tools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_bsplines.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_cont2discrete.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_czt.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dltisys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_filter_design.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fir_filter_design.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ltisys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_max_len_seq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_peak_finding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_result_type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_savitzky_golay.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_signaltools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_spectral.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_upfirdn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_waveforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_wavelets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mpsig.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array_tools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bsplines.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cont2discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_czt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dltisys.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_filter_design.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fir_filter_design.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ltisys.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_max_len_seq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_peak_finding.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_result_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_savitzky_golay.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_signaltools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_spectral.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_upfirdn.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_waveforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_wavelets.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_windows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ waveforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ wavelets.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ windows
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _windows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ windows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sparse
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _arrays.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _bsr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _compressed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _construct.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _coo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _csc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _csr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _dia.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _dok.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	_extract.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_index.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_lil.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_matrix_io.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_spfuncs.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_sputils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	base.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	bsr.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	compressed.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	construct.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	coo.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	csc.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	csr.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	data.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	dia.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	dok.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	extract.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	lil.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	sparsetools.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	spfuncs.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	sputils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_arrays.py	
■	■	■	■	■	■	■	■■■■	_base.py	
■	■	■	■	■	■	■	■■■■	_bsr.py	
■	■	■	■	■	■	■	■■■■	_compressed.py	
■	■	■	■	■	■	■	■■■■	_construct.py	
■	■	■	■	■	■	■	■■■■	_coo.py	
■	■	■	■	■	■	■	■■■■	_csc.py	
■	■	■	■	■	■	■	■■■■	_csparsetools.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_csr.py	
■	■	■	■	■	■	■	■■■■	_data.py	
■	■	■	■	■	■	■	■■■■	_dia.py	
■	■	■	■	■	■	■	■■■■	_dok.py	
■	■	■	■	■	■	■	■■■■	_extract.py	
■	■	■	■	■	■	■	■■■■	_index.py	
■	■	■	■	■	■	■	■■■■	_lil.py	
■	■	■	■	■	■	■	■■■■	_matrix_io.py	
■	■	■	■	■	■	■	■■■■	_sparsetools.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_spfuncs.py	
■	■	■	■	■	■	■	■■■■	_sputils.py	
■	■	■	■	■	■	■	■■■■	base.py	
■	■	■	■	■	■	■	■■■■	bsr.py	
■	■	■	■	■	■	■	■■■■	compressed.py	
■	■	■	■	■	■	■	■■■■	construct.py	
■	■	■	■	■	■	■	■■■■	coo.py	
■	■	■	■	■	■	■	■■■■	csc.py	
■	■	■	■	■	■	■	■■■■	csgraph	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_laplacian.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_validation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	setup.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_flow.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_laplacian.py	
■	■	■	■	■	■	■	■■■■	_matching.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_min_spanning_tree.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_reordering.cpython-311-x86_64-linux-gnu.so	

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _shortest_path.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _tools.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _traversal.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _validation.py
■ ■ ■ ■ setup.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_connected_components.cpython-311.pyc
■ ■ ■ ■ test_conversions.cpython-311.pyc
■ ■ ■ ■ test_flow.cpython-311.pyc
■ ■ ■ ■ test_graph_laplacian.cpython-311.pyc
■ ■ ■ ■ test_matching.cpython-311.pyc
■ ■ ■ ■ test_reordering.cpython-311.pyc
■ ■ ■ ■ test_shortest_path.cpython-311.pyc
■ ■ ■ ■ test_spanning_tree.cpython-311.pyc
■ ■ ■ ■ test_traversal.cpython-311.pyc
■ ■ ■ ■ test_connected_components.py
■ ■ ■ ■ test_conversions.py
■ ■ ■ ■ test_flow.py
■ ■ ■ ■ test_graph_laplacian.py
■ ■ ■ ■ test_matching.py
■ ■ ■ ■ test_reordering.py
■ ■ ■ ■ test_shortest_path.py
■ ■ ■ ■ test_spanning_tree.py
■ ■ ■ ■ test_traversal.py
■ ■ ■ ■ csr.py
■ ■ ■ ■ data.py
■ ■ ■ ■ dia.py
■ ■ ■ ■ dok.py
■ ■ ■ ■ extract.py
■ ■ ■ ■ lil.py
■ ■ ■ ■ linalg
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _expm_multiply.cpython-311.pyc
■ ■ ■ ■ _interface.cpython-311.pyc
■ ■ ■ ■ _matfuncs.cpython-311.pyc
■ ■ ■ ■ _norm.cpython-311.pyc
■ ■ ■ ■ _onenormest.cpython-311.pyc
■ ■ ■ ■ _svdp.cpython-311.pyc
■ ■ ■ ■ dsolve.cpython-311.pyc
■ ■ ■ ■ eigen.cpython-311.pyc
■ ■ ■ ■ interface.cpython-311.pyc
■ ■ ■ ■ isolve.cpython-311.pyc
■ ■ ■ ■ matfuncs.cpython-311.pyc
■ ■ ■ ■ _dsolve
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _add_newdocs.cpython-311.pyc
■ ■ ■ ■ linsolve.cpython-311.pyc
■ ■ ■ ■ _add_newdocs.py
■ ■ ■ ■ _superlu.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ linsolve.py
■ ■ ■ ■ tests

```

[illegible]


```

■      ■■■■ utils.cpython-311.pyc
■      ■■■■ _gcrotmk.py
■      ■■■■ _iterative.cpython-311-x86_64-linux-gnu.so
■      ■■■■ iterative.py
■      ■■■■ lgmres.py
■      ■■■■ lsqr.py
■      ■■■■ minres.py
■      ■■■■ tests
■      ■■■■ __init__.py
■      ■■■■ __pycache__
■          ■■■■ __init__.cpython-311.pyc
■          ■■■■ demo_lgmres.cpython-311.pyc
■          ■■■■ test_gcrotmk.cpython-311.pyc
■          ■■■■ test_iterative.cpython-311.pyc
■          ■■■■ test_lgmres.cpython-311.pyc
■          ■■■■ test_lsqr.cpython-311.pyc
■          ■■■■ test_minres.cpython-311.pyc
■          ■■■■ test_utils.cpython-311.pyc
■          ■■■■ demo_lgmres.py
■          ■■■■ test_gcrotmk.py
■          ■■■■ test_iterative.py
■          ■■■■ test_lgmres.py
■          ■■■■ test_lsqr.py
■          ■■■■ test_minres.py
■          ■■■■ test_utils.py
■      ■■■■ tfqmr.py
■      ■■■■ utils.py
■      ■■■■ _matfuncs.py
■      ■■■■ _norm.py
■      ■■■■ _onenormest.py
■      ■■■■ _propack
■      ■■■■ _cpropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _dpropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _spropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _zpropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _svdp.py
■      ■■■■ dsolve.py
■      ■■■■ eigen.py
■      ■■■■ interface.py
■      ■■■■ isolate.py
■      ■■■■ matfuncs.py
■      ■■■■ tests
■      ■■■■ __init__.py
■      ■■■■ __pycache__
■          ■■■■ __init__.cpython-311.pyc
■          ■■■■ test_expm_multiply.cpython-311.pyc
■          ■■■■ test_interface.cpython-311.pyc
■          ■■■■ test_matfuncs.cpython-311.pyc
■          ■■■■ test_norm.cpython-311.pyc
■          ■■■■ test_onenormest.cpython-311.pyc
■          ■■■■ test_propack.cpython-311.pyc
■          ■■■■ test_pydata_sparse.cpython-311.pyc
■      ■■■■ propack_test_data.npz
■      ■■■■ test_expm_multiply.py
■      ■■■■ test_interface.py
```

```

test_matfuncs.py
test_norm.py
test_onenormest.py
test_propack.py
test_pydata_sparse.py
sparsetools.py
spfuns.py
sputils.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_array_api.cpython-311.pyc
test_base.cpython-311.pyc
test_construct.cpython-311.pyc
test_csc.cpython-311.pyc
test_csr.cpython-311.pyc
test_extract.cpython-311.pyc
test_matrix_io.cpython-311.pyc
test_sparsetools.cpython-311.pyc
test_spfuncs.cpython-311.pyc
test_sputils.cpython-311.pyc
data
csc_py2.npz
csc_py3.npz
test_array_api.py
test_base.py
test_construct.py
test_csc.py
test_csr.py
test_extract.py
test_matrix_io.py
test_sparsetools.py
test_spfuncs.py
test_sputils.py
spatial
__init__.py
__pycache__
__init__.cpython-311.pyc
_geometric_slerp.cpython-311.pyc
_kdtree.cpython-311.pyc
_plotutils.cpython-311.pyc
_procrustes.cpython-311.pyc
_spherical_voronoi.cpython-311.pyc
ckdtree.cpython-311.pyc
distance.cpython-311.pyc
kdtree.cpython-311.pyc
qhull.cpython-311.pyc
_ckdtree.cpython-311-x86_64-linux-gnu.so
_ckdtree.pyi
_distance_pybind.cpython-311-x86_64-linux-gnu.so
_distance_wrap.cpython-311-x86_64-linux-gnu.so
_geometric_slerp.py
_hausdorff.cpython-311-x86_64-linux-gnu.so
_kdtree.py
_plotutils.py
_procrustes.py
_qhull.cpython-311-x86_64-linux-gnu.so

```

```

_qhull.pyi
_spherical_voronoi.py
_voronoi.cpython-311-x86_64-linux-gnu.so
_voronoi.pyi
ckdtree.py
distance.py
distance.pyi
kdtree.py
qhull.py
qhull_src
COPYING.txt
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_plotutils.cpython-311.pyc
test_procrustes.cpython-311.pyc
test_distance.cpython-311.pyc
test_hausdorff.cpython-311.pyc
test_kdtree.cpython-311.pyc
test_qhull.cpython-311.pyc
test_slerp.cpython-311.pyc
test_spherical_voronoi.cpython-311.pyc
data
cdist-X1.txt
cdist-X2.txt
degenerate_pointset.npz
iris.txt
pdist-boolean-inp.txt
pdist-chebyshev-ml-iris.txt
pdist-chebyshev-ml.txt
pdist-cityblock-ml-iris.txt
pdist-cityblock-ml.txt
pdist-correlation-ml-iris.txt
pdist-correlation-ml.txt
pdist-cosine-ml-iris.txt
pdist-cosine-ml.txt
pdist-double-inp.txt
pdist-euclidean-ml-iris.txt
pdist-euclidean-ml.txt
pdist-hamming-ml.txt
pdist-jaccard-ml.txt
pdist-jensenshannon-ml-iris.txt
pdist-jensenshannon-ml.txt
pdist-minkowski-3.2-ml-iris.txt
pdist-minkowski-3.2-ml.txt
pdist-minkowski-5.8-ml-iris.txt
pdist-seuclidean-ml-iris.txt
pdist-seuclidean-ml.txt
pdist-spearman-ml.txt
random-bool-data.txt
random-double-data.txt
random-int-data.txt
random-uint-data.txt
selfdual-4d-polytope.txt
test_plotutils.py
test_procrustes.py
test_distance.py

```

```

test_hausdorff.py
test_kdtree.py
test_qhull.py
test_slerp.py
test_spherical_voronoi.py
transform
__init__.py
__pycache__
__init__.cpython-311.pyc
_rotation_groups.cpython-311.pyc
_rotation_spline.cpython-311.pyc
rotation.cpython-311.pyc
_rotation.cpython-311-x86_64-linux-gnu.so
_rotation.pyi
_rotation_groups.py
_rotation_spline.py
rotation.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_rotation.cpython-311.pyc
test_rotation_groups.cpython-311.pyc
test_rotation_spline.cpython-311.pyc
test_rotation.py
test_rotation_groups.py
test_rotation_spline.py
special
__init__.py
__pycache__
__init__.cpython-311.pyc
_add_newdocs.cpython-311.pyc
_basic.cpython-311.pyc
_ellip_harm.cpython-311.pyc
_lambertw.cpython-311.pyc
_logsumexp.cpython-311.pyc
_mptestutils.cpython-311.pyc
_orthogonal.cpython-311.pyc
_sf_error.cpython-311.pyc
_spfun_stats.cpython-311.pyc
_spherical_bessel.cpython-311.pyc
_testutils.cpython-311.pyc
_add_newdocs.cpython-311.pyc
_basic.cpython-311.pyc
_orthogonal.cpython-311.pyc
_sf_error.cpython-311.pyc
_specfun.cpython-311.pyc
_spfun_stats.cpython-311.pyc
_add_newdocs.py
_basic.py
_comb.cpython-311-x86_64-linux-gnu.so
_ellip_harm.py
_ellip_harm_2.cpython-311-x86_64-linux-gnu.so
_lambertw.py
_logsumexp.py
_mptestutils.py
_orthogonal.py
_orthogonal.pyi

```

```

_ _precompute
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
cosine_cdf.cpython-311.pyc
expn_asym.cpython-311.pyc
gamma_inc_asym.cpython-311.pyc
gamma_inc_data.cpython-311.pyc
lambertw.cpython-311.pyc
loggamma.cpython-311.pyc
struve_convergence.cpython-311.pyc
utils.cpython-311.pyc
wright_bessel.cpython-311.pyc
wright_bessel_data.cpython-311.pyc
wrightomega.cpython-311.pyc
zetac.cpython-311.pyc
cosine_cdf.py
expn_asym.py
gamma_inc_asym.py
gamma_inc_data.py
lambertw.py
loggamma.py
struve_convergence.py
utils.py
wright_bessel.py
wright_bessel_data.py
wrightomega.py
zetac.py
_sf_error.py
_specfun.cpython-311-x86_64-linux-gnu.so
_spfun_stats.py
_spherical_bessel.py
_test_round.cpython-311-x86_64-linux-gnu.so
_test_round.pyi
_testutils.py
_ufuncs.cpython-311-x86_64-linux-gnu.so
_ufuncs.pyi
_ufuncs.pyx
_ufuncs_cxx.cpython-311-x86_64-linux-gnu.so
_ufuncs_cxx.pxd
_ufuncs_cxx.pyx
_ufuncs_cxx_defs.h
_ufuncs_defs.h
add_newdocs.py
basic.py
cython_special.cpython-311-x86_64-linux-gnu.so
cython_special.pxd
cython_special.pyi
cython_special.pyx
orthogonal.py
sf_error.py
specfun.py
spfun_stats.py
tests
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
test_basic.cpython-311.pyc

```

```

test_bdtr.cpython-311.pyc
test_boxcox.cpython-311.pyc
test_cdflib.cpython-311.pyc
test_cdft_asymptotic.cpython-311.pyc
test_cosine_distr.cpython-311.pyc
test_cython_special.cpython-311.pyc
test_data.cpython-311.pyc
test_digamma.cpython-311.pyc
test_ellip_harm.cpython-311.pyc
test_erfinv.cpython-311.pyc
test_exponential_integrals.cpython-311.pyc
test_faddeeva.cpython-311.pyc
test_gamma.cpython-311.pyc
test_gammainc.cpython-311.pyc
test_hyp2f1.cpython-311.pyc
test_hypergeometric.cpython-311.pyc
test_kolmogorov.cpython-311.pyc
test_lambertw.cpython-311.pyc
test_log_softmax.cpython-311.pyc
test_loggamma.cpython-311.pyc
test_logit.cpython-311.pyc
test_logsumexp.cpython-311.pyc
test_mpmath.cpython-311.pyc
test_nan_inputs.cpython-311.pyc
test_ndtr.cpython-311.pyc
test_ndtri_exp.cpython-311.pyc
test_orthogonal.cpython-311.pyc
test_orthogonal_eval.cpython-311.pyc
test_owens_t.cpython-311.pyc
test_pcf.cpython-311.pyc
test_pdtr.cpython-311.pyc
test_precompute_expn_asymptotic.cpython-311.pyc
test_precompute_gammainc.cpython-311.pyc
test_precompute_utils.cpython-311.pyc
test_round.cpython-311.pyc
test_sf_error.cpython-311.pyc
test_sici.cpython-311.pyc
test_spence.cpython-311.pyc
test_spfun_stats.cpython-311.pyc
test_sph_harm.cpython-311.pyc
test_spherical_bessel.cpython-311.pyc
test_trig.cpython-311.pyc
test_wright_bessel.cpython-311.pyc
test_wrightomega.cpython-311.pyc
test_zeta.cpython-311.pyc
data
boost.npz
gsl.npz
local.npz
test_basic.py
test_bdtr.py
test_boxcox.py
test_cdflib.py
test_cdft_asymptotic.py
test_cosine_distr.py
test_cython_special.py
test_data.py
test_digamma.py

```

■	■	■	■	■	■	■	■■■ test_ellip_harm.py
■	■	■	■	■	■	■	■■■ test_erfinv.py
■	■	■	■	■	■	■	■■■ test_exponential_integrals.py
■	■	■	■	■	■	■	■■■ test_faddeeva.py
■	■	■	■	■	■	■	■■■ test_gamma.py
■	■	■	■	■	■	■	■■■ test_gammainc.py
■	■	■	■	■	■	■	■■■ test_hyp2f1.py
■	■	■	■	■	■	■	■■■ test_hypergeometric.py
■	■	■	■	■	■	■	■■■ test_kolmogorov.py
■	■	■	■	■	■	■	■■■ test_lambertw.py
■	■	■	■	■	■	■	■■■ test_log_softmax.py
■	■	■	■	■	■	■	■■■ test_loggamma.py
■	■	■	■	■	■	■	■■■ test_logit.py
■	■	■	■	■	■	■	■■■ test_logsumexp.py
■	■	■	■	■	■	■	■■■ test_mpmath.py
■	■	■	■	■	■	■	■■■ test_nan_inputs.py
■	■	■	■	■	■	■	■■■ test_ndtr.py
■	■	■	■	■	■	■	■■■ test_ndtri_exp.py
■	■	■	■	■	■	■	■■■ test_orthogonal.py
■	■	■	■	■	■	■	■■■ test_orthogonal_eval.py
■	■	■	■	■	■	■	■■■ test_owens_t.py
■	■	■	■	■	■	■	■■■ test_pcf.py
■	■	■	■	■	■	■	■■■ test_pdtr.py
■	■	■	■	■	■	■	■■■ test_precompute_expn_asy.py
■	■	■	■	■	■	■	■■■ test_precompute_gammainc.py
■	■	■	■	■	■	■	■■■ test_precompute_utils.py
■	■	■	■	■	■	■	■■■ test_round.py
■	■	■	■	■	■	■	■■■ test_sf_error.py
■	■	■	■	■	■	■	■■■ test_sici.py
■	■	■	■	■	■	■	■■■ test_spence.py
■	■	■	■	■	■	■	■■■ test_spfun_stats.py
■	■	■	■	■	■	■	■■■ test_sph_harm.py
■	■	■	■	■	■	■	■■■ test_spherical_bessel.py
■	■	■	■	■	■	■	■■■ test_trig.py
■	■	■	■	■	■	■	■■■ test_wright_bessel.py
■	■	■	■	■	■	■	■■■ test_wrightomega.py
■	■	■	■	■	■	■	■■■ test_zeta.py
■	■	■	■	■	■■■	special.pxd	
■	■	■	■	■	■■■	stats	
■	■	■	■	■	■	■■■ __init__.py	
■	■	■	■	■	■	■■■ __pycache__	
■	■	■	■	■	■	■■■ __init__.cpython-311.pyc	
■	■	■	■	■	■	■■■ _axis_nan_policy.cpython-311.pyc	
■	■	■	■	■	■	■■■ _binned_statistic.cpython-311.pyc	
■	■	■	■	■	■	■■■ _binomtest.cpython-311.pyc	
■	■	■	■	■	■	■■■ _common.cpython-311.pyc	
■	■	■	■	■	■	■■■ _constants.cpython-311.pyc	
■	■	■	■	■	■	■■■ _continuous_distns.cpython-311.pyc	
■	■	■	■	■	■	■■■ _crosstab.cpython-311.pyc	
■	■	■	■	■	■	■■■ _discrete_distns.cpython-311.pyc	
■	■	■	■	■	■	■■■ _distn_infrastructure.cpython-311.pyc	
■	■	■	■	■	■	■■■ _distr_params.cpython-311.pyc	
■	■	■	■	■	■	■■■ _entropy.cpython-311.pyc	
■	■	■	■	■	■	■■■ _fit.cpython-311.pyc	
■	■	■	■	■	■	■■■ _generate_pyx.cpython-311.pyc	
■	■	■	■	■	■	■■■ _hypotests.cpython-311.pyc	
■	■	■	■	■	■	■■■ _kde.cpython-311.pyc	
■	■	■	■	■	■	■■■ _ksstats.cpython-311.pyc	

```

■      ■      ■      ■      ■      ■      ■      ■      _mannwhitneyu.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _morestats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _mstats_basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _mstats_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _multivariate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _page_trend_test.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _qmc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _relative_risk.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _resampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _result_classes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _rvs_sampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _stats_mstats_common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _stats_py.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _tukeylambda_stats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _variation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _warnings_errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      biasedurn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      contingency.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      distributions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      kde.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      morestats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mstats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mstats_basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mstats_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mvn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      qmc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      sampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      statlib.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      stats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _axis_nan_policy.py
■      ■      ■      ■      ■      ■      ■      ■      _biasedurn.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _biasedurn.pxd
■      ■      ■      ■      ■      ■      ■      ■      _binned_statistic.py
■      ■      ■      ■      ■      ■      ■      ■      _binomtest.py
■      ■      ■      ■      ■      ■      ■      ■      _boost
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      _init_.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      beta_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      binom_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      hypergeom_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      nbinom_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      ncf_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _common.py
■      ■      ■      ■      ■      ■      ■      ■      _constants.py
■      ■      ■      ■      ■      ■      ■      ■      _continuous_distns.py
■      ■      ■      ■      ■      ■      ■      ■      _crosstab.py
■      ■      ■      ■      ■      ■      ■      ■      _discrete_distns.py
■      ■      ■      ■      ■      ■      ■      ■      _distn_infrastructure.py
■      ■      ■      ■      ■      ■      ■      ■      _distr_params.py
■      ■      ■      ■      ■      ■      ■      ■      _entropy.py
■      ■      ■      ■      ■      ■      ■      ■      _fit.py
■      ■      ■      ■      ■      ■      ■      ■      _generate_pyx.py
■      ■      ■      ■      ■      ■      ■      ■      _hypotests.py
■      ■      ■      ■      ■      ■      ■      ■      _hypotests_pythran.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _kde.py
■      ■      ■      ■      ■      ■      ■      ■      _ksstats.py
■      ■      ■      ■      ■      ■      ■      ■      _levy_stable

```


■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	levyst.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_mannwhitneyu.py	
■	■	■	■	■	■	■	■■■■	_morestats.py	
■	■	■	■	■	■	■	■■■■	_mstats_basic.py	
■	■	■	■	■	■	■	■■■■	_mstats_extras.py	
■	■	■	■	■	■	■	■■■■	_multivariate.py	
■	■	■	■	■	■	■	■■■■	_mvn.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_page_trend_test.py	
■	■	■	■	■	■	■	■■■■	_qmc.py	
■	■	■	■	■	■	■	■■■■	_qmc_cy.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_qmc_cy.pyi	
■	■	■	■	■	■	■	■■■■	_relative_risk.py	
■	■	■	■	■	■	■	■■■■	_resampling.py	
■	■	■	■	■	■	■	■■■■	_result_classes.py	
■	■	■	■	■	■	■	■■■■	_rvs_sampling.py	
■	■	■	■	■	■	■	■■■■	_sobol.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_sobol.pyi	
■	■	■	■	■	■	■	■■■■	_sobol_direction_numbers.npz	
■	■	■	■	■	■	■	■■■■	_statlib.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_stats.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_stats.pxd	
■	■	■	■	■	■	■	■■■■	_stats_mstats_common.py	
■	■	■	■	■	■	■	■■■■	_stats_py.py	
■	■	■	■	■	■	■	■■■■	_tukeylambda_stats.py	
■	■	■	■	■	■	■	■■■■	_unuran	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	unuran.pxd	
■	■	■	■	■	■	■	■■■■	unuran_wrapper.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	unuran_wrapper.pyi	
■	■	■	■	■	■	■	■■■■	_variation.py	
■	■	■	■	■	■	■	■■■■	_warnings_errors.py	
■	■	■	■	■	■	■	■■■■	biasedurn.py	
■	■	■	■	■	■	■	■■■■	contingency.py	
■	■	■	■	■	■	■	■■■■	distributions.py	
■	■	■	■	■	■	■	■■■■	kde.py	
■	■	■	■	■	■	■	■■■■	morestats.py	
■	■	■	■	■	■	■	■■■■	mstats.py	
■	■	■	■	■	■	■	■■■■	mstats_basic.py	
■	■	■	■	■	■	■	■■■■	mstats_extras.py	
■	■	■	■	■	■	■	■■■■	mvn.py	
■	■	■	■	■	■	■	■■■■	qmc.py	
■	■	■	■	■	■	■	■■■■	sampling.py	
■	■	■	■	■	■	■	■■■■	statlib.py	
■	■	■	■	■	■	■	■■■■	stats.py	
■	■	■	■	■	■	■	■■■■	tests	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	common_tests.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	studentized_range_mpmath_ref.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_axis_nan_policy.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_binned_statistic.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_boost_ufuncs.cpython-311.pyc	

■	■	■	■	■	■	■	■■■	test_contingency.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_continuous_basic.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_crosstab.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_discrete_basic.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_discrete_distns.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_distributions.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_entropy.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_fit.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_hypotests.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_kdeoth.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_morestats.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_mstats_basic.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_mstats_extras.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_multivariate.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_qmc.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_rank.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_relative_risk.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_resampling.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_sampling.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_stats.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_tukeylambda_stats.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	test_variation.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	common_tests.py	
■	■	■	■	■	■	■	■■■	data	
■	■	■	■	■	■	■	■■■	levy_stable	
■	■	■	■	■	■	■	■	■■■	stable-Z1-cdf-sample-data.npy
■	■	■	■	■	■	■	■	■■■	stable-Z1-pdf-sample-data.npy
■	■	■	■	■	■	■	■	■■■	stable-loc-scale-sample-data.npy
■	■	■	■	■	■	■	■■■	nist_anova	
■	■	■	■	■	■	■	■	■■■	AtmWtAg.dat
■	■	■	■	■	■	■	■	■■■	SiRstv.dat
■	■	■	■	■	■	■	■	■■■	SmLs01.dat
■	■	■	■	■	■	■	■	■■■	SmLs02.dat
■	■	■	■	■	■	■	■	■■■	SmLs03.dat
■	■	■	■	■	■	■	■	■■■	SmLs04.dat
■	■	■	■	■	■	■	■	■■■	SmLs05.dat
■	■	■	■	■	■	■	■	■■■	SmLs06.dat
■	■	■	■	■	■	■	■	■■■	SmLs07.dat
■	■	■	■	■	■	■	■	■■■	SmLs08.dat
■	■	■	■	■	■	■	■	■■■	SmLs09.dat
■	■	■	■	■	■	■	■■■	nist_linregress	
■	■	■	■	■	■	■	■	■■■	Norris.dat
■	■	■	■	■	■	■	■■■	studentized_range_mpmath_ref.json	
■	■	■	■	■	■	■	■■■	studentized_range_mpmath_ref.py	
■	■	■	■	■	■	■	■■■	test_axis_nan_policy.py	
■	■	■	■	■	■	■	■■■	test_binned_statistic.py	
■	■	■	■	■	■	■	■■■	test_boost_ufuncs.py	
■	■	■	■	■	■	■	■■■	test_contingency.py	
■	■	■	■	■	■	■	■■■	test_continuous_basic.py	
■	■	■	■	■	■	■	■■■	test_crosstab.py	
■	■	■	■	■	■	■	■■■	test_discrete_basic.py	
■	■	■	■	■	■	■	■■■	test_discrete_distns.py	
■	■	■	■	■	■	■	■■■	test_distributions.py	
■	■	■	■	■	■	■	■■■	test_entropy.py	
■	■	■	■	■	■	■	■■■	test_fit.py	
■	■	■	■	■	■	■	■■■	test_hypotests.py	
■	■	■	■	■	■	■	■■■	test_kdeoth.py	
■	■	■	■	■	■	■	■■■	test_morestats.py	

```

■ ■ ■ ■ ■ test_mstats_basic.py
■ ■ ■ ■ ■ test_mstats_extras.py
■ ■ ■ ■ ■ test_multivariate.py
■ ■ ■ ■ ■ test_qmc.py
■ ■ ■ ■ ■ test_rank.py
■ ■ ■ ■ ■ test_relative_risk.py
■ ■ ■ ■ ■ test_resampling.py
■ ■ ■ ■ ■ test_sampling.py
■ ■ ■ ■ ■ test_stats.py
■ ■ ■ ■ ■ test_tukeylambda_stats.py
■ ■ ■ ■ ■ test_variation.py
■ ■ ■ ■ version.py
■ ■ ■ ■ scipy-1.9.3.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ scipy.libs
■ ■ ■ ■ libgfortran-040039e1.so.5.0.0
■ ■ ■ ■ libopenblas-p-r0-41284840.3.18.so
■ ■ ■ ■ libquadmath-96973f99.so.0.0.0
■ ■ ■ ■ seaborn
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _core.cpython-311.pyc
■ ■ ■ ■ _decorators.cpython-311.pyc
■ ■ ■ ■ _docstrings.cpython-311.pyc
■ ■ ■ ■ _statistics.cpython-311.pyc
■ ■ ■ ■ _testing.cpython-311.pyc
■ ■ ■ ■ algorithms.cpython-311.pyc
■ ■ ■ ■ apionly.cpython-311.pyc
■ ■ ■ ■ axisgrid.cpython-311.pyc
■ ■ ■ ■ categorical.cpython-311.pyc
■ ■ ■ ■ cm.cpython-311.pyc
■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ distributions.cpython-311.pyc
■ ■ ■ ■ linearmodels.cpython-311.pyc
■ ■ ■ ■ matrix.cpython-311.pyc
■ ■ ■ ■ miscplot.cpython-311.pyc
■ ■ ■ ■ palettes.cpython-311.pyc
■ ■ ■ ■ rcmod.cpython-311.pyc
■ ■ ■ ■ regression.cpython-311.pyc
■ ■ ■ ■ relational.cpython-311.pyc
■ ■ ■ ■ timeseries.cpython-311.pyc
■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ widgets.cpython-311.pyc
■ ■ ■ ■ _core.py
■ ■ ■ ■ _decorators.py
■ ■ ■ ■ _docstrings.py
■ ■ ■ ■ _statistics.py
■ ■ ■ ■ _testing.py
■ ■ ■ ■ algorithms.py
■ ■ ■ ■ apionly.py
■ ■ ■ ■ axisgrid.py
■ ■ ■ ■ categorical.py
```

```

cm.py
colors
__init__.py
__pycache__
__init__.cpython-311.pyc
crayons.cpython-311.pyc
xkcd_rgb.cpython-311.pyc
crayons.py
xkcd_rgb.py
conftest.py
distributions.py
external
__init__.py
__pycache__
__init__.cpython-311.pyc
docscrape.cpython-311.pyc
husl.cpython-311.pyc
six.cpython-311.pyc
docscrape.py
husl.py
six.py
linearmodels.py
matrix.py
miscplot.py
palettes.py
rcmod.py
regression.py
relational.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_algorithms.cpython-311.pyc
test_axisgrid.cpython-311.pyc
test_categorical.cpython-311.pyc
test_core.cpython-311.pyc
test_decorators.cpython-311.pyc
test_distributions.cpython-311.pyc
test_docstrings.cpython-311.pyc
test_matrix.cpython-311.pyc
test_miscplot.cpython-311.pyc
test_palettes.cpython-311.pyc
test_rcmod.cpython-311.pyc
test_regression.cpython-311.pyc
test_relational.cpython-311.pyc
test_statistics.cpython-311.pyc
test_utils.cpython-311.pyc
test_algorithms.py
test_axisgrid.py
test_categorical.py
test_core.py
test_decorators.py
test_distributions.py
test_docstrings.py
test_matrix.py
test_miscplot.py
test_palettes.py
test_rcmod.py

```

```

■      ■      ■      ■      ■      ■      test_regression.py
■      ■      ■      ■      ■      ■      test_relational.py
■      ■      ■      ■      ■      ■      test_statistics.py
■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      timeseries.py
■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      widgets.py
■      ■      ■      ■      ■      ■      seaborn-0.11.2.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      segment
■      ■      ■      ■      ■      ■      analytics
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      consumer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      request.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      consumer.py
■      ■      ■      ■      ■      ■      request.py
■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      send2trash
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      plat_gio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      plat_other.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      compat.py
■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      mac
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      legacy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      modern.cpython-311.pyc
■      ■      ■      ■      ■      ■      legacy.py
■      ■      ■      ■      ■      ■      modern.py
■      ■      ■      ■      ■      ■      plat_gio.py
■      ■      ■      ■      ■      ■      plat_other.py
■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      win
■      ■      ■      ■      ■      ■      IFileOperationProgressSink.py
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__

```

```

FileOperationProgressSink.cpython-311.pyc
__init__.cpython-311.pyc
legacy.cpython-311.pyc
modern.cpython-311.pyc
legacy.py
modern.py
sentencepiece
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
sentencepiece_model_pb2.cpython-311.pyc
sentencepiece_pb2.cpython-311.pyc
_sentencepiece.cpython-311-x86_64-linux-gnu.so
_version.py
sentencepiece_model_pb2.py
sentencepiece_pb2.py
sentencepiece-0.2.0.dist-info
INSTALLER
METADATA
RECORD
WHEEL
top_level.txt
shap
__init__.py
__pycache__
__init__.cpython-311.pyc
_explanation.cpython-311.pyc
_serializable.cpython-311.pyc
datasets.cpython-311.pyc
links.cpython-311.pyc
_cext.cpython-311-x86_64-linux-gnu.so
_explanation.py
_serializable.py
actions
__init__.py
__pycache__
__init__.cpython-311.pyc
_action.cpython-311.pyc
_optimizer.cpython-311.pyc
_action.py
_optimizer.py
benchmark
__init__.py
__pycache__
__init__.cpython-311.pyc
experiments.cpython-311.pyc
framework.cpython-311.pyc
measures.cpython-311.pyc
methods.cpython-311.pyc
metrics.cpython-311.pyc
models.cpython-311.pyc
perturbation.cpython-311.pyc
plots.cpython-311.pyc
experiments.py
framework.py
measures.py
methods.py

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ metrics.py
■      ■      ■      ■      ■      ■      ■      ■■■■ models.py
■      ■      ■      ■      ■      ■      ■      ■■■■ perturbation.py
■      ■      ■      ■      ■      ■      ■      ■■■■ plots.py
■      ■      ■      ■      ■      ■      ■■■■ cext
■      ■      ■      ■      ■      ■      ■      ■■■■ tree_shap.h
■      ■      ■      ■      ■      ■      ■■■■ datasets.py
■      ■      ■      ■      ■      ■      ■■■■ explainers
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _additive.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _exact.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _explainer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _gpu_tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _gradient.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _kernel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _linear.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _partition.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _permutation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _sampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mimic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pytree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ tf_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _additive.py
■      ■      ■      ■      ■      ■      ■■■■ _deep
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_pytorch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_tf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_pytorch.py
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_tf.py
■      ■      ■      ■      ■      ■      ■■■■ _exact.py
■      ■      ■      ■      ■      ■      ■■■■ _explainer.py
■      ■      ■      ■      ■      ■      ■■■■ _gpu_tree.py
■      ■      ■      ■      ■      ■      ■■■■ _gradient.py
■      ■      ■      ■      ■      ■      ■■■■ _kernel.py
■      ■      ■      ■      ■      ■      ■■■■ _linear.py
■      ■      ■      ■      ■      ■      ■■■■ _partition.py
■      ■      ■      ■      ■      ■      ■■■■ _permutation.py
■      ■      ■      ■      ■      ■      ■■■■ _sampling.py
■      ■      ■      ■      ■      ■      ■■■■ _tree.py
■      ■      ■      ■      ■      ■      ■■■■ mimic.py
■      ■      ■      ■      ■      ■      ■■■■ other
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _coefficient.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _lime.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _maple.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _random.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _treegain.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _coefficient.py
■      ■      ■      ■      ■      ■      ■■■■ _lime.py
■      ■      ■      ■      ■      ■      ■■■■ _maple.py
■      ■      ■      ■      ■      ■      ■■■■ _random.py

```



```

■ ■ ■ ■ waterfall.cpython-311.pyc
■ ■ ■ ■ _bar.py
■ ■ ■ ■ _beeswarm.py
■ ■ ■ ■ _decision.py
■ ■ ■ ■ _embedding.py
■ ■ ■ ■ _force.py
■ ■ ■ ■ _force_matplotlib.py
■ ■ ■ ■ _group_difference.py
■ ■ ■ ■ _heatmap.py
■ ■ ■ ■ _image.py
■ ■ ■ ■ _labels.py
■ ■ ■ ■ _monitoring.py
■ ■ ■ ■ _partial_dependence.py
■ ■ ■ ■ _scatter.py
■ ■ ■ ■ _text.py
■ ■ ■ ■ _utils.py
■ ■ ■ ■ _violin.py
■ ■ ■ ■ _waterfall.py
■ ■ ■ colors
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _colorconv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _colorconv.py
■ ■ ■ ■ ■ ■ ■ _colors.py
■ ■ ■ resources
■ ■ ■ bundle.js
■ ■ ■ logoSmallGray.png
■ ■ ■ utils
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _clustering.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _general.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _keras.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _legacy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _masked_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _show_progress.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ transformers.cpython-311.pyc
■ ■ ■ ■ _clustering.py
■ ■ ■ ■ _general.py
■ ■ ■ ■ _keras.py
■ ■ ■ ■ _legacy.py
■ ■ ■ ■ _masked_model.py
■ ■ ■ ■ _show_progress.py
■ ■ ■ ■ image.py
■ ■ ■ ■ transformers.py
■ ■ ■ shap-0.39.0.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ shapefile.py
■ ■ ■ shapely
```

```

    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _buildcfg.cpython-311.pyc
    affinity.cpython-311.pyc
    coords.cpython-311.pyc
    ctypes_declarations.cpython-311.pyc
    errors.cpython-311.pyc
    geos.cpython-311.pyc
    impl.cpython-311.pyc
    iterops.cpython-311.pyc
    linref.cpython-311.pyc
    ops.cpython-311.pyc
    predicates.cpython-311.pyc
    prepared.cpython-311.pyc
    strtree.cpython-311.pyc
    topology.cpython-311.pyc
    validation.cpython-311.pyc
    wkb.cpython-311.pyc
    wkt.cpython-311.pyc
    _buildcfg.py
    _geos.pxi
    affinity.py
    algorithms
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    cga.cpython-311.pyc
    polylabel.cpython-311.pyc
    cga.py
    polylabel.py
    coords.py
    ctypes_declarations.py
    errors.py
    examples
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    dissolve.cpython-311.pyc
    geoms.cpython-311.pyc
    intersect.cpython-311.pyc
    dissolve.py
    geoms.py
    intersect.py
    geometry
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    base.cpython-311.pyc
    collection.cpython-311.pyc
    geo.cpython-311.pyc
    linestring.cpython-311.pyc
    multilinestring.cpython-311.pyc
    multipoint.cpython-311.pyc
    multipolygon.cpython-311.pyc
    point.cpython-311.pyc
    polygon.cpython-311.pyc
    proxy.cpython-311.pyc

```

```

base.py
collection.py
geo.py
linestring.py
multilineestring.py
multipoint.py
multipolygon.py
point.py
polygon.py
proxy.py
geos.py
impl.py
iterops.py
linref.py
ops.py
predicates.py
prepared.py
speedups
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _speedups.c
    _speedups.pyx
strtree.py
topology.py
validation.py
vectorized
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _vectorized.c
    _vectorized.pyx
wkb.py
wkt.py
shellingham
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _core.cpython-311.pyc
    nt.cpython-311.pyc
    _core.py
    nt.py
    posix
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _core.cpython-311.pyc
    proc.cpython-311.pyc
    ps.cpython-311.pyc
    _core.py
    proc.py
    ps.py
shellingham-1.5.4.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL

```

```

■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      zip-safe
■      ■      ■      ■      ■      ■      ■      six-1.17.0.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      six.py
■      ■      ■      ■      ■      ■      ■      skimage
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _shared
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _dependency_checks.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _geometry.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _tempfile.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _warnings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      coord.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      tester.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      testing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      version_requirements.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _dependency_checks.py
■      ■      ■      ■      ■      ■      ■      _geometry.py
■      ■      ■      ■      ■      ■      ■      _tempfile.py
■      ■      ■      ■      ■      ■      ■      _warnings.py
■      ■      ■      ■      ■      ■      ■      coord.py
■      ■      ■      ■      ■      ■      ■      fast_exp.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      fast_exp.h
■      ■      ■      ■      ■      ■      ■      filters.py
■      ■      ■      ■      ■      ■      ■      geometry.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      interpolation.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      tester.py
■      ■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_coord.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_fast_exp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_geometry.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_interpolation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_safe_as_int.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_testing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_version_requirements.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_warnings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_coord.py
■      ■      ■      ■      ■      ■      ■      test_fast_exp.py
■      ■      ■      ■      ■      ■      ■      test_geometry.py

```

```

■      ■      ■      ■      ■      ■      ■      test_interpolation.py
■      ■      ■      ■      ■      ■      ■      test_safe_as_int.py
■      ■      ■      ■      ■      ■      ■      test_testing.py
■      ■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      ■      test_version_requirements.py
■      ■      ■      ■      ■      ■      ■      test_warnings.py
■      ■      ■      ■      ■      ■      ■■■ transform.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■ utils.py
■      ■      ■      ■      ■      ■      ■■■ version_requirements.py
■      ■      ■      ■      ■      ■■■ color
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ adapt_rgb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ colorconv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ colorlabel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ delta_e.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ rgb_colors.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ adapt_rgb.py
■      ■      ■      ■      ■      ■■■ colorconv.py
■      ■      ■      ■      ■      ■■■ colorlabel.py
■      ■      ■      ■      ■      ■■■ delta_e.py
■      ■      ■      ■      ■      ■■■ rgb_colors.py
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_adapt_rgb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_colorconv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_colorlabel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_delta_e.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_adapt_rgb.py
■      ■      ■      ■      ■      ■      ■■■ test_colorconv.py
■      ■      ■      ■      ■      ■      ■■■ test_colorlabel.py
■      ■      ■      ■      ■      ■      ■■■ test_delta_e.py
■      ■      ■      ■      ■      ■■■ conftest.py
■      ■      ■      ■      ■      ■■■ data
■      ■      ■      ■      ■      ■■■ README.txt
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __init__.pyi
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _binary_blobs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _fetchers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _registry.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _binary_blobs.py
■      ■      ■      ■      ■      ■■■ _fetchers.py
■      ■      ■      ■      ■      ■■■ _registry.py
■      ■      ■      ■      ■      ■■■ astronaut.png
■      ■      ■      ■      ■      ■■■ brick.png
■      ■      ■      ■      ■      ■■■ camera.png
■      ■      ■      ■      ■      ■■■ cell.png
■      ■      ■      ■      ■      ■■■ chelsea.png
■      ■      ■      ■      ■      ■■■ chessboard_GRAY.png
■      ■      ■      ■      ■      ■■■ chessboard_RGB.png
■      ■      ■      ■      ■      ■■■ clock_motion.png
■      ■      ■      ■      ■      ■■■ coffee.png
■      ■      ■      ■      ■      ■■■ coins.png

```

```

■ ■ ■ color.png
■ ■ ■ grass.png
■ ■ ■ gravel.png
■ ■ ■ horse.png
■ ■ ■ hubble_deep_field.jpg
■ ■ ■ ihc.png
■ ■ ■ lbpcascade_frontalface_opencv.xml
■ ■ ■ lfw_subset.npy
■ ■ ■ logo.png
■ ■ ■ microaneurysms.png
■ ■ ■ moon.png
■ ■ ■ motorcycle_disp.npz
■ ■ ■ motorcycle_left.png
■ ■ ■ motorcycle_right.png
■ ■ ■ multipage.tif
■ ■ ■ no_time_for_that_tiny.gif
■ ■ ■ page.png
■ ■ ■ phantom.png
■ ■ ■ retina.jpg
■ ■ ■ rocket.jpg
■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■   ■   ■ ■ ■ __init__.cpython-311.pyc
■   ■   ■ ■ ■ test_data.cpython-311.pyc
■   ■ ■ ■ test_data.py
■ ■ ■ text.png
■ ■ ■ draw
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■   ■   ■ ■ ■ __init__.cpython-311.pyc
■   ■   ■ ■ ■ _polygon2mask.cpython-311.pyc
■   ■   ■ ■ ■ _random_shapes.cpython-311.pyc
■   ■   ■ ■ ■ draw.cpython-311.pyc
■   ■   ■ ■ ■ draw3d.cpython-311.pyc
■   ■   ■ ■ ■ draw_nd.cpython-311.pyc
■ ■ ■ _draw.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _polygon2mask.py
■ ■ ■ _random_shapes.py
■ ■ ■ draw.py
■ ■ ■ draw3d.py
■ ■ ■ draw_nd.py
■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■   ■   ■ ■ ■ __init__.cpython-311.pyc
■   ■   ■ ■ ■ test_draw.cpython-311.pyc
■   ■   ■ ■ ■ test_draw3d.cpython-311.pyc
■   ■   ■ ■ ■ test_draw_nd.cpython-311.pyc
■   ■   ■ ■ ■ test_polygon2mask.cpython-311.pyc
■   ■   ■ ■ ■ test_random_shapes.cpython-311.pyc
■   ■ ■ ■ test_draw.py
■   ■ ■ ■ test_draw3d.py
■   ■ ■ ■ test_draw_nd.py
■   ■ ■ ■ test_polygon2mask.py
■   ■ ■ ■ test_random_shapes.py
■ ■ ■ exposure
■   ■ ■ ■ __init__.py

```

[illegible]

```

orb.py
orb_cy.cpython-311-x86_64-linux-gnu.so
orb_descriptor_positions.txt
peak.py
sift.py
template.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_basic_features.cpython-311.pyc
test_blob.cpython-311.pyc
test_brief.cpython-311.pyc
test_canny.cpython-311.pyc
test_cascade.cpython-311.pyc
test_censure.cpython-311.pyc
test_corner.cpython-311.pyc
test_daisy.cpython-311.pyc
test_haar.cpython-311.pyc
test_hog.cpython-311.pyc
test_match.cpython-311.pyc
test_orb.cpython-311.pyc
test_peak.cpython-311.pyc
test_sift.cpython-311.pyc
test_template.cpython-311.pyc
test_texture.cpython-311.pyc
test_util.cpython-311.pyc
test_basic_features.py
test_blob.py
test_brief.py
test_canny.py
test_cascade.py
test_censure.py
test_corner.py
test_daisy.py
test_haar.py
test_hog.py
test_match.py
test_orb.py
test_peak.py
test_sift.py
test_template.py
test_texture.py
test_util.py
texture.py
util.py
filters
__init__.py
__init__.pyi
__pycache__
__init__.cpython-311.pyc
_fft_based.cpython-311.pyc
_gabor.cpython-311.pyc
_gaussian.cpython-311.pyc
_median.cpython-311.pyc
_rank_order.cpython-311.pyc
_sparse.cpython-311.pyc
_unsharp_mask.cpython-311.pyc

```



```

_ window.cpython-311.pyc
edges.cpython-311.pyc
lpi_filter.cpython-311.pyc
ridges.cpython-311.pyc
thresholding.cpython-311.pyc
__fft_based.py
_gabor.py
_gaussian.py
_median.py
_multiotsu.cpython-311-x86_64-linux-gnu.so
_rank_order.py
_sparse.py
_unsharp_mask.py
_window.py
edges.py
lpi_filter.py
rank
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _percentile.cpython-311.pyc
    bilateral.cpython-311.pyc
    generic.cpython-311.pyc
_percentile.py
bilateral.py
bilateral_cy.cpython-311-x86_64-linux-gnu.so
core_cy.cpython-311-x86_64-linux-gnu.so
core_cy_3d.cpython-311-x86_64-linux-gnu.so
generic.py
generic_cy.cpython-311-x86_64-linux-gnu.so
percentile_cy.cpython-311-x86_64-linux-gnu.so
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_rank.cpython-311.pyc
test_rank.py
ridges.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_correlate.cpython-311.pyc
        test_edges.cpython-311.pyc
        test_fft_based.cpython-311.pyc
        test_gabor.cpython-311.pyc
        test_gaussian.cpython-311.pyc
        test_lpi_filter.cpython-311.pyc
        test_median.cpython-311.pyc
        test_ridges.cpython-311.pyc
        test_thresholding.cpython-311.pyc
        test_unsharp_mask.cpython-311.pyc
        test_window.cpython-311.pyc
test_correlate.py
test_edges.py
test_fft_based.py
test_gabor.py
test_gaussian.py

```

```

test_lpi_filter.py
test_median.py
test_ridges.py
test_thresholding.py
test_unsharp_mask.py
test_window.py
thresholding.py
future
__init__.py
__pycache__
__init__.cpython-311.pyc
manual_segmentation.cpython-311.pyc
trainable_segmentation.cpython-311.pyc
graph
__init__.py
__pycache__
__init__.cpython-311.pyc
manual_segmentation.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_trainable_segmentation.cpython-311.pyc
test_trainable_segmentation.py
trainable_segmentation.py
graph
__init__.py
__pycache__
__init__.cpython-311.pyc
_graph.cpython-311.pyc
_graph_cut.cpython-311.pyc
_graph_merge.cpython-311.pyc
_ncut.cpython-311.pyc
_rag.cpython-311.pyc
mcp.cpython-311.pyc
spath.cpython-311.pyc
_graph.py
_graph_cut.py
_graph_merge.py
_mcp.cpython-311-x86_64-linux-gnu.so
_ncut.py
_ncut_cy.cpython-311-x86_64-linux-gnu.so
_rag.py
_spath.cpython-311-x86_64-linux-gnu.so
heap.cpython-311-x86_64-linux-gnu.so
mcp.py
spath.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_anisotropy.cpython-311.pyc
test_connect.cpython-311.pyc
test_flexible.cpython-311.pyc
test_heap.cpython-311.pyc
test_mcp.cpython-311.pyc
test_pixel_graph.cpython-311.pyc
test_rag.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_collection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_histograms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imageio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imread.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mpl_imshow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multi_image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sift.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_simpleitk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tiffiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_collection.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_histograms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imageio.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imread.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_io.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mpl_imshow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multi_image.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pil.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plugin.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sift.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_simpleitk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tiffiff.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ measure
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _blur_effect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _colocalization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _find_contours.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _label.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner_luts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments_analytical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _polygon.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _regionprops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _regionprops_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ block.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ entropy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ fit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ npoly.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ profile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _blur_effect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _ccomp.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _colocalization.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _find_contours.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _find_contours_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _label.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner_luts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments_analytical.py

```

```

_ moments.py.cpython-311-x86_64-linux-gnu.so
_ pnpoly.cpython-311-x86_64-linux-gnu.so
_ polygon.py
_ regionprops.py
_ regionprops_utils.py
block.py
entropy.py
fit.py
pnpoly.py
profile.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_block.cpython-311.pyc
        test_blur_effect.cpython-311.pyc
        test_ccomp.cpython-311.pyc
        test_colocalization.cpython-311.pyc
        test_entropy.cpython-311.pyc
        test_find_contours.cpython-311.pyc
        test_fit.cpython-311.pyc
        test_label.cpython-311.pyc
        test_marching_cubes.cpython-311.pyc
        test_moments.cpython-311.pyc
        test_pnpoly.cpython-311.pyc
        test_polygon.cpython-311.pyc
        test_profile.cpython-311.pyc
        test_regionprops.cpython-311.pyc
test_block.py
test_blur_effect.py
test_ccomp.py
test_colocalization.py
test_entropy.py
test_find_contours.py
test_fit.py
test_label.py
test_marching_cubes.py
test_moments.py
test_pnpoly.py
test_polygon.py
test_profile.py
test_regionprops.py
metrics
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _adapted_rand_error.cpython-311.pyc
        _contingency_table.cpython-311.pyc
        _structural_similarity.cpython-311.pyc
        _variation_of_information.cpython-311.pyc
        set_metrics.cpython-311.pyc
        simple_metrics.cpython-311.pyc
    _adapted_rand_error.py
    _contingency_table.py
    _structural_similarity.py
    _variation_of_information.py
    set_metrics.py
    simple_metrics.py

```

```

■ ■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_segmentation_metrics.cpython-311.pyc
■ ■ ■ ■ test_set_metrics.cpython-311.pyc
■ ■ ■ ■ test_simple_metrics.cpython-311.pyc
■ ■ ■ ■ test_structural_similarity.cpython-311.pyc
■ ■ ■ ■ test_segmentation_metrics.py
■ ■ ■ ■ test_set_metrics.py
■ ■ ■ ■ test_simple_metrics.py
■ ■ ■ ■ test_structural_similarity.py
■ ■ ■ morphology
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _flood_fill.cpython-311.pyc
■ ■ ■ ■ _skeletonize.cpython-311.pyc
■ ■ ■ ■ _util.cpython-311.pyc
■ ■ ■ ■ binary.cpython-311.pyc
■ ■ ■ ■ convex_hull.cpython-311.pyc
■ ■ ■ ■ extrema.cpython-311.pyc
■ ■ ■ ■ footprints.cpython-311.pyc
■ ■ ■ ■ gray.cpython-311.pyc
■ ■ ■ ■ grayreconstruct.cpython-311.pyc
■ ■ ■ ■ isotropic.cpython-311.pyc
■ ■ ■ ■ max_tree.cpython-311.pyc
■ ■ ■ ■ misc.cpython-311.pyc
■ ■ ■ ■ _convex_hull.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _extrema_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _flood_fill.py
■ ■ ■ ■ _flood_fill_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _grayreconstruct.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _max_tree.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _skeletonize.py
■ ■ ■ ■ _skeletonize_3d_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _skeletonize_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _util.py
■ ■ ■ ■ ball_decompositions.npy
■ ■ ■ ■ binary.py
■ ■ ■ ■ convex_hull.py
■ ■ ■ ■ disk_decompositions.npy
■ ■ ■ ■ extrema.py
■ ■ ■ ■ footprints.py
■ ■ ■ ■ gray.py
■ ■ ■ ■ grayreconstruct.py
■ ■ ■ ■ isotropic.py
■ ■ ■ ■ max_tree.py
■ ■ ■ ■ misc.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_binary.cpython-311.pyc
■ ■ ■ ■ test_convex_hull.cpython-311.pyc
■ ■ ■ ■ test_extrema.cpython-311.pyc
■ ■ ■ ■ test_flood_fill.cpython-311.pyc
■ ■ ■ ■ test_footprints.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_isotropic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_max_tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reconstruction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize_3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_binary.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_convex_hull.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_extrema.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_flood_fill.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_footprints.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gray.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_isotropic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_max_tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reconstruction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize_3d.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ registration
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _masked_phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _masked_phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ilk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_masked_phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tv1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ilk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_masked_phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tv1.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ restoration
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _cycle_spin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _denoise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ deconvolution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ inpaint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ j_invariant.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ non_local_means.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ rolling_ball.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ uft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ unwrap.cpython-311.pyc

```

```

cycle_spin.py
_denoise.py
_denoise_cy.cpython-311-x86_64-linux-gnu.so
_inpaint.cpython-311-x86_64-linux-gnu.so
_nl_means_denoising.cpython-311-x86_64-linux-gnu.so
_rolling_ball_cy.cpython-311-x86_64-linux-gnu.so
_unwrap_1d.cpython-311-x86_64-linux-gnu.so
_unwrap_2d.cpython-311-x86_64-linux-gnu.so
_unwrap_3d.cpython-311-x86_64-linux-gnu.so
deconvolution.py
inpaint.py
j_invariant.py
non_local_means.py
rolling_ball.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_denoise.cpython-311.pyc
        test_inpaint.cpython-311.pyc
        test_j_invariant.cpython-311.pyc
        test_restoration.cpython-311.pyc
        test_rolling_ball.cpython-311.pyc
        test_unwrap.cpython-311.pyc
    test_denoise.py
    test_inpaint.py
    test_j_invariant.py
    test_restoration.py
    test_rolling_ball.py
    test_unwrap.py
uft.py
unwrap.py
segmentation
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _chan_vese.cpython-311.pyc
        _clear_border.cpython-311.pyc
        _expand_labels.cpython-311.pyc
        _felzenszwalb.cpython-311.pyc
        _join.cpython-311.pyc
        _quickshift.cpython-311.pyc
        _watershed.cpython-311.pyc
        active_contour_model.cpython-311.pyc
        boundaries.cpython-311.pyc
        morphsnakes.cpython-311.pyc
        random_walker_segmentation.cpython-311.pyc
        slic_superpixels.cpython-311.pyc
    _chan_vese.py
    _clear_border.py
    _expand_labels.py
    _felzenszwalb.py
    _felzenszwalb_cy.cpython-311-x86_64-linux-gnu.so
    _join.py
    _quickshift.py
    _quickshift_cy.cpython-311-x86_64-linux-gnu.so
    _slic.cpython-311-x86_64-linux-gnu.so
    watershed.py

```



```

■      ■      ■      ■      ■      ■      ■■■■ _watershed_cy.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ active_contour_model.py
■      ■      ■      ■      ■      ■      ■■■■ boundaries.py
■      ■      ■      ■      ■      ■      ■■■■ morphsnakes.py
■      ■      ■      ■      ■      ■      ■■■■ random_walker_segmentation.py
■      ■      ■      ■      ■      ■      ■■■■ slic_superpixels.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_active_contour_model.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_boundaries.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_chan_vese.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_clear_border.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_expand_labels.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_felzenszwalb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_join.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_morphsnakes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_quickshift.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_random_walker.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_slic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_watershed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_active_contour_model.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_boundaries.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_chan_vese.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_clear_border.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_expand_labels.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_felzenszwalb.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_join.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_morphsnakes.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_quickshift.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_random_walker.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_slic.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_watershed.py
■      ■      ■      ■      ■      ■      ■■■■ transform
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ _geometric.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ _warps.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ finite_radon_transform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ hough_transform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ integral.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ pyramids.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ radon_transform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _geometric.py
■      ■      ■      ■      ■      ■      ■      ■■■■ _hough_transform.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■■■■ _radon_transform.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■■■■ _warps.py
■      ■      ■      ■      ■      ■      ■      ■■■■ _warps_cy.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■■■■ finite_radon_transform.py
■      ■      ■      ■      ■      ■      ■      ■■■■ hough_transform.py
■      ■      ■      ■      ■      ■      ■      ■■■■ integral.py
■      ■      ■      ■      ■      ■      ■      ■■■■ pyramids.py
■      ■      ■      ■      ■      ■      ■      ■■■■ radon_transform.py
■      ■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_regular_grid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_unique_rows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_apply_parallel.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_arraycrop.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_compare.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_dtype.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_invert.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_labels.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_map_array.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_montage.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_random_noise.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_regular_grid.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_shape.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_unique_rows.py
■ ■ ■ ■ ■ ■ ■ ■ ■ unique.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sklearn
■ ■ ■ ■ ■ ■ ■ ■ ■ __check_build
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _check_build.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ setup.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _distributor_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _min_dependencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ calibration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ discriminant_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ isotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ kernel_approximation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ kernel_ridge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ multiclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ multioutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ naive_bayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pipeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ random_projection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _build_utils
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ openmp_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pre_build_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ openmp_helpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ pre_build_helpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _distributor_init.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _isotonic.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ _loss
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py

```

```

■      ■    __pycache__
■      ■    ████ __init__.cpython-311.pyc
■      ■    ████ glm_distribution.cpython-311.pyc
■      ■    ████ link.cpython-311.pyc
■      ■    ████ loss.cpython-311.pyc
■      ■    ████ setup.cpython-311.pyc
■      ■    ████ _loss.cpython-311-x86_64-linux-gnu.so
■      ■    ████ _loss.pxd
■      ■    ████ glm_distribution.py
■      ■    ████ link.py
■      ■    ████ loss.py
■      ■    ████ setup.py
■      ■    ████ tests
■      ■    ████ __init__.py
■      ■    ████ __pycache__
■      ■     ████ __init__.cpython-311.pyc
■      ■     ████ test_glm_distribution.cpython-311.pyc
■      ■     ████ test_link.cpython-311.pyc
■      ■     ████ test_loss.cpython-311.pyc
■      ■     ████ test_glm_distribution.py
■      ■     ████ test_link.py
■      ■     ████ test_loss.py
■      ■    ████ _min_dependencies.py
■      ■    ████ base.py
■      ■    ████ calibration.py
■      ■    ████ cluster
■      ■    ████ __init__.py
■      ■    ████ __pycache__
■      ■     ████ __init__.cpython-311.pyc
■      ■     ████ _affinity_propagation.cpython-311.pyc
■      ■     ████ _agglomerative.cpython-311.pyc
■      ■     ████ _bicluster.cpython-311.pyc
■      ■     ████ _birch.cpython-311.pyc
■      ■     ████ _bisect_k_means.cpython-311.pyc
■      ■     ████ _dbscan.cpython-311.pyc
■      ■     ████ _feature_agglomeration.cpython-311.pyc
■      ■     ████ _kmeans.cpython-311.pyc
■      ■     ████ _mean_shift.cpython-311.pyc
■      ■     ████ _optics.cpython-311.pyc
■      ■     ████ _spectral.cpython-311.pyc
■      ■     ████ setup.cpython-311.pyc
■      ■    ████ _affinity_propagation.py
■      ■    ████ _agglomerative.py
■      ■    ████ _bicluster.py
■      ■    ████ _birch.py
■      ■    ████ _bisect_k_means.py
■      ■    ████ _dbscan.py
■      ■    ████ _dbscan_inner.cpython-311-x86_64-linux-gnu.so
■      ■    ████ _feature_agglomeration.py
■      ■    ████ _hierarchical_fast.cpython-311-x86_64-linux-gnu.so
■      ■    ████ _k_means_common.cpython-311-x86_64-linux-gnu.so
■      ■    ████ _k_means_common.pxd
■      ■    ████ _k_means_elkan.cpython-311-x86_64-linux-gnu.so
■      ■    ████ _k_means_lloyd.cpython-311-x86_64-linux-gnu.so
■      ■    ████ _k_means_minibatch.cpython-311-x86_64-linux-gnu.so
■      ■    ████ kmeans.py
■      ■    ████ _mean_shift.py
■      ■    ████ optics.py
```

```

    spectral.py
    setup.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    common.cpython-311.pyc
    test_affinity_propagation.cpython-311.pyc
    test_bicluster.cpython-311.pyc
    test_birch.cpython-311.pyc
    test_bisect_k_means.cpython-311.pyc
    test_dbscan.cpython-311.pyc
    test_feature_agglomeration.cpython-311.pyc
    test_hierarchical.cpython-311.pyc
    test_k_means.cpython-311.pyc
    test_mean_shift.cpython-311.pyc
    test_optics.cpython-311.pyc
    test_spectral.cpython-311.pyc
    common.py
    test_affinity_propagation.py
    test_bicluster.py
    test_birch.py
    test_bisect_k_means.py
    test_dbscan.py
    test_feature_agglomeration.py
    test_hierarchical.py
    test_k_means.py
    test_mean_shift.py
    test_optics.py
    test_spectral.py
    compose
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _column_transformer.cpython-311.pyc
    _target.cpython-311.pyc
    _column_transformer.py
    _target.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_column_transformer.cpython-311.pyc
    test_target.cpython-311.pyc
    test_column_transformer.py
    test_target.py
    conftest.py
    covariance
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _elliptic_envelope.cpython-311.pyc
    _empirical_covariance.cpython-311.pyc
    _graph_lasso.cpython-311.pyc
    _robust_covariance.cpython-311.pyc
    _shrunk_covariance.cpython-311.pyc
    _elliptic_envelope.py
    _empirical_covariance.py

```

```

graph_lasso.py
_robust_covariance.py
_shrunk_covariance.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_covariance.cpython-311.pyc
    test_elliptic_envelope.cpython-311.pyc
    test_graphical_lasso.cpython-311.pyc
    test_robust_covariance.cpython-311.pyc
    test_covariance.py
    test_elliptic_envelope.py
    test_graphical_lasso.py
    test_robust_covariance.py
cross_decomposition
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _pls.cpython-311.pyc
    _pls.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        test_pls.cpython-311.pyc
        test_pls.py
datasets
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _arff_parser.cpython-311.pyc
    _base.cpython-311.pyc
    _california_housing.cpython-311.pyc
    _covtype.cpython-311.pyc
    _kddcup99.cpython-311.pyc
    _lfw.cpython-311.pyc
    _olivetti_faces.cpython-311.pyc
    _openml.cpython-311.pyc
    _rcv1.cpython-311.pyc
    _samples_generator.cpython-311.pyc
    _species_distributions.cpython-311.pyc
    _svmlight_format_io.cpython-311.pyc
    _twenty_newsgroups.cpython-311.pyc
    setup.cpython-311.pyc
  _arff_parser.py
  _base.py
  _california_housing.py
  _covtype.py
  _kddcup99.py
  _lfw.py
  _olivetti_faces.py
  _openml.py
  _rcv1.py
  _samples_generator.py
  _species_distributions.py
  _svmlight_format_fast.cpython-311-x86_64-linux-gnu.so
  _svmlight_format_io.py

```

```

_ twenty_newsgroups.py
data
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    boston_house_prices.csv
    breast_cancer.csv
    diabetes_data_raw.csv.gz
    diabetes_target.csv.gz
    digits.csv.gz
    iris.csv
    linnerud_exercise.csv
    linnerud_physiological.csv
    wine_data.csv
descr
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    boston_house_prices.rst
    breast_cancer.rst
    california_housing.rst
    covtype.rst
    diabetes.rst
    digits.rst
    iris.rst
    kddcup99.rst
    lfw.rst
    linnerud.rst
    olivetti_faces.rst
    rcv1.rst
    twenty_newsgroups.rst
    wine_data.rst
images
    README.txt
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    china.jpg
    flower.jpg
setup.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        conftest.cpython-311.pyc
        test_20news.cpython-311.pyc
        test_base.cpython-311.pyc
        test_california_housing.cpython-311.pyc
        test_common.cpython-311.pyc
        test_covtype.cpython-311.pyc
        test_kddcup99.cpython-311.pyc
        test_lfw.cpython-311.pyc
        test_olivetti_faces.cpython-311.pyc
        test_openml.cpython-311.pyc
        test_rcv1.cpython-311.pyc
        test_samples_generator.cpython-311.pyc
        test_svmlight_format.cpython-311.pyc
    conftest.py

```

```
data
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  openml
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
  id_1
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api-v1-jd-1.json.gz
    api-v1-jdf-1.json.gz
    api-v1-jdq-1.json.gz
    data-v1-dl-1.arff.gz
  id_1119
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api-v1-jd-1119.json.gz
    api-v1-jdf-1119.json.gz
    api-v1-jdl-dn-adult-census-l-2-dv-1.json.gz
    api-v1-jdl-dn-adult-census-l-2-s-act-.json.gz
    api-v1-jdq-1119.json.gz
    data-v1-dl-54002.arff.gz
  id_2
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api-v1-jd-2.json.gz
    api-v1-jdf-2.json.gz
    api-v1-jdl-dn-anneal-l-2-dv-1.json.gz
    api-v1-jdl-dn-anneal-l-2-s-act-.json.gz
    api-v1-jdq-2.json.gz
    data-v1-dl-1666876.arff.gz
  id_292
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api-v1-jd-292.json.gz
    api-v1-jd-40981.json.gz
    api-v1-jdf-292.json.gz
    api-v1-jdf-40981.json.gz
    api-v1-jdl-dn-australian-l-2-dv-1-s-dact.json.gz
    api-v1-jdl-dn-australian-l-2-dv-1.json.gz
    api-v1-jdl-dn-australian-l-2-s-act-.json.gz
    data-v1-dl-49822.arff.gz
  id_3
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api-v1-jd-3.json.gz
    api-v1-jdf-3.json.gz
    api-v1-jdq-3.json.gz
    data-v1-dl-3.arff.gz
  id_40589
    __init__.py
```



```

██████████__pycache__
██████████___init__.cpython-311.pyc
██████████api-v1-jd-40589.json.gz
██████████api-v1-jdf-40589.json.gz
██████████api-v1-jdl-dn-emotions-l-2-dv-3.json.gz
██████████api-v1-jdl-dn-emotions-l-2-s-act-.json.gz
██████████api-v1-jdq-40589.json.gz
██████████data-v1-dl-4644182.arff.gz
██████████id_40675
██████████___init__.py
██████████__pycache__
██████████___init__.cpython-311.pyc
██████████api-v1-jd-40675.json.gz
██████████api-v1-jdf-40675.json.gz
██████████api-v1-jdl-dn-glass2-l-2-dv-1-s-dact.json.gz
██████████api-v1-jdl-dn-glass2-l-2-dv-1.json.gz
██████████api-v1-jdl-dn-glass2-l-2-s-act-.json.gz
██████████api-v1-jdq-40675.json.gz
██████████data-v1-dl-4965250.arff.gz
██████████id_40945
██████████___init__.py
██████████__pycache__
██████████___init__.cpython-311.pyc
██████████api-v1-jd-40945.json.gz
██████████api-v1-jdf-40945.json.gz
██████████api-v1-jdq-40945.json.gz
██████████data-v1-dl-16826755.arff.gz
██████████id_40966
██████████___init__.py
██████████__pycache__
██████████___init__.cpython-311.pyc
██████████api-v1-jd-40966.json.gz
██████████api-v1-jdf-40966.json.gz
██████████api-v1-jdl-dn-miceprotein-l-2-dv-4.json.gz
██████████api-v1-jdl-dn-miceprotein-l-2-s-act-.json.gz
██████████api-v1-jdq-40966.json.gz
██████████data-v1-dl-17928620.arff.gz
██████████id_42585
██████████___init__.py
██████████__pycache__
██████████___init__.cpython-311.pyc
██████████api-v1-jd-42585.json.gz
██████████api-v1-jdf-42585.json.gz
██████████api-v1-jdq-42585.json.gz
██████████data-v1-dl-21854866.arff.gz
██████████id_561
██████████___init__.py
██████████__pycache__
██████████___init__.cpython-311.pyc
██████████api-v1-jd-561.json.gz
██████████api-v1-jdf-561.json.gz
██████████api-v1-jdl-dn-cpu-l-2-dv-1.json.gz
██████████api-v1-jdl-dn-cpu-l-2-s-act-.json.gz
██████████api-v1-jdq-561.json.gz
██████████data-v1-dl-52739.arff.gz
██████████id_61
██████████___init__.py
██████████__pycache__

```

```

    ■■■ __init__.cpython-311.pyc
    ■■■ api-v1-jd-61.json.gz
    ■■■ api-v1-jdf-61.json.gz
    ■■■ api-v1-jdl-dn-iris-l-2-dv-1.json.gz
    ■■■ api-v1-jdl-dn-iris-l-2-s-act-.json.gz
    ■■■ api-v1-jdq-61.json.gz
    ■■■ data-v1-dl-61.arff.gz
    ■■■ id_62
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ api-v1-jd-62.json.gz
    ■■■ api-v1-jdf-62.json.gz
    ■■■ api-v1-jdq-62.json.gz
    ■■■ data-v1-dl-52352.arff.gz
    ■■■ svmlight_classification.txt
    ■■■ svmlight_invalid.txt
    ■■■ svmlight_invalid_order.txt
    ■■■ svmlight_multilabel.txt
    ■■■ test_20news.py
    ■■■ test_base.py
    ■■■ test_california_housing.py
    ■■■ test_common.py
    ■■■ test_covtype.py
    ■■■ test_kddcup99.py
    ■■■ test_lfw.py
    ■■■ test_olivetti_faces.py
    ■■■ test_openml.py
    ■■■ test_rcv1.py
    ■■■ test_samples_generator.py
    ■■■ test_svmlight_format.py
    ■■■ decomposition
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _base.cpython-311.pyc
    ■■■ _dict_learning.cpython-311.pyc
    ■■■ _factor_analysis.cpython-311.pyc
    ■■■ _fastica.cpython-311.pyc
    ■■■ _incremental_pca.cpython-311.pyc
    ■■■ _kernel_pca.cpython-311.pyc
    ■■■ _lda.cpython-311.pyc
    ■■■ _nmf.cpython-311.pyc
    ■■■ _pca.cpython-311.pyc
    ■■■ _sparse_pca.cpython-311.pyc
    ■■■ _truncated_svd.cpython-311.pyc
    ■■■ setup.cpython-311.pyc
    ■■■ _base.py
    ■■■ _cdnmf_fast.cpython-311-x86_64-linux-gnu.so
    ■■■ _dict_learning.py
    ■■■ _factor_analysis.py
    ■■■ _fastica.py
    ■■■ _incremental_pca.py
    ■■■ _kernel_pca.py
    ■■■ _lda.py
    ■■■ _nmf.py
    ■■■ _online_lda_fast.cpython-311-x86_64-linux-gnu.so
    ■■■ _pca.py

```

```

    _sparse_pca.py
    _truncated_svd.py
    setup.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_dict_learning.cpython-311.pyc
    test_factor_analysis.cpython-311.pyc
    test_fastica.cpython-311.pyc
    test_incremental_pca.cpython-311.pyc
    test_kernel_pca.cpython-311.pyc
    test_nmf.cpython-311.pyc
    test_online_lda.cpython-311.pyc
    test_pca.cpython-311.pyc
    test_sparse_pca.cpython-311.pyc
    test_truncated_svd.cpython-311.pyc
    test_dict_learning.py
    test_factor_analysis.py
    test_fastica.py
    test_incremental_pca.py
    test_kernel_pca.py
    test_nmf.py
    test_online_lda.py
    test_pca.py
    test_sparse_pca.py
    test_truncated_svd.py
    discriminant_analysis.py
    dummy.py
    ensemble
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bagging.cpython-311.pyc
    _base.cpython-311.pyc
    _forest.cpython-311.pyc
    _gb.cpython-311.pyc
    _gb_losses.cpython-311.pyc
    _iforest.cpython-311.pyc
    _stacking.cpython-311.pyc
    _voting.cpython-311.pyc
    _weight_boosting.cpython-311.pyc
    setup.cpython-311.pyc
    _bagging.py
    _base.py
    _forest.py
    _gb.py
    _gb_losses.py
    _gradient_boosting.cpython-311-x86_64-linux-gnu.so
    _hist_gradient_boosting
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    binning.cpython-311.pyc
    gradient_boosting.cpython-311.pyc
    grower.cpython-311.pyc
    predictor.cpython-311.pyc
    binning.cpython-311-x86_64-linux-gnu.so

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ _bitset.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _bitset.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ _gradient_boosting.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _predictor.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ binning.py
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ common.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ gradient_boosting.py
■ ■ ■ ■ ■ ■ ■ ■■■ grower.py
■ ■ ■ ■ ■ ■ ■ ■■■ histogram.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ predictor.py
■ ■ ■ ■ ■ ■ ■ ■■■ splitting.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_binning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_bitset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_compare_lightgbm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_gradient_boosting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_grower.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_histogram.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_monotonic_constraints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_predictor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_splitting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_warm_start.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_binning.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_bitset.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_compare_lightgbm.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_gradient_boosting.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_grower.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_histogram.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_monotonic_constraints.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_predictor.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_splitting.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_warm_start.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ utils.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _iforest.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _stacking.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _voting.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _weight_boosting.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_bagging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_forest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_gradient_boosting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_gradient_boosting_loss_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_iforest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_stacking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_voting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ test_weight_boosting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_bagging.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_base.py
```

```

test_common.py
test_forest.py
test_gradient_boosting.py
test_gradient_boosting_loss_functions.py
test_iforest.py
test_stacking.py
test_voting.py
test_weight_boosting.py
exceptions.py
experimental
__init__.py
__pycache__
__init__.cpython-311.pyc
enable_halving_search_cv.cpython-311.pyc
enable_hist_gradient_boosting.cpython-311.pyc
enable_iterative_imputer.cpython-311.pyc
enable_halving_search_cv.py
enable_hist_gradient_boosting.py
enable_iterative_imputer.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_enable_hist_gradient_boosting.cpython-311.pyc
test_enable_iterative_imputer.cpython-311.pyc
test_enable_successive_halving.cpython-311.pyc
test_enable_hist_gradient_boosting.py
test_enable_iterative_imputer.py
test_enable_successive_halving.py
externals
__init__.py
__pycache__
__init__.cpython-311.pyc
_arff.cpython-311.pyc
_lobpcg.cpython-311.pyc
_numpy_compiler_patch.cpython-311.pyc
conftest.cpython-311.pyc
_arff.py
_lobpcg.py
_numpy_compiler_patch.py
_packaging
__init__.py
__pycache__
__init__.cpython-311.pyc
_structures.cpython-311.pyc
version.cpython-311.pyc
_structures.py
version.py
conftest.py
feature_extraction
__init__.py
__pycache__
__init__.cpython-311.pyc
_dict_vectorizer.cpython-311.pyc
_hash.cpython-311.pyc
_stop_words.cpython-311.pyc
image.cpython-311.pyc
setup.cpython-311.pyc

```

```

text.cpython-311.pyc
dict_vectorizer.py
hash.py
hashing_fast.cpython-311-x86_64-linux-gnu.so
stop_words.py
image.py
setup.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_dict_vectorizer.cpython-311.pyc
    test_feature_hasher.cpython-311.pyc
    test_image.cpython-311.pyc
    test_text.cpython-311.pyc
  test_dict_vectorizer.py
  test_feature_hasher.py
  test_image.py
  test_text.py
text.py
feature_selection
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _base.cpython-311.pyc
    _from_model.cpython-311.pyc
    _mutual_info.cpython-311.pyc
    _rfe.cpython-311.pyc
    _sequential.cpython-311.pyc
    _univariate_selection.cpython-311.pyc
    _variance_threshold.cpython-311.pyc
  _base.py
  _from_model.py
  _mutual_info.py
  _rfe.py
  _sequential.py
  _univariate_selection.py
  _variance_threshold.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_base.cpython-311.pyc
      test_chi2.cpython-311.pyc
      test_feature_select.cpython-311.pyc
      test_from_model.cpython-311.pyc
      test_mutual_info.cpython-311.pyc
      test_rfe.cpython-311.pyc
      test_sequential.cpython-311.pyc
      test_variance_threshold.cpython-311.pyc
    test_base.py
    test_chi2.py
    test_feature_select.py
    test_from_model.py
    test_mutual_info.py
    test_rfe.py
    test_sequential.py
    test_variance_threshold.py

```

```

■   ■   ■   ■   ■   ■   ■   gaussian_process
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _gpc.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _gpr.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   kernels.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _gpc.py
■   ■   ■   ■   ■   ■   ■   ■   _gpr.py
■   ■   ■   ■   ■   ■   ■   ■   kernels.py
■   ■   ■   ■   ■   ■   ■   ■   tests
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _mini_sequence_kernel.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_gpc.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_gpr.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_kernels.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _mini_sequence_kernel.py
■   ■   ■   ■   ■   ■   ■   ■   test_gpc.py
■   ■   ■   ■   ■   ■   ■   ■   test_gpr.py
■   ■   ■   ■   ■   ■   ■   ■   test_kernels.py
■   ■   ■   ■   ■   ■   ■   ■   impute
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _base.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _iterative.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _knn.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _base.py
■   ■   ■   ■   ■   ■   ■   ■   _iterative.py
■   ■   ■   ■   ■   ■   ■   ■   _knn.py
■   ■   ■   ■   ■   ■   ■   ■   tests
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_base.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_common.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_impute.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_knn.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_base.py
■   ■   ■   ■   ■   ■   ■   ■   test_common.py
■   ■   ■   ■   ■   ■   ■   ■   test_impute.py
■   ■   ■   ■   ■   ■   ■   ■   test_knn.py
■   ■   ■   ■   ■   ■   ■   ■   inspection
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _partial_dependence.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _permutation_importance.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   setup.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _partial_dependence.py
■   ■   ■   ■   ■   ■   ■   ■   _permutation_importance.py
■   ■   ■   ■   ■   ■   ■   ■   _plot
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   decision_boundary.cpython-311.pyc

```

```

    partial_dependence.cpython-311.pyc
    decision_boundary.py
    partial_dependence.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_boundary_decision_display.cpython-311.pyc
    test_plot_partial_dependence.cpython-311.pyc
    test_boundary_decision_display.py
    test_plot_partial_dependence.py
    setup.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_partial_dependence.cpython-311.pyc
    test_permutation_importance.cpython-311.pyc
    test_partial_dependence.py
    test_permutation_importance.py
    isotonic.py
    kernel_approximation.py
    kernel_ridge.py
    linear_model
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _base.cpython-311.pyc
    _bayes.cpython-311.pyc
    _coordinate_descent.cpython-311.pyc
    _huber.cpython-311.pyc
    _least_angle.cpython-311.pyc
    _linear_loss.cpython-311.pyc
    _logistic.cpython-311.pyc
    _omp.cpython-311.pyc
    _passive_aggressive.cpython-311.pyc
    _perceptron.cpython-311.pyc
    _quantile.cpython-311.pyc
    _ransac.cpython-311.pyc
    _ridge.cpython-311.pyc
    _sag.cpython-311.pyc
    _stochastic_gradient.cpython-311.pyc
    _theil_sen.cpython-311.pyc
    setup.cpython-311.pyc
    _base.py
    _bayes.py
    _cd_fast.cpython-311-x86_64-linux-gnu.so
    _coordinate_descent.py
    _glm
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    glm.cpython-311.pyc
    glm.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc

```



```

■ ■ ■ test_glm.cpython-311.pyc
■ ■ ■ test_glm.py
■ ■ ■ _huber.py
■ ■ ■ _least_angle.py
■ ■ ■ _linear_loss.py
■ ■ ■ _logistic.py
■ ■ ■ _omp.py
■ ■ ■ _passive_aggressive.py
■ ■ ■ _perceptron.py
■ ■ ■ _quantile.py
■ ■ ■ _ransac.py
■ ■ ■ _ridge.py
■ ■ ■ _sag.py
■ ■ ■ _sag_fast.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _sgd_fast.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _sgd_fast.pxd
■ ■ ■ _stochastic_gradient.py
■ ■ ■ _theil_sen.py
■ ■ ■ setup.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ test_bayes.cpython-311.pyc
■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ test_coordinate_descent.cpython-311.pyc
■ ■ ■ test_huber.cpython-311.pyc
■ ■ ■ test_least_angle.cpython-311.pyc
■ ■ ■ test_linear_loss.cpython-311.pyc
■ ■ ■ test_logistic.cpython-311.pyc
■ ■ ■ test_omp.cpython-311.pyc
■ ■ ■ test_passive_aggressive.cpython-311.pyc
■ ■ ■ test_perceptron.cpython-311.pyc
■ ■ ■ test_quantile.cpython-311.pyc
■ ■ ■ test_ransac.cpython-311.pyc
■ ■ ■ test_ridge.cpython-311.pyc
■ ■ ■ test_sag.cpython-311.pyc
■ ■ ■ test_sgd.cpython-311.pyc
■ ■ ■ test_sparse_coordinate_descent.cpython-311.pyc
■ ■ ■ test_theil_sen.cpython-311.pyc
■ ■ ■ test_base.py
■ ■ ■ test_bayes.py
■ ■ ■ test_common.py
■ ■ ■ test_coordinate_descent.py
■ ■ ■ test_huber.py
■ ■ ■ test_least_angle.py
■ ■ ■ test_linear_loss.py
■ ■ ■ test_logistic.py
■ ■ ■ test_omp.py
■ ■ ■ test_passive_aggressive.py
■ ■ ■ test_perceptron.py
■ ■ ■ test_quantile.py
■ ■ ■ test_ransac.py
■ ■ ■ test_ridge.py
■ ■ ■ test_sag.py
■ ■ ■ test_sgd.py
■ ■ ■ test_sparse_coordinate_descent.py

```

```

test_theil_sen.py
manifold
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _isomap.cpython-311.pyc
    _locally_linear.cpython-311.pyc
    _mds.cpython-311.pyc
    _spectral_embedding.cpython-311.pyc
    _t_sne.cpython-311.pyc
    setup.cpython-311.pyc
    _barnes_hut_tsne.cpython-311-x86_64-linux-gnu.so
    _isomap.py
    _locally_linear.py
    _mds.py
    _spectral_embedding.py
    _t_sne.py
    _utils.cpython-311-x86_64-linux-gnu.so
    setup.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        test_isomap.cpython-311.pyc
        test_locally_linear.cpython-311.pyc
        test_mds.cpython-311.pyc
        test_spectral_embedding.cpython-311.pyc
        test_t_sne.cpython-311.pyc
      test_isomap.py
      test_locally_linear.py
      test_mds.py
      test_spectral_embedding.py
      test_t_sne.py
  metrics
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _base.cpython-311.pyc
      _classification.cpython-311.pyc
      _ranking.cpython-311.pyc
      _regression.cpython-311.pyc
      _scorer.cpython-311.pyc
      pairwise.cpython-311.pyc
      setup.cpython-311.pyc
    _base.py
    _classification.py
    _dist_metrics.cpython-311-x86_64-linux-gnu.so
    _dist_metrics.pxd
    _pairwise_distances_reduction.cpython-311-x86_64-linux-gnu.so
    _pairwise_fast.cpython-311-x86_64-linux-gnu.so
    _plot
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        base.cpython-311.pyc
        confusion_matrix.cpython-311.pyc
        det_curve.cpython-311.pyc
        precision_recall_curve.cpython-311.pyc

```

```

■ ■ ■ roc_curve.cpython-311.pyc
■ ■ ■ base.py
■ ■ ■ confusion_matrix.py
■ ■ ■ det_curve.py
■ ■ ■ precision_recall_curve.py
■ ■ ■ roc_curve.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ test_common_curve_display.cpython-311.pyc
■ ■ ■ test_confusion_matrix_display.cpython-311.pyc
■ ■ ■ test_det_curve_display.cpython-311.pyc
■ ■ ■ test_plot_confusion_matrix.cpython-311.pyc
■ ■ ■ test_plot_curve_common.cpython-311.pyc
■ ■ ■ test_plot_det_curve.cpython-311.pyc
■ ■ ■ test_plot_precision_recall.cpython-311.pyc
■ ■ ■ test_plot_roc_curve.cpython-311.pyc
■ ■ ■ test_precision_recall_display.cpython-311.pyc
■ ■ ■ test_roc_curve_display.cpython-311.pyc
■ ■ ■ test_base.py
■ ■ ■ test_common_curve_display.py
■ ■ ■ test_confusion_matrix_display.py
■ ■ ■ test_det_curve_display.py
■ ■ ■ test_plot_confusion_matrix.py
■ ■ ■ test_plot_curve_common.py
■ ■ ■ test_plot_det_curve.py
■ ■ ■ test_plot_precision_recall.py
■ ■ ■ test_plot_roc_curve.py
■ ■ ■ test_precision_recall_display.py
■ ■ ■ test_roc_curve_display.py
■ ■ ■ _ranking.py
■ ■ ■ _regression.py
■ ■ ■ _scorer.py
■ ■ ■ cluster
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _bicluster.cpython-311.pyc
■ ■ ■ _supervised.cpython-311.pyc
■ ■ ■ _unsupervised.cpython-311.pyc
■ ■ ■ setup.cpython-311.pyc
■ ■ ■ _bicluster.py
■ ■ ■ _expected_mutual_info_fast.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _supervised.py
■ ■ ■ _unsupervised.py
■ ■ ■ setup.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_bicluster.cpython-311.pyc
■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ test_supervised.cpython-311.pyc
■ ■ ■ test_unsupervised.cpython-311.pyc
■ ■ ■ test_bicluster.py
■ ■ ■ test_common.py

```

```

■      ■      ■      ■      ■      ■      ■      ■      test_supervised.py
■      ■      ■      ■      ■      ■      ■      ■      test_unsupervised.py
■      ■      ■      ■      ■      ■      ■      ■      pairwise.py
■      ■      ■      ■      ■      ■      ■      ■      setup.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_classification.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_dist_metrics.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_pairwise.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_pairwise_distances_reduction.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_ranking.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_regression.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_score_objects.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_classification.py
■      ■      ■      ■      ■      ■      ■      ■      test_common.py
■      ■      ■      ■      ■      ■      ■      ■      test_dist_metrics.py
■      ■      ■      ■      ■      ■      ■      ■      test_pairwise.py
■      ■      ■      ■      ■      ■      ■      ■      test_pairwise_distances_reduction.py
■      ■      ■      ■      ■      ■      ■      ■      test_ranking.py
■      ■      ■      ■      ■      ■      ■      ■      test_regression.py
■      ■      ■      ■      ■      ■      ■      ■      test_score_objects.py
■      ■      ■      ■      ■      ■      ■      ■      mixture
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _bayesian_mixture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _gaussian_mixture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _base.py
■      ■      ■      ■      ■      ■      ■      ■      _bayesian_mixture.py
■      ■      ■      ■      ■      ■      ■      ■      _gaussian_mixture.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_bayesian_mixture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_gaussian_mixture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_mixture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_bayesian_mixture.py
■      ■      ■      ■      ■      ■      ■      ■      test_gaussian_mixture.py
■      ■      ■      ■      ■      ■      ■      ■      test_mixture.py
■      ■      ■      ■      ■      ■      ■      ■      model_selection
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _search.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _search_successive_halving.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _split.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _validation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _search.py
■      ■      ■      ■      ■      ■      ■      ■      _search_successive_halving.py
■      ■      ■      ■      ■      ■      ■      ■      _split.py
■      ■      ■      ■      ■      ■      ■      ■      _validation.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py

```

```

███████ __pycache__
███████   __init__.cpython-311.pyc
███████   common.cpython-311.pyc
███████   test_search.cpython-311.pyc
███████   test_split.cpython-311.pyc
███████   test_successive_halving.cpython-311.pyc
███████   test_validation.cpython-311.pyc
███████   common.py
███████   test_search.py
███████   test_split.py
███████   test_successive_halving.py
███████   test_validation.py
███████ multiclass.py
███████ multioutput.py
███████ naive_bayes.py
███████ neighbors
███████   __init__.py
███████   __pycache__
███████     __init__.cpython-311.pyc
███████     _base.cpython-311.pyc
███████     _classification.cpython-311.pyc
███████     _distance_metric.cpython-311.pyc
███████     _graph.cpython-311.pyc
███████     _kde.cpython-311.pyc
███████     _lof.cpython-311.pyc
███████     _nca.cpython-311.pyc
███████     _nearest_centroid.cpython-311.pyc
███████     _regression.cpython-311.pyc
███████     _unsupervised.cpython-311.pyc
███████     setup.cpython-311.pyc
███████ _ball_tree.cpython-311-x86_64-linux-gnu.so
███████ _base.py
███████ _classification.py
███████ _distance_metric.py
███████ _graph.py
███████ _kd_tree.cpython-311-x86_64-linux-gnu.so
███████ _kde.py
███████ _lof.py
███████ _nca.py
███████ _nearest_centroid.py
███████ _partition_nodes.cpython-311-x86_64-linux-gnu.so
███████ _partition_nodes.pxd
███████ _quad_tree.cpython-311-x86_64-linux-gnu.so
███████ _quad_tree.pxd
███████ _regression.py
███████ _unsupervised.py
███████ setup.py
███████ tests
███████   __init__.py
███████   __pycache__
███████     __init__.cpython-311.pyc
███████     test_ball_tree.cpython-311.pyc
███████     test_graph.cpython-311.pyc
███████     test_kd_tree.cpython-311.pyc
███████     test_kde.cpython-311.pyc
███████     test_lof.cpython-311.pyc
███████     test_nca.cpython-311.pyc
███████     test_nearest_centroid.cpython-311.pyc

```

```

■ ■ ■ test_neighbors.cpython-311.pyc
■ ■ ■ test_neighbors_pipeline.cpython-311.pyc
■ ■ ■ test_neighbors_tree.cpython-311.pyc
■ ■ ■ test_quad_tree.cpython-311.pyc
■ ■ ■ test_ball_tree.py
■ ■ ■ test_graph.py
■ ■ ■ test_kd_tree.py
■ ■ ■ test_kde.py
■ ■ ■ test_lof.py
■ ■ ■ test_nca.py
■ ■ ■ test_nearest_centroid.py
■ ■ ■ test_neighbors.py
■ ■ ■ test_neighbors_pipeline.py
■ ■ ■ test_neighbors_tree.py
■ ■ ■ test_quad_tree.py
■ ■ ■ neural_network
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _base.cpython-311.pyc
■ ■ ■ _multilayer_perceptron.cpython-311.pyc
■ ■ ■ _rbm.cpython-311.pyc
■ ■ ■ _stochastic_optimizers.cpython-311.pyc
■ ■ ■ _base.py
■ ■ ■ _multilayer_perceptron.py
■ ■ ■ _rbm.py
■ ■ ■ _stochastic_optimizers.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ test_mlp.cpython-311.pyc
■ ■ ■ test_rbm.cpython-311.pyc
■ ■ ■ test_stochastic_optimizers.cpython-311.pyc
■ ■ ■ test_base.py
■ ■ ■ test_mlp.py
■ ■ ■ test_rbm.py
■ ■ ■ test_stochastic_optimizers.py
■ ■ ■ pipeline.py
■ ■ ■ preprocessing
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _data.cpython-311.pyc
■ ■ ■ _discretization.cpython-311.pyc
■ ■ ■ _encoders.cpython-311.pyc
■ ■ ■ _function_transformer.cpython-311.pyc
■ ■ ■ _label.cpython-311.pyc
■ ■ ■ _polynomial.cpython-311.pyc
■ ■ ■ setup.cpython-311.pyc
■ ■ ■ _csr_polynomial_expansion.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _data.py
■ ■ ■ _discretization.py
■ ■ ■ _encoders.py
■ ■ ■ _function_transformer.py
■ ■ ■ _label.py
■ ■ ■ _polynomial.py
```

```

    setup.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_common.cpython-311.pyc
test_data.cpython-311.pyc
test_discretization.cpython-311.pyc
test_encoders.cpython-311.pyc
test_function_transformer.cpython-311.pyc
test_label.cpython-311.pyc
test_polynomial.cpython-311.pyc
test_common.py
test_data.py
test_discretization.py
test_encoders.py
test_function_transformer.py
test_label.py
test_polynomial.py
random_projection.py
semi_supervised
__init__.py
__pycache__
__init__.cpython-311.pyc
_label_propagation.cpython-311.pyc
_self_training.cpython-311.pyc
_label_propagation.py
_self_training.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_label_propagation.cpython-311.pyc
test_self_training.cpython-311.pyc
test_label_propagation.py
test_self_training.py
setup.py
svm
__init__.py
__pycache__
__init__.cpython-311.pyc
_base.cpython-311.pyc
_bounds.cpython-311.pyc
_classes.cpython-311.pyc
_setup.cpython-311.pyc
_base.py
_bounds.py
_classes.py
_liblinear.cpython-311-x86_64-linux-gnu.so
_libsvm.cpython-311-x86_64-linux-gnu.so
_libsvm_sparse.cpython-311-x86_64-linux-gnu.so
_newrand.cpython-311-x86_64-linux-gnu.so
setup.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_bounds.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_svm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bounds.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_sparse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_svm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ random_seed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_calibration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_check_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_discriminant_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstring_parameters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstrings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_isotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_approximation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_ridge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_metaestimators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_min_dependencies_readme.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multiclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multioutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_naive_bayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pipeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_random_projection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ random_seed.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_build.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_calibration.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_check_build.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_common.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_discriminant_analysis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstring_parameters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstrings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_dummy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_init.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_isotonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_approximation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_ridge.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_metaestimators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_min_dependencies_readme.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multiclass.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multioutput.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_naive_bayes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pipeline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_random_projection.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tree
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _classes.cpython-311.pyc

```



```

    █ _export.cpython-311.pyc
    █ _reingold_tilford.cpython-311.pyc
    █ setup.cpython-311.pyc
    █ _classes.py
    █ _criterion.cpython-311-x86_64-linux-gnu.so
    █ _criterion.pxd
    █ _export.py
    █ _reingold_tilford.py
    █ _splitter.cpython-311-x86_64-linux-gnu.so
    █ _splitter.pxd
    █ _tree.cpython-311-x86_64-linux-gnu.so
    █ _tree.pxd
    █ _utils.cpython-311-x86_64-linux-gnu.so
    █ _utils.pxd
    █ setup.py
    █ tests
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ test_export.cpython-311.pyc
    █     █ test_reingold_tilford.cpython-311.pyc
    █     █ test_tree.cpython-311.pyc
    █     █ test_export.py
    █     █ test_reingold_tilford.py
    █     █ test_tree.py
    █ utils
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _arpack.cpython-311.pyc
    █     █ _bunch.cpython-311.pyc
    █     █ _encode.cpython-311.pyc
    █     █ _estimator_html_repr.cpython-311.pyc
    █     █ _joblib.cpython-311.pyc
    █     █ _mask.cpython-311.pyc
    █     █ _mocking.cpython-311.pyc
    █     █ _pprint.cpython-311.pyc
    █     █ _show_versions.cpython-311.pyc
    █     █ _tags.cpython-311.pyc
    █     █ _testing.cpython-311.pyc
    █     █ class_weight.cpython-311.pyc
    █     █ deprecation.cpython-311.pyc
    █     █ estimator_checks.cpython-311.pyc
    █     █ extmath.cpython-311.pyc
    █     █ fixes.cpython-311.pyc
    █     █ graph.cpython-311.pyc
    █     █ metaestimators.cpython-311.pyc
    █     █ multiclass.cpython-311.pyc
    █     █ optimize.cpython-311.pyc
    █     █ random.cpython-311.pyc
    █     █ setup.cpython-311.pyc
    █     █ sparsefuncs.cpython-311.pyc
    █     █ stats.cpython-311.pyc
    █     █ validation.cpython-311.pyc
    █   █ _arpack.py
    █   █ _bunch.py
    █   █ _cython_blas.cpython-311-x86_64-linux-gnu.so
    █   █ _cython_blas.pxd

```

■	■	■	■	■	■	■■■	_encode.py
■	■	■	■	■	■	■■■	_estimator_html_repr.py
■	■	■	■	■	■	■■■	_fast_dict.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_fast_dict.pxd
■	■	■	■	■	■	■■■	_heap.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_heap.pxd
■	■	■	■	■	■	■■■	_joblib.py
■	■	■	■	■	■	■■■	_logistic_sigmoid.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_mask.py
■	■	■	■	■	■	■■■	_mocking.py
■	■	■	■	■	■	■■■	_openmp_helpers.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_openmp_helpers.pxd
■	■	■	■	■	■	■■■	_pprint.py
■	■	■	■	■	■	■■■	_random.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_random.pxd
■	■	■	■	■	■	■■■	_readonly_array_wrapper.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_seq_dataset.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_seq_dataset.pxd
■	■	■	■	■	■	■■■	_show_versions.py
■	■	■	■	■	■	■■■	_sorting.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_sorting.pxd
■	■	■	■	■	■	■■■	_tags.py
■	■	■	■	■	■	■■■	_testing.py
■	■	■	■	■	■	■■■	_typedefs.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_typedefs.pxd
■	■	■	■	■	■	■■■	_vector_sentinel.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_vector_sentinel.pxd
■	■	■	■	■	■	■■■	_weight_vector.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_weight_vector.pxd
■	■	■	■	■	■	■■■	arrayfuncs.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	class_weight.py
■	■	■	■	■	■	■■■	deprecation.py
■	■	■	■	■	■	■■■	estimator_checks.py
■	■	■	■	■	■	■■■	extmath.py
■	■	■	■	■	■	■■■	fixes.py
■	■	■	■	■	■	■■■	graph.py
■	■	■	■	■	■	■■■	metaestimators.py
■	■	■	■	■	■	■■■	multiclass.py
■	■	■	■	■	■	■■■	murmurhash.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	murmurhash.pxd
■	■	■	■	■	■	■■■	optimize.py
■	■	■	■	■	■	■■■	random.py
■	■	■	■	■	■	■■■	setup.py
■	■	■	■	■	■	■■■	sparsefuncs.py
■	■	■	■	■	■	■■■	sparsefuncs_fast.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	stats.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ conftest.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_arpack.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_arrayfuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_class_weight.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cython_blas.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cython_templating.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_deprecation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_encode.cpython-311.pyc

■	■	■	■	■	■	■	■■■■	test_estimator_checks.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_estimator_html_repr.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_extmath.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_fast_dict.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_fixes.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_metaestimators.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_mocking.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_multiclass.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_murmurhash.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_parallel.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_pprint.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_readonly_wrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_seq_dataset.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_shortest_path.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_show_versions.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_sparsefuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_stats.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_tags.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_validation.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_weight_vector.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	conftest.py
■	■	■	■	■	■	■	■■■■	test_arpack.py
■	■	■	■	■	■	■	■■■■	test_arrayfuncs.py
■	■	■	■	■	■	■	■■■■	test_class_weight.py
■	■	■	■	■	■	■	■■■■	test_cython_blas.py
■	■	■	■	■	■	■	■■■■	test_cython_templating.py
■	■	■	■	■	■	■	■■■■	test_deprecation.py
■	■	■	■	■	■	■	■■■■	test_encode.py
■	■	■	■	■	■	■	■■■■	test_estimator_checks.py
■	■	■	■	■	■	■	■■■■	test_estimator_html_repr.py
■	■	■	■	■	■	■	■■■■	test_extmath.py
■	■	■	■	■	■	■	■■■■	test_fast_dict.py
■	■	■	■	■	■	■	■■■■	test_fixes.py
■	■	■	■	■	■	■	■■■■	test_graph.py
■	■	■	■	■	■	■	■■■■	test_metaestimators.py
■	■	■	■	■	■	■	■■■■	test_mocking.py
■	■	■	■	■	■	■	■■■■	test_multiclass.py
■	■	■	■	■	■	■	■■■■	test_murmurhash.py
■	■	■	■	■	■	■	■■■■	test_optimize.py
■	■	■	■	■	■	■	■■■■	test_parallel.py
■	■	■	■	■	■	■	■■■■	test_pprint.py
■	■	■	■	■	■	■	■■■■	test_random.py
■	■	■	■	■	■	■	■■■■	test_readonly_wrapper.py
■	■	■	■	■	■	■	■■■■	test_seq_dataset.py
■	■	■	■	■	■	■	■■■■	test_shortest_path.py
■	■	■	■	■	■	■	■■■■	test_show_versions.py
■	■	■	■	■	■	■	■■■■	test_sparsefuncs.py
■	■	■	■	■	■	■	■■■■	test_stats.py
■	■	■	■	■	■	■	■■■■	test_tags.py
■	■	■	■	■	■	■	■■■■	test_testing.py
■	■	■	■	■	■	■	■■■■	test_utils.py
■	■	■	■	■	■	■	■■■■	test_validation.py
■	■	■	■	■	■	■	■■■■	test_weight_vector.py

```
■ ■ ■ ■ validation.py  
■ ■ ■ ■ slicer  
■ ■ ■ ■   __init__.py  
■ ■ ■ ■   __pycache__  
■ ■ ■ ■     __init__.cpython-311.pyc  
■ ■ ■ ■     slicer.cpython-311.pyc  
■ ■ ■ ■     slicer_internal.cpython-311.pyc  
■ ■ ■ ■     test_slicer.cpython-311.pyc  
■ ■ ■ ■     utils_testing.cpython-311.pyc  
■ ■ ■ ■       slicer.py  
■ ■ ■ ■       slicer_internal.py  
■ ■ ■ ■       test_slicer.py  
■ ■ ■ ■       utils_testing.py  
■ ■ ■ ■ slicer-0.0.7.dist-info  
■ ■ ■ ■   INSTALLER  
■ ■ ■ ■   LICENSE  
■ ■ ■ ■   METADATA  
■ ■ ■ ■   RECORD  
■ ■ ■ ■   WHEEL  
■ ■ ■ ■ top_level.txt  
■ ■ ■ ■ smart_open  
■ ■ ■ ■   __init__.py  
■ ■ ■ ■   __pycache__  
■ ■ ■ ■     __init__.cpython-311.pyc  
■ ■ ■ ■     azure.cpython-311.pyc  
■ ■ ■ ■     bytearray.cpython-311.pyc  
■ ■ ■ ■     compression.cpython-311.pyc  
■ ■ ■ ■     concurrency.cpython-311.pyc  
■ ■ ■ ■     constants.cpython-311.pyc  
■ ■ ■ ■     doctools.cpython-311.pyc  
■ ■ ■ ■     ftp.cpython-311.pyc  
■ ■ ■ ■     gcs.cpython-311.pyc  
■ ■ ■ ■     hdfs.cpython-311.pyc  
■ ■ ■ ■     http.cpython-311.pyc  
■ ■ ■ ■     local_file.cpython-311.pyc  
■ ■ ■ ■     s3.cpython-311.pyc  
■ ■ ■ ■     smart_open_lib.cpython-311.pyc  
■ ■ ■ ■     ssh.cpython-311.pyc  
■ ■ ■ ■     transport.cpython-311.pyc  
■ ■ ■ ■     utils.cpython-311.pyc  
■ ■ ■ ■     version.cpython-311.pyc  
■ ■ ■ ■     webhdfs.cpython-311.pyc  
■ ■ ■ ■   azure.py  
■ ■ ■ ■   bytearray.py  
■ ■ ■ ■   compression.py  
■ ■ ■ ■   concurrency.py  
■ ■ ■ ■   constants.py  
■ ■ ■ ■   doctools.py  
■ ■ ■ ■   ftp.py  
■ ■ ■ ■   gcs.py  
■ ■ ■ ■   hdfs.py  
■ ■ ■ ■   http.py  
■ ■ ■ ■   local_file.py  
■ ■ ■ ■   s3.py  
■ ■ ■ ■   smart_open_lib.py  
■ ■ ■ ■   ssh.py  
■ ■ ■ ■   transport.py  
■ ■ ■ ■   utils.py
```

[illegible]

■	■	■	■	■	■	■■■■	converter_snowsql.cpython-311.pyc
■	■	■	■	■	■	■■■■	cursor.cpython-311.pyc
■	■	■	■	■	■	■■■■	dbapi.cpython-311.pyc
■	■	■	■	■	■	■■■■	description.cpython-311.pyc
■	■	■	■	■	■	■■■■	encryption_util.cpython-311.pyc
■	■	■	■	■	■	■■■■	errorcode.cpython-311.pyc
■	■	■	■	■	■	■■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■■■■	feature.cpython-311.pyc
■	■	■	■	■	■	■■■■	file_compression_type.cpython-311.pyc
■	■	■	■	■	■	■■■■	file_transfer_agent.cpython-311.pyc
■	■	■	■	■	■	■■■■	file_util.cpython-311.pyc
■	■	■	■	■	■	■■■■	gcs_storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■■	gzip_decoder.cpython-311.pyc
■	■	■	■	■	■	■■■■	local_storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■■	mixin.cpython-311.pyc
■	■	■	■	■	■	■■■■	network.cpython-311.pyc
■	■	■	■	■	■	■■■■	ocsp_asn1crypto.cpython-311.pyc
■	■	■	■	■	■	■■■■	ocsp_snowflake.cpython-311.pyc
■	■	■	■	■	■	■■■■	options.cpython-311.pyc
■	■	■	■	■	■	■■■■	pandas_tools.cpython-311.pyc
■	■	■	■	■	■	■■■■	proxy.cpython-311.pyc
■	■	■	■	■	■	■■■■	result_batch.cpython-311.pyc
■	■	■	■	■	■	■■■■	result_set.cpython-311.pyc
■	■	■	■	■	■	■■■■	s3_storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■■	secret_detector.cpython-311.pyc
■	■	■	■	■	■	■■■■	sfbinaryformat.cpython-311.pyc
■	■	■	■	■	■	■■■■	sfdatetime.cpython-311.pyc
■	■	■	■	■	■	■■■■	snow_logging.cpython-311.pyc
■	■	■	■	■	■	■■■■	sqlstate.cpython-311.pyc
■	■	■	■	■	■	■■■■	ssd_internal_keys.cpython-311.pyc
■	■	■	■	■	■	■■■■	ssl_wrap_socket.cpython-311.pyc
■	■	■	■	■	■	■■■■	storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■■	telemetry.cpython-311.pyc
■	■	■	■	■	■	■■■■	telemetry_oob.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_util.cpython-311.pyc
■	■	■	■	■	■	■■■■	time_util.cpython-311.pyc
■	■	■	■	■	■	■■■■	util_text.cpython-311.pyc
■	■	■	■	■	■	■■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■■	arrow_context.py
■	■	■	■	■	■	■■■■	arrow_iterator.pyx
■	■	■	■	■	■	■■■■	auth.py
■	■	■	■	■	■	■■■■	auth_by_plugin.py
■	■	■	■	■	■	■■■■	auth_default.py
■	■	■	■	■	■	■■■■	auth_idtoken.py
■	■	■	■	■	■	■■■■	auth_keypair.py
■	■	■	■	■	■	■■■■	auth_oauth.py
■	■	■	■	■	■	■■■■	auth_okta.py
■	■	■	■	■	■	■■■■	auth_usrpwdfma.py
■	■	■	■	■	■	■■■■	auth_webbrowser.py
■	■	■	■	■	■	■■■■	azure_storage_client.py
■	■	■	■	■	■	■■■■	bind_upload_agent.py
■	■	■	■	■	■	■■■■	cache.py
■	■	■	■	■	■	■■■■	compat.py
■	■	■	■	■	■	■■■■	connection.py
■	■	■	■	■	■	■■■■	connection_diagnostic.py
■	■	■	■	■	■	■■■■	constants.py
■	■	■	■	■	■	■■■■	converter.py
■	■	■	■	■	■	■■■■	converter_issue23517.py

```

■      ■      ■      ■      ■      ■      ■■■ converter_null.py
■      ■      ■      ■      ■      ■      ■■■ converter_snowsql.py
■      ■      ■      ■      ■      ■      ■■■ cpp
■      ■      ■      ■      ■      ■      ■      ■■■ ArrowIterator
■      ■      ■      ■      ■      ■      ■      ■      ■■■ BinaryConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ BinaryConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ BooleanConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ BooleanConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ CArrowChunkIterator.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ CArrowChunkIterator.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ CArrowIterator.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ CArrowIterator.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ CArrowTableIterator.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ CArrowTableIterator.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ DateConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ DateConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ DecimalConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ DecimalConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ FloatConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ FloatConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ IColumnConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ IntConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ IntConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ Python
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ Common.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ Common.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ Helpers.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ Helpers.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ SnowflakeType.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ SnowflakeType.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ StringConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ StringConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ TimeConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ TimeConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ TimeStampConverter.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ TimeStampConverter.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ Util
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ macros.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ time.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ time.hpp
■      ■      ■      ■      ■      ■      ■      ■      ■■■ Logging
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ logging.cpp
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ logging.hpp
■      ■      ■      ■      ■      ■      ■■■ cursor.py
■      ■      ■      ■      ■      ■      ■■■ dbapi.py
■      ■      ■      ■      ■      ■      ■■■ description.py
■      ■      ■      ■      ■      ■      ■■■ encryption_util.py
■      ■      ■      ■      ■      ■      ■■■ errorcode.py
■      ■      ■      ■      ■      ■      ■■■ errors.py
■      ■      ■      ■      ■      ■      ■■■ feature.py
■      ■      ■      ■      ■      ■      ■■■ file_compression_type.py
■      ■      ■      ■      ■      ■      ■■■ file_transfer_agent.py
■      ■      ■      ■      ■      ■      ■■■ file_util.py
■      ■      ■      ■      ■      ■      ■■■ gcs_storage_client.py
■      ■      ■      ■      ■      ■      ■■■ gzip_decoder.py
■      ■      ■      ■      ■      ■      ■■■ local_storage_client.py
■      ■      ■      ■      ■      ■      ■■■ mixin.py
■      ■      ■      ■      ■      ■      ■■■ network.py

```

■	■	■	■	■	■	■■■	ocsp_asn1crypto.py
■	■	■	■	■	■	■■■	ocsp_snowflake.py
■	■	■	■	■	■	■■■	options.py
■	■	■	■	■	■	■■■	pandas_tools.py
■	■	■	■	■	■	■■■	proxy.py
■	■	■	■	■	■	■■■	py.typed
■	■	■	■	■	■	■■■	result_batch.py
■	■	■	■	■	■	■■■	result_set.py
■	■	■	■	■	■	■■■	s3_storage_client.py
■	■	■	■	■	■	■■■	secret_detector.py
■	■	■	■	■	■	■■■	sfbinaryformat.py
■	■	■	■	■	■	■■■	sfdatetime.py
■	■	■	■	■	■	■■■	snow_logging.py
■	■	■	■	■	■	■■■	sqlstate.py
■	■	■	■	■	■	■■■	ssd_internal_keys.py
■	■	■	■	■	■	■■■	ssl_wrap_socket.py
■	■	■	■	■	■	■■■	storage_client.py
■	■	■	■	■	■	■■■	telemetry.py
■	■	■	■	■	■	■■■	telemetry_oob.py
■	■	■	■	■	■	■■■	test_util.py
■	■	■	■	■	■	■■■	time_util.py
■	■	■	■	■	■	■■■	tool
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_certs.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_ocsp_response.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_ocsp_response_cache.cpython-311.pyc
■	■	■	■	■	■	■■■	probe_connection.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_certs.py
■	■	■	■	■	■	■■■	dump_ocsp_response.py
■	■	■	■	■	■	■■■	dump_ocsp_response_cache.py
■	■	■	■	■	■	■■■	probe_connection.py
■	■	■	■	■	■	■■■	util_text.py
■	■	■	■	■	■	■■■	vendored
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	requests
■	■	■	■	■	■	■■■	LICENSE
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	__version__.cpython-311.pyc
■	■	■	■	■	■	■■■	_internal_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	adapters.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	auth.cpython-311.pyc
■	■	■	■	■	■	■■■	certs.cpython-311.pyc
■	■	■	■	■	■	■■■	compat.cpython-311.pyc
■	■	■	■	■	■	■■■	cookies.cpython-311.pyc
■	■	■	■	■	■	■■■	exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	help.cpython-311.pyc
■	■	■	■	■	■	■■■	hooks.cpython-311.pyc
■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■■■	sessions.cpython-311.pyc
■	■	■	■	■	■	■■■	status_codes.cpython-311.pyc
■	■	■	■	■	■	■■■	structures.cpython-311.pyc

[illegible]

```

■ ■ ■ ■ securetransport.py
■ ■ ■ ■ socks.py
■ ■ ■ ■ exceptions.py
■ ■ ■ ■ fields.py
■ ■ ■ ■ filepost.py
■ ■ ■ ■ packages
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ six.cpython-311.pyc
■ ■ ■ ■ backports
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ makefile.cpython-311.pyc
■ ■ ■ ■ makefile.py
■ ■ ■ ■ six.py
■ ■ ■ ■ poolmanager.py
■ ■ ■ ■ request.py
■ ■ ■ ■ response.py
■ ■ ■ ■ util
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ connection.cpython-311.pyc
■ ■ ■ ■ proxy.cpython-311.pyc
■ ■ ■ ■ queue.cpython-311.pyc
■ ■ ■ ■ request.cpython-311.pyc
■ ■ ■ ■ response.cpython-311.pyc
■ ■ ■ ■ retry.cpython-311.pyc
■ ■ ■ ■ ssl_.cpython-311.pyc
■ ■ ■ ■ ssl_match_hostname.cpython-311.pyc
■ ■ ■ ■ ssltransport.cpython-311.pyc
■ ■ ■ ■ timeout.cpython-311.pyc
■ ■ ■ ■ url.cpython-311.pyc
■ ■ ■ ■ wait.cpython-311.pyc
■ ■ ■ ■ connection.py
■ ■ ■ ■ proxy.py
■ ■ ■ ■ queue.py
■ ■ ■ ■ request.py
■ ■ ■ ■ response.py
■ ■ ■ ■ retry.py
■ ■ ■ ■ ssl_.py
■ ■ ■ ■ ssl_match_hostname.py
■ ■ ■ ■ ssltransport.py
■ ■ ■ ■ timeout.py
■ ■ ■ ■ url.py
■ ■ ■ ■ wait.py
■ ■ ■ ■ version.py
■ ■ ■ ■ snowflake_connector_python-2.7.12.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ METADATA
■ ■ ■ ■ NOTICE
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
```

```

■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      snuggs
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      snuggs-1.4.7.dist-info
■      ■      ■      ■      ■      ■      ■      ■      AUTHORS.txt
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      soundfile.py
■      ■      ■      ■      ■      ■      ■      ■      soupsieve
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __meta__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      __meta__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_match.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_parser.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pretty.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_match.py
■      ■      ■      ■      ■      ■      ■      ■      ■      css_parser.py
■      ■      ■      ■      ■      ■      ■      ■      ■      css_types.py
■      ■      ■      ■      ■      ■      ■      ■      ■      pretty.py
■      ■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      soupsieve-2.6.dist-info
■      ■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      ■      ■      LICENSE.md
■      ■      ■      ■      ■      ■      ■      ■      spacy
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.pxd
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      about.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      git_info.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      glossary.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      language.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lookups.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pipe_analysis.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      schemas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      scorer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ty.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      about.py

```

```

    attrsrc.cpython-311-x86_64-linux-gnu.so
    attrsrc.pxd
    attrsrc.pyx
    cli
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _util.cpython-311.pyc
    apply.cpython-311.pyc
    assemble.cpython-311.pyc
    benchmark_speed.cpython-311.pyc
    convert.cpython-311.pyc
    debug_config.cpython-311.pyc
    debug_data.cpython-311.pyc
    debug_diff.cpython-311.pyc
    debug_model.cpython-311.pyc
    download.cpython-311.pyc
    evaluate.cpython-311.pyc
    find_function.cpython-311.pyc
    find_threshold.cpython-311.pyc
    info.cpython-311.pyc
    init_config.cpython-311.pyc
    init_pipeline.cpython-311.pyc
    package.cpython-311.pyc
    pretrain.cpython-311.pyc
    profile.cpython-311.pyc
    train.cpython-311.pyc
    validate.cpython-311.pyc
    _util.py
    apply.py
    assemble.py
    benchmark_speed.py
    convert.py
    debug_config.py
    debug_data.py
    debug_diff.py
    debug_model.py
    download.py
    evaluate.py
    find_function.py
    find_threshold.py
    info.py
    init_config.py
    init_pipeline.py
    package.py
    pretrain.py
    profile.py
    project
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    assets.cpython-311.pyc
    clone.cpython-311.pyc
    document.cpython-311.pyc
    dvc.cpython-311.pyc
    pull.cpython-311.pyc
    push.cpython-311.pyc
    remote_storage.cpython-311.pyc

```

```

■■■■ run.cpython-311.pyc
■■■■ assets.py
■■■■ clone.py
■■■■ document.py
■■■■ dvc.py
■■■■ pull.py
■■■■ push.py
■■■■ remote_storage.py
■■■■ run.py
■■■■ templates
■■■■ quickstart_training.jinja
■■■■ quickstart_training_recommendations.yml
■■■■ train.py
■■■■ validate.py
■■■■ compat.py
■■■■ default_config.cfg
■■■■ default_config_pretraining.cfg
■■■■ displacy
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ render.cpython-311.pyc
■■■■ templates.cpython-311.pyc
■■■■ render.py
■■■■ templates.py
■■■■ errors.py
■■■■ git_info.py
■■■■ glossary.py
■■■■ kb
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ candidate.cpython-311-x86_64-linux-gnu.so
■■■■ candidate.pxd
■■■■ candidate.pyx
■■■■ kb.cpython-311-x86_64-linux-gnu.so
■■■■ kb.pxd
■■■■ kb.pyx
■■■■ kb_in_memory.cpython-311-x86_64-linux-gnu.so
■■■■ kb_in_memory.pxd
■■■■ kb_in_memory.pyx
■■■■ lang
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ char_classes.cpython-311.pyc
■■■■ lex_attrs.cpython-311.pyc
■■■■ norm_exceptions.cpython-311.pyc
■■■■ punctuation.cpython-311.pyc
■■■■ tokenizer_exceptions.cpython-311.pyc
■■■■ af
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ stop_words.cpython-311.pyc
■■■■ stop_words.py
■■■■ am
■■■■ __init__.py

```

[illegible]

```

■ stop_words.py
■ tokenizer_exceptions.py
■ ca
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     lemmatizer.cpython-311.pyc
■     lex_attrs.cpython-311.pyc
■     punctuation.cpython-311.pyc
■     stop_words.cpython-311.pyc
■     syntax_iterators.cpython-311.pyc
■     tokenizer_exceptions.cpython-311.pyc
■   examples.py
■   lemmatizer.py
■   lex_attrs.py
■   punctuation.py
■   stop_words.py
■   syntax_iterators.py
■   tokenizer_exceptions.py
■ char_classes.py
■ cs
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     lex_attrs.cpython-311.pyc
■     stop_words.cpython-311.pyc
■   examples.py
■   lex_attrs.py
■   stop_words.py
■ da
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     lex_attrs.cpython-311.pyc
■     punctuation.cpython-311.pyc
■     stop_words.cpython-311.pyc
■     syntax_iterators.cpython-311.pyc
■     tokenizer_exceptions.cpython-311.pyc
■   examples.py
■   lex_attrs.py
■   punctuation.py
■   stop_words.py
■   syntax_iterators.py
■   tokenizer_exceptions.py
■ de
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     punctuation.cpython-311.pyc
■     stop_words.cpython-311.pyc
■     syntax_iterators.cpython-311.pyc
■     tokenizer_exceptions.cpython-311.pyc
■   examples.py
■   punctuation.py

```

[illegible]


```

    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    syntax_iterators.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lemmatizer.py
    lex_attrs.py
    punctuation.py
    stop_words.py
    syntax_iterators.py
    tokenizer_exceptions.py
et
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    stop_words.cpython-311.pyc
    stop_words.py
eu
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    examples.py
    lex_attrs.py
    punctuation.py
    stop_words.py
fa
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    generate_verbs_exc.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    syntax_iterators.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    generate_verbs_exc.py
    lex_attrs.py
    punctuation.py
    stop_words.py
    syntax_iterators.py
    tokenizer_exceptions.py
fi
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    syntax_iterators.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py

```

```

lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
fo
__init__.py
__pycache__
__init__.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
tokenizer_exceptions.py
fr
__init__.py
__pycache__
__init__.cpython-311.pyc
_tokenizer_exceptions_list.cpython-311.pyc
examples.cpython-311.pyc
lemmatizer.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
_tokenizer_exceptions_list.py
examples.py
lemmatizer.py
lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
ga
__init__.py
__pycache__
__init__.cpython-311.pyc
lemmatizer.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
lemmatizer.py
stop_words.py
tokenizer_exceptions.py
grc
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
gu
__init__.py
__pycache__

```

```

■■■ __init__.cpython-311.pyc
■■■ examples.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ examples.py
■■■ stop_words.py
■■■ he
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ examples.cpython-311.pyc
■■■ lex_attrs.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ examples.py
■■■ lex_attrs.py
■■■ stop_words.py
■■■ hi
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ examples.cpython-311.pyc
■■■ lex_attrs.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ examples.py
■■■ lex_attrs.py
■■■ stop_words.py
■■■ hr
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ examples.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ examples.py
■■■ lemma_lookup_license.txt
■■■ stop_words.py
■■■ hsb
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ examples.cpython-311.pyc
■■■ lex_attrs.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ tokenizer_exceptions.cpython-311.pyc
■■■ examples.py
■■■ lex_attrs.py
■■■ stop_words.py
■■■ tokenizer_exceptions.py
■■■ hu
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ examples.cpython-311.pyc
■■■ punctuation.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ tokenizer_exceptions.cpython-311.pyc
■■■ examples.py
■■■ punctuation.py
■■■ stop_words.py
■■■ tokenizer_exceptions.py

```

```

hy
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  stop_words.cpython-311.pyc
  examples.py
  lex_attrs.py
  stop_words.py
id
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _tokenizer_exceptions_list.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  syntax_iterators.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  _tokenizer_exceptions_list.py
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
  syntax_iterators.py
  tokenizer_exceptions.py
is
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  stop_words.cpython-311.pyc
  stop_words.py
it
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lemmatizer.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  syntax_iterators.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  lemmatizer.py
  punctuation.py
  stop_words.py
  syntax_iterators.py
  tokenizer_exceptions.py
ja
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  stop_words.cpython-311.pyc
  syntax_iterators.cpython-311.pyc
  tag_bigram_map.cpython-311.pyc

```

```

■ ■ ■ tag_map.cpython-311.pyc
■ ■ ■ tag_orth_map.cpython-311.pyc
■ ■ ■ examples.py
■ ■ ■ stop_words.py
■ ■ ■ syntax_iterators.py
■ ■ ■ tag_bigram_map.py
■ ■ ■ tag_map.py
■ ■ ■ tag_orth_map.py
■ ■ ■ kn
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ examples.cpython-311.pyc
■ ■ ■ stop_words.cpython-311.pyc
■ ■ ■ examples.py
■ ■ ■ stop_words.py
■ ■ ■ ko
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ examples.cpython-311.pyc
■ ■ ■ lex_attrs.cpython-311.pyc
■ ■ ■ punctuation.cpython-311.pyc
■ ■ ■ stop_words.cpython-311.pyc
■ ■ ■ tag_map.cpython-311.pyc
■ ■ ■ examples.py
■ ■ ■ lex_attrs.py
■ ■ ■ punctuation.py
■ ■ ■ stop_words.py
■ ■ ■ tag_map.py
■ ■ ■ ky
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ examples.cpython-311.pyc
■ ■ ■ lex_attrs.cpython-311.pyc
■ ■ ■ punctuation.cpython-311.pyc
■ ■ ■ stop_words.cpython-311.pyc
■ ■ ■ tokenizer_exceptions.cpython-311.pyc
■ ■ ■ examples.py
■ ■ ■ lex_attrs.py
■ ■ ■ punctuation.py
■ ■ ■ stop_words.py
■ ■ ■ tokenizer_exceptions.py
■ ■ ■ la
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ examples.cpython-311.pyc
■ ■ ■ lex_attrs.cpython-311.pyc
■ ■ ■ stop_words.cpython-311.pyc
■ ■ ■ syntax_iterators.cpython-311.pyc
■ ■ ■ tokenizer_exceptions.cpython-311.pyc
■ ■ ■ examples.py
■ ■ ■ lex_attrs.py
■ ■ ■ stop_words.py
■ ■ ■ syntax_iterators.py
■ ■ ■ tokenizer_exceptions.py

```

```

lb
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
  tokenizer_exceptions.py
lex_attrs.py
lg
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
lij
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  punctuation.py
  stop_words.py
  tokenizer_exceptions.py
lt
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
  tokenizer_exceptions.py
lv
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  stop_words.cpython-311.pyc

```

[illegible]

[illegible]


```

    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    syntax_iterators.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lex_attrs.py
    punctuation.py
    stop_words.py
    syntax_iterators.py
    tokenizer_exceptions.py
    punctuation.py
    ro
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lex_attrs.py
    punctuation.py
    stop_words.py
    tokenizer_exceptions.py
    ru
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lemmatizer.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    stop_words.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lemmatizer.py
    lex_attrs.py
    stop_words.py
    tokenizer_exceptions.py
    sa
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    stop_words.cpython-311.pyc
    examples.py
    lex_attrs.py
    stop_words.py
    si
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc

```

```

lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
sk
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
sl
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
sq
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
stop_words.py
sr
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lemma_lookup_licence.txt
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
sv
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc

```

```

punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
ta
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
te
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
th
__init__.py
__pycache__
__init__.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
lex_attrs.py
stop_words.py
tokenizer_exceptions.py
ti
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
tl
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
lex_attrs.py
stop_words.py
tokenizer_exceptions.py
tn
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
tr
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
tt
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
uk
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lemmatizer.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lemmatizer.py

```

```

lex_attrs.py
stop_words.py
tokenizer_exceptions.py
ur
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
vi
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
xx
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
examples.py
yo
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
zh
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
language.py
lexeme.cpython-311-x86_64-linux-gnu.so
lexeme.pxd
lexeme.pyi
lexeme.pyx
lookups.py
matcher

```

```

■■■ __init__.py
■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■■■ dependencymatcher.cpython-311-x86_64-linux-gnu.so
■■■ dependencymatcher.pyi
■■■ dependencymatcher.pyx
■■■ levenshtein.c
■■■ levenshtein.cpython-311-x86_64-linux-gnu.so
■■■ levenshtein.pyx
■■■ matcher.cpython-311-x86_64-linux-gnu.so
■■■ matcher.pxd
■■■ matcher.pyi
■■■ matcher.pyx
■■■ phrasematcher.cpython-311-x86_64-linux-gnu.so
■■■ phrasematcher.pxd
■■■ phrasematcher.pyi
■■■ phrasematcher.pyx
■■■ polyleven.c
■■■ ml
■■■ __init__.py
■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■ ■■■ _character_embed.cpython-311.pyc
■ ■■■ _precomutable_affine.cpython-311.pyc
■ ■■■ callbacks.cpython-311.pyc
■ ■■■ extract_ngrams.cpython-311.pyc
■ ■■■ extract_spans.cpython-311.pyc
■ ■■■ featureextractor.cpython-311.pyc
■ ■■■ staticvectors.cpython-311.pyc
■ ■■■ tb_framework.cpython-311.pyc
■■■ _character_embed.py
■■■ _precomutable_affine.py
■■■ callbacks.py
■■■ extract_ngrams.py
■■■ extract_spans.py
■■■ featureextractor.py
■■■ models
■ ■■■ __init__.py
■ ■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■ ■■■ entity_linker.cpython-311.pyc
■ ■■■ multi_task.cpython-311.pyc
■ ■■■ parser.cpython-311.pyc
■ ■■■ span_finder.cpython-311.pyc
■ ■■■ spancat.cpython-311.pyc
■ ■■■ tagger.cpython-311.pyc
■ ■■■ textcat.cpython-311.pyc
■ ■■■ tok2vec.cpython-311.pyc
■■■ entity_linker.py
■■■ multi_task.py
■■■ parser.py
■■■ span_finder.py
■■■ spancat.py
■■■ tagger.py
■■■ textcat.py
■■■ tok2vec.py
■■■ parser_model.cpython-311-x86_64-linux-gnu.so
■■■ parser_model.pxd

```

```

■■■ parser_model.pyx
■■■ staticvectors.py
■■■ tb_framework.py
■■■ morphology.cpython-311-x86_64-linux-gnu.so
■■■ morphology.pxd
■■■ morphology.pyx
■■■ parts_of_speech.cpython-311-x86_64-linux-gnu.so
■■■ parts_of_speech.pxd
■■■ parts_of_speech.pyx
■■■ pipe_analysis.py
■■■ pipeline
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ attributeruler.cpython-311.pyc
■■■ edit_tree_lemmatizer.cpython-311.pyc
■■■ entity_linker.cpython-311.pyc
■■■ entityruler.cpython-311.pyc
■■■ functions.cpython-311.pyc
■■■ lemmatizer.cpython-311.pyc
■■■ span_finder.cpython-311.pyc
■■■ span_ruler.cpython-311.pyc
■■■ spancat.cpython-311.pyc
■■■ textcat.cpython-311.pyc
■■■ textcat_multilabel.cpython-311.pyc
■■■ tok2vec.cpython-311.pyc
■■■ _edit_tree_internals
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ schemas.cpython-311.pyc
■■■ edit_trees.cpython-311-x86_64-linux-gnu.so
■■■ edit_trees.pxd
■■■ edit_trees.pyx
■■■ schemas.py
■■■ _parser_internals
■■■ __init__.py
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _beam_utils.cpython-311-x86_64-linux-gnu.so
■■■ _beam_utils.pxd
■■■ _beam_utils.pyx
■■■ _state.cpython-311-x86_64-linux-gnu.so
■■■ _state.pxd
■■■ _state.pyx
■■■ arc_eager.cpython-311-x86_64-linux-gnu.so
■■■ arc_eager.pxd
■■■ arc_eager.pyx
■■■ ner.cpython-311-x86_64-linux-gnu.so
■■■ ner.pxd
■■■ ner.pyx
■■■ nonproj.cpython-311-x86_64-linux-gnu.so
■■■ nonproj.hh
■■■ nonproj.pxd
■■■ nonproj.pyx
■■■ stateclass.cpython-311-x86_64-linux-gnu.so
■■■ stateclass.pxd

```

```
stateclass.pyx  
transition_system.cpython-311-x86_64-linux-gnu.so  
transition_system.pxd  
transition_system.pyx  
attributeruler.py  
dep_parser.cpython-311-x86_64-linux-gnu.so  
dep_parser.pyx  
edit_tree_lemmatizer.py  
entity_linker.py  
entityruler.py  
functions.py  
legacy  
__init__.py  
__pycache__  
    __init__.cpython-311.pyc  
    entity_linker.cpython-311.pyc  
entity_linker.py  
lemmatizer.py  
morphologizer.cpython-311-x86_64-linux-gnu.so  
morphologizer.pyx  
multitask.cpython-311-x86_64-linux-gnu.so  
multitask.pyx  
ner.cpython-311-x86_64-linux-gnu.so  
ner.pyx  
pipe.cpython-311-x86_64-linux-gnu.so  
pipe.pxd  
pipe.pyi  
pipe.pyx  
sentencizer.cpython-311-x86_64-linux-gnu.so  
sentencizer.pyx  
sender.cpython-311-x86_64-linux-gnu.so  
sender.pyx  
span_finder.py  
span_ruler.py  
spancat.py  
tagger.cpython-311-x86_64-linux-gnu.so  
tagger.pyx  
textcat.py  
textcat_multilabel.py  
tok2vec.py  
trainable_pipe.cpython-311-x86_64-linux-gnu.so  
trainable_pipe.pxd  
trainable_pipe.pyx  
transition_parser.cpython-311-x86_64-linux-gnu.so  
transition_parser.pxd  
transition_parser.pyx  
  
py.typed  
schemas.py  
scorer.py  
strings.cpython-311-x86_64-linux-gnu.so  
strings.pxd  
strings.pyi  
strings.pyx  
structs.pxd  
symbols.cpython-311-x86_64-linux-gnu.so  
symbols.pxd  
symbols.pyx  
tests
```


[illegible]

```

test_lemmatizers.cpython-311.pyc
af
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_text.py
    test_tokenizer.py
am
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exception.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exception.py
    test_text.py
ar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exceptions.py
    test_text.py
bn
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_tokenizer.py
ca
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exception.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exception.py
    test_prefix_suffix_infix.py
    test_text.py
cs
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_text.py
da
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exceptions.py
    test_noun_chunks.py
    test_prefix_suffix_infix.py

```

```

test_text.py
de
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_parser.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exceptions.py
    test_noun_chunks.py
    test_parser.py
    test_prefix_suffix_infix.py
    test_text.py
dsb
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_text.py
    test_tokenizer.py
el
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exception.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exception.py
    test_noun_chunks.py
    test_text.py
en
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_customized_tokenizer.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_indices.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_parser.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_punct.cpython-311.pyc
    test_sbd.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_customized_tokenizer.py
    test_exceptions.py
    test_indices.py
    test_noun_chunks.py
    test_parser.py
    test_prefix_suffix_infix.py
    test_punct.py
    test_sbd.py
    test_text.py
    test_tokenizer.py
es

```

```

███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_exception.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_exception.py
███ test_noun_chunks.py
███ test_text.py
██ et
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_tokenizer.cpython-311.pyc
███ test_text.py
███ test_tokenizer.py
██ eu
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_text.py
██ fa
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_noun_chunks.py
██ fi
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_tokenizer.cpython-311.pyc
███ test_noun_chunks.py
███ test_text.py
███ test_tokenizer.py
██ fo
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_tokenizer.cpython-311.pyc
███ test_tokenizer.py
██ fr
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_exceptions.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_prefix_suffix_infix.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_exceptions.py
███ test_noun_chunks.py
███ test_prefix_suffix_infix.py
███ test_text.py
██ ga

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_tokenizer.py
grc
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
gu
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_text.py
he
__init__.py
__pycache__
__init__.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_tokenizer.py
hi
__init__.py
__pycache__
__init__.cpython-311.pyc
test_lex_attrs.cpython-311.pyc
test_text.cpython-311.pyc
test_lex_attrs.py
test_text.py
hr
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
hsb
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
hu
__init__.py
__pycache__
__init__.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_tokenizer.py
hy
__init__.py
__pycache__

```

[illegible]

[illegible]

[illegible]


```

test_tokenizer.py
ru
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exceptions.cpython-311.pyc
test_lemmatizer.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_exceptions.py
test_lemmatizer.py
test_text.py
test_tokenizer.py
sa
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_text.py
sk
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
sl
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
sq
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
sr
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exceptions.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_exceptions.py
test_tokenizer.py
sv
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exceptions.cpython-311.pyc
test_lex_attrs.cpython-311.pyc
test_noun_chunks.cpython-311.pyc

```

```

test_prefix_suffix_infix.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_exceptions.py
test_lex_attrs.py
test_noun_chunks.py
test_prefix_suffix_infix.py
test_text.py
test_tokenizer.py
ta
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
test_attrs.py
test_initialize.py
test_lemmatizers.py
th
__init__.py
__pycache__
__init__.cpython-311.pyc
test_serialize.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_serialize.py
test_tokenizer.py
ti
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exception.cpython-311.pyc
test_text.cpython-311.pyc
test_exception.py
test_text.py
tl
__init__.py
__pycache__
__init__.cpython-311.pyc
test_indices.cpython-311.pyc
test_punct.cpython-311.pyc
test_text.cpython-311.pyc
test_indices.py
test_punct.py
test_text.py
tr
__init__.py
__pycache__
__init__.cpython-311.pyc
test_noun_chunks.cpython-311.pyc
test_parser.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_noun_chunks.py
test_parser.py
test_text.py
test_tokenizer.py

```

```

tt
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_tokenizer.py
uk
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_lemmatizer.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_tokenizer_exc.cpython-311.pyc
    test_lemmatizer.py
    test_tokenizer.py
    test_tokenizer_exc.py
ur
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_prefix_suffix_infix.py
    test_text.py
vi
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_serialize.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_serialize.py
    test_tokenizer.py
xx
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_text.py
    test_tokenizer.py
yo
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_text.py
zh
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_serialize.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_serialize.py
    test_text.py
    test_tokenizer.py
matcher
    __init__.py

```

```

    pycache_
    __init__.cpython-311.pyc
    test_dependency_matcher.cpython-311.pyc
    test levenshtein.cpython-311.pyc
    test_matcher_api.cpython-311.pyc
    test_matcher_logic.cpython-311.pyc
    test_pattern_validation.cpython-311.pyc
    test_phrase_matcher.cpython-311.pyc
    test_dependency_matcher.py
    test levenshtein.py
    test_matcher_api.py
    test_matcher_logic.py
    test_pattern_validation.py
    test_phrase_matcher.py
    morphology
    __init__.py
    pycache_
    __init__.cpython-311.pyc
    test_morph_converters.cpython-311.pyc
    test_morph_features.cpython-311.pyc
    test_morph_pickle.cpython-311.pyc
    test_morph_converters.py
    test_morph_features.py
    test_morph_pickle.py
    package
    __init__.py
    pycache_
    __init__.cpython-311.pyc
    test_requirements.cpython-311.pyc
    pyproject.toml
    requirements.txt
    setup.cfg
    test_requirements.py
    parser
    __init__.py
    pycache_
    __init__.cpython-311.pyc
    test_add_label.cpython-311.pyc
    test_arc_eager_oracle.cpython-311.pyc
    test_ner.cpython-311.pyc
    test_neural_parser.cpython-311.pyc
    test_nn_beam.cpython-311.pyc
    test_nonproj.cpython-311.pyc
    test_parse.cpython-311.pyc
    test_parse_navigate.cpython-311.pyc
    test_preset_sbd.cpython-311.pyc
    test_space_attachment.cpython-311.pyc
    test_state.cpython-311.pyc
    test_add_label.py
    test_arc_eager_oracle.py
    test_ner.py
    test_neural_parser.py
    test_nn_beam.py
    test_nonproj.py
    test_parse.py
    test_parse_navigate.py
    test_preset_sbd.py
    test_space_attachment.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_state.py
■ ■ ■ ■ ■ ■ ■■■ pipeline
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_annotates_on_update.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_attributeruler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_edit_tree_lemmatizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_entity_linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_entity_ruler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_initialize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_lemmatizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_morphologizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pipe_factories.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pipe_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_sentencizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_senter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_span_finder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_span_ruler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_spancat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_textcat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tok2vec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_analysis.py
■ ■ ■ ■ ■ ■ ■■■ test_annotates_on_update.py
■ ■ ■ ■ ■ ■ ■■■ test_attributeruler.py
■ ■ ■ ■ ■ ■ ■■■ test_edit_tree_lemmatizer.py
■ ■ ■ ■ ■ ■ ■■■ test_entity_linker.py
■ ■ ■ ■ ■ ■ ■■■ test_entity_ruler.py
■ ■ ■ ■ ■ ■ ■■■ test_functions.py
■ ■ ■ ■ ■ ■ ■■■ test_initialize.py
■ ■ ■ ■ ■ ■ ■■■ test_lemmatizer.py
■ ■ ■ ■ ■ ■ ■■■ test_models.py
■ ■ ■ ■ ■ ■ ■■■ test_morphologizer.py
■ ■ ■ ■ ■ ■ ■■■ test_pipe_factories.py
■ ■ ■ ■ ■ ■ ■■■ test_pipe_methods.py
■ ■ ■ ■ ■ ■ ■■■ test_sentencizer.py
■ ■ ■ ■ ■ ■ ■■■ test_senter.py
■ ■ ■ ■ ■ ■ ■■■ test_span_finder.py
■ ■ ■ ■ ■ ■ ■■■ test_span_ruler.py
■ ■ ■ ■ ■ ■ ■■■ test_spancat.py
■ ■ ■ ■ ■ ■ ■■■ test_tagger.py
■ ■ ■ ■ ■ ■ ■■■ test_textcat.py
■ ■ ■ ■ ■ ■ ■■■ test_tok2vec.py
■ ■ ■ ■ ■ ■ ■■■ serialize
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_resource_warning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_docbin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_extension_attrs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_kb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_language.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_pipeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_span_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_vocab_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_resource_warning.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_doc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_docbin.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_extension_attrs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_kb.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_language.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_pipeline.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_span_groups.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_vocab_strings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_architectures.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cli.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cli_app.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_displacy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_language.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_models.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pickles.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_scorer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ty.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tok2vec.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tokenizer
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_explain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_naughty_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_whitespace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ sun.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_explain.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_naughty_strings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_urls.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_whitespace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ training
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_augmenters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_corpus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_new_example.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pretraining.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_readers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rehearse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_training.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_augmenters.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_corpus.py
```

■	■	■	■	■	■	■	■■■ test_logger.py
■	■	■	■	■	■	■	■■■ test_new_example.py
■	■	■	■	■	■	■	■■■ test_pretraining.py
■	■	■	■	■	■	■	■■■ test_readers.py
■	■	■	■	■	■	■	■■■ test_rehearse.py
■	■	■	■	■	■	■	■■■ test_training.py
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■	■■■	vocab_vectors
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lexeme.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_lookups.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_similarity.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_stringstore.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_vectors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_vocab_api.cpython-311.pyc
■	■	■	■	■	■	■■■	test_lexeme.py
■	■	■	■	■	■	■■■	test_lookups.py
■	■	■	■	■	■	■■■	test_similarity.py
■	■	■	■	■	■	■■■	test_stringstore.py
■	■	■	■	■	■	■■■	test_vectors.py
■	■	■	■	■	■	■■■	test_vocab_api.py
■	■	■	■	■	■■■		tokenizer.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		tokenizer.pxd
■	■	■	■	■	■■■		tokenizer.pyx
■	■	■	■	■	■■■		tokens
■	■	■	■	■	■	■■■	__init__.pxd
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_dict_proxies.cpython-311.pyc
■	■	■	■	■	■	■■■	_serialize.cpython-311.pyc
■	■	■	■	■	■	■■■	underscore.cpython-311.pyc
■	■	■	■	■	■■■		_dict_proxies.py
■	■	■	■	■	■■■		_retokenize.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_retokenize.pyi
■	■	■	■	■	■■■		_retokenize.pyx
■	■	■	■	■	■■■		_serialize.py
■	■	■	■	■	■■■		doc.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		doc.pxd
■	■	■	■	■	■■■		doc.pyi
■	■	■	■	■	■■■		doc.pyx
■	■	■	■	■	■■■		graph.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		graph.pxd
■	■	■	■	■	■■■		graph.pyx
■	■	■	■	■	■■■		morphanalysis.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		morphanalysis.pxd
■	■	■	■	■	■■■		morphanalysis.pyi
■	■	■	■	■	■■■		morphanalysis.pyx
■	■	■	■	■	■■■		span.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		span.pxd
■	■	■	■	■	■■■		span.pyi
■	■	■	■	■	■■■		span.pyx
■	■	■	■	■	■■■		span_group.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		span_group.pxd
■	■	■	■	■	■■■		span_group.pyi
■	■	■	■	■	■■■		span_group.pyx

```

■ ■ ■ ■ ■ ■ ■ ■ token.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ token.pxd
■ ■ ■ ■ ■ ■ ■ ■ token.pyi
■ ■ ■ ■ ■ ■ ■ ■ token.pyx
■ ■ ■ ■ ■ ■ ■ ■ underscore.py
■ ■ ■ ■ ■ ■ ■ ■ training
■ ■ ■ ■ ■ ■ ■ ■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ alignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ augment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ batchers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ corpus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ initialize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iob_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ loggers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ loop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pretrain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ align.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ align.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alignment.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alignment_array.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alignment_array.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alignment_array.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ augment.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ batchers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ converters
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ conll_ner_to_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ conllu_to_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iob_to_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ json_to_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ conll_ner_to_docs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ conllu_to_docs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iob_to_docs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ json_to_docs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ corpus.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ example.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ example.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ example.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ example.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gold_io.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gold_io.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ initialize.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iob_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loggers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pretrain.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ty.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ typedefs.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ typedefs.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vectors.cpython-311-x86_64-linux-gnu.so

```



```

■ ■ ■ ■ ■ ■ ■ ■ vectors.pyx
■ ■ ■ ■ ■ ■ ■ ■ vocab.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ vocab.pxd
■ ■ ■ ■ ■ ■ ■ ■ vocab.pyi
■ ■ ■ ■ ■ ■ ■ ■ vocab.pyx
■ ■ ■ ■ ■ ■ ■ ■ spacy-3.7.5.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ spacy_legacy
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ loggers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ scorers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ architectures
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ textcat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tok2vec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.py
■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ tagger.py
■ ■ ■ ■ ■ ■ ■ ■ textcat.py
■ ■ ■ ■ ■ ■ ■ ■ tok2vec.py
■ ■ ■ ■ ■ ■ ■ ■ components
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.py
■ ■ ■ ■ ■ ■ ■ ■ layers
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ staticvectors_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ staticvectors_v1.py
■ ■ ■ ■ ■ ■ ■ ■ loggers.py
■ ■ ■ ■ ■ ■ ■ ■ scorers.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_legacy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_scorers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser
■ ■ ■ ■ ■ ■ ■ ■ __init__.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ pipeline
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_textcat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tok2vec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tagger.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_textcat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tok2vec.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_layer.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_legacy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_logger.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_scorers.py
■ ■ ■ ■ ■ ■ ■■■ spacy_legacy-3.0.12.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■ ■■■ spacy_loggers
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clearml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lookup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mlflow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pytorch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wandb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ chain.py
■ ■ ■ ■ ■ ■ ■■■ clearml.py
■ ■ ■ ■ ■ ■ ■■■ cupy.py
■ ■ ■ ■ ■ ■ ■■■ lookup.py
■ ■ ■ ■ ■ ■ ■■■ mlflow.py
■ ■ ■ ■ ■ ■ ■■■ pytorch.py
■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_chain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lookup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_registry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_chain.py
■ ■ ■ ■ ■ ■ ■■■ test_cupy.py
■ ■ ■ ■ ■ ■ ■■■ test_lookup.py
■ ■ ■ ■ ■ ■ ■■■ test_registry.py
```

```

util.py
util.py
wandb.py
spacy_loggers-1.0.5.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
entry_points.txt
top_level.txt
zip-safe
srsly
__init__.py
__pycache__
__init__.cpython-311.pyc
_json_api.cpython-311.pyc
_msgpack_api.cpython-311.pyc
_pickle_api.cpython-311.pyc
_yaml_api.cpython-311.pyc
about.cpython-311.pyc
util.cpython-311.pyc
_json_api.py
_msgpack_api.py
_pickle_api.py
_yaml_api.py
about.py
cloudpickle
__init__.py
__pycache__
__init__.cpython-311.pyc
cloudpickle.cpython-311.pyc
cloudpickle_fast.cpython-311.pyc
compat.cpython-311.pyc
cloudpickle.py
cloudpickle_fast.py
compat.py
msgpack
__init__.py
__pycache__
__init__.cpython-311.pyc
_msgpack_numpy.cpython-311.pyc
_version.cpython-311.pyc
exceptions.cpython-311.pyc
ext.cpython-311.pyc
fallback.cpython-311.pyc
util.cpython-311.pyc
_epoch.cpp
_epoch.cpython-311-x86_64-linux-gnu.so
_epoch.pyx
_msgpack_numpy.py
_packer.cpp
_packer.cpython-311-x86_64-linux-gnu.so
_packer.pyx
_unpacker.cpp
_unpacker.cpython-311-x86_64-linux-gnu.so
_unpacker.pyx
version.py

```

■	■	■	■	■	■	■■■	exceptions.py
■	■	■	■	■	■	■■■	ext.py
■	■	■	■	■	■	■■■	fallback.py
■	■	■	■	■	■	■■■	pack.h
■	■	■	■	■	■	■■■	pack_template.h
■	■	■	■	■	■	■■■	sysdep.h
■	■	■	■	■	■	■■■	unpack.h
■	■	■	■	■	■	■■■	unpack_container_header.h
■	■	■	■	■	■	■■■	unpack_define.h
■	■	■	■	■	■	■■■	unpack_template.h
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■■■	ruamel_yaml	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	anchor.cpython-311.pyc
■	■	■	■	■	■	■■■	comments.cpython-311.pyc
■	■	■	■	■	■	■■■	compat.cpython-311.pyc
■	■	■	■	■	■	■■■	composer.cpython-311.pyc
■	■	■	■	■	■	■■■	configobjwalker.cpython-311.pyc
■	■	■	■	■	■	■■■	constructor.cpython-311.pyc
■	■	■	■	■	■	■■■	cyaml.cpython-311.pyc
■	■	■	■	■	■	■■■	dumper.cpython-311.pyc
■	■	■	■	■	■	■■■	emitter.cpython-311.pyc
■	■	■	■	■	■	■■■	error.cpython-311.pyc
■	■	■	■	■	■	■■■	events.cpython-311.pyc
■	■	■	■	■	■	■■■	loader.cpython-311.pyc
■	■	■	■	■	■	■■■	main.cpython-311.pyc
■	■	■	■	■	■	■■■	nodes.cpython-311.pyc
■	■	■	■	■	■	■■■	parser.cpython-311.pyc
■	■	■	■	■	■	■■■	reader.cpython-311.pyc
■	■	■	■	■	■	■■■	representer.cpython-311.pyc
■	■	■	■	■	■	■■■	resolver.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarbool.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarfloat.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarint.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarstring.cpython-311.pyc
■	■	■	■	■	■	■■■	scanner.cpython-311.pyc
■	■	■	■	■	■	■■■	serializer.cpython-311.pyc
■	■	■	■	■	■	■■■	timestamp.cpython-311.pyc
■	■	■	■	■	■	■■■	tokens.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	anchor.py	
■	■	■	■	■	■■■	comments.py	
■	■	■	■	■	■■■	compat.py	
■	■	■	■	■	■■■	composer.py	
■	■	■	■	■	■■■	configobjwalker.py	
■	■	■	■	■	■■■	constructor.py	
■	■	■	■	■	■■■	cyaml.py	
■	■	■	■	■	■■■	dumper.py	
■	■	■	■	■	■■■	emitter.py	
■	■	■	■	■	■■■	error.py	
■	■	■	■	■	■■■	events.py	
■	■	■	■	■	■■■	loader.py	
■	■	■	■	■	■■■	main.py	
■	■	■	■	■	■■■	nodes.py	
■	■	■	■	■	■■■	parser.py	
■	■	■	■	■	■■■	py.typed	

```

■ ■ ■ reader.py
■ ■ ■ representer.py
■ ■ ■ resolver.py
■ ■ ■ scalarbool.py
■ ■ ■ scalarfloat.py
■ ■ ■ scalarint.py
■ ■ ■ scalarstring.py
■ ■ ■ scanner.py
■ ■ ■ serializer.py
■ ■ ■ timestamp.py
■ ■ ■ tokens.py
■ ■ ■ util.py
■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   __init__.cpython-311.pyc
■ ■ ■   test_json_api.cpython-311.pyc
■ ■ ■   test_msgpack_api.cpython-311.pyc
■ ■ ■   test_pickle_api.cpython-311.pyc
■ ■ ■   test_yaml_api.cpython-311.pyc
■ ■ ■   util.cpython-311.pyc
■ ■ cloudpickle
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     __init__.cpython-311.pyc
■ ■ ■     cloudpickle_file_test.cpython-311.pyc
■ ■ ■     cloudpickle_test.cpython-311.pyc
■ ■ ■     testutils.cpython-311.pyc
■ ■ ■   cloudpickle_file_test.py
■ ■ ■   cloudpickle_test.py
■ ■ ■   testutils.py
■ ■ msgpack
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     __init__.cpython-311.pyc
■ ■ ■     test_buffer.cpython-311.pyc
■ ■ ■     test_case.cpython-311.pyc
■ ■ ■     test_except.cpython-311.pyc
■ ■ ■     test_extension.cpython-311.pyc
■ ■ ■     test_format.cpython-311.pyc
■ ■ ■     test_limits.cpython-311.pyc
■ ■ ■     test_memoryview.cpython-311.pyc
■ ■ ■     test_newspec.cpython-311.pyc
■ ■ ■     test_numpy.cpython-311.pyc
■ ■ ■     test_pack.cpython-311.pyc
■ ■ ■     test_read_size.cpython-311.pyc
■ ■ ■     test_seq.cpython-311.pyc
■ ■ ■     test_segunpack.cpython-311.pyc
■ ■ ■     test_stricttype.cpython-311.pyc
■ ■ ■     test_subtype.cpython-311.pyc
■ ■ ■     test_unpack.cpython-311.pyc
■ ■ ■   test_buffer.py
■ ■ ■   test_case.py
■ ■ ■   test_except.py
■ ■ ■   test_extension.py
■ ■ ■   test_format.py
■ ■ ■   test_limits.py
■ ■ ■   test_memoryview.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_newspeak.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pack.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_read_size.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_seq.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sequnpack.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stricttype.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_subtype.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_unpack.py
■ ■ ■ ■ ■ ■ ■ ■■■ ruamel_yaml
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ roundtrip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_a_dedent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_add_xxx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_anchor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_api_change.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_appliance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_class_register.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_collections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_comment_manipulation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_comments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_contextmanager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_deprecation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_documents.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_fail.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_float.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_flowsequencekey.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_indentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_int.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_issues.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_json_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_line_col.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_none.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_program_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_check_debug_leftovers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ roundtrip.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_a_dedent.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_add_xxx.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_anchor.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_api_change.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_appliance.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_class_register.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_collections.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_comment_manipulation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_comments.py
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_contextmanager.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_deprecation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_documents.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fail.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_float.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_flowsequencekey.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_indentation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_int.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_issues.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_json_numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_line_col.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_none.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_program_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_examples.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_string.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tag.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_version.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlfile.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlobject.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_check_debug_leftovers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_json_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_msgpack_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_yaml_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ ujson
■ ■ ■ ■ ■ ■ ■ ■■■ 334-reproducer.json
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_ujson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_ujson.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ ujson
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ JSONtoObj.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ lib
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ dconv_wrapper.cc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ultrajson.h
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ultrajsondec.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ultrajsonenc.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ objToJSON.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ py_defines.h
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ujson.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ujson.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ version.h
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ srsly-2.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ RECORD

```

```
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ zip-safe
■ ■ ■ ■ ■ ■ ■ ■ stack_data
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serializing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ formatting.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ serializing.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ stack_data-0.6.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ starlette
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _exception_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ applications.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ authentication.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ background.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ concurrency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ convertors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ datastructures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ endpoints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ formparsers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ requests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ responses.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ routing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ schemas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ staticfiles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ status.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ templating.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ testclient.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ websockets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _compat.py
■ ■ ■ ■ ■ ■ ■ ■ _exception_handler.py
■ ■ ■ ■ ■ ■ ■ ■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ applications.py
■ ■ ■ ■ ■ ■ ■ ■ authentication.py
```



```

■ ■ ■ ■ ■ ■■■ background.py
■ ■ ■ ■ ■ ■■■ concurrency.py
■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■■■ convertors.py
■ ■ ■ ■ ■ ■■■ datastructures.py
■ ■ ■ ■ ■ ■■■ endpoints.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ formparsers.py
■ ■ ■ ■ ■ ■■■ middleware
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ authentication.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ gzip.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ httpsredirect.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sessions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ trustedhost.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ wsgi.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ authentication.py
■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■■■ cors.py
■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ gzip.py
■ ■ ■ ■ ■ ■■■ httpsredirect.py
■ ■ ■ ■ ■ ■■■ sessions.py
■ ■ ■ ■ ■ ■■■ trustedhost.py
■ ■ ■ ■ ■ ■■■ wsgi.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ requests.py
■ ■ ■ ■ ■ ■■■ responses.py
■ ■ ■ ■ ■ ■■■ routing.py
■ ■ ■ ■ ■ ■■■ schemas.py
■ ■ ■ ■ ■ ■■■ staticfiles.py
■ ■ ■ ■ ■ ■■■ status.py
■ ■ ■ ■ ■ ■■■ templating.py
■ ■ ■ ■ ■ ■■■ testclient.py
■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■■■ websockets.py
■ ■ ■ ■ ■ ■■■ starlette-0.37.2.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■ ■■■ LICENSE.md
■ ■ ■ ■ ■ ■■■ statmodels
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ conftest.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■■■■ _version.py
■      ■      ■      ■      ■      ■■■■ api.py
■      ■      ■      ■      ■      ■■■■ base
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _constraints.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _parameter_inference.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _penalized.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _penalties.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _screening.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ covtype.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ distributed_estimation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ elastic_net.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ l1_cvxopt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ l1_slsqp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ l1_solvers_common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ model.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ optimizer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ transform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ wrapper.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _constraints.py
■      ■      ■      ■      ■      ■      ■■■■ _parameter_inference.py
■      ■      ■      ■      ■      ■      ■■■■ _penalized.py
■      ■      ■      ■      ■      ■      ■■■■ _penalties.py
■      ■      ■      ■      ■      ■      ■■■■ _screening.py
■      ■      ■      ■      ■      ■      ■■■■ covtype.py
■      ■      ■      ■      ■      ■      ■■■■ data.py
■      ■      ■      ■      ■      ■      ■■■■ distributed_estimation.py
■      ■      ■      ■      ■      ■      ■■■■ elastic_net.py
■      ■      ■      ■      ■      ■      ■■■■ l1_cvxopt.py
■      ■      ■      ■      ■      ■      ■■■■ l1_slsqp.py
■      ■      ■      ■      ■      ■      ■■■■ l1_solvers_common.py
■      ■      ■      ■      ■      ■      ■■■■ model.py
■      ■      ■      ■      ■      ■      ■■■■ optimizer.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_distributed_estimation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_generic_methods.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_optimize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_penalized.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_penalties.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_predict.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_screening.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_shrink_pickle.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_transform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_data.py
■      ■      ■      ■      ■      ■      ■■■■ test_distributed_estimation.py
■      ■      ■      ■      ■      ■      ■■■■ test_generic_methods.py
■      ■      ■      ■      ■      ■      ■■■■ test_optimize.py
■      ■      ■      ■      ■      ■      ■■■■ test_penalized.py
■      ■      ■      ■      ■      ■      ■■■■ test_penalties.py
■      ■      ■      ■      ■      ■      ■■■■ test_predict.py
■      ■      ■      ■      ■      ■      ■■■■ test_screening.py

```


[illegible]

```

■■■ engel
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   engel.csv
■■■ fair
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   fair.csv
■■■   fair_pt.csv
■■■ fertility
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   fertility.csv
■■■ grunfeld
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   grunfeld.csv
■■■ heart
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   heart.csv
■■■ interest_inflation
■■■   E6.csv
■■■   E6_jmulti.csv
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■ longley
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   longley.csv
■■■ macrodata
■■■   __init__.py
■■■   __pycache__
■■■   __init__.cpython-311.pyc
■■■   data.cpython-311.pyc
■■■   data.py
■■■   macrodata.csv

```

```

■      ■      ■      ■      ■      ■      ■      ■■■ macrodata.dta
            ■■■ modechoice
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ modechoice.csv
            ■■■ nile
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ nile.csv
            ■■■ randhie
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ randhie.csv
            ■■■ scotland
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ scotvote.csv
            ■■■ spector
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ spector.csv
            ■■■ stackloss
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ stackloss.csv
            ■■■ star98
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ star98.csv
            ■■■ statecrime
        ■    ■■■ __init__.py
        ■    ■■■ __pycache__
        ■    ■    ■■■ __init__.cpython-311.pyc
        ■    ■    ■■■ data.cpython-311.pyc
        ■    ■■■ data.py
        ■    ■■■ statecrime.csv
            ■■■ strikes
```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ mnlogit_resid.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ nbinom_resids.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ phat_mnlogit.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ poisson_resid.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ predict_prob_poisson.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_count_margins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_count_robust_cluster.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_glm_logit_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_poisson_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ships.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ sm3533.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_mnlogit.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_poisson.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conditional.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_count_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_margins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sandwich_cov.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ distributions
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bernstein.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ discrete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ edgeworth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ empirical_distribution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mixture_rvs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bernstein.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ copula
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ archimedean.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ copulas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ depfunc_ev.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ elliptical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ extreme_value.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ other_copulas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ archimedean.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ copulas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ depfunc_ev.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ elliptical.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ extreme_value.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ other_copulas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ edgeworth.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ empirical_distribution.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mixture_rvs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py

```



```

■ ■ ■ descriptive.cpython-311.pyc
■ ■ ■ elanova.cpython-311.pyc
■ ■ ■ elregress.cpython-311.pyc
■ ■ ■ originregress.cpython-311.pyc
■ ■ ■ aft_el.py
■ ■ ■ api.py
■ ■ ■ descriptive.py
■ ■ ■ elanova.py
■ ■ ■ elregress.py
■ ■ ■ originregress.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_aft.cpython-311.pyc
■ ■ ■ test_anova.cpython-311.pyc
■ ■ ■ test_descriptive.cpython-311.pyc
■ ■ ■ test_origin.cpython-311.pyc
■ ■ ■ test_regression.cpython-311.pyc
■ ■ ■ results
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ el_results.cpython-311.pyc
■ ■ ■ el_results.py
■ ■ ■ test_aft.py
■ ■ ■ test_anova.py
■ ■ ■ test_descriptive.py
■ ■ ■ test_origin.py
■ ■ ■ test_regression.py
■ ■ ■ formula
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ formulatools.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ formulatools.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_formula.cpython-311.pyc
■ ■ ■ test_formula.py
■ ■ ■ gam
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ gam_penalties.cpython-311.pyc
■ ■ ■ generalized_additive_model.cpython-311.pyc
■ ■ ■ smooth_basis.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ gam_cross_validation
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ cross_validators.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ gam_cross_validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cross_validators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ gam_cross_validation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ gam_penalties.py
■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_additive_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■ smooth_basis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_gam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_penalized.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_smooth_basis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ results
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ results_mpg_bs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ results_mpg_bs_poisson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ results_pls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ autos.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ autos_exog.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ autos_predict.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ cubic_cyclic_splines_from_mgcv.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ gam_PIRLS_results.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ logit_gam_mgcv.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ motorcycle.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ prediction_from_mgcv.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ results_mpg_bs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ results_mpg_bs_poisson.py
■ ■ ■ ■ ■ ■ ■ ■ ■ results_pls.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_gam.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_penalized.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_smooth_basis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ genmod
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _prediction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _tweedie_compound_poisson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bayes_mixed_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cov_struct.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_estimating_equations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_linear_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ qif.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _prediction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _tweedie_compound_poisson.py
■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ bayes_mixed_glm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ cov_struct.py
■ ■ ■ ■ ■ ■ ■ ■ ■ families
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ family.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ links.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ varfuncs.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ family.py
■ ■ ■ ■ ■ ■ ■ ■ ■ links.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ test_family.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ test_link.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ test_family.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ test_link.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ■ varfuncs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_estimating_equations.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_linear_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ qif.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_categorical_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_gaussian_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_poisson_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_bayes_mixed_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_constrained.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_gee.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_gee_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_glm_weights.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_qif.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_score_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_categorical_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_gaussian_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_poisson_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ results
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ elastic_net_generate_tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_generate_tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glm_test_resids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glmnet_r_results.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ res_R_var_weight.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ results_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ results_glm_poisson_weights.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ elastic_net_generate_tests.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ enet_binomial.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ enet_poisson.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ epil.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_generate_tests.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_linear_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_logistic_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_nested_linear_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_nominal_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_ordinal_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_poisson_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glm_test_resids.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glmnet_r_results.py

```

```

█ █ █ █ █ █ █ █ █ igaussident_resids.csv
█ █ █ █ █ █ █ █ █ inv_gaussian.csv
█ █ █ █ █ █ █ █ █ iris.csv
█ █ █ █ █ █ █ █ █ medparlogresids.csv
█ █ █ █ █ █ █ █ █ res_R_var_weight.py
█ █ █ █ █ █ █ █ █ results_glm.py
█ █ █ █ █ █ █ █ █ results_glm_poisson_weights.py
█ █ █ █ █ █ █ █ █ results_tweedie_aweights_nonrobust.csv
█ █ █ █ █ █ █ █ █ stata_cancer_glm.csv
█ █ █ █ █ █ █ █ █ stata_lbw_glm.csv
█ █ █ █ █ █ █ █ █ stata_medpar1_glm.csv
█ █ █ █ █ █ █ █ █ test_bayes_mixed_glm.py
█ █ █ █ █ █ █ █ █ test_constrained.py
█ █ █ █ █ █ █ █ █ test_gee.py
█ █ █ █ █ █ █ █ █ test_gee_glm.py
█ █ █ █ █ █ █ █ █ test_glm.py
█ █ █ █ █ █ █ █ █ test_glm_weights.py
█ █ █ █ █ █ █ █ █ test_qif.py
█ █ █ █ █ █ █ █ █ test_score_test.py
█ █ █ █ █ █ █ █ █ graphics
█ █ █ █ █ █ █ █ █ __init__.py
█ █ █ █ █ █ █ █ █ __pycache__
█ █ █ █ █ █ █ █ █ __init__.cpython-311.pyc
█ █ █ █ █ █ █ █ █ _regressionplots_doc.cpython-311.pyc
█ █ █ █ █ █ █ █ █ agreement.cpython-311.pyc
█ █ █ █ █ █ █ █ █ api.cpython-311.pyc
█ █ █ █ █ █ █ █ █ boxplots.cpython-311.pyc
█ █ █ █ █ █ █ █ █ correlation.cpython-311.pyc
█ █ █ █ █ █ █ █ █ dotplots.cpython-311.pyc
█ █ █ █ █ █ █ █ █ factorplots.cpython-311.pyc
█ █ █ █ █ █ █ █ █ functional.cpython-311.pyc
█ █ █ █ █ █ █ █ █ gofplots.cpython-311.pyc
█ █ █ █ █ █ █ █ █ mosaicplot.cpython-311.pyc
█ █ █ █ █ █ █ █ █ plot_grids.cpython-311.pyc
█ █ █ █ █ █ █ █ █ plottools.cpython-311.pyc
█ █ █ █ █ █ █ █ █ regressionplots.cpython-311.pyc
█ █ █ █ █ █ █ █ █ tsaplots.cpython-311.pyc
█ █ █ █ █ █ █ █ █ tukeyplot.cpython-311.pyc
█ █ █ █ █ █ █ █ █ utils.cpython-311.pyc
█ █ █ █ █ █ █ █ █ _regressionplots_doc.py
█ █ █ █ █ █ █ █ █ agreement.py
█ █ █ █ █ █ █ █ █ api.py
█ █ █ █ █ █ █ █ █ boxplots.py
█ █ █ █ █ █ █ █ █ correlation.py
█ █ █ █ █ █ █ █ █ dotplots.py
█ █ █ █ █ █ █ █ █ factorplots.py
█ █ █ █ █ █ █ █ █ functional.py
█ █ █ █ █ █ █ █ █ gofplots.py
█ █ █ █ █ █ █ █ █ mosaicplot.py
█ █ █ █ █ █ █ █ █ plot_grids.py
█ █ █ █ █ █ █ █ █ plottools.py
█ █ █ █ █ █ █ █ █ regressionplots.py
█ █ █ █ █ █ █ █ █ tests
█ █ █ █ █ █ █ █ █ __init__.py
█ █ █ █ █ █ █ █ █ __pycache__
█ █ █ █ █ █ █ █ █ __init__.cpython-311.pyc
█ █ █ █ █ █ █ █ █ test_agreement.cpython-311.pyc
█ █ █ █ █ █ █ █ █ test_boxplots.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dotplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_factorplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_functional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gofplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mosaicplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regressionplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tsaplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_agreement.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_boxplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dotplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_factorplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_functional.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gofplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mosaicplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regressionplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tsaplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tsaplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tukeyplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ imputation
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bayes_mi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ros.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bayes_mi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mice.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bayes_mi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ros.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bayes_mi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mice.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ interface
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ iolib
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ foreign.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ openfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ smpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ stata_summary_examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ summary.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ summary2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tableformatting.cpython-311.pyc

```

```

■■■ api.py
■■■ foreign.py
■■■ openfile.py
■■■ smpickle.py
■■■ stata_summary_examples.py
■■■ summary.py
■■■ summary2.py
■■■ table.py
■■■ tableformatting.py
■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ test_pickle.cpython-311.pyc
        ■■■ test_summary.cpython-311.pyc
        ■■■ test_summary2.cpython-311.pyc
        ■■■ test_summary_old.cpython-311.pyc
        ■■■ test_table.cpython-311.pyc
        ■■■ test_table_econpy.cpython-311.pyc
    ■■■ results
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ macrodata.cpython-311.pyc
        ■■■ data_missing.dta
        ■■■ macrodata.py
        ■■■ time_series_examples.dta
    ■■■ test_pickle.py
    ■■■ test_summary.py
    ■■■ test_summary2.py
    ■■■ test_summary_old.py
    ■■■ test_table.py
    ■■■ test_table_econpy.py
■■■ miscmodels
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ api.cpython-311.pyc
        ■■■ count.cpython-311.pyc
        ■■■ nonlinls.cpython-311.pyc
        ■■■ ordinal_model.cpython-311.pyc
        ■■■ tmodel.cpython-311.pyc
        ■■■ try_mlecov.cpython-311.pyc
    ■■■ api.py
    ■■■ count.py
    ■■■ nonlinls.py
    ■■■ ordinal_model.py
    ■■■ tests
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ results_tmodel.cpython-311.pyc
            ■■■ test_generic_mle.cpython-311.pyc
            ■■■ test_ordinal_model.cpython-311.pyc
            ■■■ test_poisson.cpython-311.pyc
            ■■■ test_tarma.cpython-311.pyc
            ■■■ test_tmodel.cpython-311.pyc
        ■■■ results

```



```

results
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  datamlw.cpython-311.pyc
  datamlw.py
  factor_data.csv
  factors_stata.csv
  test_cancorr.py
  test_factor.py
  test_manova.py
  test_ml_factor.py
  test_multivariate_ols.py
  test_pca.py
nonparametric
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _kernel_base.cpython-311.pyc
  api.cpython-311.pyc
  bandwidths.cpython-311.pyc
  kde.cpython-311.pyc
  kdetools.cpython-311.pyc
  kernel_density.cpython-311.pyc
  kernel_regression.cpython-311.pyc
  kernels.cpython-311.pyc
  kernels_asymmetric.cpython-311.pyc
  smoothers_lowess.cpython-311.pyc
  smoothers_lowess_old.cpython-311.pyc
  _kernel_base.py
  _smoothers_lowess.cpython-311-x86_64-linux-gnu.so
  api.py
  bandwidths.py
  kde.py
  kdetools.py
  kernel_density.py
  kernel_regression.py
  kernels.py
  kernels_asymmetric.py
  linbin.cpython-311-x86_64-linux-gnu.so
  smoothers_lowess.py
  smoothers_lowess_old.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_asymmetric.cpython-311.pyc
  test_bandwidths.cpython-311.pyc
  test_kde.cpython-311.pyc
  test_kernel_density.cpython-311.pyc
  test_kernel_regression.cpython-311.pyc
  test_kernels.cpython-311.pyc
  test_lowess.cpython-311.pyc
results
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  results_kcde.csv

```

```

■ ■ ■ results_kde_fft.csv
■ ■ ■ results_kde_univ_weights.csv
■ ■ ■ results_kde_weights.csv
■ ■ ■ results_kernel_regression.csv
■ ■ ■ test_lowess_delta.csv
■ ■ ■ test_lowess_frac.csv
■ ■ ■ test_lowess_iter.csv
■ ■ ■ test_lowess_simple.csv
■ ■ ■ test_asymmetric.py
■ ■ ■ test_bandwidths.py
■ ■ ■ test_kde.py
■ ■ ■ test_kernel_density.py
■ ■ ■ test_kernel_regression.py
■ ■ ■ test_kernels.py
■ ■ ■ test_lowess.py
■ ■ ■ othermod
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ betareg.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ betareg.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_beta.cpython-311.pyc
■ ■ ■ results
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ results_betareg.cpython-311.pyc
■ ■ ■ foodexpenditure.csv
■ ■ ■ methylation-test.csv
■ ■ ■ resid_methylation.csv
■ ■ ■ results_betareg.py
■ ■ ■ test_beta.py
■ ■ ■ regression
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _prediction.cpython-311.pyc
■ ■ ■ _tools.cpython-311.pyc
■ ■ ■ dimred.cpython-311.pyc
■ ■ ■ feasible_gls.cpython-311.pyc
■ ■ ■ linear_model.cpython-311.pyc
■ ■ ■ mixed_linear_model.cpython-311.pyc
■ ■ ■ process_regression.cpython-311.pyc
■ ■ ■ quantile_regression.cpython-311.pyc
■ ■ ■ recursive_ls.cpython-311.pyc
■ ■ ■ rolling.cpython-311.pyc
■ ■ ■ _prediction.py
■ ■ ■ _tools.py
■ ■ ■ dimred.py
■ ■ ■ feasible_gls.py
■ ■ ■ linear_model.py

```

```

■■■ mixed_linear_model.py
■■■ process_regression.py
■■■ quantile_regression.py
■■■ recursive_ls.py
■■■ rolling.py
■■■ tests
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test_cov.cpython-311.pyc
■■■ test_dimred.cpython-311.pyc
■■■ test_glsar_gretl.cpython-311.pyc
■■■ test_glsar_stata.cpython-311.pyc
■■■ test_lme.cpython-311.pyc
■■■ test_predict.cpython-311.pyc
■■■ test_processreg.cpython-311.pyc
■■■ test_quantile_regression.cpython-311.pyc
■■■ test_recursive_ls.cpython-311.pyc
■■■ test_regression.cpython-311.pyc
■■■ test_robustcov.cpython-311.pyc
■■■ test_rolling.cpython-311.pyc
■■■ test_theil.cpython-311.pyc
■■■ test_tools.cpython-311.pyc
■■■ results
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ generate_lasso.cpython-311.pyc
■■■ generate_lme.cpython-311.pyc
■■■ glmnet_r_results.cpython-311.pyc
■■■ lme_r_results.cpython-311.pyc
■■■ macro_gr_corc_stata.cpython-311.pyc
■■■ results_grunfeld_ols_robust_cluster.cpython-311.pyc
■■■ results_macro_ols_robust.cpython-311.pyc
■■■ results_quantile_regression.cpython-311.pyc
■■■ results_regression.cpython-311.pyc
■■■ results_theil_textile.cpython-311.pyc
■■■ dietox.csv
■■■ generate_lasso.py
■■■ generate_lme.py
■■■ glmnet_r_results.py
■■■ lasso_data.csv
■■■ leverage_influence_ols_nostars.txt
■■■ lme00.csv
■■■ lme01.csv
■■■ lme02.csv
■■■ lme03.csv
■■■ lme04.csv
■■■ lme05.csv
■■■ lme06.csv
■■■ lme07.csv
■■■ lme08.csv
■■■ lme09.csv
■■■ lme10.csv
■■■ lme11.csv
■■■ lme_r_results.py
■■■ macro_gr_corc_stata.py
■■■ pastes.csv

```



```

■      ■      ■      ■      ■      ■      ■      ■■■ predict_functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ rls.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ sysreg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ archive
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_covmat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_decomp_1.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ tsa.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_covmat.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_decomp_1.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ tsa.py
■      ■      ■      ■      ■      ■      ■■■ bspline.py
■      ■      ■      ■      ■      ■      ■■■ datarich
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ factormodels.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ factormodels.py
■      ■      ■      ■      ■      ■      ■■■ descstats.py
■      ■      ■      ■      ■      ■      ■■■ distributions
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ estimators.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ genpareto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ gof_new.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ multivariate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ mv_measures.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ mv_normal.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ otherdist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ quantize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ sppatch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ transform_functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ transformed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ try_max.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ try_pot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ estimators.py
■      ■      ■      ■      ■      ■      ■■■ examples
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_fitfr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_gof.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_mvelliptical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_transf2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ matchdist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ ex_extras.py
■      ■      ■      ■      ■      ■      ■■■ ex_fitfr.py
■      ■      ■      ■      ■      ■      ■■■ ex_gof.py
■      ■      ■      ■      ■      ■      ■■■ ex_mvelliptical.py
■      ■      ■      ■      ■      ■      ■■■ ex_transf2.py
■      ■      ■      ■      ■      ■      ■■■ matchdist.py
■      ■      ■      ■      ■      ■      ■■■ extras.py
■      ■      ■      ■      ■      ■      ■■■ genpareto.py

```

```

gof_new.py
multivariate.py
mv_measures.py
mv_normal.py
otherdist.py
quantize.py
sppatch.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _est_fit.cpython-311.pyc
    check_moments.cpython-311.pyc
    distparams.cpython-311.pyc
    test_extras.cpython-311.pyc
    test_gof_new.cpython-311.pyc
    test_multivariate.cpython-311.pyc
    test_norm_expan.cpython-311.pyc
    test_transf.cpython-311.pyc
    _est_fit.py
    check_moments.py
    distparams.py
    test_extras.py
    test_gof_new.py
    test_multivariate.py
    test_norm_expan.py
    test_transf.py
transform_functions.py
transformed.py
try_max.py
try_pot.py
gam.py
infotheo.py
mcevaluate
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    arma.cpython-311.pyc
    arma.py
mle.py
multilinear.py
nonparametric
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    densityorthopoly.cpython-311.pyc
    dgp_examples.cpython-311.pyc
    kde2.cpython-311.pyc
    kdecovclass.cpython-311.pyc
    kernel_extras.cpython-311.pyc
    kernels.cpython-311.pyc
    smoothers.cpython-311.pyc
    testdata.cpython-311.pyc
    densityorthopoly.py
    dgp_examples.py
    kde2.py
    kdecovclass.py
    kernel_extras.py

```

```

##### kernels.py
##### smoothers.py
##### testdata.py
##### tests
#####   __init__.py
#####   __pycache__
#####     __init__.cpython-311.pyc
#####     ex_gam_am_new.cpython-311.pyc
#####     ex_gam_new.cpython-311.pyc
#####     ex_smoothers.cpython-311.pyc
#####     test_kernel_extras.cpython-311.pyc
#####     test_smoothers.cpython-311.pyc
#####     ex_gam_am_new.py
#####     ex_gam_new.py
#####     ex_smoothers.py
#####     test_kernel_extras.py
#####     test_smoothers.py
##### panel
#####   __init__.py
#####   __pycache__
#####     __init__.cpython-311.pyc
#####     correlation_structures.cpython-311.pyc
#####     mixed.cpython-311.pyc
#####     panel_short.cpython-311.pyc
#####     panelmod.cpython-311.pyc
#####     random_panel.cpython-311.pyc
#####     sandwich_covariance_generic.cpython-311.pyc
#####     correlation_structures.py
#####     mixed.py
#####     panel_short.py
#####     panelmod.py
#####     random_panel.py
#####     sandwich_covariance_generic.py
#####     tests
#####     __init__.py
#####     __pycache__
#####       __init__.cpython-311.pyc
#####       test_random_panel.cpython-311.pyc
#####       test_random_panel.py
##### pca.py
##### predict_functional.py
##### regression
#####   __init__.py
#####   __pycache__
#####     __init__.cpython-311.pyc
#####     anova_nistcertified.cpython-311.pyc
#####     ar_panel.cpython-311.pyc
#####     example_kernridge.cpython-311.pyc
#####     gmm.cpython-311.pyc
#####     kernridgeregress_class.cpython-311.pyc
#####     ols_anova_original.cpython-311.pyc
#####     onewaygls.cpython-311.pyc
#####     penalized.cpython-311.pyc
#####     predstd.cpython-311.pyc
#####     runmnl.cpython-311.pyc
#####     sympy_diff.cpython-311.pyc
#####     tools.cpython-311.pyc
#####     treewalkerclass.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      try_catdata.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      try_ols_anova.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      try_treewalker.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      anova_nistcertified.py
■      ■      ■      ■      ■      ■      ■      ■      ar_panel.py
■      ■      ■      ■      ■      ■      ■      ■      example_kernridge.py
■      ■      ■      ■      ■      ■      ■      ■      gmm.py
■      ■      ■      ■      ■      ■      ■      ■      kernridgeregress_class.py
■      ■      ■      ■      ■      ■      ■      ■      ols_anova_original.py
■      ■      ■      ■      ■      ■      ■      ■      onewaygls.py
■      ■      ■      ■      ■      ■      ■      ■      penalized.py
■      ■      ■      ■      ■      ■      ■      ■      predstd.py
■      ■      ■      ■      ■      ■      ■      ■      runmnl.py
■      ■      ■      ■      ■      ■      ■      ■      sympy_diff.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      results_gmm_griliches.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      results_gmm_griliches_iter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      results_gmm_poisson.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      results_ivreg2_griliches.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_gmm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_gmm_poisson.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      griliches76.dta
■      ■      ■      ■      ■      ■      ■      ■      racd10data_with_transformed.csv
■      ■      ■      ■      ■      ■      ■      ■      results_gmm_griliches.py
■      ■      ■      ■      ■      ■      ■      ■      results_gmm_griliches_iter.py
■      ■      ■      ■      ■      ■      ■      ■      results_gmm_poisson.py
■      ■      ■      ■      ■      ■      ■      ■      results_ivreg2_griliches.py
■      ■      ■      ■      ■      ■      ■      ■      test_gmm.py
■      ■      ■      ■      ■      ■      ■      ■      test_gmm_poisson.py
■      ■      ■      ■      ■      ■      ■      ■      tools.py
■      ■      ■      ■      ■      ■      ■      ■      treewalkerclass.py
■      ■      ■      ■      ■      ■      ■      ■      try_catdata.py
■      ■      ■      ■      ■      ■      ■      ■      try_ols_anova.py
■      ■      ■      ■      ■      ■      ■      ■      try_treewalker.py
■      ■      ■      ■      ■      ■      ■      ■      rls.py
■      ■      ■      ■      ■      ■      ■      ■      stats
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      contrast_tools.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      diagnostic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ex_newtests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      multicompcpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      runs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      stats_dhuard.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      stats_mstats_short.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      contrast_tools.py
■      ■      ■      ■      ■      ■      ■      ■      diagnostic.py
■      ■      ■      ■      ■      ■      ■      ■      ex_newtests.py
■      ■      ■      ■      ■      ■      ■      ■      multicomppython
■      ■      ■      ■      ■      ■      ■      ■      runs.py
■      ■      ■      ■      ■      ■      ■      ■      stats_dhuard.py
■      ■      ■      ■      ■      ■      ■      ■      stats_mstats_short.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py

```



```

├── __pycache__
│   ├── __init__.cpython-311.pyc
│   ├── test_multicomp.cpython-311.pyc
│   ├── test_runs.cpython-311.pyc
│   ├── test_multicomp.py
│   └── test_runs.py
├── sysreg.py
├── tests
│   ├── __init__.py
│   ├── __pycache__
│   │   ├── __init__.cpython-311.pyc
│   │   ├── maketests_mlabwrap.cpython-311.pyc
│   │   ├── savervs.cpython-311.pyc
│   │   ├── test_gam.cpython-311.pyc
│   │   ├── test_pca.cpython-311.pyc
│   │   └── test_predict_functional.cpython-311.pyc
│   ├── maketests_mlabwrap.py
│   ├── savervs.py
│   ├── test_gam.py
│   ├── test_pca.py
│   └── test_predict_functional.py
├── tools
│   ├── __init__.py
│   ├── __pycache__
│   │   ├── __init__.cpython-311.pyc
│   │   ├── cross_val.cpython-311.pyc
│   │   ├── mctools.cpython-311.pyc
│   │   ├── tools_pca.cpython-311.pyc
│   │   └── try_mctools.cpython-311.pyc
│   ├── cross_val.py
│   ├── mctools.py
│   ├── tools_pca.py
│   └── try_mctools.py
├── tsa
│   ├── __init__.py
│   ├── __pycache__
│   │   ├── __init__.cpython-311.pyc
│   │   ├── diffusion.cpython-311.pyc
│   │   ├── diffusion2.cpython-311.pyc
│   │   ├── example_arma.cpython-311.pyc
│   │   ├── fftarma.cpython-311.pyc
│   │   ├── movstat.cpython-311.pyc
│   │   ├── try_arma_more.cpython-311.pyc
│   │   ├── try_fi.cpython-311.pyc
│   │   ├── try_var_convolve.cpython-311.pyc
│   │   └── varma.cpython-311.pyc
│   ├── diffusion.py
│   ├── diffusion2.py
│   ├── example_arma.py
│   ├── fftarma.py
│   ├── movstat.py
│   ├── try_arma_more.py
│   ├── try_fi.py
│   ├── try_var_convolve.py
│   └── varma.py
├── setup.cfg
├── src
└── __init__.py

```

■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■■■	stats		
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■■■	_adnorm.cpython-311.pyc	
■	■	■	■	■	■	■■■	_diagnostic_other.cpython-311.pyc	
■	■	■	■	■	■	■■■	_knockoff.cpython-311.pyc	
■	■	■	■	■	■	■■■	_lilliefors.cpython-311.pyc	
■	■	■	■	■	■	■■■	_lilliefors_critical_values.cpython-311.pyc	
■	■	■	■	■	■	■■■	anova.cpython-311.pyc	
■	■	■	■	■	■	■■■	api.cpython-311.pyc	
■	■	■	■	■	■	■■■	base.cpython-311.pyc	
■	■	■	■	■	■	■■■	contingency_tables.cpython-311.pyc	
■	■	■	■	■	■	■■■	contrast.cpython-311.pyc	
■	■	■	■	■	■	■■■	correlation_tools.cpython-311.pyc	
■	■	■	■	■	■	■■■	descriptivestats.cpython-311.pyc	
■	■	■	■	■	■	■■■	diagnostic.cpython-311.pyc	
■	■	■	■	■	■	■■■	diagnostic_gen.cpython-311.pyc	
■	■	■	■	■	■	■■■	dist_dependence_measures.cpython-311.pyc	
■	■	■	■	■	■	■■■	effect_size.cpython-311.pyc	
■	■	■	■	■	■	■■■	gof.cpython-311.pyc	
■	■	■	■	■	■	■■■	inter_rater.cpython-311.pyc	
■	■	■	■	■	■	■■■	knockoff_regeffects.cpython-311.pyc	
■	■	■	■	■	■	■■■	mediation.cpython-311.pyc	
■	■	■	■	■	■	■■■	meta_analysis.cpython-311.pyc	
■	■	■	■	■	■	■■■	moment_helpers.cpython-311.pyc	
■	■	■	■	■	■	■■■	multicomp.cpython-311.pyc	
■	■	■	■	■	■	■■■	multitest.cpython-311.pyc	
■	■	■	■	■	■	■■■	multivariate.cpython-311.pyc	
■	■	■	■	■	■	■■■	multivariate_tools.cpython-311.pyc	
■	■	■	■	■	■	■■■	nonparametric.cpython-311.pyc	
■	■	■	■	■	■	■■■	oaxaca.cpython-311.pyc	
■	■	■	■	■	■	■■■	oneway.cpython-311.pyc	
■	■	■	■	■	■	■■■	outliers_influence.cpython-311.pyc	
■	■	■	■	■	■	■■■	power.cpython-311.pyc	
■	■	■	■	■	■	■■■	proportion.cpython-311.pyc	
■	■	■	■	■	■	■■■	rates.cpython-311.pyc	
■	■	■	■	■	■	■■■	regularized_covariance.cpython-311.pyc	
■	■	■	■	■	■	■■■	robust_compare.cpython-311.pyc	
■	■	■	■	■	■	■■■	sandwich_covariance.cpython-311.pyc	
■	■	■	■	■	■	■■■	stattools.cpython-311.pyc	
■	■	■	■	■	■	■■■	tabledist.cpython-311.pyc	
■	■	■	■	■	■	■■■	weightstats.cpython-311.pyc	
■	■	■	■	■	■■■	_adnorm.py		
■	■	■	■	■	■■■	_diagnostic_other.py		
■	■	■	■	■	■■■	_knockoff.py		
■	■	■	■	■	■■■	_lilliefors.py		
■	■	■	■	■	■■■	_lilliefors_critical_values.py		
■	■	■	■	■	■■■	anova.py		
■	■	■	■	■	■■■	api.py		
■	■	■	■	■	■■■	base.py		
■	■	■	■	■	■■■	contingency_tables.py		
■	■	■	■	■	■■■	contrast.py		
■	■	■	■	■	■■■	correlation_tools.py		
■	■	■	■	■	■■■	descriptivestats.py		
■	■	■	■	■	■■■	diagnostic.py		

■	■	■	■	■	■	■■■	diagnostic_gen.py
■	■	■	■	■	■	■■■	dist_dependence_measures.py
■	■	■	■	■	■	■■■	effect_size.py
■	■	■	■	■	■	■■■	gof.py
■	■	■	■	■	■	■■■	inter_rater.py
■	■	■	■	■	■	■■■	knockoff_regeffects.py
■	■	■	■	■	■	■■■	libqsturng
■	■	■	■	■	■	■	■■■ CH.r
■	■	■	■	■	■	■■■	LICENSE.txt
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ make_tbls.cpython-311.pyc
■	■	■	■	■	■	■	■■■ qsturng.cpython-311.pyc
■	■	■	■	■	■	■■■	make_tbls.py
■	■	■	■	■	■	■■■	qsturng.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_qsturng.cpython-311.pyc
■	■	■	■	■	■	■	■■■ bootleg.dat
■	■	■	■	■	■	■	■■■ test_qsturng.py
■	■	■	■	■	■	■■■	mediation.py
■	■	■	■	■	■	■■■	meta_analysis.py
■	■	■	■	■	■	■■■	moment_helpers.py
■	■	■	■	■	■	■■■	multicomp.py
■	■	■	■	■	■	■■■	multitest.py
■	■	■	■	■	■	■■■	multivariate.py
■	■	■	■	■	■	■■■	multivariate_tools.py
■	■	■	■	■	■	■■■	nonparametric.py
■	■	■	■	■	■	■■■	oaxaca.py
■	■	■	■	■	■	■■■	oneway.py
■	■	■	■	■	■	■■■	outliers_influence.py
■	■	■	■	■	■	■■■	power.py
■	■	■	■	■	■	■■■	proportion.py
■	■	■	■	■	■	■■■	rates.py
■	■	■	■	■	■	■■■	regularized_covariance.py
■	■	■	■	■	■	■■■	robust_compare.py
■	■	■	■	■	■	■■■	sandwich_covariance.py
■	■	■	■	■	■	■■■	stattools.py
■	■	■	■	■	■	■■■	tabledist.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_anova.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_anova_rm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_base.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_contingency_tables.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_contrast.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_correlation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_corrpsd.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_descriptivestats.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_diagnostic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_diagnostic_other.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_dist_dependant_measures.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_effectsize.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ test_gof.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_groups_sw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_influence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_inter_rater.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_knockoff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_lilliefors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_mediation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_moment_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_multi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_multivariate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_nonparametric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_oaxaca.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_oneway.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_outliers_influence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_pairwise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_panel_robustcov.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_proportion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_qsturng.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_rates_poisson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_regularized_covariance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_robust_compare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_sandwich.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_statstools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_tabledist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_tost.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_weightstats.cpython-311.pyc
■ ■ ■ results
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■ lilliefors_critical_value_simulation.cpython-311.py
■ ■ ■   ■ ■ ■ results_meta.cpython-311.pyc
■ ■ ■   ■ ■ ■ results_multinomial_proportions.cpython-311.pyc
■ ■ ■   ■ ■ ■ results_panelrobust.cpython-311.pyc
■ ■ ■   ■ ■ ■ results_power.cpython-311.pyc
■ ■ ■   ■ ■ ■ results_proportion.cpython-311.pyc
■ ■ ■   ■ ■ ■ results_rates.cpython-311.pyc
■ ■ ■ binary_constrict.csv
■ ■ ■ bootleg.csv
■ ■ ■ contingency_table_r_results.csv
■ ■ ■ data.dat
■ ■ ■ framing.csv
■ ■ ■ influence_lsdiag_R.json
■ ■ ■ influence_measures_R.csv
■ ■ ■ influence_measures_bool_R.csv
■ ■ ■ lilliefors_critical_value_simulation.py
■ ■ ■ results_influence_logit.csv
■ ■ ■ results_meta.py
■ ■ ■ results_multinomial_proportions.py
■ ■ ■ results_panelrobust.py
■ ■ ■ results_power.py
■ ■ ■ results_proportion.py
■ ■ ■ results_rates.py
■ ■ ■ wspec1.csv
■ ■ ■ wspec2.csv
■ ■ ■ wspec3.csv

```

```

■      ■      ■      ■      ■      ■      ■      ■      ■■■■ wspec4.csv
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_anova.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_anova_rm.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_base.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_contingency_tables.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_contrast.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_correlation.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_corrpsd.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_data.txt
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_descriptivestats.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_diagnostic.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_diagnostic_other.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_dist_dependant_measures.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_effectsize.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_gof.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_groups_sw.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_influence.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_inter_rater.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_knockoff.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_lilliefors.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_mediation.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_meta.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_moment_helpers.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_multi.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_multivariate.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_nonparametric.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_oaxaca.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_oneway.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_outliers_influence.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_pairwise.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_panel_robustcov.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_power.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_proportion.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_qsturng.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_rates_poisson.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_regularized_covariance.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_robust_compare.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_sandwich.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_statstools.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_tabledist.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_tost.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_weightstats.py
■      ■      ■      ■      ■      ■      ■      ■■■■ weightstats.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_package.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_package.py
■      ■      ■      ■      ■      ■■■■ tools
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _testing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ catadd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ decorators.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ docstring.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ eval_measures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ grouputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numdiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parallel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ print_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rng_qrng.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rootfinding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequences.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sm_exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ transform_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ web.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ catadd.py
■ ■ ■ ■ ■ ■ ■ ■■■ data.py
■ ■ ■ ■ ■ ■ ■ ■■■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ docstring.py
■ ■ ■ ■ ■ ■ ■ ■■■ eval_measures.py
■ ■ ■ ■ ■ ■ ■ ■■■ grouputils.py
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ numdiff.py
■ ■ ■ ■ ■ ■ ■ ■■■ parallel.py
■ ■ ■ ■ ■ ■ ■ ■■■ print_version.py
■ ■ ■ ■ ■ ■ ■ ■■■ rng_qrng.py
■ ■ ■ ■ ■ ■ ■ ■■■ rootfinding.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequences.py
■ ■ ■ ■ ■ ■ ■ ■■■ sm_exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_catadd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_docstring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval_measures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_grouputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_numdiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rootfinding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sequences.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transform_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_web.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_catadd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_docstring.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval_measures.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_grouputils.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numdiff.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel.py
```

```

test_rootfinding.py
test_sequences.py
test_testing.py
test_tools.py
test_transform_model.py
test_web.py
tools.py
transform_model.py
validation
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    decorators.cpython-311.pyc
    validation.cpython-311.pyc
  decorators.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_validation.cpython-311.pyc
    test_validation.py
  validation.py
web.py
tsa
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _bds.cpython-311.pyc
    adfvalues.cpython-311.pyc
    api.cpython-311.pyc
    ar_model.cpython-311.pyc
    arima_model.cpython-311.pyc
    arima_process.cpython-311.pyc
    arma_mle.cpython-311.pyc
    coint_tables.cpython-311.pyc
    descriptivestats.cpython-311.pyc
    deterministic.cpython-311.pyc
    mlemodel.cpython-311.pyc
    seasonal.cpython-311.pyc
    stattools.cpython-311.pyc
    tsatools.cpython-311.pyc
    varma_process.cpython-311.pyc
    x13.cpython-311.pyc
  _bds.py
  _innovations.cpython-311-x86_64-linux-gnu.so
  _stl.cpython-311-x86_64-linux-gnu.so
  adfvalues.py
  api.py
  ar_model.py
  ardl
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      model.cpython-311.pyc
      pss_critical_values.cpython-311.pyc
    _pss_critical_values
      __init__.py
      __pycache__

```

```

    ■■■ __init__.cpython-311.pyc
    ■■■ pss-process.cpython-311.pyc
    ■■■ pss.cpython-311.pyc
    ■■■ pss-process.py
    ■■■ pss.py
    ■■■ model.py
    ■■■ pss_critical_values.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_ardl.cpython-311.pyc
    ■■■ test_ardl.py
  ■■■ arima
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ api.cpython-311.pyc
    ■■■ model.cpython-311.pyc
    ■■■ params.cpython-311.pyc
    ■■■ specification.cpython-311.pyc
    ■■■ tools.cpython-311.pyc
    ■■■ api.py
    ■■■ datasets
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ brockwell_davis_2002
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ data
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ dowj.cpython-311.pyc
    ■■■ lake.cpython-311.pyc
    ■■■ oshorts.cpython-311.pyc
    ■■■ sbl.cpython-311.pyc
    ■■■ dowj.py
    ■■■ lake.py
    ■■■ oshorts.py
    ■■■ sbl.py
  ■■■ estimators
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ burg.cpython-311.pyc
    ■■■ durbin_levinson.cpython-311.pyc
    ■■■ gls.cpython-311.pyc
    ■■■ hannan_rissanen.cpython-311.pyc
    ■■■ innovations.cpython-311.pyc
    ■■■ statespace.cpython-311.pyc
    ■■■ yule_walker.cpython-311.pyc
    ■■■ burg.py
    ■■■ durbin_levinson.py
    ■■■ gls.py
    ■■■ hannan_rissanen.py

```



```

■ innovations.py
■ statespace.py
■ tests
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ test_burg.cpython-311.pyc
■   ■   ■ test_durbin_levinson.cpython-311.pyc
■   ■   ■ test_gls.cpython-311.pyc
■   ■   ■ test_hannan_rissanen.cpython-311.pyc
■   ■   ■ test_innovations.cpython-311.pyc
■   ■   ■ test_statespace.cpython-311.pyc
■   ■   ■ test_yule_walker.cpython-311.pyc
■   ■ test_burg.py
■   ■ test_durbin_levinson.py
■   ■ test_gls.py
■   ■ test_hannan_rissanen.py
■   ■ test_innovations.py
■   ■ test_statespace.py
■   ■ test_yule_walker.py
■   ■ yule_walker.py
■ model.py
■ params.py
■ specification.py
■ tests
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ test_model.cpython-311.pyc
■   ■   ■ test_params.cpython-311.pyc
■   ■   ■ test_specification.cpython-311.pyc
■   ■   ■ test_tools.cpython-311.pyc
■   ■ test_model.py
■   ■ test_params.py
■   ■ test_specification.py
■   ■ test_tools.py
■ tools.py
■ arima_model.py
■ arima_process.py
■ arma_mle.py
■ base
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ datetools.cpython-311.pyc
■   ■   ■ prediction.cpython-311.pyc
■   ■   ■ tsa_model.cpython-311.pyc
■   ■ datetools.py
■   ■ prediction.py
■   ■ tests
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ test_base.cpython-311.pyc
■   ■   ■   ■ test_datetools.cpython-311.pyc
■   ■   ■   ■ test_prediction.cpython-311.pyc
■   ■   ■   ■ test_tsa_indexes.cpython-311.pyc
■   ■   ■ test_base.py

```

```

■      ■■■ test_datetools.py
■      ■■■ test_prediction.py
■      ■■■ test_tsa_indexes.py
■      ■■■ tsa_model.py
■      ■■■ coint_tables.py
■      ■■■ descriptivestats.py
■      ■■■ deterministic.py
■      ■■■ exponential_smoothing
■      ■■■ __init__.py
■      ■■■ __pycache__
■          ■■■ __init__.cpython-311.pyc
■          ■■■ base.cpython-311.pyc
■          ■■■ ets.cpython-311.pyc
■          ■■■ initialization.cpython-311.pyc
■          ■■■ _ets_smooth.cpython-311-x86_64-linux-gnu.so
■          ■■■ base.py
■          ■■■ ets.py
■          ■■■ initialization.py
■      ■■■ filters
■          ■■■ __init__.py
■          ■■■ __pycache__
■              ■■■ __init__.cpython-311.pyc
■              ■■■ _utils.cpython-311.pyc
■              ■■■ api.cpython-311.pyc
■              ■■■ bk_filter.cpython-311.pyc
■              ■■■ cf_filter.cpython-311.pyc
■              ■■■ filtertools.cpython-311.pyc
■              ■■■ hp_filter.cpython-311.pyc
■          ■■■ _utils.py
■          ■■■ api.py
■          ■■■ bk_filter.py
■          ■■■ cf_filter.py
■          ■■■ filtertools.py
■          ■■■ hp_filter.py
■          ■■■ tests
■              ■■■ __init__.py
■              ■■■ __pycache__
■                  ■■■ __init__.cpython-311.pyc
■                  ■■■ test_filters.cpython-311.pyc
■              ■■■ results
■                  ■■■ __init__.py
■                  ■■■ __pycache__
■                      ■■■ __init__.cpython-311.pyc
■                      ■■■ filter_results.cpython-311.pyc
■                      ■■■ filter_results.py
■              ■■■ test_filters.py
■      ■■■ forecasting
■          ■■■ __init__.py
■          ■■■ __pycache__
■              ■■■ __init__.cpython-311.pyc
■              ■■■ stl.cpython-311.pyc
■              ■■■ theta.cpython-311.pyc
■          ■■■ stl.py
■          ■■■ tests
■              ■■■ __init__.py
■              ■■■ __pycache__
■                  ■■■ __init__.cpython-311.pyc
■                  ■■■ test_stl.cpython-311.pyc

```

```

■      ■■■ test_theta.cpython-311.pyc
■      ■■■ test_std.py
■      ■■■ test_theta.py
■      ■■■ theta.py
■      ■■■ holtwinters
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ _smoothers.cpython-311.pyc
■      ■      ■■■ model.cpython-311.pyc
■      ■      ■■■ results.cpython-311.pyc
■      ■■■ _exponential_smoothers.cpython-311-x86_64-linux-gnu.so
■      ■■■ _smoothers.py
■      ■■■ model.py
■      ■■■ results.py
■      ■■■ tests
■      ■      ■■■ __init__.py
■      ■      ■■■ __pycache__
■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■■■ test_holtwinters.cpython-311.pyc
■      ■      ■      ■■■ results
■      ■      ■      ■■■ __init__.py
■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■■■ housing-data.csv
■      ■      ■      ■■■ test_holtwinters.py
■      ■■■ innovations
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ api.cpython-311.pyc
■      ■      ■■■ arma_innovations.cpython-311.pyc
■      ■■■ _arma_innovations.cpython-311-x86_64-linux-gnu.so
■      ■■■ api.py
■      ■■■ arma_innovations.py
■      ■■■ tests
■      ■      ■■■ __init__.py
■      ■      ■■■ __pycache__
■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■■■ test_arma_innovations.cpython-311.pyc
■      ■      ■      ■■■ test_cython_arma_innovations_fast.cpython-311.pyc
■      ■      ■      ■■■ test_arma_innovations.py
■      ■      ■      ■■■ test_cython_arma_innovations_fast.py
■      ■■■ interp
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■■■ denton.cpython-311.pyc
■      ■■■ denton.py
■      ■■■ tests
■      ■      ■■■ __init__.py
■      ■      ■■■ __pycache__
■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■■■ test_denton.cpython-311.pyc
■      ■      ■      ■■■ test_denton.py
■      ■■■ mlemodel.py
■      ■■■ regime_switching
■      ■■■ __init__.py

```



```

_ univariate_diffuse.cpython-311-x86_64-linux-gnu.so
_ initialization.cpython-311-x86_64-linux-gnu.so
_ kalman_filter.cpython-311-x86_64-linux-gnu.so
_ kalman_smoother.cpython-311-x86_64-linux-gnu.so
_ pykalman_smoother.py
_ quarterly_ar1.py
_ representation.cpython-311-x86_64-linux-gnu.so
_ simulation_smoother.cpython-311-x86_64-linux-gnu.so
_ smoothers
  _init_.py
  _pycache_
    _init_.cpython-311.pyc
  _alternative.cpython-311-x86_64-linux-gnu.so
  _classical.cpython-311-x86_64-linux-gnu.so
  _conventional.cpython-311-x86_64-linux-gnu.so
  _univariate.cpython-311-x86_64-linux-gnu.so
  _univariate_diffuse.cpython-311-x86_64-linux-gnu.so
_ tools.cpython-311-x86_64-linux-gnu.so
api.py
cfa_simulation_smoother.py
dynamic_factor.py
dynamic_factor_mq.py
exponential_smoothing.py
initialization.py
kalman_filter.py
kalman_smoother.py
mlemodel.py
news.py
representation.py
sarimax.py
simulation_smoother.py
structural.py
tests
  _init_.py
  _pycache_
    _init_.cpython-311.pyc
    kfas_helpers.cpython-311.pyc
    test_cfa_simulation_smoothing.cpython-311.pyc
    test_cfa_tvpvar.cpython-311.pyc
    test_chandrasekhar.cpython-311.pyc
    test_collapsed.cpython-311.pyc
    test_concentrated.cpython-311.pyc
    test_conserve_memory.cpython-311.pyc
    test_dynamic_factor.cpython-311.pyc
    test_dynamic_factor_mq.cpython-311.pyc
    test_dynamic_factor_mq_frbny_nowcast.cpython-311.pyc
    test_dynamic_factor_mq_monte_carlo.cpython-311.pyc
    test_exact_diffuse_filtering.cpython-311.pyc
    test_exponential_smoothing.cpython-311.pyc
    test_fixed_params.cpython-311.pyc
    test_forecasting.cpython-311.pyc
    test_impulse_responses.cpython-311.pyc
    test_initialization.cpython-311.pyc
    test_kalman.cpython-311.pyc
    test_mlemodel.cpython-311.pyc
    test_models.cpython-311.pyc
    test_multivariate_switch_univariate.cpython-311.pyc
    test_news.cpython-311.pyc

```

```

test_options.cpython-311.pyc
test_pickle.cpython-311.pyc
test_prediction.cpython-311.pyc
test_representation.cpython-311.pyc
test_sarimax.cpython-311.pyc
test_save.cpython-311.pyc
test_simulate.cpython-311.pyc
test_simulation_smoothing.cpython-311.pyc
test_smoothing.cpython-311.pyc
test_structural.cpython-311.pyc
test_tools.cpython-311.pyc
test_univariate.cpython-311.pyc
test_var.cpython-311.pyc
test_varmax.cpython-311.pyc
kfas_helpers.py
results
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    results_dynamic_factor.cpython-311.pyc
    results_kalman_filter.cpython-311.pyc
    results_sarimax.cpython-311.pyc
    results_structural.cpython-311.pyc
    results_var_R.cpython-311.pyc
    results_var_misc.cpython-311.pyc
    results_varmax.cpython-311.pyc
cfa_tvpvar_Omega_11.csv
cfa_tvpvar_Omega_22.csv
cfa_tvpvar_S10.csv
cfa_tvpvar_Si0.csv
cfa_tvpvar_beta.csv
cfa_tvpvar_invP.csv
cfa_tvpvar_posterior_mean.csv
cfa_tvpvar_state_variates.csv
cfa_tvpvar_v10.csv
cfa_tvpvar_vi0.csv
clark1989.csv
exponential_smoothing_params.csv
exponential_smoothing_predict.csv
exponential_smoothing_states.csv
frbny_nowcast
  Nowcasting
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    data
      US
        2016-06-29.csv
        2016-07-29.csv
        __init__.py
        __pycache__
          __init__.cpython-311.pyc
        functions
          __init__.py
          __pycache__

```



```

■ ■ ■ results_wpi1_missing_ar3_matlab_ssm.csv
■ ■ ■ sm-0.9-sarimax.pkl
■ ■ ■ test_cfa_simulation_smoothing.py
■ ■ ■ test_cfa_tvpvar.py
■ ■ ■ test_chandrasekhar.py
■ ■ ■ test_collapsed.py
■ ■ ■ test_concentrated.py
■ ■ ■ test_conserve_memory.py
■ ■ ■ test_dynamic_factor.py
■ ■ ■ test_dynamic_factor_mq.py
■ ■ ■ test_dynamic_factor_mq_frbny_nowcast.py
■ ■ ■ test_dynamic_factor_mq_monte_carlo.py
■ ■ ■ test_exact_diffuse_filtering.py
■ ■ ■ test_exponential_smoothing.py
■ ■ ■ test_fixed_params.py
■ ■ ■ test_forecasting.py
■ ■ ■ test_impulse_responses.py
■ ■ ■ test_initialization.py
■ ■ ■ test_kalman.py
■ ■ ■ test_mlemodel.py
■ ■ ■ test_models.py
■ ■ ■ test_multivariate_switch_univariate.py
■ ■ ■ test_news.py
■ ■ ■ test_options.py
■ ■ ■ test_pickle.py
■ ■ ■ test_prediction.py
■ ■ ■ test_representation.py
■ ■ ■ test_sarimax.py
■ ■ ■ test_save.py
■ ■ ■ test_simulate.py
■ ■ ■ test_simulation_smoothing.py
■ ■ ■ test_smoothing.py
■ ■ ■ test_structural.py
■ ■ ■ test_tools.py
■ ■ ■ test_univariate.py
■ ■ ■ test_var.py
■ ■ ■ test_varmax.py
■ ■ ■ tools.py
■ ■ ■ varmax.py
■ ■ ■ stattools.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_adfuller_lag.cpython-311.pyc
■ ■ ■ test_ar.cpython-311.pyc
■ ■ ■ test_arma_process.cpython-311.pyc
■ ■ ■ test_bds.cpython-311.pyc
■ ■ ■ test_deterministic.cpython-311.pyc
■ ■ ■ test_exponential_smoothing.cpython-311.pyc
■ ■ ■ test_seasonal.cpython-311.pyc
■ ■ ■ test_stattools.cpython-311.pyc
■ ■ ■ test_stl.cpython-311.pyc
■ ■ ■ test_tsa_tools.cpython-311.pyc
■ ■ ■ test_x13.cpython-311.pyc
■ ■ ■ results
■ ■ ■ ARMLEConstantPredict.csv
■ ■ ■ AROLSConstantPredict.csv
```


■	■	■	■	■	■	■	■	■■■■	AROLSNConstantPredict.csv	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111nc_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111nc_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112nc_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112nc_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211nc_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211nc_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	datamlw_tls.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	make_arma.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_ar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_arima.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_arma.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_arma_acf.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_process.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	savedrvs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	arima111_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima111_forecasts.csv	
■	■	■	■	■	■	■	■	■■■■	arima111_results.py	
■	■	■	■	■	■	■	■	■■■■	arima111nc_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima111nc_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112nc_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112nc_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211nc_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211nc_results.py	
■	■	■	■	■	■	■	■	■■■■	arima212_forecast.csv	
■	■	■	■	■	■	■	■	■■■■	bds_data.csv	
■	■	■	■	■	■	■	■	■■■■	bds_results.csv	
■	■	■	■	■	■	■	■	■■■■	datamlw_tls.py	
■	■	■	■	■	■	■	■	■■■■	fit_ets_results.json	
■	■	■	■	■	■	■	■	■■■■	fit_ets_results_nonseasonal.json	
■	■	■	■	■	■	■	■	■■■■	fit_ets_results_seasonal.json	
■	■	■	■	■	■	■	■	■■■■	gnpdef.csv	
■	■	■	■	■	■	■	■	■■■■	lutkepohl2.dta	
■	■	■	■	■	■	■	■	■■■■	make_arma.py	
■	■	■	■	■	■	■	■	■■■■	rand10000.csv	
■	■	■	■	■	■	■	■	■■■■	resids_css_c.csv	
■	■	■	■	■	■	■	■	■■■■	resids_css_nc.csv	
■	■	■	■	■	■	■	■	■■■■	resids_exact_c.csv	
■	■	■	■	■	■	■	■	■■■■	resids_exact_nc.csv	
■	■	■	■	■	■	■	■	■■■■	results_ar.py	
■	■	■	■	■	■	■	■	■■■■	results_ar_forecast_mle_dynamic.csv	
■	■	■	■	■	■	■	■	■■■■	results_arima.py	
■	■	■	■	■	■	■	■	■■■■	results_arima_exog_forecasts_css.csv	
■	■	■	■	■	■	■	■	■■■■	results_arima_exog_forecasts_mle.csv	
■	■	■	■	■	■	■	■	■■■■	results_arima_forecasts.csv	

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_css.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_css_diff.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_mle.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_mle_diff.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_acf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_corrgram.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_process.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ rgnp.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ rgnpq.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ savedrvs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stkprc.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ stl_co2.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ stl_test_results.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ y_arma_data.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_css_c.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_css_nc.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_exact_c.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_exact_nc.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_adfuller_lag.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arma_process.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bds.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deterministic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exponential_smoothing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_seasonal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_stattools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_stl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tsa_tools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_x13.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tsatools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ varma_process.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ vector_ar
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hypothesis_test_results.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ irf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ output.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ svar_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ var_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ vecm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ hypothesis_test_results.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ irf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ output.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plotting.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ svar_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ JMulti_results
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ parse_jmulti_var_output.cpython-311.pyc

```



```

■■■ vecm_e6_jmulti_co_Sigmau.txt
■■■ vecm_e6_jmulti_co_diag.txt
■■■ vecm_e6_jmulti_co_fc5.txt
■■■ vecm_e6_jmulti_co_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_co_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_co_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_co_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_co_ir.txt
■■■ vecm_e6_jmulti_co_lagorder.txt
■■■ vecm_e6_jmulti_colo.txt
■■■ vecm_e6_jmulti_colo_Sigmau.txt
■■■ vecm_e6_jmulti_colo_diag.txt
■■■ vecm_e6_jmulti_colo_fc5.txt
■■■ vecm_e6_jmulti_colo_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_colo_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_colo_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_colo_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_colo_ir.txt
■■■ vecm_e6_jmulti_colo_lagorder.txt
■■■ vecm_e6_jmulti_cos.txt
■■■ vecm_e6_jmulti_cos_Sigmau.txt
■■■ vecm_e6_jmulti_cos_diag.txt
■■■ vecm_e6_jmulti_cos_fc5.txt
■■■ vecm_e6_jmulti_cos_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_cos_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_cos_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_cos_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_cos_ir.txt
■■■ vecm_e6_jmulti_cos_lagorder.txt
■■■ vecm_e6_jmulti_coslo.txt
■■■ vecm_e6_jmulti_coslo_Sigmau.txt
■■■ vecm_e6_jmulti_coslo_diag.txt
■■■ vecm_e6_jmulti_coslo_fc5.txt
■■■ vecm_e6_jmulti_coslo_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_coslo_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_coslo_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_coslo_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_coslo_ir.txt
■■■ vecm_e6_jmulti_coslo_lagorder.txt
■■■ vecm_e6_jmulti_nc.txt
■■■ vecm_e6_jmulti_nc_Sigmau.txt
■■■ vecm_e6_jmulti_nc_diag.txt
■■■ vecm_e6_jmulti_nc_fc5.txt
■■■ vecm_e6_jmulti_nc_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_nc_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_nc_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_nc_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_nc_ir.txt
■■■ vecm_e6_jmulti_nc_lagorder.txt
■■■ vecm_e6_jmulti_ncs.txt
■■■ vecm_e6_jmulti_ncs_Sigmau.txt
■■■ vecm_e6_jmulti_ncs_diag.txt
■■■ vecm_e6_jmulti_ncs_fc5.txt
■■■ vecm_e6_jmulti_ncs_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_ncs_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_ncs_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_ncs_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_ncs_ir.txt

```

```

    vecm_e6_jmulti_ncs_lagorder.txt
    Matlab_results
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_coint.csv
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    example_svar.cpython-311.pyc
    test_coint.cpython-311.pyc
    test_svar.cpython-311.pyc
    test_var.cpython-311.pyc
    test_var_jmulti.cpython-311.pyc
    test_vecm.cpython-311.pyc
    example_svar.py
    results
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    results_svar.cpython-311.pyc
    results_svar_st.cpython-311.pyc
    results_var.cpython-311.pyc
    results_var_data.cpython-311.pyc
    e1.dat
    e2.dat
    e3.dat
    e4.dat
    e5.dat
    e6.dat
    results_svar.py
    results_svar_st.py
    results_var.py
    results_var_data.py
    vars_results.npz
    test_coint.py
    test_svar.py
    test_var.py
    test_var_jmulti.py
    test_vecm.py
    util.py
    var_model.py
    vecm.py
    x13.py
statsmodels-0.13.5.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    REQUESTED
    WHEEL
    top_level.txt
    svglib
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    fonts.cpython-311.pyc
    svglib.cpython-311.pyc

```

[illegible]

```

elementfactory.py
etree.py
extensions
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    inkscape.cpython-311.pyc
    shapes.cpython-311.pyc
  inkscape.py
  shapes.py
filters.py
gradients.py
image.py
masking.py
mixins.py
params.py
path.py
pattern.py
shapes.py
solidcolor.py
text.py
utils.py
validator2.py
version.py
svgwrite-1.4.1.dist-info
  INSTALLER
  LICENSE.TXT
  METADATA
  RECORD
  REQUESTED
  WHEEL
  top_level.txt
swissep.cpython-311-x86_64-linux-gnu.so
sympy
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    abc.cpython-311.pyc
    conftest.cpython-311.pyc
    galgebra.cpython-311.pyc
    release.cpython-311.pyc
    this.cpython-311.pyc
  abc.py
  algebras
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      quaternion.cpython-311.pyc
    quaternion.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        test_quaternion.cpython-311.pyc
      test_quaternion.py
  assumptions
    __init__.py
    __pycache__

```


[illegible]

[illegible]

```

#         __init__.py
#         __pycache__
#         ___init___cpython-311.pyc
#         test_baseclasses.cpython-311.pyc
#         test_drawing.cpython-311.pyc
#         test_baseclasses.py
#         test_drawing.py
#     codegen
#     ___init___py
#     __pycache__
#     ___init___cpython-311.pyc
#     algorithms.cpython-311.pyc
#     approximations.cpython-311.pyc
#     array_utils.cpython-311.pyc
#     ast.cpython-311.pyc
#     cfunctions.cpython-311.pyc
#     cnodes.cpython-311.pyc
#     cutils.cpython-311.pyc
#     cxnodes.cpython-311.pyc
#     fnodes.cpython-311.pyc
#     futils.cpython-311.pyc
#     matrix_nodes.cpython-311.pyc
#     numpy_nodes.cpython-311.pyc
#     pyutils.cpython-311.pyc
#     rewriting.cpython-311.pyc
#     scipy_nodes.cpython-311.pyc
#     algorithms.py
#     approximations.py
#     array_utils.py
#     ast.py
#     cfunctions.py
#     cnodes.py
#     cutils.py
#     cxnodes.py
#     fnodes.py
#     futils.py
#     matrix_nodes.py
#     numpy_nodes.py
#     pyutils.py
#     rewriting.py
#     scipy_nodes.py
#     tests
#     ___init___py
#     __pycache__
#     ___init___cpython-311.pyc
#     test_algorithms.cpython-311.pyc
#     test_applications.cpython-311.pyc
#     test_approximations.cpython-311.pyc
#     test_ast.cpython-311.pyc
#     test_cfunctions.cpython-311.pyc
#     test_cnodes.cpython-311.pyc
#     test_cxnodes.cpython-311.pyc
#     test_fnodes.cpython-311.pyc
#     test_numpy_nodes.cpython-311.pyc
#     test_pyutils.cpython-311.pyc
#     test_rewriting.cpython-311.pyc
#     test_scipy_nodes.cpython-311.pyc
#     test_algorithms.py

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_applications.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_approximations.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ast.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cfunctions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cnodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cxxnodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fnodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_nodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pyutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rewriting.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_scipy_nodes.py
■ ■ ■ ■ ■ ■ ■■■■ combinatorics
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coset_table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fp_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ free_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graycode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ group_constructs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ homomorphisms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ named_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ partitions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pc_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ perm_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ permutations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ polyhedron.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ prufer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem_fsm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ schur_number.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ subsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tensor_can.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testutil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coset_table.py
■ ■ ■ ■ ■ ■ ■ ■■■ fp_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ free_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ generators.py
■ ■ ■ ■ ■ ■ ■ ■■■ graycode.py
■ ■ ■ ■ ■ ■ ■ ■■■ group_constructs.py
■ ■ ■ ■ ■ ■ ■ ■■■ homomorphisms.py
■ ■ ■ ■ ■ ■ ■ ■■■ named_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ partitions.py
■ ■ ■ ■ ■ ■ ■ ■■■ pc_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ perm_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ permutations.py
■ ■ ■ ■ ■ ■ ■ ■■■ polyhedron.py
■ ■ ■ ■ ■ ■ ■ ■■■ prufer.py
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem.py
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem_fsm.py
■ ■ ■ ■ ■ ■ ■ ■■■ schur_number.py
■ ■ ■ ■ ■ ■ ■ ■■■ subsets.py
■ ■ ■ ■ ■ ■ ■ ■■■ tensor_can.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__

```

[illegible]

```

guess.py
products.py
summations.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_delta.cpython-311.pyc
    test_gosper.cpython-311.pyc
    test_guess.cpython-311.pyc
    test_products.cpython-311.pyc
    test_sums_products.cpython-311.pyc
    test_delta.py
    test_gosper.py
    test_guess.py
    test_products.py
    test_sums_products.py
conftest.py
core
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _print_helpers.cpython-311.pyc
    add.cpython-311.pyc
    alphabets.cpython-311.pyc
    assumptions.cpython-311.pyc
    backend.cpython-311.pyc
    basic.cpython-311.pyc
    cache.cpython-311.pyc
    compatibility.cpython-311.pyc
    containers.cpython-311.pyc
    core.cpython-311.pyc
    coreerrors.cpython-311.pyc
    decorators.cpython-311.pyc
    evalf.cpython-311.pyc
    expr.cpython-311.pyc
    exprtools.cpython-311.pyc
    facts.cpython-311.pyc
    function.cpython-311.pyc
    kind.cpython-311.pyc
    logic.cpython-311.pyc
    mod.cpython-311.pyc
    mul.cpython-311.pyc
    multidimensional.cpython-311.pyc
    numbers.cpython-311.pyc
    operations.cpython-311.pyc
    parameters.cpython-311.pyc
    power.cpython-311.pyc
    relational.cpython-311.pyc
    rules.cpython-311.pyc
    singleton.cpython-311.pyc
    symbol.cpython-311.pyc
    sympify.cpython-311.pyc
    trace.cpython-311.pyc
  _print_helpers.py
  add.py
  alphabets.py
  assumptions.py

```

```

■ ■ ■ backend.py
■ ■ ■ basic.py
■ ■ ■ benchmarks
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■   ■ ■ bench_arit.cpython-311.pyc
■     ■   ■ ■ bench_assumptions.cpython-311.pyc
■     ■   ■ ■ bench_basic.cpython-311.pyc
■     ■   ■ ■ bench_expand.cpython-311.pyc
■     ■   ■ ■ bench_numbers.cpython-311.pyc
■     ■   ■ ■ bench_sympify.cpython-311.pyc
■     ■ ■ ■ bench_arit.py
■     ■ ■ ■ bench_assumptions.py
■     ■ ■ ■ bench_basic.py
■     ■ ■ ■ bench_expand.py
■     ■ ■ ■ bench_numbers.py
■     ■ ■ ■ bench_sympify.py
■ ■ ■ cache.py
■ ■ ■ compatibility.py
■ ■ ■ containers.py
■ ■ ■ core.py
■ ■ ■ coreerrors.py
■ ■ ■ decorators.py
■ ■ ■ evalf.py
■ ■ ■ expr.py
■ ■ ■ exprtools.py
■ ■ ■ facts.py
■ ■ ■ function.py
■ ■ ■ kind.py
■ ■ ■ logic.py
■ ■ ■ mod.py
■ ■ ■ mul.py
■ ■ ■ multidimensional.py
■ ■ ■ numbers.py
■ ■ ■ operations.py
■ ■ ■ parameters.py
■ ■ ■ power.py
■ ■ ■ relational.py
■ ■ ■ rules.py
■ ■ ■ singleton.py
■ ■ ■ symbol.py
■ ■ ■ sympify.py
■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■   ■ ■ __init__.cpython-311.pyc
■     ■   ■ ■ test_args.cpython-311.pyc
■     ■   ■ ■ test_arit.cpython-311.pyc
■     ■   ■ ■ test_assumptions.cpython-311.pyc
■     ■   ■ ■ test_basic.cpython-311.pyc
■     ■   ■ ■ test_cache.cpython-311.pyc
■     ■   ■ ■ test_compatibility.cpython-311.pyc
■     ■   ■ ■ test_complex.cpython-311.pyc
■     ■   ■ ■ test_constructor_postprocessor.cpython-311.pyc
■     ■   ■ ■ test_containers.cpython-311.pyc
■     ■   ■ ■ test_count_ops.cpython-311.pyc
■     ■   ■ ■ test_diff.cpython-311.pyc
```

```

■ ■ ■ test_equal.cpython-311.pyc
■ ■ ■ test_eval.cpython-311.pyc
■ ■ ■ test_evalf.cpython-311.pyc
■ ■ ■ test_expand.cpython-311.pyc
■ ■ ■ test_expr.cpython-311.pyc
■ ■ ■ test_exprtools.cpython-311.pyc
■ ■ ■ test_facts.cpython-311.pyc
■ ■ ■ test_function.cpython-311.pyc
■ ■ ■ test_kind.cpython-311.pyc
■ ■ ■ test_logic.cpython-311.pyc
■ ■ ■ test_match.cpython-311.pyc
■ ■ ■ test_multidimensional.cpython-311.pyc
■ ■ ■ test_noncommutative.cpython-311.pyc
■ ■ ■ test_numbers.cpython-311.pyc
■ ■ ■ test_operations.cpython-311.pyc
■ ■ ■ test_parameters.cpython-311.pyc
■ ■ ■ test_power.cpython-311.pyc
■ ■ ■ test_priority.cpython-311.pyc
■ ■ ■ test_relational.cpython-311.pyc
■ ■ ■ test_rules.cpython-311.pyc
■ ■ ■ test_singleton.cpython-311.pyc
■ ■ ■ test_subs.cpython-311.pyc
■ ■ ■ test_symbol.cpython-311.pyc
■ ■ ■ test_sympify.cpython-311.pyc
■ ■ ■ test_trace.cpython-311.pyc
■ ■ ■ test_truediv.cpython-311.pyc
■ ■ ■ test_var.cpython-311.pyc
■ ■ ■ test_args.py
■ ■ ■ test_arit.py
■ ■ ■ test_assumptions.py
■ ■ ■ test_basic.py
■ ■ ■ test_cache.py
■ ■ ■ test_compatibility.py
■ ■ ■ test_complex.py
■ ■ ■ test_constructor_postprocessor.py
■ ■ ■ test_containers.py
■ ■ ■ test_count_ops.py
■ ■ ■ test_diff.py
■ ■ ■ test_equal.py
■ ■ ■ test_eval.py
■ ■ ■ test_evalf.py
■ ■ ■ test_expand.py
■ ■ ■ test_expr.py
■ ■ ■ test_exprtools.py
■ ■ ■ test_facts.py
■ ■ ■ test_function.py
■ ■ ■ test_kind.py
■ ■ ■ test_logic.py
■ ■ ■ test_match.py
■ ■ ■ test_multidimensional.py
■ ■ ■ test_noncommutative.py
■ ■ ■ test_numbers.py
■ ■ ■ test_operations.py
■ ■ ■ test_parameters.py
■ ■ ■ test_power.py
■ ■ ■ test_priority.py
■ ■ ■ test_relational.py
■ ■ ■ test_rules.py

```



```

test_singleton.py
test_subs.py
test_symbol.py
test_sympify.py
test_trace.py
test_truediv.py
test_var.py
trace.py
crypto
__init__.py
__pycache__
__init__.cpython-311.pyc
crypto.cpython-311.pyc
crypto.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_crypto.cpython-311.pyc
test_crypto.py
diffgeom
__init__.py
__pycache__
__init__.cpython-311.pyc
diffgeom.cpython-311.pyc
rn.cpython-311.pyc
diffgeom.py
rn.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_class_structure.cpython-311.pyc
test_diffgeom.cpython-311.pyc
test_function_diffgeom_book.cpython-311.pyc
test_hyperbolic_space.cpython-311.pyc
test_class_structure.py
test_diffgeom.py
test_function_diffgeom_book.py
test_hyperbolic_space.py
discrete
__init__.py
__pycache__
__init__.cpython-311.pyc
convolutions.cpython-311.pyc
recurrences.cpython-311.pyc
transforms.cpython-311.pyc
convolutions.py
recurrences.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_convolutions.cpython-311.pyc
test_recurrences.cpython-311.pyc
test_transforms.cpython-311.pyc
test_convolutions.py
test_recurrences.py

```

```

■ test_transforms.py
■ transforms.py
■ external
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ importtools.cpython-311.pyc
■   ■ importtools.py
■   ■ tests
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ test_autowrap.cpython-311.pyc
■   ■   ■   ■ test_codegen.cpython-311.pyc
■   ■   ■   ■ test_importtools.cpython-311.pyc
■   ■   ■   ■ test_numpy.cpython-311.pyc
■   ■   ■   ■ test_sage.cpython-311.pyc
■   ■   ■   ■ test_scipy.cpython-311.pyc
■   ■   ■ test_autowrap.py
■   ■   ■ test_codegen.py
■   ■   ■ test_importtools.py
■   ■   ■ test_numpy.py
■   ■   ■ test_sage.py
■   ■   ■ test_scipy.py
■ functions
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■ combinatorial
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ factorials.cpython-311.pyc
■   ■   ■   ■ numbers.cpython-311.pyc
■   ■   ■ factorials.py
■   ■   ■ numbers.py
■   ■   ■ tests
■   ■   ■   ■ __init__.py
■   ■   ■   ■ __pycache__
■   ■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■   ■ test_comb_factorials.cpython-311.pyc
■   ■   ■   ■   ■ test_comb_numbers.cpython-311.pyc
■   ■   ■   ■ test_comb_factorials.py
■   ■   ■   ■ test_comb_numbers.py
■   ■ elementary
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ complexes.cpython-311.pyc
■   ■   ■   ■ exponential.cpython-311.pyc
■   ■   ■   ■ hyperbolic.cpython-311.pyc
■   ■   ■   ■ integers.cpython-311.pyc
■   ■   ■   ■ miscellaneous.cpython-311.pyc
■   ■   ■   ■ piecewise.cpython-311.pyc
■   ■   ■   ■ trigonometric.cpython-311.pyc
■   ■ benchmarks
■   ■   ■ __init__.py
■   ■   ■ __pycache__

```

```

    """__init__.cpython-311.pyc
    """ bench_exp.cpython-311.pyc
    """ bench_exp.py
    """ complexes.py
    """ exponential.py
    """ hyperbolic.py
    """ integers.py
    """ miscellaneous.py
    """ piecewise.py
    """ tests
    """ __init__.py
    """ __pycache__
    """ __init__.cpython-311.pyc
    """ test_complexes.cpython-311.pyc
    """ test_exponential.cpython-311.pyc
    """ test_hyperbolic.cpython-311.pyc
    """ test_integers.cpython-311.pyc
    """ test_interface.cpython-311.pyc
    """ test_miscellaneous.cpython-311.pyc
    """ test_piecewise.cpython-311.pyc
    """ test_trigonometric.cpython-311.pyc
    """ test_complexes.py
    """ test_exponential.py
    """ test_hyperbolic.py
    """ test_integers.py
    """ test_interface.py
    """ test_miscellaneous.py
    """ test_piecewise.py
    """ test_trigonometric.py
    """ trigonometric.py
    """ special
    """ __init__.py
    """ __pycache__
    """ __init__.cpython-311.pyc
    """ bessel.cpython-311.pyc
    """ beta_functions.cpython-311.pyc
    """ bsplines.cpython-311.pyc
    """ delta_functions.cpython-311.pyc
    """ elliptic_integrals.cpython-311.pyc
    """ error_functions.cpython-311.pyc
    """ gamma_functions.cpython-311.pyc
    """ hyper.cpython-311.pyc
    """ mathieu_functions.cpython-311.pyc
    """ polynomials.cpython-311.pyc
    """ singularity_functions.cpython-311.pyc
    """ spherical_harmonics.cpython-311.pyc
    """ tensor_functions.cpython-311.pyc
    """ zeta_functions.cpython-311.pyc
    """ benchmarks
    """ __init__.py
    """ __pycache__
    """ __init__.cpython-311.pyc
    """ bench_special.cpython-311.pyc
    """ bench_special.py
    """ bessel.py
    """ beta_functions.py
    """ bsplines.py
    """ delta_functions.py

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ elliptic_integrals.py
■ ■ ■ ■ ■ ■ ■ ■■■ error_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ gamma_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ hyper.py
■ ■ ■ ■ ■ ■ ■ ■■■ mathieu_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ polynomials.py
■ ■ ■ ■ ■ ■ ■ ■■■ singularity_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ spherical_harmonics.py
■ ■ ■ ■ ■ ■ ■ ■■■ tensor_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bessel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_beta_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bsplines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_delta_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_elliptic_integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_error_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gamma_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hyper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mathieu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_singularity_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_polynomials.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spherical_harmonics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tensor_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_zeta_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bessel.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_beta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_bsplines.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_delta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_elliptic_integrals.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_error_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gamma_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_hyper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_mathieu.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_singularity_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_polynomials.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spherical_harmonics.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tensor_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_zeta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ zeta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ galgebra.py
■ ■ ■ ■ ■ ■ ■ ■■■ geometry
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ curve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ellipse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ entity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parabola.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plane.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ point.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ polygon.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ curve.py

```

```

    ellipse.py
    entity.py
    exceptions.py
    line.py
    parabola.py
    plane.py
    point.py
    polygon.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_curve.cpython-311.pyc
    test_ellipse.cpython-311.pyc
    test_entity.cpython-311.pyc
    test_geometrysets.cpython-311.pyc
    test_line.cpython-311.pyc
    test_parabola.cpython-311.pyc
    test_plane.cpython-311.pyc
    test_point.cpython-311.pyc
    test_polygon.cpython-311.pyc
    test_util.cpython-311.pyc
    test_curve.py
    test_ellipse.py
    test_entity.py
    test_geometrysets.py
    test_line.py
    test_parabola.py
    test_plane.py
    test_point.py
    test_polygon.py
    test_util.py
    util.py
holonomic
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    holonomic.cpython-311.pyc
    holonomicerrors.cpython-311.pyc
    linearsolver.cpython-311.pyc
    numerical.cpython-311.pyc
    recurrence.cpython-311.pyc
    holonomic.py
    holonomicerrors.py
    linearsolver.py
    numerical.py
    recurrence.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_holonomic.cpython-311.pyc
    test_recurrence.cpython-311.pyc
    test_holonomic.py
    test_recurrence.py
integrals
    __init__.py
    __pycache__

```

```

■■■■ __init__.cpython-311.pyc
■■■■ deltafunctions.cpython-311.pyc
■■■■ heurisch.cpython-311.pyc
■■■■ integrals.cpython-311.pyc
■■■■ intpoly.cpython-311.pyc
■■■■ manualintegrate.cpython-311.pyc
■■■■ meijerint.cpython-311.pyc
■■■■ meijerint_doc.cpython-311.pyc
■■■■ prde.cpython-311.pyc
■■■■ quadrature.cpython-311.pyc
■■■■ rationaltools.cpython-311.pyc
■■■■ rde.cpython-311.pyc
■■■■ risch.cpython-311.pyc
■■■■ singularityfunctions.cpython-311.pyc
■■■■ transforms.cpython-311.pyc
■■■■ trigonometry.cpython-311.pyc
■■■■ benchmarks
■■■■ __init__.py
■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ bench_integrate.cpython-311.pyc
■■■■   ■■■■ bench_trigintegrate.cpython-311.pyc
■■■■   ■■■■ bench_integrate.py
■■■■   ■■■■ bench_trigintegrate.py
■■■■ deltafunctions.py
■■■■ heurisch.py
■■■■ integrals.py
■■■■ intpoly.py
■■■■ manualintegrate.py
■■■■ meijerint.py
■■■■ meijerint_doc.py
■■■■ prde.py
■■■■ quadrature.py
■■■■ rationaltools.py
■■■■ rde.py
■■■■ risch.py
■■■■ rubi
■■■■ __init__.py
■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ constraints.cpython-311.pyc
■■■■   ■■■■ rubimain.cpython-311.pyc
■■■■   ■■■■ symbol.cpython-311.pyc
■■■■   ■■■■ utility_function.cpython-311.pyc
■■■■   ■■■■ constraints.py
■■■■   ■■■■ parsetools
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■   ■■■■ __init__.cpython-311.pyc
■■■■   ■■■■ generate_rules.cpython-311.pyc
■■■■   ■■■■ generate_tests.cpython-311.pyc
■■■■   ■■■■ parse.cpython-311.pyc
■■■■   ■■■■ generate_rules.py
■■■■   ■■■■ generate_tests.py
■■■■   ■■■■ header.py.txt
■■■■   ■■■■ parse.py
■■■■   ■■■■ tests
■■■■   ■■■■ __init__.py

```

[illegible]

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■■■ test_intpoly.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_lineintegrals.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_manual.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_meijerint.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_prde.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_quadrature.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rationaltools.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rde.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_risch.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_singularityfunctions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_transforms.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_trigonometry.py
■ ■ ■ ■ ■ ■ ■ ■■■ transforms.py
■ ■ ■ ■ ■ ■ ■ ■■■ trigonometry.py
■ ■ ■ ■ ■ ■ ■■■■ interactive
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ipythonprinting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ printing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ session.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ipythonprinting.py
■ ■ ■ ■ ■ ■ ■ ■■■ printing.py
■ ■ ■ ■ ■ ■ ■ ■■■ session.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_interactive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ipython.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ipythonprinting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_interactive.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ipython.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ipythonprinting.py
■ ■ ■ ■ ■ ■ ■ ■■■ liealgebras
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cartan_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cartan_type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dynkin_diagram.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ root_system.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_a.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_b.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_c.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_e.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_f.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_g.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ weyl_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cartan_matrix.py
■ ■ ■ ■ ■ ■ ■ ■■■ cartan_type.py
■ ■ ■ ■ ■ ■ ■ ■■■ dynkin_diagram.py
■ ■ ■ ■ ■ ■ ■ ■■■ root_system.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dynkin_diagram.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_root_system.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_A.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_B.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_C.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_D.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_E.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_F.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_G.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_weyl_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dynkin_diagram.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_root_system.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_A.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_B.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_C.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_D.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_E.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_F.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_G.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_weyl_group.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_a.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_b.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_c.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_d.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_e.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_f.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_g.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ weyl_group.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ logic
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ boolalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ algorithms
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pycosat_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll2.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pycosat_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ boolalg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ inference.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_boolalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dimacs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_boolalg.py

```

```

test_dimacs.py
test_inference.py
utilities
__init__.py
__pycache__
__init__.cpython-311.pyc
dimacs.cpython-311.pyc
dimacs.py
matrices
__init__.py
__pycache__
__init__.cpython-311.pyc
common.cpython-311.pyc
decompositions.cpython-311.pyc
dense.cpython-311.pyc
densearith.cpython-311.pyc
densesolve.cpython-311.pyc
densetools.cpython-311.pyc
determinant.cpython-311.pyc
eigen.cpython-311.pyc
graph.cpython-311.pyc
immutable.cpython-311.pyc
inverse.cpython-311.pyc
matrices.cpython-311.pyc
normalforms.cpython-311.pyc
reductions.cpython-311.pyc
solvers.cpython-311.pyc
sparse.cpython-311.pyc
sparsetools.cpython-311.pyc
subspaces.cpython-311.pyc
utilities.cpython-311.pyc
benchmarks
__init__.py
__pycache__
__init__.cpython-311.pyc
bench_matrix.cpython-311.pyc
bench_matrix.py
common.py
decompositions.py
dense.py
densearith.py
densesolve.py
densetools.py
determinant.py
eigen.py
expressions
__init__.py
__pycache__
__init__.cpython-311.pyc
adjoint.cpython-311.pyc
applyfunc.cpython-311.pyc
blockmatrix.cpython-311.pyc
companion.cpython-311.pyc
determinant.cpython-311.pyc
diagonal.cpython-311.pyc
dotproduct.cpython-311.pyc
factorizations.cpython-311.pyc
fourier.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	funcmatrix.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	hadamard.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	inverse.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	kronecker.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	matadd.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	matexpr.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	matmul.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	matpow.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	permutation.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	sets.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	slice.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	special.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	trace.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	transpose.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	adjoint.py	
■	■	■	■	■	■	■	■	■■■■	applyfunc.py	
■	■	■	■	■	■	■	■	■■■■	blockmatrix.py	
■	■	■	■	■	■	■	■	■■■■	companion.py	
■	■	■	■	■	■	■	■	■■■■	determinant.py	
■	■	■	■	■	■	■	■	■■■■	diagonal.py	
■	■	■	■	■	■	■	■	■■■■	dotproduct.py	
■	■	■	■	■	■	■	■	■■■■	factorizations.py	
■	■	■	■	■	■	■	■	■■■■	fourier.py	
■	■	■	■	■	■	■	■	■■■■	funcmatrix.py	
■	■	■	■	■	■	■	■	■■■■	hadamard.py	
■	■	■	■	■	■	■	■	■■■■	inverse.py	
■	■	■	■	■	■	■	■	■■■■	kronecker.py	
■	■	■	■	■	■	■	■	■■■■	matadd.py	
■	■	■	■	■	■	■	■	■■■■	matexpr.py	
■	■	■	■	■	■	■	■	■■■■	matmul.py	
■	■	■	■	■	■	■	■	■■■■	matpow.py	
■	■	■	■	■	■	■	■	■■■■	permutation.py	
■	■	■	■	■	■	■	■	■■■■	sets.py	
■	■	■	■	■	■	■	■	■■■■	slice.py	
■	■	■	■	■	■	■	■	■■■■	special.py	
■	■	■	■	■	■	■	■	■■■■	tests	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_adjoint.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_applyfunc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_blockmatrix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_companion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_derivatives.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_determinant.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_diagonal.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dotproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_factorizations.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_fourier.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_funcmatrix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_hadamard.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_inverse.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_kronecker.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matadd.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matexpr.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matmul.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matpow.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_permutation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_slice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_special.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_trace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_transpose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_adjoint.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_applyfunc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_blockmatrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_companion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_derivatives.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_determinant.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_diagonal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_dotproduct.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_factorizations.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fourier.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_funcmatrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_hadamard.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inverse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_kronecker.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_matadd.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_matexpr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_matmul.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_matpow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_permutation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sets.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_slice.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_special.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_trace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_transpose.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ trace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transpose.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ immutable.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ inverse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ matrices.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ normalforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ reductions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ solvers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sparse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sparsetools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ subspaces.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_commonmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_decompositions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_densearith.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_densesolve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_densetools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_determinant.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_eigen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_graph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_immutable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_interactions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_matrices.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_normalforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reductions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_solvers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparsetools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_subspaces.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_commonmatrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_decompositions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_densearith.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_densesolve.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_densetools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_determinant.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eigen.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_graph.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_immutable.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interactions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_matrices.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_normalforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reductions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_solvers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparsetools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_subspaces.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utilities.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ multipledispatch
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conflict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conflict.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conflict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conflict.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_core.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ntheory
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bbp_pi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ continued_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ digits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ecm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ egyptian_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ elliptic_curve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ factor_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ generate.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ modular.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ multinomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ partitions_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ primetest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ qs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ residue_ntheory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bbp_pi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ continued_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ digits.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ecm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ egyptian_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ elliptic_curve.py
■ ■ ■ ■ ■ ■ ■ ■ ■ factor_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ generate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ modular.py
■ ■ ■ ■ ■ ■ ■ ■ ■ multinomial.py
■ ■ ■ ■ ■ ■ ■ ■ ■ partitions_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ primetest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ qs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ residue_ntheory.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bbp_pi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_continued_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_digits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ecm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_egyptian_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_elliptic_curve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_factor_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_generate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_modular.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multinomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_partitions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_primetest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_qs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_residue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bbp_pi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_continued_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_digits.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ecm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_egyptian_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_elliptic_curve.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_factor_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_generate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_modular.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multinomial.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_partitions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_primetest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_qs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_residue.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parsing
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ast_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mathematica.cpython-311.pyc

```

```

maxima.cpython-311.pyc
sym_expr.cpython-311.pyc
sympy_parser.cpython-311.pyc
ast_parser.py
autolev
Autolev.g4
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _listener_autolev_antlr.cpython-311.pyc
    _parse_autolev_antlr.cpython-311.pyc
    _antlr
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            autolevlexer.cpython-311.pyc
            autolevlistener.cpython-311.pyc
            autolevparser.cpython-311.pyc
            autolevlexer.py
            autolevlistener.py
            autolevparser.py
    _listener_autolev_antlr.py
    _parse_autolev_antlr.py
test-examples
    README.txt
    __pycache__
        ruletest1.cpython-311.pyc
        ruletest10.cpython-311.pyc
        ruletest11.cpython-311.pyc
        ruletest12.cpython-311.pyc
        ruletest2.cpython-311.pyc
        ruletest3.cpython-311.pyc
        ruletest4.cpython-311.pyc
        ruletest5.cpython-311.pyc
        ruletest6.cpython-311.pyc
        ruletest7.cpython-311.pyc
        ruletest8.cpython-311.pyc
        ruletest9.cpython-311.pyc
    pydy-example-repo
        __pycache__
            chaos_pendulum.cpython-311.pyc
            double_pendulum.cpython-311.pyc
            mass_spring_damper.cpython-311.pyc
            non_min_pendulum.cpython-311.pyc
            chaos_pendulum.al
            chaos_pendulum.py
            double_pendulum.al
            double_pendulum.py
            mass_spring_damper.al
            mass_spring_damper.py
            non_min_pendulum.al
            non_min_pendulum.py
        ruletest1.al
        ruletest1.py
        ruletest10.al
        ruletest10.py
        ruletest11.al
        ruletest11.py

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest12.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest12.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest2.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest3.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest4.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest4.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest5.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest5.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest6.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest6.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest7.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest7.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest8.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest8.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest9.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest9.py
■ ■ ■ ■ ■ ■ ■ ■ ■ c
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   c_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   c_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ fortran
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   fortran_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   fortran_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ latex
■ ■ ■ ■ ■ ■ ■ ■ ■   LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■   LaTeX.g4
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   _build_latex_antlr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   _parse_latex_antlr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   _antlr
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   latexlexer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   latexparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   latexlexer.py
■ ■ ■ ■ ■ ■ ■ ■ ■   latexparser.py
■ ■ ■ ■ ■ ■ ■ ■ ■   _build_latex_antlr.py
■ ■ ■ ■ ■ ■ ■ ■ ■   _parse_latex_antlr.py
■ ■ ■ ■ ■ ■ ■ ■ ■   errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ ■ maxima.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sym_expr.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sympy_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ast_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_autolev.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_c_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fortran_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_implicit_multiplication_application.cpython-311.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex_deps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathematica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_maxima.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sym_expr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sympy_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ast_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_autolev.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_c_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fortran_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_implicit_multiplication_application.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex_deps.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_maxima.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sym_expr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sympy_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ physics
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ gaussopt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hydrogen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ matrices.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ paulialgebra.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ qho_1d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ secondquant.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ sho.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ wigner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ continuum_mechanics
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ beam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ beam.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_beam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_beam.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ control
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ lti.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ lti.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lti.cpython-311.pyc
```

```

■      ■      ■      ■      ■      ■      ■      ■      test_lti.py
■      ■      ■      ■      ■      ■      ■      ■      gaussopt.py
■      ■      ■      ■      ■      ■      ■      ■      hep
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      gamma_matrices.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      gamma_matrices.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_gamma_matrices.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_gamma_matrices.py
■      ■      ■      ■      ■      ■      ■      ■      hydrogen.py
■      ■      ■      ■      ■      ■      ■      ■      matrices.py
■      ■      ■      ■      ■      ■      ■      ■      mechanics
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      body.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      kane.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lagrange.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      linearize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      models.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      particle.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      rigidbody.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      system.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      body.py
■      ■      ■      ■      ■      ■      ■      ■      functions.py
■      ■      ■      ■      ■      ■      ■      ■      kane.py
■      ■      ■      ■      ■      ■      ■      ■      lagrange.py
■      ■      ■      ■      ■      ■      ■      ■      linearize.py
■      ■      ■      ■      ■      ■      ■      ■      models.py
■      ■      ■      ■      ■      ■      ■      ■      particle.py
■      ■      ■      ■      ■      ■      ■      ■      rigidbody.py
■      ■      ■      ■      ■      ■      ■      ■      system.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_body.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_kane.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_kane2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_kane3.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_kane4.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_lagrange.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_lagrange2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_linearize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_models.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_particle.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_rigidbody.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_system.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_body.py
■      ■      ■      ■      ■      ■      ■      ■      test_functions.py
■      ■      ■      ■      ■      ■      ■      ■      test_kane.py

```

```

test_kane2.py
test_kane3.py
test_kane4.py
test_lagrange.py
test_lagrange2.py
test_linearize.py
test_models.py
test_particle.py
test_rigidbody.py
test_system.py
optics
__init__.py
__pycache__
__init__.cpython-311.pyc
gaussopt.cpython-311.pyc
medium.cpython-311.pyc
polarization.cpython-311.pyc
utils.cpython-311.pyc
waves.cpython-311.pyc
gaussopt.py
medium.py
polarization.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_gaussopt.cpython-311.pyc
test_medium.cpython-311.pyc
test_polarization.cpython-311.pyc
test_utils.cpython-311.pyc
test_waves.cpython-311.pyc
test_gaussopt.py
test_medium.py
test_polarization.py
test_utils.py
test_waves.py
utils.py
waves.py
paulialgebra.py
pring.py
qho_1d.py
quantum
__init__.py
__pycache__
__init__.cpython-311.pyc
anticommutator.cpython-311.pyc
boson.cpython-311.pyc
cartesian.cpython-311.pyc
cg.cpython-311.pyc
circuitplot.cpython-311.pyc
circuitutils.cpython-311.pyc
commutator.cpython-311.pyc
constants.cpython-311.pyc
dagger.cpython-311.pyc
density.cpython-311.pyc
fermion.cpython-311.pyc
gate.cpython-311.pyc
grover.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	hilbert.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	identitysearch.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	innerproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	matrixcache.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	matrixutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	operator.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	operatorordering.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	operatorset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	pauli.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	piab.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qapply.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qasm.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qexpr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qft.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qubit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	represent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	sho1d.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	shor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	spin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	state.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	tensorproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	anticommutator.py
■	■	■	■	■	■	■	■	■■■■	boson.py
■	■	■	■	■	■	■	■	■■■■	cartesian.py
■	■	■	■	■	■	■	■	■■■■	cg.py
■	■	■	■	■	■	■	■	■■■■	circuitplot.py
■	■	■	■	■	■	■	■	■■■■	circuitutils.py
■	■	■	■	■	■	■	■	■■■■	commutator.py
■	■	■	■	■	■	■	■	■■■■	constants.py
■	■	■	■	■	■	■	■	■■■■	dagger.py
■	■	■	■	■	■	■	■	■■■■	density.py
■	■	■	■	■	■	■	■	■■■■	fermion.py
■	■	■	■	■	■	■	■	■■■■	gate.py
■	■	■	■	■	■	■	■	■■■■	grover.py
■	■	■	■	■	■	■	■	■■■■	hilbert.py
■	■	■	■	■	■	■	■	■■■■	identitysearch.py
■	■	■	■	■	■	■	■	■■■■	innerproduct.py
■	■	■	■	■	■	■	■	■■■■	matrixcache.py
■	■	■	■	■	■	■	■	■■■■	matrixutils.py
■	■	■	■	■	■	■	■	■■■■	operator.py
■	■	■	■	■	■	■	■	■■■■	operatorordering.py
■	■	■	■	■	■	■	■	■■■■	operatorset.py
■	■	■	■	■	■	■	■	■■■■	pauli.py
■	■	■	■	■	■	■	■	■■■■	piab.py
■	■	■	■	■	■	■	■	■■■■	qapply.py
■	■	■	■	■	■	■	■	■■■■	qasm.py
■	■	■	■	■	■	■	■	■■■■	qexpr.py
■	■	■	■	■	■	■	■	■■■■	qft.py
■	■	■	■	■	■	■	■	■■■■	qubit.py
■	■	■	■	■	■	■	■	■■■■	represent.py
■	■	■	■	■	■	■	■	■■■■	sho1d.py
■	■	■	■	■	■	■	■	■■■■	shor.py
■	■	■	■	■	■	■	■	■■■■	spin.py
■	■	■	■	■	■	■	■	■■■■	state.py
■	■	■	■	■	■	■	■	■■■■	tensorproduct.py
■	■	■	■	■	■	■	■	■■■■	tests
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__

■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_anticommutator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_boson.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_cartesian.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_cg.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_circuitplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_circuitutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_commutator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_constants.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dagger.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_density.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_fermion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_gate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_grover.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_hilbert.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_identitysearch.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_innerproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matrixutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operatorordering.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operatorset.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pauli.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_piab.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_printing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qapply.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qasm.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qexpr.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qft.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qubit.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_represent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_should.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_shor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_spin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_state.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tensorproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_anticommutator.py
■	■	■	■	■	■	■	■	■	■■■■	test_boson.py
■	■	■	■	■	■	■	■	■	■■■■	test_cartesian.py
■	■	■	■	■	■	■	■	■	■■■■	test_cg.py
■	■	■	■	■	■	■	■	■	■■■■	test_circuitplot.py
■	■	■	■	■	■	■	■	■	■■■■	test_circuitutils.py
■	■	■	■	■	■	■	■	■	■■■■	test_commutator.py
■	■	■	■	■	■	■	■	■	■■■■	test_constants.py
■	■	■	■	■	■	■	■	■	■■■■	test_dagger.py
■	■	■	■	■	■	■	■	■	■■■■	test_density.py
■	■	■	■	■	■	■	■	■	■■■■	test_fermion.py
■	■	■	■	■	■	■	■	■	■■■■	test_gate.py
■	■	■	■	■	■	■	■	■	■■■■	test_grover.py
■	■	■	■	■	■	■	■	■	■■■■	test_hilbert.py
■	■	■	■	■	■	■	■	■	■■■■	test_identitysearch.py
■	■	■	■	■	■	■	■	■	■■■■	test_innerproduct.py
■	■	■	■	■	■	■	■	■	■■■■	test_matrixutils.py
■	■	■	■	■	■	■	■	■	■■■■	test_operator.py
■	■	■	■	■	■	■	■	■	■■■■	test_operatorordering.py
■	■	■	■	■	■	■	■	■	■■■■	test_operatorset.py
■	■	■	■	■	■	■	■	■	■■■■	test_pauli.py
■	■	■	■	■	■	■	■	■	■■■■	test_piab.py
■	■	■	■	■	■	■	■	■	■■■■	test_printing.py

```

test_qapply.py
test_qasm.py
test_qexpr.py
test_qft.py
test_qubit.py
test_represent.py
test_sho1d.py
test_shor.py
test_spin.py
test_state.py
test_tensorproduct.py
secondquant.py
sho.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_clebsch_gordan.cpython-311.pyc
test_hydrogen.cpython-311.pyc
test_paulialgebra.cpython-311.pyc
test_physics_matrices.cpython-311.pyc
test_pring.cpython-311.pyc
test_qho_1d.cpython-311.pyc
test_secondquant.cpython-311.pyc
test_sho.cpython-311.pyc
test_clebsch_gordan.py
test_hydrogen.py
test_paulialgebra.py
test_physics_matrices.py
test_pring.py
test_qho_1d.py
test_secondquant.py
test_sho.py
units
__init__.py
__pycache__
__init__.cpython-311.pyc
dimensions.cpython-311.pyc
prefixes.cpython-311.pyc
quantities.cpython-311.pyc
unitsystem.cpython-311.pyc
util.cpython-311.pyc
definitions
__init__.py
__pycache__
__init__.cpython-311.pyc
dimension_definitions.cpython-311.pyc
unit_definitions.cpython-311.pyc
dimension_definitions.py
unit_definitions.py
dimensions.py
prefixes.py
quantities.py
systems
__init__.py
__pycache__
__init__.cpython-311.pyc
cqs.cpython-311.pyc

```

```

■ ■ ■ ■ length_weight_time.cpython-311.pyc
■ ■ ■ ■ mks.cpython-311.pyc
■ ■ ■ ■ mksa.cpython-311.pyc
■ ■ ■ ■ natural.cpython-311.pyc
■ ■ ■ ■ si.cpython-311.pyc
■ ■ ■ ■ cgs.py
■ ■ ■ ■ length_weight_time.py
■ ■ ■ ■ mks.py
■ ■ ■ ■ mksa.py
■ ■ ■ ■ natural.py
■ ■ ■ ■ si.py
■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ test_dimensions.cpython-311.pyc
■ ■ ■ ■ ■ test_dimensionssystem.cpython-311.pyc
■ ■ ■ ■ ■ test_prefixes.cpython-311.pyc
■ ■ ■ ■ ■ test_quantities.cpython-311.pyc
■ ■ ■ ■ ■ test_unit_system_cgs_gauss.cpython-311.pyc
■ ■ ■ ■ ■ test_unitsystem.cpython-311.pyc
■ ■ ■ ■ ■ test_util.cpython-311.pyc
■ ■ ■ ■ test_dimensions.py
■ ■ ■ ■ test_dimensionssystem.py
■ ■ ■ ■ test_prefixes.py
■ ■ ■ ■ test_quantities.py
■ ■ ■ ■ test_unit_system_cgs_gauss.py
■ ■ ■ ■ test_unitsystem.py
■ ■ ■ ■ test_util.py
■ ■ ■ unitsystem.py
■ ■ ■ util.py
■ ■ ■ vector
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ dyadic.cpython-311.pyc
■ ■ ■ ■ ■ fieldfunctions.cpython-311.pyc
■ ■ ■ ■ ■ frame.cpython-311.pyc
■ ■ ■ ■ ■ functions.cpython-311.pyc
■ ■ ■ ■ ■ point.cpython-311.pyc
■ ■ ■ ■ ■ printing.cpython-311.pyc
■ ■ ■ ■ ■ vector.cpython-311.pyc
■ ■ ■ dyadic.py
■ ■ ■ fieldfunctions.py
■ ■ ■ frame.py
■ ■ ■ functions.py
■ ■ ■ point.py
■ ■ ■ printing.py
■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ test_dyadic.cpython-311.pyc
■ ■ ■ ■ ■ test_fieldfunctions.cpython-311.pyc
■ ■ ■ ■ ■ test_frame.cpython-311.pyc
■ ■ ■ ■ ■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ test_output.cpython-311.pyc
■ ■ ■ ■ ■ test_point.cpython-311.pyc

```


[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ ■ fglmtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ fields.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ galoistools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ groebnertools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ heuristicgcd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ modulargcd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ monomials.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ multivariate_resultants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ numberfields.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ orderings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ orthopolys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ partfrac.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyclasses.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyconfig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyerrors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyfuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polymatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyoptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyquinticconst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyroots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polytools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rationaltools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ring_series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rootisolation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rootoftools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ solvers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ specialpolys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sqfreetools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ subresultants_qq_zz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ agca
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ homomorphisms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ideals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ modules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ extensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ homomorphisms.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ideals.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ modules.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_homomorphisms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ideals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_modules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_extensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_homomorphisms.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ideals.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_modules.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ benchmarks
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■■■ fractionfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ gaussiandomains.py
■      ■      ■      ■      ■      ■      ■      ■■■ gmpyfinitefield.py
■      ■      ■      ■      ■      ■      ■      ■■■ gmpyintegerring.py
■      ■      ■      ■      ■      ■      ■      ■■■ gmpyrationalfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ groundtypes.py
■      ■      ■      ■      ■      ■      ■      ■■■ integerring.py
■      ■      ■      ■      ■      ■      ■      ■■■ modularinteger.py
■      ■      ■      ■      ■      ■      ■      ■■■ mpelements.py
■      ■      ■      ■      ■      ■      ■      ■■■ old_fractionfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ old_polynomialring.py
■      ■      ■      ■      ■      ■      ■      ■■■ polynomialring.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonfinitefield.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonintegerring.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonrational.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonrationalfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ quotientring.py
■      ■      ■      ■      ■      ■      ■      ■■■ rationalfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ realfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ ring.py
■      ■      ■      ■      ■      ■      ■      ■■■ simplifiedomain.py
■      ■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_domains.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_polynomialring.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_quotientring.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_domains.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_polynomialring.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_quotientring.py
■      ■      ■      ■      ■      ■      ■■■ euclidtools.py
■      ■      ■      ■      ■      ■      ■■■ factortools.py
■      ■      ■      ■      ■      ■      ■■■ fglmttools.py
■      ■      ■      ■      ■      ■      ■■■ fields.py
■      ■      ■      ■      ■      ■      ■■■ galoistools.py
■      ■      ■      ■      ■      ■      ■■■ groebnertools.py
■      ■      ■      ■      ■      ■      ■■■ heuristicgcd.py
■      ■      ■      ■      ■      ■      ■■■ matrices
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ddm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ dense.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ domainmatrix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ eigen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linsolve.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ sdm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ ddm.py
■      ■      ■      ■      ■      ■      ■■■ dense.py
■      ■      ■      ■      ■      ■      ■■■ domainmatrix.py
■      ■      ■      ■      ■      ■      ■■■ eigen.py
■      ■      ■      ■      ■      ■      ■■■ exceptions.py
■      ■      ■      ■      ■      ■      ■■■ linsolve.py
■      ■      ■      ■      ■      ■      ■■■ sdm.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	test_monomials.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_multivariate_resultants.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_numberfields.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_orderings.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_orthopolys.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_partfrac.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyclasses.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyfuncs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polymatrix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyoptions.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyroots.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polytools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_pythonrational.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rationaltools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ring_series.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rings.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rootisolation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rootoftools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_solvers.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_specialpolys.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_sqfreetools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_subresultants_qq_zz.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_constructor.py
■	■	■	■	■	■	■	■	■■■■	test_densearith.py
■	■	■	■	■	■	■	■	■■■■	test_densebasic.py
■	■	■	■	■	■	■	■	■■■■	test_densetools.py
■	■	■	■	■	■	■	■	■■■■	test_dispersion.py
■	■	■	■	■	■	■	■	■■■■	test_distributedmodules.py
■	■	■	■	■	■	■	■	■■■■	test_euclidtools.py
■	■	■	■	■	■	■	■	■■■■	test_factortools.py
■	■	■	■	■	■	■	■	■■■■	test_fields.py
■	■	■	■	■	■	■	■	■■■■	test_galoistools.py
■	■	■	■	■	■	■	■	■■■■	test_groebnertools.py
■	■	■	■	■	■	■	■	■■■■	test_heuristicgcd.py
■	■	■	■	■	■	■	■	■■■■	test_injections.py
■	■	■	■	■	■	■	■	■■■■	test_modulargcd.py
■	■	■	■	■	■	■	■	■■■■	test_monomials.py
■	■	■	■	■	■	■	■	■■■■	test_multivariate_resultants.py
■	■	■	■	■	■	■	■	■■■■	test_numberfields.py
■	■	■	■	■	■	■	■	■■■■	test_orderings.py
■	■	■	■	■	■	■	■	■■■■	test_orthopolys.py
■	■	■	■	■	■	■	■	■■■■	test_partfrac.py
■	■	■	■	■	■	■	■	■■■■	test_polyclasses.py
■	■	■	■	■	■	■	■	■■■■	test_polyfuncs.py
■	■	■	■	■	■	■	■	■■■■	test_polymatrix.py
■	■	■	■	■	■	■	■	■■■■	test_polyoptions.py
■	■	■	■	■	■	■	■	■■■■	test_polyroots.py
■	■	■	■	■	■	■	■	■■■■	test_polytools.py
■	■	■	■	■	■	■	■	■■■■	test_polyutils.py
■	■	■	■	■	■	■	■	■■■■	test_pythonrational.py
■	■	■	■	■	■	■	■	■■■■	test_rationaltools.py
■	■	■	■	■	■	■	■	■■■■	test_ring_series.py
■	■	■	■	■	■	■	■	■■■■	test_rings.py
■	■	■	■	■	■	■	■	■■■■	test_rootisolation.py
■	■	■	■	■	■	■	■	■■■■	test_rootoftools.py
■	■	■	■	■	■	■	■	■■■■	test_solvers.py
■	■	■	■	■	■	■	■	■■■■	test_specialpolys.py

```

test_sqfreetools.py
test_subresultants_qq_zz.py
printing
__init__.py
__pycache__
__init__.cpython-311.pyc
aesaracode.cpython-311.pyc
c.cpython-311.pyc
ccode.cpython-311.pyc
codeprinter.cpython-311.pyc
conventions.cpython-311.pyc
cxx.cpython-311.pyc
cxxcode.cpython-311.pyc
defaults.cpython-311.pyc
dot.cpython-311.pyc
fcode.cpython-311.pyc
fortran.cpython-311.pyc
glsl.cpython-311.pyc
gtk.cpython-311.pyc
jscode.cpython-311.pyc
julia.cpython-311.pyc
lambdarepr.cpython-311.pyc
latex.cpython-311.pyc
llvmjitcode.cpython-311.pyc
maple.cpython-311.pyc
mathematica.cpython-311.pyc
mathml.cpython-311.pyc
numpy.cpython-311.pyc
octave.cpython-311.pyc
precedence.cpython-311.pyc
preview.cpython-311.pyc
printer.cpython-311.pyc
pycode.cpython-311.pyc
python.cpython-311.pyc
rcode.cpython-311.pyc
repr.cpython-311.pyc
rust.cpython-311.pyc
str.cpython-311.pyc
tableform.cpython-311.pyc
tensorflow.cpython-311.pyc
theanocode.cpython-311.pyc
tree.cpython-311.pyc
aesaracode.py
c.py
ccode.py
codeprinter.py
conventions.py
cxx.py
cxxcode.py
defaults.py
dot.py
fcode.py
fortran.py
glsl.py
gtk.py
jscode.py
julia.py
lambdarepr.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ latex.py
■ ■ ■ ■ ■ ■ ■ ■ llvmjitcode.py
■ ■ ■ ■ ■ ■ ■ ■ maple.py
■ ■ ■ ■ ■ ■ ■ ■ mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ mathml.py
■ ■ ■ ■ ■ ■ ■ ■ numpy.py
■ ■ ■ ■ ■ ■ ■ ■ octave.py
■ ■ ■ ■ ■ ■ ■ ■ precedence.py
■ ■ ■ ■ ■ ■ ■ ■ pretty
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pretty.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pretty_symbolology.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stringpict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pretty.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pretty_symbolology.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stringpict.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pretty.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pretty.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ preview.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ printer.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pycode.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ python.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ rcode.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ repr.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ rust.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ str.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tableform.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tensorflow.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_aesaracode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_c.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_codeprinter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_conventions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_cxx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_dot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fortran.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_gls1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_gtk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_jscode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_julia.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_lambdarepr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_llvmjit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_maple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_mathematica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_mathml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_octave.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_precedence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_preview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pycode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_python.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rcode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rust.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tableform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tensorflow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_theanocode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_aesaracode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_c.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_codeprinter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conventions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cupy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cxx.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fortran.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gls1.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gtk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_jscode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_julia.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lambdarepr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_llvmjit.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_maple.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathml.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_octave.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_precedence.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_preview.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pycode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_python.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rcode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rust.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_str.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tableform.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tensorflow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_theanocode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ theanoacode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ release.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sandbox
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ indexed_integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ indexed_integrals.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_indexed_integrals.cpython-311.pyc

```

```

■ test_indexed_integrals.py
series
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        acceleration.cpython-311.pyc
        approximants.cpython-311.pyc
        aseries.cpython-311.pyc
        formal.cpython-311.pyc
        fourier.cpython-311.pyc
        gruntz.cpython-311.pyc
        kauers.cpython-311.pyc
        limits.cpython-311.pyc
        limitseq.cpython-311.pyc
        order.cpython-311.pyc
        residues.cpython-311.pyc
        sequences.cpython-311.pyc
        series.cpython-311.pyc
        series_class.cpython-311.pyc
    acceleration.py
    approximants.py
    aseries.py
    benchmarks
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            bench_limit.cpython-311.pyc
            bench_order.cpython-311.pyc
        bench_limit.py
        bench_order.py
    formal.py
    fourier.py
    gruntz.py
    kauers.py
    limits.py
    limitseq.py
    order.py
    residues.py
    sequences.py
    series.py
    series_class.py
    tests
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            test_approximants.cpython-311.pyc
            test_aseries.cpython-311.pyc
            test_demidovich.cpython-311.pyc
            test_formal.cpython-311.pyc
            test_fourier.cpython-311.pyc
            test_gruntz.cpython-311.pyc
            test_kauers.cpython-311.pyc
            test_limits.cpython-311.pyc
            test_limitseq.cpython-311.pyc
            test_lseries.cpython-311.pyc
            test_nseries.cpython-311.pyc
            test_order.cpython-311.pyc
            test_residues.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_sequences.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_approximants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_aseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_demidovich.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_formal.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_fourier.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_gruntz.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kauers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_limits.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_limitseq.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_lseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_nseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_order.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_residues.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_sequences.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_series.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sets
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ conditionset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ contains.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ fancysets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ordinals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ powerset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ setexpr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ conditionset.py
■ ■ ■ ■ ■ ■ ■ ■ ■ contains.py
■ ■ ■ ■ ■ ■ ■ ■ ■ fancysets.py
■ ■ ■ ■ ■ ■ ■ ■ ■ handlers
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ add.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ comparison.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ intersection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ issubset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mul.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ union.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ add.py
■ ■ ■ ■ ■ ■ ■ ■ ■ comparison.py
■ ■ ■ ■ ■ ■ ■ ■ ■ functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ intersection.py
■ ■ ■ ■ ■ ■ ■ ■ ■ issubset.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mul.py
■ ■ ■ ■ ■ ■ ■ ■ ■ power.py
■ ■ ■ ■ ■ ■ ■ ■ ■ union.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ordinals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ powerset.py
■ ■ ■ ■ ■ ■ ■ ■ ■ setexpr.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sets.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

[illegible]

```

■ ■ ■ test_powsimp.cpython-311.pyc
■ ■ ■ test_radsimp.cpython-311.pyc
■ ■ ■ test_ratsimp.cpython-311.pyc
■ ■ ■ test_rewrite.cpython-311.pyc
■ ■ ■ test_simplify.cpython-311.pyc
■ ■ ■ test_sqrtdenest.cpython-311.pyc
■ ■ ■ test_traversaltools.cpython-311.pyc
■ ■ ■ test_trigsimp.cpython-311.pyc
■ ■ ■ test_combsimp.py
■ ■ ■ test_cse.py
■ ■ ■ test_epathtools.py
■ ■ ■ test_fu.py
■ ■ ■ test_function.py
■ ■ ■ test_gamma simp.py
■ ■ ■ test_hyperexpand.py
■ ■ ■ test_powsimp.py
■ ■ ■ test_radsimp.py
■ ■ ■ test_ratsimp.py
■ ■ ■ test_rewrite.py
■ ■ ■ test_simplify.py
■ ■ ■ test_sqrtdenest.py
■ ■ ■ test_traversaltools.py
■ ■ ■ test_trigsimp.py
■ ■ ■ traversaltools.py
■ ■ ■ trigsimp.py
■ ■ ■ solvers
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ bivariate.cpython-311.pyc
■ ■ ■ decompogen.cpython-311.pyc
■ ■ ■ deutils.cpython-311.pyc
■ ■ ■ inequalities.cpython-311.pyc
■ ■ ■ pde.cpython-311.pyc
■ ■ ■ polysys.cpython-311.pyc
■ ■ ■ recurr.cpython-311.pyc
■ ■ ■ solvers.cpython-311.pyc
■ ■ ■ solveset.cpython-311.pyc
■ ■ ■ benchmarks
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ bench_solvers.cpython-311.pyc
■ ■ ■ bench_solvers.py
■ ■ ■ bivariate.py
■ ■ ■ decompogen.py
■ ■ ■ deutils.py
■ ■ ■ diophantine
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ diophantine.cpython-311.pyc
■ ■ ■ diophantine.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_diophantine.cpython-311.pyc
```

```

■      ■      ■      ■      ■      ■      ■      ■      test_diophantine.py
■      ■      ■      ■      ■      ■      ■      ■      inequalities.py
■      ■      ■      ■      ■      ■      ■      ■      ode
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      ode.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      single.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      subscheck.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      systems.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ode.py
■      ■      ■      ■      ■      ■      ■      ■      ■      single.py
■      ■      ■      ■      ■      ■      ■      ■      ■      subscheck.py
■      ■      ■      ■      ■      ■      ■      ■      ■      systems.py
■      ■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_lie_group.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_ode.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_single.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_subscheck.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_systems.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_lie_group.py
■      ■      ■      ■      ■      ■      ■      ■      ■      test_ode.py
■      ■      ■      ■      ■      ■      ■      ■      ■      test_single.py
■      ■      ■      ■      ■      ■      ■      ■      ■      test_subscheck.py
■      ■      ■      ■      ■      ■      ■      ■      ■      test_systems.py
■      ■      ■      ■      ■      ■      ■      ■      pde.py
■      ■      ■      ■      ■      ■      ■      ■      polysys.py
■      ■      ■      ■      ■      ■      ■      ■      recurr.py
■      ■      ■      ■      ■      ■      ■      ■      solvers.py
■      ■      ■      ■      ■      ■      ■      ■      solveset.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_constantsimp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_decompogen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_inequalities.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_numeric.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_pde.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_polysys.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_recurr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_solvers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_solve­set.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_constantsimp.py
■      ■      ■      ■      ■      ■      ■      ■      test_decompogen.py
■      ■      ■      ■      ■      ■      ■      ■      test_inequalities.py
■      ■      ■      ■      ■      ■      ■      ■      test_numeric.py
■      ■      ■      ■      ■      ■      ■      ■      test_pde.py
■      ■      ■      ■      ■      ■      ■      ■      test_polysys.py
■      ■      ■      ■      ■      ■      ■      ■      test_recurr.py
■      ■      ■      ■      ■      ■      ■      ■      test_solvers.py
■      ■      ■      ■      ■      ■      ■      ■      test_solve­set.py
■      ■      ■      ■      ■      ■      ■      stats
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compound_rv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crv_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drv_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ error_prop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frv_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ joint_rv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ joint_rv_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ matrix_distributions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ random_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ random_matrix_models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rv_interface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stochastic_process.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stochastic_process_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ symbolic_multivariate_probability.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ symbolic_probability.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compound_rv.py
■ ■ ■ ■ ■ ■ ■ ■■■ crv.py
■ ■ ■ ■ ■ ■ ■ ■■■ crv_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ drv.py
■ ■ ■ ■ ■ ■ ■ ■■■ drv_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ error_prop.py
■ ■ ■ ■ ■ ■ ■ ■■■ frv.py
■ ■ ■ ■ ■ ■ ■ ■■■ frv_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ joint_rv.py
■ ■ ■ ■ ■ ■ ■ ■■■ joint_rv_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ matrix_distributions.py
■ ■ ■ ■ ■ ■ ■ ■■■ random_matrix.py
■ ■ ■ ■ ■ ■ ■ ■■■ random_matrix_models.py
■ ■ ■ ■ ■ ■ ■ ■■■ rv.py
■ ■ ■ ■ ■ ■ ■ ■■■ rv_interface.py
■ ■ ■ ■ ■ ■ ■ ■■■ sampling
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sample_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sample_pymc3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sample_scipy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sample_numpy.py
■ ■ ■ ■ ■ ■ ■ ■■■ sample_pymc3.py
■ ■ ■ ■ ■ ■ ■ ■■■ sample_scipy.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sample_continuous_rv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sample_discrete_rv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sample_finite_rv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sample_continuous_rv.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sample_discrete_rv.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sample_finite_rv.py
■ ■ ■ ■ ■ ■ ■ ■■■ stochastic_process.py
■ ■ ■ ■ ■ ■ ■ ■■■ stochastic_process_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ symbolic_multivariate_probability.py

```



```

■      ■      ■      ■      ■      ■      ■■■ symbolic_probability.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_compound_rv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_continuous_rv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_discrete_rv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_error_prop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_finite_rv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_joint_rv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_matrix_distributions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_mix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_random_matrix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_rv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_stochastic_process.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_symbolic_multivariate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_symbolic_probability.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_compound_rv.py
■      ■      ■      ■      ■      ■      ■■■ test_continuous_rv.py
■      ■      ■      ■      ■      ■      ■■■ test_discrete_rv.py
■      ■      ■      ■      ■      ■      ■■■ test_error_prop.py
■      ■      ■      ■      ■      ■      ■■■ test_finite_rv.py
■      ■      ■      ■      ■      ■      ■■■ test_joint_rv.py
■      ■      ■      ■      ■      ■      ■■■ test_matrix_distributions.py
■      ■      ■      ■      ■      ■      ■■■ test_mix.py
■      ■      ■      ■      ■      ■      ■■■ test_random_matrix.py
■      ■      ■      ■      ■      ■      ■■■ test_rv.py
■      ■      ■      ■      ■      ■      ■■■ test_stochastic_process.py
■      ■      ■      ■      ■      ■      ■■■ test_symbolic_multivariate.py
■      ■      ■      ■      ■      ■      ■■■ test_symbolic_probability.py
■      ■      ■      ■      ■      ■■■ strategies
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ rl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ tools.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ traverse.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ branch
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ tools.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ traverse.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ core.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_tools.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_traverse.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_core.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_tools.py

```

```

    test_traverse.py
    tools.py
    traverse.py
    core.py
    rl.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_core.cpython-311.pyc
    test_rl.cpython-311.pyc
    test_strat.cpython-311.pyc
    test_tools.cpython-311.pyc
    test_traverse.cpython-311.pyc
    test_tree.cpython-311.pyc
    test_core.py
    test_rl.py
    test_strat.py
    test_tools.py
    test_traverse.py
    test_tree.py
    tools.py
    traverse.py
    tree.py
    util.py
tensor
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    functions.cpython-311.pyc
    index_methods.cpython-311.pyc
    indexed.cpython-311.pyc
    tensor.cpython-311.pyc
    toperators.cpython-311.pyc
    array
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    array_comprehension.cpython-311.pyc
    array_derivatives.cpython-311.pyc
    arrayop.cpython-311.pyc
    dense_ndim_array.cpython-311.pyc
    mutable_ndim_array.cpython-311.pyc
    ndim_array.cpython-311.pyc
    sparse_ndim_array.cpython-311.pyc
    array_comprehension.py
    array_derivatives.py
    arrayop.py
    dense_ndim_array.py
    expressions
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    array_expressions.cpython-311.pyc
    arrayexpr_derivatives.cpython-311.pyc
    conv_array_to_matrix.cpython-311.pyc
    conv_indexed_to_array.cpython-311.pyc
    conv_matrix_to_array.cpython-311.pyc

```

```

    ##### utils.cpython-311.pyc
    ##### array_expressions.py
    ##### arrayexpr_derivatives.py
    ##### conv_array_to_matrix.py
    ##### conv_indexed_to_array.py
    ##### conv_matrix_to_array.py
    ##### tests
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### test_array_expressions.cpython-311.pyc
    ##### test_arrayexpr_derivatives.cpython-311.pyc
    ##### test_as_explicit.cpython-311.pyc
    ##### test_convert_array_to_matrix.cpython-311.pyc
    ##### test_convert_index_to_array.cpython-311.pyc
    ##### test_convert_matrix_to_array.cpython-311.pyc
    ##### test_array_expressions.py
    ##### test_arrayexpr_derivatives.py
    ##### test_as_explicit.py
    ##### test_convert_array_to_matrix.py
    ##### test_convert_index_to_array.py
    ##### test_convert_matrix_to_array.py
    ##### utils.py
    ##### mutable_ndim_array.py
    ##### ndim_array.py
    ##### sparse_ndim_array.py
    ##### tests
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### test_array_comprehension.cpython-311.pyc
    ##### test_array_derivatives.cpython-311.pyc
    ##### test_arrayop.cpython-311.pyc
    ##### test_immutable_ndim_array.cpython-311.pyc
    ##### test_mutable_ndim_array.cpython-311.pyc
    ##### test_ndim_array.cpython-311.pyc
    ##### test_ndim_array_conversions.cpython-311.pyc
    ##### test_array_comprehension.py
    ##### test_array_derivatives.py
    ##### test_arrayop.py
    ##### test_immutable_ndim_array.py
    ##### test_mutable_ndim_array.py
    ##### test_ndim_array.py
    ##### test_ndim_array_conversions.py
    ##### functions.py
    ##### index_methods.py
    ##### indexed.py
    ##### tensor.py
    ##### tests
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### test_functions.cpython-311.pyc
    ##### test_index_methods.cpython-311.pyc
    ##### test_indexed.cpython-311.pyc
    ##### test_tensor.cpython-311.pyc
    ##### test_tensor_element.cpython-311.pyc
    ##### test_tensor_operators.cpython-311.pyc

```

```

test_functions.py
test_index_methods.py
test_indexed.py
test_tensor.py
test_tensor_element.py
test_tensor_operators.py
toperators.py
testing
__init__.py
__pycache__
__init__.cpython-311.pyc
benchmarking.cpython-311.pyc
matrices.cpython-311.pyc
pytest.cpython-311.pyc
quality_unicode.cpython-311.pyc
randtest.cpython-311.pyc
runtests.cpython-311.pyc
tmpfiles.cpython-311.pyc
benchmarking.py
matrices.py
pytest.py
quality_unicode.py
randtest.py
runtests.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
diagnose_imports.cpython-311.pyc
test_code_quality.cpython-311.pyc
test_module_imports.cpython-311.pyc
test_pytest.cpython-311.pyc
diagnose_imports.py
test_code_quality.py
test_module_imports.py
test_pytest.py
tmpfiles.py
this.py
unify
__init__.py
__pycache__
__init__.cpython-311.pyc
core.cpython-311.pyc
rewrite.cpython-311.pyc
usymPy.cpython-311.pyc
core.py
rewrite.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_rewrite.cpython-311.pyc
test_sympy.cpython-311.pyc
test_unify.cpython-311.pyc
test_rewrite.py
test_sympy.py
test_unify.py
usymPy.py

```

```

■      ■      ■      ■      ■      ■■■ utilities
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ autowrap.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ benchmarking.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ codegen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ decorator.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ enumerative.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ iterables.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ lambdify.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ magic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ matchpy_connector.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ memoization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ misc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ pkgdata.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ pytest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ quality_unicode.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ randtest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ runtests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ source.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ timeutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ tmpfiles.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _compilation
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ availability.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ compilation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ runners.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ availability.py
■      ■      ■      ■      ■      ■      ■■■ compilation.py
■      ■      ■      ■      ■      ■      ■■■ runners.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_compilation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_compilation.py
■      ■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■      ■■■ autowrap.py
■      ■      ■      ■      ■      ■      ■■■ benchmarking.py
■      ■      ■      ■      ■      ■      ■■■ codegen.py
■      ■      ■      ■      ■      ■      ■■■ decorator.py
■      ■      ■      ■      ■      ■      ■■■ enumerative.py
■      ■      ■      ■      ■      ■      ■■■ exceptions.py
■      ■      ■      ■      ■      ■      ■■■ iterables.py
■      ■      ■      ■      ■      ■      ■■■ lambdify.py
■      ■      ■      ■      ■      ■      ■■■ magic.py
■      ■      ■      ■      ■      ■      ■■■ matchpy_connector.py
■      ■      ■      ■      ■      ■      ■■■ mathml
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ data
■      ■      ■      ■      ■      ■      ■      ■      ■■■ mmlctop.xml

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■ integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ operators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ orienters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ parametricregion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ point.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ scalar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ vector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ basisdependent.py
■ ■ ■ ■ ■ ■ ■ ■ ■ coordsysrect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ deloperator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ dyadic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ implicitregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ integrals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ operators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ orienters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parametricregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ point.py
■ ■ ■ ■ ■ ■ ■ ■ ■ scalar.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_coordsysrect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_dyadic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_field_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_implicitregion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_operators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_parametricregion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_printing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_vector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_coordsysrect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_dyadic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_field_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_implicitregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_integrals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_operators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_parametricregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_printing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_vector.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vector.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sympy-1.8.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ AUTHORS
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tables
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■	array.cpython-311.pyc
■	■	■	■	■	■	■■■	atom.cpython-311.pyc
■	■	■	■	■	■	■■■	attributeset.cpython-311.pyc
■	■	■	■	■	■	■■■	carray.cpython-311.pyc
■	■	■	■	■	■	■■■	conditions.cpython-311.pyc
■	■	■	■	■	■	■■■	description.cpython-311.pyc
■	■	■	■	■	■	■■■	earray.cpython-311.pyc
■	■	■	■	■	■	■■■	exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	expression.cpython-311.pyc
■	■	■	■	■	■	■■■	file.cpython-311.pyc
■	■	■	■	■	■	■■■	filters.cpython-311.pyc
■	■	■	■	■	■	■■■	flavor.cpython-311.pyc
■	■	■	■	■	■	■■■	group.cpython-311.pyc
■	■	■	■	■	■	■■■	idxutils.cpython-311.pyc
■	■	■	■	■	■	■■■	index.cpython-311.pyc
■	■	■	■	■	■	■■■	indexes.cpython-311.pyc
■	■	■	■	■	■	■■■	leaf.cpython-311.pyc
■	■	■	■	■	■	■■■	link.cpython-311.pyc
■	■	■	■	■	■	■■■	node.cpython-311.pyc
■	■	■	■	■	■	■■■	parameters.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	registry.cpython-311.pyc
■	■	■	■	■	■	■■■	req_versions.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	undoredo.cpython-311.pyc
■	■	■	■	■	■	■■■	unimplemented.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	vllarray.cpython-311.pyc
■	■	■	■	■	■■■	_comp_bzip2.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	_comp_bzip2.pyx	
■	■	■	■	■	■■■	_comp_lzo.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	_comp_lzo.pyx	
■	■	■	■	■	■■■	array.py	
■	■	■	■	■	■■■	atom.py	
■	■	■	■	■	■■■	attributeset.py	
■	■	■	■	■	■■■	carray.py	
■	■	■	■	■	■■■	conditions.py	
■	■	■	■	■	■■■	definitions.pxd	
■	■	■	■	■	■■■	description.py	
■	■	■	■	■	■■■	earray.py	
■	■	■	■	■	■■■	exceptions.py	
■	■	■	■	■	■■■	expression.py	
■	■	■	■	■	■■■	file.py	
■	■	■	■	■	■■■	filters.py	
■	■	■	■	■	■■■	flavor.py	
■	■	■	■	■	■■■	group.py	
■	■	■	■	■	■■■	hdf5extension.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	hdf5extension.pxd	
■	■	■	■	■	■■■	hdf5extension.pyx	
■	■	■	■	■	■■■	idxutils.py	
■	■	■	■	■	■■■	index.py	
■	■	■	■	■	■■■	indexes.py	
■	■	■	■	■	■■■	indexesextension.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	indexesextension.pyx	
■	■	■	■	■	■■■	leaf.py	
■	■	■	■	■	■■■	libblosc2.so	
■	■	■	■	■	■■■	link.py	
■	■	■	■	■	■■■	linkextension.cpython-311-x86_64-linux-gnu.so	


```

linkextension.pyx
lrucacheextension.cpython-311-x86_64-linux-gnu.so
lrucacheextension.pxd
lrucacheextension.pyx
misc
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  enum.cpython-311.pyc
  proxydict.cpython-311.pyc
  enum.py
  proxydict.py
node.py
nodes
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  filenode.cpython-311.pyc
  filenode.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_filenode.cpython-311.pyc
  test_filenode.dat
  test_filenode.py
  test_filenode.xbm
  test_filenode_v1.h5
parameters.py
path.py
registry.py
req_versions.py
scripts
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  pt2to3.cpython-311.pyc
  ptdump.cpython-311.pyc
  ptrepack.cpython-311.pyc
  pttree.cpython-311.pyc
  pt2to3.py
  ptdump.py
  ptrepack.py
  pttree.py
table.py
tableextension.cpython-311-x86_64-linux-gnu.so
tableextension.pyx
tests
  Table2_1_lzo_nrv2e_shuffle.h5
  Tables_lzo1.h5
  Tables_lzo1_shuffle.h5
  Tables_lzo2.h5
  Tables_lzo2_shuffle.h5
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  check_leaks.cpython-311.pyc
  common.cpython-311.pyc

```

■	■	■	■	■	■	■■■	create_backcompat_indexes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_all.cpython-311.pyc
■	■	■	■	■	■	■■■	test_array.cpython-311.pyc
■	■	■	■	■	■	■■■	test_attributes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_aux.cpython-311.pyc
■	■	■	■	■	■	■■■	test_backcompat.cpython-311.pyc
■	■	■	■	■	■	■■■	test_basics.cpython-311.pyc
■	■	■	■	■	■	■■■	test_carray.cpython-311.pyc
■	■	■	■	■	■	■■■	test_create.cpython-311.pyc
■	■	■	■	■	■	■■■	test_do_undo.cpython-311.pyc
■	■	■	■	■	■	■■■	test_earray.cpython-311.pyc
■	■	■	■	■	■	■■■	test_enum.cpython-311.pyc
■	■	■	■	■	■	■■■	test_expression.cpython-311.pyc
■	■	■	■	■	■	■■■	test_garbage.cpython-311.pyc
■	■	■	■	■	■	■■■	test_hdf5compat.cpython-311.pyc
■	■	■	■	■	■	■■■	test_index_backcompat.cpython-311.pyc
■	■	■	■	■	■	■■■	test_indexes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_indexvalues.cpython-311.pyc
■	■	■	■	■	■	■■■	test_links.cpython-311.pyc
■	■	■	■	■	■	■■■	test_lists.cpython-311.pyc
■	■	■	■	■	■	■■■	test_nestedtypes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numpy.cpython-311.pyc
■	■	■	■	■	■	■■■	test_queries.cpython-311.pyc
■	■	■	■	■	■	■■■	test_suite.cpython-311.pyc
■	■	■	■	■	■	■■■	test_tables.cpython-311.pyc
■	■	■	■	■	■	■■■	test_tablesMD.cpython-311.pyc
■	■	■	■	■	■	■■■	test_timestamps.cpython-311.pyc
■	■	■	■	■	■	■■■	test_timetype.cpython-311.pyc
■	■	■	■	■	■	■■■	test_tree.cpython-311.pyc
■	■	■	■	■	■	■■■	test_types.cpython-311.pyc
■	■	■	■	■	■	■■■	test_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	test_vlarray.cpython-311.pyc
■	■	■	■	■	■■■	array_mdatom.h5	
■	■	■	■	■	■■■	attr-u16.h5	
■	■	■	■	■	■■■	blosc_bigendian.h5	
■	■	■	■	■	■■■	bug-idx.h5	
■	■	■	■	■	■■■	check_leaks.py	
■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■■■	create_backcompat_indexes.py	
■	■	■	■	■	■■■	elink.h5	
■	■	■	■	■	■■■	elink2.h5	
■	■	■	■	■	■■■	ex-noattr.h5	
■	■	■	■	■	■■■	flavored_vlarrays-format1.6.h5	
■	■	■	■	■	■■■	float.h5	
■	■	■	■	■	■■■	idx-std-1.x.h5	
■	■	■	■	■	■■■	indexes_2_0.h5	
■	■	■	■	■	■■■	indexes_2_1.h5	
■	■	■	■	■	■■■	issue_368.h5	
■	■	■	■	■	■■■	issue_560.h5	
■	■	■	■	■	■■■	itemsizes.h5	
■	■	■	■	■	■■■	matlab_file.mat	
■	■	■	■	■	■■■	nested-type-with-gaps.h5	
■	■	■	■	■	■■■	non-chunked-table.h5	
■	■	■	■	■	■■■	oldflavor_numeric.h5	
■	■	■	■	■	■■■	out_of_order_types.h5	
■	■	■	■	■	■■■	python2.h5	
■	■	■	■	■	■■■	python3.h5	
■	■	■	■	■	■■■	scalar.h5	

■	■	■	■	■	■	■■■■	slink.h5
■	■	■	■	■	■	■■■■	smpl_SDSExtensible.h5
■	■	■	■	■	■	■■■■	smpl_compound_chunked.h5
■	■	■	■	■	■	■■■■	smpl_enum.h5
■	■	■	■	■	■	■■■■	smpl_f64be.h5
■	■	■	■	■	■	■■■■	smpl_f64le.h5
■	■	■	■	■	■	■■■■	smpl_i32be.h5
■	■	■	■	■	■	■■■■	smpl_i32le.h5
■	■	■	■	■	■	■■■■	smpl_i64be.h5
■	■	■	■	■	■	■■■■	smpl_i64le.h5
■	■	■	■	■	■	■■■■	smpl_unsupdtype.h5
■	■	■	■	■	■	■■■■	test_all.py
■	■	■	■	■	■	■■■■	test_array.py
■	■	■	■	■	■	■■■■	test_attributes.py
■	■	■	■	■	■	■■■■	test_aux.py
■	■	■	■	■	■	■■■■	test_backcompat.py
■	■	■	■	■	■	■■■■	test_basics.py
■	■	■	■	■	■	■■■■	test_carray.py
■	■	■	■	■	■	■■■■	test_create.py
■	■	■	■	■	■	■■■■	test_do_undo.py
■	■	■	■	■	■	■■■■	test_earray.py
■	■	■	■	■	■	■■■■	test_enum.py
■	■	■	■	■	■	■■■■	test_expression.py
■	■	■	■	■	■	■■■■	test_garbage.py
■	■	■	■	■	■	■■■■	test_hdf5compat.py
■	■	■	■	■	■	■■■■	test_index_backcompat.py
■	■	■	■	■	■	■■■■	test_indexes.py
■	■	■	■	■	■	■■■■	test_indexvalues.py
■	■	■	■	■	■	■■■■	test_links.py
■	■	■	■	■	■	■■■■	test_lists.py
■	■	■	■	■	■	■■■■	test_nestedtypes.py
■	■	■	■	■	■	■■■■	test_numpy.py
■	■	■	■	■	■	■■■■	test_queries.py
■	■	■	■	■	■	■■■■	test_ref_array1.mat
■	■	■	■	■	■	■■■■	test_ref_array2.mat
■	■	■	■	■	■	■■■■	test_suite.py
■	■	■	■	■	■	■■■■	test_szip.h5
■	■	■	■	■	■	■■■■	test_tables.py
■	■	■	■	■	■	■■■■	test_tablesMD.py
■	■	■	■	■	■	■■■■	test_timestamps.py
■	■	■	■	■	■	■■■■	test_timetype.py
■	■	■	■	■	■	■■■■	test_tree.py
■	■	■	■	■	■	■■■■	test_types.py
■	■	■	■	■	■	■■■■	test_utils.py
■	■	■	■	■	■	■■■■	test_vlarray.py
■	■	■	■	■	■	■■■■	time-table-vlarray-1_x.h5
■	■	■	■	■	■	■■■■	times-nested-be.h5
■	■	■	■	■	■	■■■■	vlstr_attr.h5
■	■	■	■	■	■	■■■■	vlunicode_endian.h5
■	■	■	■	■	■	■■■■	zerodim-attrs-1.3.h5
■	■	■	■	■	■	■■■■	zerodim-attrs-1.4.h5
■	■	■	■	■	■■■■	undoredo.py	
■	■	■	■	■	■■■■	unimplemented.py	
■	■	■	■	■	■■■■	utils.py	
■	■	■	■	■	■■■■	utilsextension.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■■	utilsextension.pxd	
■	■	■	■	■	■■■■	utilsextension.pyx	
■	■	■	■	■	■■■■	vlarray.py	

```

■ ■ ■ ■ ■■■ tables-3.8.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ tables.libs
■ ■ ■ ■ ■■■ libblosc2-84755600.so.2
■ ■ ■ ■ ■■■ libbz2-a273e504.so.1.0.6
■ ■ ■ ■ ■■■ libhdf5-f789316a.so.200.2.0
■ ■ ■ ■ ■■■ liblz2-7e54a34a.so.2.0.0
■ ■ ■ ■ ■■■ tabula
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ painter.cpython-311.pyc
■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■■■ painter.py
■ ■ ■ ■ ■■■ section.py
■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■■■ tabula-1.0.5.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ tabulate
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■■■ tabulate-0.9.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ tenacity
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■■■ after.cpython-311.pyc
■ ■ ■ ■ ■■■ before.cpython-311.pyc
■ ■ ■ ■ ■■■ before_sleep.cpython-311.pyc
■ ■ ■ ■ ■■■ nap.cpython-311.pyc
■ ■ ■ ■ ■■■ retry.cpython-311.pyc
■ ■ ■ ■ ■■■ stop.cpython-311.pyc
■ ■ ■ ■ ■■■ tornadoweb.cpython-311.pyc

```

```

wait.cpython-311.pyc
  _utils.py
  after.py
  asyncio
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      retry.cpython-311.pyc
    retry.py
  before.py
  before_sleep.py
  nap.py
  py.typed
  retry.py
  stop.py
  tornadoweb.py
  wait.py
tenacity-9.0.0.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  WHEEL
  top_level.txt
terminado
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _version.cpython-311.pyc
    management.cpython-311.pyc
    uimodule.cpython-311.pyc
    websocket.cpython-311.pyc
  _static
  terminado.js
  _version.py
  management.py
  py.typed
  uimod_embed.js
  uimodule.py
  websocket.py
terminado-0.18.1.dist-info
  INSTALLER
  METADATA
  RECORD
  WHEEL
  licenses
  LICENSE
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_advanced.cpython-311.pyc
    test_args.cpython-311.pyc
    test_basic.cpython-311.pyc
    test_conversions.cpython-311.pyc
    test_custom_converter.cpython-311.pyc
    test_escaping.cpython-311.pyc
    test_lists.cpython-311.pyc

```

```

■ ■ ■ test_tables.cpython-311.pyc
■ ■ ■ test_advanced.py
■ ■ ■ test_args.py
■ ■ ■ test_basic.py
■ ■ ■ test_conversions.py
■ ■ ■ test_custom_converter.py
■ ■ ■ test_escaping.py
■ ■ ■ test_lists.py
■ ■ ■ test_tables.py
■ ■ ■ text_unidecode
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ data.bin
■ ■ ■ text_unidecode-1.3.dist-info
■ ■ ■ DESCRIPTION.rst
■ ■ ■ INSTALLER
■ ■ ■ LICENSE.txt
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ metadata.json
■ ■ ■ top_level.txt
■ ■ ■ textblob
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _text.cpython-311.pyc
■ ■ ■ base.cpython-311.pyc
■ ■ ■ blob.cpython-311.pyc
■ ■ ■ classifiers.cpython-311.pyc
■ ■ ■ compat.cpython-311.pyc
■ ■ ■ decorators.cpython-311.pyc
■ ■ ■ download_corpora.cpython-311.pyc
■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ formats.cpython-311.pyc
■ ■ ■ inflect.cpython-311.pyc
■ ■ ■ mixins.cpython-311.pyc
■ ■ ■ np_extractors.cpython-311.pyc
■ ■ ■ parsers.cpython-311.pyc
■ ■ ■ sentiments.cpython-311.pyc
■ ■ ■ taggers.cpython-311.pyc
■ ■ ■ tokenizers.cpython-311.pyc
■ ■ ■ translate.cpython-311.pyc
■ ■ ■ utils.cpython-311.pyc
■ ■ ■ wordnet.cpython-311.pyc
■ ■ ■ _text.py
■ ■ ■ base.py
■ ■ ■ blob.py
■ ■ ■ classifiers.py
■ ■ ■ compat.py
■ ■ ■ decorators.py
■ ■ ■ download_corpora.py
■ ■ ■ en
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ inflect.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ np_extractors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ parsers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sentiments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ taggers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ en-context.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-entities.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-lexicon.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-morphology.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-sentiment.xml
■ ■ ■ ■ ■ ■ ■ ■ ■ en-spelling.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ inflect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ np_extractors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parsers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sentiments.py
■ ■ ■ ■ ■ ■ ■ ■ ■ taggers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■ inflect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mixins.py
■ ■ ■ ■ ■ ■ ■ ■ ■ np_extractors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parsers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sentiments.py
■ ■ ■ ■ ■ ■ ■ ■ ■ taggers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tokenizers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ translate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ unicodecsv
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ wordnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ textblob-0.15.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ AUTHORS.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ NOTICE
■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ thinc
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ about.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ initializers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ loss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mypy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ optimizers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ schedules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc

```

```

■ ■ ■ ■ about.py
■ ■ ■ ■ api.py
■ ■ ■ ■ backends
■ ■ ■ ■   ___init__.pxd
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init__.cpython-311.pyc
■ ■ ■ ■     _cupy_allocators.cpython-311.pyc
■ ■ ■ ■     _custom_kernels.cpython-311.pyc
■ ■ ■ ■     _param_server.cpython-311.pyc
■ ■ ■ ■     cupy_ops.cpython-311.pyc
■ ■ ■ ■     mps_ops.cpython-311.pyc
■ ■ ■ ■     ops.cpython-311.pyc
■ ■ ■ ■   _cupy_allocators.py
■ ■ ■ ■   _custom_kernels.cu
■ ■ ■ ■   _custom_kernels.py
■ ■ ■ ■   _murmur3.cu
■ ■ ■ ■   _param_server.py
■ ■ ■ ■   cblas.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   cblas.pxd
■ ■ ■ ■   cblas.pyx
■ ■ ■ ■   cpu_kernels.hh
■ ■ ■ ■   cupy_ops.py
■ ■ ■ ■   linalg.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   linalg.pxd
■ ■ ■ ■   linalg.pyx
■ ■ ■ ■   mps_ops.py
■ ■ ■ ■   numpy_ops.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   numpy_ops.pxd
■ ■ ■ ■   numpy_ops.pyx
■ ■ ■ ■   ops.py
■ ■ ■ ■ compat.py
■ ■ ■ ■ config.py
■ ■ ■ ■ extra
■ ■ ■ ■   ___init__.pxd
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init__.cpython-311.pyc
■ ■ ■ ■   search.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   search.pxd
■ ■ ■ ■   search.pyx
■ ■ ■ ■   tests
■ ■ ■ ■     ___init__.py
■ ■ ■ ■     __pycache__
■ ■ ■ ■       ___init__.cpython-311.pyc
■ ■ ■ ■     c_test_search.pyx
■ ■ ■ ■ initializers.py
■ ■ ■ ■ layers
■ ■ ■ ■   ___init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ___init__.cpython-311.pyc
■ ■ ■ ■     add.cpython-311.pyc
■ ■ ■ ■     array_getitem.cpython-311.pyc
■ ■ ■ ■     bidirectional.cpython-311.pyc
■ ■ ■ ■     cauchysimilarity.cpython-311.pyc
■ ■ ■ ■     chain.cpython-311.pyc
■ ■ ■ ■     clipped_linear.cpython-311.pyc
■ ■ ■ ■     clone.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■ concatenate.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dropout.cpython-311.pyc
■	■	■	■	■	■	■	■■■ embed.cpython-311.pyc
■	■	■	■	■	■	■	■■■ expand_window.cpython-311.pyc
■	■	■	■	■	■	■	■■■ gelu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hard_swish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hard_swish_mobilenet.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hashembed.cpython-311.pyc
■	■	■	■	■	■	■	■■■ layernorm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ linear.cpython-311.pyc
■	■	■	■	■	■	■	■■■ list2array.cpython-311.pyc
■	■	■	■	■	■	■	■■■ list2padded.cpython-311.pyc
■	■	■	■	■	■	■	■■■ list2ragged.cpython-311.pyc
■	■	■	■	■	■	■	■■■ logistic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lstm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ map_list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ maxout.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ multisoftmax.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mxnetwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ noop.cpython-311.pyc
■	■	■	■	■	■	■	■■■ padded2list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ parametricattention.cpython-311.pyc
■	■	■	■	■	■	■	■■■ parametricattention_v2.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pytorchwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ragged2list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_first.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_last.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_max.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_mean.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_sum.cpython-311.pyc
■	■	■	■	■	■	■	■■■ relu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ remap_ids.cpython-311.pyc
■	■	■	■	■	■	■	■■■ residual.cpython-311.pyc
■	■	■	■	■	■	■	■■■ resizable.cpython-311.pyc
■	■	■	■	■	■	■	■■■ siamese.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sigmoid.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sigmoid_activation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ softmax.cpython-311.pyc
■	■	■	■	■	■	■	■■■ softmax_activation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ strings2arrays.cpython-311.pyc
■	■	■	■	■	■	■	■■■ swish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tensorflowwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ torchscriptwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tuplify.cpython-311.pyc
■	■	■	■	■	■	■	■■■ uniqued.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_array2d.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_cpu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_debug.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_flatten.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_flatten_v2.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_getitem.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_nvtx_range.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_padded.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_ragged.cpython-311.pyc

■	■	■	■	■	■	■■■ with_reshape.cpython-311.pyc
■	■	■	■	■	■	■■■ with_signpost_interval.cpython-311.pyc
■	■	■	■	■	■■■	add.py
■	■	■	■	■	■■■	array_getitem.py
■	■	■	■	■	■■■	bidirectional.py
■	■	■	■	■	■■■	cauchysimilarity.py
■	■	■	■	■	■■■	chain.py
■	■	■	■	■	■■■	clipped_linear.py
■	■	■	■	■	■■■	clone.py
■	■	■	■	■	■■■	concatenate.py
■	■	■	■	■	■■■	dish.py
■	■	■	■	■	■■■	dropout.py
■	■	■	■	■	■■■	embed.py
■	■	■	■	■	■■■	expand_window.py
■	■	■	■	■	■■■	gelu.py
■	■	■	■	■	■■■	hard_swish.py
■	■	■	■	■	■■■	hard_swish_mobilenet.py
■	■	■	■	■	■■■	hashembed.py
■	■	■	■	■	■■■	layernorm.py
■	■	■	■	■	■■■	linear.py
■	■	■	■	■	■■■	list2array.py
■	■	■	■	■	■■■	list2padded.py
■	■	■	■	■	■■■	list2ragged.py
■	■	■	■	■	■■■	logistic.py
■	■	■	■	■	■■■	lstm.py
■	■	■	■	■	■■■	map_list.py
■	■	■	■	■	■■■	maxout.py
■	■	■	■	■	■■■	mish.py
■	■	■	■	■	■■■	multisoftmax.py
■	■	■	■	■	■■■	mxnetwrapper.py
■	■	■	■	■	■■■	noop.py
■	■	■	■	■	■■■	padded2list.py
■	■	■	■	■	■■■	parametricattention.py
■	■	■	■	■	■■■	parametricattention_v2.py
■	■	■	■	■	■■■	premap_ids.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■	premap_ids.pyx
■	■	■	■	■	■■■	pytorchwrapper.py
■	■	■	■	■	■■■	ragged2list.py
■	■	■	■	■	■■■	reduce_first.py
■	■	■	■	■	■■■	reduce_last.py
■	■	■	■	■	■■■	reduce_max.py
■	■	■	■	■	■■■	reduce_mean.py
■	■	■	■	■	■■■	reduce_sum.py
■	■	■	■	■	■■■	relu.py
■	■	■	■	■	■■■	remap_ids.py
■	■	■	■	■	■■■	residual.py
■	■	■	■	■	■■■	resizable.py
■	■	■	■	■	■■■	siamese.py
■	■	■	■	■	■■■	sigmoid.py
■	■	■	■	■	■■■	sigmoid_activation.py
■	■	■	■	■	■■■	softmax.py
■	■	■	■	■	■■■	softmax_activation.py
■	■	■	■	■	■■■	sparselinear.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■	sparselinear.pyx
■	■	■	■	■	■■■	strings2arrays.py
■	■	■	■	■	■■■	swish.py
■	■	■	■	■	■■■	tensorflowwrapper.py
■	■	■	■	■	■■■	torchscriptwrapper.py

```

■      ■      ■      ■      ■      ■      ■      tupleify.py
■      ■      ■      ■      ■      ■      ■      uniqued.py
■      ■      ■      ■      ■      ■      ■      with_array.py
■      ■      ■      ■      ■      ■      ■      with_array2d.py
■      ■      ■      ■      ■      ■      ■      with_cpu.py
■      ■      ■      ■      ■      ■      ■      with_debug.py
■      ■      ■      ■      ■      ■      ■      with_flatten.py
■      ■      ■      ■      ■      ■      ■      with_flatten_v2.py
■      ■      ■      ■      ■      ■      ■      with_getitem.py
■      ■      ■      ■      ■      ■      ■      with_list.py
■      ■      ■      ■      ■      ■      ■      with_nvtx_range.py
■      ■      ■      ■      ■      ■      ■      with_padded.py
■      ■      ■      ■      ■      ■      ■      with_ragged.py
■      ■      ■      ■      ■      ■      ■      with_reshape.py
■      ■      ■      ■      ■      ■      ■      with_signpost_interval.py
■      ■      ■      ■      ■      ■      ■■■ loss.py
■      ■      ■      ■      ■      ■      ■■■ model.py
■      ■      ■      ■      ■      ■      ■■■ mpy.py
■      ■      ■      ■      ■      ■      ■■■ optimizers.py
■      ■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■      ■      ■■■ schedules.py
■      ■      ■      ■      ■      ■      ■■■ shims
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ mxnet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ pytorch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ pytorch_grad_scaler.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ shim.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ tensorflow.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ torchscript.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ mxnet.py
■      ■      ■      ■      ■      ■      ■■■ pytorch.py
■      ■      ■      ■      ■      ■      ■■■ pytorch_grad_scaler.py
■      ■      ■      ■      ■      ■      ■■■ shim.py
■      ■      ■      ■      ■      ■      ■■■ tensorflow.py
■      ■      ■      ■      ■      ■      ■■■ torchscript.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ enable_mxnet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ enable_tensorflow.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ strategies.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_examples.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_import_all.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_indexing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_initializers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_loss.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_optimizers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_schedules.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_serialize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ backends

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mem.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ops.py
■ ■ ■ ■ ■ ■ ■■■■ conftest.py
■ ■ ■ ■ ■ ■ ■■■■ enable_mxnet.py
■ ■ ■ ■ ■ ■ ■■■■ enable_tensorflow.py
■ ■ ■ ■ ■ ■ ■■■■ extra
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_beam_search.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_beam_search.py
■ ■ ■ ■ ■ ■ ■■■■ layers
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_basic_tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_combinators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_feed_forward.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hash_embed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_layers_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_linear.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lstm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mxnet_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parametric_attention_v2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pytorch_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_reduce.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_resizable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_shim.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_softmax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sparse_linear.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tensorflow_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_torchscriptwrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_uniqued.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_with_debug.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_with_flatten.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_with_transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_basic_tagger.py
■ ■ ■ ■ ■ ■ ■■■■ test_combinators.py
■ ■ ■ ■ ■ ■ ■■■■ test_feed_forward.py
■ ■ ■ ■ ■ ■ ■■■■ test_hash_embed.py
■ ■ ■ ■ ■ ■ ■■■■ test_layers_api.py
■ ■ ■ ■ ■ ■ ■■■■ test_linear.py
■ ■ ■ ■ ■ ■ ■■■■ test_lstm.py
■ ■ ■ ■ ■ ■ ■■■■ test_mappers.py
■ ■ ■ ■ ■ ■ ■■■■ test_mnist.py
■ ■ ■ ■ ■ ■ ■■■■ test_mxnet_wrapper.py
■ ■ ■ ■ ■ ■ ■■■■ test_parametric_attention_v2.py
■ ■ ■ ■ ■ ■ ■■■■ test_pytorch_wrapper.py
■ ■ ■ ■ ■ ■ ■■■■ test_reduce.py
■ ■ ■ ■ ■ ■ ■■■■ test_resizable.py
```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ test_shim.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_softmax.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_sparse_linear.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_tensorflow_wrapper.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_torchscriptwrapper.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_transforms.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_uniqued.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_with_debug.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_with_flatten.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_with_transforms.py
■      ■      ■      ■      ■      ■      ■■■■ model
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_model.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_validation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_model.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_validation.py
■      ■      ■      ■      ■      ■      ■■■■ mypy
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_mypy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ configs
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ mypy-default.ini
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ mypy-plugin.ini
■      ■      ■      ■      ■      ■      ■■■■ modules
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_no_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_no_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_no_plugin.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_plugin.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_no_plugin.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_plugin.py
■      ■      ■      ■      ■      ■      ■■■■ outputs
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail-no-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success-no-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■ test_mypy.py
■      ■      ■      ■      ■      ■      ■■■■ regression
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_issue208.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_issue564.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ issue519
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ program.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_issue519.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ program.py
■      ■      ■      ■      ■      ■      ■■■■ test_issue519.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_issue208.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_issue564.py
■ ■ ■ ■ ■ ■ ■ ■■■ shims
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pytorch_grad_scaler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pytorch_grad_scaler.py
■ ■ ■ ■ ■ ■ ■ ■■■ strategies.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_examples.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_import__all__.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_initializers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_loss.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_optimizers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_schedules.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_serialize.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■■■ thinc-8.2.5.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ threadpoolctl-3.5.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ threadpoolctl.py
■ ■ ■ ■ ■ ■ ■■■ thrift
■ ■ ■ ■ ■ ■ ■■■ TMultiplexedProcessor.py
■ ■ ■ ■ ■ ■ ■■■ TRecursive.py
■ ■ ■ ■ ■ ■ ■■■ TCons.py
■ ■ ■ ■ ■ ■ ■■■ TSerialization.py
■ ■ ■ ■ ■ ■ ■■■ TTornado.py
■ ■ ■ ■ ■ ■ ■■■ Thrift.py
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ TMultiplexedProcessor.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TMultiplexedProcessor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TRecursive.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TRecursive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TCons.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TCons.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TSerialization.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TSerialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TTornado.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TTornado.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ Thrift.cpython-311.opt-1.pyc
```

```

Thrift.cpython-311.pyc
__init__.cpython-311.opt-1.pyc
__init__.cpython-311.pyc
compat.cpython-311.opt-1.pyc
compat.cpython-311.pyc
compat.py
protocol
TBase.py
TBinaryProtocol.py
TCompactProtocol.py
THeaderProtocol.py
TJSONProtocol.py
TMultiplexedProtocol.py
TProtocol.py
TProtocolDecorator.py
__init__.py
__pycache__
TBase.cpython-311.opt-1.pyc
TBase.cpython-311.pyc
TBinaryProtocol.cpython-311.opt-1.pyc
TBinaryProtocol.cpython-311.pyc
TCompactProtocol.cpython-311.opt-1.pyc
TCompactProtocol.cpython-311.pyc
THeaderProtocol.cpython-311.opt-1.pyc
THeaderProtocol.cpython-311.pyc
TJSONProtocol.cpython-311.opt-1.pyc
TJSONProtocol.cpython-311.pyc
TMultiplexedProtocol.cpython-311.opt-1.pyc
TMultiplexedProtocol.cpython-311.pyc
TProtocol.cpython-311.opt-1.pyc
TProtocol.cpython-311.pyc
TProtocolDecorator.cpython-311.opt-1.pyc
TProtocolDecorator.cpython-311.pyc
__init__.cpython-311.opt-1.pyc
__init__.cpython-311.pyc
fastbinary.cpython-311-x86_64-linux-gnu.so
server
THttpServer.py
TNonblockingServer.py
TProcessPoolServer.py
TServer.py
__init__.py
__pycache__
THttpServer.cpython-311.opt-1.pyc
THttpServer.cpython-311.pyc
TNonblockingServer.cpython-311.opt-1.pyc
TNonblockingServer.cpython-311.pyc
TProcessPoolServer.cpython-311.opt-1.pyc
TProcessPoolServer.cpython-311.pyc
TServer.cpython-311.opt-1.pyc
TServer.cpython-311.pyc
__init__.cpython-311.opt-1.pyc
__init__.cpython-311.pyc
transport
THeaderTransport.py
THttpClient.py
TSSLSocket.py
TSocket.py

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ tinycss2
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ color3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ color4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serializer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ast.py
■ ■ ■ ■ ■ ■ ■ ■ bytes.py
■ ■ ■ ■ ■ ■ ■ ■ color3.py
■ ■ ■ ■ ■ ■ ■ ■ color4.py
■ ■ ■ ■ ■ ■ ■ ■ nth.py
■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ serializer.py
■ ■ ■ ■ ■ ■ ■ ■ tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ tinycss2-1.4.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ tlz
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _build_tlz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _build_tlz.py
■ ■ ■ ■ ■ ■ ■ ■ toml
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decoder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ encoder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ordered.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decoder.py
■ ■ ■ ■ ■ ■ ■ ■ encoder.py
■ ■ ■ ■ ■ ■ ■ ■ ordered.py
■ ■ ■ ■ ■ ■ ■ ■ tz.py
■ ■ ■ ■ ■ ■ ■ ■ toml-0.10.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ tomli
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _parser.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      _re.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _parser.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ _parser.py
■      ■      ■      ■      ■      ■      ■■■■ _re.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ _re.py
■      ■      ■      ■      ■      ■      ■■■■ _types.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ _types.py
■      ■      ■      ■      ■      ■      ■■■■ py.typed
■      ■      ■      ■      ■■■■ tomli-2.2.1.dist-info
■      ■      ■      ■      ■      ■■■■ INSTALLER
■      ■      ■      ■      ■      ■■■■ LICENSE
■      ■      ■      ■      ■      ■■■■ LICENSE-HEADER
■      ■      ■      ■      ■      ■■■■ METADATA
■      ■      ■      ■      ■      ■■■■ RECORD
■      ■      ■      ■      ■      ■■■■ WHEEL
■      ■      ■      ■      ■      ■■■■ top_level.txt
■      ■      ■      ■      ■■■■ toolz
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _signatures.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ compatibility.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ dicttoolz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ functoolz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ itertoolz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ recipes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■■■■ _signatures.py
■      ■      ■      ■      ■■■■ _version.py
■      ■      ■      ■      ■■■■ compatibility.py
■      ■      ■      ■      ■■■■ curried
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ operator.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ exceptions.py
■      ■      ■      ■      ■      ■■■■ operator.py
■      ■      ■      ■      ■■■■ dicttoolz.py
■      ■      ■      ■      ■■■■ functoolz.py
■      ■      ■      ■      ■■■■ itertoolz.py
■      ■      ■      ■      ■■■■ recipes.py
■      ■      ■      ■      ■■■■ sandbox
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ parallel.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ core.py
■      ■      ■      ■      ■      ■■■■ parallel.py
■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ test_compatibility.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_curried.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_curried_doctests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_dicttoolz.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_functoolz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inspect_args.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_itertools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_recipes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_signatures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tlz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compatibility.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_curried.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_curried_doctests.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dicttoolz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_functoolz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_inspect_args.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_itertools.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_recipes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_signatures.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tlz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ toolz-1.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ AUTHORS.md
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ torch
■ ■ ■ ■ ■ ■ ■ ■■■ _C
■ ■ ■ ■ ■ ■ ■ ■■■ _VariableFunctions.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _autograd.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _cudnn.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_autograd.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_c10d.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_rpc.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_rpc_testing.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _functions.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _functorch.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _itt.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _lazy.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _lazy_ts_backend.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _monitor.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _nn.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _nvtx.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _onnx.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _profiler.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _verbose.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _C.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _C_flatbuffer
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _C_flatbuffer.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _VF.py
■ ■ ■ ■ ■ ■ ■ ■■■ __config__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __future__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ _VF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __config__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __future__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _appdirs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _classes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _deploy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _guards.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _jit_internal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _linalg_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _lobpcg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _lowrank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _meta_registrations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _namedtensor_internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _python_dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _sources.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _storage_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tensor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tensor_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tensor_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _torch_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils_internal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _vmap_internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _weights_only_unpickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ functional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ hub.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ library.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ overrides.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ quasirandom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ return_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ storage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ torch_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _appdirs.py
■ ■ ■ ■ ■ ■ ■ ■ _awaits
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _classes.py
■ ■ ■ ■ ■ ■ ■ ■ _decomp
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions_for_jvp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions_for_jvp.py
■ ■ ■ ■ ■ ■ ■ ■ _deploy.py
■ ■ ■ ■ ■ ■ ■ ■ _dispatch
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _dynamo
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ allowed_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bytecode_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bytecode_transformation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ codegen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ comptime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ convert_frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ debug_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ eval_frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ exc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ external_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ guards.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mutation_guard.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ output_graph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ profiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ replay_record.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resume_execution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ side_effects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ skipfiles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ source.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_convert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_case.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_minifier_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ allowed_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backends
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cudagraphs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ debugging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distributed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inductor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nvfuser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ onnxrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ registry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tensorrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ torchxla.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tvml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cudagraphs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ debugging.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ distributed.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inductor.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipex.py

```

```

■      ■      ■      ■      ■      ■      ■      ■      nvfuser.py
■      ■      ■      ■      ■      ■      ■      ■      onnxrt.py
■      ■      ■      ■      ■      ■      ■      ■      registry.py
■      ■      ■      ■      ■      ■      ■      ■      tensorrt.py
■      ■      ■      ■      ■      ■      ■      ■      torchxla.py
■      ■      ■      ■      ■      ■      ■      ■      tvml.py
■      ■      ■      ■      ■      ■      ■      ■      bytecode_analysis.py
■      ■      ■      ■      ■      ■      ■      ■      bytecode_transformation.py
■      ■      ■      ■      ■      ■      ■      ■      codegen.py
■      ■      ■      ■      ■      ■      ■      ■      comptime.py
■      ■      ■      ■      ■      ■      ■      ■      config.py
■      ■      ■      ■      ■      ■      ■      ■      config_utils.py
■      ■      ■      ■      ■      ■      ■      ■      convert_frame.py
■      ■      ■      ■      ■      ■      ■      ■      debug_utils.py
■      ■      ■      ■      ■      ■      ■      ■      eval_frame.py
■      ■      ■      ■      ■      ■      ■      ■      exc.py
■      ■      ■      ■      ■      ■      ■      ■      external_utils.py
■      ■      ■      ■      ■      ■      ■      ■      guards.py
■      ■      ■      ■      ■      ■      ■      ■      hooks.py
■      ■      ■      ■      ■      ■      ■      ■      logging.py
■      ■      ■      ■      ■      ■      ■      ■      mutation_guard.py
■      ■      ■      ■      ■      ■      ■      ■      output_graph.py
■      ■      ■      ■      ■      ■      ■      ■      profiler.py
■      ■      ■      ■      ■      ■      ■      ■      replay_record.py
■      ■      ■      ■      ■      ■      ■      ■      resume_execution.py
■      ■      ■      ■      ■      ■      ■      ■      side_effects.py
■      ■      ■      ■      ■      ■      ■      ■      skipfiles.py
■      ■      ■      ■      ■      ■      ■      ■      source.py
■      ■      ■      ■      ■      ■      ■      ■      symbolic_convert.py
■      ■      ■      ■      ■      ■      ■      ■      test_case.py
■      ■      ■      ■      ■      ■      ■      ■      test_minifier_common.py
■      ■      ■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      ■      ■      types.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      variables
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      builder.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      builtin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      constant.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      dicts.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lists.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      misc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nn_module.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      tensor.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      torch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      user_defined.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      builder.py
■      ■      ■      ■      ■      ■      ■      ■      builtin.py
■      ■      ■      ■      ■      ■      ■      ■      constant.py
■      ■      ■      ■      ■      ■      ■      ■      dicts.py
■      ■      ■      ■      ■      ■      ■      ■      functions.py
■      ■      ■      ■      ■      ■      ■      ■      lists.py
■      ■      ■      ■      ■      ■      ■      ■      misc.py

```

```

nn_module.py
tensor.py
torch.py
user_defined.py
_export
__init__.py
__pycache__
__init__.cpython-311.pyc
logical_schema.cpython-311.pyc
logical_schema.py
_functorch
__init__.py
__pycache__
__init__.cpython-311.pyc
aot_autograd.cpython-311.pyc
autograd_function.cpython-311.pyc
batch_norm_replacement.cpython-311.pyc
benchmark_utils.cpython-311.pyc
compile_utils.cpython-311.pyc
compilers.cpython-311.pyc
config.cpython-311.pyc
deprecated.cpython-311.pyc
eager_transforms.cpython-311.pyc
functional_call.cpython-311.pyc
fx_minifier.cpython-311.pyc
make_functional.cpython-311.pyc
partitioners.cpython-311.pyc
pyfunctorch.cpython-311.pyc
python_key.cpython-311.pyc
pytree_hacks.cpython-311.pyc
top_operators_github_usage.cpython-311.pyc
utils.cpython-311.pyc
vmap.cpython-311.pyc
aot_autograd.py
autograd_function.py
batch_norm_replacement.py
benchmark_utils.py
compile_utils.py
compilers.py
config.py
deprecated.py
eager_transforms.py
functional_call.py
fx_minifier.py
make_functional.py
partitioners.py
pyfunctorch.py
python_key.py
pytree_hacks.py
top_operators_github_usage.py
utils.py
vmap.py
_guard.py
_inductor
__init__.py
__pycache__
__init__.cpython-311.pyc
codecache.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■	compile_fx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	config.cpython-311.pyc
■	■	■	■	■	■	■	■■■	cuda_properties.cpython-311.pyc
■	■	■	■	■	■	■	■■■	debug.cpython-311.pyc
■	■	■	■	■	■	■	■■■	decomposition.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dependencies.cpython-311.pyc
■	■	■	■	■	■	■	■■■	exc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	fx_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ir.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lowering.cpython-311.pyc
■	■	■	■	■	■	■	■■■	metrics.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mkldnn.cpython-311.pyc
■	■	■	■	■	■	■	■■■	optimize_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	overrides.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pattern_matcher.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scheduler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	select_algorithm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sizevars.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_operators.cpython-311.pyc
■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	virtualized.cpython-311.pyc
■	■	■	■	■	■	■■■	codecache.py	
■	■	■	■	■	■	■■■	codegen	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	autotuner.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	cpp.cpython-311.pyc
■	■	■	■	■	■	■	■■■	triton.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wrapper.cpython-311.pyc
■	■	■	■	■	■	■■■	autotuner.py	
■	■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■	■■■	cpp.py	
■	■	■	■	■	■	■■■	cpp_prefix.h	
■	■	■	■	■	■	■■■	triton.py	
■	■	■	■	■	■	■■■	wrapper.py	
■	■	■	■	■	■	■■■	compile_fx.py	
■	■	■	■	■	■	■■■	config.py	
■	■	■	■	■	■	■■■	cuda_properties.py	
■	■	■	■	■	■	■■■	debug.py	
■	■	■	■	■	■	■■■	decomposition.py	
■	■	■	■	■	■	■■■	dependencies.py	
■	■	■	■	■	■	■■■	exc.py	
■	■	■	■	■	■	■■■	fx_utils.py	
■	■	■	■	■	■	■■■	graph.py	
■	■	■	■	■	■	■■■	ir.py	
■	■	■	■	■	■	■■■	kernel	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bmm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mm_common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mm_plus_mm.cpython-311.pyc
■	■	■	■	■	■	■■■	bmm.py	
■	■	■	■	■	■	■■■	mm.py	


```

    ##### mm_common.py
    ##### mm_plus_mm.py
    ##### lowering.py
    ##### metrics.py
    ##### mkldnn.py
    ##### optimize_indexing.py
    ##### overrides.py
    ##### pattern_matcher.py
    ##### scheduler.py
    ##### select_algorithm.py
    ##### sizevars.py
    ##### test_operators.py
    ##### triton_ops
    #####   ____init__.py
    #####   ____pycache__
    #####     ##### ____init__.cpython-311.pyc
    #####     ##### autotune.cpython-311.pyc
    #####     ##### conv.cpython-311.pyc
    #####     ##### conv1x1.cpython-311.pyc
    #####     ##### conv_perf_model.cpython-311.pyc
    #####     ##### utils.cpython-311.pyc
    #####   autotune.py
    #####   conv.py
    #####   conv1x1.py
    #####   conv_perf_model.py
    #####   utils.py
    ##### utils.py
    ##### virtualized.py
    ##### _jit_internal.py
    ##### _lazy
    #####   ____init__.py
    #####   ____pycache__
    #####     ##### ____init__.cpython-311.pyc
    #####     ##### closure.cpython-311.pyc
    #####     ##### computation.cpython-311.pyc
    #####     ##### config.cpython-311.pyc
    #####     ##### debug.cpython-311.pyc
    #####     ##### device_context.cpython-311.pyc
    #####     ##### extract_compiled_graph.cpython-311.pyc
    #####     ##### ir_cache.cpython-311.pyc
    #####     ##### metrics.cpython-311.pyc
    #####     ##### tensor_factory_functions.cpython-311.pyc
    #####     ##### ts_backend.cpython-311.pyc
    #####   closure.py
    #####   computation.py
    #####   config.py
    #####   debug.py
    #####   device_context.py
    #####   extract_compiled_graph.py
    #####   ir_cache.py
    #####   metrics.py
    #####   tensor_factory_functions.py
    #####   ts_backend.py
    ##### _linalg_utils.py
    ##### _lobpcg.py
    ##### _lowrank.py
    ##### _meta_registrations.py
    ##### _namedtensor_internals.py

```

```

_ops.py
__prims
__init__.py
__pycache__
    __init__.cpython-311.pyc
    context.cpython-311.pyc
    executor.cpython-311.pyc
    nvfuser_executor.cpython-311.pyc
    nvfuser_prims.cpython-311.pyc
    context.py
    executor.py
    nvfuser_executor.py
    nvfuser_prims.py
__prims_common
__init__.py
__pycache__
    __init__.cpython-311.pyc
    wrappers.cpython-311.pyc
    wrappers.py
_python_dispatcher.py
_refs
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _conversions.cpython-311.pyc
    fft.cpython-311.pyc
    _conversions.py
    fft.py
    linalg
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    nn
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    functional
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    special
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
_sources.py
_storage_docs.py
_subclasses
__init__.py
__pycache__
    __init__.cpython-311.pyc
    fake_tensor.cpython-311.pyc
    fake_utils.cpython-311.pyc
    meta_utils.cpython-311.pyc
    fake_tensor.py
    fake_utils.py
    meta_utils.py
_tensor.py
_tensor_docs.py

```

```

_ tensor_str.py
_ torch_docs.py
_ utils.py
_ utils_internal.py
_ vmap_internals.py
_ weights_only_unpickler.py
amp
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  autocast_mode.cpython-311.pyc
  autocast_mode.py
ao
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
nn
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
intrinsic
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  fused.cpython-311.pyc
  fused.py
qat
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  conv_fused.cpython-311.pyc
  linear_fused.cpython-311.pyc
  linear_relu.cpython-311.pyc
  conv_fused.py
  linear_fused.py
  linear_relu.py
quantized
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
dynamic
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  linear_relu.cpython-311.pyc
  linear_relu.py

```

```

modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  bn_relu.cpython-311.pyc
  conv_add.cpython-311.pyc
  conv_relu.cpython-311.pyc
  linear_relu.cpython-311.pyc
  bn_relu.py
  conv_add.py
  conv_relu.py
  linear_relu.py
  qat
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    dynamic
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      modules
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        linear.cpython-311.pyc
        linear.py
      modules
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        conv.cpython-311.pyc
        embedding_ops.cpython-311.pyc
        linear.cpython-311.pyc
        conv.py
        embedding_ops.py
        linear.py
    quantizable
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      modules
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        activation.cpython-311.pyc
        rnn.cpython-311.pyc
        activation.py
        rnn.py
    quantized
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      functional.cpython-311.pyc
      dynamic
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        modules

```

```

    ■■■ _init__.py
    ■■■ _pycache_
    ■■■ __init__.cpython-311.pyc
    ■■■ conv.cpython-311.pyc
    ■■■ linear.cpython-311.pyc
    ■■■ rnn.cpython-311.pyc
    ■■■ conv.py
    ■■■ linear.py
    ■■■ rnn.py
    ■■■ functional.py
    ■■■ modules
    ■■■ __init__.py
    ■■■ _pycache_
    ■■■ __init__.cpython-311.pyc
    ■■■ activation.cpython-311.pyc
    ■■■ batchnorm.cpython-311.pyc
    ■■■ conv.cpython-311.pyc
    ■■■ dropout.cpython-311.pyc
    ■■■ embedding_ops.cpython-311.pyc
    ■■■ functional_modules.cpython-311.pyc
    ■■■ linear.cpython-311.pyc
    ■■■ normalization.cpython-311.pyc
    ■■■ rnn.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ activation.py
    ■■■ batchnorm.py
    ■■■ conv.py
    ■■■ dropout.py
    ■■■ embedding_ops.py
    ■■■ functional_modules.py
    ■■■ linear.py
    ■■■ normalization.py
    ■■■ rnn.py
    ■■■ utils.py
    ■■■ reference
    ■■■ __init__.py
    ■■■ _pycache_
    ■■■ __init__.cpython-311.pyc
    ■■■ modules
    ■■■ __init__.py
    ■■■ _pycache_
    ■■■ __init__.cpython-311.pyc
    ■■■ conv.cpython-311.pyc
    ■■■ linear.cpython-311.pyc
    ■■■ rnn.cpython-311.pyc
    ■■■ sparse.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ conv.py
    ■■■ linear.py
    ■■■ rnn.py
    ■■■ sparse.py
    ■■■ utils.py
    ■■■ sparse
    ■■■ __init__.py
    ■■■ _pycache_
    ■■■ __init__.cpython-311.pyc
    ■■■ quantized
    ■■■ __init__.py

```

[illegible]

```

    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    base_data_scheduler.cpython-311.pyc
    base_data_scheduler.py
    data_sparsifier
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    base_data_sparsifier.cpython-311.pyc
    data_norm_sparsifier.cpython-311.pyc
    quantization_utils.cpython-311.pyc
    base_data_sparsifier.py
    data_norm_sparsifier.py
    lightning
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    callbacks
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _data_sparstity_utils.cpython-311.pyc
    data_sparsity.cpython-311.pyc
    _data_sparstity_utils.py
    data_sparsity.py
    quantization_utils.py
    pruner
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    base_structured_sparsifier.cpython-311.pyc
    lstm_saliency_pruner.cpython-311.pyc
    match_utils.cpython-311.pyc
    parametrization.cpython-311.pyc
    prune_functions.cpython-311.pyc
    saliency_pruner.cpython-311.pyc
    base_structured_sparsifier.py
    lstm_saliency_pruner.py
    match_utils.py
    parametrization.py
    prune_functions.py
    saliency_pruner.py
    _mappings.py
    scheduler
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    base_scheduler.cpython-311.pyc
    cubic_scheduler.cpython-311.pyc
    lambda_scheduler.cpython-311.pyc
    base_scheduler.py
    cubic_scheduler.py
    lambda_scheduler.py
    sparsifier
    __init__.py
    __pycache__
    __init__.cpython-311.pyc

```

[illegible]


```

##### executorch.py
##### fbgemm.py
##### native.py
##### observation_type.py
##### onednn.py
##### qnnpack.py
##### tensorrt.py
##### utils.py
##### x86.py
##### fake_quantize.py
##### fuse_modules.py
##### fuser_method_mappings.py
##### fx
#####   __init__.py
#####   __pycache__
#####     __init__.cpython-311.pyc
#####     _decomposed.cpython-311.pyc
#####     _equalize.cpython-311.pyc
#####     _lower_to_native_backend.cpython-311.pyc
#####     convert.cpython-311.pyc
#####     custom_config.cpython-311.pyc
#####     fuse.cpython-311.pyc
#####     fuse_handler.cpython-311.pyc
#####     graph_module.cpython-311.pyc
#####     lower_to_fbgemm.cpython-311.pyc
#####     lower_to_qnnpack.cpython-311.pyc
#####     match_utils.cpython-311.pyc
#####     pattern_utils.cpython-311.pyc
#####     prepare.cpython-311.pyc
#####     qconfig_mapping_utils.cpython-311.pyc
#####     quantize_handler.cpython-311.pyc
#####     tracer.cpython-311.pyc
#####     utils.cpython-311.pyc
#####   _decomposed.py
#####   _equalize.py
#####   _lower_to_native_backend.py
#####   _model_report
#####     __init__.py
#####     __pycache__
#####       __init__.cpython-311.pyc
#####       detector.cpython-311.pyc
#####       model_report.cpython-311.pyc
#####       model_report_observer.cpython-311.pyc
#####       model_report_visualizer.cpython-311.pyc
#####     detector.py
#####     model_report.py
#####     model_report_observer.py
#####     model_report_visualizer.py
#####   convert.py
#####   custom_config.py
#####   fuse.py
#####   fuse_handler.py
#####   graph_module.py
#####   lower_to_fbgemm.py
#####   lower_to_qnnpack.py
#####   match_utils.py
#####   pattern_utils.py
#####   prepare.py

```

[illegible]

■	■	■	■	■	■	■■■	_nnapi
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ prepare.cpython-311.pyc
■	■	■	■	■	■	■	■■■ serializer.cpython-311.pyc
■	■	■	■	■	■	■■■	prepare.py
■	■	■	■	■	■	■■■	serializer.py
■	■	■	■	■	■	■■■	cuda
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cudnn
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ rnn.cpython-311.pyc
■	■	■	■	■	■	■■■	rnn.py
■	■	■	■	■	■	■■■	mkl
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	mkldnn
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	mps
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	openmp
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	opt_einsum
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	quantized
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	xeon
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ run_cpu.cpython-311.pyc
■	■	■	■	■	■	■■■	run_cpu.py
■	■	■	■	■	■	■■■	xnnpack
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■■■	bin	
■	■	■	■	■	■■■	nvfuser_tests	
■	■	■	■	■	■■■	protoc	
■	■	■	■	■	■■■	protoc-3.13.0.0	
■	■	■	■	■	■■■	torch_shm_manager	
■	■	■	■	■	■■■	contrib	

[illegible]

```

■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _composable_state.cpython-311.pyc
■■■ argparse_util.cpython-311.pyc
■■■ c10d_error_logger.cpython-311.pyc
■■■ constants.cpython-311.pyc
■■■ distributed_c10d.cpython-311.pyc
■■■ launch.cpython-311.pyc
■■■ logging_handlers.cpython-311.pyc
■■■ remote_device.cpython-311.pyc
■■■ rendezvous.cpython-311.pyc
■■■ run.cpython-311.pyc
■■■ utils.cpython-311.pyc
■■■ _composable
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _ddp.cpython-311.pyc
■■■ checkpoint_activation.cpython-311.pyc
■■■ contract.cpython-311.pyc
■■■ fully_shard.cpython-311.pyc
■■■ replicate.cpython-311.pyc
■■■ _ddp.py
■■■ checkpoint_activation.py
■■■ contract.py
■■■ fully_shard.py
■■■ replicate.py
■■■ _composable_state.py
■■■ _shard
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _utils.cpython-311.pyc
■■■ api.cpython-311.pyc
■■■ common_op_utils.cpython-311.pyc
■■■ metadata.cpython-311.pyc
■■■ op_registry_utils.cpython-311.pyc
■■■ partial_tensor.cpython-311.pyc
■■■ replicated_tensor.cpython-311.pyc
■■■ sharder.cpython-311.pyc
■■■ _utils.py
■■■ api.py
■■■ checkpoint
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ common_op_utils.py
■■■ metadata.py
■■■ op_registry_utils.py
■■■ partial_tensor.py
■■■ replicated_tensor.py
■■■ sharded_optim
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ api.cpython-311.pyc
■■■ api.py

```

```

sharded_tensor
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
    metadata.cpython-311.pyc
    reshard.cpython-311.pyc
    shard.cpython-311.pyc
    utils.cpython-311.pyc
  _ops
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _common.cpython-311.pyc
      binary_cmp.cpython-311.pyc
      chunk.cpython-311.pyc
      elementwise_ops.cpython-311.pyc
      init.cpython-311.pyc
      math_ops.cpython-311.pyc
      matrix_ops.cpython-311.pyc
      misc_ops.cpython-311.pyc
      tensor_ops.cpython-311.pyc
    _common.py
    binary_cmp.py
    chunk.py
    elementwise_ops.py
    init.py
    math_ops.py
    matrix_ops.py
    misc_ops.py
    tensor_ops.py
  api.py
  metadata.py
  reshard.py
  shard.py
  utils.py
sharder.py
sharding_plan
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
  api.py
sharding_spec
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _internals.cpython-311.pyc
    api.cpython-311.pyc
    chunk_sharding_spec.cpython-311.pyc
  _internals.py
  api.py
  chunk_sharding_spec.py
  chunk_sharding_spec_ops
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _common.cpython-311.pyc

```



```

util.py
view_ops.py
placement_types.py
redistribute.py
sharding_prop.py
_tools
__init__.py
__pycache__
__init__.cpython-311.pyc
memory_tracker.cpython-311.pyc
memory_tracker.py
algorithms
__init__.py
__pycache__
__init__.cpython-311.pyc
join.cpython-311.pyc
_checkpoint
__init__.py
__pycache__
__init__.cpython-311.pyc
_checkpoint_wrapper.cpython-311.pyc
_checkpoint_wrapper.py
_comm_hooks
__init__.py
__pycache__
__init__.cpython-311.pyc
default_hooks.cpython-311.pyc
default_hooks.py
_optimizer_overlap
__init__.py
__pycache__
__init__.cpython-311.pyc
_optimizer_overlap.cpython-311.pyc
_optimizer_overlap.py
_quantization
__init__.py
__pycache__
__init__.cpython-311.pyc
_quantization.cpython-311.pyc
_quantization.py
ddp_comm_hooks
__init__.py
__pycache__
__init__.cpython-311.pyc
ddp_zero_hook.cpython-311.pyc
debugging_hooks.cpython-311.pyc
default_hooks.cpython-311.pyc
_optimizer_overlap_hooks.cpython-311.pyc
post_localSGD_hook.cpython-311.pyc
powerSGD_hook.cpython-311.pyc
_quantization_hooks.cpython-311.pyc
ddp_zero_hook.py
debugging_hooks.py
default_hooks.py
_optimizer_overlap_hooks.py
post_localSGD_hook.py
powerSGD_hook.py
_quantization_hooks.py

```



```

join.py
model_averaging
__init__.py
__pycache__
__init__.cpython-311.pyc
averagers.cpython-311.pyc
hierarchical_model_averager.cpython-311.pyc
utils.cpython-311.pyc
averagers.py
hierarchical_model_averager.py
utils.py
argparse_util.py
autograd
__init__.py
__pycache__
__init__.cpython-311.pyc
c10d_error_logger.py
checkpoint
__init__.py
__pycache__
__init__.cpython-311.pyc
_dedup_tensors.cpython-311.pyc
_nested_dict.cpython-311.pyc
_sharded_tensor_utils.cpython-311.pyc
_traverse.cpython-311.pyc
api.cpython-311.pyc
default_planner.cpython-311.pyc
filesystem.cpython-311.pyc
metadata.cpython-311.pyc
optimizer.cpython-311.pyc
planner.cpython-311.pyc
planner_helpers.cpython-311.pyc
resharding.cpython-311.pyc
state_dict_loader.cpython-311.pyc
state_dict_saver.cpython-311.pyc
storage.cpython-311.pyc
utils.cpython-311.pyc
_dedup_tensors.py
_nested_dict.py
_sharded_tensor_utils.py
_traverse.py
api.py
default_planner.py
filesystem.py
metadata.py
optimizer.py
planner.py
planner_helpers.py
resharding.py
state_dict_loader.py
state_dict_saver.py
storage.py
utils.py
constants.py
distributed_c10d.py
elastic
__init__.py
__pycache__

```

```

    __init__.cpython-311.pyc
agent
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
server
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
api.cpython-311.pyc
local_elastic_agent.cpython-311.pyc
api.py
local_elastic_agent.py
events
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
api.cpython-311.pyc
handlers.cpython-311.pyc
api.py
handlers.py
metrics
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
api.cpython-311.pyc
api.py
multiprocessing
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
api.cpython-311.pyc
redirects.cpython-311.pyc
tail_log.cpython-311.pyc
api.py
errors
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
error_handler.cpython-311.pyc
handlers.cpython-311.pyc
error_handler.py
handlers.py
redirects.py
tail_log.py
rendezvous
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
api.cpython-311.pyc
c10d_rendezvous_backend.cpython-311.pyc
dynamic_rendezvous.cpython-311.pyc
etcd_rendezvous.cpython-311.pyc
etcd_rendezvous_backend.cpython-311.pyc
etcd_server.cpython-311.pyc
etcd_store.cpython-311.pyc
registry.cpython-311.pyc
static_tcp_rendezvous.cpython-311.pyc

```

```

    ■■■■ utils.cpython-311.pyc
    ■■■■ api.py
    ■■■■ c10d_rendezvous_backend.py
    ■■■■ dynamic_rendezvous.py
    ■■■■ etcd_rendezvous.py
    ■■■■ etcd_rendezvous_backend.py
    ■■■■ etcd_server.py
    ■■■■ etcd_store.py
    ■■■■ registry.py
    ■■■■ static_tcp_rendezvous.py
    ■■■■ utils.py
    ■■■■ timer
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ api.cpython-311.pyc
    ■■■■ file_based_local_timer.cpython-311.pyc
    ■■■■ local_timer.cpython-311.pyc
    ■■■■ api.py
    ■■■■ file_based_local_timer.py
    ■■■■ local_timer.py
    ■■■■ utils
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ api.cpython-311.pyc
    ■■■■ distributed.cpython-311.pyc
    ■■■■ log_level.cpython-311.pyc
    ■■■■ logging.cpython-311.pyc
    ■■■■ store.cpython-311.pyc
    ■■■■ api.py
    ■■■■ data
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ cycling_iterator.cpython-311.pyc
    ■■■■ elastic_distributed_sampler.cpython-311.pyc
    ■■■■ cycling_iterator.py
    ■■■■ elastic_distributed_sampler.py
    ■■■■ distributed.py
    ■■■■ log_level.py
    ■■■■ logging.py
    ■■■■ store.py
    ■■■■ fsdp
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _common_utils.cpython-311.pyc
    ■■■■ _dynamo_utils.cpython-311.pyc
    ■■■■ _exec_order_utils.cpython-311.pyc
    ■■■■ _fsdp_extensions.cpython-311.pyc
    ■■■■ _init_utils.cpython-311.pyc
    ■■■■ _limiter_utils.cpython-311.pyc
    ■■■■ _optim_utils.cpython-311.pyc
    ■■■■ _runtime_utils.cpython-311.pyc
    ■■■■ _shard_utils.cpython-311.pyc
    ■■■■ _state_dict_utils.cpython-311.pyc
    ■■■■ _trace_utils.cpython-311.pyc

```

```

_ traversal_utils.cpython-311.pyc
_ unshard_param_utils.cpython-311.pyc
_ utils.cpython-311.pyc
_ wrap_utils.cpython-311.pyc
api.cpython-311.pyc
flat_param.cpython-311.pyc
fully_sharded_data_parallel.cpython-311.pyc
sharded_grad_scaler.cpython-311.pyc
wrap.cpython-311.pyc
_ common_utils.py
_ dynamo_utils.py
_ exec_order_utils.py
_ fsdp_extensions.py
_ init_utils.py
_ limiter_utils.py
_ optim_utils.py
_ runtime_utils.py
_ shard_utils.py
_ state_dict_utils.py
_ trace_utils.py
_ traversal_utils.py
_ unshard_param_utils.py
_ utils.py
_ wrap_utils.py
api.py
flat_param.py
fully_sharded_data_parallel.py
sharded_grad_scaler.py
wrap.py
launch.py
launcher
__init__.py
__pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
api.py
logging_handlers.py
nn
__init__.py
__pycache__
    __init__.cpython-311.pyc
functional.cpython-311.pyc
api
__init__.py
__pycache__
    __init__.cpython-311.pyc
remote_module.cpython-311.pyc
remote_module.py
functional.py
jit
__init__.py
__pycache__
    __init__.cpython-311.pyc
instantiator.cpython-311.pyc
instantiator.py
templates
__init__.py
__pycache__

```

```

    ■■■ __init__.cpython-311.pyc
    ■■■ remote_module_template.cpython-311.pyc
    ■■■ remote_module_template.py
    ■■■ optim
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ apply_optimizer_in_backward.cpython-311.pyc
    ■■■ functional_adadelata.cpython-311.pyc
    ■■■ functional_adagrad.cpython-311.pyc
    ■■■ functional_adam.cpython-311.pyc
    ■■■ functional_adamax.cpython-311.pyc
    ■■■ functional_adamw.cpython-311.pyc
    ■■■ functional_rmsprop.cpython-311.pyc
    ■■■ functional_rprop.cpython-311.pyc
    ■■■ functional_sgd.cpython-311.pyc
    ■■■ named_optimizer.cpython-311.pyc
    ■■■ optimizer.cpython-311.pyc
    ■■■ post_localSGD_optimizer.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ zero_redundancy_optimizer.cpython-311.pyc
    ■■■ apply_optimizer_in_backward.py
    ■■■ functional_adadelata.py
    ■■■ functional_adagrad.py
    ■■■ functional_adam.py
    ■■■ functional_adamax.py
    ■■■ functional_adamw.py
    ■■■ functional_rmsprop.py
    ■■■ functional_rprop.py
    ■■■ functional_sgd.py
    ■■■ named_optimizer.py
    ■■■ optimizer.py
    ■■■ post_localSGD_optimizer.py
    ■■■ utils.py
    ■■■ zero_redundancy_optimizer.py
    ■■■ pipeline
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ sync
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ batchnorm.cpython-311.pyc
    ■■■ checkpoint.cpython-311.pyc
    ■■■ copy.cpython-311.pyc
    ■■■ dependency.cpython-311.pyc
    ■■■ microbatch.cpython-311.pyc
    ■■■ phony.cpython-311.pyc
    ■■■ pipe.cpython-311.pyc
    ■■■ pipeline.cpython-311.pyc
    ■■■ stream.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ worker.cpython-311.pyc
    ■■■ _balance
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc

```



```

server_process_global_profiler.py
run.py
tensor
__init__.py
__pycache__
__init__.cpython-311.pyc
parallel
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
_view_with_dim_change.cpython-311.pyc
api.cpython-311.pyc
fsdp.cpython-311.pyc
multihead_attention_tp.cpython-311.pyc
style.cpython-311.pyc
_utils.py
_view_with_dim_change.py
api.py
fsdp.py
multihead_attention_tp.py
style.py
utils.py
distributions
__init__.py
__pycache__
__init__.cpython-311.pyc
bernoulli.cpython-311.pyc
beta.cpython-311.pyc
binomial.cpython-311.pyc
categorical.cpython-311.pyc
cauchy.cpython-311.pyc
chi2.cpython-311.pyc
constraint_registry.cpython-311.pyc
constraints.cpython-311.pyc
continuous_bernoulli.cpython-311.pyc
dirichlet.cpython-311.pyc
distribution.cpython-311.pyc
exp_family.cpython-311.pyc
exponential.cpython-311.pyc
fishersnedecor.cpython-311.pyc
gamma.cpython-311.pyc
geometric.cpython-311.pyc
gumbel.cpython-311.pyc
half_cauchy.cpython-311.pyc
half_normal.cpython-311.pyc
independent.cpython-311.pyc
kl.cpython-311.pyc
kumaraswamy.cpython-311.pyc
laplace.cpython-311.pyc
lkj_cholesky.cpython-311.pyc
log_normal.cpython-311.pyc
logistic_normal.cpython-311.pyc
lowrank_multivariate_normal.cpython-311.pyc
mixture_same_family.cpython-311.pyc
multinomial.cpython-311.pyc
multivariate_normal.cpython-311.pyc
negative_binomial.cpython-311.pyc

```

■	■	■	■	■	■	■■■	normal.cpython-311.pyc
■	■	■	■	■	■	■■■	one_hot_categorical.cpython-311.pyc
■	■	■	■	■	■	■■■	pareto.cpython-311.pyc
■	■	■	■	■	■	■■■	poisson.cpython-311.pyc
■	■	■	■	■	■	■■■	relaxed_bernoulli.cpython-311.pyc
■	■	■	■	■	■	■■■	relaxed_categorical.cpython-311.pyc
■	■	■	■	■	■	■■■	studentT.cpython-311.pyc
■	■	■	■	■	■	■■■	transformed_distribution.cpython-311.pyc
■	■	■	■	■	■	■■■	transforms.cpython-311.pyc
■	■	■	■	■	■	■■■	uniform.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	von_mises.cpython-311.pyc
■	■	■	■	■	■	■■■	weibull.cpython-311.pyc
■	■	■	■	■	■	■■■	wishart.cpython-311.pyc
■	■	■	■	■	■■■	bernoulli.py	
■	■	■	■	■	■■■	beta.py	
■	■	■	■	■	■■■	binomial.py	
■	■	■	■	■	■■■	categorical.py	
■	■	■	■	■	■■■	cauchy.py	
■	■	■	■	■	■■■	chi2.py	
■	■	■	■	■	■■■	constraint_registry.py	
■	■	■	■	■	■■■	constraints.py	
■	■	■	■	■	■■■	continuous_bernoulli.py	
■	■	■	■	■	■■■	dirichlet.py	
■	■	■	■	■	■■■	distribution.py	
■	■	■	■	■	■■■	exp_family.py	
■	■	■	■	■	■■■	exponential.py	
■	■	■	■	■	■■■	fishersnedecor.py	
■	■	■	■	■	■■■	gamma.py	
■	■	■	■	■	■■■	geometric.py	
■	■	■	■	■	■■■	gumbel.py	
■	■	■	■	■	■■■	half_cauchy.py	
■	■	■	■	■	■■■	half_normal.py	
■	■	■	■	■	■■■	independent.py	
■	■	■	■	■	■■■	kl.py	
■	■	■	■	■	■■■	kumaraswamy.py	
■	■	■	■	■	■■■	laplace.py	
■	■	■	■	■	■■■	lkj_cholesky.py	
■	■	■	■	■	■■■	log_normal.py	
■	■	■	■	■	■■■	logistic_normal.py	
■	■	■	■	■	■■■	lowrank_multivariate_normal.py	
■	■	■	■	■	■■■	mixture_same_family.py	
■	■	■	■	■	■■■	multinomial.py	
■	■	■	■	■	■■■	multivariate_normal.py	
■	■	■	■	■	■■■	negative_binomial.py	
■	■	■	■	■	■■■	normal.py	
■	■	■	■	■	■■■	one_hot_categorical.py	
■	■	■	■	■	■■■	pareto.py	
■	■	■	■	■	■■■	poisson.py	
■	■	■	■	■	■■■	relaxed_bernoulli.py	
■	■	■	■	■	■■■	relaxed_categorical.py	
■	■	■	■	■	■■■	studentT.py	
■	■	■	■	■	■■■	transformed_distribution.py	
■	■	■	■	■	■■■	transforms.py	
■	■	■	■	■	■■■	uniform.py	
■	■	■	■	■	■■■	utils.py	
■	■	■	■	■	■■■	von_mises.py	
■	■	■	■	■	■■■	weibull.py	


```

    wishart.py
    fft
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    func
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    functional.py
    futures
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    fx
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _compatibility.cpython-311.pyc
    _pytree.cpython-311.pyc
    _symbolic_trace.cpython-311.pyc
    annotate.cpython-311.pyc
    config.cpython-311.pyc
    graph.cpython-311.pyc
    graph_module.cpython-311.pyc
    immutable_collections.cpython-311.pyc
    interpreter.cpython-311.pyc
    node.cpython-311.pyc
    operator_schemas.cpython-311.pyc
    proxy.cpython-311.pyc
    subgraph_rewriter.cpython-311.pyc
    tensor_type.cpython-311.pyc
    traceback.cpython-311.pyc
    _compatibility.py
    _pytree.py
    _symbolic_trace.py
    annotate.py
    config.py
    experimental
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    accelerator_partitioner.cpython-311.pyc
    const_fold.cpython-311.pyc
    debug.cpython-311.pyc
    graph_gradual_typechecker.cpython-311.pyc
    merge_matmul.cpython-311.pyc
    meta_tracer.cpython-311.pyc
    normalize.cpython-311.pyc
    optimization.cpython-311.pyc
    partitioner_utils.cpython-311.pyc
    proxy_tensor.cpython-311.pyc
    refinement_types.cpython-311.pyc
    rewriter.cpython-311.pyc
    schema_type_annotation.cpython-311.pyc
    symbolic_shapes.cpython-311.pyc
    unify_refinements.cpython-311.pyc
    accelerator_partitioner.py

```

```

const_fold.py
debug.py
graph_gradual_typechecker.py
merge_matmul.py
meta_tracer.py
migrate_gradual_types
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    constraint.cpython-311.pyc
    constraint_generator.cpython-311.pyc
    constraint_transformation.cpython-311.pyc
    operation.cpython-311.pyc
    transform_to_z3.cpython-311.pyc
    util.cpython-311.pyc
    z3_types.cpython-311.pyc
  constraint.py
  constraint_generator.py
  constraint_transformation.py
  operation.py
  transform_to_z3.py
  util.py
  z3_types.py
normalize.py
optimization.py
partitioner_utils.py
proxy_tensor.py
refinement_types.py
rewriter.py
schema_type_annotation.py
symbolic_shapes.py
unification
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    core.cpython-311.pyc
    dispatch.cpython-311.pyc
    match.cpython-311.pyc
    more.cpython-311.pyc
    unification_tools.cpython-311.pyc
    utils.cpython-311.pyc
    variable.cpython-311.pyc
  core.py
  dispatch.py
  match.py
  more.py
  multipledispatch
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      conflict.cpython-311.pyc
      core.cpython-311.pyc
      dispatcher.cpython-311.pyc
      utils.cpython-311.pyc
      variadic.cpython-311.pyc
    conflict.py
    core.py
    dispatcher.py

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      pass_base.py
■      ■      ■      ■      ■      ■      ■      ■      pass_manager.py
■      ■      ■      ■      ■      ■      ■      ■      net_min_base.py
■      ■      ■      ■      ■      ■      ■      ■      operator_support.py
■      ■      ■      ■      ■      ■      ■      ■      param_fetch.py
■      ■      ■      ■      ■      ■      ■      ■      pass_manager.py
■      ■      ■      ■      ■      ■      ■      ■      reinplace.py
■      ■      ■      ■      ■      ■      ■      ■      shape_prop.py
■      ■      ■      ■      ■      ■      ■      ■      split_module.py
■      ■      ■      ■      ■      ■      ■      ■      split_utils.py
■      ■      ■      ■      ■      ■      ■      ■      splitter_base.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_pass_manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_pass_manager.py
■      ■      ■      ■      ■      ■      ■      ■      tools_common.py
■      ■      ■      ■      ■      ■      ■      ■      utils
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      fuser_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      matcher_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      common.py
■      ■      ■      ■      ■      ■      ■      ■      fuser_utils.py
■      ■      ■      ■      ■      ■      ■      ■      matcher_utils.py
■      ■      ■      ■      ■      ■      ■      proxy.py
■      ■      ■      ■      ■      ■      ■      subgraph_rewriter.py
■      ■      ■      ■      ■      ■      ■      tensor_type.py
■      ■      ■      ■      ■      ■      ■      traceback.py
■      ■      ■      ■      ■      ■      hub.py
■      ■      ■      ■      ■      include
■      ■      ■      ■      ATen
■      ■      ■      ■      ATen.h
■      ■      ■      ■      AccumulateType.h
■      ■      ■      ■      ArrayRef.h
■      ■      ■      ■      Backend.h
■      ■      ■      ■      Backtrace.h
■      ■      ■      ■      CPUApplyUtils.h
■      ■      ■      ■      CPUPFixedAllocator.h
■      ■      ■      ■      CPUFunctions.h
■      ■      ■      ■      CPUFunctions_inl.h
■      ■      ■      ■      CPUTGeneratorImpl.h
■      ■      ■      ■      CUDAFunctions.h
■      ■      ■      ■      CUDAFunctions_inl.h
■      ■      ■      ■      CollapseDims.h
■      ■      ■      ■      CompositeExplicitAutogradFunctions.h
■      ■      ■      ■      CompositeExplicitAutogradFunctions_inl.h
■      ■      ■      ■      CompositeExplicitAutogradNonFunctionalFunctions.h
■      ■      ■      ■      CompositeExplicitAutogradNonFunctionalFunctions_inl.h
■      ■      ■      ■      CompositeImplicitAutogradFunctions.h
■      ■      ■      ■      CompositeImplicitAutogradFunctions_inl.h
■      ■      ■      ■      CompositeImplicitAutogradNestedTensorFunctions.h
■      ■      ■      ■      CompositeImplicitAutogradNestedTensorFunctions_inl.h
■      ■      ■      ■      Config.h
■      ■      ■      ■      Context.h

```

■	■	■	■	■	■	■	■■■	DLConvertor.h
■	■	■	■	■	■	■	■■■	Device.h
■	■	■	■	■	■	■	■■■	DeviceGuard.h
■	■	■	■	■	■	■	■■■	DimVector.h
■	■	■	■	■	■	■	■■■	Dimname.h
■	■	■	■	■	■	■	■■■	Dispatch.h
■	■	■	■	■	■	■	■■■	DynamicLibrary.h
■	■	■	■	■	■	■	■■■	EmptyTensor.h
■	■	■	■	■	■	■	■■■	ExpandBase.h
■	■	■	■	■	■	■	■■■	ExpandUtils.h
■	■	■	■	■	■	■	■■■	Formatting.h
■	■	■	■	■	■	■	■■■	FuncTorchTLS.h
■	■	■	■	■	■	■	■■■	FunctionalStorageImpl.h
■	■	■	■	■	■	■	■■■	FunctionalTensorWrapper.h
■	■	■	■	■	■	■	■■■	Functions.h
■	■	■	■	■	■	■	■■■	Generator.h
■	■	■	■	■	■	■	■■■	InferSize.h
■	■	■	■	■	■	■	■■■	InitialTensorOptions.h
■	■	■	■	■	■	■	■■■	Layout.h
■	■	■	■	■	■	■	■■■	LegacyBatchedFallback.h
■	■	■	■	■	■	■	■■■	LegacyBatchedTensorImpl.h
■	■	■	■	■	■	■	■■■	LegacyVmapMode.h
■	■	■	■	■	■	■	■■■	LegacyVmapTransforms.h
■	■	■	■	■	■	■	■■■	LinalgBackend.h
■	■	■	■	■	■	■	■■■	MapAllocator.h
■	■	■	■	■	■	■	■■■	MatrixRef.h
■	■	■	■	■	■	■	■■■	MemoryOverlap.h
■	■	■	■	■	■	■	■■■	MetaFunctions.h
■	■	■	■	■	■	■	■■■	MetaFunctions_inl.h
■	■	■	■	■	■	■	■■■	MethodOperators.h
■	■	■	■	■	■	■	■■■	NamedTensor.h
■	■	■	■	■	■	■	■■■	NamedTensorUtils.h
■	■	■	■	■	■	■	■■■	NativeFunctions.h
■	■	■	■	■	■	■	■■■	NativeMetaFunctions.h
■	■	■	■	■	■	■	■■■	NestedTensorImpl.h
■	■	■	■	■	■	■	■■■	NumericUtils.h
■	■	■	■	■	■	■	■■■	OpMathType.h
■	■	■	■	■	■	■	■■■	OpaqueTensorImpl.h
■	■	■	■	■	■	■	■■■	Operators.h
■	■	■	■	■	■	■	■■■	PTThreadPool.h
■	■	■	■	■	■	■	■■■	PadNd.h
■	■	■	■	■	■	■	■■■	Parallel-inl.h
■	■	■	■	■	■	■	■■■	Parallel.h
■	■	■	■	■	■	■	■■■	ParallelFuture.h
■	■	■	■	■	■	■	■■■	ParallelNative.h
■	■	■	■	■	■	■	■■■	ParallelNativeTBB.h
■	■	■	■	■	■	■	■■■	ParallelOpenMP.h
■	■	■	■	■	■	■	■■■	PythonTorchFunctionTLS.h
■	■	■	■	■	■	■	■■■	RedispatchFunctions.h
■	■	■	■	■	■	■	■■■	RegistrationDeclarations.h
■	■	■	■	■	■	■	■■■	SavedTensorHooks.h
■	■	■	■	■	■	■	■■■	Scalar.h
■	■	■	■	■	■	■	■■■	ScalarOps.h
■	■	■	■	■	■	■	■■■	ScalarType.h
■	■	■	■	■	■	■	■■■	SequenceNumber.h
■	■	■	■	■	■	■	■■■	SmallVector.h
■	■	■	■	■	■	■	■■■	SparseCsrTensorImpl.h
■	■	■	■	■	■	■	■■■	SparseCsrTensorUtils.h

```

■ ■ ■ ■ SparseTensorImpl.h
■ ■ ■ ■ SparseTensorUtils.h
■ ■ ■ ■ Storage.h
■ ■ ■ ■ Tensor.h
■ ■ ■ ■ TensorAccessor.h
■ ■ ■ ■ TensorGeometry.h
■ ■ ■ ■ TensorIndexing.h
■ ■ ■ ■ TensorIterator.h
■ ■ ■ ■ TensorIteratorInternal.h
■ ■ ■ ■ TensorMeta.h
■ ■ ■ ■ TensorNames.h
■ ■ ■ ■ TensorOperators.h
■ ■ ■ ■ TensorOptions.h
■ ■ ■ ■ TensorSubclassLikeUtils.h
■ ■ ■ ■ TensorUtils.h
■ ■ ■ ■ ThreadLocalPythonObjects.h
■ ■ ■ ■ ThreadLocalState.h
■ ■ ■ ■ TracerMode.h
■ ■ ■ ■ TypeDefault.h
■ ■ ■ ■ Utils.h
■ ■ ■ ■ Version.h
■ ■ ■ ■ VmapGeneratedPlumbing.h
■ ■ ■ ■ WrapDimUtils.h
■ ■ ■ ■ WrapDimUtilsMulti.h
■ ■ ■ ■ autocast_mode.h
■ ■ ■ ■ ceil_div.h
■ ■ ■ ■ code_template.h
■ ■ ■ ■ core
■ ■ ■ ■ ATenGeneral.h
■ ■ ■ ■ ATenOpList.h
■ ■ ■ ■ ATen_fwd.h
■ ■ ■ ■ ATen_pch.h
■ ■ ■ ■ Array.h
■ ■ ■ ■ Backtrace.h
■ ■ ■ ■ CheckMemoryFormat.h
■ ■ ■ ■ DeprecatedTypeProperties.h
■ ■ ■ ■ DeprecatedTypePropertiesRegistry.h
■ ■ ■ ■ Dict.h
■ ■ ■ ■ Dict_inl.h
■ ■ ■ ■ DimVector.h
■ ■ ■ ■ Dimname.h
■ ■ ■ ■ DistributionsHelper.h
■ ■ ■ ■ Formatting.h
■ ■ ■ ■ Generator.h
■ ■ ■ ■ IListRef.h
■ ■ ■ ■ IListRef_inl.h
■ ■ ■ ■ LegacyTypeDispatch.h
■ ■ ■ ■ List.h
■ ■ ■ ■ List_inl.h
■ ■ ■ ■ MT19937RNGEngine.h
■ ■ ■ ■ NamedTensor.h
■ ■ ■ ■ PhiloxRNGEngine.h
■ ■ ■ ■ PythonFallbackKernel.h
■ ■ ■ ■ PythonOpRegistrationTrampoline.h
■ ■ ■ ■ QuantizerBase.h
■ ■ ■ ■ Range.h
■ ■ ■ ■ Reduction.h
■ ■ ■ ■ Scalar.h

```

■	■	■	■	■	■	■	■	■■■	ScalarType.h
■	■	■	■	■	■	■	■	■■■	Tensor.h
■	■	■	■	■	■	■	■	■■■	TensorAccessor.h
■	■	■	■	■	■	■	■	■■■	TensorBase.h
■	■	■	■	■	■	■	■	■■■	TensorBody.h
■	■	■	■	■	■	■	■	■■■	TorchDispatchUtils.h
■	■	■	■	■	■	■	■	■■■	TransformationHelper.h
■	■	■	■	■	■	■	■	■■■	UndefinedTensorImpl.h
■	■	■	■	■	■	■	■	■■■	UnsafeFromTH.h
■	■	■	■	■	■	■	■	■■■	VariableHooksInterface.h
■	■	■	■	■	■	■	■	■■■	Variadic.h
■	■	■	■	■	■	■	■	■■■	Vitals.h
■	■	■	■	■	■	■	■	■■■	alias_info.h
■	■	■	■	■	■	■	■	■■■	aten_interned_strings.h
■	■	■	■	■	■	■	■	■■■	blob.h
■	■	■	■	■	■	■	■	■■■	boxing
■	■	■	■	■	■	■	■	■ ■■■	BoxedKernel.h
■	■	■	■	■	■	■	■	■ ■■■	BoxedKernel_impl.h
■	■	■	■	■	■	■	■	■ ■■■	KernelFunction.h
■	■	■	■	■	■	■	■	■ ■■■	KernelFunction_impl.h
■	■	■	■	■	■	■	■	■ ■■■	OperatorKernel.h
■	■	■	■	■	■	■	■	■ ■■■	impl
■	■	■	■	■	■	■	■	■ ■■■	WrapFunctionIntoFunctor.h
■	■	■	■	■	■	■	■	■ ■■■	WrapFunctionIntoRuntimeFunctor.h
■	■	■	■	■	■	■	■	■ ■■■	boxing.h
■	■	■	■	■	■	■	■	■ ■■■	make_boxed_from_unboxed_functor.h
■	■	■	■	■	■	■	■	■ ■■■	test_helpers.h
■	■	■	■	■	■	■	■	■■■	builtin_function.h
■	■	■	■	■	■	■	■	■■■	class_type.h
■	■	■	■	■	■	■	■	■■■	custom_class.h
■	■	■	■	■	■	■	■	■■■	dispatch
■	■	■	■	■	■	■	■	■ ■■■	CppSignature.h
■	■	■	■	■	■	■	■	■ ■■■	DispatchKeyExtractor.h
■	■	■	■	■	■	■	■	■ ■■■	Dispatcher.h
■	■	■	■	■	■	■	■	■ ■■■	ObservedOperators.h
■	■	■	■	■	■	■	■	■ ■■■	OperatorEntry.h
■	■	■	■	■	■	■	■	■ ■■■	OperatorOptions.h
■	■	■	■	■	■	■	■	■ ■■■	RegistrationHandleRAII.h
■	■	■	■	■	■	■	■	■■■	dynamic_type.h
■	■	■	■	■	■	■	■	■■■	enum_tag.h
■	■	■	■	■	■	■	■	■■■	enum_type.h
■	■	■	■	■	■	■	■	■■■	function.h
■	■	■	■	■	■	■	■	■■■	function_schema.h
■	■	■	■	■	■	■	■	■■■	function_schema_inl.h
■	■	■	■	■	■	■	■	■■■	functional.h
■	■	■	■	■	■	■	■	■■■	grad_mode.h
■	■	■	■	■	■	■	■	■■■	interned_strings.h
■	■	■	■	■	■	■	■	■■■	interned_strings_class.h
■	■	■	■	■	■	■	■	■■■	ivalue.h
■	■	■	■	■	■	■	■	■■■	ivalue_inl.h
■	■	■	■	■	■	■	■	■■■	ivalue_to.h
■	■	■	■	■	■	■	■	■■■	jit_type.h
■	■	■	■	■	■	■	■	■■■	jit_type_base.h
■	■	■	■	■	■	■	■	■■■	op_registration
■	■	■	■	■	■	■	■	■ ■■■	adaption.h
■	■	■	■	■	■	■	■	■ ■■■	infer_schema.h
■	■	■	■	■	■	■	■	■ ■■■	op_allowlist.h
■	■	■	■	■	■	■	■	■ ■■■	op_registration.h

```

operator_name.h
qualified_name.h
rref_interface.h
stack.h
symbol.h
type_factory.h
type_ptr.h
typeid.h
cpp_custom_typeHack.h
cpu
FlushDenormal.h
vec
functional.h
functional_base.h
functional_bfloat16.h
intrinsics.h
vec.h
vec256
missing_vld1_neon.h
missing_vst1_neon.h
vec256.h
vec256_bfloat16.h
vec256_complex_double.h
vec256_complex_float.h
vec256_double.h
vec256_float.h
vec256_float_neon.h
vec256_int.h
vec256_qint.h
vsx
vec256_bfloat16_vsx.h
vec256_common_vsx.h
vec256_complex_double_vsx.h
vec256_complex_float_vsx.h
vec256_double_vsx.h
vec256_float_vsx.h
vec256_int16_vsx.h
vec256_int32_vsx.h
vec256_int64_vsx.h
vec256_qint32_vsx.h
vec256_qint8_vsx.h
vec256_quint8_vsx.h
vsx_helpers.h
vec512
vec512.h
vec512_bfloat16.h
vec512_complex_double.h
vec512_complex_float.h
vec512_double.h
vec512_float.h
vec512_int.h
vec512_qint.h
vec_base.h
vml.h
cuda
ATenCUDAGeneral.h
ApplyGridUtils.cuh
AsmUtils.cuh

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ dlpack.h
■ ■ ■ ■ ■ ■ ■ ■■■ functorch
■ ■ ■ ■ ■ ■ ■ ■■■ ADInterpreters.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchRulesHelper.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchedFallback.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchedTensorImpl.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchingMetaprogramming.h
■ ■ ■ ■ ■ ■ ■ ■■■ DynamicLayer.h
■ ■ ■ ■ ■ ■ ■ ■■■ FunctionalizeInterpreter.h
■ ■ ■ ■ ■ ■ ■ ■■■ Interpreter.h
■ ■ ■ ■ ■ ■ ■ ■■■ LegacyVmapTransforms.h
■ ■ ■ ■ ■ ■ ■ ■■■ Macros.h
■ ■ ■ ■ ■ ■ ■ ■■■ PlumbingHelper.h
■ ■ ■ ■ ■ ■ ■ ■■■ TensorWrapper.h
■ ■ ■ ■ ■ ■ ■ ■■■ VmapInterpreter.h
■ ■ ■ ■ ■ ■ ■ ■■■ hip
■ ■ ■ ■ ■ ■ ■ ■■■ impl
■ ■ ■ ■ ■ ■ ■ ■■■ HIPAllocatorMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ HIPCachingAllocatorMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ HIPGuardImplMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ HIPStreamMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ jit_macros.h
■ ■ ■ ■ ■ ■ ■ ■■■ jiterator_macros.h
■ ■ ■ ■ ■ ■ ■ ■■■ miopen
■ ■ ■ ■ ■ ■ ■ ■■■ Descriptors.h
■ ■ ■ ■ ■ ■ ■ ■■■ Exceptions.h
■ ■ ■ ■ ■ ■ ■ ■■■ Handle.h
■ ■ ■ ■ ■ ■ ■ ■■■ Types.h
■ ■ ■ ■ ■ ■ ■ ■■■ Utils.h
■ ■ ■ ■ ■ ■ ■ ■■■ miopen-wrapper.h
■ ■ ■ ■ ■ ■ ■ ■■■ native
■ ■ ■ ■ ■ ■ ■ ■■■ Activation.h
■ ■ ■ ■ ■ ■ ■ ■■■ AdaptivePooling.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchLinearAlgebra.h
■ ■ ■ ■ ■ ■ ■ ■■■ BinaryOps.h
■ ■ ■ ■ ■ ■ ■ ■■■ BucketizationUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ CPUBlas.h
■ ■ ■ ■ ■ ■ ■ ■■■ CPUFallback.h
■ ■ ■ ■ ■ ■ ■ ■■■ CanUse32BitIndexMath.h
■ ■ ■ ■ ■ ■ ■ ■■■ ComplexHelper.h
■ ■ ■ ■ ■ ■ ■ ■■■ CompositeRandomAccessor.h
■ ■ ■ ■ ■ ■ ■ ■■■ CompositeRandomAccessorCommon.h
■ ■ ■ ■ ■ ■ ■ ■■■ ConvUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ ConvolutionMM3d.h
■ ■ ■ ■ ■ ■ ■ ■■■ Copy.h
■ ■ ■ ■ ■ ■ ■ ■■■ Cross.h
■ ■ ■ ■ ■ ■ ■ ■■■ DilatedConvolutionUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ DispatchStub.h
■ ■ ■ ■ ■ ■ ■ ■■■ Distance.h
■ ■ ■ ■ ■ ■ ■ ■■■ DistributionTemplates.h
■ ■ ■ ■ ■ ■ ■ ■■■ Distributions.h
■ ■ ■ ■ ■ ■ ■ ■■■ EmbeddingBag.h
■ ■ ■ ■ ■ ■ ■ ■■■ Fill.h
■ ■ ■ ■ ■ ■ ■ ■■■ ForeachUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ FractionalMaxPooling.h
■ ■ ■ ■ ■ ■ ■ ■■■ FunctionOfAMatrixUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ GridSampler.h
■ ■ ■ ■ ■ ■ ■ ■■■ GridSamplerUtils.h

```

■	■■■	Histogram.h
■	■■■	IndexKernel.h
■	■■■	IndexingUtils.h
■	■■■	Lerp.h
■	■■■	LinearAlgebra.h
■	■■■	LinearAlgebraUtils.h
■	■■■	LossMulti.h
■	■■■	Math.h
■	■■■	MathBitFallThroughLists.h
■	■■■	MathBitsFallback.h
■	■■■	MaxPooling.h
■	■■■	NonEmptyUtils.h
■	■■■	NonSymbolicBC.h
■	■■■	Normalization.h
■	■■■	PointwiseOps.h
■	■■■	Pool.h
■	■■■	Pow.h
■	■■■	RNN.h
■	■■■	RangeFactories.h
■	■■■	ReduceAllOps.h
■	■■■	ReduceOps.h
■	■■■	ReduceOpsUtils.h
■	■■■	ReductionType.h
■	■■■	Repeat.h
■	■■■	Resize.h
■	■■■	ResizeCommon.h
■	■■■	ScatterGatherChecks.h
■	■■■	SegmentReduce.h
■	■■■	SharedReduceOps.h
■	■■■	SobolEngineOpsUtils.h
■	■■■	Sorting.h
■	■■■	SortingUtils.h
■	■■■	SpectralOpsUtils.h
■	■■■	StridedRandomAccessor.h
■	■■■	TensorAdvancedIndexing.h
■	■■■	TensorAdvancedIndexingUtils.h
■	■■■	TensorCompare.h
■	■■■	TensorConversions.h
■	■■■	TensorDimApply.h
■	■■■	TensorFactories.h
■	■■■	TensorIterator.h
■	■■■	TensorIteratorDynamicCasting.h
■	■■■	TensorProperties.h
■	■■■	TensorShape.h
■	■■■	TensorTransformations.h
■	■■■	TopKImpl.h
■	■■■	TransposeType.h
■	■■■	TriangularOpsUtils.h
■	■■■	TypeProperties.h
■	■■■	UnaryOps.h
■	■■■	Unfold2d.h
■	■■■	Unfold3d.h
■	■■■	UnfoldBackward.h
■	■■■	UpSample.h
■	■■■	batch_norm.h
■	■■■	cpu
■	■■■	AtomicAddFloat.h
■	■■■	CatKernel.h

```

■ ■ ■ ChannelShuffleKernel.h
■ ■ ■ CopyKernel.h
■ ■ ■ DepthwiseConvKernel.h
■ ■ ■ DistributionTemplates.h
■ ■ ■ GridSamplerKernel.h
■ ■ ■ IndexKernelUtils.h
■ ■ ■ Intrinsic.h
■ ■ ■ IsContiguous.h
■ ■ ■ Loops.h
■ ■ ■ MaxUnpoolKernel.h
■ ■ ■ PixelShuffleKernel.h
■ ■ ■ Reduce.h
■ ■ ■ ReduceUtils.h
■ ■ ■ SampledAddmmKernel.h
■ ■ ■ SerialStackImpl.h
■ ■ ■ SoftmaxKernel.h
■ ■ ■ SpmmReduceKernel.h
■ ■ ■ StackKernel.h
■ ■ ■ UpSampleKernelAVXAntialias.h
■ ■ ■ WeightNormKernel.h
■ ■ ■ avx_mathfun.h
■ ■ ■ mixed_data_type.h
■ ■ ■ moments_utils.h
■ ■ ■ radix_sort.h
■ ■ ■ utils.h
■ ■ ■ zmath.h
■ ■ ■ cuda
■ ■ ■ Activation.h
■ ■ ■ BinaryInternal.h
■ ■ ■ CUDAJitLoops.cuh
■ ■ ■ CUDALoops.cuh
■ ■ ■ CompositeRandomAccessor.h
■ ■ ■ Copy.h
■ ■ ■ CuFFTPlanCache.h
■ ■ ■ CuFFTUtils.h
■ ■ ■ DeviceSqrt.cuh
■ ■ ■ DistributionTemplates.h
■ ■ ■ Distributions.h
■ ■ ■ EmbeddingBackwardKernel.cuh
■ ■ ■ ForeachFunctors.cuh
■ ■ ■ ForeachMinMaxFunctors.cuh
■ ■ ■ GridSampler.cuh
■ ■ ■ GridSampler.h
■ ■ ■ IndexKernel.h
■ ■ ■ JitLoops.cuh
■ ■ ■ KernelUtils.cuh
■ ■ ■ LaunchUtils.h
■ ■ ■ Loops.cuh
■ ■ ■ Math.cuh
■ ■ ■ MemoryAccess.cuh
■ ■ ■ MiscUtils.h
■ ■ ■ MultiTensorApply.cuh
■ ■ ■ Normalization.cuh
■ ■ ■ PersistentSoftmax.cuh
■ ■ ■ Pow.cuh
■ ■ ■ ROCmLoops.cuh
■ ■ ■ Randperm.cuh
■ ■ ■ Reduce.cuh

```

■	■	■	■	■	■	■	■	■	■■■■	ReduceOps.h
■	■	■	■	■	■	■	■	■	■■■■	Resize.h
■	■	■	■	■	■	■	■	■	■■■■	ScanKernels.h
■	■	■	■	■	■	■	■	■	■■■■	ScanUtils.cuh
■	■	■	■	■	■	■	■	■	■■■■	Sort.h
■	■	■	■	■	■	■	■	■	■■■■	SortStable.h
■	■	■	■	■	■	■	■	■	■■■■	SortUtils.cuh
■	■	■	■	■	■	■	■	■	■■■■	Sorting.h
■	■	■	■	■	■	■	■	■	■■■■	SortingCommon.cuh
■	■	■	■	■	■	■	■	■	■■■■	SortingRadixSelect.cuh
■	■	■	■	■	■	■	■	■	■■■■	TensorModeKernel.cuh
■	■	■	■	■	■	■	■	■	■■■■	TensorModeKernel.h
■	■	■	■	■	■	■	■	■	■■■■	TensorTopK.h
■	■	■	■	■	■	■	■	■	■■■■	UniqueCub.cuh
■	■	■	■	■	■	■	■	■	■■■■	UpSample.cuh
■	■	■	■	■	■	■	■	■	■■■■	block_reduce.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adam_amsgrad_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adam_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adam_utils.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adamw_amsgrad_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adamw_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	im2col.cuh
■	■	■	■	■	■	■	■	■	■■■■	jit_utils.h
■	■	■	■	■	■	■	■	■	■■■■	reduction_template.cuh
■	■	■	■	■	■	■	■	■	■■■■	thread_constants.h
■	■	■	■	■	■	■	■	■	■■■■	vol2col.cuh
■	■	■	■	■	■	■	■	■■■■	group_norm.h	
■	■	■	■	■	■	■	■	■■■■	im2col.h	
■	■	■	■	■	■	■	■	■■■■	im2col_shape_check.h	
■	■	■	■	■	■	■	■	■■■■	layer_norm.h	
■	■	■	■	■	■	■	■	■■■■	quantized	
■	■	■	■	■	■	■	■	■	■■■■	AffineQuantizer.h
■	■	■	■	■	■	■	■	■	■■■■	AffineQuantizerBase.h
■	■	■	■	■	■	■	■	■	■■■■	Copy.h
■	■	■	■	■	■	■	■	■	■■■■	FakeQuantAffine.h
■	■	■	■	■	■	■	■	■	■■■■	IndexKernel.h
■	■	■	■	■	■	■	■	■	■■■■	PackedParams.h
■	■	■	■	■	■	■	■	■	■■■■	cpu
■	■	■	■	■	■	■	■	■	■■■■	BinaryOps.h
■	■	■	■	■	■	■	■	■	■■■■	EmbeddingPackedParams.h
■	■	■	■	■	■	■	■	■	■■■■	OnednnUtils.h
■	■	■	■	■	■	■	■	■	■■■■	QnnpackUtils.h
■	■	■	■	■	■	■	■	■	■■■■	QuantUtils.h
■	■	■	■	■	■	■	■	■	■■■■	QuantizedOps.h
■	■	■	■	■	■	■	■	■	■■■■	RuyUtils.h
■	■	■	■	■	■	■	■	■	■■■■	XnnpackUtils.h
■	■	■	■	■	■	■	■	■	■■■■	conv_serialization.h
■	■	■	■	■	■	■	■	■	■■■■	fbgemm_utils.h
■	■	■	■	■	■	■	■	■	■■■■	init_qnnpack.h
■	■	■	■	■	■	■	■	■	■■■■	qembeddingbag.h
■	■	■	■	■	■	■	■	■	■■■■	qembeddingbag_prepack.h
■	■	■	■	■	■	■	■	■■■■	verbose_wrapper.h	
■	■	■	■	■	■	■	■	■■■■	vol2col.h	
■	■	■	■	■	■	■	■■■■	ops		
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d.h	
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d_backward.h	
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d_backward_compositeexplicitautograd	
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d_backward_cpu_dispatch.h	

```

_adaptive_avg_pool2d_backward_cuda_dispatch.h
_adaptive_avg_pool2d_backward_native.h
_adaptive_avg_pool2d_backward_ops.h
_adaptive_avg_pool2d_compositeexplicitautograd_dispatch.h
_adaptive_avg_pool2d_cpu_dispatch.h
_adaptive_avg_pool2d_cuda_dispatch.h
_adaptive_avg_pool2d_native.h
_adaptive_avg_pool2d_ops.h
_adaptive_avg_pool3d.h
_adaptive_avg_pool3d_backward.h
_adaptive_avg_pool3d_backward_compositeexplicitautograd_dispatch.h
_adaptive_avg_pool3d_backward_cpu_dispatch.h
_adaptive_avg_pool3d_backward_cuda_dispatch.h
_adaptive_avg_pool3d_backward_native.h
_adaptive_avg_pool3d_backward_ops.h
_adaptive_avg_pool3d_compositeexplicitautograd_dispatch.h
_adaptive_avg_pool3d_cpu_dispatch.h
_adaptive_avg_pool3d_cuda_dispatch.h
_adaptive_avg_pool3d_native.h
_adaptive_avg_pool3d_ops.h
_add_batch_dim.h
_add_batch_dim_compositeimplicitautograd_dispatch.h
_add_batch_dim_native.h
_add_batch_dim_ops.h
_add_relu.h
_add_relu_compositeexplicitautograd_dispatch.h
_add_relu_cpu_dispatch.h
_add_relu_meta_dispatch.h
_add_relu_native.h
_add_relu_ops.h
_addmm_activation.h
_addmm_activation_compositeexplicitautogradnonfunctional_dispatch.h
_addmm_activation_cpu_dispatch.h
_addmm_activation_cuda_dispatch.h
_addmm_activation_meta.h
_addmm_activation_meta_dispatch.h
_addmm_activation_native.h
_addmm_activation_ops.h
_aminmax.h
_aminmax_compositeexplicitautograd_dispatch.h
_aminmax_cpu_dispatch.h
_aminmax_cuda_dispatch.h
_aminmax_native.h
_aminmax_ops.h
_amp_foreach_non_finite_check_and_unscale.h
_amp_foreach_non_finite_check_and_unscale_compositeexplicitautograd_dispatch.h
_amp_foreach_non_finite_check_and_unscale_cuda_dispatch.h
_amp_foreach_non_finite_check_and_unscale_native.h
_amp_foreach_non_finite_check_and_unscale_ops.h
_amp_update_scale.h
_amp_update_scale_compositeexplicitautograd_dispatch.h
_amp_update_scale_cuda_dispatch.h
_amp_update_scale_meta_dispatch.h
_amp_update_scale_native.h
_amp_update_scale_ops.h
_assert_async.h
_assert_async_cpu_dispatch.h
_assert_async_cuda_dispatch.h

```


■	■	■	■	■	■	■	■	■■■■	_cdist_backward.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_native.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_native.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_ops.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_native.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_ops.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor_native.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor_ops.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention_native.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention_ops.h
■	■	■	■	■	■	■	■	■■■■	_coalesce.h
■	■	■	■	■	■	■	■	■■■■	_coalesce_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_coalesce_native.h
■	■	■	■	■	■	■	■	■■■■	_coalesce_ops.h
■	■	■	■	■	■	■	■	■■■■	_coalesced.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_native.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_ops.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_native.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_ops.h
■	■	■	■	■	■	■	■	■■■■	_conj.h
■	■	■	■	■	■	■	■	■■■■	_conj_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_native.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_ops.h
■	■	■	■	■	■	■	■	■■■■	_conj_native.h
■	■	■	■	■	■	■	■	■■■■	_conj_ops.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical_native.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical_ops.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d_native.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d_ops.h
■	■	■	■	■	■	■	■	■■■■	_convert_indices_from_coo_to_csr.h

[illegible]

[illegible]

[illegible]


```

_foreach_frac_native.h
_foreach_frac_ops.h
_foreach_lerp.h
_foreach_lerp_compositeexplicitautograd_dispatch.h
_foreach_lerp_cpu_dispatch.h
_foreach_lerp_cuda_dispatch.h
_foreach_lerp_native.h
_foreach_lerp_ops.h
_foreach_lgamma.h
_foreach_lgamma_compositeexplicitautograd_dispatch.h
_foreach_lgamma_cpu_dispatch.h
_foreach_lgamma_cuda_dispatch.h
_foreach_lgamma_native.h
_foreach_lgamma_ops.h
_foreach_log.h
_foreach_log10.h
_foreach_log10_compositeexplicitautograd_dispatch.h
_foreach_log10_cpu_dispatch.h
_foreach_log10_cuda_dispatch.h
_foreach_log10_native.h
_foreach_log10_ops.h
_foreach_log1p.h
_foreach_log1p_compositeexplicitautograd_dispatch.h
_foreach_log1p_cpu_dispatch.h
_foreach_log1p_cuda_dispatch.h
_foreach_log1p_native.h
_foreach_log1p_ops.h
_foreach_log2.h
_foreach_log2_compositeexplicitautograd_dispatch.h
_foreach_log2_cpu_dispatch.h
_foreach_log2_cuda_dispatch.h
_foreach_log2_native.h
_foreach_log2_ops.h
_foreach_log_compositeexplicitautograd_dispatch.h
_foreach_log_cpu_dispatch.h
_foreach_log_cuda_dispatch.h
_foreach_log_native.h
_foreach_log_ops.h
_foreach_maximum.h
_foreach_maximum_compositeexplicitautograd_dispatch.h
_foreach_maximum_cpu_dispatch.h
_foreach_maximum_cuda_dispatch.h
_foreach_maximum_native.h
_foreach_maximum_ops.h
_foreach_minimum.h
_foreach_minimum_compositeexplicitautograd_dispatch.h
_foreach_minimum_cpu_dispatch.h
_foreach_minimum_cuda_dispatch.h
_foreach_minimum_native.h
_foreach_minimum_ops.h
_foreach_mul.h
_foreach_mul_compositeexplicitautograd_dispatch.h
_foreach_mul_cpu_dispatch.h
_foreach_mul_cuda_dispatch.h
_foreach_mul_native.h
_foreach_mul_ops.h
_foreach_neg.h
_foreach_neg_compositeexplicitautograd_dispatch.h

```

[illegible]

[illegible]

■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_backward.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_backward_native.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_backward_ops.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_native.h
■	■	■	■	■	■	■	■	■■■	_grid_sampler_2d_cpu_fallback_ops.h
■	■	■	■	■	■	■	■	■■■	_has_compatible_shallow_copy_type.h
■	■	■	■	■	■	■	■	■■■	_has_compatible_shallow_copy_type_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_has_compatible_shallow_copy_type_native.h
■	■	■	■	■	■	■	■	■■■	_has_compatible_shallow_copy_type_ops.h
■	■	■	■	■	■	■	■	■■■	_has_same_storage_numel.h
■	■	■	■	■	■	■	■	■■■	_has_same_storage_numel_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_has_same_storage_numel_native.h
■	■	■	■	■	■	■	■	■■■	_has_same_storage_numel_ops.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_bin_edges.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_bin_edges_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_bin_edges_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_bin_edges_native.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_bin_edges_ops.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_cts.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_cts_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_cts_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_cts_native.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_cts_ops.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_tensors.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_tensors_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_tensors_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_tensors_native.h
■	■	■	■	■	■	■	■	■■■	_histogramdd_from_bin_tensors_ops.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl_native.h
■	■	■	■	■	■	■	■	■■■	_index_put_impl_ops.h
■	■	■	■	■	■	■	■	■■■	_indices.h
■	■	■	■	■	■	■	■	■■■	_indices_copy.h
■	■	■	■	■	■	■	■	■■■	_indices_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	_indices_copy_native.h
■	■	■	■	■	■	■	■	■■■	_indices_copy_ops.h
■	■	■	■	■	■	■	■	■■■	_indices_native.h
■	■	■	■	■	■	■	■	■■■	_indices_ops.h
■	■	■	■	■	■	■	■	■■■	_is_all_true.h
■	■	■	■	■	■	■	■	■■■	_is_all_true_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_is_all_true_native.h
■	■	■	■	■	■	■	■	■■■	_is_all_true_ops.h
■	■	■	■	■	■	■	■	■■■	_is_any_true.h
■	■	■	■	■	■	■	■	■■■	_is_any_true_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_is_any_true_native.h
■	■	■	■	■	■	■	■	■■■	_is_any_true_ops.h
■	■	■	■	■	■	■	■	■■■	_is_zerotensor.h
■	■	■	■	■	■	■	■	■■■	_is_zerotensor_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_is_zerotensor_native.h
■	■	■	■	■	■	■	■	■■■	_is_zerotensor_ops.h


```
_mkldnn_reshape.h  
_mkldnn_reshape_compositeexplicitautograd_dispatch.h  
_mkldnn_reshape_native.h  
_mkldnn_reshape_ops.h  
_mkldnn_transpose.h  
_mkldnn_transpose_compositeexplicitautograd_dispatch.h  
_mkldnn_transpose_meta_dispatch.h  
_mkldnn_transpose_native.h  
_mkldnn_transpose_ops.h  
mps_convolution.h  
mps_convolution_compositeexplicitautograd_dispatch.h  
mps_convolution_native.h  
mps_convolution_ops.h  
mps_convolution_transpose.h  
mps_convolution_transpose_compositeexplicitautograd_dispatcher.h  
mps_convolution_transpose_native.h  
mps_convolution_transpose_ops.h  
native_batch_norm_legit.h  
native_batch_norm_legit_compositeexplicitautograd_dispatcher.h  
native_batch_norm_legit_cpu_dispatch.h  
native_batch_norm_legit_cuda_dispatch.h  
native_batch_norm_legit_native.h  
native_batch_norm_legit_ops.h  
native_decoder_only_multi_head_attention.h  
native_decoder_only_multi_head_attention_compositeexplicitautograd_dispatcher.h  
native_decoder_only_multi_head_attention_cpu_dispatch.h  
native_decoder_only_multi_head_attention_cuda_dispatch.h  
native_decoder_only_multi_head_attention_native.h  
native_decoder_only_multi_head_attention_ops.h  
native_multi_head_attention.h  
native_multi_head_attention_compositeexplicitautograd_dispatcher.h  
native_multi_head_attention_cpu_dispatch.h  
native_multi_head_attention_cuda_dispatch.h  
native_multi_head_attention_native.h  
native_multi_head_attention_ops.h  
neg_view.h  
neg_view_compositeexplicitautograd_dispatcher.h  
neg_view_copy.h  
neg_view_copy_compositeexplicitautograd_dispatcher.h  
neg_view_copy_compositeexplicitautogradnonfunctional_dispatcher.h  
neg_view_copy_native.h  
neg_view_copy_ops.h  
neg_view_native.h  
neg_view_ops.h  
nested_from_padded.h  
nested_from_padded_and_nested_example.h  
nested_from_padded_and_nested_example_compositeexplicitautograd_dispatcher.h  
nested_from_padded_and_nested_example_native.h  
nested_from_padded_and_nested_example_ops.h  
nested_from_padded_compositeexplicitautograd_dispatcher.h  
nested_from_padded_cpu_dispatch.h  
nested_from_padded_cuda_dispatch.h  
nested_from_padded_native.h  
nested_from_padded_ops.h  
nested_select_backward.h  
nested_select_backward_native.h  
nested_select_backward_ops.h  
nested_sum_backward.h
```



```

███ _reshape_alias_native.h
███ _reshape_alias_ops.h
███ _reshape_copy.h
███ _reshape_copy_compositeexplicitautograd_dispatch.h
███ _reshape_copy_native.h
███ _reshape_copy_ops.h
███ _reshape_from_tensor.h
███ _reshape_from_tensor_compositeimplicitautograd_dispatch.h
███ _reshape_from_tensor_native.h
███ _reshape_from_tensor_ops.h
███ _resize_output.h
███ _resize_output_compositeexplicitautograd_dispatch.h
███ _resize_output_meta_dispatch.h
███ _resize_output_native.h
███ _resize_output_ops.h
███ _rowwise_prune.h
███ _rowwise_prune_compositeimplicitautograd_dispatch.h
███ _rowwise_prune_native.h
███ _rowwise_prune_ops.h
███ _sample_dirichlet.h
███ _sample_dirichlet_compositeexplicitautograd_dispatch.h
███ _sample_dirichlet_cpu_dispatch.h
███ _sample_dirichlet_cuda_dispatch.h
███ _sample_dirichlet_native.h
███ _sample_dirichlet_ops.h
███ _saturate_weight_to_fp16.h
███ _saturate_weight_to_fp16_compositeimplicitautograd_dispatch.h
███ _saturate_weight_to_fp16_native.h
███ _saturate_weight_to_fp16_ops.h
███ _scaled_dot_product_attention.h
███ _scaled_dot_product_attention_compositeimplicitautograd_dispatch.h
███ _scaled_dot_product_attention_math.h
███ _scaled_dot_product_attention_math_compositeimplicitautograd_dispatch.h
███ _scaled_dot_product_attention_math_native.h
███ _scaled_dot_product_attention_math_ops.h
███ _scaled_dot_product_attention_native.h
███ _scaled_dot_product_attention_ops.h
███ _scaled_dot_product_efficient_attention.h
███ _scaled_dot_product_efficient_attention_backward.h
███ _scaled_dot_product_efficient_attention_backward_cuda_dispatch.h
███ _scaled_dot_product_efficient_attention_backward_native.h
███ _scaled_dot_product_efficient_attention_backward_ops.h
███ _scaled_dot_product_efficient_attention_cuda_dispatch.h
███ _scaled_dot_product_efficient_attention_native.h
███ _scaled_dot_product_efficient_attention_ops.h
███ _scaled_dot_product_flash_attention.h
███ _scaled_dot_product_flash_attention_backward.h
███ _scaled_dot_product_flash_attention_backward_cuda_dispatch.h
███ _scaled_dot_product_flash_attention_backward_native.h
███ _scaled_dot_product_flash_attention_backward_ops.h
███ _scaled_dot_product_flash_attention_cuda_dispatch.h
███ _scaled_dot_product_flash_attention_native.h
███ _scaled_dot_product_flash_attention_ops.h
███ _segment_reduce_backward.h
███ _segment_reduce_backward_compositeexplicitautograd_dispatch.h
███ _segment_reduce_backward_cpu_dispatch.h
███ _segment_reduce_backward_cuda_dispatch.h
███ _segment_reduce_backward_native.h

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ _segment_reduce_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse broadcast to copy ops.h

```


[illegible]

■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_compositeimplicitautogra
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_impl.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_impl_compositeexplicitau
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_impl_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_impl_native.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_impl_ops.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_native.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_backward_ops.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_compositeexplicitautograd_dispatc
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_native.h
■	■	■	■	■	■	■	■	■■■	_thnn_fused_lstm_cell_ops.h
■	■	■	■	■	■	■	■	■■■	_to_copy.h
■	■	■	■	■	■	■	■	■■■	_to_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_to_copy_native.h
■	■	■	■	■	■	■	■	■■■	_to_copy_ops.h
■	■	■	■	■	■	■	■	■■■	_to_cpu.h
■	■	■	■	■	■	■	■	■■■	_to_cpu_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_to_cpu_native.h
■	■	■	■	■	■	■	■	■■■	_to_cpu_ops.h
■	■	■	■	■	■	■	■	■■■	_to_dense.h
■	■	■	■	■	■	■	■	■■■	_to_dense_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_to_dense_native.h
■	■	■	■	■	■	■	■	■■■	_to_dense_ops.h
■	■	■	■	■	■	■	■	■■■	_transform_bias_rescale_qkv.h
■	■	■	■	■	■	■	■	■■■	_transform_bias_rescale_qkv_compositeexplicitautograd_o
■	■	■	■	■	■	■	■	■■■	_transform_bias_rescale_qkv_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_transform_bias_rescale_qkv_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_transform_bias_rescale_qkv_native.h
■	■	■	■	■	■	■	■	■■■	_transform_bias_rescale_qkv_ops.h
■	■	■	■	■	■	■	■	■■■	_transformer_decoder_only_layer_fwd.h
■	■	■	■	■	■	■	■	■■■	_transformer_decoder_only_layer_fwd_compositeexplicitau
■	■	■	■	■	■	■	■	■■■	_transformer_decoder_only_layer_fwd_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_transformer_decoder_only_layer_fwd_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_transformer_decoder_only_layer_fwd_native.h
■	■	■	■	■	■	■	■	■■■	_transformer_decoder_only_layer_fwd_ops.h
■	■	■	■	■	■	■	■	■■■	_transformer_encoder_layer_fwd.h
■	■	■	■	■	■	■	■	■■■	_transformer_encoder_layer_fwd_compositeexplicitautogra
■	■	■	■	■	■	■	■	■■■	_transformer_encoder_layer_fwd_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	_transformer_encoder_layer_fwd_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_transformer_encoder_layer_fwd_native.h
■	■	■	■	■	■	■	■	■■■	_transformer_encoder_layer_fwd_ops.h
■	■	■	■	■	■	■	■	■■■	_trilinear.h
■	■	■	■	■	■	■	■	■■■	_trilinear_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	_trilinear_compositeexplicitautogradnonfunctional_dispa
■	■	■	■	■	■	■	■	■■■	_trilinear_native.h
■	■	■	■	■	■	■	■	■■■	_trilinear_ops.h
■	■	■	■	■	■	■	■	■■■	_triton_multi_head_attention.h
■	■	■	■	■	■	■	■	■■■	_triton_multi_head_attention_compositeexplicitautograd_
■	■	■	■	■	■	■	■	■■■	_triton_multi_head_attention_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_triton_multi_head_attention_native.h
■	■	■	■	■	■	■	■	■■■	_triton_multi_head_attention_ops.h
■	■	■	■	■	■	■	■	■■■	_triton_scaled_dot_attention.h
■	■	■	■	■	■	■	■	■■■	_triton_scaled_dot_attention_compositeexplicitautograd_
■	■	■	■	■	■	■	■	■■■	_triton_scaled_dot_attention_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	_triton_scaled_dot_attention_native.h

[illegible]


```

■■■ _weight_norm_ops.h
■■■ abs.h
■■■ abs_compositeexplicitautograd_dispatch.h
■■■ abs_cpu_dispatch.h
■■■ abs_cuda_dispatch.h
■■■ abs_native.h
■■■ abs_ops.h
■■■ absolute.h
■■■ absolute_compositeimplicitautograd_dispatch.h
■■■ absolute_native.h
■■■ absolute_ops.h
■■■ acos.h
■■■ acos_compositeexplicitautogradnonfunctional_dispatch.h
■■■ acos_cpu_dispatch.h
■■■ acos_cuda_dispatch.h
■■■ acos_meta.h
■■■ acos_meta_dispatch.h
■■■ acos_native.h
■■■ acos_ops.h
■■■ acosh.h
■■■ acosh_compositeexplicitautogradnonfunctional_dispatch.h
■■■ acosh_cpu_dispatch.h
■■■ acosh_cuda_dispatch.h
■■■ acosh_meta.h
■■■ acosh_meta_dispatch.h
■■■ acosh_native.h
■■■ acosh_ops.h
■■■ adaptive_avg_pool1d.h
■■■ adaptive_avg_pool1d_compositeimplicitautograd_dispatch.h
■■■ adaptive_avg_pool1d_native.h
■■■ adaptive_avg_pool1d_ops.h
■■■ adaptive_avg_pool2d.h
■■■ adaptive_avg_pool2d_compositeimplicitautograd_dispatch.h
■■■ adaptive_avg_pool2d_cpu_dispatch.h
■■■ adaptive_avg_pool2d_cuda_dispatch.h
■■■ adaptive_avg_pool2d_native.h
■■■ adaptive_avg_pool2d_ops.h
■■■ adaptive_avg_pool3d.h
■■■ adaptive_avg_pool3d_backward.h
■■■ adaptive_avg_pool3d_backward_cpu_dispatch.h
■■■ adaptive_avg_pool3d_backward_cuda_dispatch.h
■■■ adaptive_avg_pool3d_backward_native.h
■■■ adaptive_avg_pool3d_backward_ops.h
■■■ adaptive_avg_pool3d_compositeimplicitautograd_dispatch.h
■■■ adaptive_avg_pool3d_cpu_dispatch.h
■■■ adaptive_avg_pool3d_cuda_dispatch.h
■■■ adaptive_avg_pool3d_native.h
■■■ adaptive_avg_pool3d_ops.h
■■■ adaptive_max_pool1d.h
■■■ adaptive_max_pool1d_compositeimplicitautograd_dispatch.h
■■■ adaptive_max_pool1d_native.h
■■■ adaptive_max_pool1d_ops.h
■■■ adaptive_max_pool2d.h
■■■ adaptive_max_pool2d_backward.h
■■■ adaptive_max_pool2d_backward_compositeexplicitautogradn
■■■ adaptive_max_pool2d_backward_cpu_dispatch.h
■■■ adaptive_max_pool2d_backward_cuda_dispatch.h
■■■ adaptive_max_pool2d_backward_meta.h

```

[illegible]

[illegible]

```

■ ■ ■ ■ all_cuda_dispatch.h
■ ■ ■ ■ all_meta.h
■ ■ ■ ■ all_meta_dispatch.h
■ ■ ■ ■ all_native.h
■ ■ ■ ■ all_ops.h
■ ■ ■ ■ allclose.h
■ ■ ■ ■ allclose_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ allclose_native.h
■ ■ ■ ■ allclose_ops.h
■ ■ ■ ■ alpha_dropout.h
■ ■ ■ ■ alpha_dropout_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ alpha_dropout_native.h
■ ■ ■ ■ alpha_dropout_ops.h
■ ■ ■ ■ amax.h
■ ■ ■ ■ amax_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ amax_cpu_dispatch.h
■ ■ ■ ■ amax_cuda_dispatch.h
■ ■ ■ ■ amax_meta.h
■ ■ ■ ■ amax_meta_dispatch.h
■ ■ ■ ■ amax_native.h
■ ■ ■ ■ amax_ops.h
■ ■ ■ ■ amin.h
■ ■ ■ ■ amin_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ amin_cpu_dispatch.h
■ ■ ■ ■ amin_cuda_dispatch.h
■ ■ ■ ■ amin_meta.h
■ ■ ■ ■ amin_meta_dispatch.h
■ ■ ■ ■ amin_native.h
■ ■ ■ ■ amin_ops.h
■ ■ ■ ■ aminmax.h
■ ■ ■ ■ aminmax_compositeexplicitautogradnonfunctional_dispatch
■ ■ ■ ■ aminmax_cpu_dispatch.h
■ ■ ■ ■ aminmax_cuda_dispatch.h
■ ■ ■ ■ aminmax_meta.h
■ ■ ■ ■ aminmax_meta_dispatch.h
■ ■ ■ ■ aminmax_native.h
■ ■ ■ ■ aminmax_ops.h
■ ■ ■ ■ and.h
■ ■ ■ ■ and_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ and_native.h
■ ■ ■ ■ and_ops.h
■ ■ ■ ■ angle.h
■ ■ ■ ■ angle_cpu_dispatch.h
■ ■ ■ ■ angle_cuda_dispatch.h
■ ■ ■ ■ angle_native.h
■ ■ ■ ■ angle_ops.h
■ ■ ■ ■ any.h
■ ■ ■ ■ any_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ any_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ any_cpu_dispatch.h
■ ■ ■ ■ any_cuda_dispatch.h
■ ■ ■ ■ any_meta.h
■ ■ ■ ■ any_meta_dispatch.h
■ ■ ■ ■ any_native.h
■ ■ ■ ■ any_ops.h
■ ■ ■ ■ arange.h
■ ■ ■ ■ arange_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ arange_cpu_dispatch.h

```



```

███ argwhere_ops.h
███ as_strided.h
███ as_strided_compositeexplicitautogradnonfunctional_dispatch.h
███ as_strided_copy.h
███ as_strided_copy_compositeexplicitautograd_dispatch.h
███ as_strided_copy_compositeexplicitautogradnonfunctional_dispatch.h
███ as_strided_copy_native.h
███ as_strided_copy_ops.h
███ as_strided_cpu_dispatch.h
███ as_strided_cuda_dispatch.h
███ as_strided_meta_dispatch.h
███ as_strided_native.h
███ as_strided_ops.h
███ as_strided_scatter.h
███ as_strided_scatter_compositeexplicitautograd_dispatch.h
███ as_strided_scatter_native.h
███ as_strided_scatter_ops.h
███ asin.h
███ asin_compositeexplicitautogradnonfunctional_dispatch.h
███ asin_cpu_dispatch.h
███ asin_cuda_dispatch.h
███ asin_meta.h
███ asin_meta_dispatch.h
███ asin_native.h
███ asin_ops.h
███ asinh.h
███ asinh_compositeexplicitautogradnonfunctional_dispatch.h
███ asinh_cpu_dispatch.h
███ asinh_cuda_dispatch.h
███ asinh_meta.h
███ asinh_meta_dispatch.h
███ asinh_native.h
███ asinh_ops.h
███ atan.h
███ atan2.h
███ atan2_compositeexplicitautogradnonfunctional_dispatch.h
███ atan2_cpu_dispatch.h
███ atan2_cuda_dispatch.h
███ atan2_meta.h
███ atan2_meta_dispatch.h
███ atan2_native.h
███ atan2_ops.h
███ atan_compositeexplicitautogradnonfunctional_dispatch.h
███ atan_cpu_dispatch.h
███ atan_cuda_dispatch.h
███ atan_meta.h
███ atan_meta_dispatch.h
███ atan_native.h
███ atan_ops.h
███ atanh.h
███ atanh_compositeexplicitautogradnonfunctional_dispatch.h
███ atanh_cpu_dispatch.h
███ atanh_cuda_dispatch.h
███ atanh_meta.h
███ atanh_meta_dispatch.h
███ atanh_native.h
███ atanh_ops.h
███ atleast_1d.h

```

[illegible]

									bartlett_window_ops.h
									batch_norm.h
									batch_norm_backward_elemt.h
									batch_norm_backward_elemt_compositeexplicitautograd_dispatch.h
									batch_norm_backward_elemt_cuda_dispatch.h
									batch_norm_backward_elemt_native.h
									batch_norm_backward_elemt_ops.h
									batch_norm_backward_reduce.h
									batch_norm_backward_reduce_compositeexplicitautograd_dispatcher.h
									batch_norm_backward_reduce_cuda_dispatch.h
									batch_norm_backward_reduce_native.h
									batch_norm_backward_reduce_ops.h
									batch_norm_compositeimplicitautograd_dispatcher.h
									batch_norm_elemt.h
									batch_norm_elemt_cuda_dispatch.h
									batch_norm_elemt_native.h
									batch_norm_elemt_ops.h
									batch_norm_gather_stats.h
									batch_norm_gather_stats_compositeexplicitautograd_dispatcher.h
									batch_norm_gather_stats_cuda_dispatch.h
									batch_norm_gather_stats_native.h
									batch_norm_gather_stats_ops.h
									batch_norm_gather_stats_with_counts.h
									batch_norm_gather_stats_with_counts_compositeexplicitautograd_dispatcher.h
									batch_norm_gather_stats_with_counts_cuda_dispatch.h
									batch_norm_gather_stats_with_counts_native.h
									batch_norm_gather_stats_with_counts_ops.h
									batch_norm_native.h
									batch_norm_ops.h
									batch_norm_stats.h
									batch_norm_stats_compositeexplicitautograd_dispatcher.h
									batch_norm_stats_cuda_dispatch.h
									batch_norm_stats_native.h
									batch_norm_stats_ops.h
									batch_norm_update_stats.h
									batch_norm_update_stats_compositeexplicitautograd_dispatcher.h
									batch_norm_update_stats_cpu_dispatch.h
									batch_norm_update_stats_cuda_dispatch.h
									batch_norm_update_stats_native.h
									batch_norm_update_stats_ops.h
									bernoulli.h
									bernoulli_compositeexplicitautograd_dispatcher.h
									bernoulli_compositeexplicitautogradnonfunctional_dispatcher.h
									bernoulli_cpu_dispatch.h
									bernoulli_cuda_dispatch.h
									bernoulli_meta_dispatcher.h
									bernoulli_native.h
									bernoulli_ops.h
									bilinear.h
									bilinear_compositeimplicitautograd_dispatcher.h
									bilinear_native.h
									bilinear_ops.h
									binary_cross_entropy.h
									binary_cross_entropy_backward.h
									binary_cross_entropy_backward_cpu_dispatch.h
									binary_cross_entropy_backward_cuda_dispatch.h
									binary_cross_entropy_backward_native.h
									binary_cross_entropy_backward_ops.h

[illegible]

■	■	■	■	■	■	■	■	■■■	cat_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_meta.h
■	■	■	■	■	■	■	■	■■■	cat_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_native.h
■	■	■	■	■	■	■	■	■■■	cat_ops.h
■	■	■	■	■	■	■	■	■■■	cauchy.h
■	■	■	■	■	■	■	■	■■■	cauchy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_native.h
■	■	■	■	■	■	■	■	■■■	cauchy_ops.h
■	■	■	■	■	■	■	■	■■■	ccol_indices.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_native.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_ops.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_native.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_ops.h
■	■	■	■	■	■	■	■	■■■	cdist.h
■	■	■	■	■	■	■	■	■■■	cdist_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cdist_native.h
■	■	■	■	■	■	■	■	■■■	cdist_ops.h
■	■	■	■	■	■	■	■	■■■	ceil.h
■	■	■	■	■	■	■	■	■■■	ceil_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_meta.h
■	■	■	■	■	■	■	■	■■■	ceil_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_native.h
■	■	■	■	■	■	■	■	■■■	ceil_ops.h
■	■	■	■	■	■	■	■	■■■	celu.h
■	■	■	■	■	■	■	■	■■■	celu_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	celu_native.h
■	■	■	■	■	■	■	■	■■■	celu_ops.h
■	■	■	■	■	■	■	■	■■■	chain_matmul.h
■	■	■	■	■	■	■	■	■■■	chain_matmul_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	chain_matmul_native.h
■	■	■	■	■	■	■	■	■■■	chain_matmul_ops.h
■	■	■	■	■	■	■	■	■■■	chalf.h
■	■	■	■	■	■	■	■	■■■	chalf_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	chalf_native.h
■	■	■	■	■	■	■	■	■■■	chalf_ops.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_native.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_ops.h
■	■	■	■	■	■	■	■	■■■	cholesky.h
■	■	■	■	■	■	■	■	■■■	cholesky_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cholesky_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cholesky_inverse.h
■	■	■	■	■	■	■	■	■■■	cholesky_inverse_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cholesky_inverse_cuda_dispatch.h


```

col_indices_compositeexplicitautograd_dispatch.h
col_indices_copy.h
col_indices_copy_compositeexplicitautograd_dispatch.h
col_indices_copy_compositeexplicitautogradnonfunctional.h
col_indices_copy_native.h
col_indices_copy_ops.h
col_indices_native.h
col_indices_ops.h
column_stack.h
column_stack_compositeimplicitautograd_dispatch.h
column_stack_native.h
column_stack_ops.h
combinations.h
combinations_compositeimplicitautograd_dispatch.h
combinations_native.h
combinations_ops.h
complex.h
complex_compositeexplicitautograd_dispatch.h
complex_cpu_dispatch.h
complex_cuda_dispatch.h
complex_native.h
complex_ops.h
concat.h
concat_compositeimplicitautograd_dispatch.h
concat_native.h
concat_ops.h
concatenate.h
concatenate_compositeimplicitautograd_dispatch.h
concatenate_native.h
concatenate_ops.h
conj.h
conj_compositeimplicitautograd_dispatch.h
conj_native.h
conj_ops.h
conj_physical.h
conj_physical_compositeexplicitautograd_dispatch.h
conj_physical_compositeimplicitautograd_dispatch.h
conj_physical_cpu_dispatch.h
conj_physical_cuda_dispatch.h
conj_physical_native.h
conj_physical_ops.h
constant_pad_nd.h
constant_pad_nd_compositeexplicitautograd_dispatch.h
constant_pad_nd_native.h
constant_pad_nd_ops.h
contiguous.h
contiguous_compositeimplicitautograd_dispatch.h
contiguous_native.h
contiguous_ops.h
conv1d.h
conv1d_compositeimplicitautograd_dispatch.h
conv1d_native.h
conv1d_ops.h
conv2d.h
conv2d_compositeimplicitautograd_dispatch.h
conv2d_native.h
conv2d_ops.h
conv3d.h

```

								conv3d_compositeimplicitautograd_dispatch.h
								conv3d_native.h
								conv3d_ops.h
								conv_depthwise3d.h
								conv_depthwise3d_compositeexplicitautograd_dispatch.h
								conv_depthwise3d_cuda_dispatch.h
								conv_depthwise3d_native.h
								conv_depthwise3d_ops.h
								conv_tbc.h
								conv_tbc_backward.h
								conv_tbc_backward_compositeimplicitautograd_dispatch.h
								conv_tbc_backward_native.h
								conv_tbc_backward_ops.h
								conv_tbc_compositeexplicitautograd_dispatch.h
								conv_tbc_native.h
								conv_tbc_ops.h
								conv_transpose1d.h
								conv_transpose1d_compositeimplicitautograd_dispatch.h
								conv_transpose1d_native.h
								conv_transpose1d_ops.h
								conv_transpose2d.h
								conv_transpose2d_compositeimplicitautograd_dispatch.h
								conv_transpose2d_native.h
								conv_transpose2d_ops.h
								conv_transpose3d.h
								conv_transpose3d_compositeimplicitautograd_dispatch.h
								conv_transpose3d_native.h
								conv_transpose3d_ops.h
								convolution.h
								convolution_backward.h
								convolution_backward_compositeexplicitautograd_dispatch.h
								convolution_backward_cuda_dispatch.h
								convolution_backward_native.h
								convolution_backward_ops.h
								convolution_backward_overrideable.h
								convolution_backward_overrideable_compositeexplicitauto
								convolution_backward_overrideable_native.h
								convolution_backward_overrideable_ops.h
								convolution_compositeexplicitautograd_dispatch.h
								convolution_native.h
								convolution_ops.h
								convolution_overrideable.h
								convolution_overrideable_compositeexplicitautograd_disp
								convolution_overrideable_native.h
								convolution_overrideable_ops.h
								copy.h
								copy_compositeexplicitautograd_dispatch.h
								copy_compositeexplicitautogradnonfunctional_dispatch.h
								copy_native.h
								copy_ops.h
								copy_sparse_to_sparse.h
								copy_sparse_to_sparse_compositeexplicitautograd_dispatc
								copy_sparse_to_sparse_meta_dispatch.h
								copy_sparse_to_sparse_native.h
								copy_sparse_to_sparse_ops.h
								copysign.h
								copysign_compositeexplicitautograd_dispatch.h
								copysign_compositeexplicitautogradnonfunctional_dispatc

■	■	■	■	■	■	■	■	■■■	copysign_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	copysign_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	copysign_meta.h
■	■	■	■	■	■	■	■	■■■	copysign_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	copysign_native.h
■	■	■	■	■	■	■	■	■■■	copysign_ops.h
■	■	■	■	■	■	■	■	■■■	corrcoef.h
■	■	■	■	■	■	■	■	■■■	corrcoef_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	corrcoef_native.h
■	■	■	■	■	■	■	■	■■■	corrcoef_ops.h
■	■	■	■	■	■	■	■	■■■	cos.h
■	■	■	■	■	■	■	■	■■■	cos_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_meta.h
■	■	■	■	■	■	■	■	■■■	cos_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_native.h
■	■	■	■	■	■	■	■	■■■	cos_ops.h
■	■	■	■	■	■	■	■	■■■	cosh.h
■	■	■	■	■	■	■	■	■■■	cosh_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_meta.h
■	■	■	■	■	■	■	■	■■■	cosh_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_native.h
■	■	■	■	■	■	■	■	■■■	cosh_ops.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss_native.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss_ops.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity_native.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity_ops.h
■	■	■	■	■	■	■	■	■■■	count_nonzero.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_native.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_ops.h
■	■	■	■	■	■	■	■	■■■	cov.h
■	■	■	■	■	■	■	■	■■■	cov_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cov_native.h
■	■	■	■	■	■	■	■	■■■	cov_ops.h
■	■	■	■	■	■	■	■	■■■	cross.h
■	■	■	■	■	■	■	■	■■■	cross_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss_native.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss_ops.h
■	■	■	■	■	■	■	■	■■■	cross_native.h
■	■	■	■	■	■	■	■	■■■	cross_ops.h
■	■	■	■	■	■	■	■	■■■	crow_indices.h
■	■	■	■	■	■	■	■	■■■	crow_indices_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy_native.h

[illegible]

■	■	■	■	■	■	■	■	■■■	cudnn_is_acceptable_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cudnn_is_acceptable_native.h
■	■	■	■	■	■	■	■	■■■	cudnn_is_acceptable_ops.h
■	■	■	■	■	■	■	■	■■■	cummax.h
■	■	■	■	■	■	■	■	■■■	cummax_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummax_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummax_native.h
■	■	■	■	■	■	■	■	■■■	cummax_ops.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward_native.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward_ops.h
■	■	■	■	■	■	■	■	■■■	cummin.h
■	■	■	■	■	■	■	■	■■■	cummin_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummin_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummin_native.h
■	■	■	■	■	■	■	■	■■■	cummin_ops.h
■	■	■	■	■	■	■	■	■■■	cumprod.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward_native.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward_ops.h
■	■	■	■	■	■	■	■	■■■	cumprod_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_meta.h
■	■	■	■	■	■	■	■	■■■	cumprod_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_native.h
■	■	■	■	■	■	■	■	■■■	cumprod_ops.h
■	■	■	■	■	■	■	■	■■■	cumsum.h
■	■	■	■	■	■	■	■	■■■	cumsum_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_meta.h
■	■	■	■	■	■	■	■	■■■	cumsum_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_native.h
■	■	■	■	■	■	■	■	■■■	cumsum_ops.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid_native.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid_ops.h
■	■	■	■	■	■	■	■	■■■	data.h
■	■	■	■	■	■	■	■	■■■	data_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	data_native.h
■	■	■	■	■	■	■	■	■■■	data_ops.h
■	■	■	■	■	■	■	■	■■■	deg2rad.h
■	■	■	■	■	■	■	■	■■■	deg2rad_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	deg2rad_native.h
■	■	■	■	■	■	■	■	■■■	deg2rad_ops.h
■	■	■	■	■	■	■	■	■■■	dense_dim.h
■	■	■	■	■	■	■	■	■■■	dense_dim_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	dense_dim_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	dense_dim_native.h
■	■	■	■	■	■	■	■	■■■	dense_dim_ops.h
■	■	■	■	■	■	■	■	■■■	dequantize.h
■	■	■	■	■	■	■	■	■■■	dequantize_compositeexplicitautograd_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ dequantize_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ dequantize_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ dequantize_native.h
■ ■ ■ ■ ■ ■ ■ dequantize_ops.h
■ ■ ■ ■ ■ ■ ■ det.h
■ ■ ■ ■ ■ ■ ■ det_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ det_native.h
■ ■ ■ ■ ■ ■ ■ det_ops.h
■ ■ ■ ■ ■ ■ ■ detach.h
■ ■ ■ ■ ■ ■ ■ detach_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ detach_copy.h
■ ■ ■ ■ ■ ■ ■ detach_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ detach_copy_compositeexplicitautogradnonfunctional_dispa
■ ■ ■ ■ ■ ■ ■ detach_copy_native.h
■ ■ ■ ■ ■ ■ ■ detach_copy_ops.h
■ ■ ■ ■ ■ ■ ■ detach_native.h
■ ■ ■ ■ ■ ■ ■ detach_ops.h
■ ■ ■ ■ ■ ■ ■ diag.h
■ ■ ■ ■ ■ ■ ■ diag_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diag_embed.h
■ ■ ■ ■ ■ ■ ■ diag_embed_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diag_embed_compositeexplicitautogradnonfunctional_dispa
■ ■ ■ ■ ■ ■ ■ diag_embed_native.h
■ ■ ■ ■ ■ ■ ■ diag_embed_ops.h
■ ■ ■ ■ ■ ■ ■ diag_native.h
■ ■ ■ ■ ■ ■ ■ diag_ops.h
■ ■ ■ ■ ■ ■ ■ diagflat.h
■ ■ ■ ■ ■ ■ ■ diagflat_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diagflat_native.h
■ ■ ■ ■ ■ ■ ■ diagflat_ops.h
■ ■ ■ ■ ■ ■ ■ diagonal.h
■ ■ ■ ■ ■ ■ ■ diagonal_backward.h
■ ■ ■ ■ ■ ■ ■ diagonal_backward_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diagonal_backward_native.h
■ ■ ■ ■ ■ ■ ■ diagonal_backward_ops.h
■ ■ ■ ■ ■ ■ ■ diagonal_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diagonal_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diagonal_copy.h
■ ■ ■ ■ ■ ■ ■ diagonal_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diagonal_copy_compositeexplicitautogradnonfunctional_di
■ ■ ■ ■ ■ ■ ■ diagonal_copy_native.h
■ ■ ■ ■ ■ ■ ■ diagonal_copy_ops.h
■ ■ ■ ■ ■ ■ ■ diagonal_native.h
■ ■ ■ ■ ■ ■ ■ diagonal_ops.h
■ ■ ■ ■ ■ ■ ■ diagonal_scatter.h
■ ■ ■ ■ ■ ■ ■ diagonal_scatter_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diagonal_scatter_native.h
■ ■ ■ ■ ■ ■ ■ diagonal_scatter_ops.h
■ ■ ■ ■ ■ ■ ■ diff.h
■ ■ ■ ■ ■ ■ ■ diff_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ diff_native.h
■ ■ ■ ■ ■ ■ ■ diff_ops.h
■ ■ ■ ■ ■ ■ ■ digamma.h
■ ■ ■ ■ ■ ■ ■ digamma_compositeexplicitautogradnonfunctional_dispatcher
■ ■ ■ ■ ■ ■ ■ digamma_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ digamma_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ digamma_meta.h
■ ■ ■ ■ ■ ■ ■ digamma_meta_dispatch.h

```

```

■ ■ ■ ■ ■ ■ ■ digamma_native.h
■ ■ ■ ■ ■ ■ ■ digamma_ops.h
■ ■ ■ ■ ■ ■ ■ dist.h
■ ■ ■ ■ ■ ■ ■ dist_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ dist_native.h
■ ■ ■ ■ ■ ■ ■ dist_ops.h
■ ■ ■ ■ ■ ■ ■ div.h
■ ■ ■ ■ ■ ■ ■ div_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ div_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ div_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ div_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ div_meta.h
■ ■ ■ ■ ■ ■ ■ div_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ div_native.h
■ ■ ■ ■ ■ ■ ■ div_ops.h
■ ■ ■ ■ ■ ■ ■ divide.h
■ ■ ■ ■ ■ ■ ■ divide_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ divide_native.h
■ ■ ■ ■ ■ ■ ■ divide_ops.h
■ ■ ■ ■ ■ ■ ■ dot.h
■ ■ ■ ■ ■ ■ ■ dot_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ dot_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ dot_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ dot_native.h
■ ■ ■ ■ ■ ■ ■ dot_ops.h
■ ■ ■ ■ ■ ■ ■ dropout.h
■ ■ ■ ■ ■ ■ ■ dropout_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ dropout_native.h
■ ■ ■ ■ ■ ■ ■ dropout_ops.h
■ ■ ■ ■ ■ ■ ■ dsplit.h
■ ■ ■ ■ ■ ■ ■ dsplit_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ dsplit_native.h
■ ■ ■ ■ ■ ■ ■ dsplit_ops.h
■ ■ ■ ■ ■ ■ ■ dstack.h
■ ■ ■ ■ ■ ■ ■ dstack_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ dstack_native.h
■ ■ ■ ■ ■ ■ ■ dstack_ops.h
■ ■ ■ ■ ■ ■ ■ einsum.h
■ ■ ■ ■ ■ ■ ■ einsum_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ einsum_native.h
■ ■ ■ ■ ■ ■ ■ einsum_ops.h
■ ■ ■ ■ ■ ■ ■ elu.h
■ ■ ■ ■ ■ ■ ■ elu_backward.h
■ ■ ■ ■ ■ ■ ■ elu_backward_compositeexplicitautogradnonfunctional_dis
■ ■ ■ ■ ■ ■ ■ elu_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_backward_meta.h
■ ■ ■ ■ ■ ■ ■ elu_backward_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_backward_native.h
■ ■ ■ ■ ■ ■ ■ elu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ elu_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_meta.h
■ ■ ■ ■ ■ ■ ■ elu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ elu_native.h
■ ■ ■ ■ ■ ■ ■ elu_ops.h
■ ■ ■ ■ ■ ■ ■ embeddingq.h

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ eq_ops.h
■ ■ ■ ■ equal.h
■ ■ ■ ■ equal_cpu_dispatch.h
■ ■ ■ ■ equal_cuda_dispatch.h
■ ■ ■ ■ equal_native.h
■ ■ ■ ■ equal_ops.h
■ ■ ■ ■ erf.h
■ ■ ■ ■ erf_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ erf_cpu_dispatch.h
■ ■ ■ ■ erf_cuda_dispatch.h
■ ■ ■ ■ erf_meta.h
■ ■ ■ ■ erf_meta_dispatch.h
■ ■ ■ ■ erf_native.h
■ ■ ■ ■ erf_ops.h
■ ■ ■ ■ erfc.h
■ ■ ■ ■ erfc_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ erfc_cpu_dispatch.h
■ ■ ■ ■ erfc_cuda_dispatch.h
■ ■ ■ ■ erfc_meta.h
■ ■ ■ ■ erfc_meta_dispatch.h
■ ■ ■ ■ erfc_native.h
■ ■ ■ ■ erfc_ops.h
■ ■ ■ ■ erfinv.h
■ ■ ■ ■ erfinv_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ erfinv_cpu_dispatch.h
■ ■ ■ ■ erfinv_cuda_dispatch.h
■ ■ ■ ■ erfinv_meta.h
■ ■ ■ ■ erfinv_meta_dispatch.h
■ ■ ■ ■ erfinv_native.h
■ ■ ■ ■ erfinv_ops.h
■ ■ ■ ■ exp.h
■ ■ ■ ■ exp2.h
■ ■ ■ ■ exp2_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ exp2_cpu_dispatch.h
■ ■ ■ ■ exp2_cuda_dispatch.h
■ ■ ■ ■ exp2_meta.h
■ ■ ■ ■ exp2_meta_dispatch.h
■ ■ ■ ■ exp2_native.h
■ ■ ■ ■ exp2_ops.h
■ ■ ■ ■ exp_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ exp_cpu_dispatch.h
■ ■ ■ ■ exp_cuda_dispatch.h
■ ■ ■ ■ exp_meta.h
■ ■ ■ ■ exp_meta_dispatch.h
■ ■ ■ ■ exp_native.h
■ ■ ■ ■ exp_ops.h
■ ■ ■ ■ expand.h
■ ■ ■ ■ expand_as.h
■ ■ ■ ■ expand_as_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ expand_as_native.h
■ ■ ■ ■ expand_as_ops.h
■ ■ ■ ■ expand_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ expand_copy.h
■ ■ ■ ■ expand_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ expand_copy_compositeexplicitautogradnonfunctional_disp
■ ■ ■ ■ expand_copy_native.h
■ ■ ■ ■ expand_copy_ops.h
■ ■ ■ ■ expand_native.h

```


[illegible]


```

fmax_compositeexplicitautogradnonfunctional_dispatch.h
fmax_cpu_dispatch.h
fmax_cuda_dispatch.h
fmax_meta.h
fmax_meta_dispatch.h
fmax_native.h
fmax_ops.h
fmin.h
fmin_compositeexplicitautogradnonfunctional_dispatch.h
fmin_cpu_dispatch.h
fmin_cuda_dispatch.h
fmin_meta.h
fmin_meta_dispatch.h
fmin_native.h
fmin_ops.h
fmod.h
fmod_compositeexplicitautograd_dispatch.h
fmod_compositeexplicitautogradnonfunctional_dispatch.h
fmod_cpu_dispatch.h
fmod_cuda_dispatch.h
fmod_meta.h
fmod_meta_dispatch.h
fmod_native.h
fmod_ops.h
frac.h
frac_compositeexplicitautogradnonfunctional_dispatch.h
frac_cpu_dispatch.h
frac_cuda_dispatch.h
frac_meta.h
frac_meta_dispatch.h
frac_native.h
frac_ops.h
fractional_max_pool2d.h
fractional_max_pool2d_backward.h
fractional_max_pool2d_backward_compositeexplicitautogra
fractional_max_pool2d_backward_cpu_dispatch.h
fractional_max_pool2d_backward_cuda_dispatch.h
fractional_max_pool2d_backward_meta.h
fractional_max_pool2d_backward_meta_dispatch.h
fractional_max_pool2d_backward_native.h
fractional_max_pool2d_backward_ops.h
fractional_max_pool2d_compositeexplicitautogradnonfunct
fractional_max_pool2d_cpu_dispatch.h
fractional_max_pool2d_cuda_dispatch.h
fractional_max_pool2d_meta.h
fractional_max_pool2d_meta_dispatch.h
fractional_max_pool2d_native.h
fractional_max_pool2d_ops.h
fractional_max_pool3d.h
fractional_max_pool3d_backward.h
fractional_max_pool3d_backward_cpu_dispatch.h
fractional_max_pool3d_backward_cuda_dispatch.h
fractional_max_pool3d_backward_native.h
fractional_max_pool3d_backward_ops.h
fractional_max_pool3d_compositeexplicitautogradnonfunct
fractional_max_pool3d_cpu_dispatch.h
fractional_max_pool3d_cuda_dispatch.h
fractional_max_pool3d_meta.h

```

■	■	■	■	■	■	■	■	■■■	fractional_max_pool3d_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	fractional_max_pool3d_native.h
■	■	■	■	■	■	■	■	■■■	fractional_max_pool3d_ops.h
■	■	■	■	■	■	■	■	■■■	frexp.h
■	■	■	■	■	■	■	■	■■■	frexp_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	frexp_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	frexp_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	frexp_native.h
■	■	■	■	■	■	■	■	■■■	frexp_ops.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm_native.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm_ops.h
■	■	■	■	■	■	■	■	■■■	from_blob.h
■	■	■	■	■	■	■	■	■■■	from_file.h
■	■	■	■	■	■	■	■	■■■	from_file_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	from_file_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	from_file_native.h
■	■	■	■	■	■	■	■	■■■	from_file_ops.h
■	■	■	■	■	■	■	■	■■■	full.h
■	■	■	■	■	■	■	■	■■■	full_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	full_like.h
■	■	■	■	■	■	■	■	■■■	full_like_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	full_like_native.h
■	■	■	■	■	■	■	■	■■■	full_like_ops.h
■	■	■	■	■	■	■	■	■■■	full_native.h
■	■	■	■	■	■	■	■	■■■	full_ops.h
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant.h
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant_compositeimplicitautogr
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant_native.h
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant_ops.h
■	■	■	■	■	■	■	■	■■■	gather.h
■	■	■	■	■	■	■	■	■■■	gather_backward.h
■	■	■	■	■	■	■	■	■■■	gather_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_backward_native.h
■	■	■	■	■	■	■	■	■■■	gather_backward_ops.h
■	■	■	■	■	■	■	■	■■■	gather_compositeexplicitautogradnonfunctional_dispatch.
■	■	■	■	■	■	■	■	■■■	gather_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_meta.h
■	■	■	■	■	■	■	■	■■■	gather_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_native.h
■	■	■	■	■	■	■	■	■■■	gather_ops.h
■	■	■	■	■	■	■	■	■■■	gcd.h
■	■	■	■	■	■	■	■	■■■	gcd_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_meta.h
■	■	■	■	■	■	■	■	■■■	gcd_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_native.h
■	■	■	■	■	■	■	■	■■■	gcd_ops.h
■	■	■	■	■	■	■	■	■■■	ge.h
■	■	■	■	■	■	■	■	■■■	ge_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	ge_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	ge_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	ge_meta.h
■	■	■	■	■	■	■	■	■■■	ge_meta_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ ge_native.h
■ ■ ■ ■ ■ ■ ■ ge_ops.h
■ ■ ■ ■ ■ ■ ■ gelu.h
■ ■ ■ ■ ■ ■ ■ gelu_backward.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_meta.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_native.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ gelu_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_meta.h
■ ■ ■ ■ ■ ■ ■ gelu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_native.h
■ ■ ■ ■ ■ ■ ■ gelu_ops.h
■ ■ ■ ■ ■ ■ ■ geometric.h
■ ■ ■ ■ ■ ■ ■ geometric_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_native.h
■ ■ ■ ■ ■ ■ ■ geometric_ops.h
■ ■ ■ ■ ■ ■ ■ geqrf.h
■ ■ ■ ■ ■ ■ ■ geqrf_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ geqrf_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ geqrf_native.h
■ ■ ■ ■ ■ ■ ■ geqrf_ops.h
■ ■ ■ ■ ■ ■ ■ ger.h
■ ■ ■ ■ ■ ■ ■ ger_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ger_native.h
■ ■ ■ ■ ■ ■ ■ ger_ops.h
■ ■ ■ ■ ■ ■ ■ glu.h
■ ■ ■ ■ ■ ■ ■ glu_backward.h
■ ■ ■ ■ ■ ■ ■ glu_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_native.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_ops.h
■ ■ ■ ■ ■ ■ ■ glu_backward_native.h
■ ■ ■ ■ ■ ■ ■ glu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ glu_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_native.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_ops.h
■ ■ ■ ■ ■ ■ ■ glu_meta.h
■ ■ ■ ■ ■ ■ ■ glu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_native.h

```

```

█ █ █ █ █ █ █ █ █ glu_ops.h
█ █ █ █ █ █ █ █ █ gradient.h
█ █ █ █ █ █ █ █ █ gradient_compositeimplicitautograd_dispatch.h
█ █ █ █ █ █ █ █ █ gradient_native.h
█ █ █ █ █ █ █ █ █ gradient_ops.h
█ █ █ █ █ █ █ █ █ greater.h
█ █ █ █ █ █ █ █ █ greater_compositeimplicitautograd_dispatch.h
█ █ █ █ █ █ █ █ █ greater_equal.h
█ █ █ █ █ █ █ █ █ greater_equal_compositeimplicitautograd_dispatch.h
█ █ █ █ █ █ █ █ █ greater_equal_native.h
█ █ █ █ █ █ █ █ █ greater_equal_ops.h
█ █ █ █ █ █ █ █ █ greater_native.h
█ █ █ █ █ █ █ █ █ greater_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_ops.h
█ █ █ █ █ █ █ █ █ group_norm.h
█ █ █ █ █ █ █ █ █ group_norm_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ group_norm_native.h
█ █ █ █ █ █ █ █ █ group_norm_ops.h
█ █ █ █ █ █ █ █ █ gru.h
█ █ █ █ █ █ █ █ █ gru_cell.h
█ █ █ █ █ █ █ █ █ gru_cell_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ gru_cell_native.h
█ █ █ █ █ █ █ █ █ gru_cell_ops.h
█ █ █ █ █ █ █ █ █ gru_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ gru_native.h
█ █ █ █ █ █ █ █ █ gru_ops.h
█ █ █ █ █ █ █ █ █ gt.h
█ █ █ █ █ █ █ █ █ gt_compositeexplicitautogradnonfunctional_dispatcher.h
█ █ █ █ █ █ █ █ █ gt_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ gt_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ gt_meta.h

```


■	■	■	■	■	■	■	■	■■■■	hardtanh_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_backward_native.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_native.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_ops.h
■	■	■	■	■	■	■	■	■■■■	heaviside.h
■	■	■	■	■	■	■	■	■■■■	heaviside_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_meta.h
■	■	■	■	■	■	■	■	■■■■	heaviside_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_native.h
■	■	■	■	■	■	■	■	■■■■	heaviside_ops.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss_native.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss_ops.h
■	■	■	■	■	■	■	■	■■■■	histc.h
■	■	■	■	■	■	■	■	■■■■	histc_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histc_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histc_native.h
■	■	■	■	■	■	■	■	■■■■	histc_ops.h
■	■	■	■	■	■	■	■	■■■■	histogram.h
■	■	■	■	■	■	■	■	■■■■	histogram_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histogram_native.h
■	■	■	■	■	■	■	■	■■■■	histogram_ops.h
■	■	■	■	■	■	■	■	■■■■	histogramdd.h
■	■	■	■	■	■	■	■	■■■■	histogramdd_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histogramdd_native.h
■	■	■	■	■	■	■	■	■■■■	histogramdd_ops.h
■	■	■	■	■	■	■	■	■■■■	hsplit.h
■	■	■	■	■	■	■	■	■■■■	hsplit_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hsplit_native.h
■	■	■	■	■	■	■	■	■■■■	hsplit_ops.h
■	■	■	■	■	■	■	■	■■■■	hspmm.h
■	■	■	■	■	■	■	■	■■■■	hspmm_native.h
■	■	■	■	■	■	■	■	■■■■	hspmm_ops.h
■	■	■	■	■	■	■	■	■■■■	hstack.h
■	■	■	■	■	■	■	■	■■■■	hstack_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hstack_native.h
■	■	■	■	■	■	■	■	■■■■	hstack_ops.h
■	■	■	■	■	■	■	■	■■■■	huber_loss.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_native.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_native.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_ops.h
■	■	■	■	■	■	■	■	■■■■	hypot.h
■	■	■	■	■	■	■	■	■■■■	hypot_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hypot_cpu_dispatch.h

```

■■■ hypot_cuda_dispatch.h
■■■ hypot_meta.h
■■■ hypot_meta_dispatch.h
■■■ hypot_native.h
■■■ hypot_ops.h
■■■ i0.h
■■■ i0_compositeexplicitautogradnonfunctional_dispatch.h
■■■ i0_cpu_dispatch.h
■■■ i0_cuda_dispatch.h
■■■ i0_meta.h
■■■ i0_meta_dispatch.h
■■■ i0_native.h
■■■ i0_ops.h
■■■ igamma.h
■■■ igamma_compositeexplicitautogradnonfunctional_dispatch.h
■■■ igamma_cpu_dispatch.h
■■■ igamma_cuda_dispatch.h
■■■ igamma_meta.h
■■■ igamma_meta_dispatch.h
■■■ igamma_native.h
■■■ igamma_ops.h
■■■ igammac.h
■■■ igammac_compositeexplicitautogradnonfunctional_dispatch.h
■■■ igammac_cpu_dispatch.h
■■■ igammac_cuda_dispatch.h
■■■ igammac_meta.h
■■■ igammac_meta_dispatch.h
■■■ igammac_native.h
■■■ igammac_ops.h
■■■ im2col.h
■■■ im2col_cpu_dispatch.h
■■■ im2col_cuda_dispatch.h
■■■ im2col_native.h
■■■ im2col_ops.h
■■■ imag.h
■■■ imag_compositeimplicitautograd_dispatch.h
■■■ imag_native.h
■■■ imag_ops.h
■■■ index.h
■■■ index_add.h
■■■ index_add_compositeexplicitautogradnonfunctional_dispa
■■■ index_add_compositeimplicitautograd_dispatch.h
■■■ index_add_cpu_dispatch.h
■■■ index_add_cuda_dispatch.h
■■■ index_add_meta.h
■■■ index_add_meta_dispatch.h
■■■ index_add_native.h
■■■ index_add_ops.h
■■■ index_compositeexplicitautogradnonfunctional_dispatch.h
■■■ index_copy.h
■■■ index_copy_compositeexplicitautogradnonfunctional_dispa
■■■ index_copy_compositeimplicitautograd_dispatch.h
■■■ index_copy_cpu_dispatch.h
■■■ index_copy_cuda_dispatch.h
■■■ index_copy_meta.h
■■■ index_copy_meta_dispatch.h
■■■ index_copy_native.h
■■■ index_copy_ops.h

```



```

index_cpu_dispatch.h
index_cuda_dispatch.h
index_fill.h
index_fill_compositeexplicitautograd_dispatch.h
index_fill_compositeimplicitautograd_dispatch.h
index_fill_cpu_dispatch.h
index_fill_cuda_dispatch.h
index_fill_meta_dispatch.h
index_fill_native.h
index_fill_ops.h
index_meta.h
index_meta_dispatch.h
index_native.h
index_ops.h
index_put.h
index_put_compositeexplicitautograd_dispatch.h
index_put_native.h
index_put_ops.h
index_reduce.h
index_reduce_compositeexplicitautogradnonfunctional_dispatch.h
index_reduce_cpu_dispatch.h
index_reduce_cuda_dispatch.h
index_reduce_meta.h
index_reduce_meta_dispatch.h
index_reduce_native.h
index_reduce_ops.h
index_select.h
index_select_backward.h
index_select_backward_compositeimplicitautograd_dispatch.h
index_select_backward_native.h
index_select_backward_ops.h
index_select_compositeimplicitautograd_dispatch.h
index_select_cpu_dispatch.h
index_select_cuda_dispatch.h
index_select_native.h
index_select_ops.h
indices.h
indices_compositeexplicitautograd_dispatch.h
indices_copy.h
indices_copy_compositeexplicitautograd_dispatch.h
indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
indices_copy_native.h
indices_copy_ops.h
indices_native.h
indices_ops.h
infinitely_differentiable_gelu_backward.h
infinitely_differentiable_gelu_backward_compositeimplicitautograd_dispatch.h
infinitely_differentiable_gelu_backward_native.h
infinitely_differentiable_gelu_backward_ops.h
inner.h
inner_compositeimplicitautograd_dispatch.h
inner_native.h
inner_ops.h
instance_norm.h
instance_norm_compositeimplicitautograd_dispatch.h
instance_norm_native.h
instance_norm_ops.h
int_repr.h

```

```

int_repr_compositeexplicitautograd_dispatch.h
int_repr_native.h
int_repr_ops.h
inverse.h
inverse_compositeimplicitautograd_dispatch.h
inverse_native.h
inverse_ops.h
is_coalesced.h
is_coalesced_compositeexplicitautograd_dispatch.h
is_coalesced_native.h
is_coalesced_ops.h
is_complex.h
is_complex_compositeimplicitautograd_dispatch.h
is_complex_native.h
is_complex_ops.h
is_conj.h
is_conj_compositeimplicitautograd_dispatch.h
is_conj_native.h
is_conj_ops.h
is_distributed.h
is_distributed_compositeimplicitautograd_dispatch.h
is_distributed_native.h
is_distributed_ops.h
is_floating_point.h
is_floating_point_compositeimplicitautograd_dispatch.h
is_floating_point_native.h
is_floating_point_ops.h
is_inference.h
is_inference_compositeimplicitautograd_dispatch.h
is_inference_native.h
is_inference_ops.h
is_leaf.h
is_leaf_compositeimplicitautograd_dispatch.h
is_leaf_native.h
is_leaf_ops.h
is_neg.h
is_neg_compositeimplicitautograd_dispatch.h
is_neg_native.h
is_neg_ops.h
is_nonzero.h
is_nonzero_compositeimplicitautograd_dispatch.h
is_nonzero_native.h
is_nonzero_ops.h
is_pinned.h
is_pinned_compositeexplicitautograd_dispatch.h
is_pinned_cuda_dispatch.h
is_pinned_native.h
is_pinned_ops.h
is_same_size.h
is_same_size_compositeexplicitautograd_dispatch.h
is_same_size_native.h
is_same_size_ops.h
is_set_to.h
is_set_to_cpu_dispatch.h
is_set_to_cuda_dispatch.h
is_set_to_native.h
is_set_to_ops.h
is_signed.h

```


■	■	■	■	■	■	■	■	■■■	item_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	item_native.h
■	■	■	■	■	■	■	■	■■■	item_ops.h
■	■	■	■	■	■	■	■	■■■	kaiser_window.h
■	■	■	■	■	■	■	■	■■■	kaiser_window_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	kaiser_window_native.h
■	■	■	■	■	■	■	■	■■■	kaiser_window_ops.h
■	■	■	■	■	■	■	■	■■■	kl_div.h
■	■	■	■	■	■	■	■	■■■	kl_div_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	kl_div_native.h
■	■	■	■	■	■	■	■	■■■	kl_div_ops.h
■	■	■	■	■	■	■	■	■■■	kron.h
■	■	■	■	■	■	■	■	■■■	kron_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	kron_native.h
■	■	■	■	■	■	■	■	■■■	kron_ops.h
■	■	■	■	■	■	■	■	■■■	kthvalue.h
■	■	■	■	■	■	■	■	■■■	kthvalue_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	kthvalue_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	kthvalue_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	kthvalue_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	kthvalue_native.h
■	■	■	■	■	■	■	■	■■■	kthvalue_ops.h
■	■	■	■	■	■	■	■	■■■	l1_loss.h
■	■	■	■	■	■	■	■	■■■	l1_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	l1_loss_native.h
■	■	■	■	■	■	■	■	■■■	l1_loss_ops.h
■	■	■	■	■	■	■	■	■■■	layer_norm.h
■	■	■	■	■	■	■	■	■■■	layer_norm_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	layer_norm_native.h
■	■	■	■	■	■	■	■	■■■	layer_norm_ops.h
■	■	■	■	■	■	■	■	■■■	lcm.h
■	■	■	■	■	■	■	■	■■■	lcm_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	lcm_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	lcm_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	lcm_meta.h
■	■	■	■	■	■	■	■	■■■	lcm_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	lcm_native.h
■	■	■	■	■	■	■	■	■■■	lcm_ops.h
■	■	■	■	■	■	■	■	■■■	ldexp.h
■	■	■	■	■	■	■	■	■■■	ldexp_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	ldexp_native.h
■	■	■	■	■	■	■	■	■■■	ldexp_ops.h
■	■	■	■	■	■	■	■	■■■	le.h
■	■	■	■	■	■	■	■	■■■	le_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	le_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	le_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	le_meta.h
■	■	■	■	■	■	■	■	■■■	le_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	le_native.h
■	■	■	■	■	■	■	■	■■■	le_ops.h
■	■	■	■	■	■	■	■	■■■	leaky_relu.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward_meta.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	leaky_relu_backward_native.h

```

leaky_relu_backward_ops.h
leaky_relu_compositeexplicitautogradnonfunctional_dispatch.h
leaky_relu_cpu_dispatch.h
leaky_relu_cuda_dispatch.h
leaky_relu_meta.h
leaky_relu_meta_dispatch.h
leaky_relu_native.h
leaky_relu_ops.h
lerp.h
lerp_compositeexplicitautogradnonfunctional_dispatch.h
lerp_cpu_dispatch.h
lerp_cuda_dispatch.h
lerp_meta.h
lerp_meta_dispatch.h
lerp_native.h
lerp_ops.h
less.h
less_compositeimplicitautograd_dispatch.h
less_equal.h
less_equal_compositeimplicitautograd_dispatch.h
less_equal_native.h
less_equal_ops.h
less_native.h
less_ops.h
lgamma.h
lgamma_compositeexplicitautogradnonfunctional_dispatch.h
lgamma_cpu_dispatch.h
lgamma_cuda_dispatch.h
lgamma_meta.h
lgamma_meta_dispatch.h
lgamma_native.h
lgamma_ops.h
lift.h
lift_compositeexplicitautograd_dispatch.h
lift_fresh.h
lift_fresh_compositeexplicitautograd_dispatch.h
lift_fresh_copy.h
lift_fresh_copy_compositeexplicitautograd_dispatch.h
lift_fresh_copy_compositeexplicitautogradnonfunctional_dispatch.h
lift_fresh_copy_native.h
lift_fresh_copy_ops.h
lift_fresh_native.h
lift_fresh_ops.h
lift_native.h
lift_ops.h
linalg_cholesky.h
linalg_cholesky_compositeimplicitautograd_dispatch.h
linalg_cholesky_ex.h
linalg_cholesky_ex_compositeexplicitautogradnonfunctional_dispatch.h
linalg_cholesky_ex_cpu_dispatch.h
linalg_cholesky_ex_cuda_dispatch.h
linalg_cholesky_ex_meta.h
linalg_cholesky_ex_meta_dispatch.h
linalg_cholesky_ex_native.h
linalg_cholesky_ex_ops.h
linalg_cholesky_native.h
linalg_cholesky_ops.h
linalg_cond.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cond_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cond_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cond_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_compositeexplicitautogradnonfunctional_dis
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_cross_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_det.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_det_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_det_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_det_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_diagonal.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_diagonal_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_diagonal_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_diagonal_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eig.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eig_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eig_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eig_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eig_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigh.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigh_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigh_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigh_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvals.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvals_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvals_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvals_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvalsh.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvalsh_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvalsh_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_eigvalsh_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_householder_product.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_householder_product_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_householder_product_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_householder_product_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_householder_product_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_compositeexplicitautogradnonfunctional_di
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_inv_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_compositeexplicitautogradnonfuncti
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_cpu_dispatch.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_compositeexplicitautogradnonfunctional
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_compositeexplicitautogradnonfunctional_dispat
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_compositeexplicitautogradnonfunctio
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_compositeexplicitautogradnonfunctional_
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_native.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals_compositeimplicitautograd_dispatcher.h

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_native.h

```

```

log1p_ops.h
log2.h
log2_compositeexplicitautogradnonfunctional_dispatch.h
log2_cpu_dispatch.h
log2_cuda_dispatch.h
log2_meta.h
log2_meta_dispatch.h
log2_native.h
log2_ops.h
log_compositeexplicitautogradnonfunctional_dispatch.h
log_cpu_dispatch.h
log_cuda_dispatch.h
log_meta.h
log_meta_dispatch.h
log_native.h
log_normal.h
log_normal_compositeexplicitautograd_dispatch.h
log_normal_cpu_dispatch.h
log_normal_cuda_dispatch.h
log_normal_meta_dispatch.h
log_normal_native.h
log_normal_ops.h
log_ops.h
log_sigmoid.h
log_sigmoid_backward.h
log_sigmoid_backward_cpu_dispatch.h
log_sigmoid_backward_cuda_dispatch.h
log_sigmoid_backward_native.h
log_sigmoid_backward_ops.h
log_sigmoid_compositeimplicitautograd_dispatch.h
log_sigmoid_forward.h
log_sigmoid_forward_cpu_dispatch.h
log_sigmoid_forward_cuda_dispatch.h
log_sigmoid_forward_native.h
log_sigmoid_forward_ops.h
log_sigmoid_native.h
log_sigmoid_ops.h
log_softmax.h
log_softmax_compositeexplicitautograd_dispatch.h
log_softmax_compositeimplicitautograd_dispatch.h
log_softmax_native.h
log_softmax_ops.h
logaddexp.h
logaddexp2.h
logaddexp2_compositeexplicitautogradnonfunctional_dispa
logaddexp2_cpu_dispatch.h
logaddexp2_cuda_dispatch.h
logaddexp2_meta.h
logaddexp2_meta_dispatch.h
logaddexp2_native.h
logaddexp2_ops.h
logaddexp_compositeexplicitautogradnonfunctional_dispat
logaddexp_cpu_dispatch.h
logaddexp_cuda_dispatch.h
logaddexp_meta.h
logaddexp_meta_dispatch.h
logaddexp_native.h
logaddexp_ops.h

```


■	■	■	■	■	■	■	■	■■■	logsumexp_native.h
■	■	■	■	■	■	■	■	■■■	logsumexp_ops.h
■	■	■	■	■	■	■	■	■■■	lshift.h
■	■	■	■	■	■	■	■	■■■	lshift_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	lshift_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	lshift_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	lshift_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	lshift_native.h
■	■	■	■	■	■	■	■	■■■	lshift_ops.h
■	■	■	■	■	■	■	■	■■■	lstm.h
■	■	■	■	■	■	■	■	■■■	lstm_cell.h
■	■	■	■	■	■	■	■	■■■	lstm_cell_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	lstm_cell_native.h
■	■	■	■	■	■	■	■	■■■	lstm_cell_ops.h
■	■	■	■	■	■	■	■	■■■	lstm_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	lstm_mps_backward.h
■	■	■	■	■	■	■	■	■■■	lstm_mps_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	lstm_mps_backward_native.h
■	■	■	■	■	■	■	■	■■■	lstm_mps_backward_ops.h
■	■	■	■	■	■	■	■	■■■	lstm_native.h
■	■	■	■	■	■	■	■	■■■	lstm_ops.h
■	■	■	■	■	■	■	■	■■■	lt.h
■	■	■	■	■	■	■	■	■■■	lt_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	lt_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	lt_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	lt_meta.h
■	■	■	■	■	■	■	■	■■■	lt_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	lt_native.h
■	■	■	■	■	■	■	■	■■■	lt_ops.h
■	■	■	■	■	■	■	■	■■■	lu_solve.h
■	■	■	■	■	■	■	■	■■■	lu_solve_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	lu_solve_native.h
■	■	■	■	■	■	■	■	■■■	lu_solve_ops.h
■	■	■	■	■	■	■	■	■■■	lu_unpack.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_meta.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_native.h
■	■	■	■	■	■	■	■	■■■	lu_unpack_ops.h
■	■	■	■	■	■	■	■	■■■	mH.h
■	■	■	■	■	■	■	■	■■■	mH_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	mH_native.h
■	■	■	■	■	■	■	■	■■■	mH_ops.h
■	■	■	■	■	■	■	■	■■■	mT.h
■	■	■	■	■	■	■	■	■■■	mT_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	mT_native.h
■	■	■	■	■	■	■	■	■■■	mT_ops.h
■	■	■	■	■	■	■	■	■■■	margin_ranking_loss.h
■	■	■	■	■	■	■	■	■■■	margin_ranking_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	margin_ranking_loss_native.h
■	■	■	■	■	■	■	■	■■■	margin_ranking_loss_ops.h
■	■	■	■	■	■	■	■	■■■	masked_fill.h
■	■	■	■	■	■	■	■	■■■	masked_fill_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	masked_fill_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	masked_fill_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	masked_fill_meta_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_fill_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_fill_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward_compositeimplicitautograd_dispat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward_compositeimplicitautograd_dispatch.
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_with_indices.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_with_indices_compositeimplicitautograd_dispa
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_with_indices_native.h

```

max_pool1d_with_indices_ops.h
max_pool2d.h
max_pool2d_backward.h
max_pool2d_backward_compositeexplicitautograd_dispatch.h
max_pool2d_backward_native.h
max_pool2d_backward_ops.h
max_pool2d_compositeimplicitautograd_dispatch.h
max_pool2d_native.h
max_pool2d_ops.h
max_pool2d_with_indices.h
max_pool2d_with_indices_backward.h
max_pool2d_with_indices_backward_compositeexplicitautograd_dispatch.h
max_pool2d_with_indices_backward_cpu_dispatch.h
max_pool2d_with_indices_backward_cuda_dispatch.h
max_pool2d_with_indices_backward_meta.h
max_pool2d_with_indices_backward_meta_dispatch.h
max_pool2d_with_indices_backward_native.h
max_pool2d_with_indices_backward_ops.h
max_pool2d_with_indices_compositeexplicitautogradnonfunctional_dispatch.h
max_pool2d_with_indices_cpu_dispatch.h
max_pool2d_with_indices_cuda_dispatch.h
max_pool2d_with_indices_meta.h
max_pool2d_with_indices_meta_dispatch.h
max_pool2d_with_indices_native.h
max_pool2d_with_indices_ops.h
max_pool3d.h
max_pool3d_compositeimplicitautograd_dispatch.h
max_pool3d_native.h
max_pool3d_ops.h
max_pool3d_with_indices.h
max_pool3d_with_indices_backward.h
max_pool3d_with_indices_backward_cpu_dispatch.h
max_pool3d_with_indices_backward_cuda_dispatch.h
max_pool3d_with_indices_backward_native.h
max_pool3d_with_indices_backward_ops.h
max_pool3d_with_indices_cpu_dispatch.h
max_pool3d_with_indices_cuda_dispatch.h
max_pool3d_with_indices_native.h
max_pool3d_with_indices_ops.h
max_unpool2d.h
max_unpool2d_cpu_dispatch.h
max_unpool2d_cuda_dispatch.h
max_unpool2d_native.h
max_unpool2d_ops.h
max_unpool3d.h
max_unpool3d_cpu_dispatch.h
max_unpool3d_cuda_dispatch.h
max_unpool3d_native.h
max_unpool3d_ops.h
maximum.h
maximum_compositeexplicitautogradnonfunctional_dispatch.h
maximum_cpu_dispatch.h
maximum_cuda_dispatch.h
maximum_meta.h
maximum_meta_dispatch.h
maximum_native.h
maximum_ops.h
mean.h

■	■	■	■	■	■	■	■	mean_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	mean_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	mean_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	mean_cpu_dispatch.h
■	■	■	■	■	■	■	■	mean_cuda_dispatch.h
■	■	■	■	■	■	■	■	mean_meta.h
■	■	■	■	■	■	■	■	mean_meta_dispatch.h
■	■	■	■	■	■	■	■	mean_native.h
■	■	■	■	■	■	■	■	mean_ops.h
■	■	■	■	■	■	■	■	median.h
■	■	■	■	■	■	■	■	median_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	median_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	median_cpu_dispatch.h
■	■	■	■	■	■	■	■	median_cuda_dispatch.h
■	■	■	■	■	■	■	■	median_native.h
■	■	■	■	■	■	■	■	median_ops.h
■	■	■	■	■	■	■	■	meshgrid.h
■	■	■	■	■	■	■	■	meshgrid_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	meshgrid_native.h
■	■	■	■	■	■	■	■	meshgrid_ops.h
■	■	■	■	■	■	■	■	min.h
■	■	■	■	■	■	■	■	min_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	min_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	min_cpu_dispatch.h
■	■	■	■	■	■	■	■	min_cuda_dispatch.h
■	■	■	■	■	■	■	■	min_meta.h
■	■	■	■	■	■	■	■	min_meta_dispatch.h
■	■	■	■	■	■	■	■	min_native.h
■	■	■	■	■	■	■	■	min_ops.h
■	■	■	■	■	■	■	■	minimum.h
■	■	■	■	■	■	■	■	minimum_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	minimum_cpu_dispatch.h
■	■	■	■	■	■	■	■	minimum_cuda_dispatch.h
■	■	■	■	■	■	■	■	minimum_meta.h
■	■	■	■	■	■	■	■	minimum_meta_dispatch.h
■	■	■	■	■	■	■	■	minimum_native.h
■	■	■	■	■	■	■	■	minimum_ops.h
■	■	■	■	■	■	■	■	miopen_batch_norm.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_native.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_ops.h
■	■	■	■	■	■	■	■	miopen_batch_norm_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_native.h
■	■	■	■	■	■	■	■	miopen_batch_norm_ops.h
■	■	■	■	■	■	■	■	miopen_convolution.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu_native.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu_ops.h
■	■	■	■	■	■	■	■	miopen_convolution_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	miopen_convolution_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_convolution_native.h
■	■	■	■	■	■	■	■	miopen_convolution_ops.h
■	■	■	■	■	■	■	■	miopen_convolution_relu.h
■	■	■	■	■	■	■	■	miopen_convolution_relu_cuda_dispatch.h

								miopen_convolution_relu_native.h
								miopen_convolution_relu_ops.h
								miopen_convolution_transpose.h
								miopen_convolution_transpose_compositeexplicitautograd_dispatch.h
								miopen_convolution_transpose_cuda_dispatch.h
								miopen_convolution_transpose_native.h
								miopen_convolution_transpose_ops.h
								miopen_depthwise_convolution.h
								miopen_depthwise_convolution_compositeexplicitautograd_dispatch.h
								miopen_depthwise_convolution_cuda_dispatch.h
								miopen_depthwise_convolution_native.h
								miopen_depthwise_convolution_ops.h
								miopen_rnn.h
								miopen_rnn_backward.h
								miopen_rnn_backward_compositeexplicitautograd_dispatch.h
								miopen_rnn_backward_cuda_dispatch.h
								miopen_rnn_backward_native.h
								miopen_rnn_backward_ops.h
								miopen_rnn_compositeexplicitautograd_dispatch.h
								miopen_rnn_cuda_dispatch.h
								miopen_rnn_native.h
								miopen_rnn_ops.h
								mish.h
								mish_backward.h
								mish_backward_compositeimplicitautograd_dispatch.h
								mish_backward_cpu_dispatch.h
								mish_backward_cuda_dispatch.h
								mish_backward_native.h
								mish_backward_ops.h
								mish_compositeexplicitautogradnonfunctional_dispatch.h
								mish_cpu_dispatch.h
								mish_cuda_dispatch.h
								mish_meta.h
								mish_meta_dispatch.h
								mish_native.h
								mish_ops.h
								mkldnn_adaptive_avg_pool2d.h
								mkldnn_adaptive_avg_pool2d_backward.h
								mkldnn_adaptive_avg_pool2d_backward_compositeexplicitautograd_dispatch.h
								mkldnn_adaptive_avg_pool2d_backward_native.h
								mkldnn_adaptive_avg_pool2d_backward_ops.h
								mkldnn_adaptive_avg_pool2d_native.h
								mkldnn_adaptive_avg_pool2d_ops.h
								mkldnn_convolution.h
								mkldnn_convolution_compositeexplicitautograd_dispatch.h
								mkldnn_convolution_native.h
								mkldnn_convolution_ops.h
								mkldnn_linear.h
								mkldnn_linear_backward.h
								mkldnn_linear_backward_compositeexplicitautograd_dispatch.h
								mkldnn_linear_backward_input.h
								mkldnn_linear_backward_input_compositeexplicitautograd_dispatch.h
								mkldnn_linear_backward_input_native.h
								mkldnn_linear_backward_input_ops.h
								mkldnn_linear_backward_native.h
								mkldnn_linear_backward_ops.h
								mkldnn_linear_backward_weights.h
								mkldnn_linear backward weights compositeexplicitautograd_dispatch.h


```
██████ mkldnn_linear_backward_weights_native.h  
██████ mkldnn_linear_backward_weights_ops.h  
██████ mkldnn_linear_compositeexplicitautograd_dispatch.h  
██████ mkldnn_linear_native.h  
██████ mkldnn_linear_ops.h  
██████ mkldnn_max_pool2d.h  
██████ mkldnn_max_pool2d_backward.h  
██████ mkldnn_max_pool2d_backward_compositeexplicitautograd_dispatcher.h  
██████ mkldnn_max_pool2d_backward_native.h  
██████ mkldnn_max_pool2d_backward_ops.h  
██████ mkldnn_max_pool2d_compositeexplicitautograd_dispatch.h  
██████ mkldnn_max_pool2d_native.h  
██████ mkldnn_max_pool2d_ops.h  
██████ mkldnn_max_pool3d.h  
██████ mkldnn_max_pool3d_backward.h  
██████ mkldnn_max_pool3d_backward_compositeexplicitautograd_dispatcher.h  
██████ mkldnn_max_pool3d_backward_native.h  
██████ mkldnn_max_pool3d_backward_ops.h  
██████ mkldnn_max_pool3d_compositeexplicitautograd_dispatch.h  
██████ mkldnn_max_pool3d_native.h  
██████ mkldnn_max_pool3d_ops.h  
██████ mkldnn_reorder_conv2d_weight.h  
██████ mkldnn_reorder_conv2d_weight_compositeexplicitautograd_dispatcher.h  
██████ mkldnn_reorder_conv2d_weight_native.h  
██████ mkldnn_reorder_conv2d_weight_ops.h  
██████ mkldnn_reorder_conv3d_weight.h  
██████ mkldnn_reorder_conv3d_weight_compositeexplicitautograd_dispatcher.h  
██████ mkldnn_reorder_conv3d_weight_native.h  
██████ mkldnn_reorder_conv3d_weight_ops.h  
██████ mkldnn_rnn_layer.h  
██████ mkldnn_rnn_layer_backward.h  
██████ mkldnn_rnn_layer_backward_compositeexplicitautograd_dispatcher.h  
██████ mkldnn_rnn_layer_backward_cpu_dispatch.h  
██████ mkldnn_rnn_layer_backward_native.h  
██████ mkldnn_rnn_layer_backward_ops.h  
██████ mkldnn_rnn_layer_compositeexplicitautograd_dispatch.h  
██████ mkldnn_rnn_layer_cpu_dispatch.h  
██████ mkldnn_rnn_layer_native.h  
██████ mkldnn_rnn_layer_ops.h  
██████ mm.h  
██████ mm_compositeexplicitautogradnonfunctional_dispatch.h  
██████ mm_cpu_dispatch.h  
██████ mm_cuda_dispatch.h  
██████ mm_meta.h  
██████ mm_meta_dispatch.h  
██████ mm_native.h  
██████ mm_ops.h  
██████ mode.h  
██████ mode_compositeexplicitautograd_dispatch.h  
██████ mode_compositeimplicitautograd_dispatch.h  
██████ mode_cpu_dispatch.h  
██████ mode_cuda_dispatch.h  
██████ mode_native.h  
██████ mode_ops.h  
██████ moveaxis.h  
██████ moveaxis_compositeimplicitautograd_dispatch.h  
██████ moveaxis_native.h  
██████ moveaxis_ops.h
```


[illegible]

								native_batch_norm.h
								native_batch_norm_backward.h
								native_batch_norm_backward_compositeexplicitautograd_dispatcher.h
								native_batch_norm_backward_cpu_dispatch.h
								native_batch_norm_backward_cuda_dispatch.h
								native_batch_norm_backward_native.h
								native_batch_norm_ops.h
								native_batch_norm_cpu_dispatch.h
								native_batch_norm_cuda_dispatch.h
								native_batch_norm_native.h
								native_batch_norm_ops.h
								native_channel_shuffle.h
								native_channel_shuffle_compositeimplicitautograd_dispatcher.h
								native_channel_shuffle_cpu_dispatch.h
								native_channel_shuffle_native.h
								native_channel_shuffle_ops.h
								native_dropout.h
								native_dropout_backward.h
								native_dropout_backward_compositeexplicitautograd_dispatcher.h
								native_dropout_backward_cpu_dispatch.h
								native_dropout_backward_cuda_dispatch.h
								native_dropout_backward_native.h
								native_dropout_backward_ops.h
								native_dropout_compositeexplicitautograd_dispatcher.h
								native_dropout_cpu_dispatch.h
								native_dropout_cuda_dispatch.h
								native_dropout_native.h
								native_dropout_ops.h
								native_group_norm.h
								native_group_norm_backward.h
								native_group_norm_backward_compositeexplicitautograd_dispatcher.h
								native_group_norm_backward_cpu_dispatch.h
								native_group_norm_backward_cuda_dispatch.h
								native_group_norm_backward_native.h
								native_group_norm_backward_ops.h
								native_group_norm_compositeexplicitautograd_dispatcher.h
								native_group_norm_cpu_dispatch.h
								native_group_norm_cuda_dispatch.h
								native_group_norm_native.h
								native_group_norm_ops.h
								native_layer_norm.h
								native_layer_norm_backward.h
								native_layer_norm_backward_compositeexplicitautograd_dispatcher.h
								native_layer_norm_backward_cpu_dispatch.h
								native_layer_norm_backward_cuda_dispatch.h
								native_layer_norm_backward_native.h
								native_layer_norm_backward_ops.h
								native_layer_norm_compositeexplicitautograd_dispatcher.h
								native_layer_norm_cpu_dispatch.h
								native_layer_norm_cuda_dispatch.h
								native_layer_norm_native.h
								native_layer_norm_ops.h
								native_norm.h
								native_norm_compositeexplicitautograd_dispatcher.h
								native_norm_native.h
								native_norm_ops.h
								ne.h
								ne_compositeexplicitautogradnonfunctional_dispatcher.h

■	■	■	■	■	■	■	■	■■■■	ne_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ne_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ne_meta.h
■	■	■	■	■	■	■	■	■■■■	ne_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ne_native.h
■	■	■	■	■	■	■	■	■■■■	ne_ops.h
■	■	■	■	■	■	■	■	■■■■	neg.h
■	■	■	■	■	■	■	■	■■■■	neg_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_meta.h
■	■	■	■	■	■	■	■	■■■■	neg_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_native.h
■	■	■	■	■	■	■	■	■■■■	neg_ops.h
■	■	■	■	■	■	■	■	■■■■	negative.h
■	■	■	■	■	■	■	■	■■■■	negative_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	negative_native.h
■	■	■	■	■	■	■	■	■■■■	negative_ops.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor_native.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor_ops.h
■	■	■	■	■	■	■	■	■■■■	new_empty.h
■	■	■	■	■	■	■	■	■■■■	new_empty_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_empty_native.h
■	■	■	■	■	■	■	■	■■■■	new_empty_ops.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_native.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_ops.h
■	■	■	■	■	■	■	■	■■■■	new_full.h
■	■	■	■	■	■	■	■	■■■■	new_full_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_full_native.h
■	■	■	■	■	■	■	■	■■■■	new_full_ops.h
■	■	■	■	■	■	■	■	■■■■	new_ones.h
■	■	■	■	■	■	■	■	■■■■	new_ones_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_ones_native.h
■	■	■	■	■	■	■	■	■■■■	new_ones_ops.h
■	■	■	■	■	■	■	■	■■■■	new_zeros.h
■	■	■	■	■	■	■	■	■■■■	new_zeros_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_zeros_native.h
■	■	■	■	■	■	■	■	■■■■	new_zeros_ops.h
■	■	■	■	■	■	■	■	■■■■	nextafter.h
■	■	■	■	■	■	■	■	■■■■	nextafter_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_meta.h
■	■	■	■	■	■	■	■	■■■■	nextafter_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_native.h
■	■	■	■	■	■	■	■	■■■■	nextafter_ops.h
■	■	■	■	■	■	■	■	■■■■	nll_loss.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_native.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_ops.h

```

■■■■ nll_loss2d_compositeimplicitautograd_dispatch.h
■■■■ nll_loss2d_forward.h
■■■■ nll_loss2d_forward_cpu_dispatch.h
■■■■ nll_loss2d_forward_cuda_dispatch.h
■■■■ nll_loss2d_forward_native.h
■■■■ nll_loss2d_forward_ops.h
■■■■ nll_loss2d_native.h
■■■■ nll_loss2d_ops.h
■■■■ nll_loss_backward.h
■■■■ nll_loss_backward_compositeexplicitautogradnonfunctional_dispatch.h
■■■■ nll_loss_backward_cpu_dispatch.h
■■■■ nll_loss_backward_cuda_dispatch.h
■■■■ nll_loss_backward_meta.h
■■■■ nll_loss_backward_meta_dispatch.h
■■■■ nll_loss_backward_native.h
■■■■ nll_loss_backward_ops.h
■■■■ nll_loss_compositeimplicitautograd_dispatch.h
■■■■ nll_loss_forward.h
■■■■ nll_loss_forward_compositeexplicitautogradnonfunctional_dispatch.h
■■■■ nll_loss_forward_cpu_dispatch.h
■■■■ nll_loss_forward_cuda_dispatch.h
■■■■ nll_loss_forward_meta.h
■■■■ nll_loss_forward_meta_dispatch.h
■■■■ nll_loss_forward_native.h
■■■■ nll_loss_forward_ops.h
■■■■ nll_loss_native.h
■■■■ nll_loss_nd.h
■■■■ nll_loss_nd_compositeimplicitautograd_dispatch.h
■■■■ nll_loss_nd_native.h
■■■■ nll_loss_nd_ops.h
■■■■ nll_loss_ops.h
■■■■ nonzero.h
■■■■ nonzero_cpu_dispatch.h
■■■■ nonzero_cuda_dispatch.h
■■■■ nonzero_native.h
■■■■ nonzero_numpy.h
■■■■ nonzero_numpy_compositeimplicitautograd_dispatch.h
■■■■ nonzero_numpy_native.h
■■■■ nonzero_numpy_ops.h
■■■■ nonzero_ops.h
■■■■ norm.h
■■■■ norm_compositeexplicitautograd_dispatch.h
■■■■ norm_compositeexplicitautogradnonfunctional_dispatch.h
■■■■ norm_compositeimplicitautograd_dispatch.h
■■■■ norm_cpu_dispatch.h
■■■■ norm_cuda_dispatch.h
■■■■ norm_except_dim.h
■■■■ norm_except_dim_compositeimplicitautograd_dispatch.h
■■■■ norm_except_dim_native.h
■■■■ norm_except_dim_ops.h
■■■■ norm_meta.h
■■■■ norm_meta_dispatch.h
■■■■ norm_native.h
■■■■ norm_ops.h
■■■■ normal.h
■■■■ normal_compositeexplicitautograd_dispatch.h
■■■■ normal_cpu_dispatch.h
■■■■ normal_cuda_dispatch.h

```

```

■■■ normal_meta_dispatch.h
■■■ normal_native.h
■■■ normal_ops.h
■■■ not_equal.h
■■■ not_equal_compositeimplicitautograd_dispatch.h
■■■ not_equal_native.h
■■■ not_equal_ops.h
■■■ nuclear_norm.h
■■■ nuclear_norm_compositeimplicitautograd_dispatch.h
■■■ nuclear_norm_native.h
■■■ nuclear_norm_ops.h
■■■ numpy_T.h
■■■ numpy_T_compositeimplicitautograd_dispatch.h
■■■ numpy_T_native.h
■■■ numpy_T_ops.h
■■■ one_hot.h
■■■ one_hot_compositeimplicitautograd_dispatch.h
■■■ one_hot_native.h
■■■ one_hot_ops.h
■■■ ones.h
■■■ ones_compositeexplicitautograd_dispatch.h
■■■ ones_like.h
■■■ ones_like_compositeexplicitautograd_dispatch.h
■■■ ones_like_native.h
■■■ ones_like_ops.h
■■■ ones_native.h
■■■ ones_ops.h
■■■ or.h
■■■ or_compositeimplicitautograd_dispatch.h
■■■ or_native.h
■■■ or_ops.h
■■■ orgqr.h
■■■ orgqr_compositeimplicitautograd_dispatch.h
■■■ orgqr_native.h
■■■ orgqr_ops.h
■■■ ormqr.h
■■■ ormqr_cpu_dispatch.h
■■■ ormqr_cuda_dispatch.h
■■■ ormqr_native.h
■■■ ormqr_ops.h
■■■ outer.h
■■■ outer_compositeimplicitautograd_dispatch.h
■■■ outer_native.h
■■■ outer_ops.h
■■■ output_nr.h
■■■ output_nr_compositeimplicitautograd_dispatch.h
■■■ output_nr_native.h
■■■ output_nr_ops.h
■■■ pad.h
■■■ pad_compositeimplicitautograd_dispatch.h
■■■ pad_native.h
■■■ pad_ops.h
■■■ pad_sequence.h
■■■ pad_sequence_compositeimplicitautograd_dispatch.h
■■■ pad_sequence_native.h
■■■ pad_sequence_ops.h
■■■ pairwise_distance.h
■■■ pairwise_distance_compositeimplicitautograd_dispatch.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ pairwise_distance_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pairwise_distance_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_meta_dispatch.h

```


■	■	■	■	■	■	■	■	■■■■	polygamma_native.h
■	■	■	■	■	■	■	■	■■■■	polygamma_ops.h
■	■	■	■	■	■	■	■	■■■■	positive.h
■	■	■	■	■	■	■	■	■■■■	positive_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	positive_native.h
■	■	■	■	■	■	■	■	■■■■	positive_ops.h
■	■	■	■	■	■	■	■	■■■■	pow.h
■	■	■	■	■	■	■	■	■■■■	pow_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_meta.h
■	■	■	■	■	■	■	■	■■■■	pow_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_native.h
■	■	■	■	■	■	■	■	■■■■	pow_ops.h
■	■	■	■	■	■	■	■	■■■■	prelu.h
■	■	■	■	■	■	■	■	■■■■	prelu_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prelu_native.h
■	■	■	■	■	■	■	■	■■■■	prelu_ops.h
■	■	■	■	■	■	■	■	■■■■	prod.h
■	■	■	■	■	■	■	■	■■■■	prod_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_meta.h
■	■	■	■	■	■	■	■	■■■■	prod_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_native.h
■	■	■	■	■	■	■	■	■■■■	prod_ops.h
■	■	■	■	■	■	■	■	■■■■	promote_types.h
■	■	■	■	■	■	■	■	■■■■	promote_types_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	promote_types_native.h
■	■	■	■	■	■	■	■	■■■■	promote_types_ops.h
■	■	■	■	■	■	■	■	■■■■	put.h
■	■	■	■	■	■	■	■	■■■■	put_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_native.h
■	■	■	■	■	■	■	■	■■■■	put_ops.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_axis.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_axis_native.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_axis_ops.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales_native.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales_ops.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points_native.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points_ops.h
■	■	■	■	■	■	■	■	■■■■	q_scale.h
■	■	■	■	■	■	■	■	■■■■	q_scale_native.h
■	■	■	■	■	■	■	■	■■■■	q_scale_ops.h
■	■	■	■	■	■	■	■	■■■■	q_zero_point.h
■	■	■	■	■	■	■	■	■■■■	q_zero_point_native.h
■	■	■	■	■	■	■	■	■■■■	q_zero_point_ops.h
■	■	■	■	■	■	■	■	■■■■	qr.h
■	■	■	■	■	■	■	■	■■■■	qr_compositeimplicitautograd_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ qr_native.h
■ ■ ■ ■ ■ ■ ■ qr_ops.h
■ ■ ■ ■ ■ ■ ■ qscheme.h
■ ■ ■ ■ ■ ■ ■ qscheme_native.h
■ ■ ■ ■ ■ ■ ■ qscheme_ops.h
■ ■ ■ ■ ■ ■ ■ quantile.h
■ ■ ■ ■ ■ ■ ■ quantile_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantile_native.h
■ ■ ■ ■ ■ ■ ■ quantile_ops.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_native.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_ops.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_compositeexplicitautograd_d
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_native.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_ops.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_native.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm_native.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d_native.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d_native.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell_compositeimplicitautograd_dispa
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell_compositeimplicitautograd_dispa
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell_ops.h
■ ■ ■ ■ ■ ■ ■ rad2deg.h
■ ■ ■ ■ ■ ■ ■ rad2deg_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rad2deg_native.h

```

[illegible]

							reciprocal_cuda_dispatch.h
							reciprocal_meta.h
							reciprocal_meta_dispatch.h
							reciprocal_native.h
							reciprocal_ops.h
							record_stream.h
							record_stream_cuda_dispatch.h
							record_stream_native.h
							record_stream_ops.h
							refine_names.h
							refine_names_compositeimplicitautograd_dispatch.h
							refine_names_native.h
							refine_names_ops.h
							reflection_pad1d.h
							reflection_pad1d_backward.h
							reflection_pad1d_backward_compositeexplicitautogradnonfunctional.h
							reflection_pad1d_backward_cpu_dispatch.h
							reflection_pad1d_backward_cuda_dispatch.h
							reflection_pad1d_backward_meta.h
							reflection_pad1d_backward_meta_dispatch.h
							reflection_pad1d_backward_native.h
							reflection_pad1d_backward_ops.h
							reflection_pad1d_compositeexplicitautogradnonfunctional.h
							reflection_pad1d_cpu_dispatch.h
							reflection_pad1d_cuda_dispatch.h
							reflection_pad1d_meta.h
							reflection_pad1d_meta_dispatch.h
							reflection_pad1d_native.h
							reflection_pad1d_ops.h
							reflection_pad2d.h
							reflection_pad2d_backward.h
							reflection_pad2d_backward_cpu_dispatch.h
							reflection_pad2d_backward_cuda_dispatch.h
							reflection_pad2d_backward_native.h
							reflection_pad2d_backward_ops.h
							reflection_pad2d_cpu_dispatch.h
							reflection_pad2d_cuda_dispatch.h
							reflection_pad2d_native.h
							reflection_pad2d_ops.h
							reflection_pad3d.h
							reflection_pad3d_backward.h
							reflection_pad3d_backward_compositeexplicitautogradnonfunctional.h
							reflection_pad3d_backward_cpu_dispatch.h
							reflection_pad3d_backward_cuda_dispatch.h
							reflection_pad3d_backward_meta.h
							reflection_pad3d_backward_meta_dispatch.h
							reflection_pad3d_backward_native.h
							reflection_pad3d_backward_ops.h
							reflection_pad3d_compositeexplicitautogradnonfunctional.h
							reflection_pad3d_cpu_dispatch.h
							reflection_pad3d_cuda_dispatch.h
							reflection_pad3d_meta.h
							reflection_pad3d_meta_dispatch.h
							reflection_pad3d_native.h
							reflection_pad3d_ops.h
							relu.h
							relu6.h
							relu6_compositeimplicitautograd_dispatch.h

```

███ relu6_native.h
███ relu6_ops.h
███ relu_compositeexplicitautograd_dispatch.h
███ relu_cpu_dispatch.h
███ relu_cuda_dispatch.h
███ relu_meta_dispatch.h
███ relu_native.h
███ relu_ops.h
███ remainder.h
███ remainder_compositeexplicitautograd_dispatch.h
███ remainder_compositeexplicitautogradnonfunctional_dispatch.h
███ remainder_cpu_dispatch.h
███ remainder_cuda_dispatch.h
███ remainder_meta.h
███ remainder_meta_dispatch.h
███ remainder_native.h
███ remainder_ops.h
███ rename.h
███ rename_compositeimplicitautograd_dispatch.h
███ rename_native.h
███ rename_ops.h
███ renorm.h
███ renorm_compositeexplicitautogradnonfunctional_dispatch.h
███ renorm_cpu_dispatch.h
███ renorm_cuda_dispatch.h
███ renorm_meta.h
███ renorm_meta_dispatch.h
███ renorm_native.h
███ renorm_ops.h
███ repeat.h
███ repeat_compositeexplicitautograd_dispatch.h
███ repeat_interleave.h
███ repeat_interleave_compositeexplicitautograd_dispatch.h
███ repeat_interleave_compositeimplicitautograd_dispatch.h
███ repeat_interleave_cpu_dispatch.h
███ repeat_interleave_cuda_dispatch.h
███ repeat_interleave_native.h
███ repeat_interleave_ops.h
███ repeat_native.h
███ repeat_ops.h
███ replication_pad1d.h
███ replication_pad1d_backward.h
███ replication_pad1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
███ replication_pad1d_backward_cpu_dispatch.h
███ replication_pad1d_backward_cuda_dispatch.h
███ replication_pad1d_backward_meta.h
███ replication_pad1d_backward_meta_dispatch.h
███ replication_pad1d_backward_native.h
███ replication_pad1d_backward_ops.h
███ replication_pad1d_compositeexplicitautogradnonfunctional_dispatch.h
███ replication_pad1d_cpu_dispatch.h
███ replication_pad1d_cuda_dispatch.h
███ replication_pad1d_meta.h
███ replication_pad1d_meta_dispatch.h
███ replication_pad1d_native.h
███ replication_pad1d_ops.h
███ replication_pad2d.h
███ replication_pad2d_backward.h

```



```

■ ■ ■ ■ ■ ■ ■ resolve_neg.h
■ ■ ■ ■ ■ ■ ■ resolve_neg_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ resolve_neg_native.h
■ ■ ■ ■ ■ ■ ■ resolve_neg_ops.h
■ ■ ■ ■ ■ ■ ■ result_type.h
■ ■ ■ ■ ■ ■ ■ result_type_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ result_type_native.h
■ ■ ■ ■ ■ ■ ■ result_type_ops.h
■ ■ ■ ■ ■ ■ ■ retain_grad.h
■ ■ ■ ■ ■ ■ ■ retain_grad_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ retain_grad_native.h
■ ■ ■ ■ ■ ■ ■ retain_grad_ops.h
■ ■ ■ ■ ■ ■ ■ retains_grad.h
■ ■ ■ ■ ■ ■ ■ retains_grad_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ retains_grad_native.h
■ ■ ■ ■ ■ ■ ■ retains_grad_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_relu.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell_native.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_native.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell_native.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_native.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_ops.h
■ ■ ■ ■ ■ ■ ■ roll.h
■ ■ ■ ■ ■ ■ ■ roll_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ roll_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ roll_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ roll_native.h
■ ■ ■ ■ ■ ■ ■ roll_ops.h
■ ■ ■ ■ ■ ■ ■ rot90.h
■ ■ ■ ■ ■ ■ ■ rot90_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rot90_native.h
■ ■ ■ ■ ■ ■ ■ rot90_ops.h
■ ■ ■ ■ ■ ■ ■ round.h
■ ■ ■ ■ ■ ■ ■ round_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_meta.h
■ ■ ■ ■ ■ ■ ■ round_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_native.h
■ ■ ■ ■ ■ ■ ■ round_ops.h
■ ■ ■ ■ ■ ■ ■ row_indices.h
■ ■ ■ ■ ■ ■ ■ row_indices_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_native.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_ops.h
■ ■ ■ ■ ■ ■ ■ row_indices_native.h

```

■	■	■	■	■	■	■	■	■■■■	row_indices_ops.h
■	■	■	■	■	■	■	■	■■■■	row_stack.h
■	■	■	■	■	■	■	■	■■■■	row_stack_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	row_stack_native.h
■	■	■	■	■	■	■	■	■■■■	row_stack_ops.h
■	■	■	■	■	■	■	■	■■■■	rrelu.h
■	■	■	■	■	■	■	■	■■■■	rrelu_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_native.h
■	■	■	■	■	■	■	■	■■■■	rrelu_ops.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward_native.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_native.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_ops.h
■	■	■	■	■	■	■	■	■■■■	rshift.h
■	■	■	■	■	■	■	■	■■■■	rshift_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_native.h
■	■	■	■	■	■	■	■	■■■■	rshift_ops.h
■	■	■	■	■	■	■	■	■■■■	rsqrt.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_meta.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_native.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_ops.h
■	■	■	■	■	■	■	■	■■■■	rsub.h
■	■	■	■	■	■	■	■	■■■■	rsub_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsub_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsub_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsub_native.h
■	■	■	■	■	■	■	■	■■■■	rsub_ops.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor_native.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor_ops.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention_native.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention_ops.h
■	■	■	■	■	■	■	■	■■■■	scatter.h
■	■	■	■	■	■	■	■	■■■■	scatter_add.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_meta.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_native.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_ops.h

								scatter_compositeexplicitautogradnonfunctional_dispatch.h
								scatter_compositeimplicitautograd_dispatch.h
								scatter_cpu_dispatch.h
								scatter_cuda_dispatch.h
								scatter_meta.h
								scatter_meta_dispatch.h
								scatter_native.h
								scatter_ops.h
								scatter_reduce.h
								scatter_reduce_compositeexplicitautogradnonfunctional_dispatch.h
								scatter_reduce_cpu_dispatch.h
								scatter_reduce_cuda_dispatch.h
								scatter_reduce_meta.h
								scatter_reduce_meta_dispatch.h
								scatter_reduce_native.h
								scatter_reduce_ops.h
								searchsorted.h
								searchsorted_compositeexplicitautograd_dispatch.h
								searchsorted_cpu_dispatch.h
								searchsorted_cuda_dispatch.h
								searchsorted_native.h
								searchsorted_ops.h
								segment_reduce.h
								segment_reduce_compositeexplicitautograd_dispatch.h
								segment_reduce_cpu_dispatch.h
								segment_reduce_cuda_dispatch.h
								segment_reduce_native.h
								segment_reduce_ops.h
								select.h
								select_backward.h
								select_backward_compositeexplicitautograd_dispatch.h
								select_backward_compositeexplicitautogradnonfunctional_dispatch.h
								select_backward_native.h
								select_backward_ops.h
								select_compositeexplicitautograd_dispatch.h
								select_compositeimplicitautograd_dispatch.h
								select_copy.h
								select_copy_compositeexplicitautograd_dispatch.h
								select_copy_compositeexplicitautogradnonfunctional_dispatch.h
								select_copy_native.h
								select_copy_ops.h
								select_native.h
								select_ops.h
								select_scatter.h
								select_scatter_compositeexplicitautograd_dispatch.h
								select_scatter_native.h
								select_scatter_ops.h
								selu.h
								selu_compositeimplicitautograd_dispatch.h
								selu_native.h
								selu_ops.h
								set.h
								set_compositeexplicitautograd_dispatch.h
								set_compositeimplicitautograd_dispatch.h
								set_cpu_dispatch.h
								set_cuda_dispatch.h
								set_data.h
								set_data_compositeimplicitautograd_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ ■ ■ set_data_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ set_data_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ set_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ set_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ set_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sgn_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_compositeexplicitautogradnonfunctional_
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_compositeexplicitautogradnonfunctional_dispatch
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sigmoid_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ sign_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_compositeexplicitautogradnonfunctional_dispatch
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ signbit_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_compositeexplicitautogradnonfunctional_di
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ silu_cuda_dispatch.h

```

```

■■■ silu_meta.h
■■■ silu_meta_dispatch.h
■■■ silu_native.h
■■■ silu_ops.h
■■■ sin.h
■■■ sin_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sin_cpu_dispatch.h
■■■ sin_cuda_dispatch.h
■■■ sin_meta.h
■■■ sin_meta_dispatch.h
■■■ sin_native.h
■■■ sin_ops.h
■■■ sinc.h
■■■ sinc_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sinc_cpu_dispatch.h
■■■ sinc_cuda_dispatch.h
■■■ sinc_meta.h
■■■ sinc_meta_dispatch.h
■■■ sinc_native.h
■■■ sinc_ops.h
■■■ sinh.h
■■■ sinh_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sinh_cpu_dispatch.h
■■■ sinh_cuda_dispatch.h
■■■ sinh_meta.h
■■■ sinh_meta_dispatch.h
■■■ sinh_native.h
■■■ sinh_ops.h
■■■ size.h
■■■ size_compositeimplicitautograd_dispatch.h
■■■ size_native.h
■■■ size_ops.h
■■■ slice.h
■■■ slice_backward.h
■■■ slice_backward_compositeexplicitautograd_dispatch.h
■■■ slice_backward_native.h
■■■ slice_backward_ops.h
■■■ slice_compositeexplicitautograd_dispatch.h
■■■ slice_copy.h
■■■ slice_copy_compositeexplicitautograd_dispatch.h
■■■ slice_copy_compositeexplicitautogradnonfunctional_dispa
■■■ slice_copy_native.h
■■■ slice_copy_ops.h
■■■ slice_native.h
■■■ slice_ops.h
■■■ slice_scatter.h
■■■ slice_scatter_compositeexplicitautograd_dispatch.h
■■■ slice_scatter_native.h
■■■ slice_scatter_ops.h
■■■ slogdet.h
■■■ slogdet_compositeimplicitautograd_dispatch.h
■■■ slogdet_native.h
■■■ slogdet_ops.h
■■■ slow_conv3d.h
■■■ slow_conv3d_compositeimplicitautograd_dispatch.h
■■■ slow_conv3d_forward.h
■■■ slow_conv3d_forward_cpu_dispatch.h
■■■ slow_conv3d_forward_native.h

```

[illegible]

								softmax_ops.h
								softplus.h
								softplus_backward.h
								softplus_backward_compositeexplicitautogradnonfunctional_dispatch.h
								softplus_backward_cpu_dispatch.h
								softplus_backward_cuda_dispatch.h
								softplus_backward_meta.h
								softplus_backward_meta_dispatch.h
								softplus_backward_native.h
								softplus_backward_ops.h
								softplus_compositeexplicitautogradnonfunctional_dispatch.h
								softplus_cpu_dispatch.h
								softplus_cuda_dispatch.h
								softplus_meta.h
								softplus_meta_dispatch.h
								softplus_native.h
								softplus_ops.h
								softshrink.h
								softshrink_backward.h
								softshrink_backward_compositeexplicitautogradnonfunctional_dispatch.h
								softshrink_backward_cpu_dispatch.h
								softshrink_backward_cuda_dispatch.h
								softshrink_backward_meta.h
								softshrink_backward_meta_dispatch.h
								softshrink_backward_native.h
								softshrink_backward_ops.h
								softshrink_compositeexplicitautogradnonfunctional_dispatch.h
								softshrink_cpu_dispatch.h
								softshrink_cuda_dispatch.h
								softshrink_meta.h
								softshrink_meta_dispatch.h
								softshrink_native.h
								softshrink_ops.h
								sort.h
								sort_compositeexplicitautograd_dispatch.h
								sort_compositeexplicitautogradnonfunctional_dispatch.h
								sort_compositeimplicitautograd_dispatch.h
								sort_cpu_dispatch.h
								sort_cuda_dispatch.h
								sort_meta.h
								sort_meta_dispatch.h
								sort_native.h
								sort_ops.h
								sparse_bsc_tensor.h
								sparse_bsc_tensor_compositeimplicitautograd_dispatch.h
								sparse_bsc_tensor_native.h
								sparse_bsc_tensor_ops.h
								sparse_bsr_tensor.h
								sparse_bsr_tensor_compositeimplicitautograd_dispatch.h
								sparse_bsr_tensor_native.h
								sparse_bsr_tensor_ops.h
								sparse_compressed_tensor.h
								sparse_compressed_tensor_compositeimplicitautograd_dispatch.h
								sparse_compressed_tensor_native.h
								sparse_compressed_tensor_ops.h
								sparse_coo_tensor.h
								sparse_coo_tensor_compositeexplicitautograd_dispatch.h
								sparse_coo_tensor_compositeimplicitautograd_dispatch.h

```

■ ■ ■ sparse_coo_tensor_native.h
■ ■ ■ sparse_coo_tensor_ops.h
■ ■ ■ sparse_csc_tensor.h
■ ■ ■ sparse_csc_tensor_compositeimplicitautograd_dispatch.h
■ ■ ■ sparse_csc_tensor_native.h
■ ■ ■ sparse_csc_tensor_ops.h
■ ■ ■ sparse_csr_tensor.h
■ ■ ■ sparse_csr_tensor_compositeimplicitautograd_dispatch.h
■ ■ ■ sparse_csr_tensor_native.h
■ ■ ■ sparse_csr_tensor_ops.h
■ ■ ■ sparse_dim.h
■ ■ ■ sparse_dim_cpu_dispatch.h
■ ■ ■ sparse_dim_cuda_dispatch.h
■ ■ ■ sparse_dim_native.h
■ ■ ■ sparse_dim_ops.h
■ ■ ■ sparse_mask.h
■ ■ ■ sparse_mask_compositeexplicitautograd_dispatch.h
■ ■ ■ sparse_mask_native.h
■ ■ ■ sparse_mask_ops.h
■ ■ ■ sparse_resize.h
■ ■ ■ sparse_resize_and_clear.h
■ ■ ■ sparse_resize_and_clear_compositeexplicitautograd_dispatcher.h
■ ■ ■ sparse_resize_and_clear_meta_dispatch.h
■ ■ ■ sparse_resize_and_clear_native.h
■ ■ ■ sparse_resize_and_clear_ops.h
■ ■ ■ sparse_resize_compositeexplicitautograd_dispatch.h
■ ■ ■ sparse_resize_meta_dispatch.h
■ ■ ■ sparse_resize_native.h
■ ■ ■ sparse_resize_ops.h
■ ■ ■ sparse_sampled_addmm.h
■ ■ ■ sparse_sampled_addmm_native.h
■ ■ ■ sparse_sampled_addmm_ops.h
■ ■ ■ special_airy_ai.h
■ ■ ■ special_airy_ai_compositeexplicitautogradnonfunctional.h
■ ■ ■ special_airy_ai_cpu_dispatch.h
■ ■ ■ special_airy_ai_cuda_dispatch.h
■ ■ ■ special_airy_ai_meta.h
■ ■ ■ special_airy_ai_meta_dispatch.h
■ ■ ■ special_airy_ai_native.h
■ ■ ■ special_airy_ai_ops.h
■ ■ ■ special_bessel_j0.h
■ ■ ■ special_bessel_j0_compositeexplicitautogradnonfunctional.h
■ ■ ■ special_bessel_j0_cpu_dispatch.h
■ ■ ■ special_bessel_j0_cuda_dispatch.h
■ ■ ■ special_bessel_j0_meta.h
■ ■ ■ special_bessel_j0_meta_dispatch.h
■ ■ ■ special_bessel_j0_native.h
■ ■ ■ special_bessel_j0_ops.h
■ ■ ■ special_bessel_j1.h
■ ■ ■ special_bessel_j1_compositeexplicitautogradnonfunctional.h
■ ■ ■ special_bessel_j1_cpu_dispatch.h
■ ■ ■ special_bessel_j1_cuda_dispatch.h
■ ■ ■ special_bessel_j1_meta.h
■ ■ ■ special_bessel_j1_meta_dispatch.h
■ ■ ■ special_bessel_j1_native.h
■ ■ ■ special_bessel_j1_ops.h
■ ■ ■ special_bessel_y0.h
■ ■ ■ special_bessel_y0_compositeexplicitautogradnonfunctional.h

```


								special_modified_bessel_k1_native.h
								special_modified_bessel_k1_ops.h
								special_multigammaLn.h
								special_multigammaLn_compositeimplicitautograd_dispatch.h
								special_multigammaLn_native.h
								special_multigammaLn_ops.h
								special_ndtr.h
								special_ndtr_compositeimplicitautograd_dispatch.h
								special_ndtr_native.h
								special_ndtr_ops.h
								special_ndtri.h
								special_ndtri_compositeexplicitautogradnonfunctional_dispatcher.h
								special_ndtri_cpu_dispatch.h
								special_ndtri_cuda_dispatch.h
								special_ndtri_meta.h
								special_ndtri_meta_dispatch.h
								special_ndtri_native.h
								special_ndtri_ops.h
								special_polygamma.h
								special_polygamma_compositeimplicitautograd_dispatch.h
								special_polygamma_native.h
								special_polygamma_ops.h
								special_psi.h
								special_psi_compositeimplicitautograd_dispatch.h
								special_psi_native.h
								special_psi_ops.h
								special_round.h
								special_round_compositeimplicitautograd_dispatch.h
								special_round_native.h
								special_round_ops.h
								special_scaled_modified_bessel_k0.h
								special_scaled_modified_bessel_k0_compositeexplicitautograd_dispatcher.h
								special_scaled_modified_bessel_k0_cpu_dispatch.h
								special_scaled_modified_bessel_k0_cuda_dispatch.h
								special_scaled_modified_bessel_k0_meta.h
								special_scaled_modified_bessel_k0_meta_dispatch.h
								special_scaled_modified_bessel_k0_native.h
								special_scaled_modified_bessel_k0_ops.h
								special_scaled_modified_bessel_k1.h
								special_scaled_modified_bessel_k1_compositeexplicitautograd_dispatcher.h
								special_scaled_modified_bessel_k1_cpu_dispatch.h
								special_scaled_modified_bessel_k1_cuda_dispatch.h
								special_scaled_modified_bessel_k1_meta.h
								special_scaled_modified_bessel_k1_meta_dispatch.h
								special_scaled_modified_bessel_k1_native.h
								special_scaled_modified_bessel_k1_ops.h
								special_shifted_chebyshev_polynomial_t.h
								special_shifted_chebyshev_polynomial_t_compositeexplicitautograd_dispatcher.h
								special_shifted_chebyshev_polynomial_t_compositeexplicitautograd_dispatcher.h
								special_shifted_chebyshev_polynomial_t_compositeimplicitautograd_dispatcher.h
								special_shifted_chebyshev_polynomial_t_cpu_dispatch.h
								special_shifted_chebyshev_polynomial_t_cuda_dispatch.h
								special_shifted_chebyshev_polynomial_t_meta.h
								special_shifted_chebyshev_polynomial_t_meta_dispatch.h
								special_shifted_chebyshev_polynomial_t_native.h
								special_shifted_chebyshev_polynomial_t_ops.h
								special_shifted_chebyshev_polynomial_u.h
								special_shifted_chebyshev_polynomial_u_compositeexplicitautograd_dispatcher.h

[illegible]

```

■■■ stack_ops.h
■■■ std.h
■■■ std_compositeimplicitautograd_dispatch.h
■■■ std_cpu_dispatch.h
■■■ std_cuda_dispatch.h
■■■ std_mean.h
■■■ std_mean_compositeexplicitautograd_dispatch.h
■■■ std_mean_compositeimplicitautograd_dispatch.h
■■■ std_mean_cpu_dispatch.h
■■■ std_mean_cuda_dispatch.h
■■■ std_mean_native.h
■■■ std_mean_ops.h
■■■ std_native.h
■■■ std_ops.h
■■■ stft.h
■■■ stft_compositeimplicitautograd_dispatch.h
■■■ stft_native.h
■■■ stft_ops.h
■■■ stride.h
■■■ stride_compositeimplicitautograd_dispatch.h
■■■ stride_native.h
■■■ stride_ops.h
■■■ sub.h
■■■ sub_compositeexplicitautograd_dispatch.h
■■■ sub_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sub_cpu_dispatch.h
■■■ sub_cuda_dispatch.h
■■■ sub_meta.h
■■■ sub_meta_dispatch.h
■■■ sub_native.h
■■■ sub_ops.h
■■■ subtract.h
■■■ subtract_compositeimplicitautograd_dispatch.h
■■■ subtract_native.h
■■■ subtract_ops.h
■■■ sum.h
■■■ sum_compositeexplicitautograd_dispatch.h
■■■ sum_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sum_compositeimplicitautograd_dispatch.h
■■■ sum_cpu_dispatch.h
■■■ sum_cuda_dispatch.h
■■■ sum_meta.h
■■■ sum_meta_dispatch.h
■■■ sum_native.h
■■■ sum_ops.h
■■■ sum_to_size.h
■■■ sum_to_size_compositeimplicitautograd_dispatch.h
■■■ sum_to_size_native.h
■■■ sum_to_size_ops.h
■■■ svd.h
■■■ svd_compositeimplicitautograd_dispatch.h
■■■ svd_native.h
■■■ svd_ops.h
■■■ swapaxes.h
■■■ swapaxes_compositeimplicitautograd_dispatch.h
■■■ swapaxes_native.h
■■■ swapaxes_ops.h
■■■ swapdims.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ swapdims_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ swapdims_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ swapdims_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_copy_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_copy_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ t_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_along_dim.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_along_dim_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_along_dim_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_along_dim_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ take_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tan_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_compositeexplicitautogradnonfunctional_di
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tanh_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensor.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensor_split.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensor_split_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensor_split_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensor_split_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensordot.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensordot_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensordot_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensordot_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensordot_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ tensordot_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ thnn_conv2d.h
■ ■ ■ ■ ■ ■ ■ ■ ■ thnn_conv2d_compositeimplicitautograd_dispatch.h

```


[illegible]

```

██ triangular_solve_cuda_dispatch.h
██ triangular_solve_meta.h
██ triangular_solve_meta_dispatch.h
██ triangular_solve_native.h
██ triangular_solve_ops.h
██ tril.h
██ tril_compositeexplicitautogradnonfunctional_dispatch.h
██ tril_cpu_dispatch.h
██ tril_cuda_dispatch.h
██ tril_indices.h
██ tril_indices_compositeexplicitautograd_dispatch.h
██ tril_indices_cpu_dispatch.h
██ tril_indices_cuda_dispatch.h
██ tril_indices_native.h
██ tril_indices_ops.h
██ tril_meta.h
██ tril_meta_dispatch.h
██ tril_native.h
██ tril_ops.h
██ triplet_margin_loss.h
██ triplet_margin_loss_compositeimplicitautograd_dispatch.h
██ triplet_margin_loss_native.h
██ triplet_margin_loss_ops.h
██ triu.h
██ triu_compositeexplicitautogradnonfunctional_dispatch.h
██ triu_cpu_dispatch.h
██ triu_cuda_dispatch.h
██ triu_indices.h
██ triu_indices_compositeexplicitautograd_dispatch.h
██ triu_indices_cpu_dispatch.h
██ triu_indices_cuda_dispatch.h
██ triu_indices_native.h
██ triu_indices_ops.h
██ triu_meta.h
██ triu_meta_dispatch.h
██ triu_native.h
██ triu_ops.h
██ true_divide.h
██ true_divide_compositeimplicitautograd_dispatch.h
██ true_divide_native.h
██ true_divide_ops.h
██ trunc.h
██ trunc_compositeexplicitautogradnonfunctional_dispatch.h
██ trunc_cpu_dispatch.h
██ trunc_cuda_dispatch.h
██ trunc_meta.h
██ trunc_meta_dispatch.h
██ trunc_native.h
██ trunc_ops.h
██ type_as.h
██ type_as_compositeimplicitautograd_dispatch.h
██ type_as_native.h
██ type_as_ops.h
██ unbind.h
██ unbind_compositeexplicitautograd_dispatch.h
██ unbind_compositeimplicitautograd_dispatch.h
██ unbind_compositeimplicitautogradnestedtensor_dispatch.h
██ unbind_copy.h

```

								unbind_copy_compositeexplicitautograd_dispatch.h
								unbind_copy_compositeexplicitautogradnonfunctional_dispatcher.h
								unbind_copy_native.h
								unbind_copy_ops.h
								unbind_native.h
								unbind_ops.h
								unflatten.h
								unflatten_compositeimplicitautograd_dispatch.h
								unflatten_dense_tensors.h
								unflatten_dense_tensors_compositeimplicitautograd_dispatcher.h
								unflatten_dense_tensors_native.h
								unflatten_dense_tensors_ops.h
								unflatten_native.h
								unflatten_ops.h
								unfold.h
								unfold_backward.h
								unfold_backward_compositeexplicitautograd_dispatch.h
								unfold_backward_cpu_dispatch.h
								unfold_backward_cuda_dispatch.h
								unfold_backward_native.h
								unfold_backward_ops.h
								unfold_copy.h
								unfold_copy_compositeexplicitautograd_dispatch.h
								unfold_copy_compositeexplicitautogradnonfunctional_dispatcher.h
								unfold_copy_native.h
								unfold_copy_ops.h
								unfold_cpu_dispatch.h
								unfold_cuda_dispatch.h
								unfold_meta_dispatch.h
								unfold_native.h
								unfold_ops.h
								uniform.h
								uniform_compositeexplicitautograd_dispatch.h
								uniform_cpu_dispatch.h
								uniform_cuda_dispatch.h
								uniform_meta_dispatch.h
								uniform_native.h
								uniform_ops.h
								unique_consecutive.h
								unique_consecutive_compositeexplicitautograd_dispatch.h
								unique_consecutive_cpu_dispatch.h
								unique_consecutive_cuda_dispatch.h
								unique_consecutive_native.h
								unique_consecutive_ops.h
								unique_dim.h
								unique_dim_compositeexplicitautograd_dispatch.h
								unique_dim_consecutive.h
								unique_dim_consecutive_compositeexplicitautograd_dispatcher.h
								unique_dim_consecutive_cpu_dispatch.h
								unique_dim_consecutive_cuda_dispatch.h
								unique_dim_consecutive_native.h
								unique_dim_consecutive_ops.h
								unique_dim_cpu_dispatch.h
								unique_dim_cuda_dispatch.h
								unique_dim_native.h
								unique_dim_ops.h
								unsafe_chunk.h
								unsafe_chunk_compositeimplicitautograd_dispatch.h

[illegible]

```

view.h
view_as.h
view_as_complex.h
view_as_complex_copy.h
view_as_complex_copy_compositeexplicitautograd_dispatch.h
view_as_complex_copy_compositeexplicitautogradnonfunctional_dispatch.h
view_as_complex_copy_native.h
view_as_complex_copy_ops.h
view_as_complex_cpu_dispatch.h
view_as_complex_cuda_dispatch.h
view_as_complex_meta_dispatch.h
view_as_complex_native.h
view_as_complex_ops.h
view_as_compositeimplicitautograd_dispatch.h
view_as_native.h
view_as_ops.h
view_as_real.h
view_as_real_copy.h
view_as_real_copy_compositeexplicitautograd_dispatch.h
view_as_real_copy_compositeexplicitautogradnonfunctional_dispatch.h
view_as_real_copy_native.h
view_as_real_copy_ops.h
view_as_real_cpu_dispatch.h
view_as_real_cuda_dispatch.h
view_as_real_meta_dispatch.h
view_as_real_native.h
view_as_real_ops.h
view_compositeexplicitautograd_dispatch.h
view_copy.h
view_copy_compositeexplicitautograd_dispatch.h
view_copy_compositeexplicitautogradnonfunctional_dispatch.h
view_copy_native.h
view_copy_ops.h
view_cpu_dispatch.h
view_cuda_dispatch.h
view_meta_dispatch.h
view_native.h
view_ops.h
vsplit.h
vsplit_compositeimplicitautograd_dispatch.h
vsplit_native.h
vsplit_ops.h
vstack.h
vstack_compositeimplicitautograd_dispatch.h
vstack_native.h
vstack_ops.h
where.h
where_compositeimplicitautograd_dispatch.h
where_cpu_dispatch.h
where_cuda_dispatch.h
where_native.h
where_ops.h
xlogy.h
xlogy_compositeexplicitautograd_dispatch.h
xlogy_compositeexplicitautogradnonfunctional_dispatch.h
xlogy_cpu_dispatch.h
xlogy_cuda_dispatch.h
xlogy_meta.h

```

```

xlogy_meta_dispatch.h
xlogy_native.h
xlogy_ops.h
xor.h
xor_compositeimplicitautograd_dispatch.h
xor_native.h
xor_ops.h
zero.h
zero_compositeexplicitautograd_dispatch.h
zero_cpu_dispatch.h
zero_cuda_dispatch.h
zero_meta_dispatch.h
zero_native.h
zero_ops.h
zeros.h
zeros_compositeexplicitautograd_dispatch.h
zeros_like.h
zeros_like_compositeexplicitautograd_dispatch.h
zeros_like_native.h
zeros_like_ops.h
zeros_native.h
zeros_ops.h
quantized
QTensorImpl.h
Quantizer.h
record_function.h
THC
THCAtomics.cuh
THCDeviceUtils.cuh
c10
core
Allocator.h
AutogradState.h
Backend.h
CPUAllocator.h
CompileTimeFunctionPointer.h
CopyBytes.h
DefaultDtype.h
DefaultTensorOptions.h
Device.h
DeviceArray.h
DeviceGuard.h
DeviceType.h
DispatchKey.h
DispatchKeySet.h
DynamicCast.h
Event.h
GeneratorImpl.h
GradMode.h
InferenceMode.h
Layout.h
MemoryFormat.h
OptionalRef.h
PyHandleCache.h
QEngine.h
QScheme.h
SafePyObject.h
Scalar.h

```



```

███ ScalarType.h
███ ScalarTypeToTypeMeta.h
███ Storage.h
███ StorageImpl.h
███ Stream.h
███ StreamGuard.h
███ SymBool.h
███ SymFloat.h
███ SymInt.h
███ SymIntArrayRef.h
███ SymNodeImpl.h
███ TensorImpl.h
███ TensorOptions.h
███ UndefinedTensorImpl.h
███ WrapDimMinimal.h
███ alignment.h
███ impl
███ DeviceGuardImplInterface.h
███ FakeGuardImpl.h
███ GPUTrace.h
███ HermeticPyObjectTLS.h
███ InlineDeviceGuard.h
███ InlineEvent.h
███ InlineStreamGuard.h
███ LocalDispatchKeySet.h
███ PyInterpreter.h
███ PyObjectSlot.h
███ PythonDispatcherTLS.h
███ SizesAndStrides.h
███ TorchDispatchModeTLS.h
███ VirtualGuardImpl.h
███ alloc_cpu.h
███ thread_pool.h
████ cuda
███ CUDAAAlgorithm.h
███ CUDACachingAllocator.h
███ CUDADeviceAssertion.h
███ CUDADeviceAssertionHost.h
███ CUDAException.h
███ CUDAFunctions.h
███ CUDAGraphsC10Utils.h
███ CUDAGuard.h
███ CUDAMacros.h
███ CUDAMathCompat.h
███ CUDAMiscFunctions.h
███ CUDASTream.h
███ impl
███ CUDAGuardImpl.h
███ CUDATest.h
███ cuda_cmake_macros.h
████ macros
███ Export.h
███ Macros.h
███ cmake_macros.h
████ util
███ AlignOf.h
███ Array.h
███ ArrayRef.h

```

■	■	■	■	■	■	■	■	■■■	BFloat16-inl.h
■	■	■	■	■	■	■	■	■■■	BFloat16-math.h
■	■	■	■	■	■	■	■	■■■	BFloat16.h
■	■	■	■	■	■	■	■	■■■	Backtrace.h
■	■	■	■	■	■	■	■	■■■	Bitset.h
■	■	■	■	■	■	■	■	■■■	C++17.h
■	■	■	■	■	■	■	■	■■■	CallOnce.h
■	■	■	■	■	■	■	■	■■■	ConstexprCrc.h
■	■	■	■	■	■	■	■	■■■	DeadlockDetection.h
■	■	■	■	■	■	■	■	■■■	Deprecated.h
■	■	■	■	■	■	■	■	■■■	DimVector.h
■	■	■	■	■	■	■	■	■■■	Exception.h
■	■	■	■	■	■	■	■	■■■	ExclusivelyOwned.h
■	■	■	■	■	■	■	■	■■■	ExclusivelyOwnedTensorTraits.h
■	■	■	■	■	■	■	■	■■■	Flags.h
■	■	■	■	■	■	■	■	■■■	FunctionRef.h
■	■	■	■	■	■	■	■	■■■	Half-inl.h
■	■	■	■	■	■	■	■	■■■	Half.h
■	■	■	■	■	■	■	■	■■■	IdWrapper.h
■	■	■	■	■	■	■	■	■■■	LeftRight.h
■	■	■	■	■	■	■	■	■■■	Load.h
■	■	■	■	■	■	■	■	■■■	Logging.h
■	■	■	■	■	■	■	■	■■■	MathConstants.h
■	■	■	■	■	■	■	■	■■■	MaybeOwned.h
■	■	■	■	■	■	■	■	■■■	Metaprogramming.h
■	■	■	■	■	■	■	■	■■■	Optional.h
■	■	■	■	■	■	■	■	■■■	OptionalArrayRef.h
■	■	■	■	■	■	■	■	■■■	Registry.h
■	■	■	■	■	■	■	■	■■■	ScopeExit.h
■	■	■	■	■	■	■	■	■■■	SmallBuffer.h
■	■	■	■	■	■	■	■	■■■	SmallVector.h
■	■	■	■	■	■	■	■	■■■	StringUtil.h
■	■	■	■	■	■	■	■	■■■	Synchronized.h
■	■	■	■	■	■	■	■	■■■	ThreadLocal.h
■	■	■	■	■	■	■	■	■■■	ThreadLocalDebugInfo.h
■	■	■	■	■	■	■	■	■■■	Type.h
■	■	■	■	■	■	■	■	■■■	TypeCast.h
■	■	■	■	■	■	■	■	■■■	TypeIndex.h
■	■	■	■	■	■	■	■	■■■	TypeList.h
■	■	■	■	■	■	■	■	■■■	TypeSafeSignMath.h
■	■	■	■	■	■	■	■	■■■	TypeTraits.h
■	■	■	■	■	■	■	■	■■■	Unicode.h
■	■	■	■	■	■	■	■	■■■	UniqueVoidPtr.h
■	■	■	■	■	■	■	■	■■■	Unroll.h
■	■	■	■	■	■	■	■	■■■	accumulate.h
■	■	■	■	■	■	■	■	■■■	complex.h
■	■	■	■	■	■	■	■	■■■	complex_math.h
■	■	■	■	■	■	■	■	■■■	complex_utils.h
■	■	■	■	■	■	■	■	■■■	copysign.h
■	■	■	■	■	■	■	■	■■■	either.h
■	■	■	■	■	■	■	■	■■■	env.h
■	■	■	■	■	■	■	■	■■■	flat_hash_map.h
■	■	■	■	■	■	■	■	■■■	hash.h
■	■	■	■	■	■	■	■	■■■	in_place.h
■	■	■	■	■	■	■	■	■■■	int128.h
■	■	■	■	■	■	■	■	■■■	intrusive_ptr.h
■	■	■	■	■	■	■	■	■■■	irange.h
■	■	■	■	■	■	■	■	■■■	llvmMathExtras.h

```

■■■ logging_is_google_glog.h
■■■ logging_is_not_google_glog.h
■■■ math_compat.h
■■■ numa.h
■■■ order_preserving_flat_hash_map.h
■■■ overloaded.h
■■■ python_stub.h
■■■ qint32.h
■■■ qint8.h
■■■ quint2x4.h
■■■ quint4x2.h
■■■ quint8.h
■■■ reverse_iterator.h
■■■ safe_numerics.h
■■■ signal_handler.h
■■■ sparse_bitset.h
■■■ strides.h
■■■ string_utils.h
■■■ string_view.h
■■■ strong_type.h
■■■ tempfile.h
■■■ thread_name.h
■■■ typeid.h
■■■ variant.h
■■■ win32-headers.h
■■■ caffe2
■■■ serialize
■■■   ■■■ crc_alt.h
■■■   ■■■ file_adapter.h
■■■   ■■■ in_memory_adapter.h
■■■   ■■■ inline_container.h
■■■   ■■■ istream_adapter.h
■■■   ■■■ read_adapter_interface.h
■■■   ■■■ versions.h
■■■ clog.h
■■■ cpuinfo.h
■■■ dnnl.h
■■■ dnnl_config.h
■■■ dnnl_debug.h
■■■ dnnl_ocl.h
■■■ dnnl_sycl.h
■■■ dnnl_sycl_types.h
■■■ dnnl_threadpool.h
■■■ dnnl_types.h
■■■ dnnl_version.h
■■■ fp16.h
■■■ fxdiv.h
■■■ libshm.h
■■■ npack.h
■■■ psimd.h
■■■ pthreadpool.h
■■■ pybind11
■■■   ■■■ attr.h
■■■   ■■■ buffer_info.h
■■■   ■■■ cast.h
■■■   ■■■ chrono.h
■■■   ■■■ common.h
■■■   ■■■ complex.h

```

[illegible]

```

base.h
stateful.h
stateless.h
dataloader.h
dataloader_options.h
datasets
base.h
chunk.h
map.h
mnist.h
shared.h
stateful.h
tensor.h
datasets.h
detail
data_shuttle.h
queue.h
sequencers.h
example.h
iterator.h
samplers
base.h
custom_batch_request.h
distributed.h
random.h
sequential.h
serialize.h
stream.h
samplers.h
transforms
base.h
collate.h
lambda.h
stack.h
tensor.h
transforms.h
worker_exception.h
data.h
detail
TensorDataContainer.h
static.h
enum.h
expanding_array.h
fft.h
imethod.h
jit.h
linalg.h
nested.h
nn
cloneable.h
functional
activation.h
batchnorm.h
conv.h
distance.h
dropout.h
embedding.h
fold.h

```

```

██████████ instancenorm.h
██████████ linear.h
██████████ loss.h
██████████ normalization.h
██████████ padding.h
██████████ pixelshuffle.h
██████████ pooling.h
██████████ upsampling.h
██████████ vision.h
██████████ functional.h
██████████ init.h
██████████ module.h
██████████ modules
██████████     _functions.h
██████████     activation.h
██████████     adaptive.h
██████████     batchnorm.h
██████████     common.h
██████████     container
██████████     any.h
██████████     any_module_holder.h
██████████     any_value.h
██████████     functional.h
██████████     moduledict.h
██████████     modulelist.h
██████████     named_any.h
██████████     parameterdict.h
██████████     parameterlist.h
██████████     sequential.h
██████████ conv.h
██████████ distance.h
██████████ dropout.h
██████████ embedding.h
██████████ fold.h
██████████ instancenorm.h
██████████ linear.h
██████████ loss.h
██████████ normalization.h
██████████ padding.h
██████████ pixelshuffle.h
██████████ pooling.h
██████████ rnn.h
██████████ transformer.h
██████████ transformercoder.h
██████████ transformerlayer.h
██████████ upsampling.h
██████████ utils.h
██████████ modules.h
██████████ options
██████████     activation.h
██████████     adaptive.h
██████████     batchnorm.h
██████████     conv.h
██████████     distance.h
██████████     dropout.h
██████████     embedding.h
██████████     fold.h
██████████     instancenorm.h

```

■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	linear.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	loss.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	normalization.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	padding.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pixelshuffle.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pooling.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	rnn.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	transformer.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	transformercoder.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	transformerlayer.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	upsampling.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	vision.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	options.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	parallel
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_parallel.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pimpl-inl.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pimpl.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	clip_grad.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	convert_parameters.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	rnn.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	nn.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	optim
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	adagrad.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	adam.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	adamw.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	lbfgs.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	optimizer.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	rmsprop.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	schedulers
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	lr_scheduler.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	step_lr.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	serialize.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	sgd.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	optim.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	ordered_dict.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	python.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	serialize
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	archive.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	input-archive.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	output-archive.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	tensor.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	serialize.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	sparse.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	special.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	torch.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	types.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	version.h
■	■	■	■	■	■	■	■	■■■	autograd					
■	■	■	■	■	■	■	■	■	■■■	FunctionsManual.h				
■	■	■	■	■	■	■	■	■	■■■	InferenceMode.h				
■	■	■	■	■	■	■	■	■	■■■	VariableTypeUtils.h				
■	■	■	■	■	■	■	■	■	■■■	anomaly_mode.h				
■	■	■	■	■	■	■	■	■	■■■	autograd.h				
■	■	■	■	■	■	■	■	■	■■■	autograd_not_implemented_fallback.h				
■	■	■	■	■	■	■	■	■	■■■	cpp_hook.h				


```

■ ■ ■ ■ copy_utils.h
■ ■ ■ ■ cuda
■ ■ ■ ■ CUDAPluggableAllocator.h
■ ■ ■ ■ Event.h
■ ■ ■ ■ Module.h
■ ■ ■ ■ Stream.h
■ ■ ■ ■ THCP.h
■ ■ ■ ■ comm.h
■ ■ ■ ■ device_set.h
■ ■ ■ ■ memory_snapshot.h
■ ■ ■ ■ nccl.h
■ ■ ■ ■ python_comm.h
■ ■ ■ ■ python_nccl.h
■ ■ ■ ■ distributed
■ ■ ■ ■ c10d
■ ■ ■ ■ Backend.hpp
■ ■ ■ ■ FileStore.hpp
■ ■ ■ ■ GlooDeviceFactory.hpp
■ ■ ■ ■ HashStore.hpp
■ ■ ■ ■ NCCLUtils.hpp
■ ■ ■ ■ ParamCommsUtils.hpp
■ ■ ■ ■ PrefixStore.hpp
■ ■ ■ ■ ProcessGroup.hpp
■ ■ ■ ■ ProcessGroupGloo.hpp
■ ■ ■ ■ ProcessGroupMPI.hpp
■ ■ ■ ■ ProcessGroupNCCL.hpp
■ ■ ■ ■ ProcessGroupRoundRobin.hpp
■ ■ ■ ■ ProcessGroupUCC.hpp
■ ■ ■ ■ ProcessGroupWrapper.hpp
■ ■ ■ ■ PyProcessGroup.hpp
■ ■ ■ ■ Store.hpp
■ ■ ■ ■ TCPStore.hpp
■ ■ ■ ■ TraceUtils.h
■ ■ ■ ■ Types.hpp
■ ■ ■ ■ UCCForNCCL.hpp
■ ■ ■ ■ UCCTracing.hpp
■ ■ ■ ■ UCCUtils.hpp
■ ■ ■ ■ UnixSockUtils.hpp
■ ■ ■ ■ Utils.hpp
■ ■ ■ ■ WinSockUtils.hpp
■ ■ ■ ■ Work.hpp
■ ■ ■ ■ c10d.h
■ ■ ■ ■ comm.hpp
■ ■ ■ ■ debug.h
■ ■ ■ ■ default_comm_hooks.hpp
■ ■ ■ ■ error.h
■ ■ ■ ■ exception.h
■ ■ ■ ■ logger.hpp
■ ■ ■ ■ logging.h
■ ■ ■ ■ python_comm_hook.h
■ ■ ■ ■ reducer.hpp
■ ■ ■ ■ reducer_timer.hpp
■ ■ ■ ■ sequence_num.hpp
■ ■ ■ ■ socket.h
■ ■ ■ ■ rpc
■ ■ ■ ■ agent_utils.h
■ ■ ■ ■ message.h
■ ■ ■ ■ py_rref.h

```

■	■	■	■	■	■	■	■	■	■	■■■	python_call.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_functions.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_remote_call.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_resp.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_rpc_handler.h	
■	■	■	■	■	■	■	■	■	■	■■■	request_callback.h	
■	■	■	■	■	■	■	■	■	■	■■■	request_callback_impl.h	
■	■	■	■	■	■	■	■	■	■	■■■	request_callback_no_python.h	
■	■	■	■	■	■	■	■	■	■	■■■	rpc.h	
■	■	■	■	■	■	■	■	■	■	■■■	rpc_agent.h	
■	■	■	■	■	■	■	■	■	■	■■■	rpc_command_base.h	
■	■	■	■	■	■	■	■	■	■	■■■	rref_context.h	
■	■	■	■	■	■	■	■	■	■	■■■	rref_impl.h	
■	■	■	■	■	■	■	■	■	■	■■■	rref_proto.h	
■	■	■	■	■	■	■	■	■	■	■■■	script_call.h	
■	■	■	■	■	■	■	■	■	■	■■■	script_remote_call.h	
■	■	■	■	■	■	■	■	■	■	■■■	script_resp.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensorpipe_agent.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensorpipe_utils.h	
■	■	■	■	■	■	■	■	■	■	■■■	torchscript_functions.h	
■	■	■	■	■	■	■	■	■	■	■■■	types.h	
■	■	■	■	■	■	■	■	■	■	■■■	unpickled_python_call.h	
■	■	■	■	■	■	■	■	■	■	■■■	unpickled_python_remote_call.h	
■	■	■	■	■	■	■	■	■	■	■■■	utils.h	
■	■	■	■	■	■	■	■	■■■	■	■■■	itt_wrapper.h	
■	■	■	■	■	■	■	■	■■■	■	■■■	jit	
■	■	■	■	■	■	■	■	■	■■■	■	api	
■	■	■	■	■	■	■	■	■	■	■■■	compilation_unit.h	
■	■	■	■	■	■	■	■	■	■	■■■	function_impl.h	
■	■	■	■	■	■	■	■	■	■	■■■	method.h	
■	■	■	■	■	■	■	■	■	■	■■■	module.h	
■	■	■	■	■	■	■	■	■	■	■■■	object.h	
■	■	■	■	■	■	■	■	■	■■■	■	backends	
■	■	■	■	■	■	■	■	■	■	■■■	backend.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_debug_handler.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_debug_info.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_detail.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_exception.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_init.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_interface.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_preprocess.h	
■	■	■	■	■	■	■	■	■	■	■■■	backend_resolver.h	
■	■	■	■	■	■	■	■	■	■■■	■	codegen	
■	■	■	■	■	■	■	■	■	■■■	■	cuda	
■	■	■	■	■	■	■	■	■	■	■	■■■	interface.h
■	■	■	■	■	■	■	■	■	■■■	■	frontend	
■	■	■	■	■	■	■	■	■	■	■■■	builtin_functions.h	
■	■	■	■	■	■	■	■	■	■	■■■	canonicalize_modified_loop.h	
■	■	■	■	■	■	■	■	■	■	■■■	concrete_module_type.h	
■	■	■	■	■	■	■	■	■	■	■■■	convert_to_ssa.h	
■	■	■	■	■	■	■	■	■	■	■■■	edit_distance.h	
■	■	■	■	■	■	■	■	■	■	■■■	error_report.h	
■	■	■	■	■	■	■	■	■	■	■■■	exit_transforms.h	
■	■	■	■	■	■	■	■	■	■	■■■	function_schema_parser.h	
■	■	■	■	■	■	■	■	■	■	■■■	inline_loop_condition.h	
■	■	■	■	■	■	■	■	■	■	■■■	ir_emitter.h	
■	■	■	■	■	■	■	■	■	■	■■■	lexer.h	
■	■	■	■	■	■	■	■	■	■	■■■	mini_environment.h	

■	■	■	■	■	■	■	■	■	■	■■■	name_mangler.h
■	■	■	■	■	■	■	■	■	■	■■■	parse_string_literal.h
■	■	■	■	■	■	■	■	■	■	■■■	parser.h
■	■	■	■	■	■	■	■	■	■	■■■	parser_constants.h
■	■	■	■	■	■	■	■	■	■	■■■	resolver.h
■	■	■	■	■	■	■	■	■	■	■■■	schema_matching.h
■	■	■	■	■	■	■	■	■	■	■■■	schema_type_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	script_type_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	source_range.h
■	■	■	■	■	■	■	■	■	■	■■■	source_ref.h
■	■	■	■	■	■	■	■	■	■	■■■	strtod.h
■	■	■	■	■	■	■	■	■	■	■■■	sugared_value.h
■	■	■	■	■	■	■	■	■	■	■■■	tracer.h
■	■	■	■	■	■	■	■	■	■	■■■	tree.h
■	■	■	■	■	■	■	■	■	■	■■■	tree_views.h
■	■	■	■	■	■	■	■	■	■	■■■	versioned_symbols.h
■	■	■	■	■	■	■	■	■	■■■	ir	
■	■	■	■	■	■	■	■	■	■	■■■	alias_analysis.h
■	■	■	■	■	■	■	■	■	■	■■■	attributes.h
■	■	■	■	■	■	■	■	■	■	■■■	constants.h
■	■	■	■	■	■	■	■	■	■	■■■	graph_node_list.h
■	■	■	■	■	■	■	■	■	■	■■■	graph_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	ir.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_views.h
■	■	■	■	■	■	■	■	■	■	■■■	irparser.h
■	■	■	■	■	■	■	■	■	■	■■■	named_value.h
■	■	■	■	■	■	■	■	■	■	■■■	node_hashing.h
■	■	■	■	■	■	■	■	■	■	■■■	scope.h
■	■	■	■	■	■	■	■	■	■	■■■	subgraph_matcher.h
■	■	■	■	■	■	■	■	■	■	■■■	type_hashing.h
■	■	■	■	■	■	■	■	■	■■■	jit_log.h	
■	■	■	■	■	■	■	■	■	■■■	jit_opt_limit.h	
■	■	■	■	■	■	■	■	■	■■■	mobile	
■	■	■	■	■	■	■	■	■	■	■■■	code.h
■	■	■	■	■	■	■	■	■	■	■■■	debug_info.h
■	■	■	■	■	■	■	■	■	■	■■■	file_format.h
■	■	■	■	■	■	■	■	■	■	■■■	flatbuffer_loader.h
■	■	■	■	■	■	■	■	■	■	■■■	frame.h
■	■	■	■	■	■	■	■	■	■	■■■	function.h
■	■	■	■	■	■	■	■	■	■	■■■	import.h
■	■	■	■	■	■	■	■	■	■	■■■	import_data.h
■	■	■	■	■	■	■	■	■	■	■■■	import_export_common.h
■	■	■	■	■	■	■	■	■	■	■■■	interpreter.h
■	■	■	■	■	■	■	■	■	■	■■■	method.h
■	■	■	■	■	■	■	■	■	■	■■■	module.h
■	■	■	■	■	■	■	■	■	■	■■■	observer.h
■	■	■	■	■	■	■	■	■	■	■■■	parse_bytecode.h
■	■	■	■	■	■	■	■	■	■	■■■	parse_operators.h
■	■	■	■	■	■	■	■	■	■	■■■	prim_ops_registry.h
■	■	■	■	■	■	■	■	■	■	■■■	profiler_edge.h
■	■	■	■	■	■	■	■	■	■	■■■	promoted_prim_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	quantization.h
■	■	■	■	■	■	■	■	■	■	■■■	register_ops_common_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	type_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	upgrader_mobile.h
■	■	■	■	■	■	■	■	■	■■■	passes	
■	■	■	■	■	■	■	■	■	■	■■■	add_if_then_else.h
■	■	■	■	■	■	■	■	■	■	■■■	annotate_warns.h

■	■	■	■	■	■	■	■	■	■	■■■	autocast.h
■	■	■	■	■	■	■	■	■	■	■■■	bailout_graph.h
■	■	■	■	■	■	■	■	■	■	■■■	batch_mm.h
■	■	■	■	■	■	■	■	■	■	■■■	canonicalize.h
■	■	■	■	■	■	■	■	■	■	■■■	canonicalize_graph_fuser_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	check_strict_fusion.h
■	■	■	■	■	■	■	■	■	■	■■■	clear_profiling.h
■	■	■	■	■	■	■	■	■	■	■■■	clear_undefinedness.h
■	■	■	■	■	■	■	■	■	■	■■■	common_subexpression_elimination.h
■	■	■	■	■	■	■	■	■	■	■■■	concat_opt.h
■	■	■	■	■	■	■	■	■	■	■■■	constant_pooling.h
■	■	■	■	■	■	■	■	■	■	■■■	constant_propagation.h
■	■	■	■	■	■	■	■	■	■	■■■	create_autodiff_subgraphs.h
■	■	■	■	■	■	■	■	■	■	■■■	create_functional_graphs.h
■	■	■	■	■	■	■	■	■	■	■■■	cuda_graph_fuser.h
■	■	■	■	■	■	■	■	■	■	■■■	dead_code_elimination.h
■	■	■	■	■	■	■	■	■	■	■■■	decompose_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	device_type_analysis.h
■	■	■	■	■	■	■	■	■	■	■■■	dtype_analysis.h
■	■	■	■	■	■	■	■	■	■	■■■	eliminate_no_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	erase_number_types.h
■	■	■	■	■	■	■	■	■	■	■■■	fixup_trace_scope_blocks.h
■	■	■	■	■	■	■	■	■	■	■■■	fold_conv_bn.h
■	■	■	■	■	■	■	■	■	■	■■■	fold_linear_bn.h
■	■	■	■	■	■	■	■	■	■	■■■	freeze_module.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_concat_linear.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_conv_add_relu_fusion.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_conv_folding.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_graph_optimizations.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_linear_folding.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_linear_transpose.h
■	■	■	■	■	■	■	■	■	■	■■■	frozen_ops_to_mkldnn.h
■	■	■	■	■	■	■	■	■	■	■■■	fuse_linear.h
■	■	■	■	■	■	■	■	■	■	■■■	fuse_relu.h
■	■	■	■	■	■	■	■	■	■	■■■	graph_fuser.h
■	■	■	■	■	■	■	■	■	■	■■■	graph_rewrite_helper.h
■	■	■	■	■	■	■	■	■	■	■■■	guard_elimination.h
■	■	■	■	■	■	■	■	■	■	■■■	hoist_conv_packed_params.h
■	■	■	■	■	■	■	■	■	■	■■■	inline_autodiff_subgraphs.h
■	■	■	■	■	■	■	■	■	■	■■■	inline_fork_wait.h
■	■	■	■	■	■	■	■	■	■	■■■	inline_forked_closures.h
■	■	■	■	■	■	■	■	■	■	■■■	inliner.h
■	■	■	■	■	■	■	■	■	■	■■■	inplace_check.h
■	■	■	■	■	■	■	■	■	■	■■■	insert_guards.h
■	■	■	■	■	■	■	■	■	■	■■■	integer_value_refinement.h
■	■	■	■	■	■	■	■	■	■	■■■	lift_closures.h
■	■	■	■	■	■	■	■	■	■	■■■	liveness.h
■	■	■	■	■	■	■	■	■	■	■■■	loop_unrolling.h
■	■	■	■	■	■	■	■	■	■	■■■	lower_grad_of.h
■	■	■	■	■	■	■	■	■	■	■■■	lower_graph.h
■	■	■	■	■	■	■	■	■	■	■■■	lower_tuples.h
■	■	■	■	■	■	■	■	■	■	■■■	metal_rewrite.h
■	■	■	■	■	■	■	■	■	■	■■■	mkldnn_rewrite.h
■	■	■	■	■	■	■	■	■	■	■■■	mobile_optimizer_type.h
■	■	■	■	■	■	■	■	■	■	■■■	normalize_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	onednn_graph_fuser.h
■	■	■	■	■	■	■	■	■	■	■■■	onnx.h
■	■	■	■	■	■	■	■	■	■	■■■	pass_manager.h

■	■	■	■	■	■	■	■	■	■	■■■	peephole.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_alias_sensitive.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_dict_idioms.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_list_idioms.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_non_tensor.h	
■	■	■	■	■	■	■	■	■	■	■■■	prepack_folding.h	
■	■	■	■	■	■	■	■	■	■	■■■	quantization	
■	■	■	■	■	■	■	■	■	■	■	■■■	dedup_module_uses.h
■	■	■	■	■	■	■	■	■	■	■	■■■	finalize.h
■	■	■	■	■	■	■	■	■	■	■	■■■	fusion_passes.h
■	■	■	■	■	■	■	■	■	■	■	■■■	helper.h
■	■	■	■	■	■	■	■	■	■	■	■■■	insert_observers.h
■	■	■	■	■	■	■	■	■	■	■	■■■	insert_quant_dequant.h
■	■	■	■	■	■	■	■	■	■	■	■■■	quantization_patterns.h
■	■	■	■	■	■	■	■	■	■	■	■■■	quantization_type.h
■	■	■	■	■	■	■	■	■	■	■	■■■	register_packed_params.h
■	■	■	■	■	■	■	■	■	■	■■■	refine_tuple_types.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_dropout.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_exceptions.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_expands.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_inplace_ops.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_mutation.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_redundant_profiles.h	
■	■	■	■	■	■	■	■	■	■	■■■	replacement_of_old_operators.h	
■	■	■	■	■	■	■	■	■	■	■■■	requires_grad_analysis.h	
■	■	■	■	■	■	■	■	■	■	■■■	restore_mutation.h	
■	■	■	■	■	■	■	■	■	■	■■■	shape_analysis.h	
■	■	■	■	■	■	■	■	■	■	■■■	specialize_autogradzero.h	
■	■	■	■	■	■	■	■	■	■	■■■	subgraph_rewrite.h	
■	■	■	■	■	■	■	■	■	■	■■■	symbolic_shape_analysis.h	
■	■	■	■	■	■	■	■	■	■	■■■	symbolic_shape_cache.h	
■	■	■	■	■	■	■	■	■	■	■■■	symbolic_shape_runtime_fusion.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensoexpr_fuser.h	
■	■	■	■	■	■	■	■	■	■	■■■	update_differentiable_graph_requires_grad.h	
■	■	■	■	■	■	■	■	■	■	■■■	utils	
■	■	■	■	■	■	■	■	■	■	■	■■■	check_alias_annotation.h
■	■	■	■	■	■	■	■	■	■	■	■■■	memory_dag.h
■	■	■	■	■	■	■	■	■	■	■	■■■	op_registry.h
■	■	■	■	■	■	■	■	■	■	■	■■■	optimization_utils.h
■	■	■	■	■	■	■	■	■	■	■	■■■	subgraph_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	value_refinement_utils.h	
■	■	■	■	■	■	■	■	■	■	■■■	variadic_ops.h	
■	■	■	■	■	■	■	■	■	■	■■■	vulkan_rewrite.h	
■	■	■	■	■	■	■	■	■	■	■■■	xnnpack_rewrite.h	
■	■	■	■	■	■	■	■	■	■	■■■	python	
■	■	■	■	■	■	■	■	■	■	■	■■■	init.h
■	■	■	■	■	■	■	■	■	■	■	■■■	module_python.h
■	■	■	■	■	■	■	■	■	■	■	■■■	pybind.h
■	■	■	■	■	■	■	■	■	■	■	■■■	pybind_utils.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_arg_flatten.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_custom_class.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_dict.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_ir.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_ivalue.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_list.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_sugared_value.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_tracer.h
■	■	■	■	■	■	■	■	■	■	■■■	python_tree_views.h	

```

■ ■ ■ script_init.h
■ ■ ■ update_graph_executor_opt.h
■ ■ ■ resource_guard.h
■ ■ ■ runtime
■ ■ ■ argument_spec.h
■ ■ ■ autodiff.h
■ ■ ■ calculate_necessary_args.h
■ ■ ■ custom_operator.h
■ ■ ■ decomposition_registry.h
■ ■ ■ decomposition_registry_util.h
■ ■ ■ exception_message.h
■ ■ ■ graph_executor.h
■ ■ ■ graph_executor_impl.h
■ ■ ■ graph_iterator.h
■ ■ ■ instruction.h
■ ■ ■ interpreter.h
■ ■ ■ jit_exception.h
■ ■ ■ jit_trace.h
■ ■ ■ logging.h
■ ■ ■ operator.h
■ ■ ■ operator_options.h
■ ■ ■ print_handler.h
■ ■ ■ profiling_graph_executor_impl.h
■ ■ ■ profiling_record.h
■ ■ ■ register_ops_utils.h
■ ■ ■ script_profile.h
■ ■ ■ serialized_shape_function_registry.h
■ ■ ■ shape_function_registry.h
■ ■ ■ simple_graph_executor_impl.h
■ ■ ■ slice_indices_adjust.h
■ ■ ■ symbolic_script.h
■ ■ ■ symbolic_shape_registry.h
■ ■ ■ symbolic_shape_registry_util.h
■ ■ ■ vararg_functions.h
■ ■ ■ variable_tensor_list.h
■ ■ ■ serialization
■ ■ ■ callstack_debug_info_serialization.h
■ ■ ■ export.h
■ ■ ■ export_bytecode.h
■ ■ ■ flatbuffer_serializer.h
■ ■ ■ flatbuffer_serializer_jit.h
■ ■ ■ import.h
■ ■ ■ import_export_constants.h
■ ■ ■ import_export_functions.h
■ ■ ■ import_export_helpers.h
■ ■ ■ import_legacy.h
■ ■ ■ import_read.h
■ ■ ■ import_source.h
■ ■ ■ mobile_bytecode_generated.h
■ ■ ■ onnx.h
■ ■ ■ pickle.h
■ ■ ■ pickler.h
■ ■ ■ python_print.h
■ ■ ■ source_range_serialization.h
■ ■ ■ source_range_serialization_impl.h
■ ■ ■ storage_context.h
■ ■ ■ type_name_uniquer.h
■ ■ ■ unpickler.h

```

```

    tensorexpr
    analysis.h
    block_codegen.h
    bounds_inference.h
    bounds_overlap.h
    codegen.h
    cpp_codegen.h
    cpp_intrinsics.h
    cuda_codegen.h
    cuda_random.h
    eval.h
    exceptions.h
    expr.h
    external_functions.h
    external_functions_core.h
    external_functions_registry.h
    fwd_decls.h
    graph_opt.h
    half_support.h
    hash_provider.h
    intrinsic_symbols.h
    ir.h
    ir_cloner.h
    ir_mutator.h
    ir_printer.h
    ir_simplifier.h
    ir_verifier.h
    ir_visitor.h
    kernel.h
    llvm_codegen.h
    llvm_jit.h
    loopnest.h
    loopnest_randomization.h
    lowerings.h
    mem_dependency_checker.h
    operators
    conv2d.h
    matmul.h
    misc.h
    norm.h
    operators.h
    pointwise.h
    quantization.h
    reduction.h
    softmax.h
    reduction.h
    registerizer.h
    stmt.h
    tensor.h
    tensorexpr_init.h
    types.h
    unique_name_manager.h
    var_substitutor.h
    testing
    file_check.h
    hooks_for_testing.h
    lazy
    backend

```

■	■	■	■	■	■	■	■	■	■	■■■	backend_data.h
■	■	■	■	■	■	■	■	■	■	■	backend_device.h
■	■	■	■	■	■	■	■	■	■	■	backend_interface.h
■	■	■	■	■	■	■	■	■	■	■	lowering_context.h
■	■	■	■	■	■	■	■	■	■■■	core	
■	■	■	■	■	■	■	■	■	■	■■■	cache.h
■	■	■	■	■	■	■	■	■	■	■■■	config.h
■	■	■	■	■	■	■	■	■	■	■■■	debug_util.h
■	■	■	■	■	■	■	■	■	■	■■■	dynamic_ir.h
■	■	■	■	■	■	■	■	■	■	■■■	hash.h
■	■	■	■	■	■	■	■	■	■	■■■	helpers.h
■	■	■	■	■	■	■	■	■	■	■■■	internal_ops
■	■	■	■	■	■	■	■	■	■	■	■■■ ltc_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	ir.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_builder.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_dump_util.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_metadata.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_util.h
■	■	■	■	■	■	■	■	■	■	■■■	lazy_graph_executor.h
■	■	■	■	■	■	■	■	■	■	■■■	metrics.h
■	■	■	■	■	■	■	■	■	■	■■■	multi_wait.h
■	■	■	■	■	■	■	■	■	■	■■■	ops
■	■	■	■	■	■	■	■	■	■	■	■■■ arithmetic_ir_ops.h
■	■	■	■	■	■	■	■	■	■	■	■■■ utils.h
■	■	■	■	■	■	■	■	■	■	■■■	permutation_util.h
■	■	■	■	■	■	■	■	■	■	■■■	shape.h
■	■	■	■	■	■	■	■	■	■	■■■	shape_inference.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_util.h
■	■	■	■	■	■	■	■	■	■	■■■	thread_pool.h
■	■	■	■	■	■	■	■	■	■	■■■	trie.h
■	■	■	■	■	■	■	■	■	■	■■■	unique.h
■	■	■	■	■	■	■	■	■	■	■■■	util.h
■	■	■	■	■	■	■	■	■	■■■	ts_backend	
■	■	■	■	■	■	■	■	■	■	■■■	config.h
■	■	■	■	■	■	■	■	■	■	■■■	dynamic_ir.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_builder.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_aten_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_autograd_functions.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_backend_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_eager_fallback.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_lowering_context.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_node.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_node_lowering.h
■	■	■	■	■	■	■	■	■■■	onnx		
■	■	■	■	■	■	■	■	■	■	■■■	init.h
■	■	■	■	■	■	■	■	■	■	■■■	onnx.h
■	■	■	■	■	■	■	■	■■■	profiler		
■	■	■	■	■	■	■	■	■	■■■	api.h	
■	■	■	■	■	■	■	■	■	■■■	collection.h	
■	■	■	■	■	■	■	■	■	■■■	containers.h	
■	■	■	■	■	■	■	■	■	■■■	data_flow.h	
■	■	■	■	■	■	■	■	■	■■■	events.h	
■	■	■	■	■	■	■	■	■	■■■	kineto_shim.h	
■	■	■	■	■	■	■	■	■	■■■	orchestration	
■	■	■	■	■	■	■	■	■	■	■■■	observer.h
■	■	■	■	■	■	■	■	■	■	■■■	python_tracer.h

■	■	■	■	■	■	■	■	■	■	■■■	vulkan.h	
■	■	■	■	■	■	■	■	■	■	■■■	perf-inl.h	
■	■	■	■	■	■	■	■	■	■	■■■	perf.h	
■	■	■	■	■	■	■	■	■	■	■■■	stubs	
■	■	■	■	■	■	■	■	■	■	■	■■■	base.h
■	■	■	■	■	■	■	■	■	■	■■■	util.h	
■	■	■	■	■	■	■	■	■	■■■	python_dimname.h		
■	■	■	■	■	■	■	■	■	■■■	python_headers.h		
■	■	■	■	■	■	■	■	■	■■■	serialization.h		
■	■	■	■	■	■	■	■	■	■■■	tensor		
■	■	■	■	■	■	■	■	■	■	■■■	python_tensor.h	
■	■	■	■	■	■	■	■	■	■■■	utils		
■	■	■	■	■	■	■	■	■	■	■■■	auto_gil.h	
■	■	■	■	■	■	■	■	■	■	■■■	byte_order.h	
■	■	■	■	■	■	■	■	■	■	■■■	cpp_stacktraces.h	
■	■	■	■	■	■	■	■	■	■	■■■	cuda_enabled.h	
■	■	■	■	■	■	■	■	■	■	■■■	cuda_lazy_init.h	
■	■	■	■	■	■	■	■	■	■	■■■	disable_torch_function.h	
■	■	■	■	■	■	■	■	■	■	■■■	init.h	
■	■	■	■	■	■	■	■	■	■	■■■	invalid_arguments.h	
■	■	■	■	■	■	■	■	■	■	■■■	memory.h	
■	■	■	■	■	■	■	■	■	■	■■■	nested.h	
■	■	■	■	■	■	■	■	■	■	■■■	numpy_stub.h	
■	■	■	■	■	■	■	■	■	■	■■■	object_ptr.h	
■	■	■	■	■	■	■	■	■	■	■■■	out_types.h	
■	■	■	■	■	■	■	■	■	■	■■■	pybind.h	
■	■	■	■	■	■	■	■	■	■	■■■	pycfunction_helpers.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_arg_parser.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_compat.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_dispatch.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_numbers.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_scalars.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_strings.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_stub.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_symnode.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_torch_function_mode.h	
■	■	■	■	■	■	■	■	■	■	■■■	python_tuples.h	
■	■	■	■	■	■	■	■	■	■	■■■	pythoncapi_compat.h	
■	■	■	■	■	■	■	■	■	■	■■■	schema_info.h	
■	■	■	■	■	■	■	■	■	■	■■■	six.h	
■	■	■	■	■	■	■	■	■	■	■■■	structseq.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_apply.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_dtypes.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_flatten.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_layouts.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_list.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_memoryformats.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_new.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_numpy.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_qschemes.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensor_types.h	
■	■	■	■	■	■	■	■	■	■	■■■	throughput_benchmark-inl.h	
■	■	■	■	■	■	■	■	■	■	■■■	throughput_benchmark.h	
■	■	■	■	■	■	■	■	■	■	■■■	torch_dispatch_mode.h	
■	■	■	■	■	■	■	■	■	■	■■■	variadic.h	
■	■	■	■	■	■	■	■	■	■■■	utils.h		
■	■	■	■	■	■	■	■	■■■	custom_class.h			
■	■	■	■	■	■	■	■■■	custom_class_detail.h				

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ extension.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ library.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ script.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xnnpack.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jit
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _async.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _await.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _dataclass_impls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _decomposition_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _decompositions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _freeze.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _fuser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ir_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _monkeytype_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _recursive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _script.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _trace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ annotations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ frontend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generate_bytecode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ quantized.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ supported_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ unsupported_tensor_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _async.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _await.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _builtins.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _dataclass_impls.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _decomposition_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _decompositions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _freeze.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _fuser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ir_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _logging.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _monkeytype_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _passes
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _property_propagation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _property_propagation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _recursive.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _script.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _serialization.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _state.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _trace.py

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      mps
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      multiprocessing
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _atfork.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      queue.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      reductions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      spawn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _atfork.py
■      ■      ■      ■      ■      ■      ■      ■      ■      pool.py
■      ■      ■      ■      ■      ■      ■      ■      ■      queue.py
■      ■      ■      ■      ■      ■      ■      ■      ■      reductions.py
■      ■      ■      ■      ■      ■      ■      ■      ■      spawn.py
■      ■      ■      ■      ■      ■      ■      ■      nested
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nn
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _reduction.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      common_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      cpp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      grad.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      init.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      parameter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _reduction.py
■      ■      ■      ■      ■      ■      ■      ■      backends
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      thnn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      thnn.py
■      ■      ■      ■      ■      ■      ■      ■      common_types.py
■      ■      ■      ■      ■      ■      ■      ■      cpp.py
■      ■      ■      ■      ■      ■      ■      ■      functional.py
■      ■      ■      ■      ■      ■      ■      ■      functional.pyi
■      ■      ■      ■      ■      ■      ■      ■      grad.py
■      ■      ■      ■      ■      ■      ■      ■      init.py
■      ■      ■      ■      ■      ■      ■      ■      intrinsic
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      modules
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      fused.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      fused.py
■      ■      ■      ■      ■      ■      ■      ■      qat
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ conv_fused.cpython-311.pyc
    ████ linear_fused.cpython-311.pyc
    ████ linear_relu.cpython-311.pyc
    ████ conv_fused.py
    ████ linear_fused.py
    ████ linear_relu.py
    ████ quantized
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ dynamic
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ linear_relu.cpython-311.pyc
    ████ linear_relu.py
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ bn_relu.cpython-311.pyc
    ████ conv_relu.cpython-311.pyc
    ████ linear_relu.cpython-311.pyc
    ████ bn_relu.py
    ████ conv_relu.py
    ████ linear_relu.py
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _functions.cpython-311.pyc
    ████ activation.cpython-311.pyc
    ████ adaptive.cpython-311.pyc
    ████ batchnorm.cpython-311.pyc
    ████ channelshuffle.cpython-311.pyc
    ████ container.cpython-311.pyc
    ████ conv.cpython-311.pyc
    ████ distance.cpython-311.pyc
    ████ dropout.cpython-311.pyc
    ████ flatten.cpython-311.pyc
    ████ fold.cpython-311.pyc
    ████ instancenorm.cpython-311.pyc
    ████ lazy.cpython-311.pyc
    ████ linear.cpython-311.pyc
    ████ loss.cpython-311.pyc
    ████ module.cpython-311.pyc
    ████ normalization.cpython-311.pyc
    ████ padding.cpython-311.pyc

```



```

    scatter_gather.py
    scatter_gather.pyi
    parameter.py
    parameter.pyi
    qat
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    dynamic
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    linear.cpython-311.pyc
    linear.py
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conv.cpython-311.pyc
    embedding_ops.cpython-311.pyc
    linear.cpython-311.pyc
    conv.py
    embedding_ops.py
    linear.py
    quantizable
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    activation.cpython-311.pyc
    rnn.cpython-311.pyc
    activation.py
    rnn.py
    quantized
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    functional.cpython-311.pyc
    _reference
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conv.cpython-311.pyc
    linear.cpython-311.pyc
    rnn.cpython-311.pyc
    sparse.cpython-311.pyc
    utils.cpython-311.pyc

```

```

    conv.py
    linear.py
    rnn.py
    sparse.py
    utils.py
  dynamic
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conv.cpython-311.pyc
    linear.cpython-311.pyc
    rnn.cpython-311.pyc
    conv.py
    linear.py
    rnn.py
  functional.py
  modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    activation.cpython-311.pyc
    batchnorm.cpython-311.pyc
    conv.cpython-311.pyc
    dropout.cpython-311.pyc
    embedding_ops.cpython-311.pyc
    functional_modules.cpython-311.pyc
    linear.cpython-311.pyc
    normalization.cpython-311.pyc
    rnn.cpython-311.pyc
    utils.cpython-311.pyc
    activation.py
    batchnorm.py
    conv.py
    dropout.py
    embedding_ops.py
    functional_modules.py
    linear.py
    normalization.py
    rnn.py
    utils.py
  utils
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _deprecation_utils.cpython-311.pyc
    _named_member_accessor.cpython-311.pyc
    _per_sample_grad.cpython-311.pyc
    clip_grad.cpython-311.pyc
    convert_parameters.cpython-311.pyc
    fusion.cpython-311.pyc
    init.cpython-311.pyc
    memory_format.cpython-311.pyc
    parametrizations.cpython-311.pyc
    parametrize.cpython-311.pyc

```



```

■ ■ ■ prune.cpython-311.pyc
■ ■ ■ rnn.cpython-311.pyc
■ ■ ■ spectral_norm.cpython-311.pyc
■ ■ ■ stateless.cpython-311.pyc
■ ■ ■ weight_norm.cpython-311.pyc
■ ■ ■ _deprecation_utils.py
■ ■ ■ _expanded_weights
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ conv_expanded_weights.cpython-311.pyc
■ ■ ■ conv_utils.cpython-311.pyc
■ ■ ■ embedding_expanded_weights.cpython-311.pyc
■ ■ ■ expanded_weights_impl.cpython-311.pyc
■ ■ ■ expanded_weights_utils.cpython-311.pyc
■ ■ ■ group_norm_expanded_weights.cpython-311.pyc
■ ■ ■ instance_norm_expanded_weights.cpython-311.pyc
■ ■ ■ layer_norm_expanded_weights.cpython-311.pyc
■ ■ ■ linear_expanded_weights.cpython-311.pyc
■ ■ ■ conv_expanded_weights.py
■ ■ ■ conv_utils.py
■ ■ ■ embedding_expanded_weights.py
■ ■ ■ expanded_weights_impl.py
■ ■ ■ expanded_weights_utils.py
■ ■ ■ group_norm_expanded_weights.py
■ ■ ■ instance_norm_expanded_weights.py
■ ■ ■ layer_norm_expanded_weights.py
■ ■ ■ linear_expanded_weights.py
■ ■ ■ _named_member_accessor.py
■ ■ ■ _per_sample_grad.py
■ ■ ■ clip_grad.py
■ ■ ■ convert_parameters.py
■ ■ ■ fusion.py
■ ■ ■ init.py
■ ■ ■ memory_format.py
■ ■ ■ parametrizations.py
■ ■ ■ parametrize.py
■ ■ ■ prune.py
■ ■ ■ rnn.py
■ ■ ■ spectral_norm.py
■ ■ ■ stateless.py
■ ■ ■ weight_norm.py
■ ■ ■ onnx
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _constants.cpython-311.pyc
■ ■ ■ _deprecation.cpython-311.pyc
■ ■ ■ _experimental.cpython-311.pyc
■ ■ ■ _exporter_states.cpython-311.pyc
■ ■ ■ _globals.cpython-311.pyc
■ ■ ■ _onnx_supported_ops.cpython-311.pyc
■ ■ ■ _type_utils.cpython-311.pyc
■ ■ ■ errors.cpython-311.pyc
■ ■ ■ operators.cpython-311.pyc
■ ■ ■ symbolic_caffe2.cpython-311.pyc
■ ■ ■ symbolic_helper.cpython-311.pyc
■ ■ ■ symbolic_opset10.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset11.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset12.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset13.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset14.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset16.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset17.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset18.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset7.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset8.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset9.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ verification.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _deprecation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _experimental.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _exporter_states.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _globals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _internal
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _beartype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jit_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ onnx_proto_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ registration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _beartype.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ diagnostics
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _diagnostic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _rules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _diagnostic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _rules.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ infra
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _infra.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decorator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ engine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ formatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _infra.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decorator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ engine.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ formatter.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sarif
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _address.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact_change.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact_content.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact_location.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _attachment.cpython-311.pyc
```

[illegible]

```

_ edge_traversal.py
_ exception.py
_ external_properties.py
_ external_property_file_reference.py
_ external_property_file_references.py
_ fix.py
_ graph.py
_ graph_traversal.py
_ invocation.py
_ location.py
_ location_relationship.py
_ logical_location.py
_ message.py
_ multiformat_message_string.py
_ node.py
_ notification.py
_ physical_location.py
_ property_bag.py
_ rectangle.py
_ region.py
_ replacement.py
_ reporting_configuration.py
_ reporting_descriptor.py
_ reporting_descriptor_reference.py
_ reporting_descriptor_relationship.py
_ result.py
_ result_provenance.py
_ run.py
_ run_automation_details.py
_ sarif_log.py
_ special_locations.py
_ stack.py
_ stack_frame.py
_ suppression.py
_ thread_flow.py
_ thread_flow_location.py
_ tool.py
_ tool_component.py
_ tool_component_reference.py
_ translation_metadata.py
_ version_control_details.py
_ web_request.py
_ web_response.py
version.py
utils.py
fx
__init__.py
__pycache__
__init__.cpython-311.pyc
context.cpython-311.pyc
diagnostics.cpython-311.pyc
exporter.cpython-311.pyc
function_dispatcher.cpython-311.pyc
options.cpython-311.pyc
context.py
diagnostics.py
exporter.py
function_dispatcher.py

```

```

■      ■      ■      ■      ■      ■      ■      ■      ■      options.py
■      ■      ■      ■      ■      ■      ■      ■      ■      jit_utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      onnx_proto_utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      registration.py
■      ■      ■      ■      ■      ■      ■      ■      ■      _onnx_supported_ops.py
■      ■      ■      ■      ■      ■      ■      ■      ■      _type_utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      errors.py
■      ■      ■      ■      ■      ■      ■      ■      ■      operators.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_caffe2.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_helper.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset10.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset11.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset12.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset13.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset14.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset15.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset16.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset17.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset18.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset7.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset8.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset9.py
■      ■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      verification.py
■      ■      ■      ■      ■      ■      ■      ■      ■      optim
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adadelta.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adagrad.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adamax.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adamw.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      asgd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lbfgs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lr_scheduler.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      nadam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      optimizer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      radam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      rmsprop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      rprop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      sgd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      sparse_adam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      swa_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _functional.py
■      ■      ■      ■      ■      ■      ■      ■      ■      _multi_tensor
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adadelta.py
■      ■      ■      ■      ■      ■      ■      ■      ■      adadelta.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      adagrad.py
■      ■      ■      ■      ■      ■      ■      ■      ■      adagrad.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      adam.py
■      ■      ■      ■      ■      ■      ■      ■      ■      adam.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      adamax.py

```

```

adamax.pyi
adamw.py
adamw.pyi
asgd.py
asgd.pyi
lbfgs.py
lbfgs.pyi
lr_scheduler.py
lr_scheduler.pyi
nadam.py
nadam.pyi
optimizer.py
optimizer.pyi
radam.py
radam.pyi
rmsprop.py
rmsprop.pyi
rprop.py
rprop.pyi
sgd.py
sgd.pyi
sparse_adam.py
sparse_adam.pyi
swa_utils.py
swa_utils.pyi
overrides.py
package
__init__.py
__pycache__
__init__.cpython-311.pyc
_digraph.cpython-311.pyc
_directory_reader.cpython-311.pyc
_importlib.cpython-311.pyc
_mangling.cpython-311.pyc
_mock.cpython-311.pyc
_package_pickler.cpython-311.pyc
_package_unpickler.cpython-311.pyc
_stdlib.cpython-311.pyc
file_structure_representation.cpython-311.pyc
find_file_dependencies.cpython-311.pyc
glob_group.cpython-311.pyc
importer.cpython-311.pyc
package_exporter.cpython-311.pyc
package_importer.cpython-311.pyc
_digraph.py
_directory_reader.py
_importlib.py
_mangling.py
_mock.py
_package_pickler.py
_package_unpickler.py
_stdlib.py
analyze
__init__.py
__pycache__
__init__.cpython-311.pyc
find_first_use_of_broken_modules.cpython-311.pyc
is_from_package.cpython-311.pyc

```

```

    ■■■■ trace_dependencies.cpython-311.pyc
    ■■■■ find_first_use_of_broken_modules.py
    ■■■■ is_from_package.py
    ■■■■ trace_dependencies.py
    ■■■■ file_structure_representation.py
    ■■■■ find_file_dependencies.py
    ■■■■ glob_group.py
    ■■■■ importer.py
    ■■■■ package_exporter.py
    ■■■■ package_importer.py
    ■■■■ profiler
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _memory_profiler.cpython-311.pyc
    ■■■■ _pattern_matcher.cpython-311.pyc
    ■■■■ _utils.cpython-311.pyc
    ■■■■ itt.cpython-311.pyc
    ■■■■ profiler.cpython-311.pyc
    ■■■■ python_tracer.cpython-311.pyc
    ■■■■ _memory_profiler.py
    ■■■■ _pattern_matcher.py
    ■■■■ _utils.py
    ■■■■ itt.py
    ■■■■ profiler.py
    ■■■■ python_tracer.py
    ■■■■ py.typed
    ■■■■ quantization
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _numeric_suite.cpython-311.pyc
    ■■■■ _numeric_suite_fx.cpython-311.pyc
    ■■■■ fake_quantize.cpython-311.pyc
    ■■■■ fuse_modules.cpython-311.pyc
    ■■■■ fuser_method_mappings.cpython-311.pyc
    ■■■■ observer.cpython-311.pyc
    ■■■■ qconfig.cpython-311.pyc
    ■■■■ quant_type.cpython-311.pyc
    ■■■■ quantization_mappings.cpython-311.pyc
    ■■■■ quantize.cpython-311.pyc
    ■■■■ quantize_fx.cpython-311.pyc
    ■■■■ quantize_jit.cpython-311.pyc
    ■■■■ stubs.cpython-311.pyc
    ■■■■ utils.cpython-311.pyc
    ■■■■ _numeric_suite.py
    ■■■■ _numeric_suite_fx.py
    ■■■■ fake_quantize.py
    ■■■■ fuse_modules.py
    ■■■■ fuser_method_mappings.py
    ■■■■ fx
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _equalize.cpython-311.pyc
    ■■■■ convert.cpython-311.pyc
    ■■■■ fuse.cpython-311.pyc
    ■■■■ fusion_patterns.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ graph_module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ match_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pattern_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ prepare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_patterns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _equalize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ convert.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ fuse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ fusion_patterns.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ graph_module.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ match_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pattern_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ prepare.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_patterns.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_types.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ observer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ qconfig.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quant_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_mappings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantize_fx.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantize_jit.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stubs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quasirandom.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ random.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ return_types.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ serialization.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ share
■ ■ ■ ■ ■ ■ ■ ■ ■■ cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ATen
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ATenConfig.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ Caffe2
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ Caffe2Config.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ Caffe2ConfigVersion.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ Caffe2Targets-release.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ Caffe2Targets.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ Modules_CUDA_fix
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ FindCUDA.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ FindCUDNN.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ upstream
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ CMakeInitializeConfigs.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ FindCUDA
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ make2cmake.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ parse_cubin.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ run_nvcc.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ select_compute_arch.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ FindCUDA.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ FindPackageHandleStandardArgs.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ FindPackageMessage.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ public
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ LoadHIP.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ cuda.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ gflags.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ glog.cmake

```


[illegible]

```

■ ■ ■ common_utils.cpython-311.pyc
■ ■ ■ composite_compliance.cpython-311.pyc
■ ■ ■ dist_utils.cpython-311.pyc
■ ■ ■ hypothesis_utils.cpython-311.pyc
■ ■ ■ inductor_utils.cpython-311.pyc
■ ■ ■ jit_metaprogramming_utils.cpython-311.pyc
■ ■ ■ jit_utils.cpython-311.pyc
■ ■ ■ logging_tensor.cpython-311.pyc
■ ■ ■ quantization_torch_package_models.cpython-311.pyc
■ ■ ■ schema_check_mode.cpython-311.pyc
■ ■ ■ autocast_test_lists.py
■ ■ ■ autograd_function_db.py
■ ■ ■ check_kernel_launches.py
■ ■ ■ codegen
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ random_topo_test.cpython-311.pyc
■ ■ ■ random_topo_test.py
■ ■ ■ common_cuda.py
■ ■ ■ common_device_type.py
■ ■ ■ common_dist_composable.py
■ ■ ■ common_distributed.py
■ ■ ■ common_dtype.py
■ ■ ■ common_fsdp.py
■ ■ ■ common_jit.py
■ ■ ■ common_methods_invocations.py
■ ■ ■ common_modules.py
■ ■ ■ common_nn.py
■ ■ ■ common_pruning.py
■ ■ ■ common_quantization.py
■ ■ ■ common_quantized.py
■ ■ ■ common_subclass.py
■ ■ ■ common_utils.py
■ ■ ■ composite_compliance.py
■ ■ ■ data
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ network1.cpython-311.pyc
■ ■ ■ network2.cpython-311.pyc
■ ■ ■ network1.py
■ ■ ■ network2.py
■ ■ ■ dist_utils.py
■ ■ ■ distributed
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ checkpoint_utils.cpython-311.pyc
■ ■ ■ ddp_under_dist_autograd_test.cpython-311.pyc
■ ■ ■ distributed_test.cpython-311.pyc
■ ■ ■ distributed_utils.cpython-311.pyc
■ ■ ■ multi_threaded_pg.cpython-311.pyc
■ ■ ■ pipe_with_ddp_test.cpython-311.pyc
■ ■ ■ rpc_utils.cpython-311.pyc
■ ■ ■ _shard
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```

[illegible]

```

faulty_rpc_agent_rpc_test.py
faulty_rpc_agent_test_fixture.py
jit
__init__.py
__pycache__
__init__.cpython-311.pyc
dist_autograd_test.cpython-311.pyc
dist_autograd_test.py
rpc_test.cpython-311.pyc
rpc_test.py
rpc_test_faulty.cpython-311.pyc
rpc_test_faulty.py
rpc_agent_test_fixture.py
rpc_test.py
tensorpipe_rpc_agent_test_fixture.py
rpc_utils.py
generated
__init__.py
__pycache__
__init__.cpython-311.pyc
annotated_fn_args.cpython-311.pyc
annotated_fn_args.py
hypothesis_utils.py
inductor_utils.py
jit_metaprogramming_utils.py
jit_utils.py
logging_tensor.py
opinfo
__init__.py
__pycache__
__init__.cpython-311.pyc
core.cpython-311.pyc
core.py
refs.cpython-311.pyc
refs.py
utils.cpython-311.pyc
utils.py
definitions
__init__.py
__pycache__
__init__.cpython-311.pyc
_masked.cpython-311.pyc
_masked.py
fft.cpython-311.pyc
fft.py
linalg.cpython-311.pyc
linalg.py
signal.cpython-311.pyc
signal.py
special.cpython-311.pyc
special.py
quantization_torch_package_models.py
schema_check_mode.py
test_module
__init__.py
__pycache__
__init__.cpython-311.pyc
future_div.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■ no_future_div.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ future_div.py
■	■	■	■	■	■	■	■	■	■■■■ no_future_div.py
■	■	■	■	■	■■■■	torch_version.py			
■	■	■	■	■	■■■■	types.py			
■	■	■	■	■	■■■■	utils			
■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_contextlib.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_cpp_extension_versioner.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_crash_handler.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_cuda_trace.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_device.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_foreach_utils.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_freeze.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_mode_utils.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_python_dispatch.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_pytree.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_stats.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_traceback.cpython-311.pyc		
■	■	■	■	■	■	■■■■	_zip.cpython-311.pyc		
■	■	■	■	■	■	■■■■	backend_registration.cpython-311.pyc		
■	■	■	■	■	■	■■■■	bundled_inputs.cpython-311.pyc		
■	■	■	■	■	■	■■■■	checkpoint.cpython-311.pyc		
■	■	■	■	■	■	■■■■	collect_env.cpython-311.pyc		
■	■	■	■	■	■	■■■■	cpp_backtrace.cpython-311.pyc		
■	■	■	■	■	■	■■■■	cpp_extension.cpython-311.pyc		
■	■	■	■	■	■	■■■■	dlpack.cpython-311.pyc		
■	■	■	■	■	■	■■■■	file_baton.cpython-311.pyc		
■	■	■	■	■	■	■■■■	hooks.cpython-311.pyc		
■	■	■	■	■	■	■■■■	mkldnn.cpython-311.pyc		
■	■	■	■	■	■	■■■■	mobile_optimizer.cpython-311.pyc		
■	■	■	■	■	■	■■■■	model_zoo.cpython-311.pyc		
■	■	■	■	■	■	■■■■	show_pickle.cpython-311.pyc		
■	■	■	■	■	■	■■■■	throughput_benchmark.cpython-311.pyc		
■	■	■	■	■	■	■■■■	weak.cpython-311.pyc		
■	■	■	■	■	■■■■	_contextlib.py			
■	■	■	■	■	■■■■	_cpp_extension_versioner.py			
■	■	■	■	■	■■■■	_crash_handler.py			
■	■	■	■	■	■■■■	_cuda_trace.py			
■	■	■	■	■	■■■■	_device.py			
■	■	■	■	■	■■■■	_foreach_utils.py			
■	■	■	■	■	■■■■	_freeze.py			
■	■	■	■	■	■■■■	_mode_utils.py			
■	■	■	■	■	■■■■	_python_dispatch.py			
■	■	■	■	■	■■■■	_pytree.py			
■	■	■	■	■	■■■■	_stats.py			
■	■	■	■	■	■■■■	_sympy			
■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc		
■	■	■	■	■	■	■■■■	value_ranges.cpython-311.pyc		
■	■	■	■	■	■	■■■■	value_ranges.py		
■	■	■	■	■	■■■■	_traceback.py			
■	■	■	■	■	■■■■	_zip.py			
■	■	■	■	■	■■■■	backcompat			
■	■	■	■	■	■	■■■■	__init__.py		


```

timeit_template.cpp
timer.py
valgrind_wrapper
__init__.py
__pycache__
__init__.cpython-311.pyc
timer_interface.cpython-311.pyc
callgrind.h
compat_bindings.cpp
timer_callgrind_template.cpp
timer_interface.py
valgrind.h
bottleneck
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
bundled_inputs.py
checkpoint.py
collect_env.py
cpp_backtrace.py
cpp_extension.py
data
__init__.py
__pycache__
__init__.cpython-311.pyc
backward_compatibility.cpython-311.pyc
dataloader.cpython-311.pyc
dataset.cpython-311.pyc
distributed.cpython-311.pyc
graph.cpython-311.pyc
graph_settings.cpython-311.pyc
sampler.cpython-311.pyc
_utils
__init__.py
__pycache__
__init__.cpython-311.pyc
collate.cpython-311.pyc
fetch.cpython-311.pyc
pin_memory.cpython-311.pyc
serialization.cpython-311.pyc
signal_handling.cpython-311.pyc
worker.cpython-311.pyc
collate.py
fetch.py
pin_memory.py
serialization.py
signal_handling.py
worker.py
backward_compatibility.py
dataloader.py
datapipes
__init__.py
__pycache__
__init__.cpython-311.pyc
_decorator.cpython-311.pyc
_hook_iterator.cpython-311.pyc

```

```

████ _typing.cpython-311.pyc
████ datapipe.cpython-311.pyc
████ gen_pyi.cpython-311.pyc
████ _decorator.py
████ _hook_iterator.py
████ _typing.py
████ dataframe
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ dataframe_wrapper.cpython-311.pyc
████ dataframes.cpython-311.pyc
████ datapipes.cpython-311.pyc
████ structures.cpython-311.pyc
████ dataframe_wrapper.py
████ dataframes.py
████ datapipes.py
████ structures.py
████ datapipe.py
████ datapipe.pyi
████ gen_pyi.py
████ iter
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ callable.cpython-311.pyc
████ combinatorics.cpython-311.pyc
████ combining.cpython-311.pyc
████ filelister.cpython-311.pyc
████ fileopener.cpython-311.pyc
████ grouping.cpython-311.pyc
████ routeddecoder.cpython-311.pyc
████ selecting.cpython-311.pyc
████ sharding.cpython-311.pyc
████ streamreader.cpython-311.pyc
████ utils.cpython-311.pyc
████ callable.py
████ combinatorics.py
████ combining.py
████ filelister.py
████ fileopener.py
████ grouping.py
████ routeddecoder.py
████ selecting.py
████ sharding.py
████ streamreader.py
████ utils.py
████ map
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ callable.cpython-311.pyc
████ combinatorics.cpython-311.pyc
████ combining.cpython-311.pyc
████ grouping.cpython-311.pyc
████ utils.cpython-311.pyc
████ callable.py
████ combinatorics.py

```


[illegible]

```

_ _ _ _ _convert_np.cpython-311.pyc
_ _ _ _ _embedding.cpython-311.pyc
_ _ _ _ _onnx_graph.cpython-311.pyc
_ _ _ _ _proto_graph.cpython-311.pyc
_ _ _ _ _pytorch_graph.cpython-311.pyc
_ _ _ _ _utils.cpython-311.pyc
_ _ _ _ summary.cpython-311.pyc
_ _ _ _ writer.cpython-311.pyc
_ _ _ _ _caffe2_graph.py
_ _ _ _ _convert_np.py
_ _ _ _ _embedding.py
_ _ _ _ _onnx_graph.py
_ _ _ _ _proto_graph.py
_ _ _ _ _pytorch_graph.py
_ _ _ _ _utils.py
_ _ _ _ summary.py
_ _ _ _ writer.py
_ _ _ _ throughput_benchmark.py
_ _ _ _ weak.py
_ _ _ _ version.py
_ _ _ _ version.py-e
_ _ _ torch-2.0.1.dist-info
_ _ _ _ INSTALLER
_ _ _ _ LICENSE
_ _ _ _ METADATA
_ _ _ _ NOTICE
_ _ _ _ RECORD
_ _ _ _ REQUESTED
_ _ _ _ WHEEL
_ _ _ _ entry_points.txt
_ _ _ _ top_level.txt
_ _ _ torchaudio
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ kaldi_io.cpython-311.pyc
_ _ _ _ version.cpython-311.pyc
_ _ _ _ _backend
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ utils.cpython-311.pyc
_ _ _ _ _ utils.py
_ _ _ _ _extension
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ utils.cpython-311.pyc
_ _ _ _ _ utils.py
_ _ _ _ _internal
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ module_utils.cpython-311.pyc
_ _ _ _ _ module_utils.py
_ _ _ _ backend
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ no_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ soundfile_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sox_io_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ no_backend.py
■ ■ ■ ■ ■ ■ ■ ■■■ soundfile_backend.py
■ ■ ■ ■ ■ ■ ■ ■■■ sox_io_backend.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ compliance
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kaldi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kaldi.py
■ ■ ■ ■ ■ ■ ■ ■■■ datasets
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmuarctic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmudict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ commonvoice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dr_vctk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fluentcommands.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gtzan.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ iemocap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ librilight_limited.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ librimix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ librispeech.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libritts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ljspeech.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ musdb_hq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ quesst14.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ snips.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ speechcommands.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tedlium.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vctk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ voxceleb1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ yesno.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmuarctic.py
■ ■ ■ ■ ■ ■ ■ ■■■ cmudict.py
■ ■ ■ ■ ■ ■ ■ ■■■ commonvoice.py
■ ■ ■ ■ ■ ■ ■ ■■■ dr_vctk.py
■ ■ ■ ■ ■ ■ ■ ■■■ fluentcommands.py
■ ■ ■ ■ ■ ■ ■ ■■■ gtzan.py
■ ■ ■ ■ ■ ■ ■ ■■■ iemocap.py
■ ■ ■ ■ ■ ■ ■ ■■■ librilight_limited.py
■ ■ ■ ■ ■ ■ ■ ■■■ librimix.py
■ ■ ■ ■ ■ ■ ■ ■■■ librispeech.py
■ ■ ■ ■ ■ ■ ■ ■■■ libritts.py
■ ■ ■ ■ ■ ■ ■ ■■■ ljspeech.py
■ ■ ■ ■ ■ ■ ■ ■■■ musdb_hq.py
■ ■ ■ ■ ■ ■ ■ ■■■ quesst14.py
■ ■ ■ ■ ■ ■ ■ ■■■ snips.py
■ ■ ■ ■ ■ ■ ■ ■■■ speechcommands.py
```

```

tedlium.py
utils.py
vctk.py
voxceleb1.py
yesno.py
functional
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  filtering.cpython-311.pyc
  functional.cpython-311.pyc
  filtering.py
  functional.py
io
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  _compat.cpython-311.pyc
  _playback.cpython-311.pyc
  _stream_reader.cpython-311.pyc
  _stream_writer.cpython-311.pyc
  _compat.py
  _playback.py
  _stream_reader.py
  _stream_writer.py
kaldi_io.py
lib
  _torchaudio.so
  _torchaudio_ffmpeg.so
  _torchaudio_sox.so
  flashlight_lib_text_decoder.so
  flashlight_lib_text_dictionary.so
  libflashlight-text.so
  libtorchaudio.so
  libtorchaudio_ffmpeg.so
  libtorchaudio_sox.so
models
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  _hdemucs.cpython-311.pyc
  conformer.cpython-311.pyc
  conv_tasnet.cpython-311.pyc
  deepspeech.cpython-311.pyc
  emformer.cpython-311.pyc
  rnnt.cpython-311.pyc
  rnnt_decoder.cpython-311.pyc
  tacotron2.cpython-311.pyc
  wav2letter.cpython-311.pyc
  wavernn.cpython-311.pyc
  _hdemucs.py
  conformer.py
  conv_tasnet.py
  decoder
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    _ctc_decoder.cpython-311.pyc

```

```

    ■■■ _ctc_decoder.py
    ■■■ deepspeech.py
    ■■■ emformer.py
    ■■■ rnnt.py
    ■■■ rnnt_decoder.py
    ■■■ tacotron2.py
    ■■■ wav2letter.py
    ■■■ wav2vec2
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ components.cpython-311.pyc
    ■■■ model.cpython-311.pyc
    ■■■ wavlm_attention.cpython-311.pyc
    ■■■ components.py
    ■■■ model.py
    ■■■ utils
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ import_fairseq.cpython-311.pyc
    ■■■ import_huggingface.cpython-311.pyc
    ■■■ import_fairseq.py
    ■■■ import_huggingface.py
    ■■■ wavlm_attention.py
    ■■■ wavernn.py
    ■■■ pipelines
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _source_separation_pipeline.cpython-311.pyc
    ■■■ rnnt_pipeline.cpython-311.pyc
    ■■■ _source_separation_pipeline.py
    ■■■ _tts
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ impl.cpython-311.pyc
    ■■■ interface.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ impl.py
    ■■■ interface.py
    ■■■ utils.py
    ■■■ _wav2vec2
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ impl.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ impl.py
    ■■■ utils.py
    ■■■ rnnt_pipeline.py
    ■■■ sox_effects
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ sox_effects.cpython-311.pyc
    ■■■ sox_effects.py

```

```

    transforms
    ├── __init__.py
    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   ├── _multi_channel.cpython-311.pyc
    │   ├── _transforms.cpython-311.pyc
    │   ├── _multi_channel.py
    │   └── _transforms.py
    └── utils
        ├── __init__.py
        ├── __pycache__
        │   ├── __init__.cpython-311.pyc
        │   ├── download.cpython-311.pyc
        │   ├── ffmpeg_utils.cpython-311.pyc
        │   ├── sox_utils.cpython-311.pyc
        │   ├── download.py
        │   ├── ffmpeg_utils.py
        │   └── sox_utils.py
        └── version.py
torchaudio-2.0.2.dist-info
├── INSTALLER
├── LICENSE
├── METADATA
├── RECORD
├── REQUESTED
├── WHEEL
├── top_level.txt
└── torchgen
    ├── __init__.py
    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   ├── code_template.cpython-311.pyc
    │   ├── context.cpython-311.pyc
    │   ├── gen.cpython-311.pyc
    │   ├── gen_backend_stubs.cpython-311.pyc
    │   ├── gen_executorch.cpython-311.pyc
    │   ├── gen_functionalization_type.cpython-311.pyc
    │   ├── gen_lazy_tensor.cpython-311.pyc
    │   ├── gen_vmap_plumbing.cpython-311.pyc
    │   ├── local.cpython-311.pyc
    │   ├── model.cpython-311.pyc
    │   ├── native_function_generation.cpython-311.pyc
    │   └── utils.cpython-311.pyc
    └── api
        ├── __init__.py
        ├── __pycache__
        │   ├── __init__.cpython-311.pyc
        │   ├── autograd.cpython-311.pyc
        │   ├── cpp.cpython-311.pyc
        │   ├── dispatcher.cpython-311.pyc
        │   ├── functionalization.cpython-311.pyc
        │   ├── lazy.cpython-311.pyc
        │   ├── meta.cpython-311.pyc
        │   ├── native.cpython-311.pyc
        │   ├── python.cpython-311.pyc
        │   ├── structured.cpython-311.pyc
        │   ├── translate.cpython-311.pyc
        │   └── ufunc.cpython-311.pyc

```

```

    unboxing.cpython-311.pyc
autograd.py
cpp.py
dispatcher.py
functionalization.py
lazy.py
meta.py
native.py
python.py
structured.py
translate.py
types
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        signatures.cpython-311.pyc
        types.cpython-311.pyc
        types_base.cpython-311.pyc
    signatures.py
    types.py
    types_base.py
ufunc.py
unboxing.py
code_template.py
context.py
dest
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        lazy_ir.cpython-311.pyc
        lazy_ts_lowering.cpython-311.pyc
        native_functions.cpython-311.pyc
        register_dispatch_key.cpython-311.pyc
        ufunc.cpython-311.pyc
    lazy_ir.py
    lazy_ts_lowering.py
    native_functions.py
    register_dispatch_key.py
    ufunc.py
executortorch
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    api
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            custom_ops.cpython-311.pyc
            et_cpp.cpython-311.pyc
            unboxing.cpython-311.pyc
        custom_ops.py
        et_cpp.py
        types
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                signatures.cpython-311.pyc
                types.cpython-311.pyc

```

[illegible]


```

    UfuncCPU.cpp
    UfuncCUDA.cu
    UnboxingFunctions.cpp
    UnboxingFunctions.h
    aten_interned_strings.h
    enum_tag.h
selective_build
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    operator.cpython-311.pyc
    selector.cpython-311.pyc
    operator.py
    selector.py
static_runtime
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    config.cpython-311.pyc
    gen_static_runtime_ops.cpython-311.pyc
    generator.cpython-311.pyc
    config.py
    gen_static_runtime_ops.py
    generator.py
utils.py
torchtext
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    utils.cpython-311.pyc
    vocab.cpython-311.pyc
data
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    batch.cpython-311.pyc
    dataset.cpython-311.pyc
    example.cpython-311.pyc
    field.cpython-311.pyc
    functional.cpython-311.pyc
    iterator.cpython-311.pyc
    metrics.cpython-311.pyc
    pipeline.cpython-311.pyc
    utils.cpython-311.pyc
    batch.py
    dataset.py
    example.py
    field.py
    functional.py
    iterator.py
    metrics.py
    pipeline.py
    utils.py
datasets
    __init__.py
    __pycache__
    __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ babi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ imdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequence_tagging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ translation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ trec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unsupervised_learning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ babi.py
■ ■ ■ ■ ■ ■ ■ ■■■ imdb.py
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.py
■ ■ ■ ■ ■ ■ ■ ■■■ nli.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequence_tagging.py
■ ■ ■ ■ ■ ■ ■ ■■■ sst.py
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.py
■ ■ ■ ■ ■ ■ ■ ■■■ translation.py
■ ■ ■ ■ ■ ■ ■ ■■■ trec.py
■ ■ ■ ■ ■ ■ ■ ■■■ unsupervised_learning.py
■ ■ ■ ■ ■ ■ ■ ■■■ experimental
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datasets
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.py
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ vocab.py
■ ■ ■ ■ ■ ■ ■■■ torchtext-0.6.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■ ■■■ torchvision
■ ■ ■ ■ ■ ■ ■■■ _C.so
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _internally_replaced_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _internally_replaced_utils.py
■ ■ ■ ■ ■ ■ ■■■ _utils.py
■ ■ ■ ■ ■ ■ ■■■ datapoints
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bounding_box.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _datapoint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dataset_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _video.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bounding_box.py
■ ■ ■ ■ ■ ■ ■ ■■■ _datapoint.py
■ ■ ■ ■ ■ ■ ■ ■■■ _dataset_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■■■ _image.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mask.py
■ ■ ■ ■ ■ ■ ■ ■■■ _video.py
■ ■ ■ ■ ■ ■ ■ ■■■ datasets
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _optical_flow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stereo_matching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ caltech.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ celeba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cifar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cityscapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clevr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coco.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ country211.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dtd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ eurosat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fakedata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fer2013.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fgvc_aircraft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flickr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flowers102.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ folder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ food101.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gtsrb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hmdb51.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ imagenet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inaturalist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kinetics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kitti.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lfw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lsun.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ moving_mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ omniglot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ oxford_iiit_pet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pcam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ phototour.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ places365.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rendered_sst2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sbd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sbu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ semeion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stanford_cars.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stl10.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sun397.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ svhn.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■	ucf101.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	usps.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	video_utils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	vision.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	voc.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	widerface.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_optical_flow.py	
■	■	■	■	■	■	■	■■■	_stereo_matching.py	
■	■	■	■	■	■	■	■■■	caltech.py	
■	■	■	■	■	■	■	■■■	celeba.py	
■	■	■	■	■	■	■	■■■	cifar.py	
■	■	■	■	■	■	■	■■■	cityscapes.py	
■	■	■	■	■	■	■	■■■	clevr.py	
■	■	■	■	■	■	■	■■■	coco.py	
■	■	■	■	■	■	■	■■■	country211.py	
■	■	■	■	■	■	■	■■■	dtd.py	
■	■	■	■	■	■	■	■■■	eurosat.py	
■	■	■	■	■	■	■	■■■	fakedata.py	
■	■	■	■	■	■	■	■■■	fer2013.py	
■	■	■	■	■	■	■	■■■	fgvc_aircraft.py	
■	■	■	■	■	■	■	■■■	flickr.py	
■	■	■	■	■	■	■	■■■	flowers102.py	
■	■	■	■	■	■	■	■■■	folder.py	
■	■	■	■	■	■	■	■■■	food101.py	
■	■	■	■	■	■	■	■■■	gtsrb.py	
■	■	■	■	■	■	■	■■■	hmdb51.py	
■	■	■	■	■	■	■	■■■	imagenet.py	
■	■	■	■	■	■	■	■■■	inaturalist.py	
■	■	■	■	■	■	■	■■■	kinetics.py	
■	■	■	■	■	■	■	■■■	kitti.py	
■	■	■	■	■	■	■	■■■	lfw.py	
■	■	■	■	■	■	■	■■■	lsun.py	
■	■	■	■	■	■	■	■■■	mnist.py	
■	■	■	■	■	■	■	■■■	moving_mnist.py	
■	■	■	■	■	■	■	■■■	omniglot.py	
■	■	■	■	■	■	■	■■■	oxford_iiit_pet.py	
■	■	■	■	■	■	■	■■■	pcam.py	
■	■	■	■	■	■	■	■■■	phototour.py	
■	■	■	■	■	■	■	■■■	places365.py	
■	■	■	■	■	■	■	■■■	rendered_sst2.py	
■	■	■	■	■	■	■	■■■	samplers	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	clip_sampler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	clip_sampler.py	
■	■	■	■	■	■	■	■■■	sbd.py	
■	■	■	■	■	■	■	■■■	sbu.py	
■	■	■	■	■	■	■	■■■	semeion.py	
■	■	■	■	■	■	■	■■■	stanford_cars.py	
■	■	■	■	■	■	■	■■■	stl10.py	
■	■	■	■	■	■	■	■■■	sun397.py	
■	■	■	■	■	■	■	■■■	svhn.py	
■	■	■	■	■	■	■	■■■	ucf101.py	
■	■	■	■	■	■	■	■■■	usps.py	
■	■	■	■	■	■	■	■■■	utils.py	
■	■	■	■	■	■	■	■■■	video_utils.py	

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vision.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ voc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ widerface.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ extension.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ io
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _load_gpu_decoder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _video_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ video.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ video_reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _load_gpu_decoder.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _video_opt.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ video.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ video_reader.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ models
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alexnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ convnext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ densenet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ efficientnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ feature_extraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ googlenet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ maxvit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mnasnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenetv2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenetv3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ regnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shufflenetv2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ squeezeenet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ swin_transformer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vgg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vision_transformer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _meta.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alexnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ convnext.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ densenet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ detection
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ anchor_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backbone_utils.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	faster_rcnn.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	fcos.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	generalized_rcnn.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	image_list.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	keypoint_rcnn.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	mask_rcnn.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	retinanet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	roi_heads.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	rpn.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	ssd.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	ssdlite.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	transform.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_utils.py
■	■	■	■	■	■	■	■	■■■■	anchor_utils.py
■	■	■	■	■	■	■	■	■■■■	backbone_utils.py
■	■	■	■	■	■	■	■	■■■■	faster_rcnn.py
■	■	■	■	■	■	■	■	■■■■	fcos.py
■	■	■	■	■	■	■	■	■■■■	generalized_rcnn.py
■	■	■	■	■	■	■	■	■■■■	image_list.py
■	■	■	■	■	■	■	■	■■■■	keypoint_rcnn.py
■	■	■	■	■	■	■	■	■■■■	mask_rcnn.py
■	■	■	■	■	■	■	■	■■■■	retinanet.py
■	■	■	■	■	■	■	■	■■■■	roi_heads.py
■	■	■	■	■	■	■	■	■■■■	rpn.py
■	■	■	■	■	■	■	■	■■■■	ssd.py
■	■	■	■	■	■	■	■	■■■■	ssdlite.py
■	■	■	■	■	■	■	■	■■■■	transform.py
■	■	■	■	■	■	■	■	■■■■	efficientnet.py
■	■	■	■	■	■	■	■	■■■■	feature_extraction.py
■	■	■	■	■	■	■	■	■■■■	googlenet.py
■	■	■	■	■	■	■	■	■■■■	inception.py
■	■	■	■	■	■	■	■	■■■■	maxvit.py
■	■	■	■	■	■	■	■	■■■■	mnasnet.py
■	■	■	■	■	■	■	■	■■■■	mobilenet.py
■	■	■	■	■	■	■	■	■■■■	mobilenetv2.py
■	■	■	■	■	■	■	■	■■■■	mobilenetv3.py
■	■	■	■	■	■	■	■	■■■■	optical_flow
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _utils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ raft.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_utils.py
■	■	■	■	■	■	■	■	■■■■	raft.py
■	■	■	■	■	■	■	■	■■■■	quantization
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ googlenet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ inception.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ mobilenet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ mobilenetv2.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ mobilenetv3.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ resnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ shufflenetv2.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ utils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	googlenet.py
■	■	■	■	■	■	■	■	■■■■	inception.py

```

mobilenet.py
mobilenetv2.py
mobilenetv3.py
resnet.py
shufflenetv2.py
utils.py
regnet.py
resnet.py
segmentation
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
deeplabv3.cpython-311.pyc
fcn.cpython-311.pyc
lraspp.cpython-311.pyc
_utils.py
deeplabv3.py
fcn.py
lraspp.py
shufflenetv2.py
squeezenet.py
swin_transformer.py
vgg.py
video
__init__.py
__pycache__
__init__.cpython-311.pyc
mvit.cpython-311.pyc
resnet.cpython-311.pyc
s3d.cpython-311.pyc
swin_transformer.cpython-311.pyc
mvit.py
resnet.py
s3d.py
swin_transformer.py
vision_transformer.py
ops
__init__.py
__pycache__
__init__.cpython-311.pyc
_box_convert.cpython-311.pyc
_register_onnx_ops.cpython-311.pyc
_utils.cpython-311.pyc
boxes.cpython-311.pyc
ciou_loss.cpython-311.pyc
deform_conv.cpython-311.pyc
diou_loss.cpython-311.pyc
drop_block.cpython-311.pyc
feature_pyramid_network.cpython-311.pyc
focal_loss.cpython-311.pyc
giou_loss.cpython-311.pyc
misc.cpython-311.pyc
poolers.cpython-311.pyc
ps_roi_align.cpython-311.pyc
ps_roi_pool.cpython-311.pyc
roi_align.cpython-311.pyc
roi_pool.cpython-311.pyc

```

[illegible]


```

████ _utils.cpython-311.pyc
████ _utils.cpython-311.pyc
████ _augment.py
████ _auto_augment.py
████ _color.py
████ _container.py
████ _deprecated.py
████ _geometry.py
████ _meta.py
████ _misc.py
████ _temporal.py
████ _transform.py
████ _type_conversion.py
████ _utils.py
████ functional
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _augment.cpython-311.pyc
████ _color.cpython-311.pyc
████ _deprecated.cpython-311.pyc
████ _geometry.cpython-311.pyc
████ _meta.cpython-311.pyc
████ _misc.cpython-311.pyc
████ _temporal.cpython-311.pyc
████ _type_conversion.cpython-311.pyc
████ _utils.cpython-311.pyc
████ _augment.py
████ _color.py
████ _deprecated.py
████ _geometry.py
████ _meta.py
████ _misc.py
████ _temporal.py
████ _type_conversion.py
████ _utils.py
████ utils.py
████ utils.py
████ version.py
████ torchvision-0.15.2.dist-info
████ INSTALLER
████ LICENSE
████ METADATA
████ RECORD
████ REQUESTED
████ WHEEL
████ top_level.txt
████ torchvision.libs
████ libcudart.782fcab0.so.11.0
████ libjpeg.cee7512.so.62
████ libnvjpeg.9b083ad7.so.11
████ libpng16.7f72a3c5.so.16
████ libz.e3d3156c.so.1
████ tornado
████ __init__.py
████ __init__.pyi
████ __pycache__
████ __init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■■	_locale_data.cpython-311.pyc	
■	■	■	■	■	■	■■■■	auth.cpython-311.pyc	
■	■	■	■	■	■	■■■■	autoreload.cpython-311.pyc	
■	■	■	■	■	■	■■■■	concurrent.cpython-311.pyc	
■	■	■	■	■	■	■■■■	curl_httpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	escape.cpython-311.pyc	
■	■	■	■	■	■	■■■■	gen.cpython-311.pyc	
■	■	■	■	■	■	■■■■	http1connection.cpython-311.pyc	
■	■	■	■	■	■	■■■■	httpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	httpserver.cpython-311.pyc	
■	■	■	■	■	■	■■■■	httputil.cpython-311.pyc	
■	■	■	■	■	■	■■■■	ioloop.cpython-311.pyc	
■	■	■	■	■	■	■■■■	iostream.cpython-311.pyc	
■	■	■	■	■	■	■■■■	locale.cpython-311.pyc	
■	■	■	■	■	■	■■■■	locks.cpython-311.pyc	
■	■	■	■	■	■	■■■■	log.cpython-311.pyc	
■	■	■	■	■	■	■■■■	netutil.cpython-311.pyc	
■	■	■	■	■	■	■■■■	options.cpython-311.pyc	
■	■	■	■	■	■	■■■■	process.cpython-311.pyc	
■	■	■	■	■	■	■■■■	queues.cpython-311.pyc	
■	■	■	■	■	■	■■■■	routing.cpython-311.pyc	
■	■	■	■	■	■	■■■■	simple_httpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	tcpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	tcpserver.cpython-311.pyc	
■	■	■	■	■	■	■■■■	template.cpython-311.pyc	
■	■	■	■	■	■	■■■■	testing.cpython-311.pyc	
■	■	■	■	■	■	■■■■	util.cpython-311.pyc	
■	■	■	■	■	■	■■■■	web.cpython-311.pyc	
■	■	■	■	■	■	■■■■	websocket.cpython-311.pyc	
■	■	■	■	■	■	■■■■	wsgi.cpython-311.pyc	
■	■	■	■	■	■	■■■■	_locale_data.py	
■	■	■	■	■	■	■■■■	auth.py	
■	■	■	■	■	■	■■■■	autoreload.py	
■	■	■	■	■	■	■■■■	concurrent.py	
■	■	■	■	■	■	■■■■	curl_httpclient.py	
■	■	■	■	■	■	■■■■	escape.py	
■	■	■	■	■	■	■■■■	gen.py	
■	■	■	■	■	■	■■■■	http1connection.py	
■	■	■	■	■	■	■■■■	httpclient.py	
■	■	■	■	■	■	■■■■	httpserver.py	
■	■	■	■	■	■	■■■■	httputil.py	
■	■	■	■	■	■	■■■■	ioloop.py	
■	■	■	■	■	■	■■■■	iostream.py	
■	■	■	■	■	■	■■■■	locale.py	
■	■	■	■	■	■	■■■■	locks.py	
■	■	■	■	■	■	■■■■	log.py	
■	■	■	■	■	■	■■■■	netutil.py	
■	■	■	■	■	■	■■■■	options.py	
■	■	■	■	■	■	■■■■	platform	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	asyncio.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	caresresolver.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	twisted.cpython-311.pyc
■	■	■	■	■	■	■■■■	asyncio.py	
■	■	■	■	■	■	■■■■	caresresolver.py	
■	■	■	■	■	■	■■■■	twisted.py	

```

■ ■ ■ ■ ■ ■ ■ ■ process.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ queues.py
■ ■ ■ ■ ■ ■ ■ ■ routing.py
■ ■ ■ ■ ■ ■ ■ ■ simple_httpclient.py
■ ■ ■ ■ ■ ■ ■ ■ speedups.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ speedups.pyi
■ ■ ■ ■ ■ ■ ■ ■ tcpclient.py
■ ■ ■ ■ ■ ■ ■ ■ tcpserver.py
■ ■ ■ ■ ■ ■ ■ ■ template.py
■ ■ ■ ■ ■ ■ ■ ■ test
■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■   __main__.py
■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ asyncio_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ auth_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ autoreload_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ circlerefs_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ concurrent_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ curl_httpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ escape_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ gen_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ http1connection_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ httpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ httpserver_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ httputil_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ import_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ioloop_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iostream_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ locale_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ locks_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ log_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ netutil_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ options_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ process_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ queues_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ resolve_test_helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ routing_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ runtests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ simple_httpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tcpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tcpserver_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ template_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ testing_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ twisted_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ util_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ web_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ websocket_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ wsgi_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ asyncio_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ auth_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ autoreload_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ circlerefs_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ concurrent_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ csv_translations

```

```

■      ■      ■      ■      ■      ■      ■      fr_FR.csv
■      ■      ■      ■      ■      ■      ■■■ curl_httpclient_test.py
■      ■      ■      ■      ■      ■      ■■■ escape_test.py
■      ■      ■      ■      ■      ■      ■■■ gen_test.py
■      ■      ■      ■      ■      ■      ■■■ gettext_translations
■      ■      ■      ■      ■      ■      ■    ■■■ fr_FR
■      ■      ■      ■      ■      ■      ■    ■    ■■■ LC_MESSAGES
■      ■      ■      ■      ■      ■      ■    ■    ■    ■■■ tornado_test.mo
■      ■      ■      ■      ■      ■      ■    ■    ■    ■■■ tornado_test.po
■      ■      ■      ■      ■      ■      ■■■ http1connection_test.py
■      ■      ■      ■      ■      ■      ■■■ httpclient_test.py
■      ■      ■      ■      ■      ■      ■■■ httpserver_test.py
■      ■      ■      ■      ■      ■      ■■■ httputil_test.py
■      ■      ■      ■      ■      ■      ■■■ import_test.py
■      ■      ■      ■      ■      ■      ■■■ ioloop_test.py
■      ■      ■      ■      ■      ■      ■■■ iostream_test.py
■      ■      ■      ■      ■      ■      ■■■ locale_test.py
■      ■      ■      ■      ■      ■      ■■■ locks_test.py
■      ■      ■      ■      ■      ■      ■■■ log_test.py
■      ■      ■      ■      ■      ■      ■■■ netutil_test.py
■      ■      ■      ■      ■      ■      ■■■ options_test.cfg
■      ■      ■      ■      ■      ■      ■■■ options_test.py
■      ■      ■      ■      ■      ■      ■■■ options_test_types.cfg
■      ■      ■      ■      ■      ■      ■■■ options_test_types_str.cfg
■      ■      ■      ■      ■      ■      ■■■ process_test.py
■      ■      ■      ■      ■      ■      ■■■ queues_test.py
■      ■      ■      ■      ■      ■      ■■■ resolve_test_helper.py
■      ■      ■      ■      ■      ■      ■■■ routing_test.py
■      ■      ■      ■      ■      ■      ■■■ runtests.py
■      ■      ■      ■      ■      ■      ■■■ simple_httpclient_test.py
■      ■      ■      ■      ■      ■      ■■■ static
■      ■      ■      ■      ■      ■      ■    ■■■ dir
■      ■      ■      ■      ■      ■      ■    ■    ■■■ index.html
■      ■      ■      ■      ■      ■      ■    ■■■ robots.txt
■      ■      ■      ■      ■      ■      ■    ■■■ sample.xml
■      ■      ■      ■      ■      ■      ■    ■■■ sample.xml.bz2
■      ■      ■      ■      ■      ■      ■    ■■■ sample.xml.gz
■      ■      ■      ■      ■      ■      ■■■ static_foo.txt
■      ■      ■      ■      ■      ■      ■■■ tcpclient_test.py
■      ■      ■      ■      ■      ■      ■■■ tcpsrvr_test.py
■      ■      ■      ■      ■      ■      ■■■ template_test.py
■      ■      ■      ■      ■      ■      ■■■ templates
■      ■      ■      ■      ■      ■      ■    ■■■ utf8.html
■      ■      ■      ■      ■      ■      ■■■ test.crt
■      ■      ■      ■      ■      ■      ■■■ test.key
■      ■      ■      ■      ■      ■      ■■■ testing_test.py
■      ■      ■      ■      ■      ■      ■■■ twisted_test.py
■      ■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■      ■■■ util_test.py
■      ■      ■      ■      ■      ■      ■■■ web_test.py
■      ■      ■      ■      ■      ■      ■■■ websocket_test.py
■      ■      ■      ■      ■      ■      ■■■ wsgi_test.py
■      ■      ■      ■      ■      ■■■ testing.py
■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■■■ web.py
■      ■      ■      ■      ■      ■■■ websocket.py
■      ■      ■      ■      ■      ■■■ wsgi.py
■      ■      ■      ■      ■■■ tornado-6.4.2.dist-info
```

```

■■■ INSTALLER
■■■ LICENSE
■■■ METADATA
■■■ RECORD
■■■ WHEEL
■■■ top_level.txt
■■■ tqdm
■■■ __init__.py
■■■ __main__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ __main__.cpython-311.pyc
■■■ _dist_ver.cpython-311.pyc
■■■ _main.cpython-311.pyc
■■■ _monitor.cpython-311.pyc
■■■ _tqdm.cpython-311.pyc
■■■ _tqdm_gui.cpython-311.pyc
■■■ _tqdm_notebook.cpython-311.pyc
■■■ _tqdm_pandas.cpython-311.pyc
■■■ _utils.cpython-311.pyc
■■■ asyncio.cpython-311.pyc
■■■ auto.cpython-311.pyc
■■■ autonotebook.cpython-311.pyc
■■■ cli.cpython-311.pyc
■■■ dask.cpython-311.pyc
■■■ gui.cpython-311.pyc
■■■ keras.cpython-311.pyc
■■■ notebook.cpython-311.pyc
■■■ rich.cpython-311.pyc
■■■ std.cpython-311.pyc
■■■ tk.cpython-311.pyc
■■■ utils.cpython-311.pyc
■■■ version.cpython-311.pyc
■■■ _dist_ver.py
■■■ _main.py
■■■ _monitor.py
■■■ _tqdm.py
■■■ _tqdm_gui.py
■■■ _tqdm_notebook.py
■■■ _tqdm_pandas.py
■■■ _utils.py
■■■ asyncio.py
■■■ auto.py
■■■ autonotebook.py
■■■ cli.py
■■■ completion.sh
■■■ contrib
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ bells.cpython-311.pyc
■■■ concurrent.cpython-311.pyc
■■■ discord.cpython-311.pyc
■■■ itertools.cpython-311.pyc
■■■ logging.cpython-311.pyc
■■■ slack.cpython-311.pyc
■■■ telegram.cpython-311.pyc
■■■ utils_worker.cpython-311.pyc

```

[illegible]

```

    ##### utils.cpython-311.pyc
##### test_traitlets.py
##### utils.py
##### traitlets.py
##### utils
##### __init__.py
##### __pycache__
#####   ##### __init__.cpython-311.pyc
#####   bunch.cpython-311.pyc
#####   decorators.cpython-311.pyc
#####   descriptions.cpython-311.pyc
#####   getargspec.cpython-311.pyc
#####   importstring.cpython-311.pyc
#####   nested_update.cpython-311.pyc
#####   sentinel.cpython-311.pyc
#####   text.cpython-311.pyc
#####   warnings.cpython-311.pyc
#####   bunch.py
#####   decorators.py
#####   descriptions.py
#####   getargspec.py
#####   importstring.py
#####   nested_update.py
#####   sentinel.py
#####   text.py
#####   warnings.py
##### traitlets-5.14.3.dist-info
##### INSTALLER
##### METADATA
##### RECORD
##### WHEEL
##### licenses
##### LICENSE
##### trimesh
#####   ____init____.py
#####   ____pycache__
#####     ##### __init__.cpython-311.pyc
#####     base.cpython-311.pyc
#####     boolean.cpython-311.pyc
#####     bounds.cpython-311.pyc
#####     caching.cpython-311.pyc
#####     collision.cpython-311.pyc
#####     comparison.cpython-311.pyc
#####     constants.cpython-311.pyc
#####     convex.cpython-311.pyc
#####     creation.cpython-311.pyc
#####     curvature.cpython-311.pyc
#####     decomposition.cpython-311.pyc
#####     exceptions.cpython-311.pyc
#####     geometry.cpython-311.pyc
#####     graph.cpython-311.pyc
#####     grouping.cpython-311.pyc
#####     inertia.cpython-311.pyc
#####     integrate.cpython-311.pyc
#####     intersections.cpython-311.pyc
#####     interval.cpython-311.pyc
#####     nsphere.cpython-311.pyc
#####     parent.cpython-311.pyc
```

■	■	■	■	■	■	■■■	permutate.cpython-311.pyc
■	■	■	■	■	■	■■■	points.cpython-311.pyc
■	■	■	■	■	■	■■■	poses.cpython-311.pyc
■	■	■	■	■	■	■■■	primitives.cpython-311.pyc
■	■	■	■	■	■	■■■	proximity.cpython-311.pyc
■	■	■	■	■	■	■■■	registration.cpython-311.pyc
■	■	■	■	■	■	■■■	remesh.cpython-311.pyc
■	■	■	■	■	■	■■■	rendering.cpython-311.pyc
■	■	■	■	■	■	■■■	repair.cpython-311.pyc
■	■	■	■	■	■	■■■	resolvers.cpython-311.pyc
■	■	■	■	■	■	■■■	sample.cpython-311.pyc
■	■	■	■	■	■	■■■	schemas.cpython-311.pyc
■	■	■	■	■	■	■■■	smoothing.cpython-311.pyc
■	■	■	■	■	■	■■■	transformations.cpython-311.pyc
■	■	■	■	■	■	■■■	triangles.cpython-311.pyc
■	■	■	■	■	■	■■■	units.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■■■	base.py	
■	■	■	■	■	■■■	boolean.py	
■	■	■	■	■	■■■	bounds.py	
■	■	■	■	■	■■■	caching.py	
■	■	■	■	■	■■■	collision.py	
■	■	■	■	■	■■■	comparison.py	
■	■	■	■	■	■■■	constants.py	
■	■	■	■	■	■■■	convex.py	
■	■	■	■	■	■■■	creation.py	
■	■	■	■	■	■■■	curvature.py	
■	■	■	■	■	■■■	decomposition.py	
■	■	■	■	■	■■■	exceptions.py	
■	■	■	■	■	■■■	exchange	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	assimp.cpython-311.pyc
■	■	■	■	■	■	■■■	binvox.cpython-311.pyc
■	■	■	■	■	■	■■■	dae.cpython-311.pyc
■	■	■	■	■	■	■■■	export.cpython-311.pyc
■	■	■	■	■	■	■■■	gltf.cpython-311.pyc
■	■	■	■	■	■	■■■	load.cpython-311.pyc
■	■	■	■	■	■	■■■	misc.cpython-311.pyc
■	■	■	■	■	■	■■■	obj.cpython-311.pyc
■	■	■	■	■	■	■■■	off.cpython-311.pyc
■	■	■	■	■	■	■■■	openctm.cpython-311.pyc
■	■	■	■	■	■	■■■	ply.cpython-311.pyc
■	■	■	■	■	■	■■■	stl.cpython-311.pyc
■	■	■	■	■	■	■■■	threedxml.cpython-311.pyc
■	■	■	■	■	■	■■■	threemf.cpython-311.pyc
■	■	■	■	■	■	■■■	urdf.cpython-311.pyc
■	■	■	■	■	■	■■■	xaml.cpython-311.pyc
■	■	■	■	■	■	■■■	xyz.cpython-311.pyc
■	■	■	■	■	■■■	assimp.py	
■	■	■	■	■	■■■	binvox.py	
■	■	■	■	■	■■■	dae.py	
■	■	■	■	■	■■■	export.py	
■	■	■	■	■	■■■	gltf.py	
■	■	■	■	■	■■■	load.py	
■	■	■	■	■	■■■	misc.py	


```

obj.py
off.py
openctm.py
ply.py
stl.py
threedxml.py
threemf.py
urdf.py
xaml.py
xyz.py
geometry.py
graph.py
grouping.py
inertia.py
integrate.py
interfaces
__init__.py
__pycache__
__init__.cpython-311.pyc
blender.cpython-311.pyc
generic.cpython-311.pyc
gmsh.cpython-311.pyc
scad.cpython-311.pyc
vhacd.cpython-311.pyc
blender.py
generic.py
gmsh.py
scad.py
vhacd.py
intersections.py
interval.py
nsphere.py
parent.py
path
__init__.py
__pycache__
__init__.cpython-311.pyc
arc.cpython-311.pyc
creation.cpython-311.pyc
curve.cpython-311.pyc
entities.cpython-311.pyc
intersections.cpython-311.pyc
packing.cpython-311.pyc
path.cpython-311.pyc
polygons.cpython-311.pyc
raster.cpython-311.pyc
repair.cpython-311.pyc
segments.cpython-311.pyc
simplify.cpython-311.pyc
traversal.cpython-311.pyc
util.cpython-311.pyc
arc.py
creation.py
curve.py
entities.py
exchange
__init__.py
__pycache__

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      cameras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lighting.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      scene.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      transforms.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cameras.py
■      ■      ■      ■      ■      ■      ■      ■      lighting.py
■      ■      ■      ■      ■      ■      ■      ■      scene.py
■      ■      ■      ■      ■      ■      ■      ■      transforms.py
■      ■      ■      ■      ■      ■      ■      ■      schemas.py
■      ■      ■      ■      ■      ■      ■      ■      smoothing.py
■      ■      ■      ■      ■      ■      ■      ■      transformations.py
■      ■      ■      ■      ■      ■      ■      ■      triangles.py
■      ■      ■      ■      ■      ■      ■      ■      units.py
■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      ■      ■      viewer
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      notebook.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      trackball.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      widget.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      windowed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      notebook.py
■      ■      ■      ■      ■      ■      ■      ■      trackball.py
■      ■      ■      ■      ■      ■      ■      ■      widget.py
■      ■      ■      ■      ■      ■      ■      ■      windowed.py
■      ■      ■      ■      ■      ■      ■      ■      visual
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      color.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      material.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      objects.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      texture.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      color.py
■      ■      ■      ■      ■      ■      ■      ■      material.py
■      ■      ■      ■      ■      ■      ■      ■      objects.py
■      ■      ■      ■      ■      ■      ■      ■      texture.py
■      ■      ■      ■      ■      ■      ■      ■      voxel
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      creation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      encoding.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      morphology.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      runlength.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      transforms.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      creation.py
■      ■      ■      ■      ■      ■      ■      ■      encoding.py
■      ■      ■      ■      ■      ■      ■      ■      morphology.py
■      ■      ■      ■      ■      ■      ■      ■      ops.py
■      ■      ■      ■      ■      ■      ■      ■      runlength.py

```

```

■ ■ ■ ■ transforms.py
■ ■ ■ ■ trimesh-3.9.29.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.md
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ ■ triton
■ ■ ■ ■ _C
■ ■ ■ ■ libtriton.so
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ compiler.cpython-311.pyc
■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ compiler.py
■ ■ ■ ■ impl
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ base.py
■ ■ ■ ■ language
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ extern.cpython-311.pyc
■ ■ ■ ■ libdevice.cpython-311.pyc
■ ■ ■ ■ random.cpython-311.pyc
■ ■ ■ ■ semantic.cpython-311.pyc
■ ■ ■ ■ core.py
■ ■ ■ ■ extern.py
■ ■ ■ ■ libdevice.py
■ ■ ■ ■ random.py
■ ■ ■ ■ semantic.py
■ ■ ■ ■ ops
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ cross_entropy.cpython-311.pyc
■ ■ ■ ■ flash_attention.cpython-311.pyc
■ ■ ■ ■ matmul.cpython-311.pyc
■ ■ ■ ■ matmul_perf_model.cpython-311.pyc
■ ■ ■ ■ blocksparse
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ matmul.cpython-311.pyc
■ ■ ■ ■ softmax.cpython-311.pyc
■ ■ ■ ■ matmul.py
■ ■ ■ ■ softmax.py
■ ■ ■ ■ cross_entropy.py
■ ■ ■ ■ flash_attention.py
■ ■ ■ ■ matmul.py

```

```

matmul_perf_model.py
runtime
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    autotuner.cpython-311.pyc
    jit.cpython-311.pyc
    autotuner.py
    jit.py
  testing.py
  third_party
    cuda
      bin
        ptxas
      include
        cuda.h
      lib
        libdevice.10.bc
    tools
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        aot.cpython-311.pyc
        build_extern.cpython-311.pyc
        disasm.cpython-311.pyc
      aot.py
      build_extern.py
      disasm.py
    utils.py
triton-2.0.0.dist-info
  INSTALLER
  METADATA
  RECORD
  WHEEL
  top_level.txt
typer
  __init__.py
  __main__.py
  __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    _completion_classes.cpython-311.pyc
    _completion_shared.cpython-311.pyc
    _typing.cpython-311.pyc
    cli.cpython-311.pyc
    colors.cpython-311.pyc
    completion.cpython-311.pyc
    core.cpython-311.pyc
    main.cpython-311.pyc
    models.cpython-311.pyc
    params.cpython-311.pyc
    rich_utils.cpython-311.pyc
    testing.cpython-311.pyc
    utils.cpython-311.pyc
  _completion_classes.py
  _completion_shared.py
  _typing.py
  cli.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ colors.py
■ ■ ■ ■ ■ ■ ■ ■ completion.py
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ main.py
■ ■ ■ ■ ■ ■ ■ ■ models.py
■ ■ ■ ■ ■ ■ ■ ■ params.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ rich_utils.py
■ ■ ■ ■ ■ ■ ■ ■ testing.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ typer-0.15.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ typing_extensions-4.10.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ typing_extensions.py
■ ■ ■ ■ ■ ■ ■ ■ ujson-5.10.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ujson.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ unification
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dispatch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ match.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ more.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ variable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ dispatch.py
■ ■ ■ ■ ■ ■ ■ ■ match.py
■ ■ ■ ■ ■ ■ ■ ■ more.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ variable.py
■ ■ ■ ■ ■ ■ ■ ■ urllib3
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _collections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      connection.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      connectionpool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fields.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      filepost.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      poolmanager.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      request.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      response.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _collections.py
■      ■      ■      ■      ■      ■      ■      _version.py
■      ■      ■      ■      ■      ■      ■      connection.py
■      ■      ■      ■      ■      ■      ■      connectionpool.py
■      ■      ■      ■      ■      ■      ■      contrib
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _appengine_environ.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      appengine.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ntlmppool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pyopenssl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      securetransport.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      socks.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _appengine_environ.py
■      ■      ■      ■      ■      ■      ■      ■      _securetransport
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      bindings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      low_level.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      bindings.py
■      ■      ■      ■      ■      ■      ■      ■      low_level.py
■      ■      ■      ■      ■      ■      ■      appengine.py
■      ■      ■      ■      ■      ■      ■      ntlmpool.py
■      ■      ■      ■      ■      ■      ■      pyopenssl.py
■      ■      ■      ■      ■      ■      ■      securetransport.py
■      ■      ■      ■      ■      ■      ■      socks.py
■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      fields.py
■      ■      ■      ■      ■      ■      ■      filepost.py
■      ■      ■      ■      ■      ■      ■      packages
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      six.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      backports
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      makefile.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      weakref_finalize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      makefile.py
■      ■      ■      ■      ■      ■      ■      ■      weakref_finalize.py
■      ■      ■      ■      ■      ■      ■      six.py
■      ■      ■      ■      ■      ■      ■      poolmanager.py
■      ■      ■      ■      ■      ■      ■      request.py
■      ■      ■      ■      ■      ■      ■      response.py
■      ■      ■      ■      ■      ■      ■      util
■      ■      ■      ■      ■      ■      ■      ■      __init__.py

```

[illegible]


```

on.py
logging.py
loops
__init__.py
__pycache__
__init__.cpython-311.pyc
asyncio.cpython-311.pyc
auto.cpython-311.pyc
uvloop.cpython-311.pyc
asyncio.py
auto.py
uvloop.py
main.py
middleware
__init__.py
__pycache__
__init__.cpython-311.pyc
asgi2.cpython-311.pyc
message_logger.cpython-311.pyc
proxy_headers.cpython-311.pyc
wsgi.cpython-311.pyc
asgi2.py
message_logger.py
proxy_headers.py
wsgi.py
protocols
__init__.py
__pycache__
__init__.cpython-311.pyc
utils.cpython-311.pyc
http
__init__.py
__pycache__
__init__.cpython-311.pyc
auto.cpython-311.pyc
flow_control.cpython-311.pyc
h11_impl.cpython-311.pyc
httptools_impl.cpython-311.pyc
auto.py
flow_control.py
h11_impl.py
httptools_impl.py
utils.py
websockets
__init__.py
__pycache__
__init__.cpython-311.pyc
auto.cpython-311.pyc
websockets_impl.cpython-311.pyc
wsproto_impl.cpython-311.pyc
auto.py
websockets_impl.py
wsproto_impl.py
py.typed
server.py
supervisors
__init__.py
__pycache__

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basereload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multiprocessing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ statreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ watchfilesreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ watchgodreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basereload.py
■ ■ ■ ■ ■ ■ ■ ■■■ multiprocessing.py
■ ■ ■ ■ ■ ■ ■ ■■■ statreload.py
■ ■ ■ ■ ■ ■ ■ ■■■ watchfilesreload.py
■ ■ ■ ■ ■ ■ ■ ■■■ watchgodreload.py
■ ■ ■ ■ ■ ■ ■ ■■■ workers.py
■ ■ ■ ■ ■ ■ ■■■■ uvicorn-0.19.0.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■■ licenses
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.md
■ ■ ■ ■ ■ ■ ■■■■ uvloop
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _noop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _noop.py
■ ■ ■ ■ ■ ■ ■■■■ _testbase.py
■ ■ ■ ■ ■ ■ ■■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■■ cbhandles.pxd
■ ■ ■ ■ ■ ■ ■■■■ cbhandles.pyx
■ ■ ■ ■ ■ ■ ■■■■ dns.pyx
■ ■ ■ ■ ■ ■ ■■■■ errors.pyx
■ ■ ■ ■ ■ ■ ■■■■ handles
■ ■ ■ ■ ■ ■ ■ ■■■ async_.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ async_.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ basetransport.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ basetransport.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ check.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ check.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ fsevent.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ fsevent.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ handle.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ handle.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ idle.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ idle.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ pipe.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pipe.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ poll.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ poll.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ process.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ process.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ stream.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stream.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ streamserver.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ streamserver.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ tcp.pxd

```

```

■ ■ ■ ■ ■ ■ ■ ■ tcp.pyx
■ ■ ■ ■ ■ ■ ■ ■ timer.pxd
■ ■ ■ ■ ■ ■ ■ ■ timer.pyx
■ ■ ■ ■ ■ ■ ■ ■ udp.pxd
■ ■ ■ ■ ■ ■ ■ ■ udp.pyx
■ ■ ■ ■ ■ ■ ■ ■ includes
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ consts.pxi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ debug.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flowcontrol.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stdlib.pxi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ system.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ uv.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lru.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pseudosock.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sslproto.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sslproto.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ uvloop-0.21.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE-APACHE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE-MIT
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ wand
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ assertions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ drawing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resource.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ assertions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cdefs
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drawing_wand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ magick_image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ magick_property.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ magick_wand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_iterator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_wand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wandtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■ ■ ■■■ drawing_wand.py
■ ■ ■ ■ ■ ■ ■ ■■■ magick_image.py
■ ■ ■ ■ ■ ■ ■ ■■■ magick_property.py
■ ■ ■ ■ ■ ■ ■ ■■■ magick_wand.py
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_iterator.py
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_wand.py
■ ■ ■ ■ ■ ■ ■ ■■■ structures.py
■ ■ ■ ■ ■ ■ ■ ■■■ wandtypes.py
■ ■ ■ ■ ■ ■ ■ ■■■ color.py
■ ■ ■ ■ ■ ■ ■ ■■■ compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ display.py
■ ■ ■ ■ ■ ■ ■ ■■■ drawing.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ font.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
■ ■ ■ ■ ■ ■ ■ ■■■ resource.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■ ■■■ wasabi
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ markdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ printer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ traceback_printer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ markdown.py
■ ■ ■ ■ ■ ■ ■ ■■■ printer.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ tables.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_jupyter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_markdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_printer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_traceback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test-data
■ ■ ■ ■ ■ ■ ■ ■■■ wasabi-test-notebook.ipynb
■ ■ ■ ■ ■ ■ ■ ■■■ test_jupyter.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_markdown.py

```

```

■      ■      ■      ■      ■      ■      test_printer.py
■      ■      ■      ■      ■      ■      test_tables.py
■      ■      ■      ■      ■      ■      test_traceback.py
■      ■      ■      ■      ■      ■      test_util.py
■      ■      ■      ■      ■      ■      traceback_printer.py
■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■■■ wasabi-1.1.3.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ top_level.txt
■      ■      ■      ■      ■      ■■■ zip-safe
■      ■      ■      ■      ■■■ watchfiles
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __main__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ main.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ run.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _rust_notify.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ _rust_notify.pyi
■      ■      ■      ■      ■      ■■■ cli.py
■      ■      ■      ■      ■      ■■■ filters.py
■      ■      ■      ■      ■      ■■■ main.py
■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■      ■■■ run.py
■      ■      ■      ■      ■      ■■■ version.py
■      ■      ■      ■      ■■■ watchfiles-1.0.3.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ entry_points.txt
■      ■      ■      ■      ■      ■■■ licenses
■      ■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■■■ wcwidth
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ table_vs16.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ table_wide.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ table_zero.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ unicode_versions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ wcwidth.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ table_vs16.py
■      ■      ■      ■      ■      ■■■ table_wide.py
■      ■      ■      ■      ■      ■■■ table_zero.py
■      ■      ■      ■      ■      ■■■ unicode_versions.py
■      ■      ■      ■      ■      ■■■ wcwidth.py
■      ■      ■      ■      ■■■ wcwidth-0.2.13.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE

```

```

METADATA
RECORD
WHEEL
top_level.txt
zip-safe
weasel
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
about.cpython-311.pyc
compat.cpython-311.pyc
errors.cpython-311.pyc
schemas.cpython-311.pyc
about.py
cli
__init__.py
__pycache__
__init__.cpython-311.pyc
assets.cpython-311.pyc
clone.cpython-311.pyc
document.cpython-311.pyc
dvc.cpython-311.pyc
main.cpython-311.pyc
pull.cpython-311.pyc
push.cpython-311.pyc
remote_storage.cpython-311.pyc
run.cpython-311.pyc
assets.py
clone.py
document.py
dvc.py
main.py
pull.py
push.py
remote_storage.py
run.py
compat.py
errors.py
schemas.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_schemas.cpython-311.pyc
test_validation.cpython-311.pyc
util.cpython-311.pyc
cli
__init__.py
__pycache__
__init__.cpython-311.pyc
test_cli.cpython-311.pyc
test_cli_app.cpython-311.pyc
test_document.cpython-311.pyc
test_remote.cpython-311.pyc
test_cli.py
test_cli_app.py

```

```

test_document.py
test_remote.py
test_schemas.py
test_validation.py
util.py
util
__init__.py
__pycache__
__init__.cpython-311.pyc
commands.cpython-311.pyc
config.cpython-311.pyc
environment.cpython-311.pyc
filesystem.cpython-311.pyc
frozen.cpython-311.pyc
git.cpython-311.pyc
hashing.cpython-311.pyc
logging.cpython-311.pyc
modules.cpython-311.pyc
remote.cpython-311.pyc
validation.cpython-311.pyc
versions.cpython-311.pyc
commands.py
config.py
environment.py
filesystem.py
frozen.py
git.py
hashing.py
logging.py
modules.py
remote.py
validation.py
versions.py
weasel-0.4.1.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
entry_points.txt
top_level.txt
weasyprint
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
document.cpython-311.pyc
draw.cpython-311.pyc
html.cpython-311.pyc
images.cpython-311.pyc
logger.cpython-311.pyc
stacking.cpython-311.pyc
urls.cpython-311.pyc
css
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ computed_values.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ counters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ media_queries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ targets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ computed_values.py
■ ■ ■ ■ ■ ■ ■ ■■■ counters.py
■ ■ ■ ■ ■ ■ ■ ■■■ html5_ph.css
■ ■ ■ ■ ■ ■ ■ ■■■ html5_ua.css
■ ■ ■ ■ ■ ■ ■ ■■■ media_queries.py
■ ■ ■ ■ ■ ■ ■ ■■■ properties.py
■ ■ ■ ■ ■ ■ ■ ■■■ targets.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests_ua.css
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ validation
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ descriptors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ expanders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ descriptors.py
■ ■ ■ ■ ■ ■ ■ ■■■ expanders.py
■ ■ ■ ■ ■ ■ ■ ■■■ properties.py
■ ■ ■ ■ ■ ■ ■ ■■■ document.py
■ ■ ■ ■ ■ ■ ■ ■■■ draw.py
■ ■ ■ ■ ■ ■ ■ ■■■ formatting_structure
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ boxes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ boxes.py
■ ■ ■ ■ ■ ■ ■ ■■■ build.py
■ ■ ■ ■ ■ ■ ■ ■■■ html.py
■ ■ ■ ■ ■ ■ ■ ■■■ images.py
■ ■ ■ ■ ■ ■ ■ ■■■ layout
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ absolute.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ backgrounds.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blocks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ columns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ float.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inlines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ min_max.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ percentages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ preferred.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ replaced.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ absolute.py
■ ■ ■ ■ ■ ■ ■ ■■■ backgrounds.py
■ ■ ■ ■ ■ ■ ■ ■■■ blocks.py
■ ■ ■ ■ ■ ■ ■ ■■■ columns.py
■ ■ ■ ■ ■ ■ ■ ■■■ flex.py
■ ■ ■ ■ ■ ■ ■ ■■■ float.py
```



```

inlines.py
min_max.py
pages.py
percentages.py
preferred.py
replaced.py
tables.py
logger.py
stacking.py
svg
__init__.py
__pycache__
__init__.cpython-311.pyc
bounding_box.cpython-311.pyc
css.cpython-311.pyc
defs.cpython-311.pyc
images.cpython-311.pyc
path.cpython-311.pyc
shapes.cpython-311.pyc
text.cpython-311.pyc
utils.cpython-311.pyc
bounding_box.py
css.py
defs.py
images.py
path.py
shapes.py
text.py
utils.py
text
__pycache__
constants.cpython-311.pyc
ffi.cpython-311.pyc
fonts.cpython-311.pyc
line_break.cpython-311.pyc
constants.py
ffi.py
fonts.py
line_break.py
urls.py
weasyprint-53.3.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
entry_points.txt
webencodings
__init__.py
__pycache__
__init__.cpython-311.pyc
labels.cpython-311.pyc
mklables.cpython-311.pyc
tests.cpython-311.pyc
x_user_defined.cpython-311.pyc
labels.py
mklables.py

```

```

■      ■      ■      ■      ■      ■      ■      tests.py
■      ■      ■      ■      ■      ■      ■      x_user_defined.py
■      ■      ■      ■      ■      ■      ■■■ webencodings-0.5.1.dist-info
■      ■      ■      ■      ■      ■      ■      DESCRIPTION.rst
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      metadata.json
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■■■ websocket
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _abnf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _app.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _cookiejar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _handshake.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _http.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _logging.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _socket.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _ssl_compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _url.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _wsdump.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _abnf.py
■      ■      ■      ■      ■      ■■■ _app.py
■      ■      ■      ■      ■      ■■■ _cookiejar.py
■      ■      ■      ■      ■      ■■■ _core.py
■      ■      ■      ■      ■      ■■■ _exceptions.py
■      ■      ■      ■      ■      ■■■ _handshake.py
■      ■      ■      ■      ■      ■■■ _http.py
■      ■      ■      ■      ■      ■■■ _logging.py
■      ■      ■      ■      ■      ■■■ _socket.py
■      ■      ■      ■      ■      ■■■ _ssl_compat.py
■      ■      ■      ■      ■      ■■■ _url.py
■      ■      ■      ■      ■      ■■■ _utils.py
■      ■      ■      ■      ■      ■■■ _wsdump.py
■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ echo-server.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_abnf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_app.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_cookiejar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_http.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_url.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_websocket.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ data
■      ■      ■      ■      ■      ■      ■■■ header01.txt
■      ■      ■      ■      ■      ■      ■■■ header02.txt
■      ■      ■      ■      ■      ■      ■■■ header03.txt
■      ■      ■      ■      ■      ■■■ echo-server.py
■      ■      ■      ■      ■      ■■■ test_abnf.py
```

```

test_app.py
test_cookiejar.py
test_http.py
test_url.py
test_websocket.py
websocket_client-1.8.0.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  WHEEL
  entry_points.txt
  top_level.txt
websockets
  __init__.py
  __main__.py
  __pycache__
  __init__.cpython-311.pyc
  __main__.cpython-311.pyc
  auth.cpython-311.pyc
  client.cpython-311.pyc
  connection.cpython-311.pyc
  datastructures.cpython-311.pyc
  exceptions.cpython-311.pyc
  frames.cpython-311.pyc
  headers.cpython-311.pyc
  http.cpython-311.pyc
  http11.cpython-311.pyc
  imports.cpython-311.pyc
  server.cpython-311.pyc
  streams.cpython-311.pyc
  typing.cpython-311.pyc
  uri.cpython-311.pyc
  utils.cpython-311.pyc
  version.cpython-311.pyc
  auth.py
  client.py
  connection.py
  datastructures.py
  exceptions.py
  extensions
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  base.cpython-311.pyc
  permessage_deflate.cpython-311.pyc
  base.py
  permessage_deflate.py
  frames.py
  headers.py
  http.py
  http11.py
  imports.py
  legacy
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  auth.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compatibility.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ framing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ handshake.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ auth.py
■ ■ ■ ■ ■ ■ ■ ■■■ client.py
■ ■ ■ ■ ■ ■ ■ ■■■ compatibility.py
■ ■ ■ ■ ■ ■ ■ ■■■ framing.py
■ ■ ■ ■ ■ ■ ■ ■■■ handshake.py
■ ■ ■ ■ ■ ■ ■ ■■■ http.py
■ ■ ■ ■ ■ ■ ■ ■■■ protocol.py
■ ■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■ ■■■ speedups.c
■ ■ ■ ■ ■ ■ ■ ■■■ speedups.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ streams.py
■ ■ ■ ■ ■ ■ ■ ■■■ typing.py
■ ■ ■ ■ ■ ■ ■ ■■■ uri.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■■■ websockets-10.3.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ werkzeug
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _internal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _reloader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ local.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ security.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serving.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testapp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ user_agent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wsgi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _internal.py
■ ■ ■ ■ ■ ■ ■■■ _reloader.py
■ ■ ■ ■ ■ ■ ■■■ datastructures
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accept.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ auth.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ cache_control.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ etag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ file_storage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ headers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ range.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accept.py
■ ■ ■ ■ ■ ■ ■ ■■■ auth.py
■ ■ ■ ■ ■ ■ ■ ■■■ cache_control.py
■ ■ ■ ■ ■ ■ ■ ■■■ csp.py
■ ■ ■ ■ ■ ■ ■ ■■■ etag.py
■ ■ ■ ■ ■ ■ ■ ■■■ file_storage.py
■ ■ ■ ■ ■ ■ ■ ■■■ headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ mixins.py
■ ■ ■ ■ ■ ■ ■ ■■■ range.py
■ ■ ■ ■ ■ ■ ■ ■■■ structures.py
■ ■ ■ ■ ■ ■ ■ ■■■ debug
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ console.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ repr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tbtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ console.py
■ ■ ■ ■ ■ ■ ■ ■■■ repr.py
■ ■ ■ ■ ■ ■ ■ ■■■ shared
■ ■ ■ ■ ■ ■ ■ ■■■ ICON_LICENSE.md
■ ■ ■ ■ ■ ■ ■ ■■■ console.png
■ ■ ■ ■ ■ ■ ■ ■■■ debugger.js
■ ■ ■ ■ ■ ■ ■ ■■■ less.png
■ ■ ■ ■ ■ ■ ■ ■■■ more.png
■ ■ ■ ■ ■ ■ ■ ■■■ style.css
■ ■ ■ ■ ■ ■ ■ ■■■ tbtools.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ formparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ http.py
■ ■ ■ ■ ■ ■ ■ ■■■ local.py
■ ■ ■ ■ ■ ■ ■ ■■■ middleware
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http_proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ profiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ proxy_fix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shared_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■■■ http_proxy.py
■ ■ ■ ■ ■ ■ ■ ■■■ lint.py
■ ■ ■ ■ ■ ■ ■ ■■■ profiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ proxy_fix.py
■ ■ ■ ■ ■ ■ ■ ■■■ shared_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ routing
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
```

```

■ ■ ■ ■ ■      pycache__
■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ converters.cpython-311.pyc
■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ map.cpython-311.pyc
■ ■ ■ matcher.cpython-311.pyc
■ ■ ■ rules.cpython-311.pyc
■ ■ ■ converters.py
■ ■ ■ exceptions.py
■ ■ ■ map.py
■ ■ ■ matcher.py
■ ■ ■ rules.py
■ ■ ■ sansio
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■       __init__.cpython-311.pyc
■ ■ ■       http.cpython-311.pyc
■ ■ ■       multipart.cpython-311.pyc
■ ■ ■       request.cpython-311.pyc
■ ■ ■       response.cpython-311.pyc
■ ■ ■       utils.cpython-311.pyc
■ ■ ■ http.py
■ ■ ■ multipart.py
■ ■ ■ request.py
■ ■ ■ response.py
■ ■ ■ utils.py
■ ■ ■ security.py
■ ■ ■ serving.py
■ ■ ■ test.py
■ ■ ■ testapp.py
■ ■ ■ urls.py
■ ■ ■ user_agent.py
■ ■ ■ utils.py
■ ■ ■ wrappers
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■       __init__.cpython-311.pyc
■ ■ ■       request.cpython-311.pyc
■ ■ ■       response.cpython-311.pyc
■ ■ ■ request.py
■ ■ ■ response.py
■ ■ ■ wsgi.py
■ ■ ■ werkzeug-3.1.3.dist-info
■ ■ ■ INSTALLER
■ ■ ■ LICENSE.txt
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ wordcloud
■ ■ ■ DroidSansMono.ttf
■ ■ ■   __init__.py
■ ■ ■   __main__.py
■ ■ ■   __pycache__
■ ■ ■       __init__.cpython-311.pyc
■ ■ ■       __main__.cpython-311.pyc
■ ■ ■ _version.cpython-311.pyc
■ ■ ■ color_from_image.cpython-311.pyc
■ ■ ■ tokenization.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ wordcloud.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wordcloud_cli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ color_from_image.py
■ ■ ■ ■ ■ ■ ■ ■ query_integral_image.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ stopwords
■ ■ ■ ■ ■ ■ ■ ■ tokenization.py
■ ■ ■ ■ ■ ■ ■ ■ wordcloud.py
■ ■ ■ ■ ■ ■ ■ ■ wordcloud_cli.py
■ ■ ■ ■ ■ ■ ■ ■ wordcloud-1.9.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ wrapt
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __wrapt__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ importer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ patches.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ weakrefs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __wrapt__.py
■ ■ ■ ■ ■ ■ ■ ■ _wrappers.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ arguments.py
■ ■ ■ ■ ■ ■ ■ ■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■ importer.py
■ ■ ■ ■ ■ ■ ■ ■ patches.py
■ ■ ■ ■ ■ ■ ■ ■ weakrefs.py
■ ■ ■ ■ ■ ■ ■ ■ wrappers.py
■ ■ ■ ■ ■ ■ ■ ■ wrapt-1.17.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ wsproto
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ frame_protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ handshake.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utilities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection.py
■ ■ ■ ■ ■ ■ ■ ■ events.py
■ ■ ■ ■ ■ ■ ■ ■ extensions.py

```

```

■■■ frame_protocol.py
■■■ handshake.py
■■■ py.typed
■■■ typing.py
■■■ utilities.py
■■■ wsproto-1.2.0.dist-info
■■■ INSTALLER
■■■ LICENSE
■■■ METADATA
■■■ RECORD
■■■ WHEEL
■■■ top_level.txt
■■■ xarray
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ conventions.cpython-311.pyc
■■■ convert.cpython-311.pyc
■■■ tutorial.cpython-311.pyc
■■■ backends
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ api.cpython-311.pyc
■■■ common.cpython-311.pyc
■■■ file_manager.cpython-311.pyc
■■■ h5netcdf_.cpython-311.pyc
■■■ locks.cpython-311.pyc
■■■ lru_cache.cpython-311.pyc
■■■ memory.cpython-311.pyc
■■■ netCDF4_.cpython-311.pyc
■■■ netcdf3.cpython-311.pyc
■■■ plugins.cpython-311.pyc
■■■ pydap_.cpython-311.pyc
■■■ pynio_.cpython-311.pyc
■■■ scipy_.cpython-311.pyc
■■■ store.cpython-311.pyc
■■■ zarr.cpython-311.pyc
■■■ api.py
■■■ common.py
■■■ file_manager.py
■■■ h5netcdf_.py
■■■ locks.py
■■■ lru_cache.py
■■■ memory.py
■■■ netCDF4_.py
■■■ netcdf3.py
■■■ plugins.py
■■■ pydap_.py
■■■ pynio_.py
■■■ scipy_.py
■■■ store.py
■■■ zarr.py
■■■ coding
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ calendar_ops.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ cftime_offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cftimeindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frequencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ times.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ variables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ calendar_ops.py
■ ■ ■ ■ ■ ■ ■ ■■■ cftime_offsets.py
■ ■ ■ ■ ■ ■ ■ ■■■ cftimeindex.py
■ ■ ■ ■ ■ ■ ■ ■■■ frequencies.py
■ ■ ■ ■ ■ ■ ■ ■■■ strings.py
■ ■ ■ ■ ■ ■ ■ ■■■ times.py
■ ■ ■ ■ ■ ■ ■ ■■■ variables.py
■ ■ ■ ■ ■ ■ ■ ■■■ conventions.py
■ ■ ■ ■ ■ ■ ■ ■■■ convert.py
■ ■ ■ ■ ■ ■ ■ ■■■ core
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _aggregations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _typed_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accessor_dt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accessor_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ alignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arithmetic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ combine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ computation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ concat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coordinates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dask_array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datatree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ duck_array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formatting_html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ indexes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nanops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ npcompat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parallel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pdcompat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ resample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ resample_cftime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rolling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rolling_exp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ treenode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■■	variable.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	weighted.cpython-311.pyc
■	■	■	■	■	■	■■■■		_aggregations.py
■	■	■	■	■	■	■■■■		_typed_ops.py
■	■	■	■	■	■	■■■■		accessor_dt.py
■	■	■	■	■	■	■■■■		accessor_str.py
■	■	■	■	■	■	■■■■		alignment.py
■	■	■	■	■	■	■■■■		arithmetic.py
■	■	■	■	■	■	■■■■		combine.py
■	■	■	■	■	■	■■■■		common.py
■	■	■	■	■	■	■■■■		computation.py
■	■	■	■	■	■	■■■■		concat.py
■	■	■	■	■	■	■■■■		coordinates.py
■	■	■	■	■	■	■■■■		dask_array_ops.py
■	■	■	■	■	■	■■■■		dataarray.py
■	■	■	■	■	■	■■■■		dataset.py
■	■	■	■	■	■	■■■■		datatree.py
■	■	■	■	■	■	■■■■		dtypes.py
■	■	■	■	■	■	■■■■		duck_array_ops.py
■	■	■	■	■	■	■■■■		extensions.py
■	■	■	■	■	■	■■■■		formatting.py
■	■	■	■	■	■	■■■■		formatting_html.py
■	■	■	■	■	■	■■■■		groupby.py
■	■	■	■	■	■	■■■■		indexes.py
■	■	■	■	■	■	■■■■		indexing.py
■	■	■	■	■	■	■■■■		merge.py
■	■	■	■	■	■	■■■■		missing.py
■	■	■	■	■	■	■■■■		nanops.py
■	■	■	■	■	■	■■■■		npcompat.py
■	■	■	■	■	■	■■■■		nputils.py
■	■	■	■	■	■	■■■■		ops.py
■	■	■	■	■	■	■■■■		options.py
■	■	■	■	■	■	■■■■		parallel.py
■	■	■	■	■	■	■■■■		pdcompat.py
■	■	■	■	■	■	■■■■		resample.py
■	■	■	■	■	■	■■■■		resample_cftime.py
■	■	■	■	■	■	■■■■		rolling.py
■	■	■	■	■	■	■■■■		rolling_exp.py
■	■	■	■	■	■	■■■■		treenode.py
■	■	■	■	■	■	■■■■		types.py
■	■	■	■	■	■	■■■■		utils.py
■	■	■	■	■	■	■■■■		variable.py
■	■	■	■	■	■	■■■■		weighted.py
■	■	■	■	■	■■■■		indexes	
■	■	■	■	■	■■■■		__init__.py	
■	■	■	■	■	■■■■		__pycache__	
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■■■■		namedarray	
■	■	■	■	■	■■■■		__init__.py	
■	■	■	■	■	■■■■		__pycache__	
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■■■■	_aggregations.cpython-311.pyc	
■	■	■	■	■	■	■■■■	_array_api.cpython-311.pyc	
■	■	■	■	■	■	■■■■	_typing.cpython-311.pyc	
■	■	■	■	■	■	■■■■	core.cpython-311.pyc	
■	■	■	■	■	■	■■■■	daskmanager.cpython-311.pyc	
■	■	■	■	■	■	■■■■	dtypes.cpython-311.pyc	
■	■	■	■	■	■	■■■■	parallelcompat.cpython-311.pyc	

```

pycompat.cpython-311.pyc
utils.cpython-311.pyc
_aggregations.py
_array_api.py
_typing.py
core.py
daskmanager.py
dtypes.py
parallelcompat.py
pycompat.py
utils.py
plot
__init__.py
__pycache__
__init__.cpython-311.pyc
accessor.cpython-311.pyc
dataarray_plot.cpython-311.pyc
dataset_plot.cpython-311.pyc
facetgrid.cpython-311.pyc
utils.cpython-311.pyc
accessor.py
dataarray_plot.py
dataset_plot.py
facetgrid.py
utils.py
py.typed
static
__init__.py
__pycache__
__init__.cpython-311.pyc
css
__init__.py
__pycache__
__init__.cpython-311.pyc
style.css
html
__init__.py
__pycache__
__init__.cpython-311.pyc
icons-svg-inline.html
testing
__init__.py
__pycache__
__init__.cpython-311.pyc
assertions.cpython-311.pyc
strategies.cpython-311.pyc
assertions.py
strategies.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
conftest.cpython-311.pyc
test_accessor_dt.cpython-311.pyc
test_accessor_str.cpython-311.pyc
test_array_api.cpython-311.pyc
test_assertions.cpython-311.pyc
test_backends.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ test_backends_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_datatree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_file_manager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_locks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_lru_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_calendar_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cftime_offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cftimeindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cftimeindex_resample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coarsen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coding_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coding_times.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_combine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_computation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_concat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_conventions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coordinates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dataarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_datatree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_deprecation_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_distributed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_duck_array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_error_messages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_formatting_html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_hashable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_indexes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_interp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_namedarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_nputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_parallelcompat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_plugins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_print_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_rolling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_strategies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_treenode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_tutorial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_typed_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_ufuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_units.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_variable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_weighted.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ conftest.py

```

```

■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ bears.nc
■ ■ ■ ■ ■ ■ ■ example.grib
■ ■ ■ ■ ■ ■ ■ example.ict
■ ■ ■ ■ ■ ■ ■ example.uamiv
■ ■ ■ ■ ■ ■ ■ example_1.nc
■ ■ ■ ■ ■ ■ ■ example_1.nc.gz
■ ■ ■ ■ ■ ■ ■ test_accessor_dt.py
■ ■ ■ ■ ■ ■ ■ test_accessor_str.py
■ ■ ■ ■ ■ ■ ■ test_array_api.py
■ ■ ■ ■ ■ ■ ■ test_assertions.py
■ ■ ■ ■ ■ ■ ■ test_backends.py
■ ■ ■ ■ ■ ■ ■ test_backends_api.py
■ ■ ■ ■ ■ ■ ■ test_backends_common.py
■ ■ ■ ■ ■ ■ ■ test_backends_datatree.py
■ ■ ■ ■ ■ ■ ■ test_backends_file_manager.py
■ ■ ■ ■ ■ ■ ■ test_backends_locks.py
■ ■ ■ ■ ■ ■ ■ test_backends_lru_cache.py
■ ■ ■ ■ ■ ■ ■ test_calendar_ops.py
■ ■ ■ ■ ■ ■ ■ test_cftime_offsets.py
■ ■ ■ ■ ■ ■ ■ test_cftimeindex.py
■ ■ ■ ■ ■ ■ ■ test_cftimeindex_resample.py
■ ■ ■ ■ ■ ■ ■ test_coarsen.py
■ ■ ■ ■ ■ ■ ■ test_coding.py
■ ■ ■ ■ ■ ■ ■ test_coding_strings.py
■ ■ ■ ■ ■ ■ ■ test_coding_times.py
■ ■ ■ ■ ■ ■ ■ test_combine.py
■ ■ ■ ■ ■ ■ ■ test_computation.py
■ ■ ■ ■ ■ ■ ■ test_concat.py
■ ■ ■ ■ ■ ■ ■ test_conventions.py
■ ■ ■ ■ ■ ■ ■ test_coordinates.py
■ ■ ■ ■ ■ ■ ■ test_cupy.py
■ ■ ■ ■ ■ ■ ■ test_dask.py
■ ■ ■ ■ ■ ■ ■ test_dataarray.py
■ ■ ■ ■ ■ ■ ■ test_dataset.py
■ ■ ■ ■ ■ ■ ■ test_datatree.py
■ ■ ■ ■ ■ ■ ■ test_deprecation_helpers.py
■ ■ ■ ■ ■ ■ ■ test_distributed.py
■ ■ ■ ■ ■ ■ ■ test_dtypes.py
■ ■ ■ ■ ■ ■ ■ test_duck_array_ops.py
■ ■ ■ ■ ■ ■ ■ test_error_messages.py
■ ■ ■ ■ ■ ■ ■ test_extensions.py
■ ■ ■ ■ ■ ■ ■ test_formatting.py
■ ■ ■ ■ ■ ■ ■ test_formatting_html.py
■ ■ ■ ■ ■ ■ ■ test_groupby.py
■ ■ ■ ■ ■ ■ ■ test_hashable.py
■ ■ ■ ■ ■ ■ ■ test_indexes.py
■ ■ ■ ■ ■ ■ ■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ test_interp.py
■ ■ ■ ■ ■ ■ ■ test_merge.py
■ ■ ■ ■ ■ ■ ■ test_missing.py
■ ■ ■ ■ ■ ■ ■ test_namedarray.py
■ ■ ■ ■ ■ ■ ■ test_nputils.py
■ ■ ■ ■ ■ ■ ■ test_options.py
■ ■ ■ ■ ■ ■ ■ test_parallelcompat.py
■ ■ ■ ■ ■ ■ ■ test_plot.py
■ ■ ■ ■ ■ ■ ■ test_plugins.py
■ ■ ■ ■ ■ ■ ■ test_print_versions.py

```

```

■ ■ ■ ■ ■ ■ ■■ test_rolling.py
■ ■ ■ ■ ■ ■ ■■ test_sparse.py
■ ■ ■ ■ ■ ■ ■■ test_strategies.py
■ ■ ■ ■ ■ ■ ■■ test_treenode.py
■ ■ ■ ■ ■ ■ ■■ test_tutorial.py
■ ■ ■ ■ ■ ■ ■■ test_typed_ops.py
■ ■ ■ ■ ■ ■ ■■ test_ufuncs.py
■ ■ ■ ■ ■ ■ ■■ test_units.py
■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■■ test_variable.py
■ ■ ■ ■ ■ ■ ■■ test_weighted.py
■ ■ ■ ■ ■ ■■■ tutorial.py
■ ■ ■ ■ ■ ■■■ util
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ deprecation_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ generate_aggregations.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ generate_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ print_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ deprecation_helpers.py
■ ■ ■ ■ ■ ■■■ generate_aggregations.py
■ ■ ■ ■ ■ ■■■ generate_ops.py
■ ■ ■ ■ ■ ■■■ print_versions.py
■ ■ ■ ■ ■ ■■■ xarray-2024.3.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ xarray_einstats
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ accessors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ einops.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ numba.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ stats.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tutorial.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ accessors.py
■ ■ ■ ■ ■ ■■■ einops.py
■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■■■ numba.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ stats.py
■ ■ ■ ■ ■ ■■■ tutorial.py
■ ■ ■ ■ ■ ■■■ xarray_einstats-0.8.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ xgboost
■ ■ ■ ■ ■ ■■■ VERSION
■ ■ ■ ■ ■ ■■■ __init__.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ callback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ libpath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rabbit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sklearn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tracker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ training.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ callback.py
■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ dask.py
■ ■ ■ ■ ■ ■ ■ ■ data.py
■ ■ ■ ■ ■ ■ ■ ■ lib
■ ■ ■ ■ ■ ■ ■ ■ libxgboost.so
■ ■ ■ ■ ■ ■ ■ ■ libpath.py
■ ■ ■ ■ ■ ■ ■ ■ plotting.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ rabbit.py
■ ■ ■ ■ ■ ■ ■ ■ sklearn.py
■ ■ ■ ■ ■ ■ ■ ■ tracker.py
■ ■ ■ ■ ■ ■ ■ ■ training.py
■ ■ ■ ■ ■ ■ ■ ■ xgboost-1.4.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ xgboost.libs
■ ■ ■ ■ ■ ■ ■ ■ libgomp-f7e03b3e.so.1.0.0
■ ■ ■ ■ ■ ■ ■ ■ xlsxwriter
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_area.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_bar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_doughnut.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_pie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_radar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_scatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_stock.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chartsheet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ comments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ contenttypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ custom.cpython-311.pyc

```

■	■	■	■	■	■	■■■ drawing.cpython-311.pyc
■	■	■	■	■	■	■■■ exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■ format.cpython-311.pyc
■	■	■	■	■	■	■■■ metadata.cpython-311.pyc
■	■	■	■	■	■	■■■ packager.cpython-311.pyc
■	■	■	■	■	■	■■■ relationships.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value_rel.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value_structure.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value_types.cpython-311.pyc
■	■	■	■	■	■	■■■ shape.cpython-311.pyc
■	■	■	■	■	■	■■■ sharedstrings.cpython-311.pyc
■	■	■	■	■	■	■■■ styles.cpython-311.pyc
■	■	■	■	■	■	■■■ table.cpython-311.pyc
■	■	■	■	■	■	■■■ theme.cpython-311.pyc
■	■	■	■	■	■	■■■ utility.cpython-311.pyc
■	■	■	■	■	■	■■■ vml.cpython-311.pyc
■	■	■	■	■	■	■■■ workbook.cpython-311.pyc
■	■	■	■	■	■	■■■ worksheet.cpython-311.pyc
■	■	■	■	■	■	■■■ xmlwriter.cpython-311.pyc
■	■	■	■	■	■■■	app.py
■	■	■	■	■	■■■	chart.py
■	■	■	■	■	■■■	chart_area.py
■	■	■	■	■	■■■	chart_bar.py
■	■	■	■	■	■■■	chart_column.py
■	■	■	■	■	■■■	chart_doughnut.py
■	■	■	■	■	■■■	chart_line.py
■	■	■	■	■	■■■	chart_pie.py
■	■	■	■	■	■■■	chart_radar.py
■	■	■	■	■	■■■	chart_scatter.py
■	■	■	■	■	■■■	chart_stock.py
■	■	■	■	■	■■■	chartsheet.py
■	■	■	■	■	■■■	comments.py
■	■	■	■	■	■■■	contenttypes.py
■	■	■	■	■	■■■	core.py
■	■	■	■	■	■■■	custom.py
■	■	■	■	■	■■■	drawing.py
■	■	■	■	■	■■■	exceptions.py
■	■	■	■	■	■■■	format.py
■	■	■	■	■	■■■	metadata.py
■	■	■	■	■	■■■	packager.py
■	■	■	■	■	■■■	relationships.py
■	■	■	■	■	■■■	rich_value.py
■	■	■	■	■	■■■	rich_value_rel.py
■	■	■	■	■	■■■	rich_value_structure.py
■	■	■	■	■	■■■	rich_value_types.py
■	■	■	■	■	■■■	shape.py
■	■	■	■	■	■■■	sharedstrings.py
■	■	■	■	■	■■■	styles.py
■	■	■	■	■	■■■	table.py
■	■	■	■	■	■■■	theme.py
■	■	■	■	■	■■■	utility.py
■	■	■	■	■	■■■	vml.py
■	■	■	■	■	■■■	workbook.py
■	■	■	■	■	■■■	worksheet.py
■	■	■	■	■	■■■	xmlwriter.py
■	■	■	■	■■■	■■■	xml_python
■	■	■	■	■	■■■	__init__.py


```

    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   └── xml_python-0.4.3.dist-info
    │       ├── AUTHORS
    │       ├── INSTALLER
    │       ├── LICENSE
    │       ├── METADATA
    │       ├── RECORD
    │       ├── REQUESTED
    │       ├── WHEEL
    │       ├── pbr.json
    │       └── top_level.txt
    ├── yaml
    │   ├── __init__.py
    │   ├── __pycache__
    │   │   ├── __init__.cpython-311.pyc
    │   │   ├── composer.cpython-311.pyc
    │   │   ├── constructor.cpython-311.pyc
    │   │   ├── cyaml.cpython-311.pyc
    │   │   ├── dumper.cpython-311.pyc
    │   │   ├── emitter.cpython-311.pyc
    │   │   ├── error.cpython-311.pyc
    │   │   ├── events.cpython-311.pyc
    │   │   ├── loader.cpython-311.pyc
    │   │   ├── nodes.cpython-311.pyc
    │   │   ├── parser.cpython-311.pyc
    │   │   ├── reader.cpython-311.pyc
    │   │   ├── representer.cpython-311.pyc
    │   │   ├── resolver.cpython-311.pyc
    │   │   ├── scanner.cpython-311.pyc
    │   │   ├── serializer.cpython-311.pyc
    │   │   └── tokens.cpython-311.pyc
    │   └── _yaml.cpython-311-x86_64-linux-gnu.so
    ├── composer.py
    ├── constructor.py
    ├── cyaml.py
    ├── dumper.py
    ├── emitter.py
    ├── error.py
    ├── events.py
    ├── loader.py
    ├── nodes.py
    ├── parser.py
    ├── reader.py
    ├── representer.py
    ├── resolver.py
    ├── scanner.py
    ├── serializer.py
    └── tokens.py
    └── yarl
        ├── __init__.py
        ├── __pycache__
        │   ├── __init__.cpython-311.pyc
        │   ├── _parse.cpython-311.pyc
        │   ├── _path.cpython-311.pyc
        │   ├── _query.cpython-311.pyc
        │   ├── _quoters.cpython-311.pyc
        │   └── _quoting.cpython-311.pyc

```

```

    _quoting_py.cpython-311.pyc
    _url.cpython-311.pyc
    _parse.py
    _path.py
    _query.py
    _quoters.py
    _quoting.py
    _quoting_c.cpython-311-x86_64-linux-gnu.so
    _quoting_c.pyi
    _quoting_c.pyx
    _quoting_py.py
    _url.py
    py.typed
  yarl-1.18.3.dist-info
    INSTALLER
    LICENSE
    METADATA
    NOTICE
    RECORD
    WHEEL
    top_level.txt
  zipp
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _functools.cpython-311.pyc
    glob.cpython-311.pyc
    _functools.py
    compat
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    overlay.cpython-311.pyc
    py310.cpython-311.pyc
    overlay.py
    py310.py
    glob.py
  zipp-3.21.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    top_level.txt
  zmq
    __init__.pxd
    __init__.py
    __init__.pyi
    __pycache__
    __init__.cpython-311.pyc
    _future.cpython-311.pyc
    _typing.cpython-311.pyc
    asyncio.cpython-311.pyc
    constants.cpython-311.pyc
    decorators.cpython-311.pyc
    error.cpython-311.pyc
    _future.py
    _typing.py

```

```

    asyncio.py
    auth
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    asyncio.cpython-311.pyc
    base.cpython-311.pyc
    certs.cpython-311.pyc
    ioloop.cpython-311.pyc
    thread.cpython-311.pyc
    asyncio.py
    base.py
    certs.py
    ioloop.py
    thread.py
    backend
    __init__.py
    __init__.pyi
    __pycache__
    __init__.cpython-311.pyc
    select.cpython-311.pyc
    cffi
    README.md
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _poll.cpython-311.pyc
    context.cpython-311.pyc
    devices.cpython-311.pyc
    error.cpython-311.pyc
    message.cpython-311.pyc
    socket.cpython-311.pyc
    utils.cpython-311.pyc
    _cdefs.h
    _cffi_src.c
    _poll.py
    context.py
    devices.py
    error.py
    message.py
    socket.py
    utils.py
    cython
    __init__.pxd
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _zmq.cpython-311.pyc
    _externs.pxd
    _zmq.cpython-311-x86_64-linux-gnu.so
    _zmq.pxd
    _zmq.py
    constant_enums.pxi
    libzmq.pxd
    select.py
    constants.py
    decorators.py
    devices

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  basedevice.cpython-311.pyc
  monitoredqueue.cpython-311.pyc
  monitoredqueuedevice.cpython-311.pyc
  proxydevice.cpython-311.pyc
  proxysteerabledevice.cpython-311.pyc
  basedevice.py
  monitoredqueue.py
  monitoredqueuedevice.py
  proxydevice.py
  proxysteerabledevice.py
error.py
eventloop
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _deprecated.cpython-311.pyc
    future.cpython-311.pyc
    ioloop.cpython-311.pyc
    zmqstream.cpython-311.pyc
  _deprecated.py
  future.py
  ioloop.py
  zmqstream.py
green
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    core.cpython-311.pyc
    device.cpython-311.pyc
    poll.cpython-311.pyc
  core.py
  device.py
  eventloop
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      ioloop.cpython-311.pyc
      zmqstream.cpython-311.pyc
    ioloop.py
    zmqstream.py
  poll.py
log
  __init__.py
  __main__.py
  __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    handlers.cpython-311.pyc
  handlers.py
py.typed
ssh
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    forward.cpython-311.pyc

```

```

████ tunnel.cpython-311.pyc
████ forward.py
████ tunnel.py
████ sugar
████ __init__.py
████ __init__.pyi
████ __pycache__
████ █████ __init__.cpython-311.pyc
████ █████ attrsettr.cpython-311.pyc
████ █████ context.cpython-311.pyc
████ █████ frame.cpython-311.pyc
████ █████ poll.cpython-311.pyc
████ █████ socket.cpython-311.pyc
████ █████ stopwatch.cpython-311.pyc
████ █████ tracker.cpython-311.pyc
████ █████ version.cpython-311.pyc
████ █████ attrsettr.py
████ █████ context.py
████ █████ frame.py
████ █████ poll.py
████ █████ socket.py
████ █████ stopwatch.py
████ █████ tracker.py
████ █████ version.py
████ tests
████ █████ __init__.py
████ █████ __pycache__
████ █████ █████ __init__.cpython-311.pyc
████ utils
████ █████ __init__.py
████ █████ __pycache__
████ █████ █████ __init__.cpython-311.pyc
████ █████ garbage.cpython-311.pyc
████ █████ interop.cpython-311.pyc
████ █████ jsonapi.cpython-311.pyc
████ █████ monitor.cpython-311.pyc
████ █████ strtypes.cpython-311.pyc
████ █████ win32.cpython-311.pyc
████ █████ z85.cpython-311.pyc
████ buffers.pxd
████ garbage.py
████ getpid_compat.h
████ interop.py
████ ipcmaxlen.h
████ jsonapi.py
████ monitor.py
████ mutex.h
████ pyversion_compat.h
████ strtypes.py
████ win32.py
████ z85.py
████ zmq_compat.h
████ zopfli
████ █████ __init__.py
████ █████ __pycache__
████ █████ █████ __init__.cpython-311.pyc
████ █████ _version.cpython-311.pyc
████ █████ gzip.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■■ png.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ zlib.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■■■ gzip.py
■ ■ ■ ■ ■ ■■■ png.py
■ ■ ■ ■ ■ ■■■ zlib.py
■ ■ ■ ■ ■ ■■■ zopfli.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■ zopfli-0.2.3.post1.dist-info
■ ■ ■ ■ ■ ■■■ COPYING
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ zip-safe
■ ■■■ lib64
■ ■ ■■■ libblosc2.a
■ ■ ■■■ libblosc2.so
■ ■ ■■■ libblosc2.so.2
■ ■ ■■■ libblosc2.so.2.6.1
■ ■ ■■■ pkgconfig
■ ■ ■■■ blosc2.pc
■ ■■■ share
■ ■ ■■■ applications
■ ■ ■ ■■■ jupyter-nbclassic.desktop
■ ■ ■ ■■■ jupyter-notebook.desktop
■ ■ ■■■ doc
■ ■ ■ ■■■ networkx-2.8.8
■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■■■ examples
■ ■ ■ ■■■ 3d_drawing
■ ■ ■ ■■■ README.txt
■ ■ ■ ■■■ __pycache__
■ ■ ■ ■■■ mayavi2_spring.cpython-311.pyc
■ ■ ■ ■■■ plot_basic.cpython-311.pyc
■ ■ ■ ■■■ mayavi2_spring.py
■ ■ ■ ■■■ plot_basic.py
■ ■ ■ ■■■ README.txt
■ ■ ■ ■■■ algorithms
■ ■ ■ ■■■ README.txt
■ ■ ■ ■■■ WormNet.v3.benchmark.txt
■ ■ ■ ■■■ __pycache__
■ ■ ■ ■■■ plot_beam_search.cpython-311.pyc
■ ■ ■ ■■■ plot_betweenness centrality.cpython-311.pyc
■ ■ ■ ■■■ plot_blockmodel.cpython-311.pyc
■ ■ ■ ■■■ plot_circuits.cpython-311.pyc
■ ■ ■ ■■■ plot_davis_club.cpython-311.pyc
■ ■ ■ ■■■ plot_dedensification.cpython-311.pyc
■ ■ ■ ■■■ plot_iterated_dynamical_systems.cpython-311.pyc
■ ■ ■ ■■■ plot_krackhardt centrality.cpython-311.pyc
■ ■ ■ ■■■ plot_parallel_betweenness.cpython-311.pyc
■ ■ ■ ■■■ plot_rcm.cpython-311.pyc
■ ■ ■ ■■■ plot_snap.cpython-311.pyc
■ ■ ■ ■■■ plot_subgraphs.cpython-311.pyc
■ ■ ■ ■■■ hartford_drug.edgelist
■ ■ ■ ■■■ plot_beam_search.py
■ ■ ■ ■■■ plot_betweenness centrality.py
■ ■ ■ ■■■ plot_blockmodel.py

```

```

■      ■      ■      ■      ■      ■      ■      plot_circuits.py
■      ■      ■      ■      ■      ■      ■      plot_davis_club.py
■      ■      ■      ■      ■      ■      ■      plot_dedensification.py
■      ■      ■      ■      ■      ■      ■      plot_iterated_dynamical_systems.py
■      ■      ■      ■      ■      ■      ■      plot_krackhardt_centrality.py
■      ■      ■      ■      ■      ■      ■      plot_parallel_betweenness.py
■      ■      ■      ■      ■      ■      ■      plot_rcm.py
■      ■      ■      ■      ■      ■      ■      plot_snap.py
■      ■      ■      ■      ■      ■      ■      plot_subgraphs.py
■      ■      ■      ■      ■      ■      ■■■ basic
■      ■      ■      ■      ■      ■      ■■■ README.txt
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ plot_properties.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_read_write.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_simple_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ plot_properties.py
■      ■      ■      ■      ■      ■      ■■■ plot_read_write.py
■      ■      ■      ■      ■      ■      ■■■ plot_simple_graph.py
■      ■      ■      ■      ■      ■      ■■■ drawing
■      ■      ■      ■      ■      ■      ■■■ README.txt
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ plot_chess_masters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_custom_node_icons.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_degree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_directed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_edge_colormap.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_ego_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_eigenvalues.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_four_grids.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_house_with_colors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_knuth_miles.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_labels_and_colors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_multipartite_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_node_colormap.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_rainbow_coloring.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_random_geometric_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_sampson.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_selfloops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_simple_path.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_spectral_grid.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_tsp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_unix_email.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ plot_weighted_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ chess_masters_WCC.pgn.bz2
■      ■      ■      ■      ■      ■      ■■■ knuth_miles.txt.gz
■      ■      ■      ■      ■      ■      ■■■ plot_chess_masters.py
■      ■      ■      ■      ■      ■      ■■■ plot_custom_node_icons.py
■      ■      ■      ■      ■      ■      ■■■ plot_degree.py
■      ■      ■      ■      ■      ■      ■■■ plot_directed.py
■      ■      ■      ■      ■      ■      ■■■ plot_edge_colormap.py
■      ■      ■      ■      ■      ■      ■■■ plot_ego_graph.py
■      ■      ■      ■      ■      ■      ■■■ plot_eigenvalues.py
■      ■      ■      ■      ■      ■      ■■■ plot_four_grids.py
■      ■      ■      ■      ■      ■      ■■■ plot_house_with_colors.py
■      ■      ■      ■      ■      ■      ■■■ plot_knuth_miles.py
■      ■      ■      ■      ■      ■      ■■■ plot_labels_and_colors.py
■      ■      ■      ■      ■      ■      ■■■ plot_multipartite_graph.py
■      ■      ■      ■      ■      ■      ■■■ plot_node_colormap.py

```

```

■ ■ ■ ■ ■ ■ ■■■ plot_rainbow_coloring.py
■ ■ ■ ■ ■ ■ ■■■ plot_random_geometric_graph.py
■ ■ ■ ■ ■ ■ ■■■ plot_sampson.py
■ ■ ■ ■ ■ ■ ■■■ plot_selfloops.py
■ ■ ■ ■ ■ ■ ■■■ plot_simple_path.py
■ ■ ■ ■ ■ ■ ■■■ plot_spectral_grid.py
■ ■ ■ ■ ■ ■ ■■■ plot_tsp.py
■ ■ ■ ■ ■ ■ ■■■ plot_unix_email.py
■ ■ ■ ■ ■ ■ ■■■ plot_weighted_graph.py
■ ■ ■ ■ ■ ■ ■■■ unix_email.mbox
■ ■ ■ ■ ■ ■■■■ graph
■ ■ ■ ■ ■ ■■■■ README.txt
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ plot_degree_sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_erdos_renyi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_expected_degree_sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_football.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_karate_club.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_morse_trie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_napoleon_russian_campaign.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_roget.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_words.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ plot_degree_sequence.py
■ ■ ■ ■ ■ ■■■■ plot_erdos_renyi.py
■ ■ ■ ■ ■ ■■■■ plot_expected_degree_sequence.py
■ ■ ■ ■ ■ ■■■■ plot_football.py
■ ■ ■ ■ ■ ■■■■ plot_karate_club.py
■ ■ ■ ■ ■ ■■■■ plot_morse_trie.py
■ ■ ■ ■ ■ ■■■■ plot_napoleon_russian_campaign.py
■ ■ ■ ■ ■ ■■■■ plot_roget.py
■ ■ ■ ■ ■ ■■■■ plot_words.py
■ ■ ■ ■ ■ ■■■■ roget_dat.txt.gz
■ ■ ■ ■ ■ ■■■■ words_dat.txt.gz
■ ■ ■ ■ ■ ■■■■ subclass
■ ■ ■ ■ ■ ■■■■ README.txt
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ plot_antigraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_printgraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_antigraph.py
■ ■ ■ ■ ■ ■ ■■■■ plot_printgraph.py
■ ■ ■ ■ ■ ■■■■ pygraphviz-1.7
■ ■ ■ ■ ■ ■■■■ INSTALL.txt
■ ■ ■ ■ ■ ■■■■ examples
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ plot_attributes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_miles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_simple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_star.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ plot_subgraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ skip_django_simple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ skip_utf8_encoding.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ plot_attributes.py
■ ■ ■ ■ ■ ■■■■ plot_miles.py
■ ■ ■ ■ ■ ■■■■ plot_simple.py
■ ■ ■ ■ ■ ■■■■ plot_star.py
■ ■ ■ ■ ■ ■■■■ plot_subgraph.py
■ ■ ■ ■ ■ ■■■■ skip_django_simple.py
■ ■ ■ ■ ■ ■■■■ skip_utf8_encoding.py

```



```

■   ■   ■■■ icons
■   ■   ■■■ hicolor
■   ■   ■■■ scalable
■   ■   ■■■ apps
■   ■   ■■■ nbclassic.svg
■   ■   ■■■ notebook.svg
■   ■   ■■■ jupyter
■   ■   ■■■ kernels
■   ■   ■■■ python3
■   ■   ■■■ kernel.json
■   ■   ■■■ logo-32x32.png
■   ■   ■■■ logo-64x64.png
■   ■   ■■■ logo-svg.svg
■   ■   ■■■ lab
■   ■   ■■■ schemas
■   ■   ■■■ @jupyterlab
■   ■   ■■■ application-extension
■   ■   ■■■ commands.json
■   ■   ■■■ context-menu.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ shell.json
■   ■   ■■■ sidebar.json
■   ■   ■■■ apputils-extension
■   ■   ■■■ package.json.orig
■   ■   ■■■ palette.json
■   ■   ■■■ print.json
■   ■   ■■■ themes.json
■   ■   ■■■ workspaces.json
■   ■   ■■■ cell-toolbar-extension
■   ■   ■■■ package.json.orig
■   ■   ■■■ plugin.json
■   ■   ■■■ codemirror-extension
■   ■   ■■■ commands.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ completer-extension
■   ■   ■■■ consoles.json
■   ■   ■■■ files.json
■   ■   ■■■ notebooks.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ console-extension
■   ■   ■■■ foreign.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ tracker.json
■   ■   ■■■ csvviewer-extension
■   ■   ■■■ csv.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ tsv.json
■   ■   ■■■ debugger-extension
■   ■   ■■■ main.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ docmanager-extension
■   ■   ■■■ download.json
■   ■   ■■■ package.json.orig
■   ■   ■■■ plugin.json
■   ■   ■■■ documentsearch-extension
■   ■   ■■■ package.json.orig
■   ■   ■■■ plugin.json
■   ■   ■■■ extensionmanager-extension

```

							package.json.orig
							plugin.json
						filebrowser-extension	
						browser.json	
						download.json	
						open-browser-tab.json	
						open-with.json	
						package.json.orig	
						widget.json	
						fileeditor-extension	
						package.json.orig	
						plugin.json	
						help-extension	
						about.json	
						jupyter-forum.json	
						launch-classic.json	
						package.json.orig	
						htmlviewer-extension	
						package.json.orig	
						plugin.json	
						hub-extension	
						package.json.orig	
						plugin.json	
						imageviewer-extension	
						package.json.orig	
						plugin.json	
						inspector-extension	
						consoles.json	
						inspector.json	
						notebooks.json	
						package.json.orig	
						launcher-extension	
						package.json.orig	
						plugin.json	
						logconsole-extension	
						package.json.orig	
						plugin.json	
						mainmenu-extension	
						package.json.orig	
						plugin.json	
						markdownviewer-extension	
						package.json.orig	
						plugin.json	
						notebook-extension	
						export.json	
						package.json.orig	
						panel.json	
						tracker.json	
						settingeditor-extension	
						form-ui.json	
						package.json.orig	
						plugin.json	
						shortcuts-extension	
						package.json.orig	
						shortcuts.json	
						statusbar-extension	
						package.json.orig	
						plugin.json	

[illegible]

■	■	■	■	■	■■■■	407a9723fc717c94e287496080d773e18e29c3cac49e2630172343c65c0864a8.eot
■	■	■	■	■	■■■■	4151.f7ca59b64f0adc97032.js
■	■	■	■	■	■■■■	4155.784ca1752696680bf373.js
■	■	■	■	■	■■■■	43c072c16c9ee6d67acd6a6c6d6685ff1e74eb4237b7cc3c1348ab1c108b26af.woff
■	■	■	■	■	■■■■	4402.d24b4a44244e256d0126.js
■	■	■	■	■	■■■■	4429.c4f083ef6b6e29345fd4.js
■	■	■	■	■	■■■■	45.91c59b0e1dca32f01373.js
■	■	■	■	■	■■■■	4570.53adcb6f69939da383ff.js
■	■	■	■	■	■■■■	4631.96a143e70f005fef7b59.js
■	■	■	■	■	■■■■	466.239a0c009f33f1cb7cab.js
■	■	■	■	■	■■■■	4894.f5e3a48d18905b75d07f.js
■	■	■	■	■	■■■■	501.d77919e38ba77753c7f8.js
■	■	■	■	■	■■■■	5065.49dd76cb64fd444f785f.js
■	■	■	■	■	■■■■	5096.96faf5ddac346a9ad9c3.js
■	■	■	■	■	■■■■	5096.96faf5ddac346a9ad9c3.js.LICENSE.txt
■	■	■	■	■	■■■■	5223.0006e6e211b7c197b9f1.js
■	■	■	■	■	■■■■	5289.6c67522c6a1c32fc2ea2.js
■	■	■	■	■	■■■■	5383.d630abf49f5cb82bb76f.js
■	■	■	■	■	■■■■	5493.237858aad53c9392fbd4.js
■	■	■	■	■	■■■■	5493.237858aad53c9392fbd4.js.LICENSE.txt
■	■	■	■	■	■■■■	5505.d108d38d683afca0e4ed.js
■	■	■	■	■	■■■■	5557.625f5943a166b494ee38.js
■	■	■	■	■	■■■■	5619.b1928648a190b38e627a.js
■	■	■	■	■	■■■■	6005.cda1ecd972909c2a0250.js
■	■	■	■	■	■■■■	6064.1a4a55a09511d4907870.js
■	■	■	■	■	■■■■	6064.1a4a55a09511d4907870.js.LICENSE.txt
■	■	■	■	■	■■■■	6080.39703b8cc7bd284ce1bd.js
■	■	■	■	■	■■■■	6218.63b338a58c855634089e.js
■	■	■	■	■	■■■■	6504.f578fea4ca18a937babd.js
■	■	■	■	■	■■■■	6550.f5dbb748ddae3ef4b27e.js
■	■	■	■	■	■■■■	6598.e2d4d064ef6bca780c2c.js
■	■	■	■	■	■■■■	6700.3c95b4eec62b695c6f74.js
■	■	■	■	■	■■■■	6777.1b7dcbf5a42c2daf11b8.js
■	■	■	■	■	■■■■	679b5a5216bbdf913cc22d6ae44778c1ef975ee387a6c4c5de87e75d19a22232.svg
■	■	■	■	■	■■■■	6952.1bd5bcfeb0d87e61efcb.js
■	■	■	■	■	■■■■	6962.6d7125f759d926dcf34f.js
■	■	■	■	■	■■■■	6975.e0560614fd629195c9bf.js
■	■	■	■	■	■■■■	6989.75bf0da94e660a6c26f8.js
■	■	■	■	■	■■■■	7034.fce307da76771c0ef0c8.js
■	■	■	■	■	■■■■	7050.fc2b565767a93966c20e.js
■	■	■	■	■	■■■■	714.ffa3007d0b781b5538482.js
■	■	■	■	■	■■■■	7289.c749cf355edec3e37aa8.js
■	■	■	■	■	■■■■	7294.f71c2889fedcd71bd1ee.js
■	■	■	■	■	■■■■	7294.f71c2889fedcd71bd1ee.js.LICENSE.txt
■	■	■	■	■	■■■■	7300.26360c57b8bd81344bd5.js
■	■	■	■	■	■■■■	7454.5859b3e9803de4da9c05.js
■	■	■	■	■	■■■■	7463.c34847707aeb55f90a82.js
■	■	■	■	■	■■■■	74edc18b67c487e32f181719fdb347e2e77020744651f446e9acd7bd6821e2e7.woff
■	■	■	■	■	■■■■	75a761159ae266c5332a4f266e07a5543712ffb76ee0260b07782195c04dc364.eot
■	■	■	■	■	■■■■	7717.2a6e6bb4e5f6b92e9798.js
■	■	■	■	■	■■■■	7730.7e3a9fb140d2d55a51fc.js
■	■	■	■	■	■■■■	7755.d506a1d9dadf30b1e490.js
■	■	■	■	■	■■■■	7788.5e16fdcc197e245776fd.js
■	■	■	■	■	■■■■	7796.098f091848a062457e84.js
■	■	■	■	■	■■■■	7900.86dcbbbfb1a3d4f98375.js
■	■	■	■	■	■■■■	8012.e4c8f67dc497d26c16fc.js
■	■	■	■	■	■■■■	8059.6011120485fc3c4868d4.js
■	■	■	■	■	■■■■	807.96166378e2efe232d81e.js

```

■ ■ ■ ■ ■ ■■■ 807.96166378e2efe232d81e.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ 8102.7f1644c3be420fb40db9.js
■ ■ ■ ■ ■ ■■■ 8428.dd5a93f02f55af0d3d8c.js
■ ■ ■ ■ ■ ■■■ 8523.9b232c15e4eb5bc08a37.js
■ ■ ■ ■ ■ ■■■ 8580.974138f8b6ddb72035f9.js
■ ■ ■ ■ ■ ■■■ 8657.bf693afb7646976b9a51.js
■ ■ ■ ■ ■ ■■■ 870.e515a8a325f5ddb19079.js
■ ■ ■ ■ ■ ■■■ 8708.35479b2d01be1e86804a.js
■ ■ ■ ■ ■ ■■■ 8819.743ff7148bbdf35c7bbb.js
■ ■ ■ ■ ■ ■■■ 8834.7621cb792c80bfa66e05.js
■ ■ ■ ■ ■ ■■■ 8843.35ec0f0b1f61c25e0401.js
■ ■ ■ ■ ■ ■■■ 8afc6e5e842baab16010c2ce6fcf48ec4ded8e1579a37c1f1bc027e120d04951.wot
■ ■ ■ ■ ■ ■■■ 900.6a1241c0269d5df615c8.js
■ ■ ■ ■ ■ ■■■ 901.2ec3367a81663f96cc4b.js
■ ■ ■ ■ ■ ■■■ 9039.5f28fec36b1eba3e4a52.js
■ ■ ■ ■ ■ ■■■ 9109.1b114e9c83e36c6560df.js
■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js
■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ 9316.c4abfd78d98bb182cd2f.js
■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js
■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ 96.c281b119ab350d7dd3de.js
■ ■ ■ ■ ■ ■■■ 9845.8b6c837a5ff754554b39.js
■ ■ ■ ■ ■ ■■■ 9866.5db2f5cd62fb6e231305.js
■ ■ ■ ■ ■ ■■■ aff76e5c986f295d4bc6f8142a78e2a31888b101c2d025db89f79c75f64fd90b.wot
■ ■ ■ ■ ■ ■■■ bootstrap.js
■ ■ ■ ■ ■ ■■■ build_log.json
■ ■ ■ ■ ■ ■■■ c651b8a67d3193206f622c3c3b0fbca4a2f2727108c4212b52c1e2a2e84c9b31.ttf
■ ■ ■ ■ ■ ■■■ cf83ffb8cf0023bd439dfdd5d02f1954b6ee027e85897d6cfc5f90bbca9ec1d2.eot
■ ■ ■ ■ ■ ■■■ d0b4256abed72481585662971262eabee345c19f837af00d7ce24239d3b40eef.wot
■ ■ ■ ■ ■ ■■■ fa498fb2596a5235c5c86d7b68a7fbe76e9855c01af4b0e5ab41c41047c648e0.svg
■ ■ ■ ■ ■ ■■■ index.html
■ ■ ■ ■ ■ ■■■ index.out.js
■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js
■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ main.191f751bb4b62e169926.js
■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■■■ third-party-licenses.json
■ ■ ■ ■ ■ ■■■ themes
■ ■ ■ ■ ■ ■■■ @jupyterlab
■ ■ ■ ■ ■ ■■■ ■■■■ theme-dark-extension
■ ■ ■ ■ ■ ■■■ ■■■■ index.css
■ ■ ■ ■ ■ ■■■ ■■■■ index.js
■ ■ ■ ■ ■ ■■■ ■■■■ theme-light-extension
■ ■ ■ ■ ■ ■■■ ■■■■ index.css
■ ■ ■ ■ ■ ■■■ ■■■■ index.js
■ ■ ■ ■ ■ ■■■ labextensions
■ ■ ■ ■ ■ ■■■ jupyterlab-plotly
■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■■■ static
■ ■ ■ ■ ■ ■■■ ■■■■ 133.30001697c17cb586ec3b.js
■ ■ ■ ■ ■ ■■■ ■■■■ 423.8409ad662b0daea3de31.js
■ ■ ■ ■ ■ ■■■ ■■■■ 478.648ae8f1d1447aef2787.js
■ ■ ■ ■ ■ ■■■ ■■■■ 478.648ae8f1d1447aef2787.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ ■■■■ 486.52aa9063b291ec574154.js
■ ■ ■ ■ ■ ■■■ ■■■■ 486.52aa9063b291ec574154.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ ■■■■ 657.ec010038fbb3c3a5dedf.js

```

```

■ ■ ■ ■ ■ ■ ■ ■ 879.b55d82ff9b3516e96fb0.js
■ ■ ■ ■ ■ ■ ■ ■ remoteEntry.b8c677d4b23d37f46d1d.js
■ ■ ■ ■ ■ ■ ■ ■ style.js
■ ■ ■ ■ ■ ■ ■ ■ jupyterlab_pygments
■ ■ ■ ■ ■ ■ ■ ■ install.json
■ ■ ■ ■ ■ ■ ■ ■ package.json
■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ 568.1e2faa2ba0bbe59c4780.js
■ ■ ■ ■ ■ ■ ■ ■ 747.8eb3ddccc7ec4987bff9.js
■ ■ ■ ■ ■ ■ ■ ■ remoteEntry.aa1060b2d1221f8e5688.js
■ ■ ■ ■ ■ ■ ■ ■ style.js
■ ■ ■ ■ ■ ■ ■ ■ third-party-licenses.json
■ ■ ■ ■ ■ ■ ■ ■ nbconvert
■ ■ ■ ■ ■ ■ ■ ■ templates
■ ■ ■ ■ ■ ■ ■ ■ asciidoc
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.asciidoc.j2
■ ■ ■ ■ ■ ■ ■ ■ base
■ ■ ■ ■ ■ ■ ■ ■ cell_id_anchor.j2
■ ■ ■ ■ ■ ■ ■ ■ celltags.j2
■ ■ ■ ■ ■ ■ ■ ■ display_priority.j2
■ ■ ■ ■ ■ ■ ■ ■ jupyter_widgets.html.j2
■ ■ ■ ■ ■ ■ ■ ■ mathjax.html.j2
■ ■ ■ ■ ■ ■ ■ ■ null.j2
■ ■ ■ ■ ■ ■ ■ ■ basic
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.html.j2
■ ■ ■ ■ ■ ■ ■ ■ classic
■ ■ ■ ■ ■ ■ ■ ■ base.html.j2
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.html.j2
■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ style.css
■ ■ ■ ■ ■ ■ ■ ■ compatibility
■ ■ ■ ■ ■ ■ ■ ■ display_priority.tpl
■ ■ ■ ■ ■ ■ ■ ■ full.tpl
■ ■ ■ ■ ■ ■ ■ ■ lab
■ ■ ■ ■ ■ ■ ■ ■ base.html.j2
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.html.j2
■ ■ ■ ■ ■ ■ ■ ■ mermaidjs.html.j2
■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ index.css
■ ■ ■ ■ ■ ■ ■ ■ theme-dark.css
■ ■ ■ ■ ■ ■ ■ ■ theme-light.css
■ ■ ■ ■ ■ ■ ■ ■ latex
■ ■ ■ ■ ■ ■ ■ ■ base.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ display_priority.j2
■ ■ ■ ■ ■ ■ ■ ■ document_contents.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ index.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ null.j2
■ ■ ■ ■ ■ ■ ■ ■ report.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_bw_ipython.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_bw_python.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_ipython.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_jupyter.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_python.tex.j2

```

[illegible]

```
■ ■ ■ ■■■ SOURCES.txt
■ ■ ■ ■■■ dependency_links.txt
■ ■ ■ ■■■ requires.txt
■ ■ ■ ■■■ top_level.txt
■ ■ ■■■ build
■ ■ ■ ■■■ bdist.linux-x86_64
■ ■ ■ ■■■ lib
■ ■ ■ ■■■ ace_tools
■ ■ ■ ■■■ __init__.py
■ ■ ■■■ pyproject.toml
■ ■ ■■■ setup.py
■ ■■■ ace_common
■ ■ ■■■ __init__.py
■ ■ ■■■ ace_exception.py
■ ■ ■■■ jupyter_message.py
■ ■■■ applied_ace_client
■ ■ ■■■ ace_types
■ ■ ■ ■■■ user_machine_types.py
■ ■■■ applied_ace_common
■ ■ ■■■ __init__.py
■ ■ ■■■ logger_utils.py
■ ■■■ user_machine
■ ■ ■■■ __init__.py
■ ■ ■■■ app.py
■ ■ ■■■ health_check.py
■ ■ ■■■ logger_utils.py
■ ■ ■■■ routes.py
■ ■ ■■■ run-server.sh
■ ■ ■■■ run_jupyter.py
■■■ .profile
■■■ README
■■■ kernel-8c9242ab-0947-4932-80aa-0eb3964f5a28.json
■■■ kernel-ba369987-ccc5-490b-a455-3162e794a123.json
■■■ kernel-bc9da9e1-0978-4754-b08e-59a411a83796.json
```