


3759 VALLEY VIEW

CITY: AUSTIN
SECTION:
LOT:
CLIENT: PECAN VALLEY HOMES
PHASE:
BLOCK:
LOT:

JOB #: 2500801
PLAN #: RET. WALLS
DATE: 11/3/2025
REVISION:
DRAWN: RD
CHECK:



SOIL DATA

PT1 SOIL PARAMETERS
CENTER EDGE
EM:

--	--

YM:

--	--

BEARING: 2000 PSF
SOURCE: MLA LABS
DATE: 4-2025
DESIGN P.I.:

STRESSING CHART

CABLE LENGTH	ELONGATION	CABLE LENGTH	ELONGATION
15'-18"	1"	79'-84"	6 1/2"
19'-24"	1 1/2"	85'-90"	7"
25'-30"	2"	91'-96"	7 1/2"
31'-35"	2 1/2"	97'-103"	8"
36'-41"	3"	104'-109"	8 1/2"
42'-47"	3 1/2"	110'-115"	9"
48'-53"	4"	116'-122"	9 1/2"
54'-59"	4 1/2"	123'-128"	10"
60'-65"	5"	129'-135"	10 1/2"
66'-71"	5 1/2"	136'-142"	11"
72'-78"	6"	143'-148"	11 1/2"

WALL PLAN
DETAILS AND NOTES

