

Site Intelligence Report

12713 Cinchring Lane, Austin, TX 78727

June 3, 2026

Site Intelligence Report

Property: 12713 Cinchring Lane, Austin, TX 78727

Legal Description: Lot 12, Block M, Scofield Subdivision, Cab. 91, Sl. 264-265 **Report Date:** June 3, 2026

Assessment Tier: Tier 1 (Address Only) **Prepared by:** Noetic AI

Data Sources: Feasibility intake, MLS records, Bureau feasibility guides (11 disciplines), LDC / HOME amendments

Table of Contents

- » **Executive Summary**
- » **Property Identification**
- » **Zoning & Land Use**
- » **Regulatory Pathway**
- » **Environmental & Drainage**
- » **Easements & Encumbrances**
- » **HOA & Deed Restrictions**
- » **Utilities & Infrastructure**
- » **Transportation & Access**
- » **Data Gaps & Recommendations**

1. Executive Summary

- **MODERATE CONSTRAINT -- Likely feasible with conditions — deed-restriction risk is the go/no-go gate**

The subject property is an 8,054 SF (~0.18-acre) lot in the Scofield Farms subdivision of North Austin, improved with a 1-story brick-and-wood single-family residence built in 1993 (2,095 SF, 4 bed / 2 bath). The owner proposes to **demolish the existing house and construct a new duplex**.

Under the City of Austin's **HOME Phase 1 amendments** (effective 2024), duplex use is permitted by right on SF-3 zoned lots. The project does **not** require a site plan — it proceeds through residential building permit review only. The site is in FEMA **Zone X** (no floodplain), in an established subdivision with existing utility infrastructure.

Key Conditions and Risks

DEED RESTRICTIONS (HIGH RISK): The property is governed by the Scofield Farms ROA Declaration of Covenants, Conditions and Deed Restrictions. Private deed restrictions may prohibit duplex construction even where city zoning permits it. The City does not enforce deed restrictions; however, the HOA and neighbors may enforce through civil litigation. Legal review of the CC&Rs is essential before proceeding.

ZONING CONFIRMATION: Base zoning is estimated as SF-3 based on lot size (8,054 SF is below the SF-2 minimum of 10,000 SF). GIS confirmation was not available for this Tier 1 run. HOME amendments apply to both SF-2 and SF-3.

TREE SURVEY REQUIRED: The lot is 30+ years old and likely has mature trees. Protected or heritage trees (oaks, pecans, elms) could significantly constrain the buildable envelope. An RPLS-certified tree survey is required before design.

TIGHT DIMENSIONAL ENVELOPE: At 8,054 SF with a 0.40:1 FAR cap, maximum GFA is ~3,222 SF for the duplex (both units combined). Building coverage capped at 40%. These are workable for a duplex but require careful, efficient design.

2. Property Identification

● NO CONSTRAINT -- Property identity confirmed across intake and MLS sources

Field	Value
Address	12713 Cinchring Lane, Austin, TX 78727
Legal Description	Lot 12, Block M, Scofield Subdivision, Cabinet 91, Slide 264-265, Travis County, TX
Lot Size	8,054 SF (0.18 acres)
Year Built	1993
Existing Improvements	1-story brick/wood SFR, 2,095 SF, 4 bed / 2 bath, concrete drive, wood fence
HOA	Scofield Farms ROA — \$125/quarter
School District	Pflugerville ISD
Jurisdiction	City of Austin — Full Purpose

Proposed Development

- **Project type:** Demolish existing SFR; construct new duplex (ground-up)
- **Construction type:** New construction following full demolition
- **Unit type:** Duplex (two dwelling units)

3. Zoning & Land Use

● **NO CONSTRAINT -- Duplex permitted by right under HOME Phase 1**

Base Zoning District

Estimated: SF-3 (Family Residence)

The lot size of 8,054 SF is below the SF-2 minimum (10,000 SF) but above the SF-3 minimum (5,750 SF), indicating **SF-3** as the base zoning district. GIS confirmation is required.

Under HOME Phase 1 (effective 2024), **duplex use is permitted by right** on SF-1, SF-2, and SF-3 lots citywide. No conditional use permit, rezoning, or variance is required.

No overlay districts identified — no CO, MU, NCCD, ETOD, DB90, VMU, CVC, WO, PUD, or TOD indicators from available data.

Dimensional Standards (SF-3)

Standard	Requirement	Project Impact
Max Height	35 ft	Adequate for 2-story duplex
Max FAR (0.40:1)	3,222 SF GFA	Both units combined — efficient design required
Max Bldg Coverage (40%)	3,222 SF	Ground-floor footprint limit
Max Imperv. Cover (45%)	3,624 SF	Includes building + all paving
Front Setback	25 ft	Consistent with plat building line
Side Setback	5 ft each	15 ft if corner lot (street side)
Rear Setback	10 ft	Standard

Compatibility Standards

Not applicable. The 2024 replacement Article 10 applies only to sites zoned MF-4 or less restrictive within 75 ft of a triggering property. SF-3 is more restrictive than MF-4, so Compatibility Standards do not apply to this duplex project.

Parking

No minimum parking required. Citywide parking minimums were eliminated November 2023 (Ord. No. 20231102-028). ADA accessible parking still applies per federal law.

4. Regulatory Pathway

● **NO CONSTRAINT -- Building permit only — no site plan required**

The proposed duplex on an existing platted SF lot is **exempt from site plan requirements** under LDC Chapter 25-5. The project proceeds through **residential building permit review** under the 2024 IRC and LDC Chapter 25-2.

Subchapter E (Design Standards) does not apply — it is triggered only by projects requiring a site plan.

Required Permits and Approvals

Permit / Approval	Required	Notes
Demolition Permit	YES	Separate permit for existing structure removal
Building Permit (duplex)	YES	Residential Plan Review Division
Site Plan	NO	Exempt — duplex on existing platted lot
TIA / Trans. Assessment	NO	Far below trip thresholds
Tree Survey & Protection	LIKELY	If regulated trees present on site
ESC Plan	YES	Basic erosion/sediment control with permit
Austin Water Service	YES	Coordinate new taps for duplex

Estimated Timeline

Phase	Duration
Design & engineering	2-4 months
Demolition permit	2-4 weeks
Building permit review	4-8 weeks
Demolition construction	2-4 weeks
New construction	8-14 months
Total estimated	14-24 months

5. Environmental & Drainage

● NO CONSTRAINT -- Zone X — no floodplain constraints

Flood Zone

Field	Value
FEMA Zone	Zone X (outside 100-year flood prone area)
FIRM Panel	0115E, Community No. 480624 (48453C)
FIRM Date	June 16, 1993
Floodplain Permit	Not required
FFE Requirements	Not applicable

FIRM PANEL AGE: The FIRM date is from 1993 (33 years old). Current effective panels may have been updated. Confirmation via FEMA NFHL recommended. However, the Scofield Farms area is generally upland terrain without significant flood risk.

Environmental Summary

- **Watershed:** Likely Walnut Creek (North Austin) — Suburban or Urban classification
- **Edwards Aquifer:** Not in recharge or transition zone
- **Barton Springs Zone:** Not applicable
- **CEFs:** No known Critical Environmental Features (GIS confirmation needed)
- **WUI:** Not expected in established suburban area
- **Water Quality:** Controls triggered if new + redeveloped impervious cover exceeds 8,000 SF. At 3,624 SF max IC, this threshold may not be reached.

6. Easements & Encumbrances

- **MODERATE CONSTRAINT -- Blanket electric easement scope unknown — instrument review required**

Easement	Type	Reference	Impact
5-ft P.U.E.	Utility	Subdivision plat	Restricts building within 5 ft of applicable lot lines
25-ft Bldg Line	Setback	Subdivision plat	Front setback — consistent with SF-3
Blanket electric	Electric	Vol. 660, Pg. 968	Scope unknown — could affect entire lot
Utility ingress/egress	Access	Vol. 11863, Pg. 1147	Right of access for utility providers
Declarant ROW reserve	Potential	Vol. 11863, Pg. 1147	Up to 10 ft each side of lot lines

INSTRUMENT REVIEW REQUIRED: The blanket electric easement (Vol. 660, Pg. 968) is the highest-risk easement item. Blanket easements can cover the entire lot and restrict construction activities. The actual scope must be determined by reviewing the original instrument at the Travis County Clerk's office. The declarant's 10-ft reservation, if exercised, combined with the 5-ft P.U.E. and 5-ft side setbacks, could create 15-ft constraints from each side lot line.

7. HOA & Deed Restrictions

- **SIGNIFICANT CONSTRAINT -- Deed restrictions may prohibit duplex — legal review required before proceeding**

Scofield Farms ROA

HOA: Scofield Farms Residential Owners Association

Management: Inframark

Dues: \$125/quarter

Governance: Declaration of CC&Rs (with 8+ amendments)

Architectural Review: Architectural Control Committee (ACC)

GO / NO-GO DECISION POINT: This is the single highest risk factor for the proposed development. The City of Austin issues building permits based on LDC compliance regardless of deed restrictions. However, the HOA and neighboring property owners may enforce deed restrictions through civil litigation and could obtain an injunction. Scofield Farms was developed in the early 1990s as a single-family community. The original deed restrictions almost certainly contemplate single-family residential use only. Whether duplexes are prohibited, and whether the HOME amendments affect covenant enforceability, is a legal question requiring: (1) full review of the Declaration and all amendments, (2) legal opinion on duplex permissibility, and (3) assessment of HOA enforcement posture.

8. Utilities & Infrastructure

? DATA GAP -- Existing infrastructure assumed adequate — service confirmation needed

Utility	Provider	Status	Duplex Impact
Water	Austin Water	Existing	May need new/upsized taps; capital recovery fees apply
Wastewater	Austin Water	Existing	May need new/upsized tap; LUE calculation for 2 units
Electric	Austin Energy	Existing	New service panels; meter upgrade for 2-unit config
Fire Protection	AFD	Existing	Hydrant coverage expected adequate; NFPA 13D may apply

9. Transportation & Access

● NO CONSTRAINT -- Local street — no TIA or ROW dedication expected

- **Cinchring Lane:** Local/residential street (ASMP Level 1 estimated)
- **No TIA required** — residential duplex far below 2,000 daily trip threshold
- **No ROW dedication expected** — local street; ASMP target likely met
- **Driveway:** Existing access from Cinchring Lane; may need modification for duplex
- **Type I residential driveway** appropriate for Level 1 street

10. Data Gaps & Recommendations

Critical Data Gaps

Gap	Priority	Resolution
Deed restrictions review	HIGH	Obtain CC&Rs from county clerk or HOA; engage real estate attorney
Base zoning confirmation	HIGH	COA GIS Property Profile or zoning verification letter
Tree survey	HIGH	RPLS-certified tree survey before design
County clerk documents	HIGH	Download Vol. 660/Pg. 968 and Vol. 11863/Pg. 1147
COA floodplain (current)	MED	COA GIS or FloodPro check
Adjacent property zoning	LOW	COA GIS adjacent context query

Recommended Next Steps

1. **Obtain and review Scofield Farms CC&Rs** — This is the go/no-go decision point
2. **Confirm base zoning** via COA GIS or zoning verification letter
3. **Commission RPLS-certified tree survey** — before any design work
4. **Review county clerk instruments** — blanket electric easement and declarant's reservation
5. **Engage architect/designer** — 3,222 SF GFA cap requires efficient duplex design
6. **Contact Austin Water** — confirm service capacity and tap requirements
7. **Contact Austin Energy** — determine meter/panel requirements for two-unit service

Confidence Assessment

Category	Confidence	Basis
Property ID	HIGH	MLS + intake data
Zoning (SF-3)	MEDIUM	Inferred from lot size; GIS TBD
Use permissibility	HIGH	HOME amendments clear
Flood zone	MEDIUM	Intake data; 1993 FIRM
Easements	MEDIUM	Intake data; instruments not reviewed

Deed restrictions	VERY LOW	Not reviewed
Trees	VERY LOW	No survey data

This report was generated as a Tier 1 (address-only) assessment. No supporting documents, site plans, or concept plans were available. A Tier 2/3 assessment with TCAD records, GIS property profile, county clerk documents, and tree survey would substantially increase confidence.