



Galileo

Updated Dec 16, 2022

- 1. ? Galileo- Basic Info
- 2. ? Which system?
- 3. ? Which system?
- 4. ? Errors in Galileo application
- 5. ✓ Error: Cannot Connect To Host / Smartpoint is currently unable to communicate with the host
- 6. ✓ Password reset Galileo
- 7. ✓ ERR: SIGN ON LOCKED SEE AUTHORISER – GALILEO // The user XXXXXX is locked in MyConnection host
- 8. ✓ Device XXXXXX has been inactivated - contact help desk
- 9. ✓ AGENT ID IN USE GTID XXXXX
- 10. ✓ Sorry, Host Password Reset is unavailable.
- 11. ✓ MyTravelport portal - What is the account for?
- 12. ✓ Any error message when trying to sign in to MyTravelport
- 13. ? MyTravelport portal error messages
- 14. ✓ User login details Galileo (users, sign in, application)
- 15. ✓ AG - DUTY CODE NOT AUTHORISED FOR TERMINAL - GALILEO
- 16. ✓ ERR: UNABLE TO PROCESS - GALILEO
- 17. ✓ ERR: Access from this dept / city not authorised
- 18. ✓ How to find the Rapid Reprice version
- 19. ✓ Re- activate inactive users in MyTravelport
- 20. ✓ Error 8222 - Unknown Security Error, Check Emulation
- 21. ✓ Reset password or Client Id (CID)
- 22. ✓ Smart buttons for Galileo

Step 1 - Starting point

Question

No linked steps

Galileo- Basic Info

Galileo- Basic Info

- | | |
|--|---------|
| 1. User login details Galileo (users, sign in, application) | Step 14 |
| 2. Smart buttons for Galileo | Step 22 |
| 3. Most common errors - Login and authorization (Galileo & MyTravelport) | Step 3 |

4. Password reset (Galileo & MyTravelport)

Step 2

5. MyTravelport portal - What is the account for?

Step 11

6. How to find the Rapid Reprice version

Step 18

Step 2



Question

Parent step: 1

Which system?

Which system do you want to reset password in?

1. Galileo application

Step 6

2. MyTravelport / Reactivate inactive users in MyTravelport

Step 19

Step 3



Question

Parent step: 1

Which system?

Which system do you get an error message in?

1. Galileo application

Step 4

2. MyTravelport

Step 13

Step 4



Question

Parent step: 3

Errors in Galileo application

Errors in Galileo application

Choose the error message you get to find a solution:

1. Error: Cannot Connect To Host

Step 5

- | | |
|--|---------|
| 2. Smartpoint is currently unable to communicate with the host | Step 5 |
| 3. ERR: SIGN ON LOCKED SEE AUTHORISER – GALILEO | Step 7 |
| 4. Device XXXXXX has been inactivated - contact help desk | Step 8 |
| 5. AGENT ID IN USE GTID XXXXX | Step 9 |
| 6. Sorry, Host Password Reset is unavailable. | Step 10 |
| 7. AG - DUTY CODE NOT AUTHORISED FOR TERMINAL - GALILEO | Step 15 |
| 8. ERR: UNABLE TO PROCESS - GALILEO | Step 16 |
| 9. The user XXXXXX is locked in MyConnection host | Step 7 |
| 10. ERR: Access from this dept / city not authorised | Step 17 |
| 11. Error 8222 - Unknown Security Error, Check Emulation | Step 20 |

Step 5




Solution

Parent step: 4

Error: Cannot Connect To Host / Smartpoint is currently unable to communicate with the host

Either get this error message:



or this error message:

 Image failed to load(https://wiki.etraveli.net/download/attachments/101754373/image2020-5-21_17-35-48.png?version=1&modificationDate=1590071750000&api=v2)


You need to reset your Client ID.

NOTE!

If it says your client ID is "ABC" or "GAL" or "ABC123" you need to contact ITS (or your local IT) directly, since it is not your correct client ID and they need to change it to a correct one.

Solution:

1. Sign in to <http://my.travelport.com> with your MyTravelport account.
2. Scroll down to **Help and resources** and click **Request client ID reset**



3. In the affected PCC/SID, enter 667W-1G from the options:

Image failed to load(https://wiki.etraveli.net/download/thumbnails/101754373/image2020-5-21_17-37-45.png?version=1&modificationDate=1590071867000&api=v2)

4. Retrieve your Client ID from the error message.
If it is not there, please click [HERE](#) and choose *Finding your Client ID* to collect it.
5. Select the number of Client ID(s), enter the Client ID(s) in the space provided, and hit Submit.

[Click here to find guidance and instructions on how to find your Client ID](#)

If your request is only related to having your Client ID reset then proceed with the entry below, otherwise you should be submitting a general incident to the Helpdesk

Number of Client IDs -

1

▼

Client ID 1 :

Submit

[← Back](#)

You will receive an email confirmation when the ticket is submitted. The confirmation email contains the status of the processed Client IDs.

From that point, you will have to log in to Galileo **within the next hour**, otherwise the issue will not be resolved.

ETG support

If you have issues with your client ID, please contact ITS / your local IT department for assistance and checking your client ID.

Step 6

Solution

Parent step: 2

Password reset Galileo

Your reset your own password in Galileo.


Note; You can reset your password only once per 24 hours.

If you forgot or locked your password, you may click on **Forgotten or Locked Password?** during the Sign-On screen:


 [Image failed to load\(https://wiki.etraveli.net/download/attachments/101754373/forgot%20password.PNG?version=1&modificationDate=1590071359000&api=v2\)](https://wiki.etraveli.net/download/attachments/101754373/forgot%20password.PNG?version=1&modificationDate=1590071359000&api=v2)

From there, you are redirected to MyTravelport.
Sign in on MyTravelport with your MyTravelport account.

Scroll down to **Help and resources** and click on **Request host password** and follow the instructions.



*Please note that if you see the below message when clicking on **Request host password**:*



This means that the e-mail that you registered during the initial sign-in to Galileo is different than the one you used to create your MyTravelport account. Please check and follow instructions [here](#)

If you get another error message when trying to sign in to MyTravelport;
Contact your manager / TL / Supervisor / Trainer.
They have access to re-set / re-activate your MyTravelport account.

Password requirements

Click [here](#) to find the complete and updated list of restrictions and requirements, but below we have collected the basics.

PASSWORD REQUIREMENTS

Your Galileo or Apollo Agent sign-on password must meet the following criteria:

- New passwords must be between 8 and 10 characters in length
- Passwords must contain at least one alpha AND one numeric character; **no special characters are allowed**
- Days of the week and month names cannot be used
- You cannot use your name (first or last as shown in STD profile), sign-on ID forwards or backwards (with or without a check digit)
- Three consecutive similar characters are not allowed. (Example: AAA or 222 or 123 as per restricted word list below)
- The user's previous 5 (five) passwords are stored and may not be re-used for a new change
- Password changes are limited to once per system day
- At least three characters must change in the new password for the system to accept it
- The first three characters of the new password must be different from the old one
- Your keyword cannot be the same as your password

PASSWORD RESTICTIONS


123	234	345	456	567	678	789	98
876	765	654	543	432	321	890	987
AAA	BBB	CCC	DDD	EEE	FFF	QQQ	III
KKK	LLL	MMM	NNN	OOO	PPP	STU	SSS
UUU	VVV	WWW	XXX	YYY	ZZZ	FALL	JJJ
ABC	DEF	GHI	JKL	MNO	PQR	NET	TTT
AIRBUS	AIRLINE	AIRPLANE	AMADEUS	APOLLO	AUTUMN	SUMMER	GOD
BOEING	COVIA	BOEING	CENDANT	CRS	DEMO	GGG	PASS
FLIGHT	GAME	FORGET	GALILEO	IBM	MOTHER	HHH	SWINDON
QWER	RETIRED	SABRE	SECRET	SKYNET	SPRING	RRR	
TEST	TRAVEL	UNITED	WEBLIST	WINTER	WORLDSPAN	VVVX	

Step 7

Solution

Parent step: 4

ERR: SIGN ON LOCKED SEE AUTHORISER – GALILEO // The user XXXXXX is locked in MyConnection host



Reason

You entered an incorrect password 3+ times.

Solution

Create a jira to System Support.

Issue type: Login issues

Provide:


- User name
- Screenshot of the login page/error message

Step 8

Solution

Parent step: 4

Device XXXXXX has been inactivated - contact help desk



Will happen after 11 consecutive invalid sign- on attempts; then the terminal will be locked.
Or may happen when the user has not signed in for too long

Solution

Create a jira to **System Support**, issue type: **Log in issues**
System Support then needs to contact Travelport to unlock the terminal.

Add in the jira:


- Sign- on
- Screen- shot of the error message

Step 9

 Solution

Parent step: 4

AGENT ID IN USE GTID XXXXX



Usually means incorrect CID is installed.

Solution

Create a case to ITS department asking yo check your CID.

Step 10

 Solution

Parent step: 4

Sorry, Host Password Reset is unavailable.

Request host password



Sorry, request host password is not available

The email address saved in the host doesn't match the one in your MyTravelport account.
Follow the steps below to be able to use this service.


If you see the above message when clicking on **Request host password**:

This means that the e-mail that you registered during the initial sign-in to Galileo is different than the one you used to create your MyTravelport account.


Solution

You need to check and possibly update your email.


- 1. Type STD/Zxxx/*EM and press enter. (xxx = your agent ID)
Your current email address displays, or is blank if not yet entered.



- 2. Tab once to NEW EMAIL ADDRESS and type your email address:
Do not press Enter.
Tab again to CONFIRM EMAIL ADDRESS.
Type your email address.
Do not press Enter.



- 3. Tab again to place your cursor after the tab stop. Press Enter.



If you still have issues:

Create a jira to **System Support**, issue type **Log in issues**.

- your user name
- email address
- screenshot of the error message

Step 11

Solution

Parent step: 1

MyTravelport portal - What is the account for?

MyTravelport accounts are created independently from the GDS credentials and are there to assist the users. Via these accounts, the users are able to:

- Reset their Client IDs
- Reset their GDS passwords
- Search for knowledge base articles
- Contact Travelport by creating a case to the support

The MyTravelport accounts are connected to each sign after the agent has successfully signed-in to the Galileo GDS (Smartpoint application) and while asked, added the same email address there.


[Link to MyTravelport](#)

Step 12

Solution

Parent step: 13

Any error message when trying to sign in to MyTravelport




Your MyTravelport accounts needs to be reactivated.

Solution

Your manager / TL / Supervisor / trainer can activate your account for you.
They can follow the instructions [here](#)

You will then receive a reactivation email that needs to be handled within 24 hrs:



Step 13

 Question

Parent step: 3

MyTravelport portal error messages

- 1. Any error message in MyTravelport portal

Step 12

Step 14

 Solution

Parent step: 1

User login details Galileo (users, sign in, application)


User creations

User creations is being handled by **System Support**.
If you are missing credentials, please speak to your trainer/ team leader/ supervisor/ manager.

Application

Application is being installed by ITS.
If you are missing the application; please create a jira to ITS.

You should use **Travelpoint Smartpoint**.
*Due to a bug something more might start in the background while starting Galileo.
Just ignore that, what you should use is Travelpoint Smartpoint, with login page looking like this:*



Sign On

MyConnection

Sign-On: Password: PCC:


☐ Change Password

[Forgotten or Locked Password?](#)

Application settings

Make sure you fix them during the first time signing in.

APPLICATION APPLICATION SETTINGS



Application Settings

General settings

Language:

Theme:

Classic Theme Color Scheme:

☐ Apply color scheme to Classic PNR Viewer

☒ Auto-display sign on dialog

☐ Auto-display emulation dialog

☒ Show reset option when resolution changes

Application Window Management

Application Windows:

Name of selected window:
Application Window 1

Selected connection:

Font:

Font Weight: Font Size:

AutoReceive:

Search Settings

Set the maximum number of search results you want returned at a time

Air Availability:

This number of results may impact performance.

Flight Shopping:

Fare Display:

Sell and Follow-On Settings

When entering a sell command for "last availability", sell from:

☒ The last availability returned from the terminal I'm focused on or referencing

☐ The last availability returned from any terminal

Note that this will also apply to follow-on commands.


In auto- receive box; insert your first name and the first letter of your surname.

This way you do not need to save everything with R.name + ER. Now you can use only ER.

The sign

The sign is shared in a format of ZVEUxxx along with the temporary password.

These two should be used along with the main PCC 68J5 in order to sign in:




Step 15

 Solution

Parent step: 4

AG - DUTY CODE NOT AUTHORISED FOR TERMINAL - GALILEO



Usually means you did not sign in to correct (or any) PCC.

Solution

Enter command:

SEM/68J5/AG

Step 16

 Solution

Parent step: 4

ERR: UNABLE TO PROCESS - GALILEO

Sign On

ERR: UNABLE TO PROCESS - GALILEO

MyConnection

Sign-On:

Password:

.....

PCC:

68J5

Change Password

New Password:

Repeat Password:

Keyword:

Forgotten or Locked Password?

OK

CANCEL

Please make sure to follow the Password restrictions.

The info in the dialogue box might show incorrect info:

The new password should contain 8 - 10 characters.

Keyword is mandatory.

Password requirements

Click [here](#) to find the complete and updated list of restrictions and requirements, but below we have collected the basics.

PASSWORD REQUIREMENTS

Your Galileo or Apollo Agent sign-on password must meet the following criteria:

- New passwords must be between 8 and 10 characters in length
- Passwords must contain at least one alpha AND one numeric character; **no special characters are allowed**
- Days of the week and month names cannot be used
- You cannot use your name (first or last as shown in STD profile), sign-on ID forwards or backwards (with or without a check digit)
- Three consecutive similar characters are not allowed. (Example: AAA or 222 or 123 as per restricted word list below)
- The user's previous 5 (five) passwords are stored and may not be re-used for a new change
- Password changes are limited to once per system day
- At least three characters must change in the new password for the system to accept it
- The first three characters of the new password must be different from the old one
- Your keyword cannot be the same as your password

PASSWORD RESTICTIONS


123	234	345	456	567	678	789	98
876	765	654	543	432	321	890	987
AAA	BBB	CCC	DDD	EEE	FFF	QQQ	III
KKK	LLL	MMM	NNN	OOO	PPP	STU	SSS
UUU	VVV	WWW	XXX	YYY	ZZZ	FALL	JJJ
ABC	DEF	GHI	JKL	MNO	PQR	NET	TTT
AIRBUS	AIRLINE	AIRPLANE	AMADEUS	APOLLO	AUTUMN	SUMMER	GOD
BOEING	COVIA	BOEING	CENDANT	CRS	DEMO	GGG	PASS
FLIGHT	GAME	FORGET	GALILEO	IBM	MOTHER	HHH	SWINDON
QWER	RETIRED	SABRE	SECRET	SKYNET	SPRING	RRR	
TEST	TRAVEL	UNITED	WEBLIST	WINTER	WORLDSPAN	VVVX	

Step 17

 Solution

Parent step: 4

ERR: Access from this dept / city not authorised



Usually something incorrect with your Client ID.

Solution

Contact your IT- department for checking and possibly changing your Client ID.

Step 18


 Solution

Parent step: 1

How to find the Rapid Reprice version

How to find the Rapid Reprice version:

Control Panel Programs and Features(scroll down)--> Travelport Automated Exchanges Latest version is 3.1.0.47



Step 19

Solution


Parent step: 2

Re- activate inactive users in MyTravelport

*** Only for managers / Team leads / Supervisors / Trainers ***

Sing in to [MyTravelport](#)


Go to **Administration**, then choose **Manage users**



Fill in the agents email address and click **Search**.


Double check so you get the correct agent.

Click on the pen on the end of the line to enter the user configs




When entering the details of the user, is where you will see the actual status of **Inactive** or **Active**.
If it says anything else; do not touch.
Create a case / jira to System Support.

If it says **Inactive**; click on **Reset account**:




You can click **Reset account** even if it says **Active**, it might solve other issues.

You will get a pop-up informing the email will be valid for 24 hrs.
Click **Yes** to proceed with actually sending the reactivation email.




A confirmation note will be shown on the screen:
The reset email has been sent successfully.



Then you know it has been sent.

The agent then need to handle the email received, and then should be able to sing in to MyTravelport.

The email looks like this:



If still issues; please contact System Support via System Support portal, issue type Login issues.
For outsourcing partners; via Outsourcing portal using issue type GDS Login issues.

Access to this

System Support is handling access to be able to reactivate inactive users.

If you are in a position where you should have this,

please contact System Support via jira (Project System Support, issue type Login issues).

For outsourcing partners; via Outsourcing portal using issue type GDS Login issues.

Step 20




Solution

Parent step: 4

Error 8222 - Unknown Security Error, Check Emulation

When logging with a Service Bureau sign-on and a notice is received to change password, and not emulating into a pseudo city, the response Error 8222 - Unknown Security Error, Check Emulation displays.



1. Click OK in the error box.
2. Change your display to Terminal Entry

Ctrl+ G

1. Confirm you have signed on to the GDS and changed your password if requested.
2. Emulate manually with the SEM command.

SEM/PCC/AG

Additionally, you can try to reset Smartpoint to factory settings and delete plugin cache.

Step 21

Solution

No linked steps

Reset password or Client Id (CID)

Please note that you can reset your own password or Client ID in Galileo.

If you forgot or locked your password, you may click on the relevant link during the Sign-On screen:

 [Image failed to load\(https://wiki.etraveli.net/download/attachments/101754373/forgot%20password.PNG?version=1&modificationDate=1590071359000&api=v2\)](https://wiki.etraveli.net/download/attachments/101754373/forgot%20password.PNG?version=1&modificationDate=1590071359000&api=v2)

From there, you are redirected to My Travelport's page. Once you log in, you are given 2 options:

 [Image failed to load\(https://wiki.etraveli.net/download/attachments/101754373/automation%20tools.PNG?version=1&modificationDate=1590071450000&api=v2\)](https://wiki.etraveli.net/download/attachments/101754373/automation%20tools.PNG?version=1&modificationDate=1590071450000&api=v2)

To **reset your password**, you have to click on "Host Password Reset" and follow the steps of the procedure. You can reset your password only once per 24 hours.

Please note that if you see the below message when clicking on "Host Password Reset":

 Image failed to load(https://wiki.etraveli.net/download/attachments/101754373/image2020-5-21_17-32-12.png?version=1&modificationDate=1590071534000&api=v2)

This means that the e-mail that you registered during the initial sign-in to Galileo is different than the one you used to create your "My Travelport" account. Please contact SO for resolution in these cases.

How to reset your Client ID:

In case you experience **connectivity issues** in the form of the following error:

 Image failed to load(https://wiki.etraveli.net/download/attachments/101754373/image2020-5-21_17-35-48.png?version=1&modificationDate=1590071750000&api=v2)

You have to reset your Client ID.

In that case:

Click on the "Client Id Reset" icon on My Travelport's page, <http://my.travelport.com>.

In the affected PCC/SID, enter 667W-1G from the options:

 Image failed to load(https://wiki.etraveli.net/download/thumbnails/101754373/image2020-5-21_17-37-45.png?version=1&modificationDate=1590071867000&api=v2)

To retrieve your Galileo Client ID, **open the control panel** on your computer, click on the **Galileo TCP/IP** option:

 Image failed to load(<https://wiki.etraveli.net/download/attachments/101754373/tcpip.PNG?version=1&modificationDate=1590072048000&api=v2>)

You will be presented with a window where you can see your Client ID (CID):

 Image failed to load(<https://wiki.etraveli.net/download/attachments/101754373/cid.PNG?version=1&modificationDate=1590072125000&api=v2>)

Enter the Client ID code in the "Client Id Reset" page and click "**Submit**".

You will shortly receive an e-mail to your e-mail address.

From that point, you will have to log in to Galileo **within the next hour**, otherwise the issue will not be resolved.

User support

If you have issues with your log in, create a Jira:

Project: System Support

Issue Type: Log in issues

Make sure to describe your issue, provide your user ID and a screenshot of the issue.

For outsourcing agents; please follow routines on how to contact internal support.

Step 22



Solution

Parent step: 1

Smart buttons for Galileo

1. Click on the smart button icon in Smartpoint, then on the cog wheel

2. In the window that opens, in the Configuration URI, enter the following address:

For all In-House Locations: **\\fs01.etraveli.net\shared\common\GDS\Galileo\Operations\SmartButtonsConfig.xml**

For outsourcing partners; please check with your IT department

In the Triggers settings, enter:

For all In-House Locations: **\\fs01.etraveli.net\shared\common\GDS\Galileo\Operations\TriggersConfig.json**

For outsourcing partners; please check with your IT department

Then, click on "Save Changes":

Travelport Smart Buttons Settings

Office buttons settings

Configuration URI :

☐ Password required

Login:

Password:

Personal buttons settings

Triggers' settings

Other settings

Office button color:

Personal button color:

Font color:

Column number:

Editor font size:

Quick Menu Plugin integration

This feature requires "Quick Menu Plugin" to be installed

The office smart buttons should now be available in green color in the smart buttons menu. If they are not, please restart your Galileo terminal.

Support ETG

If you get technical issues with accessing your smartbuttons, please make a case to ITS department via Service Desk.