



Sabre

Updated Nov 22, 2022

- 1. ? Sabre
- 2. ? Errors
- 3. ? Sabre SC script
- 4. ? Unable to connect to backend service (host) - please check internet connection
- 5. ? How to check / update your LNIATA
- 6. ? Sabre Scripts error
- 7. ? How to get PF keys
- 8. ? Correct path for PF keys / scribes
- 9. ? Checklist for new Sabre user
- 10. ? Password reset / unlocking users
- 11. ? "Nice to have"- config to do
- 12. ? Symbols in Sabre like "cross" or "change" cannot be found
- 13. ? When the seatmap does not open graphically
- 14. ? Sabre error: This workstation is currently unable to authenticate.
- 15. ? Sabre error: ERROR - WFR FUNCTION REQUIRES MASKING CAPABILITIES
- 16. ? Change text size on command page
- 17. ? Sabre error: You are NOT AUTHORISED to use Sabre Red Workspace
- 18. ? Quick keys for Smartflow schedule change script
- 19. ? Entire PNR info is shown when doing *A
- 20. ? Easy way to check rules on existing booking
- 21. ? How to check your signature / agent ID in Sabre
- 22. ? Command History is easier accessed
- 23. ? Users QA
- 24. ? Reissue script Sabre
- 25. ? Add/ see ancillaries
- 26. ? Sabre error: Security warning
- 27. ? Move the command line / input row to bottom of page
- 28. ? Change fontsize on quickkeys
- 29. ? Password Reset / unlocking /activate users (for managers/TL/supervisors)
- 30. ? Sabre Support and Contact
- 31. ? All command follows when switching areas

Step 1 - Starting point



Question

No linked steps

Sabre	
1. Users QA (login credentials, check list new users, PF keys, LNIATA)	Step 23
2. Password Reset / unlocking agents	Step 10
3. Most common errors - Login and authorization	Step 2
4. Sabre SC Script	Step 3
5. "Nice to have"- config to do	Step 11
6. Support and contact	Step 30

Step 2

Question

Parent step: 1

Errors

1. Sabre error: Security warning Step 26
2. Sabre error: You are NOT AUTHORISED to use Sabre Red Workspace Step 17
3. Sabre error: Unable to connect to backend service (host) - please check internet connection Step 4
4. Sabre error: This workstation is currently unable to authenticate. Step 14
5. Sabre error: ERROR - WFR FUNCTION REQUIRES MASKING CAPABILITIES Step 15

Step 3

Question

Parent step: 1

Sabre SC script

All information regarding SC script can be found under Schedule change Description file.

1. Quick keys for Smartflow schedule change script Step 18


Step 4

Solution

Parent step: 2

Unable to connect to backend service (host) - please check internet connection


Problem



Unable to connect to backend service (host) - please check internet connection

Solution

1. Click **Tools** on top taskbar.
2. Select **Options**.
3. Click on **Connection**
4. Select **SCVPN Connection**,
5. Click **OK** and the connection issues should be solved.



If more issues; please contact ITS department.

More info can be found here:

<https://etraveligroup.atlassian.net/wiki/spaces/ITS/pages/584089602/Sabre+connection+issues.+Unable+to+connect+to+backend+service+host+-+please+check+internet+connection>


Step 5

Solution


Parent step: 23

How to check / update your LNIATA

1. Go to **TOOLS** in the top menu bar
2. Choose **OPTION**:



3. Enter Connection



This is where you find your LNIATA, and where you change it if it is incorrect.


Step 6

Solution

Parent step: 23

Sabre Scripts error

If you get this error when trying to access a PF key:



This means you do not have connection to either correct folder in the server or the server itself.

Solution

You are missing correct path.
Please follow the instructions [here](#)


Step 7

Parent step: 23

Solution

How to get PF keys


To open PF keys, click on **PF keys**:




Click on the marker to the right.
Choose **IMPORT**

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-45-2.png?version=1&modificationDate=1573469102000&api=v2)


Click **BROWSE**



You should be able to add this address in the top field (marked in yellow below):
UPA + ATH: S:\uppsala\Customer Care\Sabre\pf-keys
Inhouse BOM: \\mumad01\Agents_Tools\Sabre_PKeys\new.pfkeys (check with your ITS department if issues)
Inhouse PNQ : \\punad01\Agents_tools\Sabre_PKeys\new.pfkeys (check with your ITS department if issues)
Outsourcing: Check with your local IT department.



Choose the file named **New.pfkey** and then click **Open**.



Click **UPLOAD**

Image failed to load(https://wiki.etraveli.net/download/thumbnails/92475949/image2019-11-11_11-46-44.png?version=1&modificationDate=1573469204000&api=v2)


Now you will see the PF- keys:


Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-46-57.png?version=1&modificationDate=1573469218000&api=v2)

For menu Customer Care you can now use keyboard key F1 for example.

Also make sure you have the correct path.
Follow instructions here.

Here you can decide if you want the PF keys to be on top, in the bottom or on the right side panel:





Step 8


Solution

Parent step: 23

Correct path for PF keys / scribes

To have your PF keys work, you need to make sure you have the correct path.

1. Go to Tools --> Options



2. Go to Sabre System and select Scribe.

In the field for **Compiled path** you should have the correct path:

Copy / paste below path for your office if the field is empty or showing something else:

Make sure there are NO SPACES after the paths when you paste.

UPA & ATH: S:\common\GDS\Sabre\Scribe\Operations\COMPILED


****In case the first link does not work, please try instead:** \\fs01.etraveli.net\shared\

common\GDS\Sabre\Scribe\Operations\COMPILED

Inhouse Mumbai: \\fsmum01\Agents_tools\Sabre_PKeys\PF_keys

Inhouse Pune: \\fspun01\Agents_tools\Sabre_PKeys\PF_keys

Outsourcing: Please check with your local IT department.



3. If you have issues with the path, or cannot find it, please create a case to ITS / local IT department. Most likely you do not have connection with the server.

Step 9

Solution

Parent step: 23

Checklist for new Sabre user

1. **Installation** is handled by ITS / local IT department.
2. Your **user credentials** is sent to you via email.
The email contains your:
 - user ID (4 digits)
 - LNIATA (user license, must be added the first time you log in and might be needed when talking to Sabre helpdesk in case they want to monitor your screen)
 - Temporary password. (This you need to change when you login the first time)
3. [Here](#) you find how to check or add your LNIATA.
4. [Here](#) you find info regarding how to get PF keys.
5. [Here](#) you find info regarding correct path (to make your PF keys work
6. [Here](#) you find how to move the command line / input row to bottom of the page
7. [Here](#) you find some "Nice to have"- configs to do.
8. [Here](#) you find Most common errors - Login and authorization

Step 10

Question

Parent step: 1

Password reset / unlocking users

Sabre password resets and unlocking users are completed within the team by all Team Leaders/supervisors/managers, as well as the trainers.

Agents cannot reset passwords themselves.

Instructions for managers / TL / Supervisors

1. Password Reset / unlocking agents (for managers/TL/supervisors)

Step 29

Step 11

Question

Parent step: 1 | 23

"Nice to have"- config to do

Here are some tips and trix on nice configs to do to help your daily work.

"Nice to have"- config to do

1. Change font size on PF keys menus

Step 28

2. Change workflow, so you can work in different areas

Step 31

3. Change text size on command page

Step 16

4. Easy way to check rules on existing booking

Step 20

5. Add / see ancillaries graphic

Step 25

6. Too much info when using *A (use *R instead)

Step 19

7. Command history

Step 22

Step 12

Solution

Parent step: 23

Symbols in Sabre like "cross" or "change" cannot be found

Issue

Symbols in Sabre like "cross" or "change" cannot be found

Solution

Contact IT- department for assistance.

Usually the language preference on the computer needs to be fixed.

Step 13

Solution

Parent step: 23

When the seatmap does not open graphically


Issue

When the seatmap does not open graphically

```
4G2*/0+
AUTH- 73D
0 - MXP 1 - SAW
NO SMOKING FLIGHT
PRICE PER SEAT:CAD 10.34-CAD 27.15
  A B C D E F
1 *LP *LP *LP 1
2 *P *P *P *LP *LP *LP 2
3 *P *P *P *P *P *P 3
4 *P *P *P *P *P *P 4
5 *P *P *P *P *P *P 5
6 *P *P *P *P *P *P 6
7 *P *P *P *P *P *P 7
8 *P *P *P *P *P *P 8
9 *P *P *P *P *P *P 9
AVAIL NO SMK: * BLOCK : / LEAST PREF: U BULKHEAD: BHD
FWD OR MID CBN: D PREMIUM: Q UPPERDECK: J EXIT ROW: X
SEAT TAKEN: . WING: W PAID: P LAVATORY: LAV GALLEY: GAL BED: S
PREF ACCESS LAV: PAL DOOR: DORL SCREEN: SCR CLOSET: CLS
PREF ACCESS: H BASSINET: B LEGROOM: L UMNR: M REARFACE: W
```

Solution

Check for the latest system updates in Sabre




If it does not work; please create a Support- case to System Support

Step 14

Solution

Parent step: 2

Sabre error: This workstation is currently unable to authenticate.



UNABLE TO SIGN IN - THIS WORKSTATION IS CURRENTLY UNABLE TO AUTHENTICATE

Sign in to SR360

- Sabre Red 360 does not have access to an internet connection, the internet connection being used does not have access to the Sabre Authentication servers or something on the local workstation is blocking access.

Solution:

Please contact ITS for assistance.

Usually it has not anything to do with the network connection, but a complete clean out of any old Sabre and re- installation of the newest Sabre version helps. Especially if your login page looks as the screenshot, since that is an old version which may or may not work properly. The newest version have another interface.

Step 15

Solution

[Parent step: 2](#)

Sabre error: ERROR - WFR FUNCTION REQUIRES MASKING CAPABILITIES

Error Message: ERROR - WFR FUNCTION REQUIRES MASKING CAPABILITIES

FUNCTION REQUIRES MASKING CAPABILITIES

- This response occurs when you attempt to access the Refunds and Exchanges (formerly known as QREX) mask, but do not have a "full screen" active (also called "Long Display view").

Solution

- Change into the full-screen mode
- Go to the Applications bar at the top (above the Area C or Area D tab)
- Click the "View" menu in Sabre (not in the browser window)
- Click Full
- Try the Refunds and Exchanges mask again

Step 16

Solution

[Parent step: 11](#)

Change text size on command page

 https://wiki.etraveli.net/download/thumbnails/92475949/image2019-11-11_14-4-47.png?version=1&modificationDate=1573477487000&api=v2


Step 17

Solution

[Parent step: 2](#)


Sabre error: You are NOT AUTHORISED to use Sabre Red Workspace

Error Message: You are NOT AUTHORISED to use Sabre Red Workspace



You do not have the latest version of Sabre Red Workspace or you're using the incorrect icon to open. Follow the instruction in this link to Google Document [Update / reinstall Sabre 360](#)

When you have made sure you have the newest version, make sure you open and use the correct application. It should be the one **ONLY** called **Sabre Red Workspace**



If you have any problems with the installation, please contact your IT department for support, with the subject line "Sabre re-installation issue".

If you need to contact Sabre Support; use Sabre Central.

More info can be found here: <https://central.sabre.com/s/article/you-are-not-authorized-to-use-sabre-red-workspace>

Step 18

Solution

Parent step: 3

Quick keys for Smartflow schedule change script

You can find relevant information in [Schedule change description](#):

3. Systems, Portals and LCC 2. Sabre 6 Involuntary reissue flow

Step 19

Solution

Parent step: 11

Entire PNR info is shown when doing *A

When open a PNR with *PNR or from a queue, only the start is showing.

When using *A, the entire PNR is shown, and you need to scroll instead of using MB or MD for example. Very time consuming when having to go back and forth.

Solution: Use *R instead of *A.


Step 20

Solution

Parent step: 11

Easy way to check rules on existing booking

- Open "Trip Summary"
- Click on the PNR reference
- Click on "Price Quotes" (here you find the PQ's)
- Open the PQ you wish to check the rule fore, make sure it is the active one.
- Click on the little box to the right.



It will show you the fare rules for this fare base in this PQ at the time of PQ creation (historical / backdated).




Step 21

Solution


Parent step: 23

How to check your signature / agent ID in Sabre

Each User ID is assigned a unique 2 letter/number/character code which follows the letter A and is visible during the log - in as well as with the command *S when you are logged in.
For example, if your 2 - letter code is VW it looks like this, and it also shows the PCC your user belongs to.



This agent ID is what trace you leave in a PNR.
In the below example, as in the added segment, this was added by user ASS that exist in PCC DZ53:



Step 22

Solution

Parent step: 11

Command History is easier accessed



Step 23

Question

Parent step: 1

Users QA

1. Checklist for new Sabre user

Step 9

2. How to get PF keys

Step 7

3. Correct path for PF keys / scribes	Step 8
4. How to move the command line / input row to bottom of page	Step 27
5. How to check / update your LNIATA	Step 5
6. PF key - errors / Scribe Scripts Error	Step 6
7. How to check your signature / agent ID in Sabre	Step 21
8. "Nice to have"- config to do	Step 11
9. Symbols in Sabre like "cross" or "change" cannot be found	Step 12
10. When the seatmap does not open graphically	Step 13

Step 24



Solution

No linked steps

Reissue script Sabre

QB URGENT runs from queue 170

Username: 6010 (red window)

Password: CHG2016

PCC: DZ53

VNC: SCRIPTCONF

Username for VNC: amadeusauto

Password for VNC: Super24

Runs from queue 170 i all PCC:s (1ADA, 08LA, C73B, A99B and 2BPB)

NOTE! Both scripts that runs from queue180 (non urgent) and the script that runs from queue 170 (urgent) is running from the same VNC machine: SCRIPTCONF

Urgent script has a red background to indicate the difference. You can start the script via Quick keys.

NOTE that where it says "QB URGENT 170".

Script that runs from queue 180 has a blue background. You can start this also from Quick keys where its says "QB PRO 180"

*** Notera att Compiled path ska vara S:\common\GDS\Sabre\Scribe\QBOTICURGENT ****

Step 25



Solution

Parent step: 11

Add/ see ancillaries

Regular commands is working, but you can also use the graphical way:

Open **"Trip Summary"**

You can use **"Air Extra"** on the top, but only if the PNR has not been reissued. (That is a bug Sabre is looking at)

Until then, you can access **"Air Extras"** easily via **"Ticketing"**

Open the **ticket** you wish to see **"Air Extras"** on

Open **"Air Extras"**



Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-41-3.png?version=1&modificationDate=1573468863000&api=v2)

From here you can see and add **"Air Extras"**:

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-41-23.png?version=1&modificationDate=1573468884000&api=v2)

For Seatmap; you go via the Itinerary, open the segment you wish to start with, and choose "Seat map"

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-42-1.png?version=1&modificationDate=1573468921000&api=v2)

If the graphical seat map is available, you will get it:

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-42-22.png?version=1&modificationDate=1573468942000&api=v2)

Step 26

 Solution

Parent step: 2

Sabre error: Security warning

Sabre sometimes have a bug installing with the wrong plugin. If you get below error message, it is due to that bug.

Please contact Sabre technical support (See above Contact info) and ask them to help you install another plugin.

 Image failed to load(<https://wiki.etraveli.net/download/attachments/51746522/Sabre%20config%20error.PNG?version=1&modificationDate=1520259644000&api=v2>)

Step 27

 Solution


Parent step: 23

Move the command line / input row to bottom of page


By default the command line will be shown on the top of the page:

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-24-9.png?version=1&modificationDate=1573467850000&api=v2)

You can choose where you want it yourself in settings:



Change "Input Row Position" to bottom instead and see how it feels:



Step 28

Solution

Parent step: 11

Change fontsize on quickkeys

The text on the quickkeys might seem a bit small sometimes.

 https://wiki.etraveli.net/download/thumbnails/92475949/image2019-11-11_12-49-46.png?version=1&modificationDate=1573472987000&api=v2

This you can update yourself:

Go to **TOOLS**

Then **OPTIONS**

Then **SCRIBE**

Then change to the font size you find to be more suitable for you.

 https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_12-51-42.png?version=1&modificationDate=1573473103000&api=v2

Step 29

Solution

Parent step: 10

Password Reset / unlocking / activate users (for managers/TL/supervisors)

Sabre password resets and user activations are completed within the team by all Team Leaders/supervisors/managers, as well as the trainers.

Agents cannot reset passwords themselves.

If you are a TL / SUP / Manager that should have this access, please create a jira to System Support.
Below are the steps to be followed by the manager to proceed (please sign in with your Sabre credentials):

Make sure you are in the right PCC.

Inhouse	DZ53
WNS	OIRK
CNX	OIQK

How to reset a password and how to unlock for an Employee Profile Record (EPR):

Use AAApcc to change PCC.

1. HB3190 (3190 is the user you want to administrate)

Check the name of the user so it is matching the agent name.

If you get this message, please create a jira to System Support directly; issue type Log in issues, since the user does not exist.


For Outsourcing; please follow routine creating a case to OUT support and they will create a jira to SS.



2. H/PASS (the system will generate a temporary password for you)
3. H/AUTH NAME (enter your own name)
4. HE (save)

More information from [Sabre Central](#)

In some cases and after some time of inactivity, a Sabre account might be automatically **disabled**. In this case, again, the Team Leaders/supervisors/managers, as well as the trainers, are responsible to re-activate the account. Below again the steps for the manager.
You see active- status when you do HUserID
It should say STATUS ACTIVE as in this picture below.



If it says INACTIVE Team Leaders/supervisors/managers/trainers need to re- activate the account.

How to reactivate an Employee Profile Record (EPR):

1. HUserID
2. H/AUTH NAME (enter your own name)
3. HXACTIVE (save)

More info if needed here:
[Sabre Central](#)

Step 30

Solution

Parent step: 1

Sabre Support and Contact

*Update from Sabre; any old email addresses should not be used for reaching out to support team.
Please create a case in Sabre Central to get the right support.*

Create a case to Sabre Central

Sabre central can be found via the link <https://central.sabre.com/s/>
or directly in Sabre via **Community** --> **Sabre Central** and a new tab will open directly to Sabre central.

The login credential is the same as the login details to Sabre.

Go to **My Support Cases**

Click **New case**

Sabre support International

Telephone +46 (0) 200 285 889

Customer support PIN: 68905351. Choose option 1 for product support (i.e. pricing, ticketing, general questions) and 2 for technical support (hard ware, plugin issues). Have your user ID and LNIATA ready.

Sabre Online support International

Telephone +1 866 293 9619

Step 31

Solution

Parent step: 11

All command follows when switching areas

In picture below I had a PNR open in area A.

Changed to area B, and I can still see the PNR I had open in area A.
I cannot work with it, but I see it.

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-33-18.png?version=1&modificationDate=1573468399000&api=v2)

To make this user friendly; do this setting:

 Image failed to load(https://wiki.etraveli.net/download/thumbnails/92475949/image2019-11-11_11-33-34.png?version=1&modificationDate=1573468415000&api=v2)

Change **“Workflow in different areas”** to **“Separate context workflow”**

 Image failed to load(https://wiki.etraveli.net/download/attachments/92475949/image2019-11-11_11-33-49.png?version=1&modificationDate=1573468430000&api=v2)