

	AMADEUS	SABRE	GALILEO
AVAILABILITY	AVAILABILITY		
BASIC AVAILABILITY	SN27DECATHPAR/AA3	102NOVTGDVKKO*TK	A15NOVATHARN/SK A15NOVATHARN*SK [1]
NO CODESHARE FLIGHTS (SC & FM)	SN27DECATHPAR/A+A3	102NOVATHISTWA3	A15NOVATHARN/SK#@-ALL
AVAILABILITY BY SPECIFIED CARRIER	SN27DECATHPAR/AA3,LH	102NOVTGDVKKO*TKLA	A15JANLONPAR/BA/AF
AVAILABILITY BY SPECIFIED CLASS	SN20DECCUBOM/CV	120DECCUBOM-V	A20DECCUBOM@V
AVAILABILITY WITH ONE CONNECTION	SN26JANBOMKUL/XSIN	126JANBOMKUL1ASIN [2]	A26JANBOMKUL.SIN
AVAILABILITY BY DIRECT FLIGHTS ONLY	SN20AUGCCUBOM/FN	120AUGCCUBOM/D	A20AUGCCUBOM.D
AVAILABILITY WITH SPECIFIC CABIN	SN27DECATHPAR/AA3/KY [3]	102NOVTGDVKKO*TK/BB [4]	FS02NOVTGDVKKO-BUSNS [5]
AVAILABILITY WITH SPECIFIC BOOKING CLASS	SN27DECATHPAR/AA3/CY	125DECJFKDEL-Y=QR	A15NOVATHARN/SK@K A15JANLHRRPAR+17JAN
AVAILABILITY WITH RETURN	SN23SEPDCDGLHR*25SEP		
CHECK AVAILABILITY 1 DAY AFTER	SC1	1#1	A#1
CHECK AVAILABILITY 1 DAY BEFORE	SC-1	1-1	A-1
RETURN AVAILABILITY FOR THE SAME DAY	SCR	1R	AR
RETURN AVAILABILITY BY SPECIFIED DATE	SCR25DEC	1R25DEC	AR25DEC
CHANGE DEPARTURE DATE-FORWARD/BACKWARD(UPTO 30 DAYS)	AC1		
CHANGE DEPARTURE DATE-FORWARD/BACKWARD(UPTO 30 DAYS)	AC-3	1#5	A#5
DISPLAY MORE AVAILABILITY	MD	1*	A*
REDISPLAY ORIGINAL AVAILABILITY	MPAN	1*OA	A*O
	FXDLIN/D23JANMAD/D25FEBLIN/R,UP FXDLIN/D23JANMAD/D25FEBLIN//ATK	JR.ATH/S-OYLON15JAN/S-OYATH20JAN	FSJFK25MAYLON10JUNJFK
AVAILABILITY WITH SPECIFIC PTC	FXD3LON/D23DECKRS/D30DECLON///PAX/2/RCH/1/R,UP [6] FXD3LON/D23DECKRS/D30DECLON//INF/1/PAX/3/R,UP [8]	JR.ATH/S-OYLON15JAN/S-OYATH20JAN/P-1CNN2ADT JR.ATH/S-OYLON15JAN/S-OYATH20JAN/P-3ADT1INF	FSFRA10JUNLON17JUNFRA+P1.2*CNN [7]
AVAILABILITY WITH SPECIFIC AIRLINE, CLASSES, DIRECT FLIGHT, IN THE FOLLOWING 8 DAYS	SN/30DECATHFRA/AA3/B3/FN/CS,W		
MODIFY SEGMENTS	MODIFY SEGMENTS		
NEW NUMBER IN PARTY	NEW NUMBER IN PARTY		
INCREASE/REDUCE ALL SEGMENTS TO 3 PASSENGERS	2/3	,3	@A/3
INCREASE SPECIFIC SEGMENTS(SEGMENT 2 TO 4 PASSENGERS)	2/4	,4S2	@2/4
CANCELLING AIR SEGMENT	CANCELLING AIR SEGMENT		
CANCEL ALL SEGMENTS	XI	XI	XI
CANCEL SINGLE SEGMENT	XE2	X2	X2
CANCEL CONSECUTIVE SEGMENTS	XE2-6	X2-6	X2-6
CANCEL SELECTED SEGMENTS	XE2,4,6	X2/4/6	X2.4.6
REMOVE PASSIVE SEGMENT GK	XE2	.1XK	@1XK
CANCEL AND RE-BOOK AIR SEGMENTS	CANCEL AND RE-BOOK AIR SEGMENTS		
CANCEL & REBOOK NEW DATE	SB25DEC	X2#0015DEC	@2/15DEC
CANCEL & REBOOK SPECIFIC SEGMENTS TO A NEW CLASS	SBY1-2	WC1Q/2Q	@1/Q
CANCEL & REBOOK ENTIRE ITINERARY TO A NEW CLASS	SBY	WCAF	@A/F
CHANGE SEGMENT STATUS	CHANGE SEGMENT STATUS		
AUTOMATIC UPDATE SEGMENT STATUS	ERK	EWR	@ALL
RECONFIRM SEGMENT ONE	5/RR	.1RR	@1RR or @1HK
MOVE SEGMENTS	MOVE SEGMENTS		
AFTER SEGMENT 2 MOVE SEGMENT 1	RS2,3	/2/1	/2S1
REARRANGE SEGMENTS IN AN ITINERARY	RS2,3	/0/5,2,3,4,1	/0S5
VERIFY FLIGHT INFORMATION	VERIFY FLIGHT INFORMATION		
VERIFY FLIGHT INFORMATION FROM CPA	DO 2	VA*1	TTL1
VERIFY FLIGHT INFORMATION BY FLIGHT NO. & DATE	DO EK512 / 15MAY	V*EK512/15MAY	TTEK512/15MAY
VERIFY FLIGHT INFORMATION FROM A PNR SEGMENT	DO 2	V!*3	*SVC3 [9]
MINIMUM CONNECTING TIME (MCT)	MINIMUM CONNECTING TIME (MCT)		
SPECIFIC AIRPORT AND MULTIPLE CARRIER	DM AA/ORD/DL	T*CT-ORD/AADL	DCTORD*AADL
SPECIFIC AIRPORT AND CARRIER	DM JFK/AA	T*CT-JFK/AA	DCTJFK*AA
SPECIFIC AIRPORT	DM ORD	T*CT-ORD	DCTORD
VERIFY MCT IN A PNR	DM 2/ 3 or DMI	VCT*	DCT or @MT
FARE RULES	FARE RULES		
DISPLAY FARE RULES	SMART FLOWS FQP	GRAPHIC or WPRD*S1#PE	GRAPHIC
MANUAL COMMAND	FXX/S2-4/R,UP,20MAR20 [10]	FQ20NOV22ARNATH10DEC22#QABCDE-SK [11]	FDARNATH10DEC22.T20NOV22/SK-A [12]
MANUAL COMMAND	FQDCDGATH/R,UP,20MAR20/15JUN20/AAF/CK [13]	RD20NOV22ARNATH10DEC22ABCADE-SK*PE [14]	FD10DEC22ARNATH/SK@ABCDE [15]
DISPLAY PENALTIES	FQN1*PE	RD1*PE [16]	FN*2/ALL

	AMADEUS	SABRE	GALILEO
REBOOKING ATC [17]	REBOOKING ATC [18]		
CONFIRMED PRICE	FXQ/S5-9/R,UP [19]	WFRFTR2WATKWS3-4W1.1 [20]	#RR
CONFIRMED BEST PRICE	FXO/S5-9/R,UP [21]	WFRFTR2WAIWWS1-4W1.1WNCB	EMD/yy
BAGGAGE UPSELL FOR SPECIFIC PAX	FXQ/S6-7/R,UP/T64-65		
PRICE WITH FARE FAMILY	FXQ/R,UP/P2/FF-LOWPLUS (Check FF in TTH)	WFRFTR2WATKWS3-4W1.1WBR (brand)	
		WFRFWNCB [22]	
		WPINF [23]	
		WPCNN [24]	
PRICE FOR NEGO FARE	FXQ/S5-9/R,U		
CHECK IF PREVIOUS REBOOKING WAS AUTOMATED	TQT/T# [25]	*T*HT	
CHECK IF YY ACCEPTS ATC	FQATC/CXR		
		WFRF0726977807678WAGFW1.1WS1-4	
REBOOKING MANUAL [26]	REBOOKING MANUAL [27]		
	FXX/S4/R,UP --> TTU/S4 to save --> TTH to check if mask is saved [28]	WPS1/3 --> PQ to save --> *PQS to check if mask is saved [29]	FQS1-3
	FXP/S1-2/R,UP --> FXT4/P1 to save --> TTH to check if mask is saved [30]	WPS1-3WYY-cabin [31]	
LOWEST FARE REGARDLESS OF AVAILABILITY	FXA/S1-2/R,UP--> FXU1 --> TTH to check if mask is saved	WPA	FQBA
BAGGAGE UPSELL	FXP/S1/P1/SBF-1	WPNC	FQA/S3-4/BAG/P1 [32]
			1) FF 2)
PRICE WITH BRAND FARE			FF1
LOWEST AVAILABLE FARE FOR CURRENT ITINERARY WITH REBBOK	FXB/S4/R,UP [33]	WPNCBWS [34]	3)In the third line it is stated like: [FQP1/-*68JA*: BF0004/ET/CSK] -> BF0004 is the brand fare so the command is FQS2*:BF0004
LOWEST AVAILABLE FARE FOR CURRENT ITINERARY	FXR	WPNC	FQBBK
PRICE FOR ADT	FXP/RADT/P1	WPS1/3#P2ADT/1CHD	FQBB
PRICING AN ITINERARY WITH AN AIRLINE	FXP/S1-2/R,VC-YY	WPA9W	FQC9W
PRICING FOR NEGO FARE	FXX/S5-9/R,U	WPPNEGWS3-4W1.1/2.1	FQBB:P [35]
PARTIALLY USED TICKET	PARTIALLY USED TICKET		
GENERAL PRICING COMMAND	FQPATH/AA3/CL/D15OCT21MAD-AA3/CK/D20OCT21ATH/R,UP,25AUG21	WFRTR(2)W(A)(YY)W(1.1)WS(new_segments) [36]	FQ.T(issuance date)/S(segments) [37]
FOR CNN	FQPATH/AA3/CL/D15OCT21MAD-AA3/CK/D20OCT21ATH/RCHD,UP,25AUG21	WFRTR(2)W(A)(YY)W(1.1)WS(new_segments)WPCNN [38]	
FOR DIFFERENT AIRPORT	FQPATH/AA3/CL/D15OCT21MAD--IST/AA3/CK/D20OCT21ATH/R,UP,25AUG21		
STORED FARE	STORED FARE		
DISPLAY A LIST OF PQ STORED IN THE PNR	-> TTH/T1 TQM --> TQM/M# (for saved price)	*PQS --> *PQ1 or *PQR1	*FF --> *FF1
SEE DELETED TST	TQT --> TQT/T1	*PQD	
FARE FAMILY OR BRAND	FARE FAMILY OR BRAND		
IDENTIFY THE FF	TTH --> TTH/T1	FQ(city pair)-YYWB(first letter of FB)	FQ.T(date of issuance) -> VIEW BRAND
SEE OTHER FILED FF FOR THE ROUTE BY YY (in case we want to rebook to higher FF after)	FQPRGLYS/ATP/CU/FF [39]		
SCHEDULE CHANGE	SCHEDULE CHANGE		
PLACE ON SC QUEUE	QE/STOSG38AA/57C2 --> RTQ (check queue placement)	QP/DZ53260/11 --> *QH (check queue history)	
NAME FIELD	NAME FIELD		
ADD NAME AS INFO	AP WRONG/NAME --> CORRECT/NAME MRS	9-WRONG/NAME --> CORRECT/NAME MRS	
SINGLE NAME	NM1CROFT/LARA MRS	- CROFT/LARA MRS	N.CROFT/LARA MRS
MULTIPLE ADULT NAMES IDENTICAL SURNAME(MAX 3)	NM2CROFT/JOHNNY MR/LARA MRS	-2CROFT/JOHNNY/LARA MRS	N.2CROFT/JOHNNY MR/LARA MRS
CHILD NAME (age 02-11 years)	NM1DEPP/JOHNNY MSTR(CHD/10JAN07)	-DEPP/JOHNNY MSTR*12DEC18 [40]	N.DEPP/JOHNNY MSTR*P-C05
INFANTS NAME (age 01-23 months)	NM1CROFT/LARA MRS(INF/LEENA/10JAN12)	- 1 /CROFT/LARA MISS*112 [41]	N.I/CROFT/LARA MISS*14JUN10
CHANGE AGE OF P1	1/(CHD/01MAR20)	- 1.1 *C09	
IDENTICAL SURNAME ADULT AND CHILD	NM2DEPP/JOHNNY MSTR(CHD/10JAN07)	-2DEPP/JOHNNY MSTR*ADT/C05	N.2DEPP/JOHNNY MSTR*P-C05
DELETE NAME FIELD	XE1	-1.1#	N.P1@
CHANGE PASSENGER FIRST NAME/TITLE	1/NDEPP/JOHNNY MR	-1.2#JOHNNY MR	N.P1@DEPP/JOHNNY MR
CHANGE FAMILY LAST NAME	1/NDEPP	-1#DEPP/JOHNNY MR	
FREQUENT FLIER CARD	FREQUENT FLIER CARD		
ADVISE FF NUMBER	V YY-123456789/P1 FFN YY-123456789/P1 FXK	FFYY123456789-1.1	M.P1/YY1234567890

	AMADEUS	SABRE	GALILEO
ADVISE FF NUMBER TO ANOTHER CARRIER	FFN YY-1234567890,BA	FFYY1234567890/BA	M.YY1234567890/BA
DISPLAY SPECIFIC CARRIERS FF AGREEMENT	VFFD9W	PT *9W	M*9W
DELETE FF FROM LINE 1	XE12	FF1 ²	M.P1@ M.P1*9W@
TICKETING FIELD	TICKETING FIELD		
AUTOMATED TICKETED	TKOK	7T-A	T.T*
CHECK TICKET HISTORY	RHFA	*T	*HFF
TICKETING FILED	TTN	RTF	*P7
Display ticket record from line number in the ticketing field	TWD/L8 (FA LINE NO)	WETR*3	*HT
Display ticket record by ticket number	TWD/TKT589-1234567890	WETR*T5891234567890 WTDB*T5891234567890	*TE003
DISPLAY TAXES	TWD/TAX	MD	*TE/5891234567890 FQTDD
SEATS	SEATS		
DISPLAY PRE RESERVED SEATS	RTG	*B	SD EMDL (seating list)
PHONE FIELD	PHONE FIELD		
ADD PHONE	APM-phone number	1) GRAPHIC 00306971234567	2)9 GRAPHIC
UPDATE CTC LINES	GRAPHIC	GRAPHIC	GRAPHIC
DISPLAY PHONE FIELD ONLY	RTA	3CTCM1234567890-1.1	*P
MODIFY PHONE FIELD	5/BOM H 23004000	*P9	P.2@H*23004000
DELETE PHONE PHONE FIELD LINE NO.2	XE5	92²	P.2@
UPDATE FLEXIBLE TICKET LINE	UPDATE FLEXIBLE TICKET LINE		
	DOUBLE CLICK THE LINE AND UPDATE THE LINE: 8////PRODUCT FLEXIBLETKT USED///AGENT'S NAME 01JUN22	IF FLEXIBLE TICKET INFO IS IN LINE 6 THEN: ²*** PRODUCT FLEXIBLETKT USED***AGENT'S NAME 01JUN22	96 CLICK ON PNR ->EDIT BOOKING FILE REMARKS -> OTHER REMARKS -> EDIT THE LINE WHERE THE FLEXIBLE TICKET IS MENTIONED
E-MAIL	E-MAIL		
ADD EMAIL	APE-email	1) GRAPHIC PEWEMAIL²	2) GRAPHIC
UPDATE CTC LINES	GRAPHIC	GRAPHIC	GRAPHIC
DISPLAY EMAIL ADDRESS ONLY	RTA	1.1 *PE	3CTCE/TEST///@gmail.com-
STORE E -MAIL ADDRESS	APE-ASHISH@EMAIL.COM	PEWASHISH@EMAIL.COM² PE1²²new@email.com² = change to new email	P.CCUE*ASHISH//EMAIL.COM
END TRANSACTION AND EMAIL ITINERARY	IEP-EMLA EML-NEWEMAIL IBPJ-EMLA (send this to pax)	IEP- EMXP IEPJ-EMLA Documents & Messaging (graphically)	EMALL #VT
DELETE E MAIL ADDRESS	(send this per pax) XE6	PE2²	P.2@
DIVIDE PNR	DIVIDE PNR		
DISPLAY PNR	RTABXZY	*ABXZY	*ABXZY
DIVIDE NAME FIELD	SP2	D2.4	DP2 -> R.NAME
FILE DIVIDED PNR	EF	F	F -> R.NAME
END TRANSACTION	ER	ER	ER
DISPLAY SPLIT PNR	RTAXR or MB	*D or MD	*DV
TIME	TIME		
CURRENT TIME (CHECK FOR VOID)	DD SIN	T*DEL	@LTDEL
CONVERT TIME IN RELATION TO ANOTHER CITY	DD SIN1500/DXB	T²ET1800TUL/ATH	
CHECK 24H RULE	DDZZZ2359/ATH/18NOV [42]	T²ET2359YYJ/ATH	
CONVERT TO CENTRAL TIME FROM YYJ		T²ET1956YYJ/CET	
CURRENCY	CURRENCY		
DISPLAY LIST OF CURRENCY CODES	FQCCUR	DC*CUR	FBT*
CONVERT FROM ONE CURRENCY TO ANOTHER	FQC51000INR/SGD	DC²INR51000/SGD	FZSINR51000SGD
DISPLAY INFORMATION BY CURRENCY CODE	FQCINR	DC*INR	FBT*INR
CONVERT CURRENCY USING PAST DATE	FQC51000INR/SGC/02JUN09	DC²INR51000/SGD/02JUN09	FZSINR51000SGD/02JUN09
YY AUTHORISATIONS	YY AUTHORISATIONS		

	AMADEUS	SABRE	GALILEO
CHECK VOID / REVALIDATION	HEETT YY	WETP*YY	
ANCILLARIES		ANCILLARIES	
OPEN ANCILLARIES	FXK	WPAE*T2	BASKET
OPEN EMD	EWD/L2	WEMD*T12345678901	DAS*
CHECK IF THERE IS AGREEMENT BETWEEN YYs	TGAD-YY/YY [43]	WEMD*T12345678901	EMDH1
		WPAE*T2 = Open ancillaries AE#1A number of ancillary#N.pax = Choose ancillary *AES = Make HD ancillary Add SSR e.g. 3XBAG/PREPAID-1.1 = Make HD ancillary *AE = Open ancillary status AE#Xline number = Cancel ancillary 6CT = 6 Initials ER = Save	
VOID		VOID	
DISPLAY TICKET FIELD	TWD	*T	*HTE
VOID TICKET	TRDC/TKT123-4567890099	WV3	TRV/1234256272 [45]
RECONFIRM	TRDC/TKT123-4567890099	WV3	
PURGED PNR		PURGED PNR	
OPEN PURGED PNR	RPP/RLC-PNR number	*XXXX-PNR-P	PQ/R-XXXX R-XXXX/*CONFIRM /1*CPD ove to next PNR QXI=Get off queue
DISPLAY HISTORY	RPP/RHI	MD/HI	*H
CHANGE DOB		CHANGE DOB	
MODIFY DOB	SMARTFLOW	GRAPHIC 3DOCS/DB/date of birth/sex/surname/name-number in PNR	SI.P1*20DEC98 P1/SSRDOCSYYHK1/////12JUL76/M//SMITH/JOHN/ RICHARD
PASSPORT DETAILS		PASSPORT DETAILS	
DISPLAY PASSPORT DETAILS	APIS	*P3D	
UDPATE PASSPORT DETAILS	SR DOCS BA HK1-P-GBR-123456789-GBR-30JUN73-M-14APR25-JOHNSON-SIMON-Jean Paul-H/P1/S3	3DOCS/P/PK/ABC123/PK/11MAY1986/M/31DEC2025/IQBAL/MU HAMMAD RAHIL MR-1.1 COPY TEXT FROM EDVIN	GRAPHIC
SPECIAL SERVICE REQUEST		SPECIAL SERVICE REQUEST	
GENERAL SSR	SROTHS-	3OTHs/FREETEXT	SI.OTHs*FREETEXT
CHECK-IN INFO	SRCKIN YY-FREETEXT/P1	3CKIN/FREETEXT-1.1	SI.P1/CKIN*FREETEXT
WHEELCHAIR	SRWCHR/P1	3WCHR-1.1	SI.P1/WCHR
VEGETARIAN MEAL	SRVGML/P1	3VGML - 1.1	SI.P1/VGML
SSR FOR CHILD'S AGE	Not required as already added with name (system auto generates)	3CHLD/20DEC05-1.2	SI.P1/CHLD*20DEC05
SSR FOR INFANT'S AGE	Not required as already added with name (system auto generates)	3INF1/SURYAVANSHI/ASHISH/25APR08-1.1	SI.P1*P-INF/25DEC17-1.1
FAST LANE	SRFAST/S2/P1	3FAST2-1.1	SI.P1S2/FAST
CANCEL SSR	XE7	32.XX	SI.P1/VGML@
OTHER SERVICE INFORMATION		OTHER SERVICE INFORMATION	
GENERAL OSI	OSYY-FREETEXT	3OSIYY FREETEXT	SI.YY*FREETEXT
DELETE OSI	XE6	31@	SI.1@
CHECK SSR & OSI	RHG	*P3	*SI
PRICING UNITS		PRICING UNITS	
STEPS TO CHECK PU	1)FQP 2)FXX/R,UP, + DOI	WPB+DOI	1)FQ.T date of ticket issue Amadeus FQP 2)

	AMADEUS	SABRE	GALILEO
	FQQ2 FQN2*	1)WPRD* 2)WPDP	FQTDD/S1-2.T date of ticket issue
FARE COMPONENT [46]	FARE COMPONENT [47]		
STEPS TO CHECK FARE COMPONENT	)FQP 2)FXX/R,UP, + DOI	WPB+DOI	1)FQ.T date of ticket issue Amadeus FQP 2)
	FQQ2 FQN2*	1)WPRD* 2)WPDP	FQN date of ticket issue
PNR CLONING	PNR CLONING		
CLONE WITH NAMES	RRP	ICAPDXA	REALL
CLONE WITHOUT NAMES	RRN	IC	RESALL [48]
CLONE FLIGHTS BUT DIFFERENT AMOUNT OF SEATS	RRN/2	ICB2	
FARE QUOTE DISPLAY (FQ)	FARE QUOTE DISPLAY (FQ)		
BASIC FARE DISPLAY FOR ALL CARRIERS	FQDDELDIN	FQDELSIN	FDDELSIN
SINGLE CARRIER DISPLAY	FQDDELSIN/A9W	FQDELSIN - 9W	FDDELSIN/9W
SPECIFY DEPARTURE DATE & CARRIER	FQDDELSIN/D1JUL/A9W	FQDELSIN1JUL - 9W	FD1JULDELSIN/9W
ALL FARE CATEGORIES	FQDDELSIN/D1JUL/S	FQDELSIN1JULALL-9W	FD1JULDELSIN/ALL
DISPLAY RETURN FARES	FQDDELSIN/D1JUL/IR	FQDELSIN1JUL-9W#RT	FD1JULDELSIN-RT/9W
DISPLAY ONE WAY FARES	FQDDELSIN/D1JUL/O	FQDELSIN1JUL-9W#OW	FD1JULDELSIN-OW/9W
CHILD FARES(A-ADT,I-INF,C-CHD)	FQDDELSIN/D1JUL/RCH	FQDELSIN1JUL-9W,C	FD1JULDELSIN/9W*CH
PARTICULAR CABIN CLASS(ECONOMY YB,BUSINESS BB, FIRST FB)	FQDDELSIN/D1JUL/KC	FQDELSIN1JULYB-9W	N/A
HISTORICAL	FQDDELSIN/D1JUL10	FQ12JUN09DELSIN05JUL10-9W	FD12JUN09DELSIN/9W
		RD15MAY20MAAFRA02JUL20YEE6M-LH*16 RD(date of issue)(sector)(date of travel)(fare basis)-(airlines)* (rule category)	FDDELSIN12JUN09.T05JUL10/9W
ROUND THE WORLD FARES	FQDDELDEL/ALH/D1JUL	FQDELDEL1JULRW-BA	FD1JULDELDEL-RTW/BA
SPECIFY RETURN DATE	FQDDELSIN/A9W/D*25JUL	FQDELSIN1JUL - 9W#R25JUL	FD1JUL25JULDELSIN/9W
DISPLAY FARES IN NUCs	FQDDELSIN/A9W/D1JUL/R,NUC	FQDELSIN1JUL-9W/NUC	FDDELSIN1JUL/9W:NUC
BY FARE BASIS CODE	FQDDELSIN/A9W/D1JUL/DF-K2RTSAS	FQDELSIN1JUL-9W#QK2RTSAS	FD1JULDELSIN/9W@K2RTSAS
FARE DISPLAY FROM AVAILABILITY	FCAN	FQL1	FDA
FARE QUOTE RULE DISPLAY (RD)	FARE QUOTE RULE DISPLAY (RD)		
DISPLAY ALL RULES FROM LINE 2	FQN2	RD2	FN*2/ALL
DISPLAY RULE MENU FROM LINE 2	FQN2*LI	RD2*M	FN*2
DISPLAY SPECIFIC RULE CATEGORY FROM LINE 2	FQN4*C16	RD2*16	FN*2/P16
DISPLAY MULTIPLE RULE CATEGORIES BY CATEGORY NUMBERS FROM LINE 2	FQN4*AP,PE,CD	RD2*15 /16/17 / 20	FN*2/15.16.17.20
DISPLAY ROUTING INFORMATION FROM LINE NO 2	FQR2	RD2*RTG	FR*2
DISPLAY A FARE RULE FOLLOWING PRICING	FQN1	WPRD*	
DISPLAY FARE RULE USING THE RULE CATEGORY FOLLOWING PRICING	FQN4*C16	WPRD*C16	
DISPLAY A FARE RULE FOLLOWING PRICING USING SEGMENT SELECT	FQN	WPRD*S3	FRS3

[1] If we have more than 1 YY and we cannot find the flights we had originally, then we proceed:
A15NOVAMSMMA/LH.MUC/WY.MCT

[2] 126JANBOMKUL1ASIN/BCN
for 2 stops

[3] Find generally economy seats only (Y or M-economy, W-premium economy, C-business, F-first)

[4] PB - Premium first class cabin / JB - Premium business class cabin / SB - Premium economy class cabin / AB - "All cabin" / FB - First class cabin / BB - Business class cabin / YB - Economy class cabin

[5] -ECON -BUSNS -FIRST

[6] Book 2 ADT+ 1 CHD

[7] 1 ADT + 1CNN

[8] Book 3 ADT + 1 INF

[9] TTB3

[10] FXX/Sflight segments/R,UP,date of ticket issuance

Alternative (for ARNK)

1.FXX/R,20MAR20

2.FQN1-1*PE

[11] 20NOV=DOI

10DEC=DOD

ABCDE=FB

[12] FD(city pair)(date of departure) .T(date of issuance)/yy-(first letter of farebasis)

[13] FQDdeparture arrival/R,UP,date of ticket issuance/date of departure/AYY/Cfirst letter of the fare basis

fqdchcsfo/aua/r,09aug22/cl

[14] 20NOV=DOI
10DEC=DOD
ABCDE=FB

[15] FD(date of departure)(city pair)/yy@full fare basis

[16] RD*02M corresponds to the fare basis to check what fare it is

[17] URGENT REBOOKING

The warning message usually appears in a form of SSR with either ADTK or OTHS code. Sometimes it may appear in the OPC line as well.

Urgent Airlines in Rebooking Wizard: TK, CZ, SV, CA, MU

[18] URGENT REBOOKING

The warning message usually appears in a form of SSR with either ADTK or OTHS code. Sometimes it may appear in the OPC line as well.

Urgent Airlines in Rebooking Wizard: TK, CZ, SV, CA, MU

[19] FXQ is used for ATC calculation, does not change booking class.

HEFXQ=Help for FXQ command

[20] WFRF is used for automatic calculation, does not change booking class

[21] FXO is used for ATC calculation, will show the best available price, may change the booking class.

[22] WFRF¥NCB is used for automatic calculation, will show the best available price, may change the booking class

Cheapest option available (may change booking class)

[23] Price infant

[24] Price child

[25] Check the TST to see if the previous reissue was automated or not; it will be marked as "I" for guaranteed ATC.

[26] URGENT REBOOKING

The warning message usually appears in a form of SSR with either ADTK or OTHS code. Sometimes it may appear in the OPC line as well.

Urgent Airlines in Rebooking Wizard: TK, CZ, SV, CA, MU

[27] URGENT REBOOKING

The warning message usually appears in a form of SSR with either ADTK or OTHS code. Sometimes it may appear in the OPC line as well.

Urgent Airlines in Rebooking Wizard: TK, CZ, SV, CA, MU

[28] FXX is used for manual pricing, for completely unused ticket, when the original segments are still in the PNR(does not create TST/pricing mask).

[29] WP is used for manual pricing, for completely unused ticket. In order to save the pricing mask use PQ.

[30] FXP is used for manual pricing, for completely unused ticket, when the original segments are deleted from the PNR(will create a TST). Usually useful for FM scenarios.

[31] WPNCB is used for manual pricing, for completely unused ticket, will find the best available price, so booking class may be changed(will create a TST. Usually used for New ticket sell or if with FXX or FXP there is a message: NO COMBINABLE FARES FOUND.

[32] If we have 2 pax and 1 has bag included and the other doesn't then we proceed with:

FQA/S3-4/BAG/P1 (for the pax with bag)

FQA/S3-4/P2 (for the pax without bag)

[33] FXB is used for manual pricing, for completely unused ticket, will find the best available price, so booking class may be changed(will create a TST. Usually used for New ticket sell or if with FXX or FXP there is a message: NO COMBINABLE FARES FOUND.

[34] If WP does not work

[35] IT fares

FQ*ITX:P - Will price for the class you have booked.

FQBB*ITX:P – Best buy to the best available fare, this will not change the class.

FQBBK– Best buy to the best available fare, this will then change the class.

Pricing options for children

FQP3*I09/ACCITX:P – Price for the class you have booked for passenger 3 as child age 9

Pricing options for infant

FQP4*ITF/ACCITX:P – Price for the class you have booked for passenger 4 as an Infant without seat

FQP4*ITS/ACCITX:P – Price for the class you have booked for passenger 4 as an Infant with a seat

[36] BR(brand) if we have

[37] Used segments need to be inserted as well

[38] WFRTR(2)¥A(YY)¥N(1.1)¥S(new_segments)¥PINF

[39] PRGLYS-City Pair

ATP-A stable / TP - YY code

CU- C is stable / U is the 1st letter of FB

[40] 12DEC18 IS DOB

[41] 12 are the months

after INF name we need to insert the SSR for inf:

3INFT/LastName/FirstName MSTR-1.1

1.1 - association with ADT pax 1.1

[42] RHFA

2355 = Zulu time

18NOV = Use one day later than the one tkt was issued

[43] T P E D

D = We can issue EMD in this combination

[44] TRDR = To reinstate voided ticket, always check HEETT

[45] TRV/1234567890/28MAR - VOID NEXT DAY

TRVE/1234567890 - VOID EXCH TKT IN CASE OF MISTAKE

[46] Also provided in the tkt before NUC

[47] Also provided in the tkt before NUC

[48] Change numbers of seats

@1-4/2