

```

(base) ~ ps -a
  PID TTY          TIME CMD
 46153 ttys000    0:00.01 login -fp junyeong
 46154 ttys000    0:00.65 -zsh
 46475 ttys000    0:00.00 ./echo_storeserv 2000
 46476 ttys000    0:00.00 ./echo_storeserv 2000
 46538 ttys001    0:00.01 /usr/bin/login -fpl junyeong /Applications/iTerm.app/C
 46539 ttys001    0:00.62 -zsh
 46825 ttys003    0:00.01 /usr/bin/login -fpl junyeong /Applications/iTerm.app/C
 46826 ttys003    0:00.17 -zsh
 46980 ttys004    0:00.01 login -fp junyeong
 46981 ttys004    0:00.14 -zsh
 47146 ttys004    0:00.00 ps -a

```

```

  PID TTY          TIME CMD
 46153 ttys000    0:00.01 login -fp junyeong
 46154 ttys000    0:00.65 -zsh
 46475 ttys000    0:00.00 ./echo_storeserv 2000
 46476 ttys000    0:00.00 ./echo_storeserv 2000
 46763 ttys000    0:00.00 ./echo_storeserv 2000
 46919 ttys000    0:00.00 ./echo_storeserv 2000
 46538 ttys001    0:00.01 /usr/bin/login -fpl junyeong /Applications/iTerm.app/C
 46539 ttys001    0:00.60 -zsh
 46762 ttys001    0:00.00 ./echo_client 127.0.0.1 2000
 46920 ttys002    0:00.01 login -fp junyeong
 46921 ttys002    0:00.07 -zsh
 46825 ttys003    0:00.01 /usr/bin/login -fpl junyeong /Applications/iTerm.app/C
 46826 ttys003    0:00.15 -zsh
 46918 ttys003    0:00.00 ./echo_client 127.0.0.1 2000
 46980 ttys004    0:00.01 login -fp junyeong
 46981 ttys004    0:00.11 -zsh
 47062 ttys004    0:00.00 ps -a
(base) ~

```

```

^C
(base) * ~/Downloads/(10주 2회차) [IoT] (실습위주) 11강 소스파일 ./echo_sto
reserv 2000
new client connected...
new client connected...
client disconnected...
removed proc id: 47929
client disconnected...
removed proc id: 47903
new client connected...
new client connected...

```

```

PC (base) x ~/Downloads/(18주 2회차) [161] [실습위주] 11강 소스파일 ./echo_sto
reserv 2000
new client connected...
new client connected...
client disconnected...
removed proc id: 47929
client disconnected...
removed proc id: 47903
new client connected...
new client connected...
client disconnected...
removed proc id: 48071

```

```
(base) x ➤ /Downloads/(10주 2회차) [IoT] (실습위주) 11강 소스파일 ➤ ./echo_server.py
reserv 2000
new client connected...
new client connected...
client disconnected...
removed proc id: 47929
client disconnected...
removed proc id: 47903
new client connected...
new client connected...
client disconnected...
removed proc id: 48071
client disconnected...
removed proc id: 48097
```

```

~/.echo_client (ec...  #1      ...소스파일 (-zsh)  #2      ~ (-zsh)      #3
(base) ➜ ps -a
PID TTY          TIME CMD
46153 ttys000    0:00.01 login -fp junyeong
46154 ttys000    0:00.74 -zsh
47875 ttys000    0:00.00 ./echo_storeserv 2000
47876 ttys000    0:00.00 ./echo_storeserv 2000
48097 ttys000    0:00.00 ./echo_storeserv 2000
46538 ttys001    0:00.01 /usr/bin/login -fp junyeong /Applications/iTerm.app/C
46539 ttys001    0:00.75 -zsh
48096 ttys001    0:00.00 ./echo_client 127.0.0.1 2000
47941 ttys002    0:00.01 login -fp junyeong
47942 ttys002    0:00.31 -zsh
48289 ttys002    0:00.00 ps -a
46825 ttys003    0:00.01 /usr/bin/login -fp junyeong /Applications/iTerm.app/C
46826 ttys003    0:00.32 -zsh
(base) ➜

```

```

..소스파일 (-zsh) #1      ..소스파일 (-zsh) #2      X      ~ (-zsh) #3      +
(base) ~ ps -a

```

PID	TTY	TIME	CMD
46153	ttys000	0:00.01	login -fp junyeong
46154	ttys000	0:00.74	-zsh
47875	ttys000	0:00.00	./echo_storeserv 2000
47876	ttys000	0:00.00	./echo_storeserv 2000
46538	ttys001	0:00.01	/usr/bin/login -fpl junyeong /Applications/iTerm.app/C
46539	ttys001	0:00.76	-zsh
47941	ttys002	0:00.01	login -fp junyeong
47942	ttys002	0:00.38	-zsh
48428	ttys002	0:00.00	ps -a
46825	ttys003	0:00.01	/usr/bin/login -fpl junyeong /Applications/iTerm.app/C
46826	ttys003	0:00.32	-zsh