Statistical Analysis Plan

P-VCNA-003

A Phase IIb, Open-label, Randomized Study of Nab-Paclitaxel and Gemcitabine plus/minus VCN-01 in Patients with Metastatic Pancreatic Cancer (VIRAGE)

Simbec-Orion Study ID: 35667

Prepared for:

Theriva Biologics, S.L.

Prepared by:

Simbec-Orion Group Ltd

Merthyr Tydfil Industrial Park

Cardiff Road

Merthyr Tydfil

CF48 4DR

United Kingdom

CONFIDENTIAL

Version	**Author**
Final 3.0 16ARR2025	Wouter Wijker

Statistical Analysis Plan

P-VCNA-003

A Phase IIb, Open-label, Randomized Study of Nab-Paclitaxel and Gemcitabine plus/minus VCN-01 in Patients with Metastatic Pancreatic Cancer (VIRAGE)

Simbec-Orion Study ID: 35667

Author: Wouter Wijker

Version: Final 3.0

The undersigned have reviewed and revised this SAP and find it to be consistent with the study requirements:

Wouter Wijker, Head of Statistics, Simbec-Orion Group Ltd.	Date
Jody Whitehead, Project Director, Simbec-Orion Group Ltd.	Date
Mariette Hodgson, Director of Technical Writing, Simbec-Orion Group Ltd.	Date

Carmen Blasco, Vice President, Clinical Research, Theriva Biologics, S.L.	Date

Charles Le, Vice President, Statistics and Analytics, Theriva Biologics, S.L.	Date

13 LITERATURE CITATIONS/REFERENCES

Not applicable.

14 LIST OF TABLES, FIGURES AND LISTINGS

14.1 LIST OF TABLES

* Top Line TFLs

Demographic Data

*Table 14.1.1	Patient Disposition	All Randomized Set
*Table 14.1.2.1	Demographics and Baseline Characteristics	Intent-to-Treat Set
*Table 14.1.2.2	Demographics and Baseline Characteristics	Full Analysis Set
*Table 14.1.2.3	Demographics and Baseline Characteristics	Safety Analysis Set
Table 14.1.3	Medical History	Full Analysis Set

Efficacy Data

*Table 14.2.1.1	Overall Survival	Intent-to-Treat Set
*Table 14.2.1.2	Overall Survival	Full Analysis Set
Table 14.2.1.3	Overall Survival	Per Protocol Set
*Table 14.2.1.4	Subgroup Analysis: Overall Survival	Intent-to-Treat Set
Table 14.2.1.5	Subgroup Analysis: Overall Survival	Per Protocol Set
*Table 14.2.2.1	Progression-free Survival and Time to Progression - EDC Data	Intent-to-Treat Set
*Table 14.2.2.2	Progression-free Survival and Time to Progression - EDC Data	Full Analysis Set
*Table 14.2.2.3	Subgroup Analysis: Progression-free Survival and Time to Progression - EDC Data	Intent-to-Treat Set
Table 14.2.2.4	Progression-free Survival and Time to Progression - CIV Data	Intent-to-Treat Set
Table 14.2.2.5	Progression-free Survival and Time to Progression - CIV Data	Full Analysis Set
Table 14.2.2.6	Subgroup Analysis: Progression-free Survival and Time to Progression - CIV Data	Intent-to-Treat Set
*Table 14.2.2.7	Objective Response Rate - EDC Data	Intent-to-Treat Set
*Table 14.2.2.8	Objective Response Rate - EDC Data	Full Analysis Set

Table 14.2.2.9	Subgroup Analysis: Objective Response Rate - EDC Data	Intent-to-Treat Set
Table 14.2.2.10	Objective Response Rate - CIV Data	Intent-to-Treat Set
Table 14.2.2.11	Objective Response Rate - CIV Data	Full Analysis Set
Table 14.2.2.12	Subgroup Analysis: Objective Response Rate - CIV Data	Intent-to-Treat Set
Table 14.2.2.13	Disease Control Rate - EDC Data	Intent-to-Treat Set
Table 14.2.2.14	Disease Control Rate - EDC Data	Full Analysis Set
Table 14.2.2.15	Disease Control Rate - CIV Data	Intent-to-Treat Set
Table 14.2.2.16	Disease Control Rate - CIV Data	Full Analysis Set
Table 14.2.2.17	Landmark 1-year Survival and PFS at the 1-year Landmark - EDC Data	Intent-to-Treat Set
Table 14.2.2.18	Landmark 1-year Survival and PFS at the 1-year Landmark - EDC Data	Full Analysis Set
Table 14.2.2.19	Landmark 1-year Survival and PFS at the 1-year Landmark - CIV Data	Intent-to-Treat Set
Table 14.2.2.20	Landmark 1-year Survival and PFS at the 1-year Landmark - CIV Data	Full Analysis Set
*Table 14.2.2.21	Duration of Response - EDC Data	Intent-to-Treat Set
*Table 14.2.2.22	Duration of Response - EDC Data	Full Analysis Set
Table 14.2.2.23	Duration of Response - CIV Data	Intent-to-Treat Set
Table 14.2.2.24	Duration of Response - CIV Data	Full Analysis Set
Table 14.2.2.25	Tumor Marker Ca 19.9	Intent-to-Treat Set
Table 14.2.2.26	Tumor Marker Ca 19.9	Full Analysis Set
*Table 14.2.3.1	QLQ-C30 Questionnaire	Full Analysis Set
Table 14.2.3.2	Disease Control Rate for Patients with Subsequent Anti-Cancer Therapies - EDC Data	Full Analysis Set
Table 14.2.3.3	Disease Control Rate for Patients with Subsequent Anti-Cancer Therapies - CIV Data	Full Analysis Set

Safety Data

*Table 14.3.1.1	Summary of Adverse Events	Safety Analysis Set
*Table 14.3.1.2	Treatment-Emergent Adverse Events, by System Organ Class and Preferred Term	Safety Analysis Set
Table 14.3.1.3	Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Severity	Safety Analysis Set
Table 14.3.1.4	Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to VCN-01	Safety Analysis Set
Table 14.3.1.5	Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Gemcitabine	Safety Analysis Set

Table 14.3.1.6	Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Nab-paclitaxel	Safety Analysis Set
*Table 14.3.1.7	Serious Treatment-Emergent Adverse Events, by System Organ Class and Preferred Term	Safety Analysis Set
*Table 14.3.1.8	Drug-related Treatment-Emergent Adverse Events, by System Organ Class and Preferred Term	Safety Analysis Set
Table 14.3.1.9	Treatment-Emergent Adverse Events Leading to Permanent Discontinuation of Study Drug, by System Organ Class and Preferred Term	Safety Analysis Set
*Table 14.3.1.10	Serious Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to VCN-01	Safety Analysis Set
*Table 14.3.1.11	Serious Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Gemcitabine	Safety Analysis Set
*Table 14.3.1.12	Serious Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Nab-paclitaxel	Safety Analysis Set
Table 14.3.2.1	Listing of Deaths due to Adverse Events	
Table 14.3.2.2	Listing of Serious Adverse Events	
Table 14.3.2.3	Listing of Withdrawals Due to Adverse Events	
Table 14.3.2.4	Listing of Serious Adverse Reactions	
Table 14.3.3	Listing of Abnormal Laboratory Values	
Table 14.3.4.1	Summary of Biochemistry Parameters	Safety Analysis Set
Table 14.3.4.2	Summary of Hematology Parameters	Safety Analysis Set
Table 14.3.4.3	Summary of Coagulation Parameters	Safety Analysis Set
Table 14.3.4.4	Summary of TSH	Safety Analysis Set
Table 14.3.4.5	Summary of Urinalysis Parameters	Safety Analysis Set
Table 14.3.4.6	Shift Table of Biochemistry Parameters	Safety Analysis Set
Table 14.3.4.7	Shift Table of Hematology Parameters	Safety Analysis Set
Table 14.3.4.8	Shift Table of Coagulation Parameters	Safety Analysis Set
Table 14.3.4.9	Shift Table of TSH	Safety Analysis Set
Table 14.3.4.10	Shift Table of Urinalysis Parameters	Safety Analysis Set
Table 14.3.5.1	Summary of Vital Signs	Safety Analysis Set
Table 14.3.5.2	Shift Table of Vital Signs	Safety Analysis Set
Table 14.3.6	Physical Examination	Safety Analysis Set
Table 14.3.7.1	Summary of 12-lead Electrocardiogram	Safety Analysis Set
Table 14.3.7.2	Shift Table of 12-lead Electrocardiogram	Safety Analysis Set
Table 14.3.8	ECOG Score	Safety Analysis Set

Table 14.3.9	Subsequent Anticancer Treatment	Safety Analysis Set
Table 14.3.10	Study Drug Exposure and Compliance	Safety Analysis Set
Table 14.3.11.1	Prior Medications	Safety Analysis Set
Table 14.3.11.2	Concomitant Medications	Safety Analysis Set

PK/PD Data

Table 14.5.1	Pharmacodynamic Parameters	Pharmacodynamic Set

14.2 List of Figures

*Figure 14.2.1	Kaplan-Meier Plot of Overall Survival	Intent-to-Treat Set
*Figure 14.2.2	Kaplan-Meier Plot of Overall Survival	Full Analysis Set
Figure 14.2.3	Kaplan-Meier Plot of Overall Survival	Per Protocol Set
*Figure 14.2.4	Subgroup Analysis: Kaplan-Meier Plot of Overall Survival	Intent-to-Treat Set
*Figure 14.2.5	Kaplan-Meier Plot of Progression Free Survival	Intent-to-Treat Set
*Figure 14.2.6	Kaplan-Meier Plot of Progression Free Survival	Full Analysis Set
*Figure 14.2.7	Subgroup Analysis: Kaplan-Meier Plot of Progression Free Survival	Intent-to-Treat Set
Figure 14.2.8	Kaplan-Meier Plot of Time to Progression	Intent-to-Treat Set
*Figure 14.2.9	Kaplan-Meier Plot of Duration of Response	Intent-to-Treat Set
*Figure 14.2.10	Kaplan-Meier Plot of Duration of Response	Full Analysis Set
Figure 14.3.1	ECOG Score	Safety Analysis Set

14.3 List of Listings

Listing 16.2.1.1	Visit Dates
Listing 16.2.1.2	Patient Disposition
Listing 16.2.1.3	SoC Administration - Nab-Paclitaxel
Listing 16.2.1.4	SoC Administration - Gemcitabine
Listing 16.2.1.5	SoC Dose Adjustments
Listing 16.2.1.6	VCN-01 Administration
Listing 16.2.1.7	VCN-01 Dose Interruptions
Listing 16.2.2.1	Protocol Deviations
Listing 16.2.4.1	Demographic and Baseline Characteristics
Listing 16.2.4.2	Medical History
Listing 16.2.4.3	Substance Use History
Listing 16.2.4.4	Obstetric History
Listing 16.2.4.5	Menopausal Status
Listing 16.2.4.6	Inclusion/ Exclusion Criteria Failures
Listing 16.2.6.1	Tumor Response Evaluation - EDC Data
Listing 16.2.6.2	Tumor Response Evaluation - CIV Data
Listing 16.2.6.3	Derived Efficacy Variables - EDC Data
Listing 16.2.6.4	Derived Efficacy Variables - CIV Data
Listing 16.2.6.5	Tumor Marker Ca 19.9
Listing 16.2.6.6	QLQ-C30 Questionnaire

Listing 16.2.6.7	Target Lesions
Listing 16.2.6.8	Non-Target Lesions
*Listing 16.2.6.9	Deaths
Listing 16.2.7.1	Adverse Events
Listing 16.2.7.2	Adverse Events Due to Progressive Disease
Listing 16.2.7.3	TEAE with Grade 4 or 5
Listing 16.2.8.1	Biochemistry Parameters
Listing 16.2.8.2	Hematology Parameters
Listing 16.2.8.3	Coagulation Parameters
Listing 16.2.8.4	TSH
Listing 16.2.8.5	Urinalysis Parameters
Listing 16.2.8.6	Serology Results
Listing 16.2.8.7	Pregnancy Results
Listing 16.2.9	Vital Signs
Listing 16.2.10	Physical Examination
Listing 16.2.11	12-Lead ECG
Listing 16.2.12	Prior and Concomitant Medications
Listing 16.2.13	Pharmacodynamic Parameters
Listing 16.2.14	COVID-19 Results
Listing 16.2.15	Left Ventricular Ejection Fraction Results
Listing 16.2.16	ECOG Score
Listing 16.2.17	Fibroscan Results
Listing 16.2.18	Subsequent Anticancer Treatment
Listing 16.2.19	Study Disease Diagnosis

15 SHELLS FOR TABLES, FIGURES AND LISTINGS

The intended layouts for tables, figures and listings are presented. However, it may be appropriate for the Simbec-Orion programmer to change the layouts, upon review of the data available, for completeness and clarity.

QCd output will be produced as Rich Text Format (.rtf) or MS Word (.docx) files for convenient inclusion in the CSR. All attempts will be made to combine outputs into 3 pdf format files corresponding to tables, listings and figures. Should this not be possible results will be provided in RTF of word document format only.

Subject to this, the following will apply:

- Layout will be landscape, fixed width, font size 9, with margin size 2.54 cm for all sides.
- Each output will have the heading:

  P-VCNA-003 (left); date and time ddMMMyyyy HH:MM(right)
- Table headings will define the analysis set used for the summary/analysis.
- All outputs will have a footer specifying the SAS program path and filename (left); page x/y (right)
- Tables will have a footer specifying the source listing
- Figures will have a footer specifying the source table or listing
- Additional footnotes will be included where appropriate for clarification.
- Treatment arm and patient number and will be included in all listings.

P-VCNA-003 ddMMMyyyy HH:MM

Table 14.1.1 Patient Disposition (All Randomized Set)

	Number of patients (%)
Randomised	xx
Completed study	xx (xx.x%)
Early withdrawal	xx (xx.x%)
Reason for early withdrawal:	
Screening Failure	xx (xx.x%)
Lost to Follow-up	xx (xx.x%)
Withdrawal by Subject	xx (xx.x%)
…	
Analysis Sets:	
Safety Analysis Set (SAF)	xx (xx.x%)
Intent-to-Treat Set (ITT)	xx (xx.x%)
Full Analysis Set (FAS)	xx (xx.x%)
Per-Protocol Set (PPS)	xx (xx.x%)
Pharmacodynamics Set (PDS)	xx (xx.x%)
Subgroup analysis inclusion	xx (xx.x%)

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.1.2
Path\Filename Page x/y

Table 14.1.2.1 Demographic and Baseline Characteristics (Intent-to-Treat Set)

			Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Age (years)		n	xx	xx
		Mean	xx	xx
		STD	xx	xx
		Median	xx	xx
		Minimum	xx	xx
		Maximum	xx	xx
Gender	Male	n (%)	xx (xx.x%)	xx (xx.x%)
	Female	n (%)	xx (xx.x%)	xx (xx.x%)
Race	Black or African American	n (%)	xx (xx.x%)	xx (xx.x%)
	American Indian or Alaska Native	n (%)	xx (xx.x%)	xx (xx.x%)
	Asian	n (%)	xx (xx.x%)	xx (xx.x%)
	Native Hawaiian or Other Pacific Islander	n (%)	xx (xx.x%)	xx (xx.x%)
	White	n (%)	xx (xx.x%)	xx (xx.x%)
	Other	n (%)	xx (xx.x%)	xx (xx.x%)
Ethnicity	Not Hispanic or Latino	n (%)	xx (xx.x%)	xx (xx.x%)
	Hispanic or Latino	n (%)	xx (xx.x%)	xx (xx.x%)
	Not Reported	n (%)	xx (xx.x%)	xx (xx.x%)
	Unknown	n (%)	xx (xx.x%)	xx (xx.x%)
Region of study site	North America	n (%)	xx (xx.x%)	xx (xx.x%)
	European Union	n (%)	xx (xx.x%)	xx (xx.x%)
ECOG status at randomization	0	n (%)	xx (xx.x%)	xx (xx.x%)
	1	n (%)	xx (xx.x%)	xx (xx.x%)

[Continued overleaf…]

Height (cm)	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
Weight (kg)	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
BMI (kg/m2)	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
Age was calculated using Year of Birth and date of first treatment and presented as age at last birthday.
BMI is the patient's body weight in kilograms divided by the square of the patient's height in meters.

Source: Listing 16.2.4.1
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.1.2.2. (Full Analysis Set) and Table 14.1.2.3 (Safety Analysis Set)

Table 14.1.3 Medical History (Full Analysis Set)

	Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Any medical history	xx (xx.x%)	xx (xx.x%)
SOC	xx (xx.x%)	xx (xx.x%)
PT	xx (xx.x%)	xx (xx.x%)
…		
SOC	xx (xx.x%)	xx (xx.x%)
PT	xx (xx.x%)	xx (xx.x%)
…		
…		

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
MedDRA version <XX.X>.

Source: Listing 16.2.4.2
Path\Filename

Table 14.2.1.1 Overall Survival (Intent-to-Treat Set)

Parameter/ Test		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)	Hazard Ratio (95% CI)	p-value
Kaplan-Meier estimate of Survival Time (months)	Median	xx	xx		
	Lower 95% Confidence Interval	xx	xx		
	Upper 95% Confidence Interval	xx	xx		
Cox Proportional-Hazards Model				x.x (x.x , x.x)	xxxxxx
Log-rank test					xxxxxx

Survival time is defined as time from randomization until death. Patients who are lost to follow-up are censored at the time of their last visit or contact.
Model terms include region, ECOG performance status at randomization and treatment.

Source: Listing 16.2.6.3
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.2.1.2. Overall Survival (Full Analysis Set), Table 14.2.1.3. Overall Survival (Per-Protocol Set), Table 14.2.1.4 Subgroup Analysis: Overall Survival (Intent-to-Treat Set), Table 14.2.1.5 Subgroup Analysis: Overall Survival (Per Protocol Set), Table 14.2.2.1 Progression-free Survival and Time to Progression – EDC Data (Intent-to-Treat Set), Table 14.2.2.2 Progression-free Survival and Time to Progression – EDC Data (Full Analysis Set), Table 14.2.2.3 Subgroup Analysis: Progression-free Survival and Time to Progression – EDC Data (Intent-to-Treat Set), Table 14.2.2.4 Progression-free Survival and Time to Progression – CIV Data (Intent-to-Treat Set), Table 14.2.2.5 Progression-free Survival and Time to Progression – CIV Data (Full Analysis Set) and Table 14.2.2.6 Subgroup Analysis: Progression-free Survival and Time to Progression – CIV Data (Intent-to-Treat Set),Table14.2.2.21-24 All Duration of Response tables.
Footnotes to be included for Table 14.2.2.1 – 14.2.2.24:

- *EDC data: PFS (Progression-free Survival) and TTP (Time to Progression) were assessed based on EDC (Electronic Data Capture) data.*
- *CIV data: PFS (Progression-free Survival) and TTP (Time to Progression) were assessed based on CIV (Central Imaging Vendor) data.*

Source listing for CIV data: Listing 16.2.6.4

Table 14.2.2.7 Objective Response Rate – EDC Data (Intent-to-Treat Set)

Parameter/ Test	Component		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)	Odds Ratio (95% CI)	p-value
Objective Response Rate (ORR)		n (%)	xx (xx.x %)	xx (xx.x %)		
	CR	n	xx	xx		
	PR	n	xx	xx		
Cochran-Mantel-Haenszel (CMH) test*					x.x (x.x , x.x)	xxxxxx
Sensitivity analysis**					x.x (x.x , x.x)	xxxxxx

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
* CMH test was stratified by region and ECOG performance status at randomization.
** CMH test was stratified by age group (<65 years and >=65 years), region and ECOG performance status at randomization.
CR = Complete Response, PR = Partial Response.

Source: Listing 16.2.6.3
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.2.2.8 Objective Response Rate - EDC Data (Full Analysis Set), Table 14.2.2.9 Subgroup Analysis: Objective Response Rate - EDC Data (Intent-to-Treat Set), Table 14.2.2.10 Objective Response Rate - CIV Data (Intent-to-Treat Set), Table 14.2.2.11 Objective Response Rate - CIV Data (Full Analysis Set) and Table 14.2.2.12 Subgroup Analysis: Objective Response Rate - CIV Data (Intent-to-Treat Set)
Footnotes to be included:

- *EDC data: ORR (Objective Response Rate) was assessed based on EDC (Electronic Data Capture) data.*
- *CIV data: ORR (Objective Response Rate) was assessed based on CIV (Central Imaging Vendor) data.*

Source listing for CIV data: Listing 16.2.6.4

Table 14.2.2.13 Disease Control Rate - EDC Data (Intent-to-Treat Set)

Parameter/ Test	Component		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)	Odds Ratio (95% CI)	p-value
Disease Control Rate (DCR)		n (%)	xx (xx.x %)	xx (xx.x %)		
	CR	n	xx	xx		
	PR	n	xx	xx		
	SD	n	xx	xx		
Cochran-Mantel-Haenszel (CMH) test*					x.x (x.x , x.x)	xxxxxx
Sensitivity analysis**					x.x (x.x , x.x)	xxxxxx

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
* CMH test was stratified by region and ECOG performance status at randomization.
** CMH test was stratified by age group (<65 years and >=65 years), region and ECOG performance status at randomization.
CR = Complete Response, PR = Partial Response, SD = Stable Disease.

Source: Listing 16.2.6.3
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.2.2.14 Disease Control Rate - EDC Data (Full Analysis Set), Table 14.2.2.15 Disease Control Rate - CIV Data (Intent-to-Treat Set), Table 14.2.2.16 Disease Control Rate - CIV Data (Full Analysis Set), Table 14.2.3.2 Disease Control Rate for Patients with Subsequent Anti-Cancer Therapies - EDC Data (Full Analysis Set) and Table 14.2.3.3 Disease Control Rate for Patients with Subsequent Anti-Cancer Therapies - CIV Data (Full Analysis Set)
Footnotes to be included:

- *EDC data: DCR (Disease Control Rate) was assessed based on EDC (Electronic Data Capture) data.*
- *CIV data: DCR (Disease Control Rate) was assessed based on CIV (Central Imaging Vendor) data.*

Source listing for CIV data: Listing 16.2.6.4

Table 14.2.2.17 Landmark 1-year Survival and PFS at the 1-year Landmark - EDC Data (Intent-to-Treat Set)

Parameter/ Test		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)	Odds Ratio (95% CI)	p-value
Landmark 1-year survival	n (%)	xx (xx.x %)	xx (xx.x %)		
Cochran-Mantel-Haenszel (CMH) test*				x.x (x.x , x.x)	xxxxxx
Sensitivity analysis**				x.x (x.x , x.x)	xxxxxx
PFS at the 1-year Landmark	n (%)	xx (xx.x %)	xx (xx.x %)		
Cochran-Mantel-Haenszel (CMH) test*				x.x (x.x , x.x)	xxxxxx
Sensitivity analysis**				x.x (x.x , x.x)	xxxxxx

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
* CMH test was stratified by region and ECOG performance status at randomization.
** CMH test was stratified by age group (<65 years and >=65 years), region and ECOG performance status at randomization.

Source: Listing 16.2.6.3
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.2.2.18 Landmark 1-year Survival and PFS at the 1-year Landmark - EDC Data (Full Analysis Set), Table 14.2.2.19 Landmark 1-year Survival and PFS at the 1-year Landmark - CIV Data (Intent-to-Treat Set) and Table 14.2.2.20 Landmark 1-year Survival and PFS at the 1-year Landmark - CIV Data (Full Analysis Set)
Footnotes to be included:

- *EDC data: Landmark 1-year Survival and PFS (Progression-free Survival) at the 1-year Landmark were assessed based on EDC (Electronic Data Capture) data.*
- *CIV data: Landmark 1-year Survival and PFS (Progression-free Survival) at the 1-year Landmark were assessed based on CIV (Central Imaging Vendor) data.*

Source listing for CIV data: Listing 16.2.6.4

Table 14.2.2.21 Duration of Response - EDC Data (Intent-to-Treat Set)

Parameter		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Kaplan-Meier estimate of Duration of Response (months)	Median	xx	xx
	Lower 95% Confidence Interval	xx	xx
	Upper 95% Confidence Interval	xx	xx

Source: Listing 16.2.6.3
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.2.2.22 Duration of Response - EDC Data (Full Analysis Set), Table 14.2.2.23 Duration of Response - CIV Data (Intent-to-Treat Set) and Table 14.2.2.24 Duration of Response - CIV Data (Full Analysis Set)
Footnotes to be included:

- *EDC data: Duration of Response was assessed based on EDC (Electronic Data Capture) data.*
- *CIV data: Duration of Response was assessed based on CIV (Central Imaging Vendor) data.*

Source listing for CIV data: Listing 16.2.6.4

Table 14.2.2.25 Tumor Marker Ca 19.9 (Intent-to-Treat Set)

Ca 19.9 (<*unit*>)

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
Baseline	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
<*Visit*>	n	xx	xx
	Mean	xx	xx
	…		
Change from Baseline to <*Visit*>	n	xx	xx
	Mean	xx	xx
	…		
…			

Source: Listing 16.2.6.5
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.2.2.26 Tumor Marker Ca 19.9 (Full Analysis Set)
Please start a new page when unit of Ca 19.9 is different (U/mL or KU/L).

Table 14.2.3.1 QLQ-C30 Questionnaire (Full Analysis Set)

<Scale>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
Baseline	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
<Visit>	n	xx	xx
	Mean	xx	xx
	…		
Change from Baseline to *<Visit>*	n	xx	xx
	Mean	xx	xx
	…		
…			

Source: Listing 16.2.6.6
Path\Filename

Programming Note: Please summarize values by each scale described in section 11.3.3.1.

Table 14.3.1.1 Summary of Adverse Events (Safety Analysis Set)

		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
		n(%)	n(%)
Any Treatment-Emergent Adverse Event (TEAE)		xx (xx.x%)	Xx (xx.x%)
Any Serious TEAE		xx (xx.x%)	xx (xx.x%)
Any Adverse Reaction		xx (xx.x%)	xx (xx.x%)
Any Serious Adverse Reaction		xx (xx.x%)	xx (xx.x%)
		xx (xx.x%)	xx (xx.x%)
TEAEs by Severity	Grade 1	xx (xx.x%)	xx (xx.x%)
	Grade 2	xx (xx.x%)	xx (xx.x%)
	Grade 3	xx (xx.x%)	xx (xx.x%)
	Grade 4	xx (xx.x%)	xx (xx.x%)
	Grade 5	xx (xx.x%)	xx (xx.x%)
		xx (xx.x%)	xx (xx.x%)
TEAEs by Relationship to VCN-01	Definitely Related	xx (xx.x%)	xx (xx.x%)
	Probably Related	xx (xx.x%)	xx (xx.x%)
	Possibly Related	xx (xx.x%)	xx (xx.x%)
	Unlikely Related	xx (xx.x%)	xx (xx.x%)
	Not Related	xx (xx.x%)	xx (xx.x%)
		xx (xx.x%)	xx (xx.x%)
TEAEs by Relationship to Gemcitabine	Definitely Related	xx (xx.x%)	xx (xx.x%)
	Probably Related	xx (xx.x%)	xx (xx.x%)
	…		
TEAEs by Relationship to Nab-paclitaxel	Definitely Related	xx (xx.x%)	xx (xx.x%)
	Probably Related	xx (xx.x%)	xx (xx.x%)
	…		

A patient with multiple occurrences of any AE is counted only once at the maximum level of severity or the strongest relationship to study treatment.
Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
MedDRA version <XX.X>.

Source: Listing 16.2.7.1
Path\Filename

P-VCNA-003 ddMMMyyyy HH:MM

Table 14.3.1.2 Treatment-Emergent Adverse Events, by System Organ Class and Preferred Term (Safety Analysis Set)

	Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
	n (%)	n (%)
Any Treatment-Emergent Adverse Event	xx (xx.x%)	xx (xx.x%)
SOC	xx (xx.x%)	xx (xx.x%)
PT	xx (xx.x%)	xx (xx.x%)
PT	xx (xx.x%)	xx (xx.x%)
SOC	xx (xx.x%)	xx (xx.x%)
…		
…		

The table presents number of patients (n) who have at least one occurrence of the event, and percentage of patients (n %).
Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
MedDRA version <XX.X>.

Source: Listing 16.2.7.1
Path\Filename

Programming Note: This layout also applies to Table 14.3.1.7 Serious Treatment-Emergent Adverse Events, by System Organ Class and Preferred Term (Safety Analysis Set), Table 14.3.1.8 Drug-related Treatment-Emergent Adverse Events, by System Organ Class and Preferred Term (Safety Analysis Set) and Table 14.3.1.9 Treatment-Emergent Adverse Events Leading to Permanent Discontinuation of Study Drug, by System Organ Class and Preferred Term (Safety Analysis Set)

Table 14.3.1.3 Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Severity (Safety Analysis Set)

	Severity	Arm I (Nab-paclitaxel and gemcitabine) (N=xx) n (%)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx) n (%)
Any Treatment-Emergent Adverse Event	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
SOC	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
PT	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
PT	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
SOC	<*Grade X*>	xx (xx.x%)	xx (xx.x%)
…			
…			

The table presents number of patients (n) who have at least one occurrence of the event, and percentage of patients (n(%)).
Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
MedDRA version <XX.X>.

Source: Listing 16.2.7.1
Path\Filename

Page x/y

Table 14.3.1.4 Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to VCN-01 (Safety Analysis Set)

	Relationship to VCN-01	Arm I (Nab-paclitaxel and gemcitabine) (N=xx) n (%)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx) n (%)
Any Treatment-Emergent Adverse Event	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
SOC	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
PT	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
PT	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
SOC	<*Relationship*>	xx (xx.x%)	xx (xx.x%)
…			
…			

The table presents number of patients (n) who have at least one occurrence of the event, and percentage of patients(n(%)).
Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
MedDRA version <XX.X>.

Source: Listing 16.2.7.1
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.3.1.5 Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Gemcitabine (Safety Analysis Set), Table 14.3.1.6 Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Nab-paclitaxel (Safety Analysis Set), Table 14.3.1.10 Serious Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to VCN-01 (Safety Analysis Set),), Table 14.3.1.11 Serious Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Gemcitabine (Safety Analysis Set) and Table 14.3.1.12 Serious Treatment-Emergent Adverse Events, by System Organ Class, Preferred Term and Relationship to Nab-paclitaxel (Safety Analysis Set). Please update second column header according to the table title.

Table 14.3.2.1 Listing of Deaths due to Adverse Events – (1)

Patient Number	Adverse Event SOC PT	Due to PD	Onset date/time/TEAE	Resolution date/time / Ongoing	Serious	Severity	Relationship to VCN-01	Relationship to Gemcitabine	Relationship to Nab-paclitaxel
xxxxxxx	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Due to PD/ Not Due to PD	xxxxxxxx Txx:xx /Yes or Yes[1]	xxxxxxxxT xx:xx/ Ongoing	Yes (criteria)/ No	Grade 1/ Grade 2/ Grade 3/ Grade 4/ Grade 5	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related
	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Due to PD/ Not Due to PD	xxxxxxxx Txx:xx /Yes or Yes[1]	xxxxxxxxT xx:xx/ Ongoing	Yes (criteria)/ No	Grade 1/ Grade 2/ Grade 3/ Grade 4/ Grade 5	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related
	…								
…									

PD = Progressive Disease.
MedDRA version <XX.X>.
TEAE = Treatment Emergent Adverse Event.
Yes = Treatment Emergent for all study drugs. Yes[1] = Treatment Emergent for VCN-01.

Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.3.2.2 Listing of Serious Adverse Events (please include "Occurred after 1st VCN-01 Dose" and "Occurred after 2nd VCN-01 dose" columns after Due to PD column), Table 14.3.2.3 Listing of Withdrawals Due to Adverse Events and Table 14.3.2.4 Listing of Serious Adverse Reactions (please include "Occurred after 1st VCN-01 Dose" and "Occurred after 2nd VCN-01 dose" columns after Due to PD column).
Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

If the relationship to study treatment is marked as "Definitely Related, Probably Related or Possibly Related" please present the reason for decision in brackets.

Table 14.3.2.1 Listing of Deaths due to Adverse Events – (2)

Patient Number	Adverse Event SOC PT	Outcome	Action taken with VCN-01	Gemcitabine	Nab-paclitaxel	Other action taken
xxxxxxx	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Fatal/ Not Recovered/Not Resolved / Recovered/Resolved / Recovered/Resolved with Sequelae / Recovering/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	xxxxxx
	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Fatal/ Not Recovered/Not Resolved / Recovered/Resolved / Recovered/Resolved with Sequelae / Recovering/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	xxxxxx
	…					
…						

MedDRA version <XX.X>.

Path\Filename

Page x/y

Programming Note:
This layout also applies to Table 14.3.2.2 Listing of Serious Adverse Events (please include "Occurred after 1st VCN-01 Dose" and "Occurred after 2nd VCN-01 dose" columns after Due to PD column), Table 14.3.2.3 Listing of Withdrawals Due to Adverse Events and Table 14.3.2.4 Listing of Serious Adverse Reactions (please include "Occurred after 1st VCN-01 Dose" and "Occurred after 2nd VCN-01 dose" columns after Due to PD column).

Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.
If the relationship to study treatment is marked as "Definitely Related, Probably Related or Possibly Related" please present the reason for decision in brackets.

Table 14.3.3 Listing of Abnormal Laboratory Values

Patient Number	Visit	Parameter	Result	Unit	Reference range Lower	Reference range Upper	Interpretation
xxxxxxx	<*Visit*>	xxxxxxxxxxxxxxxxxx	xx	xxxx	xx	xx	Abnormal CS/ Abnormal NCS
		xxxxxxxxxxxxxxxxxx	xx	xxxx	xx	xx	Abnormal CS/ Abnormal NCS
		…					
	…						
…							

NCS = Not Clinically Significant; CS = Clinically Significant.

Path\Filename

Page x/y

Table 14.3.4.1 Summary of Biochemistry Parameters (Safety Analysis Set)

<Parameter (unit)>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
Baseline	n	xx	xx
	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx
<*Visit*>	n	xx	xx
	Mean	xx	xx
	…		
Change from Baseline to <*Visit*>	n	xx	xx
	Mean	xx	xx
	…		
…			

Source: Listing 16.2.8.1
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.3.4.2 Summary of Hematology Parameters (Safety Analysis Set), Table 14.3.4.3 Summary of Coagulation Parameters (Safety Analysis Set), Table 14.3.4.4 Summary of TSH (Safety Analysis Set), Table 14.3.4.5 Summary of Urinalysis Parameters (Safety Analysis Set), Table 14.3.5.1 Summary of Vital Signs (Safety Analysis Set) and Table 14.3.7.1 Summary of 12-lead Electrocardiogram (Safety Analysis Set). Please update source listings.

Table 14.3.4.6 Shift Table of Biochemistry Parameters (Safety Analysis Set)

<Parameter (unit)>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS	xx (xx.x%)	xx (xx.x%)
Baseline	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	…		
<Visit>	n	xx	xx
	…		
Change from Baseline to *<Visit>*	n	xx	xx
	Normal -> Normal	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
…			

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.8.1
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.3.4.7 Shift Table of Hematology Parameters (Safety Analysis Set), Table 14.3.4.8 Shift Table of Coagulation Parameters (Safety Analysis Set), Table 14.3.4.9 Shift Table of TSH (Safety Analysis Set) and Table 14.3.4.10 Shift Table of Urinalysis Parameters (Safety Analysis Set). Please update source listings.

P-VCNA-003 ddMMMyyyy HH:MM

Table 14.3.5.2 Shift Table of Vital Signs (Safety Analysis Set)

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS	xx (xx.x%)	xx (xx.x%)
Baseline	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	…		
<*Visit*>	n	xx	xx
	…		
Change from Baseline to <*Visit*>	n	xx	xx
	Normal -> Normal	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
…			

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.9
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.3.7.2 Shift Table of 12-lead Electrocardiogram (Safety Analysis Set). Please update source listing.

Table 14.3.6 Physical Examination (Safety Analysis Set)

<Body system>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS	xx (xx.x%)	xx (xx.x%)
Baseline	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	…		
<*Visit*>	n	xx	xx
	…		
Change from Baseline to <*Visit*>	n	xx	xx
	Normal -> Normal	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
…			

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.10
Path\Filename

Page x/y

Table 14.3.8 ECOG Score (Safety Analysis Set)

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
<*Visit*>	n	xx	xx
	0	xx (xx.x%)	xx (xx.x%)
	1	xx (xx.x%)	xx (xx.x%)
	2	xx (xx.x%)	xx (xx.x%)
	3	xx (xx.x%)	xx (xx.x%)
	4	xx (xx.x%)	xx (xx.x%)
	5	xx (xx.x%)	xx (xx.x%)
<*Visit*>	n	xx	xx
	0	xx (xx.x%)	xx (xx.x%)
	…		
…			

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.16
Path\Filename

Page x/y

Table 14.3.9 Subsequent Anticancer Treatment (Safety Analysis Set)

	Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Any subsequent anticancer treatment	xx (xx.x%)	xx (xx.x%)
ATC4 term	xx (xx.x%)	xx (xx.x%)
PT	xx (xx.x%)	xx (xx.x%)
…		
ATC4 term	xx (xx.x%)	xx (xx.x%)
PT	xx (xx.x%)	xx (xx.x%)
…		
…		

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
WHO-DDE version <XXXX>.

Source: Listing 16.2.18
Path\Filename

Table 14.3.10 Study Drug Exposure and Compliance (Safety Analysis Set)

			Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Treatment duration (days)		n	xx	xx
		Mean	xx	xx
		STD	xx	xx
		Median	xx	xx
		Minimum	xx	xx
		Maximum	xx	xx
<*Treatment*> administration	Number of doses	n	xx	xx
		Mean	xx	xx
		STD	xx	xx
		Median	xx	xx
		Minimum	xx	xx
		Maximum	xx	xx
	Total dose administered (*unit*)	n	Xx	xx
		Mean	xx	xx
		…		
	Dose intensity (unit)	n	xx	xx
		Mean	xx	xx
		…		
	Relative dose intensity (%)	n	xx	xx
		Mean	xx	xx
		…		
	Dose prolongation[a]	Yes	xx xx (%)	xx xx (%)
		No	xx xx (%)	xx xx (%)

Dose Interruption[a]	Yes	xx xx (%)	xx xx (%)
	No	xx xx (%)	xx xx (%)
Dose Reduction[a]	Yes	xx xx (%)	xx xx (%)
	No	xx xx (%)	xx xx (%)
Reason for dose reduction[a] [b]	xxxxxx	xx xx (%)	xx xx (%)
	xxxxxx	xx xx (%)	xx xx (%)
	xxxxxx	xx xx (%)	xx xx (%)
Treatment compliance[c]	Mean	xx	xx
	STD	xx	xx
	Median	xx	xx
	Minimum	xx	xx
	Maximum	xx	xx

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N) unless otherwise specified below.
[a]: Represents number of events, number of patients with at least one event and percentage of patients with at least one event.
[b]: The denominator for each percentage is the number of patients with dose reduction.
[c]: Treatment compliance = percentage of injection administered (actual/planned).

Source: Listing 16.2.1.3, 16.2.1.4, 16.2.1.5, 16.2.1.6, 16.2.1.7
Path\Filename

Page x/y

Programming Note: Please present summaries by the following treatments: VCN-01, Nab-paclitaxel, Gemcitabine.
Please note that dose reduction is not applicable for VCN-01 administration, this category should be excluded for the treatment.

Table 14.3.11.1 Prior Medications (Safety Analysis Set)

	Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Any prior medications	xx (xx.x%)	xx (xx.x%)
X, xxxxxxxxxxxxx	xx (xx.x%)	xx (xx.x%)
X0N, xxxxxxxxxxxxx	xx (xx.x%)	xx (xx.x%)
X0NXX, xxxxxxxxxxx	xx (xx.x%)	xx (xx.x%)
xxxxxxxxxxxxx	xx (xx.x%)	xx (xx.x%)
X0NXX, xxxxxxxxxxx	xx (xx.x%)	xx (xx.x%)
xxxxxxxxxxxx	xx (xx.x%)	xx (xx.x%)
…		
…		

Prior medications/medical procedures are defined as any medication taken/any medical procedures performed within 28 days of the Screening visit.
Data are summarized by: Anatomical main group (ATC level 1); Therapeutic subgroup (ATC level 2); Therapeutic/pharmacological subgroup (ATC level 3); Chemical/therapeutic/pharmacological subgroup (ATC level 4); Preferred term.
Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).
WHO-DDE version <XXXX>.

Source: Listing 16.2.12
Path\Filename

Page x/y

Programming Note: This layout also applies to Table 14.3.11.2 Concomitant Medications (Safety Analysis Set) [Footnote: Concomitant medications are defined as any medication taken at or after the time of the Screening visit.]

Table 14.5.1 Pharmacodynamic Parameters (Pharmacodynamic Set)

<Parameter>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)	p-value
Screening	n	xx	xx	
	Mean	xx	xx	
	STD	xx	xx	
	Median	xx	xx	
	Minimum	xx	xx	
	Maximum	xx	xx	
Baseline	n	xx	xx	
	Mean	xx	xx	
	STD	xx	xx	
	Median	xx	xx	
	Minimum	xx	xx	
	Maximum	xx	xx	
<Visit>	n	xx	xx	
	Mean	xx	xx	
	…			
Change from Baseline to *<Visit>*	n	xx	xx	
	Mean	xx	xx	
	…			
<Test>				x.xxxx
…				

Source: Listing 16.2.6
Path\Filename

Programming Note: Above layout should be used for parameters where both arms as assessed. Please indicate test used in the first column as appropriate.

<Parameter>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)	p-value
Screening	n	NA	xx	
	Mean		xx	
	STD		xx	
	Median		xx	
	Minimum		xx	
	Maximum		xx	
Baseline	n	NA	xx	
	Mean		xx	
	STD		xx	
	Median		xx	
	Minimum		xx	
	Maximum		xx	
<Visit>	n	NA	xx	
	Mean		xx	
	…			
<Test>				x.xxxx
Change from Baseline to *<Visit>*	n	NA	xx	
	Mean		xx	
	…			
…				

NA = Not applicable.

Source: Listing 16.2.13
Path\Filename

Page x/y

Programming Note: Above layout should be used for parameters only applicable for Arm II. Please indicate test used in the first column as appropriate. These two layouts should be combined in one output, starting each parameter on a new page.

Figure 14.2.1 Kaplan-Meier Plot of Overall Survival (Intent-to-Treat Set)

Figure Specifications

Procedure: PROC LIFETEST – survival plot

By: Arm

x axis: Time
x axis: Label: Time Post-Dose (months)
x axis: values: As appropriate

Y axis: Survival proportion
Y axis Label: Proportion
Y axis values: As appropriate

Legend:
Arm I (Nab-paclitaxel and gemcitabine) (N=xx) – linestyle = solid, colour = blue
Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx) – linestyle = solid, colour = green

Number of patients at risk over time to be presented below the x axis.

Footnote:
Patients who are lost to follow-up are censored at the time of their last visit or contact.

Programming Note: This layout also applies to Figure 14.2.2 Kaplan-Meier Plot of Overall Survival (Full Analysis Set) and Figure 14.2.3 Kaplan-Meier Plot of Overall Survival (Per Protocol Set), Figure 14.2.4 Subgroup Analysis: Kaplan-Meier Plot of Overall Survival (ITT), Figure 14.2.5 Kaplan-Meier Plot of Progression Free Survival (ITT), Figure 14.2.6 Kaplan-Meier Plot of Progression Free Survival (Full Analysis Set), Figure 14.2.7 Subgroup Analysis: Kaplan-Meier Plot of Progression Free Survival (ITT), Figure 14.2.8 Kaplan-Meier Plot of Time to Progression, Figure 14.2.9 Kaplan-Meier Plot of Duration of Response
Programming note for Figure 14.2.6 Kaplan-Meier Plot for Duration of Response: The starting point for both arms is not 100%, but the response rate per arm.

Figure 14.3.1 ECOG Score (Safety Analysis Set)

Figure Specifications

Plot: Kaplan-Meier time to event plot

x axis: Visit
x axis: Label: Visit
x axis: values: As appropriate

Y axis: Percentage
Y axis Label: Percentage of patients
Y axis values: 0 - 100

Footnote:
For each level of the ECOG score, the proportion of patients continuing on that or a better score were estimated for each visit using Kaplan-Meier estimates. At death the patient was assumed to have risen to the highest ECOG score.

Listing 16.2.1.1 Visit Dates

<Arm>

Patient Number	Visit	Date	Type	Reason for Unscheduled Visit
xxxxxxx	xx	xxxxxxxxxxxxx	Site Visit/ Remote Visit	
	xx	xxxxxxxxxxxxx	Site Visit/ Remote Visit	xxxxxxxxxxxxxxxxxxxxxxxxxxx
	xx	xxxxxxxxxxxxx	Site Visit/ Remote Visit	
	xx	xxxxxxxxxxxxx	Site Visit/ Remote Visit	
	…			
…				

Path\Filename

Listing 16.2.1.2 Patient Disposition – (1)

<Arm>

Patient Number	Date/Time of Informed Consent	Informed Consent Version	Protocol Version	Completed Treatment	If no, specify	Completed study	If no, specify	Date of completion/ withdrawal
xxxxxxx	xxxxxxxTxx:xx	x.x	xxxxxxxxxx	Yes/No	xxxxxxxxxxxxxx	Yes/No		xxxxxxx
xxxxxxx	xxxxxxxTxx:xx	x.x	xxxxxxxxxx	Yes/No		Yes/No		xxxxxxx
xxxxxxx	xxxxxxxTxx:xx	x.x	xxxxxxxxxx	Yes/No		Yes/No	xxxxxxxxxxxxxxxxxxxx	xxxxxxx
xxxxxxx	xxxxxxxTxx:xx	x.x	xxxxxxxxxx	Yes/No		Yes/No		xxxxxxx
…								

Completed treatment refers to completed treatment period, completed study refers to completed FU period.

Path\Filename

Page x/y

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.2 Patient Disposition – (2)

<Arm>

Patient Number	Safety Analysis Set (SAF)	Intent-to-Treat Set (ITT)	Full Analysis Set (FAS)	Per-Protocol Set (PPS)	Pharmacodynamic Set (PDS)	Subgroup Analysis Inclusion
xxxxxxx	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
xxxxxxx	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
xxxxxxx	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
xxxxxxx	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
…						

Inclusion for subgroup analysis is defined as patients who had the first 3 cycles of SoC chemotherapy and started the 4th SoC chemotherapy in Arm I, and patients who had the first 3 cycles of SoC chemotherapy, started the 4th cycle of SoC chemotherapy and received 2 doses of VCN-01.

Path\Filename

Page x/y

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

P-VCNA-003 ddMMMyyyy HH:MM

Listing 16.2.1.3 SoC Administration – Nab-Paclitaxel – (1)

<Arm>

Patient Number	Visit	Administered	Start Date/time (Stop Date/Time)	Protocol Assigned Dose (mg/m2)	Patient BSA (m2) (Calculation Method)	Concentration of Infusion Solution (mg/ml)	Volume to be Infused (ml)	Actual Volume Infused (ml)
xxxxxxx	xxxxxxxxx	Yes/ No (*reason*)	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xxx	xx (method)	xx	xx	xx
	xxxxxxxxx	Yes/ No (*reason*)	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xxx	xx (method)	xx	xx	xx
…								

BSA = Body Surface Area.

Path\Filename

Page x/y

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.3 SoC Administration – Nab-Paclitaxel – (2)

<Arm>

Patient Number	Visit	Actual Assigned Dose	Administered Dose (mg)	Complete Protocol Assigned Dose Administered	Prolongation of Infusion	Dose Reduction/ Interruption
xxxxxxx	xxxxxxxxx	xxxxxxxxx	xx	Yes/ No (*reason*)	Yes (*reason*)/ No	Yes/ No
	xxxxxxxxx	xxxxxxxxx	xx	Yes/ No (*reason*)	Yes (*reason*)/ No	Yes/ No
…						

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.4 SoC Administration – Gemcitabine – (1)

<Arm>

Patient Number	Visit	Neutrophils and Platelets Reviewed prior to Dosing	Premedication Administered	Gemcitabine Administered	Start Date/time (Stop Date/Time)	Protocol Assigned Dose (mg/m2)	Patient BSA (m2) (Calculation Method)	Concentration of Infusion Solution (mg/ml)
xxxxxxx	xxxxxxxxx	Yes/ No	Yes/ No	Yes/ No (*reason*)	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx (method)	xx
	xxxxxxxxx	Yes/ No	Yes/ No	Yes/ No (*reason*)	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx (method)	xx
…								

BSA = Body Surface Area.

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.4 SoC Administration – Gemcitabine – (2)

<Arm>

Patient Number	Visit	Volume to be Infused (ml)	Actual Volume Infused (ml)	Actual Assigned Dose	Administered Dose (mg)	Complete Protocol Assigned Dose Administered	Prolongation of Infusion	Dose Reduction/ Interruption
xxxxxxx	xxxxxxxxx	xx	xx	xxxxxxxxx	xx	Yes/ No (*reason*)	Yes (*reason*)/ No	Yes/ No
	xxxxxxxxx	xx	xx	xxxxxxxxx	xx	Yes/ No (*reason*)	Yes (*reason*)/ No	Yes/ No
…								

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.5 SoC Dose Adjustments

<Arm>

Patient Number	Visit	Treatment	Action Taken	Reason for Adjustment/ Modification	Interrupted Dose Administration Continued	Start Date/time (Stop Date/Time)	Administered Volume after Continuation (mg)	Administered Volume after Continuation (ml)
xxxxxxx	xxxxxxxxx	Nap-paclitaxel/ Gemcitabine	Drug Interrupted/ Drug Withdrawn/ Dose Reduced	xxxxxxxxxxx	Yes/ No	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx
	xxxxxxxxx	Nap-paclitaxel/ Gemcitabine	Drug Interrupted/ Drug Withdrawn/ Dose Reduced	xxxxxxxxxxx	Yes/ No	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx
…								

Listing 16.2.1.6 VCN-01 Administration – (1)

<Arm>

Patient Number	Visit	Administered	Antipyretic Treatment p.o. Given Prior to Administration	Start Date/time (Stop Date/Time)	Protocol Assigned Volume Infused (mL)	Concentration of Infusion Solution (vp/mL)	Actual Volume Infused (mL)	Administered Dose (x10^13 vp)
xxxxxxx	xxxxxxxxx	Yes/ No (*reason*)	Yes/ No	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx	xx	xx
	xxxxxxxxx	Yes/ No (*reason*)	Yes/ No	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx	xx	xx
…								

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.6 VCN-01 Administration - (2)

<Arm>

Patient Number	Visit	Required Dose (vp)	Fraction of Required Dose Administered (%)	Prolongation of Infusion	Dose Interruption
xxxxxxx	xxxxxxxxx	xx	xx	Yes (*reason*)/ No	Yes/ No
	xxxxxxxxx	xx	xx	Yes (*reason*)/ No	Yes/ No
…					

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.1.7 VCN-01 Dose Interruptions

<Arm>

Patient Number	Visit	Reason for Interruption	Start Date/time (Stop Date/Time)	Administered Volume after Continuation (mL)
xxxxxxx	xxxxxxxxx	xxxxxxxxxxx	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx
	xxxxxxxxx	xxxxxxxxxxx	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx
…				

Path\Filename

Listing 16.2.2.1 Protocol Deviations

<Arm>

Patient Number	Deviation Number	Date of Deviation	Type	Protocol Deviation	Major/Minor
xxxxxxx	xx	xxxxxxxxx	xxxxxxxxxxxxxx	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Major/Minor
	xx	xxxxxxxxx	xxxxxxxxxxxxxx	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Major/Minor
xxxxxxx	xx	xxxxxxxxx	xxxxxxxxxxxxxx	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Major/Minor
xxxxxxx	xx	xxxxxxxxx	xxxxxxxxxxxxxx	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Major/Minor
…					

Path\Filename

P-VCNA-003 ddMMMyyyy HH:MM

Listing 16.2.4.1 Demographics and Baseline Characteristics

<Arm>

Patient Number	Year of birth	Age (years)	Gender	Ethnicity	Race	Weight (kg)	Height (cm)	BMI (kg/m^2)	Region of Study Site	ECOG status at randomization
xxxxxxx	xxxx	xx	xxxx	Not Hispanic or Latino/ Hispanic or Latino/ Not Reported/ Unknown	Black or African American/ American Indian or Alaska Native/ Asian/ Native Hawaiian or Other Pacific Islander/ White/ Other (specify)	xx	xx	xx	European Union/ North American	0/ 1
xxxxxxx	xxxx	xx	xxxx	Not Hispanic or Latino/ Hispanic or Latino/ Not Reported/ Unknown	Black or African American/ American Indian or Alaska Native/ Asian/ Native Hawaiian or Other Pacific Islander/ White/ Other (specify)	xx	xx	xx	European Union/ North American	0/ 1
…										

Path\Filename

Page x/y

Listing 16.2.4.2 Medical History

<*Arm*>

Patient Number	Condition SOC PT	Date of diagnosis	Ongoing (End date)	Any medication taken/ treatment given?
xxxxxxx	xxxxxxxxxxxxxx xxxxxxxxxxxxxx xxxxxxxxxxxxxx	xxxxxxx	Yes/ No (ddMMMyyyy)	Yes/ No
	xxxxxxxxxxxxxx xxxxxxxxxxxxxx xxxxxxxxxxxxxx	xxxxxxx	Yes/ No (ddMMMyyyy)	Yes/ No
…				

MedDRA version <XX.X>.

Path\Filename

Listing 16.2.4.3 Substance Use History

<*Arm*>

	Alcohol History		Smoking History			Recreational Drug History	
Patient Number	Average alcohol units per week	Did patient suffer from alcoholism in the past?	Smoking History	Average number of cigarettes per day	Comment	History of recreational drug use	Comment
xxxxxxx	xx	Yes/ No	Never Smoked/ Smoker/ Ex-Smoker (Date stopped smoking: *date*)	xx	xxxxxxxxxxx	Yes/ No	xxxxxxxxxxx
xxxxxxx	xx	Yes/ No	Never Smoked/ Smoker/ Ex-Smoker (Date stopped smoking: *date*)	xx	xxxxxxxxxxx	Yes/ No	xxxxxxxxxxx
…							

Path\Filename

Listing 16.2.4.4 Obstetric History

<Arm>

Patient Number	Childbearing Potential	Contraception Methods	Postmenopausal	Postmenopausal Additional Information	Date of Last Menstrual Period	Surgically Sterile	Surgically Sterile Additional Information	Hysterectomy	Additional Information
xxxxxxx	Yes/ No	xxxxxxxxxxxxxxx	Yes/ No/ Not Reported	xxxxxxxxxxx	xxxxxxxxxx	Yes (date of sterilisation)/ No/ Not Reported	xxxxxxxxxxx	Yes (date)/ No/ Not Reported	xxxxxxxxxxx
xxxxxxx	Yes/ No	xxxxxxxxxxxxxxx	Yes/ No/ Not Reported	xxxxxxxxxxx	xxxxxxxxxx	Yes (date of sterilisation)/ No/ Not Reported	xxxxxxxxxxx	Yes (date)/ No/ Not Reported	xxxxxxxxxxx
…									

Path\Filename

Listing 16.2.4.5 Menopausal Status

<Arm>

Patient Number	Date/Time of Sample	Status
xxxxxxx	xxxxxxxxTxx:xx	Menopausal/ Premenopausal/ Peri-menopausal
xxxxxxx	xxxxxxxxTxx:xx	Menopausal/ Premenopausal/ Peri-menopausal
…		

P-VCNA-003 ddMMMyyyy HH:MM

Listing 16.2.4.6 Inclusion/ Exclusion Criteria Failures

<Arm>

Patient Number	Visit	Inclusion/ Exclusion	Criteria Number	Result
xxxxxxx	xxxxx	Inclusion/ Exclusion	xx	xxxxxx
	xxxxx	Inclusion/ Exclusion	xx	xxxxxx
xxxxxxx	xxxxx	Inclusion/ Exclusion	xx	xxxxxx
xxxxxxx	xxxxx	Inclusion/ Exclusion	xx	xxxxxx
…				

Path\Filename

Listing 16.2.6.1 Tumor Response Evaluation - EDC Data

<Arm>

Patient Number	Visit	Date of Tumor Assessment	Target Lesion Assessment	Target Lesions: Sum of Diameters (mm)	Non-Target Lesion Assessment	New Lesions	Overall Response
xxxxxxx	xxxxxxxxx	xxxxxxxx	Complete Response (CR)/ Partial Response (PR)/ Stable Disease (SD)/ Not All Evaluated/ Progressive Disease (PD)	xx	Absent (No Non-Target Lesion at Baseline)/ Complete Response (CR)/ Non-CR/Non-PD/ Not Evaluated/ Progressive Disease (PD)	Yes/ No	Complete Response (CR)/ Partial Response (PR)/ Stable Disease (SD)/ Inevaluable (NE)/ Progressive Disease (PD)
	xxxxxxxxx	Yes/ No (*reason*)	Yes/ No	xxxxxxxxTxx:xx (xxxxxxxxTxx:xx)	xx	xx	xx
…							

Path\Filename

Programming Note: This layout also applies to Listing 16.2.6.2 Tumor Response Evaluation - CIV Data.
Footnotes to be included:

- *EDC = Electronic Data Capture.*
- *CIV = Central Imaging Vendor.*

Listing 16.2.6.3 Derived Efficacy Variables - EDC Data

<Arm>

Patient Number	Overall Survival (OS) (months)	Progression – Free Survival (PFS) (months)	Time to Progression (TTP) (months)	Objective Response	Disease Control	Landmark 1-year Survival	New PFS at the 1-year Landmark	Duration of Response (DoR) (months)
xxxxxxx	xx	xx	xx	Yes/ No	Yes/ No	Yes/ No	Yes/ No	xx
	xx	xx	xx	Yes/ No	Yes/ No	Yes/ No	Yes/ No	xx
…								

Path\Filename

Programming Note: This layout also applies to Listing 16.2.6.4 Derived Efficacy Variables - CIV Data.
Footnotes to be included:

- *EDC = Electronic Data Capture.*
- *CIV = Central Imaging Vendor.*

Listing 16.2.6.5 Tumor Marker Ca 19.9

<Arm>

Patient Number	Visit	Date/Time	Result	Unit	Normal Range			Evaluation
					Lower	Upper	Unit	
xxxxxxx	xxxxx	xxxxxxxTxx:xx	xx	xxx	xx	xx	xxx	Normal/ Abnormal NCS/ Abnormal CS
	xxxxx	xxxxxxxTxx:xx	xx	xxx	xx	xx	xxx	Normal/ Abnormal NCS/ Abnormal CS
…								

NCS = Not Clinically Significant; CS = Clinically Significant.

Path\Filename

Below Detectable Value (if any present in the data) should be included in the result column as "BDV' with a footnote for clarification.

Listing 16.2.6.6 QLQ-C30 Questionnaire

<Arm>

Patient Number	Visit	Scale	Score
xxxxxxx	xxxxxx	xxxxxxxxxxxxxxxxxx	xx
		xxxxxxxxxxxxxxxxxx	xx
		xxxxxxxxxxxxxxxxxx	xx
		…	
	xxxxxx	xxxxxxxxxxxxxxxxxx	xx
		…	
	…		
…			

Path\Filename

Listing 16.2.6.7 Target Lesions

<Arm>

Patient Number	Lesion Number	Lesion Site	Date of Scan	Lesion Measurable	Size of Longest Diameter/ Short Axis (mm)
xxxxxxx	xx	xxxxxxxxxxx	xxxxxxxx	Yes/ No (*reason*)	xx
			xxxxxxxx	Yes/ No (*reason*)	xx
	xx	xxxxxxxxxxx	xxxxxxxx	Yes/ No (*reason*)	xx
…					

Path\Filename

Listing 16.2.6.8 Non-Target Lesions

<Arm>

Patient Number	Lesion Number	Lesion Site	Date of Scan	Lesion Assessment
xxxxxxx	xx	xxxxxxxxxxx	xxxxxxxx	Absent/ Present/ Unequivocal progression/ Not evaluable
			xxxxxxxx	Absent/ Present/ Unequivocal progression/ Not evaluable
	xx	xxxxxxxxxxx	xxxxxxxx	Absent/ Present/ Unequivocal progression/ Not evaluable
…				

Path\Filename

Listing 16.2.6.9 Deaths

<Arm>

Patient Number	Date of Death	Primary Cause of Death
xxxxxxx	xxxxxxxx	Progressive Disease/ Other (*specify*)
xxxxxxx	xxxxxxxx	Progressive Disease/ Other (*specify*)
…		

Path\Filename

P-VCNA-003 ddMMMyyyy HH:MM

Listing 16.2.7.1 Adverse Events – (1)

<Arm>

Patient Number	Adverse Event SOC PT	Due to PD	Onset date/time/TEAE	Resolution date/time / Ongoing	Serious	Severity	Relationship to VCN-01	Relationship to Gemcitabine	Relationship to Nab-paclitaxel
xxxxxxx	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Due to PD/ Not Due to PD	xxxxxxxx Txx:xx /Yes or Yes[1]	xxxxxxxxT xx:xx/ Ongoing	Yes (criteria)/ No	Grade 1/ Grade 2/ Grade 3/ Grade 4/ Grade 5	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related
	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Due to PD/ Not Due to PD	xxxxxxxx Txx:xx /Yes or Yes[1]	xxxxxxxxT xx:xx/ Ongoing	Yes (criteria)/ No	Grade 1/ Grade 2/ Grade 3/ Grade 4/ Grade 5	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related	Definitely Related (*specify*)/ Probably Related (*specify*)/ Possibly Related (*specify*)/ Unlikely Related/ Not Related
	…								
…									

PD = Progressive Disease.
MedDRA version <XX.X>.
TEAE = Treatment Emergent Adverse Event.
Yes = Treatment Emergent for all study drugs. Yes[1] = Treatment Emergent for VCN-01.

Path\Filename

Page x/y

Programming Note: This layout also applies to Listing 16.2.7.2 Adverse Events Due to Progressive Disease. and Listing 16.2.7.3 TEAE with Grade 4 or 5 (please include "Occurred after 1st VCN-01 Dose" and "Occurred after 2nd VCN-01 dose" columns after Due to PD column)

Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.
If the relationship to study treatment is marked as "Definitely Related, Probably Related or Possibly Related" please present the reason for decision in brackets.

P-VCNA-003 ddMMMyyyy HH:MM

Listing 16.2.7.1 Adverse Events – (2)

<Arm>

Patient Number	Adverse Event SOC PT	Outcome	Action taken with VCN-01	Action taken with Gemcitabine	Action taken with Nab-paclitaxel	Other action taken
xxxxxxx	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Fatal/ Not Recovered/Not Resolved / Recovered/Resolved / Recovered/Resolved with Sequelae / Recovering/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	xxxxxx
	xxxxxxxxx xxxxxxxxx xxxxxxxxx	Fatal/ Not Recovered/Not Resolved / Recovered/Resolved / Recovered/Resolved with Sequelae / Recovering/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	Dose Not Changed/ Dose Reduced/ Drug Interrupted/ Drug Withdrawn/ Not Applicable/ Unknown	xxxxxx
	…					
…						

MedDRA version <XX.X>.

Path\Filename

Page x/y

Programming Note: This layout also applies to Listing 16.2.7.2 Adverse Events Due to Progressive Disease
and Listing 16.2.7.3 TEAE with Grade 4 or 5 (please include "Occurred after 1st VCN-01 Dose" and "Occurred after 2nd VCN-01 dose" columns after Due to PD column)Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.
If the relationship to study treatment is marked as "Definitely Related, Probably Related or Possibly Related" please present the reason for decision in brackets.

Listing 16.2.8.1 Biochemistry Parameters

<Arm>

Patient Number	Visit	Date/Time	Parameter	Result	Unit	Normal Range			Evaluation
						Lower	Upper	Unit	
xxxxxxx	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx	xx	xx	xxxx	Normal/ Abnormal CS/ Abnormal NCS
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx	xx	xx	xxxx	Normal/ Abnormal CS/ Abnormal NCS
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx	xx	xx	xxxx	Normal/ Abnormal CS/ Abnormal NCS
…									

CS=Clinically Significant; NCS=Not Clinically Significant

Path\Filename

Page x/y

Programming Note: This layout also applies to Listing 16.2.8.2 Hematology Parameters, Listing16.2.8.3 Coagulation Parameters and Listing 16.2.8.4 TSH Below Detectable Value (if any present in the data) should be included in the result column as "BDV' with a footnote for clarification.

Listing 16.2.8.5 Urinalysis Parameters

<Arm>

Patient Number	Visit	Date/Time	Parameter	Result	Unit	Evaluation
xxxxxxx	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx	Normal/ Abnormal CS/ Abnormal NCS
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx	Normal/ Abnormal CS/ Abnormal NCS
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx	Normal/ Abnormal CS/ Abnormal NCS
…						

CS=Clinically Significant; NCS=Not Clinically Significant

Path\Filename

Page x/y

Listing 16.2.8.6 Serology Results

<Arm>

Patient Number	Visit	Date/Time	Parameter	Result	Unit
xxxxxxx	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx
...					

Path\Filename

Page x/y

Listing 16.2.8.7 Pregnancy Results

<Arm>

Patient Number	Visit	Date/Time	Specimen Type	Result
xxxxxxx	xxxxxxxx	xxxxxxxxTxx:xx	Urine/ Serum	Positive/ Negative
	xxxxxxxx	xxxxxxxxTxx:xx	Urine/ Serum	Positive/ Negative
	xxxxxxxx	xxxxxxxxTxx:xx	Urine/ Serum	Positive/ Negative
...				

Path\Filename

Listing 16.2.9 Vital Signs

<Arm>

Patient number	Visit	Date/ Time	Body Temperature (°C)	Weight (kg)	Systolic BP (mmHg)	Diastolic BP (mmHg)	Pulse rate (bpm)	Respirations (breaths/min)	Review	Comments
xxxxxxx	xxxxx	xxxxxxxxTxx:xx	xx	xx	xx	xx	xx		Normal/ Abnormal NCS/ Abnormal CS	xxxxxxxxx
	xxxxx	xxxxxxxxTxx:xx	xx	xx	xx	xx	xx		Normal/ Abnormal NCS/ Abnormal CS	xxxxxxxxx
	xxxxx	xxxxxxxxTxx:xx	xx	xx	xx	xx	xx		Normal/ Abnormal NCS/ Abnormal CS	xxxxxxxxx
…										

CS=Clinically Significant; NCS=Not Clinically Significant

Path\Filename

Listing 16.2.10 Physical Examination

<Arm>

Patient Number	Visit	Date	Body system	Status	Abnormality	Clinically Significant
xxxxxxx	xxxx	xxxxxx	xxxxxxxx	Normal/ Abnormal/ Not done/ Not Applicable	xxxxxxxxxxxxxxxxxxxxxxxxxx	Yes/ No
			xxxxxxxx	Normal/ Abnormal/ Not done/ Not Applicable	xxxxxxxxxxxxxxxxxxxxxxxxxx	Yes/ No
			xxxxxxxx	Normal/ Abnormal/ Not done/ Not Applicable		

…

CS=Clinically Significant; NCS=Not Clinically Significant

Path\Filename

Listing 16.2.11 12-Lead ECG

<Arm>

Patient Number	Visit	Date/Time	Heart rate (bpm)	PR Interval (msec)	RR Interval (msec)	QRS width (msec)	QT Interval (msec)	QTcF Interval (msec)	Investigator's Interpretation
xxxxxxx	xxxx	xxxxxxTxx:xx	xx	xx	xx	xx	xx	xx	Normal/ Abnormal NCS/ Abnormal CS
	xxxx	xxxxxxTxx:xx	xx	xx	xx	xx	xx	xx	Normal/ Abnormal NCS/ Abnormal CS
	xxxx	xxxxxxTxx:xx	xx	xx	xx	xx	xx	xx	Normal/ Abnormal NCS/ Abnormal CS

…

CS=Clinically Significant; NCS=Not Clinically Significant

Path\Filename

Listing 16.2.12 Prior and Concomitant Medications – (1)

<Arm>

Patient Number	Medication Name ATC4 PT	Indication	Dose	Unit	Frequency	Route	Start date (Stop date / Ongoing)
xxxxxxx	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxxxxxxxxxxxx (xxxxxxxxxxxxx)
	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxxxxxxxxxxxx (xxxxxxxxxxxxx)
	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxxxxxxxxxxxx (Ongoing)

…

WHO-DDE version <XXXX>.

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.12 Prior and Concomitant Medications – (2)

<Arm>

Patient Number	Medication Name ATC4 PT	Not Allowed Per Protocol	Prophylactic	Given for Pre-Existing Condition	Given for Adverse Event	Given as Pre-Medication for Gemcitabine	Given as Antipyretic Treatment Prior to Dosing?
xxxxxxx	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	Yes/ No	Yes/ No	Yes/ No	Yes/ No	Yes/ No	Yes/ No/ Not Applicable
	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	Yes/ No	Yes/ No	Yes/ No	Yes/ No	Yes/ No	Yes/ No/ Not Applicable
	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	Yes/ No	Yes/ No	Yes/ No	Yes/ No	Yes/ No	Yes/ No/ Not Applicable

…

WHO-DDE version <XXXX>.

Path\Filename

Programming Note: Please include (1) and (2) pages in one output, for every (1) page there will be a consecutive (2) page.

Listing 16.2.13 Pharmacodynamic Parameters

<Arm>

Patient Number	Visit	Date/Time	Parameter	Result	Unit
xxxxxxx	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx
	xxxxxxxx	xxxxxxxxTxx:xx	xxxxxxxxxx	xx	xxxx
...					

Path\Filename

Page x/y

Listing 16.2.14 COVID-19 Results

<Arm>

Patient Number	Visit	Date/Time	Where was the test Performed?	Result
xxxxxxx	xxxxxxxx	xxxxxxxxTxx:xx	At Study Site/ Other Test Center/ Test not performed	Positive/ Negative/ Indistinct
	xxxxxxxx	xxxxxxxxTxx:xx	At Study Site/ Other Test Center/ Test not performed	Positive/ Negative/ Indistinct
	xxxxxxxx	xxxxxxxxTxx:xx	At Study Site/ Other Test Center/ Test not performed	Positive/ Negative/ Indistinct
…				

Path\Filename

Listing 16.2.15 Left Ventricular Ejection Fraction Results

<Arm>

Patient Number	Visit	LVEF Performed	Date of Scan	Method	Result (%)
xxxxxxx	xxxxxxxx	Yes/ Not applicable (no clinical indication)	xxxxxxxx	Multigated Acquisition Scan/ ECHO	xx
	xxxxxxxx	Yes/ Not applicable (no clinical indication)	xxxxxxxx	Multigated Acquisition Scan/ ECHO	xx
	xxxxxxxx	Yes/ Not applicable (no clinical indication)	xxxxxxxx	Multigated Acquisition Scan/ ECHO	xx
…					

Path\Filename

Listing 16.2.16 ECOG Score

<Arm>

Patient Number	Visit	Date	Grade
xxxxxxx	xxxxxxxx	xxxxxxxx	0 (Fully active, able to carry on all pre-disease performance without restriction)/ 1 (Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light housework or office work)/ 2 (Ambulatory and capable of all self-care but unable to carry out any work activities. Up and about > 50% of waking hours)/ 3 (Capable of only limited self-care, confined to a bed or chair > 50% of waking hours)/ 4 (Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair)/ 5 (Dead)
	xxxxxxxx	xxxxxxxx	0 (Fully active, able to carry on all pre-disease performance without restriction)/ 1 (Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light housework or office work)/ 2 (Ambulatory and capable of all self-care but unable to carry out any work activities. Up and about > 50% of waking hours)/ 3 (Capable of only limited self-care, confined to a bed or chair > 50% of waking hours)/ 4 (Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair)/ 5 (Dead)
	xxxxxxxx	xxxxxxxx	0 (Fully active, able to carry on all pre-disease performance without restriction)/ 1 (Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light housework or office work)/ 2 (Ambulatory and capable of all self-care but unable to carry out any work activities. Up and about > 50% of waking hours)/ 3 (Capable of only limited self-care, confined to a bed or chair > 50% of waking hours)/ 4 (Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair)/ 5 (Dead)
…			

Listing 16.2.17 Fibroscan Results

<Arm>

Patient Number	Visit	Fibroscan Performed	Date of Scan	Result (kPa)
xxxxxxx	xxxxxxxx	Yes/ Not applicable (no clinical indication)	xxxxxxxx	xx
	xxxxxxxx	Yes/ Not applicable (no clinical indication)	xxxxxxxx	xx
	xxxxxxxx	Yes/ Not applicable (no clinical indication)	xxxxxxxx	xx
…				

Path\Filename

Listing 16.2.18 Subsequent Anticancer Treatment

<Arm>

Patient Number	Medication Name ATC4 PT	Indication	Dose	Unit	Frequency	Route	Start date (Stop date / Ongoing)	Reason Therapy Ended
xxxxxxx	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxxxxxxxxxxxx (xxxxxxxxxxxxx)	Death/ Therapy changed/ Other (*specify*)
	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxxxxxxxxxxxx (xxxxxxxxxxxxx)	Death/ Therapy changed/ Other (*specify*)
	xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx xxxxxxxxxxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxxxxxxxxxxxx (Ongoing)	Death/ Therapy changed/ Other (*specify*)

…

WHO-DDE version <XXXX>.

Path\Filename

P-VCNA-003 ddMMMyyyy HH:MM

Listing 16.2.19 Study Disease Diagnosis

<Arm>

Patient Number	Date of Diagnosis	Cancer Stage at Diagnosis	Source of Diagnosis	If Other, specify	Location of Primary Pancreatic Tumour	TNM Criteria (T)	TNM Criteria (N)	TNM Criteria (M)	Date of Metastatic Disease Diagnosis	Tumour Grade	Metastasis Location
xxxxxxx	xxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxx	xxx	xxxxxxx	xxx	xxxxxxx
	xxxxxxx						xxx	xxx	xxxxxxx	xxx	xxxxxxx
	xxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxx	xxx	xxxxxxx	xxx	xxxxxxx
	xxxxxxx						xxx	xxx	xxxxxxx	xxx	xxxxxxx
	xxxxxxx	xxxxxxx	xx	xxx	xxx	xxx	xxx	xxx	xxxxxxx	xxx	xxxxxxx

…

Path\Filename

Page x/y

16 APPENDICES

16.1 STUDY DESIGN

