Table 14.3.10 Study Drug Exposure and Compliance (Safety Analysis Set)

			Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Treatment duration (days)		n	xx	xx
		Mean	xx	xx
		STD	xx	xx
		Median	xx	xx
		Minimum	xx	xx
		Maximum	xx	xx
<*Treatment*> administration	Number of doses	n	xx	xx
		Mean	xx	xx
		STD	xx	xx
		Median	xx	xx
		Minimum	xx	xx
		Maximum	xx	xx
	Total dose administered (*unit*)	n	Xx	xx
		Mean	xx	xx
		…		
	Dose intensity (unit)	n	xx	xx
		Mean	xx	xx
		…		
	Relative dose intensity (%)	n	xx	xx
		Mean	xx	xx
		…		
	Dose prolongation[a]	Yes	xx xx (%)	xx xx (%)
		No	xx xx (%)	xx xx (%)

	Dose Interruption[a]	Yes	xx xx (%)	xx xx (%)
		No	xx xx (%)	xx xx (%)
	Dose Reduction[a]	Yes	xx xx (%)	xx xx (%)
		No	xx xx (%)	xx xx (%)
	Reason for dose reduction[a] [b]	xxxxxx	xx xx (%)	xx xx (%)
		xxxxxx	xx xx (%)	xx xx (%)
		xxxxxx	xx xx (%)	xx xx (%)
	Treatment compliance[c]	Mean	xx	xx
		STD	xx	xx
		Median	xx	xx
		Minimum	xx	xx
		Maximum	xx	xx

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N) unless otherwise specified below.
[a]: Represents number of events, number of patients with at least one event and percentage of patients with at least one event.
[b]: The denominator for each percentage is the number of patients with dose reduction.
[c]: Treatment compliance = percentage of injection administered (actual/planned).

Source: Listing 16.2.1.3, 16.2.1.4, 16.2.1.5, 16.2.1.6, 16.2.1.7
Path\Filename

Programming Note: Please present summaries by the following treatments: VCN-01, Nab-paclitaxel, Gemcitabine.
Please note that dose reduction is not applicable for VCN-01 administration, this category should be excluded for the treatment.