Table 14.3.4.6 Shift Table of Biochemistry Parameters (Safety Analysis Set)

<*Parameter (unit)*>

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS	xx (xx.x%)	xx (xx.x%)
Baseline	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	…		
<*Visit*>	n	xx	xx
	…		
Change from Baseline to <*Visit*>	n	xx	xx
	Normal -> Normal	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
…			

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.8.1
Path\Filename

Programming Note: This layout also applies to Table 14.3.4.7 Shift Table of Hematology Parameters (Safety Analysis Set), Table 14.3.4.8 Shift Table of Coagulation Parameters (Safety Analysis Set), Table 14.3.4.9 Shift Table of TSH (Safety Analysis Set) and Table 14.3.4.10 Shift Table of Urinalysis Parameters (Safety Analysis Set). Please update source listings.