Table 14.3.5.2 Shift Table of Vital Signs (Safety Analysis Set)

Visit		Arm I (Nab-paclitaxel and gemcitabine) (N=xx)	Arm II (VCN-01 with Nab-paclitaxel and gemcitabine) (N=xx)
Screening	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS	xx (xx.x%)	xx (xx.x%)
Baseline	n	xx	xx
	Normal	xx (xx.x%)	xx (xx.x%)
	...		
<*Visit*>	n	xx	xx
	...		
Change from Baseline to <*Visit*>	n	xx	xx
	Normal -> Normal	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Normal -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal NCS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Normal	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal NCS	xx (xx.x%)	xx (xx.x%)
	Abnormal CS -> Abnormal CS	xx (xx.x%)	xx (xx.x%)
...			

Percentage is the number of patients in the category (n) divided by the number of patients within the column (N).

Source: Listing 16.2.9
Path\Filename

Programming Note: This layout also applies to Table 14.3.7.2 Shift Table of 12-lead Electrocardiogram (Safety Analysis Set). Please update source listing.