



| |
|-------------|
| REF. NUMBER |
| ABM853 |

| | | | |
|-----------------------------|------------|--------------------------------|------|
| ISSUED FOR APPROVAL | | DESCRIPTION | |
| A | 10/03/2022 | REV # | DATE |
| REVISION AND ISSUE RECORD | | | |
| PROJECT | | LOCATION | |
| WACO HIGH SCHOOL | | 2020 N 42nd St, Waco, TX 76710 | |
| CUSTOMER | | ARCH/ENG | |
| Rogers O'Brien Const Co Inc | | O'CONNELL ROBERTSON | |

**ALAMO**
STRUCTURAL STEEL

2784 OLD DALLAS RD.
WACO, TEXAS 76705
PHONE: 254 799 2471
FAX: 254 799 6227

| BILL OF MATERIAL | | | | | | | | | |
|---------------------------|---------------|---------------|-----------|-----|--------------------|----------------|-----------|------------|--------------|
| SEQ | SHIPPING BILL | | SHOP BILL | | | | | | |
| | NO. | ERECTION Pcs. | MARK | NO. | SHAPE | MATERIAL GRADE | LENGTH | ASSY. MARK | REMARKS |
| 20 | 1 | | 20B198 | | BEAM | | | | SQ-1/BEV-1 |
| | | | | 1 | W14X22 | A992 | 9-2 1/16 | 20B198 | Red 220R-345 |
| | | | | 1 | PL3/8"X3 7/16" | A36 | 0-9 | p226 | |
| | | | | 1 | BPL1/4"X6 1/4" | A36 | 9-1 15/16 | pb100 | |
| | | | | 6 | 3/4Ø A325N_TC BOLT | | 0-1 3/4 | | Site |
| TOTAL WEIGHT THIS DRAWING | | | | | | | | | 254 |

| | | |
|-------------------|--------------|-----|
| FIELD CONN (U.N.) | HOLES (U.N.) | |
| 3/4 A325N_TC | 13/16" | |
| SURFACE PREP | SHOP PAINT | |
| SSPC-SP2 | Red 220R-345 | |
| DATE | DET | CHK |
| 10/03/2022 | MJC | AJM |
| JOB NO. | DRAWING NO. | |
| 32-22017 | 20B198 | |