






PREPARE SURFACES FOR
SLIP-CRITICAL CONN.
WHERE INDICATED.
DO NOT PAINT AREAS
OF SC CONNECTION.



Tokla Structures

E-SHEET REFERENCE				
MATERIAL (UNLESS NOTED)		A	10/04/2022	ISSUED FOR APPROVAL
A36		REV.	DATE	DESCRIPTION
		REVISION AND ISSUE RECORD		
SURFACE PREPARATION		 ALAMO STRUCTURAL STEEL 2784 OLD DALLAS RD. WACO, TEXAS 76705 PHONE: 254 798 2471 FAX: 254 798 6227		
SSPC-SP2				
SHOP PAINT				
Red 220R-345				
SHOP CONNECTIONS/ ELECTRODES		PROJECT: <u>WACO HIGH SCHOOL</u>		
WELDS/E70XX		CUSTOMER: <u>Rogers O'Brien Const Co Inc</u>		
		LOCATION: <u>2020 N 42nd St, Waco, TX 76710</u>		
		ARCH/ENG: <u>O'CONNELL ROBERTSON</u>		
		DETAILS: <u>COLUMN</u>		
FIELD CONNECTIONS (U.N.O.)	HOLES (U.N.O.)	DRAFTER: <u>WKB</u> DATE: <u>10/04/2022</u>		JOB NO.
3/4 A325N_TC	13/16"	CHECKER: <u>AJM</u> DATE: <u>10/04/2022</u>		DRWG. NO.
		PM: <u>Dwayne Reed</u>		
		32-22017		20C119