




Powiązania z innymi stronami — str. 3: api/schema; str. 4: CouponsApi, CustomersApi, useCoupons, useCustomers; str. 5: HierarchyPromotionsApi, useHierarchyPromotions; str. 6: PromotionsApi, ReportsApi, TechnicalUsersApi, usePromotions, useReports, useTechnicalUsers; str. 7: AppProvider, useAppContext; str. 8: CouponsSection, CustomerBalancePanel, CustomersSection, HierarchyPromotionsSection; str. 9: StorePromotionsSection, ToolsSection; str. 10: CustomerDetailsModal

typ dziedziny

typ interfejsu

kontrakt hooka

hook


komponent

moduł


typ wyliczeniowy

infrastruktura


element z innej strony



Powiązania z innymi stronami — str. 3: api/schema; str. 4: AuthApi, CouponsApi, CustomersApi, useApiErrorMessage, useAuth, useCoupons i 1 dalszych; str. 5: HierarchyPromotionsApi, useHierarchyPromotions; str. 6: PromotionsApi, ReportsApi, TechnicalUsersApi, usePromotions, useReports, useTechnicalUsers; str. 7: App, AppContextValue, AppProvider, AppShell, ErrorBoundary, RouteDefinition i 2 dalszych; str. 8: AddPointsSection, CouponsSection, CustomerBalancePanel, CustomersSection, HierarchyPromotionsSection; str. 9: LoginView, StorePromotionsSection, ToolsSection; str. 10: CustomerDetailsModal; str. 11: TranslationKey; str. 12: lib/validation



Powiązania z innymi stronami — str. 1: AuditLogEntry, Coupon, CouponTemplate, Customer, CustomerTransaction, HierarchyPromotion i 3 dalszych; str. 2: PurchaseHistorySeries; str. 4: AuthApi, useApiErrorMessage, useAuth, useCoupons, useCustomers; str. 5: useHierarchyPromotions; str. 6: usePromotions, useReports, useTechnicalUsers; str. 7: AppProvider, RouteDefinition, routes, useAppContext



Powiązania z innymi stronami — str. 1: Coupon, CouponTemplate, Customer, CustomerTransaction; str. 2: CouponFormState, CouponTemplateFormState, CustomerEditFormState, NewCustomerFormState, PurchaseHistorySeries, StateSetter i 1 dalszych; str. 3: AuthRole, ResponseShapeError, api/client, api/errors, api/schema; str. 5: useHierarchyPromotions; str. 6: usePromotions, useReports, useTechnicalUsers; str. 7: App, AppContextValue, AppProvider, useAppContext; str. 11: TranslationKey; str. 12: lib/numbers


```
classDiagram
    class useModalA11y {
        <<hook>>
        useModalA11y(isOpen, onClose) : void
    }
    class useHierarchyPromotions {
        <<hook>>
        useHierarchyPromotions(t) : HierarchyPromotionsApi
    }
    class HierarchyPromotionsApi {
        <<typ>>
        hierarchyPromotions : HierarchyPromotion[]
        loading : boolean
        error : string | null
        setError : StateSetter<string | null>
        fetchHierarchyPromotions() : Promise<void>
        ensureHierarchyPromotions() : Promise<void>
        saveHierarchyPromotion() : Promise<boolean>
        toggleHierarchyPromotion() : Promise<boolean>
    }
    useHierarchyPromotions --> HierarchyPromotionsApi
```


The diagram illustrates the relationship between three classes:

- useModalA11y** (hook):
 - Method: `useModalA11y(isOpen, onClose) : void`
- useHierarchyPromotions** (hook):
 - Method: `useHierarchyPromotions(t) : HierarchyPromotionsApi`
- HierarchyPromotionsApi** (typ):
 - Attributes:
 - `hierarchyPromotions : HierarchyPromotion[]`
 - `loading : boolean`
 - `error : string | null`
 - `setError : StateSetter<string | null>`
 - Methods:
 - `fetchHierarchyPromotions() : Promise<void>`
 - `ensureHierarchyPromotions() : Promise<void>`
 - `saveHierarchyPromotion() : Promise<boolean>`
 - `toggleHierarchyPromotion() : Promise<boolean>`

An arrow points from **useHierarchyPromotions** to **HierarchyPromotionsApi**, indicating that **useHierarchyPromotions** depends on or uses **HierarchyPromotionsApi**.

typ dziedziny
typ interfejsu
kontrakt hooka
hook
komponent
moduł
typ wyliczeniowy
infrastruktura
element z innej strony





Powiązania z innymi stronami — str. 1: Coupon; str. 2: Tab, Theme, Translator; str. 3: AuthRole, api/client; str. 4: CouponsApi, CustomersApi, useAuth, useCoupons, useCustomers; str. 5: HierarchyPromotionsApi, useHierarchyPromotions; str. 6: PromotionsApi, ReportsApi, TechnicalUsersApi, usePromotions, useReports, useTechnicalUsers; str. 8: AddPointsSection, CouponsSection, CustomerBalancePanel, CustomersSection, HierarchyPromotionsSection; str. 9: LoginView, ReportsAuditSection, StorePromotionsSection, ToolsSection; str. 10: CountrySelect, CustomerDetailsModal, ErrorBoundaryState, FieldMessage, ModalShell; str. 11: Formatters, Language, PluralTranslationKey, TranslationKey

src/components

c

«komponent»
AddPointsSection

● AddPointsSection() : JSX.Element

c

«komponent»
CouponsSection

● CouponsSection() : JSX.Element

c

«komponent»
CustomerBalancePanel

□ customer : Customer

□ history : PurchaseHistorySeries

□ transactions : CustomerTransaction[]

● CustomerBalancePanel({...}) : JSX.Element

c

«typ»
CustomerView

'browse' | 'add' | null

c

«komponent»
CustomersSection

● CustomersSection() : JSX.Element

c

«komponent»
HierarchyPromotionsSection


● HierarchyPromotionsSection() : JSX.Element

c


«typ»
PromotionView (HierarchyPromotionsSection)

'create' | 'browse' | null


Powiązania z innymi stronami — str. 1: Coupon, Customer, CustomerTransaction, HierarchyPromotion; str. 2: CouponFormState, CouponTemplateFormState, HierarchyPromotionFormState, NewCustomerFormState, NewPointsFormState, PurchaseHistorySeries; str. 7: useAppContext; str. 9: PromotionsPage; str. 10: CountrySelect, CustomerDetailsModal, FieldMessage, ModalShell; str. 12: FieldErrors, lib/validation




Powiązania z innymi stronami — str. 1: StorePromotion, TechnicalUser; str. 2: PromotionFormState, TechnicalUserFormState, Theme, Translator; str. 7: App, useAppContext; str. 8: HierarchyPromotionsSection; str. 10: CountrySelect, FieldMessage, ModalShell; str. 12: FieldError, FieldErrors, lib/validation



Powiązania z innymi stronami — str. 1: Coupon, Customer, CustomerTransaction; str. 2: CustomerCouponFormState, CustomerEditFormState, CustomerModalTab, PurchaseHistorySeries; str. 5: useModalA11y; str. 7: ErrorBoundary, useAppContext; str. 8: AddPointsSection, CouponsSection, CustomerBalancePanel, CustomersSection, HierarchyPromotionsSection; str. 9: StorePromotionsSection, ToolsSection; str. 12: FieldError, FieldErrors, lib/validation



Powiązania z innymi stronami — str. 2: Translator; str. 4: ApiErrorMessage, useApiErrorMessage; str. 7: App, AppContextValue, AppHeader, AppProvider, RouteDefinition, routes i 1 dalszych; str. 12: FieldError, lib/validation



Powiązania z innymi stronami — str. 2: CouponFormState, CouponTemplateFormState, CustomerEditFormState, HierarchyPromotionFormState, NewCustomerFormState, NewPointsFormState i 2 dalszych; str. 4: useCoupons, useCustomers; str. 5: useHierarchyPromotions; str. 6: usePromotions; str. 8: AddPointsSection, CouponsSection, CustomersSection, HierarchyPromotionsSection; str. 9: StorePromotionsSection, ToolsSection; str. 10: CustomerDetailsModal, FieldMessage; str. 11: TranslationKey