Homework GIT [Izabela Wójs]

Link to your GitHub: https://github.com/wojsizag3

1.In your project: Yourgroup-Yournamesurname switch to new branch dodaj_ustawienia_testowe

```
wojsi@Izabela MINGW64 ~ (main)
$ cd QA-IzabelaWojs
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs
$ git branch dodaj_ustawienia_testowe
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs
$ touch settings.md
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs
$ nano
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs
$ shape
```

2. Create a file settings.md with text which is below:

- 1. Wprowadzony link aktualizuje zdjęcie użytkownika.
- 2. Użytkownik ma możliwość aktualizacji nazwy.
- 3. Dozwolone jest wprowadzenie 200 znaków.
- 4. Nowy adres e-mail nie jest używany w poprzednich rejestracjach.
- 5. Minimalna długość nowego hasła wynosi 8 znaków.
- 6. Sprawdź poprawność gramatyczną.
- 7. Minimalna długość symboli hasła wynosi 8 znaków.
- 8. Użytkownik jest wylogowany i przekierowany do strony głównej jako gość.


```
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs (dodaj_ustawienia_testowe)
$ touch settings.md

wojsi@Izabela MINGW64 ~/QA-IzabelaWojs (dodaj_ustawienia_testowe)
$ git add settings.md

wojsi@Izabela MINGW64 ~/QA-IzabelaWojs (dodaj_ustawienia_testowe)
$ git status
On branch dodaj_ustawienia_testowe
Your branch is up to date with 'origin/dodaj_ustawienia_testowe'.

nothing to commit, working tree clean

wojsi@Izabela MINGW64 ~/QA-IzabelaWojs (dodaj_ustawienia_testowe)
$ |
```



3. Check your status. You should be on the new branch "dodaj_ustawienia_testowe"

4. Add your file to the index


5. Create commit with message: dodaj_ustawienia_testowe


6.Send your change to the remote repository

```
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs (dodaj ustawienia testowe)
$ git push --set-upstream origin dodaj_ustawienia_testowe
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 621 bytes | 621.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'dodaj ustawienia testowe' on GitHub by visiting:
            https://github.com/wojsiza93/QA-IzabelaWojs/pull/new/dodaj ustawienia testo
remote:
remote:
To https://github.com/wojsiza93/QA-IzabelaWojs.git
                     dodaj ustawienia testowe -> dodaj ustawienia testowe
* [new branch]
branch 'dodaj ustawienia testowe' set up to track 'origin/dodaj ustawienia testowe'.
wojsi@Izabela MINGW64 ~/QA-IzabelaWojs (dodaj ustawienia testowe)
```

7. Go to the address in terminal link and create pull request

dodaj_ustawienia_testowe #1





♀ ProTip! Updated in the last three days: updated:>2024-03-11.

8. Then you should click merge pull request

