Name collision removal procedure for Multi-build

Files Converted from Standard PD release for multi-build.

PD Standard Name	Multi-build Name	String Replacement List
Ilpwin32.c	mlpwin32.c	A
ownet.c	mownet.c	A
owtran.c	mowtran.c	A
pseswin32.c	mpsesw32.c	A
owllu.c	mowllu.c	В
ownetu.c	mownetu.c	В
owsesu.c	mowsesu.c	В
owtrnu.c	mowtrnu.c	В
win32lnk.c	mwn32lnk.c	В
ds2480.h	mds2480.h	В
ds2480ut.c	m2480ut.c	В
crcutil.c	mcrcutil.c	В
owerr.c	mowerr.c	В
usbwlnk.c	musbwlnk.c	С
usbwnet.c	musbwnet.c	С
usbwses.c	musbwses.c	С
usbwtran.c	musbwtrn.c	С
ds2490ut.c	m2490ut.c	С

Files included without change from PD release

ds2490.h	
Sacwd32.c	
Sacwd32.h	
UTDLL.H	

New files included for the multi-build

Sting Replacement List A

Find	Donloss
	Replace
owFirst(owFirst_DS9097U(
owNext(owNext_DS9097U(
owSerialNum(owSerialNum_DS9097U(
owFamilySearchSetup(owFamilySearchSetup_DS9097U(
owSkipFamily(owSkipFamily_DS9097U(
owAccess(owAccess_DS9097U(
owVerify(owVerify_DS9097U(
owOverdriveAccess(owOverdriveAccess_DS9097U(
owAcquire(owAcquire_DS9097U(
owRelease(owRelease_DS9097U(
owTouchReset(owTouchReset_DS9097U(
owTouchBit(owTouchBit_DS9097U(
owTouchByte(owTouchByte_DS9097U(
owWriteByte(owWriteByte_DS9097U(
owReadByte(owReadByte_DS9097U(
owSpeed(owSpeed_DS9097U(
owLevel(owLevel_DS9097U(
owProgramPulse(owProgramPulse_DS9097U(
owWriteBytePower(owWriteBytePower_DS9097U(
owReadBytePower(owReadBytePower_DS9097U(
owHasPowerDelivery(owHasPowerDelivery_DS9097U(
owHasProgramPulse(owHasProgramPulse_DS9097U(
owHasOverDrive(owHasOverDrive_DS9097U(
owReadBitPower(owReadBitPower_DS9097U(
owReadBytePower(owReadBytePower_DS9097U(
owBlock(owBlock_DS9097U(
owProgramByte(owProgramByte_DS9097U(
msDelay(msDelay_DS9097U(
msGettick(msGettick_DS9097U(
FAMILY_CODE_04_ALARM	UFAMILY_CODE_04_ALARM
"ownet.h"	"mownet.h"
"ds2480.h"	"mds2480.h"

Sting Replacement List B

Find	Replace
owFirst(owFirst DS1410E(
owNext(owNext_DS1410E(
owSerialNum(owSerialNum DS1410E(
owFamilySearchSetup(owFamilySearchSetup_DS1410E(
owSkipFamily(owSkipFamily_DS1410E(
owAccess(owAccess DS1410E(
owVerify(owVerify DS1410E(
owOverdriveAccess(owOverdriveAccess_DS1410E(
owAcquire(owAcquire_DS1410E(
owRelease(owRelease DS1410E(
owTouchReset(owTouchReset_DS1410E(
owTouchBit(owTouchBit_DS1410E(
owTouchByte(owTouchByte_DS1410E(
owWriteByte(owWriteByte_DS1410E(
owReadByte(owReadByte_DS1410E(
owSpeed(owSpeed_DS1410E(
owLevel(owLevel_DS1410E(
owProgramPulse(owProgramPulse_DS1410E(
owWriteBytePower(owWriteBytePower_DS1410E(
owReadBytePower(owReadBytePower_DS1410E(
owHasPowerDelivery(owHasPowerDelivery_DS1410E(
owHasProgramPulse(owHasProgramPulse_DS1410E(
owHasOverDrive(owHasOverDrive_DS1410E(
owReadBitPower(owReadBitPower_DS1410E(
owReadBytePower(owReadBytePower_DS1410E(
owBlock(owBlock_DS1410E(
owProgramByte(owProgramByte_DS1410E(
msDelay(msDelay_DS1410E(
msGettick(msGettick_DS1410E(
FAMILY_CODE_04_ALARM	LFAMILY_CODE_04_ALARM
"ownet.h"	"mownet.h"

Sting Replacement List C

Find	Replace
owFirst(owFirst DS9490(
owNext(owNext DS9490(
owSerialNum(owSerialNum DS9490(
owFamilySearchSetup(owFamilySearchSetup_DS9490(
owSkipFamily(owSkipFamily_DS9490(
owAccess(owAccess_DS9490(
owVerify(owVerify_DS9490(
owOverdriveAccess(owOverdriveAccess_DS9490(
owAcquire(owAcquire_DS9490(
owRelease(owRelease_DS9490(
owTouchReset(owTouchReset_DS9490(
owTouchBit(owTouchBit_DS9490(
owTouchByte(owTouchByte_DS9490(
owWriteByte(owWriteByte_DS9490(
owReadByte(owReadByte_DS9490(
owSpeed(owSpeed_DS9490(
owLevel(owLevel_DS9490(
owProgramPulse(owProgramPulse_DS9490(
owWriteBytePower(owWriteBytePower_DS9490(
owReadBytePower(owReadBytePower_DS9490(
owHasPowerDelivery(owHasPowerDelivery_DS9490(
owHasProgramPulse(owHasProgramPulse_DS9490(
owHasOverDrive(owHasOverDrive_DS9490(
owReadBitPower(owReadBitPower_DS9490(
owReadBytePower(owReadBytePower_DS9490(
owBlock(owBlock_DS9490(
owProgramByte(owProgramByte_DS9490(
msDelay(msDelay_DS9490(
msGettick(msGettick_DS9490(
FAMILY_CODE_04_ALARM	SFAMILY_CODE_04_ALARM
"ownet.h"	"mownet.h"