

# SecureSentinel - Security Audit Report

Generated on: 2026-01-31 02:12:20

**Executive Summary:**

- Total Security Incidents: 32
- Fire/Hazard Alerts: 21
- Network DDoS Attempts: 11
- Crypto-Mining Events: 0

Timestamp	Event Type	Value	Status
2026-01-31 02:11:04.276510	FIRE DETECTED	Gas: 1209	CRITICAL
2026-01-31 02:11:03.081427	FIRE DETECTED	Gas: 1565	CRITICAL
2026-01-31 02:11:02.306770	FIRE DETECTED	Gas: 1853	CRITICAL
2026-01-31 02:11:01.267676	FIRE DETECTED	Gas: 1701	CRITICAL
2026-01-31 02:11:00.161371	FIRE DETECTED	Gas: 1941	CRITICAL
2026-01-31 02:10:59.143032	FIRE DETECTED	Gas: 1336	CRITICAL
2026-01-31 02:10:58.114535	FIRE DETECTED	Gas: 1502	CRITICAL
2026-01-31 02:10:57.348227	FIRE DETECTED	Gas: 1502	CRITICAL
2026-01-31 02:10:56.161778	FIRE DETECTED	Gas: 1608	CRITICAL
2026-01-31 02:10:55.297800	FIRE DETECTED	Gas: 1246	CRITICAL
2026-01-31 02:10:54.086901	FIRE DETECTED	Gas: 1768	CRITICAL
2026-01-31 02:10:48.140426	FIRE DETECTED	Gas: 1721	CRITICAL
2026-01-31 02:10:47.089350	FIRE DETECTED	Gas: 1337	CRITICAL
2026-01-31 02:10:46.136826	FIRE DETECTED	Gas: 1981	CRITICAL
2026-01-31 02:10:45.141842	FIRE DETECTED	Gas: 1689	CRITICAL
2026-01-31 02:10:44.126452	FIRE DETECTED	Gas: 1683	CRITICAL
2026-01-31 02:10:43.087002	FIRE DETECTED	Gas: 1813	CRITICAL

2026-01-31 02:10:42.104827	FIRE DETECTED	Gas: 1738	CRITICAL
2026-01-31 02:10:41.066360	FIRE DETECTED	Gas: 1398	CRITICAL
2026-01-31 02:10:40.121897	FIRE DETECTED	Gas: 1595	CRITICAL