An Introduction to CSS

Faris Mohammed & 'Wole Solana

April 20, 2015

ThoughtWorks®

What is CSS?

What is CSS?

- Cascading Style Sheets is a programming language used to modify the how the design of a web page written in HTML looks and is formatted. It is the *"prettifier"* of our webpages.

What is CSS?

- Cascading Style Sheets is a programming language used to modify the how the design of a web page written in HTML looks and is formatted. It is the *"prettifier"* of our webpages.
- You can write your own CSS file, describing how you want the different HTML elements on your page to look like or...

What is CSS?

- Cascading Style Sheets is a programming language used to modify the how the design of a web page written in HTML looks and is formatted. It is the *"prettifier"* of our webpages.
- You can write your own CSS file, describing how you want the different HTML elements on your page to look like or...
- You can use some CSS frameworks which are readily available online and add it to your project.

What is CSS?

- Cascading Style Sheets is a programming language used to modify the how the design of a web page written in HTML looks and is formatted. It is the *"prettifier"* of our webpages.
- You can write your own CSS file, describing how you want the different HTML elements on your page to look like or...
- You can use some CSS frameworks which are readily available online and add it to your project.
- You can then add some custom design and formatting as required.

What is CSS?

- Cascading Style Sheets is a programming language used to modify the how the design of a web page written in HTML looks and is formatted. It is the *"prettifier"* of our webpages.
- You can write your own CSS file, describing how you want the different HTML elements on your page to look like or...
- You can use some CSS frameworks which are readily available online and add it to your project.
- You can then add some custom design and formatting as required.
- Beware with "overcustomization" of frameworks imported into your project. Customization should be done sparingly.

Some CSS frameworks

Some CSS frameworks

There are quite a number of CSS frameworks online that you can add to your project. Some of these include:

- Bootstrap CSS: `http://getbootstrap.com/`

Some CSS frameworks

There are quite a number of CSS frameworks online that you can add to your project. Some of these include:

- Bootstrap CSS: `http://getbootstrap.com/`
- Zurb: `http://foundation.zurb.com/`

Some CSS frameworks

There are quite a number of CSS frameworks online that you can add to your project. Some of these include:

- Bootstrap CSS: `http://getbootstrap.com/`
- Zurb: `http://foundation.zurb.com/`
- Kube: `http://imperavi.com/kube/`

Some CSS frameworks

There are quite a number of CSS frameworks online that you can add to your project. Some of these include:

- Bootstrap CSS: `http://getbootstrap.com/`
- Zurb: `http://foundation.zurb.com/`
- Kube: `http://imperavi.com/kube/`
- Pure CSS: `http://purecss.io/`

Some CSS frameworks

There are quite a number of CSS frameworks online that you can add to your project. Some of these include:

- Bootstrap CSS: `http://getbootstrap.com/`
- Zurb: `http://foundation.zurb.com/`
- Kube: `http://imperavi.com/kube/`
- Pure CSS: `http://purecss.io/`
- You can search online for other frameworks and how to add them to your app

Adding CSS to your project

Adding CSS to your project

- Create a ‘‘`static`’’ folder.

Adding CSS to your project

- Create a ‘‘`static`’’ folder.
- In it, place the folders from whatever CSS framework you have decided to use so your file structure looks something like the diagram on the right.

Adding CSS to your project

- Create a ‘‘`static`’’ folder.
- In it, place the folders from whatever CSS framework you have decided to use so your file structure looks something like the diagram on the right.
- Import the file path(s) into your HTML `header` and `script` blocks and add the line to your html views:

```
{% load staticfiles %}.
```

Adding CSS to your project

- Create a ‘‘`static`’’ folder.
- In it, place the folders from whatever CSS framework you have decided to use so your file structure looks something like the diagram on the right.
- Import the file path(s) into your HTML `header` and `script` blocks and add the line to your html views:

```
{% load staticfiles %}.
```

Adding CSS to your project

- Create a ‘‘`static`’’ folder.
- In it, place the folders from whatever CSS framework you have decided to use so your file structure looks something like the diagram on the right.
- Import the file path(s) into your HTML `header` and `script` blocks and add the line to your html views:

```
{% load staticfiles %}.
```

```
1 -- static
        -- css
3       -- img
        -- js
```

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.
- There are other implementations of javascript that are widely used in creating web apps including

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.
- There are other implementations of javascript that are widely used in creating web apps including
  - Angular (`https://angularjs.org/`),

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.
- There are other implementations of javascript that are widely used in creating web apps including
  - Angular (`https://angularjs.org/`),
  - Ember (`http://emberjs.com/`),

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.
- There are other implementations of javascript that are widely used in creating web apps including
  - Angular (`https://angularjs.org/`),
  - Ember (`http://emberjs.com/`),
  - Knockout (`http://knockoutjs.com/`), and

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.
- There are other implementations of javascript that are widely used in creating web apps including
  - Angular (`https://angularjs.org/`),
  - Ember (`http://emberjs.com/`),
  - Knockout (`http://knockoutjs.com/`), and
  - Backbone (`http://backbonejs.org/`) JS.

Why Javascript?

- *Javascript* (not *Java*) is a dynamic programming language, and is commonly used in web browsers for client side scripting of user interactions.
- There are other implementations of javascript that are widely used in creating web apps including
  - Angular (`https://angularjs.org/`),
  - Ember (`http://emberjs.com/`),
  - Knockout (`http://knockoutjs.com/`), and
  - Backbone (`http://backbonejs.org/`) JS.
- Javascript is also used for some server side applications. NodeJS (`https://nodejs.org/`) is widely used in that regard.

Further Reading