
Architecture

One container: a TypeScript backend that holds the token, syncs from Vikunja, computes rollups, and serves a Vue SPA. A small SQLite file stores daily snapshots so burn-up history becomes exact from day one of deployment.


The token never leaves the server; Vikunja stays the source of truth



architecture · one container, read-only to Vikunja


The browser only talks to the dashboard server; the server alone holds the token and reads Vikunja.

Layer	Choice	Why
Runtime	Node 22 LTS, TypeScript strict	Matches existing skills; one language end to end
HTTP server	Fastify	Small, typed, serves API + static SPA
Frontend	Vue 3 + Vite, Composition API	Same framework as Vikunja's frontend
Charts	Apache ECharts	Fully open (Apache-2.0), handles burn-up and stacked bars well
Storage	SQLite via better-sqlite3	Snapshots only; Vikunja stays the source of truth



epic cards · segmented bucket bars, tooltip shown on hover

Every card uses the same bucket colours, so a wall of grey backlog on one card versus green on another reads at a glance.




epic overview list · points and tasks per epic, plus the No epic bucket

The list trades the bucket breakdown for density: one line per epic, with the unassigned "No epic" work kept in view at the bottom.

Epic detail: scope grew from 20 to 34 points while 13 got done

Epics / Inventory system · In progress · 9 / 21 tasks · 3 unpointed




All buckets | Open + done | Pointed + unpointed

Ref	Title	Bucket	Pts	Status
#42	Item stacking rules	In progress	3	open
#57	Drag and drop between slots	Review	5	open
#61	Inventory save format	To do	?	open · unpointed
#38	Grid layout	Done	5	done Oct 14
#40	Slot hover tooltip	Done	2	done Oct 9

epic detail · burn-up with approximate history shaded, member task table

The gap between the dashed scope line and the completed line is the remaining work; a rising scope line is scope creep, visible even when the percentage looks steady.



hygiene · label problems grouped by type, each linking to the task

The hygiene view is the to-do list for tagging the existing ~1k tickets; its counts trending to zero is how you know the dashboard's numbers can be trusted.

Config, deployment, security

All configuration is environment variables, validated with zod at startup; the app refuses to start on an invalid config.

Variable	Default	Purpose
`VIKUNJA_API_URL`	(required)	Base URL the server uses to reach Vikunja, e.g. `http://vikunja:3456` on the compose network
`VIKUNJA_PUBLIC_URL`	= API URL	Base URL for task deep links in the browser
`VIKUNJA_TOKEN`	(required)	Read-only API token; never sent to the browser