1/30/2012 Announcements Another Session Spro in] - To Submit, open a well-browser in nx

Kecap -araphics a types: float, int, string, list, Inple + methods

Danitons Object: instance of a class way to pair data at methods in a meaningful way Mutable: changeable (objects) Immutable: non-changable

Int, strings, tupler

x=x+y

Print (from a script) waitlist = ['Eric', 'Sam', 'Vanessa'] print wait list. pop() your table is ready, print went list pop() +', your table is ready) Comma inserts a space each prints also gives a newline to avoid newline, and with comma

Printing non strings print 'There are', waitlist. index ('Vanessa'),
'people ahead of Vanessa' - 'Current list | n - - - - - - | n' + 'In'. join (wait list)

To prompt for user input to a file, use raw input pant "Hello, what is your name?"
name = naw_input (1) Print 'Hi', name + 1/ fix () (use + to avoid spaces: name +'!) (Can also avoid separate print statement

Input with non strings age = Intraw_inprt('What is your age?'))

Print 'Soon you will be', (age+1) ¿ (2 issues) Draw-input returns a string

Comments Use # to block out line tren few lines indicate what your program should do. Write a program to change a date from format: 03-27-1980 to format: March 27, 1986 User input Convert to other formet

Practice Problems (if time)
Take a s