Note Tit	15150 - More Tkinter 1e
Note III	Announcements.
_	HW is due tomorrow
	- New HW up today (take a look at it lover the weekend- no extentions on this one!)
	no extentions on this one!
	May work with new partner (which I recommend)
	Office hours today 10-11

Making GUT's. We've seen several examples: - Buttons -Scrolled Listbars - Eventz Steps: root = Tk(root main loop () Adds the widget to the window.

(See example TKEdit.py)

Always packs it in the indicated
Fashion. Somewhat limited in terms of layout capabilities.

Grid layout Lets you specify where it will go in row/column layout.

Also is easy to specify non-square buttons -/ where columnspen or row span See Tk Buttons, py

Geometry Layout Lets you specify exact positions (more like colgraphics)

Sea The Places Py

Having more windows
Can have actions create + destroy extra windows.
destroy extra windows.
Our example: (tk2win.py)
· · ·
- Creates a window in the main
- Creates a window in the main Script. A bottom in that window calls a function.
window calls a function.
- that function creates an instance
of a class, which incres c
- that function creates an instance of a class which makes a second window (using Toplenel)
Toplevel - libe frame, but new window.

Text Widget

This is an internal text editor.

Lets the user enter fext, which
you can then 'grab'.

Ex: TkText. Py

Final Example: Stopwatch
Two classes:
- First tracks date
- Second makes the window

7: email to me by end of class! - Some action to happen. (so each widget has a command, + Command calls a function),