

• DDice •

A Chronicle of Commands for the Tabletop Herald

— Contents —

Dice Rolling	2
HP & Healing (Player)	4
Loremaster Commands	5
Character & Profile	6
Config & Maintenance	8
NPC System	9
Fight System	10

Dice Rolling

Type dice notation directly or use any prefix style (r, !r, !roll):

1d20	(bare notation — no prefix needed)
r1d20+5	
r1d20+5 atk	(label shows in bold above result)
r1d20+5 atk [flavour text on next line]	(supports <i>italic</i> and bold)

Advantage & Disadvantage

ra1d20+5	(rolls twice, takes higher)
rd1d20+5	(rolls twice, takes lower)

Rerolls (Player)

rr	(costs 1 token)
rra	(reroll with advantage)
rrd	(reroll with disadvantage)

Shorthand: append a reroll set to a stat — **strrr**, **dexrra** (adv), **conrrd** (dis) — to reroll your last roll. A label may follow: **strrr atk**.

Stat Quick Rolls

str con dex wis lck	(r prefix optional · add a label e.g. str atk)
--	--

Rolls 1d20 + that stat from your saved character. Type the stat on its own (no prefix) or keep the **r** prefix.

? Success Check Rolls

Prefix **?** instead of **r** to get a success outcome:

?1d20+5 **?ra1d20+5** **?rd1d20+5** **?rr** **?rra** **?rrd**

Result	Outcome
Natural 20 / max face	Critical Success (gold)
Natural 1 / min face	Critical Fail (red)
Total 15+	Success
Total 10-14	Partial Success
Total 2-9	Fail

Critical Hits & Fails (all rolls)

Natural max on any die → gold label + result.

Natural 1 on any die → red label + result.

HP & Healing (Player)

!hp +5

!hp -3

Heal (White Knight + WIS 5 only)

Targets another player — cannot self-heal.

!heal @user

!h @user

Roll Result	Effect	Charges Used
Natural 20	+2 HP restored	None
20+ (modified)	+2 HP restored	1
2 - 19	No heal	1
Natural 1	No heal	2

Rest Commands (Player)

Append **@user** to any command for Loremaster targeting. Default amounts shown — Loremasters can change them with **/config rest**.

Command	HP	Rerolls	Heal Charges
lrest	Full	Full	Full
srest	Half	—	—
hpfull	Full	—	—
hphalf	Half	—	—

Short rest restores HP only by default. A Loremaster can re-enable rerolls/heal or change any amount.

Loremaster Commands

All commands in this chapter require the GM role.

Loremaster Rolls

<code>gmr 1d20+5</code>	<i>(public roll in channel)</i>
<code>gmr 1d20+5 perception</code>	<i>(with label)</i>
<code>gmrs 1d20+5</code>	<i>(secret — sent to Loremaster DMs only)</i>
<code>gmrs 1d20+5 stealth</code>	

Loremaster HP & Rerolls Targeting

```
!hp @user +5      !hp @user -3
!hp +5 @user      !hp -3 @user
!rerolls @user +1  !rerolls @user -1
```

Loremaster Rest Targeting

```
lrest @user  srest @user  hpfull @user  hphalf
@user
```

Preset Tags

```
/tag assign user:@player tag:Hero of Kalidale
/tag assign user:@player tag:Expeditioners
/tag remove user:@player tag:Hero of Kalidale
/tag list user:@player
```

Custom Tags

```
/tag custom action:Create emoji:[any emoji]
name:MyTag

/tag custom action:Create
  emoji:<:emojiname:123456789012345678> name:MyTag

/tag custom action>Delete name:MyTag

/tag custom action:List
```

For server emojis: type `\:emojiname:` in chat to get the full ID.

Character & Profile

Stats

```
/char set field:str value:14
/char set field:con value:12 (HP auto-maxes to CON + 2)
/char set field:dex value:10
/char set field:wis value:5
/char set field:lck value:3 (rerolls auto-max to LCK)
/char set field:str value:14 user:@player (Loremaster only)
```

Knight Orders

```
/char set field:order value:White Knight
/char set field:order value:Black Knight
/char set field:order value:Gold Knight
/char set field:order value:Grey Knight
/char set field:order value:Blue Knight
/char set field:order value:Purple Knight
/char set field:order value:Green Knight
/char set field:order value:Red Knight
```

Class, Weapons & Emojis

```
/char set field:class value:Hero (Hero / Vanguard / Defender / Siege Knight)
/char set field:weapon1 value:Longsword
/char set field:weapon2 value:Tower Shield
/char weaponemoji slot:Weapon 1 emoji:[choose] (standard emoji dropdown)
/char weaponemoji slot:Weapon 1 custom::sword: (paste a server emoji)
```

Standard emoji choices (shown in the dropdown): crossed-swords, dagger, bow, trident, pickaxe, shield, and wand.

Pick a standard emoji from the dropdown, or paste one of your server's custom emojis in the "custom" field (it overrides the dropdown). Custom emojis render on the text sheet and roll cards; the image export falls back to a sword glyph for them.

Bulk Setup (everything at once)

```
/char create str:14 con:12 dex:10 wis:5 lck:3 \
  order:White Knight class:Hero \
  weapon1:Longsword weapon1emoji:[swords] \
  weapon2:Tower Shield weapon2emoji:[shield]
```

View & Export

```

/char show          /char show user:@player
/char export        /char export format:Image
/char export user:@player
/char export format:Image user:@player

```

Profile

```

/profile on      /p on                (enable embed, max HP +
                                         rerolls)
/profile off     /p off                (disable embed, plain text rolls)
/profile show    /p show              (preview card without rolling)
/profile save mysave                (snapshot current state)
/profile load mysave                (restore snapshot in any
                                         channel)
/profile saves                    (list all saved snapshots)

```

Stat Info

```

/stat                (show all stat descriptions)

```

Sheet Import

Paste an exported sheet into any channel the bot watches.

```

[paste sheet into channel]          (player)
[paste sheet] @player              (Loremaster importing for
                                         another player)

```

Derived Stats

Stat	Formula	On change
Max HP	CON + 2	HP always maxes
Max Rerolls	LCK	Rerolls always max
Heal tracker	White Knight + WIS $\geq$ 5	Appears / disappears automatically

Config & Maintenance

Config (Admin only)

<code>/config gmrole @role</code>	
<code>/config heal charges 3</code>	
<code>/config npcchannel #channel</code>	(set the NPC image bank channel)
<code>/config npcreroll threshold:8</code>	(NPC auto-reroll on $\text{nat} \leq N - 0$ disables)
<code>/config rest type:Short Rest hp:50% rerolls:0% heal:0%</code>	(% of max)
<code>/config rest type:Long Rest hp:100% rerolls:100% heal:100%</code>	
<code>/config rest type:Short Rest hp:3 rerolls:1</code>	(flat numbers)
<code>/config rest type:Short Rest</code>	(show current settings)
<code>/config cleanwebhooks</code>	(remove orphaned NPC webhooks)

Each rest value is either a percentage of that resource's max (e.g. 50%) or a flat whole number that sets it exactly (e.g. 3). 0% means leave it untouched. Only the values you provide change.

Help & Maintenance

<code>/help</code>	(overview of all command groups)
<code>/help category:dice</code>	(detail on a specific group)
<code>/lastroll</code>	(recall your last roll in this channel)
<code>/backup now</code>	(export the database to this channel — Loremaster)
<code>/backup auto channel:#backups</code>	(daily automatic backups — Loremaster)
<code>/backup auto channel:off</code>	(disable automatic backups)

Destructive actions (`/npc delete`, `/fight end`, `/weapon remove`, `/npc categorydelete`) ask for Confirm / Cancel before running.

NPC System

All commands in this chapter are Loremaster-only.

NPC Management

```
/npc create name:Aldric Vane str:8 con:6 dex:10
wis:4 lck:2

/npc create name:Cave Orc str:14 con:10 dex:4 wis:2
lck:1 order:Black Knight

/npc delete name:Aldric Vane

/npc copy name:Goblin new_name:Goblin 2           (duplicate an NPC, fresh HP)
/npc show name:Goblin                             (full stat block for one NPC)
/npc list                                           (shows stats and current HP)
```

NPC HP & Healing

```
/npc hp name:Goblin value:3                       (set exact HP)
/npc hp name:Goblin                               (omit value — full heal)
/npc heal names:all                               (fully heal every NPC)
/npc heal names:Goblin, Orc                       (fully heal the listed NPCs)
```

NPC HP persists between fights. Knocked-down NPCs (0 HP or less) are left out of new fights until restored.

Rolling as an NPC (/pr shorthand)

```
/pr roll name:Aldric Vane notation:1d20+5 label:atk
/pr roll name:Cave Orc notation:1d20+8 label:strike
flavour:The orc lunges

/pr create name:Aldric Vane str:8 con:6 dex:10
wis:4 lck:2

/pr delete name:Aldric Vane

/pr list
```

Posts via webhook — appears as the NPC with their name and avatar.

Setting NPC Avatars

1. Admin runs **/config npcchannel #channel** to set the image bank channel.
2. Loremaster uploads an image to that channel with the NPC name as the message text.
3. Bot adds a checkmark reaction to confirm the image is linked.
4. To update: upload a new image with the same NPC name.

Bot requires Manage Webhooks permission in the server.

Fight System

Structured fights with initiative, turn order, stat-based rolls and damage tracking.

Commands

<code>/fight start players:@a @b npcs:Goblin, Orc</code>	<i>(any number of each)</i>
<code>/fight start ... manual:true</code>	<i>(skip roll, keep listed order)</i>
<code>/fight addnpc npc:Goblin, Orc</code>	<i>(add NPC(s) mid-fight, Loremaster)</i>
<code>/fight order sequence:@a, Goblin, @b</code>	<i>(reorder players + NPCs, Loremaster)</i>
<code>/fight atk stat:str target:@user</code>	<i>(attack a player)</i>
<code>/fight atk stat:str target_npc:Orc</code>	<i>(attack an NPC)</i>
<code>/fight atk stat:str npc:Goblin target:@user</code>	<i>(Loremaster attacks AS the NPC)</i>
<code>/fight def stat:dex</code>	<i>(defend)</i>
<code>/fight def stat:dex npc:Goblin</code>	<i>(Loremaster defends AS the NPC)</i>
<code>/fight rr</code>	<i>(reroll last fight roll — 1 token)</i>
<code>/fight resolve</code>	<i>(resolve the exchange)</i>
<code>/fight forfeit</code>	<i>(concede — HP preserved)</i>
<code>/fight status</code>	<i>(show turn order and HP)</i>
<code>/fight auto mode:Full ...</code>	<i>(bot resolves whole fight, Loremaster)</i>
<code>/fight auto mode:NPCs only ...</code>	<i>(bot plays NPCs, Loremaster)</i>
<code>/fight auto mode:Demo</code>	<i>(example showcase, Loremaster)</i>
<code>/fight refill npcs:all</code>	<i>("all" or names — refill reroll tokens, Loremaster)</i>
<code>/fight hp value:3 target_npc:Orc</code>	<i>(set HP mid-fight, sheet synced, Loremaster)</i>
<code>/fight kick target_npc:Orc</code>	<i>(remove a fighter, fight continues, Loremaster)</i>
<code>/fight auto mode:Full teams:@a @b vs Goblin, Orc</code>	<i>(party-vs-monsters sides, Loremaster)</i>
<code>/fight end</code>	<i>(Loremaster only)</i>

How a Fight Runs

When a fight starts, the bot rolls DEX initiative (1d20 + DEX) for every fighter and orders the turn order from highest to lowest, ties broken by the raw d20. Add **manual:true** to skip the roll and keep your listed order, or use **/fight order** with a comma-separated sequence (mention players, type NPC names) to rearrange it.

Knocked-down fighters: anyone at 0 HP or less is left out when a fight starts or when NPCs are added, with a warning naming them. Restore NPCs with **/npc heal** or **/npc hp**, players with rests or **hpfull @user**.

HP stays in sync: any mid-fight HP change — **!hp**, **!heal**, rests, **/npc hp** or the **/fight hp** command — is mirrored straight into the fight, so a heal is never overwritten by the next exchange. Anywhere a command takes NPC names, **category:Name** adds a whole category at once. When a fight ends — by victory, forfeit, kick or **/fight end** — a recap posts each fighter's damage dealt and taken, natural 20s and 1s, and rerolls spent.

NPCs as combatants: a Loremaster lists NPCs in **npcs:** (comma-separated) on start or **/fight addnpc** later. On an NPC's turn the Loremaster adds **npc:Name** to **/fight atk** or **/fight def**; attack an NPC with **target_npc:Name**. There is no limit on the number of players or NPCs in a fight.

Auto Modes

/fight auto mode:Full rolls attack, defend and damage for everyone and plays the fight through to a winner, saving HP to each combatant's sheet as it changes. Add **teams:@a @b vs Goblin, Orc** for proper sides — fighters only target the enemy team, and the last team standing wins. **mode:NPCs only** starts a normal fight where the bot takes the NPCs' turns automatically — attacking, defending and resolving for them — while players still use **/fight atk** and **/fight def**. **mode:Demo** runs a throwaway example for learning the system.

Automatic rolls always use the fighter's highest of STR or DEX, for attack and defence alike (ties go to STR), and post the same full roll card as a manual roll — stat tracker and exact dice breakdown included. Each NPC's cards appear under that NPC's own name and avatar (via webhook), as if they were speaking.

NPC rerolls: in auto modes each NPC carries its own reroll tokens — LCK per fight. A token is spent only when the natural die shows **8 or less** (server-tunable via **/config npcreroll**; 0 disables): a defender about to be hit rerolls first, then a blocked attacker may answer — one each per exchange. **/fight status** shows remaining tokens, and **/fight refill** restores them mid-fight.

Damage

Situation	Damage
Attack total $\geq$ Defence total	1
Attacker natural 20	+1 bonus
Defender natural 1	+1 bonus
Attacker nat 20 + Defender nat 1	4 total
Defence total > Attack total	0 (blocked)
Fighter reaches 0 HP	Knocked down, removed from turn order, HP goes negative

Players can reroll using **rr** / **rra** / **rrd** after their initial roll before **/fight resolve**.

Flavour text can be added via the **flavour** option on **/fight atk** and **/fight def**.

Penned by the DDice Scriptorium · May your rolls be ever in your favour