

• DDice •

A Chronicle of Commands · Loremaster's Edition

— Contents —

Loremaster Commands	2
Config & Maintenance	3
NPC System	5
Fight System	6
Merits & Ranks	9
Quest Board	10

Loremaster Commands

All commands in this chapter require the GM role.

Loremaster Rolls

<code>gmr 1d20+5</code>	<i>(public roll in channel)</i>
<code>gmr 1d20+5 perception</code>	<i>(with label)</i>
<code>gmrs 1d20+5</code>	<i>(secret — sent to Loremaster DMs only)</i>
<code>gmrs 1d20+5 stealth</code>	

Loremaster HP & Rerolls Targeting

```
!hp @user +5      !hp @user -3
!hp +5 @user      !hp -3 @user
!rerolls @user +1  !rerolls @user -1
```

Loremaster Rest Targeting

```
lrest @user  srest @user  hpfull @user  hphalf
@user
```

Preset Tags

```
/tag assign user:@player tag:Hero of Kalidale
/tag remove user:@player tag:Hero of Kalidale
/tag list user:@player
```

Custom Tags

```
/tag custom action:Create emoji:[any emoji]
name:MyTag

/tag custom action>Delete name:MyTag

/tag custom action:List
```

For server emojis: type `\:emojiname:` in chat to get the full ID.

Stats

```
/char set field:str value:14 user:@player
```

(Loremaster only)

Sheet Import

Paste an exported sheet into any channel the bot watches.

```
[paste sheet] @player
```

(Loremaster importing for another player)

Config & Maintenance

Config (Admin only)

<code>/config gmrole @role</code>	
<code>/config heal charges 3</code>	
<code>/config npcchannel #channel</code>	(set the NPC image bank channel)
<code>/config npcreroll threshold:8</code>	(NPC auto-reroll on $\text{nat} \leq N$ — 0 disables)
<code>/config fightping enabled:true</code>	(@-mention players on their turn — off by default)
<code>/config rollaudit channel:#gm-rolls</code>	(mirror every player roll — raw input, result and jump link)
<code>/config rest type:Short Rest hp:50% rerolls:0%</code>	(% of max)
<code>/config rest type:Short Rest hp:3 rerolls:1</code>	(flat numbers)
<code>/config cleanwebhooks</code>	(remove orphaned NPC webhooks)

The roll-audit mirror covers prefix rolls, stat shorthand, success checks, rerolls, heals and fight rolls — GM rolls and NPC auto-rolls are never mirrored, and rolls made inside the audit channel aren't re-mirrored. Set the channel's Discord permissions so only GMs can view it.

Each rest value is either a percentage of that resource's max (e.g. 50%) or a flat whole number that sets it exactly (e.g. 3). 0% means leave it untouched. Only the values you provide change.

Help & Maintenance

<code>/help</code>	(overview of all command groups)
<code>/help category:dice</code>	(detail on a specific group)
<code>/lastroll</code>	(recall your last roll in this channel)
<code>/backup now</code>	(export the database to this channel — Loremaster)
<code>/backup auto channel:#backups</code>	(daily automatic backups — Loremaster)

Destructive actions (`/npc delete`, `/fight end`, `/quest delete`, `/weapon remove`) ask for Confirm / Cancel before running.

Derived Stats

Stat	Formula	On change
Max HP	CON + 2	HP always maxes
Max Rerolls	LCK	Rerolls always max
Heal tracker	White Knight + WIS $\geq$ 5	Appears / disappears automatically

NPC System

All commands in this chapter are Loremaster-only.

NPC Management

<code>/npc create name:Cave Orc str:14 con:10 dex:4 wis:2 lck:1 order:Black Knight</code>	
<code>/npc copy name:Goblin new_name:Goblin 2</code>	<i>(duplicate an NPC, fresh HP)</i>
<code>/npc show name:Goblin</code>	<i>(full stat block for one NPC)</i>
<code>/npc list</code>	<i>(shows stats and current HP)</i>
<code>/npc list category:Bandits</code>	<i>(only one category's NPCs)</i>
<code>/npc delete name:Aldric Vane</code>	

NPC HP & Healing

<code>/npc hp name:Goblin value:3</code>	<i>(set exact HP)</i>
<code>/npc hp name:Goblin</code>	<i>(omit value — full heal)</i>
<code>/npc heal names:all</code>	<i>(fully heal every NPC)</i>
<code>/npc heal names:Goblin, Orc</code>	<i>(fully heal the listed NPCs)</i>

NPC HP persists between fights. Knocked-down NPCs (0 HP or less) are left out of new fights until restored.

Rolling as an NPC (/pr shorthand)

```
/pr roll name:Cave Orc notation:1d20+8 label:strike
flavour:The orc lunges

/pr create name:Aldric Vane str:8 con:6 dex:10 wis:4
lck:2

/pr list
```

Posts via webhook — appears as the NPC with their name and avatar.

Setting NPC Avatars

1. Admin runs `/config npcchannel #channel` to set the image bank channel.
2. Loremaster uploads an image to that channel with the NPC name as the message text.
3. Bot adds a checkmark reaction to confirm. 4. Re-upload with the same name to update.

Bot requires Manage Webhooks permission in the server.

Fight System

Structured fights with initiative, turn order, stat-based rolls and damage tracking.

Commands

<code>/fight addnpc npc:Goblin, Orc</code>	<i>(add NPC(s) mid-fight, Loremaster)</i>
<code>/fight order sequence:@a, Goblin, @b</code>	<i>(reorder players + NPCs, Loremaster)</i>
<code>/fight atk stat:str npc:Goblin target:@user</code>	<i>(Loremaster attacks AS the NPC)</i>
<code>/fight def stat:dex npc:Goblin</code>	<i>(Loremaster defends AS the NPC)</i>
<code>/fight skip</code>	<i>(skip the current turn — fighter stays in, Loremaster)</i>
<code>/fight hp value:3 target_npc:Orc</code>	<i>(set HP mid-fight, sheet synced, Loremaster)</i>
<code>/fight kick target_npc:Orc</code>	<i>(remove a fighter, fight continues, Loremaster)</i>
<code>/fight refill npcs:all</code>	<i>("all" or names — refill reroll tokens, Loremaster)</i>
<code>/fight auto mode:Full ...</code>	<i>(bot resolves whole fight, Loremaster)</i>
<code>/fight auto mode:Full teams:@a @b vs Goblin, Orc</code>	<i>(party-vs-monsters sides, Loremaster)</i>
<code>/fight auto mode:NPCs only ...</code>	<i>(bot plays NPCs, Loremaster)</i>
<code>/fight auto mode:Demo</code>	<i>(example showcase, Loremaster)</i>
<code>/fight end</code>	<i>(Loremaster only)</i>

How a Fight Runs

When a fight starts, the bot rolls DEX initiative (1d20 + DEX) for every fighter and orders the turn order from highest to lowest, ties broken by the raw d20. Add **manual:true** to skip the roll and keep your listed order, or use **/fight order** with a comma-separated sequence.

Knocked-down fighters: anyone at 0 HP or less is left out when a fight starts or when NPCs are added, with a warning naming them. Restore NPCs with **/npc heal** or **/npc hp**, players with rests or **hpfull @user**.

HP stays in sync: any mid-fight HP change — **!hp**, **!heal**, rests, **/npc hp** or the **/fight hp** command — is mirrored straight into the fight, so a heal is never overwritten by the next exchange. Anywhere a command takes NPC names, **category:Name** adds a whole category at once. When a fight ends — by victory, forfeit, kick or **/fight end** — a recap posts each fighter's damage dealt and taken, natural 20s and 1s, and rerolls spent.

NPCs as combatants: a Loremaster lists NPCs in **npcs:** (comma-separated) on start or **/fight addnpc** later. On an NPC's turn the Loremaster adds **npc:Name** to **/fight atk** or **/fight def**; attack an NPC with **target_npc:Name**.

Auto Modes

/fight auto mode:Full rolls attack, defend and damage for everyone and plays the fight through to a winner, saving HP to each combatant's sheet as it changes. Add **teams:@a @b vs Goblin, Orc** for proper sides — fighters only target the enemy team, and the last team standing wins. **mode:NPCs only** starts a normal fight where the bot takes the NPCs' turns automatically while players still use **/fight atk** and **/fight def**. **mode:Demo** runs a throwaway example.

Automatic rolls always use the fighter's highest of STR or DEX, for attack and defence alike (ties go to STR), and post the same full roll card as a manual roll. Each NPC's cards appear under that NPC's own name and avatar (via webhook).

NPC rerolls: in auto modes each NPC carries its own reroll tokens — LCK per fight. A token is spent only when the natural die shows **8 or less** (server-tunable via **/config npcreroll**; 0 disables): a defender about to be hit rerolls first, then a blocked attacker may answer — one each per exchange. **/fight status** shows remaining tokens, and **/fight refill** restores them mid-fight.

Damage

Situation	Damage
Attack total $\geq$ Defence total	1
Attacker natural 20	+1 bonus
Defender natural 1	+1 bonus
Attacker nat 20 + Defender nat 1	4 total
Defence total > Attack total	0 (blocked)
Fighter reaches 0 HP	Knocked down, removed from turn order, HP goes negative

Critical Effects (carry-over)

A natural 1 or natural 20 leaves a mark on the *next* roll, in both manual and auto fights:

Trigger	Effect on the next roll
Natural 1 on an attack	The attacker fumbles — their next defence is rolled as a flat d20 (no stat, no advantage).
Natural 20 on a defence	The defence turns the blow aside and the defender gains +2 on their next attack — unless that attack was itself a natural 20.

Each effect is consumed by the affected fighter's next matching roll and is announced when it lands ("presses the riposte", "defends on a flat d20"). Leaving a fight clears any pending effects.

Merits & Ranks

A milestone-style progression system. Merits are a lifetime tally a Loremaster awards; ranks are named tiers with merit thresholds. The bot tracks progress and flags eligibility, but every promotion is decided by a Loremaster.

Merits

<code>/merit add user:@player amount:2</code>	<i>(award merits — Loremaster)</i>
<code>/merit remove user:@player amount:1</code>	<i>(take merits away — Loremaster)</i>
<code>/merit set user:@player amount:10</code>	<i>(set an exact total — Loremaster)</i>

Ranks

<code>/rank add name:Knight threshold:5</code>	<i>(create or update a rank — Loremaster)</i>
<code>/rank add name:Squire threshold:0 order:0</code>	<i>(order sets junior→senior — Loremaster)</i>
<code>/rank promote user:@player rank:Knight</code>	<i>(set a player's rank — Loremaster)</i>
<code>/rank eligible</code>	<i>(who has met a threshold but isn't promoted — Loremaster)</i>
<code>/rank remove name:Squire</code>	<i>(delete a rank — Loremaster)</i>

`/merit view` shows current merits and exactly how many more are needed for the next rank, e.g. “Knight · 7 merits · 8 to Paladin”. Every merit change is recorded — quest rewards show the quest name, manual changes show “by GM” — so `/merit history` answers “who earned what, and when”. Removing a rank doesn't change players who already hold its label.

Quest Board

GMs create quests with lore, objectives, details and rewards. Quests are posted as a message with an Apply button and also appear on the board. Players apply, a Loremaster approves the party, and on completion merits are auto-awarded while other rewards are listed for the Loremaster to hand out.

For the Loremaster

<code>/quest create name:Goblin Cave objectives:... merit_reward:2 party_size:4 hard_cap:true</code>	<i>(create a quest)</i>
<code>/quest post number:1 channel:#board</code>	<i>(post as an embed with an Apply button)</i>
<code>/quest approve number:1 user:@a force:true</code>	<i>(approve an applicant · force past a hard cap)</i>
<code>/quest kick number:1 user:@a</code>	<i>(remove a member or applicant)</i>
<code>/quest runchannel number:1 channel:#thread</code>	<i>(set where it runs & rewards)</i>
<code>/quest start number:1</code>	<i>(lock the party, mark in progress)</i>
<code>/quest complete number:1</code>	<i>(finish — auto-award merits, list rewards)</i>
<code>/quest delete number:1</code>	<i>(remove a quest permanently)</i>

Quests are auto-numbered for easy recall, e.g. **#001-Goblin Cave** (repeatable quests keep the name and get a fresh number each time). Party size is a hard cap or a suggestion — the Loremaster chooses with **hard_cap**, and **force:true** on approve overrides a cap. Point a quest at a thread with **/quest runchannel** and its completion rewards are announced there.

Penned by the DDice Scriptorium · May your rolls be ever in your favour