

• DDice •

A Chronicle of Commands for the Tabletop Herald

— Contents —

Dice Rolling	2
HP & Healing (Player)	4
Game Master Commands	5
Character & Profile	6
Config & Maintenance	8
NPC System	10
Fight System	12
Merits & Ranks	15
Quest Board	16

Dice Rolling

Type dice notation directly or use any prefix style (r, !r, !roll):

<code>1d20</code>	(bare notation — no prefix needed)
<code>r1d20+5</code>	
<code>r1d20+5 atk</code>	(label shows in bold above result)
<code>r1d20+5 <i>atk</i></code> <code>[flavour text on next line]</code>	(supports <i>italic</i> and bold)

Advantage & Disadvantage

<code>ra1d20+5</code>	(rolls twice, takes higher)
<code>rd1d20+5</code>	(rolls twice, takes lower)

Rerolls (Player)

<code>rr</code>	(costs 1 token)
<code>rra</code>	(reroll with advantage)
<code>rrd</code>	(reroll with disadvantage)

Shorthand: append a reroll set to a stat — **strrr**, **dexrra** (adv), **conrrd** (dis) — to reroll your last roll. A label may follow: **strrr atk**.

Guided Roll (/roll)

<code>/roll stat:Strength</code>	(pick a stat from the dropdown)
<code>/roll stat:Wisdom mode:Advantage</code>	(advantage / disadvantage)
<code>/roll dice:2d6+3 label:damage</code>	(custom notation instead of a stat)
<code>/roll stat:Dexterity success_check:true</code> <code>label:sneak flavour:*slips into shadow*</code>	(label + RP text)

Every part of **/roll** is a dropdown or field — stat, advantage, success check, label and RP flavour — so nothing has to be memorised. Choose either a **stat** (rolls 1d20 + that stat from your sheet) or custom **dice**. The result uses the same card as a typed roll.

Stat Quick Rolls

<code>str con dex wis lck</code>	(r prefix optional · add a label e.g. str atk)
<code>wisa dexd</code>	(stat roll with advantage / disadvantage)

Rolls 1d20 + that stat from your saved character. Type the stat on its own (no prefix) or keep the **r** prefix. Add **a** for advantage or **d** for disadvantage — **wisa**, **dexd**.

? Success Check Rolls

Prefix ? instead of r to get a success outcome:

?1d20+5 ?ra1d20+5 ?rd1d20+5 ?rr ?str ?wisa

Result	Outcome
Natural 20 / max face	Critical Success (gold)
Natural 1 / min face	Critical Fail (red)
Total 15+	Success
Total 10-14	Partial Success
Total 2-9	Fail

Critical Hits & Fails (all rolls)

Natural max on any die → gold label + result.

Natural 1 on any die → red label + result.

HP & Healing (Player)

!hp +5

!hp -3

Heal (White Knight + WIS 5 only)

Targets another player — cannot self-heal.

!heal @user

!h @user

Roll Result	Effect	Charges Used
Natural 20	+2 HP restored	None
20+ (modified)	+2 HP restored	1
2 - 19	No heal	1
Natural 1	No heal	2

Rest Commands (Player)

Append **@user** to any command for Game Master targeting. Default amounts shown — Game Masters can change them with **/config rest**.

Command	HP	Rerolls	Heal Charges
lrest	Full	Full	Full
srest	Half	—	—
hpfull	Full	—	—
hphalf	Half	—	—

Short rest restores HP only by default. A Game Master can re-enable rerolls/heal or change any amount.

Game Master Commands

All commands in this chapter require the GM role.

Game Master Rolls

<code>gmr 1d20+5</code>	(public roll in channel)
<code>gmr 1d20+5 perception</code>	(with label)
<code>gmrs 1d20+5</code>	(secret — sent to Game Master DMs only)
<code>gmrs 1d20+5 stealth</code>	

Game Master HP & Rerolls Targeting

```
!hp @user +5      !hp @user -3
!hp +5 @user      !hp -3 @user
!rerolls @user +1  !rerolls @user -1
```

Game Master Rest Targeting

```
lrest @user  srest @user  hpfull @user  hphalf
@user
```

Preset Tags

```
/tag assign user:@player tag:Hero of Kalidale
/tag remove user:@player tag:Hero of Kalidale
/tag list user:@player
```

Custom Tags

```
/tag custom action:Create emoji:[any emoji]
name:MyTag

/tag custom action>Delete name:MyTag

/tag custom action:List
```

For server emojis: type `\:emojiname:` in chat to get the full ID.

Character & Profile

Stats

<code>/char set field:str value:14</code>	
<code>/char set field:con value:12</code>	<i>(HP auto-maxes to CON + 2)</i>
<code>/char set field:lck value:3</code>	<i>(rerolls auto-max to LCK)</i>
<code>/char set field:str value:14 user:@player</code>	<i>(Game Master only)</i>

Knight Orders

<code>/char set field:order value:White Knight</code>	<i>(also: Black, Gold, Grey, Blue,)</i>
<code>/char set field:order value:Red Knight</code>	<i>(Purple, Green, Red)</i>

Class, Weapons & Emojis

<code>/char set field:class value:Hero</code>	<i>(Hero / Vanguard / Defender / Siege Knight)</i>
<code>/char set field:weapon1 value:Longsword</code>	
<code>/char weaponemoji slot:Weapon 1 emoji:[choose]</code>	<i>(standard emoji dropdown)</i>
<code>/char weaponemoji slot:Weapon 1 custom::sword:</code>	<i>(paste a server emoji)</i>

Pick a standard emoji from the dropdown, or paste a server custom emoji in the “custom” field (it overrides the dropdown). The image export falls back to a sword glyph for custom emojis.

Bulk Setup & Export

<code>/char create str:14 con:12 dex:10 wis:5 lck:3 \</code>	<i>(everything at once)</i>
<code>order:White Knight class:Hero \</code>	
<code>weapon1:Longsword weapon2:Tower Shield</code>	
<code>/char show</code>	<code>/char show user:@player</code>
<code>/char export</code>	<code>/char export format:Image</code>

Profile

<code>/profile on</code>	<code>/p on</code>	<i>(enable embed, max HP + rerolls)</i>
<code>/profile off</code>	<code>/p off</code>	<i>(disable embed, plain text rolls)</i>
<code>/profile show</code>	<code>/p show</code>	<i>(preview card without rolling)</i>
<code>/profile save mysave</code>		<i>(snapshot current state)</i>
<code>/profile load mysave</code>		<i>(restore snapshot in any channel)</i>

Sheet Import

Paste an exported sheet into any channel the bot watches.

[paste sheet into channel]

(player)

[paste sheet] @player

*(Game Master importing for
another player)*

Config & Maintenance

Config (Admin only)

<code>/config gmrole role:@Role</code>	(add a GM role — several can be set)
<code>/config gmrole role:@Role remove:true</code>	(remove one)
<code>/config gmrole role:@Role replace:true</code>	(make it the only GM role)
<code>/config gmrole</code>	(list current GM roles)
<code>/config heal charges 3</code>	
<code>/config npcchannel #channel</code>	(set the NPC image bank channel)
<code>/config npcreroll threshold:8</code>	(NPC auto-reroll on $\text{nat} \leq N$ — 0 disables)
<code>/config fightping enabled:true</code>	(@-mention players on their turn — off by default)
<code>/config rollaudit channel:#gm-rolls</code>	(mirror every roll — raw input, result and jump link)
<code>/config rollaudit test:true</code>	(send a test mirror, report problems)
<code>/config npcstats enabled:true</code>	(reveal NPC stat blocks — hidden by default)
<code>/config approvals channel:#sheet-approvals</code>	(new sheets need GM sign-off)
<code>/config approvals disable:true</code>	(turn approval off)
<code>/config rest type:Short Rest hp:50% rerolls:0%</code>	(% of max)
<code>/config rest type:Short Rest hp:3 rerolls:1</code>	(flat numbers)
<code>/config cleanwebhooks</code>	(remove orphaned NPC webhooks)

NPC roll cards hide STR/CON/DEX/WIS/LCK, the roll modifier and HP totals by default. Players see the name, order, the final roll total, the exact damage each hit deals, and a condition (□ unhurt / wounded / badly hurt / near death / down) instead of numbers — so the fight reads clearly without revealing what an NPC can take. Reveal everything with **`/config npcstats enabled:true`**. NPC management commands are Game Master-only regardless.

With an approval channel set, a player's new sheet is posted there for sign-off, pinging every GM role, with Approve / Reject buttons. Until approved they can't roll, heal or take fight actions — and once approved, their stats, order and class can only be changed by a GM. Sheets a GM creates skip the queue, and sheets made before approval was enabled keep working.

The roll-audit mirror covers prefix rolls, stat shorthand, success checks, rerolls, heals and fight rolls — and **Game Master rolls too, including secret gmrs ones**, so Game Masters are accountable to one another. A Game Master rolling as an NPC is logged under their own name. Only NPC auto-rolls and rolls made inside the audit channel are skipped. Use **`/config rollaudit test:true`** to check it works. Set the channel's Discord permissions so only Game Masters can view it.

Several GM roles can be set at once — holding any of them grants GM access. Anyone with the Discord **Manage Server** permission always counts as a GM, so you can never lock yourself out by mis-setting a role.

Each rest value is either a percentage of that resource's max (e.g. 50%) or a flat whole number that sets it exactly (e.g. 3). 0% means leave it untouched. Only the values you provide change.

Help & Maintenance

<code>/help</code>	(overview of all command groups)
<code>/help category:dice</code>	(detail on a specific group)
<code>/lastroll</code>	(recall your last roll in this channel)
<code>/backup now</code>	(export the database to this channel — Game Master)
<code>/backup auto channel:#backups</code>	(daily automatic backups — Game Master)

Destructive actions (`/npc delete`, `/fight end`, `/quest delete`, `/weapon remove`) ask for Confirm / Cancel before running.

Derived Stats

Stat	Formula	On change
Max HP	CON + 2	HP always maxes
Max Rerolls	LCK	Rerolls always max
Heal tracker	White Knight + WIS $\geq$ 5	Appears / disappears automatically

NPC System

All commands in this chapter are Game Master-only.

NPC Management

<code>/npc create name:Cave Orc str:14 con:10 dex:4 wis:2 lck:1 order:Black Knight</code>	
<code>/npc copy name:Goblin new_name:Goblin 2</code>	<i>(duplicate an NPC, fresh HP)</i>
<code>/npc show name:Goblin</code>	<i>(full stat block for one NPC)</i>
<code>/npc hero name:Goblin stat:str</code>	<i>(make an NPC a Hero with a signature stat)</i>
<code>/npc hero name:Goblin remove:true</code>	<i>(strip Hero status)</i>
<code>/npc list</code>	<i>(shows stats and current HP)</i>
<code>/npc list category:Bandits</code>	<i>(only one category's NPCs)</i>
<code>/npc delete name:Aldric Vane</code>	

NPC HP & Healing

<code>/npc hp name:Goblin value:3</code>	<i>(set exact HP)</i>
<code>/npc hp name:Goblin</code>	<i>(omit value — full heal)</i>
<code>/npc heal names:all</code>	<i>(fully heal every NPC)</i>
<code>/npc heal names:Goblin, Orc</code>	<i>(fully heal the listed NPCs)</i>

Restoring Resources (/gmheal)

<code>/gmheal user:@a</code>	<i>(full HP — the default)</i>
<code>/gmheal user:@a restore:Everything</code>	<i>(HP, rerolls and heal charges)</i>
<code>/gmheal user:@a amount:Half</code>	<i>(restore half of maximum)</i>
<code>/gmheal user:@a amount:Add value:3</code>	<i>(add 3, capped at max)</i>
<code>/gmheal user:@a amount:Exact value:1</code>	<i>(set to an exact figure)</i>
<code>/gmheal npc:Goblin</code>	<i>(one NPC)</i>
<code>/gmheal npc:all</code>	<i>(every NPC at once)</i>

One command for every restore. Works on a player or an NPC (or **all** NPCs), and HP changes sync straight into any active fight. NPCs only have HP; heal charges are skipped for anyone who isn't a White Knight with WIS 5+.

NPC HP persists between fights. Knocked-down NPCs (0 HP or less) are left out of new fights until restored.

Rolling as an NPC (/pr shorthand)

```
/pr roll name:Cave Orc notation:1d20+8 label:strike
  flavour:The orc lunges

/pr create name:Aldric Vane str:8 con:6 dex:10 wis:4
lck:2

/pr list
```

Posts via webhook — appears as the NPC with their name and avatar.

Setting NPC Avatars

1. Admin runs **/config npcchannel #channel** to set the image bank channel.
2. Game Master uploads an image to that channel with the NPC name as the message text.
3. Bot adds a checkmark reaction to confirm. 4. Re-upload with the same name to update.

Bot requires Manage Webhooks permission in the server.

Heroes & Signature Stats

Hero is a Game Master-granted class, not a player choice — players who try to set it are refused. Both player sheets and NPCs can be Heroes.

<code>/char set field:class value:Hero user:@a</code>	<i>(grant Hero to a player sheet)</i>
<code>/char signature user:@a stat:str</code>	<i>(designate their signature stat)</i>
<code>/npc hero name:Aldric stat:dex</code>	<i>(Hero NPC with a signature stat)</i>

A Hero may have one **signature stat** with **5 or more** points. Every roll using that stat — typed shorthand, **/roll**, and both attack and defence in fights, manual or automatic — is made with **advantage**, marked ☐ on the roll card. If the stat later drops below 5 the advantage simply stops applying until it is restored; an explicitly requested disadvantage still wins.

Fight System

Structured fights with initiative, turn order, stat-based rolls and damage tracking.

Commands

<code>/fight start players:@a @b npcs:Goblin, Orc</code>	<i>(any number of each)</i>
<code>/fight start ... manual:true</code>	<i>(skip roll, keep listed order)</i>
<code>/fight addnpc npc:Goblin, Orc</code>	<i>(add NPC(s) mid-fight, Game Master)</i>
<code>/fight order sequence:@a, Goblin, @b</code>	<i>(reorder players + NPCs, Game Master)</i>
<code>/fight atk stat:str target:@user</code>	<i>(attack a player)</i>
<code>/fight atk stat:str target_npc:Orc</code>	<i>(attack an NPC)</i>
<code>/fight atk stat:str npc:Goblin target:@user</code>	<i>(Game Master attacks AS the NPC)</i>
<code>/fight def stat:dex</code>	<i>(defend)</i>
<code>/fight def stat:dex npc:Goblin</code>	<i>(Game Master defends AS the NPC)</i>
<code>/fight rr</code>	<i>(reroll last fight roll — 1 token)</i>
<code>/fight resolve</code>	<i>(resolve the exchange)</i>
<code>/fight status</code>	<i>(show turn order and HP)</i>
<code>/fight log</code>	<i>(re-post the last finished fight's recap)</i>
<code>/fight skip</code>	<i>(skip the current turn — fighter stays in, Game Master)</i>
<code>/fight hp value:3 target_npc:Orc</code>	<i>(set HP mid-fight, sheet synced, Game Master)</i>
<code>/fight kick target_npc:Orc</code>	<i>(remove a fighter, fight continues, Game Master)</i>
<code>/fight refill npcs:all</code>	<i>("all" or names — refill reroll tokens, Game Master)</i>
<code>/fight auto mode:Full ...</code>	<i>(bot resolves whole fight, Game Master)</i>
<code>/fight auto mode:Full teams:@a @b vs Goblin, Orc</code>	<i>(party-vs-monsters sides, Game Master)</i>
<code>/fight auto mode:NPCs only ...</code>	<i>(bot plays NPCs, Game Master)</i>
<code>/fight auto mode:Demo</code>	<i>(example showcase, Game Master)</i>
<code>/fight forfeit</code>	<i>(concede — HP preserved)</i>
<code>/fight end</code>	<i>(Game Master only)</i>

How a Fight Runs

When a fight starts, the bot rolls DEX initiative (1d20 + DEX) for every fighter and orders the turn order from highest to lowest, ties broken by the raw d20. Add **manual:true** to skip the roll and keep your listed order, or use **/fight order** with a comma-separated sequence.

Knocked-down fighters: anyone at 0 HP or less is left out when a fight starts or when NPCs are added, with a warning naming them. Restore NPCs with **/npc heal** or **/npc hp**, players with rests or **hpfull @user**.

HP stays in sync: any mid-fight HP change — **!hp**, **!heal**, rests, **/npc hp** or the **/fight hp** command — is mirrored straight into the fight, so a heal is never overwritten by the next exchange. Anywhere a command takes NPC names, **category:Name** adds a whole category at once. When a fight ends — by victory, forfeit, kick or **/fight end** — a recap posts each fighter's damage dealt and taken, natural 20s and 1s, and rerolls spent.

NPCs as combatants: a Game Master lists NPCs in **npcs:** (comma-separated) on start or **/fight addnpc** later. On an NPC's turn the Game Master adds **npc:Name** to **/fight atk** or **/fight def**; attack an NPC with **target_npc:Name**.

Auto Modes

/fight auto mode:Full rolls attack, defend and damage for everyone and plays the fight through to a winner, saving HP to each combatant's sheet as it changes. Add **teams:@a @b vs Goblin, Orc** for proper sides — fighters only target the enemy team, and the last team standing wins. **mode:NPCs only** starts a normal fight where the bot takes the NPCs' turns automatically while players still use **/fight atk** and **/fight def**. **mode:Demo** runs a throwaway example.

Automatic rolls always use the fighter's highest of STR or DEX, for attack and defence alike (ties go to STR), and post the same full roll card as a manual roll. Each NPC's cards appear under that NPC's own name and avatar (via webhook).

NPC rerolls: in auto modes each NPC carries its own reroll tokens — LCK per fight. A token is spent only when the natural die shows **8 or less** (server-tunable via **/config npcreroll**; 0 disables): a defender about to be hit rerolls first, then a blocked attacker may answer — one each per exchange. **/fight status** shows remaining tokens, and **/fight refill** restores them mid-fight.

Damage

Situation	Damage
Attack total $\geq$ Defence total	1
Attacker natural 20	+1 bonus
Defender natural 1	+1 bonus
Attacker nat 20 + Defender nat 1	4 total
Defence total > Attack total	0 (blocked)
Fighter reaches 0 HP	Knocked down, removed from turn order, HP goes negative

Players can reroll using **rr** / **rra** / **rrd** after their initial roll before **/fight resolve**.

Critical Effects (carry-over)

A natural 1 or natural 20 leaves a mark on the *next* roll, in both manual and auto fights:

Trigger	Effect on the next roll
Natural 1 on an attack	The attacker fumbles — their next defence is rolled as a flat d20 (no stat, no advantage).
Natural 20 on a defence	The defence turns the blow aside and the defender gains +2 on their next attack — unless that attack was itself a natural 20.

Each effect is consumed by the affected fighter's next matching roll and is announced when it lands ("presses the riposte", "defends on a flat d20"). Leaving a fight clears any pending effects.

Merits & Ranks

A milestone-style progression system. Merits are a lifetime tally a Game Master awards; ranks are named tiers with merit thresholds. The bot tracks progress and flags eligibility, but every promotion is decided by a Game Master.

Merits

<code>/merit view</code>	(your merits, rank, and merits to next rank)
<code>/merit view user:@player</code>	(view another player)
<code>/merit leaderboard</code>	(top earners on the server)
<code>/merit add user:@player amount:2</code>	(award merits — Game Master)
<code>/merit remove user:@player amount:1</code>	(take merits away — Game Master)
<code>/merit set user:@player amount:10</code>	(set an exact total — Game Master)
<code>/merit history user:@player</code>	(a player's merit timeline)
<code>/merit history</code>	(recent server-wide merit activity)

Ranks

<code>/rank list</code>	(all ranks and their thresholds)
<code>/rank add name:Knight threshold:5</code>	(create or update a rank — Game Master)
<code>/rank add name:Squire threshold:0 order:0</code>	(order sets junior→senior — Game Master)
<code>/rank promote user:@player rank:Knight</code>	(set a player's rank — Game Master)
<code>/rank eligible</code>	(who has met a threshold but isn't promoted — Game Master)
<code>/rank remove name:Squire</code>	(delete a rank — Game Master)

`/merit view` shows current merits and exactly how many more are needed for the next rank, e.g. “Knight · 7 merits · 8 to Paladin”. Every merit change is recorded — quest rewards show the quest name, manual changes show “by GM” — so `/merit history` answers “who earned what, and when”. Removing a rank doesn't change players who already hold its label.

Quest Board

GMs create quests with lore, objectives, details and rewards. Quests are posted as a message with an Apply button and also appear on the board. Players apply, a Game Master approves the party, and on completion merits are auto-awarded while other rewards are listed for the Game Master to hand out.

For Players

<code>/quest board</code>	(list quests (filter: open/active/completed/all))
<code>/quest show number:1</code>	(full details of one quest)
<code>/quest roster number:1</code>	(see applicants and the party)
<code>/quest apply number:1</code>	(apply to join — or tap Apply on the post)
<code>/quest withdraw number:1</code>	(leave or cancel your application)
<code>/quest log user:@player</code>	(completed quests a player was on)

For the Game Master

<code>/quest create name:Goblin Cave objectives:... merit_reward:2 party_size:4 hard_cap:true</code>	(create a quest)
<code>/quest post number:1 channel:#board</code>	(post as an embed with an Apply button)
<code>/quest approve number:1 user:@a force:true</code>	(approve an applicant · force past a hard cap)
<code>/quest kick number:1 user:@a</code>	(remove a member or applicant)
<code>/quest runchannel number:1 channel:#thread</code>	(set where it runs & rewards)
<code>/quest start number:1</code>	(lock the party, mark in progress)
<code>/quest complete number:1</code>	(finish — auto-award merits, list rewards)
<code>/quest delete number:1</code>	(remove a quest permanently)

Quests are auto-numbered for easy recall, e.g. **#001-Goblin Cave** (repeatable quests keep the name and get a fresh number each time). Party size is a hard cap or a suggestion — the Game Master chooses with **hard_cap**, and **force:true** on approve overrides a cap. Point a quest at a thread with **/quest runchannel** and its completion rewards are announced there.

Penned by the DDice Scriptorium · May your rolls be ever in your favour