

• DDice •

A Chronicle of Commands · Player's Edition

— Contents —

Dice Rolling	2
HP & Healing (Player)	5
Character & Profile	6
Config & Maintenance	10
Fight System	11
Merits & Ranks	14
Quest Board	16

Dice Rolling

Type dice notation directly or use any prefix style (r, !r, !roll):

<code>1d20</code>	<i>(bare notation — no prefix needed)</i>
<code>r1d20+5</code>	
<code>r1d20+5 atk</code>	<i>(label shows in bold above result)</i>
<code>r1d20+5 atk</code> <code>[flavour text on next line]</code>	<i>(supports <i>*italic*</i> and **bold**)</i>

Advantage & Disadvantage

<code>ra1d20+5</code>	<i>(rolls twice, takes higher)</i>
<code>rd1d20+5</code>	<i>(rolls twice, takes lower)</i>

A Custom Roll in a Fight

When it is your turn, `/roll ... fight:true` submits that roll in place of `/fight atk` or `/fight def` — so a Game Master can call for something unusual without the fight chain breaking and everyone falling back to rolling by hand.

<code>/roll dice:2d6+3 fight:true target:@Skol</code>	<i>(attack with 2d6+3)</i>
<code>/roll dice:1d100 fight:true</code>	<i>(defend with a d100)</i>
<code>/roll stat:wis fight:true target:@Skol</code>	<i>(attack with WIS instead of STR)</i>

It writes into the same fight the normal commands use, so `/fight resolve` handles it exactly as ever — damage, criticals, carry-over effects and the recap. The die size is remembered, so a natural 20 on a d6 is not mistaken for a critical.

*It has to be asked for. A player rolling casually mid-fight should not accidentally commit their turn, so nothing is submitted without **fight:true**. If it is not your moment the roll is refused with the reason, and stands alone instead.*

One Reroll Per Roll

A roll can be rerolled **once**. Whatever the second attempt says, it stands — you cannot keep spending rerolls on the same roll until the dice agree with you. This holds everywhere: typed rerolls, `/fight rr`, and the prompt inside an activity.

In a fight each side of an exchange gets its own second chance, so an attacker rerolling does not use up the defender's. A fresh exchange resets both.

Rerolls are still a resource — this is a limit on top of having one to spend, not instead of it.

Rerolls (Player)

<code>rr</code>	<i>(costs 1 token)</i>
<code>rra</code>	<i>(reroll with advantage)</i>
<code>rrd</code>	<i>(reroll with disadvantage)</i>

Shorthand: append a reroll set to a stat — **strrr**, **dexrra** (adv), **conrrd** (dis) — to reroll your last roll. A label may follow: **strrr atk**.

Guided Roll (/roll)

<code>/roll stat:Strength</code>	<i>(pick a stat from the dropdown)</i>
<code>/roll stat:Wisdom mode:Advantage</code>	<i>(advantage / disadvantage)</i>
<code>/roll dice:2d6+3 label:damage</code>	<i>(custom notation instead of a stat)</i>
<code>/roll stat:Dexterity success_check:true label:sneak flavour:*slips into shadow*</code>	<i>(label + RP text)</i>

Every part of **/roll** is a dropdown or field — stat, advantage, success check, label and RP flavour — so nothing has to be memorised. Choose either a **stat** (rolls 1d20 + that stat from your sheet) or custom **dice**. The result uses the same card as a typed roll.

Stat Quick Rolls

<code>str con dex wis lck</code>	<i>(on their own — nothing else in the message)</i>
<code>strength constitution dexterity</code>	<i>(long names roll exactly the same)</i>
<code>wisdom luck</code>	
<code>wisa dexd</code>	<i>(advantage / disadvantage · a label may follow)</i>
<code>r str atk</code>	<i>(a plain stat roll with a label)</i>
<code>?str atk</code>	<i>(the same, as a success check)</i>

Rolls 1d20 + that stat from your saved character. Add **a** for advantage or **d** for disadvantage — **wisa**, **dexd**. Every stat answers to its **full name** as well as its short one, and they behave identically: **strength** is **str**, **wisdoma** is **wisa**, **luckrra** is **lckrra**.

A stat roll **always shows your sheet** — stats, HP, rerolls and all — even with the profile embed switched off. A bare **1d20+4** tells nobody which stat it was or where the 4 came from, so the card is forced open where the numbers need explaining. Plain dice rolls still honour **/profile off**.

A plain stat name must be the whole message. **str**, **con**, **dex**, **wis** and **lck** are ordinary words in conversation, so anything typed after one means it is treated as chat and left alone — “Dex or strength can both be used to throw things” is a sentence, not a roll. To label a plain stat roll, put a prefix on it: **r str atk** or **?str atk**.

Forms that cannot be mistaken for words keep their labels as they always did — **wisa sneak**, **dexd guard**, **strrr atk**, **conrra hold the line**.

? Success Check Rolls

Prefix ? instead of r to get a success outcome:

?1d20+5 ?ra1d20+5 ?rd1d20+5 ?rr ?str ?wisa

Result	Outcome
Natural 20 / max face	Critical Success (gold)
Natural 1 / min face	Critical Fail (red)
Total 15+	Success
Total 10-14	Partial Success
Total 2-9	Fail

Critical Hits & Fails (all rolls)

Natural max on any die → gold label + result.

Natural 1 on any die → red label + result.

HP & Healing (Player)

!hp +5

!hp -3

Heal (White Knight + WIS 5 only)

Targets another player — cannot self-heal.

!heal @user

!h @user

Roll Result	Effect	Charges Used
Natural 20	+2 HP restored	None
20+ (modified)	+2 HP restored	1
2 - 19	No heal	1
Natural 1	No heal	2

Rest Commands (Player)

Append **@user** to any command for Game Master targeting. Default amounts shown — Game Masters can change them with **/config rest**.

Command	HP	Rerolls	Heal Charges
lrest	Full	Full	Full
srest	Half	—	—
hpfull	Full	—	—
hphalf	Half	—	—

Short rest restores HP only by default. A Game Master can re-enable rerolls/heal or change any amount.

Character & Profile

Start Here — Make Your Character

Build your character with /char create. One command sets the whole sheet at once — every stat, your order, your class and both weapons — so it arrives complete instead of in pieces.

<code>/char create str:14 con:12 dex:10 wis:5 lck:3 \</code>	<i>(the whole character, one</i>
<code>order:White Knight class:Hero \</code>	<i>command)</i>
<code>weapon1:Longsword weapon2:Tower Shield</code>	

Every option is optional — fill in what you have decided and run it again later to add the rest. The values for **order**, **class** and the weapon fields are listed further down this chapter.

This matters most where a GM has switched sheet approval on. /char create sends one request for the whole character; building the same sheet a field at a time sends a fresh request on every single change and buries the GMs in them. It matters again afterwards, because once your sheet is approved every field is locked and only a GM can change it — so /char create is your one clean run at the character you want.

The Point Budget

A player building their own character spends **exactly 15 points** across the five stats, and every stat needs **at least 1**. Not 14, not 16 — the full allowance, all of it placed. A Game Master can change both numbers for the server with **/config statallowance**.

<code>/char create str:5 con:4 dex:3 wis:2 lck:1</code>	<i>(15 exactly, nothing on zero — fine)</i>
<code>/char create str:4 con:4 dex:3 wis:2 lck:1</code>	<i>(14 — refused, 1 still to place)</i>
<code>/char create str:6 con:5 dex:3 wis:2 lck:1</code>	<i>(17 — refused, take 2 back off)</i>
<code>/char create str:9 con:5 dex:1 wis:0 lck:0</code>	<i>(over AND stats on 0 — both reported)</i>

A sheet also has to be **finished** before it can go to a Game Master: both weapons named, and an emoji chosen for each with **/char weaponemoji**. A weapon emoji has a default, so picking one is what counts — leaving it be is not the same as choosing it. Weapons can be set on **/char create** in the same breath as your stats.

<code>/char create str:5 con:4 dex:3 wis:2 lck:1 \</code>	<i>(stats and weapons at once)</i>
<code>weapon1:Gunlance weapon2:Rifle</code>	
<code>/char weaponemoji slot:Weapon 1 emoji:[choose]</code>	<i>(then an emoji for each)</i>
<code>/char weaponemoji slot:Weapon 2 emoji:[choose]</code>	

The refusal is posted **in the channel you are working in**, not as a private note only you can see — so it sits alongside what you typed. A copy also goes to the **approval channel** with a jump link back to the attempt, so the Game Masters can see who is wrestling with the budget and step in without having to be in that channel. Nothing is submitted either way.

Break a rule and the sheet is refused on the spot with a note saying exactly what is wrong — both problems at once if you managed both — along with your current spread and running total, so you can see what to move. Nothing is saved and nothing goes to the GMs until it is legal. The same check runs on **/char set**, on a pasted sheet, on **/profile load** and on **/char submit**, so there is no way in around the back.

Adjusting one stat at a time with **/char set** only checks the ceiling, so you can shuffle points between stats freely — lowering one before raising another would be impossible otherwise. The sheet is saved either way, but it is held back from the Game Masters until the full allowance is placed, and it tells you how many points are still loose.

Game Masters are not limited by any of this — building a character for a player, adjusting one, or making their own. A Game Master can hand out whatever spread a story calls for, and NPCs are unaffected entirely.

Changing One Field Later

Use **/char set** to adjust a single thing after the fact — a stat that went up, a weapon you swapped. It is a touch-up tool, not the way to build a character from nothing.

/char set field:str value:14	<i>(one field at a time)</i>
/char set field:con value:12	<i>(HP auto-maxes to CON + 2)</i>
/char set field:lck value:3	<i>(rerolls auto-max to LCK)</i>

Knight Orders

These are the values to pass to **order:** on **/char create** — or to **/char set** if this is the only thing you are changing.

/char set field:order value:White Knight	<i>(also: Black, Gold, Grey, Blue,)</i>
/char set field:order value:Red Knight	<i>(Purple, Green, Red)</i>

Class, Weapons & Emojis

/char set field:class value:Hero	<i>(Hero / Vanguard / Defender / Siege Knight)</i>
/char set field:weapon1 value:Longsword	
/char weaponemoji slot:Weapon 1 emoji:[choose]	<i>(standard emoji dropdown)</i>
/char weaponemoji slot:Weapon 1 custom::sword:	<i>(paste a server emoji)</i>

Pick a standard emoji from the dropdown, or paste a server custom emoji in the “custom” field (it overrides the dropdown). The image export falls back to a sword glyph for custom emojis.

If a GM **rejects** your sheet you can fix it and try again yourself — change whatever they objected to with **/char set** or **/char create** and it goes straight back to them. If you think it was right as it stood, **/char submit** sends it again unchanged. There is no limit on how many times a sheet can go back and forth.

Reading & Sharing Your Sheet

<code>/char create ...</code>	<i>(see “Start Here” — builds the whole sheet)</i>
<code>/char show</code>	<code>/char show user:@player</code>
<code>/char export</code>	<code>/char export format:Image</code>
<code>/char submit</code>	<i>(resend your sheet after a rejection)</i>

With sheet approval switched on, an export goes to the GMs first. Running `/char export` posts the sheet block into the approval channel with **Release to player / Decline** buttons; the player sees only a private note that it has been sent. When a GM releases it, the block arrives by DM — or back in the channel they exported from, if their DMs are closed. Exporting is not an edit: it never changes a sheet’s approval state and never stops anyone rolling. Exporting again replaces the previous request, so the channel holds one live entry per player. GMs export straight away, for themselves and for anyone else, and on servers not using approvals nothing changes.

Character Pages

Beyond the stat block, a character accumulates things worth keeping. Each page can be read for yourself or for someone else with **user:**.

<code>/char summary</code>	<i>(the sheet and every page below, on one post)</i>
<code>/char inventory</code>	<i>(what they are carrying)</i>
<code>/char standing</code>	<i>(merit and renown, and where each came from)</i>
<code>/char rollhistory</code>	<i>(every natural die this character has rolled)</i>
<code>/char rollhistory sides:6</code>	<i>(the same for a different die)</i>
<code>/char lore</code>	<i>(write your lore and send it to the Game Masters)</i>
<code>/char showlore</code>	<i>(read approved lore)</i>

Inventory holds roleplay items — things an activity handed over, or a Game Master gave out by hand with `/char give user:@a item:A tarnished silver key`. Each carries a number, so `/char take user:@a id:3` removes one. Giving and taking are Game Master-only.

Standing puts total merit and renown at the top, then lists every movement beneath it — the quest, activity or Game Master award that caused it, the amount, and how long ago. Merits are a lifetime tally that only climbs; renown is a currency that is spent again.

Roll history counts every natural die a character has ever rolled, drawn as a bar chart with the natural 20s and 1s marked. It follows the character, not the player, and covers every roll they make — typed, slash, in a fight or in an activity.

Lore opens a writing box, pre-filled with whatever you wrote last time. It goes to the same channel character sheets do, with Approve / Reject buttons; a rejection asks the Game Master why and passes the reason back. Only approved lore shows on `/char showlore` — before that it says it is waiting, or why it was turned down. Rewriting retires the old

request and sends a fresh one.

Nothing here is required. A character works perfectly well with an empty inventory, no lore and no renown — these are for tables that want to track more.

Your Roll Card

How much of your sheet appears when you roll is up to you.

<code>/profile card style:Full</code>	<code>/p card style:Full</code>	(the whole sheet)
<code>/profile card style:Compressed</code> <code>style:Compressed</code>	<code>/p card</code>	(one line of stats)
<code>/profile card style:Off</code>	<code>/p card style:Off</code>	(plain text rolls)

Compressed puts everything on a single line under the roll — `~Oa 5 · ~Q0 5 · □ 4 · ~H0 4 · ~I0 2 · □ 8/8 · ~b4 2/2` — which keeps a busy channel readable without hiding where a modifier came from.

*A **stat roll** always shows something, even with your card Off: **1d20+4** says nothing about which stat it was or where the 4 came from, so those fall back to the compressed line. Choosing Compressed is respected rather than overridden — the bot never upgrades you to Full. Plain dice rolls honour Off completely.*

Saved Sheets

<code>/profile save slot:vault</code>	<code>/p save slot:vault</code>	(keep a copy of your sheet)
<code>/profile load slot:vault</code>	<code>/p load slot:vault</code>	(put it back)
<code>/profile saves</code>	<code>/p saves</code>	(what you have saved)

Loading a save is checked like any other change — an old snapshot cannot smuggle in a spread that breaks the current point allowance.

Profile

<code>/profile on</code>	<code>/p on</code>	(enable embed, max HP + rerolls)
<code>/profile off</code>	<code>/p off</code>	(disable embed, plain text rolls)
<code>/profile show</code>	<code>/p show</code>	(preview card without rolling)
<code>/profile save mysave</code>		(snapshot current state)
<code>/profile load mysave</code>		(restore snapshot in any channel)

Sheet Import

Paste an exported sheet into any channel the bot watches.

<code>[paste sheet into channel]</code>	(player)
---	----------

Config & Maintenance

Help & Maintenance

<code>/help</code>	(overview of all command groups)
<code>/help category:dice</code>	(detail on a specific group)
<code>/lastroll</code>	(recall your last roll in this channel)

What the Stats Do

<code>/stat</code>	(what each stat is for, in plain words)
<code>/char prefer atk:Dexterity def:Constitution</code>	(your own, for when auto rolls for you)
<code>/char prefer</code>	(see what is set)
<code>/char prefer atk:Clear it</code>	(go back to using your best)

This matters to players as well as Game Masters: **/fight auto** in full mode rolls for **everyone** in the fight, so without a preference your character swings with their strongest arm whether that suits them or not.

A preference **never overrides a weapon**. If what you asked for is not one of the stats your weapons allow, your best allowed stat is used instead and **/char prefer** tells you so — setting one can only ever narrow a free choice, never break a rule.

Derived Stats

Max HP is **CON plus a flat base**, 2 by default — so CON 10 gives 12 HP. A Game Master can change the base for the whole server with **/config hpbase base:3**, making it CON+3; set it to 0 for max HP equal to CON alone. Everyone's ceiling moves the moment it is changed, players and NPCs alike, though current HP is left where it is — run a rest or **hpfull @user** to top people up.

Stat	Formula	On change
Max HP	CON + base	HP always maxes
Max Rerolls	LCK	Rerolls always max
Heal tracker	White Knight + WIS $\geq$ 5	Appears / disappears automatically

Fight System

Structured fights with initiative, turn order, stat-based rolls and damage tracking.

Commands

<code>/fight start players:@a @b npcs:Goblin, Orc</code>	<i>(any number of each)</i>
<code>/fight start ... manual:true</code>	<i>(skip roll, keep listed order)</i>
<code>/fight start ... practice:true</code>	<i>(friendly bout — fighters yield at 2 HP)</i>
<code>/fight atk stat:str target:@user</code>	<i>(attack a player)</i>
<code>/fight atk stat:str target_npc:Orc</code>	<i>(attack an NPC)</i>
<code>/fight def stat:dex</code>	<i>(defend)</i>
<code>/fight rr</code>	<i>(reroll last fight roll — 1 token)</i>
<code>/fight resolve</code>	<i>(resolve the exchange)</i>
<code>/fight status</code>	<i>(show turn order and HP)</i>
<code>/fight log</code>	<i>(re-post the last finished fight's recap)</i>
<code>/fight forfeit</code>	<i>(concede — HP preserved)</i>

How a Fight Runs

When a fight starts, the bot rolls DEX initiative (1d20 + DEX) for every fighter and orders the turn order from highest to lowest, ties broken by the raw d20. Add **manual:true** to skip the roll and keep your listed order, or use **/fight order** with a comma-separated sequence.

Knocked-down fighters: anyone at 0 HP or less is left out when a fight starts or when NPCs are added, with a warning naming them. Restore NPCs with **/npc heal** or **/npc hp**, players with rests or **hpfull @user**.

Practice bouts: add **practice:true** to **/fight start** or **/fight auto** and the fight becomes a friendly spar. Everything runs exactly as normal — initiative, rolls, damage, crits, carry-over effects, rerolls, recap — but the cut-off moves from 0 HP to **2 HP**. A fighter bows out the moment they reach 2, and damage never carries anyone below it, so nobody leaves the yard worse than winded. Sparring partners already at 2 HP or less are left out at the start, the same way knocked-down fighters are. The bout is announced on start, marked on **/fight status**, and noted again in **/fight log**, so a spar can never be mistaken for the real thing.

HP stays in sync: any mid-fight HP change — **!hp**, **!heal**, rests, **/npc hp** or the **/fight hp** command — is mirrored straight into the fight, so a heal is never overwritten by the next exchange. Anywhere a command takes NPC names, **category:Name** adds a whole category at once.

When a Fight Ends

However a fight finishes — a knockout, a forfeit, a kick, **/fight end** or an auto-resolve — a single public **result post** goes to the channel where everyone can read it. Nothing important is left in a private reply: the Game Master's confirmation for **/fight end** stays private, but the result itself is posted for the whole table.

The post names the **victor**, then lists every combatant's **final standing** — exact HP for players, a condition band for NPCs while their stats are hidden — followed by the recap.

The **recap** covers players and NPCs alike, in three parts. **Rolls:** how many attacks and defences each fighter made, their average total, and their best and worst natural dice. **Damage:** dealt and taken, natural 20s and 1s, and rerolls spent. **Blow by blow:** every exchange in order — both rolls, the natural die and the final total for each side, and whether it landed or was blocked, with natural 20s and 1s marked. Very long fights show the most recent exchanges and say how many earlier ones were trimmed; the roll and damage figures still cover the whole fight. Long recaps are split across messages so nothing is lost to Discord's length limit.

/fight log re-posts the last finished fight's recap in that channel at any time, blow-by-blow included.

Damage

Situation	Damage
Attack total $\geq$ Defence total	1
Attacker natural 20	+1 bonus
Defender natural 1	+1 bonus
Attacker nat 20 + Defender nat 1	4 total
Defence total > Attack total	0 (blocked)
Fighter reaches 0 HP	Knocked down, removed from turn order, HP goes negative

Players can reroll using **rr** / **rra** / **rrd** after their initial roll before **/fight resolve**.

Critical Effects (carry-over)

A natural 1 or natural 20 leaves a mark on the *next* roll, in both manual and auto fights:

Trigger	Effect on the next roll
Natural 1 on an attack	The attacker fumbles — their next defence is rolled as a flat d20 (no stat, no advantage).
Natural 20 on a defence	The defence turns the blow aside and the defender gains +2 on their next attack — unless that attack was itself a natural 20.

Each effect is consumed by the affected fighter's next matching roll and is announced when it lands ("presses the riposte", "defends on a flat d20"). Leaving a fight clears any pending effects.

Merits & Ranks

A milestone-style progression system. Merits are a lifetime tally a Game Master awards; ranks are named tiers with merit thresholds. The bot tracks progress and flags eligibility, but every promotion is decided by a Game Master.

Merits

<code>/merit view</code>	(your merits, rank, and merits to next rank)
<code>/merit view user:@player</code>	(view another player)
<code>/merit leaderboard</code>	(top earners on the server)
<code>/merit history user:@player</code>	(a player's merit timeline)
<code>/merit history</code>	(recent server-wide merit activity)

Ranks

<code>/rank list</code>	(all ranks and their thresholds)
-------------------------	----------------------------------

/merit view shows current merits and exactly how many more are needed for the next rank, e.g. "Knight · 7 merits · 8 to Paladin". Every merit change is recorded — quest rewards show the quest name, manual changes show "by GM" — so **/merit history** answers "who earned what, and when". Removing a rank doesn't change players who already hold its label.

Renown

Renown is not a currency. It is a running tally of how a character **stands in the world** — what they have done, who has noticed, and how far their name carries. It is earned from quests, encounters and activities, and it is not meant to be traded away for goods. Someone with high renown is **known**; that is the whole of it.

A Game Master can adjust it either way when the story calls for it — a reputation can be damaged as well as built — but it is a record of standing rather than a purse.

<code>/renown view</code>	<code>/renown view user:@player</code>	
<code>/renown leaderboard</code>		(who is best known)
<code>/renown history</code>		(where a standing came from)
<code>/renown gain user:@a amount:5 reason:Cleared the Sunken Vault</code>		(Game Master)
<code>/renown loss user:@a amount:3 reason:Disgraced at court</code>		(Game Master)
<code>/renown set user:@a amount:0</code>		(Game Master)

Every change is logged with its reason, so **/renown history** answers how a reputation was built and where it was lost.

Merit

Merit is the earned measure of service — awarded by a Game Master, accumulated across quests and activities, and the thing rank thresholds are set against. Unlike renown, **merit is tradeable**: it can be passed between players, and potentially to and from NPCs, as payment, tribute, a debt settled or a favour bought.

<code>/merit give user:@a amount:2 reason:A debt settled</code>	<i>(offer some of your merit)</i>
<code>/merit trades</code>	<i>(what is still waiting on a Game Master)</i>
<code>/merit cancel id:3</code>	<i>(withdraw one — your own, or any as a Game Master)</i>

No merit moves until a Game Master signs it off. An offer is held and posted to the sheet approval channel with Approve / Refuse buttons; a refusal asks the Game Master why and passes the reason back. Both parties are told when it lands, and it is announced in the channel where it was offered so the table sees the trade happen.

Your balance is checked twice — when you offer, and again when a Game Master approves. If you have spent the merit in between, the trade is voided rather than pushing anyone into the red.

Renown says who you are in the world. Merit is what you have earned and may hand on. A character can be widely known and hold no merit at all, or quietly hold a great deal.

Quest Board

GMs create quests with lore, objectives, details and rewards. Quests are posted as a message with an Apply button and also appear on the board. Players apply, a Game Master approves the party, and on completion merits are auto-awarded while other rewards are listed for the Game Master to hand out.

For Players

<code>/quest board</code>	<i>(list quests (filter: open/active/completed/all))</i>
<code>/quest show number:1</code>	<i>(full details of one quest)</i>
<code>/quest roster number:1</code>	<i>(see applicants and the party)</i>
<code>/quest apply number:1</code>	<i>(apply to join — or tap Apply on the post)</i>
<code>/quest withdraw number:1</code>	<i>(leave or cancel your application)</i>
<code>/quest log user:@player</code>	<i>(completed quests a player was on)</i>

Quests are auto-numbered for easy recall, e.g. **#001-Goblin Cave** (repeatable quests keep the name and get a fresh number each time). Party size is a hard cap or a suggestion — the Game Master chooses with **hard_cap**, and **force:true** on approve overrides a cap. Point a quest at a thread with **/quest runchannel** and its completion rewards are announced there.

Penned by the DDice Scriptorium · May your rolls be ever in your favour