

WOLFIE — Support System Architecture V1

Objective

Build a scalable AI-first support system for WOLFIE that:

- Reduces operational costs
- Handles 24/7 customer support
- Minimizes refund abuse
- Escalates high-risk situations to human review
- Protects platform trust
- Scales to high order volume

This system is designed around:

- AI-first support
- Human escalation only when needed
- Full logging
- Fraud-aware automation
- Fast response times
- Multi-role operational permissions

CORE SUPPORT PHILOSOPHY

WOLFIE support is divided into 3 layers:

Layer	Role	Responsibility
Layer 1	AI Support Agents	Fast automated resolution
Layer 2	AI Escalation Engine	Risk analysis + routing
Layer 3	Human/Admin Review	Final decisions

SUPPORT CHANNELS

Supported Channels

1. In-App Chat

Primary support channel.

Use cases:

- Order status

- ETA
 - Refund requests
 - Driver delays
 - Missing items
 - Promotions
 - Wallet credits
-

2. SMS Support

Fallback support.

Use cases:

- Driver unreachable
 - OTP verification
 - Emergency updates
 - Critical delivery alerts
-

SUPPORT RESPONSE TARGETS

Case Type	Target Response
Order status	< 10 sec
Refund request	< 2 min
Driver issue	< 1 min
Safety issue	Immediate escalation
Payment issue	< 5 min
Escalated manual review	< 30 min

AI SUPPORT AGENTS

1. ORDER STATUS AGENT

Responsibilities:

- Track live order status
- Explain delays
- Predict ETA
- Notify customer automatically

Data Sources:

- Driver GPS
 - Restaurant prep time
 - Traffic API
 - Dispatch engine
-

2. REFUND AGENT

Responsibilities:

- Analyze refund eligibility
- Calculate compensation
- Detect abuse patterns
- Suggest resolution

Possible Outcomes:

- Full refund
 - Partial refund
 - Wallet credit
 - Denied claim
 - Manual review
-

3. DRIVER ISSUE AGENT

Responsibilities:

- Driver unreachable
- Delivery delays
- Route anomalies
- Delivery completion verification

Risk Signals:

- GPS mismatch
 - Long idle time
 - Fake completion behavior
 - Excessive delays
-

4. RESTAURANT ISSUE AGENT

Responsibilities:

- Restaurant closed
- Missing items

- Incorrect preparation
 - Excessive prep delays
 - Menu mismatch
-

5. FRAUD DETECTION AGENT

Responsibilities:

- Detect suspicious refunds
- Detect fake accounts
- Detect payment abuse
- Detect promo abuse
- Detect multi-account behavior

Fraud Inputs:

- Device fingerprint
 - IP behavior
 - Payment metadata
 - Historical refund rate
 - Chargeback history
 - Order patterns
-

6. TRUST & SAFETY AGENT

Responsibilities:

- Harassment reports
- Threats
- Driver misconduct
- Unsafe behavior
- Customer abuse

Immediate Escalation Cases:

- Violence
 - Threats
 - Theft
 - Harassment
 - Stalking
 - Unsafe driving
-

ESCALATION ENGINE

The escalation engine decides whether AI can resolve the issue or route it for review.

AUTO-RESOLVED CASES

Situation	Action
Duplicate charge	Full refund
Restaurant closed	Full refund
Moderate delay	Wallet credit
Missing small item	Partial refund
Minor driver delay	Compensation

MANUAL REVIEW CASES

Situation	Escalation
Large refunds	Admin review
Repeat refund abuse	Fraud review
Threats/harassment	Trust & safety
Payment disputes	Financial review
Multiple suspicious accounts	Fraud review

SUPPORT PERMISSION SYSTEM

1. SUPER ADMIN

Full permissions.

Can:

- Approve refunds
- Ban accounts
- View fraud data
- Access logs
- Manage AI systems
- Override all decisions

2. SUPPORT ADMIN

Can:

- Review escalated tickets
- Issue credits
- Communicate with users
- Flag fraud cases

Cannot:

- Access full fraud models
 - Modify core systems
-

3. FRAUD REVIEWER

Can:

- Review suspicious activity
 - Freeze accounts
 - Limit refunds
 - Escalate payment abuse
-

4. RESTAURANT MANAGER

Can:

- Handle restaurant tickets
 - Approve restaurant adjustments
 - Monitor prep-time abuse
-

5. DRIVER OPERATIONS MANAGER

Can:

- Review driver incidents
 - Suspend drivers
 - Monitor reliability
 - Handle safety escalations
-

TICKET SYSTEM STRUCTURE

Ticket Categories

Category	Example
Refund	Missing item
Delivery	Driver late
Payment	Duplicate charge
Restaurant	Wrong order
Driver	Unsafe behavior
Fraud	Abuse detection
Technical	App bug
Trust & Safety	Harassment

Ticket Priority Levels

Priority	SLA
Critical	Immediate
High	< 5 min
Medium	< 30 min
Low	< 24h

WALLET COMPENSATION ENGINE

Auto Compensation Rules

Situation	Compensation
Order 30m late	\$5 credit
Delivery canceled after pickup	Partial credit
Failed delivery due to driver	Refund/credit
Technical payment issue	Credit + investigation

Rules:

- Credits expire after configurable period
 - AI limits abuse frequency
 - High-risk users may require manual approval
-

CUSTOMER TRUST SYSTEM

Customer Reputation Score

Factors:

- Successful orders
 - Refund frequency
 - Chargebacks
 - Harassment reports
 - Payment trust
 - Account age
-

Driver Reputation Score

Factors:

- Completion rate
 - On-time delivery
 - Ratings
 - Fraud incidents
 - GPS integrity
 - Customer complaints
-

Restaurant Reputation Score

Factors:

- Prep accuracy
 - Missing item frequency
 - Refund frequency
 - Delay rate
 - Food quality complaints
-

EVENT LOGGING SYSTEM

Every support action must be logged.

Required Logs

- Refund approvals
 - Refund denials
 - AI recommendations
 - Escalations
 - Driver incidents
 - Customer complaints
 - Restaurant violations
 - Wallet credits
 - Admin actions
 - Fraud flags
-

DATABASE TABLES

support_tickets

Fields:

- id
 - user_id
 - order_id
 - category
 - priority
 - status
 - assigned_to
 - ai_summary
 - resolution
 - created_at
-

refund_requests

Fields:

- id
 - order_id
 - user_id
 - refund_type
 - amount_requested
 - ai_recommendation
 - fraud_score
 - final_decision
 - reviewed_by
 - created_at
-

fraud_flags

Fields:

- id
 - user_id
 - risk_type
 - severity
 - notes
 - created_at
-

support_logs

Fields:

- id
 - actor
 - action
 - ticket_id
 - metadata
 - created_at
-

AI SUPPORT WORKFLOW

```
Customer opens ticket
  ↓
AI categorizes issue
  ↓
Risk score generated
  ↓
AI proposes solution
  ↓
Low risk → auto resolve
High risk → escalation
  ↓
Human/admin review
  ↓
Final resolution
```

CRITICAL SAFETY RULES

Immediate Suspension Triggers

Customers

- Payment fraud
- Threats
- Multi-account abuse
- Chargeback abuse

Drivers

- Fake GPS
- Theft
- Unsafe driving
- Harassment
- Delivery manipulation

Restaurants

- Unsafe food
- Fake menus
- Fraudulent pricing
- Repeated violations

SUPPORT KPIs

Core Metrics

KPI	Target
First response time	< 30 sec
Resolution rate	> 85%
Refund abuse rate	< 3%
Chargeback rate	< 1%
AI auto-resolution	> 70%
Support satisfaction	> 4.7/5

N8N ARCHITECTURE

Recommended Workflow Structure

Workflow 1

Order Events

- order_created
 - driver_assigned
 - order_delayed
 - delivery_completed
-

Workflow 2

Refund Automation

- refund request
 - fraud scoring
 - AI recommendation
 - escalation routing
-

Workflow 3

Trust & Safety

- harassment reports
 - suspicious drivers
 - payment abuse
 - emergency escalation
-

Workflow 4

Restaurant Support

- prep-time anomalies
 - menu issues
 - refund allocation
 - restaurant analytics alerts
-

FINAL POSITIONING

WOLFIE support should operate as:

An AI-first operational support infrastructure using automated risk scoring, fraud analysis, dispatch intelligence, and escalation systems to efficiently manage marketplace operations between customers, restaurants, and independent delivery drivers.