## c-support.vim VERSION 5.3 HOT KEYS

Key mappings for Vim with and without GUI. (i) insert mode, (n) normal mode, (v) visual mode

	mode, (n) normal mode, (v) visual	
\hm	show manual	(n,i)
\hp	help (plugin)	(n,i)
		omments
\cl	end-of-line comment	(n,v,i)
\cj	adjust end-of-line comment	(n,v,i)
\cs	set end-of-line comment column	(n)
\C*	$code \Rightarrow comment /* */$	(n,v)
\c/ \cc	$code \Rightarrow comment //$	(n,v)
\co	$comment \Rightarrow code$	(n,v)
\cfr	frame comment	(n,i)
\cfu	function comment	(n,i)
\cme	method description	(n,i)
\ccl	class description	(n,i)
\cd	date	(n,i)
\ct	date & time	(n,i)
•	Sta	atements
\sd	do { } while	(n,v,i)
\sf	for	$\frac{(n,v,i)}{(n,i)}$
\sfo	for { }	(n,v,i)
\si	if	
		$\frac{(n,i)}{(n,v,i)}$
\sif	if { }	(n,v,i)
\sie		(n,v,i)
\sife	if { } else { }	(n,v,i)
\sw	while	(n,i)
\swh	while { }	(n,v,i)
\ss	switch	(n,v,i)
\sc	case	(n,i)
	{ }	(n,v,i)
		rocessor
\p<	#include<>	(n,i)
\p"	#include""	(n,i)
\pd	#define	(n,i)
\pu	#undef	(n,i)
\pie	#if #else #endif	(n,v,i)
\pid	#ifdef #else #endif	(n,v,i)
\pin	#ifndef #else #endif	(n,v,i)
\pind	#ifndef #def #endif	(n,v,i)
\pi0	#if 0 #endif	(n,v,i)
\pr0	remove #if 0 #endif	(n,i)
\pe	#error	(n,i)
\pl	#line	(n,i)
\pp	#pragma	(n,i)
VF F	r o	Snippet
\nr	read code snippet	(n)
\nr \nw	write code snippet	(n,v)
	edit code snippet	
\ne	11	(n)
\np	pick up prototype	(n,v)
\ni	insert prototype(s)	(n)
\nc	clear prototype(s)	(n)
\ns	show prototype(s)	(n)
$\ntl$	edit local templates	(n)
	11. 1 1 1	
\ntg \ntr	edit global templates rebuild templates	(n) (n)

		<b>I</b> dioms
\if	function	(n,v,i)
∖isf	static function	(n,v,i)
\im	main()	(n,v,i)
\i0	for( $x=0$ ; $x; x+=1 )$	(n,v,i)
\in	for( $x=n-1$ ; $x>=0$ ; $x-=1$ )	(n,v,i)
\ie	enum + typedef	(n,v,i)
∖is	struct + typedef	(n,v,i)
\iu	union + typedef	(n,v,i)
\ip	printf()	(n,i)
∖isc	scanf()	(n,i)
\ica	p=calloc()	(n,i)
\ima	p=malloc()	(n,i)
\isi	sizeof()	(n,v,i)
\ias	assert()	(n,v,i)
\ii	open input file	(n,v,i)
\io	open output file	(n,v,i)
		C++
\+c	class	(n,i)
\+cn	class (using new)	(n,i)
\+ci	class implementation	(n,i)
\+cni	class (using new) implementatio	n (n,i)
\+mi	method implementation	(n,i)
\+ai	accessor implementation	(n,i)
\+tc	template class	(n,i)
\+tcn	template class (using new)	(n,i)
\+tci	template class implementation	(n,i)
\+tcni	template class (using new) impl.	(n,i)
\+tmi	template method implementation	n (n,i)
\+tai	template accessor implementation	n (n,i)
\+tf	template function	(n,i)
\+ec	error class	(n,i)
\+tr	trycatch	(n,v,i)
\+ca	catch	(n,v,i)
\+c.	catch()	(n,v,i)
		Run
\rc	save and compile	(n,i)
\rl	link	(n,i)
\rr	run	(n,i)
\ra	set comand line arguments	(n,i)
\rm	run make	(n,i)
\rg	cmd. line arg. for make	(n,i)
\rp	run splint <sup>1</sup>	(n,i)
\ri	cmd. line arg. for splint	(n,i)
\rk	run CodeCheck <sup>2</sup>	(n,i)
\re	cmd. line arg. for CodeCheck	(n,i)
\rd	run indent	(n,i,v)
\rh	hardcopy buffer	(n,i,v)
\rs	show plugin settings	(n,i)
\rx	set xterm size (n,i, only Unix	
\ro	change output destination	(n,i)
	·	Menu(s)
∖lcs	Load Menus (n	& GUI only)
\ucs	YY 1 13 6	& GUI only)
·	•	

Page 1 / 1 November 2008

 $<sup>{}^{1}\</sup>textbf{splint} \text{ must be installed (www.splint.org)}. \\ {}^{2}\textbf{CodeCheck} \text{ must be installed. CodeCheck}^{TM} \text{ is a product of Abraxas Soft-}$