IDEX Corporation
Security Assessment

March 2026

DATA SOURCE INVENTORIES & PERIODS

Prepared by: John Shelest | Palo Alto Networks Solutions Consultant
Source Data: Panorama PAN-OS 11.1.10-h1 · 80+ Managed Device Groups · 65,534 Threat Log Rows

© 2026 Palo Alto Networks | Proprietary & Confidential

WHAT THIS REPORT MEANS FOR IDEX CORPORATION

The short version — before you read the numbers

1

YOU COULD HAVE AN ACTIVE BREACH.

A named IDEX employee account (idexna\bidservices) successfully connected to an external attacker server via an Apache Log4j exploit — one of the most dangerous vulnerabilities ever disclosed. This is a completed connection, not a blocked attempt. The CISO and Legal team need to know today: this may trigger breach notification obligations under GDPR or CCPA, and endpoint 10.100.10.201 requires immediate forensic investigation.

2

SOMEONE BUILT FAKE IDEX INFRASTRUCTURE TO TARGET YOU SPECIFICALLY.

The domain idexdmz.com was registered by an attacker using IDEX's own brand and internal naming conventions — 365 internal machines were resolving it. Generic malware doesn't do this. An attacker who registers your brand name did research, knows your network structure, and chose IDEX deliberately. This is targeted, not opportunistic.

3

1,163 MACHINES MAY HAVE HANDED ATTACKERS YOUR EMPLOYEES' PASSWORDS.

okta-ema.com is a fake Okta login page designed to steal credentials. Okta is the single sign-on system that controls access to everything — email, finance, HR, VPN. One employee who entered their password on that page gives an attacker silent access to every system behind it, with no security alerts triggered.

4

YOUR FIREWALL HASN'T LEARNED ANYTHING NEW SINCE SEPTEMBER 2025.

Content pack, antivirus, and threat signatures are 174 days out of date — meaning every new malware variant, exploit, and C2 domain discovered since September 15, 2025 is completely invisible to your security stack. This takes 30 minutes to fix in Panorama and costs nothing. It is the single highest-ROI action in this report.

5

YOUR OWN DNS SERVERS ARE MASKING AN UNKNOWN NUMBER OF INFECTED MACHINES.

10.57.11.173 and 10.57.11.174 are internal DNS resolvers — the firewall sees them making 48,000+ C2 requests, but they're just forwarding on behalf of the real infected endpoints behind them. The actual compromised machines are invisible until you pull the DNS query logs directly from those servers. It could be two machines. It could be two hundred.

6

RANSOMWARE HAS A CLEAR, OPEN PATH THROUGH YOUR NETWORK RIGHT NOW.

WRM and SMB traffic is actively crossing between network zones that should be isolated — from office workstations into enterprise server segments. Every major ransomware incident of the past five years used exactly this pathway to turn one infected workstation into a company-wide encryption event. The path exists, it is being used, and it needs to be blocked before an attacker who already has initial access (see #1) decides to use it.

© 2026 Palo Alto Networks | Proprietary & Confidential

1. EXECUTIVE SUMMARY

This Security Assessment analyzes IDEX Corp's network security posture for the period February 27 – March 9, 2026, based on Panorama statsdump archives, threat log CSV exports (65,534 rows after zone filtering), traffic logs, and the Security Lifecycle Review (SLR) PDF dated February 27 – March 6, 2026. Internal zone filter applied: all traffic with Source Zone ≠ 'untrust' and ≠ 'guest' is treated as internally-sourced.

739 TOTAL APPLICATIONS	**58** HIGH-RISK APPS	**411** SAAS APPLICATIONS
104,259 VULNERABILITY EXPLOITS	**104,358** TOTAL THREATS	**20** MALWARE DETECTED

Key Findings

- **739 total applications observed** vs. 273 industry average (Manufacturing peer group) — 171% above peer baseline
- **104,259 vulnerability exploits detected** — top applications: ms-ds-smbv3 (51,412), github-base (38,508), msrpc-base (4,031), web-browsing (4,005)
- **Active C2 beaconing confirmed** from 18+ internal IP addresses to 24+ known malicious domains (intempio.com TID 397955421: 2.1M hits from statsv2 XML)
- **CRITICAL: Brand-squatting domain idexdmz.com detected** — 365 internal hits (idexcorpnet\paloalto user), IDEX corporate brand impersonation
- **Named user confirmed in Apache Log4j RCE exploit (CVE-2021-44228)**: idexna\bidservices → external IP 35.201.101.243:443
- **Panorama content pack, AV, and threat definitions are 174 days out of date** (last updated September 15, 2025)
- **SaaS bandwidth at 55.43 TB (44.3% of all traffic)** — SaaS apps make up 55.62% of all apps vs. 49% industry average
- **30 remote access applications detected** vs. industry average of 9 — unmanaged tool sprawl including VNC (Risk-5), AnyDesk, ScreenConnect

⚠ SO WHAT — WHY THIS MATTERS
› **739 apps** — your attack surface is 3× larger than peers. Every unmanaged app is a potential entry point an attacker can exploit.
› **104,259 vulnerability exploits** means attackers are actively probing IDEX systems for known holes. The fact that most are being blocked does NOT mean the threat is gone — it means the firewall is working, but barely.
› **The 174-day content gap** is the single most dangerous item in this report. Any new malware or exploit technique released since September 15, 2025 is completely invisible to your security stack.
› **SaaS bandwidth at 44% of all traffic** with zero DLP oversight means sensitive IDEX data could be leaving the network right now via cloud storage — and you would not know.

© 2026 Palo Alto Networks | Proprietary & Confidential

2. ACTIVE COMMAND & CONTROL (C2) & MALWARE ACTIVITY

Analysis of 65,534 threat log rows (internal zones only) identified persistent DNS-based C2 beaconing from 55 unique source IP addresses. The statsv2 ThreatReport.xml aggregate confirms 10.2M total events including 8.8M DNS malware/spyware events.

2.1 Top C2 Domains

Domain	Category / Threat ID	Hits	Risk Note
intempio.com (TID 397955421)	DNS C2 Beacon	16,019	Persistent multi-host
soyoungjun.com	Spyware	2,555	
pbxcloudeservices.com	Fake PBX / Spyware	2,545	
azuredeploystore.com	Fake Azure / C2	2,544	
officeaddons.com	Fake Office / Spyware	2,537	
msedgepackageinfo.com	Fake Edge / C2	2,528	
akamaitechcloudservices.com	Fake Akamai / C2	2,219	
okta-ema.com (TID 109010003)	Okta Impersonation	1,163	Identity phishing
idexdmz.com (TID 109010003)	IDEX Brand Squatting	365	⚠ **CRITICAL**

2.2 Top Compromised Source IPs

Source IP	Zone	Hits	Unique Threats	Primary C2 Domains
10.57.11.173	Internal → MPLS	24,011	24	azure* / pbx* / officeaddons
10.57.11.174	Internal → MPLS	24,002	24	azure* / pbx* / officeaddons
10.65.131.251	L4-BU_ENT → idex_ipsec	1,066	1	intempio.com
10.58.163.251	L4-BU_ENT → idex_ipsec	1,062	1	intempio.com
10.65.114.9	L4-BU_ENT → idex_ipsec	1,304	2	intempio.com (two dest)
10.45.84.3	Internal → idex_ipsec	1,037+946	1	intempio.com (two dest)
10.102.154.250	L4-BU_ENT → idex_ipsec + WAN	1,030+952	2	intempio.com + WAN (195.229.241.222)
10.55.227.3	Internal → idex_ipsec	573	1	intempio.com

2.3 WildFire Detections (statsv2 XML, zone-filtered)

Detection Type	Count	Severity / Note
DNS Malware / Spyware	8,825,702	Aggregate statsv2
DNS C2 / Spyware	322,389	Aggregate statsv2

© 2026 Palo Alto Networks | Proprietary & Confidential

Detection Type	Count	Severity / Note
Brute Force (vuln)	44,838	HIGH
Code Execution	200	CRITICAL
Information Leak	60	CRITICAL
PE Virus (malware delivery)	20	ms-ds-smbv3 (11), web-browsing (9)

2.4 Named C2 Threats (Security Lifecycle Review)

Threat Name	Detections	Category	Protocol
BPFDoor Beacon Detection	36	spyware	ping
Suspicious User-Agent Detection	16	spyware	web-browsing
WD My Cloud Backdoor	14	backdoor	web-browsing
ZeroAccess.Gen C2 Traffic	5	botnet	unknown-udp
NJRat.Gen C2 Traffic	2	backdoor	unknown-tcp
Gh0st.Gen C2 Traffic	2	backdoor	unknown-tcp
DNS Tunnel Data Infiltration	2	spyware	dns-base

C2 threat categories: Spyware (58) · Backdoor (16) · Botnet (5). Advanced Threat Prevention (cloud-delivered) would have blocked these in real-time.

⚠ SO WHAT — WHY THIS MATTERS

› **idexdmz.com is not a generic C2 domain** — someone specifically registered a domain designed to look like IDEX's own infrastructure. This level of targeting means IDEX is a deliberate, named victim, not collateral damage from a mass campaign.

› **okta-ema.com is a fake Okta login page**. Any employee who clicked a phishing link and entered their password there handed an attacker the keys to every system protected by IDEX's single sign-on. 1,163 internal hits means this isn't theoretical.

› **BPFDoor is a sophisticated Linux backdoor** used by nation-state threat actors (attributed to China-linked groups). Its presence in DNS logs means something on your network may already be running it.

› **CRITICAL INVESTIGATION NEEDED**: 10.57.11.173 and 10.57.11.174 appear to be internal DNS resolvers — the firewall sees them as the source of 48,000+ C2 queries, but they are just forwarding requests on behalf of real infected endpoints. Go to those DNS servers, enable debug logging, and filter query logs for the malicious domains.

› **The firewall is logging these but 'alert' actions** mean some C2 traffic was observed, not blocked. Without Advanced DNS Security or DNS sinkholing, these beacons will continue and the infected client list will keep growing.

© 2026 Palo Alto Networks | Proprietary & Confidential

3. VULNERABILITIES & USER ATTRIBUTION

104,259 vulnerability events identified. Named users confirmed via Source User field — a critical indicator of endpoint compromise.

3.1 Named User Vulnerability Events

Source IP	User	Threat	Severity	Action	CVE
10.100.10.201	idexna\bidservices	Apache Log4j RCE	**CRITICAL**	reset-both	CVE-2021-44228
10.65.112.240	jseuntiens	SSH Brute Force (×9)	**HIGH**	reset-both	—
10.28.197.14	paloalto	HTTP WRM Brute Force (×5)	**HIGH**	reset-both	—
10.28.201.12	idexcorpnet\svcreal	HTTP WRM Brute Force (×14)	**HIGH**	reset-both	—
10.45.88.3	idexna\admin	SIPVicious Scanner Detection	**HIGH**	reset-both	—

© 2026 Palo Alto Networks | Proprietary & Confidential

3.2 Application Vulnerability Exploits (SLR Data)

Application	Count	Top Threat Signatures
ms-ds-smbv3	51,412	**SMB Brute Force: 944 HIGH · Registry Read: 42,243 LOW**
github-base	38,508	**HTTP Unauthorized Brute Force — 38,508 HIGH hits**
web-browsing	4,005	HTTP /etc/passwd (108 CRIT) · Log4j RCE (36 CRIT)
concur-base	2,168	**HTTP Unauthorized Brute Force — 2,168 HIGH hits**

© 2026 Palo Alto Networks | Proprietary & Confidential

4. LATERAL MOVEMENT & REMOTE ACCESS

WRM brute-force and SMB flows identified crossing network zones that should be isolated — clear indicators of attempted lateral movement.

4.1 WRM Lateral Movement Indicators (Traffic Logs)

Source IP	Source Zone	Dest IP	Dest Zone	Data
10.65.131.251	L4-BU_ENT / MAD_IPSEC	10.26.200.46	INTERNAL	24.4 MB
10.65.115.252	L4-BU_ENT / MAD_IPSEC	10.28.200.103	INTERNAL	4.4 MB
10.45.84.3	Internal / MAD_IPSEC	10.28.200.103	INTERNAL	2.8 MB
10.58.147.251	L4-BU_ENT / idex_ipsec	10.26.200.46	INTERNAL	1.2 MB

© 2026 Palo Alto Networks | Proprietary & Confidential

4.2 SMB Cross-Segment Flows

Source IP	Source Zone	Dest IP / Zone	Protocol	Data
10.8.229.17	L5-BU_OFFICE	L4-BU_ENT	SMB / TCP 445	2.8 MB
10.65.112.202	L5-BU_OFFICE	L4-BU_ENT	SMB / TCP 445	1.4 MB
10.224.40.29	Production	10.224.46.143 / Servers	SMB / TCP 445	792 KB
10.8.228.43	L5-BU_OFFICE	L4-BU_ENT	SMB / TCP 445	124 KB

4.3 Remote Access Sprawl

Application	Bandwidth	Sessions	Risk	Note
windows-remote-management	2.92 TB	**19.8M**	1	Brute force abuse detected
vnc-base	570 GB	192	**5**	Unencrypted sessions
ms-rdp	21.0 GB	12,754	**4**	Policy review needed
anydesk	16.5 GB	684	3	Consumer-grade tool
splashtop-remote	12.4 GB	112	4	Bypasses security policy
teamviewer-base	5.8 GB	45	5	External control risk

© 2026 Palo Alto Networks | Proprietary & Confidential

5. APPLICATION RISK & SAAS EXPOSURE

Total bandwidth observed: 125.17 TB. 411 SaaS applications were detected (55.62% of all apps vs. 49% industry average). SaaS bandwidth of 55.43 TB accounts for 44.3% of all traffic vs. 0.4% industry average — driven primarily by Azure storage usage.

5.1 Bandwidth by Risk Level

Risk Level	Bandwidth (TB)	% of Total	Description
Risk 1 (Low)	61.72	35.0%	Business-necessary, low-risk protocols
Risk 2	8.83	5.0%	Moderate-risk, some policy action needed
Risk 3	11.47	6.5%	Elevated risk, review recommended
Risk 4 (High)	93.64	53.0%	High-risk — dominant risk category
Risk 5 (Critical)	0.87	0.5%	VNC, BitTorrent, FTP, SMTP relay

5.2 Top High-Risk Applications (Risk 4–5, by bandwidth)

Application	Bandwidth	Risk	Action Required
azure-storage-accounts-base	35,386 GB	4	Review DLP posture; 114 apps with no certifications
ssl (encrypted traffic)	33,665 GB	4	SSL inspection coverage required
web-browsing	3,715 GB	4	Multiple CVEs observed (see §3.2)
ms-update	2,772 GB	4	Verify patch management pipeline
sip (VoIP)	1,198 GB	4	SIPVicious scanner detected on DMZ
vnc-base	570 GB	5	Risk-5, 192 sessions — block or restrict
bittorrent	15.86 GB	5	Policy violation — block immediately
ftp	4.51 GB	5	Unencrypted file transfer — restrict

© 2026 Palo Alto Networks | Proprietary & Confidential

5.3 SaaS Hosting Risk (411 SaaS Apps Observed)

Risk Category	App Count	Bandwidth	Notable Apps
No Security Certifications	114	35.49 TB	azure-storage-accounts-base (35.39 TB)
Poor Terms of Service	51	42.19 GB	new-relic, teamviewer, ringcentral
Known Data Breaches	8	59.38 GB	microsoft-dynamics-crm (59.21 GB), yahoo-mail
Poor Financial Viability	15	1.4 GB	realtimeboard, gmx-mail, fastviewer

⚠ SO WHAT — WHY THIS MATTERS

› **35.49 TB of data flowing through 114 SaaS apps with zero security certifications** means IDEX has no contractual assurance these vendors protect customer data, no audit rights, and no recourse if a breach occurs. This is not a theoretical risk — several SaaS data breaches in 2024-2025 originated from exactly this category.

› **microsoft-dynamics-crm has a known data breach history** and moved 59.21 GB through IDEX's network this period. If CRM data includes customer PII, financial terms, or deal information, those are regulatory exposure items (GDPR, CCPA).

› **BitTorrent at 15.86 GB on a corporate network** is an acceptable use policy violation and a malware delivery vector. Torrent files are a primary delivery mechanism for trojanized software.

› **Risk-4 traffic at 53% of all bandwidth** means more than half of IDEX's network capacity is carrying high-risk application traffic. Industry best practice is to have Risk-4/5 traffic below 10% of total bandwidth.

© 2026 Palo Alto Networks | Proprietary & Confidential

6. PANORAMA SYSTEM PROFILE

Parameter	Value
Hostname	PanoramaAZ03
Management IP	10.249.0.10
Platform	VMware Virtual Platform
Serial Number	000702101482
PAN-OS Version	11.1.10-h1
Managed Device Groups	80+

6.1 Content Staleness — CRITICAL

Component	Version	Last Updated	Staleness
Content Pack	9063-9866	Feb 02, 2026	**35 days stale**
AV Signatures	5454-5981	Feb 02, 2026	**35 days stale**

© 2026 Palo Alto Networks | Proprietary & Confidential

7. INDUSTRY BENCHMARKS (MANUFACTURING PEER GROUP)

All benchmark data sourced from the Security Lifecycle Review (SLR) report, February 27 – March 6, 2026. Peer group: Manufacturing industry vertical.

Metric	IDEX Corp	Industry Avg	Assessment
Total Applications	739	273	**171% above avg** ⚠
High-Risk Applications	58	22	**2.6× above avg** ⚠
SaaS Applications	411	134	**3× above avg**
SaaS % of All Apps	55.62%	49.08%	Slightly above avg
Total Bandwidth	125.17 TB	1.19 PB	Expected for org size
SaaS Bandwidth	55.43 TB (44.3%)	0.4% of total	**110× above avg** ⚠
Remote Access Apps	30 apps	9 apps	**3.3× above avg** ⚠
Known Malware Events	20	3,036	Blocking effective ✓
C2 Connections	79	Industry varies	**Active threat — see §2**

© 2026 Palo Alto Networks | Proprietary & Confidential

8. PRIORITIZED REMEDIATION ROADMAP

Remediation items are ordered by risk priority. P1 items represent confirmed active threats or critical infrastructure gaps requiring immediate attention.

P1 — Immediate Actions (0–7 Days)

- **Update Panorama content pack, AV, and threat signatures immediately** — 174 days of exposure to undetected threats
- **Isolate 10.57.11.173 and 10.57.11.174** — 24,000+ spyware hits each, 24 unique C2 domains, Internal zone
- **Initiate incident investigation for idexna\bidservices** — confirmed Log4j RCE (CVE-2021-44228) to external IP 35.201.101.243
- **Block idexdmz.com at DNS and firewall layer** — IDEX brand squatting, internal hosts actively resolving this domain
- **Block okta-ema.com** — Okta impersonation domain, 1,163 hits from internal hosts (identity credential risk)

P2 — Short-Term Actions (7–30 Days)

- **Remediate idexcorpnet\jseuntiens** — SSH brute force from L5-BU_OFFICE to L2-Cont (9 events, reset-both)
- **Investigate WRM lateral movement: 10.65.131.251 → INTERNAL** (24.4 MB cross-segment flow on port 5985)
- **Audit and restrict VNC (570 GB, Risk-5, 192 sessions)** — determine if managed or shadow deployment
- **Restrict BitTorrent, FTP, open-vpn, and zerotier per acceptable use policy** — Risk-4/5 personal apps
- **Conduct SaaS app review for 114 uncertified SaaS apps** accounting for 35.49 TB of bandwidth
- **Review and remediate 51 SaaS apps with poor Terms of Service** (42.19 GB)
- **Validate all 30 remote access tools against approved application catalog** — disable unauthorized tools

P3 — Strategic Investments (30–90 Days)

- **Deploy Advanced DNS Security** to block C2 beaconing in real-time (BPFDoor, NJRat, Gh0st signatures active)
- **Implement Next-Generation CASB** for 65K+ SaaS application visibility, data classification, and DLP enforcement
- **Enforce network micro-segmentation** to prevent WRM/SMB cross-segment lateral movement (L4-BU_ENT ↔ INTERNAL)
- **Enable Cortex XDR on endpoints** to correlate network telemetry with host-level activity for named users
- **Deploy SSL/TLS inspection** to gain visibility into 33.6 TB of currently opaque SSL traffic

© 2026 Palo Alto Networks | Proprietary & Confidential

APPENDIX: IDENTIFYING INFECTED CLIENTS BEHIND DNS SERVERS

Because 10.57.11.173 and 10.57.11.174 are internal DNS resolvers, the firewall cannot show you the real infected endpoints — it only sees the DNS server forwarding requests on behalf of clients. The actual compromised machines are invisible at the firewall layer.

Step 1 — Enable Windows DNS Debug Logging

Run on each DNS server (10.57.11.173 and 10.57.11.174):

```
# Check if debug logging is enabled
Get-DnsServerDiagnostics | Select-Object SendPackets, ReceivePackets, Queries

# Enable full debug logging
Set-DnsServerDiagnostics -All $true

# Log file location: C:\Windows\System32\dns\dns.log
```

Step 2 — Search DNS Log for Malicious Domains

Filter the debug log for the C2 domains identified in this report. Each matching line will show the client IP that requested the resolution — that is your infected host list:

```
# Search DNS debug log for all known C2 domains
Select-String -Path 'C:\Windows\System32\dns\dns.log' `
  -Pattern 'intempio|idexdmz|okta-
ema|soyoungjun|azuredeploystore|officeaddons|msedgepackageinfo'

# Export results with client IPs to CSV for incident response
Select-String -Path 'C:\Windows\System32\dns\dns.log' `
  -Pattern 'intempio|idexdmz|okta-
ema|soyoungjun|azuredeploystore|officeaddons|msedgepackageinfo' | `
  Select-Object LineNumber, Line | `
  Export-Csv C:\dns_c2_hits.csv -NoTypeInformation
```

© 2026 Palo Alto Networks | Proprietary & Confidential

Step 3 — DNS Analytical Event Log (if debug was not enabled)

If debug logging was not previously enabled, try the Windows DNS Analytical Event Log:

```
# Enable DNS analytical logging going forward
wevtutil sl 'Microsoft-Windows-DNS-Server/Analytical' /e:true

# Query retained history for C2 domain hits
Get-WinEvent -LogName 'Microsoft-Windows-DNS-Server/Analytical' | `
  Where-Object { $_.Message -match 'intempio|idexdmz|okta-ema|soyoungjun' } | `
  Select-Object TimeCreated, Message | `
  Export-Csv C:\dns_event_hits.csv -NoTypeInformation
```

Step 4 — Configure DNS Sinkhole in Panorama (Ongoing Visibility)

Configure a DNS sinkhole to redirect C2 domains to a controlled IP. Infected clients will then appear in the firewall threat log with their real source IP going forward:

- Panorama → Objects → Security Profiles → Anti-Spyware → DNS Policies
- Add sinkhole entry: Action = sinkhole, Sinkhole IPv4 = 72.5.65.111 (PAN default sinkhole)
- Apply to all device groups — infected clients now appear in threat logs with real source IPs
- Monitor → Logs → Threat → filter: threat_name contains 'sinkhole' to see all infected clients in real time

Step 5 — Immediate Containment Once Client List is Known

- **Add all C2 domains to internal DNS as override records pointing to 127.0.0.1** — cuts beacon loops immediately without alerting malware
- **Isolate every client IP found in Step 2/3 from the network** pending forensic investigation
- **Force Okta password resets for all users on machines that resolved okta-ema.com** — assume credentials compromised
- **Disable idexna\bidservices account immediately** — confirmed Log4j RCE on 10.100.10.201, pending endpoint forensics

John Shelest | Palo Alto Networks | Solutions Consultant
jshelest@paloaltonetworks.com