Project	**Mansourah Massarah Gold Project**
Customer:	**MA'ADEN GOLD AND BASE METALS (MA'ADEN)**

Title:	**CALCULATION** **49EA PROCESS PLANT STORM WATER DRAINAGE NETWORK DESIGN CALCULATION**

Document Number:	**MD-216-49EA-EG-CV-CAL-1001**
Revision:	**D01**
Revision Date:	**19.10.2023**
Status:	**AS BUILT**

Outotec Document Number:	900707	GAU01	AG90	CED01	00001	OU100673474	5
L&T Document Number:	O19045	910	C	V	24020	001	5

REVISION HISTORY

Rev	Date	Revision Text	Prepared By	Reviewed By	Approved By	Employer
A01	31.03.2020	FIRST ISSUE	APEX	SNM	SJM	
A02	29.07.2020	REVISED AS PER EMPLOYER COMMENTS ON 30.04.2020	APEX	SNM	SJM	
A03	14.10.2020	REVISED AS PER EMPLOYER COMMENTS ON 16.08.2020	APEX	SNM	SJM	
A04	11.12.2020	REVISED AS PER EMPLOYER COMMENTS DATED 10.11.2020	APEX	SNM	SJM	
D01	19.10.2023	AS BUILT	APEX	BJB	SJM	

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

TABLE OF CONTENTS

DEFINITIONS AND ABBREVIATIONS.....3

1. INTENT.....4
2. EXECUTIVE SUMMARY.....4
3. SCOPE.....4

4. STORMWATER SYSTEM.....5
   - 4.1. Main Design Criteria.....5
   - 4.2. Calculation Results.....8

References:.....23

ATTACHMENT 1 SKETCH FOR CATCHMENT AREA MARKING.....24

ATTACHMENT 2 STORM WATER DRAINAGE-AN OVERVIEW.....26

5. STORMWATER POND ANALYSIS.....45
   - 5.1. Main Design Criteria.....45
   - 5.2. Calculation Results.....50
   - 5.3. REFERENCES: SKETCH OF STORMWATER POND.....52

Appendix A: System Channels.....53

Appendix B: System Pipes.....58

Appendix C: External Pipes.....61

Appendix D: Pond Simulation Results.....80

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

DEFINITIONS AND ABBREVIATIONS

Document	:	Information and the medium on which it is contained (ISO 9000:2015)
EMPLOYER	:	'EMPLOYER' means MA'ADEN GOLD AND BASE METALS (MGBM) and the PMC American Bechtel Inc. or their representatives
Contractor	:	Contractor' means consortium composed of LARSEN & TOUBRO LIMITED, Saudi Arabia AND OUTOTEC SAUDI ARABIA LLC, Saudi Arabia (for IK Contract) and LARSEN & TOUBRO LIMITED – ECC Construction Group – (SHJ BR) and OUTOTEC ENGINEERING DMCC, Dubai (for OOK Contract).
'PMT'	:	Ma'aden Project Management Team
'MMGP Project'	:	Mansourah Massarah Gold Processing Project
Attribute	:	Information element that describes a document or tag.
Supplier	:	An entity (supplier, consultant, sub-contractor) under the direct project management of Contractor
Sub-Supplier	:	A sub entity (supplier, consultant, sub-contractor) under the direct project management of Contractor.
QA	:	Quality Assurance
QC	:	Quality Control
Works	:	Full scope of the EPC Contract including the engineering, procurement, construction, commissioning and associated activities

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

1. INTENT:

This document will list the main design criteria and design calculations relevant to the following components of the process plant area of Mansourah & Massarah Gold project (MMGP):

- The process plant stormwater system composed of open channels and pipes
- The stormwater pipes discharging some of the watersheds to the outside of the project into the natural outfalls.
- The stormwater pond and its outflow pipe

2. EXECUTIVE SUMMARY:

The Saudi Arabian Mining Company (Ma'aden) has announced that its wholly-owned subsidiary, Ma'aden Gold and Base Metals Company, have issued a Notice of Award to Outotec and Larsen & Toubro Consortium to complete the engineering, procurement, construction, pre-commissioning, commissioning and start-up assistance of the Mansourah&Massarah (MMGP) Gold Project.

MMGP project will become Ma'aden's largest ever gold project, producing an average of 250,000 ounces of gold per year over the life of mine. Mansourah-Massarah is situated within the Central Arabian Gold Region (CAGR), approximately 320km northeast of Taif towards Riyadh and about 35 km southeast of Hufairah, which is a small village situated on Jeddah - Riyadh highway. Mansourah - Massarah gold deposits are located 22°38'6.40"N; 42°44'22.90"E, and 22°42'1.40"N; 42°41'58.40"E respectively, approximately 537 km east of Jeddah and 77 km southeast of the town of Zalim.

The plant throughput capacity is 4000000t/a and is required to operate on a continuous basis at nominally 24 hours per day and 7 days a week.

3. SCOPE:

The design document has been prepared for Process Plant Drainage System based on Process Plant Layout drawing MD-216-1000-EG-GE-PPD-1002 relevant ground terracing has been obtained from site leveling drawing and necessary rainfall intensity has been captured from relevant design document.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

4. STORMWATER SYSTEM

The stormwater system is formed of open trapezoidal channels discharging into the proposed pond. These channels are connected via concrete pipes at locations that are crossing the roads or where vehicular access is expected.

4.1. Main Design Criteria

Rainfall Analysis:

The rainfall intensities and rainfall depths values were taken from the generated Rainfall Depths Curves that was indicated in approved document no. MD-216-4400-EG-ME-CAL-1001. This Rainfall Depth curve is shown in Figure 1 below:




Figure 1 Rainfall Depths Curves

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Table 1 below lists the derived rainfall intensity values for the 10-year return period that will be adopted in the design.

Table 1 Rainfall Intensity Values

10-year storm	10 min	20 min	30 min	60 min	120 min	180 min	360 min	720 min	1440 min
I (mm/hr)	79.58	48.9	36.8	22.7	14.0	10.5	6.5	4.0	2.5

Time of Concentration:

The time of concentration of each watershed is calculated using Kirpich Formula as follows:

$$T_c = 0.0195\left(\frac{L}{S^{0.5}}\right)^{0.77}$$

Whereas:

T_C = Time of concentration in minutes

L = Length of stream, m

S = Average slope of the stream m/m

Since most of these watersheds are relatively small, all time of concentrations are below 10 minutes, so a minimum value of 10 is adopted.

Peak Flow Calculations:

The peak flow is calculated for each watershed using Rational Method.

The rational method is recommended for catchment areas less than or equal to 81 hectares which is the case in our project. It is an empirical formula relating rainfall intensity to runoff, and yields a peak discharge. It is usually used to calculate the peak discharge from various drainage basins as follows:

$$Q = \frac{C.I.A}{360}$$

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Where:

- Q is the peak discharge, m^3/s;
- I is the average rainfall intensity, mm/hr, for a duration equal to the time of concentration and for a selected design storm;
- A is the drainage area, ha.
- C is the runoff coefficient representing land use characteristics of the watershed. Since this is an industrial area, a runoff coefficient of 0.75 is assumed.

The runoff coefficient of 0.75 is validated through a breakdown exercise of different types of surfaces. The site contains different kinds of surfaces (pavements, parkings, roofs, open areas, etc.). The weighted runoff coefficient for the whole watershed using different kinds of surfaces, is shown below:

- Building, Industrial structure, concrete paved areas = 95,908 m^2 (max Run-off coefficient = 0.90)

- Asphalt Road = 68,708 m^2 (max Run-off coefficient = 0.95)

- Unpaved area = 313,034 m^2 (max Run-off coefficient = 0.30)

The weighted coefficient is 0.51 which is considerably less than 0.75, so the adopted value of 0.75 is on the safe side.

Hydraulic Design:

The hydraulic design of the network is done using Manning's equation, as follows:

$$V = \frac{1}{n} R^{2/3} S^{0.5}$$

Where

V, is the mean velocity of flow, in m/s;

n, is the Manning's roughness coefficient for open channel flow, n is assumed to be 0.025 for earth open channels and 0.013 for concrete pipes

R, is the hydraulic radius in m; and

S, is the slope of energy grade line, or channel bottom slope, in m/m.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

The capacity of the open channel is determined from the continuity equation:

$$Q = A.V$$

Where Q is the flow rate in m^3/s, V is the velocity in m/s, and A is the flow area in m^2.

The software StormCAD was used to model the network including the open channels and corresponding concrete pipes.

The remaining concrete pipes that are not part of the network and are discharging into the natural outfalls are sized using the software FlowMaster of Bentley.

4.2. Calculation Results

The following tables list the hydraulic modeling results for the different components of the stormwater network.

Table 2 below lists the results of the watershed flows and characteristics.

Note that any potential backwater effects are already addressed in the hydraulic model, and the channels dimensions are updated where needed in order to avoid backwater.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Table 2 Watershed Results

Watershed Label	Outflow Element	Area (ha)	Runoff Coefficient	Tc (min)	Flow (L/s)
MMGP72	CS-65	0.41	0.75	10	68.02
MMGP72a	CS-65i	1.074	0.75	10	178.04
MMGP74	CS-67	0.788	0.75	10	130.56
MMGP92	CS-84	0.585	0.75	10	97.01
MMGP1	CS-1	0.375	0.75	10	62.13
MMGP2	CS-3	0.166	0.75	10	27.59
MMGP3	CS-4	0.104	0.75	10	17.27
MMGP4	CS-6	0.222	0.75	10	36.83
MMGP6	CS-7	0.066	0.75	10	10.88
MMGP7	CS-8	0.113	0.75	10	18.78
MMGP8	CS-9	0.262	0.75	10	43.36
MMGP10	CS-11.2	0.187	0.75	10	30.92
MMGP11	CS-12	0.071	0.75	10	11.78
MMGP13	CS-13i	0.845	0.75	10	140.06
MMGP14	CS-15	0.338	0.75	10	55.96
MMGP15	CS-11.1	0.292	0.75	10	48.44
MMGP16	CS-16	0.641	0.75	10	106.19
MMGP18	CS-18.2	0.193	0.75	10	32.02
MMGP19	CS-19	0.441	0.75	10	73.13
MMGP20	CS-18.1	0.564	0.75	10	93.46
MMGP22	CS-21	0.231	0.75	10	38.27
MMGP23	CS-22	0.753	0.75	10	124.83
MMGP25	CS-25	0.713	0.75	10	118.1
MMGP27	CS-26.1	1.318	0.75	10	218.4
MMGP28	CS-26.2	0.588	0.75	10	97.48
MMGP28a	CS-26i	0.159	0.75	10	26.34
MMGP29	CS-27	0.106	0.75	10	17.55
MMGP31	CS-29	0.107	0.75	10	17.71
MMGP32	CS-30	0.495	0.75	10	82.11
MMGP34	CS-33	0.293	0.75	10	48.57

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Watershed Label	Outflow Element	Area (ha)	Runoff Coefficient	Tc (min)	Flow (L/s)
MMGP34a	CS-33i	0.546	0.75	10	90.57
MMGP35	CS-34	0.716	0.75	10	118.74
MMGP37	CS-36	0.278	0.75	10	46.13
MMGP39	CS-38.2	0.606	0.75	10	100.36
MMGP41	CS-39	0.475	0.75	10	78.67
MMGP43	CS-41.2	0.175	0.75	10	29.04
MMGP44	CS-42	0.275	0.75	10	45.57
MMGP45	CS-41.1	0.448	0.75	10	74.29
MMGP47	CS-32	0.558	0.75	10	92.53
MMGP49	CS-45	0.228	0.75	10	37.84
MMGP55	CS-50	0.279	0.75	10	46.24
MMGP96	CS-53	0.085	0.75	10	14.1
MMGP52	CS-48	0.352	0.75	10	58.38
MMGP51	CS-46	0.273	0.75	10	45.23
MMGP53	CS-47	0.28	0.75	10	46.44
MMGP50	CS-46i	0.341	0.75	10	56.5
MMGP57	CS-60	0.191	0.75	10	31.6
MMGP57a	CS-51	0.332	0.75	10	55.09
MMGP56a	CS-63i	0.394	0.75	10	65.28
MMGP56	CS-63	0.199	0.75	10	33.03
MMGP59	CS-54	0.458	0.75	10	75.88
MMGP60	CS-54i	0.166	0.75	10	27.51
MMGP60a	CS-55i	0.662	0.75	10	109.66
MMGP64	CS-58	0.044	0.75	10	7.32
MMGP62	CS-56.1	0.461	0.75	10	76.33
MMGP65	CS-59	0.553	0.75	10	91.61
MMGP67	CS-56.2	0.383	0.75	10	63.45
MMGP66	CS-60	0.168	0.75	10	27.88
MMGP69	CS-62	0.939	0.75	10	155.6
MMGP71	CS-64	0.873	0.75	10	144.71
MMGP75	CS-68.1	0.171	0.75	10	28.29
MMGP76	CS-69	0.218	0.75	10	36.06
MMGP76a	CS-69i	0.433	0.75	10	71.8

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Watershed Label	Outflow Element	Area (ha)	Runoff Coefficient	Tc (min)	Flow (L/s)
MMGP77	CS-68.2	0.273	0.75	10	45.28
MMGP78	CS-70	0.187	0.75	10	30.97
MMGP80	CS-72	0.103	0.75	10	17.03
MMGP82	CS-74	0.109	0.75	10	18
MMGP84	CS-76	0.13	0.75	10	21.55
MMGP86	CS-78	0.144	0.75	10	23.8
MMGP88	CS-80	0.09	0.75	10	14.95
MMGP94	CS-86	1.056	0.75	10	175.06
MMGP95	CS-87	1.207	0.75	10	200.09
MMGP97	CS-88	0.191	0.75	10	31.66
MMGP15-b	CS-14i.1	0.572	0.75	10	94.76
MMGP41-b	CS-38.1	0.035	0.75	10	5.73
MMGP90	CS-82	0.296	0.75	10	49.03
MMGP90a	CS-67i	0.639	0.75	10	105.82
MMGP13-A	CS-14	0.122	0.75	10	20.27

Table 3 below lists the results of the channel sections hydraulic model.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Table 3 Channels Hydraulic Results

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D1	0.3	0.3	1	1	914.70	914.51	95.58	0.201	0.025	62.13	0.47	914.954	81.2
D2	0.3	0.3	1	1	915.15	915.04	46.48	0.218	0.025	27.59	0.39	915.3	51.8
D3	0.3	0.3	1	1	915.20	915.08	28.88	0.411	0.025	17.27	0.43	915.3	33.4
D4	0.3	0.3	1	1	914.71	914.70	4.24	0.2	0.025	36.83	0.41	914.911	61.9
D6	0.3	0.5	1	1	914.49	914.48	6.4	0.2	0.025	84.59	0.51	914.834	57
D7	0.3	0.5	1	1	914.48	914.36	59.63	0.201	0.025	149.02	0.59	914.856	75.2
D8	0.3	0.3	1	1	914.75	914.56	42.5	0.452	0.025	43.36	0.58	914.913	54.3
D10	0.3	0.3	1	1	914.50	914.37	14.48	0.932	0.025	30.92	0.68	914.725	36.9
D11	0.3	0.5	1	1	914.33	914.29	21.65	0.208	0.025	204.53	0.64	914.723	86.8
D13	0.5	0.5	1	1	914.02	913.96	24.77	0.242	0.025	304.88	0.75	914.427	87
D13b	0.3	0.5	1	1	913.52	913.06	116	0.397	0.025	20.11	0.44	913.63	22.1
D18	0.3	0.3	1	1	912.70	912.49	45.34	0.463	0.025	32.02	0.53	912.845	45.7
D19	0.75	0.5	1	1	912.46	912.18	94.11	0.298	0.025	280.49	0.78	912.793	66.6
D14	0.5	0.5	1	1	912.90	912.52	126.18	0.301	0.025	139.36	0.66	913.172	54.5
D19b	0.75	0.75	1	1	912.10	912.01	44.91	0.2	0.025	256.7	0.66	912.51	47.1

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D20b	0.3	0.5	1	1	912.48	912.05	92.47	0.464	0.025	82.45	0.69	912.702	45.4
D22	0.3	0.3	1	1	912.60	912.05	46.92	1.164	0.025	38.27	0.78	912.717	39
D23	0.8	0.75	1	1	911.97	911.94	25.58	0.137	0.025	396.28	0.64	912.468	64.2
D27a	0.8	0.75	1	1	911.88	911.68	151.4	0.132	0.025	510.83	0.68	912.429	74.2
D25	0.3	0.5	1	1	912.10	911.99	53.95	0.204	0.025	118.1	0.56	912.427	67
D27b	0.8	0.75	1	1	911.68	911.64	13.85	0.289	0.025	459.51	0.88	912.196	56.9
D47	0.5	0.5	1	1	911.64	911.40	90	0.267	0.025	195.62	0.69	912.047	67.5
D71a	0.3	0.5	1	1	914.14	913.83	31.57	0.982	0.025	144.71	1.05	914.39	50
D72	0.75	0.6	1	1	913.57	912.98	42.48	1.401	0.025	410.14	1.51	913.845	44.5
D72a	0.75	0.6	1	1	912.98	912.39	139.46	0.419	0.025	515.12	1.04	913.397	70.4
D74	0.75	0.6	1	1	912.32	912.12	41.3	0.472	0.025	546.11	1.1	912.8	70.4
D90a	0.8	0.75	1	1	912.10	911.90	143.77	0.139	0.025	744.98	0.76	912.744	89
D76	0.3	0.3	1	1	912.91	912.86	24.82	0.201	0.025	62.64	0.47	913.149	81.5
D75	0.3	0.3	1	1	913.20	912.91	28.23	1.017	0.025	28.29	0.68	913.303	34.2
D76D	0.3	0.5	1	1	912.65	912.64	7.4	0.192	0.025	121.86	0.55	912.952	69
D78	0.3	0.3	1	1	912.81	912.70	49.57	0.222	0.025	65	0.49	913.054	81

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D88a	0.3	0.5	1	1	912.25	912.19	26.08	0.222	0.025	101.72	0.25	912.752	60.9
D80	0.3	0.5	1	1	912.64	912.61	16.71	0.15	0.025	72.17	0.44	912.911	56.7
D82	0.3	0.5	1	1	912.55	912.53	15.4	0.162	0.025	81.8	0.46	912.858	59.1
D84	0.3	0.5	1	1	912.46	912.43	21.94	0.137	0.025	92.94	0.45	912.813	65.7
D86	0.3	0.5	1	1	912.37	912.33	32.06	0.14	0.025	102.67	0.47	912.784	68.5
D88	0.3	0.5	1	1	912.30	912.25	32.6	0.138	0.025	104.77	0.47	912.762	69.5
D90	0.4	0.3	1	1	912.25	912.01	103.59	0.232	0.025	49.03	0.46	912.443	61.1
D92	0.8	0.75	1	1	911.90	911.76	24.04	0.603	0.025	755.64	1.31	912.359	61
D94	0.8	0.75	1	1	911.69	910.86	202.25	0.413	0.025	834.33	1.17	912.224	71.1
D95	0.8	0.75	1	1	910.86	910.52	171.47	0.197	0.025	856.53	0.9	911.507	87.4
D34	0.3	0.3	1	1	912.80	912.61	95.54	0.199	0.025	48.57	0.44	913.032	71.7
D34a	0.3	0.5	1	1	912.60	912.35	133.59	0.187	0.025	117.74	0.54	912.961	68.3
D60	0.3	0.3	1	1	912.70	912.56	70.53	0.199	0.025	27.51	0.38	912.935	53
D60a	0.3	0.5	1	1	912.55	912.29	196.82	0.132	0.025	117.38	0.47	912.922	74.2
D59	0.3	0.3	1	1	912.70	912.35	100.39	0.349	0.025	75.88	0.61	912.934	78.1
D65	0.3	0.5	1	1	912.26	911.90	113.35	0.313	0.025	233.13	0.77	912.674	83.9

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D67	0.3	0.3	1	1	912.70	912.51	96.17	0.203	0.025	63.45	0.47	912.948	81.9
D64	0.3	0.5	1	1	912.42	912.26	9.27	1.727	0.025	75.87	1.09	912.673	30.6
D69	0.5	0.5	1	1	912.48	911.75	239.44	0.305	0.025	189.13	0.72	912.8	64
D56	0.5	0.5	1	1	911.75	911.69	32.89	0.198	0.025	163.88	0.59	912.097	66.5
D56a	0.5	0.5	1	1	911.69	911.42	131.49	0.2	0.025	195	0.62	912.048	72.6
D57a	0.5	0.6	1	1	911.57	911.40	130.6	0.134	0.025	264.53	0.58	912.029	78.4
D57	0.5	0.6	1	1	911.68	911.57	82.46	0.133	0.025	251.92	0.57	912.139	76.5
D35	0.3	0.5	1	1	912.80	912.55	123.42	0.203	0.025	118.74	0.55	913.139	67.3
D41	0.3	0.75	1	1	912.31	912.10	160.51	0.133	0.025	258.31	0.57	912.846	71.7
D39	0.3	0.5	1	1	912.60	912.13	173.2	0.271	0.025	100.36	0.59	912.888	57.6
D44	0.5	0.5	1	1	912.03	911.56	92.76	0.501	0.025	316.25	0.99	912.393	73.5
D51	0.3	0.3	1	1	912.40	911.96	110.2	0.399	0.025	45.23	0.56	912.572	57.4
D50	0.3	0.3	1	1	912.40	911.96	110.3	0.399	0.025	56.5	0.59	912.594	64.6
D52	0.3	0.3	1	1	911.96	911.44	131.53	0.394	0.025	90.43	0.66	912.208	82.8
D53	0.3	0.3	1	1	911.96	911.44	105.93	0.492	0.025	90.58	0.72	912.195	78.3
D55	1	0.75	1	1	911.10	910.95	52.7	0.285	0.025	1,070.57	1.08	911.695	81.7

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D28	0.3	0.5	1	1	912.55	912.32	117.97	0.199	0.025	97.48	0.52	912.857	61.3
D28a	0.3	0.5	1	1	912.32	912.21	78.63	0.131	0.025	105.94	0.46	912.661	70.8
D29	0.3	0.3	1	1	912.55	912.28	12.06	2.206	0.025	17.55	0.78	912.615	20.8
D32	0.3	0.5	1	1	912.19	911.67	88.17	0.586	0.025	178.37	0.91	912.501	63.3
D31	0.3	0.3	1	1	912.35	912.22	11.47	1.134	0.025	17.71	0.62	912.503	25.3
D43	0.3	0.3	1	1	912.20	912.04	46.1	0.338	0.025	29.04	0.46	912.406	47.2
D96	1	0.75	1	1	910.95	910.50	22.58	2.002	0.025	1,435.09	2.39	911.449	56.4
D49	0.8	0.75	1	1	911.20	911.13	21.55	0.339	0.025	963.95	1.13	911.795	80.8
D97	1.5	1	1	1	910.41	910.23	36.61	0.492	0.025	2,215.97	1.57	911.06	65.4
D16	0.3	0.5	1	1	913.14	912.54	172.91	0.344	0.025	127.11	0.69	913.44	61
D37	0.3	0.5	1	1	912.52	912.35	131.39	0.129	0.025	140.34	0.49	912.949	81.3
D77	0.3	0.3	1	1	913.20	912.81	118.93	0.328	0.025	45.28	0.52	913.382	60.5
D62	0.3	0.3	1	1	912.70	912.45	77.65	0.322	0.025	76.33	0.59	912.94	80
D15	0.3	0.3	1	1	914.50	913.17	188.61	0.705	0.025	48.44	0.7	914.653	51.1
D13c	0.3	0.5	1	1	913.52	913.06	148.26	0.31	0.025	94.76	0.61	913.79	54.1
D20	0.3	0.5	1	1	912.69	912.52	87.73	0.197	0.025	93.46	0.52	912.988	60.2

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D27	0.3	0.5	1	1	912.52	911.96	121.74	0.463	0.025	218.4	0.88	912.894	74
D40	0.3	0.3	1	1	912.53	912.37	10.4	1.561	0.025	5.73	0.03	912.846	11.9
D45	0.3	0.3	1	1	911.98	911.63	74.57	0.48	0.025	74.29	0.68	912.214	71.1
D45a	0.8	0.75	1	1	911.60	911.45	73.53	0.204	0.025	612.32	0.83	912.148	72.8
D6	0.3	0.5	1	1	914.49	914.48	6.4	0.2	0.025	84.59	0.51	914.86	57
D71	0.75	0.6	1	1	913.80	913.57	86.43	0.266	0.025	401.27	0.82	914.217	69.5
D76-C	0.3	0.5	1	1	912.68	912.65	13.89	0.198	0.025	58.84	0.46	912.963	47.5
D76-F	0.5	0.5	1	1	912.56	912.45	55.02	0.2	0.025	118.35	0.55	912.845	55.7
D76-A	0.5	0.5	1	1	912.39	912.18	26.55	0.798	0.025	108.02	0.88	912.749	36.1
D8-T	0.3	0.3	1	1	914.56	914.36	5	3.999	0.025	41.3	1.24	914.737	28.7
D10-T	0.3	0.3	1	1	914.37	914.33	5.01	0.698	0.025	30.5	0.17	914.723	39.7
D71-T	0.3	0.5	1	1	913.83	913.80	5.04	0.595	0.025	141.92	0.87	914.222	56.2
D74-T	0.75	0.6	1	1	912.12	912.10	4.04	0.496	0.025	537.38	0.66	912.746	68.8
D95-T	0.8	0.75	1	1	910.52	910.41	5.26	2.033	0.025	821.65	2.09	911.043	45.8
D15-T	0.3	0.3	1	1	913.17	913.14	4.62	0.758	0.025	40.03	0.68	913.441	45.1
D16-T	0.3	0.5	1	1	912.54	912.52	5.03	0.397	0.025	102.14	0.69	912.809	52.8

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D18-T	0.3	0.3	1	1	912.49	912.46	6.69	0.448	0.025	30.28	0.17	912.794	44.7
D20b-T	0.3	0.5	1	1	912.05	912.01	5.08	0.709	0.025	74.39	0.78	912.472	38.5
D22-T	0.3	0.3	1	1	912.05	911.97	5.1	1.646	0.025	36.79	0.2	912.468	34.6
D27-T	0.3	0.5	1	1	911.96	911.88	5.06	1.581	0.025	199	1.36	912.428	52.1
D29-T	0.3	0.3	1	1	912.28	912.21	3.02	2.381	0.025	17.37	0.8	912.525	20.2
D31-T	0.3	0.3	1	1	912.22	912.19	3.51	0.997	0.025	17.5	0.59	912.501	26.1
D32-T	0.3	0.5	1	1	911.67	911.64	4.98	0.562	0.025	163.43	0.41	912.183	61.2
D34-T	0.3	0.3	1	1	912.61	912.60	5.01	0.2	0.025	41.78	0.23	912.962	66.1
D60-T	0.3	0.3	1	1	912.56	912.55	5.04	0.198	0.025	24.2	0.13	912.922	49.4
D59-T	0.3	0.3	1	1	912.35	912.29	5	1.201	0.025	67.8	0.38	912.677	53
D40-T	0.3	0.3	1	1	912.37	912.31	4.9	1.122	0.025	4.53	0.03	912.846	11.4
D39-T	0.3	0.5	1	1	912.13	912.10	7.36	0.408	0.025	81.53	0.65	912.401	46.7
D43-T	0.3	0.3	1	1	912.04	912.03	5.38	0.353	0.025	27.19	0.15	912.393	45
D44-T	0.5	0.5	1	1	911.56	911.45	5.14	2.14	0.025	302.89	1.67	911.997	48.8
D45-T	0.3	0.3	1	1	911.63	911.60	5.07	0.513	0.025	69.05	0.38	912.148	67.2
D53-T	0.3	0.3	1	1	911.44	911.42	5.17	0.464	0.025	80.86	0.68	911.692	75

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Channel Label	Bottom Width (m)	Height (m)	Side Slope (Left) (H:V)	Side Slope (Right) (H:V)	Invert (Start) (m)	Invert (Stop) (m)	Length (m)	Slope (%)	Manning n	Flow (L/s)	Velocity (m/s)	Hydraulic Grade (m)	Depth / Rise (%)
D52-T	0.3	0.3	1	1	911.44	911.42	4.66	0.564	0.025	77.24	0.73	911.69	69.6
D65-T	0.3	0.5	1	1	911.90	911.68	5.05	4.355	0.025	218.7	2.03	912.179	42.2
D56a-T	0.5	0.5	1	1	911.42	911.40	8.6	0.314	0.025	178.01	0.72	911.724	61.5
D49-T	0.8	0.75	1	1	911.13	911.10	5.08	0.532	0.025	954.14	1.33	911.71	71.4
D96-T	1	0.75	1	1	910.50	910.41	4.99	1.762	0.025	1,432.19	2.28	910.997	58.3
D78-T	0.3	0.3	1	1	912.70	912.69	6.04	0.248	0.025	60.07	0.5	912.951	75.5
D88a-T	0.3	0.5	1	1	912.19	912.18	5.72	0.21	0.025	97.26	0.24	912.747	60.4
D76-T	0.3	0.3	1	1	912.86	912.85	6.16	0.211	0.025	60.46	0.47	913.081	79.1
D76-D-T	0.3	0.5	1	1	912.64	912.63	3.02	0.259	0.025	120.68	0.61	912.92	63.8

Appendix A shows the output results of channel sections from StormCAD

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Table 4 below lists the results of the concrete pipes hydraulic modeling.

Table 4 Concrete Pipes Hydraulic Results

Pipe Label	Diameter (mm)	Invert (Start) (m)	Invert (Stop) (m)	Slope (%)	Length (m)	Manning n	Flow (L/s)	Velocity (m/s)	Depth / Rise (%)
D4-B	300	914.66	914.63	0.307	12.43	0.013	51.56	0.86	78.7
D30	400	912.21	912.19	0.299	9.04	0.013	105.35	1.03	76
D80	300	912.69	912.64	0.475	10.53	0.013	59.48	1.07	73.7
D44	800	911.40	911.20	0.681	29.38	0.013	952.08	2.45	72.3
D9	500	914.36	914.33	0.282	9.93	0.013	172.09	1.15	71.4
D76-B	300	912.85	912.68	0.571	30.22	0.013	59.92	1.15	68.9
D33	800	911.64	911.60	0.319	12.54	0.013	577.29	1.64	66
D20a	400	912.52	912.48	0.298	13.42	0.013	83.27	0.99	63.5
D83	400	912.53	912.46	0.302	21.56	0.013	79.43	0.98	61.3
D4-A	300	914.70	914.66	0.31	11.63	0.013	36.58	0.82	60.5
D58	500	911.40	911.32	0.605	12.4	0.013	384.67	1.59	59
D63	400	912.45	912.42	0.287	12.2	0.013	69.86	0.94	57.4
D81	400	912.61	912.55	0.291	20.64	0.013	69.88	0.94	57.1
D76-E	500	912.63	912.56	0.3	23.68	0.013	120.24	1.09	54.7

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

D93	700	911.76	911.69	0.515	12.63	0.013	748.77	1.78	53.7
D76-G	500	912.45	912.39	0.3	18.34	0.013	109.52	1.07	51.7
D73	600	912.39	912.32	0.537	13.97	0.013	470.43	1.61	51.3
D46	800	911.45	911.40	0.403	12.4	0.013	854.91	1.68	50.5
D24	600	911.94	911.88	0.41	13.4	0.013	389.34	1.39	49.7
D68	400	912.51	912.48	0.293	8.52	0.013	55.17	0.89	49.3
D37	500	912.55	912.52	0.312	9.62	0.013	101.76	1.06	49
D87	500	912.33	912.30	0.286	10.5	0.013	96.05	1.01	48.6
D51	600	913.96	913.80	1.039	15.39	0.013	296.4	2.18	48.4
D26	400	911.99	911.64	1.348	25.97	0.013	110.73	1.88	47.5
D19a	500	912.18	912.10	0.596	13.42	0.013	257.72	1.44	46.5
D85	500	912.43	912.37	0.295	20.32	0.013	88.79	1.01	46
D50	400	914.63	914.49	0.992	13.52	0.013	85.1	1.57	44.6
D21	600	912.01	911.97	0.384	10.43	0.013	303.34	1.27	43.9
D12	500	914.29	914.02	1.978	13.4	0.013	198.91	2.51	42.4
D17	500	912.52	912.46	0.6	10	0.013	213.55	1.37	41.8
D61	500	912.29	912.26	0.285	12.3	0.013	128.64	0.91	38.8
D38	600	912.35	912.31	0.299	12.39	0.013	206.27	1.04	38.1
D5a	500	914.51	914.48	0.235	12.74	0.013	54	0.81	37.2

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

D42	600	912.10	912.03	0.591	12.69	0.013	275.45	1.45	37
D89	700	912.18	912.10	0.526	15.21	0.013	172.6	1.46	34.6
D54	500	911.42	911.10	2.562	12.3	0.013	153.12	2.57	34.3
D13d	500	913.06	912.97	0.57	15.79	0.013	94.84	1.08	27.6
D13a	300	913.90	913.52	2.223	17.09	0.013	20.27	1.44	25.3
D5	300	915.04	914.53	4.26	12.18	0.013	25.47	1.94	24.1
D91	500	912.01	911.98	0.414	7.24	0.013	41.92	0.76	19.9
D5-A	300	915.08	914.66	4.181	10	0.013	16.53	1.7	19.5

Appendix B shows the output results of Concrete pipes from StormCAD.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

The concrete pipes discharging flows to the natural outfall were sized using the software FlowMaster. The results can be checked in **Appendix C**.

The table below shows the results of flow estimates of the respective catchments of these pipes.

Table 5 External Watersheds

Pipe	Catchment Area (m2)	L (m)	Slope	Tc (m)	I (mm/hr)	C	Q (m3/s)
D101	16950	246	0.005	10.23806	79.58	0.75	0.28
D102	15100	184.1	0.005	8.1901	79.58	0.75	0.25
D107	19550	200	0.005	8.72953	79.58	0.75	0.32
D104	20840	241	0.005	10.07746	79.58	0.75	0.34
D105	11800	206	0.005	8.930495	79.58	0.75	0.19
D106	41740	420	0.005	15.45609	60.68	0.75	0.52

The times of concentration are assumed equal to 10 minutes except for the watershed discharging to pipe D106.

REFERENCES:

This document is to be read in conjunction with following document and drawings.

[1] Structural Engineering Design Criteria: MD-216-1000-EG-ST-CRT-1001-A02

[2] Civil-General, Design Criteria: MD-216-0000-EG-CV-CRT-0001-C02

[3] Civil-General, Engineering Manual: MD-101-SMEM-EG-CV-CRT-0001

[4] Drainage & Sewerage, Engineering Manual: MD-101-SMEM-EG-CV-SPC-0004

[5] Hydraulic & Hydrology, Analysis & Design report: MD-216-49RA-EG-CV-TPD-1001-A02

[6] Drainage System Drawing No. : MD-216-49EA-EG-CV-GAD-1001

MD-216-49EA-EG-CV-GAD-1002

MD-216-49EA-EG-CV-DED-1001

MD-216-49EA-EG-CV-DED-1002

[7] MOM attachment dated 07-09-2020

[8] MOM dated 19-11-2020

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.


ATTACHMENT 1 SKETCH FOR CATCHMENT AREA

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

SKETCH FOR CATCHMENT AREA



MMGP1
MMGP2
MMGP2
MMGP4
MMGP6
MMGP7
MMGP8
MMGP10
MMGP11
MMGP15
MMGP13a
MMGP15b
MMGP13
MMGP16
MMGP14
MMGP18
MMGP20
MMGP19
MMGP101
MMGP22
MMGP23
MMGP102
MMGP106
MMGP71
MMGP72
MMGP72a
MMGP105
MMGP74
MMGP75
MMGP76
MMGP76a
MMGP90a
MMGP77
MMGP78
MMGP80
MMGP82
MMGP84
MMGP86
MMGP88
MMGP90
MMGP92
MMGP34
MMGP60
MMGP67
MMGP35
MMGP34a
MMGP60a
MMGP59
MMGP62
MMGP64
MMGP65
MMGP69
MMGP94
MMGP37
MMGP47b
MMGP66
MMGP28
MMGP28a
MMGP29
MMGP27
MMGP31
MMGP32
MMGP41
MMGP39
MMGP43
MMGP45
MMGP44
MMGP51
MMGP50
MMGP52
MMGP53
MMGP57
MMGP57a
MMGP56
MMGP56a
MMGP104
MMGP95
MMGP103
MMGP25
MMGP47
MMGP49
MMGP55
MMGP96
MMGP97

ATTACHMENT 2 STORMWATER DRAINAGE – AN OVERVIEW

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.


This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Ma'aden - Mansourah Massarah Gold Project

STORM WATER DRAINAGE : AN OVERVIEW



Originated on 25-06-2020
Updated on 01-09-2020
(Slides 13 to 17 added)





EPC SUBMITTED DESIGN CONCEPT FOR STORM WATER DRAINAGE :

- Original design was based on a max. daily rainfall of 11.7 mm as provided in the multiple documents viz MD-216-0000-EG-GE-SPC-0001, MD-216-1000-EG-GE-SPC-1001 etc.
- In absence of any other short duration rainfall data (rain gauge reading) we have calculated the nearest hourly intensity in mm/ hr.
- Subsequently considering the small catchment area distribution we have adopted 5 minutes as the time of concentration.
- The rainfall intensity for 5 minutes duration has been calculated based on the formula available in relevant books.
- Runoff co-efficient was considered based on earthen drain surface.
- Trapezoidal unlined drain cross section had been designed considering Manning's formula based on discharge obtained from different catchment.

PMC Observation (major points):

- Rainfall intensity for a 10-years return period and 15 minutes duration shall be around 45- 90 mm/hr.

  L&T response - Intensity for 10 min duration and 10-year return period is 47.16 mm/hr, will be considered.
- Runoff coefficient for each land use (covered, paved, open) is needed.
- Manning's coefficient - the designer must refer to doc. MD-216-0000-EG-CV-CRT-0001; Rev.C02.

  L&T response – Runoff coef & Manning's coef shall be considered as per above doc & hydrology report.
- Longitudinal slopes considered for open drains and pipes are very low and will result in subcritical flow. In very flat terrains like in this case, it is almost certain that backwater effects will occur across the drainage network.

  L&T response – The terrain is a sloped terrain (lev diff around 3m) with no chance of backwater flow.
- There are parts of the process plant that seem to be left out of the stormwater drainage network. e.g. diversion drains.

  L&T response – Necessary design/detailing shall be furnished for same.


RECOMMENDATION OF HYDROLOGIST

(REFER HYDROLOGY REPORT # MD-216-49RA-EG-CV-TPD-1001-A02)

Rainfall Intensity


Due to the lack of rainfall data with short durations in all the neighboring rainfall stations to the project site, it is recommended to use Bell's ratio formula which is familiar and adopted in KSA. The nearest rainfall station to the project is Sabhaa Station (D115). This station has daily rainfall data starting from 1970 and its rainfall analysis is already done by different authorities in KSA. The statistical method used for this analysis is Lognormal and the rainfall depth results for different return periods are available and listed below:

Return Period (yr)	5	10	20	50	100
P(mm)	27.7	39.3	52.4	72.4	89.9



Bell's ratio equation is used and implemented on the above values in order to construct the IDF curves for the project. Below are the tabulated results for rainfall intensities (mm/hr) and the resulting IDF curve:

	10 (min)	20 (min)	30 (min)	60 (min)	120 (min)	180 (min)	360 (min)	720 (min)	1440 (min)
100 Yr	107.88	75.52	61.13	39.56	25.62	18.88	11.24	6.59	3.75
50 Yr	86.88	60.82	49.23	31.86	20.63	15.20	9.05	5.31	3.02
25 Yr	62.88	44.02	35.63	23.06	14.93	11.00	6.55	3.84	2.18
10 Yr	47.16	33.01	26.72	17.29	11.20	8.25	4.91	2.88	1.64
5 Yr	33.24	23.27	18.84	12.19	7.89	5.82	3.46	2.03	1.15


STATION
INTENSITY-DURATION-CURVE
100 Yr
50 Yr
25 Yr
10 Yr
5 Yr
120.00
100.00
80.00
60.00
40.00
20.00
0.00
INTESITY (MM/HR)
0
200
400
600
800
1000
1200
1400
1600
DURATION (MIN)

- The rainfall intensities for different durations (5, 10, 15 min, etc.) can be either estimated from the IDF curves above or from the table above.

For example:

- Intensity for 10 min duration and 10-year return period is 47.16 mm/hr
- Intensity for 20 min duration and 10-year return period is 33.01 mm/hr
- It should be noted here that most authorities in KSA consider the minimum rainfall duration to be 10 minutes and not 5 minutes because for 5 minutes the rainfall intensities will be exaggerated. Please refer to the MOT manual of KSA.

(NB – As per Design criteria doc # MD-216-0000-EG-CV-CRT-0001, C02, 10-year return period will be considered)

10.3.2 Drainage System Capacity

Primary networks of channels, pits and pipes in developed areas (residential, commercial etc.)	ARI 10 years

Time of Concentration

- The time of concentration for each watershed is calculated using Kirpich formula which is the most used in KSA. This formula is simple and straightforward and can be explained as follows:

$$T_c = 0.0195\left(\frac{L}{S^{0.5}}\right)^{0.77}$$

Where:

T_C = Time of concentration in minutes

L = Length of stream, m (estimated for each watershed)

S = Average slope of the stream m/m

Flow Calculations

- After calculating the time of concentration for each watershed, the peak flow for each catchment can be calculated using Rational formula. This formula is as follows:

$$Q = \frac{C.I.A}{360}$$


Where:

Q is the peak discharge, m^3/s;


I is the average rainfall intensity, mm/hr, for a duration equal to the time of concentration and for a selected design storm (10 years in our case);

A is the drainage area in ha.


C is the runoff coefficient representing land use characteristics of the watershed (see Table in hydrology report).



DRAINAGE PLAN (TO BE UPDATED)



SLOPED TERRAIN WILL HAVE
NO CHANCE OF BACK FLOW



SAND TRAPS AT PIT BOTTOM
(WILL BE INTRODUCED)

Bid Stage Clarification:

➢ Unlined Drain shall be provided in Process Area:

No	Originator	Date	Discipline	Document Title	Document No	Page / Article	Description	Bidder Question	Ma'aden Response / Deletion /Addition	Attachment	Remarks
575	Bidder	30 August 2017	General	Typical roadway sections	MD-216-4300-EG-CV-DDE-0001		Surface water drainage channel shown in "Typical Roadway section",	This is further to your reply to our query no. **234.** Bidder proposes not to provide any surface water drainage channel for all external roads. The unlined surface water drainage channel shall be provided only for internal roads in Process and Village area.	Agreed	Nil	Copied to all bidders dated 17th September, 2017

➢ Rainfall data requested:

Document Number: MD-216-0000-CP-CT-LST-0002, Rev.A35 | Tender no.: 17-PME GP-0001-0002-0003-TECHNICAL | Note: Attachments in other sheet.

No	Originator	Date	Discipline	Document Title	Document No	Page / Article	Description	Bidder Question	Ma'aden Response / Deletion /Addition	Attachment	Remarks
577	Bidder	30 August 2017	Civil	Project basis of design	MD-216-0000-EG-GE-BOW-0002	Clause 22.4, page 36 of 41	Rainfall	Please provide maximum hourly rainfall (mm/hr) to be considered for storm water drainage	Typical 1 in 100 year rainfall.	Nil	Copied to all bidders dated 17th September, 2017

Impact due to Design Changes:

- The increase in rainfall intensity will result in increase in cumulative flow through rainwater drainage channel
- The size of the drain will increase since the capacity of drain to be increased.
  - ❑ Top & bottom width of the open drain will increase
  - ❑ Side slope of the trapezoidal drain may increase
  - ❑ In case of pipe drain the diameter of pipe drain will increase
- Ultimate pond size will be increased since the accumulated flow will be increased.
- Due to above, the overall civil quantity will increase, hence will have commercial implication. This will be discussed separately.

PMC New Comments dated 17.8.2020 (for details refer CRS)

- "……..The regional frequency analysis will verify which rain stations fall within the homogeneous region where the project is located.. …."

L&T response – We are adopting the same rainfall analysis results used in the hydraulic design of Tailing Management Facility (TMF) as was proposed by the consultant ATCW and approved by the employer vide doc # MD-216-4400-EG-ME-CAL-1001.

- "…….you used Manning's "n" of 0.020 for computing the hydraulic capacities…..This is pretty smooth for earthen open drain……."

L&T response – Data assumed for 'bare earth' as per Contract provisions vide Document # MD-216-0000-EG-CV-CRT-0001 C02, table 2 clause # 10.4. Values recommended 0.02 - 0.025.

PMC New Comments dated 17.8.2020 (for details refer CRS) ……contd……

- In relation to the backwater effects, we need “numbers”, the whole model using an appropriate software (e.g. SWMM) to demonstrate this point. …….

L&T response – Using of software is not a contractual requirement. However we will be using the software 'StormCAD' of Bentley to generate the hydraulic model and confirm the back flow issue.

- No supporting calculation for sizing the stormwater pond was included in the documents…….

L&T response – Separate drawing and document will be issued shortly.

PMC New Comments dated 17.8.2020 (for details refer CRS) ……contd……

- …….The rainfall intensity for 10 years return period and 10 minutes duration can go as high as 60-70 mm/h (higher that current intensity of 47.1 mm/h being considered by L&T for the plant area).

  L&T response – Rainfall intensity will be adopted as per IDF curve provided in employer approved doc # MD-216-4400-EG-ME-CAL-1001. Intensity for 10 min duration and 10-year return period is 79.58 mm/hr.

- You are considering all the items as resolved and "closed". We totally disagree.

  L&T response – Based on EPC response indicated above, all items are now presumed to be resolved and closed.

- Due to the above mentioned points we can not agree with your design and it needs to be updated.

  L&T response – Design will be updated as per above statement.

Manning's coefficient

- We have assumed value 0.02 as per Contract provisions (Refer detailed response in CRS)

of geotextile linings, provision of rock, grouted rock, rock filled mattresses, shotcrete or structural concrete.

Velocities and discharge capacities shall be estimated using Manning's equation, with 'n' values appropriate to the likely long term condition of the channel. Typical values of 'n' are listed in Table 2.


Table 2 Typical Values of 'n' (Manning's Equation)

Material	Manning's 'n'
Concrete Surfaces	0.011 ~ 0.016
Sprayed Concrete	0.018
Asphalt Surfaces	0.013 ~ 0.016
Bitumen Seal	0.018
Corrugated Steel Pipes	0.024 ~ 0.033
Brick or Paved Surfaces	0.015
Pitched/dressed stone in mortar	0.016
Rock lining/Rip Rap	0.028
Bare Earth	0.020 ~ 0.025
Earth (weeds & gravel)	0.022 ~ 0.035
Earth (heavily vegetated)	0.05 ~ 0.14

Rainfall Intensity

- IFD curve indicated on approved doc # MD-216-4400-EG-ME-CAL-1001 shall be used.
- Intensity for 10 min duration and 10-year return period is 79.58 mm/hr.

IFD Curve



10-year Storm	10 (min)	20 (min)	30 (min)	60 (min)	120 (min)	180 (min)	360 (min)	720 (min)	1440 (min)
D115 (mm/hr)	47.16	33.01	26.72	17.29	11.20	8.25	4.91	2.88	1.64
Mahazat Sayd (mm/hr)	57.84	40.49	32.78	21.21	13.74	10.12	6.03	3.53	2.01
Approved IDF (mm/hr)	79.58	48.9	36.8	22.7	14.0	10.5	6.5	4.0	2.5

THANK YOU

5. STORMWATER POND ANALYSIS

The analysis for the stormwater pond is done based on the final stormwater system results. Hydrographs for the inlet and outlet hydraulic structures are generated accordingly.

5.1. Main Design Criteria

The stormwater pond analysis is done based on the SCS method using the 10-year design storm. The overflow pipe is designed to cater for the 20-year design storm peak flow.

It should be noted here that during peak storm events, the effects of both infiltration and evaporation are very minimal. Therefore, both factors were disregarded in the presented models.

From the IDF curve presented previously, the rainfall depths are generated for the 10- and 20-years design storm. These are as follows:

Table 6 Rainfall Depths values

	10-year storm	20-year storm
Rainfall Depth P (mm)	58.7	70

The SCS method is used to estimate the peak flows generated from design storms. The input variables include drainage area, depth of rainfall, and a coefficient reflecting land use and soil type. The SCS runoff equation is:

$$Q = \frac{(P - Ia)^2}{(P - Ia) + S}$$

Where:

Q = depth of runoff (mm);

P = rainfall depth (mm);

S = potential maximum depth of retention after runoff begins (mm);

Ia = initial abstraction (mm);

Initial abstraction (Ia) represents all water losses before runoff begins. It includes water retained in surface depressions, water intercepted by vegetation,

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

evaporation, and infiltration. Ia is highly variable but generally is correlated with soil and cover parameters. Through studies of many small agricultural watersheds, Ia was found to be approximated by the following empirical equation:

$$Ia = 0.2S$$

The SCS runoff equation becomes:

$$Q = \frac{(P - 0.2S)^2}{(P + 0.8S)}$$

S, is related to the soil and cover conditions of the watershed through the CN;

CN, has a range of 0 to 100; and S is related to CN by:

$$S = \frac{1000}{CN} - 10$$

The choice of the CN is based on the soil group and cover type. Table 7 below describes the different soil group categories.

Table 7: Soil Groups

Soil Group	Description	Range of Loss Rates (in/hr)
A	Deep sand, deep loess, aggregated silts	0.30-0.45
B	Shallow loess, sandy loam	0.15-0.30
C	Clay loams, shallow sandy loam, soils low in organic content, and soils usually high in clay	0.05-0.15
D	Soils that swell significantly when wet, heavy plastic clays, and certain saline soils	0.00-0.05

Ref. US Army Corps of Engineers, HEC-HMS, Technical Reference Manual, March 2000

After indicating the soil group, Table 8 below will be used to estimate the curve number.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Table 8: CN Estimation

CN Estimation for arid and semi-arid areas					
Cover description		**Curve numbers for hydrologic soil group**			
Cover type	**Hydrologic condition[1]**	**A[2]**	**B**	**C**	**D**
Herbaceous – mixture of grass, weeds, and low-growing brush, with brush the minor element.	Poor		80	87	93
	Fair		71	81	89
	Good		62	74	85
Oak-aspen – mountain brush mixture of oak brush, aspen, mountain mahogany, bitter brush, maple, and other brush.	Poor		66	74	79
	Fair		48	57	63
	Good		30	41	48
Pinyon-juniper – pinyon, juniper, or both; grass understory.	Poor		75	85	89
	Fair		58	73	80
	Good		41	61	71
Sagebrush with grass understory.	Poor		67	80	85
	Fair		51	63	70
	Good		35	47	55
Desert shrub – major plants include saltbrush, greasewood, creosotebush, blackbrush, bursage, palo verde, mesquite, and cactus.	Poor	63	77	85	88
	Fair	55	72	81	86
	Good	49	68	79	84
CN Estimation for urban areas					
Cover description		**Curve numbers for hydrologic soil group**			
Cover type	**Percentage of area**	**A**	**B**	**C**	**D**
Streets and roads:					
– **Paved; curbs and storm sewers (excluding right-of-way)**					
– **Paved; open ditches (including right-of-way)**		98	98	98	98
– **Gravel (including right of way)**		83	89	92	93
– **Dirt (including right-of-way)**		76	85	89	91
Western desert urban areas:		72	82	87	89

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

– **Natural desert landscaping (pervious area only)** – **Artificial desert landscaping (impervious weed barrier, desert shrub with 1- to 2-inch sand or gravel mulch and basin borders)**		63 96	77 96	85 96	88 96
Urban districts					
– **Commercial and business**	85	89	92	94	95
– **Industrial**	72	81	88	91	93
Developing urban areas (new areas without vegetation)		77	86	91	94

Ref. US Army Corps of Engineers, HEC-HMS, Technical Reference Manual, March 2000

[1] Poor: <30% ground cover (litter, grass, and brush overstory).

Fair: 30 to 70% ground cover.

Good: >70% ground cover.

[2] Curve numbers for group A have been developed only for desert shrub.

In our case, a curve number of **CN=86** is considered.

– **Ia/P Parameter**

Ia/P is a parameter that is necessary to estimate peak discharge rates. Ia denotes the initial abstraction and P is the 24-hour rainfall depth for a selected return period. For a given 24-hour rainfall distribution, Ia/P represents the fraction of rainfall that must occur before runoff begins.

– **Peak Discharge Estimation**

The peak discharge estimation is calculated using the following equation:

$$Q_p = Q_u A Q$$

Where:

Qp = peak discharge, m3/s;

Qu = unit peak discharge, m3/s/km2/mm;

A = drainage area, km2;

Q = depth of runoff, mm.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

The unit peak discharge is obtained from the following equation, which requires the time of concentration (tc) in hours and the initial abstraction/rainfall (Ia/P) ratio as input:

$$Q_u = \alpha 10^{C_0 + C_1 \log t_c + C_2 (\log t_c)^2}$$

Where:

C0, C1 and C2= regression coefficients given in Table 9 for various Ia/P ratios;

α= unit conversion constant equal to 0.000431 in SI units.

Table 9: Coefficients for SCS Peak Discharge Method

Type II	**Ia/P**					
Constants	0.1	0.3	0.35	0.4	0.45	0.5
C0	2.5532	2.4653	2.4190	2.3641	2.2924	2.2028
C1	-0.6151	-0.6226	-0.6159	-0.5986	-0.5701	-0.5160
C2	-0.1640	-0.1166	-0.0882	-0.0562	-0.0228	-0.0126

Where ponding or wetland areas occur in the watershed, a considerable amount of the surface runoff may be retained in temporary storage. The peak discharge rate should be reduced to reflect this condition of increased storage. Values of the pond and swamp adjustment factor (Fp) are provided in Table 10. If the watershed includes significant portions of pond and wetland storage, the peak discharge of the above equation can be adjusted using the following:

$$Q_a = Q_p F_p$$

Where, Qa= adjusted peak discharge, m^3/s;

Table 10: Ponding Factor Fp

Area of Pond	**0**	**0.2**	**1**	**3**	**5**
Ponding Factor	1	0.97	0.87	0.75	0.72

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

The below parameters are the main input data to the software:

Table 11 Model Input Parameters

Model Input		
Watershed Area	0.302	Km^2
CN	86	-
System Travel Time	34.5	min
Pond Total Volume	8400	m^3
Pond Bottom Level	907.33	m
Inflow Pipe Invert	910.23	m
Overflow Pipe Invert	910.73	m
20 -Year Storm Depth	70	mm
10-Year Storm Depth	58.7	mm

The software HEC-HMS is used to generate the hydrographs.

5.2. Calculation Results

The hydraulic modeling of the pond revealed the following main results:

- Inflow volume for the 10-year storm is 8,400 m^3.
- Maximum water level for the 10-year storm is 909.00 m which means that the maximum water depth will be around 167 cm
- This means that the whole water volume will be contained in the pond for the 10-year storm

However, the outflow pipe will be designed for the 20-year storm, which shows the following:

- Inflow volume for the 20-year storm is 11,200 m^3.
- The overflow will need to be discharged through the outlet pipe.
- The outlet pipe will have a flow of around 0.7 m^3/s.

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

- The outflow pipe diameter will be 700 mm

Figures 2 and 3 show the hydrographs for both the 10-year and 20-year design storms.




Figure 2 Pond Hydrograph for 10-year storm




Figure 3 Pond Hydrograph for 20-year storm


All calculation results including the Pond analysis and the outflow pipe are included in Appendix D.

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

5.3. REFERENCES: SKETCH OF STORMWATER POND



PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Appendix A: System Channels

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

FlexTable: Channel Table

Label	Invert (Start) (m)	Invert (Stop) (m)	Length (Scaled) (m)	Slope (Calculated) (%)	Flow (L/s)	Velocity (m/s)	Depth (Normal) / Rise (%)
D89	911.626	911.600	5.07	0.513	69.05	0.38	67.2
D54	912.368	912.313	4.90	1.122	4.53	0.03	11.4
D13d	912.054	911.970	5.10	1.646	36.79	0.20	34.6
D13a	912.530	912.368	10.40	1.561	5.73	0.03	11.9
D5	911.984	911.626	74.57	0.480	74.29	0.68	71.1
D91	914.365	914.330	5.01	0.698	30.50	0.17	39.7
D5-A	912.560	912.550	5.04	0.198	24.20	0.13	49.4
D43-T	912.044	912.025	5.38	0.353	27.19	0.15	45.0
D59-T	912.350	912.290	5.00	1.201	67.80	0.38	53.0
D34-T	912.610	912.600	5.01	0.200	41.78	0.23	66.1
D88a-T	912.192	912.180	5.72	0.210	97.26	0.24	60.4
D18-T	912.490	912.460	6.69	0.448	30.28	0.17	44.7
D74-T	912.120	912.100	4.04	0.496	537.38	0.66	68.8
D88a	912.250	912.192	26.08	0.222	101.72	0.25	60.9
D32-T	911.668	911.640	4.98	0.562	163.43	0.41	61.2
D27-T	911.960	911.880	5.06	1.581	199.00	1.36	52.1
D1	914.700	914.508	95.58	0.201	62.13	0.47	81.2
D47	911.640	911.400	90.00	0.267	195.62	0.69	67.5
D31-T	912.220	912.185	3.51	0.997	17.50	0.59	26.1
D60	912.700	912.560	70.53	0.199	27.51	0.38	53.0
D44-T	911.560	911.450	5.14	2.140	302.89	1.67	48.8
D34	912.800	912.610	95.54	0.199	48.57	0.44	71.7
D10	914.500	914.365	14.48	0.932	30.92	0.68	36.9
D88	912.295	912.250	32.60	0.138	104.77	0.47	69.5
D15-T	913.170	913.135	4.62	0.758	40.03	0.68	45.1
D8-T	914.558	914.358	5.00	3.999	41.30	1.24	28.7
D59	912.700	912.350	100.39	0.349	75.88	0.61	78.1
D37	912.520	912.350	131.39	0.129	140.34	0.49	81.3
D74	912.315	912.120	41.30	0.472	546.11	1.10	70.4
D29-T	912.284	912.212	3.02	2.381	17.37	0.80	20.2
D43	912.200	912.044	46.10	0.338	29.04	0.46	47.2

FlexTable: Channel Table

Label	Invert (Start) (m)	Invert (Stop) (m)	Length (Scaled) (m)	Slope (Calculated) (%)	Flow (L/s)	Velocity (m/s)	Depth (Normal) / Rise (%)
D76a	912.392	912.180	26.55	0.798	108.02	0.88	36.1
D67	912.700	912.505	96.17	0.203	63.45	0.47	81.9
D90	912.250	912.010	103.59	0.232	49.03	0.46	61.1
D20b-T	912.046	912.010	5.08	0.709	74.39	0.78	38.5
D22	912.600	912.054	46.92	1.164	38.27	0.78	39.0
D53-T	911.439	911.415	5.17	0.464	80.86	0.68	75.0
D34a	912.600	912.350	133.59	0.187	117.74	0.54	68.3
D52-T	911.441	911.415	4.66	0.564	77.24	0.73	69.6
D86	912.370	912.325	32.06	0.140	102.67	0.47	68.5
D78-T	912.700	912.685	6.04	0.248	60.07	0.50	75.5
D27	912.523	911.960	121.74	0.463	218.40	0.88	74.0
D32	912.185	911.668	88.17	0.586	178.37	0.91	63.3
D52	911.960	911.441	131.53	0.394	90.43	0.66	82.8
D78	912.810	912.700	49.57	0.222	65.00	0.49	81.0
D53	911.960	911.439	105.93	0.492	90.58	0.72	78.3
D71-T	913.830	913.800	5.04	0.595	141.92	0.87	56.2
D62	912.700	912.450	77.65	0.322	76.33	0.59	80.0
D44	912.025	911.560	92.76	0.501	316.25	0.99	73.5
D94	911.690	910.855	202.25	0.413	834.33	1.17	71.1
D95	910.855	910.517	171.47	0.197	856.53	0.90	87.4
D49-T	911.127	911.100	5.08	0.532	954.14	1.33	71.4
D49	911.200	911.127	21.55	0.339	963.95	1.13	80.8
D95-T	910.517	910.410	5.26	2.033	821.65	2.09	45.8
D96-T	910.498	910.410	4.99	1.762	1,432.19	2.28	58.3
D57	911.680	911.570	82.46	0.133	251.92	0.57	76.5
D7	914.478	914.358	59.63	0.201	149.02	0.59	75.2
D13	914.020	913.960	24.77	0.242	304.88	0.75	87.0
D60a	912.550	912.290	196.82	0.132	117.38	0.47	74.2
D76	912.913	912.863	24.82	0.201	62.64	0.47	81.5
D18	912.700	912.490	45.34	0.463	32.02	0.53	45.7
D6	914.491	914.478	6.40	0.200	84.59	0.51	57.0

FlexTable: Channel Table

Label	Invert (Start) (m)	Invert (Stop) (m)	Length (Scaled) (m)	Slope (Calculated) (%)	Flow (L/s)	Velocity (m/s)	Depth (Normal) / Rise (%)
D35	912.800	912.550	123.42	0.203	118.74	0.55	67.3
D65-T	911.900	911.680	5.05	4.355	218.70	2.03	42.2
D90a	912.100	911.900	143.77	0.139	744.98	0.76	89.0
D45a	911.600	911.450	73.53	0.204	612.32	0.83	72.8
D55	911.100	910.950	52.70	0.285	1,070.57	1.08	81.7
D31	912.350	912.220	11.47	1.134	17.71	0.62	25.3
D84	912.460	912.430	21.94	0.137	92.94	0.45	65.7
D76-T	912.863	912.850	6.16	0.211	60.46	0.47	79.1
D50	912.400	911.960	110.30	0.399	56.50	0.59	64.6
D27a	911.880	911.680	151.40	0.132	510.83	0.68	74.2
D56	911.750	911.685	32.89	0.198	163.88	0.59	66.5
D77	913.200	912.810	118.93	0.328	45.28	0.52	60.5
D15	914.500	913.170	188.61	0.705	48.44	0.70	51.1
D65	912.255	911.900	113.35	0.313	233.13	0.77	83.9
D27b	911.680	911.640	13.85	0.289	459.51	0.88	56.9
D51	912.400	911.960	110.20	0.399	45.23	0.56	57.4
D72a	912.975	912.390	139.46	0.419	515.12	1.04	70.4
D11	914.330	914.285	21.65	0.208	204.53	0.64	86.8
D4	914.708	914.699	4.24	0.200	36.83	0.41	61.9
D64	912.415	912.255	9.27	1.727	75.87	1.09	30.6
D19	912.460	912.180	94.11	0.298	280.49	0.78	66.6
D69	912.480	911.750	239.44	0.305	189.13	0.72	64.0
D23	911.970	911.935	25.58	0.137	396.28	0.64	64.2
D56a	911.685	911.422	131.49	0.200	195.00	0.62	72.6
D28a	912.315	912.212	78.63	0.131	105.94	0.46	70.8
D20b	912.475	912.046	92.47	0.464	82.45	0.69	45.4
D28	912.550	912.315	117.97	0.199	97.48	0.52	61.3
D71-A	914.140	913.830	31.57	0.982	144.71	1.05	50.0
D57a	911.570	911.395	130.60	0.134	264.53	0.58	78.4
D92	911.900	911.755	24.04	0.603	755.64	1.31	61.0
D82	912.550	912.525	15.40	0.162	81.80	0.46	59.1

FlexTable: Channel Table

Label	Invert (Start) (m)	Invert (Stop) (m)	Length (Scaled) (m)	Slope (Calculated) (%)	Flow (L/s)	Velocity (m/s)	Depth (Normal) / Rise (%)
D96	910.950	910.498	22.58	2.002	1,435.09	2.39	56.4
D76-F	912.557	912.447	55.02	0.200	118.35	0.55	55.7
D56a-T	911.422	911.395	8.60	0.314	178.01	0.72	61.5
D97	910.410	910.230	36.61	0.492	2,215.97	1.57	65.4
D76-C	912.678	912.650	13.89	0.198	58.84	0.46	47.5
D76-D	912.650	912.636	7.40	0.192	121.86	0.55	69.0
D19b	912.100	912.010	44.91	0.200	256.70	0.66	47.1
D72	913.570	912.975	42.48	1.401	410.14	1.51	44.5
D71	913.800	913.570	86.43	0.266	401.27	0.82	69.5
D16	913.135	912.540	172.91	0.344	127.11	0.69	61.0
D8	914.750	914.558	42.50	0.452	43.36	0.58	54.3
D25	912.100	911.990	53.95	0.204	118.10	0.56	67.0
D75	913.200	912.913	28.23	1.017	28.29	0.68	34.2
D76-D-T	912.636	912.628	3.02	0.259	120.68	0.61	63.8
D39-T	912.130	912.100	7.36	0.408	81.53	0.65	46.7
D39	912.600	912.130	173.20	0.271	100.36	0.59	57.6
D41	912.313	912.100	160.51	0.133	258.31	0.57	71.7
D80	912.635	912.610	16.71	0.150	72.17	0.44	56.7
D20	912.688	912.515	87.73	0.197	93.46	0.52	60.2
D14	912.900	912.520	126.18	0.301	139.36	0.66	54.5
D16-T	912.540	912.520	5.03	0.397	102.14	0.69	52.8
D29	912.550	912.284	12.06	2.206	17.55	0.78	20.8
D2	915.145	915.044	46.48	0.218	27.59	0.39	51.8
D13c	913.520	913.060	148.26	0.310	94.76	0.61	54.1
D3	915.200	915.081	28.88	0.411	17.27	0.43	33.4
D13b	913.520	913.060	116.00	0.397	20.11	0.44	22.1

Appendix B: System Pipes

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

FlexTable: Conduit Table

Label	Diameter (mm)	Invert (Start) (m)	Invert (Stop) (m)	Slope (Calculated) (%)	Length (Scaled) (m)	Manning's n	Flow (L/s)	Velocity (m/s)	Depth (Normal) / Rise (%)
D4-B	300.0	914.663	914.625	0.307	12.43	0.013	51.56	0.86	78.7
D30	400.0	912.212	912.185	0.299	9.04	0.013	105.35	1.03	76.0
D80	300.0	912.685	912.635	0.475	10.53	0.013	59.48	1.07	73.7
D44	800.0	911.400	911.200	0.681	29.38	0.013	952.08	2.45	72.3
D9	500.0	914.358	914.330	0.282	9.93	0.013	172.09	1.15	71.4
D76-B	300.0	912.850	912.678	0.571	30.22	0.013	59.92	1.15	68.9
D33	800.0	911.640	911.600	0.319	12.54	0.013	577.29	1.64	66.0
D20a	400.0	912.515	912.475	0.298	13.42	0.013	83.27	0.99	63.5
D83	400.0	912.525	912.460	0.302	21.56	0.013	79.43	0.98	61.3
D4-A	300.0	914.699	914.663	0.310	11.63	0.013	36.58	0.82	60.5
D58	500.0	911.395	911.320	0.605	12.40	0.013	384.67	1.59	59.0
D63	400.0	912.450	912.415	0.287	12.20	0.013	69.86	0.94	57.4
D81	400.0	912.610	912.550	0.291	20.64	0.013	69.88	0.94	57.1
D76-E	500.0	912.628	912.557	0.300	23.68	0.013	120.24	1.09	54.7
D93	700.0	911.755	911.690	0.515	12.63	0.013	748.77	1.78	53.7
D76-G	500.0	912.447	912.392	0.300	18.34	0.013	109.52	1.07	51.7
D73	600.0	912.390	912.315	0.537	13.97	0.013	470.43	1.61	51.3
D46	800.0	911.450	911.400	0.403	12.40	0.013	854.91	1.68	50.5
D24	600.0	911.935	911.880	0.410	13.40	0.013	389.34	1.39	49.7
D68	400.0	912.505	912.480	0.293	8.52	0.013	55.17	0.89	49.3
D37	500.0	912.550	912.520	0.312	9.62	0.013	101.76	1.06	49.0
D87	500.0	912.325	912.295	0.286	10.50	0.013	96.05	1.01	48.6
D51	600.0	913.960	913.800	1.039	15.39	0.013	296.40	2.18	48.4
D26	400.0	911.990	911.640	1.348	25.97	0.013	110.73	1.88	47.5
D19a	500.0	912.180	912.100	0.596	13.42	0.013	257.72	1.44	46.5
D85	500.0	912.430	912.370	0.295	20.32	0.013	88.79	1.01	46.0
D50	400.0	914.625	914.491	0.992	13.52	0.013	85.10	1.57	44.6
D21	600.0	912.010	911.970	0.384	10.43	0.013	303.34	1.27	43.9
D12	500.0	914.285	914.020	1.978	13.40	0.013	198.91	2.51	42.4
D17	500.0	912.520	912.460	0.600	10.00	0.013	213.55	1.37	41.8
D61	500.0	912.290	912.255	0.285	12.30	0.013	128.64	0.91	38.8

FlexTable: Conduit Table

Label	Diameter (mm)	Invert (Start) (m)	Invert (Stop) (m)	Slope (Calculated) (%)	Length (Scaled) (m)	Manning's n	Flow (L/s)	Velocity (m/s)	Depth (Normal) / Rise (%)
D38	600.0	912.350	912.313	0.299	12.39	0.013	206.27	1.04	38.1
D5a	500.0	914.508	914.478	0.235	12.74	0.013	54.00	0.81	37.2
D42	600.0	912.100	912.025	0.591	12.69	0.013	275.45	1.45	37.0
D89	700.0	912.180	912.100	0.526	15.21	0.013	172.60	1.46	34.6
D54	500.0	911.415	911.100	2.562	12.30	0.013	153.12	2.57	34.3
D13d	500.0	913.060	912.970	0.570	15.79	0.013	94.84	1.08	27.6
D13a	300.0	913.900	913.520	2.223	17.09	0.013	20.27	1.44	25.3
D5	300.0	915.044	914.525	4.260	12.18	0.013	25.47	1.94	24.1
D91	500.0	912.010	911.980	0.414	7.24	0.013	41.92	0.76	19.9
D5-A	300.0	915.081	914.663	4.181	10.00	0.013	16.53	1.70	19.5

Appendix C: External Pipes

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Worksheet for D101

Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Diameter	500.00	mm
Discharge	0.28	m³/s

Results

Normal Depth	0.44	m
Flow Area	0.18	m²
Wetted Perimeter	1.21	m
Hydraulic Radius	0.15	m
Top Width	0.33	m
Critical Depth	0.36	m
Percent Full	87.7	%
Critical Slope	0.00716	m/m
Velocity	1.54	m/s
Velocity Head	0.12	m
Specific Energy	0.56	m
Froude Number	0.66	
Maximum Discharge	0.29	m³/s
Discharge Full	0.27	m³/s
Slope Full	0.00554	m/m
Flow Type	SubCritical	

GVF Input Data

Downstream Depth	0.00	m
Length	0.00	m
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	m
Profile Description		
Profile Headloss	0.00	m
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	87.73	%
Downstream Velocity	Infinity	m/s
Upstream Velocity	Infinity	m/s
Normal Depth	0.44	m
Critical Depth	0.36	m
Channel Slope	0.00500	m/m

Worksheet for D101

GVF Output Data

Critical Slope	0.00716	m/m

Cross Section for D101


Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Normal Depth	0.44	m
Diameter	500.00	mm
Discharge	0.28	m³/s

Cross Section Image



V: 1
H: 1

Worksheet for D102

Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Diameter	500.00	mm
Discharge	0.25	m³/s

Results

Normal Depth	0.38	m
Flow Area	0.16	m²
Wetted Perimeter	1.07	m
Hydraulic Radius	0.15	m
Top Width	0.42	m
Critical Depth	0.34	m
Percent Full	76.8	%
Critical Slope	0.00660	m/m
Velocity	1.55	m/s
Velocity Head	0.12	m
Specific Energy	0.51	m
Froude Number	0.80	
Maximum Discharge	0.29	m³/s
Discharge Full	0.27	m³/s
Slope Full	0.00438	m/m
Flow Type	SubCritical	

GVF Input Data

Downstream Depth	0.00	m
Length	0.00	m
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	m
Profile Description		
Profile Headloss	0.00	m
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	76.77	%
Downstream Velocity	Infinity	m/s
Upstream Velocity	Infinity	m/s
Normal Depth	0.38	m
Critical Depth	0.34	m
Channel Slope	0.00500	m/m

Worksheet for D102

GVF Output Data

Critical Slope	0.00660	m/m

Cross Section for D102


Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Normal Depth	0.38	m
Diameter	500.00	mm
Discharge	0.25	m³/s

Cross Section Image



V: 1
H: 1

Worksheet for D107

Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Diameter	600.00	mm
Discharge	0.32	m³/s

Results

Normal Depth	0.39	m
Flow Area	0.19	m²
Wetted Perimeter	1.12	m
Hydraulic Radius	0.17	m
Top Width	0.57	m
Critical Depth	0.37	m
Percent Full	64.4	%
Critical Slope	0.00560	m/m
Velocity	1.68	m/s
Velocity Head	0.14	m
Specific Energy	0.53	m
Froude Number	0.93	
Maximum Discharge	0.47	m³/s
Discharge Full	0.43	m³/s
Slope Full	0.00278	m/m
Flow Type	SubCritical	

GVF Input Data

Downstream Depth	0.00	m
Length	0.00	m
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	m
Profile Description		
Profile Headloss	0.00	m
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	64.38	%
Downstream Velocity	Infinity	m/s
Upstream Velocity	Infinity	m/s
Normal Depth	0.39	m
Critical Depth	0.37	m
Channel Slope	0.00500	m/m

Worksheet for D107

GVF Output Data

Critical Slope	0.00560	m/m

Cross Section for D107


Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Normal Depth	0.39	m
Diameter	600.00	mm
Discharge	0.32	m³/s

Cross Section Image



V: 1
H: 1

Worksheet for D104

Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Diameter	600.00	mm
Discharge	0.35	m³/s

Results

Normal Depth	0.41	m
Flow Area	0.20	m²
Wetted Perimeter	1.16	m
Hydraulic Radius	0.18	m
Top Width	0.56	m
Critical Depth	0.39	m
Percent Full	68.0	%
Critical Slope	0.00580	m/m
Velocity	1.71	m/s
Velocity Head	0.15	m
Specific Energy	0.56	m
Froude Number	0.90	
Maximum Discharge	0.47	m³/s
Discharge Full	0.43	m³/s
Slope Full	0.00325	m/m
Flow Type	SubCritical	

GVF Input Data

Downstream Depth	0.00	m
Length	0.00	m
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	m
Profile Description		
Profile Headloss	0.00	m
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	68.04	%
Downstream Velocity	Infinity	m/s
Upstream Velocity	Infinity	m/s
Normal Depth	0.41	m
Critical Depth	0.39	m
Channel Slope	0.00500	m/m

Worksheet for D104

GVF Output Data

Critical Slope	0.00580	m/m

Cross Section for D104


Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Normal Depth	0.41	m
Diameter	600.00	mm
Discharge	0.35	m³/s

Cross Section Image



V: 1
H: 1

Worksheet for D105

Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Diameter	500.00	mm
Discharge	0.20	m³/s

Results

Normal Depth	0.32	m
Flow Area	0.13	m²
Wetted Perimeter	0.92	m
Hydraulic Radius	0.14	m
Top Width	0.48	m
Critical Depth	0.30	m
Percent Full	63.4	%
Critical Slope	0.00581	m/m
Velocity	1.48	m/s
Velocity Head	0.11	m
Specific Energy	0.43	m
Froude Number	0.91	
Maximum Discharge	0.29	m³/s
Discharge Full	0.27	m³/s
Slope Full	0.00267	m/m
Flow Type	SubCritical	

GVF Input Data

Downstream Depth	0.00	m
Length	0.00	m
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	m
Profile Description		
Profile Headloss	0.00	m
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	63.43	%
Downstream Velocity	Infinity	m/s
Upstream Velocity	Infinity	m/s
Normal Depth	0.32	m
Critical Depth	0.30	m
Channel Slope	0.00500	m/m

GVF Output Data

Critical Slope	0.00581	m/m

Cross Section for D105


Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Normal Depth	0.32	m
Diameter	500.00	mm
Discharge	0.20	m³/s

Cross Section Image



V: 1
H: 1

Worksheet for D106

Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Diameter	800.00	mm
Discharge	0.70	m³/s

Results

Normal Depth	0.52	m
Flow Area	0.34	m²
Wetted Perimeter	1.49	m
Hydraulic Radius	0.23	m
Top Width	0.77	m
Critical Depth	0.51	m
Percent Full	64.5	%
Critical Slope	0.00521	m/m
Velocity	2.04	m/s
Velocity Head	0.21	m
Specific Energy	0.73	m
Froude Number	0.97	
Maximum Discharge	1.01	m³/s
Discharge Full	0.94	m³/s
Slope Full	0.00280	m/m
Flow Type	SubCritical	

GVF Input Data

Downstream Depth	0.00	m
Length	0.00	m
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	m
Profile Description		
Profile Headloss	0.00	m
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	64.53	%
Downstream Velocity	Infinity	m/s
Upstream Velocity	Infinity	m/s
Normal Depth	0.52	m
Critical Depth	0.51	m
Channel Slope	0.00500	m/m

Worksheet for D106

GVF Output Data

Critical Slope	0.00521	m/m

Cross Section for D105


Project Description

Friction Method	Manning Formula
Solve For	Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	m/m
Normal Depth	0.32	m
Diameter	500.00	mm
Discharge	0.20	m³/s

Cross Section Image



V: 1
H: 1

Appendix D: Pond Simulation Results

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Project: Pond_HMS


Simulation Run: 10 Year Storm Reservoir: Pond

Start of Run:	26Dec2020, 10:00	Basin Model:	Basin 1
End of Run:	27Dec2020, 11:00	Meteorologic Model:	10 Year Storm
Compute Time:	01Dec2020, 12:25:53	Control Specifications:	Control 1

Volume Units: 1000 M3

Computed Results

Peak Inflow :	1.9 (M3/S)	Date/Time of Peak Inflow :	26Dec2020, 22:14
Peak Outflow :	0.0 (M3/S)	Date/Time of Peak Outflow :	26Dec2020, 10:00
Total Inflow :	8.4 (1000 M3)	Peak Storage :	16.6 (1000 M3)
Total Outflow :	0.0 (1000 M3)	Peak Elevation :	909.0 (M)


Reservoir "Pond" Results for Run "10 Year Storm"
Storage (1000 m3)
16
14
12
10
8
909.001111
909.000933
909.000756
909.000578
909.000400
Elev (M)
Flow (cms)
1.8
1.2
0.6
0.0
12:00
15:00
18:00
21:00
00:00
03:00
06:00
09:00
26Dec2020
27Dec2020
Run:10 YEAR STORM Element:POND Result:Storage
Run:10 YEAR STORM Element:POND Result:Pool Elevation
Run:10 YEAR STORM Element:POND Result:Outflow
Run:10 YEAR STORM Element:POND Result:Combined Flow

Project: Pond_HMS
Simulation Run: 10 Year Storm Reservoir: Pond

Start of Run: 26Dec2020, 10:00 Basin Model: Basin 1
End of Run: 27Dec2020, 11:00 Meteorologic Model: 10 Yea
Compute Time: 01Dec2020, 12:25:53 Control Specifications: Co

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	10:00	0.0	8.4	909.0	0.0
26Dec2020	10:01	0.0	8.4	909.0	0.0
26Dec2020	10:02	0.0	8.4	909.0	0.0
26Dec2020	10:03	0.0	8.4	909.0	0.0
26Dec2020	10:04	0.0	8.4	909.0	0.0
26Dec2020	10:05	0.0	8.4	909.0	0.0
26Dec2020	10:06	0.0	8.4	909.0	0.0
26Dec2020	10:07	0.0	8.4	909.0	0.0
26Dec2020	10:08	0.0	8.4	909.0	0.0
26Dec2020	10:09	0.0	8.4	909.0	0.0
26Dec2020	10:10	0.0	8.4	909.0	0.0
26Dec2020	10:11	0.0	8.4	909.0	0.0
26Dec2020	10:12	0.0	8.4	909.0	0.0
26Dec2020	10:13	0.0	8.4	909.0	0.0
26Dec2020	10:14	0.0	8.4	909.0	0.0
26Dec2020	10:15	0.0	8.4	909.0	0.0
26Dec2020	10:16	0.0	8.4	909.0	0.0
26Dec2020	10:17	0.0	8.4	909.0	0.0
26Dec2020	10:18	0.0	8.4	909.0	0.0
26Dec2020	10:19	0.0	8.4	909.0	0.0
26Dec2020	10:20	0.0	8.4	909.0	0.0
26Dec2020	10:21	0.0	8.4	909.0	0.0
26Dec2020	10:22	0.0	8.4	909.0	0.0
26Dec2020	10:23	0.0	8.4	909.0	0.0
26Dec2020	10:24	0.0	8.4	909.0	0.0
26Dec2020	10:25	0.0	8.4	909.0	0.0
26Dec2020	10:26	0.0	8.4	909.0	0.0
26Dec2020	10:27	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	10:28	0.0	8.4	909.0	0.0
26Dec2020	10:29	0.0	8.4	909.0	0.0
26Dec2020	10:30	0.0	8.4	909.0	0.0
26Dec2020	10:31	0.0	8.4	909.0	0.0
26Dec2020	10:32	0.0	8.4	909.0	0.0
26Dec2020	10:33	0.0	8.4	909.0	0.0
26Dec2020	10:34	0.0	8.4	909.0	0.0
26Dec2020	10:35	0.0	8.4	909.0	0.0
26Dec2020	10:36	0.0	8.4	909.0	0.0
26Dec2020	10:37	0.0	8.4	909.0	0.0
26Dec2020	10:38	0.0	8.4	909.0	0.0
26Dec2020	10:39	0.0	8.4	909.0	0.0
26Dec2020	10:40	0.0	8.4	909.0	0.0
26Dec2020	10:41	0.0	8.4	909.0	0.0
26Dec2020	10:42	0.0	8.4	909.0	0.0
26Dec2020	10:43	0.0	8.4	909.0	0.0
26Dec2020	10:44	0.0	8.4	909.0	0.0
26Dec2020	10:45	0.0	8.4	909.0	0.0
26Dec2020	10:46	0.0	8.4	909.0	0.0
26Dec2020	10:47	0.0	8.4	909.0	0.0
26Dec2020	10:48	0.0	8.4	909.0	0.0
26Dec2020	10:49	0.0	8.4	909.0	0.0
26Dec2020	10:50	0.0	8.4	909.0	0.0
26Dec2020	10:51	0.0	8.4	909.0	0.0
26Dec2020	10:52	0.0	8.4	909.0	0.0
26Dec2020	10:53	0.0	8.4	909.0	0.0
26Dec2020	10:54	0.0	8.4	909.0	0.0
26Dec2020	10:55	0.0	8.4	909.0	0.0
26Dec2020	10:56	0.0	8.4	909.0	0.0
26Dec2020	10:57	0.0	8.4	909.0	0.0
26Dec2020	10:58	0.0	8.4	909.0	0.0
26Dec2020	10:59	0.0	8.4	909.0	0.0
26Dec2020	11:00	0.0	8.4	909.0	0.0
26Dec2020	11:01	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	11:02	0.0	8.4	909.0	0.0
26Dec2020	11:03	0.0	8.4	909.0	0.0
26Dec2020	11:04	0.0	8.4	909.0	0.0
26Dec2020	11:05	0.0	8.4	909.0	0.0
26Dec2020	11:06	0.0	8.4	909.0	0.0
26Dec2020	11:07	0.0	8.4	909.0	0.0
26Dec2020	11:08	0.0	8.4	909.0	0.0
26Dec2020	11:09	0.0	8.4	909.0	0.0
26Dec2020	11:10	0.0	8.4	909.0	0.0
26Dec2020	11:11	0.0	8.4	909.0	0.0
26Dec2020	11:12	0.0	8.4	909.0	0.0
26Dec2020	11:13	0.0	8.4	909.0	0.0
26Dec2020	11:14	0.0	8.4	909.0	0.0
26Dec2020	11:15	0.0	8.4	909.0	0.0
26Dec2020	11:16	0.0	8.4	909.0	0.0
26Dec2020	11:17	0.0	8.4	909.0	0.0
26Dec2020	11:18	0.0	8.4	909.0	0.0
26Dec2020	11:19	0.0	8.4	909.0	0.0
26Dec2020	11:20	0.0	8.4	909.0	0.0
26Dec2020	11:21	0.0	8.4	909.0	0.0
26Dec2020	11:22	0.0	8.4	909.0	0.0
26Dec2020	11:23	0.0	8.4	909.0	0.0
26Dec2020	11:24	0.0	8.4	909.0	0.0
26Dec2020	11:25	0.0	8.4	909.0	0.0
26Dec2020	11:26	0.0	8.4	909.0	0.0
26Dec2020	11:27	0.0	8.4	909.0	0.0
26Dec2020	11:28	0.0	8.4	909.0	0.0
26Dec2020	11:29	0.0	8.4	909.0	0.0
26Dec2020	11:30	0.0	8.4	909.0	0.0
26Dec2020	11:31	0.0	8.4	909.0	0.0
26Dec2020	11:32	0.0	8.4	909.0	0.0
26Dec2020	11:33	0.0	8.4	909.0	0.0
26Dec2020	11:34	0.0	8.4	909.0	0.0
26Dec2020	11:35	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	11:36	0.0	8.4	909.0	0.0
26Dec2020	11:37	0.0	8.4	909.0	0.0
26Dec2020	11:38	0.0	8.4	909.0	0.0
26Dec2020	11:39	0.0	8.4	909.0	0.0
26Dec2020	11:40	0.0	8.4	909.0	0.0
26Dec2020	11:41	0.0	8.4	909.0	0.0
26Dec2020	11:42	0.0	8.4	909.0	0.0
26Dec2020	11:43	0.0	8.4	909.0	0.0
26Dec2020	11:44	0.0	8.4	909.0	0.0
26Dec2020	11:45	0.0	8.4	909.0	0.0
26Dec2020	11:46	0.0	8.4	909.0	0.0
26Dec2020	11:47	0.0	8.4	909.0	0.0
26Dec2020	11:48	0.0	8.4	909.0	0.0
26Dec2020	11:49	0.0	8.4	909.0	0.0
26Dec2020	11:50	0.0	8.4	909.0	0.0
26Dec2020	11:51	0.0	8.4	909.0	0.0
26Dec2020	11:52	0.0	8.4	909.0	0.0
26Dec2020	11:53	0.0	8.4	909.0	0.0
26Dec2020	11:54	0.0	8.4	909.0	0.0
26Dec2020	11:55	0.0	8.4	909.0	0.0
26Dec2020	11:56	0.0	8.4	909.0	0.0
26Dec2020	11:57	0.0	8.4	909.0	0.0
26Dec2020	11:58	0.0	8.4	909.0	0.0
26Dec2020	11:59	0.0	8.4	909.0	0.0
26Dec2020	12:00	0.0	8.4	909.0	0.0
26Dec2020	12:01	0.0	8.4	909.0	0.0
26Dec2020	12:02	0.0	8.4	909.0	0.0
26Dec2020	12:03	0.0	8.4	909.0	0.0
26Dec2020	12:04	0.0	8.4	909.0	0.0
26Dec2020	12:05	0.0	8.4	909.0	0.0
26Dec2020	12:06	0.0	8.4	909.0	0.0
26Dec2020	12:07	0.0	8.4	909.0	0.0
26Dec2020	12:08	0.0	8.4	909.0	0.0
26Dec2020	12:09	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	12:10	0.0	8.4	909.0	0.0
26Dec2020	12:11	0.0	8.4	909.0	0.0
26Dec2020	12:12	0.0	8.4	909.0	0.0
26Dec2020	12:13	0.0	8.4	909.0	0.0
26Dec2020	12:14	0.0	8.4	909.0	0.0
26Dec2020	12:15	0.0	8.4	909.0	0.0
26Dec2020	12:16	0.0	8.4	909.0	0.0
26Dec2020	12:17	0.0	8.4	909.0	0.0
26Dec2020	12:18	0.0	8.4	909.0	0.0
26Dec2020	12:19	0.0	8.4	909.0	0.0
26Dec2020	12:20	0.0	8.4	909.0	0.0
26Dec2020	12:21	0.0	8.4	909.0	0.0
26Dec2020	12:22	0.0	8.4	909.0	0.0
26Dec2020	12:23	0.0	8.4	909.0	0.0
26Dec2020	12:24	0.0	8.4	909.0	0.0
26Dec2020	12:25	0.0	8.4	909.0	0.0
26Dec2020	12:26	0.0	8.4	909.0	0.0
26Dec2020	12:27	0.0	8.4	909.0	0.0
26Dec2020	12:28	0.0	8.4	909.0	0.0
26Dec2020	12:29	0.0	8.4	909.0	0.0
26Dec2020	12:30	0.0	8.4	909.0	0.0
26Dec2020	12:31	0.0	8.4	909.0	0.0
26Dec2020	12:32	0.0	8.4	909.0	0.0
26Dec2020	12:33	0.0	8.4	909.0	0.0
26Dec2020	12:34	0.0	8.4	909.0	0.0
26Dec2020	12:35	0.0	8.4	909.0	0.0
26Dec2020	12:36	0.0	8.4	909.0	0.0
26Dec2020	12:37	0.0	8.4	909.0	0.0
26Dec2020	12:38	0.0	8.4	909.0	0.0
26Dec2020	12:39	0.0	8.4	909.0	0.0
26Dec2020	12:40	0.0	8.4	909.0	0.0
26Dec2020	12:41	0.0	8.4	909.0	0.0
26Dec2020	12:42	0.0	8.4	909.0	0.0
26Dec2020	12:43	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	12:44	0.0	8.4	909.0	0.0
26Dec2020	12:45	0.0	8.4	909.0	0.0
26Dec2020	12:46	0.0	8.4	909.0	0.0
26Dec2020	12:47	0.0	8.4	909.0	0.0
26Dec2020	12:48	0.0	8.4	909.0	0.0
26Dec2020	12:49	0.0	8.4	909.0	0.0
26Dec2020	12:50	0.0	8.4	909.0	0.0
26Dec2020	12:51	0.0	8.4	909.0	0.0
26Dec2020	12:52	0.0	8.4	909.0	0.0
26Dec2020	12:53	0.0	8.4	909.0	0.0
26Dec2020	12:54	0.0	8.4	909.0	0.0
26Dec2020	12:55	0.0	8.4	909.0	0.0
26Dec2020	12:56	0.0	8.4	909.0	0.0
26Dec2020	12:57	0.0	8.4	909.0	0.0
26Dec2020	12:58	0.0	8.4	909.0	0.0
26Dec2020	12:59	0.0	8.4	909.0	0.0
26Dec2020	13:00	0.0	8.4	909.0	0.0
26Dec2020	13:01	0.0	8.4	909.0	0.0
26Dec2020	13:02	0.0	8.4	909.0	0.0
26Dec2020	13:03	0.0	8.4	909.0	0.0
26Dec2020	13:04	0.0	8.4	909.0	0.0
26Dec2020	13:05	0.0	8.4	909.0	0.0
26Dec2020	13:06	0.0	8.4	909.0	0.0
26Dec2020	13:07	0.0	8.4	909.0	0.0
26Dec2020	13:08	0.0	8.4	909.0	0.0
26Dec2020	13:09	0.0	8.4	909.0	0.0
26Dec2020	13:10	0.0	8.4	909.0	0.0
26Dec2020	13:11	0.0	8.4	909.0	0.0
26Dec2020	13:12	0.0	8.4	909.0	0.0
26Dec2020	13:13	0.0	8.4	909.0	0.0
26Dec2020	13:14	0.0	8.4	909.0	0.0
26Dec2020	13:15	0.0	8.4	909.0	0.0
26Dec2020	13:16	0.0	8.4	909.0	0.0
26Dec2020	13:17	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	13:18	0.0	8.4	909.0	0.0
26Dec2020	13:19	0.0	8.4	909.0	0.0
26Dec2020	13:20	0.0	8.4	909.0	0.0
26Dec2020	13:21	0.0	8.4	909.0	0.0
26Dec2020	13:22	0.0	8.4	909.0	0.0
26Dec2020	13:23	0.0	8.4	909.0	0.0
26Dec2020	13:24	0.0	8.4	909.0	0.0
26Dec2020	13:25	0.0	8.4	909.0	0.0
26Dec2020	13:26	0.0	8.4	909.0	0.0
26Dec2020	13:27	0.0	8.4	909.0	0.0
26Dec2020	13:28	0.0	8.4	909.0	0.0
26Dec2020	13:29	0.0	8.4	909.0	0.0
26Dec2020	13:30	0.0	8.4	909.0	0.0
26Dec2020	13:31	0.0	8.4	909.0	0.0
26Dec2020	13:32	0.0	8.4	909.0	0.0
26Dec2020	13:33	0.0	8.4	909.0	0.0
26Dec2020	13:34	0.0	8.4	909.0	0.0
26Dec2020	13:35	0.0	8.4	909.0	0.0
26Dec2020	13:36	0.0	8.4	909.0	0.0
26Dec2020	13:37	0.0	8.4	909.0	0.0
26Dec2020	13:38	0.0	8.4	909.0	0.0
26Dec2020	13:39	0.0	8.4	909.0	0.0
26Dec2020	13:40	0.0	8.4	909.0	0.0
26Dec2020	13:41	0.0	8.4	909.0	0.0
26Dec2020	13:42	0.0	8.4	909.0	0.0
26Dec2020	13:43	0.0	8.4	909.0	0.0
26Dec2020	13:44	0.0	8.4	909.0	0.0
26Dec2020	13:45	0.0	8.4	909.0	0.0
26Dec2020	13:46	0.0	8.4	909.0	0.0
26Dec2020	13:47	0.0	8.4	909.0	0.0
26Dec2020	13:48	0.0	8.4	909.0	0.0
26Dec2020	13:49	0.0	8.4	909.0	0.0
26Dec2020	13:50	0.0	8.4	909.0	0.0
26Dec2020	13:51	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	13:52	0.0	8.4	909.0	0.0
26Dec2020	13:53	0.0	8.4	909.0	0.0
26Dec2020	13:54	0.0	8.4	909.0	0.0
26Dec2020	13:55	0.0	8.4	909.0	0.0
26Dec2020	13:56	0.0	8.4	909.0	0.0
26Dec2020	13:57	0.0	8.4	909.0	0.0
26Dec2020	13:58	0.0	8.4	909.0	0.0
26Dec2020	13:59	0.0	8.4	909.0	0.0
26Dec2020	14:00	0.0	8.4	909.0	0.0
26Dec2020	14:01	0.0	8.4	909.0	0.0
26Dec2020	14:02	0.0	8.4	909.0	0.0
26Dec2020	14:03	0.0	8.4	909.0	0.0
26Dec2020	14:04	0.0	8.4	909.0	0.0
26Dec2020	14:05	0.0	8.4	909.0	0.0
26Dec2020	14:06	0.0	8.4	909.0	0.0
26Dec2020	14:07	0.0	8.4	909.0	0.0
26Dec2020	14:08	0.0	8.4	909.0	0.0
26Dec2020	14:09	0.0	8.4	909.0	0.0
26Dec2020	14:10	0.0	8.4	909.0	0.0
26Dec2020	14:11	0.0	8.4	909.0	0.0
26Dec2020	14:12	0.0	8.4	909.0	0.0
26Dec2020	14:13	0.0	8.4	909.0	0.0
26Dec2020	14:14	0.0	8.4	909.0	0.0
26Dec2020	14:15	0.0	8.4	909.0	0.0
26Dec2020	14:16	0.0	8.4	909.0	0.0
26Dec2020	14:17	0.0	8.4	909.0	0.0
26Dec2020	14:18	0.0	8.4	909.0	0.0
26Dec2020	14:19	0.0	8.4	909.0	0.0
26Dec2020	14:20	0.0	8.4	909.0	0.0
26Dec2020	14:21	0.0	8.4	909.0	0.0
26Dec2020	14:22	0.0	8.4	909.0	0.0
26Dec2020	14:23	0.0	8.4	909.0	0.0
26Dec2020	14:24	0.0	8.4	909.0	0.0
26Dec2020	14:25	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	14:26	0.0	8.4	909.0	0.0
26Dec2020	14:27	0.0	8.4	909.0	0.0
26Dec2020	14:28	0.0	8.4	909.0	0.0
26Dec2020	14:29	0.0	8.4	909.0	0.0
26Dec2020	14:30	0.0	8.4	909.0	0.0
26Dec2020	14:31	0.0	8.4	909.0	0.0
26Dec2020	14:32	0.0	8.4	909.0	0.0
26Dec2020	14:33	0.0	8.4	909.0	0.0
26Dec2020	14:34	0.0	8.4	909.0	0.0
26Dec2020	14:35	0.0	8.4	909.0	0.0
26Dec2020	14:36	0.0	8.4	909.0	0.0
26Dec2020	14:37	0.0	8.4	909.0	0.0
26Dec2020	14:38	0.0	8.4	909.0	0.0
26Dec2020	14:39	0.0	8.4	909.0	0.0
26Dec2020	14:40	0.0	8.4	909.0	0.0
26Dec2020	14:41	0.0	8.4	909.0	0.0
26Dec2020	14:42	0.0	8.4	909.0	0.0
26Dec2020	14:43	0.0	8.4	909.0	0.0
26Dec2020	14:44	0.0	8.4	909.0	0.0
26Dec2020	14:45	0.0	8.4	909.0	0.0
26Dec2020	14:46	0.0	8.4	909.0	0.0
26Dec2020	14:47	0.0	8.4	909.0	0.0
26Dec2020	14:48	0.0	8.4	909.0	0.0
26Dec2020	14:49	0.0	8.4	909.0	0.0
26Dec2020	14:50	0.0	8.4	909.0	0.0
26Dec2020	14:51	0.0	8.4	909.0	0.0
26Dec2020	14:52	0.0	8.4	909.0	0.0
26Dec2020	14:53	0.0	8.4	909.0	0.0
26Dec2020	14:54	0.0	8.4	909.0	0.0
26Dec2020	14:55	0.0	8.4	909.0	0.0
26Dec2020	14:56	0.0	8.4	909.0	0.0
26Dec2020	14:57	0.0	8.4	909.0	0.0
26Dec2020	14:58	0.0	8.4	909.0	0.0
26Dec2020	14:59	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	15:00	0.0	8.4	909.0	0.0
26Dec2020	15:01	0.0	8.4	909.0	0.0
26Dec2020	15:02	0.0	8.4	909.0	0.0
26Dec2020	15:03	0.0	8.4	909.0	0.0
26Dec2020	15:04	0.0	8.4	909.0	0.0
26Dec2020	15:05	0.0	8.4	909.0	0.0
26Dec2020	15:06	0.0	8.4	909.0	0.0
26Dec2020	15:07	0.0	8.4	909.0	0.0
26Dec2020	15:08	0.0	8.4	909.0	0.0
26Dec2020	15:09	0.0	8.4	909.0	0.0
26Dec2020	15:10	0.0	8.4	909.0	0.0
26Dec2020	15:11	0.0	8.4	909.0	0.0
26Dec2020	15:12	0.0	8.4	909.0	0.0
26Dec2020	15:13	0.0	8.4	909.0	0.0
26Dec2020	15:14	0.0	8.4	909.0	0.0
26Dec2020	15:15	0.0	8.4	909.0	0.0
26Dec2020	15:16	0.0	8.4	909.0	0.0
26Dec2020	15:17	0.0	8.4	909.0	0.0
26Dec2020	15:18	0.0	8.4	909.0	0.0
26Dec2020	15:19	0.0	8.4	909.0	0.0
26Dec2020	15:20	0.0	8.4	909.0	0.0
26Dec2020	15:21	0.0	8.4	909.0	0.0
26Dec2020	15:22	0.0	8.4	909.0	0.0
26Dec2020	15:23	0.0	8.4	909.0	0.0
26Dec2020	15:24	0.0	8.4	909.0	0.0
26Dec2020	15:25	0.0	8.4	909.0	0.0
26Dec2020	15:26	0.0	8.4	909.0	0.0
26Dec2020	15:27	0.0	8.4	909.0	0.0
26Dec2020	15:28	0.0	8.4	909.0	0.0
26Dec2020	15:29	0.0	8.4	909.0	0.0
26Dec2020	15:30	0.0	8.4	909.0	0.0
26Dec2020	15:31	0.0	8.4	909.0	0.0
26Dec2020	15:32	0.0	8.4	909.0	0.0
26Dec2020	15:33	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	15:34	0.0	8.4	909.0	0.0
26Dec2020	15:35	0.0	8.4	909.0	0.0
26Dec2020	15:36	0.0	8.4	909.0	0.0
26Dec2020	15:37	0.0	8.4	909.0	0.0
26Dec2020	15:38	0.0	8.4	909.0	0.0
26Dec2020	15:39	0.0	8.4	909.0	0.0
26Dec2020	15:40	0.0	8.4	909.0	0.0
26Dec2020	15:41	0.0	8.4	909.0	0.0
26Dec2020	15:42	0.0	8.4	909.0	0.0
26Dec2020	15:43	0.0	8.4	909.0	0.0
26Dec2020	15:44	0.0	8.4	909.0	0.0
26Dec2020	15:45	0.0	8.4	909.0	0.0
26Dec2020	15:46	0.0	8.4	909.0	0.0
26Dec2020	15:47	0.0	8.4	909.0	0.0
26Dec2020	15:48	0.0	8.4	909.0	0.0
26Dec2020	15:49	0.0	8.4	909.0	0.0
26Dec2020	15:50	0.0	8.4	909.0	0.0
26Dec2020	15:51	0.0	8.4	909.0	0.0
26Dec2020	15:52	0.0	8.4	909.0	0.0
26Dec2020	15:53	0.0	8.4	909.0	0.0
26Dec2020	15:54	0.0	8.4	909.0	0.0
26Dec2020	15:55	0.0	8.4	909.0	0.0
26Dec2020	15:56	0.0	8.4	909.0	0.0
26Dec2020	15:57	0.0	8.4	909.0	0.0
26Dec2020	15:58	0.0	8.4	909.0	0.0
26Dec2020	15:59	0.0	8.4	909.0	0.0
26Dec2020	16:00	0.0	8.4	909.0	0.0
26Dec2020	16:01	0.0	8.4	909.0	0.0
26Dec2020	16:02	0.0	8.4	909.0	0.0
26Dec2020	16:03	0.0	8.4	909.0	0.0
26Dec2020	16:04	0.0	8.4	909.0	0.0
26Dec2020	16:05	0.0	8.4	909.0	0.0
26Dec2020	16:06	0.0	8.4	909.0	0.0
26Dec2020	16:07	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	16:08	0.0	8.4	909.0	0.0
26Dec2020	16:09	0.0	8.4	909.0	0.0
26Dec2020	16:10	0.0	8.4	909.0	0.0
26Dec2020	16:11	0.0	8.4	909.0	0.0
26Dec2020	16:12	0.0	8.4	909.0	0.0
26Dec2020	16:13	0.0	8.4	909.0	0.0
26Dec2020	16:14	0.0	8.4	909.0	0.0
26Dec2020	16:15	0.0	8.4	909.0	0.0
26Dec2020	16:16	0.0	8.4	909.0	0.0
26Dec2020	16:17	0.0	8.4	909.0	0.0
26Dec2020	16:18	0.0	8.4	909.0	0.0
26Dec2020	16:19	0.0	8.4	909.0	0.0
26Dec2020	16:20	0.0	8.4	909.0	0.0
26Dec2020	16:21	0.0	8.4	909.0	0.0
26Dec2020	16:22	0.0	8.4	909.0	0.0
26Dec2020	16:23	0.0	8.4	909.0	0.0
26Dec2020	16:24	0.0	8.4	909.0	0.0
26Dec2020	16:25	0.0	8.4	909.0	0.0
26Dec2020	16:26	0.0	8.4	909.0	0.0
26Dec2020	16:27	0.0	8.4	909.0	0.0
26Dec2020	16:28	0.0	8.4	909.0	0.0
26Dec2020	16:29	0.0	8.4	909.0	0.0
26Dec2020	16:30	0.0	8.4	909.0	0.0
26Dec2020	16:31	0.0	8.4	909.0	0.0
26Dec2020	16:32	0.0	8.4	909.0	0.0
26Dec2020	16:33	0.0	8.4	909.0	0.0
26Dec2020	16:34	0.0	8.4	909.0	0.0
26Dec2020	16:35	0.0	8.4	909.0	0.0
26Dec2020	16:36	0.0	8.4	909.0	0.0
26Dec2020	16:37	0.0	8.4	909.0	0.0
26Dec2020	16:38	0.0	8.4	909.0	0.0
26Dec2020	16:39	0.0	8.4	909.0	0.0
26Dec2020	16:40	0.0	8.4	909.0	0.0
26Dec2020	16:41	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	16:42	0.0	8.4	909.0	0.0
26Dec2020	16:43	0.0	8.4	909.0	0.0
26Dec2020	16:44	0.0	8.4	909.0	0.0
26Dec2020	16:45	0.0	8.4	909.0	0.0
26Dec2020	16:46	0.0	8.4	909.0	0.0
26Dec2020	16:47	0.0	8.4	909.0	0.0
26Dec2020	16:48	0.0	8.4	909.0	0.0
26Dec2020	16:49	0.0	8.4	909.0	0.0
26Dec2020	16:50	0.0	8.4	909.0	0.0
26Dec2020	16:51	0.0	8.4	909.0	0.0
26Dec2020	16:52	0.0	8.4	909.0	0.0
26Dec2020	16:53	0.0	8.4	909.0	0.0
26Dec2020	16:54	0.0	8.4	909.0	0.0
26Dec2020	16:55	0.0	8.4	909.0	0.0
26Dec2020	16:56	0.0	8.4	909.0	0.0
26Dec2020	16:57	0.0	8.4	909.0	0.0
26Dec2020	16:58	0.0	8.4	909.0	0.0
26Dec2020	16:59	0.0	8.4	909.0	0.0
26Dec2020	17:00	0.0	8.4	909.0	0.0
26Dec2020	17:01	0.0	8.4	909.0	0.0
26Dec2020	17:02	0.0	8.4	909.0	0.0
26Dec2020	17:03	0.0	8.4	909.0	0.0
26Dec2020	17:04	0.0	8.4	909.0	0.0
26Dec2020	17:05	0.0	8.4	909.0	0.0
26Dec2020	17:06	0.0	8.4	909.0	0.0
26Dec2020	17:07	0.0	8.4	909.0	0.0
26Dec2020	17:08	0.0	8.4	909.0	0.0
26Dec2020	17:09	0.0	8.4	909.0	0.0
26Dec2020	17:10	0.0	8.4	909.0	0.0
26Dec2020	17:11	0.0	8.4	909.0	0.0
26Dec2020	17:12	0.0	8.4	909.0	0.0
26Dec2020	17:13	0.0	8.4	909.0	0.0
26Dec2020	17:14	0.0	8.4	909.0	0.0
26Dec2020	17:15	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	17:16	0.0	8.4	909.0	0.0
26Dec2020	17:17	0.0	8.4	909.0	0.0
26Dec2020	17:18	0.0	8.4	909.0	0.0
26Dec2020	17:19	0.0	8.4	909.0	0.0
26Dec2020	17:20	0.0	8.4	909.0	0.0
26Dec2020	17:21	0.0	8.4	909.0	0.0
26Dec2020	17:22	0.0	8.4	909.0	0.0
26Dec2020	17:23	0.0	8.4	909.0	0.0
26Dec2020	17:24	0.0	8.4	909.0	0.0
26Dec2020	17:25	0.0	8.4	909.0	0.0
26Dec2020	17:26	0.0	8.4	909.0	0.0
26Dec2020	17:27	0.0	8.4	909.0	0.0
26Dec2020	17:28	0.0	8.4	909.0	0.0
26Dec2020	17:29	0.0	8.4	909.0	0.0
26Dec2020	17:30	0.0	8.4	909.0	0.0
26Dec2020	17:31	0.0	8.4	909.0	0.0
26Dec2020	17:32	0.0	8.4	909.0	0.0
26Dec2020	17:33	0.0	8.4	909.0	0.0
26Dec2020	17:34	0.0	8.4	909.0	0.0
26Dec2020	17:35	0.0	8.4	909.0	0.0
26Dec2020	17:36	0.0	8.4	909.0	0.0
26Dec2020	17:37	0.0	8.4	909.0	0.0
26Dec2020	17:38	0.0	8.4	909.0	0.0
26Dec2020	17:39	0.0	8.4	909.0	0.0
26Dec2020	17:40	0.0	8.4	909.0	0.0
26Dec2020	17:41	0.0	8.4	909.0	0.0
26Dec2020	17:42	0.0	8.4	909.0	0.0
26Dec2020	17:43	0.0	8.4	909.0	0.0
26Dec2020	17:44	0.0	8.4	909.0	0.0
26Dec2020	17:45	0.0	8.4	909.0	0.0
26Dec2020	17:46	0.0	8.4	909.0	0.0
26Dec2020	17:47	0.0	8.4	909.0	0.0
26Dec2020	17:48	0.0	8.4	909.0	0.0
26Dec2020	17:49	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	17:50	0.0	8.4	909.0	0.0
26Dec2020	17:51	0.0	8.4	909.0	0.0
26Dec2020	17:52	0.0	8.4	909.0	0.0
26Dec2020	17:53	0.0	8.4	909.0	0.0
26Dec2020	17:54	0.0	8.4	909.0	0.0
26Dec2020	17:55	0.0	8.4	909.0	0.0
26Dec2020	17:56	0.0	8.4	909.0	0.0
26Dec2020	17:57	0.0	8.4	909.0	0.0
26Dec2020	17:58	0.0	8.4	909.0	0.0
26Dec2020	17:59	0.0	8.4	909.0	0.0
26Dec2020	18:00	0.0	8.4	909.0	0.0
26Dec2020	18:01	0.0	8.4	909.0	0.0
26Dec2020	18:02	0.0	8.4	909.0	0.0
26Dec2020	18:03	0.0	8.4	909.0	0.0
26Dec2020	18:04	0.0	8.4	909.0	0.0
26Dec2020	18:05	0.0	8.4	909.0	0.0
26Dec2020	18:06	0.0	8.4	909.0	0.0
26Dec2020	18:07	0.0	8.4	909.0	0.0
26Dec2020	18:08	0.0	8.4	909.0	0.0
26Dec2020	18:09	0.0	8.4	909.0	0.0
26Dec2020	18:10	0.0	8.4	909.0	0.0
26Dec2020	18:11	0.0	8.4	909.0	0.0
26Dec2020	18:12	0.0	8.4	909.0	0.0
26Dec2020	18:13	0.0	8.4	909.0	0.0
26Dec2020	18:14	0.0	8.4	909.0	0.0
26Dec2020	18:15	0.0	8.4	909.0	0.0
26Dec2020	18:16	0.0	8.4	909.0	0.0
26Dec2020	18:17	0.0	8.4	909.0	0.0
26Dec2020	18:18	0.0	8.4	909.0	0.0
26Dec2020	18:19	0.0	8.4	909.0	0.0
26Dec2020	18:20	0.0	8.4	909.0	0.0
26Dec2020	18:21	0.0	8.4	909.0	0.0
26Dec2020	18:22	0.0	8.4	909.0	0.0
26Dec2020	18:23	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	18:24	0.0	8.4	909.0	0.0
26Dec2020	18:25	0.0	8.4	909.0	0.0
26Dec2020	18:26	0.0	8.4	909.0	0.0
26Dec2020	18:27	0.0	8.4	909.0	0.0
26Dec2020	18:28	0.0	8.4	909.0	0.0
26Dec2020	18:29	0.0	8.4	909.0	0.0
26Dec2020	18:30	0.0	8.4	909.0	0.0
26Dec2020	18:31	0.0	8.4	909.0	0.0
26Dec2020	18:32	0.0	8.4	909.0	0.0
26Dec2020	18:33	0.0	8.4	909.0	0.0
26Dec2020	18:34	0.0	8.4	909.0	0.0
26Dec2020	18:35	0.0	8.4	909.0	0.0
26Dec2020	18:36	0.0	8.4	909.0	0.0
26Dec2020	18:37	0.0	8.4	909.0	0.0
26Dec2020	18:38	0.0	8.4	909.0	0.0
26Dec2020	18:39	0.0	8.4	909.0	0.0
26Dec2020	18:40	0.0	8.4	909.0	0.0
26Dec2020	18:41	0.0	8.4	909.0	0.0
26Dec2020	18:42	0.0	8.4	909.0	0.0
26Dec2020	18:43	0.0	8.4	909.0	0.0
26Dec2020	18:44	0.0	8.4	909.0	0.0
26Dec2020	18:45	0.0	8.4	909.0	0.0
26Dec2020	18:46	0.0	8.4	909.0	0.0
26Dec2020	18:47	0.0	8.4	909.0	0.0
26Dec2020	18:48	0.0	8.4	909.0	0.0
26Dec2020	18:49	0.0	8.4	909.0	0.0
26Dec2020	18:50	0.0	8.4	909.0	0.0
26Dec2020	18:51	0.0	8.4	909.0	0.0
26Dec2020	18:52	0.0	8.4	909.0	0.0
26Dec2020	18:53	0.0	8.4	909.0	0.0
26Dec2020	18:54	0.0	8.4	909.0	0.0
26Dec2020	18:55	0.0	8.4	909.0	0.0
26Dec2020	18:56	0.0	8.4	909.0	0.0
26Dec2020	18:57	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	18:58	0.0	8.4	909.0	0.0
26Dec2020	18:59	0.0	8.4	909.0	0.0
26Dec2020	19:00	0.0	8.4	909.0	0.0
26Dec2020	19:01	0.0	8.4	909.0	0.0
26Dec2020	19:02	0.0	8.4	909.0	0.0
26Dec2020	19:03	0.0	8.4	909.0	0.0
26Dec2020	19:04	0.0	8.4	909.0	0.0
26Dec2020	19:05	0.0	8.4	909.0	0.0
26Dec2020	19:06	0.0	8.4	909.0	0.0
26Dec2020	19:07	0.0	8.4	909.0	0.0
26Dec2020	19:08	0.0	8.4	909.0	0.0
26Dec2020	19:09	0.0	8.4	909.0	0.0
26Dec2020	19:10	0.0	8.4	909.0	0.0
26Dec2020	19:11	0.0	8.4	909.0	0.0
26Dec2020	19:12	0.0	8.4	909.0	0.0
26Dec2020	19:13	0.0	8.4	909.0	0.0
26Dec2020	19:14	0.0	8.4	909.0	0.0
26Dec2020	19:15	0.0	8.4	909.0	0.0
26Dec2020	19:16	0.0	8.4	909.0	0.0
26Dec2020	19:17	0.0	8.4	909.0	0.0
26Dec2020	19:18	0.0	8.4	909.0	0.0
26Dec2020	19:19	0.0	8.4	909.0	0.0
26Dec2020	19:20	0.0	8.4	909.0	0.0
26Dec2020	19:21	0.0	8.4	909.0	0.0
26Dec2020	19:22	0.0	8.4	909.0	0.0
26Dec2020	19:23	0.0	8.4	909.0	0.0
26Dec2020	19:24	0.0	8.4	909.0	0.0
26Dec2020	19:25	0.0	8.4	909.0	0.0
26Dec2020	19:26	0.0	8.4	909.0	0.0
26Dec2020	19:27	0.0	8.4	909.0	0.0
26Dec2020	19:28	0.0	8.4	909.0	0.0
26Dec2020	19:29	0.0	8.4	909.0	0.0
26Dec2020	19:30	0.0	8.4	909.0	0.0
26Dec2020	19:31	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	19:32	0.0	8.4	909.0	0.0
26Dec2020	19:33	0.0	8.4	909.0	0.0
26Dec2020	19:34	0.0	8.4	909.0	0.0
26Dec2020	19:35	0.0	8.4	909.0	0.0
26Dec2020	19:36	0.0	8.4	909.0	0.0
26Dec2020	19:37	0.0	8.4	909.0	0.0
26Dec2020	19:38	0.0	8.4	909.0	0.0
26Dec2020	19:39	0.0	8.4	909.0	0.0
26Dec2020	19:40	0.0	8.4	909.0	0.0
26Dec2020	19:41	0.0	8.4	909.0	0.0
26Dec2020	19:42	0.0	8.4	909.0	0.0
26Dec2020	19:43	0.0	8.4	909.0	0.0
26Dec2020	19:44	0.0	8.4	909.0	0.0
26Dec2020	19:45	0.0	8.4	909.0	0.0
26Dec2020	19:46	0.0	8.4	909.0	0.0
26Dec2020	19:47	0.0	8.4	909.0	0.0
26Dec2020	19:48	0.0	8.4	909.0	0.0
26Dec2020	19:49	0.0	8.4	909.0	0.0
26Dec2020	19:50	0.0	8.4	909.0	0.0
26Dec2020	19:51	0.0	8.4	909.0	0.0
26Dec2020	19:52	0.0	8.4	909.0	0.0
26Dec2020	19:53	0.0	8.4	909.0	0.0
26Dec2020	19:54	0.0	8.4	909.0	0.0
26Dec2020	19:55	0.0	8.4	909.0	0.0
26Dec2020	19:56	0.0	8.4	909.0	0.0
26Dec2020	19:57	0.0	8.4	909.0	0.0
26Dec2020	19:58	0.0	8.4	909.0	0.0
26Dec2020	19:59	0.0	8.4	909.0	0.0
26Dec2020	20:00	0.0	8.4	909.0	0.0
26Dec2020	20:01	0.0	8.4	909.0	0.0
26Dec2020	20:02	0.0	8.4	909.0	0.0
26Dec2020	20:03	0.0	8.4	909.0	0.0
26Dec2020	20:04	0.0	8.4	909.0	0.0
26Dec2020	20:05	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	20:06	0.0	8.4	909.0	0.0
26Dec2020	20:07	0.0	8.4	909.0	0.0
26Dec2020	20:08	0.0	8.4	909.0	0.0
26Dec2020	20:09	0.0	8.4	909.0	0.0
26Dec2020	20:10	0.0	8.4	909.0	0.0
26Dec2020	20:11	0.0	8.4	909.0	0.0
26Dec2020	20:12	0.0	8.4	909.0	0.0
26Dec2020	20:13	0.0	8.4	909.0	0.0
26Dec2020	20:14	0.0	8.4	909.0	0.0
26Dec2020	20:15	0.0	8.4	909.0	0.0
26Dec2020	20:16	0.0	8.4	909.0	0.0
26Dec2020	20:17	0.0	8.4	909.0	0.0
26Dec2020	20:18	0.0	8.4	909.0	0.0
26Dec2020	20:19	0.0	8.4	909.0	0.0
26Dec2020	20:20	0.0	8.4	909.0	0.0
26Dec2020	20:21	0.0	8.4	909.0	0.0
26Dec2020	20:22	0.0	8.4	909.0	0.0
26Dec2020	20:23	0.0	8.4	909.0	0.0
26Dec2020	20:24	0.0	8.4	909.0	0.0
26Dec2020	20:25	0.0	8.4	909.0	0.0
26Dec2020	20:26	0.0	8.4	909.0	0.0
26Dec2020	20:27	0.0	8.4	909.0	0.0
26Dec2020	20:28	0.0	8.4	909.0	0.0
26Dec2020	20:29	0.0	8.4	909.0	0.0
26Dec2020	20:30	0.0	8.4	909.0	0.0
26Dec2020	20:31	0.0	8.4	909.0	0.0
26Dec2020	20:32	0.0	8.4	909.0	0.0
26Dec2020	20:33	0.0	8.4	909.0	0.0
26Dec2020	20:34	0.0	8.4	909.0	0.0
26Dec2020	20:35	0.0	8.4	909.0	0.0
26Dec2020	20:36	0.0	8.4	909.0	0.0
26Dec2020	20:37	0.0	8.4	909.0	0.0
26Dec2020	20:38	0.0	8.4	909.0	0.0
26Dec2020	20:39	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	20:40	0.0	8.4	909.0	0.0
26Dec2020	20:41	0.0	8.4	909.0	0.0
26Dec2020	20:42	0.0	8.4	909.0	0.0
26Dec2020	20:43	0.0	8.4	909.0	0.0
26Dec2020	20:44	0.0	8.4	909.0	0.0
26Dec2020	20:45	0.0	8.4	909.0	0.0
26Dec2020	20:46	0.0	8.4	909.0	0.0
26Dec2020	20:47	0.0	8.4	909.0	0.0
26Dec2020	20:48	0.0	8.4	909.0	0.0
26Dec2020	20:49	0.0	8.4	909.0	0.0
26Dec2020	20:50	0.0	8.4	909.0	0.0
26Dec2020	20:51	0.0	8.4	909.0	0.0
26Dec2020	20:52	0.0	8.4	909.0	0.0
26Dec2020	20:53	0.0	8.4	909.0	0.0
26Dec2020	20:54	0.0	8.4	909.0	0.0
26Dec2020	20:55	0.0	8.4	909.0	0.0
26Dec2020	20:56	0.0	8.4	909.0	0.0
26Dec2020	20:57	0.0	8.4	909.0	0.0
26Dec2020	20:58	0.0	8.4	909.0	0.0
26Dec2020	20:59	0.0	8.4	909.0	0.0
26Dec2020	21:00	0.0	8.4	909.0	0.0
26Dec2020	21:01	0.0	8.4	909.0	0.0
26Dec2020	21:02	0.0	8.4	909.0	0.0
26Dec2020	21:03	0.0	8.4	909.0	0.0
26Dec2020	21:04	0.1	8.4	909.0	0.0
26Dec2020	21:05	0.1	8.4	909.0	0.0
26Dec2020	21:06	0.1	8.4	909.0	0.0
26Dec2020	21:07	0.1	8.4	909.0	0.0
26Dec2020	21:08	0.1	8.4	909.0	0.0
26Dec2020	21:09	0.1	8.4	909.0	0.0
26Dec2020	21:10	0.1	8.4	909.0	0.0
26Dec2020	21:11	0.1	8.4	909.0	0.0
26Dec2020	21:12	0.1	8.4	909.0	0.0
26Dec2020	21:13	0.1	8.5	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	21:14	0.1	8.5	909.0	0.0
26Dec2020	21:15	0.1	8.5	909.0	0.0
26Dec2020	21:16	0.1	8.5	909.0	0.0
26Dec2020	21:17	0.1	8.5	909.0	0.0
26Dec2020	21:18	0.1	8.5	909.0	0.0
26Dec2020	21:19	0.1	8.5	909.0	0.0
26Dec2020	21:20	0.1	8.5	909.0	0.0
26Dec2020	21:21	0.1	8.5	909.0	0.0
26Dec2020	21:22	0.1	8.5	909.0	0.0
26Dec2020	21:23	0.1	8.5	909.0	0.0
26Dec2020	21:24	0.1	8.5	909.0	0.0
26Dec2020	21:25	0.1	8.5	909.0	0.0
26Dec2020	21:26	0.1	8.5	909.0	0.0
26Dec2020	21:27	0.1	8.5	909.0	0.0
26Dec2020	21:28	0.1	8.5	909.0	0.0
26Dec2020	21:29	0.1	8.5	909.0	0.0
26Dec2020	21:30	0.1	8.6	909.0	0.0
26Dec2020	21:31	0.1	8.6	909.0	0.0
26Dec2020	21:32	0.1	8.6	909.0	0.0
26Dec2020	21:33	0.1	8.6	909.0	0.0
26Dec2020	21:34	0.1	8.6	909.0	0.0
26Dec2020	21:35	0.1	8.6	909.0	0.0
26Dec2020	21:36	0.1	8.6	909.0	0.0
26Dec2020	21:37	0.1	8.6	909.0	0.0
26Dec2020	21:38	0.1	8.6	909.0	0.0
26Dec2020	21:39	0.1	8.6	909.0	0.0
26Dec2020	21:40	0.1	8.6	909.0	0.0
26Dec2020	21:41	0.1	8.6	909.0	0.0
26Dec2020	21:42	0.2	8.6	909.0	0.0
26Dec2020	21:43	0.2	8.6	909.0	0.0
26Dec2020	21:44	0.2	8.7	909.0	0.0
26Dec2020	21:45	0.2	8.7	909.0	0.0
26Dec2020	21:46	0.2	8.7	909.0	0.0
26Dec2020	21:47	0.2	8.7	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	21:48	0.3	8.7	909.0	0.0
26Dec2020	21:49	0.3	8.7	909.0	0.0
26Dec2020	21:50	0.3	8.7	909.0	0.0
26Dec2020	21:51	0.4	8.8	909.0	0.0
26Dec2020	21:52	0.4	8.8	909.0	0.0
26Dec2020	21:53	0.4	8.8	909.0	0.0
26Dec2020	21:54	0.5	8.8	909.0	0.0
26Dec2020	21:55	0.6	8.9	909.0	0.0
26Dec2020	21:56	0.6	8.9	909.0	0.0
26Dec2020	21:57	0.7	8.9	909.0	0.0
26Dec2020	21:58	0.8	9.0	909.0	0.0
26Dec2020	21:59	0.9	9.0	909.0	0.0
26Dec2020	22:00	1.0	9.1	909.0	0.0
26Dec2020	22:01	1.1	9.2	909.0	0.0
26Dec2020	22:02	1.2	9.2	909.0	0.0
26Dec2020	22:03	1.3	9.3	909.0	0.0
26Dec2020	22:04	1.4	9.4	909.0	0.0
26Dec2020	22:05	1.5	9.5	909.0	0.0
26Dec2020	22:06	1.6	9.6	909.0	0.0
26Dec2020	22:07	1.6	9.6	909.0	0.0
26Dec2020	22:08	1.7	9.7	909.0	0.0
26Dec2020	22:09	1.8	9.9	909.0	0.0
26Dec2020	22:10	1.8	10.0	909.0	0.0
26Dec2020	22:11	1.9	10.1	909.0	0.0
26Dec2020	22:12	1.9	10.2	909.0	0.0
26Dec2020	22:13	1.9	10.3	909.0	0.0
26Dec2020	22:14	1.9	10.4	909.0	0.0
26Dec2020	22:15	1.9	10.5	909.0	0.0
26Dec2020	22:16	1.9	10.6	909.0	0.0
26Dec2020	22:17	1.9	10.8	909.0	0.0
26Dec2020	22:18	1.8	10.9	909.0	0.0
26Dec2020	22:19	1.8	11.0	909.0	0.0
26Dec2020	22:20	1.7	11.1	909.0	0.0
26Dec2020	22:21	1.7	11.2	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	22:22	1.6	11.3	909.0	0.0
26Dec2020	22:23	1.6	11.4	909.0	0.0
26Dec2020	22:24	1.5	11.5	909.0	0.0
26Dec2020	22:25	1.4	11.6	909.0	0.0
26Dec2020	22:26	1.4	11.6	909.0	0.0
26Dec2020	22:27	1.3	11.7	909.0	0.0
26Dec2020	22:28	1.2	11.8	909.0	0.0
26Dec2020	22:29	1.2	11.9	909.0	0.0
26Dec2020	22:30	1.1	11.9	909.0	0.0
26Dec2020	22:31	1.1	12.0	909.0	0.0
26Dec2020	22:32	1.0	12.1	909.0	0.0
26Dec2020	22:33	1.0	12.1	909.0	0.0
26Dec2020	22:34	0.9	12.2	909.0	0.0
26Dec2020	22:35	0.9	12.2	909.0	0.0
26Dec2020	22:36	0.9	12.3	909.0	0.0
26Dec2020	22:37	0.8	12.3	909.0	0.0
26Dec2020	22:38	0.8	12.4	909.0	0.0
26Dec2020	22:39	0.8	12.4	909.0	0.0
26Dec2020	22:40	0.7	12.5	909.0	0.0
26Dec2020	22:41	0.7	12.5	909.0	0.0
26Dec2020	22:42	0.7	12.6	909.0	0.0
26Dec2020	22:43	0.7	12.6	909.0	0.0
26Dec2020	22:44	0.6	12.6	909.0	0.0
26Dec2020	22:45	0.6	12.7	909.0	0.0
26Dec2020	22:46	0.6	12.7	909.0	0.0
26Dec2020	22:47	0.6	12.8	909.0	0.0
26Dec2020	22:48	0.6	12.8	909.0	0.0
26Dec2020	22:49	0.5	12.8	909.0	0.0
26Dec2020	22:50	0.5	12.9	909.0	0.0
26Dec2020	22:51	0.5	12.9	909.0	0.0
26Dec2020	22:52	0.5	12.9	909.0	0.0
26Dec2020	22:53	0.5	12.9	909.0	0.0
26Dec2020	22:54	0.5	13.0	909.0	0.0
26Dec2020	22:55	0.4	13.0	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	22:56	0.4	13.0	909.0	0.0
26Dec2020	22:57	0.4	13.0	909.0	0.0
26Dec2020	22:58	0.4	13.1	909.0	0.0
26Dec2020	22:59	0.4	13.1	909.0	0.0
26Dec2020	23:00	0.4	13.1	909.0	0.0
26Dec2020	23:01	0.4	13.1	909.0	0.0
26Dec2020	23:02	0.4	13.2	909.0	0.0
26Dec2020	23:03	0.4	13.2	909.0	0.0
26Dec2020	23:04	0.3	13.2	909.0	0.0
26Dec2020	23:05	0.3	13.2	909.0	0.0
26Dec2020	23:06	0.3	13.3	909.0	0.0
26Dec2020	23:07	0.3	13.3	909.0	0.0
26Dec2020	23:08	0.3	13.3	909.0	0.0
26Dec2020	23:09	0.3	13.3	909.0	0.0
26Dec2020	23:10	0.3	13.3	909.0	0.0
26Dec2020	23:11	0.3	13.3	909.0	0.0
26Dec2020	23:12	0.3	13.4	909.0	0.0
26Dec2020	23:13	0.3	13.4	909.0	0.0
26Dec2020	23:14	0.3	13.4	909.0	0.0
26Dec2020	23:15	0.3	13.4	909.0	0.0
26Dec2020	23:16	0.3	13.4	909.0	0.0
26Dec2020	23:17	0.3	13.4	909.0	0.0
26Dec2020	23:18	0.3	13.5	909.0	0.0
26Dec2020	23:19	0.3	13.5	909.0	0.0
26Dec2020	23:20	0.3	13.5	909.0	0.0
26Dec2020	23:21	0.3	13.5	909.0	0.0
26Dec2020	23:22	0.3	13.5	909.0	0.0
26Dec2020	23:23	0.2	13.5	909.0	0.0
26Dec2020	23:24	0.2	13.6	909.0	0.0
26Dec2020	23:25	0.2	13.6	909.0	0.0
26Dec2020	23:26	0.2	13.6	909.0	0.0
26Dec2020	23:27	0.2	13.6	909.0	0.0
26Dec2020	23:28	0.2	13.6	909.0	0.0
26Dec2020	23:29	0.2	13.6	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	23:30	0.2	13.6	909.0	0.0
26Dec2020	23:31	0.2	13.7	909.0	0.0
26Dec2020	23:32	0.2	13.7	909.0	0.0
26Dec2020	23:33	0.2	13.7	909.0	0.0
26Dec2020	23:34	0.2	13.7	909.0	0.0
26Dec2020	23:35	0.2	13.7	909.0	0.0
26Dec2020	23:36	0.2	13.7	909.0	0.0
26Dec2020	23:37	0.2	13.7	909.0	0.0
26Dec2020	23:38	0.2	13.7	909.0	0.0
26Dec2020	23:39	0.2	13.8	909.0	0.0
26Dec2020	23:40	0.2	13.8	909.0	0.0
26Dec2020	23:41	0.2	13.8	909.0	0.0
26Dec2020	23:42	0.2	13.8	909.0	0.0
26Dec2020	23:43	0.2	13.8	909.0	0.0
26Dec2020	23:44	0.2	13.8	909.0	0.0
26Dec2020	23:45	0.2	13.8	909.0	0.0
26Dec2020	23:46	0.2	13.8	909.0	0.0
26Dec2020	23:47	0.2	13.9	909.0	0.0
26Dec2020	23:48	0.2	13.9	909.0	0.0
26Dec2020	23:49	0.2	13.9	909.0	0.0
26Dec2020	23:50	0.2	13.9	909.0	0.0
26Dec2020	23:51	0.2	13.9	909.0	0.0
26Dec2020	23:52	0.2	13.9	909.0	0.0
26Dec2020	23:53	0.2	13.9	909.0	0.0
26Dec2020	23:54	0.2	13.9	909.0	0.0
26Dec2020	23:55	0.2	13.9	909.0	0.0
26Dec2020	23:56	0.2	13.9	909.0	0.0
26Dec2020	23:57	0.2	14.0	909.0	0.0
26Dec2020	23:58	0.2	14.0	909.0	0.0
26Dec2020	23:59	0.2	14.0	909.0	0.0
27Dec2020	00:00	0.2	14.0	909.0	0.0
27Dec2020	00:01	0.2	14.0	909.0	0.0
27Dec2020	00:02	0.2	14.0	909.0	0.0
27Dec2020	00:03	0.2	14.0	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	00:04	0.2	14.0	909.0	0.0
27Dec2020	00:05	0.2	14.0	909.0	0.0
27Dec2020	00:06	0.2	14.0	909.0	0.0
27Dec2020	00:07	0.2	14.1	909.0	0.0
27Dec2020	00:08	0.2	14.1	909.0	0.0
27Dec2020	00:09	0.2	14.1	909.0	0.0
27Dec2020	00:10	0.2	14.1	909.0	0.0
27Dec2020	00:11	0.2	14.1	909.0	0.0
27Dec2020	00:12	0.2	14.1	909.0	0.0
27Dec2020	00:13	0.2	14.1	909.0	0.0
27Dec2020	00:14	0.2	14.1	909.0	0.0
27Dec2020	00:15	0.2	14.1	909.0	0.0
27Dec2020	00:16	0.1	14.1	909.0	0.0
27Dec2020	00:17	0.1	14.2	909.0	0.0
27Dec2020	00:18	0.1	14.2	909.0	0.0
27Dec2020	00:19	0.1	14.2	909.0	0.0
27Dec2020	00:20	0.1	14.2	909.0	0.0
27Dec2020	00:21	0.1	14.2	909.0	0.0
27Dec2020	00:22	0.1	14.2	909.0	0.0
27Dec2020	00:23	0.1	14.2	909.0	0.0
27Dec2020	00:24	0.1	14.2	909.0	0.0
27Dec2020	00:25	0.1	14.2	909.0	0.0
27Dec2020	00:26	0.1	14.2	909.0	0.0
27Dec2020	00:27	0.1	14.2	909.0	0.0
27Dec2020	00:28	0.1	14.2	909.0	0.0
27Dec2020	00:29	0.1	14.3	909.0	0.0
27Dec2020	00:30	0.1	14.3	909.0	0.0
27Dec2020	00:31	0.1	14.3	909.0	0.0
27Dec2020	00:32	0.1	14.3	909.0	0.0
27Dec2020	00:33	0.1	14.3	909.0	0.0
27Dec2020	00:34	0.1	14.3	909.0	0.0
27Dec2020	00:35	0.1	14.3	909.0	0.0
27Dec2020	00:36	0.1	14.3	909.0	0.0
27Dec2020	00:37	0.1	14.3	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	00:38	0.1	14.3	909.0	0.0
27Dec2020	00:39	0.1	14.3	909.0	0.0
27Dec2020	00:40	0.1	14.3	909.0	0.0
27Dec2020	00:41	0.1	14.3	909.0	0.0
27Dec2020	00:42	0.1	14.4	909.0	0.0
27Dec2020	00:43	0.1	14.4	909.0	0.0
27Dec2020	00:44	0.1	14.4	909.0	0.0
27Dec2020	00:45	0.1	14.4	909.0	0.0
27Dec2020	00:46	0.1	14.4	909.0	0.0
27Dec2020	00:47	0.1	14.4	909.0	0.0
27Dec2020	00:48	0.1	14.4	909.0	0.0
27Dec2020	00:49	0.1	14.4	909.0	0.0
27Dec2020	00:50	0.1	14.4	909.0	0.0
27Dec2020	00:51	0.1	14.4	909.0	0.0
27Dec2020	00:52	0.1	14.4	909.0	0.0
27Dec2020	00:53	0.1	14.4	909.0	0.0
27Dec2020	00:54	0.1	14.4	909.0	0.0
27Dec2020	00:55	0.1	14.5	909.0	0.0
27Dec2020	00:56	0.1	14.5	909.0	0.0
27Dec2020	00:57	0.1	14.5	909.0	0.0
27Dec2020	00:58	0.1	14.5	909.0	0.0
27Dec2020	00:59	0.1	14.5	909.0	0.0
27Dec2020	01:00	0.1	14.5	909.0	0.0
27Dec2020	01:01	0.1	14.5	909.0	0.0
27Dec2020	01:02	0.1	14.5	909.0	0.0
27Dec2020	01:03	0.1	14.5	909.0	0.0
27Dec2020	01:04	0.1	14.5	909.0	0.0
27Dec2020	01:05	0.1	14.5	909.0	0.0
27Dec2020	01:06	0.1	14.5	909.0	0.0
27Dec2020	01:07	0.1	14.5	909.0	0.0
27Dec2020	01:08	0.1	14.6	909.0	0.0
27Dec2020	01:09	0.1	14.6	909.0	0.0
27Dec2020	01:10	0.1	14.6	909.0	0.0
27Dec2020	01:11	0.1	14.6	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	01:12	0.1	14.6	909.0	0.0
27Dec2020	01:13	0.1	14.6	909.0	0.0
27Dec2020	01:14	0.1	14.6	909.0	0.0
27Dec2020	01:15	0.1	14.6	909.0	0.0
27Dec2020	01:16	0.1	14.6	909.0	0.0
27Dec2020	01:17	0.1	14.6	909.0	0.0
27Dec2020	01:18	0.1	14.6	909.0	0.0
27Dec2020	01:19	0.1	14.6	909.0	0.0
27Dec2020	01:20	0.1	14.6	909.0	0.0
27Dec2020	01:21	0.1	14.6	909.0	0.0
27Dec2020	01:22	0.1	14.6	909.0	0.0
27Dec2020	01:23	0.1	14.7	909.0	0.0
27Dec2020	01:24	0.1	14.7	909.0	0.0
27Dec2020	01:25	0.1	14.7	909.0	0.0
27Dec2020	01:26	0.1	14.7	909.0	0.0
27Dec2020	01:27	0.1	14.7	909.0	0.0
27Dec2020	01:28	0.1	14.7	909.0	0.0
27Dec2020	01:29	0.1	14.7	909.0	0.0
27Dec2020	01:30	0.1	14.7	909.0	0.0
27Dec2020	01:31	0.1	14.7	909.0	0.0
27Dec2020	01:32	0.1	14.7	909.0	0.0
27Dec2020	01:33	0.1	14.7	909.0	0.0
27Dec2020	01:34	0.1	14.7	909.0	0.0
27Dec2020	01:35	0.1	14.7	909.0	0.0
27Dec2020	01:36	0.1	14.7	909.0	0.0
27Dec2020	01:37	0.1	14.7	909.0	0.0
27Dec2020	01:38	0.1	14.8	909.0	0.0
27Dec2020	01:39	0.1	14.8	909.0	0.0
27Dec2020	01:40	0.1	14.8	909.0	0.0
27Dec2020	01:41	0.1	14.8	909.0	0.0
27Dec2020	01:42	0.1	14.8	909.0	0.0
27Dec2020	01:43	0.1	14.8	909.0	0.0
27Dec2020	01:44	0.1	14.8	909.0	0.0
27Dec2020	01:45	0.1	14.8	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	01:46	0.1	14.8	909.0	0.0
27Dec2020	01:47	0.1	14.8	909.0	0.0
27Dec2020	01:48	0.1	14.8	909.0	0.0
27Dec2020	01:49	0.1	14.8	909.0	0.0
27Dec2020	01:50	0.1	14.8	909.0	0.0
27Dec2020	01:51	0.1	14.8	909.0	0.0
27Dec2020	01:52	0.1	14.8	909.0	0.0
27Dec2020	01:53	0.1	14.8	909.0	0.0
27Dec2020	01:54	0.1	14.9	909.0	0.0
27Dec2020	01:55	0.1	14.9	909.0	0.0
27Dec2020	01:56	0.1	14.9	909.0	0.0
27Dec2020	01:57	0.1	14.9	909.0	0.0
27Dec2020	01:58	0.1	14.9	909.0	0.0
27Dec2020	01:59	0.1	14.9	909.0	0.0
27Dec2020	02:00	0.1	14.9	909.0	0.0
27Dec2020	02:01	0.1	14.9	909.0	0.0
27Dec2020	02:02	0.1	14.9	909.0	0.0
27Dec2020	02:03	0.1	14.9	909.0	0.0
27Dec2020	02:04	0.1	14.9	909.0	0.0
27Dec2020	02:05	0.1	14.9	909.0	0.0
27Dec2020	02:06	0.1	14.9	909.0	0.0
27Dec2020	02:07	0.1	14.9	909.0	0.0
27Dec2020	02:08	0.1	14.9	909.0	0.0
27Dec2020	02:09	0.1	14.9	909.0	0.0
27Dec2020	02:10	0.1	14.9	909.0	0.0
27Dec2020	02:11	0.1	15.0	909.0	0.0
27Dec2020	02:12	0.1	15.0	909.0	0.0
27Dec2020	02:13	0.1	15.0	909.0	0.0
27Dec2020	02:14	0.1	15.0	909.0	0.0
27Dec2020	02:15	0.1	15.0	909.0	0.0
27Dec2020	02:16	0.1	15.0	909.0	0.0
27Dec2020	02:17	0.1	15.0	909.0	0.0
27Dec2020	02:18	0.1	15.0	909.0	0.0
27Dec2020	02:19	0.1	15.0	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	02:20	0.1	15.0	909.0	0.0
27Dec2020	02:21	0.1	15.0	909.0	0.0
27Dec2020	02:22	0.1	15.0	909.0	0.0
27Dec2020	02:23	0.1	15.0	909.0	0.0
27Dec2020	02:24	0.1	15.0	909.0	0.0
27Dec2020	02:25	0.1	15.0	909.0	0.0
27Dec2020	02:26	0.1	15.0	909.0	0.0
27Dec2020	02:27	0.1	15.1	909.0	0.0
27Dec2020	02:28	0.1	15.1	909.0	0.0
27Dec2020	02:29	0.1	15.1	909.0	0.0
27Dec2020	02:30	0.1	15.1	909.0	0.0
27Dec2020	02:31	0.1	15.1	909.0	0.0
27Dec2020	02:32	0.1	15.1	909.0	0.0
27Dec2020	02:33	0.1	15.1	909.0	0.0
27Dec2020	02:34	0.1	15.1	909.0	0.0
27Dec2020	02:35	0.1	15.1	909.0	0.0
27Dec2020	02:36	0.1	15.1	909.0	0.0
27Dec2020	02:37	0.1	15.1	909.0	0.0
27Dec2020	02:38	0.1	15.1	909.0	0.0
27Dec2020	02:39	0.1	15.1	909.0	0.0
27Dec2020	02:40	0.1	15.1	909.0	0.0
27Dec2020	02:41	0.1	15.1	909.0	0.0
27Dec2020	02:42	0.1	15.1	909.0	0.0
27Dec2020	02:43	0.1	15.1	909.0	0.0
27Dec2020	02:44	0.1	15.2	909.0	0.0
27Dec2020	02:45	0.1	15.2	909.0	0.0
27Dec2020	02:46	0.1	15.2	909.0	0.0
27Dec2020	02:47	0.1	15.2	909.0	0.0
27Dec2020	02:48	0.1	15.2	909.0	0.0
27Dec2020	02:49	0.1	15.2	909.0	0.0
27Dec2020	02:50	0.1	15.2	909.0	0.0
27Dec2020	02:51	0.1	15.2	909.0	0.0
27Dec2020	02:52	0.1	15.2	909.0	0.0
27Dec2020	02:53	0.1	15.2	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	02:54	0.1	15.2	909.0	0.0
27Dec2020	02:55	0.1	15.2	909.0	0.0
27Dec2020	02:56	0.1	15.2	909.0	0.0
27Dec2020	02:57	0.1	15.2	909.0	0.0
27Dec2020	02:58	0.1	15.2	909.0	0.0
27Dec2020	02:59	0.1	15.2	909.0	0.0
27Dec2020	03:00	0.1	15.2	909.0	0.0
27Dec2020	03:01	0.1	15.3	909.0	0.0
27Dec2020	03:02	0.1	15.3	909.0	0.0
27Dec2020	03:03	0.1	15.3	909.0	0.0
27Dec2020	03:04	0.1	15.3	909.0	0.0
27Dec2020	03:05	0.1	15.3	909.0	0.0
27Dec2020	03:06	0.1	15.3	909.0	0.0
27Dec2020	03:07	0.1	15.3	909.0	0.0
27Dec2020	03:08	0.1	15.3	909.0	0.0
27Dec2020	03:09	0.1	15.3	909.0	0.0
27Dec2020	03:10	0.1	15.3	909.0	0.0
27Dec2020	03:11	0.1	15.3	909.0	0.0
27Dec2020	03:12	0.1	15.3	909.0	0.0
27Dec2020	03:13	0.1	15.3	909.0	0.0
27Dec2020	03:14	0.1	15.3	909.0	0.0
27Dec2020	03:15	0.1	15.3	909.0	0.0
27Dec2020	03:16	0.1	15.3	909.0	0.0
27Dec2020	03:17	0.1	15.4	909.0	0.0
27Dec2020	03:18	0.1	15.4	909.0	0.0
27Dec2020	03:19	0.1	15.4	909.0	0.0
27Dec2020	03:20	0.1	15.4	909.0	0.0
27Dec2020	03:21	0.1	15.4	909.0	0.0
27Dec2020	03:22	0.1	15.4	909.0	0.0
27Dec2020	03:23	0.1	15.4	909.0	0.0
27Dec2020	03:24	0.1	15.4	909.0	0.0
27Dec2020	03:25	0.1	15.4	909.0	0.0
27Dec2020	03:26	0.1	15.4	909.0	0.0
27Dec2020	03:27	0.1	15.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	03:28	0.1	15.4	909.0	0.0
27Dec2020	03:29	0.1	15.4	909.0	0.0
27Dec2020	03:30	0.1	15.4	909.0	0.0
27Dec2020	03:31	0.1	15.4	909.0	0.0
27Dec2020	03:32	0.1	15.4	909.0	0.0
27Dec2020	03:33	0.1	15.4	909.0	0.0
27Dec2020	03:34	0.1	15.5	909.0	0.0
27Dec2020	03:35	0.1	15.5	909.0	0.0
27Dec2020	03:36	0.1	15.5	909.0	0.0
27Dec2020	03:37	0.1	15.5	909.0	0.0
27Dec2020	03:38	0.1	15.5	909.0	0.0
27Dec2020	03:39	0.1	15.5	909.0	0.0
27Dec2020	03:40	0.1	15.5	909.0	0.0
27Dec2020	03:41	0.1	15.5	909.0	0.0
27Dec2020	03:42	0.1	15.5	909.0	0.0
27Dec2020	03:43	0.1	15.5	909.0	0.0
27Dec2020	03:44	0.1	15.5	909.0	0.0
27Dec2020	03:45	0.1	15.5	909.0	0.0
27Dec2020	03:46	0.1	15.5	909.0	0.0
27Dec2020	03:47	0.1	15.5	909.0	0.0
27Dec2020	03:48	0.1	15.5	909.0	0.0
27Dec2020	03:49	0.1	15.5	909.0	0.0
27Dec2020	03:50	0.1	15.5	909.0	0.0
27Dec2020	03:51	0.1	15.6	909.0	0.0
27Dec2020	03:52	0.1	15.6	909.0	0.0
27Dec2020	03:53	0.1	15.6	909.0	0.0
27Dec2020	03:54	0.1	15.6	909.0	0.0
27Dec2020	03:55	0.1	15.6	909.0	0.0
27Dec2020	03:56	0.1	15.6	909.0	0.0
27Dec2020	03:57	0.1	15.6	909.0	0.0
27Dec2020	03:58	0.1	15.6	909.0	0.0
27Dec2020	03:59	0.1	15.6	909.0	0.0
27Dec2020	04:00	0.1	15.6	909.0	0.0
27Dec2020	04:01	0.1	15.6	909.0	0.0


Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	04:02	0.1	15.6	909.0	0.0
27Dec2020	04:03	0.1	15.6	909.0	0.0
27Dec2020	04:04	0.1	15.6	909.0	0.0
27Dec2020	04:05	0.1	15.6	909.0	0.0
27Dec2020	04:06	0.1	15.6	909.0	0.0
27Dec2020	04:07	0.1	15.7	909.0	0.0
27Dec2020	04:08	0.1	15.7	909.0	0.0
27Dec2020	04:09	0.1	15.7	909.0	0.0
27Dec2020	04:10	0.1	15.7	909.0	0.0
27Dec2020	04:11	0.1	15.7	909.0	0.0
27Dec2020	04:12	0.1	15.7	909.0	0.0
27Dec2020	04:13	0.1	15.7	909.0	0.0
27Dec2020	04:14	0.1	15.7	909.0	0.0
27Dec2020	04:15	0.1	15.7	909.0	0.0
27Dec2020	04:16	0.1	15.7	909.0	0.0
27Dec2020	04:17	0.1	15.7	909.0	0.0
27Dec2020	04:18	0.1	15.7	909.0	0.0
27Dec2020	04:19	0.1	15.7	909.0	0.0
27Dec2020	04:20	0.1	15.7	909.0	0.0
27Dec2020	04:21	0.1	15.7	909.0	0.0
27Dec2020	04:22	0.1	15.7	909.0	0.0
27Dec2020	04:23	0.1	15.7	909.0	0.0
27Dec2020	04:24	0.1	15.8	909.0	0.0
27Dec2020	04:25	0.1	15.8	909.0	0.0
27Dec2020	04:26	0.1	15.8	909.0	0.0
27Dec2020	04:27	0.1	15.8	909.0	0.0
27Dec2020	04:28	0.1	15.8	909.0	0.0
27Dec2020	04:29	0.1	15.8	909.0	0.0
27Dec2020	04:30	0.1	15.8	909.0	0.0
27Dec2020	04:31	0.1	15.8	909.0	0.0
27Dec2020	04:32	0.1	15.8	909.0	0.0
27Dec2020	04:33	0.1	15.8	909.0	0.0
27Dec2020	04:34	0.1	15.8	909.0	0.0
27Dec2020	04:35	0.1	15.8	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	04:36	0.1	15.8	909.0	0.0
27Dec2020	04:37	0.1	15.8	909.0	0.0
27Dec2020	04:38	0.1	15.8	909.0	0.0
27Dec2020	04:39	0.1	15.8	909.0	0.0
27Dec2020	04:40	0.1	15.8	909.0	0.0
27Dec2020	04:41	0.1	15.9	909.0	0.0
27Dec2020	04:42	0.1	15.9	909.0	0.0
27Dec2020	04:43	0.1	15.9	909.0	0.0
27Dec2020	04:44	0.1	15.9	909.0	0.0
27Dec2020	04:45	0.1	15.9	909.0	0.0
27Dec2020	04:46	0.1	15.9	909.0	0.0
27Dec2020	04:47	0.1	15.9	909.0	0.0
27Dec2020	04:48	0.1	15.9	909.0	0.0
27Dec2020	04:49	0.1	15.9	909.0	0.0
27Dec2020	04:50	0.1	15.9	909.0	0.0
27Dec2020	04:51	0.1	15.9	909.0	0.0
27Dec2020	04:52	0.1	15.9	909.0	0.0
27Dec2020	04:53	0.1	15.9	909.0	0.0
27Dec2020	04:54	0.1	15.9	909.0	0.0
27Dec2020	04:55	0.1	15.9	909.0	0.0
27Dec2020	04:56	0.1	15.9	909.0	0.0
27Dec2020	04:57	0.1	16.0	909.0	0.0
27Dec2020	04:58	0.1	16.0	909.0	0.0
27Dec2020	04:59	0.1	16.0	909.0	0.0
27Dec2020	05:00	0.1	16.0	909.0	0.0
27Dec2020	05:01	0.1	16.0	909.0	0.0
27Dec2020	05:02	0.1	16.0	909.0	0.0
27Dec2020	05:03	0.1	16.0	909.0	0.0
27Dec2020	05:04	0.1	16.0	909.0	0.0
27Dec2020	05:05	0.1	16.0	909.0	0.0
27Dec2020	05:06	0.1	16.0	909.0	0.0
27Dec2020	05:07	0.1	16.0	909.0	0.0
27Dec2020	05:08	0.1	16.0	909.0	0.0
27Dec2020	05:09	0.1	16.0	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	05:10	0.1	16.0	909.0	0.0
27Dec2020	05:11	0.1	16.0	909.0	0.0
27Dec2020	05:12	0.1	16.0	909.0	0.0
27Dec2020	05:13	0.1	16.0	909.0	0.0
27Dec2020	05:14	0.1	16.1	909.0	0.0
27Dec2020	05:15	0.1	16.1	909.0	0.0
27Dec2020	05:16	0.1	16.1	909.0	0.0
27Dec2020	05:17	0.1	16.1	909.0	0.0
27Dec2020	05:18	0.1	16.1	909.0	0.0
27Dec2020	05:19	0.1	16.1	909.0	0.0
27Dec2020	05:20	0.1	16.1	909.0	0.0
27Dec2020	05:21	0.1	16.1	909.0	0.0
27Dec2020	05:22	0.1	16.1	909.0	0.0
27Dec2020	05:23	0.1	16.1	909.0	0.0
27Dec2020	05:24	0.1	16.1	909.0	0.0
27Dec2020	05:25	0.1	16.1	909.0	0.0
27Dec2020	05:26	0.1	16.1	909.0	0.0
27Dec2020	05:27	0.1	16.1	909.0	0.0
27Dec2020	05:28	0.1	16.1	909.0	0.0
27Dec2020	05:29	0.1	16.1	909.0	0.0
27Dec2020	05:30	0.1	16.1	909.0	0.0
27Dec2020	05:31	0.1	16.2	909.0	0.0
27Dec2020	05:32	0.1	16.2	909.0	0.0
27Dec2020	05:33	0.1	16.2	909.0	0.0
27Dec2020	05:34	0.1	16.2	909.0	0.0
27Dec2020	05:35	0.1	16.2	909.0	0.0
27Dec2020	05:36	0.1	16.2	909.0	0.0
27Dec2020	05:37	0.1	16.2	909.0	0.0
27Dec2020	05:38	0.1	16.2	909.0	0.0
27Dec2020	05:39	0.1	16.2	909.0	0.0
27Dec2020	05:40	0.1	16.2	909.0	0.0
27Dec2020	05:41	0.1	16.2	909.0	0.0
27Dec2020	05:42	0.1	16.2	909.0	0.0
27Dec2020	05:43	0.1	16.2	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	05:44	0.1	16.2	909.0	0.0
27Dec2020	05:45	0.1	16.2	909.0	0.0
27Dec2020	05:46	0.1	16.2	909.0	0.0
27Dec2020	05:47	0.1	16.3	909.0	0.0
27Dec2020	05:48	0.1	16.3	909.0	0.0
27Dec2020	05:49	0.1	16.3	909.0	0.0
27Dec2020	05:50	0.1	16.3	909.0	0.0
27Dec2020	05:51	0.1	16.3	909.0	0.0
27Dec2020	05:52	0.1	16.3	909.0	0.0
27Dec2020	05:53	0.1	16.3	909.0	0.0
27Dec2020	05:54	0.1	16.3	909.0	0.0
27Dec2020	05:55	0.1	16.3	909.0	0.0
27Dec2020	05:56	0.1	16.3	909.0	0.0
27Dec2020	05:57	0.1	16.3	909.0	0.0
27Dec2020	05:58	0.1	16.3	909.0	0.0
27Dec2020	05:59	0.1	16.3	909.0	0.0
27Dec2020	06:00	0.1	16.3	909.0	0.0
27Dec2020	06:01	0.1	16.3	909.0	0.0
27Dec2020	06:02	0.1	16.3	909.0	0.0
27Dec2020	06:03	0.1	16.3	909.0	0.0
27Dec2020	06:04	0.1	16.4	909.0	0.0
27Dec2020	06:05	0.1	16.4	909.0	0.0
27Dec2020	06:06	0.1	16.4	909.0	0.0
27Dec2020	06:07	0.1	16.4	909.0	0.0
27Dec2020	06:08	0.1	16.4	909.0	0.0
27Dec2020	06:09	0.1	16.4	909.0	0.0
27Dec2020	06:10	0.1	16.4	909.0	0.0
27Dec2020	06:11	0.1	16.4	909.0	0.0
27Dec2020	06:12	0.1	16.4	909.0	0.0
27Dec2020	06:13	0.1	16.4	909.0	0.0
27Dec2020	06:14	0.1	16.4	909.0	0.0
27Dec2020	06:15	0.1	16.4	909.0	0.0
27Dec2020	06:16	0.1	16.4	909.0	0.0
27Dec2020	06:17	0.1	16.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	06:18	0.1	16.4	909.0	0.0
27Dec2020	06:19	0.1	16.4	909.0	0.0
27Dec2020	06:20	0.1	16.4	909.0	0.0
27Dec2020	06:21	0.1	16.5	909.0	0.0
27Dec2020	06:22	0.1	16.5	909.0	0.0
27Dec2020	06:23	0.1	16.5	909.0	0.0
27Dec2020	06:24	0.1	16.5	909.0	0.0
27Dec2020	06:25	0.1	16.5	909.0	0.0
27Dec2020	06:26	0.1	16.5	909.0	0.0
27Dec2020	06:27	0.1	16.5	909.0	0.0
27Dec2020	06:28	0.1	16.5	909.0	0.0
27Dec2020	06:29	0.1	16.5	909.0	0.0
27Dec2020	06:30	0.1	16.5	909.0	0.0
27Dec2020	06:31	0.1	16.5	909.0	0.0
27Dec2020	06:32	0.1	16.5	909.0	0.0
27Dec2020	06:33	0.1	16.5	909.0	0.0
27Dec2020	06:34	0.1	16.5	909.0	0.0
27Dec2020	06:35	0.1	16.5	909.0	0.0
27Dec2020	06:36	0.1	16.5	909.0	0.0
27Dec2020	06:37	0.1	16.6	909.0	0.0
27Dec2020	06:38	0.1	16.6	909.0	0.0
27Dec2020	06:39	0.1	16.6	909.0	0.0
27Dec2020	06:40	0.0	16.6	909.0	0.0
27Dec2020	06:41	0.0	16.6	909.0	0.0
27Dec2020	06:42	0.0	16.6	909.0	0.0
27Dec2020	06:43	0.0	16.6	909.0	0.0
27Dec2020	06:44	0.0	16.6	909.0	0.0
27Dec2020	06:45	0.0	16.6	909.0	0.0
27Dec2020	06:46	0.0	16.6	909.0	0.0
27Dec2020	06:47	0.0	16.6	909.0	0.0
27Dec2020	06:48	0.0	16.6	909.0	0.0
27Dec2020	06:49	0.0	16.6	909.0	0.0
27Dec2020	06:50	0.0	16.6	909.0	0.0
27Dec2020	06:51	0.0	16.6	909.0	0.0


Reservoir "Pond" Results for Run "20 Year Storm"
Storage (1000 m3)
Elev (M)
22
20
18
16
14
12
10
8
909.00160
909.00143
909.00126
909.00109
909.00091
909.00074
909.00057
909.00040
Flow (cms)
3.0
2.5
2.0
1.5
1.0
0.5
0.0
12:00
15:00
18:00
21:00
00:00
03:00
06:00
09:00
26Dec2020
27Dec2020
Run:20 YEAR STORM Element:POND Result:Storage
Run:20 YEAR STORM Element:POND Result:Pool Elevation
Run:20 Year Storm Element:POND Result:Outflow
Run:20 YEAR STORM Element:POND Result:Combined Flow

Project: Pond_HMS
Simulation Run: 20 Year Storm Reservoir: Pond

Start of Run: 26Dec2020, 10:00 Basin Model: Basin 1
End of Run: 27Dec2020, 11:00 Meteorologic Model: 20 Yea
Compute Time: 01Dec2020, 12:25:54 Control Specifications: Co

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	10:00	0.0	8.4	909.0	0.0
26Dec2020	10:01	0.0	8.4	909.0	0.0
26Dec2020	10:02	0.0	8.4	909.0	0.0
26Dec2020	10:03	0.0	8.4	909.0	0.0
26Dec2020	10:04	0.0	8.4	909.0	0.0
26Dec2020	10:05	0.0	8.4	909.0	0.0
26Dec2020	10:06	0.0	8.4	909.0	0.0
26Dec2020	10:07	0.0	8.4	909.0	0.0
26Dec2020	10:08	0.0	8.4	909.0	0.0
26Dec2020	10:09	0.0	8.4	909.0	0.0
26Dec2020	10:10	0.0	8.4	909.0	0.0
26Dec2020	10:11	0.0	8.4	909.0	0.0
26Dec2020	10:12	0.0	8.4	909.0	0.0
26Dec2020	10:13	0.0	8.4	909.0	0.0
26Dec2020	10:14	0.0	8.4	909.0	0.0
26Dec2020	10:15	0.0	8.4	909.0	0.0
26Dec2020	10:16	0.0	8.4	909.0	0.0
26Dec2020	10:17	0.0	8.4	909.0	0.0
26Dec2020	10:18	0.0	8.4	909.0	0.0
26Dec2020	10:19	0.0	8.4	909.0	0.0
26Dec2020	10:20	0.0	8.4	909.0	0.0
26Dec2020	10:21	0.0	8.4	909.0	0.0
26Dec2020	10:22	0.0	8.4	909.0	0.0
26Dec2020	10:23	0.0	8.4	909.0	0.0
26Dec2020	10:24	0.0	8.4	909.0	0.0
26Dec2020	10:25	0.0	8.4	909.0	0.0
26Dec2020	10:26	0.0	8.4	909.0	0.0
26Dec2020	10:27	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	10:28	0.0	8.4	909.0	0.0
26Dec2020	10:29	0.0	8.4	909.0	0.0
26Dec2020	10:30	0.0	8.4	909.0	0.0
26Dec2020	10:31	0.0	8.4	909.0	0.0
26Dec2020	10:32	0.0	8.4	909.0	0.0
26Dec2020	10:33	0.0	8.4	909.0	0.0
26Dec2020	10:34	0.0	8.4	909.0	0.0
26Dec2020	10:35	0.0	8.4	909.0	0.0
26Dec2020	10:36	0.0	8.4	909.0	0.0
26Dec2020	10:37	0.0	8.4	909.0	0.0
26Dec2020	10:38	0.0	8.4	909.0	0.0
26Dec2020	10:39	0.0	8.4	909.0	0.0
26Dec2020	10:40	0.0	8.4	909.0	0.0
26Dec2020	10:41	0.0	8.4	909.0	0.0
26Dec2020	10:42	0.0	8.4	909.0	0.0
26Dec2020	10:43	0.0	8.4	909.0	0.0
26Dec2020	10:44	0.0	8.4	909.0	0.0
26Dec2020	10:45	0.0	8.4	909.0	0.0
26Dec2020	10:46	0.0	8.4	909.0	0.0
26Dec2020	10:47	0.0	8.4	909.0	0.0
26Dec2020	10:48	0.0	8.4	909.0	0.0
26Dec2020	10:49	0.0	8.4	909.0	0.0
26Dec2020	10:50	0.0	8.4	909.0	0.0
26Dec2020	10:51	0.0	8.4	909.0	0.0
26Dec2020	10:52	0.0	8.4	909.0	0.0
26Dec2020	10:53	0.0	8.4	909.0	0.0
26Dec2020	10:54	0.0	8.4	909.0	0.0
26Dec2020	10:55	0.0	8.4	909.0	0.0
26Dec2020	10:56	0.0	8.4	909.0	0.0
26Dec2020	10:57	0.0	8.4	909.0	0.0
26Dec2020	10:58	0.0	8.4	909.0	0.0
26Dec2020	10:59	0.0	8.4	909.0	0.0
26Dec2020	11:00	0.0	8.4	909.0	0.0
26Dec2020	11:01	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	11:02	0.0	8.4	909.0	0.0
26Dec2020	11:03	0.0	8.4	909.0	0.0
26Dec2020	11:04	0.0	8.4	909.0	0.0
26Dec2020	11:05	0.0	8.4	909.0	0.0
26Dec2020	11:06	0.0	8.4	909.0	0.0
26Dec2020	11:07	0.0	8.4	909.0	0.0
26Dec2020	11:08	0.0	8.4	909.0	0.0
26Dec2020	11:09	0.0	8.4	909.0	0.0
26Dec2020	11:10	0.0	8.4	909.0	0.0
26Dec2020	11:11	0.0	8.4	909.0	0.0
26Dec2020	11:12	0.0	8.4	909.0	0.0
26Dec2020	11:13	0.0	8.4	909.0	0.0
26Dec2020	11:14	0.0	8.4	909.0	0.0
26Dec2020	11:15	0.0	8.4	909.0	0.0
26Dec2020	11:16	0.0	8.4	909.0	0.0
26Dec2020	11:17	0.0	8.4	909.0	0.0
26Dec2020	11:18	0.0	8.4	909.0	0.0
26Dec2020	11:19	0.0	8.4	909.0	0.0
26Dec2020	11:20	0.0	8.4	909.0	0.0
26Dec2020	11:21	0.0	8.4	909.0	0.0
26Dec2020	11:22	0.0	8.4	909.0	0.0
26Dec2020	11:23	0.0	8.4	909.0	0.0
26Dec2020	11:24	0.0	8.4	909.0	0.0
26Dec2020	11:25	0.0	8.4	909.0	0.0
26Dec2020	11:26	0.0	8.4	909.0	0.0
26Dec2020	11:27	0.0	8.4	909.0	0.0
26Dec2020	11:28	0.0	8.4	909.0	0.0
26Dec2020	11:29	0.0	8.4	909.0	0.0
26Dec2020	11:30	0.0	8.4	909.0	0.0
26Dec2020	11:31	0.0	8.4	909.0	0.0
26Dec2020	11:32	0.0	8.4	909.0	0.0
26Dec2020	11:33	0.0	8.4	909.0	0.0
26Dec2020	11:34	0.0	8.4	909.0	0.0
26Dec2020	11:35	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	11:36	0.0	8.4	909.0	0.0
26Dec2020	11:37	0.0	8.4	909.0	0.0
26Dec2020	11:38	0.0	8.4	909.0	0.0
26Dec2020	11:39	0.0	8.4	909.0	0.0
26Dec2020	11:40	0.0	8.4	909.0	0.0
26Dec2020	11:41	0.0	8.4	909.0	0.0
26Dec2020	11:42	0.0	8.4	909.0	0.0
26Dec2020	11:43	0.0	8.4	909.0	0.0
26Dec2020	11:44	0.0	8.4	909.0	0.0
26Dec2020	11:45	0.0	8.4	909.0	0.0
26Dec2020	11:46	0.0	8.4	909.0	0.0
26Dec2020	11:47	0.0	8.4	909.0	0.0
26Dec2020	11:48	0.0	8.4	909.0	0.0
26Dec2020	11:49	0.0	8.4	909.0	0.0
26Dec2020	11:50	0.0	8.4	909.0	0.0
26Dec2020	11:51	0.0	8.4	909.0	0.0
26Dec2020	11:52	0.0	8.4	909.0	0.0
26Dec2020	11:53	0.0	8.4	909.0	0.0
26Dec2020	11:54	0.0	8.4	909.0	0.0
26Dec2020	11:55	0.0	8.4	909.0	0.0
26Dec2020	11:56	0.0	8.4	909.0	0.0
26Dec2020	11:57	0.0	8.4	909.0	0.0
26Dec2020	11:58	0.0	8.4	909.0	0.0
26Dec2020	11:59	0.0	8.4	909.0	0.0
26Dec2020	12:00	0.0	8.4	909.0	0.0
26Dec2020	12:01	0.0	8.4	909.0	0.0
26Dec2020	12:02	0.0	8.4	909.0	0.0
26Dec2020	12:03	0.0	8.4	909.0	0.0
26Dec2020	12:04	0.0	8.4	909.0	0.0
26Dec2020	12:05	0.0	8.4	909.0	0.0
26Dec2020	12:06	0.0	8.4	909.0	0.0
26Dec2020	12:07	0.0	8.4	909.0	0.0
26Dec2020	12:08	0.0	8.4	909.0	0.0
26Dec2020	12:09	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	12:10	0.0	8.4	909.0	0.0
26Dec2020	12:11	0.0	8.4	909.0	0.0
26Dec2020	12:12	0.0	8.4	909.0	0.0
26Dec2020	12:13	0.0	8.4	909.0	0.0
26Dec2020	12:14	0.0	8.4	909.0	0.0
26Dec2020	12:15	0.0	8.4	909.0	0.0
26Dec2020	12:16	0.0	8.4	909.0	0.0
26Dec2020	12:17	0.0	8.4	909.0	0.0
26Dec2020	12:18	0.0	8.4	909.0	0.0
26Dec2020	12:19	0.0	8.4	909.0	0.0
26Dec2020	12:20	0.0	8.4	909.0	0.0
26Dec2020	12:21	0.0	8.4	909.0	0.0
26Dec2020	12:22	0.0	8.4	909.0	0.0
26Dec2020	12:23	0.0	8.4	909.0	0.0
26Dec2020	12:24	0.0	8.4	909.0	0.0
26Dec2020	12:25	0.0	8.4	909.0	0.0
26Dec2020	12:26	0.0	8.4	909.0	0.0
26Dec2020	12:27	0.0	8.4	909.0	0.0
26Dec2020	12:28	0.0	8.4	909.0	0.0
26Dec2020	12:29	0.0	8.4	909.0	0.0
26Dec2020	12:30	0.0	8.4	909.0	0.0
26Dec2020	12:31	0.0	8.4	909.0	0.0
26Dec2020	12:32	0.0	8.4	909.0	0.0
26Dec2020	12:33	0.0	8.4	909.0	0.0
26Dec2020	12:34	0.0	8.4	909.0	0.0
26Dec2020	12:35	0.0	8.4	909.0	0.0
26Dec2020	12:36	0.0	8.4	909.0	0.0
26Dec2020	12:37	0.0	8.4	909.0	0.0
26Dec2020	12:38	0.0	8.4	909.0	0.0
26Dec2020	12:39	0.0	8.4	909.0	0.0
26Dec2020	12:40	0.0	8.4	909.0	0.0
26Dec2020	12:41	0.0	8.4	909.0	0.0
26Dec2020	12:42	0.0	8.4	909.0	0.0
26Dec2020	12:43	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	12:44	0.0	8.4	909.0	0.0
26Dec2020	12:45	0.0	8.4	909.0	0.0
26Dec2020	12:46	0.0	8.4	909.0	0.0
26Dec2020	12:47	0.0	8.4	909.0	0.0
26Dec2020	12:48	0.0	8.4	909.0	0.0
26Dec2020	12:49	0.0	8.4	909.0	0.0
26Dec2020	12:50	0.0	8.4	909.0	0.0
26Dec2020	12:51	0.0	8.4	909.0	0.0
26Dec2020	12:52	0.0	8.4	909.0	0.0
26Dec2020	12:53	0.0	8.4	909.0	0.0
26Dec2020	12:54	0.0	8.4	909.0	0.0
26Dec2020	12:55	0.0	8.4	909.0	0.0
26Dec2020	12:56	0.0	8.4	909.0	0.0
26Dec2020	12:57	0.0	8.4	909.0	0.0
26Dec2020	12:58	0.0	8.4	909.0	0.0
26Dec2020	12:59	0.0	8.4	909.0	0.0
26Dec2020	13:00	0.0	8.4	909.0	0.0
26Dec2020	13:01	0.0	8.4	909.0	0.0
26Dec2020	13:02	0.0	8.4	909.0	0.0
26Dec2020	13:03	0.0	8.4	909.0	0.0
26Dec2020	13:04	0.0	8.4	909.0	0.0
26Dec2020	13:05	0.0	8.4	909.0	0.0
26Dec2020	13:06	0.0	8.4	909.0	0.0
26Dec2020	13:07	0.0	8.4	909.0	0.0
26Dec2020	13:08	0.0	8.4	909.0	0.0
26Dec2020	13:09	0.0	8.4	909.0	0.0
26Dec2020	13:10	0.0	8.4	909.0	0.0
26Dec2020	13:11	0.0	8.4	909.0	0.0
26Dec2020	13:12	0.0	8.4	909.0	0.0
26Dec2020	13:13	0.0	8.4	909.0	0.0
26Dec2020	13:14	0.0	8.4	909.0	0.0
26Dec2020	13:15	0.0	8.4	909.0	0.0
26Dec2020	13:16	0.0	8.4	909.0	0.0
26Dec2020	13:17	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	13:18	0.0	8.4	909.0	0.0
26Dec2020	13:19	0.0	8.4	909.0	0.0
26Dec2020	13:20	0.0	8.4	909.0	0.0
26Dec2020	13:21	0.0	8.4	909.0	0.0
26Dec2020	13:22	0.0	8.4	909.0	0.0
26Dec2020	13:23	0.0	8.4	909.0	0.0
26Dec2020	13:24	0.0	8.4	909.0	0.0
26Dec2020	13:25	0.0	8.4	909.0	0.0
26Dec2020	13:26	0.0	8.4	909.0	0.0
26Dec2020	13:27	0.0	8.4	909.0	0.0
26Dec2020	13:28	0.0	8.4	909.0	0.0
26Dec2020	13:29	0.0	8.4	909.0	0.0
26Dec2020	13:30	0.0	8.4	909.0	0.0
26Dec2020	13:31	0.0	8.4	909.0	0.0
26Dec2020	13:32	0.0	8.4	909.0	0.0
26Dec2020	13:33	0.0	8.4	909.0	0.0
26Dec2020	13:34	0.0	8.4	909.0	0.0
26Dec2020	13:35	0.0	8.4	909.0	0.0
26Dec2020	13:36	0.0	8.4	909.0	0.0
26Dec2020	13:37	0.0	8.4	909.0	0.0
26Dec2020	13:38	0.0	8.4	909.0	0.0
26Dec2020	13:39	0.0	8.4	909.0	0.0
26Dec2020	13:40	0.0	8.4	909.0	0.0
26Dec2020	13:41	0.0	8.4	909.0	0.0
26Dec2020	13:42	0.0	8.4	909.0	0.0
26Dec2020	13:43	0.0	8.4	909.0	0.0
26Dec2020	13:44	0.0	8.4	909.0	0.0
26Dec2020	13:45	0.0	8.4	909.0	0.0
26Dec2020	13:46	0.0	8.4	909.0	0.0
26Dec2020	13:47	0.0	8.4	909.0	0.0
26Dec2020	13:48	0.0	8.4	909.0	0.0
26Dec2020	13:49	0.0	8.4	909.0	0.0
26Dec2020	13:50	0.0	8.4	909.0	0.0
26Dec2020	13:51	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	13:52	0.0	8.4	909.0	0.0
26Dec2020	13:53	0.0	8.4	909.0	0.0
26Dec2020	13:54	0.0	8.4	909.0	0.0
26Dec2020	13:55	0.0	8.4	909.0	0.0
26Dec2020	13:56	0.0	8.4	909.0	0.0
26Dec2020	13:57	0.0	8.4	909.0	0.0
26Dec2020	13:58	0.0	8.4	909.0	0.0
26Dec2020	13:59	0.0	8.4	909.0	0.0
26Dec2020	14:00	0.0	8.4	909.0	0.0
26Dec2020	14:01	0.0	8.4	909.0	0.0
26Dec2020	14:02	0.0	8.4	909.0	0.0
26Dec2020	14:03	0.0	8.4	909.0	0.0
26Dec2020	14:04	0.0	8.4	909.0	0.0
26Dec2020	14:05	0.0	8.4	909.0	0.0
26Dec2020	14:06	0.0	8.4	909.0	0.0
26Dec2020	14:07	0.0	8.4	909.0	0.0
26Dec2020	14:08	0.0	8.4	909.0	0.0
26Dec2020	14:09	0.0	8.4	909.0	0.0
26Dec2020	14:10	0.0	8.4	909.0	0.0
26Dec2020	14:11	0.0	8.4	909.0	0.0
26Dec2020	14:12	0.0	8.4	909.0	0.0
26Dec2020	14:13	0.0	8.4	909.0	0.0
26Dec2020	14:14	0.0	8.4	909.0	0.0
26Dec2020	14:15	0.0	8.4	909.0	0.0
26Dec2020	14:16	0.0	8.4	909.0	0.0
26Dec2020	14:17	0.0	8.4	909.0	0.0
26Dec2020	14:18	0.0	8.4	909.0	0.0
26Dec2020	14:19	0.0	8.4	909.0	0.0
26Dec2020	14:20	0.0	8.4	909.0	0.0
26Dec2020	14:21	0.0	8.4	909.0	0.0
26Dec2020	14:22	0.0	8.4	909.0	0.0
26Dec2020	14:23	0.0	8.4	909.0	0.0
26Dec2020	14:24	0.0	8.4	909.0	0.0
26Dec2020	14:25	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	14:26	0.0	8.4	909.0	0.0
26Dec2020	14:27	0.0	8.4	909.0	0.0
26Dec2020	14:28	0.0	8.4	909.0	0.0
26Dec2020	14:29	0.0	8.4	909.0	0.0
26Dec2020	14:30	0.0	8.4	909.0	0.0
26Dec2020	14:31	0.0	8.4	909.0	0.0
26Dec2020	14:32	0.0	8.4	909.0	0.0
26Dec2020	14:33	0.0	8.4	909.0	0.0
26Dec2020	14:34	0.0	8.4	909.0	0.0
26Dec2020	14:35	0.0	8.4	909.0	0.0
26Dec2020	14:36	0.0	8.4	909.0	0.0
26Dec2020	14:37	0.0	8.4	909.0	0.0
26Dec2020	14:38	0.0	8.4	909.0	0.0
26Dec2020	14:39	0.0	8.4	909.0	0.0
26Dec2020	14:40	0.0	8.4	909.0	0.0
26Dec2020	14:41	0.0	8.4	909.0	0.0
26Dec2020	14:42	0.0	8.4	909.0	0.0
26Dec2020	14:43	0.0	8.4	909.0	0.0
26Dec2020	14:44	0.0	8.4	909.0	0.0
26Dec2020	14:45	0.0	8.4	909.0	0.0
26Dec2020	14:46	0.0	8.4	909.0	0.0
26Dec2020	14:47	0.0	8.4	909.0	0.0
26Dec2020	14:48	0.0	8.4	909.0	0.0
26Dec2020	14:49	0.0	8.4	909.0	0.0
26Dec2020	14:50	0.0	8.4	909.0	0.0
26Dec2020	14:51	0.0	8.4	909.0	0.0
26Dec2020	14:52	0.0	8.4	909.0	0.0
26Dec2020	14:53	0.0	8.4	909.0	0.0
26Dec2020	14:54	0.0	8.4	909.0	0.0
26Dec2020	14:55	0.0	8.4	909.0	0.0
26Dec2020	14:56	0.0	8.4	909.0	0.0
26Dec2020	14:57	0.0	8.4	909.0	0.0
26Dec2020	14:58	0.0	8.4	909.0	0.0
26Dec2020	14:59	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	15:00	0.0	8.4	909.0	0.0
26Dec2020	15:01	0.0	8.4	909.0	0.0
26Dec2020	15:02	0.0	8.4	909.0	0.0
26Dec2020	15:03	0.0	8.4	909.0	0.0
26Dec2020	15:04	0.0	8.4	909.0	0.0
26Dec2020	15:05	0.0	8.4	909.0	0.0
26Dec2020	15:06	0.0	8.4	909.0	0.0
26Dec2020	15:07	0.0	8.4	909.0	0.0
26Dec2020	15:08	0.0	8.4	909.0	0.0
26Dec2020	15:09	0.0	8.4	909.0	0.0
26Dec2020	15:10	0.0	8.4	909.0	0.0
26Dec2020	15:11	0.0	8.4	909.0	0.0
26Dec2020	15:12	0.0	8.4	909.0	0.0
26Dec2020	15:13	0.0	8.4	909.0	0.0
26Dec2020	15:14	0.0	8.4	909.0	0.0
26Dec2020	15:15	0.0	8.4	909.0	0.0
26Dec2020	15:16	0.0	8.4	909.0	0.0
26Dec2020	15:17	0.0	8.4	909.0	0.0
26Dec2020	15:18	0.0	8.4	909.0	0.0
26Dec2020	15:19	0.0	8.4	909.0	0.0
26Dec2020	15:20	0.0	8.4	909.0	0.0
26Dec2020	15:21	0.0	8.4	909.0	0.0
26Dec2020	15:22	0.0	8.4	909.0	0.0
26Dec2020	15:23	0.0	8.4	909.0	0.0
26Dec2020	15:24	0.0	8.4	909.0	0.0
26Dec2020	15:25	0.0	8.4	909.0	0.0
26Dec2020	15:26	0.0	8.4	909.0	0.0
26Dec2020	15:27	0.0	8.4	909.0	0.0
26Dec2020	15:28	0.0	8.4	909.0	0.0
26Dec2020	15:29	0.0	8.4	909.0	0.0
26Dec2020	15:30	0.0	8.4	909.0	0.0
26Dec2020	15:31	0.0	8.4	909.0	0.0
26Dec2020	15:32	0.0	8.4	909.0	0.0
26Dec2020	15:33	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	15:34	0.0	8.4	909.0	0.0
26Dec2020	15:35	0.0	8.4	909.0	0.0
26Dec2020	15:36	0.0	8.4	909.0	0.0
26Dec2020	15:37	0.0	8.4	909.0	0.0
26Dec2020	15:38	0.0	8.4	909.0	0.0
26Dec2020	15:39	0.0	8.4	909.0	0.0
26Dec2020	15:40	0.0	8.4	909.0	0.0
26Dec2020	15:41	0.0	8.4	909.0	0.0
26Dec2020	15:42	0.0	8.4	909.0	0.0
26Dec2020	15:43	0.0	8.4	909.0	0.0
26Dec2020	15:44	0.0	8.4	909.0	0.0
26Dec2020	15:45	0.0	8.4	909.0	0.0
26Dec2020	15:46	0.0	8.4	909.0	0.0
26Dec2020	15:47	0.0	8.4	909.0	0.0
26Dec2020	15:48	0.0	8.4	909.0	0.0
26Dec2020	15:49	0.0	8.4	909.0	0.0
26Dec2020	15:50	0.0	8.4	909.0	0.0
26Dec2020	15:51	0.0	8.4	909.0	0.0
26Dec2020	15:52	0.0	8.4	909.0	0.0
26Dec2020	15:53	0.0	8.4	909.0	0.0
26Dec2020	15:54	0.0	8.4	909.0	0.0
26Dec2020	15:55	0.0	8.4	909.0	0.0
26Dec2020	15:56	0.0	8.4	909.0	0.0
26Dec2020	15:57	0.0	8.4	909.0	0.0
26Dec2020	15:58	0.0	8.4	909.0	0.0
26Dec2020	15:59	0.0	8.4	909.0	0.0
26Dec2020	16:00	0.0	8.4	909.0	0.0
26Dec2020	16:01	0.0	8.4	909.0	0.0
26Dec2020	16:02	0.0	8.4	909.0	0.0
26Dec2020	16:03	0.0	8.4	909.0	0.0
26Dec2020	16:04	0.0	8.4	909.0	0.0
26Dec2020	16:05	0.0	8.4	909.0	0.0
26Dec2020	16:06	0.0	8.4	909.0	0.0
26Dec2020	16:07	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	16:08	0.0	8.4	909.0	0.0
26Dec2020	16:09	0.0	8.4	909.0	0.0
26Dec2020	16:10	0.0	8.4	909.0	0.0
26Dec2020	16:11	0.0	8.4	909.0	0.0
26Dec2020	16:12	0.0	8.4	909.0	0.0
26Dec2020	16:13	0.0	8.4	909.0	0.0
26Dec2020	16:14	0.0	8.4	909.0	0.0
26Dec2020	16:15	0.0	8.4	909.0	0.0
26Dec2020	16:16	0.0	8.4	909.0	0.0
26Dec2020	16:17	0.0	8.4	909.0	0.0
26Dec2020	16:18	0.0	8.4	909.0	0.0
26Dec2020	16:19	0.0	8.4	909.0	0.0
26Dec2020	16:20	0.0	8.4	909.0	0.0
26Dec2020	16:21	0.0	8.4	909.0	0.0
26Dec2020	16:22	0.0	8.4	909.0	0.0
26Dec2020	16:23	0.0	8.4	909.0	0.0
26Dec2020	16:24	0.0	8.4	909.0	0.0
26Dec2020	16:25	0.0	8.4	909.0	0.0
26Dec2020	16:26	0.0	8.4	909.0	0.0
26Dec2020	16:27	0.0	8.4	909.0	0.0
26Dec2020	16:28	0.0	8.4	909.0	0.0
26Dec2020	16:29	0.0	8.4	909.0	0.0
26Dec2020	16:30	0.0	8.4	909.0	0.0
26Dec2020	16:31	0.0	8.4	909.0	0.0
26Dec2020	16:32	0.0	8.4	909.0	0.0
26Dec2020	16:33	0.0	8.4	909.0	0.0
26Dec2020	16:34	0.0	8.4	909.0	0.0
26Dec2020	16:35	0.0	8.4	909.0	0.0
26Dec2020	16:36	0.0	8.4	909.0	0.0
26Dec2020	16:37	0.0	8.4	909.0	0.0
26Dec2020	16:38	0.0	8.4	909.0	0.0
26Dec2020	16:39	0.0	8.4	909.0	0.0
26Dec2020	16:40	0.0	8.4	909.0	0.0
26Dec2020	16:41	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	16:42	0.0	8.4	909.0	0.0
26Dec2020	16:43	0.0	8.4	909.0	0.0
26Dec2020	16:44	0.0	8.4	909.0	0.0
26Dec2020	16:45	0.0	8.4	909.0	0.0
26Dec2020	16:46	0.0	8.4	909.0	0.0
26Dec2020	16:47	0.0	8.4	909.0	0.0
26Dec2020	16:48	0.0	8.4	909.0	0.0
26Dec2020	16:49	0.0	8.4	909.0	0.0
26Dec2020	16:50	0.0	8.4	909.0	0.0
26Dec2020	16:51	0.0	8.4	909.0	0.0
26Dec2020	16:52	0.0	8.4	909.0	0.0
26Dec2020	16:53	0.0	8.4	909.0	0.0
26Dec2020	16:54	0.0	8.4	909.0	0.0
26Dec2020	16:55	0.0	8.4	909.0	0.0
26Dec2020	16:56	0.0	8.4	909.0	0.0
26Dec2020	16:57	0.0	8.4	909.0	0.0
26Dec2020	16:58	0.0	8.4	909.0	0.0
26Dec2020	16:59	0.0	8.4	909.0	0.0
26Dec2020	17:00	0.0	8.4	909.0	0.0
26Dec2020	17:01	0.0	8.4	909.0	0.0
26Dec2020	17:02	0.0	8.4	909.0	0.0
26Dec2020	17:03	0.0	8.4	909.0	0.0
26Dec2020	17:04	0.0	8.4	909.0	0.0
26Dec2020	17:05	0.0	8.4	909.0	0.0
26Dec2020	17:06	0.0	8.4	909.0	0.0
26Dec2020	17:07	0.0	8.4	909.0	0.0
26Dec2020	17:08	0.0	8.4	909.0	0.0
26Dec2020	17:09	0.0	8.4	909.0	0.0
26Dec2020	17:10	0.0	8.4	909.0	0.0
26Dec2020	17:11	0.0	8.4	909.0	0.0
26Dec2020	17:12	0.0	8.4	909.0	0.0
26Dec2020	17:13	0.0	8.4	909.0	0.0
26Dec2020	17:14	0.0	8.4	909.0	0.0
26Dec2020	17:15	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	17:16	0.0	8.4	909.0	0.0
26Dec2020	17:17	0.0	8.4	909.0	0.0
26Dec2020	17:18	0.0	8.4	909.0	0.0
26Dec2020	17:19	0.0	8.4	909.0	0.0
26Dec2020	17:20	0.0	8.4	909.0	0.0
26Dec2020	17:21	0.0	8.4	909.0	0.0
26Dec2020	17:22	0.0	8.4	909.0	0.0
26Dec2020	17:23	0.0	8.4	909.0	0.0
26Dec2020	17:24	0.0	8.4	909.0	0.0
26Dec2020	17:25	0.0	8.4	909.0	0.0
26Dec2020	17:26	0.0	8.4	909.0	0.0
26Dec2020	17:27	0.0	8.4	909.0	0.0
26Dec2020	17:28	0.0	8.4	909.0	0.0
26Dec2020	17:29	0.0	8.4	909.0	0.0
26Dec2020	17:30	0.0	8.4	909.0	0.0
26Dec2020	17:31	0.0	8.4	909.0	0.0
26Dec2020	17:32	0.0	8.4	909.0	0.0
26Dec2020	17:33	0.0	8.4	909.0	0.0
26Dec2020	17:34	0.0	8.4	909.0	0.0
26Dec2020	17:35	0.0	8.4	909.0	0.0
26Dec2020	17:36	0.0	8.4	909.0	0.0
26Dec2020	17:37	0.0	8.4	909.0	0.0
26Dec2020	17:38	0.0	8.4	909.0	0.0
26Dec2020	17:39	0.0	8.4	909.0	0.0
26Dec2020	17:40	0.0	8.4	909.0	0.0
26Dec2020	17:41	0.0	8.4	909.0	0.0
26Dec2020	17:42	0.0	8.4	909.0	0.0
26Dec2020	17:43	0.0	8.4	909.0	0.0
26Dec2020	17:44	0.0	8.4	909.0	0.0
26Dec2020	17:45	0.0	8.4	909.0	0.0
26Dec2020	17:46	0.0	8.4	909.0	0.0
26Dec2020	17:47	0.0	8.4	909.0	0.0
26Dec2020	17:48	0.0	8.4	909.0	0.0
26Dec2020	17:49	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	17:50	0.0	8.4	909.0	0.0
26Dec2020	17:51	0.0	8.4	909.0	0.0
26Dec2020	17:52	0.0	8.4	909.0	0.0
26Dec2020	17:53	0.0	8.4	909.0	0.0
26Dec2020	17:54	0.0	8.4	909.0	0.0
26Dec2020	17:55	0.0	8.4	909.0	0.0
26Dec2020	17:56	0.0	8.4	909.0	0.0
26Dec2020	17:57	0.0	8.4	909.0	0.0
26Dec2020	17:58	0.0	8.4	909.0	0.0
26Dec2020	17:59	0.0	8.4	909.0	0.0
26Dec2020	18:00	0.0	8.4	909.0	0.0
26Dec2020	18:01	0.0	8.4	909.0	0.0
26Dec2020	18:02	0.0	8.4	909.0	0.0
26Dec2020	18:03	0.0	8.4	909.0	0.0
26Dec2020	18:04	0.0	8.4	909.0	0.0
26Dec2020	18:05	0.0	8.4	909.0	0.0
26Dec2020	18:06	0.0	8.4	909.0	0.0
26Dec2020	18:07	0.0	8.4	909.0	0.0
26Dec2020	18:08	0.0	8.4	909.0	0.0
26Dec2020	18:09	0.0	8.4	909.0	0.0
26Dec2020	18:10	0.0	8.4	909.0	0.0
26Dec2020	18:11	0.0	8.4	909.0	0.0
26Dec2020	18:12	0.0	8.4	909.0	0.0
26Dec2020	18:13	0.0	8.4	909.0	0.0
26Dec2020	18:14	0.0	8.4	909.0	0.0
26Dec2020	18:15	0.0	8.4	909.0	0.0
26Dec2020	18:16	0.0	8.4	909.0	0.0
26Dec2020	18:17	0.0	8.4	909.0	0.0
26Dec2020	18:18	0.0	8.4	909.0	0.0
26Dec2020	18:19	0.0	8.4	909.0	0.0
26Dec2020	18:20	0.0	8.4	909.0	0.0
26Dec2020	18:21	0.0	8.4	909.0	0.0
26Dec2020	18:22	0.0	8.4	909.0	0.0
26Dec2020	18:23	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	18:24	0.0	8.4	909.0	0.0
26Dec2020	18:25	0.0	8.4	909.0	0.0
26Dec2020	18:26	0.0	8.4	909.0	0.0
26Dec2020	18:27	0.0	8.4	909.0	0.0
26Dec2020	18:28	0.0	8.4	909.0	0.0
26Dec2020	18:29	0.0	8.4	909.0	0.0
26Dec2020	18:30	0.0	8.4	909.0	0.0
26Dec2020	18:31	0.0	8.4	909.0	0.0
26Dec2020	18:32	0.0	8.4	909.0	0.0
26Dec2020	18:33	0.0	8.4	909.0	0.0
26Dec2020	18:34	0.0	8.4	909.0	0.0
26Dec2020	18:35	0.0	8.4	909.0	0.0
26Dec2020	18:36	0.0	8.4	909.0	0.0
26Dec2020	18:37	0.0	8.4	909.0	0.0
26Dec2020	18:38	0.0	8.4	909.0	0.0
26Dec2020	18:39	0.0	8.4	909.0	0.0
26Dec2020	18:40	0.0	8.4	909.0	0.0
26Dec2020	18:41	0.0	8.4	909.0	0.0
26Dec2020	18:42	0.0	8.4	909.0	0.0
26Dec2020	18:43	0.0	8.4	909.0	0.0
26Dec2020	18:44	0.0	8.4	909.0	0.0
26Dec2020	18:45	0.0	8.4	909.0	0.0
26Dec2020	18:46	0.0	8.4	909.0	0.0
26Dec2020	18:47	0.0	8.4	909.0	0.0
26Dec2020	18:48	0.0	8.4	909.0	0.0
26Dec2020	18:49	0.0	8.4	909.0	0.0
26Dec2020	18:50	0.0	8.4	909.0	0.0
26Dec2020	18:51	0.0	8.4	909.0	0.0
26Dec2020	18:52	0.0	8.4	909.0	0.0
26Dec2020	18:53	0.0	8.4	909.0	0.0
26Dec2020	18:54	0.0	8.4	909.0	0.0
26Dec2020	18:55	0.0	8.4	909.0	0.0
26Dec2020	18:56	0.0	8.4	909.0	0.0
26Dec2020	18:57	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	18:58	0.0	8.4	909.0	0.0
26Dec2020	18:59	0.0	8.4	909.0	0.0
26Dec2020	19:00	0.0	8.4	909.0	0.0
26Dec2020	19:01	0.0	8.4	909.0	0.0
26Dec2020	19:02	0.0	8.4	909.0	0.0
26Dec2020	19:03	0.0	8.4	909.0	0.0
26Dec2020	19:04	0.0	8.4	909.0	0.0
26Dec2020	19:05	0.0	8.4	909.0	0.0
26Dec2020	19:06	0.0	8.4	909.0	0.0
26Dec2020	19:07	0.0	8.4	909.0	0.0
26Dec2020	19:08	0.0	8.4	909.0	0.0
26Dec2020	19:09	0.0	8.4	909.0	0.0
26Dec2020	19:10	0.0	8.4	909.0	0.0
26Dec2020	19:11	0.0	8.4	909.0	0.0
26Dec2020	19:12	0.0	8.4	909.0	0.0
26Dec2020	19:13	0.0	8.4	909.0	0.0
26Dec2020	19:14	0.0	8.4	909.0	0.0
26Dec2020	19:15	0.0	8.4	909.0	0.0
26Dec2020	19:16	0.0	8.4	909.0	0.0
26Dec2020	19:17	0.0	8.4	909.0	0.0
26Dec2020	19:18	0.0	8.4	909.0	0.0
26Dec2020	19:19	0.0	8.4	909.0	0.0
26Dec2020	19:20	0.0	8.4	909.0	0.0
26Dec2020	19:21	0.0	8.4	909.0	0.0
26Dec2020	19:22	0.0	8.4	909.0	0.0
26Dec2020	19:23	0.0	8.4	909.0	0.0
26Dec2020	19:24	0.0	8.4	909.0	0.0
26Dec2020	19:25	0.0	8.4	909.0	0.0
26Dec2020	19:26	0.0	8.4	909.0	0.0
26Dec2020	19:27	0.0	8.4	909.0	0.0
26Dec2020	19:28	0.0	8.4	909.0	0.0
26Dec2020	19:29	0.0	8.4	909.0	0.0
26Dec2020	19:30	0.0	8.4	909.0	0.0
26Dec2020	19:31	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	19:32	0.0	8.4	909.0	0.0
26Dec2020	19:33	0.0	8.4	909.0	0.0
26Dec2020	19:34	0.0	8.4	909.0	0.0
26Dec2020	19:35	0.0	8.4	909.0	0.0
26Dec2020	19:36	0.0	8.4	909.0	0.0
26Dec2020	19:37	0.0	8.4	909.0	0.0
26Dec2020	19:38	0.0	8.4	909.0	0.0
26Dec2020	19:39	0.0	8.4	909.0	0.0
26Dec2020	19:40	0.0	8.4	909.0	0.0
26Dec2020	19:41	0.0	8.4	909.0	0.0
26Dec2020	19:42	0.0	8.4	909.0	0.0
26Dec2020	19:43	0.0	8.4	909.0	0.0
26Dec2020	19:44	0.0	8.4	909.0	0.0
26Dec2020	19:45	0.0	8.4	909.0	0.0
26Dec2020	19:46	0.0	8.4	909.0	0.0
26Dec2020	19:47	0.0	8.4	909.0	0.0
26Dec2020	19:48	0.0	8.4	909.0	0.0
26Dec2020	19:49	0.0	8.4	909.0	0.0
26Dec2020	19:50	0.0	8.4	909.0	0.0
26Dec2020	19:51	0.0	8.4	909.0	0.0
26Dec2020	19:52	0.0	8.4	909.0	0.0
26Dec2020	19:53	0.0	8.4	909.0	0.0
26Dec2020	19:54	0.0	8.4	909.0	0.0
26Dec2020	19:55	0.0	8.4	909.0	0.0
26Dec2020	19:56	0.0	8.4	909.0	0.0
26Dec2020	19:57	0.0	8.4	909.0	0.0
26Dec2020	19:58	0.0	8.4	909.0	0.0
26Dec2020	19:59	0.0	8.4	909.0	0.0
26Dec2020	20:00	0.0	8.4	909.0	0.0
26Dec2020	20:01	0.0	8.4	909.0	0.0
26Dec2020	20:02	0.0	8.4	909.0	0.0
26Dec2020	20:03	0.0	8.4	909.0	0.0
26Dec2020	20:04	0.0	8.4	909.0	0.0
26Dec2020	20:05	0.0	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	20:06	0.0	8.4	909.0	0.0
26Dec2020	20:07	0.0	8.4	909.0	0.0
26Dec2020	20:08	0.0	8.4	909.0	0.0
26Dec2020	20:09	0.0	8.4	909.0	0.0
26Dec2020	20:10	0.0	8.4	909.0	0.0
26Dec2020	20:11	0.0	8.4	909.0	0.0
26Dec2020	20:12	0.0	8.4	909.0	0.0
26Dec2020	20:13	0.0	8.4	909.0	0.0
26Dec2020	20:14	0.0	8.4	909.0	0.0
26Dec2020	20:15	0.0	8.4	909.0	0.0
26Dec2020	20:16	0.0	8.4	909.0	0.0
26Dec2020	20:17	0.0	8.4	909.0	0.0
26Dec2020	20:18	0.0	8.4	909.0	0.0
26Dec2020	20:19	0.0	8.4	909.0	0.0
26Dec2020	20:20	0.0	8.4	909.0	0.0
26Dec2020	20:21	0.0	8.4	909.0	0.0
26Dec2020	20:22	0.0	8.4	909.0	0.0
26Dec2020	20:23	0.0	8.4	909.0	0.0
26Dec2020	20:24	0.0	8.4	909.0	0.0
26Dec2020	20:25	0.0	8.4	909.0	0.0
26Dec2020	20:26	0.0	8.4	909.0	0.0
26Dec2020	20:27	0.0	8.4	909.0	0.0
26Dec2020	20:28	0.0	8.4	909.0	0.0
26Dec2020	20:29	0.0	8.4	909.0	0.0
26Dec2020	20:30	0.0	8.4	909.0	0.0
26Dec2020	20:31	0.0	8.4	909.0	0.0
26Dec2020	20:32	0.0	8.4	909.0	0.0
26Dec2020	20:33	0.0	8.4	909.0	0.0
26Dec2020	20:34	0.1	8.4	909.0	0.0
26Dec2020	20:35	0.1	8.4	909.0	0.0
26Dec2020	20:36	0.1	8.4	909.0	0.0
26Dec2020	20:37	0.1	8.4	909.0	0.0
26Dec2020	20:38	0.1	8.4	909.0	0.0
26Dec2020	20:39	0.1	8.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	20:40	0.1	8.4	909.0	0.0
26Dec2020	20:41	0.1	8.4	909.0	0.0
26Dec2020	20:42	0.1	8.5	909.0	0.0
26Dec2020	20:43	0.1	8.5	909.0	0.0
26Dec2020	20:44	0.1	8.5	909.0	0.0
26Dec2020	20:45	0.1	8.5	909.0	0.0
26Dec2020	20:46	0.1	8.5	909.0	0.0
26Dec2020	20:47	0.1	8.5	909.0	0.0
26Dec2020	20:48	0.1	8.5	909.0	0.0
26Dec2020	20:49	0.1	8.5	909.0	0.0
26Dec2020	20:50	0.1	8.5	909.0	0.0
26Dec2020	20:51	0.1	8.5	909.0	0.0
26Dec2020	20:52	0.1	8.5	909.0	0.0
26Dec2020	20:53	0.1	8.5	909.0	0.0
26Dec2020	20:54	0.1	8.5	909.0	0.0
26Dec2020	20:55	0.1	8.5	909.0	0.0
26Dec2020	20:56	0.1	8.5	909.0	0.0
26Dec2020	20:57	0.1	8.5	909.0	0.0
26Dec2020	20:58	0.1	8.5	909.0	0.0
26Dec2020	20:59	0.1	8.6	909.0	0.0
26Dec2020	21:00	0.1	8.6	909.0	0.0
26Dec2020	21:01	0.1	8.6	909.0	0.0
26Dec2020	21:02	0.1	8.6	909.0	0.0
26Dec2020	21:03	0.1	8.6	909.0	0.0
26Dec2020	21:04	0.1	8.6	909.0	0.0
26Dec2020	21:05	0.1	8.6	909.0	0.0
26Dec2020	21:06	0.1	8.6	909.0	0.0
26Dec2020	21:07	0.1	8.6	909.0	0.0
26Dec2020	21:08	0.1	8.6	909.0	0.0
26Dec2020	21:09	0.1	8.6	909.0	0.0
26Dec2020	21:10	0.1	8.6	909.0	0.0
26Dec2020	21:11	0.1	8.6	909.0	0.0
26Dec2020	21:12	0.1	8.6	909.0	0.0
26Dec2020	21:13	0.1	8.6	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	21:14	0.1	8.6	909.0	0.0
26Dec2020	21:15	0.1	8.7	909.0	0.0
26Dec2020	21:16	0.1	8.7	909.0	0.0
26Dec2020	21:17	0.1	8.7	909.0	0.0
26Dec2020	21:18	0.1	8.7	909.0	0.0
26Dec2020	21:19	0.1	8.7	909.0	0.0
26Dec2020	21:20	0.1	8.7	909.0	0.0
26Dec2020	21:21	0.1	8.7	909.0	0.0
26Dec2020	21:22	0.1	8.7	909.0	0.0
26Dec2020	21:23	0.1	8.7	909.0	0.0
26Dec2020	21:24	0.1	8.7	909.0	0.0
26Dec2020	21:25	0.1	8.7	909.0	0.0
26Dec2020	21:26	0.1	8.7	909.0	0.0
26Dec2020	21:27	0.1	8.7	909.0	0.0
26Dec2020	21:28	0.1	8.7	909.0	0.0
26Dec2020	21:29	0.1	8.8	909.0	0.0
26Dec2020	21:30	0.2	8.8	909.0	0.0
26Dec2020	21:31	0.2	8.8	909.0	0.0
26Dec2020	21:32	0.2	8.8	909.0	0.0
26Dec2020	21:33	0.2	8.8	909.0	0.0
26Dec2020	21:34	0.2	8.8	909.0	0.0
26Dec2020	21:35	0.2	8.8	909.0	0.0
26Dec2020	21:36	0.2	8.8	909.0	0.0
26Dec2020	21:37	0.2	8.8	909.0	0.0
26Dec2020	21:38	0.2	8.8	909.0	0.0
26Dec2020	21:39	0.2	8.9	909.0	0.0
26Dec2020	21:40	0.2	8.9	909.0	0.0
26Dec2020	21:41	0.2	8.9	909.0	0.0
26Dec2020	21:42	0.2	8.9	909.0	0.0
26Dec2020	21:43	0.3	8.9	909.0	0.0
26Dec2020	21:44	0.3	8.9	909.0	0.0
26Dec2020	21:45	0.3	8.9	909.0	0.0
26Dec2020	21:46	0.3	9.0	909.0	0.0
26Dec2020	21:47	0.3	9.0	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	21:48	0.4	9.0	909.0	0.0
26Dec2020	21:49	0.4	9.0	909.0	0.0
26Dec2020	21:50	0.5	9.1	909.0	0.0
26Dec2020	21:51	0.5	9.1	909.0	0.0
26Dec2020	21:52	0.6	9.1	909.0	0.0
26Dec2020	21:53	0.6	9.2	909.0	0.0
26Dec2020	21:54	0.7	9.2	909.0	0.0
26Dec2020	21:55	0.8	9.2	909.0	0.0
26Dec2020	21:56	0.9	9.3	909.0	0.0
26Dec2020	21:57	1.0	9.4	909.0	0.0
26Dec2020	21:58	1.1	9.4	909.0	0.0
26Dec2020	21:59	1.2	9.5	909.0	0.0
26Dec2020	22:00	1.4	9.6	909.0	0.0
26Dec2020	22:01	1.5	9.6	909.0	0.0
26Dec2020	22:02	1.6	9.7	909.0	0.0
26Dec2020	22:03	1.7	9.8	909.0	0.0
26Dec2020	22:04	1.9	9.9	909.0	0.0
26Dec2020	22:05	2.0	10.1	909.0	0.0
26Dec2020	22:06	2.1	10.2	909.0	0.0
26Dec2020	22:07	2.2	10.3	909.0	0.0
26Dec2020	22:08	2.3	10.5	909.0	0.0
26Dec2020	22:09	2.4	10.6	909.0	0.0
26Dec2020	22:10	2.5	10.7	909.0	0.0
26Dec2020	22:11	2.5	10.9	909.0	0.0
26Dec2020	22:12	2.6	11.0	909.0	0.0
26Dec2020	22:13	2.6	11.2	909.0	0.0
26Dec2020	22:14	2.6	11.4	909.0	0.0
26Dec2020	22:15	2.6	11.5	909.0	0.0
26Dec2020	22:16	2.5	11.7	909.0	0.0
26Dec2020	22:17	2.5	11.8	909.0	0.0
26Dec2020	22:18	2.4	12.0	909.0	0.0
26Dec2020	22:19	2.4	12.1	909.0	0.0
26Dec2020	22:20	2.3	12.2	909.0	0.0
26Dec2020	22:21	2.2	12.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	22:22	2.1	12.5	909.0	0.0
26Dec2020	22:23	2.1	12.6	909.0	0.0
26Dec2020	22:24	2.0	12.8	909.0	0.0
26Dec2020	22:25	1.9	12.9	909.0	0.0
26Dec2020	22:26	1.8	13.0	909.0	0.0
26Dec2020	22:27	1.7	13.1	909.0	0.0
26Dec2020	22:28	1.6	13.2	909.0	0.0
26Dec2020	22:29	1.6	13.3	909.0	0.0
26Dec2020	22:30	1.5	13.4	909.0	0.0
26Dec2020	22:31	1.4	13.5	909.0	0.0
26Dec2020	22:32	1.4	13.6	909.0	0.0
26Dec2020	22:33	1.3	13.6	909.0	0.0
26Dec2020	22:34	1.2	13.7	909.0	0.0
26Dec2020	22:35	1.2	13.8	909.0	0.0
26Dec2020	22:36	1.1	13.9	909.0	0.0
26Dec2020	22:37	1.1	13.9	909.0	0.0
26Dec2020	22:38	1.1	14.0	909.0	0.0
26Dec2020	22:39	1.0	14.0	909.0	0.0
26Dec2020	22:40	1.0	14.1	909.0	0.0
26Dec2020	22:41	0.9	14.2	909.0	0.0
26Dec2020	22:42	0.9	14.2	909.0	0.0
26Dec2020	22:43	0.9	14.3	909.0	0.0
26Dec2020	22:44	0.8	14.3	909.0	0.0
26Dec2020	22:45	0.8	14.4	909.0	0.0
26Dec2020	22:46	0.8	14.4	909.0	0.0
26Dec2020	22:47	0.7	14.5	909.0	0.0
26Dec2020	22:48	0.7	14.5	909.0	0.0
26Dec2020	22:49	0.7	14.6	909.0	0.0
26Dec2020	22:50	0.7	14.6	909.0	0.0
26Dec2020	22:51	0.6	14.6	909.0	0.0
26Dec2020	22:52	0.6	14.7	909.0	0.0
26Dec2020	22:53	0.6	14.7	909.0	0.0
26Dec2020	22:54	0.6	14.7	909.0	0.0
26Dec2020	22:55	0.6	14.8	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	22:56	0.6	14.8	909.0	0.0
26Dec2020	22:57	0.5	14.8	909.0	0.0
26Dec2020	22:58	0.5	14.9	909.0	0.0
26Dec2020	22:59	0.5	14.9	909.0	0.0
26Dec2020	23:00	0.5	14.9	909.0	0.0
26Dec2020	23:01	0.5	15.0	909.0	0.0
26Dec2020	23:02	0.5	15.0	909.0	0.0
26Dec2020	23:03	0.5	15.0	909.0	0.0
26Dec2020	23:04	0.5	15.1	909.0	0.0
26Dec2020	23:05	0.4	15.1	909.0	0.0
26Dec2020	23:06	0.4	15.1	909.0	0.0
26Dec2020	23:07	0.4	15.1	909.0	0.0
26Dec2020	23:08	0.4	15.2	909.0	0.0
26Dec2020	23:09	0.4	15.2	909.0	0.0
26Dec2020	23:10	0.4	15.2	909.0	0.0
26Dec2020	23:11	0.4	15.2	909.0	0.0
26Dec2020	23:12	0.4	15.3	909.0	0.0
26Dec2020	23:13	0.4	15.3	909.0	0.0
26Dec2020	23:14	0.4	15.3	909.0	0.0
26Dec2020	23:15	0.4	15.3	909.0	0.0
26Dec2020	23:16	0.4	15.3	909.0	0.0
26Dec2020	23:17	0.3	15.4	909.0	0.0
26Dec2020	23:18	0.3	15.4	909.0	0.0
26Dec2020	23:19	0.3	15.4	909.0	0.0
26Dec2020	23:20	0.3	15.4	909.0	0.0
26Dec2020	23:21	0.3	15.4	909.0	0.0
26Dec2020	23:22	0.3	15.5	909.0	0.0
26Dec2020	23:23	0.3	15.5	909.0	0.0
26Dec2020	23:24	0.3	15.5	909.0	0.0
26Dec2020	23:25	0.3	15.5	909.0	0.0
26Dec2020	23:26	0.3	15.5	909.0	0.0
26Dec2020	23:27	0.3	15.6	909.0	0.0
26Dec2020	23:28	0.3	15.6	909.0	0.0
26Dec2020	23:29	0.3	15.6	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
26Dec2020	23:30	0.3	15.6	909.0	0.0
26Dec2020	23:31	0.3	15.6	909.0	0.0
26Dec2020	23:32	0.3	15.6	909.0	0.0
26Dec2020	23:33	0.3	15.7	909.0	0.0
26Dec2020	23:34	0.3	15.7	909.0	0.0
26Dec2020	23:35	0.3	15.7	909.0	0.0
26Dec2020	23:36	0.3	15.7	909.0	0.0
26Dec2020	23:37	0.3	15.7	909.0	0.0
26Dec2020	23:38	0.3	15.7	909.0	0.0
26Dec2020	23:39	0.3	15.8	909.0	0.0
26Dec2020	23:40	0.3	15.8	909.0	0.0
26Dec2020	23:41	0.3	15.8	909.0	0.0
26Dec2020	23:42	0.3	15.8	909.0	0.0
26Dec2020	23:43	0.2	15.8	909.0	0.0
26Dec2020	23:44	0.2	15.8	909.0	0.0
26Dec2020	23:45	0.2	15.8	909.0	0.0
26Dec2020	23:46	0.2	15.9	909.0	0.0
26Dec2020	23:47	0.2	15.9	909.0	0.0
26Dec2020	23:48	0.2	15.9	909.0	0.0
26Dec2020	23:49	0.2	15.9	909.0	0.0
26Dec2020	23:50	0.2	15.9	909.0	0.0
26Dec2020	23:51	0.2	15.9	909.0	0.0
26Dec2020	23:52	0.2	15.9	909.0	0.0
26Dec2020	23:53	0.2	16.0	909.0	0.0
26Dec2020	23:54	0.2	16.0	909.0	0.0
26Dec2020	23:55	0.2	16.0	909.0	0.0
26Dec2020	23:56	0.2	16.0	909.0	0.0
26Dec2020	23:57	0.2	16.0	909.0	0.0
26Dec2020	23:58	0.2	16.0	909.0	0.0
26Dec2020	23:59	0.2	16.0	909.0	0.0
27Dec2020	00:00	0.2	16.1	909.0	0.0
27Dec2020	00:01	0.2	16.1	909.0	0.0
27Dec2020	00:02	0.2	16.1	909.0	0.0
27Dec2020	00:03	0.2	16.1	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	00:04	0.2	16.1	909.0	0.0
27Dec2020	00:05	0.2	16.1	909.0	0.0
27Dec2020	00:06	0.2	16.1	909.0	0.0
27Dec2020	00:07	0.2	16.1	909.0	0.0
27Dec2020	00:08	0.2	16.2	909.0	0.0
27Dec2020	00:09	0.2	16.2	909.0	0.0
27Dec2020	00:10	0.2	16.2	909.0	0.0
27Dec2020	00:11	0.2	16.2	909.0	0.0
27Dec2020	00:12	0.2	16.2	909.0	0.0
27Dec2020	00:13	0.2	16.2	909.0	0.0
27Dec2020	00:14	0.2	16.2	909.0	0.0
27Dec2020	00:15	0.2	16.2	909.0	0.0
27Dec2020	00:16	0.2	16.2	909.0	0.0
27Dec2020	00:17	0.2	16.3	909.0	0.0
27Dec2020	00:18	0.2	16.3	909.0	0.0
27Dec2020	00:19	0.2	16.3	909.0	0.0
27Dec2020	00:20	0.2	16.3	909.0	0.0
27Dec2020	00:21	0.2	16.3	909.0	0.0
27Dec2020	00:22	0.2	16.3	909.0	0.0
27Dec2020	00:23	0.2	16.3	909.0	0.0
27Dec2020	00:24	0.2	16.3	909.0	0.0
27Dec2020	00:25	0.2	16.3	909.0	0.0
27Dec2020	00:26	0.2	16.4	909.0	0.0
27Dec2020	00:27	0.2	16.4	909.0	0.0
27Dec2020	00:28	0.2	16.4	909.0	0.0
27Dec2020	00:29	0.2	16.4	909.0	0.0
27Dec2020	00:30	0.2	16.4	909.0	0.0
27Dec2020	00:31	0.2	16.4	909.0	0.0
27Dec2020	00:32	0.2	16.4	909.0	0.0
27Dec2020	00:33	0.2	16.4	909.0	0.0
27Dec2020	00:34	0.2	16.4	909.0	0.0
27Dec2020	00:35	0.2	16.5	909.0	0.0
27Dec2020	00:36	0.2	16.5	909.0	0.0
27Dec2020	00:37	0.2	16.5	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	00:38	0.2	16.5	909.0	0.0
27Dec2020	00:39	0.2	16.5	909.0	0.0
27Dec2020	00:40	0.2	16.5	909.0	0.0
27Dec2020	00:41	0.2	16.5	909.0	0.0
27Dec2020	00:42	0.2	16.5	909.0	0.0
27Dec2020	00:43	0.2	16.5	909.0	0.0
27Dec2020	00:44	0.2	16.5	909.0	0.0
27Dec2020	00:45	0.2	16.6	909.0	0.0
27Dec2020	00:46	0.2	16.6	909.0	0.0
27Dec2020	00:47	0.2	16.6	909.0	0.0
27Dec2020	00:48	0.2	16.6	909.0	0.0
27Dec2020	00:49	0.2	16.6	909.0	0.0
27Dec2020	00:50	0.2	16.6	909.0	0.0
27Dec2020	00:51	0.2	16.6	909.0	0.0
27Dec2020	00:52	0.2	16.6	909.0	0.0
27Dec2020	00:53	0.2	16.6	909.0	0.0
27Dec2020	00:54	0.2	16.6	909.0	0.0
27Dec2020	00:55	0.2	16.6	909.0	0.0
27Dec2020	00:56	0.2	16.7	909.0	0.0
27Dec2020	00:57	0.2	16.7	909.0	0.0
27Dec2020	00:58	0.2	16.7	909.0	0.0
27Dec2020	00:59	0.2	16.7	909.0	0.0
27Dec2020	01:00	0.2	16.7	909.0	0.0
27Dec2020	01:01	0.2	16.7	909.0	0.0
27Dec2020	01:02	0.2	16.7	909.0	0.0
27Dec2020	01:03	0.2	16.7	909.0	0.0
27Dec2020	01:04	0.2	16.7	909.0	0.0
27Dec2020	01:05	0.2	16.7	909.0	0.0
27Dec2020	01:06	0.2	16.8	909.0	0.0
27Dec2020	01:07	0.2	16.8	909.0	0.0
27Dec2020	01:08	0.2	16.8	909.0	0.0
27Dec2020	01:09	0.2	16.8	909.0	0.0
27Dec2020	01:10	0.2	16.8	909.0	0.0
27Dec2020	01:11	0.1	16.8	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	01:12	0.1	16.8	909.0	0.0
27Dec2020	01:13	0.1	16.8	909.0	0.0
27Dec2020	01:14	0.1	16.8	909.0	0.0
27Dec2020	01:15	0.1	16.8	909.0	0.0
27Dec2020	01:16	0.1	16.8	909.0	0.0
27Dec2020	01:17	0.1	16.8	909.0	0.0
27Dec2020	01:18	0.1	16.9	909.0	0.0
27Dec2020	01:19	0.1	16.9	909.0	0.0
27Dec2020	01:20	0.1	16.9	909.0	0.0
27Dec2020	01:21	0.1	16.9	909.0	0.0
27Dec2020	01:22	0.1	16.9	909.0	0.0
27Dec2020	01:23	0.1	16.9	909.0	0.0
27Dec2020	01:24	0.1	16.9	909.0	0.0
27Dec2020	01:25	0.1	16.9	909.0	0.0
27Dec2020	01:26	0.1	16.9	909.0	0.0
27Dec2020	01:27	0.1	16.9	909.0	0.0
27Dec2020	01:28	0.1	16.9	909.0	0.0
27Dec2020	01:29	0.1	17.0	909.0	0.0
27Dec2020	01:30	0.1	17.0	909.0	0.0
27Dec2020	01:31	0.1	17.0	909.0	0.0
27Dec2020	01:32	0.1	17.0	909.0	0.0
27Dec2020	01:33	0.1	17.0	909.0	0.0
27Dec2020	01:34	0.1	17.0	909.0	0.0
27Dec2020	01:35	0.1	17.0	909.0	0.0
27Dec2020	01:36	0.1	17.0	909.0	0.0
27Dec2020	01:37	0.1	17.0	909.0	0.0
27Dec2020	01:38	0.1	17.0	909.0	0.0
27Dec2020	01:39	0.1	17.0	909.0	0.0
27Dec2020	01:40	0.1	17.0	909.0	0.0
27Dec2020	01:41	0.1	17.1	909.0	0.0
27Dec2020	01:42	0.1	17.1	909.0	0.0
27Dec2020	01:43	0.1	17.1	909.0	0.0
27Dec2020	01:44	0.1	17.1	909.0	0.0
27Dec2020	01:45	0.1	17.1	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	01:46	0.1	17.1	909.0	0.0
27Dec2020	01:47	0.1	17.1	909.0	0.0
27Dec2020	01:48	0.1	17.1	909.0	0.0
27Dec2020	01:49	0.1	17.1	909.0	0.0
27Dec2020	01:50	0.1	17.1	909.0	0.0
27Dec2020	01:51	0.1	17.1	909.0	0.0
27Dec2020	01:52	0.1	17.1	909.0	0.0
27Dec2020	01:53	0.1	17.1	909.0	0.0
27Dec2020	01:54	0.1	17.2	909.0	0.0
27Dec2020	01:55	0.1	17.2	909.0	0.0
27Dec2020	01:56	0.1	17.2	909.0	0.0
27Dec2020	01:57	0.1	17.2	909.0	0.0
27Dec2020	01:58	0.1	17.2	909.0	0.0
27Dec2020	01:59	0.1	17.2	909.0	0.0
27Dec2020	02:00	0.1	17.2	909.0	0.0
27Dec2020	02:01	0.1	17.2	909.0	0.0
27Dec2020	02:02	0.1	17.2	909.0	0.0
27Dec2020	02:03	0.1	17.2	909.0	0.0
27Dec2020	02:04	0.1	17.2	909.0	0.0
27Dec2020	02:05	0.1	17.2	909.0	0.0
27Dec2020	02:06	0.1	17.2	909.0	0.0
27Dec2020	02:07	0.1	17.2	909.0	0.0
27Dec2020	02:08	0.1	17.3	909.0	0.0
27Dec2020	02:09	0.1	17.3	909.0	0.0
27Dec2020	02:10	0.1	17.3	909.0	0.0
27Dec2020	02:11	0.1	17.3	909.0	0.0
27Dec2020	02:12	0.1	17.3	909.0	0.0
27Dec2020	02:13	0.1	17.3	909.0	0.0
27Dec2020	02:14	0.1	17.3	909.0	0.0
27Dec2020	02:15	0.1	17.3	909.0	0.0
27Dec2020	02:16	0.1	17.3	909.0	0.0
27Dec2020	02:17	0.1	17.3	909.0	0.0
27Dec2020	02:18	0.1	17.3	909.0	0.0
27Dec2020	02:19	0.1	17.3	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	02:20	0.1	17.3	909.0	0.0
27Dec2020	02:21	0.1	17.3	909.0	0.0
27Dec2020	02:22	0.1	17.4	909.0	0.0
27Dec2020	02:23	0.1	17.4	909.0	0.0
27Dec2020	02:24	0.1	17.4	909.0	0.0
27Dec2020	02:25	0.1	17.4	909.0	0.0
27Dec2020	02:26	0.1	17.4	909.0	0.0
27Dec2020	02:27	0.1	17.4	909.0	0.0
27Dec2020	02:28	0.1	17.4	909.0	0.0
27Dec2020	02:29	0.1	17.4	909.0	0.0
27Dec2020	02:30	0.1	17.4	909.0	0.0
27Dec2020	02:31	0.1	17.4	909.0	0.0
27Dec2020	02:32	0.1	17.4	909.0	0.0
27Dec2020	02:33	0.1	17.4	909.0	0.0
27Dec2020	02:34	0.1	17.4	909.0	0.0
27Dec2020	02:35	0.1	17.4	909.0	0.0
27Dec2020	02:36	0.1	17.4	909.0	0.0
27Dec2020	02:37	0.1	17.5	909.0	0.0
27Dec2020	02:38	0.1	17.5	909.0	0.0
27Dec2020	02:39	0.1	17.5	909.0	0.0
27Dec2020	02:40	0.1	17.5	909.0	0.0
27Dec2020	02:41	0.1	17.5	909.0	0.0
27Dec2020	02:42	0.1	17.5	909.0	0.0
27Dec2020	02:43	0.1	17.5	909.0	0.0
27Dec2020	02:44	0.1	17.5	909.0	0.0
27Dec2020	02:45	0.1	17.5	909.0	0.0
27Dec2020	02:46	0.1	17.5	909.0	0.0
27Dec2020	02:47	0.1	17.5	909.0	0.0
27Dec2020	02:48	0.1	17.5	909.0	0.0
27Dec2020	02:49	0.1	17.5	909.0	0.0
27Dec2020	02:50	0.1	17.5	909.0	0.0
27Dec2020	02:51	0.1	17.5	909.0	0.0
27Dec2020	02:52	0.1	17.5	909.0	0.0
27Dec2020	02:53	0.1	17.6	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	02:54	0.1	17.6	909.0	0.0
27Dec2020	02:55	0.1	17.6	909.0	0.0
27Dec2020	02:56	0.1	17.6	909.0	0.0
27Dec2020	02:57	0.1	17.6	909.0	0.0
27Dec2020	02:58	0.1	17.6	909.0	0.0
27Dec2020	02:59	0.1	17.6	909.0	0.0
27Dec2020	03:00	0.1	17.6	909.0	0.0
27Dec2020	03:01	0.1	17.6	909.0	0.0
27Dec2020	03:02	0.1	17.6	909.0	0.0
27Dec2020	03:03	0.1	17.6	909.0	0.0
27Dec2020	03:04	0.1	17.6	909.0	0.0
27Dec2020	03:05	0.1	17.6	909.0	0.0
27Dec2020	03:06	0.1	17.6	909.0	0.0
27Dec2020	03:07	0.1	17.6	909.0	0.0
27Dec2020	03:08	0.1	17.6	909.0	0.0
27Dec2020	03:09	0.1	17.7	909.0	0.0
27Dec2020	03:10	0.1	17.7	909.0	0.0
27Dec2020	03:11	0.1	17.7	909.0	0.0
27Dec2020	03:12	0.1	17.7	909.0	0.0
27Dec2020	03:13	0.1	17.7	909.0	0.0
27Dec2020	03:14	0.1	17.7	909.0	0.0
27Dec2020	03:15	0.1	17.7	909.0	0.0
27Dec2020	03:16	0.1	17.7	909.0	0.0
27Dec2020	03:17	0.1	17.7	909.0	0.0
27Dec2020	03:18	0.1	17.7	909.0	0.0
27Dec2020	03:19	0.1	17.7	909.0	0.0
27Dec2020	03:20	0.1	17.7	909.0	0.0
27Dec2020	03:21	0.1	17.7	909.0	0.0
27Dec2020	03:22	0.1	17.7	909.0	0.0
27Dec2020	03:23	0.1	17.7	909.0	0.0
27Dec2020	03:24	0.1	17.7	909.0	0.0
27Dec2020	03:25	0.1	17.8	909.0	0.0
27Dec2020	03:26	0.1	17.8	909.0	0.0
27Dec2020	03:27	0.1	17.8	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	03:28	0.1	17.8	909.0	0.0
27Dec2020	03:29	0.1	17.8	909.0	0.0
27Dec2020	03:30	0.1	17.8	909.0	0.0
27Dec2020	03:31	0.1	17.8	909.0	0.0
27Dec2020	03:32	0.1	17.8	909.0	0.0
27Dec2020	03:33	0.1	17.8	909.0	0.0
27Dec2020	03:34	0.1	17.8	909.0	0.0
27Dec2020	03:35	0.1	17.8	909.0	0.0
27Dec2020	03:36	0.1	17.8	909.0	0.0
27Dec2020	03:37	0.1	17.8	909.0	0.0
27Dec2020	03:38	0.1	17.8	909.0	0.0
27Dec2020	03:39	0.1	17.8	909.0	0.0
27Dec2020	03:40	0.1	17.8	909.0	0.0
27Dec2020	03:41	0.1	17.8	909.0	0.0
27Dec2020	03:42	0.1	17.9	909.0	0.0
27Dec2020	03:43	0.1	17.9	909.0	0.0
27Dec2020	03:44	0.1	17.9	909.0	0.0
27Dec2020	03:45	0.1	17.9	909.0	0.0
27Dec2020	03:46	0.1	17.9	909.0	0.0
27Dec2020	03:47	0.1	17.9	909.0	0.0
27Dec2020	03:48	0.1	17.9	909.0	0.0
27Dec2020	03:49	0.1	17.9	909.0	0.0
27Dec2020	03:50	0.1	17.9	909.0	0.0
27Dec2020	03:51	0.1	17.9	909.0	0.0
27Dec2020	03:52	0.1	17.9	909.0	0.0
27Dec2020	03:53	0.1	17.9	909.0	0.0
27Dec2020	03:54	0.1	17.9	909.0	0.0
27Dec2020	03:55	0.1	17.9	909.0	0.0
27Dec2020	03:56	0.1	17.9	909.0	0.0
27Dec2020	03:57	0.1	17.9	909.0	0.0
27Dec2020	03:58	0.1	17.9	909.0	0.0
27Dec2020	03:59	0.1	18.0	909.0	0.0
27Dec2020	04:00	0.1	18.0	909.0	0.0
27Dec2020	04:01	0.1	18.0	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	04:02	0.1	18.0	909.0	0.0
27Dec2020	04:03	0.1	18.0	909.0	0.0
27Dec2020	04:04	0.1	18.0	909.0	0.0
27Dec2020	04:05	0.1	18.0	909.0	0.0
27Dec2020	04:06	0.1	18.0	909.0	0.0
27Dec2020	04:07	0.1	18.0	909.0	0.0
27Dec2020	04:08	0.1	18.0	909.0	0.0
27Dec2020	04:09	0.1	18.0	909.0	0.0
27Dec2020	04:10	0.1	18.0	909.0	0.0
27Dec2020	04:11	0.1	18.0	909.0	0.0
27Dec2020	04:12	0.1	18.0	909.0	0.0
27Dec2020	04:13	0.1	18.0	909.0	0.0
27Dec2020	04:14	0.1	18.0	909.0	0.0
27Dec2020	04:15	0.1	18.1	909.0	0.0
27Dec2020	04:16	0.1	18.1	909.0	0.0
27Dec2020	04:17	0.1	18.1	909.0	0.0
27Dec2020	04:18	0.1	18.1	909.0	0.0
27Dec2020	04:19	0.1	18.1	909.0	0.0
27Dec2020	04:20	0.1	18.1	909.0	0.0
27Dec2020	04:21	0.1	18.1	909.0	0.0
27Dec2020	04:22	0.1	18.1	909.0	0.0
27Dec2020	04:23	0.1	18.1	909.0	0.0
27Dec2020	04:24	0.1	18.1	909.0	0.0
27Dec2020	04:25	0.1	18.1	909.0	0.0
27Dec2020	04:26	0.1	18.1	909.0	0.0
27Dec2020	04:27	0.1	18.1	909.0	0.0
27Dec2020	04:28	0.1	18.1	909.0	0.0
27Dec2020	04:29	0.1	18.1	909.0	0.0
27Dec2020	04:30	0.1	18.1	909.0	0.0
27Dec2020	04:31	0.1	18.1	909.0	0.0
27Dec2020	04:32	0.1	18.2	909.0	0.0
27Dec2020	04:33	0.1	18.2	909.0	0.0
27Dec2020	04:34	0.1	18.2	909.0	0.0
27Dec2020	04:35	0.1	18.2	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	04:36	0.1	18.2	909.0	0.0
27Dec2020	04:37	0.1	18.2	909.0	0.0
27Dec2020	04:38	0.1	18.2	909.0	0.0
27Dec2020	04:39	0.1	18.2	909.0	0.0
27Dec2020	04:40	0.1	18.2	909.0	0.0
27Dec2020	04:41	0.1	18.2	909.0	0.0
27Dec2020	04:42	0.1	18.2	909.0	0.0
27Dec2020	04:43	0.1	18.2	909.0	0.0
27Dec2020	04:44	0.1	18.2	909.0	0.0
27Dec2020	04:45	0.1	18.2	909.0	0.0
27Dec2020	04:46	0.1	18.2	909.0	0.0
27Dec2020	04:47	0.1	18.2	909.0	0.0
27Dec2020	04:48	0.1	18.2	909.0	0.0
27Dec2020	04:49	0.1	18.3	909.0	0.0
27Dec2020	04:50	0.1	18.3	909.0	0.0
27Dec2020	04:51	0.1	18.3	909.0	0.0
27Dec2020	04:52	0.1	18.3	909.0	0.0
27Dec2020	04:53	0.1	18.3	909.0	0.0
27Dec2020	04:54	0.1	18.3	909.0	0.0
27Dec2020	04:55	0.1	18.3	909.0	0.0
27Dec2020	04:56	0.1	18.3	909.0	0.0
27Dec2020	04:57	0.1	18.3	909.0	0.0
27Dec2020	04:58	0.1	18.3	909.0	0.0
27Dec2020	04:59	0.1	18.3	909.0	0.0
27Dec2020	05:00	0.1	18.3	909.0	0.0
27Dec2020	05:01	0.1	18.3	909.0	0.0
27Dec2020	05:02	0.1	18.3	909.0	0.0
27Dec2020	05:03	0.1	18.3	909.0	0.0
27Dec2020	05:04	0.1	18.3	909.0	0.0
27Dec2020	05:05	0.1	18.3	909.0	0.0
27Dec2020	05:06	0.1	18.4	909.0	0.0
27Dec2020	05:07	0.1	18.4	909.0	0.0
27Dec2020	05:08	0.1	18.4	909.0	0.0
27Dec2020	05:09	0.1	18.4	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	05:10	0.1	18.4	909.0	0.0
27Dec2020	05:11	0.1	18.4	909.0	0.0
27Dec2020	05:12	0.1	18.4	909.0	0.0
27Dec2020	05:13	0.1	18.4	909.0	0.0
27Dec2020	05:14	0.1	18.4	909.0	0.0
27Dec2020	05:15	0.1	18.4	909.0	0.0
27Dec2020	05:16	0.1	18.4	909.0	0.0
27Dec2020	05:17	0.1	18.4	909.0	0.0
27Dec2020	05:18	0.1	18.4	909.0	0.0
27Dec2020	05:19	0.1	18.4	909.0	0.0
27Dec2020	05:20	0.1	18.4	909.0	0.0
27Dec2020	05:21	0.1	18.4	909.0	0.0
27Dec2020	05:22	0.1	18.5	909.0	0.0
27Dec2020	05:23	0.1	18.5	909.0	0.0
27Dec2020	05:24	0.1	18.5	909.0	0.0
27Dec2020	05:25	0.1	18.5	909.0	0.0
27Dec2020	05:26	0.1	18.5	909.0	0.0
27Dec2020	05:27	0.1	18.5	909.0	0.0
27Dec2020	05:28	0.1	18.5	909.0	0.0
27Dec2020	05:29	0.1	18.5	909.0	0.0
27Dec2020	05:30	0.1	18.5	909.0	0.0
27Dec2020	05:31	0.1	18.5	909.0	0.0
27Dec2020	05:32	0.1	18.5	909.0	0.0
27Dec2020	05:33	0.1	18.5	909.0	0.0
27Dec2020	05:34	0.1	18.5	909.0	0.0
27Dec2020	05:35	0.1	18.5	909.0	0.0
27Dec2020	05:36	0.1	18.5	909.0	0.0
27Dec2020	05:37	0.1	18.5	909.0	0.0
27Dec2020	05:38	0.1	18.5	909.0	0.0
27Dec2020	05:39	0.1	18.6	909.0	0.0
27Dec2020	05:40	0.1	18.6	909.0	0.0
27Dec2020	05:41	0.1	18.6	909.0	0.0
27Dec2020	05:42	0.1	18.6	909.0	0.0
27Dec2020	05:43	0.1	18.6	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	05:44	0.1	18.6	909.0	0.0
27Dec2020	05:45	0.1	18.6	909.0	0.0
27Dec2020	05:46	0.1	18.6	909.0	0.0
27Dec2020	05:47	0.1	18.6	909.0	0.0
27Dec2020	05:48	0.1	18.6	909.0	0.0
27Dec2020	05:49	0.1	18.6	909.0	0.0
27Dec2020	05:50	0.1	18.6	909.0	0.0
27Dec2020	05:51	0.1	18.6	909.0	0.0
27Dec2020	05:52	0.1	18.6	909.0	0.0
27Dec2020	05:53	0.1	18.6	909.0	0.0
27Dec2020	05:54	0.1	18.6	909.0	0.0
27Dec2020	05:55	0.1	18.6	909.0	0.0
27Dec2020	05:56	0.1	18.7	909.0	0.0
27Dec2020	05:57	0.1	18.7	909.0	0.0
27Dec2020	05:58	0.1	18.7	909.0	0.0
27Dec2020	05:59	0.1	18.7	909.0	0.0
27Dec2020	06:00	0.1	18.7	909.0	0.0
27Dec2020	06:01	0.1	18.7	909.0	0.0
27Dec2020	06:02	0.1	18.7	909.0	0.0
27Dec2020	06:03	0.1	18.7	909.0	0.0
27Dec2020	06:04	0.1	18.7	909.0	0.0
27Dec2020	06:05	0.1	18.7	909.0	0.0
27Dec2020	06:06	0.1	18.7	909.0	0.0
27Dec2020	06:07	0.1	18.7	909.0	0.0
27Dec2020	06:08	0.1	18.7	909.0	0.0
27Dec2020	06:09	0.1	18.7	909.0	0.0
27Dec2020	06:10	0.1	18.7	909.0	0.0
27Dec2020	06:11	0.1	18.7	909.0	0.0
27Dec2020	06:12	0.1	18.8	909.0	0.0
27Dec2020	06:13	0.1	18.8	909.0	0.0
27Dec2020	06:14	0.1	18.8	909.0	0.0
27Dec2020	06:15	0.1	18.8	909.0	0.0
27Dec2020	06:16	0.1	18.8	909.0	0.0
27Dec2020	06:17	0.1	18.8	909.0	0.0

Date	Time	Inflow (M3/S)	Storage (1000 M3)	Elevation (M)	Outflow (M3/S)
27Dec2020	06:18	0.1	18.8	909.0	0.0
27Dec2020	06:19	0.1	18.8	909.0	0.0
27Dec2020	06:20	0.1	18.8	909.0	0.0
27Dec2020	06:21	0.1	18.8	909.0	0.0
27Dec2020	06:22	0.1	18.8	909.0	0.0
27Dec2020	06:23	0.1	18.8	909.0	0.0
27Dec2020	06:24	0.1	18.8	909.0	0.0
27Dec2020	06:25	0.1	18.8	909.0	0.0
27Dec2020	06:26	0.1	18.8	909.0	0.0
27Dec2020	06:27	0.1	18.8	909.0	0.0
27Dec2020	06:28	0.1	18.8	909.0	0.0
27Dec2020	06:29	0.1	18.9	909.0	0.0
27Dec2020	06:30	0.1	18.9	909.0	0.0
27Dec2020	06:31	0.1	18.9	909.0	0.0
27Dec2020	06:32	0.1	18.9	909.0	0.0
27Dec2020	06:33	0.1	18.9	909.0	0.0
27Dec2020	06:34	0.1	18.9	909.0	0.0
27Dec2020	06:35	0.1	18.9	909.0	0.0
27Dec2020	06:36	0.1	18.9	909.0	0.0
27Dec2020	06:37	0.1	18.9	909.0	0.0
27Dec2020	06:38	0.1	18.9	909.0	0.0
27Dec2020	06:39	0.1	18.9	909.0	0.0
27Dec2020	06:40	0.1	18.9	909.0	0.0
27Dec2020	06:41	0.1	18.9	909.0	0.0
27Dec2020	06:42	0.1	18.9	909.0	0.0
27Dec2020	06:43	0.1	18.9	909.0	0.0
27Dec2020	06:44	0.1	18.9	909.0	0.0
27Dec2020	06:45	0.1	18.9	909.0	0.0
27Dec2020	06:46	0.1	19.0	909.0	0.0
27Dec2020	06:47	0.1	19.0	909.0	0.0
27Dec2020	06:48	0.1	19.0	909.0	0.0
27Dec2020	06:49	0.1	19.0	909.0	0.0
27Dec2020	06:50	0.1	19.0	909.0	0.0
27Dec2020	06:51	0.1	19.0	909.0	0.0