MA'ADEN معادن
Saudi Arabian Mining Company شركة التعدين العربية السعودية

Project **Mansourah Massarah Gold Project**
Customer: **MA'ADEN GOLD AND BASE METALS (MA'ADEN)**

Title: **CALCULATION**
3220 GRINDING AND CLASSIFICATION-BALL MILL DB BOX & SCREEN SUPP. STR. FOUNDATION

Document Number: **MD-216-3220-EG-CV-CAL-1159**
Revision: **D01**
Revision Date: **08.11.2023**
Status: **AS BUILT**

Outotec Document Number:	900707	GAU01	ZG01	CED01	32206	OU100671084	5
L&T Document Number:	O19045	450	C	K	24079	003	5

REVISION HISTORY

Rev	Date	Revision Text	Prepared By	Reviewed By	Approved By	Employer
A01	03.03.2020	FIRST ISSUE	STY	BDA	AG	
C01	30.03.2020	ISSUED FOR CONSTRUCTION	STY	BDA	AG	
C02	29.07.2020	ISSUED FOR APPROVAL & REVISED AS MARKED C02	STY	BDA	AG	
C03	27.08.2020	ISSUED FOR APPROVAL & REVISED AS MARKED C03	STY	BDA	AG	
C04	31.10.2020	ISSUED FOR CONSTRUCTION	STY	BDA	AG	
D01	08.11.2023	AS BUILT	STY	BDA	AG	

TABLE OF CONTENTS

DEFINITIONS AND ABBREVIATIONS ---- 3

1. INTENT ---- 4

2. EXECUTIVE SUMMARY ---- 4

3. SCOPE ---- 4

4. DESIGN REQUIREMENTS ---- 4
   - 4.1. Design References ---- 4
   - 4.2. Materials Property ---- 5
   - 4.3. Minimum Reinforcing Steel (Rebar) Size ---- 5
   - 4.4. Concrete Clear Cover ---- 5
   - 4.5. Allowable Soil Bearing Capacity ---- 5

5. SAFETY FACTOR AGAINST STABILITY ---- 6
   - 5.1. Against Overturning ---- 6
   - 5.2. Against Sliding ---- 6

6. LOAD CALCULATIONS ---- 6
   - 6.1. Primary Load Cases ---- 6
   - 6.2. Load Combinations for Stress Calculation ---- 7
   - 6.3. Load Combinations for Strength Calculation ---- 9

7. DESIGN CALCULATIONS ---- 11
   - 7.1. Design of Column ---- 11
   - 7.2. Design of Foundations ---- 13

ATTACHMENT 1 INPUT (DB BOX & SCREEN SUPP. STR. PLAN & ELEVATION) ---- 22

ATTACHMENT 2 STAAD INPUT ---- 24

ATTACHMENT 3 STAAD OUTPUT ---- 76

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

DEFINITIONS AND ABBREVIATIONS

Document	:	Information and the medium on which it is contained (ISO 9000:2015)
EMPLOYER	:	EMPLOYER' means MA'ADEN GOLD AND BASE METALS (MGBM) and the PMC American Bechtel Inc. or their representatives
Contractor	:	Contractor' means consortium composed of LARSEN & TOUBRO LIMITED, Saudi Arabia AND OUTOTEC SAUDI ARABIA LLC, Saudi Arabia (for IK Contract) and LARSEN & TOUBRO LIMITED – ECC Construction Group – (SHJ BR) and OUTOTEC ENGINEERING DMCC, Dubai (for OOK Contract).
'PMT'	:	Ma'aden Project Management Team
'MMGP Project'	:	Mansourah Massarah Gold Processing Project
Attribute	:	Information element that describes a document or tag.
Supplier	:	An entity (supplier, consultant, sub-contractor) under the direct project management of Contractor
Sub-Supplier	:	A sub entity (supplier, consultant, sub-contractor) under the direct project management of Contractor.
QA	:	Quality Assurance
QC	:	Quality Control
Works	:	Full scope of the EPC Contract including the engineering, procurement, construction, commissioning and associated activities

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

1. INTENT

The Purpose of this document is to analysis & design of Grinding & Classification (3220) - DB box & screen SUPP. STR. foundation. The member sizes and reinforcements are to be calculated. The report describes the methodology and the design parameters used in the design calculation. The analysis & design is carried out in accordance with project specifications,codes & standards.

2. EXECUTIVE SUMMARY

The Saudi Arabian Mining Company (Ma'aden) has announced that its wholly-owned subsidiary, Ma'aden Gold and Base Metals Company, have issued a Notice of Award to Outotec and Larsen & Toubro Consortium to complete the engineering, procurement, construction, pre-commissioning, commissioning and start-up assistance of the Mansourah & Massarah (MMGP) Gold Project.

MMGP project will become Ma'aden's largest ever gold project, producing an average of 250,000 ounces of gold per year over the life of mine. Mansourah-Massarah is situated within the Central Arabian Gold Region (CAGR), approximately 320km northeast of Taif towards Riyadh and about 35 km southeast of Hufairah, which is a small village situated on Jeddah - Riyadh highway. Mansourah - Massarah gold deposits are located 22°38'6.40"N; 42°44'22.90"E, and 22°42'1.40"N; 42°41'58.40"E respectively, approximately 537 km east of Jeddah and 77 km southeast of the town of Zalim.

The plant throughput capacity is 4000000t/a and is required to operate on a continuous basis at nominally 24 hours per day and 7 days a week.

3. SCOPE

The analysis has been carried out in STAAD Pro. The STAAD modelling has been done with beam & plate elements. Plate mat with subgrade modulus has been considered as per L&T approved Soil Report. Base Pressure check has been done from STAAD Pro output.

For strength calculation Bending moment & Shear Force values are taken from STAAD output & designed in the excel sheet.Isometric views of STAAD model are attached in Attachment-2.

4. DESIGN REQUIREMENTS

4.1. Design References

Reference is made in this standard as indicated in STRUCTURAL ENGINEERING DESIGN CRITERIA Doc No. : MD-216-1000-EG-ST-CRT-1001-A02 , Structural Design Criteria - Process Building & Structures ITB Doc No. : MD-101-SMEM-EG-ST-CRT-1001 & Civil Design Criteria - General ITB Doc. No. MD-101-SMEM-EG-CV-CRT-1001.

The below mention codes & books are also used for this design calculation.

(i) SBC - 301
(ii) SBC - 304 CR - 2018
(iii) ACI 318M.
(iv) ACI SP-17M(09)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

4.2. Materials Property

Density of Material
- Density of Dry Soil : 1.9 T/m^3
- Density of Concrete : 2.5 T/m^3
- Density of Water : 1.0 T/m^3

Concrete Strength of 28 days
- Foundation and Structural Members: 35 MPa
- Grade slab and pavement: 30 MPa
- Blinding Concrete below foundation bases: 15 MPa

Reinforcement Grade
- Deformed Bar : ASTM A 615 / A 615M Grade 60 (fy = 420MPa)
- Welded Wire Fabric : ASTM A 185(Plain) / A 497(Deformed)

Grout Grade
- Grout shall be cementitious under steel column bases of Strength 40 MPa

4.3. Minimum Reinforcing Steel (Rebar) Size

The minimum rebar size for use as tension, compression reinforcement shall be 12 mm, except where welded wire fabric is used. For ties and spirals the minimum rebar size shall be 10 mm.

4.4 Concrete Clear Cover

Concrete Exposure	Member	Minimum Cove (mm)
Exposed to Soil	Foundation Bottom & Side	75
	Foundation Top	50
	Column & Beam	50
Exposed to Weather	Column	50
	Beam	50
	Slab	40

4.5. Allowable Soil Bearing Capacity

Recommended net allowable bearing capacity as per L&T soil report MD-216-3000-EG-CV-RPT-1008-A02, bore hole BH-02.

BH-no	Depth of foundation below FGL(m)	Recommended net allowable bearing capacity(KN/m2)	Vertical modulus of subgrage reaction(KN/m2/m)
BH-02	1.5	750	90000

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

5. SAFETY FACTOR AGAINST STABILITY

5.1. Overturning : For foundation design a minimum factor of safety against overturning is consider 2.0
5.2. Sliding : For foundation design a minimum factor of safety against sliding is consider 1.5

6. LOAD CALCULATIONS

6.1. Primary Load Cases

1 DEAD LOAD (DL)
2 LIVE LOAD (LL)
3 OPERATING FLUID LOAD (FL)
4 EQP DL (+X+Z) (EQDL1)

6 EQP DYNAMIC LOAD (-Y+X+Z)(EQDY1)
7 EQP DYNAMIC LOAD (-Y-X-Z)(EQDY2)
8 EQP DYNAMIC LOAD (+Y+X+Z)(EQDY3)
9 EQP DYNAMIC LOAD (+Y-X-Z)(EQDY4)
10 EQP LL (EQLL)
11 WIND LOAD (+X) WL(+X)
12 WIND LOAD (-X) WL(-X)
13 WIND LOAD (+Z) WL(+Z)
14 WIND LOAD (-Z) WL(-Z)
15 SEISMIC LOAD (+X) SL(+X)
16 SEISMIC LOAD (-X) SL(-X)
17 SEISMIC LOAD (+Z) SL(+Z)
18 SEISMIC LOAD (-Z) SL(-Z)
19 TEMPERATURE LOAD (TL)
20 PIPE LATERAL LOAD (PL)

Primary loads are taken from structural reaction of STAAD_pro file 'Mall Mill_Screen.std'

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

6.2. Load Combinations for Stress Calculation

LOAD CASE	LOAD COMBINATION
2001	DL+EQDL1+FL
2003	DL+EQDL1+FL+LL+EQDY1+EQLL+TL
2004	DL+EQDL1+FL+LL+EQDY2+EQLL+TL
2005	DL+EQDL1+FL+LL+EQDY3+EQLL+TL
2006	DL+EQDL1+FL+LL+EQDY4+EQLL+TL
2011	DL+EQDL1+FL+0.75(LL+EQDY1+EQLL)+0.75TL
2012	DL+EQDL1+FL+0.75(LL+EQDY2+EQLL)+0.75TL
2013	DL+EQDL1+FL+0.75(LL+EQDY3+EQLL)+0.75TL
2014	DL+EQDL1+FL+0.75(LL+EQDY4+EQLL)+0.75TL
2019	DL+EQDL1+FL+PL
2021	DL+EQDL1+FL+PL+LL+EQDY1+EQLL+TL
2022	DL+EQDL1+FL+PL+LL+EQDY2+EQLL+TL
2023	DL+EQDL1+FL+PL+LL+EQDY3+EQLL+TL
2024	DL+EQDL1+FL+PL+LL+EQDY4+EQLL+TL
2029	DL+EQDL1+FL+PL+0.75(LL+EQDY1+EQLL)+0.75TL
2030	DL+EQDL1+FL+PL+0.75(LL+EQDY2+EQLL)+0.75TL
2031	DL+EQDL1+FL+PL+0.75(LL+EQDY3+EQLL)+0.75TL
2032	DL+EQDL1+FL+PL+0.75(LL+EQDY4+EQLL)+0.75TL
2037	DL+EQDL1+FL+WL(+X)
2038	DL+EQDL1+FL+WL(-X)
2039	DL+EQDL1+FL+WL(+Z)
2040	DL+EQDL1+FL+WL(-Z)
2045	DL+EQDL1+FL+0.7SL(+X)
2046	DL+EQDL1+FL+0.7SL(-X)
2047	DL+EQDL1+FL+0.7SL(+Z)
2048	DL+EQDL1+FL+0.7SL(-Z)
2053	DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY1+EQLL)
2054	DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY1+EQLL)
2055	DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY1+EQLL)
2056	DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY1+EQLL)
2057	DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY2+EQLL)
2058	DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY2+EQLL)
2059	DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY2+EQLL)
2060	DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY2+EQLL)
2061	DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY3+EQLL)
2062	DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY3+EQLL)
2063	DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY3+EQLL)
2064	DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY3+EQLL)
2065	DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY4+EQLL)
2066	DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY4+EQLL)
2067	DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY4+EQLL)
2068	DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY4+EQLL)
2085	DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY1+EQLL)
2086	DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY1+EQLL)
2087	DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY1+EQLL)
2088	DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY1+EQLL)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

LOAD CASE	LOAD COMBINATION
2089	DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY2+EQLL)
2090	DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY2+EQLL)
2091	DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY2+EQLL)
2092	DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY2+EQLL)
2093	DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY3+EQLL)
2094	DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY3+EQLL)
2095	DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY3+EQLL)
2096	DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY3+EQLL)
2097	DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY4+EQLL)
2098	DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY4+EQLL)
2099	DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY4+EQLL)
2100	DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY4+EQLL)
2117	0.6(DL+EQDL1)+WL(+X)
2118	0.6(DL+EQDL1)+WL(-X)
2119	0.6(DL+EQDL1)+WL(+Z)
2120	0.6(DL+EQDL1)+WL(-Z)
2125	0.6(DL+EQDL1)+0.7SL(+X)
2126	0.6(DL+EQDL1)+0.7SL(-X)
2127	0.6(DL+EQDL1)+0.7SL(+Z)
2128	0.6(DL+EQDL1)+0.7SL(-Z)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

6.3 Load Combinations for Strength Calculation

LOAD CASE	LOAD COMBINATION
1001	1.4(DL+EQDL1+FL)
1003	1.4(DL+EQDL1+FL)+1.7(LL+EQDY1+EQLL)
1004	1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
1005	1.4(DL+EQDL1+FL)+1.7(LL+EQDY3+EQLL)
1006	1.4(DL+EQDL1+FL)+1.7(LL+EQDY4+EQLL)
1011	1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
1012	1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
1013	1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY3+EQLL)
1014	1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY4+EQLL)
1019	1.4(DL+EQDL1+FL+PL)
1021	1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)
1022	1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY2+EQLL)
1023	1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY3+EQLL)
1024	1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY4+EQLL)
1029	1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
1030	1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
1031	1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
1032	1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)
1037	1.2(DL+EQDL1)+0.8WL(+X)
1038	1.2(DL+EQDL1)+0.8WL(-X)
1039	1.2(DL+EQDL1)+0.8WL(+Z)
1040	1.2(DL+EQDL1)+0.8WL(-Z)
1045	1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY1+EQLL)
1046	1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY1+EQLL)
1047	1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY1+EQLL)
1048	1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY1+EQLL)
1049	1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY2+EQLL)
1050	1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY2+EQLL)
1051	1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY2+EQLL)
1052	1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY2+EQLL)
1053	1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY3+EQLL)
1054	1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY3+EQLL)
1055	1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY3+EQLL)
1056	1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY3+EQLL)
1057	1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY4+EQLL)
1058	1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY4+EQLL)
1059	1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY4+EQLL)
1060	1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY4+EQLL)
1077	1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY1+EQLL)+0.5FL
1078	1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY1+EQLL)+0.5FL
1079	1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY1+EQLL)+0.5FL
1080	1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY1+EQLL)+0.5FL
1081	1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY2+EQLL)+0.5FL
1082	1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY2+EQLL)+0.5FL
1083	1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY2+EQLL)+0.5FL
1084	1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY2+EQLL)+0.5FL

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

LOAD CASE	LOAD COMBINATION
1085	1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY3+EQLL)+0.5FL
1086	1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY3+EQLL)+0.5FL
1087	1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY3+EQLL)+0.5FL
1088	1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY3+EQLL)+0.5FL
1089	1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY4+EQLL)+0.5FL
1090	1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY4+EQLL)+0.5FL
1091	1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY4+EQLL)+0.5FL
1092	1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY4+EQLL)+0.5FL
1109	0.9(DL+EQDL1)+1.6WL(+X)
1110	0.9(DL+EQDL1)+1.6WL(-X)
1111	0.9(DL+EQDL1)+1.6WL(+Z)
1112	0.9(DL+EQDL1)+1.6WL(-Z)
1117	0.9(DL+EQDL1)+SL(+X)
1118	0.9(DL+EQDL1)+SL(-X)
1119	0.9(DL+EQDL1)+SL(+Z)
1120	0.9(DL+EQDL1)+SL(-Z)


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

7. DESIGN CALCULATIONS

7.1. Design of column



PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Materials :

Concrete Grade, f_c' = 35 Mpa

Reinforcement Grade, f_y = 420 Mpa

Assumptions :

φ = 0.90

% of reinforcement, p_t = 1.5 % i.e. ρ_g = 0.015

β = 0.65

k = 1

Column Dimensions :

Depth parallel to X-X axis, h = 700 mm

Depth parallel to Z-Z axis, b = 700 mm

Clear Cover = 50 mm

d' = 72.5 mm

Y_h = (h-d')/h = 0.79

Y_b = (b-d')/b = 0.79


Unsupported length of column parallel to X-X axis, l_{ux} = 2 m kl_{ux}/b = 2.857 < 22 neglect slenderness effect

Unsupported length of column parallel to Z-Z axis, l_{uz} = 2 m kl_{uz}/h = 2.857

$P_{n,\,Max} = 0.8[0.85 f_c'(A_g - A_{st}) + f_y A_{st}]$ = 14115.3 KN safe

Factored Force Value				Design force Value				Uniaxial moment capacity						Check for Interaction Ratio		
								about X-X axis			about ZZ axis					
L/C	P_u	M_{ux}	M_{uz}	$P_n = P_u/\varphi$	$M_{nx} = M_{ux}/\varphi$	$M_{nz} = M_{uz}/\varphi$	$K_n = P_n/f_c'bh$	$R_{nx} = M_{nx1}/f_c'b^2h$	M_{nx1}	M_{nx}/M_{nx1}	$R_{nz} = M_{nz1}/f_c'h^2b$	M_{nz1}	M_{nz}/M_{nz1}	α=log0.5/logβ	$(M_{nx}/M_{nx1})^\alpha + (M_{nz}/M_{nz1})^\alpha$	Remarks
	KN	KN-m		KN	KN-m				KN-m			KN-m				
Max Fx	1544	223.8	671.4	1716	248.7	746.0	0.1	0.090	1080	0.23	0.090	1080	0.69		0.646	safe
Max My	1509.3	229.1	687.2	1677	254.5	763.6	0.098	0.090	1080	0.24	0.090	1080	0.71		0.67	safe
Min My	119.4	249.5	748.6	133	277.3	831.7	0.008	0.090	1080	0.26	0.090	1080	0.77	1.61	0.77	safe
Max Mz	79.6	0.0	0.0	88	0.0	0.0	0.005	0.090	1080	0.00	0.090	1080	0.00		0.001	safe
Min Mz	572.2	0.2	0.5	636	0.2	0.5	0.037	0.090	1080	0.00	0.090	1080	0.00		0.001	safe

Reinforcement Calculation								Calculation of Ties		
A_{st} (mm^2)	Combination of Reinforcement Bars, db					A_{st} provided(mm^2)	Reinforcement provided (%)	Dia, d_{tie} (cl : 25.7.2.2 SBC 304-CR-18)	Pitch (cl : 25.7.2.1 SBC 304-CR-18)	Spacing of ties provided
7350	16	25	+	0	0	7858	1.6	10	400	250



P_n : Nominal axial load P_u : Factored design axial load

M_n : Nominal moment M_u : Factored design moment

Use interaction diagram R35-420.8

ACI DESIGN HANDBOOK-SP-17M(09)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

7.2. Design of Foundations

Foundation Base Pressure :

refer staad file : DB BOX & SCREEN SUPP. STR. FOUNDATION

	Node	L/C	Horizontal Fx KN/m2	Vertical Fy KN/m2	Horizontal Fz KN/m2
Max Px	318	200	0	63.062	0
Min Px	318	200	0	63.062	0
Max Py	571	200	0	259.869	0
Min Py	327	200	0	0	0
Max Pz	318	200	0	63.062	0
Min Pz	318	200	0	63.062	0

Gross Maximum Base pressure, p_{max} = 259.9 KN/m^2

Net Allowable Safe Bearing Capacity = 570 KN/m^2 (considered)

Depth of footing from FGL = 2.5 m

Unit weight of soil = 20 KN/m^3

Gross Safe Bearing Capacity = 620 KN/m^2

> 259.9 KN/m^2 safe

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Design of Foundation F1:




Figure 1-22: Sign convention for plate bending

Sign convention :
Local Z axis of plate is perpendicular to surface & positive towards upward direction.

Moment :
Mx : BM along X direction, +ve means tension on +Z surface of plate
My : BM along Y direction, +ve means tension on +Z surface of plate
For -ve Mx & My it is vice-virsa

Shear force :
SQx : Shear at face perpendicular to X axis
SQy : Shear at face perpendicular to Y axis

Axial force :
+ve Sx means tension along local X axis of plate & -ve Sx means compression along local X axis. for Sy this is similar.

Reinforcement in Foundation:
PLATE CENTER STRESS ; G2 : FDN1_MOMENT At the face of the column
refer staad file : Ball Mill_DB BOX & SCREEN SUPP. STR. FOUNDATION.std

Load condition		Shear		Membrane			Bending Moment			M + I M_{xy} I		
	Plate	SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY (local) MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	L/C
Max Qx	669	0.958	0.484	0	0	0	-63.17	-146.7	-40.58	-103.8	-187.3	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Qx	675	-0.965	0.501	0	0	0	-65.18	-147.5	0	-65.18	-147.5	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Qy	674	-0.294	0.969	0	0	0	-78.32	-205.3	12.78	-91.1	-218.1	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Qy	591	0.238	-0.822	0	0	0	11.18	-52.79	24.21	35.39	-77	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Sx	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Min Sx	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Max Sy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Min Sy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Max Sxy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Min Sxy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Max Mx	608	-0.173	0.443	0	0	0	49.13	74.7	-3.4	52.53	78.1	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Mx	1106	-0.287	0.929	0	0	0	-101.4	-172.2	4.108	-105.5	-176.4	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max My	596	-0.272	0.748	0	0	0	48.11	143.2	-16.21	64.32	159.4	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min My	674	-0.294	0.969	0	0	0	-78.32	-205.3	12.78	-91.1	-218.1	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Mxy	1035	0.604	0.191	0	0	0	17.6	66.14	52.74	70.34	118.9	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Mxy	1029	-0.591	0.162	0	0	0	14.02	64.47	-51.47	65.49	115.9	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)

PLATE CENTER STRESS ; G3 : FDN1_SHEAR At a distance "d" from the face of the column

Load condition		Shear		Membrane			Bending Moment			M + I M_{xy} I		
	Plate	SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY(local)MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	L/C
Max Qx	1103	0.201	-0.001	0	0	0	-5.716	-53.64	-11.56	-17.28	-65.2	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Qx	1132	-0.197	0.18	0	0	0	-31.92	-35.83	0	-31.92	-35.83	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Qy	698	-0.096	0.404	0	0	0	-57.98	-57.07	-2.18	-60.16	-59.25	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Qy	914	-0.041	-0.188	0	0	0	-61.14	-13.21	6.34	-67.48	-19.55	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Max Sx	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Min Sx	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Max Sy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Min Sy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Max Sxy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Min Sxy	2315	-0.002	0.003	0	0	0	-0.498	-0.506	-0.325	-0.823	-0.831	1001 1.4(DL+EQDL1+FL)
Max Mx	620	-0.084	0.243	0	0	0	42.31	31.32	1.033	43.34	32.35	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Mx	1124	0.094	0.363	0	0	0	-71.6	-43.42	4.312	-75.91	-47.73	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max My	620	-0.084	0.243	0	0	0	42.31	31.32	1.033	43.34	32.35	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min My	677	-0.173	-0.004	0	0	0	-0.359	-64.03	21.32	-21.68	-85.34	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Mxy	593	0.047	-0.158	0	0	0	-5.218	-18.98	35.05	-40.26	-54.02	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Mxy	587	-0.052	-0.159	0	0	0	-4.381	-18.06	-34.31	-38.7	-52.37	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3220-EG-CV-CAL-1159	Mansourah Massarah Gold Project	Page: 15 of (276)
900707_GAU01_ZG01_CED01_ 32206_OU100671084_R5	CALCULATION GRINDING AND CLASSIFICATION-BALL MILL DB BOX & SCREEN SUPP. STR. FOUNDATION	Date: 08.11.2023
O19045_450_C_K_24079_003_R5	AS BUILT	Rev: D01

Material Property :

Grade of concrete =		fc'35	
Grade of reinf. =		fy420	
Clear cover =	bottom face	75	mm
	top face	50	mm
Thicknes of slab =		500	mm

Design Constants :

φ for Moment =	0.9
φ for shear =	0.75
β_1	0.8
ε_t limit (for tension controlled section) =	0.005
Concrete compressive strain, ε_{cu} =	0.003

Reinforcement Along X:


Force Values			Depth		Reinforcement Calculation												
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max Mx	52.5	top face	50	442	52.53	0.014	316.0		16	446.98	200	1005.8	14.18	17.73	0.072	tension control
Min Mxy	65.5	top face	50	440	65.49	*As	396.3	900	20	349.21	200	1571.5	22.16	27.7	0.045	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{ca}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	KN-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qx	0.201	1	100.5	17.28	0.004	0.442	487.1	445.1	758.3	445.1	1628	> 100.5	ok	333.8	φVc>Vu	not required
	Min Qx	0.197	1	98.5	31.92			454.8			445.1	1628	> 98.5	ok	333.8	φVc>Vu	not required


Reinforcement Along Y:

Force Values			Depth		Reinforcement Calculation												
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max My	159.4	top face	50	442	159.4	0.014	968.9	900	16	207.6	200	1005.8	14.18	17.73	0.072	tension control
Min My	-218.1	bottom face	75	415	218.1		1424.5		20	220.62	200	1571.5	22.16	27.7	0.042	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{cc}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	T-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qy	0.404	1	202	59.25	0.002	0.442	458.6	445.1	758.3	445.1	463	> 202	ok	333.8	φVc>Vu	not required
	Min Qy	0.188	1	94	19.55			475.2			445.1	463	> 94	ok	333.8	φVc>Vu	not required



Moment taken at the face of the column




Shear taken at a distance d from face of the column

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Design of Foundation CF1:



Sign convention :
Local Z axis of plate is perpendicular to surface & positive towards upward direction.

Moment :
Mx : BM along X direction, +ve means tension on +Z surface of plate
My : BM along Y direction, +ve means tension on +Z surface of plate
For -ve Mx & My it is vice-virsa

Shear force :
SQx : Shear at face perpendicular to X axis
SQy : Shear at face perpendicular to Y axis

Axial force :
+ve Sx means tension along local X axis of plate & -ve Sx means compression along local X axis. for Sy this is similar.

Reinforcement in Foundation:
PLATE CENTER STRESS ; G6 : FDN_3_MOMENT At the face of the column

Load condition	Plate	Shear		Membrane			Bending Moment			M + I M_{xy} I		L/C
		SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY (local) MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	
Max Qx	1621	0.792	-0.338	0	0	0	-121.6	-62.02	36.48	-158.1	-98.49	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Qx	1627	-0.785	-0.321	0	0	0	-118.4	-60.43	0	-118.4	-60.43	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Qy	1554	-0.108	0.636	0	0	0	-163.3	-101.6	-23.39	-186.7	-125	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Min Qy	1620	0.255	-0.715	0	0	0	-143.7	-121	13.47	-157.2	-134.5	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Sx	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Min Sx	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Max Sy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Min Sy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Max Sxy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Min Sxy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Max Mx	1699	0.355	0.031	0	0	0	6.069	191.6	-76.63	82.7	268.2	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Mx	1548	0.109	0.635	0	0	0	-163.3	-101.5	23.39	-186.7	-124.9	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Max My	1698	0.143	-0.165	0	0	0	-41.82	255.3	-34.16	-75.98	289.4	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min My	1543	-0.639	0.094	0	0	0	-94.33	-169	-22.42	-116.7	-191.4	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Max Mxy	1693	-0.349	0.051	0	0	0	2.744	191.7	75.09	77.84	266.7	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Mxy	1699	0.358	0.033	0	0	0	5.782	193.4	-77.82	83.6	271.2	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)

PLATE CENTER STRESS ; G7 : FDN_3_SHEAR At a distance "d" from the face of the column

Load condition	Plate	Shear		Membrane			Bending Moment			M + I M_{xy} I		L/C
		SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY(local)MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	
Max Qx	1646	0.304	-0.032	0	0	0	-67.11	-3.153	3.336	-70.45	-6.489	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Qx	1652	-0.307	-0.03	0	0	0	-65.65	-3.091	0	-65.65	-3.091	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Qy	1578	-0.059	0.269	0	0	0	-101	-25.69	-10.71	-111.8	-36.4	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Min Qy	1506	-0.052	-0.37	0	0	0	-86.65	1.669	12.46	-99.11	14.13	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Max Sx	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Min Sx	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Max Sy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Min Sy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Max Sxy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Min Sxy	1859	0.005	-0.028	0	0	0	-0.724	28.06	-2.533	-3.257	30.59	1001 1.4(DL+EQDL1+FL)
Max Mx	1644	-0.011	0.01	0	0	0	4.386	0.839	-0.447	4.833	1.286	1112 0.9(DL+EQDL1)+1.6WL(-Z)
Min Mx	1644	0.135	-0.126	0	0	0	-130.6	-7.52	0.983	-131.6	-8.503	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max My	1722	0.034	-0.029	0	0	0	-8.968	197.6	-6.46	-15.43	204	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min My	1545	-0.261	0.048	0	0	0	-21.28	-105.1	-8.726	-30.01	-113.8	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Max Mxy	1683	0.078	0.233	0	0	0	-15.11	87.01	33.35	-48.47	120.4	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQ
Min Mxy	1689	-0.072	0.23	0	0	0	-13.73	88.34	-34.33	-48.06	122.7	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQ

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Material Property :

Grade of concrete =		fc'35	
Grade of reinf. =		fy420	
Clear cover =	bottom face	75	mm
	top face	50	mm
Thicknes of slab =		600	mm

Design Constants :

φ for Moment =	0.9
φ for shear =	0.75
β_1	0.8
ε_t limit (for tension controlled section) =	0.005
Concrete compressive strain, ε_{cu} =	0.003

Reinforcement Along X:


Force Values			Depth		Reinforcement Calculation											
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max Mx	82.7	top face	50	542	82.7	0.014	405.8		16	372.49	150	1341	18.91	23.64	0.066	tension control
Min Mx	-186.7	bottom face	75	515	186.7		972.1	1080	20	291.01	150	2095.3	29.54	36.93	0.039	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{ca}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	KN-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qx	0.304	1	182.4	70.45	0.002	0.542	545	535.8	929.9	535.84	1989	> 182.4	ok	401.9	φVc>Vu	not required
	Min Qx	0.307	1	184.2	65.65			547.7			535.84	1989	> 184.2	ok	401.9	φVc>Vu	not required


Reinforcement Along Y:

Force Values			Depth		Reinforcement Calculation											
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max My	289.4	top face	50	540	289.4	0.014	1445.2	1080	20	217.47	150	2095.3	29.54	36.93	0.041	tension control
Min My	-191.4	bottom face	75	515	191.4		996.8		20	291.01	150	2095.3	29.54	36.93	0.039	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{cc}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	T-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qy	0.269	1	161.4	36.4	0.004	0.54	567.8	535.8	929.9	535.84	561	> 161.4	ok	401.9	φVc>Vu	not required
	Min Qy	0.37	1	222	14.13			707.2			535.84	561	> 222	ok	401.9	φVc>Vu	not required



Moment taken at the face of the column



Shear taken at a distance d from face of the column

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Design of Foundation CF2:




Figure 1-22: Sign convention for plate bending

Sign convention :
Local Z axis of plate is perpendicular to surface & positive towards upward direction.

Moment :
Mx : BM along X direction, +ve means tension on +Z surface of plate
My : BM along Y direction, +ve means tension on +Z surface of plate
For -ve Mx & My it is vice-virsa

Shear force :
SQx : Shear at face perpendicular to X axis
SQy : Shear at face perpendicular to Y axis

Axial force :
+ve Sx means tension along local X axis of plate & -ve Sx means compression along local X axis. for Sy this is similar.

Reinforcement in Foundation:
PLATE CENTER STRESS ; G4 : FDN_3_MOMENT At the face of the column

Load condition	Plate	Shear		Membrane			Bending Moment			M + I M_{xy} I		L/C
		SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY (local) MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	
Max Qx	1273	0.673	-0.267	0	0	0	-149	-99.59	-15.31	-164.4	-114.9	1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
Min Qx	1193	-0.462	-0.047	0	0	0	-85.86	-72.51	0	-85.86	-72.51	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
Max Qy	1171	-0.09	0.452	0	0	0	-167	-38.75	12.01	-179	-50.76	1021 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)
Min Qy	1163	-0.091	-0.456	0	0	0	-167.5	-39.21	-11.99	-179.5	-51.19	1032 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)
Max Sx	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Min Sx	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Max Sy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Min Sy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Max Sxy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Min Sxy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Max Mx	1386	0.001	0.003	0	0	0	112.4	0.722	0.388	112.8	1.11	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Mx	1179	-0.143	-0.399	0	0	0	-168.7	-38.38	13.97	-174.7	-52.35	1032 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)
Max My	1202	0.045	-0.13	0	0	0	13.3	11.52	-10.4	23.7	21.92	1109 0.9(DL+EQDL1)+1.6WL(+X)
Min My	1273	0.673	-0.267	0	0	0	-149	-99.59	-15.31	-164.4	-114.9	1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
Max Mxy	1195	-0.366	-0.192	0	0	0	-82.05	-32.59	32.92	-115	-65.52	1021 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)
Min Mxy	1203	-0.366	0.191	0	0	0	-82.15	-32.5	-33.2	-115.4	-65.71	1032 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)

PLATE CENTER STRESS ; G5 : FDN_2_SHEAR At a distance "d" from the face of the column

Load condition	Plate	Shear		Membrane			Bending Moment			M + I M_{xy} I		L/C
		SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY(local)MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	
Max Qx	1305	0.28	-0.037	0	0	0	-47.56	-43.4	-7.406	-54.97	-50.8	1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
Min Qx	1225	-0.251	-0.016	0	0	0	4.746	-27.73	0	4.746	-27.73	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Qy	1315	0.24	0.072	0	0	0	-50.3	-28.33	15.15	-65.45	-43.48	1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
Min Qy	1307	0.241	-0.072	0	0	0	-50.3	-28.4	-15	-65.3	-43.4	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Sx	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Min Sx	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Max Sy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Min Sy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Max Sxy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Min Sxy	1463	-0.036	0.001	0	0	0	22.56	-0.22	0.165	22.72	-0.385	1001 1.4(DL+EQDL1+FL)
Max Mx	1386	0.001	0.003	0	0	0	112.4	0.722	0.388	112.8	1.11	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Mx	1167	0.012	-0.071	0	0	0	-137.4	-0.847	-2.609	-140.1	-3.456	1032 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)
Max My	1232	0.04	-0.013	0	0	0	5.853	7.026	0.387	6.24	7.413	1109 0.9(DL+EQDL1)+1.6WL(+X)
Min My	1305	0.28	-0.037	0	0	0	-47.56	-43.4	-7.406	-54.97	-50.8	1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
Max Mxy	1315	0.24	0.072	0	0	0	-50.3	-28.33	15.15	-65.45	-43.48	1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQ|
Min Mxy	1307	0.24	-0.072	0	0	0	-50.04	-28.22	-15.02	-65.06	-43.24	1021 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Material Property :

Grade of concrete =		fc'35	
Grade of reinf. =		fy420	
Clear cover =	bottom face	75	mm
	top face	50	mm
Thicknes of slab =		600	mm

Design Constants :

φ for Moment =	0.9
φ for shear =	0.75
β_1	0.8
ε_t limit (for tension controlled section) =	0.005
Concrete compressive strain, ε_{cu} =	0.003

Reinforcement Along X:


Force Values			Depth		Reinforcement Calculation											
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max Mx	112.8	top face	50	540	112.8	0.014	556.6	1080	20	291.01	200	1571.5	22.16	27.7	0.055	tension control
Min Mx	-174.7	bottom face	75	517	174.7		905.1		16	186.24	100	2011.5	28.36	35.45	0.041	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{ca}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	KN-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qx	0.28	1	168	54.97	0.003	0.54	555.2	537.9	926.5	537.86	1985	> 168	ok	403.4	φVc>Vu	not required
	Min Qx	0.251	1	150.6	4.746			968.9			537.86	1985	> 150.6	ok	403.4	φVc>Vu	not required


Reinforcement Along Y:

Force Values			Depth		Reinforcement Calculation											
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max My	21.9	top face	50	544	21.92	0.014	106.7	1080	12	209.52	200	565.8	7.978	9.972	0.161	tension control
Min My	-114.9	bottom face	75	517	114.9		592.7		16	186.24	100	2011.5	28.36	35.45	0.041	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{cc}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	T-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qy	0.072	1	43.2	43.48	0.004	0.544	525.5	537.9	926.5	525.48	552	> 43.2	ok	394.1	φVc>Vu	not required
	Min Qy	0.072	1	43.2	43.4			525.5			525.51	552	> 43.2	ok	394.1	φVc>Vu	not required



Moment taken at the face of the column



Shear taken at a distance d from face of the column

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Design of Foundation F2:




Figure 1-22: Sign convention for plate bending

Sign convention :
Local Z axis of plate is perpendicular to surface & positive towards upward direction.

Moment :
Mx : BM along X direction, +ve means tension on +Z surface of plate
My : BM along Y direction, +ve means tension on +Z surface of plate
For -ve Mx & My it is vice-virsa

Shear force :
SQx : Shear at face perpendicular to X axis
SQy : Shear at face perpendicular to Y axis

Axial force :
+ve Sx means tension along local X axis of plate & -ve Sx means compression along local X axis. for Sy this is similar.

Reinforcement in Foundation:
PLATE CENTER STRESS ; G8 : F2_MOMENT At the face of the column
refer staad file : Ball Mill_DB BOX & SCREEN SUPP. STR. FOUNDATION.std

Load condition	Plate	Shear		Membrane			Bending Moment			M + I M_{xy} I		L/C
		SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY (local) MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	
Max Qx	741	1.406	-0.933	0	0	0	-155.9	-212.8	-12.81	-168.7	-225.6	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Qx	747	-1.409	-0.939	0	0	0	-156.6	-213.1	0	-156.6	-213.1	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Qy	807	-0.559	0.86	0	0	0	-85.17	-191.2	-46.29	-131.5	-237.5	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Min Qy	746	-0.398	-1.632	0	0	0	-241.6	-265	14.04	-255.6	-279.1	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
Max Sx	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Min Sx	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Max Sy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Min Sy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Max Sxy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Min Sxy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Max Mx	745	0.047	-0.138	0	0	0	0.246	-85.75	2.588	2.834	-88.33	1031 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
Min Mx	740	0.402	-1.63	0	0	0	-241.8	-264.7	-14.25	-256	-278.9	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max My	812	-0.127	0.055	0	0	0	-122.5	54.82	39.44	-161.9	94.26	1031 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
Min My	746	-0.4	-1.63	0	0	0	-238.9	-266	13.2	-252.1	-279.2	1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
Max Mxy	813	-0.248	0.212	0	0	0	-58.71	-3.381	96.53	-155.2	-99.91	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
Min Mxy	819	0.245	0.218	0	0	0	-59.44	-3.756	-96.21	-155.7	-99.97	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)

PLATE CENTER STRESS ; G9 : F2_SHEAR At a distance "d" from the face of the column

Load condition	Plate	Shear		Membrane			Bending Moment			M + I M_{xy} I		L/C
		SQX (local) Mpa	SQY(local)MPa	SX (local) MPa	SY (local) MPa	SXY(local)MPa	Mx (KN-m/m)	My (KN-m/m)	Mxy (KN-m/m)	Mx (KN-m/m)	My (KN-m/m)	
Max Qx	731	0.422	0.04	0	0	0	-23.27	-130.1	17.84	-41.11	-148	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Min Qx	737	-0.423	0.039	0	0	0	-23.53	-130.4	0	-23.53	-130.4	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Qy	842	-0.06	0.281	0	0	0	-100.8	-16.07	-11.36	-112.2	-27.43	1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
Min Qy	770	-0.161	-0.644	0	0	0	-159.3	-64.85	13.91	-173.2	-78.76	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
Max Sx	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Min Sx	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Max Sy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Min Sy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Max Sxy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Min Sxy	871	-0.009	0.008	0	0	0	-1.761	-1.699	-1.158	-2.919	-2.857	1001 1.4(DL+EQDL1+FL)
Max Mx	745	0.047	-0.138	0	0	0	0.246	-85.75	2.588	2.834	-88.33	1031 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
Min Mx	770	-0.16	-0.644	0	0	0	-159.3	-64.78	13.92	-173.3	-78.71	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max My	842	0.006	0.046	0	0	0	-66.28	16.69	-10.12	-76.4	26.81	1031 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
Min My	737	-0.423	0.039	0	0	0	-23.53	-130.4	-17.83	-41.36	-148.2	1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
Max Mxy	815	0.153	0.222	0	0	0	-30.55	-59.16	46.14	-76.69	-105.3	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
Min Mxy	821	-0.155	0.223	0	0	0	-30.79	-59.35	-46.16	-76.95	-105.5	1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Material Property :

Grade of concrete =		fc'35	
Grade of reinf. =		fy420	
Clear cover =	bottom face	75	mm
	top face	50	mm
Thicknes of slab =		600	mm

Design Constants :

φ for Moment =	0.9
φ for shear =	0.75
β_1	0.8
ε_t limit (for tension controlled section) =	0.005
Concrete compressive strain, ε_{cu} =	0.003

Reinforcement Along X:


Force Values			Depth		Reinforcement Calculation											
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max Mx	2.8	top face	50	542	2.834	0.014	13.8		16	372.49	200	1005.8	14.18	17.73	0.089	tension control
Min Mxy	-155.7	bottom face	75	515	155.7	*As	808.5	1080	20	291.01	200	1571.5	22.16	27.7	0.053	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{ca}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	KN-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qx	0.422	1	253.2	41.11	0.003	0.542	602.2	539.8	929.9	539.76	1992	> 253.2	ok	404.8	φVc>Vu	not required
	Min Qx	0.423	1	253.8	23.53			669.2			539.76	1992	> 253.8	ok	404.8	φVc>Vu	not required


Reinforcement Along Y:

Force Values			Depth		Reinforcement Calculation											
Load condition	Factored Mt, Mx	Tension face due to bending	clear cover	d	M_u	$a=f_y/0.85f_c' bA_s$	A_s required	$A_{s,min}$	Dia of bar	$S_{required}$	$S_{provided}$	$A_{s,provided}$	a	$c = a/\beta_1$	$\varepsilon_t = \varepsilon_{cu}/c *(d-c)$	Remarks
	KN-m/m		mm	mm	KN-m/m	mm	mm^2	mm^2	mm	mm c/c	mm c/c	mm^2	mm	mm		
Max My	94.3	top face	50	542	94.26	0.014	462.9	1080	16	372.49	200	1005.8	14.18	17.73	0.089	tension control
Min My	-279.2	bottom face	75	515	279.2		1463.7		20	214.71	200	1571.5	22.16	27.7	0.053	tension control

Shear Check		Qx	FOS	Vu	Mu	$\rho_{w,pro}$	bd	V_{ca}	V_{cb}	V_{cc}	$V_{c,design}$	$\varphi(V_c+0.66\sqrt{f_c'}bd)\geq V_u$		Remarks	φV_c	Remarks	Remarks :Min shear reinf
		Mpa		KN	T-m/m		m^2	KN	KN	KN	KN	KN			KN		
Load condition	Max Qy	0.281	1	168.6	27.43	0.002	0.542	602	539.8	929.9	539.76	564	> 168.6	ok	404.8	φVc>Vu	not required
	Min Qy	0.644	1	386.4	78.76			584.1			539.76	564	> 386.4	ok	404.8	φVc>Vu	not required



Moment taken at the face of the column



Shear taken at a distance d from face of the column

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.


ATTACHMENT 1 INPUT (DB BOX & SCREEN SUPP. STR. PLAN & ELEVATION)

PROPRIETARY & CONFIDENTIAL


The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.


DRAWING NUMBER
MD - 216 - 3220 - EG - ST - GAD - 2145
REV D01




PLAN AT RL. 913.700 (U/S OF BASE PLATE)
(SCALE 1:75)




FLOOR PLAN AT RL. 920.690(T.O.S)
(ALL FLOOR BRCG. ARE L65x65x6 & 100MM. BELOW T.O.S.)
(SCALE 1:75)




FLOOR PLAN AT RL. 923.740(T.O.S)
(ALL FLOOR BRCG. ARE L65x65x6 & 100MM. BELOW T.O.S.)
(SCALE 1:75)





ELEVATION OF STAIRCASE BETWEEN GRID G & G'
(SCALE 1:50)




KEY PLAN
SCALE 1:500


SCHEDULE OF MEMBERS

MEMBER MKD.	MEMBER	SECTION	FACTORED AXIAL FORCE(T)	FACTORED BENDING MOMENT(T-m)	FACTORED SHEAR FORCE(T)	REMARKS
b	L 65x65x6		6			MATERIAL GRADE : S275 JR
sc	L 75x75x8		12.5			
se	L 90x90x10		16			
sf	L 100x100x8		21.5			
sh	L 130x130x10		23.5			
sf1	L 100x100x8		5			
B1	UPN150	[	1.5		1.0	
B2	UPN140	[	1.5		1.5	
B3	UPN200	[	0.5	1.0	1.0	
B4	UPN240	[	1.5		1.5	
B5	IPE200	I	7		5.5	
B6	IPE240	I	19.5		6.5	
B7	IPE300	I	9.5		10.5	
B9	IPE400	I	6.5		12	
B11	IPE550	I	3.5	21	17	
B12	IPE600	I	3.5		13.5	
PB1	1- WEB PL.550x12 2- FLG. PL.300x25	①②	3.5		29.5	
PB2	1- WEB PL.850x16 2- FLG. PL.500x50	①②	3		82	
PB3	1- WEB PL.750x12 2- FLG. PL.350x25	①②	7		27	
PB4	1- WEB PL.218x10 2- FLG. PL.225x16	①②				
PB5	1- WEB PL.268x10 2- FLG. PL.300x16	①②				
PB6	1- WEB PL.750x12 2- FLG. PL.200x25	①②				


ALL GUSSET PLATE ARE 8 MILLIMETER THK (UNO)
FOR DEVELOPING CONNECTIONS MEMBER END FORCES MENTIONED IN SCHEDULE OF MEMBERS SHALL BE FOLLOWED.
MINIMUM 6 MILLIMETER FILLET WELD OF 150 MILLIMETER LENGTH SHALL BE PROVIDED.




DETAIL OF BASE PLATE MKD. BP1
(FOR COLUMN MKD. 3220/G-3220/8', 3220/F-3220/10', 3220/F-3220/8', 3220/G-3220/10' , 3220/J-3220/8' & 3220/J-3220/10')
(SCALE 1:20)
(FOR EXACT ORIENTATION OF COLUMN REFER PLAN AT RL. 913.700)




SECTION 1-1
(SCALE 1:20)




SECTION 2-2
(SCALE 1:20)




SECTION 3-3
(SCALE 1:20)




SECTION 4-4
(SCALE 1:20)




DETAIL OF BASE PLATE MKD. BP2
(FOR COLUMN MKD. 3220/G-3220/9', 3220/H-3220/10', 3220/H-3220/8', 3220/F-3220/9' & 3220/J-3220/9')
(SCALE 1:20)
(FOR EXACT ORIENTATION OF COLUMN REFER PLAN AT RL. 913.700)




SECTION 5-5
(SCALE 1:20)




SECTION 6-6
(SCALE 1:20)




SECTION 7-7
(SCALE 1:20)




SECTION 15-15
(SCALE 1:40)




SECTION 19-19
(SCALE 1:50)




SECTION 21-21
(SCALE 1:50)



SECTION 22-22
(SCALE 1:20)




TYP. SECTION 20-20
(SCALE 1:20)




SECTION 17A-17A
(SCALE 1:20)

PLAN 16-16
(SCALE 1:40)




FLOOR PLAN AT RL. 923.050(T.O.S)
(FLOOR BRCG. ARE L100x100x8 & 75MM. BELOW T.O.S.)
(SCALE 1:50)




SECTION 13-13
(SCALE 1:50)


SECTION 14-14
(SCALE 1:50)




DETAIL `A1'
(SCALE 1:20)



VIEW V1-V1
(SCALE 1:20)



DETAIL `A2'
(SCALE 1:20)




DETAIL `A3'
(SCALE 1:20)

VIEW V2-V2
(SCALE 1:20)


DETAIL `A4'
(SCALE 1:20)

VIEW V3-V3
(SCALE 1:20)




DETAIL `A5'
(SCALE 1:20)

VIEW V4-V4
(SCALE 1:20)




DETAIL `A6'
(SCALE 1:20)

VIEW V5-V5
(SCALE 1:20)




DETAIL `A7'
(SCALE 1:20)


VIEW V6-V6
(SCALE 1:20)




VIEW V7-V7
(SCALE 1:20)



VIEW V7A-V7A
(SCALE 1:20)



SECTION 18-18
(SCALE 1:50)



VIEW V7B-V7B
(SCALE 1:20)

NOTES:

1. ALL DIMENSIONS & CO-ORDINATE IN MILLIMETER AND LEVELS ARE IN METERS UNO.
2. GRADE OF STRUCTURAL STEEL SHALL BE S275 JR AS PER EN 10025 UNO.
3. STRUCTURAL BOLT MATERIAL SHALL BE AS PER ASTM A325M
4. HANDRAIL PIPE/POST MATERIAL SHALL BE AS PER ASTM A53 GR.B
5. MAXIMUM SIZE OF WELD SHALL BE LESSER THICKNESS OF THE JOINED MEMBERS UNO.
6. ALL FLOOR GRATING SHALL BE MINIMUM WEBFORCE A255 AND STAIRCASE GRATING CONFORMS TO WEBFORGE T6/A255 MPG
7. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE DRAWING NO. MD-216-3220-EG-ST-GAD-2146
8. PAINTING ON STRUCTURES WILL BE AS PER DESIGN BASIC REPORT(DBR)
9. ⟷ DIRECTION OF SPAN OF GRADING

SCHEDULE OF COLUMN

COLUMN MKD.	COLUMN SECTION	
3220/J-3220/8' 3220/J-3220/10'	RL 913.700 TO RL. 923.740	
	H HEA260	
3220/H-3220/8' 3220/H-3220/10'	RL 913.700 TO RL. 923.740	ABOVE RL. 923.740
	H HEA300	H HEA260
3220/G-3220/8' 3220/G-3220/10'	RL 913.700 TO RL. 927.650	
	H HEA260	
3220/F-3220/9' 3220/J-3220/9'	RL 913.700 TO RL. 923.740	
	H HEA300	
3220/G-3220/9'	RL 913.700 TO RL. 923.740	ABOVE RL. 923.740
	H HEA300	H HEA260
3220/F-3220/8' 3220/F-3220/10'	RL 913.700 TO RL. 923.740	
	H HEA260	

LEGENDS

T.O.S. - TOP OF STEEL
MC - MOMENT CONNECTION
U/S - UNDER SIDE
TYP. - TYPICAL
THK. - THICKNESS
PL. - PLATE
BRCG. - BRACING
DIA - DIAMETER
MKD. - MARKED
DRG. - DRAWING
COL. - COLUMN
STIFF. - STIFFENER
B.P. - BASE PLATE
W.P. - WORK POINT
STR. - STRUCTURE
MC. - MOMENT CONNECTION
SUPP. - SUPPORTING
RL. - REDUCED LEVEL

DOCUMENT NUMBER	REFERENCE DOCUMENTS
MD-216-1000-EG-CV-DED-1003	DETAIL DRAWING ANCHOR BOLTS STANDARD DETAILS
MD-216-3220-EG-ME-GAD-1075	BALL MILL SECTION F-F
MD-216-3220-EG-ME-GAD-1074	BALL MILL SECTION E-E
MD-216-3220-EG-ME-GAD-1073	BALL MILL SECTION D-D
MD-216-3220-EG-ME-GAD-1072	BALL MILL SECTION C-C
MD-216-3220-EG-ME-GAD-1071	BALL MILL SECTION B-B
MD-216-3220-EG-ME-GAD-1070	BALL MILL SECTION A-A
MD-216-3220-EG-ME-GAD-1068	BALL MILL PLAN AT EL +924.580
MD-216-3220-EG-ME-GAD-1067	BALL MILL PLAN AT EL +922.180
MD-216-1000-EG-ST-CRT-1001	CIVIL, STRUCTURAL & ARCHITECTURAL DESIGN CRITERIA

REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
D01	08/11/2023	AS BUILT	JVM	PRI	BAB	AG	
C03	18/08/2020	ISSUED FOR CONSTRUCTION AND REVISED AS MARKED	JVM	PRI	BAB	AG	
C02	30/06/2020	ISSUED FOR APPROVAL AND REVISED AS MARKED	JVM	PRI	BAB	AG	
C01	13/04/2020	ISSUED FOR CONSTRUCTION	JVM	PRI	BAB	AG	
A01	28/02/2020	ISSUED FOR REFERENCE	BAB	PRI	BAB	AG	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oy. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة معادن العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

LARSEN & TOUBRO DRAWING NUMBER			REVISION 4
	019045_100_S_G_26025_009		
OUTOTEC DRAWING NUMBER		DOCUMENT ID	REVISION 4
	900707 _ GAU01 _ ZG01 _ MTL01 _ 32217	OU100664457	
DRAWN	BAB	25/02/2020	MANSOURAH - MASSARAH GOLD PROJECT
CHECKED	PRI	27/02/2020	GENERAL ARRANGEMENT DRAWING
ENGINEER	BAB	26/02/2020	GRINDING AND CLASSIFICATION
APPROVED	AG	28/02/2020	DB BOX & SCREEN SUPP. STR. PLAN & ELEVATION
EMPLOYER			
SCALE	1:100	A0	DRAWING NUMBER: MD - 216 - 3220 - EG - ST - GAD - 2145 REV: D01

ATTACHMENT 2 STAAD INPUT

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

```
STAAD SPACE
START JOB INFORMATION
ENGINEER DATE 27-AUG-20
JOB NAME MANSOURAH-MASSARAH GOLD PROJECT
JOB CLIENT MA'ADEN-Saudi Arabian Mining Company
ENGINEER NAME STY
CHECKER NAME BDA
APPROVED NAME AG
END JOB INFORMATION
UNIT METER KN
JOINT COORDINATES
1 462.205 913.7 -419.37; 2 468.745 913.7 -419.37;
3 476.42 913.7 -419.37; 4 462.205 913.7 -415.27;
5 468.745 913.7 -415.27; 6 476.42 913.7 -415.27;
7 462.205 913.7 -408.987; 8 476.42 913.7 -408.987;
9 462.205 913.7 -403.705; 10 468.745 913.7 -403.705;
11 476.42 913.7 -403.705; 318 462.205 910.7 -415.27;
319 468.745 910.7 -415.27; 320 476.42 910.7 -415.27;
321 462.205 910.7 -408.987; 322 476.42 910.7 -408.987;
323 462.205 910.7 -403.705; 324 468.745 910.7 -403.705;
325 476.42 910.7 -403.705; 326 462.555 910.7 -415.27;
327 462.205 910.7 -414.92; 328 462.555 910.7 -414.92;
329 462.705 910.7 -415.27; 330 462.705 910.7 -414.92;
331 462.955 910.7 -415.27; 332 462.955 910.7 -414.92;
333 463.205 910.7 -415.27; 334 463.205 910.7 -414.92;
335 463.455 910.7 -415.27; 336 463.455 910.7 -414.92;
337 463.705 910.7 -415.27; 338 463.705 910.7 -414.92;
339 461.855 910.7 -415.27; 340 461.855 910.7 -414.92;
341 461.705 910.7 -415.27; 342 461.705 910.7 -414.92;
343 461.455 910.7 -415.27; 344 461.455 910.7 -414.92;
345 461.205 910.7 -415.27; 346 461.205 910.7 -414.92;
347 460.955 910.7 -415.27; 348 460.955 910.7 -414.92;
349 460.705 910.7 -415.27; 350 460.705 910.7 -414.92;
351 462.205 910.7 -414.77; 352 462.555 910.7 -414.77;
353 462.705 910.7 -414.77; 354 462.955 910.7 -414.77;
355 463.205 910.7 -414.77; 356 463.455 910.7 -414.77;
357 463.705 910.7 -414.77; 358 461.855 910.7 -414.77;
359 461.705 910.7 -414.77; 360 461.455 910.7 -414.77;
361 461.205 910.7 -414.77; 362 460.955 910.7 -414.77;
363 460.705 910.7 -414.77; 364 462.205 910.7 -414.52;
365 462.555 910.7 -414.52; 366 462.705 910.7 -414.52;
367 462.955 910.7 -414.52; 368 463.205 910.7 -414.52;
369 463.455 910.7 -414.52; 370 463.705 910.7 -414.52;
371 461.855 910.7 -414.52; 372 461.705 910.7 -414.52;
373 461.455 910.7 -414.52; 374 461.205 910.7 -414.52;
375 460.955 910.7 -414.52; 376 460.705 910.7 -414.52;
377 462.205 910.7 -414.27; 378 462.555 910.7 -414.27;
379 462.705 910.7 -414.27; 380 462.955 910.7 -414.27;
381 463.205 910.7 -414.27; 382 463.455 910.7 -414.27;
383 463.705 910.7 -414.27; 384 461.855 910.7 -414.27;
```

385 461.705 910.7 -414.27; 386 461.455 910.7 -414.27;
387 461.205 910.7 -414.27; 388 460.955 910.7 -414.27;
389 460.705 910.7 -414.27; 390 462.205 910.7 -414.02;
391 462.555 910.7 -414.02; 392 462.705 910.7 -414.02;
393 462.955 910.7 -414.02; 394 463.205 910.7 -414.02;
395 463.455 910.7 -414.02; 396 463.705 910.7 -414.02;
397 461.855 910.7 -414.02; 398 461.705 910.7 -414.02;
399 461.455 910.7 -414.02; 400 461.205 910.7 -414.02;
401 460.955 910.7 -414.02; 402 460.705 910.7 -414.02;
403 462.205 910.7 -413.77; 404 462.555 910.7 -413.77;
405 462.705 910.7 -413.77; 406 462.955 910.7 -413.77;
407 463.205 910.7 -413.77; 408 463.455 910.7 -413.77;
409 463.705 910.7 -413.77; 410 461.855 910.7 -413.77;
411 461.705 910.7 -413.77; 412 461.455 910.7 -413.77;
413 461.205 910.7 -413.77; 414 460.955 910.7 -413.77;
415 460.705 910.7 -413.77; 416 462.205 910.7 -415.62;
417 462.555 910.7 -415.62; 418 462.705 910.7 -415.62;
419 462.955 910.7 -415.62; 420 463.205 910.7 -415.62;
421 463.455 910.7 -415.62; 422 463.705 910.7 -415.62;
423 461.855 910.7 -415.62; 424 461.705 910.7 -415.62;
425 461.455 910.7 -415.62; 426 461.205 910.7 -415.62;
427 460.955 910.7 -415.62; 428 460.705 910.7 -415.62;
429 462.205 910.7 -415.77; 430 462.555 910.7 -415.77;
431 462.705 910.7 -415.77; 432 462.955 910.7 -415.77;
433 463.205 910.7 -415.77; 434 463.455 910.7 -415.77;
435 463.705 910.7 -415.77; 436 461.855 910.7 -415.77;
437 461.705 910.7 -415.77; 438 461.455 910.7 -415.77;
439 461.205 910.7 -415.77; 440 460.955 910.7 -415.77;
441 460.705 910.7 -415.77; 442 462.205 910.7 -416.02;
443 462.555 910.7 -416.02; 444 462.705 910.7 -416.02;
445 462.955 910.7 -416.02; 446 463.205 910.7 -416.02;
447 463.455 910.7 -416.02; 448 463.705 910.7 -416.02;
449 461.855 910.7 -416.02; 450 461.705 910.7 -416.02;
451 461.455 910.7 -416.02; 452 461.205 910.7 -416.02;
453 460.955 910.7 -416.02; 454 460.705 910.7 -416.02;
455 462.205 910.7 -416.27; 456 462.555 910.7 -416.27;
457 462.705 910.7 -416.27; 458 462.955 910.7 -416.27;
459 463.205 910.7 -416.27; 460 463.455 910.7 -416.27;
461 463.705 910.7 -416.27; 462 461.855 910.7 -416.27;
463 461.705 910.7 -416.27; 464 461.455 910.7 -416.27;
465 461.205 910.7 -416.27; 466 460.955 910.7 -416.27;
467 460.705 910.7 -416.27; 468 462.205 910.7 -416.52;
469 462.555 910.7 -416.52; 470 462.705 910.7 -416.52;
471 462.955 910.7 -416.52; 472 463.205 910.7 -416.52;
473 463.455 910.7 -416.52; 474 463.705 910.7 -416.52;
475 461.855 910.7 -416.52; 476 461.705 910.7 -416.52;
477 461.455 910.7 -416.52; 478 461.205 910.7 -416.52;
479 460.955 910.7 -416.52; 480 460.705 910.7 -416.52;
481 462.205 910.7 -416.77; 482 462.555 910.7 -416.77;
483 462.705 910.7 -416.77; 484 462.955 910.7 -416.77;

```
485 463.205 910.7 -416.77; 486 463.455 910.7 -416.77;
487 463.705 910.7 -416.77; 488 461.855 910.7 -416.77;
489 461.705 910.7 -416.77; 490 461.455 910.7 -416.77;
491 461.205 910.7 -416.77; 492 460.955 910.7 -416.77;
493 460.705 910.7 -416.77; 494 462.205 910.7 -408.637;
495 462.555 910.7 -408.637; 496 462.555 910.7 -408.987;
497 462.705 910.7 -408.637; 498 462.705 910.7 -408.987;
499 462.955 910.7 -408.637; 500 462.955 910.7 -408.987;
501 463.205 910.7 -408.637; 502 463.205 910.7 -408.987;
503 463.455 910.7 -408.637; 504 463.455 910.7 -408.987;
505 463.705 910.7 -408.637; 506 463.705 910.7 -408.987;
507 461.855 910.7 -408.637; 508 461.855 910.7 -408.987;
509 461.705 910.7 -408.637; 510 461.705 910.7 -408.987;
511 461.455 910.7 -408.637; 512 461.455 910.7 -408.987;
513 461.205 910.7 -408.637; 514 461.205 910.7 -408.987;
515 460.955 910.7 -408.637; 516 460.955 910.7 -408.987;
517 460.705 910.7 -408.637; 518 460.705 910.7 -408.987;
519 462.205 910.7 -408.487; 520 462.555 910.7 -408.487;
521 462.705 910.7 -408.487; 522 462.955 910.7 -408.487;
523 463.205 910.7 -408.487; 524 463.455 910.7 -408.487;
525 463.705 910.7 -408.487; 526 461.855 910.7 -408.487;
527 461.705 910.7 -408.487; 528 461.455 910.7 -408.487;
529 461.205 910.7 -408.487; 530 460.955 910.7 -408.487;
531 460.705 910.7 -408.487; 532 462.205 910.7 -408.237;
533 462.555 910.7 -408.237; 534 462.705 910.7 -408.237;
535 462.955 910.7 -408.237; 536 463.205 910.7 -408.237;
537 463.455 910.7 -408.237; 538 463.705 910.7 -408.237;
539 461.855 910.7 -408.237; 540 461.705 910.7 -408.237;
541 461.455 910.7 -408.237; 542 461.205 910.7 -408.237;
543 460.955 910.7 -408.237; 544 460.705 910.7 -408.237;
545 462.205 910.7 -407.987; 546 462.555 910.7 -407.987;
547 462.705 910.7 -407.987; 548 462.955 910.7 -407.987;
549 463.205 910.7 -407.987; 550 463.455 910.7 -407.987;
551 463.705 910.7 -407.987; 552 461.855 910.7 -407.987;
553 461.705 910.7 -407.987; 554 461.455 910.7 -407.987;
555 461.205 910.7 -407.987; 556 460.955 910.7 -407.987;
557 460.705 910.7 -407.987; 558 462.205 910.7 -407.737;
559 462.555 910.7 -407.737; 560 462.705 910.7 -407.737;
561 462.955 910.7 -407.737; 562 463.205 910.7 -407.737;
563 463.455 910.7 -407.737; 564 463.705 910.7 -407.737;
565 461.855 910.7 -407.737; 566 461.705 910.7 -407.737;
567 461.455 910.7 -407.737; 568 461.205 910.7 -407.737;
569 460.955 910.7 -407.737; 570 460.705 910.7 -407.737;
571 462.205 910.7 -407.487; 572 462.555 910.7 -407.487;
573 462.705 910.7 -407.487; 574 462.955 910.7 -407.487;
575 463.205 910.7 -407.487; 576 463.455 910.7 -407.487;
577 463.705 910.7 -407.487; 578 461.855 910.7 -407.487;
579 461.705 910.7 -407.487; 580 461.455 910.7 -407.487;
581 461.205 910.7 -407.487; 582 460.955 910.7 -407.487;
583 460.705 910.7 -407.487; 584 462.555 910.7 -409.337;
```

585 462.205 910.7 -409.337; 586 462.705 910.7 -409.337;
587 462.955 910.7 -409.337; 588 463.205 910.7 -409.337;
589 463.455 910.7 -409.337; 590 463.705 910.7 -409.337;
591 461.855 910.7 -409.337; 592 461.705 910.7 -409.337;
593 461.455 910.7 -409.337; 594 461.205 910.7 -409.337;
595 460.955 910.7 -409.337; 596 460.705 910.7 -409.337;
597 462.555 910.7 -409.487; 598 462.205 910.7 -409.487;
599 462.705 910.7 -409.487; 600 462.955 910.7 -409.487;
601 463.205 910.7 -409.487; 602 463.455 910.7 -409.487;
603 463.705 910.7 -409.487; 604 461.855 910.7 -409.487;
605 461.705 910.7 -409.487; 606 461.455 910.7 -409.487;
607 461.205 910.7 -409.487; 608 460.955 910.7 -409.487;
609 460.705 910.7 -409.487; 610 462.555 910.7 -409.737;
611 462.205 910.7 -409.737; 612 462.705 910.7 -409.737;
613 462.955 910.7 -409.737; 614 463.205 910.7 -409.737;
615 463.455 910.7 -409.737; 616 463.705 910.7 -409.737;
617 461.855 910.7 -409.737; 618 461.705 910.7 -409.737;
619 461.455 910.7 -409.737; 620 461.205 910.7 -409.737;
621 460.955 910.7 -409.737; 622 460.705 910.7 -409.737;
623 462.555 910.7 -409.987; 624 462.205 910.7 -409.987;
625 462.705 910.7 -409.987; 626 462.955 910.7 -409.987;
627 463.205 910.7 -409.987; 628 463.455 910.7 -409.987;
629 463.705 910.7 -409.987; 630 461.855 910.7 -409.987;
631 461.705 910.7 -409.987; 632 461.455 910.7 -409.987;
633 461.205 910.7 -409.987; 634 460.955 910.7 -409.987;
635 460.705 910.7 -409.987; 636 462.555 910.7 -410.237;
637 462.205 910.7 -410.237; 638 462.705 910.7 -410.237;
639 462.955 910.7 -410.237; 640 463.205 910.7 -410.237;
641 463.455 910.7 -410.237; 642 463.705 910.7 -410.237;
643 461.855 910.7 -410.237; 644 461.705 910.7 -410.237;
645 461.455 910.7 -410.237; 646 461.205 910.7 -410.237;
647 460.955 910.7 -410.237; 648 460.705 910.7 -410.237;
649 462.555 910.7 -410.487; 650 462.205 910.7 -410.487;
651 462.705 910.7 -410.487; 652 462.955 910.7 -410.487;
653 463.205 910.7 -410.487; 654 463.455 910.7 -410.487;
655 463.705 910.7 -410.487; 656 461.855 910.7 -410.487;
657 461.705 910.7 -410.487; 658 461.455 910.7 -410.487;
659 461.205 910.7 -410.487; 660 460.955 910.7 -410.487;
661 460.705 910.7 -410.487; 662 468.745 910.7 -414.92;
663 469.095 910.7 -414.92; 664 469.095 910.7 -415.27;
665 469.245 910.7 -414.92; 666 469.245 910.7 -415.27;
667 469.495 910.7 -414.92; 668 469.495 910.7 -415.27;
669 469.745 910.7 -414.92; 670 469.745 910.7 -415.27;
671 469.995 910.7 -414.92; 672 469.995 910.7 -415.27;
673 470.245 910.7 -414.92; 674 470.245 910.7 -415.27;
675 468.395 910.7 -414.92; 676 468.395 910.7 -415.27;
677 468.245 910.7 -414.92; 678 468.245 910.7 -415.27;
679 467.995 910.7 -414.92; 680 467.995 910.7 -415.27;
681 467.745 910.7 -414.92; 682 467.745 910.7 -415.27;
683 467.495 910.7 -414.92; 684 467.495 910.7 -415.27;

685 467.245 910.7 -414.92; 686 467.245 910.7 -415.27;
687 468.745 910.7 -414.77; 688 469.095 910.7 -414.77;
689 469.245 910.7 -414.77; 690 469.495 910.7 -414.77;
691 469.745 910.7 -414.77; 692 469.995 910.7 -414.77;
693 470.245 910.7 -414.77; 694 468.395 910.7 -414.77;
695 468.245 910.7 -414.77; 696 467.995 910.7 -414.77;
697 467.745 910.7 -414.77; 698 467.495 910.7 -414.77;
699 467.245 910.7 -414.77; 700 468.745 910.7 -414.52;
701 469.095 910.7 -414.52; 702 469.245 910.7 -414.52;
703 469.495 910.7 -414.52; 704 469.745 910.7 -414.52;
705 469.995 910.7 -414.52; 706 470.245 910.7 -414.52;
707 468.395 910.7 -414.52; 708 468.245 910.7 -414.52;
709 467.995 910.7 -414.52; 710 467.745 910.7 -414.52;
711 467.495 910.7 -414.52; 712 467.245 910.7 -414.52;
713 468.745 910.7 -414.27; 714 469.095 910.7 -414.27;
715 469.245 910.7 -414.27; 716 469.495 910.7 -414.27;
717 469.745 910.7 -414.27; 718 469.995 910.7 -414.27;
719 470.245 910.7 -414.27; 720 468.395 910.7 -414.27;
721 468.245 910.7 -414.27; 722 467.995 910.7 -414.27;
723 467.745 910.7 -414.27; 724 467.495 910.7 -414.27;
725 467.245 910.7 -414.27; 726 468.745 910.7 -414.02;
727 469.095 910.7 -414.02; 728 469.245 910.7 -414.02;
729 469.495 910.7 -414.02; 730 469.745 910.7 -414.02;
731 469.995 910.7 -414.02; 732 470.245 910.7 -414.02;
733 468.395 910.7 -414.02; 734 468.245 910.7 -414.02;
735 467.995 910.7 -414.02; 736 467.745 910.7 -414.02;
737 467.495 910.7 -414.02; 738 467.245 910.7 -414.02;
739 468.745 910.7 -413.77; 740 469.095 910.7 -413.77;
741 469.245 910.7 -413.77; 742 469.495 910.7 -413.77;
743 469.745 910.7 -413.77; 744 469.995 910.7 -413.77;
745 470.245 910.7 -413.77; 746 468.395 910.7 -413.77;
747 468.245 910.7 -413.77; 748 467.995 910.7 -413.77;
749 467.745 910.7 -413.77; 750 467.495 910.7 -413.77;
751 467.245 910.7 -413.77; 752 469.095 910.7 -415.62;
753 468.745 910.7 -415.62; 754 469.245 910.7 -415.62;
755 469.495 910.7 -415.62; 756 469.745 910.7 -415.62;
757 469.995 910.7 -415.62; 758 470.245 910.7 -415.62;
759 468.395 910.7 -415.62; 760 468.245 910.7 -415.62;
761 467.995 910.7 -415.62; 762 467.745 910.7 -415.62;
763 467.495 910.7 -415.62; 764 467.245 910.7 -415.62;
765 469.095 910.7 -415.77; 766 468.745 910.7 -415.77;
767 469.245 910.7 -415.77; 768 469.495 910.7 -415.77;
769 469.745 910.7 -415.77; 770 469.995 910.7 -415.77;
771 470.245 910.7 -415.77; 772 468.395 910.7 -415.77;
773 468.245 910.7 -415.77; 774 467.995 910.7 -415.77;
775 467.745 910.7 -415.77; 776 467.495 910.7 -415.77;
777 467.245 910.7 -415.77; 778 469.095 910.7 -416.02;
779 468.745 910.7 -416.02; 780 469.245 910.7 -416.02;
781 469.495 910.7 -416.02; 782 469.745 910.7 -416.02;
783 469.995 910.7 -416.02; 784 470.245 910.7 -416.02;

```
785 468.395 910.7 -416.02; 786 468.245 910.7 -416.02;
787 467.995 910.7 -416.02; 788 467.745 910.7 -416.02;
789 467.495 910.7 -416.02; 790 467.245 910.7 -416.02;
791 469.095 910.7 -416.27; 792 468.745 910.7 -416.27;
793 469.245 910.7 -416.27; 794 469.495 910.7 -416.27;
795 469.745 910.7 -416.27; 796 469.995 910.7 -416.27;
797 470.245 910.7 -416.27; 798 468.395 910.7 -416.27;
799 468.245 910.7 -416.27; 800 467.995 910.7 -416.27;
801 467.745 910.7 -416.27; 802 467.495 910.7 -416.27;
803 467.245 910.7 -416.27; 804 469.095 910.7 -416.52;
805 468.745 910.7 -416.52; 806 469.245 910.7 -416.52;
807 469.495 910.7 -416.52; 808 469.745 910.7 -416.52;
809 469.995 910.7 -416.52; 810 470.245 910.7 -416.52;
811 468.395 910.7 -416.52; 812 468.245 910.7 -416.52;
813 467.995 910.7 -416.52; 814 467.745 910.7 -416.52;
815 467.495 910.7 -416.52; 816 467.245 910.7 -416.52;
817 469.095 910.7 -416.77; 818 468.745 910.7 -416.77;
819 469.245 910.7 -416.77; 820 469.495 910.7 -416.77;
821 469.745 910.7 -416.77; 822 469.995 910.7 -416.77;
823 470.245 910.7 -416.77; 824 468.395 910.7 -416.77;
825 468.245 910.7 -416.77; 826 467.995 910.7 -416.77;
827 467.745 910.7 -416.77; 828 467.495 910.7 -416.77;
829 467.245 910.7 -416.77; 830 476.42 910.7 -414.92;
831 476.77 910.7 -414.92; 832 476.77 910.7 -415.27;
833 476.92 910.7 -414.92; 834 476.92 910.7 -415.27;
835 477.17 910.7 -414.92; 836 477.17 910.7 -415.27;
837 477.42 910.7 -414.92; 838 477.42 910.7 -415.27;
839 477.67 910.7 -414.92; 840 477.67 910.7 -415.27;
841 477.92 910.7 -414.92; 842 477.92 910.7 -415.27;
843 476.07 910.7 -414.92; 844 476.07 910.7 -415.27;
845 475.92 910.7 -414.92; 846 475.92 910.7 -415.27;
847 475.67 910.7 -414.92; 848 475.67 910.7 -415.27;
849 475.42 910.7 -414.92; 850 475.42 910.7 -415.27;
851 475.17 910.7 -414.92; 852 475.17 910.7 -415.27;
853 474.92 910.7 -414.92; 854 474.92 910.7 -415.27;
855 476.42 910.7 -414.77; 856 476.77 910.7 -414.77;
857 476.92 910.7 -414.77; 858 477.17 910.7 -414.77;
859 477.42 910.7 -414.77; 860 477.67 910.7 -414.77;
861 477.92 910.7 -414.77; 862 476.07 910.7 -414.77;
863 475.92 910.7 -414.77; 864 475.67 910.7 -414.77;
865 475.42 910.7 -414.77; 866 475.17 910.7 -414.77;
867 474.92 910.7 -414.77; 868 476.42 910.7 -414.52;
869 476.77 910.7 -414.52; 870 476.92 910.7 -414.52;
871 477.17 910.7 -414.52; 872 477.42 910.7 -414.52;
873 477.67 910.7 -414.52; 874 477.92 910.7 -414.52;
875 476.07 910.7 -414.52; 876 475.92 910.7 -414.52;
877 475.67 910.7 -414.52; 878 475.42 910.7 -414.52;
879 475.17 910.7 -414.52; 880 474.92 910.7 -414.52;
881 476.42 910.7 -414.27; 882 476.77 910.7 -414.27;
883 476.92 910.7 -414.27; 884 477.17 910.7 -414.27;
```

885 477.42 910.7 -414.27; 886 477.67 910.7 -414.27;
887 477.92 910.7 -414.27; 888 476.07 910.7 -414.27;
889 475.92 910.7 -414.27; 890 475.67 910.7 -414.27;
891 475.42 910.7 -414.27; 892 475.17 910.7 -414.27;
893 474.92 910.7 -414.27; 894 476.42 910.7 -414.02;
895 476.77 910.7 -414.02; 896 476.92 910.7 -414.02;
897 477.17 910.7 -414.02; 898 477.42 910.7 -414.02;
899 477.67 910.7 -414.02; 900 477.92 910.7 -414.02;
901 476.07 910.7 -414.02; 902 475.92 910.7 -414.02;
903 475.67 910.7 -414.02; 904 475.42 910.7 -414.02;
905 475.17 910.7 -414.02; 906 474.92 910.7 -414.02;
907 476.42 910.7 -413.77; 908 476.77 910.7 -413.77;
909 476.92 910.7 -413.77; 910 477.17 910.7 -413.77;
911 477.42 910.7 -413.77; 912 477.67 910.7 -413.77;
913 477.92 910.7 -413.77; 914 476.07 910.7 -413.77;
915 475.92 910.7 -413.77; 916 475.67 910.7 -413.77;
917 475.42 910.7 -413.77; 918 475.17 910.7 -413.77;
919 474.92 910.7 -413.77; 920 476.77 910.7 -415.62;
921 476.42 910.7 -415.62; 922 476.92 910.7 -415.62;
923 477.17 910.7 -415.62; 924 477.42 910.7 -415.62;
925 477.67 910.7 -415.62; 926 477.92 910.7 -415.62;
927 476.07 910.7 -415.62; 928 475.92 910.7 -415.62;
929 475.67 910.7 -415.62; 930 475.42 910.7 -415.62;
931 475.17 910.7 -415.62; 932 474.92 910.7 -415.62;
933 476.77 910.7 -415.77; 934 476.42 910.7 -415.77;
935 476.92 910.7 -415.77; 936 477.17 910.7 -415.77;
937 477.42 910.7 -415.77; 938 477.67 910.7 -415.77;
939 477.92 910.7 -415.77; 940 476.07 910.7 -415.77;
941 475.92 910.7 -415.77; 942 475.67 910.7 -415.77;
943 475.42 910.7 -415.77; 944 475.17 910.7 -415.77;
945 474.92 910.7 -415.77; 946 476.77 910.7 -416.02;
947 476.42 910.7 -416.02; 948 476.92 910.7 -416.02;
949 477.17 910.7 -416.02; 950 477.42 910.7 -416.02;
951 477.67 910.7 -416.02; 952 477.92 910.7 -416.02;
953 476.07 910.7 -416.02; 954 475.92 910.7 -416.02;
955 475.67 910.7 -416.02; 956 475.42 910.7 -416.02;
957 475.17 910.7 -416.02; 958 474.92 910.7 -416.02;
959 476.77 910.7 -416.27; 960 476.42 910.7 -416.27;
961 476.92 910.7 -416.27; 962 477.17 910.7 -416.27;
963 477.42 910.7 -416.27; 964 477.67 910.7 -416.27;
965 477.92 910.7 -416.27; 966 476.07 910.7 -416.27;
967 475.92 910.7 -416.27; 968 475.67 910.7 -416.27;
969 475.42 910.7 -416.27; 970 475.17 910.7 -416.27;
971 474.92 910.7 -416.27; 972 476.77 910.7 -416.52;
973 476.42 910.7 -416.52; 974 476.92 910.7 -416.52;
975 477.17 910.7 -416.52; 976 477.42 910.7 -416.52;
977 477.67 910.7 -416.52; 978 477.92 910.7 -416.52;
979 476.07 910.7 -416.52; 980 475.92 910.7 -416.52;
981 475.67 910.7 -416.52; 982 475.42 910.7 -416.52;
983 475.17 910.7 -416.52; 984 474.92 910.7 -416.52;

985 476.77 910.7 -416.77; 986 476.42 910.7 -416.77;
987 476.92 910.7 -416.77; 988 477.17 910.7 -416.77;
989 477.42 910.7 -416.77; 990 477.67 910.7 -416.77;
991 477.92 910.7 -416.77; 992 476.07 910.7 -416.77;
993 475.92 910.7 -416.77; 994 475.67 910.7 -416.77;
995 475.42 910.7 -416.77; 996 475.17 910.7 -416.77;
997 474.92 910.7 -416.77; 998 462.205 910.7 -403.355;
999 462.555 910.7 -403.355; 1000 462.555 910.7 -403.705;
1001 468.745 910.7 -403.355; 1002 468.961 910.7 -403.355;
1003 468.961 910.7 -403.705; 1004 462.205 910.7 -403.205;
1005 462.555 910.7 -403.205; 1006 468.745 910.7 -403.205;
1007 468.961 910.7 -403.205; 1008 462.205 910.7 -402.955;
1009 462.555 910.7 -402.955; 1010 468.745 910.7 -402.955;
1011 468.961 910.7 -402.955; 1012 462.205 910.7 -402.705;
1013 462.555 910.7 -402.705; 1014 468.745 910.7 -402.705;
1015 468.961 910.7 -402.705; 1016 462.205 910.7 -404.055;
1017 468.745 910.7 -404.055; 1018 462.555 910.7 -404.055;
1019 468.961 910.7 -404.055; 1020 462.205 910.7 -404.205;
1021 468.745 910.7 -404.205; 1022 462.555 910.7 -404.205;
1023 468.961 910.7 -404.205; 1024 462.205 910.7 -404.455;
1025 468.745 910.7 -404.455; 1026 462.555 910.7 -404.455;
1027 468.961 910.7 -404.455; 1028 462.205 910.7 -404.705;
1029 468.745 910.7 -404.705; 1030 462.555 910.7 -404.705;
1031 468.961 910.7 -404.705; 1032 461.855 910.7 -403.705;
1033 468.395 910.7 -403.705; 1034 461.855 910.7 -403.355;
1035 468.395 910.7 -403.355; 1036 461.855 910.7 -403.205;
1037 468.395 910.7 -403.205; 1038 461.855 910.7 -402.955;
1039 468.395 910.7 -402.955; 1040 461.855 910.7 -402.705;
1041 468.395 910.7 -402.705; 1042 461.855 910.7 -404.055;
1043 468.395 910.7 -404.055; 1044 461.855 910.7 -404.205;
1045 468.395 910.7 -404.205; 1046 461.855 910.7 -404.455;
1047 468.395 910.7 -404.455; 1048 461.855 910.7 -404.705;
1049 468.395 910.7 -404.705; 1050 461.705 910.7 -403.705;
1051 468.111 910.7 -403.705; 1052 461.705 910.7 -403.355;
1053 468.111 910.7 -403.355; 1054 461.705 910.7 -403.205;
1055 468.111 910.7 -403.205; 1056 461.705 910.7 -402.955;
1057 468.111 910.7 -402.955; 1058 461.705 910.7 -402.705;
1059 468.111 910.7 -402.705; 1060 461.705 910.7 -404.055;
1061 468.111 910.7 -404.055; 1062 461.705 910.7 -404.205;
1063 468.111 910.7 -404.205; 1064 461.705 910.7 -404.455;
1065 468.111 910.7 -404.455; 1066 461.705 910.7 -404.705;
1067 468.111 910.7 -404.705; 1068 461.455 910.7 -403.705;
1069 467.861 910.7 -403.705; 1070 461.455 910.7 -403.355;
1071 467.861 910.7 -403.355; 1072 461.455 910.7 -403.205;
1073 467.861 910.7 -403.205; 1074 461.455 910.7 -402.955;
1075 467.861 910.7 -402.955; 1076 461.455 910.7 -402.705;
1077 467.861 910.7 -402.705; 1078 461.455 910.7 -404.055;
1079 467.861 910.7 -404.055; 1080 461.455 910.7 -404.205;
1081 467.861 910.7 -404.205; 1082 461.455 910.7 -404.455;
1083 467.861 910.7 -404.455; 1084 461.455 910.7 -404.705;

```
1085 467.861 910.7 -404.705; 1086 461.205 910.7 -403.705;
1087 467.611 910.7 -403.705; 1088 461.205 910.7 -403.355;
1089 467.611 910.7 -403.355; 1090 461.205 910.7 -403.205;
1091 467.611 910.7 -403.205; 1092 461.205 910.7 -402.955;
1093 467.611 910.7 -402.955; 1094 461.205 910.7 -402.705;
1095 467.611 910.7 -402.705; 1096 461.205 910.7 -404.055;
1097 467.611 910.7 -404.055; 1098 461.205 910.7 -404.205;
1099 467.611 910.7 -404.205; 1100 461.205 910.7 -404.455;
1101 467.611 910.7 -404.455; 1102 461.205 910.7 -404.705;
1103 467.611 910.7 -404.705; 1104 460.955 910.7 -403.705;
1105 467.361 910.7 -403.705; 1106 460.955 910.7 -403.355;
1107 467.361 910.7 -403.355; 1108 460.955 910.7 -403.205;
1109 467.361 910.7 -403.205; 1110 460.955 910.7 -402.955;
1111 467.361 910.7 -402.955; 1112 460.955 910.7 -402.705;
1113 467.361 910.7 -402.705; 1114 460.955 910.7 -404.055;
1115 467.361 910.7 -404.055; 1116 460.955 910.7 -404.205;
1117 467.361 910.7 -404.205; 1118 460.955 910.7 -404.455;
1119 467.361 910.7 -404.455; 1120 460.955 910.7 -404.705;
1121 467.361 910.7 -404.705; 1122 460.705 910.7 -403.705;
1123 467.111 910.7 -403.705; 1124 460.705 910.7 -403.355;
1125 467.111 910.7 -403.355; 1126 460.705 910.7 -403.205;
1127 467.111 910.7 -403.205; 1128 460.705 910.7 -402.955;
1129 467.111 910.7 -402.955; 1130 460.705 910.7 -402.705;
1131 467.111 910.7 -402.705; 1132 460.705 910.7 -404.055;
1133 467.111 910.7 -404.055; 1134 460.705 910.7 -404.205;
1135 467.111 910.7 -404.205; 1136 460.705 910.7 -404.455;
1137 467.111 910.7 -404.455; 1138 460.705 910.7 -404.705;
1139 467.111 910.7 -404.705; 1140 462.705 910.7 -403.355;
1141 462.705 910.7 -403.705; 1142 469.211 910.7 -403.355;
1143 469.211 910.7 -403.705; 1144 462.705 910.7 -403.205;
1145 469.211 910.7 -403.205; 1146 462.705 910.7 -402.955;
1147 469.211 910.7 -402.955; 1148 462.705 910.7 -402.705;
1149 469.211 910.7 -402.705; 1150 462.705 910.7 -404.055;
1151 469.211 910.7 -404.055; 1152 462.705 910.7 -404.205;
1153 469.211 910.7 -404.205; 1154 462.705 910.7 -404.455;
1155 469.211 910.7 -404.455; 1156 462.705 910.7 -404.705;
1157 469.211 910.7 -404.705; 1158 462.955 910.7 -403.355;
1159 462.955 910.7 -403.705; 1160 469.461 910.7 -403.355;
1161 469.461 910.7 -403.705; 1162 462.955 910.7 -403.205;
1163 469.461 910.7 -403.205; 1164 462.955 910.7 -402.955;
1165 469.461 910.7 -402.955; 1166 462.955 910.7 -402.705;
1167 469.461 910.7 -402.705; 1168 462.955 910.7 -404.055;
1169 469.461 910.7 -404.055; 1170 462.955 910.7 -404.205;
1171 469.461 910.7 -404.205; 1172 462.955 910.7 -404.455;
1173 469.461 910.7 -404.455; 1174 462.955 910.7 -404.705;
1175 469.461 910.7 -404.705; 1176 463.205 910.7 -403.355;
1177 463.205 910.7 -403.705; 1178 469.711 910.7 -403.355;
1179 469.711 910.7 -403.705; 1180 463.205 910.7 -403.205;
1181 469.711 910.7 -403.205; 1182 463.205 910.7 -402.955;
1183 469.711 910.7 -402.955; 1184 463.205 910.7 -402.705;
```

```
1185 469.711 910.7 -402.705; 1186 463.205 910.7 -404.055;
1187 469.711 910.7 -404.055; 1188 463.205 910.7 -404.205;
1189 469.711 910.7 -404.205; 1190 463.205 910.7 -404.455;
1191 469.711 910.7 -404.455; 1192 463.205 910.7 -404.705;
1193 469.711 910.7 -404.705; 1194 463.455 910.7 -403.355;
1195 463.455 910.7 -403.705; 1196 469.961 910.7 -403.355;
1197 469.961 910.7 -403.705; 1198 463.455 910.7 -403.205;
1199 469.961 910.7 -403.205; 1200 463.455 910.7 -402.955;
1201 469.961 910.7 -402.955; 1202 463.455 910.7 -402.705;
1203 469.961 910.7 -402.705; 1204 463.455 910.7 -404.055;
1205 469.961 910.7 -404.055; 1206 463.455 910.7 -404.205;
1207 469.961 910.7 -404.205; 1208 463.455 910.7 -404.455;
1209 469.961 910.7 -404.455; 1210 463.455 910.7 -404.705;
1211 469.961 910.7 -404.705; 1212 463.705 910.7 -403.355;
1213 463.705 910.7 -403.705; 1214 470.211 910.7 -403.355;
1215 470.211 910.7 -403.705; 1216 463.705 910.7 -403.205;
1217 470.211 910.7 -403.205; 1218 463.705 910.7 -402.955;
1219 470.211 910.7 -402.955; 1220 463.705 910.7 -402.705;
1221 470.211 910.7 -402.705; 1222 463.705 910.7 -404.055;
1223 470.211 910.7 -404.055; 1224 463.705 910.7 -404.205;
1225 470.211 910.7 -404.205; 1226 463.705 910.7 -404.455;
1227 470.211 910.7 -404.455; 1228 463.705 910.7 -404.705;
1229 470.211 910.7 -404.705; 1230 463.955 910.7 -403.355;
1231 463.955 910.7 -403.705; 1232 470.361 910.7 -403.355;
1233 470.361 910.7 -403.705; 1234 463.955 910.7 -403.205;
1235 470.361 910.7 -403.205; 1236 463.955 910.7 -402.955;
1237 470.361 910.7 -402.955; 1238 463.955 910.7 -402.705;
1239 470.361 910.7 -402.705; 1240 463.955 910.7 -404.055;
1241 470.361 910.7 -404.055; 1242 463.955 910.7 -404.205;
1243 470.361 910.7 -404.205; 1244 463.955 910.7 -404.455;
1245 470.361 910.7 -404.455; 1246 463.955 910.7 -404.705;
1247 470.361 910.7 -404.705; 1248 464.218 910.7 -402.705;
1249 464.218 910.7 -402.955; 1250 464.481 910.7 -402.705;
1251 464.481 910.7 -402.955; 1252 464.744 910.7 -402.705;
1253 464.744 910.7 -402.955; 1254 465.007 910.7 -402.705;
1255 465.007 910.7 -402.955; 1256 465.27 910.7 -402.705;
1257 465.27 910.7 -402.955; 1258 465.533 910.7 -402.705;
1259 465.533 910.7 -402.955; 1260 465.796 910.7 -402.705;
1261 465.796 910.7 -402.955; 1262 466.059 910.7 -402.705;
1263 466.059 910.7 -402.955; 1264 466.322 910.7 -402.705;
1265 466.322 910.7 -402.955; 1266 466.585 910.7 -402.705;
1267 466.585 910.7 -402.955; 1268 466.848 910.7 -402.705;
1269 466.848 910.7 -402.955; 1270 464.218 910.7 -403.205;
1271 464.481 910.7 -403.205; 1272 464.744 910.7 -403.205;
1273 465.007 910.7 -403.205; 1274 465.27 910.7 -403.205;
1275 465.533 910.7 -403.205; 1276 465.796 910.7 -403.205;
1277 466.059 910.7 -403.205; 1278 466.322 910.7 -403.205;
1279 466.585 910.7 -403.205; 1280 466.848 910.7 -403.205;
1281 464.218 910.7 -403.355; 1282 464.481 910.7 -403.355;
1283 464.744 910.7 -403.355; 1284 465.007 910.7 -403.355;
```

```
1285 465.27 910.7 -403.355; 1286 465.533 910.7 -403.355;
1287 465.796 910.7 -403.355; 1288 466.059 910.7 -403.355;
1289 466.322 910.7 -403.355; 1290 466.585 910.7 -403.355;
1291 466.848 910.7 -403.355; 1292 464.218 910.7 -403.705;
1293 464.481 910.7 -403.705; 1294 464.744 910.7 -403.705;
1295 465.007 910.7 -403.705; 1296 465.27 910.7 -403.705;
1297 465.533 910.7 -403.705; 1298 465.796 910.7 -403.705;
1299 466.059 910.7 -403.705; 1300 466.322 910.7 -403.705;
1301 466.585 910.7 -403.705; 1302 466.848 910.7 -403.705;
1303 464.218 910.7 -404.055; 1304 464.481 910.7 -404.055;
1305 464.744 910.7 -404.055; 1306 465.007 910.7 -404.055;
1307 465.27 910.7 -404.055; 1308 465.533 910.7 -404.055;
1309 465.796 910.7 -404.055; 1310 466.059 910.7 -404.055;
1311 466.322 910.7 -404.055; 1312 466.585 910.7 -404.055;
1313 466.848 910.7 -404.055; 1314 464.218 910.7 -404.205;
1315 464.481 910.7 -404.205; 1316 464.744 910.7 -404.205;
1317 465.007 910.7 -404.205; 1318 465.27 910.7 -404.205;
1319 465.533 910.7 -404.205; 1320 465.796 910.7 -404.205;
1321 466.059 910.7 -404.205; 1322 466.322 910.7 -404.205;
1323 466.585 910.7 -404.205; 1324 466.848 910.7 -404.205;
1325 464.218 910.7 -404.455; 1326 464.481 910.7 -404.455;
1327 464.744 910.7 -404.455; 1328 465.007 910.7 -404.455;
1329 465.27 910.7 -404.455; 1330 465.533 910.7 -404.455;
1331 465.796 910.7 -404.455; 1332 466.059 910.7 -404.455;
1333 466.322 910.7 -404.455; 1334 466.585 910.7 -404.455;
1335 466.848 910.7 -404.455; 1336 464.218 910.7 -404.705;
1337 464.481 910.7 -404.705; 1338 464.744 910.7 -404.705;
1339 465.007 910.7 -404.705; 1340 465.27 910.7 -404.705;
1341 465.533 910.7 -404.705; 1342 465.796 910.7 -404.705;
1343 466.059 910.7 -404.705; 1344 466.322 910.7 -404.705;
1345 466.585 910.7 -404.705; 1346 466.848 910.7 -404.705;
1347 476.42 910.7 -408.637; 1348 476.77 910.7 -408.637;
1349 476.77 910.7 -408.987; 1350 476.92 910.7 -408.637;
1351 476.92 910.7 -408.987; 1352 477.17 910.7 -408.637;
1353 477.17 910.7 -408.987; 1354 477.42 910.7 -408.637;
1355 477.42 910.7 -408.987; 1356 477.67 910.7 -408.637;
1357 477.67 910.7 -408.987; 1358 477.92 910.7 -408.637;
1359 477.92 910.7 -408.987; 1360 476.07 910.7 -408.637;
1361 476.07 910.7 -408.987; 1362 475.92 910.7 -408.637;
1363 475.92 910.7 -408.987; 1364 475.67 910.7 -408.637;
1365 475.67 910.7 -408.987; 1366 475.42 910.7 -408.637;
1367 475.42 910.7 -408.987; 1368 475.17 910.7 -408.637;
1369 475.17 910.7 -408.987; 1370 474.92 910.7 -408.637;
1371 474.92 910.7 -408.987; 1372 476.42 910.7 -408.487;
1373 476.77 910.7 -408.487; 1374 476.92 910.7 -408.487;
1375 477.17 910.7 -408.487; 1376 477.42 910.7 -408.487;
1377 477.67 910.7 -408.487; 1378 477.92 910.7 -408.487;
1379 476.07 910.7 -408.487; 1380 475.92 910.7 -408.487;
1381 475.67 910.7 -408.487; 1382 475.42 910.7 -408.487;
1383 475.17 910.7 -408.487; 1384 474.92 910.7 -408.487;
```

1385 476.42 910.7 -408.237; 1386 476.77 910.7 -408.237;
1387 476.92 910.7 -408.237; 1388 477.17 910.7 -408.237;
1389 477.42 910.7 -408.237; 1390 477.67 910.7 -408.237;
1391 477.92 910.7 -408.237; 1392 476.07 910.7 -408.237;
1393 475.92 910.7 -408.237; 1394 475.67 910.7 -408.237;
1395 475.42 910.7 -408.237; 1396 475.17 910.7 -408.237;
1397 474.92 910.7 -408.237; 1398 476.42 910.7 -407.987;
1399 476.77 910.7 -407.987; 1400 476.92 910.7 -407.987;
1401 477.17 910.7 -407.987; 1402 477.42 910.7 -407.987;
1403 477.67 910.7 -407.987; 1404 477.92 910.7 -407.987;
1405 476.07 910.7 -407.987; 1406 475.92 910.7 -407.987;
1407 475.67 910.7 -407.987; 1408 475.42 910.7 -407.987;
1409 475.17 910.7 -407.987; 1410 474.92 910.7 -407.987;
1411 476.42 910.7 -407.737; 1412 476.77 910.7 -407.737;
1413 476.92 910.7 -407.737; 1414 477.17 910.7 -407.737;
1415 477.42 910.7 -407.737; 1416 477.67 910.7 -407.737;
1417 477.92 910.7 -407.737; 1418 476.07 910.7 -407.737;
1419 475.92 910.7 -407.737; 1420 475.67 910.7 -407.737;
1421 475.42 910.7 -407.737; 1422 475.17 910.7 -407.737;
1423 474.92 910.7 -407.737; 1424 476.42 910.7 -407.487;
1425 476.77 910.7 -407.487; 1426 476.92 910.7 -407.487;
1427 477.17 910.7 -407.487; 1428 477.42 910.7 -407.487;
1429 477.67 910.7 -407.487; 1430 477.92 910.7 -407.487;
1431 476.07 910.7 -407.487; 1432 475.92 910.7 -407.487;
1433 475.67 910.7 -407.487; 1434 475.42 910.7 -407.487;
1435 475.17 910.7 -407.487; 1436 474.92 910.7 -407.487;
1437 476.77 910.7 -409.337; 1438 476.42 910.7 -409.337;
1439 476.92 910.7 -409.337; 1440 477.17 910.7 -409.337;
1441 477.42 910.7 -409.337; 1442 477.67 910.7 -409.337;
1443 477.92 910.7 -409.337; 1444 476.07 910.7 -409.337;
1445 475.92 910.7 -409.337; 1446 475.67 910.7 -409.337;
1447 475.42 910.7 -409.337; 1448 475.17 910.7 -409.337;
1449 474.92 910.7 -409.337; 1450 476.77 910.7 -409.487;
1451 476.42 910.7 -409.487; 1452 476.92 910.7 -409.487;
1453 477.17 910.7 -409.487; 1454 477.42 910.7 -409.487;
1455 477.67 910.7 -409.487; 1456 477.92 910.7 -409.487;
1457 476.07 910.7 -409.487; 1458 475.92 910.7 -409.487;
1459 475.67 910.7 -409.487; 1460 475.42 910.7 -409.487;
1461 475.17 910.7 -409.487; 1462 474.92 910.7 -409.487;
1463 476.77 910.7 -409.737; 1464 476.42 910.7 -409.737;
1465 476.92 910.7 -409.737; 1466 477.17 910.7 -409.737;
1467 477.42 910.7 -409.737; 1468 477.67 910.7 -409.737;
1469 477.92 910.7 -409.737; 1470 476.07 910.7 -409.737;
1471 475.92 910.7 -409.737; 1472 475.67 910.7 -409.737;
1473 475.42 910.7 -409.737; 1474 475.17 910.7 -409.737;
1475 474.92 910.7 -409.737; 1476 476.77 910.7 -409.987;
1477 476.42 910.7 -409.987; 1478 476.92 910.7 -409.987;
1479 477.17 910.7 -409.987; 1480 477.42 910.7 -409.987;
1481 477.67 910.7 -409.987; 1482 477.92 910.7 -409.987;
1483 476.07 910.7 -409.987; 1484 475.92 910.7 -409.987;

```
1485 475.67 910.7 -409.987; 1486 475.42 910.7 -409.987;
1487 475.17 910.7 -409.987; 1488 474.92 910.7 -409.987;
1489 476.77 910.7 -410.237; 1490 476.42 910.7 -410.237;
1491 476.92 910.7 -410.237; 1492 477.17 910.7 -410.237;
1493 477.42 910.7 -410.237; 1494 477.67 910.7 -410.237;
1495 477.92 910.7 -410.237; 1496 476.07 910.7 -410.237;
1497 475.92 910.7 -410.237; 1498 475.67 910.7 -410.237;
1499 475.42 910.7 -410.237; 1500 475.17 910.7 -410.237;
1501 474.92 910.7 -410.237; 1502 476.77 910.7 -410.487;
1503 476.42 910.7 -410.487; 1504 476.92 910.7 -410.487;
1505 477.17 910.7 -410.487; 1506 477.42 910.7 -410.487;
1507 477.67 910.7 -410.487; 1508 477.92 910.7 -410.487;
1509 476.07 910.7 -410.487; 1510 475.92 910.7 -410.487;
1511 475.67 910.7 -410.487; 1512 475.42 910.7 -410.487;
1513 475.17 910.7 -410.487; 1514 474.92 910.7 -410.487;
1515 476.42 910.7 -403.355; 1516 476.77 910.7 -403.355;
1517 476.77 910.7 -403.705; 1518 476.92 910.7 -403.355;
1519 476.92 910.7 -403.705; 1520 477.17 910.7 -403.355;
1521 477.17 910.7 -403.705; 1522 477.42 910.7 -403.355;
1523 477.42 910.7 -403.705; 1524 477.67 910.7 -403.355;
1525 477.67 910.7 -403.705; 1526 477.92 910.7 -403.355;
1527 477.92 910.7 -403.705; 1528 476.07 910.7 -403.355;
1529 476.07 910.7 -403.705; 1530 475.92 910.7 -403.355;
1531 475.92 910.7 -403.705; 1532 475.67 910.7 -403.355;
1533 475.67 910.7 -403.705; 1534 475.42 910.7 -403.355;
1535 475.42 910.7 -403.705; 1536 475.17 910.7 -403.355;
1537 475.17 910.7 -403.705; 1538 474.92 910.7 -403.355;
1539 474.92 910.7 -403.705; 1540 476.42 910.7 -403.205;
1541 476.77 910.7 -403.205; 1542 476.92 910.7 -403.205;
1543 477.17 910.7 -403.205; 1544 477.42 910.7 -403.205;
1545 477.67 910.7 -403.205; 1546 477.92 910.7 -403.205;
1547 476.07 910.7 -403.205; 1548 475.92 910.7 -403.205;
1549 475.67 910.7 -403.205; 1550 475.42 910.7 -403.205;
1551 475.17 910.7 -403.205; 1552 474.92 910.7 -403.205;
1553 476.42 910.7 -402.955; 1554 476.77 910.7 -402.955;
1555 476.92 910.7 -402.955; 1556 477.17 910.7 -402.955;
1557 477.42 910.7 -402.955; 1558 477.67 910.7 -402.955;
1559 477.92 910.7 -402.955; 1560 476.07 910.7 -402.955;
1561 475.92 910.7 -402.955; 1562 475.67 910.7 -402.955;
1563 475.42 910.7 -402.955; 1564 475.17 910.7 -402.955;
1565 474.92 910.7 -402.955; 1566 476.42 910.7 -402.705;
1567 476.77 910.7 -402.705; 1568 476.92 910.7 -402.705;
1569 477.17 910.7 -402.705; 1570 477.42 910.7 -402.705;
1571 477.67 910.7 -402.705; 1572 477.92 910.7 -402.705;
1573 476.07 910.7 -402.705; 1574 475.92 910.7 -402.705;
1575 475.67 910.7 -402.705; 1576 475.42 910.7 -402.705;
1577 475.17 910.7 -402.705; 1578 474.92 910.7 -402.705;
1605 476.77 910.7 -404.055; 1606 476.42 910.7 -404.055;
1607 476.92 910.7 -404.055; 1608 477.17 910.7 -404.055;
1609 477.42 910.7 -404.055; 1610 477.67 910.7 -404.055;
```

```
1611 477.92 910.7 -404.055; 1612 476.07 910.7 -404.055;
1613 475.92 910.7 -404.055; 1614 475.67 910.7 -404.055;
1615 475.42 910.7 -404.055; 1616 475.17 910.7 -404.055;
1617 474.92 910.7 -404.055; 1618 476.77 910.7 -404.205;
1619 476.42 910.7 -404.205; 1620 476.92 910.7 -404.205;
1621 477.17 910.7 -404.205; 1622 477.42 910.7 -404.205;
1623 477.67 910.7 -404.205; 1624 477.92 910.7 -404.205;
1625 476.07 910.7 -404.205; 1626 475.92 910.7 -404.205;
1627 475.67 910.7 -404.205; 1628 475.42 910.7 -404.205;
1629 475.17 910.7 -404.205; 1630 474.92 910.7 -404.205;
1631 476.77 910.7 -404.455; 1632 476.42 910.7 -404.455;
1633 476.92 910.7 -404.455; 1634 477.17 910.7 -404.455;
1635 477.42 910.7 -404.455; 1636 477.67 910.7 -404.455;
1637 477.92 910.7 -404.455; 1638 476.07 910.7 -404.455;
1639 475.92 910.7 -404.455; 1640 475.67 910.7 -404.455;
1641 475.42 910.7 -404.455; 1642 475.17 910.7 -404.455;
1643 474.92 910.7 -404.455; 1644 476.77 910.7 -404.705;
1645 476.42 910.7 -404.705; 1646 476.92 910.7 -404.705;
1647 477.17 910.7 -404.705; 1648 477.42 910.7 -404.705;
1649 477.67 910.7 -404.705; 1650 477.92 910.7 -404.705;
1651 476.07 910.7 -404.705; 1652 475.92 910.7 -404.705;
1653 475.67 910.7 -404.705; 1654 475.42 910.7 -404.705;
1655 475.17 910.7 -404.705; 1656 474.92 910.7 -404.705;
1657 476.77 910.7 -404.955; 1658 476.42 910.7 -404.955;
1659 476.92 910.7 -404.955; 1660 477.17 910.7 -404.955;
1661 477.42 910.7 -404.955; 1662 477.67 910.7 -404.955;
1663 477.92 910.7 -404.955; 1664 476.07 910.7 -404.955;
1665 475.92 910.7 -404.955; 1666 475.67 910.7 -404.955;
1667 475.42 910.7 -404.955; 1668 475.17 910.7 -404.955;
1669 474.92 910.7 -404.955; 1670 476.77 910.7 -405.205;
1671 476.42 910.7 -405.205; 1672 476.92 910.7 -405.205;
1673 477.17 910.7 -405.205; 1674 477.42 910.7 -405.205;
1675 477.67 910.7 -405.205; 1676 477.92 910.7 -405.205;
1677 476.07 910.7 -405.205; 1678 475.92 910.7 -405.205;
1679 475.67 910.7 -405.205; 1680 475.42 910.7 -405.205;
1681 475.17 910.7 -405.205; 1682 474.92 910.7 -405.205;
1683 475.17 910.7 -405.459; 1684 474.92 910.7 -405.459;
1685 475.42 910.7 -405.459; 1686 475.67 910.7 -405.459;
1687 475.92 910.7 -405.459; 1688 476.07 910.7 -405.459;
1689 476.42 910.7 -405.459; 1690 476.77 910.7 -405.459;
1691 476.92 910.7 -405.459; 1692 477.17 910.7 -405.459;
1693 477.42 910.7 -405.459; 1694 477.67 910.7 -405.459;
1695 477.92 910.7 -405.459; 1696 475.17 910.7 -405.712;
1697 474.92 910.7 -405.712; 1698 475.42 910.7 -405.712;
1699 475.67 910.7 -405.712; 1700 475.92 910.7 -405.712;
1701 476.07 910.7 -405.712; 1702 476.42 910.7 -405.712;
1703 476.77 910.7 -405.712; 1704 476.92 910.7 -405.712;
1705 477.17 910.7 -405.712; 1706 477.42 910.7 -405.712;
1707 477.67 910.7 -405.712; 1708 477.92 910.7 -405.712;
1709 475.17 910.7 -405.966; 1710 474.92 910.7 -405.966;
```

```
1711 475.42 910.7 -405.966; 1712 475.67 910.7 -405.966;
1713 475.92 910.7 -405.966; 1714 476.07 910.7 -405.966;
1715 476.42 910.7 -405.966; 1716 476.77 910.7 -405.966;
1717 476.92 910.7 -405.966; 1718 477.17 910.7 -405.966;
1719 477.42 910.7 -405.966; 1720 477.67 910.7 -405.966;
1721 477.92 910.7 -405.966; 1722 475.17 910.7 -406.219;
1723 474.92 910.7 -406.219; 1724 475.42 910.7 -406.219;
1725 475.67 910.7 -406.219; 1726 475.92 910.7 -406.219;
1727 476.07 910.7 -406.219; 1728 476.42 910.7 -406.219;
1729 476.77 910.7 -406.219; 1730 476.92 910.7 -406.219;
1731 477.17 910.7 -406.219; 1732 477.42 910.7 -406.219;
1733 477.67 910.7 -406.219; 1734 477.92 910.7 -406.219;
1735 475.17 910.7 -406.473; 1736 474.92 910.7 -406.473;
1737 475.42 910.7 -406.473; 1738 475.67 910.7 -406.473;
1739 475.92 910.7 -406.473; 1740 476.07 910.7 -406.473;
1741 476.42 910.7 -406.473; 1742 476.77 910.7 -406.473;
1743 476.92 910.7 -406.473; 1744 477.17 910.7 -406.473;
1745 477.42 910.7 -406.473; 1746 477.67 910.7 -406.473;
1747 477.92 910.7 -406.473; 1748 475.17 910.7 -406.726;
1749 474.92 910.7 -406.726; 1750 475.42 910.7 -406.726;
1751 475.67 910.7 -406.726; 1752 475.92 910.7 -406.726;
1753 476.07 910.7 -406.726; 1754 476.42 910.7 -406.726;
1755 476.77 910.7 -406.726; 1756 476.92 910.7 -406.726;
1757 477.17 910.7 -406.726; 1758 477.42 910.7 -406.726;
1759 477.67 910.7 -406.726; 1760 477.92 910.7 -406.726;
1761 475.17 910.7 -406.98; 1762 474.92 910.7 -406.98;
1763 475.42 910.7 -406.98; 1764 475.67 910.7 -406.98;
1765 475.92 910.7 -406.98; 1766 476.07 910.7 -406.98;
1767 476.42 910.7 -406.98; 1768 476.77 910.7 -406.98;
1769 476.92 910.7 -406.98; 1770 477.17 910.7 -406.98;
1771 477.42 910.7 -406.98; 1772 477.67 910.7 -406.98;
1773 477.92 910.7 -406.98; 1774 475.17 910.7 -407.233;
1775 474.92 910.7 -407.233; 1776 475.42 910.7 -407.233;
1777 475.67 910.7 -407.233; 1778 475.92 910.7 -407.233;
1779 476.07 910.7 -407.233; 1780 476.42 910.7 -407.233;
1781 476.77 910.7 -407.233; 1782 476.92 910.7 -407.233;
1783 477.17 910.7 -407.233; 1784 477.42 910.7 -407.233;
1785 477.67 910.7 -407.233; 1786 477.92 910.7 -407.233;
1813 462.205 910.7 -419.02; 1814 462.555 910.7 -419.02;
1815 462.555 910.7 -419.37; 1816 462.205 910.7 -419.37;
1817 462.705 910.7 -419.02; 1818 462.705 910.7 -419.37;
1819 462.955 910.7 -419.02; 1820 462.955 910.7 -419.37;
1821 463.205 910.7 -419.02; 1822 463.205 910.7 -419.37;
1823 463.455 910.7 -419.02; 1824 463.455 910.7 -419.37;
1825 463.705 910.7 -419.02; 1826 463.705 910.7 -419.37;
1827 461.855 910.7 -419.02; 1828 461.855 910.7 -419.37;
1829 461.705 910.7 -419.02; 1830 461.705 910.7 -419.37;
1831 461.455 910.7 -419.02; 1832 461.455 910.7 -419.37;
1833 461.205 910.7 -419.02; 1834 461.205 910.7 -419.37;
1835 460.955 910.7 -419.02; 1836 460.955 910.7 -419.37;
```

```
1837 460.705 910.7 -419.02; 1838 460.705 910.7 -419.37;
1839 462.205 910.7 -418.87; 1840 462.555 910.7 -418.87;
1841 462.705 910.7 -418.87; 1842 462.955 910.7 -418.87;
1843 463.205 910.7 -418.87; 1844 463.455 910.7 -418.87;
1845 463.705 910.7 -418.87; 1846 461.855 910.7 -418.87;
1847 461.705 910.7 -418.87; 1848 461.455 910.7 -418.87;
1849 461.205 910.7 -418.87; 1850 460.955 910.7 -418.87;
1851 460.705 910.7 -418.87; 1852 462.205 910.7 -418.62;
1853 462.555 910.7 -418.62; 1854 462.705 910.7 -418.62;
1855 462.955 910.7 -418.62; 1856 463.205 910.7 -418.62;
1857 463.455 910.7 -418.62; 1858 463.705 910.7 -418.62;
1859 461.855 910.7 -418.62; 1860 461.705 910.7 -418.62;
1861 461.455 910.7 -418.62; 1862 461.205 910.7 -418.62;
1863 460.955 910.7 -418.62; 1864 460.705 910.7 -418.62;
1865 462.205 910.7 -418.37; 1866 462.555 910.7 -418.37;
1867 462.705 910.7 -418.37; 1868 462.955 910.7 -418.37;
1869 463.205 910.7 -418.37; 1870 463.455 910.7 -418.37;
1871 463.705 910.7 -418.37; 1872 461.855 910.7 -418.37;
1873 461.705 910.7 -418.37; 1874 461.455 910.7 -418.37;
1875 461.205 910.7 -418.37; 1876 460.955 910.7 -418.37;
1877 460.705 910.7 -418.37; 1878 462.205 910.7 -418.12;
1879 462.555 910.7 -418.12; 1880 462.705 910.7 -418.12;
1881 462.955 910.7 -418.12; 1882 463.205 910.7 -418.12;
1883 463.455 910.7 -418.12; 1884 463.705 910.7 -418.12;
1885 461.855 910.7 -418.12; 1886 461.705 910.7 -418.12;
1887 461.455 910.7 -418.12; 1888 461.205 910.7 -418.12;
1889 460.955 910.7 -418.12; 1890 460.705 910.7 -418.12;
1891 462.205 910.7 -417.87; 1892 462.555 910.7 -417.87;
1893 462.705 910.7 -417.87; 1894 462.955 910.7 -417.87;
1895 463.205 910.7 -417.87; 1896 463.455 910.7 -417.87;
1897 463.705 910.7 -417.87; 1898 461.855 910.7 -417.87;
1899 461.705 910.7 -417.87; 1900 461.455 910.7 -417.87;
1901 461.205 910.7 -417.87; 1902 460.955 910.7 -417.87;
1903 460.705 910.7 -417.87; 1904 462.555 910.7 -419.72;
1905 462.205 910.7 -419.72; 1906 462.705 910.7 -419.72;
1907 462.955 910.7 -419.72; 1908 463.205 910.7 -419.72;
1909 463.455 910.7 -419.72; 1910 463.705 910.7 -419.72;
1911 461.855 910.7 -419.72; 1912 461.705 910.7 -419.72;
1913 461.455 910.7 -419.72; 1914 461.205 910.7 -419.72;
1915 460.955 910.7 -419.72; 1916 460.705 910.7 -419.72;
1917 462.555 910.7 -419.87; 1918 462.205 910.7 -419.87;
1919 462.705 910.7 -419.87; 1920 462.955 910.7 -419.87;
1921 463.205 910.7 -419.87; 1922 463.455 910.7 -419.87;
1923 463.705 910.7 -419.87; 1924 461.855 910.7 -419.87;
1925 461.705 910.7 -419.87; 1926 461.455 910.7 -419.87;
1927 461.205 910.7 -419.87; 1928 460.955 910.7 -419.87;
1929 460.705 910.7 -419.87; 1930 462.555 910.7 -420.12;
1931 462.205 910.7 -420.12; 1932 462.705 910.7 -420.12;
1933 462.955 910.7 -420.12; 1934 463.205 910.7 -420.12;
1935 463.455 910.7 -420.12; 1936 463.705 910.7 -420.12;
```

```
1937 461.855 910.7 -420.12; 1938 461.705 910.7 -420.12;
1939 461.455 910.7 -420.12; 1940 461.205 910.7 -420.12;
1941 460.955 910.7 -420.12; 1942 460.705 910.7 -420.12;
1943 462.555 910.7 -420.37; 1944 462.205 910.7 -420.37;
1945 462.705 910.7 -420.37; 1946 462.955 910.7 -420.37;
1947 463.205 910.7 -420.37; 1948 463.455 910.7 -420.37;
1949 463.705 910.7 -420.37; 1950 461.855 910.7 -420.37;
1951 461.705 910.7 -420.37; 1952 461.455 910.7 -420.37;
1953 461.205 910.7 -420.37; 1954 460.955 910.7 -420.37;
1955 460.705 910.7 -420.37; 1956 462.555 910.7 -420.62;
1957 462.205 910.7 -420.62; 1958 462.705 910.7 -420.62;
1959 462.955 910.7 -420.62; 1960 463.205 910.7 -420.62;
1961 463.455 910.7 -420.62; 1962 463.705 910.7 -420.62;
1963 461.855 910.7 -420.62; 1964 461.705 910.7 -420.62;
1965 461.455 910.7 -420.62; 1966 461.205 910.7 -420.62;
1967 460.955 910.7 -420.62; 1968 460.705 910.7 -420.62;
1969 462.555 910.7 -420.87; 1970 462.205 910.7 -420.87;
1971 462.705 910.7 -420.87; 1972 462.955 910.7 -420.87;
1973 463.205 910.7 -420.87; 1974 463.455 910.7 -420.87;
1975 463.705 910.7 -420.87; 1976 461.855 910.7 -420.87;
1977 461.705 910.7 -420.87; 1978 461.455 910.7 -420.87;
1979 461.205 910.7 -420.87; 1980 460.955 910.7 -420.87;
1981 460.705 910.7 -420.87; 1982 468.745 910.7 -419.02;
1983 469.095 910.7 -419.02; 1984 469.095 910.7 -419.37;
1985 468.745 910.7 -419.37; 1986 469.245 910.7 -419.02;
1987 469.245 910.7 -419.37; 1988 469.495 910.7 -419.02;
1989 469.495 910.7 -419.37; 1990 469.745 910.7 -419.02;
1991 469.745 910.7 -419.37; 1992 469.995 910.7 -419.02;
1993 469.995 910.7 -419.37; 1994 470.245 910.7 -419.02;
1995 470.245 910.7 -419.37; 1996 468.395 910.7 -419.02;
1997 468.395 910.7 -419.37; 1998 468.245 910.7 -419.02;
1999 468.245 910.7 -419.37; 2000 467.995 910.7 -419.02;
2001 467.995 910.7 -419.37; 2002 467.745 910.7 -419.02;
2003 467.745 910.7 -419.37; 2004 467.495 910.7 -419.02;
2005 467.495 910.7 -419.37; 2006 467.245 910.7 -419.02;
2007 467.245 910.7 -419.37; 2008 468.745 910.7 -418.87;
2009 469.095 910.7 -418.87; 2010 469.245 910.7 -418.87;
2011 469.495 910.7 -418.87; 2012 469.745 910.7 -418.87;
2013 469.995 910.7 -418.87; 2014 470.245 910.7 -418.87;
2015 468.395 910.7 -418.87; 2016 468.245 910.7 -418.87;
2017 467.995 910.7 -418.87; 2018 467.745 910.7 -418.87;
2019 467.495 910.7 -418.87; 2020 467.245 910.7 -418.87;
2021 468.745 910.7 -418.62; 2022 469.095 910.7 -418.62;
2023 469.245 910.7 -418.62; 2024 469.495 910.7 -418.62;
2025 469.745 910.7 -418.62; 2026 469.995 910.7 -418.62;
2027 470.245 910.7 -418.62; 2028 468.395 910.7 -418.62;
2029 468.245 910.7 -418.62; 2030 467.995 910.7 -418.62;
2031 467.745 910.7 -418.62; 2032 467.495 910.7 -418.62;
2033 467.245 910.7 -418.62; 2034 468.745 910.7 -418.37;
2035 469.095 910.7 -418.37; 2036 469.245 910.7 -418.37;
```

```
2037 469.495 910.7 -418.37; 2038 469.745 910.7 -418.37;
2039 469.995 910.7 -418.37; 2040 470.245 910.7 -418.37;
2041 468.395 910.7 -418.37; 2042 468.245 910.7 -418.37;
2043 467.995 910.7 -418.37; 2044 467.745 910.7 -418.37;
2045 467.495 910.7 -418.37; 2046 467.245 910.7 -418.37;
2047 468.745 910.7 -418.12; 2048 469.095 910.7 -418.12;
2049 469.245 910.7 -418.12; 2050 469.495 910.7 -418.12;
2051 469.745 910.7 -418.12; 2052 469.995 910.7 -418.12;
2053 470.245 910.7 -418.12; 2054 468.395 910.7 -418.12;
2055 468.245 910.7 -418.12; 2056 467.995 910.7 -418.12;
2057 467.745 910.7 -418.12; 2058 467.495 910.7 -418.12;
2059 467.245 910.7 -418.12; 2060 468.745 910.7 -417.87;
2061 469.095 910.7 -417.87; 2062 469.245 910.7 -417.87;
2063 469.495 910.7 -417.87; 2064 469.745 910.7 -417.87;
2065 469.995 910.7 -417.87; 2066 470.245 910.7 -417.87;
2067 468.395 910.7 -417.87; 2068 468.245 910.7 -417.87;
2069 467.995 910.7 -417.87; 2070 467.745 910.7 -417.87;
2071 467.495 910.7 -417.87; 2072 467.245 910.7 -417.87;
2073 469.095 910.7 -419.72; 2074 468.745 910.7 -419.72;
2075 469.245 910.7 -419.72; 2076 469.495 910.7 -419.72;
2077 469.745 910.7 -419.72; 2078 469.995 910.7 -419.72;
2079 470.245 910.7 -419.72; 2080 468.395 910.7 -419.72;
2081 468.245 910.7 -419.72; 2082 467.995 910.7 -419.72;
2083 467.745 910.7 -419.72; 2084 467.495 910.7 -419.72;
2085 467.245 910.7 -419.72; 2086 469.095 910.7 -419.87;
2087 468.745 910.7 -419.87; 2088 469.245 910.7 -419.87;
2089 469.495 910.7 -419.87; 2090 469.745 910.7 -419.87;
2091 469.995 910.7 -419.87; 2092 470.245 910.7 -419.87;
2093 468.395 910.7 -419.87; 2094 468.245 910.7 -419.87;
2095 467.995 910.7 -419.87; 2096 467.745 910.7 -419.87;
2097 467.495 910.7 -419.87; 2098 467.245 910.7 -419.87;
2099 469.095 910.7 -420.12; 2100 468.745 910.7 -420.12;
2101 469.245 910.7 -420.12; 2102 469.495 910.7 -420.12;
2103 469.745 910.7 -420.12; 2104 469.995 910.7 -420.12;
2105 470.245 910.7 -420.12; 2106 468.395 910.7 -420.12;
2107 468.245 910.7 -420.12; 2108 467.995 910.7 -420.12;
2109 467.745 910.7 -420.12; 2110 467.495 910.7 -420.12;
2111 467.245 910.7 -420.12; 2112 469.095 910.7 -420.37;
2113 468.745 910.7 -420.37; 2114 469.245 910.7 -420.37;
2115 469.495 910.7 -420.37; 2116 469.745 910.7 -420.37;
2117 469.995 910.7 -420.37; 2118 470.245 910.7 -420.37;
2119 468.395 910.7 -420.37; 2120 468.245 910.7 -420.37;
2121 467.995 910.7 -420.37; 2122 467.745 910.7 -420.37;
2123 467.495 910.7 -420.37; 2124 467.245 910.7 -420.37;
2125 469.095 910.7 -420.62; 2126 468.745 910.7 -420.62;
2127 469.245 910.7 -420.62; 2128 469.495 910.7 -420.62;
2129 469.745 910.7 -420.62; 2130 469.995 910.7 -420.62;
2131 470.245 910.7 -420.62; 2132 468.395 910.7 -420.62;
2133 468.245 910.7 -420.62; 2134 467.995 910.7 -420.62;
2135 467.745 910.7 -420.62; 2136 467.495 910.7 -420.62;
```

```
2137 467.245 910.7 -420.62; 2138 469.095 910.7 -420.87;
2139 468.745 910.7 -420.87; 2140 469.245 910.7 -420.87;
2141 469.495 910.7 -420.87; 2142 469.745 910.7 -420.87;
2143 469.995 910.7 -420.87; 2144 470.245 910.7 -420.87;
2145 468.395 910.7 -420.87; 2146 468.245 910.7 -420.87;
2147 467.995 910.7 -420.87; 2148 467.745 910.7 -420.87;
2149 467.495 910.7 -420.87; 2150 467.245 910.7 -420.87;
2151 476.42 910.7 -419.02; 2152 476.77 910.7 -419.02;
2153 476.77 910.7 -419.37; 2154 476.42 910.7 -419.37;
2155 476.92 910.7 -419.02; 2156 476.92 910.7 -419.37;
2157 477.17 910.7 -419.02; 2158 477.17 910.7 -419.37;
2159 477.42 910.7 -419.02; 2160 477.42 910.7 -419.37;
2161 477.67 910.7 -419.02; 2162 477.67 910.7 -419.37;
2163 477.92 910.7 -419.02; 2164 477.92 910.7 -419.37;
2165 476.07 910.7 -419.02; 2166 476.07 910.7 -419.37;
2167 475.92 910.7 -419.02; 2168 475.92 910.7 -419.37;
2169 475.67 910.7 -419.02; 2170 475.67 910.7 -419.37;
2171 475.42 910.7 -419.02; 2172 475.42 910.7 -419.37;
2173 475.17 910.7 -419.02; 2174 475.17 910.7 -419.37;
2175 474.92 910.7 -419.02; 2176 474.92 910.7 -419.37;
2177 476.42 910.7 -418.87; 2178 476.77 910.7 -418.87;
2179 476.92 910.7 -418.87; 2180 477.17 910.7 -418.87;
2181 477.42 910.7 -418.87; 2182 477.67 910.7 -418.87;
2183 477.92 910.7 -418.87; 2184 476.07 910.7 -418.87;
2185 475.92 910.7 -418.87; 2186 475.67 910.7 -418.87;
2187 475.42 910.7 -418.87; 2188 475.17 910.7 -418.87;
2189 474.92 910.7 -418.87; 2190 476.42 910.7 -418.62;
2191 476.77 910.7 -418.62; 2192 476.92 910.7 -418.62;
2193 477.17 910.7 -418.62; 2194 477.42 910.7 -418.62;
2195 477.67 910.7 -418.62; 2196 477.92 910.7 -418.62;
2197 476.07 910.7 -418.62; 2198 475.92 910.7 -418.62;
2199 475.67 910.7 -418.62; 2200 475.42 910.7 -418.62;
2201 475.17 910.7 -418.62; 2202 474.92 910.7 -418.62;
2203 476.42 910.7 -418.37; 2204 476.77 910.7 -418.37;
2205 476.92 910.7 -418.37; 2206 477.17 910.7 -418.37;
2207 477.42 910.7 -418.37; 2208 477.67 910.7 -418.37;
2209 477.92 910.7 -418.37; 2210 476.07 910.7 -418.37;
2211 475.92 910.7 -418.37; 2212 475.67 910.7 -418.37;
2213 475.42 910.7 -418.37; 2214 475.17 910.7 -418.37;
2215 474.92 910.7 -418.37; 2216 476.42 910.7 -418.12;
2217 476.77 910.7 -418.12; 2218 476.92 910.7 -418.12;
2219 477.17 910.7 -418.12; 2220 477.42 910.7 -418.12;
2221 477.67 910.7 -418.12; 2222 477.92 910.7 -418.12;
2223 476.07 910.7 -418.12; 2224 475.92 910.7 -418.12;
2225 475.67 910.7 -418.12; 2226 475.42 910.7 -418.12;
2227 475.17 910.7 -418.12; 2228 474.92 910.7 -418.12;
2229 476.42 910.7 -417.87; 2230 476.77 910.7 -417.87;
2231 476.92 910.7 -417.87; 2232 477.17 910.7 -417.87;
2233 477.42 910.7 -417.87; 2234 477.67 910.7 -417.87;
2235 477.92 910.7 -417.87; 2236 476.07 910.7 -417.87;
```

```
2237 475.92 910.7 -417.87; 2238 475.67 910.7 -417.87;
2239 475.42 910.7 -417.87; 2240 475.17 910.7 -417.87;
2241 474.92 910.7 -417.87; 2242 476.77 910.7 -419.72;
2243 476.42 910.7 -419.72; 2244 476.92 910.7 -419.72;
2245 477.17 910.7 -419.72; 2246 477.42 910.7 -419.72;
2247 477.67 910.7 -419.72; 2248 477.92 910.7 -419.72;
2249 476.07 910.7 -419.72; 2250 475.92 910.7 -419.72;
2251 475.67 910.7 -419.72; 2252 475.42 910.7 -419.72;
2253 475.17 910.7 -419.72; 2254 474.92 910.7 -419.72;
2255 476.77 910.7 -419.87; 2256 476.42 910.7 -419.87;
2257 476.92 910.7 -419.87; 2258 477.17 910.7 -419.87;
2259 477.42 910.7 -419.87; 2260 477.67 910.7 -419.87;
2261 477.92 910.7 -419.87; 2262 476.07 910.7 -419.87;
2263 475.92 910.7 -419.87; 2264 475.67 910.7 -419.87;
2265 475.42 910.7 -419.87; 2266 475.17 910.7 -419.87;
2267 474.92 910.7 -419.87; 2268 476.77 910.7 -420.12;
2269 476.42 910.7 -420.12; 2270 476.92 910.7 -420.12;
2271 477.17 910.7 -420.12; 2272 477.42 910.7 -420.12;
2273 477.67 910.7 -420.12; 2274 477.92 910.7 -420.12;
2275 476.07 910.7 -420.12; 2276 475.92 910.7 -420.12;
2277 475.67 910.7 -420.12; 2278 475.42 910.7 -420.12;
2279 475.17 910.7 -420.12; 2280 474.92 910.7 -420.12;
2281 476.77 910.7 -420.37; 2282 476.42 910.7 -420.37;
2283 476.92 910.7 -420.37; 2284 477.17 910.7 -420.37;
2285 477.42 910.7 -420.37; 2286 477.67 910.7 -420.37;
2287 477.92 910.7 -420.37; 2288 476.07 910.7 -420.37;
2289 475.92 910.7 -420.37; 2290 475.67 910.7 -420.37;
2291 475.42 910.7 -420.37; 2292 475.17 910.7 -420.37;
2293 474.92 910.7 -420.37; 2294 476.77 910.7 -420.62;
2295 476.42 910.7 -420.62; 2296 476.92 910.7 -420.62;
2297 477.17 910.7 -420.62; 2298 477.42 910.7 -420.62;
2299 477.67 910.7 -420.62; 2300 477.92 910.7 -420.62;
2301 476.07 910.7 -420.62; 2302 475.92 910.7 -420.62;
2303 475.67 910.7 -420.62; 2304 475.42 910.7 -420.62;
2305 475.17 910.7 -420.62; 2306 474.92 910.7 -420.62;
2307 476.77 910.7 -420.87; 2308 476.42 910.7 -420.87;
2309 476.92 910.7 -420.87; 2310 477.17 910.7 -420.87;
2311 477.42 910.7 -420.87; 2312 477.67 910.7 -420.87;
2313 477.92 910.7 -420.87; 2314 476.07 910.7 -420.87;
2315 475.92 910.7 -420.87; 2316 475.67 910.7 -420.87;
2317 475.42 910.7 -420.87; 2318 475.17 910.7 -420.87;
2319 474.92 910.7 -420.87;
*
*
MEMBER INCIDENCES
576 4 318; 577 5 319; 578 6 320; 579 7 321; 580 8 322; 581 9 323;
582 10 324; 583 11 325; 2316 1 1816; 2317 2 1985; 2318 3 2154;
ELEMENT INCIDENCES SHELL
584 327 328 326 318; 585 328 330 329 326; 586 330 332 331 329;
587 332 334 333 331; 588 334 336 335 333; 589 336 338 337 335;
```

590 340 327 318 339; 591 342 340 339 341; 592 344 342 341 343;
593 346 344 343 345; 594 348 346 345 347; 595 350 348 347 349;
596 351 352 328 327; 597 352 353 330 328; 598 353 354 332 330;
599 354 355 334 332; 600 355 356 336 334; 601 356 357 338 336;
602 358 351 327 340; 603 359 358 340 342; 604 360 359 342 344;
605 361 360 344 346; 606 362 361 346 348; 607 363 362 348 350;
608 364 365 352 351; 609 365 366 353 352; 610 366 367 354 353;
611 367 368 355 354; 612 368 369 356 355; 613 369 370 357 356;
614 371 364 351 358; 615 372 371 358 359; 616 373 372 359 360;
617 374 373 360 361; 618 375 374 361 362; 619 376 375 362 363;
620 377 378 365 364; 621 378 379 366 365; 622 379 380 367 366;
623 380 381 368 367; 624 381 382 369 368; 625 382 383 370 369;
626 384 377 364 371; 627 385 384 371 372; 628 386 385 372 373;
629 387 386 373 374; 630 388 387 374 375; 631 389 388 375 376;
632 390 391 378 377; 633 391 392 379 378; 634 392 393 380 379;
635 393 394 381 380; 636 394 395 382 381; 637 395 396 383 382;
638 397 390 377 384; 639 398 397 384 385; 640 399 398 385 386;
641 400 399 386 387; 642 401 400 387 388; 643 402 401 388 389;
644 403 404 391 390; 645 404 405 392 391; 646 405 406 393 392;
647 406 407 394 393; 648 407 408 395 394; 649 408 409 396 395;
650 410 403 390 397; 651 411 410 397 398; 652 412 411 398 399;
653 413 412 399 400; 654 414 413 400 401; 655 415 414 401 402;
656 318 326 417 416; 657 326 329 418 417; 658 329 331 419 418;
659 331 333 420 419; 660 333 335 421 420; 661 335 337 422 421;
662 339 318 416 423; 663 341 339 423 424; 664 343 341 424 425;
665 345 343 425 426; 666 347 345 426 427; 667 349 347 427 428;
668 416 417 430 429; 669 417 418 431 430; 670 418 419 432 431;
671 419 420 433 432; 672 420 421 434 433; 673 421 422 435 434;
674 423 416 429 436; 675 424 423 436 437; 676 425 424 437 438;
677 426 425 438 439; 678 427 426 439 440; 679 428 427 440 441;
680 429 430 443 442; 681 430 431 444 443; 682 431 432 445 444;
683 432 433 446 445; 684 433 434 447 446; 685 434 435 448 447;
686 436 429 442 449; 687 437 436 449 450; 688 438 437 450 451;
689 439 438 451 452; 690 440 439 452 453; 691 441 440 453 454;
692 442 443 456 455; 693 443 444 457 456; 694 444 445 458 457;
695 445 446 459 458; 696 446 447 460 459; 697 447 448 461 460;
698 449 442 455 462; 699 450 449 462 463; 700 451 450 463 464;
701 452 451 464 465; 702 453 452 465 466; 703 454 453 466 467;
704 455 456 469 468; 705 456 457 470 469; 706 457 458 471 470;
707 458 459 472 471; 708 459 460 473 472; 709 460 461 474 473;
710 462 455 468 475; 711 463 462 475 476; 712 464 463 476 477;
713 465 464 477 478; 714 466 465 478 479; 715 467 466 479 480;
716 468 469 482 481; 717 469 470 483 482; 718 470 471 484 483;
719 471 472 485 484; 720 472 473 486 485; 721 473 474 487 486;
722 475 468 481 488; 723 476 475 488 489; 724 477 476 489 490;
725 478 477 490 491; 726 479 478 491 492; 727 480 479 492 493;
728 494 495 496 321; 729 495 497 498 496; 730 497 499 500 498;
731 499 501 502 500; 732 501 503 504 502; 733 503 505 506 504;
734 507 494 321 508; 735 509 507 508 510; 736 511 509 510 512;
737 513 511 512 514; 738 515 513 514 516; 739 517 515 516 518;

```
740 519 520 495 494; 741 520 521 497 495; 742 521 522 499 497;
743 522 523 501 499; 744 523 524 503 501; 745 524 525 505 503;
746 526 519 494 507; 747 527 526 507 509; 748 528 527 509 511;
749 529 528 511 513; 750 530 529 513 515; 751 531 530 515 517;
752 532 533 520 519; 753 533 534 521 520; 754 534 535 522 521;
755 535 536 523 522; 756 536 537 524 523; 757 537 538 525 524;
758 539 532 519 526; 759 540 539 526 527; 760 541 540 527 528;
761 542 541 528 529; 762 543 542 529 530; 763 544 543 530 531;
764 545 546 533 532; 765 546 547 534 533; 766 547 548 535 534;
767 548 549 536 535; 768 549 550 537 536; 769 550 551 538 537;
770 552 545 532 539; 771 553 552 539 540; 772 554 553 540 541;
773 555 554 541 542; 774 556 555 542 543; 775 557 556 543 544;
776 558 559 546 545; 777 559 560 547 546; 778 560 561 548 547;
779 561 562 549 548; 780 562 563 550 549; 781 563 564 551 550;
782 565 558 545 552; 783 566 565 552 553; 784 567 566 553 554;
785 568 567 554 555; 786 569 568 555 556; 787 570 569 556 557;
788 571 572 559 558; 789 572 573 560 559; 790 573 574 561 560;
791 574 575 562 561; 792 575 576 563 562; 793 576 577 564 563;
794 578 571 558 565; 795 579 578 565 566; 796 580 579 566 567;
797 581 580 567 568; 798 582 581 568 569; 799 583 582 569 570;
800 321 496 584 585; 801 496 498 586 584; 802 498 500 587 586;
803 500 502 588 587; 804 502 504 589 588; 805 504 506 590 589;
806 508 321 585 591; 807 510 508 591 592; 808 512 510 592 593;
809 514 512 593 594; 810 516 514 594 595; 811 518 516 595 596;
812 585 584 597 598; 813 584 586 599 597; 814 586 587 600 599;
815 587 588 601 600; 816 588 589 602 601; 817 589 590 603 602;
818 591 585 598 604; 819 592 591 604 605; 820 593 592 605 606;
821 594 593 606 607; 822 595 594 607 608; 823 596 595 608 609;
824 598 597 610 611; 825 597 599 612 610; 826 599 600 613 612;
827 600 601 614 613; 828 601 602 615 614; 829 602 603 616 615;
830 604 598 611 617; 831 605 604 617 618; 832 606 605 618 619;
833 607 606 619 620; 834 608 607 620 621; 835 609 608 621 622;
836 611 610 623 624; 837 610 612 625 623; 838 612 613 626 625;
839 613 614 627 626; 840 614 615 628 627; 841 615 616 629 628;
842 617 611 624 630; 843 618 617 630 631; 844 619 618 631 632;
845 620 619 632 633; 846 621 620 633 634; 847 622 621 634 635;
848 624 623 636 637; 849 623 625 638 636; 850 625 626 639 638;
851 626 627 640 639; 852 627 628 641 640; 853 628 629 642 641;
854 630 624 637 643; 855 631 630 643 644; 856 632 631 644 645;
857 633 632 645 646; 858 634 633 646 647; 859 635 634 647 648;
860 637 636 649 650; 861 636 638 651 649; 862 638 639 652 651;
863 639 640 653 652; 864 640 641 654 653; 865 641 642 655 654;
866 643 637 650 656; 867 644 643 656 657; 868 645 644 657 658;
869 646 645 658 659; 870 647 646 659 660; 871 648 647 660 661;
872 662 663 664 319; 873 663 665 666 664; 874 665 667 668 666;
875 667 669 670 668; 876 669 671 672 670; 877 671 673 674 672;
878 675 662 319 676; 879 677 675 676 678; 880 679 677 678 680;
881 681 679 680 682; 882 683 681 682 684; 883 685 683 684 686;
884 687 688 663 662; 885 688 689 665 663; 886 689 690 667 665;
887 690 691 669 667; 888 691 692 671 669; 889 692 693 673 671;
```

890 694 687 662 675; 891 695 694 675 677; 892 696 695 677 679;
893 697 696 679 681; 894 698 697 681 683; 895 699 698 683 685;
896 700 701 688 687; 897 701 702 689 688; 898 702 703 690 689;
899 703 704 691 690; 900 704 705 692 691; 901 705 706 693 692;
902 707 700 687 694; 903 708 707 694 695; 904 709 708 695 696;
905 710 709 696 697; 906 711 710 697 698; 907 712 711 698 699;
908 713 714 701 700; 909 714 715 702 701; 910 715 716 703 702;
911 716 717 704 703; 912 717 718 705 704; 913 718 719 706 705;
914 720 713 700 707; 915 721 720 707 708; 916 722 721 708 709;
917 723 722 709 710; 918 724 723 710 711; 919 725 724 711 712;
920 726 727 714 713; 921 727 728 715 714; 922 728 729 716 715;
923 729 730 717 716; 924 730 731 718 717; 925 731 732 719 718;
926 733 726 713 720; 927 734 733 720 721; 928 735 734 721 722;
929 736 735 722 723; 930 737 736 723 724; 931 738 737 724 725;
932 739 740 727 726; 933 740 741 728 727; 934 741 742 729 728;
935 742 743 730 729; 936 743 744 731 730; 937 744 745 732 731;
938 746 739 726 733; 939 747 746 733 734; 940 748 747 734 735;
941 749 748 735 736; 942 750 749 736 737; 943 751 750 737 738;
944 319 664 752 753; 945 664 666 754 752; 946 666 668 755 754;
947 668 670 756 755; 948 670 672 757 756; 949 672 674 758 757;
950 676 319 753 759; 951 678 676 759 760; 952 680 678 760 761;
953 682 680 761 762; 954 684 682 762 763; 955 686 684 763 764;
956 753 752 765 766; 957 752 754 767 765; 958 754 755 768 767;
959 755 756 769 768; 960 756 757 770 769; 961 757 758 771 770;
962 759 753 766 772; 963 760 759 772 773; 964 761 760 773 774;
965 762 761 774 775; 966 763 762 775 776; 967 764 763 776 777;
968 766 765 778 779; 969 765 767 780 778; 970 767 768 781 780;
971 768 769 782 781; 972 769 770 783 782; 973 770 771 784 783;
974 772 766 779 785; 975 773 772 785 786; 976 774 773 786 787;
977 775 774 787 788; 978 776 775 788 789; 979 777 776 789 790;
980 779 778 791 792; 981 778 780 793 791; 982 780 781 794 793;
983 781 782 795 794; 984 782 783 796 795; 985 783 784 797 796;
986 785 779 792 798; 987 786 785 798 799; 988 787 786 799 800;
989 788 787 800 801; 990 789 788 801 802; 991 790 789 802 803;
992 792 791 804 805; 993 791 793 806 804; 994 793 794 807 806;
995 794 795 808 807; 996 795 796 809 808; 997 796 797 810 809;
998 798 792 805 811; 999 799 798 811 812; 1000 800 799 812 813;
1001 801 800 813 814; 1002 802 801 814 815; 1003 803 802 815 816;
1004 805 804 817 818; 1005 804 806 819 817; 1006 806 807 820 819;
1007 807 808 821 820; 1008 808 809 822 821; 1009 809 810 823 822;
1010 811 805 818 824; 1011 812 811 824 825; 1012 813 812 825 826;
1013 814 813 826 827; 1014 815 814 827 828; 1015 816 815 828 829;
1016 830 831 832 320; 1017 831 833 834 832; 1018 833 835 836 834;
1019 835 837 838 836; 1020 837 839 840 838; 1021 839 841 842 840;
1022 843 830 320 844; 1023 845 843 844 846; 1024 847 845 846 848;
1025 849 847 848 850; 1026 851 849 850 852; 1027 853 851 852 854;
1028 855 856 831 830; 1029 856 857 833 831; 1030 857 858 835 833;
1031 858 859 837 835; 1032 859 860 839 837; 1033 860 861 841 839;
1034 862 855 830 843; 1035 863 862 843 845; 1036 864 863 845 847;
1037 865 864 847 849; 1038 866 865 849 851; 1039 867 866 851 853;

```
1040 868 869 856 855; 1041 869 870 857 856; 1042 870 871 858 857;
1043 871 872 859 858; 1044 872 873 860 859; 1045 873 874 861 860;
1046 875 868 855 862; 1047 876 875 862 863; 1048 877 876 863 864;
1049 878 877 864 865; 1050 879 878 865 866; 1051 880 879 866 867;
1052 881 882 869 868; 1053 882 883 870 869; 1054 883 884 871 870;
1055 884 885 872 871; 1056 885 886 873 872; 1057 886 887 874 873;
1058 888 881 868 875; 1059 889 888 875 876; 1060 890 889 876 877;
1061 891 890 877 878; 1062 892 891 878 879; 1063 893 892 879 880;
1064 894 895 882 881; 1065 895 896 883 882; 1066 896 897 884 883;
1067 897 898 885 884; 1068 898 899 886 885; 1069 899 900 887 886;
1070 901 894 881 888; 1071 902 901 888 889; 1072 903 902 889 890;
1073 904 903 890 891; 1074 905 904 891 892; 1075 906 905 892 893;
1076 907 908 895 894; 1077 908 909 896 895; 1078 909 910 897 896;
1079 910 911 898 897; 1080 911 912 899 898; 1081 912 913 900 899;
1082 914 907 894 901; 1083 915 914 901 902; 1084 916 915 902 903;
1085 917 916 903 904; 1086 918 917 904 905; 1087 919 918 905 906;
1088 320 832 920 921; 1089 832 834 922 920; 1090 834 836 923 922;
1091 836 838 924 923; 1092 838 840 925 924; 1093 840 842 926 925;
1094 844 320 921 927; 1095 846 844 927 928; 1096 848 846 928 929;
1097 850 848 929 930; 1098 852 850 930 931; 1099 854 852 931 932;
1100 921 920 933 934; 1101 920 922 935 933; 1102 922 923 936 935;
1103 923 924 937 936; 1104 924 925 938 937; 1105 925 926 939 938;
1106 927 921 934 940; 1107 928 927 940 941; 1108 929 928 941 942;
1109 930 929 942 943; 1110 931 930 943 944; 1111 932 931 944 945;
1112 934 933 946 947; 1113 933 935 948 946; 1114 935 936 949 948;
1115 936 937 950 949; 1116 937 938 951 950; 1117 938 939 952 951;
1118 940 934 947 953; 1119 941 940 953 954; 1120 942 941 954 955;
1121 943 942 955 956; 1122 944 943 956 957; 1123 945 944 957 958;
1124 947 946 959 960; 1125 946 948 961 959; 1126 948 949 962 961;
1127 949 950 963 962; 1128 950 951 964 963; 1129 951 952 965 964;
1130 953 947 960 966; 1131 954 953 966 967; 1132 955 954 967 968;
1133 956 955 968 969; 1134 957 956 969 970; 1135 958 957 970 971;
1136 960 959 972 973; 1137 959 961 974 972; 1138 961 962 975 974;
1139 962 963 976 975; 1140 963 964 977 976; 1141 964 965 978 977;
1142 966 960 973 979; 1143 967 966 979 980; 1144 968 967 980 981;
1145 969 968 981 982; 1146 970 969 982 983; 1147 971 970 983 984;
1148 973 972 985 986; 1149 972 974 987 985; 1150 974 975 988 987;
1151 975 976 989 988; 1152 976 977 990 989; 1153 977 978 991 990;
1154 979 973 986 992; 1155 980 979 992 993; 1156 981 980 993 994;
1157 982 981 994 995; 1158 983 982 995 996; 1159 984 983 996 997;
1160 998 999 1000 323; 1161 1001 1002 1003 324; 1162 1004 1005 999 998;
1163 1006 1007 1002 1001; 1164 1008 1009 1005 1004;
1165 1010 1011 1007 1006; 1166 1012 1013 1009 1008;
1167 1014 1015 1011 1010; 1168 323 1000 1018 1016;
1169 324 1003 1019 1017; 1170 1016 1018 1022 1020;
1171 1017 1019 1023 1021; 1172 1020 1022 1026 1024;
1173 1021 1023 1027 1025; 1174 1024 1026 1030 1028;
1175 1025 1027 1031 1029; 1176 1034 998 323 1032;
1177 1035 1001 324 1033; 1178 1036 1004 998 1034;
1179 1037 1006 1001 1035; 1180 1038 1008 1004 1036;
```

```
1181 1039 1010 1006 1037; 1182 1040 1012 1008 1038;
1183 1041 1014 1010 1039; 1184 1032 323 1016 1042;
1185 1033 324 1017 1043; 1186 1042 1016 1020 1044;
1187 1043 1017 1021 1045; 1188 1044 1020 1024 1046;
1189 1045 1021 1025 1047; 1190 1046 1024 1028 1048;
1191 1047 1025 1029 1049; 1192 1052 1034 1032 1050;
1193 1053 1035 1033 1051; 1194 1054 1036 1034 1052;
1195 1055 1037 1035 1053; 1196 1056 1038 1036 1054;
1197 1057 1039 1037 1055; 1198 1058 1040 1038 1056;
1199 1059 1041 1039 1057; 1200 1050 1032 1042 1060;
1201 1051 1033 1043 1061; 1202 1060 1042 1044 1062;
1203 1061 1043 1045 1063; 1204 1062 1044 1046 1064;
1205 1063 1045 1047 1065; 1206 1064 1046 1048 1066;
1207 1065 1047 1049 1067; 1208 1070 1052 1050 1068;
1209 1071 1053 1051 1069; 1210 1072 1054 1052 1070;
1211 1073 1055 1053 1071; 1212 1074 1056 1054 1072;
1213 1075 1057 1055 1073; 1214 1076 1058 1056 1074;
1215 1077 1059 1057 1075; 1216 1068 1050 1060 1078;
1217 1069 1051 1061 1079; 1218 1078 1060 1062 1080;
1219 1079 1061 1063 1081; 1220 1080 1062 1064 1082;
1221 1081 1063 1065 1083; 1222 1082 1064 1066 1084;
1223 1083 1065 1067 1085; 1224 1088 1070 1068 1086;
1225 1089 1071 1069 1087; 1226 1090 1072 1070 1088;
1227 1091 1073 1071 1089; 1228 1092 1074 1072 1090;
1229 1093 1075 1073 1091; 1230 1094 1076 1074 1092;
1231 1095 1077 1075 1093; 1232 1086 1068 1078 1096;
1233 1087 1069 1079 1097; 1234 1096 1078 1080 1098;
1235 1097 1079 1081 1099; 1236 1098 1080 1082 1100;
1237 1099 1081 1083 1101; 1238 1100 1082 1084 1102;
1239 1101 1083 1085 1103; 1240 1106 1088 1086 1104;
1241 1107 1089 1087 1105; 1242 1108 1090 1088 1106;
1243 1109 1091 1089 1107; 1244 1110 1092 1090 1108;
1245 1111 1093 1091 1109; 1246 1112 1094 1092 1110;
1247 1113 1095 1093 1111; 1248 1104 1086 1096 1114;
1249 1105 1087 1097 1115; 1250 1114 1096 1098 1116;
1251 1115 1097 1099 1117; 1252 1116 1098 1100 1118;
1253 1117 1099 1101 1119; 1254 1118 1100 1102 1120;
1255 1119 1101 1103 1121; 1256 1124 1106 1104 1122;
1257 1125 1107 1105 1123; 1258 1126 1108 1106 1124;
1259 1127 1109 1107 1125; 1260 1128 1110 1108 1126;
1261 1129 1111 1109 1127; 1262 1130 1112 1110 1128;
1263 1131 1113 1111 1129; 1264 1122 1104 1114 1132;
1265 1123 1105 1115 1133; 1266 1132 1114 1116 1134;
1267 1133 1115 1117 1135; 1268 1134 1116 1118 1136;
1269 1135 1117 1119 1137; 1270 1136 1118 1120 1138;
1271 1137 1119 1121 1139; 1272 999 1140 1141 1000;
1273 1002 1142 1143 1003; 1274 1005 1144 1140 999;
1275 1007 1145 1142 1002; 1276 1009 1146 1144 1005;
1277 1011 1147 1145 1007; 1278 1013 1148 1146 1009;
1279 1015 1149 1147 1011; 1280 1000 1141 1150 1018;
```

1281 1003 1143 1151 1019; 1282 1018 1150 1152 1022;
1283 1019 1151 1153 1023; 1284 1022 1152 1154 1026;
1285 1023 1153 1155 1027; 1286 1026 1154 1156 1030;
1287 1027 1155 1157 1031; 1288 1140 1158 1159 1141;
1289 1142 1160 1161 1143; 1290 1144 1162 1158 1140;
1291 1145 1163 1160 1142; 1292 1146 1164 1162 1144;
1293 1147 1165 1163 1145; 1294 1148 1166 1164 1146;
1295 1149 1167 1165 1147; 1296 1141 1159 1168 1150;
1297 1143 1161 1169 1151; 1298 1150 1168 1170 1152;
1299 1151 1169 1171 1153; 1300 1152 1170 1172 1154;
1301 1153 1171 1173 1155; 1302 1154 1172 1174 1156;
1303 1155 1173 1175 1157; 1304 1158 1176 1177 1159;
1305 1160 1178 1179 1161; 1306 1162 1180 1176 1158;
1307 1163 1181 1178 1160; 1308 1164 1182 1180 1162;
1309 1165 1183 1181 1163; 1310 1166 1184 1182 1164;
1311 1167 1185 1183 1165; 1312 1159 1177 1186 1168;
1313 1161 1179 1187 1169; 1314 1168 1186 1188 1170;
1315 1169 1187 1189 1171; 1316 1170 1188 1190 1172;
1317 1171 1189 1191 1173; 1318 1172 1190 1192 1174;
1319 1173 1191 1193 1175; 1320 1176 1194 1195 1177;
1321 1178 1196 1197 1179; 1322 1180 1198 1194 1176;
1323 1181 1199 1196 1178; 1324 1182 1200 1198 1180;
1325 1183 1201 1199 1181; 1326 1184 1202 1200 1182;
1327 1185 1203 1201 1183; 1328 1177 1195 1204 1186;
1329 1179 1197 1205 1187; 1330 1186 1204 1206 1188;
1331 1187 1205 1207 1189; 1332 1188 1206 1208 1190;
1333 1189 1207 1209 1191; 1334 1190 1208 1210 1192;
1335 1191 1209 1211 1193; 1336 1194 1212 1213 1195;
1337 1196 1214 1215 1197; 1338 1198 1216 1212 1194;
1339 1199 1217 1214 1196; 1340 1200 1218 1216 1198;
1341 1201 1219 1217 1199; 1342 1202 1220 1218 1200;
1343 1203 1221 1219 1201; 1344 1195 1213 1222 1204;
1345 1197 1215 1223 1205; 1346 1204 1222 1224 1206;
1347 1205 1223 1225 1207; 1348 1206 1224 1226 1208;
1349 1207 1225 1227 1209; 1350 1208 1226 1228 1210;
1351 1209 1227 1229 1211; 1352 1212 1230 1231 1213;
1353 1214 1232 1233 1215; 1354 1216 1234 1230 1212;
1355 1217 1235 1232 1214; 1356 1218 1236 1234 1216;
1357 1219 1237 1235 1217; 1358 1220 1238 1236 1218;
1359 1221 1239 1237 1219; 1360 1213 1231 1240 1222;
1361 1215 1233 1241 1223; 1362 1222 1240 1242 1224;
1363 1223 1241 1243 1225; 1364 1224 1242 1244 1226;
1365 1225 1243 1245 1227; 1366 1226 1244 1246 1228;
1367 1227 1245 1247 1229; 1368 1238 1248 1249 1236;
1369 1248 1250 1251 1249; 1370 1250 1252 1253 1251;
1371 1252 1254 1255 1253; 1372 1254 1256 1257 1255;
1373 1256 1258 1259 1257; 1374 1258 1260 1261 1259;
1375 1260 1262 1263 1261; 1376 1262 1264 1265 1263;
1377 1264 1266 1267 1265; 1378 1266 1268 1269 1267;
1379 1268 1131 1129 1269; 1380 1236 1249 1270 1234;

```
1381 1249 1251 1271 1270; 1382 1251 1253 1272 1271;
1383 1253 1255 1273 1272; 1384 1255 1257 1274 1273;
1385 1257 1259 1275 1274; 1386 1259 1261 1276 1275;
1387 1261 1263 1277 1276; 1388 1263 1265 1278 1277;
1389 1265 1267 1279 1278; 1390 1267 1269 1280 1279;
1391 1269 1129 1127 1280; 1392 1234 1270 1281 1230;
1393 1270 1271 1282 1281; 1394 1271 1272 1283 1282;
1395 1272 1273 1284 1283; 1396 1273 1274 1285 1284;
1397 1274 1275 1286 1285; 1398 1275 1276 1287 1286;
1399 1276 1277 1288 1287; 1400 1277 1278 1289 1288;
1401 1278 1279 1290 1289; 1402 1279 1280 1291 1290;
1403 1280 1127 1125 1291; 1404 1230 1281 1292 1231;
1405 1281 1282 1293 1292; 1406 1282 1283 1294 1293;
1407 1283 1284 1295 1294; 1408 1284 1285 1296 1295;
1409 1285 1286 1297 1296; 1410 1286 1287 1298 1297;
1411 1287 1288 1299 1298; 1412 1288 1289 1300 1299;
1413 1289 1290 1301 1300; 1414 1290 1291 1302 1301;
1415 1291 1125 1123 1302; 1416 1231 1292 1303 1240;
1417 1292 1293 1304 1303; 1418 1293 1294 1305 1304;
1419 1294 1295 1306 1305; 1420 1295 1296 1307 1306;
1421 1296 1297 1308 1307; 1422 1297 1298 1309 1308;
1423 1298 1299 1310 1309; 1424 1299 1300 1311 1310;
1425 1300 1301 1312 1311; 1426 1301 1302 1313 1312;
1427 1302 1123 1133 1313; 1428 1240 1303 1314 1242;
1429 1303 1304 1315 1314; 1430 1304 1305 1316 1315;
1431 1305 1306 1317 1316; 1432 1306 1307 1318 1317;
1433 1307 1308 1319 1318; 1434 1308 1309 1320 1319;
1435 1309 1310 1321 1320; 1436 1310 1311 1322 1321;
1437 1311 1312 1323 1322; 1438 1312 1313 1324 1323;
1439 1313 1133 1135 1324; 1440 1242 1314 1325 1244;
1441 1314 1315 1326 1325; 1442 1315 1316 1327 1326;
1443 1316 1317 1328 1327; 1444 1317 1318 1329 1328;
1445 1318 1319 1330 1329; 1446 1319 1320 1331 1330;
1447 1320 1321 1332 1331; 1448 1321 1322 1333 1332;
1449 1322 1323 1334 1333; 1450 1323 1324 1335 1334;
1451 1324 1135 1137 1335; 1452 1244 1325 1336 1246;
1453 1325 1326 1337 1336; 1454 1326 1327 1338 1337;
1455 1327 1328 1339 1338; 1456 1328 1329 1340 1339;
1457 1329 1330 1341 1340; 1458 1330 1331 1342 1341;
1459 1331 1332 1343 1342; 1460 1332 1333 1344 1343;
1461 1333 1334 1345 1344; 1462 1334 1335 1346 1345;
1463 1335 1137 1139 1346; 1464 1347 1348 1349 322;
1465 1348 1350 1351 1349; 1466 1350 1352 1353 1351;
1467 1352 1354 1355 1353; 1468 1354 1356 1357 1355;
1469 1356 1358 1359 1357; 1470 1360 1347 322 1361;
1471 1362 1360 1361 1363; 1472 1364 1362 1363 1365;
1473 1366 1364 1365 1367; 1474 1368 1366 1367 1369;
1475 1370 1368 1369 1371; 1476 1372 1373 1348 1347;
1477 1373 1374 1350 1348; 1478 1374 1375 1352 1350;
1479 1375 1376 1354 1352; 1480 1376 1377 1356 1354;
```

```
1481 1377 1378 1358 1356; 1482 1379 1372 1347 1360;
1483 1380 1379 1360 1362; 1484 1381 1380 1362 1364;
1485 1382 1381 1364 1366; 1486 1383 1382 1366 1368;
1487 1384 1383 1368 1370; 1488 1385 1386 1373 1372;
1489 1386 1387 1374 1373; 1490 1387 1388 1375 1374;
1491 1388 1389 1376 1375; 1492 1389 1390 1377 1376;
1493 1390 1391 1378 1377; 1494 1392 1385 1372 1379;
1495 1393 1392 1379 1380; 1496 1394 1393 1380 1381;
1497 1395 1394 1381 1382; 1498 1396 1395 1382 1383;
1499 1397 1396 1383 1384; 1500 1398 1399 1386 1385;
1501 1399 1400 1387 1386; 1502 1400 1401 1388 1387;
1503 1401 1402 1389 1388; 1504 1402 1403 1390 1389;
1505 1403 1404 1391 1390; 1506 1405 1398 1385 1392;
1507 1406 1405 1392 1393; 1508 1407 1406 1393 1394;
1509 1408 1407 1394 1395; 1510 1409 1408 1395 1396;
1511 1410 1409 1396 1397; 1512 1411 1412 1399 1398;
1513 1412 1413 1400 1399; 1514 1413 1414 1401 1400;
1515 1414 1415 1402 1401; 1516 1415 1416 1403 1402;
1517 1416 1417 1404 1403; 1518 1418 1411 1398 1405;
1519 1419 1418 1405 1406; 1520 1420 1419 1406 1407;
1521 1421 1420 1407 1408; 1522 1422 1421 1408 1409;
1523 1423 1422 1409 1410; 1524 1424 1425 1412 1411;
1525 1425 1426 1413 1412; 1526 1426 1427 1414 1413;
1527 1427 1428 1415 1414; 1528 1428 1429 1416 1415;
1529 1429 1430 1417 1416; 1530 1431 1424 1411 1418;
1531 1432 1431 1418 1419; 1532 1433 1432 1419 1420;
1533 1434 1433 1420 1421; 1534 1435 1434 1421 1422;
1535 1436 1435 1422 1423; 1536 322 1349 1437 1438;
1537 1349 1351 1439 1437; 1538 1351 1353 1440 1439;
1539 1353 1355 1441 1440; 1540 1355 1357 1442 1441;
1541 1357 1359 1443 1442; 1542 1361 322 1438 1444;
1543 1363 1361 1444 1445; 1544 1365 1363 1445 1446;
1545 1367 1365 1446 1447; 1546 1369 1367 1447 1448;
1547 1371 1369 1448 1449; 1548 1438 1437 1450 1451;
1549 1437 1439 1452 1450; 1550 1439 1440 1453 1452;
1551 1440 1441 1454 1453; 1552 1441 1442 1455 1454;
1553 1442 1443 1456 1455; 1554 1444 1438 1451 1457;
1555 1445 1444 1457 1458; 1556 1446 1445 1458 1459;
1557 1447 1446 1459 1460; 1558 1448 1447 1460 1461;
1559 1449 1448 1461 1462; 1560 1451 1450 1463 1464;
1561 1450 1452 1465 1463; 1562 1452 1453 1466 1465;
1563 1453 1454 1467 1466; 1564 1454 1455 1468 1467;
1565 1455 1456 1469 1468; 1566 1457 1451 1464 1470;
1567 1458 1457 1470 1471; 1568 1459 1458 1471 1472;
1569 1460 1459 1472 1473; 1570 1461 1460 1473 1474;
1571 1462 1461 1474 1475; 1572 1464 1463 1476 1477;
1573 1463 1465 1478 1476; 1574 1465 1466 1479 1478;
1575 1466 1467 1480 1479; 1576 1467 1468 1481 1480;
1577 1468 1469 1482 1481; 1578 1470 1464 1477 1483;
1579 1471 1470 1483 1484; 1580 1472 1471 1484 1485;
```

```
1581 1473 1472 1485 1486; 1582 1474 1473 1486 1487;
1583 1475 1474 1487 1488; 1584 1477 1476 1489 1490;
1585 1476 1478 1491 1489; 1586 1478 1479 1492 1491;
1587 1479 1480 1493 1492; 1588 1480 1481 1494 1493;
1589 1481 1482 1495 1494; 1590 1483 1477 1490 1496;
1591 1484 1483 1496 1497; 1592 1485 1484 1497 1498;
1593 1486 1485 1498 1499; 1594 1487 1486 1499 1500;
1595 1488 1487 1500 1501; 1596 1490 1489 1502 1503;
1597 1489 1491 1504 1502; 1598 1491 1492 1505 1504;
1599 1492 1493 1506 1505; 1600 1493 1494 1507 1506;
1601 1494 1495 1508 1507; 1602 1496 1490 1503 1509;
1603 1497 1496 1509 1510; 1604 1498 1497 1510 1511;
1605 1499 1498 1511 1512; 1606 1500 1499 1512 1513;
1607 1501 1500 1513 1514; 1608 1515 1516 1517 325;
1609 1516 1518 1519 1517; 1610 1518 1520 1521 1519;
1611 1520 1522 1523 1521; 1612 1522 1524 1525 1523;
1613 1524 1526 1527 1525; 1614 1528 1515 325 1529;
1615 1530 1528 1529 1531; 1616 1532 1530 1531 1533;
1617 1534 1532 1533 1535; 1618 1536 1534 1535 1537;
1619 1538 1536 1537 1539; 1620 1540 1541 1516 1515;
1621 1541 1542 1518 1516; 1622 1542 1543 1520 1518;
1623 1543 1544 1522 1520; 1624 1544 1545 1524 1522;
1625 1545 1546 1526 1524; 1626 1547 1540 1515 1528;
1627 1548 1547 1528 1530; 1628 1549 1548 1530 1532;
1629 1550 1549 1532 1534; 1630 1551 1550 1534 1536;
1631 1552 1551 1536 1538; 1632 1553 1554 1541 1540;
1633 1554 1555 1542 1541; 1634 1555 1556 1543 1542;
1635 1556 1557 1544 1543; 1636 1557 1558 1545 1544;
1637 1558 1559 1546 1545; 1638 1560 1553 1540 1547;
1639 1561 1560 1547 1548; 1640 1562 1561 1548 1549;
1641 1563 1562 1549 1550; 1642 1564 1563 1550 1551;
1643 1565 1564 1551 1552; 1644 1566 1567 1554 1553;
1645 1567 1568 1555 1554; 1646 1568 1569 1556 1555;
1647 1569 1570 1557 1556; 1648 1570 1571 1558 1557;
1649 1571 1572 1559 1558; 1650 1573 1566 1553 1560;
1651 1574 1573 1560 1561; 1652 1575 1574 1561 1562;
1653 1576 1575 1562 1563; 1654 1577 1576 1563 1564;
1655 1578 1577 1564 1565; 1680 325 1517 1605 1606;
1681 1517 1519 1607 1605; 1682 1519 1521 1608 1607;
1683 1521 1523 1609 1608; 1684 1523 1525 1610 1609;
1685 1525 1527 1611 1610; 1686 1529 325 1606 1612;
1687 1531 1529 1612 1613; 1688 1533 1531 1613 1614;
1689 1535 1533 1614 1615; 1690 1537 1535 1615 1616;
1691 1539 1537 1616 1617; 1692 1606 1605 1618 1619;
1693 1605 1607 1620 1618; 1694 1607 1608 1621 1620;
1695 1608 1609 1622 1621; 1696 1609 1610 1623 1622;
1697 1610 1611 1624 1623; 1698 1612 1606 1619 1625;
1699 1613 1612 1625 1626; 1700 1614 1613 1626 1627;
1701 1615 1614 1627 1628; 1702 1616 1615 1628 1629;
1703 1617 1616 1629 1630; 1704 1619 1618 1631 1632;
```

```
1705 1618 1620 1633 1631; 1706 1620 1621 1634 1633;
1707 1621 1622 1635 1634; 1708 1622 1623 1636 1635;
1709 1623 1624 1637 1636; 1710 1625 1619 1632 1638;
1711 1626 1625 1638 1639; 1712 1627 1626 1639 1640;
1713 1628 1627 1640 1641; 1714 1629 1628 1641 1642;
1715 1630 1629 1642 1643; 1716 1632 1631 1644 1645;
1717 1631 1633 1646 1644; 1718 1633 1634 1647 1646;
1719 1634 1635 1648 1647; 1720 1635 1636 1649 1648;
1721 1636 1637 1650 1649; 1722 1638 1632 1645 1651;
1723 1639 1638 1651 1652; 1724 1640 1639 1652 1653;
1725 1641 1640 1653 1654; 1726 1642 1641 1654 1655;
1727 1643 1642 1655 1656; 1728 1645 1644 1657 1658;
1729 1644 1646 1659 1657; 1730 1646 1647 1660 1659;
1731 1647 1648 1661 1660; 1732 1648 1649 1662 1661;
1733 1649 1650 1663 1662; 1734 1651 1645 1658 1664;
1735 1652 1651 1664 1665; 1736 1653 1652 1665 1666;
1737 1654 1653 1666 1667; 1738 1655 1654 1667 1668;
1739 1656 1655 1668 1669; 1740 1658 1657 1670 1671;
1741 1657 1659 1672 1670; 1742 1659 1660 1673 1672;
1743 1660 1661 1674 1673; 1744 1661 1662 1675 1674;
1745 1662 1663 1676 1675; 1746 1664 1658 1671 1677;
1747 1665 1664 1677 1678; 1748 1666 1665 1678 1679;
1749 1667 1666 1679 1680; 1750 1668 1667 1680 1681;
1751 1669 1668 1681 1682; 1752 1682 1681 1683 1684;
1753 1681 1680 1685 1683; 1754 1680 1679 1686 1685;
1755 1679 1678 1687 1686; 1756 1678 1677 1688 1687;
1757 1677 1671 1689 1688; 1758 1671 1670 1690 1689;
1759 1670 1672 1691 1690; 1760 1672 1673 1692 1691;
1761 1673 1674 1693 1692; 1762 1674 1675 1694 1693;
1763 1675 1676 1695 1694; 1764 1684 1683 1696 1697;
1765 1683 1685 1698 1696; 1766 1685 1686 1699 1698;
1767 1686 1687 1700 1699; 1768 1687 1688 1701 1700;
1769 1688 1689 1702 1701; 1770 1689 1690 1703 1702;
1771 1690 1691 1704 1703; 1772 1691 1692 1705 1704;
1773 1692 1693 1706 1705; 1774 1693 1694 1707 1706;
1775 1694 1695 1708 1707; 1776 1697 1696 1709 1710;
1777 1696 1698 1711 1709; 1778 1698 1699 1712 1711;
1779 1699 1700 1713 1712; 1780 1700 1701 1714 1713;
1781 1701 1702 1715 1714; 1782 1702 1703 1716 1715;
1783 1703 1704 1717 1716; 1784 1704 1705 1718 1717;
1785 1705 1706 1719 1718; 1786 1706 1707 1720 1719;
1787 1707 1708 1721 1720; 1788 1710 1709 1722 1723;
1789 1709 1711 1724 1722; 1790 1711 1712 1725 1724;
1791 1712 1713 1726 1725; 1792 1713 1714 1727 1726;
1793 1714 1715 1728 1727; 1794 1715 1716 1729 1728;
1795 1716 1717 1730 1729; 1796 1717 1718 1731 1730;
1797 1718 1719 1732 1731; 1798 1719 1720 1733 1732;
1799 1720 1721 1734 1733; 1800 1723 1722 1735 1736;
1801 1722 1724 1737 1735; 1802 1724 1725 1738 1737;
1803 1725 1726 1739 1738; 1804 1726 1727 1740 1739;
```

1805 1727 1728 1741 1740; 1806 1728 1729 1742 1741;
1807 1729 1730 1743 1742; 1808 1730 1731 1744 1743;
1809 1731 1732 1745 1744; 1810 1732 1733 1746 1745;
1811 1733 1734 1747 1746; 1812 1736 1735 1748 1749;
1813 1735 1737 1750 1748; 1814 1737 1738 1751 1750;
1815 1738 1739 1752 1751; 1816 1739 1740 1753 1752;
1817 1740 1741 1754 1753; 1818 1741 1742 1755 1754;
1819 1742 1743 1756 1755; 1820 1743 1744 1757 1756;
1821 1744 1745 1758 1757; 1822 1745 1746 1759 1758;
1823 1746 1747 1760 1759; 1824 1749 1748 1761 1762;
1825 1748 1750 1763 1761; 1826 1750 1751 1764 1763;
1827 1751 1752 1765 1764; 1828 1752 1753 1766 1765;
1829 1753 1754 1767 1766; 1830 1754 1755 1768 1767;
1831 1755 1756 1769 1768; 1832 1756 1757 1770 1769;
1833 1757 1758 1771 1770; 1834 1758 1759 1772 1771;
1835 1759 1760 1773 1772; 1836 1762 1761 1774 1775;
1837 1761 1763 1776 1774; 1838 1763 1764 1777 1776;
1839 1764 1765 1778 1777; 1840 1765 1766 1779 1778;
1841 1766 1767 1780 1779; 1842 1767 1768 1781 1780;
1843 1768 1769 1782 1781; 1844 1769 1770 1783 1782;
1845 1770 1771 1784 1783; 1846 1771 1772 1785 1784;
1847 1772 1773 1786 1785; 1848 1775 1774 1435 1436;
1849 1774 1776 1434 1435; 1850 1776 1777 1433 1434;
1851 1777 1778 1432 1433; 1852 1778 1779 1431 1432;
1853 1779 1780 1424 1431; 1854 1780 1781 1425 1424;
1855 1781 1782 1426 1425; 1856 1782 1783 1427 1426;
1857 1783 1784 1428 1427; 1858 1784 1785 1429 1428;
1859 1785 1786 1430 1429; 1884 1813 1814 1815 1816;
1885 1814 1817 1818 1815; 1886 1817 1819 1820 1818;
1887 1819 1821 1822 1820; 1888 1821 1823 1824 1822;
1889 1823 1825 1826 1824; 1890 1827 1813 1816 1828;
1891 1829 1827 1828 1830; 1892 1831 1829 1830 1832;
1893 1833 1831 1832 1834; 1894 1835 1833 1834 1836;
1895 1837 1835 1836 1838; 1896 1839 1840 1814 1813;
1897 1840 1841 1817 1814; 1898 1841 1842 1819 1817;
1899 1842 1843 1821 1819; 1900 1843 1844 1823 1821;
1901 1844 1845 1825 1823; 1902 1846 1839 1813 1827;
1903 1847 1846 1827 1829; 1904 1848 1847 1829 1831;
1905 1849 1848 1831 1833; 1906 1850 1849 1833 1835;
1907 1851 1850 1835 1837; 1908 1852 1853 1840 1839;
1909 1853 1854 1841 1840; 1910 1854 1855 1842 1841;
1911 1855 1856 1843 1842; 1912 1856 1857 1844 1843;
1913 1857 1858 1845 1844; 1914 1859 1852 1839 1846;
1915 1860 1859 1846 1847; 1916 1861 1860 1847 1848;
1917 1862 1861 1848 1849; 1918 1863 1862 1849 1850;
1919 1864 1863 1850 1851; 1920 1865 1866 1853 1852;
1921 1866 1867 1854 1853; 1922 1867 1868 1855 1854;
1923 1868 1869 1856 1855; 1924 1869 1870 1857 1856;
1925 1870 1871 1858 1857; 1926 1872 1865 1852 1859;
1927 1873 1872 1859 1860; 1928 1874 1873 1860 1861;

```
1929 1875 1874 1861 1862; 1930 1876 1875 1862 1863;
1931 1877 1876 1863 1864; 1932 1878 1879 1866 1865;
1933 1879 1880 1867 1866; 1934 1880 1881 1868 1867;
1935 1881 1882 1869 1868; 1936 1882 1883 1870 1869;
1937 1883 1884 1871 1870; 1938 1885 1878 1865 1872;
1939 1886 1885 1872 1873; 1940 1887 1886 1873 1874;
1941 1888 1887 1874 1875; 1942 1889 1888 1875 1876;
1943 1890 1889 1876 1877; 1944 1891 1892 1879 1878;
1945 1892 1893 1880 1879; 1946 1893 1894 1881 1880;
1947 1894 1895 1882 1881; 1948 1895 1896 1883 1882;
1949 1896 1897 1884 1883; 1950 1898 1891 1878 1885;
1951 1899 1898 1885 1886; 1952 1900 1899 1886 1887;
1953 1901 1900 1887 1888; 1954 1902 1901 1888 1889;
1955 1903 1902 1889 1890; 1956 1816 1815 1904 1905;
1957 1815 1818 1906 1904; 1958 1818 1820 1907 1906;
1959 1820 1822 1908 1907; 1960 1822 1824 1909 1908;
1961 1824 1826 1910 1909; 1962 1828 1816 1905 1911;
1963 1830 1828 1911 1912; 1964 1832 1830 1912 1913;
1965 1834 1832 1913 1914; 1966 1836 1834 1914 1915;
1967 1838 1836 1915 1916; 1968 1905 1904 1917 1918;
1969 1904 1906 1919 1917; 1970 1906 1907 1920 1919;
1971 1907 1908 1921 1920; 1972 1908 1909 1922 1921;
1973 1909 1910 1923 1922; 1974 1911 1905 1918 1924;
1975 1912 1911 1924 1925; 1976 1913 1912 1925 1926;
1977 1914 1913 1926 1927; 1978 1915 1914 1927 1928;
1979 1916 1915 1928 1929; 1980 1918 1917 1930 1931;
1981 1917 1919 1932 1930; 1982 1919 1920 1933 1932;
1983 1920 1921 1934 1933; 1984 1921 1922 1935 1934;
1985 1922 1923 1936 1935; 1986 1924 1918 1931 1937;
1987 1925 1924 1937 1938; 1988 1926 1925 1938 1939;
1989 1927 1926 1939 1940; 1990 1928 1927 1940 1941;
1991 1929 1928 1941 1942; 1992 1931 1930 1943 1944;
1993 1930 1932 1945 1943; 1994 1932 1933 1946 1945;
1995 1933 1934 1947 1946; 1996 1934 1935 1948 1947;
1997 1935 1936 1949 1948; 1998 1937 1931 1944 1950;
1999 1938 1937 1950 1951; 2000 1939 1938 1951 1952;
2001 1940 1939 1952 1953; 2002 1941 1940 1953 1954;
2003 1942 1941 1954 1955; 2004 1944 1943 1956 1957;
2005 1943 1945 1958 1956; 2006 1945 1946 1959 1958;
2007 1946 1947 1960 1959; 2008 1947 1948 1961 1960;
2009 1948 1949 1962 1961; 2010 1950 1944 1957 1963;
2011 1951 1950 1963 1964; 2012 1952 1951 1964 1965;
2013 1953 1952 1965 1966; 2014 1954 1953 1966 1967;
2015 1955 1954 1967 1968; 2016 1957 1956 1969 1970;
2017 1956 1958 1971 1969; 2018 1958 1959 1972 1971;
2019 1959 1960 1973 1972; 2020 1960 1961 1974 1973;
2021 1961 1962 1975 1974; 2022 1963 1957 1970 1976;
2023 1964 1963 1976 1977; 2024 1965 1964 1977 1978;
2025 1966 1965 1978 1979; 2026 1967 1966 1979 1980;
2027 1968 1967 1980 1981; 2028 1982 1983 1984 1985;
```

```
2029 1983 1986 1987 1984; 2030 1986 1988 1989 1987;
2031 1988 1990 1991 1989; 2032 1990 1992 1993 1991;
2033 1992 1994 1995 1993; 2034 1996 1982 1985 1997;
2035 1998 1996 1997 1999; 2036 2000 1998 1999 2001;
2037 2002 2000 2001 2003; 2038 2004 2002 2003 2005;
2039 2006 2004 2005 2007; 2040 2008 2009 1983 1982;
2041 2009 2010 1986 1983; 2042 2010 2011 1988 1986;
2043 2011 2012 1990 1988; 2044 2012 2013 1992 1990;
2045 2013 2014 1994 1992; 2046 2015 2008 1982 1996;
2047 2016 2015 1996 1998; 2048 2017 2016 1998 2000;
2049 2018 2017 2000 2002; 2050 2019 2018 2002 2004;
2051 2020 2019 2004 2006; 2052 2021 2022 2009 2008;
2053 2022 2023 2010 2009; 2054 2023 2024 2011 2010;
2055 2024 2025 2012 2011; 2056 2025 2026 2013 2012;
2057 2026 2027 2014 2013; 2058 2028 2021 2008 2015;
2059 2029 2028 2015 2016; 2060 2030 2029 2016 2017;
2061 2031 2030 2017 2018; 2062 2032 2031 2018 2019;
2063 2033 2032 2019 2020; 2064 2034 2035 2022 2021;
2065 2035 2036 2023 2022; 2066 2036 2037 2024 2023;
2067 2037 2038 2025 2024; 2068 2038 2039 2026 2025;
2069 2039 2040 2027 2026; 2070 2041 2034 2021 2028;
2071 2042 2041 2028 2029; 2072 2043 2042 2029 2030;
2073 2044 2043 2030 2031; 2074 2045 2044 2031 2032;
2075 2046 2045 2032 2033; 2076 2047 2048 2035 2034;
2077 2048 2049 2036 2035; 2078 2049 2050 2037 2036;
2079 2050 2051 2038 2037; 2080 2051 2052 2039 2038;
2081 2052 2053 2040 2039; 2082 2054 2047 2034 2041;
2083 2055 2054 2041 2042; 2084 2056 2055 2042 2043;
2085 2057 2056 2043 2044; 2086 2058 2057 2044 2045;
2087 2059 2058 2045 2046; 2088 2060 2061 2048 2047;
2089 2061 2062 2049 2048; 2090 2062 2063 2050 2049;
2091 2063 2064 2051 2050; 2092 2064 2065 2052 2051;
2093 2065 2066 2053 2052; 2094 2067 2060 2047 2054;
2095 2068 2067 2054 2055; 2096 2069 2068 2055 2056;
2097 2070 2069 2056 2057; 2098 2071 2070 2057 2058;
2099 2072 2071 2058 2059; 2100 1985 1984 2073 2074;
2101 1984 1987 2075 2073; 2102 1987 1989 2076 2075;
2103 1989 1991 2077 2076; 2104 1991 1993 2078 2077;
2105 1993 1995 2079 2078; 2106 1997 1985 2074 2080;
2107 1999 1997 2080 2081; 2108 2001 1999 2081 2082;
2109 2003 2001 2082 2083; 2110 2005 2003 2083 2084;
2111 2007 2005 2084 2085; 2112 2074 2073 2086 2087;
2113 2073 2075 2088 2086; 2114 2075 2076 2089 2088;
2115 2076 2077 2090 2089; 2116 2077 2078 2091 2090;
2117 2078 2079 2092 2091; 2118 2080 2074 2087 2093;
2119 2081 2080 2093 2094; 2120 2082 2081 2094 2095;
2121 2083 2082 2095 2096; 2122 2084 2083 2096 2097;
2123 2085 2084 2097 2098; 2124 2087 2086 2099 2100;
2125 2086 2088 2101 2099; 2126 2088 2089 2102 2101;
2127 2089 2090 2103 2102; 2128 2090 2091 2104 2103;
```

2129 2091 2092 2105 2104; 2130 2093 2087 2100 2106;
2131 2094 2093 2106 2107; 2132 2095 2094 2107 2108;
2133 2096 2095 2108 2109; 2134 2097 2096 2109 2110;
2135 2098 2097 2110 2111; 2136 2100 2099 2112 2113;
2137 2099 2101 2114 2112; 2138 2101 2102 2115 2114;
2139 2102 2103 2116 2115; 2140 2103 2104 2117 2116;
2141 2104 2105 2118 2117; 2142 2106 2100 2113 2119;
2143 2107 2106 2119 2120; 2144 2108 2107 2120 2121;
2145 2109 2108 2121 2122; 2146 2110 2109 2122 2123;
2147 2111 2110 2123 2124; 2148 2113 2112 2125 2126;
2149 2112 2114 2127 2125; 2150 2114 2115 2128 2127;
2151 2115 2116 2129 2128; 2152 2116 2117 2130 2129;
2153 2117 2118 2131 2130; 2154 2119 2113 2126 2132;
2155 2120 2119 2132 2133; 2156 2121 2120 2133 2134;
2157 2122 2121 2134 2135; 2158 2123 2122 2135 2136;
2159 2124 2123 2136 2137; 2160 2126 2125 2138 2139;
2161 2125 2127 2140 2138; 2162 2127 2128 2141 2140;
2163 2128 2129 2142 2141; 2164 2129 2130 2143 2142;
2165 2130 2131 2144 2143; 2166 2132 2126 2139 2145;
2167 2133 2132 2145 2146; 2168 2134 2133 2146 2147;
2169 2135 2134 2147 2148; 2170 2136 2135 2148 2149;
2171 2137 2136 2149 2150; 2172 2151 2152 2153 2154;
2173 2152 2155 2156 2153; 2174 2155 2157 2158 2156;
2175 2157 2159 2160 2158; 2176 2159 2161 2162 2160;
2177 2161 2163 2164 2162; 2178 2165 2151 2154 2166;
2179 2167 2165 2166 2168; 2180 2169 2167 2168 2170;
2181 2171 2169 2170 2172; 2182 2173 2171 2172 2174;
2183 2175 2173 2174 2176; 2184 2177 2178 2152 2151;
2185 2178 2179 2155 2152; 2186 2179 2180 2157 2155;
2187 2180 2181 2159 2157; 2188 2181 2182 2161 2159;
2189 2182 2183 2163 2161; 2190 2184 2177 2151 2165;
2191 2185 2184 2165 2167; 2192 2186 2185 2167 2169;
2193 2187 2186 2169 2171; 2194 2188 2187 2171 2173;
2195 2189 2188 2173 2175; 2196 2190 2191 2178 2177;
2197 2191 2192 2179 2178; 2198 2192 2193 2180 2179;
2199 2193 2194 2181 2180; 2200 2194 2195 2182 2181;
2201 2195 2196 2183 2182; 2202 2197 2190 2177 2184;
2203 2198 2197 2184 2185; 2204 2199 2198 2185 2186;
2205 2200 2199 2186 2187; 2206 2201 2200 2187 2188;
2207 2202 2201 2188 2189; 2208 2203 2204 2191 2190;
2209 2204 2205 2192 2191; 2210 2205 2206 2193 2192;
2211 2206 2207 2194 2193; 2212 2207 2208 2195 2194;
2213 2208 2209 2196 2195; 2214 2210 2203 2190 2197;
2215 2211 2210 2197 2198; 2216 2212 2211 2198 2199;
2217 2213 2212 2199 2200; 2218 2214 2213 2200 2201;
2219 2215 2214 2201 2202; 2220 2216 2217 2204 2203;
2221 2217 2218 2205 2204; 2222 2218 2219 2206 2205;
2223 2219 2220 2207 2206; 2224 2220 2221 2208 2207;
2225 2221 2222 2209 2208; 2226 2223 2216 2203 2210;
2227 2224 2223 2210 2211; 2228 2225 2224 2211 2212;

```
2229 2226 2225 2212 2213; 2230 2227 2226 2213 2214;
2231 2228 2227 2214 2215; 2232 2229 2230 2217 2216;
2233 2230 2231 2218 2217; 2234 2231 2232 2219 2218;
2235 2232 2233 2220 2219; 2236 2233 2234 2221 2220;
2237 2234 2235 2222 2221; 2238 2236 2229 2216 2223;
2239 2237 2236 2223 2224; 2240 2238 2237 2224 2225;
2241 2239 2238 2225 2226; 2242 2240 2239 2226 2227;
2243 2241 2240 2227 2228; 2244 2154 2153 2242 2243;
2245 2153 2156 2244 2242; 2246 2156 2158 2245 2244;
2247 2158 2160 2246 2245; 2248 2160 2162 2247 2246;
2249 2162 2164 2248 2247; 2250 2166 2154 2243 2249;
2251 2168 2166 2249 2250; 2252 2170 2168 2250 2251;
2253 2172 2170 2251 2252; 2254 2174 2172 2252 2253;
2255 2176 2174 2253 2254; 2256 2243 2242 2255 2256;
2257 2242 2244 2257 2255; 2258 2244 2245 2258 2257;
2259 2245 2246 2259 2258; 2260 2246 2247 2260 2259;
2261 2247 2248 2261 2260; 2262 2249 2243 2256 2262;
2263 2250 2249 2262 2263; 2264 2251 2250 2263 2264;
2265 2252 2251 2264 2265; 2266 2253 2252 2265 2266;
2267 2254 2253 2266 2267; 2268 2256 2255 2268 2269;
2269 2255 2257 2270 2268; 2270 2257 2258 2271 2270;
2271 2258 2259 2272 2271; 2272 2259 2260 2273 2272;
2273 2260 2261 2274 2273; 2274 2262 2256 2269 2275;
2275 2263 2262 2275 2276; 2276 2264 2263 2276 2277;
2277 2265 2264 2277 2278; 2278 2266 2265 2278 2279;
2279 2267 2266 2279 2280; 2280 2269 2268 2281 2282;
2281 2268 2270 2283 2281; 2282 2270 2271 2284 2283;
2283 2271 2272 2285 2284; 2284 2272 2273 2286 2285;
2285 2273 2274 2287 2286; 2286 2275 2269 2282 2288;
2287 2276 2275 2288 2289; 2288 2277 2276 2289 2290;
2289 2278 2277 2290 2291; 2290 2279 2278 2291 2292;
2291 2280 2279 2292 2293; 2292 2282 2281 2294 2295;
2293 2281 2283 2296 2294; 2294 2283 2284 2297 2296;
2295 2284 2285 2298 2297; 2296 2285 2286 2299 2298;
2297 2286 2287 2300 2299; 2298 2288 2282 2295 2301;
2299 2289 2288 2301 2302; 2300 2290 2289 2302 2303;
2301 2291 2290 2303 2304; 2302 2292 2291 2304 2305;
2303 2293 2292 2305 2306; 2304 2295 2294 2307 2308;
2305 2294 2296 2309 2307; 2306 2296 2297 2310 2309;
2307 2297 2298 2311 2310; 2308 2298 2299 2312 2311;
2309 2299 2300 2313 2312; 2310 2301 2295 2308 2314;
2311 2302 2301 2314 2315; 2312 2303 2302 2315 2316;
2313 2304 2303 2316 2317; 2314 2305 2304 2317 2318;
2315 2306 2305 2318 2319;
START GROUP DEFINITION
MEMBER
_C_1 576 TO 583 2316 TO 2318
ELEMENT
_FDN1_MOMENT 585 TO 589 591 TO 655 657 TO 661 663 TO 727 873 TO 877 -
879 TO 943 945 TO 949 951 TO 1015 1017 TO 1021 1023 TO 1087 -
```

```
1089 TO 1093 1095 TO 1159 1885 TO 1889 1891 TO 1955 1957 TO 1961 1963 -
1964 TO 2027 2029 TO 2033 2035 TO 2099 2101 TO 2105 2107 TO 2171 2173 -
2174 TO 2177 2179 TO 2243 2245 TO 2249 2251 TO 2315
_FDN1_SHEAR 587 TO 589 593 TO 595 599 TO 601 605 TO 607 611 TO 613 -
617 TO 655 659 TO 661 665 TO 667 671 TO 673 677 TO 679 683 TO 685 -
689 TO 727 875 TO 877 881 TO 883 887 TO 889 893 TO 895 899 TO 901 -
905 TO 943 947 TO 949 953 TO 955 959 TO 961 965 TO 967 971 TO 973 -
977 TO 1015 1019 TO 1021 1025 TO 1027 1031 TO 1033 1037 TO 1039 1043 -
1044 TO 1045 1049 TO 1087 1091 TO 1093 1097 TO 1099 1103 TO 1105 1109 -
1110 TO 1111 1115 TO 1117 1121 TO 1159 1887 TO 1889 1893 TO 1895 1899 -
1900 TO 1901 1905 TO 1907 1911 TO 1913 1917 TO 1955 1959 TO 1961 1965 -
1966 TO 1967 1971 TO 1973 1977 TO 1979 1983 TO 1985 1989 TO 2027 2031 -
2032 TO 2033 2037 TO 2039 2043 TO 2045 2049 TO 2051 2055 TO 2057 2061 -
2062 TO 2099 2103 TO 2105 2109 TO 2111 2115 TO 2117 2121 TO 2123 2127 -
2128 TO 2129 2133 TO 2171 2175 TO 2177 2181 TO 2183 2187 TO 2189 2193 -
2194 TO 2195 2199 TO 2201 2205 TO 2243 2247 TO 2249 2253 TO 2255 2259 -
2260 TO 2261 2265 TO 2267 2271 TO 2273 2277 TO 2315
_FDN2_MOMENT 1162 TO 1167 1170 TO 1175 1178 TO 1183 1186 TO 1463
_FDN2_SHEAR 1166 1167 1174 1175 1182 1183 1190 1191 1198 1199 1206 -
1207 1214 1215 1222 TO 1271 1278 1279 1286 1287 1294 1295 -
1302 TO 1463
_FDN3_MOMENT 1465 TO 1469 1471 TO 1535 1537 TO 1541 1543 TO 1607 1609 -
1610 TO 1613 1615 TO 1655 1681 TO 1685 1687 TO 1859
_FDN3_SHEAR 1467 TO 1469 1473 TO 1475 1479 TO 1481 1485 TO 1487 1491 -
1492 TO 1493 1497 TO 1535 1539 TO 1541 1545 TO 1547 1551 TO 1553 1557 -
1558 TO 1559 1563 TO 1565 1569 TO 1607 1611 TO 1613 1617 TO 1619 1623 -
1624 TO 1625 1629 TO 1631 1635 TO 1637 1641 TO 1655 1683 TO 1685 1689 -
1690 TO 1691 1695 TO 1697 1701 TO 1703 1707 TO 1709 1713 TO 1859
_F2_MOMENT 729 TO 733 735 TO 799 801 TO 805 807 TO 871
_F2_SHEAR 731 TO 733 737 TO 739 743 TO 745 749 TO 751 755 TO 757 761 -
762 TO 799 803 TO 805 809 TO 811 815 TO 817 821 TO 823 827 TO 829 833 -
834 TO 871
_F 1464 TO 1655 1680 TO 1859
END GROUP DEFINITION
*
ELEMENT PROPERTY
584 TO 1159 1884 TO 2315 THICKNESS 0.5
1160 TO 1655 1680 TO 1859 THICKNESS 0.6
DEFINE MATERIAL START
ISOTROPIC CONCRETE
E 2.17185e+007
POISSON 0.17
DENSITY 23.5616
ALPHA 1e-005
DAMP 0.05
TYPE CONCRETE
STRENGTH FCU 27579
G 9.28141e+006
END DEFINE MATERIAL
MEMBER PROPERTY AMERICAN
```

```
576 TO 583 2316 TO 2318 PRIS YD 0.7 ZD 0.7
CONSTANTS
MATERIAL CONCRETE ALL
*********************************************************************************
SUPPORTS
584 TO 1655 1680 TO 1859 1884 TO 2314 -
2315 PLATE MAT DIRECT Y SUBGRADE 68400 PRINT
DEFINE REFERENCE LOADS
LOAD R1 DEAD LOAD (DL)
JOINT LOAD
1 FX 0.019 FY -30 FZ -2.025
2 FX -1.475 FY -62.149 FZ 0.025
3 FX 1.511 FY -37.354 FZ -0.02
4 FX -0.213 FY -36.832 FZ -3.24
5 FX -0.144 FY -86.962 FZ 0.009
6 FX 0.362 FY -41.216 FZ -15.004
7 FX -0.02 FY -161.864 FZ 5.33
8 FX -0.018 FY -148.081 FZ -0.072
9 FX -1 FY -72.737 FZ -0.04
10 FX 0.964 FY -126.698 FZ 0.014
11 FX 0.014 FY -79.629 FZ 15.023
SELFWEIGHT Y -1
ELEMENT LOAD
584 TO 1655 1680 TO 1859 1884 TO 2315 PR GY -40
LOAD R2 LIVE LOAD (LL)
JOINT LOAD
1 FX -0.054 FY -74.561 FZ -8.914
2 FX 0.314 FY -139.96 FZ 0.024
3 FX 0.408 FY -84.975 FZ -0.049
4 FX -0.842 FY -102.906 FZ -5.004
5 FX -0.731 FY -296.704 FZ 0.009
6 FX 1.673 FY -137.05 FZ -31.19
7 FX -0.088 FY -305.352 FZ 14.65
8 FX -0.08 FY -301.545 FZ -0.146
9 FX -0.364 FY -142.84 FZ 0
10 FX -0.208 FY -342.603 FZ 0.011
11 FX -0.027 FY -169.688 FZ 30.611
LOAD R3 OPERATING FLUID LOAD (FL)
JOINT LOAD
1 FX 0.136 FY -1.62 FZ 0.044
2 FX -0.094 FY -0.195 FZ 0.006
3 FX -0.099 FY 0.195 FZ 0.001
4 FX 0.153 FY -2.426 FZ -0.611
5 FX -0.001 FY -0.037 FZ 0.002
6 FX -0.002 FY -0.095 FZ -0.146
7 FX 0.02 FY -23.656 FZ 0.569
8 FX -0.073 FY -1.172 FZ 0.003
9 FX -0.056 FY -36.62 FZ 0.027
10 FX -0.014 FY 5.529 FZ 0.011
11 FX 0.029 FY 1.256 FZ 0.094
```

```
LOAD R4 EQP DL (+X+Z) (EQDL1)
JOINT LOAD
1 FX 0.193 FY -32.941 FZ 2.045
2 FX 0.03 FY -128.102 FZ -0.058
3 FX -0.324 FY -57.222 FZ 0.004
4 FX -0.063 FY -9.198 FZ -5.435
5 FX -0.035 FY -74.734 FZ -0.02
6 FX 0.027 FY -12.845 FZ -22.365
7 FX -0.009 FY -233.199 FZ 3.254
8 FX -0.009 FY -219.422 FZ -0.013
9 FX 0.1 FY -26.968 FZ 0.045
10 FX 0.098 FY -36.732 FZ -0.078
11 FX -0.009 FY -46.527 FZ 22.621
LOAD R6 EQP DYNAMIC LOAD (-Y+X+Z)(EQDY1)
JOINT LOAD
1 FX 0 FY -0.028 FZ 0.127
2 FX 0.003 FY -0.704 FZ -0.009
3 FX 0.002 FY -0.333 FZ -0.003
4 FX -0.001 FY 0.231 FZ 0.666
5 FX -0.001 FY -0.515 FZ -0.003
6 FX 0 FY 0.291 FZ 0.525
7 FX 0 FY -0.216 FZ 0.19
8 FX 0 FY 0.25 FZ -0.006
9 FX -0.003 FY -1.251 FZ -0.003
10 FX -0.003 FY -0.002 FZ -0.013
11 FX 0.001 FY -1.646 FZ 0.491
LOAD R7 EQP DYNAMIC LOAD (-Y-X-Z)(EQDY2)
JOINT LOAD
1 FX 0.003 FY -0.372 FZ -0.113
2 FX -0.003 FY -0.702 FZ 0.008
3 FX -0.007 FY -0.335 FZ 0.003
4 FX 0 FY -0.316 FZ -0.704
5 FX 0 FY -0.512 FZ 0.003
6 FX 0 FY -0.398 FZ -0.706
7 FX 0 FY -1.662 FZ -0.167
8 FX 0 FY -2.042 FZ 0.006
9 FX 0.004 FY 1.084 FZ 0.003
10 FX 0.004 FY -0.003 FZ 0.011
11 FX -0.001 FY 1.335 FZ -0.305
LOAD R8 EQP DYNAMIC LOAD (+Y+X+Z)(EQDY3)
JOINT LOAD
1 FX -0.003 FY 0.372 FZ 0.113
2 FX 0.003 FY 0.702 FZ -0.008
3 FX 0.007 FY 0.335 FZ -0.003
4 FX 0 FY 0.316 FZ 0.704
5 FX 0 FY 0.512 FZ -0.003
6 FX 0 FY 0.398 FZ 0.706
7 FX 0 FY 1.662 FZ 0.167
8 FX 0 FY 2.042 FZ -0.006
9 FX -0.004 FY -1.084 FZ -0.003
```

```
10 FX -0.004 FY 0.003 FZ -0.011
11 FX 0.001 FY -1.335 FZ 0.305
LOAD R9 EQP DYNAMIC LOAD (+Y-X-Z)(EQDY4)
JOINT LOAD
1 FX 0 FY 0.028 FZ -0.127
2 FX -0.003 FY 0.704 FZ 0.009
3 FX -0.002 FY 0.333 FZ 0.003
4 FX 0.001 FY -0.231 FZ -0.666
5 FX 0.001 FY 0.515 FZ 0.003
6 FX 0 FY -0.291 FZ -0.525
7 FX 0 FY 0.216 FZ -0.19
8 FX 0 FY -0.25 FZ 0.006
9 FX 0.003 FY 1.251 FZ 0.003
10 FX 0.003 FY 0.002 FZ 0.013
11 FX -0.001 FY 1.646 FZ -0.491
LOAD R10 EQP LL (EQLL)
JOINT LOAD
1 FX 0.1 FY -15.222 FZ 1.904
2 FX 0.16 FY -71.611 FZ 0.004
3 FX -0.011 FY -28.909 FZ 0.005
4 FX -0.021 FY -6.325 FZ -4.619
5 FX -0.012 FY -24.373 FZ 0.002
6 FX 0.008 FY -10.008 FZ -17.727
7 FX -0.025 FY -184.959 FZ 2.921
8 FX -0.025 FY -172.056 FZ -0.05
9 FX -0.079 FY -26.47 FZ 0.032
10 FX -0.07 FY -76.145 FZ -0.008
11 FX -0.025 FY -44.891 FZ 17.537
LOAD R11 WIND LOAD (+X) WL(+X)
JOINT LOAD
1 FX 0.732 FY 0.626 FZ 0.095
2 FX 25.002 FY 48.721 FZ -0.073
3 FX 25.998 FY -48.721 FZ 0.017
4 FX 4.252 FY -1.536 FZ 1.768
5 FX 5.985 FY 0.284 FZ -0.025
6 FX 4.277 FY 0.98 FZ -1.491
7 FX 5.792 FY 0.665 FZ 0.865
8 FX 5.811 FY -1.926 FZ 0.024
9 FX 31.684 FY 76.456 FZ 0.017
10 FX 33.955 FY -78.206 FZ -0.052
11 FX 1.078 FY 2.657 FZ -1.146
LOAD R12 WIND LOAD (-X) WL(-X)
JOINT LOAD
1 FX -0.736 FY -0.588 FZ -0.052
2 FX -24.038 FY -46.297 FZ 0.061
3 FX -25.002 FY 46.297 FZ -0.017
4 FX -4.24 FY 1.684 FZ -1.68
5 FX -5.957 FY -0.307 FZ 0.02
6 FX -4.265 FY -1.103 FZ 1.463
7 FX -5.842 FY -1.192 FZ -0.835
```

```
8 FX -5.889 FY 2.336 FZ -0.024
9 FX -27.356 FY -59.417 FZ -0.011
10 FX -29.421 FY 61.658 FZ 0.043
11 FX -1.082 FY -3.071 FZ 1.032
LOAD R13 WIND LOAD (+Z) WL(+Z)
JOINT LOAD
1 FX -0.307 FY 17.913 FZ 13.029
2 FX 0.709 FY 0.167 FZ 8.2
3 FX 0.99 FY -0.168 FZ 1.281
4 FX -0.012 FY 20.419 FZ 60.141
5 FX -0.025 FY 1.18 FZ 4.184
6 FX -0.014 FY 24.616 FZ 44.947
7 FX 0.107 FY 30.813 FZ 19.592
8 FX 0.108 FY 59.949 FZ 1.865
9 FX -0.787 FY -69.389 FZ 1.425
10 FX -0.827 FY -0.897 FZ 9.615
11 FX 0.058 FY -84.605 FZ 34.939
LOAD R14 WIND LOAD (-Z) WL(-Z)
JOINT LOAD
1 FX 0.306 FY -17.946 FZ -13.045
2 FX -0.751 FY -0.257 FZ -8.186
3 FX -1.032 FY 0.257 FZ -1.282
4 FX 0.01 FY -20.435 FZ -60.225
5 FX 0.021 FY -1.185 FZ -4.179
6 FX 0.012 FY -24.592 FZ -44.895
7 FX -0.118 FY -30.787 FZ -19.619
8 FX -0.12 FY -59.883 FZ -1.866
9 FX 0.843 FY 69.506 FZ -1.425
10 FX 0.886 FY 0.818 FZ -9.599
11 FX -0.058 FY 84.505 FZ -34.898
LOAD R15 SEISMIC LOAD (+X) SL(+X)
JOINT LOAD
1 FX -0.111 FY 0.252 FZ 0.004
2 FX 28.043 FY 61.979 FZ -0.076
3 FX 29.028 FY -61.979 FZ 0.001
4 FX 0.757 FY -0.561 FZ -0.684
5 FX 1.037 FY -0.007 FZ -0.026
6 FX 0.704 FY 0.476 FZ 0.936
7 FX 1.404 FY -6.463 FZ 0.112
8 FX 1.393 FY 5.92 FZ -0.003
9 FX 36.758 FY 122.081 FZ 0.051
10 FX 38.3 FY -115.253 FZ -0.043
11 FX -0.01 FY -6.444 FZ -0.272
LOAD R16 SEISMIC LOAD (-X) SL(-X)
JOINT LOAD
1 FX 0.111 FY -0.252 FZ -0.004
2 FX -28.043 FY -61.979 FZ 0.076
3 FX -29.028 FY 61.979 FZ -0.001
4 FX -0.757 FY 0.561 FZ 0.684
5 FX -1.037 FY 0.007 FZ 0.026
```

```
6 FX -0.704 FY -0.476 FZ -0.936
7 FX -1.404 FY 6.463 FZ -0.112
8 FX -1.393 FY -5.92 FZ 0.003
9 FX -36.758 FY -122.081 FZ -0.051
10 FX -38.3 FY 115.253 FZ 0.043
11 FX 0.01 FY 6.444 FZ 0.272
LOAD R17 SEISMIC LOAD (+Z) SL(+Z)
JOINT LOAD
1 FX -0.189 FY 12.054 FZ 8.327
2 FX 0.189 FY -0.447 FZ 1.84
3 FX 0.354 FY 0.447 FZ -0.176
4 FX -0.016 FY 17.832 FZ 46.019
5 FX -0.029 FY -0.044 FZ 0.621
6 FX -0.015 FY 22.208 FZ 39.806
7 FX 0.064 FY 41.364 FZ 12.378
8 FX 0.066 FY 68.204 FZ -0.465
9 FX -0.226 FY -70.77 FZ -0.062
10 FX -0.249 FY -0.398 FZ 2.034
11 FX 0.051 FY -90.45 FZ 26.98
LOAD R18 SEISMIC LOAD (-Z) SL(-Z)
JOINT LOAD
1 FX 0.189 FY -12.054 FZ -8.327
2 FX -0.189 FY 0.447 FZ -1.84
3 FX -0.354 FY -0.447 FZ 0.176
4 FX 0.016 FY -17.832 FZ -46.019
5 FX 0.029 FY 0.044 FZ -0.621
6 FX 0.015 FY -22.208 FZ -39.806
7 FX -0.064 FY -41.364 FZ -12.378
8 FX -0.066 FY -68.204 FZ 0.465
9 FX 0.226 FY 70.77 FZ 0.062
10 FX 0.249 FY 0.398 FZ -2.034
11 FX -0.051 FY 90.45 FZ -26.98
LOAD R19 TEMPERATURE LOAD (TL)
JOINT LOAD
1 FX -2.234 FY -80.695 FZ 24.257
2 FX -0.346 FY -1.802 FZ -0.535
3 FX 1.162 FY 1.802 FZ -1.128
4 FX -0.455 FY 130.86 FZ -156.407
5 FX -0.195 FY 1.095 FZ -0.094
6 FX 0.29 FY -26.722 FZ -48.334
7 FX -0.399 FY -52.369 FZ 129.569
8 FX 0.561 FY 61.278 FZ -0.519
9 FX -1.009 FY 3.993 FZ 0.859
10 FX 0.307 FY -2.607 FZ 0.49
11 FX 2.318 FY -34.833 FZ 51.84
LOAD R20 PIPE LATERAL LOAD (PL)
JOINT LOAD
1 FX 0.02 FY 3.461 FZ 2.241
2 FX 0.96 FY 1.526 FZ -0.038
3 FX 0.991 FY -1.526 FZ -0.01
```

```
4 FX 0.35 FY 4.408 FZ 12.5
5 FX 0.041 FY 0.176 FZ -0.013
6 FX 0.026 FY 0.893 FZ 1.824
7 FX -0.034 FY 23.281 FZ 3.34
8 FX -0.029 FY 4.967 FZ -0.019
9 FX 8.942 FY 7.704 FZ -0.045
10 FX 9.33 FY -38.903 FZ -0.036
11 FX -0.003 FY -5.986 FZ 0.85
END DEFINE REFERENCE LOADS
*******************************************************************************
LOAD 1001 1.4(DL+EQDL1+FL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4
LOAD 1003 1.4(DL+EQDL1+FL)+1.7(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R2 1.7 R6 1.7 R10 1.7
LOAD 1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R2 1.7 R7 1.7 R10 1.7
LOAD 1005 1.4(DL+EQDL1+FL)+1.7(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R2 1.7 R8 1.7 R10 1.7
LOAD 1006 1.4(DL+EQDL1+FL)+1.7(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R2 1.7 R9 1.7 R10 1.7
*
LOAD 1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R6 1.7 R10 1.7
LOAD 1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R7 1.7 R10 1.7
LOAD 1013 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R8 1.7 R10 1.7
LOAD 1014 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R9 1.7 R10 1.7
*
LOAD 1019 1.4(DL+EQDL1+FL+PL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4
LOAD 1021 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R6 1.7 R10 1.7
LOAD 1022 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R7 1.7 R10 1.7
LOAD 1023 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY3+EQLL)
REFERENCE LOAD
```

```
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R8 1.7 R10 1.7
LOAD 1024 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R9 1.7 R10 1.7
*
LOAD 1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R6 1.7 R10 1.7
LOAD 1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R7 1.7 R10 1.7
LOAD 1031 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R8 1.7 R10 1.7
LOAD 1032 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R9 1.7 R10 1.7
*
LOAD 1037 1.2(DL+EQDL1)+0.8WL(+X)
REFERENCE LOAD
R1 1.2 R4 1.2 R11 0.8
LOAD 1038 1.2(DL+EQDL1)+0.8WL(-X)
REFERENCE LOAD
R1 1.2 R4 1.2 R12 0.8
LOAD 1039 1.2(DL+EQDL1)+0.8WL(+Z)
REFERENCE LOAD
R1 1.2 R4 1.2 R13 0.8
LOAD 1040 1.2(DL+EQDL1)+0.8WL(-Z)
REFERENCE LOAD
R1 1.2 R4 1.2 R14 0.8
*
LOAD 1045 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R11 1.6 R2 0.5 R6 0.5 R10 0.5
LOAD 1046 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R12 1.6 R2 0.5 R6 0.5 R10 0.5
LOAD 1047 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R13 1.6 R2 0.5 R6 0.5 R10 0.5
LOAD 1048 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R14 1.6 R2 0.5 R6 0.5 R10 0.5
LOAD 1049 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R11 1.6 R2 0.5 R7 0.5 R10 0.5
LOAD 1050 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R12 1.6 R2 0.5 R7 0.5 R10 0.5
LOAD 1051 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY2+EQLL)
```

```
REFERENCE LOAD
R1 1.2 R4 1.2 R13 1.6 R2 0.5 R7 0.5 R10 0.5
LOAD 1052 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R14 1.6 R2 0.5 R7 0.5 R10 0.5
LOAD 1053 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R11 1.6 R2 0.5 R8 0.5 R10 0.5
LOAD 1054 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R12 1.6 R2 0.5 R8 0.5 R10 0.5
LOAD 1055 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R13 1.6 R2 0.5 R8 0.5 R10 0.5
LOAD 1056 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R14 1.6 R2 0.5 R8 0.5 R10 0.5
LOAD 1057 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R11 1.6 R2 0.5 R9 0.5 R10 0.5
LOAD 1058 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R12 1.6 R2 0.5 R9 0.5 R10 0.5
LOAD 1059 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R13 1.6 R2 0.5 R9 0.5 R10 0.5
LOAD 1060 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.2 R4 1.2 R14 1.6 R2 0.5 R9 0.5 R10 0.5
*
LOAD 1077 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY1+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R15 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
LOAD 1078 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY1+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R16 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
LOAD 1079 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY1+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R17 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
LOAD 1080 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY1+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R18 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
LOAD 1081 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY2+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R15 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
LOAD 1082 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY2+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R16 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
LOAD 1083 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY2+EQLL)+0.5FL
REFERENCE LOAD
```

```
R1 1.2 R4 1.2 R17 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
LOAD 1084 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY2+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R18 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
LOAD 1085 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY3+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R15 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
LOAD 1086 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY3+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R16 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
LOAD 1087 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY3+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R17 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
LOAD 1088 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY3+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R18 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
LOAD 1089 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY4+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R15 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
LOAD 1090 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY4+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R16 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
LOAD 1091 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY4+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R17 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
LOAD 1092 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY4+EQLL)+0.5FL
REFERENCE LOAD
R1 1.2 R4 1.2 R18 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
*
LOAD 1109 0.9(DL+EQDL1)+1.6WL(+X)
REFERENCE LOAD
R1 0.9 R4 0.9 R11 1.6
LOAD 1110 0.9(DL+EQDL1)+1.6WL(-X)
REFERENCE LOAD
R1 0.9 R4 0.9 R12 1.6
LOAD 1111 0.9(DL+EQDL1)+1.6WL(+Z)
REFERENCE LOAD
R1 0.9 R4 0.9 R13 1.6
LOAD 1112 0.9(DL+EQDL1)+1.6WL(-Z)
REFERENCE LOAD
R1 0.9 R4 0.9 R14 1.6
*
LOAD 1117 0.9(DL+EQDL1)+SL(+X)
REFERENCE LOAD
R1 0.9 R4 0.9 R15 1.0
LOAD 1118 0.9(DL+EQDL1)+SL(-X)
REFERENCE LOAD
R1 0.9 R4 0.9 R16 1.0
LOAD 1119 0.9(DL+EQDL1)+SL(+Z)
REFERENCE LOAD
```

```
R1 0.9 R4 0.9 R17 1.0
LOAD 1120 0.9(DL+EQDL1)+SL(-Z)
REFERENCE LOAD
R1 0.9 R4 0.9 R18 1.0
*
****
LOAD 2001 DL+EQDL1+FL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0
LOAD 2003 DL+EQDL1+FL+LL+EQDY1+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 1.0 R6 1.0 R10 1.0 R19 1.0
LOAD 2004 DL+EQDL1+FL+LL+EQDY2+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 1.0 R7 1.0 R10 1.0 R19 1.0
LOAD 2005 DL+EQDL1+FL+LL+EQDY3+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 1.0 R8 1.0 R10 1.0 R19 1.0
LOAD 2006 DL+EQDL1+FL+LL+EQDY4+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 1.0 R9 1.0 R10 1.0 R19 1.0
*
LOAD 2011 DL+EQDL1+FL+0.75(LL+EQDY1+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 0.75 R6 0.75 R10 0.75 R19 0.75
LOAD 2012 DL+EQDL1+FL+0.75(LL+EQDY2+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 0.75 R7 0.75 R10 0.75 R19 0.75
LOAD 2013 DL+EQDL1+FL+0.75(LL+EQDY3+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 0.75 R8 0.75 R10 0.75 R19 0.75
LOAD 2014 DL+EQDL1+FL+0.75(LL+EQDY4+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R2 0.75 R9 0.75 R10 0.75 R19 0.75
*
LOAD 2019 DL+EQDL1+FL+PL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0
LOAD 2021 DL+EQDL1+FL+PL+LL+EQDY1+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R6 1.0 R10 1.0 R19 1.0
LOAD 2022 DL+EQDL1+FL+PL+LL+EQDY2+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R7 1.0 R10 1.0 R19 1.0
LOAD 2023 DL+EQDL1+FL+PL+LL+EQDY3+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R8 1.0 R10 1.0 R19 1.0
LOAD 2024 DL+EQDL1+FL+PL+LL+EQDY4+EQLL+TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R9 1.0 R10 1.0 R19 1.0
```

```
*
LOAD 2029 DL+EQDL1+FL+PL+0.75(LL+EQDY1+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R6 0.75 R10 0.75 R19 0.75
LOAD 2030 DL+EQDL1+FL+PL+0.75(LL+EQDY2+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R7 0.75 R10 0.75 R19 0.75
LOAD 2031 DL+EQDL1+FL+PL+0.75(LL+EQDY3+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R8 0.75 R10 0.75 R19 0.75
LOAD 2032 DL+EQDL1+FL+PL+0.75(LL+EQDY4+EQLL)+0.75TL
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R9 0.75 R10 0.75 R19 0.75
*
LOAD 2037 DL+EQDL1+FL+WL(+X)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R11 1.0
LOAD 2038 DL+EQDL1+FL+WL(-X)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R12 1.0
LOAD 2039 DL+EQDL1+FL+WL(+Z)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R13 1.0
LOAD 2040 DL+EQDL1+FL+WL(-Z)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R14 1.0
*
LOAD 2045 DL+EQDL1+FL+0.7SL(+X)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R15 0.7
LOAD 2046 DL+EQDL1+FL+0.7SL(-X)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R16 0.7
LOAD 2047 DL+EQDL1+FL+0.7SL(+Z)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R17 0.7
LOAD 2048 DL+EQDL1+FL+0.7SL(-Z)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R18 0.7
*
LOAD 2053 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R6 0.75 R10 0.75
LOAD 2054 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R6 0.75 R10 0.75
LOAD 2055 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R6 0.75 R10 0.75
LOAD 2056 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY1+EQLL)
```

```
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R6 0.75 R10 0.75
LOAD 2057 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R7 0.75 R10 0.75
LOAD 2058 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R7 0.75 R10 0.75
LOAD 2059 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R7 0.75 R10 0.75
LOAD 2060 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R7 0.75 R10 0.75
LOAD 2061 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R8 0.75 R10 0.75
LOAD 2062 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R8 0.75 R10 0.75
LOAD 2063 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R8 0.75 R10 0.75
LOAD 2064 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R8 0.75 R10 0.75
LOAD 2065 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R9 0.75 R10 0.75
LOAD 2066 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R9 0.75 R10 0.75
LOAD 2067 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R9 0.75 R10 0.75
LOAD 2068 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R9 0.75 R10 0.75
*
LOAD 2085 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R6 0.75 R10 0.75
LOAD 2086 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R6 0.75 R10 0.75
LOAD 2087 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R6 0.75 R10 0.75
LOAD 2088 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY1+EQLL)
REFERENCE LOAD
```

```
R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R6 0.75 R10 0.75
LOAD 2089 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R7 0.75 R10 0.75
LOAD 2090 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R7 0.75 R10 0.75
LOAD 2091 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R7 0.75 R10 0.75
LOAD 2092 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY2+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R7 0.75 R10 0.75
LOAD 2093 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R8 0.75 R10 0.75
LOAD 2094 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R8 0.75 R10 0.75
LOAD 2095 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R8 0.75 R10 0.75
LOAD 2096 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY3+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R8 0.75 R10 0.75
LOAD 2097 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R9 0.75 R10 0.75
LOAD 2098 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R9 0.75 R10 0.75
LOAD 2099 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R9 0.75 R10 0.75
LOAD 2100 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY4+EQLL)
REFERENCE LOAD
R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R9 0.75 R10 0.75
*
LOAD 2117 0.6(DL+EQDL1)+WL(+X)
REFERENCE LOAD
R1 0.6 R4 0.6 R11 1.0
LOAD 2118 0.6(DL+EQDL1)+WL(-X)
REFERENCE LOAD
R1 0.6 R4 0.6 R12 1.0
LOAD 2119 0.6(DL+EQDL1)+WL(+Z)
REFERENCE LOAD
R1 0.6 R4 0.6 R13 1.0
LOAD 2120 0.6(DL+EQDL1)+WL(-Z)
REFERENCE LOAD
R1 0.6 R4 0.6 R14 1.0
```

```
*
LOAD 2125 0.6(DL+EQDL1)+0.7SL(+X)
REFERENCE LOAD
R1 0.6 R4 0.6 R15 1.0
LOAD 2126 0.6(DL+EQDL1)+0.7SL(-X)
REFERENCE LOAD
R1 0.6 R4 0.6 R16 1.0
LOAD 2127 0.6(DL+EQDL1)+0.7SL(+Z)
REFERENCE LOAD
R1 0.6 R4 0.6 R17 1.0
LOAD 2128 0.6(DL+EQDL1)+0.7SL(-Z)
REFERENCE LOAD
R1 0.6 R4 0.6 R18 1.0
PERFORM ANALYSIS PRINT STATICS CHECK
**************************************************************************
FINISH
```

ATTACHMENT 3 STAAD OUTPUT

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

```
*****************************************************
*                                                   *
*           STAAD.Pro V8i SELECTseries6             *
*           Version  20.07.11.70                    *
*           Proprietary Program of                  *
*           Bentley Systems, Inc.                   *
*           Date=    AUG 27, 2020                   *
*           Time=    11:38: 6                       *
*                                                   *
*      USER ID: LNT ECC DIV                         *
*****************************************************
```

```
     1. STAAD SPACE
INPUT FILE: D:\samrat dey 14.10.15\7. Maaden\8. DB Box  Screen support\dwg _document\MD-216-3220-EG-.. .STD
     2. START JOB INFORMATION
     3. ENGINEER DATE 27-AUG-20
     4. JOB NAME MANSOURAH-MASSARAH GOLD PROJECT
     5. JOB CLIENT MA'ADEN-SAUDI ARABIAN MINING COMPANY
     6. ENGINEER NAME STY
     7. CHECKER NAME BDA
     8. APPROVED NAME AG
     9. END JOB INFORMATION
    10. UNIT METER KN
    11. JOINT COORDINATES
    12. 1 462.205 913.7 -419.37; 2 468.745 913.7 -419.37
    13. 3 476.42 913.7 -419.37; 4 462.205 913.7 -415.27
    14. 5 468.745 913.7 -415.27; 6 476.42 913.7 -415.27
    15. 7 462.205 913.7 -408.987; 8 476.42 913.7 -408.987
    16. 9 462.205 913.7 -403.705; 10 468.745 913.7 -403.705
    17. 11 476.42 913.7 -403.705; 318 462.205 910.7 -415.27
    18. 319 468.745 910.7 -415.27; 320 476.42 910.7 -415.27
    19. 321 462.205 910.7 -408.987; 322 476.42 910.7 -408.987
    20. 323 462.205 910.7 -403.705; 324 468.745 910.7 -403.705
    21. 325 476.42 910.7 -403.705; 326 462.555 910.7 -415.27
    22. 327 462.205 910.7 -414.92; 328 462.555 910.7 -414.92
    23. 329 462.705 910.7 -415.27; 330 462.705 910.7 -414.92
    24. 331 462.955 910.7 -415.27; 332 462.955 910.7 -414.92
    25. 333 463.205 910.7 -415.27; 334 463.205 910.7 -414.92
    26. 335 463.455 910.7 -415.27; 336 463.455 910.7 -414.92
    27. 337 463.705 910.7 -415.27; 338 463.705 910.7 -414.92
    28. 339 461.855 910.7 -415.27; 340 461.855 910.7 -414.92
    29. 341 461.705 910.7 -415.27; 342 461.705 910.7 -414.92
    30. 343 461.455 910.7 -415.27; 344 461.455 910.7 -414.92
    31. 345 461.205 910.7 -415.27; 346 461.205 910.7 -414.92
    32. 347 460.955 910.7 -415.27; 348 460.955 910.7 -414.92
    33. 349 460.705 910.7 -415.27; 350 460.705 910.7 -414.92
    34. 351 462.205 910.7 -414.77; 352 462.555 910.7 -414.77
    35. 353 462.705 910.7 -414.77; 354 462.955 910.7 -414.77
    36. 355 463.205 910.7 -414.77; 356 463.455 910.7 -414.77
    37. 357 463.705 910.7 -414.77; 358 461.855 910.7 -414.77
    38. 359 461.705 910.7 -414.77; 360 461.455 910.7 -414.77
```

39. 361 461.205 910.7 -414.77; 362 460.955 910.7 -414.77
40. 363 460.705 910.7 -414.77; 364 462.205 910.7 -414.52
41. 365 462.555 910.7 -414.52; 366 462.705 910.7 -414.52
42. 367 462.955 910.7 -414.52; 368 463.205 910.7 -414.52
43. 369 463.455 910.7 -414.52; 370 463.705 910.7 -414.52
44. 371 461.855 910.7 -414.52; 372 461.705 910.7 -414.52
45. 373 461.455 910.7 -414.52; 374 461.205 910.7 -414.52
46. 375 460.955 910.7 -414.52; 376 460.705 910.7 -414.52
47. 377 462.205 910.7 -414.27; 378 462.555 910.7 -414.27
48. 379 462.705 910.7 -414.27; 380 462.955 910.7 -414.27
49. 381 463.205 910.7 -414.27; 382 463.455 910.7 -414.27
50. 383 463.705 910.7 -414.27; 384 461.855 910.7 -414.27
51. 385 461.705 910.7 -414.27; 386 461.455 910.7 -414.27
52. 387 461.205 910.7 -414.27; 388 460.955 910.7 -414.27
53. 389 460.705 910.7 -414.27; 390 462.205 910.7 -414.02
54. 391 462.555 910.7 -414.02; 392 462.705 910.7 -414.02
55. 393 462.955 910.7 -414.02; 394 463.205 910.7 -414.02
56. 395 463.455 910.7 -414.02; 396 463.705 910.7 -414.02
57. 397 461.855 910.7 -414.02; 398 461.705 910.7 -414.02
58. 399 461.455 910.7 -414.02; 400 461.205 910.7 -414.02
59. 401 460.955 910.7 -414.02; 402 460.705 910.7 -414.02
60. 403 462.205 910.7 -413.77; 404 462.555 910.7 -413.77
61. 405 462.705 910.7 -413.77; 406 462.955 910.7 -413.77
62. 407 463.205 910.7 -413.77; 408 463.455 910.7 -413.77
63. 409 463.705 910.7 -413.77; 410 461.855 910.7 -413.77
64. 411 461.705 910.7 -413.77; 412 461.455 910.7 -413.77
65. 413 461.205 910.7 -413.77; 414 460.955 910.7 -413.77
66. 415 460.705 910.7 -413.77; 416 462.205 910.7 -415.62
67. 417 462.555 910.7 -415.62; 418 462.705 910.7 -415.62
68. 419 462.955 910.7 -415.62; 420 463.205 910.7 -415.62
69. 421 463.455 910.7 -415.62; 422 463.705 910.7 -415.62
70. 423 461.855 910.7 -415.62; 424 461.705 910.7 -415.62
71. 425 461.455 910.7 -415.62; 426 461.205 910.7 -415.62
72. 427 460.955 910.7 -415.62; 428 460.705 910.7 -415.62
73. 429 462.205 910.7 -415.77; 430 462.555 910.7 -415.77
74. 431 462.705 910.7 -415.77; 432 462.955 910.7 -415.77
75. 433 463.205 910.7 -415.77; 434 463.455 910.7 -415.77
76. 435 463.705 910.7 -415.77; 436 461.855 910.7 -415.77
77. 437 461.705 910.7 -415.77; 438 461.455 910.7 -415.77
78. 439 461.205 910.7 -415.77; 440 460.955 910.7 -415.77
79. 441 460.705 910.7 -415.77; 442 462.205 910.7 -416.02
80. 443 462.555 910.7 -416.02; 444 462.705 910.7 -416.02
81. 445 462.955 910.7 -416.02; 446 463.205 910.7 -416.02
82. 447 463.455 910.7 -416.02; 448 463.705 910.7 -416.02
83. 449 461.855 910.7 -416.02; 450 461.705 910.7 -416.02
84. 451 461.455 910.7 -416.02; 452 461.205 910.7 -416.02
85. 453 460.955 910.7 -416.02; 454 460.705 910.7 -416.02
86. 455 462.205 910.7 -416.27; 456 462.555 910.7 -416.27
87. 457 462.705 910.7 -416.27; 458 462.955 910.7 -416.27
88. 459 463.205 910.7 -416.27; 460 463.455 910.7 -416.27
89. 461 463.705 910.7 -416.27; 462 461.855 910.7 -416.27
90. 463 461.705 910.7 -416.27; 464 461.455 910.7 -416.27
91. 465 461.205 910.7 -416.27; 466 460.955 910.7 -416.27
92. 467 460.705 910.7 -416.27; 468 462.205 910.7 -416.52
93. 469 462.555 910.7 -416.52; 470 462.705 910.7 -416.52
94. 471 462.955 910.7 -416.52; 472 463.205 910.7 -416.52

95. 473 463.455 910.7 -416.52; 474 463.705 910.7 -416.52
96. 475 461.855 910.7 -416.52; 476 461.705 910.7 -416.52
97. 477 461.455 910.7 -416.52; 478 461.205 910.7 -416.52
98. 479 460.955 910.7 -416.52; 480 460.705 910.7 -416.52
99. 481 462.205 910.7 -416.77; 482 462.555 910.7 -416.77
100. 483 462.705 910.7 -416.77; 484 462.955 910.7 -416.77
101. 485 463.205 910.7 -416.77; 486 463.455 910.7 -416.77
102. 487 463.705 910.7 -416.77; 488 461.855 910.7 -416.77
103. 489 461.705 910.7 -416.77; 490 461.455 910.7 -416.77
104. 491 461.205 910.7 -416.77; 492 460.955 910.7 -416.77
105. 493 460.705 910.7 -416.77; 494 462.205 910.7 -408.637
106. 495 462.555 910.7 -408.637; 496 462.555 910.7 -408.987
107. 497 462.705 910.7 -408.637; 498 462.705 910.7 -408.987
108. 499 462.955 910.7 -408.637; 500 462.955 910.7 -408.987
109. 501 463.205 910.7 -408.637; 502 463.205 910.7 -408.987
110. 503 463.455 910.7 -408.637; 504 463.455 910.7 -408.987
111. 505 463.705 910.7 -408.637; 506 463.705 910.7 -408.987
112. 507 461.855 910.7 -408.637; 508 461.855 910.7 -408.987
113. 509 461.705 910.7 -408.637; 510 461.705 910.7 -408.987
114. 511 461.455 910.7 -408.637; 512 461.455 910.7 -408.987
115. 513 461.205 910.7 -408.637; 514 461.205 910.7 -408.987
116. 515 460.955 910.7 -408.637; 516 460.955 910.7 -408.987
117. 517 460.705 910.7 -408.637; 518 460.705 910.7 -408.987
118. 519 462.205 910.7 -408.487; 520 462.555 910.7 -408.487
119. 521 462.705 910.7 -408.487; 522 462.955 910.7 -408.487
120. 523 463.205 910.7 -408.487; 524 463.455 910.7 -408.487
121. 525 463.705 910.7 -408.487; 526 461.855 910.7 -408.487
122. 527 461.705 910.7 -408.487; 528 461.455 910.7 -408.487
123. 529 461.205 910.7 -408.487; 530 460.955 910.7 -408.487
124. 531 460.705 910.7 -408.487; 532 462.205 910.7 -408.237
125. 533 462.555 910.7 -408.237; 534 462.705 910.7 -408.237
126. 535 462.955 910.7 -408.237; 536 463.205 910.7 -408.237
127. 537 463.455 910.7 -408.237; 538 463.705 910.7 -408.237
128. 539 461.855 910.7 -408.237; 540 461.705 910.7 -408.237
129. 541 461.455 910.7 -408.237; 542 461.205 910.7 -408.237
130. 543 460.955 910.7 -408.237; 544 460.705 910.7 -408.237
131. 545 462.205 910.7 -407.987; 546 462.555 910.7 -407.987
132. 547 462.705 910.7 -407.987; 548 462.955 910.7 -407.987
133. 549 463.205 910.7 -407.987; 550 463.455 910.7 -407.987
134. 551 463.705 910.7 -407.987; 552 461.855 910.7 -407.987
135. 553 461.705 910.7 -407.987; 554 461.455 910.7 -407.987
136. 555 461.205 910.7 -407.987; 556 460.955 910.7 -407.987
137. 557 460.705 910.7 -407.987; 558 462.205 910.7 -407.737
138. 559 462.555 910.7 -407.737; 560 462.705 910.7 -407.737
139. 561 462.955 910.7 -407.737; 562 463.205 910.7 -407.737
140. 563 463.455 910.7 -407.737; 564 463.705 910.7 -407.737
141. 565 461.855 910.7 -407.737; 566 461.705 910.7 -407.737
142. 567 461.455 910.7 -407.737; 568 461.205 910.7 -407.737
143. 569 460.955 910.7 -407.737; 570 460.705 910.7 -407.737
144. 571 462.205 910.7 -407.487; 572 462.555 910.7 -407.487
145. 573 462.705 910.7 -407.487; 574 462.955 910.7 -407.487
146. 575 463.205 910.7 -407.487; 576 463.455 910.7 -407.487
147. 577 463.705 910.7 -407.487; 578 461.855 910.7 -407.487
148. 579 461.705 910.7 -407.487; 580 461.455 910.7 -407.487
149. 581 461.205 910.7 -407.487; 582 460.955 910.7 -407.487
150. 583 460.705 910.7 -407.487; 584 462.555 910.7 -409.337

151. 585 462.205 910.7 -409.337; 586 462.705 910.7 -409.337
152. 587 462.955 910.7 -409.337; 588 463.205 910.7 -409.337
153. 589 463.455 910.7 -409.337; 590 463.705 910.7 -409.337
154. 591 461.855 910.7 -409.337; 592 461.705 910.7 -409.337
155. 593 461.455 910.7 -409.337; 594 461.205 910.7 -409.337
156. 595 460.955 910.7 -409.337; 596 460.705 910.7 -409.337
157. 597 462.555 910.7 -409.487; 598 462.205 910.7 -409.487
158. 599 462.705 910.7 -409.487; 600 462.955 910.7 -409.487
159. 601 463.205 910.7 -409.487; 602 463.455 910.7 -409.487
160. 603 463.705 910.7 -409.487; 604 461.855 910.7 -409.487
161. 605 461.705 910.7 -409.487; 606 461.455 910.7 -409.487
162. 607 461.205 910.7 -409.487; 608 460.955 910.7 -409.487
163. 609 460.705 910.7 -409.487; 610 462.555 910.7 -409.737
164. 611 462.205 910.7 -409.737; 612 462.705 910.7 -409.737
165. 613 462.955 910.7 -409.737; 614 463.205 910.7 -409.737
166. 615 463.455 910.7 -409.737; 616 463.705 910.7 -409.737
167. 617 461.855 910.7 -409.737; 618 461.705 910.7 -409.737
168. 619 461.455 910.7 -409.737; 620 461.205 910.7 -409.737
169. 621 460.955 910.7 -409.737; 622 460.705 910.7 -409.737
170. 623 462.555 910.7 -409.987; 624 462.205 910.7 -409.987
171. 625 462.705 910.7 -409.987; 626 462.955 910.7 -409.987
172. 627 463.205 910.7 -409.987; 628 463.455 910.7 -409.987
173. 629 463.705 910.7 -409.987; 630 461.855 910.7 -409.987
174. 631 461.705 910.7 -409.987; 632 461.455 910.7 -409.987
175. 633 461.205 910.7 -409.987; 634 460.955 910.7 -409.987
176. 635 460.705 910.7 -409.987; 636 462.555 910.7 -410.237
177. 637 462.205 910.7 -410.237; 638 462.705 910.7 -410.237
178. 639 462.955 910.7 -410.237; 640 463.205 910.7 -410.237
179. 641 463.455 910.7 -410.237; 642 463.705 910.7 -410.237
180. 643 461.855 910.7 -410.237; 644 461.705 910.7 -410.237
181. 645 461.455 910.7 -410.237; 646 461.205 910.7 -410.237
182. 647 460.955 910.7 -410.237; 648 460.705 910.7 -410.237
183. 649 462.555 910.7 -410.487; 650 462.205 910.7 -410.487
184. 651 462.705 910.7 -410.487; 652 462.955 910.7 -410.487
185. 653 463.205 910.7 -410.487; 654 463.455 910.7 -410.487
186. 655 463.705 910.7 -410.487; 656 461.855 910.7 -410.487
187. 657 461.705 910.7 -410.487; 658 461.455 910.7 -410.487
188. 659 461.205 910.7 -410.487; 660 460.955 910.7 -410.487
189. 661 460.705 910.7 -410.487; 662 468.745 910.7 -414.92
190. 663 469.095 910.7 -414.92; 664 469.095 910.7 -415.27
191. 665 469.245 910.7 -414.92; 666 469.245 910.7 -415.27
192. 667 469.495 910.7 -414.92; 668 469.495 910.7 -415.27
193. 669 469.745 910.7 -414.92; 670 469.745 910.7 -415.27
194. 671 469.995 910.7 -414.92; 672 469.995 910.7 -415.27
195. 673 470.245 910.7 -414.92; 674 470.245 910.7 -415.27
196. 675 468.395 910.7 -414.92; 676 468.395 910.7 -415.27
197. 677 468.245 910.7 -414.92; 678 468.245 910.7 -415.27
198. 679 467.995 910.7 -414.92; 680 467.995 910.7 -415.27
199. 681 467.745 910.7 -414.92; 682 467.745 910.7 -415.27
200. 683 467.495 910.7 -414.92; 684 467.495 910.7 -415.27
201. 685 467.245 910.7 -414.92; 686 467.245 910.7 -415.27
202. 687 468.745 910.7 -414.77; 688 469.095 910.7 -414.77
203. 689 469.245 910.7 -414.77; 690 469.495 910.7 -414.77
204. 691 469.745 910.7 -414.77; 692 469.995 910.7 -414.77
205. 693 470.245 910.7 -414.77; 694 468.395 910.7 -414.77
206. 695 468.245 910.7 -414.77; 696 467.995 910.7 -414.77

207. 697 467.745 910.7 -414.77; 698 467.495 910.7 -414.77
208. 699 467.245 910.7 -414.77; 700 468.745 910.7 -414.52
209. 701 469.095 910.7 -414.52; 702 469.245 910.7 -414.52
210. 703 469.495 910.7 -414.52; 704 469.745 910.7 -414.52
211. 705 469.995 910.7 -414.52; 706 470.245 910.7 -414.52
212. 707 468.395 910.7 -414.52; 708 468.245 910.7 -414.52
213. 709 467.995 910.7 -414.52; 710 467.745 910.7 -414.52
214. 711 467.495 910.7 -414.52; 712 467.245 910.7 -414.52
215. 713 468.745 910.7 -414.27; 714 469.095 910.7 -414.27
216. 715 469.245 910.7 -414.27; 716 469.495 910.7 -414.27
217. 717 469.745 910.7 -414.27; 718 469.995 910.7 -414.27
218. 719 470.245 910.7 -414.27; 720 468.395 910.7 -414.27
219. 721 468.245 910.7 -414.27; 722 467.995 910.7 -414.27
220. 723 467.745 910.7 -414.27; 724 467.495 910.7 -414.27
221. 725 467.245 910.7 -414.27; 726 468.745 910.7 -414.02
222. 727 469.095 910.7 -414.02; 728 469.245 910.7 -414.02
223. 729 469.495 910.7 -414.02; 730 469.745 910.7 -414.02
224. 731 469.995 910.7 -414.02; 732 470.245 910.7 -414.02
225. 733 468.395 910.7 -414.02; 734 468.245 910.7 -414.02
226. 735 467.995 910.7 -414.02; 736 467.745 910.7 -414.02
227. 737 467.495 910.7 -414.02; 738 467.245 910.7 -414.02
228. 739 468.745 910.7 -413.77; 740 469.095 910.7 -413.77
229. 741 469.245 910.7 -413.77; 742 469.495 910.7 -413.77
230. 743 469.745 910.7 -413.77; 744 469.995 910.7 -413.77
231. 745 470.245 910.7 -413.77; 746 468.395 910.7 -413.77
232. 747 468.245 910.7 -413.77; 748 467.995 910.7 -413.77
233. 749 467.745 910.7 -413.77; 750 467.495 910.7 -413.77
234. 751 467.245 910.7 -413.77; 752 469.095 910.7 -415.62
235. 753 468.745 910.7 -415.62; 754 469.245 910.7 -415.62
236. 755 469.495 910.7 -415.62; 756 469.745 910.7 -415.62
237. 757 469.995 910.7 -415.62; 758 470.245 910.7 -415.62
238. 759 468.395 910.7 -415.62; 760 468.245 910.7 -415.62
239. 761 467.995 910.7 -415.62; 762 467.745 910.7 -415.62
240. 763 467.495 910.7 -415.62; 764 467.245 910.7 -415.62
241. 765 469.095 910.7 -415.77; 766 468.745 910.7 -415.77
242. 767 469.245 910.7 -415.77; 768 469.495 910.7 -415.77
243. 769 469.745 910.7 -415.77; 770 469.995 910.7 -415.77
244. 771 470.245 910.7 -415.77; 772 468.395 910.7 -415.77
245. 773 468.245 910.7 -415.77; 774 467.995 910.7 -415.77
246. 775 467.745 910.7 -415.77; 776 467.495 910.7 -415.77
247. 777 467.245 910.7 -415.77; 778 469.095 910.7 -416.02
248. 779 468.745 910.7 -416.02; 780 469.245 910.7 -416.02
249. 781 469.495 910.7 -416.02; 782 469.745 910.7 -416.02
250. 783 469.995 910.7 -416.02; 784 470.245 910.7 -416.02
251. 785 468.395 910.7 -416.02; 786 468.245 910.7 -416.02
252. 787 467.995 910.7 -416.02; 788 467.745 910.7 -416.02
253. 789 467.495 910.7 -416.02; 790 467.245 910.7 -416.02
254. 791 469.095 910.7 -416.27; 792 468.745 910.7 -416.27
255. 793 469.245 910.7 -416.27; 794 469.495 910.7 -416.27
256. 795 469.745 910.7 -416.27; 796 469.995 910.7 -416.27
257. 797 470.245 910.7 -416.27; 798 468.395 910.7 -416.27
258. 799 468.245 910.7 -416.27; 800 467.995 910.7 -416.27
259. 801 467.745 910.7 -416.27; 802 467.495 910.7 -416.27
260. 803 467.245 910.7 -416.27; 804 469.095 910.7 -416.52
261. 805 468.745 910.7 -416.52; 806 469.245 910.7 -416.52
262. 807 469.495 910.7 -416.52; 808 469.745 910.7 -416.52

263. 809 469.995 910.7 -416.52; 810 470.245 910.7 -416.52
264. 811 468.395 910.7 -416.52; 812 468.245 910.7 -416.52
265. 813 467.995 910.7 -416.52; 814 467.745 910.7 -416.52
266. 815 467.495 910.7 -416.52; 816 467.245 910.7 -416.52
267. 817 469.095 910.7 -416.77; 818 468.745 910.7 -416.77
268. 819 469.245 910.7 -416.77; 820 469.495 910.7 -416.77
269. 821 469.745 910.7 -416.77; 822 469.995 910.7 -416.77
270. 823 470.245 910.7 -416.77; 824 468.395 910.7 -416.77
271. 825 468.245 910.7 -416.77; 826 467.995 910.7 -416.77
272. 827 467.745 910.7 -416.77; 828 467.495 910.7 -416.77
273. 829 467.245 910.7 -416.77; 830 476.42 910.7 -414.92
274. 831 476.77 910.7 -414.92; 832 476.77 910.7 -415.27
275. 833 476.92 910.7 -414.92; 834 476.92 910.7 -415.27
276. 835 477.17 910.7 -414.92; 836 477.17 910.7 -415.27
277. 837 477.42 910.7 -414.92; 838 477.42 910.7 -415.27
278. 839 477.67 910.7 -414.92; 840 477.67 910.7 -415.27
279. 841 477.92 910.7 -414.92; 842 477.92 910.7 -415.27
280. 843 476.07 910.7 -414.92; 844 476.07 910.7 -415.27
281. 845 475.92 910.7 -414.92; 846 475.92 910.7 -415.27
282. 847 475.67 910.7 -414.92; 848 475.67 910.7 -415.27
283. 849 475.42 910.7 -414.92; 850 475.42 910.7 -415.27
284. 851 475.17 910.7 -414.92; 852 475.17 910.7 -415.27
285. 853 474.92 910.7 -414.92; 854 474.92 910.7 -415.27
286. 855 476.42 910.7 -414.77; 856 476.77 910.7 -414.77
287. 857 476.92 910.7 -414.77; 858 477.17 910.7 -414.77
288. 859 477.42 910.7 -414.77; 860 477.67 910.7 -414.77
289. 861 477.92 910.7 -414.77; 862 476.07 910.7 -414.77
290. 863 475.92 910.7 -414.77; 864 475.67 910.7 -414.77
291. 865 475.42 910.7 -414.77; 866 475.17 910.7 -414.77
292. 867 474.92 910.7 -414.77; 868 476.42 910.7 -414.52
293. 869 476.77 910.7 -414.52; 870 476.92 910.7 -414.52
294. 871 477.17 910.7 -414.52; 872 477.42 910.7 -414.52
295. 873 477.67 910.7 -414.52; 874 477.92 910.7 -414.52
296. 875 476.07 910.7 -414.52; 876 475.92 910.7 -414.52
297. 877 475.67 910.7 -414.52; 878 475.42 910.7 -414.52
298. 879 475.17 910.7 -414.52; 880 474.92 910.7 -414.52
299. 881 476.42 910.7 -414.27; 882 476.77 910.7 -414.27
300. 883 476.92 910.7 -414.27; 884 477.17 910.7 -414.27
301. 885 477.42 910.7 -414.27; 886 477.67 910.7 -414.27
302. 887 477.92 910.7 -414.27; 888 476.07 910.7 -414.27
303. 889 475.92 910.7 -414.27; 890 475.67 910.7 -414.27
304. 891 475.42 910.7 -414.27; 892 475.17 910.7 -414.27
305. 893 474.92 910.7 -414.27; 894 476.42 910.7 -414.02
306. 895 476.77 910.7 -414.02; 896 476.92 910.7 -414.02
307. 897 477.17 910.7 -414.02; 898 477.42 910.7 -414.02
308. 899 477.67 910.7 -414.02; 900 477.92 910.7 -414.02
309. 901 476.07 910.7 -414.02; 902 475.92 910.7 -414.02
310. 903 475.67 910.7 -414.02; 904 475.42 910.7 -414.02
311. 905 475.17 910.7 -414.02; 906 474.92 910.7 -414.02
312. 907 476.42 910.7 -413.77; 908 476.77 910.7 -413.77
313. 909 476.92 910.7 -413.77; 910 477.17 910.7 -413.77
314. 911 477.42 910.7 -413.77; 912 477.67 910.7 -413.77
315. 913 477.92 910.7 -413.77; 914 476.07 910.7 -413.77
316. 915 475.92 910.7 -413.77; 916 475.67 910.7 -413.77
317. 917 475.42 910.7 -413.77; 918 475.17 910.7 -413.77
318. 919 474.92 910.7 -413.77; 920 476.77 910.7 -415.62

319. 921 476.42 910.7 -415.62; 922 476.92 910.7 -415.62
320. 923 477.17 910.7 -415.62; 924 477.42 910.7 -415.62
321. 925 477.67 910.7 -415.62; 926 477.92 910.7 -415.62
322. 927 476.07 910.7 -415.62; 928 475.92 910.7 -415.62
323. 929 475.67 910.7 -415.62; 930 475.42 910.7 -415.62
324. 931 475.17 910.7 -415.62; 932 474.92 910.7 -415.62
325. 933 476.77 910.7 -415.77; 934 476.42 910.7 -415.77
326. 935 476.92 910.7 -415.77; 936 477.17 910.7 -415.77
327. 937 477.42 910.7 -415.77; 938 477.67 910.7 -415.77
328. 939 477.92 910.7 -415.77; 940 476.07 910.7 -415.77
329. 941 475.92 910.7 -415.77; 942 475.67 910.7 -415.77
330. 943 475.42 910.7 -415.77; 944 475.17 910.7 -415.77
331. 945 474.92 910.7 -415.77; 946 476.77 910.7 -416.02
332. 947 476.42 910.7 -416.02; 948 476.92 910.7 -416.02
333. 949 477.17 910.7 -416.02; 950 477.42 910.7 -416.02
334. 951 477.67 910.7 -416.02; 952 477.92 910.7 -416.02
335. 953 476.07 910.7 -416.02; 954 475.92 910.7 -416.02
336. 955 475.67 910.7 -416.02; 956 475.42 910.7 -416.02
337. 957 475.17 910.7 -416.02; 958 474.92 910.7 -416.02
338. 959 476.77 910.7 -416.27; 960 476.42 910.7 -416.27
339. 961 476.92 910.7 -416.27; 962 477.17 910.7 -416.27
340. 963 477.42 910.7 -416.27; 964 477.67 910.7 -416.27
341. 965 477.92 910.7 -416.27; 966 476.07 910.7 -416.27
342. 967 475.92 910.7 -416.27; 968 475.67 910.7 -416.27
343. 969 475.42 910.7 -416.27; 970 475.17 910.7 -416.27
344. 971 474.92 910.7 -416.27; 972 476.77 910.7 -416.52
345. 973 476.42 910.7 -416.52; 974 476.92 910.7 -416.52
346. 975 477.17 910.7 -416.52; 976 477.42 910.7 -416.52
347. 977 477.67 910.7 -416.52; 978 477.92 910.7 -416.52
348. 979 476.07 910.7 -416.52; 980 475.92 910.7 -416.52
349. 981 475.67 910.7 -416.52; 982 475.42 910.7 -416.52
350. 983 475.17 910.7 -416.52; 984 474.92 910.7 -416.52
351. 985 476.77 910.7 -416.77; 986 476.42 910.7 -416.77
352. 987 476.92 910.7 -416.77; 988 477.17 910.7 -416.77
353. 989 477.42 910.7 -416.77; 990 477.67 910.7 -416.77
354. 991 477.92 910.7 -416.77; 992 476.07 910.7 -416.77
355. 993 475.92 910.7 -416.77; 994 475.67 910.7 -416.77
356. 995 475.42 910.7 -416.77; 996 475.17 910.7 -416.77
357. 997 474.92 910.7 -416.77; 998 462.205 910.7 -403.355
358. 999 462.555 910.7 -403.355; 1000 462.555 910.7 -403.705
359. 1001 468.745 910.7 -403.355; 1002 468.961 910.7 -403.355
360. 1003 468.961 910.7 -403.705; 1004 462.205 910.7 -403.205
361. 1005 462.555 910.7 -403.205; 1006 468.745 910.7 -403.205
362. 1007 468.961 910.7 -403.205; 1008 462.205 910.7 -402.955
363. 1009 462.555 910.7 -402.955; 1010 468.745 910.7 -402.955
364. 1011 468.961 910.7 -402.955; 1012 462.205 910.7 -402.705
365. 1013 462.555 910.7 -402.705; 1014 468.745 910.7 -402.705
366. 1015 468.961 910.7 -402.705; 1016 462.205 910.7 -404.055
367. 1017 468.745 910.7 -404.055; 1018 462.555 910.7 -404.055
368. 1019 468.961 910.7 -404.055; 1020 462.205 910.7 -404.205
369. 1021 468.745 910.7 -404.205; 1022 462.555 910.7 -404.205
370. 1023 468.961 910.7 -404.205; 1024 462.205 910.7 -404.455
371. 1025 468.745 910.7 -404.455; 1026 462.555 910.7 -404.455
372. 1027 468.961 910.7 -404.455; 1028 462.205 910.7 -404.705
373. 1029 468.745 910.7 -404.705; 1030 462.555 910.7 -404.705
374. 1031 468.961 910.7 -404.705; 1032 461.855 910.7 -403.705

375. 1033 468.395 910.7 -403.705; 1034 461.855 910.7 -403.355
376. 1035 468.395 910.7 -403.355; 1036 461.855 910.7 -403.205
377. 1037 468.395 910.7 -403.205; 1038 461.855 910.7 -402.955
378. 1039 468.395 910.7 -402.955; 1040 461.855 910.7 -402.705
379. 1041 468.395 910.7 -402.705; 1042 461.855 910.7 -404.055
380. 1043 468.395 910.7 -404.055; 1044 461.855 910.7 -404.205
381. 1045 468.395 910.7 -404.205; 1046 461.855 910.7 -404.455
382. 1047 468.395 910.7 -404.455; 1048 461.855 910.7 -404.705
383. 1049 468.395 910.7 -404.705; 1050 461.705 910.7 -403.705
384. 1051 468.111 910.7 -403.705; 1052 461.705 910.7 -403.355
385. 1053 468.111 910.7 -403.355; 1054 461.705 910.7 -403.205
386. 1055 468.111 910.7 -403.205; 1056 461.705 910.7 -402.955
387. 1057 468.111 910.7 -402.955; 1058 461.705 910.7 -402.705
388. 1059 468.111 910.7 -402.705; 1060 461.705 910.7 -404.055
389. 1061 468.111 910.7 -404.055; 1062 461.705 910.7 -404.205
390. 1063 468.111 910.7 -404.205; 1064 461.705 910.7 -404.455
391. 1065 468.111 910.7 -404.455; 1066 461.705 910.7 -404.705
392. 1067 468.111 910.7 -404.705; 1068 461.455 910.7 -403.705
393. 1069 467.861 910.7 -403.705; 1070 461.455 910.7 -403.355
394. 1071 467.861 910.7 -403.355; 1072 461.455 910.7 -403.205
395. 1073 467.861 910.7 -403.205; 1074 461.455 910.7 -402.955
396. 1075 467.861 910.7 -402.955; 1076 461.455 910.7 -402.705
397. 1077 467.861 910.7 -402.705; 1078 461.455 910.7 -404.055
398. 1079 467.861 910.7 -404.055; 1080 461.455 910.7 -404.205
399. 1081 467.861 910.7 -404.205; 1082 461.455 910.7 -404.455
400. 1083 467.861 910.7 -404.455; 1084 461.455 910.7 -404.705
401. 1085 467.861 910.7 -404.705; 1086 461.205 910.7 -403.705
402. 1087 467.611 910.7 -403.705; 1088 461.205 910.7 -403.355
403. 1089 467.611 910.7 -403.355; 1090 461.205 910.7 -403.205
404. 1091 467.611 910.7 -403.205; 1092 461.205 910.7 -402.955
405. 1093 467.611 910.7 -402.955; 1094 461.205 910.7 -402.705
406. 1095 467.611 910.7 -402.705; 1096 461.205 910.7 -404.055
407. 1097 467.611 910.7 -404.055; 1098 461.205 910.7 -404.205
408. 1099 467.611 910.7 -404.205; 1100 461.205 910.7 -404.455
409. 1101 467.611 910.7 -404.455; 1102 461.205 910.7 -404.705
410. 1103 467.611 910.7 -404.705; 1104 460.955 910.7 -403.705
411. 1105 467.361 910.7 -403.705; 1106 460.955 910.7 -403.355
412. 1107 467.361 910.7 -403.355; 1108 460.955 910.7 -403.205
413. 1109 467.361 910.7 -403.205; 1110 460.955 910.7 -402.955
414. 1111 467.361 910.7 -402.955; 1112 460.955 910.7 -402.705
415. 1113 467.361 910.7 -402.705; 1114 460.955 910.7 -404.055
416. 1115 467.361 910.7 -404.055; 1116 460.955 910.7 -404.205
417. 1117 467.361 910.7 -404.205; 1118 460.955 910.7 -404.455
418. 1119 467.361 910.7 -404.455; 1120 460.955 910.7 -404.705
419. 1121 467.361 910.7 -404.705; 1122 460.705 910.7 -403.705
420. 1123 467.111 910.7 -403.705; 1124 460.705 910.7 -403.355
421. 1125 467.111 910.7 -403.355; 1126 460.705 910.7 -403.205
422. 1127 467.111 910.7 -403.205; 1128 460.705 910.7 -402.955
423. 1129 467.111 910.7 -402.955; 1130 460.705 910.7 -402.705
424. 1131 467.111 910.7 -402.705; 1132 460.705 910.7 -404.055
425. 1133 467.111 910.7 -404.055; 1134 460.705 910.7 -404.205
426. 1135 467.111 910.7 -404.205; 1136 460.705 910.7 -404.455
427. 1137 467.111 910.7 -404.455; 1138 460.705 910.7 -404.705
428. 1139 467.111 910.7 -404.705; 1140 462.705 910.7 -403.355
429. 1141 462.705 910.7 -403.705; 1142 469.211 910.7 -403.355
430. 1143 469.211 910.7 -403.705; 1144 462.705 910.7 -403.205

431. 1145 469.211 910.7 -403.205; 1146 462.705 910.7 -402.955
432. 1147 469.211 910.7 -402.955; 1148 462.705 910.7 -402.705
433. 1149 469.211 910.7 -402.705; 1150 462.705 910.7 -404.055
434. 1151 469.211 910.7 -404.055; 1152 462.705 910.7 -404.205
435. 1153 469.211 910.7 -404.205; 1154 462.705 910.7 -404.455
436. 1155 469.211 910.7 -404.455; 1156 462.705 910.7 -404.705
437. 1157 469.211 910.7 -404.705; 1158 462.955 910.7 -403.355
438. 1159 462.955 910.7 -403.705; 1160 469.461 910.7 -403.355
439. 1161 469.461 910.7 -403.705; 1162 462.955 910.7 -403.205
440. 1163 469.461 910.7 -403.205; 1164 462.955 910.7 -402.955
441. 1165 469.461 910.7 -402.955; 1166 462.955 910.7 -402.705
442. 1167 469.461 910.7 -402.705; 1168 462.955 910.7 -404.055
443. 1169 469.461 910.7 -404.055; 1170 462.955 910.7 -404.205
444. 1171 469.461 910.7 -404.205; 1172 462.955 910.7 -404.455
445. 1173 469.461 910.7 -404.455; 1174 462.955 910.7 -404.705
446. 1175 469.461 910.7 -404.705; 1176 463.205 910.7 -403.355
447. 1177 463.205 910.7 -403.705; 1178 469.711 910.7 -403.355
448. 1179 469.711 910.7 -403.705; 1180 463.205 910.7 -403.205
449. 1181 469.711 910.7 -403.205; 1182 463.205 910.7 -402.955
450. 1183 469.711 910.7 -402.955; 1184 463.205 910.7 -402.705
451. 1185 469.711 910.7 -402.705; 1186 463.205 910.7 -404.055
452. 1187 469.711 910.7 -404.055; 1188 463.205 910.7 -404.205
453. 1189 469.711 910.7 -404.205; 1190 463.205 910.7 -404.455
454. 1191 469.711 910.7 -404.455; 1192 463.205 910.7 -404.705
455. 1193 469.711 910.7 -404.705; 1194 463.455 910.7 -403.355
456. 1195 463.455 910.7 -403.705; 1196 469.961 910.7 -403.355
457. 1197 469.961 910.7 -403.705; 1198 463.455 910.7 -403.205
458. 1199 469.961 910.7 -403.205; 1200 463.455 910.7 -402.955
459. 1201 469.961 910.7 -402.955; 1202 463.455 910.7 -402.705
460. 1203 469.961 910.7 -402.705; 1204 463.455 910.7 -404.055
461. 1205 469.961 910.7 -404.055; 1206 463.455 910.7 -404.205
462. 1207 469.961 910.7 -404.205; 1208 463.455 910.7 -404.455
463. 1209 469.961 910.7 -404.455; 1210 463.455 910.7 -404.705
464. 1211 469.961 910.7 -404.705; 1212 463.705 910.7 -403.355
465. 1213 463.705 910.7 -403.705; 1214 470.211 910.7 -403.355
466. 1215 470.211 910.7 -403.705; 1216 463.705 910.7 -403.205
467. 1217 470.211 910.7 -403.205; 1218 463.705 910.7 -402.955
468. 1219 470.211 910.7 -402.955; 1220 463.705 910.7 -402.705
469. 1221 470.211 910.7 -402.705; 1222 463.705 910.7 -404.055
470. 1223 470.211 910.7 -404.055; 1224 463.705 910.7 -404.205
471. 1225 470.211 910.7 -404.205; 1226 463.705 910.7 -404.455
472. 1227 470.211 910.7 -404.455; 1228 463.705 910.7 -404.705
473. 1229 470.211 910.7 -404.705; 1230 463.955 910.7 -403.355
474. 1231 463.955 910.7 -403.705; 1232 470.361 910.7 -403.355
475. 1233 470.361 910.7 -403.705; 1234 463.955 910.7 -403.205
476. 1235 470.361 910.7 -403.205; 1236 463.955 910.7 -402.955
477. 1237 470.361 910.7 -402.955; 1238 463.955 910.7 -402.705
478. 1239 470.361 910.7 -402.705; 1240 463.955 910.7 -404.055
479. 1241 470.361 910.7 -404.055; 1242 463.955 910.7 -404.205
480. 1243 470.361 910.7 -404.205; 1244 463.955 910.7 -404.455
481. 1245 470.361 910.7 -404.455; 1246 463.955 910.7 -404.705
482. 1247 470.361 910.7 -404.705; 1248 464.218 910.7 -402.705
483. 1249 464.218 910.7 -402.955; 1250 464.481 910.7 -402.705
484. 1251 464.481 910.7 -402.955; 1252 464.744 910.7 -402.705
485. 1253 464.744 910.7 -402.955; 1254 465.007 910.7 -402.705
486. 1255 465.007 910.7 -402.955; 1256 465.27 910.7 -402.705

487. 1257 465.27 910.7 -402.955; 1258 465.533 910.7 -402.705
488. 1259 465.533 910.7 -402.955; 1260 465.796 910.7 -402.705
489. 1261 465.796 910.7 -402.955; 1262 466.059 910.7 -402.705
490. 1263 466.059 910.7 -402.955; 1264 466.322 910.7 -402.705
491. 1265 466.322 910.7 -402.955; 1266 466.585 910.7 -402.705
492. 1267 466.585 910.7 -402.955; 1268 466.848 910.7 -402.705
493. 1269 466.848 910.7 -402.955; 1270 464.218 910.7 -403.205
494. 1271 464.481 910.7 -403.205; 1272 464.744 910.7 -403.205
495. 1273 465.007 910.7 -403.205; 1274 465.27 910.7 -403.205
496. 1275 465.533 910.7 -403.205; 1276 465.796 910.7 -403.205
497. 1277 466.059 910.7 -403.205; 1278 466.322 910.7 -403.205
498. 1279 466.585 910.7 -403.205; 1280 466.848 910.7 -403.205
499. 1281 464.218 910.7 -403.355; 1282 464.481 910.7 -403.355
500. 1283 464.744 910.7 -403.355; 1284 465.007 910.7 -403.355
501. 1285 465.27 910.7 -403.355; 1286 465.533 910.7 -403.355
502. 1287 465.796 910.7 -403.355; 1288 466.059 910.7 -403.355
503. 1289 466.322 910.7 -403.355; 1290 466.585 910.7 -403.355
504. 1291 466.848 910.7 -403.355; 1292 464.218 910.7 -403.705
505. 1293 464.481 910.7 -403.705; 1294 464.744 910.7 -403.705
506. 1295 465.007 910.7 -403.705; 1296 465.27 910.7 -403.705
507. 1297 465.533 910.7 -403.705; 1298 465.796 910.7 -403.705
508. 1299 466.059 910.7 -403.705; 1300 466.322 910.7 -403.705
509. 1301 466.585 910.7 -403.705; 1302 466.848 910.7 -403.705
510. 1303 464.218 910.7 -404.055; 1304 464.481 910.7 -404.055
511. 1305 464.744 910.7 -404.055; 1306 465.007 910.7 -404.055
512. 1307 465.27 910.7 -404.055; 1308 465.533 910.7 -404.055
513. 1309 465.796 910.7 -404.055; 1310 466.059 910.7 -404.055
514. 1311 466.322 910.7 -404.055; 1312 466.585 910.7 -404.055
515. 1313 466.848 910.7 -404.055; 1314 464.218 910.7 -404.205
516. 1315 464.481 910.7 -404.205; 1316 464.744 910.7 -404.205
517. 1317 465.007 910.7 -404.205; 1318 465.27 910.7 -404.205
518. 1319 465.533 910.7 -404.205; 1320 465.796 910.7 -404.205
519. 1321 466.059 910.7 -404.205; 1322 466.322 910.7 -404.205
520. 1323 466.585 910.7 -404.205; 1324 466.848 910.7 -404.205
521. 1325 464.218 910.7 -404.455; 1326 464.481 910.7 -404.455
522. 1327 464.744 910.7 -404.455; 1328 465.007 910.7 -404.455
523. 1329 465.27 910.7 -404.455; 1330 465.533 910.7 -404.455
524. 1331 465.796 910.7 -404.455; 1332 466.059 910.7 -404.455
525. 1333 466.322 910.7 -404.455; 1334 466.585 910.7 -404.455
526. 1335 466.848 910.7 -404.455; 1336 464.218 910.7 -404.705
527. 1337 464.481 910.7 -404.705; 1338 464.744 910.7 -404.705
528. 1339 465.007 910.7 -404.705; 1340 465.27 910.7 -404.705
529. 1341 465.533 910.7 -404.705; 1342 465.796 910.7 -404.705
530. 1343 466.059 910.7 -404.705; 1344 466.322 910.7 -404.705
531. 1345 466.585 910.7 -404.705; 1346 466.848 910.7 -404.705
532. 1347 476.42 910.7 -408.637; 1348 476.77 910.7 -408.637
533. 1349 476.77 910.7 -408.987; 1350 476.92 910.7 -408.637
534. 1351 476.92 910.7 -408.987; 1352 477.17 910.7 -408.637
535. 1353 477.17 910.7 -408.987; 1354 477.42 910.7 -408.637
536. 1355 477.42 910.7 -408.987; 1356 477.67 910.7 -408.637
537. 1357 477.67 910.7 -408.987; 1358 477.92 910.7 -408.637
538. 1359 477.92 910.7 -408.987; 1360 476.07 910.7 -408.637
539. 1361 476.07 910.7 -408.987; 1362 475.92 910.7 -408.637
540. 1363 475.92 910.7 -408.987; 1364 475.67 910.7 -408.637
541. 1365 475.67 910.7 -408.987; 1366 475.42 910.7 -408.637
542. 1367 475.42 910.7 -408.987; 1368 475.17 910.7 -408.637

543. 1369 475.17 910.7 -408.987; 1370 474.92 910.7 -408.637
544. 1371 474.92 910.7 -408.987; 1372 476.42 910.7 -408.487
545. 1373 476.77 910.7 -408.487; 1374 476.92 910.7 -408.487
546. 1375 477.17 910.7 -408.487; 1376 477.42 910.7 -408.487
547. 1377 477.67 910.7 -408.487; 1378 477.92 910.7 -408.487
548. 1379 476.07 910.7 -408.487; 1380 475.92 910.7 -408.487
549. 1381 475.67 910.7 -408.487; 1382 475.42 910.7 -408.487
550. 1383 475.17 910.7 -408.487; 1384 474.92 910.7 -408.487
551. 1385 476.42 910.7 -408.237; 1386 476.77 910.7 -408.237
552. 1387 476.92 910.7 -408.237; 1388 477.17 910.7 -408.237
553. 1389 477.42 910.7 -408.237; 1390 477.67 910.7 -408.237
554. 1391 477.92 910.7 -408.237; 1392 476.07 910.7 -408.237
555. 1393 475.92 910.7 -408.237; 1394 475.67 910.7 -408.237
556. 1395 475.42 910.7 -408.237; 1396 475.17 910.7 -408.237
557. 1397 474.92 910.7 -408.237; 1398 476.42 910.7 -407.987
558. 1399 476.77 910.7 -407.987; 1400 476.92 910.7 -407.987
559. 1401 477.17 910.7 -407.987; 1402 477.42 910.7 -407.987
560. 1403 477.67 910.7 -407.987; 1404 477.92 910.7 -407.987
561. 1405 476.07 910.7 -407.987; 1406 475.92 910.7 -407.987
562. 1407 475.67 910.7 -407.987; 1408 475.42 910.7 -407.987
563. 1409 475.17 910.7 -407.987; 1410 474.92 910.7 -407.987
564. 1411 476.42 910.7 -407.737; 1412 476.77 910.7 -407.737
565. 1413 476.92 910.7 -407.737; 1414 477.17 910.7 -407.737
566. 1415 477.42 910.7 -407.737; 1416 477.67 910.7 -407.737
567. 1417 477.92 910.7 -407.737; 1418 476.07 910.7 -407.737
568. 1419 475.92 910.7 -407.737; 1420 475.67 910.7 -407.737
569. 1421 475.42 910.7 -407.737; 1422 475.17 910.7 -407.737
570. 1423 474.92 910.7 -407.737; 1424 476.42 910.7 -407.487
571. 1425 476.77 910.7 -407.487; 1426 476.92 910.7 -407.487
572. 1427 477.17 910.7 -407.487; 1428 477.42 910.7 -407.487
573. 1429 477.67 910.7 -407.487; 1430 477.92 910.7 -407.487
574. 1431 476.07 910.7 -407.487; 1432 475.92 910.7 -407.487
575. 1433 475.67 910.7 -407.487; 1434 475.42 910.7 -407.487
576. 1435 475.17 910.7 -407.487; 1436 474.92 910.7 -407.487
577. 1437 476.77 910.7 -409.337; 1438 476.42 910.7 -409.337
578. 1439 476.92 910.7 -409.337; 1440 477.17 910.7 -409.337
579. 1441 477.42 910.7 -409.337; 1442 477.67 910.7 -409.337
580. 1443 477.92 910.7 -409.337; 1444 476.07 910.7 -409.337
581. 1445 475.92 910.7 -409.337; 1446 475.67 910.7 -409.337
582. 1447 475.42 910.7 -409.337; 1448 475.17 910.7 -409.337
583. 1449 474.92 910.7 -409.337; 1450 476.77 910.7 -409.487
584. 1451 476.42 910.7 -409.487; 1452 476.92 910.7 -409.487
585. 1453 477.17 910.7 -409.487; 1454 477.42 910.7 -409.487
586. 1455 477.67 910.7 -409.487; 1456 477.92 910.7 -409.487
587. 1457 476.07 910.7 -409.487; 1458 475.92 910.7 -409.487
588. 1459 475.67 910.7 -409.487; 1460 475.42 910.7 -409.487
589. 1461 475.17 910.7 -409.487; 1462 474.92 910.7 -409.487
590. 1463 476.77 910.7 -409.737; 1464 476.42 910.7 -409.737
591. 1465 476.92 910.7 -409.737; 1466 477.17 910.7 -409.737
592. 1467 477.42 910.7 -409.737; 1468 477.67 910.7 -409.737
593. 1469 477.92 910.7 -409.737; 1470 476.07 910.7 -409.737
594. 1471 475.92 910.7 -409.737; 1472 475.67 910.7 -409.737
595. 1473 475.42 910.7 -409.737; 1474 475.17 910.7 -409.737
596. 1475 474.92 910.7 -409.737; 1476 476.77 910.7 -409.987
597. 1477 476.42 910.7 -409.987; 1478 476.92 910.7 -409.987
598. 1479 477.17 910.7 -409.987; 1480 477.42 910.7 -409.987

599. 1481 477.67 910.7 -409.987; 1482 477.92 910.7 -409.987
600. 1483 476.07 910.7 -409.987; 1484 475.92 910.7 -409.987
601. 1485 475.67 910.7 -409.987; 1486 475.42 910.7 -409.987
602. 1487 475.17 910.7 -409.987; 1488 474.92 910.7 -409.987
603. 1489 476.77 910.7 -410.237; 1490 476.42 910.7 -410.237
604. 1491 476.92 910.7 -410.237; 1492 477.17 910.7 -410.237
605. 1493 477.42 910.7 -410.237; 1494 477.67 910.7 -410.237
606. 1495 477.92 910.7 -410.237; 1496 476.07 910.7 -410.237
607. 1497 475.92 910.7 -410.237; 1498 475.67 910.7 -410.237
608. 1499 475.42 910.7 -410.237; 1500 475.17 910.7 -410.237
609. 1501 474.92 910.7 -410.237; 1502 476.77 910.7 -410.487
610. 1503 476.42 910.7 -410.487; 1504 476.92 910.7 -410.487
611. 1505 477.17 910.7 -410.487; 1506 477.42 910.7 -410.487
612. 1507 477.67 910.7 -410.487; 1508 477.92 910.7 -410.487
613. 1509 476.07 910.7 -410.487; 1510 475.92 910.7 -410.487
614. 1511 475.67 910.7 -410.487; 1512 475.42 910.7 -410.487
615. 1513 475.17 910.7 -410.487; 1514 474.92 910.7 -410.487
616. 1515 476.42 910.7 -403.355; 1516 476.77 910.7 -403.355
617. 1517 476.77 910.7 -403.705; 1518 476.92 910.7 -403.355
618. 1519 476.92 910.7 -403.705; 1520 477.17 910.7 -403.355
619. 1521 477.17 910.7 -403.705; 1522 477.42 910.7 -403.355
620. 1523 477.42 910.7 -403.705; 1524 477.67 910.7 -403.355
621. 1525 477.67 910.7 -403.705; 1526 477.92 910.7 -403.355
622. 1527 477.92 910.7 -403.705; 1528 476.07 910.7 -403.355
623. 1529 476.07 910.7 -403.705; 1530 475.92 910.7 -403.355
624. 1531 475.92 910.7 -403.705; 1532 475.67 910.7 -403.355
625. 1533 475.67 910.7 -403.705; 1534 475.42 910.7 -403.355
626. 1535 475.42 910.7 -403.705; 1536 475.17 910.7 -403.355
627. 1537 475.17 910.7 -403.705; 1538 474.92 910.7 -403.355
628. 1539 474.92 910.7 -403.705; 1540 476.42 910.7 -403.205
629. 1541 476.77 910.7 -403.205; 1542 476.92 910.7 -403.205
630. 1543 477.17 910.7 -403.205; 1544 477.42 910.7 -403.205
631. 1545 477.67 910.7 -403.205; 1546 477.92 910.7 -403.205
632. 1547 476.07 910.7 -403.205; 1548 475.92 910.7 -403.205
633. 1549 475.67 910.7 -403.205; 1550 475.42 910.7 -403.205
634. 1551 475.17 910.7 -403.205; 1552 474.92 910.7 -403.205
635. 1553 476.42 910.7 -402.955; 1554 476.77 910.7 -402.955
636. 1555 476.92 910.7 -402.955; 1556 477.17 910.7 -402.955
637. 1557 477.42 910.7 -402.955; 1558 477.67 910.7 -402.955
638. 1559 477.92 910.7 -402.955; 1560 476.07 910.7 -402.955
639. 1561 475.92 910.7 -402.955; 1562 475.67 910.7 -402.955
640. 1563 475.42 910.7 -402.955; 1564 475.17 910.7 -402.955
641. 1565 474.92 910.7 -402.955; 1566 476.42 910.7 -402.705
642. 1567 476.77 910.7 -402.705; 1568 476.92 910.7 -402.705
643. 1569 477.17 910.7 -402.705; 1570 477.42 910.7 -402.705
644. 1571 477.67 910.7 -402.705; 1572 477.92 910.7 -402.705
645. 1573 476.07 910.7 -402.705; 1574 475.92 910.7 -402.705
646. 1575 475.67 910.7 -402.705; 1576 475.42 910.7 -402.705
647. 1577 475.17 910.7 -402.705; 1578 474.92 910.7 -402.705
648. 1605 476.77 910.7 -404.055; 1606 476.42 910.7 -404.055
649. 1607 476.92 910.7 -404.055; 1608 477.17 910.7 -404.055
650. 1609 477.42 910.7 -404.055; 1610 477.67 910.7 -404.055
651. 1611 477.92 910.7 -404.055; 1612 476.07 910.7 -404.055
652. 1613 475.92 910.7 -404.055; 1614 475.67 910.7 -404.055
653. 1615 475.42 910.7 -404.055; 1616 475.17 910.7 -404.055
654. 1617 474.92 910.7 -404.055; 1618 476.77 910.7 -404.205

655. 1619 476.42 910.7 -404.205; 1620 476.92 910.7 -404.205
656. 1621 477.17 910.7 -404.205; 1622 477.42 910.7 -404.205
657. 1623 477.67 910.7 -404.205; 1624 477.92 910.7 -404.205
658. 1625 476.07 910.7 -404.205; 1626 475.92 910.7 -404.205
659. 1627 475.67 910.7 -404.205; 1628 475.42 910.7 -404.205
660. 1629 475.17 910.7 -404.205; 1630 474.92 910.7 -404.205
661. 1631 476.77 910.7 -404.455; 1632 476.42 910.7 -404.455
662. 1633 476.92 910.7 -404.455; 1634 477.17 910.7 -404.455
663. 1635 477.42 910.7 -404.455; 1636 477.67 910.7 -404.455
664. 1637 477.92 910.7 -404.455; 1638 476.07 910.7 -404.455
665. 1639 475.92 910.7 -404.455; 1640 475.67 910.7 -404.455
666. 1641 475.42 910.7 -404.455; 1642 475.17 910.7 -404.455
667. 1643 474.92 910.7 -404.455; 1644 476.77 910.7 -404.705
668. 1645 476.42 910.7 -404.705; 1646 476.92 910.7 -404.705
669. 1647 477.17 910.7 -404.705; 1648 477.42 910.7 -404.705
670. 1649 477.67 910.7 -404.705; 1650 477.92 910.7 -404.705
671. 1651 476.07 910.7 -404.705; 1652 475.92 910.7 -404.705
672. 1653 475.67 910.7 -404.705; 1654 475.42 910.7 -404.705
673. 1655 475.17 910.7 -404.705; 1656 474.92 910.7 -404.705
674. 1657 476.77 910.7 -404.955; 1658 476.42 910.7 -404.955
675. 1659 476.92 910.7 -404.955; 1660 477.17 910.7 -404.955
676. 1661 477.42 910.7 -404.955; 1662 477.67 910.7 -404.955
677. 1663 477.92 910.7 -404.955; 1664 476.07 910.7 -404.955
678. 1665 475.92 910.7 -404.955; 1666 475.67 910.7 -404.955
679. 1667 475.42 910.7 -404.955; 1668 475.17 910.7 -404.955
680. 1669 474.92 910.7 -404.955; 1670 476.77 910.7 -405.205
681. 1671 476.42 910.7 -405.205; 1672 476.92 910.7 -405.205
682. 1673 477.17 910.7 -405.205; 1674 477.42 910.7 -405.205
683. 1675 477.67 910.7 -405.205; 1676 477.92 910.7 -405.205
684. 1677 476.07 910.7 -405.205; 1678 475.92 910.7 -405.205
685. 1679 475.67 910.7 -405.205; 1680 475.42 910.7 -405.205
686. 1681 475.17 910.7 -405.205; 1682 474.92 910.7 -405.205
687. 1683 475.17 910.7 -405.459; 1684 474.92 910.7 -405.459
688. 1685 475.42 910.7 -405.459; 1686 475.67 910.7 -405.459
689. 1687 475.92 910.7 -405.459; 1688 476.07 910.7 -405.459
690. 1689 476.42 910.7 -405.459; 1690 476.77 910.7 -405.459
691. 1691 476.92 910.7 -405.459; 1692 477.17 910.7 -405.459
692. 1693 477.42 910.7 -405.459; 1694 477.67 910.7 -405.459
693. 1695 477.92 910.7 -405.459; 1696 475.17 910.7 -405.712
694. 1697 474.92 910.7 -405.712; 1698 475.42 910.7 -405.712
695. 1699 475.67 910.7 -405.712; 1700 475.92 910.7 -405.712
696. 1701 476.07 910.7 -405.712; 1702 476.42 910.7 -405.712
697. 1703 476.77 910.7 -405.712; 1704 476.92 910.7 -405.712
698. 1705 477.17 910.7 -405.712; 1706 477.42 910.7 -405.712
699. 1707 477.67 910.7 -405.712; 1708 477.92 910.7 -405.712
700. 1709 475.17 910.7 -405.966; 1710 474.92 910.7 -405.966
701. 1711 475.42 910.7 -405.966; 1712 475.67 910.7 -405.966
702. 1713 475.92 910.7 -405.966; 1714 476.07 910.7 -405.966
703. 1715 476.42 910.7 -405.966; 1716 476.77 910.7 -405.966
704. 1717 476.92 910.7 -405.966; 1718 477.17 910.7 -405.966
705. 1719 477.42 910.7 -405.966; 1720 477.67 910.7 -405.966
706. 1721 477.92 910.7 -405.966; 1722 475.17 910.7 -406.219
707. 1723 474.92 910.7 -406.219; 1724 475.42 910.7 -406.219
708. 1725 475.67 910.7 -406.219; 1726 475.92 910.7 -406.219
709. 1727 476.07 910.7 -406.219; 1728 476.42 910.7 -406.219
710. 1729 476.77 910.7 -406.219; 1730 476.92 910.7 -406.219

711. 1731 477.17 910.7 -406.219; 1732 477.42 910.7 -406.219
712. 1733 477.67 910.7 -406.219; 1734 477.92 910.7 -406.219
713. 1735 475.17 910.7 -406.473; 1736 474.92 910.7 -406.473
714. 1737 475.42 910.7 -406.473; 1738 475.67 910.7 -406.473
715. 1739 475.92 910.7 -406.473; 1740 476.07 910.7 -406.473
716. 1741 476.42 910.7 -406.473; 1742 476.77 910.7 -406.473
717. 1743 476.92 910.7 -406.473; 1744 477.17 910.7 -406.473
718. 1745 477.42 910.7 -406.473; 1746 477.67 910.7 -406.473
719. 1747 477.92 910.7 -406.473; 1748 475.17 910.7 -406.726
720. 1749 474.92 910.7 -406.726; 1750 475.42 910.7 -406.726
721. 1751 475.67 910.7 -406.726; 1752 475.92 910.7 -406.726
722. 1753 476.07 910.7 -406.726; 1754 476.42 910.7 -406.726
723. 1755 476.77 910.7 -406.726; 1756 476.92 910.7 -406.726
724. 1757 477.17 910.7 -406.726; 1758 477.42 910.7 -406.726
725. 1759 477.67 910.7 -406.726; 1760 477.92 910.7 -406.726
726. 1761 475.17 910.7 -406.98; 1762 474.92 910.7 -406.98
727. 1763 475.42 910.7 -406.98; 1764 475.67 910.7 -406.98
728. 1765 475.92 910.7 -406.98; 1766 476.07 910.7 -406.98
729. 1767 476.42 910.7 -406.98; 1768 476.77 910.7 -406.98
730. 1769 476.92 910.7 -406.98; 1770 477.17 910.7 -406.98
731. 1771 477.42 910.7 -406.98; 1772 477.67 910.7 -406.98
732. 1773 477.92 910.7 -406.98; 1774 475.17 910.7 -407.233
733. 1775 474.92 910.7 -407.233; 1776 475.42 910.7 -407.233
734. 1777 475.67 910.7 -407.233; 1778 475.92 910.7 -407.233
735. 1779 476.07 910.7 -407.233; 1780 476.42 910.7 -407.233
736. 1781 476.77 910.7 -407.233; 1782 476.92 910.7 -407.233
737. 1783 477.17 910.7 -407.233; 1784 477.42 910.7 -407.233
738. 1785 477.67 910.7 -407.233; 1786 477.92 910.7 -407.233
739. 1813 462.205 910.7 -419.02; 1814 462.555 910.7 -419.02
740. 1815 462.555 910.7 -419.37; 1816 462.205 910.7 -419.37
741. 1817 462.705 910.7 -419.02; 1818 462.705 910.7 -419.37
742. 1819 462.955 910.7 -419.02; 1820 462.955 910.7 -419.37
743. 1821 463.205 910.7 -419.02; 1822 463.205 910.7 -419.37
744. 1823 463.455 910.7 -419.02; 1824 463.455 910.7 -419.37
745. 1825 463.705 910.7 -419.02; 1826 463.705 910.7 -419.37
746. 1827 461.855 910.7 -419.02; 1828 461.855 910.7 -419.37
747. 1829 461.705 910.7 -419.02; 1830 461.705 910.7 -419.37
748. 1831 461.455 910.7 -419.02; 1832 461.455 910.7 -419.37
749. 1833 461.205 910.7 -419.02; 1834 461.205 910.7 -419.37
750. 1835 460.955 910.7 -419.02; 1836 460.955 910.7 -419.37
751. 1837 460.705 910.7 -419.02; 1838 460.705 910.7 -419.37
752. 1839 462.205 910.7 -418.87; 1840 462.555 910.7 -418.87
753. 1841 462.705 910.7 -418.87; 1842 462.955 910.7 -418.87
754. 1843 463.205 910.7 -418.87; 1844 463.455 910.7 -418.87
755. 1845 463.705 910.7 -418.87; 1846 461.855 910.7 -418.87
756. 1847 461.705 910.7 -418.87; 1848 461.455 910.7 -418.87
757. 1849 461.205 910.7 -418.87; 1850 460.955 910.7 -418.87
758. 1851 460.705 910.7 -418.87; 1852 462.205 910.7 -418.62
759. 1853 462.555 910.7 -418.62; 1854 462.705 910.7 -418.62
760. 1855 462.955 910.7 -418.62; 1856 463.205 910.7 -418.62
761. 1857 463.455 910.7 -418.62; 1858 463.705 910.7 -418.62
762. 1859 461.855 910.7 -418.62; 1860 461.705 910.7 -418.62
763. 1861 461.455 910.7 -418.62; 1862 461.205 910.7 -418.62
764. 1863 460.955 910.7 -418.62; 1864 460.705 910.7 -418.62
765. 1865 462.205 910.7 -418.37; 1866 462.555 910.7 -418.37
766. 1867 462.705 910.7 -418.37; 1868 462.955 910.7 -418.37

767. 1869 463.205 910.7 -418.37; 1870 463.455 910.7 -418.37
768. 1871 463.705 910.7 -418.37; 1872 461.855 910.7 -418.37
769. 1873 461.705 910.7 -418.37; 1874 461.455 910.7 -418.37
770. 1875 461.205 910.7 -418.37; 1876 460.955 910.7 -418.37
771. 1877 460.705 910.7 -418.37; 1878 462.205 910.7 -418.12
772. 1879 462.555 910.7 -418.12; 1880 462.705 910.7 -418.12
773. 1881 462.955 910.7 -418.12; 1882 463.205 910.7 -418.12
774. 1883 463.455 910.7 -418.12; 1884 463.705 910.7 -418.12
775. 1885 461.855 910.7 -418.12; 1886 461.705 910.7 -418.12
776. 1887 461.455 910.7 -418.12; 1888 461.205 910.7 -418.12
777. 1889 460.955 910.7 -418.12; 1890 460.705 910.7 -418.12
778. 1891 462.205 910.7 -417.87; 1892 462.555 910.7 -417.87
779. 1893 462.705 910.7 -417.87; 1894 462.955 910.7 -417.87
780. 1895 463.205 910.7 -417.87; 1896 463.455 910.7 -417.87
781. 1897 463.705 910.7 -417.87; 1898 461.855 910.7 -417.87
782. 1899 461.705 910.7 -417.87; 1900 461.455 910.7 -417.87
783. 1901 461.205 910.7 -417.87; 1902 460.955 910.7 -417.87
784. 1903 460.705 910.7 -417.87; 1904 462.555 910.7 -419.72
785. 1905 462.205 910.7 -419.72; 1906 462.705 910.7 -419.72
786. 1907 462.955 910.7 -419.72; 1908 463.205 910.7 -419.72
787. 1909 463.455 910.7 -419.72; 1910 463.705 910.7 -419.72
788. 1911 461.855 910.7 -419.72; 1912 461.705 910.7 -419.72
789. 1913 461.455 910.7 -419.72; 1914 461.205 910.7 -419.72
790. 1915 460.955 910.7 -419.72; 1916 460.705 910.7 -419.72
791. 1917 462.555 910.7 -419.87; 1918 462.205 910.7 -419.87
792. 1919 462.705 910.7 -419.87; 1920 462.955 910.7 -419.87
793. 1921 463.205 910.7 -419.87; 1922 463.455 910.7 -419.87
794. 1923 463.705 910.7 -419.87; 1924 461.855 910.7 -419.87
795. 1925 461.705 910.7 -419.87; 1926 461.455 910.7 -419.87
796. 1927 461.205 910.7 -419.87; 1928 460.955 910.7 -419.87
797. 1929 460.705 910.7 -419.87; 1930 462.555 910.7 -420.12
798. 1931 462.205 910.7 -420.12; 1932 462.705 910.7 -420.12
799. 1933 462.955 910.7 -420.12; 1934 463.205 910.7 -420.12
800. 1935 463.455 910.7 -420.12; 1936 463.705 910.7 -420.12
801. 1937 461.855 910.7 -420.12; 1938 461.705 910.7 -420.12
802. 1939 461.455 910.7 -420.12; 1940 461.205 910.7 -420.12
803. 1941 460.955 910.7 -420.12; 1942 460.705 910.7 -420.12
804. 1943 462.555 910.7 -420.37; 1944 462.205 910.7 -420.37
805. 1945 462.705 910.7 -420.37; 1946 462.955 910.7 -420.37
806. 1947 463.205 910.7 -420.37; 1948 463.455 910.7 -420.37
807. 1949 463.705 910.7 -420.37; 1950 461.855 910.7 -420.37
808. 1951 461.705 910.7 -420.37; 1952 461.455 910.7 -420.37
809. 1953 461.205 910.7 -420.37; 1954 460.955 910.7 -420.37
810. 1955 460.705 910.7 -420.37; 1956 462.555 910.7 -420.62
811. 1957 462.205 910.7 -420.62; 1958 462.705 910.7 -420.62
812. 1959 462.955 910.7 -420.62; 1960 463.205 910.7 -420.62
813. 1961 463.455 910.7 -420.62; 1962 463.705 910.7 -420.62
814. 1963 461.855 910.7 -420.62; 1964 461.705 910.7 -420.62
815. 1965 461.455 910.7 -420.62; 1966 461.205 910.7 -420.62
816. 1967 460.955 910.7 -420.62; 1968 460.705 910.7 -420.62
817. 1969 462.555 910.7 -420.87; 1970 462.205 910.7 -420.87
818. 1971 462.705 910.7 -420.87; 1972 462.955 910.7 -420.87
819. 1973 463.205 910.7 -420.87; 1974 463.455 910.7 -420.87
820. 1975 463.705 910.7 -420.87; 1976 461.855 910.7 -420.87
821. 1977 461.705 910.7 -420.87; 1978 461.455 910.7 -420.87
822. 1979 461.205 910.7 -420.87; 1980 460.955 910.7 -420.87

823. 1981 460.705 910.7 -420.87; 1982 468.745 910.7 -419.02
824. 1983 469.095 910.7 -419.02; 1984 469.095 910.7 -419.37
825. 1985 468.745 910.7 -419.37; 1986 469.245 910.7 -419.02
826. 1987 469.245 910.7 -419.37; 1988 469.495 910.7 -419.02
827. 1989 469.495 910.7 -419.37; 1990 469.745 910.7 -419.02
828. 1991 469.745 910.7 -419.37; 1992 469.995 910.7 -419.02
829. 1993 469.995 910.7 -419.37; 1994 470.245 910.7 -419.02
830. 1995 470.245 910.7 -419.37; 1996 468.395 910.7 -419.02
831. 1997 468.395 910.7 -419.37; 1998 468.245 910.7 -419.02
832. 1999 468.245 910.7 -419.37; 2000 467.995 910.7 -419.02
833. 2001 467.995 910.7 -419.37; 2002 467.745 910.7 -419.02
834. 2003 467.745 910.7 -419.37; 2004 467.495 910.7 -419.02
835. 2005 467.495 910.7 -419.37; 2006 467.245 910.7 -419.02
836. 2007 467.245 910.7 -419.37; 2008 468.745 910.7 -418.87
837. 2009 469.095 910.7 -418.87; 2010 469.245 910.7 -418.87
838. 2011 469.495 910.7 -418.87; 2012 469.745 910.7 -418.87
839. 2013 469.995 910.7 -418.87; 2014 470.245 910.7 -418.87
840. 2015 468.395 910.7 -418.87; 2016 468.245 910.7 -418.87
841. 2017 467.995 910.7 -418.87; 2018 467.745 910.7 -418.87
842. 2019 467.495 910.7 -418.87; 2020 467.245 910.7 -418.87
843. 2021 468.745 910.7 -418.62; 2022 469.095 910.7 -418.62
844. 2023 469.245 910.7 -418.62; 2024 469.495 910.7 -418.62
845. 2025 469.745 910.7 -418.62; 2026 469.995 910.7 -418.62
846. 2027 470.245 910.7 -418.62; 2028 468.395 910.7 -418.62
847. 2029 468.245 910.7 -418.62; 2030 467.995 910.7 -418.62
848. 2031 467.745 910.7 -418.62; 2032 467.495 910.7 -418.62
849. 2033 467.245 910.7 -418.62; 2034 468.745 910.7 -418.37
850. 2035 469.095 910.7 -418.37; 2036 469.245 910.7 -418.37
851. 2037 469.495 910.7 -418.37; 2038 469.745 910.7 -418.37
852. 2039 469.995 910.7 -418.37; 2040 470.245 910.7 -418.37
853. 2041 468.395 910.7 -418.37; 2042 468.245 910.7 -418.37
854. 2043 467.995 910.7 -418.37; 2044 467.745 910.7 -418.37
855. 2045 467.495 910.7 -418.37; 2046 467.245 910.7 -418.37
856. 2047 468.745 910.7 -418.12; 2048 469.095 910.7 -418.12
857. 2049 469.245 910.7 -418.12; 2050 469.495 910.7 -418.12
858. 2051 469.745 910.7 -418.12; 2052 469.995 910.7 -418.12
859. 2053 470.245 910.7 -418.12; 2054 468.395 910.7 -418.12
860. 2055 468.245 910.7 -418.12; 2056 467.995 910.7 -418.12
861. 2057 467.745 910.7 -418.12; 2058 467.495 910.7 -418.12
862. 2059 467.245 910.7 -418.12; 2060 468.745 910.7 -417.87
863. 2061 469.095 910.7 -417.87; 2062 469.245 910.7 -417.87
864. 2063 469.495 910.7 -417.87; 2064 469.745 910.7 -417.87
865. 2065 469.995 910.7 -417.87; 2066 470.245 910.7 -417.87
866. 2067 468.395 910.7 -417.87; 2068 468.245 910.7 -417.87
867. 2069 467.995 910.7 -417.87; 2070 467.745 910.7 -417.87
868. 2071 467.495 910.7 -417.87; 2072 467.245 910.7 -417.87
869. 2073 469.095 910.7 -419.72; 2074 468.745 910.7 -419.72
870. 2075 469.245 910.7 -419.72; 2076 469.495 910.7 -419.72
871. 2077 469.745 910.7 -419.72; 2078 469.995 910.7 -419.72
872. 2079 470.245 910.7 -419.72; 2080 468.395 910.7 -419.72
873. 2081 468.245 910.7 -419.72; 2082 467.995 910.7 -419.72
874. 2083 467.745 910.7 -419.72; 2084 467.495 910.7 -419.72
875. 2085 467.245 910.7 -419.72; 2086 469.095 910.7 -419.87
876. 2087 468.745 910.7 -419.87; 2088 469.245 910.7 -419.87
877. 2089 469.495 910.7 -419.87; 2090 469.745 910.7 -419.87
878. 2091 469.995 910.7 -419.87; 2092 470.245 910.7 -419.87

879. 2093 468.395 910.7 -419.87; 2094 468.245 910.7 -419.87
880. 2095 467.995 910.7 -419.87; 2096 467.745 910.7 -419.87
881. 2097 467.495 910.7 -419.87; 2098 467.245 910.7 -419.87
882. 2099 469.095 910.7 -420.12; 2100 468.745 910.7 -420.12
883. 2101 469.245 910.7 -420.12; 2102 469.495 910.7 -420.12
884. 2103 469.745 910.7 -420.12; 2104 469.995 910.7 -420.12
885. 2105 470.245 910.7 -420.12; 2106 468.395 910.7 -420.12
886. 2107 468.245 910.7 -420.12; 2108 467.995 910.7 -420.12
887. 2109 467.745 910.7 -420.12; 2110 467.495 910.7 -420.12
888. 2111 467.245 910.7 -420.12; 2112 469.095 910.7 -420.37
889. 2113 468.745 910.7 -420.37; 2114 469.245 910.7 -420.37
890. 2115 469.495 910.7 -420.37; 2116 469.745 910.7 -420.37
891. 2117 469.995 910.7 -420.37; 2118 470.245 910.7 -420.37
892. 2119 468.395 910.7 -420.37; 2120 468.245 910.7 -420.37
893. 2121 467.995 910.7 -420.37; 2122 467.745 910.7 -420.37
894. 2123 467.495 910.7 -420.37; 2124 467.245 910.7 -420.37
895. 2125 469.095 910.7 -420.62; 2126 468.745 910.7 -420.62
896. 2127 469.245 910.7 -420.62; 2128 469.495 910.7 -420.62
897. 2129 469.745 910.7 -420.62; 2130 469.995 910.7 -420.62
898. 2131 470.245 910.7 -420.62; 2132 468.395 910.7 -420.62
899. 2133 468.245 910.7 -420.62; 2134 467.995 910.7 -420.62
900. 2135 467.745 910.7 -420.62; 2136 467.495 910.7 -420.62
901. 2137 467.245 910.7 -420.62; 2138 469.095 910.7 -420.87
902. 2139 468.745 910.7 -420.87; 2140 469.245 910.7 -420.87
903. 2141 469.495 910.7 -420.87; 2142 469.745 910.7 -420.87
904. 2143 469.995 910.7 -420.87; 2144 470.245 910.7 -420.87
905. 2145 468.395 910.7 -420.87; 2146 468.245 910.7 -420.87
906. 2147 467.995 910.7 -420.87; 2148 467.745 910.7 -420.87
907. 2149 467.495 910.7 -420.87; 2150 467.245 910.7 -420.87
908. 2151 476.42 910.7 -419.02; 2152 476.77 910.7 -419.02
909. 2153 476.77 910.7 -419.37; 2154 476.42 910.7 -419.37
910. 2155 476.92 910.7 -419.02; 2156 476.92 910.7 -419.37
911. 2157 477.17 910.7 -419.02; 2158 477.17 910.7 -419.37
912. 2159 477.42 910.7 -419.02; 2160 477.42 910.7 -419.37
913. 2161 477.67 910.7 -419.02; 2162 477.67 910.7 -419.37
914. 2163 477.92 910.7 -419.02; 2164 477.92 910.7 -419.37
915. 2165 476.07 910.7 -419.02; 2166 476.07 910.7 -419.37
916. 2167 475.92 910.7 -419.02; 2168 475.92 910.7 -419.37
917. 2169 475.67 910.7 -419.02; 2170 475.67 910.7 -419.37
918. 2171 475.42 910.7 -419.02; 2172 475.42 910.7 -419.37
919. 2173 475.17 910.7 -419.02; 2174 475.17 910.7 -419.37
920. 2175 474.92 910.7 -419.02; 2176 474.92 910.7 -419.37
921. 2177 476.42 910.7 -418.87; 2178 476.77 910.7 -418.87
922. 2179 476.92 910.7 -418.87; 2180 477.17 910.7 -418.87
923. 2181 477.42 910.7 -418.87; 2182 477.67 910.7 -418.87
924. 2183 477.92 910.7 -418.87; 2184 476.07 910.7 -418.87
925. 2185 475.92 910.7 -418.87; 2186 475.67 910.7 -418.87
926. 2187 475.42 910.7 -418.87; 2188 475.17 910.7 -418.87
927. 2189 474.92 910.7 -418.87; 2190 476.42 910.7 -418.62
928. 2191 476.77 910.7 -418.62; 2192 476.92 910.7 -418.62
929. 2193 477.17 910.7 -418.62; 2194 477.42 910.7 -418.62
930. 2195 477.67 910.7 -418.62; 2196 477.92 910.7 -418.62
931. 2197 476.07 910.7 -418.62; 2198 475.92 910.7 -418.62
932. 2199 475.67 910.7 -418.62; 2200 475.42 910.7 -418.62
933. 2201 475.17 910.7 -418.62; 2202 474.92 910.7 -418.62
934. 2203 476.42 910.7 -418.37; 2204 476.77 910.7 -418.37

935. 2205 476.92 910.7 -418.37; 2206 477.17 910.7 -418.37
936. 2207 477.42 910.7 -418.37; 2208 477.67 910.7 -418.37
937. 2209 477.92 910.7 -418.37; 2210 476.07 910.7 -418.37
938. 2211 475.92 910.7 -418.37; 2212 475.67 910.7 -418.37
939. 2213 475.42 910.7 -418.37; 2214 475.17 910.7 -418.37
940. 2215 474.92 910.7 -418.37; 2216 476.42 910.7 -418.12
941. 2217 476.77 910.7 -418.12; 2218 476.92 910.7 -418.12
942. 2219 477.17 910.7 -418.12; 2220 477.42 910.7 -418.12
943. 2221 477.67 910.7 -418.12; 2222 477.92 910.7 -418.12
944. 2223 476.07 910.7 -418.12; 2224 475.92 910.7 -418.12
945. 2225 475.67 910.7 -418.12; 2226 475.42 910.7 -418.12
946. 2227 475.17 910.7 -418.12; 2228 474.92 910.7 -418.12
947. 2229 476.42 910.7 -417.87; 2230 476.77 910.7 -417.87
948. 2231 476.92 910.7 -417.87; 2232 477.17 910.7 -417.87
949. 2233 477.42 910.7 -417.87; 2234 477.67 910.7 -417.87
950. 2235 477.92 910.7 -417.87; 2236 476.07 910.7 -417.87
951. 2237 475.92 910.7 -417.87; 2238 475.67 910.7 -417.87
952. 2239 475.42 910.7 -417.87; 2240 475.17 910.7 -417.87
953. 2241 474.92 910.7 -417.87; 2242 476.77 910.7 -419.72
954. 2243 476.42 910.7 -419.72; 2244 476.92 910.7 -419.72
955. 2245 477.17 910.7 -419.72; 2246 477.42 910.7 -419.72
956. 2247 477.67 910.7 -419.72; 2248 477.92 910.7 -419.72
957. 2249 476.07 910.7 -419.72; 2250 475.92 910.7 -419.72
958. 2251 475.67 910.7 -419.72; 2252 475.42 910.7 -419.72
959. 2253 475.17 910.7 -419.72; 2254 474.92 910.7 -419.72
960. 2255 476.77 910.7 -419.87; 2256 476.42 910.7 -419.87
961. 2257 476.92 910.7 -419.87; 2258 477.17 910.7 -419.87
962. 2259 477.42 910.7 -419.87; 2260 477.67 910.7 -419.87
963. 2261 477.92 910.7 -419.87; 2262 476.07 910.7 -419.87
964. 2263 475.92 910.7 -419.87; 2264 475.67 910.7 -419.87
965. 2265 475.42 910.7 -419.87; 2266 475.17 910.7 -419.87
966. 2267 474.92 910.7 -419.87; 2268 476.77 910.7 -420.12
967. 2269 476.42 910.7 -420.12; 2270 476.92 910.7 -420.12
968. 2271 477.17 910.7 -420.12; 2272 477.42 910.7 -420.12
969. 2273 477.67 910.7 -420.12; 2274 477.92 910.7 -420.12
970. 2275 476.07 910.7 -420.12; 2276 475.92 910.7 -420.12
971. 2277 475.67 910.7 -420.12; 2278 475.42 910.7 -420.12
972. 2279 475.17 910.7 -420.12; 2280 474.92 910.7 -420.12
973. 2281 476.77 910.7 -420.37; 2282 476.42 910.7 -420.37
974. 2283 476.92 910.7 -420.37; 2284 477.17 910.7 -420.37
975. 2285 477.42 910.7 -420.37; 2286 477.67 910.7 -420.37
976. 2287 477.92 910.7 -420.37; 2288 476.07 910.7 -420.37
977. 2289 475.92 910.7 -420.37; 2290 475.67 910.7 -420.37
978. 2291 475.42 910.7 -420.37; 2292 475.17 910.7 -420.37
979. 2293 474.92 910.7 -420.37; 2294 476.77 910.7 -420.62
980. 2295 476.42 910.7 -420.62; 2296 476.92 910.7 -420.62
981. 2297 477.17 910.7 -420.62; 2298 477.42 910.7 -420.62
982. 2299 477.67 910.7 -420.62; 2300 477.92 910.7 -420.62
983. 2301 476.07 910.7 -420.62; 2302 475.92 910.7 -420.62
984. 2303 475.67 910.7 -420.62; 2304 475.42 910.7 -420.62
985. 2305 475.17 910.7 -420.62; 2306 474.92 910.7 -420.62
986. 2307 476.77 910.7 -420.87; 2308 476.42 910.7 -420.87
987. 2309 476.92 910.7 -420.87; 2310 477.17 910.7 -420.87
988. 2311 477.42 910.7 -420.87; 2312 477.67 910.7 -420.87
989. 2313 477.92 910.7 -420.87; 2314 476.07 910.7 -420.87
990. 2315 475.92 910.7 -420.87; 2316 475.67 910.7 -420.87

```
 991. 2317 475.42 910.7 -420.87; 2318 475.17 910.7 -420.87
 992. 2319 474.92 910.7 -420.87
 993. *
 994. *
 995. MEMBER INCIDENCES
 996. 576 4 318; 577 5 319; 578 6 320; 579 7 321; 580 8 322; 581 9 323
 997. 582 10 324; 583 11 325; 2316 1 1816; 2317 2 1985; 2318 3 2154
 998. ELEMENT INCIDENCES SHELL
 999. 584 327 328 326 318; 585 328 330 329 326; 586 330 332 331 329
1000. 587 332 334 333 331; 588 334 336 335 333; 589 336 338 337 335
1001. 590 340 327 318 339; 591 342 340 339 341; 592 344 342 341 343
1002. 593 346 344 343 345; 594 348 346 345 347; 595 350 348 347 349
1003. 596 351 352 328 327; 597 352 353 330 328; 598 353 354 332 330
1004. 599 354 355 334 332; 600 355 356 336 334; 601 356 357 338 336
1005. 602 358 351 327 340; 603 359 358 340 342; 604 360 359 342 344
1006. 605 361 360 344 346; 606 362 361 346 348; 607 363 362 348 350
1007. 608 364 365 352 351; 609 365 366 353 352; 610 366 367 354 353
1008. 611 367 368 355 354; 612 368 369 356 355; 613 369 370 357 356
1009. 614 371 364 351 358; 615 372 371 358 359; 616 373 372 359 360
1010. 617 374 373 360 361; 618 375 374 361 362; 619 376 375 362 363
1011. 620 377 378 365 364; 621 378 379 366 365; 622 379 380 367 366
1012. 623 380 381 368 367; 624 381 382 369 368; 625 382 383 370 369
1013. 626 384 377 364 371; 627 385 384 371 372; 628 386 385 372 373
1014. 629 387 386 373 374; 630 388 387 374 375; 631 389 388 375 376
1015. 632 390 391 378 377; 633 391 392 379 378; 634 392 393 380 379
1016. 635 393 394 381 380; 636 394 395 382 381; 637 395 396 383 382
1017. 638 397 390 377 384; 639 398 397 384 385; 640 399 398 385 386
1018. 641 400 399 386 387; 642 401 400 387 388; 643 402 401 388 389
1019. 644 403 404 391 390; 645 404 405 392 391; 646 405 406 393 392
1020. 647 406 407 394 393; 648 407 408 395 394; 649 408 409 396 395
1021. 650 410 403 390 397; 651 411 410 397 398; 652 412 411 398 399
1022. 653 413 412 399 400; 654 414 413 400 401; 655 415 414 401 402
1023. 656 318 326 417 416; 657 326 329 418 417; 658 329 331 419 418
1024. 659 331 333 420 419; 660 333 335 421 420; 661 335 337 422 421
1025. 662 339 318 416 423; 663 341 339 423 424; 664 343 341 424 425
1026. 665 345 343 425 426; 666 347 345 426 427; 667 349 347 427 428
1027. 668 416 417 430 429; 669 417 418 431 430; 670 418 419 432 431
1028. 671 419 420 433 432; 672 420 421 434 433; 673 421 422 435 434
1029. 674 423 416 429 436; 675 424 423 436 437; 676 425 424 437 438
1030. 677 426 425 438 439; 678 427 426 439 440; 679 428 427 440 441
1031. 680 429 430 443 442; 681 430 431 444 443; 682 431 432 445 444
1032. 683 432 433 446 445; 684 433 434 447 446; 685 434 435 448 447
1033. 686 436 429 442 449; 687 437 436 449 450; 688 438 437 450 451
1034. 689 439 438 451 452; 690 440 439 452 453; 691 441 440 453 454
1035. 692 442 443 456 455; 693 443 444 457 456; 694 444 445 458 457
1036. 695 445 446 459 458; 696 446 447 460 459; 697 447 448 461 460
1037. 698 449 442 455 462; 699 450 449 462 463; 700 451 450 463 464
1038. 701 452 451 464 465; 702 453 452 465 466; 703 454 453 466 467
1039. 704 455 456 469 468; 705 456 457 470 469; 706 457 458 471 470
1040. 707 458 459 472 471; 708 459 460 473 472; 709 460 461 474 473
1041. 710 462 455 468 475; 711 463 462 475 476; 712 464 463 476 477
1042. 713 465 464 477 478; 714 466 465 478 479; 715 467 466 479 480
1043. 716 468 469 482 481; 717 469 470 483 482; 718 470 471 484 483
1044. 719 471 472 485 484; 720 472 473 486 485; 721 473 474 487 486
1045. 722 475 468 481 488; 723 476 475 488 489; 724 477 476 489 490
1046. 725 478 477 490 491; 726 479 478 491 492; 727 480 479 492 493
```

1047. 728 494 495 496 321; 729 495 497 498 496; 730 497 499 500 498
1048. 731 499 501 502 500; 732 501 503 504 502; 733 503 505 506 504
1049. 734 507 494 321 508; 735 509 507 508 510; 736 511 509 510 512
1050. 737 513 511 512 514; 738 515 513 514 516; 739 517 515 516 518
1051. 740 519 520 495 494; 741 520 521 497 495; 742 521 522 499 497
1052. 743 522 523 501 499; 744 523 524 503 501; 745 524 525 505 503
1053. 746 526 519 494 507; 747 527 526 507 509; 748 528 527 509 511
1054. 749 529 528 511 513; 750 530 529 513 515; 751 531 530 515 517
1055. 752 532 533 520 519; 753 533 534 521 520; 754 534 535 522 521
1056. 755 535 536 523 522; 756 536 537 524 523; 757 537 538 525 524
1057. 758 539 532 519 526; 759 540 539 526 527; 760 541 540 527 528
1058. 761 542 541 528 529; 762 543 542 529 530; 763 544 543 530 531
1059. 764 545 546 533 532; 765 546 547 534 533; 766 547 548 535 534
1060. 767 548 549 536 535; 768 549 550 537 536; 769 550 551 538 537
1061. 770 552 545 532 539; 771 553 552 539 540; 772 554 553 540 541
1062. 773 555 554 541 542; 774 556 555 542 543; 775 557 556 543 544
1063. 776 558 559 546 545; 777 559 560 547 546; 778 560 561 548 547
1064. 779 561 562 549 548; 780 562 563 550 549; 781 563 564 551 550
1065. 782 565 558 545 552; 783 566 565 552 553; 784 567 566 553 554
1066. 785 568 567 554 555; 786 569 568 555 556; 787 570 569 556 557
1067. 788 571 572 559 558; 789 572 573 560 559; 790 573 574 561 560
1068. 791 574 575 562 561; 792 575 576 563 562; 793 576 577 564 563
1069. 794 578 571 558 565; 795 579 578 565 566; 796 580 579 566 567
1070. 797 581 580 567 568; 798 582 581 568 569; 799 583 582 569 570
1071. 800 321 496 584 585; 801 496 498 586 584; 802 498 500 587 586
1072. 803 500 502 588 587; 804 502 504 589 588; 805 504 506 590 589
1073. 806 508 321 585 591; 807 510 508 591 592; 808 512 510 592 593
1074. 809 514 512 593 594; 810 516 514 594 595; 811 518 516 595 596
1075. 812 585 584 597 598; 813 584 586 599 597; 814 586 587 600 599
1076. 815 587 588 601 600; 816 588 589 602 601; 817 589 590 603 602
1077. 818 591 585 598 604; 819 592 591 604 605; 820 593 592 605 606
1078. 821 594 593 606 607; 822 595 594 607 608; 823 596 595 608 609
1079. 824 598 597 610 611; 825 597 599 612 610; 826 599 600 613 612
1080. 827 600 601 614 613; 828 601 602 615 614; 829 602 603 616 615
1081. 830 604 598 611 617; 831 605 604 617 618; 832 606 605 618 619
1082. 833 607 606 619 620; 834 608 607 620 621; 835 609 608 621 622
1083. 836 611 610 623 624; 837 610 612 625 623; 838 612 613 626 625
1084. 839 613 614 627 626; 840 614 615 628 627; 841 615 616 629 628
1085. 842 617 611 624 630; 843 618 617 630 631; 844 619 618 631 632
1086. 845 620 619 632 633; 846 621 620 633 634; 847 622 621 634 635
1087. 848 624 623 636 637; 849 623 625 638 636; 850 625 626 639 638
1088. 851 626 627 640 639; 852 627 628 641 640; 853 628 629 642 641
1089. 854 630 624 637 643; 855 631 630 643 644; 856 632 631 644 645
1090. 857 633 632 645 646; 858 634 633 646 647; 859 635 634 647 648
1091. 860 637 636 649 650; 861 636 638 651 649; 862 638 639 652 651
1092. 863 639 640 653 652; 864 640 641 654 653; 865 641 642 655 654
1093. 866 643 637 650 656; 867 644 643 656 657; 868 645 644 657 658
1094. 869 646 645 658 659; 870 647 646 659 660; 871 648 647 660 661
1095. 872 662 663 664 319; 873 663 665 666 664; 874 665 667 668 666
1096. 875 667 669 670 668; 876 669 671 672 670; 877 671 673 674 672
1097. 878 675 662 319 676; 879 677 675 676 678; 880 679 677 678 680
1098. 881 681 679 680 682; 882 683 681 682 684; 883 685 683 684 686
1099. 884 687 688 663 662; 885 688 689 665 663; 886 689 690 667 665
1100. 887 690 691 669 667; 888 691 692 671 669; 889 692 693 673 671
1101. 890 694 687 662 675; 891 695 694 675 677; 892 696 695 677 679
1102. 893 697 696 679 681; 894 698 697 681 683; 895 699 698 683 685

1103. 896 700 701 688 687; 897 701 702 689 688; 898 702 703 690 689
1104. 899 703 704 691 690; 900 704 705 692 691; 901 705 706 693 692
1105. 902 707 700 687 694; 903 708 707 694 695; 904 709 708 695 696
1106. 905 710 709 696 697; 906 711 710 697 698; 907 712 711 698 699
1107. 908 713 714 701 700; 909 714 715 702 701; 910 715 716 703 702
1108. 911 716 717 704 703; 912 717 718 705 704; 913 718 719 706 705
1109. 914 720 713 700 707; 915 721 720 707 708; 916 722 721 708 709
1110. 917 723 722 709 710; 918 724 723 710 711; 919 725 724 711 712
1111. 920 726 727 714 713; 921 727 728 715 714; 922 728 729 716 715
1112. 923 729 730 717 716; 924 730 731 718 717; 925 731 732 719 718
1113. 926 733 726 713 720; 927 734 733 720 721; 928 735 734 721 722
1114. 929 736 735 722 723; 930 737 736 723 724; 931 738 737 724 725
1115. 932 739 740 727 726; 933 740 741 728 727; 934 741 742 729 728
1116. 935 742 743 730 729; 936 743 744 731 730; 937 744 745 732 731
1117. 938 746 739 726 733; 939 747 746 733 734; 940 748 747 734 735
1118. 941 749 748 735 736; 942 750 749 736 737; 943 751 750 737 738
1119. 944 319 664 752 753; 945 664 666 754 752; 946 666 668 755 754
1120. 947 668 670 756 755; 948 670 672 757 756; 949 672 674 758 757
1121. 950 676 319 753 759; 951 678 676 759 760; 952 680 678 760 761
1122. 953 682 680 761 762; 954 684 682 762 763; 955 686 684 763 764
1123. 956 753 752 765 766; 957 752 754 767 765; 958 754 755 768 767
1124. 959 755 756 769 768; 960 756 757 770 769; 961 757 758 771 770
1125. 962 759 753 766 772; 963 760 759 772 773; 964 761 760 773 774
1126. 965 762 761 774 775; 966 763 762 775 776; 967 764 763 776 777
1127. 968 766 765 778 779; 969 765 767 780 778; 970 767 768 781 780
1128. 971 768 769 782 781; 972 769 770 783 782; 973 770 771 784 783
1129. 974 772 766 779 785; 975 773 772 785 786; 976 774 773 786 787
1130. 977 775 774 787 788; 978 776 775 788 789; 979 777 776 789 790
1131. 980 779 778 791 792; 981 778 780 793 791; 982 780 781 794 793
1132. 983 781 782 795 794; 984 782 783 796 795; 985 783 784 797 796
1133. 986 785 779 792 798; 987 786 785 798 799; 988 787 786 799 800
1134. 989 788 787 800 801; 990 789 788 801 802; 991 790 789 802 803
1135. 992 792 791 804 805; 993 791 793 806 804; 994 793 794 807 806
1136. 995 794 795 808 807; 996 795 796 809 808; 997 796 797 810 809
1137. 998 798 792 805 811; 999 799 798 811 812; 1000 800 799 812 813
1138. 1001 801 800 813 814; 1002 802 801 814 815; 1003 803 802 815 816
1139. 1004 805 804 817 818; 1005 804 806 819 817; 1006 806 807 820 819
1140. 1007 807 808 821 820; 1008 808 809 822 821; 1009 809 810 823 822
1141. 1010 811 805 818 824; 1011 812 811 824 825; 1012 813 812 825 826
1142. 1013 814 813 826 827; 1014 815 814 827 828; 1015 816 815 828 829
1143. 1016 830 831 832 320; 1017 831 833 834 832; 1018 833 835 836 834
1144. 1019 835 837 838 836; 1020 837 839 840 838; 1021 839 841 842 840
1145. 1022 843 830 320 844; 1023 845 843 844 846; 1024 847 845 846 848
1146. 1025 849 847 848 850; 1026 851 849 850 852; 1027 853 851 852 854
1147. 1028 855 856 831 830; 1029 856 857 833 831; 1030 857 858 835 833
1148. 1031 858 859 837 835; 1032 859 860 839 837; 1033 860 861 841 839
1149. 1034 862 855 830 843; 1035 863 862 843 845; 1036 864 863 845 847
1150. 1037 865 864 847 849; 1038 866 865 849 851; 1039 867 866 851 853
1151. 1040 868 869 856 855; 1041 869 870 857 856; 1042 870 871 858 857
1152. 1043 871 872 859 858; 1044 872 873 860 859; 1045 873 874 861 860
1153. 1046 875 868 855 862; 1047 876 875 862 863; 1048 877 876 863 864
1154. 1049 878 877 864 865; 1050 879 878 865 866; 1051 880 879 866 867
1155. 1052 881 882 869 868; 1053 882 883 870 869; 1054 883 884 871 870
1156. 1055 884 885 872 871; 1056 885 886 873 872; 1057 886 887 874 873
1157. 1058 888 881 868 875; 1059 889 888 875 876; 1060 890 889 876 877
1158. 1061 891 890 877 878; 1062 892 891 878 879; 1063 893 892 879 880

1159. 1064 894 895 882 881; 1065 895 896 883 882; 1066 896 897 884 883
1160. 1067 897 898 885 884; 1068 898 899 886 885; 1069 899 900 887 886
1161. 1070 901 894 881 888; 1071 902 901 888 889; 1072 903 902 889 890
1162. 1073 904 903 890 891; 1074 905 904 891 892; 1075 906 905 892 893
1163. 1076 907 908 895 894; 1077 908 909 896 895; 1078 909 910 897 896
1164. 1079 910 911 898 897; 1080 911 912 899 898; 1081 912 913 900 899
1165. 1082 914 907 894 901; 1083 915 914 901 902; 1084 916 915 902 903
1166. 1085 917 916 903 904; 1086 918 917 904 905; 1087 919 918 905 906
1167. 1088 320 832 920 921; 1089 832 834 922 920; 1090 834 836 923 922
1168. 1091 836 838 924 923; 1092 838 840 925 924; 1093 840 842 926 925
1169. 1094 844 320 921 927; 1095 846 844 927 928; 1096 848 846 928 929
1170. 1097 850 848 929 930; 1098 852 850 930 931; 1099 854 852 931 932
1171. 1100 921 920 933 934; 1101 920 922 935 933; 1102 922 923 936 935
1172. 1103 923 924 937 936; 1104 924 925 938 937; 1105 925 926 939 938
1173. 1106 927 921 934 940; 1107 928 927 940 941; 1108 929 928 941 942
1174. 1109 930 929 942 943; 1110 931 930 943 944; 1111 932 931 944 945
1175. 1112 934 933 946 947; 1113 933 935 948 946; 1114 935 936 949 948
1176. 1115 936 937 950 949; 1116 937 938 951 950; 1117 938 939 952 951
1177. 1118 940 934 947 953; 1119 941 940 953 954; 1120 942 941 954 955
1178. 1121 943 942 955 956; 1122 944 943 956 957; 1123 945 944 957 958
1179. 1124 947 946 959 960; 1125 946 948 961 959; 1126 948 949 962 961
1180. 1127 949 950 963 962; 1128 950 951 964 963; 1129 951 952 965 964
1181. 1130 953 947 960 966; 1131 954 953 966 967; 1132 955 954 967 968
1182. 1133 956 955 968 969; 1134 957 956 969 970; 1135 958 957 970 971
1183. 1136 960 959 972 973; 1137 959 961 974 972; 1138 961 962 975 974
1184. 1139 962 963 976 975; 1140 963 964 977 976; 1141 964 965 978 977
1185. 1142 966 960 973 979; 1143 967 966 979 980; 1144 968 967 980 981
1186. 1145 969 968 981 982; 1146 970 969 982 983; 1147 971 970 983 984
1187. 1148 973 972 985 986; 1149 972 974 987 985; 1150 974 975 988 987
1188. 1151 975 976 989 988; 1152 976 977 990 989; 1153 977 978 991 990
1189. 1154 979 973 986 992; 1155 980 979 992 993; 1156 981 980 993 994
1190. 1157 982 981 994 995; 1158 983 982 995 996; 1159 984 983 996 997
1191. 1160 998 999 1000 323; 1161 1001 1002 1003 324; 1162 1004 1005 999 998
1192. 1163 1006 1007 1002 1001; 1164 1008 1009 1005 1004
1193. 1165 1010 1011 1007 1006; 1166 1012 1013 1009 1008
1194. 1167 1014 1015 1011 1010; 1168 323 1000 1018 1016
1195. 1169 324 1003 1019 1017; 1170 1016 1018 1022 1020
1196. 1171 1017 1019 1023 1021; 1172 1020 1022 1026 1024
1197. 1173 1021 1023 1027 1025; 1174 1024 1026 1030 1028
1198. 1175 1025 1027 1031 1029; 1176 1034 998 323 1032
1199. 1177 1035 1001 324 1033; 1178 1036 1004 998 1034
1200. 1179 1037 1006 1001 1035; 1180 1038 1008 1004 1036
1201. 1181 1039 1010 1006 1037; 1182 1040 1012 1008 1038
1202. 1183 1041 1014 1010 1039; 1184 1032 323 1016 1042
1203. 1185 1033 324 1017 1043; 1186 1042 1016 1020 1044
1204. 1187 1043 1017 1021 1045; 1188 1044 1020 1024 1046
1205. 1189 1045 1021 1025 1047; 1190 1046 1024 1028 1048
1206. 1191 1047 1025 1029 1049; 1192 1052 1034 1032 1050
1207. 1193 1053 1035 1033 1051; 1194 1054 1036 1034 1052
1208. 1195 1055 1037 1035 1053; 1196 1056 1038 1036 1054
1209. 1197 1057 1039 1037 1055; 1198 1058 1040 1038 1056
1210. 1199 1059 1041 1039 1057; 1200 1050 1032 1042 1060
1211. 1201 1051 1033 1043 1061; 1202 1060 1042 1044 1062
1212. 1203 1061 1043 1045 1063; 1204 1062 1044 1046 1064
1213. 1205 1063 1045 1047 1065; 1206 1064 1046 1048 1066
1214. 1207 1065 1047 1049 1067; 1208 1070 1052 1050 1068

1215. 1209 1071 1053 1051 1069; 1210 1072 1054 1052 1070
1216. 1211 1073 1055 1053 1071; 1212 1074 1056 1054 1072
1217. 1213 1075 1057 1055 1073; 1214 1076 1058 1056 1074
1218. 1215 1077 1059 1057 1075; 1216 1068 1050 1060 1078
1219. 1217 1069 1051 1061 1079; 1218 1078 1060 1062 1080
1220. 1219 1079 1061 1063 1081; 1220 1080 1062 1064 1082
1221. 1221 1081 1063 1065 1083; 1222 1082 1064 1066 1084
1222. 1223 1083 1065 1067 1085; 1224 1088 1070 1068 1086
1223. 1225 1089 1071 1069 1087; 1226 1090 1072 1070 1088
1224. 1227 1091 1073 1071 1089; 1228 1092 1074 1072 1090
1225. 1229 1093 1075 1073 1091; 1230 1094 1076 1074 1092
1226. 1231 1095 1077 1075 1093; 1232 1086 1068 1078 1096
1227. 1233 1087 1069 1079 1097; 1234 1096 1078 1080 1098
1228. 1235 1097 1079 1081 1099; 1236 1098 1080 1082 1100
1229. 1237 1099 1081 1083 1101; 1238 1100 1082 1084 1102
1230. 1239 1101 1083 1085 1103; 1240 1106 1088 1086 1104
1231. 1241 1107 1089 1087 1105; 1242 1108 1090 1088 1106
1232. 1243 1109 1091 1089 1107; 1244 1110 1092 1090 1108
1233. 1245 1111 1093 1091 1109; 1246 1112 1094 1092 1110
1234. 1247 1113 1095 1093 1111; 1248 1104 1086 1096 1114
1235. 1249 1105 1087 1097 1115; 1250 1114 1096 1098 1116
1236. 1251 1115 1097 1099 1117; 1252 1116 1098 1100 1118
1237. 1253 1117 1099 1101 1119; 1254 1118 1100 1102 1120
1238. 1255 1119 1101 1103 1121; 1256 1124 1106 1104 1122
1239. 1257 1125 1107 1105 1123; 1258 1126 1108 1106 1124
1240. 1259 1127 1109 1107 1125; 1260 1128 1110 1108 1126
1241. 1261 1129 1111 1109 1127; 1262 1130 1112 1110 1128
1242. 1263 1131 1113 1111 1129; 1264 1122 1104 1114 1132
1243. 1265 1123 1105 1115 1133; 1266 1132 1114 1116 1134
1244. 1267 1133 1115 1117 1135; 1268 1134 1116 1118 1136
1245. 1269 1135 1117 1119 1137; 1270 1136 1118 1120 1138
1246. 1271 1137 1119 1121 1139; 1272 999 1140 1141 1000
1247. 1273 1002 1142 1143 1003; 1274 1005 1144 1140 999
1248. 1275 1007 1145 1142 1002; 1276 1009 1146 1144 1005
1249. 1277 1011 1147 1145 1007; 1278 1013 1148 1146 1009
1250. 1279 1015 1149 1147 1011; 1280 1000 1141 1150 1018
1251. 1281 1003 1143 1151 1019; 1282 1018 1150 1152 1022
1252. 1283 1019 1151 1153 1023; 1284 1022 1152 1154 1026
1253. 1285 1023 1153 1155 1027; 1286 1026 1154 1156 1030
1254. 1287 1027 1155 1157 1031; 1288 1140 1158 1159 1141
1255. 1289 1142 1160 1161 1143; 1290 1144 1162 1158 1140
1256. 1291 1145 1163 1160 1142; 1292 1146 1164 1162 1144
1257. 1293 1147 1165 1163 1145; 1294 1148 1166 1164 1146
1258. 1295 1149 1167 1165 1147; 1296 1141 1159 1168 1150
1259. 1297 1143 1161 1169 1151; 1298 1150 1168 1170 1152
1260. 1299 1151 1169 1171 1153; 1300 1152 1170 1172 1154
1261. 1301 1153 1171 1173 1155; 1302 1154 1172 1174 1156
1262. 1303 1155 1173 1175 1157; 1304 1158 1176 1177 1159
1263. 1305 1160 1178 1179 1161; 1306 1162 1180 1176 1158
1264. 1307 1163 1181 1178 1160; 1308 1164 1182 1180 1162
1265. 1309 1165 1183 1181 1163; 1310 1166 1184 1182 1164
1266. 1311 1167 1185 1183 1165; 1312 1159 1177 1186 1168
1267. 1313 1161 1179 1187 1169; 1314 1168 1186 1188 1170
1268. 1315 1169 1187 1189 1171; 1316 1170 1188 1190 1172
1269. 1317 1171 1189 1191 1173; 1318 1172 1190 1192 1174
1270. 1319 1173 1191 1193 1175; 1320 1176 1194 1195 1177

1271. 1321 1178 1196 1197 1179; 1322 1180 1198 1194 1176
1272. 1323 1181 1199 1196 1178; 1324 1182 1200 1198 1180
1273. 1325 1183 1201 1199 1181; 1326 1184 1202 1200 1182
1274. 1327 1185 1203 1201 1183; 1328 1177 1195 1204 1186
1275. 1329 1179 1197 1205 1187; 1330 1186 1204 1206 1188
1276. 1331 1187 1205 1207 1189; 1332 1188 1206 1208 1190
1277. 1333 1189 1207 1209 1191; 1334 1190 1208 1210 1192
1278. 1335 1191 1209 1211 1193; 1336 1194 1212 1213 1195
1279. 1337 1196 1214 1215 1197; 1338 1198 1216 1212 1194
1280. 1339 1199 1217 1214 1196; 1340 1200 1218 1216 1198
1281. 1341 1201 1219 1217 1199; 1342 1202 1220 1218 1200
1282. 1343 1203 1221 1219 1201; 1344 1195 1213 1222 1204
1283. 1345 1197 1215 1223 1205; 1346 1204 1222 1224 1206
1284. 1347 1205 1223 1225 1207; 1348 1206 1224 1226 1208
1285. 1349 1207 1225 1227 1209; 1350 1208 1226 1228 1210
1286. 1351 1209 1227 1229 1211; 1352 1212 1230 1231 1213
1287. 1353 1214 1232 1233 1215; 1354 1216 1234 1230 1212
1288. 1355 1217 1235 1232 1214; 1356 1218 1236 1234 1216
1289. 1357 1219 1237 1235 1217; 1358 1220 1238 1236 1218
1290. 1359 1221 1239 1237 1219; 1360 1213 1231 1240 1222
1291. 1361 1215 1233 1241 1223; 1362 1222 1240 1242 1224
1292. 1363 1223 1241 1243 1225; 1364 1224 1242 1244 1226
1293. 1365 1225 1243 1245 1227; 1366 1226 1244 1246 1228
1294. 1367 1227 1245 1247 1229; 1368 1238 1248 1249 1236
1295. 1369 1248 1250 1251 1249; 1370 1250 1252 1253 1251
1296. 1371 1252 1254 1255 1253; 1372 1254 1256 1257 1255
1297. 1373 1256 1258 1259 1257; 1374 1258 1260 1261 1259
1298. 1375 1260 1262 1263 1261; 1376 1262 1264 1265 1263
1299. 1377 1264 1266 1267 1265; 1378 1266 1268 1269 1267
1300. 1379 1268 1131 1129 1269; 1380 1236 1249 1270 1234
1301. 1381 1249 1251 1271 1270; 1382 1251 1253 1272 1271
1302. 1383 1253 1255 1273 1272; 1384 1255 1257 1274 1273
1303. 1385 1257 1259 1275 1274; 1386 1259 1261 1276 1275
1304. 1387 1261 1263 1277 1276; 1388 1263 1265 1278 1277
1305. 1389 1265 1267 1279 1278; 1390 1267 1269 1280 1279
1306. 1391 1269 1129 1127 1280; 1392 1234 1270 1281 1230
1307. 1393 1270 1271 1282 1281; 1394 1271 1272 1283 1282
1308. 1395 1272 1273 1284 1283; 1396 1273 1274 1285 1284
1309. 1397 1274 1275 1286 1285; 1398 1275 1276 1287 1286
1310. 1399 1276 1277 1288 1287; 1400 1277 1278 1289 1288
1311. 1401 1278 1279 1290 1289; 1402 1279 1280 1291 1290
1312. 1403 1280 1127 1125 1291; 1404 1230 1281 1292 1231
1313. 1405 1281 1282 1293 1292; 1406 1282 1283 1294 1293
1314. 1407 1283 1284 1295 1294; 1408 1284 1285 1296 1295
1315. 1409 1285 1286 1297 1296; 1410 1286 1287 1298 1297
1316. 1411 1287 1288 1299 1298; 1412 1288 1289 1300 1299
1317. 1413 1289 1290 1301 1300; 1414 1290 1291 1302 1301
1318. 1415 1291 1125 1123 1302; 1416 1231 1292 1303 1240
1319. 1417 1292 1293 1304 1303; 1418 1293 1294 1305 1304
1320. 1419 1294 1295 1306 1305; 1420 1295 1296 1307 1306
1321. 1421 1296 1297 1308 1307; 1422 1297 1298 1309 1308
1322. 1423 1298 1299 1310 1309; 1424 1299 1300 1311 1310
1323. 1425 1300 1301 1312 1311; 1426 1301 1302 1313 1312
1324. 1427 1302 1123 1133 1313; 1428 1240 1303 1314 1242
1325. 1429 1303 1304 1315 1314; 1430 1304 1305 1316 1315
1326. 1431 1305 1306 1317 1316; 1432 1306 1307 1318 1317

1327. 1433 1307 1308 1319 1318; 1434 1308 1309 1320 1319
1328. 1435 1309 1310 1321 1320; 1436 1310 1311 1322 1321
1329. 1437 1311 1312 1323 1322; 1438 1312 1313 1324 1323
1330. 1439 1313 1133 1135 1324; 1440 1242 1314 1325 1244
1331. 1441 1314 1315 1326 1325; 1442 1315 1316 1327 1326
1332. 1443 1316 1317 1328 1327; 1444 1317 1318 1329 1328
1333. 1445 1318 1319 1330 1329; 1446 1319 1320 1331 1330
1334. 1447 1320 1321 1332 1331; 1448 1321 1322 1333 1332
1335. 1449 1322 1323 1334 1333; 1450 1323 1324 1335 1334
1336. 1451 1324 1135 1137 1335; 1452 1244 1325 1336 1246
1337. 1453 1325 1326 1337 1336; 1454 1326 1327 1338 1337
1338. 1455 1327 1328 1339 1338; 1456 1328 1329 1340 1339
1339. 1457 1329 1330 1341 1340; 1458 1330 1331 1342 1341
1340. 1459 1331 1332 1343 1342; 1460 1332 1333 1344 1343
1341. 1461 1333 1334 1345 1344; 1462 1334 1335 1346 1345
1342. 1463 1335 1137 1139 1346; 1464 1347 1348 1349 322
1343. 1465 1348 1350 1351 1349; 1466 1350 1352 1353 1351
1344. 1467 1352 1354 1355 1353; 1468 1354 1356 1357 1355
1345. 1469 1356 1358 1359 1357; 1470 1360 1347 322 1361
1346. 1471 1362 1360 1361 1363; 1472 1364 1362 1363 1365
1347. 1473 1366 1364 1365 1367; 1474 1368 1366 1367 1369
1348. 1475 1370 1368 1369 1371; 1476 1372 1373 1348 1347
1349. 1477 1373 1374 1350 1348; 1478 1374 1375 1352 1350
1350. 1479 1375 1376 1354 1352; 1480 1376 1377 1356 1354
1351. 1481 1377 1378 1358 1356; 1482 1379 1372 1347 1360
1352. 1483 1380 1379 1360 1362; 1484 1381 1380 1362 1364
1353. 1485 1382 1381 1364 1366; 1486 1383 1382 1366 1368
1354. 1487 1384 1383 1368 1370; 1488 1385 1386 1373 1372
1355. 1489 1386 1387 1374 1373; 1490 1387 1388 1375 1374
1356. 1491 1388 1389 1376 1375; 1492 1389 1390 1377 1376
1357. 1493 1390 1391 1378 1377; 1494 1392 1385 1372 1379
1358. 1495 1393 1392 1379 1380; 1496 1394 1393 1380 1381
1359. 1497 1395 1394 1381 1382; 1498 1396 1395 1382 1383
1360. 1499 1397 1396 1383 1384; 1500 1398 1399 1386 1385
1361. 1501 1399 1400 1387 1386; 1502 1400 1401 1388 1387
1362. 1503 1401 1402 1389 1388; 1504 1402 1403 1390 1389
1363. 1505 1403 1404 1391 1390; 1506 1405 1398 1385 1392
1364. 1507 1406 1405 1392 1393; 1508 1407 1406 1393 1394
1365. 1509 1408 1407 1394 1395; 1510 1409 1408 1395 1396
1366. 1511 1410 1409 1396 1397; 1512 1411 1412 1399 1398
1367. 1513 1412 1413 1400 1399; 1514 1413 1414 1401 1400
1368. 1515 1414 1415 1402 1401; 1516 1415 1416 1403 1402
1369. 1517 1416 1417 1404 1403; 1518 1418 1411 1398 1405
1370. 1519 1419 1418 1405 1406; 1520 1420 1419 1406 1407
1371. 1521 1421 1420 1407 1408; 1522 1422 1421 1408 1409
1372. 1523 1423 1422 1409 1410; 1524 1424 1425 1412 1411
1373. 1525 1425 1426 1413 1412; 1526 1426 1427 1414 1413
1374. 1527 1427 1428 1415 1414; 1528 1428 1429 1416 1415
1375. 1529 1429 1430 1417 1416; 1530 1431 1424 1411 1418
1376. 1531 1432 1431 1418 1419; 1532 1433 1432 1419 1420
1377. 1533 1434 1433 1420 1421; 1534 1435 1434 1421 1422
1378. 1535 1436 1435 1422 1423; 1536 322 1349 1437 1438
1379. 1537 1349 1351 1439 1437; 1538 1351 1353 1440 1439
1380. 1539 1353 1355 1441 1440; 1540 1355 1357 1442 1441
1381. 1541 1357 1359 1443 1442; 1542 1361 322 1438 1444
1382. 1543 1363 1361 1444 1445; 1544 1365 1363 1445 1446

1383. 1545 1367 1365 1446 1447; 1546 1369 1367 1447 1448
1384. 1547 1371 1369 1448 1449; 1548 1438 1437 1450 1451
1385. 1549 1437 1439 1452 1450; 1550 1439 1440 1453 1452
1386. 1551 1440 1441 1454 1453; 1552 1441 1442 1455 1454
1387. 1553 1442 1443 1456 1455; 1554 1444 1438 1451 1457
1388. 1555 1445 1444 1457 1458; 1556 1446 1445 1458 1459
1389. 1557 1447 1446 1459 1460; 1558 1448 1447 1460 1461
1390. 1559 1449 1448 1461 1462; 1560 1451 1450 1463 1464
1391. 1561 1450 1452 1465 1463; 1562 1452 1453 1466 1465
1392. 1563 1453 1454 1467 1466; 1564 1454 1455 1468 1467
1393. 1565 1455 1456 1469 1468; 1566 1457 1451 1464 1470
1394. 1567 1458 1457 1470 1471; 1568 1459 1458 1471 1472
1395. 1569 1460 1459 1472 1473; 1570 1461 1460 1473 1474
1396. 1571 1462 1461 1474 1475; 1572 1464 1463 1476 1477
1397. 1573 1463 1465 1478 1476; 1574 1465 1466 1479 1478
1398. 1575 1466 1467 1480 1479; 1576 1467 1468 1481 1480
1399. 1577 1468 1469 1482 1481; 1578 1470 1464 1477 1483
1400. 1579 1471 1470 1483 1484; 1580 1472 1471 1484 1485
1401. 1581 1473 1472 1485 1486; 1582 1474 1473 1486 1487
1402. 1583 1475 1474 1487 1488; 1584 1477 1476 1489 1490
1403. 1585 1476 1478 1491 1489; 1586 1478 1479 1492 1491
1404. 1587 1479 1480 1493 1492; 1588 1480 1481 1494 1493
1405. 1589 1481 1482 1495 1494; 1590 1483 1477 1490 1496
1406. 1591 1484 1483 1496 1497; 1592 1485 1484 1497 1498
1407. 1593 1486 1485 1498 1499; 1594 1487 1486 1499 1500
1408. 1595 1488 1487 1500 1501; 1596 1490 1489 1502 1503
1409. 1597 1489 1491 1504 1502; 1598 1491 1492 1505 1504
1410. 1599 1492 1493 1506 1505; 1600 1493 1494 1507 1506
1411. 1601 1494 1495 1508 1507; 1602 1496 1490 1503 1509
1412. 1603 1497 1496 1509 1510; 1604 1498 1497 1510 1511
1413. 1605 1499 1498 1511 1512; 1606 1500 1499 1512 1513
1414. 1607 1501 1500 1513 1514; 1608 1515 1516 1517 325
1415. 1609 1516 1518 1519 1517; 1610 1518 1520 1521 1519
1416. 1611 1520 1522 1523 1521; 1612 1522 1524 1525 1523
1417. 1613 1524 1526 1527 1525; 1614 1528 1515 325 1529
1418. 1615 1530 1528 1529 1531; 1616 1532 1530 1531 1533
1419. 1617 1534 1532 1533 1535; 1618 1536 1534 1535 1537
1420. 1619 1538 1536 1537 1539; 1620 1540 1541 1516 1515
1421. 1621 1541 1542 1518 1516; 1622 1542 1543 1520 1518
1422. 1623 1543 1544 1522 1520; 1624 1544 1545 1524 1522
1423. 1625 1545 1546 1526 1524; 1626 1547 1540 1515 1528
1424. 1627 1548 1547 1528 1530; 1628 1549 1548 1530 1532
1425. 1629 1550 1549 1532 1534; 1630 1551 1550 1534 1536
1426. 1631 1552 1551 1536 1538; 1632 1553 1554 1541 1540
1427. 1633 1554 1555 1542 1541; 1634 1555 1556 1543 1542
1428. 1635 1556 1557 1544 1543; 1636 1557 1558 1545 1544
1429. 1637 1558 1559 1546 1545; 1638 1560 1553 1540 1547
1430. 1639 1561 1560 1547 1548; 1640 1562 1561 1548 1549
1431. 1641 1563 1562 1549 1550; 1642 1564 1563 1550 1551
1432. 1643 1565 1564 1551 1552; 1644 1566 1567 1554 1553
1433. 1645 1567 1568 1555 1554; 1646 1568 1569 1556 1555
1434. 1647 1569 1570 1557 1556; 1648 1570 1571 1558 1557
1435. 1649 1571 1572 1559 1558; 1650 1573 1566 1553 1560
1436. 1651 1574 1573 1560 1561; 1652 1575 1574 1561 1562
1437. 1653 1576 1575 1562 1563; 1654 1577 1576 1563 1564
1438. 1655 1578 1577 1564 1565; 1680 325 1517 1605 1606

1439. 1681 1517 1519 1607 1605; 1682 1519 1521 1608 1607
1440. 1683 1521 1523 1609 1608; 1684 1523 1525 1610 1609
1441. 1685 1525 1527 1611 1610; 1686 1529 325 1606 1612
1442. 1687 1531 1529 1612 1613; 1688 1533 1531 1613 1614
1443. 1689 1535 1533 1614 1615; 1690 1537 1535 1615 1616
1444. 1691 1539 1537 1616 1617; 1692 1606 1605 1618 1619
1445. 1693 1605 1607 1620 1618; 1694 1607 1608 1621 1620
1446. 1695 1608 1609 1622 1621; 1696 1609 1610 1623 1622
1447. 1697 1610 1611 1624 1623; 1698 1612 1606 1619 1625
1448. 1699 1613 1612 1625 1626; 1700 1614 1613 1626 1627
1449. 1701 1615 1614 1627 1628; 1702 1616 1615 1628 1629
1450. 1703 1617 1616 1629 1630; 1704 1619 1618 1631 1632
1451. 1705 1618 1620 1633 1631; 1706 1620 1621 1634 1633
1452. 1707 1621 1622 1635 1634; 1708 1622 1623 1636 1635
1453. 1709 1623 1624 1637 1636; 1710 1625 1619 1632 1638
1454. 1711 1626 1625 1638 1639; 1712 1627 1626 1639 1640
1455. 1713 1628 1627 1640 1641; 1714 1629 1628 1641 1642
1456. 1715 1630 1629 1642 1643; 1716 1632 1631 1644 1645
1457. 1717 1631 1633 1646 1644; 1718 1633 1634 1647 1646
1458. 1719 1634 1635 1648 1647; 1720 1635 1636 1649 1648
1459. 1721 1636 1637 1650 1649; 1722 1638 1632 1645 1651
1460. 1723 1639 1638 1651 1652; 1724 1640 1639 1652 1653
1461. 1725 1641 1640 1653 1654; 1726 1642 1641 1654 1655
1462. 1727 1643 1642 1655 1656; 1728 1645 1644 1657 1658
1463. 1729 1644 1646 1659 1657; 1730 1646 1647 1660 1659
1464. 1731 1647 1648 1661 1660; 1732 1648 1649 1662 1661
1465. 1733 1649 1650 1663 1662; 1734 1651 1645 1658 1664
1466. 1735 1652 1651 1664 1665; 1736 1653 1652 1665 1666
1467. 1737 1654 1653 1666 1667; 1738 1655 1654 1667 1668
1468. 1739 1656 1655 1668 1669; 1740 1658 1657 1670 1671
1469. 1741 1657 1659 1672 1670; 1742 1659 1660 1673 1672
1470. 1743 1660 1661 1674 1673; 1744 1661 1662 1675 1674
1471. 1745 1662 1663 1676 1675; 1746 1664 1658 1671 1677
1472. 1747 1665 1664 1677 1678; 1748 1666 1665 1678 1679
1473. 1749 1667 1666 1679 1680; 1750 1668 1667 1680 1681
1474. 1751 1669 1668 1681 1682; 1752 1682 1681 1683 1684
1475. 1753 1681 1680 1685 1683; 1754 1680 1679 1686 1685
1476. 1755 1679 1678 1687 1686; 1756 1678 1677 1688 1687
1477. 1757 1677 1671 1689 1688; 1758 1671 1670 1690 1689
1478. 1759 1670 1672 1691 1690; 1760 1672 1673 1692 1691
1479. 1761 1673 1674 1693 1692; 1762 1674 1675 1694 1693
1480. 1763 1675 1676 1695 1694; 1764 1684 1683 1696 1697
1481. 1765 1683 1685 1698 1696; 1766 1685 1686 1699 1698
1482. 1767 1686 1687 1700 1699; 1768 1687 1688 1701 1700
1483. 1769 1688 1689 1702 1701; 1770 1689 1690 1703 1702
1484. 1771 1690 1691 1704 1703; 1772 1691 1692 1705 1704
1485. 1773 1692 1693 1706 1705; 1774 1693 1694 1707 1706
1486. 1775 1694 1695 1708 1707; 1776 1697 1696 1709 1710
1487. 1777 1696 1698 1711 1709; 1778 1698 1699 1712 1711
1488. 1779 1699 1700 1713 1712; 1780 1700 1701 1714 1713
1489. 1781 1701 1702 1715 1714; 1782 1702 1703 1716 1715
1490. 1783 1703 1704 1717 1716; 1784 1704 1705 1718 1717
1491. 1785 1705 1706 1719 1718; 1786 1706 1707 1720 1719
1492. 1787 1707 1708 1721 1720; 1788 1710 1709 1722 1723
1493. 1789 1709 1711 1724 1722; 1790 1711 1712 1725 1724
1494. 1791 1712 1713 1726 1725; 1792 1713 1714 1727 1726

1495. 1793 1714 1715 1728 1727; 1794 1715 1716 1729 1728
1496. 1795 1716 1717 1730 1729; 1796 1717 1718 1731 1730
1497. 1797 1718 1719 1732 1731; 1798 1719 1720 1733 1732
1498. 1799 1720 1721 1734 1733; 1800 1723 1722 1735 1736
1499. 1801 1722 1724 1737 1735; 1802 1724 1725 1738 1737
1500. 1803 1725 1726 1739 1738; 1804 1726 1727 1740 1739
1501. 1805 1727 1728 1741 1740; 1806 1728 1729 1742 1741
1502. 1807 1729 1730 1743 1742; 1808 1730 1731 1744 1743
1503. 1809 1731 1732 1745 1744; 1810 1732 1733 1746 1745
1504. 1811 1733 1734 1747 1746; 1812 1736 1735 1748 1749
1505. 1813 1735 1737 1750 1748; 1814 1737 1738 1751 1750
1506. 1815 1738 1739 1752 1751; 1816 1739 1740 1753 1752
1507. 1817 1740 1741 1754 1753; 1818 1741 1742 1755 1754
1508. 1819 1742 1743 1756 1755; 1820 1743 1744 1757 1756
1509. 1821 1744 1745 1758 1757; 1822 1745 1746 1759 1758
1510. 1823 1746 1747 1760 1759; 1824 1749 1748 1761 1762
1511. 1825 1748 1750 1763 1761; 1826 1750 1751 1764 1763
1512. 1827 1751 1752 1765 1764; 1828 1752 1753 1766 1765
1513. 1829 1753 1754 1767 1766; 1830 1754 1755 1768 1767
1514. 1831 1755 1756 1769 1768; 1832 1756 1757 1770 1769
1515. 1833 1757 1758 1771 1770; 1834 1758 1759 1772 1771
1516. 1835 1759 1760 1773 1772; 1836 1762 1761 1774 1775
1517. 1837 1761 1763 1776 1774; 1838 1763 1764 1777 1776
1518. 1839 1764 1765 1778 1777; 1840 1765 1766 1779 1778
1519. 1841 1766 1767 1780 1779; 1842 1767 1768 1781 1780
1520. 1843 1768 1769 1782 1781; 1844 1769 1770 1783 1782
1521. 1845 1770 1771 1784 1783; 1846 1771 1772 1785 1784
1522. 1847 1772 1773 1786 1785; 1848 1775 1774 1435 1436
1523. 1849 1774 1776 1434 1435; 1850 1776 1777 1433 1434
1524. 1851 1777 1778 1432 1433; 1852 1778 1779 1431 1432
1525. 1853 1779 1780 1424 1431; 1854 1780 1781 1425 1424
1526. 1855 1781 1782 1426 1425; 1856 1782 1783 1427 1426
1527. 1857 1783 1784 1428 1427; 1858 1784 1785 1429 1428
1528. 1859 1785 1786 1430 1429; 1884 1813 1814 1815 1816
1529. 1885 1814 1817 1818 1815; 1886 1817 1819 1820 1818
1530. 1887 1819 1821 1822 1820; 1888 1821 1823 1824 1822
1531. 1889 1823 1825 1826 1824; 1890 1827 1813 1816 1828
1532. 1891 1829 1827 1828 1830; 1892 1831 1829 1830 1832
1533. 1893 1833 1831 1832 1834; 1894 1835 1833 1834 1836
1534. 1895 1837 1835 1836 1838; 1896 1839 1840 1814 1813
1535. 1897 1840 1841 1817 1814; 1898 1841 1842 1819 1817
1536. 1899 1842 1843 1821 1819; 1900 1843 1844 1823 1821
1537. 1901 1844 1845 1825 1823; 1902 1846 1839 1813 1827
1538. 1903 1847 1846 1827 1829; 1904 1848 1847 1829 1831
1539. 1905 1849 1848 1831 1833; 1906 1850 1849 1833 1835
1540. 1907 1851 1850 1835 1837; 1908 1852 1853 1840 1839
1541. 1909 1853 1854 1841 1840; 1910 1854 1855 1842 1841
1542. 1911 1855 1856 1843 1842; 1912 1856 1857 1844 1843
1543. 1913 1857 1858 1845 1844; 1914 1859 1852 1839 1846
1544. 1915 1860 1859 1846 1847; 1916 1861 1860 1847 1848
1545. 1917 1862 1861 1848 1849; 1918 1863 1862 1849 1850
1546. 1919 1864 1863 1850 1851; 1920 1865 1866 1853 1852
1547. 1921 1866 1867 1854 1853; 1922 1867 1868 1855 1854
1548. 1923 1868 1869 1856 1855; 1924 1869 1870 1857 1856
1549. 1925 1870 1871 1858 1857; 1926 1872 1865 1852 1859
1550. 1927 1873 1872 1859 1860; 1928 1874 1873 1860 1861

1551. 1929 1875 1874 1861 1862; 1930 1876 1875 1862 1863
1552. 1931 1877 1876 1863 1864; 1932 1878 1879 1866 1865
1553. 1933 1879 1880 1867 1866; 1934 1880 1881 1868 1867
1554. 1935 1881 1882 1869 1868; 1936 1882 1883 1870 1869
1555. 1937 1883 1884 1871 1870; 1938 1885 1878 1865 1872
1556. 1939 1886 1885 1872 1873; 1940 1887 1886 1873 1874
1557. 1941 1888 1887 1874 1875; 1942 1889 1888 1875 1876
1558. 1943 1890 1889 1876 1877; 1944 1891 1892 1879 1878
1559. 1945 1892 1893 1880 1879; 1946 1893 1894 1881 1880
1560. 1947 1894 1895 1882 1881; 1948 1895 1896 1883 1882
1561. 1949 1896 1897 1884 1883; 1950 1898 1891 1878 1885
1562. 1951 1899 1898 1885 1886; 1952 1900 1899 1886 1887
1563. 1953 1901 1900 1887 1888; 1954 1902 1901 1888 1889
1564. 1955 1903 1902 1889 1890; 1956 1816 1815 1904 1905
1565. 1957 1815 1818 1906 1904; 1958 1818 1820 1907 1906
1566. 1959 1820 1822 1908 1907; 1960 1822 1824 1909 1908
1567. 1961 1824 1826 1910 1909; 1962 1828 1816 1905 1911
1568. 1963 1830 1828 1911 1912; 1964 1832 1830 1912 1913
1569. 1965 1834 1832 1913 1914; 1966 1836 1834 1914 1915
1570. 1967 1838 1836 1915 1916; 1968 1905 1904 1917 1918
1571. 1969 1904 1906 1919 1917; 1970 1906 1907 1920 1919
1572. 1971 1907 1908 1921 1920; 1972 1908 1909 1922 1921
1573. 1973 1909 1910 1923 1922; 1974 1911 1905 1918 1924
1574. 1975 1912 1911 1924 1925; 1976 1913 1912 1925 1926
1575. 1977 1914 1913 1926 1927; 1978 1915 1914 1927 1928
1576. 1979 1916 1915 1928 1929; 1980 1918 1917 1930 1931
1577. 1981 1917 1919 1932 1930; 1982 1919 1920 1933 1932
1578. 1983 1920 1921 1934 1933; 1984 1921 1922 1935 1934
1579. 1985 1922 1923 1936 1935; 1986 1924 1918 1931 1937
1580. 1987 1925 1924 1937 1938; 1988 1926 1925 1938 1939
1581. 1989 1927 1926 1939 1940; 1990 1928 1927 1940 1941
1582. 1991 1929 1928 1941 1942; 1992 1931 1930 1943 1944
1583. 1993 1930 1932 1945 1943; 1994 1932 1933 1946 1945
1584. 1995 1933 1934 1947 1946; 1996 1934 1935 1948 1947
1585. 1997 1935 1936 1949 1948; 1998 1937 1931 1944 1950
1586. 1999 1938 1937 1950 1951; 2000 1939 1938 1951 1952
1587. 2001 1940 1939 1952 1953; 2002 1941 1940 1953 1954
1588. 2003 1942 1941 1954 1955; 2004 1944 1943 1956 1957
1589. 2005 1943 1945 1958 1956; 2006 1945 1946 1959 1958
1590. 2007 1946 1947 1960 1959; 2008 1947 1948 1961 1960
1591. 2009 1948 1949 1962 1961; 2010 1950 1944 1957 1963
1592. 2011 1951 1950 1963 1964; 2012 1952 1951 1964 1965
1593. 2013 1953 1952 1965 1966; 2014 1954 1953 1966 1967
1594. 2015 1955 1954 1967 1968; 2016 1957 1956 1969 1970
1595. 2017 1956 1958 1971 1969; 2018 1958 1959 1972 1971
1596. 2019 1959 1960 1973 1972; 2020 1960 1961 1974 1973
1597. 2021 1961 1962 1975 1974; 2022 1963 1957 1970 1976
1598. 2023 1964 1963 1976 1977; 2024 1965 1964 1977 1978
1599. 2025 1966 1965 1978 1979; 2026 1967 1966 1979 1980
1600. 2027 1968 1967 1980 1981; 2028 1982 1983 1984 1985
1601. 2029 1983 1986 1987 1984; 2030 1986 1988 1989 1987
1602. 2031 1988 1990 1991 1989; 2032 1990 1992 1993 1991
1603. 2033 1992 1994 1995 1993; 2034 1996 1982 1985 1997
1604. 2035 1998 1996 1997 1999; 2036 2000 1998 1999 2001
1605. 2037 2002 2000 2001 2003; 2038 2004 2002 2003 2005
1606. 2039 2006 2004 2005 2007; 2040 2008 2009 1983 1982

1607. 2041 2009 2010 1986 1983; 2042 2010 2011 1988 1986
1608. 2043 2011 2012 1990 1988; 2044 2012 2013 1992 1990
1609. 2045 2013 2014 1994 1992; 2046 2015 2008 1982 1996
1610. 2047 2016 2015 1996 1998; 2048 2017 2016 1998 2000
1611. 2049 2018 2017 2000 2002; 2050 2019 2018 2002 2004
1612. 2051 2020 2019 2004 2006; 2052 2021 2022 2009 2008
1613. 2053 2022 2023 2010 2009; 2054 2023 2024 2011 2010
1614. 2055 2024 2025 2012 2011; 2056 2025 2026 2013 2012
1615. 2057 2026 2027 2014 2013; 2058 2028 2021 2008 2015
1616. 2059 2029 2028 2015 2016; 2060 2030 2029 2016 2017
1617. 2061 2031 2030 2017 2018; 2062 2032 2031 2018 2019
1618. 2063 2033 2032 2019 2020; 2064 2034 2035 2022 2021
1619. 2065 2035 2036 2023 2022; 2066 2036 2037 2024 2023
1620. 2067 2037 2038 2025 2024; 2068 2038 2039 2026 2025
1621. 2069 2039 2040 2027 2026; 2070 2041 2034 2021 2028
1622. 2071 2042 2041 2028 2029; 2072 2043 2042 2029 2030
1623. 2073 2044 2043 2030 2031; 2074 2045 2044 2031 2032
1624. 2075 2046 2045 2032 2033; 2076 2047 2048 2035 2034
1625. 2077 2048 2049 2036 2035; 2078 2049 2050 2037 2036
1626. 2079 2050 2051 2038 2037; 2080 2051 2052 2039 2038
1627. 2081 2052 2053 2040 2039; 2082 2054 2047 2034 2041
1628. 2083 2055 2054 2041 2042; 2084 2056 2055 2042 2043
1629. 2085 2057 2056 2043 2044; 2086 2058 2057 2044 2045
1630. 2087 2059 2058 2045 2046; 2088 2060 2061 2048 2047
1631. 2089 2061 2062 2049 2048; 2090 2062 2063 2050 2049
1632. 2091 2063 2064 2051 2050; 2092 2064 2065 2052 2051
1633. 2093 2065 2066 2053 2052; 2094 2067 2060 2047 2054
1634. 2095 2068 2067 2054 2055; 2096 2069 2068 2055 2056
1635. 2097 2070 2069 2056 2057; 2098 2071 2070 2057 2058
1636. 2099 2072 2071 2058 2059; 2100 1985 1984 2073 2074
1637. 2101 1984 1987 2075 2073; 2102 1987 1989 2076 2075
1638. 2103 1989 1991 2077 2076; 2104 1991 1993 2078 2077
1639. 2105 1993 1995 2079 2078; 2106 1997 1985 2074 2080
1640. 2107 1999 1997 2080 2081; 2108 2001 1999 2081 2082
1641. 2109 2003 2001 2082 2083; 2110 2005 2003 2083 2084
1642. 2111 2007 2005 2084 2085; 2112 2074 2073 2086 2087
1643. 2113 2073 2075 2088 2086; 2114 2075 2076 2089 2088
1644. 2115 2076 2077 2090 2089; 2116 2077 2078 2091 2090
1645. 2117 2078 2079 2092 2091; 2118 2080 2074 2087 2093
1646. 2119 2081 2080 2093 2094; 2120 2082 2081 2094 2095
1647. 2121 2083 2082 2095 2096; 2122 2084 2083 2096 2097
1648. 2123 2085 2084 2097 2098; 2124 2087 2086 2099 2100
1649. 2125 2086 2088 2101 2099; 2126 2088 2089 2102 2101
1650. 2127 2089 2090 2103 2102; 2128 2090 2091 2104 2103
1651. 2129 2091 2092 2105 2104; 2130 2093 2087 2100 2106
1652. 2131 2094 2093 2106 2107; 2132 2095 2094 2107 2108
1653. 2133 2096 2095 2108 2109; 2134 2097 2096 2109 2110
1654. 2135 2098 2097 2110 2111; 2136 2100 2099 2112 2113
1655. 2137 2099 2101 2114 2112; 2138 2101 2102 2115 2114
1656. 2139 2102 2103 2116 2115; 2140 2103 2104 2117 2116
1657. 2141 2104 2105 2118 2117; 2142 2106 2100 2113 2119
1658. 2143 2107 2106 2119 2120; 2144 2108 2107 2120 2121
1659. 2145 2109 2108 2121 2122; 2146 2110 2109 2122 2123
1660. 2147 2111 2110 2123 2124; 2148 2113 2112 2125 2126
1661. 2149 2112 2114 2127 2125; 2150 2114 2115 2128 2127
1662. 2151 2115 2116 2129 2128; 2152 2116 2117 2130 2129

1663. 2153 2117 2118 2131 2130; 2154 2119 2113 2126 2132
1664. 2155 2120 2119 2132 2133; 2156 2121 2120 2133 2134
1665. 2157 2122 2121 2134 2135; 2158 2123 2122 2135 2136
1666. 2159 2124 2123 2136 2137; 2160 2126 2125 2138 2139
1667. 2161 2125 2127 2140 2138; 2162 2127 2128 2141 2140
1668. 2163 2128 2129 2142 2141; 2164 2129 2130 2143 2142
1669. 2165 2130 2131 2144 2143; 2166 2132 2126 2139 2145
1670. 2167 2133 2132 2145 2146; 2168 2134 2133 2146 2147
1671. 2169 2135 2134 2147 2148; 2170 2136 2135 2148 2149
1672. 2171 2137 2136 2149 2150; 2172 2151 2152 2153 2154
1673. 2173 2152 2155 2156 2153; 2174 2155 2157 2158 2156
1674. 2175 2157 2159 2160 2158; 2176 2159 2161 2162 2160
1675. 2177 2161 2163 2164 2162; 2178 2165 2151 2154 2166
1676. 2179 2167 2165 2166 2168; 2180 2169 2167 2168 2170
1677. 2181 2171 2169 2170 2172; 2182 2173 2171 2172 2174
1678. 2183 2175 2173 2174 2176; 2184 2177 2178 2152 2151
1679. 2185 2178 2179 2155 2152; 2186 2179 2180 2157 2155
1680. 2187 2180 2181 2159 2157; 2188 2181 2182 2161 2159
1681. 2189 2182 2183 2163 2161; 2190 2184 2177 2151 2165
1682. 2191 2185 2184 2165 2167; 2192 2186 2185 2167 2169
1683. 2193 2187 2186 2169 2171; 2194 2188 2187 2171 2173
1684. 2195 2189 2188 2173 2175; 2196 2190 2191 2178 2177
1685. 2197 2191 2192 2179 2178; 2198 2192 2193 2180 2179
1686. 2199 2193 2194 2181 2180; 2200 2194 2195 2182 2181
1687. 2201 2195 2196 2183 2182; 2202 2197 2190 2177 2184
1688. 2203 2198 2197 2184 2185; 2204 2199 2198 2185 2186
1689. 2205 2200 2199 2186 2187; 2206 2201 2200 2187 2188
1690. 2207 2202 2201 2188 2189; 2208 2203 2204 2191 2190
1691. 2209 2204 2205 2192 2191; 2210 2205 2206 2193 2192
1692. 2211 2206 2207 2194 2193; 2212 2207 2208 2195 2194
1693. 2213 2208 2209 2196 2195; 2214 2210 2203 2190 2197
1694. 2215 2211 2210 2197 2198; 2216 2212 2211 2198 2199
1695. 2217 2213 2212 2199 2200; 2218 2214 2213 2200 2201
1696. 2219 2215 2214 2201 2202; 2220 2216 2217 2204 2203
1697. 2221 2217 2218 2205 2204; 2222 2218 2219 2206 2205
1698. 2223 2219 2220 2207 2206; 2224 2220 2221 2208 2207
1699. 2225 2221 2222 2209 2208; 2226 2223 2216 2203 2210
1700. 2227 2224 2223 2210 2211; 2228 2225 2224 2211 2212
1701. 2229 2226 2225 2212 2213; 2230 2227 2226 2213 2214
1702. 2231 2228 2227 2214 2215; 2232 2229 2230 2217 2216
1703. 2233 2230 2231 2218 2217; 2234 2231 2232 2219 2218
1704. 2235 2232 2233 2220 2219; 2236 2233 2234 2221 2220
1705. 2237 2234 2235 2222 2221; 2238 2236 2229 2216 2223
1706. 2239 2237 2236 2223 2224; 2240 2238 2237 2224 2225
1707. 2241 2239 2238 2225 2226; 2242 2240 2239 2226 2227
1708. 2243 2241 2240 2227 2228; 2244 2154 2153 2242 2243
1709. 2245 2153 2156 2244 2242; 2246 2156 2158 2245 2244
1710. 2247 2158 2160 2246 2245; 2248 2160 2162 2247 2246
1711. 2249 2162 2164 2248 2247; 2250 2166 2154 2243 2249
1712. 2251 2168 2166 2249 2250; 2252 2170 2168 2250 2251
1713. 2253 2172 2170 2251 2252; 2254 2174 2172 2252 2253
1714. 2255 2176 2174 2253 2254; 2256 2243 2242 2255 2256
1715. 2257 2242 2244 2257 2255; 2258 2244 2245 2258 2257
1716. 2259 2245 2246 2259 2258; 2260 2246 2247 2260 2259
1717. 2261 2247 2248 2261 2260; 2262 2249 2243 2256 2262
1718. 2263 2250 2249 2262 2263; 2264 2251 2250 2263 2264

```
1719. 2265 2252 2251 2264 2265; 2266 2253 2252 2265 2266
1720. 2267 2254 2253 2266 2267; 2268 2256 2255 2268 2269
1721. 2269 2255 2257 2270 2268; 2270 2257 2258 2271 2270
1722. 2271 2258 2259 2272 2271; 2272 2259 2260 2273 2272
1723. 2273 2260 2261 2274 2273; 2274 2262 2256 2269 2275
1724. 2275 2263 2262 2275 2276; 2276 2264 2263 2276 2277
1725. 2277 2265 2264 2277 2278; 2278 2266 2265 2278 2279
1726. 2279 2267 2266 2279 2280; 2280 2269 2268 2281 2282
1727. 2281 2268 2270 2283 2281; 2282 2270 2271 2284 2283
1728. 2283 2271 2272 2285 2284; 2284 2272 2273 2286 2285
1729. 2285 2273 2274 2287 2286; 2286 2275 2269 2282 2288
1730. 2287 2276 2275 2288 2289; 2288 2277 2276 2289 2290
1731. 2289 2278 2277 2290 2291; 2290 2279 2278 2291 2292
1732. 2291 2280 2279 2292 2293; 2292 2282 2281 2294 2295
1733. 2293 2281 2283 2296 2294; 2294 2283 2284 2297 2296
1734. 2295 2284 2285 2298 2297; 2296 2285 2286 2299 2298
1735. 2297 2286 2287 2300 2299; 2298 2288 2282 2295 2301
1736. 2299 2289 2288 2301 2302; 2300 2290 2289 2302 2303
1737. 2301 2291 2290 2303 2304; 2302 2292 2291 2304 2305
1738. 2303 2293 2292 2305 2306; 2304 2295 2294 2307 2308
1739. 2305 2294 2296 2309 2307; 2306 2296 2297 2310 2309
1740. 2307 2297 2298 2311 2310; 2308 2298 2299 2312 2311
1741. 2309 2299 2300 2313 2312; 2310 2301 2295 2308 2314
1742. 2311 2302 2301 2314 2315; 2312 2303 2302 2315 2316
1743. 2313 2304 2303 2316 2317; 2314 2305 2304 2317 2318
1744. 2315 2306 2305 2318 2319
1745. START GROUP DEFINITION
1746. MEMBER
1747. _C_1 576 TO 583 2316 TO 2318
1748. ELEMENT
1749. _FDN1_MOMENT 585 TO 589 591 TO 655 657 TO 661 663 TO 727 873 TO 877 -
1750. 879 TO 943 945 TO 949 951 TO 1015 1017 TO 1021 1023 TO 1087 -
1751. 1089 TO 1093 1095 TO 1159 1885 TO 1889 1891 TO 1955 1957 TO 1961 1963 -
1752. 1964 TO 2027 2029 TO 2033 2035 TO 2099 2101 TO 2105 2107 TO 2171 2173 -
1753. 2174 TO 2177 2179 TO 2243 2245 TO 2249 2251 TO 2315
1754. _FDN1_SHEAR 587 TO 589 593 TO 595 599 TO 601 605 TO 607 611 TO 613 -
1755. 617 TO 655 659 TO 661 665 TO 667 671 TO 673 677 TO 679 683 TO 685 -
1756. 689 TO 727 875 TO 877 881 TO 883 887 TO 889 893 TO 895 899 TO 901 -
1757. 905 TO 943 947 TO 949 953 TO 955 959 TO 961 965 TO 967 971 TO 973 -
1758. 977 TO 1015 1019 TO 1021 1025 TO 1027 1031 TO 1033 1037 TO 1039 1043 -
1759. 1044 TO 1045 1049 TO 1087 1091 TO 1093 1097 TO 1099 1103 TO 1105 1109 -
1760. 1110 TO 1111 1115 TO 1117 1121 TO 1159 1887 TO 1889 1893 TO 1895 1899 -
1761. 1900 TO 1901 1905 TO 1907 1911 TO 1913 1917 TO 1955 1959 TO 1961 1965 -
1762. 1966 TO 1967 1971 TO 1973 1977 TO 1979 1983 TO 1985 1989 TO 2027 2031 -
1763. 2032 TO 2033 2037 TO 2039 2043 TO 2045 2049 TO 2051 2055 TO 2057 2061 -
1764. 2062 TO 2099 2103 TO 2105 2109 TO 2111 2115 TO 2117 2121 TO 2123 2127 -
1765. 2128 TO 2129 2133 TO 2171 2175 TO 2177 2181 TO 2183 2187 TO 2189 2193 -
1766. 2194 TO 2195 2199 TO 2201 2205 TO 2243 2247 TO 2249 2253 TO 2255 2259 -
1767. 2260 TO 2261 2265 TO 2267 2271 TO 2273 2277 TO 2315
1768. _FDN2_MOMENT 1162 TO 1167 1170 TO 1175 1178 TO 1183 1186 TO 1463
1769. _FDN2_SHEAR 1166 1167 1174 1175 1182 1183 1190 1191 1198 1199 1206 -
1770. 1207 1214 1215 1222 TO 1271 1278 1279 1286 1287 1294 1295 -
1771. 1302 TO 1463
1772. _FDN3_MOMENT 1465 TO 1469 1471 TO 1535 1537 TO 1541 1543 TO 1607 1609 -
1773. 1610 TO 1613 1615 TO 1655 1681 TO 1685 1687 TO 1859
1774. _FDN3_SHEAR 1467 TO 1469 1473 TO 1475 1479 TO 1481 1485 TO 1487 1491 -
```

```
1775. 1492 TO 1493 1497 TO 1535 1539 TO 1541 1545 TO 1547 1551 TO 1553 1557 -
1776. 1558 TO 1559 1563 TO 1565 1569 TO 1607 1611 TO 1613 1617 TO 1619 1623 -
1777. 1624 TO 1625 1629 TO 1631 1635 TO 1637 1641 TO 1655 1683 TO 1685 1689 -
1778. 1690 TO 1691 1695 TO 1697 1701 TO 1703 1707 TO 1709 1713 TO 1859
1779. _F2_MOMENT 729 TO 733 735 TO 799 801 TO 805 807 TO 871
1780. _F2_SHEAR 731 TO 733 737 TO 739 743 TO 745 749 TO 751 755 TO 757 761 -
1781. 762 TO 799 803 TO 805 809 TO 811 815 TO 817 821 TO 823 827 TO 829 833 -
1782. 834 TO 871
1783. _F 1464 TO 1655 1680 TO 1859
1784. END GROUP DEFINITION
1785. *
1786. ELEMENT PROPERTY
1787. 584 TO 1159 1884 TO 2315 THICKNESS 0.5
1788. 1160 TO 1655 1680 TO 1859 THICKNESS 0.6
1789. DEFINE MATERIAL START
1790. ISOTROPIC CONCRETE
1791. E 2.17185E+007
1792. POISSON 0.17
1793. DENSITY 23.5616
1794. ALPHA 1E-005
1795. DAMP 0.05
1796. TYPE CONCRETE
1797. STRENGTH FCU 27579
1798. G 9.28141E+006
1799. END DEFINE MATERIAL
1800. MEMBER PROPERTY AMERICAN
1801. 576 TO 583 2316 TO 2318 PRIS YD 0.7 ZD 0.7
1802. CONSTANTS
1803. MATERIAL CONCRETE ALL
1804. ******************************************************************************
1805. SUPPORTS
1806. 584 TO 1655 1680 TO 1859 1884 TO 2314 -
1807. 2315 PLATE MAT DIRECT Y SUBGRADE 68400 PRINT
```

JOINT	INFLUENCE AREA
318	0.122496
319	0.122496
320	0.122496
321	0.122496
322	0.122496
323	0.122500
324	0.099051
325	0.122500
326	0.087501
327	0.087501
328	0.062503
329	0.069999
330	0.050001
331	0.087501
332	0.062503
333	0.087501
334	0.062503
335	0.087492
336	0.062497

337	0.043746
338	0.031249
339	0.087492
340	0.062497
341	0.069999
342	0.050001
343	0.087501
344	0.062503
345	0.087501
346	0.062503
347	0.087501
348	0.062503
349	0.043746
350	0.031249
351	0.069999
352	0.050001
353	0.040000
354	0.050001
355	0.050001
356	0.049996
357	0.024998
358	0.049996
359	0.040000
360	0.050001
361	0.050001
362	0.050001
363	0.024998
364	0.087496
365	0.062500
366	0.049999
367	0.062500
368	0.062500
369	0.062494
370	0.031247
371	0.062494
372	0.049999
373	0.062500
374	0.062500
375	0.062500
376	0.031247
377	0.087501
378	0.062503
379	0.050001
380	0.062503
381	0.062503
382	0.062497
383	0.031249
384	0.062497
385	0.050001
386	0.062503
387	0.062503
388	0.062503
389	0.031249
390	0.087501
391	0.062503
392	0.050001

393	0.062503
394	0.062503
395	0.062497
396	0.031249
397	0.062497
398	0.050001
399	0.062503
400	0.062503
401	0.062503
402	0.031249
403	0.043750
404	0.031252
405	0.025001
406	0.031252
407	0.031252
408	0.031249
409	0.015624
410	0.031249
411	0.025001
412	0.031252
413	0.031252
414	0.031252
415	0.015624
416	0.087496
417	0.062500
418	0.049999
419	0.062500
420	0.062500
421	0.062494
422	0.031247
423	0.062494
424	0.049999
425	0.062500
426	0.062500
427	0.062500
428	0.031247
429	0.069999
430	0.050001
431	0.040000
432	0.050001
433	0.050001
434	0.049996
435	0.024998
436	0.049996
437	0.040000
438	0.050001
439	0.050001
440	0.050001
441	0.024998
442	0.087496
443	0.062500
444	0.049999
445	0.062500
446	0.062500
447	0.062494
448	0.031247

449	0.062494
450	0.049999
451	0.062500
452	0.062500
453	0.062500
454	0.031247
455	0.087501
456	0.062503
457	0.050001
458	0.062503
459	0.062503
460	0.062497
461	0.031249
462	0.062497
463	0.050001
464	0.062503
465	0.062503
466	0.062503
467	0.031249
468	0.087501
469	0.062503
470	0.050001
471	0.062503
472	0.062503
473	0.062497
474	0.031249
475	0.062497
476	0.050001
477	0.062503
478	0.062503
479	0.062503
480	0.031249
481	0.043746
482	0.031249
483	0.024998
484	0.031249
485	0.031249
486	0.031245
487	0.015623
488	0.031245
489	0.024998
490	0.031249
491	0.031249
492	0.031249
493	0.015623
494	0.087501
495	0.062503
496	0.087501
497	0.050001
498	0.069999
499	0.062503
500	0.087501
501	0.062503
502	0.087501
503	0.062497
504	0.087492

505	0.031249
506	0.043746
507	0.062497
508	0.087492
509	0.050001
510	0.069999
511	0.062503
512	0.087501
513	0.062503
514	0.087501
515	0.062503
516	0.087501
517	0.031249
518	0.043746
519	0.069999
520	0.050001
521	0.040000
522	0.050001
523	0.050001
524	0.049996
525	0.024998
526	0.049996
527	0.040000
528	0.050001
529	0.050001
530	0.050001
531	0.024998
532	0.087496
533	0.062500
534	0.049999
535	0.062500
536	0.062500
537	0.062494
538	0.031247
539	0.062494
540	0.049999
541	0.062500
542	0.062500
543	0.062500
544	0.031247
545	0.087501
546	0.062503
547	0.050001
548	0.062503
549	0.062503
550	0.062497
551	0.031249
552	0.062497
553	0.050001
554	0.062503
555	0.062503
556	0.062503
557	0.031249
558	0.087501
559	0.062503
560	0.050001

561	0.062503
562	0.062503
563	0.062497
564	0.031249
565	0.062497
566	0.050001
567	0.062503
568	0.062503
569	0.062503
570	0.031249
571	0.043750
572	0.031252
573	0.025001
574	0.031252
575	0.031252
576	0.031249
577	0.015624
578	0.031249
579	0.025001
580	0.031252
581	0.031252
582	0.031252
583	0.015624
584	0.062500
585	0.087496
586	0.049999
587	0.062500
588	0.062500
589	0.062494
590	0.031247
591	0.062494
592	0.049999
593	0.062500
594	0.062500
595	0.062500
596	0.031247
597	0.050001
598	0.069999
599	0.040000
600	0.050001
601	0.050001
602	0.049996
603	0.024998
604	0.049996
605	0.040000
606	0.050001
607	0.050001
608	0.050001
609	0.024998
610	0.062503
611	0.087501
612	0.050001
613	0.062503
614	0.062503
615	0.062497
616	0.031249

617	0.062497
618	0.050001
619	0.062503
620	0.062503
621	0.062503
622	0.031249
623	0.062503
624	0.087501
625	0.050001
626	0.062503
627	0.062503
628	0.062497
629	0.031249
630	0.062497
631	0.050001
632	0.062503
633	0.062503
634	0.062503
635	0.031249
636	0.062500
637	0.087496
638	0.049999
639	0.062500
640	0.062500
641	0.062494
642	0.031247
643	0.062494
644	0.049999
645	0.062500
646	0.062500
647	0.062500
648	0.031247
649	0.031249
650	0.043746
651	0.024998
652	0.031249
653	0.031249
654	0.031245
655	0.015623
656	0.031245
657	0.024998
658	0.031249
659	0.031249
660	0.031249
661	0.015623
662	0.087501
663	0.062503
664	0.087501
665	0.050001
666	0.069999
667	0.062503
668	0.087501
669	0.062503
670	0.087501
671	0.062497
672	0.087492

673	0.031249
674	0.043746
675	0.062503
676	0.087501
677	0.050001
678	0.069999
679	0.062497
680	0.087492
681	0.062503
682	0.087501
683	0.062503
684	0.087501
685	0.031249
686	0.043746
687	0.069999
688	0.050001
689	0.040000
690	0.050001
691	0.050001
692	0.049996
693	0.024998
694	0.050001
695	0.040000
696	0.049996
697	0.050001
698	0.050001
699	0.024998
700	0.087496
701	0.062500
702	0.049999
703	0.062500
704	0.062500
705	0.062494
706	0.031247
707	0.062500
708	0.049999
709	0.062494
710	0.062500
711	0.062500
712	0.031247
713	0.087501
714	0.062503
715	0.050001
716	0.062503
717	0.062503
718	0.062497
719	0.031249
720	0.062503
721	0.050001
722	0.062497
723	0.062503
724	0.062503
725	0.031249
726	0.087501
727	0.062503
728	0.050001

729	0.062503
730	0.062503
731	0.062497
732	0.031249
733	0.062503
734	0.050001
735	0.062497
736	0.062503
737	0.062503
738	0.031249
739	0.043750
740	0.031252
741	0.025001
742	0.031252
743	0.031252
744	0.031249
745	0.015624
746	0.031252
747	0.025001
748	0.031249
749	0.031252
750	0.031252
751	0.015624
752	0.062500
753	0.087496
754	0.049999
755	0.062500
756	0.062500
757	0.062494
758	0.031247
759	0.062500
760	0.049999
761	0.062494
762	0.062500
763	0.062500
764	0.031247
765	0.050001
766	0.069999
767	0.040000
768	0.050001
769	0.050001
770	0.049996
771	0.024998
772	0.050001
773	0.040000
774	0.049996
775	0.050001
776	0.050001
777	0.024998
778	0.062500
779	0.087496
780	0.049999
781	0.062500
782	0.062500
783	0.062494
784	0.031247

785	0.062500
786	0.049999
787	0.062494
788	0.062500
789	0.062500
790	0.031247
791	0.062503
792	0.087501
793	0.050001
794	0.062503
795	0.062503
796	0.062497
797	0.031249
798	0.062503
799	0.050001
800	0.062497
801	0.062503
802	0.062503
803	0.031249
804	0.062503
805	0.087501
806	0.050001
807	0.062503
808	0.062503
809	0.062497
810	0.031249
811	0.062503
812	0.050001
813	0.062497
814	0.062503
815	0.062503
816	0.031249
817	0.031249
818	0.043746
819	0.024998
820	0.031249
821	0.031249
822	0.031245
823	0.015623
824	0.031249
825	0.024998
826	0.031245
827	0.031249
828	0.031249
829	0.015623
830	0.087501
831	0.062503
832	0.087501
833	0.050001
834	0.069999
835	0.062497
836	0.087492
837	0.062503
838	0.087501
839	0.062503
840	0.087501

841	0.031249
842	0.043746
843	0.062503
844	0.087501
845	0.050001
846	0.069999
847	0.062503
848	0.087501
849	0.062503
850	0.087501
851	0.062497
852	0.087492
853	0.031249
854	0.043746
855	0.069999
856	0.050001
857	0.040000
858	0.049996
859	0.050001
860	0.050001
861	0.024998
862	0.050001
863	0.040000
864	0.050001
865	0.050001
866	0.049996
867	0.024998
868	0.087496
869	0.062500
870	0.049999
871	0.062494
872	0.062500
873	0.062500
874	0.031247
875	0.062500
876	0.049999
877	0.062500
878	0.062500
879	0.062494
880	0.031247
881	0.087501
882	0.062503
883	0.050001
884	0.062497
885	0.062503
886	0.062503
887	0.031249
888	0.062503
889	0.050001
890	0.062503
891	0.062503
892	0.062497
893	0.031249
894	0.087501
895	0.062503
896	0.050001

897	0.062497
898	0.062503
899	0.062503
900	0.031249
901	0.062503
902	0.050001
903	0.062503
904	0.062503
905	0.062497
906	0.031249
907	0.043750
908	0.031252
909	0.025001
910	0.031249
911	0.031252
912	0.031252
913	0.015624
914	0.031252
915	0.025001
916	0.031252
917	0.031252
918	0.031249
919	0.015624
920	0.062500
921	0.087496
922	0.049999
923	0.062494
924	0.062500
925	0.062500
926	0.031247
927	0.062500
928	0.049999
929	0.062500
930	0.062500
931	0.062494
932	0.031247
933	0.050001
934	0.069999
935	0.040000
936	0.049996
937	0.050001
938	0.050001
939	0.024998
940	0.050001
941	0.040000
942	0.050001
943	0.050001
944	0.049996
945	0.024998
946	0.062500
947	0.087496
948	0.049999
949	0.062494
950	0.062500
951	0.062500
952	0.031247

953	0.062500
954	0.049999
955	0.062500
956	0.062500
957	0.062494
958	0.031247
959	0.062503
960	0.087501
961	0.050001
962	0.062497
963	0.062503
964	0.062503
965	0.031249
966	0.062503
967	0.050001
968	0.062503
969	0.062503
970	0.062497
971	0.031249
972	0.062503
973	0.087501
974	0.050001
975	0.062497
976	0.062503
977	0.062503
978	0.031249
979	0.062503
980	0.050001
981	0.062503
982	0.062503
983	0.062497
984	0.031249
985	0.031249
986	0.043746
987	0.024998
988	0.031245
989	0.031249
990	0.031249
991	0.015623
992	0.031249
993	0.024998
994	0.031249
995	0.031249
996	0.031245
997	0.015623
998	0.087496
999	0.062500
1000	0.087504
1001	0.070747
1002	0.058252
1003	0.081557
1004	0.069999
1005	0.050001
1006	0.056599
1007	0.046603
1008	0.087501

1009	0.062503
1010	0.070751
1011	0.058255
1012	0.043750
1013	0.031252
1014	0.035375
1015	0.029128
1016	0.087501
1017	0.070751
1018	0.062503
1019	0.058255
1020	0.069999
1021	0.056599
1022	0.050001
1023	0.046603
1024	0.087496
1025	0.070747
1026	0.062500
1027	0.058252
1028	0.043746
1029	0.035372
1030	0.031249
1031	0.029125
1032	0.087495
1033	0.110953
1034	0.062494
1035	0.079249
1036	0.049996
1037	0.063401
1038	0.062497
1039	0.079253
1040	0.031249
1041	0.039627
1042	0.062497
1043	0.079253
1044	0.049996
1045	0.063401
1046	0.062494
1047	0.079249
1048	0.031245
1049	0.039623
1050	0.070001
1051	0.093451
1052	0.049999
1053	0.066748
1054	0.040000
1055	0.053400
1056	0.050001
1057	0.066751
1058	0.025001
1059	0.033376
1060	0.050001
1061	0.066751
1062	0.040000
1063	0.053400
1064	0.049999

1065	0.066748
1066	0.024998
1067	0.033372
1068	0.087504
1069	0.087495
1070	0.062500
1071	0.062494
1072	0.050001
1073	0.049996
1074	0.062503
1075	0.062497
1076	0.031252
1077	0.031249
1078	0.062503
1079	0.062497
1080	0.050001
1081	0.049996
1082	0.062500
1083	0.062494
1084	0.031249
1085	0.031245
1086	0.087504
1087	0.087504
1088	0.062500
1089	0.062500
1090	0.050001
1091	0.050001
1092	0.062503
1093	0.062503
1094	0.031252
1095	0.031252
1096	0.062503
1097	0.062503
1098	0.050001
1099	0.050001
1100	0.062500
1101	0.062500
1102	0.031249
1103	0.031249
1104	0.087504
1105	0.087504
1106	0.062500
1107	0.062500
1108	0.050001
1109	0.050001
1110	0.062503
1111	0.062503
1112	0.031252
1113	0.031252
1114	0.062503
1115	0.062503
1116	0.050001
1117	0.050001
1118	0.062500
1119	0.062500
1120	0.031249

1121	0.031249
1122	0.043748
1123	0.089779
1124	0.031247
1125	0.064125
1126	0.024998
1127	0.051301
1128	0.031249
1129	0.064128
1130	0.015624
1131	0.032064
1132	0.031249
1133	0.064128
1134	0.024998
1135	0.051301
1136	0.031247
1137	0.064125
1138	0.015623
1139	0.032061
1140	0.049999
1141	0.070001
1142	0.062500
1143	0.087504
1144	0.040000
1145	0.050001
1146	0.050001
1147	0.062503
1148	0.025001
1149	0.031252
1150	0.050001
1151	0.062503
1152	0.040000
1153	0.050001
1154	0.049999
1155	0.062500
1156	0.024998
1157	0.031249
1158	0.062500
1159	0.087504
1160	0.062494
1161	0.087495
1162	0.050001
1163	0.049996
1164	0.062503
1165	0.062497
1166	0.031252
1167	0.031249
1168	0.062503
1169	0.062497
1170	0.050001
1171	0.049996
1172	0.062500
1173	0.062494
1174	0.031249
1175	0.031245
1176	0.062500

1177	0.087504
1178	0.062500
1179	0.087504
1180	0.050001
1181	0.050001
1182	0.062503
1183	0.062503
1184	0.031252
1185	0.031252
1186	0.062503
1187	0.062503
1188	0.050001
1189	0.050001
1190	0.062500
1191	0.062500
1192	0.031249
1193	0.031249
1194	0.062494
1195	0.087495
1196	0.062500
1197	0.087504
1198	0.049996
1199	0.050001
1200	0.062497
1201	0.062503
1202	0.031249
1203	0.031252
1204	0.062497
1205	0.062503
1206	0.049996
1207	0.050001
1208	0.062494
1209	0.062500
1210	0.031245
1211	0.031249
1212	0.062500
1213	0.087504
1214	0.049999
1215	0.070001
1216	0.050001
1217	0.040000
1218	0.062503
1219	0.050001
1220	0.031252
1221	0.025001
1222	0.062503
1223	0.050001
1224	0.050001
1225	0.040000
1226	0.062500
1227	0.049999
1228	0.031249
1229	0.024998
1230	0.064125
1231	0.089779
1232	0.018752

1233	0.026254
1234	0.051301
1235	0.015002
1236	0.064128
1237	0.018753
1238	0.032064
1239	0.009376
1240	0.064128
1241	0.018753
1242	0.051301
1243	0.015002
1244	0.064125
1245	0.018752
1246	0.032061
1247	0.009375
1248	0.032876
1249	0.065753
1250	0.032876
1251	0.065753
1252	0.032876
1253	0.065753
1254	0.032876
1255	0.065753
1256	0.032873
1257	0.065747
1258	0.032876
1259	0.065753
1260	0.032876
1261	0.065753
1262	0.032876
1263	0.065753
1264	0.032876
1265	0.065753
1266	0.032873
1267	0.065747
1268	0.032876
1269	0.065753
1270	0.052601
1271	0.052601
1272	0.052601
1273	0.052601
1274	0.052596
1275	0.052601
1276	0.052601
1277	0.052601
1278	0.052601
1279	0.052596
1280	0.052601
1281	0.065749
1282	0.065749
1283	0.065749
1284	0.065749
1285	0.065743
1286	0.065749
1287	0.065749
1288	0.065749

1289	0.065749
1290	0.065743
1291	0.065749
1292	0.092053
1293	0.092053
1294	0.092053
1295	0.092053
1296	0.092044
1297	0.092053
1298	0.092053
1299	0.092053
1300	0.092053
1301	0.092044
1302	0.092053
1303	0.065753
1304	0.065753
1305	0.065753
1306	0.065753
1307	0.065747
1308	0.065753
1309	0.065753
1310	0.065753
1311	0.065753
1312	0.065747
1313	0.065753
1314	0.052601
1315	0.052601
1316	0.052601
1317	0.052601
1318	0.052596
1319	0.052601
1320	0.052601
1321	0.052601
1322	0.052601
1323	0.052596
1324	0.052601
1325	0.065749
1326	0.065749
1327	0.065749
1328	0.065749
1329	0.065743
1330	0.065749
1331	0.065749
1332	0.065749
1333	0.065749
1334	0.065743
1335	0.065749
1336	0.032873
1337	0.032873
1338	0.032873
1339	0.032873
1340	0.032870
1341	0.032873
1342	0.032873
1343	0.032873
1344	0.032873

1345	0.032870
1346	0.032873
1347	0.087501
1348	0.062503
1349	0.087501
1350	0.050001
1351	0.069999
1352	0.062497
1353	0.087492
1354	0.062503
1355	0.087501
1356	0.062503
1357	0.087501
1358	0.031249
1359	0.043746
1360	0.062503
1361	0.087501
1362	0.050001
1363	0.069999
1364	0.062503
1365	0.087501
1366	0.062503
1367	0.087501
1368	0.062497
1369	0.087492
1370	0.031249
1371	0.043746
1372	0.069999
1373	0.050001
1374	0.040000
1375	0.049996
1376	0.050001
1377	0.050001
1378	0.024998
1379	0.050001
1380	0.040000
1381	0.050001
1382	0.050001
1383	0.049996
1384	0.024998
1385	0.087496
1386	0.062500
1387	0.049999
1388	0.062494
1389	0.062500
1390	0.062500
1391	0.031247
1392	0.062500
1393	0.049999
1394	0.062500
1395	0.062500
1396	0.062494
1397	0.031247
1398	0.087501
1399	0.062503
1400	0.050001

1401	0.062497
1402	0.062503
1403	0.062503
1404	0.031249
1405	0.062503
1406	0.050001
1407	0.062503
1408	0.062503
1409	0.062497
1410	0.031249
1411	0.087501
1412	0.062503
1413	0.050001
1414	0.062497
1415	0.062503
1416	0.062503
1417	0.031249
1418	0.062503
1419	0.050001
1420	0.062503
1421	0.062503
1422	0.062497
1423	0.031249
1424	0.088200
1425	0.063002
1426	0.050401
1427	0.062996
1428	0.063002
1429	0.063002
1430	0.031498
1431	0.063002
1432	0.050401
1433	0.063002
1434	0.063002
1435	0.062996
1436	0.031498
1437	0.062500
1438	0.087496
1439	0.049999
1440	0.062494
1441	0.062500
1442	0.062500
1443	0.031247
1444	0.062500
1445	0.049999
1446	0.062500
1447	0.062500
1448	0.062494
1449	0.031247
1450	0.050001
1451	0.069999
1452	0.040000
1453	0.049996
1454	0.050001
1455	0.050001
1456	0.024998

1457	0.050001
1458	0.040000
1459	0.050001
1460	0.050001
1461	0.049996
1462	0.024998
1463	0.062503
1464	0.087501
1465	0.050001
1466	0.062497
1467	0.062503
1468	0.062503
1469	0.031249
1470	0.062503
1471	0.050001
1472	0.062503
1473	0.062503
1474	0.062497
1475	0.031249
1476	0.062503
1477	0.087501
1478	0.050001
1479	0.062497
1480	0.062503
1481	0.062503
1482	0.031249
1483	0.062503
1484	0.050001
1485	0.062503
1486	0.062503
1487	0.062497
1488	0.031249
1489	0.062500
1490	0.087496
1491	0.049999
1492	0.062494
1493	0.062500
1494	0.062500
1495	0.031247
1496	0.062500
1497	0.049999
1498	0.062500
1499	0.062500
1500	0.062494
1501	0.031247
1502	0.031249
1503	0.043746
1504	0.024998
1505	0.031245
1506	0.031249
1507	0.031249
1508	0.015623
1509	0.031249
1510	0.024998
1511	0.031249
1512	0.031249

1513	0.031245
1514	0.015623
1515	0.087496
1516	0.062500
1517	0.087504
1518	0.049999
1519	0.070001
1520	0.062494
1521	0.087495
1522	0.062500
1523	0.087504
1524	0.062500
1525	0.087504
1526	0.031247
1527	0.043748
1528	0.062500
1529	0.087504
1530	0.049999
1531	0.070001
1532	0.062500
1533	0.087504
1534	0.062500
1535	0.087504
1536	0.062494
1537	0.087495
1538	0.031247
1539	0.043748
1540	0.069999
1541	0.050001
1542	0.040000
1543	0.049996
1544	0.050001
1545	0.050001
1546	0.024998
1547	0.050001
1548	0.040000
1549	0.050001
1550	0.050001
1551	0.049996
1552	0.024998
1553	0.087501
1554	0.062503
1555	0.050001
1556	0.062497
1557	0.062503
1558	0.062503
1559	0.031249
1560	0.062503
1561	0.050001
1562	0.062503
1563	0.062503
1564	0.062497
1565	0.031249
1566	0.043750
1567	0.031252
1568	0.025001

1569	0.031249
1570	0.031252
1571	0.031252
1572	0.015624
1573	0.031252
1574	0.025001
1575	0.031252
1576	0.031252
1577	0.031249
1578	0.015624
1605	0.062503
1606	0.087501
1607	0.050001
1608	0.062497
1609	0.062503
1610	0.062503
1611	0.031249
1612	0.062503
1613	0.050001
1614	0.062503
1615	0.062503
1616	0.062497
1617	0.031249
1618	0.050001
1619	0.069999
1620	0.040000
1621	0.049996
1622	0.050001
1623	0.050001
1624	0.024998
1625	0.050001
1626	0.040000
1627	0.050001
1628	0.050001
1629	0.049996
1630	0.024998
1631	0.062500
1632	0.087496
1633	0.049999
1634	0.062494
1635	0.062500
1636	0.062500
1637	0.031247
1638	0.062500
1639	0.049999
1640	0.062500
1641	0.062500
1642	0.062494
1643	0.031247
1644	0.062500
1645	0.087496
1646	0.049999
1647	0.062494
1648	0.062500
1649	0.062500
1650	0.031247

1651	0.062500
1652	0.049999
1653	0.062500
1654	0.062500
1655	0.062494
1656	0.031247
1657	0.062503
1658	0.087501
1659	0.050001
1660	0.062497
1661	0.062503
1662	0.062503
1663	0.031249
1664	0.062503
1665	0.050001
1666	0.062503
1667	0.062503
1668	0.062497
1669	0.031249
1670	0.063002
1671	0.088200
1672	0.050401
1673	0.062996
1674	0.063002
1675	0.063002
1676	0.031498
1677	0.063002
1678	0.050401
1679	0.063002
1680	0.063002
1681	0.062996
1682	0.031498
1683	0.063368
1684	0.031684
1685	0.063375
1686	0.063375
1687	0.050698
1688	0.063375
1689	0.088721
1690	0.063375
1691	0.050698
1692	0.063368
1693	0.063375
1694	0.063375
1695	0.031684
1696	0.063368
1697	0.031684
1698	0.063375
1699	0.063375
1700	0.050698
1701	0.063375
1702	0.088721
1703	0.063375
1704	0.050698
1705	0.063368
1706	0.063375

1707	0.063375
1708	0.031684
1709	0.063371
1710	0.031686
1711	0.063378
1712	0.063378
1713	0.050701
1714	0.063378
1715	0.088725
1716	0.063378
1717	0.050701
1718	0.063371
1719	0.063378
1720	0.063378
1721	0.031686
1722	0.063371
1723	0.031686
1724	0.063378
1725	0.063378
1726	0.050701
1727	0.063378
1728	0.088725
1729	0.063378
1730	0.050701
1731	0.063371
1732	0.063378
1733	0.063378
1734	0.031686
1735	0.063371
1736	0.031686
1737	0.063378
1738	0.063378
1739	0.050701
1740	0.063378
1741	0.088725
1742	0.063378
1743	0.050701
1744	0.063371
1745	0.063378
1746	0.063378
1747	0.031686
1748	0.063371
1749	0.031686
1750	0.063378
1751	0.063378
1752	0.050701
1753	0.063378
1754	0.088725
1755	0.063378
1756	0.050701
1757	0.063371
1758	0.063378
1759	0.063378
1760	0.031686
1761	0.063368
1762	0.031684

1763	0.063375
1764	0.063375
1765	0.050698
1766	0.063375
1767	0.088721
1768	0.063375
1769	0.050698
1770	0.063368
1771	0.063375
1772	0.063375
1773	0.031684
1774	0.063368
1775	0.031684
1776	0.063375
1777	0.063375
1778	0.050698
1779	0.063375
1780	0.088721
1781	0.063375
1782	0.050698
1783	0.063368
1784	0.063375
1785	0.063375
1786	0.031684
1813	0.087501
1814	0.062503
1815	0.087507
1816	0.122505
1817	0.050001
1818	0.070004
1819	0.062503
1820	0.087507
1821	0.062503
1822	0.087507
1823	0.062497
1824	0.087498
1825	0.031249
1826	0.043749
1827	0.062497
1828	0.087498
1829	0.050001
1830	0.070004
1831	0.062503
1832	0.087507
1833	0.062503
1834	0.087507
1835	0.062503
1836	0.087507
1837	0.031249
1838	0.043749
1839	0.069999
1840	0.050001
1841	0.040000
1842	0.050001
1843	0.050001
1844	0.049996

1845	0.024998
1846	0.049996
1847	0.040000
1848	0.050001
1849	0.050001
1850	0.050001
1851	0.024998
1852	0.087501
1853	0.062503
1854	0.050001
1855	0.062503
1856	0.062503
1857	0.062497
1858	0.031249
1859	0.062497
1860	0.050001
1861	0.062503
1862	0.062503
1863	0.062503
1864	0.031249
1865	0.087492
1866	0.062497
1867	0.049996
1868	0.062497
1869	0.062497
1870	0.062491
1871	0.031245
1872	0.062491
1873	0.049996
1874	0.062497
1875	0.062497
1876	0.062497
1877	0.031245
1878	0.087501
1879	0.062503
1880	0.050001
1881	0.062503
1882	0.062503
1883	0.062497
1884	0.031249
1885	0.062497
1886	0.050001
1887	0.062503
1888	0.062503
1889	0.062503
1890	0.031249
1891	0.043755
1892	0.031255
1893	0.025003
1894	0.031255
1895	0.031255
1896	0.031252
1897	0.015626
1898	0.031252
1899	0.025003
1900	0.031255

1901	0.031255
1902	0.031255
1903	0.015626
1904	0.062497
1905	0.087492
1906	0.049996
1907	0.062497
1908	0.062497
1909	0.062491
1910	0.031245
1911	0.062491
1912	0.049996
1913	0.062497
1914	0.062497
1915	0.062497
1916	0.031245
1917	0.050001
1918	0.069999
1919	0.040000
1920	0.050001
1921	0.050001
1922	0.049996
1923	0.024998
1924	0.049996
1925	0.040000
1926	0.050001
1927	0.050001
1928	0.050001
1929	0.024998
1930	0.062503
1931	0.087501
1932	0.050001
1933	0.062503
1934	0.062503
1935	0.062497
1936	0.031249
1937	0.062497
1938	0.050001
1939	0.062503
1940	0.062503
1941	0.062503
1942	0.031249
1943	0.062497
1944	0.087492
1945	0.049996
1946	0.062497
1947	0.062497
1948	0.062491
1949	0.031245
1950	0.062491
1951	0.049996
1952	0.062497
1953	0.062497
1954	0.062497
1955	0.031245
1956	0.062503

1957	0.087501
1958	0.050001
1959	0.062503
1960	0.062503
1961	0.062497
1962	0.031249
1963	0.062497
1964	0.050001
1965	0.062503
1966	0.062503
1967	0.062503
1968	0.031249
1969	0.031255
1970	0.043755
1971	0.025003
1972	0.031255
1973	0.031255
1974	0.031252
1975	0.015626
1976	0.031252
1977	0.025003
1978	0.031255
1979	0.031255
1980	0.031255
1981	0.015626
1982	0.087501
1983	0.062503
1984	0.087507
1985	0.122505
1986	0.050001
1987	0.070004
1988	0.062503
1989	0.087507
1990	0.062503
1991	0.087507
1992	0.062497
1993	0.087498
1994	0.031249
1995	0.043749
1996	0.062503
1997	0.087507
1998	0.050001
1999	0.070004
2000	0.062497
2001	0.087498
2002	0.062503
2003	0.087507
2004	0.062503
2005	0.087507
2006	0.031249
2007	0.043749
2008	0.069999
2009	0.050001
2010	0.040000
2011	0.050001
2012	0.050001

2013	0.049996
2014	0.024998
2015	0.050001
2016	0.040000
2017	0.049996
2018	0.050001
2019	0.050001
2020	0.024998
2021	0.087501
2022	0.062503
2023	0.050001
2024	0.062503
2025	0.062503
2026	0.062497
2027	0.031249
2028	0.062503
2029	0.050001
2030	0.062497
2031	0.062503
2032	0.062503
2033	0.031249
2034	0.087492
2035	0.062497
2036	0.049996
2037	0.062497
2038	0.062497
2039	0.062491
2040	0.031245
2041	0.062497
2042	0.049996
2043	0.062491
2044	0.062497
2045	0.062497
2046	0.031245
2047	0.087501
2048	0.062503
2049	0.050001
2050	0.062503
2051	0.062503
2052	0.062497
2053	0.031249
2054	0.062503
2055	0.050001
2056	0.062497
2057	0.062503
2058	0.062503
2059	0.031249
2060	0.043755
2061	0.031255
2062	0.025003
2063	0.031255
2064	0.031255
2065	0.031252
2066	0.015626
2067	0.031255
2068	0.025003

2069	0.031252
2070	0.031255
2071	0.031255
2072	0.015626
2073	0.062497
2074	0.087492
2075	0.049996
2076	0.062497
2077	0.062497
2078	0.062491
2079	0.031245
2080	0.062497
2081	0.049996
2082	0.062491
2083	0.062497
2084	0.062497
2085	0.031245
2086	0.050001
2087	0.069999
2088	0.040000
2089	0.050001
2090	0.050001
2091	0.049996
2092	0.024998
2093	0.050001
2094	0.040000
2095	0.049996
2096	0.050001
2097	0.050001
2098	0.024998
2099	0.062503
2100	0.087501
2101	0.050001
2102	0.062503
2103	0.062503
2104	0.062497
2105	0.031249
2106	0.062503
2107	0.050001
2108	0.062497
2109	0.062503
2110	0.062503
2111	0.031249
2112	0.062497
2113	0.087492
2114	0.049996
2115	0.062497
2116	0.062497
2117	0.062491
2118	0.031245
2119	0.062497
2120	0.049996
2121	0.062491
2122	0.062497
2123	0.062497
2124	0.031245

2125	0.062503
2126	0.087501
2127	0.050001
2128	0.062503
2129	0.062503
2130	0.062497
2131	0.031249
2132	0.062503
2133	0.050001
2134	0.062497
2135	0.062503
2136	0.062503
2137	0.031249
2138	0.031255
2139	0.043755
2140	0.025003
2141	0.031255
2142	0.031255
2143	0.031252
2144	0.015626
2145	0.031255
2146	0.025003
2147	0.031252
2148	0.031255
2149	0.031255
2150	0.015626
2151	0.087501
2152	0.062503
2153	0.087507
2154	0.122505
2155	0.050001
2156	0.070004
2157	0.062497
2158	0.087498
2159	0.062503
2160	0.087507
2161	0.062503
2162	0.087507
2163	0.031249
2164	0.043749
2165	0.062503
2166	0.087507
2167	0.050001
2168	0.070004
2169	0.062503
2170	0.087507
2171	0.062503
2172	0.087507
2173	0.062497
2174	0.087498
2175	0.031249
2176	0.043749
2177	0.069999
2178	0.050001
2179	0.040000
2180	0.049996

2181	0.050001
2182	0.050001
2183	0.024998
2184	0.050001
2185	0.040000
2186	0.050001
2187	0.050001
2188	0.049996
2189	0.024998
2190	0.087501
2191	0.062503
2192	0.050001
2193	0.062497
2194	0.062503
2195	0.062503
2196	0.031249
2197	0.062503
2198	0.050001
2199	0.062503
2200	0.062503
2201	0.062497
2202	0.031249
2203	0.087492
2204	0.062497
2205	0.049996
2206	0.062491
2207	0.062497
2208	0.062497
2209	0.031245
2210	0.062497
2211	0.049996
2212	0.062497
2213	0.062497
2214	0.062491
2215	0.031245
2216	0.087501
2217	0.062503
2218	0.050001
2219	0.062497
2220	0.062503
2221	0.062503
2222	0.031249
2223	0.062503
2224	0.050001
2225	0.062503
2226	0.062503
2227	0.062497
2228	0.031249
2229	0.043755
2230	0.031255
2231	0.025003
2232	0.031252
2233	0.031255
2234	0.031255
2235	0.015626
2236	0.031255

2237	0.025003
2238	0.031255
2239	0.031255
2240	0.031252
2241	0.015626
2242	0.062497
2243	0.087492
2244	0.049996
2245	0.062491
2246	0.062497
2247	0.062497
2248	0.031245
2249	0.062497
2250	0.049996
2251	0.062497
2252	0.062497
2253	0.062491
2254	0.031245
2255	0.050001
2256	0.069999
2257	0.040000
2258	0.049996
2259	0.050001
2260	0.050001
2261	0.024998
2262	0.050001
2263	0.040000
2264	0.050001
2265	0.050001
2266	0.049996
2267	0.024998
2268	0.062503
2269	0.087501
2270	0.050001
2271	0.062497
2272	0.062503
2273	0.062503
2274	0.031249
2275	0.062503
2276	0.050001
2277	0.062503
2278	0.062503
2279	0.062497
2280	0.031249
2281	0.062497
2282	0.087492
2283	0.049996
2284	0.062491
2285	0.062497
2286	0.062497
2287	0.031245
2288	0.062497
2289	0.049996
2290	0.062497
2291	0.062497
2292	0.062491

2293	0.031245
2294	0.062503
2295	0.087501
2296	0.050001
2297	0.062497
2298	0.062503
2299	0.062503
2300	0.031249
2301	0.062503
2302	0.050001
2303	0.062503
2304	0.062503
2305	0.062497
2306	0.031249
2307	0.031255
2308	0.043755
2309	0.025003
2310	0.031252
2311	0.031255
2312	0.031255
2313	0.015626
2314	0.031255
2315	0.025003
2316	0.031255
2317	0.031255
2318	0.031252
2319	0.015626
TOTAL	105.658180

```
1808. DEFINE REFERENCE LOADS
 **WARNING- THIS STRUCTURE IS DISJOINTED. IGNORE IF
            MASTER/SLAVE OR IF UNCONNECTED JOINTS.
1809. LOAD R1 DEAD LOAD (DL)
1810. JOINT LOAD
1811. 1 FX 0.019 FY -30 FZ -2.025
1812. 2 FX -1.475 FY -62.149 FZ 0.025
1813. 3 FX 1.511 FY -37.354 FZ -0.02
1814. 4 FX -0.213 FY -36.832 FZ -3.24
1815. 5 FX -0.144 FY -86.962 FZ 0.009
1816. 6 FX 0.362 FY -41.216 FZ -15.004
1817. 7 FX -0.02 FY -161.864 FZ 5.33
1818. 8 FX -0.018 FY -148.081 FZ -0.072
1819. 9 FX -1 FY -72.737 FZ -0.04
1820. 10 FX 0.964 FY -126.698 FZ 0.014
1821. 11 FX 0.014 FY -79.629 FZ 15.023
1822. SELFWEIGHT Y -1
1823. ELEMENT LOAD
1824. 584 TO 1655 1680 TO 1859 1884 TO 2315 PR GY -40
1825. LOAD R2 LIVE LOAD (LL)
1826. JOINT LOAD
1827. 1 FX -0.054 FY -74.561 FZ -8.914
1828. 2 FX 0.314 FY -139.96 FZ 0.024
1829. 3 FX 0.408 FY -84.975 FZ -0.049
1830. 4 FX -0.842 FY -102.906 FZ -5.004
1831. 5 FX -0.731 FY -296.704 FZ 0.009
1832. 6 FX 1.673 FY -137.05 FZ -31.19
1833. 7 FX -0.088 FY -305.352 FZ 14.65
```

1834. 8 FX -0.08 FY -301.545 FZ -0.146
1835. 9 FX -0.364 FY -142.84 FZ 0
1836. 10 FX -0.208 FY -342.603 FZ 0.011
1837. 11 FX -0.027 FY -169.688 FZ 30.611
1838. LOAD R3 OPERATING FLUID LOAD (FL)
1839. JOINT LOAD
1840. 1 FX 0.136 FY -1.62 FZ 0.044
1841. 2 FX -0.094 FY -0.195 FZ 0.006
1842. 3 FX -0.099 FY 0.195 FZ 0.001
1843. 4 FX 0.153 FY -2.426 FZ -0.611
1844. 5 FX -0.001 FY -0.037 FZ 0.002
1845. 6 FX -0.002 FY -0.095 FZ -0.146
1846. 7 FX 0.02 FY -23.656 FZ 0.569
1847. 8 FX -0.073 FY -1.172 FZ 0.003
1848. 9 FX -0.056 FY -36.62 FZ 0.027
1849. 10 FX -0.014 FY 5.529 FZ 0.011
1850. 11 FX 0.029 FY 1.256 FZ 0.094
1851. LOAD R4 EQP DL (+X+Z) (EQDL1)
1852. JOINT LOAD
1853. 1 FX 0.193 FY -32.941 FZ 2.045
1854. 2 FX 0.03 FY -128.102 FZ -0.058
1855. 3 FX -0.324 FY -57.222 FZ 0.004
1856. 4 FX -0.063 FY -9.198 FZ -5.435
1857. 5 FX -0.035 FY -74.734 FZ -0.02
1858. 6 FX 0.027 FY -12.845 FZ -22.365
1859. 7 FX -0.009 FY -233.199 FZ 3.254
1860. 8 FX -0.009 FY -219.422 FZ -0.013
1861. 9 FX 0.1 FY -26.968 FZ 0.045
1862. 10 FX 0.098 FY -36.732 FZ -0.078
1863. 11 FX -0.009 FY -46.527 FZ 22.621
1864. LOAD R6 EQP DYNAMIC LOAD (-Y+X+Z)(EQDY1)
1865. JOINT LOAD
1866. 1 FX 0 FY -0.028 FZ 0.127
1867. 2 FX 0.003 FY -0.704 FZ -0.009
1868. 3 FX 0.002 FY -0.333 FZ -0.003
1869. 4 FX -0.001 FY 0.231 FZ 0.666
1870. 5 FX -0.001 FY -0.515 FZ -0.003
1871. 6 FX 0 FY 0.291 FZ 0.525
1872. 7 FX 0 FY -0.216 FZ 0.19
1873. 8 FX 0 FY 0.25 FZ -0.006
1874. 9 FX -0.003 FY -1.251 FZ -0.003
1875. 10 FX -0.003 FY -0.002 FZ -0.013
1876. 11 FX 0.001 FY -1.646 FZ 0.491
1877. LOAD R7 EQP DYNAMIC LOAD (-Y-X-Z)(EQDY2)
1878. JOINT LOAD
1879. 1 FX 0.003 FY -0.372 FZ -0.113
1880. 2 FX -0.003 FY -0.702 FZ 0.008
1881. 3 FX -0.007 FY -0.335 FZ 0.003
1882. 4 FX 0 FY -0.316 FZ -0.704
1883. 5 FX 0 FY -0.512 FZ 0.003
1884. 6 FX 0 FY -0.398 FZ -0.706
1885. 7 FX 0 FY -1.662 FZ -0.167
1886. 8 FX 0 FY -2.042 FZ 0.006
1887. 9 FX 0.004 FY 1.084 FZ 0.003
1888. 10 FX 0.004 FY -0.003 FZ 0.011
1889. 11 FX -0.001 FY 1.335 FZ -0.305

```
1890. LOAD R8 EQP DYNAMIC LOAD (+Y+X+Z)(EQDY3)
1891. JOINT LOAD
1892. 1 FX -0.003 FY 0.372 FZ 0.113
1893. 2 FX 0.003 FY 0.702 FZ -0.008
1894. 3 FX 0.007 FY 0.335 FZ -0.003
1895. 4 FX 0 FY 0.316 FZ 0.704
1896. 5 FX 0 FY 0.512 FZ -0.003
1897. 6 FX 0 FY 0.398 FZ 0.706
1898. 7 FX 0 FY 1.662 FZ 0.167
1899. 8 FX 0 FY 2.042 FZ -0.006
1900. 9 FX -0.004 FY -1.084 FZ -0.003
1901. 10 FX -0.004 FY 0.003 FZ -0.011
1902. 11 FX 0.001 FY -1.335 FZ 0.305
1903. LOAD R9 EQP DYNAMIC LOAD (+Y-X-Z)(EQDY4)
1904. JOINT LOAD
1905. 1 FX 0 FY 0.028 FZ -0.127
1906. 2 FX -0.003 FY 0.704 FZ 0.009
1907. 3 FX -0.002 FY 0.333 FZ 0.003
1908. 4 FX 0.001 FY -0.231 FZ -0.666
1909. 5 FX 0.001 FY 0.515 FZ 0.003
1910. 6 FX 0 FY -0.291 FZ -0.525
1911. 7 FX 0 FY 0.216 FZ -0.19
1912. 8 FX 0 FY -0.25 FZ 0.006
1913. 9 FX 0.003 FY 1.251 FZ 0.003
1914. 10 FX 0.003 FY 0.002 FZ 0.013
1915. 11 FX -0.001 FY 1.646 FZ -0.491
1916. LOAD R10 EQP LL (EQLL)
1917. JOINT LOAD
1918. 1 FX 0.1 FY -15.222 FZ 1.904
1919. 2 FX 0.16 FY -71.611 FZ 0.004
1920. 3 FX -0.011 FY -28.909 FZ 0.005
1921. 4 FX -0.021 FY -6.325 FZ -4.619
1922. 5 FX -0.012 FY -24.373 FZ 0.002
1923. 6 FX 0.008 FY -10.008 FZ -17.727
1924. 7 FX -0.025 FY -184.959 FZ 2.921
1925. 8 FX -0.025 FY -172.056 FZ -0.05
1926. 9 FX -0.079 FY -26.47 FZ 0.032
1927. 10 FX -0.07 FY -76.145 FZ -0.008
1928. 11 FX -0.025 FY -44.891 FZ 17.537
1929. LOAD R11 WIND LOAD (+X) WL(+X)
1930. JOINT LOAD
1931. 1 FX 0.732 FY 0.626 FZ 0.095
1932. 2 FX 25.002 FY 48.721 FZ -0.073
1933. 3 FX 25.998 FY -48.721 FZ 0.017
1934. 4 FX 4.252 FY -1.536 FZ 1.768
1935. 5 FX 5.985 FY 0.284 FZ -0.025
1936. 6 FX 4.277 FY 0.98 FZ -1.491
1937. 7 FX 5.792 FY 0.665 FZ 0.865
1938. 8 FX 5.811 FY -1.926 FZ 0.024
1939. 9 FX 31.684 FY 76.456 FZ 0.017
1940. 10 FX 33.955 FY -78.206 FZ -0.052
1941. 11 FX 1.078 FY 2.657 FZ -1.146
1942. LOAD R12 WIND LOAD (-X) WL(-X)
1943. JOINT LOAD
1944. 1 FX -0.736 FY -0.588 FZ -0.052
1945. 2 FX -24.038 FY -46.297 FZ 0.061
```

1946. 3 FX -25.002 FY 46.297 FZ -0.017
1947. 4 FX -4.24 FY 1.684 FZ -1.68
1948. 5 FX -5.957 FY -0.307 FZ 0.02
1949. 6 FX -4.265 FY -1.103 FZ 1.463
1950. 7 FX -5.842 FY -1.192 FZ -0.835
1951. 8 FX -5.889 FY 2.336 FZ -0.024
1952. 9 FX -27.356 FY -59.417 FZ -0.011
1953. 10 FX -29.421 FY 61.658 FZ 0.043
1954. 11 FX -1.082 FY -3.071 FZ 1.032
1955. LOAD R13 WIND LOAD (+Z) WL(+Z)
1956. JOINT LOAD
1957. 1 FX -0.307 FY 17.913 FZ 13.029
1958. 2 FX 0.709 FY 0.167 FZ 8.2
1959. 3 FX 0.99 FY -0.168 FZ 1.281
1960. 4 FX -0.012 FY 20.419 FZ 60.141
1961. 5 FX -0.025 FY 1.18 FZ 4.184
1962. 6 FX -0.014 FY 24.616 FZ 44.947
1963. 7 FX 0.107 FY 30.813 FZ 19.592
1964. 8 FX 0.108 FY 59.949 FZ 1.865
1965. 9 FX -0.787 FY -69.389 FZ 1.425
1966. 10 FX -0.827 FY -0.897 FZ 9.615
1967. 11 FX 0.058 FY -84.605 FZ 34.939
1968. LOAD R14 WIND LOAD (-Z) WL(-Z)
1969. JOINT LOAD
1970. 1 FX 0.306 FY -17.946 FZ -13.045
1971. 2 FX -0.751 FY -0.257 FZ -8.186
1972. 3 FX -1.032 FY 0.257 FZ -1.282
1973. 4 FX 0.01 FY -20.435 FZ -60.225
1974. 5 FX 0.021 FY -1.185 FZ -4.179
1975. 6 FX 0.012 FY -24.592 FZ -44.895
1976. 7 FX -0.118 FY -30.787 FZ -19.619
1977. 8 FX -0.12 FY -59.883 FZ -1.866
1978. 9 FX 0.843 FY 69.506 FZ -1.425
1979. 10 FX 0.886 FY 0.818 FZ -9.599
1980. 11 FX -0.058 FY 84.505 FZ -34.898
1981. LOAD R15 SEISMIC LOAD (+X) SL(+X)
1982. JOINT LOAD
1983. 1 FX -0.111 FY 0.252 FZ 0.004
1984. 2 FX 28.043 FY 61.979 FZ -0.076
1985. 3 FX 29.028 FY -61.979 FZ 0.001
1986. 4 FX 0.757 FY -0.561 FZ -0.684
1987. 5 FX 1.037 FY -0.007 FZ -0.026
1988. 6 FX 0.704 FY 0.476 FZ 0.936
1989. 7 FX 1.404 FY -6.463 FZ 0.112
1990. 8 FX 1.393 FY 5.92 FZ -0.003
1991. 9 FX 36.758 FY 122.081 FZ 0.051
1992. 10 FX 38.3 FY -115.253 FZ -0.043
1993. 11 FX -0.01 FY -6.444 FZ -0.272
1994. LOAD R16 SEISMIC LOAD (-X) SL(-X)
1995. JOINT LOAD
1996. 1 FX 0.111 FY -0.252 FZ -0.004
1997. 2 FX -28.043 FY -61.979 FZ 0.076
1998. 3 FX -29.028 FY 61.979 FZ -0.001
1999. 4 FX -0.757 FY 0.561 FZ 0.684
2000. 5 FX -1.037 FY 0.007 FZ 0.026
2001. 6 FX -0.704 FY -0.476 FZ -0.936

2002. 7 FX -1.404 FY 6.463 FZ -0.112
2003. 8 FX -1.393 FY -5.92 FZ 0.003
2004. 9 FX -36.758 FY -122.081 FZ -0.051
2005. 10 FX -38.3 FY 115.253 FZ 0.043
2006. 11 FX 0.01 FY 6.444 FZ 0.272
2007. LOAD R17 SEISMIC LOAD (+Z) SL(+Z)
2008. JOINT LOAD
2009. 1 FX -0.189 FY 12.054 FZ 8.327
2010. 2 FX 0.189 FY -0.447 FZ 1.84
2011. 3 FX 0.354 FY 0.447 FZ -0.176
2012. 4 FX -0.016 FY 17.832 FZ 46.019
2013. 5 FX -0.029 FY -0.044 FZ 0.621
2014. 6 FX -0.015 FY 22.208 FZ 39.806
2015. 7 FX 0.064 FY 41.364 FZ 12.378
2016. 8 FX 0.066 FY 68.204 FZ -0.465
2017. 9 FX -0.226 FY -70.77 FZ -0.062
2018. 10 FX -0.249 FY -0.398 FZ 2.034
2019. 11 FX 0.051 FY -90.45 FZ 26.98
2020. LOAD R18 SEISMIC LOAD (-Z) SL(-Z)
2021. JOINT LOAD
2022. 1 FX 0.189 FY -12.054 FZ -8.327
2023. 2 FX -0.189 FY 0.447 FZ -1.84
2024. 3 FX -0.354 FY -0.447 FZ 0.176
2025. 4 FX 0.016 FY -17.832 FZ -46.019
2026. 5 FX 0.029 FY 0.044 FZ -0.621
2027. 6 FX 0.015 FY -22.208 FZ -39.806
2028. 7 FX -0.064 FY -41.364 FZ -12.378
2029. 8 FX -0.066 FY -68.204 FZ 0.465
2030. 9 FX 0.226 FY 70.77 FZ 0.062
2031. 10 FX 0.249 FY 0.398 FZ -2.034
2032. 11 FX -0.051 FY 90.45 FZ -26.98
2033. LOAD R19 TEMPERATURE LOAD (TL)
2034. JOINT LOAD
2035. 1 FX -2.234 FY -80.695 FZ 24.257
2036. 2 FX -0.346 FY -1.802 FZ -0.535
2037. 3 FX 1.162 FY 1.802 FZ -1.128
2038. 4 FX -0.455 FY 130.86 FZ -156.407
2039. 5 FX -0.195 FY 1.095 FZ -0.094
2040. 6 FX 0.29 FY -26.722 FZ -48.334
2041. 7 FX -0.399 FY -52.369 FZ 129.569
2042. 8 FX 0.561 FY 61.278 FZ -0.519
2043. 9 FX -1.009 FY 3.993 FZ 0.859
2044. 10 FX 0.307 FY -2.607 FZ 0.49
2045. 11 FX 2.318 FY -34.833 FZ 51.84
2046. LOAD R20 PIPE LATERAL LOAD (PL)
2047. JOINT LOAD
2048. 1 FX 0.02 FY 3.461 FZ 2.241
2049. 2 FX 0.96 FY 1.526 FZ -0.038
2050. 3 FX 0.991 FY -1.526 FZ -0.01
2051. 4 FX 0.35 FY 4.408 FZ 12.5
2052. 5 FX 0.041 FY 0.176 FZ -0.013
2053. 6 FX 0.026 FY 0.893 FZ 1.824
2054. 7 FX -0.034 FY 23.281 FZ 3.34
2055. 8 FX -0.029 FY 4.967 FZ -0.019
2056. 9 FX 8.942 FY 7.704 FZ -0.045
2057. 10 FX 9.33 FY -38.903 FZ -0.036

```
2058. 11 FX -0.003 FY -5.986 FZ 0.85
2059. END DEFINE REFERENCE LOADS
2060. ********************************************************************************
2061. LOAD 1001 1.4(DL+EQDL1+FL)
2062. REFERENCE LOAD
2063. R1 1.4 R4 1.4 R3 1.4
2064. LOAD 1003 1.4(DL+EQDL1+FL)+1.7(LL+EQDY1+EQLL)
2065. REFERENCE LOAD
2066. R1 1.4 R4 1.4 R3 1.4 R2 1.7 R6 1.7 R10 1.7
2067. LOAD 1004 1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)
2068. REFERENCE LOAD
2069. R1 1.4 R4 1.4 R3 1.4 R2 1.7 R7 1.7 R10 1.7
2070. LOAD 1005 1.4(DL+EQDL1+FL)+1.7(LL+EQDY3+EQLL)
2071. REFERENCE LOAD
2072. R1 1.4 R4 1.4 R3 1.4 R2 1.7 R8 1.7 R10 1.7
2073. LOAD 1006 1.4(DL+EQDL1+FL)+1.7(LL+EQDY4+EQLL)
2074. REFERENCE LOAD
2075. R1 1.4 R4 1.4 R3 1.4 R2 1.7 R9 1.7 R10 1.7
2076. *
2077. LOAD 1011 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)
2078. REFERENCE LOAD
2079. R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R6 1.7 R10 1.7
2080. LOAD 1012 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)
2081. REFERENCE LOAD
2082. R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R7 1.7 R10 1.7
2083. LOAD 1013 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY3+EQLL)
2084. REFERENCE LOAD
2085. R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R8 1.7 R10 1.7
2086. LOAD 1014 1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY4+EQLL)
2087. REFERENCE LOAD
2088. R1 1.4 R4 1.4 R3 1.4 R19 1.4 R2 1.7 R9 1.7 R10 1.7
2089. *
2090. LOAD 1019 1.4(DL+EQDL1+FL+PL)
2091. REFERENCE LOAD
2092. R1 1.4 R4 1.4 R3 1.4 R20 1.4
2093. LOAD 1021 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)
2094. REFERENCE LOAD
2095. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R6 1.7 R10 1.7
2096. LOAD 1022 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY2+EQLL)
2097. REFERENCE LOAD
2098. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R7 1.7 R10 1.7
2099. LOAD 1023 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY3+EQLL)
2100. REFERENCE LOAD
2101. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R8 1.7 R10 1.7
2102. LOAD 1024 1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY4+EQLL)
2103. REFERENCE LOAD
2104. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R2 1.7 R9 1.7 R10 1.7
2105. *
2106. LOAD 1029 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)
2107. REFERENCE LOAD
2108. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R6 1.7 R10 1.7
2109. LOAD 1030 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)
2110. REFERENCE LOAD
2111. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R7 1.7 R10 1.7
2112. LOAD 1031 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)
2113. REFERENCE LOAD
```

```
2114. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R8 1.7 R10 1.7
2115. LOAD 1032 1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)
2116. REFERENCE LOAD
2117. R1 1.4 R4 1.4 R3 1.4 R20 1.4 R19 1.4 R2 1.7 R9 1.7 R10 1.7
2118. *
2119. LOAD 1037 1.2(DL+EQDL1)+0.8WL(+X)
2120. REFERENCE LOAD
2121. R1 1.2 R4 1.2 R11 0.8
2122. LOAD 1038 1.2(DL+EQDL1)+0.8WL(-X)
2123. REFERENCE LOAD
2124. R1 1.2 R4 1.2 R12 0.8
2125. LOAD 1039 1.2(DL+EQDL1)+0.8WL(+Z)
2126. REFERENCE LOAD
2127. R1 1.2 R4 1.2 R13 0.8
2128. LOAD 1040 1.2(DL+EQDL1)+0.8WL(-Z)
2129. REFERENCE LOAD
2130. R1 1.2 R4 1.2 R14 0.8
2131. *
2132. LOAD 1045 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY1+EQLL)
2133. REFERENCE LOAD
2134. R1 1.2 R4 1.2 R11 1.6 R2 0.5 R6 0.5 R10 0.5
2135. LOAD 1046 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY1+EQLL)
2136. REFERENCE LOAD
2137. R1 1.2 R4 1.2 R12 1.6 R2 0.5 R6 0.5 R10 0.5
2138. LOAD 1047 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY1+EQLL)
2139. REFERENCE LOAD
2140. R1 1.2 R4 1.2 R13 1.6 R2 0.5 R6 0.5 R10 0.5
2141. LOAD 1048 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY1+EQLL)
2142. REFERENCE LOAD
2143. R1 1.2 R4 1.2 R14 1.6 R2 0.5 R6 0.5 R10 0.5
2144. LOAD 1049 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY2+EQLL)
2145. REFERENCE LOAD
2146. R1 1.2 R4 1.2 R11 1.6 R2 0.5 R7 0.5 R10 0.5
2147. LOAD 1050 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY2+EQLL)
2148. REFERENCE LOAD
2149. R1 1.2 R4 1.2 R12 1.6 R2 0.5 R7 0.5 R10 0.5
2150. LOAD 1051 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY2+EQLL)
2151. REFERENCE LOAD
2152. R1 1.2 R4 1.2 R13 1.6 R2 0.5 R7 0.5 R10 0.5
2153. LOAD 1052 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY2+EQLL)
2154. REFERENCE LOAD
2155. R1 1.2 R4 1.2 R14 1.6 R2 0.5 R7 0.5 R10 0.5
2156. LOAD 1053 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY3+EQLL)
2157. REFERENCE LOAD
2158. R1 1.2 R4 1.2 R11 1.6 R2 0.5 R8 0.5 R10 0.5
2159. LOAD 1054 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY3+EQLL)
2160. REFERENCE LOAD
2161. R1 1.2 R4 1.2 R12 1.6 R2 0.5 R8 0.5 R10 0.5
2162. LOAD 1055 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY3+EQLL)
2163. REFERENCE LOAD
2164. R1 1.2 R4 1.2 R13 1.6 R2 0.5 R8 0.5 R10 0.5
2165. LOAD 1056 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY3+EQLL)
2166. REFERENCE LOAD
2167. R1 1.2 R4 1.2 R14 1.6 R2 0.5 R8 0.5 R10 0.5
2168. LOAD 1057 1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY4+EQLL)
2169. REFERENCE LOAD
```

```
2170. R1 1.2 R4 1.2 R11 1.6 R2 0.5 R9 0.5 R10 0.5
2171. LOAD 1058 1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY4+EQLL)
2172. REFERENCE LOAD
2173. R1 1.2 R4 1.2 R12 1.6 R2 0.5 R9 0.5 R10 0.5
2174. LOAD 1059 1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY4+EQLL)
2175. REFERENCE LOAD
2176. R1 1.2 R4 1.2 R13 1.6 R2 0.5 R9 0.5 R10 0.5
2177. LOAD 1060 1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY4+EQLL)
2178. REFERENCE LOAD
2179. R1 1.2 R4 1.2 R14 1.6 R2 0.5 R9 0.5 R10 0.5
2180. *
2181. LOAD 1077 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY1+EQLL)+0.5FL
2182. REFERENCE LOAD
2183. R1 1.2 R4 1.2 R15 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
2184. LOAD 1078 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY1+EQLL)+0.5FL
2185. REFERENCE LOAD
2186. R1 1.2 R4 1.2 R16 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
2187. LOAD 1079 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY1+EQLL)+0.5FL
2188. REFERENCE LOAD
2189. R1 1.2 R4 1.2 R17 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
2190. LOAD 1080 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY1+EQLL)+0.5FL
2191. REFERENCE LOAD
2192. R1 1.2 R4 1.2 R18 1.0 R2 0.5 R6 0.5 R10 0.5 R3 0.5
2193. LOAD 1081 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY2+EQLL)+0.5FL
2194. REFERENCE LOAD
2195. R1 1.2 R4 1.2 R15 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
2196. LOAD 1082 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY2+EQLL)+0.5FL
2197. REFERENCE LOAD
2198. R1 1.2 R4 1.2 R16 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
2199. LOAD 1083 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY2+EQLL)+0.5FL
2200. REFERENCE LOAD
2201. R1 1.2 R4 1.2 R17 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
2202. LOAD 1084 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY2+EQLL)+0.5FL
2203. REFERENCE LOAD
2204. R1 1.2 R4 1.2 R18 1.0 R2 0.5 R7 0.5 R10 0.5 R3 0.5
2205. LOAD 1085 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY3+EQLL)+0.5FL
2206. REFERENCE LOAD
2207. R1 1.2 R4 1.2 R15 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
2208. LOAD 1086 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY3+EQLL)+0.5FL
2209. REFERENCE LOAD
2210. R1 1.2 R4 1.2 R16 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
2211. LOAD 1087 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY3+EQLL)+0.5FL
2212. REFERENCE LOAD
2213. R1 1.2 R4 1.2 R17 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
2214. LOAD 1088 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY3+EQLL)+0.5FL
2215. REFERENCE LOAD
2216. R1 1.2 R4 1.2 R18 1.0 R2 0.5 R8 0.5 R10 0.5 R3 0.5
2217. LOAD 1089 1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY4+EQLL)+0.5FL
2218. REFERENCE LOAD
2219. R1 1.2 R4 1.2 R15 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
2220. LOAD 1090 1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY4+EQLL)+0.5FL
2221. REFERENCE LOAD
2222. R1 1.2 R4 1.2 R16 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
2223. LOAD 1091 1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY4+EQLL)+0.5FL
2224. REFERENCE LOAD
2225. R1 1.2 R4 1.2 R17 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
```

```
2226. LOAD 1092 1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY4+EQLL)+0.5FL
2227. REFERENCE LOAD
2228. R1 1.2 R4 1.2 R18 1.0 R2 0.5 R9 0.5 R10 0.5 R3 0.5
2229. *
2230. LOAD 1109 0.9(DL+EQDL1)+1.6WL(+X)
2231. REFERENCE LOAD
2232. R1 0.9 R4 0.9 R11 1.6
2233. LOAD 1110 0.9(DL+EQDL1)+1.6WL(-X)
2234. REFERENCE LOAD
2235. R1 0.9 R4 0.9 R12 1.6
2236. LOAD 1111 0.9(DL+EQDL1)+1.6WL(+Z)
2237. REFERENCE LOAD
2238. R1 0.9 R4 0.9 R13 1.6
2239. LOAD 1112 0.9(DL+EQDL1)+1.6WL(-Z)
2240. REFERENCE LOAD
2241. R1 0.9 R4 0.9 R14 1.6
2242. *
2243. LOAD 1117 0.9(DL+EQDL1)+SL(+X)
2244. REFERENCE LOAD
2245. R1 0.9 R4 0.9 R15 1.0
2246. LOAD 1118 0.9(DL+EQDL1)+SL(-X)
2247. REFERENCE LOAD
2248. R1 0.9 R4 0.9 R16 1.0
2249. LOAD 1119 0.9(DL+EQDL1)+SL(+Z)
2250. REFERENCE LOAD
2251. R1 0.9 R4 0.9 R17 1.0
2252. LOAD 1120 0.9(DL+EQDL1)+SL(-Z)
2253. REFERENCE LOAD
2254. R1 0.9 R4 0.9 R18 1.0
2255. *
2256. ****
2257. LOAD 2001 DL+EQDL1+FL
2258. REFERENCE LOAD
2259. R1 1.0 R4 1.0 R3 1.0
2260. LOAD 2003 DL+EQDL1+FL+LL+EQDY1+EQLL+TL
2261. REFERENCE LOAD
2262. R1 1.0 R4 1.0 R3 1.0 R2 1.0 R6 1.0 R10 1.0 R19 1.0
2263. LOAD 2004 DL+EQDL1+FL+LL+EQDY2+EQLL+TL
2264. REFERENCE LOAD
2265. R1 1.0 R4 1.0 R3 1.0 R2 1.0 R7 1.0 R10 1.0 R19 1.0
2266. LOAD 2005 DL+EQDL1+FL+LL+EQDY3+EQLL+TL
2267. REFERENCE LOAD
2268. R1 1.0 R4 1.0 R3 1.0 R2 1.0 R8 1.0 R10 1.0 R19 1.0
2269. LOAD 2006 DL+EQDL1+FL+LL+EQDY4+EQLL+TL
2270. REFERENCE LOAD
2271. R1 1.0 R4 1.0 R3 1.0 R2 1.0 R9 1.0 R10 1.0 R19 1.0
2272. *
2273. LOAD 2011 DL+EQDL1+FL+0.75(LL+EQDY1+EQLL)+0.75TL
2274. REFERENCE LOAD
2275. R1 1.0 R4 1.0 R3 1.0 R2 0.75 R6 0.75 R10 0.75 R19 0.75
2276. LOAD 2012 DL+EQDL1+FL+0.75(LL+EQDY2+EQLL)+0.75TL
2277. REFERENCE LOAD
2278. R1 1.0 R4 1.0 R3 1.0 R2 0.75 R7 0.75 R10 0.75 R19 0.75
2279. LOAD 2013 DL+EQDL1+FL+0.75(LL+EQDY3+EQLL)+0.75TL
2280. REFERENCE LOAD
2281. R1 1.0 R4 1.0 R3 1.0 R2 0.75 R8 0.75 R10 0.75 R19 0.75
```

```
2282. LOAD 2014 DL+EQDL1+FL+0.75(LL+EQDY4+EQLL)+0.75TL
2283. REFERENCE LOAD
2284. R1 1.0 R4 1.0 R3 1.0 R2 0.75 R9 0.75 R10 0.75 R19 0.75
2285. *
2286. LOAD 2019 DL+EQDL1+FL+PL
2287. REFERENCE LOAD
2288. R1 1.0 R4 1.0 R3 1.0 R20 1.0
2289. LOAD 2021 DL+EQDL1+FL+PL+LL+EQDY1+EQLL+TL
2290. REFERENCE LOAD
2291. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R6 1.0 R10 1.0 R19 1.0
2292. LOAD 2022 DL+EQDL1+FL+PL+LL+EQDY2+EQLL+TL
2293. REFERENCE LOAD
2294. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R7 1.0 R10 1.0 R19 1.0
2295. LOAD 2023 DL+EQDL1+FL+PL+LL+EQDY3+EQLL+TL
2296. REFERENCE LOAD
2297. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R8 1.0 R10 1.0 R19 1.0
2298. LOAD 2024 DL+EQDL1+FL+PL+LL+EQDY4+EQLL+TL
2299. REFERENCE LOAD
2300. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 1.0 R9 1.0 R10 1.0 R19 1.0
2301. *
2302. LOAD 2029 DL+EQDL1+FL+PL+0.75(LL+EQDY1+EQLL)+0.75TL
2303. REFERENCE LOAD
2304. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R6 0.75 R10 0.75 R19 0.75
2305. LOAD 2030 DL+EQDL1+FL+PL+0.75(LL+EQDY2+EQLL)+0.75TL
2306. REFERENCE LOAD
2307. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R7 0.75 R10 0.75 R19 0.75
2308. LOAD 2031 DL+EQDL1+FL+PL+0.75(LL+EQDY3+EQLL)+0.75TL
2309. REFERENCE LOAD
2310. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R8 0.75 R10 0.75 R19 0.75
2311. LOAD 2032 DL+EQDL1+FL+PL+0.75(LL+EQDY4+EQLL)+0.75TL
2312. REFERENCE LOAD
2313. R1 1.0 R4 1.0 R3 1.0 R20 1.0 R2 0.75 R9 0.75 R10 0.75 R19 0.75
2314. *
2315. LOAD 2037 DL+EQDL1+FL+WL(+X)
2316. REFERENCE LOAD
2317. R1 1.0 R4 1.0 R3 1.0 R11 1.0
2318. LOAD 2038 DL+EQDL1+FL+WL(-X)
2319. REFERENCE LOAD
2320. R1 1.0 R4 1.0 R3 1.0 R12 1.0
2321. LOAD 2039 DL+EQDL1+FL+WL(+Z)
2322. REFERENCE LOAD
2323. R1 1.0 R4 1.0 R3 1.0 R13 1.0
2324. LOAD 2040 DL+EQDL1+FL+WL(-Z)
2325. REFERENCE LOAD
2326. R1 1.0 R4 1.0 R3 1.0 R14 1.0
2327. *
2328. LOAD 2045 DL+EQDL1+FL+0.7SL(+X)
2329. REFERENCE LOAD
2330. R1 1.0 R4 1.0 R3 1.0 R15 0.7
2331. LOAD 2046 DL+EQDL1+FL+0.7SL(-X)
2332. REFERENCE LOAD
2333. R1 1.0 R4 1.0 R3 1.0 R16 0.7
2334. LOAD 2047 DL+EQDL1+FL+0.7SL(+Z)
2335. REFERENCE LOAD
2336. R1 1.0 R4 1.0 R3 1.0 R17 0.7
2337. LOAD 2048 DL+EQDL1+FL+0.7SL(-Z)
```

```
2338. REFERENCE LOAD
2339. R1 1.0 R4 1.0 R3 1.0 R18 0.7
2340. *
2341. LOAD 2053 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY1+EQLL)
2342. REFERENCE LOAD
2343. R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R6 0.75 R10 0.75
2344. LOAD 2054 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY1+EQLL)
2345. REFERENCE LOAD
2346. R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R6 0.75 R10 0.75
2347. LOAD 2055 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY1+EQLL)
2348. REFERENCE LOAD
2349. R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R6 0.75 R10 0.75
2350. LOAD 2056 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY1+EQLL)
2351. REFERENCE LOAD
2352. R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R6 0.75 R10 0.75
2353. LOAD 2057 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY2+EQLL)
2354. REFERENCE LOAD
2355. R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R7 0.75 R10 0.75
2356. LOAD 2058 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY2+EQLL)
2357. REFERENCE LOAD
2358. R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R7 0.75 R10 0.75
2359. LOAD 2059 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY2+EQLL)
2360. REFERENCE LOAD
2361. R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R7 0.75 R10 0.75
2362. LOAD 2060 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY2+EQLL)
2363. REFERENCE LOAD
2364. R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R7 0.75 R10 0.75
2365. LOAD 2061 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY3+EQLL)
2366. REFERENCE LOAD
2367. R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R8 0.75 R10 0.75
2368. LOAD 2062 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY3+EQLL)
2369. REFERENCE LOAD
2370. R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R8 0.75 R10 0.75
2371. LOAD 2063 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY3+EQLL)
2372. REFERENCE LOAD
2373. R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R8 0.75 R10 0.75
2374. LOAD 2064 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY3+EQLL)
2375. REFERENCE LOAD
2376. R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R8 0.75 R10 0.75
2377. LOAD 2065 DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY4+EQLL)
2378. REFERENCE LOAD
2379. R1 1.0 R4 1.0 R3 1.0 R11 0.75 R2 0.75 R9 0.75 R10 0.75
2380. LOAD 2066 DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY4+EQLL)
2381. REFERENCE LOAD
2382. R1 1.0 R4 1.0 R3 1.0 R12 0.75 R2 0.75 R9 0.75 R10 0.75
2383. LOAD 2067 DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY4+EQLL)
2384. REFERENCE LOAD
2385. R1 1.0 R4 1.0 R3 1.0 R13 0.75 R2 0.75 R9 0.75 R10 0.75
2386. LOAD 2068 DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY4+EQLL)
2387. REFERENCE LOAD
2388. R1 1.0 R4 1.0 R3 1.0 R14 0.75 R2 0.75 R9 0.75 R10 0.75
2389. *
2390. LOAD 2085 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY1+EQLL)
2391. REFERENCE LOAD
2392. R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R6 0.75 R10 0.75
2393. LOAD 2086 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY1+EQLL)
```

```
2394. REFERENCE LOAD
2395. R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R6 0.75 R10 0.75
2396. LOAD 2087 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY1+EQLL)
2397. REFERENCE LOAD
2398. R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R6 0.75 R10 0.75
2399. LOAD 2088 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY1+EQLL)
2400. REFERENCE LOAD
2401. R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R6 0.75 R10 0.75
2402. LOAD 2089 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY2+EQLL)
2403. REFERENCE LOAD
2404. R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R7 0.75 R10 0.75
2405. LOAD 2090 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY2+EQLL)
2406. REFERENCE LOAD
2407. R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R7 0.75 R10 0.75
2408. LOAD 2091 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY2+EQLL)
2409. REFERENCE LOAD
2410. R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R7 0.75 R10 0.75
2411. LOAD 2092 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY2+EQLL)
2412. REFERENCE LOAD
2413. R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R7 0.75 R10 0.75
2414. LOAD 2093 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY3+EQLL)
2415. REFERENCE LOAD
2416. R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R8 0.75 R10 0.75
2417. LOAD 2094 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY3+EQLL)
2418. REFERENCE LOAD
2419. R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R8 0.75 R10 0.75
2420. LOAD 2095 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY3+EQLL)
2421. REFERENCE LOAD
2422. R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R8 0.75 R10 0.75
2423. LOAD 2096 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY3+EQLL)
2424. REFERENCE LOAD
2425. R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R8 0.75 R10 0.75
2426. LOAD 2097 DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY4+EQLL)
2427. REFERENCE LOAD
2428. R1 1.0 R4 1.0 R3 1.0 R15 0.525 R2 0.75 R9 0.75 R10 0.75
2429. LOAD 2098 DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY4+EQLL)
2430. REFERENCE LOAD
2431. R1 1.0 R4 1.0 R3 1.0 R16 0.525 R2 0.75 R9 0.75 R10 0.75
2432. LOAD 2099 DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY4+EQLL)
2433. REFERENCE LOAD
2434. R1 1.0 R4 1.0 R3 1.0 R17 0.525 R2 0.75 R9 0.75 R10 0.75
2435. LOAD 2100 DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY4+EQLL)
2436. REFERENCE LOAD
2437. R1 1.0 R4 1.0 R3 1.0 R18 0.525 R2 0.75 R9 0.75 R10 0.75
2438. *
2439. LOAD 2117 0.6(DL+EQDL1)+WL(+X)
2440. REFERENCE LOAD
2441. R1 0.6 R4 0.6 R11 1.0
2442. LOAD 2118 0.6(DL+EQDL1)+WL(-X)
2443. REFERENCE LOAD
2444. R1 0.6 R4 0.6 R12 1.0
2445. LOAD 2119 0.6(DL+EQDL1)+WL(+Z)
2446. REFERENCE LOAD
2447. R1 0.6 R4 0.6 R13 1.0
2448. LOAD 2120 0.6(DL+EQDL1)+WL(-Z)
2449. REFERENCE LOAD
```

```
2450. R1 0.6 R4 0.6 R14 1.0
2451. *
2452. LOAD 2125 0.6(DL+EQDL1)+0.7SL(+X)
2453. REFERENCE LOAD
2454. R1 0.6 R4 0.6 R15 1.0
2455. LOAD 2126 0.6(DL+EQDL1)+0.7SL(-X)
2456. REFERENCE LOAD
2457. R1 0.6 R4 0.6 R16 1.0
2458. LOAD 2127 0.6(DL+EQDL1)+0.7SL(+Z)
2459. REFERENCE LOAD
2460. R1 0.6 R4 0.6 R17 1.0
2461. LOAD 2128 0.6(DL+EQDL1)+0.7SL(-Z)
2462. REFERENCE LOAD
2463. R1 0.6 R4 0.6 R18 1.0
2464. PERFORM ANALYSIS PRINT STATICS CHECK
```

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS	**1961**	**NUMBER OF MEMBERS**	**11**
NUMBER OF PLATES	**1684**	**NUMBER OF SOLIDS**	**0**
NUMBER OF SURFACES	**0**	**NUMBER OF SUPPORTS**	**1950**

SOLVER USED IS THE OUT-OF-CORE BASIC SOLVER

ORIGINAL/FINAL BAND-WIDTH= 1793/ 46/ 141 DOF
TOTAL PRIMARY LOAD CASES = 128, TOTAL DEGREES OF FREEDOM = 5916
TOTAL LOAD COMBINATION CASES = 0 SO FAR.
SIZE OF STIFFNESS MATRIX = 835 DOUBLE KILO-WORDS
REQRD/AVAIL. DISK SPACE = 40.0/ 188836.9 MB

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1001
1.4(DL+EQDL1+FL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469397045E+03
Y = 0.911476071E+03
Z = -0.411433317E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1001)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10882.15
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4477277.63 MY= 1.14 MZ= -5108044.88

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1001)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10882.15
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4477277.63 MY= -1.14 MZ= 5108044.88

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1001)

	MAXIMUMS	AT NODE
X =	-3.76615E-02	9
Y =	-2.49186E-01	7
Z =	-3.06895E-01	6
RX=	-1.19070E-03	6
RY=	0.00000E+00	0
RZ=	1.68483E-04	502

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1003
1.4(DL+EQDL1+FL)+1.7(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382875E+03
Y = 0.912146593E+03
Z = -0.411098958E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1003)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -15579.38
SUMMATION FORCE-Z = 3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6401612.95 MY= -1566.34 MZ= -7312688.24

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1003)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15579.38
SUMMATION FORCE-Z = -3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6401612.95 MY= 1566.34 MZ= 7312688.24

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1003)

	MAXIMUMS	AT NODE
X =	1.17238E-01	10
Y =	-4.38219E-01	7
Z =	-7.87556E-01	6
RX=	-3.05560E-03	6
RY=	0.00000E+00	0
RZ=	-6.02939E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1004
1.4(DL+EQDL1+FL)+1.7(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382875E+03
Y = 0.912146593E+03
Z = -0.411103257E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1004)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -15579.38
SUMMATION FORCE-Z = -3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6407773.47 MY= 1563.08 MZ= -7312691.35

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1004)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15579.38
SUMMATION FORCE-Z = 3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6407773.47 MY= -1563.08 MZ= 7312691.35

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1004)

	MAXIMUMS	AT NODE
X =	1.17295E-01	10
Y =	-4.38776E-01	7
Z =	-7.99783E-01	6
RX=	-3.10304E-03	6
RY=	0.00000E+00	0
RZ=	-6.03132E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1005
1.4(DL+EQDL1+FL)+1.7(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382816E+03
Y = 0.912145262E+03
Z = -0.411097405E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1005)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = 3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6396107.00 MY= -1566.93 MZ= -7306429.71

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1005)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = -3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6396107.00 MY= 1566.93 MZ= 7306429.71

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1005)

	MAXIMUMS	AT NODE
X =	1.17231E-01	10
Y =	-4.37495E-01	7
Z =	-7.85758E-01	6
RX=	-3.04862E-03	6
RY=	0.00000E+00	0
RZ=	-6.02944E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1006
1.4(DL+EQDL1+FL)+1.7(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382816E+03
Y = 0.912145262E+03
Z = -0.411101707E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1006)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = -3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6402267.52 MY= 1562.49 MZ= -7306432.82

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1006)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = 3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6402267.52 MY= -1562.49 MZ= 7306432.82

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1006)

	MAXIMUMS	AT NODE
X =	1.17288E-01	10
Y =	-4.38053E-01	7
Z =	-7.97985E-01	6
RX=	-3.09606E-03	6
RY=	0.00000E+00	0
RZ=	-6.03137E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1011
1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382874E+03
Y = 0.912146593E+03
Z = -0.411098959E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1011)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -15579.38
SUMMATION FORCE-Z = 3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6401615.53 MY= -1565.04 MZ= -7312688.23

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1011)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15579.38
SUMMATION FORCE-Z = -3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6401615.53 MY= 1565.04 MZ= 7312688.23

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1011)

	MAXIMUMS	AT NODE
X =	1.19584E-01	10
Y =	-5.59689E-01	571
Z =	-1.44436E+00	4
RX=	-5.60388E-03	4
RY=	0.00000E+00	0
RZ=	-6.06748E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1012
1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382874E+03
Y = 0.912146593E+03
Z = -0.411103258E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1012)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -15579.38
SUMMATION FORCE-Z = -3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6407776.06 MY= 1564.39 MZ= -7312691.34

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1012)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15579.38
SUMMATION FORCE-Z = 3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6407776.06 MY= -1564.39 MZ= 7312691.34

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1012)

	MAXIMUMS	AT NODE
X =	1.19640E-01	10
Y =	-5.59482E-01	571
Z =	-1.45796E+00	4
RX=	-5.65668E-03	4
RY=	0.00000E+00	0
RZ=	-6.06941E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1013
1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382815E+03
Y = 0.912145262E+03
Z = -0.411097406E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1013)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = 3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6396109.58 MY= -1565.63 MZ= -7306429.70

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1013)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = -3.34

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6396109.58 MY= 1565.63 MZ= 7306429.70

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1013)

	MAXIMUMS	AT NODE
X =	1.19577E-01	10
Y =	-5.59160E-01	571
Z =	-1.44398E+00	4
RX=	-5.60242E-03	4
RY=	0.00000E+00	0
RZ=	-6.06753E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1014
1.4(DL+EQDL1+FL+TL)+1.7(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469382816E+03
Y = 0.912145262E+03
Z = -0.411101708E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1014)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = -3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6402270.11 MY= 1563.79 MZ= -7306432.81

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1014)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = 3.33

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6402270.11 MY= -1563.79 MZ= 7306432.81

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1014)

	MAXIMUMS	AT NODE
X =	1.19633E-01	10
Y =	-5.58953E-01	571
Z =	-1.45759E+00	4
RX=	-5.65521E-03	4
RY=	0.00000E+00	0
RZ=	-6.06947E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1019
1.4(DL+EQDL1+FL+PL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.466925614E+03
Y = 0.913700001E+03
Z = -0.405363297E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469431367E+03
Y = 0.911476071E+03
Z = -0.411398999E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1019)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -10882.15
SUMMATION FORCE-Z = 28.83

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4450560.17 MY= -25065.78 MZ= -5134761.16

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1019)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 10882.15
SUMMATION FORCE-Z = -28.83

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4450560.17 MY= 25065.78 MZ= 5134761.16

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1019)

	MAXIMUMS	AT NODE
X =	9.59939E-02	10
Y =	-2.41798E-01	7
Z =	-2.91975E-01	6
RX=	-1.13281E-03	6
RY=	0.00000E+00	0
RZ=	-3.66375E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1021
1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406849E+03
Y = 0.912146593E+03
Z = -0.411074987E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1021)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15579.37
SUMMATION FORCE-Z = 32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6374895.48 MY= -26633.27 MZ= -7339404.51

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1021)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15579.37
SUMMATION FORCE-Z = -32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6374895.48 MY= 26633.27 MZ= 7339404.51

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1021)

	MAXIMUMS	AT NODE
X =	1.76233E-01	10
Y =	-4.30831E-01	7
Z =	-7.72636E-01	6
RX=	-2.99771E-03	6
RY=	0.00000E+00	0
RZ=	-6.53617E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1022
1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406849E+03
Y = 0.912146593E+03
Z = -0.411079285E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1022)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15579.37
SUMMATION FORCE-Z = 25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6381056.01 MY= -23503.84 MZ= -7339407.62

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1022)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15579.37
SUMMATION FORCE-Z = -25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6381056.01 MY= 23503.84 MZ= 7339407.62

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1022)

	MAXIMUMS	AT NODE
X =	1.76289E-01	10
Y =	-4.31388E-01	7
Z =	-7.84863E-01	6
RX=	-3.04515E-03	6
RY=	0.00000E+00	0
RZ=	-6.53811E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1023
1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406810E+03
Y = 0.912145262E+03
Z = -0.411073413E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1023)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = 32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6369389.53 MY= -26633.86 MZ= -7333145.98

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1023)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = -32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6369389.53 MY= 26633.86 MZ= 7333145.98

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1023)

	MAXIMUMS	AT NODE
X =	1.76226E-01	10
Y =	-4.30107E-01	7
Z =	-7.70838E-01	6
RX=	-2.99073E-03	6
RY=	0.00000E+00	0
RZ=	-6.53623E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1024
1.4(DL+EQDL1+FL+PL)+1.7(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406811E+03
Y = 0.912145262E+03
Z = -0.411077715E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1024)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = 25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6375550.06 MY= -23504.43 MZ= -7333149.09

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1024)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = -25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6375550.06 MY= 23504.43 MZ= 7333149.09

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1024)

	MAXIMUMS	AT NODE
X =	1.76282E-01	10
Y =	-4.30664E-01	7
Z =	-7.83065E-01	6
RX=	-3.03817E-03	6
RY=	0.00000E+00	0
RZ=	-6.53816E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1029
1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406848E+03
Y = 0.912146593E+03
Z = -0.411074988E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1029)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15579.37
SUMMATION FORCE-Z = 32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6374898.07 MY= -26631.97 MZ= -7339404.51

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1029)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15579.37
SUMMATION FORCE-Z = -32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6374898.07 MY= 26631.97 MZ= 7339404.51

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1029)

	MAXIMUMS	AT NODE
X =	1.78579E-01	10
Y =	-5.59177E-01	571
Z =	-1.34211E+00	4
RX=	-5.20717E-03	4
RY=	0.00000E+00	0
RZ=	-6.57427E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1030
1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406848E+03
Y = 0.912146593E+03
Z = -0.411079286E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1030)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15579.37
SUMMATION FORCE-Z = 25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6381058.59 MY= -23502.54 MZ= -7339407.62

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1030)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15579.37
SUMMATION FORCE-Z = -25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6381058.59 MY= 23502.54 MZ= 7339407.62

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1030)

	MAXIMUMS	AT NODE
X =	1.78635E-01	10
Y =	-5.58971E-01	571
Z =	-1.35571E+00	4
RX=	-5.25996E-03	4
RY=	0.00000E+00	0
RZ=	-6.57620E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1031
1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406810E+03
Y = 0.912145262E+03
Z = -0.411073414E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1031)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = 32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6369392.12 MY= -26632.56 MZ= -7333145.98

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1031)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = -32.17

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6369392.12 MY= 26632.56 MZ= 7333145.98

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1031)

	MAXIMUMS	AT NODE
X =	1.78571E-01	10
Y =	-5.58648E-01	571
Z =	-1.34173E+00	4
RX=	-5.20570E-03	4
RY=	0.00000E+00	0
RZ=	-6.57432E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1032
1.4(DL+EQDL1+FL+PL+TL)+1.7(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469406810E+03
Y = 0.912145262E+03
Z = -0.411077716E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1032)
SUMMATION FORCE-X = 28.83
SUMMATION FORCE-Y = -15566.04
SUMMATION FORCE-Z = 25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -6375552.64 MY= -23503.13 MZ= -7333149.09

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1032)
SUMMATION FORCE-X = -28.83
SUMMATION FORCE-Y = 15566.04
SUMMATION FORCE-Z = -25.50

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 6375552.64 MY= 23503.13 MZ= 7333149.09

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1032)

	MAXIMUMS	AT NODE
X =	1.78628E-01	10
Y =	-5.58442E-01	571
Z =	-1.35534E+00	4
RX=	-5.25850E-03	4
RY=	0.00000E+00	0
RZ=	-6.57625E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1037
1.2(DL+EQDL1)+0.8WL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468988323E+03
Y = 0.913700001E+03
Z = -0.410877259E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469530989E+03
Y = 0.911459108E+03
Z = -0.411468142E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1037)
SUMMATION FORCE-X = 115.65
SUMMATION FORCE-Y = -9256.95
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3808938.72 MY= -47490.06 MZ= -4452093.46

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1037)
SUMMATION FORCE-X = -115.65
SUMMATION FORCE-Y = 9256.95
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3808938.72 MY= 47490.06 MZ= 4452093.45

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1037)

	MAXIMUMS	AT NODE
X =	1.49584E-01	10
Y =	-2.07033E-01	7
Z =	-2.68999E-01	6
RX=	-1.04366E-03	6
RY=	0.00000E+00	0
RZ=	-5.89425E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1038
1.2(DL+EQDL1)+0.8WL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468751246E+03
Y = 0.913700001E+03
Z = -0.411264074E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469393608E+03
Y = 0.911459108E+03
Z = -0.411468142E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1038)
SUMMATION FORCE-X = -107.06
SUMMATION FORCE-Y = -9256.95
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3808937.99 MY= 44000.74 MZ= -4247326.86

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1038)
SUMMATION FORCE-X = 107.06
SUMMATION FORCE-Y = 9256.95
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3808937.99 MY= -44000.74 MZ= 4247326.86

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1038)

	MAXIMUMS	AT NODE
X =	-1.22499E-01	2
Y =	-2.07369E-01	7
Z =	-2.55191E-01	6
RX=	-9.90092E-04	6
RY=	0.00000E+00	0
RZ=	4.77579E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1039
1.2(DL+EQDL1)+0.8WL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456733E+03
Y = 0.911459108E+03
Z = -0.411356270E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468865155E+03
Y = 0.913700001E+03
Z = -0.408711587E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1039)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9256.95
SUMMATION FORCE-Z = 159.37

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3662282.68 MY= -74740.37 MZ= -4345734.87

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1039)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9256.95
SUMMATION FORCE-Z = -159.37

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3662282.68 MY= 74740.37 MZ= 4345734.87

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1039)

	MAXIMUMS	AT NODE
X	-3.61260E-02	9
Y	-2.01565E-01	7
Z	3.35994E-01	11
RX	1.35348E-03	11
RY	0.00000E+00	0
RZ	-1.45962E-04	1073

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1040
1.2(DL+EQDL1)+0.8WL(-Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456734E+03
Y = 0.911459108E+03
Z = -0.411580014E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468830869E+03
Y = 0.913700001E+03
Z = -0.416065652E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1040)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9256.94
SUMMATION FORCE-Z = -159.38

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3955594.36 MY= 74742.08 MZ= -4345733.02

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1040)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9256.94
SUMMATION FORCE-Z = 159.38

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3955594.36 MY= -74742.08 MZ= 4345733.02

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1040)

	MAXIMUMS	AT NODE
X =	3.55423E-02	10
Y =	-2.12736E-01	7
Z =	-4.71880E-01	6
RX=	-1.83082E-03	6
RY=	0.00000E+00	0
RZ=	-1.52859E-04	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1045
1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468944142E+03
Y = 0.913700001E+03
Z = -0.410917028E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469572104E+03
Y = 0.911750115E+03
Z = -0.411319606E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1045)
SUMMATION FORCE-X = 231.30
SUMMATION FORCE-Y = -10638.48
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4374920.41 MY= -95441.64 MZ= -5206877.29

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1045)
SUMMATION FORCE-X = -231.30
SUMMATION FORCE-Y = 10638.48
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4374920.41 MY= 95441.64 MZ= 5206877.29

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1045)

	MAXIMUMS	AT NODE
X =	2.90127E-01	10
Y =	-2.62510E-01	7
Z =	-4.17339E-01	6
RX=	-1.61920E-03	6
RY=	0.00000E+00	0
RZ=	-1.14419E-03	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1046
1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468798971E+03
Y = 0.913700001E+03
Z = -0.411221117E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469333023E+03
Y = 0.911750115E+03
Z = -0.411319605E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1046)
SUMMATION FORCE-X = -214.13
SUMMATION FORCE-Y = -10638.48
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4374918.96 MY= 87539.96 MZ= -4797344.11

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1046)
SUMMATION FORCE-X = 214.13
SUMMATION FORCE-Y = 10638.48
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4374918.96 MY= -87539.96 MZ= 4797344.11

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1046)

	MAXIMUMS	AT NODE
X =	-2.33461E-01	2
Y =	-2.63183E-01	7
Z =	-3.89723E-01	6
RX=	-1.51206E-03	6
RY=	0.00000E+00	0
RZ=	9.05793E-04	2

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1047
1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442879E+03
Y = 0.911750116E+03
Z = -0.411124918E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468838186E+03
Y = 0.913700001E+03
Z = -0.409467147E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1047)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10638.49
SUMMATION FORCE-Z = 319.73

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4081608.33 MY= -149942.26 MZ= -4994160.13

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1047)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10638.49
SUMMATION FORCE-Z = -319.73

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4081608.34 MY= 149942.26 MZ= 4994160.13

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1047)

	MAXIMUMS	AT NODE
X =	-5.81287E-02	9
Y =	-2.61754E-01	1566
Z =	5.78610E-01	11
RX=	2.32911E-03	11
RY=	0.00000E+00	0
RZ=	-2.76419E-04	1093

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1048
1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442880E+03
Y = 0.911750115E+03
Z = -0.411514294E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468857899E+03
Y = 0.913700001E+03
Z = -0.415328162E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1048)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10638.48
SUMMATION FORCE-Z = -317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4668231.70 MY= 149022.63 MZ= -4994156.44

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1048)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10638.48
SUMMATION FORCE-Z = 317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4668231.70 MY= -149022.63 MZ= 4994156.44

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1048)

	MAXIMUMS	AT NODE
X =	6.20422E-02	10
Y =	-2.73917E-01	7
Z =	-8.23101E-01	6
RX=	-3.19351E-03	6
RY=	0.00000E+00	0
RZ=	-2.90334E-04	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1049
1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468943803E+03
Y = 0.913700001E+03
Z = -0.410916640E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469572104E+03
Y = 0.911750115E+03
Z = -0.411321457E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1049)
SUMMATION FORCE-X = 231.30
SUMMATION FORCE-Y = -10638.48
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4376732.33 MY= -94521.22 MZ= -5206878.21

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1049)
SUMMATION FORCE-X = -231.30
SUMMATION FORCE-Y = 10638.48
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4376732.33 MY= 94521.22 MZ= 5206878.20

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1049)

	MAXIMUMS	AT NODE
X =	2.90143E-01	10
Y =	-2.62674E-01	7
Z =	-4.20935E-01	6
RX=	-1.63316E-03	6
RY=	0.00000E+00	0
RZ=	-1.14426E-03	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1050
1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468799336E+03
Y = 0.913700001E+03
Z = -0.411221537E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469333023E+03
Y = 0.911750115E+03
Z = -0.411321457E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1050)
SUMMATION FORCE-X = -214.13
SUMMATION FORCE-Y = -10638.48
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4376730.87 MY= 88460.38 MZ= -4797345.02

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1050)
SUMMATION FORCE-X = 214.13
SUMMATION FORCE-Y = 10638.48
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4376730.87 MY= -88460.38 MZ= 4797345.03

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1050)

	MAXIMUMS	AT NODE
X	-2.33478E-01	2
Y	-2.63347E-01	7
Z	-3.93319E-01	6
RX	-1.52601E-03	6
RY	0.00000E+00	0
RZ	9.05861E-04	2

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1051
1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442879E+03
Y = 0.911750116E+03
Z = -0.411126769E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468834680E+03
Y = 0.913700001E+03
Z = -0.409447278E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1051)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10638.49
SUMMATION FORCE-Z = 317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4083420.25 MY= -149021.84 MZ= -4994161.05

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1051)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10638.49
SUMMATION FORCE-Z = -317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4083420.26 MY= 149021.84 MZ= 4994161.05

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1051)

	MAXIMUMS	AT NODE
X =	-5.79520E-02	9
Y =	-2.61117E-01	1566
Z =	5.76632E-01	11
RX=	2.32125E-03	11
RY=	0.00000E+00	0
RZ=	-2.76503E-04	1093

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1052
1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442880E+03
Y = 0.911750115E+03
Z = -0.411516145E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468861263E+03
Y = 0.913700001E+03
Z = -0.415311953E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1052)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10638.48
SUMMATION FORCE-Z = -319.73

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4670043.62 MY= 149943.05 MZ= -4994157.35

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1052)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10638.48
SUMMATION FORCE-Z = 319.73

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4670043.62 MY= -149943.05 MZ= 4994157.35

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1052)

	MAXIMUMS	AT NODE
X =	6.20589E-02	10
Y =	-2.74081E-01	7
Z =	-8.26698E-01	6
RX=	-3.20746E-03	6
RY=	0.00000E+00	0
RZ=	-2.90396E-04	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1053
1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468944266E+03
Y = 0.913700001E+03
Z = -0.410917114E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469572148E+03
Y = 0.911749396E+03
Z = -0.411319018E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1053)
SUMMATION FORCE-X = 231.30
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4373301.01 MY= -95441.82 MZ= -5205036.55

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1053)
SUMMATION FORCE-X = -231.30
SUMMATION FORCE-Y = 10634.56
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4373301.01 MY= 95441.82 MZ= 5205036.54

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1053)

	MAXIMUMS	AT NODE
X =	2.90124E-01	10
Y =	-2.62297E-01	7
Z =	-4.16810E-01	6
RX=	-1.61715E-03	6
RY=	0.00000E+00	0
RZ=	-1.14418E-03	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1054
1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468798836E+03
Y = 0.913700001E+03
Z = -0.411221025E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469332979E+03
Y = 0.911749396E+03
Z = -0.411319018E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1054)
SUMMATION FORCE-X = -214.13
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4373299.56 MY= 87539.78 MZ= -4795503.37

```
***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  1054 )
    SUMMATION FORCE-X =         214.13
    SUMMATION FORCE-Y =       10634.56
    SUMMATION FORCE-Z =          -0.98

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     4373299.56  MY=      -87539.78  MZ=     4795503.37


MAXIMUM DISPLACEMENTS (  CM  /RADIANS) (LOADING   1054)
         MAXIMUMS    AT NODE
   X = -2.33461E-01       2
   Y = -2.62970E-01       7
   Z = -3.89194E-01       6
   RX= -1.51001E-03       6
   RY=  0.00000E+00       0
   RZ=  9.05793E-04       2


       STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO.  1055
       1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY3+EQLL)


        CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.469442875E+03
                    Y =  0.911749397E+03
                    Z = -0.411124258E+03

        CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.468838116E+03
                    Y =  0.913700001E+03
                    Z = -0.409470609E+03

***TOTAL APPLIED LOAD ( KN   METE ) SUMMARY (LOADING  1055 )
    SUMMATION FORCE-X =          -0.00
    SUMMATION FORCE-Y =      -10634.56
    SUMMATION FORCE-Z =         319.73

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=    -4079988.94  MY=     -149942.43  MZ=    -4992319.39


***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  1055 )
    SUMMATION FORCE-X =           0.00
    SUMMATION FORCE-Y =       10634.56
    SUMMATION FORCE-Z =        -319.73

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     4079988.94  MY=      149942.43  MZ=     4992319.39
```

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1055)

	MAXIMUMS	AT NODE
X =	-5.81191E-02	9
Y =	-2.61685E-01	1566
Z =	5.78230E-01	11
RX=	2.32755E-03	11
RY=	0.00000E+00	0
RZ=	-2.76423E-04	1093

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1056
1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442877E+03
Y = 0.911749396E+03
Z = -0.411513778E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468857969E+03
Y = 0.913700001E+03
Z = -0.415324670E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1056)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = -317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4666612.31 MY= 149022.46 MZ= -4992315.69

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1056)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10634.56
SUMMATION FORCE-Z = 317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4666612.30 MY= -149022.46 MZ= 4992315.69

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1056)

	MAXIMUMS	AT NODE
X =	6.20401E-02	10
Y =	-2.73704E-01	7
Z =	-8.22573E-01	6
RX=	-3.19146E-03	6
RY=	0.00000E+00	0
RZ=	-2.90336E-04	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1057
1.2(DL+EQDL1)+1.6WL(+X)+0.5(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468943927E+03
Y = 0.913700001E+03
Z = -0.410916727E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469572148E+03
Y = 0.911749396E+03
Z = -0.411320870E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1057)
SUMMATION FORCE-X = 231.31
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4375112.93 MY= -94521.40 MZ= -5205037.46

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1057)
SUMMATION FORCE-X = -231.31
SUMMATION FORCE-Y = 10634.56
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4375112.93 MY= 94521.40 MZ= 5205037.46

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1057)

	MAXIMUMS	AT NODE
X =	2.90141E-01	10
Y =	-2.62461E-01	7
Z =	-4.20406E-01	6
RX=	-1.63111E-03	6
RY=	0.00000E+00	0
RZ=	-1.14425E-03	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1058
1.2(DL+EQDL1)+1.6WL(-X)+0.5(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468799201E+03
Y = 0.913700001E+03
Z = -0.411221445E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469332979E+03
Y = 0.911749396E+03
Z = -0.411320870E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1058)
SUMMATION FORCE-X = -214.12
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4375111.48 MY= 88460.20 MZ= -4795504.28

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1058)
SUMMATION FORCE-X = 214.12
SUMMATION FORCE-Y = 10634.56
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4375111.48 MY= -88460.20 MZ= 4795504.28

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1058)

	MAXIMUMS	AT NODE
X =	-2.33478E-01	2
Y =	-2.63134E-01	7
Z =	-3.92791E-01	6
RX=	-1.52396E-03	6
RY=	0.00000E+00	0
RZ=	9.05861E-04	2

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1059
1.2(DL+EQDL1)+1.6WL(+Z)+0.5(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442876E+03
Y = 0.911749397E+03
Z = -0.411126111E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468834609E+03
Y = 0.913700001E+03
Z = -0.409450760E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1059)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = 317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4081800.86 MY= -149022.01 MZ= -4992320.30

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1059)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 10634.56
SUMMATION FORCE-Z = -317.77

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4081800.86 MY= 149022.01 MZ= 4992320.30

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1059)

	MAXIMUMS	AT NODE
X =	-5.79425E-02	9
Y =	-2.61049E-01	1566
Z =	5.76253E-01	11
RX=	2.31969E-03	11
RY=	0.00000E+00	0
RZ=	-2.76507E-04	1093

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1060
1.2(DL+EQDL1)+1.6WL(-Z)+0.5(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469442877E+03
Y = 0.911749396E+03
Z = -0.411515631E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468861333E+03
Y = 0.913700001E+03
Z = -0.415308482E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1060)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10634.56
SUMMATION FORCE-Z = -319.73

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4668424.23 MY= 149942.88 MZ= -4992316.61

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1060)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10634.56
SUMMATION FORCE-Z = 319.73

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4668424.22 MY= -149942.88 MZ= 4992316.61

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1060)

	MAXIMUMS	AT NODE
X =	6.20567E-02	10
Y =	-2.73868E-01	7
Z =	-8.26169E-01	6
RX=	-3.20541E-03	6
RY=	0.00000E+00	0
RZ=	-2.90398E-04	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1077
1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY1+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468873259E+03
Y = 0.913700001E+03
Z = -0.410559696E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469536487E+03
Y = 0.911755493E+03
Z = -0.411307327E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1077)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4386888.79 MY= -56834.64 MZ= -5134421.29

```
***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  1077 )
    SUMMATION FORCE-X =        -137.30
    SUMMATION FORCE-Y =       10667.90
    SUMMATION FORCE-Z =          -0.98

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     4386888.79  MY=       56834.64  MZ=     5134421.29


MAXIMUM DISPLACEMENTS (  CM  /RADIANS) (LOADING   1077)
         MAXIMUMS    AT NODE
   X =  2.23860E-01      10
   Y = -2.66897E-01       7
   Z = -3.98358E-01       6
   RX= -1.54556E-03       6
   RY=  0.00000E+00       0
   RZ= -8.72098E-04      10


       STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO.  1078
       1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY1+EQLL)+0.5FL


        CENTER OF FORCE BASED ON X FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.468398286E+03
                    Y =  0.913700001E+03
                    Z = -0.410483538E+03

        CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.469305855E+03
                    Y =  0.911755493E+03
                    Z = -0.411307329E+03

***TOTAL APPLIED LOAD ( KN   METE ) SUMMARY (LOADING  1078 )
    SUMMATION FORCE-X =        -137.31
    SUMMATION FORCE-Y =      -10667.90
    SUMMATION FORCE-Z =           0.98

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=    -4386889.63  MY=       55913.99  MZ=    -4881054.40


***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  1078 )
    SUMMATION FORCE-X =         137.31
    SUMMATION FORCE-Y =       10667.90
    SUMMATION FORCE-Z =          -0.98

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     4386889.63  MY=      -55913.99  MZ=     4881054.40
```

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1078)

	MAXIMUMS	AT NODE
X =	-2.06690E-01	9
Y =	-2.63967E-01	7
Z =	-4.09295E-01	6
RX=	-1.58800E-03	6
RY=	0.00000E+00	0
RZ=	8.10593E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1079
1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY1+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421171E+03
Y = 0.911755493E+03
Z = -0.411192018E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1079)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = 138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4260206.27 MY= -64897.18 MZ= -5007737.85

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1079)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10667.90
SUMMATION FORCE-Z = -138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4260206.27 MY= 64897.18 MZ= 5007737.85

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1079)

	MAXIMUMS	AT NODE
X =	5.47445E-02	10
Y =	-2.56056E-01	7
Z =	4.50301E-01	11
RX=	1.80921E-03	11
RY=	0.00000E+00	0
RZ=	-2.69808E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1080
1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY1+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421171E+03
Y = 0.911755493E+03
Z = -0.411422638E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1080)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = -136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4513572.15 MY= 63976.53 MZ= -5007737.85

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1080)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10667.90
SUMMATION FORCE-Z = 136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4513572.15 MY= -63976.53 MZ= 5007737.85

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1080)

	MAXIMUMS	AT NODE
X =	5.69652E-02	10
Y =	-2.74809E-01	7
Z =	-6.36406E-01	6
RX=	-2.46915E-03	6
RY=	0.00000E+00	0
RZ=	-2.76262E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1081
1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY2+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468872688E+03
Y = 0.913700001E+03
Z = -0.410559045E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469536488E+03
Y = 0.911755493E+03
Z = -0.411309174E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1081)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4388700.71 MY= -55914.22 MZ= -5134422.21

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1081)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = 10667.90
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4388700.71 MY= 55914.22 MZ= 5134422.21

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1081)

	MAXIMUMS	AT NODE
X =	2.23876E-01	10
Y =	-2.67061E-01	7
Z =	-4.01954E-01	6
RX=	-1.55951E-03	6
RY=	0.00000E+00	0
RZ=	-8.72165E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1082
1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY2+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468398852E+03
Y = 0.913700001E+03
Z = -0.410484188E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469305855E+03
Y = 0.911755493E+03
Z = -0.411309175E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1082)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4388701.55 MY= 56834.41 MZ= -4881055.32

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1082)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = 10667.90
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4388701.55 MY= -56834.41 MZ= 4881055.32

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1082)

	MAXIMUMS	AT NODE
X =	-2.06513E-01	9
Y =	-2.64131E-01	7
Z =	-4.12892E-01	6
RX=	-1.60195E-03	6
RY=	0.00000E+00	0
RZ=	8.09994E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1083
1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY2+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421171E+03
Y = 0.911755493E+03
Z = -0.411193864E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1083)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = 136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4262018.19 MY= -63976.76 MZ= -5007738.76

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1083)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10667.90
SUMMATION FORCE-Z = -136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4262018.19 MY= 63976.76 MZ= 5007738.76

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1083)

	MAXIMUMS	AT NODE
X =	5.47612E-02	10
Y =	-2.56220E-01	7
Z =	4.48323E-01	11
RX=	1.80135E-03	11
RY=	0.00000E+00	0
RZ=	-2.69865E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1084
1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY2+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421171E+03
Y = 0.911755493E+03
Z = -0.411424485E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1084)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10667.90
SUMMATION FORCE-Z = -138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4515384.07 MY= 64896.95 MZ= -5007738.76

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1084)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10667.90
SUMMATION FORCE-Z = 138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4515384.07 MY= -64896.95 MZ= 5007738.76

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1084)

	MAXIMUMS	AT NODE
X =	5.69818E-02	10
Y =	-2.74973E-01	7
Z =	-6.40002E-01	6
RX=	-2.48311E-03	6
RY=	0.00000E+00	0
RZ=	-2.76319E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1085
1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY3+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468873469E+03
Y = 0.913700001E+03
Z = -0.410559844E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469536519E+03
Y = 0.911754777E+03
Z = -0.411306737E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1085)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4385269.39 MY= -56834.81 MZ= -5132580.55

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1085)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4385269.39 MY= 56834.81 MZ= 5132580.55

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1085)

	MAXIMUMS	AT NODE
X =	2.23857E-01	10
Y =	-2.66685E-01	7
Z =	-3.97829E-01	6
RX=	-1.54351E-03	6
RY=	0.00000E+00	0
RZ=	-8.72090E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1086
1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY3+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468398072E+03
Y = 0.913700001E+03
Z = -0.410483390E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469305802E+03
Y = 0.911754778E+03
Z = -0.411306738E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1086)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4385270.23 MY= 55913.82 MZ= -4879213.66

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1086)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4385270.23 MY= -55913.82 MZ= 4879213.66

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1086)

	MAXIMUMS	AT NODE
X =	-2.06680E-01	9
Y =	-2.63754E-01	7
Z =	-4.08767E-01	6
RX=	-1.58595E-03	6
RY=	0.00000E+00	0
RZ=	8.10563E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1087
1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY3+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421160E+03
Y = 0.911754778E+03
Z = -0.411191385E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1087)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = 138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4258586.87 MY= -64897.36 MZ= -5005897.10

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1087)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = -138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4258586.87 MY= 64897.36 MZ= 5005897.10

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1087)

	MAXIMUMS	AT NODE
X =	5.47424E-02	10
Y =	-2.55843E-01	7
Z =	4.49922E-01	11
RX=	1.80765E-03	11
RY=	0.00000E+00	0
RZ=	-2.69809E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1088
1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY3+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421160E+03
Y = 0.911754778E+03
Z = -0.411422091E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1088)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = -136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4511952.75 MY= 63976.36 MZ= -5005897.11

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1088)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = 136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4511952.75 MY= -63976.36 MZ= 5005897.11

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1088)

	MAXIMUMS	AT NODE
X =	5.69631E-02	10
Y =	-2.74596E-01	7
Z =	-6.35877E-01	6
RX=	-2.46710E-03	6
RY=	0.00000E+00	0
RZ=	-2.76263E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1089
1.2(DL+EQDL1)+SL(+X)+0.5(LL+EQDY4+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468872898E+03
Y = 0.913700001E+03
Z = -0.410559194E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469536519E+03
Y = 0.911754777E+03
Z = -0.411308584E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1089)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4387081.31 MY= -55914.39 MZ= -5132581.46

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1089)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4387081.31 MY= 55914.39 MZ= 5132581.46

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1089)

	MAXIMUMS	AT NODE
X =	2.23874E-01	10
Y =	-2.66849E-01	7
Z =	-4.01425E-01	6
RX=	-1.55746E-03	6
RY=	0.00000E+00	0
RZ=	-8.72156E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1090
1.2(DL+EQDL1)+SL(-X)+0.5(LL+EQDY4+EQLL)+0.5FL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468398639E+03
Y = 0.913700001E+03
Z = -0.410484039E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469305802E+03
Y = 0.911754778E+03
Z = -0.411308585E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1090)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = -0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4387082.15 MY= 56834.24 MZ= -4879214.57

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1090)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = 0.98

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4387082.15 MY= -56834.24 MZ= 4879214.58

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1090)

	MAXIMUMS	AT NODE
X	-2.06504E-01	9
Y	-2.63918E-01	7
Z	-4.12363E-01	6
RX	-1.59990E-03	6
RY	0.00000E+00	0
RZ	8.09963E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1091
1.2(DL+EQDL1)+SL(+Z)+0.5(LL+EQDY4+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421160E+03
Y = 0.911754778E+03
Z = -0.411193232E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1091)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = 136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4260398.79 MY= -63976.94 MZ= -5005898.02

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1091)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = -136.32

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4260398.79 MY= 63976.94 MZ= 5005898.02

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1091)

	MAXIMUMS	AT NODE
X =	5.47591E-02	10
Y =	-2.56007E-01	7
Z =	4.47944E-01	11
RX=	1.79979E-03	11
RY=	0.00000E+00	0
RZ=	-2.69866E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1092
1.2(DL+EQDL1)+SL(-Z)+0.5(LL+EQDY4+EQLL)+0.5FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469421160E+03
Y = 0.911754778E+03
Z = -0.411423937E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1092)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10663.98
SUMMATION FORCE-Z = -138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4513764.67 MY= 64896.78 MZ= -5005898.02

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1092)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10663.98
SUMMATION FORCE-Z = 138.28

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4513764.67 MY= -64896.78 MZ= 5005898.02

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1092)

	MAXIMUMS	AT NODE
X =	5.69797E-02	10
Y =	-2.74760E-01	7
Z =	-6.39473E-01	6
RX=	-2.48106E-03	6
RY=	0.00000E+00	0
RZ=	-2.76320E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1109
0.9(DL+EQDL1)+1.6WL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468868861E+03
Y = 0.913700001E+03
Z = -0.410888754E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469654748E+03
Y = 0.911459108E+03
Z = -0.411468142E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1109)
SUMMATION FORCE-X = 231.30
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2856704.81 MY= -94980.74 MZ= -3472019.10

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1109)
SUMMATION FORCE-X = -231.30
SUMMATION FORCE-Y = 6942.71
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2856704.81 MY= 94980.74 MZ= 3472019.10

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1109)

	MAXIMUMS	AT NODE
X =	2.58366E-01	10
Y =	-1.75235E-01	1233
Z =	-2.10461E-01	6
RX=	-8.16549E-04	6
RY=	0.00000E+00	0
RZ=	-1.03775E-03	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1110
0.9(DL+EQDL1)+1.6WL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468880290E+03
Y = 0.913700001E+03
Z = -0.411251660E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469288398E+03
Y = 0.911459108E+03
Z = -0.411468142E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1110)
SUMMATION FORCE-X = -214.13
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2856703.36 MY= 88000.85 MZ= -3062485.92

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1110)
SUMMATION FORCE-X = 214.13
SUMMATION FORCE-Y = 6942.71
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2856703.36 MY= -88000.85 MZ= 3062485.92

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1110)

	MAXIMUMS	AT NODE
X =	-2.32323E-01	2
Y =	-1.55797E-01	7
Z =	-1.82845E-01	6
RX=	-7.09404E-04	6
RY=	0.00000E+00	0
RZ=	9.01379E-04	2

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1111
0.9(DL+EQDL1)+1.6WL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456733E+03
Y = 0.911459109E+03
Z = -0.411169817E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468856840E+03
Y = 0.913700001E+03
Z = -0.411008956E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1111)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = 318.75

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2563392.74 MY= -149481.36 MZ= -3259301.94

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1111)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 6942.71
SUMMATION FORCE-Z = -318.75

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2563392.74 MY= 149481.36 MZ= 3259301.94

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1111)

	MAXIMUMS	AT NODE
X =	-3.99309E-02	9
Y =	-1.86691E-01	1566
Z =	5.16596E-01	4
RX=	2.00433E-03	4
RY=	0.00000E+00	0
RZ=	1.54062E-04	1159

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1112
0.9(DL+EQDL1)+1.6WL(-Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456735E+03
Y = 0.911459107E+03
Z = -0.411766468E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468839185E+03
Y = 0.913700001E+03
Z = -0.413768294E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1112)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = -318.75

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3150016.11 MY= 149483.53 MZ= -3259298.25

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1112)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 6942.71
SUMMATION FORCE-Z = 318.75

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3150016.10 MY= -149483.53 MZ= 3259298.25

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1112)

	MAXIMUMS	AT NODE
X =	3.02820E-02	10
Y =	-1.88132E-01	986
Z =	-6.16223E-01	6
RX=	-2.39085E-03	6
RY=	0.00000E+00	0
RZ=	-1.27869E-04	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1117
0.9(DL+EQDL1)+SL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468756516E+03
Y = 0.913700001E+03
Z = -0.410509996E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469633923E+03
Y = 0.911459108E+03
Z = -0.411468141E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1117)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2856702.94 MY= -56373.94 MZ= -3385983.89

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1117)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = 6942.71
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2856702.94 MY= 56373.94 MZ= 3385983.88

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1117)

	MAXIMUMS	AT NODE
X =	1.92486E-01	10
Y =	-1.63545E-01	1233
Z =	-1.91053E-01	6
RX=	-7.41250E-04	6
RY=	0.00000E+00	0
RZ=	-7.66973E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1118
0.9(DL+EQDL1)+SL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468515022E+03
Y = 0.913700001E+03
Z = -0.410533237E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469279543E+03
Y = 0.911459108E+03
Z = -0.411468143E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1118)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2856703.78 MY= 56374.69 MZ= -3132617.00

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 1118)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = 6942.71
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2856703.78 MY= -56374.69 MZ= 3132617.00

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1118)

	MAXIMUMS	AT NODE
X =	-1.85815E-01	9
Y =	-1.56837E-01	1122
Z =	-2.01991E-01	6
RX=	-7.83687E-04	6
RY=	0.00000E+00	0
RZ=	7.39347E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 1119
0.9(DL+EQDL1)+SL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456733E+03
Y = 0.911459108E+03
Z = -0.411290960E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469278737E+03
Y = 0.913700001E+03
Z = -0.409384534E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 1119)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -6942.71
SUMMATION FORCE-Z = 137.30

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2730020.42 MY= -64436.48 MZ= -3259300.44

```
***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  1119 )
    SUMMATION FORCE-X =           0.00
    SUMMATION FORCE-Y =        6942.71
    SUMMATION FORCE-Z =        -137.30

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     2730020.42  MY=       64436.48  MZ=     3259300.44


MAXIMUM DISPLACEMENTS (  CM  /RADIANS) (LOADING   1119)
         MAXIMUMS    AT NODE
   X = -3.01511E-02       9
   Y = -1.58572E-01    1566
   Z =  2.86095E-01      11
   RX=  1.14799E-03      11
   RY=  0.00000E+00       0
   RZ=  1.25004E-04    1159


       STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO.  1120
       0.9(DL+EQDL1)+SL(-Z)


        CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.469456733E+03
                    Y =  0.911459108E+03
                    Z = -0.411645323E+03

        CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.469255570E+03
                    Y =  0.913700001E+03
                    Z = -0.415784589E+03

***TOTAL APPLIED LOAD ( KN   METE ) SUMMARY (LOADING  1120 )
    SUMMATION FORCE-X =          -0.00
    SUMMATION FORCE-Y =       -6942.71
    SUMMATION FORCE-Z =        -137.30

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=    -2983386.30  MY=       64437.23  MZ=    -3259300.44


***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  1120 )
    SUMMATION FORCE-X =           0.00
    SUMMATION FORCE-Y =        6942.71
    SUMMATION FORCE-Z =         137.30

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     2983386.29  MY=      -64437.23  MZ=     3259300.44
```

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 1120)

	MAXIMUMS	AT NODE
X =	2.55918E-02	10
Y =	-1.64741E-01	7
Z =	-4.29101E-01	6
RX=	-1.66484E-03	6
RY=	0.00000E+00	0
RZ=	1.14133E-04	502

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2001
DL+EQDL1+FL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469397044E+03
Y = 0.911476071E+03
Z = -0.411433317E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2001)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3198055.45 MY= 0.82 MZ= -3648603.49

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2001)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3198055.45 MY= -0.82 MZ= 3648603.49

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2001)

	MAXIMUMS	AT NODE
X =	-2.69011E-02	9
Y =	-1.77990E-01	7
Z =	-2.19211E-01	6
RX=	-8.50497E-04	6
RY=	0.00000E+00	0
RZ=	1.20345E-04	502

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2003
DL+EQDL1+FL+LL+EQDY1+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469384719E+03
Y = 0.912059297E+03
Z = -0.411142490E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2003)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10536.04
SUMMATION FORCE-Z = 1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4330019.23 MY= -920.31 MZ= -4945452.50

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2003)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10536.04
SUMMATION FORCE-Z = -1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4330019.23 MY= 920.31 MZ= 4945452.50

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2003)

	MAXIMUMS	AT NODE
X =	7.53029E-02	10
Y =	-3.79926E-01	571
Z =	-1.02047E+00	4
RX=	-3.95926E-03	4
RY=	0.00000E+00	0
RZ=	-3.78007E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2004
DL+EQDL1+FL+LL+EQDY2+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469384719E+03
Y = 0.912059297E+03
Z = -0.411146229E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2004)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10536.04
SUMMATION FORCE-Z = -1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4333643.07 MY= 920.53 MZ= -4945454.33

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2004)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10536.04
SUMMATION FORCE-Z = 1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4333643.07 MY= -920.53 MZ= 4945454.33

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2004)

	MAXIMUMS	AT NODE
X =	7.53362E-02	10
Y =	-3.79804E-01	571
Z =	-1.02847E+00	4
RX=	-3.99032E-03	4
RY=	0.00000E+00	0
RZ=	-3.78121E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2005
DL+EQDL1+FL+LL+EQDY3+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469384669E+03
Y = 0.912058074E+03
Z = -0.411141171E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2005)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -10528.19
SUMMATION FORCE-Z = 1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4326780.44 MY= -920.65 MZ= -4941771.01

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2005)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 10528.19
SUMMATION FORCE-Z = -1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4326780.44 MY= 920.65 MZ= 4941771.01

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2005)

	MAXIMUMS	AT NODE
X =	7.52986E-02	10
Y =	-3.79614E-01	571
Z =	-1.02025E+00	4
RX=	-3.95840E-03	4
RY=	0.00000E+00	0
RZ=	-3.78010E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2006
DL+EQDL1+FL+LL+EQDY4+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469384669E+03
Y = 0.912058074E+03
Z = -0.411144913E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2006)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -10528.19
SUMMATION FORCE-Z = -1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4330404.27 MY= 920.18 MZ= -4941772.84

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2006)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 10528.19
SUMMATION FORCE-Z = 1.96

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4330404.27 MY= -920.18 MZ= 4941772.84

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2006)

	MAXIMUMS	AT NODE
X =	7.53320E-02	10
Y =	-3.79493E-01	571
Z =	-1.02825E+00	4
RX=	-3.98946E-03	4
RY=	0.00000E+00	0
RZ=	-3.78124E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2011
DL+EQDL1+FL+0.75(LL+EQDY1+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411199893E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2011)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047028.29 MY= -690.02 MZ= -4621240.25

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2011)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047028.29 MY= 690.02 MZ= 4621240.25

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2011)

	MAXIMUMS	AT NODE
X =	6.30842E-02	10
Y =	-3.23528E-01	571
Z =	-7.78920E-01	4
RX=	-3.02209E-03	4
RY=	0.00000E+00	0
RZ=	-3.12712E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2012
DL+EQDL1+FL+0.75(LL+EQDY2+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411202894E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2012)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4049746.16 MY= 690.60 MZ= -4621241.62

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2012)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4049746.16 MY= -690.60 MZ= 4621241.62

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2012)

	MAXIMUMS	AT NODE
X =	6.31092E-02	10
Y =	-3.23437E-01	571
Z =	-7.84924E-01	4
RX=	-3.04538E-03	4
RY=	0.00000E+00	0
RZ=	-3.12797E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2013
DL+EQDL1+FL+0.75(LL+EQDY3+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387113E+03
Y = 0.911943131E+03
Z = -0.411198869E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2013)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4044599.19 MY= -690.29 MZ= -4618479.13

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2013)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4044599.19 MY= 690.29 MZ= 4618479.13

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2013)

	MAXIMUMS	AT NODE
X =	6.30810E-02	10
Y =	-3.23295E-01	571
Z =	-7.78754E-01	4
RX=	-3.02144E-03	4
RY=	0.00000E+00	0
RZ=	-3.12714E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2014
DL+EQDL1+FL+0.75(LL+EQDY4+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411201872E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2014)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047317.07 MY= 690.34 MZ= -4618480.50

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2014)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047317.07 MY= -690.34 MZ= 4618480.50

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2014)

	MAXIMUMS	AT NODE
X =	6.31060E-02	10
Y =	-3.23204E-01	571
Z =	-7.84757E-01	4
RX=	-3.04474E-03	4
RY=	0.00000E+00	0
RZ=	-3.12800E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2019
DL+EQDL1+FL+PL

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.466925614E+03
Y = 0.913700001E+03
Z = -0.405363297E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469431367E+03
Y = 0.911476071E+03
Z = -0.411398999E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2019)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 20.59

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3178971.55 MY= -17904.13 MZ= -3667686.54

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2019)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -20.59

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3178971.55 MY= 17904.13 MZ= 3667686.54

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2019)

	MAXIMUMS	AT NODE
X =	6.85671E-02	10
Y =	-1.72713E-01	7
Z =	-2.08553E-01	6
RX=	-8.09148E-04	6
RY=	0.00000E+00	0
RZ=	-2.61697E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2021
DL+EQDL1+FL+PL+LL+EQDY1+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469410040E+03
Y = 0.912059297E+03
Z = -0.411117171E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2021)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -10536.04
SUMMATION FORCE-Z = 22.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4310935.33 MY= -18825.25 MZ= -4964535.55

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2021)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 10536.04
SUMMATION FORCE-Z = -22.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4310935.33 MY= 18825.25 MZ= 4964535.55

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2021)

	MAXIMUMS	AT NODE
X =	1.17442E-01	10
Y =	-3.79560E-01	571
Z =	-9.47434E-01	4
RX=	-3.67590E-03	4
RY=	0.00000E+00	0
RZ=	-4.24697E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2022
DL+EQDL1+FL+PL+LL+EQDY2+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469410040E+03
Y = 0.912059297E+03
Z = -0.411120910E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2022)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -10536.04
SUMMATION FORCE-Z = 18.63

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4314559.17 MY= -16984.42 MZ= -4964537.38

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2022)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 10536.04
SUMMATION FORCE-Z = -18.63

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4314559.17 MY= 16984.42 MZ= 4964537.38

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2022)

	MAXIMUMS	AT NODE
X =	1.17475E-01	10
Y =	-3.79439E-01	571
Z =	-9.55438E-01	4
RX=	-3.70695E-03	4
RY=	0.00000E+00	0
RZ=	-4.24830E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2023
DL+EQDL1+FL+PL+LL+EQDY3+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469410009E+03
Y = 0.912058074E+03
Z = -0.411115834E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2023)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -10528.19
SUMMATION FORCE-Z = 22.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4307696.53 MY= -18825.60 MZ= -4960854.06

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2023)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 10528.19
SUMMATION FORCE-Z = -22.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4307696.53 MY= 18825.60 MZ= 4960854.06

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2023)

	MAXIMUMS	AT NODE
X =	1.17438E-01	10
Y =	-3.79249E-01	571
Z =	-9.47212E-01	4
RX=	-3.67504E-03	4
RY=	0.00000E+00	0
RZ=	-4.24680E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2024
DL+EQDL1+FL+PL+LL+EQDY4+EQLL+TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469410010E+03
Y = 0.912058074E+03
Z = -0.411119575E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2024)
SUMMATION FORCE-X = 20.60
SUMMATION FORCE-Y = -10528.19
SUMMATION FORCE-Z = 18.63

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4311320.37 MY= -16984.76 MZ= -4960855.89

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2024)
SUMMATION FORCE-X = -20.60
SUMMATION FORCE-Y = 10528.19
SUMMATION FORCE-Z = -18.63

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4311320.37 MY= 16984.76 MZ= 4960855.89

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2024)

	MAXIMUMS	AT NODE
X =	1.17471E-01	10
Y =	-3.79127E-01	571
Z =	-9.55216E-01	4
RX=	-3.70609E-03	4
RY=	0.00000E+00	0
RZ=	-4.24813E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2029
DL+EQDL1+FL+PL+0.75(LL+EQDY1+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469414250E+03
Y = 0.911944181E+03
Z = -0.411172798E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2029)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 22.07

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4027944.39 MY= -18594.97 MZ= -4640323.30

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2029)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -22.07

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4027944.39 MY= 18594.97 MZ= 4640323.30

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2029)

	MAXIMUMS	AT NODE
X =	1.05223E-01	10
Y =	-3.23163E-01	571
Z =	7.18617E-01	7
RX=	2.78813E-03	7
RY=	0.00000E+00	0
RZ=	-3.83947E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2030
DL+EQDL1+FL+PL+0.75(LL+EQDY2+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469414250E+03
Y = 0.911944181E+03
Z = -0.411175799E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2030)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 19.12

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4030662.26 MY= -17214.34 MZ= -4640324.67

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2030)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -19.12

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4030662.26 MY= 17214.34 MZ= 4640324.67

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2030)

	MAXIMUMS	AT NODE
X =	1.05248E-01	10
Y =	-3.23072E-01	571
Z =	7.17053E-01	7
RX=	2.78206E-03	7
RY=	0.00000E+00	0
RZ=	-3.84047E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2031
DL+EQDL1+FL+PL+0.75(LL+EQDY3+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469414227E+03
Y = 0.911943131E+03
Z = -0.411171758E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2031)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 22.07

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4025515.29 MY= -18595.23 MZ= -4637562.18

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2031)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -22.07

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4025515.29 MY= 18595.23 MZ= 4637562.18

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2031)

	MAXIMUMS	AT NODE
X =	1.05220E-01	10
Y =	-3.22929E-01	571
Z =	7.18516E-01	7
RX=	2.78774E-03	7
RY=	0.00000E+00	0
RZ=	-3.83934E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2032
DL+EQDL1+FL+PL+0.75(LL+EQDY4+EQLL)+0.75TL

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469414228E+03
Y = 0.911943131E+03
Z = -0.411174761E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2032)
SUMMATION FORCE-X = 20.59
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 19.12

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4028233.17 MY= -17214.61 MZ= -4637563.56

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2032)
SUMMATION FORCE-X = -20.59
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -19.12

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4028233.17 MY= 17214.61 MZ= 4637563.56

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2032)

	MAXIMUMS	AT NODE
X =	1.05245E-01	10
Y =	-3.22838E-01	571
Z =	7.16952E-01	7
RX=	2.78167E-03	7
RY=	0.00000E+00	0
RZ=	-3.84034E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2037
DL+EQDL1+FL+WL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468905468E+03
Y = 0.913700001E+03
Z = -0.410887327E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469507584E+03
Y = 0.911476071E+03
Z = -0.411433317E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2037)
SUMMATION FORCE-X = 144.56
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3198056.36 MY= -59362.38 MZ= -3781552.66

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2037)
SUMMATION FORCE-X = -144.56
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3198056.36 MY= 59362.38 MZ= 3781552.65

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2037)

	MAXIMUMS	AT NODE
X =	1.72606E-01	10
Y =	-1.77840E-01	7
Z =	-2.27922E-01	6
RX=	-8.84297E-04	6
RY=	0.00000E+00	0
RZ=	-6.87126E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2038
DL+EQDL1+FL+WL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468840748E+03
Y = 0.913700001E+03
Z = -0.411253199E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469303073E+03
Y = 0.911476071E+03
Z = -0.411433317E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2038)
SUMMATION FORCE-X = -133.83
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3198055.45 MY= 55001.11 MZ= -3525594.41

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2038)
SUMMATION FORCE-X = 133.83
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3198055.45 MY= -55001.11 MZ= 3525594.42

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2038)

	MAXIMUMS	AT NODE
X =	-1.49448E-01	2
Y =	-1.78260E-01	7
Z =	-2.10663E-01	6
RX=	-8.17331E-04	6
RY=	0.00000E+00	0
RZ=	5.79835E-04	2

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2039
DL+EQDL1+FL+WL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469397044E+03
Y = 0.911476072E+03
Z = -0.411266780E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468857919E+03
Y = 0.913700001E+03
Z = -0.409912198E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2039)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3014736.32 MY= -93425.26 MZ= -3648604.43

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2039)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3014736.33 MY= 93425.26 MZ= 3648604.43

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2039)

	MAXIMUMS	AT NODE
X =	-3.97375E-02	9
Y =	-1.73944E-01	1566
Z =	3.34234E-01	11
RX=	1.34619E-03	11
RY=	0.00000E+00	0
RZ=	1.58761E-04	1159

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2040
DL+EQDL1+FL+WL(-Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469397046E+03
Y = 0.911476071E+03
Z = -0.411599855E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468838105E+03
Y = 0.913700001E+03
Z = -0.414865048E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2040)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = -199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3381375.91 MY= 93427.79 MZ= -3648602.11

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2040)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = 199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3381375.91 MY= -93427.79 MZ= 3648602.11

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2040)

	MAXIMUMS	AT NODE
X =	3.00534E-02	10
Y =	-1.84969E-01	7
Z =	-4.81524E-01	6
RX=	-1.86824E-03	6
RY=	0.00000E+00	0
RZ=	1.29227E-04	502

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2045
DL+EQDL1+FL+0.7SL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468798639E+03
Y = 0.913700001E+03
Z = -0.410509088E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469507829E+03
Y = 0.911476071E+03
Z = -0.411433317E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2045)
SUMMATION FORCE-X = 96.11
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3198055.16 MY= -39461.20 MZ= -3737281.89

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2045)
SUMMATION FORCE-X = -96.11
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3198055.16 MY= 39461.20 MZ= 3737281.89

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2045)

	MAXIMUMS	AT NODE
X =	1.44031E-01	10
Y =	-1.79016E-01	7
Z =	-2.15382E-01	6
RX=	-8.35644E-04	6
RY=	0.00000E+00	0
RZ=	-5.69061E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2046
DL+EQDL1+FL+0.7SL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468472905E+03
Y = 0.913700001E+03
Z = -0.410534145E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469286260E+03
Y = 0.911476072E+03
Z = -0.411433318E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2046)
SUMMATION FORCE-X = -96.11
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3198055.74 MY= 39462.83 MZ= -3559925.08

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2046)
SUMMATION FORCE-X = 96.11
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3198055.74 MY= -39462.83 MZ= 3559925.08

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2046)

	MAXIMUMS	AT NODE
X	-1.43397E-01	9
Y	-1.76965E-01	7
Z	-2.23039E-01	6
RX	-8.65350E-04	6
RY	0.00000E+00	0
RZ	5.63206E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2047
DL+EQDL1+FL+0.7SL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469397045E+03
Y = 0.911476071E+03
Z = -0.411322538E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469279733E+03
Y = 0.913700001E+03
Z = -0.407454052E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2047)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = 96.11

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3109377.39 MY= -45104.98 MZ= -3648603.49

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2047)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 7772.96
SUMMATION FORCE-Z = -96.11

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3109377.39 MY= 45104.98 MZ= 3648603.49

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2047)

	MAXIMUMS	AT NODE
X =	-3.44320E-02	9
Y =	-1.71427E-01	7
Z =	2.63881E-01	11
RX=	1.06042E-03	11
RY=	0.00000E+00	0
RZ=	1.44247E-04	1159

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2048
DL+EQDL1+FL+0.7SL(-Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469397044E+03
Y = 0.911476071E+03
Z = -0.411544097E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2048)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -7772.96
SUMMATION FORCE-Z = -96.11

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3286733.51 MY= 45106.62 MZ= -3648603.49

```
***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  2048 )
    SUMMATION FORCE-X =           0.00
    SUMMATION FORCE-Y =        7772.96
    SUMMATION FORCE-Z =          96.11

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     3286733.51  MY=      -45106.62  MZ=     3648603.49


MAXIMUM DISPLACEMENTS (  CM  /RADIANS) (LOADING   2048)
         MAXIMUMS    AT NODE
   X =  2.72053E-02      10
   Y = -1.84554E-01       7
   Z = -3.82016E-01       6
   RX= -1.48216E-03       6
   RY=  0.00000E+00       0
   RZ=  1.28297E-04     502


       STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO.  2053
       DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY1+EQLL)


        CENTER OF FORCE BASED ON X FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.469106007E+03
                    Y =  0.913700001E+03
                    Z = -0.410982386E+03

        CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
      (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                    X =  0.469452607E+03
                    Y =  0.911944181E+03
                    Z = -0.411199892E+03

***TOTAL APPLIED LOAD ( KN   METE ) SUMMARY (LOADING  2053 )
    SUMMATION FORCE-X =         108.42
    SUMMATION FORCE-Y =       -9845.27
    SUMMATION FORCE-Z =           1.47

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=    -4047027.59  MY=      -45213.12  MZ=    -4720952.13


***TOTAL REACTION LOAD( KN   METE ) SUMMARY (LOADING  2053 )
    SUMMATION FORCE-X =        -108.42
    SUMMATION FORCE-Y =        9845.27
    SUMMATION FORCE-Z =          -1.47

   SUMMATION OF MOMENTS AROUND THE ORIGIN-
   MX=     4047027.59  MY=       45213.12  MZ=     4720952.13
```

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2053)

	MAXIMUMS	AT NODE
X =	1.71461E-01	10
Y =	-2.61274E-01	7
Z =	-4.37801E-01	6
RX=	-1.69860E-03	6
RY=	0.00000E+00	0
RZ=	-6.55531E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2054
DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468624130E+03
Y = 0.913700001E+03
Z = -0.411150513E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469331508E+03
Y = 0.911944181E+03
Z = -0.411199892E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2054)
SUMMATION FORCE-X = -100.37
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047026.91 MY= 40559.50 MZ= -4528983.45

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2054)
SUMMATION FORCE-X = 100.37
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047026.91 MY= -40559.50 MZ= 4528983.45

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2054)

	MAXIMUMS	AT NODE
X =	-1.33955E-01	9
Y =	-2.61590E-01	7
Z =	-4.24856E-01	6
RX=	-1.64837E-03	6
RY=	0.00000E+00	0
RZ=	5.16154E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2055
DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411101280E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2055)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 150.89

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3909537.55 MY= -70760.28 MZ= -4621240.96

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2055)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -150.89

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3909537.56 MY= 70760.28 MZ= 4621240.96

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2055)

	MAXIMUMS	AT NODE
X =	5.92940E-02	10
Y =	-2.56148E-01	7
Z =	4.62601E-01	11
RX=	1.86267E-03	11
RY=	0.00000E+00	0
RZ=	-3.08254E-04	1071

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2056
DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387153E+03
Y = 0.911944181E+03
Z = -0.411298505E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2056)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -147.94

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4184517.26 MY= 69379.51 MZ= -4621239.23

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2056)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 147.94

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4184517.26 MY= -69379.51 MZ= 4621239.23

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2056)

	MAXIMUMS	AT NODE
X =	6.45465E-02	10
Y =	-2.66621E-01	7
Z =	-6.28002E-01	6
RX=	-2.43655E-03	6
RY=	0.00000E+00	0
RZ=	-3.13957E-04	1097

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2057
DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469104921E+03
Y = 0.913700001E+03
Z = -0.410981145E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452607E+03
Y = 0.911944181E+03
Z = -0.411202893E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2057)
SUMMATION FORCE-X = 108.42
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4049745.47 MY= -43832.49 MZ= -4720953.50

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2057)
SUMMATION FORCE-X = -108.42
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4049745.47 MY= 43832.49 MZ= 4720953.50

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2057)

	MAXIMUMS	AT NODE
X =	1.71486E-01	10
Y =	-2.61520E-01	7
Z =	-4.43195E-01	6
RX=	-1.71953E-03	6
RY=	0.00000E+00	0
RZ=	-6.55631E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2058
DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468625296E+03
Y = 0.913700001E+03
Z = -0.411151856E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469331508E+03
Y = 0.911944181E+03
Z = -0.411202893E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2058)
SUMMATION FORCE-X = -100.37
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4049744.79 MY= 41940.13 MZ= -4528984.82

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2058)
SUMMATION FORCE-X = 100.37
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4049744.79 MY= -41940.13 MZ= 4528984.83

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2058)

	MAXIMUMS	AT NODE
X =	-1.33690E-01	9
Y =	-2.61835E-01	7
Z =	-4.30250E-01	6
RX=	-1.66930E-03	6
RY=	0.00000E+00	0
RZ=	5.15254E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2059
DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411104280E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2059)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 147.95

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3912255.43 MY= -69379.65 MZ= -4621242.33

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2059)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -147.95

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3912255.43 MY= 69379.65 MZ= 4621242.33

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2059)

	MAXIMUMS	AT NODE
X =	5.93190E-02	10
Y =	-2.56394E-01	7
Z =	4.59635E-01	11
RX=	1.85088E-03	11
RY=	0.00000E+00	0
RZ=	-3.08346E-04	1071

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2060
DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387153E+03
Y = 0.911944181E+03
Z = -0.411301506E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2060)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -150.88

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4187235.14 MY= 70760.14 MZ= -4621240.60

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2060)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 150.88

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4187235.13 MY= -70760.14 MZ= 4621240.60

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2060)

	MAXIMUMS	AT NODE
X =	6.45715E-02	10
Y =	-2.66867E-01	7
Z =	-6.33396E-01	6
RX=	-2.45748E-03	6
RY=	0.00000E+00	0
RZ=	-3.14060E-04	1097

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2061
DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469106404E+03
Y = 0.913700001E+03
Z = -0.410982662E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452607E+03
Y = 0.911943131E+03
Z = -0.411198868E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2061)
SUMMATION FORCE-X = 108.42
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4044598.50 MY= -45213.38 MZ= -4718191.01

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2061)
SUMMATION FORCE-X = -108.42
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4044598.50 MY= 45213.38 MZ= 4718191.01

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2061)

	MAXIMUMS	AT NODE
X =	1.71458E-01	10
Y =	-2.60955E-01	7
Z =	-4.37008E-01	6
RX=	-1.69552E-03	6
RY=	0.00000E+00	0
RZ=	-6.55518E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2062
DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468623695E+03
Y = 0.913700001E+03
Z = -0.411150217E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469331436E+03
Y = 0.911943131E+03
Z = -0.411198868E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2062)
SUMMATION FORCE-X = -100.37
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4044597.81 MY= 40559.24 MZ= -4526222.34

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2062)
SUMMATION FORCE-X = 100.37
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4044597.81 MY= -40559.24 MZ= 4526222.34

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2062)

	MAXIMUMS	AT NODE
X =	-1.33941E-01	9
Y =	-2.61270E-01	7
Z =	-4.24063E-01	6
RX=	-1.64530E-03	6
RY=	0.00000E+00	0
RZ=	5.16108E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2063
DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411100197E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2063)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9839.39
SUMMATION FORCE-Z = 150.89

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3907108.46 MY= -70760.54 MZ= -4618479.84

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2063)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9839.39
SUMMATION FORCE-Z = -150.89

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3907108.46 MY= 70760.54 MZ= 4618479.84

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2063)

	MAXIMUMS	AT NODE
X =	5.92908E-02	10
Y =	-2.55829E-01	7
Z =	4.62032E-01	11
RX=	1.86033E-03	11
RY=	0.00000E+00	0
RZ=	-3.08257E-04	1071

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2064
DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411297540E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2064)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -147.94

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4182088.16 MY= 69379.25 MZ= -4618478.11

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2064)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 147.94

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4182088.16 MY= -69379.25 MZ= 4618478.11

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2064)

	MAXIMUMS	AT NODE
X =	6.45434E-02	10
Y =	-2.66302E-01	7
Z =	-6.27209E-01	6
RX=	-2.43347E-03	6
RY=	0.00000E+00	0
RZ=	-3.13961E-04	1097

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2065
DL+EQDL1+FL+0.75WL(+X)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469105317E+03
Y = 0.913700001E+03
Z = -0.410981421E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452607E+03
Y = 0.911943131E+03
Z = -0.411201871E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2065)
SUMMATION FORCE-X = 108.42
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047316.38 MY= -43832.75 MZ= -4718192.39

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2065)
SUMMATION FORCE-X = -108.42
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047316.38 MY= 43832.75 MZ= 4718192.38

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2065)

	MAXIMUMS	AT NODE
X =	1.71483E-01	10
Y =	-2.61201E-01	7
Z =	-4.42402E-01	6
RX=	-1.71645E-03	6
RY=	0.00000E+00	0
RZ=	-6.55618E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2066
DL+EQDL1+FL+0.75WL(-X)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468624861E+03
Y = 0.913700001E+03
Z = -0.411151560E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469331437E+03
Y = 0.911943131E+03
Z = -0.411201871E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2066)
SUMMATION FORCE-X = -100.37
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047315.69 MY= 41939.87 MZ= -4526223.71

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2066)
SUMMATION FORCE-X = 100.37
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047315.69 MY= -41939.87 MZ= 4526223.71

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2066)

	MAXIMUMS	AT NODE
X =	-1.33676E-01	9
Y =	-2.61516E-01	7
Z =	-4.29457E-01	6
RX=	-1.66623E-03	6
RY=	0.00000E+00	0
RZ=	5.15208E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2067
DL+EQDL1+FL+0.75WL(+Z)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411103199E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2067)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -9839.39
SUMMATION FORCE-Z = 147.94

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3909826.34 MY= -69379.92 MZ= -4618481.21

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2067)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 9839.39
SUMMATION FORCE-Z = -147.94

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3909826.34 MY= 69379.92 MZ= 4618481.21

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2067)

	MAXIMUMS	AT NODE
X =	5.93158E-02	10
Y =	-2.56075E-01	7
Z =	4.59066E-01	11
RX=	1.84854E-03	11
RY=	0.00000E+00	0
RZ=	-3.08349E-04	1071

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2068
DL+EQDL1+FL+0.75WL(-Z)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411300543E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2068)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -150.88

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4184806.04 MY= 70759.88 MZ= -4618479.48

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2068)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 150.88

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4184806.04 MY= -70759.88 MZ= 4618479.48

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2068)

	MAXIMUMS	AT NODE
X =	6.45683E-02	10
Y =	-2.66548E-01	7
Z =	-6.32603E-01	6
RX=	-2.45440E-03	6
RY=	0.00000E+00	0
RZ=	-3.14064E-04	1097

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2085
DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469100280E+03
Y = 0.913700001E+03
Z = -0.410652065E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452752E+03
Y = 0.911944181E+03
Z = -0.411199892E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2085)
SUMMATION FORCE-X = 72.08
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047026.69 MY= -30287.24 MZ= -4687749.06

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2085)
SUMMATION FORCE-X = -72.08
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047026.69 MY= 30287.24 MZ= 4687749.06

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2085)

	MAXIMUMS	AT NODE
X =	1.50030E-01	10
Y =	-2.62156E-01	7
Z =	-4.28396E-01	6
RX=	-1.66211E-03	6
RY=	0.00000E+00	0
RZ=	-5.66982E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2086
DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468171292E+03
Y = 0.913700001E+03
Z = -0.410391178E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469321553E+03
Y = 0.911944181E+03
Z = -0.411199892E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2086)
SUMMATION FORCE-X = -72.09
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047027.13 MY= 28905.79 MZ= -4554731.45

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2086)
SUMMATION FORCE-X = 72.09
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047027.13 MY= -28905.79 MZ= 4554731.45

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2086)

	MAXIMUMS	AT NODE
X =	-1.31873E-01	9
Y =	-2.60618E-01	7
Z =	-4.34138E-01	6
RX=	-1.68439E-03	6
RY=	0.00000E+00	0
RZ=	5.05322E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2087
DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411134296E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2087)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 73.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3980518.36 MY= -34520.07 MZ= -4621240.25

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2087)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -73.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3980518.37 MY= 34520.07 MZ= 4621240.25

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2087)

	MAXIMUMS	AT NODE
X =	6.12446E-02	10
Y =	-2.56464E-01	7
Z =	4.09837E-01	11
RX=	1.64834E-03	11
RY=	0.00000E+00	0
RZ=	-3.08977E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2088
DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY1+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411265488E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2088)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -70.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4113535.45 MY= 33138.63 MZ= -4621240.26

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2088)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 70.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4113535.45 MY= -33138.63 MZ= 4621240.26

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2088)

	MAXIMUMS	AT NODE
X =	6.24105E-02	10
Y =	-2.66310E-01	7
Z =	-5.53371E-01	6
RX=	-2.14699E-03	6
RY=	0.00000E+00	0
RZ=	-3.12365E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2089
DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469098646E+03
Y = 0.913700001E+03
Z = -0.410650205E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452752E+03
Y = 0.911944181E+03
Z = -0.411202893E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2089)
SUMMATION FORCE-X = 72.08
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4049744.56 MY= -28906.61 MZ= -4687750.43

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2089)
SUMMATION FORCE-X = -72.08
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4049744.56 MY= 28906.61 MZ= 4687750.43

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2089)

	MAXIMUMS	AT NODE
X =	1.50055E-01	10
Y =	-2.62402E-01	7
Z =	-4.33790E-01	6
RX=	-1.68304E-03	6
RY=	0.00000E+00	0
RZ=	-5.67082E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2090
DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468172907E+03
Y = 0.913700001E+03
Z = -0.410393032E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469321553E+03
Y = 0.911944181E+03
Z = -0.411202893E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2090)
SUMMATION FORCE-X = -72.09
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4049745.01 MY= 30286.42 MZ= -4554732.82

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2090)
SUMMATION FORCE-X = 72.09
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4049745.01 MY= -30286.42 MZ= 4554732.82

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2090)

	MAXIMUMS	AT NODE
X =	-1.31608E-01	9
Y =	-2.60864E-01	7
Z =	-4.39533E-01	6
RX=	-1.70532E-03	6
RY=	0.00000E+00	0
RZ=	5.04422E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2091
DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411137297E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2091)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = 70.62

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3983236.24 MY= -33139.44 MZ= -4621241.63

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2091)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = -70.62

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3983236.24 MY= 33139.44 MZ= 4621241.63

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2091)

	MAXIMUMS	AT NODE
X =	6.12696E-02	10
Y =	-2.56710E-01	7
Z =	4.06870E-01	11
RX=	1.63655E-03	11
RY=	0.00000E+00	0
RZ=	-3.09062E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2092
DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY2+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387152E+03
Y = 0.911944181E+03
Z = -0.411268489E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2092)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9845.27
SUMMATION FORCE-Z = -73.55

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4116253.33 MY= 34519.26 MZ= -4621241.63

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2092)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9845.27
SUMMATION FORCE-Z = 73.55

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4116253.33 MY= -34519.26 MZ= 4621241.63

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2092)

	MAXIMUMS	AT NODE
X =	6.24354E-02	10
Y =	-2.66556E-01	7
Z =	-5.58765E-01	6
RX=	-2.16792E-03	6
RY=	0.00000E+00	0
RZ=	-3.12451E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2093
DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469100876E+03
Y = 0.913700001E+03
Z = -0.410652487E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452752E+03
Y = 0.911943131E+03
Z = -0.411198868E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2093)
SUMMATION FORCE-X = 72.08
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4044597.59 MY= -30287.50 MZ= -4684987.95

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2093)
SUMMATION FORCE-X = -72.08
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4044597.59 MY= 30287.50 MZ= 4684987.94

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2093)

	MAXIMUMS	AT NODE
X =	1.50027E-01	10
Y =	-2.61837E-01	7
Z =	-4.27603E-01	6
RX=	-1.65903E-03	6
RY=	0.00000E+00	0
RZ=	-5.66969E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2094
DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468170676E+03
Y = 0.913700001E+03
Z = -0.410390750E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469321475E+03
Y = 0.911943131E+03
Z = -0.411198869E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2094)
SUMMATION FORCE-X = -72.09
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4044598.03 MY= 28905.53 MZ= -4551970.33

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2094)
SUMMATION FORCE-X = 72.09
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4044598.03 MY= -28905.53 MZ= 4551970.33

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2094)

	MAXIMUMS	AT NODE
X =	-1.31859E-01	9
Y =	-2.60299E-01	7
Z =	-4.33345E-01	6
RX=	-1.68131E-03	6
RY=	0.00000E+00	0
RZ=	5.05277E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2095
DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411133233E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2095)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 73.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3978089.27 MY= -34520.33 MZ= -4618479.14

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2095)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -73.56

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3978089.27 MY= 34520.33 MZ= 4618479.14

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2095)

	MAXIMUMS	AT NODE
X =	6.12414E-02	10
Y =	-2.56145E-01	7
Z =	4.09268E-01	11
RX=	1.64600E-03	11
RY=	0.00000E+00	0
RZ=	-3.08979E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2096
DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY3+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411264504E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2096)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -70.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4111106.35 MY= 33138.37 MZ= -4618479.14

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2096)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 70.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4111106.35 MY= -33138.37 MZ= 4618479.14

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2096)

	MAXIMUMS	AT NODE
X =	6.24073E-02	10
Y =	-2.65990E-01	7
Z =	-5.52578E-01	6
RX=	-2.14392E-03	6
RY=	0.00000E+00	0
RZ=	-3.12368E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2097
DL+EQDL1+FL+0.525SL(+X)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469099242E+03
Y = 0.913700001E+03
Z = -0.410650627E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469452753E+03
Y = 0.911943131E+03
Z = -0.411201870E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2097)
SUMMATION FORCE-X = 72.08
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047315.47 MY= -28906.87 MZ= -4684989.32

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2097)
SUMMATION FORCE-X = -72.08
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047315.47 MY= 28906.87 MZ= 4684989.32

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2097)

	MAXIMUMS	AT NODE
X =	1.50052E-01	10
Y =	-2.62083E-01	7
Z =	-4.32997E-01	6
RX=	-1.67996E-03	6
RY=	0.00000E+00	0
RZ=	-5.67069E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2098
DL+EQDL1+FL+0.525SL(-X)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468172291E+03
Y = 0.913700001E+03
Z = -0.410392605E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469321475E+03
Y = 0.911943131E+03
Z = -0.411201871E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2098)
SUMMATION FORCE-X = -72.08
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4047315.91 MY= 30286.16 MZ= -4551971.70

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2098)
SUMMATION FORCE-X = 72.08
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 1.47

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4047315.91 MY= -30286.16 MZ= 4551971.70

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2098)

	MAXIMUMS	AT NODE
X =	-1.31594E-01	9
Y =	-2.60544E-01	7
Z =	-4.38739E-01	6
RX=	-1.70224E-03	6
RY=	0.00000E+00	0
RZ=	5.04377E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2099
DL+EQDL1+FL+0.525SL(+Z)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411136235E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2099)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = 70.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3980807.15 MY= -33139.70 MZ= -4618480.51

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2099)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = -70.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3980807.15 MY= 33139.70 MZ= 4618480.51

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2099)

	MAXIMUMS	AT NODE
X =	6.12664E-02	10
Y =	-2.56391E-01	7
Z =	4.06301E-01	11
RX=	1.63421E-03	11
RY=	0.00000E+00	0
RZ=	-3.09065E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2100
DL+EQDL1+FL+0.525SL(-Z)+0.75(LL+EQDY4+EQLL)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469387114E+03
Y = 0.911943131E+03
Z = -0.411267506E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2100)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -9839.38
SUMMATION FORCE-Z = -73.55

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4113824.23 MY= 34519.00 MZ= -4618480.51

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2100)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = 9839.38
SUMMATION FORCE-Z = 73.55

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4113824.23 MY= -34519.00 MZ= 4618480.51

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2100)

	MAXIMUMS	AT NODE
X =	6.24323E-02	10
Y =	-2.66236E-01	7
Z =	-5.57972E-01	6
RX=	-2.16485E-03	6
RY=	0.00000E+00	0
RZ=	-3.12453E-04	1069

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2117
0.6(DL+EQDL1)+WL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468873640E+03
Y = 0.913700001E+03
Z = -0.410888294E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469642372E+03
Y = 0.911459108E+03
Z = -0.411468142E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2117)
SUMMATION FORCE-X = 144.57
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1904469.91 MY= -59362.95 MZ= -2305816.23

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2117)
SUMMATION FORCE-X = -144.57
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1904469.91 MY= 59362.95 MZ= 2305816.23

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2117)

	MAXIMUMS	AT NODE
X =	1.62499E-01	10
Y =	-1.14220E-01	1233
Z =	-1.39726E-01	6
RX=	-5.42112E-04	6
RY=	0.00000E+00	0
RZ=	-6.52124E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2118
0.6(DL+EQDL1)+WL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468875129E+03
Y = 0.913700001E+03
Z = -0.411252157E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469298919E+03
Y = 0.911459108E+03
Z = -0.411468142E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2118)
SUMMATION FORCE-X = -133.83
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1904468.99 MY= 55000.55 MZ= -2049857.99

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2118)
SUMMATION FORCE-X = 133.83
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1904468.99 MY= -55000.55 MZ= 2049857.99

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2118)

	MAXIMUMS	AT NODE
X =	-1.45519E-01	2
Y =	-1.03847E-01	7
Z =	-1.22466E-01	6
RX=	-4.75147E-04	6
RY=	0.00000E+00	0
RZ=	5.64591E-04	2

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2119
0.6(DL+EQDL1)+WL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456733E+03
Y = 0.911459109E+03
Z = -0.411188462E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468857172E+03
Y = 0.913700001E+03
Z = -0.410917062E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2119)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = 199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1721149.87 MY= -93425.83 MZ= -2172868.00

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2119)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = -199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1721149.87 MY= 93425.83 MZ= 2172868.00

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2119)

	MAXIMUMS	AT NODE
X =	-2.57648E-02	9
Y =	-1.21617E-01	1566
Z =	3.20971E-01	4
RX=	1.24533E-03	4
RY=	0.00000E+00	0
RZ=	9.94711E-05	1159

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2120
0.6(DL+EQDL1)+WL(-Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456735E+03
Y = 0.911459107E+03
Z = -0.411747823E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468838852E+03
Y = 0.913700001E+03
Z = -0.413860189E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2120)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = -199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2087789.46 MY= 93427.22 MZ= -2172865.69

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2120)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = 199.22

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2087789.45 MY= -93427.22 MZ= 2172865.69

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2120)

	MAXIMUMS	AT NODE
X =	1.99463E-02	10
Y =	-1.22285E-01	986
Z =	-3.93328E-01	6
RX=	-1.52605E-03	6
RY=	0.00000E+00	0
RZ=	-8.43641E-05	1101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2125
0.6(DL+EQDL1)+0.7SL(+X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468716267E+03
Y = 0.913700001E+03
Z = -0.410513869E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469722519E+03
Y = 0.911459107E+03
Z = -0.411468140E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2125)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1904468.57 MY= -56374.06 MZ= -2299550.51

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2125)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1904468.57 MY= 56374.06 MZ= 2299550.50

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2125)

	MAXIMUMS	AT NODE
X =	1.84326E-01	10
Y =	-1.25959E-01	1233
Z =	-1.25546E-01	6
RX=	-4.87094E-04	6
RY=	0.00000E+00	0
RZ=	-7.38754E-04	10

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2126
0.6(DL+EQDL1)+0.7SL(-X)

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.468555270E+03
Y = 0.913700001E+03
Z = -0.410529364E+03

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469190948E+03
Y = 0.911459108E+03
Z = -0.411468143E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2126)
SUMMATION FORCE-X = -137.30
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1904469.41 MY= 56374.57 MZ= -2046183.62

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2126)
SUMMATION FORCE-X = 137.30
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1904469.41 MY= -56374.57 MZ= 2046183.62

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2126)

	MAXIMUMS	AT NODE
X =	-1.79351E-01	9
Y =	-1.23104E-01	1122
Z =	-1.36483E-01	6
RX=	-5.29531E-04	6
RY=	0.00000E+00	0
RZ=	7.16938E-04	9

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2127
0.6(DL+EQDL1)+0.7SL(+Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456733E+03
Y = 0.911459108E+03
Z = -0.411202370E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469274875E+03
Y = 0.913700001E+03
Z = -0.410451210E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2127)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = 137.30

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1777786.05 MY= -64436.61 MZ= -2172867.06

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2127)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = -137.30

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1777786.06 MY= 64436.61 MZ= 2172867.06

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2127)

	MAXIMUMS	AT NODE
X =	-2.36869E-02	9
Y =	-1.19095E-01	1566
Z =	2.38459E-01	4
RX=	9.40235E-04	11
RY=	0.00000E+00	0
RZ=	9.95433E-05	1159

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 2128
0.6(DL+EQDL1)+0.7SL(-Z)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469456733E+03
Y = 0.911459108E+03
Z = -0.411733914E+03

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.469259431E+03
Y = 0.913700001E+03
Z = -0.414717914E+03

***TOTAL APPLIED LOAD (KN METE) SUMMARY (LOADING 2128)
SUMMATION FORCE-X = -0.00
SUMMATION FORCE-Y = -4628.47
SUMMATION FORCE-Z = -137.30

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2031151.93 MY= 64437.11 MZ= -2172867.06

***TOTAL REACTION LOAD(KN METE) SUMMARY (LOADING 2128)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 4628.47
SUMMATION FORCE-Z = 137.30

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2031151.93 MY= -64437.11 MZ= 2172867.06

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 2128)

	MAXIMUMS	AT NODE
X =	1.74313E-02	10
Y =	-1.17013E-01	986
Z =	-3.63594E-01	6
RX=	-1.41069E-03	6
RY=	0.00000E+00	0
RZ=	7.98750E-05	502

********** END OF DATA FROM INTERNAL STORAGE **********

2465. **********
2466. FINISH

********** END OF THE STAAD.Pro RUN **********

**** DATE= AUG 27,2020 TIME= 11:39:46 ****

****
* For technical assistance on STAAD.Pro, please visit *
* http://selectservices.bentley.com/en-US/ *
* *
* Details about additional assistance from *
* Bentley and Partners can be found at program menu *
* Help->Technical Support *
* *
* Copyright (c) 1997-2016 Bentley Systems, Inc. *
* http://www.bentley.com *
****