MA'ADEN معادن

Saudi Arabian Mining Company شركة التعدين العربية السعودية

Project **Mansourah Massarah Gold Project**

Customer: **MA'ADEN GOLD AND BASE METALS (MA'ADEN)**

Title: **CALCULATION**
3110 PRIMARY CRUSHING
ROM RETAINING WALL DESIGN CALCULATION

Document Number: **MD-216-3110-EG-CV-CAL-1003**

Revision: **D01**

Revision Date: **13-10-2023**

Status: **AS BUILT**

Outotec Document Number:	900707	GAU01	ZC01	CED01	31100	OU1006667584	4
L&T Document Number:	O19045	100	C	K	24061	001	4

REVISION HISTORY

Rev	Date	Revision Text	Prepared By	Reviewed By	Approved By	Employer
A01	05.12.19	FIRST ISSUE	SUE	BDA	AG	
A02	02.01.2020	REVISED AS PER EMPLOYER COMMENTS DT. 26.12.2019	SUE	BDA	AG	
A03	07.03.2020	REVISED AS PER EMPLOYER COMMENTS DT. 16.01.2020	SUE	BDA	AG	
C01	30.04.2020	AS BUILT	SUE	BDA	AG	
D01	13.10.2023	AS BUILT	SUE	BDA	AG	

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS DUILT	Rev.	D01

TABLE OF CONTENTS **PAGE NO**

Definitions and abbreviations 5

1.0 INTENT 6

2.0 SCOPE 6

3.0 DESIGN REQUIREMENTS

3.1 Reference Codes & Books 6
3.2 Materials Property 6
3.3 Minimum Reinforcing Steel (Rebar) Size 6
3.4 Concrete Clear Cover 7

4.0 LOADS

4.1 Primary Loads 7
4.2 Load Combinations 7

5.0 SAFETY FACTOR AGAINST STABILITY

5.1 Against Overturning 7
5.2 Against Sliding 7

6.0 ALLOWABLE SOIL BEARING CAPACITY 7

7.0 LOAD CALCULATION
7.1 Wind Load Calculation 8
7.2 Seismic Load Calculation 9

8.0 DESIGN OF ROM RETAINING WALL - MIDDLE PORTION MKD.-A (HCF-1 & TCF-1)

8.1 Design Data 11
8.2 Load Calculation Due to Soil & Off Highway Truck 11
8.3 Overturning Check 12
8.4 Sliding Check 13
8.5 Base Pressure Check
8.5.1 Base Pressure Check - Manual Calculation using Excel Sheet 13
8.5.2 Base Pressure Check - As per STAAD Model 15
8.6 Reinforcement Calculation
8.6.1 Reinforcement Calculation of Toe Slab 18
8.6.2 Reinforcement Calculation of Conceal beam at Toe Slab 22
8.6.3 Reinforcement Calculation Heel Slab-1 25
8.6.4 Reinforcement Calculation of Heel Slab-2 29
8.6.5 Reinforcement Calculation of Heel Slab-3 33
8.6.6 Reinforcement Calculation of Heel Slab-4 37
8.6.7 Reinforcement Calculation of Wall (Bottom Portion) 41
8.6.8 Reinforcement Calculation of Wall (Top Portion) 45
8.6.9 Reinforcement Calculation of Heal Counterfort (HCF-1) 48
8.6.10 Reinforcement Calculation of Toe Counterfort (TCF-1) 51
8.6.11 Reinforcement Calculation of Shear Key 53
8.6.12 Reinforcement Calculation of Boffer Stop 55

9.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD.-B (HCF-2 & TCF-2)

9.1 Design Data 56
9.2 Load Calculation 56

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

9.3 Overturning Check 57
9.4 Sliding Check 57
9.5 Base Pressure Check
9.5.1 Base Pressure Check - Manual Calculation using Excel Sheet 58
9.5.2 Base Pressure Check - As per STAAD Model 59
9.6 Reinforcement Calculation
9.6.1 Reinforcement Calculation of Toe Slab 62
9.6.2 Reinforcement Calculation of Conceal beam at Toe Slab 66
9.6.3 Reinforcement Calculation of Heel Slab 69
9.6.4 Reinforcement Calculation of Wall Type-I 73
9.6.5 Reinforcement Calculation of Wall Type-II 77
9.6.6 Reinforcement Calculation of Heal Counterfort (HCF-2) 80
9.6.7 Reinforcement Calculation of Toe Counterfort (TCF-2) 83
9.6.8 Reinforcement Calculation of Shear Key 85

10.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD.-C (HCF-3 & TCF-3)

10.1 Design Data 87
10.2 Load Calculation 87
10.3 Overturning Check 88
10.4 Sliding Check 88
10.5 Base Pressure Check - Manual Calculation using Excel Sheet 88
10.6 Reinforcement Calculation
10.6.1 Reinforcement Calculation of Heal Counterfort (HCF-3) 90
10.6.2 Reinforcement Calculation of Toe Counterfort (TCF-3) 93

11.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD-D (HCF-4 & TCF-4)

11.1 Design Data 95
11.2 Load Calculation 95
11.3 Overturning Check 96
11.4 Sliding Check 96
11.5 Base Pressure Check - Manual Calculation using Excel Sheet 96
11.6 Reinforcement Calculation
11.6.1 Reinforcement Calculation of Heal Counterfort (HCF-4) 98
11.6.2 Reinforcement Calculation of Toe Counterfort (TCF-4) 101

12.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD-E (HCF-5 & TCF-5)

12.1 Design Data 103
12.2 Load Calculation 103
12.3 Overturning Check 104
12.4 Sliding Check 104
12.5 Base Pressure Check - Manual Calculation using Excel Sheet 104
12.6 Reinforcement Calculation
12.6.1 Reinforcement Calculation of Heal Counterfort (HCF-5) 106
12.6.2 Reinforcement Calculation of Toe Counterfort (TCF-5) 108

13.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD.-F (HCF-6 & TCF-6)

13.1 Design Data 110
13.2 Load Calculation 110
13.3 Overturning Check 111
13.4 Sliding Check 111
13.5 Base Pressure Check - Manual Calculation using Excel Sheet 111

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

13.6 Reinforcement Calculation
13.6.1 Reinforcement Calculation of Heal Counterfort (HCF-6) 113
13.6.2 Reinforcement Calculation of Toe Counterfort (TCF-6) 115

14.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD.-G (HCF-7 & TCF-7)

14.1 Design Data 117
14.2 Load Calculation 117
14.3 Overturning Check 118
14.4 Sliding Check 118
14.5 Base Pressure Check - Manual Calculation using Excel Sheet 118
14.6 Reinforcement Calculation
14.6.1 Reinforcement Calculation of Heal Counterfort (HCF-7) 120
14.6.2 Reinforcement Calculation of Toe Counterfort (TCF-7) 122

15.0 DESIGN OF ROM RETAINING WALL - SIDE WING WALL PORTION MKD.-H (HCF-8 & TCF-8)

15.1 Design Data 124
15.2 Load Calculation 124
15.3 Overturning Check 125
15.4 Sliding Check 125
15.5 Base Pressure Check - Manual Calculation using Excel Sheet 125
15.6 Reinforcement Calculation
15.6.1 Reinforcement Calculation of Heal Counterfort (HCF-7) 127
15.6.2 Reinforcement Calculation of Toe Counterfort (TCF-7) 129

16.0 APPENDIX - A.
Mechanical Input GA Drawing. 131

17.0 APPENDIX - B.

17.1 Isometric View of STAAD Model - Main Middle Portion 134
17.2 Isometric View of STAAD Model - Side Wing Wall Portion 137

18.0 APPENDIX - C.

18.1 STAAD Input - Main Middle Portion 140
18.2 STAAD Input - Side Wing Wall Portion 546

19.0 APPENDIX - D.

19.1 STAAD Output - Main Middle Portion 691
19.2 STAAD Output - Side Wing Wall Portion 852

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

DEFINITIONS AND ABBREVIATIONS

Employer	MA'ADEN GOLD AND BASE METALS or their representatives
EPC Contractor	Consortium of Outotec (OT) and Larsen & Toubro (L&T)
Project management Company (PMC)	BECHTEL appointed by EMPLOYER
Supplier	An entity (supplier, consultant, contractor) under the direct project management of EPC Contractor
Sub- supplier	A sub entity (supplier, consultant, contractor) under the direct project management of EPC Contractor
Shall	Is to be understood as mandatory in relation to the requirements of this Document
Should	Is to be understood as a strong recommendation to comply with the requirements of this Document

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

1.0 INTENT

The Purpose of this document is to analysis & design of Primary Crushing (3110) - ROM Retaining Wall.
The dimensions and reinforcement are to be calculated. The report describes the methodology and the design parameters used in the design calculation. The analysis & design is carried out in accordance with project specifications , codes & standards.

2.0 SCOPE

The analysis has been carried out both in Excel & STAAD Pro. Stability check against Overturning & Sliding are done in the excel sheet. Base Pressure check has been done both in excel sheet & from STAAD Pro output.
The STAAD modelling has been done with plate elements. Plate mat with subgrade modulus of 4500 t/m^2/m has been considered (as per soil report)
Bending moment & shear force values for stem, heel slab and toe slab design are taken from STAAD output & designed in the excel sheet. As the in plane bending moment is not available for plate element, heel counterfort & toe counterfort bending moment & shear force calculation & design are done in excel sheet.
Isometric views of STAAD model are attached in Appendix-B

3.0 DESIGN REQUIREMENTS

3.1 Reference Codes & Books

Reference is made in this standard as indicated in STRUCTURAL ENGINEERING DESIGN CRITERIA Doc No. : MD-216-1000-EG-ST-CRT-1001-A02 , Structural Design Criteria - Process Building & Structures ITB Doc No. : MD-101-SMEM-EG-ST-CRT-1001 & Civil Design Criteria - General ITB Doc. No. MD-101-SMEM-EG-CV-CRT-1001.

The below mention codes & books are also used for this design calculation.

(i) SBC - 301
(ii) SBC - 304 CR - 2018
(iii) ACI 318M.
(iv) ACI SP-17M(09)
(v) ACI 351.3R-18

3.2 Materials Property

A. Density

4.2.B.(i) Density of Dry Soil : 1.9 T/m^3
4.2.B.(ii) Density of Concrete : 2.5 T/m^3
4.2.B.(iii) Density of Water : 1.0 T/m^3

B. Concrete Grade

4.2.B.(i) Foundation and Structural Members: 35 Mpa Strength of 28 days
4.2.B.(ii) Blinding Concrete below foundation bases: 15 Mpa Strength of 28 days

C. Reinforcement Grade

4.2.C.(i) Deformed Bar : ASTM A 615 / A 615M Grade 60 (fy = 420MPa)
4.2.C.(ii) Welded Wire Fabric : ASTM A 185(Plain) / A 497(Deformed)

D. Grout Grade

4.2.D.(i) Grout shall be 30 mm cementitious of Strength 40 MPa.

3.3 Minimum Reinforcing Steel (Rebar) Size

The minimum rebar size for use as tension, compression reinforcement shall be 12 mm, except where welded wire fabric is used. For ties and spirals the minimum rebar size shall be 10 mm.

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

3.4 Concrete Clear Cover

Concrete Exposure	Member	MinimumCove (mm)
Exposed to Soil	Foundation, Counterfort & Wall	75
Exposed to Weather	Counterfort & Wall	75

4.0 LOAD

4.1 Primary Loads

The primary load values are calculated in the excel sheet. The primary loads are mention as given below.

1 Dead Load of structure (D_s)
2 Dead load of earth (D_e)
3 Laterial earth pressure due to backfill (H)
4 Live load from Dumper (L_d)
5 Live Load due to srcharge (L_s)
6 Wind Load (W)
7 Seismic (E)

4.2 Load Combinations

Following Load Combinations are based on SBC - 301 & considered for base pressure check

LOAD CASE	LOAD COMBINATION
101	1.0*(D_s+D_e)+1.0*H
102	1.0*(D_S+D_E)+1.0*(L_D+L_S)+1.0*H
103	1.0*(D_S+D_E)+1.0*H+0.7*E
104	0.6*(D_S+D_E)+1.0*H+0.7*E

Consider only to check the free standing condition, when backfilling is not done

105	1.0*D_s+1.0*W
106	1.0*D_s-1.0*W

Following Load Combinations are based on SBC - 301 & considered for RCC design

LOAD CASE	LOAD COMBINATION
201	1.4*(D_s)
202	1.4*(D_S+D_E)+1.7*(L_D+L_S)+1.7*H
203	0.9*(D_S+D_E)+1.0*E+1.6*H
204	1.2*(D_S+D_E)+1.0*E+0.5*(L_S)

5.0 SAFETY FACTOR AGAINST STABILITY

5.1 Overturning : For ROM Retaining wall design a minimum factor of safety against overturning is consider 2.0

5.2 Sliding : For ROM Retaining wall design a minimum factor of safety against sliding is consider 1.5

6.0 ALLOWABLE SOIL BEARING CAPACITY

The net safe bearing capacity of soil for foundations design as obtained from page 39 of Doc. No. MD-216-0000-EM-GM-RPT-0003 is 670 KN/m2 at 1.2m depth below FGL
The net safe bearing capacity of soil as per approved L&T soil test report (Doc. No. MD-216-3000-EG-CV-RPT-1008-A02, Table-4) for BH-19 is 700 KN/m2 at 2.5m depth below FGL
We have considered Net Safe Bearing Capacity at founding level as 670 KN/m2.

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_ 31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

7.1 Wind Load Calculation :

Velocity Pressure at height z, $q_z=0.0473 \times 10^{-3} K_z K_{zt} K_d V^2 I$ KN/m^2 Eq. 7.2-12

Design Parameters :

Basic wind speed,V :	155 Km/h	as per project design basis
Structure Type :	Main wind force resisting system	
Wind Directionality Factor, K_d :	0.85	Table 6.4-1
Exposure category :	C	as per project design basis
Topographic Factor, K_{zt} :	1	Eq. 6.4-1
The building and structure classification category :	II	Table 1.6-1
Importance factor, I :	1	Table 6.5-1
Enclosure classification :	Enclosed Building	

K_z : Velocity pressure exposure coefficient Table 7.2-2

for Exposure category : C and cases 1 & 2

z	m	0-5	6	8	10	12	14	16					
K_z & K_h		0.86	0.9	0.95	1	1.04	1.07	1.1					

Corresponding Velocity Pressure :

q_z	T/m^2	0.0831	0.087	0.092	0.097	0.1	0.1034	0.106					

Calculation of Gust effect factor, G :

Wind in X direction :

Horz. Dimension of building measured parallel to wind direction, L =			10 m
Horz. Dimension of building measured normal to wind direction, B =			40 m
G_x =	0.85	Eq 7.2-1	for rigid structure

Wind in Z direction :

Horz. Dimension of building measured parallel to wind direction, L =			40 m
Horz. Dimension of building measured normal to wind direction, B =			10 m
G_Z =	0.85	Eq 7.2-1	for rigid structure

Design parameters for Gust factor calculation :

Mean roof height,h =	16 m				
Type of structure :	CONCRETE & Rigid structure				
Design wind pressure on open buildings : $p= q_z C_f G$					
At ground level ;	v =	1.6	Cf =	1.2	(wind in X direction) Fig 7.2-16
At ground level ;	v =	0.4	Cf =	1.2	(wind in Z direction)

z	m	0-5	6	8	10	12	14	16					
q_z	T/m^2	0.0831	0.087	0.092	0.097	0.1	0.1034	0.106					
q_zG in X direction :													
q_z*G*Cf	T/m^2	0.085	0.089	0.094	0.099	0.102	0.105	0.108					
q_zG in Z direction :													
qz*G*Cf	T/m^2	0.085	0.089	0.094	0.099	0.102	0.105	0.108					

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU10 0666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

7.2 Seismic Load Calculation :

For Middle Main Wall Part

Input Data :

Site Class =	B		*(SBC:301-2007 , Table 14.1.1)*
Occupancy Category =	II		*(SBC:301-2007 , Table 1.6-1)*
Spectral Acceleration (S_S) =	0.1	g	*(SBC:301-2007 , Fig. 9.4.1(b) to Fig. 9.4.1(i))*
Spectral Acceleration, (S_1) =	0.02	g	*(SBC:301-2007 , Fig. 9.4.1(j) to Fig. 9.4.1(q))*
Structure Height above FGL , (h_n) =	16	m	
Importance Factor (I) =	1		*(SBC:301-2007 , Table 9.5)*
Total Weight (W) =	260.465	T	

Site Coefficient :

F_a =	1	*(SBC:301-2007 , Table 9.4.3a)*
F_v =	1	*(SBC:301-2007 , Table 9.4.3b)*

Maximum Spectral Response Accelerations for Short and 1-second Periods :

S_{MS} =	F_aS_s =	1X0.1 =	0.1	*(SBC:301-2007 , Eq 9.4.3-1)*
S_{M1} =	F_vS_1 =	1X0.02 =	0.02	*(SBC:301-2007 , Eq 9.4.3-2)*

Design Spectral Response Accelerations for Short and 1-second Periods :

S_{DS} =	$2/3S_{MS}$ =	2/3X0.1 =	0.067	*(SBC:301-2007 , Eq 9.4.4-1)*
S_{D1} =	$2/3S_{M1}$ =	2/3X0.02 =	0.013	*(SBC:301-2007 , Eq 9.4.4-2)*

Seismic Design Category :

Category (for S_{DS}) =	A		*(SBC:301-2007 , Table 9.6.a)*
Category (for S_{D1}) =	A		*(SBC:301-2007 , Table 9.6.b)*
Use Category =	B		*Most critical of either category case above controls*

Fundamental Period :

All other structural system			
Period Coefficient (C_t) =	0.055		*(SBC:301-2007 , Table 10.9.3.2)*
Period Exponent (x) =	0.75		*(SBC:301-2007 , Table 10.9.3.2)*
Approx. Period $T_a = C_th_n^x$ =	0.44	sec	*(SBC:301-2007 , Eq 10.9.3.2.1)*
Upper Limit Coefficient (C_u) =	1.7		*(SBC:301-2007 , Table 10.9.3.1)*
Period Max, $T_{(max)} = C_uT_a$ =	0.748	sec	*(SBC:301-2007 , Cl. 10.9.3.1)*
Period (T) =		sec	
Fundamental Period (T) =	0.44	sec	*(SBC:301-2007 , Cl. 10.9.3)*

Seismic Design Coefficients and Factors :

Response Modification Coefficient (R) =	1		*(SBC:301-2007 , Table 13.4.2)*
Overstrength Factor (Ω) =	2		*(SBC:301-2007 , Table 13.4.2)*
Defl. Amplif. Factor (C_d) =	2.5		*(SBC:301-2007 , Table 13.4.2)*
$C_s=S_{DS}/R*I$ =	0.067		
C_s Lower Limit = $0.044S_{DS}I$ =	0.002948		
C_s Max. Limit = $S_{D1}/T*(R/I)$ =	0.029545		
C_s =	**0.0295**		*(SBC:301-2007 , Eq 10.9.2.1-1)*

Seismic Base Shear :

Seismic Base Shear, V = CsW =	**7.684**	T	*(SBC:301-2007 , Eq 10.9.2-1)*

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU10 0666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Seismic Load Calculation as per SBC:303-2007, CL No. 7.2.6 :

Input Data :

Height of Wall (H) = 18.5 m

Due to off Highway Truck, Max. Surcharge at top = 3.206 T/m^2

Slope of wall back with respect to vertical (θ) = 0 Degree

Angle of slope of Filling (β) = 0 Degree

Density of Dry Soil (γ) = 1.9 $Mton/m^3$

Horizontal Ground Acceleration (k_h) = 0.02

Vertical Ground Acceleration (k_v) = $0.5*k_h$ = 0.01

Angle of Internal Friction (ϕ) = 35 Degree

Angle of Friction between Wall & Soil (δ) = $0.75*\phi$ = 26.25 Degree

Seismic Inertia Angle (Ψ) = $tan^{-1}(\frac{k_h}{1-k_v})$

= 1.157 Degree

Modified Slope of wall back (θ*) = θ+Ψ

= 1.157 Degree

Modified Inclination of Soil Surface (β*) = β+Ψ

= 1.157 Degree

From Coulomb Theory, K_A (β,θ) = $\frac{Cos^2(\phi-\theta)}{Cos^2\theta * Cos(\delta+\theta) * [1+\sqrt{\frac{Sin(\delta+\phi)*Sin(\phi+\beta)}{Cos(\delta+\theta)*Cos(\beta-\theta)}}]\text{^}2}$

= 0.2446

From Coulomb Theory, K_A (β*,θ*) = $\frac{Cos^2(\phi-\theta^*)}{Cos^2\theta^* * Cos(\delta+\theta^*) * [1+\sqrt{\frac{Sin(\delta+\phi)*Sin(\phi+\beta^*)}{Cos(\delta+\theta^*)*Cos(\beta^*-\theta^*)}}]\text{^}2}$

= 0.25

Due to Earth Pressure

Max value of Dynamic Increment = 0.5X1.9X18.5X(0.25-0.2446)*3/2

= 0.1424

Active Thrust Due to Dynamic Increment = 2X18.5/3X0.1424

= 1.756 Mton

Due to Earth Surcharge

Due to Surcharge max value of Dynamick Increment = 2X3.206XCOS(0)/COS(0)X(0.25-0.2446)

= 0.0346

Active Thrust Due to Dynamic Increment = 0.5X18.5X0.0346

= 0.32 Mton

Total Active Thrust Due to Dynamic Increment = 1.756+0.32

= **2.076** Mton

Conclusion

As per SBC:301-2007 , Seismic Base Shear value = 7.684 Mton **> 2.076 Mton , Hence O.K.**

For design purpose we consider the higher value of Seismic Force. Hence the Design Calculation is O.K.


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.0 Design of Retaining Wall - Middle Portion MKD.-A (HCF-1 & TCF-1) (DRY CONDITION)



8.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension		
Depth of Foundation =	2.5 m	
Depth of Retain Earth =	16 m	
Thickness of Retaining wall =	0.4 m	
Thickness of Base Slab =	0.8 m	
Thickness of Counterfort =	0.6 m	
Spacing of Counterfort =	4 m	

Operating Wt. CAT 785D OFF-HIGHWAY TRUCK =	250 T		*(Ref. Drg. No. : MD-216-3110-EG-ME-ELV-1008, RA01)*
Min. Distance between Wall & Wheel (d) =	1.2 m		
Contact Width of Wheel (b) =	0.1 m		
Contact Length of Wheel =	0.9 m	*(For 1 Nos wheel)*	
Total No. of Rear Wheel =	4		
Total Contact Length of Wheel (a) =	3.6 m		
Load on Front Wheel =	33 %		
Load on Rear Wheel =	67 %		
Hence, Load / Rear Wheel (N) =	250X0.67/1 =	167.5 T	

8.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X16X1.9 =	8.238	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

4. Due to off Highway Truck Movement (Ref. Reynolds Handbook Chart-20)

Pressure below Wheel =	qc1 =	(0.271X167.5)/((2X1.2)X(2X1.2-0.1+3.6)) =	3.206 T/m^2	Depth = 1.15 m
Pressure below Wheel =	qc2 =	(0.271X167.5)/(1.2+(0.1/2)+1.35)/(2X1.35+3.6) =	2.771 T/m^2	Depth = 1.35 m
Pressure below Wheel =	qc3 =	(0.271X167.5)/(1.2+(0.1/2)+1.55)/(2X1.55+3.6) =	2.42 T/m^2	Depth = 1.55 m
Pressure below Wheel =	qc4 =	(0.271X167.5)/(1.2+(0.1/2)+1.75)/(2X1.75+3.6) =	2.131 T/m^2	Depth = 1.75 m
Pressure below Wheel =	qc5 =	(0.271X167.5)/(1.2+(0.1/2)+2.15)/(2X2.15+3.6) =	1.69 T/m^2	Depth = 2.15 m
Pressure below Wheel =	qc6 =	(0.271X167.5)/(1.2+(0.1/2)+3.15)/(2X3.15+3.6) =	1.042 T/m^2	Depth = 3.15 m
Pressure below Wheel =	qc7 =	(0.271X167.5)/(1.2+(0.1/2)+5.15)/(2X5.15+3.6) =	0.51 T/m^2	Depth = 5.15 m
Pressure below Wheel =	qc8 =	(0.271X167.5)/(1.2+(0.1/2)+8.15)/(2X8.15+3.6) =	0.243 T/m^2	Depth = 8.15 m
Pressure below Wheel =	qc9 =	(0.271X167.5)/(1.2+(0.1/2)+11.15)/(2X11.15+3.6) =	0.141 T/m^2	Depth = 11.15 m
Pressure below Wheel =	qc10 =	(0.271X167.5)/(1.2+(0.1/2)+15.15)/(2X15.15+3.6) =	0.082 T/m^2	Depth = 15.15 m
Pressure below Wheel =	qc11 =	(0.271X167.5)/(1.2+(0.1/2)+19.45)/(2X19.45+3.6) =	0.052 T/m^2	Depth = 19.45 m

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287 T/m^2
6. Due to Surcharge =	0.271X1 =	0.271 T/m^2

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528 T/m^2
Passive Load at Bottom of Shear key =	3.69X(2.5+1)X1.9 =	24.539 T/m^2

8.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	7	4	0.8	2.5	1	56.000	6.5	364
Toe Slab =	2.6	4	0.8	2.5	1	20.800	1.3	27.04
Retaining Wall =	17.7	4	0.4	2.5	1	70.800	2.8	198.24
Counterfort at Heel Part-1 =	7	1.2	0.6	2.5	1	12.600	6.5	81.9
Counterfort at Heel Part-2 =	0.5	16	0.6	2.5	1	12.000	3.25	39
Counterfort at Heel Part-3 =	6.5	16	0.6	2.5	1	78.000	5.667	442
Counterfort at Toe Part-1 =	2.6	0.5	0.6	2.5	1	1.950	1.3	2.535
Counterfort at Toe Part-2 =	2.6	1.7	0.6	2.5	1	3.315	1.3	4.31
Shear Key =	0.5	4	1	2.5	1	5.000	9.75	48.75
Retained Earth over Heel Slab =	7	4	16	1.9	0.9	766.080	6.5	4979.52
Soil over Heel Slab =	7	4	1.7	1.9	0.9	81.396	6.5	529.074
Soil over Toe Slab =	2.6	4	1.7	1.9	0.9	30.233	1.3	39.303
					Total =	1138.174	Total =	6755.672

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X8.238X16X(2.5+16/3) =	516.248	4	2064.992
Retained Earth Pressure below FGL =	8.238X2.5^2/2 =	25.744	4	102.976
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	4	5.364
Due to Dry Surcharge =	0.271X(2.5+16)^2/2 =	46.375	4	185.5
Off-HighWay Truck Pressure (qc1+qc2) =	0.5X(3.206-2.771)X0.2X(0.2X2/3+18.1)+2.771X0.2X(0.2/2+18.1) =	10.88	4	43.52
Off-HighWay Truck Pressure (qc2+qc3) =	0.5X(2.771-2.42)X0.2X(0.2X2/3+17.9)+2.42X0.2X(0.2/2+17.9) =	9.345	4	37.38
Off-HighWay Truck Pressure (qc3+qc4) =	0.5X(2.42-2.131)X0.2X(0.2X2/3+17.7)+2.131X0.2X(0.2/2+17.7) =	8.102	4	32.408
Off-HighWay Truck Pressure (qc4+qc5) =	0.5X(2.131-1.69)X0.4X(0.4X2/3+17.3)+1.69X0.4X(0.4/2+17.3) =	13.379	4	53.516
Off-HighWay Truck Pressure (qc5+qc6) =	0.5X(1.69-1.042)X1X(1X2/3+16.3)+1.042X1X(1/2+16.3) =	23.003	4	92.012
Off-HighWay Truck Pressure (qc6+qc7) =	0.5X(1.042-0.51)X2X(2X2/3+14.3)+0.51X2X(2/2+14.3) =	23.923	4	95.692
Off-HighWay Truck Pressure (qc7+qc8) =	0.5X(0.51-0.243)X3X(3X2/3+11.3)+0.243X3X(3/2+11.3) =	14.658	4	58.632
Off-HighWay Truck Pressure (qc8+qc9) =	0.5X(0.243-0.141)X3X(3X2/3+8.3)+0.141X3X(3/2+8.3) =	5.721	4	22.884
Off-HighWay Truck Pressure (qc9+qc10) =	0.5X(0.141-0.082)X4X(4X2/3+4.3)+0.082X4X(4/2+4.3) =	2.888	4	11.552
Off-HighWay Truck Pressure (qc10+qc11) =	0.5X(0.082-0.052)X4.3X(4.3X2/3)+0.052X4.3X(4.3/2) =	0.666	4	2.664
	Total =	702.273	Total =	2809.092

Total Wt. of Structure =	260.465 T		
Seismic Force acting on wall =	0.0295X260.465 =	7.684 T	
Due to Seismic , Overturning Moment =	7.684 X (16+2.5)/2 =	71.077 T-m	*(Anti Clock Wise)*

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

Total Overturning Moment = 2809.092+71.077X0.75 = 2862.4 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*
Total Restoring Moment = 6755.672 T-m *(Clock Wise)*
F.O.S. against Overturning = 6755.672/2862.4 = 2.36 > 2 **OK**
(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

8.4 Check for Sliding
Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X8.238X16 =	65.904	4	263.616
Retained Earth Pressure below FGL =	8.238X2.5 =	20.595	4	82.38
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	4	6.436
Due to Dry Surcharge =	0.271X(2.5+16) =	5.014	4	20.056
Off-HighWay Truck Pressure (qc1+qc2) =	0.5X(3.206-2.771)X0.2+2.771X0.2 =	0.598	4	2.392
Off-HighWay Truck Pressure (qc2+qc3) =	0.5X(2.771-2.42)X0.2+2.42X0.2 =	0.519	4	2.076
Off-HighWay Truck Pressure (qc3+qc4) =	0.5X(2.42-2.131)X0.2+2.131X0.2 =	0.455	4	1.82
Off-HighWay Truck Pressure (qc4+qc5) =	0.5X(2.131-1.69)X0.4+1.69X0.4 =	0.764	4	3.056
Off-HighWay Truck Pressure (qc5+qc6) =	0.5X(1.69-1.042)X1+1.042X1 =	1.366	4	5.464
Off-HighWay Truck Pressure (qc6+qc7) =	0.5X(1.042-0.51)X2+0.51X2 =	1.552	4	6.208
Off-HighWay Truck Pressure (qc7+qc8) =	0.5X(0.51-0.243)X3+0.243X3 =	1.13	4	4.52
Off-HighWay Truck Pressure (qc8+qc9) =	0.5X(0.243-0.141)X3+0.141X3 =	0.576	4	2.304
Off-HighWay Truck Pressure (qc9+qc10) =	0.5X(0.141-0.082)X4+0.082X4 =	0.446	4	1.784
Off-HighWay Truck Pressure (qc10+qc11) =	0.5X(0.082-0.052)X4.3+0.052X4.3 =	0.288	4	1.152
			Total =	403.264

Total Horizontal Sliding Force = 403.264+7.684 = 410.948 T
Passive Load for Shear Key = 84.134 T
Net Horizontal Sliding Force = 410.948-84.134 = 326.814 T
Corresponding Vertical Load, V = 1138.174 + 250 *(Self Wt. + Soil Load + Off HighWay Truck Load)*
= 1388.174 T
Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*
Fricrtional Force = μ * V = 555.27 T
F.O.S. against Sliding = 555.27/326.814 = 1.70 > 1.5 **OK**
(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

8.5 Calculation of Base Pressure

C.G. of Load = 6755.672/1138.174 = 5.936 m
Eccentricity, e = 5.936-(2.6+7.4)/2 = 0.936 m
Moment due to Eccentricity = 0.936X1138.174 = 1065.331 T-m (Clockwise)
Overturning Moment = 2809.092 T-m (Anti-Clockwise)
Net Moment = 2809.092-1065.331 = 1743.761 T-m (Anti-Clockwise)

8.5.1 Check for Base Pressure - Manual Calculation

Max. Base Pressure = (1138.174/10/4)+(1743.761X6/4/10^2) = 54.611 T/m^2 **< 71.75 T/m2, OK**
Min. Base Pressure = (1138.174/10/4)-(1743.761X6/4/10^2) = 2.298 T/m^2

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	13.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01


Base Pressure Diagram

Pressure Reduced over Toe slab

1. Due to Surcharge =	1	T/m^2
2.Due to Dry soil =	3.23	T/m^2
3. Due to Toe Slab =	2	T/m^2
Total =	6.230	T/m^2

Pressure Reduced over Heel slab

1. Due to Retained Earth =	30.4	T/m^2
2. Due to Dry soil =	3.23	T/m^2
3. Due to Heel Slab =	2	T/m^2
4. Due to Surcharge =	1	T/m^2
Total =	36.630	T/m^2



PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

8.5.2 BASE PRESSURE CHECK FROM PLATE & CELL ELEMENT ANALYSIS :

DESIGN DATA :

Net Safe Bearing Capacity of Soil = 67 T/m^2 *(From BH-19)*
Depth Of Foundation = 2.5 m
Gross Allowable Bearing Capacity = 67 + 2.5 X 1.9 = 71.75 T/m^2

BASE PRESSURE SUMMARY
(Staad Group : RAFT_BP)

	NODE	L/C	FX T/m^2	FY T/m^2	FZ T/m^2	
Max Px	1	101 1.0*(D	0	14.663	0	
Min Px	1	101 1.0*(D	0	14.663	0	
Max Py	2106	102 1.0*(D	0	60.814	0	**< 71.75 T/m2 , O.K.**
Min Py	1	104 0.6*(D	0	0	0	
Max Pz	1	101 1.0*(D	0	14.663	0	
Min Pz	1	101 1.0*(D	0	14.663	0	

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

TOE SLAB_BM

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1801	202:1.4*(D_S+	**0.719**	0.000	0.000	0.000	0.000	-4.971	-2.137	5.643
Min Qx	1805	203:0.9*(D_S+	**-0.875**	-0.005	0.000	0.000	0.000	-10.374	-3.701	-7.612
Max Qy	1805	204:1.2*(D_S+	-0.117	**0.013**	0.000	0.000	0.000	-1.448	-0.197	-0.082
Min Qy	1717	202:1.4*(D_S+	0.007	**-0.741**	0.000	0.000	0.000	7.519	-16.971	0.604
Max Sx	1805	201:1.4*(D_S)	-0.077	-0.001	**0.000**	0.000	0.000	-0.944	-0.347	-0.427
Min Sx	1805	201:1.4*(D_S)	-0.077	-0.001	**0.000**	0.000	0.000	-0.944	-0.347	-0.427
Max Sy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	**0.000**	0.000	-0.944	-0.347	-0.427
Min Sy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	**0.000**	0.000	-0.944	-0.347	-0.427
Max Sxy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	0.000	**0.000**	-0.944	-0.347	-0.427
Min Sxy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	0.000	**0.000**	-0.944	-0.347	-0.427
Max Mx	1773	202:1.4*(D_S+	0.021	-0.401	0.000	0.000	0.000	**18.707**	-2.187	1.072
Min Mx	1780	202:1.4*(D_S+	0.322	-0.202	0.000	0.000	0.000	**-11.705**	-6.525	3.515
Max My	1773	204:1.2*(D_S+	0.005	-0.060	0.000	0.000	0.000	3.962	**1.435**	0.735
Min My	1717	203:0.9*(D_S+	0.002	-0.670	0.000	0.000	0.000	5.960	**-17.213**	-1.053
Max Mxy	1770	202:1.4*(D_S+	0.574	-0.098	0.000	0.000	0.000	-7.097	-6.263	**9.048**
Min Mxy	1748	203:0.9*(D_S+	-0.364	-0.025	0.000	0.000	0.000	-6.451	-3.565	**-9.514**

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

TOE SLAB_SF

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	2792	202:1.4*(D_S+	**0.591**	0.014	0.000	0.000	0.000	-18.058	-4.809	0.802
Min Qx	2717	202:1.4*(D_S+	**-0.590**	0.014	0.000	0.000	0.000	-18.030	-4.800	-0.796
Max Qy	2717	204:1.2*(D_S+	-0.145	**0.019**	0.000	0.000	0.000	-4.107	0.272	-0.037
Min Qy	2693	202:1.4*(D_S+	-0.030	**-0.512**	0.000	0.000	0.000	21.173	-4.431	-1.896
Max Sx	2793	201:1.4*(D_S)	0.022	-0.026	**0.000**	0.000	0.000	-0.454	-0.261	0.325
Min Sx	2793	201:1.4*(D_S)	0.022	-0.026	**0.000**	0.000	0.000	-0.454	-0.261	0.325
Max Sy	2793	201:1.4*(D_S)	0.022	-0.026	0.000	**0.000**	0.000	-0.454	-0.261	0.325
Min Sy	2793	201:1.4*(D_S)	0.022	-0.026	0.000	**0.000**	0.000	-0.454	-0.261	0.325
Max Sxy	2793	201:1.4*(D_S)	0.022	-0.026	0.000	0.000	**0.000**	-0.454	-0.261	0.325
Min Sxy	2793	201:1.4*(D_S)	0.022	-0.026	0.000	0.000	**0.000**	-0.454	-0.261	0.325
Max Mx	2787	202:1.4*(D_S+	-0.092	-0.290	0.000	0.000	0.000	**32.682**	5.155	-4.584
Min Mx	2792	202:1.4*(D_S+	0.591	0.014	0.000	0.000	0.000	**-18.058**	-4.809	0.802
Max My	2787	202:1.4*(D_S+	-0.092	-0.290	0.000	0.000	0.000	32.682	**5.155**	-4.584
Min My	2714	202:1.4*(D_S+	0.498	-0.026	0.000	0.000	0.000	-14.506	**-8.291**	2.014
Max Mxy	2643	202:1.4*(D_S+	0.279	-0.379	0.000	0.000	0.000	18.041	-2.487	**11.240**
Min Mxy	2710	202:1.4*(D_S+	-0.280	-0.379	0.000	0.000	0.000	18.078	-2.501	**-11.253**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

8.6.1 REINFORCEMENT CALCULATION OF TOE SLAB : (TOE SLAB)

Slab Thickness =	800	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : TOE_SLAB_BM)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	32.682	T-M	Corresponding Mxy	-4.584	T-M	*(Plate No. - 2787 , L/C No. - 202)*
Min. Mx	-24.61	T-M	Corresponding Mxy	8.832	T-M	*(Plate No. - 2744 , L/C No. - 202)*
Max. My	5.155	T-M	Corresponding Mxy	-4.584	T-M	*(Plate No. - 2787 , L/C No. - 202)*
Min. My	-28.081	T-M	Corresponding Mxy	-6.027	T-M	*(Plate No. - 2607 , L/C No. - 202)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	32.682 + 4.584 =	37.266 T-M
My1 =	My + abs(Mxy) =	5.155 + 4.584 =	9.739 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	32.682 + 4.076 =	36.758 T-M
My2 =	My+abs(Mxy^2/Mx) =	5.155 + 0.643 =	5.798 T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	37.266 T-m
Myd =	9.739 T-m

ALONG X - DIRECTION :

Mu = 37.266 T-m

Φ*Kn = Mu/bd^2 deff. = 715 mm

Mu/bd^2 = 37.266X10^7/(1000X715^2) = 0.729 N/mm^2 < 6.9 N/mm^2

Pt = 0.0020 Reqd. Ast = 0.002X1000X715/100 = 14.3 cm^2

Provided	20	mm @	200	C/C	(Provide Ast =	15.71	cm2) at Top	
Provided	0	mm @	200	C/C	(Provide Ast =	0	cm2) at Top	
					Total Provide Ast =	15.71	cm2 at Top	O.K.
					Total Provide Pt =	0.0022		

ALONG Y - DIRECTION :

Mu = 9.739 T-m

Φ*Kn = Mu/bd^2 deff. = 699 mm

Mu/bd^2 = 9.739X10^7/(1000X699^2) = 0.191 N/mm^2 < 6.9 N/mm^2

Pt = 0.0005 Reqd. Ast = 0.0005X1000X715/100 = 3.5 cm^2

Provided	12	mm @	200	C/C	(Provide Ast =	5.65	cm2) at Top	
Provided	0	mm @	200	C/C	(Provide Ast =	0	cm2) at Top	
					Total Provide Ast =	5.65	cm2 at Top	O.K.
					Total Provide Pt =	0.0008		

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-24.61 - 8.832 =	-33.442 T-M
My1 =	My - abs(Mxy) =	-28.081 - 6.027 =	-34.108 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-24.61 - 2.778 =	-27.388 T-M
My2 =	My-abs(Mxy^2/Mx) =	-28.081 - 1.476 =	-26.605 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -33.442 T-M
Myd = -34.108 T-M

ALONG X - DIRECTION :

Mu = 33.442 T-m
Φ*Kn = Mu/bd^2 deff. = 715 mm
Mu/bd^2 = 33.442X10^7/(1000X715^2) = 0.654 N/mm^2 < 6.9 N/mm^2
Pt = 0.0018 Reqd. Ast = 0.0018X1000X715/100 = 12.87 cm^2
Provided **20** mm @ **200** C/C (Provide Ast = 15.71 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 15.71 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0022

ALONG Y - DIRECTION :

Mu = 34.108 T-m
Φ*Kn = Mu/bd^2 deff. = 697 mm
Mu/bd^2 = 34.108X10^7/(1000X697^2) = 0.702 N/mm^2 < 6.9 N/mm^2
Pt = 0.0019 Reqd. Ast = 0.0019X1000X697/100 = 13.24 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom Alternately Placed
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Bottom Alternately Placed
Total Provide Ast = 15.7 cm2) at Bottom Alternately Placed **O.K.**
Total Provide Pt = 0.0023

SHEAR CHECK

(Staad Group : TOE_SLAB_SF)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = 0.591 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 2792 , L/C No. - 202)*
Vu = 47.28 T

Provided Pt = 0.0022
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0022X47.28X10^4X715/33.442/10^7)X1000X715/10^4
= 70.383 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0022)X1000X715/10^4
= 70.354 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X715/10^4
= 122.67 T
HENCE, Vc = 70.354 T
Φt*Vc = 0.75X70.354 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 52.766 T **> 47.28T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = -0.512 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 2693 , L/C No. - 202)*

Vu = 40.96 T

Pt provided = 0.0023

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0023X40.96X10^4X697/34.108/10^7)X1000X697/10^4

= 68.257 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0023)X1000X697/10^4

= 68.701 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X697/10^4

= 119.582 T

HENCE, Vc = 68.257 T

Φt*Vc = 0.75X68.257 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 51.193 T **> 40.96T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

TOE SLAB_CONCEAL BEAM

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	3002	202:1.4*(D_S+	**1.495**	0.011	0.000	0.000	0.000	-16.534	-0.906	6.717
Min Qx	2975	202:1.4*(D_S+	**-1.503**	0.011	0.000	0.000	0.000	-16.401	-0.890	-6.676
Max Qy	3021	202:1.4*(D_S+	-0.259	**0.028**	0.000	0.000	0.000	45.502	0.396	-2.350
Min Qy	2842	202:1.4*(D_S+	-0.528	**-0.329**	0.000	0.000	0.000	8.188	-1.824	-7.283
Max Sx	3027	201:1.4*(D_S)	0.033	0.001	**0.000**	0.000	0.000	-0.553	-0.066	0.090
Min Sx	3027	201:1.4*(D_S)	0.033	0.001	**0.000**	0.000	0.000	-0.553	-0.066	0.090
Max Sy	3027	201:1.4*(D_S)	0.033	0.001	0.000	**0.000**	0.000	-0.553	-0.066	0.090
Min Sy	3027	201:1.4*(D_S)	0.033	0.001	0.000	**0.000**	0.000	-0.553	-0.066	0.090
Max Sxy	3027	201:1.4*(D_S)	0.033	0.001	0.000	0.000	**0.000**	-0.553	-0.066	0.090
Min Sxy	3027	201:1.4*(D_S)	0.033	0.001	0.000	0.000	**0.000**	-0.553	-0.066	0.090
Max Mx	3021	202:1.4*(D_S+	-0.259	0.028	0.000	0.000	0.000	**45.502**	0.396	-2.350
Min Mx	2822	202:1.4*(D_S+	0.762	-0.191	0.000	0.000	0.000	**-25.344**	-6.246	9.357
Max My	2865	202:1.4*(D_S+	-0.112	-0.142	0.000	0.000	0.000	39.301	**6.603**	-4.460
Min My	2843	202:1.4*(D_S+	-0.763	-0.191	0.000	0.000	0.000	-25.114	**-6.259**	-9.468
Max Mxy	2876	202:1.4*(D_S+	1.017	0.016	0.000	0.000	0.000	-5.416	0.947	**12.819**
Min Mxy	2945	202:1.4*(D_S+	-1.019	0.016	0.000	0.000	0.000	-5.417	0.949	**-12.838**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

8.6.2 REINFORCEMENT CALCULATION OF CONCEAL BEAM AT TOE SLAB :

Slab Thickness =	800	mm
Width =	1100	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : TOE_CONCEAL_BEAM)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	45.502	T-M	Corresponding Mxy	-2.35	T-M	*(Plate No. - 3021 , L/C No. - 202)*
Min. Mx	-25.344	T-M	Corresponding Mxy	9.357	T-M	*(Plate No. - 2822 , L/C No. - 202)*
Max. My	6.603	T-M	Corresponding Mxy	-4.46	T-M	*(Plate No. - 2865 , L/C No. - 202)*
Min. My	-6.259	T-M	Corresponding Mxy	-9.468	T-M	*(Plate No. - 2843 , L/C No. - 202)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	45.502 + 2.35 =	47.852	T-M
My1 =	My + abs(Mxy) =	6.603 + 4.46 =	11.063	T-M
Mx2 =	Mx+abs(Mxy^2/My) =	45.502 + 0.836 =	46.338	T-M
My2 =	My+abs(Mxy^2/Mx) =	6.603 + 0.437 =	7.04	T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	47.852 T-m
Myd =	11.063 T-m

ALONG X - DIRECTION :

Mu =	47.852 T-m							
Φ*Kn =	Mu/bd^2					deff. =	715	mm
Mu/bd^2 =	47.852X10^7/(1100X715^2) =		0.851	N/mm^2	<	6.9	N/mm^2	
Pt =	0.0023							
Min. Pt =	0.0031	Reqd. Ast =	0.0031X1100X715/100 =		24.38	cm^2		
Provided	**10**	Nos.	**20**	Nos	(Provide Ast =	31.42	cm^2) at Top	
Provided	**0**	Nos.	**20**	Nos	(Provide Ast =	0	cm^2) at Top	
					Total Provide Ast =	31.42	cm^2) at Top	**O.K.**
					Total Provide Pt =	0.004		

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-25.344 - 9.357 =	-34.701	T-M
My1 =	My - abs(Mxy) =	-6.259 - 9.468 =	-15.727	T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-25.344 - 13.988 =	-39.332	T-M
My2 =	My-abs(Mxy^2/Mx) =	-6.259 - 3.537 =	-2.722	T-M

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd =	-34.701 T-M
Myd =	-15.727 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG X - DIRECTION :

Mu = 34.701 T-m

Φ*Kn = Mu/bd^2 deff. = 715 mm

Mu/bd^2 = 34.701X10^7/(1100X715^2) = 0.617 N/mm^2 < 6.9 N/mm^2

Pt = 0.0017

Min. Pt = 0.0023 Reqd. Ast = 0.0023X1100X715/100 = 18.09 cm^2

Provided **10** Nos. **20** Nos (Provide Ast = 31.42 cm^2) at Bottom

Provided **0** Nos. **20** Nos (Provide Ast = 0 cm^2) at Bottom

Total Provide Ast = 31.42 cm^2) at Bottom **O.K.**

Total Provide Pt = 0.004

SHEAR CHECK

(Staad Group : TOE_CONCEAL_BEAM)

(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -1.503 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 2975 , L/C No. - 202)*

Vu = 132.264 T

Provided Pt = 0.004

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.004X132.264X10^4X715/34.701/10^7)X1100X715/10^4

= 89.023 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.004)X1100X715/10^4

= 79.796 T

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1100X715/10^4

= 134.937 T

Hence, Vc = 79.796 T

Φt*Vc = 0.75X79.796 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 59.847 T **< 132.264T, HENCE SHEAR REINF. REQD**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*

= 132.264/0.75 - 79.796

= 96.556 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(79.796X10^4+0.66X35^0.5X1100X715)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*

= 236.308 T **> Vu= 132.264T , CROSS SECTION O.K.**

Required Spacing , S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*

= 679X420X715/96.556/10^4

= 211 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X1100X715/10^4

= 153.549 T > Vs = 96.556T

Max. Spacing , S = 357.5 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **6** Legged **12** Dia Links @ **200** C/C (Av.st = 6.79 cm^2) **O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

HEEL SLAB-1

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1945	202:1.4*(D_S+	**0.231**	0.070	0.000	0.000	0.000	4.027	-0.566	-3.728
Min Qx	2004	202:1.4*(D_S+	**-0.230**	0.070	0.000	0.000	0.000	4.031	-0.558	3.737
Max Qy	2354	202:1.4*(D_S+	-0.034	**0.277**	0.000	0.000	0.000	-7.263	-18.259	1.987
Min Qy	2357	204:1.2*(D_S+	0.008	**-0.046**	0.000	0.000	0.000	-1.659	-5.676	1.501
Max Sx	2403	201:1.4*(D_S)	0.009	0.071	**0.000**	0.000	0.000	-0.346	-3.126	-0.273
Min Sx	2403	201:1.4*(D_S)	0.009	0.071	**0.000**	0.000	0.000	-0.346	-3.126	-0.273
Max Sy	2403	201:1.4*(D_S)	0.009	0.071	0.000	**0.000**	0.000	-0.346	-3.126	-0.273
Min Sy	2403	201:1.4*(D_S)	0.009	0.071	0.000	**0.000**	0.000	-0.346	-3.126	-0.273
Max Sxy	2403	201:1.4*(D_S)	0.009	0.071	0.000	0.000	**0.000**	-0.346	-3.126	-0.273
Min Sxy	2403	201:1.4*(D_S)	0.009	0.071	0.000	0.000	**0.000**	-0.346	-3.126	-0.273
Max Mx	2001	202:1.4*(D_S+	0.223	0.071	0.000	0.000	0.000	**4.652**	-0.399	-2.099
Min Mx	1942	202:1.4*(D_S+	-0.018	-0.040	0.000	0.000	0.000	**-10.547**	-2.726	0.769
Max My	2139	201:1.4*(D_S)	-0.019	0.014	0.000	0.000	0.000	3.079	**2.972**	-0.274
Min My	2365	202:1.4*(D_S+	0.011	0.248	0.000	0.000	0.000	-2.157	**-24.206**	-1.558
Max Mxy	2330	202:1.4*(D_S+	-0.031	0.217	0.000	0.000	0.000	-3.536	-20.695	**5.871**
Min Mxy	2399	202:1.4*(D_S+	0.031	0.217	0.000	0.000	0.000	-3.541	-20.747	**-5.866**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.3 REINFORCEMENT CALCULATION OF HEEL SLAB : (HEEL SLAB-1)

Slab Thickness =	800	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : HEEL_SLAB-1)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	4.652	T-M	Corresponding Mxy	-2.099	T-M	*(Plate No. - 2001 , L/C No. - 202)*
Min. Mx	-10.547	T-M	Corresponding Mxy	0.769	T-M	*(Plate No. - 1942 , L/C No. - 202)*
Max. My	2.972	T-M	Corresponding Mxy	-0.274	T-M	*(Plate No. - 2139 , L/C No. - 201)*
Min. My	-24.206	T-M	Corresponding Mxy	-1.558	T-M	*(Plate No. - 2365 , L/C No. - 202)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	4.652 + 2.099 =	6.751	T-M
My1 =	My + abs(Mxy) =	2.972 + 0.274 =	3.246	T-M
Mx2 =	Mx+abs(Mxy^2/My) =	4.652 + 1.482 =	6.134	T-M
My2 =	My+abs(Mxy^2/Mx) =	2.972 + 0.016 =	2.988	T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	6.751 T-m
Myd =	3.246 T-m

ALONG X - DIRECTION :

Mu = 6.751 T-m

Φ*Kn = Mu/bd^2 deff. = 717 mm

Mu/bd^2 = 6.751X10^7/(1000X717^2) = 0.131 N/mm^2 < 6.9 N/mm^2

Pt = 0.0003 Reqd. Ast = 0.0003X1000X717/100 = 2.15 cm^2

Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Top

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Top

Total Provide Ast = 10.05 cm2 at Top **O.K.**

Total Provide Pt = 0.0014

ALONG Y - DIRECTION :

Mu = 3.246 T-m

Φ*Kn = Mu/bd^2 deff. = 703 mm

Mu/bd^2 = 3.246X10^7/(1000X703^2) = 0.063 N/mm^2 < 6.9 N/mm^2

Pt = 0.0002 Reqd. Ast = 0.0002X1000X717/100 = 1.41 cm^2

Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Top

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Top

Total Provide Ast = 5.65 cm2 at Top **O.K.**

Total Provide Pt = 0.0008

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-10.547 - 0.769 =	-11.316	T-M
My1 =	My - abs(Mxy) =	-24.206 - 1.558 =	-25.764	T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-10.547 - 0.024 =	-10.571	T-M
My2 =	My-abs(Mxy^2/Mx) =	-24.206 - 0.23 =	-23.976	T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -11.316 T-M
Myd = -25.764 T-M

ALONG X - DIRECTION :

Mu = 11.316 T-m
Φ*Kn = Mu/bd^2 deff. = 715 mm
Mu/bd^2 = 11.316X10^7/(1000X715^2) = 0.221 N/mm^2 < 6.9 N/mm^2
Pt = 0.0006 Reqd. Ast = 0.0006X1000X715/100 = 4.29 cm^2
Provided **20** mm @ **200** C/C (Provide Ast = 15.71 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 15.71 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0022

ALONG Y - DIRECTION :

Mu = 25.764 T-m
Φ*Kn = Mu/bd^2 deff. = 697 mm
Mu/bd^2 = 25.764X10^7/(1000X697^2) = 0.53 N/mm^2 < 6.9 N/mm^2
Pt = 0.0014 Reqd. Ast = 0.0014X1000X697/100 = 9.76 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0014

SHEAR CHECK

(Staad Group : HEEL_SLAB-1)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = 0.231 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1945 , L/C No. - 202)*
Vu = 18.48 T

Provided Pt = 0.0022
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0022X18.48X10^4X715/11.316/10^7)X1000X715/10^4
= 70.802 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0022)X1000X715/10^4
= 70.354 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X715/10^4
= 122.67 T
HENCE, Vc = 70.354 T
Φt*Vc = 0.75X70.354 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 52.766 T **> 18.48T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.277 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 2354 , L/C No. - 202)*

Vu = 22.16 T

Pt provided = 0.0014

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0014X22.16X10^4X697/25.764/10^7)X1000X697/10^4

= 66.971 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0014)X1000X697/10^4

= 67.635 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X697/10^4

= 119.582 T

HENCE, Vc = 66.971 T

Φt*Vc = 0.75X66.971 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 50.228 T **> 22.16T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

HEEL SLAB-2

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1243	202:1.4*(D_S+	**0.639**	-0.032	0.000	0.000	0.000	8.427	0.493	-0.396
Min Qx	1302	202:1.4*(D_S+	**-0.639**	-0.032	0.000	0.000	0.000	8.426	0.487	0.410
Max Qy	1156	202:1.4*(D_S+	0.096	**0.077**	0.000	0.000	0.000	2.010	-1.060	1.597
Min Qy	1232	202:1.4*(D_S+	-0.348	**-0.043**	0.000	0.000	0.000	10.049	0.457	-2.192
Max Sx	1935	201:1.4*(D_S)	0.022	-0.008	**0.000**	0.000	0.000	-0.428	0.265	0.213
Min Sx	1935	201:1.4*(D_S)	0.022	-0.008	**0.000**	0.000	0.000	-0.428	0.265	0.213
Max Sy	1935	201:1.4*(D_S)	0.022	-0.008	0.000	**0.000**	0.000	-0.428	0.265	0.213
Min Sy	1935	201:1.4*(D_S)	0.022	-0.008	0.000	**0.000**	0.000	-0.428	0.265	0.213
Max Sxy	1935	201:1.4*(D_S)	0.022	-0.008	0.000	0.000	**0.000**	-0.428	0.265	0.213
Min Sxy	1935	201:1.4*(D_S)	0.022	-0.008	0.000	0.000	**0.000**	-0.428	0.265	0.213
Max Mx	1313	202:1.4*(D_S+	0.370	-0.018	0.000	0.000	0.000	**10.914**	1.852	0.906
Min Mx	1856	201:1.4*(D_S)	0.068	0.000	0.000	0.000	0.000	**-2.213**	-0.059	0.385
Max My	1622	202:1.4*(D_S+	-0.287	0.024	0.000	0.000	0.000	9.534	**2.765**	-0.093
Min My	1385	203:0.9*(D_S+	0.379	-0.006	0.000	0.000	0.000	-1.498	**-2.279**	-0.532
Max Mxy	1784	202:1.4*(D_S+	-0.272	0.010	0.000	0.000	0.000	-0.902	-0.033	**4.294**
Min Mxy	1853	202:1.4*(D_S+	0.272	0.010	0.000	0.000	0.000	-0.905	-0.027	**-4.294**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.4 REINFORCEMENT CALCULATION OF HEEL SLAB : (HEEL SLAB-2)

Slab Thickness =	800	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : HEEL_SLAB-2)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	10.914	T-M	Corresponding Mxy	0.906	T-M	*(Plate No. - 1313 , L/C No. - 202)*
Min. Mx	-2.213	T-M	Corresponding Mxy	0.385	T-M	*(Plate No. - 1856 , L/C No. - 201)*
Max. My	2.765	T-M	Corresponding Mxy	-0.093	T-M	*(Plate No. - 1622 , L/C No. - 202)*
Min. My	-2.279	T-M	Corresponding Mxy	-0.532	T-M	*(Plate No. - 1385 , L/C No. - 203)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	10.914 + 0.906 =	11.82 T-M
My1 =	My + abs(Mxy) =	2.765 + 0.093 =	2.858 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	10.914 + 0.297 =	11.211 T-M
My2 =	My+abs(Mxy^2/Mx) =	2.765 + 0.001 =	2.766 T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	11.82 T-m
Myd =	2.858 T-m

ALONG X - DIRECTION :

Mu =	11.82 T-m								
Φ*Kn =	Mu/bd^2					deff. =	717	mm	
Mu/bd^2 =	11.82X10^7/(1000X717^2) =	0.23 N/mm^2	<	6.9 N/mm^2					
Pt =	0.0006	Reqd. Ast =	0.0006X1000X717/100 =	4.3 cm^2					
Provided	**16**	mm @	**200**	C/C	(Provide Ast =	10.05	cm2) at Top		
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Top		
					Total Provide Ast =	10.05	cm2 at Top		**O.K.**
					Total Provide Pt =	0.0014			

ALONG Y - DIRECTION :

Mu =	2.858 T-m								
Φ*Kn =	Mu/bd^2					deff. =	703	mm	
Mu/bd^2 =	2.858X10^7/(1000X703^2) =	0.056 N/mm^2	<	6.9 N/mm^2					
Pt =	0.0001	Reqd. Ast =	0.0001X1000X717/100 =	0.7 cm^2					
Provided	**12**	mm @	**200**	C/C	(Provide Ast =	5.65	cm2) at Top		
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Top		
					Total Provide Ast =	5.65	cm2 at Top		**O.K.**
					Total Provide Pt =	0.0008			

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-2.213 - 0.385 =	-2.598 T-M
My1 =	My - abs(Mxy) =	-2.279 - 0.532 =	-2.811 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-2.213 - 0.065 =	-2.278 T-M
My2 =	My-abs(Mxy^2/Mx) =	-2.279 - 0.128 =	-2.151 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -2.598 T-M
Myd = -2.811 T-M

ALONG X - DIRECTION :

Mu = 2.598 T-m
Φ*Kn = Mu/bd^2 deff. = 715 mm
Mu/bd^2 = 2.598X10^7/(1000X715^2) = 0.051 N/mm^2 < 6.9 N/mm^2
Pt = 0.0001 Reqd. Ast = 0.0001X1000X715/100 = 0.72 cm^2
Provided **20** mm @ **200** C/C (Provide Ast = 15.71 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 15.71 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0022

ALONG Y - DIRECTION :

Mu = 2.811 T-m
Φ*Kn = Mu/bd^2 deff. = 697 mm
Mu/bd^2 = 2.811X10^7/(1000X697^2) = 0.058 N/mm^2 < 6.9 N/mm^2
Pt = 0.0002 Reqd. Ast = 0.0002X1000X697/100 = 1.39 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0014

SHEAR CHECK

(Staad Group : HEEL_SLAB-2)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.639 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1302 , L/C No. - 202)*
Vu = 51.12 T

Provided Pt = 0.0022
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0022X51.12X10^4X715/2.598/10^7)X1000X715/10^4
= 105.301 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0022)X1000X715/10^4
= 70.354 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X715/10^4
= 122.67 T
Hence, Vc = 70.354 T
Φt*Vc = 0.75X70.354 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 52.766 T **> 51.12T , Hence O.K.**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 51.12/0.75 - 70.354
= -2.194 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(70.354X10^4+0.66X35^0.5X1000X715)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 214.661 T **> Vu= 51.12T , CROSS SECTION O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Required Spacing , S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 393X420X715/-2.194/10^4
= -5379 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X1000X715/10^4
= 139.59 T > Vs = -2.194T
Max. Spacing , S = 357.5 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*
Provide **5** Legged **10** Dia Links @ **200** C/C (Av.st = 3.93 cm^2) **O.K.**

ALONG Y - DIRECTION :

SQy = 0.077 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1156 , L/C No. - 202)*
Vu = 6.16 T

Pt provided = 0.0014
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0014X6.16X10^4X697/2.811/10^7)X1000X697/10^4
= 68.51 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0014)X1000X697/10^4
= 67.635 KN
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X697/10^4
= 119.582 T
HENCE, Vc = 67.635 T
Φt*Vc = 0.75X67.635 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 50.726 T **> 6.16T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

HEEL SLAB-3

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1360	202:1.4*(D_S+	**0.314**	-0.028	0.000	0.000	0.000	-13.241	-4.642	-0.604
Min Qx	1341	202:1.4*(D_S+	**-0.313**	-0.028	0.000	0.000	0.000	-13.263	-4.634	0.553
Max Qy	1203	202:1.4*(D_S+	0.098	**0.100**	0.000	0.000	0.000	-20.234	-5.251	0.083
Min Qy	1592	202:1.4*(D_S+	-0.086	**-0.081**	0.000	0.000	0.000	-17.746	-3.708	0.683
Max Sx	1922	201:1.4*(D_S)	-0.055	-0.000	**0.000**	0.000	0.000	2.518	1.368	0.438
Min Sx	1922	201:1.4*(D_S)	-0.055	-0.000	**0.000**	0.000	0.000	2.518	1.368	0.438
Max Sy	1922	201:1.4*(D_S)	-0.055	-0.000	0.000	**0.000**	0.000	2.518	1.368	0.438
Min Sy	1922	201:1.4*(D_S)	-0.055	-0.000	0.000	**0.000**	0.000	2.518	1.368	0.438
Max Sxy	1922	201:1.4*(D_S)	-0.055	-0.000	0.000	0.000	**0.000**	2.518	1.368	0.438
Min Sxy	1922	201:1.4*(D_S)	-0.055	-0.000	0.000	0.000	**0.000**	2.518	1.368	0.438
Max Mx	1913	201:1.4*(D_S)	-0.018	-0.004	0.000	0.000	0.000	**4.014**	1.913	0.625
Min Mx	1272	202:1.4*(D_S+	-0.097	0.023	0.000	0.000	0.000	**-21.322**	-6.882	-0.094
Max My	1905	201:1.4*(D_S)	-0.020	-0.007	0.000	0.000	0.000	3.871	**2.352**	-0.220
Min My	1272	202:1.4*(D_S+	-0.097	0.023	0.000	0.000	0.000	-21.322	**-6.882**	-0.094
Max Mxy	1833	202:1.4*(D_S+	-0.179	-0.035	0.000	0.000	0.000	-7.330	-0.722	**3.520**
Min Mxy	1804	202:1.4*(D_S+	0.179	-0.034	0.000	0.000	0.000	-7.344	-0.756	**-3.538**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.5 REINFORCEMENT CALCULATION OF HEEL SLAB : (HEEL SLAB-3)

Slab Thickness =	800	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : HEEL_SLAB-3)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	4.014	T-M	Corresponding Mxy	0.625	T-M	*(Plate No. - 1913 , L/C No. - 201)*
Min. Mx	-21.322	T-M	Corresponding Mxy	-0.094	T-M	*(Plate No. - 1272 , L/C No. - 202)*
Max. My	2.352	T-M	Corresponding Mxy	-0.22	T-M	*(Plate No. - 1905 , L/C No. - 201)*
Min. My	-6.882	T-M	Corresponding Mxy	-0.094	T-M	*(Plate No. - 1272 , L/C No. - 202)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	4.014 + 0.625 =	4.639 T-M
My1 =	My + abs(Mxy) =	2.352 + 0.22 =	2.572 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	4.014 + 0.166 =	4.18 T-M
My2 =	My+abs(Mxy^2/Mx) =	2.352 + 0.012 =	4.364 T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	4.639 T-m
Myd =	2.572 T-m

ALONG X - DIRECTION :

Mu = 4.639 T-m

Φ*Kn = Mu/bd^2 deff. = 717 mm

Mu/bd^2 = 4.639X10^7/(1000X717^2) = 0.09 N/mm^2 < 6.9 N/mm^2

Pt = 0.0002 Reqd. Ast = 0.0002X1000X717/100 = 1.43 cm^2

Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Top

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Top

Total Provide Ast = 10.05 cm2 at Top **O.K.**

Total Provide Pt = 0.0014

ALONG Y - DIRECTION :

Mu = 2.572 T-m

Φ*Kn = Mu/bd^2 deff. = 703 mm

Mu/bd^2 = 2.572X10^7/(1000X703^2) = 0.05 N/mm^2 < 6.9 N/mm^2

Pt = 0.0001 Reqd. Ast = 0.0001X1000X717/100 = 0.7 cm^2

Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Top

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Top

Total Provide Ast = 5.65 cm2 at Top **O.K.**

Total Provide Pt = 0.0008

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-21.322 - 0.094 =	-21.416 T-M
My1 =	My - abs(Mxy) =	-6.882 - 0.094 =	-6.976 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-21.322 - 0.001 =	-21.323 T-M
My2 =	My-abs(Mxy^2/Mx) =	-6.882 - 0 =	-6.882 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.1.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -21.416 T-M
Myd = -6.976 T-M

ALONG X - DIRECTION :

Mu = 21.416 T-m
Φ*Kn = Mu/bd^2 deff. = 715 mm
Mu/bd^2 = 21.416X10^7/(1000X715^2) = 0.419 N/mm^2 < 6.9 N/mm^2
Pt = 0.0011 Reqd. Ast = 0.0011X1000X715/100 = 7.87 cm^2
Provided **20** mm @ **200** C/C (Provide Ast = 15.71 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 15.71 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0022

ALONG Y - DIRECTION :

Mu = 6.976 T-m
Φ*Kn = Mu/bd^2 deff. = 697 mm
Mu/bd^2 = 6.976X10^7/(1000X697^2) = 0.144 N/mm^2 < 6.9 N/mm^2
Pt = 0.0004 Reqd. Ast = 0.0004X1000X697/100 = 2.79 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0014

SHEAR CHECK

(Staad Group : HEEL_SLAB-3)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = 0.314 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1360 , L/C No. - 202)*
Vu = 25.12 T

Provided Pt = 0.0022
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0022X25.12X10^4X715/21.416/10^7)X1000X715/10^4
= 69.923 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0022)X1000X715/10^4
= 70.354 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X715/10^4
= 122.67 T
HENCE, Vc = 69.923 T
Φt*Vc = 0.75X69.923 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 52.442 T **> 25.12T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.1 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1203 , L/C No. - 202)*

Vu = 8 T

Pt provided = 0.0014

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0014X8X10^4X697/6.976/10^7)X1000X697/10^4

= 67.302 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0014)X1000X697/10^4

= 67.635 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X697/10^4

= 119.582 T

HENCE, Vc = 67.302 T

Φt*Vc = 0.75X67.302 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 50.477 T **> 8T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

HEEL SLAB-4

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1320	202:1.4*(D_S+	**0.342**	-0.034	0.000	0.000	0.000	-14.679	-4.592	-0.873
Min Qx	1381	202:1.4*(D_S+	**-0.342**	-0.034	0.000	0.000	0.000	-14.679	-4.596	0.884
Max Qy	1162	203:0.9*(D_S+	-0.031	**0.095**	0.000	0.000	0.000	-17.854	-4.510	-0.270
Min Qy	1695	202:1.4*(D_S+	0.037	**-0.088**	0.000	0.000	0.000	-19.215	-3.606	-0.847
Max Sx	1930	201:1.4*(D_S)	-0.054	0.001	**0.000**	0.000	0.000	3.189	1.463	0.473
Min Sx	1930	201:1.4*(D_S)	-0.054	0.001	**0.000**	0.000	0.000	3.189	1.463	0.473
Max Sy	1930	201:1.4*(D_S)	-0.054	0.001	0.000	**0.000**	0.000	3.189	1.463	0.473
Min Sy	1930	201:1.4*(D_S)	-0.054	0.001	0.000	**0.000**	0.000	3.189	1.463	0.473
Max Sxy	1930	201:1.4*(D_S)	-0.054	0.001	0.000	0.000	**0.000**	3.189	1.463	0.473
Min Sxy	1930	201:1.4*(D_S)	-0.054	0.001	0.000	0.000	**0.000**	3.189	1.463	0.473
Max Mx	1851	201:1.4*(D_S)	-0.016	-0.002	0.000	0.000	0.000	**4.504**	1.812	0.352
Min Mx	1305	202:1.4*(D_S+	0.048	0.018	0.000	0.000	0.000	**-25.688**	-7.353	-0.164
Max My	1929	201:1.4*(D_S)	-0.016	0.002	0.000	0.000	0.000	4.477	**1.843**	0.407
Min My	1383	202:1.4*(D_S+	0.050	-0.032	0.000	0.000	0.000	-25.352	**-7.442**	-0.337
Max Mxy	1927	202:1.4*(D_S+	-0.170	-0.022	0.000	0.000	0.000	-6.610	-1.276	**3.654**
Min Mxy	1866	202:1.4*(D_S+	0.170	-0.022	0.000	0.000	0.000	-6.631	-1.290	**-3.645**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

8.6.6 REINFORCEMENT CALCULATION OF HEEL SLAB : (HEEL SLAB-4)

Slab Thickness = 800 mm
Width = 1000 mm
Clear Cover = 75 mm
Compressive Strength of Concrete , fc' = 35 N/mm^2
Yield Strength of Main Reinforcement , fy = 420 N/mm^2
Yield Strength of Shear Reinforcement , fyt = 420 N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ = 0.9
Strength Reduction Factor of Shear Reinforcement , Φt = 0.75


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : HEEL_SLAB-4)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	4.504	T-M	Corresponding Mxy	0.352	T-M	*(Plate No. - 1851 , L/C No. - 201)*
Min. Mx	-25.688	T-M	Corresponding Mxy	-0.164	T-M	*(Plate No. - 1305 , L/C No. - 202)*
Max. My	1.843	T-M	Corresponding Mxy	0.407	T-M	*(Plate No. - 1929 , L/C No. - 201)*
Min. My	-7.442	T-M	Corresponding Mxy	-0.337	T-M	*(Plate No. - 1383 , L/C No. - 202)*

FOR TOP REINFORCEMRNT :

Mx1 = Mx + abs(Mxy) = 4.504 + 0.352 = 4.856 T-M
My1 = My + abs(Mxy) = 1.843 + 0.407 = 2.25 T-M
Mx2 = Mx+abs(Mxy^2/My) = 4.504 + 0.067 = 4.571 T-M
My2 = My+abs(Mxy^2/Mx) = 1.843 + 0.037 = 1.88 T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd = 4.856 T-m
Myd = 2.25 T-m

ALONG X - DIRECTION :

Mu = 4.856 T-m
Φ*Kn = Mu/bd^2 deff. = 717 mm
Mu/bd^2 = 4.856X10^7/(1000X717^2) = 0.094 N/mm^2 < 6.9 N/mm^2
Pt = 0.0002 Reqd. Ast = 0.0002X1000X717/100 = 1.43 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Top
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Top
Total Provide Ast = 10.05 cm2 at Top **O.K.**
Total Provide Pt = 0.0014

ALONG Y - DIRECTION :

Mu = 2.25 T-m
Φ*Kn = Mu/bd^2 deff. = 703 mm
Mu/bd^2 = 2.25X10^7/(1000X703^2) = 0.044 N/mm^2 < 6.9 N/mm^2
Pt = 0.0001 Reqd. Ast = 0.0001X1000X717/100 = 0.7 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Top
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Top
Total Provide Ast = 5.65 cm2 at Top **O.K.**
Total Provide Pt = 0.0008

FOR BOTTOM REINFORCEMRNT :

Mx1 = Mx - abs(Mxy) = -25.688 - 0.164 = -25.852 T-M
My1 = My - abs(Mxy) = -7.442 - 0.337 = -7.779 T-M
Mx2 = Mx-abs(Mxy^2/My) = -25.688 - 0.004 = -25.692 T-M
My2 = My-abs(Mxy^2/Mx) = -7.442 - 0.004 = -7.438 T-M

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -25.852 T-M
Myd = -7.779 T-M

ALONG X - DIRECTION :

Mu = 25.852 T-m
Φ*Kn = Mu/bd^2 deff. = 715 mm
Mu/bd^2 = 25.852X10^7/(1000X715^2) = 0.506 N/mm^2 < 6.9 N/mm^2
Pt = 0.0014 Reqd. Ast = 0.0014X1000X715/100 = 10.01 cm^2
Provided **20** mm @ **200** C/C (Provide Ast = 15.71 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 15.71 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0022

ALONG Y - DIRECTION :

Mu = 7.779 T-m
Φ*Kn = Mu/bd^2 deff. = 697 mm
Mu/bd^2 = 7.779X10^7/(1000X697^2) = 0.16 N/mm^2 < 6.9 N/mm^2
Pt = 0.0004 Reqd. Ast = 0.0004X1000X697/100 = 2.79 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0014

SHEAR CHECK

(Staad Group : HEEL_SLAB-4)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.342 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1381 , L/C No. - 202)*
Vu = 27.36 T

Provided Pt = 0.0022
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0022X27.36X10^4X715/25.852/10^7)X1000X715/10^4
= 69.703 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0022)X1000X715/10^4
= 70.354 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X715/10^4
= 122.67 T
HENCE, Vc = 69.703 T
Φt*Vc = 0.75X69.703 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 52.277 T **> 27.36T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.095 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1162 , L/C No. - 203)*

Vu = 7.6 T

Pt provided = 0.0014

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0014X7.6X10^4X697/7.779/10^7)X1000X697/10^4

= 67.106 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0014)X1000X697/10^4

= 67.635 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X697/10^4

= 119.582 T

HENCE, Vc = 67.106 T

Φt*Vc = 0.75X67.106 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 50.33 T **> 7.6T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

WALL_BOTTOM

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	5184	202:1.4*(D_S+	**0.550**	-0.021	-0.231	-3.717	-0.044	-3.640	-3.301	-0.963
Min Qx	5125	202:1.4*(D_S+	**-0.550**	-0.021	-0.232	-3.710	0.048	-3.639	-3.296	0.964
Max Qy	3975	202:1.4*(D_S+	-0.002	**0.324**	-0.077	-3.181	0.248	1.545	-3.208	0.651
Min Qy	4906	202:1.4*(D_S+	0.426	**-0.090**	-0.186	-3.356	-0.158	-3.197	-1.935	-2.018
Max Sx	5923	202:1.4*(D_S+	-0.394	0.006	**0.044**	-3.153	-0.178	-1.512	0.032	0.362
Min Sx	5404	202:1.4*(D_S+	0.080	0.015	**-0.721**	-2.931	0.001	8.159	1.229	-0.083
Max Sy	3953	201:1.4*(D_S)	-0.024	-0.018	-0.215	**0.120**	0.087	0.029	0.106	-0.071
Min Sy	5439	202:1.4*(D_S+	-0.488	0.062	-0.304	**-3.868**	0.310	-3.921	-2.152	-0.344
Max Sxy	4597	202:1.4*(D_S+	-0.295	-0.053	-0.399	-2.946	**0.726**	-2.576	-1.282	2.348
Min Sxy	4560	202:1.4*(D_S+	0.293	-0.053	-0.393	-2.970	**-0.709**	-2.563	-1.280	-2.359
Max Mx	5856	202:1.4*(D_S+	0.057	-0.001	-0.151	-3.080	-0.057	**9.109**	1.786	-0.143
Min Mx	5677	202:1.4*(D_S+	-0.408	0.030	-0.197	-3.749	0.107	**-4.039**	-0.396	-0.265
Max My	5856	202:1.4*(D_S+	0.057	-0.001	-0.151	-3.080	-0.057	9.109	**1.786**	-0.143
Min My	5181	202:1.4*(D_S+	-0.538	-0.020	-0.306	-3.747	0.486	-3.638	**-3.360**	0.929
Max Mxy	4305	202:1.4*(D_S+	-0.166	0.025	-0.173	-2.577	0.474	-0.931	-0.975	**2.807**
Min Mxy	4236	202:1.4*(D_S+	0.166	0.025	-0.173	-2.571	-0.472	-0.930	-0.973	**-2.806**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.7 REINFORCEMENT CALCULATION OF WALL : (WALL BOTTOM)

Slab Thickness =	400	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : WALL_BOTTOM)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	9.109	T-M	Corresponding Mxy	-0.143	T-M	*(Plate No. - 5856 , L/C No. - 202)*
Min. Mx	-4.039	T-M	Corresponding Mxy	-0.265	T-M	*(Plate No. - 5677 , L/C No. - 202)*
Max. My	1.786	T-M	Corresponding Mxy	-0.143	T-M	*(Plate No. - 5856 , L/C No. - 202)*
Min. My	-3.36	T-M	Corresponding Mxy	0.929	T-M	*(Plate No. - 5181 , L/C No. - 202)*

FOR OPPOSITE FACE REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	9.109 + 0.143 =	9.252 T-M
My1 =	My + abs(Mxy) =	1.786 + 0.143 =	1.929 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	9.109 + 0.011 =	9.12 T-M
My2 =	My+abs(Mxy^2/Mx) =	1.786 + 0.002 =	1.788 T-M



DESIGN MOMENT CALCULATION FOR OPPOSITE FACE REINFORCEMENT :

Mxd =	9.252 T-m
Myd =	1.929 T-m

ALONG X - DIRECTION :

Mu = 9.252 T-m

Φ*Kn = Mu/bd^2 deff. = 317 mm

Mu/bd^2 = 9.252X10^7/(1000X317^2) = 0.921 N/mm^2 < 6.9 N/mm^2

Pt = 0.0025 Reqd. Ast = 0.0025X1000X317/100 = 7.93 cm^2

Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Horizontal

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal

Total Provide Ast = 10.05 cm2 at Horizontal **O.K.**

Total Provide Pt = 0.0032

ALONG Y - DIRECTION :

Mu = 1.929 T-m

Φ*Kn = Mu/bd^2 deff. = 303 mm

Mu/bd^2 = 1.929X10^7/(1000X303^2) = 0.192 N/mm^2 < 6.9 N/mm^2

Pt = 0.0005 Reqd. Ast = 0.0005X1000X317/100 = 1.52 cm^2

Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical

Total Provide Ast = 5.65 cm2 at Vertical **O.K.**

Total Provide Pt = 0.0019

FOR RETAINED FACE REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-4.039 - 0.265 =	-4.304 T-M
My1 =	My - abs(Mxy) =	-3.36 - 0.929 =	-4.289 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-4.039 - 0.021 =	-4.06 T-M
My2 =	My-abs(Mxy^2/Mx) =	-3.36 - 0.214 =	-3.146 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR RETAINED FACE REINFORCEMENT :

Mxd = -4.304 T-M
Myd = -4.289 T-M

ALONG X - DIRECTION :

Mu = 4.304 T-m
Φ*Kn = Mu/bd^2 deff. = 317 mm
Mu/bd^2 = 4.304X10^7/(1000X317^2) = 0.428 N/mm^2 < 6.9 N/mm^2
Pt = 0.0011 Reqd. Ast = 0.0011X1000X317/100 = 3.49 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Horizontal
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal
Total Provide Ast = 10.05 cm2) at Horizontal **O.K.**
Total Provide Pt = 0.0032

ALONG Y - DIRECTION :

Mu = 4.289 T-m
Φ*Kn = Mu/bd^2 deff. = 303 mm
Mu/bd^2 = 4.289X10^7/(1000X303^2) = 0.467 N/mm^2 < 6.9 N/mm^2
Pt = 0.0012 Reqd. Ast = 0.0012X1000X303/100 = 3.64 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 5.65 cm2) at Vertical **O.K.**
Total Provide Pt = 0.0019

SHEAR CHECK

(Staad Group : WALL_BOTTOM)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.55 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 5125 , L/C No. - 202)*
Vu = 17.435 T

Provided Pt = 0.0032
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0032X17.435X10^4X317/4.304/10^7)X1000X317/10^4
= 32.221 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0032)X1000X317/10^4
= 31.731 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X317/10^4
= 54.387 T
HENCE, Vc = 31.731 T
Φt*Vc = 0.75X31.731 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 23.798 T **> 17.435T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.324 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 3975 , L/C No. - 202)*

Vu = 9.817 T

Pt provided = 0.0019

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0019X9.817X10^4X303/4.289/10^7)X1000X303/10^4

= 29.36 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0019)X1000X303/10^4

= 29.66 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X303/10^4

= 51.985 T

HENCE, Vc = 29.36 T

Φt*Vc = 0.75X29.36 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 22.02 T **> 9.817T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 07-Jan-2020 16:09	

Plate Center Stress Summary

WALL_TOP

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon*m/m)	My (MTon*m/m)	Mxy (MTon*m/m)
Max Qx	9006	202:1.4*(D_S+	**0.244**	0.010	-0.004	-1.229	0.248	-1.540	-0.994	0.537
Min Qx	8947	202:1.4*(D_S+	**-0.244**	0.010	-0.003	-1.228	-0.244	-1.537	-0.993	-0.538
Max Qy	10416	202:1.4*(D_S+	0.163	**0.022**	-0.006	-0.023	0.093	-0.947	-0.507	-0.025
Min Qy	9890	203:0.9*(D_S+	0.012	**-0.015**	0.021	-0.157	0.016	2.268	0.309	-0.104
Max Sx	10426	202:1.4*(D_S+	0.034	0.002	**0.208**	-0.020	0.015	3.270	-0.121	-0.039
Min Sx	10444	201:1.4*(D_S)	0.000	-0.000	**-0.123**	-0.009	-0.001	0.013	0.001	0.001
Max Sy	10416	203:0.9*(D_S+	0.020	0.003	-0.002	**-0.006**	0.014	-0.011	-0.006	0.017
Min Sy	8953	202:1.4*(D_S+	-0.042	-0.011	-0.009	**-1.267**	-0.050	4.306	-0.052	-0.146
Max Sxy	8990	202:1.4*(D_S+	0.227	0.005	-0.070	-1.234	**0.288**	-1.809	-1.053	0.263
Min Sxy	8963	202:1.4*(D_S+	-0.226	0.005	-0.067	-1.237	**-0.289**	-1.820	-1.056	-0.266
Max Mx	8944	202:1.4*(D_S+	0.028	-0.012	0.004	-1.218	0.061	**5.704**	0.252	-0.270
Min Mx	8974	202:1.4*(D_S+	0.229	0.006	-0.087	-1.237	0.257	**-2.117**	-1.108	0.252
Max My	8944	203:0.9*(D_S+	0.022	-0.014	0.018	-0.525	0.035	4.260	**0.553**	-0.109
Min My	10354	202:1.4*(D_S+	0.186	0.011	0.042	-0.089	0.176	-1.386	**-1.193**	-0.063
Max Mxy	9007	202:1.4*(D_S+	0.142	-0.007	0.000	-1.229	0.132	3.388	-0.156	**0.597**
Min Mxy	8946	202:1.4*(D_S+	-0.142	-0.007	0.001	-1.228	-0.128	3.390	-0.156	**-0.597**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.8 REINFORCEMENT CALCULATION OF WALL : (WALL TOP)

Slab Thickness =	400	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : WALL_TOP)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	5.704	T-M	Corresponding Mxy	-0.27	T-M	*(Plate No. - 8944 , L/C No. - 202)*
Min. Mx	-2.117	T-M	Corresponding Mxy	0.252	T-M	*(Plate No. - 8974 , L/C No. - 202)*
Max. My	0.553	T-M	Corresponding Mxy	-0.109	T-M	*(Plate No. - 8944 , L/C No. - 203)*
Min. My	-1.193	T-M	Corresponding Mxy	-0.063	T-M	*(Plate No. - 10354 , L/C No. - 202)*

FOR OPPOSITE FACE REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	5.704 + 0.27 =	5.974 T-M
My1 =	My + abs(Mxy) =	0.553 + 0.109 =	0.662 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	5.704 + 0.132 =	5.836 T-M
My2 =	My+abs(Mxy^2/Mx) =	0.553 + 0.002 =	0.555 T-M



DESIGN MOMENT CALCULATION FOR OPPOSITE FACE REINFORCEMENT :

Mxd =	5.974	T-m
Myd =	0.662	T-m

ALONG X - DIRECTION :

Mu =	5.974 T-m								
Φ*Kn =	Mu/bd^2						deff. =	319	mm
Mu/bd^2 =	5.974X10^7/(1000X319^2) =				0.587 N/mm^2		<	6.9	N/mm^2
Pt =	0.0016		Reqd. Ast =		0.0016X1000X319/100 =			5.1	cm^2
Provided	**12**	mm @	**200**	C/C	(Provide Ast =	5.65	cm2) at Horizontal		
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Horizontal		
					Total Provide Ast =	5.65	cm2 at Horizontal		**O.K.**
					Total Provide Pt =	0.0018			

ALONG Y - DIRECTION :

Mu =	0.662 T-m								
Φ*Kn =	Mu/bd^2						deff. =	307	mm
Mu/bd^2 =	0.662X10^7/(1000X307^2) =				0.065 N/mm^2		<	6.9	N/mm^2
Pt =	0.0002		Reqd. Ast =		0.0002X1000X319/100 =			0.61	cm^2
Provided	**12**	mm @	**200**	C/C	(Provide Ast =	5.65	cm2) at Vertical		
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Vertical		
					Total Provide Ast =	5.65	cm2 at Vertical		**O.K.**
					Total Provide Pt =	0.0018			

FOR RETAINED FACE REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-2.117 - 0.252 =	-2.369 T-M
My1 =	My - abs(Mxy) =	-1.193 - 0.063 =	-1.256 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-2.117 - 0.053 =	-2.17 T-M
My2 =	My-abs(Mxy^2/Mx) =	-1.193 - 0.002 =	-1.191 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR RETAINED FACE REINFORCEMENT :

Mxd = -2.369 T-M
Myd = -1.256 T-M

ALONG X - DIRECTION :

Mu = 2.369 T-m
Φ*Kn = Mu/bd^2 deff. = 319 mm
Mu/bd^2 = 2.369X10^7/(1000X319^2) = 0.233 N/mm^2 < 6.9 N/mm^2
Pt = 0.0006 Reqd. Ast = 0.0006X1000X319/100 = 1.91 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal
Total Provide Ast = 5.65 cm2) at Horizontal **O.K.**
Total Provide Pt = 0.0018

ALONG Y - DIRECTION :

Mu = 1.256 T-m
Φ*Kn = Mu/bd^2 deff. = 307 mm
Mu/bd^2 = 1.256X10^7/(1000X307^2) = 0.133 N/mm^2 < 6.9 N/mm^2
Pt = 0.0004 Reqd. Ast = 0.0004X1000X307/100 = 1.23 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 5.65 cm2) at Vertical **O.K.**
Total Provide Pt = 0.0018

SHEAR CHECK

(Staad Group : WALL_TOP)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.244 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 8947 , L/C No. - 202)*
Vu = 7.784 T

Provided Pt = 0.0018
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0018X7.784X10^4X319/2.369/10^7)X1000X319/10^4
= 31.219 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0018)X1000X319/10^4
= 31.172 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X319/10^4
= 54.73 T
HENCE, Vc = 31.172 T
Φt*Vc = 0.75X31.172 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 23.379 T **> 7.784T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.022 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 10416 , L/C No. - 202)*

Vu = 0.675 T

Pt provided = 0.0018

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0018X0.675X10^4X307/1.256/10^7)X1000X307/10^4

= 29.215 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0018)X1000X307/10^4

= 29.999 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X307/10^4

= 52.671 T

HENCE, Vc = 29.215 T

Φt*Vc = 0.75X29.215 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 21.911 T **> 0.675T , Hence O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.9 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-1) :



16m Below from top of the Rataining Wall

Counterfort C/C Distance = 4 m
Depth of the Critical Section = 6.797+0.4
= 7.197 m
Side Pressure at Critical Section = 8.509 T/m²
Side Pressure over counterfort = 8.509X4
= 34.036 T/m
B.M. = 0.5X34.036X16^2/3
= 1452.203 T-m
S.F. = 0.5X34.036X16
= 272.288 T

Design Parameter

Width = 600 mm
Clear Cover = 75 mm
fc' = 35 N/mm²
fy = 420 N/mm²
fyt = 420 N/mm²
Φ = 0.9
Φt = 0.75
Load Factor = 1.4

11.5m Below from top of the Rataining Wall

Depth of the Section = 4.969+0.4
= 5.369 m
Side Pressure over counterfort = 6.192X4
= 24.768 T/m
B.M. = 0.5X24.768X11.5^2/3
= 545.928 T-m
S.F. = 0.5X24.768X11.5
= 142.416 T

COUNTERFORT REINFORCEMENT UPTO 6.2m FROM T.O.RAFT

Mu = 1452.203 X 1.4
= 2033.084 T-m
Φ*Kn = Mu/bd²
= 2033.0842 X 10^7 / (600 X 7062^2)
= 0.679 N/mm² < 6.9 N/mm²

Depth = 7197 mm
d eff. = 7062 mm

Reqd. Pt = 0.0018
Beam Min. Pt = 0.0024
Reqd. , Ast = Pt*b*d.eff
= 0.0024X600X7062/10^2
= 101.69 cm²

[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Provide 7 Nos. 32 mm ϕ Bar at Outer Face (Ast = 56.3 cm^2)
7 Nos. 32 mm ϕ Bar at Outer Face (Ast = 56.3 cm^2)
(Total Ast = 112.6 cm^2) Pt = 0.0027 **O.K.**

SHEAR CHECK

Vu = 272.288X1.4
= 381.203 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0027X381.203X10^4X7062/2033.0842/10^7)X600X7062/10^4
= 426.834 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0027)X600X7062/10^4
= 420.531 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X600X7062/10^4
= 726.961 T
HENCE, Vc = 420.531 T
0.5*Φt*Vc = 0.5X0.75X420.531 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 157.699 T **< 381.203T, HENCE SHEAR REINF. REQD**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 381.203/0.75 - 420.531
= 87.74 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(420.531X10^4+0.66X35^0.5X600X7062)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 1272.387 T **> Vu= 381.203T , CROSS SECTION O.K.**
Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X7062/87.74/10^4
= 764 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X600X7062/10^4
= 827.231 T > Vs = 87.74T
Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide 2 Legged 12 Dia Stirrups @ 200 C/C (Av.st = 2.26 cm^2) **O.K.**

COUNTERFORT REINFORCEMENT ABOVE 6.2m TO REST PORTION

Mu = 545.928 X 1.4
764.299 T-m Depth = 5369 mm
Φ*Kn = Mu/bd^2 d eff. = 5266 mm
= 764.299 X 10^7 / (600 X 5266^2)
= 0.459 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0012
Beam Min. Pt = 0.0016 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0016X600X5266/10^2
= 50.55 cm^2

Provide 7 Nos. 32 mm ϕ Bar at Bottom (Ast = 56.3 cm^2)
0 Nos. 32 mm ϕ Bar at Bottom (Ast = 0 cm^2)
(Total Ast = 56.3 cm^2) Pt = 0.0018 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 142.416X1.4
= 199.382 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0018X199.382X10^4X5266/764.299/10^7)X600X5266/10^4
= 312.361 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0018)X600X5266/10^4
= 308.748 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X600X5266/10^4
= 542.081 T
HENCE, Vc = 308.748 T
0.5*Φt*Vc = 0.5X0.75X308.748 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 115.781 T **< 199.382T, HENCE SHEAR REINF. REQD**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 199.382/0.75 - 308.748
= 0 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(308.748X10^4+0.66X35^0.5X600X5266)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 948.432 T **> Vu= 199.382T , CROSS SECTION O.K.**
Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X5266/0/10^4
= 499849 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X600X5266/10^4
= 616.851 T > Vs = 0T
Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (34.332+29.427)/2
= 31.8795 T/m^2
Downward Pressure 4m Span = 31.8795X(4-0.6)
= 108.39 T/m
Factored Downward Pressure = 108.39X1.7 Load Factor = 1.7
= 184.263 T/m
Required Reinforcement = 184.263X10^4/420/100
= 43.87 cm^2/m
Required Reinforcement per Face = 43.87/2
= 21.94 cm^2/m
Provide **16** mm @ **100** C/C (Provide Ast = 20.11 cm2) at Vertical **Check**


HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (8.509+7.994)/2
= 8.25 T/m^2
Side Pressure 4m Span = 8.25X(4-0.6)
= 28.05 T
Factored Downward Pressure = 28.05X1.7 Load Factor = 1.7
= 47.685 T
Required Reinforcement = 47.685X10^4/420/100
= 11.35 cm^2/m
Required Reinforcement per Face = 11.35/2
= 5.68 cm^2/m
Provide **12** mm @ **150** C/C (Provide Ast = 7.54 cm2) at Vertical **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

8.6.10 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-1) :



Counterfort C/C Distance = 4 m

B.M. at Face of Wall = (41.01-6.23)X2.6^2/2+0.5X(54.611-41.01)X2.6^2X2/3
= 148.204 T-m

For 4m Span , B.M. = 148.204X4
= 592.816 T-m

S.F. at eff.-d distance = 0
= 0 T

For 4m Span , S.F. = 0X4
= 0 T

Design Parameter

Width =	600	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 592.816X1.4
= 829.942 T-m

Depth = 3000 mm
d eff. = 2869 mm

Φ*Kn = Mu/bd^2
= 829.942 X 10^7 / (600 X 2869^2)
= 1.68 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0046
Min. Pt = 0.0035 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0046X600X2869/10^2
= 79.18 cm^2

Provide 6 Nos. 32 mm ϕ Bar (Ast = 48.25 cm^2) at Bottom
6 Nos. 28 mm ϕ Bar (Ast = 36.95 cm^2) at Bottom
(Total Ast = 85.2 cm^2) at Bottom Pt = 0.0049 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK


Vu = 0X1.4
= 0 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0049X0X10^4X2869/829.942/10^7)X600X2869/10^4
= 162.943 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0049)X600X2869/10^4
= 177.282 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X600X2869/10^4
= 295.334 T
HENCE, Vc = 162.943 T
0.5*Φt*Vc = 0.5X0.75X162.943 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 61.104 T **> 0T , Hence O.K.**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 162.943
= 0 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(162.943X10^4+0.66X35^0.5X600X2869)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 516.326 T **> Vu= 0T , CROSS SECTION O.K.**
Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2869/0/10^4
= 272325 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X600X2869/10^4
= 336.07 T > Vs = 0T
Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.11 REINFORCEMENT CALCULATION OF SHEAR KEY :



Design Parameter

Width =	1000	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

B.M. at Bottom of the Raft = (17.528X1^2/2)+(0.5X(24.539-17.528)X1^2X2/3
= 11.101 T-m

S.F. at Bottom of the Raft = (17.528X1)+(0.5X(24.539-17.528)X1
= 21.034 T

SUPPORT REINFORCEMENT

Mu = 11.101X1.4
= 15.541 T-m

Depth = 1000 mm
d eff. = 917 mm

Φ*Kn = Mu/bd^2
= 15.541 X 10^7 / (1000 X 917^2)
= 0.185 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0005
Min. Pt = 0.0007 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0007X1000X917/10^2
= 6.42 cm^2

Provide 16 mm @ 200 C/C (Provide Ast = 10.05 cm2) at Vertical
0 Nos. 200 C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 10.05 cm2) at Vertical **O.K.**
Total Provide Pt = 0.0011

SHEAR CHECK

Vu = 21.034X1.4
= 29.448 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0011X29.448X10^4X917/15.541/10^7)X1000X917/10^4
= 89.78 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0011)X1000X917/10^4
= 88.516 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X917/10^4
= 157.326 T

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

HENCE, Vc = 88.516 T

0.5*Φt*Vc = 0.5X0.75X88.516 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*

= 33.194 T **> 29.448T , Hence O.K.**

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(88.516X10^4+0.66X35^0.5X1000X917)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*

= 275.178 T **> Vu= 29.448T , CROSS SECTION O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.12 REINFORCEMENT CALCULATION OF BUFFER STOP :

Max. Impact Load = 135 T (As per Mech. Input)
For Safe side, Impact Load Consider = 150 T
Total Width of Buffer = 9.4 m
Max. Impact Load / m-Length = 15.957 T
Ht. of Buffer from FGL = 1.2 m

Cantilever B.M. = 15.957X1.2
= 19.148 T-m
S.F. = 15.957 T

Design Parameter

Width =	1000	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 19.148X1.4
= 26.807 T-m
Depth = 900 mm
d eff. = 815 mm
Φ*Kn = Mu/bd^2
= 26.807 X 10^7 / (1000 X 815^2)
= 0.404 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0011
Min. Pt = 0.0015 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0015X1000X815/10^2
= 12.23 cm^2

Provide 20 mm @ 200 C/C (Provide Ast = 15.71 cm2) at Vertical
0 Nos. 200 C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 15.71 cm2) at Vertical **O.K.**
Total Provide Pt = 0.0019


SHEAR CHECK

Vu = 15.957X1.4
= 22.34 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0019X22.34X10^4X815/26.807/10^7)X1000X815/10^4
= 78.934 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0019)X1000X815/10^4
= 79.778 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X815/10^4
= 139.827 T
HENCE, Vc = 78.934 T
0.5*Φt*Vc = 0.5X0.75X78.934 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 29.6 T **> 22.34T , Hence O.K.**
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(78.934X10^4+0.66X35^0.5X1000X815)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 244.589 T **> Vu= 22.34T , CROSS SECTION O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-B (HCF-2 & TCF-2) : (DRY CONDITION)



9.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	14.425 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

9.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X13.125X1.9 =	6.758	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528	T/m²
Passive Load at Bottom of Shear key =	3.69X(2.5+0.8)X1.9 =	23.136	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

9.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	5.7	3.5	0.7	2.5	1	34.913	5.4	188.53
Toe Slab =	2.25	3.5	0.7	2.5	1	13.781	1.125	15.504
Retaining Wall =	16.225	3.5	0.3	2.5	1	42.591	2.4	102.218
Heel Counterfort Part-1 =	5.7	1.2	0.5	2.5	1	8.550	5.4	46.17
Heel Counterfort Part-2 =	0.5	13.725	0.5	2.5	1	8.578	2.8	24.018
Heel Counterfort Part-3 =	5.2	13.725	0.5	2.5	1	44.606	4.783	213.365
Toe Counterfort =	2.25	1.8	0.5	2.5	1	2.531	1.5	3.797
Shear Key =	0.4	3.5	0.8	2.5	1	2.800	8.05	22.54
Retained Earth over Heel Slab =	5.7	3.5	13.125	1.9	0.9	447.753	5.4	2417.866
Soil over Heel Slab =	5.7	3.5	1.8	1.9	0.9	61.406	5.4	331.592
Soil over Toe Slab =	2.25	3.5	1.8	1.9	0.9	24.239	1.125	27.269
					Total =	691.748	Total =	3392.869

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X6.758X13.125X(2.5+13.125/3) =	304.902	3.5	1067.157
Retained Earth Pressure below FGL =	6.758X2.5^2/2 =	21.119	3.5	73.917
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+13.125)^2/2 =	33.081	3.5	115.784
	Total =	360.443	Total =	1261.552

Total Wt. of Structure = 158.350 T

Seismic Force acting on wall = 0.0295X158.35 = 4.671 T

Due to Seismic , Overturning Moment = 4.671 X (2.5+14.425)/2 = 39.528 T-m *(Anti Clock Wise)*

Total Overturning Moment = 1261.552+39.528X0.75 = 1291.198 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*

Total Restoring Moment = 3392.869 T-m *(Clock Wise)*

F.O.S. against Overturning = 3392.869/1291.198 = 2.63 > 2 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

9.3 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X6.758X13.125 =	44.349	3.5	155.222
Retained Earth Pressure below FGL =	6.758X2.5 =	16.895	3.5	59.133
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+13.125) =	4.234	3.5	14.819
			Total =	234.806

Total Horizontal Sliding Force = 234.806+4.671 = 239.477 T

Passive Load for Shear Key = 56.93 T

Net Horizontal Sliding Force = 239.477-56.93 = 182.547 T

Corresponding Vertical Load, V = 691.748 T

Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*

Fricrtional Force = μ * V = 276.699 T

F.O.S. against Sliding = 276.699/182.547 = 1.516 > 1.5 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

9.5 Calculation of Base Pressure

C.G. of Load = 3392.869/691.748 = 4.905 m

Eccentricity, e = 4.905-(2.25+6)/2 = 0.780 m

Moment due to Eccentricity = 0.78X691.748 = 539.563 T-m (Clockwise)

Overturning Moment = 1261.552 T-m (Anti-Clockwise)

Net Moment = 1261.552-539.563 = 721.989 T-m (Anti-Clockwise)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.5.1 Check for Base Pressure - Manual Calculation

Max. Base Pressure = (691.748/8.25/3.5)+(721.989X6/3.5/8.25^2) = 42.141 T/m^2 **< 71.75 T/m2, OK**

Min. Base Pressure = (691.748/8.25/3.5)-(721.989X6/3.5/8.25^2) = 5.772 T/m^2


Base Pressure Diagram

Pressure Reduced over Toe slab

1. Due to Surcharge =	1	T/m^2
2.Due to Dry soil =	3.42	T/m^2
3. Due to Toe Slab =	1.75	T/m^2
Total =	6.170	T/m^2

Pressure Reduced over Heel slab

1. Due to Retained Earth =	27.408	T/m^2
2. Due to Dry soil =	3.42	T/m^2
3. Due to Heel Slab =	1.75	T/m^2
4. Due to Surcharge =	1	T/m^2
Total =	33.578	T/m^2



PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.5.2 BASE PRESSURE CHECK FROM PLATE & CELL ELEMENT ANALYSIS :

(From Staad File : ROM RETAINING WING WALL_R1)

NET SAFE BEARING CAPACITY OF SOIL = 67 T/m^2 *(Ref. BH-19)*

DEPTH OF FOUNDATION = 2.5 m

GROSS ALLOWABLE BEARING CAPACITY = 67 + 2.5 X 1.9 = 71.75 T/m^2

BASE PRESSURE SUMMARY *(UNFACTORED LOAD COMBINATION)*

	NODE	L/C	FX T/m^2	FY T/m^2	FZ T/m^2	
Max Px	1	101 1.0*(D	0	2.548	0	
Min Px	1	101 1.0*(D	0	2.548	0	
Max Py	890	104 0.6*(D	0	59.395	0	**< 71.75 T/m2 , O.K.**
Min Py	1	102 1.0*(D	0	0	0	
Max Pz	1	101 1.0*(D	0	2.548	0	
Min Pz	1	101 1.0*(D	0	2.548	0	

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

TOE SLAB_BM

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1801	202:1.4*(D_S+	**0.719**	0.000	0.000	0.000	0.000	-4.971	-2.137	5.643
Min Qx	1805	203:0.9*(D_S+	**-0.875**	-0.005	0.000	0.000	0.000	-10.374	-3.701	-7.612
Max Qy	1805	204:1.2*(D_S+	-0.117	**0.013**	0.000	0.000	0.000	-1.448	-0.197	-0.082
Min Qy	1717	202:1.4*(D_S+	0.007	**-0.741**	0.000	0.000	0.000	7.519	-16.971	0.604
Max Sx	1805	201:1.4*(D_S)	-0.077	-0.001	**0.000**	0.000	0.000	-0.944	-0.347	-0.427
Min Sx	1805	201:1.4*(D_S)	-0.077	-0.001	**0.000**	0.000	0.000	-0.944	-0.347	-0.427
Max Sy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	**0.000**	0.000	-0.944	-0.347	-0.427
Min Sy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	**0.000**	0.000	-0.944	-0.347	-0.427
Max Sxy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	0.000	**0.000**	-0.944	-0.347	-0.427
Min Sxy	1805	201:1.4*(D_S)	-0.077	-0.001	0.000	0.000	**0.000**	-0.944	-0.347	-0.427
Max Mx	1773	202:1.4*(D_S+	0.021	-0.401	0.000	0.000	0.000	**18.707**	-2.187	1.072
Min Mx	1780	202:1.4*(D_S+	0.322	-0.202	0.000	0.000	0.000	**-11.705**	-6.525	3.515
Max My	1773	204:1.2*(D_S+	0.005	-0.060	0.000	0.000	0.000	3.962	**1.435**	0.735
Min My	1717	203:0.9*(D_S+	0.002	-0.670	0.000	0.000	0.000	5.960	**-17.213**	-1.053
Max Mxy	1770	202:1.4*(D_S+	0.574	-0.098	0.000	0.000	0.000	-7.097	-6.263	**9.048**
Min Mxy	1748	203:0.9*(D_S+	-0.364	-0.025	0.000	0.000	0.000	-6.451	-3.565	**-9.514**

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

TOE SLAB_SF

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	1780	202:1.4*(D_S+	**0.322**	-0.202	0.000	0.000	0.000	-11.705	-6.525	3.515
Min Qx	1804	203:0.9*(D_S+	**-0.419**	-0.089	0.000	0.000	0.000	10.392	-2.951	-6.044
Max Qy	1803	204:1.2*(D_S+	0.022	**0.004**	0.000	0.000	0.000	3.023	0.144	0.809
Min Qy	1773	203:0.9*(D_S+	0.019	**-0.405**	0.000	0.000	0.000	17.336	-3.933	-0.570
Max Sx	1804	201:1.4*(D_S)	-0.033	-0.008	**0.000**	0.000	0.000	1.117	-0.282	-0.267
Min Sx	1804	201:1.4*(D_S)	-0.033	-0.008	**0.000**	0.000	0.000	1.117	-0.282	-0.267
Max Sy	1804	201:1.4*(D_S)	-0.033	-0.008	0.000	**0.000**	0.000	1.117	-0.282	-0.267
Min Sy	1804	201:1.4*(D_S)	-0.033	-0.008	0.000	**0.000**	0.000	1.117	-0.282	-0.267
Max Sxy	1804	201:1.4*(D_S)	-0.033	-0.008	0.000	0.000	**0.000**	1.117	-0.282	-0.267
Min Sxy	1804	201:1.4*(D_S)	-0.033	-0.008	0.000	0.000	**0.000**	1.117	-0.282	-0.267
Max Mx	1773	202:1.4*(D_S+	0.021	-0.401	0.000	0.000	0.000	**18.707**	-2.187	1.072
Min Mx	1780	202:1.4*(D_S+	0.322	-0.202	0.000	0.000	0.000	**-11.705**	-6.525	3.515
Max My	1773	204:1.2*(D_S+	0.005	-0.060	0.000	0.000	0.000	3.962	**1.435**	0.735
Min My	1780	203:0.9*(D_S+	0.305	-0.190	0.000	0.000	0.000	-10.998	**-8.086**	3.291
Max Mxy	1772	202:1.4*(D_S+	0.236	-0.351	0.000	0.000	0.000	12.630	-3.116	**7.454**
Min Mxy	1747	203:0.9*(D_S+	-0.132	-0.189	0.000	0.000	0.000	5.725	-1.886	**-9.375**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.1 REINFORCEMENT CALCULATION OF TOE SLAB : (TOE SLAB)

Slab Thickness =	700	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : TOE_SLAB-1_BM)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	18.707	T-M	Corresponding Mxy	1.072	T-M	*(Plate No. - 1773 , L/C No. - 202)*
Min. Mx	-11.705	T-M	Corresponding Mxy	3.515	T-M	*(Plate No. - 1780 , L/C No. - 202)*
Max. My	1.435	T-M	Corresponding Mxy	0.735	T-M	*(Plate No. - 1773 , L/C No. - 204)*
Min. My	-17.213	T-M	Corresponding Mxy	-1.053	T-M	*(Plate No. - 1717 , L/C No. - 203)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	18.707 + 1.072 =	19.779	T-M
My1 =	My + abs(Mxy) =	1.435 + 0.735 =	2.17	T-M
Mx2 =	Mx+abs(Mxy^2/My) =	18.707 + 0.801 =	19.508	T-M
My2 =	My+abs(Mxy^2/Mx) =	1.435 + 0.029 =	1.464	T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	19.779	T-m
Myd =	2.17	T-m

ALONG X - DIRECTION :

Mu =	19.779	T-m							
Φ*Kn =	Mu/bd^2					deff. =	617	mm	
Mu/bd^2 =	19.779X10^7/(1000X617^2) =			0.52	N/mm^2	<	6.9	N/mm^2	
Pt =	0.0014		Reqd. Ast =	0.0014X1000X617/100 =			8.64	cm^2	
Provided	**16**	mm @	**200**	C/C	(Provide Ast =	10.05	cm2) at Top		
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Top		
					Total Provide Ast =	10.05	cm2 at Top		**O.K.**
					Total Provide Pt =	0.0016			

ALONG Y - DIRECTION :

Mu =	2.17	T-m							
Φ*Kn =	Mu/bd^2					deff. =	603	mm	
Mu/bd^2 =	2.17X10^7/(1000X603^2) =			0.057	N/mm^2	<	6.9	N/mm^2	
Pt =	0.0002		Reqd. Ast =	0.0002X1000X617/100 =			1.21	cm^2	
Provided	**12**	mm @	**200**	C/C	(Provide Ast =	5.65	cm2) at Top		
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Top		
					Total Provide Ast =	5.65	cm2 at Top		**O.K.**
					Total Provide Pt =	0.0009			

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-11.705 - 3.515 =	-15.22	T-M
My1 =	My - abs(Mxy) =	-17.213 - 1.053 =	-18.266	T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-11.705 - 0.718 =	-12.423	T-M
My2 =	My-abs(Mxy^2/Mx) =	-17.213 - 0.095 =	-17.118	T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -15.22 T-M
Myd = -18.266 T-M

ALONG X - DIRECTION :

Mu = 15.22 T-m
Φ*Kn = Mu/bd^2 deff. = 617 mm
Mu/bd^2 = 15.22X10^7/(1000X617^2) = 0.4 N/mm^2 < 6.9 N/mm^2
Pt = 0.0011 Reqd. Ast = 0.0011X1000X617/100 = 6.79 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0016

ALONG Y - DIRECTION :

Mu = 18.266 T-m
Φ*Kn = Mu/bd^2 deff. = 601 mm
Mu/bd^2 = 18.266X10^7/(1000X601^2) = 0.506 N/mm^2 < 6.9 N/mm^2
Pt = 0.0014 Reqd. Ast = 0.0014X1000X601/100 = 8.41 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0017

SHEAR CHECK

(Staad Group : TOE_SLAB-1_SF)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.419 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1804 , L/C No. - 203)*
Vu = 29.33 T

Provided Pt = 0.0016
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0016X29.33X10^4X617/15.22/10^7)X1000X617/10^4
= 60.399 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0016)X1000X617/10^4
= 60.082 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X617/10^4
= 105.856 T
HENCE, Vc = 60.082 T
Φt*Vc = 0.75X60.082 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 45.062 T **> 29.33T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = -0.405 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1773 , L/C No. - 203)*

Vu = 28.35 T

Pt provided = 0.0017

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0017X28.35X10^4X601/18.266/10^7)X1000X601/10^4

= 58.509 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0017)X1000X601/10^4

= 58.626 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X601/10^4

= 103.111 T

HENCE, Vc = 58.509 T

Φt*Vc = 0.75X58.509 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 43.882 T **> 28.35T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

WING WALL_CONCEAL BEAM

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon·m/m)	My (MTon·m/m)	Mxy (MTon·m/m)
Max Qx	1815	202:1.4*(D_S+	**1.066**	0.022	0.000	0.000	0.000	-8.174	-4.191	9.348
Min Qx	1819	203:0.9*(D_S+	**-1.063**	-0.016	0.000	0.000	0.000	-7.090	-5.946	-9.333
Max Qy	1815	202:1.4*(D_S+	1.066	**0.022**	0.000	0.000	0.000	-8.174	-4.191	9.348
Min Qy	1817	203:0.9*(D_S+	0.004	**-0.112**	0.000	0.000	0.000	27.278	-3.400	0.116
Max Sx	1822	201:1.4*(D_S)	0.043	-0.002	**0.000**	0.000	0.000	-1.397	-0.510	0.281
Min Sx	1822	201:1.4*(D_S)	0.043	-0.002	**0.000**	0.000	0.000	-1.397	-0.510	0.281
Max Sy	1822	201:1.4*(D_S)	0.043	-0.002	0.000	**0.000**	0.000	-1.397	-0.510	0.281
Min Sy	1822	201:1.4*(D_S)	0.043	-0.002	0.000	**0.000**	0.000	-1.397	-0.510	0.281
Max Sxy	1822	201:1.4*(D_S)	0.043	-0.002	0.000	0.000	**0.000**	-1.397	-0.510	0.281
Min Sxy	1822	201:1.4*(D_S)	0.043	-0.002	0.000	0.000	**0.000**	-1.397	-0.510	0.281
Max Mx	1817	202:1.4*(D_S+	0.035	-0.076	0.000	0.000	0.000	**28.015**	-2.434	1.343
Min Mx	1822	203:0.9*(D_S+	0.485	-0.051	0.000	0.000	0.000	**-15.513**	-7.050	3.425
Max My	1817	204:1.2*(D_S+	0.016	0.015	0.000	0.000	0.000	5.295	**0.367**	0.624
Min My	1822	203:0.9*(D_S+	0.485	-0.051	0.000	0.000	0.000	-15.513	**-7.050**	3.425
Max Mxy	1815	202:1.4*(D_S+	1.066	0.022	0.000	0.000	0.000	-8.174	-4.191	**9.348**
Min Mxy	1819	203:0.9*(D_S+	-1.063	-0.016	0.000	0.000	0.000	-7.090	-5.946	**-9.333**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

8.6.2 REINFORCEMENT CALCULATION OF CONCEAL BEAM AT TOE SLAB :

Slab Thickness =	700	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : TOE_CONCEAL_BEAM)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	28.015	T-M	Corresponding Mxy	1.343	T-M	*(Plate No. - 1817 , L/C No. - 202)*
Min. Mx	-15.513	T-M	Corresponding Mxy	3.425	T-M	*(Plate No. - 1822 , L/C No. - 203)*
Max. My	0.367	T-M	Corresponding Mxy	0.624	T-M	*(Plate No. - 1817 , L/C No. - 204)*
Min. My	-7.05	T-M	Corresponding Mxy	3.425	T-M	*(Plate No. - 1822 , L/C No. - 203)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	28.015 + 1.343 =	29.358 T-M
My1 =	My + abs(Mxy) =	0.367 + 0.624 =	0.991 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	28.015 + 4.915 =	32.93 T-M
My2 =	My+abs(Mxy^2/Mx) =	0.367 + 0.014 =	0.381 T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	29.358 T-m
Myd =	0.991 T-m

ALONG X - DIRECTION :

Mu =	29.358 T-m						
Φ*Kn =	Mu/bd^2				deff. =	615	mm
Mu/bd^2 =	29.358X10^7/(1000X615^2) =	0.776	N/mm^2	<	6.9	N/mm^2	
Pt =	0.0021						
Min. Pt =	0.0028	Reqd. Ast =	0.0028X1000X615/100 =	17.22	cm^2		
Provided	**10** Nos.	**20** Nos	(Provide Ast =	31.42	cm^2) at Top		
Provided	**0** Nos.	**20** Nos	(Provide Ast =	0	cm^2) at Top		
			Total Provide Ast =	31.42	cm^2) at Top		**O.K.**
			Total Provide Pt =	0.0051			

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-15.513 - 3.425 =	-18.938 T-M
My1 =	My - abs(Mxy) =	-7.05 - 3.425 =	-10.475 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-15.513 - 1.664 =	-17.177 T-M
My2 =	My-abs(Mxy^2/Mx) =	-7.05 - 0.756 =	-6.294 T-M

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd =	-18.938 T-M
Myd =	-10.475 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG X - DIRECTION :

Mu = 18.938 T-m

Φ*Kn = Mu/bd^2 deff. = 615 mm

Mu/bd^2 = 18.938X10^7/(1000X615^2) = 0.501 N/mm^2 < 6.9 N/mm^2

Pt = 0.0013

Min. Pt = 0.0017 Reqd. Ast = 0.0017X1000X615/100 = 10.46 cm^2

Provided **10** Nos. **20** Nos (Provide Ast = 31.42 cm^2) at Bottom

Provided **0** Nos. **20** Nos (Provide Ast = 0 cm^2) at Bottom

Total Provide Ast = 31.42 cm^2) at Bottom **O.K.**

Total Provide Pt = 0.0051

SHEAR CHECK

(Staad Group : TOE_CONCEAL_BEAM)

(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = 1.066 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1815 , L/C No. - 202)*

Vu = 74.62 T

Provided Pt = 0.0051

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0051X74.62X10^4X615/18.938/10^7)X1000X615/10^4

= 71.135 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0051)X1000X615/10^4

= 63.546 T

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X615/10^4

= 105.513 T

Hence, Vc = 63.546 T

Φt*Vc = 0.75X63.546 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 47.66 T **< 74.62T, HENCE SHEAR REINF. REQD**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*

= 74.62/0.75 - 63.546

= 35.947 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(63.546X10^4+0.66X35^0.5X1000X615)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*

= 184.866 T **> Vu= 74.62T , CROSS SECTION O.K.**

Required Spacing , S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*

= 471X420X615/35.947/10^4

= 338 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X1000X615/10^4

= 120.067 T > Vs = 35.947T

Max. Spacing , S = 307.5 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **6** Legged **10** Dia Links @ **200** C/C (Av.st = 4.71 cm^2) **O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

HEEL SLAB

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon*m/m)	My (MTon*m/m)	Mxy (MTon*m/m)
Max Qx	1053	202:1.4*(D_S+	**0.511**	-0.014	0.000	0.000	0.000	1.123	-3.179	-1.276
Min Qx	1067	202:1.4*(D_S+	**-0.550**	0.066	0.000	0.000	0.000	4.603	-2.479	0.568
Max Qy	1562	202:1.4*(D_S+	-0.029	**0.216**	0.000	0.000	0.000	-2.696	-14.895	4.490
Min Qy	1309	202:1.4*(D_S+	-0.088	**-0.184**	0.000	0.000	0.000	-0.364	-0.322	-0.534
Max Sx	1569	201:1.4*(D_S)	0.017	0.049	**0.000**	0.000	0.000	-1.028	-2.175	-0.184
Min Sx	1569	201:1.4*(D_S)	0.017	0.049	**0.000**	0.000	0.000	-1.028	-2.175	-0.184
Max Sy	1569	201:1.4*(D_S)	0.017	0.049	0.000	**0.000**	0.000	-1.028	-2.175	-0.184
Min Sy	1569	201:1.4*(D_S)	0.017	0.049	0.000	**0.000**	0.000	-1.028	-2.175	-0.184
Max Sxy	1569	201:1.4*(D_S)	0.017	0.049	0.000	0.000	**0.000**	-1.028	-2.175	-0.184
Min Sxy	1569	201:1.4*(D_S)	0.017	0.049	0.000	0.000	**0.000**	-1.028	-2.175	-0.184
Max Mx	1051	203:0.9*(D_S+	0.401	-0.024	0.000	0.000	0.000	**8.902**	0.721	-2.278
Min Mx	1034	202:1.4*(D_S+	-0.020	0.088	0.000	0.000	0.000	**-17.536**	-6.405	0.782
Max My	1007	203:0.9*(D_S+	-0.162	0.059	0.000	0.000	0.000	5.085	**1.351**	-1.950
Min My	1564	203:0.9*(D_S+	-0.003	0.001	0.000	0.000	0.000	-4.079	**-18.345**	-1.289
Max Mxy	1562	202:1.4*(D_S+	-0.029	0.216	0.000	0.000	0.000	-2.696	-14.895	**4.490**
Min Mxy	1544	203:0.9*(D_S+	0.025	-0.020	0.000	0.000	0.000	-1.676	-8.530	**-8.352**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.3 REINFORCEMENT CALCULATION OF HEEL SLAB :

Slab Thickness =	700	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : HEEL_SLAB)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	8.902	T-M	Corresponding Mxy	-2.278	T-M	*(Plate No. - 1051 , L/C No. - 203)*
Min. Mx	-17.536	T-M	Corresponding Mxy	0.782	T-M	*(Plate No. - 1034 , L/C No. - 202)*
Max. My	1.351	T-M	Corresponding Mxy	-1.95	T-M	*(Plate No. - 1007 , L/C No. - 203)*
Min. My	-18.345	T-M	Corresponding Mxy	-1.289	T-M	*(Plate No. - 1564 , L/C No. - 203)*

FOR TOP REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	8.902 + 2.278 =	11.18	T-M
My1 =	My + abs(Mxy) =	1.351 + 1.95 =	3.301	T-M
Mx2 =	Mx+abs(Mxy^2/My) =	8.902 + 3.841 =	12.743	T-M
My2 =	My+abs(Mxy^2/Mx) =	1.351 + 0.427 =	1.778	T-M



DESIGN MOMENT CALCULATION FOR TOP REINFORCEMENT :

Mxd =	11.18	T-m						
Myd =	3.301	T-m						

ALONG X - DIRECTION :

Mu =	11.18	T-m								
Φ*Kn =	Mu/bd^2						deff. =	617	mm	
Mu/bd^2 =	11.18X10^7/(1000X617^2) =				0.294	N/mm^2	<	6.9	N/mm^2	
Pt =	0.0008		Reqd. Ast =		0.0008X1000X617/100 =			4.94	cm^2	
Provided	**16**	mm @	**200**	C/C	(Provide Ast =	10.05	cm2) at Top			
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Top			
					Total Provide Ast =	10.05	cm2 at Top			**O.K.**
					Total Provide Pt =	0.0016				

ALONG Y - DIRECTION :

Mu =	3.301	T-m								
Φ*Kn =	Mu/bd^2						deff. =	603	mm	
Mu/bd^2 =	3.301X10^7/(1000X603^2) =				0.087	N/mm^2	<	6.9	N/mm^2	
Pt =	0.0002		Reqd. Ast =		0.0002X1000X617/100 =			1.21	cm^2	
Provided	**12**	mm @	**200**	C/C	(Provide Ast =	5.65	cm2) at Top			
Provided	**0**	mm @	**200**	C/C	(Provide Ast =	0	cm2) at Top			
					Total Provide Ast =	5.65	cm2 at Top			**O.K.**
					Total Provide Pt =	0.0009				

FOR BOTTOM REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-17.536 - 0.782 =	-18.318	T-M
My1 =	My - abs(Mxy) =	-18.345 - 1.289 =	-19.634	T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-17.536 - 0.033 =	-17.569	T-M
My2 =	My-abs(Mxy^2/Mx) =	-18.345 - 0.095 =	-18.25	T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

DESIGN MOMENT CALCULATION FOR BOTTOM REINFORCEMENT :

Mxd = -18.318 T-M
Myd = -19.634 T-M

ALONG X - DIRECTION :

Mu = 18.318 T-m
Φ*Kn = Mu/bd^2 deff. = 617 mm
Mu/bd^2 = 18.318X10^7/(1000X617^2) = 0.481 N/mm^2 < 6.9 N/mm^2
Pt = 0.0013 Reqd. Ast = 0.0013X1000X617/100 = 8.02 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0016

ALONG Y - DIRECTION :

Mu = 19.634 T-m
Φ*Kn = Mu/bd^2 deff. = 601 mm
Mu/bd^2 = 19.634X10^7/(1000X601^2) = 0.544 N/mm^2 < 6.9 N/mm^2
Pt = 0.0015 Reqd. Ast = 0.0015X1000X601/100 = 9.02 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Bottom
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Bottom
Total Provide Ast = 10.05 cm2) at Bottom **O.K.**
Total Provide Pt = 0.0017

SHEAR CHECK

(Staad Group : HEEL_SLAB)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.55 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1067 , L/C No. - 202)*
Vu = 38.5 T

Provided Pt = 0.0016
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0016X38.5X10^4X617/18.318/10^7)X1000X617/10^4
= 60.58 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0016)X1000X617/10^4
= 60.082 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X617/10^4
= 105.856 T
HENCE, Vc = 60.082 T
Φt*Vc = 0.75X60.082 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 45.062 T **> 38.5T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.216 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 1562 , L/C No. - 202)*

Vu = 15.12 T

Pt provided = 0.0017

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0017X15.12X10^4X601/19.634/10^7)X1000X601/10^4

= 57.693 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0017)X1000X601/10^4

= 58.626 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X601/10^4

= 103.111 T

HENCE, Vc = 57.693 T

Φt*Vc = 0.75X57.693 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 43.27 T **> 15.12T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

WALL-1

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	2783	202:1.4*(D_S+	**0.262**	0.005	-0.147	-1.199	-0.021	-1.361	-0.286	-0.383
Min Qx	3869	202:1.4*(D_S+	**-0.280**	0.034	-0.059	-1.363	-0.440	-1.752	-0.481	-0.112
Max Qy	2294	202:1.4*(D_S+	0.005	**0.158**	-0.132	-1.385	-0.127	1.059	-0.372	-0.307
Min Qy	4224	203:0.9*(D_S+	0.073	**-0.047**	0.188	-0.113	0.046	-1.274	-0.286	-0.308
Max Sx	3804	202:1.4*(D_S+	0.012	-0.004	**0.342**	-0.010	0.014	0.175	-0.010	-0.125
Min Sx	2296	202:1.4*(D_S+	-0.075	0.034	**-0.241**	-1.255	-0.085	-0.392	-0.490	0.663
Max Sy	3247	202:1.4*(D_S+	0.027	0.016	0.103	**0.044**	0.114	-0.617	-0.050	-0.257
Min Sy	2787	202:1.4*(D_S+	-0.259	0.002	-0.209	**-1.613**	-0.128	-0.932	-0.239	-0.307
Max Sxy	3645	202:1.4*(D_S+	0.232	0.016	-0.046	-1.046	**0.209**	-1.002	-0.372	-0.099
Min Sxy	4020	202:1.4*(D_S+	-0.248	0.046	-0.082	-1.087	**-0.453**	-1.582	-0.426	-0.079
Max Mx	3370	202:1.4*(D_S+	0.001	-0.010	-0.077	-1.407	-0.031	**3.671**	0.499	-0.183
Min Mx	3869	202:1.4*(D_S+	-0.280	0.034	-0.059	-1.363	-0.440	**-1.752**	-0.481	-0.112
Max My	2633	202:1.4*(D_S+	0.009	0.016	-0.210	-1.260	-0.095	2.825	**0.863**	-0.301
Min My	2292	203:0.9*(D_S+	0.086	0.008	-0.130	-0.780	-0.120	-0.960	**-0.589**	-1.206
Max Mxy	2296	202:1.4*(D_S+	-0.075	0.034	-0.241	-1.255	-0.085	-0.392	-0.490	**0.663**
Min Mxy	2292	203:0.9*(D_S+	0.086	0.008	-0.130	-0.780	-0.120	-0.960	-0.589	**-1.206**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.4 REINFORCEMENT CALCULATION OF WALL : (WALL - I)

Slab Thickness =	300	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : WALL_BOTTOM)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	3.671	T-M	Corresponding Mxy	-0.183	T-M	*(Plate No. - 3370 , L/C No. - 202)*
Min. Mx	-1.752	T-M	Corresponding Mxy	-0.112	T-M	*(Plate No. - 3869 , L/C No. - 202)*
Max. My	0.863	T-M	Corresponding Mxy	-0.301	T-M	*(Plate No. - 2633 , L/C No. - 202)*
Min. My	-0.589	T-M	Corresponding Mxy	-1.206	T-M	*(Plate No. - 2292 , L/C No. - 203)*

FOR OPPOSITE FACE REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	3.671 + 0.183 =	3.854 T-M
My1 =	My + abs(Mxy) =	0.863 + 0.301 =	1.164 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	3.671 + 0.039 =	3.71 T-M
My2 =	My+abs(Mxy^2/Mx) =	0.863 + 0.025 =	0.888 T-M



DESIGN MOMENT CALCULATION FOR OPPOSITE FACE REINFORCEMENT :

Mxd = 3.854 T-m
Myd = 1.164 T-m

ALONG X - DIRECTION :

Mu = 3.854 T-m
Φ*Kn = Mu/bd^2 deff. = 219 mm
Mu/bd^2 = 3.854X10^7/(1000X219^2) = 0.804 N/mm^2 < 6.9 N/mm^2
Pt = 0.0022 Reqd. Ast = 0.0022X1000X219/100 = 4.82 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal
Total Provide Ast = 5.65 cm2 at Horizontal **O.K.**
Total Provide Pt = 0.0026

ALONG Y - DIRECTION :

Mu = 1.164 T-m
Φ*Kn = Mu/bd^2 deff. = 207 mm
Mu/bd^2 = 1.164X10^7/(1000X207^2) = 0.243 N/mm^2 < 6.9 N/mm^2
Pt = 0.0006 Reqd. Ast = 0.0006X1000X219/100 = 1.24 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 5.65 cm2 at Vertical **O.K.**
Total Provide Pt = 0.0027

FOR RETAINED FACE REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-1.752 - 0.112 =	-1.864 T-M
My1 =	My - abs(Mxy) =	-0.589 - 1.206 =	-1.795 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-1.752 - 0.021 =	-1.773 T-M
My2 =	My-abs(Mxy^2/Mx) =	-0.589 - 0.83 =	0.241 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

DESIGN MOMENT CALCULATION FOR RETAINED FACE REINFORCEMENT :

Mxd = -1.864 T-M
Myd = -1.795 T-M

ALONG X - DIRECTION :

Mu = 1.864 T-m
Φ*Kn = Mu/bd^2
Mu/bd^2 = 1.864X10^7/(1000X219^2) = 0.389 N/mm^2 < 6.9 N/mm^2 deff. = 219 mm
Pt = 0.0010 Reqd. Ast = 0.001X1000X219/100 = 2.19 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal
Total Provide Ast = 5.65 cm2) at Horizontal **O.K.**
Total Provide Pt = 0.0026

ALONG Y - DIRECTION :

Mu = 1.795 T-m
Φ*Kn = Mu/bd^2
Mu/bd^2 = 1.795X10^7/(1000X207^2) = 0.419 N/mm^2 < 6.9 N/mm^2 deff. = 207 mm
Pt = 0.0011 Reqd. Ast = 0.0011X1000X207/100 = 2.28 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 5.65 cm2) at Vertical **O.K.**
Total Provide Pt = 0.0027

SHEAR CHECK

(Staad Group : WALL_BOTTOM)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = -0.28 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 3869 , L/C No. - 202)*
Vu = 6.132 T

Provided Pt = 0.0026
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0026X6.132X10^4X219/1.864/10^7)X1000X219/10^4
= 21.427 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0026)X1000X219/10^4
= 21.698 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X219/10^4
= 37.573 T
HENCE, Vc = 21.427 T
Φt*Vc = 0.75X21.427 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 16.07 T **> 6.132T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.158 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 2294 , L/C No. - 202)*

Vu = 3.271 T

Pt provided = 0.0027

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0027X3.271X10^4X207/1.795/10^7)X1000X207/10^4

= 19.952 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0027)X1000X207/10^4

= 20.544 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X207/10^4

= 35.514 T

HENCE, Vc = 19.952 T

Φt*Vc = 0.75X19.952 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 14.964 T **> 3.271T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No O19045	Sheet No 1	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time 07-Jan-2020 16:13	

Plate Center Stress Summary

WALL-2

			Shear		Membrane			Bending		
	Plate	L/C	Qx (N/mm^2)	Qy (N/mm^2)	Sx (N/mm^2)	Sy (N/mm^2)	Sxy (N/mm^2)	Mx (MTon-m/m)	My (MTon-m/m)	Mxy (MTon-m/m)
Max Qx	3239	202:1.4*(D_S+	**0.465**	0.015	-0.022	-2.324	0.293	-1.889	-0.075	0.153
Min Qx	3243	202:1.4*(D_S+	**-0.463**	0.022	0.022	-2.492	-0.392	-1.374	0.142	-0.135
Max Qy	2315	202:1.4*(D_S+	0.003	**0.274**	-0.106	-2.893	0.079	1.872	-0.901	-0.011
Min Qy	2486	202:1.4*(D_S+	0.341	**-0.052**	-0.185	-2.607	-0.125	-1.296	-0.531	-1.492
Max Sx	4071	202:1.4*(D_S+	0.283	-0.037	**0.053**	-1.243	-0.003	-0.947	-0.460	0.291
Min Sx	2310	202:1.4*(D_S+	-0.124	0.028	**-0.325**	-2.121	0.137	-1.006	-0.953	1.266
Max Sy	4084	201:1.4*(D_S)	-0.001	0.000	-0.013	**-0.269**	-0.069	0.009	-0.023	0.008
Min Sy	2808	202:1.4*(D_S+	-0.456	0.031	-0.057	**-3.234**	-0.064	-1.623	-0.323	0.131
Max Sxy	3094	202:1.4*(D_S+	0.435	0.002	-0.023	-2.523	**0.296**	-1.979	-0.146	-0.068
Min Sxy	3985	202:1.4*(D_S+	-0.310	0.035	-0.066	-1.511	**-0.456**	-0.925	-0.321	-0.077
Max Mx	3096	202:1.4*(D_S+	0.011	-0.004	-0.080	-2.562	-0.031	**6.074**	1.468	-0.011
Min Mx	2956	202:1.4*(D_S+	0.175	0.001	0.052	-2.939	0.050	**-2.733**	-0.297	0.187
Max My	3241	202:1.4*(D_S+	0.013	-0.002	-0.030	-2.443	-0.044	5.993	**1.524**	0.016
Min My	2659	202:1.4*(D_S+	0.212	-0.003	0.022	-2.955	-0.105	-2.474	**-1.340**	-0.197
Max Mxy	2317	202:1.4*(D_S+	-0.130	0.045	-0.214	-2.447	0.206	-0.870	-1.018	**1.708**
Min Mxy	2313	202:1.4*(D_S+	0.126	0.041	-0.264	-2.306	-0.033	-0.942	-1.013	**-1.627**

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.5 REINFORCEMENT CALCULATION OF WALL : (WALL - II)

Slab Thickness =	300	mm
Width =	1000	mm
Clear Cover =	75	mm
Compressive Strength of Concrete , fc' =	35	N/mm^2
Yield Strength of Main Reinforcement , fy =	420	N/mm^2
Yield Strength of Shear Reinforcement , fyt =	420	N/mm^2
Strength Reduction Factor of Main Reinforcement , Φ =	0.9	
Strength Reduction Factor of Shear Reinforcement , Φt =	0.75	


STAAD OUTPUT FROM FACTORED LOAD COMBINATION :

(Staad Group : WALL_TOP)

MOMENT	VALUE	UNIT	TORSIONAL MOMENT	VALUE	UNIT	
Max. Mx	6.074	T-M	Corresponding Mxy	-0.011	T-M	*(Plate No. - 3096 , L/C No. - 202)*
Min. Mx	-2.733	T-M	Corresponding Mxy	0.187	T-M	*(Plate No. - 2956 , L/C No. - 202)*
Max. My	1.524	T-M	Corresponding Mxy	0.016	T-M	*(Plate No. - 3241 , L/C No. - 202)*
Min. My	-1.34	T-M	Corresponding Mxy	-0.197	T-M	*(Plate No. - 2659 , L/C No. - 202)*

FOR OPPOSITE FACE REINFORCEMRNT :

Mx1 =	Mx + abs(Mxy) =	6.074 + 0.011 =	6.085 T-M
My1 =	My + abs(Mxy) =	1.524 + 0.016 =	1.54 T-M
Mx2 =	Mx+abs(Mxy^2/My) =	6.074 + 0 =	6.074 T-M
My2 =	My+abs(Mxy^2/Mx) =	1.524 + 0 =	1.524 T-M



DESIGN MOMENT CALCULATION FOR OPPOSITE FACE REINFORCEMENT :

Mxd =	6.085 T-m
Myd =	1.54 T-m

ALONG X - DIRECTION :

Mu = 6.085 T-m

Φ*Kn = Mu/bd^2 deff. = 217 mm

Mu/bd^2 = 6.085X10^7/(1000X217^2) = 1.292 N/mm^2 < 6.9 N/mm^2

Pt = 0.0035 Reqd. Ast = 0.0035X1000X217/100 = 7.6 cm^2

Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Horizontal

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal

Total Provide Ast = 10.05 cm2 at Horizontal **O.K.**

Total Provide Pt = 0.0046

ALONG Y - DIRECTION :

Mu = 1.54 T-m

Φ*Kn = Mu/bd^2 deff. = 203 mm

Mu/bd^2 = 1.54X10^7/(1000X203^2) = 0.327 N/mm^2 < 6.9 N/mm^2

Pt = 0.0009 Reqd. Ast = 0.0009X1000X217/100 = 1.83 cm^2

Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical

Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical

Total Provide Ast = 5.65 cm2 at Vertical **O.K.**

Total Provide Pt = 0.0028

FOR RETAINED FACE REINFORCEMRNT :

Mx1 =	Mx - abs(Mxy) =	-2.733 - 0.187 =	-2.92 T-M
My1 =	My - abs(Mxy) =	-1.34 - 0.197 =	-1.537 T-M
Mx2 =	Mx-abs(Mxy^2/My) =	-2.733 - 0.026 =	-2.759 T-M
My2 =	My-abs(Mxy^2/Mx) =	-1.34 - 0.014 =	-1.326 T-M

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

DESIGN MOMENT CALCULATION FOR RETAINED FACE REINFORCEMENT :

Mxd = -2.92 T-M
Myd = -1.537 T-M

ALONG X - DIRECTION :

Mu = 2.92 T-m
Φ*Kn = Mu/bd^2 deff. = 217 mm
Mu/bd^2 = 2.92X10^7/(1000X217^2) = 0.62 N/mm^2 < 6.9 N/mm^2
Pt = 0.0017 Reqd. Ast = 0.0017X1000X217/100 = 3.69 cm^2
Provided **16** mm @ **200** C/C (Provide Ast = 10.05 cm2) at Horizontal
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Horizontal
Total Provide Ast = 10.05 cm2) at Horizontal **O.K.**
Total Provide Pt = 0.0046

ALONG Y - DIRECTION :

Mu = 1.537 T-m
Φ*Kn = Mu/bd^2 deff. = 203 mm
Mu/bd^2 = 1.537X10^7/(1000X203^2) = 0.373 N/mm^2 < 6.9 N/mm^2
Pt = 0.0010 Reqd. Ast = 0.001X1000X203/100 = 2.03 cm^2
Provided **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical
Provided **0** mm @ **200** C/C (Provide Ast = 0 cm2) at Vertical
Total Provide Ast = 5.65 cm2) at Vertical **O.K.**
Total Provide Pt = 0.0028

SHEAR CHECK

(Staad Group : WALL_TOP)
(FROM FACTORED LOAD COMBINATION)

ALONG X - DIRECTION :

SQx = 0.465 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 3239 , L/C No. - 202)*
Vu = 10.091 T

Provided Pt = 0.0046
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0046X10.091X10^4X217/2.92/10^7)X1000X217/10^4
= 21.813 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0046)X1000X217/10^4
= 22.238 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X217/10^4
= 37.23 T
HENCE, Vc = 21.813 T
Φt*Vc = 0.75X21.813 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*
= 16.36 T **> 10.091T , Hence O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

ALONG Y - DIRECTION :

SQy = 0.274 N/mm^2 *(At d-distance from face of the Wall)* *(Plate No. - 2315 , L/C No. - 202)*

Vu = 5.562 T

Pt provided = 0.0028

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1

= (0.16X1X35^0.5+17X0.0028X5.562X10^4X203/1.537/10^7)X1000X203/10^4

= 19.925 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff

= (0.16X1X35^0.5+17X0.0028)X1000X203/10^4

= 20.182 KN

[c] = 0.29*λ*fc'^0.5*b*d.eff

= 0.29X1X5.92X1000X203/10^4

= 34.828 T

HENCE, Vc = 19.925 T

Φt*Vc = 0.75X19.925 *[SBC:304-CR-18, CL. No. 7.6.3.1, Page-42]*

= 14.944 T **> 5.562T , Hence O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.6 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-2) :



14.425m Below from top of the Rataining Wall

Counterfort C/C Distance = 3.5 m
Depth of the Critical Section = 5.473+0.3
= 5.773 m
Side Pressure at Critical Section = 7.029 T/m^2
Side Pressure over counterfort = 7.029X3.5
= 24.6015 T/m
B.M. = 0.5X24.6015X14.425^2/3
= 853.183 T-m
S.F. = 0.5X24.6015X14.425
= 177.438 T

Design Parameter

Width = 500 mm
Clear Cover = 75 mm
fc' = 35 N/mm^2
fy = 420 N/mm^2
fyt = 420 N/mm^2
Φ = 0.9
Φt = 0.75
Load Factor = 1.4

11.3m Below from top of the Rataining Wall

Depth of the Section = 4.289+0.3
= 4.589 m
Side Pressure over counterfort = 5.42X3.5
= 18.97 T/m
B.M. = 0.5X18.97X11.3^2/3
= 403.713 T-m
S.F. = 0.5X18.97X11.3
= 107.181 T

COUNTERFORT REINFORCEMENT UPTO 4.925m FROM T.O.RAFT

Mu = 853.183 X 1.4
= 1194.456 T-m
Φ*Kn = Mu/bd^2
= 1194.4562 X 10^7 / (500 X 5640^2)
= 0.751 N/mm^2 < 6.9 N/mm^2

Depth = 5773 mm
d eff. = 5640 mm

Reqd. Pt = 0.002
Min. Pt = 0.0027
Reqd. , Ast = Pt*b*d.eff
= 0.0027X500X5640/10^2
= 76.14 cm^2

[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Provide 6 Nos. 32 mm ϕ Bar at Outer Face (Ast = 48.25 cm^2)
6 Nos. 28 mm ϕ Bar at Outer Face (Ast = 36.95 cm^2)
(Total Ast = 85.2 cm^2) Pt = 0.003 **O.K.**

SHEAR CHECK

Vu = 177.438X1.4
= 248.413 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.003X248.413X10^4X5640/1194.4562/10^7)X500X5640/10^4
= 283.803 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.003)X500X5640/10^4
= 281.316 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X5640/10^4
= 483.817 T
HENCE, Vc = 281.316 T
0.5*Φt*Vc = 0.5X0.75X281.316 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 105.494 T **< 248.413T, HENCE SHEAR REINF. REQD**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 248.413/0.75 - 281.316
= 49.901 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(281.316X10^4+0.66X35^0.5X500X5640)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 846.924 T **> Vu= 248.413T , CROSS SECTION O.K.**
Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X5640/49.901/10^4
= 1073 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X5640/10^4
= 550.55 T > Vs = 49.901T
Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide 2 Legged 12 Dia Stirrups @ 200 C/C (Av.st = 2.26 cm^2) **O.K.**

COUNTERFORT REINFORCEMENT ABOVE 4.925m TO REST PORTION

Mu = 403.713 X 1.4
565.198 T-m Depth = 4589 mm
Φ*Kn = Mu/bd^2 d eff. = 4486 mm
= 565.198 X 10^7 / (500 X 4486^2)
= 0.562 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0015
Min. Pt = 0.002 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.002X500X4486/10^2
= 44.86 cm^2

Provide 6 Nos. 32 mm ϕ Bar at Bottom (Ast = 48.25 cm^2)
0 Nos. 32 mm ϕ Bar at Bottom (Ast = 0 cm^2)
(Total Ast = 48.25 cm^2) Pt = 0.0022 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 107.181X1.4
= 150.053 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0022X150.053X10^4X4486/565.198/10^7)X500X4486/10^4
= 222.307 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0022)X500X4486/10^4
= 220.705 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X4486/10^4
= 384.823 T

HENCE, Vc = 220.705 T

0.5*Φt*Vc = 0.5X0.75X220.705 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 82.764 T **< 150.053T, HENCE SHEAR REINF. REQD**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 150.053/0.75 - 220.705
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(220.705X10^4+0.66X35^0.5X500X4486)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 673.406 T **> Vu= 150.053T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X4486/0/10^4
= 425811 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X4486/10^4
= 437.902 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (27.806+23.398)/2
= 25.602 T/m^2

Downward Pressure 3.5m Span = 25.602X(3.5-0.5)
= 76.806 T/m

Factored Downward Pressure = 76.806X1.7 Load Factor = 1.7
= 130.57 T/m

Required Reinforcement = 130.57X10^4/420/100
= 31.09 cm^2/m

Required Reinforcement per Face = 31.09/2
= 15.55 cm^2/m

Provide **16** mm @ **125** C/C (Provide Ast = 16.08 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (7.029+6.561)/2
= 6.795 T/m^2

Side Pressure 3.5m Span = 6.795X(3.5-0.5)
= 20.385 T/m

Factored Downward Pressure = 20.385X1.7 Load Factor = 1.7
= 34.655 T/m

Required Reinforcement = 34.655X10^4/420/100
= 8.25 cm^2/m


Required Reinforcement per Face = 8.25/2
= 4.13 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.7 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-2) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (32.222-6.17)X2.25^2/2+0.5X(42.141-32.222)X2.25^2X2/3
= 82.682 T-m

For 3.5m Span , B.M. = 82.682X3.5
= 289.387 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 289.387X1.4
= 405.142 T-m

Depth = 2500 mm
d eff. = 2371 mm

Φ*Kn = Mu/bd^2
= 405.142 X 10^7 / (500 X 2371^2)
= 1.441 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0039
Min. Pt = 0.0035 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0039X500X2371/10^2
= 46.23 cm^2

Provide 5 Nos. 28 mm ϕ Bar (Ast = 30.79 cm^2) at Bottom
5 Nos. 28 mm ϕ Bar (Ast = 30.79 cm^2) at Bottom
(Total Ast = 61.58 cm^2) at Bottom Pt = 0.0052 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0052X0X10^4X2371/405.142/10^7)X500X2371/10^4
= 112.216 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0052)X500X2371/10^4
= 122.696 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2371/10^4
= 203.392 T

HENCE, Vc = 112.216 T

0.5*Φt*Vc = 0.5X0.75X112.216 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.081 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 112.216
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(112.216X10^4+0.66X35^0.5X500X2371)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 355.585 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2371/0/10^4
= 225055 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2371/10^4
= 231.446 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

9.6.8 REINFORCEMENT CALCULATION OF SHEAR KEY :



Design Parameter

Width =	1000	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

B.M. at Bottom of the Raft = (17.528X0.8^2/2)+(0.5X(23.136-17.528)X0.8^2X2/3
= 6.805 T-m

S.F. at Bottom of the Raft = (17.528X0.8)+(0.5X(23.136-17.528)X0.8
= 16.266 T

SUPPORT REINFORCEMENT

Mu = 6.805X1.4
= 9.527 T-m

Depth = 800 mm
d eff. = 717 mm

Φ*Kn = Mu/bd^2
= 9.527 X 10^7 / (1000 X 717^2)
= 0.185 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0005
Min. Pt = 0.0007 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0007X1000X717/10^2
= 5.02 cm^2

Provide	16	mm @	200	C/C	(Provide Ast =	10.05	cm2) at Vertical	
	0	Nos.	200	C/C	(Provide Ast =	0	cm2) at Vertical	
					Total Provide Ast =	10.05	cm2) at Vertical	O.K.
					Total Provide Pt =	0.0014		

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

SHEAR CHECK

Vu = 16.266X1.4
= 22.772 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0014X22.772X10^4X717/9.527/10^7)X1000X717/10^4
= 70.794 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0014)X1000X717/10^4
= 69.576 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X1000X717/10^4
= 123.013 T

HENCE, Vc = 69.576 T

0.5*Φt*Vc = 0.5X0.75X69.576 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 26.091 T **> 22.772T , Hence O.K.**

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(69.576X10^4+0.66X35^0.5X1000X717)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 215.189 T **> Vu= 22.772T , CROSS SECTION O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

10.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-C (HCF-3 & TCF-3) : (DRY CONDITION)



10.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	12.485 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

10.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X11.185X1.9 =	5.759	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528	T/m²
Passive Load at Bottom of Shear key =	3.69X(2.5+0.8)X1.9 =	23.136	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

10.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	4.83	3.5	0.7	2.5	1	29.584	4.730	139.932
Toe Slab =	2.015	3.5	0.7	2.5	1	12.342	1.008	12.435
Retaining Wall =	14.285	3.5	0.3	2.5	1	37.498	2.165	81.183
Heel Counterfort Part-1 =	4.83	1.2	0.5	2.5	1	7.245	4.730	34.269
Heel Counterfort Part-2 =	0.5	11.785	0.5	2.5	1	7.366	2.565	18.894
Heel Counterfort Part-3 =	4.33	11.785	0.5	2.5	1	31.893	4.258	135.811
Toe Counterfort =	2.015	1.8	0.5	2.5	1	2.267	1.343	3.045
Shear Key =	0.4	3.5	0.8	2.5	1	2.800	6.945	19.446
Retained Earth over Heel Slab =	4.83	3.5	11.185	1.9	0.9	323.331	4.730	1529.356
Soil over Heel Slab =	4.83	3.5	1.8	1.9	0.9	52.034	4.730	246.121
Soil over Toe Slab =	2.015	3.5	1.8	1.9	0.9	21.708	1.008	21.871
					Total =	528.068	Total =	2242.363

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X5.759X11.185X(2.5+11.185/3) =	200.597	3.5	702.09
Retained Earth Pressure below FGL =	5.759X2.5^2/2 =	17.997	3.5	62.99
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+11.185)^2/2 =	25.376	3.5	88.816
	Total =	245.311	Total =	858.59

Total Wt. of Structure = 130.995 T

Seismic Force acting on wall = 0.0295X130.995 = 3.864 T

Due to Seismic , Overturning Moment = 3.864 X (2.5+12.485)/2 = 28.951 T-m *(Anti Clock Wise)*

Total Overturning Moment = 858.59+28.951X0.75 = 880.303 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*

Total Restoring Moment = 2242.363 T-m *(Clock Wise)*

F.O.S. against Overturning = 2242.363/880.303 = 2.55 > 2 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

10.4 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X5.759X11.185 =	32.207	3.5	112.725
Retained Earth Pressure below FGL =	5.759X2.5 =	14.398	3.5	50.393
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+11.185) =	3.709	3.5	12.982
			Total =	181.732

Total Horizontal Sliding Force = 181.732+3.864 = 185.596 T

Passive Load for Shear Key = 56.93 T

Net Horizontal Sliding Force = 185.596-56.93 = 128.666 T

Corresponding Vertical Load, V = 528.068 T

Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*

Fricrtional Force = μ * V = 211.227 T

F.O.S. against Sliding = 211.227/128.666 = 1.64 > 1.5 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

10.5 Calculation of Base Pressure

C.G. of Load = 2242.363/528.068 = 4.246 m

Eccentricity, e = 4.246-(2.015+5.13)/2 = 0.674 m

Moment due to Eccentricity = 0.674X528.068 = 355.918 T-m (Clockwise)

Overturning Moment = 858.59 T-m (Anti-Clockwise)

Net Moment = 858.59-355.918 = 502.672 T-m (Anti-Clockwise)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

Max. Base Pressure = 28.068/7.145/3.5)+(502.672X6/3.5/7.145^2) = 37.996 T/m^2 **< 71.75 T/m2, OK**

Min. Base Pressure = 28.068/7.145/3.5)-(502.672X6/3.5/7.145^2) = 4.237 T/m^2


Base Pressure Diagram

Pressure Reduced over Toe slab

1. Due to Surcharge =	1 T/m^2
2.Due to Dry soil =	3.42 T/m^2
3. Due to Toe Slab =	1.75 T/m^2
Total =	6.170 T/m^2

Pressure Reduced over Heel slab

1. Due to Retained Earth =	23.722 T/m^2
2. Due to Dry soil =	3.42 T/m^2
3. Due to Heel Slab =	1.75 T/m^2
4. Due to Surcharge =	1 T/m^2
Total =	29.892 T/m^2




PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

10.6.1 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-3) :



12.485m Below from top of the Rataining Wall

Counterfort C/C Distance = 3.5 m
Depth of the Critical Section = 4.61+0.3
= 4.91 m
Side Pressure at Critical Section = 6.03 T/m^2
Side Pressure over counterfort = 6.03X3.5
= 21.105 T/m
B.M. = 0.5X21.105X12.485^2/3
= 548.291 T-m
S.F. = 0.5X21.105X12.485
= 131.748 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

9.3m Below from top of the Rataining Wall

Depth of the Section = 3.439+0.3
= 3.739 m
Side Pressure over counterfort = 4.39X3.5
= 15.365 T/m
B.M. = 0.5X15.365X9.3^2/3
= 163.893 T-m
S.F. = 0.5X15.365X9.3
= 71.447 T

COUNTERFORT REINFORCEMENT

Mu = 548.291 X 1.4
= 767.6074 T-m
Φ*Kn = Mu/bd^2
= 767.6074 X 10^7 / (500 X 4781^2)
= 0.672 N/mm^2 < 6.9 N/mm^2

Depth = 4910 mm
d eff. = 4781 mm

Reqd. Pt = 0.0018
Min. Pt = 0.0024
Reqd. , Ast = Pt*b*d.eff
= 0.0024X500X4781/10^2
= 57.37 cm^2

[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Provide 5 Nos. 28 mm ϕ Bar at Outer Face (Ast = 30.79 cm^2)
5 Nos. 28 mm ϕ Bar at Outer Face (Ast = 30.79 cm^2)
(Total Ast = 61.58 cm^2) Pt = 0.0026 **O.K.**

SHEAR CHECK

Vu = 131.748X1.4
= 184.447 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0026X184.447X10^4X4781/767.6074/10^7)X500X4781/10^4
= 238.417 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0026)X500X4781/10^4
= 236.844 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X4781/10^4
= 410.129 T
HENCE, Vc = 236.844 T
0.5*Φt*Vc = 0.5X0.75X236.844 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 88.817 T **< 184.447T, HENCE SHEAR REINF. REQD**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 184.447/0.75 - 236.844
= 9.085 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(236.844X10^4+0.66X35^0.5X500X4781)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 717.812 T **> Vu= 184.447T , CROSS SECTION O.K.**
Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X4781/9.085/10^4
= 4995 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X4781/10^4
= 466.699 T > Vs = 9.085T
Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide 2 Legged 12 Dia Stirrups @ 200 C/C (Av.st = 2.26 cm^2) **O.K.**

COUNTERFORT REINFORCEMENT ABOVE 4.985m TO REST PORTION

Mu = 163.893 X 1.4
229.45 T-m Depth = 3739 mm
Φ*Kn = Mu/bd^2 d eff. = 3638 mm
= 229.45 X 10^7 / (500 X 3638^2)
= 0.347 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0009
Min. Pt = 0.0012 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0012X500X3638/10^2
= 21.83 cm^2

Provide 5 Nos. 28 mm ϕ Bar at Bottom (Ast = 30.79 cm^2)
0 Nos. 25 mm ϕ Bar at Bottom (Ast = 0 cm^2)
(Total Ast = 30.79 cm^2) Pt = 0.0017 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 71.447X1.4
= 100.026 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0017X100.026X10^4X3638/229.45/10^7)X500X3638/10^4
= 180.519 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0017)X500X3638/10^4
= 177.438 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X3638/10^4
= 312.079 T

HENCE, Vc = 177.438 T

0.5*Φt*Vc = 0.5X0.75X177.438 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 66.539 T **< 100.026T, HENCE SHEAR REINF. REQD**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 100.026/0.75 - 177.438
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(177.438X10^4+0.66X35^0.5X500X3638)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 545.995 T **> Vu= 100.026T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X3638/0/10^4
= 345319 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X3638/10^4
= 355.125 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (25.655+20.93)/2
= 23.2925 T/m^2

Downward Pressure 3.5m Span = 23.2925X(3.5-0.5)
= 69.878 T

Factored Downward Pressure = 69.878X1.7 Load Factor = 1.7
= 118.793 T

Required Reinforcement = 118.793X10^4/420/100
= 28.28 cm^2/m

Required Reinforcement per Face = 28.28/2
= 14.14 cm^2/m

Provide **16** mm @ **125** C/C (Provide Ast = 16.08 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (6.03+5.569)/2
= 5.7995 T/m^2

Side Pressure 3.5m Span = 5.7995X(3.5-0.5)
= 17.399 T

Factored Downward Pressure = 17.399X1.7 Load Factor = 1.7
= 29.578 T

Required Reinforcement = 29.578X10^4/420/100
= 7.04 cm^2/m


Required Reinforcement per Face = 7.04/2
= 3.52 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

10.6.2 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-3) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (28.475-6.17)X2.015^2/2+0.5X(37.996-28.475)X2.015^2X2/3
= 58.167 T-m

For 3.5m Span , B.M. = 58.167X3.5
= 203.585 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 203.585X1.4
= 285.019 T-m

Depth = 2500 mm
d eff. = 2375.5 mm

Φ*Kn = Mu/bd^2
= 285.019 X 10^7 / (500 X 2375.5^2)
= 1.01 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0027
Min. Pt = 0.0035 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0035X500X2375.5/10^2
= 41.57 cm^2

Provide 5 Nos. 25 mm ϕ Bar (Ast = 24.54 cm^2) at Bottom
5 Nos. 25 mm ϕ Bar (Ast = 24.54 cm^2) at Bottom
(Total Ast = 49.08 cm^2) at Bottom Pt = 0.0041 **O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0041X0X10^4X2375.5/285.019/10^7)X500X2375.5/10^4
= 112.429 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0041)X500X2375.5/10^4
= 120.708 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2375.5/10^4
= 203.778 T

HENCE, Vc = 112.429 T

0.5*Φt*Vc = 0.5X0.75X112.429 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.161 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 112.429
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(112.429X10^4+0.66X35^0.5X500X2375.5)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 356.26 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2375.5/0/10^4
= 225482 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2375.5/10^4
= 231.885 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

11.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-D (HCF-4 & TCF-4) : (DRY CONDITION)



11.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	10.55 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

11.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X9.35X1.9 =	4.814	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528	T/m²
Passive Load at Bottom of Shear key =	3.69X(2.5+0.8)X1.9 =	23.136	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

11.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	4.255	3.5	0.7	2.5	1	26.062	4.243	110.568
Toe Slab =	1.815	3.5	0.7	2.5	1	11.117	0.908	10.089
Retaining Wall =	12.35	3.5	0.3	2.5	1	32.419	1.965	63.703
Heel Counterfort Part-1 =	4.255	1.2	0.5	2.5	1	6.383	4.243	27.08
Heel Counterfort Part-2 =	0.5	9.95	0.5	2.5	1	6.219	2.365	14.708
Heel Counterfort Part-3 =	3.755	9.95	0.5	2.5	1	23.351	3.867	90.291
Toe Counterfort =	1.815	1.8	0.5	2.5	1	2.042	1.210	2.471
Shear Key =	0.4	3.5	0.8	2.5	1	2.800	6.170	17.276
Retained Earth over Heel Slab =	4.255	3.5	9.35	1.9	0.9	238.109	4.243	1010.177
Soil over Heel Slab =	4.255	3.5	1.8	1.9	0.9	45.839	4.243	194.472
Soil over Toe Slab =	1.815	3.5	1.8	1.9	0.9	19.553	0.908	17.744
					Total =	413.894	Total =	1558.579

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X4.814X9.35X(2.5+9.35/3) =	126.406	3.5	442.421
Retained Earth Pressure below FGL =	4.814X2.5^2/2 =	15.044	3.5	52.654
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+9.35)^2/2 =	19.027	3.5	66.595
	Total =	161.818	Total =	566.364

Total Wt. of Structure = 110.393 T

Seismic Force acting on wall = 0.0295X110.393 = 3.256 T

Due to Seismic , Overturning Moment = 3.256 X (2.5+10.55)/2 = 21.2454 T-m *(Anti Clock Wise)*

Total Overturning Moment = 566.364+21.2454X0.75 = 582.298 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*

Total Restoring Moment = 1558.579 T-m *(Clock Wise)*

F.O.S. against Overturning = 1558.579/582.298 = 2.68 > 2 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

11.4 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X4.814X9.35 =	22.505	3.5	78.768
Retained Earth Pressure below FGL =	4.814X2.5 =	12.035	3.5	42.123
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+9.35) =	3.211	3.5	11.239
			Total =	137.762

Total Horizontal Sliding Force = 137.762+3.256 = 141.018 T

Passive Load for Shear Key = 56.93 T

Net Horizontal Sliding Force = 141.018-56.93 = 84.088 T

Corresponding Vertical Load, V = 413.894 T

Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*

Fricrtional Force = μ * V = 165.558 T

F.O.S. against Sliding = 165.558/84.088 = 1.97 > 1.5 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

11.5 Calculation of Base Pressure

C.G. of Load = 1558.579/413.894 = 3.766 m

Eccentricity, e = 766-(1.815+4.555)/2 = 0.581 m

Moment due to Eccentricity = 0.581X413.894 = 240.472 T-m (Clockwise)

Overturning Moment = 566.364 T-m (Anti-Clockwise)

Net Moment = 566.364-240.472 = 325.892 T-m (Anti-Clockwise)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Max. Base Pressure = (413.894/6.37/3.5)+(325.892X6/3.5/6.37^2) = 32.333 T/m^2 **< 71.75 T/m2, OK**

Min. Base Pressure = (413.894/6.37/3.5)-(325.892X6/3.5/6.37^2) = 4.796 T/m^2


Base Pressure Diagram

Pressure Reduced over Toe slab

1. Due to Surcharge =	1 T/m^2
2.Due to Dry soil =	3.42 T/m^2
3. Due to Toe Slab =	1.75 T/m^2
Total =	6.170 T/m^2

Pressure Reduced over Heel slab

1. Due to Retained Earth =	20.045 T/m^2
2. Due to Dry soil =	3.42 T/m^2
3. Due to Heel Slab =	1.75 T/m^2
4. Due to Surcharge =	1 T/m^2
Total =	26.215 T/m^2




PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

11.6.1 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-4) :



10.55m Below from top of the Rataining Wall

Counterfort C/C Distance = 3.5 m
Depth of the Critical Section = 4.029+0.3
= 4.329 m
Side Pressure at Critical Section = 5.085 T/m^2
Side Pressure over counterfort = 5.085X3.5
= 17.7975 T/m
B.M. = 0.5X17.7975X10.55^2/3
= 330.151 T-m
S.F. = 0.5X17.7975X10.55
= 93.882 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

9.2m Below from top of the Rataining Wall

Depth of the Section = 3.519+0.3
= 3.819 m
Side Pressure over counterfort = 4.39X3.5
= 15.365 T/m
B.M. = 0.5X15.365X9.2^2/3
= 163.893 T-m
S.F. = 0.5X15.365X9.2
= 70.679 T

COUNTERFORT REINFORCEMENT

Mu = 330.151 X 1.4
= 462.2114 T-m
Φ*Kn = Mu/bd^2
= 462.2114 X 10^7 / (500 X 4204.5^2)
= 0.523 N/mm^2 < 6.9 N/mm^2

Depth = 4329 mm
d eff. = 4204.5 mm

Reqd. Pt = 0.0014
Min. Pt = 0.0019
Reqd. , Ast = Pt*b*d.eff
= 0.0019X500X4204.5/10^2
= 39.94 cm^2

[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Provide 5 Nos. 25 mm ϕ Bar at Outer Face (Ast = 24.54 cm^2)
5 Nos. 25 mm ϕ Bar at Outer Face (Ast = 24.54 cm^2)
(Total Ast = 49.08 cm^2) Pt = 0.0023 **O.K.**

SHEAR CHECK

Vu = 93.882X1.4
= 131.435 T
Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*
[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0023X131.435X10^4X4204.5/462.2114/10^7)X500X4204.5/10^4
= 208.821 T
[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0023)X500X4204.5/10^4
= 207.213 T
[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X4204.5/10^4
= 360.675 T
HENCE, Vc = 207.213 T
0.5*Φt*Vc = 0.5X0.75X207.213 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 77.705 T **< 131.435T, HENCE SHEAR REINF. REQD**
Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 131.435/0.75 - 207.213
= 0.1 T
Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(207.213X10^4+0.66X35^0.5X500X4204.5)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 631.176 T **> Vu= 131.435T , CROSS SECTION O.K.**
Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X4204.5/0.1/10^4
= 399091 mm
0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X4204.5/10^4
= 410.424 T > Vs = 0.1T
Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide 2 Legged 12 Dia Stirrups @ 200 C/C (Av.st = 2.26 cm^2) **O.K.**

COUNTERFORT REINFORCEMENT ABOVE 3.15m TO REST PORTION

Mu = 163.893 X 1.4
229.45 T-m Depth = 3819 mm
Φ*Kn = Mu/bd^2 d eff. = 3719.5 mm
= 229.45 X 10^7 / (500 X 3719.5^2)
= 0.332 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0009
Min. Pt = 0.0012 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0012X500X3719.5/10^2
= 22.32 cm^2

Provide 5 Nos. 25 mm ϕ Bar at Bottom (Ast = 24.54 cm^2)
0 Nos. 25 mm ϕ Bar at Bottom (Ast = 0 cm^2)
(Total Ast = 24.54 cm^2) Pt = 0.0013 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU100666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 70.679X1.4
= 98.951 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0013X98.951X10^4X3719.5/229.45/10^7)X500X3719.5/10^4
= 182.632 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0013)X500X3719.5/10^4
= 180.149 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X3719.5/10^4
= 319.07 T

HENCE, Vc = 180.149 T

0.5*Φt*Vc = 0.5X0.75X180.149 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 67.556 T **< 98.951T, HENCE SHEAR REINF. REQD**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 98.951/0.75 - 180.149
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(180.149X10^4+0.66X35^0.5X500X3719.5)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 558.131 T **> Vu= 98.951T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X3719.5/0/10^4
= 353055 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X3719.5/10^4
= 363.08 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (21.419+17.096)/2
= 19.2575 T/m^2

Downward Pressure 3.5m Span = 19.2575X(3.5-0.5)
= 57.773 T

Factored Downward Pressure = 57.773X1.7 Load Factor = 1.7
= 98.214 T

Required Reinforcement = 98.214X10^4/420/100
= 23.38 cm^2/m

Required Reinforcement per Face = 23.38/2
= 11.69 cm^2/m

Provide **16** mm @ **150** C/C (Provide Ast = 13.4 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (5.085+4.629)/2
= 4.857 T/m^2

Side Pressure 3.5m Span = 4.857X(3.5-0.5)
= 14.571 T

Factored Downward Pressure = 14.571X1.7 Load Factor = 1.7
= 24.771 T

Required Reinforcement = 24.771X10^4/420/100
= 5.9 cm^2/m


Required Reinforcement per Face = 5.9/2
= 2.95 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

11.6.2 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-4) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (24.487-6.17)X1.815^2/2+0.5X(32.333-24.487)X1.815^2X2/3
= 38.786 T-m

For 3.5m Span , B.M. = 38.786X3.5
= 135.751 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 135.751X1.4
= 190.051 T-m

Depth = 2500 mm
d eff. = 2380.5 mm

Φ*Kn = Mu/bd^2
= 190.051 X 10^7 / (500 X 2380.5^2)
= 0.671 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0018
Min. Pt = 0.0024 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0024X500X2380.5/10^2
= 28.57 cm^2

Provide 5 Nos. 25 mm ϕ Bar (Ast = 24.54 cm^2) at Bottom
5 Nos. 20 mm ϕ Bar (Ast = 15.71 cm^2) at Bottom
(Total Ast = 40.25 cm^2) at Bottom Pt = 0.0034 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0034X0X10^4X2380.5/190.051/10^7)X500X2380.5/10^4
= 112.666 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0034)X500X2380.5/10^4
= 119.545 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2380.5/10^4
= 204.207 T

HENCE, Vc = 112.666 T

0.5*Φt*Vc = 0.5X0.75X112.666 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.25 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 112.666
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(112.666X10^4+0.66X35^0.5X500X2380.5)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 357.01 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2380.5/0/10^4
= 225957 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2380.5/10^4
= 232.373 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

12.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-E (HCF-5 & TCF-5) : (DRY CONDITION)



12.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	8.61 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

12.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X7.48X1.9 =	3.851	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528	T/m²
Passive Load at Bottom of Shear key =	3.69X(2.5+0.8)X1.9 =	23.136	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

12.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	3.685	3.5	0.7	2.5	1	22.571	3.798	85.713
Toe Slab =	1.655	3.5	0.7	2.5	1	10.137	0.828	8.388
Retaining Wall =	10.41	3.5	0.3	2.5	1	27.326	1.805	49.323
Heel Counterfort Part-1 =	3.685	1.2	0.5	2.5	1	5.528	3.798	20.993
Heel Counterfort Part-2 =	0.5	8.08	0.5	2.5	1	5.050	2.205	11.135
Heel Counterfort Part-3 =	3.185	8.08	0.5	2.5	1	16.084	3.517	56.562
Toe Counterfort =	1.655	1.8	0.5	2.5	1	1.862	1.103	2.054
Shear Key =	0.4	3.5	0.8	2.5	1	2.800	5.440	15.232
Retained Earth over Heel Slab =	3.685	3.5	7.48	1.9	0.9	164.969	3.798	626.47
Soil over Heel Slab =	3.685	3.5	1.8	1.9	0.9	39.699	3.798	150.757
Soil over Toe Slab =	1.655	3.5	1.8	1.9	0.9	17.829	0.828	14.753
					Total =	313.855	Total =	1041.38

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X3.851X7.48X(2.5+7.48/3) =	71.918	3.5	251.713
Retained Earth Pressure below FGL =	3.851X2.5^2/2 =	12.034	3.5	42.119
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+7.48)^2/2 =	13.496	3.5	47.236
	Total =	98.789	Total =	345.762

Total Wt. of Structure = 91.358 T

Seismic Force acting on wall = 0.0295X91.358 = 2.695 T

Due to Seismic , Overturning Moment = 2.695 X (2.5+8.61)/2 = 14.971 T-m *(Anti Clock Wise)*

Total Overturning Moment = 345.762+14.971X0.75 = 356.99 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*

Total Restoring Moment = 1041.38 T-m *(Clock Wise)*

F.O.S. against Overturning = 1041.38/356.99 = 2.92 > 2 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

12.4 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X3.851X7.48 =	14.403	3.5	50.411
Retained Earth Pressure below FGL =	3.851X2.5 =	9.628	3.5	33.698
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+7.48) =	2.705	3.5	9.468
			Total =	99.209

Total Horizontal Sliding Force = 99.209+2.695 = 101.904 T

Passive Load for Shear Key = 56.93 T

Net Horizontal Sliding Force = 101.904-56.93 = 44.974 T

Corresponding Vertical Load, V = 313.855 T

Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*

Fricrtional Force = μ * V = 125.542 T

F.O.S. against Sliding = 125.542/44.974 = 2.79 > 1.5 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

12.5 Calculation of Base Pressure

C.G. of Load = 1041.38/313.855 = 3.318 m

Eccentricity, e = 318-(1.655+3.985)/2 = 0.498 m

Moment due to Eccentricity = 0.498X313.855 = 156.3 T-m (Clockwise)

Overturning Moment = 345.762 T-m (Anti-Clockwise)

Net Moment = 345.762-156.3 = 189.462 T-m (Anti-Clockwise)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

Max. Base Pressure = (313.855/5.64/3.5)+(189.462X6/3.5/5.64^2) = 26.11 T/m^2 **< 71.75 T/m2, OK**

Min. Base Pressure = (313.855/5.64/3.5)-(189.462X6/3.5/5.64^2) = 5.689 T/m^2


Base Pressure Diagram

Pressure Reduced over Toe slab

1. Due to Surcharge =	1 T/m^2
2.Due to Dry soil =	3.42 T/m^2
3. Due to Toe Slab =	1.75 T/m^2
Total =	6.170 T/m^2

Pressure Reduced over Heel slab

1. Due to Retained Earth =	16.359 T/m^2
2. Due to Dry soil =	3.42 T/m^2
3. Due to Heel Slab =	1.75 T/m^2
4. Due to Surcharge =	1 T/m^2
Total =	22.529 T/m^2




PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

12.6.1 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-5) :



8.61m Below from top of the Rataining Wall

Counterfort C/C Distance = 3.5 m
Depth of the Critical Section = 3.448+0.3
= 3.748 m
Side Pressure at Critical Section = 4.122 T/m^2
Side Pressure over counterfort = 4.122X3.5
= 14.427 T/m
B.M. = 0.5X14.427X8.61^2/3
= 178.251 T-m
S.F. = 0.5X14.427X8.61
= 62.108 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

COUNTERFORT REINFORCEMENT

Mu = 178.251 X 1.4
= 249.5514 T-m
Φ*Kn = Mu/bd^2
= 249.5514 X 10^7 / (500 X 3648.5^2)
= 0.375 N/mm^2 < 6.9 N/mm^2

Depth = 3748 mm
d eff. = 3648.5 mm

Reqd. Pt = 0.001
Min. Pt = 0.0013 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0013X500X3648.5/10^2
= 23.72 cm^2

Provide 5 Nos. 25 mm ϕ Bar at Outer Face (Ast = 24.54 cm^2)
0 Nos. 20 mm ϕ Bar at Outer Face (Ast = 0 cm^2)
(Total Ast = 24.54 cm^2) Pt = 0.0013 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 62.108X1.4
= 86.951 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0013X86.951X10^4X3648.5/249.5514/10^7)X500X3648.5/10^4
= 177.804 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0013)X500X3648.5/10^4
= 176.71 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X3648.5/10^4
= 312.98 T

HENCE, Vc = 176.71 T

0.5*Φt*Vc = 0.5X0.75X176.71 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 66.266 T **< 86.951T, HENCE SHEAR REINF. REQD**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 86.951/0.75 - 176.71
= 0.1 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(176.71X10^4+0.66X35^0.5X500X3648.5)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 547.477 T **> Vu= 86.951T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X3648.5/0.1/10^4
= 346316 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X3648.5/10^4
= 356.149 T > Vs = 0.1T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (16.84+13.219)/2
= 15.03 T/m^2

Downward Pressure 3.5m Span = 15.03X(3.5-0.5)
= 45.09 T

Factored Downward Pressure = 45.09X1.7 Load Factor = 1.7
= 76.653 T

Required Reinforcement = 76.653X10^4/420/100
= 17.9 cm^2/m

Required Reinforcement per Face = 17.9/2
= 8.95 cm^2/m

Provide **12** mm @ **125** C/C (Provide Ast = 9.05 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (4.122+3.675)/2
= 3.8985 T/m^2

Side Pressure 3.5m Span = 3.8985X(3.5-0.5)
= 11.696 T

Factored Downward Pressure = 11.696X1.7 Load Factor = 1.7
= 19.883 T

Required Reinforcement = 19.883X10^4/420/100
= 4.73 cm^2/m


Required Reinforcement per Face = 4.73/2
= 2.37 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

12.6.2 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-5) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (20.118-6.17)X1.655^2/2+0.5X(26.11-20.118)X1.655^2X2/3
= 24.573 T-m

For 3.5m Span , B.M. = 24.573X3.5
= 86.006 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 86.006X1.4
= 120.408 T-m

Depth = 2500 mm
d eff. = 2400.5 mm

Φ*Kn = Mu/bd^2
= 120.408 X 10^7 / (500 X 2400.5^2)
= 0.418 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0011
Min. Pt = 0.0015 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0015X500X2400.5/10^2
= 18 cm^2

Provide 5 Nos. 25 mm ϕ Bar (Ast = 24.54 cm^2) at Bottom
0 Nos. 25 mm ϕ Bar (Ast = 0 cm^2) at Bottom
(Total Ast = 24.54 cm^2) at Bottom Pt = 0.002 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.002X0X10^4X2400.5/120.408/10^7)X500X2400.5/10^4
= 113.612 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.002)X500X2400.5/10^4
= 117.693 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2400.5/10^4
= 205.922 T

HENCE, Vc = 113.612 T

0.5*Φt*Vc = 0.5X0.75X113.612 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.605 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 113.612
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(113.612X10^4+0.66X35^0.5X500X2400.5)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 360.009 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2400.5/0/10^4
= 227855 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2400.5/10^4
= 234.326 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

13.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-F (HCF-6 & TCF-6) : **(DRY CONDITION)**



13.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	6.67 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

13.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X5.62X1.9 =	2.894	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528	T/m²
Passive Load at Bottom of Shear key =	3.69X(2.5+0.8)X1.9 =	23.136	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

13.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	3.105	3.5	0.7	2.5	1	19.018	3.308	62.902
Toe Slab =	1.455	3.5	0.7	2.5	1	8.912	0.728	6.483
Retaining Wall =	8.47	3.5	0.3	2.5	1	22.234	1.605	35.686
Heel Counterfort Part-1 =	3.105	1.2	0.5	2.5	1	4.658	3.308	15.406
Heel Counterfort Part-2 =	0.5	6.22	0.5	2.5	1	3.888	2.005	7.795
Heel Counterfort Part-3 =	2.605	6.22	0.5	2.5	1	10.127	3.123	31.63
Toe Counterfort =	1.455	1.8	0.5	2.5	1	1.637	0.970	1.588
Shear Key =	0.4	3.5	0.8	2.5	1	2.800	4.660	13.048
Retained Earth over Heel Slab =	3.105	3.5	5.62	1.9	0.9	104.439	3.308	345.432
Soil over Heel Slab =	3.105	3.5	1.8	1.9	0.9	33.450	3.308	110.636
Soil over Toe Slab =	1.455	3.5	1.8	1.9	0.9	15.675	0.728	11.404
					Total =	226.838	Total =	642.01

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X2.894X5.62X(2.5+5.62/3) =	35.565	3.5	124.478
Retained Earth Pressure below FGL =	2.894X2.5^2/2 =	9.044	3.5	31.654
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+5.62)^2/2 =	8.934	3.5	31.269
	Total =	54.884	Total =	192.095

Total Wt. of Structure = 73.274 T
Seismic Force acting on wall = 0.0295X73.274 = 2.161 T
Due to Seismic , Overturning Moment = 2.161 X (2.5+6.67)/2 = 9.908 T-m *(Anti Clock Wise)*
Total Overturning Moment = 192.095+9.908X0.75 = 199.526 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*
Total Restoring Moment = 642.01 T-m *(Clock Wise)*
F.O.S. against Overturning = 642.01/199.526 = 3.22 > 2 **OK**
(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

13.4 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X2.894X5.62 =	8.132	3.5	28.462
Retained Earth Pressure below FGL =	2.894X2.5 =	7.235	3.5	25.323
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+5.62) =	2.201	3.5	7.704
			Total =	67.121

Total Horizontal Sliding Force = 67.121+2.161 = 69.282 T
Passive Load for Shear Key = 56.93 T
Net Horizontal Sliding Force = 69.282-56.93 = 12.352 T
Corresponding Vertical Load, V = 226.838 T
Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*
Fricrtional Force = μ * V = 90.735 T
F.O.S. against Sliding = 90.735/12.352 = 7.35 > 1.5 **OK**
(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

13.5 Calculation of Base Pressure

C.G. of Load = 642.01/226.838 = 2.83 m
Eccentricity, e = 2.83-(1.455+3.405)/2 = 0.400 m
Moment due to Eccentricity = 0.4X226.838 = 90.735 T-m (Clockwise)
Overturning Moment = 192.095 T-m (Anti-Clockwise)
Net Moment = 192.095-90.735 = 101.36 T-m (Anti-Clockwise)

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.


MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 **00666758_R4**	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	**AS BUILT**	**Rev.**	**D01**

Max. Base Pressure = (226.838/4.86/3.5)+(101.36X6/3.5/4.86^2) = 20.692 T/m^2 **< 71.75 T/m2, OK**
Min. Base Pressure = (226.838/4.86/3.5)-(101.36X6/3.5/4.86^2) = 5.979 T/m^2

Base Pressure Diagram

Pressure Reduced over Toe slab
1. Due to Surcharge = 1 T/m^2
2.Due to Dry soil = 3.42 T/m^2
3. Due to Toe Slab = 1.75 T/m^2
Total = 6.170 T/m^2


Pressure Reduced over Heel slab
1. Due to Retained Earth = 12.673 T/m^2
2. Due to Dry soil = 3.42 T/m^2
3. Due to Heel Slab = 1.75 T/m^2
4. Due to Surcharge = 1 T/m^2
Total = 18.843 T/m^2



PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

13.6.1 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-6) :



6.67m Below from top of the Rataining Wall

Counterfort C/C Distance = 3.5 m
Depth of the Critical Section = 2.854+0.3
= 3.154 m
Side Pressure at Critical Section = 3.165 T/m^2
Side Pressure over counterfort = 3.165X3.5
= 11.0775 T/m
B.M. = 0.5X11.0775X6.67^2/3
= 82.138 T-m
S.F. = 0.5X11.0775X6.67
= 36.943 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

COUNTERFORT REINFORCEMENT

Mu = 82.138 X 1.4
= 114.9932 T-m
Φ*Kn = Mu/bd^2
= 114.9932 X 10^7 / (500 X 3057^2)
= 0.246 N/mm^2 < 6.9 N/mm^2

Depth = 3154 mm
d eff. = 3057 mm

Reqd. Pt = 0.0007
Min. Pt = 0.0009 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0009X500X3057/10^2
= 13.76 cm^2

Provide 5 Nos. 20 mm ϕ Bar at Outer Face (Ast = 15.71 cm^2)
0 Nos. 20 mm ϕ Bar at Outer Face (Ast = 0 cm^2)
(Total Ast = 15.71 cm^2) Pt = 0.001 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 36.943X1.4
= 51.72 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.001X51.72X10^4X3057/114.9932/10^7)X500X3057/10^4
= 148.256 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.001)X500X3057/10^4
= 147.282 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X3057/10^4
= 262.239 T

HENCE, Vc = 147.282 T

0.5*Φt*Vc = 0.5X0.75X147.282 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 55.231 T **> 51.72T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 51.72/0.75 - 147.282
= 0.1 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(147.282X10^4+0.66X35^0.5X500X3057)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 458.661 T **> Vu= 51.72T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X3057/0.1/10^4
= 290170 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X3057/10^4
= 298.41 T > Vs = 0.1T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (12.864+9.837)/2
= 11.3505 T/m^2

Downward Pressure 3.5m Span = 11.3505X(3.5-0.5)
= 34.052 T

Factored Downward Pressure = 34.052X1.7 Load Factor = 1.7
= 57.888 T

Required Reinforcement = 57.888X10^4/420/100
= 13.78 cm^2/m

Required Reinforcement per Face = 13.78/2
= 6.89 cm^2/m

Provide **12** mm @ **150** C/C (Provide Ast = 7.54 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (3.165+2.731)/2
= 2.948 T/m^2

Side Pressure 3.5m Span = 2.948X(3.5-0.5)
= 8.844 T

Factored Downward Pressure = 8.844X1.7 Load Factor = 1.7
= 15.035 T

Required Reinforcement = 15.035X10^4/420/100
= 3.58 cm^2/m


Required Reinforcement per Face = 3.58/2
= 1.79 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

13.6.2 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-6) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (16.287-6.17)X1.455^2/2+0.5X(20.692-16.287)X1.455^2X2/3
= 13.817 T-m

For 3.5m Span , B.M. = 13.817X3.5
= 48.36 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 48.36X1.4
= 67.704 T-m

Depth = 2500 mm
d eff. = 2403 mm

Φ*Kn = Mu/bd^2
= 67.704 X 10^7 / (500 X 2403^2)
= 0.234 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0006
Min. Pt = 0.0008 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0008X500X2403/10^2
= 9.61 cm^2

Provide 5 Nos. 20 mm ϕ Bar (Ast = 15.71 cm^2) at Bottom
0 Nos. 28 mm ϕ Bar (Ast = 0 cm^2) at Bottom
(Total Ast = 15.71 cm^2) at Bottom Pt = 0.0013 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0013X0X10^4X2403/67.704/10^7)X500X2403/10^4
= 113.731 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0013)X500X2403/10^4
= 116.386 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2403/10^4
= 206.137 T

HENCE, Vc = 113.731 T

0.5*Φt*Vc = 0.5X0.75X113.731 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.649 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 113.731
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(113.731X10^4+0.66X35^0.5X500X2403)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 360.384 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2403/0/10^4
= 228093 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2403/10^4
= 234.57 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

14.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-G (HCF-7 & TCF-7) : (DRY CONDITION)



13.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	4.75 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

13.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X3.8X1.9 =	1.957	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

Passive Load for Shear Key

Passive Load at Bottom of Raft =	3.69X2.5X1.9 =	17.528	T/m²
Passive Load at Bottom of Shear key =	3.69X(2.5+0.8)X1.9 =	23.136	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

13.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	2.535	3.5	0.7	2.5	1	15.527	2.843	44.135
Toe Slab =	1.275	3.5	0.7	2.5	1	7.809	0.638	4.978
Retaining Wall =	6.55	3.5	0.3	2.5	1	17.194	1.425	24.501
Heel Counterfort Part-1 =	2.535	1.2	0.5	2.5	1	3.803	2.843	10.81
Heel Counterfort Part-2 =	0.5	4.4	0.5	2.5	1	2.750	1.825	5.019
Heel Counterfort Part-3 =	2.035	4.4	0.5	2.5	1	5.596	2.753	15.408
Toe Counterfort =	1.275	1.8	0.5	2.5	1	1.434	0.850	1.219
Shear Key =	0.4	3.5	0.8	2.5	1	2.800	3.910	10.948
Retained Earth over Heel Slab =	2.535	3.5	3.8	1.9	0.9	57.654	2.843	163.881
Soil over Heel Slab =	2.535	3.5	1.8	1.9	0.9	27.310	2.843	77.629
Soil over Toe Slab =	1.275	3.5	1.8	1.9	0.9	13.736	0.638	8.757
					Total =	155.613	Total =	367.285

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X1.957X3.8X(2.5+3.8/3) =	14.006	3.5	49.021
Retained Earth Pressure below FGL =	1.957X2.5^2/2 =	6.116	3.5	21.406
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+3.8)^2/2 =	5.378	3.5	18.823
	Total =	26.841	Total =	93.944

Total Wt. of Structure = 56.913 T

Seismic Force acting on wall = 0.0295X56.913 = 1.678 T

Due to Seismic , Overturning Moment = 1.678 X (2.5+4.75)/2 = 6.083 T-m *(Anti Clock Wise)*

Total Overturning Moment = 93.944+6.083X0.75 = 98.506 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*

Total Restoring Moment = 367.285 T-m *(Clock Wise)*

F.O.S. against Overturning = 367.285/98.506 = 3.73 > 2 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

13.4 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X1.957X3.8 =	3.718	3.5	13.013
Retained Earth Pressure below FGL =	1.957X2.5 =	4.893	3.5	17.126
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+3.8) =	1.707	3.5	5.975
			Total =	41.746

Total Horizontal Sliding Force = 41.746+1.678 = 43.424 T

Passive Load for Shear Key = 56.93 T

Net Horizontal Sliding Force = 43.424-56.93 = 0 T

Corresponding Vertical Load, V = 155.613 T

Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*

Fricrtional Force = μ * V = 62.245 T

F.O.S. against Sliding = > 1.5 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

13.5 Calculation of Base Pressure

C.G. of Load = 367.285/155.613 = 2.36 m

Eccentricity, e = 2.36-(1.275+2.835)/2 = 0.305 m

Moment due to Eccentricity = 0.305X155.613 = 47.462 T-m (Clockwise)

Overturning Moment = 93.944 T-m (Anti-Clockwise)

Net Moment = 93.944-47.462 = 46.482 T-m (Anti-Clockwise)

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

Max. Base Pressure = (155.613/4.11/3.5)+(46.482X6/3.5/4.11^2) = 15.535 T/m^2 **< 71.75 T/m2, OK**

Min. Base Pressure = (155.613/4.11/3.5)-(46.482X6/3.5/4.11^2) = 6.101 T/m^2


Base Pressure Diagram

Pressure Reduced over Toe slab

1. Due to Surcharge =	1 T/m^2
2.Due to Dry soil =	3.42 T/m^2
3. Due to Toe Slab =	1.75 T/m^2
Total =	6.170 T/m^2

Pressure Reduced over Heel slab

1. Due to Retained Earth =	9.025 T/m^2
2. Due to Dry soil =	3.42 T/m^2
3. Due to Heel Slab =	1.75 T/m^2
4. Due to Surcharge =	1 T/m^2
Total =	15.195 T/m^2




PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

14.6.1 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-7) :



Counterfort C/C Distance = 3.5 m

Depth of the Critical Section = 2.258+0.3
= 2.558 m

Side Pressure at Critical Section = 2.228 T/m^2

Side Pressure over counterfort = 2.228X3.5
= 7.798 T/m

B.M. = 0.5X7.798X4.75^2/3
= 29.324 T-m

S.F. = 0.5X7.798X4.75
= 18.52 T

Design Parameter

Width =	500 mm
Clear Cover =	75 mm
fc' =	35 N/mm^2
fy =	420 N/mm^2
fyt =	420 N/mm^2
Φ =	0.9
Φt =	0.75
Load Factor =	1.4

COUNTERFORT REINFORCEMENT

Mu = 29.324 X 1.4
= 41.0536 T-m

Depth = 2558 mm
d eff. = 2463 mm

Φ*Kn = Mu/bd^2
= 41.0536 X 10^7 / (500 X 2463^2)
= 0.135 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0004
Min. Pt = 0.0005 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*

Reqd. , Ast = Pt*b*d.eff
= 0.0005X500X2463/10^2
= 6.16 cm^2

Provide **5** Nos. **16** mm ϕ Bar at Outer Face (Ast = 10.05 cm^2)
0 Nos. **28** mm ϕ Bar at Outer Face (Ast = 0 cm^2)
(Total Ast = 10.05 cm^2) Pt = 0.0008 **O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 18.52X1.4
= 25.928 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0008X25.928X10^4X2463/41.0536/10^7)X500X2463/10^4
= 119.176 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0008)X500X2463/10^4
= 118.245 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2463/10^4
= 211.284 T

HENCE, Vc = 118.245 T

0.5*Φt*Vc = 0.5X0.75X118.245 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 44.342 T **> 25.928T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 25.928/0.75 - 118.245
= 0.1 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(118.245X10^4+0.66X35^0.5X500X2463)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 369.508 T **> Vu= 25.928T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2463/0.1/10^4
= 233788 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2463/10^4
= 240.427 T > Vs = 0.1T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (9.094+6.799)/2
= 7.9465 T/m^2

Downward Pressure 3.5m Span = 7.9465X(3.5-0.5)
= 23.84 T

Factored Downward Pressure = 23.84X1.7 Load Factor = 1.7
= 40.528 T

Required Reinforcement = 40.528X10^4/420/100
= 9.65 cm^2/m

Required Reinforcement per Face = 9.65/2
= 4.83 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (2.228+1.816)/2
= 2.022 T/m^2

Side Pressure 3.5m Span = 2.022X(3.5-0.5)
= 6.066 T

Factored Downward Pressure = 6.066X1.7 Load Factor = 1.7
= 10.312 T

Required Reinforcement = 10.312X10^4/420/100
= 2.46 cm^2/m


Required Reinforcement per Face = 2.46/2
= 1.23 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

14.6.2 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-7) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (12.608-6.17)X1.275^2/2+0.5X(15.535-12.608)X1.275^2X2/3
= 6.819 T-m

For 3.5m Span , B.M. = 6.819X3.5
= 23.867 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 23.867X1.4
= 33.414 T-m

Depth = 2500 mm
d eff. = 2405 mm

Φ*Kn = Mu/bd^2
= 33.414 X 10^7 / (500 X 2405^2)
= 0.116 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0003
Min. Pt = 0.0004 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0004X500X2405/10^2
= 4.81 cm^2

Provide 5 Nos. 16 mm ϕ Bar (Ast = 10.05 cm^2) at Bottom
0 Nos. 25 mm ϕ Bar (Ast = 0 cm^2) at Bottom
(Total Ast = 10.05 cm^2) at Bottom Pt = 0.0008 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0008X0X10^4X2405/33.414/10^7)X500X2405/10^4
= 113.825 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0008)X500X2405/10^4
= 115.461 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2405/10^4
= 206.308 T

HENCE, Vc = 113.825 T

0.5*Φt*Vc = 0.5X0.75X113.825 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.684 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 113.825
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(113.825X10^4+0.66X35^0.5X500X2405)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 360.684 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2405/0/10^4
= 228283 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2405/10^4
= 234.765 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

15.0 Design of ROM Retaining Wall - Side Wall Portion MKD.-H (HCF-8 & TCF-8) : **(DRY CONDITION)**



15.1 Design Data

Net SBC of Soil =	67 T/m²	*(From BH-19)*	
Gross SBC of Soil =	67+2.5X1.9 =	71.75 T/m²	
Density of Retained Earth =	1.9 T/m³		
Density of Dry Soil =	1.9 T/m³		
Density of Concrete =	2.5 T/m³		
Density of Water =	1 T/m³		
Surcharge over Heel Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Surcharge over Toe Slab =	1 T/m²		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.3(i))*
Angle of Internal Friction (ϕ) =	35 Degree		*(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)*
Active Pressure Coefficient (K_2) =	0.271		*(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 5.9.2)*
Passive Pressure Coefficient =	3.69		

(Ref. Doc. No. : MD-216-0000-PM-GM-RPT-0003, Section-7B, C01, CL. No. 7B.6.4)
Natural Sands are consider for earth pressure calculation.
The Values are - Unit Wt. of Natural Sand 1.9 MT/m3,
Angle of internal friction 35 degree.

Dimension

Depth of Foundation =	2.5 m
Depth of Retain Earth =	2.8 m
Thickness of Retaining wall =	0.3 m
Thickness of Base Slab =	0.7 m
Thickness of Counterfort =	0.5 m
Spacing of Counterfort =	3.5 m

15.2 Load Calculation

Side Pressure over Retaining Wall at Heel Side

1. Due to Retained Earth =	0.271X1.85X1.9 =	0.953	T/m²
2. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
3. Due to Surcharge =	0.271X1 =	0.271	T/m²

Side Pressure over Retaining Wall at Toe Side

5. Due to Dry Soil =	0.271X2.5X1.9 =	1.287	T/m²
6. Due to Surcharge =	0.271X1 =	0.271	T/m²

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date 17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev. D01

15.3 Check for Overturning

Calculation of Restoring Moment

Item Mkd.	Width (m)	Length (m)	Thk. / Ht. (m)	Density (T/m^3)	%	Wt. (T)	C.G. from Edge of Toe (M)	Clockwise Moment (T-m)
Heel Slab =	1.96	3.5	0.7	2.5	1	12.005	2.370	28.452
Toe Slab =	1.09	3.5	0.7	2.5	1	6.676	0.545	3.638
Retaining Wall =	4.6	3.5	0.3	2.5	1	12.075	1.240	14.973
Heel Counterfort Part-1 =	1.96	1.2	0.5	2.5	1	2.940	2.370	6.968
Heel Counterfort Part-2 =	0.5	2.45	0.5	2.5	1	1.531	1.640	2.511
Heel Counterfort Part-3 =	1.46	2.45	0.5	2.5	1	2.236	2.377	5.314
Toe Counterfort =	1.09	1.8	0.5	2.5	1	1.226	0.727	0.891
Retained Earth over Heel Slab =	1.96	3.5	1.85	1.9	0.9	21.702	2.370	51.434
Soil over Heel Slab =	1.96	3.5	1.8	1.9	0.9	21.115	2.370	50.043
Soil over Toe Slab =	1.09	3.5	1.8	1.9	0.9	11.743	0.545	6.4
					Total =	93.249	Total =	170.624

Calculation of Overturning Moment

Item Mkd.	Anti Clock Wise Moment (T-m)		Span	Total Moment (T-m)
Retained Earth Pressure above FGL =	0.5X0.953X1.85X(2.5+1.85/3) =	2.747	3.5	9.615
Retained Earth Pressure below FGL =	0.953X2.5^2/2 =	2.978	3.5	10.423
Due to Dry Soil =	0.5X1.287X2.5^2/3 =	1.341	3.5	4.694
Due to Dry Surcharge =	0.271X(2.5+1.85)^2/2 =	2.564	3.5	8.974
	Total =	9.63	Total =	33.706

Total Wt. of Structure = 38.689 T

Seismic Force acting on wall = 0.0295X38.689 = 1.141 T

Due to Seismic , Overturning Moment = 1.141 X (2.5+2.8)/2 = 3.024 T-m *(Anti Clock Wise)*

Total Overturning Moment = 33.706+3.024X0.75 = 35.974 T-m *(Anti Clock Wise)* *(Ref. SBC:301-2007, CL. No. 10.9.6)*

Total Restoring Moment = 170.624 T-m *(Clock Wise)*

F.O.S. against Overturning = 170.624/35.974 = 4.74 > 2 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

15.4 Check for Sliding

Calculation of Horizontal Sliding Force

Item Mkd.	Horizontal Sliding Force (T)		Span	Total Sliding Force (T)
Retained Earth Pressure above FGL =	0.5X0.953X1.85 =	0.882	3.5	3.087
Retained Earth Pressure below FGL =	0.953X2.5 =	2.383	3.5	8.341
Due to Dry Soil =	0.5X1.287X2.5 =	1.609	3.5	5.632
Due to Dry Surcharge =	0.271X(2.5+1.85) =	1.179	3.5	4.127
			Total =	21.187

Total Horizontal Sliding Force = 21.187+1.141 = 22.328 T

Corresponding Vertical Load, V = 93.249 T

Horizontal Frictional coefficient, μ = 0.4 *(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.3.2)*

Fricrtional Force = μ * V = 37.3 T

F.O.S. against Sliding = 37.3/22.328 = 1.67 > 1.5 **OK**

(Ref. Doc. No. : MD-101-SMEM-EG-ST-CRT-0001, C01, CL. No. 6.3.2)

15.5 Calculation of Base Pressure

C.G. of Load = 170.624/93.249 = 1.83 m

Eccentricity, e = 1.83-(1.09+2.26)/2 = 0.155 m

Moment due to Eccentricity = 0.155X93.249 = 14.454 T-m (Clockwise)

Overturning Moment = 33.706 T-m (Anti-Clockwise)

Net Moment = 33.706-14.454 = 19.252 T-m (Anti-Clockwise)

Max. Base Pressure = (93.249/3.35/3.5)+(19.252X6/3.5/3.35^2) = 10.894 T/m^2 **< 71.75 T/m2, OK**

Min. Base Pressure = (93.249/3.35/3.5)-(19.252X6/3.5/3.35^2) = 5.012 T/m^2


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

Base Pressure Diagram




PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

15.6.1 REINFORCEMENT CALCULATION OF HEEL COUNTERFORT (HCF-8) :



Counterfort C/C Distance = 3.5 m

Depth of the Critical Section = 1.602+0.3
= 1.902 m

Side Pressure at Critical Section = 1.224 T/m^2

Side Pressure over counterfort = 1.224X3.5
= 4.284 T/m

B.M. = 0.5X4.284X2.8^2/3
= 5.598 T-m

S.F. = 0.5X4.284X2.8
= 5.998 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

COUNTERFORT REINFORCEMENT

Mu = 5.598 X 1.4
= 7.8372 T-m

Depth = 1902 mm
d eff. = 1807 mm

Φ*Kn = Mu/bd^2
= 7.8372 X 10^7 / (500 X 1807^2)
= 0.048 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0001
Min. Pt = 0.0001 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*

Reqd. , Ast = Pt*b*d.eff
= 0.0001X500X1807/10^2
= 0.9 cm^2

Provide **5** Nos. **16** mm ϕ Bar at Outer Face (Ast = 10.05 cm^2)
0 Nos. **28** mm ϕ Bar at Outer Face (Ast = 0 cm^2)
(Total Ast = 10.05 cm^2) Pt = 0.0011 **O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 5.998X1.4
= 8.397 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0011X8.397X10^4X1807/7.8372/10^7)X500X1807/10^4
= 88.794 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0011)X500X1807/10^4
= 87.212 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X1807/10^4
= 155.01 T

HENCE, Vc = 87.212 T

0.5*Φt*Vc = 0.5X0.75X87.212 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 32.705 T **> 8.397T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 8.397/0.75 - 87.212
= 0.1 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(87.212X10^4+0.66X35^0.5X500X1807)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 271.127 T **> Vu= 8.397T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X1807/0.1/10^4
= 171520 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X1807/10^4
= 176.391 T > Vs = 0.1T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

VERTICAL TIE REINFORCEMENT

Max. Average Downward Pressure = (6.478+4.722)/2
= 5.6 T/m^2

Downward Pressure 3.5m Span = 5.6X(3.5-0.5)
= 16.8 T

Factored Downward Pressure = 16.8X1.7 Load Factor = 1.7
= 28.56 T

Required Reinforcement = 28.56X10^4/420/100
= 6.8 cm^2/m

Required Reinforcement per Face = 6.8/2
= 3.4 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Vertical **O.K.**

HORIZONTAL TIE REINFORCEMENT

Max. Average Side Pressure = (1.224+0.884)/2
= 1.054 T/m^2

Side Pressure 3.5m Span = 1.054X(3.5-0.5)
= 3.162 T

Factored Downward Pressure = 3.162X1.7 Load Factor = 1.7
= 5.375 T

Required Reinforcement = 5.375X10^4/420/100
= 1.28 cm^2/m


Required Reinforcement per Face = 1.28/2
= 0.64 cm^2/m

Provide **12** mm @ **200** C/C (Provide Ast = 5.65 cm2) at Horizontal **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

15.6.2 REINFORCEMENT CALCULATION OF TOE COUNTERFORT (TCF-8) :



Counterfort C/C Distance = 3.5 m

B.M. at Face of Wall = (8.98-6.17)X1.09^2/2+0.5X(10.894-8.98)X1.09^2X2/3
= 2.427 T-m

For 3.5m Span , B.M. = 2.427X3.5
= 8.495 T-m

S.F. at eff.-d distance = 0
= 0 T

For 3.5m Span , S.F. = 0X3.5
= 0 T

Design Parameter

Width =	500	mm
Clear Cover =	75	mm
fc' =	35	N/mm^2
fy =	420	N/mm^2
fyt =	420	N/mm^2
Φ =	0.9	
Φt =	0.75	
Load Factor =	1.4	

SUPPORT REINFORCEMENT

Mu = 8.495X1.4
= 11.893 T-m

Depth = 2500 mm
d eff. = 2405 mm

Φ*Kn = Mu/bd^2
= 11.893 X 10^7 / (500 X 2405^2)
= 0.041 N/mm^2 < 6.9 N/mm^2

Reqd. Pt = 0.0001
Min. Pt = 0.0001 *[SBC:304-CR-18, CL. No. 9.6.1.2 & 9.6.1.3, Page-65]*
Reqd. , Ast = Pt*b*d.eff
= 0.0001X500X2405/10^2
= 1.2 cm^2

Provide 5 Nos. 16 mm ϕ Bar (Ast = 10.05 cm^2) at Bottom
0 Nos. 25 mm ϕ Bar (Ast = 0 cm^2) at Bottom
(Total Ast = 10.05 cm^2) at Bottom Pt = 0.0008 **O.K.**

PROPRIETARY & CONFIDENTIAL
The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.
This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

MA'ADEN Saudi Arabian Mining Company		Outotec / LARSEN & TOUBRO	
MD-216-3110-EG-CV-CAL-1003	Mansourah Massarah Gold Project	Page	OF
900707_GAU01_ZC01_CED01_31100_OU1 00666758_R4	CALCULATION PRIMARY CRUSHING ROM RETAINING WALL DESIGN CALCULATION	Date	17.10.2023
O19045_100_C_K_24061_001_R4	AS BUILT	Rev.	D01

SHEAR CHECK

Vu = 0X1.4
= 0 T

Nominal Shear Strength, Vc = Min [(a) , (b) , (c)] *[SBC:304-CR-18, Table 22.5.5.1, Page-174]*

[a] = (0.16*λ*fc'^0.5 + 17*Pt*Vu*d.eff/Mu)*b*d.eff λ = 1
= (0.16X1X35^0.5+17X0.0008X0X10^4X2405/11.893/10^7)X500X2405/10^4
= 113.825 T

[b] = (0.16*λ*fc'^0.5 + 17*Pt)*b*d.eff
= (0.16X1X35^0.5+17X0.0008)X500X2405/10^4
= 115.461 T

[c] = 0.29*λ*fc'^0.5*b*d.eff
= 0.29X1X5.92X500X2405/10^4
= 206.308 T

HENCE, Vc = 113.825 T

0.5*Φt*Vc = 0.5X0.75X113.825 *[SBC:304-CR-18, CL. No. 9.6.3.1, Page-66]*
= 42.684 T **> 0T , Hence O.K.**

Vs = Vu/Φt - Vc *[SBC:304-CR-18, CL. No. 22.5.10.1, Page-167]*
= 0/0.75 - 113.825
= 0 T

Φt*(Vc+0.66*fc'^0.5*b*d.eff) = 0.75X(113.825X10^4+0.66X35^0.5X500X2405)/10^4 *[SBC:304-CR-18, CL. No. 22.5.1.2, Page-164]*
= 360.684 T **> Vu= 0T , CROSS SECTION O.K.**

Reqd. Spacing, S = Av*fyt*d.eff / Vs *[SBC:304-CR-18, CL. No. 22.5.10.5.3, Page-167]*
= 226X420X2405/0/10^4
= 228283 mm

0.33*fc'^0.5*b*d.eff = 0.33X35^0.5X500X2405/10^4
= 234.765 T > Vs = 0T

Max. Spacing , S = 600 mm *[SBC:304-CR-18, Table-9.7.6.2.2, Page-72]*

Provide **2** Legged **12** Dia Stirrups @ **200** C/C (Av.st = 2.26 cm^2) **O.K.**

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

16.0 APPENDIX - A


Mechanical Input GA Drawing


PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

DRAWING NUMBER MD-216-3110-EG-ME-ELV-1007 REV A01






ELEVATION
SCALE 1:75

NOTE:
1. ALL DIMENSIONS ARE IN MILLIMETER, CO-ORDINATES AND ELEVATION ARE IN METER, UNLESS OTHERWISE STATED.
2. FINISHED FLOOR LEVEL (F.F.L) FOR CRUSHING AREA = RL(+)913.000 m
3. FINISHED GROUND LEVEL (F.G.L) FOR CRUSHING AREA = RL(+)912.500 m
4. F.F.L, F.G.L, T.O.C, = FINISH FLOOR LEVEL, FINISH GROUND LEVEL, TOP OF CONCRETE, T.O.S, B.O.S, B.O.B= TOP OF STEEL,BOTTOM OF STEEL, BOTTOM OF BASE PLATE
5. ALL MAINTENANCE FACILITIES, HANDLING PROVISIONS, ACCESS WAYS, PLATFORMS FOR MAINTENANCE ARE SHOWN TENTATIVE.

CONCRETE FLOOR
CHECKERED PLATE
GRATING
BRICK WALL
CONCRETE WALL

KEY PLAN



DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
MD-216-3100-EG-PI-GAD-1007	PIPING - DUST SUPPRESSION SYSTEM FOR								
	PRIMARY CRUSHING AREA								
MD-216-3110-EG-ME-ELV-1009	SECTION								
MD-216-3110-EG-ME-ELV-1008	SECTION								
MD-216-3110-EG-ME-LPX-1002	PLAN VIEW								
MD-216-3110-EG-ME-LPX-1001	PLAN VIEW	A01	02/12/2019	ISSUED FOR APPROVAL	SKH	BRD	BD	BGR	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO
This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec
The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة التعدين العربية السعودية
This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.


LARSEN & TOUBRO DRAWING NUMBER		REVISION
019045_100_H_G_16123_001		0
OUTOTEC DRAWING NUMBER	DOCUMENT ID	REVISION
900707__GAU01__ZC01__MTL01__31106	OU100666770	0

DRAWN	SKH	29/11/2019
CHECKED	BRD	30/11/2019
ENGINEER	BD	02/12/2019
APPROVED	BGR	02/12/2019
EMPLOYER		
SCALE	1:75	A1

MANSOURAH - MASSARAH GOLD PROJECT
GENERAL ARRANGEMENT DRAWING
CRUSHING
PRIMARY CRUSHER HOUSE - ELEVATION


DRAWING NUMBER MD-216-3110-EG-ME-ELV-1007 REV A01

DRAWING NUMBER: MD-216-3110-EG-ME-ELV-1008 | REV: A01




PLAN AT EL. (+) 928.500

SCALE 1:200
(T.O. ROM PAD)




PLAN AT EL. +916.985

SCALE 1:75



SECTION B-B

SCALE 1:125



PRIMARY CRUSHER FOUNDATION PLAN

SCALE 1:50

TABLE-5 : LOAD TABLE FOR PRIMARY CRUSHER

3110-CRH-001

POINT	ELEVATION IN "m"	VERTICAL LOAD (IN "t")	DYNAMIC LOAD f=3.3 Hz (IN "t")	HORIZONTAL LOAD f=3.3 Hz (IN "t")	
				HORIZONTAL LONGITUDINAL	HORIZONTAL TRANSVERSAL
PC/1	(+)916.985	(+)20.0	(±)3.10	(±)1.2	(±)0.3
PC/2		(+)4.5	(±)6.5	(±)0.45	(±)0.25

NOTE: The dynamic load frequency is 3.3 Hz for the vertical and longitudinal load using the 90 degree method settings. The forces are derived based on a rigid foundation assumption. A weak foundation or resonance increase the dynamic loads.

NOTE:


1. ALL DIMENSIONS ARE IN MILLIMETER, CO-ORDINATES AND ELEVATION ARE IN METER, UNLESS OTHERWISE STATED.
2. FINISHED FLOOR LEVEL (F.F.L) FOR CRUSHING AREA = RL(+)913.000 m
3. FINISHED GROUND LEVEL (F.G.L) FOR CRUSHING AREA = RL(+)912.500 m
4. F.F.L, F.G.L, T.O.C, = FINISH FLOOR LEVEL, FINISH GROUND LEVEL, TOP OF CONCRETE, T.O.S, B.O.S, B.O.B= TOP OF STEEL,BOTTOM OF STEEL, BOTTOM OF BASE PLATE
5. ALL MAINTENANCE FACILITIES, HANDLING PROVISIONS, ACCESS WAYS, PLATFORMS FOR MAINTENANCE ARE SHOWN TENTATIVE.

CONCRETE FLOOR
CHECKERED PLATE
GRATING
BRICK WALL
CONCRETE WALL

SIGN CONVENTION

UPWARD (-)
DOWNWARD (+)
TOWARDS HEAD PULLEY=(+)
TOWARDS TAIL PULLEY=(-)
REVERSIBLE LOAD=(±)

KEY PLAN



DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
MD-216-3110-EG-ME-ELV-1009	SECTION								
MD-216-3110-EG-ME-LPX-1002	PLAN VIEW								
MD-216-3110-EG-ME-LPX-1001	PLAN VIEW								
MD-216-3110-EG-ME-ELV-1007	ELEVATION	A01	02/12/2019	ISSUED FOR APPROVAL	SKH	BRD	BD	BGR	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة معادن العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

DRAWN	SKH	29/11/2019
CHECKED	BRD	30/11/2019
ENGINEER	BD	02/12/2019
APPROVED	BGR	02/12/2019
EMPLOYER		
SCALE	1:200, 1:75, 1:50	A1

LARSEN & TOUBRO DRAWING NUMBER: O19045_100_H_G_16123_004 | REVISION: 0
OUTOTEC DRAWING NUMBER: 900707 __GAU01 __ZC01 __MTL01 __31109 | DOCUMENT ID: OU100666773 | REVISION: 0

MANSOURAH - MASSARAH GOLD PROJECT
GENERAL ARRANGEMENT DRAWING
CRUSHING
PRIMARY CRUSHER HOUSE - SECTION

DRAWING NUMBER: MD-216-3110-EG-ME-ELV-1008 | REV: A01

17.1 APPENDIX - B

Isometric View of STAAD Model


Main Middle Portion

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.


This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No **O19045**	Sheet No **1**	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 02-Jan-2020 16:44	



3D Rendered View

Software licensed to LNT ECC DIV	Job No **O19045**	Sheet No **2**	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WALL_	Date/Time 02-Jan-2020 16:44	



3D Rendered View

17.2 APPENDIX - B

Isometric View of STAAD Model


Side Wing Wall Portion

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.


This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Software licensed to LNT ECC DIV	Job No **O19045**	Sheet No **1**	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time	20-Dec-2019 17:21



3D Rendered View

Software licensed to LNT ECC DIV	Job No **O19045**	Sheet No **2**	Rev A02
	Part ROM RETAINING WALL		
Job Title MMGP	Ref		
	By SUE	Date 17-DEC-19	Chd BDA
Client MAADEN	File ROM RETAINING WING	Date/Time	20-Dec-2019 17:21



3D Rendered View

18.1 APPENDIX - C

STAAD Input

Main Middle Portion

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Job Information

	Engineer	Checked	Approved
Name:	SUE	BDA	AG
Date:	17-DEC-19		

Project ID	
Project Name	

Structure Type	SPACE FRAME

Number of Nodes	9395	Highest Node	9395
Number of Elements	78	Highest Beam	177
Number of Plates	9482	Highest Plate	10481

Number of Basic Load Cases	18
Number of Combination Load Cases	0

Included in this printout are data for:

All	The Whole Structure

Included in this printout are results for load cases:

Type	L/C	Name
Primary	1	DEAD LOAD OF STRUCTURE (D_S)
Primary	2	DEAD LOAD OF EARTH (D_E)
Primary	3	LATERIAL EARTH PRESSURE DUE TO E
Primary	4	LIVE LOAD FROM OFF HIGHWAY TRUCI
Primary	5	LIVE LOAD DUE TO SRCHARGE (L_S)
Primary	6	WIND LOAD (W)
Primary	7	SEISMIC LOAD (E)
Primary	8	FREQUENCY CALCULATION
Primary	101	1.0*(D_S+D_E)+1.0*H
Primary	102	1.0*(D_S+D_E)+1.0*(L_D+L_S)+1.0*H
Primary	103	1.0*(D_S+D_E)+1.0*H+0.7*E
Primary	104	0.6*(D_S+D_E)+1.0*H+0.7*E
Primary	105	1.0*D_S+1.0*W
Primary	106	1.0*D_S-1.0*W
Primary	201	1.4*(D_S)
Primary	202	1.4*(D_S+D_E)+1.7*(L_D+L_S)+1.7*H
Primary	203	0.9*(D_S+D_E)+1.0*E+1.6*H
Primary	204	1.2*(D_S+D_E)+1.0*E+0.5*(L_S)

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes

Node	X (m)	Y (m)	Z (m)
1	-1.300	910.000	-7.200
2	-0.800	910.000	-7.200
3	-0.300	910.000	-7.200
4	0	910.000	-7.200
5	0.300	910.000	-7.200
6	1.000	910.000	-7.200
7	1.500	910.000	-7.200
8	2.000	910.000	-7.200
9	2.500	910.000	-7.200
10	3.000	910.000	-7.200
11	3.700	910.000	-7.200
12	4.000	910.000	-7.200
13	4.300	910.000	-7.200
14	5.000	910.000	-7.200
15	5.500	910.000	-7.200
16	6.000	910.000	-7.200
17	6.500	910.000	-7.200
18	7.000	910.000	-7.200
19	7.700	910.000	-7.200
20	8.000	910.000	-7.200
21	8.300	910.000	-7.200
22	9.000	910.000	-7.200
23	9.500	910.000	-7.200
24	10.000	910.000	-7.200
25	10.500	910.000	-7.200
26	11.000	910.000	-7.200
27	11.700	910.000	-7.200
28	12.000	910.000	-7.200
29	12.300	910.000	-7.200
30	13.000	910.000	-7.200
31	13.500	910.000	-7.200
32	14.000	910.000	-7.200
33	14.500	910.000	-7.200
34	15.000	910.000	-7.200
35	15.700	910.000	-7.200
36	16.000	910.000	-7.200
37	16.300	910.000	-7.200
38	17.000	910.000	-7.200
39	17.500	910.000	-7.200
40	18.000	910.000	-7.200
41	18.500	910.000	-7.200
42	19.000	910.000	-7.200
43	19.700	910.000	-7.200
44	20.000	910.000	-7.200
45	20.300	910.000	-7.200
46	21.000	910.000	-7.200
47	21.500	910.000	-7.200
48	22.000	910.000	-7.200
49	22.500	910.000	-7.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
50	23.000	910.000	-7.200
51	23.700	910.000	-7.200
52	24.000	910.000	-7.200
53	24.300	910.000	-7.200
54	25.000	910.000	-7.200
55	25.500	910.000	-7.200
56	26.000	910.000	-7.200
57	26.500	910.000	-7.200
58	27.000	910.000	-7.200
59	27.700	910.000	-7.200
60	28.000	910.000	-7.200
61	28.300	910.000	-7.200
62	29.000	910.000	-7.200
63	29.500	910.000	-7.200
64	30.000	910.000	-7.200
65	30.500	910.000	-7.200
66	31.000	910.000	-7.200
67	31.700	910.000	-7.200
68	32.000	910.000	-7.200
69	32.300	910.000	-7.200
70	33.000	910.000	-7.200
71	33.500	910.000	-7.200
72	34.000	910.000	-7.200
73	34.500	910.000	-7.200
74	35.000	910.000	-7.200
75	35.700	910.000	-7.200
76	36.000	910.000	-7.200
77	36.300	910.000	-7.200
78	36.800	910.000	-7.200
79	37.300	910.000	-7.200
80	-1.300	910.000	-6.750
81	-0.800	910.000	-6.750
82	-0.300	910.000	-6.750
83	0	910.000	-6.750
84	0.300	910.000	-6.750
85	1.000	910.000	-6.750
86	1.500	910.000	-6.750
87	2.000	910.000	-6.750
88	2.500	910.000	-6.750
89	3.000	910.000	-6.750
90	3.700	910.000	-6.750
91	4.000	910.000	-6.750
92	4.300	910.000	-6.750
93	5.000	910.000	-6.750
94	5.500	910.000	-6.750
95	6.000	910.000	-6.750
96	6.500	910.000	-6.750
97	7.000	910.000	-6.750
98	7.700	910.000	-6.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
99	8.000	910.000	-6.750
100	8.300	910.000	-6.750
101	9.000	910.000	-6.750
102	9.500	910.000	-6.750
103	10.000	910.000	-6.750
104	10.500	910.000	-6.750
105	11.000	910.000	-6.750
106	11.700	910.000	-6.750
107	12.000	910.000	-6.750
108	12.300	910.000	-6.750
109	13.000	910.000	-6.750
110	13.500	910.000	-6.750
111	14.000	910.000	-6.750
112	14.500	910.000	-6.750
113	15.000	910.000	-6.750
114	15.700	910.000	-6.750
115	16.000	910.000	-6.750
116	16.300	910.000	-6.750
117	17.000	910.000	-6.750
118	17.500	910.000	-6.750
119	18.000	910.000	-6.750
120	18.500	910.000	-6.750
121	19.000	910.000	-6.750
122	19.700	910.000	-6.750
123	20.000	910.000	-6.750
124	20.300	910.000	-6.750
125	21.000	910.000	-6.750
126	21.500	910.000	-6.750
127	22.000	910.000	-6.750
128	22.500	910.000	-6.750
129	23.000	910.000	-6.750
130	23.700	910.000	-6.750
131	24.000	910.000	-6.750
132	24.300	910.000	-6.750
133	25.000	910.000	-6.750
134	25.500	910.000	-6.750
135	26.000	910.000	-6.750
136	26.500	910.000	-6.750
137	27.000	910.000	-6.750
138	27.700	910.000	-6.750
139	28.000	910.000	-6.750
140	28.300	910.000	-6.750
141	29.000	910.000	-6.750
142	29.500	910.000	-6.750
143	30.000	910.000	-6.750
144	30.500	910.000	-6.750
145	31.000	910.000	-6.750
146	31.700	910.000	-6.750
147	32.000	910.000	-6.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
148	32.300	910.000	-6.750
149	33.000	910.000	-6.750
150	33.500	910.000	-6.750
151	34.000	910.000	-6.750
152	34.500	910.000	-6.750
153	35.000	910.000	-6.750
154	35.700	910.000	-6.750
155	36.000	910.000	-6.750
156	36.300	910.000	-6.750
157	36.800	910.000	-6.750
158	37.300	910.000	-6.750
159	-1.300	910.000	-6.386
160	-0.800	910.000	-6.386
161	-0.300	910.000	-6.386
162	0	910.000	-6.386
163	0.300	910.000	-6.386
164	1.000	910.000	-6.386
165	1.500	910.000	-6.386
166	2.000	910.000	-6.386
167	2.500	910.000	-6.386
168	3.000	910.000	-6.386
169	3.700	910.000	-6.386
170	4.000	910.000	-6.386
171	4.300	910.000	-6.386
172	5.000	910.000	-6.386
173	5.500	910.000	-6.386
174	6.000	910.000	-6.386
175	6.500	910.000	-6.386
176	7.000	910.000	-6.386
177	7.700	910.000	-6.386
178	8.000	910.000	-6.386
179	8.300	910.000	-6.386
180	9.000	910.000	-6.386
181	9.500	910.000	-6.386
182	10.000	910.000	-6.386
183	10.500	910.000	-6.386
184	11.000	910.000	-6.386
185	11.700	910.000	-6.386
186	12.000	910.000	-6.386
187	12.300	910.000	-6.386
188	13.000	910.000	-6.386
189	13.500	910.000	-6.386
190	14.000	910.000	-6.386
191	14.500	910.000	-6.386
192	15.000	910.000	-6.386
193	15.700	910.000	-6.386
194	16.000	910.000	-6.386
195	16.300	910.000	-6.386
196	17.000	910.000	-6.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
197	17.500	910.000	-6.386
198	18.000	910.000	-6.386
199	18.500	910.000	-6.386
200	19.000	910.000	-6.386
201	19.700	910.000	-6.386
202	20.000	910.000	-6.386
203	20.300	910.000	-6.386
204	21.000	910.000	-6.386
205	21.500	910.000	-6.386
206	22.000	910.000	-6.386
207	22.500	910.000	-6.386
208	23.000	910.000	-6.386
209	23.700	910.000	-6.386
210	24.000	910.000	-6.386
211	24.300	910.000	-6.386
212	25.000	910.000	-6.386
213	25.500	910.000	-6.386
214	26.000	910.000	-6.386
215	26.500	910.000	-6.386
216	27.000	910.000	-6.386
217	27.700	910.000	-6.386
218	28.000	910.000	-6.386
219	28.300	910.000	-6.386
220	29.000	910.000	-6.386
221	29.500	910.000	-6.386
222	30.000	910.000	-6.386
223	30.500	910.000	-6.386
224	31.000	910.000	-6.386
225	31.700	910.000	-6.386
226	32.000	910.000	-6.386
227	32.300	910.000	-6.386
228	33.000	910.000	-6.386
229	33.500	910.000	-6.386
230	34.000	910.000	-6.386
231	34.500	910.000	-6.386
232	35.000	910.000	-6.386
233	35.700	910.000	-6.386
234	36.000	910.000	-6.386
235	36.300	910.000	-6.386
236	36.800	910.000	-6.386
237	37.300	910.000	-6.386
238	-1.300	910.000	-6.023
239	-0.800	910.000	-6.023
240	-0.300	910.000	-6.023
241	0	910.000	-6.023
242	0.300	910.000	-6.023
243	1.000	910.000	-6.023
244	1.500	910.000	-6.023
245	2.000	910.000	-6.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
246	2.500	910.000	-6.023
247	3.000	910.000	-6.023
248	3.700	910.000	-6.023
249	4.000	910.000	-6.023
250	4.300	910.000	-6.023
251	5.000	910.000	-6.023
252	5.500	910.000	-6.023
253	6.000	910.000	-6.023
254	6.500	910.000	-6.023
255	7.000	910.000	-6.023
256	7.700	910.000	-6.023
257	8.000	910.000	-6.023
258	8.300	910.000	-6.023
259	9.000	910.000	-6.023
260	9.500	910.000	-6.023
261	10.000	910.000	-6.023
262	10.500	910.000	-6.023
263	11.000	910.000	-6.023
264	11.700	910.000	-6.023
265	12.000	910.000	-6.023
266	12.300	910.000	-6.023
267	13.000	910.000	-6.023
268	13.500	910.000	-6.023
269	14.000	910.000	-6.023
270	14.500	910.000	-6.023
271	15.000	910.000	-6.023
272	15.700	910.000	-6.023
273	16.000	910.000	-6.023
274	16.300	910.000	-6.023
275	17.000	910.000	-6.023
276	17.500	910.000	-6.023
277	18.000	910.000	-6.023
278	18.500	910.000	-6.023
279	19.000	910.000	-6.023
280	19.700	910.000	-6.023
281	20.000	910.000	-6.023
282	20.300	910.000	-6.023
283	21.000	910.000	-6.023
284	21.500	910.000	-6.023
285	22.000	910.000	-6.023
286	22.500	910.000	-6.023
287	23.000	910.000	-6.023
288	23.700	910.000	-6.023
289	24.000	910.000	-6.023
290	24.300	910.000	-6.023
291	25.000	910.000	-6.023
292	25.500	910.000	-6.023
293	26.000	910.000	-6.023
294	26.500	910.000	-6.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
295	27.000	910.000	-6.023
296	27.700	910.000	-6.023
297	28.000	910.000	-6.023
298	28.300	910.000	-6.023
299	29.000	910.000	-6.023
300	29.500	910.000	-6.023
301	30.000	910.000	-6.023
302	30.500	910.000	-6.023
303	31.000	910.000	-6.023
304	31.700	910.000	-6.023
305	32.000	910.000	-6.023
306	32.300	910.000	-6.023
307	33.000	910.000	-6.023
308	33.500	910.000	-6.023
309	34.000	910.000	-6.023
310	34.500	910.000	-6.023
311	35.000	910.000	-6.023
312	35.700	910.000	-6.023
313	36.000	910.000	-6.023
314	36.300	910.000	-6.023
315	36.800	910.000	-6.023
316	37.300	910.000	-6.023
317	-1.300	910.000	-5.659
318	-0.800	910.000	-5.659
319	-0.300	910.000	-5.659
320	0	910.000	-5.659
321	0.300	910.000	-5.659
322	1.000	910.000	-5.659
323	1.500	910.000	-5.659
324	2.000	910.000	-5.659
325	2.500	910.000	-5.659
326	3.000	910.000	-5.659
327	3.700	910.000	-5.659
328	4.000	910.000	-5.659
329	4.300	910.000	-5.659
330	5.000	910.000	-5.659
331	5.500	910.000	-5.659
332	6.000	910.000	-5.659
333	6.500	910.000	-5.659
334	7.000	910.000	-5.659
335	7.700	910.000	-5.659
336	8.000	910.000	-5.659
337	8.300	910.000	-5.659
338	9.000	910.000	-5.659
339	9.500	910.000	-5.659
340	10.000	910.000	-5.659
341	10.500	910.000	-5.659
342	11.000	910.000	-5.659
343	11.700	910.000	-5.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
344	12.000	910.000	-5.659
345	12.300	910.000	-5.659
346	13.000	910.000	-5.659
347	13.500	910.000	-5.659
348	14.000	910.000	-5.659
349	14.500	910.000	-5.659
350	15.000	910.000	-5.659
351	15.700	910.000	-5.659
352	16.000	910.000	-5.659
353	16.300	910.000	-5.659
354	17.000	910.000	-5.659
355	17.500	910.000	-5.659
356	18.000	910.000	-5.659
357	18.500	910.000	-5.659
358	19.000	910.000	-5.659
359	19.700	910.000	-5.659
360	20.000	910.000	-5.659
361	20.300	910.000	-5.659
362	21.000	910.000	-5.659
363	21.500	910.000	-5.659
364	22.000	910.000	-5.659
365	22.500	910.000	-5.659
366	23.000	910.000	-5.659
367	23.700	910.000	-5.659
368	24.000	910.000	-5.659
369	24.300	910.000	-5.659
370	25.000	910.000	-5.659
371	25.500	910.000	-5.659
372	26.000	910.000	-5.659
373	26.500	910.000	-5.659
374	27.000	910.000	-5.659
375	27.700	910.000	-5.659
376	28.000	910.000	-5.659
377	28.300	910.000	-5.659
378	29.000	910.000	-5.659
379	29.500	910.000	-5.659
380	30.000	910.000	-5.659
381	30.500	910.000	-5.659
382	31.000	910.000	-5.659
383	31.700	910.000	-5.659
384	32.000	910.000	-5.659
385	32.300	910.000	-5.659
386	33.000	910.000	-5.659
387	33.500	910.000	-5.659
388	34.000	910.000	-5.659
389	34.500	910.000	-5.659
390	35.000	910.000	-5.659
391	35.700	910.000	-5.659
392	36.000	910.000	-5.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
393	36.300	910.000	-5.659
394	36.800	910.000	-5.659
395	37.300	910.000	-5.659
396	-1.300	910.000	-5.295
397	-0.800	910.000	-5.295
398	-0.300	910.000	-5.295
399	0	910.000	-5.295
400	0.300	910.000	-5.295
401	1.000	910.000	-5.295
402	1.500	910.000	-5.295
403	2.000	910.000	-5.295
404	2.500	910.000	-5.295
405	3.000	910.000	-5.295
406	3.700	910.000	-5.295
407	4.000	910.000	-5.295
408	4.300	910.000	-5.295
409	5.000	910.000	-5.295
410	5.500	910.000	-5.295
411	6.000	910.000	-5.295
412	6.500	910.000	-5.295
413	7.000	910.000	-5.295
414	7.700	910.000	-5.295
415	8.000	910.000	-5.295
416	8.300	910.000	-5.295
417	9.000	910.000	-5.295
418	9.500	910.000	-5.295
419	10.000	910.000	-5.295
420	10.500	910.000	-5.295
421	11.000	910.000	-5.295
422	11.700	910.000	-5.295
423	12.000	910.000	-5.295
424	12.300	910.000	-5.295
425	13.000	910.000	-5.295
426	13.500	910.000	-5.295
427	14.000	910.000	-5.295
428	14.500	910.000	-5.295
429	15.000	910.000	-5.295
430	15.700	910.000	-5.295
431	16.000	910.000	-5.295
432	16.300	910.000	-5.295
433	17.000	910.000	-5.295
434	17.500	910.000	-5.295
435	18.000	910.000	-5.295
436	18.500	910.000	-5.295
437	19.000	910.000	-5.295
438	19.700	910.000	-5.295
439	20.000	910.000	-5.295
440	20.300	910.000	-5.295
441	21.000	910.000	-5.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
442	21.500	910.000	-5.295
443	22.000	910.000	-5.295
444	22.500	910.000	-5.295
445	23.000	910.000	-5.295
446	23.700	910.000	-5.295
447	24.000	910.000	-5.295
448	24.300	910.000	-5.295
449	25.000	910.000	-5.295
450	25.500	910.000	-5.295
451	26.000	910.000	-5.295
452	26.500	910.000	-5.295
453	27.000	910.000	-5.295
454	27.700	910.000	-5.295
455	28.000	910.000	-5.295
456	28.300	910.000	-5.295
457	29.000	910.000	-5.295
458	29.500	910.000	-5.295
459	30.000	910.000	-5.295
460	30.500	910.000	-5.295
461	31.000	910.000	-5.295
462	31.700	910.000	-5.295
463	32.000	910.000	-5.295
464	32.300	910.000	-5.295
465	33.000	910.000	-5.295
466	33.500	910.000	-5.295
467	34.000	910.000	-5.295
468	34.500	910.000	-5.295
469	35.000	910.000	-5.295
470	35.700	910.000	-5.295
471	36.000	910.000	-5.295
472	36.300	910.000	-5.295
473	36.800	910.000	-5.295
474	37.300	910.000	-5.295
475	-1.300	910.000	-4.932
476	-0.800	910.000	-4.932
477	-0.300	910.000	-4.932
478	0	910.000	-4.932
479	0.300	910.000	-4.932
480	1.000	910.000	-4.932
481	1.500	910.000	-4.932
482	2.000	910.000	-4.932
483	2.500	910.000	-4.932
484	3.000	910.000	-4.932
485	3.700	910.000	-4.932
486	4.000	910.000	-4.932
487	4.300	910.000	-4.932
488	5.000	910.000	-4.932
489	5.500	910.000	-4.932
490	6.000	910.000	-4.932

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
491	6.500	910.000	-4.932
492	7.000	910.000	-4.932
493	7.700	910.000	-4.932
494	8.000	910.000	-4.932
495	8.300	910.000	-4.932
496	9.000	910.000	-4.932
497	9.500	910.000	-4.932
498	10.000	910.000	-4.932
499	10.500	910.000	-4.932
500	11.000	910.000	-4.932
501	11.700	910.000	-4.932
502	12.000	910.000	-4.932
503	12.300	910.000	-4.932
504	13.000	910.000	-4.932
505	13.500	910.000	-4.932
506	14.000	910.000	-4.932
507	14.500	910.000	-4.932
508	15.000	910.000	-4.932
509	15.700	910.000	-4.932
510	16.000	910.000	-4.932
511	16.300	910.000	-4.932
512	17.000	910.000	-4.932
513	17.500	910.000	-4.932
514	18.000	910.000	-4.932
515	18.500	910.000	-4.932
516	19.000	910.000	-4.932
517	19.700	910.000	-4.932
518	20.000	910.000	-4.932
519	20.300	910.000	-4.932
520	21.000	910.000	-4.932
521	21.500	910.000	-4.932
522	22.000	910.000	-4.932
523	22.500	910.000	-4.932
524	23.000	910.000	-4.932
525	23.700	910.000	-4.932
526	24.000	910.000	-4.932
527	24.300	910.000	-4.932
528	25.000	910.000	-4.932
529	25.500	910.000	-4.932
530	26.000	910.000	-4.932
531	26.500	910.000	-4.932
532	27.000	910.000	-4.932
533	27.700	910.000	-4.932
534	28.000	910.000	-4.932
535	28.300	910.000	-4.932
536	29.000	910.000	-4.932
537	29.500	910.000	-4.932
538	30.000	910.000	-4.932
539	30.500	910.000	-4.932

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
540	31.000	910.000	-4.932
541	31.700	910.000	-4.932
542	32.000	910.000	-4.932
543	32.300	910.000	-4.932
544	33.000	910.000	-4.932
545	33.500	910.000	-4.932
546	34.000	910.000	-4.932
547	34.500	910.000	-4.932
548	35.000	910.000	-4.932
549	35.700	910.000	-4.932
550	36.000	910.000	-4.932
551	36.300	910.000	-4.932
552	36.800	910.000	-4.932
553	37.300	910.000	-4.932
554	-1.300	910.000	-4.568
555	-0.800	910.000	-4.568
556	-0.300	910.000	-4.568
557	0	910.000	-4.568
558	0.300	910.000	-4.568
559	1.000	910.000	-4.568
560	1.500	910.000	-4.568
561	2.000	910.000	-4.568
562	2.500	910.000	-4.568
563	3.000	910.000	-4.568
564	3.700	910.000	-4.568
565	4.000	910.000	-4.568
566	4.300	910.000	-4.568
567	5.000	910.000	-4.568
568	5.500	910.000	-4.568
569	6.000	910.000	-4.568
570	6.500	910.000	-4.568
571	7.000	910.000	-4.568
572	7.700	910.000	-4.568
573	8.000	910.000	-4.568
574	8.300	910.000	-4.568
575	9.000	910.000	-4.568
576	9.500	910.000	-4.568
577	10.000	910.000	-4.568
578	10.500	910.000	-4.568
579	11.000	910.000	-4.568
580	11.700	910.000	-4.568
581	12.000	910.000	-4.568
582	12.300	910.000	-4.568
583	13.000	910.000	-4.568
584	13.500	910.000	-4.568
585	14.000	910.000	-4.568
586	14.500	910.000	-4.568
587	15.000	910.000	-4.568
588	15.700	910.000	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
589	16.000	910.000	-4.568
590	16.300	910.000	-4.568
591	17.000	910.000	-4.568
592	17.500	910.000	-4.568
593	18.000	910.000	-4.568
594	18.500	910.000	-4.568
595	19.000	910.000	-4.568
596	19.700	910.000	-4.568
597	20.000	910.000	-4.568
598	20.300	910.000	-4.568
599	21.000	910.000	-4.568
600	21.500	910.000	-4.568
601	22.000	910.000	-4.568
602	22.500	910.000	-4.568
603	23.000	910.000	-4.568
604	23.700	910.000	-4.568
605	24.000	910.000	-4.568
606	24.300	910.000	-4.568
607	25.000	910.000	-4.568
608	25.500	910.000	-4.568
609	26.000	910.000	-4.568
610	26.500	910.000	-4.568
611	27.000	910.000	-4.568
612	27.700	910.000	-4.568
613	28.000	910.000	-4.568
614	28.300	910.000	-4.568
615	29.000	910.000	-4.568
616	29.500	910.000	-4.568
617	30.000	910.000	-4.568
618	30.500	910.000	-4.568
619	31.000	910.000	-4.568
620	31.700	910.000	-4.568
621	32.000	910.000	-4.568
622	32.300	910.000	-4.568
623	33.000	910.000	-4.568
624	33.500	910.000	-4.568
625	34.000	910.000	-4.568
626	34.500	910.000	-4.568
627	35.000	910.000	-4.568
628	35.700	910.000	-4.568
629	36.000	910.000	-4.568
630	36.300	910.000	-4.568
631	36.800	910.000	-4.568
632	37.300	910.000	-4.568
633	-1.300	910.000	-4.205
634	-0.800	910.000	-4.205
635	-0.300	910.000	-4.205
636	0	910.000	-4.205
637	0.300	910.000	-4.205

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
638	1.000	910.000	-4.205
639	1.500	910.000	-4.205
640	2.000	910.000	-4.205
641	2.500	910.000	-4.205
642	3.000	910.000	-4.205
643	3.700	910.000	-4.205
644	4.000	910.000	-4.205
645	4.300	910.000	-4.205
646	5.000	910.000	-4.205
647	5.500	910.000	-4.205
648	6.000	910.000	-4.205
649	6.500	910.000	-4.205
650	7.000	910.000	-4.205
651	7.700	910.000	-4.205
652	8.000	910.000	-4.205
653	8.300	910.000	-4.205
654	9.000	910.000	-4.205
655	9.500	910.000	-4.205
656	10.000	910.000	-4.205
657	10.500	910.000	-4.205
658	11.000	910.000	-4.205
659	11.700	910.000	-4.205
660	12.000	910.000	-4.205
661	12.300	910.000	-4.205
662	13.000	910.000	-4.205
663	13.500	910.000	-4.205
664	14.000	910.000	-4.205
665	14.500	910.000	-4.205
666	15.000	910.000	-4.205
667	15.700	910.000	-4.205
668	16.000	910.000	-4.205
669	16.300	910.000	-4.205
670	17.000	910.000	-4.205
671	17.500	910.000	-4.205
672	18.000	910.000	-4.205
673	18.500	910.000	-4.205
674	19.000	910.000	-4.205
675	19.700	910.000	-4.205
676	20.000	910.000	-4.205
677	20.300	910.000	-4.205
678	21.000	910.000	-4.205
679	21.500	910.000	-4.205
680	22.000	910.000	-4.205
681	22.500	910.000	-4.205
682	23.000	910.000	-4.205
683	23.700	910.000	-4.205
684	24.000	910.000	-4.205
685	24.300	910.000	-4.205
686	25.000	910.000	-4.205

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
687	25.500	910.000	-4.205
688	26.000	910.000	-4.205
689	26.500	910.000	-4.205
690	27.000	910.000	-4.205
691	27.700	910.000	-4.205
692	28.000	910.000	-4.205
693	28.300	910.000	-4.205
694	29.000	910.000	-4.205
695	29.500	910.000	-4.205
696	30.000	910.000	-4.205
697	30.500	910.000	-4.205
698	31.000	910.000	-4.205
699	31.700	910.000	-4.205
700	32.000	910.000	-4.205
701	32.300	910.000	-4.205
702	33.000	910.000	-4.205
703	33.500	910.000	-4.205
704	34.000	910.000	-4.205
705	34.500	910.000	-4.205
706	35.000	910.000	-4.205
707	35.700	910.000	-4.205
708	36.000	910.000	-4.205
709	36.300	910.000	-4.205
710	36.800	910.000	-4.205
711	37.300	910.000	-4.205
712	-1.300	910.000	-3.841
713	-0.800	910.000	-3.841
714	-0.300	910.000	-3.841
715	0	910.000	-3.841
716	0.300	910.000	-3.841
717	1.000	910.000	-3.841
718	1.500	910.000	-3.841
719	2.000	910.000	-3.841
720	2.500	910.000	-3.841
721	3.000	910.000	-3.841
722	3.700	910.000	-3.841
723	4.000	910.000	-3.841
724	4.300	910.000	-3.841
725	5.000	910.000	-3.841
726	5.500	910.000	-3.841
727	6.000	910.000	-3.841
728	6.500	910.000	-3.841
729	7.000	910.000	-3.841
730	7.700	910.000	-3.841
731	8.000	910.000	-3.841
732	8.300	910.000	-3.841
733	9.000	910.000	-3.841
734	9.500	910.000	-3.841
735	10.000	910.000	-3.841

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
736	10.500	910.000	-3.841
737	11.000	910.000	-3.841
738	11.700	910.000	-3.841
739	12.000	910.000	-3.841
740	12.300	910.000	-3.841
741	13.000	910.000	-3.841
742	13.500	910.000	-3.841
743	14.000	910.000	-3.841
744	14.500	910.000	-3.841
745	15.000	910.000	-3.841
746	15.700	910.000	-3.841
747	16.000	910.000	-3.841
748	16.300	910.000	-3.841
749	17.000	910.000	-3.841
750	17.500	910.000	-3.841
751	18.000	910.000	-3.841
752	18.500	910.000	-3.841
753	19.000	910.000	-3.841
754	19.700	910.000	-3.841
755	20.000	910.000	-3.841
756	20.300	910.000	-3.841
757	21.000	910.000	-3.841
758	21.500	910.000	-3.841
759	22.000	910.000	-3.841
760	22.500	910.000	-3.841
761	23.000	910.000	-3.841
762	23.700	910.000	-3.841
763	24.000	910.000	-3.841
764	24.300	910.000	-3.841
765	25.000	910.000	-3.841
766	25.500	910.000	-3.841
767	26.000	910.000	-3.841
768	26.500	910.000	-3.841
769	27.000	910.000	-3.841
770	27.700	910.000	-3.841
771	28.000	910.000	-3.841
772	28.300	910.000	-3.841
773	29.000	910.000	-3.841
774	29.500	910.000	-3.841
775	30.000	910.000	-3.841
776	30.500	910.000	-3.841
777	31.000	910.000	-3.841
778	31.700	910.000	-3.841
779	32.000	910.000	-3.841
780	32.300	910.000	-3.841
781	33.000	910.000	-3.841
782	33.500	910.000	-3.841
783	34.000	910.000	-3.841
784	34.500	910.000	-3.841

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
785	35.000	910.000	-3.841
786	35.700	910.000	-3.841
787	36.000	910.000	-3.841
788	36.300	910.000	-3.841
789	36.800	910.000	-3.841
790	37.300	910.000	-3.841
791	-1.300	910.000	-3.477
792	-0.800	910.000	-3.477
793	-0.300	910.000	-3.477
794	0	910.000	-3.477
795	0.300	910.000	-3.477
796	1.000	910.000	-3.477
797	1.500	910.000	-3.477
798	2.000	910.000	-3.477
799	2.500	910.000	-3.477
800	3.000	910.000	-3.477
801	3.700	910.000	-3.477
802	4.000	910.000	-3.477
803	4.300	910.000	-3.477
804	5.000	910.000	-3.477
805	5.500	910.000	-3.477
806	6.000	910.000	-3.477
807	6.500	910.000	-3.477
808	7.000	910.000	-3.477
809	7.700	910.000	-3.477
810	8.000	910.000	-3.477
811	8.300	910.000	-3.477
812	9.000	910.000	-3.477
813	9.500	910.000	-3.477
814	10.000	910.000	-3.477
815	10.500	910.000	-3.477
816	11.000	910.000	-3.477
817	11.700	910.000	-3.477
818	12.000	910.000	-3.477
819	12.300	910.000	-3.477
820	13.000	910.000	-3.477
821	13.500	910.000	-3.477
822	14.000	910.000	-3.477
823	14.500	910.000	-3.477
824	15.000	910.000	-3.477
825	15.700	910.000	-3.477
826	16.000	910.000	-3.477
827	16.300	910.000	-3.477
828	17.000	910.000	-3.477
829	17.500	910.000	-3.477
830	18.000	910.000	-3.477
831	18.500	910.000	-3.477
832	19.000	910.000	-3.477
833	19.700	910.000	-3.477

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
834	20.000	910.000	-3.477
835	20.300	910.000	-3.477
836	21.000	910.000	-3.477
837	21.500	910.000	-3.477
838	22.000	910.000	-3.477
839	22.500	910.000	-3.477
840	23.000	910.000	-3.477
841	23.700	910.000	-3.477
842	24.000	910.000	-3.477
843	24.300	910.000	-3.477
844	25.000	910.000	-3.477
845	25.500	910.000	-3.477
846	26.000	910.000	-3.477
847	26.500	910.000	-3.477
848	27.000	910.000	-3.477
849	27.700	910.000	-3.477
850	28.000	910.000	-3.477
851	28.300	910.000	-3.477
852	29.000	910.000	-3.477
853	29.500	910.000	-3.477
854	30.000	910.000	-3.477
855	30.500	910.000	-3.477
856	31.000	910.000	-3.477
857	31.700	910.000	-3.477
858	32.000	910.000	-3.477
859	32.300	910.000	-3.477
860	33.000	910.000	-3.477
861	33.500	910.000	-3.477
862	34.000	910.000	-3.477
863	34.500	910.000	-3.477
864	35.000	910.000	-3.477
865	35.700	910.000	-3.477
866	36.000	910.000	-3.477
867	36.300	910.000	-3.477
868	36.800	910.000	-3.477
869	37.300	910.000	-3.477
870	-1.300	910.000	-3.114
871	-0.800	910.000	-3.114
872	-0.300	910.000	-3.114
873	0	910.000	-3.114
874	0.300	910.000	-3.114
875	1.000	910.000	-3.114
876	1.500	910.000	-3.114
877	2.000	910.000	-3.114
878	2.500	910.000	-3.114
879	3.000	910.000	-3.114
880	3.700	910.000	-3.114
881	4.000	910.000	-3.114
882	4.300	910.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
883	5.000	910.000	-3.114
884	5.500	910.000	-3.114
885	6.000	910.000	-3.114
886	6.500	910.000	-3.114
887	7.000	910.000	-3.114
888	7.700	910.000	-3.114
889	8.000	910.000	-3.114
890	8.300	910.000	-3.114
891	9.000	910.000	-3.114
892	9.500	910.000	-3.114
893	10.000	910.000	-3.114
894	10.500	910.000	-3.114
895	11.000	910.000	-3.114
896	11.700	910.000	-3.114
897	12.000	910.000	-3.114
898	12.300	910.000	-3.114
899	13.000	910.000	-3.114
900	13.500	910.000	-3.114
901	14.000	910.000	-3.114
902	14.500	910.000	-3.114
903	15.000	910.000	-3.114
904	15.700	910.000	-3.114
905	16.000	910.000	-3.114
906	16.300	910.000	-3.114
907	17.000	910.000	-3.114
908	17.500	910.000	-3.114
909	18.000	910.000	-3.114
910	18.500	910.000	-3.114
911	19.000	910.000	-3.114
912	19.700	910.000	-3.114
913	20.000	910.000	-3.114
914	20.300	910.000	-3.114
915	21.000	910.000	-3.114
916	21.500	910.000	-3.114
917	22.000	910.000	-3.114
918	22.500	910.000	-3.114
919	23.000	910.000	-3.114
920	23.700	910.000	-3.114
921	24.000	910.000	-3.114
922	24.300	910.000	-3.114
923	25.000	910.000	-3.114
924	25.500	910.000	-3.114
925	26.000	910.000	-3.114
926	26.500	910.000	-3.114
927	27.000	910.000	-3.114
928	27.700	910.000	-3.114
929	28.000	910.000	-3.114
930	28.300	910.000	-3.114
931	29.000	910.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
932	29.500	910.000	-3.114
933	30.000	910.000	-3.114
934	30.500	910.000	-3.114
935	31.000	910.000	-3.114
936	31.700	910.000	-3.114
937	32.000	910.000	-3.114
938	32.300	910.000	-3.114
939	33.000	910.000	-3.114
940	33.500	910.000	-3.114
941	34.000	910.000	-3.114
942	34.500	910.000	-3.114
943	35.000	910.000	-3.114
944	35.700	910.000	-3.114
945	36.000	910.000	-3.114
946	36.300	910.000	-3.114
947	36.800	910.000	-3.114
948	37.300	910.000	-3.114
949	-1.300	910.000	-2.750
950	-0.800	910.000	-2.750
951	-0.300	910.000	-2.750
952	0	910.000	-2.750
953	0.300	910.000	-2.750
954	1.000	910.000	-2.750
955	1.500	910.000	-2.750
956	2.000	910.000	-2.750
957	2.500	910.000	-2.750
958	3.000	910.000	-2.750
959	3.700	910.000	-2.750
960	4.000	910.000	-2.750
961	4.300	910.000	-2.750
962	5.000	910.000	-2.750
963	5.500	910.000	-2.750
964	6.000	910.000	-2.750
965	6.500	910.000	-2.750
966	7.000	910.000	-2.750
967	7.700	910.000	-2.750
968	8.000	910.000	-2.750
969	8.300	910.000	-2.750
970	9.000	910.000	-2.750
971	9.500	910.000	-2.750
972	10.000	910.000	-2.750
973	10.500	910.000	-2.750
974	11.000	910.000	-2.750
975	11.700	910.000	-2.750
976	12.000	910.000	-2.750
977	12.300	910.000	-2.750
978	13.000	910.000	-2.750
979	13.500	910.000	-2.750
980	14.000	910.000	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
981	14.500	910.000	-2.750
982	15.000	910.000	-2.750
983	15.700	910.000	-2.750
984	16.000	910.000	-2.750
985	16.300	910.000	-2.750
986	17.000	910.000	-2.750
987	17.500	910.000	-2.750
988	18.000	910.000	-2.750
989	18.500	910.000	-2.750
990	19.000	910.000	-2.750
991	19.700	910.000	-2.750
992	20.000	910.000	-2.750
993	20.300	910.000	-2.750
994	21.000	910.000	-2.750
995	21.500	910.000	-2.750
996	22.000	910.000	-2.750
997	22.500	910.000	-2.750
998	23.000	910.000	-2.750
999	23.700	910.000	-2.750
1000	24.000	910.000	-2.750
1001	24.300	910.000	-2.750
1002	25.000	910.000	-2.750
1003	25.500	910.000	-2.750
1004	26.000	910.000	-2.750
1005	26.500	910.000	-2.750
1006	27.000	910.000	-2.750
1007	27.700	910.000	-2.750
1008	28.000	910.000	-2.750
1009	28.300	910.000	-2.750
1010	29.000	910.000	-2.750
1011	29.500	910.000	-2.750
1012	30.000	910.000	-2.750
1013	30.500	910.000	-2.750
1014	31.000	910.000	-2.750
1015	31.700	910.000	-2.750
1016	32.000	910.000	-2.750
1017	32.300	910.000	-2.750
1018	33.000	910.000	-2.750
1019	33.500	910.000	-2.750
1020	34.000	910.000	-2.750
1021	34.500	910.000	-2.750
1022	35.000	910.000	-2.750
1023	35.700	910.000	-2.750
1024	36.000	910.000	-2.750
1025	36.300	910.000	-2.750
1026	36.800	910.000	-2.750
1027	37.300	910.000	-2.750
1028	-1.300	910.000	-2.386
1029	-0.800	910.000	-2.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1030	-0.300	910.000	-2.386
1031	0	910.000	-2.386
1032	0.300	910.000	-2.386
1033	1.000	910.000	-2.386
1034	1.500	910.000	-2.386
1035	2.000	910.000	-2.386
1036	2.500	910.000	-2.386
1037	3.000	910.000	-2.386
1038	3.700	910.000	-2.386
1039	4.000	910.000	-2.386
1040	4.300	910.000	-2.386
1041	5.000	910.000	-2.386
1042	5.500	910.000	-2.386
1043	6.000	910.000	-2.386
1044	6.500	910.000	-2.386
1045	7.000	910.000	-2.386
1046	7.700	910.000	-2.386
1047	8.000	910.000	-2.386
1048	8.300	910.000	-2.386
1049	9.000	910.000	-2.386
1050	9.500	910.000	-2.386
1051	10.000	910.000	-2.386
1052	10.500	910.000	-2.386
1053	11.000	910.000	-2.386
1054	11.700	910.000	-2.386
1055	12.000	910.000	-2.386
1056	12.300	910.000	-2.386
1057	13.000	910.000	-2.386
1058	13.500	910.000	-2.386
1059	14.000	910.000	-2.386
1060	14.500	910.000	-2.386
1061	15.000	910.000	-2.386
1062	15.700	910.000	-2.386
1063	16.000	910.000	-2.386
1064	16.300	910.000	-2.386
1065	17.000	910.000	-2.386
1066	17.500	910.000	-2.386
1067	18.000	910.000	-2.386
1068	18.500	910.000	-2.386
1069	19.000	910.000	-2.386
1070	19.700	910.000	-2.386
1071	20.000	910.000	-2.386
1072	20.300	910.000	-2.386
1073	21.000	910.000	-2.386
1074	21.500	910.000	-2.386
1075	22.000	910.000	-2.386
1076	22.500	910.000	-2.386
1077	23.000	910.000	-2.386
1078	23.700	910.000	-2.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1079	24.000	910.000	-2.386
1080	24.300	910.000	-2.386
1081	25.000	910.000	-2.386
1082	25.500	910.000	-2.386
1083	26.000	910.000	-2.386
1084	26.500	910.000	-2.386
1085	27.000	910.000	-2.386
1086	27.700	910.000	-2.386
1087	28.000	910.000	-2.386
1088	28.300	910.000	-2.386
1089	29.000	910.000	-2.386
1090	29.500	910.000	-2.386
1091	30.000	910.000	-2.386
1092	30.500	910.000	-2.386
1093	31.000	910.000	-2.386
1094	31.700	910.000	-2.386
1095	32.000	910.000	-2.386
1096	32.300	910.000	-2.386
1097	33.000	910.000	-2.386
1098	33.500	910.000	-2.386
1099	34.000	910.000	-2.386
1100	34.500	910.000	-2.386
1101	35.000	910.000	-2.386
1102	35.700	910.000	-2.386
1103	36.000	910.000	-2.386
1104	36.300	910.000	-2.386
1105	36.800	910.000	-2.386
1106	37.300	910.000	-2.386
1107	-1.300	910.000	-2.023
1108	-0.800	910.000	-2.023
1109	-0.300	910.000	-2.023
1110	0	910.000	-2.023
1111	0.300	910.000	-2.023
1112	1.000	910.000	-2.023
1113	1.500	910.000	-2.023
1114	2.000	910.000	-2.023
1115	2.500	910.000	-2.023
1116	3.000	910.000	-2.023
1117	3.700	910.000	-2.023
1118	4.000	910.000	-2.023
1119	4.300	910.000	-2.023
1120	5.000	910.000	-2.023
1121	5.500	910.000	-2.023
1122	6.000	910.000	-2.023
1123	6.500	910.000	-2.023
1124	7.000	910.000	-2.023
1125	7.700	910.000	-2.023
1126	8.000	910.000	-2.023
1127	8.300	910.000	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1128	9.000	910.000	-2.023
1129	9.500	910.000	-2.023
1130	10.000	910.000	-2.023
1131	10.500	910.000	-2.023
1132	11.000	910.000	-2.023
1133	11.700	910.000	-2.023
1134	12.000	910.000	-2.023
1135	12.300	910.000	-2.023
1136	13.000	910.000	-2.023
1137	13.500	910.000	-2.023
1138	14.000	910.000	-2.023
1139	14.500	910.000	-2.023
1140	15.000	910.000	-2.023
1141	15.700	910.000	-2.023
1142	16.000	910.000	-2.023
1143	16.300	910.000	-2.023
1144	17.000	910.000	-2.023
1145	17.500	910.000	-2.023
1146	18.000	910.000	-2.023
1147	18.500	910.000	-2.023
1148	19.000	910.000	-2.023
1149	19.700	910.000	-2.023
1150	20.000	910.000	-2.023
1151	20.300	910.000	-2.023
1152	21.000	910.000	-2.023
1153	21.500	910.000	-2.023
1154	22.000	910.000	-2.023
1155	22.500	910.000	-2.023
1156	23.000	910.000	-2.023
1157	23.700	910.000	-2.023
1158	24.000	910.000	-2.023
1159	24.300	910.000	-2.023
1160	25.000	910.000	-2.023
1161	25.500	910.000	-2.023
1162	26.000	910.000	-2.023
1163	26.500	910.000	-2.023
1164	27.000	910.000	-2.023
1165	27.700	910.000	-2.023
1166	28.000	910.000	-2.023
1167	28.300	910.000	-2.023
1168	29.000	910.000	-2.023
1169	29.500	910.000	-2.023
1170	30.000	910.000	-2.023
1171	30.500	910.000	-2.023
1172	31.000	910.000	-2.023
1173	31.700	910.000	-2.023
1174	32.000	910.000	-2.023
1175	32.300	910.000	-2.023
1176	33.000	910.000	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1177	33.500	910.000	-2.023
1178	34.000	910.000	-2.023
1179	34.500	910.000	-2.023
1180	35.000	910.000	-2.023
1181	35.700	910.000	-2.023
1182	36.000	910.000	-2.023
1183	36.300	910.000	-2.023
1184	36.800	910.000	-2.023
1185	37.300	910.000	-2.023
1186	-1.300	910.000	-1.659
1187	-0.800	910.000	-1.659
1188	-0.300	910.000	-1.659
1189	0	910.000	-1.659
1190	0.300	910.000	-1.659
1191	1.000	910.000	-1.659
1192	1.500	910.000	-1.659
1193	2.000	910.000	-1.659
1194	2.500	910.000	-1.659
1195	3.000	910.000	-1.659
1196	3.700	910.000	-1.659
1197	4.000	910.000	-1.659
1198	4.300	910.000	-1.659
1199	5.000	910.000	-1.659
1200	5.500	910.000	-1.659
1201	6.000	910.000	-1.659
1202	6.500	910.000	-1.659
1203	7.000	910.000	-1.659
1204	7.700	910.000	-1.659
1205	8.000	910.000	-1.659
1206	8.300	910.000	-1.659
1207	9.000	910.000	-1.659
1208	9.500	910.000	-1.659
1209	10.000	910.000	-1.659
1210	10.500	910.000	-1.659
1211	11.000	910.000	-1.659
1212	11.700	910.000	-1.659
1213	12.000	910.000	-1.659
1214	12.300	910.000	-1.659
1215	13.000	910.000	-1.659
1216	13.500	910.000	-1.659
1217	14.000	910.000	-1.659
1218	14.500	910.000	-1.659
1219	15.000	910.000	-1.659
1220	15.700	910.000	-1.659
1221	16.000	910.000	-1.659
1222	16.300	910.000	-1.659
1223	17.000	910.000	-1.659
1224	17.500	910.000	-1.659
1225	18.000	910.000	-1.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1226	18.500	910.000	-1.659
1227	19.000	910.000	-1.659
1228	19.700	910.000	-1.659
1229	20.000	910.000	-1.659
1230	20.300	910.000	-1.659
1231	21.000	910.000	-1.659
1232	21.500	910.000	-1.659
1233	22.000	910.000	-1.659
1234	22.500	910.000	-1.659
1235	23.000	910.000	-1.659
1236	23.700	910.000	-1.659
1237	24.000	910.000	-1.659
1238	24.300	910.000	-1.659
1239	25.000	910.000	-1.659
1240	25.500	910.000	-1.659
1241	26.000	910.000	-1.659
1242	26.500	910.000	-1.659
1243	27.000	910.000	-1.659
1244	27.700	910.000	-1.659
1245	28.000	910.000	-1.659
1246	28.300	910.000	-1.659
1247	29.000	910.000	-1.659
1248	29.500	910.000	-1.659
1249	30.000	910.000	-1.659
1250	30.500	910.000	-1.659
1251	31.000	910.000	-1.659
1252	31.700	910.000	-1.659
1253	32.000	910.000	-1.659
1254	32.300	910.000	-1.659
1255	33.000	910.000	-1.659
1256	33.500	910.000	-1.659
1257	34.000	910.000	-1.659
1258	34.500	910.000	-1.659
1259	35.000	910.000	-1.659
1260	35.700	910.000	-1.659
1261	36.000	910.000	-1.659
1262	36.300	910.000	-1.659
1263	36.800	910.000	-1.659
1264	37.300	910.000	-1.659
1265	-1.300	910.000	-1.295
1266	-0.800	910.000	-1.295
1267	-0.300	910.000	-1.295
1268	0	910.000	-1.295
1269	0.300	910.000	-1.295
1270	1.000	910.000	-1.295
1271	1.500	910.000	-1.295
1272	2.000	910.000	-1.295
1273	2.500	910.000	-1.295
1274	3.000	910.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1275	3.700	910.000	-1.295
1276	4.000	910.000	-1.295
1277	4.300	910.000	-1.295
1278	5.000	910.000	-1.295
1279	5.500	910.000	-1.295
1280	6.000	910.000	-1.295
1281	6.500	910.000	-1.295
1282	7.000	910.000	-1.295
1283	7.700	910.000	-1.295
1284	8.000	910.000	-1.295
1285	8.300	910.000	-1.295
1286	9.000	910.000	-1.295
1287	9.500	910.000	-1.295
1288	10.000	910.000	-1.295
1289	10.500	910.000	-1.295
1290	11.000	910.000	-1.295
1291	11.700	910.000	-1.295
1292	12.000	910.000	-1.295
1293	12.300	910.000	-1.295
1294	13.000	910.000	-1.295
1295	13.500	910.000	-1.295
1296	14.000	910.000	-1.295
1297	14.500	910.000	-1.295
1298	15.000	910.000	-1.295
1299	15.700	910.000	-1.295
1300	16.000	910.000	-1.295
1301	16.300	910.000	-1.295
1302	17.000	910.000	-1.295
1303	17.500	910.000	-1.295
1304	18.000	910.000	-1.295
1305	18.500	910.000	-1.295
1306	19.000	910.000	-1.295
1307	19.700	910.000	-1.295
1308	20.000	910.000	-1.295
1309	20.300	910.000	-1.295
1310	21.000	910.000	-1.295
1311	21.500	910.000	-1.295
1312	22.000	910.000	-1.295
1313	22.500	910.000	-1.295
1314	23.000	910.000	-1.295
1315	23.700	910.000	-1.295
1316	24.000	910.000	-1.295
1317	24.300	910.000	-1.295
1318	25.000	910.000	-1.295
1319	25.500	910.000	-1.295
1320	26.000	910.000	-1.295
1321	26.500	910.000	-1.295
1322	27.000	910.000	-1.295
1323	27.700	910.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1324	28.000	910.000	-1.295
1325	28.300	910.000	-1.295
1326	29.000	910.000	-1.295
1327	29.500	910.000	-1.295
1328	30.000	910.000	-1.295
1329	30.500	910.000	-1.295
1330	31.000	910.000	-1.295
1331	31.700	910.000	-1.295
1332	32.000	910.000	-1.295
1333	32.300	910.000	-1.295
1334	33.000	910.000	-1.295
1335	33.500	910.000	-1.295
1336	34.000	910.000	-1.295
1337	34.500	910.000	-1.295
1338	35.000	910.000	-1.295
1339	35.700	910.000	-1.295
1340	36.000	910.000	-1.295
1341	36.300	910.000	-1.295
1342	36.800	910.000	-1.295
1343	37.300	910.000	-1.295
1344	-1.300	910.000	-0.750
1345	-0.800	910.000	-0.750
1346	-0.300	910.000	-0.750
1347	0	910.000	-0.750
1348	0.300	910.000	-0.750
1349	1.000	910.000	-0.750
1350	1.500	910.000	-0.750
1351	2.000	910.000	-0.750
1352	2.500	910.000	-0.750
1353	3.000	910.000	-0.750
1354	3.700	910.000	-0.750
1355	4.000	910.000	-0.750
1356	4.300	910.000	-0.750
1357	5.000	910.000	-0.750
1358	5.500	910.000	-0.750
1359	6.000	910.000	-0.750
1360	6.500	910.000	-0.750
1361	7.000	910.000	-0.750
1362	7.700	910.000	-0.750
1363	8.000	910.000	-0.750
1364	8.300	910.000	-0.750
1365	9.000	910.000	-0.750
1366	9.500	910.000	-0.750
1367	10.000	910.000	-0.750
1368	10.500	910.000	-0.750
1369	11.000	910.000	-0.750
1370	11.700	910.000	-0.750
1371	12.000	910.000	-0.750
1372	12.300	910.000	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1373	13.000	910.000	-0.750
1374	13.500	910.000	-0.750
1375	14.000	910.000	-0.750
1376	14.500	910.000	-0.750
1377	15.000	910.000	-0.750
1378	15.700	910.000	-0.750
1379	16.000	910.000	-0.750
1380	16.300	910.000	-0.750
1381	17.000	910.000	-0.750
1382	17.500	910.000	-0.750
1383	18.000	910.000	-0.750
1384	18.500	910.000	-0.750
1385	19.000	910.000	-0.750
1386	19.700	910.000	-0.750
1387	20.000	910.000	-0.750
1388	20.300	910.000	-0.750
1389	21.000	910.000	-0.750
1390	21.500	910.000	-0.750
1391	22.000	910.000	-0.750
1392	22.500	910.000	-0.750
1393	23.000	910.000	-0.750
1394	23.700	910.000	-0.750
1395	24.000	910.000	-0.750
1396	24.300	910.000	-0.750
1397	25.000	910.000	-0.750
1398	25.500	910.000	-0.750
1399	26.000	910.000	-0.750
1400	26.500	910.000	-0.750
1401	27.000	910.000	-0.750
1402	27.700	910.000	-0.750
1403	28.000	910.000	-0.750
1404	28.300	910.000	-0.750
1405	29.000	910.000	-0.750
1406	29.500	910.000	-0.750
1407	30.000	910.000	-0.750
1408	30.500	910.000	-0.750
1409	31.000	910.000	-0.750
1410	31.700	910.000	-0.750
1411	32.000	910.000	-0.750
1412	32.300	910.000	-0.750
1413	33.000	910.000	-0.750
1414	33.500	910.000	-0.750
1415	34.000	910.000	-0.750
1416	34.500	910.000	-0.750
1417	35.000	910.000	-0.750
1418	35.700	910.000	-0.750
1419	36.000	910.000	-0.750
1420	36.300	910.000	-0.750
1421	36.800	910.000	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1422	37.300	910.000	-0.750
1423	-1.300	910.000	-0.200
1424	-0.800	910.000	-0.200
1425	-0.300	910.000	-0.200
1426	0	910.000	-0.200
1427	0.300	910.000	-0.200
1428	1.000	910.000	-0.200
1429	1.500	910.000	-0.200
1430	2.000	910.000	-0.200
1431	2.500	910.000	-0.200
1432	3.000	910.000	-0.200
1433	3.700	910.000	-0.200
1434	4.000	910.000	-0.200
1435	4.300	910.000	-0.200
1436	5.000	910.000	-0.200
1437	5.500	910.000	-0.200
1438	6.000	910.000	-0.200
1439	6.500	910.000	-0.200
1440	7.000	910.000	-0.200
1441	7.700	910.000	-0.200
1442	8.000	910.000	-0.200
1443	8.300	910.000	-0.200
1444	9.000	910.000	-0.200
1445	9.500	910.000	-0.200
1446	10.000	910.000	-0.200
1447	10.500	910.000	-0.200
1448	11.000	910.000	-0.200
1449	11.700	910.000	-0.200
1450	12.000	910.000	-0.200
1451	12.300	910.000	-0.200
1452	13.000	910.000	-0.200
1453	13.500	910.000	-0.200
1454	14.000	910.000	-0.200
1455	14.500	910.000	-0.200
1456	15.000	910.000	-0.200
1457	15.700	910.000	-0.200
1458	16.000	910.000	-0.200
1459	16.300	910.000	-0.200
1460	17.000	910.000	-0.200
1461	17.500	910.000	-0.200
1462	18.000	910.000	-0.200
1463	18.500	910.000	-0.200
1464	19.000	910.000	-0.200
1465	19.700	910.000	-0.200
1466	20.000	910.000	-0.200
1467	20.300	910.000	-0.200
1468	21.000	910.000	-0.200
1469	21.500	910.000	-0.200
1470	22.000	910.000	-0.200

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1471	22.500	910.000	-0.200
1472	23.000	910.000	-0.200
1473	23.700	910.000	-0.200
1474	24.000	910.000	-0.200
1475	24.300	910.000	-0.200
1476	25.000	910.000	-0.200
1477	25.500	910.000	-0.200
1478	26.000	910.000	-0.200
1479	26.500	910.000	-0.200
1480	27.000	910.000	-0.200
1481	27.700	910.000	-0.200
1482	28.000	910.000	-0.200
1483	28.300	910.000	-0.200
1484	29.000	910.000	-0.200
1485	29.500	910.000	-0.200
1486	30.000	910.000	-0.200
1487	30.500	910.000	-0.200
1488	31.000	910.000	-0.200
1489	31.700	910.000	-0.200
1490	32.000	910.000	-0.200
1491	32.300	910.000	-0.200
1492	33.000	910.000	-0.200
1493	33.500	910.000	-0.200
1494	34.000	910.000	-0.200
1495	34.500	910.000	-0.200
1496	35.000	910.000	-0.200
1497	35.700	910.000	-0.200
1498	36.000	910.000	-0.200
1499	36.300	910.000	-0.200
1500	36.800	910.000	-0.200
1501	37.300	910.000	-0.200
1502	-1.300	910.000	0
1503	-0.800	910.000	0
1504	-0.300	910.000	0
1505	0	910.000	0
1506	0.300	910.000	0
1507	1.000	910.000	0
1508	1.500	910.000	0
1509	2.000	910.000	0
1510	2.500	910.000	0
1511	3.000	910.000	0
1512	3.700	910.000	0
1513	4.000	910.000	0
1514	4.300	910.000	0
1515	5.000	910.000	0
1516	5.500	910.000	0
1517	6.000	910.000	0
1518	6.500	910.000	0
1519	7.000	910.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1520	7.700	910.000	0
1521	8.000	910.000	0
1522	8.300	910.000	0
1523	9.000	910.000	0
1524	9.500	910.000	0
1525	10.000	910.000	0
1526	10.500	910.000	0
1527	11.000	910.000	0
1528	11.700	910.000	0
1529	12.000	910.000	0
1530	12.300	910.000	0
1531	13.000	910.000	0
1532	13.500	910.000	0
1533	14.000	910.000	0
1534	14.500	910.000	0
1535	15.000	910.000	0
1536	15.700	910.000	0
1537	16.000	910.000	0
1538	16.300	910.000	0
1539	17.000	910.000	0
1540	17.500	910.000	0
1541	18.000	910.000	0
1542	18.500	910.000	0
1543	19.000	910.000	0
1544	19.700	910.000	0
1545	20.000	910.000	0
1546	20.300	910.000	0
1547	21.000	910.000	0
1548	21.500	910.000	0
1549	22.000	910.000	0
1550	22.500	910.000	0
1551	23.000	910.000	0
1552	23.700	910.000	0
1553	24.000	910.000	0
1554	24.300	910.000	0
1555	25.000	910.000	0
1556	25.500	910.000	0
1557	26.000	910.000	0
1558	26.500	910.000	0
1559	27.000	910.000	0
1560	27.700	910.000	0
1561	28.000	910.000	0
1562	28.300	910.000	0
1563	29.000	910.000	0
1564	29.500	910.000	0
1565	30.000	910.000	0
1566	30.500	910.000	0
1567	31.000	910.000	0
1568	31.700	910.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1569	32.000	910.000	0
1570	32.300	910.000	0
1571	33.000	910.000	0
1572	33.500	910.000	0
1573	34.000	910.000	0
1574	34.500	910.000	0
1575	35.000	910.000	0
1576	35.700	910.000	0
1577	36.000	910.000	0
1578	36.300	910.000	0
1579	36.800	910.000	0
1580	37.300	910.000	0
1581	-1.300	910.000	0.200
1582	-0.800	910.000	0.200
1583	-0.300	910.000	0.200
1584	0	910.000	0.200
1585	0.300	910.000	0.200
1586	1.000	910.000	0.200
1587	1.500	910.000	0.200
1588	2.000	910.000	0.200
1589	2.500	910.000	0.200
1590	3.000	910.000	0.200
1591	3.700	910.000	0.200
1592	4.000	910.000	0.200
1593	4.300	910.000	0.200
1594	5.000	910.000	0.200
1595	5.500	910.000	0.200
1596	6.000	910.000	0.200
1597	6.500	910.000	0.200
1598	7.000	910.000	0.200
1599	7.700	910.000	0.200
1600	8.000	910.000	0.200
1601	8.300	910.000	0.200
1602	9.000	910.000	0.200
1603	9.500	910.000	0.200
1604	10.000	910.000	0.200
1605	10.500	910.000	0.200
1606	11.000	910.000	0.200
1607	11.700	910.000	0.200
1608	12.000	910.000	0.200
1609	12.300	910.000	0.200
1610	13.000	910.000	0.200
1611	13.500	910.000	0.200
1612	14.000	910.000	0.200
1613	14.500	910.000	0.200
1614	15.000	910.000	0.200
1615	15.700	910.000	0.200
1616	16.000	910.000	0.200
1617	16.300	910.000	0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1618	17.000	910.000	0.200
1619	17.500	910.000	0.200
1620	18.000	910.000	0.200
1621	18.500	910.000	0.200
1622	19.000	910.000	0.200
1623	19.700	910.000	0.200
1624	20.000	910.000	0.200
1625	20.300	910.000	0.200
1626	21.000	910.000	0.200
1627	21.500	910.000	0.200
1628	22.000	910.000	0.200
1629	22.500	910.000	0.200
1630	23.000	910.000	0.200
1631	23.700	910.000	0.200
1632	24.000	910.000	0.200
1633	24.300	910.000	0.200
1634	25.000	910.000	0.200
1635	25.500	910.000	0.200
1636	26.000	910.000	0.200
1637	26.500	910.000	0.200
1638	27.000	910.000	0.200
1639	27.700	910.000	0.200
1640	28.000	910.000	0.200
1641	28.300	910.000	0.200
1642	29.000	910.000	0.200
1643	29.500	910.000	0.200
1644	30.000	910.000	0.200
1645	30.500	910.000	0.200
1646	31.000	910.000	0.200
1647	31.700	910.000	0.200
1648	32.000	910.000	0.200
1649	32.300	910.000	0.200
1650	33.000	910.000	0.200
1651	33.500	910.000	0.200
1652	34.000	910.000	0.200
1653	34.500	910.000	0.200
1654	35.000	910.000	0.200
1655	35.700	910.000	0.200
1656	36.000	910.000	0.200
1657	36.300	910.000	0.200
1658	36.800	910.000	0.200
1659	37.300	910.000	0.200
1660	-1.300	910.000	0.900
1661	-0.800	910.000	0.900
1662	-0.300	910.000	0.900
1663	0	910.000	0.900
1664	0.300	910.000	0.900
1665	1.000	910.000	0.900
1666	1.500	910.000	0.900

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1667	2.000	910.000	0.900
1668	2.500	910.000	0.900
1669	3.000	910.000	0.900
1670	3.700	910.000	0.900
1671	4.000	910.000	0.900
1672	4.300	910.000	0.900
1673	5.000	910.000	0.900
1674	5.500	910.000	0.900
1675	6.000	910.000	0.900
1676	6.500	910.000	0.900
1677	7.000	910.000	0.900
1678	7.700	910.000	0.900
1679	8.000	910.000	0.900
1680	8.300	910.000	0.900
1681	9.000	910.000	0.900
1682	9.500	910.000	0.900
1683	10.000	910.000	0.900
1684	10.500	910.000	0.900
1685	11.000	910.000	0.900
1686	11.700	910.000	0.900
1687	12.000	910.000	0.900
1688	12.300	910.000	0.900
1689	13.000	910.000	0.900
1690	13.500	910.000	0.900
1691	14.000	910.000	0.900
1692	14.500	910.000	0.900
1693	15.000	910.000	0.900
1694	15.700	910.000	0.900
1695	16.000	910.000	0.900
1696	16.300	910.000	0.900
1697	17.000	910.000	0.900
1698	17.500	910.000	0.900
1699	18.000	910.000	0.900
1700	18.500	910.000	0.900
1701	19.000	910.000	0.900
1702	19.700	910.000	0.900
1703	20.000	910.000	0.900
1704	20.300	910.000	0.900
1705	21.000	910.000	0.900
1706	21.500	910.000	0.900
1707	22.000	910.000	0.900
1708	22.500	910.000	0.900
1709	23.000	910.000	0.900
1710	23.700	910.000	0.900
1711	24.000	910.000	0.900
1712	24.300	910.000	0.900
1713	25.000	910.000	0.900
1714	25.500	910.000	0.900
1715	26.000	910.000	0.900

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1716	26.500	910.000	0.900
1717	27.000	910.000	0.900
1718	27.700	910.000	0.900
1719	28.000	910.000	0.900
1720	28.300	910.000	0.900
1721	29.000	910.000	0.900
1722	29.500	910.000	0.900
1723	30.000	910.000	0.900
1724	30.500	910.000	0.900
1725	31.000	910.000	0.900
1726	31.700	910.000	0.900
1727	32.000	910.000	0.900
1728	32.300	910.000	0.900
1729	33.000	910.000	0.900
1730	33.500	910.000	0.900
1731	34.000	910.000	0.900
1732	34.500	910.000	0.900
1733	35.000	910.000	0.900
1734	35.700	910.000	0.900
1735	36.000	910.000	0.900
1736	36.300	910.000	0.900
1737	36.800	910.000	0.900
1738	37.300	910.000	0.900
1739	-1.300	910.000	1.300
1740	-0.800	910.000	1.300
1741	-0.300	910.000	1.300
1742	0	910.000	1.300
1743	0.300	910.000	1.300
1744	1.000	910.000	1.300
1745	1.500	910.000	1.300
1746	2.000	910.000	1.300
1747	2.500	910.000	1.300
1748	3.000	910.000	1.300
1749	3.700	910.000	1.300
1750	4.000	910.000	1.300
1751	4.300	910.000	1.300
1752	5.000	910.000	1.300
1753	5.500	910.000	1.300
1754	6.000	910.000	1.300
1755	6.500	910.000	1.300
1756	7.000	910.000	1.300
1757	7.700	910.000	1.300
1758	8.000	910.000	1.300
1759	8.300	910.000	1.300
1760	9.000	910.000	1.300
1761	9.500	910.000	1.300
1762	10.000	910.000	1.300
1763	10.500	910.000	1.300
1764	11.000	910.000	1.300

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1765	11.700	910.000	1.300
1766	12.000	910.000	1.300
1767	12.300	910.000	1.300
1768	13.000	910.000	1.300
1769	13.500	910.000	1.300
1770	14.000	910.000	1.300
1771	14.500	910.000	1.300
1772	15.000	910.000	1.300
1773	15.700	910.000	1.300
1774	16.000	910.000	1.300
1775	16.300	910.000	1.300
1776	17.000	910.000	1.300
1777	17.500	910.000	1.300
1778	18.000	910.000	1.300
1779	18.500	910.000	1.300
1780	19.000	910.000	1.300
1781	19.700	910.000	1.300
1782	20.000	910.000	1.300
1783	20.300	910.000	1.300
1784	21.000	910.000	1.300
1785	21.500	910.000	1.300
1786	22.000	910.000	1.300
1787	22.500	910.000	1.300
1788	23.000	910.000	1.300
1789	23.700	910.000	1.300
1790	24.000	910.000	1.300
1791	24.300	910.000	1.300
1792	25.000	910.000	1.300
1793	25.500	910.000	1.300
1794	26.000	910.000	1.300
1795	26.500	910.000	1.300
1796	27.000	910.000	1.300
1797	27.700	910.000	1.300
1798	28.000	910.000	1.300
1799	28.300	910.000	1.300
1800	29.000	910.000	1.300
1801	29.500	910.000	1.300
1802	30.000	910.000	1.300
1803	30.500	910.000	1.300
1804	31.000	910.000	1.300
1805	31.700	910.000	1.300
1806	32.000	910.000	1.300
1807	32.300	910.000	1.300
1808	33.000	910.000	1.300
1809	33.500	910.000	1.300
1810	34.000	910.000	1.300
1811	34.500	910.000	1.300
1812	35.000	910.000	1.300
1813	35.700	910.000	1.300

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1814	36.000	910.000	1.300
1815	36.300	910.000	1.300
1816	36.800	910.000	1.300
1817	37.300	910.000	1.300
1818	-1.300	910.000	1.700
1819	-0.800	910.000	1.700
1820	-0.300	910.000	1.700
1821	0	910.000	1.700
1822	0.300	910.000	1.700
1823	1.000	910.000	1.700
1824	1.500	910.000	1.700
1825	2.000	910.000	1.700
1826	2.500	910.000	1.700
1827	3.000	910.000	1.700
1828	3.700	910.000	1.700
1829	4.000	910.000	1.700
1830	4.300	910.000	1.700
1831	5.000	910.000	1.700
1832	5.500	910.000	1.700
1833	6.000	910.000	1.700
1834	6.500	910.000	1.700
1835	7.000	910.000	1.700
1836	7.700	910.000	1.700
1837	8.000	910.000	1.700
1838	8.300	910.000	1.700
1839	9.000	910.000	1.700
1840	9.500	910.000	1.700
1841	10.000	910.000	1.700
1842	10.500	910.000	1.700
1843	11.000	910.000	1.700
1844	11.700	910.000	1.700
1845	12.000	910.000	1.700
1846	12.300	910.000	1.700
1847	13.000	910.000	1.700
1848	13.500	910.000	1.700
1849	14.000	910.000	1.700
1850	14.500	910.000	1.700
1851	15.000	910.000	1.700
1852	15.700	910.000	1.700
1853	16.000	910.000	1.700
1854	16.300	910.000	1.700
1855	17.000	910.000	1.700
1856	17.500	910.000	1.700
1857	18.000	910.000	1.700
1858	18.500	910.000	1.700
1859	19.000	910.000	1.700
1860	19.700	910.000	1.700
1861	20.000	910.000	1.700
1862	20.300	910.000	1.700

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1863	21.000	910.000	1.700
1864	21.500	910.000	1.700
1865	22.000	910.000	1.700
1866	22.500	910.000	1.700
1867	23.000	910.000	1.700
1868	23.700	910.000	1.700
1869	24.000	910.000	1.700
1870	24.300	910.000	1.700
1871	25.000	910.000	1.700
1872	25.500	910.000	1.700
1873	26.000	910.000	1.700
1874	26.500	910.000	1.700
1875	27.000	910.000	1.700
1876	27.700	910.000	1.700
1877	28.000	910.000	1.700
1878	28.300	910.000	1.700
1879	29.000	910.000	1.700
1880	29.500	910.000	1.700
1881	30.000	910.000	1.700
1882	30.500	910.000	1.700
1883	31.000	910.000	1.700
1884	31.700	910.000	1.700
1885	32.000	910.000	1.700
1886	32.300	910.000	1.700
1887	33.000	910.000	1.700
1888	33.500	910.000	1.700
1889	34.000	910.000	1.700
1890	34.500	910.000	1.700
1891	35.000	910.000	1.700
1892	35.700	910.000	1.700
1893	36.000	910.000	1.700
1894	36.300	910.000	1.700
1895	36.800	910.000	1.700
1896	37.300	910.000	1.700
1897	-1.300	910.000	2.100
1898	-0.800	910.000	2.100
1899	-0.300	910.000	2.100
1900	0	910.000	2.100
1901	0.300	910.000	2.100
1902	1.000	910.000	2.100
1903	1.500	910.000	2.100
1904	2.000	910.000	2.100
1905	2.500	910.000	2.100
1906	3.000	910.000	2.100
1907	3.700	910.000	2.100
1908	4.000	910.000	2.100
1909	4.300	910.000	2.100
1910	5.000	910.000	2.100
1911	5.500	910.000	2.100

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1912	6.000	910.000	2.100
1913	6.500	910.000	2.100
1914	7.000	910.000	2.100
1915	7.700	910.000	2.100
1916	8.000	910.000	2.100
1917	8.300	910.000	2.100
1918	9.000	910.000	2.100
1919	9.500	910.000	2.100
1920	10.000	910.000	2.100
1921	10.500	910.000	2.100
1922	11.000	910.000	2.100
1923	11.700	910.000	2.100
1924	12.000	910.000	2.100
1925	12.300	910.000	2.100
1926	13.000	910.000	2.100
1927	13.500	910.000	2.100
1928	14.000	910.000	2.100
1929	14.500	910.000	2.100
1930	15.000	910.000	2.100
1931	15.700	910.000	2.100
1932	16.000	910.000	2.100
1933	16.300	910.000	2.100
1934	17.000	910.000	2.100
1935	17.500	910.000	2.100
1936	18.000	910.000	2.100
1937	18.500	910.000	2.100
1938	19.000	910.000	2.100
1939	19.700	910.000	2.100
1940	20.000	910.000	2.100
1941	20.300	910.000	2.100
1942	21.000	910.000	2.100
1943	21.500	910.000	2.100
1944	22.000	910.000	2.100
1945	22.500	910.000	2.100
1946	23.000	910.000	2.100
1947	23.700	910.000	2.100
1948	24.000	910.000	2.100
1949	24.300	910.000	2.100
1950	25.000	910.000	2.100
1951	25.500	910.000	2.100
1952	26.000	910.000	2.100
1953	26.500	910.000	2.100
1954	27.000	910.000	2.100
1955	27.700	910.000	2.100
1956	28.000	910.000	2.100
1957	28.300	910.000	2.100
1958	29.000	910.000	2.100
1959	29.500	910.000	2.100
1960	30.000	910.000	2.100

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1961	30.500	910.000	2.100
1962	31.000	910.000	2.100
1963	31.700	910.000	2.100
1964	32.000	910.000	2.100
1965	32.300	910.000	2.100
1966	33.000	910.000	2.100
1967	33.500	910.000	2.100
1968	34.000	910.000	2.100
1969	34.500	910.000	2.100
1970	35.000	910.000	2.100
1971	35.700	910.000	2.100
1972	36.000	910.000	2.100
1973	36.300	910.000	2.100
1974	36.800	910.000	2.100
1975	37.300	910.000	2.100
1976	-1.300	910.000	2.450
1977	-0.800	910.000	2.450
1978	-0.300	910.000	2.450
1979	0	910.000	2.450
1980	0.300	910.000	2.450
1981	1.000	910.000	2.450
1982	1.500	910.000	2.450
1983	2.000	910.000	2.450
1984	2.500	910.000	2.450
1985	3.000	910.000	2.450
1986	3.700	910.000	2.450
1987	4.000	910.000	2.450
1988	4.300	910.000	2.450
1989	5.000	910.000	2.450
1990	5.500	910.000	2.450
1991	6.000	910.000	2.450
1992	6.500	910.000	2.450
1993	7.000	910.000	2.450
1994	7.700	910.000	2.450
1995	8.000	910.000	2.450
1996	8.300	910.000	2.450
1997	9.000	910.000	2.450
1998	9.500	910.000	2.450
1999	10.000	910.000	2.450
2000	10.500	910.000	2.450
2001	11.000	910.000	2.450
2002	11.700	910.000	2.450
2003	12.000	910.000	2.450
2004	12.300	910.000	2.450
2005	13.000	910.000	2.450
2006	13.500	910.000	2.450
2007	14.000	910.000	2.450
2008	14.500	910.000	2.450
2009	15.000	910.000	2.450

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2010	15.700	910.000	2.450
2011	16.000	910.000	2.450
2012	16.300	910.000	2.450
2013	17.000	910.000	2.450
2014	17.500	910.000	2.450
2015	18.000	910.000	2.450
2016	18.500	910.000	2.450
2017	19.000	910.000	2.450
2018	19.700	910.000	2.450
2019	20.000	910.000	2.450
2020	20.300	910.000	2.450
2021	21.000	910.000	2.450
2022	21.500	910.000	2.450
2023	22.000	910.000	2.450
2024	22.500	910.000	2.450
2025	23.000	910.000	2.450
2026	23.700	910.000	2.450
2027	24.000	910.000	2.450
2028	24.300	910.000	2.450
2029	25.000	910.000	2.450
2030	25.500	910.000	2.450
2031	26.000	910.000	2.450
2032	26.500	910.000	2.450
2033	27.000	910.000	2.450
2034	27.700	910.000	2.450
2035	28.000	910.000	2.450
2036	28.300	910.000	2.450
2037	29.000	910.000	2.450
2038	29.500	910.000	2.450
2039	30.000	910.000	2.450
2040	30.500	910.000	2.450
2041	31.000	910.000	2.450
2042	31.700	910.000	2.450
2043	32.000	910.000	2.450
2044	32.300	910.000	2.450
2045	33.000	910.000	2.450
2046	33.500	910.000	2.450
2047	34.000	910.000	2.450
2048	34.500	910.000	2.450
2049	35.000	910.000	2.450
2050	35.700	910.000	2.450
2051	36.000	910.000	2.450
2052	36.300	910.000	2.450
2053	36.800	910.000	2.450
2054	37.300	910.000	2.450
2055	-1.300	910.000	2.800
2056	-0.800	910.000	2.800
2057	-0.300	910.000	2.800
2058	0	910.000	2.800

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2059	0.300	910.000	2.800
2060	1.000	910.000	2.800
2061	1.500	910.000	2.800
2062	2.000	910.000	2.800
2063	2.500	910.000	2.800
2064	3.000	910.000	2.800
2065	3.700	910.000	2.800
2066	4.000	910.000	2.800
2067	4.300	910.000	2.800
2068	5.000	910.000	2.800
2069	5.500	910.000	2.800
2070	6.000	910.000	2.800
2071	6.500	910.000	2.800
2072	7.000	910.000	2.800
2073	7.700	910.000	2.800
2074	8.000	910.000	2.800
2075	8.300	910.000	2.800
2076	9.000	910.000	2.800
2077	9.500	910.000	2.800
2078	10.000	910.000	2.800
2079	10.500	910.000	2.800
2080	11.000	910.000	2.800
2081	11.700	910.000	2.800
2082	12.000	910.000	2.800
2083	12.300	910.000	2.800
2084	13.000	910.000	2.800
2085	13.500	910.000	2.800
2086	14.000	910.000	2.800
2087	14.500	910.000	2.800
2088	15.000	910.000	2.800
2089	15.700	910.000	2.800
2090	16.000	910.000	2.800
2091	16.300	910.000	2.800
2092	17.000	910.000	2.800
2093	17.500	910.000	2.800
2094	18.000	910.000	2.800
2095	18.500	910.000	2.800
2096	19.000	910.000	2.800
2097	19.700	910.000	2.800
2098	20.000	910.000	2.800
2099	20.300	910.000	2.800
2100	21.000	910.000	2.800
2101	21.500	910.000	2.800
2102	22.000	910.000	2.800
2103	22.500	910.000	2.800
2104	23.000	910.000	2.800
2105	23.700	910.000	2.800
2106	24.000	910.000	2.800
2107	24.300	910.000	2.800

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2108	25.000	910.000	2.800
2109	25.500	910.000	2.800
2110	26.000	910.000	2.800
2111	26.500	910.000	2.800
2112	27.000	910.000	2.800
2113	27.700	910.000	2.800
2114	28.000	910.000	2.800
2115	28.300	910.000	2.800
2116	29.000	910.000	2.800
2117	29.500	910.000	2.800
2118	30.000	910.000	2.800
2119	30.500	910.000	2.800
2120	31.000	910.000	2.800
2121	31.700	910.000	2.800
2122	32.000	910.000	2.800
2123	32.300	910.000	2.800
2124	33.000	910.000	2.800
2125	33.500	910.000	2.800
2126	34.000	910.000	2.800
2127	34.500	910.000	2.800
2128	35.000	910.000	2.800
2129	35.700	910.000	2.800
2130	36.000	910.000	2.800
2131	36.300	910.000	2.800
2132	36.800	910.000	2.800
2133	37.300	910.000	2.800
2134	0	910.500	-7.200
2135	4.000	910.500	-7.200
2136	8.000	910.500	-7.200
2137	12.000	910.500	-7.200
2138	16.000	910.500	-7.200
2139	20.000	910.500	-7.200
2140	24.000	910.500	-7.200
2141	28.000	910.500	-7.200
2142	32.000	910.500	-7.200
2143	36.000	910.500	-7.200
2144	0	910.500	-6.750
2145	4.000	910.500	-6.750
2146	8.000	910.500	-6.750
2147	12.000	910.500	-6.750
2148	16.000	910.500	-6.750
2149	20.000	910.500	-6.750
2150	24.000	910.500	-6.750
2151	28.000	910.500	-6.750
2152	32.000	910.500	-6.750
2153	36.000	910.500	-6.750
2154	0	910.500	-6.386
2155	4.000	910.500	-6.386
2156	8.000	910.500	-6.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2157	12.000	910.500	-6.386
2158	16.000	910.500	-6.386
2159	20.000	910.500	-6.386
2160	24.000	910.500	-6.386
2161	28.000	910.500	-6.386
2162	32.000	910.500	-6.386
2163	36.000	910.500	-6.386
2164	0	910.500	-6.023
2165	4.000	910.500	-6.023
2166	8.000	910.500	-6.023
2167	12.000	910.500	-6.023
2168	16.000	910.500	-6.023
2169	20.000	910.500	-6.023
2170	24.000	910.500	-6.023
2171	28.000	910.500	-6.023
2172	32.000	910.500	-6.023
2173	36.000	910.500	-6.023
2174	0	910.500	-5.659
2175	4.000	910.500	-5.659
2176	8.000	910.500	-5.659
2177	12.000	910.500	-5.659
2178	16.000	910.500	-5.659
2179	20.000	910.500	-5.659
2180	24.000	910.500	-5.659
2181	28.000	910.500	-5.659
2182	32.000	910.500	-5.659
2183	36.000	910.500	-5.659
2184	0	910.500	-5.295
2185	4.000	910.500	-5.295
2186	8.000	910.500	-5.295
2187	12.000	910.500	-5.295
2188	16.000	910.500	-5.295
2189	20.000	910.500	-5.295
2190	24.000	910.500	-5.295
2191	28.000	910.500	-5.295
2192	32.000	910.500	-5.295
2193	36.000	910.500	-5.295
2194	0	910.500	-4.932
2195	4.000	910.500	-4.932
2196	8.000	910.500	-4.932
2197	12.000	910.500	-4.932
2198	16.000	910.500	-4.932
2199	20.000	910.500	-4.932
2200	24.000	910.500	-4.932
2201	28.000	910.500	-4.932
2202	32.000	910.500	-4.932
2203	36.000	910.500	-4.932
2204	0	910.500	-4.568
2205	4.000	910.500	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2206	8.000	910.500	-4.568
2207	12.000	910.500	-4.568
2208	16.000	910.500	-4.568
2209	20.000	910.500	-4.568
2210	24.000	910.500	-4.568
2211	28.000	910.500	-4.568
2212	32.000	910.500	-4.568
2213	36.000	910.500	-4.568
2214	0	910.500	-4.205
2215	4.000	910.500	-4.205
2216	8.000	910.500	-4.205
2217	12.000	910.500	-4.205
2218	16.000	910.500	-4.205
2219	20.000	910.500	-4.205
2220	24.000	910.500	-4.205
2221	28.000	910.500	-4.205
2222	32.000	910.500	-4.205
2223	36.000	910.500	-4.205
2224	0	910.500	-3.841
2225	4.000	910.500	-3.841
2226	8.000	910.500	-3.841
2227	12.000	910.500	-3.841
2228	16.000	910.500	-3.841
2229	20.000	910.500	-3.841
2230	24.000	910.500	-3.841
2231	28.000	910.500	-3.841
2232	32.000	910.500	-3.841
2233	36.000	910.500	-3.841
2234	0	910.500	-3.477
2235	4.000	910.500	-3.477
2236	8.000	910.500	-3.477
2237	12.000	910.500	-3.477
2238	16.000	910.500	-3.477
2239	20.000	910.500	-3.477
2240	24.000	910.500	-3.477
2241	28.000	910.500	-3.477
2242	32.000	910.500	-3.477
2243	36.000	910.500	-3.477
2244	0	910.500	-3.114
2245	4.000	910.500	-3.114
2246	8.000	910.500	-3.114
2247	12.000	910.500	-3.114
2248	16.000	910.500	-3.114
2249	20.000	910.500	-3.114
2250	24.000	910.500	-3.114
2251	28.000	910.500	-3.114
2252	32.000	910.500	-3.114
2253	36.000	910.500	-3.114
2254	0	910.500	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2255	4.000	910.500	-2.750
2256	8.000	910.500	-2.750
2257	12.000	910.500	-2.750
2258	16.000	910.500	-2.750
2259	20.000	910.500	-2.750
2260	24.000	910.500	-2.750
2261	28.000	910.500	-2.750
2262	32.000	910.500	-2.750
2263	36.000	910.500	-2.750
2264	0	910.500	-2.386
2265	4.000	910.500	-2.386
2266	8.000	910.500	-2.386
2267	12.000	910.500	-2.386
2268	16.000	910.500	-2.386
2269	20.000	910.500	-2.386
2270	24.000	910.500	-2.386
2271	28.000	910.500	-2.386
2272	32.000	910.500	-2.386
2273	36.000	910.500	-2.386
2274	0	910.500	-2.023
2275	4.000	910.500	-2.023
2276	8.000	910.500	-2.023
2277	12.000	910.500	-2.023
2278	16.000	910.500	-2.023
2279	20.000	910.500	-2.023
2280	24.000	910.500	-2.023
2281	28.000	910.500	-2.023
2282	32.000	910.500	-2.023
2283	36.000	910.500	-2.023
2284	0	910.500	-1.659
2285	4.000	910.500	-1.659
2286	8.000	910.500	-1.659
2287	12.000	910.500	-1.659
2288	16.000	910.500	-1.659
2289	20.000	910.500	-1.659
2290	24.000	910.500	-1.659
2291	28.000	910.500	-1.659
2292	32.000	910.500	-1.659
2293	36.000	910.500	-1.659
2294	0	910.500	-1.295
2295	4.000	910.500	-1.295
2296	8.000	910.500	-1.295
2297	12.000	910.500	-1.295
2298	16.000	910.500	-1.295
2299	20.000	910.500	-1.295
2300	24.000	910.500	-1.295
2301	28.000	910.500	-1.295
2302	32.000	910.500	-1.295
2303	36.000	910.500	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2304	0	910.500	-0.750
2305	4.000	910.500	-0.750
2306	8.000	910.500	-0.750
2307	12.000	910.500	-0.750
2308	16.000	910.500	-0.750
2309	20.000	910.500	-0.750
2310	24.000	910.500	-0.750
2311	28.000	910.500	-0.750
2312	32.000	910.500	-0.750
2313	36.000	910.500	-0.750
2314	0	910.500	-0.200
2315	4.000	910.500	-0.200
2316	8.000	910.500	-0.200
2317	12.000	910.500	-0.200
2318	16.000	910.500	-0.200
2319	20.000	910.500	-0.200
2320	24.000	910.500	-0.200
2321	28.000	910.500	-0.200
2322	32.000	910.500	-0.200
2323	36.000	910.500	-0.200
2324	-1.300	910.500	0
2325	-0.800	910.500	0
2326	-0.300	910.500	0
2327	0	910.500	0
2328	0.300	910.500	0
2329	1.000	910.500	0
2330	1.500	910.500	0
2331	2.000	910.500	0
2332	2.500	910.500	0
2333	3.000	910.500	0
2334	3.700	910.500	0
2335	4.000	910.500	0
2336	4.300	910.500	0
2337	5.000	910.500	0
2338	5.500	910.500	0
2339	6.000	910.500	0
2340	6.500	910.500	0
2341	7.000	910.500	0
2342	7.700	910.500	0
2343	8.000	910.500	0
2344	8.300	910.500	0
2345	9.000	910.500	0
2346	9.500	910.500	0
2347	10.000	910.500	0
2348	10.500	910.500	0
2349	11.000	910.500	0
2350	11.700	910.500	0
2351	12.000	910.500	0
2352	12.300	910.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2353	13.000	910.500	0
2354	13.500	910.500	0
2355	14.000	910.500	0
2356	14.500	910.500	0
2357	15.000	910.500	0
2358	15.700	910.500	0
2359	16.000	910.500	0
2360	16.300	910.500	0
2361	17.000	910.500	0
2362	17.500	910.500	0
2363	18.000	910.500	0
2364	18.500	910.500	0
2365	19.000	910.500	0
2366	19.700	910.500	0
2367	20.000	910.500	0
2368	20.300	910.500	0
2369	21.000	910.500	0
2370	21.500	910.500	0
2371	22.000	910.500	0
2372	22.500	910.500	0
2373	23.000	910.500	0
2374	23.700	910.500	0
2375	24.000	910.500	0
2376	24.300	910.500	0
2377	25.000	910.500	0
2378	25.500	910.500	0
2379	26.000	910.500	0
2380	26.500	910.500	0
2381	27.000	910.500	0
2382	27.700	910.500	0
2383	28.000	910.500	0
2384	28.300	910.500	0
2385	29.000	910.500	0
2386	29.500	910.500	0
2387	30.000	910.500	0
2388	30.500	910.500	0
2389	31.000	910.500	0
2390	31.700	910.500	0
2391	32.000	910.500	0
2392	32.300	910.500	0
2393	33.000	910.500	0
2394	33.500	910.500	0
2395	34.000	910.500	0
2396	34.500	910.500	0
2397	35.000	910.500	0
2398	35.700	910.500	0
2399	36.000	910.500	0
2400	36.300	910.500	0
2401	36.800	910.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2402	37.300	910.500	0
2403	0	910.500	0.200
2404	4.000	910.500	0.200
2405	8.000	910.500	0.200
2406	12.000	910.500	0.200
2407	16.000	910.500	0.200
2408	20.000	910.500	0.200
2409	24.000	910.500	0.200
2410	28.000	910.500	0.200
2411	32.000	910.500	0.200
2412	36.000	910.500	0.200
2413	0	910.500	0.900
2414	4.000	910.500	0.900
2415	8.000	910.500	0.900
2416	12.000	910.500	0.900
2417	16.000	910.500	0.900
2418	20.000	910.500	0.900
2419	24.000	910.500	0.900
2420	28.000	910.500	0.900
2421	32.000	910.500	0.900
2422	36.000	910.500	0.900
2423	0	910.500	1.300
2424	4.000	910.500	1.300
2425	8.000	910.500	1.300
2426	12.000	910.500	1.300
2427	16.000	910.500	1.300
2428	20.000	910.500	1.300
2429	24.000	910.500	1.300
2430	28.000	910.500	1.300
2431	32.000	910.500	1.300
2432	36.000	910.500	1.300
2433	0	910.500	1.700
2434	4.000	910.500	1.700
2435	8.000	910.500	1.700
2436	12.000	910.500	1.700
2437	16.000	910.500	1.700
2438	20.000	910.500	1.700
2439	24.000	910.500	1.700
2440	28.000	910.500	1.700
2441	32.000	910.500	1.700
2442	36.000	910.500	1.700
2443	0	910.500	2.100
2444	4.000	910.500	2.100
2445	8.000	910.500	2.100
2446	12.000	910.500	2.100
2447	16.000	910.500	2.100
2448	20.000	910.500	2.100
2449	24.000	910.500	2.100
2450	28.000	910.500	2.100

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2451	32.000	910.500	2.100
2452	36.000	910.500	2.100
2453	0	910.500	2.450
2454	4.000	910.500	2.450
2455	8.000	910.500	2.450
2456	12.000	910.500	2.450
2457	16.000	910.500	2.450
2458	20.000	910.500	2.450
2459	24.000	910.500	2.450
2460	28.000	910.500	2.450
2461	32.000	910.500	2.450
2462	36.000	910.500	2.450
2463	0	910.500	2.800
2464	4.000	910.500	2.800
2465	8.000	910.500	2.800
2466	12.000	910.500	2.800
2467	16.000	910.500	2.800
2468	20.000	910.500	2.800
2469	24.000	910.500	2.800
2470	28.000	910.500	2.800
2471	32.000	910.500	2.800
2472	36.000	910.500	2.800
2473	0	910.800	-7.200
2474	4.000	910.800	-7.200
2475	8.000	910.800	-7.200
2476	12.000	910.800	-7.200
2477	16.000	910.800	-7.200
2478	20.000	910.800	-7.200
2479	24.000	910.800	-7.200
2480	28.000	910.800	-7.200
2481	32.000	910.800	-7.200
2482	36.000	910.800	-7.200
2483	0	910.800	-6.750
2484	4.000	910.800	-6.750
2485	8.000	910.800	-6.750
2486	12.000	910.800	-6.750
2487	16.000	910.800	-6.750
2488	20.000	910.800	-6.750
2489	24.000	910.800	-6.750
2490	28.000	910.800	-6.750
2491	32.000	910.800	-6.750
2492	36.000	910.800	-6.750
2493	0	910.800	-6.386
2494	4.000	910.800	-6.386
2495	8.000	910.800	-6.386
2496	12.000	910.800	-6.386
2497	16.000	910.800	-6.386
2498	20.000	910.800	-6.386
2499	24.000	910.800	-6.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2500	28.000	910.800	-6.386
2501	32.000	910.800	-6.386
2502	36.000	910.800	-6.386
2503	0	910.800	-6.023
2504	4.000	910.800	-6.023
2505	8.000	910.800	-6.023
2506	12.000	910.800	-6.023
2507	16.000	910.800	-6.023
2508	20.000	910.800	-6.023
2509	24.000	910.800	-6.023
2510	28.000	910.800	-6.023
2511	32.000	910.800	-6.023
2512	36.000	910.800	-6.023
2513	0	910.800	-5.659
2514	4.000	910.800	-5.659
2515	8.000	910.800	-5.659
2516	12.000	910.800	-5.659
2517	16.000	910.800	-5.659
2518	20.000	910.800	-5.659
2519	24.000	910.800	-5.659
2520	28.000	910.800	-5.659
2521	32.000	910.800	-5.659
2522	36.000	910.800	-5.659
2523	0	910.800	-5.295
2524	4.000	910.800	-5.295
2525	8.000	910.800	-5.295
2526	12.000	910.800	-5.295
2527	16.000	910.800	-5.295
2528	20.000	910.800	-5.295
2529	24.000	910.800	-5.295
2530	28.000	910.800	-5.295
2531	32.000	910.800	-5.295
2532	36.000	910.800	-5.295
2533	0	910.800	-4.932
2534	4.000	910.800	-4.932
2535	8.000	910.800	-4.932
2536	12.000	910.800	-4.932
2537	16.000	910.800	-4.932
2538	20.000	910.800	-4.932
2539	24.000	910.800	-4.932
2540	28.000	910.800	-4.932
2541	32.000	910.800	-4.932
2542	36.000	910.800	-4.932
2543	0	910.800	-4.568
2544	4.000	910.800	-4.568
2545	8.000	910.800	-4.568
2546	12.000	910.800	-4.568
2547	16.000	910.800	-4.568
2548	20.000	910.800	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2549	24.000	910.800	-4.568
2550	28.000	910.800	-4.568
2551	32.000	910.800	-4.568
2552	36.000	910.800	-4.568
2553	0	910.800	-4.205
2554	4.000	910.800	-4.205
2555	8.000	910.800	-4.205
2556	12.000	910.800	-4.205
2557	16.000	910.800	-4.205
2558	20.000	910.800	-4.205
2559	24.000	910.800	-4.205
2560	28.000	910.800	-4.205
2561	32.000	910.800	-4.205
2562	36.000	910.800	-4.205
2563	0	910.800	-3.841
2564	4.000	910.800	-3.841
2565	8.000	910.800	-3.841
2566	12.000	910.800	-3.841
2567	16.000	910.800	-3.841
2568	20.000	910.800	-3.841
2569	24.000	910.800	-3.841
2570	28.000	910.800	-3.841
2571	32.000	910.800	-3.841
2572	36.000	910.800	-3.841
2573	0	910.800	-3.477
2574	4.000	910.800	-3.477
2575	8.000	910.800	-3.477
2576	12.000	910.800	-3.477
2577	16.000	910.800	-3.477
2578	20.000	910.800	-3.477
2579	24.000	910.800	-3.477
2580	28.000	910.800	-3.477
2581	32.000	910.800	-3.477
2582	36.000	910.800	-3.477
2583	0	910.800	-3.114
2584	4.000	910.800	-3.114
2585	8.000	910.800	-3.114
2586	12.000	910.800	-3.114
2587	16.000	910.800	-3.114
2588	20.000	910.800	-3.114
2589	24.000	910.800	-3.114
2590	28.000	910.800	-3.114
2591	32.000	910.800	-3.114
2592	36.000	910.800	-3.114
2593	0	910.800	-2.750
2594	4.000	910.800	-2.750
2595	8.000	910.800	-2.750
2596	12.000	910.800	-2.750
2597	16.000	910.800	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2598	20.000	910.800	-2.750
2599	24.000	910.800	-2.750
2600	28.000	910.800	-2.750
2601	32.000	910.800	-2.750
2602	36.000	910.800	-2.750
2603	0	910.800	-2.386
2604	4.000	910.800	-2.386
2605	8.000	910.800	-2.386
2606	12.000	910.800	-2.386
2607	16.000	910.800	-2.386
2608	20.000	910.800	-2.386
2609	24.000	910.800	-2.386
2610	28.000	910.800	-2.386
2611	32.000	910.800	-2.386
2612	36.000	910.800	-2.386
2613	0	910.800	-2.023
2614	4.000	910.800	-2.023
2615	8.000	910.800	-2.023
2616	12.000	910.800	-2.023
2617	16.000	910.800	-2.023
2618	20.000	910.800	-2.023
2619	24.000	910.800	-2.023
2620	28.000	910.800	-2.023
2621	32.000	910.800	-2.023
2622	36.000	910.800	-2.023
2623	0	910.800	-1.659
2624	4.000	910.800	-1.659
2625	8.000	910.800	-1.659
2626	12.000	910.800	-1.659
2627	16.000	910.800	-1.659
2628	20.000	910.800	-1.659
2629	24.000	910.800	-1.659
2630	28.000	910.800	-1.659
2631	32.000	910.800	-1.659
2632	36.000	910.800	-1.659
2633	0	910.800	-1.295
2634	4.000	910.800	-1.295
2635	8.000	910.800	-1.295
2636	12.000	910.800	-1.295
2637	16.000	910.800	-1.295
2638	20.000	910.800	-1.295
2639	24.000	910.800	-1.295
2640	28.000	910.800	-1.295
2641	32.000	910.800	-1.295
2642	36.000	910.800	-1.295
2643	0	910.800	-0.750
2644	4.000	910.800	-0.750
2645	8.000	910.800	-0.750
2646	12.000	910.800	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2647	16.000	910.800	-0.750
2648	20.000	910.800	-0.750
2649	24.000	910.800	-0.750
2650	28.000	910.800	-0.750
2651	32.000	910.800	-0.750
2652	36.000	910.800	-0.750
2653	0	910.800	-0.200
2654	4.000	910.800	-0.200
2655	8.000	910.800	-0.200
2656	12.000	910.800	-0.200
2657	16.000	910.800	-0.200
2658	20.000	910.800	-0.200
2659	24.000	910.800	-0.200
2660	28.000	910.800	-0.200
2661	32.000	910.800	-0.200
2662	36.000	910.800	-0.200
2663	-1.300	910.800	0
2664	-0.800	910.800	0
2665	-0.300	910.800	0
2666	0	910.800	0
2667	0.300	910.800	0
2668	1.000	910.800	0
2669	1.500	910.800	0
2670	2.000	910.800	0
2671	2.500	910.800	0
2672	3.000	910.800	0
2673	3.700	910.800	0
2674	4.000	910.800	0
2675	4.300	910.800	0
2676	5.000	910.800	0
2677	5.500	910.800	0
2678	6.000	910.800	0
2679	6.500	910.800	0
2680	7.000	910.800	0
2681	7.700	910.800	0
2682	8.000	910.800	0
2683	8.300	910.800	0
2684	9.000	910.800	0
2685	9.500	910.800	0
2686	10.000	910.800	0
2687	10.500	910.800	0
2688	11.000	910.800	0
2689	11.700	910.800	0
2690	12.000	910.800	0
2691	12.300	910.800	0
2692	13.000	910.800	0
2693	13.500	910.800	0
2694	14.000	910.800	0
2695	14.500	910.800	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2696	15.000	910.800	0
2697	15.700	910.800	0
2698	16.000	910.800	0
2699	16.300	910.800	0
2700	17.000	910.800	0
2701	17.500	910.800	0
2702	18.000	910.800	0
2703	18.500	910.800	0
2704	19.000	910.800	0
2705	19.700	910.800	0
2706	20.000	910.800	0
2707	20.300	910.800	0
2708	21.000	910.800	0
2709	21.500	910.800	0
2710	22.000	910.800	0
2711	22.500	910.800	0
2712	23.000	910.800	0
2713	23.700	910.800	0
2714	24.000	910.800	0
2715	24.300	910.800	0
2716	25.000	910.800	0
2717	25.500	910.800	0
2718	26.000	910.800	0
2719	26.500	910.800	0
2720	27.000	910.800	0
2721	27.700	910.800	0
2722	28.000	910.800	0
2723	28.300	910.800	0
2724	29.000	910.800	0
2725	29.500	910.800	0
2726	30.000	910.800	0
2727	30.500	910.800	0
2728	31.000	910.800	0
2729	31.700	910.800	0
2730	32.000	910.800	0
2731	32.300	910.800	0
2732	33.000	910.800	0
2733	33.500	910.800	0
2734	34.000	910.800	0
2735	34.500	910.800	0
2736	35.000	910.800	0
2737	35.700	910.800	0
2738	36.000	910.800	0
2739	36.300	910.800	0
2740	36.800	910.800	0
2741	37.300	910.800	0
2742	0	910.800	0.200
2743	4.000	910.800	0.200
2744	8.000	910.800	0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2745	12.000	910.800	0.200
2746	16.000	910.800	0.200
2747	20.000	910.800	0.200
2748	24.000	910.800	0.200
2749	28.000	910.800	0.200
2750	32.000	910.800	0.200
2751	36.000	910.800	0.200
2752	0	910.800	0.900
2753	4.000	910.800	0.900
2754	8.000	910.800	0.900
2755	12.000	910.800	0.900
2756	16.000	910.800	0.900
2757	20.000	910.800	0.900
2758	24.000	910.800	0.900
2759	28.000	910.800	0.900
2760	32.000	910.800	0.900
2761	36.000	910.800	0.900
2762	0	910.800	1.300
2763	4.000	910.800	1.300
2764	8.000	910.800	1.300
2765	12.000	910.800	1.300
2766	16.000	910.800	1.300
2767	20.000	910.800	1.300
2768	24.000	910.800	1.300
2769	28.000	910.800	1.300
2770	32.000	910.800	1.300
2771	36.000	910.800	1.300
2772	0	910.800	1.700
2773	4.000	910.800	1.700
2774	8.000	910.800	1.700
2775	12.000	910.800	1.700
2776	16.000	910.800	1.700
2777	20.000	910.800	1.700
2778	24.000	910.800	1.700
2779	28.000	910.800	1.700
2780	32.000	910.800	1.700
2781	36.000	910.800	1.700
2782	0	910.800	2.100
2783	4.000	910.800	2.100
2784	8.000	910.800	2.100
2785	12.000	910.800	2.100
2786	16.000	910.800	2.100
2787	20.000	910.800	2.100
2788	24.000	910.800	2.100
2789	28.000	910.800	2.100
2790	32.000	910.800	2.100
2791	36.000	910.800	2.100
2792	0	910.800	2.450
2793	4.000	910.800	2.450

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2794	8.000	910.800	2.450
2795	12.000	910.800	2.450
2796	16.000	910.800	2.450
2797	20.000	910.800	2.450
2798	24.000	910.800	2.450
2799	28.000	910.800	2.450
2800	32.000	910.800	2.450
2801	36.000	910.800	2.450
2802	0	911.150	-7.200
2803	4.000	911.150	-7.200
2804	8.000	911.150	-7.200
2805	12.000	911.150	-7.200
2806	16.000	911.150	-7.200
2807	20.000	911.150	-7.200
2808	24.000	911.150	-7.200
2809	28.000	911.150	-7.200
2810	32.000	911.150	-7.200
2811	36.000	911.150	-7.200
2812	0	911.150	-6.750
2813	4.000	911.150	-6.750
2814	8.000	911.150	-6.750
2815	12.000	911.150	-6.750
2816	16.000	911.150	-6.750
2817	20.000	911.150	-6.750
2818	24.000	911.150	-6.750
2819	28.000	911.150	-6.750
2820	32.000	911.150	-6.750
2821	36.000	911.150	-6.750
2822	0	911.150	-6.386
2823	4.000	911.150	-6.386
2824	8.000	911.150	-6.386
2825	12.000	911.150	-6.386
2826	16.000	911.150	-6.386
2827	20.000	911.150	-6.386
2828	24.000	911.150	-6.386
2829	28.000	911.150	-6.386
2830	32.000	911.150	-6.386
2831	36.000	911.150	-6.386
2832	0	911.150	-6.023
2833	4.000	911.150	-6.023
2834	8.000	911.150	-6.023
2835	12.000	911.150	-6.023
2836	16.000	911.150	-6.023
2837	20.000	911.150	-6.023
2838	24.000	911.150	-6.023
2839	28.000	911.150	-6.023
2840	32.000	911.150	-6.023
2841	36.000	911.150	-6.023
2842	0	911.150	-5.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2843	4.000	911.150	-5.659
2844	8.000	911.150	-5.659
2845	12.000	911.150	-5.659
2846	16.000	911.150	-5.659
2847	20.000	911.150	-5.659
2848	24.000	911.150	-5.659
2849	28.000	911.150	-5.659
2850	32.000	911.150	-5.659
2851	36.000	911.150	-5.659
2852	0	911.150	-5.295
2853	4.000	911.150	-5.295
2854	8.000	911.150	-5.295
2855	12.000	911.150	-5.295
2856	16.000	911.150	-5.295
2857	20.000	911.150	-5.295
2858	24.000	911.150	-5.295
2859	28.000	911.150	-5.295
2860	32.000	911.150	-5.295
2861	36.000	911.150	-5.295
2862	0	911.150	-4.932
2863	4.000	911.150	-4.932
2864	8.000	911.150	-4.932
2865	12.000	911.150	-4.932
2866	16.000	911.150	-4.932
2867	20.000	911.150	-4.932
2868	24.000	911.150	-4.932
2869	28.000	911.150	-4.932
2870	32.000	911.150	-4.932
2871	36.000	911.150	-4.932
2872	0	911.150	-4.568
2873	4.000	911.150	-4.568
2874	8.000	911.150	-4.568
2875	12.000	911.150	-4.568
2876	16.000	911.150	-4.568
2877	20.000	911.150	-4.568
2878	24.000	911.150	-4.568
2879	28.000	911.150	-4.568
2880	32.000	911.150	-4.568
2881	36.000	911.150	-4.568
2882	0	911.150	-4.205
2883	4.000	911.150	-4.205
2884	8.000	911.150	-4.205
2885	12.000	911.150	-4.205
2886	16.000	911.150	-4.205
2887	20.000	911.150	-4.205
2888	24.000	911.150	-4.205
2889	28.000	911.150	-4.205
2890	32.000	911.150	-4.205
2891	36.000	911.150	-4.205

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2892	0	911.150	-3.841
2893	4.000	911.150	-3.841
2894	8.000	911.150	-3.841
2895	12.000	911.150	-3.841
2896	16.000	911.150	-3.841
2897	20.000	911.150	-3.841
2898	24.000	911.150	-3.841
2899	28.000	911.150	-3.841
2900	32.000	911.150	-3.841
2901	36.000	911.150	-3.841
2902	0	911.150	-3.477
2903	4.000	911.150	-3.477
2904	8.000	911.150	-3.477
2905	12.000	911.150	-3.477
2906	16.000	911.150	-3.477
2907	20.000	911.150	-3.477
2908	24.000	911.150	-3.477
2909	28.000	911.150	-3.477
2910	32.000	911.150	-3.477
2911	36.000	911.150	-3.477
2912	0	911.150	-3.114
2913	4.000	911.150	-3.114
2914	8.000	911.150	-3.114
2915	12.000	911.150	-3.114
2916	16.000	911.150	-3.114
2917	20.000	911.150	-3.114
2918	24.000	911.150	-3.114
2919	28.000	911.150	-3.114
2920	32.000	911.150	-3.114
2921	36.000	911.150	-3.114
2922	0	911.150	-2.750
2923	4.000	911.150	-2.750
2924	8.000	911.150	-2.750
2925	12.000	911.150	-2.750
2926	16.000	911.150	-2.750
2927	20.000	911.150	-2.750
2928	24.000	911.150	-2.750
2929	28.000	911.150	-2.750
2930	32.000	911.150	-2.750
2931	36.000	911.150	-2.750
2932	0	911.150	-2.386
2933	4.000	911.150	-2.386
2934	8.000	911.150	-2.386
2935	12.000	911.150	-2.386
2936	16.000	911.150	-2.386
2937	20.000	911.150	-2.386
2938	24.000	911.150	-2.386
2939	28.000	911.150	-2.386
2940	32.000	911.150	-2.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2941	36.000	911.150	-2.386
2942	0	911.150	-2.023
2943	4.000	911.150	-2.023
2944	8.000	911.150	-2.023
2945	12.000	911.150	-2.023
2946	16.000	911.150	-2.023
2947	20.000	911.150	-2.023
2948	24.000	911.150	-2.023
2949	28.000	911.150	-2.023
2950	32.000	911.150	-2.023
2951	36.000	911.150	-2.023
2952	0	911.150	-1.659
2953	4.000	911.150	-1.659
2954	8.000	911.150	-1.659
2955	12.000	911.150	-1.659
2956	16.000	911.150	-1.659
2957	20.000	911.150	-1.659
2958	24.000	911.150	-1.659
2959	28.000	911.150	-1.659
2960	32.000	911.150	-1.659
2961	36.000	911.150	-1.659
2962	0	911.150	-1.295
2963	4.000	911.150	-1.295
2964	8.000	911.150	-1.295
2965	12.000	911.150	-1.295
2966	16.000	911.150	-1.295
2967	20.000	911.150	-1.295
2968	24.000	911.150	-1.295
2969	28.000	911.150	-1.295
2970	32.000	911.150	-1.295
2971	36.000	911.150	-1.295
2972	0	911.150	-0.750
2973	4.000	911.150	-0.750
2974	8.000	911.150	-0.750
2975	12.000	911.150	-0.750
2976	16.000	911.150	-0.750
2977	20.000	911.150	-0.750
2978	24.000	911.150	-0.750
2979	28.000	911.150	-0.750
2980	32.000	911.150	-0.750
2981	36.000	911.150	-0.750
2982	0	911.150	-0.200
2983	4.000	911.150	-0.200
2984	8.000	911.150	-0.200
2985	12.000	911.150	-0.200
2986	16.000	911.150	-0.200
2987	20.000	911.150	-0.200
2988	24.000	911.150	-0.200
2989	28.000	911.150	-0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2990	32.000	911.150	-0.200
2991	36.000	911.150	-0.200
2992	-1.300	911.150	0
2993	-0.800	911.150	0
2994	-0.300	911.150	0
2995	0	911.150	0
2996	0.300	911.150	0
2997	1.000	911.150	0
2998	1.500	911.150	0
2999	2.000	911.150	0
3000	2.500	911.150	0
3001	3.000	911.150	0
3002	3.700	911.150	0
3003	4.000	911.150	0
3004	4.300	911.150	0
3005	5.000	911.150	0
3006	5.500	911.150	0
3007	6.000	911.150	0
3008	6.500	911.150	0
3009	7.000	911.150	0
3010	7.700	911.150	0
3011	8.000	911.150	0
3012	8.300	911.150	0
3013	9.000	911.150	0
3014	9.500	911.150	0
3015	10.000	911.150	0
3016	10.500	911.150	0
3017	11.000	911.150	0
3018	11.700	911.150	0
3019	12.000	911.150	0
3020	12.300	911.150	0
3021	13.000	911.150	0
3022	13.500	911.150	0
3023	14.000	911.150	0
3024	14.500	911.150	0
3025	15.000	911.150	0
3026	15.700	911.150	0
3027	16.000	911.150	0
3028	16.300	911.150	0
3029	17.000	911.150	0
3030	17.500	911.150	0
3031	18.000	911.150	0
3032	18.500	911.150	0
3033	19.000	911.150	0
3034	19.700	911.150	0
3035	20.000	911.150	0
3036	20.300	911.150	0
3037	21.000	911.150	0
3038	21.500	911.150	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3039	22.000	911.150	0
3040	22.500	911.150	0
3041	23.000	911.150	0
3042	23.700	911.150	0
3043	24.000	911.150	0
3044	24.300	911.150	0
3045	25.000	911.150	0
3046	25.500	911.150	0
3047	26.000	911.150	0
3048	26.500	911.150	0
3049	27.000	911.150	0
3050	27.700	911.150	0
3051	28.000	911.150	0
3052	28.300	911.150	0
3053	29.000	911.150	0
3054	29.500	911.150	0
3055	30.000	911.150	0
3056	30.500	911.150	0
3057	31.000	911.150	0
3058	31.700	911.150	0
3059	32.000	911.150	0
3060	32.300	911.150	0
3061	33.000	911.150	0
3062	33.500	911.150	0
3063	34.000	911.150	0
3064	34.500	911.150	0
3065	35.000	911.150	0
3066	35.700	911.150	0
3067	36.000	911.150	0
3068	36.300	911.150	0
3069	36.800	911.150	0
3070	37.300	911.150	0
3071	0	911.150	0.200
3072	4.000	911.150	0.200
3073	8.000	911.150	0.200
3074	12.000	911.150	0.200
3075	16.000	911.150	0.200
3076	20.000	911.150	0.200
3077	24.000	911.150	0.200
3078	28.000	911.150	0.200
3079	32.000	911.150	0.200
3080	36.000	911.150	0.200
3081	0	911.150	0.900
3082	4.000	911.150	0.900
3083	8.000	911.150	0.900
3084	12.000	911.150	0.900
3085	16.000	911.150	0.900
3086	20.000	911.150	0.900
3087	24.000	911.150	0.900

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3088	28.000	911.150	0.900
3089	32.000	911.150	0.900
3090	36.000	911.150	0.900
3091	0	911.150	1.300
3092	4.000	911.150	1.300
3093	8.000	911.150	1.300
3094	12.000	911.150	1.300
3095	16.000	911.150	1.300
3096	20.000	911.150	1.300
3097	24.000	911.150	1.300
3098	28.000	911.150	1.300
3099	32.000	911.150	1.300
3100	36.000	911.150	1.300
3101	0	911.150	1.700
3102	4.000	911.150	1.700
3103	8.000	911.150	1.700
3104	12.000	911.150	1.700
3105	16.000	911.150	1.700
3106	20.000	911.150	1.700
3107	24.000	911.150	1.700
3108	28.000	911.150	1.700
3109	32.000	911.150	1.700
3110	36.000	911.150	1.700
3111	0	911.150	2.100
3112	4.000	911.150	2.100
3113	8.000	911.150	2.100
3114	12.000	911.150	2.100
3115	16.000	911.150	2.100
3116	20.000	911.150	2.100
3117	24.000	911.150	2.100
3118	28.000	911.150	2.100
3119	32.000	911.150	2.100
3120	36.000	911.150	2.100
3121	0	911.500	-6.750
3122	4.000	911.500	-6.750
3123	8.000	911.500	-6.750
3124	12.000	911.500	-6.750
3125	16.000	911.500	-6.750
3126	20.000	911.500	-6.750
3127	24.000	911.500	-6.750
3128	28.000	911.500	-6.750
3129	32.000	911.500	-6.750
3130	36.000	911.500	-6.750
3131	0	911.500	-6.386
3132	4.000	911.500	-6.386
3133	8.000	911.500	-6.386
3134	12.000	911.500	-6.386
3135	16.000	911.500	-6.386
3136	20.000	911.500	-6.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3137	24.000	911.500	-6.386
3138	28.000	911.500	-6.386
3139	32.000	911.500	-6.386
3140	36.000	911.500	-6.386
3141	0	911.500	-6.023
3142	4.000	911.500	-6.023
3143	8.000	911.500	-6.023
3144	12.000	911.500	-6.023
3145	16.000	911.500	-6.023
3146	20.000	911.500	-6.023
3147	24.000	911.500	-6.023
3148	28.000	911.500	-6.023
3149	32.000	911.500	-6.023
3150	36.000	911.500	-6.023
3151	0	911.500	-5.659
3152	4.000	911.500	-5.659
3153	8.000	911.500	-5.659
3154	12.000	911.500	-5.659
3155	16.000	911.500	-5.659
3156	20.000	911.500	-5.659
3157	24.000	911.500	-5.659
3158	28.000	911.500	-5.659
3159	32.000	911.500	-5.659
3160	36.000	911.500	-5.659
3161	0	911.500	-5.295
3162	4.000	911.500	-5.295
3163	8.000	911.500	-5.295
3164	12.000	911.500	-5.295
3165	16.000	911.500	-5.295
3166	20.000	911.500	-5.295
3167	24.000	911.500	-5.295
3168	28.000	911.500	-5.295
3169	32.000	911.500	-5.295
3170	36.000	911.500	-5.295
3171	0	911.500	-4.932
3172	4.000	911.500	-4.932
3173	8.000	911.500	-4.932
3174	12.000	911.500	-4.932
3175	16.000	911.500	-4.932
3176	20.000	911.500	-4.932
3177	24.000	911.500	-4.932
3178	28.000	911.500	-4.932
3179	32.000	911.500	-4.932
3180	36.000	911.500	-4.932
3181	0	911.500	-4.568
3182	4.000	911.500	-4.568
3183	8.000	911.500	-4.568
3184	12.000	911.500	-4.568
3185	16.000	911.500	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3186	20.000	911.500	-4.568
3187	24.000	911.500	-4.568
3188	28.000	911.500	-4.568
3189	32.000	911.500	-4.568
3190	36.000	911.500	-4.568
3191	0	911.500	-4.205
3192	4.000	911.500	-4.205
3193	8.000	911.500	-4.205
3194	12.000	911.500	-4.205
3195	16.000	911.500	-4.205
3196	20.000	911.500	-4.205
3197	24.000	911.500	-4.205
3198	28.000	911.500	-4.205
3199	32.000	911.500	-4.205
3200	36.000	911.500	-4.205
3201	0	911.500	-3.841
3202	4.000	911.500	-3.841
3203	8.000	911.500	-3.841
3204	12.000	911.500	-3.841
3205	16.000	911.500	-3.841
3206	20.000	911.500	-3.841
3207	24.000	911.500	-3.841
3208	28.000	911.500	-3.841
3209	32.000	911.500	-3.841
3210	36.000	911.500	-3.841
3211	0	911.500	-3.477
3212	4.000	911.500	-3.477
3213	8.000	911.500	-3.477
3214	12.000	911.500	-3.477
3215	16.000	911.500	-3.477
3216	20.000	911.500	-3.477
3217	24.000	911.500	-3.477
3218	28.000	911.500	-3.477
3219	32.000	911.500	-3.477
3220	36.000	911.500	-3.477
3221	0	911.500	-3.114
3222	4.000	911.500	-3.114
3223	8.000	911.500	-3.114
3224	12.000	911.500	-3.114
3225	16.000	911.500	-3.114
3226	20.000	911.500	-3.114
3227	24.000	911.500	-3.114
3228	28.000	911.500	-3.114
3229	32.000	911.500	-3.114
3230	36.000	911.500	-3.114
3231	0	911.500	-2.750
3232	4.000	911.500	-2.750
3233	8.000	911.500	-2.750
3234	12.000	911.500	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3235	16.000	911.500	-2.750
3236	20.000	911.500	-2.750
3237	24.000	911.500	-2.750
3238	28.000	911.500	-2.750
3239	32.000	911.500	-2.750
3240	36.000	911.500	-2.750
3241	0	911.500	-2.386
3242	4.000	911.500	-2.386
3243	8.000	911.500	-2.386
3244	12.000	911.500	-2.386
3245	16.000	911.500	-2.386
3246	20.000	911.500	-2.386
3247	24.000	911.500	-2.386
3248	28.000	911.500	-2.386
3249	32.000	911.500	-2.386
3250	36.000	911.500	-2.386
3251	0	911.500	-2.023
3252	4.000	911.500	-2.023
3253	8.000	911.500	-2.023
3254	12.000	911.500	-2.023
3255	16.000	911.500	-2.023
3256	20.000	911.500	-2.023
3257	24.000	911.500	-2.023
3258	28.000	911.500	-2.023
3259	32.000	911.500	-2.023
3260	36.000	911.500	-2.023
3261	0	911.500	-1.659
3262	4.000	911.500	-1.659
3263	8.000	911.500	-1.659
3264	12.000	911.500	-1.659
3265	16.000	911.500	-1.659
3266	20.000	911.500	-1.659
3267	24.000	911.500	-1.659
3268	28.000	911.500	-1.659
3269	32.000	911.500	-1.659
3270	36.000	911.500	-1.659
3271	0	911.500	-1.295
3272	4.000	911.500	-1.295
3273	8.000	911.500	-1.295
3274	12.000	911.500	-1.295
3275	16.000	911.500	-1.295
3276	20.000	911.500	-1.295
3277	24.000	911.500	-1.295
3278	28.000	911.500	-1.295
3279	32.000	911.500	-1.295
3280	36.000	911.500	-1.295
3281	0	911.500	-0.750
3282	4.000	911.500	-0.750
3283	8.000	911.500	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3284	12.000	911.500	-0.750
3285	16.000	911.500	-0.750
3286	20.000	911.500	-0.750
3287	24.000	911.500	-0.750
3288	28.000	911.500	-0.750
3289	32.000	911.500	-0.750
3290	36.000	911.500	-0.750
3291	0	911.500	-0.200
3292	4.000	911.500	-0.200
3293	8.000	911.500	-0.200
3294	12.000	911.500	-0.200
3295	16.000	911.500	-0.200
3296	20.000	911.500	-0.200
3297	24.000	911.500	-0.200
3298	28.000	911.500	-0.200
3299	32.000	911.500	-0.200
3300	36.000	911.500	-0.200
3301	-1.300	911.500	0
3302	-0.800	911.500	0
3303	-0.300	911.500	0
3304	0	911.500	0
3305	0.300	911.500	0
3306	1.000	911.500	0
3307	1.500	911.500	0
3308	2.000	911.500	0
3309	2.500	911.500	0
3310	3.000	911.500	0
3311	3.700	911.500	0
3312	4.000	911.500	0
3313	4.300	911.500	0
3314	5.000	911.500	0
3315	5.500	911.500	0
3316	6.000	911.500	0
3317	6.500	911.500	0
3318	7.000	911.500	0
3319	7.700	911.500	0
3320	8.000	911.500	0
3321	8.300	911.500	0
3322	9.000	911.500	0
3323	9.500	911.500	0
3324	10.000	911.500	0
3325	10.500	911.500	0
3326	11.000	911.500	0
3327	11.700	911.500	0
3328	12.000	911.500	0
3329	12.300	911.500	0
3330	13.000	911.500	0
3331	13.500	911.500	0
3332	14.000	911.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3333	14.500	911.500	0
3334	15.000	911.500	0
3335	15.700	911.500	0
3336	16.000	911.500	0
3337	16.300	911.500	0
3338	17.000	911.500	0
3339	17.500	911.500	0
3340	18.000	911.500	0
3341	18.500	911.500	0
3342	19.000	911.500	0
3343	19.700	911.500	0
3344	20.000	911.500	0
3345	20.300	911.500	0
3346	21.000	911.500	0
3347	21.500	911.500	0
3348	22.000	911.500	0
3349	22.500	911.500	0
3350	23.000	911.500	0
3351	23.700	911.500	0
3352	24.000	911.500	0
3353	24.300	911.500	0
3354	25.000	911.500	0
3355	25.500	911.500	0
3356	26.000	911.500	0
3357	26.500	911.500	0
3358	27.000	911.500	0
3359	27.700	911.500	0
3360	28.000	911.500	0
3361	28.300	911.500	0
3362	29.000	911.500	0
3363	29.500	911.500	0
3364	30.000	911.500	0
3365	30.500	911.500	0
3366	31.000	911.500	0
3367	31.700	911.500	0
3368	32.000	911.500	0
3369	32.300	911.500	0
3370	33.000	911.500	0
3371	33.500	911.500	0
3372	34.000	911.500	0
3373	34.500	911.500	0
3374	35.000	911.500	0
3375	35.700	911.500	0
3376	36.000	911.500	0
3377	36.300	911.500	0
3378	36.800	911.500	0
3379	37.300	911.500	0
3380	0	911.500	0.200
3381	4.000	911.500	0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3382	8.000	911.500	0.200
3383	12.000	911.500	0.200
3384	16.000	911.500	0.200
3385	20.000	911.500	0.200
3386	24.000	911.500	0.200
3387	28.000	911.500	0.200
3388	32.000	911.500	0.200
3389	36.000	911.500	0.200
3390	0	911.500	0.900
3391	4.000	911.500	0.900
3392	8.000	911.500	0.900
3393	12.000	911.500	0.900
3394	16.000	911.500	0.900
3395	20.000	911.500	0.900
3396	24.000	911.500	0.900
3397	28.000	911.500	0.900
3398	32.000	911.500	0.900
3399	36.000	911.500	0.900
3400	0	911.500	1.300
3401	4.000	911.500	1.300
3402	8.000	911.500	1.300
3403	12.000	911.500	1.300
3404	16.000	911.500	1.300
3405	20.000	911.500	1.300
3406	24.000	911.500	1.300
3407	28.000	911.500	1.300
3408	32.000	911.500	1.300
3409	36.000	911.500	1.300
3410	0	911.500	1.700
3411	4.000	911.500	1.700
3412	8.000	911.500	1.700
3413	12.000	911.500	1.700
3414	16.000	911.500	1.700
3415	20.000	911.500	1.700
3416	24.000	911.500	1.700
3417	28.000	911.500	1.700
3418	32.000	911.500	1.700
3419	36.000	911.500	1.700
3420	0	912.000	-6.568
3421	4.000	912.000	-6.568
3422	8.000	912.000	-6.568
3423	12.000	912.000	-6.568
3424	16.000	912.000	-6.568
3425	20.000	912.000	-6.568
3426	24.000	912.000	-6.568
3427	28.000	912.000	-6.568
3428	32.000	912.000	-6.568
3429	36.000	912.000	-6.568
3430	0	912.000	-6.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3431	4.000	912.000	-6.386
3432	8.000	912.000	-6.386
3433	12.000	912.000	-6.386
3434	16.000	912.000	-6.386
3435	20.000	912.000	-6.386
3436	24.000	912.000	-6.386
3437	28.000	912.000	-6.386
3438	32.000	912.000	-6.386
3439	36.000	912.000	-6.386
3440	0	912.000	-6.023
3441	4.000	912.000	-6.023
3442	8.000	912.000	-6.023
3443	12.000	912.000	-6.023
3444	16.000	912.000	-6.023
3445	20.000	912.000	-6.023
3446	24.000	912.000	-6.023
3447	28.000	912.000	-6.023
3448	32.000	912.000	-6.023
3449	36.000	912.000	-6.023
3450	0	912.000	-5.659
3451	4.000	912.000	-5.659
3452	8.000	912.000	-5.659
3453	12.000	912.000	-5.659
3454	16.000	912.000	-5.659
3455	20.000	912.000	-5.659
3456	24.000	912.000	-5.659
3457	28.000	912.000	-5.659
3458	32.000	912.000	-5.659
3459	36.000	912.000	-5.659
3460	0	912.000	-5.295
3461	4.000	912.000	-5.295
3462	8.000	912.000	-5.295
3463	12.000	912.000	-5.295
3464	16.000	912.000	-5.295
3465	20.000	912.000	-5.295
3466	24.000	912.000	-5.295
3467	28.000	912.000	-5.295
3468	32.000	912.000	-5.295
3469	36.000	912.000	-5.295
3470	0	912.000	-4.932
3471	4.000	912.000	-4.932
3472	8.000	912.000	-4.932
3473	12.000	912.000	-4.932
3474	16.000	912.000	-4.932
3475	20.000	912.000	-4.932
3476	24.000	912.000	-4.932
3477	28.000	912.000	-4.932
3478	32.000	912.000	-4.932
3479	36.000	912.000	-4.932

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3480	0	912.000	-4.568
3481	4.000	912.000	-4.568
3482	8.000	912.000	-4.568
3483	12.000	912.000	-4.568
3484	16.000	912.000	-4.568
3485	20.000	912.000	-4.568
3486	24.000	912.000	-4.568
3487	28.000	912.000	-4.568
3488	32.000	912.000	-4.568
3489	36.000	912.000	-4.568
3490	0	912.000	-4.205
3491	4.000	912.000	-4.205
3492	8.000	912.000	-4.205
3493	12.000	912.000	-4.205
3494	16.000	912.000	-4.205
3495	20.000	912.000	-4.205
3496	24.000	912.000	-4.205
3497	28.000	912.000	-4.205
3498	32.000	912.000	-4.205
3499	36.000	912.000	-4.205
3500	0	912.000	-3.841
3501	4.000	912.000	-3.841
3502	8.000	912.000	-3.841
3503	12.000	912.000	-3.841
3504	16.000	912.000	-3.841
3505	20.000	912.000	-3.841
3506	24.000	912.000	-3.841
3507	28.000	912.000	-3.841
3508	32.000	912.000	-3.841
3509	36.000	912.000	-3.841
3510	0	912.000	-3.477
3511	4.000	912.000	-3.477
3512	8.000	912.000	-3.477
3513	12.000	912.000	-3.477
3514	16.000	912.000	-3.477
3515	20.000	912.000	-3.477
3516	24.000	912.000	-3.477
3517	28.000	912.000	-3.477
3518	32.000	912.000	-3.477
3519	36.000	912.000	-3.477
3520	0	912.000	-3.114
3521	4.000	912.000	-3.114
3522	8.000	912.000	-3.114
3523	12.000	912.000	-3.114
3524	16.000	912.000	-3.114
3525	20.000	912.000	-3.114
3526	24.000	912.000	-3.114
3527	28.000	912.000	-3.114
3528	32.000	912.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3529	36.000	912.000	-3.114
3530	0	912.000	-2.750
3531	4.000	912.000	-2.750
3532	8.000	912.000	-2.750
3533	12.000	912.000	-2.750
3534	16.000	912.000	-2.750
3535	20.000	912.000	-2.750
3536	24.000	912.000	-2.750
3537	28.000	912.000	-2.750
3538	32.000	912.000	-2.750
3539	36.000	912.000	-2.750
3540	0	912.000	-2.386
3541	4.000	912.000	-2.386
3542	8.000	912.000	-2.386
3543	12.000	912.000	-2.386
3544	16.000	912.000	-2.386
3545	20.000	912.000	-2.386
3546	24.000	912.000	-2.386
3547	28.000	912.000	-2.386
3548	32.000	912.000	-2.386
3549	36.000	912.000	-2.386
3550	0	912.000	-2.023
3551	4.000	912.000	-2.023
3552	8.000	912.000	-2.023
3553	12.000	912.000	-2.023
3554	16.000	912.000	-2.023
3555	20.000	912.000	-2.023
3556	24.000	912.000	-2.023
3557	28.000	912.000	-2.023
3558	32.000	912.000	-2.023
3559	36.000	912.000	-2.023
3560	0	912.000	-1.659
3561	4.000	912.000	-1.659
3562	8.000	912.000	-1.659
3563	12.000	912.000	-1.659
3564	16.000	912.000	-1.659
3565	20.000	912.000	-1.659
3566	24.000	912.000	-1.659
3567	28.000	912.000	-1.659
3568	32.000	912.000	-1.659
3569	36.000	912.000	-1.659
3570	0	912.000	-1.295
3571	4.000	912.000	-1.295
3572	8.000	912.000	-1.295
3573	12.000	912.000	-1.295
3574	16.000	912.000	-1.295
3575	20.000	912.000	-1.295
3576	24.000	912.000	-1.295
3577	28.000	912.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3578	32.000	912.000	-1.295
3579	36.000	912.000	-1.295
3580	0	912.000	-0.750
3581	4.000	912.000	-0.750
3582	8.000	912.000	-0.750
3583	12.000	912.000	-0.750
3584	16.000	912.000	-0.750
3585	20.000	912.000	-0.750
3586	24.000	912.000	-0.750
3587	28.000	912.000	-0.750
3588	32.000	912.000	-0.750
3589	36.000	912.000	-0.750
3590	0	912.000	-0.200
3591	4.000	912.000	-0.200
3592	8.000	912.000	-0.200
3593	12.000	912.000	-0.200
3594	16.000	912.000	-0.200
3595	20.000	912.000	-0.200
3596	24.000	912.000	-0.200
3597	28.000	912.000	-0.200
3598	32.000	912.000	-0.200
3599	36.000	912.000	-0.200
3600	-1.300	912.000	0
3601	-0.800	912.000	0
3602	-0.300	912.000	0
3603	0	912.000	0
3604	0.300	912.000	0
3605	1.000	912.000	0
3606	1.500	912.000	0
3607	2.000	912.000	0
3608	2.500	912.000	0
3609	3.000	912.000	0
3610	3.700	912.000	0
3611	4.000	912.000	0
3612	4.300	912.000	0
3613	5.000	912.000	0
3614	5.500	912.000	0
3615	6.000	912.000	0
3616	6.500	912.000	0
3617	7.000	912.000	0
3618	7.700	912.000	0
3619	8.000	912.000	0
3620	8.300	912.000	0
3621	9.000	912.000	0
3622	9.500	912.000	0
3623	10.000	912.000	0
3624	10.500	912.000	0
3625	11.000	912.000	0
3626	11.700	912.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3627	12.000	912.000	0
3628	12.300	912.000	0
3629	13.000	912.000	0
3630	13.500	912.000	0
3631	14.000	912.000	0
3632	14.500	912.000	0
3633	15.000	912.000	0
3634	15.700	912.000	0
3635	16.000	912.000	0
3636	16.300	912.000	0
3637	17.000	912.000	0
3638	17.500	912.000	0
3639	18.000	912.000	0
3640	18.500	912.000	0
3641	19.000	912.000	0
3642	19.700	912.000	0
3643	20.000	912.000	0
3644	20.300	912.000	0
3645	21.000	912.000	0
3646	21.500	912.000	0
3647	22.000	912.000	0
3648	22.500	912.000	0
3649	23.000	912.000	0
3650	23.700	912.000	0
3651	24.000	912.000	0
3652	24.300	912.000	0
3653	25.000	912.000	0
3654	25.500	912.000	0
3655	26.000	912.000	0
3656	26.500	912.000	0
3657	27.000	912.000	0
3658	27.700	912.000	0
3659	28.000	912.000	0
3660	28.300	912.000	0
3661	29.000	912.000	0
3662	29.500	912.000	0
3663	30.000	912.000	0
3664	30.500	912.000	0
3665	31.000	912.000	0
3666	31.700	912.000	0
3667	32.000	912.000	0
3668	32.300	912.000	0
3669	33.000	912.000	0
3670	33.500	912.000	0
3671	34.000	912.000	0
3672	34.500	912.000	0
3673	35.000	912.000	0
3674	35.700	912.000	0
3675	36.000	912.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3676	36.300	912.000	0
3677	36.800	912.000	0
3678	37.300	912.000	0
3679	0	912.000	0.200
3680	4.000	912.000	0.200
3681	8.000	912.000	0.200
3682	12.000	912.000	0.200
3683	16.000	912.000	0.200
3684	20.000	912.000	0.200
3685	24.000	912.000	0.200
3686	28.000	912.000	0.200
3687	32.000	912.000	0.200
3688	36.000	912.000	0.200
3689	0	912.000	0.900
3690	4.000	912.000	0.900
3691	8.000	912.000	0.900
3692	12.000	912.000	0.900
3693	16.000	912.000	0.900
3694	20.000	912.000	0.900
3695	24.000	912.000	0.900
3696	28.000	912.000	0.900
3697	32.000	912.000	0.900
3698	36.000	912.000	0.900
3699	0	912.000	1.300
3700	4.000	912.000	1.300
3701	8.000	912.000	1.300
3702	12.000	912.000	1.300
3703	16.000	912.000	1.300
3704	20.000	912.000	1.300
3705	24.000	912.000	1.300
3706	28.000	912.000	1.300
3707	32.000	912.000	1.300
3708	36.000	912.000	1.300
3709	0	912.500	-6.386
3710	4.000	912.500	-6.386
3711	8.000	912.500	-6.386
3712	12.000	912.500	-6.386
3713	16.000	912.500	-6.386
3714	20.000	912.500	-6.386
3715	24.000	912.500	-6.386
3716	28.000	912.500	-6.386
3717	32.000	912.500	-6.386
3718	36.000	912.500	-6.386
3719	0	912.500	-6.023
3720	4.000	912.500	-6.023
3721	8.000	912.500	-6.023
3722	12.000	912.500	-6.023
3723	16.000	912.500	-6.023
3724	20.000	912.500	-6.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3725	24.000	912.500	-6.023
3726	28.000	912.500	-6.023
3727	32.000	912.500	-6.023
3728	36.000	912.500	-6.023
3729	0	912.500	-5.659
3730	4.000	912.500	-5.659
3731	8.000	912.500	-5.659
3732	12.000	912.500	-5.659
3733	16.000	912.500	-5.659
3734	20.000	912.500	-5.659
3735	24.000	912.500	-5.659
3736	28.000	912.500	-5.659
3737	32.000	912.500	-5.659
3738	36.000	912.500	-5.659
3739	0	912.500	-5.295
3740	4.000	912.500	-5.295
3741	8.000	912.500	-5.295
3742	12.000	912.500	-5.295
3743	16.000	912.500	-5.295
3744	20.000	912.500	-5.295
3745	24.000	912.500	-5.295
3746	28.000	912.500	-5.295
3747	32.000	912.500	-5.295
3748	36.000	912.500	-5.295
3749	0	912.500	-4.932
3750	4.000	912.500	-4.932
3751	8.000	912.500	-4.932
3752	12.000	912.500	-4.932
3753	16.000	912.500	-4.932
3754	20.000	912.500	-4.932
3755	24.000	912.500	-4.932
3756	28.000	912.500	-4.932
3757	32.000	912.500	-4.932
3758	36.000	912.500	-4.932
3759	0	912.500	-4.568
3760	4.000	912.500	-4.568
3761	8.000	912.500	-4.568
3762	12.000	912.500	-4.568
3763	16.000	912.500	-4.568
3764	20.000	912.500	-4.568
3765	24.000	912.500	-4.568
3766	28.000	912.500	-4.568
3767	32.000	912.500	-4.568
3768	36.000	912.500	-4.568
3769	0	912.500	-4.205
3770	4.000	912.500	-4.205
3771	8.000	912.500	-4.205
3772	12.000	912.500	-4.205
3773	16.000	912.500	-4.205

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3774	20.000	912.500	-4.205
3775	24.000	912.500	-4.205
3776	28.000	912.500	-4.205
3777	32.000	912.500	-4.205
3778	36.000	912.500	-4.205
3779	0	912.500	-3.841
3780	4.000	912.500	-3.841
3781	8.000	912.500	-3.841
3782	12.000	912.500	-3.841
3783	16.000	912.500	-3.841
3784	20.000	912.500	-3.841
3785	24.000	912.500	-3.841
3786	28.000	912.500	-3.841
3787	32.000	912.500	-3.841
3788	36.000	912.500	-3.841
3789	0	912.500	-3.477
3790	4.000	912.500	-3.477
3791	8.000	912.500	-3.477
3792	12.000	912.500	-3.477
3793	16.000	912.500	-3.477
3794	20.000	912.500	-3.477
3795	24.000	912.500	-3.477
3796	28.000	912.500	-3.477
3797	32.000	912.500	-3.477
3798	36.000	912.500	-3.477
3799	0	912.500	-3.114
3800	4.000	912.500	-3.114
3801	8.000	912.500	-3.114
3802	12.000	912.500	-3.114
3803	16.000	912.500	-3.114
3804	20.000	912.500	-3.114
3805	24.000	912.500	-3.114
3806	28.000	912.500	-3.114
3807	32.000	912.500	-3.114
3808	36.000	912.500	-3.114
3809	0	912.500	-2.750
3810	4.000	912.500	-2.750
3811	8.000	912.500	-2.750
3812	12.000	912.500	-2.750
3813	16.000	912.500	-2.750
3814	20.000	912.500	-2.750
3815	24.000	912.500	-2.750
3816	28.000	912.500	-2.750
3817	32.000	912.500	-2.750
3818	36.000	912.500	-2.750
3819	0	912.500	-2.386
3820	4.000	912.500	-2.386
3821	8.000	912.500	-2.386
3822	12.000	912.500	-2.386

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3823	16.000	912.500	-2.386
3824	20.000	912.500	-2.386
3825	24.000	912.500	-2.386
3826	28.000	912.500	-2.386
3827	32.000	912.500	-2.386
3828	36.000	912.500	-2.386
3829	0	912.500	-2.023
3830	4.000	912.500	-2.023
3831	8.000	912.500	-2.023
3832	12.000	912.500	-2.023
3833	16.000	912.500	-2.023
3834	20.000	912.500	-2.023
3835	24.000	912.500	-2.023
3836	28.000	912.500	-2.023
3837	32.000	912.500	-2.023
3838	36.000	912.500	-2.023
3839	0	912.500	-1.659
3840	4.000	912.500	-1.659
3841	8.000	912.500	-1.659
3842	12.000	912.500	-1.659
3843	16.000	912.500	-1.659
3844	20.000	912.500	-1.659
3845	24.000	912.500	-1.659
3846	28.000	912.500	-1.659
3847	32.000	912.500	-1.659
3848	36.000	912.500	-1.659
3849	0	912.500	-1.295
3850	4.000	912.500	-1.295
3851	8.000	912.500	-1.295
3852	12.000	912.500	-1.295
3853	16.000	912.500	-1.295
3854	20.000	912.500	-1.295
3855	24.000	912.500	-1.295
3856	28.000	912.500	-1.295
3857	32.000	912.500	-1.295
3858	36.000	912.500	-1.295
3859	0	912.500	-0.750
3860	4.000	912.500	-0.750
3861	8.000	912.500	-0.750
3862	12.000	912.500	-0.750
3863	16.000	912.500	-0.750
3864	20.000	912.500	-0.750
3865	24.000	912.500	-0.750
3866	28.000	912.500	-0.750
3867	32.000	912.500	-0.750
3868	36.000	912.500	-0.750
3869	0	912.500	-0.200
3870	4.000	912.500	-0.200
3871	8.000	912.500	-0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3872	12.000	912.500	-0.200
3873	16.000	912.500	-0.200
3874	20.000	912.500	-0.200
3875	24.000	912.500	-0.200
3876	28.000	912.500	-0.200
3877	32.000	912.500	-0.200
3878	36.000	912.500	-0.200
3879	-1.300	912.500	0
3880	-0.800	912.500	0
3881	-0.300	912.500	0
3882	0	912.500	0
3883	0.300	912.500	0
3884	1.000	912.500	0
3885	1.500	912.500	0
3886	2.000	912.500	0
3887	2.500	912.500	0
3888	3.000	912.500	0
3889	3.700	912.500	0
3890	4.000	912.500	0
3891	4.300	912.500	0
3892	5.000	912.500	0
3893	5.500	912.500	0
3894	6.000	912.500	0
3895	6.500	912.500	0
3896	7.000	912.500	0
3897	7.700	912.500	0
3898	8.000	912.500	0
3899	8.300	912.500	0
3900	9.000	912.500	0
3901	9.500	912.500	0
3902	10.000	912.500	0
3903	10.500	912.500	0
3904	11.000	912.500	0
3905	11.700	912.500	0
3906	12.000	912.500	0
3907	12.300	912.500	0
3908	13.000	912.500	0
3909	13.500	912.500	0
3910	14.000	912.500	0
3911	14.500	912.500	0
3912	15.000	912.500	0
3913	15.700	912.500	0
3914	16.000	912.500	0
3915	16.300	912.500	0
3916	17.000	912.500	0
3917	17.500	912.500	0
3918	18.000	912.500	0
3919	18.500	912.500	0
3920	19.000	912.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3921	19.700	912.500	0
3922	20.000	912.500	0
3923	20.300	912.500	0
3924	21.000	912.500	0
3925	21.500	912.500	0
3926	22.000	912.500	0
3927	22.500	912.500	0
3928	23.000	912.500	0
3929	23.700	912.500	0
3930	24.000	912.500	0
3931	24.300	912.500	0
3932	25.000	912.500	0
3933	25.500	912.500	0
3934	26.000	912.500	0
3935	26.500	912.500	0
3936	27.000	912.500	0
3937	27.700	912.500	0
3938	28.000	912.500	0
3939	28.300	912.500	0
3940	29.000	912.500	0
3941	29.500	912.500	0
3942	30.000	912.500	0
3943	30.500	912.500	0
3944	31.000	912.500	0
3945	31.700	912.500	0
3946	32.000	912.500	0
3947	32.300	912.500	0
3948	33.000	912.500	0
3949	33.500	912.500	0
3950	34.000	912.500	0
3951	34.500	912.500	0
3952	35.000	912.500	0
3953	35.700	912.500	0
3954	36.000	912.500	0
3955	36.300	912.500	0
3956	36.800	912.500	0
3957	37.300	912.500	0
3958	0	912.500	0.200
3959	4.000	912.500	0.200
3960	8.000	912.500	0.200
3961	12.000	912.500	0.200
3962	16.000	912.500	0.200
3963	20.000	912.500	0.200
3964	24.000	912.500	0.200
3965	28.000	912.500	0.200
3966	32.000	912.500	0.200
3967	36.000	912.500	0.200
3968	0	912.500	0.900
3969	4.000	912.500	0.900

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3970	8.000	912.500	0.900
3971	12.000	912.500	0.900
3972	16.000	912.500	0.900
3973	20.000	912.500	0.900
3974	24.000	912.500	0.900
3975	28.000	912.500	0.900
3976	32.000	912.500	0.900
3977	36.000	912.500	0.900
3978	0	913.000	-6.205
3979	4.000	913.000	-6.205
3980	8.000	913.000	-6.205
3981	12.000	913.000	-6.205
3982	16.000	913.000	-6.205
3983	20.000	913.000	-6.205
3984	24.000	913.000	-6.205
3985	28.000	913.000	-6.205
3986	32.000	913.000	-6.205
3987	36.000	913.000	-6.205
3988	0	913.000	-6.023
3989	4.000	913.000	-6.023
3990	8.000	913.000	-6.023
3991	12.000	913.000	-6.023
3992	16.000	913.000	-6.023
3993	20.000	913.000	-6.023
3994	24.000	913.000	-6.023
3995	28.000	913.000	-6.023
3996	32.000	913.000	-6.023
3997	36.000	913.000	-6.023
3998	0	913.000	-5.659
3999	4.000	913.000	-5.659
4000	8.000	913.000	-5.659
4001	12.000	913.000	-5.659
4002	16.000	913.000	-5.659
4003	20.000	913.000	-5.659
4004	24.000	913.000	-5.659
4005	28.000	913.000	-5.659
4006	32.000	913.000	-5.659
4007	36.000	913.000	-5.659
4008	0	913.000	-5.295
4009	4.000	913.000	-5.295
4010	8.000	913.000	-5.295
4011	12.000	913.000	-5.295
4012	16.000	913.000	-5.295
4013	20.000	913.000	-5.295
4014	24.000	913.000	-5.295
4015	28.000	913.000	-5.295
4016	32.000	913.000	-5.295
4017	36.000	913.000	-5.295
4018	0	913.000	-4.932

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4019	4.000	913.000	-4.932
4020	8.000	913.000	-4.932
4021	12.000	913.000	-4.932
4022	16.000	913.000	-4.932
4023	20.000	913.000	-4.932
4024	24.000	913.000	-4.932
4025	28.000	913.000	-4.932
4026	32.000	913.000	-4.932
4027	36.000	913.000	-4.932
4028	0	913.000	-4.568
4029	4.000	913.000	-4.568
4030	8.000	913.000	-4.568
4031	12.000	913.000	-4.568
4032	16.000	913.000	-4.568
4033	20.000	913.000	-4.568
4034	24.000	913.000	-4.568
4035	28.000	913.000	-4.568
4036	32.000	913.000	-4.568
4037	36.000	913.000	-4.568
4038	0	913.000	-4.205
4039	4.000	913.000	-4.205
4040	8.000	913.000	-4.205
4041	12.000	913.000	-4.205
4042	16.000	913.000	-4.205
4043	20.000	913.000	-4.205
4044	24.000	913.000	-4.205
4045	28.000	913.000	-4.205
4046	32.000	913.000	-4.205
4047	36.000	913.000	-4.205
4048	0	913.000	-3.841
4049	4.000	913.000	-3.841
4050	8.000	913.000	-3.841
4051	12.000	913.000	-3.841
4052	16.000	913.000	-3.841
4053	20.000	913.000	-3.841
4054	24.000	913.000	-3.841
4055	28.000	913.000	-3.841
4056	32.000	913.000	-3.841
4057	36.000	913.000	-3.841
4058	0	913.000	-3.477
4059	4.000	913.000	-3.477
4060	8.000	913.000	-3.477
4061	12.000	913.000	-3.477
4062	16.000	913.000	-3.477
4063	20.000	913.000	-3.477
4064	24.000	913.000	-3.477
4065	28.000	913.000	-3.477
4066	32.000	913.000	-3.477
4067	36.000	913.000	-3.477

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4068	0	913.000	-3.114
4069	4.000	913.000	-3.114
4070	8.000	913.000	-3.114
4071	12.000	913.000	-3.114
4072	16.000	913.000	-3.114
4073	20.000	913.000	-3.114
4074	24.000	913.000	-3.114
4075	28.000	913.000	-3.114
4076	32.000	913.000	-3.114
4077	36.000	913.000	-3.114
4078	0	913.000	-2.750
4079	4.000	913.000	-2.750
4080	8.000	913.000	-2.750
4081	12.000	913.000	-2.750
4082	16.000	913.000	-2.750
4083	20.000	913.000	-2.750
4084	24.000	913.000	-2.750
4085	28.000	913.000	-2.750
4086	32.000	913.000	-2.750
4087	36.000	913.000	-2.750
4088	0	913.000	-2.386
4089	4.000	913.000	-2.386
4090	8.000	913.000	-2.386
4091	12.000	913.000	-2.386
4092	16.000	913.000	-2.386
4093	20.000	913.000	-2.386
4094	24.000	913.000	-2.386
4095	28.000	913.000	-2.386
4096	32.000	913.000	-2.386
4097	36.000	913.000	-2.386
4098	0	913.000	-2.023
4099	4.000	913.000	-2.023
4100	8.000	913.000	-2.023
4101	12.000	913.000	-2.023
4102	16.000	913.000	-2.023
4103	20.000	913.000	-2.023
4104	24.000	913.000	-2.023
4105	28.000	913.000	-2.023
4106	32.000	913.000	-2.023
4107	36.000	913.000	-2.023
4108	0	913.000	-1.659
4109	4.000	913.000	-1.659
4110	8.000	913.000	-1.659
4111	12.000	913.000	-1.659
4112	16.000	913.000	-1.659
4113	20.000	913.000	-1.659
4114	24.000	913.000	-1.659
4115	28.000	913.000	-1.659
4116	32.000	913.000	-1.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4117	36.000	913.000	-1.659
4118	0	913.000	-1.295
4119	4.000	913.000	-1.295
4120	8.000	913.000	-1.295
4121	12.000	913.000	-1.295
4122	16.000	913.000	-1.295
4123	20.000	913.000	-1.295
4124	24.000	913.000	-1.295
4125	28.000	913.000	-1.295
4126	32.000	913.000	-1.295
4127	36.000	913.000	-1.295
4128	0	913.000	-0.750
4129	4.000	913.000	-0.750
4130	8.000	913.000	-0.750
4131	12.000	913.000	-0.750
4132	16.000	913.000	-0.750
4133	20.000	913.000	-0.750
4134	24.000	913.000	-0.750
4135	28.000	913.000	-0.750
4136	32.000	913.000	-0.750
4137	36.000	913.000	-0.750
4138	0	913.000	-0.200
4139	4.000	913.000	-0.200
4140	8.000	913.000	-0.200
4141	12.000	913.000	-0.200
4142	16.000	913.000	-0.200
4143	20.000	913.000	-0.200
4144	24.000	913.000	-0.200
4145	28.000	913.000	-0.200
4146	32.000	913.000	-0.200
4147	36.000	913.000	-0.200
4148	-1.300	913.000	0
4149	-0.800	913.000	0
4150	-0.300	913.000	0
4151	0	913.000	0
4152	0.300	913.000	0
4153	1.000	913.000	0
4154	1.500	913.000	0
4155	2.000	913.000	0
4156	2.500	913.000	0
4157	3.000	913.000	0
4158	3.700	913.000	0
4159	4.000	913.000	0
4160	4.300	913.000	0
4161	5.000	913.000	0
4162	5.500	913.000	0
4163	6.000	913.000	0
4164	6.500	913.000	0
4165	7.000	913.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4166	7.700	913.000	0
4167	8.000	913.000	0
4168	8.300	913.000	0
4169	9.000	913.000	0
4170	9.500	913.000	0
4171	10.000	913.000	0
4172	10.500	913.000	0
4173	11.000	913.000	0
4174	11.700	913.000	0
4175	12.000	913.000	0
4176	12.300	913.000	0
4177	13.000	913.000	0
4178	13.500	913.000	0
4179	14.000	913.000	0
4180	14.500	913.000	0
4181	15.000	913.000	0
4182	15.700	913.000	0
4183	16.000	913.000	0
4184	16.300	913.000	0
4185	17.000	913.000	0
4186	17.500	913.000	0
4187	18.000	913.000	0
4188	18.500	913.000	0
4189	19.000	913.000	0
4190	19.700	913.000	0
4191	20.000	913.000	0
4192	20.300	913.000	0
4193	21.000	913.000	0
4194	21.500	913.000	0
4195	22.000	913.000	0
4196	22.500	913.000	0
4197	23.000	913.000	0
4198	23.700	913.000	0
4199	24.000	913.000	0
4200	24.300	913.000	0
4201	25.000	913.000	0
4202	25.500	913.000	0
4203	26.000	913.000	0
4204	26.500	913.000	0
4205	27.000	913.000	0
4206	27.700	913.000	0
4207	28.000	913.000	0
4208	28.300	913.000	0
4209	29.000	913.000	0
4210	29.500	913.000	0
4211	30.000	913.000	0
4212	30.500	913.000	0
4213	31.000	913.000	0
4214	31.700	913.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4215	32.000	913.000	0
4216	32.300	913.000	0
4217	33.000	913.000	0
4218	33.500	913.000	0
4219	34.000	913.000	0
4220	34.500	913.000	0
4221	35.000	913.000	0
4222	35.700	913.000	0
4223	36.000	913.000	0
4224	36.300	913.000	0
4225	36.800	913.000	0
4226	37.300	913.000	0
4227	0	913.000	0.200
4228	4.000	913.000	0.200
4229	8.000	913.000	0.200
4230	12.000	913.000	0.200
4231	16.000	913.000	0.200
4232	20.000	913.000	0.200
4233	24.000	913.000	0.200
4234	28.000	913.000	0.200
4235	32.000	913.000	0.200
4236	36.000	913.000	0.200
4237	0	913.500	-6.023
4238	4.000	913.500	-6.023
4239	8.000	913.500	-6.023
4240	12.000	913.500	-6.023
4241	16.000	913.500	-6.023
4242	20.000	913.500	-6.023
4243	24.000	913.500	-6.023
4244	28.000	913.500	-6.023
4245	32.000	913.500	-6.023
4246	36.000	913.500	-6.023
4247	0	913.500	-5.659
4248	4.000	913.500	-5.659
4249	8.000	913.500	-5.659
4250	12.000	913.500	-5.659
4251	16.000	913.500	-5.659
4252	20.000	913.500	-5.659
4253	24.000	913.500	-5.659
4254	28.000	913.500	-5.659
4255	32.000	913.500	-5.659
4256	36.000	913.500	-5.659
4257	0	913.500	-5.295
4258	4.000	913.500	-5.295
4259	8.000	913.500	-5.295
4260	12.000	913.500	-5.295
4261	16.000	913.500	-5.295
4262	20.000	913.500	-5.295
4263	24.000	913.500	-5.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4264	28.000	913.500	-5.295
4265	32.000	913.500	-5.295
4266	36.000	913.500	-5.295
4267	0	913.500	-4.932
4268	4.000	913.500	-4.932
4269	8.000	913.500	-4.932
4270	12.000	913.500	-4.932
4271	16.000	913.500	-4.932
4272	20.000	913.500	-4.932
4273	24.000	913.500	-4.932
4274	28.000	913.500	-4.932
4275	32.000	913.500	-4.932
4276	36.000	913.500	-4.932
4277	0	913.500	-4.568
4278	4.000	913.500	-4.568
4279	8.000	913.500	-4.568
4280	12.000	913.500	-4.568
4281	16.000	913.500	-4.568
4282	20.000	913.500	-4.568
4283	24.000	913.500	-4.568
4284	28.000	913.500	-4.568
4285	32.000	913.500	-4.568
4286	36.000	913.500	-4.568
4287	0	913.500	-4.205
4288	4.000	913.500	-4.205
4289	8.000	913.500	-4.205
4290	12.000	913.500	-4.205
4291	16.000	913.500	-4.205
4292	20.000	913.500	-4.205
4293	24.000	913.500	-4.205
4294	28.000	913.500	-4.205
4295	32.000	913.500	-4.205
4296	36.000	913.500	-4.205
4297	0	913.500	-3.841
4298	4.000	913.500	-3.841
4299	8.000	913.500	-3.841
4300	12.000	913.500	-3.841
4301	16.000	913.500	-3.841
4302	20.000	913.500	-3.841
4303	24.000	913.500	-3.841
4304	28.000	913.500	-3.841
4305	32.000	913.500	-3.841
4306	36.000	913.500	-3.841
4307	0	913.500	-3.477
4308	4.000	913.500	-3.477
4309	8.000	913.500	-3.477
4310	12.000	913.500	-3.477
4311	16.000	913.500	-3.477
4312	20.000	913.500	-3.477

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4313	24.000	913.500	-3.477
4314	28.000	913.500	-3.477
4315	32.000	913.500	-3.477
4316	36.000	913.500	-3.477
4317	0	913.500	-3.114
4318	4.000	913.500	-3.114
4319	8.000	913.500	-3.114
4320	12.000	913.500	-3.114
4321	16.000	913.500	-3.114
4322	20.000	913.500	-3.114
4323	24.000	913.500	-3.114
4324	28.000	913.500	-3.114
4325	32.000	913.500	-3.114
4326	36.000	913.500	-3.114
4327	0	913.500	-2.750
4328	4.000	913.500	-2.750
4329	8.000	913.500	-2.750
4330	12.000	913.500	-2.750
4331	16.000	913.500	-2.750
4332	20.000	913.500	-2.750
4333	24.000	913.500	-2.750
4334	28.000	913.500	-2.750
4335	32.000	913.500	-2.750
4336	36.000	913.500	-2.750
4337	0	913.500	-2.386
4338	4.000	913.500	-2.386
4339	8.000	913.500	-2.386
4340	12.000	913.500	-2.386
4341	16.000	913.500	-2.386
4342	20.000	913.500	-2.386
4343	24.000	913.500	-2.386
4344	28.000	913.500	-2.386
4345	32.000	913.500	-2.386
4346	36.000	913.500	-2.386
4347	0	913.500	-2.023
4348	4.000	913.500	-2.023
4349	8.000	913.500	-2.023
4350	12.000	913.500	-2.023
4351	16.000	913.500	-2.023
4352	20.000	913.500	-2.023
4353	24.000	913.500	-2.023
4354	28.000	913.500	-2.023
4355	32.000	913.500	-2.023
4356	36.000	913.500	-2.023
4357	0	913.500	-1.659
4358	4.000	913.500	-1.659
4359	8.000	913.500	-1.659
4360	12.000	913.500	-1.659
4361	16.000	913.500	-1.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4362	20.000	913.500	-1.659
4363	24.000	913.500	-1.659
4364	28.000	913.500	-1.659
4365	32.000	913.500	-1.659
4366	36.000	913.500	-1.659
4367	0	913.500	-1.295
4368	4.000	913.500	-1.295
4369	8.000	913.500	-1.295
4370	12.000	913.500	-1.295
4371	16.000	913.500	-1.295
4372	20.000	913.500	-1.295
4373	24.000	913.500	-1.295
4374	28.000	913.500	-1.295
4375	32.000	913.500	-1.295
4376	36.000	913.500	-1.295
4377	0	913.500	-0.750
4378	4.000	913.500	-0.750
4379	8.000	913.500	-0.750
4380	12.000	913.500	-0.750
4381	16.000	913.500	-0.750
4382	20.000	913.500	-0.750
4383	24.000	913.500	-0.750
4384	28.000	913.500	-0.750
4385	32.000	913.500	-0.750
4386	36.000	913.500	-0.750
4387	0	913.500	-0.200
4388	4.000	913.500	-0.200
4389	8.000	913.500	-0.200
4390	12.000	913.500	-0.200
4391	16.000	913.500	-0.200
4392	20.000	913.500	-0.200
4393	24.000	913.500	-0.200
4394	28.000	913.500	-0.200
4395	32.000	913.500	-0.200
4396	36.000	913.500	-0.200
4397	-1.300	913.500	0
4398	-0.800	913.500	0
4399	-0.300	913.500	0
4400	0	913.500	0
4401	0.300	913.500	0
4402	1.000	913.500	0
4403	1.500	913.500	0
4404	2.000	913.500	0
4405	2.500	913.500	0
4406	3.000	913.500	0
4407	3.700	913.500	0
4408	4.000	913.500	0
4409	4.300	913.500	0
4410	5.000	913.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4411	5.500	913.500	0
4412	6.000	913.500	0
4413	6.500	913.500	0
4414	7.000	913.500	0
4415	7.700	913.500	0
4416	8.000	913.500	0
4417	8.300	913.500	0
4418	9.000	913.500	0
4419	9.500	913.500	0
4420	10.000	913.500	0
4421	10.500	913.500	0
4422	11.000	913.500	0
4423	11.700	913.500	0
4424	12.000	913.500	0
4425	12.300	913.500	0
4426	13.000	913.500	0
4427	13.500	913.500	0
4428	14.000	913.500	0
4429	14.500	913.500	0
4430	15.000	913.500	0
4431	15.700	913.500	0
4432	16.000	913.500	0
4433	16.300	913.500	0
4434	17.000	913.500	0
4435	17.500	913.500	0
4436	18.000	913.500	0
4437	18.500	913.500	0
4438	19.000	913.500	0
4439	19.700	913.500	0
4440	20.000	913.500	0
4441	20.300	913.500	0
4442	21.000	913.500	0
4443	21.500	913.500	0
4444	22.000	913.500	0
4445	22.500	913.500	0
4446	23.000	913.500	0
4447	23.700	913.500	0
4448	24.000	913.500	0
4449	24.300	913.500	0
4450	25.000	913.500	0
4451	25.500	913.500	0
4452	26.000	913.500	0
4453	26.500	913.500	0
4454	27.000	913.500	0
4455	27.700	913.500	0
4456	28.000	913.500	0
4457	28.300	913.500	0
4458	29.000	913.500	0
4459	29.500	913.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4460	30.000	913.500	0
4461	30.500	913.500	0
4462	31.000	913.500	0
4463	31.700	913.500	0
4464	32.000	913.500	0
4465	32.300	913.500	0
4466	33.000	913.500	0
4467	33.500	913.500	0
4468	34.000	913.500	0
4469	34.500	913.500	0
4470	35.000	913.500	0
4471	35.700	913.500	0
4472	36.000	913.500	0
4473	36.300	913.500	0
4474	36.800	913.500	0
4475	37.300	913.500	0
4476	0	914.000	-5.841
4477	4.000	914.000	-5.841
4478	8.000	914.000	-5.841
4479	12.000	914.000	-5.841
4480	16.000	914.000	-5.841
4481	20.000	914.000	-5.841
4482	24.000	914.000	-5.841
4483	28.000	914.000	-5.841
4484	32.000	914.000	-5.841
4485	36.000	914.000	-5.841
4486	0	914.000	-5.659
4487	4.000	914.000	-5.659
4488	8.000	914.000	-5.659
4489	12.000	914.000	-5.659
4490	16.000	914.000	-5.659
4491	20.000	914.000	-5.659
4492	24.000	914.000	-5.659
4493	28.000	914.000	-5.659
4494	32.000	914.000	-5.659
4495	36.000	914.000	-5.659
4496	0	914.000	-5.295
4497	4.000	914.000	-5.295
4498	8.000	914.000	-5.295
4499	12.000	914.000	-5.295
4500	16.000	914.000	-5.295
4501	20.000	914.000	-5.295
4502	24.000	914.000	-5.295
4503	28.000	914.000	-5.295
4504	32.000	914.000	-5.295
4505	36.000	914.000	-5.295
4506	0	914.000	-4.932
4507	4.000	914.000	-4.932
4508	8.000	914.000	-4.932

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4509	12.000	914.000	-4.932
4510	16.000	914.000	-4.932
4511	20.000	914.000	-4.932
4512	24.000	914.000	-4.932
4513	28.000	914.000	-4.932
4514	32.000	914.000	-4.932
4515	36.000	914.000	-4.932
4516	0	914.000	-4.568
4517	4.000	914.000	-4.568
4518	8.000	914.000	-4.568
4519	12.000	914.000	-4.568
4520	16.000	914.000	-4.568
4521	20.000	914.000	-4.568
4522	24.000	914.000	-4.568
4523	28.000	914.000	-4.568
4524	32.000	914.000	-4.568
4525	36.000	914.000	-4.568
4526	0	914.000	-4.205
4527	4.000	914.000	-4.205
4528	8.000	914.000	-4.205
4529	12.000	914.000	-4.205
4530	16.000	914.000	-4.205
4531	20.000	914.000	-4.205
4532	24.000	914.000	-4.205
4533	28.000	914.000	-4.205
4534	32.000	914.000	-4.205
4535	36.000	914.000	-4.205
4536	0	914.000	-3.841
4537	4.000	914.000	-3.841
4538	8.000	914.000	-3.841
4539	12.000	914.000	-3.841
4540	16.000	914.000	-3.841
4541	20.000	914.000	-3.841
4542	24.000	914.000	-3.841
4543	28.000	914.000	-3.841
4544	32.000	914.000	-3.841
4545	36.000	914.000	-3.841
4546	0	914.000	-3.477
4547	4.000	914.000	-3.477
4548	8.000	914.000	-3.477
4549	12.000	914.000	-3.477
4550	16.000	914.000	-3.477
4551	20.000	914.000	-3.477
4552	24.000	914.000	-3.477
4553	28.000	914.000	-3.477
4554	32.000	914.000	-3.477
4555	36.000	914.000	-3.477
4556	0	914.000	-3.114
4557	4.000	914.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4558	8.000	914.000	-3.114
4559	12.000	914.000	-3.114
4560	16.000	914.000	-3.114
4561	20.000	914.000	-3.114
4562	24.000	914.000	-3.114
4563	28.000	914.000	-3.114
4564	32.000	914.000	-3.114
4565	36.000	914.000	-3.114
4566	0	914.000	-2.750
4567	4.000	914.000	-2.750
4568	8.000	914.000	-2.750
4569	12.000	914.000	-2.750
4570	16.000	914.000	-2.750
4571	20.000	914.000	-2.750
4572	24.000	914.000	-2.750
4573	28.000	914.000	-2.750
4574	32.000	914.000	-2.750
4575	36.000	914.000	-2.750
4576	0	914.000	-2.386
4577	4.000	914.000	-2.386
4578	8.000	914.000	-2.386
4579	12.000	914.000	-2.386
4580	16.000	914.000	-2.386
4581	20.000	914.000	-2.386
4582	24.000	914.000	-2.386
4583	28.000	914.000	-2.386
4584	32.000	914.000	-2.386
4585	36.000	914.000	-2.386
4586	0	914.000	-2.023
4587	4.000	914.000	-2.023
4588	8.000	914.000	-2.023
4589	12.000	914.000	-2.023
4590	16.000	914.000	-2.023
4591	20.000	914.000	-2.023
4592	24.000	914.000	-2.023
4593	28.000	914.000	-2.023
4594	32.000	914.000	-2.023
4595	36.000	914.000	-2.023
4596	0	914.000	-1.659
4597	4.000	914.000	-1.659
4598	8.000	914.000	-1.659
4599	12.000	914.000	-1.659
4600	16.000	914.000	-1.659
4601	20.000	914.000	-1.659
4602	24.000	914.000	-1.659
4603	28.000	914.000	-1.659
4604	32.000	914.000	-1.659
4605	36.000	914.000	-1.659
4606	0	914.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4607	4.000	914.000	-1.295
4608	8.000	914.000	-1.295
4609	12.000	914.000	-1.295
4610	16.000	914.000	-1.295
4611	20.000	914.000	-1.295
4612	24.000	914.000	-1.295
4613	28.000	914.000	-1.295
4614	32.000	914.000	-1.295
4615	36.000	914.000	-1.295
4616	0	914.000	-0.750
4617	4.000	914.000	-0.750
4618	8.000	914.000	-0.750
4619	12.000	914.000	-0.750
4620	16.000	914.000	-0.750
4621	20.000	914.000	-0.750
4622	24.000	914.000	-0.750
4623	28.000	914.000	-0.750
4624	32.000	914.000	-0.750
4625	36.000	914.000	-0.750
4626	0	914.000	-0.200
4627	4.000	914.000	-0.200
4628	8.000	914.000	-0.200
4629	12.000	914.000	-0.200
4630	16.000	914.000	-0.200
4631	20.000	914.000	-0.200
4632	24.000	914.000	-0.200
4633	28.000	914.000	-0.200
4634	32.000	914.000	-0.200
4635	36.000	914.000	-0.200
4636	-1.300	914.000	0
4637	-0.800	914.000	0
4638	-0.300	914.000	0
4639	0	914.000	0
4640	0.300	914.000	0
4641	1.000	914.000	0
4642	1.500	914.000	0
4643	2.000	914.000	0
4644	2.500	914.000	0
4645	3.000	914.000	0
4646	3.700	914.000	0
4647	4.000	914.000	0
4648	4.300	914.000	0
4649	5.000	914.000	0
4650	5.500	914.000	0
4651	6.000	914.000	0
4652	6.500	914.000	0
4653	7.000	914.000	0
4654	7.700	914.000	0
4655	8.000	914.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4656	8.300	914.000	0
4657	9.000	914.000	0
4658	9.500	914.000	0
4659	10.000	914.000	0
4660	10.500	914.000	0
4661	11.000	914.000	0
4662	11.700	914.000	0
4663	12.000	914.000	0
4664	12.300	914.000	0
4665	13.000	914.000	0
4666	13.500	914.000	0
4667	14.000	914.000	0
4668	14.500	914.000	0
4669	15.000	914.000	0
4670	15.700	914.000	0
4671	16.000	914.000	0
4672	16.300	914.000	0
4673	17.000	914.000	0
4674	17.500	914.000	0
4675	18.000	914.000	0
4676	18.500	914.000	0
4677	19.000	914.000	0
4678	19.700	914.000	0
4679	20.000	914.000	0
4680	20.300	914.000	0
4681	21.000	914.000	0
4682	21.500	914.000	0
4683	22.000	914.000	0
4684	22.500	914.000	0
4685	23.000	914.000	0
4686	23.700	914.000	0
4687	24.000	914.000	0
4688	24.300	914.000	0
4689	25.000	914.000	0
4690	25.500	914.000	0
4691	26.000	914.000	0
4692	26.500	914.000	0
4693	27.000	914.000	0
4694	27.700	914.000	0
4695	28.000	914.000	0
4696	28.300	914.000	0
4697	29.000	914.000	0
4698	29.500	914.000	0
4699	30.000	914.000	0
4700	30.500	914.000	0
4701	31.000	914.000	0
4702	31.700	914.000	0
4703	32.000	914.000	0
4704	32.300	914.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4705	33.000	914.000	0
4706	33.500	914.000	0
4707	34.000	914.000	0
4708	34.500	914.000	0
4709	35.000	914.000	0
4710	35.700	914.000	0
4711	36.000	914.000	0
4712	36.300	914.000	0
4713	36.800	914.000	0
4714	37.300	914.000	0
4715	0	914.500	-5.659
4716	4.000	914.500	-5.659
4717	8.000	914.500	-5.659
4718	12.000	914.500	-5.659
4719	16.000	914.500	-5.659
4720	20.000	914.500	-5.659
4721	24.000	914.500	-5.659
4722	28.000	914.500	-5.659
4723	32.000	914.500	-5.659
4724	36.000	914.500	-5.659
4725	0	914.500	-5.295
4726	4.000	914.500	-5.295
4727	8.000	914.500	-5.295
4728	12.000	914.500	-5.295
4729	16.000	914.500	-5.295
4730	20.000	914.500	-5.295
4731	24.000	914.500	-5.295
4732	28.000	914.500	-5.295
4733	32.000	914.500	-5.295
4734	36.000	914.500	-5.295
4735	0	914.500	-4.932
4736	4.000	914.500	-4.932
4737	8.000	914.500	-4.932
4738	12.000	914.500	-4.932
4739	16.000	914.500	-4.932
4740	20.000	914.500	-4.932
4741	24.000	914.500	-4.932
4742	28.000	914.500	-4.932
4743	32.000	914.500	-4.932
4744	36.000	914.500	-4.932
4745	0	914.500	-4.568
4746	4.000	914.500	-4.568
4747	8.000	914.500	-4.568
4748	12.000	914.500	-4.568
4749	16.000	914.500	-4.568
4750	20.000	914.500	-4.568
4751	24.000	914.500	-4.568
4752	28.000	914.500	-4.568
4753	32.000	914.500	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4754	36.000	914.500	-4.568
4755	0	914.500	-4.205
4756	4.000	914.500	-4.205
4757	8.000	914.500	-4.205
4758	12.000	914.500	-4.205
4759	16.000	914.500	-4.205
4760	20.000	914.500	-4.205
4761	24.000	914.500	-4.205
4762	28.000	914.500	-4.205
4763	32.000	914.500	-4.205
4764	36.000	914.500	-4.205
4765	0	914.500	-3.841
4766	4.000	914.500	-3.841
4767	8.000	914.500	-3.841
4768	12.000	914.500	-3.841
4769	16.000	914.500	-3.841
4770	20.000	914.500	-3.841
4771	24.000	914.500	-3.841
4772	28.000	914.500	-3.841
4773	32.000	914.500	-3.841
4774	36.000	914.500	-3.841
4775	0	914.500	-3.477
4776	4.000	914.500	-3.477
4777	8.000	914.500	-3.477
4778	12.000	914.500	-3.477
4779	16.000	914.500	-3.477
4780	20.000	914.500	-3.477
4781	24.000	914.500	-3.477
4782	28.000	914.500	-3.477
4783	32.000	914.500	-3.477
4784	36.000	914.500	-3.477
4785	0	914.500	-3.114
4786	4.000	914.500	-3.114
4787	8.000	914.500	-3.114
4788	12.000	914.500	-3.114
4789	16.000	914.500	-3.114
4790	20.000	914.500	-3.114
4791	24.000	914.500	-3.114
4792	28.000	914.500	-3.114
4793	32.000	914.500	-3.114
4794	36.000	914.500	-3.114
4795	0	914.500	-2.750
4796	4.000	914.500	-2.750
4797	8.000	914.500	-2.750
4798	12.000	914.500	-2.750
4799	16.000	914.500	-2.750
4800	20.000	914.500	-2.750
4801	24.000	914.500	-2.750
4802	28.000	914.500	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4803	32.000	914.500	-2.750
4804	36.000	914.500	-2.750
4805	0	914.500	-2.386
4806	4.000	914.500	-2.386
4807	8.000	914.500	-2.386
4808	12.000	914.500	-2.386
4809	16.000	914.500	-2.386
4810	20.000	914.500	-2.386
4811	24.000	914.500	-2.386
4812	28.000	914.500	-2.386
4813	32.000	914.500	-2.386
4814	36.000	914.500	-2.386
4815	0	914.500	-2.023
4816	4.000	914.500	-2.023
4817	8.000	914.500	-2.023
4818	12.000	914.500	-2.023
4819	16.000	914.500	-2.023
4820	20.000	914.500	-2.023
4821	24.000	914.500	-2.023
4822	28.000	914.500	-2.023
4823	32.000	914.500	-2.023
4824	36.000	914.500	-2.023
4825	0	914.500	-1.659
4826	4.000	914.500	-1.659
4827	8.000	914.500	-1.659
4828	12.000	914.500	-1.659
4829	16.000	914.500	-1.659
4830	20.000	914.500	-1.659
4831	24.000	914.500	-1.659
4832	28.000	914.500	-1.659
4833	32.000	914.500	-1.659
4834	36.000	914.500	-1.659
4835	0	914.500	-1.295
4836	4.000	914.500	-1.295
4837	8.000	914.500	-1.295
4838	12.000	914.500	-1.295
4839	16.000	914.500	-1.295
4840	20.000	914.500	-1.295
4841	24.000	914.500	-1.295
4842	28.000	914.500	-1.295
4843	32.000	914.500	-1.295
4844	36.000	914.500	-1.295
4845	0	914.500	-0.750
4846	4.000	914.500	-0.750
4847	8.000	914.500	-0.750
4848	12.000	914.500	-0.750
4849	16.000	914.500	-0.750
4850	20.000	914.500	-0.750
4851	24.000	914.500	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4852	28.000	914.500	-0.750
4853	32.000	914.500	-0.750
4854	36.000	914.500	-0.750
4855	0	914.500	-0.200
4856	4.000	914.500	-0.200
4857	8.000	914.500	-0.200
4858	12.000	914.500	-0.200
4859	16.000	914.500	-0.200
4860	20.000	914.500	-0.200
4861	24.000	914.500	-0.200
4862	28.000	914.500	-0.200
4863	32.000	914.500	-0.200
4864	36.000	914.500	-0.200
4865	-1.300	914.500	0
4866	-0.800	914.500	0
4867	-0.300	914.500	0
4868	0	914.500	0
4869	0.300	914.500	0
4870	1.000	914.500	0
4871	1.500	914.500	0
4872	2.000	914.500	0
4873	2.500	914.500	0
4874	3.000	914.500	0
4875	3.700	914.500	0
4876	4.000	914.500	0
4877	4.300	914.500	0
4878	5.000	914.500	0
4879	5.500	914.500	0
4880	6.000	914.500	0
4881	6.500	914.500	0
4882	7.000	914.500	0
4883	7.700	914.500	0
4884	8.000	914.500	0
4885	8.300	914.500	0
4886	9.000	914.500	0
4887	9.500	914.500	0
4888	10.000	914.500	0
4889	10.500	914.500	0
4890	11.000	914.500	0
4891	11.700	914.500	0
4892	12.000	914.500	0
4893	12.300	914.500	0
4894	13.000	914.500	0
4895	13.500	914.500	0
4896	14.000	914.500	0
4897	14.500	914.500	0
4898	15.000	914.500	0
4899	15.700	914.500	0
4900	16.000	914.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4901	16.300	914.500	0
4902	17.000	914.500	0
4903	17.500	914.500	0
4904	18.000	914.500	0
4905	18.500	914.500	0
4906	19.000	914.500	0
4907	19.700	914.500	0
4908	20.000	914.500	0
4909	20.300	914.500	0
4910	21.000	914.500	0
4911	21.500	914.500	0
4912	22.000	914.500	0
4913	22.500	914.500	0
4914	23.000	914.500	0
4915	23.700	914.500	0
4916	24.000	914.500	0
4917	24.300	914.500	0
4918	25.000	914.500	0
4919	25.500	914.500	0
4920	26.000	914.500	0
4921	26.500	914.500	0
4922	27.000	914.500	0
4923	27.700	914.500	0
4924	28.000	914.500	0
4925	28.300	914.500	0
4926	29.000	914.500	0
4927	29.500	914.500	0
4928	30.000	914.500	0
4929	30.500	914.500	0
4930	31.000	914.500	0
4931	31.700	914.500	0
4932	32.000	914.500	0
4933	32.300	914.500	0
4934	33.000	914.500	0
4935	33.500	914.500	0
4936	34.000	914.500	0
4937	34.500	914.500	0
4938	35.000	914.500	0
4939	35.700	914.500	0
4940	36.000	914.500	0
4941	36.300	914.500	0
4942	36.800	914.500	0
4943	37.300	914.500	0
4944	0	915.000	-5.477
4945	4.000	915.000	-5.477
4946	8.000	915.000	-5.477
4947	12.000	915.000	-5.477
4948	16.000	915.000	-5.477
4949	20.000	915.000	-5.477

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4950	24.000	915.000	-5.477
4951	28.000	915.000	-5.477
4952	32.000	915.000	-5.477
4953	36.000	915.000	-5.477
4954	0	915.000	-5.295
4955	4.000	915.000	-5.295
4956	8.000	915.000	-5.295
4957	12.000	915.000	-5.295
4958	16.000	915.000	-5.295
4959	20.000	915.000	-5.295
4960	24.000	915.000	-5.295
4961	28.000	915.000	-5.295
4962	32.000	915.000	-5.295
4963	36.000	915.000	-5.295
4964	0	915.000	-4.932
4965	4.000	915.000	-4.932
4966	8.000	915.000	-4.932
4967	12.000	915.000	-4.932
4968	16.000	915.000	-4.932
4969	20.000	915.000	-4.932
4970	24.000	915.000	-4.932
4971	28.000	915.000	-4.932
4972	32.000	915.000	-4.932
4973	36.000	915.000	-4.932
4974	0	915.000	-4.568
4975	4.000	915.000	-4.568
4976	8.000	915.000	-4.568
4977	12.000	915.000	-4.568
4978	16.000	915.000	-4.568
4979	20.000	915.000	-4.568
4980	24.000	915.000	-4.568
4981	28.000	915.000	-4.568
4982	32.000	915.000	-4.568
4983	36.000	915.000	-4.568
4984	0	915.000	-4.205
4985	4.000	915.000	-4.205
4986	8.000	915.000	-4.205
4987	12.000	915.000	-4.205
4988	16.000	915.000	-4.205
4989	20.000	915.000	-4.205
4990	24.000	915.000	-4.205
4991	28.000	915.000	-4.205
4992	32.000	915.000	-4.205
4993	36.000	915.000	-4.205
4994	0	915.000	-3.841
4995	4.000	915.000	-3.841
4996	8.000	915.000	-3.841
4997	12.000	915.000	-3.841
4998	16.000	915.000	-3.841

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
4999	20.000	915.000	-3.841
5000	24.000	915.000	-3.841
5001	28.000	915.000	-3.841
5002	32.000	915.000	-3.841
5003	36.000	915.000	-3.841
5004	0	915.000	-3.477
5005	4.000	915.000	-3.477
5006	8.000	915.000	-3.477
5007	12.000	915.000	-3.477
5008	16.000	915.000	-3.477
5009	20.000	915.000	-3.477
5010	24.000	915.000	-3.477
5011	28.000	915.000	-3.477
5012	32.000	915.000	-3.477
5013	36.000	915.000	-3.477
5014	0	915.000	-3.114
5015	4.000	915.000	-3.114
5016	8.000	915.000	-3.114
5017	12.000	915.000	-3.114
5018	16.000	915.000	-3.114
5019	20.000	915.000	-3.114
5020	24.000	915.000	-3.114
5021	28.000	915.000	-3.114
5022	32.000	915.000	-3.114
5023	36.000	915.000	-3.114
5024	0	915.000	-2.750
5025	4.000	915.000	-2.750
5026	8.000	915.000	-2.750
5027	12.000	915.000	-2.750
5028	16.000	915.000	-2.750
5029	20.000	915.000	-2.750
5030	24.000	915.000	-2.750
5031	28.000	915.000	-2.750
5032	32.000	915.000	-2.750
5033	36.000	915.000	-2.750
5034	0	915.000	-2.386
5035	4.000	915.000	-2.386
5036	8.000	915.000	-2.386
5037	12.000	915.000	-2.386
5038	16.000	915.000	-2.386
5039	20.000	915.000	-2.386
5040	24.000	915.000	-2.386
5041	28.000	915.000	-2.386
5042	32.000	915.000	-2.386
5043	36.000	915.000	-2.386
5044	0	915.000	-2.023
5045	4.000	915.000	-2.023
5046	8.000	915.000	-2.023
5047	12.000	915.000	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5048	16.000	915.000	-2.023
5049	20.000	915.000	-2.023
5050	24.000	915.000	-2.023
5051	28.000	915.000	-2.023
5052	32.000	915.000	-2.023
5053	36.000	915.000	-2.023
5054	0	915.000	-1.659
5055	4.000	915.000	-1.659
5056	8.000	915.000	-1.659
5057	12.000	915.000	-1.659
5058	16.000	915.000	-1.659
5059	20.000	915.000	-1.659
5060	24.000	915.000	-1.659
5061	28.000	915.000	-1.659
5062	32.000	915.000	-1.659
5063	36.000	915.000	-1.659
5064	0	915.000	-1.295
5065	4.000	915.000	-1.295
5066	8.000	915.000	-1.295
5067	12.000	915.000	-1.295
5068	16.000	915.000	-1.295
5069	20.000	915.000	-1.295
5070	24.000	915.000	-1.295
5071	28.000	915.000	-1.295
5072	32.000	915.000	-1.295
5073	36.000	915.000	-1.295
5074	0	915.000	-0.750
5075	4.000	915.000	-0.750
5076	8.000	915.000	-0.750
5077	12.000	915.000	-0.750
5078	16.000	915.000	-0.750
5079	20.000	915.000	-0.750
5080	24.000	915.000	-0.750
5081	28.000	915.000	-0.750
5082	32.000	915.000	-0.750
5083	36.000	915.000	-0.750
5084	0	915.000	-0.200
5085	4.000	915.000	-0.200
5086	8.000	915.000	-0.200
5087	12.000	915.000	-0.200
5088	16.000	915.000	-0.200
5089	20.000	915.000	-0.200
5090	24.000	915.000	-0.200
5091	28.000	915.000	-0.200
5092	32.000	915.000	-0.200
5093	36.000	915.000	-0.200
5094	-1.300	915.000	0
5095	-0.800	915.000	0
5096	-0.300	915.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5097	0	915.000	0
5098	0.300	915.000	0
5099	1.000	915.000	0
5100	1.500	915.000	0
5101	2.000	915.000	0
5102	2.500	915.000	0
5103	3.000	915.000	0
5104	3.700	915.000	0
5105	4.000	915.000	0
5106	4.300	915.000	0
5107	5.000	915.000	0
5108	5.500	915.000	0
5109	6.000	915.000	0
5110	6.500	915.000	0
5111	7.000	915.000	0
5112	7.700	915.000	0
5113	8.000	915.000	0
5114	8.300	915.000	0
5115	9.000	915.000	0
5116	9.500	915.000	0
5117	10.000	915.000	0
5118	10.500	915.000	0
5119	11.000	915.000	0
5120	11.700	915.000	0
5121	12.000	915.000	0
5122	12.300	915.000	0
5123	13.000	915.000	0
5124	13.500	915.000	0
5125	14.000	915.000	0
5126	14.500	915.000	0
5127	15.000	915.000	0
5128	15.700	915.000	0
5129	16.000	915.000	0
5130	16.300	915.000	0
5131	17.000	915.000	0
5132	17.500	915.000	0
5133	18.000	915.000	0
5134	18.500	915.000	0
5135	19.000	915.000	0
5136	19.700	915.000	0
5137	20.000	915.000	0
5138	20.300	915.000	0
5139	21.000	915.000	0
5140	21.500	915.000	0
5141	22.000	915.000	0
5142	22.500	915.000	0
5143	23.000	915.000	0
5144	23.700	915.000	0
5145	24.000	915.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5146	24.300	915.000	0
5147	25.000	915.000	0
5148	25.500	915.000	0
5149	26.000	915.000	0
5150	26.500	915.000	0
5151	27.000	915.000	0
5152	27.700	915.000	0
5153	28.000	915.000	0
5154	28.300	915.000	0
5155	29.000	915.000	0
5156	29.500	915.000	0
5157	30.000	915.000	0
5158	30.500	915.000	0
5159	31.000	915.000	0
5160	31.700	915.000	0
5161	32.000	915.000	0
5162	32.300	915.000	0
5163	33.000	915.000	0
5164	33.500	915.000	0
5165	34.000	915.000	0
5166	34.500	915.000	0
5167	35.000	915.000	0
5168	35.700	915.000	0
5169	36.000	915.000	0
5170	36.300	915.000	0
5171	36.800	915.000	0
5172	37.300	915.000	0
5173	0	915.500	-5.295
5174	4.000	915.500	-5.295
5175	8.000	915.500	-5.295
5176	12.000	915.500	-5.295
5177	16.000	915.500	-5.295
5178	20.000	915.500	-5.295
5179	24.000	915.500	-5.295
5180	28.000	915.500	-5.295
5181	32.000	915.500	-5.295
5182	36.000	915.500	-5.295
5183	0	915.500	-4.932
5184	4.000	915.500	-4.932
5185	8.000	915.500	-4.932
5186	12.000	915.500	-4.932
5187	16.000	915.500	-4.932
5188	20.000	915.500	-4.932
5189	24.000	915.500	-4.932
5190	28.000	915.500	-4.932
5191	32.000	915.500	-4.932
5192	36.000	915.500	-4.932
5193	0	915.500	-4.568
5194	4.000	915.500	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5195	8.000	915.500	-4.568
5196	12.000	915.500	-4.568
5197	16.000	915.500	-4.568
5198	20.000	915.500	-4.568
5199	24.000	915.500	-4.568
5200	28.000	915.500	-4.568
5201	32.000	915.500	-4.568
5202	36.000	915.500	-4.568
5203	0	915.500	-4.205
5204	4.000	915.500	-4.205
5205	8.000	915.500	-4.205
5206	12.000	915.500	-4.205
5207	16.000	915.500	-4.205
5208	20.000	915.500	-4.205
5209	24.000	915.500	-4.205
5210	28.000	915.500	-4.205
5211	32.000	915.500	-4.205
5212	36.000	915.500	-4.205
5213	0	915.500	-3.841
5214	4.000	915.500	-3.841
5215	8.000	915.500	-3.841
5216	12.000	915.500	-3.841
5217	16.000	915.500	-3.841
5218	20.000	915.500	-3.841
5219	24.000	915.500	-3.841
5220	28.000	915.500	-3.841
5221	32.000	915.500	-3.841
5222	36.000	915.500	-3.841
5223	0	915.500	-3.477
5224	4.000	915.500	-3.477
5225	8.000	915.500	-3.477
5226	12.000	915.500	-3.477
5227	16.000	915.500	-3.477
5228	20.000	915.500	-3.477
5229	24.000	915.500	-3.477
5230	28.000	915.500	-3.477
5231	32.000	915.500	-3.477
5232	36.000	915.500	-3.477
5233	0	915.500	-3.114
5234	4.000	915.500	-3.114
5235	8.000	915.500	-3.114
5236	12.000	915.500	-3.114
5237	16.000	915.500	-3.114
5238	20.000	915.500	-3.114
5239	24.000	915.500	-3.114
5240	28.000	915.500	-3.114
5241	32.000	915.500	-3.114
5242	36.000	915.500	-3.114
5243	0	915.500	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5244	4.000	915.500	-2.750
5245	8.000	915.500	-2.750
5246	12.000	915.500	-2.750
5247	16.000	915.500	-2.750
5248	20.000	915.500	-2.750
5249	24.000	915.500	-2.750
5250	28.000	915.500	-2.750
5251	32.000	915.500	-2.750
5252	36.000	915.500	-2.750
5253	0	915.500	-2.386
5254	4.000	915.500	-2.386
5255	8.000	915.500	-2.386
5256	12.000	915.500	-2.386
5257	16.000	915.500	-2.386
5258	20.000	915.500	-2.386
5259	24.000	915.500	-2.386
5260	28.000	915.500	-2.386
5261	32.000	915.500	-2.386
5262	36.000	915.500	-2.386
5263	0	915.500	-2.023
5264	4.000	915.500	-2.023
5265	8.000	915.500	-2.023
5266	12.000	915.500	-2.023
5267	16.000	915.500	-2.023
5268	20.000	915.500	-2.023
5269	24.000	915.500	-2.023
5270	28.000	915.500	-2.023
5271	32.000	915.500	-2.023
5272	36.000	915.500	-2.023
5273	0	915.500	-1.659
5274	4.000	915.500	-1.659
5275	8.000	915.500	-1.659
5276	12.000	915.500	-1.659
5277	16.000	915.500	-1.659
5278	20.000	915.500	-1.659
5279	24.000	915.500	-1.659
5280	28.000	915.500	-1.659
5281	32.000	915.500	-1.659
5282	36.000	915.500	-1.659
5283	0	915.500	-1.295
5284	4.000	915.500	-1.295
5285	8.000	915.500	-1.295
5286	12.000	915.500	-1.295
5287	16.000	915.500	-1.295
5288	20.000	915.500	-1.295
5289	24.000	915.500	-1.295
5290	28.000	915.500	-1.295
5291	32.000	915.500	-1.295
5292	36.000	915.500	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5293	0	915.500	-0.750
5294	4.000	915.500	-0.750
5295	8.000	915.500	-0.750
5296	12.000	915.500	-0.750
5297	16.000	915.500	-0.750
5298	20.000	915.500	-0.750
5299	24.000	915.500	-0.750
5300	28.000	915.500	-0.750
5301	32.000	915.500	-0.750
5302	36.000	915.500	-0.750
5303	0	915.500	-0.200
5304	4.000	915.500	-0.200
5305	8.000	915.500	-0.200
5306	12.000	915.500	-0.200
5307	16.000	915.500	-0.200
5308	20.000	915.500	-0.200
5309	24.000	915.500	-0.200
5310	28.000	915.500	-0.200
5311	32.000	915.500	-0.200
5312	36.000	915.500	-0.200
5313	-1.300	915.500	0
5314	-0.800	915.500	0
5315	-0.300	915.500	0
5316	0	915.500	0
5317	0.300	915.500	0
5318	1.000	915.500	0
5319	1.500	915.500	0
5320	2.000	915.500	0
5321	2.500	915.500	0
5322	3.000	915.500	0
5323	3.700	915.500	0
5324	4.000	915.500	0
5325	4.300	915.500	0
5326	5.000	915.500	0
5327	5.500	915.500	0
5328	6.000	915.500	0
5329	6.500	915.500	0
5330	7.000	915.500	0
5331	7.700	915.500	0
5332	8.000	915.500	0
5333	8.300	915.500	0
5334	9.000	915.500	0
5335	9.500	915.500	0
5336	10.000	915.500	0
5337	10.500	915.500	0
5338	11.000	915.500	0
5339	11.700	915.500	0
5340	12.000	915.500	0
5341	12.300	915.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5342	13.000	915.500	0
5343	13.500	915.500	0
5344	14.000	915.500	0
5345	14.500	915.500	0
5346	15.000	915.500	0
5347	15.700	915.500	0
5348	16.000	915.500	0
5349	16.300	915.500	0
5350	17.000	915.500	0
5351	17.500	915.500	0
5352	18.000	915.500	0
5353	18.500	915.500	0
5354	19.000	915.500	0
5355	19.700	915.500	0
5356	20.000	915.500	0
5357	20.300	915.500	0
5358	21.000	915.500	0
5359	21.500	915.500	0
5360	22.000	915.500	0
5361	22.500	915.500	0
5362	23.000	915.500	0
5363	23.700	915.500	0
5364	24.000	915.500	0
5365	24.300	915.500	0
5366	25.000	915.500	0
5367	25.500	915.500	0
5368	26.000	915.500	0
5369	26.500	915.500	0
5370	27.000	915.500	0
5371	27.700	915.500	0
5372	28.000	915.500	0
5373	28.300	915.500	0
5374	29.000	915.500	0
5375	29.500	915.500	0
5376	30.000	915.500	0
5377	30.500	915.500	0
5378	31.000	915.500	0
5379	31.700	915.500	0
5380	32.000	915.500	0
5381	32.300	915.500	0
5382	33.000	915.500	0
5383	33.500	915.500	0
5384	34.000	915.500	0
5385	34.500	915.500	0
5386	35.000	915.500	0
5387	35.700	915.500	0
5388	36.000	915.500	0
5389	36.300	915.500	0
5390	36.800	915.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5391	37.300	915.500	0
5392	0	916.000	-5.114
5393	4.000	916.000	-5.114
5394	8.000	916.000	-5.114
5395	12.000	916.000	-5.114
5396	16.000	916.000	-5.114
5397	20.000	916.000	-5.114
5398	24.000	916.000	-5.114
5399	28.000	916.000	-5.114
5400	32.000	916.000	-5.114
5401	36.000	916.000	-5.114
5402	0	916.000	-4.932
5403	4.000	916.000	-4.932
5404	8.000	916.000	-4.932
5405	12.000	916.000	-4.932
5406	16.000	916.000	-4.932
5407	20.000	916.000	-4.932
5408	24.000	916.000	-4.932
5409	28.000	916.000	-4.932
5410	32.000	916.000	-4.932
5411	36.000	916.000	-4.932
5412	0	916.000	-4.568
5413	4.000	916.000	-4.568
5414	8.000	916.000	-4.568
5415	12.000	916.000	-4.568
5416	16.000	916.000	-4.568
5417	20.000	916.000	-4.568
5418	24.000	916.000	-4.568
5419	28.000	916.000	-4.568
5420	32.000	916.000	-4.568
5421	36.000	916.000	-4.568
5422	0	916.000	-4.205
5423	4.000	916.000	-4.205
5424	8.000	916.000	-4.205
5425	12.000	916.000	-4.205
5426	16.000	916.000	-4.205
5427	20.000	916.000	-4.205
5428	24.000	916.000	-4.205
5429	28.000	916.000	-4.205
5430	32.000	916.000	-4.205
5431	36.000	916.000	-4.205
5432	0	916.000	-3.841
5433	4.000	916.000	-3.841
5434	8.000	916.000	-3.841
5435	12.000	916.000	-3.841
5436	16.000	916.000	-3.841
5437	20.000	916.000	-3.841
5438	24.000	916.000	-3.841
5439	28.000	916.000	-3.841

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5440	32.000	916.000	-3.841
5441	36.000	916.000	-3.841
5442	0	916.000	-3.477
5443	4.000	916.000	-3.477
5444	8.000	916.000	-3.477
5445	12.000	916.000	-3.477
5446	16.000	916.000	-3.477
5447	20.000	916.000	-3.477
5448	24.000	916.000	-3.477
5449	28.000	916.000	-3.477
5450	32.000	916.000	-3.477
5451	36.000	916.000	-3.477
5452	0	916.000	-3.114
5453	4.000	916.000	-3.114
5454	8.000	916.000	-3.114
5455	12.000	916.000	-3.114
5456	16.000	916.000	-3.114
5457	20.000	916.000	-3.114
5458	24.000	916.000	-3.114
5459	28.000	916.000	-3.114
5460	32.000	916.000	-3.114
5461	36.000	916.000	-3.114
5462	0	916.000	-2.750
5463	4.000	916.000	-2.750
5464	8.000	916.000	-2.750
5465	12.000	916.000	-2.750
5466	16.000	916.000	-2.750
5467	20.000	916.000	-2.750
5468	24.000	916.000	-2.750
5469	28.000	916.000	-2.750
5470	32.000	916.000	-2.750
5471	36.000	916.000	-2.750
5472	0	916.000	-2.386
5473	4.000	916.000	-2.386
5474	8.000	916.000	-2.386
5475	12.000	916.000	-2.386
5476	16.000	916.000	-2.386
5477	20.000	916.000	-2.386
5478	24.000	916.000	-2.386
5479	28.000	916.000	-2.386
5480	32.000	916.000	-2.386
5481	36.000	916.000	-2.386
5482	0	916.000	-2.023
5483	4.000	916.000	-2.023
5484	8.000	916.000	-2.023
5485	12.000	916.000	-2.023
5486	16.000	916.000	-2.023
5487	20.000	916.000	-2.023
5488	24.000	916.000	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5489	28.000	916.000	-2.023
5490	32.000	916.000	-2.023
5491	36.000	916.000	-2.023
5492	0	916.000	-1.659
5493	4.000	916.000	-1.659
5494	8.000	916.000	-1.659
5495	12.000	916.000	-1.659
5496	16.000	916.000	-1.659
5497	20.000	916.000	-1.659
5498	24.000	916.000	-1.659
5499	28.000	916.000	-1.659
5500	32.000	916.000	-1.659
5501	36.000	916.000	-1.659
5502	0	916.000	-1.295
5503	4.000	916.000	-1.295
5504	8.000	916.000	-1.295
5505	12.000	916.000	-1.295
5506	16.000	916.000	-1.295
5507	20.000	916.000	-1.295
5508	24.000	916.000	-1.295
5509	28.000	916.000	-1.295
5510	32.000	916.000	-1.295
5511	36.000	916.000	-1.295
5512	0	916.000	-0.750
5513	4.000	916.000	-0.750
5514	8.000	916.000	-0.750
5515	12.000	916.000	-0.750
5516	16.000	916.000	-0.750
5517	20.000	916.000	-0.750
5518	24.000	916.000	-0.750
5519	28.000	916.000	-0.750
5520	32.000	916.000	-0.750
5521	36.000	916.000	-0.750
5522	0	916.000	-0.200
5523	4.000	916.000	-0.200
5524	8.000	916.000	-0.200
5525	12.000	916.000	-0.200
5526	16.000	916.000	-0.200
5527	20.000	916.000	-0.200
5528	24.000	916.000	-0.200
5529	28.000	916.000	-0.200
5530	32.000	916.000	-0.200
5531	36.000	916.000	-0.200
5532	-1.300	916.000	0
5533	-0.800	916.000	0
5534	-0.300	916.000	0
5535	0	916.000	0
5536	0.300	916.000	0
5537	1.000	916.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5538	1.500	916.000	0
5539	2.000	916.000	0
5540	2.500	916.000	0
5541	3.000	916.000	0
5542	3.700	916.000	0
5543	4.000	916.000	0
5544	4.300	916.000	0
5545	5.000	916.000	0
5546	5.500	916.000	0
5547	6.000	916.000	0
5548	6.500	916.000	0
5549	7.000	916.000	0
5550	7.700	916.000	0
5551	8.000	916.000	0
5552	8.300	916.000	0
5553	9.000	916.000	0
5554	9.500	916.000	0
5555	10.000	916.000	0
5556	10.500	916.000	0
5557	11.000	916.000	0
5558	11.700	916.000	0
5559	12.000	916.000	0
5560	12.300	916.000	0
5561	13.000	916.000	0
5562	13.500	916.000	0
5563	14.000	916.000	0
5564	14.500	916.000	0
5565	15.000	916.000	0
5566	15.700	916.000	0
5567	16.000	916.000	0
5568	16.300	916.000	0
5569	17.000	916.000	0
5570	17.500	916.000	0
5571	18.000	916.000	0
5572	18.500	916.000	0
5573	19.000	916.000	0
5574	19.700	916.000	0
5575	20.000	916.000	0
5576	20.300	916.000	0
5577	21.000	916.000	0
5578	21.500	916.000	0
5579	22.000	916.000	0
5580	22.500	916.000	0
5581	23.000	916.000	0
5582	23.700	916.000	0
5583	24.000	916.000	0
5584	24.300	916.000	0
5585	25.000	916.000	0
5586	25.500	916.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5587	26.000	916.000	0
5588	26.500	916.000	0
5589	27.000	916.000	0
5590	27.700	916.000	0
5591	28.000	916.000	0
5592	28.300	916.000	0
5593	29.000	916.000	0
5594	29.500	916.000	0
5595	30.000	916.000	0
5596	30.500	916.000	0
5597	31.000	916.000	0
5598	31.700	916.000	0
5599	32.000	916.000	0
5600	32.300	916.000	0
5601	33.000	916.000	0
5602	33.500	916.000	0
5603	34.000	916.000	0
5604	34.500	916.000	0
5605	35.000	916.000	0
5606	35.700	916.000	0
5607	36.000	916.000	0
5608	36.300	916.000	0
5609	36.800	916.000	0
5610	37.300	916.000	0
5611	0	916.500	-4.932
5612	4.000	916.500	-4.932
5613	8.000	916.500	-4.932
5614	12.000	916.500	-4.932
5615	16.000	916.500	-4.932
5616	20.000	916.500	-4.932
5617	24.000	916.500	-4.932
5618	28.000	916.500	-4.932
5619	32.000	916.500	-4.932
5620	36.000	916.500	-4.932
5621	0	916.500	-4.568
5622	4.000	916.500	-4.568
5623	8.000	916.500	-4.568
5624	12.000	916.500	-4.568
5625	16.000	916.500	-4.568
5626	20.000	916.500	-4.568
5627	24.000	916.500	-4.568
5628	28.000	916.500	-4.568
5629	32.000	916.500	-4.568
5630	36.000	916.500	-4.568
5631	0	916.500	-4.205
5632	4.000	916.500	-4.205
5633	8.000	916.500	-4.205
5634	12.000	916.500	-4.205
5635	16.000	916.500	-4.205

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5636	20.000	916.500	-4.205
5637	24.000	916.500	-4.205
5638	28.000	916.500	-4.205
5639	32.000	916.500	-4.205
5640	36.000	916.500	-4.205
5641	0	916.500	-3.841
5642	4.000	916.500	-3.841
5643	8.000	916.500	-3.841
5644	12.000	916.500	-3.841
5645	16.000	916.500	-3.841
5646	20.000	916.500	-3.841
5647	24.000	916.500	-3.841
5648	28.000	916.500	-3.841
5649	32.000	916.500	-3.841
5650	36.000	916.500	-3.841
5651	0	916.500	-3.477
5652	4.000	916.500	-3.477
5653	8.000	916.500	-3.477
5654	12.000	916.500	-3.477
5655	16.000	916.500	-3.477
5656	20.000	916.500	-3.477
5657	24.000	916.500	-3.477
5658	28.000	916.500	-3.477
5659	32.000	916.500	-3.477
5660	36.000	916.500	-3.477
5661	0	916.500	-3.114
5662	4.000	916.500	-3.114
5663	8.000	916.500	-3.114
5664	12.000	916.500	-3.114
5665	16.000	916.500	-3.114
5666	20.000	916.500	-3.114
5667	24.000	916.500	-3.114
5668	28.000	916.500	-3.114
5669	32.000	916.500	-3.114
5670	36.000	916.500	-3.114
5671	0	916.500	-2.750
5672	4.000	916.500	-2.750
5673	8.000	916.500	-2.750
5674	12.000	916.500	-2.750
5675	16.000	916.500	-2.750
5676	20.000	916.500	-2.750
5677	24.000	916.500	-2.750
5678	28.000	916.500	-2.750
5679	32.000	916.500	-2.750
5680	36.000	916.500	-2.750
5681	0	916.500	-2.386
5682	4.000	916.500	-2.386
5683	8.000	916.500	-2.386
5684	12.000	916.500	-2.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5685	16.000	916.500	-2.386
5686	20.000	916.500	-2.386
5687	24.000	916.500	-2.386
5688	28.000	916.500	-2.386
5689	32.000	916.500	-2.386
5690	36.000	916.500	-2.386
5691	0	916.500	-2.023
5692	4.000	916.500	-2.023
5693	8.000	916.500	-2.023
5694	12.000	916.500	-2.023
5695	16.000	916.500	-2.023
5696	20.000	916.500	-2.023
5697	24.000	916.500	-2.023
5698	28.000	916.500	-2.023
5699	32.000	916.500	-2.023
5700	36.000	916.500	-2.023
5701	0	916.500	-1.659
5702	4.000	916.500	-1.659
5703	8.000	916.500	-1.659
5704	12.000	916.500	-1.659
5705	16.000	916.500	-1.659
5706	20.000	916.500	-1.659
5707	24.000	916.500	-1.659
5708	28.000	916.500	-1.659
5709	32.000	916.500	-1.659
5710	36.000	916.500	-1.659
5711	0	916.500	-1.295
5712	4.000	916.500	-1.295
5713	8.000	916.500	-1.295
5714	12.000	916.500	-1.295
5715	16.000	916.500	-1.295
5716	20.000	916.500	-1.295
5717	24.000	916.500	-1.295
5718	28.000	916.500	-1.295
5719	32.000	916.500	-1.295
5720	36.000	916.500	-1.295
5721	0	916.500	-0.750
5722	4.000	916.500	-0.750
5723	8.000	916.500	-0.750
5724	12.000	916.500	-0.750
5725	16.000	916.500	-0.750
5726	20.000	916.500	-0.750
5727	24.000	916.500	-0.750
5728	28.000	916.500	-0.750
5729	32.000	916.500	-0.750
5730	36.000	916.500	-0.750
5731	0	916.500	-0.200
5732	4.000	916.500	-0.200
5733	8.000	916.500	-0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5734	12.000	916.500	-0.200
5735	16.000	916.500	-0.200
5736	20.000	916.500	-0.200
5737	24.000	916.500	-0.200
5738	28.000	916.500	-0.200
5739	32.000	916.500	-0.200
5740	36.000	916.500	-0.200
5741	-1.300	916.500	0
5742	-0.800	916.500	0
5743	-0.300	916.500	0
5744	0	916.500	0
5745	0.300	916.500	0
5746	1.000	916.500	0
5747	1.500	916.500	0
5748	2.000	916.500	0
5749	2.500	916.500	0
5750	3.000	916.500	0
5751	3.700	916.500	0
5752	4.000	916.500	0
5753	4.300	916.500	0
5754	5.000	916.500	0
5755	5.500	916.500	0
5756	6.000	916.500	0
5757	6.500	916.500	0
5758	7.000	916.500	0
5759	7.700	916.500	0
5760	8.000	916.500	0
5761	8.300	916.500	0
5762	9.000	916.500	0
5763	9.500	916.500	0
5764	10.000	916.500	0
5765	10.500	916.500	0
5766	11.000	916.500	0
5767	11.700	916.500	0
5768	12.000	916.500	0
5769	12.300	916.500	0
5770	13.000	916.500	0
5771	13.500	916.500	0
5772	14.000	916.500	0
5773	14.500	916.500	0
5774	15.000	916.500	0
5775	15.700	916.500	0
5776	16.000	916.500	0
5777	16.300	916.500	0
5778	17.000	916.500	0
5779	17.500	916.500	0
5780	18.000	916.500	0
5781	18.500	916.500	0
5782	19.000	916.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5783	19.700	916.500	0
5784	20.000	916.500	0
5785	20.300	916.500	0
5786	21.000	916.500	0
5787	21.500	916.500	0
5788	22.000	916.500	0
5789	22.500	916.500	0
5790	23.000	916.500	0
5791	23.700	916.500	0
5792	24.000	916.500	0
5793	24.300	916.500	0
5794	25.000	916.500	0
5795	25.500	916.500	0
5796	26.000	916.500	0
5797	26.500	916.500	0
5798	27.000	916.500	0
5799	27.700	916.500	0
5800	28.000	916.500	0
5801	28.300	916.500	0
5802	29.000	916.500	0
5803	29.500	916.500	0
5804	30.000	916.500	0
5805	30.500	916.500	0
5806	31.000	916.500	0
5807	31.700	916.500	0
5808	32.000	916.500	0
5809	32.300	916.500	0
5810	33.000	916.500	0
5811	33.500	916.500	0
5812	34.000	916.500	0
5813	34.500	916.500	0
5814	35.000	916.500	0
5815	35.700	916.500	0
5816	36.000	916.500	0
5817	36.300	916.500	0
5818	36.800	916.500	0
5819	37.300	916.500	0
5820	0	917.000	-4.750
5821	4.000	917.000	-4.750
5822	8.000	917.000	-4.750
5823	12.000	917.000	-4.750
5824	16.000	917.000	-4.750
5825	20.000	917.000	-4.750
5826	24.000	917.000	-4.750
5827	28.000	917.000	-4.750
5828	32.000	917.000	-4.750
5829	36.000	917.000	-4.750
5830	0	917.000	-4.568
5831	4.000	917.000	-4.568

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5832	8.000	917.000	-4.568
5833	12.000	917.000	-4.568
5834	16.000	917.000	-4.568
5835	20.000	917.000	-4.568
5836	24.000	917.000	-4.568
5837	28.000	917.000	-4.568
5838	32.000	917.000	-4.568
5839	36.000	917.000	-4.568
5840	0	917.000	-4.205
5841	4.000	917.000	-4.205
5842	8.000	917.000	-4.205
5843	12.000	917.000	-4.205
5844	16.000	917.000	-4.205
5845	20.000	917.000	-4.205
5846	24.000	917.000	-4.205
5847	28.000	917.000	-4.205
5848	32.000	917.000	-4.205
5849	36.000	917.000	-4.205
5850	0	917.000	-3.841
5851	4.000	917.000	-3.841
5852	8.000	917.000	-3.841
5853	12.000	917.000	-3.841
5854	16.000	917.000	-3.841
5855	20.000	917.000	-3.841
5856	24.000	917.000	-3.841
5857	28.000	917.000	-3.841
5858	32.000	917.000	-3.841
5859	36.000	917.000	-3.841
5860	0	917.000	-3.477
5861	4.000	917.000	-3.477
5862	8.000	917.000	-3.477
5863	12.000	917.000	-3.477
5864	16.000	917.000	-3.477
5865	20.000	917.000	-3.477
5866	24.000	917.000	-3.477
5867	28.000	917.000	-3.477
5868	32.000	917.000	-3.477
5869	36.000	917.000	-3.477
5870	0	917.000	-3.114
5871	4.000	917.000	-3.114
5872	8.000	917.000	-3.114
5873	12.000	917.000	-3.114
5874	16.000	917.000	-3.114
5875	20.000	917.000	-3.114
5876	24.000	917.000	-3.114
5877	28.000	917.000	-3.114
5878	32.000	917.000	-3.114
5879	36.000	917.000	-3.114
5880	0	917.000	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5881	4.000	917.000	-2.750
5882	8.000	917.000	-2.750
5883	12.000	917.000	-2.750
5884	16.000	917.000	-2.750
5885	20.000	917.000	-2.750
5886	24.000	917.000	-2.750
5887	28.000	917.000	-2.750
5888	32.000	917.000	-2.750
5889	36.000	917.000	-2.750
5890	0	917.000	-2.386
5891	4.000	917.000	-2.386
5892	8.000	917.000	-2.386
5893	12.000	917.000	-2.386
5894	16.000	917.000	-2.386
5895	20.000	917.000	-2.386
5896	24.000	917.000	-2.386
5897	28.000	917.000	-2.386
5898	32.000	917.000	-2.386
5899	36.000	917.000	-2.386
5900	0	917.000	-2.023
5901	4.000	917.000	-2.023
5902	8.000	917.000	-2.023
5903	12.000	917.000	-2.023
5904	16.000	917.000	-2.023
5905	20.000	917.000	-2.023
5906	24.000	917.000	-2.023
5907	28.000	917.000	-2.023
5908	32.000	917.000	-2.023
5909	36.000	917.000	-2.023
5910	0	917.000	-1.659
5911	4.000	917.000	-1.659
5912	8.000	917.000	-1.659
5913	12.000	917.000	-1.659
5914	16.000	917.000	-1.659
5915	20.000	917.000	-1.659
5916	24.000	917.000	-1.659
5917	28.000	917.000	-1.659
5918	32.000	917.000	-1.659
5919	36.000	917.000	-1.659
5920	0	917.000	-1.295
5921	4.000	917.000	-1.295
5922	8.000	917.000	-1.295
5923	12.000	917.000	-1.295
5924	16.000	917.000	-1.295
5925	20.000	917.000	-1.295
5926	24.000	917.000	-1.295
5927	28.000	917.000	-1.295
5928	32.000	917.000	-1.295
5929	36.000	917.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5930	0	917.000	-0.750
5931	4.000	917.000	-0.750
5932	8.000	917.000	-0.750
5933	12.000	917.000	-0.750
5934	16.000	917.000	-0.750
5935	20.000	917.000	-0.750
5936	24.000	917.000	-0.750
5937	28.000	917.000	-0.750
5938	32.000	917.000	-0.750
5939	36.000	917.000	-0.750
5940	0	917.000	-0.200
5941	4.000	917.000	-0.200
5942	8.000	917.000	-0.200
5943	12.000	917.000	-0.200
5944	16.000	917.000	-0.200
5945	20.000	917.000	-0.200
5946	24.000	917.000	-0.200
5947	28.000	917.000	-0.200
5948	32.000	917.000	-0.200
5949	36.000	917.000	-0.200
5950	-1.300	917.000	0
5951	-0.800	917.000	0
5952	-0.300	917.000	0
5953	0	917.000	0
5954	0.300	917.000	0
5955	1.000	917.000	0
5956	1.500	917.000	0
5957	2.000	917.000	0
5958	2.500	917.000	0
5959	3.000	917.000	0
5960	3.700	917.000	0
5961	4.000	917.000	0
5962	4.300	917.000	0
5963	5.000	917.000	0
5964	5.500	917.000	0
5965	6.000	917.000	0
5966	6.500	917.000	0
5967	7.000	917.000	0
5968	7.700	917.000	0
5969	8.000	917.000	0
5970	8.300	917.000	0
5971	9.000	917.000	0
5972	9.500	917.000	0
5973	10.000	917.000	0
5974	10.500	917.000	0
5975	11.000	917.000	0
5976	11.700	917.000	0
5977	12.000	917.000	0
5978	12.300	917.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
5979	13.000	917.000	0
5980	13.500	917.000	0
5981	14.000	917.000	0
5982	14.500	917.000	0
5983	15.000	917.000	0
5984	15.700	917.000	0
5985	16.000	917.000	0
5986	16.300	917.000	0
5987	17.000	917.000	0
5988	17.500	917.000	0
5989	18.000	917.000	0
5990	18.500	917.000	0
5991	19.000	917.000	0
5992	19.700	917.000	0
5993	20.000	917.000	0
5994	20.300	917.000	0
5995	21.000	917.000	0
5996	21.500	917.000	0
5997	22.000	917.000	0
5998	22.500	917.000	0
5999	23.000	917.000	0
6000	23.700	917.000	0
6001	24.000	917.000	0
6002	24.300	917.000	0
6003	25.000	917.000	0
6004	25.500	917.000	0
6005	26.000	917.000	0
6006	26.500	917.000	0
6007	27.000	917.000	0
6008	27.700	917.000	0
6009	28.000	917.000	0
6010	28.300	917.000	0
6011	29.000	917.000	0
6012	29.500	917.000	0
6013	30.000	917.000	0
6014	30.500	917.000	0
6015	31.000	917.000	0
6016	31.700	917.000	0
6017	32.000	917.000	0
6018	32.300	917.000	0
6019	33.000	917.000	0
6020	33.500	917.000	0
6021	34.000	917.000	0
6022	34.500	917.000	0
6023	35.000	917.000	0
6024	35.700	917.000	0
6025	36.000	917.000	0
6026	36.300	917.000	0
6027	36.800	917.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6028	37.300	917.000	0
6029	0	917.500	-4.568
6030	4.000	917.500	-4.568
6031	8.000	917.500	-4.568
6032	12.000	917.500	-4.568
6033	16.000	917.500	-4.568
6034	20.000	917.500	-4.568
6035	24.000	917.500	-4.568
6036	28.000	917.500	-4.568
6037	32.000	917.500	-4.568
6038	36.000	917.500	-4.568
6039	0	917.500	-4.205
6040	4.000	917.500	-4.205
6041	8.000	917.500	-4.205
6042	12.000	917.500	-4.205
6043	16.000	917.500	-4.205
6044	20.000	917.500	-4.205
6045	24.000	917.500	-4.205
6046	28.000	917.500	-4.205
6047	32.000	917.500	-4.205
6048	36.000	917.500	-4.205
6049	0	917.500	-3.841
6050	4.000	917.500	-3.841
6051	8.000	917.500	-3.841
6052	12.000	917.500	-3.841
6053	16.000	917.500	-3.841
6054	20.000	917.500	-3.841
6055	24.000	917.500	-3.841
6056	28.000	917.500	-3.841
6057	32.000	917.500	-3.841
6058	36.000	917.500	-3.841
6059	0	917.500	-3.477
6060	4.000	917.500	-3.477
6061	8.000	917.500	-3.477
6062	12.000	917.500	-3.477
6063	16.000	917.500	-3.477
6064	20.000	917.500	-3.477
6065	24.000	917.500	-3.477
6066	28.000	917.500	-3.477
6067	32.000	917.500	-3.477
6068	36.000	917.500	-3.477
6069	0	917.500	-3.114
6070	4.000	917.500	-3.114
6071	8.000	917.500	-3.114
6072	12.000	917.500	-3.114
6073	16.000	917.500	-3.114
6074	20.000	917.500	-3.114
6075	24.000	917.500	-3.114
6076	28.000	917.500	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6077	32.000	917.500	-3.114
6078	36.000	917.500	-3.114
6079	0	917.500	-2.750
6080	4.000	917.500	-2.750
6081	8.000	917.500	-2.750
6082	12.000	917.500	-2.750
6083	16.000	917.500	-2.750
6084	20.000	917.500	-2.750
6085	24.000	917.500	-2.750
6086	28.000	917.500	-2.750
6087	32.000	917.500	-2.750
6088	36.000	917.500	-2.750
6089	0	917.500	-2.386
6090	4.000	917.500	-2.386
6091	8.000	917.500	-2.386
6092	12.000	917.500	-2.386
6093	16.000	917.500	-2.386
6094	20.000	917.500	-2.386
6095	24.000	917.500	-2.386
6096	28.000	917.500	-2.386
6097	32.000	917.500	-2.386
6098	36.000	917.500	-2.386
6099	0	917.500	-2.023
6100	4.000	917.500	-2.023
6101	8.000	917.500	-2.023
6102	12.000	917.500	-2.023
6103	16.000	917.500	-2.023
6104	20.000	917.500	-2.023
6105	24.000	917.500	-2.023
6106	28.000	917.500	-2.023
6107	32.000	917.500	-2.023
6108	36.000	917.500	-2.023
6109	0	917.500	-1.659
6110	4.000	917.500	-1.659
6111	8.000	917.500	-1.659
6112	12.000	917.500	-1.659
6113	16.000	917.500	-1.659
6114	20.000	917.500	-1.659
6115	24.000	917.500	-1.659
6116	28.000	917.500	-1.659
6117	32.000	917.500	-1.659
6118	36.000	917.500	-1.659
6119	0	917.500	-1.295
6120	4.000	917.500	-1.295
6121	8.000	917.500	-1.295
6122	12.000	917.500	-1.295
6123	16.000	917.500	-1.295
6124	20.000	917.500	-1.295
6125	24.000	917.500	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6126	28.000	917.500	-1.295
6127	32.000	917.500	-1.295
6128	36.000	917.500	-1.295
6129	0	917.500	-0.750
6130	4.000	917.500	-0.750
6131	8.000	917.500	-0.750
6132	12.000	917.500	-0.750
6133	16.000	917.500	-0.750
6134	20.000	917.500	-0.750
6135	24.000	917.500	-0.750
6136	28.000	917.500	-0.750
6137	32.000	917.500	-0.750
6138	36.000	917.500	-0.750
6139	0	917.500	-0.200
6140	4.000	917.500	-0.200
6141	8.000	917.500	-0.200
6142	12.000	917.500	-0.200
6143	16.000	917.500	-0.200
6144	20.000	917.500	-0.200
6145	24.000	917.500	-0.200
6146	28.000	917.500	-0.200
6147	32.000	917.500	-0.200
6148	36.000	917.500	-0.200
6149	-1.300	917.500	0
6150	-0.800	917.500	0
6151	-0.300	917.500	0
6152	0	917.500	0
6153	0.300	917.500	0
6154	1.000	917.500	0
6155	1.500	917.500	0
6156	2.000	917.500	0
6157	2.500	917.500	0
6158	3.000	917.500	0
6159	3.700	917.500	0
6160	4.000	917.500	0
6161	4.300	917.500	0
6162	5.000	917.500	0
6163	5.500	917.500	0
6164	6.000	917.500	0
6165	6.500	917.500	0
6166	7.000	917.500	0
6167	7.700	917.500	0
6168	8.000	917.500	0
6169	8.300	917.500	0
6170	9.000	917.500	0
6171	9.500	917.500	0
6172	10.000	917.500	0
6173	10.500	917.500	0
6174	11.000	917.500	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6175	11.700	917.500	0
6176	12.000	917.500	0
6177	12.300	917.500	0
6178	13.000	917.500	0
6179	13.500	917.500	0
6180	14.000	917.500	0
6181	14.500	917.500	0
6182	15.000	917.500	0
6183	15.700	917.500	0
6184	16.000	917.500	0
6185	16.300	917.500	0
6186	17.000	917.500	0
6187	17.500	917.500	0
6188	18.000	917.500	0
6189	18.500	917.500	0
6190	19.000	917.500	0
6191	19.700	917.500	0
6192	20.000	917.500	0
6193	20.300	917.500	0
6194	21.000	917.500	0
6195	21.500	917.500	0
6196	22.000	917.500	0
6197	22.500	917.500	0
6198	23.000	917.500	0
6199	23.700	917.500	0
6200	24.000	917.500	0
6201	24.300	917.500	0
6202	25.000	917.500	0
6203	25.500	917.500	0
6204	26.000	917.500	0
6205	26.500	917.500	0
6206	27.000	917.500	0
6207	27.700	917.500	0
6208	28.000	917.500	0
6209	28.300	917.500	0
6210	29.000	917.500	0
6211	29.500	917.500	0
6212	30.000	917.500	0
6213	30.500	917.500	0
6214	31.000	917.500	0
6215	31.700	917.500	0
6216	32.000	917.500	0
6217	32.300	917.500	0
6218	33.000	917.500	0
6219	33.500	917.500	0
6220	34.000	917.500	0
6221	34.500	917.500	0
6222	35.000	917.500	0
6223	35.700	917.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6224	36.000	917.500	0
6225	36.300	917.500	0
6226	36.800	917.500	0
6227	37.300	917.500	0
6228	0	918.000	-4.386
6229	4.000	918.000	-4.386
6230	8.000	918.000	-4.386
6231	12.000	918.000	-4.386
6232	16.000	918.000	-4.386
6233	20.000	918.000	-4.386
6234	24.000	918.000	-4.386
6235	28.000	918.000	-4.386
6236	32.000	918.000	-4.386
6237	36.000	918.000	-4.386
6238	0	918.000	-4.205
6239	4.000	918.000	-4.205
6240	8.000	918.000	-4.205
6241	12.000	918.000	-4.205
6242	16.000	918.000	-4.205
6243	20.000	918.000	-4.205
6244	24.000	918.000	-4.205
6245	28.000	918.000	-4.205
6246	32.000	918.000	-4.205
6247	36.000	918.000	-4.205
6248	0	918.000	-3.841
6249	4.000	918.000	-3.841
6250	8.000	918.000	-3.841
6251	12.000	918.000	-3.841
6252	16.000	918.000	-3.841
6253	20.000	918.000	-3.841
6254	24.000	918.000	-3.841
6255	28.000	918.000	-3.841
6256	32.000	918.000	-3.841
6257	36.000	918.000	-3.841
6258	0	918.000	-3.477
6259	4.000	918.000	-3.477
6260	8.000	918.000	-3.477
6261	12.000	918.000	-3.477
6262	16.000	918.000	-3.477
6263	20.000	918.000	-3.477
6264	24.000	918.000	-3.477
6265	28.000	918.000	-3.477
6266	32.000	918.000	-3.477
6267	36.000	918.000	-3.477
6268	0	918.000	-3.114
6269	4.000	918.000	-3.114
6270	8.000	918.000	-3.114
6271	12.000	918.000	-3.114
6272	16.000	918.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6273	20.000	918.000	-3.114
6274	24.000	918.000	-3.114
6275	28.000	918.000	-3.114
6276	32.000	918.000	-3.114
6277	36.000	918.000	-3.114
6278	0	918.000	-2.750
6279	4.000	918.000	-2.750
6280	8.000	918.000	-2.750
6281	12.000	918.000	-2.750
6282	16.000	918.000	-2.750
6283	20.000	918.000	-2.750
6284	24.000	918.000	-2.750
6285	28.000	918.000	-2.750
6286	32.000	918.000	-2.750
6287	36.000	918.000	-2.750
6288	0	918.000	-2.386
6289	4.000	918.000	-2.386
6290	8.000	918.000	-2.386
6291	12.000	918.000	-2.386
6292	16.000	918.000	-2.386
6293	20.000	918.000	-2.386
6294	24.000	918.000	-2.386
6295	28.000	918.000	-2.386
6296	32.000	918.000	-2.386
6297	36.000	918.000	-2.386
6298	0	918.000	-2.023
6299	4.000	918.000	-2.023
6300	8.000	918.000	-2.023
6301	12.000	918.000	-2.023
6302	16.000	918.000	-2.023
6303	20.000	918.000	-2.023
6304	24.000	918.000	-2.023
6305	28.000	918.000	-2.023
6306	32.000	918.000	-2.023
6307	36.000	918.000	-2.023
6308	0	918.000	-1.659
6309	4.000	918.000	-1.659
6310	8.000	918.000	-1.659
6311	12.000	918.000	-1.659
6312	16.000	918.000	-1.659
6313	20.000	918.000	-1.659
6314	24.000	918.000	-1.659
6315	28.000	918.000	-1.659
6316	32.000	918.000	-1.659
6317	36.000	918.000	-1.659
6318	0	918.000	-1.295
6319	4.000	918.000	-1.295
6320	8.000	918.000	-1.295
6321	12.000	918.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6322	16.000	918.000	-1.295
6323	20.000	918.000	-1.295
6324	24.000	918.000	-1.295
6325	28.000	918.000	-1.295
6326	32.000	918.000	-1.295
6327	36.000	918.000	-1.295
6328	0	918.000	-0.750
6329	4.000	918.000	-0.750
6330	8.000	918.000	-0.750
6331	12.000	918.000	-0.750
6332	16.000	918.000	-0.750
6333	20.000	918.000	-0.750
6334	24.000	918.000	-0.750
6335	28.000	918.000	-0.750
6336	32.000	918.000	-0.750
6337	36.000	918.000	-0.750
6338	0	918.000	-0.200
6339	4.000	918.000	-0.200
6340	8.000	918.000	-0.200
6341	12.000	918.000	-0.200
6342	16.000	918.000	-0.200
6343	20.000	918.000	-0.200
6344	24.000	918.000	-0.200
6345	28.000	918.000	-0.200
6346	32.000	918.000	-0.200
6347	36.000	918.000	-0.200
6348	-1.300	918.000	0
6349	-0.800	918.000	0
6350	-0.300	918.000	0
6351	0	918.000	0
6352	0.300	918.000	0
6353	1.000	918.000	0
6354	1.500	918.000	0
6355	2.000	918.000	0
6356	2.500	918.000	0
6357	3.000	918.000	0
6358	3.700	918.000	0
6359	4.000	918.000	0
6360	4.300	918.000	0
6361	5.000	918.000	0
6362	5.500	918.000	0
6363	6.000	918.000	0
6364	6.500	918.000	0
6365	7.000	918.000	0
6366	7.700	918.000	0
6367	8.000	918.000	0
6368	8.300	918.000	0
6369	9.000	918.000	0
6370	9.500	918.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6371	10.000	918.000	0
6372	10.500	918.000	0
6373	11.000	918.000	0
6374	11.700	918.000	0
6375	12.000	918.000	0
6376	12.300	918.000	0
6377	13.000	918.000	0
6378	13.500	918.000	0
6379	14.000	918.000	0
6380	14.500	918.000	0
6381	15.000	918.000	0
6382	15.700	918.000	0
6383	16.000	918.000	0
6384	16.300	918.000	0
6385	17.000	918.000	0
6386	17.500	918.000	0
6387	18.000	918.000	0
6388	18.500	918.000	0
6389	19.000	918.000	0
6390	19.700	918.000	0
6391	20.000	918.000	0
6392	20.300	918.000	0
6393	21.000	918.000	0
6394	21.500	918.000	0
6395	22.000	918.000	0
6396	22.500	918.000	0
6397	23.000	918.000	0
6398	23.700	918.000	0
6399	24.000	918.000	0
6400	24.300	918.000	0
6401	25.000	918.000	0
6402	25.500	918.000	0
6403	26.000	918.000	0
6404	26.500	918.000	0
6405	27.000	918.000	0
6406	27.700	918.000	0
6407	28.000	918.000	0
6408	28.300	918.000	0
6409	29.000	918.000	0
6410	29.500	918.000	0
6411	30.000	918.000	0
6412	30.500	918.000	0
6413	31.000	918.000	0
6414	31.700	918.000	0
6415	32.000	918.000	0
6416	32.300	918.000	0
6417	33.000	918.000	0
6418	33.500	918.000	0
6419	34.000	918.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6420	34.500	918.000	0
6421	35.000	918.000	0
6422	35.700	918.000	0
6423	36.000	918.000	0
6424	36.300	918.000	0
6425	36.800	918.000	0
6426	37.300	918.000	0
6427	0	918.500	-4.205
6428	4.000	918.500	-4.205
6429	8.000	918.500	-4.205
6430	12.000	918.500	-4.205
6431	16.000	918.500	-4.205
6432	20.000	918.500	-4.205
6433	24.000	918.500	-4.205
6434	28.000	918.500	-4.205
6435	32.000	918.500	-4.205
6436	36.000	918.500	-4.205
6437	0	918.500	-3.841
6438	4.000	918.500	-3.841
6439	8.000	918.500	-3.841
6440	12.000	918.500	-3.841
6441	16.000	918.500	-3.841
6442	20.000	918.500	-3.841
6443	24.000	918.500	-3.841
6444	28.000	918.500	-3.841
6445	32.000	918.500	-3.841
6446	36.000	918.500	-3.841
6447	0	918.500	-3.477
6448	4.000	918.500	-3.477
6449	8.000	918.500	-3.477
6450	12.000	918.500	-3.477
6451	16.000	918.500	-3.477
6452	20.000	918.500	-3.477
6453	24.000	918.500	-3.477
6454	28.000	918.500	-3.477
6455	32.000	918.500	-3.477
6456	36.000	918.500	-3.477
6457	0	918.500	-3.114
6458	4.000	918.500	-3.114
6459	8.000	918.500	-3.114
6460	12.000	918.500	-3.114
6461	16.000	918.500	-3.114
6462	20.000	918.500	-3.114
6463	24.000	918.500	-3.114
6464	28.000	918.500	-3.114
6465	32.000	918.500	-3.114
6466	36.000	918.500	-3.114
6467	0	918.500	-2.750
6468	4.000	918.500	-2.750

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6469	8.000	918.500	-2.750
6470	12.000	918.500	-2.750
6471	16.000	918.500	-2.750
6472	20.000	918.500	-2.750
6473	24.000	918.500	-2.750
6474	28.000	918.500	-2.750
6475	32.000	918.500	-2.750
6476	36.000	918.500	-2.750
6477	0	918.500	-2.386
6478	4.000	918.500	-2.386
6479	8.000	918.500	-2.386
6480	12.000	918.500	-2.386
6481	16.000	918.500	-2.386
6482	20.000	918.500	-2.386
6483	24.000	918.500	-2.386
6484	28.000	918.500	-2.386
6485	32.000	918.500	-2.386
6486	36.000	918.500	-2.386
6487	0	918.500	-2.023
6488	4.000	918.500	-2.023
6489	8.000	918.500	-2.023
6490	12.000	918.500	-2.023
6491	16.000	918.500	-2.023
6492	20.000	918.500	-2.023
6493	24.000	918.500	-2.023
6494	28.000	918.500	-2.023
6495	32.000	918.500	-2.023
6496	36.000	918.500	-2.023
6497	0	918.500	-1.659
6498	4.000	918.500	-1.659
6499	8.000	918.500	-1.659
6500	12.000	918.500	-1.659
6501	16.000	918.500	-1.659
6502	20.000	918.500	-1.659
6503	24.000	918.500	-1.659
6504	28.000	918.500	-1.659
6505	32.000	918.500	-1.659
6506	36.000	918.500	-1.659
6507	0	918.500	-1.295
6508	4.000	918.500	-1.295
6509	8.000	918.500	-1.295
6510	12.000	918.500	-1.295
6511	16.000	918.500	-1.295
6512	20.000	918.500	-1.295
6513	24.000	918.500	-1.295
6514	28.000	918.500	-1.295
6515	32.000	918.500	-1.295
6516	36.000	918.500	-1.295
6517	0	918.500	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6518	4.000	918.500	-0.750
6519	8.000	918.500	-0.750
6520	12.000	918.500	-0.750
6521	16.000	918.500	-0.750
6522	20.000	918.500	-0.750
6523	24.000	918.500	-0.750
6524	28.000	918.500	-0.750
6525	32.000	918.500	-0.750
6526	36.000	918.500	-0.750
6527	0	918.500	-0.200
6528	4.000	918.500	-0.200
6529	8.000	918.500	-0.200
6530	12.000	918.500	-0.200
6531	16.000	918.500	-0.200
6532	20.000	918.500	-0.200
6533	24.000	918.500	-0.200
6534	28.000	918.500	-0.200
6535	32.000	918.500	-0.200
6536	36.000	918.500	-0.200
6537	-1.300	918.500	0
6538	-0.800	918.500	0
6539	-0.300	918.500	0
6540	0	918.500	0
6541	0.300	918.500	0
6542	1.000	918.500	0
6543	1.500	918.500	0
6544	2.000	918.500	0
6545	2.500	918.500	0
6546	3.000	918.500	0
6547	3.700	918.500	0
6548	4.000	918.500	0
6549	4.300	918.500	0
6550	5.000	918.500	0
6551	5.500	918.500	0
6552	6.000	918.500	0
6553	6.500	918.500	0
6554	7.000	918.500	0
6555	7.700	918.500	0
6556	8.000	918.500	0
6557	8.300	918.500	0
6558	9.000	918.500	0
6559	9.500	918.500	0
6560	10.000	918.500	0
6561	10.500	918.500	0
6562	11.000	918.500	0
6563	11.700	918.500	0
6564	12.000	918.500	0
6565	12.300	918.500	0
6566	13.000	918.500	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6567	13.500	918.500	0
6568	14.000	918.500	0
6569	14.500	918.500	0
6570	15.000	918.500	0
6571	15.700	918.500	0
6572	16.000	918.500	0
6573	16.300	918.500	0
6574	17.000	918.500	0
6575	17.500	918.500	0
6576	18.000	918.500	0
6577	18.500	918.500	0
6578	19.000	918.500	0
6579	19.700	918.500	0
6580	20.000	918.500	0
6581	20.300	918.500	0
6582	21.000	918.500	0
6583	21.500	918.500	0
6584	22.000	918.500	0
6585	22.500	918.500	0
6586	23.000	918.500	0
6587	23.700	918.500	0
6588	24.000	918.500	0
6589	24.300	918.500	0
6590	25.000	918.500	0
6591	25.500	918.500	0
6592	26.000	918.500	0
6593	26.500	918.500	0
6594	27.000	918.500	0
6595	27.700	918.500	0
6596	28.000	918.500	0
6597	28.300	918.500	0
6598	29.000	918.500	0
6599	29.500	918.500	0
6600	30.000	918.500	0
6601	30.500	918.500	0
6602	31.000	918.500	0
6603	31.700	918.500	0
6604	32.000	918.500	0
6605	32.300	918.500	0
6606	33.000	918.500	0
6607	33.500	918.500	0
6608	34.000	918.500	0
6609	34.500	918.500	0
6610	35.000	918.500	0
6611	35.700	918.500	0
6612	36.000	918.500	0
6613	36.300	918.500	0
6614	36.800	918.500	0
6615	37.300	918.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6616	0	919.000	-4.023
6617	4.000	919.000	-4.023
6618	8.000	919.000	-4.023
6619	12.000	919.000	-4.023
6620	16.000	919.000	-4.023
6621	20.000	919.000	-4.023
6622	24.000	919.000	-4.023
6623	28.000	919.000	-4.023
6624	32.000	919.000	-4.023
6625	36.000	919.000	-4.023
6626	0	919.000	-3.841
6627	4.000	919.000	-3.841
6628	8.000	919.000	-3.841
6629	12.000	919.000	-3.841
6630	16.000	919.000	-3.841
6631	20.000	919.000	-3.841
6632	24.000	919.000	-3.841
6633	28.000	919.000	-3.841
6634	32.000	919.000	-3.841
6635	36.000	919.000	-3.841
6636	0	919.000	-3.477
6637	4.000	919.000	-3.477
6638	8.000	919.000	-3.477
6639	12.000	919.000	-3.477
6640	16.000	919.000	-3.477
6641	20.000	919.000	-3.477
6642	24.000	919.000	-3.477
6643	28.000	919.000	-3.477
6644	32.000	919.000	-3.477
6645	36.000	919.000	-3.477
6646	0	919.000	-3.114
6647	4.000	919.000	-3.114
6648	8.000	919.000	-3.114
6649	12.000	919.000	-3.114
6650	16.000	919.000	-3.114
6651	20.000	919.000	-3.114
6652	24.000	919.000	-3.114
6653	28.000	919.000	-3.114
6654	32.000	919.000	-3.114
6655	36.000	919.000	-3.114
6656	0	919.000	-2.750
6657	4.000	919.000	-2.750
6658	8.000	919.000	-2.750
6659	12.000	919.000	-2.750
6660	16.000	919.000	-2.750
6661	20.000	919.000	-2.750
6662	24.000	919.000	-2.750
6663	28.000	919.000	-2.750
6664	32.000	919.000	-2.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6665	36.000	919.000	-2.750
6666	0	919.000	-2.386
6667	4.000	919.000	-2.386
6668	8.000	919.000	-2.386
6669	12.000	919.000	-2.386
6670	16.000	919.000	-2.386
6671	20.000	919.000	-2.386
6672	24.000	919.000	-2.386
6673	28.000	919.000	-2.386
6674	32.000	919.000	-2.386
6675	36.000	919.000	-2.386
6676	0	919.000	-2.023
6677	4.000	919.000	-2.023
6678	8.000	919.000	-2.023
6679	12.000	919.000	-2.023
6680	16.000	919.000	-2.023
6681	20.000	919.000	-2.023
6682	24.000	919.000	-2.023
6683	28.000	919.000	-2.023
6684	32.000	919.000	-2.023
6685	36.000	919.000	-2.023
6686	0	919.000	-1.659
6687	4.000	919.000	-1.659
6688	8.000	919.000	-1.659
6689	12.000	919.000	-1.659
6690	16.000	919.000	-1.659
6691	20.000	919.000	-1.659
6692	24.000	919.000	-1.659
6693	28.000	919.000	-1.659
6694	32.000	919.000	-1.659
6695	36.000	919.000	-1.659
6696	0	919.000	-1.295
6697	4.000	919.000	-1.295
6698	8.000	919.000	-1.295
6699	12.000	919.000	-1.295
6700	16.000	919.000	-1.295
6701	20.000	919.000	-1.295
6702	24.000	919.000	-1.295
6703	28.000	919.000	-1.295
6704	32.000	919.000	-1.295
6705	36.000	919.000	-1.295
6706	0	919.000	-0.750
6707	4.000	919.000	-0.750
6708	8.000	919.000	-0.750
6709	12.000	919.000	-0.750
6710	16.000	919.000	-0.750
6711	20.000	919.000	-0.750
6712	24.000	919.000	-0.750
6713	28.000	919.000	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6714	32.000	919.000	-0.750
6715	36.000	919.000	-0.750
6716	0	919.000	-0.200
6717	4.000	919.000	-0.200
6718	8.000	919.000	-0.200
6719	12.000	919.000	-0.200
6720	16.000	919.000	-0.200
6721	20.000	919.000	-0.200
6722	24.000	919.000	-0.200
6723	28.000	919.000	-0.200
6724	32.000	919.000	-0.200
6725	36.000	919.000	-0.200
6726	-1.300	919.000	0
6727	-0.800	919.000	0
6728	-0.300	919.000	0
6729	0	919.000	0
6730	0.300	919.000	0
6731	1.000	919.000	0
6732	1.500	919.000	0
6733	2.000	919.000	0
6734	2.500	919.000	0
6735	3.000	919.000	0
6736	3.700	919.000	0
6737	4.000	919.000	0
6738	4.300	919.000	0
6739	5.000	919.000	0
6740	5.500	919.000	0
6741	6.000	919.000	0
6742	6.500	919.000	0
6743	7.000	919.000	0
6744	7.700	919.000	0
6745	8.000	919.000	0
6746	8.300	919.000	0
6747	9.000	919.000	0
6748	9.500	919.000	0
6749	10.000	919.000	0
6750	10.500	919.000	0
6751	11.000	919.000	0
6752	11.700	919.000	0
6753	12.000	919.000	0
6754	12.300	919.000	0
6755	13.000	919.000	0
6756	13.500	919.000	0
6757	14.000	919.000	0
6758	14.500	919.000	0
6759	15.000	919.000	0
6760	15.700	919.000	0
6761	16.000	919.000	0
6762	16.300	919.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6763	17.000	919.000	0
6764	17.500	919.000	0
6765	18.000	919.000	0
6766	18.500	919.000	0
6767	19.000	919.000	0
6768	19.700	919.000	0
6769	20.000	919.000	0
6770	20.300	919.000	0
6771	21.000	919.000	0
6772	21.500	919.000	0
6773	22.000	919.000	0
6774	22.500	919.000	0
6775	23.000	919.000	0
6776	23.700	919.000	0
6777	24.000	919.000	0
6778	24.300	919.000	0
6779	25.000	919.000	0
6780	25.500	919.000	0
6781	26.000	919.000	0
6782	26.500	919.000	0
6783	27.000	919.000	0
6784	27.700	919.000	0
6785	28.000	919.000	0
6786	28.300	919.000	0
6787	29.000	919.000	0
6788	29.500	919.000	0
6789	30.000	919.000	0
6790	30.500	919.000	0
6791	31.000	919.000	0
6792	31.700	919.000	0
6793	32.000	919.000	0
6794	32.300	919.000	0
6795	33.000	919.000	0
6796	33.500	919.000	0
6797	34.000	919.000	0
6798	34.500	919.000	0
6799	35.000	919.000	0
6800	35.700	919.000	0
6801	36.000	919.000	0
6802	36.300	919.000	0
6803	36.800	919.000	0
6804	37.300	919.000	0
6805	0	919.500	-3.841
6806	4.000	919.500	-3.841
6807	8.000	919.500	-3.841
6808	12.000	919.500	-3.841
6809	16.000	919.500	-3.841
6810	20.000	919.500	-3.841
6811	24.000	919.500	-3.841

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6812	28.000	919.500	-3.841
6813	32.000	919.500	-3.841
6814	36.000	919.500	-3.841
6815	0	919.500	-3.477
6816	4.000	919.500	-3.477
6817	8.000	919.500	-3.477
6818	12.000	919.500	-3.477
6819	16.000	919.500	-3.477
6820	20.000	919.500	-3.477
6821	24.000	919.500	-3.477
6822	28.000	919.500	-3.477
6823	32.000	919.500	-3.477
6824	36.000	919.500	-3.477
6825	0	919.500	-3.114
6826	4.000	919.500	-3.114
6827	8.000	919.500	-3.114
6828	12.000	919.500	-3.114
6829	16.000	919.500	-3.114
6830	20.000	919.500	-3.114
6831	24.000	919.500	-3.114
6832	28.000	919.500	-3.114
6833	32.000	919.500	-3.114
6834	36.000	919.500	-3.114
6835	0	919.500	-2.750
6836	4.000	919.500	-2.750
6837	8.000	919.500	-2.750
6838	12.000	919.500	-2.750
6839	16.000	919.500	-2.750
6840	20.000	919.500	-2.750
6841	24.000	919.500	-2.750
6842	28.000	919.500	-2.750
6843	32.000	919.500	-2.750
6844	36.000	919.500	-2.750
6845	0	919.500	-2.386
6846	4.000	919.500	-2.386
6847	8.000	919.500	-2.386
6848	12.000	919.500	-2.386
6849	16.000	919.500	-2.386
6850	20.000	919.500	-2.386
6851	24.000	919.500	-2.386
6852	28.000	919.500	-2.386
6853	32.000	919.500	-2.386
6854	36.000	919.500	-2.386
6855	0	919.500	-2.023
6856	4.000	919.500	-2.023
6857	8.000	919.500	-2.023
6858	12.000	919.500	-2.023
6859	16.000	919.500	-2.023
6860	20.000	919.500	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6861	24.000	919.500	-2.023
6862	28.000	919.500	-2.023
6863	32.000	919.500	-2.023
6864	36.000	919.500	-2.023
6865	0	919.500	-1.659
6866	4.000	919.500	-1.659
6867	8.000	919.500	-1.659
6868	12.000	919.500	-1.659
6869	16.000	919.500	-1.659
6870	20.000	919.500	-1.659
6871	24.000	919.500	-1.659
6872	28.000	919.500	-1.659
6873	32.000	919.500	-1.659
6874	36.000	919.500	-1.659
6875	0	919.500	-1.295
6876	4.000	919.500	-1.295
6877	8.000	919.500	-1.295
6878	12.000	919.500	-1.295
6879	16.000	919.500	-1.295
6880	20.000	919.500	-1.295
6881	24.000	919.500	-1.295
6882	28.000	919.500	-1.295
6883	32.000	919.500	-1.295
6884	36.000	919.500	-1.295
6885	0	919.500	-0.750
6886	4.000	919.500	-0.750
6887	8.000	919.500	-0.750
6888	12.000	919.500	-0.750
6889	16.000	919.500	-0.750
6890	20.000	919.500	-0.750
6891	24.000	919.500	-0.750
6892	28.000	919.500	-0.750
6893	32.000	919.500	-0.750
6894	36.000	919.500	-0.750
6895	0	919.500	-0.200
6896	4.000	919.500	-0.200
6897	8.000	919.500	-0.200
6898	12.000	919.500	-0.200
6899	16.000	919.500	-0.200
6900	20.000	919.500	-0.200
6901	24.000	919.500	-0.200
6902	28.000	919.500	-0.200
6903	32.000	919.500	-0.200
6904	36.000	919.500	-0.200
6905	-1.300	919.500	0
6906	-0.800	919.500	0
6907	-0.300	919.500	0
6908	0	919.500	0
6909	0.300	919.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6910	1.000	919.500	0
6911	1.500	919.500	0
6912	2.000	919.500	0
6913	2.500	919.500	0
6914	3.000	919.500	0
6915	3.700	919.500	0
6916	4.000	919.500	0
6917	4.300	919.500	0
6918	5.000	919.500	0
6919	5.500	919.500	0
6920	6.000	919.500	0
6921	6.500	919.500	0
6922	7.000	919.500	0
6923	7.700	919.500	0
6924	8.000	919.500	0
6925	8.300	919.500	0
6926	9.000	919.500	0
6927	9.500	919.500	0
6928	10.000	919.500	0
6929	10.500	919.500	0
6930	11.000	919.500	0
6931	11.700	919.500	0
6932	12.000	919.500	0
6933	12.300	919.500	0
6934	13.000	919.500	0
6935	13.500	919.500	0
6936	14.000	919.500	0
6937	14.500	919.500	0
6938	15.000	919.500	0
6939	15.700	919.500	0
6940	16.000	919.500	0
6941	16.300	919.500	0
6942	17.000	919.500	0
6943	17.500	919.500	0
6944	18.000	919.500	0
6945	18.500	919.500	0
6946	19.000	919.500	0
6947	19.700	919.500	0
6948	20.000	919.500	0
6949	20.300	919.500	0
6950	21.000	919.500	0
6951	21.500	919.500	0
6952	22.000	919.500	0
6953	22.500	919.500	0
6954	23.000	919.500	0
6955	23.700	919.500	0
6956	24.000	919.500	0
6957	24.300	919.500	0
6958	25.000	919.500	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
6959	25.500	919.500	0
6960	26.000	919.500	0
6961	26.500	919.500	0
6962	27.000	919.500	0
6963	27.700	919.500	0
6964	28.000	919.500	0
6965	28.300	919.500	0
6966	29.000	919.500	0
6967	29.500	919.500	0
6968	30.000	919.500	0
6969	30.500	919.500	0
6970	31.000	919.500	0
6971	31.700	919.500	0
6972	32.000	919.500	0
6973	32.300	919.500	0
6974	33.000	919.500	0
6975	33.500	919.500	0
6976	34.000	919.500	0
6977	34.500	919.500	0
6978	35.000	919.500	0
6979	35.700	919.500	0
6980	36.000	919.500	0
6981	36.300	919.500	0
6982	36.800	919.500	0
6983	37.300	919.500	0
6984	0	920.000	-3.659
6985	4.000	920.000	-3.659
6986	8.000	920.000	-3.659
6987	12.000	920.000	-3.659
6988	16.000	920.000	-3.659
6989	20.000	920.000	-3.659
6990	24.000	920.000	-3.659
6991	28.000	920.000	-3.659
6992	32.000	920.000	-3.659
6993	36.000	920.000	-3.659
6994	0	920.000	-3.477
6995	4.000	920.000	-3.477
6996	8.000	920.000	-3.477
6997	12.000	920.000	-3.477
6998	16.000	920.000	-3.477
6999	20.000	920.000	-3.477
7000	24.000	920.000	-3.477
7001	28.000	920.000	-3.477
7002	32.000	920.000	-3.477
7003	36.000	920.000	-3.477
7004	0	920.000	-3.114
7005	4.000	920.000	-3.114
7006	8.000	920.000	-3.114
7007	12.000	920.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7008	16.000	920.000	-3.114
7009	20.000	920.000	-3.114
7010	24.000	920.000	-3.114
7011	28.000	920.000	-3.114
7012	32.000	920.000	-3.114
7013	36.000	920.000	-3.114
7014	0	920.000	-2.750
7015	4.000	920.000	-2.750
7016	8.000	920.000	-2.750
7017	12.000	920.000	-2.750
7018	16.000	920.000	-2.750
7019	20.000	920.000	-2.750
7020	24.000	920.000	-2.750
7021	28.000	920.000	-2.750
7022	32.000	920.000	-2.750
7023	36.000	920.000	-2.750
7024	0	920.000	-2.386
7025	4.000	920.000	-2.386
7026	8.000	920.000	-2.386
7027	12.000	920.000	-2.386
7028	16.000	920.000	-2.386
7029	20.000	920.000	-2.386
7030	24.000	920.000	-2.386
7031	28.000	920.000	-2.386
7032	32.000	920.000	-2.386
7033	36.000	920.000	-2.386
7034	0	920.000	-2.023
7035	4.000	920.000	-2.023
7036	8.000	920.000	-2.023
7037	12.000	920.000	-2.023
7038	16.000	920.000	-2.023
7039	20.000	920.000	-2.023
7040	24.000	920.000	-2.023
7041	28.000	920.000	-2.023
7042	32.000	920.000	-2.023
7043	36.000	920.000	-2.023
7044	0	920.000	-1.659
7045	4.000	920.000	-1.659
7046	8.000	920.000	-1.659
7047	12.000	920.000	-1.659
7048	16.000	920.000	-1.659
7049	20.000	920.000	-1.659
7050	24.000	920.000	-1.659
7051	28.000	920.000	-1.659
7052	32.000	920.000	-1.659
7053	36.000	920.000	-1.659
7054	0	920.000	-1.295
7055	4.000	920.000	-1.295
7056	8.000	920.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7057	12.000	920.000	-1.295
7058	16.000	920.000	-1.295
7059	20.000	920.000	-1.295
7060	24.000	920.000	-1.295
7061	28.000	920.000	-1.295
7062	32.000	920.000	-1.295
7063	36.000	920.000	-1.295
7064	0	920.000	-0.750
7065	4.000	920.000	-0.750
7066	8.000	920.000	-0.750
7067	12.000	920.000	-0.750
7068	16.000	920.000	-0.750
7069	20.000	920.000	-0.750
7070	24.000	920.000	-0.750
7071	28.000	920.000	-0.750
7072	32.000	920.000	-0.750
7073	36.000	920.000	-0.750
7074	0	920.000	-0.200
7075	4.000	920.000	-0.200
7076	8.000	920.000	-0.200
7077	12.000	920.000	-0.200
7078	16.000	920.000	-0.200
7079	20.000	920.000	-0.200
7080	24.000	920.000	-0.200
7081	28.000	920.000	-0.200
7082	32.000	920.000	-0.200
7083	36.000	920.000	-0.200
7084	-1.300	920.000	0
7085	-0.800	920.000	0
7086	-0.300	920.000	0
7087	0	920.000	0
7088	0.300	920.000	0
7089	1.000	920.000	0
7090	1.500	920.000	0
7091	2.000	920.000	0
7092	2.500	920.000	0
7093	3.000	920.000	0
7094	3.700	920.000	0
7095	4.000	920.000	0
7096	4.300	920.000	0
7097	5.000	920.000	0
7098	5.500	920.000	0
7099	6.000	920.000	0
7100	6.500	920.000	0
7101	7.000	920.000	0
7102	7.700	920.000	0
7103	8.000	920.000	0
7104	8.300	920.000	0
7105	9.000	920.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7106	9.500	920.000	0
7107	10.000	920.000	0
7108	10.500	920.000	0
7109	11.000	920.000	0
7110	11.700	920.000	0
7111	12.000	920.000	0
7112	12.300	920.000	0
7113	13.000	920.000	0
7114	13.500	920.000	0
7115	14.000	920.000	0
7116	14.500	920.000	0
7117	15.000	920.000	0
7118	15.700	920.000	0
7119	16.000	920.000	0
7120	16.300	920.000	0
7121	17.000	920.000	0
7122	17.500	920.000	0
7123	18.000	920.000	0
7124	18.500	920.000	0
7125	19.000	920.000	0
7126	19.700	920.000	0
7127	20.000	920.000	0
7128	20.300	920.000	0
7129	21.000	920.000	0
7130	21.500	920.000	0
7131	22.000	920.000	0
7132	22.500	920.000	0
7133	23.000	920.000	0
7134	23.700	920.000	0
7135	24.000	920.000	0
7136	24.300	920.000	0
7137	25.000	920.000	0
7138	25.500	920.000	0
7139	26.000	920.000	0
7140	26.500	920.000	0
7141	27.000	920.000	0
7142	27.700	920.000	0
7143	28.000	920.000	0
7144	28.300	920.000	0
7145	29.000	920.000	0
7146	29.500	920.000	0
7147	30.000	920.000	0
7148	30.500	920.000	0
7149	31.000	920.000	0
7150	31.700	920.000	0
7151	32.000	920.000	0
7152	32.300	920.000	0
7153	33.000	920.000	0
7154	33.500	920.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7155	34.000	920.000	0
7156	34.500	920.000	0
7157	35.000	920.000	0
7158	35.700	920.000	0
7159	36.000	920.000	0
7160	36.300	920.000	0
7161	36.800	920.000	0
7162	37.300	920.000	0
7163	0	920.500	-3.477
7164	4.000	920.500	-3.477
7165	8.000	920.500	-3.477
7166	12.000	920.500	-3.477
7167	16.000	920.500	-3.477
7168	20.000	920.500	-3.477
7169	24.000	920.500	-3.477
7170	28.000	920.500	-3.477
7171	32.000	920.500	-3.477
7172	36.000	920.500	-3.477
7173	0	920.500	-3.114
7174	4.000	920.500	-3.114
7175	8.000	920.500	-3.114
7176	12.000	920.500	-3.114
7177	16.000	920.500	-3.114
7178	20.000	920.500	-3.114
7179	24.000	920.500	-3.114
7180	28.000	920.500	-3.114
7181	32.000	920.500	-3.114
7182	36.000	920.500	-3.114
7183	0	920.500	-2.750
7184	4.000	920.500	-2.750
7185	8.000	920.500	-2.750
7186	12.000	920.500	-2.750
7187	16.000	920.500	-2.750
7188	20.000	920.500	-2.750
7189	24.000	920.500	-2.750
7190	28.000	920.500	-2.750
7191	32.000	920.500	-2.750
7192	36.000	920.500	-2.750
7193	0	920.500	-2.386
7194	4.000	920.500	-2.386
7195	8.000	920.500	-2.386
7196	12.000	920.500	-2.386
7197	16.000	920.500	-2.386
7198	20.000	920.500	-2.386
7199	24.000	920.500	-2.386
7200	28.000	920.500	-2.386
7201	32.000	920.500	-2.386
7202	36.000	920.500	-2.386
7203	0	920.500	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7204	4.000	920.500	-2.023
7205	8.000	920.500	-2.023
7206	12.000	920.500	-2.023
7207	16.000	920.500	-2.023
7208	20.000	920.500	-2.023
7209	24.000	920.500	-2.023
7210	28.000	920.500	-2.023
7211	32.000	920.500	-2.023
7212	36.000	920.500	-2.023
7213	0	920.500	-1.659
7214	4.000	920.500	-1.659
7215	8.000	920.500	-1.659
7216	12.000	920.500	-1.659
7217	16.000	920.500	-1.659
7218	20.000	920.500	-1.659
7219	24.000	920.500	-1.659
7220	28.000	920.500	-1.659
7221	32.000	920.500	-1.659
7222	36.000	920.500	-1.659
7223	0	920.500	-1.295
7224	4.000	920.500	-1.295
7225	8.000	920.500	-1.295
7226	12.000	920.500	-1.295
7227	16.000	920.500	-1.295
7228	20.000	920.500	-1.295
7229	24.000	920.500	-1.295
7230	28.000	920.500	-1.295
7231	32.000	920.500	-1.295
7232	36.000	920.500	-1.295
7233	0	920.500	-0.750
7234	4.000	920.500	-0.750
7235	8.000	920.500	-0.750
7236	12.000	920.500	-0.750
7237	16.000	920.500	-0.750
7238	20.000	920.500	-0.750
7239	24.000	920.500	-0.750
7240	28.000	920.500	-0.750
7241	32.000	920.500	-0.750
7242	36.000	920.500	-0.750
7243	0	920.500	-0.200
7244	4.000	920.500	-0.200
7245	8.000	920.500	-0.200
7246	12.000	920.500	-0.200
7247	16.000	920.500	-0.200
7248	20.000	920.500	-0.200
7249	24.000	920.500	-0.200
7250	28.000	920.500	-0.200
7251	32.000	920.500	-0.200
7252	36.000	920.500	-0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7253	-1.300	920.500	0
7254	-0.800	920.500	0
7255	-0.300	920.500	0
7256	0	920.500	0
7257	0.300	920.500	0
7258	1.000	920.500	0
7259	1.500	920.500	0
7260	2.000	920.500	0
7261	2.500	920.500	0
7262	3.000	920.500	0
7263	3.700	920.500	0
7264	4.000	920.500	0
7265	4.300	920.500	0
7266	5.000	920.500	0
7267	5.500	920.500	0
7268	6.000	920.500	0
7269	6.500	920.500	0
7270	7.000	920.500	0
7271	7.700	920.500	0
7272	8.000	920.500	0
7273	8.300	920.500	0
7274	9.000	920.500	0
7275	9.500	920.500	0
7276	10.000	920.500	0
7277	10.500	920.500	0
7278	11.000	920.500	0
7279	11.700	920.500	0
7280	12.000	920.500	0
7281	12.300	920.500	0
7282	13.000	920.500	0
7283	13.500	920.500	0
7284	14.000	920.500	0
7285	14.500	920.500	0
7286	15.000	920.500	0
7287	15.700	920.500	0
7288	16.000	920.500	0
7289	16.300	920.500	0
7290	17.000	920.500	0
7291	17.500	920.500	0
7292	18.000	920.500	0
7293	18.500	920.500	0
7294	19.000	920.500	0
7295	19.700	920.500	0
7296	20.000	920.500	0
7297	20.300	920.500	0
7298	21.000	920.500	0
7299	21.500	920.500	0
7300	22.000	920.500	0
7301	22.500	920.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7302	23.000	920.500	0
7303	23.700	920.500	0
7304	24.000	920.500	0
7305	24.300	920.500	0
7306	25.000	920.500	0
7307	25.500	920.500	0
7308	26.000	920.500	0
7309	26.500	920.500	0
7310	27.000	920.500	0
7311	27.700	920.500	0
7312	28.000	920.500	0
7313	28.300	920.500	0
7314	29.000	920.500	0
7315	29.500	920.500	0
7316	30.000	920.500	0
7317	30.500	920.500	0
7318	31.000	920.500	0
7319	31.700	920.500	0
7320	32.000	920.500	0
7321	32.300	920.500	0
7322	33.000	920.500	0
7323	33.500	920.500	0
7324	34.000	920.500	0
7325	34.500	920.500	0
7326	35.000	920.500	0
7327	35.700	920.500	0
7328	36.000	920.500	0
7329	36.300	920.500	0
7330	36.800	920.500	0
7331	37.300	920.500	0
7332	0	921.000	-3.295
7333	4.000	921.000	-3.295
7334	8.000	921.000	-3.295
7335	12.000	921.000	-3.295
7336	16.000	921.000	-3.295
7337	20.000	921.000	-3.295
7338	24.000	921.000	-3.295
7339	28.000	921.000	-3.295
7340	32.000	921.000	-3.295
7341	36.000	921.000	-3.295
7342	0	921.000	-3.114
7343	4.000	921.000	-3.114
7344	8.000	921.000	-3.114
7345	12.000	921.000	-3.114
7346	16.000	921.000	-3.114
7347	20.000	921.000	-3.114
7348	24.000	921.000	-3.114
7349	28.000	921.000	-3.114
7350	32.000	921.000	-3.114

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7351	36.000	921.000	-3.114
7352	0	921.000	-2.750
7353	4.000	921.000	-2.750
7354	8.000	921.000	-2.750
7355	12.000	921.000	-2.750
7356	16.000	921.000	-2.750
7357	20.000	921.000	-2.750
7358	24.000	921.000	-2.750
7359	28.000	921.000	-2.750
7360	32.000	921.000	-2.750
7361	36.000	921.000	-2.750
7362	0	921.000	-2.386
7363	4.000	921.000	-2.386
7364	8.000	921.000	-2.386
7365	12.000	921.000	-2.386
7366	16.000	921.000	-2.386
7367	20.000	921.000	-2.386
7368	24.000	921.000	-2.386
7369	28.000	921.000	-2.386
7370	32.000	921.000	-2.386
7371	36.000	921.000	-2.386
7372	0	921.000	-2.023
7373	4.000	921.000	-2.023
7374	8.000	921.000	-2.023
7375	12.000	921.000	-2.023
7376	16.000	921.000	-2.023
7377	20.000	921.000	-2.023
7378	24.000	921.000	-2.023
7379	28.000	921.000	-2.023
7380	32.000	921.000	-2.023
7381	36.000	921.000	-2.023
7382	0	921.000	-1.659
7383	4.000	921.000	-1.659
7384	8.000	921.000	-1.659
7385	12.000	921.000	-1.659
7386	16.000	921.000	-1.659
7387	20.000	921.000	-1.659
7388	24.000	921.000	-1.659
7389	28.000	921.000	-1.659
7390	32.000	921.000	-1.659
7391	36.000	921.000	-1.659
7392	0	921.000	-1.295
7393	4.000	921.000	-1.295
7394	8.000	921.000	-1.295
7395	12.000	921.000	-1.295
7396	16.000	921.000	-1.295
7397	20.000	921.000	-1.295
7398	24.000	921.000	-1.295
7399	28.000	921.000	-1.295

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7400	32.000	921.000	-1.295
7401	36.000	921.000	-1.295
7402	0	921.000	-0.750
7403	4.000	921.000	-0.750
7404	8.000	921.000	-0.750
7405	12.000	921.000	-0.750
7406	16.000	921.000	-0.750
7407	20.000	921.000	-0.750
7408	24.000	921.000	-0.750
7409	28.000	921.000	-0.750
7410	32.000	921.000	-0.750
7411	36.000	921.000	-0.750
7412	0	921.000	-0.200
7413	4.000	921.000	-0.200
7414	8.000	921.000	-0.200
7415	12.000	921.000	-0.200
7416	16.000	921.000	-0.200
7417	20.000	921.000	-0.200
7418	24.000	921.000	-0.200
7419	28.000	921.000	-0.200
7420	32.000	921.000	-0.200
7421	36.000	921.000	-0.200
7422	-1.300	921.000	0
7423	-0.800	921.000	0
7424	-0.300	921.000	0
7425	0	921.000	0
7426	0.300	921.000	0
7427	1.000	921.000	0
7428	1.500	921.000	0
7429	2.000	921.000	0
7430	2.500	921.000	0
7431	3.000	921.000	0
7432	3.700	921.000	0
7433	4.000	921.000	0
7434	4.300	921.000	0
7435	5.000	921.000	0
7436	5.500	921.000	0
7437	6.000	921.000	0
7438	6.500	921.000	0
7439	7.000	921.000	0
7440	7.700	921.000	0
7441	8.000	921.000	0
7442	8.300	921.000	0
7443	9.000	921.000	0
7444	9.500	921.000	0
7445	10.000	921.000	0
7446	10.500	921.000	0
7447	11.000	921.000	0
7448	11.700	921.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7449	12.000	921.000	0
7450	12.300	921.000	0
7451	13.000	921.000	0
7452	13.500	921.000	0
7453	14.000	921.000	0
7454	14.500	921.000	0
7455	15.000	921.000	0
7456	15.700	921.000	0
7457	16.000	921.000	0
7458	16.300	921.000	0
7459	17.000	921.000	0
7460	17.500	921.000	0
7461	18.000	921.000	0
7462	18.500	921.000	0
7463	19.000	921.000	0
7464	19.700	921.000	0
7465	20.000	921.000	0
7466	20.300	921.000	0
7467	21.000	921.000	0
7468	21.500	921.000	0
7469	22.000	921.000	0
7470	22.500	921.000	0
7471	23.000	921.000	0
7472	23.700	921.000	0
7473	24.000	921.000	0
7474	24.300	921.000	0
7475	25.000	921.000	0
7476	25.500	921.000	0
7477	26.000	921.000	0
7478	26.500	921.000	0
7479	27.000	921.000	0
7480	27.700	921.000	0
7481	28.000	921.000	0
7482	28.300	921.000	0
7483	29.000	921.000	0
7484	29.500	921.000	0
7485	30.000	921.000	0
7486	30.500	921.000	0
7487	31.000	921.000	0
7488	31.700	921.000	0
7489	32.000	921.000	0
7490	32.300	921.000	0
7491	33.000	921.000	0
7492	33.500	921.000	0
7493	34.000	921.000	0
7494	34.500	921.000	0
7495	35.000	921.000	0
7496	35.700	921.000	0
7497	36.000	921.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7498	36.300	921.000	0
7499	36.800	921.000	0
7500	37.300	921.000	0
7501	0	921.500	-3.114
7502	4.000	921.500	-3.114
7503	8.000	921.500	-3.114
7504	12.000	921.500	-3.114
7505	16.000	921.500	-3.114
7506	20.000	921.500	-3.114
7507	24.000	921.500	-3.114
7508	28.000	921.500	-3.114
7509	32.000	921.500	-3.114
7510	36.000	921.500	-3.114
7511	0	921.500	-2.750
7512	4.000	921.500	-2.750
7513	8.000	921.500	-2.750
7514	12.000	921.500	-2.750
7515	16.000	921.500	-2.750
7516	20.000	921.500	-2.750
7517	24.000	921.500	-2.750
7518	28.000	921.500	-2.750
7519	32.000	921.500	-2.750
7520	36.000	921.500	-2.750
7521	0	921.500	-2.386
7522	4.000	921.500	-2.386
7523	8.000	921.500	-2.386
7524	12.000	921.500	-2.386
7525	16.000	921.500	-2.386
7526	20.000	921.500	-2.386
7527	24.000	921.500	-2.386
7528	28.000	921.500	-2.386
7529	32.000	921.500	-2.386
7530	36.000	921.500	-2.386
7531	0	921.500	-2.023
7532	4.000	921.500	-2.023
7533	8.000	921.500	-2.023
7534	12.000	921.500	-2.023
7535	16.000	921.500	-2.023
7536	20.000	921.500	-2.023
7537	24.000	921.500	-2.023
7538	28.000	921.500	-2.023
7539	32.000	921.500	-2.023
7540	36.000	921.500	-2.023
7541	0	921.500	-1.659
7542	4.000	921.500	-1.659
7543	8.000	921.500	-1.659
7544	12.000	921.500	-1.659
7545	16.000	921.500	-1.659
7546	20.000	921.500	-1.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7547	24.000	921.500	-1.659
7548	28.000	921.500	-1.659
7549	32.000	921.500	-1.659
7550	36.000	921.500	-1.659
7551	0	921.500	-1.295
7552	4.000	921.500	-1.295
7553	8.000	921.500	-1.295
7554	12.000	921.500	-1.295
7555	16.000	921.500	-1.295
7556	20.000	921.500	-1.295
7557	24.000	921.500	-1.295
7558	28.000	921.500	-1.295
7559	32.000	921.500	-1.295
7560	36.000	921.500	-1.295
7561	0	921.500	-0.750
7562	4.000	921.500	-0.750
7563	8.000	921.500	-0.750
7564	12.000	921.500	-0.750
7565	16.000	921.500	-0.750
7566	20.000	921.500	-0.750
7567	24.000	921.500	-0.750
7568	28.000	921.500	-0.750
7569	32.000	921.500	-0.750
7570	36.000	921.500	-0.750
7571	0	921.500	-0.200
7572	4.000	921.500	-0.200
7573	8.000	921.500	-0.200
7574	12.000	921.500	-0.200
7575	16.000	921.500	-0.200
7576	20.000	921.500	-0.200
7577	24.000	921.500	-0.200
7578	28.000	921.500	-0.200
7579	32.000	921.500	-0.200
7580	36.000	921.500	-0.200
7581	-1.300	921.500	0
7582	-0.800	921.500	0
7583	-0.300	921.500	0
7584	0	921.500	0
7585	0.300	921.500	0
7586	1.000	921.500	0
7587	1.500	921.500	0
7588	2.000	921.500	0
7589	2.500	921.500	0
7590	3.000	921.500	0
7591	3.700	921.500	0
7592	4.000	921.500	0
7593	4.300	921.500	0
7594	5.000	921.500	0
7595	5.500	921.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7596	6.000	921.500	0
7597	6.500	921.500	0
7598	7.000	921.500	0
7599	7.700	921.500	0
7600	8.000	921.500	0
7601	8.300	921.500	0
7602	9.000	921.500	0
7603	9.500	921.500	0
7604	10.000	921.500	0
7605	10.500	921.500	0
7606	11.000	921.500	0
7607	11.700	921.500	0
7608	12.000	921.500	0
7609	12.300	921.500	0
7610	13.000	921.500	0
7611	13.500	921.500	0
7612	14.000	921.500	0
7613	14.500	921.500	0
7614	15.000	921.500	0
7615	15.700	921.500	0
7616	16.000	921.500	0
7617	16.300	921.500	0
7618	17.000	921.500	0
7619	17.500	921.500	0
7620	18.000	921.500	0
7621	18.500	921.500	0
7622	19.000	921.500	0
7623	19.700	921.500	0
7624	20.000	921.500	0
7625	20.300	921.500	0
7626	21.000	921.500	0
7627	21.500	921.500	0
7628	22.000	921.500	0
7629	22.500	921.500	0
7630	23.000	921.500	0
7631	23.700	921.500	0
7632	24.000	921.500	0
7633	24.300	921.500	0
7634	25.000	921.500	0
7635	25.500	921.500	0
7636	26.000	921.500	0
7637	26.500	921.500	0
7638	27.000	921.500	0
7639	27.700	921.500	0
7640	28.000	921.500	0
7641	28.300	921.500	0
7642	29.000	921.500	0
7643	29.500	921.500	0
7644	30.000	921.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7645	30.500	921.500	0
7646	31.000	921.500	0
7647	31.700	921.500	0
7648	32.000	921.500	0
7649	32.300	921.500	0
7650	33.000	921.500	0
7651	33.500	921.500	0
7652	34.000	921.500	0
7653	34.500	921.500	0
7654	35.000	921.500	0
7655	35.700	921.500	0
7656	36.000	921.500	0
7657	36.300	921.500	0
7658	36.800	921.500	0
7659	37.300	921.500	0
7660	0	922.000	-2.932
7661	4.000	922.000	-2.932
7662	8.000	922.000	-2.932
7663	12.000	922.000	-2.932
7664	16.000	922.000	-2.932
7665	20.000	922.000	-2.932
7666	24.000	922.000	-2.932
7667	28.000	922.000	-2.932
7668	32.000	922.000	-2.932
7669	36.000	922.000	-2.932
7670	0	922.000	-2.750
7671	4.000	922.000	-2.750
7672	8.000	922.000	-2.750
7673	12.000	922.000	-2.750
7674	16.000	922.000	-2.750
7675	20.000	922.000	-2.750
7676	24.000	922.000	-2.750
7677	28.000	922.000	-2.750
7678	32.000	922.000	-2.750
7679	36.000	922.000	-2.750
7680	0	922.000	-2.386
7681	4.000	922.000	-2.386
7682	8.000	922.000	-2.386
7683	12.000	922.000	-2.386
7684	16.000	922.000	-2.386
7685	20.000	922.000	-2.386
7686	24.000	922.000	-2.386
7687	28.000	922.000	-2.386
7688	32.000	922.000	-2.386
7689	36.000	922.000	-2.386
7690	0	922.000	-2.023
7691	4.000	922.000	-2.023
7692	8.000	922.000	-2.023
7693	12.000	922.000	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7694	16.000	922.000	-2.023
7695	20.000	922.000	-2.023
7696	24.000	922.000	-2.023
7697	28.000	922.000	-2.023
7698	32.000	922.000	-2.023
7699	36.000	922.000	-2.023
7700	0	922.000	-1.659
7701	4.000	922.000	-1.659
7702	8.000	922.000	-1.659
7703	12.000	922.000	-1.659
7704	16.000	922.000	-1.659
7705	20.000	922.000	-1.659
7706	24.000	922.000	-1.659
7707	28.000	922.000	-1.659
7708	32.000	922.000	-1.659
7709	36.000	922.000	-1.659
7710	0	922.000	-1.295
7711	4.000	922.000	-1.295
7712	8.000	922.000	-1.295
7713	12.000	922.000	-1.295
7714	16.000	922.000	-1.295
7715	20.000	922.000	-1.295
7716	24.000	922.000	-1.295
7717	28.000	922.000	-1.295
7718	32.000	922.000	-1.295
7719	36.000	922.000	-1.295
7720	0	922.000	-0.750
7721	4.000	922.000	-0.750
7722	8.000	922.000	-0.750
7723	12.000	922.000	-0.750
7724	16.000	922.000	-0.750
7725	20.000	922.000	-0.750
7726	24.000	922.000	-0.750
7727	28.000	922.000	-0.750
7728	32.000	922.000	-0.750
7729	36.000	922.000	-0.750
7730	0	922.000	-0.200
7731	4.000	922.000	-0.200
7732	8.000	922.000	-0.200
7733	12.000	922.000	-0.200
7734	16.000	922.000	-0.200
7735	20.000	922.000	-0.200
7736	24.000	922.000	-0.200
7737	28.000	922.000	-0.200
7738	32.000	922.000	-0.200
7739	36.000	922.000	-0.200
7740	-1.300	922.000	0
7741	-0.800	922.000	0
7742	-0.300	922.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7743	0	922.000	0
7744	0.300	922.000	0
7745	1.000	922.000	0
7746	1.500	922.000	0
7747	2.000	922.000	0
7748	2.500	922.000	0
7749	3.000	922.000	0
7750	3.700	922.000	0
7751	4.000	922.000	0
7752	4.300	922.000	0
7753	5.000	922.000	0
7754	5.500	922.000	0
7755	6.000	922.000	0
7756	6.500	922.000	0
7757	7.000	922.000	0
7758	7.700	922.000	0
7759	8.000	922.000	0
7760	8.300	922.000	0
7761	9.000	922.000	0
7762	9.500	922.000	0
7763	10.000	922.000	0
7764	10.500	922.000	0
7765	11.000	922.000	0
7766	11.700	922.000	0
7767	12.000	922.000	0
7768	12.300	922.000	0
7769	13.000	922.000	0
7770	13.500	922.000	0
7771	14.000	922.000	0
7772	14.500	922.000	0
7773	15.000	922.000	0
7774	15.700	922.000	0
7775	16.000	922.000	0
7776	16.300	922.000	0
7777	17.000	922.000	0
7778	17.500	922.000	0
7779	18.000	922.000	0
7780	18.500	922.000	0
7781	19.000	922.000	0
7782	19.700	922.000	0
7783	20.000	922.000	0
7784	20.300	922.000	0
7785	21.000	922.000	0
7786	21.500	922.000	0
7787	22.000	922.000	0
7788	22.500	922.000	0
7789	23.000	922.000	0
7790	23.700	922.000	0
7791	24.000	922.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7792	24.300	922.000	0
7793	25.000	922.000	0
7794	25.500	922.000	0
7795	26.000	922.000	0
7796	26.500	922.000	0
7797	27.000	922.000	0
7798	27.700	922.000	0
7799	28.000	922.000	0
7800	28.300	922.000	0
7801	29.000	922.000	0
7802	29.500	922.000	0
7803	30.000	922.000	0
7804	30.500	922.000	0
7805	31.000	922.000	0
7806	31.700	922.000	0
7807	32.000	922.000	0
7808	32.300	922.000	0
7809	33.000	922.000	0
7810	33.500	922.000	0
7811	34.000	922.000	0
7812	34.500	922.000	0
7813	35.000	922.000	0
7814	35.700	922.000	0
7815	36.000	922.000	0
7816	36.300	922.000	0
7817	36.800	922.000	0
7818	37.300	922.000	0
7819	0	922.500	-2.750
7820	4.000	922.500	-2.750
7821	8.000	922.500	-2.750
7822	12.000	922.500	-2.750
7823	16.000	922.500	-2.750
7824	20.000	922.500	-2.750
7825	24.000	922.500	-2.750
7826	28.000	922.500	-2.750
7827	32.000	922.500	-2.750
7828	36.000	922.500	-2.750
7829	0	922.500	-2.386
7830	4.000	922.500	-2.386
7831	8.000	922.500	-2.386
7832	12.000	922.500	-2.386
7833	16.000	922.500	-2.386
7834	20.000	922.500	-2.386
7835	24.000	922.500	-2.386
7836	28.000	922.500	-2.386
7837	32.000	922.500	-2.386
7838	36.000	922.500	-2.386
7839	0	922.500	-2.023
7840	4.000	922.500	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7841	8.000	922.500	-2.023
7842	12.000	922.500	-2.023
7843	16.000	922.500	-2.023
7844	20.000	922.500	-2.023
7845	24.000	922.500	-2.023
7846	28.000	922.500	-2.023
7847	32.000	922.500	-2.023
7848	36.000	922.500	-2.023
7849	0	922.500	-1.659
7850	4.000	922.500	-1.659
7851	8.000	922.500	-1.659
7852	12.000	922.500	-1.659
7853	16.000	922.500	-1.659
7854	20.000	922.500	-1.659
7855	24.000	922.500	-1.659
7856	28.000	922.500	-1.659
7857	32.000	922.500	-1.659
7858	36.000	922.500	-1.659
7859	0	922.500	-1.295
7860	4.000	922.500	-1.295
7861	8.000	922.500	-1.295
7862	12.000	922.500	-1.295
7863	16.000	922.500	-1.295
7864	20.000	922.500	-1.295
7865	24.000	922.500	-1.295
7866	28.000	922.500	-1.295
7867	32.000	922.500	-1.295
7868	36.000	922.500	-1.295
7869	0	922.500	-0.750
7870	4.000	922.500	-0.750
7871	8.000	922.500	-0.750
7872	12.000	922.500	-0.750
7873	16.000	922.500	-0.750
7874	20.000	922.500	-0.750
7875	24.000	922.500	-0.750
7876	28.000	922.500	-0.750
7877	32.000	922.500	-0.750
7878	36.000	922.500	-0.750
7879	0	922.500	-0.200
7880	4.000	922.500	-0.200
7881	8.000	922.500	-0.200
7882	12.000	922.500	-0.200
7883	16.000	922.500	-0.200
7884	20.000	922.500	-0.200
7885	24.000	922.500	-0.200
7886	28.000	922.500	-0.200
7887	32.000	922.500	-0.200
7888	36.000	922.500	-0.200
7889	-1.300	922.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7890	-0.800	922.500	0
7891	-0.300	922.500	0
7892	0	922.500	0
7893	0.300	922.500	0
7894	1.000	922.500	0
7895	1.500	922.500	0
7896	2.000	922.500	0
7897	2.500	922.500	0
7898	3.000	922.500	0
7899	3.700	922.500	0
7900	4.000	922.500	0
7901	4.300	922.500	0
7902	5.000	922.500	0
7903	5.500	922.500	0
7904	6.000	922.500	0
7905	6.500	922.500	0
7906	7.000	922.500	0
7907	7.700	922.500	0
7908	8.000	922.500	0
7909	8.300	922.500	0
7910	9.000	922.500	0
7911	9.500	922.500	0
7912	10.000	922.500	0
7913	10.500	922.500	0
7914	11.000	922.500	0
7915	11.700	922.500	0
7916	12.000	922.500	0
7917	12.300	922.500	0
7918	13.000	922.500	0
7919	13.500	922.500	0
7920	14.000	922.500	0
7921	14.500	922.500	0
7922	15.000	922.500	0
7923	15.700	922.500	0
7924	16.000	922.500	0
7925	16.300	922.500	0
7926	17.000	922.500	0
7927	17.500	922.500	0
7928	18.000	922.500	0
7929	18.500	922.500	0
7930	19.000	922.500	0
7931	19.700	922.500	0
7932	20.000	922.500	0
7933	20.300	922.500	0
7934	21.000	922.500	0
7935	21.500	922.500	0
7936	22.000	922.500	0
7937	22.500	922.500	0
7938	23.000	922.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7939	23.700	922.500	0
7940	24.000	922.500	0
7941	24.300	922.500	0
7942	25.000	922.500	0
7943	25.500	922.500	0
7944	26.000	922.500	0
7945	26.500	922.500	0
7946	27.000	922.500	0
7947	27.700	922.500	0
7948	28.000	922.500	0
7949	28.300	922.500	0
7950	29.000	922.500	0
7951	29.500	922.500	0
7952	30.000	922.500	0
7953	30.500	922.500	0
7954	31.000	922.500	0
7955	31.700	922.500	0
7956	32.000	922.500	0
7957	32.300	922.500	0
7958	33.000	922.500	0
7959	33.500	922.500	0
7960	34.000	922.500	0
7961	34.500	922.500	0
7962	35.000	922.500	0
7963	35.700	922.500	0
7964	36.000	922.500	0
7965	36.300	922.500	0
7966	36.800	922.500	0
7967	37.300	922.500	0
7968	0	923.000	-2.568
7969	4.000	923.000	-2.568
7970	8.000	923.000	-2.568
7971	12.000	923.000	-2.568
7972	16.000	923.000	-2.568
7973	20.000	923.000	-2.568
7974	24.000	923.000	-2.568
7975	28.000	923.000	-2.568
7976	32.000	923.000	-2.568
7977	36.000	923.000	-2.568
7978	0	923.000	-2.386
7979	4.000	923.000	-2.386
7980	8.000	923.000	-2.386
7981	12.000	923.000	-2.386
7982	16.000	923.000	-2.386
7983	20.000	923.000	-2.386
7984	24.000	923.000	-2.386
7985	28.000	923.000	-2.386
7986	32.000	923.000	-2.386
7987	36.000	923.000	-2.386

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
7988	0	923.000	-2.023
7989	4.000	923.000	-2.023
7990	8.000	923.000	-2.023
7991	12.000	923.000	-2.023
7992	16.000	923.000	-2.023
7993	20.000	923.000	-2.023
7994	24.000	923.000	-2.023
7995	28.000	923.000	-2.023
7996	32.000	923.000	-2.023
7997	36.000	923.000	-2.023
7998	0	923.000	-1.659
7999	4.000	923.000	-1.659
8000	8.000	923.000	-1.659
8001	12.000	923.000	-1.659
8002	16.000	923.000	-1.659
8003	20.000	923.000	-1.659
8004	24.000	923.000	-1.659
8005	28.000	923.000	-1.659
8006	32.000	923.000	-1.659
8007	36.000	923.000	-1.659
8008	0	923.000	-1.295
8009	4.000	923.000	-1.295
8010	8.000	923.000	-1.295
8011	12.000	923.000	-1.295
8012	16.000	923.000	-1.295
8013	20.000	923.000	-1.295
8014	24.000	923.000	-1.295
8015	28.000	923.000	-1.295
8016	32.000	923.000	-1.295
8017	36.000	923.000	-1.295
8018	0	923.000	-0.750
8019	4.000	923.000	-0.750
8020	8.000	923.000	-0.750
8021	12.000	923.000	-0.750
8022	16.000	923.000	-0.750
8023	20.000	923.000	-0.750
8024	24.000	923.000	-0.750
8025	28.000	923.000	-0.750
8026	32.000	923.000	-0.750
8027	36.000	923.000	-0.750
8028	0	923.000	-0.200
8029	4.000	923.000	-0.200
8030	8.000	923.000	-0.200
8031	12.000	923.000	-0.200
8032	16.000	923.000	-0.200
8033	20.000	923.000	-0.200
8034	24.000	923.000	-0.200
8035	28.000	923.000	-0.200
8036	32.000	923.000	-0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8037	36.000	923.000	-0.200
8038	-1.300	923.000	0
8039	-0.800	923.000	0
8040	-0.300	923.000	0
8041	0	923.000	0
8042	0.300	923.000	0
8043	1.000	923.000	0
8044	1.500	923.000	0
8045	2.000	923.000	0
8046	2.500	923.000	0
8047	3.000	923.000	0
8048	3.700	923.000	0
8049	4.000	923.000	0
8050	4.300	923.000	0
8051	5.000	923.000	0
8052	5.500	923.000	0
8053	6.000	923.000	0
8054	6.500	923.000	0
8055	7.000	923.000	0
8056	7.700	923.000	0
8057	8.000	923.000	0
8058	8.300	923.000	0
8059	9.000	923.000	0
8060	9.500	923.000	0
8061	10.000	923.000	0
8062	10.500	923.000	0
8063	11.000	923.000	0
8064	11.700	923.000	0
8065	12.000	923.000	0
8066	12.300	923.000	0
8067	13.000	923.000	0
8068	13.500	923.000	0
8069	14.000	923.000	0
8070	14.500	923.000	0
8071	15.000	923.000	0
8072	15.700	923.000	0
8073	16.000	923.000	0
8074	16.300	923.000	0
8075	17.000	923.000	0
8076	17.500	923.000	0
8077	18.000	923.000	0
8078	18.500	923.000	0
8079	19.000	923.000	0
8080	19.700	923.000	0
8081	20.000	923.000	0
8082	20.300	923.000	0
8083	21.000	923.000	0
8084	21.500	923.000	0
8085	22.000	923.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8086	22.500	923.000	0
8087	23.000	923.000	0
8088	23.700	923.000	0
8089	24.000	923.000	0
8090	24.300	923.000	0
8091	25.000	923.000	0
8092	25.500	923.000	0
8093	26.000	923.000	0
8094	26.500	923.000	0
8095	27.000	923.000	0
8096	27.700	923.000	0
8097	28.000	923.000	0
8098	28.300	923.000	0
8099	29.000	923.000	0
8100	29.500	923.000	0
8101	30.000	923.000	0
8102	30.500	923.000	0
8103	31.000	923.000	0
8104	31.700	923.000	0
8105	32.000	923.000	0
8106	32.300	923.000	0
8107	33.000	923.000	0
8108	33.500	923.000	0
8109	34.000	923.000	0
8110	34.500	923.000	0
8111	35.000	923.000	0
8112	35.700	923.000	0
8113	36.000	923.000	0
8114	36.300	923.000	0
8115	36.800	923.000	0
8116	37.300	923.000	0
8117	0	923.500	-2.386
8118	4.000	923.500	-2.386
8119	8.000	923.500	-2.386
8120	12.000	923.500	-2.386
8121	16.000	923.500	-2.386
8122	20.000	923.500	-2.386
8123	24.000	923.500	-2.386
8124	28.000	923.500	-2.386
8125	32.000	923.500	-2.386
8126	36.000	923.500	-2.386
8127	0	923.500	-2.023
8128	4.000	923.500	-2.023
8129	8.000	923.500	-2.023
8130	12.000	923.500	-2.023
8131	16.000	923.500	-2.023
8132	20.000	923.500	-2.023
8133	24.000	923.500	-2.023
8134	28.000	923.500	-2.023

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8135	32.000	923.500	-2.023
8136	36.000	923.500	-2.023
8137	0	923.500	-1.659
8138	4.000	923.500	-1.659
8139	8.000	923.500	-1.659
8140	12.000	923.500	-1.659
8141	16.000	923.500	-1.659
8142	20.000	923.500	-1.659
8143	24.000	923.500	-1.659
8144	28.000	923.500	-1.659
8145	32.000	923.500	-1.659
8146	36.000	923.500	-1.659
8147	0	923.500	-1.295
8148	4.000	923.500	-1.295
8149	8.000	923.500	-1.295
8150	12.000	923.500	-1.295
8151	16.000	923.500	-1.295
8152	20.000	923.500	-1.295
8153	24.000	923.500	-1.295
8154	28.000	923.500	-1.295
8155	32.000	923.500	-1.295
8156	36.000	923.500	-1.295
8157	0	923.500	-0.750
8158	4.000	923.500	-0.750
8159	8.000	923.500	-0.750
8160	12.000	923.500	-0.750
8161	16.000	923.500	-0.750
8162	20.000	923.500	-0.750
8163	24.000	923.500	-0.750
8164	28.000	923.500	-0.750
8165	32.000	923.500	-0.750
8166	36.000	923.500	-0.750
8167	0	923.500	-0.200
8168	4.000	923.500	-0.200
8169	8.000	923.500	-0.200
8170	12.000	923.500	-0.200
8171	16.000	923.500	-0.200
8172	20.000	923.500	-0.200
8173	24.000	923.500	-0.200
8174	28.000	923.500	-0.200
8175	32.000	923.500	-0.200
8176	36.000	923.500	-0.200
8177	-1.300	923.500	0
8178	-0.800	923.500	0
8179	-0.300	923.500	0
8180	0	923.500	0
8181	0.300	923.500	0
8182	1.000	923.500	0
8183	1.500	923.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8184	2.000	923.500	0
8185	2.500	923.500	0
8186	3.000	923.500	0
8187	3.700	923.500	0
8188	4.000	923.500	0
8189	4.300	923.500	0
8190	5.000	923.500	0
8191	5.500	923.500	0
8192	6.000	923.500	0
8193	6.500	923.500	0
8194	7.000	923.500	0
8195	7.700	923.500	0
8196	8.000	923.500	0
8197	8.300	923.500	0
8198	9.000	923.500	0
8199	9.500	923.500	0
8200	10.000	923.500	0
8201	10.500	923.500	0
8202	11.000	923.500	0
8203	11.700	923.500	0
8204	12.000	923.500	0
8205	12.300	923.500	0
8206	13.000	923.500	0
8207	13.500	923.500	0
8208	14.000	923.500	0
8209	14.500	923.500	0
8210	15.000	923.500	0
8211	15.700	923.500	0
8212	16.000	923.500	0
8213	16.300	923.500	0
8214	17.000	923.500	0
8215	17.500	923.500	0
8216	18.000	923.500	0
8217	18.500	923.500	0
8218	19.000	923.500	0
8219	19.700	923.500	0
8220	20.000	923.500	0
8221	20.300	923.500	0
8222	21.000	923.500	0
8223	21.500	923.500	0
8224	22.000	923.500	0
8225	22.500	923.500	0
8226	23.000	923.500	0
8227	23.700	923.500	0
8228	24.000	923.500	0
8229	24.300	923.500	0
8230	25.000	923.500	0
8231	25.500	923.500	0
8232	26.000	923.500	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8233	26.500	923.500	0
8234	27.000	923.500	0
8235	27.700	923.500	0
8236	28.000	923.500	0
8237	28.300	923.500	0
8238	29.000	923.500	0
8239	29.500	923.500	0
8240	30.000	923.500	0
8241	30.500	923.500	0
8242	31.000	923.500	0
8243	31.700	923.500	0
8244	32.000	923.500	0
8245	32.300	923.500	0
8246	33.000	923.500	0
8247	33.500	923.500	0
8248	34.000	923.500	0
8249	34.500	923.500	0
8250	35.000	923.500	0
8251	35.700	923.500	0
8252	36.000	923.500	0
8253	36.300	923.500	0
8254	36.800	923.500	0
8255	37.300	923.500	0
8256	0	924.000	-2.205
8257	4.000	924.000	-2.205
8258	8.000	924.000	-2.205
8259	12.000	924.000	-2.205
8260	16.000	924.000	-2.205
8261	20.000	924.000	-2.205
8262	24.000	924.000	-2.205
8263	28.000	924.000	-2.205
8264	32.000	924.000	-2.205
8265	36.000	924.000	-2.205
8266	0	924.000	-2.023
8267	4.000	924.000	-2.023
8268	8.000	924.000	-2.023
8269	12.000	924.000	-2.023
8270	16.000	924.000	-2.023
8271	20.000	924.000	-2.023
8272	24.000	924.000	-2.023
8273	28.000	924.000	-2.023
8274	32.000	924.000	-2.023
8275	36.000	924.000	-2.023
8276	0	924.000	-1.659
8277	4.000	924.000	-1.659
8278	8.000	924.000	-1.659
8279	12.000	924.000	-1.659
8280	16.000	924.000	-1.659
8281	20.000	924.000	-1.659

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8282	24.000	924.000	-1.659
8283	28.000	924.000	-1.659
8284	32.000	924.000	-1.659
8285	36.000	924.000	-1.659
8286	0	924.000	-1.295
8287	4.000	924.000	-1.295
8288	8.000	924.000	-1.295
8289	12.000	924.000	-1.295
8290	16.000	924.000	-1.295
8291	20.000	924.000	-1.295
8292	24.000	924.000	-1.295
8293	28.000	924.000	-1.295
8294	32.000	924.000	-1.295
8295	36.000	924.000	-1.295
8296	0	924.000	-0.750
8297	4.000	924.000	-0.750
8298	8.000	924.000	-0.750
8299	12.000	924.000	-0.750
8300	16.000	924.000	-0.750
8301	20.000	924.000	-0.750
8302	24.000	924.000	-0.750
8303	28.000	924.000	-0.750
8304	32.000	924.000	-0.750
8305	36.000	924.000	-0.750
8306	0	924.000	-0.200
8307	4.000	924.000	-0.200
8308	8.000	924.000	-0.200
8309	12.000	924.000	-0.200
8310	16.000	924.000	-0.200
8311	20.000	924.000	-0.200
8312	24.000	924.000	-0.200
8313	28.000	924.000	-0.200
8314	32.000	924.000	-0.200
8315	36.000	924.000	-0.200
8316	-1.300	924.000	0
8317	-0.800	924.000	0
8318	-0.300	924.000	0
8319	0	924.000	0
8320	0.300	924.000	0
8321	1.000	924.000	0
8322	1.500	924.000	0
8323	2.000	924.000	0
8324	2.500	924.000	0
8325	3.000	924.000	0
8326	3.700	924.000	0
8327	4.000	924.000	0
8328	4.300	924.000	0
8329	5.000	924.000	0
8330	5.500	924.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8331	6.000	924.000	0
8332	6.500	924.000	0
8333	7.000	924.000	0
8334	7.700	924.000	0
8335	8.000	924.000	0
8336	8.300	924.000	0
8337	9.000	924.000	0
8338	9.500	924.000	0
8339	10.000	924.000	0
8340	10.500	924.000	0
8341	11.000	924.000	0
8342	11.700	924.000	0
8343	12.000	924.000	0
8344	12.300	924.000	0
8345	13.000	924.000	0
8346	13.500	924.000	0
8347	14.000	924.000	0
8348	14.500	924.000	0
8349	15.000	924.000	0
8350	15.700	924.000	0
8351	16.000	924.000	0
8352	16.300	924.000	0
8353	17.000	924.000	0
8354	17.500	924.000	0
8355	18.000	924.000	0
8356	18.500	924.000	0
8357	19.000	924.000	0
8358	19.700	924.000	0
8359	20.000	924.000	0
8360	20.300	924.000	0
8361	21.000	924.000	0
8362	21.500	924.000	0
8363	22.000	924.000	0
8364	22.500	924.000	0
8365	23.000	924.000	0
8366	23.700	924.000	0
8367	24.000	924.000	0
8368	24.300	924.000	0
8369	25.000	924.000	0
8370	25.500	924.000	0
8371	26.000	924.000	0
8372	26.500	924.000	0
8373	27.000	924.000	0
8374	27.700	924.000	0
8375	28.000	924.000	0
8376	28.300	924.000	0
8377	29.000	924.000	0
8378	29.500	924.000	0
8379	30.000	924.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8380	30.500	924.000	0
8381	31.000	924.000	0
8382	31.700	924.000	0
8383	32.000	924.000	0
8384	32.300	924.000	0
8385	33.000	924.000	0
8386	33.500	924.000	0
8387	34.000	924.000	0
8388	34.500	924.000	0
8389	35.000	924.000	0
8390	35.700	924.000	0
8391	36.000	924.000	0
8392	36.300	924.000	0
8393	36.800	924.000	0
8394	37.300	924.000	0
8395	0	924.500	-2.023
8396	4.000	924.500	-2.023
8397	8.000	924.500	-2.023
8398	12.000	924.500	-2.023
8399	16.000	924.500	-2.023
8400	20.000	924.500	-2.023
8401	24.000	924.500	-2.023
8402	28.000	924.500	-2.023
8403	32.000	924.500	-2.023
8404	36.000	924.500	-2.023
8405	0	924.500	-1.659
8406	4.000	924.500	-1.659
8407	8.000	924.500	-1.659
8408	12.000	924.500	-1.659
8409	16.000	924.500	-1.659
8410	20.000	924.500	-1.659
8411	24.000	924.500	-1.659
8412	28.000	924.500	-1.659
8413	32.000	924.500	-1.659
8414	36.000	924.500	-1.659
8415	0	924.500	-1.295
8416	4.000	924.500	-1.295
8417	8.000	924.500	-1.295
8418	12.000	924.500	-1.295
8419	16.000	924.500	-1.295
8420	20.000	924.500	-1.295
8421	24.000	924.500	-1.295
8422	28.000	924.500	-1.295
8423	32.000	924.500	-1.295
8424	36.000	924.500	-1.295
8425	0	924.500	-0.750
8426	4.000	924.500	-0.750
8427	8.000	924.500	-0.750
8428	12.000	924.500	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8429	16.000	924.500	-0.750
8430	20.000	924.500	-0.750
8431	24.000	924.500	-0.750
8432	28.000	924.500	-0.750
8433	32.000	924.500	-0.750
8434	36.000	924.500	-0.750
8435	0	924.500	-0.200
8436	4.000	924.500	-0.200
8437	8.000	924.500	-0.200
8438	12.000	924.500	-0.200
8439	16.000	924.500	-0.200
8440	20.000	924.500	-0.200
8441	24.000	924.500	-0.200
8442	28.000	924.500	-0.200
8443	32.000	924.500	-0.200
8444	36.000	924.500	-0.200
8445	-1.300	924.500	0
8446	-0.800	924.500	0
8447	-0.300	924.500	0
8448	0	924.500	0
8449	0.300	924.500	0
8450	1.000	924.500	0
8451	1.500	924.500	0
8452	2.000	924.500	0
8453	2.500	924.500	0
8454	3.000	924.500	0
8455	3.700	924.500	0
8456	4.000	924.500	0
8457	4.300	924.500	0
8458	5.000	924.500	0
8459	5.500	924.500	0
8460	6.000	924.500	0
8461	6.500	924.500	0
8462	7.000	924.500	0
8463	7.700	924.500	0
8464	8.000	924.500	0
8465	8.300	924.500	0
8466	9.000	924.500	0
8467	9.500	924.500	0
8468	10.000	924.500	0
8469	10.500	924.500	0
8470	11.000	924.500	0
8471	11.700	924.500	0
8472	12.000	924.500	0
8473	12.300	924.500	0
8474	13.000	924.500	0
8475	13.500	924.500	0
8476	14.000	924.500	0
8477	14.500	924.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8478	15.000	924.500	0
8479	15.700	924.500	0
8480	16.000	924.500	0
8481	16.300	924.500	0
8482	17.000	924.500	0
8483	17.500	924.500	0
8484	18.000	924.500	0
8485	18.500	924.500	0
8486	19.000	924.500	0
8487	19.700	924.500	0
8488	20.000	924.500	0
8489	20.300	924.500	0
8490	21.000	924.500	0
8491	21.500	924.500	0
8492	22.000	924.500	0
8493	22.500	924.500	0
8494	23.000	924.500	0
8495	23.700	924.500	0
8496	24.000	924.500	0
8497	24.300	924.500	0
8498	25.000	924.500	0
8499	25.500	924.500	0
8500	26.000	924.500	0
8501	26.500	924.500	0
8502	27.000	924.500	0
8503	27.700	924.500	0
8504	28.000	924.500	0
8505	28.300	924.500	0
8506	29.000	924.500	0
8507	29.500	924.500	0
8508	30.000	924.500	0
8509	30.500	924.500	0
8510	31.000	924.500	0
8511	31.700	924.500	0
8512	32.000	924.500	0
8513	32.300	924.500	0
8514	33.000	924.500	0
8515	33.500	924.500	0
8516	34.000	924.500	0
8517	34.500	924.500	0
8518	35.000	924.500	0
8519	35.700	924.500	0
8520	36.000	924.500	0
8521	36.300	924.500	0
8522	36.800	924.500	0
8523	37.300	924.500	0
8524	0	925.000	-1.841
8525	4.000	925.000	-1.841
8526	8.000	925.000	-1.841

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8527	12.000	925.000	-1.841
8528	16.000	925.000	-1.841
8529	20.000	925.000	-1.841
8530	24.000	925.000	-1.841
8531	28.000	925.000	-1.841
8532	32.000	925.000	-1.841
8533	36.000	925.000	-1.841
8534	0	925.000	-1.659
8535	4.000	925.000	-1.659
8536	8.000	925.000	-1.659
8537	12.000	925.000	-1.659
8538	16.000	925.000	-1.659
8539	20.000	925.000	-1.659
8540	24.000	925.000	-1.659
8541	28.000	925.000	-1.659
8542	32.000	925.000	-1.659
8543	36.000	925.000	-1.659
8544	0	925.000	-1.295
8545	4.000	925.000	-1.295
8546	8.000	925.000	-1.295
8547	12.000	925.000	-1.295
8548	16.000	925.000	-1.295
8549	20.000	925.000	-1.295
8550	24.000	925.000	-1.295
8551	28.000	925.000	-1.295
8552	32.000	925.000	-1.295
8553	36.000	925.000	-1.295
8554	0	925.000	-0.750
8555	4.000	925.000	-0.750
8556	8.000	925.000	-0.750
8557	12.000	925.000	-0.750
8558	16.000	925.000	-0.750
8559	20.000	925.000	-0.750
8560	24.000	925.000	-0.750
8561	28.000	925.000	-0.750
8562	32.000	925.000	-0.750
8563	36.000	925.000	-0.750
8564	0	925.000	-0.200
8565	4.000	925.000	-0.200
8566	8.000	925.000	-0.200
8567	12.000	925.000	-0.200
8568	16.000	925.000	-0.200
8569	20.000	925.000	-0.200
8570	24.000	925.000	-0.200
8571	28.000	925.000	-0.200
8572	32.000	925.000	-0.200
8573	36.000	925.000	-0.200
8574	-1.300	925.000	0
8575	-0.800	925.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8576	-0.300	925.000	0
8577	0	925.000	0
8578	0.300	925.000	0
8579	1.000	925.000	0
8580	1.500	925.000	0
8581	2.000	925.000	0
8582	2.500	925.000	0
8583	3.000	925.000	0
8584	3.700	925.000	0
8585	4.000	925.000	0
8586	4.300	925.000	0
8587	5.000	925.000	0
8588	5.500	925.000	0
8589	6.000	925.000	0
8590	6.500	925.000	0
8591	7.000	925.000	0
8592	7.700	925.000	0
8593	8.000	925.000	0
8594	8.300	925.000	0
8595	9.000	925.000	0
8596	9.500	925.000	0
8597	10.000	925.000	0
8598	10.500	925.000	0
8599	11.000	925.000	0
8600	11.700	925.000	0
8601	12.000	925.000	0
8602	12.300	925.000	0
8603	13.000	925.000	0
8604	13.500	925.000	0
8605	14.000	925.000	0
8606	14.500	925.000	0
8607	15.000	925.000	0
8608	15.700	925.000	0
8609	16.000	925.000	0
8610	16.300	925.000	0
8611	17.000	925.000	0
8612	17.500	925.000	0
8613	18.000	925.000	0
8614	18.500	925.000	0
8615	19.000	925.000	0
8616	19.700	925.000	0
8617	20.000	925.000	0
8618	20.300	925.000	0
8619	21.000	925.000	0
8620	21.500	925.000	0
8621	22.000	925.000	0
8622	22.500	925.000	0
8623	23.000	925.000	0
8624	23.700	925.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8625	24.000	925.000	0
8626	24.300	925.000	0
8627	25.000	925.000	0
8628	25.500	925.000	0
8629	26.000	925.000	0
8630	26.500	925.000	0
8631	27.000	925.000	0
8632	27.700	925.000	0
8633	28.000	925.000	0
8634	28.300	925.000	0
8635	29.000	925.000	0
8636	29.500	925.000	0
8637	30.000	925.000	0
8638	30.500	925.000	0
8639	31.000	925.000	0
8640	31.700	925.000	0
8641	32.000	925.000	0
8642	32.300	925.000	0
8643	33.000	925.000	0
8644	33.500	925.000	0
8645	34.000	925.000	0
8646	34.500	925.000	0
8647	35.000	925.000	0
8648	35.700	925.000	0
8649	36.000	925.000	0
8650	36.300	925.000	0
8651	36.800	925.000	0
8652	37.300	925.000	0
8653	0	925.500	-1.659
8654	4.000	925.500	-1.659
8655	8.000	925.500	-1.659
8656	12.000	925.500	-1.659
8657	16.000	925.500	-1.659
8658	20.000	925.500	-1.659
8659	24.000	925.500	-1.659
8660	28.000	925.500	-1.659
8661	32.000	925.500	-1.659
8662	36.000	925.500	-1.659
8663	0	925.500	-1.295
8664	4.000	925.500	-1.295
8665	8.000	925.500	-1.295
8666	12.000	925.500	-1.295
8667	16.000	925.500	-1.295
8668	20.000	925.500	-1.295
8669	24.000	925.500	-1.295
8670	28.000	925.500	-1.295
8671	32.000	925.500	-1.295
8672	36.000	925.500	-1.295
8673	0	925.500	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8674	4.000	925.500	-0.750
8675	8.000	925.500	-0.750
8676	12.000	925.500	-0.750
8677	16.000	925.500	-0.750
8678	20.000	925.500	-0.750
8679	24.000	925.500	-0.750
8680	28.000	925.500	-0.750
8681	32.000	925.500	-0.750
8682	36.000	925.500	-0.750
8683	0	925.500	-0.200
8684	4.000	925.500	-0.200
8685	8.000	925.500	-0.200
8686	12.000	925.500	-0.200
8687	16.000	925.500	-0.200
8688	20.000	925.500	-0.200
8689	24.000	925.500	-0.200
8690	28.000	925.500	-0.200
8691	32.000	925.500	-0.200
8692	36.000	925.500	-0.200
8693	-1.300	925.500	0
8694	-0.800	925.500	0
8695	-0.300	925.500	0
8696	0	925.500	0
8697	0.300	925.500	0
8698	1.000	925.500	0
8699	1.500	925.500	0
8700	2.000	925.500	0
8701	2.500	925.500	0
8702	3.000	925.500	0
8703	3.700	925.500	0
8704	4.000	925.500	0
8705	4.300	925.500	0
8706	5.000	925.500	0
8707	5.500	925.500	0
8708	6.000	925.500	0
8709	6.500	925.500	0
8710	7.000	925.500	0
8711	7.700	925.500	0
8712	8.000	925.500	0
8713	8.300	925.500	0
8714	9.000	925.500	0
8715	9.500	925.500	0
8716	10.000	925.500	0
8717	10.500	925.500	0
8718	11.000	925.500	0
8719	11.700	925.500	0
8720	12.000	925.500	0
8721	12.300	925.500	0
8722	13.000	925.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8723	13.500	925.500	0
8724	14.000	925.500	0
8725	14.500	925.500	0
8726	15.000	925.500	0
8727	15.700	925.500	0
8728	16.000	925.500	0
8729	16.300	925.500	0
8730	17.000	925.500	0
8731	17.500	925.500	0
8732	18.000	925.500	0
8733	18.500	925.500	0
8734	19.000	925.500	0
8735	19.700	925.500	0
8736	20.000	925.500	0
8737	20.300	925.500	0
8738	21.000	925.500	0
8739	21.500	925.500	0
8740	22.000	925.500	0
8741	22.500	925.500	0
8742	23.000	925.500	0
8743	23.700	925.500	0
8744	24.000	925.500	0
8745	24.300	925.500	0
8746	25.000	925.500	0
8747	25.500	925.500	0
8748	26.000	925.500	0
8749	26.500	925.500	0
8750	27.000	925.500	0
8751	27.700	925.500	0
8752	28.000	925.500	0
8753	28.300	925.500	0
8754	29.000	925.500	0
8755	29.500	925.500	0
8756	30.000	925.500	0
8757	30.500	925.500	0
8758	31.000	925.500	0
8759	31.700	925.500	0
8760	32.000	925.500	0
8761	32.300	925.500	0
8762	33.000	925.500	0
8763	33.500	925.500	0
8764	34.000	925.500	0
8765	34.500	925.500	0
8766	35.000	925.500	0
8767	35.700	925.500	0
8768	36.000	925.500	0
8769	36.300	925.500	0
8770	36.800	925.500	0
8771	37.300	925.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8772	0	926.000	-1.477
8773	4.000	926.000	-1.477
8774	8.000	926.000	-1.477
8775	12.000	926.000	-1.477
8776	16.000	926.000	-1.477
8777	20.000	926.000	-1.477
8778	24.000	926.000	-1.477
8779	28.000	926.000	-1.477
8780	32.000	926.000	-1.477
8781	36.000	926.000	-1.477
8782	0	926.000	-1.295
8783	4.000	926.000	-1.295
8784	8.000	926.000	-1.295
8785	12.000	926.000	-1.295
8786	16.000	926.000	-1.295
8787	20.000	926.000	-1.295
8788	24.000	926.000	-1.295
8789	28.000	926.000	-1.295
8790	32.000	926.000	-1.295
8791	36.000	926.000	-1.295
8792	0	926.000	-0.750
8793	4.000	926.000	-0.750
8794	8.000	926.000	-0.750
8795	12.000	926.000	-0.750
8796	16.000	926.000	-0.750
8797	20.000	926.000	-0.750
8798	24.000	926.000	-0.750
8799	28.000	926.000	-0.750
8800	32.000	926.000	-0.750
8801	36.000	926.000	-0.750
8802	0	926.000	-0.200
8803	4.000	926.000	-0.200
8804	8.000	926.000	-0.200
8805	12.000	926.000	-0.200
8806	16.000	926.000	-0.200
8807	20.000	926.000	-0.200
8808	24.000	926.000	-0.200
8809	28.000	926.000	-0.200
8810	32.000	926.000	-0.200
8811	36.000	926.000	-0.200
8812	-1.300	926.000	0
8813	-0.800	926.000	0
8814	-0.300	926.000	0
8815	0	926.000	0
8816	0.300	926.000	0
8817	1.000	926.000	0
8818	1.500	926.000	0
8819	2.000	926.000	0
8820	2.500	926.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8821	3.000	926.000	0
8822	3.700	926.000	0
8823	4.000	926.000	0
8824	4.300	926.000	0
8825	5.000	926.000	0
8826	5.500	926.000	0
8827	6.000	926.000	0
8828	6.500	926.000	0
8829	7.000	926.000	0
8830	7.700	926.000	0
8831	8.000	926.000	0
8832	8.300	926.000	0
8833	9.000	926.000	0
8834	9.500	926.000	0
8835	10.000	926.000	0
8836	10.500	926.000	0
8837	11.000	926.000	0
8838	11.700	926.000	0
8839	12.000	926.000	0
8840	12.300	926.000	0
8841	13.000	926.000	0
8842	13.500	926.000	0
8843	14.000	926.000	0
8844	14.500	926.000	0
8845	15.000	926.000	0
8846	15.700	926.000	0
8847	16.000	926.000	0
8848	16.300	926.000	0
8849	17.000	926.000	0
8850	17.500	926.000	0
8851	18.000	926.000	0
8852	18.500	926.000	0
8853	19.000	926.000	0
8854	19.700	926.000	0
8855	20.000	926.000	0
8856	20.300	926.000	0
8857	21.000	926.000	0
8858	21.500	926.000	0
8859	22.000	926.000	0
8860	22.500	926.000	0
8861	23.000	926.000	0
8862	23.700	926.000	0
8863	24.000	926.000	0
8864	24.300	926.000	0
8865	25.000	926.000	0
8866	25.500	926.000	0
8867	26.000	926.000	0
8868	26.500	926.000	0
8869	27.000	926.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8870	27.700	926.000	0
8871	28.000	926.000	0
8872	28.300	926.000	0
8873	29.000	926.000	0
8874	29.500	926.000	0
8875	30.000	926.000	0
8876	30.500	926.000	0
8877	31.000	926.000	0
8878	31.700	926.000	0
8879	32.000	926.000	0
8880	32.300	926.000	0
8881	33.000	926.000	0
8882	33.500	926.000	0
8883	34.000	926.000	0
8884	34.500	926.000	0
8885	35.000	926.000	0
8886	35.700	926.000	0
8887	36.000	926.000	0
8888	36.300	926.000	0
8889	36.800	926.000	0
8890	37.300	926.000	0
8891	0	926.500	-1.295
8892	4.000	926.500	-1.295
8893	8.000	926.500	-1.295
8894	12.000	926.500	-1.295
8895	16.000	926.500	-1.295
8896	20.000	926.500	-1.295
8897	24.000	926.500	-1.295
8898	28.000	926.500	-1.295
8899	32.000	926.500	-1.295
8900	36.000	926.500	-1.295
8901	0	926.500	-0.750
8902	4.000	926.500	-0.750
8903	8.000	926.500	-0.750
8904	12.000	926.500	-0.750
8905	16.000	926.500	-0.750
8906	20.000	926.500	-0.750
8907	24.000	926.500	-0.750
8908	28.000	926.500	-0.750
8909	32.000	926.500	-0.750
8910	36.000	926.500	-0.750
8911	0	926.500	-0.200
8912	4.000	926.500	-0.200
8913	8.000	926.500	-0.200
8914	12.000	926.500	-0.200
8915	16.000	926.500	-0.200
8916	20.000	926.500	-0.200
8917	24.000	926.500	-0.200
8918	28.000	926.500	-0.200

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8919	32.000	926.500	-0.200
8920	36.000	926.500	-0.200
8921	-1.300	926.500	0
8922	-0.800	926.500	0
8923	-0.300	926.500	0
8924	0	926.500	0
8925	0.300	926.500	0
8926	1.000	926.500	0
8927	1.500	926.500	0
8928	2.000	926.500	0
8929	2.500	926.500	0
8930	3.000	926.500	0
8931	3.700	926.500	0
8932	4.000	926.500	0
8933	4.300	926.500	0
8934	5.000	926.500	0
8935	5.500	926.500	0
8936	6.000	926.500	0
8937	6.500	926.500	0
8938	7.000	926.500	0
8939	7.700	926.500	0
8940	8.000	926.500	0
8941	8.300	926.500	0
8942	9.000	926.500	0
8943	9.500	926.500	0
8944	10.000	926.500	0
8945	10.500	926.500	0
8946	11.000	926.500	0
8947	11.700	926.500	0
8948	12.000	926.500	0
8949	12.300	926.500	0
8950	13.000	926.500	0
8951	13.500	926.500	0
8952	14.000	926.500	0
8953	14.500	926.500	0
8954	15.000	926.500	0
8955	15.700	926.500	0
8956	16.000	926.500	0
8957	16.300	926.500	0
8958	17.000	926.500	0
8959	17.500	926.500	0
8960	18.000	926.500	0
8961	18.500	926.500	0
8962	19.000	926.500	0
8963	19.700	926.500	0
8964	20.000	926.500	0
8965	20.300	926.500	0
8966	21.000	926.500	0
8967	21.500	926.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
8968	22.000	926.500	0
8969	22.500	926.500	0
8970	23.000	926.500	0
8971	23.700	926.500	0
8972	24.000	926.500	0
8973	24.300	926.500	0
8974	25.000	926.500	0
8975	25.500	926.500	0
8976	26.000	926.500	0
8977	26.500	926.500	0
8978	27.000	926.500	0
8979	27.700	926.500	0
8980	28.000	926.500	0
8981	28.300	926.500	0
8982	29.000	926.500	0
8983	29.500	926.500	0
8984	30.000	926.500	0
8985	30.500	926.500	0
8986	31.000	926.500	0
8987	31.700	926.500	0
8988	32.000	926.500	0
8989	32.300	926.500	0
8990	33.000	926.500	0
8991	33.500	926.500	0
8992	34.000	926.500	0
8993	34.500	926.500	0
8994	35.000	926.500	0
8995	35.700	926.500	0
8996	36.000	926.500	0
8997	36.300	926.500	0
8998	36.800	926.500	0
8999	37.300	926.500	0
9000	0	927.000	-1.114
9001	4.000	927.000	-1.114
9002	8.000	927.000	-1.114
9003	12.000	927.000	-1.114
9004	16.000	927.000	-1.114
9005	20.000	927.000	-1.114
9006	24.000	927.000	-1.114
9007	28.000	927.000	-1.114
9008	32.000	927.000	-1.114
9009	36.000	927.000	-1.114
9010	0	927.000	-0.750
9011	4.000	927.000	-0.750
9012	8.000	927.000	-0.750
9013	12.000	927.000	-0.750
9014	16.000	927.000	-0.750
9015	20.000	927.000	-0.750
9016	24.000	927.000	-0.750

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9017	28.000	927.000	-0.750
9018	32.000	927.000	-0.750
9019	36.000	927.000	-0.750
9020	0	927.000	-0.200
9021	4.000	927.000	-0.200
9022	8.000	927.000	-0.200
9023	12.000	927.000	-0.200
9024	16.000	927.000	-0.200
9025	20.000	927.000	-0.200
9026	24.000	927.000	-0.200
9027	28.000	927.000	-0.200
9028	32.000	927.000	-0.200
9029	36.000	927.000	-0.200
9030	-1.300	927.000	0
9031	-0.800	927.000	0
9032	-0.300	927.000	0
9033	0	927.000	0
9034	0.300	927.000	0
9035	1.000	927.000	0
9036	1.500	927.000	0
9037	2.000	927.000	0
9038	2.500	927.000	0
9039	3.000	927.000	0
9040	3.700	927.000	0
9041	4.000	927.000	0
9042	4.300	927.000	0
9043	5.000	927.000	0
9044	5.500	927.000	0
9045	6.000	927.000	0
9046	6.500	927.000	0
9047	7.000	927.000	0
9048	7.700	927.000	0
9049	8.000	927.000	0
9050	8.300	927.000	0
9051	9.000	927.000	0
9052	9.500	927.000	0
9053	10.000	927.000	0
9054	10.500	927.000	0
9055	11.000	927.000	0
9056	11.700	927.000	0
9057	12.000	927.000	0
9058	12.300	927.000	0
9059	13.000	927.000	0
9060	13.500	927.000	0
9061	14.000	927.000	0
9062	14.500	927.000	0
9063	15.000	927.000	0
9064	15.700	927.000	0
9065	16.000	927.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9066	16.300	927.000	0
9067	17.000	927.000	0
9068	17.500	927.000	0
9069	18.000	927.000	0
9070	18.500	927.000	0
9071	19.000	927.000	0
9072	19.700	927.000	0
9073	20.000	927.000	0
9074	20.300	927.000	0
9075	21.000	927.000	0
9076	21.500	927.000	0
9077	22.000	927.000	0
9078	22.500	927.000	0
9079	23.000	927.000	0
9080	23.700	927.000	0
9081	24.000	927.000	0
9082	24.300	927.000	0
9083	25.000	927.000	0
9084	25.500	927.000	0
9085	26.000	927.000	0
9086	26.500	927.000	0
9087	27.000	927.000	0
9088	27.700	927.000	0
9089	28.000	927.000	0
9090	28.300	927.000	0
9091	29.000	927.000	0
9092	29.500	927.000	0
9093	30.000	927.000	0
9094	30.500	927.000	0
9095	31.000	927.000	0
9096	31.700	927.000	0
9097	32.000	927.000	0
9098	32.300	927.000	0
9099	33.000	927.000	0
9100	33.500	927.000	0
9101	34.000	927.000	0
9102	34.500	927.000	0
9103	35.000	927.000	0
9104	35.700	927.000	0
9105	36.000	927.000	0
9106	36.300	927.000	0
9107	36.800	927.000	0
9108	37.300	927.000	0
9109	0	927.500	-0.932
9110	4.000	927.500	-0.932
9111	8.000	927.500	-0.932
9112	12.000	927.500	-0.932
9113	16.000	927.500	-0.932
9114	20.000	927.500	-0.932

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9115	24.000	927.500	-0.932
9116	28.000	927.500	-0.932
9117	32.000	927.500	-0.932
9118	36.000	927.500	-0.932
9119	0	927.500	-0.750
9120	4.000	927.500	-0.750
9121	8.000	927.500	-0.750
9122	12.000	927.500	-0.750
9123	16.000	927.500	-0.750
9124	20.000	927.500	-0.750
9125	24.000	927.500	-0.750
9126	28.000	927.500	-0.750
9127	32.000	927.500	-0.750
9128	36.000	927.500	-0.750
9129	0	927.500	-0.200
9130	4.000	927.500	-0.200
9131	8.000	927.500	-0.200
9132	12.000	927.500	-0.200
9133	16.000	927.500	-0.200
9134	20.000	927.500	-0.200
9135	24.000	927.500	-0.200
9136	28.000	927.500	-0.200
9137	32.000	927.500	-0.200
9138	36.000	927.500	-0.200
9139	-1.300	927.500	0
9140	-0.800	927.500	0
9141	-0.300	927.500	0
9142	0	927.500	0
9143	0.300	927.500	0
9144	1.000	927.500	0
9145	1.500	927.500	0
9146	2.000	927.500	0
9147	2.500	927.500	0
9148	3.000	927.500	0
9149	3.700	927.500	0
9150	4.000	927.500	0
9151	4.300	927.500	0
9152	5.000	927.500	0
9153	5.500	927.500	0
9154	6.000	927.500	0
9155	6.500	927.500	0
9156	7.000	927.500	0
9157	7.700	927.500	0
9158	8.000	927.500	0
9159	8.300	927.500	0
9160	9.000	927.500	0
9161	9.500	927.500	0
9162	10.000	927.500	0
9163	10.500	927.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9164	11.000	927.500	0
9165	11.700	927.500	0
9166	12.000	927.500	0
9167	12.300	927.500	0
9168	13.000	927.500	0
9169	13.500	927.500	0
9170	14.000	927.500	0
9171	14.500	927.500	0
9172	15.000	927.500	0
9173	15.700	927.500	0
9174	16.000	927.500	0
9175	16.300	927.500	0
9176	17.000	927.500	0
9177	17.500	927.500	0
9178	18.000	927.500	0
9179	18.500	927.500	0
9180	19.000	927.500	0
9181	19.700	927.500	0
9182	20.000	927.500	0
9183	20.300	927.500	0
9184	21.000	927.500	0
9185	21.500	927.500	0
9186	22.000	927.500	0
9187	22.500	927.500	0
9188	23.000	927.500	0
9189	23.700	927.500	0
9190	24.000	927.500	0
9191	24.300	927.500	0
9192	25.000	927.500	0
9193	25.500	927.500	0
9194	26.000	927.500	0
9195	26.500	927.500	0
9196	27.000	927.500	0
9197	27.700	927.500	0
9198	28.000	927.500	0
9199	28.300	927.500	0
9200	29.000	927.500	0
9201	29.500	927.500	0
9202	30.000	927.500	0
9203	30.500	927.500	0
9204	31.000	927.500	0
9205	31.700	927.500	0
9206	32.000	927.500	0
9207	32.300	927.500	0
9208	33.000	927.500	0
9209	33.500	927.500	0
9210	34.000	927.500	0
9211	34.500	927.500	0
9212	35.000	927.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9213	35.700	927.500	0
9214	36.000	927.500	0
9215	36.300	927.500	0
9216	36.800	927.500	0
9217	37.300	927.500	0
9218	0	928.000	-0.750
9219	4.000	928.000	-0.750
9220	8.000	928.000	-0.750
9221	12.000	928.000	-0.750
9222	16.000	928.000	-0.750
9223	20.000	928.000	-0.750
9224	24.000	928.000	-0.750
9225	28.000	928.000	-0.750
9226	32.000	928.000	-0.750
9227	36.000	928.000	-0.750
9228	0	928.000	-0.200
9229	4.000	928.000	-0.200
9230	8.000	928.000	-0.200
9231	12.000	928.000	-0.200
9232	16.000	928.000	-0.200
9233	20.000	928.000	-0.200
9234	24.000	928.000	-0.200
9235	28.000	928.000	-0.200
9236	32.000	928.000	-0.200
9237	36.000	928.000	-0.200
9238	-1.300	928.000	0
9239	-0.800	928.000	0
9240	-0.300	928.000	0
9241	0	928.000	0
9242	0.300	928.000	0
9243	1.000	928.000	0
9244	1.500	928.000	0
9245	2.000	928.000	0
9246	2.500	928.000	0
9247	3.000	928.000	0
9248	3.700	928.000	0
9249	4.000	928.000	0
9250	4.300	928.000	0
9251	5.000	928.000	0
9252	5.500	928.000	0
9253	6.000	928.000	0
9254	6.500	928.000	0
9255	7.000	928.000	0
9256	7.700	928.000	0
9257	8.000	928.000	0
9258	8.300	928.000	0
9259	9.000	928.000	0
9260	9.500	928.000	0
9261	10.000	928.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9262	10.500	928.000	0
9263	11.000	928.000	0
9264	11.700	928.000	0
9265	12.000	928.000	0
9266	12.300	928.000	0
9267	13.000	928.000	0
9268	13.500	928.000	0
9269	14.000	928.000	0
9270	14.500	928.000	0
9271	15.000	928.000	0
9272	15.700	928.000	0
9273	16.000	928.000	0
9274	16.300	928.000	0
9275	17.000	928.000	0
9276	17.500	928.000	0
9277	18.000	928.000	0
9278	18.500	928.000	0
9279	19.000	928.000	0
9280	19.700	928.000	0
9281	20.000	928.000	0
9282	20.300	928.000	0
9283	21.000	928.000	0
9284	21.500	928.000	0
9285	22.000	928.000	0
9286	22.500	928.000	0
9287	23.000	928.000	0
9288	23.700	928.000	0
9289	24.000	928.000	0
9290	24.300	928.000	0
9291	25.000	928.000	0
9292	25.500	928.000	0
9293	26.000	928.000	0
9294	26.500	928.000	0
9295	27.000	928.000	0
9296	27.700	928.000	0
9297	28.000	928.000	0
9298	28.300	928.000	0
9299	29.000	928.000	0
9300	29.500	928.000	0
9301	30.000	928.000	0
9302	30.500	928.000	0
9303	31.000	928.000	0
9304	31.700	928.000	0
9305	32.000	928.000	0
9306	32.300	928.000	0
9307	33.000	928.000	0
9308	33.500	928.000	0
9309	34.000	928.000	0
9310	34.500	928.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9311	35.000	928.000	0
9312	35.700	928.000	0
9313	36.000	928.000	0
9314	36.300	928.000	0
9315	36.800	928.000	0
9316	37.300	928.000	0
9317	-1.300	928.500	0
9318	-0.800	928.500	0
9319	-0.300	928.500	0
9320	0	928.500	0
9321	0.300	928.500	0
9322	1.000	928.500	0
9323	1.500	928.500	0
9324	2.000	928.500	0
9325	2.500	928.500	0
9326	3.000	928.500	0
9327	3.700	928.500	0
9328	4.000	928.500	0
9329	4.300	928.500	0
9330	5.000	928.500	0
9331	5.500	928.500	0
9332	6.000	928.500	0
9333	6.500	928.500	0
9334	7.000	928.500	0
9335	7.700	928.500	0
9336	8.000	928.500	0
9337	8.300	928.500	0
9338	9.000	928.500	0
9339	9.500	928.500	0
9340	10.000	928.500	0
9341	10.500	928.500	0
9342	11.000	928.500	0
9343	11.700	928.500	0
9344	12.000	928.500	0
9345	12.300	928.500	0
9346	13.000	928.500	0
9347	13.500	928.500	0
9348	14.000	928.500	0
9349	14.500	928.500	0
9350	15.000	928.500	0
9351	15.700	928.500	0
9352	16.000	928.500	0
9353	16.300	928.500	0
9354	17.000	928.500	0
9355	17.500	928.500	0
9356	18.000	928.500	0
9357	18.500	928.500	0
9358	19.000	928.500	0
9359	19.700	928.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
9360	20.000	928.500	0
9361	20.300	928.500	0
9362	21.000	928.500	0
9363	21.500	928.500	0
9364	22.000	928.500	0
9365	22.500	928.500	0
9366	23.000	928.500	0
9367	23.700	928.500	0
9368	24.000	928.500	0
9369	24.300	928.500	0
9370	25.000	928.500	0
9371	25.500	928.500	0
9372	26.000	928.500	0
9373	26.500	928.500	0
9374	27.000	928.500	0
9375	27.700	928.500	0
9376	28.000	928.500	0
9377	28.300	928.500	0
9378	29.000	928.500	0
9379	29.500	928.500	0
9380	30.000	928.500	0
9381	30.500	928.500	0
9382	31.000	928.500	0
9383	31.700	928.500	0
9384	32.000	928.500	0
9385	32.300	928.500	0
9386	33.000	928.500	0
9387	33.500	928.500	0
9388	34.000	928.500	0
9389	34.500	928.500	0
9390	35.000	928.500	0
9391	35.700	928.500	0
9392	36.000	928.500	0
9393	36.300	928.500	0
9394	36.800	928.500	0
9395	37.300	928.500	0

Beams

Beam	Node A	Node B	Length (m)	Property	β (degrees)
100	80	81	0.500	4	0
101	81	82	0.500	4	0
102	82	83	0.300	4	0
103	83	84	0.300	4	0
104	84	85	0.700	4	0
105	85	86	0.500	4	0
106	86	87	0.500	4	0
107	87	88	0.500	4	0
108	88	89	0.500	4	0
109	89	90	0.700	4	0
110	90	91	0.300	4	0
111	91	92	0.300	4	0
112	92	93	0.700	4	0
113	93	94	0.500	4	0
114	94	95	0.500	4	0
115	95	96	0.500	4	0
116	96	97	0.500	4	0
117	97	98	0.700	4	0
118	98	99	0.300	4	0
119	99	100	0.300	4	0
120	100	101	0.700	4	0
121	101	102	0.500	4	0
122	102	103	0.500	4	0
123	103	104	0.500	4	0
124	104	105	0.500	4	0
125	105	106	0.700	4	0
126	106	107	0.300	4	0
127	107	108	0.300	4	0
128	108	109	0.700	4	0
129	109	110	0.500	4	0
130	110	111	0.500	4	0
131	111	112	0.500	4	0
132	112	113	0.500	4	0
133	113	114	0.700	4	0
134	114	115	0.300	4	0
135	115	116	0.300	4	0
136	116	117	0.700	4	0
137	117	118	0.500	4	0
138	118	119	0.500	4	0
139	119	120	0.500	4	0
140	120	121	0.500	4	0
141	121	122	0.700	4	0
142	122	123	0.300	4	0
143	123	124	0.300	4	0
144	124	125	0.700	4	0
145	125	126	0.500	4	0
146	126	127	0.500	4	0
147	127	128	0.500	4	0
148	128	129	0.500	4	0

Beams Cont...

Beam	Node A	Node B	Length (m)	Property	β (degrees)
149	129	130	0.700	4	0
150	130	131	0.300	4	0
151	131	132	0.300	4	0
152	132	133	0.700	4	0
153	133	134	0.500	4	0
154	134	135	0.500	4	0
155	135	136	0.500	4	0
156	136	137	0.500	4	0
157	137	138	0.700	4	0
158	138	139	0.300	4	0
159	139	140	0.300	4	0
160	140	141	0.700	4	0
161	141	142	0.500	4	0
162	142	143	0.500	4	0
163	143	144	0.500	4	0
164	144	145	0.500	4	0
165	145	146	0.700	4	0
166	146	147	0.300	4	0
167	147	148	0.300	4	0
168	148	149	0.700	4	0
169	149	150	0.500	4	0
170	150	151	0.500	4	0
171	151	152	0.500	4	0
172	152	153	0.500	4	0
173	153	154	0.700	4	0
174	154	155	0.300	4	0
175	155	156	0.300	4	0
176	156	157	0.500	4	0
177	157	158	0.500	4	0

Plates

Plate	Node A	Node B	Node C	Node D	Property
1000	80	81	2	1	1
1001	81	82	3	2	1
1002	82	83	4	3	1
1003	83	84	5	4	1
1004	84	85	6	5	1
1005	85	86	7	6	1
1006	86	87	8	7	1
1007	87	88	9	8	1
1008	88	89	10	9	1
1009	89	90	11	10	1
1010	90	91	12	11	1
1011	91	92	13	12	1
1012	92	93	14	13	1
1013	93	94	15	14	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1014	94	95	16	15	1
1015	95	96	17	16	1
1016	96	97	18	17	1
1017	97	98	19	18	1
1018	98	99	20	19	1
1019	99	100	21	20	1
1020	100	101	22	21	1
1021	101	102	23	22	1
1022	102	103	24	23	1
1023	103	104	25	24	1
1024	104	105	26	25	1
1025	105	106	27	26	1
1026	106	107	28	27	1
1027	107	108	29	28	1
1028	108	109	30	29	1
1029	109	110	31	30	1
1030	110	111	32	31	1
1031	111	112	33	32	1
1032	112	113	34	33	1
1033	113	114	35	34	1
1034	114	115	36	35	1
1035	115	116	37	36	1
1036	116	117	38	37	1
1037	117	118	39	38	1
1038	118	119	40	39	1
1039	119	120	41	40	1
1040	120	121	42	41	1
1041	121	122	43	42	1
1042	122	123	44	43	1
1043	123	124	45	44	1
1044	124	125	46	45	1
1045	125	126	47	46	1
1046	126	127	48	47	1
1047	127	128	49	48	1
1048	128	129	50	49	1
1049	129	130	51	50	1
1050	130	131	52	51	1
1051	131	132	53	52	1
1052	132	133	54	53	1
1053	133	134	55	54	1
1054	134	135	56	55	1
1055	135	136	57	56	1
1056	136	137	58	57	1
1057	137	138	59	58	1
1058	138	139	60	59	1
1059	139	140	61	60	1
1060	140	141	62	61	1
1061	141	142	63	62	1
1062	142	143	64	63	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1063	143	144	65	64	1
1064	144	145	66	65	1
1065	145	146	67	66	1
1066	146	147	68	67	1
1067	147	148	69	68	1
1068	148	149	70	69	1
1069	149	150	71	70	1
1070	150	151	72	71	1
1071	151	152	73	72	1
1072	152	153	74	73	1
1073	153	154	75	74	1
1074	154	155	76	75	1
1075	155	156	77	76	1
1076	156	157	78	77	1
1077	157	158	79	78	1
1078	159	160	81	80	1
1079	160	161	82	81	1
1080	161	162	83	82	1
1081	162	163	84	83	1
1082	163	164	85	84	1
1083	164	165	86	85	1
1084	165	166	87	86	1
1085	166	167	88	87	1
1086	167	168	89	88	1
1087	168	169	90	89	1
1088	169	170	91	90	1
1089	170	171	92	91	1
1090	171	172	93	92	1
1091	172	173	94	93	1
1092	173	174	95	94	1
1093	174	175	96	95	1
1094	175	176	97	96	1
1095	176	177	98	97	1
1096	177	178	99	98	1
1097	178	179	100	99	1
1098	179	180	101	100	1
1099	180	181	102	101	1
1100	181	182	103	102	1
1101	182	183	104	103	1
1102	183	184	105	104	1
1103	184	185	106	105	1
1104	185	186	107	106	1
1105	186	187	108	107	1
1106	187	188	109	108	1
1107	188	189	110	109	1
1108	189	190	111	110	1
1109	190	191	112	111	1
1110	191	192	113	112	1
1111	192	193	114	113	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1112	193	194	115	114	1
1113	194	195	116	115	1
1114	195	196	117	116	1
1115	196	197	118	117	1
1116	197	198	119	118	1
1117	198	199	120	119	1
1118	199	200	121	120	1
1119	200	201	122	121	1
1120	201	202	123	122	1
1121	202	203	124	123	1
1122	203	204	125	124	1
1123	204	205	126	125	1
1124	205	206	127	126	1
1125	206	207	128	127	1
1126	207	208	129	128	1
1127	208	209	130	129	1
1128	209	210	131	130	1
1129	210	211	132	131	1
1130	211	212	133	132	1
1131	212	213	134	133	1
1132	213	214	135	134	1
1133	214	215	136	135	1
1134	215	216	137	136	1
1135	216	217	138	137	1
1136	217	218	139	138	1
1137	218	219	140	139	1
1138	219	220	141	140	1
1139	220	221	142	141	1
1140	221	222	143	142	1
1141	222	223	144	143	1
1142	223	224	145	144	1
1143	224	225	146	145	1
1144	225	226	147	146	1
1145	226	227	148	147	1
1146	227	228	149	148	1
1147	228	229	150	149	1
1148	229	230	151	150	1
1149	230	231	152	151	1
1150	231	232	153	152	1
1151	232	233	154	153	1
1152	233	234	155	154	1
1153	234	235	156	155	1
1154	235	236	157	156	1
1155	236	237	158	157	1
1156	238	239	160	159	1
1157	239	240	161	160	1
1158	240	241	162	161	1
1159	241	242	163	162	1
1160	242	243	164	163	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1161	243	244	165	164	1
1162	244	245	166	165	1
1163	245	246	167	166	1
1164	246	247	168	167	1
1165	247	248	169	168	1
1166	248	249	170	169	1
1167	249	250	171	170	1
1168	250	251	172	171	1
1169	251	252	173	172	1
1170	252	253	174	173	1
1171	253	254	175	174	1
1172	254	255	176	175	1
1173	255	256	177	176	1
1174	256	257	178	177	1
1175	257	258	179	178	1
1176	258	259	180	179	1
1177	259	260	181	180	1
1178	260	261	182	181	1
1179	261	262	183	182	1
1180	262	263	184	183	1
1181	263	264	185	184	1
1182	264	265	186	185	1
1183	265	266	187	186	1
1184	266	267	188	187	1
1185	267	268	189	188	1
1186	268	269	190	189	1
1187	269	270	191	190	1
1188	270	271	192	191	1
1189	271	272	193	192	1
1190	272	273	194	193	1
1191	273	274	195	194	1
1192	274	275	196	195	1
1193	275	276	197	196	1
1194	276	277	198	197	1
1195	277	278	199	198	1
1196	278	279	200	199	1
1197	279	280	201	200	1
1198	280	281	202	201	1
1199	281	282	203	202	1
1200	282	283	204	203	1
1201	283	284	205	204	1
1202	284	285	206	205	1
1203	285	286	207	206	1
1204	286	287	208	207	1
1205	287	288	209	208	1
1206	288	289	210	209	1
1207	289	290	211	210	1
1208	290	291	212	211	1
1209	291	292	213	212	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1210	292	293	214	213	1
1211	293	294	215	214	1
1212	294	295	216	215	1
1213	295	296	217	216	1
1214	296	297	218	217	1
1215	297	298	219	218	1
1216	298	299	220	219	1
1217	299	300	221	220	1
1218	300	301	222	221	1
1219	301	302	223	222	1
1220	302	303	224	223	1
1221	303	304	225	224	1
1222	304	305	226	225	1
1223	305	306	227	226	1
1224	306	307	228	227	1
1225	307	308	229	228	1
1226	308	309	230	229	1
1227	309	310	231	230	1
1228	310	311	232	231	1
1229	311	312	233	232	1
1230	312	313	234	233	1
1231	313	314	235	234	1
1232	314	315	236	235	1
1233	315	316	237	236	1
1234	317	318	239	238	1
1235	318	319	240	239	1
1236	319	320	241	240	1
1237	320	321	242	241	1
1238	321	322	243	242	1
1239	322	323	244	243	1
1240	323	324	245	244	1
1241	324	325	246	245	1
1242	325	326	247	246	1
1243	326	327	248	247	1
1244	327	328	249	248	1
1245	328	329	250	249	1
1246	329	330	251	250	1
1247	330	331	252	251	1
1248	331	332	253	252	1
1249	332	333	254	253	1
1250	333	334	255	254	1
1251	334	335	256	255	1
1252	335	336	257	256	1
1253	336	337	258	257	1
1254	337	338	259	258	1
1255	338	339	260	259	1
1256	339	340	261	260	1
1257	340	341	262	261	1
1258	341	342	263	262	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1259	342	343	264	263	1
1260	343	344	265	264	1
1261	344	345	266	265	1
1262	345	346	267	266	1
1263	346	347	268	267	1
1264	347	348	269	268	1
1265	348	349	270	269	1
1266	349	350	271	270	1
1267	350	351	272	271	1
1268	351	352	273	272	1
1269	352	353	274	273	1
1270	353	354	275	274	1
1271	354	355	276	275	1
1272	355	356	277	276	1
1273	356	357	278	277	1
1274	357	358	279	278	1
1275	358	359	280	279	1
1276	359	360	281	280	1
1277	360	361	282	281	1
1278	361	362	283	282	1
1279	362	363	284	283	1
1280	363	364	285	284	1
1281	364	365	286	285	1
1282	365	366	287	286	1
1283	366	367	288	287	1
1284	367	368	289	288	1
1285	368	369	290	289	1
1286	369	370	291	290	1
1287	370	371	292	291	1
1288	371	372	293	292	1
1289	372	373	294	293	1
1290	373	374	295	294	1
1291	374	375	296	295	1
1292	375	376	297	296	1
1293	376	377	298	297	1
1294	377	378	299	298	1
1295	378	379	300	299	1
1296	379	380	301	300	1
1297	380	381	302	301	1
1298	381	382	303	302	1
1299	382	383	304	303	1
1300	383	384	305	304	1
1301	384	385	306	305	1
1302	385	386	307	306	1
1303	386	387	308	307	1
1304	387	388	309	308	1
1305	388	389	310	309	1
1306	389	390	311	310	1
1307	390	391	312	311	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1308	391	392	313	312	1
1309	392	393	314	313	1
1310	393	394	315	314	1
1311	394	395	316	315	1
1312	396	397	318	317	1
1313	397	398	319	318	1
1314	398	399	320	319	1
1315	399	400	321	320	1
1316	400	401	322	321	1
1317	401	402	323	322	1
1318	402	403	324	323	1
1319	403	404	325	324	1
1320	404	405	326	325	1
1321	405	406	327	326	1
1322	406	407	328	327	1
1323	407	408	329	328	1
1324	408	409	330	329	1
1325	409	410	331	330	1
1326	410	411	332	331	1
1327	411	412	333	332	1
1328	412	413	334	333	1
1329	413	414	335	334	1
1330	414	415	336	335	1
1331	415	416	337	336	1
1332	416	417	338	337	1
1333	417	418	339	338	1
1334	418	419	340	339	1
1335	419	420	341	340	1
1336	420	421	342	341	1
1337	421	422	343	342	1
1338	422	423	344	343	1
1339	423	424	345	344	1
1340	424	425	346	345	1
1341	425	426	347	346	1
1342	426	427	348	347	1
1343	427	428	349	348	1
1344	428	429	350	349	1
1345	429	430	351	350	1
1346	430	431	352	351	1
1347	431	432	353	352	1
1348	432	433	354	353	1
1349	433	434	355	354	1
1350	434	435	356	355	1
1351	435	436	357	356	1
1352	436	437	358	357	1
1353	437	438	359	358	1
1354	438	439	360	359	1
1355	439	440	361	360	1
1356	440	441	362	361	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1357	441	442	363	362	1
1358	442	443	364	363	1
1359	443	444	365	364	1
1360	444	445	366	365	1
1361	445	446	367	366	1
1362	446	447	368	367	1
1363	447	448	369	368	1
1364	448	449	370	369	1
1365	449	450	371	370	1
1366	450	451	372	371	1
1367	451	452	373	372	1
1368	452	453	374	373	1
1369	453	454	375	374	1
1370	454	455	376	375	1
1371	455	456	377	376	1
1372	456	457	378	377	1
1373	457	458	379	378	1
1374	458	459	380	379	1
1375	459	460	381	380	1
1376	460	461	382	381	1
1377	461	462	383	382	1
1378	462	463	384	383	1
1379	463	464	385	384	1
1380	464	465	386	385	1
1381	465	466	387	386	1
1382	466	467	388	387	1
1383	467	468	389	388	1
1384	468	469	390	389	1
1385	469	470	391	390	1
1386	470	471	392	391	1
1387	471	472	393	392	1
1388	472	473	394	393	1
1389	473	474	395	394	1
1390	475	476	397	396	1
1391	476	477	398	397	1
1392	477	478	399	398	1
1393	478	479	400	399	1
1394	479	480	401	400	1
1395	480	481	402	401	1
1396	481	482	403	402	1
1397	482	483	404	403	1
1398	483	484	405	404	1
1399	484	485	406	405	1
1400	485	486	407	406	1
1401	486	487	408	407	1
1402	487	488	409	408	1
1403	488	489	410	409	1
1404	489	490	411	410	1
1405	490	491	412	411	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1406	491	492	413	412	1
1407	492	493	414	413	1
1408	493	494	415	414	1
1409	494	495	416	415	1
1410	495	496	417	416	1
1411	496	497	418	417	1
1412	497	498	419	418	1
1413	498	499	420	419	1
1414	499	500	421	420	1
1415	500	501	422	421	1
1416	501	502	423	422	1
1417	502	503	424	423	1
1418	503	504	425	424	1
1419	504	505	426	425	1
1420	505	506	427	426	1
1421	506	507	428	427	1
1422	507	508	429	428	1
1423	508	509	430	429	1
1424	509	510	431	430	1
1425	510	511	432	431	1
1426	511	512	433	432	1
1427	512	513	434	433	1
1428	513	514	435	434	1
1429	514	515	436	435	1
1430	515	516	437	436	1
1431	516	517	438	437	1
1432	517	518	439	438	1
1433	518	519	440	439	1
1434	519	520	441	440	1
1435	520	521	442	441	1
1436	521	522	443	442	1
1437	522	523	444	443	1
1438	523	524	445	444	1
1439	524	525	446	445	1
1440	525	526	447	446	1
1441	526	527	448	447	1
1442	527	528	449	448	1
1443	528	529	450	449	1
1444	529	530	451	450	1
1445	530	531	452	451	1
1446	531	532	453	452	1
1447	532	533	454	453	1
1448	533	534	455	454	1
1449	534	535	456	455	1
1450	535	536	457	456	1
1451	536	537	458	457	1
1452	537	538	459	458	1
1453	538	539	460	459	1
1454	539	540	461	460	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1455	540	541	462	461	1
1456	541	542	463	462	1
1457	542	543	464	463	1
1458	543	544	465	464	1
1459	544	545	466	465	1
1460	545	546	467	466	1
1461	546	547	468	467	1
1462	547	548	469	468	1
1463	548	549	470	469	1
1464	549	550	471	470	1
1465	550	551	472	471	1
1466	551	552	473	472	1
1467	552	553	474	473	1
1468	554	555	476	475	1
1469	555	556	477	476	1
1470	556	557	478	477	1
1471	557	558	479	478	1
1472	558	559	480	479	1
1473	559	560	481	480	1
1474	560	561	482	481	1
1475	561	562	483	482	1
1476	562	563	484	483	1
1477	563	564	485	484	1
1478	564	565	486	485	1
1479	565	566	487	486	1
1480	566	567	488	487	1
1481	567	568	489	488	1
1482	568	569	490	489	1
1483	569	570	491	490	1
1484	570	571	492	491	1
1485	571	572	493	492	1
1486	572	573	494	493	1
1487	573	574	495	494	1
1488	574	575	496	495	1
1489	575	576	497	496	1
1490	576	577	498	497	1
1491	577	578	499	498	1
1492	578	579	500	499	1
1493	579	580	501	500	1
1494	580	581	502	501	1
1495	581	582	503	502	1
1496	582	583	504	503	1
1497	583	584	505	504	1
1498	584	585	506	505	1
1499	585	586	507	506	1
1500	586	587	508	507	1
1501	587	588	509	508	1
1502	588	589	510	509	1
1503	589	590	511	510	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1504	590	591	512	511	1
1505	591	592	513	512	1
1506	592	593	514	513	1
1507	593	594	515	514	1
1508	594	595	516	515	1
1509	595	596	517	516	1
1510	596	597	518	517	1
1511	597	598	519	518	1
1512	598	599	520	519	1
1513	599	600	521	520	1
1514	600	601	522	521	1
1515	601	602	523	522	1
1516	602	603	524	523	1
1517	603	604	525	524	1
1518	604	605	526	525	1
1519	605	606	527	526	1
1520	606	607	528	527	1
1521	607	608	529	528	1
1522	608	609	530	529	1
1523	609	610	531	530	1
1524	610	611	532	531	1
1525	611	612	533	532	1
1526	612	613	534	533	1
1527	613	614	535	534	1
1528	614	615	536	535	1
1529	615	616	537	536	1
1530	616	617	538	537	1
1531	617	618	539	538	1
1532	618	619	540	539	1
1533	619	620	541	540	1
1534	620	621	542	541	1
1535	621	622	543	542	1
1536	622	623	544	543	1
1537	623	624	545	544	1
1538	624	625	546	545	1
1539	625	626	547	546	1
1540	626	627	548	547	1
1541	627	628	549	548	1
1542	628	629	550	549	1
1543	629	630	551	550	1
1544	630	631	552	551	1
1545	631	632	553	552	1
1546	633	634	555	554	1
1547	634	635	556	555	1
1548	635	636	557	556	1
1549	636	637	558	557	1
1550	637	638	559	558	1
1551	638	639	560	559	1
1552	639	640	561	560	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1553	640	641	562	561	1
1554	641	642	563	562	1
1555	642	643	564	563	1
1556	643	644	565	564	1
1557	644	645	566	565	1
1558	645	646	567	566	1
1559	646	647	568	567	1
1560	647	648	569	568	1
1561	648	649	570	569	1
1562	649	650	571	570	1
1563	650	651	572	571	1
1564	651	652	573	572	1
1565	652	653	574	573	1
1566	653	654	575	574	1
1567	654	655	576	575	1
1568	655	656	577	576	1
1569	656	657	578	577	1
1570	657	658	579	578	1
1571	658	659	580	579	1
1572	659	660	581	580	1
1573	660	661	582	581	1
1574	661	662	583	582	1
1575	662	663	584	583	1
1576	663	664	585	584	1
1577	664	665	586	585	1
1578	665	666	587	586	1
1579	666	667	588	587	1
1580	667	668	589	588	1
1581	668	669	590	589	1
1582	669	670	591	590	1
1583	670	671	592	591	1
1584	671	672	593	592	1
1585	672	673	594	593	1
1586	673	674	595	594	1
1587	674	675	596	595	1
1588	675	676	597	596	1
1589	676	677	598	597	1
1590	677	678	599	598	1
1591	678	679	600	599	1
1592	679	680	601	600	1
1593	680	681	602	601	1
1594	681	682	603	602	1
1595	682	683	604	603	1
1596	683	684	605	604	1
1597	684	685	606	605	1
1598	685	686	607	606	1
1599	686	687	608	607	1
1600	687	688	609	608	1
1601	688	689	610	609	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1602	689	690	611	610	1
1603	690	691	612	611	1
1604	691	692	613	612	1
1605	692	693	614	613	1
1606	693	694	615	614	1
1607	694	695	616	615	1
1608	695	696	617	616	1
1609	696	697	618	617	1
1610	697	698	619	618	1
1611	698	699	620	619	1
1612	699	700	621	620	1
1613	700	701	622	621	1
1614	701	702	623	622	1
1615	702	703	624	623	1
1616	703	704	625	624	1
1617	704	705	626	625	1
1618	705	706	627	626	1
1619	706	707	628	627	1
1620	707	708	629	628	1
1621	708	709	630	629	1
1622	709	710	631	630	1
1623	710	711	632	631	1
1624	712	713	634	633	1
1625	713	714	635	634	1
1626	714	715	636	635	1
1627	715	716	637	636	1
1628	716	717	638	637	1
1629	717	718	639	638	1
1630	718	719	640	639	1
1631	719	720	641	640	1
1632	720	721	642	641	1
1633	721	722	643	642	1
1634	722	723	644	643	1
1635	723	724	645	644	1
1636	724	725	646	645	1
1637	725	726	647	646	1
1638	726	727	648	647	1
1639	727	728	649	648	1
1640	728	729	650	649	1
1641	729	730	651	650	1
1642	730	731	652	651	1
1643	731	732	653	652	1
1644	732	733	654	653	1
1645	733	734	655	654	1
1646	734	735	656	655	1
1647	735	736	657	656	1
1648	736	737	658	657	1
1649	737	738	659	658	1
1650	738	739	660	659	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1651	739	740	661	660	1
1652	740	741	662	661	1
1653	741	742	663	662	1
1654	742	743	664	663	1
1655	743	744	665	664	1
1656	744	745	666	665	1
1657	745	746	667	666	1
1658	746	747	668	667	1
1659	747	748	669	668	1
1660	748	749	670	669	1
1661	749	750	671	670	1
1662	750	751	672	671	1
1663	751	752	673	672	1
1664	752	753	674	673	1
1665	753	754	675	674	1
1666	754	755	676	675	1
1667	755	756	677	676	1
1668	756	757	678	677	1
1669	757	758	679	678	1
1670	758	759	680	679	1
1671	759	760	681	680	1
1672	760	761	682	681	1
1673	761	762	683	682	1
1674	762	763	684	683	1
1675	763	764	685	684	1
1676	764	765	686	685	1
1677	765	766	687	686	1
1678	766	767	688	687	1
1679	767	768	689	688	1
1680	768	769	690	689	1
1681	769	770	691	690	1
1682	770	771	692	691	1
1683	771	772	693	692	1
1684	772	773	694	693	1
1685	773	774	695	694	1
1686	774	775	696	695	1
1687	775	776	697	696	1
1688	776	777	698	697	1
1689	777	778	699	698	1
1690	778	779	700	699	1
1691	779	780	701	700	1
1692	780	781	702	701	1
1693	781	782	703	702	1
1694	782	783	704	703	1
1695	783	784	705	704	1
1696	784	785	706	705	1
1697	785	786	707	706	1
1698	786	787	708	707	1
1699	787	788	709	708	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1700	788	789	710	709	1
1701	789	790	711	710	1
1702	791	792	713	712	1
1703	792	793	714	713	1
1704	793	794	715	714	1
1705	794	795	716	715	1
1706	795	796	717	716	1
1707	796	797	718	717	1
1708	797	798	719	718	1
1709	798	799	720	719	1
1710	799	800	721	720	1
1711	800	801	722	721	1
1712	801	802	723	722	1
1713	802	803	724	723	1
1714	803	804	725	724	1
1715	804	805	726	725	1
1716	805	806	727	726	1
1717	806	807	728	727	1
1718	807	808	729	728	1
1719	808	809	730	729	1
1720	809	810	731	730	1
1721	810	811	732	731	1
1722	811	812	733	732	1
1723	812	813	734	733	1
1724	813	814	735	734	1
1725	814	815	736	735	1
1726	815	816	737	736	1
1727	816	817	738	737	1
1728	817	818	739	738	1
1729	818	819	740	739	1
1730	819	820	741	740	1
1731	820	821	742	741	1
1732	821	822	743	742	1
1733	822	823	744	743	1
1734	823	824	745	744	1
1735	824	825	746	745	1
1736	825	826	747	746	1
1737	826	827	748	747	1
1738	827	828	749	748	1
1739	828	829	750	749	1
1740	829	830	751	750	1
1741	830	831	752	751	1
1742	831	832	753	752	1
1743	832	833	754	753	1
1744	833	834	755	754	1
1745	834	835	756	755	1
1746	835	836	757	756	1
1747	836	837	758	757	1
1748	837	838	759	758	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1749	838	839	760	759	1
1750	839	840	761	760	1
1751	840	841	762	761	1
1752	841	842	763	762	1
1753	842	843	764	763	1
1754	843	844	765	764	1
1755	844	845	766	765	1
1756	845	846	767	766	1
1757	846	847	768	767	1
1758	847	848	769	768	1
1759	848	849	770	769	1
1760	849	850	771	770	1
1761	850	851	772	771	1
1762	851	852	773	772	1
1763	852	853	774	773	1
1764	853	854	775	774	1
1765	854	855	776	775	1
1766	855	856	777	776	1
1767	856	857	778	777	1
1768	857	858	779	778	1
1769	858	859	780	779	1
1770	859	860	781	780	1
1771	860	861	782	781	1
1772	861	862	783	782	1
1773	862	863	784	783	1
1774	863	864	785	784	1
1775	864	865	786	785	1
1776	865	866	787	786	1
1777	866	867	788	787	1
1778	867	868	789	788	1
1779	868	869	790	789	1
1780	870	871	792	791	1
1781	871	872	793	792	1
1782	872	873	794	793	1
1783	873	874	795	794	1
1784	874	875	796	795	1
1785	875	876	797	796	1
1786	876	877	798	797	1
1787	877	878	799	798	1
1788	878	879	800	799	1
1789	879	880	801	800	1
1790	880	881	802	801	1
1791	881	882	803	802	1
1792	882	883	804	803	1
1793	883	884	805	804	1
1794	884	885	806	805	1
1795	885	886	807	806	1
1796	886	887	808	807	1
1797	887	888	809	808	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1798	888	889	810	809	1
1799	889	890	811	810	1
1800	890	891	812	811	1
1801	891	892	813	812	1
1802	892	893	814	813	1
1803	893	894	815	814	1
1804	894	895	816	815	1
1805	895	896	817	816	1
1806	896	897	818	817	1
1807	897	898	819	818	1
1808	898	899	820	819	1
1809	899	900	821	820	1
1810	900	901	822	821	1
1811	901	902	823	822	1
1812	902	903	824	823	1
1813	903	904	825	824	1
1814	904	905	826	825	1
1815	905	906	827	826	1
1816	906	907	828	827	1
1817	907	908	829	828	1
1818	908	909	830	829	1
1819	909	910	831	830	1
1820	910	911	832	831	1
1821	911	912	833	832	1
1822	912	913	834	833	1
1823	913	914	835	834	1
1824	914	915	836	835	1
1825	915	916	837	836	1
1826	916	917	838	837	1
1827	917	918	839	838	1
1828	918	919	840	839	1
1829	919	920	841	840	1
1830	920	921	842	841	1
1831	921	922	843	842	1
1832	922	923	844	843	1
1833	923	924	845	844	1
1834	924	925	846	845	1
1835	925	926	847	846	1
1836	926	927	848	847	1
1837	927	928	849	848	1
1838	928	929	850	849	1
1839	929	930	851	850	1
1840	930	931	852	851	1
1841	931	932	853	852	1
1842	932	933	854	853	1
1843	933	934	855	854	1
1844	934	935	856	855	1
1845	935	936	857	856	1
1846	936	937	858	857	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1847	937	938	859	858	1
1848	938	939	860	859	1
1849	939	940	861	860	1
1850	940	941	862	861	1
1851	941	942	863	862	1
1852	942	943	864	863	1
1853	943	944	865	864	1
1854	944	945	866	865	1
1855	945	946	867	866	1
1856	946	947	868	867	1
1857	947	948	869	868	1
1858	949	950	871	870	1
1859	950	951	872	871	1
1860	951	952	873	872	1
1861	952	953	874	873	1
1862	953	954	875	874	1
1863	954	955	876	875	1
1864	955	956	877	876	1
1865	956	957	878	877	1
1866	957	958	879	878	1
1867	958	959	880	879	1
1868	959	960	881	880	1
1869	960	961	882	881	1
1870	961	962	883	882	1
1871	962	963	884	883	1
1872	963	964	885	884	1
1873	964	965	886	885	1
1874	965	966	887	886	1
1875	966	967	888	887	1
1876	967	968	889	888	1
1877	968	969	890	889	1
1878	969	970	891	890	1
1879	970	971	892	891	1
1880	971	972	893	892	1
1881	972	973	894	893	1
1882	973	974	895	894	1
1883	974	975	896	895	1
1884	975	976	897	896	1
1885	976	977	898	897	1
1886	977	978	899	898	1
1887	978	979	900	899	1
1888	979	980	901	900	1
1889	980	981	902	901	1
1890	981	982	903	902	1
1891	982	983	904	903	1
1892	983	984	905	904	1
1893	984	985	906	905	1
1894	985	986	907	906	1
1895	986	987	908	907	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1896	987	988	909	908	1
1897	988	989	910	909	1
1898	989	990	911	910	1
1899	990	991	912	911	1
1900	991	992	913	912	1
1901	992	993	914	913	1
1902	993	994	915	914	1
1903	994	995	916	915	1
1904	995	996	917	916	1
1905	996	997	918	917	1
1906	997	998	919	918	1
1907	998	999	920	919	1
1908	999	1000	921	920	1
1909	1000	1001	922	921	1
1910	1001	1002	923	922	1
1911	1002	1003	924	923	1
1912	1003	1004	925	924	1
1913	1004	1005	926	925	1
1914	1005	1006	927	926	1
1915	1006	1007	928	927	1
1916	1007	1008	929	928	1
1917	1008	1009	930	929	1
1918	1009	1010	931	930	1
1919	1010	1011	932	931	1
1920	1011	1012	933	932	1
1921	1012	1013	934	933	1
1922	1013	1014	935	934	1
1923	1014	1015	936	935	1
1924	1015	1016	937	936	1
1925	1016	1017	938	937	1
1926	1017	1018	939	938	1
1927	1018	1019	940	939	1
1928	1019	1020	941	940	1
1929	1020	1021	942	941	1
1930	1021	1022	943	942	1
1931	1022	1023	944	943	1
1932	1023	1024	945	944	1
1933	1024	1025	946	945	1
1934	1025	1026	947	946	1
1935	1026	1027	948	947	1
1936	1028	1029	950	949	1
1937	1029	1030	951	950	1
1938	1030	1031	952	951	1
1939	1031	1032	953	952	1
1940	1032	1033	954	953	1
1941	1033	1034	955	954	1
1942	1034	1035	956	955	1
1943	1035	1036	957	956	1
1944	1036	1037	958	957	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1945	1037	1038	959	958	1
1946	1038	1039	960	959	1
1947	1039	1040	961	960	1
1948	1040	1041	962	961	1
1949	1041	1042	963	962	1
1950	1042	1043	964	963	1
1951	1043	1044	965	964	1
1952	1044	1045	966	965	1
1953	1045	1046	967	966	1
1954	1046	1047	968	967	1
1955	1047	1048	969	968	1
1956	1048	1049	970	969	1
1957	1049	1050	971	970	1
1958	1050	1051	972	971	1
1959	1051	1052	973	972	1
1960	1052	1053	974	973	1
1961	1053	1054	975	974	1
1962	1054	1055	976	975	1
1963	1055	1056	977	976	1
1964	1056	1057	978	977	1
1965	1057	1058	979	978	1
1966	1058	1059	980	979	1
1967	1059	1060	981	980	1
1968	1060	1061	982	981	1
1969	1061	1062	983	982	1
1970	1062	1063	984	983	1
1971	1063	1064	985	984	1
1972	1064	1065	986	985	1
1973	1065	1066	987	986	1
1974	1066	1067	988	987	1
1975	1067	1068	989	988	1
1976	1068	1069	990	989	1
1977	1069	1070	991	990	1
1978	1070	1071	992	991	1
1979	1071	1072	993	992	1
1980	1072	1073	994	993	1
1981	1073	1074	995	994	1
1982	1074	1075	996	995	1
1983	1075	1076	997	996	1
1984	1076	1077	998	997	1
1985	1077	1078	999	998	1
1986	1078	1079	1000	999	1
1987	1079	1080	1001	1000	1
1988	1080	1081	1002	1001	1
1989	1081	1082	1003	1002	1
1990	1082	1083	1004	1003	1
1991	1083	1084	1005	1004	1
1992	1084	1085	1006	1005	1
1993	1085	1086	1007	1006	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1994	1086	1087	1008	1007	1
1995	1087	1088	1009	1008	1
1996	1088	1089	1010	1009	1
1997	1089	1090	1011	1010	1
1998	1090	1091	1012	1011	1
1999	1091	1092	1013	1012	1
2000	1092	1093	1014	1013	1
2001	1093	1094	1015	1014	1
2002	1094	1095	1016	1015	1
2003	1095	1096	1017	1016	1
2004	1096	1097	1018	1017	1
2005	1097	1098	1019	1018	1
2006	1098	1099	1020	1019	1
2007	1099	1100	1021	1020	1
2008	1100	1101	1022	1021	1
2009	1101	1102	1023	1022	1
2010	1102	1103	1024	1023	1
2011	1103	1104	1025	1024	1
2012	1104	1105	1026	1025	1
2013	1105	1106	1027	1026	1
2014	1107	1108	1029	1028	1
2015	1108	1109	1030	1029	1
2016	1109	1110	1031	1030	1
2017	1110	1111	1032	1031	1
2018	1111	1112	1033	1032	1
2019	1112	1113	1034	1033	1
2020	1113	1114	1035	1034	1
2021	1114	1115	1036	1035	1
2022	1115	1116	1037	1036	1
2023	1116	1117	1038	1037	1
2024	1117	1118	1039	1038	1
2025	1118	1119	1040	1039	1
2026	1119	1120	1041	1040	1
2027	1120	1121	1042	1041	1
2028	1121	1122	1043	1042	1
2029	1122	1123	1044	1043	1
2030	1123	1124	1045	1044	1
2031	1124	1125	1046	1045	1
2032	1125	1126	1047	1046	1
2033	1126	1127	1048	1047	1
2034	1127	1128	1049	1048	1
2035	1128	1129	1050	1049	1
2036	1129	1130	1051	1050	1
2037	1130	1131	1052	1051	1
2038	1131	1132	1053	1052	1
2039	1132	1133	1054	1053	1
2040	1133	1134	1055	1054	1
2041	1134	1135	1056	1055	1
2042	1135	1136	1057	1056	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2043	1136	1137	1058	1057	1
2044	1137	1138	1059	1058	1
2045	1138	1139	1060	1059	1
2046	1139	1140	1061	1060	1
2047	1140	1141	1062	1061	1
2048	1141	1142	1063	1062	1
2049	1142	1143	1064	1063	1
2050	1143	1144	1065	1064	1
2051	1144	1145	1066	1065	1
2052	1145	1146	1067	1066	1
2053	1146	1147	1068	1067	1
2054	1147	1148	1069	1068	1
2055	1148	1149	1070	1069	1
2056	1149	1150	1071	1070	1
2057	1150	1151	1072	1071	1
2058	1151	1152	1073	1072	1
2059	1152	1153	1074	1073	1
2060	1153	1154	1075	1074	1
2061	1154	1155	1076	1075	1
2062	1155	1156	1077	1076	1
2063	1156	1157	1078	1077	1
2064	1157	1158	1079	1078	1
2065	1158	1159	1080	1079	1
2066	1159	1160	1081	1080	1
2067	1160	1161	1082	1081	1
2068	1161	1162	1083	1082	1
2069	1162	1163	1084	1083	1
2070	1163	1164	1085	1084	1
2071	1164	1165	1086	1085	1
2072	1165	1166	1087	1086	1
2073	1166	1167	1088	1087	1
2074	1167	1168	1089	1088	1
2075	1168	1169	1090	1089	1
2076	1169	1170	1091	1090	1
2077	1170	1171	1092	1091	1
2078	1171	1172	1093	1092	1
2079	1172	1173	1094	1093	1
2080	1173	1174	1095	1094	1
2081	1174	1175	1096	1095	1
2082	1175	1176	1097	1096	1
2083	1176	1177	1098	1097	1
2084	1177	1178	1099	1098	1
2085	1178	1179	1100	1099	1
2086	1179	1180	1101	1100	1
2087	1180	1181	1102	1101	1
2088	1181	1182	1103	1102	1
2089	1182	1183	1104	1103	1
2090	1183	1184	1105	1104	1
2091	1184	1185	1106	1105	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2092	1186	1187	1108	1107	1
2093	1187	1188	1109	1108	1
2094	1188	1189	1110	1109	1
2095	1189	1190	1111	1110	1
2096	1190	1191	1112	1111	1
2097	1191	1192	1113	1112	1
2098	1192	1193	1114	1113	1
2099	1193	1194	1115	1114	1
2100	1194	1195	1116	1115	1
2101	1195	1196	1117	1116	1
2102	1196	1197	1118	1117	1
2103	1197	1198	1119	1118	1
2104	1198	1199	1120	1119	1
2105	1199	1200	1121	1120	1
2106	1200	1201	1122	1121	1
2107	1201	1202	1123	1122	1
2108	1202	1203	1124	1123	1
2109	1203	1204	1125	1124	1
2110	1204	1205	1126	1125	1
2111	1205	1206	1127	1126	1
2112	1206	1207	1128	1127	1
2113	1207	1208	1129	1128	1
2114	1208	1209	1130	1129	1
2115	1209	1210	1131	1130	1
2116	1210	1211	1132	1131	1
2117	1211	1212	1133	1132	1
2118	1212	1213	1134	1133	1
2119	1213	1214	1135	1134	1
2120	1214	1215	1136	1135	1
2121	1215	1216	1137	1136	1
2122	1216	1217	1138	1137	1
2123	1217	1218	1139	1138	1
2124	1218	1219	1140	1139	1
2125	1219	1220	1141	1140	1
2126	1220	1221	1142	1141	1
2127	1221	1222	1143	1142	1
2128	1222	1223	1144	1143	1
2129	1223	1224	1145	1144	1
2130	1224	1225	1146	1145	1
2131	1225	1226	1147	1146	1
2132	1226	1227	1148	1147	1
2133	1227	1228	1149	1148	1
2134	1228	1229	1150	1149	1
2135	1229	1230	1151	1150	1
2136	1230	1231	1152	1151	1
2137	1231	1232	1153	1152	1
2138	1232	1233	1154	1153	1
2139	1233	1234	1155	1154	1
2140	1234	1235	1156	1155	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2141	1235	1236	1157	1156	1
2142	1236	1237	1158	1157	1
2143	1237	1238	1159	1158	1
2144	1238	1239	1160	1159	1
2145	1239	1240	1161	1160	1
2146	1240	1241	1162	1161	1
2147	1241	1242	1163	1162	1
2148	1242	1243	1164	1163	1
2149	1243	1244	1165	1164	1
2150	1244	1245	1166	1165	1
2151	1245	1246	1167	1166	1
2152	1246	1247	1168	1167	1
2153	1247	1248	1169	1168	1
2154	1248	1249	1170	1169	1
2155	1249	1250	1171	1170	1
2156	1250	1251	1172	1171	1
2157	1251	1252	1173	1172	1
2158	1252	1253	1174	1173	1
2159	1253	1254	1175	1174	1
2160	1254	1255	1176	1175	1
2161	1255	1256	1177	1176	1
2162	1256	1257	1178	1177	1
2163	1257	1258	1179	1178	1
2164	1258	1259	1180	1179	1
2165	1259	1260	1181	1180	1
2166	1260	1261	1182	1181	1
2167	1261	1262	1183	1182	1
2168	1262	1263	1184	1183	1
2169	1263	1264	1185	1184	1
2170	1265	1266	1187	1186	1
2171	1266	1267	1188	1187	1
2172	1267	1268	1189	1188	1
2173	1268	1269	1190	1189	1
2174	1269	1270	1191	1190	1
2175	1270	1271	1192	1191	1
2176	1271	1272	1193	1192	1
2177	1272	1273	1194	1193	1
2178	1273	1274	1195	1194	1
2179	1274	1275	1196	1195	1
2180	1275	1276	1197	1196	1
2181	1276	1277	1198	1197	1
2182	1277	1278	1199	1198	1
2183	1278	1279	1200	1199	1
2184	1279	1280	1201	1200	1
2185	1280	1281	1202	1201	1
2186	1281	1282	1203	1202	1
2187	1282	1283	1204	1203	1
2188	1283	1284	1205	1204	1
2189	1284	1285	1206	1205	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2190	1285	1286	1207	1206	1
2191	1286	1287	1208	1207	1
2192	1287	1288	1209	1208	1
2193	1288	1289	1210	1209	1
2194	1289	1290	1211	1210	1
2195	1290	1291	1212	1211	1
2196	1291	1292	1213	1212	1
2197	1292	1293	1214	1213	1
2198	1293	1294	1215	1214	1
2199	1294	1295	1216	1215	1
2200	1295	1296	1217	1216	1
2201	1296	1297	1218	1217	1
2202	1297	1298	1219	1218	1
2203	1298	1299	1220	1219	1
2204	1299	1300	1221	1220	1
2205	1300	1301	1222	1221	1
2206	1301	1302	1223	1222	1
2207	1302	1303	1224	1223	1
2208	1303	1304	1225	1224	1
2209	1304	1305	1226	1225	1
2210	1305	1306	1227	1226	1
2211	1306	1307	1228	1227	1
2212	1307	1308	1229	1228	1
2213	1308	1309	1230	1229	1
2214	1309	1310	1231	1230	1
2215	1310	1311	1232	1231	1
2216	1311	1312	1233	1232	1
2217	1312	1313	1234	1233	1
2218	1313	1314	1235	1234	1
2219	1314	1315	1236	1235	1
2220	1315	1316	1237	1236	1
2221	1316	1317	1238	1237	1
2222	1317	1318	1239	1238	1
2223	1318	1319	1240	1239	1
2224	1319	1320	1241	1240	1
2225	1320	1321	1242	1241	1
2226	1321	1322	1243	1242	1
2227	1322	1323	1244	1243	1
2228	1323	1324	1245	1244	1
2229	1324	1325	1246	1245	1
2230	1325	1326	1247	1246	1
2231	1326	1327	1248	1247	1
2232	1327	1328	1249	1248	1
2233	1328	1329	1250	1249	1
2234	1329	1330	1251	1250	1
2235	1330	1331	1252	1251	1
2236	1331	1332	1253	1252	1
2237	1332	1333	1254	1253	1
2238	1333	1334	1255	1254	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2239	1334	1335	1256	1255	1
2240	1335	1336	1257	1256	1
2241	1336	1337	1258	1257	1
2242	1337	1338	1259	1258	1
2243	1338	1339	1260	1259	1
2244	1339	1340	1261	1260	1
2245	1340	1341	1262	1261	1
2246	1341	1342	1263	1262	1
2247	1342	1343	1264	1263	1
2248	1344	1345	1266	1265	1
2249	1345	1346	1267	1266	1
2250	1346	1347	1268	1267	1
2251	1347	1348	1269	1268	1
2252	1348	1349	1270	1269	1
2253	1349	1350	1271	1270	1
2254	1350	1351	1272	1271	1
2255	1351	1352	1273	1272	1
2256	1352	1353	1274	1273	1
2257	1353	1354	1275	1274	1
2258	1354	1355	1276	1275	1
2259	1355	1356	1277	1276	1
2260	1356	1357	1278	1277	1
2261	1357	1358	1279	1278	1
2262	1358	1359	1280	1279	1
2263	1359	1360	1281	1280	1
2264	1360	1361	1282	1281	1
2265	1361	1362	1283	1282	1
2266	1362	1363	1284	1283	1
2267	1363	1364	1285	1284	1
2268	1364	1365	1286	1285	1
2269	1365	1366	1287	1286	1
2270	1366	1367	1288	1287	1
2271	1367	1368	1289	1288	1
2272	1368	1369	1290	1289	1
2273	1369	1370	1291	1290	1
2274	1370	1371	1292	1291	1
2275	1371	1372	1293	1292	1
2276	1372	1373	1294	1293	1
2277	1373	1374	1295	1294	1
2278	1374	1375	1296	1295	1
2279	1375	1376	1297	1296	1
2280	1376	1377	1298	1297	1
2281	1377	1378	1299	1298	1
2282	1378	1379	1300	1299	1
2283	1379	1380	1301	1300	1
2284	1380	1381	1302	1301	1
2285	1381	1382	1303	1302	1
2286	1382	1383	1304	1303	1
2287	1383	1384	1305	1304	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2288	1384	1385	1306	1305	1
2289	1385	1386	1307	1306	1
2290	1386	1387	1308	1307	1
2291	1387	1388	1309	1308	1
2292	1388	1389	1310	1309	1
2293	1389	1390	1311	1310	1
2294	1390	1391	1312	1311	1
2295	1391	1392	1313	1312	1
2296	1392	1393	1314	1313	1
2297	1393	1394	1315	1314	1
2298	1394	1395	1316	1315	1
2299	1395	1396	1317	1316	1
2300	1396	1397	1318	1317	1
2301	1397	1398	1319	1318	1
2302	1398	1399	1320	1319	1
2303	1399	1400	1321	1320	1
2304	1400	1401	1322	1321	1
2305	1401	1402	1323	1322	1
2306	1402	1403	1324	1323	1
2307	1403	1404	1325	1324	1
2308	1404	1405	1326	1325	1
2309	1405	1406	1327	1326	1
2310	1406	1407	1328	1327	1
2311	1407	1408	1329	1328	1
2312	1408	1409	1330	1329	1
2313	1409	1410	1331	1330	1
2314	1410	1411	1332	1331	1
2315	1411	1412	1333	1332	1
2316	1412	1413	1334	1333	1
2317	1413	1414	1335	1334	1
2318	1414	1415	1336	1335	1
2319	1415	1416	1337	1336	1
2320	1416	1417	1338	1337	1
2321	1417	1418	1339	1338	1
2322	1418	1419	1340	1339	1
2323	1419	1420	1341	1340	1
2324	1420	1421	1342	1341	1
2325	1421	1422	1343	1342	1
2326	1423	1424	1345	1344	1
2327	1424	1425	1346	1345	1
2328	1425	1426	1347	1346	1
2329	1426	1427	1348	1347	1
2330	1427	1428	1349	1348	1
2331	1428	1429	1350	1349	1
2332	1429	1430	1351	1350	1
2333	1430	1431	1352	1351	1
2334	1431	1432	1353	1352	1
2335	1432	1433	1354	1353	1
2336	1433	1434	1355	1354	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2337	1434	1435	1356	1355	1
2338	1435	1436	1357	1356	1
2339	1436	1437	1358	1357	1
2340	1437	1438	1359	1358	1
2341	1438	1439	1360	1359	1
2342	1439	1440	1361	1360	1
2343	1440	1441	1362	1361	1
2344	1441	1442	1363	1362	1
2345	1442	1443	1364	1363	1
2346	1443	1444	1365	1364	1
2347	1444	1445	1366	1365	1
2348	1445	1446	1367	1366	1
2349	1446	1447	1368	1367	1
2350	1447	1448	1369	1368	1
2351	1448	1449	1370	1369	1
2352	1449	1450	1371	1370	1
2353	1450	1451	1372	1371	1
2354	1451	1452	1373	1372	1
2355	1452	1453	1374	1373	1
2356	1453	1454	1375	1374	1
2357	1454	1455	1376	1375	1
2358	1455	1456	1377	1376	1
2359	1456	1457	1378	1377	1
2360	1457	1458	1379	1378	1
2361	1458	1459	1380	1379	1
2362	1459	1460	1381	1380	1
2363	1460	1461	1382	1381	1
2364	1461	1462	1383	1382	1
2365	1462	1463	1384	1383	1
2366	1463	1464	1385	1384	1
2367	1464	1465	1386	1385	1
2368	1465	1466	1387	1386	1
2369	1466	1467	1388	1387	1
2370	1467	1468	1389	1388	1
2371	1468	1469	1390	1389	1
2372	1469	1470	1391	1390	1
2373	1470	1471	1392	1391	1
2374	1471	1472	1393	1392	1
2375	1472	1473	1394	1393	1
2376	1473	1474	1395	1394	1
2377	1474	1475	1396	1395	1
2378	1475	1476	1397	1396	1
2379	1476	1477	1398	1397	1
2380	1477	1478	1399	1398	1
2381	1478	1479	1400	1399	1
2382	1479	1480	1401	1400	1
2383	1480	1481	1402	1401	1
2384	1481	1482	1403	1402	1
2385	1482	1483	1404	1403	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2386	1483	1484	1405	1404	1
2387	1484	1485	1406	1405	1
2388	1485	1486	1407	1406	1
2389	1486	1487	1408	1407	1
2390	1487	1488	1409	1408	1
2391	1488	1489	1410	1409	1
2392	1489	1490	1411	1410	1
2393	1490	1491	1412	1411	1
2394	1491	1492	1413	1412	1
2395	1492	1493	1414	1413	1
2396	1493	1494	1415	1414	1
2397	1494	1495	1416	1415	1
2398	1495	1496	1417	1416	1
2399	1496	1497	1418	1417	1
2400	1497	1498	1419	1418	1
2401	1498	1499	1420	1419	1
2402	1499	1500	1421	1420	1
2403	1500	1501	1422	1421	1
2404	1502	1503	1424	1423	1
2405	1503	1504	1425	1424	1
2406	1504	1505	1426	1425	1
2407	1505	1506	1427	1426	1
2408	1506	1507	1428	1427	1
2409	1507	1508	1429	1428	1
2410	1508	1509	1430	1429	1
2411	1509	1510	1431	1430	1
2412	1510	1511	1432	1431	1
2413	1511	1512	1433	1432	1
2414	1512	1513	1434	1433	1
2415	1513	1514	1435	1434	1
2416	1514	1515	1436	1435	1
2417	1515	1516	1437	1436	1
2418	1516	1517	1438	1437	1
2419	1517	1518	1439	1438	1
2420	1518	1519	1440	1439	1
2421	1519	1520	1441	1440	1
2422	1520	1521	1442	1441	1
2423	1521	1522	1443	1442	1
2424	1522	1523	1444	1443	1
2425	1523	1524	1445	1444	1
2426	1524	1525	1446	1445	1
2427	1525	1526	1447	1446	1
2428	1526	1527	1448	1447	1
2429	1527	1528	1449	1448	1
2430	1528	1529	1450	1449	1
2431	1529	1530	1451	1450	1
2432	1530	1531	1452	1451	1
2433	1531	1532	1453	1452	1
2434	1532	1533	1454	1453	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2435	1533	1534	1455	1454	1
2436	1534	1535	1456	1455	1
2437	1535	1536	1457	1456	1
2438	1536	1537	1458	1457	1
2439	1537	1538	1459	1458	1
2440	1538	1539	1460	1459	1
2441	1539	1540	1461	1460	1
2442	1540	1541	1462	1461	1
2443	1541	1542	1463	1462	1
2444	1542	1543	1464	1463	1
2445	1543	1544	1465	1464	1
2446	1544	1545	1466	1465	1
2447	1545	1546	1467	1466	1
2448	1546	1547	1468	1467	1
2449	1547	1548	1469	1468	1
2450	1548	1549	1470	1469	1
2451	1549	1550	1471	1470	1
2452	1550	1551	1472	1471	1
2453	1551	1552	1473	1472	1
2454	1552	1553	1474	1473	1
2455	1553	1554	1475	1474	1
2456	1554	1555	1476	1475	1
2457	1555	1556	1477	1476	1
2458	1556	1557	1478	1477	1
2459	1557	1558	1479	1478	1
2460	1558	1559	1480	1479	1
2461	1559	1560	1481	1480	1
2462	1560	1561	1482	1481	1
2463	1561	1562	1483	1482	1
2464	1562	1563	1484	1483	1
2465	1563	1564	1485	1484	1
2466	1564	1565	1486	1485	1
2467	1565	1566	1487	1486	1
2468	1566	1567	1488	1487	1
2469	1567	1568	1489	1488	1
2470	1568	1569	1490	1489	1
2471	1569	1570	1491	1490	1
2472	1570	1571	1492	1491	1
2473	1571	1572	1493	1492	1
2474	1572	1573	1494	1493	1
2475	1573	1574	1495	1494	1
2476	1574	1575	1496	1495	1
2477	1575	1576	1497	1496	1
2478	1576	1577	1498	1497	1
2479	1577	1578	1499	1498	1
2480	1578	1579	1500	1499	1
2481	1579	1580	1501	1500	1
2482	1581	1582	1503	1502	1
2483	1582	1583	1504	1503	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2484	1583	1584	1505	1504	1
2485	1584	1585	1506	1505	1
2486	1585	1586	1507	1506	1
2487	1586	1587	1508	1507	1
2488	1587	1588	1509	1508	1
2489	1588	1589	1510	1509	1
2490	1589	1590	1511	1510	1
2491	1590	1591	1512	1511	1
2492	1591	1592	1513	1512	1
2493	1592	1593	1514	1513	1
2494	1593	1594	1515	1514	1
2495	1594	1595	1516	1515	1
2496	1595	1596	1517	1516	1
2497	1596	1597	1518	1517	1
2498	1597	1598	1519	1518	1
2499	1598	1599	1520	1519	1
2500	1599	1600	1521	1520	1
2501	1600	1601	1522	1521	1
2502	1601	1602	1523	1522	1
2503	1602	1603	1524	1523	1
2504	1603	1604	1525	1524	1
2505	1604	1605	1526	1525	1
2506	1605	1606	1527	1526	1
2507	1606	1607	1528	1527	1
2508	1607	1608	1529	1528	1
2509	1608	1609	1530	1529	1
2510	1609	1610	1531	1530	1
2511	1610	1611	1532	1531	1
2512	1611	1612	1533	1532	1
2513	1612	1613	1534	1533	1
2514	1613	1614	1535	1534	1
2515	1614	1615	1536	1535	1
2516	1615	1616	1537	1536	1
2517	1616	1617	1538	1537	1
2518	1617	1618	1539	1538	1
2519	1618	1619	1540	1539	1
2520	1619	1620	1541	1540	1
2521	1620	1621	1542	1541	1
2522	1621	1622	1543	1542	1
2523	1622	1623	1544	1543	1
2524	1623	1624	1545	1544	1
2525	1624	1625	1546	1545	1
2526	1625	1626	1547	1546	1
2527	1626	1627	1548	1547	1
2528	1627	1628	1549	1548	1
2529	1628	1629	1550	1549	1
2530	1629	1630	1551	1550	1
2531	1630	1631	1552	1551	1
2532	1631	1632	1553	1552	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2533	1632	1633	1554	1553	1
2534	1633	1634	1555	1554	1
2535	1634	1635	1556	1555	1
2536	1635	1636	1557	1556	1
2537	1636	1637	1558	1557	1
2538	1637	1638	1559	1558	1
2539	1638	1639	1560	1559	1
2540	1639	1640	1561	1560	1
2541	1640	1641	1562	1561	1
2542	1641	1642	1563	1562	1
2543	1642	1643	1564	1563	1
2544	1643	1644	1565	1564	1
2545	1644	1645	1566	1565	1
2546	1645	1646	1567	1566	1
2547	1646	1647	1568	1567	1
2548	1647	1648	1569	1568	1
2549	1648	1649	1570	1569	1
2550	1649	1650	1571	1570	1
2551	1650	1651	1572	1571	1
2552	1651	1652	1573	1572	1
2553	1652	1653	1574	1573	1
2554	1653	1654	1575	1574	1
2555	1654	1655	1576	1575	1
2556	1655	1656	1577	1576	1
2557	1656	1657	1578	1577	1
2558	1657	1658	1579	1578	1
2559	1658	1659	1580	1579	1
2560	1660	1661	1582	1581	1
2561	1661	1662	1583	1582	1
2562	1662	1663	1584	1583	1
2563	1663	1664	1585	1584	1
2564	1664	1665	1586	1585	1
2565	1665	1666	1587	1586	1
2566	1666	1667	1588	1587	1
2567	1667	1668	1589	1588	1
2568	1668	1669	1590	1589	1
2569	1669	1670	1591	1590	1
2570	1670	1671	1592	1591	1
2571	1671	1672	1593	1592	1
2572	1672	1673	1594	1593	1
2573	1673	1674	1595	1594	1
2574	1674	1675	1596	1595	1
2575	1675	1676	1597	1596	1
2576	1676	1677	1598	1597	1
2577	1677	1678	1599	1598	1
2578	1678	1679	1600	1599	1
2579	1679	1680	1601	1600	1
2580	1680	1681	1602	1601	1
2581	1681	1682	1603	1602	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2582	1682	1683	1604	1603	1
2583	1683	1684	1605	1604	1
2584	1684	1685	1606	1605	1
2585	1685	1686	1607	1606	1
2586	1686	1687	1608	1607	1
2587	1687	1688	1609	1608	1
2588	1688	1689	1610	1609	1
2589	1689	1690	1611	1610	1
2590	1690	1691	1612	1611	1
2591	1691	1692	1613	1612	1
2592	1692	1693	1614	1613	1
2593	1693	1694	1615	1614	1
2594	1694	1695	1616	1615	1
2595	1695	1696	1617	1616	1
2596	1696	1697	1618	1617	1
2597	1697	1698	1619	1618	1
2598	1698	1699	1620	1619	1
2599	1699	1700	1621	1620	1
2600	1700	1701	1622	1621	1
2601	1701	1702	1623	1622	1
2602	1702	1703	1624	1623	1
2603	1703	1704	1625	1624	1
2604	1704	1705	1626	1625	1
2605	1705	1706	1627	1626	1
2606	1706	1707	1628	1627	1
2607	1707	1708	1629	1628	1
2608	1708	1709	1630	1629	1
2609	1709	1710	1631	1630	1
2610	1710	1711	1632	1631	1
2611	1711	1712	1633	1632	1
2612	1712	1713	1634	1633	1
2613	1713	1714	1635	1634	1
2614	1714	1715	1636	1635	1
2615	1715	1716	1637	1636	1
2616	1716	1717	1638	1637	1
2617	1717	1718	1639	1638	1
2618	1718	1719	1640	1639	1
2619	1719	1720	1641	1640	1
2620	1720	1721	1642	1641	1
2621	1721	1722	1643	1642	1
2622	1722	1723	1644	1643	1
2623	1723	1724	1645	1644	1
2624	1724	1725	1646	1645	1
2625	1725	1726	1647	1646	1
2626	1726	1727	1648	1647	1
2627	1727	1728	1649	1648	1
2628	1728	1729	1650	1649	1
2629	1729	1730	1651	1650	1
2630	1730	1731	1652	1651	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2631	1731	1732	1653	1652	1
2632	1732	1733	1654	1653	1
2633	1733	1734	1655	1654	1
2634	1734	1735	1656	1655	1
2635	1735	1736	1657	1656	1
2636	1736	1737	1658	1657	1
2637	1737	1738	1659	1658	1
2638	1739	1740	1661	1660	1
2639	1740	1741	1662	1661	1
2640	1741	1742	1663	1662	1
2641	1742	1743	1664	1663	1
2642	1743	1744	1665	1664	1
2643	1744	1745	1666	1665	1
2644	1745	1746	1667	1666	1
2645	1746	1747	1668	1667	1
2646	1747	1748	1669	1668	1
2647	1748	1749	1670	1669	1
2648	1749	1750	1671	1670	1
2649	1750	1751	1672	1671	1
2650	1751	1752	1673	1672	1
2651	1752	1753	1674	1673	1
2652	1753	1754	1675	1674	1
2653	1754	1755	1676	1675	1
2654	1755	1756	1677	1676	1
2655	1756	1757	1678	1677	1
2656	1757	1758	1679	1678	1
2657	1758	1759	1680	1679	1
2658	1759	1760	1681	1680	1
2659	1760	1761	1682	1681	1
2660	1761	1762	1683	1682	1
2661	1762	1763	1684	1683	1
2662	1763	1764	1685	1684	1
2663	1764	1765	1686	1685	1
2664	1765	1766	1687	1686	1
2665	1766	1767	1688	1687	1
2666	1767	1768	1689	1688	1
2667	1768	1769	1690	1689	1
2668	1769	1770	1691	1690	1
2669	1770	1771	1692	1691	1
2670	1771	1772	1693	1692	1
2671	1772	1773	1694	1693	1
2672	1773	1774	1695	1694	1
2673	1774	1775	1696	1695	1
2674	1775	1776	1697	1696	1
2675	1776	1777	1698	1697	1
2676	1777	1778	1699	1698	1
2677	1778	1779	1700	1699	1
2678	1779	1780	1701	1700	1
2679	1780	1781	1702	1701	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2680	1781	1782	1703	1702	1
2681	1782	1783	1704	1703	1
2682	1783	1784	1705	1704	1
2683	1784	1785	1706	1705	1
2684	1785	1786	1707	1706	1
2685	1786	1787	1708	1707	1
2686	1787	1788	1709	1708	1
2687	1788	1789	1710	1709	1
2688	1789	1790	1711	1710	1
2689	1790	1791	1712	1711	1
2690	1791	1792	1713	1712	1
2691	1792	1793	1714	1713	1
2692	1793	1794	1715	1714	1
2693	1794	1795	1716	1715	1
2694	1795	1796	1717	1716	1
2695	1796	1797	1718	1717	1
2696	1797	1798	1719	1718	1
2697	1798	1799	1720	1719	1
2698	1799	1800	1721	1720	1
2699	1800	1801	1722	1721	1
2700	1801	1802	1723	1722	1
2701	1802	1803	1724	1723	1
2702	1803	1804	1725	1724	1
2703	1804	1805	1726	1725	1
2704	1805	1806	1727	1726	1
2705	1806	1807	1728	1727	1
2706	1807	1808	1729	1728	1
2707	1808	1809	1730	1729	1
2708	1809	1810	1731	1730	1
2709	1810	1811	1732	1731	1
2710	1811	1812	1733	1732	1
2711	1812	1813	1734	1733	1
2712	1813	1814	1735	1734	1
2713	1814	1815	1736	1735	1
2714	1815	1816	1737	1736	1
2715	1816	1817	1738	1737	1
2716	1818	1819	1740	1739	1
2717	1819	1820	1741	1740	1
2718	1820	1821	1742	1741	1
2719	1821	1822	1743	1742	1
2720	1822	1823	1744	1743	1
2721	1823	1824	1745	1744	1
2722	1824	1825	1746	1745	1
2723	1825	1826	1747	1746	1
2724	1826	1827	1748	1747	1
2725	1827	1828	1749	1748	1
2726	1828	1829	1750	1749	1
2727	1829	1830	1751	1750	1
2728	1830	1831	1752	1751	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2729	1831	1832	1753	1752	1
2730	1832	1833	1754	1753	1
2731	1833	1834	1755	1754	1
2732	1834	1835	1756	1755	1
2733	1835	1836	1757	1756	1
2734	1836	1837	1758	1757	1
2735	1837	1838	1759	1758	1
2736	1838	1839	1760	1759	1
2737	1839	1840	1761	1760	1
2738	1840	1841	1762	1761	1
2739	1841	1842	1763	1762	1
2740	1842	1843	1764	1763	1
2741	1843	1844	1765	1764	1
2742	1844	1845	1766	1765	1
2743	1845	1846	1767	1766	1
2744	1846	1847	1768	1767	1
2745	1847	1848	1769	1768	1
2746	1848	1849	1770	1769	1
2747	1849	1850	1771	1770	1
2748	1850	1851	1772	1771	1
2749	1851	1852	1773	1772	1
2750	1852	1853	1774	1773	1
2751	1853	1854	1775	1774	1
2752	1854	1855	1776	1775	1
2753	1855	1856	1777	1776	1
2754	1856	1857	1778	1777	1
2755	1857	1858	1779	1778	1
2756	1858	1859	1780	1779	1
2757	1859	1860	1781	1780	1
2758	1860	1861	1782	1781	1
2759	1861	1862	1783	1782	1
2760	1862	1863	1784	1783	1
2761	1863	1864	1785	1784	1
2762	1864	1865	1786	1785	1
2763	1865	1866	1787	1786	1
2764	1866	1867	1788	1787	1
2765	1867	1868	1789	1788	1
2766	1868	1869	1790	1789	1
2767	1869	1870	1791	1790	1
2768	1870	1871	1792	1791	1
2769	1871	1872	1793	1792	1
2770	1872	1873	1794	1793	1
2771	1873	1874	1795	1794	1
2772	1874	1875	1796	1795	1
2773	1875	1876	1797	1796	1
2774	1876	1877	1798	1797	1
2775	1877	1878	1799	1798	1
2776	1878	1879	1800	1799	1
2777	1879	1880	1801	1800	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2778	1880	1881	1802	1801	1
2779	1881	1882	1803	1802	1
2780	1882	1883	1804	1803	1
2781	1883	1884	1805	1804	1
2782	1884	1885	1806	1805	1
2783	1885	1886	1807	1806	1
2784	1886	1887	1808	1807	1
2785	1887	1888	1809	1808	1
2786	1888	1889	1810	1809	1
2787	1889	1890	1811	1810	1
2788	1890	1891	1812	1811	1
2789	1891	1892	1813	1812	1
2790	1892	1893	1814	1813	1
2791	1893	1894	1815	1814	1
2792	1894	1895	1816	1815	1
2793	1895	1896	1817	1816	1
2794	1897	1898	1819	1818	1
2795	1898	1899	1820	1819	1
2796	1899	1900	1821	1820	1
2797	1900	1901	1822	1821	1
2798	1901	1902	1823	1822	1
2799	1902	1903	1824	1823	1
2800	1903	1904	1825	1824	1
2801	1904	1905	1826	1825	1
2802	1905	1906	1827	1826	1
2803	1906	1907	1828	1827	1
2804	1907	1908	1829	1828	1
2805	1908	1909	1830	1829	1
2806	1909	1910	1831	1830	1
2807	1910	1911	1832	1831	1
2808	1911	1912	1833	1832	1
2809	1912	1913	1834	1833	1
2810	1913	1914	1835	1834	1
2811	1914	1915	1836	1835	1
2812	1915	1916	1837	1836	1
2813	1916	1917	1838	1837	1
2814	1917	1918	1839	1838	1
2815	1918	1919	1840	1839	1
2816	1919	1920	1841	1840	1
2817	1920	1921	1842	1841	1
2818	1921	1922	1843	1842	1
2819	1922	1923	1844	1843	1
2820	1923	1924	1845	1844	1
2821	1924	1925	1846	1845	1
2822	1925	1926	1847	1846	1
2823	1926	1927	1848	1847	1
2824	1927	1928	1849	1848	1
2825	1928	1929	1850	1849	1
2826	1929	1930	1851	1850	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2827	1930	1931	1852	1851	1
2828	1931	1932	1853	1852	1
2829	1932	1933	1854	1853	1
2830	1933	1934	1855	1854	1
2831	1934	1935	1856	1855	1
2832	1935	1936	1857	1856	1
2833	1936	1937	1858	1857	1
2834	1937	1938	1859	1858	1
2835	1938	1939	1860	1859	1
2836	1939	1940	1861	1860	1
2837	1940	1941	1862	1861	1
2838	1941	1942	1863	1862	1
2839	1942	1943	1864	1863	1
2840	1943	1944	1865	1864	1
2841	1944	1945	1866	1865	1
2842	1945	1946	1867	1866	1
2843	1946	1947	1868	1867	1
2844	1947	1948	1869	1868	1
2845	1948	1949	1870	1869	1
2846	1949	1950	1871	1870	1
2847	1950	1951	1872	1871	1
2848	1951	1952	1873	1872	1
2849	1952	1953	1874	1873	1
2850	1953	1954	1875	1874	1
2851	1954	1955	1876	1875	1
2852	1955	1956	1877	1876	1
2853	1956	1957	1878	1877	1
2854	1957	1958	1879	1878	1
2855	1958	1959	1880	1879	1
2856	1959	1960	1881	1880	1
2857	1960	1961	1882	1881	1
2858	1961	1962	1883	1882	1
2859	1962	1963	1884	1883	1
2860	1963	1964	1885	1884	1
2861	1964	1965	1886	1885	1
2862	1965	1966	1887	1886	1
2863	1966	1967	1888	1887	1
2864	1967	1968	1889	1888	1
2865	1968	1969	1890	1889	1
2866	1969	1970	1891	1890	1
2867	1970	1971	1892	1891	1
2868	1971	1972	1893	1892	1
2869	1972	1973	1894	1893	1
2870	1973	1974	1895	1894	1
2871	1974	1975	1896	1895	1
2872	1976	1977	1898	1897	1
2873	1977	1978	1899	1898	1
2874	1978	1979	1900	1899	1
2875	1979	1980	1901	1900	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2876	1980	1981	1902	1901	1
2877	1981	1982	1903	1902	1
2878	1982	1983	1904	1903	1
2879	1983	1984	1905	1904	1
2880	1984	1985	1906	1905	1
2881	1985	1986	1907	1906	1
2882	1986	1987	1908	1907	1
2883	1987	1988	1909	1908	1
2884	1988	1989	1910	1909	1
2885	1989	1990	1911	1910	1
2886	1990	1991	1912	1911	1
2887	1991	1992	1913	1912	1
2888	1992	1993	1914	1913	1
2889	1993	1994	1915	1914	1
2890	1994	1995	1916	1915	1
2891	1995	1996	1917	1916	1
2892	1996	1997	1918	1917	1
2893	1997	1998	1919	1918	1
2894	1998	1999	1920	1919	1
2895	1999	2000	1921	1920	1
2896	2000	2001	1922	1921	1
2897	2001	2002	1923	1922	1
2898	2002	2003	1924	1923	1
2899	2003	2004	1925	1924	1
2900	2004	2005	1926	1925	1
2901	2005	2006	1927	1926	1
2902	2006	2007	1928	1927	1
2903	2007	2008	1929	1928	1
2904	2008	2009	1930	1929	1
2905	2009	2010	1931	1930	1
2906	2010	2011	1932	1931	1
2907	2011	2012	1933	1932	1
2908	2012	2013	1934	1933	1
2909	2013	2014	1935	1934	1
2910	2014	2015	1936	1935	1
2911	2015	2016	1937	1936	1
2912	2016	2017	1938	1937	1
2913	2017	2018	1939	1938	1
2914	2018	2019	1940	1939	1
2915	2019	2020	1941	1940	1
2916	2020	2021	1942	1941	1
2917	2021	2022	1943	1942	1
2918	2022	2023	1944	1943	1
2919	2023	2024	1945	1944	1
2920	2024	2025	1946	1945	1
2921	2025	2026	1947	1946	1
2922	2026	2027	1948	1947	1
2923	2027	2028	1949	1948	1
2924	2028	2029	1950	1949	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2925	2029	2030	1951	1950	1
2926	2030	2031	1952	1951	1
2927	2031	2032	1953	1952	1
2928	2032	2033	1954	1953	1
2929	2033	2034	1955	1954	1
2930	2034	2035	1956	1955	1
2931	2035	2036	1957	1956	1
2932	2036	2037	1958	1957	1
2933	2037	2038	1959	1958	1
2934	2038	2039	1960	1959	1
2935	2039	2040	1961	1960	1
2936	2040	2041	1962	1961	1
2937	2041	2042	1963	1962	1
2938	2042	2043	1964	1963	1
2939	2043	2044	1965	1964	1
2940	2044	2045	1966	1965	1
2941	2045	2046	1967	1966	1
2942	2046	2047	1968	1967	1
2943	2047	2048	1969	1968	1
2944	2048	2049	1970	1969	1
2945	2049	2050	1971	1970	1
2946	2050	2051	1972	1971	1
2947	2051	2052	1973	1972	1
2948	2052	2053	1974	1973	1
2949	2053	2054	1975	1974	1
2950	2055	2056	1977	1976	1
2951	2056	2057	1978	1977	1
2952	2057	2058	1979	1978	1
2953	2058	2059	1980	1979	1
2954	2059	2060	1981	1980	1
2955	2060	2061	1982	1981	1
2956	2061	2062	1983	1982	1
2957	2062	2063	1984	1983	1
2958	2063	2064	1985	1984	1
2959	2064	2065	1986	1985	1
2960	2065	2066	1987	1986	1
2961	2066	2067	1988	1987	1
2962	2067	2068	1989	1988	1
2963	2068	2069	1990	1989	1
2964	2069	2070	1991	1990	1
2965	2070	2071	1992	1991	1
2966	2071	2072	1993	1992	1
2967	2072	2073	1994	1993	1
2968	2073	2074	1995	1994	1
2969	2074	2075	1996	1995	1
2970	2075	2076	1997	1996	1
2971	2076	2077	1998	1997	1
2972	2077	2078	1999	1998	1
2973	2078	2079	2000	1999	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2974	2079	2080	2001	2000	1
2975	2080	2081	2002	2001	1
2976	2081	2082	2003	2002	1
2977	2082	2083	2004	2003	1
2978	2083	2084	2005	2004	1
2979	2084	2085	2006	2005	1
2980	2085	2086	2007	2006	1
2981	2086	2087	2008	2007	1
2982	2087	2088	2009	2008	1
2983	2088	2089	2010	2009	1
2984	2089	2090	2011	2010	1
2985	2090	2091	2012	2011	1
2986	2091	2092	2013	2012	1
2987	2092	2093	2014	2013	1
2988	2093	2094	2015	2014	1
2989	2094	2095	2016	2015	1
2990	2095	2096	2017	2016	1
2991	2096	2097	2018	2017	1
2992	2097	2098	2019	2018	1
2993	2098	2099	2020	2019	1
2994	2099	2100	2021	2020	1
2995	2100	2101	2022	2021	1
2996	2101	2102	2023	2022	1
2997	2102	2103	2024	2023	1
2998	2103	2104	2025	2024	1
2999	2104	2105	2026	2025	1
3000	2105	2106	2027	2026	1
3001	2106	2107	2028	2027	1
3002	2107	2108	2029	2028	1
3003	2108	2109	2030	2029	1
3004	2109	2110	2031	2030	1
3005	2110	2111	2032	2031	1
3006	2111	2112	2033	2032	1
3007	2112	2113	2034	2033	1
3008	2113	2114	2035	2034	1
3009	2114	2115	2036	2035	1
3010	2115	2116	2037	2036	1
3011	2116	2117	2038	2037	1
3012	2117	2118	2039	2038	1
3013	2118	2119	2040	2039	1
3014	2119	2120	2041	2040	1
3015	2120	2121	2042	2041	1
3016	2121	2122	2043	2042	1
3017	2122	2123	2044	2043	1
3018	2123	2124	2045	2044	1
3019	2124	2125	2046	2045	1
3020	2125	2126	2047	2046	1
3021	2126	2127	2048	2047	1
3022	2127	2128	2049	2048	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3023	2128	2129	2050	2049	1
3024	2129	2130	2051	2050	1
3025	2130	2131	2052	2051	1
3026	2131	2132	2053	2052	1
3027	2132	2133	2054	2053	1
3028	4	83	2144	2134	2
3029	12	91	2145	2135	2
3030	20	99	2146	2136	2
3031	28	107	2147	2137	2
3032	36	115	2148	2138	2
3033	44	123	2149	2139	2
3034	52	131	2150	2140	2
3035	60	139	2151	2141	2
3036	68	147	2152	2142	2
3037	76	155	2153	2143	2
3038	83	162	2154	2144	2
3039	91	170	2155	2145	2
3040	99	178	2156	2146	2
3041	107	186	2157	2147	2
3042	115	194	2158	2148	2
3043	123	202	2159	2149	2
3044	131	210	2160	2150	2
3045	139	218	2161	2151	2
3046	147	226	2162	2152	2
3047	155	234	2163	2153	2
3048	162	241	2164	2154	2
3049	170	249	2165	2155	2
3050	178	257	2166	2156	2
3051	186	265	2167	2157	2
3052	194	273	2168	2158	2
3053	202	281	2169	2159	2
3054	210	289	2170	2160	2
3055	218	297	2171	2161	2
3056	226	305	2172	2162	2
3057	234	313	2173	2163	2
3058	241	320	2174	2164	2
3059	249	328	2175	2165	2
3060	257	336	2176	2166	2
3061	265	344	2177	2167	2
3062	273	352	2178	2168	2
3063	281	360	2179	2169	2
3064	289	368	2180	2170	2
3065	297	376	2181	2171	2
3066	305	384	2182	2172	2
3067	313	392	2183	2173	2
3068	320	399	2184	2174	2
3069	328	407	2185	2175	2
3070	336	415	2186	2176	2
3071	344	423	2187	2177	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3072	352	431	2188	2178	2
3073	360	439	2189	2179	2
3074	368	447	2190	2180	2
3075	376	455	2191	2181	2
3076	384	463	2192	2182	2
3077	392	471	2193	2183	2
3078	399	478	2194	2184	2
3079	407	486	2195	2185	2
3080	415	494	2196	2186	2
3081	423	502	2197	2187	2
3082	431	510	2198	2188	2
3083	439	518	2199	2189	2
3084	447	526	2200	2190	2
3085	455	534	2201	2191	2
3086	463	542	2202	2192	2
3087	471	550	2203	2193	2
3088	478	557	2204	2194	2
3089	486	565	2205	2195	2
3090	494	573	2206	2196	2
3091	502	581	2207	2197	2
3092	510	589	2208	2198	2
3093	518	597	2209	2199	2
3094	526	605	2210	2200	2
3095	534	613	2211	2201	2
3096	542	621	2212	2202	2
3097	550	629	2213	2203	2
3098	557	636	2214	2204	2
3099	565	644	2215	2205	2
3100	573	652	2216	2206	2
3101	581	660	2217	2207	2
3102	589	668	2218	2208	2
3103	597	676	2219	2209	2
3104	605	684	2220	2210	2
3105	613	692	2221	2211	2
3106	621	700	2222	2212	2
3107	629	708	2223	2213	2
3108	636	715	2224	2214	2
3109	644	723	2225	2215	2
3110	652	731	2226	2216	2
3111	660	739	2227	2217	2
3112	668	747	2228	2218	2
3113	676	755	2229	2219	2
3114	684	763	2230	2220	2
3115	692	771	2231	2221	2
3116	700	779	2232	2222	2
3117	708	787	2233	2223	2
3118	715	794	2234	2224	2
3119	723	802	2235	2225	2
3120	731	810	2236	2226	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3121	739	818	2237	2227	2
3122	747	826	2238	2228	2
3123	755	834	2239	2229	2
3124	763	842	2240	2230	2
3125	771	850	2241	2231	2
3126	779	858	2242	2232	2
3127	787	866	2243	2233	2
3128	794	873	2244	2234	2
3129	802	881	2245	2235	2
3130	810	889	2246	2236	2
3131	818	897	2247	2237	2
3132	826	905	2248	2238	2
3133	834	913	2249	2239	2
3134	842	921	2250	2240	2
3135	850	929	2251	2241	2
3136	858	937	2252	2242	2
3137	866	945	2253	2243	2
3138	873	952	2254	2244	2
3139	881	960	2255	2245	2
3140	889	968	2256	2246	2
3141	897	976	2257	2247	2
3142	905	984	2258	2248	2
3143	913	992	2259	2249	2
3144	921	1000	2260	2250	2
3145	929	1008	2261	2251	2
3146	937	1016	2262	2252	2
3147	945	1024	2263	2253	2
3148	952	1031	2264	2254	2
3149	960	1039	2265	2255	2
3150	968	1047	2266	2256	2
3151	976	1055	2267	2257	2
3152	984	1063	2268	2258	2
3153	992	1071	2269	2259	2
3154	1000	1079	2270	2260	2
3155	1008	1087	2271	2261	2
3156	1016	1095	2272	2262	2
3157	1024	1103	2273	2263	2
3158	1031	1110	2274	2264	2
3159	1039	1118	2275	2265	2
3160	1047	1126	2276	2266	2
3161	1055	1134	2277	2267	2
3162	1063	1142	2278	2268	2
3163	1071	1150	2279	2269	2
3164	1079	1158	2280	2270	2
3165	1087	1166	2281	2271	2
3166	1095	1174	2282	2272	2
3167	1103	1182	2283	2273	2
3168	1110	1189	2284	2274	2
3169	1118	1197	2285	2275	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3170	1126	1205	2286	2276	2
3171	1134	1213	2287	2277	2
3172	1142	1221	2288	2278	2
3173	1150	1229	2289	2279	2
3174	1158	1237	2290	2280	2
3175	1166	1245	2291	2281	2
3176	1174	1253	2292	2282	2
3177	1182	1261	2293	2283	2
3178	1189	1268	2294	2284	2
3179	1197	1276	2295	2285	2
3180	1205	1284	2296	2286	2
3181	1213	1292	2297	2287	2
3182	1221	1300	2298	2288	2
3183	1229	1308	2299	2289	2
3184	1237	1316	2300	2290	2
3185	1245	1324	2301	2291	2
3186	1253	1332	2302	2292	2
3187	1261	1340	2303	2293	2
3188	1268	1347	2304	2294	2
3189	1276	1355	2305	2295	2
3190	1284	1363	2306	2296	2
3191	1292	1371	2307	2297	2
3192	1300	1379	2308	2298	2
3193	1308	1387	2309	2299	2
3194	1316	1395	2310	2300	2
3195	1324	1403	2311	2301	2
3196	1332	1411	2312	2302	2
3197	1340	1419	2313	2303	2
3198	1347	1426	2314	2304	2
3199	1355	1434	2315	2305	2
3200	1363	1442	2316	2306	2
3201	1371	1450	2317	2307	2
3202	1379	1458	2318	2308	2
3203	1387	1466	2319	2309	2
3204	1395	1474	2320	2310	2
3205	1403	1482	2321	2311	2
3206	1411	1490	2322	2312	2
3207	1419	1498	2323	2313	2
3208	1426	1505	2327	2314	2
3209	1434	1513	2335	2315	2
3210	1442	1521	2343	2316	2
3211	1450	1529	2351	2317	2
3212	1458	1537	2359	2318	2
3213	1466	1545	2367	2319	2
3214	1474	1553	2375	2320	2
3215	1482	1561	2383	2321	2
3216	1490	1569	2391	2322	2
3217	1498	1577	2399	2323	2
3218	1502	1503	2325	2324	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3219	1503	1504	2326	2325	3
3220	1504	1505	2327	2326	3
3221	1505	1506	2328	2327	3
3222	1506	1507	2329	2328	3
3223	1507	1508	2330	2329	3
3224	1508	1509	2331	2330	3
3225	1509	1510	2332	2331	3
3226	1510	1511	2333	2332	3
3227	1511	1512	2334	2333	3
3228	1512	1513	2335	2334	3
3229	1513	1514	2336	2335	3
3230	1514	1515	2337	2336	3
3231	1515	1516	2338	2337	3
3232	1516	1517	2339	2338	3
3233	1517	1518	2340	2339	3
3234	1518	1519	2341	2340	3
3235	1519	1520	2342	2341	3
3236	1520	1521	2343	2342	3
3237	1521	1522	2344	2343	3
3238	1522	1523	2345	2344	3
3239	1523	1524	2346	2345	3
3240	1524	1525	2347	2346	3
3241	1525	1526	2348	2347	3
3242	1526	1527	2349	2348	3
3243	1527	1528	2350	2349	3
3244	1528	1529	2351	2350	3
3245	1529	1530	2352	2351	3
3246	1530	1531	2353	2352	3
3247	1531	1532	2354	2353	3
3248	1532	1533	2355	2354	3
3249	1533	1534	2356	2355	3
3250	1534	1535	2357	2356	3
3251	1535	1536	2358	2357	3
3252	1536	1537	2359	2358	3
3253	1537	1538	2360	2359	3
3254	1538	1539	2361	2360	3
3255	1539	1540	2362	2361	3
3256	1540	1541	2363	2362	3
3257	1541	1542	2364	2363	3
3258	1542	1543	2365	2364	3
3259	1543	1544	2366	2365	3
3260	1544	1545	2367	2366	3
3261	1545	1546	2368	2367	3
3262	1546	1547	2369	2368	3
3263	1547	1548	2370	2369	3
3264	1548	1549	2371	2370	3
3265	1549	1550	2372	2371	3
3266	1550	1551	2373	2372	3
3267	1551	1552	2374	2373	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3268	1552	1553	2375	2374	3
3269	1553	1554	2376	2375	3
3270	1554	1555	2377	2376	3
3271	1555	1556	2378	2377	3
3272	1556	1557	2379	2378	3
3273	1557	1558	2380	2379	3
3274	1558	1559	2381	2380	3
3275	1559	1560	2382	2381	3
3276	1560	1561	2383	2382	3
3277	1561	1562	2384	2383	3
3278	1562	1563	2385	2384	3
3279	1563	1564	2386	2385	3
3280	1564	1565	2387	2386	3
3281	1565	1566	2388	2387	3
3282	1566	1567	2389	2388	3
3283	1567	1568	2390	2389	3
3284	1568	1569	2391	2390	3
3285	1569	1570	2392	2391	3
3286	1570	1571	2393	2392	3
3287	1571	1572	2394	2393	3
3288	1572	1573	2395	2394	3
3289	1573	1574	2396	2395	3
3290	1574	1575	2397	2396	3
3291	1575	1576	2398	2397	3
3292	1576	1577	2399	2398	3
3293	1577	1578	2400	2399	3
3294	1578	1579	2401	2400	3
3295	1579	1580	2402	2401	3
3296	1505	1584	2403	2327	2
3297	1513	1592	2404	2335	2
3298	1521	1600	2405	2343	2
3299	1529	1608	2406	2351	2
3300	1537	1616	2407	2359	2
3301	1545	1624	2408	2367	2
3302	1553	1632	2409	2375	2
3303	1561	1640	2410	2383	2
3304	1569	1648	2411	2391	2
3305	1577	1656	2412	2399	2
3306	1584	1663	2413	2403	2
3307	1592	1671	2414	2404	2
3308	1600	1679	2415	2405	2
3309	1608	1687	2416	2406	2
3310	1616	1695	2417	2407	2
3311	1624	1703	2418	2408	2
3312	1632	1711	2419	2409	2
3313	1640	1719	2420	2410	2
3314	1648	1727	2421	2411	2
3315	1656	1735	2422	2412	2
3316	1663	1742	2423	2413	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3317	1671	1750	2424	2414	2
3318	1679	1758	2425	2415	2
3319	1687	1766	2426	2416	2
3320	1695	1774	2427	2417	2
3321	1703	1782	2428	2418	2
3322	1711	1790	2429	2419	2
3323	1719	1798	2430	2420	2
3324	1727	1806	2431	2421	2
3325	1735	1814	2432	2422	2
3326	1742	1821	2433	2423	2
3327	1750	1829	2434	2424	2
3328	1758	1837	2435	2425	2
3329	1766	1845	2436	2426	2
3330	1774	1853	2437	2427	2
3331	1782	1861	2438	2428	2
3332	1790	1869	2439	2429	2
3333	1798	1877	2440	2430	2
3334	1806	1885	2441	2431	2
3335	1814	1893	2442	2432	2
3336	1821	1900	2443	2433	2
3337	1829	1908	2444	2434	2
3338	1837	1916	2445	2435	2
3339	1845	1924	2446	2436	2
3340	1853	1932	2447	2437	2
3341	1861	1940	2448	2438	2
3342	1869	1948	2449	2439	2
3343	1877	1956	2450	2440	2
3344	1885	1964	2451	2441	2
3345	1893	1972	2452	2442	2
3346	1900	1979	2453	2443	2
3347	1908	1987	2454	2444	2
3348	1916	1995	2455	2445	2
3349	1924	2003	2456	2446	2
3350	1932	2011	2457	2447	2
3351	1940	2019	2458	2448	2
3352	1948	2027	2459	2449	2
3353	1956	2035	2460	2450	2
3354	1964	2043	2461	2451	2
3355	1972	2051	2462	2452	2
3356	1979	2058	2463	2453	2
3357	1987	2066	2464	2454	2
3358	1995	2074	2465	2455	2
3359	2003	2082	2466	2456	2
3360	2011	2090	2467	2457	2
3361	2019	2098	2468	2458	2
3362	2027	2106	2469	2459	2
3363	2035	2114	2470	2460	2
3364	2043	2122	2471	2461	2
3365	2051	2130	2472	2462	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3366	2453	2463	2792		2
3367	2454	2464	2793		2
3368	2455	2465	2794		2
3369	2456	2466	2795		2
3370	2457	2467	2796		2
3371	2458	2468	2797		2
3372	2459	2469	2798		2
3373	2460	2470	2799		2
3374	2461	2471	2800		2
3375	2462	2472	2801		2
3376	2134	2144	2483	2473	2
3377	2135	2145	2484	2474	2
3378	2136	2146	2485	2475	2
3379	2137	2147	2486	2476	2
3380	2138	2148	2487	2477	2
3381	2139	2149	2488	2478	2
3382	2140	2150	2489	2479	2
3383	2141	2151	2490	2480	2
3384	2142	2152	2491	2481	2
3385	2143	2153	2492	2482	2
3386	2144	2154	2493	2483	2
3387	2145	2155	2494	2484	2
3388	2146	2156	2495	2485	2
3389	2147	2157	2496	2486	2
3390	2148	2158	2497	2487	2
3391	2149	2159	2498	2488	2
3392	2150	2160	2499	2489	2
3393	2151	2161	2500	2490	2
3394	2152	2162	2501	2491	2
3395	2153	2163	2502	2492	2
3396	2154	2164	2503	2493	2
3397	2155	2165	2504	2494	2
3398	2156	2166	2505	2495	2
3399	2157	2167	2506	2496	2
3400	2158	2168	2507	2497	2
3401	2159	2169	2508	2498	2
3402	2160	2170	2509	2499	2
3403	2161	2171	2510	2500	2
3404	2162	2172	2511	2501	2
3405	2163	2173	2512	2502	2
3406	2164	2174	2513	2503	2
3407	2165	2175	2514	2504	2
3408	2166	2176	2515	2505	2
3409	2167	2177	2516	2506	2
3410	2168	2178	2517	2507	2
3411	2169	2179	2518	2508	2
3412	2170	2180	2519	2509	2
3413	2171	2181	2520	2510	2
3414	2172	2182	2521	2511	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3415	2173	2183	2522	2512	2
3416	2174	2184	2523	2513	2
3417	2175	2185	2524	2514	2
3418	2176	2186	2525	2515	2
3419	2177	2187	2526	2516	2
3420	2178	2188	2527	2517	2
3421	2179	2189	2528	2518	2
3422	2180	2190	2529	2519	2
3423	2181	2191	2530	2520	2
3424	2182	2192	2531	2521	2
3425	2183	2193	2532	2522	2
3426	2184	2194	2533	2523	2
3427	2185	2195	2534	2524	2
3428	2186	2196	2535	2525	2
3429	2187	2197	2536	2526	2
3430	2188	2198	2537	2527	2
3431	2189	2199	2538	2528	2
3432	2190	2200	2539	2529	2
3433	2191	2201	2540	2530	2
3434	2192	2202	2541	2531	2
3435	2193	2203	2542	2532	2
3436	2194	2204	2543	2533	2
3437	2195	2205	2544	2534	2
3438	2196	2206	2545	2535	2
3439	2197	2207	2546	2536	2
3440	2198	2208	2547	2537	2
3441	2199	2209	2548	2538	2
3442	2200	2210	2549	2539	2
3443	2201	2211	2550	2540	2
3444	2202	2212	2551	2541	2
3445	2203	2213	2552	2542	2
3446	2204	2214	2553	2543	2
3447	2205	2215	2554	2544	2
3448	2206	2216	2555	2545	2
3449	2207	2217	2556	2546	2
3450	2208	2218	2557	2547	2
3451	2209	2219	2558	2548	2
3452	2210	2220	2559	2549	2
3453	2211	2221	2560	2550	2
3454	2212	2222	2561	2551	2
3455	2213	2223	2562	2552	2
3456	2214	2224	2563	2553	2
3457	2215	2225	2564	2554	2
3458	2216	2226	2565	2555	2
3459	2217	2227	2566	2556	2
3460	2218	2228	2567	2557	2
3461	2219	2229	2568	2558	2
3462	2220	2230	2569	2559	2
3463	2221	2231	2570	2560	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3464	2222	2232	2571	2561	2
3465	2223	2233	2572	2562	2
3466	2224	2234	2573	2563	2
3467	2225	2235	2574	2564	2
3468	2226	2236	2575	2565	2
3469	2227	2237	2576	2566	2
3470	2228	2238	2577	2567	2
3471	2229	2239	2578	2568	2
3472	2230	2240	2579	2569	2
3473	2231	2241	2580	2570	2
3474	2232	2242	2581	2571	2
3475	2233	2243	2582	2572	2
3476	2234	2244	2583	2573	2
3477	2235	2245	2584	2574	2
3478	2236	2246	2585	2575	2
3479	2237	2247	2586	2576	2
3480	2238	2248	2587	2577	2
3481	2239	2249	2588	2578	2
3482	2240	2250	2589	2579	2
3483	2241	2251	2590	2580	2
3484	2242	2252	2591	2581	2
3485	2243	2253	2592	2582	2
3486	2244	2254	2593	2583	2
3487	2245	2255	2594	2584	2
3488	2246	2256	2595	2585	2
3489	2247	2257	2596	2586	2
3490	2248	2258	2597	2587	2
3491	2249	2259	2598	2588	2
3492	2250	2260	2599	2589	2
3493	2251	2261	2600	2590	2
3494	2252	2262	2601	2591	2
3495	2253	2263	2602	2592	2
3496	2254	2264	2603	2593	2
3497	2255	2265	2604	2594	2
3498	2256	2266	2605	2595	2
3499	2257	2267	2606	2596	2
3500	2258	2268	2607	2597	2
3501	2259	2269	2608	2598	2
3502	2260	2270	2609	2599	2
3503	2261	2271	2610	2600	2
3504	2262	2272	2611	2601	2
3505	2263	2273	2612	2602	2
3506	2264	2274	2613	2603	2
3507	2265	2275	2614	2604	2
3508	2266	2276	2615	2605	2
3509	2267	2277	2616	2606	2
3510	2268	2278	2617	2607	2
3511	2269	2279	2618	2608	2
3512	2270	2280	2619	2609	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3513	2271	2281	2620	2610	2
3514	2272	2282	2621	2611	2
3515	2273	2283	2622	2612	2
3516	2274	2284	2623	2613	2
3517	2275	2285	2624	2614	2
3518	2276	2286	2625	2615	2
3519	2277	2287	2626	2616	2
3520	2278	2288	2627	2617	2
3521	2279	2289	2628	2618	2
3522	2280	2290	2629	2619	2
3523	2281	2291	2630	2620	2
3524	2282	2292	2631	2621	2
3525	2283	2293	2632	2622	2
3526	2284	2294	2633	2623	2
3527	2285	2295	2634	2624	2
3528	2286	2296	2635	2625	2
3529	2287	2297	2636	2626	2
3530	2288	2298	2637	2627	2
3531	2289	2299	2638	2628	2
3532	2290	2300	2639	2629	2
3533	2291	2301	2640	2630	2
3534	2292	2302	2641	2631	2
3535	2293	2303	2642	2632	2
3536	2294	2304	2643	2633	2
3537	2295	2305	2644	2634	2
3538	2296	2306	2645	2635	2
3539	2297	2307	2646	2636	2
3540	2298	2308	2647	2637	2
3541	2299	2309	2648	2638	2
3542	2300	2310	2649	2639	2
3543	2301	2311	2650	2640	2
3544	2302	2312	2651	2641	2
3545	2303	2313	2652	2642	2
3546	2304	2314	2653	2643	2
3547	2305	2315	2654	2644	2
3548	2306	2316	2655	2645	2
3549	2307	2317	2656	2646	2
3550	2308	2318	2657	2647	2
3551	2309	2319	2658	2648	2
3552	2310	2320	2659	2649	2
3553	2311	2321	2660	2650	2
3554	2312	2322	2661	2651	2
3555	2313	2323	2662	2652	2
3556	2314	2327	2666	2653	2
3557	2315	2335	2674	2654	2
3558	2316	2343	2682	2655	2
3559	2317	2351	2690	2656	2
3560	2318	2359	2698	2657	2
3561	2319	2367	2706	2658	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3562	2320	2375	2714	2659	2
3563	2321	2383	2722	2660	2
3564	2322	2391	2730	2661	2
3565	2323	2399	2738	2662	2
3566	2324	2325	2664	2663	3
3567	2325	2326	2665	2664	3
3568	2326	2327	2666	2665	3
3569	2327	2328	2667	2666	3
3570	2328	2329	2668	2667	3
3571	2329	2330	2669	2668	3
3572	2330	2331	2670	2669	3
3573	2331	2332	2671	2670	3
3574	2332	2333	2672	2671	3
3575	2333	2334	2673	2672	3
3576	2334	2335	2674	2673	3
3577	2335	2336	2675	2674	3
3578	2336	2337	2676	2675	3
3579	2337	2338	2677	2676	3
3580	2338	2339	2678	2677	3
3581	2339	2340	2679	2678	3
3582	2340	2341	2680	2679	3
3583	2341	2342	2681	2680	3
3584	2342	2343	2682	2681	3
3585	2343	2344	2683	2682	3
3586	2344	2345	2684	2683	3
3587	2345	2346	2685	2684	3
3588	2346	2347	2686	2685	3
3589	2347	2348	2687	2686	3
3590	2348	2349	2688	2687	3
3591	2349	2350	2689	2688	3
3592	2350	2351	2690	2689	3
3593	2351	2352	2691	2690	3
3594	2352	2353	2692	2691	3
3595	2353	2354	2693	2692	3
3596	2354	2355	2694	2693	3
3597	2355	2356	2695	2694	3
3598	2356	2357	2696	2695	3
3599	2357	2358	2697	2696	3
3600	2358	2359	2698	2697	3
3601	2359	2360	2699	2698	3
3602	2360	2361	2700	2699	3
3603	2361	2362	2701	2700	3
3604	2362	2363	2702	2701	3
3605	2363	2364	2703	2702	3
3606	2364	2365	2704	2703	3
3607	2365	2366	2705	2704	3
3608	2366	2367	2706	2705	3
3609	2367	2368	2707	2706	3
3610	2368	2369	2708	2707	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3611	2369	2370	2709	2708	3
3612	2370	2371	2710	2709	3
3613	2371	2372	2711	2710	3
3614	2372	2373	2712	2711	3
3615	2373	2374	2713	2712	3
3616	2374	2375	2714	2713	3
3617	2375	2376	2715	2714	3
3618	2376	2377	2716	2715	3
3619	2377	2378	2717	2716	3
3620	2378	2379	2718	2717	3
3621	2379	2380	2719	2718	3
3622	2380	2381	2720	2719	3
3623	2381	2382	2721	2720	3
3624	2382	2383	2722	2721	3
3625	2383	2384	2723	2722	3
3626	2384	2385	2724	2723	3
3627	2385	2386	2725	2724	3
3628	2386	2387	2726	2725	3
3629	2387	2388	2727	2726	3
3630	2388	2389	2728	2727	3
3631	2389	2390	2729	2728	3
3632	2390	2391	2730	2729	3
3633	2391	2392	2731	2730	3
3634	2392	2393	2732	2731	3
3635	2393	2394	2733	2732	3
3636	2394	2395	2734	2733	3
3637	2395	2396	2735	2734	3
3638	2396	2397	2736	2735	3
3639	2397	2398	2737	2736	3
3640	2398	2399	2738	2737	3
3641	2399	2400	2739	2738	3
3642	2400	2401	2740	2739	3
3643	2401	2402	2741	2740	3
3644	2327	2403	2742	2666	2
3645	2335	2404	2743	2674	2
3646	2343	2405	2744	2682	2
3647	2351	2406	2745	2690	2
3648	2359	2407	2746	2698	2
3649	2367	2408	2747	2706	2
3650	2375	2409	2748	2714	2
3651	2383	2410	2749	2722	2
3652	2391	2411	2750	2730	2
3653	2399	2412	2751	2738	2
3654	2403	2413	2752	2742	2
3655	2404	2414	2753	2743	2
3656	2405	2415	2754	2744	2
3657	2406	2416	2755	2745	2
3658	2407	2417	2756	2746	2
3659	2408	2418	2757	2747	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3660	2409	2419	2758	2748	2
3661	2410	2420	2759	2749	2
3662	2411	2421	2760	2750	2
3663	2412	2422	2761	2751	2
3664	2413	2423	2762	2752	2
3665	2414	2424	2763	2753	2
3666	2415	2425	2764	2754	2
3667	2416	2426	2765	2755	2
3668	2417	2427	2766	2756	2
3669	2418	2428	2767	2757	2
3670	2419	2429	2768	2758	2
3671	2420	2430	2769	2759	2
3672	2421	2431	2770	2760	2
3673	2422	2432	2771	2761	2
3674	2423	2433	2772	2762	2
3675	2424	2434	2773	2763	2
3676	2425	2435	2774	2764	2
3677	2426	2436	2775	2765	2
3678	2427	2437	2776	2766	2
3679	2428	2438	2777	2767	2
3680	2429	2439	2778	2768	2
3681	2430	2440	2779	2769	2
3682	2431	2441	2780	2770	2
3683	2432	2442	2781	2771	2
3684	2433	2443	2782	2772	2
3685	2434	2444	2783	2773	2
3686	2435	2445	2784	2774	2
3687	2436	2446	2785	2775	2
3688	2437	2447	2786	2776	2
3689	2438	2448	2787	2777	2
3690	2439	2449	2788	2778	2
3691	2440	2450	2789	2779	2
3692	2441	2451	2790	2780	2
3693	2442	2452	2791	2781	2
3694	2443	2453	2792	2782	2
3695	2444	2454	2793	2783	2
3696	2445	2455	2794	2784	2
3697	2446	2456	2795	2785	2
3698	2447	2457	2796	2786	2
3699	2448	2458	2797	2787	2
3700	2449	2459	2798	2788	2
3701	2450	2460	2799	2789	2
3702	2451	2461	2800	2790	2
3703	2452	2462	2801	2791	2
3704	2782	2792	3111		2
3705	2783	2793	3112		2
3706	2784	2794	3113		2
3707	2785	2795	3114		2
3708	2786	2796	3115		2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3709	2787	2797	3116		2
3710	2788	2798	3117		2
3711	2789	2799	3118		2
3712	2790	2800	3119		2
3713	2791	2801	3120		2
3714	2473	2483	2812	2802	2
3715	2474	2484	2813	2803	2
3716	2475	2485	2814	2804	2
3717	2476	2486	2815	2805	2
3718	2477	2487	2816	2806	2
3719	2478	2488	2817	2807	2
3720	2479	2489	2818	2808	2
3721	2480	2490	2819	2809	2
3722	2481	2491	2820	2810	2
3723	2482	2492	2821	2811	2
3724	2483	2493	2822	2812	2
3725	2484	2494	2823	2813	2
3726	2485	2495	2824	2814	2
3727	2486	2496	2825	2815	2
3728	2487	2497	2826	2816	2
3729	2488	2498	2827	2817	2
3730	2489	2499	2828	2818	2
3731	2490	2500	2829	2819	2
3732	2491	2501	2830	2820	2
3733	2492	2502	2831	2821	2
3734	2493	2503	2832	2822	2
3735	2494	2504	2833	2823	2
3736	2495	2505	2834	2824	2
3737	2496	2506	2835	2825	2
3738	2497	2507	2836	2826	2
3739	2498	2508	2837	2827	2
3740	2499	2509	2838	2828	2
3741	2500	2510	2839	2829	2
3742	2501	2511	2840	2830	2
3743	2502	2512	2841	2831	2
3744	2503	2513	2842	2832	2
3745	2504	2514	2843	2833	2
3746	2505	2515	2844	2834	2
3747	2506	2516	2845	2835	2
3748	2507	2517	2846	2836	2
3749	2508	2518	2847	2837	2
3750	2509	2519	2848	2838	2
3751	2510	2520	2849	2839	2
3752	2511	2521	2850	2840	2
3753	2512	2522	2851	2841	2
3754	2513	2523	2852	2842	2
3755	2514	2524	2853	2843	2
3756	2515	2525	2854	2844	2
3757	2516	2526	2855	2845	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3758	2517	2527	2856	2846	2
3759	2518	2528	2857	2847	2
3760	2519	2529	2858	2848	2
3761	2520	2530	2859	2849	2
3762	2521	2531	2860	2850	2
3763	2522	2532	2861	2851	2
3764	2523	2533	2862	2852	2
3765	2524	2534	2863	2853	2
3766	2525	2535	2864	2854	2
3767	2526	2536	2865	2855	2
3768	2527	2537	2866	2856	2
3769	2528	2538	2867	2857	2
3770	2529	2539	2868	2858	2
3771	2530	2540	2869	2859	2
3772	2531	2541	2870	2860	2
3773	2532	2542	2871	2861	2
3774	2533	2543	2872	2862	2
3775	2534	2544	2873	2863	2
3776	2535	2545	2874	2864	2
3777	2536	2546	2875	2865	2
3778	2537	2547	2876	2866	2
3779	2538	2548	2877	2867	2
3780	2539	2549	2878	2868	2
3781	2540	2550	2879	2869	2
3782	2541	2551	2880	2870	2
3783	2542	2552	2881	2871	2
3784	2543	2553	2882	2872	2
3785	2544	2554	2883	2873	2
3786	2545	2555	2884	2874	2
3787	2546	2556	2885	2875	2
3788	2547	2557	2886	2876	2
3789	2548	2558	2887	2877	2
3790	2549	2559	2888	2878	2
3791	2550	2560	2889	2879	2
3792	2551	2561	2890	2880	2
3793	2552	2562	2891	2881	2
3794	2553	2563	2892	2882	2
3795	2554	2564	2893	2883	2
3796	2555	2565	2894	2884	2
3797	2556	2566	2895	2885	2
3798	2557	2567	2896	2886	2
3799	2558	2568	2897	2887	2
3800	2559	2569	2898	2888	2
3801	2560	2570	2899	2889	2
3802	2561	2571	2900	2890	2
3803	2562	2572	2901	2891	2
3804	2563	2573	2902	2892	2
3805	2564	2574	2903	2893	2
3806	2565	2575	2904	2894	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3807	2566	2576	2905	2895	2
3808	2567	2577	2906	2896	2
3809	2568	2578	2907	2897	2
3810	2569	2579	2908	2898	2
3811	2570	2580	2909	2899	2
3812	2571	2581	2910	2900	2
3813	2572	2582	2911	2901	2
3814	2573	2583	2912	2902	2
3815	2574	2584	2913	2903	2
3816	2575	2585	2914	2904	2
3817	2576	2586	2915	2905	2
3818	2577	2587	2916	2906	2
3819	2578	2588	2917	2907	2
3820	2579	2589	2918	2908	2
3821	2580	2590	2919	2909	2
3822	2581	2591	2920	2910	2
3823	2582	2592	2921	2911	2
3824	2583	2593	2922	2912	2
3825	2584	2594	2923	2913	2
3826	2585	2595	2924	2914	2
3827	2586	2596	2925	2915	2
3828	2587	2597	2926	2916	2
3829	2588	2598	2927	2917	2
3830	2589	2599	2928	2918	2
3831	2590	2600	2929	2919	2
3832	2591	2601	2930	2920	2
3833	2592	2602	2931	2921	2
3834	2593	2603	2932	2922	2
3835	2594	2604	2933	2923	2
3836	2595	2605	2934	2924	2
3837	2596	2606	2935	2925	2
3838	2597	2607	2936	2926	2
3839	2598	2608	2937	2927	2
3840	2599	2609	2938	2928	2
3841	2600	2610	2939	2929	2
3842	2601	2611	2940	2930	2
3843	2602	2612	2941	2931	2
3844	2603	2613	2942	2932	2
3845	2604	2614	2943	2933	2
3846	2605	2615	2944	2934	2
3847	2606	2616	2945	2935	2
3848	2607	2617	2946	2936	2
3849	2608	2618	2947	2937	2
3850	2609	2619	2948	2938	2
3851	2610	2620	2949	2939	2
3852	2611	2621	2950	2940	2
3853	2612	2622	2951	2941	2
3854	2613	2623	2952	2942	2
3855	2614	2624	2953	2943	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3856	2615	2625	2954	2944	2
3857	2616	2626	2955	2945	2
3858	2617	2627	2956	2946	2
3859	2618	2628	2957	2947	2
3860	2619	2629	2958	2948	2
3861	2620	2630	2959	2949	2
3862	2621	2631	2960	2950	2
3863	2622	2632	2961	2951	2
3864	2623	2633	2962	2952	2
3865	2624	2634	2963	2953	2
3866	2625	2635	2964	2954	2
3867	2626	2636	2965	2955	2
3868	2627	2637	2966	2956	2
3869	2628	2638	2967	2957	2
3870	2629	2639	2968	2958	2
3871	2630	2640	2969	2959	2
3872	2631	2641	2970	2960	2
3873	2632	2642	2971	2961	2
3874	2633	2643	2972	2962	2
3875	2634	2644	2973	2963	2
3876	2635	2645	2974	2964	2
3877	2636	2646	2975	2965	2
3878	2637	2647	2976	2966	2
3879	2638	2648	2977	2967	2
3880	2639	2649	2978	2968	2
3881	2640	2650	2979	2969	2
3882	2641	2651	2980	2970	2
3883	2642	2652	2981	2971	2
3884	2643	2653	2982	2972	2
3885	2644	2654	2983	2973	2
3886	2645	2655	2984	2974	2
3887	2646	2656	2985	2975	2
3888	2647	2657	2986	2976	2
3889	2648	2658	2987	2977	2
3890	2649	2659	2988	2978	2
3891	2650	2660	2989	2979	2
3892	2651	2661	2990	2980	2
3893	2652	2662	2991	2981	2
3894	2653	2666	2995	2982	2
3895	2654	2674	3003	2983	2
3896	2655	2682	3011	2984	2
3897	2656	2690	3019	2985	2
3898	2657	2698	3027	2986	2
3899	2658	2706	3035	2987	2
3900	2659	2714	3043	2988	2
3901	2660	2722	3051	2989	2
3902	2661	2730	3059	2990	2
3903	2662	2738	3067	2991	2
3904	2663	2664	2993	2992	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3905	2664	2665	2994	2993	3
3906	2665	2666	2995	2994	3
3907	2666	2667	2996	2995	3
3908	2667	2668	2997	2996	3
3909	2668	2669	2998	2997	3
3910	2669	2670	2999	2998	3
3911	2670	2671	3000	2999	3
3912	2671	2672	3001	3000	3
3913	2672	2673	3002	3001	3
3914	2673	2674	3003	3002	3
3915	2674	2675	3004	3003	3
3916	2675	2676	3005	3004	3
3917	2676	2677	3006	3005	3
3918	2677	2678	3007	3006	3
3919	2678	2679	3008	3007	3
3920	2679	2680	3009	3008	3
3921	2680	2681	3010	3009	3
3922	2681	2682	3011	3010	3
3923	2682	2683	3012	3011	3
3924	2683	2684	3013	3012	3
3925	2684	2685	3014	3013	3
3926	2685	2686	3015	3014	3
3927	2686	2687	3016	3015	3
3928	2687	2688	3017	3016	3
3929	2688	2689	3018	3017	3
3930	2689	2690	3019	3018	3
3931	2690	2691	3020	3019	3
3932	2691	2692	3021	3020	3
3933	2692	2693	3022	3021	3
3934	2693	2694	3023	3022	3
3935	2694	2695	3024	3023	3
3936	2695	2696	3025	3024	3
3937	2696	2697	3026	3025	3
3938	2697	2698	3027	3026	3
3939	2698	2699	3028	3027	3
3940	2699	2700	3029	3028	3
3941	2700	2701	3030	3029	3
3942	2701	2702	3031	3030	3
3943	2702	2703	3032	3031	3
3944	2703	2704	3033	3032	3
3945	2704	2705	3034	3033	3
3946	2705	2706	3035	3034	3
3947	2706	2707	3036	3035	3
3948	2707	2708	3037	3036	3
3949	2708	2709	3038	3037	3
3950	2709	2710	3039	3038	3
3951	2710	2711	3040	3039	3
3952	2711	2712	3041	3040	3
3953	2712	2713	3042	3041	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3954	2713	2714	3043	3042	3
3955	2714	2715	3044	3043	3
3956	2715	2716	3045	3044	3
3957	2716	2717	3046	3045	3
3958	2717	2718	3047	3046	3
3959	2718	2719	3048	3047	3
3960	2719	2720	3049	3048	3
3961	2720	2721	3050	3049	3
3962	2721	2722	3051	3050	3
3963	2722	2723	3052	3051	3
3964	2723	2724	3053	3052	3
3965	2724	2725	3054	3053	3
3966	2725	2726	3055	3054	3
3967	2726	2727	3056	3055	3
3968	2727	2728	3057	3056	3
3969	2728	2729	3058	3057	3
3970	2729	2730	3059	3058	3
3971	2730	2731	3060	3059	3
3972	2731	2732	3061	3060	3
3973	2732	2733	3062	3061	3
3974	2733	2734	3063	3062	3
3975	2734	2735	3064	3063	3
3976	2735	2736	3065	3064	3
3977	2736	2737	3066	3065	3
3978	2737	2738	3067	3066	3
3979	2738	2739	3068	3067	3
3980	2739	2740	3069	3068	3
3981	2740	2741	3070	3069	3
3982	2666	2742	3071	2995	2
3983	2674	2743	3072	3003	2
3984	2682	2744	3073	3011	2
3985	2690	2745	3074	3019	2
3986	2698	2746	3075	3027	2
3987	2706	2747	3076	3035	2
3988	2714	2748	3077	3043	2
3989	2722	2749	3078	3051	2
3990	2730	2750	3079	3059	2
3991	2738	2751	3080	3067	2
3992	2742	2752	3081	3071	2
3993	2743	2753	3082	3072	2
3994	2744	2754	3083	3073	2
3995	2745	2755	3084	3074	2
3996	2746	2756	3085	3075	2
3997	2747	2757	3086	3076	2
3998	2748	2758	3087	3077	2
3999	2749	2759	3088	3078	2
4000	2750	2760	3089	3079	2
4001	2751	2761	3090	3080	2
4002	2752	2762	3091	3081	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4003	2753	2763	3092	3082	2
4004	2754	2764	3093	3083	2
4005	2755	2765	3094	3084	2
4006	2756	2766	3095	3085	2
4007	2757	2767	3096	3086	2
4008	2758	2768	3097	3087	2
4009	2759	2769	3098	3088	2
4010	2760	2770	3099	3089	2
4011	2761	2771	3100	3090	2
4012	2762	2772	3101	3091	2
4013	2763	2773	3102	3092	2
4014	2764	2774	3103	3093	2
4015	2765	2775	3104	3094	2
4016	2766	2776	3105	3095	2
4017	2767	2777	3106	3096	2
4018	2768	2778	3107	3097	2
4019	2769	2779	3108	3098	2
4020	2770	2780	3109	3099	2
4021	2771	2781	3110	3100	2
4022	2772	2782	3111	3101	2
4023	2773	2783	3112	3102	2
4024	2774	2784	3113	3103	2
4025	2775	2785	3114	3104	2
4026	2776	2786	3115	3105	2
4027	2777	2787	3116	3106	2
4028	2778	2788	3117	3107	2
4029	2779	2789	3118	3108	2
4030	2780	2790	3119	3109	2
4031	2781	2791	3120	3110	2
4032	2802	2812	3121		2
4033	2803	2813	3122		2
4034	2804	2814	3123		2
4035	2805	2815	3124		2
4036	2806	2816	3125		2
4037	2807	2817	3126		2
4038	2808	2818	3127		2
4039	2809	2819	3128		2
4040	2810	2820	3129		2
4041	2811	2821	3130		2
4042	3101	3111	3410		2
4043	3102	3112	3411		2
4044	3103	3113	3412		2
4045	3104	3114	3413		2
4046	3105	3115	3414		2
4047	3106	3116	3415		2
4048	3107	3117	3416		2
4049	3108	3118	3417		2
4050	3109	3119	3418		2
4051	3110	3120	3419		2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4052	2812	2822	3131	3121	2
4053	2813	2823	3132	3122	2
4054	2814	2824	3133	3123	2
4055	2815	2825	3134	3124	2
4056	2816	2826	3135	3125	2
4057	2817	2827	3136	3126	2
4058	2818	2828	3137	3127	2
4059	2819	2829	3138	3128	2
4060	2820	2830	3139	3129	2
4061	2821	2831	3140	3130	2
4062	2822	2832	3141	3131	2
4063	2823	2833	3142	3132	2
4064	2824	2834	3143	3133	2
4065	2825	2835	3144	3134	2
4066	2826	2836	3145	3135	2
4067	2827	2837	3146	3136	2
4068	2828	2838	3147	3137	2
4069	2829	2839	3148	3138	2
4070	2830	2840	3149	3139	2
4071	2831	2841	3150	3140	2
4072	2832	2842	3151	3141	2
4073	2833	2843	3152	3142	2
4074	2834	2844	3153	3143	2
4075	2835	2845	3154	3144	2
4076	2836	2846	3155	3145	2
4077	2837	2847	3156	3146	2
4078	2838	2848	3157	3147	2
4079	2839	2849	3158	3148	2
4080	2840	2850	3159	3149	2
4081	2841	2851	3160	3150	2
4082	2842	2852	3161	3151	2
4083	2843	2853	3162	3152	2
4084	2844	2854	3163	3153	2
4085	2845	2855	3164	3154	2
4086	2846	2856	3165	3155	2
4087	2847	2857	3166	3156	2
4088	2848	2858	3167	3157	2
4089	2849	2859	3168	3158	2
4090	2850	2860	3169	3159	2
4091	2851	2861	3170	3160	2
4092	2852	2862	3171	3161	2
4093	2853	2863	3172	3162	2
4094	2854	2864	3173	3163	2
4095	2855	2865	3174	3164	2
4096	2856	2866	3175	3165	2
4097	2857	2867	3176	3166	2
4098	2858	2868	3177	3167	2
4099	2859	2869	3178	3168	2
4100	2860	2870	3179	3169	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4101	2861	2871	3180	3170	2
4102	2862	2872	3181	3171	2
4103	2863	2873	3182	3172	2
4104	2864	2874	3183	3173	2
4105	2865	2875	3184	3174	2
4106	2866	2876	3185	3175	2
4107	2867	2877	3186	3176	2
4108	2868	2878	3187	3177	2
4109	2869	2879	3188	3178	2
4110	2870	2880	3189	3179	2
4111	2871	2881	3190	3180	2
4112	2872	2882	3191	3181	2
4113	2873	2883	3192	3182	2
4114	2874	2884	3193	3183	2
4115	2875	2885	3194	3184	2
4116	2876	2886	3195	3185	2
4117	2877	2887	3196	3186	2
4118	2878	2888	3197	3187	2
4119	2879	2889	3198	3188	2
4120	2880	2890	3199	3189	2
4121	2881	2891	3200	3190	2
4122	2882	2892	3201	3191	2
4123	2883	2893	3202	3192	2
4124	2884	2894	3203	3193	2
4125	2885	2895	3204	3194	2
4126	2886	2896	3205	3195	2
4127	2887	2897	3206	3196	2
4128	2888	2898	3207	3197	2
4129	2889	2899	3208	3198	2
4130	2890	2900	3209	3199	2
4131	2891	2901	3210	3200	2
4132	2892	2902	3211	3201	2
4133	2893	2903	3212	3202	2
4134	2894	2904	3213	3203	2
4135	2895	2905	3214	3204	2
4136	2896	2906	3215	3205	2
4137	2897	2907	3216	3206	2
4138	2898	2908	3217	3207	2
4139	2899	2909	3218	3208	2
4140	2900	2910	3219	3209	2
4141	2901	2911	3220	3210	2
4142	2902	2912	3221	3211	2
4143	2903	2913	3222	3212	2
4144	2904	2914	3223	3213	2
4145	2905	2915	3224	3214	2
4146	2906	2916	3225	3215	2
4147	2907	2917	3226	3216	2
4148	2908	2918	3227	3217	2
4149	2909	2919	3228	3218	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4150	2910	2920	3229	3219	2
4151	2911	2921	3230	3220	2
4152	2912	2922	3231	3221	2
4153	2913	2923	3232	3222	2
4154	2914	2924	3233	3223	2
4155	2915	2925	3234	3224	2
4156	2916	2926	3235	3225	2
4157	2917	2927	3236	3226	2
4158	2918	2928	3237	3227	2
4159	2919	2929	3238	3228	2
4160	2920	2930	3239	3229	2
4161	2921	2931	3240	3230	2
4162	2922	2932	3241	3231	2
4163	2923	2933	3242	3232	2
4164	2924	2934	3243	3233	2
4165	2925	2935	3244	3234	2
4166	2926	2936	3245	3235	2
4167	2927	2937	3246	3236	2
4168	2928	2938	3247	3237	2
4169	2929	2939	3248	3238	2
4170	2930	2940	3249	3239	2
4171	2931	2941	3250	3240	2
4172	2932	2942	3251	3241	2
4173	2933	2943	3252	3242	2
4174	2934	2944	3253	3243	2
4175	2935	2945	3254	3244	2
4176	2936	2946	3255	3245	2
4177	2937	2947	3256	3246	2
4178	2938	2948	3257	3247	2
4179	2939	2949	3258	3248	2
4180	2940	2950	3259	3249	2
4181	2941	2951	3260	3250	2
4182	2942	2952	3261	3251	2
4183	2943	2953	3262	3252	2
4184	2944	2954	3263	3253	2
4185	2945	2955	3264	3254	2
4186	2946	2956	3265	3255	2
4187	2947	2957	3266	3256	2
4188	2948	2958	3267	3257	2
4189	2949	2959	3268	3258	2
4190	2950	2960	3269	3259	2
4191	2951	2961	3270	3260	2
4192	2952	2962	3271	3261	2
4193	2953	2963	3272	3262	2
4194	2954	2964	3273	3263	2
4195	2955	2965	3274	3264	2
4196	2956	2966	3275	3265	2
4197	2957	2967	3276	3266	2
4198	2958	2968	3277	3267	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4199	2959	2969	3278	3268	2
4200	2960	2970	3279	3269	2
4201	2961	2971	3280	3270	2
4202	2962	2972	3281	3271	2
4203	2963	2973	3282	3272	2
4204	2964	2974	3283	3273	2
4205	2965	2975	3284	3274	2
4206	2966	2976	3285	3275	2
4207	2967	2977	3286	3276	2
4208	2968	2978	3287	3277	2
4209	2969	2979	3288	3278	2
4210	2970	2980	3289	3279	2
4211	2971	2981	3290	3280	2
4212	2972	2982	3291	3281	2
4213	2973	2983	3292	3282	2
4214	2974	2984	3293	3283	2
4215	2975	2985	3294	3284	2
4216	2976	2986	3295	3285	2
4217	2977	2987	3296	3286	2
4218	2978	2988	3297	3287	2
4219	2979	2989	3298	3288	2
4220	2980	2990	3299	3289	2
4221	2981	2991	3300	3290	2
4222	2982	2995	3304	3291	2
4223	2983	3003	3312	3292	2
4224	2984	3011	3320	3293	2
4225	2985	3019	3328	3294	2
4226	2986	3027	3336	3295	2
4227	2987	3035	3344	3296	2
4228	2988	3043	3352	3297	2
4229	2989	3051	3360	3298	2
4230	2990	3059	3368	3299	2
4231	2991	3067	3376	3300	2
4232	2992	2993	3302	3301	3
4233	2993	2994	3303	3302	3
4234	2994	2995	3304	3303	3
4235	2995	2996	3305	3304	3
4236	2996	2997	3306	3305	3
4237	2997	2998	3307	3306	3
4238	2998	2999	3308	3307	3
4239	2999	3000	3309	3308	3
4240	3000	3001	3310	3309	3
4241	3001	3002	3311	3310	3
4242	3002	3003	3312	3311	3
4243	3003	3004	3313	3312	3
4244	3004	3005	3314	3313	3
4245	3005	3006	3315	3314	3
4246	3006	3007	3316	3315	3
4247	3007	3008	3317	3316	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4248	3008	3009	3318	3317	3
4249	3009	3010	3319	3318	3
4250	3010	3011	3320	3319	3
4251	3011	3012	3321	3320	3
4252	3012	3013	3322	3321	3
4253	3013	3014	3323	3322	3
4254	3014	3015	3324	3323	3
4255	3015	3016	3325	3324	3
4256	3016	3017	3326	3325	3
4257	3017	3018	3327	3326	3
4258	3018	3019	3328	3327	3
4259	3019	3020	3329	3328	3
4260	3020	3021	3330	3329	3
4261	3021	3022	3331	3330	3
4262	3022	3023	3332	3331	3
4263	3023	3024	3333	3332	3
4264	3024	3025	3334	3333	3
4265	3025	3026	3335	3334	3
4266	3026	3027	3336	3335	3
4267	3027	3028	3337	3336	3
4268	3028	3029	3338	3337	3
4269	3029	3030	3339	3338	3
4270	3030	3031	3340	3339	3
4271	3031	3032	3341	3340	3
4272	3032	3033	3342	3341	3
4273	3033	3034	3343	3342	3
4274	3034	3035	3344	3343	3
4275	3035	3036	3345	3344	3
4276	3036	3037	3346	3345	3
4277	3037	3038	3347	3346	3
4278	3038	3039	3348	3347	3
4279	3039	3040	3349	3348	3
4280	3040	3041	3350	3349	3
4281	3041	3042	3351	3350	3
4282	3042	3043	3352	3351	3
4283	3043	3044	3353	3352	3
4284	3044	3045	3354	3353	3
4285	3045	3046	3355	3354	3
4286	3046	3047	3356	3355	3
4287	3047	3048	3357	3356	3
4288	3048	3049	3358	3357	3
4289	3049	3050	3359	3358	3
4290	3050	3051	3360	3359	3
4291	3051	3052	3361	3360	3
4292	3052	3053	3362	3361	3
4293	3053	3054	3363	3362	3
4294	3054	3055	3364	3363	3
4295	3055	3056	3365	3364	3
4296	3056	3057	3366	3365	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4297	3057	3058	3367	3366	3
4298	3058	3059	3368	3367	3
4299	3059	3060	3369	3368	3
4300	3060	3061	3370	3369	3
4301	3061	3062	3371	3370	3
4302	3062	3063	3372	3371	3
4303	3063	3064	3373	3372	3
4304	3064	3065	3374	3373	3
4305	3065	3066	3375	3374	3
4306	3066	3067	3376	3375	3
4307	3067	3068	3377	3376	3
4308	3068	3069	3378	3377	3
4309	3069	3070	3379	3378	3
4310	2995	3071	3380	3304	2
4311	3003	3072	3381	3312	2
4312	3011	3073	3382	3320	2
4313	3019	3074	3383	3328	2
4314	3027	3075	3384	3336	2
4315	3035	3076	3385	3344	2
4316	3043	3077	3386	3352	2
4317	3051	3078	3387	3360	2
4318	3059	3079	3388	3368	2
4319	3067	3080	3389	3376	2
4320	3071	3081	3390	3380	2
4321	3072	3082	3391	3381	2
4322	3073	3083	3392	3382	2
4323	3074	3084	3393	3383	2
4324	3075	3085	3394	3384	2
4325	3076	3086	3395	3385	2
4326	3077	3087	3396	3386	2
4327	3078	3088	3397	3387	2
4328	3079	3089	3398	3388	2
4329	3080	3090	3399	3389	2
4330	3081	3091	3400	3390	2
4331	3082	3092	3401	3391	2
4332	3083	3093	3402	3392	2
4333	3084	3094	3403	3393	2
4334	3085	3095	3404	3394	2
4335	3086	3096	3405	3395	2
4336	3087	3097	3406	3396	2
4337	3088	3098	3407	3397	2
4338	3089	3099	3408	3398	2
4339	3090	3100	3409	3399	2
4340	3091	3101	3410	3400	2
4341	3092	3102	3411	3401	2
4342	3093	3103	3412	3402	2
4343	3094	3104	3413	3403	2
4344	3095	3105	3414	3404	2
4345	3096	3106	3415	3405	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4346	3097	3107	3416	3406	2
4347	3098	3108	3417	3407	2
4348	3099	3109	3418	3408	2
4349	3100	3110	3419	3409	2
4350	3400	3410	3699		2
4351	3401	3411	3700		2
4352	3402	3412	3701		2
4353	3403	3413	3702		2
4354	3404	3414	3703		2
4355	3405	3415	3704		2
4356	3406	3416	3705		2
4357	3407	3417	3706		2
4358	3408	3418	3707		2
4359	3409	3419	3708		2
4360	3121	3131	3430	3420	2
4361	3122	3132	3431	3421	2
4362	3123	3133	3432	3422	2
4363	3124	3134	3433	3423	2
4364	3125	3135	3434	3424	2
4365	3126	3136	3435	3425	2
4366	3127	3137	3436	3426	2
4367	3128	3138	3437	3427	2
4368	3129	3139	3438	3428	2
4369	3130	3140	3439	3429	2
4370	3131	3141	3440	3430	2
4371	3132	3142	3441	3431	2
4372	3133	3143	3442	3432	2
4373	3134	3144	3443	3433	2
4374	3135	3145	3444	3434	2
4375	3136	3146	3445	3435	2
4376	3137	3147	3446	3436	2
4377	3138	3148	3447	3437	2
4378	3139	3149	3448	3438	2
4379	3140	3150	3449	3439	2
4380	3141	3151	3450	3440	2
4381	3142	3152	3451	3441	2
4382	3143	3153	3452	3442	2
4383	3144	3154	3453	3443	2
4384	3145	3155	3454	3444	2
4385	3146	3156	3455	3445	2
4386	3147	3157	3456	3446	2
4387	3148	3158	3457	3447	2
4388	3149	3159	3458	3448	2
4389	3150	3160	3459	3449	2
4390	3151	3161	3460	3450	2
4391	3152	3162	3461	3451	2
4392	3153	3163	3462	3452	2
4393	3154	3164	3463	3453	2
4394	3155	3165	3464	3454	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4395	3156	3166	3465	3455	2
4396	3157	3167	3466	3456	2
4397	3158	3168	3467	3457	2
4398	3159	3169	3468	3458	2
4399	3160	3170	3469	3459	2
4400	3161	3171	3470	3460	2
4401	3162	3172	3471	3461	2
4402	3163	3173	3472	3462	2
4403	3164	3174	3473	3463	2
4404	3165	3175	3474	3464	2
4405	3166	3176	3475	3465	2
4406	3167	3177	3476	3466	2
4407	3168	3178	3477	3467	2
4408	3169	3179	3478	3468	2
4409	3170	3180	3479	3469	2
4410	3171	3181	3480	3470	2
4411	3172	3182	3481	3471	2
4412	3173	3183	3482	3472	2
4413	3174	3184	3483	3473	2
4414	3175	3185	3484	3474	2
4415	3176	3186	3485	3475	2
4416	3177	3187	3486	3476	2
4417	3178	3188	3487	3477	2
4418	3179	3189	3488	3478	2
4419	3180	3190	3489	3479	2
4420	3181	3191	3490	3480	2
4421	3182	3192	3491	3481	2
4422	3183	3193	3492	3482	2
4423	3184	3194	3493	3483	2
4424	3185	3195	3494	3484	2
4425	3186	3196	3495	3485	2
4426	3187	3197	3496	3486	2
4427	3188	3198	3497	3487	2
4428	3189	3199	3498	3488	2
4429	3190	3200	3499	3489	2
4430	3191	3201	3500	3490	2
4431	3192	3202	3501	3491	2
4432	3193	3203	3502	3492	2
4433	3194	3204	3503	3493	2
4434	3195	3205	3504	3494	2
4435	3196	3206	3505	3495	2
4436	3197	3207	3506	3496	2
4437	3198	3208	3507	3497	2
4438	3199	3209	3508	3498	2
4439	3200	3210	3509	3499	2
4440	3201	3211	3510	3500	2
4441	3202	3212	3511	3501	2
4442	3203	3213	3512	3502	2
4443	3204	3214	3513	3503	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4444	3205	3215	3514	3504	2
4445	3206	3216	3515	3505	2
4446	3207	3217	3516	3506	2
4447	3208	3218	3517	3507	2
4448	3209	3219	3518	3508	2
4449	3210	3220	3519	3509	2
4450	3211	3221	3520	3510	2
4451	3212	3222	3521	3511	2
4452	3213	3223	3522	3512	2
4453	3214	3224	3523	3513	2
4454	3215	3225	3524	3514	2
4455	3216	3226	3525	3515	2
4456	3217	3227	3526	3516	2
4457	3218	3228	3527	3517	2
4458	3219	3229	3528	3518	2
4459	3220	3230	3529	3519	2
4460	3221	3231	3530	3520	2
4461	3222	3232	3531	3521	2
4462	3223	3233	3532	3522	2
4463	3224	3234	3533	3523	2
4464	3225	3235	3534	3524	2
4465	3226	3236	3535	3525	2
4466	3227	3237	3536	3526	2
4467	3228	3238	3537	3527	2
4468	3229	3239	3538	3528	2
4469	3230	3240	3539	3529	2
4470	3231	3241	3540	3530	2
4471	3232	3242	3541	3531	2
4472	3233	3243	3542	3532	2
4473	3234	3244	3543	3533	2
4474	3235	3245	3544	3534	2
4475	3236	3246	3545	3535	2
4476	3237	3247	3546	3536	2
4477	3238	3248	3547	3537	2
4478	3239	3249	3548	3538	2
4479	3240	3250	3549	3539	2
4480	3241	3251	3550	3540	2
4481	3242	3252	3551	3541	2
4482	3243	3253	3552	3542	2
4483	3244	3254	3553	3543	2
4484	3245	3255	3554	3544	2
4485	3246	3256	3555	3545	2
4486	3247	3257	3556	3546	2
4487	3248	3258	3557	3547	2
4488	3249	3259	3558	3548	2
4489	3250	3260	3559	3549	2
4490	3251	3261	3560	3550	2
4491	3252	3262	3561	3551	2
4492	3253	3263	3562	3552	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4493	3254	3264	3563	3553	2
4494	3255	3265	3564	3554	2
4495	3256	3266	3565	3555	2
4496	3257	3267	3566	3556	2
4497	3258	3268	3567	3557	2
4498	3259	3269	3568	3558	2
4499	3260	3270	3569	3559	2
4500	3261	3271	3570	3560	2
4501	3262	3272	3571	3561	2
4502	3263	3273	3572	3562	2
4503	3264	3274	3573	3563	2
4504	3265	3275	3574	3564	2
4505	3266	3276	3575	3565	2
4506	3267	3277	3576	3566	2
4507	3268	3278	3577	3567	2
4508	3269	3279	3578	3568	2
4509	3270	3280	3579	3569	2
4510	3271	3281	3580	3570	2
4511	3272	3282	3581	3571	2
4512	3273	3283	3582	3572	2
4513	3274	3284	3583	3573	2
4514	3275	3285	3584	3574	2
4515	3276	3286	3585	3575	2
4516	3277	3287	3586	3576	2
4517	3278	3288	3587	3577	2
4518	3279	3289	3588	3578	2
4519	3280	3290	3589	3579	2
4520	3281	3291	3590	3580	2
4521	3282	3292	3591	3581	2
4522	3283	3293	3592	3582	2
4523	3284	3294	3593	3583	2
4524	3285	3295	3594	3584	2
4525	3286	3296	3595	3585	2
4526	3287	3297	3596	3586	2
4527	3288	3298	3597	3587	2
4528	3289	3299	3598	3588	2
4529	3290	3300	3599	3589	2
4530	3291	3304	3603	3590	2
4531	3292	3312	3611	3591	2
4532	3293	3320	3619	3592	2
4533	3294	3328	3627	3593	2
4534	3295	3336	3635	3594	2
4535	3296	3344	3643	3595	2
4536	3297	3352	3651	3596	2
4537	3298	3360	3659	3597	2
4538	3299	3368	3667	3598	2
4539	3300	3376	3675	3599	2
4540	3301	3302	3601	3600	3
4541	3302	3303	3602	3601	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4542	3303	3304	3603	3602	3
4543	3304	3305	3604	3603	3
4544	3305	3306	3605	3604	3
4545	3306	3307	3606	3605	3
4546	3307	3308	3607	3606	3
4547	3308	3309	3608	3607	3
4548	3309	3310	3609	3608	3
4549	3310	3311	3610	3609	3
4550	3311	3312	3611	3610	3
4551	3312	3313	3612	3611	3
4552	3313	3314	3613	3612	3
4553	3314	3315	3614	3613	3
4554	3315	3316	3615	3614	3
4555	3316	3317	3616	3615	3
4556	3317	3318	3617	3616	3
4557	3318	3319	3618	3617	3
4558	3319	3320	3619	3618	3
4559	3320	3321	3620	3619	3
4560	3321	3322	3621	3620	3
4561	3322	3323	3622	3621	3
4562	3323	3324	3623	3622	3
4563	3324	3325	3624	3623	3
4564	3325	3326	3625	3624	3
4565	3326	3327	3626	3625	3
4566	3327	3328	3627	3626	3
4567	3328	3329	3628	3627	3
4568	3329	3330	3629	3628	3
4569	3330	3331	3630	3629	3
4570	3331	3332	3631	3630	3
4571	3332	3333	3632	3631	3
4572	3333	3334	3633	3632	3
4573	3334	3335	3634	3633	3
4574	3335	3336	3635	3634	3
4575	3336	3337	3636	3635	3
4576	3337	3338	3637	3636	3
4577	3338	3339	3638	3637	3
4578	3339	3340	3639	3638	3
4579	3340	3341	3640	3639	3
4580	3341	3342	3641	3640	3
4581	3342	3343	3642	3641	3
4582	3343	3344	3643	3642	3
4583	3344	3345	3644	3643	3
4584	3345	3346	3645	3644	3
4585	3346	3347	3646	3645	3
4586	3347	3348	3647	3646	3
4587	3348	3349	3648	3647	3
4588	3349	3350	3649	3648	3
4589	3350	3351	3650	3649	3
4590	3351	3352	3651	3650	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4591	3352	3353	3652	3651	3
4592	3353	3354	3653	3652	3
4593	3354	3355	3654	3653	3
4594	3355	3356	3655	3654	3
4595	3356	3357	3656	3655	3
4596	3357	3358	3657	3656	3
4597	3358	3359	3658	3657	3
4598	3359	3360	3659	3658	3
4599	3360	3361	3660	3659	3
4600	3361	3362	3661	3660	3
4601	3362	3363	3662	3661	3
4602	3363	3364	3663	3662	3
4603	3364	3365	3664	3663	3
4604	3365	3366	3665	3664	3
4605	3366	3367	3666	3665	3
4606	3367	3368	3667	3666	3
4607	3368	3369	3668	3667	3
4608	3369	3370	3669	3668	3
4609	3370	3371	3670	3669	3
4610	3371	3372	3671	3670	3
4611	3372	3373	3672	3671	3
4612	3373	3374	3673	3672	3
4613	3374	3375	3674	3673	3
4614	3375	3376	3675	3674	3
4615	3376	3377	3676	3675	3
4616	3377	3378	3677	3676	3
4617	3378	3379	3678	3677	3
4618	3304	3380	3679	3603	2
4619	3312	3381	3680	3611	2
4620	3320	3382	3681	3619	2
4621	3328	3383	3682	3627	2
4622	3336	3384	3683	3635	2
4623	3344	3385	3684	3643	2
4624	3352	3386	3685	3651	2
4625	3360	3387	3686	3659	2
4626	3368	3388	3687	3667	2
4627	3376	3389	3688	3675	2
4628	3380	3390	3689	3679	2
4629	3381	3391	3690	3680	2
4630	3382	3392	3691	3681	2
4631	3383	3393	3692	3682	2
4632	3384	3394	3693	3683	2
4633	3385	3395	3694	3684	2
4634	3386	3396	3695	3685	2
4635	3387	3397	3696	3686	2
4636	3388	3398	3697	3687	2
4637	3389	3399	3698	3688	2
4638	3390	3400	3699	3689	2
4639	3391	3401	3700	3690	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4640	3392	3402	3701	3691	2
4641	3393	3403	3702	3692	2
4642	3394	3404	3703	3693	2
4643	3395	3405	3704	3694	2
4644	3396	3406	3705	3695	2
4645	3397	3407	3706	3696	2
4646	3398	3408	3707	3697	2
4647	3399	3409	3708	3698	2
4648	3420	3430	3709		2
4649	3421	3431	3710		2
4650	3422	3432	3711		2
4651	3423	3433	3712		2
4652	3424	3434	3713		2
4653	3425	3435	3714		2
4654	3426	3436	3715		2
4655	3427	3437	3716		2
4656	3428	3438	3717		2
4657	3429	3439	3718		2
4658	3689	3699	3968		2
4659	3690	3700	3969		2
4660	3691	3701	3970		2
4661	3692	3702	3971		2
4662	3693	3703	3972		2
4663	3694	3704	3973		2
4664	3695	3705	3974		2
4665	3696	3706	3975		2
4666	3697	3707	3976		2
4667	3698	3708	3977		2
4668	3430	3440	3719	3709	2
4669	3431	3441	3720	3710	2
4670	3432	3442	3721	3711	2
4671	3433	3443	3722	3712	2
4672	3434	3444	3723	3713	2
4673	3435	3445	3724	3714	2
4674	3436	3446	3725	3715	2
4675	3437	3447	3726	3716	2
4676	3438	3448	3727	3717	2
4677	3439	3449	3728	3718	2
4678	3440	3450	3729	3719	2
4679	3441	3451	3730	3720	2
4680	3442	3452	3731	3721	2
4681	3443	3453	3732	3722	2
4682	3444	3454	3733	3723	2
4683	3445	3455	3734	3724	2
4684	3446	3456	3735	3725	2
4685	3447	3457	3736	3726	2
4686	3448	3458	3737	3727	2
4687	3449	3459	3738	3728	2
4688	3450	3460	3739	3729	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4689	3451	3461	3740	3730	2
4690	3452	3462	3741	3731	2
4691	3453	3463	3742	3732	2
4692	3454	3464	3743	3733	2
4693	3455	3465	3744	3734	2
4694	3456	3466	3745	3735	2
4695	3457	3467	3746	3736	2
4696	3458	3468	3747	3737	2
4697	3459	3469	3748	3738	2
4698	3460	3470	3749	3739	2
4699	3461	3471	3750	3740	2
4700	3462	3472	3751	3741	2
4701	3463	3473	3752	3742	2
4702	3464	3474	3753	3743	2
4703	3465	3475	3754	3744	2
4704	3466	3476	3755	3745	2
4705	3467	3477	3756	3746	2
4706	3468	3478	3757	3747	2
4707	3469	3479	3758	3748	2
4708	3470	3480	3759	3749	2
4709	3471	3481	3760	3750	2
4710	3472	3482	3761	3751	2
4711	3473	3483	3762	3752	2
4712	3474	3484	3763	3753	2
4713	3475	3485	3764	3754	2
4714	3476	3486	3765	3755	2
4715	3477	3487	3766	3756	2
4716	3478	3488	3767	3757	2
4717	3479	3489	3768	3758	2
4718	3480	3490	3769	3759	2
4719	3481	3491	3770	3760	2
4720	3482	3492	3771	3761	2
4721	3483	3493	3772	3762	2
4722	3484	3494	3773	3763	2
4723	3485	3495	3774	3764	2
4724	3486	3496	3775	3765	2
4725	3487	3497	3776	3766	2
4726	3488	3498	3777	3767	2
4727	3489	3499	3778	3768	2
4728	3490	3500	3779	3769	2
4729	3491	3501	3780	3770	2
4730	3492	3502	3781	3771	2
4731	3493	3503	3782	3772	2
4732	3494	3504	3783	3773	2
4733	3495	3505	3784	3774	2
4734	3496	3506	3785	3775	2
4735	3497	3507	3786	3776	2
4736	3498	3508	3787	3777	2
4737	3499	3509	3788	3778	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4738	3500	3510	3789	3779	2
4739	3501	3511	3790	3780	2
4740	3502	3512	3791	3781	2
4741	3503	3513	3792	3782	2
4742	3504	3514	3793	3783	2
4743	3505	3515	3794	3784	2
4744	3506	3516	3795	3785	2
4745	3507	3517	3796	3786	2
4746	3508	3518	3797	3787	2
4747	3509	3519	3798	3788	2
4748	3510	3520	3799	3789	2
4749	3511	3521	3800	3790	2
4750	3512	3522	3801	3791	2
4751	3513	3523	3802	3792	2
4752	3514	3524	3803	3793	2
4753	3515	3525	3804	3794	2
4754	3516	3526	3805	3795	2
4755	3517	3527	3806	3796	2
4756	3518	3528	3807	3797	2
4757	3519	3529	3808	3798	2
4758	3520	3530	3809	3799	2
4759	3521	3531	3810	3800	2
4760	3522	3532	3811	3801	2
4761	3523	3533	3812	3802	2
4762	3524	3534	3813	3803	2
4763	3525	3535	3814	3804	2
4764	3526	3536	3815	3805	2
4765	3527	3537	3816	3806	2
4766	3528	3538	3817	3807	2
4767	3529	3539	3818	3808	2
4768	3530	3540	3819	3809	2
4769	3531	3541	3820	3810	2
4770	3532	3542	3821	3811	2
4771	3533	3543	3822	3812	2
4772	3534	3544	3823	3813	2
4773	3535	3545	3824	3814	2
4774	3536	3546	3825	3815	2
4775	3537	3547	3826	3816	2
4776	3538	3548	3827	3817	2
4777	3539	3549	3828	3818	2
4778	3540	3550	3829	3819	2
4779	3541	3551	3830	3820	2
4780	3542	3552	3831	3821	2
4781	3543	3553	3832	3822	2
4782	3544	3554	3833	3823	2
4783	3545	3555	3834	3824	2
4784	3546	3556	3835	3825	2
4785	3547	3557	3836	3826	2
4786	3548	3558	3837	3827	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4787	3549	3559	3838	3828	2
4788	3550	3560	3839	3829	2
4789	3551	3561	3840	3830	2
4790	3552	3562	3841	3831	2
4791	3553	3563	3842	3832	2
4792	3554	3564	3843	3833	2
4793	3555	3565	3844	3834	2
4794	3556	3566	3845	3835	2
4795	3557	3567	3846	3836	2
4796	3558	3568	3847	3837	2
4797	3559	3569	3848	3838	2
4798	3560	3570	3849	3839	2
4799	3561	3571	3850	3840	2
4800	3562	3572	3851	3841	2
4801	3563	3573	3852	3842	2
4802	3564	3574	3853	3843	2
4803	3565	3575	3854	3844	2
4804	3566	3576	3855	3845	2
4805	3567	3577	3856	3846	2
4806	3568	3578	3857	3847	2
4807	3569	3579	3858	3848	2
4808	3570	3580	3859	3849	2
4809	3571	3581	3860	3850	2
4810	3572	3582	3861	3851	2
4811	3573	3583	3862	3852	2
4812	3574	3584	3863	3853	2
4813	3575	3585	3864	3854	2
4814	3576	3586	3865	3855	2
4815	3577	3587	3866	3856	2
4816	3578	3588	3867	3857	2
4817	3579	3589	3868	3858	2
4818	3580	3590	3869	3859	2
4819	3581	3591	3870	3860	2
4820	3582	3592	3871	3861	2
4821	3583	3593	3872	3862	2
4822	3584	3594	3873	3863	2
4823	3585	3595	3874	3864	2
4824	3586	3596	3875	3865	2
4825	3587	3597	3876	3866	2
4826	3588	3598	3877	3867	2
4827	3589	3599	3878	3868	2
4828	3590	3603	3882	3869	2
4829	3591	3611	3890	3870	2
4830	3592	3619	3898	3871	2
4831	3593	3627	3906	3872	2
4832	3594	3635	3914	3873	2
4833	3595	3643	3922	3874	2
4834	3596	3651	3930	3875	2
4835	3597	3659	3938	3876	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4836	3598	3667	3946	3877	2
4837	3599	3675	3954	3878	2
4838	3600	3601	3880	3879	3
4839	3601	3602	3881	3880	3
4840	3602	3603	3882	3881	3
4841	3603	3604	3883	3882	3
4842	3604	3605	3884	3883	3
4843	3605	3606	3885	3884	3
4844	3606	3607	3886	3885	3
4845	3607	3608	3887	3886	3
4846	3608	3609	3888	3887	3
4847	3609	3610	3889	3888	3
4848	3610	3611	3890	3889	3
4849	3611	3612	3891	3890	3
4850	3612	3613	3892	3891	3
4851	3613	3614	3893	3892	3
4852	3614	3615	3894	3893	3
4853	3615	3616	3895	3894	3
4854	3616	3617	3896	3895	3
4855	3617	3618	3897	3896	3
4856	3618	3619	3898	3897	3
4857	3619	3620	3899	3898	3
4858	3620	3621	3900	3899	3
4859	3621	3622	3901	3900	3
4860	3622	3623	3902	3901	3
4861	3623	3624	3903	3902	3
4862	3624	3625	3904	3903	3
4863	3625	3626	3905	3904	3
4864	3626	3627	3906	3905	3
4865	3627	3628	3907	3906	3
4866	3628	3629	3908	3907	3
4867	3629	3630	3909	3908	3
4868	3630	3631	3910	3909	3
4869	3631	3632	3911	3910	3
4870	3632	3633	3912	3911	3
4871	3633	3634	3913	3912	3
4872	3634	3635	3914	3913	3
4873	3635	3636	3915	3914	3
4874	3636	3637	3916	3915	3
4875	3637	3638	3917	3916	3
4876	3638	3639	3918	3917	3
4877	3639	3640	3919	3918	3
4878	3640	3641	3920	3919	3
4879	3641	3642	3921	3920	3
4880	3642	3643	3922	3921	3
4881	3643	3644	3923	3922	3
4882	3644	3645	3924	3923	3
4883	3645	3646	3925	3924	3
4884	3646	3647	3926	3925	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4885	3647	3648	3927	3926	3
4886	3648	3649	3928	3927	3
4887	3649	3650	3929	3928	3
4888	3650	3651	3930	3929	3
4889	3651	3652	3931	3930	3
4890	3652	3653	3932	3931	3
4891	3653	3654	3933	3932	3
4892	3654	3655	3934	3933	3
4893	3655	3656	3935	3934	3
4894	3656	3657	3936	3935	3
4895	3657	3658	3937	3936	3
4896	3658	3659	3938	3937	3
4897	3659	3660	3939	3938	3
4898	3660	3661	3940	3939	3
4899	3661	3662	3941	3940	3
4900	3662	3663	3942	3941	3
4901	3663	3664	3943	3942	3
4902	3664	3665	3944	3943	3
4903	3665	3666	3945	3944	3
4904	3666	3667	3946	3945	3
4905	3667	3668	3947	3946	3
4906	3668	3669	3948	3947	3
4907	3669	3670	3949	3948	3
4908	3670	3671	3950	3949	3
4909	3671	3672	3951	3950	3
4910	3672	3673	3952	3951	3
4911	3673	3674	3953	3952	3
4912	3674	3675	3954	3953	3
4913	3675	3676	3955	3954	3
4914	3676	3677	3956	3955	3
4915	3677	3678	3957	3956	3
4916	3603	3679	3958	3882	2
4917	3611	3680	3959	3890	2
4918	3619	3681	3960	3898	2
4919	3627	3682	3961	3906	2
4920	3635	3683	3962	3914	2
4921	3643	3684	3963	3922	2
4922	3651	3685	3964	3930	2
4923	3659	3686	3965	3938	2
4924	3667	3687	3966	3946	2
4925	3675	3688	3967	3954	2
4926	3679	3689	3968	3958	2
4927	3680	3690	3969	3959	2
4928	3681	3691	3970	3960	2
4929	3682	3692	3971	3961	2
4930	3683	3693	3972	3962	2
4931	3684	3694	3973	3963	2
4932	3685	3695	3974	3964	2
4933	3686	3696	3975	3965	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4934	3687	3697	3976	3966	2
4935	3688	3698	3977	3967	2
4936	3958	3968	4227		2
4937	3959	3969	4228		2
4938	3960	3970	4229		2
4939	3961	3971	4230		2
4940	3962	3972	4231		2
4941	3963	3973	4232		2
4942	3964	3974	4233		2
4943	3965	3975	4234		2
4944	3966	3976	4235		2
4945	3967	3977	4236		2
4946	3709	3719	3988	3978	2
4947	3710	3720	3989	3979	2
4948	3711	3721	3990	3980	2
4949	3712	3722	3991	3981	2
4950	3713	3723	3992	3982	2
4951	3714	3724	3993	3983	2
4952	3715	3725	3994	3984	2
4953	3716	3726	3995	3985	2
4954	3717	3727	3996	3986	2
4955	3718	3728	3997	3987	2
4956	3719	3729	3998	3988	2
4957	3720	3730	3999	3989	2
4958	3721	3731	4000	3990	2
4959	3722	3732	4001	3991	2
4960	3723	3733	4002	3992	2
4961	3724	3734	4003	3993	2
4962	3725	3735	4004	3994	2
4963	3726	3736	4005	3995	2
4964	3727	3737	4006	3996	2
4965	3728	3738	4007	3997	2
4966	3729	3739	4008	3998	2
4967	3730	3740	4009	3999	2
4968	3731	3741	4010	4000	2
4969	3732	3742	4011	4001	2
4970	3733	3743	4012	4002	2
4971	3734	3744	4013	4003	2
4972	3735	3745	4014	4004	2
4973	3736	3746	4015	4005	2
4974	3737	3747	4016	4006	2
4975	3738	3748	4017	4007	2
4976	3739	3749	4018	4008	2
4977	3740	3750	4019	4009	2
4978	3741	3751	4020	4010	2
4979	3742	3752	4021	4011	2
4980	3743	3753	4022	4012	2
4981	3744	3754	4023	4013	2
4982	3745	3755	4024	4014	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4983	3746	3756	4025	4015	2
4984	3747	3757	4026	4016	2
4985	3748	3758	4027	4017	2
4986	3749	3759	4028	4018	2
4987	3750	3760	4029	4019	2
4988	3751	3761	4030	4020	2
4989	3752	3762	4031	4021	2
4990	3753	3763	4032	4022	2
4991	3754	3764	4033	4023	2
4992	3755	3765	4034	4024	2
4993	3756	3766	4035	4025	2
4994	3757	3767	4036	4026	2
4995	3758	3768	4037	4027	2
4996	3759	3769	4038	4028	2
4997	3760	3770	4039	4029	2
4998	3761	3771	4040	4030	2
4999	3762	3772	4041	4031	2
5000	3763	3773	4042	4032	2
5001	3764	3774	4043	4033	2
5002	3765	3775	4044	4034	2
5003	3766	3776	4045	4035	2
5004	3767	3777	4046	4036	2
5005	3768	3778	4047	4037	2
5006	3769	3779	4048	4038	2
5007	3770	3780	4049	4039	2
5008	3771	3781	4050	4040	2
5009	3772	3782	4051	4041	2
5010	3773	3783	4052	4042	2
5011	3774	3784	4053	4043	2
5012	3775	3785	4054	4044	2
5013	3776	3786	4055	4045	2
5014	3777	3787	4056	4046	2
5015	3778	3788	4057	4047	2
5016	3779	3789	4058	4048	2
5017	3780	3790	4059	4049	2
5018	3781	3791	4060	4050	2
5019	3782	3792	4061	4051	2
5020	3783	3793	4062	4052	2
5021	3784	3794	4063	4053	2
5022	3785	3795	4064	4054	2
5023	3786	3796	4065	4055	2
5024	3787	3797	4066	4056	2
5025	3788	3798	4067	4057	2
5026	3789	3799	4068	4058	2
5027	3790	3800	4069	4059	2
5028	3791	3801	4070	4060	2
5029	3792	3802	4071	4061	2
5030	3793	3803	4072	4062	2
5031	3794	3804	4073	4063	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5032	3795	3805	4074	4064	2
5033	3796	3806	4075	4065	2
5034	3797	3807	4076	4066	2
5035	3798	3808	4077	4067	2
5036	3799	3809	4078	4068	2
5037	3800	3810	4079	4069	2
5038	3801	3811	4080	4070	2
5039	3802	3812	4081	4071	2
5040	3803	3813	4082	4072	2
5041	3804	3814	4083	4073	2
5042	3805	3815	4084	4074	2
5043	3806	3816	4085	4075	2
5044	3807	3817	4086	4076	2
5045	3808	3818	4087	4077	2
5046	3809	3819	4088	4078	2
5047	3810	3820	4089	4079	2
5048	3811	3821	4090	4080	2
5049	3812	3822	4091	4081	2
5050	3813	3823	4092	4082	2
5051	3814	3824	4093	4083	2
5052	3815	3825	4094	4084	2
5053	3816	3826	4095	4085	2
5054	3817	3827	4096	4086	2
5055	3818	3828	4097	4087	2
5056	3819	3829	4098	4088	2
5057	3820	3830	4099	4089	2
5058	3821	3831	4100	4090	2
5059	3822	3832	4101	4091	2
5060	3823	3833	4102	4092	2
5061	3824	3834	4103	4093	2
5062	3825	3835	4104	4094	2
5063	3826	3836	4105	4095	2
5064	3827	3837	4106	4096	2
5065	3828	3838	4107	4097	2
5066	3829	3839	4108	4098	2
5067	3830	3840	4109	4099	2
5068	3831	3841	4110	4100	2
5069	3832	3842	4111	4101	2
5070	3833	3843	4112	4102	2
5071	3834	3844	4113	4103	2
5072	3835	3845	4114	4104	2
5073	3836	3846	4115	4105	2
5074	3837	3847	4116	4106	2
5075	3838	3848	4117	4107	2
5076	3839	3849	4118	4108	2
5077	3840	3850	4119	4109	2
5078	3841	3851	4120	4110	2
5079	3842	3852	4121	4111	2
5080	3843	3853	4122	4112	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5081	3844	3854	4123	4113	2
5082	3845	3855	4124	4114	2
5083	3846	3856	4125	4115	2
5084	3847	3857	4126	4116	2
5085	3848	3858	4127	4117	2
5086	3849	3859	4128	4118	2
5087	3850	3860	4129	4119	2
5088	3851	3861	4130	4120	2
5089	3852	3862	4131	4121	2
5090	3853	3863	4132	4122	2
5091	3854	3864	4133	4123	2
5092	3855	3865	4134	4124	2
5093	3856	3866	4135	4125	2
5094	3857	3867	4136	4126	2
5095	3858	3868	4137	4127	2
5096	3859	3869	4138	4128	2
5097	3860	3870	4139	4129	2
5098	3861	3871	4140	4130	2
5099	3862	3872	4141	4131	2
5100	3863	3873	4142	4132	2
5101	3864	3874	4143	4133	2
5102	3865	3875	4144	4134	2
5103	3866	3876	4145	4135	2
5104	3867	3877	4146	4136	2
5105	3868	3878	4147	4137	2
5106	3869	3882	4151	4138	2
5107	3870	3890	4159	4139	2
5108	3871	3898	4167	4140	2
5109	3872	3906	4175	4141	2
5110	3873	3914	4183	4142	2
5111	3874	3922	4191	4143	2
5112	3875	3930	4199	4144	2
5113	3876	3938	4207	4145	2
5114	3877	3946	4215	4146	2
5115	3878	3954	4223	4147	2
5116	3879	3880	4149	4148	3
5117	3880	3881	4150	4149	3
5118	3881	3882	4151	4150	3
5119	3882	3883	4152	4151	3
5120	3883	3884	4153	4152	3
5121	3884	3885	4154	4153	3
5122	3885	3886	4155	4154	3
5123	3886	3887	4156	4155	3
5124	3887	3888	4157	4156	3
5125	3888	3889	4158	4157	3
5126	3889	3890	4159	4158	3
5127	3890	3891	4160	4159	3
5128	3891	3892	4161	4160	3
5129	3892	3893	4162	4161	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5130	3893	3894	4163	4162	3
5131	3894	3895	4164	4163	3
5132	3895	3896	4165	4164	3
5133	3896	3897	4166	4165	3
5134	3897	3898	4167	4166	3
5135	3898	3899	4168	4167	3
5136	3899	3900	4169	4168	3
5137	3900	3901	4170	4169	3
5138	3901	3902	4171	4170	3
5139	3902	3903	4172	4171	3
5140	3903	3904	4173	4172	3
5141	3904	3905	4174	4173	3
5142	3905	3906	4175	4174	3
5143	3906	3907	4176	4175	3
5144	3907	3908	4177	4176	3
5145	3908	3909	4178	4177	3
5146	3909	3910	4179	4178	3
5147	3910	3911	4180	4179	3
5148	3911	3912	4181	4180	3
5149	3912	3913	4182	4181	3
5150	3913	3914	4183	4182	3
5151	3914	3915	4184	4183	3
5152	3915	3916	4185	4184	3
5153	3916	3917	4186	4185	3
5154	3917	3918	4187	4186	3
5155	3918	3919	4188	4187	3
5156	3919	3920	4189	4188	3
5157	3920	3921	4190	4189	3
5158	3921	3922	4191	4190	3
5159	3922	3923	4192	4191	3
5160	3923	3924	4193	4192	3
5161	3924	3925	4194	4193	3
5162	3925	3926	4195	4194	3
5163	3926	3927	4196	4195	3
5164	3927	3928	4197	4196	3
5165	3928	3929	4198	4197	3
5166	3929	3930	4199	4198	3
5167	3930	3931	4200	4199	3
5168	3931	3932	4201	4200	3
5169	3932	3933	4202	4201	3
5170	3933	3934	4203	4202	3
5171	3934	3935	4204	4203	3
5172	3935	3936	4205	4204	3
5173	3936	3937	4206	4205	3
5174	3937	3938	4207	4206	3
5175	3938	3939	4208	4207	3
5176	3939	3940	4209	4208	3
5177	3940	3941	4210	4209	3
5178	3941	3942	4211	4210	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5179	3942	3943	4212	4211	3
5180	3943	3944	4213	4212	3
5181	3944	3945	4214	4213	3
5182	3945	3946	4215	4214	3
5183	3946	3947	4216	4215	3
5184	3947	3948	4217	4216	3
5185	3948	3949	4218	4217	3
5186	3949	3950	4219	4218	3
5187	3950	3951	4220	4219	3
5188	3951	3952	4221	4220	3
5189	3952	3953	4222	4221	3
5190	3953	3954	4223	4222	3
5191	3954	3955	4224	4223	3
5192	3955	3956	4225	4224	3
5193	3956	3957	4226	4225	3
5194	3882	3958	4227	4151	2
5195	3890	3959	4228	4159	2
5196	3898	3960	4229	4167	2
5197	3906	3961	4230	4175	2
5198	3914	3962	4231	4183	2
5199	3922	3963	4232	4191	2
5200	3930	3964	4233	4199	2
5201	3938	3965	4234	4207	2
5202	3946	3966	4235	4215	2
5203	3954	3967	4236	4223	2
5204	3978	3988	4237		2
5205	3979	3989	4238		2
5206	3980	3990	4239		2
5207	3981	3991	4240		2
5208	3982	3992	4241		2
5209	3983	3993	4242		2
5210	3984	3994	4243		2
5211	3985	3995	4244		2
5212	3986	3996	4245		2
5213	3987	3997	4246		2
5214	3988	3998	4247	4237	2
5215	3989	3999	4248	4238	2
5216	3990	4000	4249	4239	2
5217	3991	4001	4250	4240	2
5218	3992	4002	4251	4241	2
5219	3993	4003	4252	4242	2
5220	3994	4004	4253	4243	2
5221	3995	4005	4254	4244	2
5222	3996	4006	4255	4245	2
5223	3997	4007	4256	4246	2
5224	3998	4008	4257	4247	2
5225	3999	4009	4258	4248	2
5226	4000	4010	4259	4249	2
5227	4001	4011	4260	4250	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5228	4002	4012	4261	4251	2
5229	4003	4013	4262	4252	2
5230	4004	4014	4263	4253	2
5231	4005	4015	4264	4254	2
5232	4006	4016	4265	4255	2
5233	4007	4017	4266	4256	2
5234	4008	4018	4267	4257	2
5235	4009	4019	4268	4258	2
5236	4010	4020	4269	4259	2
5237	4011	4021	4270	4260	2
5238	4012	4022	4271	4261	2
5239	4013	4023	4272	4262	2
5240	4014	4024	4273	4263	2
5241	4015	4025	4274	4264	2
5242	4016	4026	4275	4265	2
5243	4017	4027	4276	4266	2
5244	4018	4028	4277	4267	2
5245	4019	4029	4278	4268	2
5246	4020	4030	4279	4269	2
5247	4021	4031	4280	4270	2
5248	4022	4032	4281	4271	2
5249	4023	4033	4282	4272	2
5250	4024	4034	4283	4273	2
5251	4025	4035	4284	4274	2
5252	4026	4036	4285	4275	2
5253	4027	4037	4286	4276	2
5254	4028	4038	4287	4277	2
5255	4029	4039	4288	4278	2
5256	4030	4040	4289	4279	2
5257	4031	4041	4290	4280	2
5258	4032	4042	4291	4281	2
5259	4033	4043	4292	4282	2
5260	4034	4044	4293	4283	2
5261	4035	4045	4294	4284	2
5262	4036	4046	4295	4285	2
5263	4037	4047	4296	4286	2
5264	4038	4048	4297	4287	2
5265	4039	4049	4298	4288	2
5266	4040	4050	4299	4289	2
5267	4041	4051	4300	4290	2
5268	4042	4052	4301	4291	2
5269	4043	4053	4302	4292	2
5270	4044	4054	4303	4293	2
5271	4045	4055	4304	4294	2
5272	4046	4056	4305	4295	2
5273	4047	4057	4306	4296	2
5274	4048	4058	4307	4297	2
5275	4049	4059	4308	4298	2
5276	4050	4060	4309	4299	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5277	4051	4061	4310	4300	2
5278	4052	4062	4311	4301	2
5279	4053	4063	4312	4302	2
5280	4054	4064	4313	4303	2
5281	4055	4065	4314	4304	2
5282	4056	4066	4315	4305	2
5283	4057	4067	4316	4306	2
5284	4058	4068	4317	4307	2
5285	4059	4069	4318	4308	2
5286	4060	4070	4319	4309	2
5287	4061	4071	4320	4310	2
5288	4062	4072	4321	4311	2
5289	4063	4073	4322	4312	2
5290	4064	4074	4323	4313	2
5291	4065	4075	4324	4314	2
5292	4066	4076	4325	4315	2
5293	4067	4077	4326	4316	2
5294	4068	4078	4327	4317	2
5295	4069	4079	4328	4318	2
5296	4070	4080	4329	4319	2
5297	4071	4081	4330	4320	2
5298	4072	4082	4331	4321	2
5299	4073	4083	4332	4322	2
5300	4074	4084	4333	4323	2
5301	4075	4085	4334	4324	2
5302	4076	4086	4335	4325	2
5303	4077	4087	4336	4326	2
5304	4078	4088	4337	4327	2
5305	4079	4089	4338	4328	2
5306	4080	4090	4339	4329	2
5307	4081	4091	4340	4330	2
5308	4082	4092	4341	4331	2
5309	4083	4093	4342	4332	2
5310	4084	4094	4343	4333	2
5311	4085	4095	4344	4334	2
5312	4086	4096	4345	4335	2
5313	4087	4097	4346	4336	2
5314	4088	4098	4347	4337	2
5315	4089	4099	4348	4338	2
5316	4090	4100	4349	4339	2
5317	4091	4101	4350	4340	2
5318	4092	4102	4351	4341	2
5319	4093	4103	4352	4342	2
5320	4094	4104	4353	4343	2
5321	4095	4105	4354	4344	2
5322	4096	4106	4355	4345	2
5323	4097	4107	4356	4346	2
5324	4098	4108	4357	4347	2
5325	4099	4109	4358	4348	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5326	4100	4110	4359	4349	2
5327	4101	4111	4360	4350	2
5328	4102	4112	4361	4351	2
5329	4103	4113	4362	4352	2
5330	4104	4114	4363	4353	2
5331	4105	4115	4364	4354	2
5332	4106	4116	4365	4355	2
5333	4107	4117	4366	4356	2
5334	4108	4118	4367	4357	2
5335	4109	4119	4368	4358	2
5336	4110	4120	4369	4359	2
5337	4111	4121	4370	4360	2
5338	4112	4122	4371	4361	2
5339	4113	4123	4372	4362	2
5340	4114	4124	4373	4363	2
5341	4115	4125	4374	4364	2
5342	4116	4126	4375	4365	2
5343	4117	4127	4376	4366	2
5344	4118	4128	4377	4367	2
5345	4119	4129	4378	4368	2
5346	4120	4130	4379	4369	2
5347	4121	4131	4380	4370	2
5348	4122	4132	4381	4371	2
5349	4123	4133	4382	4372	2
5350	4124	4134	4383	4373	2
5351	4125	4135	4384	4374	2
5352	4126	4136	4385	4375	2
5353	4127	4137	4386	4376	2
5354	4128	4138	4387	4377	2
5355	4129	4139	4388	4378	2
5356	4130	4140	4389	4379	2
5357	4131	4141	4390	4380	2
5358	4132	4142	4391	4381	2
5359	4133	4143	4392	4382	2
5360	4134	4144	4393	4383	2
5361	4135	4145	4394	4384	2
5362	4136	4146	4395	4385	2
5363	4137	4147	4396	4386	2
5364	4138	4151	4400	4387	2
5365	4139	4159	4408	4388	2
5366	4140	4167	4416	4389	2
5367	4141	4175	4424	4390	2
5368	4142	4183	4432	4391	2
5369	4143	4191	4440	4392	2
5370	4144	4199	4448	4393	2
5371	4145	4207	4456	4394	2
5372	4146	4215	4464	4395	2
5373	4147	4223	4472	4396	2
5374	4148	4149	4398	4397	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5375	4149	4150	4399	4398	3
5376	4150	4151	4400	4399	3
5377	4151	4152	4401	4400	3
5378	4152	4153	4402	4401	3
5379	4153	4154	4403	4402	3
5380	4154	4155	4404	4403	3
5381	4155	4156	4405	4404	3
5382	4156	4157	4406	4405	3
5383	4157	4158	4407	4406	3
5384	4158	4159	4408	4407	3
5385	4159	4160	4409	4408	3
5386	4160	4161	4410	4409	3
5387	4161	4162	4411	4410	3
5388	4162	4163	4412	4411	3
5389	4163	4164	4413	4412	3
5390	4164	4165	4414	4413	3
5391	4165	4166	4415	4414	3
5392	4166	4167	4416	4415	3
5393	4167	4168	4417	4416	3
5394	4168	4169	4418	4417	3
5395	4169	4170	4419	4418	3
5396	4170	4171	4420	4419	3
5397	4171	4172	4421	4420	3
5398	4172	4173	4422	4421	3
5399	4173	4174	4423	4422	3
5400	4174	4175	4424	4423	3
5401	4175	4176	4425	4424	3
5402	4176	4177	4426	4425	3
5403	4177	4178	4427	4426	3
5404	4178	4179	4428	4427	3
5405	4179	4180	4429	4428	3
5406	4180	4181	4430	4429	3
5407	4181	4182	4431	4430	3
5408	4182	4183	4432	4431	3
5409	4183	4184	4433	4432	3
5410	4184	4185	4434	4433	3
5411	4185	4186	4435	4434	3
5412	4186	4187	4436	4435	3
5413	4187	4188	4437	4436	3
5414	4188	4189	4438	4437	3
5415	4189	4190	4439	4438	3
5416	4190	4191	4440	4439	3
5417	4191	4192	4441	4440	3
5418	4192	4193	4442	4441	3
5419	4193	4194	4443	4442	3
5420	4194	4195	4444	4443	3
5421	4195	4196	4445	4444	3
5422	4196	4197	4446	4445	3
5423	4197	4198	4447	4446	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5424	4198	4199	4448	4447	3
5425	4199	4200	4449	4448	3
5426	4200	4201	4450	4449	3
5427	4201	4202	4451	4450	3
5428	4202	4203	4452	4451	3
5429	4203	4204	4453	4452	3
5430	4204	4205	4454	4453	3
5431	4205	4206	4455	4454	3
5432	4206	4207	4456	4455	3
5433	4207	4208	4457	4456	3
5434	4208	4209	4458	4457	3
5435	4209	4210	4459	4458	3
5436	4210	4211	4460	4459	3
5437	4211	4212	4461	4460	3
5438	4212	4213	4462	4461	3
5439	4213	4214	4463	4462	3
5440	4214	4215	4464	4463	3
5441	4215	4216	4465	4464	3
5442	4216	4217	4466	4465	3
5443	4217	4218	4467	4466	3
5444	4218	4219	4468	4467	3
5445	4219	4220	4469	4468	3
5446	4220	4221	4470	4469	3
5447	4221	4222	4471	4470	3
5448	4222	4223	4472	4471	3
5449	4223	4224	4473	4472	3
5450	4224	4225	4474	4473	3
5451	4225	4226	4475	4474	3
5452	4237	4247	4486	4476	2
5453	4238	4248	4487	4477	2
5454	4239	4249	4488	4478	2
5455	4240	4250	4489	4479	2
5456	4241	4251	4490	4480	2
5457	4242	4252	4491	4481	2
5458	4243	4253	4492	4482	2
5459	4244	4254	4493	4483	2
5460	4245	4255	4494	4484	2
5461	4246	4256	4495	4485	2
5462	4247	4257	4496	4486	2
5463	4248	4258	4497	4487	2
5464	4249	4259	4498	4488	2
5465	4250	4260	4499	4489	2
5466	4251	4261	4500	4490	2
5467	4252	4262	4501	4491	2
5468	4253	4263	4502	4492	2
5469	4254	4264	4503	4493	2
5470	4255	4265	4504	4494	2
5471	4256	4266	4505	4495	2
5472	4257	4267	4506	4496	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5473	4258	4268	4507	4497	2
5474	4259	4269	4508	4498	2
5475	4260	4270	4509	4499	2
5476	4261	4271	4510	4500	2
5477	4262	4272	4511	4501	2
5478	4263	4273	4512	4502	2
5479	4264	4274	4513	4503	2
5480	4265	4275	4514	4504	2
5481	4266	4276	4515	4505	2
5482	4267	4277	4516	4506	2
5483	4268	4278	4517	4507	2
5484	4269	4279	4518	4508	2
5485	4270	4280	4519	4509	2
5486	4271	4281	4520	4510	2
5487	4272	4282	4521	4511	2
5488	4273	4283	4522	4512	2
5489	4274	4284	4523	4513	2
5490	4275	4285	4524	4514	2
5491	4276	4286	4525	4515	2
5492	4277	4287	4526	4516	2
5493	4278	4288	4527	4517	2
5494	4279	4289	4528	4518	2
5495	4280	4290	4529	4519	2
5496	4281	4291	4530	4520	2
5497	4282	4292	4531	4521	2
5498	4283	4293	4532	4522	2
5499	4284	4294	4533	4523	2
5500	4285	4295	4534	4524	2
5501	4286	4296	4535	4525	2
5502	4287	4297	4536	4526	2
5503	4288	4298	4537	4527	2
5504	4289	4299	4538	4528	2
5505	4290	4300	4539	4529	2
5506	4291	4301	4540	4530	2
5507	4292	4302	4541	4531	2
5508	4293	4303	4542	4532	2
5509	4294	4304	4543	4533	2
5510	4295	4305	4544	4534	2
5511	4296	4306	4545	4535	2
5512	4297	4307	4546	4536	2
5513	4298	4308	4547	4537	2
5514	4299	4309	4548	4538	2
5515	4300	4310	4549	4539	2
5516	4301	4311	4550	4540	2
5517	4302	4312	4551	4541	2
5518	4303	4313	4552	4542	2
5519	4304	4314	4553	4543	2
5520	4305	4315	4554	4544	2
5521	4306	4316	4555	4545	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5522	4307	4317	4556	4546	2
5523	4308	4318	4557	4547	2
5524	4309	4319	4558	4548	2
5525	4310	4320	4559	4549	2
5526	4311	4321	4560	4550	2
5527	4312	4322	4561	4551	2
5528	4313	4323	4562	4552	2
5529	4314	4324	4563	4553	2
5530	4315	4325	4564	4554	2
5531	4316	4326	4565	4555	2
5532	4317	4327	4566	4556	2
5533	4318	4328	4567	4557	2
5534	4319	4329	4568	4558	2
5535	4320	4330	4569	4559	2
5536	4321	4331	4570	4560	2
5537	4322	4332	4571	4561	2
5538	4323	4333	4572	4562	2
5539	4324	4334	4573	4563	2
5540	4325	4335	4574	4564	2
5541	4326	4336	4575	4565	2
5542	4327	4337	4576	4566	2
5543	4328	4338	4577	4567	2
5544	4329	4339	4578	4568	2
5545	4330	4340	4579	4569	2
5546	4331	4341	4580	4570	2
5547	4332	4342	4581	4571	2
5548	4333	4343	4582	4572	2
5549	4334	4344	4583	4573	2
5550	4335	4345	4584	4574	2
5551	4336	4346	4585	4575	2
5552	4337	4347	4586	4576	2
5553	4338	4348	4587	4577	2
5554	4339	4349	4588	4578	2
5555	4340	4350	4589	4579	2
5556	4341	4351	4590	4580	2
5557	4342	4352	4591	4581	2
5558	4343	4353	4592	4582	2
5559	4344	4354	4593	4583	2
5560	4345	4355	4594	4584	2
5561	4346	4356	4595	4585	2
5562	4347	4357	4596	4586	2
5563	4348	4358	4597	4587	2
5564	4349	4359	4598	4588	2
5565	4350	4360	4599	4589	2
5566	4351	4361	4600	4590	2
5567	4352	4362	4601	4591	2
5568	4353	4363	4602	4592	2
5569	4354	4364	4603	4593	2
5570	4355	4365	4604	4594	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5571	4356	4366	4605	4595	2
5572	4357	4367	4606	4596	2
5573	4358	4368	4607	4597	2
5574	4359	4369	4608	4598	2
5575	4360	4370	4609	4599	2
5576	4361	4371	4610	4600	2
5577	4362	4372	4611	4601	2
5578	4363	4373	4612	4602	2
5579	4364	4374	4613	4603	2
5580	4365	4375	4614	4604	2
5581	4366	4376	4615	4605	2
5582	4367	4377	4616	4606	2
5583	4368	4378	4617	4607	2
5584	4369	4379	4618	4608	2
5585	4370	4380	4619	4609	2
5586	4371	4381	4620	4610	2
5587	4372	4382	4621	4611	2
5588	4373	4383	4622	4612	2
5589	4374	4384	4623	4613	2
5590	4375	4385	4624	4614	2
5591	4376	4386	4625	4615	2
5592	4377	4387	4626	4616	2
5593	4378	4388	4627	4617	2
5594	4379	4389	4628	4618	2
5595	4380	4390	4629	4619	2
5596	4381	4391	4630	4620	2
5597	4382	4392	4631	4621	2
5598	4383	4393	4632	4622	2
5599	4384	4394	4633	4623	2
5600	4385	4395	4634	4624	2
5601	4386	4396	4635	4625	2
5602	4387	4400	4639	4626	2
5603	4388	4408	4647	4627	2
5604	4389	4416	4655	4628	2
5605	4390	4424	4663	4629	2
5606	4391	4432	4671	4630	2
5607	4392	4440	4679	4631	2
5608	4393	4448	4687	4632	2
5609	4394	4456	4695	4633	2
5610	4395	4464	4703	4634	2
5611	4396	4472	4711	4635	2
5612	4397	4398	4637	4636	3
5613	4398	4399	4638	4637	3
5614	4399	4400	4639	4638	3
5615	4400	4401	4640	4639	3
5616	4401	4402	4641	4640	3
5617	4402	4403	4642	4641	3
5618	4403	4404	4643	4642	3
5619	4404	4405	4644	4643	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5620	4405	4406	4645	4644	3
5621	4406	4407	4646	4645	3
5622	4407	4408	4647	4646	3
5623	4408	4409	4648	4647	3
5624	4409	4410	4649	4648	3
5625	4410	4411	4650	4649	3
5626	4411	4412	4651	4650	3
5627	4412	4413	4652	4651	3
5628	4413	4414	4653	4652	3
5629	4414	4415	4654	4653	3
5630	4415	4416	4655	4654	3
5631	4416	4417	4656	4655	3
5632	4417	4418	4657	4656	3
5633	4418	4419	4658	4657	3
5634	4419	4420	4659	4658	3
5635	4420	4421	4660	4659	3
5636	4421	4422	4661	4660	3
5637	4422	4423	4662	4661	3
5638	4423	4424	4663	4662	3
5639	4424	4425	4664	4663	3
5640	4425	4426	4665	4664	3
5641	4426	4427	4666	4665	3
5642	4427	4428	4667	4666	3
5643	4428	4429	4668	4667	3
5644	4429	4430	4669	4668	3
5645	4430	4431	4670	4669	3
5646	4431	4432	4671	4670	3
5647	4432	4433	4672	4671	3
5648	4433	4434	4673	4672	3
5649	4434	4435	4674	4673	3
5650	4435	4436	4675	4674	3
5651	4436	4437	4676	4675	3
5652	4437	4438	4677	4676	3
5653	4438	4439	4678	4677	3
5654	4439	4440	4679	4678	3
5655	4440	4441	4680	4679	3
5656	4441	4442	4681	4680	3
5657	4442	4443	4682	4681	3
5658	4443	4444	4683	4682	3
5659	4444	4445	4684	4683	3
5660	4445	4446	4685	4684	3
5661	4446	4447	4686	4685	3
5662	4447	4448	4687	4686	3
5663	4448	4449	4688	4687	3
5664	4449	4450	4689	4688	3
5665	4450	4451	4690	4689	3
5666	4451	4452	4691	4690	3
5667	4452	4453	4692	4691	3
5668	4453	4454	4693	4692	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5669	4454	4455	4694	4693	3
5670	4455	4456	4695	4694	3
5671	4456	4457	4696	4695	3
5672	4457	4458	4697	4696	3
5673	4458	4459	4698	4697	3
5674	4459	4460	4699	4698	3
5675	4460	4461	4700	4699	3
5676	4461	4462	4701	4700	3
5677	4462	4463	4702	4701	3
5678	4463	4464	4703	4702	3
5679	4464	4465	4704	4703	3
5680	4465	4466	4705	4704	3
5681	4466	4467	4706	4705	3
5682	4467	4468	4707	4706	3
5683	4468	4469	4708	4707	3
5684	4469	4470	4709	4708	3
5685	4470	4471	4710	4709	3
5686	4471	4472	4711	4710	3
5687	4472	4473	4712	4711	3
5688	4473	4474	4713	4712	3
5689	4474	4475	4714	4713	3
5690	4476	4486	4715		2
5691	4477	4487	4716		2
5692	4478	4488	4717		2
5693	4479	4489	4718		2
5694	4480	4490	4719		2
5695	4481	4491	4720		2
5696	4482	4492	4721		2
5697	4483	4493	4722		2
5698	4484	4494	4723		2
5699	4485	4495	4724		2
5700	4486	4496	4725	4715	2
5701	4487	4497	4726	4716	2
5702	4488	4498	4727	4717	2
5703	4489	4499	4728	4718	2
5704	4490	4500	4729	4719	2
5705	4491	4501	4730	4720	2
5706	4492	4502	4731	4721	2
5707	4493	4503	4732	4722	2
5708	4494	4504	4733	4723	2
5709	4495	4505	4734	4724	2
5710	4496	4506	4735	4725	2
5711	4497	4507	4736	4726	2
5712	4498	4508	4737	4727	2
5713	4499	4509	4738	4728	2
5714	4500	4510	4739	4729	2
5715	4501	4511	4740	4730	2
5716	4502	4512	4741	4731	2
5717	4503	4513	4742	4732	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5718	4504	4514	4743	4733	2
5719	4505	4515	4744	4734	2
5720	4506	4516	4745	4735	2
5721	4507	4517	4746	4736	2
5722	4508	4518	4747	4737	2
5723	4509	4519	4748	4738	2
5724	4510	4520	4749	4739	2
5725	4511	4521	4750	4740	2
5726	4512	4522	4751	4741	2
5727	4513	4523	4752	4742	2
5728	4514	4524	4753	4743	2
5729	4515	4525	4754	4744	2
5730	4516	4526	4755	4745	2
5731	4517	4527	4756	4746	2
5732	4518	4528	4757	4747	2
5733	4519	4529	4758	4748	2
5734	4520	4530	4759	4749	2
5735	4521	4531	4760	4750	2
5736	4522	4532	4761	4751	2
5737	4523	4533	4762	4752	2
5738	4524	4534	4763	4753	2
5739	4525	4535	4764	4754	2
5740	4526	4536	4765	4755	2
5741	4527	4537	4766	4756	2
5742	4528	4538	4767	4757	2
5743	4529	4539	4768	4758	2
5744	4530	4540	4769	4759	2
5745	4531	4541	4770	4760	2
5746	4532	4542	4771	4761	2
5747	4533	4543	4772	4762	2
5748	4534	4544	4773	4763	2
5749	4535	4545	4774	4764	2
5750	4536	4546	4775	4765	2
5751	4537	4547	4776	4766	2
5752	4538	4548	4777	4767	2
5753	4539	4549	4778	4768	2
5754	4540	4550	4779	4769	2
5755	4541	4551	4780	4770	2
5756	4542	4552	4781	4771	2
5757	4543	4553	4782	4772	2
5758	4544	4554	4783	4773	2
5759	4545	4555	4784	4774	2
5760	4546	4556	4785	4775	2
5761	4547	4557	4786	4776	2
5762	4548	4558	4787	4777	2
5763	4549	4559	4788	4778	2
5764	4550	4560	4789	4779	2
5765	4551	4561	4790	4780	2
5766	4552	4562	4791	4781	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5767	4553	4563	4792	4782	2
5768	4554	4564	4793	4783	2
5769	4555	4565	4794	4784	2
5770	4556	4566	4795	4785	2
5771	4557	4567	4796	4786	2
5772	4558	4568	4797	4787	2
5773	4559	4569	4798	4788	2
5774	4560	4570	4799	4789	2
5775	4561	4571	4800	4790	2
5776	4562	4572	4801	4791	2
5777	4563	4573	4802	4792	2
5778	4564	4574	4803	4793	2
5779	4565	4575	4804	4794	2
5780	4566	4576	4805	4795	2
5781	4567	4577	4806	4796	2
5782	4568	4578	4807	4797	2
5783	4569	4579	4808	4798	2
5784	4570	4580	4809	4799	2
5785	4571	4581	4810	4800	2
5786	4572	4582	4811	4801	2
5787	4573	4583	4812	4802	2
5788	4574	4584	4813	4803	2
5789	4575	4585	4814	4804	2
5790	4576	4586	4815	4805	2
5791	4577	4587	4816	4806	2
5792	4578	4588	4817	4807	2
5793	4579	4589	4818	4808	2
5794	4580	4590	4819	4809	2
5795	4581	4591	4820	4810	2
5796	4582	4592	4821	4811	2
5797	4583	4593	4822	4812	2
5798	4584	4594	4823	4813	2
5799	4585	4595	4824	4814	2
5800	4586	4596	4825	4815	2
5801	4587	4597	4826	4816	2
5802	4588	4598	4827	4817	2
5803	4589	4599	4828	4818	2
5804	4590	4600	4829	4819	2
5805	4591	4601	4830	4820	2
5806	4592	4602	4831	4821	2
5807	4593	4603	4832	4822	2
5808	4594	4604	4833	4823	2
5809	4595	4605	4834	4824	2
5810	4596	4606	4835	4825	2
5811	4597	4607	4836	4826	2
5812	4598	4608	4837	4827	2
5813	4599	4609	4838	4828	2
5814	4600	4610	4839	4829	2
5815	4601	4611	4840	4830	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5816	4602	4612	4841	4831	2
5817	4603	4613	4842	4832	2
5818	4604	4614	4843	4833	2
5819	4605	4615	4844	4834	2
5820	4606	4616	4845	4835	2
5821	4607	4617	4846	4836	2
5822	4608	4618	4847	4837	2
5823	4609	4619	4848	4838	2
5824	4610	4620	4849	4839	2
5825	4611	4621	4850	4840	2
5826	4612	4622	4851	4841	2
5827	4613	4623	4852	4842	2
5828	4614	4624	4853	4843	2
5829	4615	4625	4854	4844	2
5830	4616	4626	4855	4845	2
5831	4617	4627	4856	4846	2
5832	4618	4628	4857	4847	2
5833	4619	4629	4858	4848	2
5834	4620	4630	4859	4849	2
5835	4621	4631	4860	4850	2
5836	4622	4632	4861	4851	2
5837	4623	4633	4862	4852	2
5838	4624	4634	4863	4853	2
5839	4625	4635	4864	4854	2
5840	4626	4639	4868	4855	2
5841	4627	4647	4876	4856	2
5842	4628	4655	4884	4857	2
5843	4629	4663	4892	4858	2
5844	4630	4671	4900	4859	2
5845	4631	4679	4908	4860	2
5846	4632	4687	4916	4861	2
5847	4633	4695	4924	4862	2
5848	4634	4703	4932	4863	2
5849	4635	4711	4940	4864	2
5850	4636	4637	4866	4865	3
5851	4637	4638	4867	4866	3
5852	4638	4639	4868	4867	3
5853	4639	4640	4869	4868	3
5854	4640	4641	4870	4869	3
5855	4641	4642	4871	4870	3
5856	4642	4643	4872	4871	3
5857	4643	4644	4873	4872	3
5858	4644	4645	4874	4873	3
5859	4645	4646	4875	4874	3
5860	4646	4647	4876	4875	3
5861	4647	4648	4877	4876	3
5862	4648	4649	4878	4877	3
5863	4649	4650	4879	4878	3
5864	4650	4651	4880	4879	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5865	4651	4652	4881	4880	3
5866	4652	4653	4882	4881	3
5867	4653	4654	4883	4882	3
5868	4654	4655	4884	4883	3
5869	4655	4656	4885	4884	3
5870	4656	4657	4886	4885	3
5871	4657	4658	4887	4886	3
5872	4658	4659	4888	4887	3
5873	4659	4660	4889	4888	3
5874	4660	4661	4890	4889	3
5875	4661	4662	4891	4890	3
5876	4662	4663	4892	4891	3
5877	4663	4664	4893	4892	3
5878	4664	4665	4894	4893	3
5879	4665	4666	4895	4894	3
5880	4666	4667	4896	4895	3
5881	4667	4668	4897	4896	3
5882	4668	4669	4898	4897	3
5883	4669	4670	4899	4898	3
5884	4670	4671	4900	4899	3
5885	4671	4672	4901	4900	3
5886	4672	4673	4902	4901	3
5887	4673	4674	4903	4902	3
5888	4674	4675	4904	4903	3
5889	4675	4676	4905	4904	3
5890	4676	4677	4906	4905	3
5891	4677	4678	4907	4906	3
5892	4678	4679	4908	4907	3
5893	4679	4680	4909	4908	3
5894	4680	4681	4910	4909	3
5895	4681	4682	4911	4910	3
5896	4682	4683	4912	4911	3
5897	4683	4684	4913	4912	3
5898	4684	4685	4914	4913	3
5899	4685	4686	4915	4914	3
5900	4686	4687	4916	4915	3
5901	4687	4688	4917	4916	3
5902	4688	4689	4918	4917	3
5903	4689	4690	4919	4918	3
5904	4690	4691	4920	4919	3
5905	4691	4692	4921	4920	3
5906	4692	4693	4922	4921	3
5907	4693	4694	4923	4922	3
5908	4694	4695	4924	4923	3
5909	4695	4696	4925	4924	3
5910	4696	4697	4926	4925	3
5911	4697	4698	4927	4926	3
5912	4698	4699	4928	4927	3
5913	4699	4700	4929	4928	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5914	4700	4701	4930	4929	3
5915	4701	4702	4931	4930	3
5916	4702	4703	4932	4931	3
5917	4703	4704	4933	4932	3
5918	4704	4705	4934	4933	3
5919	4705	4706	4935	4934	3
5920	4706	4707	4936	4935	3
5921	4707	4708	4937	4936	3
5922	4708	4709	4938	4937	3
5923	4709	4710	4939	4938	3
5924	4710	4711	4940	4939	3
5925	4711	4712	4941	4940	3
5926	4712	4713	4942	4941	3
5927	4713	4714	4943	4942	3
5928	4715	4725	4954	4944	2
5929	4716	4726	4955	4945	2
5930	4717	4727	4956	4946	2
5931	4718	4728	4957	4947	2
5932	4719	4729	4958	4948	2
5933	4720	4730	4959	4949	2
5934	4721	4731	4960	4950	2
5935	4722	4732	4961	4951	2
5936	4723	4733	4962	4952	2
5937	4724	4734	4963	4953	2
5938	4725	4735	4964	4954	2
5939	4726	4736	4965	4955	2
5940	4727	4737	4966	4956	2
5941	4728	4738	4967	4957	2
5942	4729	4739	4968	4958	2
5943	4730	4740	4969	4959	2
5944	4731	4741	4970	4960	2
5945	4732	4742	4971	4961	2
5946	4733	4743	4972	4962	2
5947	4734	4744	4973	4963	2
5948	4735	4745	4974	4964	2
5949	4736	4746	4975	4965	2
5950	4737	4747	4976	4966	2
5951	4738	4748	4977	4967	2
5952	4739	4749	4978	4968	2
5953	4740	4750	4979	4969	2
5954	4741	4751	4980	4970	2
5955	4742	4752	4981	4971	2
5956	4743	4753	4982	4972	2
5957	4744	4754	4983	4973	2
5958	4745	4755	4984	4974	2
5959	4746	4756	4985	4975	2
5960	4747	4757	4986	4976	2
5961	4748	4758	4987	4977	2
5962	4749	4759	4988	4978	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
5963	4750	4760	4989	4979	2
5964	4751	4761	4990	4980	2
5965	4752	4762	4991	4981	2
5966	4753	4763	4992	4982	2
5967	4754	4764	4993	4983	2
5968	4755	4765	4994	4984	2
5969	4756	4766	4995	4985	2
5970	4757	4767	4996	4986	2
5971	4758	4768	4997	4987	2
5972	4759	4769	4998	4988	2
5973	4760	4770	4999	4989	2
5974	4761	4771	5000	4990	2
5975	4762	4772	5001	4991	2
5976	4763	4773	5002	4992	2
5977	4764	4774	5003	4993	2
5978	4765	4775	5004	4994	2
5979	4766	4776	5005	4995	2
5980	4767	4777	5006	4996	2
5981	4768	4778	5007	4997	2
5982	4769	4779	5008	4998	2
5983	4770	4780	5009	4999	2
5984	4771	4781	5010	5000	2
5985	4772	4782	5011	5001	2
5986	4773	4783	5012	5002	2
5987	4774	4784	5013	5003	2
5988	4775	4785	5014	5004	2
5989	4776	4786	5015	5005	2
5990	4777	4787	5016	5006	2
5991	4778	4788	5017	5007	2
5992	4779	4789	5018	5008	2
5993	4780	4790	5019	5009	2
5994	4781	4791	5020	5010	2
5995	4782	4792	5021	5011	2
5996	4783	4793	5022	5012	2
5997	4784	4794	5023	5013	2
5998	4785	4795	5024	5014	2
5999	4786	4796	5025	5015	2
6000	4787	4797	5026	5016	2
6001	4788	4798	5027	5017	2
6002	4789	4799	5028	5018	2
6003	4790	4800	5029	5019	2
6004	4791	4801	5030	5020	2
6005	4792	4802	5031	5021	2
6006	4793	4803	5032	5022	2
6007	4794	4804	5033	5023	2
6008	4795	4805	5034	5024	2
6009	4796	4806	5035	5025	2
6010	4797	4807	5036	5026	2
6011	4798	4808	5037	5027	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6012	4799	4809	5038	5028	2
6013	4800	4810	5039	5029	2
6014	4801	4811	5040	5030	2
6015	4802	4812	5041	5031	2
6016	4803	4813	5042	5032	2
6017	4804	4814	5043	5033	2
6018	4805	4815	5044	5034	2
6019	4806	4816	5045	5035	2
6020	4807	4817	5046	5036	2
6021	4808	4818	5047	5037	2
6022	4809	4819	5048	5038	2
6023	4810	4820	5049	5039	2
6024	4811	4821	5050	5040	2
6025	4812	4822	5051	5041	2
6026	4813	4823	5052	5042	2
6027	4814	4824	5053	5043	2
6028	4815	4825	5054	5044	2
6029	4816	4826	5055	5045	2
6030	4817	4827	5056	5046	2
6031	4818	4828	5057	5047	2
6032	4819	4829	5058	5048	2
6033	4820	4830	5059	5049	2
6034	4821	4831	5060	5050	2
6035	4822	4832	5061	5051	2
6036	4823	4833	5062	5052	2
6037	4824	4834	5063	5053	2
6038	4825	4835	5064	5054	2
6039	4826	4836	5065	5055	2
6040	4827	4837	5066	5056	2
6041	4828	4838	5067	5057	2
6042	4829	4839	5068	5058	2
6043	4830	4840	5069	5059	2
6044	4831	4841	5070	5060	2
6045	4832	4842	5071	5061	2
6046	4833	4843	5072	5062	2
6047	4834	4844	5073	5063	2
6048	4835	4845	5074	5064	2
6049	4836	4846	5075	5065	2
6050	4837	4847	5076	5066	2
6051	4838	4848	5077	5067	2
6052	4839	4849	5078	5068	2
6053	4840	4850	5079	5069	2
6054	4841	4851	5080	5070	2
6055	4842	4852	5081	5071	2
6056	4843	4853	5082	5072	2
6057	4844	4854	5083	5073	2
6058	4845	4855	5084	5074	2
6059	4846	4856	5085	5075	2
6060	4847	4857	5086	5076	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6061	4848	4858	5087	5077	2
6062	4849	4859	5088	5078	2
6063	4850	4860	5089	5079	2
6064	4851	4861	5090	5080	2
6065	4852	4862	5091	5081	2
6066	4853	4863	5092	5082	2
6067	4854	4864	5093	5083	2
6068	4855	4868	5097	5084	2
6069	4856	4876	5105	5085	2
6070	4857	4884	5113	5086	2
6071	4858	4892	5121	5087	2
6072	4859	4900	5129	5088	2
6073	4860	4908	5137	5089	2
6074	4861	4916	5145	5090	2
6075	4862	4924	5153	5091	2
6076	4863	4932	5161	5092	2
6077	4864	4940	5169	5093	2
6078	4865	4866	5095	5094	3
6079	4866	4867	5096	5095	3
6080	4867	4868	5097	5096	3
6081	4868	4869	5098	5097	3
6082	4869	4870	5099	5098	3
6083	4870	4871	5100	5099	3
6084	4871	4872	5101	5100	3
6085	4872	4873	5102	5101	3
6086	4873	4874	5103	5102	3
6087	4874	4875	5104	5103	3
6088	4875	4876	5105	5104	3
6089	4876	4877	5106	5105	3
6090	4877	4878	5107	5106	3
6091	4878	4879	5108	5107	3
6092	4879	4880	5109	5108	3
6093	4880	4881	5110	5109	3
6094	4881	4882	5111	5110	3
6095	4882	4883	5112	5111	3
6096	4883	4884	5113	5112	3
6097	4884	4885	5114	5113	3
6098	4885	4886	5115	5114	3
6099	4886	4887	5116	5115	3
6100	4887	4888	5117	5116	3
6101	4888	4889	5118	5117	3
6102	4889	4890	5119	5118	3
6103	4890	4891	5120	5119	3
6104	4891	4892	5121	5120	3
6105	4892	4893	5122	5121	3
6106	4893	4894	5123	5122	3
6107	4894	4895	5124	5123	3
6108	4895	4896	5125	5124	3
6109	4896	4897	5126	5125	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6110	4897	4898	5127	5126	3
6111	4898	4899	5128	5127	3
6112	4899	4900	5129	5128	3
6113	4900	4901	5130	5129	3
6114	4901	4902	5131	5130	3
6115	4902	4903	5132	5131	3
6116	4903	4904	5133	5132	3
6117	4904	4905	5134	5133	3
6118	4905	4906	5135	5134	3
6119	4906	4907	5136	5135	3
6120	4907	4908	5137	5136	3
6121	4908	4909	5138	5137	3
6122	4909	4910	5139	5138	3
6123	4910	4911	5140	5139	3
6124	4911	4912	5141	5140	3
6125	4912	4913	5142	5141	3
6126	4913	4914	5143	5142	3
6127	4914	4915	5144	5143	3
6128	4915	4916	5145	5144	3
6129	4916	4917	5146	5145	3
6130	4917	4918	5147	5146	3
6131	4918	4919	5148	5147	3
6132	4919	4920	5149	5148	3
6133	4920	4921	5150	5149	3
6134	4921	4922	5151	5150	3
6135	4922	4923	5152	5151	3
6136	4923	4924	5153	5152	3
6137	4924	4925	5154	5153	3
6138	4925	4926	5155	5154	3
6139	4926	4927	5156	5155	3
6140	4927	4928	5157	5156	3
6141	4928	4929	5158	5157	3
6142	4929	4930	5159	5158	3
6143	4930	4931	5160	5159	3
6144	4931	4932	5161	5160	3
6145	4932	4933	5162	5161	3
6146	4933	4934	5163	5162	3
6147	4934	4935	5164	5163	3
6148	4935	4936	5165	5164	3
6149	4936	4937	5166	5165	3
6150	4937	4938	5167	5166	3
6151	4938	4939	5168	5167	3
6152	4939	4940	5169	5168	3
6153	4940	4941	5170	5169	3
6154	4941	4942	5171	5170	3
6155	4942	4943	5172	5171	3
6156	4944	4954	5173		2
6157	4945	4955	5174		2
6158	4946	4956	5175		2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6159	4947	4957	5176		2
6160	4948	4958	5177		2
6161	4949	4959	5178		2
6162	4950	4960	5179		2
6163	4951	4961	5180		2
6164	4952	4962	5181		2
6165	4953	4963	5182		2
6166	4954	4964	5183	5173	2
6167	4955	4965	5184	5174	2
6168	4956	4966	5185	5175	2
6169	4957	4967	5186	5176	2
6170	4958	4968	5187	5177	2
6171	4959	4969	5188	5178	2
6172	4960	4970	5189	5179	2
6173	4961	4971	5190	5180	2
6174	4962	4972	5191	5181	2
6175	4963	4973	5192	5182	2
6176	4964	4974	5193	5183	2
6177	4965	4975	5194	5184	2
6178	4966	4976	5195	5185	2
6179	4967	4977	5196	5186	2
6180	4968	4978	5197	5187	2
6181	4969	4979	5198	5188	2
6182	4970	4980	5199	5189	2
6183	4971	4981	5200	5190	2
6184	4972	4982	5201	5191	2
6185	4973	4983	5202	5192	2
6186	4974	4984	5203	5193	2
6187	4975	4985	5204	5194	2
6188	4976	4986	5205	5195	2
6189	4977	4987	5206	5196	2
6190	4978	4988	5207	5197	2
6191	4979	4989	5208	5198	2
6192	4980	4990	5209	5199	2
6193	4981	4991	5210	5200	2
6194	4982	4992	5211	5201	2
6195	4983	4993	5212	5202	2
6196	4984	4994	5213	5203	2
6197	4985	4995	5214	5204	2
6198	4986	4996	5215	5205	2
6199	4987	4997	5216	5206	2
6200	4988	4998	5217	5207	2
6201	4989	4999	5218	5208	2
6202	4990	5000	5219	5209	2
6203	4991	5001	5220	5210	2
6204	4992	5002	5221	5211	2
6205	4993	5003	5222	5212	2
6206	4994	5004	5223	5213	2
6207	4995	5005	5224	5214	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6208	4996	5006	5225	5215	2
6209	4997	5007	5226	5216	2
6210	4998	5008	5227	5217	2
6211	4999	5009	5228	5218	2
6212	5000	5010	5229	5219	2
6213	5001	5011	5230	5220	2
6214	5002	5012	5231	5221	2
6215	5003	5013	5232	5222	2
6216	5004	5014	5233	5223	2
6217	5005	5015	5234	5224	2
6218	5006	5016	5235	5225	2
6219	5007	5017	5236	5226	2
6220	5008	5018	5237	5227	2
6221	5009	5019	5238	5228	2
6222	5010	5020	5239	5229	2
6223	5011	5021	5240	5230	2
6224	5012	5022	5241	5231	2
6225	5013	5023	5242	5232	2
6226	5014	5024	5243	5233	2
6227	5015	5025	5244	5234	2
6228	5016	5026	5245	5235	2
6229	5017	5027	5246	5236	2
6230	5018	5028	5247	5237	2
6231	5019	5029	5248	5238	2
6232	5020	5030	5249	5239	2
6233	5021	5031	5250	5240	2
6234	5022	5032	5251	5241	2
6235	5023	5033	5252	5242	2
6236	5024	5034	5253	5243	2
6237	5025	5035	5254	5244	2
6238	5026	5036	5255	5245	2
6239	5027	5037	5256	5246	2
6240	5028	5038	5257	5247	2
6241	5029	5039	5258	5248	2
6242	5030	5040	5259	5249	2
6243	5031	5041	5260	5250	2
6244	5032	5042	5261	5251	2
6245	5033	5043	5262	5252	2
6246	5034	5044	5263	5253	2
6247	5035	5045	5264	5254	2
6248	5036	5046	5265	5255	2
6249	5037	5047	5266	5256	2
6250	5038	5048	5267	5257	2
6251	5039	5049	5268	5258	2
6252	5040	5050	5269	5259	2
6253	5041	5051	5270	5260	2
6254	5042	5052	5271	5261	2
6255	5043	5053	5272	5262	2
6256	5044	5054	5273	5263	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6257	5045	5055	5274	5264	2
6258	5046	5056	5275	5265	2
6259	5047	5057	5276	5266	2
6260	5048	5058	5277	5267	2
6261	5049	5059	5278	5268	2
6262	5050	5060	5279	5269	2
6263	5051	5061	5280	5270	2
6264	5052	5062	5281	5271	2
6265	5053	5063	5282	5272	2
6266	5054	5064	5283	5273	2
6267	5055	5065	5284	5274	2
6268	5056	5066	5285	5275	2
6269	5057	5067	5286	5276	2
6270	5058	5068	5287	5277	2
6271	5059	5069	5288	5278	2
6272	5060	5070	5289	5279	2
6273	5061	5071	5290	5280	2
6274	5062	5072	5291	5281	2
6275	5063	5073	5292	5282	2
6276	5064	5074	5293	5283	2
6277	5065	5075	5294	5284	2
6278	5066	5076	5295	5285	2
6279	5067	5077	5296	5286	2
6280	5068	5078	5297	5287	2
6281	5069	5079	5298	5288	2
6282	5070	5080	5299	5289	2
6283	5071	5081	5300	5290	2
6284	5072	5082	5301	5291	2
6285	5073	5083	5302	5292	2
6286	5074	5084	5303	5293	2
6287	5075	5085	5304	5294	2
6288	5076	5086	5305	5295	2
6289	5077	5087	5306	5296	2
6290	5078	5088	5307	5297	2
6291	5079	5089	5308	5298	2
6292	5080	5090	5309	5299	2
6293	5081	5091	5310	5300	2
6294	5082	5092	5311	5301	2
6295	5083	5093	5312	5302	2
6296	5084	5097	5316	5303	2
6297	5085	5105	5324	5304	2
6298	5086	5113	5332	5305	2
6299	5087	5121	5340	5306	2
6300	5088	5129	5348	5307	2
6301	5089	5137	5356	5308	2
6302	5090	5145	5364	5309	2
6303	5091	5153	5372	5310	2
6304	5092	5161	5380	5311	2
6305	5093	5169	5388	5312	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6306	5094	5095	5314	5313	3
6307	5095	5096	5315	5314	3
6308	5096	5097	5316	5315	3
6309	5097	5098	5317	5316	3
6310	5098	5099	5318	5317	3
6311	5099	5100	5319	5318	3
6312	5100	5101	5320	5319	3
6313	5101	5102	5321	5320	3
6314	5102	5103	5322	5321	3
6315	5103	5104	5323	5322	3
6316	5104	5105	5324	5323	3
6317	5105	5106	5325	5324	3
6318	5106	5107	5326	5325	3
6319	5107	5108	5327	5326	3
6320	5108	5109	5328	5327	3
6321	5109	5110	5329	5328	3
6322	5110	5111	5330	5329	3
6323	5111	5112	5331	5330	3
6324	5112	5113	5332	5331	3
6325	5113	5114	5333	5332	3
6326	5114	5115	5334	5333	3
6327	5115	5116	5335	5334	3
6328	5116	5117	5336	5335	3
6329	5117	5118	5337	5336	3
6330	5118	5119	5338	5337	3
6331	5119	5120	5339	5338	3
6332	5120	5121	5340	5339	3
6333	5121	5122	5341	5340	3
6334	5122	5123	5342	5341	3
6335	5123	5124	5343	5342	3
6336	5124	5125	5344	5343	3
6337	5125	5126	5345	5344	3
6338	5126	5127	5346	5345	3
6339	5127	5128	5347	5346	3
6340	5128	5129	5348	5347	3
6341	5129	5130	5349	5348	3
6342	5130	5131	5350	5349	3
6343	5131	5132	5351	5350	3
6344	5132	5133	5352	5351	3
6345	5133	5134	5353	5352	3
6346	5134	5135	5354	5353	3
6347	5135	5136	5355	5354	3
6348	5136	5137	5356	5355	3
6349	5137	5138	5357	5356	3
6350	5138	5139	5358	5357	3
6351	5139	5140	5359	5358	3
6352	5140	5141	5360	5359	3
6353	5141	5142	5361	5360	3
6354	5142	5143	5362	5361	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6355	5143	5144	5363	5362	3
6356	5144	5145	5364	5363	3
6357	5145	5146	5365	5364	3
6358	5146	5147	5366	5365	3
6359	5147	5148	5367	5366	3
6360	5148	5149	5368	5367	3
6361	5149	5150	5369	5368	3
6362	5150	5151	5370	5369	3
6363	5151	5152	5371	5370	3
6364	5152	5153	5372	5371	3
6365	5153	5154	5373	5372	3
6366	5154	5155	5374	5373	3
6367	5155	5156	5375	5374	3
6368	5156	5157	5376	5375	3
6369	5157	5158	5377	5376	3
6370	5158	5159	5378	5377	3
6371	5159	5160	5379	5378	3
6372	5160	5161	5380	5379	3
6373	5161	5162	5381	5380	3
6374	5162	5163	5382	5381	3
6375	5163	5164	5383	5382	3
6376	5164	5165	5384	5383	3
6377	5165	5166	5385	5384	3
6378	5166	5167	5386	5385	3
6379	5167	5168	5387	5386	3
6380	5168	5169	5388	5387	3
6381	5169	5170	5389	5388	3
6382	5170	5171	5390	5389	3
6383	5171	5172	5391	5390	3
6384	5173	5183	5402	5392	2
6385	5174	5184	5403	5393	2
6386	5175	5185	5404	5394	2
6387	5176	5186	5405	5395	2
6388	5177	5187	5406	5396	2
6389	5178	5188	5407	5397	2
6390	5179	5189	5408	5398	2
6391	5180	5190	5409	5399	2
6392	5181	5191	5410	5400	2
6393	5182	5192	5411	5401	2
6394	5183	5193	5412	5402	2
6395	5184	5194	5413	5403	2
6396	5185	5195	5414	5404	2
6397	5186	5196	5415	5405	2
6398	5187	5197	5416	5406	2
6399	5188	5198	5417	5407	2
6400	5189	5199	5418	5408	2
6401	5190	5200	5419	5409	2
6402	5191	5201	5420	5410	2
6403	5192	5202	5421	5411	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6404	5193	5203	5422	5412	2
6405	5194	5204	5423	5413	2
6406	5195	5205	5424	5414	2
6407	5196	5206	5425	5415	2
6408	5197	5207	5426	5416	2
6409	5198	5208	5427	5417	2
6410	5199	5209	5428	5418	2
6411	5200	5210	5429	5419	2
6412	5201	5211	5430	5420	2
6413	5202	5212	5431	5421	2
6414	5203	5213	5432	5422	2
6415	5204	5214	5433	5423	2
6416	5205	5215	5434	5424	2
6417	5206	5216	5435	5425	2
6418	5207	5217	5436	5426	2
6419	5208	5218	5437	5427	2
6420	5209	5219	5438	5428	2
6421	5210	5220	5439	5429	2
6422	5211	5221	5440	5430	2
6423	5212	5222	5441	5431	2
6424	5213	5223	5442	5432	2
6425	5214	5224	5443	5433	2
6426	5215	5225	5444	5434	2
6427	5216	5226	5445	5435	2
6428	5217	5227	5446	5436	2
6429	5218	5228	5447	5437	2
6430	5219	5229	5448	5438	2
6431	5220	5230	5449	5439	2
6432	5221	5231	5450	5440	2
6433	5222	5232	5451	5441	2
6434	5223	5233	5452	5442	2
6435	5224	5234	5453	5443	2
6436	5225	5235	5454	5444	2
6437	5226	5236	5455	5445	2
6438	5227	5237	5456	5446	2
6439	5228	5238	5457	5447	2
6440	5229	5239	5458	5448	2
6441	5230	5240	5459	5449	2
6442	5231	5241	5460	5450	2
6443	5232	5242	5461	5451	2
6444	5233	5243	5462	5452	2
6445	5234	5244	5463	5453	2
6446	5235	5245	5464	5454	2
6447	5236	5246	5465	5455	2
6448	5237	5247	5466	5456	2
6449	5238	5248	5467	5457	2
6450	5239	5249	5468	5458	2
6451	5240	5250	5469	5459	2
6452	5241	5251	5470	5460	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6453	5242	5252	5471	5461	2
6454	5243	5253	5472	5462	2
6455	5244	5254	5473	5463	2
6456	5245	5255	5474	5464	2
6457	5246	5256	5475	5465	2
6458	5247	5257	5476	5466	2
6459	5248	5258	5477	5467	2
6460	5249	5259	5478	5468	2
6461	5250	5260	5479	5469	2
6462	5251	5261	5480	5470	2
6463	5252	5262	5481	5471	2
6464	5253	5263	5482	5472	2
6465	5254	5264	5483	5473	2
6466	5255	5265	5484	5474	2
6467	5256	5266	5485	5475	2
6468	5257	5267	5486	5476	2
6469	5258	5268	5487	5477	2
6470	5259	5269	5488	5478	2
6471	5260	5270	5489	5479	2
6472	5261	5271	5490	5480	2
6473	5262	5272	5491	5481	2
6474	5263	5273	5492	5482	2
6475	5264	5274	5493	5483	2
6476	5265	5275	5494	5484	2
6477	5266	5276	5495	5485	2
6478	5267	5277	5496	5486	2
6479	5268	5278	5497	5487	2
6480	5269	5279	5498	5488	2
6481	5270	5280	5499	5489	2
6482	5271	5281	5500	5490	2
6483	5272	5282	5501	5491	2
6484	5273	5283	5502	5492	2
6485	5274	5284	5503	5493	2
6486	5275	5285	5504	5494	2
6487	5276	5286	5505	5495	2
6488	5277	5287	5506	5496	2
6489	5278	5288	5507	5497	2
6490	5279	5289	5508	5498	2
6491	5280	5290	5509	5499	2
6492	5281	5291	5510	5500	2
6493	5282	5292	5511	5501	2
6494	5283	5293	5512	5502	2
6495	5284	5294	5513	5503	2
6496	5285	5295	5514	5504	2
6497	5286	5296	5515	5505	2
6498	5287	5297	5516	5506	2
6499	5288	5298	5517	5507	2
6500	5289	5299	5518	5508	2
6501	5290	5300	5519	5509	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6502	5291	5301	5520	5510	2
6503	5292	5302	5521	5511	2
6504	5293	5303	5522	5512	2
6505	5294	5304	5523	5513	2
6506	5295	5305	5524	5514	2
6507	5296	5306	5525	5515	2
6508	5297	5307	5526	5516	2
6509	5298	5308	5527	5517	2
6510	5299	5309	5528	5518	2
6511	5300	5310	5529	5519	2
6512	5301	5311	5530	5520	2
6513	5302	5312	5531	5521	2
6514	5303	5316	5535	5522	2
6515	5304	5324	5543	5523	2
6516	5305	5332	5551	5524	2
6517	5306	5340	5559	5525	2
6518	5307	5348	5567	5526	2
6519	5308	5356	5575	5527	2
6520	5309	5364	5583	5528	2
6521	5310	5372	5591	5529	2
6522	5311	5380	5599	5530	2
6523	5312	5388	5607	5531	2
6524	5313	5314	5533	5532	3
6525	5314	5315	5534	5533	3
6526	5315	5316	5535	5534	3
6527	5316	5317	5536	5535	3
6528	5317	5318	5537	5536	3
6529	5318	5319	5538	5537	3
6530	5319	5320	5539	5538	3
6531	5320	5321	5540	5539	3
6532	5321	5322	5541	5540	3
6533	5322	5323	5542	5541	3
6534	5323	5324	5543	5542	3
6535	5324	5325	5544	5543	3
6536	5325	5326	5545	5544	3
6537	5326	5327	5546	5545	3
6538	5327	5328	5547	5546	3
6539	5328	5329	5548	5547	3
6540	5329	5330	5549	5548	3
6541	5330	5331	5550	5549	3
6542	5331	5332	5551	5550	3
6543	5332	5333	5552	5551	3
6544	5333	5334	5553	5552	3
6545	5334	5335	5554	5553	3
6546	5335	5336	5555	5554	3
6547	5336	5337	5556	5555	3
6548	5337	5338	5557	5556	3
6549	5338	5339	5558	5557	3
6550	5339	5340	5559	5558	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6551	5340	5341	5560	5559	3
6552	5341	5342	5561	5560	3
6553	5342	5343	5562	5561	3
6554	5343	5344	5563	5562	3
6555	5344	5345	5564	5563	3
6556	5345	5346	5565	5564	3
6557	5346	5347	5566	5565	3
6558	5347	5348	5567	5566	3
6559	5348	5349	5568	5567	3
6560	5349	5350	5569	5568	3
6561	5350	5351	5570	5569	3
6562	5351	5352	5571	5570	3
6563	5352	5353	5572	5571	3
6564	5353	5354	5573	5572	3
6565	5354	5355	5574	5573	3
6566	5355	5356	5575	5574	3
6567	5356	5357	5576	5575	3
6568	5357	5358	5577	5576	3
6569	5358	5359	5578	5577	3
6570	5359	5360	5579	5578	3
6571	5360	5361	5580	5579	3
6572	5361	5362	5581	5580	3
6573	5362	5363	5582	5581	3
6574	5363	5364	5583	5582	3
6575	5364	5365	5584	5583	3
6576	5365	5366	5585	5584	3
6577	5366	5367	5586	5585	3
6578	5367	5368	5587	5586	3
6579	5368	5369	5588	5587	3
6580	5369	5370	5589	5588	3
6581	5370	5371	5590	5589	3
6582	5371	5372	5591	5590	3
6583	5372	5373	5592	5591	3
6584	5373	5374	5593	5592	3
6585	5374	5375	5594	5593	3
6586	5375	5376	5595	5594	3
6587	5376	5377	5596	5595	3
6588	5377	5378	5597	5596	3
6589	5378	5379	5598	5597	3
6590	5379	5380	5599	5598	3
6591	5380	5381	5600	5599	3
6592	5381	5382	5601	5600	3
6593	5382	5383	5602	5601	3
6594	5383	5384	5603	5602	3
6595	5384	5385	5604	5603	3
6596	5385	5386	5605	5604	3
6597	5386	5387	5606	5605	3
6598	5387	5388	5607	5606	3
6599	5388	5389	5608	5607	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6600	5389	5390	5609	5608	3
6601	5390	5391	5610	5609	3
6602	5392	5402	5611		2
6603	5393	5403	5612		2
6604	5394	5404	5613		2
6605	5395	5405	5614		2
6606	5396	5406	5615		2
6607	5397	5407	5616		2
6608	5398	5408	5617		2
6609	5399	5409	5618		2
6610	5400	5410	5619		2
6611	5401	5411	5620		2
6612	5402	5412	5621	5611	2
6613	5403	5413	5622	5612	2
6614	5404	5414	5623	5613	2
6615	5405	5415	5624	5614	2
6616	5406	5416	5625	5615	2
6617	5407	5417	5626	5616	2
6618	5408	5418	5627	5617	2
6619	5409	5419	5628	5618	2
6620	5410	5420	5629	5619	2
6621	5411	5421	5630	5620	2
6622	5412	5422	5631	5621	2
6623	5413	5423	5632	5622	2
6624	5414	5424	5633	5623	2
6625	5415	5425	5634	5624	2
6626	5416	5426	5635	5625	2
6627	5417	5427	5636	5626	2
6628	5418	5428	5637	5627	2
6629	5419	5429	5638	5628	2
6630	5420	5430	5639	5629	2
6631	5421	5431	5640	5630	2
6632	5422	5432	5641	5631	2
6633	5423	5433	5642	5632	2
6634	5424	5434	5643	5633	2
6635	5425	5435	5644	5634	2
6636	5426	5436	5645	5635	2
6637	5427	5437	5646	5636	2
6638	5428	5438	5647	5637	2
6639	5429	5439	5648	5638	2
6640	5430	5440	5649	5639	2
6641	5431	5441	5650	5640	2
6642	5432	5442	5651	5641	2
6643	5433	5443	5652	5642	2
6644	5434	5444	5653	5643	2
6645	5435	5445	5654	5644	2
6646	5436	5446	5655	5645	2
6647	5437	5447	5656	5646	2
6648	5438	5448	5657	5647	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6649	5439	5449	5658	5648	2
6650	5440	5450	5659	5649	2
6651	5441	5451	5660	5650	2
6652	5442	5452	5661	5651	2
6653	5443	5453	5662	5652	2
6654	5444	5454	5663	5653	2
6655	5445	5455	5664	5654	2
6656	5446	5456	5665	5655	2
6657	5447	5457	5666	5656	2
6658	5448	5458	5667	5657	2
6659	5449	5459	5668	5658	2
6660	5450	5460	5669	5659	2
6661	5451	5461	5670	5660	2
6662	5452	5462	5671	5661	2
6663	5453	5463	5672	5662	2
6664	5454	5464	5673	5663	2
6665	5455	5465	5674	5664	2
6666	5456	5466	5675	5665	2
6667	5457	5467	5676	5666	2
6668	5458	5468	5677	5667	2
6669	5459	5469	5678	5668	2
6670	5460	5470	5679	5669	2
6671	5461	5471	5680	5670	2
6672	5462	5472	5681	5671	2
6673	5463	5473	5682	5672	2
6674	5464	5474	5683	5673	2
6675	5465	5475	5684	5674	2
6676	5466	5476	5685	5675	2
6677	5467	5477	5686	5676	2
6678	5468	5478	5687	5677	2
6679	5469	5479	5688	5678	2
6680	5470	5480	5689	5679	2
6681	5471	5481	5690	5680	2
6682	5472	5482	5691	5681	2
6683	5473	5483	5692	5682	2
6684	5474	5484	5693	5683	2
6685	5475	5485	5694	5684	2
6686	5476	5486	5695	5685	2
6687	5477	5487	5696	5686	2
6688	5478	5488	5697	5687	2
6689	5479	5489	5698	5688	2
6690	5480	5490	5699	5689	2
6691	5481	5491	5700	5690	2
6692	5482	5492	5701	5691	2
6693	5483	5493	5702	5692	2
6694	5484	5494	5703	5693	2
6695	5485	5495	5704	5694	2
6696	5486	5496	5705	5695	2
6697	5487	5497	5706	5696	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6698	5488	5498	5707	5697	2
6699	5489	5499	5708	5698	2
6700	5490	5500	5709	5699	2
6701	5491	5501	5710	5700	2
6702	5492	5502	5711	5701	2
6703	5493	5503	5712	5702	2
6704	5494	5504	5713	5703	2
6705	5495	5505	5714	5704	2
6706	5496	5506	5715	5705	2
6707	5497	5507	5716	5706	2
6708	5498	5508	5717	5707	2
6709	5499	5509	5718	5708	2
6710	5500	5510	5719	5709	2
6711	5501	5511	5720	5710	2
6712	5502	5512	5721	5711	2
6713	5503	5513	5722	5712	2
6714	5504	5514	5723	5713	2
6715	5505	5515	5724	5714	2
6716	5506	5516	5725	5715	2
6717	5507	5517	5726	5716	2
6718	5508	5518	5727	5717	2
6719	5509	5519	5728	5718	2
6720	5510	5520	5729	5719	2
6721	5511	5521	5730	5720	2
6722	5512	5522	5731	5721	2
6723	5513	5523	5732	5722	2
6724	5514	5524	5733	5723	2
6725	5515	5525	5734	5724	2
6726	5516	5526	5735	5725	2
6727	5517	5527	5736	5726	2
6728	5518	5528	5737	5727	2
6729	5519	5529	5738	5728	2
6730	5520	5530	5739	5729	2
6731	5521	5531	5740	5730	2
6732	5522	5535	5744	5731	2
6733	5523	5543	5752	5732	2
6734	5524	5551	5760	5733	2
6735	5525	5559	5768	5734	2
6736	5526	5567	5776	5735	2
6737	5527	5575	5784	5736	2
6738	5528	5583	5792	5737	2
6739	5529	5591	5800	5738	2
6740	5530	5599	5808	5739	2
6741	5531	5607	5816	5740	2
6742	5532	5533	5742	5741	3
6743	5533	5534	5743	5742	3
6744	5534	5535	5744	5743	3
6745	5535	5536	5745	5744	3
6746	5536	5537	5746	5745	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6747	5537	5538	5747	5746	3
6748	5538	5539	5748	5747	3
6749	5539	5540	5749	5748	3
6750	5540	5541	5750	5749	3
6751	5541	5542	5751	5750	3
6752	5542	5543	5752	5751	3
6753	5543	5544	5753	5752	3
6754	5544	5545	5754	5753	3
6755	5545	5546	5755	5754	3
6756	5546	5547	5756	5755	3
6757	5547	5548	5757	5756	3
6758	5548	5549	5758	5757	3
6759	5549	5550	5759	5758	3
6760	5550	5551	5760	5759	3
6761	5551	5552	5761	5760	3
6762	5552	5553	5762	5761	3
6763	5553	5554	5763	5762	3
6764	5554	5555	5764	5763	3
6765	5555	5556	5765	5764	3
6766	5556	5557	5766	5765	3
6767	5557	5558	5767	5766	3
6768	5558	5559	5768	5767	3
6769	5559	5560	5769	5768	3
6770	5560	5561	5770	5769	3
6771	5561	5562	5771	5770	3
6772	5562	5563	5772	5771	3
6773	5563	5564	5773	5772	3
6774	5564	5565	5774	5773	3
6775	5565	5566	5775	5774	3
6776	5566	5567	5776	5775	3
6777	5567	5568	5777	5776	3
6778	5568	5569	5778	5777	3
6779	5569	5570	5779	5778	3
6780	5570	5571	5780	5779	3
6781	5571	5572	5781	5780	3
6782	5572	5573	5782	5781	3
6783	5573	5574	5783	5782	3
6784	5574	5575	5784	5783	3
6785	5575	5576	5785	5784	3
6786	5576	5577	5786	5785	3
6787	5577	5578	5787	5786	3
6788	5578	5579	5788	5787	3
6789	5579	5580	5789	5788	3
6790	5580	5581	5790	5789	3
6791	5581	5582	5791	5790	3
6792	5582	5583	5792	5791	3
6793	5583	5584	5793	5792	3
6794	5584	5585	5794	5793	3
6795	5585	5586	5795	5794	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6796	5586	5587	5796	5795	3
6797	5587	5588	5797	5796	3
6798	5588	5589	5798	5797	3
6799	5589	5590	5799	5798	3
6800	5590	5591	5800	5799	3
6801	5591	5592	5801	5800	3
6802	5592	5593	5802	5801	3
6803	5593	5594	5803	5802	3
6804	5594	5595	5804	5803	3
6805	5595	5596	5805	5804	3
6806	5596	5597	5806	5805	3
6807	5597	5598	5807	5806	3
6808	5598	5599	5808	5807	3
6809	5599	5600	5809	5808	3
6810	5600	5601	5810	5809	3
6811	5601	5602	5811	5810	3
6812	5602	5603	5812	5811	3
6813	5603	5604	5813	5812	3
6814	5604	5605	5814	5813	3
6815	5605	5606	5815	5814	3
6816	5606	5607	5816	5815	3
6817	5607	5608	5817	5816	3
6818	5608	5609	5818	5817	3
6819	5609	5610	5819	5818	3
6820	5611	5621	5830	5820	2
6821	5612	5622	5831	5821	2
6822	5613	5623	5832	5822	2
6823	5614	5624	5833	5823	2
6824	5615	5625	5834	5824	2
6825	5616	5626	5835	5825	2
6826	5617	5627	5836	5826	2
6827	5618	5628	5837	5827	2
6828	5619	5629	5838	5828	2
6829	5620	5630	5839	5829	2
6830	5621	5631	5840	5830	2
6831	5622	5632	5841	5831	2
6832	5623	5633	5842	5832	2
6833	5624	5634	5843	5833	2
6834	5625	5635	5844	5834	2
6835	5626	5636	5845	5835	2
6836	5627	5637	5846	5836	2
6837	5628	5638	5847	5837	2
6838	5629	5639	5848	5838	2
6839	5630	5640	5849	5839	2
6840	5631	5641	5850	5840	2
6841	5632	5642	5851	5841	2
6842	5633	5643	5852	5842	2
6843	5634	5644	5853	5843	2
6844	5635	5645	5854	5844	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6845	5636	5646	5855	5845	2
6846	5637	5647	5856	5846	2
6847	5638	5648	5857	5847	2
6848	5639	5649	5858	5848	2
6849	5640	5650	5859	5849	2
6850	5641	5651	5860	5850	2
6851	5642	5652	5861	5851	2
6852	5643	5653	5862	5852	2
6853	5644	5654	5863	5853	2
6854	5645	5655	5864	5854	2
6855	5646	5656	5865	5855	2
6856	5647	5657	5866	5856	2
6857	5648	5658	5867	5857	2
6858	5649	5659	5868	5858	2
6859	5650	5660	5869	5859	2
6860	5651	5661	5870	5860	2
6861	5652	5662	5871	5861	2
6862	5653	5663	5872	5862	2
6863	5654	5664	5873	5863	2
6864	5655	5665	5874	5864	2
6865	5656	5666	5875	5865	2
6866	5657	5667	5876	5866	2
6867	5658	5668	5877	5867	2
6868	5659	5669	5878	5868	2
6869	5660	5670	5879	5869	2
6870	5661	5671	5880	5870	2
6871	5662	5672	5881	5871	2
6872	5663	5673	5882	5872	2
6873	5664	5674	5883	5873	2
6874	5665	5675	5884	5874	2
6875	5666	5676	5885	5875	2
6876	5667	5677	5886	5876	2
6877	5668	5678	5887	5877	2
6878	5669	5679	5888	5878	2
6879	5670	5680	5889	5879	2
6880	5671	5681	5890	5880	2
6881	5672	5682	5891	5881	2
6882	5673	5683	5892	5882	2
6883	5674	5684	5893	5883	2
6884	5675	5685	5894	5884	2
6885	5676	5686	5895	5885	2
6886	5677	5687	5896	5886	2
6887	5678	5688	5897	5887	2
6888	5679	5689	5898	5888	2
6889	5680	5690	5899	5889	2
6890	5681	5691	5900	5890	2
6891	5682	5692	5901	5891	2
6892	5683	5693	5902	5892	2
6893	5684	5694	5903	5893	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6894	5685	5695	5904	5894	2
6895	5686	5696	5905	5895	2
6896	5687	5697	5906	5896	2
6897	5688	5698	5907	5897	2
6898	5689	5699	5908	5898	2
6899	5690	5700	5909	5899	2
6900	5691	5701	5910	5900	2
6901	5692	5702	5911	5901	2
6902	5693	5703	5912	5902	2
6903	5694	5704	5913	5903	2
6904	5695	5705	5914	5904	2
6905	5696	5706	5915	5905	2
6906	5697	5707	5916	5906	2
6907	5698	5708	5917	5907	2
6908	5699	5709	5918	5908	2
6909	5700	5710	5919	5909	2
6910	5701	5711	5920	5910	2
6911	5702	5712	5921	5911	2
6912	5703	5713	5922	5912	2
6913	5704	5714	5923	5913	2
6914	5705	5715	5924	5914	2
6915	5706	5716	5925	5915	2
6916	5707	5717	5926	5916	2
6917	5708	5718	5927	5917	2
6918	5709	5719	5928	5918	2
6919	5710	5720	5929	5919	2
6920	5711	5721	5930	5920	2
6921	5712	5722	5931	5921	2
6922	5713	5723	5932	5922	2
6923	5714	5724	5933	5923	2
6924	5715	5725	5934	5924	2
6925	5716	5726	5935	5925	2
6926	5717	5727	5936	5926	2
6927	5718	5728	5937	5927	2
6928	5719	5729	5938	5928	2
6929	5720	5730	5939	5929	2
6930	5721	5731	5940	5930	2
6931	5722	5732	5941	5931	2
6932	5723	5733	5942	5932	2
6933	5724	5734	5943	5933	2
6934	5725	5735	5944	5934	2
6935	5726	5736	5945	5935	2
6936	5727	5737	5946	5936	2
6937	5728	5738	5947	5937	2
6938	5729	5739	5948	5938	2
6939	5730	5740	5949	5939	2
6940	5731	5744	5953	5940	2
6941	5732	5752	5961	5941	2
6942	5733	5760	5969	5942	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6943	5734	5768	5977	5943	2
6944	5735	5776	5985	5944	2
6945	5736	5784	5993	5945	2
6946	5737	5792	6001	5946	2
6947	5738	5800	6009	5947	2
6948	5739	5808	6017	5948	2
6949	5740	5816	6025	5949	2
6950	5741	5742	5951	5950	3
6951	5742	5743	5952	5951	3
6952	5743	5744	5953	5952	3
6953	5744	5745	5954	5953	3
6954	5745	5746	5955	5954	3
6955	5746	5747	5956	5955	3
6956	5747	5748	5957	5956	3
6957	5748	5749	5958	5957	3
6958	5749	5750	5959	5958	3
6959	5750	5751	5960	5959	3
6960	5751	5752	5961	5960	3
6961	5752	5753	5962	5961	3
6962	5753	5754	5963	5962	3
6963	5754	5755	5964	5963	3
6964	5755	5756	5965	5964	3
6965	5756	5757	5966	5965	3
6966	5757	5758	5967	5966	3
6967	5758	5759	5968	5967	3
6968	5759	5760	5969	5968	3
6969	5760	5761	5970	5969	3
6970	5761	5762	5971	5970	3
6971	5762	5763	5972	5971	3
6972	5763	5764	5973	5972	3
6973	5764	5765	5974	5973	3
6974	5765	5766	5975	5974	3
6975	5766	5767	5976	5975	3
6976	5767	5768	5977	5976	3
6977	5768	5769	5978	5977	3
6978	5769	5770	5979	5978	3
6979	5770	5771	5980	5979	3
6980	5771	5772	5981	5980	3
6981	5772	5773	5982	5981	3
6982	5773	5774	5983	5982	3
6983	5774	5775	5984	5983	3
6984	5775	5776	5985	5984	3
6985	5776	5777	5986	5985	3
6986	5777	5778	5987	5986	3
6987	5778	5779	5988	5987	3
6988	5779	5780	5989	5988	3
6989	5780	5781	5990	5989	3
6990	5781	5782	5991	5990	3
6991	5782	5783	5992	5991	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
6992	5783	5784	5993	5992	3
6993	5784	5785	5994	5993	3
6994	5785	5786	5995	5994	3
6995	5786	5787	5996	5995	3
6996	5787	5788	5997	5996	3
6997	5788	5789	5998	5997	3
6998	5789	5790	5999	5998	3
6999	5790	5791	6000	5999	3
7000	5791	5792	6001	6000	3
7001	5792	5793	6002	6001	3
7002	5793	5794	6003	6002	3
7003	5794	5795	6004	6003	3
7004	5795	5796	6005	6004	3
7005	5796	5797	6006	6005	3
7006	5797	5798	6007	6006	3
7007	5798	5799	6008	6007	3
7008	5799	5800	6009	6008	3
7009	5800	5801	6010	6009	3
7010	5801	5802	6011	6010	3
7011	5802	5803	6012	6011	3
7012	5803	5804	6013	6012	3
7013	5804	5805	6014	6013	3
7014	5805	5806	6015	6014	3
7015	5806	5807	6016	6015	3
7016	5807	5808	6017	6016	3
7017	5808	5809	6018	6017	3
7018	5809	5810	6019	6018	3
7019	5810	5811	6020	6019	3
7020	5811	5812	6021	6020	3
7021	5812	5813	6022	6021	3
7022	5813	5814	6023	6022	3
7023	5814	5815	6024	6023	3
7024	5815	5816	6025	6024	3
7025	5816	5817	6026	6025	3
7026	5817	5818	6027	6026	3
7027	5818	5819	6028	6027	3
7028	5820	5830	6029		2
7029	5821	5831	6030		2
7030	5822	5832	6031		2
7031	5823	5833	6032		2
7032	5824	5834	6033		2
7033	5825	5835	6034		2
7034	5826	5836	6035		2
7035	5827	5837	6036		2
7036	5828	5838	6037		2
7037	5829	5839	6038		2
7038	5830	5840	6039	6029	2
7039	5831	5841	6040	6030	2
7040	5832	5842	6041	6031	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7041	5833	5843	6042	6032	2
7042	5834	5844	6043	6033	2
7043	5835	5845	6044	6034	2
7044	5836	5846	6045	6035	2
7045	5837	5847	6046	6036	2
7046	5838	5848	6047	6037	2
7047	5839	5849	6048	6038	2
7048	5840	5850	6049	6039	2
7049	5841	5851	6050	6040	2
7050	5842	5852	6051	6041	2
7051	5843	5853	6052	6042	2
7052	5844	5854	6053	6043	2
7053	5845	5855	6054	6044	2
7054	5846	5856	6055	6045	2
7055	5847	5857	6056	6046	2
7056	5848	5858	6057	6047	2
7057	5849	5859	6058	6048	2
7058	5850	5860	6059	6049	2
7059	5851	5861	6060	6050	2
7060	5852	5862	6061	6051	2
7061	5853	5863	6062	6052	2
7062	5854	5864	6063	6053	2
7063	5855	5865	6064	6054	2
7064	5856	5866	6065	6055	2
7065	5857	5867	6066	6056	2
7066	5858	5868	6067	6057	2
7067	5859	5869	6068	6058	2
7068	5860	5870	6069	6059	2
7069	5861	5871	6070	6060	2
7070	5862	5872	6071	6061	2
7071	5863	5873	6072	6062	2
7072	5864	5874	6073	6063	2
7073	5865	5875	6074	6064	2
7074	5866	5876	6075	6065	2
7075	5867	5877	6076	6066	2
7076	5868	5878	6077	6067	2
7077	5869	5879	6078	6068	2
7078	5870	5880	6079	6069	2
7079	5871	5881	6080	6070	2
7080	5872	5882	6081	6071	2
7081	5873	5883	6082	6072	2
7082	5874	5884	6083	6073	2
7083	5875	5885	6084	6074	2
7084	5876	5886	6085	6075	2
7085	5877	5887	6086	6076	2
7086	5878	5888	6087	6077	2
7087	5879	5889	6088	6078	2
7088	5880	5890	6089	6079	2
7089	5881	5891	6090	6080	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7090	5882	5892	6091	6081	2
7091	5883	5893	6092	6082	2
7092	5884	5894	6093	6083	2
7093	5885	5895	6094	6084	2
7094	5886	5896	6095	6085	2
7095	5887	5897	6096	6086	2
7096	5888	5898	6097	6087	2
7097	5889	5899	6098	6088	2
7098	5890	5900	6099	6089	2
7099	5891	5901	6100	6090	2
7100	5892	5902	6101	6091	2
7101	5893	5903	6102	6092	2
7102	5894	5904	6103	6093	2
7103	5895	5905	6104	6094	2
7104	5896	5906	6105	6095	2
7105	5897	5907	6106	6096	2
7106	5898	5908	6107	6097	2
7107	5899	5909	6108	6098	2
7108	5900	5910	6109	6099	2
7109	5901	5911	6110	6100	2
7110	5902	5912	6111	6101	2
7111	5903	5913	6112	6102	2
7112	5904	5914	6113	6103	2
7113	5905	5915	6114	6104	2
7114	5906	5916	6115	6105	2
7115	5907	5917	6116	6106	2
7116	5908	5918	6117	6107	2
7117	5909	5919	6118	6108	2
7118	5910	5920	6119	6109	2
7119	5911	5921	6120	6110	2
7120	5912	5922	6121	6111	2
7121	5913	5923	6122	6112	2
7122	5914	5924	6123	6113	2
7123	5915	5925	6124	6114	2
7124	5916	5926	6125	6115	2
7125	5917	5927	6126	6116	2
7126	5918	5928	6127	6117	2
7127	5919	5929	6128	6118	2
7128	5920	5930	6129	6119	2
7129	5921	5931	6130	6120	2
7130	5922	5932	6131	6121	2
7131	5923	5933	6132	6122	2
7132	5924	5934	6133	6123	2
7133	5925	5935	6134	6124	2
7134	5926	5936	6135	6125	2
7135	5927	5937	6136	6126	2
7136	5928	5938	6137	6127	2
7137	5929	5939	6138	6128	2
7138	5930	5940	6139	6129	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7139	5931	5941	6140	6130	2
7140	5932	5942	6141	6131	2
7141	5933	5943	6142	6132	2
7142	5934	5944	6143	6133	2
7143	5935	5945	6144	6134	2
7144	5936	5946	6145	6135	2
7145	5937	5947	6146	6136	2
7146	5938	5948	6147	6137	2
7147	5939	5949	6148	6138	2
7148	5940	5953	6152	6139	2
7149	5941	5961	6160	6140	2
7150	5942	5969	6168	6141	2
7151	5943	5977	6176	6142	2
7152	5944	5985	6184	6143	2
7153	5945	5993	6192	6144	2
7154	5946	6001	6200	6145	2
7155	5947	6009	6208	6146	2
7156	5948	6017	6216	6147	2
7157	5949	6025	6224	6148	2
7158	5950	5951	6150	6149	3
7159	5951	5952	6151	6150	3
7160	5952	5953	6152	6151	3
7161	5953	5954	6153	6152	3
7162	5954	5955	6154	6153	3
7163	5955	5956	6155	6154	3
7164	5956	5957	6156	6155	3
7165	5957	5958	6157	6156	3
7166	5958	5959	6158	6157	3
7167	5959	5960	6159	6158	3
7168	5960	5961	6160	6159	3
7169	5961	5962	6161	6160	3
7170	5962	5963	6162	6161	3
7171	5963	5964	6163	6162	3
7172	5964	5965	6164	6163	3
7173	5965	5966	6165	6164	3
7174	5966	5967	6166	6165	3
7175	5967	5968	6167	6166	3
7176	5968	5969	6168	6167	3
7177	5969	5970	6169	6168	3
7178	5970	5971	6170	6169	3
7179	5971	5972	6171	6170	3
7180	5972	5973	6172	6171	3
7181	5973	5974	6173	6172	3
7182	5974	5975	6174	6173	3
7183	5975	5976	6175	6174	3
7184	5976	5977	6176	6175	3
7185	5977	5978	6177	6176	3
7186	5978	5979	6178	6177	3
7187	5979	5980	6179	6178	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7188	5980	5981	6180	6179	3
7189	5981	5982	6181	6180	3
7190	5982	5983	6182	6181	3
7191	5983	5984	6183	6182	3
7192	5984	5985	6184	6183	3
7193	5985	5986	6185	6184	3
7194	5986	5987	6186	6185	3
7195	5987	5988	6187	6186	3
7196	5988	5989	6188	6187	3
7197	5989	5990	6189	6188	3
7198	5990	5991	6190	6189	3
7199	5991	5992	6191	6190	3
7200	5992	5993	6192	6191	3
7201	5993	5994	6193	6192	3
7202	5994	5995	6194	6193	3
7203	5995	5996	6195	6194	3
7204	5996	5997	6196	6195	3
7205	5997	5998	6197	6196	3
7206	5998	5999	6198	6197	3
7207	5999	6000	6199	6198	3
7208	6000	6001	6200	6199	3
7209	6001	6002	6201	6200	3
7210	6002	6003	6202	6201	3
7211	6003	6004	6203	6202	3
7212	6004	6005	6204	6203	3
7213	6005	6006	6205	6204	3
7214	6006	6007	6206	6205	3
7215	6007	6008	6207	6206	3
7216	6008	6009	6208	6207	3
7217	6009	6010	6209	6208	3
7218	6010	6011	6210	6209	3
7219	6011	6012	6211	6210	3
7220	6012	6013	6212	6211	3
7221	6013	6014	6213	6212	3
7222	6014	6015	6214	6213	3
7223	6015	6016	6215	6214	3
7224	6016	6017	6216	6215	3
7225	6017	6018	6217	6216	3
7226	6018	6019	6218	6217	3
7227	6019	6020	6219	6218	3
7228	6020	6021	6220	6219	3
7229	6021	6022	6221	6220	3
7230	6022	6023	6222	6221	3
7231	6023	6024	6223	6222	3
7232	6024	6025	6224	6223	3
7233	6025	6026	6225	6224	3
7234	6026	6027	6226	6225	3
7235	6027	6028	6227	6226	3
7236	6029	6039	6238	6228	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7237	6030	6040	6239	6229	2
7238	6031	6041	6240	6230	2
7239	6032	6042	6241	6231	2
7240	6033	6043	6242	6232	2
7241	6034	6044	6243	6233	2
7242	6035	6045	6244	6234	2
7243	6036	6046	6245	6235	2
7244	6037	6047	6246	6236	2
7245	6038	6048	6247	6237	2
7246	6039	6049	6248	6238	2
7247	6040	6050	6249	6239	2
7248	6041	6051	6250	6240	2
7249	6042	6052	6251	6241	2
7250	6043	6053	6252	6242	2
7251	6044	6054	6253	6243	2
7252	6045	6055	6254	6244	2
7253	6046	6056	6255	6245	2
7254	6047	6057	6256	6246	2
7255	6048	6058	6257	6247	2
7256	6049	6059	6258	6248	2
7257	6050	6060	6259	6249	2
7258	6051	6061	6260	6250	2
7259	6052	6062	6261	6251	2
7260	6053	6063	6262	6252	2
7261	6054	6064	6263	6253	2
7262	6055	6065	6264	6254	2
7263	6056	6066	6265	6255	2
7264	6057	6067	6266	6256	2
7265	6058	6068	6267	6257	2
7266	6059	6069	6268	6258	2
7267	6060	6070	6269	6259	2
7268	6061	6071	6270	6260	2
7269	6062	6072	6271	6261	2
7270	6063	6073	6272	6262	2
7271	6064	6074	6273	6263	2
7272	6065	6075	6274	6264	2
7273	6066	6076	6275	6265	2
7274	6067	6077	6276	6266	2
7275	6068	6078	6277	6267	2
7276	6069	6079	6278	6268	2
7277	6070	6080	6279	6269	2
7278	6071	6081	6280	6270	2
7279	6072	6082	6281	6271	2
7280	6073	6083	6282	6272	2
7281	6074	6084	6283	6273	2
7282	6075	6085	6284	6274	2
7283	6076	6086	6285	6275	2
7284	6077	6087	6286	6276	2
7285	6078	6088	6287	6277	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7286	6079	6089	6288	6278	2
7287	6080	6090	6289	6279	2
7288	6081	6091	6290	6280	2
7289	6082	6092	6291	6281	2
7290	6083	6093	6292	6282	2
7291	6084	6094	6293	6283	2
7292	6085	6095	6294	6284	2
7293	6086	6096	6295	6285	2
7294	6087	6097	6296	6286	2
7295	6088	6098	6297	6287	2
7296	6089	6099	6298	6288	2
7297	6090	6100	6299	6289	2
7298	6091	6101	6300	6290	2
7299	6092	6102	6301	6291	2
7300	6093	6103	6302	6292	2
7301	6094	6104	6303	6293	2
7302	6095	6105	6304	6294	2
7303	6096	6106	6305	6295	2
7304	6097	6107	6306	6296	2
7305	6098	6108	6307	6297	2
7306	6099	6109	6308	6298	2
7307	6100	6110	6309	6299	2
7308	6101	6111	6310	6300	2
7309	6102	6112	6311	6301	2
7310	6103	6113	6312	6302	2
7311	6104	6114	6313	6303	2
7312	6105	6115	6314	6304	2
7313	6106	6116	6315	6305	2
7314	6107	6117	6316	6306	2
7315	6108	6118	6317	6307	2
7316	6109	6119	6318	6308	2
7317	6110	6120	6319	6309	2
7318	6111	6121	6320	6310	2
7319	6112	6122	6321	6311	2
7320	6113	6123	6322	6312	2
7321	6114	6124	6323	6313	2
7322	6115	6125	6324	6314	2
7323	6116	6126	6325	6315	2
7324	6117	6127	6326	6316	2
7325	6118	6128	6327	6317	2
7326	6119	6129	6328	6318	2
7327	6120	6130	6329	6319	2
7328	6121	6131	6330	6320	2
7329	6122	6132	6331	6321	2
7330	6123	6133	6332	6322	2
7331	6124	6134	6333	6323	2
7332	6125	6135	6334	6324	2
7333	6126	6136	6335	6325	2
7334	6127	6137	6336	6326	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7335	6128	6138	6337	6327	2
7336	6129	6139	6338	6328	2
7337	6130	6140	6339	6329	2
7338	6131	6141	6340	6330	2
7339	6132	6142	6341	6331	2
7340	6133	6143	6342	6332	2
7341	6134	6144	6343	6333	2
7342	6135	6145	6344	6334	2
7343	6136	6146	6345	6335	2
7344	6137	6147	6346	6336	2
7345	6138	6148	6347	6337	2
7346	6139	6152	6351	6338	2
7347	6140	6160	6359	6339	2
7348	6141	6168	6367	6340	2
7349	6142	6176	6375	6341	2
7350	6143	6184	6383	6342	2
7351	6144	6192	6391	6343	2
7352	6145	6200	6399	6344	2
7353	6146	6208	6407	6345	2
7354	6147	6216	6415	6346	2
7355	6148	6224	6423	6347	2
7356	6149	6150	6349	6348	3
7357	6150	6151	6350	6349	3
7358	6151	6152	6351	6350	3
7359	6152	6153	6352	6351	3
7360	6153	6154	6353	6352	3
7361	6154	6155	6354	6353	3
7362	6155	6156	6355	6354	3
7363	6156	6157	6356	6355	3
7364	6157	6158	6357	6356	3
7365	6158	6159	6358	6357	3
7366	6159	6160	6359	6358	3
7367	6160	6161	6360	6359	3
7368	6161	6162	6361	6360	3
7369	6162	6163	6362	6361	3
7370	6163	6164	6363	6362	3
7371	6164	6165	6364	6363	3
7372	6165	6166	6365	6364	3
7373	6166	6167	6366	6365	3
7374	6167	6168	6367	6366	3
7375	6168	6169	6368	6367	3
7376	6169	6170	6369	6368	3
7377	6170	6171	6370	6369	3
7378	6171	6172	6371	6370	3
7379	6172	6173	6372	6371	3
7380	6173	6174	6373	6372	3
7381	6174	6175	6374	6373	3
7382	6175	6176	6375	6374	3
7383	6176	6177	6376	6375	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7384	6177	6178	6377	6376	3
7385	6178	6179	6378	6377	3
7386	6179	6180	6379	6378	3
7387	6180	6181	6380	6379	3
7388	6181	6182	6381	6380	3
7389	6182	6183	6382	6381	3
7390	6183	6184	6383	6382	3
7391	6184	6185	6384	6383	3
7392	6185	6186	6385	6384	3
7393	6186	6187	6386	6385	3
7394	6187	6188	6387	6386	3
7395	6188	6189	6388	6387	3
7396	6189	6190	6389	6388	3
7397	6190	6191	6390	6389	3
7398	6191	6192	6391	6390	3
7399	6192	6193	6392	6391	3
7400	6193	6194	6393	6392	3
7401	6194	6195	6394	6393	3
7402	6195	6196	6395	6394	3
7403	6196	6197	6396	6395	3
7404	6197	6198	6397	6396	3
7405	6198	6199	6398	6397	3
7406	6199	6200	6399	6398	3
7407	6200	6201	6400	6399	3
7408	6201	6202	6401	6400	3
7409	6202	6203	6402	6401	3
7410	6203	6204	6403	6402	3
7411	6204	6205	6404	6403	3
7412	6205	6206	6405	6404	3
7413	6206	6207	6406	6405	3
7414	6207	6208	6407	6406	3
7415	6208	6209	6408	6407	3
7416	6209	6210	6409	6408	3
7417	6210	6211	6410	6409	3
7418	6211	6212	6411	6410	3
7419	6212	6213	6412	6411	3
7420	6213	6214	6413	6412	3
7421	6214	6215	6414	6413	3
7422	6215	6216	6415	6414	3
7423	6216	6217	6416	6415	3
7424	6217	6218	6417	6416	3
7425	6218	6219	6418	6417	3
7426	6219	6220	6419	6418	3
7427	6220	6221	6420	6419	3
7428	6221	6222	6421	6420	3
7429	6222	6223	6422	6421	3
7430	6223	6224	6423	6422	3
7431	6224	6225	6424	6423	3
7432	6225	6226	6425	6424	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7433	6226	6227	6426	6425	3
7434	6228	6238	6427		2
7435	6229	6239	6428		2
7436	6230	6240	6429		2
7437	6231	6241	6430		2
7438	6232	6242	6431		2
7439	6233	6243	6432		2
7440	6234	6244	6433		2
7441	6235	6245	6434		2
7442	6236	6246	6435		2
7443	6237	6247	6436		2
7444	6238	6248	6437	6427	2
7445	6239	6249	6438	6428	2
7446	6240	6250	6439	6429	2
7447	6241	6251	6440	6430	2
7448	6242	6252	6441	6431	2
7449	6243	6253	6442	6432	2
7450	6244	6254	6443	6433	2
7451	6245	6255	6444	6434	2
7452	6246	6256	6445	6435	2
7453	6247	6257	6446	6436	2
7454	6248	6258	6447	6437	2
7455	6249	6259	6448	6438	2
7456	6250	6260	6449	6439	2
7457	6251	6261	6450	6440	2
7458	6252	6262	6451	6441	2
7459	6253	6263	6452	6442	2
7460	6254	6264	6453	6443	2
7461	6255	6265	6454	6444	2
7462	6256	6266	6455	6445	2
7463	6257	6267	6456	6446	2
7464	6258	6268	6457	6447	2
7465	6259	6269	6458	6448	2
7466	6260	6270	6459	6449	2
7467	6261	6271	6460	6450	2
7468	6262	6272	6461	6451	2
7469	6263	6273	6462	6452	2
7470	6264	6274	6463	6453	2
7471	6265	6275	6464	6454	2
7472	6266	6276	6465	6455	2
7473	6267	6277	6466	6456	2
7474	6268	6278	6467	6457	2
7475	6269	6279	6468	6458	2
7476	6270	6280	6469	6459	2
7477	6271	6281	6470	6460	2
7478	6272	6282	6471	6461	2
7479	6273	6283	6472	6462	2
7480	6274	6284	6473	6463	2
7481	6275	6285	6474	6464	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7482	6276	6286	6475	6465	2
7483	6277	6287	6476	6466	2
7484	6278	6288	6477	6467	2
7485	6279	6289	6478	6468	2
7486	6280	6290	6479	6469	2
7487	6281	6291	6480	6470	2
7488	6282	6292	6481	6471	2
7489	6283	6293	6482	6472	2
7490	6284	6294	6483	6473	2
7491	6285	6295	6484	6474	2
7492	6286	6296	6485	6475	2
7493	6287	6297	6486	6476	2
7494	6288	6298	6487	6477	2
7495	6289	6299	6488	6478	2
7496	6290	6300	6489	6479	2
7497	6291	6301	6490	6480	2
7498	6292	6302	6491	6481	2
7499	6293	6303	6492	6482	2
7500	6294	6304	6493	6483	2
7501	6295	6305	6494	6484	2
7502	6296	6306	6495	6485	2
7503	6297	6307	6496	6486	2
7504	6298	6308	6497	6487	2
7505	6299	6309	6498	6488	2
7506	6300	6310	6499	6489	2
7507	6301	6311	6500	6490	2
7508	6302	6312	6501	6491	2
7509	6303	6313	6502	6492	2
7510	6304	6314	6503	6493	2
7511	6305	6315	6504	6494	2
7512	6306	6316	6505	6495	2
7513	6307	6317	6506	6496	2
7514	6308	6318	6507	6497	2
7515	6309	6319	6508	6498	2
7516	6310	6320	6509	6499	2
7517	6311	6321	6510	6500	2
7518	6312	6322	6511	6501	2
7519	6313	6323	6512	6502	2
7520	6314	6324	6513	6503	2
7521	6315	6325	6514	6504	2
7522	6316	6326	6515	6505	2
7523	6317	6327	6516	6506	2
7524	6318	6328	6517	6507	2
7525	6319	6329	6518	6508	2
7526	6320	6330	6519	6509	2
7527	6321	6331	6520	6510	2
7528	6322	6332	6521	6511	2
7529	6323	6333	6522	6512	2
7530	6324	6334	6523	6513	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7531	6325	6335	6524	6514	2
7532	6326	6336	6525	6515	2
7533	6327	6337	6526	6516	2
7534	6328	6338	6527	6517	2
7535	6329	6339	6528	6518	2
7536	6330	6340	6529	6519	2
7537	6331	6341	6530	6520	2
7538	6332	6342	6531	6521	2
7539	6333	6343	6532	6522	2
7540	6334	6344	6533	6523	2
7541	6335	6345	6534	6524	2
7542	6336	6346	6535	6525	2
7543	6337	6347	6536	6526	2
7544	6338	6351	6540	6527	2
7545	6339	6359	6548	6528	2
7546	6340	6367	6556	6529	2
7547	6341	6375	6564	6530	2
7548	6342	6383	6572	6531	2
7549	6343	6391	6580	6532	2
7550	6344	6399	6588	6533	2
7551	6345	6407	6596	6534	2
7552	6346	6415	6604	6535	2
7553	6347	6423	6612	6536	2
7554	6348	6349	6538	6537	3
7555	6349	6350	6539	6538	3
7556	6350	6351	6540	6539	3
7557	6351	6352	6541	6540	3
7558	6352	6353	6542	6541	3
7559	6353	6354	6543	6542	3
7560	6354	6355	6544	6543	3
7561	6355	6356	6545	6544	3
7562	6356	6357	6546	6545	3
7563	6357	6358	6547	6546	3
7564	6358	6359	6548	6547	3
7565	6359	6360	6549	6548	3
7566	6360	6361	6550	6549	3
7567	6361	6362	6551	6550	3
7568	6362	6363	6552	6551	3
7569	6363	6364	6553	6552	3
7570	6364	6365	6554	6553	3
7571	6365	6366	6555	6554	3
7572	6366	6367	6556	6555	3
7573	6367	6368	6557	6556	3
7574	6368	6369	6558	6557	3
7575	6369	6370	6559	6558	3
7576	6370	6371	6560	6559	3
7577	6371	6372	6561	6560	3
7578	6372	6373	6562	6561	3
7579	6373	6374	6563	6562	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7580	6374	6375	6564	6563	3
7581	6375	6376	6565	6564	3
7582	6376	6377	6566	6565	3
7583	6377	6378	6567	6566	3
7584	6378	6379	6568	6567	3
7585	6379	6380	6569	6568	3
7586	6380	6381	6570	6569	3
7587	6381	6382	6571	6570	3
7588	6382	6383	6572	6571	3
7589	6383	6384	6573	6572	3
7590	6384	6385	6574	6573	3
7591	6385	6386	6575	6574	3
7592	6386	6387	6576	6575	3
7593	6387	6388	6577	6576	3
7594	6388	6389	6578	6577	3
7595	6389	6390	6579	6578	3
7596	6390	6391	6580	6579	3
7597	6391	6392	6581	6580	3
7598	6392	6393	6582	6581	3
7599	6393	6394	6583	6582	3
7600	6394	6395	6584	6583	3
7601	6395	6396	6585	6584	3
7602	6396	6397	6586	6585	3
7603	6397	6398	6587	6586	3
7604	6398	6399	6588	6587	3
7605	6399	6400	6589	6588	3
7606	6400	6401	6590	6589	3
7607	6401	6402	6591	6590	3
7608	6402	6403	6592	6591	3
7609	6403	6404	6593	6592	3
7610	6404	6405	6594	6593	3
7611	6405	6406	6595	6594	3
7612	6406	6407	6596	6595	3
7613	6407	6408	6597	6596	3
7614	6408	6409	6598	6597	3
7615	6409	6410	6599	6598	3
7616	6410	6411	6600	6599	3
7617	6411	6412	6601	6600	3
7618	6412	6413	6602	6601	3
7619	6413	6414	6603	6602	3
7620	6414	6415	6604	6603	3
7621	6415	6416	6605	6604	3
7622	6416	6417	6606	6605	3
7623	6417	6418	6607	6606	3
7624	6418	6419	6608	6607	3
7625	6419	6420	6609	6608	3
7626	6420	6421	6610	6609	3
7627	6421	6422	6611	6610	3
7628	6422	6423	6612	6611	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7629	6423	6424	6613	6612	3
7630	6424	6425	6614	6613	3
7631	6425	6426	6615	6614	3
7632	6427	6437	6626	6616	2
7633	6428	6438	6627	6617	2
7634	6429	6439	6628	6618	2
7635	6430	6440	6629	6619	2
7636	6431	6441	6630	6620	2
7637	6432	6442	6631	6621	2
7638	6433	6443	6632	6622	2
7639	6434	6444	6633	6623	2
7640	6435	6445	6634	6624	2
7641	6436	6446	6635	6625	2
7642	6437	6447	6636	6626	2
7643	6438	6448	6637	6627	2
7644	6439	6449	6638	6628	2
7645	6440	6450	6639	6629	2
7646	6441	6451	6640	6630	2
7647	6442	6452	6641	6631	2
7648	6443	6453	6642	6632	2
7649	6444	6454	6643	6633	2
7650	6445	6455	6644	6634	2
7651	6446	6456	6645	6635	2
7652	6447	6457	6646	6636	2
7653	6448	6458	6647	6637	2
7654	6449	6459	6648	6638	2
7655	6450	6460	6649	6639	2
7656	6451	6461	6650	6640	2
7657	6452	6462	6651	6641	2
7658	6453	6463	6652	6642	2
7659	6454	6464	6653	6643	2
7660	6455	6465	6654	6644	2
7661	6456	6466	6655	6645	2
7662	6457	6467	6656	6646	2
7663	6458	6468	6657	6647	2
7664	6459	6469	6658	6648	2
7665	6460	6470	6659	6649	2
7666	6461	6471	6660	6650	2
7667	6462	6472	6661	6651	2
7668	6463	6473	6662	6652	2
7669	6464	6474	6663	6653	2
7670	6465	6475	6664	6654	2
7671	6466	6476	6665	6655	2
7672	6467	6477	6666	6656	2
7673	6468	6478	6667	6657	2
7674	6469	6479	6668	6658	2
7675	6470	6480	6669	6659	2
7676	6471	6481	6670	6660	2
7677	6472	6482	6671	6661	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7678	6473	6483	6672	6662	2
7679	6474	6484	6673	6663	2
7680	6475	6485	6674	6664	2
7681	6476	6486	6675	6665	2
7682	6477	6487	6676	6666	2
7683	6478	6488	6677	6667	2
7684	6479	6489	6678	6668	2
7685	6480	6490	6679	6669	2
7686	6481	6491	6680	6670	2
7687	6482	6492	6681	6671	2
7688	6483	6493	6682	6672	2
7689	6484	6494	6683	6673	2
7690	6485	6495	6684	6674	2
7691	6486	6496	6685	6675	2
7692	6487	6497	6686	6676	2
7693	6488	6498	6687	6677	2
7694	6489	6499	6688	6678	2
7695	6490	6500	6689	6679	2
7696	6491	6501	6690	6680	2
7697	6492	6502	6691	6681	2
7698	6493	6503	6692	6682	2
7699	6494	6504	6693	6683	2
7700	6495	6505	6694	6684	2
7701	6496	6506	6695	6685	2
7702	6497	6507	6696	6686	2
7703	6498	6508	6697	6687	2
7704	6499	6509	6698	6688	2
7705	6500	6510	6699	6689	2
7706	6501	6511	6700	6690	2
7707	6502	6512	6701	6691	2
7708	6503	6513	6702	6692	2
7709	6504	6514	6703	6693	2
7710	6505	6515	6704	6694	2
7711	6506	6516	6705	6695	2
7712	6507	6517	6706	6696	2
7713	6508	6518	6707	6697	2
7714	6509	6519	6708	6698	2
7715	6510	6520	6709	6699	2
7716	6511	6521	6710	6700	2
7717	6512	6522	6711	6701	2
7718	6513	6523	6712	6702	2
7719	6514	6524	6713	6703	2
7720	6515	6525	6714	6704	2
7721	6516	6526	6715	6705	2
7722	6517	6527	6716	6706	2
7723	6518	6528	6717	6707	2
7724	6519	6529	6718	6708	2
7725	6520	6530	6719	6709	2
7726	6521	6531	6720	6710	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7727	6522	6532	6721	6711	2
7728	6523	6533	6722	6712	2
7729	6524	6534	6723	6713	2
7730	6525	6535	6724	6714	2
7731	6526	6536	6725	6715	2
7732	6527	6540	6729	6716	2
7733	6528	6548	6737	6717	2
7734	6529	6556	6745	6718	2
7735	6530	6564	6753	6719	2
7736	6531	6572	6761	6720	2
7737	6532	6580	6769	6721	2
7738	6533	6588	6777	6722	2
7739	6534	6596	6785	6723	2
7740	6535	6604	6793	6724	2
7741	6536	6612	6801	6725	2
7742	6537	6538	6727	6726	3
7743	6538	6539	6728	6727	3
7744	6539	6540	6729	6728	3
7745	6540	6541	6730	6729	3
7746	6541	6542	6731	6730	3
7747	6542	6543	6732	6731	3
7748	6543	6544	6733	6732	3
7749	6544	6545	6734	6733	3
7750	6545	6546	6735	6734	3
7751	6546	6547	6736	6735	3
7752	6547	6548	6737	6736	3
7753	6548	6549	6738	6737	3
7754	6549	6550	6739	6738	3
7755	6550	6551	6740	6739	3
7756	6551	6552	6741	6740	3
7757	6552	6553	6742	6741	3
7758	6553	6554	6743	6742	3
7759	6554	6555	6744	6743	3
7760	6555	6556	6745	6744	3
7761	6556	6557	6746	6745	3
7762	6557	6558	6747	6746	3
7763	6558	6559	6748	6747	3
7764	6559	6560	6749	6748	3
7765	6560	6561	6750	6749	3
7766	6561	6562	6751	6750	3
7767	6562	6563	6752	6751	3
7768	6563	6564	6753	6752	3
7769	6564	6565	6754	6753	3
7770	6565	6566	6755	6754	3
7771	6566	6567	6756	6755	3
7772	6567	6568	6757	6756	3
7773	6568	6569	6758	6757	3
7774	6569	6570	6759	6758	3
7775	6570	6571	6760	6759	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7776	6571	6572	6761	6760	3
7777	6572	6573	6762	6761	3
7778	6573	6574	6763	6762	3
7779	6574	6575	6764	6763	3
7780	6575	6576	6765	6764	3
7781	6576	6577	6766	6765	3
7782	6577	6578	6767	6766	3
7783	6578	6579	6768	6767	3
7784	6579	6580	6769	6768	3
7785	6580	6581	6770	6769	3
7786	6581	6582	6771	6770	3
7787	6582	6583	6772	6771	3
7788	6583	6584	6773	6772	3
7789	6584	6585	6774	6773	3
7790	6585	6586	6775	6774	3
7791	6586	6587	6776	6775	3
7792	6587	6588	6777	6776	3
7793	6588	6589	6778	6777	3
7794	6589	6590	6779	6778	3
7795	6590	6591	6780	6779	3
7796	6591	6592	6781	6780	3
7797	6592	6593	6782	6781	3
7798	6593	6594	6783	6782	3
7799	6594	6595	6784	6783	3
7800	6595	6596	6785	6784	3
7801	6596	6597	6786	6785	3
7802	6597	6598	6787	6786	3
7803	6598	6599	6788	6787	3
7804	6599	6600	6789	6788	3
7805	6600	6601	6790	6789	3
7806	6601	6602	6791	6790	3
7807	6602	6603	6792	6791	3
7808	6603	6604	6793	6792	3
7809	6604	6605	6794	6793	3
7810	6605	6606	6795	6794	3
7811	6606	6607	6796	6795	3
7812	6607	6608	6797	6796	3
7813	6608	6609	6798	6797	3
7814	6609	6610	6799	6798	3
7815	6610	6611	6800	6799	3
7816	6611	6612	6801	6800	3
7817	6612	6613	6802	6801	3
7818	6613	6614	6803	6802	3
7819	6614	6615	6804	6803	3
7820	6616	6626	6805		2
7821	6617	6627	6806		2
7822	6618	6628	6807		2
7823	6619	6629	6808		2
7824	6620	6630	6809		2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7825	6621	6631	6810		2
7826	6622	6632	6811		2
7827	6623	6633	6812		2
7828	6624	6634	6813		2
7829	6625	6635	6814		2
7830	6626	6636	6815	6805	2
7831	6627	6637	6816	6806	2
7832	6628	6638	6817	6807	2
7833	6629	6639	6818	6808	2
7834	6630	6640	6819	6809	2
7835	6631	6641	6820	6810	2
7836	6632	6642	6821	6811	2
7837	6633	6643	6822	6812	2
7838	6634	6644	6823	6813	2
7839	6635	6645	6824	6814	2
7840	6636	6646	6825	6815	2
7841	6637	6647	6826	6816	2
7842	6638	6648	6827	6817	2
7843	6639	6649	6828	6818	2
7844	6640	6650	6829	6819	2
7845	6641	6651	6830	6820	2
7846	6642	6652	6831	6821	2
7847	6643	6653	6832	6822	2
7848	6644	6654	6833	6823	2
7849	6645	6655	6834	6824	2
7850	6646	6656	6835	6825	2
7851	6647	6657	6836	6826	2
7852	6648	6658	6837	6827	2
7853	6649	6659	6838	6828	2
7854	6650	6660	6839	6829	2
7855	6651	6661	6840	6830	2
7856	6652	6662	6841	6831	2
7857	6653	6663	6842	6832	2
7858	6654	6664	6843	6833	2
7859	6655	6665	6844	6834	2
7860	6656	6666	6845	6835	2
7861	6657	6667	6846	6836	2
7862	6658	6668	6847	6837	2
7863	6659	6669	6848	6838	2
7864	6660	6670	6849	6839	2
7865	6661	6671	6850	6840	2
7866	6662	6672	6851	6841	2
7867	6663	6673	6852	6842	2
7868	6664	6674	6853	6843	2
7869	6665	6675	6854	6844	2
7870	6666	6676	6855	6845	2
7871	6667	6677	6856	6846	2
7872	6668	6678	6857	6847	2
7873	6669	6679	6858	6848	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7874	6670	6680	6859	6849	2
7875	6671	6681	6860	6850	2
7876	6672	6682	6861	6851	2
7877	6673	6683	6862	6852	2
7878	6674	6684	6863	6853	2
7879	6675	6685	6864	6854	2
7880	6676	6686	6865	6855	2
7881	6677	6687	6866	6856	2
7882	6678	6688	6867	6857	2
7883	6679	6689	6868	6858	2
7884	6680	6690	6869	6859	2
7885	6681	6691	6870	6860	2
7886	6682	6692	6871	6861	2
7887	6683	6693	6872	6862	2
7888	6684	6694	6873	6863	2
7889	6685	6695	6874	6864	2
7890	6686	6696	6875	6865	2
7891	6687	6697	6876	6866	2
7892	6688	6698	6877	6867	2
7893	6689	6699	6878	6868	2
7894	6690	6700	6879	6869	2
7895	6691	6701	6880	6870	2
7896	6692	6702	6881	6871	2
7897	6693	6703	6882	6872	2
7898	6694	6704	6883	6873	2
7899	6695	6705	6884	6874	2
7900	6696	6706	6885	6875	2
7901	6697	6707	6886	6876	2
7902	6698	6708	6887	6877	2
7903	6699	6709	6888	6878	2
7904	6700	6710	6889	6879	2
7905	6701	6711	6890	6880	2
7906	6702	6712	6891	6881	2
7907	6703	6713	6892	6882	2
7908	6704	6714	6893	6883	2
7909	6705	6715	6894	6884	2
7910	6706	6716	6895	6885	2
7911	6707	6717	6896	6886	2
7912	6708	6718	6897	6887	2
7913	6709	6719	6898	6888	2
7914	6710	6720	6899	6889	2
7915	6711	6721	6900	6890	2
7916	6712	6722	6901	6891	2
7917	6713	6723	6902	6892	2
7918	6714	6724	6903	6893	2
7919	6715	6725	6904	6894	2
7920	6716	6729	6908	6895	2
7921	6717	6737	6916	6896	2
7922	6718	6745	6924	6897	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7923	6719	6753	6932	6898	2
7924	6720	6761	6940	6899	2
7925	6721	6769	6948	6900	2
7926	6722	6777	6956	6901	2
7927	6723	6785	6964	6902	2
7928	6724	6793	6972	6903	2
7929	6725	6801	6980	6904	2
7930	6726	6727	6906	6905	3
7931	6727	6728	6907	6906	3
7932	6728	6729	6908	6907	3
7933	6729	6730	6909	6908	3
7934	6730	6731	6910	6909	3
7935	6731	6732	6911	6910	3
7936	6732	6733	6912	6911	3
7937	6733	6734	6913	6912	3
7938	6734	6735	6914	6913	3
7939	6735	6736	6915	6914	3
7940	6736	6737	6916	6915	3
7941	6737	6738	6917	6916	3
7942	6738	6739	6918	6917	3
7943	6739	6740	6919	6918	3
7944	6740	6741	6920	6919	3
7945	6741	6742	6921	6920	3
7946	6742	6743	6922	6921	3
7947	6743	6744	6923	6922	3
7948	6744	6745	6924	6923	3
7949	6745	6746	6925	6924	3
7950	6746	6747	6926	6925	3
7951	6747	6748	6927	6926	3
7952	6748	6749	6928	6927	3
7953	6749	6750	6929	6928	3
7954	6750	6751	6930	6929	3
7955	6751	6752	6931	6930	3
7956	6752	6753	6932	6931	3
7957	6753	6754	6933	6932	3
7958	6754	6755	6934	6933	3
7959	6755	6756	6935	6934	3
7960	6756	6757	6936	6935	3
7961	6757	6758	6937	6936	3
7962	6758	6759	6938	6937	3
7963	6759	6760	6939	6938	3
7964	6760	6761	6940	6939	3
7965	6761	6762	6941	6940	3
7966	6762	6763	6942	6941	3
7967	6763	6764	6943	6942	3
7968	6764	6765	6944	6943	3
7969	6765	6766	6945	6944	3
7970	6766	6767	6946	6945	3
7971	6767	6768	6947	6946	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
7972	6768	6769	6948	6947	3
7973	6769	6770	6949	6948	3
7974	6770	6771	6950	6949	3
7975	6771	6772	6951	6950	3
7976	6772	6773	6952	6951	3
7977	6773	6774	6953	6952	3
7978	6774	6775	6954	6953	3
7979	6775	6776	6955	6954	3
7980	6776	6777	6956	6955	3
7981	6777	6778	6957	6956	3
7982	6778	6779	6958	6957	3
7983	6779	6780	6959	6958	3
7984	6780	6781	6960	6959	3
7985	6781	6782	6961	6960	3
7986	6782	6783	6962	6961	3
7987	6783	6784	6963	6962	3
7988	6784	6785	6964	6963	3
7989	6785	6786	6965	6964	3
7990	6786	6787	6966	6965	3
7991	6787	6788	6967	6966	3
7992	6788	6789	6968	6967	3
7993	6789	6790	6969	6968	3
7994	6790	6791	6970	6969	3
7995	6791	6792	6971	6970	3
7996	6792	6793	6972	6971	3
7997	6793	6794	6973	6972	3
7998	6794	6795	6974	6973	3
7999	6795	6796	6975	6974	3
8000	6796	6797	6976	6975	3
8001	6797	6798	6977	6976	3
8002	6798	6799	6978	6977	3
8003	6799	6800	6979	6978	3
8004	6800	6801	6980	6979	3
8005	6801	6802	6981	6980	3
8006	6802	6803	6982	6981	3
8007	6803	6804	6983	6982	3
8008	6805	6815	6994	6984	2
8009	6806	6816	6995	6985	2
8010	6807	6817	6996	6986	2
8011	6808	6818	6997	6987	2
8012	6809	6819	6998	6988	2
8013	6810	6820	6999	6989	2
8014	6811	6821	7000	6990	2
8015	6812	6822	7001	6991	2
8016	6813	6823	7002	6992	2
8017	6814	6824	7003	6993	2
8018	6815	6825	7004	6994	2
8019	6816	6826	7005	6995	2
8020	6817	6827	7006	6996	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8021	6818	6828	7007	6997	2
8022	6819	6829	7008	6998	2
8023	6820	6830	7009	6999	2
8024	6821	6831	7010	7000	2
8025	6822	6832	7011	7001	2
8026	6823	6833	7012	7002	2
8027	6824	6834	7013	7003	2
8028	6825	6835	7014	7004	2
8029	6826	6836	7015	7005	2
8030	6827	6837	7016	7006	2
8031	6828	6838	7017	7007	2
8032	6829	6839	7018	7008	2
8033	6830	6840	7019	7009	2
8034	6831	6841	7020	7010	2
8035	6832	6842	7021	7011	2
8036	6833	6843	7022	7012	2
8037	6834	6844	7023	7013	2
8038	6835	6845	7024	7014	2
8039	6836	6846	7025	7015	2
8040	6837	6847	7026	7016	2
8041	6838	6848	7027	7017	2
8042	6839	6849	7028	7018	2
8043	6840	6850	7029	7019	2
8044	6841	6851	7030	7020	2
8045	6842	6852	7031	7021	2
8046	6843	6853	7032	7022	2
8047	6844	6854	7033	7023	2
8048	6845	6855	7034	7024	2
8049	6846	6856	7035	7025	2
8050	6847	6857	7036	7026	2
8051	6848	6858	7037	7027	2
8052	6849	6859	7038	7028	2
8053	6850	6860	7039	7029	2
8054	6851	6861	7040	7030	2
8055	6852	6862	7041	7031	2
8056	6853	6863	7042	7032	2
8057	6854	6864	7043	7033	2
8058	6855	6865	7044	7034	2
8059	6856	6866	7045	7035	2
8060	6857	6867	7046	7036	2
8061	6858	6868	7047	7037	2
8062	6859	6869	7048	7038	2
8063	6860	6870	7049	7039	2
8064	6861	6871	7050	7040	2
8065	6862	6872	7051	7041	2
8066	6863	6873	7052	7042	2
8067	6864	6874	7053	7043	2
8068	6865	6875	7054	7044	2
8069	6866	6876	7055	7045	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8070	6867	6877	7056	7046	2
8071	6868	6878	7057	7047	2
8072	6869	6879	7058	7048	2
8073	6870	6880	7059	7049	2
8074	6871	6881	7060	7050	2
8075	6872	6882	7061	7051	2
8076	6873	6883	7062	7052	2
8077	6874	6884	7063	7053	2
8078	6875	6885	7064	7054	2
8079	6876	6886	7065	7055	2
8080	6877	6887	7066	7056	2
8081	6878	6888	7067	7057	2
8082	6879	6889	7068	7058	2
8083	6880	6890	7069	7059	2
8084	6881	6891	7070	7060	2
8085	6882	6892	7071	7061	2
8086	6883	6893	7072	7062	2
8087	6884	6894	7073	7063	2
8088	6885	6895	7074	7064	2
8089	6886	6896	7075	7065	2
8090	6887	6897	7076	7066	2
8091	6888	6898	7077	7067	2
8092	6889	6899	7078	7068	2
8093	6890	6900	7079	7069	2
8094	6891	6901	7080	7070	2
8095	6892	6902	7081	7071	2
8096	6893	6903	7082	7072	2
8097	6894	6904	7083	7073	2
8098	6895	6908	7087	7074	2
8099	6896	6916	7095	7075	2
8100	6897	6924	7103	7076	2
8101	6898	6932	7111	7077	2
8102	6899	6940	7119	7078	2
8103	6900	6948	7127	7079	2
8104	6901	6956	7135	7080	2
8105	6902	6964	7143	7081	2
8106	6903	6972	7151	7082	2
8107	6904	6980	7159	7083	2
8108	6905	6906	7085	7084	3
8109	6906	6907	7086	7085	3
8110	6907	6908	7087	7086	3
8111	6908	6909	7088	7087	3
8112	6909	6910	7089	7088	3
8113	6910	6911	7090	7089	3
8114	6911	6912	7091	7090	3
8115	6912	6913	7092	7091	3
8116	6913	6914	7093	7092	3
8117	6914	6915	7094	7093	3
8118	6915	6916	7095	7094	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8119	6916	6917	7096	7095	3
8120	6917	6918	7097	7096	3
8121	6918	6919	7098	7097	3
8122	6919	6920	7099	7098	3
8123	6920	6921	7100	7099	3
8124	6921	6922	7101	7100	3
8125	6922	6923	7102	7101	3
8126	6923	6924	7103	7102	3
8127	6924	6925	7104	7103	3
8128	6925	6926	7105	7104	3
8129	6926	6927	7106	7105	3
8130	6927	6928	7107	7106	3
8131	6928	6929	7108	7107	3
8132	6929	6930	7109	7108	3
8133	6930	6931	7110	7109	3
8134	6931	6932	7111	7110	3
8135	6932	6933	7112	7111	3
8136	6933	6934	7113	7112	3
8137	6934	6935	7114	7113	3
8138	6935	6936	7115	7114	3
8139	6936	6937	7116	7115	3
8140	6937	6938	7117	7116	3
8141	6938	6939	7118	7117	3
8142	6939	6940	7119	7118	3
8143	6940	6941	7120	7119	3
8144	6941	6942	7121	7120	3
8145	6942	6943	7122	7121	3
8146	6943	6944	7123	7122	3
8147	6944	6945	7124	7123	3
8148	6945	6946	7125	7124	3
8149	6946	6947	7126	7125	3
8150	6947	6948	7127	7126	3
8151	6948	6949	7128	7127	3
8152	6949	6950	7129	7128	3
8153	6950	6951	7130	7129	3
8154	6951	6952	7131	7130	3
8155	6952	6953	7132	7131	3
8156	6953	6954	7133	7132	3
8157	6954	6955	7134	7133	3
8158	6955	6956	7135	7134	3
8159	6956	6957	7136	7135	3
8160	6957	6958	7137	7136	3
8161	6958	6959	7138	7137	3
8162	6959	6960	7139	7138	3
8163	6960	6961	7140	7139	3
8164	6961	6962	7141	7140	3
8165	6962	6963	7142	7141	3
8166	6963	6964	7143	7142	3
8167	6964	6965	7144	7143	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8168	6965	6966	7145	7144	3
8169	6966	6967	7146	7145	3
8170	6967	6968	7147	7146	3
8171	6968	6969	7148	7147	3
8172	6969	6970	7149	7148	3
8173	6970	6971	7150	7149	3
8174	6971	6972	7151	7150	3
8175	6972	6973	7152	7151	3
8176	6973	6974	7153	7152	3
8177	6974	6975	7154	7153	3
8178	6975	6976	7155	7154	3
8179	6976	6977	7156	7155	3
8180	6977	6978	7157	7156	3
8181	6978	6979	7158	7157	3
8182	6979	6980	7159	7158	3
8183	6980	6981	7160	7159	3
8184	6981	6982	7161	7160	3
8185	6982	6983	7162	7161	3
8186	6984	6994	7163		2
8187	6985	6995	7164		2
8188	6986	6996	7165		2
8189	6987	6997	7166		2
8190	6988	6998	7167		2
8191	6989	6999	7168		2
8192	6990	7000	7169		2
8193	6991	7001	7170		2
8194	6992	7002	7171		2
8195	6993	7003	7172		2
8196	6994	7004	7173	7163	2
8197	6995	7005	7174	7164	2
8198	6996	7006	7175	7165	2
8199	6997	7007	7176	7166	2
8200	6998	7008	7177	7167	2
8201	6999	7009	7178	7168	2
8202	7000	7010	7179	7169	2
8203	7001	7011	7180	7170	2
8204	7002	7012	7181	7171	2
8205	7003	7013	7182	7172	2
8206	7004	7014	7183	7173	2
8207	7005	7015	7184	7174	2
8208	7006	7016	7185	7175	2
8209	7007	7017	7186	7176	2
8210	7008	7018	7187	7177	2
8211	7009	7019	7188	7178	2
8212	7010	7020	7189	7179	2
8213	7011	7021	7190	7180	2
8214	7012	7022	7191	7181	2
8215	7013	7023	7192	7182	2
8216	7014	7024	7193	7183	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8217	7015	7025	7194	7184	2
8218	7016	7026	7195	7185	2
8219	7017	7027	7196	7186	2
8220	7018	7028	7197	7187	2
8221	7019	7029	7198	7188	2
8222	7020	7030	7199	7189	2
8223	7021	7031	7200	7190	2
8224	7022	7032	7201	7191	2
8225	7023	7033	7202	7192	2
8226	7024	7034	7203	7193	2
8227	7025	7035	7204	7194	2
8228	7026	7036	7205	7195	2
8229	7027	7037	7206	7196	2
8230	7028	7038	7207	7197	2
8231	7029	7039	7208	7198	2
8232	7030	7040	7209	7199	2
8233	7031	7041	7210	7200	2
8234	7032	7042	7211	7201	2
8235	7033	7043	7212	7202	2
8236	7034	7044	7213	7203	2
8237	7035	7045	7214	7204	2
8238	7036	7046	7215	7205	2
8239	7037	7047	7216	7206	2
8240	7038	7048	7217	7207	2
8241	7039	7049	7218	7208	2
8242	7040	7050	7219	7209	2
8243	7041	7051	7220	7210	2
8244	7042	7052	7221	7211	2
8245	7043	7053	7222	7212	2
8246	7044	7054	7223	7213	2
8247	7045	7055	7224	7214	2
8248	7046	7056	7225	7215	2
8249	7047	7057	7226	7216	2
8250	7048	7058	7227	7217	2
8251	7049	7059	7228	7218	2
8252	7050	7060	7229	7219	2
8253	7051	7061	7230	7220	2
8254	7052	7062	7231	7221	2
8255	7053	7063	7232	7222	2
8256	7054	7064	7233	7223	2
8257	7055	7065	7234	7224	2
8258	7056	7066	7235	7225	2
8259	7057	7067	7236	7226	2
8260	7058	7068	7237	7227	2
8261	7059	7069	7238	7228	2
8262	7060	7070	7239	7229	2
8263	7061	7071	7240	7230	2
8264	7062	7072	7241	7231	2
8265	7063	7073	7242	7232	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8266	7064	7074	7243	7233	2
8267	7065	7075	7244	7234	2
8268	7066	7076	7245	7235	2
8269	7067	7077	7246	7236	2
8270	7068	7078	7247	7237	2
8271	7069	7079	7248	7238	2
8272	7070	7080	7249	7239	2
8273	7071	7081	7250	7240	2
8274	7072	7082	7251	7241	2
8275	7073	7083	7252	7242	2
8276	7074	7087	7256	7243	2
8277	7075	7095	7264	7244	2
8278	7076	7103	7272	7245	2
8279	7077	7111	7280	7246	2
8280	7078	7119	7288	7247	2
8281	7079	7127	7296	7248	2
8282	7080	7135	7304	7249	2
8283	7081	7143	7312	7250	2
8284	7082	7151	7320	7251	2
8285	7083	7159	7328	7252	2
8286	7084	7085	7254	7253	3
8287	7085	7086	7255	7254	3
8288	7086	7087	7256	7255	3
8289	7087	7088	7257	7256	3
8290	7088	7089	7258	7257	3
8291	7089	7090	7259	7258	3
8292	7090	7091	7260	7259	3
8293	7091	7092	7261	7260	3
8294	7092	7093	7262	7261	3
8295	7093	7094	7263	7262	3
8296	7094	7095	7264	7263	3
8297	7095	7096	7265	7264	3
8298	7096	7097	7266	7265	3
8299	7097	7098	7267	7266	3
8300	7098	7099	7268	7267	3
8301	7099	7100	7269	7268	3
8302	7100	7101	7270	7269	3
8303	7101	7102	7271	7270	3
8304	7102	7103	7272	7271	3
8305	7103	7104	7273	7272	3
8306	7104	7105	7274	7273	3
8307	7105	7106	7275	7274	3
8308	7106	7107	7276	7275	3
8309	7107	7108	7277	7276	3
8310	7108	7109	7278	7277	3
8311	7109	7110	7279	7278	3
8312	7110	7111	7280	7279	3
8313	7111	7112	7281	7280	3
8314	7112	7113	7282	7281	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8315	7113	7114	7283	7282	3
8316	7114	7115	7284	7283	3
8317	7115	7116	7285	7284	3
8318	7116	7117	7286	7285	3
8319	7117	7118	7287	7286	3
8320	7118	7119	7288	7287	3
8321	7119	7120	7289	7288	3
8322	7120	7121	7290	7289	3
8323	7121	7122	7291	7290	3
8324	7122	7123	7292	7291	3
8325	7123	7124	7293	7292	3
8326	7124	7125	7294	7293	3
8327	7125	7126	7295	7294	3
8328	7126	7127	7296	7295	3
8329	7127	7128	7297	7296	3
8330	7128	7129	7298	7297	3
8331	7129	7130	7299	7298	3
8332	7130	7131	7300	7299	3
8333	7131	7132	7301	7300	3
8334	7132	7133	7302	7301	3
8335	7133	7134	7303	7302	3
8336	7134	7135	7304	7303	3
8337	7135	7136	7305	7304	3
8338	7136	7137	7306	7305	3
8339	7137	7138	7307	7306	3
8340	7138	7139	7308	7307	3
8341	7139	7140	7309	7308	3
8342	7140	7141	7310	7309	3
8343	7141	7142	7311	7310	3
8344	7142	7143	7312	7311	3
8345	7143	7144	7313	7312	3
8346	7144	7145	7314	7313	3
8347	7145	7146	7315	7314	3
8348	7146	7147	7316	7315	3
8349	7147	7148	7317	7316	3
8350	7148	7149	7318	7317	3
8351	7149	7150	7319	7318	3
8352	7150	7151	7320	7319	3
8353	7151	7152	7321	7320	3
8354	7152	7153	7322	7321	3
8355	7153	7154	7323	7322	3
8356	7154	7155	7324	7323	3
8357	7155	7156	7325	7324	3
8358	7156	7157	7326	7325	3
8359	7157	7158	7327	7326	3
8360	7158	7159	7328	7327	3
8361	7159	7160	7329	7328	3
8362	7160	7161	7330	7329	3
8363	7161	7162	7331	7330	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8364	7163	7173	7342	7332	2
8365	7164	7174	7343	7333	2
8366	7165	7175	7344	7334	2
8367	7166	7176	7345	7335	2
8368	7167	7177	7346	7336	2
8369	7168	7178	7347	7337	2
8370	7169	7179	7348	7338	2
8371	7170	7180	7349	7339	2
8372	7171	7181	7350	7340	2
8373	7172	7182	7351	7341	2
8374	7173	7183	7352	7342	2
8375	7174	7184	7353	7343	2
8376	7175	7185	7354	7344	2
8377	7176	7186	7355	7345	2
8378	7177	7187	7356	7346	2
8379	7178	7188	7357	7347	2
8380	7179	7189	7358	7348	2
8381	7180	7190	7359	7349	2
8382	7181	7191	7360	7350	2
8383	7182	7192	7361	7351	2
8384	7183	7193	7362	7352	2
8385	7184	7194	7363	7353	2
8386	7185	7195	7364	7354	2
8387	7186	7196	7365	7355	2
8388	7187	7197	7366	7356	2
8389	7188	7198	7367	7357	2
8390	7189	7199	7368	7358	2
8391	7190	7200	7369	7359	2
8392	7191	7201	7370	7360	2
8393	7192	7202	7371	7361	2
8394	7193	7203	7372	7362	2
8395	7194	7204	7373	7363	2
8396	7195	7205	7374	7364	2
8397	7196	7206	7375	7365	2
8398	7197	7207	7376	7366	2
8399	7198	7208	7377	7367	2
8400	7199	7209	7378	7368	2
8401	7200	7210	7379	7369	2
8402	7201	7211	7380	7370	2
8403	7202	7212	7381	7371	2
8404	7203	7213	7382	7372	2
8405	7204	7214	7383	7373	2
8406	7205	7215	7384	7374	2
8407	7206	7216	7385	7375	2
8408	7207	7217	7386	7376	2
8409	7208	7218	7387	7377	2
8410	7209	7219	7388	7378	2
8411	7210	7220	7389	7379	2
8412	7211	7221	7390	7380	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8413	7212	7222	7391	7381	2
8414	7213	7223	7392	7382	2
8415	7214	7224	7393	7383	2
8416	7215	7225	7394	7384	2
8417	7216	7226	7395	7385	2
8418	7217	7227	7396	7386	2
8419	7218	7228	7397	7387	2
8420	7219	7229	7398	7388	2
8421	7220	7230	7399	7389	2
8422	7221	7231	7400	7390	2
8423	7222	7232	7401	7391	2
8424	7223	7233	7402	7392	2
8425	7224	7234	7403	7393	2
8426	7225	7235	7404	7394	2
8427	7226	7236	7405	7395	2
8428	7227	7237	7406	7396	2
8429	7228	7238	7407	7397	2
8430	7229	7239	7408	7398	2
8431	7230	7240	7409	7399	2
8432	7231	7241	7410	7400	2
8433	7232	7242	7411	7401	2
8434	7233	7243	7412	7402	2
8435	7234	7244	7413	7403	2
8436	7235	7245	7414	7404	2
8437	7236	7246	7415	7405	2
8438	7237	7247	7416	7406	2
8439	7238	7248	7417	7407	2
8440	7239	7249	7418	7408	2
8441	7240	7250	7419	7409	2
8442	7241	7251	7420	7410	2
8443	7242	7252	7421	7411	2
8444	7243	7256	7425	7412	2
8445	7244	7264	7433	7413	2
8446	7245	7272	7441	7414	2
8447	7246	7280	7449	7415	2
8448	7247	7288	7457	7416	2
8449	7248	7296	7465	7417	2
8450	7249	7304	7473	7418	2
8451	7250	7312	7481	7419	2
8452	7251	7320	7489	7420	2
8453	7252	7328	7497	7421	2
8454	7253	7254	7423	7422	3
8455	7254	7255	7424	7423	3
8456	7255	7256	7425	7424	3
8457	7256	7257	7426	7425	3
8458	7257	7258	7427	7426	3
8459	7258	7259	7428	7427	3
8460	7259	7260	7429	7428	3
8461	7260	7261	7430	7429	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8462	7261	7262	7431	7430	3
8463	7262	7263	7432	7431	3
8464	7263	7264	7433	7432	3
8465	7264	7265	7434	7433	3
8466	7265	7266	7435	7434	3
8467	7266	7267	7436	7435	3
8468	7267	7268	7437	7436	3
8469	7268	7269	7438	7437	3
8470	7269	7270	7439	7438	3
8471	7270	7271	7440	7439	3
8472	7271	7272	7441	7440	3
8473	7272	7273	7442	7441	3
8474	7273	7274	7443	7442	3
8475	7274	7275	7444	7443	3
8476	7275	7276	7445	7444	3
8477	7276	7277	7446	7445	3
8478	7277	7278	7447	7446	3
8479	7278	7279	7448	7447	3
8480	7279	7280	7449	7448	3
8481	7280	7281	7450	7449	3
8482	7281	7282	7451	7450	3
8483	7282	7283	7452	7451	3
8484	7283	7284	7453	7452	3
8485	7284	7285	7454	7453	3
8486	7285	7286	7455	7454	3
8487	7286	7287	7456	7455	3
8488	7287	7288	7457	7456	3
8489	7288	7289	7458	7457	3
8490	7289	7290	7459	7458	3
8491	7290	7291	7460	7459	3
8492	7291	7292	7461	7460	3
8493	7292	7293	7462	7461	3
8494	7293	7294	7463	7462	3
8495	7294	7295	7464	7463	3
8496	7295	7296	7465	7464	3
8497	7296	7297	7466	7465	3
8498	7297	7298	7467	7466	3
8499	7298	7299	7468	7467	3
8500	7299	7300	7469	7468	3
8501	7300	7301	7470	7469	3
8502	7301	7302	7471	7470	3
8503	7302	7303	7472	7471	3
8504	7303	7304	7473	7472	3
8505	7304	7305	7474	7473	3
8506	7305	7306	7475	7474	3
8507	7306	7307	7476	7475	3
8508	7307	7308	7477	7476	3
8509	7308	7309	7478	7477	3
8510	7309	7310	7479	7478	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8511	7310	7311	7480	7479	3
8512	7311	7312	7481	7480	3
8513	7312	7313	7482	7481	3
8514	7313	7314	7483	7482	3
8515	7314	7315	7484	7483	3
8516	7315	7316	7485	7484	3
8517	7316	7317	7486	7485	3
8518	7317	7318	7487	7486	3
8519	7318	7319	7488	7487	3
8520	7319	7320	7489	7488	3
8521	7320	7321	7490	7489	3
8522	7321	7322	7491	7490	3
8523	7322	7323	7492	7491	3
8524	7323	7324	7493	7492	3
8525	7324	7325	7494	7493	3
8526	7325	7326	7495	7494	3
8527	7326	7327	7496	7495	3
8528	7327	7328	7497	7496	3
8529	7328	7329	7498	7497	3
8530	7329	7330	7499	7498	3
8531	7330	7331	7500	7499	3
8532	7332	7342	7501		2
8533	7333	7343	7502		2
8534	7334	7344	7503		2
8535	7335	7345	7504		2
8536	7336	7346	7505		2
8537	7337	7347	7506		2
8538	7338	7348	7507		2
8539	7339	7349	7508		2
8540	7340	7350	7509		2
8541	7341	7351	7510		2
8542	7342	7352	7511	7501	2
8543	7343	7353	7512	7502	2
8544	7344	7354	7513	7503	2
8545	7345	7355	7514	7504	2
8546	7346	7356	7515	7505	2
8547	7347	7357	7516	7506	2
8548	7348	7358	7517	7507	2
8549	7349	7359	7518	7508	2
8550	7350	7360	7519	7509	2
8551	7351	7361	7520	7510	2
8552	7352	7362	7521	7511	2
8553	7353	7363	7522	7512	2
8554	7354	7364	7523	7513	2
8555	7355	7365	7524	7514	2
8556	7356	7366	7525	7515	2
8557	7357	7367	7526	7516	2
8558	7358	7368	7527	7517	2
8559	7359	7369	7528	7518	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8560	7360	7370	7529	7519	2
8561	7361	7371	7530	7520	2
8562	7362	7372	7531	7521	2
8563	7363	7373	7532	7522	2
8564	7364	7374	7533	7523	2
8565	7365	7375	7534	7524	2
8566	7366	7376	7535	7525	2
8567	7367	7377	7536	7526	2
8568	7368	7378	7537	7527	2
8569	7369	7379	7538	7528	2
8570	7370	7380	7539	7529	2
8571	7371	7381	7540	7530	2
8572	7372	7382	7541	7531	2
8573	7373	7383	7542	7532	2
8574	7374	7384	7543	7533	2
8575	7375	7385	7544	7534	2
8576	7376	7386	7545	7535	2
8577	7377	7387	7546	7536	2
8578	7378	7388	7547	7537	2
8579	7379	7389	7548	7538	2
8580	7380	7390	7549	7539	2
8581	7381	7391	7550	7540	2
8582	7382	7392	7551	7541	2
8583	7383	7393	7552	7542	2
8584	7384	7394	7553	7543	2
8585	7385	7395	7554	7544	2
8586	7386	7396	7555	7545	2
8587	7387	7397	7556	7546	2
8588	7388	7398	7557	7547	2
8589	7389	7399	7558	7548	2
8590	7390	7400	7559	7549	2
8591	7391	7401	7560	7550	2
8592	7392	7402	7561	7551	2
8593	7393	7403	7562	7552	2
8594	7394	7404	7563	7553	2
8595	7395	7405	7564	7554	2
8596	7396	7406	7565	7555	2
8597	7397	7407	7566	7556	2
8598	7398	7408	7567	7557	2
8599	7399	7409	7568	7558	2
8600	7400	7410	7569	7559	2
8601	7401	7411	7570	7560	2
8602	7402	7412	7571	7561	2
8603	7403	7413	7572	7562	2
8604	7404	7414	7573	7563	2
8605	7405	7415	7574	7564	2
8606	7406	7416	7575	7565	2
8607	7407	7417	7576	7566	2
8608	7408	7418	7577	7567	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8609	7409	7419	7578	7568	2
8610	7410	7420	7579	7569	2
8611	7411	7421	7580	7570	2
8612	7412	7425	7584	7571	2
8613	7413	7433	7592	7572	2
8614	7414	7441	7600	7573	2
8615	7415	7449	7608	7574	2
8616	7416	7457	7616	7575	2
8617	7417	7465	7624	7576	2
8618	7418	7473	7632	7577	2
8619	7419	7481	7640	7578	2
8620	7420	7489	7648	7579	2
8621	7421	7497	7656	7580	2
8622	7422	7423	7582	7581	3
8623	7423	7424	7583	7582	3
8624	7424	7425	7584	7583	3
8625	7425	7426	7585	7584	3
8626	7426	7427	7586	7585	3
8627	7427	7428	7587	7586	3
8628	7428	7429	7588	7587	3
8629	7429	7430	7589	7588	3
8630	7430	7431	7590	7589	3
8631	7431	7432	7591	7590	3
8632	7432	7433	7592	7591	3
8633	7433	7434	7593	7592	3
8634	7434	7435	7594	7593	3
8635	7435	7436	7595	7594	3
8636	7436	7437	7596	7595	3
8637	7437	7438	7597	7596	3
8638	7438	7439	7598	7597	3
8639	7439	7440	7599	7598	3
8640	7440	7441	7600	7599	3
8641	7441	7442	7601	7600	3
8642	7442	7443	7602	7601	3
8643	7443	7444	7603	7602	3
8644	7444	7445	7604	7603	3
8645	7445	7446	7605	7604	3
8646	7446	7447	7606	7605	3
8647	7447	7448	7607	7606	3
8648	7448	7449	7608	7607	3
8649	7449	7450	7609	7608	3
8650	7450	7451	7610	7609	3
8651	7451	7452	7611	7610	3
8652	7452	7453	7612	7611	3
8653	7453	7454	7613	7612	3
8654	7454	7455	7614	7613	3
8655	7455	7456	7615	7614	3
8656	7456	7457	7616	7615	3
8657	7457	7458	7617	7616	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8658	7458	7459	7618	7617	3
8659	7459	7460	7619	7618	3
8660	7460	7461	7620	7619	3
8661	7461	7462	7621	7620	3
8662	7462	7463	7622	7621	3
8663	7463	7464	7623	7622	3
8664	7464	7465	7624	7623	3
8665	7465	7466	7625	7624	3
8666	7466	7467	7626	7625	3
8667	7467	7468	7627	7626	3
8668	7468	7469	7628	7627	3
8669	7469	7470	7629	7628	3
8670	7470	7471	7630	7629	3
8671	7471	7472	7631	7630	3
8672	7472	7473	7632	7631	3
8673	7473	7474	7633	7632	3
8674	7474	7475	7634	7633	3
8675	7475	7476	7635	7634	3
8676	7476	7477	7636	7635	3
8677	7477	7478	7637	7636	3
8678	7478	7479	7638	7637	3
8679	7479	7480	7639	7638	3
8680	7480	7481	7640	7639	3
8681	7481	7482	7641	7640	3
8682	7482	7483	7642	7641	3
8683	7483	7484	7643	7642	3
8684	7484	7485	7644	7643	3
8685	7485	7486	7645	7644	3
8686	7486	7487	7646	7645	3
8687	7487	7488	7647	7646	3
8688	7488	7489	7648	7647	3
8689	7489	7490	7649	7648	3
8690	7490	7491	7650	7649	3
8691	7491	7492	7651	7650	3
8692	7492	7493	7652	7651	3
8693	7493	7494	7653	7652	3
8694	7494	7495	7654	7653	3
8695	7495	7496	7655	7654	3
8696	7496	7497	7656	7655	3
8697	7497	7498	7657	7656	3
8698	7498	7499	7658	7657	3
8699	7499	7500	7659	7658	3
8700	7501	7511	7670	7660	2
8701	7502	7512	7671	7661	2
8702	7503	7513	7672	7662	2
8703	7504	7514	7673	7663	2
8704	7505	7515	7674	7664	2
8705	7506	7516	7675	7665	2
8706	7507	7517	7676	7666	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8707	7508	7518	7677	7667	2
8708	7509	7519	7678	7668	2
8709	7510	7520	7679	7669	2
8710	7511	7521	7680	7670	2
8711	7512	7522	7681	7671	2
8712	7513	7523	7682	7672	2
8713	7514	7524	7683	7673	2
8714	7515	7525	7684	7674	2
8715	7516	7526	7685	7675	2
8716	7517	7527	7686	7676	2
8717	7518	7528	7687	7677	2
8718	7519	7529	7688	7678	2
8719	7520	7530	7689	7679	2
8720	7521	7531	7690	7680	2
8721	7522	7532	7691	7681	2
8722	7523	7533	7692	7682	2
8723	7524	7534	7693	7683	2
8724	7525	7535	7694	7684	2
8725	7526	7536	7695	7685	2
8726	7527	7537	7696	7686	2
8727	7528	7538	7697	7687	2
8728	7529	7539	7698	7688	2
8729	7530	7540	7699	7689	2
8730	7531	7541	7700	7690	2
8731	7532	7542	7701	7691	2
8732	7533	7543	7702	7692	2
8733	7534	7544	7703	7693	2
8734	7535	7545	7704	7694	2
8735	7536	7546	7705	7695	2
8736	7537	7547	7706	7696	2
8737	7538	7548	7707	7697	2
8738	7539	7549	7708	7698	2
8739	7540	7550	7709	7699	2
8740	7541	7551	7710	7700	2
8741	7542	7552	7711	7701	2
8742	7543	7553	7712	7702	2
8743	7544	7554	7713	7703	2
8744	7545	7555	7714	7704	2
8745	7546	7556	7715	7705	2
8746	7547	7557	7716	7706	2
8747	7548	7558	7717	7707	2
8748	7549	7559	7718	7708	2
8749	7550	7560	7719	7709	2
8750	7551	7561	7720	7710	2
8751	7552	7562	7721	7711	2
8752	7553	7563	7722	7712	2
8753	7554	7564	7723	7713	2
8754	7555	7565	7724	7714	2
8755	7556	7566	7725	7715	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8756	7557	7567	7726	7716	2
8757	7558	7568	7727	7717	2
8758	7559	7569	7728	7718	2
8759	7560	7570	7729	7719	2
8760	7561	7571	7730	7720	2
8761	7562	7572	7731	7721	2
8762	7563	7573	7732	7722	2
8763	7564	7574	7733	7723	2
8764	7565	7575	7734	7724	2
8765	7566	7576	7735	7725	2
8766	7567	7577	7736	7726	2
8767	7568	7578	7737	7727	2
8768	7569	7579	7738	7728	2
8769	7570	7580	7739	7729	2
8770	7571	7584	7743	7730	2
8771	7572	7592	7751	7731	2
8772	7573	7600	7759	7732	2
8773	7574	7608	7767	7733	2
8774	7575	7616	7775	7734	2
8775	7576	7624	7783	7735	2
8776	7577	7632	7791	7736	2
8777	7578	7640	7799	7737	2
8778	7579	7648	7807	7738	2
8779	7580	7656	7815	7739	2
8780	7581	7582	7741	7740	3
8781	7582	7583	7742	7741	3
8782	7583	7584	7743	7742	3
8783	7584	7585	7744	7743	3
8784	7585	7586	7745	7744	3
8785	7586	7587	7746	7745	3
8786	7587	7588	7747	7746	3
8787	7588	7589	7748	7747	3
8788	7589	7590	7749	7748	3
8789	7590	7591	7750	7749	3
8790	7591	7592	7751	7750	3
8791	7592	7593	7752	7751	3
8792	7593	7594	7753	7752	3
8793	7594	7595	7754	7753	3
8794	7595	7596	7755	7754	3
8795	7596	7597	7756	7755	3
8796	7597	7598	7757	7756	3
8797	7598	7599	7758	7757	3
8798	7599	7600	7759	7758	3
8799	7600	7601	7760	7759	3
8800	7601	7602	7761	7760	3
8801	7602	7603	7762	7761	3
8802	7603	7604	7763	7762	3
8803	7604	7605	7764	7763	3
8804	7605	7606	7765	7764	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8805	7606	7607	7766	7765	3
8806	7607	7608	7767	7766	3
8807	7608	7609	7768	7767	3
8808	7609	7610	7769	7768	3
8809	7610	7611	7770	7769	3
8810	7611	7612	7771	7770	3
8811	7612	7613	7772	7771	3
8812	7613	7614	7773	7772	3
8813	7614	7615	7774	7773	3
8814	7615	7616	7775	7774	3
8815	7616	7617	7776	7775	3
8816	7617	7618	7777	7776	3
8817	7618	7619	7778	7777	3
8818	7619	7620	7779	7778	3
8819	7620	7621	7780	7779	3
8820	7621	7622	7781	7780	3
8821	7622	7623	7782	7781	3
8822	7623	7624	7783	7782	3
8823	7624	7625	7784	7783	3
8824	7625	7626	7785	7784	3
8825	7626	7627	7786	7785	3
8826	7627	7628	7787	7786	3
8827	7628	7629	7788	7787	3
8828	7629	7630	7789	7788	3
8829	7630	7631	7790	7789	3
8830	7631	7632	7791	7790	3
8831	7632	7633	7792	7791	3
8832	7633	7634	7793	7792	3
8833	7634	7635	7794	7793	3
8834	7635	7636	7795	7794	3
8835	7636	7637	7796	7795	3
8836	7637	7638	7797	7796	3
8837	7638	7639	7798	7797	3
8838	7639	7640	7799	7798	3
8839	7640	7641	7800	7799	3
8840	7641	7642	7801	7800	3
8841	7642	7643	7802	7801	3
8842	7643	7644	7803	7802	3
8843	7644	7645	7804	7803	3
8844	7645	7646	7805	7804	3
8845	7646	7647	7806	7805	3
8846	7647	7648	7807	7806	3
8847	7648	7649	7808	7807	3
8848	7649	7650	7809	7808	3
8849	7650	7651	7810	7809	3
8850	7651	7652	7811	7810	3
8851	7652	7653	7812	7811	3
8852	7653	7654	7813	7812	3
8853	7654	7655	7814	7813	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8854	7655	7656	7815	7814	3
8855	7656	7657	7816	7815	3
8856	7657	7658	7817	7816	3
8857	7658	7659	7818	7817	3
8858	7660	7670	7819		2
8859	7661	7671	7820		2
8860	7662	7672	7821		2
8861	7663	7673	7822		2
8862	7664	7674	7823		2
8863	7665	7675	7824		2
8864	7666	7676	7825		2
8865	7667	7677	7826		2
8866	7668	7678	7827		2
8867	7669	7679	7828		2
8868	7670	7680	7829	7819	2
8869	7671	7681	7830	7820	2
8870	7672	7682	7831	7821	2
8871	7673	7683	7832	7822	2
8872	7674	7684	7833	7823	2
8873	7675	7685	7834	7824	2
8874	7676	7686	7835	7825	2
8875	7677	7687	7836	7826	2
8876	7678	7688	7837	7827	2
8877	7679	7689	7838	7828	2
8878	7680	7690	7839	7829	2
8879	7681	7691	7840	7830	2
8880	7682	7692	7841	7831	2
8881	7683	7693	7842	7832	2
8882	7684	7694	7843	7833	2
8883	7685	7695	7844	7834	2
8884	7686	7696	7845	7835	2
8885	7687	7697	7846	7836	2
8886	7688	7698	7847	7837	2
8887	7689	7699	7848	7838	2
8888	7690	7700	7849	7839	2
8889	7691	7701	7850	7840	2
8890	7692	7702	7851	7841	2
8891	7693	7703	7852	7842	2
8892	7694	7704	7853	7843	2
8893	7695	7705	7854	7844	2
8894	7696	7706	7855	7845	2
8895	7697	7707	7856	7846	2
8896	7698	7708	7857	7847	2
8897	7699	7709	7858	7848	2
8898	7700	7710	7859	7849	2
8899	7701	7711	7860	7850	2
8900	7702	7712	7861	7851	2
8901	7703	7713	7862	7852	2
8902	7704	7714	7863	7853	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8903	7705	7715	7864	7854	2
8904	7706	7716	7865	7855	2
8905	7707	7717	7866	7856	2
8906	7708	7718	7867	7857	2
8907	7709	7719	7868	7858	2
8908	7710	7720	7869	7859	2
8909	7711	7721	7870	7860	2
8910	7712	7722	7871	7861	2
8911	7713	7723	7872	7862	2
8912	7714	7724	7873	7863	2
8913	7715	7725	7874	7864	2
8914	7716	7726	7875	7865	2
8915	7717	7727	7876	7866	2
8916	7718	7728	7877	7867	2
8917	7719	7729	7878	7868	2
8918	7720	7730	7879	7869	2
8919	7721	7731	7880	7870	2
8920	7722	7732	7881	7871	2
8921	7723	7733	7882	7872	2
8922	7724	7734	7883	7873	2
8923	7725	7735	7884	7874	2
8924	7726	7736	7885	7875	2
8925	7727	7737	7886	7876	2
8926	7728	7738	7887	7877	2
8927	7729	7739	7888	7878	2
8928	7730	7743	7892	7879	2
8929	7731	7751	7900	7880	2
8930	7732	7759	7908	7881	2
8931	7733	7767	7916	7882	2
8932	7734	7775	7924	7883	2
8933	7735	7783	7932	7884	2
8934	7736	7791	7940	7885	2
8935	7737	7799	7948	7886	2
8936	7738	7807	7956	7887	2
8937	7739	7815	7964	7888	2
8938	7740	7741	7890	7889	3
8939	7741	7742	7891	7890	3
8940	7742	7743	7892	7891	3
8941	7743	7744	7893	7892	3
8942	7744	7745	7894	7893	3
8943	7745	7746	7895	7894	3
8944	7746	7747	7896	7895	3
8945	7747	7748	7897	7896	3
8946	7748	7749	7898	7897	3
8947	7749	7750	7899	7898	3
8948	7750	7751	7900	7899	3
8949	7751	7752	7901	7900	3
8950	7752	7753	7902	7901	3
8951	7753	7754	7903	7902	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
8952	7754	7755	7904	7903	3
8953	7755	7756	7905	7904	3
8954	7756	7757	7906	7905	3
8955	7757	7758	7907	7906	3
8956	7758	7759	7908	7907	3
8957	7759	7760	7909	7908	3
8958	7760	7761	7910	7909	3
8959	7761	7762	7911	7910	3
8960	7762	7763	7912	7911	3
8961	7763	7764	7913	7912	3
8962	7764	7765	7914	7913	3
8963	7765	7766	7915	7914	3
8964	7766	7767	7916	7915	3
8965	7767	7768	7917	7916	3
8966	7768	7769	7918	7917	3
8967	7769	7770	7919	7918	3
8968	7770	7771	7920	7919	3
8969	7771	7772	7921	7920	3
8970	7772	7773	7922	7921	3
8971	7773	7774	7923	7922	3
8972	7774	7775	7924	7923	3
8973	7775	7776	7925	7924	3
8974	7776	7777	7926	7925	3
8975	7777	7778	7927	7926	3
8976	7778	7779	7928	7927	3
8977	7779	7780	7929	7928	3
8978	7780	7781	7930	7929	3
8979	7781	7782	7931	7930	3
8980	7782	7783	7932	7931	3
8981	7783	7784	7933	7932	3
8982	7784	7785	7934	7933	3
8983	7785	7786	7935	7934	3
8984	7786	7787	7936	7935	3
8985	7787	7788	7937	7936	3
8986	7788	7789	7938	7937	3
8987	7789	7790	7939	7938	3
8988	7790	7791	7940	7939	3
8989	7791	7792	7941	7940	3
8990	7792	7793	7942	7941	3
8991	7793	7794	7943	7942	3
8992	7794	7795	7944	7943	3
8993	7795	7796	7945	7944	3
8994	7796	7797	7946	7945	3
8995	7797	7798	7947	7946	3
8996	7798	7799	7948	7947	3
8997	7799	7800	7949	7948	3
8998	7800	7801	7950	7949	3
8999	7801	7802	7951	7950	3
9000	7802	7803	7952	7951	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9001	7803	7804	7953	7952	3
9002	7804	7805	7954	7953	3
9003	7805	7806	7955	7954	3
9004	7806	7807	7956	7955	3
9005	7807	7808	7957	7956	3
9006	7808	7809	7958	7957	3
9007	7809	7810	7959	7958	3
9008	7810	7811	7960	7959	3
9009	7811	7812	7961	7960	3
9010	7812	7813	7962	7961	3
9011	7813	7814	7963	7962	3
9012	7814	7815	7964	7963	3
9013	7815	7816	7965	7964	3
9014	7816	7817	7966	7965	3
9015	7817	7818	7967	7966	3
9016	7819	7829	7978	7968	2
9017	7820	7830	7979	7969	2
9018	7821	7831	7980	7970	2
9019	7822	7832	7981	7971	2
9020	7823	7833	7982	7972	2
9021	7824	7834	7983	7973	2
9022	7825	7835	7984	7974	2
9023	7826	7836	7985	7975	2
9024	7827	7837	7986	7976	2
9025	7828	7838	7987	7977	2
9026	7829	7839	7988	7978	2
9027	7830	7840	7989	7979	2
9028	7831	7841	7990	7980	2
9029	7832	7842	7991	7981	2
9030	7833	7843	7992	7982	2
9031	7834	7844	7993	7983	2
9032	7835	7845	7994	7984	2
9033	7836	7846	7995	7985	2
9034	7837	7847	7996	7986	2
9035	7838	7848	7997	7987	2
9036	7839	7849	7998	7988	2
9037	7840	7850	7999	7989	2
9038	7841	7851	8000	7990	2
9039	7842	7852	8001	7991	2
9040	7843	7853	8002	7992	2
9041	7844	7854	8003	7993	2
9042	7845	7855	8004	7994	2
9043	7846	7856	8005	7995	2
9044	7847	7857	8006	7996	2
9045	7848	7858	8007	7997	2
9046	7849	7859	8008	7998	2
9047	7850	7860	8009	7999	2
9048	7851	7861	8010	8000	2
9049	7852	7862	8011	8001	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9050	7853	7863	8012	8002	2
9051	7854	7864	8013	8003	2
9052	7855	7865	8014	8004	2
9053	7856	7866	8015	8005	2
9054	7857	7867	8016	8006	2
9055	7858	7868	8017	8007	2
9056	7859	7869	8018	8008	2
9057	7860	7870	8019	8009	2
9058	7861	7871	8020	8010	2
9059	7862	7872	8021	8011	2
9060	7863	7873	8022	8012	2
9061	7864	7874	8023	8013	2
9062	7865	7875	8024	8014	2
9063	7866	7876	8025	8015	2
9064	7867	7877	8026	8016	2
9065	7868	7878	8027	8017	2
9066	7869	7879	8028	8018	2
9067	7870	7880	8029	8019	2
9068	7871	7881	8030	8020	2
9069	7872	7882	8031	8021	2
9070	7873	7883	8032	8022	2
9071	7874	7884	8033	8023	2
9072	7875	7885	8034	8024	2
9073	7876	7886	8035	8025	2
9074	7877	7887	8036	8026	2
9075	7878	7888	8037	8027	2
9076	7879	7892	8041	8028	2
9077	7880	7900	8049	8029	2
9078	7881	7908	8057	8030	2
9079	7882	7916	8065	8031	2
9080	7883	7924	8073	8032	2
9081	7884	7932	8081	8033	2
9082	7885	7940	8089	8034	2
9083	7886	7948	8097	8035	2
9084	7887	7956	8105	8036	2
9085	7888	7964	8113	8037	2
9086	7889	7890	8039	8038	3
9087	7890	7891	8040	8039	3
9088	7891	7892	8041	8040	3
9089	7892	7893	8042	8041	3
9090	7893	7894	8043	8042	3
9091	7894	7895	8044	8043	3
9092	7895	7896	8045	8044	3
9093	7896	7897	8046	8045	3
9094	7897	7898	8047	8046	3
9095	7898	7899	8048	8047	3
9096	7899	7900	8049	8048	3
9097	7900	7901	8050	8049	3
9098	7901	7902	8051	8050	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9099	7902	7903	8052	8051	3
9100	7903	7904	8053	8052	3
9101	7904	7905	8054	8053	3
9102	7905	7906	8055	8054	3
9103	7906	7907	8056	8055	3
9104	7907	7908	8057	8056	3
9105	7908	7909	8058	8057	3
9106	7909	7910	8059	8058	3
9107	7910	7911	8060	8059	3
9108	7911	7912	8061	8060	3
9109	7912	7913	8062	8061	3
9110	7913	7914	8063	8062	3
9111	7914	7915	8064	8063	3
9112	7915	7916	8065	8064	3
9113	7916	7917	8066	8065	3
9114	7917	7918	8067	8066	3
9115	7918	7919	8068	8067	3
9116	7919	7920	8069	8068	3
9117	7920	7921	8070	8069	3
9118	7921	7922	8071	8070	3
9119	7922	7923	8072	8071	3
9120	7923	7924	8073	8072	3
9121	7924	7925	8074	8073	3
9122	7925	7926	8075	8074	3
9123	7926	7927	8076	8075	3
9124	7927	7928	8077	8076	3
9125	7928	7929	8078	8077	3
9126	7929	7930	8079	8078	3
9127	7930	7931	8080	8079	3
9128	7931	7932	8081	8080	3
9129	7932	7933	8082	8081	3
9130	7933	7934	8083	8082	3
9131	7934	7935	8084	8083	3
9132	7935	7936	8085	8084	3
9133	7936	7937	8086	8085	3
9134	7937	7938	8087	8086	3
9135	7938	7939	8088	8087	3
9136	7939	7940	8089	8088	3
9137	7940	7941	8090	8089	3
9138	7941	7942	8091	8090	3
9139	7942	7943	8092	8091	3
9140	7943	7944	8093	8092	3
9141	7944	7945	8094	8093	3
9142	7945	7946	8095	8094	3
9143	7946	7947	8096	8095	3
9144	7947	7948	8097	8096	3
9145	7948	7949	8098	8097	3
9146	7949	7950	8099	8098	3
9147	7950	7951	8100	8099	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9148	7951	7952	8101	8100	3
9149	7952	7953	8102	8101	3
9150	7953	7954	8103	8102	3
9151	7954	7955	8104	8103	3
9152	7955	7956	8105	8104	3
9153	7956	7957	8106	8105	3
9154	7957	7958	8107	8106	3
9155	7958	7959	8108	8107	3
9156	7959	7960	8109	8108	3
9157	7960	7961	8110	8109	3
9158	7961	7962	8111	8110	3
9159	7962	7963	8112	8111	3
9160	7963	7964	8113	8112	3
9161	7964	7965	8114	8113	3
9162	7965	7966	8115	8114	3
9163	7966	7967	8116	8115	3
9164	7968	7978	8117		2
9165	7969	7979	8118		2
9166	7970	7980	8119		2
9167	7971	7981	8120		2
9168	7972	7982	8121		2
9169	7973	7983	8122		2
9170	7974	7984	8123		2
9171	7975	7985	8124		2
9172	7976	7986	8125		2
9173	7977	7987	8126		2
9174	7978	7988	8127	8117	2
9175	7979	7989	8128	8118	2
9176	7980	7990	8129	8119	2
9177	7981	7991	8130	8120	2
9178	7982	7992	8131	8121	2
9179	7983	7993	8132	8122	2
9180	7984	7994	8133	8123	2
9181	7985	7995	8134	8124	2
9182	7986	7996	8135	8125	2
9183	7987	7997	8136	8126	2
9184	7988	7998	8137	8127	2
9185	7989	7999	8138	8128	2
9186	7990	8000	8139	8129	2
9187	7991	8001	8140	8130	2
9188	7992	8002	8141	8131	2
9189	7993	8003	8142	8132	2
9190	7994	8004	8143	8133	2
9191	7995	8005	8144	8134	2
9192	7996	8006	8145	8135	2
9193	7997	8007	8146	8136	2
9194	7998	8008	8147	8137	2
9195	7999	8009	8148	8138	2
9196	8000	8010	8149	8139	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9197	8001	8011	8150	8140	2
9198	8002	8012	8151	8141	2
9199	8003	8013	8152	8142	2
9200	8004	8014	8153	8143	2
9201	8005	8015	8154	8144	2
9202	8006	8016	8155	8145	2
9203	8007	8017	8156	8146	2
9204	8008	8018	8157	8147	2
9205	8009	8019	8158	8148	2
9206	8010	8020	8159	8149	2
9207	8011	8021	8160	8150	2
9208	8012	8022	8161	8151	2
9209	8013	8023	8162	8152	2
9210	8014	8024	8163	8153	2
9211	8015	8025	8164	8154	2
9212	8016	8026	8165	8155	2
9213	8017	8027	8166	8156	2
9214	8018	8028	8167	8157	2
9215	8019	8029	8168	8158	2
9216	8020	8030	8169	8159	2
9217	8021	8031	8170	8160	2
9218	8022	8032	8171	8161	2
9219	8023	8033	8172	8162	2
9220	8024	8034	8173	8163	2
9221	8025	8035	8174	8164	2
9222	8026	8036	8175	8165	2
9223	8027	8037	8176	8166	2
9224	8028	8041	8180	8167	2
9225	8029	8049	8188	8168	2
9226	8030	8057	8196	8169	2
9227	8031	8065	8204	8170	2
9228	8032	8073	8212	8171	2
9229	8033	8081	8220	8172	2
9230	8034	8089	8228	8173	2
9231	8035	8097	8236	8174	2
9232	8036	8105	8244	8175	2
9233	8037	8113	8252	8176	2
9234	8038	8039	8178	8177	3
9235	8039	8040	8179	8178	3
9236	8040	8041	8180	8179	3
9237	8041	8042	8181	8180	3
9238	8042	8043	8182	8181	3
9239	8043	8044	8183	8182	3
9240	8044	8045	8184	8183	3
9241	8045	8046	8185	8184	3
9242	8046	8047	8186	8185	3
9243	8047	8048	8187	8186	3
9244	8048	8049	8188	8187	3
9245	8049	8050	8189	8188	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9246	8050	8051	8190	8189	3
9247	8051	8052	8191	8190	3
9248	8052	8053	8192	8191	3
9249	8053	8054	8193	8192	3
9250	8054	8055	8194	8193	3
9251	8055	8056	8195	8194	3
9252	8056	8057	8196	8195	3
9253	8057	8058	8197	8196	3
9254	8058	8059	8198	8197	3
9255	8059	8060	8199	8198	3
9256	8060	8061	8200	8199	3
9257	8061	8062	8201	8200	3
9258	8062	8063	8202	8201	3
9259	8063	8064	8203	8202	3
9260	8064	8065	8204	8203	3
9261	8065	8066	8205	8204	3
9262	8066	8067	8206	8205	3
9263	8067	8068	8207	8206	3
9264	8068	8069	8208	8207	3
9265	8069	8070	8209	8208	3
9266	8070	8071	8210	8209	3
9267	8071	8072	8211	8210	3
9268	8072	8073	8212	8211	3
9269	8073	8074	8213	8212	3
9270	8074	8075	8214	8213	3
9271	8075	8076	8215	8214	3
9272	8076	8077	8216	8215	3
9273	8077	8078	8217	8216	3
9274	8078	8079	8218	8217	3
9275	8079	8080	8219	8218	3
9276	8080	8081	8220	8219	3
9277	8081	8082	8221	8220	3
9278	8082	8083	8222	8221	3
9279	8083	8084	8223	8222	3
9280	8084	8085	8224	8223	3
9281	8085	8086	8225	8224	3
9282	8086	8087	8226	8225	3
9283	8087	8088	8227	8226	3
9284	8088	8089	8228	8227	3
9285	8089	8090	8229	8228	3
9286	8090	8091	8230	8229	3
9287	8091	8092	8231	8230	3
9288	8092	8093	8232	8231	3
9289	8093	8094	8233	8232	3
9290	8094	8095	8234	8233	3
9291	8095	8096	8235	8234	3
9292	8096	8097	8236	8235	3
9293	8097	8098	8237	8236	3
9294	8098	8099	8238	8237	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9295	8099	8100	8239	8238	3
9296	8100	8101	8240	8239	3
9297	8101	8102	8241	8240	3
9298	8102	8103	8242	8241	3
9299	8103	8104	8243	8242	3
9300	8104	8105	8244	8243	3
9301	8105	8106	8245	8244	3
9302	8106	8107	8246	8245	3
9303	8107	8108	8247	8246	3
9304	8108	8109	8248	8247	3
9305	8109	8110	8249	8248	3
9306	8110	8111	8250	8249	3
9307	8111	8112	8251	8250	3
9308	8112	8113	8252	8251	3
9309	8113	8114	8253	8252	3
9310	8114	8115	8254	8253	3
9311	8115	8116	8255	8254	3
9312	8117	8127	8266	8256	2
9313	8118	8128	8267	8257	2
9314	8119	8129	8268	8258	2
9315	8120	8130	8269	8259	2
9316	8121	8131	8270	8260	2
9317	8122	8132	8271	8261	2
9318	8123	8133	8272	8262	2
9319	8124	8134	8273	8263	2
9320	8125	8135	8274	8264	2
9321	8126	8136	8275	8265	2
9322	8127	8137	8276	8266	2
9323	8128	8138	8277	8267	2
9324	8129	8139	8278	8268	2
9325	8130	8140	8279	8269	2
9326	8131	8141	8280	8270	2
9327	8132	8142	8281	8271	2
9328	8133	8143	8282	8272	2
9329	8134	8144	8283	8273	2
9330	8135	8145	8284	8274	2
9331	8136	8146	8285	8275	2
9332	8137	8147	8286	8276	2
9333	8138	8148	8287	8277	2
9334	8139	8149	8288	8278	2
9335	8140	8150	8289	8279	2
9336	8141	8151	8290	8280	2
9337	8142	8152	8291	8281	2
9338	8143	8153	8292	8282	2
9339	8144	8154	8293	8283	2
9340	8145	8155	8294	8284	2
9341	8146	8156	8295	8285	2
9342	8147	8157	8296	8286	2
9343	8148	8158	8297	8287	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9344	8149	8159	8298	8288	2
9345	8150	8160	8299	8289	2
9346	8151	8161	8300	8290	2
9347	8152	8162	8301	8291	2
9348	8153	8163	8302	8292	2
9349	8154	8164	8303	8293	2
9350	8155	8165	8304	8294	2
9351	8156	8166	8305	8295	2
9352	8157	8167	8306	8296	2
9353	8158	8168	8307	8297	2
9354	8159	8169	8308	8298	2
9355	8160	8170	8309	8299	2
9356	8161	8171	8310	8300	2
9357	8162	8172	8311	8301	2
9358	8163	8173	8312	8302	2
9359	8164	8174	8313	8303	2
9360	8165	8175	8314	8304	2
9361	8166	8176	8315	8305	2
9362	8167	8180	8319	8306	2
9363	8168	8188	8327	8307	2
9364	8169	8196	8335	8308	2
9365	8170	8204	8343	8309	2
9366	8171	8212	8351	8310	2
9367	8172	8220	8359	8311	2
9368	8173	8228	8367	8312	2
9369	8174	8236	8375	8313	2
9370	8175	8244	8383	8314	2
9371	8176	8252	8391	8315	2
9372	8177	8178	8317	8316	3
9373	8178	8179	8318	8317	3
9374	8179	8180	8319	8318	3
9375	8180	8181	8320	8319	3
9376	8181	8182	8321	8320	3
9377	8182	8183	8322	8321	3
9378	8183	8184	8323	8322	3
9379	8184	8185	8324	8323	3
9380	8185	8186	8325	8324	3
9381	8186	8187	8326	8325	3
9382	8187	8188	8327	8326	3
9383	8188	8189	8328	8327	3
9384	8189	8190	8329	8328	3
9385	8190	8191	8330	8329	3
9386	8191	8192	8331	8330	3
9387	8192	8193	8332	8331	3
9388	8193	8194	8333	8332	3
9389	8194	8195	8334	8333	3
9390	8195	8196	8335	8334	3
9391	8196	8197	8336	8335	3
9392	8197	8198	8337	8336	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9393	8198	8199	8338	8337	3
9394	8199	8200	8339	8338	3
9395	8200	8201	8340	8339	3
9396	8201	8202	8341	8340	3
9397	8202	8203	8342	8341	3
9398	8203	8204	8343	8342	3
9399	8204	8205	8344	8343	3
9400	8205	8206	8345	8344	3
9401	8206	8207	8346	8345	3
9402	8207	8208	8347	8346	3
9403	8208	8209	8348	8347	3
9404	8209	8210	8349	8348	3
9405	8210	8211	8350	8349	3
9406	8211	8212	8351	8350	3
9407	8212	8213	8352	8351	3
9408	8213	8214	8353	8352	3
9409	8214	8215	8354	8353	3
9410	8215	8216	8355	8354	3
9411	8216	8217	8356	8355	3
9412	8217	8218	8357	8356	3
9413	8218	8219	8358	8357	3
9414	8219	8220	8359	8358	3
9415	8220	8221	8360	8359	3
9416	8221	8222	8361	8360	3
9417	8222	8223	8362	8361	3
9418	8223	8224	8363	8362	3
9419	8224	8225	8364	8363	3
9420	8225	8226	8365	8364	3
9421	8226	8227	8366	8365	3
9422	8227	8228	8367	8366	3
9423	8228	8229	8368	8367	3
9424	8229	8230	8369	8368	3
9425	8230	8231	8370	8369	3
9426	8231	8232	8371	8370	3
9427	8232	8233	8372	8371	3
9428	8233	8234	8373	8372	3
9429	8234	8235	8374	8373	3
9430	8235	8236	8375	8374	3
9431	8236	8237	8376	8375	3
9432	8237	8238	8377	8376	3
9433	8238	8239	8378	8377	3
9434	8239	8240	8379	8378	3
9435	8240	8241	8380	8379	3
9436	8241	8242	8381	8380	3
9437	8242	8243	8382	8381	3
9438	8243	8244	8383	8382	3
9439	8244	8245	8384	8383	3
9440	8245	8246	8385	8384	3
9441	8246	8247	8386	8385	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9442	8247	8248	8387	8386	3
9443	8248	8249	8388	8387	3
9444	8249	8250	8389	8388	3
9445	8250	8251	8390	8389	3
9446	8251	8252	8391	8390	3
9447	8252	8253	8392	8391	3
9448	8253	8254	8393	8392	3
9449	8254	8255	8394	8393	3
9450	8256	8266	8395		2
9451	8257	8267	8396		2
9452	8258	8268	8397		2
9453	8259	8269	8398		2
9454	8260	8270	8399		2
9455	8261	8271	8400		2
9456	8262	8272	8401		2
9457	8263	8273	8402		2
9458	8264	8274	8403		2
9459	8265	8275	8404		2
9460	8266	8276	8405	8395	2
9461	8267	8277	8406	8396	2
9462	8268	8278	8407	8397	2
9463	8269	8279	8408	8398	2
9464	8270	8280	8409	8399	2
9465	8271	8281	8410	8400	2
9466	8272	8282	8411	8401	2
9467	8273	8283	8412	8402	2
9468	8274	8284	8413	8403	2
9469	8275	8285	8414	8404	2
9470	8276	8286	8415	8405	2
9471	8277	8287	8416	8406	2
9472	8278	8288	8417	8407	2
9473	8279	8289	8418	8408	2
9474	8280	8290	8419	8409	2
9475	8281	8291	8420	8410	2
9476	8282	8292	8421	8411	2
9477	8283	8293	8422	8412	2
9478	8284	8294	8423	8413	2
9479	8285	8295	8424	8414	2
9480	8286	8296	8425	8415	2
9481	8287	8297	8426	8416	2
9482	8288	8298	8427	8417	2
9483	8289	8299	8428	8418	2
9484	8290	8300	8429	8419	2
9485	8291	8301	8430	8420	2
9486	8292	8302	8431	8421	2
9487	8293	8303	8432	8422	2
9488	8294	8304	8433	8423	2
9489	8295	8305	8434	8424	2
9490	8296	8306	8435	8425	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9491	8297	8307	8436	8426	2
9492	8298	8308	8437	8427	2
9493	8299	8309	8438	8428	2
9494	8300	8310	8439	8429	2
9495	8301	8311	8440	8430	2
9496	8302	8312	8441	8431	2
9497	8303	8313	8442	8432	2
9498	8304	8314	8443	8433	2
9499	8305	8315	8444	8434	2
9500	8306	8319	8448	8435	2
9501	8307	8327	8456	8436	2
9502	8308	8335	8464	8437	2
9503	8309	8343	8472	8438	2
9504	8310	8351	8480	8439	2
9505	8311	8359	8488	8440	2
9506	8312	8367	8496	8441	2
9507	8313	8375	8504	8442	2
9508	8314	8383	8512	8443	2
9509	8315	8391	8520	8444	2
9510	8316	8317	8446	8445	3
9511	8317	8318	8447	8446	3
9512	8318	8319	8448	8447	3
9513	8319	8320	8449	8448	3
9514	8320	8321	8450	8449	3
9515	8321	8322	8451	8450	3
9516	8322	8323	8452	8451	3
9517	8323	8324	8453	8452	3
9518	8324	8325	8454	8453	3
9519	8325	8326	8455	8454	3
9520	8326	8327	8456	8455	3
9521	8327	8328	8457	8456	3
9522	8328	8329	8458	8457	3
9523	8329	8330	8459	8458	3
9524	8330	8331	8460	8459	3
9525	8331	8332	8461	8460	3
9526	8332	8333	8462	8461	3
9527	8333	8334	8463	8462	3
9528	8334	8335	8464	8463	3
9529	8335	8336	8465	8464	3
9530	8336	8337	8466	8465	3
9531	8337	8338	8467	8466	3
9532	8338	8339	8468	8467	3
9533	8339	8340	8469	8468	3
9534	8340	8341	8470	8469	3
9535	8341	8342	8471	8470	3
9536	8342	8343	8472	8471	3
9537	8343	8344	8473	8472	3
9538	8344	8345	8474	8473	3
9539	8345	8346	8475	8474	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9540	8346	8347	8476	8475	3
9541	8347	8348	8477	8476	3
9542	8348	8349	8478	8477	3
9543	8349	8350	8479	8478	3
9544	8350	8351	8480	8479	3
9545	8351	8352	8481	8480	3
9546	8352	8353	8482	8481	3
9547	8353	8354	8483	8482	3
9548	8354	8355	8484	8483	3
9549	8355	8356	8485	8484	3
9550	8356	8357	8486	8485	3
9551	8357	8358	8487	8486	3
9552	8358	8359	8488	8487	3
9553	8359	8360	8489	8488	3
9554	8360	8361	8490	8489	3
9555	8361	8362	8491	8490	3
9556	8362	8363	8492	8491	3
9557	8363	8364	8493	8492	3
9558	8364	8365	8494	8493	3
9559	8365	8366	8495	8494	3
9560	8366	8367	8496	8495	3
9561	8367	8368	8497	8496	3
9562	8368	8369	8498	8497	3
9563	8369	8370	8499	8498	3
9564	8370	8371	8500	8499	3
9565	8371	8372	8501	8500	3
9566	8372	8373	8502	8501	3
9567	8373	8374	8503	8502	3
9568	8374	8375	8504	8503	3
9569	8375	8376	8505	8504	3
9570	8376	8377	8506	8505	3
9571	8377	8378	8507	8506	3
9572	8378	8379	8508	8507	3
9573	8379	8380	8509	8508	3
9574	8380	8381	8510	8509	3
9575	8381	8382	8511	8510	3
9576	8382	8383	8512	8511	3
9577	8383	8384	8513	8512	3
9578	8384	8385	8514	8513	3
9579	8385	8386	8515	8514	3
9580	8386	8387	8516	8515	3
9581	8387	8388	8517	8516	3
9582	8388	8389	8518	8517	3
9583	8389	8390	8519	8518	3
9584	8390	8391	8520	8519	3
9585	8391	8392	8521	8520	3
9586	8392	8393	8522	8521	3
9587	8393	8394	8523	8522	3
9588	8395	8405	8534	8524	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9589	8396	8406	8535	8525	2
9590	8397	8407	8536	8526	2
9591	8398	8408	8537	8527	2
9592	8399	8409	8538	8528	2
9593	8400	8410	8539	8529	2
9594	8401	8411	8540	8530	2
9595	8402	8412	8541	8531	2
9596	8403	8413	8542	8532	2
9597	8404	8414	8543	8533	2
9598	8405	8415	8544	8534	2
9599	8406	8416	8545	8535	2
9600	8407	8417	8546	8536	2
9601	8408	8418	8547	8537	2
9602	8409	8419	8548	8538	2
9603	8410	8420	8549	8539	2
9604	8411	8421	8550	8540	2
9605	8412	8422	8551	8541	2
9606	8413	8423	8552	8542	2
9607	8414	8424	8553	8543	2
9608	8415	8425	8554	8544	2
9609	8416	8426	8555	8545	2
9610	8417	8427	8556	8546	2
9611	8418	8428	8557	8547	2
9612	8419	8429	8558	8548	2
9613	8420	8430	8559	8549	2
9614	8421	8431	8560	8550	2
9615	8422	8432	8561	8551	2
9616	8423	8433	8562	8552	2
9617	8424	8434	8563	8553	2
9618	8425	8435	8564	8554	2
9619	8426	8436	8565	8555	2
9620	8427	8437	8566	8556	2
9621	8428	8438	8567	8557	2
9622	8429	8439	8568	8558	2
9623	8430	8440	8569	8559	2
9624	8431	8441	8570	8560	2
9625	8432	8442	8571	8561	2
9626	8433	8443	8572	8562	2
9627	8434	8444	8573	8563	2
9628	8435	8448	8577	8564	2
9629	8436	8456	8585	8565	2
9630	8437	8464	8593	8566	2
9631	8438	8472	8601	8567	2
9632	8439	8480	8609	8568	2
9633	8440	8488	8617	8569	2
9634	8441	8496	8625	8570	2
9635	8442	8504	8633	8571	2
9636	8443	8512	8641	8572	2
9637	8444	8520	8649	8573	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9638	8445	8446	8575	8574	3
9639	8446	8447	8576	8575	3
9640	8447	8448	8577	8576	3
9641	8448	8449	8578	8577	3
9642	8449	8450	8579	8578	3
9643	8450	8451	8580	8579	3
9644	8451	8452	8581	8580	3
9645	8452	8453	8582	8581	3
9646	8453	8454	8583	8582	3
9647	8454	8455	8584	8583	3
9648	8455	8456	8585	8584	3
9649	8456	8457	8586	8585	3
9650	8457	8458	8587	8586	3
9651	8458	8459	8588	8587	3
9652	8459	8460	8589	8588	3
9653	8460	8461	8590	8589	3
9654	8461	8462	8591	8590	3
9655	8462	8463	8592	8591	3
9656	8463	8464	8593	8592	3
9657	8464	8465	8594	8593	3
9658	8465	8466	8595	8594	3
9659	8466	8467	8596	8595	3
9660	8467	8468	8597	8596	3
9661	8468	8469	8598	8597	3
9662	8469	8470	8599	8598	3
9663	8470	8471	8600	8599	3
9664	8471	8472	8601	8600	3
9665	8472	8473	8602	8601	3
9666	8473	8474	8603	8602	3
9667	8474	8475	8604	8603	3
9668	8475	8476	8605	8604	3
9669	8476	8477	8606	8605	3
9670	8477	8478	8607	8606	3
9671	8478	8479	8608	8607	3
9672	8479	8480	8609	8608	3
9673	8480	8481	8610	8609	3
9674	8481	8482	8611	8610	3
9675	8482	8483	8612	8611	3
9676	8483	8484	8613	8612	3
9677	8484	8485	8614	8613	3
9678	8485	8486	8615	8614	3
9679	8486	8487	8616	8615	3
9680	8487	8488	8617	8616	3
9681	8488	8489	8618	8617	3
9682	8489	8490	8619	8618	3
9683	8490	8491	8620	8619	3
9684	8491	8492	8621	8620	3
9685	8492	8493	8622	8621	3
9686	8493	8494	8623	8622	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9687	8494	8495	8624	8623	3
9688	8495	8496	8625	8624	3
9689	8496	8497	8626	8625	3
9690	8497	8498	8627	8626	3
9691	8498	8499	8628	8627	3
9692	8499	8500	8629	8628	3
9693	8500	8501	8630	8629	3
9694	8501	8502	8631	8630	3
9695	8502	8503	8632	8631	3
9696	8503	8504	8633	8632	3
9697	8504	8505	8634	8633	3
9698	8505	8506	8635	8634	3
9699	8506	8507	8636	8635	3
9700	8507	8508	8637	8636	3
9701	8508	8509	8638	8637	3
9702	8509	8510	8639	8638	3
9703	8510	8511	8640	8639	3
9704	8511	8512	8641	8640	3
9705	8512	8513	8642	8641	3
9706	8513	8514	8643	8642	3
9707	8514	8515	8644	8643	3
9708	8515	8516	8645	8644	3
9709	8516	8517	8646	8645	3
9710	8517	8518	8647	8646	3
9711	8518	8519	8648	8647	3
9712	8519	8520	8649	8648	3
9713	8520	8521	8650	8649	3
9714	8521	8522	8651	8650	3
9715	8522	8523	8652	8651	3
9716	8524	8534	8653		2
9717	8525	8535	8654		2
9718	8526	8536	8655		2
9719	8527	8537	8656		2
9720	8528	8538	8657		2
9721	8529	8539	8658		2
9722	8530	8540	8659		2
9723	8531	8541	8660		2
9724	8532	8542	8661		2
9725	8533	8543	8662		2
9726	8534	8544	8663	8653	2
9727	8535	8545	8664	8654	2
9728	8536	8546	8665	8655	2
9729	8537	8547	8666	8656	2
9730	8538	8548	8667	8657	2
9731	8539	8549	8668	8658	2
9732	8540	8550	8669	8659	2
9733	8541	8551	8670	8660	2
9734	8542	8552	8671	8661	2
9735	8543	8553	8672	8662	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9736	8544	8554	8673	8663	2
9737	8545	8555	8674	8664	2
9738	8546	8556	8675	8665	2
9739	8547	8557	8676	8666	2
9740	8548	8558	8677	8667	2
9741	8549	8559	8678	8668	2
9742	8550	8560	8679	8669	2
9743	8551	8561	8680	8670	2
9744	8552	8562	8681	8671	2
9745	8553	8563	8682	8672	2
9746	8554	8564	8683	8673	2
9747	8555	8565	8684	8674	2
9748	8556	8566	8685	8675	2
9749	8557	8567	8686	8676	2
9750	8558	8568	8687	8677	2
9751	8559	8569	8688	8678	2
9752	8560	8570	8689	8679	2
9753	8561	8571	8690	8680	2
9754	8562	8572	8691	8681	2
9755	8563	8573	8692	8682	2
9756	8564	8577	8696	8683	2
9757	8565	8585	8704	8684	2
9758	8566	8593	8712	8685	2
9759	8567	8601	8720	8686	2
9760	8568	8609	8728	8687	2
9761	8569	8617	8736	8688	2
9762	8570	8625	8744	8689	2
9763	8571	8633	8752	8690	2
9764	8572	8641	8760	8691	2
9765	8573	8649	8768	8692	2
9766	8574	8575	8694	8693	3
9767	8575	8576	8695	8694	3
9768	8576	8577	8696	8695	3
9769	8577	8578	8697	8696	3
9770	8578	8579	8698	8697	3
9771	8579	8580	8699	8698	3
9772	8580	8581	8700	8699	3
9773	8581	8582	8701	8700	3
9774	8582	8583	8702	8701	3
9775	8583	8584	8703	8702	3
9776	8584	8585	8704	8703	3
9777	8585	8586	8705	8704	3
9778	8586	8587	8706	8705	3
9779	8587	8588	8707	8706	3
9780	8588	8589	8708	8707	3
9781	8589	8590	8709	8708	3
9782	8590	8591	8710	8709	3
9783	8591	8592	8711	8710	3
9784	8592	8593	8712	8711	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9785	8593	8594	8713	8712	3
9786	8594	8595	8714	8713	3
9787	8595	8596	8715	8714	3
9788	8596	8597	8716	8715	3
9789	8597	8598	8717	8716	3
9790	8598	8599	8718	8717	3
9791	8599	8600	8719	8718	3
9792	8600	8601	8720	8719	3
9793	8601	8602	8721	8720	3
9794	8602	8603	8722	8721	3
9795	8603	8604	8723	8722	3
9796	8604	8605	8724	8723	3
9797	8605	8606	8725	8724	3
9798	8606	8607	8726	8725	3
9799	8607	8608	8727	8726	3
9800	8608	8609	8728	8727	3
9801	8609	8610	8729	8728	3
9802	8610	8611	8730	8729	3
9803	8611	8612	8731	8730	3
9804	8612	8613	8732	8731	3
9805	8613	8614	8733	8732	3
9806	8614	8615	8734	8733	3
9807	8615	8616	8735	8734	3
9808	8616	8617	8736	8735	3
9809	8617	8618	8737	8736	3
9810	8618	8619	8738	8737	3
9811	8619	8620	8739	8738	3
9812	8620	8621	8740	8739	3
9813	8621	8622	8741	8740	3
9814	8622	8623	8742	8741	3
9815	8623	8624	8743	8742	3
9816	8624	8625	8744	8743	3
9817	8625	8626	8745	8744	3
9818	8626	8627	8746	8745	3
9819	8627	8628	8747	8746	3
9820	8628	8629	8748	8747	3
9821	8629	8630	8749	8748	3
9822	8630	8631	8750	8749	3
9823	8631	8632	8751	8750	3
9824	8632	8633	8752	8751	3
9825	8633	8634	8753	8752	3
9826	8634	8635	8754	8753	3
9827	8635	8636	8755	8754	3
9828	8636	8637	8756	8755	3
9829	8637	8638	8757	8756	3
9830	8638	8639	8758	8757	3
9831	8639	8640	8759	8758	3
9832	8640	8641	8760	8759	3
9833	8641	8642	8761	8760	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9834	8642	8643	8762	8761	3
9835	8643	8644	8763	8762	3
9836	8644	8645	8764	8763	3
9837	8645	8646	8765	8764	3
9838	8646	8647	8766	8765	3
9839	8647	8648	8767	8766	3
9840	8648	8649	8768	8767	3
9841	8649	8650	8769	8768	3
9842	8650	8651	8770	8769	3
9843	8651	8652	8771	8770	3
9844	8653	8663	8782	8772	2
9845	8654	8664	8783	8773	2
9846	8655	8665	8784	8774	2
9847	8656	8666	8785	8775	2
9848	8657	8667	8786	8776	2
9849	8658	8668	8787	8777	2
9850	8659	8669	8788	8778	2
9851	8660	8670	8789	8779	2
9852	8661	8671	8790	8780	2
9853	8662	8672	8791	8781	2
9854	8663	8673	8792	8782	2
9855	8664	8674	8793	8783	2
9856	8665	8675	8794	8784	2
9857	8666	8676	8795	8785	2
9858	8667	8677	8796	8786	2
9859	8668	8678	8797	8787	2
9860	8669	8679	8798	8788	2
9861	8670	8680	8799	8789	2
9862	8671	8681	8800	8790	2
9863	8672	8682	8801	8791	2
9864	8673	8683	8802	8792	2
9865	8674	8684	8803	8793	2
9866	8675	8685	8804	8794	2
9867	8676	8686	8805	8795	2
9868	8677	8687	8806	8796	2
9869	8678	8688	8807	8797	2
9870	8679	8689	8808	8798	2
9871	8680	8690	8809	8799	2
9872	8681	8691	8810	8800	2
9873	8682	8692	8811	8801	2
9874	8683	8696	8815	8802	2
9875	8684	8704	8823	8803	2
9876	8685	8712	8831	8804	2
9877	8686	8720	8839	8805	2
9878	8687	8728	8847	8806	2
9879	8688	8736	8855	8807	2
9880	8689	8744	8863	8808	2
9881	8690	8752	8871	8809	2
9882	8691	8760	8879	8810	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9883	8692	8768	8887	8811	2
9884	8693	8694	8813	8812	3
9885	8694	8695	8814	8813	3
9886	8695	8696	8815	8814	3
9887	8696	8697	8816	8815	3
9888	8697	8698	8817	8816	3
9889	8698	8699	8818	8817	3
9890	8699	8700	8819	8818	3
9891	8700	8701	8820	8819	3
9892	8701	8702	8821	8820	3
9893	8702	8703	8822	8821	3
9894	8703	8704	8823	8822	3
9895	8704	8705	8824	8823	3
9896	8705	8706	8825	8824	3
9897	8706	8707	8826	8825	3
9898	8707	8708	8827	8826	3
9899	8708	8709	8828	8827	3
9900	8709	8710	8829	8828	3
9901	8710	8711	8830	8829	3
9902	8711	8712	8831	8830	3
9903	8712	8713	8832	8831	3
9904	8713	8714	8833	8832	3
9905	8714	8715	8834	8833	3
9906	8715	8716	8835	8834	3
9907	8716	8717	8836	8835	3
9908	8717	8718	8837	8836	3
9909	8718	8719	8838	8837	3
9910	8719	8720	8839	8838	3
9911	8720	8721	8840	8839	3
9912	8721	8722	8841	8840	3
9913	8722	8723	8842	8841	3
9914	8723	8724	8843	8842	3
9915	8724	8725	8844	8843	3
9916	8725	8726	8845	8844	3
9917	8726	8727	8846	8845	3
9918	8727	8728	8847	8846	3
9919	8728	8729	8848	8847	3
9920	8729	8730	8849	8848	3
9921	8730	8731	8850	8849	3
9922	8731	8732	8851	8850	3
9923	8732	8733	8852	8851	3
9924	8733	8734	8853	8852	3
9925	8734	8735	8854	8853	3
9926	8735	8736	8855	8854	3
9927	8736	8737	8856	8855	3
9928	8737	8738	8857	8856	3
9929	8738	8739	8858	8857	3
9930	8739	8740	8859	8858	3
9931	8740	8741	8860	8859	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9932	8741	8742	8861	8860	3
9933	8742	8743	8862	8861	3
9934	8743	8744	8863	8862	3
9935	8744	8745	8864	8863	3
9936	8745	8746	8865	8864	3
9937	8746	8747	8866	8865	3
9938	8747	8748	8867	8866	3
9939	8748	8749	8868	8867	3
9940	8749	8750	8869	8868	3
9941	8750	8751	8870	8869	3
9942	8751	8752	8871	8870	3
9943	8752	8753	8872	8871	3
9944	8753	8754	8873	8872	3
9945	8754	8755	8874	8873	3
9946	8755	8756	8875	8874	3
9947	8756	8757	8876	8875	3
9948	8757	8758	8877	8876	3
9949	8758	8759	8878	8877	3
9950	8759	8760	8879	8878	3
9951	8760	8761	8880	8879	3
9952	8761	8762	8881	8880	3
9953	8762	8763	8882	8881	3
9954	8763	8764	8883	8882	3
9955	8764	8765	8884	8883	3
9956	8765	8766	8885	8884	3
9957	8766	8767	8886	8885	3
9958	8767	8768	8887	8886	3
9959	8768	8769	8888	8887	3
9960	8769	8770	8889	8888	3
9961	8770	8771	8890	8889	3
9962	8772	8782	8891		2
9963	8773	8783	8892		2
9964	8774	8784	8893		2
9965	8775	8785	8894		2
9966	8776	8786	8895		2
9967	8777	8787	8896		2
9968	8778	8788	8897		2
9969	8779	8789	8898		2
9970	8780	8790	8899		2
9971	8781	8791	8900		2
9972	8782	8792	8901	8891	2
9973	8783	8793	8902	8892	2
9974	8784	8794	8903	8893	2
9975	8785	8795	8904	8894	2
9976	8786	8796	8905	8895	2
9977	8787	8797	8906	8896	2
9978	8788	8798	8907	8897	2
9979	8789	8799	8908	8898	2
9980	8790	8800	8909	8899	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
9981	8791	8801	8910	8900	2
9982	8792	8802	8911	8901	2
9983	8793	8803	8912	8902	2
9984	8794	8804	8913	8903	2
9985	8795	8805	8914	8904	2
9986	8796	8806	8915	8905	2
9987	8797	8807	8916	8906	2
9988	8798	8808	8917	8907	2
9989	8799	8809	8918	8908	2
9990	8800	8810	8919	8909	2
9991	8801	8811	8920	8910	2
9992	8802	8815	8924	8911	2
9993	8803	8823	8932	8912	2
9994	8804	8831	8940	8913	2
9995	8805	8839	8948	8914	2
9996	8806	8847	8956	8915	2
9997	8807	8855	8964	8916	2
9998	8808	8863	8972	8917	2
9999	8809	8871	8980	8918	2
10000	8810	8879	8988	8919	2
10001	8811	8887	8996	8920	2
10002	8812	8813	8922	8921	3
10003	8813	8814	8923	8922	3
10004	8814	8815	8924	8923	3
10005	8815	8816	8925	8924	3
10006	8816	8817	8926	8925	3
10007	8817	8818	8927	8926	3
10008	8818	8819	8928	8927	3
10009	8819	8820	8929	8928	3
10010	8820	8821	8930	8929	3
10011	8821	8822	8931	8930	3
10012	8822	8823	8932	8931	3
10013	8823	8824	8933	8932	3
10014	8824	8825	8934	8933	3
10015	8825	8826	8935	8934	3
10016	8826	8827	8936	8935	3
10017	8827	8828	8937	8936	3
10018	8828	8829	8938	8937	3
10019	8829	8830	8939	8938	3
10020	8830	8831	8940	8939	3
10021	8831	8832	8941	8940	3
10022	8832	8833	8942	8941	3
10023	8833	8834	8943	8942	3
10024	8834	8835	8944	8943	3
10025	8835	8836	8945	8944	3
10026	8836	8837	8946	8945	3
10027	8837	8838	8947	8946	3
10028	8838	8839	8948	8947	3
10029	8839	8840	8949	8948	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10030	8840	8841	8950	8949	3
10031	8841	8842	8951	8950	3
10032	8842	8843	8952	8951	3
10033	8843	8844	8953	8952	3
10034	8844	8845	8954	8953	3
10035	8845	8846	8955	8954	3
10036	8846	8847	8956	8955	3
10037	8847	8848	8957	8956	3
10038	8848	8849	8958	8957	3
10039	8849	8850	8959	8958	3
10040	8850	8851	8960	8959	3
10041	8851	8852	8961	8960	3
10042	8852	8853	8962	8961	3
10043	8853	8854	8963	8962	3
10044	8854	8855	8964	8963	3
10045	8855	8856	8965	8964	3
10046	8856	8857	8966	8965	3
10047	8857	8858	8967	8966	3
10048	8858	8859	8968	8967	3
10049	8859	8860	8969	8968	3
10050	8860	8861	8970	8969	3
10051	8861	8862	8971	8970	3
10052	8862	8863	8972	8971	3
10053	8863	8864	8973	8972	3
10054	8864	8865	8974	8973	3
10055	8865	8866	8975	8974	3
10056	8866	8867	8976	8975	3
10057	8867	8868	8977	8976	3
10058	8868	8869	8978	8977	3
10059	8869	8870	8979	8978	3
10060	8870	8871	8980	8979	3
10061	8871	8872	8981	8980	3
10062	8872	8873	8982	8981	3
10063	8873	8874	8983	8982	3
10064	8874	8875	8984	8983	3
10065	8875	8876	8985	8984	3
10066	8876	8877	8986	8985	3
10067	8877	8878	8987	8986	3
10068	8878	8879	8988	8987	3
10069	8879	8880	8989	8988	3
10070	8880	8881	8990	8989	3
10071	8881	8882	8991	8990	3
10072	8882	8883	8992	8991	3
10073	8883	8884	8993	8992	3
10074	8884	8885	8994	8993	3
10075	8885	8886	8995	8994	3
10076	8886	8887	8996	8995	3
10077	8887	8888	8997	8996	3
10078	8888	8889	8998	8997	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10079	8889	8890	8999	8998	3
10080	8891	8901	9010	9000	2
10081	8892	8902	9011	9001	2
10082	8893	8903	9012	9002	2
10083	8894	8904	9013	9003	2
10084	8895	8905	9014	9004	2
10085	8896	8906	9015	9005	2
10086	8897	8907	9016	9006	2
10087	8898	8908	9017	9007	2
10088	8899	8909	9018	9008	2
10089	8900	8910	9019	9009	2
10090	8901	8911	9020	9010	2
10091	8902	8912	9021	9011	2
10092	8903	8913	9022	9012	2
10093	8904	8914	9023	9013	2
10094	8905	8915	9024	9014	2
10095	8906	8916	9025	9015	2
10096	8907	8917	9026	9016	2
10097	8908	8918	9027	9017	2
10098	8909	8919	9028	9018	2
10099	8910	8920	9029	9019	2
10100	8911	8924	9033	9020	2
10101	8912	8932	9041	9021	2
10102	8913	8940	9049	9022	2
10103	8914	8948	9057	9023	2
10104	8915	8956	9065	9024	2
10105	8916	8964	9073	9025	2
10106	8917	8972	9081	9026	2
10107	8918	8980	9089	9027	2
10108	8919	8988	9097	9028	2
10109	8920	8996	9105	9029	2
10110	8921	8922	9031	9030	3
10111	8922	8923	9032	9031	3
10112	8923	8924	9033	9032	3
10113	8924	8925	9034	9033	3
10114	8925	8926	9035	9034	3
10115	8926	8927	9036	9035	3
10116	8927	8928	9037	9036	3
10117	8928	8929	9038	9037	3
10118	8929	8930	9039	9038	3
10119	8930	8931	9040	9039	3
10120	8931	8932	9041	9040	3
10121	8932	8933	9042	9041	3
10122	8933	8934	9043	9042	3
10123	8934	8935	9044	9043	3
10124	8935	8936	9045	9044	3
10125	8936	8937	9046	9045	3
10126	8937	8938	9047	9046	3
10127	8938	8939	9048	9047	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10128	8939	8940	9049	9048	3
10129	8940	8941	9050	9049	3
10130	8941	8942	9051	9050	3
10131	8942	8943	9052	9051	3
10132	8943	8944	9053	9052	3
10133	8944	8945	9054	9053	3
10134	8945	8946	9055	9054	3
10135	8946	8947	9056	9055	3
10136	8947	8948	9057	9056	3
10137	8948	8949	9058	9057	3
10138	8949	8950	9059	9058	3
10139	8950	8951	9060	9059	3
10140	8951	8952	9061	9060	3
10141	8952	8953	9062	9061	3
10142	8953	8954	9063	9062	3
10143	8954	8955	9064	9063	3
10144	8955	8956	9065	9064	3
10145	8956	8957	9066	9065	3
10146	8957	8958	9067	9066	3
10147	8958	8959	9068	9067	3
10148	8959	8960	9069	9068	3
10149	8960	8961	9070	9069	3
10150	8961	8962	9071	9070	3
10151	8962	8963	9072	9071	3
10152	8963	8964	9073	9072	3
10153	8964	8965	9074	9073	3
10154	8965	8966	9075	9074	3
10155	8966	8967	9076	9075	3
10156	8967	8968	9077	9076	3
10157	8968	8969	9078	9077	3
10158	8969	8970	9079	9078	3
10159	8970	8971	9080	9079	3
10160	8971	8972	9081	9080	3
10161	8972	8973	9082	9081	3
10162	8973	8974	9083	9082	3
10163	8974	8975	9084	9083	3
10164	8975	8976	9085	9084	3
10165	8976	8977	9086	9085	3
10166	8977	8978	9087	9086	3
10167	8978	8979	9088	9087	3
10168	8979	8980	9089	9088	3
10169	8980	8981	9090	9089	3
10170	8981	8982	9091	9090	3
10171	8982	8983	9092	9091	3
10172	8983	8984	9093	9092	3
10173	8984	8985	9094	9093	3
10174	8985	8986	9095	9094	3
10175	8986	8987	9096	9095	3
10176	8987	8988	9097	9096	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10177	8988	8989	9098	9097	3
10178	8989	8990	9099	9098	3
10179	8990	8991	9100	9099	3
10180	8991	8992	9101	9100	3
10181	8992	8993	9102	9101	3
10182	8993	8994	9103	9102	3
10183	8994	8995	9104	9103	3
10184	8995	8996	9105	9104	3
10185	8996	8997	9106	9105	3
10186	8997	8998	9107	9106	3
10187	8998	8999	9108	9107	3
10188	9000	9010	9119	9109	2
10189	9001	9011	9120	9110	2
10190	9002	9012	9121	9111	2
10191	9003	9013	9122	9112	2
10192	9004	9014	9123	9113	2
10193	9005	9015	9124	9114	2
10194	9006	9016	9125	9115	2
10195	9007	9017	9126	9116	2
10196	9008	9018	9127	9117	2
10197	9009	9019	9128	9118	2
10198	9010	9020	9129	9119	2
10199	9011	9021	9130	9120	2
10200	9012	9022	9131	9121	2
10201	9013	9023	9132	9122	2
10202	9014	9024	9133	9123	2
10203	9015	9025	9134	9124	2
10204	9016	9026	9135	9125	2
10205	9017	9027	9136	9126	2
10206	9018	9028	9137	9127	2
10207	9019	9029	9138	9128	2
10208	9020	9033	9142	9129	2
10209	9021	9041	9150	9130	2
10210	9022	9049	9158	9131	2
10211	9023	9057	9166	9132	2
10212	9024	9065	9174	9133	2
10213	9025	9073	9182	9134	2
10214	9026	9081	9190	9135	2
10215	9027	9089	9198	9136	2
10216	9028	9097	9206	9137	2
10217	9029	9105	9214	9138	2
10218	9030	9031	9140	9139	3
10219	9031	9032	9141	9140	3
10220	9032	9033	9142	9141	3
10221	9033	9034	9143	9142	3
10222	9034	9035	9144	9143	3
10223	9035	9036	9145	9144	3
10224	9036	9037	9146	9145	3
10225	9037	9038	9147	9146	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10226	9038	9039	9148	9147	3
10227	9039	9040	9149	9148	3
10228	9040	9041	9150	9149	3
10229	9041	9042	9151	9150	3
10230	9042	9043	9152	9151	3
10231	9043	9044	9153	9152	3
10232	9044	9045	9154	9153	3
10233	9045	9046	9155	9154	3
10234	9046	9047	9156	9155	3
10235	9047	9048	9157	9156	3
10236	9048	9049	9158	9157	3
10237	9049	9050	9159	9158	3
10238	9050	9051	9160	9159	3
10239	9051	9052	9161	9160	3
10240	9052	9053	9162	9161	3
10241	9053	9054	9163	9162	3
10242	9054	9055	9164	9163	3
10243	9055	9056	9165	9164	3
10244	9056	9057	9166	9165	3
10245	9057	9058	9167	9166	3
10246	9058	9059	9168	9167	3
10247	9059	9060	9169	9168	3
10248	9060	9061	9170	9169	3
10249	9061	9062	9171	9170	3
10250	9062	9063	9172	9171	3
10251	9063	9064	9173	9172	3
10252	9064	9065	9174	9173	3
10253	9065	9066	9175	9174	3
10254	9066	9067	9176	9175	3
10255	9067	9068	9177	9176	3
10256	9068	9069	9178	9177	3
10257	9069	9070	9179	9178	3
10258	9070	9071	9180	9179	3
10259	9071	9072	9181	9180	3
10260	9072	9073	9182	9181	3
10261	9073	9074	9183	9182	3
10262	9074	9075	9184	9183	3
10263	9075	9076	9185	9184	3
10264	9076	9077	9186	9185	3
10265	9077	9078	9187	9186	3
10266	9078	9079	9188	9187	3
10267	9079	9080	9189	9188	3
10268	9080	9081	9190	9189	3
10269	9081	9082	9191	9190	3
10270	9082	9083	9192	9191	3
10271	9083	9084	9193	9192	3
10272	9084	9085	9194	9193	3
10273	9085	9086	9195	9194	3
10274	9086	9087	9196	9195	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10275	9087	9088	9197	9196	3
10276	9088	9089	9198	9197	3
10277	9089	9090	9199	9198	3
10278	9090	9091	9200	9199	3
10279	9091	9092	9201	9200	3
10280	9092	9093	9202	9201	3
10281	9093	9094	9203	9202	3
10282	9094	9095	9204	9203	3
10283	9095	9096	9205	9204	3
10284	9096	9097	9206	9205	3
10285	9097	9098	9207	9206	3
10286	9098	9099	9208	9207	3
10287	9099	9100	9209	9208	3
10288	9100	9101	9210	9209	3
10289	9101	9102	9211	9210	3
10290	9102	9103	9212	9211	3
10291	9103	9104	9213	9212	3
10292	9104	9105	9214	9213	3
10293	9105	9106	9215	9214	3
10294	9106	9107	9216	9215	3
10295	9107	9108	9217	9216	3
10296	9109	9119	9218		2
10297	9110	9120	9219		2
10298	9111	9121	9220		2
10299	9112	9122	9221		2
10300	9113	9123	9222		2
10301	9114	9124	9223		2
10302	9115	9125	9224		2
10303	9116	9126	9225		2
10304	9117	9127	9226		2
10305	9118	9128	9227		2
10306	9119	9129	9228	9218	2
10307	9120	9130	9229	9219	2
10308	9121	9131	9230	9220	2
10309	9122	9132	9231	9221	2
10310	9123	9133	9232	9222	2
10311	9124	9134	9233	9223	2
10312	9125	9135	9234	9224	2
10313	9126	9136	9235	9225	2
10314	9127	9137	9236	9226	2
10315	9128	9138	9237	9227	2
10316	9129	9142	9241	9228	2
10317	9130	9150	9249	9229	2
10318	9131	9158	9257	9230	2
10319	9132	9166	9265	9231	2
10320	9133	9174	9273	9232	2
10321	9134	9182	9281	9233	2
10322	9135	9190	9289	9234	2
10323	9136	9198	9297	9235	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10324	9137	9206	9305	9236	2
10325	9138	9214	9313	9237	2
10326	9139	9140	9239	9238	3
10327	9140	9141	9240	9239	3
10328	9141	9142	9241	9240	3
10329	9142	9143	9242	9241	3
10330	9143	9144	9243	9242	3
10331	9144	9145	9244	9243	3
10332	9145	9146	9245	9244	3
10333	9146	9147	9246	9245	3
10334	9147	9148	9247	9246	3
10335	9148	9149	9248	9247	3
10336	9149	9150	9249	9248	3
10337	9150	9151	9250	9249	3
10338	9151	9152	9251	9250	3
10339	9152	9153	9252	9251	3
10340	9153	9154	9253	9252	3
10341	9154	9155	9254	9253	3
10342	9155	9156	9255	9254	3
10343	9156	9157	9256	9255	3
10344	9157	9158	9257	9256	3
10345	9158	9159	9258	9257	3
10346	9159	9160	9259	9258	3
10347	9160	9161	9260	9259	3
10348	9161	9162	9261	9260	3
10349	9162	9163	9262	9261	3
10350	9163	9164	9263	9262	3
10351	9164	9165	9264	9263	3
10352	9165	9166	9265	9264	3
10353	9166	9167	9266	9265	3
10354	9167	9168	9267	9266	3
10355	9168	9169	9268	9267	3
10356	9169	9170	9269	9268	3
10357	9170	9171	9270	9269	3
10358	9171	9172	9271	9270	3
10359	9172	9173	9272	9271	3
10360	9173	9174	9273	9272	3
10361	9174	9175	9274	9273	3
10362	9175	9176	9275	9274	3
10363	9176	9177	9276	9275	3
10364	9177	9178	9277	9276	3
10365	9178	9179	9278	9277	3
10366	9179	9180	9279	9278	3
10367	9180	9181	9280	9279	3
10368	9181	9182	9281	9280	3
10369	9182	9183	9282	9281	3
10370	9183	9184	9283	9282	3
10371	9184	9185	9284	9283	3
10372	9185	9186	9285	9284	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10373	9186	9187	9286	9285	3
10374	9187	9188	9287	9286	3
10375	9188	9189	9288	9287	3
10376	9189	9190	9289	9288	3
10377	9190	9191	9290	9289	3
10378	9191	9192	9291	9290	3
10379	9192	9193	9292	9291	3
10380	9193	9194	9293	9292	3
10381	9194	9195	9294	9293	3
10382	9195	9196	9295	9294	3
10383	9196	9197	9296	9295	3
10384	9197	9198	9297	9296	3
10385	9198	9199	9298	9297	3
10386	9199	9200	9299	9298	3
10387	9200	9201	9300	9299	3
10388	9201	9202	9301	9300	3
10389	9202	9203	9302	9301	3
10390	9203	9204	9303	9302	3
10391	9204	9205	9304	9303	3
10392	9205	9206	9305	9304	3
10393	9206	9207	9306	9305	3
10394	9207	9208	9307	9306	3
10395	9208	9209	9308	9307	3
10396	9209	9210	9309	9308	3
10397	9210	9211	9310	9309	3
10398	9211	9212	9311	9310	3
10399	9212	9213	9312	9311	3
10400	9213	9214	9313	9312	3
10401	9214	9215	9314	9313	3
10402	9215	9216	9315	9314	3
10403	9216	9217	9316	9315	3
10404	9238	9239	9318	9317	3
10405	9239	9240	9319	9318	3
10406	9240	9241	9320	9319	3
10407	9241	9242	9321	9320	3
10408	9242	9243	9322	9321	3
10409	9243	9244	9323	9322	3
10410	9244	9245	9324	9323	3
10411	9245	9246	9325	9324	3
10412	9246	9247	9326	9325	3
10413	9247	9248	9327	9326	3
10414	9248	9249	9328	9327	3
10415	9249	9250	9329	9328	3
10416	9250	9251	9330	9329	3
10417	9251	9252	9331	9330	3
10418	9252	9253	9332	9331	3
10419	9253	9254	9333	9332	3
10420	9254	9255	9334	9333	3
10421	9255	9256	9335	9334	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10422	9256	9257	9336	9335	3
10423	9257	9258	9337	9336	3
10424	9258	9259	9338	9337	3
10425	9259	9260	9339	9338	3
10426	9260	9261	9340	9339	3
10427	9261	9262	9341	9340	3
10428	9262	9263	9342	9341	3
10429	9263	9264	9343	9342	3
10430	9264	9265	9344	9343	3
10431	9265	9266	9345	9344	3
10432	9266	9267	9346	9345	3
10433	9267	9268	9347	9346	3
10434	9268	9269	9348	9347	3
10435	9269	9270	9349	9348	3
10436	9270	9271	9350	9349	3
10437	9271	9272	9351	9350	3
10438	9272	9273	9352	9351	3
10439	9273	9274	9353	9352	3
10440	9274	9275	9354	9353	3
10441	9275	9276	9355	9354	3
10442	9276	9277	9356	9355	3
10443	9277	9278	9357	9356	3
10444	9278	9279	9358	9357	3
10445	9279	9280	9359	9358	3
10446	9280	9281	9360	9359	3
10447	9281	9282	9361	9360	3
10448	9282	9283	9362	9361	3
10449	9283	9284	9363	9362	3
10450	9284	9285	9364	9363	3
10451	9285	9286	9365	9364	3
10452	9286	9287	9366	9365	3
10453	9287	9288	9367	9366	3
10454	9288	9289	9368	9367	3
10455	9289	9290	9369	9368	3
10456	9290	9291	9370	9369	3
10457	9291	9292	9371	9370	3
10458	9292	9293	9372	9371	3
10459	9293	9294	9373	9372	3
10460	9294	9295	9374	9373	3
10461	9295	9296	9375	9374	3
10462	9296	9297	9376	9375	3
10463	9297	9298	9377	9376	3
10464	9298	9299	9378	9377	3
10465	9299	9300	9379	9378	3
10466	9300	9301	9380	9379	3
10467	9301	9302	9381	9380	3
10468	9302	9303	9382	9381	3
10469	9303	9304	9383	9382	3
10470	9304	9305	9384	9383	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
10471	9305	9306	9385	9384	3
10472	9306	9307	9386	9385	3
10473	9307	9308	9387	9386	3
10474	9308	9309	9388	9387	3
10475	9309	9310	9389	9388	3
10476	9310	9311	9390	9389	3
10477	9311	9312	9391	9390	3
10478	9312	9313	9392	9391	3
10479	9313	9314	9393	9392	3
10480	9314	9315	9394	9393	3
10481	9315	9316	9395	9394	3

Section Properties

Prop	Section	Area (cm^2)	I_{yy} (cm^4)	I_{zz} (cm^4)	J (cm^4)	Material
4	Rect 1.00x0.60	6E+3	1.8E+6	5E+6	4.51E+6	CONCRETE

Plate Thickness

Prop	Node A (cm)	Node B (cm)	Node C (cm)	Node D (cm)	Material
1	80.000	80.000	80.000	80.000	CONCRETE
2	60.000	60.000	60.000	60.000	CONCRETE
3	40.000	40.000	40.000	40.000	CONCRETE

Materials

Mat	Name	E (kN/mm^2)	ν	Density (kg/m^3)	α (/°C)
1	CONCRETE	21.718	0.170	2.4E+3	10E -6
2	ALUMINUM	68.948	0.330	2.71E+3	23E -6
3	STEEL_50_KSI	199.948	0.300	7.83E+3	11.7E -6
4	STAINLESSSTEEL	197.930	0.300	7.83E+3	18E -6
5	STEEL_36_KSI	199.948	0.300	7.83E+3	11.7E -6
6	STEEL_275_NMM2	205.000	0.300	7.85E+3	12E -6
7	STEEL	205.000	0.300	7.83E+3	12E -6
8	STEEL_355_NMM2	205.000	0.300	7.85E+3	12E -6

Supports

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
3	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
4	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
5	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
6	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
7	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
8	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
9	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
10	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
11	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
12	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
13	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
14	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
15	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
16	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
17	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
18	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
19	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
20	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
21	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
22	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
23	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
24	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
25	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
26	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
27	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
28	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
29	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
30	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
31	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
32	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
33	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
34	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
35	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
36	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
37	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
38	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
39	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
40	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
41	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
42	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
43	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
44	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
45	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
46	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
47	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
48	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
49	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
50	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
51	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
52	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
53	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
54	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
55	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
56	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
57	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
58	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
59	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
60	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
61	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
62	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
63	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
64	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
65	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
66	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
67	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
68	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
69	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
70	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
71	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
72	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
73	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
74	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
75	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
76	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
77	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
78	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
79	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
80	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
81	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
82	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
83	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
84	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
85	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
86	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
87	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
88	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
89	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
90	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
91	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
92	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
93	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
94	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
95	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
96	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
97	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
98	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
99	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
100	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
101	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
102	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
103	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
104	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
105	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
106	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
107	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
108	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
109	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
110	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
111	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
112	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
113	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
114	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
115	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
116	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
117	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
118	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
119	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
120	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
121	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
122	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
123	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
124	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
125	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
126	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
127	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
128	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
129	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
130	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
131	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
132	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
133	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
134	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
135	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
136	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
137	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
138	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
139	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
140	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
141	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
142	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
143	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
144	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
145	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
146	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
147	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
148	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
149	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
150	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
151	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
152	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
153	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
154	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
155	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
156	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
157	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
158	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
159	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
160	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
161	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
162	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
163	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
164	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
165	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
166	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
167	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
168	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
169	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
170	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
171	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
172	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
173	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
174	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
175	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
176	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
177	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
178	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
179	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
180	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
181	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
182	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
183	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
184	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
185	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
186	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
187	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
188	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
189	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
190	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
191	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
192	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
193	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
194	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
195	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
196	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
197	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
198	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
199	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
200	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
201	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
202	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
203	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
204	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
205	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
206	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
207	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
208	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
209	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
210	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
211	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
212	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
213	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
214	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
215	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
216	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
217	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
218	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
219	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
220	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
221	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
222	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
223	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
224	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
225	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
226	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
227	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
228	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
229	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
230	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
231	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
232	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
233	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
234	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
235	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
236	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
237	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
238	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
239	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
240	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
241	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
242	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
243	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
244	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
245	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
246	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
247	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
248	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
249	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
250	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
251	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
252	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
253	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
254	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
255	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
256	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
257	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
258	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
259	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
260	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
261	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
262	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
263	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
264	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
265	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
266	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
267	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
268	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
269	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
270	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
271	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
272	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
273	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
274	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
275	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
276	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
277	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
278	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
279	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
280	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
281	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
282	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
283	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
284	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
285	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
286	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
287	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
288	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
289	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
290	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
291	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
292	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
293	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
294	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
295	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
296	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
297	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
298	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
299	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
300	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
301	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
302	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
303	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
304	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
305	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
306	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
307	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
308	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
309	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
310	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
311	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
312	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
313	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
314	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
315	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
316	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
317	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
318	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
319	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
320	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
321	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
322	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
323	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
324	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
325	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
326	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
327	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
328	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
329	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
330	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
331	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
332	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
333	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
334	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
335	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
336	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
337	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
338	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
339	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
340	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
341	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
342	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
343	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
344	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
345	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
346	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
347	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
348	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
349	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
350	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
351	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
352	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
353	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
354	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
355	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
356	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
357	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
358	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
359	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
360	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
361	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
362	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
363	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
364	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
365	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
366	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
367	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
368	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
369	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
370	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
371	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
372	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
373	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
374	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
375	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
376	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
377	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
378	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
379	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
380	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
381	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
382	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
383	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
384	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
385	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
386	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
387	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
388	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
389	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
390	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
391	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
392	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
393	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
394	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
395	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
396	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
397	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
398	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
399	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
400	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
401	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
402	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
403	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
404	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
405	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
406	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
407	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
408	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
409	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
410	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
411	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
412	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
413	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
414	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
415	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
416	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
417	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
418	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
419	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
420	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
421	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
422	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
423	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
424	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
425	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
426	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
427	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
428	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
429	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
430	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
431	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
432	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
433	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
434	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
435	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
436	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
437	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
438	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
439	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
440	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
441	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
442	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
443	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
444	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
445	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
446	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
447	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
448	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
449	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
450	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
451	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
452	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
453	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
454	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
455	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
456	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
457	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
458	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
459	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
460	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
461	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
462	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
463	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
464	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
465	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
466	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
467	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
468	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
469	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
470	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
471	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
472	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
473	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
474	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
475	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
476	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
477	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
478	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
479	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
480	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
481	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
482	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
483	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
484	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
485	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
486	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
487	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
488	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
489	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
490	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
491	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
492	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
493	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
494	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
495	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
496	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
497	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
498	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
499	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
500	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
501	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
502	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
503	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
504	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
505	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
506	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
507	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
508	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
509	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
510	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
511	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
512	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
513	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
514	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
515	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
516	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
517	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
518	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
519	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
520	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
521	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
522	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
523	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
524	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
525	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
526	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
527	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
528	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
529	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
530	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
531	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
532	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
533	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
534	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
535	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
536	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
537	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
538	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
539	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
540	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
541	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
542	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
543	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
544	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
545	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
546	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
547	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
548	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
549	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
550	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
551	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
552	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
553	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
554	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
555	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
556	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
557	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
558	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
559	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
560	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
561	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
562	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
563	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
564	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
565	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
566	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
567	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
568	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
569	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
570	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
571	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
572	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
573	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
574	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
575	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
576	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
577	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
578	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
579	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
580	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
581	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
582	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
583	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
584	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
585	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
586	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
587	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
588	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
589	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
590	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
591	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
592	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
593	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
594	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
595	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
596	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
597	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
598	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
599	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
600	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
601	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
602	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
603	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
604	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
605	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
606	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
607	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
608	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
609	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
610	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
611	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
612	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
613	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
614	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
615	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
616	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
617	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
618	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
619	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
620	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
621	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
622	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
623	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
624	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
625	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
626	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
627	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
628	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
629	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
630	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
631	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
632	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
633	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
634	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
635	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
636	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
637	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
638	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
639	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
640	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
641	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
642	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
643	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
644	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
645	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
646	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
647	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
648	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
649	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
650	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
651	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
652	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
653	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
654	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
655	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
656	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
657	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
658	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
659	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
660	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
661	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
662	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
663	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
664	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
665	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
666	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
667	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
668	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
669	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
670	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
671	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
672	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
673	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
674	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
675	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
676	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
677	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
678	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
679	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
680	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
681	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
682	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
683	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
684	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
685	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
686	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
687	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
688	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
689	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
690	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
691	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
692	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
693	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
694	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
695	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
696	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
697	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
698	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
699	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
700	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
701	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
702	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
703	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
704	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
705	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
706	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
707	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
708	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
709	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
710	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
711	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
712	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
713	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
714	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
715	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
716	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
717	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
718	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
719	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
720	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
721	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
722	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
723	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
724	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
725	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
726	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
727	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
728	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
729	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
730	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
731	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
732	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
733	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
734	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
735	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
736	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
737	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
738	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
739	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
740	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
741	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
742	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
743	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
744	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
745	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
746	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
747	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
748	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
749	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
750	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
751	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
752	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
753	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
754	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
755	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
756	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
757	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
758	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
759	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
760	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
761	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
762	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
763	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
764	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
765	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
766	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
767	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
768	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
769	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
770	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
771	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
772	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
773	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
774	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
775	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
776	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
777	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
778	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
779	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
780	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
781	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
782	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
783	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
784	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
785	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
786	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
787	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
788	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
789	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
790	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
791	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
792	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
793	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
794	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
795	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
796	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
797	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
798	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
799	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
800	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
801	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
802	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
803	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
804	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
805	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
806	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
807	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
808	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
809	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
810	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
811	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
812	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
813	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
814	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
815	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
816	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
817	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
818	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
819	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
820	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
821	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
822	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
823	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
824	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
825	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
826	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
827	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
828	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
829	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
830	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
831	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
832	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
833	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
834	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
835	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
836	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
837	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
838	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
839	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
840	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
841	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
842	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
843	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
844	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
845	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
846	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
847	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
848	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
849	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
850	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
851	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
852	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
853	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
854	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
855	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
856	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
857	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
858	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
859	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
860	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
861	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
862	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
863	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
864	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
865	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
866	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
867	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
868	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
869	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
870	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
871	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
872	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
873	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
874	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
875	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
876	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
877	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
878	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
879	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
880	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
881	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
882	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
883	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
884	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
885	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
886	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
887	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
888	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
889	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
890	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
891	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
892	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
893	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
894	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
895	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
896	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
897	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
898	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
899	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
900	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
901	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
902	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
903	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
904	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
905	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
906	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
907	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
908	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
909	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
910	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
911	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
912	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
913	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
914	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
915	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
916	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
917	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
918	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
919	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
920	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
921	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
922	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
923	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
924	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
925	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
926	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
927	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
928	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
929	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
930	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
931	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
932	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
933	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
934	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
935	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
936	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
937	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
938	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
939	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
940	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
941	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
942	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
943	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
944	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
945	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
946	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
947	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
948	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
949	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
950	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
951	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
952	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
953	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
954	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
955	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
956	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
957	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
958	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
959	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
960	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
961	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
962	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
963	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
964	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
965	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
966	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
967	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
968	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
969	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
970	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
971	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
972	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
973	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
974	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
975	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
976	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
977	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
978	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
979	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
980	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
981	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
982	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
983	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
984	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
985	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
986	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
987	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
988	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
989	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
990	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
991	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
992	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
993	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
994	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
995	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
996	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
997	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
998	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
999	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1000	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1001	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1002	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1003	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1004	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1005	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1006	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1007	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1008	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1009	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1010	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1011	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1012	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1013	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1014	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1015	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1016	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1017	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1018	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1019	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1020	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1021	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1022	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1023	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1024	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1025	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1026	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1027	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1028	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1029	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1030	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1031	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1032	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1033	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1034	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1035	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1036	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1037	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1038	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1039	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1040	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1041	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1042	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1043	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1044	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1045	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1046	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1047	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1048	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1049	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1050	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1051	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1052	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1053	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1054	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1055	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1056	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1057	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1058	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1059	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1060	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1061	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1062	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1063	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1064	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1065	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1066	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1067	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1068	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1069	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1070	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1071	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1072	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1073	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1074	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1075	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1076	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1077	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1078	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1079	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1080	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1081	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1082	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1083	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1084	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1085	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1086	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1087	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1088	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1089	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1090	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1091	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1092	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1093	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1094	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1095	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1096	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1097	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1098	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1099	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1100	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1101	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1102	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1103	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1104	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1105	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1106	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1107	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1108	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1109	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1110	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1111	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1112	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1113	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1114	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1115	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1116	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1117	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1118	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1119	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1120	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1121	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1122	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1123	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1124	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1125	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1126	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1127	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1128	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1129	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1130	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1131	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1132	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1133	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1134	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1135	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1136	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1137	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1138	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1139	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1140	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1141	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1142	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1143	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1144	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1145	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1146	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1147	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1148	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1149	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1150	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1151	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1152	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1153	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1154	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1155	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1156	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1157	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1158	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1159	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1160	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1161	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1162	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1163	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1164	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1165	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1166	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1167	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1168	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1169	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1170	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1171	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1172	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1173	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1174	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1175	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1176	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1177	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1178	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1179	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1180	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1181	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1182	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1183	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1184	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1185	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1186	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1187	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1188	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1189	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1190	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1191	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1192	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1193	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1194	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1195	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1196	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1197	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1198	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1199	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1200	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1201	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1202	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1203	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1204	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1205	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1206	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1207	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1208	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1209	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1210	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1211	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1212	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1213	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1214	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1215	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1216	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1217	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1218	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1219	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1220	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1221	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1222	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1223	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1224	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1225	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1226	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1227	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1228	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1229	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1230	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1231	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1232	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1233	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1234	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1235	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1236	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1237	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1238	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1239	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1240	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1241	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1242	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1243	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1244	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1245	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1246	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1247	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1248	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1249	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1250	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1251	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1252	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1253	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1254	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1255	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1256	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1257	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1258	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1259	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1260	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1261	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1262	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1263	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1264	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1265	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1266	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1267	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1268	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1269	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1270	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1271	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1272	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1273	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1274	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1275	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1276	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1277	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1278	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1279	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1280	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1281	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1282	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1283	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1284	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1285	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1286	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1287	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1288	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1289	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1290	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1291	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1292	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1293	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1294	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1295	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1296	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1297	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1298	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1299	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1300	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1301	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1302	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1303	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1304	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1305	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1306	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1307	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1308	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1309	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1310	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1311	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1312	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1313	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1314	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1315	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1316	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1317	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1318	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1319	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1320	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1321	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1322	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1323	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1324	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1325	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1326	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1327	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1328	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1329	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1330	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1331	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1332	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1333	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1334	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1335	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1336	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1337	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1338	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1339	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1340	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1341	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1342	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1343	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1344	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1345	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1346	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1347	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1348	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1349	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1350	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1351	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1352	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1353	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1354	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1355	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1356	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1357	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1358	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1359	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1360	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1361	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1362	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1363	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1364	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1365	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1366	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1367	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1368	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1369	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1370	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1371	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1372	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1373	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1374	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1375	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1376	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1377	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1378	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1379	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1380	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1381	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1382	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1383	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1384	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1385	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1386	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1387	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1388	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1389	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1390	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1391	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1392	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1393	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1394	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1395	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1396	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1397	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1398	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1399	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1400	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1401	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1402	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1403	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1404	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1405	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1406	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1407	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1408	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1409	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1410	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1411	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1412	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1413	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1414	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1415	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1416	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1417	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1418	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1419	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1420	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1421	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1422	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1423	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1424	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1425	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1426	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1427	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1428	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1429	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1430	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1431	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1432	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1433	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1434	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1435	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1436	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1437	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1438	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1439	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1440	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1441	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1442	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1443	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1444	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1445	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1446	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1447	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1448	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1449	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1450	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1451	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1452	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1453	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1454	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1455	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1456	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1457	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1458	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1459	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1460	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1461	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1462	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1463	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1464	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1465	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1466	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1467	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1468	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1469	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1470	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1471	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1472	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1473	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1474	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1475	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1476	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1477	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1478	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1479	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1480	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1481	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1482	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1483	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1484	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1485	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1486	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1487	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1488	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1489	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1490	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1491	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1492	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1493	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1494	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1495	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1496	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1497	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1498	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1499	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1500	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1501	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1502	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1503	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1504	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1505	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1506	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1507	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1508	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1509	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1510	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1511	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1512	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1513	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1514	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1515	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1516	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1517	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1518	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1519	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1520	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1521	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1522	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1523	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1524	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1525	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1526	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1527	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1528	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1529	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1530	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1531	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1532	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1533	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1534	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1535	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1536	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1537	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1538	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1539	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1540	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1541	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1542	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1543	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1544	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1545	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1546	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1547	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1548	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1549	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1550	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1551	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1552	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1553	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1554	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1555	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1556	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1557	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1558	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1559	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1560	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1561	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1562	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1563	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1564	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1565	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1566	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1567	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1568	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1569	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1570	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1571	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1572	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1573	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1574	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1575	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1576	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1577	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1578	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1579	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1580	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1581	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1582	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1583	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1584	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1585	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1586	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1587	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1588	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1589	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1590	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1591	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1592	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1593	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1594	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1595	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1596	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1597	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1598	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1599	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1600	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1601	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1602	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1603	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1604	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1605	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1606	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1607	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1608	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1609	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1610	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1611	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1612	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1613	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1614	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1615	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1616	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1617	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1618	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1619	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1620	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1621	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1622	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1623	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1624	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1625	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1626	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1627	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1628	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1629	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1630	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1631	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1632	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1633	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1634	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1635	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1636	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1637	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1638	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1639	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1640	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1641	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1642	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1643	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1644	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1645	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1646	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1647	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1648	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1649	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1650	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1651	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1652	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1653	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1654	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1655	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1656	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1657	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1658	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1659	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1660	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1661	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1662	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1663	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1664	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1665	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1666	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1667	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1668	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1669	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1670	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1671	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1672	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1673	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1674	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1675	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1676	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1677	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1678	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1679	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1680	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1681	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1682	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1683	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1684	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1685	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1686	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1687	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1688	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1689	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1690	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1691	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1692	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1693	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1694	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1695	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1696	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1697	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1698	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1699	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1700	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1701	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1702	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1703	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1704	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1705	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1706	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1707	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1708	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1709	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1710	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1711	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1712	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1713	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1714	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1715	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1716	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1717	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1718	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1719	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1720	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1721	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1722	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1723	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1724	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1725	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1726	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1727	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1728	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1729	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1730	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1731	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1732	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1733	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1734	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1735	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1736	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1737	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1738	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1739	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1740	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1741	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1742	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1743	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1744	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1745	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1746	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1747	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1748	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1749	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1750	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1751	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1752	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1753	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1754	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1755	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1756	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1757	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1758	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1759	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1760	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1761	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1762	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1763	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1764	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1765	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1766	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1767	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1768	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1769	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1770	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1771	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1772	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1773	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1774	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1775	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1776	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1777	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1778	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1779	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1780	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1781	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1782	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1783	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1784	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1785	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1786	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1787	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1788	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1789	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1790	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1791	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1792	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1793	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1794	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1795	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1796	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1797	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1798	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1799	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1800	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1801	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1802	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1803	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1804	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1805	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1806	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1807	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1808	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1809	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1810	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1811	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1812	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1813	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1814	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1815	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1816	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1817	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1818	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1819	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1820	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1821	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1822	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1823	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1824	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1825	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1826	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1827	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1828	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1829	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1830	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1831	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1832	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1833	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1834	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1835	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1836	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1837	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1838	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1839	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1840	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1841	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1842	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1843	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1844	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1845	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1846	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1847	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1848	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1849	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1850	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1851	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1852	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1853	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1854	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1855	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1856	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1857	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1858	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1859	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1860	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1861	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1862	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1863	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1864	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1865	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1866	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1867	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1868	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1869	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1870	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1871	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1872	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1873	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1874	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1875	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1876	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1877	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1878	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1879	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1880	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1881	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1882	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1883	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1884	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1885	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1886	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1887	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1888	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1889	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1890	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1891	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1892	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1893	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1894	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1895	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1896	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1897	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1898	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1899	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1900	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1901	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1902	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1903	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1904	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1905	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1906	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1907	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1908	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1909	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1910	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1911	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1912	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1913	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1914	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1915	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1916	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1917	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1918	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1919	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1920	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1921	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1922	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1923	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1924	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1925	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1926	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1927	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1928	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1929	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1930	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1931	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1932	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1933	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1934	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1935	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1936	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1937	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1938	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1939	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1940	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1941	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1942	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1943	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1944	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1945	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1946	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1947	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1948	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1949	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1950	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1951	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1952	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1953	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1954	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1955	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1956	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1957	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1958	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1959	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1960	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1961	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1962	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1963	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1964	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1965	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1966	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1967	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1968	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1969	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1970	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1971	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1972	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1973	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1974	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1975	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1976	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1977	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1978	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1979	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1980	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1981	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1982	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1983	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1984	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1985	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1986	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1987	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1988	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1989	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1990	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1991	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1992	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1993	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1994	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1995	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1996	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1997	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1998	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
1999	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2000	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2001	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2002	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2003	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2004	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2005	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2006	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2007	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2008	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2009	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
2010	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2011	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2012	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2013	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2014	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2015	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2016	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2017	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2018	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2019	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2020	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2021	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2022	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2023	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2024	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2025	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2026	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2027	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2028	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2029	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2030	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2031	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2032	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2033	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2034	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2035	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2036	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2037	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2038	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2039	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2040	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2041	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2042	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2043	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2044	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2045	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2046	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2047	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2048	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2049	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2050	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2051	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2052	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2053	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2054	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2055	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2056	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2057	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2058	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
2059	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2060	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2061	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2062	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2063	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2064	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2065	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2066	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2067	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2068	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2069	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2070	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2071	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2072	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2073	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2074	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2075	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2076	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2077	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2078	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2079	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2080	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2081	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2082	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2083	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2084	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2085	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2086	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2087	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2088	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2089	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2090	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2091	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2092	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2093	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2094	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2095	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2096	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2097	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2098	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2099	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2100	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2101	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2102	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2103	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2104	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2105	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2106	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2107	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
2108	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2109	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2110	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2111	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2112	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2113	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2114	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2115	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2116	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2117	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2118	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2119	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2120	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2121	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2122	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2123	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2124	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2125	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2126	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2127	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2128	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2129	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2130	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2131	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2132	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2133	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Releases

There is no data of this type.

Primary Load Cases

Number	Name	Type
1	DEAD LOAD OF STRUCTURE (D_S)	None
2	DEAD LOAD OF EARTH (D_E)	None
3	LATERIAL EARTH PRESSURE DUE TO E	None
4	LIVE LOAD FROM OFF HIGHWAY TRUCI	None
5	LIVE LOAD DUE TO SRCHARGE (L_S)	None
6	WIND LOAD (W)	None
7	SEISMIC LOAD (E)	None
8	FREQUENCY CALCULATION	None
101	1.0*(D_S+D_E)+1.0*H	None
102	1.0*(D_S+D_E)+1.0*(L_D+L_S)+1.0*H	None
103	1.0*(D_S+D_E)+1.0*H+0.7*E	None
104	0.6*(D_S+D_E)+1.0*H+0.7*E	None
105	1.0*D_S+1.0*W	None
106	1.0*D_S-1.0*W	None

Primary Load Cases Cont...

Number	Name	Type
201	1.4*(D_S)	None
202	1.4*(D_S+D_E)+1.7*(L_D+L_S)+1.7*H	None
203	0.9*(D_S+D_E)+1.0*E+1.6*H	None
204	1.2*(D_S+D_E)+1.0*E+0.5*(L_S)	None

Combination Load Cases

There is no data of this type.

Load Generators

There is no data of this type.

1 DEAD LOAD OF STRUCTURE (D_S) : Node Loads

Node	FX (kN)	FY (kN)	FZ (kN)	MX (kN-m)	MY (kN-m)	MZ (kN-m)
1715	-	-98.066	-	-	-	-

1 DEAD LOAD OF STRUCTURE (D_S) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2588	PRE N/mm2	GY	-0.763	-	-	-	-	-
2589	PRE N/mm2	GY	-0.763	-	-	-	-	-
2608	PRE N/mm2	GY	-0.763	-	-	-	-	-
2609	PRE N/mm2	GY	-0.763	-	-	-	-	-
2666	PRE N/mm2	GY	-0.763	-	-	-	-	-
2667	PRE N/mm2	GY	-0.763	-	-	-	-	-
2686	PRE N/mm2	GY	-0.763	-	-	-	-	-
2687	PRE N/mm2	GY	-0.763	-	-	-	-	-
2744	PRE N/mm2	GY	-0.763	-	-	-	-	-
2745	PRE N/mm2	GY	-0.763	-	-	-	-	-
2764	PRE N/mm2	GY	-0.763	-	-	-	-	-
2765	PRE N/mm2	GY	-0.763	-	-	-	-	-

1 DEAD LOAD OF STRUCTURE (D_S) : Selfweight

Direction	Factor	Assigned Geometry
Y	-1.000	ALL

2 DEAD LOAD OF EARTH (D_E) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1000	PRE N/mm2	GY	-0.330	-	-	-	-	-
1001	PRE N/mm2	GY	-0.330	-	-	-	-	-
1002	PRE N/mm2	GY	-0.330	-	-	-	-	-
1003	PRE N/mm2	GY	-0.330	-	-	-	-	-
1004	PRE N/mm2	GY	-0.330	-	-	-	-	-
1005	PRE N/mm2	GY	-0.330	-	-	-	-	-
1006	PRE N/mm2	GY	-0.330	-	-	-	-	-
1007	PRE N/mm2	GY	-0.330	-	-	-	-	-
1008	PRE N/mm2	GY	-0.330	-	-	-	-	-
1009	PRE N/mm2	GY	-0.330	-	-	-	-	-
1010	PRE N/mm2	GY	-0.330	-	-	-	-	-
1011	PRE N/mm2	GY	-0.330	-	-	-	-	-
1012	PRE N/mm2	GY	-0.330	-	-	-	-	-
1013	PRE N/mm2	GY	-0.330	-	-	-	-	-
1014	PRE N/mm2	GY	-0.330	-	-	-	-	-
1015	PRE N/mm2	GY	-0.330	-	-	-	-	-
1016	PRE N/mm2	GY	-0.330	-	-	-	-	-
1017	PRE N/mm2	GY	-0.330	-	-	-	-	-
1018	PRE N/mm2	GY	-0.330	-	-	-	-	-
1019	PRE N/mm2	GY	-0.330	-	-	-	-	-
1020	PRE N/mm2	GY	-0.330	-	-	-	-	-
1021	PRE N/mm2	GY	-0.330	-	-	-	-	-
1022	PRE N/mm2	GY	-0.330	-	-	-	-	-
1023	PRE N/mm2	GY	-0.330	-	-	-	-	-
1024	PRE N/mm2	GY	-0.330	-	-	-	-	-
1025	PRE N/mm2	GY	-0.330	-	-	-	-	-
1026	PRE N/mm2	GY	-0.330	-	-	-	-	-
1027	PRE N/mm2	GY	-0.330	-	-	-	-	-
1028	PRE N/mm2	GY	-0.330	-	-	-	-	-
1029	PRE N/mm2	GY	-0.330	-	-	-	-	-
1030	PRE N/mm2	GY	-0.330	-	-	-	-	-
1031	PRE N/mm2	GY	-0.330	-	-	-	-	-
1032	PRE N/mm2	GY	-0.330	-	-	-	-	-
1033	PRE N/mm2	GY	-0.330	-	-	-	-	-
1034	PRE N/mm2	GY	-0.330	-	-	-	-	-
1035	PRE N/mm2	GY	-0.330	-	-	-	-	-
1036	PRE N/mm2	GY	-0.330	-	-	-	-	-
1037	PRE N/mm2	GY	-0.330	-	-	-	-	-
1038	PRE N/mm2	GY	-0.330	-	-	-	-	-
1039	PRE N/mm2	GY	-0.330	-	-	-	-	-
1040	PRE N/mm2	GY	-0.330	-	-	-	-	-
1041	PRE N/mm2	GY	-0.330	-	-	-	-	-
1042	PRE N/mm2	GY	-0.330	-	-	-	-	-
1043	PRE N/mm2	GY	-0.330	-	-	-	-	-
1044	PRE N/mm2	GY	-0.330	-	-	-	-	-
1045	PRE N/mm2	GY	-0.330	-	-	-	-	-
1046	PRE N/mm2	GY	-0.330	-	-	-	-	-
1047	PRE N/mm2	GY	-0.330	-	-	-	-	-
1048	PRE N/mm2	GY	-0.330	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1049	PRE N/mm2	GY	-0.330	-	-	-	-	-
1050	PRE N/mm2	GY	-0.330	-	-	-	-	-
1051	PRE N/mm2	GY	-0.330	-	-	-	-	-
1052	PRE N/mm2	GY	-0.330	-	-	-	-	-
1053	PRE N/mm2	GY	-0.330	-	-	-	-	-
1054	PRE N/mm2	GY	-0.330	-	-	-	-	-
1055	PRE N/mm2	GY	-0.330	-	-	-	-	-
1056	PRE N/mm2	GY	-0.330	-	-	-	-	-
1057	PRE N/mm2	GY	-0.330	-	-	-	-	-
1058	PRE N/mm2	GY	-0.330	-	-	-	-	-
1059	PRE N/mm2	GY	-0.330	-	-	-	-	-
1060	PRE N/mm2	GY	-0.330	-	-	-	-	-
1061	PRE N/mm2	GY	-0.330	-	-	-	-	-
1062	PRE N/mm2	GY	-0.330	-	-	-	-	-
1063	PRE N/mm2	GY	-0.330	-	-	-	-	-
1064	PRE N/mm2	GY	-0.330	-	-	-	-	-
1065	PRE N/mm2	GY	-0.330	-	-	-	-	-
1066	PRE N/mm2	GY	-0.330	-	-	-	-	-
1067	PRE N/mm2	GY	-0.330	-	-	-	-	-
1068	PRE N/mm2	GY	-0.330	-	-	-	-	-
1069	PRE N/mm2	GY	-0.330	-	-	-	-	-
1070	PRE N/mm2	GY	-0.330	-	-	-	-	-
1071	PRE N/mm2	GY	-0.330	-	-	-	-	-
1072	PRE N/mm2	GY	-0.330	-	-	-	-	-
1073	PRE N/mm2	GY	-0.330	-	-	-	-	-
1074	PRE N/mm2	GY	-0.330	-	-	-	-	-
1075	PRE N/mm2	GY	-0.330	-	-	-	-	-
1076	PRE N/mm2	GY	-0.330	-	-	-	-	-
1077	PRE N/mm2	GY	-0.330	-	-	-	-	-
1078	PRE N/mm2	GY	-0.330	-	-	-	-	-
1079	PRE N/mm2	GY	-0.330	-	-	-	-	-
1080	PRE N/mm2	GY	-0.330	-	-	-	-	-
1081	PRE N/mm2	GY	-0.330	-	-	-	-	-
1082	PRE N/mm2	GY	-0.330	-	-	-	-	-
1083	PRE N/mm2	GY	-0.330	-	-	-	-	-
1084	PRE N/mm2	GY	-0.330	-	-	-	-	-
1085	PRE N/mm2	GY	-0.330	-	-	-	-	-
1086	PRE N/mm2	GY	-0.330	-	-	-	-	-
1087	PRE N/mm2	GY	-0.330	-	-	-	-	-
1088	PRE N/mm2	GY	-0.330	-	-	-	-	-
1089	PRE N/mm2	GY	-0.330	-	-	-	-	-
1090	PRE N/mm2	GY	-0.330	-	-	-	-	-
1091	PRE N/mm2	GY	-0.330	-	-	-	-	-
1092	PRE N/mm2	GY	-0.330	-	-	-	-	-
1093	PRE N/mm2	GY	-0.330	-	-	-	-	-
1094	PRE N/mm2	GY	-0.330	-	-	-	-	-
1095	PRE N/mm2	GY	-0.330	-	-	-	-	-
1096	PRE N/mm2	GY	-0.330	-	-	-	-	-
1097	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1098	PRE N/mm2	GY	-0.330	-	-	-	-	-
1099	PRE N/mm2	GY	-0.330	-	-	-	-	-
1100	PRE N/mm2	GY	-0.330	-	-	-	-	-
1101	PRE N/mm2	GY	-0.330	-	-	-	-	-
1102	PRE N/mm2	GY	-0.330	-	-	-	-	-
1103	PRE N/mm2	GY	-0.330	-	-	-	-	-
1104	PRE N/mm2	GY	-0.330	-	-	-	-	-
1105	PRE N/mm2	GY	-0.330	-	-	-	-	-
1106	PRE N/mm2	GY	-0.330	-	-	-	-	-
1107	PRE N/mm2	GY	-0.330	-	-	-	-	-
1108	PRE N/mm2	GY	-0.330	-	-	-	-	-
1109	PRE N/mm2	GY	-0.330	-	-	-	-	-
1110	PRE N/mm2	GY	-0.330	-	-	-	-	-
1111	PRE N/mm2	GY	-0.330	-	-	-	-	-
1112	PRE N/mm2	GY	-0.330	-	-	-	-	-
1113	PRE N/mm2	GY	-0.330	-	-	-	-	-
1114	PRE N/mm2	GY	-0.330	-	-	-	-	-
1115	PRE N/mm2	GY	-0.330	-	-	-	-	-
1116	PRE N/mm2	GY	-0.330	-	-	-	-	-
1117	PRE N/mm2	GY	-0.330	-	-	-	-	-
1118	PRE N/mm2	GY	-0.330	-	-	-	-	-
1119	PRE N/mm2	GY	-0.330	-	-	-	-	-
1120	PRE N/mm2	GY	-0.330	-	-	-	-	-
1121	PRE N/mm2	GY	-0.330	-	-	-	-	-
1122	PRE N/mm2	GY	-0.330	-	-	-	-	-
1123	PRE N/mm2	GY	-0.330	-	-	-	-	-
1124	PRE N/mm2	GY	-0.330	-	-	-	-	-
1125	PRE N/mm2	GY	-0.330	-	-	-	-	-
1126	PRE N/mm2	GY	-0.330	-	-	-	-	-
1127	PRE N/mm2	GY	-0.330	-	-	-	-	-
1128	PRE N/mm2	GY	-0.330	-	-	-	-	-
1129	PRE N/mm2	GY	-0.330	-	-	-	-	-
1130	PRE N/mm2	GY	-0.330	-	-	-	-	-
1131	PRE N/mm2	GY	-0.330	-	-	-	-	-
1132	PRE N/mm2	GY	-0.330	-	-	-	-	-
1133	PRE N/mm2	GY	-0.330	-	-	-	-	-
1134	PRE N/mm2	GY	-0.330	-	-	-	-	-
1135	PRE N/mm2	GY	-0.330	-	-	-	-	-
1136	PRE N/mm2	GY	-0.330	-	-	-	-	-
1137	PRE N/mm2	GY	-0.330	-	-	-	-	-
1138	PRE N/mm2	GY	-0.330	-	-	-	-	-
1139	PRE N/mm2	GY	-0.330	-	-	-	-	-
1140	PRE N/mm2	GY	-0.330	-	-	-	-	-
1141	PRE N/mm2	GY	-0.330	-	-	-	-	-
1142	PRE N/mm2	GY	-0.330	-	-	-	-	-
1143	PRE N/mm2	GY	-0.330	-	-	-	-	-
1144	PRE N/mm2	GY	-0.330	-	-	-	-	-
1145	PRE N/mm2	GY	-0.330	-	-	-	-	-
1146	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1147	PRE N/mm2	GY	-0.330	-	-	-	-	-
1148	PRE N/mm2	GY	-0.330	-	-	-	-	-
1149	PRE N/mm2	GY	-0.330	-	-	-	-	-
1150	PRE N/mm2	GY	-0.330	-	-	-	-	-
1151	PRE N/mm2	GY	-0.330	-	-	-	-	-
1152	PRE N/mm2	GY	-0.330	-	-	-	-	-
1153	PRE N/mm2	GY	-0.330	-	-	-	-	-
1154	PRE N/mm2	GY	-0.330	-	-	-	-	-
1155	PRE N/mm2	GY	-0.330	-	-	-	-	-
1156	PRE N/mm2	GY	-0.330	-	-	-	-	-
1157	PRE N/mm2	GY	-0.330	-	-	-	-	-
1158	PRE N/mm2	GY	-0.330	-	-	-	-	-
1159	PRE N/mm2	GY	-0.330	-	-	-	-	-
1160	PRE N/mm2	GY	-0.330	-	-	-	-	-
1161	PRE N/mm2	GY	-0.330	-	-	-	-	-
1162	PRE N/mm2	GY	-0.330	-	-	-	-	-
1163	PRE N/mm2	GY	-0.330	-	-	-	-	-
1164	PRE N/mm2	GY	-0.330	-	-	-	-	-
1165	PRE N/mm2	GY	-0.330	-	-	-	-	-
1166	PRE N/mm2	GY	-0.330	-	-	-	-	-
1167	PRE N/mm2	GY	-0.330	-	-	-	-	-
1168	PRE N/mm2	GY	-0.330	-	-	-	-	-
1169	PRE N/mm2	GY	-0.330	-	-	-	-	-
1170	PRE N/mm2	GY	-0.330	-	-	-	-	-
1171	PRE N/mm2	GY	-0.330	-	-	-	-	-
1172	PRE N/mm2	GY	-0.330	-	-	-	-	-
1173	PRE N/mm2	GY	-0.330	-	-	-	-	-
1174	PRE N/mm2	GY	-0.330	-	-	-	-	-
1175	PRE N/mm2	GY	-0.330	-	-	-	-	-
1176	PRE N/mm2	GY	-0.330	-	-	-	-	-
1177	PRE N/mm2	GY	-0.330	-	-	-	-	-
1178	PRE N/mm2	GY	-0.330	-	-	-	-	-
1179	PRE N/mm2	GY	-0.330	-	-	-	-	-
1180	PRE N/mm2	GY	-0.330	-	-	-	-	-
1181	PRE N/mm2	GY	-0.330	-	-	-	-	-
1182	PRE N/mm2	GY	-0.330	-	-	-	-	-
1183	PRE N/mm2	GY	-0.330	-	-	-	-	-
1184	PRE N/mm2	GY	-0.330	-	-	-	-	-
1185	PRE N/mm2	GY	-0.330	-	-	-	-	-
1186	PRE N/mm2	GY	-0.330	-	-	-	-	-
1187	PRE N/mm2	GY	-0.330	-	-	-	-	-
1188	PRE N/mm2	GY	-0.330	-	-	-	-	-
1189	PRE N/mm2	GY	-0.330	-	-	-	-	-
1190	PRE N/mm2	GY	-0.330	-	-	-	-	-
1191	PRE N/mm2	GY	-0.330	-	-	-	-	-
1192	PRE N/mm2	GY	-0.330	-	-	-	-	-
1193	PRE N/mm2	GY	-0.330	-	-	-	-	-
1194	PRE N/mm2	GY	-0.330	-	-	-	-	-
1195	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1196	PRE N/mm2	GY	-0.330	-	-	-	-	-
1197	PRE N/mm2	GY	-0.330	-	-	-	-	-
1198	PRE N/mm2	GY	-0.330	-	-	-	-	-
1199	PRE N/mm2	GY	-0.330	-	-	-	-	-
1200	PRE N/mm2	GY	-0.330	-	-	-	-	-
1201	PRE N/mm2	GY	-0.330	-	-	-	-	-
1202	PRE N/mm2	GY	-0.330	-	-	-	-	-
1203	PRE N/mm2	GY	-0.330	-	-	-	-	-
1204	PRE N/mm2	GY	-0.330	-	-	-	-	-
1205	PRE N/mm2	GY	-0.330	-	-	-	-	-
1206	PRE N/mm2	GY	-0.330	-	-	-	-	-
1207	PRE N/mm2	GY	-0.330	-	-	-	-	-
1208	PRE N/mm2	GY	-0.330	-	-	-	-	-
1209	PRE N/mm2	GY	-0.330	-	-	-	-	-
1210	PRE N/mm2	GY	-0.330	-	-	-	-	-
1211	PRE N/mm2	GY	-0.330	-	-	-	-	-
1212	PRE N/mm2	GY	-0.330	-	-	-	-	-
1213	PRE N/mm2	GY	-0.330	-	-	-	-	-
1214	PRE N/mm2	GY	-0.330	-	-	-	-	-
1215	PRE N/mm2	GY	-0.330	-	-	-	-	-
1216	PRE N/mm2	GY	-0.330	-	-	-	-	-
1217	PRE N/mm2	GY	-0.330	-	-	-	-	-
1218	PRE N/mm2	GY	-0.330	-	-	-	-	-
1219	PRE N/mm2	GY	-0.330	-	-	-	-	-
1220	PRE N/mm2	GY	-0.330	-	-	-	-	-
1221	PRE N/mm2	GY	-0.330	-	-	-	-	-
1222	PRE N/mm2	GY	-0.330	-	-	-	-	-
1223	PRE N/mm2	GY	-0.330	-	-	-	-	-
1224	PRE N/mm2	GY	-0.330	-	-	-	-	-
1225	PRE N/mm2	GY	-0.330	-	-	-	-	-
1226	PRE N/mm2	GY	-0.330	-	-	-	-	-
1227	PRE N/mm2	GY	-0.330	-	-	-	-	-
1228	PRE N/mm2	GY	-0.330	-	-	-	-	-
1229	PRE N/mm2	GY	-0.330	-	-	-	-	-
1230	PRE N/mm2	GY	-0.330	-	-	-	-	-
1231	PRE N/mm2	GY	-0.330	-	-	-	-	-
1232	PRE N/mm2	GY	-0.330	-	-	-	-	-
1233	PRE N/mm2	GY	-0.330	-	-	-	-	-
1234	PRE N/mm2	GY	-0.330	-	-	-	-	-
1235	PRE N/mm2	GY	-0.330	-	-	-	-	-
1236	PRE N/mm2	GY	-0.330	-	-	-	-	-
1237	PRE N/mm2	GY	-0.330	-	-	-	-	-
1238	PRE N/mm2	GY	-0.330	-	-	-	-	-
1239	PRE N/mm2	GY	-0.330	-	-	-	-	-
1240	PRE N/mm2	GY	-0.330	-	-	-	-	-
1241	PRE N/mm2	GY	-0.330	-	-	-	-	-
1242	PRE N/mm2	GY	-0.330	-	-	-	-	-
1243	PRE N/mm2	GY	-0.330	-	-	-	-	-
1244	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1245	PRE N/mm2	GY	-0.330	-	-	-	-	-
1246	PRE N/mm2	GY	-0.330	-	-	-	-	-
1247	PRE N/mm2	GY	-0.330	-	-	-	-	-
1248	PRE N/mm2	GY	-0.330	-	-	-	-	-
1249	PRE N/mm2	GY	-0.330	-	-	-	-	-
1250	PRE N/mm2	GY	-0.330	-	-	-	-	-
1251	PRE N/mm2	GY	-0.330	-	-	-	-	-
1252	PRE N/mm2	GY	-0.330	-	-	-	-	-
1253	PRE N/mm2	GY	-0.330	-	-	-	-	-
1254	PRE N/mm2	GY	-0.330	-	-	-	-	-
1255	PRE N/mm2	GY	-0.330	-	-	-	-	-
1256	PRE N/mm2	GY	-0.330	-	-	-	-	-
1257	PRE N/mm2	GY	-0.330	-	-	-	-	-
1258	PRE N/mm2	GY	-0.330	-	-	-	-	-
1259	PRE N/mm2	GY	-0.330	-	-	-	-	-
1260	PRE N/mm2	GY	-0.330	-	-	-	-	-
1261	PRE N/mm2	GY	-0.330	-	-	-	-	-
1262	PRE N/mm2	GY	-0.330	-	-	-	-	-
1263	PRE N/mm2	GY	-0.330	-	-	-	-	-
1264	PRE N/mm2	GY	-0.330	-	-	-	-	-
1265	PRE N/mm2	GY	-0.330	-	-	-	-	-
1266	PRE N/mm2	GY	-0.330	-	-	-	-	-
1267	PRE N/mm2	GY	-0.330	-	-	-	-	-
1268	PRE N/mm2	GY	-0.330	-	-	-	-	-
1269	PRE N/mm2	GY	-0.330	-	-	-	-	-
1270	PRE N/mm2	GY	-0.330	-	-	-	-	-
1271	PRE N/mm2	GY	-0.330	-	-	-	-	-
1272	PRE N/mm2	GY	-0.330	-	-	-	-	-
1273	PRE N/mm2	GY	-0.330	-	-	-	-	-
1274	PRE N/mm2	GY	-0.330	-	-	-	-	-
1275	PRE N/mm2	GY	-0.330	-	-	-	-	-
1276	PRE N/mm2	GY	-0.330	-	-	-	-	-
1277	PRE N/mm2	GY	-0.330	-	-	-	-	-
1278	PRE N/mm2	GY	-0.330	-	-	-	-	-
1279	PRE N/mm2	GY	-0.330	-	-	-	-	-
1280	PRE N/mm2	GY	-0.330	-	-	-	-	-
1281	PRE N/mm2	GY	-0.330	-	-	-	-	-
1282	PRE N/mm2	GY	-0.330	-	-	-	-	-
1283	PRE N/mm2	GY	-0.330	-	-	-	-	-
1284	PRE N/mm2	GY	-0.330	-	-	-	-	-
1285	PRE N/mm2	GY	-0.330	-	-	-	-	-
1286	PRE N/mm2	GY	-0.330	-	-	-	-	-
1287	PRE N/mm2	GY	-0.330	-	-	-	-	-
1288	PRE N/mm2	GY	-0.330	-	-	-	-	-
1289	PRE N/mm2	GY	-0.330	-	-	-	-	-
1290	PRE N/mm2	GY	-0.330	-	-	-	-	-
1291	PRE N/mm2	GY	-0.330	-	-	-	-	-
1292	PRE N/mm2	GY	-0.330	-	-	-	-	-
1293	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1294	PRE N/mm2	GY	-0.330	-	-	-	-	-
1295	PRE N/mm2	GY	-0.330	-	-	-	-	-
1296	PRE N/mm2	GY	-0.330	-	-	-	-	-
1297	PRE N/mm2	GY	-0.330	-	-	-	-	-
1298	PRE N/mm2	GY	-0.330	-	-	-	-	-
1299	PRE N/mm2	GY	-0.330	-	-	-	-	-
1300	PRE N/mm2	GY	-0.330	-	-	-	-	-
1301	PRE N/mm2	GY	-0.330	-	-	-	-	-
1302	PRE N/mm2	GY	-0.330	-	-	-	-	-
1303	PRE N/mm2	GY	-0.330	-	-	-	-	-
1304	PRE N/mm2	GY	-0.330	-	-	-	-	-
1305	PRE N/mm2	GY	-0.330	-	-	-	-	-
1306	PRE N/mm2	GY	-0.330	-	-	-	-	-
1307	PRE N/mm2	GY	-0.330	-	-	-	-	-
1308	PRE N/mm2	GY	-0.330	-	-	-	-	-
1309	PRE N/mm2	GY	-0.330	-	-	-	-	-
1310	PRE N/mm2	GY	-0.330	-	-	-	-	-
1311	PRE N/mm2	GY	-0.330	-	-	-	-	-
1312	PRE N/mm2	GY	-0.330	-	-	-	-	-
1313	PRE N/mm2	GY	-0.330	-	-	-	-	-
1314	PRE N/mm2	GY	-0.330	-	-	-	-	-
1315	PRE N/mm2	GY	-0.330	-	-	-	-	-
1316	PRE N/mm2	GY	-0.330	-	-	-	-	-
1317	PRE N/mm2	GY	-0.330	-	-	-	-	-
1318	PRE N/mm2	GY	-0.330	-	-	-	-	-
1319	PRE N/mm2	GY	-0.330	-	-	-	-	-
1320	PRE N/mm2	GY	-0.330	-	-	-	-	-
1321	PRE N/mm2	GY	-0.330	-	-	-	-	-
1322	PRE N/mm2	GY	-0.330	-	-	-	-	-
1323	PRE N/mm2	GY	-0.330	-	-	-	-	-
1324	PRE N/mm2	GY	-0.330	-	-	-	-	-
1325	PRE N/mm2	GY	-0.330	-	-	-	-	-
1326	PRE N/mm2	GY	-0.330	-	-	-	-	-
1327	PRE N/mm2	GY	-0.330	-	-	-	-	-
1328	PRE N/mm2	GY	-0.330	-	-	-	-	-
1329	PRE N/mm2	GY	-0.330	-	-	-	-	-
1330	PRE N/mm2	GY	-0.330	-	-	-	-	-
1331	PRE N/mm2	GY	-0.330	-	-	-	-	-
1332	PRE N/mm2	GY	-0.330	-	-	-	-	-
1333	PRE N/mm2	GY	-0.330	-	-	-	-	-
1334	PRE N/mm2	GY	-0.330	-	-	-	-	-
1335	PRE N/mm2	GY	-0.330	-	-	-	-	-
1336	PRE N/mm2	GY	-0.330	-	-	-	-	-
1337	PRE N/mm2	GY	-0.330	-	-	-	-	-
1338	PRE N/mm2	GY	-0.330	-	-	-	-	-
1339	PRE N/mm2	GY	-0.330	-	-	-	-	-
1340	PRE N/mm2	GY	-0.330	-	-	-	-	-
1341	PRE N/mm2	GY	-0.330	-	-	-	-	-
1342	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1343	PRE N/mm2	GY	-0.330	-	-	-	-	-
1344	PRE N/mm2	GY	-0.330	-	-	-	-	-
1345	PRE N/mm2	GY	-0.330	-	-	-	-	-
1346	PRE N/mm2	GY	-0.330	-	-	-	-	-
1347	PRE N/mm2	GY	-0.330	-	-	-	-	-
1348	PRE N/mm2	GY	-0.330	-	-	-	-	-
1349	PRE N/mm2	GY	-0.330	-	-	-	-	-
1350	PRE N/mm2	GY	-0.330	-	-	-	-	-
1351	PRE N/mm2	GY	-0.330	-	-	-	-	-
1352	PRE N/mm2	GY	-0.330	-	-	-	-	-
1353	PRE N/mm2	GY	-0.330	-	-	-	-	-
1354	PRE N/mm2	GY	-0.330	-	-	-	-	-
1355	PRE N/mm2	GY	-0.330	-	-	-	-	-
1356	PRE N/mm2	GY	-0.330	-	-	-	-	-
1357	PRE N/mm2	GY	-0.330	-	-	-	-	-
1358	PRE N/mm2	GY	-0.330	-	-	-	-	-
1359	PRE N/mm2	GY	-0.330	-	-	-	-	-
1360	PRE N/mm2	GY	-0.330	-	-	-	-	-
1361	PRE N/mm2	GY	-0.330	-	-	-	-	-
1362	PRE N/mm2	GY	-0.330	-	-	-	-	-
1363	PRE N/mm2	GY	-0.330	-	-	-	-	-
1364	PRE N/mm2	GY	-0.330	-	-	-	-	-
1365	PRE N/mm2	GY	-0.330	-	-	-	-	-
1366	PRE N/mm2	GY	-0.330	-	-	-	-	-
1367	PRE N/mm2	GY	-0.330	-	-	-	-	-
1368	PRE N/mm2	GY	-0.330	-	-	-	-	-
1369	PRE N/mm2	GY	-0.330	-	-	-	-	-
1370	PRE N/mm2	GY	-0.330	-	-	-	-	-
1371	PRE N/mm2	GY	-0.330	-	-	-	-	-
1372	PRE N/mm2	GY	-0.330	-	-	-	-	-
1373	PRE N/mm2	GY	-0.330	-	-	-	-	-
1374	PRE N/mm2	GY	-0.330	-	-	-	-	-
1375	PRE N/mm2	GY	-0.330	-	-	-	-	-
1376	PRE N/mm2	GY	-0.330	-	-	-	-	-
1377	PRE N/mm2	GY	-0.330	-	-	-	-	-
1378	PRE N/mm2	GY	-0.330	-	-	-	-	-
1379	PRE N/mm2	GY	-0.330	-	-	-	-	-
1380	PRE N/mm2	GY	-0.330	-	-	-	-	-
1381	PRE N/mm2	GY	-0.330	-	-	-	-	-
1382	PRE N/mm2	GY	-0.330	-	-	-	-	-
1383	PRE N/mm2	GY	-0.330	-	-	-	-	-
1384	PRE N/mm2	GY	-0.330	-	-	-	-	-
1385	PRE N/mm2	GY	-0.330	-	-	-	-	-
1386	PRE N/mm2	GY	-0.330	-	-	-	-	-
1387	PRE N/mm2	GY	-0.330	-	-	-	-	-
1388	PRE N/mm2	GY	-0.330	-	-	-	-	-
1389	PRE N/mm2	GY	-0.330	-	-	-	-	-
1390	PRE N/mm2	GY	-0.330	-	-	-	-	-
1391	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1392	PRE N/mm2	GY	-0.330	-	-	-	-	-
1393	PRE N/mm2	GY	-0.330	-	-	-	-	-
1394	PRE N/mm2	GY	-0.330	-	-	-	-	-
1395	PRE N/mm2	GY	-0.330	-	-	-	-	-
1396	PRE N/mm2	GY	-0.330	-	-	-	-	-
1397	PRE N/mm2	GY	-0.330	-	-	-	-	-
1398	PRE N/mm2	GY	-0.330	-	-	-	-	-
1399	PRE N/mm2	GY	-0.330	-	-	-	-	-
1400	PRE N/mm2	GY	-0.330	-	-	-	-	-
1401	PRE N/mm2	GY	-0.330	-	-	-	-	-
1402	PRE N/mm2	GY	-0.330	-	-	-	-	-
1403	PRE N/mm2	GY	-0.330	-	-	-	-	-
1404	PRE N/mm2	GY	-0.330	-	-	-	-	-
1405	PRE N/mm2	GY	-0.330	-	-	-	-	-
1406	PRE N/mm2	GY	-0.330	-	-	-	-	-
1407	PRE N/mm2	GY	-0.330	-	-	-	-	-
1408	PRE N/mm2	GY	-0.330	-	-	-	-	-
1409	PRE N/mm2	GY	-0.330	-	-	-	-	-
1410	PRE N/mm2	GY	-0.330	-	-	-	-	-
1411	PRE N/mm2	GY	-0.330	-	-	-	-	-
1412	PRE N/mm2	GY	-0.330	-	-	-	-	-
1413	PRE N/mm2	GY	-0.330	-	-	-	-	-
1414	PRE N/mm2	GY	-0.330	-	-	-	-	-
1415	PRE N/mm2	GY	-0.330	-	-	-	-	-
1416	PRE N/mm2	GY	-0.330	-	-	-	-	-
1417	PRE N/mm2	GY	-0.330	-	-	-	-	-
1418	PRE N/mm2	GY	-0.330	-	-	-	-	-
1419	PRE N/mm2	GY	-0.330	-	-	-	-	-
1420	PRE N/mm2	GY	-0.330	-	-	-	-	-
1421	PRE N/mm2	GY	-0.330	-	-	-	-	-
1422	PRE N/mm2	GY	-0.330	-	-	-	-	-
1423	PRE N/mm2	GY	-0.330	-	-	-	-	-
1424	PRE N/mm2	GY	-0.330	-	-	-	-	-
1425	PRE N/mm2	GY	-0.330	-	-	-	-	-
1426	PRE N/mm2	GY	-0.330	-	-	-	-	-
1427	PRE N/mm2	GY	-0.330	-	-	-	-	-
1428	PRE N/mm2	GY	-0.330	-	-	-	-	-
1429	PRE N/mm2	GY	-0.330	-	-	-	-	-
1430	PRE N/mm2	GY	-0.330	-	-	-	-	-
1431	PRE N/mm2	GY	-0.330	-	-	-	-	-
1432	PRE N/mm2	GY	-0.330	-	-	-	-	-
1433	PRE N/mm2	GY	-0.330	-	-	-	-	-
1434	PRE N/mm2	GY	-0.330	-	-	-	-	-
1435	PRE N/mm2	GY	-0.330	-	-	-	-	-
1436	PRE N/mm2	GY	-0.330	-	-	-	-	-
1437	PRE N/mm2	GY	-0.330	-	-	-	-	-
1438	PRE N/mm2	GY	-0.330	-	-	-	-	-
1439	PRE N/mm2	GY	-0.330	-	-	-	-	-
1440	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1441	PRE N/mm2	GY	-0.330	-	-	-	-	-
1442	PRE N/mm2	GY	-0.330	-	-	-	-	-
1443	PRE N/mm2	GY	-0.330	-	-	-	-	-
1444	PRE N/mm2	GY	-0.330	-	-	-	-	-
1445	PRE N/mm2	GY	-0.330	-	-	-	-	-
1446	PRE N/mm2	GY	-0.330	-	-	-	-	-
1447	PRE N/mm2	GY	-0.330	-	-	-	-	-
1448	PRE N/mm2	GY	-0.330	-	-	-	-	-
1449	PRE N/mm2	GY	-0.330	-	-	-	-	-
1450	PRE N/mm2	GY	-0.330	-	-	-	-	-
1451	PRE N/mm2	GY	-0.330	-	-	-	-	-
1452	PRE N/mm2	GY	-0.330	-	-	-	-	-
1453	PRE N/mm2	GY	-0.330	-	-	-	-	-
1454	PRE N/mm2	GY	-0.330	-	-	-	-	-
1455	PRE N/mm2	GY	-0.330	-	-	-	-	-
1456	PRE N/mm2	GY	-0.330	-	-	-	-	-
1457	PRE N/mm2	GY	-0.330	-	-	-	-	-
1458	PRE N/mm2	GY	-0.330	-	-	-	-	-
1459	PRE N/mm2	GY	-0.330	-	-	-	-	-
1460	PRE N/mm2	GY	-0.330	-	-	-	-	-
1461	PRE N/mm2	GY	-0.330	-	-	-	-	-
1462	PRE N/mm2	GY	-0.330	-	-	-	-	-
1463	PRE N/mm2	GY	-0.330	-	-	-	-	-
1464	PRE N/mm2	GY	-0.330	-	-	-	-	-
1465	PRE N/mm2	GY	-0.330	-	-	-	-	-
1466	PRE N/mm2	GY	-0.330	-	-	-	-	-
1467	PRE N/mm2	GY	-0.330	-	-	-	-	-
1468	PRE N/mm2	GY	-0.330	-	-	-	-	-
1469	PRE N/mm2	GY	-0.330	-	-	-	-	-
1470	PRE N/mm2	GY	-0.330	-	-	-	-	-
1471	PRE N/mm2	GY	-0.330	-	-	-	-	-
1472	PRE N/mm2	GY	-0.330	-	-	-	-	-
1473	PRE N/mm2	GY	-0.330	-	-	-	-	-
1474	PRE N/mm2	GY	-0.330	-	-	-	-	-
1475	PRE N/mm2	GY	-0.330	-	-	-	-	-
1476	PRE N/mm2	GY	-0.330	-	-	-	-	-
1477	PRE N/mm2	GY	-0.330	-	-	-	-	-
1478	PRE N/mm2	GY	-0.330	-	-	-	-	-
1479	PRE N/mm2	GY	-0.330	-	-	-	-	-
1480	PRE N/mm2	GY	-0.330	-	-	-	-	-
1481	PRE N/mm2	GY	-0.330	-	-	-	-	-
1482	PRE N/mm2	GY	-0.330	-	-	-	-	-
1483	PRE N/mm2	GY	-0.330	-	-	-	-	-
1484	PRE N/mm2	GY	-0.330	-	-	-	-	-
1485	PRE N/mm2	GY	-0.330	-	-	-	-	-
1486	PRE N/mm2	GY	-0.330	-	-	-	-	-
1487	PRE N/mm2	GY	-0.330	-	-	-	-	-
1488	PRE N/mm2	GY	-0.330	-	-	-	-	-
1489	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1490	PRE N/mm2	GY	-0.330	-	-	-	-	-
1491	PRE N/mm2	GY	-0.330	-	-	-	-	-
1492	PRE N/mm2	GY	-0.330	-	-	-	-	-
1493	PRE N/mm2	GY	-0.330	-	-	-	-	-
1494	PRE N/mm2	GY	-0.330	-	-	-	-	-
1495	PRE N/mm2	GY	-0.330	-	-	-	-	-
1496	PRE N/mm2	GY	-0.330	-	-	-	-	-
1497	PRE N/mm2	GY	-0.330	-	-	-	-	-
1498	PRE N/mm2	GY	-0.330	-	-	-	-	-
1499	PRE N/mm2	GY	-0.330	-	-	-	-	-
1500	PRE N/mm2	GY	-0.330	-	-	-	-	-
1501	PRE N/mm2	GY	-0.330	-	-	-	-	-
1502	PRE N/mm2	GY	-0.330	-	-	-	-	-
1503	PRE N/mm2	GY	-0.330	-	-	-	-	-
1504	PRE N/mm2	GY	-0.330	-	-	-	-	-
1505	PRE N/mm2	GY	-0.330	-	-	-	-	-
1506	PRE N/mm2	GY	-0.330	-	-	-	-	-
1507	PRE N/mm2	GY	-0.330	-	-	-	-	-
1508	PRE N/mm2	GY	-0.330	-	-	-	-	-
1509	PRE N/mm2	GY	-0.330	-	-	-	-	-
1510	PRE N/mm2	GY	-0.330	-	-	-	-	-
1511	PRE N/mm2	GY	-0.330	-	-	-	-	-
1512	PRE N/mm2	GY	-0.330	-	-	-	-	-
1513	PRE N/mm2	GY	-0.330	-	-	-	-	-
1514	PRE N/mm2	GY	-0.330	-	-	-	-	-
1515	PRE N/mm2	GY	-0.330	-	-	-	-	-
1516	PRE N/mm2	GY	-0.330	-	-	-	-	-
1517	PRE N/mm2	GY	-0.330	-	-	-	-	-
1518	PRE N/mm2	GY	-0.330	-	-	-	-	-
1519	PRE N/mm2	GY	-0.330	-	-	-	-	-
1520	PRE N/mm2	GY	-0.330	-	-	-	-	-
1521	PRE N/mm2	GY	-0.330	-	-	-	-	-
1522	PRE N/mm2	GY	-0.330	-	-	-	-	-
1523	PRE N/mm2	GY	-0.330	-	-	-	-	-
1524	PRE N/mm2	GY	-0.330	-	-	-	-	-
1525	PRE N/mm2	GY	-0.330	-	-	-	-	-
1526	PRE N/mm2	GY	-0.330	-	-	-	-	-
1527	PRE N/mm2	GY	-0.330	-	-	-	-	-
1528	PRE N/mm2	GY	-0.330	-	-	-	-	-
1529	PRE N/mm2	GY	-0.330	-	-	-	-	-
1530	PRE N/mm2	GY	-0.330	-	-	-	-	-
1531	PRE N/mm2	GY	-0.330	-	-	-	-	-
1532	PRE N/mm2	GY	-0.330	-	-	-	-	-
1533	PRE N/mm2	GY	-0.330	-	-	-	-	-
1534	PRE N/mm2	GY	-0.330	-	-	-	-	-
1535	PRE N/mm2	GY	-0.330	-	-	-	-	-
1536	PRE N/mm2	GY	-0.330	-	-	-	-	-
1537	PRE N/mm2	GY	-0.330	-	-	-	-	-
1538	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1539	PRE N/mm2	GY	-0.330	-	-	-	-	-
1540	PRE N/mm2	GY	-0.330	-	-	-	-	-
1541	PRE N/mm2	GY	-0.330	-	-	-	-	-
1542	PRE N/mm2	GY	-0.330	-	-	-	-	-
1543	PRE N/mm2	GY	-0.330	-	-	-	-	-
1544	PRE N/mm2	GY	-0.330	-	-	-	-	-
1545	PRE N/mm2	GY	-0.330	-	-	-	-	-
1546	PRE N/mm2	GY	-0.330	-	-	-	-	-
1547	PRE N/mm2	GY	-0.330	-	-	-	-	-
1548	PRE N/mm2	GY	-0.330	-	-	-	-	-
1549	PRE N/mm2	GY	-0.330	-	-	-	-	-
1550	PRE N/mm2	GY	-0.330	-	-	-	-	-
1551	PRE N/mm2	GY	-0.330	-	-	-	-	-
1552	PRE N/mm2	GY	-0.330	-	-	-	-	-
1553	PRE N/mm2	GY	-0.330	-	-	-	-	-
1554	PRE N/mm2	GY	-0.330	-	-	-	-	-
1555	PRE N/mm2	GY	-0.330	-	-	-	-	-
1556	PRE N/mm2	GY	-0.330	-	-	-	-	-
1557	PRE N/mm2	GY	-0.330	-	-	-	-	-
1558	PRE N/mm2	GY	-0.330	-	-	-	-	-
1559	PRE N/mm2	GY	-0.330	-	-	-	-	-
1560	PRE N/mm2	GY	-0.330	-	-	-	-	-
1561	PRE N/mm2	GY	-0.330	-	-	-	-	-
1562	PRE N/mm2	GY	-0.330	-	-	-	-	-
1563	PRE N/mm2	GY	-0.330	-	-	-	-	-
1564	PRE N/mm2	GY	-0.330	-	-	-	-	-
1565	PRE N/mm2	GY	-0.330	-	-	-	-	-
1566	PRE N/mm2	GY	-0.330	-	-	-	-	-
1567	PRE N/mm2	GY	-0.330	-	-	-	-	-
1568	PRE N/mm2	GY	-0.330	-	-	-	-	-
1569	PRE N/mm2	GY	-0.330	-	-	-	-	-
1570	PRE N/mm2	GY	-0.330	-	-	-	-	-
1571	PRE N/mm2	GY	-0.330	-	-	-	-	-
1572	PRE N/mm2	GY	-0.330	-	-	-	-	-
1573	PRE N/mm2	GY	-0.330	-	-	-	-	-
1574	PRE N/mm2	GY	-0.330	-	-	-	-	-
1575	PRE N/mm2	GY	-0.330	-	-	-	-	-
1576	PRE N/mm2	GY	-0.330	-	-	-	-	-
1577	PRE N/mm2	GY	-0.330	-	-	-	-	-
1578	PRE N/mm2	GY	-0.330	-	-	-	-	-
1579	PRE N/mm2	GY	-0.330	-	-	-	-	-
1580	PRE N/mm2	GY	-0.330	-	-	-	-	-
1581	PRE N/mm2	GY	-0.330	-	-	-	-	-
1582	PRE N/mm2	GY	-0.330	-	-	-	-	-
1583	PRE N/mm2	GY	-0.330	-	-	-	-	-
1584	PRE N/mm2	GY	-0.330	-	-	-	-	-
1585	PRE N/mm2	GY	-0.330	-	-	-	-	-
1586	PRE N/mm2	GY	-0.330	-	-	-	-	-
1587	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1588	PRE N/mm2	GY	-0.330	-	-	-	-	-
1589	PRE N/mm2	GY	-0.330	-	-	-	-	-
1590	PRE N/mm2	GY	-0.330	-	-	-	-	-
1591	PRE N/mm2	GY	-0.330	-	-	-	-	-
1592	PRE N/mm2	GY	-0.330	-	-	-	-	-
1593	PRE N/mm2	GY	-0.330	-	-	-	-	-
1594	PRE N/mm2	GY	-0.330	-	-	-	-	-
1595	PRE N/mm2	GY	-0.330	-	-	-	-	-
1596	PRE N/mm2	GY	-0.330	-	-	-	-	-
1597	PRE N/mm2	GY	-0.330	-	-	-	-	-
1598	PRE N/mm2	GY	-0.330	-	-	-	-	-
1599	PRE N/mm2	GY	-0.330	-	-	-	-	-
1600	PRE N/mm2	GY	-0.330	-	-	-	-	-
1601	PRE N/mm2	GY	-0.330	-	-	-	-	-
1602	PRE N/mm2	GY	-0.330	-	-	-	-	-
1603	PRE N/mm2	GY	-0.330	-	-	-	-	-
1604	PRE N/mm2	GY	-0.330	-	-	-	-	-
1605	PRE N/mm2	GY	-0.330	-	-	-	-	-
1606	PRE N/mm2	GY	-0.330	-	-	-	-	-
1607	PRE N/mm2	GY	-0.330	-	-	-	-	-
1608	PRE N/mm2	GY	-0.330	-	-	-	-	-
1609	PRE N/mm2	GY	-0.330	-	-	-	-	-
1610	PRE N/mm2	GY	-0.330	-	-	-	-	-
1611	PRE N/mm2	GY	-0.330	-	-	-	-	-
1612	PRE N/mm2	GY	-0.330	-	-	-	-	-
1613	PRE N/mm2	GY	-0.330	-	-	-	-	-
1614	PRE N/mm2	GY	-0.330	-	-	-	-	-
1615	PRE N/mm2	GY	-0.330	-	-	-	-	-
1616	PRE N/mm2	GY	-0.330	-	-	-	-	-
1617	PRE N/mm2	GY	-0.330	-	-	-	-	-
1618	PRE N/mm2	GY	-0.330	-	-	-	-	-
1619	PRE N/mm2	GY	-0.330	-	-	-	-	-
1620	PRE N/mm2	GY	-0.330	-	-	-	-	-
1621	PRE N/mm2	GY	-0.330	-	-	-	-	-
1622	PRE N/mm2	GY	-0.330	-	-	-	-	-
1623	PRE N/mm2	GY	-0.330	-	-	-	-	-
1624	PRE N/mm2	GY	-0.330	-	-	-	-	-
1625	PRE N/mm2	GY	-0.330	-	-	-	-	-
1626	PRE N/mm2	GY	-0.330	-	-	-	-	-
1627	PRE N/mm2	GY	-0.330	-	-	-	-	-
1628	PRE N/mm2	GY	-0.330	-	-	-	-	-
1629	PRE N/mm2	GY	-0.330	-	-	-	-	-
1630	PRE N/mm2	GY	-0.330	-	-	-	-	-
1631	PRE N/mm2	GY	-0.330	-	-	-	-	-
1632	PRE N/mm2	GY	-0.330	-	-	-	-	-
1633	PRE N/mm2	GY	-0.330	-	-	-	-	-
1634	PRE N/mm2	GY	-0.330	-	-	-	-	-
1635	PRE N/mm2	GY	-0.330	-	-	-	-	-
1636	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1637	PRE N/mm2	GY	-0.330	-	-	-	-	-
1638	PRE N/mm2	GY	-0.330	-	-	-	-	-
1639	PRE N/mm2	GY	-0.330	-	-	-	-	-
1640	PRE N/mm2	GY	-0.330	-	-	-	-	-
1641	PRE N/mm2	GY	-0.330	-	-	-	-	-
1642	PRE N/mm2	GY	-0.330	-	-	-	-	-
1643	PRE N/mm2	GY	-0.330	-	-	-	-	-
1644	PRE N/mm2	GY	-0.330	-	-	-	-	-
1645	PRE N/mm2	GY	-0.330	-	-	-	-	-
1646	PRE N/mm2	GY	-0.330	-	-	-	-	-
1647	PRE N/mm2	GY	-0.330	-	-	-	-	-
1648	PRE N/mm2	GY	-0.330	-	-	-	-	-
1649	PRE N/mm2	GY	-0.330	-	-	-	-	-
1650	PRE N/mm2	GY	-0.330	-	-	-	-	-
1651	PRE N/mm2	GY	-0.330	-	-	-	-	-
1652	PRE N/mm2	GY	-0.330	-	-	-	-	-
1653	PRE N/mm2	GY	-0.330	-	-	-	-	-
1654	PRE N/mm2	GY	-0.330	-	-	-	-	-
1655	PRE N/mm2	GY	-0.330	-	-	-	-	-
1656	PRE N/mm2	GY	-0.330	-	-	-	-	-
1657	PRE N/mm2	GY	-0.330	-	-	-	-	-
1658	PRE N/mm2	GY	-0.330	-	-	-	-	-
1659	PRE N/mm2	GY	-0.330	-	-	-	-	-
1660	PRE N/mm2	GY	-0.330	-	-	-	-	-
1661	PRE N/mm2	GY	-0.330	-	-	-	-	-
1662	PRE N/mm2	GY	-0.330	-	-	-	-	-
1663	PRE N/mm2	GY	-0.330	-	-	-	-	-
1664	PRE N/mm2	GY	-0.330	-	-	-	-	-
1665	PRE N/mm2	GY	-0.330	-	-	-	-	-
1666	PRE N/mm2	GY	-0.330	-	-	-	-	-
1667	PRE N/mm2	GY	-0.330	-	-	-	-	-
1668	PRE N/mm2	GY	-0.330	-	-	-	-	-
1669	PRE N/mm2	GY	-0.330	-	-	-	-	-
1670	PRE N/mm2	GY	-0.330	-	-	-	-	-
1671	PRE N/mm2	GY	-0.330	-	-	-	-	-
1672	PRE N/mm2	GY	-0.330	-	-	-	-	-
1673	PRE N/mm2	GY	-0.330	-	-	-	-	-
1674	PRE N/mm2	GY	-0.330	-	-	-	-	-
1675	PRE N/mm2	GY	-0.330	-	-	-	-	-
1676	PRE N/mm2	GY	-0.330	-	-	-	-	-
1677	PRE N/mm2	GY	-0.330	-	-	-	-	-
1678	PRE N/mm2	GY	-0.330	-	-	-	-	-
1679	PRE N/mm2	GY	-0.330	-	-	-	-	-
1680	PRE N/mm2	GY	-0.330	-	-	-	-	-
1681	PRE N/mm2	GY	-0.330	-	-	-	-	-
1682	PRE N/mm2	GY	-0.330	-	-	-	-	-
1683	PRE N/mm2	GY	-0.330	-	-	-	-	-
1684	PRE N/mm2	GY	-0.330	-	-	-	-	-
1685	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1686	PRE N/mm2	GY	-0.330	-	-	-	-	-
1687	PRE N/mm2	GY	-0.330	-	-	-	-	-
1688	PRE N/mm2	GY	-0.330	-	-	-	-	-
1689	PRE N/mm2	GY	-0.330	-	-	-	-	-
1690	PRE N/mm2	GY	-0.330	-	-	-	-	-
1691	PRE N/mm2	GY	-0.330	-	-	-	-	-
1692	PRE N/mm2	GY	-0.330	-	-	-	-	-
1693	PRE N/mm2	GY	-0.330	-	-	-	-	-
1694	PRE N/mm2	GY	-0.330	-	-	-	-	-
1695	PRE N/mm2	GY	-0.330	-	-	-	-	-
1696	PRE N/mm2	GY	-0.330	-	-	-	-	-
1697	PRE N/mm2	GY	-0.330	-	-	-	-	-
1698	PRE N/mm2	GY	-0.330	-	-	-	-	-
1699	PRE N/mm2	GY	-0.330	-	-	-	-	-
1700	PRE N/mm2	GY	-0.330	-	-	-	-	-
1701	PRE N/mm2	GY	-0.330	-	-	-	-	-
1702	PRE N/mm2	GY	-0.330	-	-	-	-	-
1703	PRE N/mm2	GY	-0.330	-	-	-	-	-
1704	PRE N/mm2	GY	-0.330	-	-	-	-	-
1705	PRE N/mm2	GY	-0.330	-	-	-	-	-
1706	PRE N/mm2	GY	-0.330	-	-	-	-	-
1707	PRE N/mm2	GY	-0.330	-	-	-	-	-
1708	PRE N/mm2	GY	-0.330	-	-	-	-	-
1709	PRE N/mm2	GY	-0.330	-	-	-	-	-
1710	PRE N/mm2	GY	-0.330	-	-	-	-	-
1711	PRE N/mm2	GY	-0.330	-	-	-	-	-
1712	PRE N/mm2	GY	-0.330	-	-	-	-	-
1713	PRE N/mm2	GY	-0.330	-	-	-	-	-
1714	PRE N/mm2	GY	-0.330	-	-	-	-	-
1715	PRE N/mm2	GY	-0.330	-	-	-	-	-
1716	PRE N/mm2	GY	-0.330	-	-	-	-	-
1717	PRE N/mm2	GY	-0.330	-	-	-	-	-
1718	PRE N/mm2	GY	-0.330	-	-	-	-	-
1719	PRE N/mm2	GY	-0.330	-	-	-	-	-
1720	PRE N/mm2	GY	-0.330	-	-	-	-	-
1721	PRE N/mm2	GY	-0.330	-	-	-	-	-
1722	PRE N/mm2	GY	-0.330	-	-	-	-	-
1723	PRE N/mm2	GY	-0.330	-	-	-	-	-
1724	PRE N/mm2	GY	-0.330	-	-	-	-	-
1725	PRE N/mm2	GY	-0.330	-	-	-	-	-
1726	PRE N/mm2	GY	-0.330	-	-	-	-	-
1727	PRE N/mm2	GY	-0.330	-	-	-	-	-
1728	PRE N/mm2	GY	-0.330	-	-	-	-	-
1729	PRE N/mm2	GY	-0.330	-	-	-	-	-
1730	PRE N/mm2	GY	-0.330	-	-	-	-	-
1731	PRE N/mm2	GY	-0.330	-	-	-	-	-
1732	PRE N/mm2	GY	-0.330	-	-	-	-	-
1733	PRE N/mm2	GY	-0.330	-	-	-	-	-
1734	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1735	PRE N/mm2	GY	-0.330	-	-	-	-	-
1736	PRE N/mm2	GY	-0.330	-	-	-	-	-
1737	PRE N/mm2	GY	-0.330	-	-	-	-	-
1738	PRE N/mm2	GY	-0.330	-	-	-	-	-
1739	PRE N/mm2	GY	-0.330	-	-	-	-	-
1740	PRE N/mm2	GY	-0.330	-	-	-	-	-
1741	PRE N/mm2	GY	-0.330	-	-	-	-	-
1742	PRE N/mm2	GY	-0.330	-	-	-	-	-
1743	PRE N/mm2	GY	-0.330	-	-	-	-	-
1744	PRE N/mm2	GY	-0.330	-	-	-	-	-
1745	PRE N/mm2	GY	-0.330	-	-	-	-	-
1746	PRE N/mm2	GY	-0.330	-	-	-	-	-
1747	PRE N/mm2	GY	-0.330	-	-	-	-	-
1748	PRE N/mm2	GY	-0.330	-	-	-	-	-
1749	PRE N/mm2	GY	-0.330	-	-	-	-	-
1750	PRE N/mm2	GY	-0.330	-	-	-	-	-
1751	PRE N/mm2	GY	-0.330	-	-	-	-	-
1752	PRE N/mm2	GY	-0.330	-	-	-	-	-
1753	PRE N/mm2	GY	-0.330	-	-	-	-	-
1754	PRE N/mm2	GY	-0.330	-	-	-	-	-
1755	PRE N/mm2	GY	-0.330	-	-	-	-	-
1756	PRE N/mm2	GY	-0.330	-	-	-	-	-
1757	PRE N/mm2	GY	-0.330	-	-	-	-	-
1758	PRE N/mm2	GY	-0.330	-	-	-	-	-
1759	PRE N/mm2	GY	-0.330	-	-	-	-	-
1760	PRE N/mm2	GY	-0.330	-	-	-	-	-
1761	PRE N/mm2	GY	-0.330	-	-	-	-	-
1762	PRE N/mm2	GY	-0.330	-	-	-	-	-
1763	PRE N/mm2	GY	-0.330	-	-	-	-	-
1764	PRE N/mm2	GY	-0.330	-	-	-	-	-
1765	PRE N/mm2	GY	-0.330	-	-	-	-	-
1766	PRE N/mm2	GY	-0.330	-	-	-	-	-
1767	PRE N/mm2	GY	-0.330	-	-	-	-	-
1768	PRE N/mm2	GY	-0.330	-	-	-	-	-
1769	PRE N/mm2	GY	-0.330	-	-	-	-	-
1770	PRE N/mm2	GY	-0.330	-	-	-	-	-
1771	PRE N/mm2	GY	-0.330	-	-	-	-	-
1772	PRE N/mm2	GY	-0.330	-	-	-	-	-
1773	PRE N/mm2	GY	-0.330	-	-	-	-	-
1774	PRE N/mm2	GY	-0.330	-	-	-	-	-
1775	PRE N/mm2	GY	-0.330	-	-	-	-	-
1776	PRE N/mm2	GY	-0.330	-	-	-	-	-
1777	PRE N/mm2	GY	-0.330	-	-	-	-	-
1778	PRE N/mm2	GY	-0.330	-	-	-	-	-
1779	PRE N/mm2	GY	-0.330	-	-	-	-	-
1780	PRE N/mm2	GY	-0.330	-	-	-	-	-
1781	PRE N/mm2	GY	-0.330	-	-	-	-	-
1782	PRE N/mm2	GY	-0.330	-	-	-	-	-
1783	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1784	PRE N/mm2	GY	-0.330	-	-	-	-	-
1785	PRE N/mm2	GY	-0.330	-	-	-	-	-
1786	PRE N/mm2	GY	-0.330	-	-	-	-	-
1787	PRE N/mm2	GY	-0.330	-	-	-	-	-
1788	PRE N/mm2	GY	-0.330	-	-	-	-	-
1789	PRE N/mm2	GY	-0.330	-	-	-	-	-
1790	PRE N/mm2	GY	-0.330	-	-	-	-	-
1791	PRE N/mm2	GY	-0.330	-	-	-	-	-
1792	PRE N/mm2	GY	-0.330	-	-	-	-	-
1793	PRE N/mm2	GY	-0.330	-	-	-	-	-
1794	PRE N/mm2	GY	-0.330	-	-	-	-	-
1795	PRE N/mm2	GY	-0.330	-	-	-	-	-
1796	PRE N/mm2	GY	-0.330	-	-	-	-	-
1797	PRE N/mm2	GY	-0.330	-	-	-	-	-
1798	PRE N/mm2	GY	-0.330	-	-	-	-	-
1799	PRE N/mm2	GY	-0.330	-	-	-	-	-
1800	PRE N/mm2	GY	-0.330	-	-	-	-	-
1801	PRE N/mm2	GY	-0.330	-	-	-	-	-
1802	PRE N/mm2	GY	-0.330	-	-	-	-	-
1803	PRE N/mm2	GY	-0.330	-	-	-	-	-
1804	PRE N/mm2	GY	-0.330	-	-	-	-	-
1805	PRE N/mm2	GY	-0.330	-	-	-	-	-
1806	PRE N/mm2	GY	-0.330	-	-	-	-	-
1807	PRE N/mm2	GY	-0.330	-	-	-	-	-
1808	PRE N/mm2	GY	-0.330	-	-	-	-	-
1809	PRE N/mm2	GY	-0.330	-	-	-	-	-
1810	PRE N/mm2	GY	-0.330	-	-	-	-	-
1811	PRE N/mm2	GY	-0.330	-	-	-	-	-
1812	PRE N/mm2	GY	-0.330	-	-	-	-	-
1813	PRE N/mm2	GY	-0.330	-	-	-	-	-
1814	PRE N/mm2	GY	-0.330	-	-	-	-	-
1815	PRE N/mm2	GY	-0.330	-	-	-	-	-
1816	PRE N/mm2	GY	-0.330	-	-	-	-	-
1817	PRE N/mm2	GY	-0.330	-	-	-	-	-
1818	PRE N/mm2	GY	-0.330	-	-	-	-	-
1819	PRE N/mm2	GY	-0.330	-	-	-	-	-
1820	PRE N/mm2	GY	-0.330	-	-	-	-	-
1821	PRE N/mm2	GY	-0.330	-	-	-	-	-
1822	PRE N/mm2	GY	-0.330	-	-	-	-	-
1823	PRE N/mm2	GY	-0.330	-	-	-	-	-
1824	PRE N/mm2	GY	-0.330	-	-	-	-	-
1825	PRE N/mm2	GY	-0.330	-	-	-	-	-
1826	PRE N/mm2	GY	-0.330	-	-	-	-	-
1827	PRE N/mm2	GY	-0.330	-	-	-	-	-
1828	PRE N/mm2	GY	-0.330	-	-	-	-	-
1829	PRE N/mm2	GY	-0.330	-	-	-	-	-
1830	PRE N/mm2	GY	-0.330	-	-	-	-	-
1831	PRE N/mm2	GY	-0.330	-	-	-	-	-
1832	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1833	PRE N/mm2	GY	-0.330	-	-	-	-	-
1834	PRE N/mm2	GY	-0.330	-	-	-	-	-
1835	PRE N/mm2	GY	-0.330	-	-	-	-	-
1836	PRE N/mm2	GY	-0.330	-	-	-	-	-
1837	PRE N/mm2	GY	-0.330	-	-	-	-	-
1838	PRE N/mm2	GY	-0.330	-	-	-	-	-
1839	PRE N/mm2	GY	-0.330	-	-	-	-	-
1840	PRE N/mm2	GY	-0.330	-	-	-	-	-
1841	PRE N/mm2	GY	-0.330	-	-	-	-	-
1842	PRE N/mm2	GY	-0.330	-	-	-	-	-
1843	PRE N/mm2	GY	-0.330	-	-	-	-	-
1844	PRE N/mm2	GY	-0.330	-	-	-	-	-
1845	PRE N/mm2	GY	-0.330	-	-	-	-	-
1846	PRE N/mm2	GY	-0.330	-	-	-	-	-
1847	PRE N/mm2	GY	-0.330	-	-	-	-	-
1848	PRE N/mm2	GY	-0.330	-	-	-	-	-
1849	PRE N/mm2	GY	-0.330	-	-	-	-	-
1850	PRE N/mm2	GY	-0.330	-	-	-	-	-
1851	PRE N/mm2	GY	-0.330	-	-	-	-	-
1852	PRE N/mm2	GY	-0.330	-	-	-	-	-
1853	PRE N/mm2	GY	-0.330	-	-	-	-	-
1854	PRE N/mm2	GY	-0.330	-	-	-	-	-
1855	PRE N/mm2	GY	-0.330	-	-	-	-	-
1856	PRE N/mm2	GY	-0.330	-	-	-	-	-
1857	PRE N/mm2	GY	-0.330	-	-	-	-	-
1858	PRE N/mm2	GY	-0.330	-	-	-	-	-
1859	PRE N/mm2	GY	-0.330	-	-	-	-	-
1860	PRE N/mm2	GY	-0.330	-	-	-	-	-
1861	PRE N/mm2	GY	-0.330	-	-	-	-	-
1862	PRE N/mm2	GY	-0.330	-	-	-	-	-
1863	PRE N/mm2	GY	-0.330	-	-	-	-	-
1864	PRE N/mm2	GY	-0.330	-	-	-	-	-
1865	PRE N/mm2	GY	-0.330	-	-	-	-	-
1866	PRE N/mm2	GY	-0.330	-	-	-	-	-
1867	PRE N/mm2	GY	-0.330	-	-	-	-	-
1868	PRE N/mm2	GY	-0.330	-	-	-	-	-
1869	PRE N/mm2	GY	-0.330	-	-	-	-	-
1870	PRE N/mm2	GY	-0.330	-	-	-	-	-
1871	PRE N/mm2	GY	-0.330	-	-	-	-	-
1872	PRE N/mm2	GY	-0.330	-	-	-	-	-
1873	PRE N/mm2	GY	-0.330	-	-	-	-	-
1874	PRE N/mm2	GY	-0.330	-	-	-	-	-
1875	PRE N/mm2	GY	-0.330	-	-	-	-	-
1876	PRE N/mm2	GY	-0.330	-	-	-	-	-
1877	PRE N/mm2	GY	-0.330	-	-	-	-	-
1878	PRE N/mm2	GY	-0.330	-	-	-	-	-
1879	PRE N/mm2	GY	-0.330	-	-	-	-	-
1880	PRE N/mm2	GY	-0.330	-	-	-	-	-
1881	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1882	PRE N/mm2	GY	-0.330	-	-	-	-	-
1883	PRE N/mm2	GY	-0.330	-	-	-	-	-
1884	PRE N/mm2	GY	-0.330	-	-	-	-	-
1885	PRE N/mm2	GY	-0.330	-	-	-	-	-
1886	PRE N/mm2	GY	-0.330	-	-	-	-	-
1887	PRE N/mm2	GY	-0.330	-	-	-	-	-
1888	PRE N/mm2	GY	-0.330	-	-	-	-	-
1889	PRE N/mm2	GY	-0.330	-	-	-	-	-
1890	PRE N/mm2	GY	-0.330	-	-	-	-	-
1891	PRE N/mm2	GY	-0.330	-	-	-	-	-
1892	PRE N/mm2	GY	-0.330	-	-	-	-	-
1893	PRE N/mm2	GY	-0.330	-	-	-	-	-
1894	PRE N/mm2	GY	-0.330	-	-	-	-	-
1895	PRE N/mm2	GY	-0.330	-	-	-	-	-
1896	PRE N/mm2	GY	-0.330	-	-	-	-	-
1897	PRE N/mm2	GY	-0.330	-	-	-	-	-
1898	PRE N/mm2	GY	-0.330	-	-	-	-	-
1899	PRE N/mm2	GY	-0.330	-	-	-	-	-
1900	PRE N/mm2	GY	-0.330	-	-	-	-	-
1901	PRE N/mm2	GY	-0.330	-	-	-	-	-
1902	PRE N/mm2	GY	-0.330	-	-	-	-	-
1903	PRE N/mm2	GY	-0.330	-	-	-	-	-
1904	PRE N/mm2	GY	-0.330	-	-	-	-	-
1905	PRE N/mm2	GY	-0.330	-	-	-	-	-
1906	PRE N/mm2	GY	-0.330	-	-	-	-	-
1907	PRE N/mm2	GY	-0.330	-	-	-	-	-
1908	PRE N/mm2	GY	-0.330	-	-	-	-	-
1909	PRE N/mm2	GY	-0.330	-	-	-	-	-
1910	PRE N/mm2	GY	-0.330	-	-	-	-	-
1911	PRE N/mm2	GY	-0.330	-	-	-	-	-
1912	PRE N/mm2	GY	-0.330	-	-	-	-	-
1913	PRE N/mm2	GY	-0.330	-	-	-	-	-
1914	PRE N/mm2	GY	-0.330	-	-	-	-	-
1915	PRE N/mm2	GY	-0.330	-	-	-	-	-
1916	PRE N/mm2	GY	-0.330	-	-	-	-	-
1917	PRE N/mm2	GY	-0.330	-	-	-	-	-
1918	PRE N/mm2	GY	-0.330	-	-	-	-	-
1919	PRE N/mm2	GY	-0.330	-	-	-	-	-
1920	PRE N/mm2	GY	-0.330	-	-	-	-	-
1921	PRE N/mm2	GY	-0.330	-	-	-	-	-
1922	PRE N/mm2	GY	-0.330	-	-	-	-	-
1923	PRE N/mm2	GY	-0.330	-	-	-	-	-
1924	PRE N/mm2	GY	-0.330	-	-	-	-	-
1925	PRE N/mm2	GY	-0.330	-	-	-	-	-
1926	PRE N/mm2	GY	-0.330	-	-	-	-	-
1927	PRE N/mm2	GY	-0.330	-	-	-	-	-
1928	PRE N/mm2	GY	-0.330	-	-	-	-	-
1929	PRE N/mm2	GY	-0.330	-	-	-	-	-
1930	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1931	PRE N/mm2	GY	-0.330	-	-	-	-	-
1932	PRE N/mm2	GY	-0.330	-	-	-	-	-
1933	PRE N/mm2	GY	-0.330	-	-	-	-	-
1934	PRE N/mm2	GY	-0.330	-	-	-	-	-
1935	PRE N/mm2	GY	-0.330	-	-	-	-	-
1936	PRE N/mm2	GY	-0.330	-	-	-	-	-
1937	PRE N/mm2	GY	-0.330	-	-	-	-	-
1938	PRE N/mm2	GY	-0.330	-	-	-	-	-
1939	PRE N/mm2	GY	-0.330	-	-	-	-	-
1940	PRE N/mm2	GY	-0.330	-	-	-	-	-
1941	PRE N/mm2	GY	-0.330	-	-	-	-	-
1942	PRE N/mm2	GY	-0.330	-	-	-	-	-
1943	PRE N/mm2	GY	-0.330	-	-	-	-	-
1944	PRE N/mm2	GY	-0.330	-	-	-	-	-
1945	PRE N/mm2	GY	-0.330	-	-	-	-	-
1946	PRE N/mm2	GY	-0.330	-	-	-	-	-
1947	PRE N/mm2	GY	-0.330	-	-	-	-	-
1948	PRE N/mm2	GY	-0.330	-	-	-	-	-
1949	PRE N/mm2	GY	-0.330	-	-	-	-	-
1950	PRE N/mm2	GY	-0.330	-	-	-	-	-
1951	PRE N/mm2	GY	-0.330	-	-	-	-	-
1952	PRE N/mm2	GY	-0.330	-	-	-	-	-
1953	PRE N/mm2	GY	-0.330	-	-	-	-	-
1954	PRE N/mm2	GY	-0.330	-	-	-	-	-
1955	PRE N/mm2	GY	-0.330	-	-	-	-	-
1956	PRE N/mm2	GY	-0.330	-	-	-	-	-
1957	PRE N/mm2	GY	-0.330	-	-	-	-	-
1958	PRE N/mm2	GY	-0.330	-	-	-	-	-
1959	PRE N/mm2	GY	-0.330	-	-	-	-	-
1960	PRE N/mm2	GY	-0.330	-	-	-	-	-
1961	PRE N/mm2	GY	-0.330	-	-	-	-	-
1962	PRE N/mm2	GY	-0.330	-	-	-	-	-
1963	PRE N/mm2	GY	-0.330	-	-	-	-	-
1964	PRE N/mm2	GY	-0.330	-	-	-	-	-
1965	PRE N/mm2	GY	-0.330	-	-	-	-	-
1966	PRE N/mm2	GY	-0.330	-	-	-	-	-
1967	PRE N/mm2	GY	-0.330	-	-	-	-	-
1968	PRE N/mm2	GY	-0.330	-	-	-	-	-
1969	PRE N/mm2	GY	-0.330	-	-	-	-	-
1970	PRE N/mm2	GY	-0.330	-	-	-	-	-
1971	PRE N/mm2	GY	-0.330	-	-	-	-	-
1972	PRE N/mm2	GY	-0.330	-	-	-	-	-
1973	PRE N/mm2	GY	-0.330	-	-	-	-	-
1974	PRE N/mm2	GY	-0.330	-	-	-	-	-
1975	PRE N/mm2	GY	-0.330	-	-	-	-	-
1976	PRE N/mm2	GY	-0.330	-	-	-	-	-
1977	PRE N/mm2	GY	-0.330	-	-	-	-	-
1978	PRE N/mm2	GY	-0.330	-	-	-	-	-
1979	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1980	PRE N/mm2	GY	-0.330	-	-	-	-	-
1981	PRE N/mm2	GY	-0.330	-	-	-	-	-
1982	PRE N/mm2	GY	-0.330	-	-	-	-	-
1983	PRE N/mm2	GY	-0.330	-	-	-	-	-
1984	PRE N/mm2	GY	-0.330	-	-	-	-	-
1985	PRE N/mm2	GY	-0.330	-	-	-	-	-
1986	PRE N/mm2	GY	-0.330	-	-	-	-	-
1987	PRE N/mm2	GY	-0.330	-	-	-	-	-
1988	PRE N/mm2	GY	-0.330	-	-	-	-	-
1989	PRE N/mm2	GY	-0.330	-	-	-	-	-
1990	PRE N/mm2	GY	-0.330	-	-	-	-	-
1991	PRE N/mm2	GY	-0.330	-	-	-	-	-
1992	PRE N/mm2	GY	-0.330	-	-	-	-	-
1993	PRE N/mm2	GY	-0.330	-	-	-	-	-
1994	PRE N/mm2	GY	-0.330	-	-	-	-	-
1995	PRE N/mm2	GY	-0.330	-	-	-	-	-
1996	PRE N/mm2	GY	-0.330	-	-	-	-	-
1997	PRE N/mm2	GY	-0.330	-	-	-	-	-
1998	PRE N/mm2	GY	-0.330	-	-	-	-	-
1999	PRE N/mm2	GY	-0.330	-	-	-	-	-
2000	PRE N/mm2	GY	-0.330	-	-	-	-	-
2001	PRE N/mm2	GY	-0.330	-	-	-	-	-
2002	PRE N/mm2	GY	-0.330	-	-	-	-	-
2003	PRE N/mm2	GY	-0.330	-	-	-	-	-
2004	PRE N/mm2	GY	-0.330	-	-	-	-	-
2005	PRE N/mm2	GY	-0.330	-	-	-	-	-
2006	PRE N/mm2	GY	-0.330	-	-	-	-	-
2007	PRE N/mm2	GY	-0.330	-	-	-	-	-
2008	PRE N/mm2	GY	-0.330	-	-	-	-	-
2009	PRE N/mm2	GY	-0.330	-	-	-	-	-
2010	PRE N/mm2	GY	-0.330	-	-	-	-	-
2011	PRE N/mm2	GY	-0.330	-	-	-	-	-
2012	PRE N/mm2	GY	-0.330	-	-	-	-	-
2013	PRE N/mm2	GY	-0.330	-	-	-	-	-
2014	PRE N/mm2	GY	-0.330	-	-	-	-	-
2015	PRE N/mm2	GY	-0.330	-	-	-	-	-
2016	PRE N/mm2	GY	-0.330	-	-	-	-	-
2017	PRE N/mm2	GY	-0.330	-	-	-	-	-
2018	PRE N/mm2	GY	-0.330	-	-	-	-	-
2019	PRE N/mm2	GY	-0.330	-	-	-	-	-
2020	PRE N/mm2	GY	-0.330	-	-	-	-	-
2021	PRE N/mm2	GY	-0.330	-	-	-	-	-
2022	PRE N/mm2	GY	-0.330	-	-	-	-	-
2023	PRE N/mm2	GY	-0.330	-	-	-	-	-
2024	PRE N/mm2	GY	-0.330	-	-	-	-	-
2025	PRE N/mm2	GY	-0.330	-	-	-	-	-
2026	PRE N/mm2	GY	-0.330	-	-	-	-	-
2027	PRE N/mm2	GY	-0.330	-	-	-	-	-
2028	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2029	PRE N/mm2	GY	-0.330	-	-	-	-	-
2030	PRE N/mm2	GY	-0.330	-	-	-	-	-
2031	PRE N/mm2	GY	-0.330	-	-	-	-	-
2032	PRE N/mm2	GY	-0.330	-	-	-	-	-
2033	PRE N/mm2	GY	-0.330	-	-	-	-	-
2034	PRE N/mm2	GY	-0.330	-	-	-	-	-
2035	PRE N/mm2	GY	-0.330	-	-	-	-	-
2036	PRE N/mm2	GY	-0.330	-	-	-	-	-
2037	PRE N/mm2	GY	-0.330	-	-	-	-	-
2038	PRE N/mm2	GY	-0.330	-	-	-	-	-
2039	PRE N/mm2	GY	-0.330	-	-	-	-	-
2040	PRE N/mm2	GY	-0.330	-	-	-	-	-
2041	PRE N/mm2	GY	-0.330	-	-	-	-	-
2042	PRE N/mm2	GY	-0.330	-	-	-	-	-
2043	PRE N/mm2	GY	-0.330	-	-	-	-	-
2044	PRE N/mm2	GY	-0.330	-	-	-	-	-
2045	PRE N/mm2	GY	-0.330	-	-	-	-	-
2046	PRE N/mm2	GY	-0.330	-	-	-	-	-
2047	PRE N/mm2	GY	-0.330	-	-	-	-	-
2048	PRE N/mm2	GY	-0.330	-	-	-	-	-
2049	PRE N/mm2	GY	-0.330	-	-	-	-	-
2050	PRE N/mm2	GY	-0.330	-	-	-	-	-
2051	PRE N/mm2	GY	-0.330	-	-	-	-	-
2052	PRE N/mm2	GY	-0.330	-	-	-	-	-
2053	PRE N/mm2	GY	-0.330	-	-	-	-	-
2054	PRE N/mm2	GY	-0.330	-	-	-	-	-
2055	PRE N/mm2	GY	-0.330	-	-	-	-	-
2056	PRE N/mm2	GY	-0.330	-	-	-	-	-
2057	PRE N/mm2	GY	-0.330	-	-	-	-	-
2058	PRE N/mm2	GY	-0.330	-	-	-	-	-
2059	PRE N/mm2	GY	-0.330	-	-	-	-	-
2060	PRE N/mm2	GY	-0.330	-	-	-	-	-
2061	PRE N/mm2	GY	-0.330	-	-	-	-	-
2062	PRE N/mm2	GY	-0.330	-	-	-	-	-
2063	PRE N/mm2	GY	-0.330	-	-	-	-	-
2064	PRE N/mm2	GY	-0.330	-	-	-	-	-
2065	PRE N/mm2	GY	-0.330	-	-	-	-	-
2066	PRE N/mm2	GY	-0.330	-	-	-	-	-
2067	PRE N/mm2	GY	-0.330	-	-	-	-	-
2068	PRE N/mm2	GY	-0.330	-	-	-	-	-
2069	PRE N/mm2	GY	-0.330	-	-	-	-	-
2070	PRE N/mm2	GY	-0.330	-	-	-	-	-
2071	PRE N/mm2	GY	-0.330	-	-	-	-	-
2072	PRE N/mm2	GY	-0.330	-	-	-	-	-
2073	PRE N/mm2	GY	-0.330	-	-	-	-	-
2074	PRE N/mm2	GY	-0.330	-	-	-	-	-
2075	PRE N/mm2	GY	-0.330	-	-	-	-	-
2076	PRE N/mm2	GY	-0.330	-	-	-	-	-
2077	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2078	PRE N/mm2	GY	-0.330	-	-	-	-	-
2079	PRE N/mm2	GY	-0.330	-	-	-	-	-
2080	PRE N/mm2	GY	-0.330	-	-	-	-	-
2081	PRE N/mm2	GY	-0.330	-	-	-	-	-
2082	PRE N/mm2	GY	-0.330	-	-	-	-	-
2083	PRE N/mm2	GY	-0.330	-	-	-	-	-
2084	PRE N/mm2	GY	-0.330	-	-	-	-	-
2085	PRE N/mm2	GY	-0.330	-	-	-	-	-
2086	PRE N/mm2	GY	-0.330	-	-	-	-	-
2087	PRE N/mm2	GY	-0.330	-	-	-	-	-
2088	PRE N/mm2	GY	-0.330	-	-	-	-	-
2089	PRE N/mm2	GY	-0.330	-	-	-	-	-
2090	PRE N/mm2	GY	-0.330	-	-	-	-	-
2091	PRE N/mm2	GY	-0.330	-	-	-	-	-
2092	PRE N/mm2	GY	-0.330	-	-	-	-	-
2093	PRE N/mm2	GY	-0.330	-	-	-	-	-
2094	PRE N/mm2	GY	-0.330	-	-	-	-	-
2095	PRE N/mm2	GY	-0.330	-	-	-	-	-
2096	PRE N/mm2	GY	-0.330	-	-	-	-	-
2097	PRE N/mm2	GY	-0.330	-	-	-	-	-
2098	PRE N/mm2	GY	-0.330	-	-	-	-	-
2099	PRE N/mm2	GY	-0.330	-	-	-	-	-
2100	PRE N/mm2	GY	-0.330	-	-	-	-	-
2101	PRE N/mm2	GY	-0.330	-	-	-	-	-
2102	PRE N/mm2	GY	-0.330	-	-	-	-	-
2103	PRE N/mm2	GY	-0.330	-	-	-	-	-
2104	PRE N/mm2	GY	-0.330	-	-	-	-	-
2105	PRE N/mm2	GY	-0.330	-	-	-	-	-
2106	PRE N/mm2	GY	-0.330	-	-	-	-	-
2107	PRE N/mm2	GY	-0.330	-	-	-	-	-
2108	PRE N/mm2	GY	-0.330	-	-	-	-	-
2109	PRE N/mm2	GY	-0.330	-	-	-	-	-
2110	PRE N/mm2	GY	-0.330	-	-	-	-	-
2111	PRE N/mm2	GY	-0.330	-	-	-	-	-
2112	PRE N/mm2	GY	-0.330	-	-	-	-	-
2113	PRE N/mm2	GY	-0.330	-	-	-	-	-
2114	PRE N/mm2	GY	-0.330	-	-	-	-	-
2115	PRE N/mm2	GY	-0.330	-	-	-	-	-
2116	PRE N/mm2	GY	-0.330	-	-	-	-	-
2117	PRE N/mm2	GY	-0.330	-	-	-	-	-
2118	PRE N/mm2	GY	-0.330	-	-	-	-	-
2119	PRE N/mm2	GY	-0.330	-	-	-	-	-
2120	PRE N/mm2	GY	-0.330	-	-	-	-	-
2121	PRE N/mm2	GY	-0.330	-	-	-	-	-
2122	PRE N/mm2	GY	-0.330	-	-	-	-	-
2123	PRE N/mm2	GY	-0.330	-	-	-	-	-
2124	PRE N/mm2	GY	-0.330	-	-	-	-	-
2125	PRE N/mm2	GY	-0.330	-	-	-	-	-
2126	PRE N/mm2	GY	-0.330	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2127	PRE N/mm2	GY	-0.330	-	-	-	-	-
2128	PRE N/mm2	GY	-0.330	-	-	-	-	-
2129	PRE N/mm2	GY	-0.330	-	-	-	-	-
2130	PRE N/mm2	GY	-0.330	-	-	-	-	-
2131	PRE N/mm2	GY	-0.330	-	-	-	-	-
2132	PRE N/mm2	GY	-0.330	-	-	-	-	-
2133	PRE N/mm2	GY	-0.330	-	-	-	-	-
2134	PRE N/mm2	GY	-0.330	-	-	-	-	-
2135	PRE N/mm2	GY	-0.330	-	-	-	-	-
2136	PRE N/mm2	GY	-0.330	-	-	-	-	-
2137	PRE N/mm2	GY	-0.330	-	-	-	-	-
2138	PRE N/mm2	GY	-0.330	-	-	-	-	-
2139	PRE N/mm2	GY	-0.330	-	-	-	-	-
2140	PRE N/mm2	GY	-0.330	-	-	-	-	-
2141	PRE N/mm2	GY	-0.330	-	-	-	-	-
2142	PRE N/mm2	GY	-0.330	-	-	-	-	-
2143	PRE N/mm2	GY	-0.330	-	-	-	-	-
2144	PRE N/mm2	GY	-0.330	-	-	-	-	-
2145	PRE N/mm2	GY	-0.330	-	-	-	-	-
2146	PRE N/mm2	GY	-0.330	-	-	-	-	-
2147	PRE N/mm2	GY	-0.330	-	-	-	-	-
2148	PRE N/mm2	GY	-0.330	-	-	-	-	-
2149	PRE N/mm2	GY	-0.330	-	-	-	-	-
2150	PRE N/mm2	GY	-0.330	-	-	-	-	-
2151	PRE N/mm2	GY	-0.330	-	-	-	-	-
2152	PRE N/mm2	GY	-0.330	-	-	-	-	-
2153	PRE N/mm2	GY	-0.330	-	-	-	-	-
2154	PRE N/mm2	GY	-0.330	-	-	-	-	-
2155	PRE N/mm2	GY	-0.330	-	-	-	-	-
2156	PRE N/mm2	GY	-0.330	-	-	-	-	-
2157	PRE N/mm2	GY	-0.330	-	-	-	-	-
2158	PRE N/mm2	GY	-0.330	-	-	-	-	-
2159	PRE N/mm2	GY	-0.330	-	-	-	-	-
2160	PRE N/mm2	GY	-0.330	-	-	-	-	-
2161	PRE N/mm2	GY	-0.330	-	-	-	-	-
2162	PRE N/mm2	GY	-0.330	-	-	-	-	-
2163	PRE N/mm2	GY	-0.330	-	-	-	-	-
2164	PRE N/mm2	GY	-0.330	-	-	-	-	-
2165	PRE N/mm2	GY	-0.330	-	-	-	-	-
2166	PRE N/mm2	GY	-0.330	-	-	-	-	-
2167	PRE N/mm2	GY	-0.330	-	-	-	-	-
2168	PRE N/mm2	GY	-0.330	-	-	-	-	-
2169	PRE N/mm2	GY	-0.330	-	-	-	-	-
2170	PRE N/mm2	GY	-0.330	-	-	-	-	-
2171	PRE N/mm2	GY	-0.330	-	-	-	-	-
2172	PRE N/mm2	GY	-0.330	-	-	-	-	-
2173	PRE N/mm2	GY	-0.330	-	-	-	-	-
2174	PRE N/mm2	GY	-0.330	-	-	-	-	-
2175	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2176	PRE N/mm2	GY	-0.330	-	-	-	-	-
2177	PRE N/mm2	GY	-0.330	-	-	-	-	-
2178	PRE N/mm2	GY	-0.330	-	-	-	-	-
2179	PRE N/mm2	GY	-0.330	-	-	-	-	-
2180	PRE N/mm2	GY	-0.330	-	-	-	-	-
2181	PRE N/mm2	GY	-0.330	-	-	-	-	-
2182	PRE N/mm2	GY	-0.330	-	-	-	-	-
2183	PRE N/mm2	GY	-0.330	-	-	-	-	-
2184	PRE N/mm2	GY	-0.330	-	-	-	-	-
2185	PRE N/mm2	GY	-0.330	-	-	-	-	-
2186	PRE N/mm2	GY	-0.330	-	-	-	-	-
2187	PRE N/mm2	GY	-0.330	-	-	-	-	-
2188	PRE N/mm2	GY	-0.330	-	-	-	-	-
2189	PRE N/mm2	GY	-0.330	-	-	-	-	-
2190	PRE N/mm2	GY	-0.330	-	-	-	-	-
2191	PRE N/mm2	GY	-0.330	-	-	-	-	-
2192	PRE N/mm2	GY	-0.330	-	-	-	-	-
2193	PRE N/mm2	GY	-0.330	-	-	-	-	-
2194	PRE N/mm2	GY	-0.330	-	-	-	-	-
2195	PRE N/mm2	GY	-0.330	-	-	-	-	-
2196	PRE N/mm2	GY	-0.330	-	-	-	-	-
2197	PRE N/mm2	GY	-0.330	-	-	-	-	-
2198	PRE N/mm2	GY	-0.330	-	-	-	-	-
2199	PRE N/mm2	GY	-0.330	-	-	-	-	-
2200	PRE N/mm2	GY	-0.330	-	-	-	-	-
2201	PRE N/mm2	GY	-0.330	-	-	-	-	-
2202	PRE N/mm2	GY	-0.330	-	-	-	-	-
2203	PRE N/mm2	GY	-0.330	-	-	-	-	-
2204	PRE N/mm2	GY	-0.330	-	-	-	-	-
2205	PRE N/mm2	GY	-0.330	-	-	-	-	-
2206	PRE N/mm2	GY	-0.330	-	-	-	-	-
2207	PRE N/mm2	GY	-0.330	-	-	-	-	-
2208	PRE N/mm2	GY	-0.330	-	-	-	-	-
2209	PRE N/mm2	GY	-0.330	-	-	-	-	-
2210	PRE N/mm2	GY	-0.330	-	-	-	-	-
2211	PRE N/mm2	GY	-0.330	-	-	-	-	-
2212	PRE N/mm2	GY	-0.330	-	-	-	-	-
2213	PRE N/mm2	GY	-0.330	-	-	-	-	-
2214	PRE N/mm2	GY	-0.330	-	-	-	-	-
2215	PRE N/mm2	GY	-0.330	-	-	-	-	-
2216	PRE N/mm2	GY	-0.330	-	-	-	-	-
2217	PRE N/mm2	GY	-0.330	-	-	-	-	-
2218	PRE N/mm2	GY	-0.330	-	-	-	-	-
2219	PRE N/mm2	GY	-0.330	-	-	-	-	-
2220	PRE N/mm2	GY	-0.330	-	-	-	-	-
2221	PRE N/mm2	GY	-0.330	-	-	-	-	-
2222	PRE N/mm2	GY	-0.330	-	-	-	-	-
2223	PRE N/mm2	GY	-0.330	-	-	-	-	-
2224	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2225	PRE N/mm2	GY	-0.330	-	-	-	-	-
2226	PRE N/mm2	GY	-0.330	-	-	-	-	-
2227	PRE N/mm2	GY	-0.330	-	-	-	-	-
2228	PRE N/mm2	GY	-0.330	-	-	-	-	-
2229	PRE N/mm2	GY	-0.330	-	-	-	-	-
2230	PRE N/mm2	GY	-0.330	-	-	-	-	-
2231	PRE N/mm2	GY	-0.330	-	-	-	-	-
2232	PRE N/mm2	GY	-0.330	-	-	-	-	-
2233	PRE N/mm2	GY	-0.330	-	-	-	-	-
2234	PRE N/mm2	GY	-0.330	-	-	-	-	-
2235	PRE N/mm2	GY	-0.330	-	-	-	-	-
2236	PRE N/mm2	GY	-0.330	-	-	-	-	-
2237	PRE N/mm2	GY	-0.330	-	-	-	-	-
2238	PRE N/mm2	GY	-0.330	-	-	-	-	-
2239	PRE N/mm2	GY	-0.330	-	-	-	-	-
2240	PRE N/mm2	GY	-0.330	-	-	-	-	-
2241	PRE N/mm2	GY	-0.330	-	-	-	-	-
2242	PRE N/mm2	GY	-0.330	-	-	-	-	-
2243	PRE N/mm2	GY	-0.330	-	-	-	-	-
2244	PRE N/mm2	GY	-0.330	-	-	-	-	-
2245	PRE N/mm2	GY	-0.330	-	-	-	-	-
2246	PRE N/mm2	GY	-0.330	-	-	-	-	-
2247	PRE N/mm2	GY	-0.330	-	-	-	-	-
2248	PRE N/mm2	GY	-0.330	-	-	-	-	-
2249	PRE N/mm2	GY	-0.330	-	-	-	-	-
2250	PRE N/mm2	GY	-0.330	-	-	-	-	-
2251	PRE N/mm2	GY	-0.330	-	-	-	-	-
2252	PRE N/mm2	GY	-0.330	-	-	-	-	-
2253	PRE N/mm2	GY	-0.330	-	-	-	-	-
2254	PRE N/mm2	GY	-0.330	-	-	-	-	-
2255	PRE N/mm2	GY	-0.330	-	-	-	-	-
2256	PRE N/mm2	GY	-0.330	-	-	-	-	-
2257	PRE N/mm2	GY	-0.330	-	-	-	-	-
2258	PRE N/mm2	GY	-0.330	-	-	-	-	-
2259	PRE N/mm2	GY	-0.330	-	-	-	-	-
2260	PRE N/mm2	GY	-0.330	-	-	-	-	-
2261	PRE N/mm2	GY	-0.330	-	-	-	-	-
2262	PRE N/mm2	GY	-0.330	-	-	-	-	-
2263	PRE N/mm2	GY	-0.330	-	-	-	-	-
2264	PRE N/mm2	GY	-0.330	-	-	-	-	-
2265	PRE N/mm2	GY	-0.330	-	-	-	-	-
2266	PRE N/mm2	GY	-0.330	-	-	-	-	-
2267	PRE N/mm2	GY	-0.330	-	-	-	-	-
2268	PRE N/mm2	GY	-0.330	-	-	-	-	-
2269	PRE N/mm2	GY	-0.330	-	-	-	-	-
2270	PRE N/mm2	GY	-0.330	-	-	-	-	-
2271	PRE N/mm2	GY	-0.330	-	-	-	-	-
2272	PRE N/mm2	GY	-0.330	-	-	-	-	-
2273	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2274	PRE N/mm2	GY	-0.330	-	-	-	-	-
2275	PRE N/mm2	GY	-0.330	-	-	-	-	-
2276	PRE N/mm2	GY	-0.330	-	-	-	-	-
2277	PRE N/mm2	GY	-0.330	-	-	-	-	-
2278	PRE N/mm2	GY	-0.330	-	-	-	-	-
2279	PRE N/mm2	GY	-0.330	-	-	-	-	-
2280	PRE N/mm2	GY	-0.330	-	-	-	-	-
2281	PRE N/mm2	GY	-0.330	-	-	-	-	-
2282	PRE N/mm2	GY	-0.330	-	-	-	-	-
2283	PRE N/mm2	GY	-0.330	-	-	-	-	-
2284	PRE N/mm2	GY	-0.330	-	-	-	-	-
2285	PRE N/mm2	GY	-0.330	-	-	-	-	-
2286	PRE N/mm2	GY	-0.330	-	-	-	-	-
2287	PRE N/mm2	GY	-0.330	-	-	-	-	-
2288	PRE N/mm2	GY	-0.330	-	-	-	-	-
2289	PRE N/mm2	GY	-0.330	-	-	-	-	-
2290	PRE N/mm2	GY	-0.330	-	-	-	-	-
2291	PRE N/mm2	GY	-0.330	-	-	-	-	-
2292	PRE N/mm2	GY	-0.330	-	-	-	-	-
2293	PRE N/mm2	GY	-0.330	-	-	-	-	-
2294	PRE N/mm2	GY	-0.330	-	-	-	-	-
2295	PRE N/mm2	GY	-0.330	-	-	-	-	-
2296	PRE N/mm2	GY	-0.330	-	-	-	-	-
2297	PRE N/mm2	GY	-0.330	-	-	-	-	-
2298	PRE N/mm2	GY	-0.330	-	-	-	-	-
2299	PRE N/mm2	GY	-0.330	-	-	-	-	-
2300	PRE N/mm2	GY	-0.330	-	-	-	-	-
2301	PRE N/mm2	GY	-0.330	-	-	-	-	-
2302	PRE N/mm2	GY	-0.330	-	-	-	-	-
2303	PRE N/mm2	GY	-0.330	-	-	-	-	-
2304	PRE N/mm2	GY	-0.330	-	-	-	-	-
2305	PRE N/mm2	GY	-0.330	-	-	-	-	-
2306	PRE N/mm2	GY	-0.330	-	-	-	-	-
2307	PRE N/mm2	GY	-0.330	-	-	-	-	-
2308	PRE N/mm2	GY	-0.330	-	-	-	-	-
2309	PRE N/mm2	GY	-0.330	-	-	-	-	-
2310	PRE N/mm2	GY	-0.330	-	-	-	-	-
2311	PRE N/mm2	GY	-0.330	-	-	-	-	-
2312	PRE N/mm2	GY	-0.330	-	-	-	-	-
2313	PRE N/mm2	GY	-0.330	-	-	-	-	-
2314	PRE N/mm2	GY	-0.330	-	-	-	-	-
2315	PRE N/mm2	GY	-0.330	-	-	-	-	-
2316	PRE N/mm2	GY	-0.330	-	-	-	-	-
2317	PRE N/mm2	GY	-0.330	-	-	-	-	-
2318	PRE N/mm2	GY	-0.330	-	-	-	-	-
2319	PRE N/mm2	GY	-0.330	-	-	-	-	-
2320	PRE N/mm2	GY	-0.330	-	-	-	-	-
2321	PRE N/mm2	GY	-0.330	-	-	-	-	-
2322	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2323	PRE N/mm2	GY	-0.330	-	-	-	-	-
2324	PRE N/mm2	GY	-0.330	-	-	-	-	-
2325	PRE N/mm2	GY	-0.330	-	-	-	-	-
2326	PRE N/mm2	GY	-0.330	-	-	-	-	-
2327	PRE N/mm2	GY	-0.330	-	-	-	-	-
2328	PRE N/mm2	GY	-0.330	-	-	-	-	-
2329	PRE N/mm2	GY	-0.330	-	-	-	-	-
2330	PRE N/mm2	GY	-0.330	-	-	-	-	-
2331	PRE N/mm2	GY	-0.330	-	-	-	-	-
2332	PRE N/mm2	GY	-0.330	-	-	-	-	-
2333	PRE N/mm2	GY	-0.330	-	-	-	-	-
2334	PRE N/mm2	GY	-0.330	-	-	-	-	-
2335	PRE N/mm2	GY	-0.330	-	-	-	-	-
2336	PRE N/mm2	GY	-0.330	-	-	-	-	-
2337	PRE N/mm2	GY	-0.330	-	-	-	-	-
2338	PRE N/mm2	GY	-0.330	-	-	-	-	-
2339	PRE N/mm2	GY	-0.330	-	-	-	-	-
2340	PRE N/mm2	GY	-0.330	-	-	-	-	-
2341	PRE N/mm2	GY	-0.330	-	-	-	-	-
2342	PRE N/mm2	GY	-0.330	-	-	-	-	-
2343	PRE N/mm2	GY	-0.330	-	-	-	-	-
2344	PRE N/mm2	GY	-0.330	-	-	-	-	-
2345	PRE N/mm2	GY	-0.330	-	-	-	-	-
2346	PRE N/mm2	GY	-0.330	-	-	-	-	-
2347	PRE N/mm2	GY	-0.330	-	-	-	-	-
2348	PRE N/mm2	GY	-0.330	-	-	-	-	-
2349	PRE N/mm2	GY	-0.330	-	-	-	-	-
2350	PRE N/mm2	GY	-0.330	-	-	-	-	-
2351	PRE N/mm2	GY	-0.330	-	-	-	-	-
2352	PRE N/mm2	GY	-0.330	-	-	-	-	-
2353	PRE N/mm2	GY	-0.330	-	-	-	-	-
2354	PRE N/mm2	GY	-0.330	-	-	-	-	-
2355	PRE N/mm2	GY	-0.330	-	-	-	-	-
2356	PRE N/mm2	GY	-0.330	-	-	-	-	-
2357	PRE N/mm2	GY	-0.330	-	-	-	-	-
2358	PRE N/mm2	GY	-0.330	-	-	-	-	-
2359	PRE N/mm2	GY	-0.330	-	-	-	-	-
2360	PRE N/mm2	GY	-0.330	-	-	-	-	-
2361	PRE N/mm2	GY	-0.330	-	-	-	-	-
2362	PRE N/mm2	GY	-0.330	-	-	-	-	-
2363	PRE N/mm2	GY	-0.330	-	-	-	-	-
2364	PRE N/mm2	GY	-0.330	-	-	-	-	-
2365	PRE N/mm2	GY	-0.330	-	-	-	-	-
2366	PRE N/mm2	GY	-0.330	-	-	-	-	-
2367	PRE N/mm2	GY	-0.330	-	-	-	-	-
2368	PRE N/mm2	GY	-0.330	-	-	-	-	-
2369	PRE N/mm2	GY	-0.330	-	-	-	-	-
2370	PRE N/mm2	GY	-0.330	-	-	-	-	-
2371	PRE N/mm2	GY	-0.330	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2372	PRE N/mm2	GY	-0.330	-	-	-	-	-
2373	PRE N/mm2	GY	-0.330	-	-	-	-	-
2374	PRE N/mm2	GY	-0.330	-	-	-	-	-
2375	PRE N/mm2	GY	-0.330	-	-	-	-	-
2376	PRE N/mm2	GY	-0.330	-	-	-	-	-
2377	PRE N/mm2	GY	-0.330	-	-	-	-	-
2378	PRE N/mm2	GY	-0.330	-	-	-	-	-
2379	PRE N/mm2	GY	-0.330	-	-	-	-	-
2380	PRE N/mm2	GY	-0.330	-	-	-	-	-
2381	PRE N/mm2	GY	-0.330	-	-	-	-	-
2382	PRE N/mm2	GY	-0.330	-	-	-	-	-
2383	PRE N/mm2	GY	-0.330	-	-	-	-	-
2384	PRE N/mm2	GY	-0.330	-	-	-	-	-
2385	PRE N/mm2	GY	-0.330	-	-	-	-	-
2386	PRE N/mm2	GY	-0.330	-	-	-	-	-
2387	PRE N/mm2	GY	-0.330	-	-	-	-	-
2388	PRE N/mm2	GY	-0.330	-	-	-	-	-
2389	PRE N/mm2	GY	-0.330	-	-	-	-	-
2390	PRE N/mm2	GY	-0.330	-	-	-	-	-
2391	PRE N/mm2	GY	-0.330	-	-	-	-	-
2392	PRE N/mm2	GY	-0.330	-	-	-	-	-
2393	PRE N/mm2	GY	-0.330	-	-	-	-	-
2394	PRE N/mm2	GY	-0.330	-	-	-	-	-
2395	PRE N/mm2	GY	-0.330	-	-	-	-	-
2396	PRE N/mm2	GY	-0.330	-	-	-	-	-
2397	PRE N/mm2	GY	-0.330	-	-	-	-	-
2398	PRE N/mm2	GY	-0.330	-	-	-	-	-
2399	PRE N/mm2	GY	-0.330	-	-	-	-	-
2400	PRE N/mm2	GY	-0.330	-	-	-	-	-
2401	PRE N/mm2	GY	-0.330	-	-	-	-	-
2402	PRE N/mm2	GY	-0.330	-	-	-	-	-
2403	PRE N/mm2	GY	-0.330	-	-	-	-	-
2560	PRE N/mm2	GY	-0.032	-	-	-	-	-
2561	PRE N/mm2	GY	-0.032	-	-	-	-	-
2562	PRE N/mm2	GY	-0.032	-	-	-	-	-
2563	PRE N/mm2	GY	-0.032	-	-	-	-	-
2564	PRE N/mm2	GY	-0.032	-	-	-	-	-
2565	PRE N/mm2	GY	-0.032	-	-	-	-	-
2566	PRE N/mm2	GY	-0.032	-	-	-	-	-
2567	PRE N/mm2	GY	-0.032	-	-	-	-	-
2568	PRE N/mm2	GY	-0.032	-	-	-	-	-
2569	PRE N/mm2	GY	-0.032	-	-	-	-	-
2570	PRE N/mm2	GY	-0.032	-	-	-	-	-
2571	PRE N/mm2	GY	-0.032	-	-	-	-	-
2572	PRE N/mm2	GY	-0.032	-	-	-	-	-
2573	PRE N/mm2	GY	-0.032	-	-	-	-	-
2574	PRE N/mm2	GY	-0.032	-	-	-	-	-
2575	PRE N/mm2	GY	-0.032	-	-	-	-	-
2576	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2577	PRE N/mm2	GY	-0.032	-	-	-	-	-
2578	PRE N/mm2	GY	-0.032	-	-	-	-	-
2579	PRE N/mm2	GY	-0.032	-	-	-	-	-
2580	PRE N/mm2	GY	-0.032	-	-	-	-	-
2581	PRE N/mm2	GY	-0.032	-	-	-	-	-
2582	PRE N/mm2	GY	-0.032	-	-	-	-	-
2583	PRE N/mm2	GY	-0.032	-	-	-	-	-
2584	PRE N/mm2	GY	-0.032	-	-	-	-	-
2585	PRE N/mm2	GY	-0.032	-	-	-	-	-
2586	PRE N/mm2	GY	-0.032	-	-	-	-	-
2587	PRE N/mm2	GY	-0.032	-	-	-	-	-
2588	PRE N/mm2	GY	-0.032	-	-	-	-	-
2589	PRE N/mm2	GY	-0.032	-	-	-	-	-
2590	PRE N/mm2	GY	-0.032	-	-	-	-	-
2591	PRE N/mm2	GY	-0.032	-	-	-	-	-
2592	PRE N/mm2	GY	-0.032	-	-	-	-	-
2593	PRE N/mm2	GY	-0.032	-	-	-	-	-
2594	PRE N/mm2	GY	-0.032	-	-	-	-	-
2595	PRE N/mm2	GY	-0.032	-	-	-	-	-
2596	PRE N/mm2	GY	-0.032	-	-	-	-	-
2597	PRE N/mm2	GY	-0.032	-	-	-	-	-
2598	PRE N/mm2	GY	-0.032	-	-	-	-	-
2599	PRE N/mm2	GY	-0.032	-	-	-	-	-
2600	PRE N/mm2	GY	-0.032	-	-	-	-	-
2601	PRE N/mm2	GY	-0.032	-	-	-	-	-
2602	PRE N/mm2	GY	-0.032	-	-	-	-	-
2603	PRE N/mm2	GY	-0.032	-	-	-	-	-
2604	PRE N/mm2	GY	-0.032	-	-	-	-	-
2605	PRE N/mm2	GY	-0.032	-	-	-	-	-
2606	PRE N/mm2	GY	-0.032	-	-	-	-	-
2607	PRE N/mm2	GY	-0.032	-	-	-	-	-
2608	PRE N/mm2	GY	-0.032	-	-	-	-	-
2609	PRE N/mm2	GY	-0.032	-	-	-	-	-
2610	PRE N/mm2	GY	-0.032	-	-	-	-	-
2611	PRE N/mm2	GY	-0.032	-	-	-	-	-
2612	PRE N/mm2	GY	-0.032	-	-	-	-	-
2613	PRE N/mm2	GY	-0.032	-	-	-	-	-
2614	PRE N/mm2	GY	-0.032	-	-	-	-	-
2615	PRE N/mm2	GY	-0.032	-	-	-	-	-
2616	PRE N/mm2	GY	-0.032	-	-	-	-	-
2617	PRE N/mm2	GY	-0.032	-	-	-	-	-
2618	PRE N/mm2	GY	-0.032	-	-	-	-	-
2619	PRE N/mm2	GY	-0.032	-	-	-	-	-
2620	PRE N/mm2	GY	-0.032	-	-	-	-	-
2621	PRE N/mm2	GY	-0.032	-	-	-	-	-
2622	PRE N/mm2	GY	-0.032	-	-	-	-	-
2623	PRE N/mm2	GY	-0.032	-	-	-	-	-
2624	PRE N/mm2	GY	-0.032	-	-	-	-	-
2625	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2626	PRE N/mm2	GY	-0.032	-	-	-	-	-
2627	PRE N/mm2	GY	-0.032	-	-	-	-	-
2628	PRE N/mm2	GY	-0.032	-	-	-	-	-
2629	PRE N/mm2	GY	-0.032	-	-	-	-	-
2630	PRE N/mm2	GY	-0.032	-	-	-	-	-
2631	PRE N/mm2	GY	-0.032	-	-	-	-	-
2632	PRE N/mm2	GY	-0.032	-	-	-	-	-
2633	PRE N/mm2	GY	-0.032	-	-	-	-	-
2634	PRE N/mm2	GY	-0.032	-	-	-	-	-
2635	PRE N/mm2	GY	-0.032	-	-	-	-	-
2636	PRE N/mm2	GY	-0.032	-	-	-	-	-
2637	PRE N/mm2	GY	-0.032	-	-	-	-	-
2638	PRE N/mm2	GY	-0.032	-	-	-	-	-
2639	PRE N/mm2	GY	-0.032	-	-	-	-	-
2640	PRE N/mm2	GY	-0.032	-	-	-	-	-
2641	PRE N/mm2	GY	-0.032	-	-	-	-	-
2642	PRE N/mm2	GY	-0.032	-	-	-	-	-
2643	PRE N/mm2	GY	-0.032	-	-	-	-	-
2644	PRE N/mm2	GY	-0.032	-	-	-	-	-
2645	PRE N/mm2	GY	-0.032	-	-	-	-	-
2646	PRE N/mm2	GY	-0.032	-	-	-	-	-
2647	PRE N/mm2	GY	-0.032	-	-	-	-	-
2648	PRE N/mm2	GY	-0.032	-	-	-	-	-
2649	PRE N/mm2	GY	-0.032	-	-	-	-	-
2650	PRE N/mm2	GY	-0.032	-	-	-	-	-
2651	PRE N/mm2	GY	-0.032	-	-	-	-	-
2652	PRE N/mm2	GY	-0.032	-	-	-	-	-
2653	PRE N/mm2	GY	-0.032	-	-	-	-	-
2654	PRE N/mm2	GY	-0.032	-	-	-	-	-
2655	PRE N/mm2	GY	-0.032	-	-	-	-	-
2656	PRE N/mm2	GY	-0.032	-	-	-	-	-
2657	PRE N/mm2	GY	-0.032	-	-	-	-	-
2658	PRE N/mm2	GY	-0.032	-	-	-	-	-
2659	PRE N/mm2	GY	-0.032	-	-	-	-	-
2660	PRE N/mm2	GY	-0.032	-	-	-	-	-
2661	PRE N/mm2	GY	-0.032	-	-	-	-	-
2662	PRE N/mm2	GY	-0.032	-	-	-	-	-
2663	PRE N/mm2	GY	-0.032	-	-	-	-	-
2664	PRE N/mm2	GY	-0.032	-	-	-	-	-
2665	PRE N/mm2	GY	-0.032	-	-	-	-	-
2666	PRE N/mm2	GY	-0.032	-	-	-	-	-
2667	PRE N/mm2	GY	-0.032	-	-	-	-	-
2668	PRE N/mm2	GY	-0.032	-	-	-	-	-
2669	PRE N/mm2	GY	-0.032	-	-	-	-	-
2670	PRE N/mm2	GY	-0.032	-	-	-	-	-
2671	PRE N/mm2	GY	-0.032	-	-	-	-	-
2672	PRE N/mm2	GY	-0.032	-	-	-	-	-
2673	PRE N/mm2	GY	-0.032	-	-	-	-	-
2674	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2675	PRE N/mm2	GY	-0.032	-	-	-	-	-
2676	PRE N/mm2	GY	-0.032	-	-	-	-	-
2677	PRE N/mm2	GY	-0.032	-	-	-	-	-
2678	PRE N/mm2	GY	-0.032	-	-	-	-	-
2679	PRE N/mm2	GY	-0.032	-	-	-	-	-
2680	PRE N/mm2	GY	-0.032	-	-	-	-	-
2681	PRE N/mm2	GY	-0.032	-	-	-	-	-
2682	PRE N/mm2	GY	-0.032	-	-	-	-	-
2683	PRE N/mm2	GY	-0.032	-	-	-	-	-
2684	PRE N/mm2	GY	-0.032	-	-	-	-	-
2685	PRE N/mm2	GY	-0.032	-	-	-	-	-
2686	PRE N/mm2	GY	-0.032	-	-	-	-	-
2687	PRE N/mm2	GY	-0.032	-	-	-	-	-
2688	PRE N/mm2	GY	-0.032	-	-	-	-	-
2689	PRE N/mm2	GY	-0.032	-	-	-	-	-
2690	PRE N/mm2	GY	-0.032	-	-	-	-	-
2691	PRE N/mm2	GY	-0.032	-	-	-	-	-
2692	PRE N/mm2	GY	-0.032	-	-	-	-	-
2693	PRE N/mm2	GY	-0.032	-	-	-	-	-
2694	PRE N/mm2	GY	-0.032	-	-	-	-	-
2695	PRE N/mm2	GY	-0.032	-	-	-	-	-
2696	PRE N/mm2	GY	-0.032	-	-	-	-	-
2697	PRE N/mm2	GY	-0.032	-	-	-	-	-
2698	PRE N/mm2	GY	-0.032	-	-	-	-	-
2699	PRE N/mm2	GY	-0.032	-	-	-	-	-
2700	PRE N/mm2	GY	-0.032	-	-	-	-	-
2701	PRE N/mm2	GY	-0.032	-	-	-	-	-
2702	PRE N/mm2	GY	-0.032	-	-	-	-	-
2703	PRE N/mm2	GY	-0.032	-	-	-	-	-
2704	PRE N/mm2	GY	-0.032	-	-	-	-	-
2705	PRE N/mm2	GY	-0.032	-	-	-	-	-
2706	PRE N/mm2	GY	-0.032	-	-	-	-	-
2707	PRE N/mm2	GY	-0.032	-	-	-	-	-
2708	PRE N/mm2	GY	-0.032	-	-	-	-	-
2709	PRE N/mm2	GY	-0.032	-	-	-	-	-
2710	PRE N/mm2	GY	-0.032	-	-	-	-	-
2711	PRE N/mm2	GY	-0.032	-	-	-	-	-
2712	PRE N/mm2	GY	-0.032	-	-	-	-	-
2713	PRE N/mm2	GY	-0.032	-	-	-	-	-
2714	PRE N/mm2	GY	-0.032	-	-	-	-	-
2715	PRE N/mm2	GY	-0.032	-	-	-	-	-
2716	PRE N/mm2	GY	-0.032	-	-	-	-	-
2717	PRE N/mm2	GY	-0.032	-	-	-	-	-
2718	PRE N/mm2	GY	-0.032	-	-	-	-	-
2719	PRE N/mm2	GY	-0.032	-	-	-	-	-
2720	PRE N/mm2	GY	-0.032	-	-	-	-	-
2721	PRE N/mm2	GY	-0.032	-	-	-	-	-
2722	PRE N/mm2	GY	-0.032	-	-	-	-	-
2723	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2724	PRE N/mm2	GY	-0.032	-	-	-	-	-
2725	PRE N/mm2	GY	-0.032	-	-	-	-	-
2726	PRE N/mm2	GY	-0.032	-	-	-	-	-
2727	PRE N/mm2	GY	-0.032	-	-	-	-	-
2728	PRE N/mm2	GY	-0.032	-	-	-	-	-
2729	PRE N/mm2	GY	-0.032	-	-	-	-	-
2730	PRE N/mm2	GY	-0.032	-	-	-	-	-
2731	PRE N/mm2	GY	-0.032	-	-	-	-	-
2732	PRE N/mm2	GY	-0.032	-	-	-	-	-
2733	PRE N/mm2	GY	-0.032	-	-	-	-	-
2734	PRE N/mm2	GY	-0.032	-	-	-	-	-
2735	PRE N/mm2	GY	-0.032	-	-	-	-	-
2736	PRE N/mm2	GY	-0.032	-	-	-	-	-
2737	PRE N/mm2	GY	-0.032	-	-	-	-	-
2738	PRE N/mm2	GY	-0.032	-	-	-	-	-
2739	PRE N/mm2	GY	-0.032	-	-	-	-	-
2740	PRE N/mm2	GY	-0.032	-	-	-	-	-
2741	PRE N/mm2	GY	-0.032	-	-	-	-	-
2742	PRE N/mm2	GY	-0.032	-	-	-	-	-
2743	PRE N/mm2	GY	-0.032	-	-	-	-	-
2744	PRE N/mm2	GY	-0.032	-	-	-	-	-
2745	PRE N/mm2	GY	-0.032	-	-	-	-	-
2746	PRE N/mm2	GY	-0.032	-	-	-	-	-
2747	PRE N/mm2	GY	-0.032	-	-	-	-	-
2748	PRE N/mm2	GY	-0.032	-	-	-	-	-
2749	PRE N/mm2	GY	-0.032	-	-	-	-	-
2750	PRE N/mm2	GY	-0.032	-	-	-	-	-
2751	PRE N/mm2	GY	-0.032	-	-	-	-	-
2752	PRE N/mm2	GY	-0.032	-	-	-	-	-
2753	PRE N/mm2	GY	-0.032	-	-	-	-	-
2754	PRE N/mm2	GY	-0.032	-	-	-	-	-
2755	PRE N/mm2	GY	-0.032	-	-	-	-	-
2756	PRE N/mm2	GY	-0.032	-	-	-	-	-
2757	PRE N/mm2	GY	-0.032	-	-	-	-	-
2758	PRE N/mm2	GY	-0.032	-	-	-	-	-
2759	PRE N/mm2	GY	-0.032	-	-	-	-	-
2760	PRE N/mm2	GY	-0.032	-	-	-	-	-
2761	PRE N/mm2	GY	-0.032	-	-	-	-	-
2762	PRE N/mm2	GY	-0.032	-	-	-	-	-
2763	PRE N/mm2	GY	-0.032	-	-	-	-	-
2764	PRE N/mm2	GY	-0.032	-	-	-	-	-
2765	PRE N/mm2	GY	-0.032	-	-	-	-	-
2766	PRE N/mm2	GY	-0.032	-	-	-	-	-
2767	PRE N/mm2	GY	-0.032	-	-	-	-	-
2768	PRE N/mm2	GY	-0.032	-	-	-	-	-
2769	PRE N/mm2	GY	-0.032	-	-	-	-	-
2770	PRE N/mm2	GY	-0.032	-	-	-	-	-
2771	PRE N/mm2	GY	-0.032	-	-	-	-	-
2772	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2773	PRE N/mm2	GY	-0.032	-	-	-	-	-
2774	PRE N/mm2	GY	-0.032	-	-	-	-	-
2775	PRE N/mm2	GY	-0.032	-	-	-	-	-
2776	PRE N/mm2	GY	-0.032	-	-	-	-	-
2777	PRE N/mm2	GY	-0.032	-	-	-	-	-
2778	PRE N/mm2	GY	-0.032	-	-	-	-	-
2779	PRE N/mm2	GY	-0.032	-	-	-	-	-
2780	PRE N/mm2	GY	-0.032	-	-	-	-	-
2781	PRE N/mm2	GY	-0.032	-	-	-	-	-
2782	PRE N/mm2	GY	-0.032	-	-	-	-	-
2783	PRE N/mm2	GY	-0.032	-	-	-	-	-
2784	PRE N/mm2	GY	-0.032	-	-	-	-	-
2785	PRE N/mm2	GY	-0.032	-	-	-	-	-
2786	PRE N/mm2	GY	-0.032	-	-	-	-	-
2787	PRE N/mm2	GY	-0.032	-	-	-	-	-
2788	PRE N/mm2	GY	-0.032	-	-	-	-	-
2789	PRE N/mm2	GY	-0.032	-	-	-	-	-
2790	PRE N/mm2	GY	-0.032	-	-	-	-	-
2791	PRE N/mm2	GY	-0.032	-	-	-	-	-
2792	PRE N/mm2	GY	-0.032	-	-	-	-	-
2793	PRE N/mm2	GY	-0.032	-	-	-	-	-
2794	PRE N/mm2	GY	-0.032	-	-	-	-	-
2795	PRE N/mm2	GY	-0.032	-	-	-	-	-
2796	PRE N/mm2	GY	-0.032	-	-	-	-	-
2797	PRE N/mm2	GY	-0.032	-	-	-	-	-
2798	PRE N/mm2	GY	-0.032	-	-	-	-	-
2799	PRE N/mm2	GY	-0.032	-	-	-	-	-
2800	PRE N/mm2	GY	-0.032	-	-	-	-	-
2801	PRE N/mm2	GY	-0.032	-	-	-	-	-
2802	PRE N/mm2	GY	-0.032	-	-	-	-	-
2803	PRE N/mm2	GY	-0.032	-	-	-	-	-
2804	PRE N/mm2	GY	-0.032	-	-	-	-	-
2805	PRE N/mm2	GY	-0.032	-	-	-	-	-
2806	PRE N/mm2	GY	-0.032	-	-	-	-	-
2807	PRE N/mm2	GY	-0.032	-	-	-	-	-
2808	PRE N/mm2	GY	-0.032	-	-	-	-	-
2809	PRE N/mm2	GY	-0.032	-	-	-	-	-
2810	PRE N/mm2	GY	-0.032	-	-	-	-	-
2811	PRE N/mm2	GY	-0.032	-	-	-	-	-
2812	PRE N/mm2	GY	-0.032	-	-	-	-	-
2813	PRE N/mm2	GY	-0.032	-	-	-	-	-
2814	PRE N/mm2	GY	-0.032	-	-	-	-	-
2815	PRE N/mm2	GY	-0.032	-	-	-	-	-
2816	PRE N/mm2	GY	-0.032	-	-	-	-	-
2817	PRE N/mm2	GY	-0.032	-	-	-	-	-
2818	PRE N/mm2	GY	-0.032	-	-	-	-	-
2819	PRE N/mm2	GY	-0.032	-	-	-	-	-
2820	PRE N/mm2	GY	-0.032	-	-	-	-	-
2821	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2822	PRE N/mm2	GY	-0.032	-	-	-	-	-
2823	PRE N/mm2	GY	-0.032	-	-	-	-	-
2824	PRE N/mm2	GY	-0.032	-	-	-	-	-
2825	PRE N/mm2	GY	-0.032	-	-	-	-	-
2826	PRE N/mm2	GY	-0.032	-	-	-	-	-
2827	PRE N/mm2	GY	-0.032	-	-	-	-	-
2828	PRE N/mm2	GY	-0.032	-	-	-	-	-
2829	PRE N/mm2	GY	-0.032	-	-	-	-	-
2830	PRE N/mm2	GY	-0.032	-	-	-	-	-
2831	PRE N/mm2	GY	-0.032	-	-	-	-	-
2832	PRE N/mm2	GY	-0.032	-	-	-	-	-
2833	PRE N/mm2	GY	-0.032	-	-	-	-	-
2834	PRE N/mm2	GY	-0.032	-	-	-	-	-
2835	PRE N/mm2	GY	-0.032	-	-	-	-	-
2836	PRE N/mm2	GY	-0.032	-	-	-	-	-
2837	PRE N/mm2	GY	-0.032	-	-	-	-	-
2838	PRE N/mm2	GY	-0.032	-	-	-	-	-
2839	PRE N/mm2	GY	-0.032	-	-	-	-	-
2840	PRE N/mm2	GY	-0.032	-	-	-	-	-
2841	PRE N/mm2	GY	-0.032	-	-	-	-	-
2842	PRE N/mm2	GY	-0.032	-	-	-	-	-
2843	PRE N/mm2	GY	-0.032	-	-	-	-	-
2844	PRE N/mm2	GY	-0.032	-	-	-	-	-
2845	PRE N/mm2	GY	-0.032	-	-	-	-	-
2846	PRE N/mm2	GY	-0.032	-	-	-	-	-
2847	PRE N/mm2	GY	-0.032	-	-	-	-	-
2848	PRE N/mm2	GY	-0.032	-	-	-	-	-
2849	PRE N/mm2	GY	-0.032	-	-	-	-	-
2850	PRE N/mm2	GY	-0.032	-	-	-	-	-
2851	PRE N/mm2	GY	-0.032	-	-	-	-	-
2852	PRE N/mm2	GY	-0.032	-	-	-	-	-
2853	PRE N/mm2	GY	-0.032	-	-	-	-	-
2854	PRE N/mm2	GY	-0.032	-	-	-	-	-
2855	PRE N/mm2	GY	-0.032	-	-	-	-	-
2856	PRE N/mm2	GY	-0.032	-	-	-	-	-
2857	PRE N/mm2	GY	-0.032	-	-	-	-	-
2858	PRE N/mm2	GY	-0.032	-	-	-	-	-
2859	PRE N/mm2	GY	-0.032	-	-	-	-	-
2860	PRE N/mm2	GY	-0.032	-	-	-	-	-
2861	PRE N/mm2	GY	-0.032	-	-	-	-	-
2862	PRE N/mm2	GY	-0.032	-	-	-	-	-
2863	PRE N/mm2	GY	-0.032	-	-	-	-	-
2864	PRE N/mm2	GY	-0.032	-	-	-	-	-
2865	PRE N/mm2	GY	-0.032	-	-	-	-	-
2866	PRE N/mm2	GY	-0.032	-	-	-	-	-
2867	PRE N/mm2	GY	-0.032	-	-	-	-	-
2868	PRE N/mm2	GY	-0.032	-	-	-	-	-
2869	PRE N/mm2	GY	-0.032	-	-	-	-	-
2870	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2871	PRE N/mm2	GY	-0.032	-	-	-	-	-
2872	PRE N/mm2	GY	-0.032	-	-	-	-	-
2873	PRE N/mm2	GY	-0.032	-	-	-	-	-
2874	PRE N/mm2	GY	-0.032	-	-	-	-	-
2875	PRE N/mm2	GY	-0.032	-	-	-	-	-
2876	PRE N/mm2	GY	-0.032	-	-	-	-	-
2877	PRE N/mm2	GY	-0.032	-	-	-	-	-
2878	PRE N/mm2	GY	-0.032	-	-	-	-	-
2879	PRE N/mm2	GY	-0.032	-	-	-	-	-
2880	PRE N/mm2	GY	-0.032	-	-	-	-	-
2881	PRE N/mm2	GY	-0.032	-	-	-	-	-
2882	PRE N/mm2	GY	-0.032	-	-	-	-	-
2883	PRE N/mm2	GY	-0.032	-	-	-	-	-
2884	PRE N/mm2	GY	-0.032	-	-	-	-	-
2885	PRE N/mm2	GY	-0.032	-	-	-	-	-
2886	PRE N/mm2	GY	-0.032	-	-	-	-	-
2887	PRE N/mm2	GY	-0.032	-	-	-	-	-
2888	PRE N/mm2	GY	-0.032	-	-	-	-	-
2889	PRE N/mm2	GY	-0.032	-	-	-	-	-
2890	PRE N/mm2	GY	-0.032	-	-	-	-	-
2891	PRE N/mm2	GY	-0.032	-	-	-	-	-
2892	PRE N/mm2	GY	-0.032	-	-	-	-	-
2893	PRE N/mm2	GY	-0.032	-	-	-	-	-
2894	PRE N/mm2	GY	-0.032	-	-	-	-	-
2895	PRE N/mm2	GY	-0.032	-	-	-	-	-
2896	PRE N/mm2	GY	-0.032	-	-	-	-	-
2897	PRE N/mm2	GY	-0.032	-	-	-	-	-
2898	PRE N/mm2	GY	-0.032	-	-	-	-	-
2899	PRE N/mm2	GY	-0.032	-	-	-	-	-
2900	PRE N/mm2	GY	-0.032	-	-	-	-	-
2901	PRE N/mm2	GY	-0.032	-	-	-	-	-
2902	PRE N/mm2	GY	-0.032	-	-	-	-	-
2903	PRE N/mm2	GY	-0.032	-	-	-	-	-
2904	PRE N/mm2	GY	-0.032	-	-	-	-	-
2905	PRE N/mm2	GY	-0.032	-	-	-	-	-
2906	PRE N/mm2	GY	-0.032	-	-	-	-	-
2907	PRE N/mm2	GY	-0.032	-	-	-	-	-
2908	PRE N/mm2	GY	-0.032	-	-	-	-	-
2909	PRE N/mm2	GY	-0.032	-	-	-	-	-
2910	PRE N/mm2	GY	-0.032	-	-	-	-	-
2911	PRE N/mm2	GY	-0.032	-	-	-	-	-
2912	PRE N/mm2	GY	-0.032	-	-	-	-	-
2913	PRE N/mm2	GY	-0.032	-	-	-	-	-
2914	PRE N/mm2	GY	-0.032	-	-	-	-	-
2915	PRE N/mm2	GY	-0.032	-	-	-	-	-
2916	PRE N/mm2	GY	-0.032	-	-	-	-	-
2917	PRE N/mm2	GY	-0.032	-	-	-	-	-
2918	PRE N/mm2	GY	-0.032	-	-	-	-	-
2919	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2920	PRE N/mm2	GY	-0.032	-	-	-	-	-
2921	PRE N/mm2	GY	-0.032	-	-	-	-	-
2922	PRE N/mm2	GY	-0.032	-	-	-	-	-
2923	PRE N/mm2	GY	-0.032	-	-	-	-	-
2924	PRE N/mm2	GY	-0.032	-	-	-	-	-
2925	PRE N/mm2	GY	-0.032	-	-	-	-	-
2926	PRE N/mm2	GY	-0.032	-	-	-	-	-
2927	PRE N/mm2	GY	-0.032	-	-	-	-	-
2928	PRE N/mm2	GY	-0.032	-	-	-	-	-
2929	PRE N/mm2	GY	-0.032	-	-	-	-	-
2930	PRE N/mm2	GY	-0.032	-	-	-	-	-
2931	PRE N/mm2	GY	-0.032	-	-	-	-	-
2932	PRE N/mm2	GY	-0.032	-	-	-	-	-
2933	PRE N/mm2	GY	-0.032	-	-	-	-	-
2934	PRE N/mm2	GY	-0.032	-	-	-	-	-
2935	PRE N/mm2	GY	-0.032	-	-	-	-	-
2936	PRE N/mm2	GY	-0.032	-	-	-	-	-
2937	PRE N/mm2	GY	-0.032	-	-	-	-	-
2938	PRE N/mm2	GY	-0.032	-	-	-	-	-
2939	PRE N/mm2	GY	-0.032	-	-	-	-	-
2940	PRE N/mm2	GY	-0.032	-	-	-	-	-
2941	PRE N/mm2	GY	-0.032	-	-	-	-	-
2942	PRE N/mm2	GY	-0.032	-	-	-	-	-
2943	PRE N/mm2	GY	-0.032	-	-	-	-	-
2944	PRE N/mm2	GY	-0.032	-	-	-	-	-
2945	PRE N/mm2	GY	-0.032	-	-	-	-	-
2946	PRE N/mm2	GY	-0.032	-	-	-	-	-
2947	PRE N/mm2	GY	-0.032	-	-	-	-	-
2948	PRE N/mm2	GY	-0.032	-	-	-	-	-
2949	PRE N/mm2	GY	-0.032	-	-	-	-	-
2950	PRE N/mm2	GY	-0.032	-	-	-	-	-
2951	PRE N/mm2	GY	-0.032	-	-	-	-	-
2952	PRE N/mm2	GY	-0.032	-	-	-	-	-
2953	PRE N/mm2	GY	-0.032	-	-	-	-	-
2954	PRE N/mm2	GY	-0.032	-	-	-	-	-
2955	PRE N/mm2	GY	-0.032	-	-	-	-	-
2956	PRE N/mm2	GY	-0.032	-	-	-	-	-
2957	PRE N/mm2	GY	-0.032	-	-	-	-	-
2958	PRE N/mm2	GY	-0.032	-	-	-	-	-
2959	PRE N/mm2	GY	-0.032	-	-	-	-	-
2960	PRE N/mm2	GY	-0.032	-	-	-	-	-
2961	PRE N/mm2	GY	-0.032	-	-	-	-	-
2962	PRE N/mm2	GY	-0.032	-	-	-	-	-
2963	PRE N/mm2	GY	-0.032	-	-	-	-	-
2964	PRE N/mm2	GY	-0.032	-	-	-	-	-
2965	PRE N/mm2	GY	-0.032	-	-	-	-	-
2966	PRE N/mm2	GY	-0.032	-	-	-	-	-
2967	PRE N/mm2	GY	-0.032	-	-	-	-	-
2968	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2969	PRE N/mm2	GY	-0.032	-	-	-	-	-
2970	PRE N/mm2	GY	-0.032	-	-	-	-	-
2971	PRE N/mm2	GY	-0.032	-	-	-	-	-
2972	PRE N/mm2	GY	-0.032	-	-	-	-	-
2973	PRE N/mm2	GY	-0.032	-	-	-	-	-
2974	PRE N/mm2	GY	-0.032	-	-	-	-	-
2975	PRE N/mm2	GY	-0.032	-	-	-	-	-
2976	PRE N/mm2	GY	-0.032	-	-	-	-	-
2977	PRE N/mm2	GY	-0.032	-	-	-	-	-
2978	PRE N/mm2	GY	-0.032	-	-	-	-	-
2979	PRE N/mm2	GY	-0.032	-	-	-	-	-
2980	PRE N/mm2	GY	-0.032	-	-	-	-	-
2981	PRE N/mm2	GY	-0.032	-	-	-	-	-
2982	PRE N/mm2	GY	-0.032	-	-	-	-	-
2983	PRE N/mm2	GY	-0.032	-	-	-	-	-
2984	PRE N/mm2	GY	-0.032	-	-	-	-	-
2985	PRE N/mm2	GY	-0.032	-	-	-	-	-
2986	PRE N/mm2	GY	-0.032	-	-	-	-	-
2987	PRE N/mm2	GY	-0.032	-	-	-	-	-
2988	PRE N/mm2	GY	-0.032	-	-	-	-	-
2989	PRE N/mm2	GY	-0.032	-	-	-	-	-
2990	PRE N/mm2	GY	-0.032	-	-	-	-	-
2991	PRE N/mm2	GY	-0.032	-	-	-	-	-
2992	PRE N/mm2	GY	-0.032	-	-	-	-	-
2993	PRE N/mm2	GY	-0.032	-	-	-	-	-
2994	PRE N/mm2	GY	-0.032	-	-	-	-	-
2995	PRE N/mm2	GY	-0.032	-	-	-	-	-
2996	PRE N/mm2	GY	-0.032	-	-	-	-	-
2997	PRE N/mm2	GY	-0.032	-	-	-	-	-
2998	PRE N/mm2	GY	-0.032	-	-	-	-	-
2999	PRE N/mm2	GY	-0.032	-	-	-	-	-
3000	PRE N/mm2	GY	-0.032	-	-	-	-	-
3001	PRE N/mm2	GY	-0.032	-	-	-	-	-
3002	PRE N/mm2	GY	-0.032	-	-	-	-	-
3003	PRE N/mm2	GY	-0.032	-	-	-	-	-
3004	PRE N/mm2	GY	-0.032	-	-	-	-	-
3005	PRE N/mm2	GY	-0.032	-	-	-	-	-
3006	PRE N/mm2	GY	-0.032	-	-	-	-	-
3007	PRE N/mm2	GY	-0.032	-	-	-	-	-
3008	PRE N/mm2	GY	-0.032	-	-	-	-	-
3009	PRE N/mm2	GY	-0.032	-	-	-	-	-
3010	PRE N/mm2	GY	-0.032	-	-	-	-	-
3011	PRE N/mm2	GY	-0.032	-	-	-	-	-
3012	PRE N/mm2	GY	-0.032	-	-	-	-	-
3013	PRE N/mm2	GY	-0.032	-	-	-	-	-
3014	PRE N/mm2	GY	-0.032	-	-	-	-	-
3015	PRE N/mm2	GY	-0.032	-	-	-	-	-
3016	PRE N/mm2	GY	-0.032	-	-	-	-	-
3017	PRE N/mm2	GY	-0.032	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3018	PRE N/mm2	GY	-0.032	-	-	-	-	-
3019	PRE N/mm2	GY	-0.032	-	-	-	-	-
3020	PRE N/mm2	GY	-0.032	-	-	-	-	-
3021	PRE N/mm2	GY	-0.032	-	-	-	-	-
3022	PRE N/mm2	GY	-0.032	-	-	-	-	-
3023	PRE N/mm2	GY	-0.032	-	-	-	-	-
3024	PRE N/mm2	GY	-0.032	-	-	-	-	-
3025	PRE N/mm2	GY	-0.032	-	-	-	-	-
3026	PRE N/mm2	GY	-0.032	-	-	-	-	-
3027	PRE N/mm2	GY	-0.032	-	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3904	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3905	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3906	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3907	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3908	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3909	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3910	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3911	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3912	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3913	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3914	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3915	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3916	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3917	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3918	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3919	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3920	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3920	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3921	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3922	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3923	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3924	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3925	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3926	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3927	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3928	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3929	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3930	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3931	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3932	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3933	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3934	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3935	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3936	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3937	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3938	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3939	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3940	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3941	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3942	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3943	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3944	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3945	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3946	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3947	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3948	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3949	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3950	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3951	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3952	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3953	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3954	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3955	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3956	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3957	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3958	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3959	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3960	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3961	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3962	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3963	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3964	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3965	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3966	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3967	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3968	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3969	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3969	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3970	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3971	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3972	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3973	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3974	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3975	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3976	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3977	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3978	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3979	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3980	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
3981	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4232	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4233	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4234	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4235	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4236	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4237	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4238	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4239	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4240	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4241	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4242	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4243	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4244	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4245	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4246	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4247	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4248	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4249	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4250	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4251	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4252	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4253	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4254	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4255	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4256	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4257	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4258	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4259	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4260	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4261	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4262	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4263	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4264	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4265	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4266	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4267	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4268	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4268	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4269	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4270	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4271	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4272	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4273	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4274	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4275	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4276	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4277	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4278	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4279	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4280	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4281	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4282	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4283	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4284	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4285	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4286	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4287	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4288	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4289	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4290	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4291	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4292	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4293	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4294	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4295	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4296	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4297	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4298	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4299	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4300	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4301	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4302	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4303	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4304	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4305	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4306	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4307	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4308	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4309	TRAP N/mm2	Y	-0.009	-0.005	-	-	-	-
	TRAP N/mm2	Y	0.089	0.086	-	-	-	-
4540	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4541	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4542	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4543	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4544	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4545	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4546	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4547	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4547	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4548	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4549	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4550	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4551	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4552	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4553	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4554	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4555	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4556	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4557	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4558	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4559	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4560	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4561	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4562	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4563	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4564	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4565	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4566	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4567	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4568	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4569	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4570	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4571	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4572	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4573	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4574	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4575	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4576	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4577	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4578	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4579	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4580	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4581	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4582	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4583	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4584	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4585	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4586	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4587	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4588	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4589	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4590	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4591	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4592	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4593	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4594	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4595	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4596	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4596	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4597	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4598	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4599	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4600	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4601	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4602	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4603	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4604	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4605	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4606	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4607	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4608	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4609	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4610	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4611	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4612	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4613	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4614	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4615	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4616	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4617	TRAP N/mm2	Y	-0.005	-0.003	-	-	-	-
	TRAP N/mm2	Y	0.086	0.083	-	-	-	-
4838	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4839	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4840	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4841	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4842	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4843	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4844	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4845	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4846	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4847	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4848	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4849	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4850	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4851	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4852	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4853	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4854	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4855	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4856	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4857	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4858	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4859	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4860	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4861	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4862	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4863	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4864	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4865	TRAP N/mm2	Y	-0.003	0	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4865	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4866	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4867	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4868	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4869	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4870	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4871	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4872	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4873	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4874	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4875	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4876	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4877	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4878	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4879	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4880	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4881	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4882	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4883	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4884	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4885	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4886	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4887	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4888	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4889	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4890	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4891	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4892	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4893	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4894	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4895	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4896	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4897	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4898	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4899	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4900	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4901	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4902	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4903	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4904	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4905	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4906	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4907	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4908	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4909	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4910	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4911	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4912	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4913	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4914	TRAP N/mm2	Y	-0.003	0	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4914	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
4915	TRAP N/mm2	Y	-0.003	0	-	-	-	-
	TRAP N/mm2	Y	0.083	0.081	-	-	-	-
5116	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5117	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5118	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5119	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5120	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5121	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5122	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5123	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5124	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5125	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5126	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5127	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5128	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5129	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5130	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5131	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5132	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5133	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5134	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5135	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5136	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5137	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5138	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5139	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5140	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5141	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5142	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5143	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5144	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5145	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5146	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5147	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5148	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5149	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5150	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5151	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5152	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5153	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5154	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5155	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5156	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5157	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5158	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5159	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5160	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5161	TRAP N/mm2	Y	0.081	0.078	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5162	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5163	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5164	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5165	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5166	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5167	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5168	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5169	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5170	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5171	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5172	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5173	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5174	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5175	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5176	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5177	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5178	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5179	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5180	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5181	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5182	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5183	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5184	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5185	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5186	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5187	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5188	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5189	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5190	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5191	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5192	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5193	TRAP N/mm2	Y	0.081	0.078	-	-	-	-
5374	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5375	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5376	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5377	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5378	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5379	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5380	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5381	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5382	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5383	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5384	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5385	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5386	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5387	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5388	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5389	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5390	TRAP N/mm2	Y	0.078	0.076	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5391	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5392	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5393	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5394	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5395	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5396	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5397	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5398	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5399	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5400	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5401	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5402	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5403	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5404	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5405	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5406	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5407	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5408	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5409	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5410	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5411	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5412	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5413	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5414	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5415	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5416	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5417	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5418	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5419	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5420	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5421	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5422	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5423	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5424	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5425	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5426	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5427	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5428	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5429	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5430	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5431	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5432	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5433	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5434	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5435	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5436	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5437	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5438	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5439	TRAP N/mm2	Y	0.078	0.076	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5440	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5441	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5442	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5443	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5444	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5445	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5446	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5447	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5448	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5449	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5450	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5451	TRAP N/mm2	Y	0.078	0.076	-	-	-	-
5612	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5613	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5614	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5615	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5616	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5617	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5618	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5619	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5620	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5621	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5622	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5623	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5624	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5625	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5626	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5627	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5628	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5629	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5630	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5631	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5632	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5633	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5634	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5635	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5636	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5637	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5638	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5639	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5640	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5641	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5642	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5643	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5644	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5645	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5646	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5647	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5648	TRAP N/mm2	Y	0.076	0.073	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5649	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5650	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5651	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5652	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5653	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5654	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5655	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5656	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5657	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5658	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5659	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5660	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5661	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5662	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5663	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5664	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5665	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5666	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5667	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5668	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5669	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5670	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5671	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5672	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5673	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5674	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5675	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5676	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5677	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5678	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5679	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5680	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5681	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5682	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5683	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5684	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5685	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5686	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5687	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5688	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5689	TRAP N/mm2	Y	0.076	0.073	-	-	-	-
5850	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5851	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5852	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5853	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5854	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5855	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5856	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5857	TRAP N/mm2	Y	0.073	0.071	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5858	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5859	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5860	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5861	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5862	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5863	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5864	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5865	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5866	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5867	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5868	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5869	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5870	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5871	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5872	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5873	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5874	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5875	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5876	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5877	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5878	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5879	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5880	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5881	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5882	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5883	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5884	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5885	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5886	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5887	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5888	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5889	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5890	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5891	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5892	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5893	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5894	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5895	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5896	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5897	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5898	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5899	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5900	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5901	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5902	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5903	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5904	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5905	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5906	TRAP N/mm2	Y	0.073	0.071	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5907	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5908	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5909	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5910	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5911	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5912	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5913	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5914	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5915	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5916	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5917	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5918	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5919	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5920	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5921	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5922	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5923	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5924	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5925	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5926	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
5927	TRAP N/mm2	Y	0.073	0.071	-	-	-	-
6078	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6079	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6080	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6081	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6082	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6083	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6084	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6085	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6086	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6087	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6088	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6089	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6090	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6091	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6092	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6093	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6094	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6095	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6096	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6097	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6098	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6099	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6100	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6101	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6102	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6103	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6104	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6105	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6106	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6107	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6108	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6109	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6110	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6111	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6112	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6113	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6114	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6115	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6116	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6117	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6118	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6119	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6120	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6121	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6122	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6123	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6124	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6125	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6126	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6127	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6128	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6129	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6130	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6131	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6132	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6133	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6134	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6135	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6136	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6137	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6138	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6139	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6140	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6141	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6142	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6143	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6144	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6145	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6146	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6147	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6148	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6149	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6150	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6151	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6152	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6153	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6154	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6155	TRAP N/mm2	Y	0.071	0.068166	-	-	-	-
6306	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6307	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6308	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6309	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6310	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6311	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6312	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6313	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6314	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6315	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6316	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6317	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6318	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6319	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6320	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6321	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6322	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6323	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6324	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6325	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6326	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6327	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6328	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6329	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6330	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6331	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6332	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6333	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6334	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6335	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6336	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6337	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6338	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6339	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6340	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6341	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6342	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6343	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6344	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6345	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6346	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6347	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6348	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6349	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6350	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6351	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6352	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6353	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6354	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6355	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6356	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6357	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6358	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6359	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6360	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6361	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6362	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6363	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6364	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6365	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6366	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6367	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6368	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6369	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6370	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6371	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6372	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6373	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6374	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6375	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6376	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6377	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6378	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6379	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6380	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6381	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6382	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6383	TRAP N/mm2	Y	0.068166	0.066	-	-	-	-
6524	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6525	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6526	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6527	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6528	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6529	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6530	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6531	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6532	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6533	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6534	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6535	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6536	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6537	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6538	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6539	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6540	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6541	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6542	TRAP N/mm2	Y	0.066	0.063	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6543	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6544	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6545	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6546	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6547	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6548	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6549	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6550	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6551	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6552	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6553	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6554	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6555	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6556	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6557	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6558	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6559	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6560	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6561	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6562	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6563	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6564	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6565	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6566	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6567	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6568	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6569	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6570	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6571	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6572	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6573	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6574	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6575	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6576	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6577	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6578	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6579	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6580	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6581	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6582	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6583	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6584	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6585	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6586	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6587	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6588	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6589	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6590	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6591	TRAP N/mm2	Y	0.066	0.063	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6592	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6593	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6594	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6595	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6596	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6597	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6598	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6599	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6600	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6601	TRAP N/mm2	Y	0.066	0.063	-	-	-	-
6742	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6743	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6744	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6745	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6746	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6747	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6748	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6749	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6750	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6751	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6752	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6753	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6754	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6755	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6756	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6757	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6758	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6759	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6760	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6761	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6762	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6763	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6764	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6765	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6766	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6767	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6768	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6769	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6770	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6771	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6772	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6773	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6774	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6775	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6776	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6777	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6778	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6779	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6780	TRAP N/mm2	Y	0.063	0.061	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6781	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6782	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6783	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6784	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6785	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6786	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6787	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6788	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6789	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6790	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6791	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6792	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6793	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6794	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6795	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6796	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6797	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6798	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6799	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6800	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6801	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6802	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6803	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6804	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6805	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6806	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6807	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6808	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6809	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6810	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6811	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6812	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6813	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6814	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6815	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6816	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6817	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6818	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6819	TRAP N/mm2	Y	0.063	0.061	-	-	-	-
6950	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6951	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6952	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6953	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6954	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6955	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6956	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6957	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6958	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6959	TRAP N/mm2	Y	0.061	0.058	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6960	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6961	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6962	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6963	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6964	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6965	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6966	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6967	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6968	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6969	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6970	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6971	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6972	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6973	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6974	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6975	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6976	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6977	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6978	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6979	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6980	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6981	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6982	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6983	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6984	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6985	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6986	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6987	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6988	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6989	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6990	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6991	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6992	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6993	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6994	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6995	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6996	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6997	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6998	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
6999	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7000	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7001	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7002	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7003	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7004	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7005	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7006	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7007	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7008	TRAP N/mm2	Y	0.061	0.058	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7009	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7010	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7011	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7012	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7013	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7014	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7015	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7016	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7017	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7018	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7019	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7020	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7021	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7022	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7023	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7024	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7025	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7026	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7027	TRAP N/mm2	Y	0.061	0.058	-	-	-	-
7158	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7159	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7160	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7161	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7162	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7163	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7164	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7165	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7166	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7167	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7168	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7169	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7170	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7171	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7172	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7173	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7174	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7175	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7176	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7177	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7178	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7179	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7180	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7181	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7182	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7183	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7184	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7185	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7186	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7187	TRAP N/mm2	Y	0.058	0.056	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7188	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7189	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7190	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7191	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7192	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7193	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7194	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7195	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7196	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7197	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7198	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7199	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7200	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7201	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7202	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7203	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7204	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7205	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7206	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7207	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7208	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7209	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7210	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7211	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7212	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7213	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7214	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7215	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7216	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7217	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7218	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7219	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7220	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7221	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7222	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7223	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7224	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7225	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7226	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7227	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7228	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7229	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7230	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7231	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7232	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7233	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7234	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7235	TRAP N/mm2	Y	0.058	0.056	-	-	-	-
7356	TRAP N/mm2	Y	0.056	0.053	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7357	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7358	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7359	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7360	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7361	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7362	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7363	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7364	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7365	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7366	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7367	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7368	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7369	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7370	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7371	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7372	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7373	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7374	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7375	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7376	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7377	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7378	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7379	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7380	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7381	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7382	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7383	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7384	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7385	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7386	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7387	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7388	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7389	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7390	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7391	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7392	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7393	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7394	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7395	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7396	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7397	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7398	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7399	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7400	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7401	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7402	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7403	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7404	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7405	TRAP N/mm2	Y	0.056	0.053	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7406	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7407	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7408	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7409	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7410	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7411	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7412	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7413	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7414	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7415	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7416	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7417	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7418	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7419	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7420	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7421	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7422	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7423	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7424	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7425	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7426	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7427	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7428	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7429	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7430	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7431	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7432	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7433	TRAP N/mm2	Y	0.056	0.053	-	-	-	-
7554	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7555	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7556	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7557	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7558	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7559	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7560	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7561	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7562	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7563	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7564	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7565	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7566	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7567	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7568	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7569	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7570	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7571	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7572	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7573	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7574	TRAP N/mm2	Y	0.053	0.051	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7575	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7576	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7577	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7578	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7579	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7580	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7581	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7582	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7583	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7584	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7585	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7586	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7587	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7588	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7589	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7590	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7591	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7592	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7593	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7594	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7595	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7596	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7597	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7598	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7599	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7600	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7601	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7602	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7603	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7604	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7605	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7606	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7607	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7608	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7609	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7610	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7611	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7612	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7613	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7614	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7615	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7616	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7617	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7618	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7619	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7620	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7621	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7622	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7623	TRAP N/mm2	Y	0.053	0.051	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7624	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7625	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7626	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7627	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7628	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7629	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7630	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7631	TRAP N/mm2	Y	0.053	0.051	-	-	-	-
7742	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7743	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7744	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7745	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7746	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7747	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7748	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7749	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7750	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7751	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7752	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7753	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7754	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7755	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7756	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7757	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7758	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7759	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7760	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7761	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7762	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7763	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7764	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7765	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7766	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7767	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7768	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7769	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7770	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7771	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7772	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7773	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7774	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7775	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7776	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7777	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7778	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7779	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7780	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7781	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7782	TRAP N/mm2	Y	0.051	0.048	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7783	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7784	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7785	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7786	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7787	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7788	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7789	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7790	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7791	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7792	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7793	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7794	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7795	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7796	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7797	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7798	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7799	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7800	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7801	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7802	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7803	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7804	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7805	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7806	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7807	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7808	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7809	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7810	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7811	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7812	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7813	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7814	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7815	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7816	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7817	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7818	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7819	TRAP N/mm2	Y	0.051	0.048	-	-	-	-
7930	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7931	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7932	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7933	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7934	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7935	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7936	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7937	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7938	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7939	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7940	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7941	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7942	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7943	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7944	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7945	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7946	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7947	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7948	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7949	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7950	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7951	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7952	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7953	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7954	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7955	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7956	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7957	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7958	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7959	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7960	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7961	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7962	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7963	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7964	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7965	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7966	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7967	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7968	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7969	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7970	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7971	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7972	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7973	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7974	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7975	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7976	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7977	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7978	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7979	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7980	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7981	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7982	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7983	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7984	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7985	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7986	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7987	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7988	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7989	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7990	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7991	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7992	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7993	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7994	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7995	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7996	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7997	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7998	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
7999	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8000	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8001	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8002	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8003	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8004	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8005	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8006	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8007	TRAP N/mm2	Y	0.048	0.045444	-	-	-	-
8108	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8109	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8110	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8111	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8112	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8113	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8114	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8115	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8116	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8117	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8118	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8119	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8120	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8121	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8122	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8123	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8124	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8125	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8126	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8127	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8128	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8129	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8130	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8131	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8132	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8133	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8134	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8135	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8136	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8137	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8138	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8139	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8140	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8141	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8142	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8143	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8144	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8145	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8146	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8147	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8148	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8149	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8150	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8151	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8152	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8153	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8154	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8155	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8156	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8157	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8158	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8159	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8160	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8161	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8162	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8163	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8164	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8165	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8166	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8167	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8168	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8169	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8170	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8171	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8172	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8173	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8174	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8175	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8176	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8177	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8178	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8179	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8180	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8181	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8182	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8183	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8184	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8185	TRAP N/mm2	Y	0.045444	0.043	-	-	-	-
8286	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8287	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8288	TRAP N/mm2	Y	0.043	0.040	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8289	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8290	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8291	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8292	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8293	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8294	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8295	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8296	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8297	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8298	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8299	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8300	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8301	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8302	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8303	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8304	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8305	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8306	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8307	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8308	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8309	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8310	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8311	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8312	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8313	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8314	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8315	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8316	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8317	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8318	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8319	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8320	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8321	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8322	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8323	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8324	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8325	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8326	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8327	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8328	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8329	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8330	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8331	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8332	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8333	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8334	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8335	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8336	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8337	TRAP N/mm2	Y	0.043	0.040	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8338	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8339	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8340	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8341	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8342	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8343	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8344	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8345	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8346	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8347	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8348	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8349	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8350	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8351	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8352	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8353	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8354	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8355	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8356	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8357	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8358	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8359	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8360	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8361	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8362	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8363	TRAP N/mm2	Y	0.043	0.040	-	-	-	-
8454	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8455	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8456	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8457	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8458	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8459	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8460	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8461	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8462	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8463	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8464	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8465	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8466	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8467	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8468	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8469	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8470	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8471	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8472	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8473	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8474	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8475	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8476	TRAP N/mm2	Y	0.040	0.038	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8477	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8478	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8479	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8480	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8481	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8482	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8483	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8484	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8485	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8486	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8487	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8488	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8489	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8490	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8491	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8492	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8493	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8494	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8495	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8496	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8497	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8498	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8499	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8500	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8501	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8502	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8503	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8504	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8505	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8506	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8507	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8508	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8509	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8510	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8511	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8512	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8513	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8514	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8515	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8516	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8517	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8518	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8519	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8520	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8521	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8522	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8523	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8524	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8525	TRAP N/mm2	Y	0.040	0.038	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8526	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8527	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8528	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8529	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8530	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8531	TRAP N/mm2	Y	0.040	0.038	-	-	-	-
8622	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8623	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8624	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8625	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8626	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8627	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8628	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8629	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8630	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8631	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8632	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8633	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8634	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8635	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8636	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8637	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8638	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8639	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8640	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8641	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8642	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8643	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8644	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8645	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8646	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8647	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8648	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8649	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8650	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8651	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8652	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8653	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8654	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8655	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8656	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8657	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8658	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8659	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8660	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8661	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8662	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8663	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8664	TRAP N/mm2	Y	0.038	0.035	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8665	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8666	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8667	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8668	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8669	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8670	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8671	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8672	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8673	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8674	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8675	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8676	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8677	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8678	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8679	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8680	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8681	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8682	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8683	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8684	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8685	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8686	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8687	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8688	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8689	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8690	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8691	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8692	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8693	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8694	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8695	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8696	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8697	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8698	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8699	TRAP N/mm2	Y	0.038	0.035	-	-	-	-
8780	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8781	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8782	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8783	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8784	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8785	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8786	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8787	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8788	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8789	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8790	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8791	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8792	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8793	TRAP N/mm2	Y	0.035	0.033	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8794	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8795	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8796	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8797	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8798	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8799	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8800	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8801	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8802	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8803	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8804	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8805	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8806	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8807	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8808	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8809	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8810	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8811	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8812	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8813	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8814	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8815	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8816	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8817	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8818	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8819	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8820	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8821	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8822	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8823	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8824	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8825	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8826	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8827	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8828	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8829	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8830	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8831	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8832	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8833	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8834	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8835	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8836	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8837	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8838	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8839	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8840	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8841	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8842	TRAP N/mm2	Y	0.035	0.033	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8843	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8844	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8845	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8846	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8847	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8848	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8849	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8850	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8851	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8852	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8853	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8854	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8855	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8856	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8857	TRAP N/mm2	Y	0.035	0.033	-	-	-	-
8938	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8939	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8940	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8941	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8942	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8943	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8944	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8945	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8946	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8947	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8948	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8949	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8950	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8951	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8952	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8953	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8954	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8955	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8956	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8957	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8958	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8959	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8960	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8961	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8962	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8963	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8964	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8965	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8966	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8967	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8968	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8969	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8970	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8971	TRAP N/mm2	Y	0.033	0.030	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8972	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8973	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8974	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8975	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8976	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8977	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8978	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8979	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8980	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8981	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8982	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8983	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8984	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8985	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8986	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8987	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8988	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8989	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8990	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8991	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8992	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8993	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8994	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8995	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8996	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8997	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8998	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
8999	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9000	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9001	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9002	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9003	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9004	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9005	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9006	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9007	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9008	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9009	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9010	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9011	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9012	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9013	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9014	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9015	TRAP N/mm2	Y	0.033	0.030	-	-	-	-
9086	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9087	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9088	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9089	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9090	TRAP N/mm2	Y	0.030	0.028	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9091	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9092	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9093	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9094	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9095	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9096	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9097	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9098	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9099	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9100	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9101	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9102	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9103	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9104	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9105	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9106	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9107	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9108	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9109	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9110	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9111	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9112	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9113	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9114	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9115	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9116	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9117	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9118	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9119	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9120	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9121	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9122	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9123	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9124	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9125	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9126	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9127	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9128	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9129	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9130	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9131	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9132	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9133	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9134	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9135	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9136	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9137	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9138	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9139	TRAP N/mm2	Y	0.030	0.028	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9140	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9141	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9142	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9143	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9144	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9145	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9146	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9147	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9148	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9149	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9150	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9151	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9152	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9153	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9154	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9155	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9156	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9157	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9158	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9159	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9160	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9161	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9162	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9163	TRAP N/mm2	Y	0.030	0.028	-	-	-	-
9234	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9235	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9236	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9237	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9238	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9239	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9240	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9241	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9242	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9243	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9244	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9245	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9246	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9247	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9248	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9249	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9250	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9251	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9252	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9253	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9254	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9255	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9256	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9257	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9258	TRAP N/mm2	Y	0.028	0.025	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9259	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9260	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9261	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9262	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9263	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9264	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9265	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9266	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9267	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9268	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9269	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9270	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9271	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9272	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9273	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9274	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9275	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9276	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9277	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9278	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9279	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9280	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9281	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9282	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9283	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9284	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9285	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9286	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9287	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9288	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9289	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9290	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9291	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9292	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9293	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9294	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9295	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9296	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9297	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9298	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9299	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9300	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9301	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9302	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9303	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9304	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9305	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9306	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9307	TRAP N/mm2	Y	0.028	0.025	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9308	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9309	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9310	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9311	TRAP N/mm2	Y	0.028	0.025	-	-	-	-
9372	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9373	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9374	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9375	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9376	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9377	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9378	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9379	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9380	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9381	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9382	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9383	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9384	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9385	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9386	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9387	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9388	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9389	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9390	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9391	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9392	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9393	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9394	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9395	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9396	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9397	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9398	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9399	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9400	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9401	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9402	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9403	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9404	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9405	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9406	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9407	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9408	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9409	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9410	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9411	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9412	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9413	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9414	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9415	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9416	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9417	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9418	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9419	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9420	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9421	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9422	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9423	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9424	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9425	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9426	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9427	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9428	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9429	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9430	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9431	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9432	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9433	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9434	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9435	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9436	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9437	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9438	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9439	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9440	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9441	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9442	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9443	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9444	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9445	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9446	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9447	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9448	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9449	TRAP N/mm2	Y	0.025	0.022722	-	-	-	-
9510	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9511	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9512	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9513	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9514	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9515	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9516	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9517	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9518	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9519	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9520	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9521	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9522	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9523	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9524	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9525	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9526	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9527	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9528	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9529	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9530	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9531	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9532	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9533	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9534	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9535	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9536	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9537	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9538	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9539	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9540	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9541	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9542	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9543	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9544	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9545	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9546	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9547	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9548	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9549	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9550	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9551	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9552	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9553	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9554	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9555	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9556	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9557	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9558	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9559	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9560	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9561	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9562	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9563	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9564	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9565	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9566	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9567	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9568	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9569	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9570	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9571	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9572	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9573	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9574	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9575	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9576	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9577	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9578	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9579	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9580	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9581	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9582	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9583	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9584	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9585	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9586	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9587	TRAP N/mm2	Y	0.022722	0.020	-	-	-	-
9638	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9639	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9640	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9641	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9642	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9643	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9644	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9645	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9646	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9647	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9648	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9649	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9650	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9651	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9652	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9653	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9654	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9655	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9656	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9657	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9658	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9659	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9660	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9661	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9662	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9663	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9664	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9665	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9666	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9667	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9668	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9669	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9670	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9671	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9672	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9673	TRAP N/mm2	Y	0.020	0.018	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9674	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9675	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9676	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9677	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9678	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9679	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9680	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9681	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9682	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9683	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9684	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9685	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9686	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9687	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9688	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9689	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9690	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9691	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9692	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9693	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9694	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9695	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9696	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9697	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9698	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9699	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9700	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9701	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9702	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9703	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9704	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9705	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9706	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9707	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9708	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9709	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9710	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9711	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9712	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9713	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9714	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9715	TRAP N/mm2	Y	0.020	0.018	-	-	-	-
9766	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9767	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9768	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9769	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9770	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9771	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9772	TRAP N/mm2	Y	0.018	0.015	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9773	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9774	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9775	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9776	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9777	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9778	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9779	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9780	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9781	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9782	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9783	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9784	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9785	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9786	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9787	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9788	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9789	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9790	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9791	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9792	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9793	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9794	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9795	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9796	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9797	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9798	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9799	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9800	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9801	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9802	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9803	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9804	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9805	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9806	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9807	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9808	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9809	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9810	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9811	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9812	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9813	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9814	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9815	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9816	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9817	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9818	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9819	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9820	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9821	TRAP N/mm2	Y	0.018	0.015	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9822	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9823	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9824	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9825	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9826	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9827	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9828	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9829	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9830	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9831	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9832	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9833	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9834	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9835	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9836	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9837	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9838	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9839	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9840	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9841	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9842	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9843	TRAP N/mm2	Y	0.018	0.015	-	-	-	-
9884	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9885	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9886	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9887	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9888	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9889	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9890	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9891	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9892	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9893	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9894	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9895	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9896	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9897	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9898	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9899	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9900	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9901	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9902	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9903	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9904	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9905	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9906	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9907	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9908	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9909	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9910	TRAP N/mm2	Y	0.015	0.013	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9911	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9912	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9913	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9914	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9915	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9916	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9917	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9918	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9919	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9920	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9921	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9922	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9923	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9924	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9925	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9926	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9927	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9928	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9929	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9930	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9931	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9932	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9933	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9934	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9935	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9936	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9937	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9938	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9939	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9940	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9941	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9942	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9943	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9944	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9945	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9946	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9947	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9948	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9949	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9950	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9951	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9952	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9953	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9954	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9955	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9956	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9957	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9958	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9959	TRAP N/mm2	Y	0.015	0.013	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9960	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
9961	TRAP N/mm2	Y	0.015	0.013	-	-	-	-
10002	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10003	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10004	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10005	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10006	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10007	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10008	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10009	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10010	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10011	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10012	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10013	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10014	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10015	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10016	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10017	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10018	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10019	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10020	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10021	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10022	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10023	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10024	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10025	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10026	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10027	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10028	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10029	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10030	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10031	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10032	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10033	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10034	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10035	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10036	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10037	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10038	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10039	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10040	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10041	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10042	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10043	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10044	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10045	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10046	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10047	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10048	TRAP N/mm2	Y	0.013	0.010	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10049	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10050	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10051	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10052	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10053	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10054	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10055	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10056	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10057	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10058	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10059	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10060	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10061	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10062	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10063	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10064	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10065	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10066	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10067	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10068	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10069	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10070	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10071	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10072	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10073	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10074	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10075	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10076	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10077	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10078	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10079	TRAP N/mm2	Y	0.013	0.010	-	-	-	-
10110	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10111	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10112	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10113	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10114	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10115	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10116	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10117	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10118	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10119	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10120	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10121	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10122	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10123	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10124	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10125	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10126	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10127	TRAP N/mm2	Y	0.010	0.008	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10128	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10129	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10130	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10131	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10132	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10133	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10134	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10135	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10136	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10137	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10138	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10139	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10140	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10141	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10142	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10143	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10144	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10145	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10146	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10147	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10148	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10149	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10150	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10151	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10152	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10153	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10154	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10155	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10156	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10157	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10158	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10159	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10160	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10161	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10162	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10163	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10164	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10165	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10166	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10167	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10168	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10169	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10170	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10171	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10172	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10173	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10174	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10175	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10176	TRAP N/mm2	Y	0.010	0.008	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10177	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10178	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10179	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10180	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10181	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10182	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10183	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10184	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10185	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10186	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10187	TRAP N/mm2	Y	0.010	0.008	-	-	-	-
10218	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10219	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10220	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10221	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10222	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10223	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10224	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10225	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10226	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10227	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10228	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10229	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10230	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10231	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10232	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10233	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10234	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10235	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10236	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10237	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10238	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10239	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10240	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10241	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10242	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10243	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10244	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10245	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10246	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10247	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10248	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10249	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10250	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10251	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10252	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10253	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10254	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10255	TRAP N/mm2	Y	0.008	0.005	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10256	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10257	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10258	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10259	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10260	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10261	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10262	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10263	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10264	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10265	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10266	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10267	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10268	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10269	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10270	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10271	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10272	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10273	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10274	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10275	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10276	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10277	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10278	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10279	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10280	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10281	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10282	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10283	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10284	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10285	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10286	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10287	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10288	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10289	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10290	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10291	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10292	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10293	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10294	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10295	TRAP N/mm2	Y	0.008	0.005	-	-	-	-
10326	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10327	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10328	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10329	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10330	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10331	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10332	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10333	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10334	TRAP N/mm2	Y	0.005	0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10335	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10336	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10337	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10338	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10339	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10340	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10341	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10342	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10343	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10344	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10345	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10346	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10347	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10348	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10349	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10350	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10351	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10352	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10353	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10354	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10355	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10356	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10357	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10358	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10359	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10360	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10361	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10362	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10363	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10364	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10365	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10366	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10367	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10368	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10369	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10370	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10371	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10372	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10373	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10374	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10375	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10376	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10377	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10378	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10379	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10380	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10381	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10382	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10383	TRAP N/mm2	Y	0.005	0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10384	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10385	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10386	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10387	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10388	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10389	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10390	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10391	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10392	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10393	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10394	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10395	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10396	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10397	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10398	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10399	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10400	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10401	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10402	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10403	TRAP N/mm2	Y	0.005	0.003	-	-	-	-
10404	TRAP N/mm2	Y	0.003	0	-	-	-	-
10405	TRAP N/mm2	Y	0.003	0	-	-	-	-
10406	TRAP N/mm2	Y	0.003	0	-	-	-	-
10407	TRAP N/mm2	Y	0.003	0	-	-	-	-
10408	TRAP N/mm2	Y	0.003	0	-	-	-	-
10409	TRAP N/mm2	Y	0.003	0	-	-	-	-
10410	TRAP N/mm2	Y	0.003	0	-	-	-	-
10411	TRAP N/mm2	Y	0.003	0	-	-	-	-
10412	TRAP N/mm2	Y	0.003	0	-	-	-	-
10413	TRAP N/mm2	Y	0.003	0	-	-	-	-
10414	TRAP N/mm2	Y	0.003	0	-	-	-	-
10415	TRAP N/mm2	Y	0.003	0	-	-	-	-
10416	TRAP N/mm2	Y	0.003	0	-	-	-	-
10417	TRAP N/mm2	Y	0.003	0	-	-	-	-
10418	TRAP N/mm2	Y	0.003	0	-	-	-	-
10419	TRAP N/mm2	Y	0.003	0	-	-	-	-
10420	TRAP N/mm2	Y	0.003	0	-	-	-	-
10421	TRAP N/mm2	Y	0.003	0	-	-	-	-
10422	TRAP N/mm2	Y	0.003	0	-	-	-	-
10423	TRAP N/mm2	Y	0.003	0	-	-	-	-
10424	TRAP N/mm2	Y	0.003	0	-	-	-	-
10425	TRAP N/mm2	Y	0.003	0	-	-	-	-
10426	TRAP N/mm2	Y	0.003	0	-	-	-	-
10427	TRAP N/mm2	Y	0.003	0	-	-	-	-
10428	TRAP N/mm2	Y	0.003	0	-	-	-	-
10429	TRAP N/mm2	Y	0.003	0	-	-	-	-
10430	TRAP N/mm2	Y	0.003	0	-	-	-	-
10431	TRAP N/mm2	Y	0.003	0	-	-	-	-
10432	TRAP N/mm2	Y	0.003	0	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10433	TRAP N/mm2	Y	0.003	0	-	-	-	-
10434	TRAP N/mm2	Y	0.003	0	-	-	-	-
10435	TRAP N/mm2	Y	0.003	0	-	-	-	-
10436	TRAP N/mm2	Y	0.003	0	-	-	-	-
10437	TRAP N/mm2	Y	0.003	0	-	-	-	-
10438	TRAP N/mm2	Y	0.003	0	-	-	-	-
10439	TRAP N/mm2	Y	0.003	0	-	-	-	-
10440	TRAP N/mm2	Y	0.003	0	-	-	-	-
10441	TRAP N/mm2	Y	0.003	0	-	-	-	-
10442	TRAP N/mm2	Y	0.003	0	-	-	-	-
10443	TRAP N/mm2	Y	0.003	0	-	-	-	-
10444	TRAP N/mm2	Y	0.003	0	-	-	-	-
10445	TRAP N/mm2	Y	0.003	0	-	-	-	-
10446	TRAP N/mm2	Y	0.003	0	-	-	-	-
10447	TRAP N/mm2	Y	0.003	0	-	-	-	-
10448	TRAP N/mm2	Y	0.003	0	-	-	-	-
10449	TRAP N/mm2	Y	0.003	0	-	-	-	-
10450	TRAP N/mm2	Y	0.003	0	-	-	-	-
10451	TRAP N/mm2	Y	0.003	0	-	-	-	-
10452	TRAP N/mm2	Y	0.003	0	-	-	-	-
10453	TRAP N/mm2	Y	0.003	0	-	-	-	-
10454	TRAP N/mm2	Y	0.003	0	-	-	-	-
10455	TRAP N/mm2	Y	0.003	0	-	-	-	-
10456	TRAP N/mm2	Y	0.003	0	-	-	-	-
10457	TRAP N/mm2	Y	0.003	0	-	-	-	-
10458	TRAP N/mm2	Y	0.003	0	-	-	-	-
10459	TRAP N/mm2	Y	0.003	0	-	-	-	-
10460	TRAP N/mm2	Y	0.003	0	-	-	-	-
10461	TRAP N/mm2	Y	0.003	0	-	-	-	-
10462	TRAP N/mm2	Y	0.003	0	-	-	-	-
10463	TRAP N/mm2	Y	0.003	0	-	-	-	-
10464	TRAP N/mm2	Y	0.003	0	-	-	-	-
10465	TRAP N/mm2	Y	0.003	0	-	-	-	-
10466	TRAP N/mm2	Y	0.003	0	-	-	-	-
10467	TRAP N/mm2	Y	0.003	0	-	-	-	-
10468	TRAP N/mm2	Y	0.003	0	-	-	-	-
10469	TRAP N/mm2	Y	0.003	0	-	-	-	-
10470	TRAP N/mm2	Y	0.003	0	-	-	-	-
10471	TRAP N/mm2	Y	0.003	0	-	-	-	-
10472	TRAP N/mm2	Y	0.003	0	-	-	-	-
10473	TRAP N/mm2	Y	0.003	0	-	-	-	-
10474	TRAP N/mm2	Y	0.003	0	-	-	-	-
10475	TRAP N/mm2	Y	0.003	0	-	-	-	-
10476	TRAP N/mm2	Y	0.003	0	-	-	-	-
10477	TRAP N/mm2	Y	0.003	0	-	-	-	-
10478	TRAP N/mm2	Y	0.003	0	-	-	-	-
10479	TRAP N/mm2	Y	0.003	0	-	-	-	-
10480	TRAP N/mm2	Y	0.003	0	-	-	-	-
10481	TRAP N/mm2	Y	0.003	0	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3904	PRE N/mm2	Z	0.001	-	-	-	-	-
3905	PRE N/mm2	Z	0.001	-	-	-	-	-
3906	PRE N/mm2	Z	0.001	-	-	-	-	-
3907	PRE N/mm2	Z	0.001	-	-	-	-	-
3908	PRE N/mm2	Z	0.001	-	-	-	-	-
3909	PRE N/mm2	Z	0.001	-	-	-	-	-
3910	PRE N/mm2	Z	0.001	-	-	-	-	-
3911	PRE N/mm2	Z	0.001	-	-	-	-	-
3912	PRE N/mm2	Z	0.001	-	-	-	-	-
3913	PRE N/mm2	Z	0.001	-	-	-	-	-
3914	PRE N/mm2	Z	0.001	-	-	-	-	-
3915	PRE N/mm2	Z	0.001	-	-	-	-	-
3916	PRE N/mm2	Z	0.001	-	-	-	-	-
3917	PRE N/mm2	Z	0.001	-	-	-	-	-
3918	PRE N/mm2	Z	0.001	-	-	-	-	-
3919	PRE N/mm2	Z	0.001	-	-	-	-	-
3920	PRE N/mm2	Z	0.001	-	-	-	-	-
3921	PRE N/mm2	Z	0.001	-	-	-	-	-
3922	PRE N/mm2	Z	0.001	-	-	-	-	-
3923	PRE N/mm2	Z	0.001	-	-	-	-	-
3924	PRE N/mm2	Z	0.001	-	-	-	-	-
3925	PRE N/mm2	Z	0.001	-	-	-	-	-
3926	PRE N/mm2	Z	0.001	-	-	-	-	-
3927	PRE N/mm2	Z	0.001	-	-	-	-	-
3928	PRE N/mm2	Z	0.001	-	-	-	-	-
3929	PRE N/mm2	Z	0.001	-	-	-	-	-
3930	PRE N/mm2	Z	0.001	-	-	-	-	-
3931	PRE N/mm2	Z	0.001	-	-	-	-	-
3932	PRE N/mm2	Z	0.001	-	-	-	-	-
3933	PRE N/mm2	Z	0.001	-	-	-	-	-
3934	PRE N/mm2	Z	0.001	-	-	-	-	-
3935	PRE N/mm2	Z	0.001	-	-	-	-	-
3936	PRE N/mm2	Z	0.001	-	-	-	-	-
3937	PRE N/mm2	Z	0.001	-	-	-	-	-
3938	PRE N/mm2	Z	0.001	-	-	-	-	-
3939	PRE N/mm2	Z	0.001	-	-	-	-	-
3940	PRE N/mm2	Z	0.001	-	-	-	-	-
3941	PRE N/mm2	Z	0.001	-	-	-	-	-
3942	PRE N/mm2	Z	0.001	-	-	-	-	-
3943	PRE N/mm2	Z	0.001	-	-	-	-	-
3944	PRE N/mm2	Z	0.001	-	-	-	-	-
3945	PRE N/mm2	Z	0.001	-	-	-	-	-
3946	PRE N/mm2	Z	0.001	-	-	-	-	-
3947	PRE N/mm2	Z	0.001	-	-	-	-	-
3948	PRE N/mm2	Z	0.001	-	-	-	-	-
3949	PRE N/mm2	Z	0.001	-	-	-	-	-
3950	PRE N/mm2	Z	0.001	-	-	-	-	-
3951	PRE N/mm2	Z	0.001	-	-	-	-	-
3952	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3953	PRE N/mm2	Z	0.001	-	-	-	-	-
3954	PRE N/mm2	Z	0.001	-	-	-	-	-
3955	PRE N/mm2	Z	0.001	-	-	-	-	-
3956	PRE N/mm2	Z	0.001	-	-	-	-	-
3957	PRE N/mm2	Z	0.001	-	-	-	-	-
3958	PRE N/mm2	Z	0.001	-	-	-	-	-
3959	PRE N/mm2	Z	0.001	-	-	-	-	-
3960	PRE N/mm2	Z	0.001	-	-	-	-	-
3961	PRE N/mm2	Z	0.001	-	-	-	-	-
3962	PRE N/mm2	Z	0.001	-	-	-	-	-
3963	PRE N/mm2	Z	0.001	-	-	-	-	-
3964	PRE N/mm2	Z	0.001	-	-	-	-	-
3965	PRE N/mm2	Z	0.001	-	-	-	-	-
3966	PRE N/mm2	Z	0.001	-	-	-	-	-
3967	PRE N/mm2	Z	0.001	-	-	-	-	-
3968	PRE N/mm2	Z	0.001	-	-	-	-	-
3969	PRE N/mm2	Z	0.001	-	-	-	-	-
3970	PRE N/mm2	Z	0.001	-	-	-	-	-
3971	PRE N/mm2	Z	0.001	-	-	-	-	-
3972	PRE N/mm2	Z	0.001	-	-	-	-	-
3973	PRE N/mm2	Z	0.001	-	-	-	-	-
3974	PRE N/mm2	Z	0.001	-	-	-	-	-
3975	PRE N/mm2	Z	0.001	-	-	-	-	-
3976	PRE N/mm2	Z	0.001	-	-	-	-	-
3977	PRE N/mm2	Z	0.001	-	-	-	-	-
3978	PRE N/mm2	Z	0.001	-	-	-	-	-
3979	PRE N/mm2	Z	0.001	-	-	-	-	-
3980	PRE N/mm2	Z	0.001	-	-	-	-	-
3981	PRE N/mm2	Z	0.001	-	-	-	-	-
4232	PRE N/mm2	Z	0.001	-	-	-	-	-
4233	PRE N/mm2	Z	0.001	-	-	-	-	-
4234	PRE N/mm2	Z	0.001	-	-	-	-	-
4235	PRE N/mm2	Z	0.001	-	-	-	-	-
4236	PRE N/mm2	Z	0.001	-	-	-	-	-
4237	PRE N/mm2	Z	0.001	-	-	-	-	-
4238	PRE N/mm2	Z	0.001	-	-	-	-	-
4239	PRE N/mm2	Z	0.001	-	-	-	-	-
4240	PRE N/mm2	Z	0.001	-	-	-	-	-
4241	PRE N/mm2	Z	0.001	-	-	-	-	-
4242	PRE N/mm2	Z	0.001	-	-	-	-	-
4243	PRE N/mm2	Z	0.001	-	-	-	-	-
4244	PRE N/mm2	Z	0.001	-	-	-	-	-
4245	PRE N/mm2	Z	0.001	-	-	-	-	-
4246	PRE N/mm2	Z	0.001	-	-	-	-	-
4247	PRE N/mm2	Z	0.001	-	-	-	-	-
4248	PRE N/mm2	Z	0.001	-	-	-	-	-
4249	PRE N/mm2	Z	0.001	-	-	-	-	-
4250	PRE N/mm2	Z	0.001	-	-	-	-	-
4251	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4252	PRE N/mm2	Z	0.001	-	-	-	-	-
4253	PRE N/mm2	Z	0.001	-	-	-	-	-
4254	PRE N/mm2	Z	0.001	-	-	-	-	-
4255	PRE N/mm2	Z	0.001	-	-	-	-	-
4256	PRE N/mm2	Z	0.001	-	-	-	-	-
4257	PRE N/mm2	Z	0.001	-	-	-	-	-
4258	PRE N/mm2	Z	0.001	-	-	-	-	-
4259	PRE N/mm2	Z	0.001	-	-	-	-	-
4260	PRE N/mm2	Z	0.001	-	-	-	-	-
4261	PRE N/mm2	Z	0.001	-	-	-	-	-
4262	PRE N/mm2	Z	0.001	-	-	-	-	-
4263	PRE N/mm2	Z	0.001	-	-	-	-	-
4264	PRE N/mm2	Z	0.001	-	-	-	-	-
4265	PRE N/mm2	Z	0.001	-	-	-	-	-
4266	PRE N/mm2	Z	0.001	-	-	-	-	-
4267	PRE N/mm2	Z	0.001	-	-	-	-	-
4268	PRE N/mm2	Z	0.001	-	-	-	-	-
4269	PRE N/mm2	Z	0.001	-	-	-	-	-
4270	PRE N/mm2	Z	0.001	-	-	-	-	-
4271	PRE N/mm2	Z	0.001	-	-	-	-	-
4272	PRE N/mm2	Z	0.001	-	-	-	-	-
4273	PRE N/mm2	Z	0.001	-	-	-	-	-
4274	PRE N/mm2	Z	0.001	-	-	-	-	-
4275	PRE N/mm2	Z	0.001	-	-	-	-	-
4276	PRE N/mm2	Z	0.001	-	-	-	-	-
4277	PRE N/mm2	Z	0.001	-	-	-	-	-
4278	PRE N/mm2	Z	0.001	-	-	-	-	-
4279	PRE N/mm2	Z	0.001	-	-	-	-	-
4280	PRE N/mm2	Z	0.001	-	-	-	-	-
4281	PRE N/mm2	Z	0.001	-	-	-	-	-
4282	PRE N/mm2	Z	0.001	-	-	-	-	-
4283	PRE N/mm2	Z	0.001	-	-	-	-	-
4284	PRE N/mm2	Z	0.001	-	-	-	-	-
4285	PRE N/mm2	Z	0.001	-	-	-	-	-
4286	PRE N/mm2	Z	0.001	-	-	-	-	-
4287	PRE N/mm2	Z	0.001	-	-	-	-	-
4288	PRE N/mm2	Z	0.001	-	-	-	-	-
4289	PRE N/mm2	Z	0.001	-	-	-	-	-
4290	PRE N/mm2	Z	0.001	-	-	-	-	-
4291	PRE N/mm2	Z	0.001	-	-	-	-	-
4292	PRE N/mm2	Z	0.001	-	-	-	-	-
4293	PRE N/mm2	Z	0.001	-	-	-	-	-
4294	PRE N/mm2	Z	0.001	-	-	-	-	-
4295	PRE N/mm2	Z	0.001	-	-	-	-	-
4296	PRE N/mm2	Z	0.001	-	-	-	-	-
4297	PRE N/mm2	Z	0.001	-	-	-	-	-
4298	PRE N/mm2	Z	0.001	-	-	-	-	-
4299	PRE N/mm2	Z	0.001	-	-	-	-	-
4300	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4301	PRE N/mm2	Z	0.001	-	-	-	-	-
4302	PRE N/mm2	Z	0.001	-	-	-	-	-
4303	PRE N/mm2	Z	0.001	-	-	-	-	-
4304	PRE N/mm2	Z	0.001	-	-	-	-	-
4305	PRE N/mm2	Z	0.001	-	-	-	-	-
4306	PRE N/mm2	Z	0.001	-	-	-	-	-
4307	PRE N/mm2	Z	0.001	-	-	-	-	-
4308	PRE N/mm2	Z	0.001	-	-	-	-	-
4309	PRE N/mm2	Z	0.001	-	-	-	-	-
4540	PRE N/mm2	Z	0.001	-	-	-	-	-
4541	PRE N/mm2	Z	0.001	-	-	-	-	-
4542	PRE N/mm2	Z	0.001	-	-	-	-	-
4543	PRE N/mm2	Z	0.001	-	-	-	-	-
4544	PRE N/mm2	Z	0.001	-	-	-	-	-
4545	PRE N/mm2	Z	0.001	-	-	-	-	-
4546	PRE N/mm2	Z	0.001	-	-	-	-	-
4547	PRE N/mm2	Z	0.001	-	-	-	-	-
4548	PRE N/mm2	Z	0.001	-	-	-	-	-
4549	PRE N/mm2	Z	0.001	-	-	-	-	-
4550	PRE N/mm2	Z	0.001	-	-	-	-	-
4551	PRE N/mm2	Z	0.001	-	-	-	-	-
4552	PRE N/mm2	Z	0.001	-	-	-	-	-
4553	PRE N/mm2	Z	0.001	-	-	-	-	-
4554	PRE N/mm2	Z	0.001	-	-	-	-	-
4555	PRE N/mm2	Z	0.001	-	-	-	-	-
4556	PRE N/mm2	Z	0.001	-	-	-	-	-
4557	PRE N/mm2	Z	0.001	-	-	-	-	-
4558	PRE N/mm2	Z	0.001	-	-	-	-	-
4559	PRE N/mm2	Z	0.001	-	-	-	-	-
4560	PRE N/mm2	Z	0.001	-	-	-	-	-
4561	PRE N/mm2	Z	0.001	-	-	-	-	-
4562	PRE N/mm2	Z	0.001	-	-	-	-	-
4563	PRE N/mm2	Z	0.001	-	-	-	-	-
4564	PRE N/mm2	Z	0.001	-	-	-	-	-
4565	PRE N/mm2	Z	0.001	-	-	-	-	-
4566	PRE N/mm2	Z	0.001	-	-	-	-	-
4567	PRE N/mm2	Z	0.001	-	-	-	-	-
4568	PRE N/mm2	Z	0.001	-	-	-	-	-
4569	PRE N/mm2	Z	0.001	-	-	-	-	-
4570	PRE N/mm2	Z	0.001	-	-	-	-	-
4571	PRE N/mm2	Z	0.001	-	-	-	-	-
4572	PRE N/mm2	Z	0.001	-	-	-	-	-
4573	PRE N/mm2	Z	0.001	-	-	-	-	-
4574	PRE N/mm2	Z	0.001	-	-	-	-	-
4575	PRE N/mm2	Z	0.001	-	-	-	-	-
4576	PRE N/mm2	Z	0.001	-	-	-	-	-
4577	PRE N/mm2	Z	0.001	-	-	-	-	-
4578	PRE N/mm2	Z	0.001	-	-	-	-	-
4579	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4580	PRE N/mm2	Z	0.001	-	-	-	-	-
4581	PRE N/mm2	Z	0.001	-	-	-	-	-
4582	PRE N/mm2	Z	0.001	-	-	-	-	-
4583	PRE N/mm2	Z	0.001	-	-	-	-	-
4584	PRE N/mm2	Z	0.001	-	-	-	-	-
4585	PRE N/mm2	Z	0.001	-	-	-	-	-
4586	PRE N/mm2	Z	0.001	-	-	-	-	-
4587	PRE N/mm2	Z	0.001	-	-	-	-	-
4588	PRE N/mm2	Z	0.001	-	-	-	-	-
4589	PRE N/mm2	Z	0.001	-	-	-	-	-
4590	PRE N/mm2	Z	0.001	-	-	-	-	-
4591	PRE N/mm2	Z	0.001	-	-	-	-	-
4592	PRE N/mm2	Z	0.001	-	-	-	-	-
4593	PRE N/mm2	Z	0.001	-	-	-	-	-
4594	PRE N/mm2	Z	0.001	-	-	-	-	-
4595	PRE N/mm2	Z	0.001	-	-	-	-	-
4596	PRE N/mm2	Z	0.001	-	-	-	-	-
4597	PRE N/mm2	Z	0.001	-	-	-	-	-
4598	PRE N/mm2	Z	0.001	-	-	-	-	-
4599	PRE N/mm2	Z	0.001	-	-	-	-	-
4600	PRE N/mm2	Z	0.001	-	-	-	-	-
4601	PRE N/mm2	Z	0.001	-	-	-	-	-
4602	PRE N/mm2	Z	0.001	-	-	-	-	-
4603	PRE N/mm2	Z	0.001	-	-	-	-	-
4604	PRE N/mm2	Z	0.001	-	-	-	-	-
4605	PRE N/mm2	Z	0.001	-	-	-	-	-
4606	PRE N/mm2	Z	0.001	-	-	-	-	-
4607	PRE N/mm2	Z	0.001	-	-	-	-	-
4608	PRE N/mm2	Z	0.001	-	-	-	-	-
4609	PRE N/mm2	Z	0.001	-	-	-	-	-
4610	PRE N/mm2	Z	0.001	-	-	-	-	-
4611	PRE N/mm2	Z	0.001	-	-	-	-	-
4612	PRE N/mm2	Z	0.001	-	-	-	-	-
4613	PRE N/mm2	Z	0.001	-	-	-	-	-
4614	PRE N/mm2	Z	0.001	-	-	-	-	-
4615	PRE N/mm2	Z	0.001	-	-	-	-	-
4616	PRE N/mm2	Z	0.001	-	-	-	-	-
4617	PRE N/mm2	Z	0.001	-	-	-	-	-
4838	PRE N/mm2	Z	0.001	-	-	-	-	-
4839	PRE N/mm2	Z	0.001	-	-	-	-	-
4840	PRE N/mm2	Z	0.001	-	-	-	-	-
4841	PRE N/mm2	Z	0.001	-	-	-	-	-
4842	PRE N/mm2	Z	0.001	-	-	-	-	-
4843	PRE N/mm2	Z	0.001	-	-	-	-	-
4844	PRE N/mm2	Z	0.001	-	-	-	-	-
4845	PRE N/mm2	Z	0.001	-	-	-	-	-
4846	PRE N/mm2	Z	0.001	-	-	-	-	-
4847	PRE N/mm2	Z	0.001	-	-	-	-	-
4848	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4849	PRE N/mm2	Z	0.001	-	-	-	-	-
4850	PRE N/mm2	Z	0.001	-	-	-	-	-
4851	PRE N/mm2	Z	0.001	-	-	-	-	-
4852	PRE N/mm2	Z	0.001	-	-	-	-	-
4853	PRE N/mm2	Z	0.001	-	-	-	-	-
4854	PRE N/mm2	Z	0.001	-	-	-	-	-
4855	PRE N/mm2	Z	0.001	-	-	-	-	-
4856	PRE N/mm2	Z	0.001	-	-	-	-	-
4857	PRE N/mm2	Z	0.001	-	-	-	-	-
4858	PRE N/mm2	Z	0.001	-	-	-	-	-
4859	PRE N/mm2	Z	0.001	-	-	-	-	-
4860	PRE N/mm2	Z	0.001	-	-	-	-	-
4861	PRE N/mm2	Z	0.001	-	-	-	-	-
4862	PRE N/mm2	Z	0.001	-	-	-	-	-
4863	PRE N/mm2	Z	0.001	-	-	-	-	-
4864	PRE N/mm2	Z	0.001	-	-	-	-	-
4865	PRE N/mm2	Z	0.001	-	-	-	-	-
4866	PRE N/mm2	Z	0.001	-	-	-	-	-
4867	PRE N/mm2	Z	0.001	-	-	-	-	-
4868	PRE N/mm2	Z	0.001	-	-	-	-	-
4869	PRE N/mm2	Z	0.001	-	-	-	-	-
4870	PRE N/mm2	Z	0.001	-	-	-	-	-
4871	PRE N/mm2	Z	0.001	-	-	-	-	-
4872	PRE N/mm2	Z	0.001	-	-	-	-	-
4873	PRE N/mm2	Z	0.001	-	-	-	-	-
4874	PRE N/mm2	Z	0.001	-	-	-	-	-
4875	PRE N/mm2	Z	0.001	-	-	-	-	-
4876	PRE N/mm2	Z	0.001	-	-	-	-	-
4877	PRE N/mm2	Z	0.001	-	-	-	-	-
4878	PRE N/mm2	Z	0.001	-	-	-	-	-
4879	PRE N/mm2	Z	0.001	-	-	-	-	-
4880	PRE N/mm2	Z	0.001	-	-	-	-	-
4881	PRE N/mm2	Z	0.001	-	-	-	-	-
4882	PRE N/mm2	Z	0.001	-	-	-	-	-
4883	PRE N/mm2	Z	0.001	-	-	-	-	-
4884	PRE N/mm2	Z	0.001	-	-	-	-	-
4885	PRE N/mm2	Z	0.001	-	-	-	-	-
4886	PRE N/mm2	Z	0.001	-	-	-	-	-
4887	PRE N/mm2	Z	0.001	-	-	-	-	-
4888	PRE N/mm2	Z	0.001	-	-	-	-	-
4889	PRE N/mm2	Z	0.001	-	-	-	-	-
4890	PRE N/mm2	Z	0.001	-	-	-	-	-
4891	PRE N/mm2	Z	0.001	-	-	-	-	-
4892	PRE N/mm2	Z	0.001	-	-	-	-	-
4893	PRE N/mm2	Z	0.001	-	-	-	-	-
4894	PRE N/mm2	Z	0.001	-	-	-	-	-
4895	PRE N/mm2	Z	0.001	-	-	-	-	-
4896	PRE N/mm2	Z	0.001	-	-	-	-	-
4897	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4898	PRE N/mm2	Z	0.001	-	-	-	-	-
4899	PRE N/mm2	Z	0.001	-	-	-	-	-
4900	PRE N/mm2	Z	0.001	-	-	-	-	-
4901	PRE N/mm2	Z	0.001	-	-	-	-	-
4902	PRE N/mm2	Z	0.001	-	-	-	-	-
4903	PRE N/mm2	Z	0.001	-	-	-	-	-
4904	PRE N/mm2	Z	0.001	-	-	-	-	-
4905	PRE N/mm2	Z	0.001	-	-	-	-	-
4906	PRE N/mm2	Z	0.001	-	-	-	-	-
4907	PRE N/mm2	Z	0.001	-	-	-	-	-
4908	PRE N/mm2	Z	0.001	-	-	-	-	-
4909	PRE N/mm2	Z	0.001	-	-	-	-	-
4910	PRE N/mm2	Z	0.001	-	-	-	-	-
4911	PRE N/mm2	Z	0.001	-	-	-	-	-
4912	PRE N/mm2	Z	0.001	-	-	-	-	-
4913	PRE N/mm2	Z	0.001	-	-	-	-	-
4914	PRE N/mm2	Z	0.001	-	-	-	-	-
4915	PRE N/mm2	Z	0.001	-	-	-	-	-
5116	PRE N/mm2	Z	0.001	-	-	-	-	-
5117	PRE N/mm2	Z	0.001	-	-	-	-	-
5118	PRE N/mm2	Z	0.001	-	-	-	-	-
5119	PRE N/mm2	Z	0.001	-	-	-	-	-
5120	PRE N/mm2	Z	0.001	-	-	-	-	-
5121	PRE N/mm2	Z	0.001	-	-	-	-	-
5122	PRE N/mm2	Z	0.001	-	-	-	-	-
5123	PRE N/mm2	Z	0.001	-	-	-	-	-
5124	PRE N/mm2	Z	0.001	-	-	-	-	-
5125	PRE N/mm2	Z	0.001	-	-	-	-	-
5126	PRE N/mm2	Z	0.001	-	-	-	-	-
5127	PRE N/mm2	Z	0.001	-	-	-	-	-
5128	PRE N/mm2	Z	0.001	-	-	-	-	-
5129	PRE N/mm2	Z	0.001	-	-	-	-	-
5130	PRE N/mm2	Z	0.001	-	-	-	-	-
5131	PRE N/mm2	Z	0.001	-	-	-	-	-
5132	PRE N/mm2	Z	0.001	-	-	-	-	-
5133	PRE N/mm2	Z	0.001	-	-	-	-	-
5134	PRE N/mm2	Z	0.001	-	-	-	-	-
5135	PRE N/mm2	Z	0.001	-	-	-	-	-
5136	PRE N/mm2	Z	0.001	-	-	-	-	-
5137	PRE N/mm2	Z	0.001	-	-	-	-	-
5138	PRE N/mm2	Z	0.001	-	-	-	-	-
5139	PRE N/mm2	Z	0.001	-	-	-	-	-
5140	PRE N/mm2	Z	0.001	-	-	-	-	-
5141	PRE N/mm2	Z	0.001	-	-	-	-	-
5142	PRE N/mm2	Z	0.001	-	-	-	-	-
5143	PRE N/mm2	Z	0.001	-	-	-	-	-
5144	PRE N/mm2	Z	0.001	-	-	-	-	-
5145	PRE N/mm2	Z	0.001	-	-	-	-	-
5146	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5147	PRE N/mm2	Z	0.001	-	-	-	-	-
5148	PRE N/mm2	Z	0.001	-	-	-	-	-
5149	PRE N/mm2	Z	0.001	-	-	-	-	-
5150	PRE N/mm2	Z	0.001	-	-	-	-	-
5151	PRE N/mm2	Z	0.001	-	-	-	-	-
5152	PRE N/mm2	Z	0.001	-	-	-	-	-
5153	PRE N/mm2	Z	0.001	-	-	-	-	-
5154	PRE N/mm2	Z	0.001	-	-	-	-	-
5155	PRE N/mm2	Z	0.001	-	-	-	-	-
5156	PRE N/mm2	Z	0.001	-	-	-	-	-
5157	PRE N/mm2	Z	0.001	-	-	-	-	-
5158	PRE N/mm2	Z	0.001	-	-	-	-	-
5159	PRE N/mm2	Z	0.001	-	-	-	-	-
5160	PRE N/mm2	Z	0.001	-	-	-	-	-
5161	PRE N/mm2	Z	0.001	-	-	-	-	-
5162	PRE N/mm2	Z	0.001	-	-	-	-	-
5163	PRE N/mm2	Z	0.001	-	-	-	-	-
5164	PRE N/mm2	Z	0.001	-	-	-	-	-
5165	PRE N/mm2	Z	0.001	-	-	-	-	-
5166	PRE N/mm2	Z	0.001	-	-	-	-	-
5167	PRE N/mm2	Z	0.001	-	-	-	-	-
5168	PRE N/mm2	Z	0.001	-	-	-	-	-
5169	PRE N/mm2	Z	0.001	-	-	-	-	-
5170	PRE N/mm2	Z	0.001	-	-	-	-	-
5171	PRE N/mm2	Z	0.001	-	-	-	-	-
5172	PRE N/mm2	Z	0.001	-	-	-	-	-
5173	PRE N/mm2	Z	0.001	-	-	-	-	-
5174	PRE N/mm2	Z	0.001	-	-	-	-	-
5175	PRE N/mm2	Z	0.001	-	-	-	-	-
5176	PRE N/mm2	Z	0.001	-	-	-	-	-
5177	PRE N/mm2	Z	0.001	-	-	-	-	-
5178	PRE N/mm2	Z	0.001	-	-	-	-	-
5179	PRE N/mm2	Z	0.001	-	-	-	-	-
5180	PRE N/mm2	Z	0.001	-	-	-	-	-
5181	PRE N/mm2	Z	0.001	-	-	-	-	-
5182	PRE N/mm2	Z	0.001	-	-	-	-	-
5183	PRE N/mm2	Z	0.001	-	-	-	-	-
5184	PRE N/mm2	Z	0.001	-	-	-	-	-
5185	PRE N/mm2	Z	0.001	-	-	-	-	-
5186	PRE N/mm2	Z	0.001	-	-	-	-	-
5187	PRE N/mm2	Z	0.001	-	-	-	-	-
5188	PRE N/mm2	Z	0.001	-	-	-	-	-
5189	PRE N/mm2	Z	0.001	-	-	-	-	-
5190	PRE N/mm2	Z	0.001	-	-	-	-	-
5191	PRE N/mm2	Z	0.001	-	-	-	-	-
5192	PRE N/mm2	Z	0.001	-	-	-	-	-
5193	PRE N/mm2	Z	0.001	-	-	-	-	-
5374	PRE N/mm2	Z	0.001	-	-	-	-	-
5375	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5376	PRE N/mm2	Z	0.001	-	-	-	-	-
5377	PRE N/mm2	Z	0.001	-	-	-	-	-
5378	PRE N/mm2	Z	0.001	-	-	-	-	-
5379	PRE N/mm2	Z	0.001	-	-	-	-	-
5380	PRE N/mm2	Z	0.001	-	-	-	-	-
5381	PRE N/mm2	Z	0.001	-	-	-	-	-
5382	PRE N/mm2	Z	0.001	-	-	-	-	-
5383	PRE N/mm2	Z	0.001	-	-	-	-	-
5384	PRE N/mm2	Z	0.001	-	-	-	-	-
5385	PRE N/mm2	Z	0.001	-	-	-	-	-
5386	PRE N/mm2	Z	0.001	-	-	-	-	-
5387	PRE N/mm2	Z	0.001	-	-	-	-	-
5388	PRE N/mm2	Z	0.001	-	-	-	-	-
5389	PRE N/mm2	Z	0.001	-	-	-	-	-
5390	PRE N/mm2	Z	0.001	-	-	-	-	-
5391	PRE N/mm2	Z	0.001	-	-	-	-	-
5392	PRE N/mm2	Z	0.001	-	-	-	-	-
5393	PRE N/mm2	Z	0.001	-	-	-	-	-
5394	PRE N/mm2	Z	0.001	-	-	-	-	-
5395	PRE N/mm2	Z	0.001	-	-	-	-	-
5396	PRE N/mm2	Z	0.001	-	-	-	-	-
5397	PRE N/mm2	Z	0.001	-	-	-	-	-
5398	PRE N/mm2	Z	0.001	-	-	-	-	-
5399	PRE N/mm2	Z	0.001	-	-	-	-	-
5400	PRE N/mm2	Z	0.001	-	-	-	-	-
5401	PRE N/mm2	Z	0.001	-	-	-	-	-
5402	PRE N/mm2	Z	0.001	-	-	-	-	-
5403	PRE N/mm2	Z	0.001	-	-	-	-	-
5404	PRE N/mm2	Z	0.001	-	-	-	-	-
5405	PRE N/mm2	Z	0.001	-	-	-	-	-
5406	PRE N/mm2	Z	0.001	-	-	-	-	-
5407	PRE N/mm2	Z	0.001	-	-	-	-	-
5408	PRE N/mm2	Z	0.001	-	-	-	-	-
5409	PRE N/mm2	Z	0.001	-	-	-	-	-
5410	PRE N/mm2	Z	0.001	-	-	-	-	-
5411	PRE N/mm2	Z	0.001	-	-	-	-	-
5412	PRE N/mm2	Z	0.001	-	-	-	-	-
5413	PRE N/mm2	Z	0.001	-	-	-	-	-
5414	PRE N/mm2	Z	0.001	-	-	-	-	-
5415	PRE N/mm2	Z	0.001	-	-	-	-	-
5416	PRE N/mm2	Z	0.001	-	-	-	-	-
5417	PRE N/mm2	Z	0.001	-	-	-	-	-
5418	PRE N/mm2	Z	0.001	-	-	-	-	-
5419	PRE N/mm2	Z	0.001	-	-	-	-	-
5420	PRE N/mm2	Z	0.001	-	-	-	-	-
5421	PRE N/mm2	Z	0.001	-	-	-	-	-
5422	PRE N/mm2	Z	0.001	-	-	-	-	-
5423	PRE N/mm2	Z	0.001	-	-	-	-	-
5424	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5425	PRE N/mm2	Z	0.001	-	-	-	-	-
5426	PRE N/mm2	Z	0.001	-	-	-	-	-
5427	PRE N/mm2	Z	0.001	-	-	-	-	-
5428	PRE N/mm2	Z	0.001	-	-	-	-	-
5429	PRE N/mm2	Z	0.001	-	-	-	-	-
5430	PRE N/mm2	Z	0.001	-	-	-	-	-
5431	PRE N/mm2	Z	0.001	-	-	-	-	-
5432	PRE N/mm2	Z	0.001	-	-	-	-	-
5433	PRE N/mm2	Z	0.001	-	-	-	-	-
5434	PRE N/mm2	Z	0.001	-	-	-	-	-
5435	PRE N/mm2	Z	0.001	-	-	-	-	-
5436	PRE N/mm2	Z	0.001	-	-	-	-	-
5437	PRE N/mm2	Z	0.001	-	-	-	-	-
5438	PRE N/mm2	Z	0.001	-	-	-	-	-
5439	PRE N/mm2	Z	0.001	-	-	-	-	-
5440	PRE N/mm2	Z	0.001	-	-	-	-	-
5441	PRE N/mm2	Z	0.001	-	-	-	-	-
5442	PRE N/mm2	Z	0.001	-	-	-	-	-
5443	PRE N/mm2	Z	0.001	-	-	-	-	-
5444	PRE N/mm2	Z	0.001	-	-	-	-	-
5445	PRE N/mm2	Z	0.001	-	-	-	-	-
5446	PRE N/mm2	Z	0.001	-	-	-	-	-
5447	PRE N/mm2	Z	0.001	-	-	-	-	-
5448	PRE N/mm2	Z	0.001	-	-	-	-	-
5449	PRE N/mm2	Z	0.001	-	-	-	-	-
5450	PRE N/mm2	Z	0.001	-	-	-	-	-
5451	PRE N/mm2	Z	0.001	-	-	-	-	-
5612	PRE N/mm2	Z	0.001	-	-	-	-	-
5613	PRE N/mm2	Z	0.001	-	-	-	-	-
5614	PRE N/mm2	Z	0.001	-	-	-	-	-
5615	PRE N/mm2	Z	0.001	-	-	-	-	-
5616	PRE N/mm2	Z	0.001	-	-	-	-	-
5617	PRE N/mm2	Z	0.001	-	-	-	-	-
5618	PRE N/mm2	Z	0.001	-	-	-	-	-
5619	PRE N/mm2	Z	0.001	-	-	-	-	-
5620	PRE N/mm2	Z	0.001	-	-	-	-	-
5621	PRE N/mm2	Z	0.001	-	-	-	-	-
5622	PRE N/mm2	Z	0.001	-	-	-	-	-
5623	PRE N/mm2	Z	0.001	-	-	-	-	-
5624	PRE N/mm2	Z	0.001	-	-	-	-	-
5625	PRE N/mm2	Z	0.001	-	-	-	-	-
5626	PRE N/mm2	Z	0.001	-	-	-	-	-
5627	PRE N/mm2	Z	0.001	-	-	-	-	-
5628	PRE N/mm2	Z	0.001	-	-	-	-	-
5629	PRE N/mm2	Z	0.001	-	-	-	-	-
5630	PRE N/mm2	Z	0.001	-	-	-	-	-
5631	PRE N/mm2	Z	0.001	-	-	-	-	-
5632	PRE N/mm2	Z	0.001	-	-	-	-	-
5633	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5634	PRE N/mm2	Z	0.001	-	-	-	-	-
5635	PRE N/mm2	Z	0.001	-	-	-	-	-
5636	PRE N/mm2	Z	0.001	-	-	-	-	-
5637	PRE N/mm2	Z	0.001	-	-	-	-	-
5638	PRE N/mm2	Z	0.001	-	-	-	-	-
5639	PRE N/mm2	Z	0.001	-	-	-	-	-
5640	PRE N/mm2	Z	0.001	-	-	-	-	-
5641	PRE N/mm2	Z	0.001	-	-	-	-	-
5642	PRE N/mm2	Z	0.001	-	-	-	-	-
5643	PRE N/mm2	Z	0.001	-	-	-	-	-
5644	PRE N/mm2	Z	0.001	-	-	-	-	-
5645	PRE N/mm2	Z	0.001	-	-	-	-	-
5646	PRE N/mm2	Z	0.001	-	-	-	-	-
5647	PRE N/mm2	Z	0.001	-	-	-	-	-
5648	PRE N/mm2	Z	0.001	-	-	-	-	-
5649	PRE N/mm2	Z	0.001	-	-	-	-	-
5650	PRE N/mm2	Z	0.001	-	-	-	-	-
5651	PRE N/mm2	Z	0.001	-	-	-	-	-
5652	PRE N/mm2	Z	0.001	-	-	-	-	-
5653	PRE N/mm2	Z	0.001	-	-	-	-	-
5654	PRE N/mm2	Z	0.001	-	-	-	-	-
5655	PRE N/mm2	Z	0.001	-	-	-	-	-
5656	PRE N/mm2	Z	0.001	-	-	-	-	-
5657	PRE N/mm2	Z	0.001	-	-	-	-	-
5658	PRE N/mm2	Z	0.001	-	-	-	-	-
5659	PRE N/mm2	Z	0.001	-	-	-	-	-
5660	PRE N/mm2	Z	0.001	-	-	-	-	-
5661	PRE N/mm2	Z	0.001	-	-	-	-	-
5662	PRE N/mm2	Z	0.001	-	-	-	-	-
5663	PRE N/mm2	Z	0.001	-	-	-	-	-
5664	PRE N/mm2	Z	0.001	-	-	-	-	-
5665	PRE N/mm2	Z	0.001	-	-	-	-	-
5666	PRE N/mm2	Z	0.001	-	-	-	-	-
5667	PRE N/mm2	Z	0.001	-	-	-	-	-
5668	PRE N/mm2	Z	0.001	-	-	-	-	-
5669	PRE N/mm2	Z	0.001	-	-	-	-	-
5670	PRE N/mm2	Z	0.001	-	-	-	-	-
5671	PRE N/mm2	Z	0.001	-	-	-	-	-
5672	PRE N/mm2	Z	0.001	-	-	-	-	-
5673	PRE N/mm2	Z	0.001	-	-	-	-	-
5674	PRE N/mm2	Z	0.001	-	-	-	-	-
5675	PRE N/mm2	Z	0.001	-	-	-	-	-
5676	PRE N/mm2	Z	0.001	-	-	-	-	-
5677	PRE N/mm2	Z	0.001	-	-	-	-	-
5678	PRE N/mm2	Z	0.001	-	-	-	-	-
5679	PRE N/mm2	Z	0.001	-	-	-	-	-
5680	PRE N/mm2	Z	0.001	-	-	-	-	-
5681	PRE N/mm2	Z	0.001	-	-	-	-	-
5682	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5683	PRE N/mm2	Z	0.001	-	-	-	-	-
5684	PRE N/mm2	Z	0.001	-	-	-	-	-
5685	PRE N/mm2	Z	0.001	-	-	-	-	-
5686	PRE N/mm2	Z	0.001	-	-	-	-	-
5687	PRE N/mm2	Z	0.001	-	-	-	-	-
5688	PRE N/mm2	Z	0.001	-	-	-	-	-
5689	PRE N/mm2	Z	0.001	-	-	-	-	-
5850	PRE N/mm2	Z	0.001	-	-	-	-	-
5851	PRE N/mm2	Z	0.001	-	-	-	-	-
5852	PRE N/mm2	Z	0.001	-	-	-	-	-
5853	PRE N/mm2	Z	0.001	-	-	-	-	-
5854	PRE N/mm2	Z	0.001	-	-	-	-	-
5855	PRE N/mm2	Z	0.001	-	-	-	-	-
5856	PRE N/mm2	Z	0.001	-	-	-	-	-
5857	PRE N/mm2	Z	0.001	-	-	-	-	-
5858	PRE N/mm2	Z	0.001	-	-	-	-	-
5859	PRE N/mm2	Z	0.001	-	-	-	-	-
5860	PRE N/mm2	Z	0.001	-	-	-	-	-
5861	PRE N/mm2	Z	0.001	-	-	-	-	-
5862	PRE N/mm2	Z	0.001	-	-	-	-	-
5863	PRE N/mm2	Z	0.001	-	-	-	-	-
5864	PRE N/mm2	Z	0.001	-	-	-	-	-
5865	PRE N/mm2	Z	0.001	-	-	-	-	-
5866	PRE N/mm2	Z	0.001	-	-	-	-	-
5867	PRE N/mm2	Z	0.001	-	-	-	-	-
5868	PRE N/mm2	Z	0.001	-	-	-	-	-
5869	PRE N/mm2	Z	0.001	-	-	-	-	-
5870	PRE N/mm2	Z	0.001	-	-	-	-	-
5871	PRE N/mm2	Z	0.001	-	-	-	-	-
5872	PRE N/mm2	Z	0.001	-	-	-	-	-
5873	PRE N/mm2	Z	0.001	-	-	-	-	-
5874	PRE N/mm2	Z	0.001	-	-	-	-	-
5875	PRE N/mm2	Z	0.001	-	-	-	-	-
5876	PRE N/mm2	Z	0.001	-	-	-	-	-
5877	PRE N/mm2	Z	0.001	-	-	-	-	-
5878	PRE N/mm2	Z	0.001	-	-	-	-	-
5879	PRE N/mm2	Z	0.001	-	-	-	-	-
5880	PRE N/mm2	Z	0.001	-	-	-	-	-
5881	PRE N/mm2	Z	0.001	-	-	-	-	-
5882	PRE N/mm2	Z	0.001	-	-	-	-	-
5883	PRE N/mm2	Z	0.001	-	-	-	-	-
5884	PRE N/mm2	Z	0.001	-	-	-	-	-
5885	PRE N/mm2	Z	0.001	-	-	-	-	-
5886	PRE N/mm2	Z	0.001	-	-	-	-	-
5887	PRE N/mm2	Z	0.001	-	-	-	-	-
5888	PRE N/mm2	Z	0.001	-	-	-	-	-
5889	PRE N/mm2	Z	0.001	-	-	-	-	-
5890	PRE N/mm2	Z	0.001	-	-	-	-	-
5891	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5892	PRE N/mm2	Z	0.001	-	-	-	-	-
5893	PRE N/mm2	Z	0.001	-	-	-	-	-
5894	PRE N/mm2	Z	0.001	-	-	-	-	-
5895	PRE N/mm2	Z	0.001	-	-	-	-	-
5896	PRE N/mm2	Z	0.001	-	-	-	-	-
5897	PRE N/mm2	Z	0.001	-	-	-	-	-
5898	PRE N/mm2	Z	0.001	-	-	-	-	-
5899	PRE N/mm2	Z	0.001	-	-	-	-	-
5900	PRE N/mm2	Z	0.001	-	-	-	-	-
5901	PRE N/mm2	Z	0.001	-	-	-	-	-
5902	PRE N/mm2	Z	0.001	-	-	-	-	-
5903	PRE N/mm2	Z	0.001	-	-	-	-	-
5904	PRE N/mm2	Z	0.001	-	-	-	-	-
5905	PRE N/mm2	Z	0.001	-	-	-	-	-
5906	PRE N/mm2	Z	0.001	-	-	-	-	-
5907	PRE N/mm2	Z	0.001	-	-	-	-	-
5908	PRE N/mm2	Z	0.001	-	-	-	-	-
5909	PRE N/mm2	Z	0.001	-	-	-	-	-
5910	PRE N/mm2	Z	0.001	-	-	-	-	-
5911	PRE N/mm2	Z	0.001	-	-	-	-	-
5912	PRE N/mm2	Z	0.001	-	-	-	-	-
5913	PRE N/mm2	Z	0.001	-	-	-	-	-
5914	PRE N/mm2	Z	0.001	-	-	-	-	-
5915	PRE N/mm2	Z	0.001	-	-	-	-	-
5916	PRE N/mm2	Z	0.001	-	-	-	-	-
5917	PRE N/mm2	Z	0.001	-	-	-	-	-
5918	PRE N/mm2	Z	0.001	-	-	-	-	-
5919	PRE N/mm2	Z	0.001	-	-	-	-	-
5920	PRE N/mm2	Z	0.001	-	-	-	-	-
5921	PRE N/mm2	Z	0.001	-	-	-	-	-
5922	PRE N/mm2	Z	0.001	-	-	-	-	-
5923	PRE N/mm2	Z	0.001	-	-	-	-	-
5924	PRE N/mm2	Z	0.001	-	-	-	-	-
5925	PRE N/mm2	Z	0.001	-	-	-	-	-
5926	PRE N/mm2	Z	0.001	-	-	-	-	-
5927	PRE N/mm2	Z	0.001	-	-	-	-	-
6078	PRE N/mm2	Z	0.001	-	-	-	-	-
6079	PRE N/mm2	Z	0.001	-	-	-	-	-
6080	PRE N/mm2	Z	0.001	-	-	-	-	-
6081	PRE N/mm2	Z	0.001	-	-	-	-	-
6082	PRE N/mm2	Z	0.001	-	-	-	-	-
6083	PRE N/mm2	Z	0.001	-	-	-	-	-
6084	PRE N/mm2	Z	0.001	-	-	-	-	-
6085	PRE N/mm2	Z	0.001	-	-	-	-	-
6086	PRE N/mm2	Z	0.001	-	-	-	-	-
6087	PRE N/mm2	Z	0.001	-	-	-	-	-
6088	PRE N/mm2	Z	0.001	-	-	-	-	-
6089	PRE N/mm2	Z	0.001	-	-	-	-	-
6090	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6091	PRE N/mm2	Z	0.001	-	-	-	-	-
6092	PRE N/mm2	Z	0.001	-	-	-	-	-
6093	PRE N/mm2	Z	0.001	-	-	-	-	-
6094	PRE N/mm2	Z	0.001	-	-	-	-	-
6095	PRE N/mm2	Z	0.001	-	-	-	-	-
6096	PRE N/mm2	Z	0.001	-	-	-	-	-
6097	PRE N/mm2	Z	0.001	-	-	-	-	-
6098	PRE N/mm2	Z	0.001	-	-	-	-	-
6099	PRE N/mm2	Z	0.001	-	-	-	-	-
6100	PRE N/mm2	Z	0.001	-	-	-	-	-
6101	PRE N/mm2	Z	0.001	-	-	-	-	-
6102	PRE N/mm2	Z	0.001	-	-	-	-	-
6103	PRE N/mm2	Z	0.001	-	-	-	-	-
6104	PRE N/mm2	Z	0.001	-	-	-	-	-
6105	PRE N/mm2	Z	0.001	-	-	-	-	-
6106	PRE N/mm2	Z	0.001	-	-	-	-	-
6107	PRE N/mm2	Z	0.001	-	-	-	-	-
6108	PRE N/mm2	Z	0.001	-	-	-	-	-
6109	PRE N/mm2	Z	0.001	-	-	-	-	-
6110	PRE N/mm2	Z	0.001	-	-	-	-	-
6111	PRE N/mm2	Z	0.001	-	-	-	-	-
6112	PRE N/mm2	Z	0.001	-	-	-	-	-
6113	PRE N/mm2	Z	0.001	-	-	-	-	-
6114	PRE N/mm2	Z	0.001	-	-	-	-	-
6115	PRE N/mm2	Z	0.001	-	-	-	-	-
6116	PRE N/mm2	Z	0.001	-	-	-	-	-
6117	PRE N/mm2	Z	0.001	-	-	-	-	-
6118	PRE N/mm2	Z	0.001	-	-	-	-	-
6119	PRE N/mm2	Z	0.001	-	-	-	-	-
6120	PRE N/mm2	Z	0.001	-	-	-	-	-
6121	PRE N/mm2	Z	0.001	-	-	-	-	-
6122	PRE N/mm2	Z	0.001	-	-	-	-	-
6123	PRE N/mm2	Z	0.001	-	-	-	-	-
6124	PRE N/mm2	Z	0.001	-	-	-	-	-
6125	PRE N/mm2	Z	0.001	-	-	-	-	-
6126	PRE N/mm2	Z	0.001	-	-	-	-	-
6127	PRE N/mm2	Z	0.001	-	-	-	-	-
6128	PRE N/mm2	Z	0.001	-	-	-	-	-
6129	PRE N/mm2	Z	0.001	-	-	-	-	-
6130	PRE N/mm2	Z	0.001	-	-	-	-	-
6131	PRE N/mm2	Z	0.001	-	-	-	-	-
6132	PRE N/mm2	Z	0.001	-	-	-	-	-
6133	PRE N/mm2	Z	0.001	-	-	-	-	-
6134	PRE N/mm2	Z	0.001	-	-	-	-	-
6135	PRE N/mm2	Z	0.001	-	-	-	-	-
6136	PRE N/mm2	Z	0.001	-	-	-	-	-
6137	PRE N/mm2	Z	0.001	-	-	-	-	-
6138	PRE N/mm2	Z	0.001	-	-	-	-	-
6139	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6140	PRE N/mm2	Z	0.001	-	-	-	-	-
6141	PRE N/mm2	Z	0.001	-	-	-	-	-
6142	PRE N/mm2	Z	0.001	-	-	-	-	-
6143	PRE N/mm2	Z	0.001	-	-	-	-	-
6144	PRE N/mm2	Z	0.001	-	-	-	-	-
6145	PRE N/mm2	Z	0.001	-	-	-	-	-
6146	PRE N/mm2	Z	0.001	-	-	-	-	-
6147	PRE N/mm2	Z	0.001	-	-	-	-	-
6148	PRE N/mm2	Z	0.001	-	-	-	-	-
6149	PRE N/mm2	Z	0.001	-	-	-	-	-
6150	PRE N/mm2	Z	0.001	-	-	-	-	-
6151	PRE N/mm2	Z	0.001	-	-	-	-	-
6152	PRE N/mm2	Z	0.001	-	-	-	-	-
6153	PRE N/mm2	Z	0.001	-	-	-	-	-
6154	PRE N/mm2	Z	0.001	-	-	-	-	-
6155	PRE N/mm2	Z	0.001	-	-	-	-	-
6306	PRE N/mm2	Z	0.001	-	-	-	-	-
6307	PRE N/mm2	Z	0.001	-	-	-	-	-
6308	PRE N/mm2	Z	0.001	-	-	-	-	-
6309	PRE N/mm2	Z	0.001	-	-	-	-	-
6310	PRE N/mm2	Z	0.001	-	-	-	-	-
6311	PRE N/mm2	Z	0.001	-	-	-	-	-
6312	PRE N/mm2	Z	0.001	-	-	-	-	-
6313	PRE N/mm2	Z	0.001	-	-	-	-	-
6314	PRE N/mm2	Z	0.001	-	-	-	-	-
6315	PRE N/mm2	Z	0.001	-	-	-	-	-
6316	PRE N/mm2	Z	0.001	-	-	-	-	-
6317	PRE N/mm2	Z	0.001	-	-	-	-	-
6318	PRE N/mm2	Z	0.001	-	-	-	-	-
6319	PRE N/mm2	Z	0.001	-	-	-	-	-
6320	PRE N/mm2	Z	0.001	-	-	-	-	-
6321	PRE N/mm2	Z	0.001	-	-	-	-	-
6322	PRE N/mm2	Z	0.001	-	-	-	-	-
6323	PRE N/mm2	Z	0.001	-	-	-	-	-
6324	PRE N/mm2	Z	0.001	-	-	-	-	-
6325	PRE N/mm2	Z	0.001	-	-	-	-	-
6326	PRE N/mm2	Z	0.001	-	-	-	-	-
6327	PRE N/mm2	Z	0.001	-	-	-	-	-
6328	PRE N/mm2	Z	0.001	-	-	-	-	-
6329	PRE N/mm2	Z	0.001	-	-	-	-	-
6330	PRE N/mm2	Z	0.001	-	-	-	-	-
6331	PRE N/mm2	Z	0.001	-	-	-	-	-
6332	PRE N/mm2	Z	0.001	-	-	-	-	-
6333	PRE N/mm2	Z	0.001	-	-	-	-	-
6334	PRE N/mm2	Z	0.001	-	-	-	-	-
6335	PRE N/mm2	Z	0.001	-	-	-	-	-
6336	PRE N/mm2	Z	0.001	-	-	-	-	-
6337	PRE N/mm2	Z	0.001	-	-	-	-	-
6338	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6339	PRE N/mm2	Z	0.001	-	-	-	-	-
6340	PRE N/mm2	Z	0.001	-	-	-	-	-
6341	PRE N/mm2	Z	0.001	-	-	-	-	-
6342	PRE N/mm2	Z	0.001	-	-	-	-	-
6343	PRE N/mm2	Z	0.001	-	-	-	-	-
6344	PRE N/mm2	Z	0.001	-	-	-	-	-
6345	PRE N/mm2	Z	0.001	-	-	-	-	-
6346	PRE N/mm2	Z	0.001	-	-	-	-	-
6347	PRE N/mm2	Z	0.001	-	-	-	-	-
6348	PRE N/mm2	Z	0.001	-	-	-	-	-
6349	PRE N/mm2	Z	0.001	-	-	-	-	-
6350	PRE N/mm2	Z	0.001	-	-	-	-	-
6351	PRE N/mm2	Z	0.001	-	-	-	-	-
6352	PRE N/mm2	Z	0.001	-	-	-	-	-
6353	PRE N/mm2	Z	0.001	-	-	-	-	-
6354	PRE N/mm2	Z	0.001	-	-	-	-	-
6355	PRE N/mm2	Z	0.001	-	-	-	-	-
6356	PRE N/mm2	Z	0.001	-	-	-	-	-
6357	PRE N/mm2	Z	0.001	-	-	-	-	-
6358	PRE N/mm2	Z	0.001	-	-	-	-	-
6359	PRE N/mm2	Z	0.001	-	-	-	-	-
6360	PRE N/mm2	Z	0.001	-	-	-	-	-
6361	PRE N/mm2	Z	0.001	-	-	-	-	-
6362	PRE N/mm2	Z	0.001	-	-	-	-	-
6363	PRE N/mm2	Z	0.001	-	-	-	-	-
6364	PRE N/mm2	Z	0.001	-	-	-	-	-
6365	PRE N/mm2	Z	0.001	-	-	-	-	-
6366	PRE N/mm2	Z	0.001	-	-	-	-	-
6367	PRE N/mm2	Z	0.001	-	-	-	-	-
6368	PRE N/mm2	Z	0.001	-	-	-	-	-
6369	PRE N/mm2	Z	0.001	-	-	-	-	-
6370	PRE N/mm2	Z	0.001	-	-	-	-	-
6371	PRE N/mm2	Z	0.001	-	-	-	-	-
6372	PRE N/mm2	Z	0.001	-	-	-	-	-
6373	PRE N/mm2	Z	0.001	-	-	-	-	-
6374	PRE N/mm2	Z	0.001	-	-	-	-	-
6375	PRE N/mm2	Z	0.001	-	-	-	-	-
6376	PRE N/mm2	Z	0.001	-	-	-	-	-
6377	PRE N/mm2	Z	0.001	-	-	-	-	-
6378	PRE N/mm2	Z	0.001	-	-	-	-	-
6379	PRE N/mm2	Z	0.001	-	-	-	-	-
6380	PRE N/mm2	Z	0.001	-	-	-	-	-
6381	PRE N/mm2	Z	0.001	-	-	-	-	-
6382	PRE N/mm2	Z	0.001	-	-	-	-	-
6383	PRE N/mm2	Z	0.001	-	-	-	-	-
6524	PRE N/mm2	Z	0.001	-	-	-	-	-
6525	PRE N/mm2	Z	0.001	-	-	-	-	-
6526	PRE N/mm2	Z	0.001	-	-	-	-	-
6527	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6528	PRE N/mm2	Z	0.001	-	-	-	-	-
6529	PRE N/mm2	Z	0.001	-	-	-	-	-
6530	PRE N/mm2	Z	0.001	-	-	-	-	-
6531	PRE N/mm2	Z	0.001	-	-	-	-	-
6532	PRE N/mm2	Z	0.001	-	-	-	-	-
6533	PRE N/mm2	Z	0.001	-	-	-	-	-
6534	PRE N/mm2	Z	0.001	-	-	-	-	-
6535	PRE N/mm2	Z	0.001	-	-	-	-	-
6536	PRE N/mm2	Z	0.001	-	-	-	-	-
6537	PRE N/mm2	Z	0.001	-	-	-	-	-
6538	PRE N/mm2	Z	0.001	-	-	-	-	-
6539	PRE N/mm2	Z	0.001	-	-	-	-	-
6540	PRE N/mm2	Z	0.001	-	-	-	-	-
6541	PRE N/mm2	Z	0.001	-	-	-	-	-
6542	PRE N/mm2	Z	0.001	-	-	-	-	-
6543	PRE N/mm2	Z	0.001	-	-	-	-	-
6544	PRE N/mm2	Z	0.001	-	-	-	-	-
6545	PRE N/mm2	Z	0.001	-	-	-	-	-
6546	PRE N/mm2	Z	0.001	-	-	-	-	-
6547	PRE N/mm2	Z	0.001	-	-	-	-	-
6548	PRE N/mm2	Z	0.001	-	-	-	-	-
6549	PRE N/mm2	Z	0.001	-	-	-	-	-
6550	PRE N/mm2	Z	0.001	-	-	-	-	-
6551	PRE N/mm2	Z	0.001	-	-	-	-	-
6552	PRE N/mm2	Z	0.001	-	-	-	-	-
6553	PRE N/mm2	Z	0.001	-	-	-	-	-
6554	PRE N/mm2	Z	0.001	-	-	-	-	-
6555	PRE N/mm2	Z	0.001	-	-	-	-	-
6556	PRE N/mm2	Z	0.001	-	-	-	-	-
6557	PRE N/mm2	Z	0.001	-	-	-	-	-
6558	PRE N/mm2	Z	0.001	-	-	-	-	-
6559	PRE N/mm2	Z	0.001	-	-	-	-	-
6560	PRE N/mm2	Z	0.001	-	-	-	-	-
6561	PRE N/mm2	Z	0.001	-	-	-	-	-
6562	PRE N/mm2	Z	0.001	-	-	-	-	-
6563	PRE N/mm2	Z	0.001	-	-	-	-	-
6564	PRE N/mm2	Z	0.001	-	-	-	-	-
6565	PRE N/mm2	Z	0.001	-	-	-	-	-
6566	PRE N/mm2	Z	0.001	-	-	-	-	-
6567	PRE N/mm2	Z	0.001	-	-	-	-	-
6568	PRE N/mm2	Z	0.001	-	-	-	-	-
6569	PRE N/mm2	Z	0.001	-	-	-	-	-
6570	PRE N/mm2	Z	0.001	-	-	-	-	-
6571	PRE N/mm2	Z	0.001	-	-	-	-	-
6572	PRE N/mm2	Z	0.001	-	-	-	-	-
6573	PRE N/mm2	Z	0.001	-	-	-	-	-
6574	PRE N/mm2	Z	0.001	-	-	-	-	-
6575	PRE N/mm2	Z	0.001	-	-	-	-	-
6576	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6577	PRE N/mm2	Z	0.001	-	-	-	-	-
6578	PRE N/mm2	Z	0.001	-	-	-	-	-
6579	PRE N/mm2	Z	0.001	-	-	-	-	-
6580	PRE N/mm2	Z	0.001	-	-	-	-	-
6581	PRE N/mm2	Z	0.001	-	-	-	-	-
6582	PRE N/mm2	Z	0.001	-	-	-	-	-
6583	PRE N/mm2	Z	0.001	-	-	-	-	-
6584	PRE N/mm2	Z	0.001	-	-	-	-	-
6585	PRE N/mm2	Z	0.001	-	-	-	-	-
6586	PRE N/mm2	Z	0.001	-	-	-	-	-
6587	PRE N/mm2	Z	0.001	-	-	-	-	-
6588	PRE N/mm2	Z	0.001	-	-	-	-	-
6589	PRE N/mm2	Z	0.001	-	-	-	-	-
6590	PRE N/mm2	Z	0.001	-	-	-	-	-
6591	PRE N/mm2	Z	0.001	-	-	-	-	-
6592	PRE N/mm2	Z	0.001	-	-	-	-	-
6593	PRE N/mm2	Z	0.001	-	-	-	-	-
6594	PRE N/mm2	Z	0.001	-	-	-	-	-
6595	PRE N/mm2	Z	0.001	-	-	-	-	-
6596	PRE N/mm2	Z	0.001	-	-	-	-	-
6597	PRE N/mm2	Z	0.001	-	-	-	-	-
6598	PRE N/mm2	Z	0.001	-	-	-	-	-
6599	PRE N/mm2	Z	0.001	-	-	-	-	-
6600	PRE N/mm2	Z	0.001	-	-	-	-	-
6601	PRE N/mm2	Z	0.001	-	-	-	-	-
6742	PRE N/mm2	Z	0.001	-	-	-	-	-
6743	PRE N/mm2	Z	0.001	-	-	-	-	-
6744	PRE N/mm2	Z	0.001	-	-	-	-	-
6745	PRE N/mm2	Z	0.001	-	-	-	-	-
6746	PRE N/mm2	Z	0.001	-	-	-	-	-
6747	PRE N/mm2	Z	0.001	-	-	-	-	-
6748	PRE N/mm2	Z	0.001	-	-	-	-	-
6749	PRE N/mm2	Z	0.001	-	-	-	-	-
6750	PRE N/mm2	Z	0.001	-	-	-	-	-
6751	PRE N/mm2	Z	0.001	-	-	-	-	-
6752	PRE N/mm2	Z	0.001	-	-	-	-	-
6753	PRE N/mm2	Z	0.001	-	-	-	-	-
6754	PRE N/mm2	Z	0.001	-	-	-	-	-
6755	PRE N/mm2	Z	0.001	-	-	-	-	-
6756	PRE N/mm2	Z	0.001	-	-	-	-	-
6757	PRE N/mm2	Z	0.001	-	-	-	-	-
6758	PRE N/mm2	Z	0.001	-	-	-	-	-
6759	PRE N/mm2	Z	0.001	-	-	-	-	-
6760	PRE N/mm2	Z	0.001	-	-	-	-	-
6761	PRE N/mm2	Z	0.001	-	-	-	-	-
6762	PRE N/mm2	Z	0.001	-	-	-	-	-
6763	PRE N/mm2	Z	0.001	-	-	-	-	-
6764	PRE N/mm2	Z	0.001	-	-	-	-	-
6765	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6766	PRE N/mm2	Z	0.001	-	-	-	-	-
6767	PRE N/mm2	Z	0.001	-	-	-	-	-
6768	PRE N/mm2	Z	0.001	-	-	-	-	-
6769	PRE N/mm2	Z	0.001	-	-	-	-	-
6770	PRE N/mm2	Z	0.001	-	-	-	-	-
6771	PRE N/mm2	Z	0.001	-	-	-	-	-
6772	PRE N/mm2	Z	0.001	-	-	-	-	-
6773	PRE N/mm2	Z	0.001	-	-	-	-	-
6774	PRE N/mm2	Z	0.001	-	-	-	-	-
6775	PRE N/mm2	Z	0.001	-	-	-	-	-
6776	PRE N/mm2	Z	0.001	-	-	-	-	-
6777	PRE N/mm2	Z	0.001	-	-	-	-	-
6778	PRE N/mm2	Z	0.001	-	-	-	-	-
6779	PRE N/mm2	Z	0.001	-	-	-	-	-
6780	PRE N/mm2	Z	0.001	-	-	-	-	-
6781	PRE N/mm2	Z	0.001	-	-	-	-	-
6782	PRE N/mm2	Z	0.001	-	-	-	-	-
6783	PRE N/mm2	Z	0.001	-	-	-	-	-
6784	PRE N/mm2	Z	0.001	-	-	-	-	-
6785	PRE N/mm2	Z	0.001	-	-	-	-	-
6786	PRE N/mm2	Z	0.001	-	-	-	-	-
6787	PRE N/mm2	Z	0.001	-	-	-	-	-
6788	PRE N/mm2	Z	0.001	-	-	-	-	-
6789	PRE N/mm2	Z	0.001	-	-	-	-	-
6790	PRE N/mm2	Z	0.001	-	-	-	-	-
6791	PRE N/mm2	Z	0.001	-	-	-	-	-
6792	PRE N/mm2	Z	0.001	-	-	-	-	-
6793	PRE N/mm2	Z	0.001	-	-	-	-	-
6794	PRE N/mm2	Z	0.001	-	-	-	-	-
6795	PRE N/mm2	Z	0.001	-	-	-	-	-
6796	PRE N/mm2	Z	0.001	-	-	-	-	-
6797	PRE N/mm2	Z	0.001	-	-	-	-	-
6798	PRE N/mm2	Z	0.001	-	-	-	-	-
6799	PRE N/mm2	Z	0.001	-	-	-	-	-
6800	PRE N/mm2	Z	0.001	-	-	-	-	-
6801	PRE N/mm2	Z	0.001	-	-	-	-	-
6802	PRE N/mm2	Z	0.001	-	-	-	-	-
6803	PRE N/mm2	Z	0.001	-	-	-	-	-
6804	PRE N/mm2	Z	0.001	-	-	-	-	-
6805	PRE N/mm2	Z	0.001	-	-	-	-	-
6806	PRE N/mm2	Z	0.001	-	-	-	-	-
6807	PRE N/mm2	Z	0.001	-	-	-	-	-
6808	PRE N/mm2	Z	0.001	-	-	-	-	-
6809	PRE N/mm2	Z	0.001	-	-	-	-	-
6810	PRE N/mm2	Z	0.001	-	-	-	-	-
6811	PRE N/mm2	Z	0.001	-	-	-	-	-
6812	PRE N/mm2	Z	0.001	-	-	-	-	-
6813	PRE N/mm2	Z	0.001	-	-	-	-	-
6814	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6815	PRE N/mm2	Z	0.001	-	-	-	-	-
6816	PRE N/mm2	Z	0.001	-	-	-	-	-
6817	PRE N/mm2	Z	0.001	-	-	-	-	-
6818	PRE N/mm2	Z	0.001	-	-	-	-	-
6819	PRE N/mm2	Z	0.001	-	-	-	-	-
6950	PRE N/mm2	Z	0.001	-	-	-	-	-
6951	PRE N/mm2	Z	0.001	-	-	-	-	-
6952	PRE N/mm2	Z	0.001	-	-	-	-	-
6953	PRE N/mm2	Z	0.001	-	-	-	-	-
6954	PRE N/mm2	Z	0.001	-	-	-	-	-
6955	PRE N/mm2	Z	0.001	-	-	-	-	-
6956	PRE N/mm2	Z	0.001	-	-	-	-	-
6957	PRE N/mm2	Z	0.001	-	-	-	-	-
6958	PRE N/mm2	Z	0.001	-	-	-	-	-
6959	PRE N/mm2	Z	0.001	-	-	-	-	-
6960	PRE N/mm2	Z	0.001	-	-	-	-	-
6961	PRE N/mm2	Z	0.001	-	-	-	-	-
6962	PRE N/mm2	Z	0.001	-	-	-	-	-
6963	PRE N/mm2	Z	0.001	-	-	-	-	-
6964	PRE N/mm2	Z	0.001	-	-	-	-	-
6965	PRE N/mm2	Z	0.001	-	-	-	-	-
6966	PRE N/mm2	Z	0.001	-	-	-	-	-
6967	PRE N/mm2	Z	0.001	-	-	-	-	-
6968	PRE N/mm2	Z	0.001	-	-	-	-	-
6969	PRE N/mm2	Z	0.001	-	-	-	-	-
6970	PRE N/mm2	Z	0.001	-	-	-	-	-
6971	PRE N/mm2	Z	0.001	-	-	-	-	-
6972	PRE N/mm2	Z	0.001	-	-	-	-	-
6973	PRE N/mm2	Z	0.001	-	-	-	-	-
6974	PRE N/mm2	Z	0.001	-	-	-	-	-
6975	PRE N/mm2	Z	0.001	-	-	-	-	-
6976	PRE N/mm2	Z	0.001	-	-	-	-	-
6977	PRE N/mm2	Z	0.001	-	-	-	-	-
6978	PRE N/mm2	Z	0.001	-	-	-	-	-
6979	PRE N/mm2	Z	0.001	-	-	-	-	-
6980	PRE N/mm2	Z	0.001	-	-	-	-	-
6981	PRE N/mm2	Z	0.001	-	-	-	-	-
6982	PRE N/mm2	Z	0.001	-	-	-	-	-
6983	PRE N/mm2	Z	0.001	-	-	-	-	-
6984	PRE N/mm2	Z	0.001	-	-	-	-	-
6985	PRE N/mm2	Z	0.001	-	-	-	-	-
6986	PRE N/mm2	Z	0.001	-	-	-	-	-
6987	PRE N/mm2	Z	0.001	-	-	-	-	-
6988	PRE N/mm2	Z	0.001	-	-	-	-	-
6989	PRE N/mm2	Z	0.001	-	-	-	-	-
6990	PRE N/mm2	Z	0.001	-	-	-	-	-
6991	PRE N/mm2	Z	0.001	-	-	-	-	-
6992	PRE N/mm2	Z	0.001	-	-	-	-	-
6993	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6994	PRE N/mm2	Z	0.001	-	-	-	-	-
6995	PRE N/mm2	Z	0.001	-	-	-	-	-
6996	PRE N/mm2	Z	0.001	-	-	-	-	-
6997	PRE N/mm2	Z	0.001	-	-	-	-	-
6998	PRE N/mm2	Z	0.001	-	-	-	-	-
6999	PRE N/mm2	Z	0.001	-	-	-	-	-
7000	PRE N/mm2	Z	0.001	-	-	-	-	-
7001	PRE N/mm2	Z	0.001	-	-	-	-	-
7002	PRE N/mm2	Z	0.001	-	-	-	-	-
7003	PRE N/mm2	Z	0.001	-	-	-	-	-
7004	PRE N/mm2	Z	0.001	-	-	-	-	-
7005	PRE N/mm2	Z	0.001	-	-	-	-	-
7006	PRE N/mm2	Z	0.001	-	-	-	-	-
7007	PRE N/mm2	Z	0.001	-	-	-	-	-
7008	PRE N/mm2	Z	0.001	-	-	-	-	-
7009	PRE N/mm2	Z	0.001	-	-	-	-	-
7010	PRE N/mm2	Z	0.001	-	-	-	-	-
7011	PRE N/mm2	Z	0.001	-	-	-	-	-
7012	PRE N/mm2	Z	0.001	-	-	-	-	-
7013	PRE N/mm2	Z	0.001	-	-	-	-	-
7014	PRE N/mm2	Z	0.001	-	-	-	-	-
7015	PRE N/mm2	Z	0.001	-	-	-	-	-
7016	PRE N/mm2	Z	0.001	-	-	-	-	-
7017	PRE N/mm2	Z	0.001	-	-	-	-	-
7018	PRE N/mm2	Z	0.001	-	-	-	-	-
7019	PRE N/mm2	Z	0.001	-	-	-	-	-
7020	PRE N/mm2	Z	0.001	-	-	-	-	-
7021	PRE N/mm2	Z	0.001	-	-	-	-	-
7022	PRE N/mm2	Z	0.001	-	-	-	-	-
7023	PRE N/mm2	Z	0.001	-	-	-	-	-
7024	PRE N/mm2	Z	0.001	-	-	-	-	-
7025	PRE N/mm2	Z	0.001	-	-	-	-	-
7026	PRE N/mm2	Z	0.001	-	-	-	-	-
7027	PRE N/mm2	Z	0.001	-	-	-	-	-
7158	PRE N/mm2	Z	0.001	-	-	-	-	-
7159	PRE N/mm2	Z	0.001	-	-	-	-	-
7160	PRE N/mm2	Z	0.001	-	-	-	-	-
7161	PRE N/mm2	Z	0.001	-	-	-	-	-
7162	PRE N/mm2	Z	0.001	-	-	-	-	-
7163	PRE N/mm2	Z	0.001	-	-	-	-	-
7164	PRE N/mm2	Z	0.001	-	-	-	-	-
7165	PRE N/mm2	Z	0.001	-	-	-	-	-
7166	PRE N/mm2	Z	0.001	-	-	-	-	-
7167	PRE N/mm2	Z	0.001	-	-	-	-	-
7168	PRE N/mm2	Z	0.001	-	-	-	-	-
7169	PRE N/mm2	Z	0.001	-	-	-	-	-
7170	PRE N/mm2	Z	0.001	-	-	-	-	-
7171	PRE N/mm2	Z	0.001	-	-	-	-	-
7172	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7173	PRE N/mm2	Z	0.001	-	-	-	-	-
7174	PRE N/mm2	Z	0.001	-	-	-	-	-
7175	PRE N/mm2	Z	0.001	-	-	-	-	-
7176	PRE N/mm2	Z	0.001	-	-	-	-	-
7177	PRE N/mm2	Z	0.001	-	-	-	-	-
7178	PRE N/mm2	Z	0.001	-	-	-	-	-
7179	PRE N/mm2	Z	0.001	-	-	-	-	-
7180	PRE N/mm2	Z	0.001	-	-	-	-	-
7181	PRE N/mm2	Z	0.001	-	-	-	-	-
7182	PRE N/mm2	Z	0.001	-	-	-	-	-
7183	PRE N/mm2	Z	0.001	-	-	-	-	-
7184	PRE N/mm2	Z	0.001	-	-	-	-	-
7185	PRE N/mm2	Z	0.001	-	-	-	-	-
7186	PRE N/mm2	Z	0.001	-	-	-	-	-
7187	PRE N/mm2	Z	0.001	-	-	-	-	-
7188	PRE N/mm2	Z	0.001	-	-	-	-	-
7189	PRE N/mm2	Z	0.001	-	-	-	-	-
7190	PRE N/mm2	Z	0.001	-	-	-	-	-
7191	PRE N/mm2	Z	0.001	-	-	-	-	-
7192	PRE N/mm2	Z	0.001	-	-	-	-	-
7193	PRE N/mm2	Z	0.001	-	-	-	-	-
7194	PRE N/mm2	Z	0.001	-	-	-	-	-
7195	PRE N/mm2	Z	0.001	-	-	-	-	-
7196	PRE N/mm2	Z	0.001	-	-	-	-	-
7197	PRE N/mm2	Z	0.001	-	-	-	-	-
7198	PRE N/mm2	Z	0.001	-	-	-	-	-
7199	PRE N/mm2	Z	0.001	-	-	-	-	-
7200	PRE N/mm2	Z	0.001	-	-	-	-	-
7201	PRE N/mm2	Z	0.001	-	-	-	-	-
7202	PRE N/mm2	Z	0.001	-	-	-	-	-
7203	PRE N/mm2	Z	0.001	-	-	-	-	-
7204	PRE N/mm2	Z	0.001	-	-	-	-	-
7205	PRE N/mm2	Z	0.001	-	-	-	-	-
7206	PRE N/mm2	Z	0.001	-	-	-	-	-
7207	PRE N/mm2	Z	0.001	-	-	-	-	-
7208	PRE N/mm2	Z	0.001	-	-	-	-	-
7209	PRE N/mm2	Z	0.001	-	-	-	-	-
7210	PRE N/mm2	Z	0.001	-	-	-	-	-
7211	PRE N/mm2	Z	0.001	-	-	-	-	-
7212	PRE N/mm2	Z	0.001	-	-	-	-	-
7213	PRE N/mm2	Z	0.001	-	-	-	-	-
7214	PRE N/mm2	Z	0.001	-	-	-	-	-
7215	PRE N/mm2	Z	0.001	-	-	-	-	-
7216	PRE N/mm2	Z	0.001	-	-	-	-	-
7217	PRE N/mm2	Z	0.001	-	-	-	-	-
7218	PRE N/mm2	Z	0.001	-	-	-	-	-
7219	PRE N/mm2	Z	0.001	-	-	-	-	-
7220	PRE N/mm2	Z	0.001	-	-	-	-	-
7221	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7222	PRE N/mm2	Z	0.001	-	-	-	-	-
7223	PRE N/mm2	Z	0.001	-	-	-	-	-
7224	PRE N/mm2	Z	0.001	-	-	-	-	-
7225	PRE N/mm2	Z	0.001	-	-	-	-	-
7226	PRE N/mm2	Z	0.001	-	-	-	-	-
7227	PRE N/mm2	Z	0.001	-	-	-	-	-
7228	PRE N/mm2	Z	0.001	-	-	-	-	-
7229	PRE N/mm2	Z	0.001	-	-	-	-	-
7230	PRE N/mm2	Z	0.001	-	-	-	-	-
7231	PRE N/mm2	Z	0.001	-	-	-	-	-
7232	PRE N/mm2	Z	0.001	-	-	-	-	-
7233	PRE N/mm2	Z	0.001	-	-	-	-	-
7234	PRE N/mm2	Z	0.001	-	-	-	-	-
7235	PRE N/mm2	Z	0.001	-	-	-	-	-
7356	PRE N/mm2	Z	0.001	-	-	-	-	-
7357	PRE N/mm2	Z	0.001	-	-	-	-	-
7358	PRE N/mm2	Z	0.001	-	-	-	-	-
7359	PRE N/mm2	Z	0.001	-	-	-	-	-
7360	PRE N/mm2	Z	0.001	-	-	-	-	-
7361	PRE N/mm2	Z	0.001	-	-	-	-	-
7362	PRE N/mm2	Z	0.001	-	-	-	-	-
7363	PRE N/mm2	Z	0.001	-	-	-	-	-
7364	PRE N/mm2	Z	0.001	-	-	-	-	-
7365	PRE N/mm2	Z	0.001	-	-	-	-	-
7366	PRE N/mm2	Z	0.001	-	-	-	-	-
7367	PRE N/mm2	Z	0.001	-	-	-	-	-
7368	PRE N/mm2	Z	0.001	-	-	-	-	-
7369	PRE N/mm2	Z	0.001	-	-	-	-	-
7370	PRE N/mm2	Z	0.001	-	-	-	-	-
7371	PRE N/mm2	Z	0.001	-	-	-	-	-
7372	PRE N/mm2	Z	0.001	-	-	-	-	-
7373	PRE N/mm2	Z	0.001	-	-	-	-	-
7374	PRE N/mm2	Z	0.001	-	-	-	-	-
7375	PRE N/mm2	Z	0.001	-	-	-	-	-
7376	PRE N/mm2	Z	0.001	-	-	-	-	-
7377	PRE N/mm2	Z	0.001	-	-	-	-	-
7378	PRE N/mm2	Z	0.001	-	-	-	-	-
7379	PRE N/mm2	Z	0.001	-	-	-	-	-
7380	PRE N/mm2	Z	0.001	-	-	-	-	-
7381	PRE N/mm2	Z	0.001	-	-	-	-	-
7382	PRE N/mm2	Z	0.001	-	-	-	-	-
7383	PRE N/mm2	Z	0.001	-	-	-	-	-
7384	PRE N/mm2	Z	0.001	-	-	-	-	-
7385	PRE N/mm2	Z	0.001	-	-	-	-	-
7386	PRE N/mm2	Z	0.001	-	-	-	-	-
7387	PRE N/mm2	Z	0.001	-	-	-	-	-
7388	PRE N/mm2	Z	0.001	-	-	-	-	-
7389	PRE N/mm2	Z	0.001	-	-	-	-	-
7390	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7391	PRE N/mm2	Z	0.001	-	-	-	-	-
7392	PRE N/mm2	Z	0.001	-	-	-	-	-
7393	PRE N/mm2	Z	0.001	-	-	-	-	-
7394	PRE N/mm2	Z	0.001	-	-	-	-	-
7395	PRE N/mm2	Z	0.001	-	-	-	-	-
7396	PRE N/mm2	Z	0.001	-	-	-	-	-
7397	PRE N/mm2	Z	0.001	-	-	-	-	-
7398	PRE N/mm2	Z	0.001	-	-	-	-	-
7399	PRE N/mm2	Z	0.001	-	-	-	-	-
7400	PRE N/mm2	Z	0.001	-	-	-	-	-
7401	PRE N/mm2	Z	0.001	-	-	-	-	-
7402	PRE N/mm2	Z	0.001	-	-	-	-	-
7403	PRE N/mm2	Z	0.001	-	-	-	-	-
7404	PRE N/mm2	Z	0.001	-	-	-	-	-
7405	PRE N/mm2	Z	0.001	-	-	-	-	-
7406	PRE N/mm2	Z	0.001	-	-	-	-	-
7407	PRE N/mm2	Z	0.001	-	-	-	-	-
7408	PRE N/mm2	Z	0.001	-	-	-	-	-
7409	PRE N/mm2	Z	0.001	-	-	-	-	-
7410	PRE N/mm2	Z	0.001	-	-	-	-	-
7411	PRE N/mm2	Z	0.001	-	-	-	-	-
7412	PRE N/mm2	Z	0.001	-	-	-	-	-
7413	PRE N/mm2	Z	0.001	-	-	-	-	-
7414	PRE N/mm2	Z	0.001	-	-	-	-	-
7415	PRE N/mm2	Z	0.001	-	-	-	-	-
7416	PRE N/mm2	Z	0.001	-	-	-	-	-
7417	PRE N/mm2	Z	0.001	-	-	-	-	-
7418	PRE N/mm2	Z	0.001	-	-	-	-	-
7419	PRE N/mm2	Z	0.001	-	-	-	-	-
7420	PRE N/mm2	Z	0.001	-	-	-	-	-
7421	PRE N/mm2	Z	0.001	-	-	-	-	-
7422	PRE N/mm2	Z	0.001	-	-	-	-	-
7423	PRE N/mm2	Z	0.001	-	-	-	-	-
7424	PRE N/mm2	Z	0.001	-	-	-	-	-
7425	PRE N/mm2	Z	0.001	-	-	-	-	-
7426	PRE N/mm2	Z	0.001	-	-	-	-	-
7427	PRE N/mm2	Z	0.001	-	-	-	-	-
7428	PRE N/mm2	Z	0.001	-	-	-	-	-
7429	PRE N/mm2	Z	0.001	-	-	-	-	-
7430	PRE N/mm2	Z	0.001	-	-	-	-	-
7431	PRE N/mm2	Z	0.001	-	-	-	-	-
7432	PRE N/mm2	Z	0.001	-	-	-	-	-
7433	PRE N/mm2	Z	0.001	-	-	-	-	-
7554	PRE N/mm2	Z	0.001	-	-	-	-	-
7555	PRE N/mm2	Z	0.001	-	-	-	-	-
7556	PRE N/mm2	Z	0.001	-	-	-	-	-
7557	PRE N/mm2	Z	0.001	-	-	-	-	-
7558	PRE N/mm2	Z	0.001	-	-	-	-	-
7559	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7560	PRE N/mm2	Z	0.001	-	-	-	-	-
7561	PRE N/mm2	Z	0.001	-	-	-	-	-
7562	PRE N/mm2	Z	0.001	-	-	-	-	-
7563	PRE N/mm2	Z	0.001	-	-	-	-	-
7564	PRE N/mm2	Z	0.001	-	-	-	-	-
7565	PRE N/mm2	Z	0.001	-	-	-	-	-
7566	PRE N/mm2	Z	0.001	-	-	-	-	-
7567	PRE N/mm2	Z	0.001	-	-	-	-	-
7568	PRE N/mm2	Z	0.001	-	-	-	-	-
7569	PRE N/mm2	Z	0.001	-	-	-	-	-
7570	PRE N/mm2	Z	0.001	-	-	-	-	-
7571	PRE N/mm2	Z	0.001	-	-	-	-	-
7572	PRE N/mm2	Z	0.001	-	-	-	-	-
7573	PRE N/mm2	Z	0.001	-	-	-	-	-
7574	PRE N/mm2	Z	0.001	-	-	-	-	-
7575	PRE N/mm2	Z	0.001	-	-	-	-	-
7576	PRE N/mm2	Z	0.001	-	-	-	-	-
7577	PRE N/mm2	Z	0.001	-	-	-	-	-
7578	PRE N/mm2	Z	0.001	-	-	-	-	-
7579	PRE N/mm2	Z	0.001	-	-	-	-	-
7580	PRE N/mm2	Z	0.001	-	-	-	-	-
7581	PRE N/mm2	Z	0.001	-	-	-	-	-
7582	PRE N/mm2	Z	0.001	-	-	-	-	-
7583	PRE N/mm2	Z	0.001	-	-	-	-	-
7584	PRE N/mm2	Z	0.001	-	-	-	-	-
7585	PRE N/mm2	Z	0.001	-	-	-	-	-
7586	PRE N/mm2	Z	0.001	-	-	-	-	-
7587	PRE N/mm2	Z	0.001	-	-	-	-	-
7588	PRE N/mm2	Z	0.001	-	-	-	-	-
7589	PRE N/mm2	Z	0.001	-	-	-	-	-
7590	PRE N/mm2	Z	0.001	-	-	-	-	-
7591	PRE N/mm2	Z	0.001	-	-	-	-	-
7592	PRE N/mm2	Z	0.001	-	-	-	-	-
7593	PRE N/mm2	Z	0.001	-	-	-	-	-
7594	PRE N/mm2	Z	0.001	-	-	-	-	-
7595	PRE N/mm2	Z	0.001	-	-	-	-	-
7596	PRE N/mm2	Z	0.001	-	-	-	-	-
7597	PRE N/mm2	Z	0.001	-	-	-	-	-
7598	PRE N/mm2	Z	0.001	-	-	-	-	-
7599	PRE N/mm2	Z	0.001	-	-	-	-	-
7600	PRE N/mm2	Z	0.001	-	-	-	-	-
7601	PRE N/mm2	Z	0.001	-	-	-	-	-
7602	PRE N/mm2	Z	0.001	-	-	-	-	-
7603	PRE N/mm2	Z	0.001	-	-	-	-	-
7604	PRE N/mm2	Z	0.001	-	-	-	-	-
7605	PRE N/mm2	Z	0.001	-	-	-	-	-
7606	PRE N/mm2	Z	0.001	-	-	-	-	-
7607	PRE N/mm2	Z	0.001	-	-	-	-	-
7608	PRE N/mm2	Z	0.001	-	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7609	PRE N/mm2	Z	0.001	-	-	-	-	-
7610	PRE N/mm2	Z	0.001	-	-	-	-	-
7611	PRE N/mm2	Z	0.001	-	-	-	-	-
7612	PRE N/mm2	Z	0.001	-	-	-	-	-
7613	PRE N/mm2	Z	0.001	-	-	-	-	-
7614	PRE N/mm2	Z	0.001	-	-	-	-	-
7615	PRE N/mm2	Z	0.001	-	-	-	-	-
7616	PRE N/mm2	Z	0.001	-	-	-	-	-
7617	PRE N/mm2	Z	0.001	-	-	-	-	-
7618	PRE N/mm2	Z	0.001	-	-	-	-	-
7619	PRE N/mm2	Z	0.001	-	-	-	-	-
7620	PRE N/mm2	Z	0.001	-	-	-	-	-
7621	PRE N/mm2	Z	0.001	-	-	-	-	-
7622	PRE N/mm2	Z	0.001	-	-	-	-	-
7623	PRE N/mm2	Z	0.001	-	-	-	-	-
7624	PRE N/mm2	Z	0.001	-	-	-	-	-
7625	PRE N/mm2	Z	0.001	-	-	-	-	-
7626	PRE N/mm2	Z	0.001	-	-	-	-	-
7627	PRE N/mm2	Z	0.001	-	-	-	-	-
7628	PRE N/mm2	Z	0.001	-	-	-	-	-
7629	PRE N/mm2	Z	0.001	-	-	-	-	-
7630	PRE N/mm2	Z	0.001	-	-	-	-	-
7631	PRE N/mm2	Z	0.001	-	-	-	-	-
7742	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7743	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7744	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7745	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7746	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7747	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7748	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7749	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7750	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7751	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7752	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7753	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7754	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7755	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7756	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7757	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7758	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7759	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7760	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7761	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7762	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7763	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7764	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7765	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7766	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7767	TRAP N/mm2	Y	0.001	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7768	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7769	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7770	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7771	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7772	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7773	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7774	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7775	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7776	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7777	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7778	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7779	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7780	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7781	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7782	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7783	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7784	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7785	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7786	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7787	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7788	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7789	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7790	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7791	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7792	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7793	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7794	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7795	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7796	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7797	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7798	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7799	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7800	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7801	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7802	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7803	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7804	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7805	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7806	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7807	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7808	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7809	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7810	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7811	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7812	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7813	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7814	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7815	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7816	TRAP N/mm2	Y	0.001	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7817	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7818	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7819	TRAP N/mm2	Y	0.001	0.002	-	-	-	-
7930	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7931	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7932	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7933	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7934	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7935	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7936	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7937	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7938	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7939	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7940	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7941	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7942	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7943	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7944	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7945	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7946	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7947	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7948	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7949	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7950	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7951	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7952	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7953	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7954	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7955	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7956	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7957	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7958	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7959	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7960	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7961	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7962	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7963	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7964	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7965	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7966	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7967	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7968	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7969	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7970	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7971	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7972	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7973	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7974	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7975	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7976	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7977	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7978	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7979	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7980	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7981	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7982	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7983	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7984	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7985	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7986	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7987	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7988	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7989	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7990	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7991	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7992	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7993	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7994	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7995	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7996	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7997	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7998	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
7999	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8000	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8001	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8002	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8003	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8004	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8005	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8006	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8007	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8108	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8109	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8110	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8111	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8112	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8113	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8114	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8115	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8116	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8117	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8118	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8119	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8120	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8121	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8122	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8123	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8124	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8125	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8126	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8127	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8128	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8129	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8130	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8131	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8132	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8133	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8134	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8135	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8136	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8137	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8138	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8139	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8140	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8141	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8142	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8143	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8144	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8145	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8146	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8147	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8148	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8149	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8150	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8151	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8152	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8153	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8154	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8155	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8156	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8157	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8158	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8159	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8160	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8161	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8162	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8163	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8164	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8165	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8166	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8167	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8168	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8169	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8170	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8171	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8172	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8173	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8174	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8175	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8176	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8177	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8178	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8179	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8180	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8181	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8182	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8183	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8184	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8185	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8286	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8287	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8288	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8289	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8290	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8291	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8292	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8293	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8294	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8295	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8296	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8297	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8298	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8299	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8300	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8301	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8302	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8303	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8304	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8305	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8306	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8307	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8308	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8309	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8310	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8311	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8312	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8313	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8314	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8315	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8316	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8317	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8318	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8319	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8320	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8321	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8322	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8323	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8324	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8325	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8326	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8327	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8328	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8329	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8330	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8331	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8332	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8333	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8334	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8335	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8336	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8337	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8338	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8339	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8340	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8341	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8342	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8343	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8344	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8345	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8346	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8347	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8348	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8349	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8350	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8351	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8352	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8353	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8354	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8355	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8356	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8357	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8358	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8359	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8360	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8361	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8362	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8363	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8454	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8455	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8456	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8457	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8458	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8459	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8460	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8461	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8462	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8463	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8464	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8465	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8466	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8467	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8468	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8469	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8470	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8471	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8472	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8473	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8474	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8475	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8476	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8477	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8478	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8479	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8480	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8481	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8482	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8483	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8484	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8485	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8486	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8487	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8488	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8489	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8490	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8491	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8492	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8493	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8494	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8495	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8496	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8497	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8498	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8499	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8500	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8501	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8502	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8503	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8504	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8505	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8506	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8507	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8508	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8509	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8510	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8511	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8512	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8513	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8514	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8515	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8516	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8517	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8518	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8519	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8520	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8521	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8522	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8523	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8524	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8525	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8526	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8527	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8528	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8529	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8530	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8531	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8622	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8623	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8624	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8625	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8626	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8627	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8628	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8629	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8630	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8631	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8632	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8633	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8634	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8635	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8636	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8637	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8638	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8639	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8640	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8641	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8642	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8643	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8644	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8645	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8646	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8647	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8648	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8649	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8650	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8651	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8652	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8653	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8654	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8655	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8656	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8657	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8658	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8659	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8660	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8661	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8662	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8663	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8664	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8665	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8666	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8667	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8668	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8669	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8670	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8671	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8672	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8673	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8674	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8675	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8676	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8677	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8678	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8679	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8680	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8681	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8682	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8683	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8684	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8685	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8686	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8687	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8688	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8689	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8690	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8691	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8692	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8693	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8694	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8695	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8696	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8697	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8698	TRAP N/mm2	Y	0.002	0.002	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8699	TRAP N/mm2	Y	0.002	0.002	-	-	-	-
8780	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8781	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8782	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8783	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8784	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8785	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8786	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8787	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8788	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8789	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8790	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8791	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8792	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8793	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8794	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8795	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8796	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8797	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8798	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8799	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8800	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8801	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8802	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8803	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8804	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8805	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8806	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8807	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8808	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8809	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8810	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8811	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8812	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8813	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8814	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8815	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8816	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8817	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8818	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8819	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8820	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8821	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8822	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8823	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8824	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8825	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8826	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8827	TRAP N/mm2	Y	0.002	0.003	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8828	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8829	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8830	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8831	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8832	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8833	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8834	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8835	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8836	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8837	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8838	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8839	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8840	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8841	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8842	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8843	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8844	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8845	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8846	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8847	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8848	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8849	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8850	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8851	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8852	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8853	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8854	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8855	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8856	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8857	TRAP N/mm2	Y	0.002	0.003	-	-	-	-
8938	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8939	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8940	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8941	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8942	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8943	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8944	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8945	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8946	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8947	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8948	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8949	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8950	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8951	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8952	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8953	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8954	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8955	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8956	TRAP N/mm2	Y	0.003	0.003	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8957	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8958	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8959	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8960	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8961	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8962	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8963	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8964	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8965	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8966	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8967	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8968	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8969	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8970	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8971	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8972	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8973	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8974	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8975	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8976	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8977	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8978	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8979	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8980	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8981	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8982	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8983	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8984	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8985	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8986	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8987	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8988	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8989	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8990	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8991	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8992	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8993	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8994	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8995	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8996	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8997	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8998	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
8999	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9000	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9001	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9002	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9003	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9004	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9005	TRAP N/mm2	Y	0.003	0.003	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9006	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9007	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9008	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9009	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9010	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9011	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9012	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9013	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9014	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9015	TRAP N/mm2	Y	0.003	0.003	-	-	-	-
9086	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9087	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9088	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9089	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9090	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9091	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9092	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9093	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9094	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9095	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9096	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9097	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9098	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9099	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9100	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9101	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9102	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9103	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9104	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9105	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9106	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9107	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9108	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9109	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9110	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9111	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9112	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9113	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9114	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9115	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9116	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9117	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9118	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9119	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9120	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9121	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9122	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9123	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9124	TRAP N/mm2	Y	0.003	0.004	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9125	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9126	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9127	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9128	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9129	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9130	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9131	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9132	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9133	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9134	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9135	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9136	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9137	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9138	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9139	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9140	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9141	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9142	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9143	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9144	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9145	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9146	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9147	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9148	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9149	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9150	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9151	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9152	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9153	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9154	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9155	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9156	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9157	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9158	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9159	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9160	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9161	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9162	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9163	TRAP N/mm2	Y	0.003	0.004	-	-	-	-
9234	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9235	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9236	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9237	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9238	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9239	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9240	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9241	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9242	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9243	TRAP N/mm2	Y	0.004	0.004	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9244	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9245	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9246	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9247	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9248	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9249	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9250	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9251	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9252	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9253	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9254	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9255	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9256	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9257	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9258	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9259	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9260	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9261	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9262	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9263	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9264	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9265	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9266	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9267	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9268	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9269	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9270	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9271	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9272	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9273	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9274	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9275	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9276	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9277	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9278	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9279	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9280	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9281	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9282	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9283	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9284	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9285	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9286	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9287	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9288	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9289	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9290	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9291	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9292	TRAP N/mm2	Y	0.004	0.004	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9293	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9294	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9295	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9296	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9297	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9298	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9299	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9300	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9301	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9302	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9303	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9304	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9305	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9306	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9307	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9308	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9309	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9310	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9311	TRAP N/mm2	Y	0.004	0.004	-	-	-	-
9372	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9373	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9374	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9375	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9376	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9377	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9378	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9379	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9380	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9381	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9382	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9383	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9384	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9385	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9386	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9387	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9388	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9389	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9390	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9391	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9392	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9393	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9394	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9395	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9396	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9397	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9398	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9399	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9400	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9401	TRAP N/mm2	Y	0.004	0.005	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9402	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9403	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9404	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9405	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9406	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9407	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9408	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9409	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9410	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9411	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9412	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9413	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9414	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9415	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9416	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9417	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9418	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9419	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9420	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9421	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9422	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9423	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9424	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9425	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9426	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9427	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9428	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9429	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9430	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9431	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9432	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9433	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9434	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9435	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9436	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9437	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9438	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9439	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9440	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9441	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9442	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9443	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9444	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9445	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9446	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9447	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9448	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9449	TRAP N/mm2	Y	0.004	0.005	-	-	-	-
9510	TRAP N/mm2	Y	0.005	0.005	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9511	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9512	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9513	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9514	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9515	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9516	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9517	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9518	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9519	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9520	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9521	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9522	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9523	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9524	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9525	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9526	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9527	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9528	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9529	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9530	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9531	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9532	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9533	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9534	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9535	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9536	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9537	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9538	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9539	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9540	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9541	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9542	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9543	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9544	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9545	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9546	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9547	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9548	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9549	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9550	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9551	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9552	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9553	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9554	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9555	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9556	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9557	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9558	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9559	TRAP N/mm2	Y	0.005	0.005	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9560	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9561	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9562	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9563	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9564	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9565	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9566	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9567	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9568	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9569	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9570	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9571	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9572	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9573	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9574	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9575	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9576	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9577	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9578	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9579	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9580	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9581	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9582	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9583	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9584	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9585	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9586	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9587	TRAP N/mm2	Y	0.005	0.005	-	-	-	-
9638	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9639	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9640	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9641	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9642	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9643	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9644	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9645	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9646	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9647	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9648	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9649	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9650	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9651	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9652	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9653	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9654	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9655	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9656	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9657	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9658	TRAP N/mm2	Y	0.005	0.006	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9659	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9660	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9661	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9662	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9663	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9664	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9665	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9666	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9667	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9668	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9669	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9670	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9671	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9672	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9673	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9674	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9675	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9676	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9677	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9678	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9679	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9680	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9681	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9682	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9683	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9684	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9685	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9686	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9687	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9688	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9689	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9690	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9691	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9692	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9693	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9694	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9695	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9696	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9697	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9698	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9699	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9700	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9701	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9702	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9703	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9704	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9705	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9706	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9707	TRAP N/mm2	Y	0.005	0.006	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9708	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9709	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9710	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9711	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9712	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9713	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9714	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9715	TRAP N/mm2	Y	0.005	0.006	-	-	-	-
9766	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9767	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9768	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9769	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9770	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9771	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9772	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9773	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9774	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9775	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9776	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9777	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9778	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9779	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9780	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9781	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9782	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9783	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9784	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9785	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9786	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9787	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9788	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9789	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9790	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9791	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9792	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9793	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9794	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9795	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9796	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9797	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9798	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9799	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9800	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9801	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9802	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9803	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9804	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9805	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9806	TRAP N/mm2	Y	0.006	0.008	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9807	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9808	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9809	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9810	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9811	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9812	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9813	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9814	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9815	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9816	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9817	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9818	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9819	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9820	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9821	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9822	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9823	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9824	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9825	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9826	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9827	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9828	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9829	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9830	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9831	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9832	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9833	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9834	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9835	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9836	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9837	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9838	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9839	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9840	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9841	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9842	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9843	TRAP N/mm2	Y	0.006	0.008	-	-	-	-
9884	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9885	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9886	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9887	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9888	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9889	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9890	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9891	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9892	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9893	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9894	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9895	TRAP N/mm2	Y	0.008	0.009	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9896	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9897	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9898	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9899	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9900	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9901	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9902	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9903	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9904	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9905	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9906	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9907	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9908	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9909	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9910	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9911	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9912	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9913	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9914	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9915	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9916	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9917	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9918	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9919	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9920	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9921	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9922	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9923	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9924	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9925	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9926	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9927	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9928	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9929	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9930	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9931	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9932	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9933	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9934	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9935	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9936	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9937	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9938	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9939	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9940	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9941	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9942	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9943	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9944	TRAP N/mm2	Y	0.008	0.009	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9945	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9946	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9947	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9948	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9949	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9950	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9951	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9952	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9953	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9954	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9955	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9956	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9957	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9958	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9959	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9960	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
9961	TRAP N/mm2	Y	0.008	0.009	-	-	-	-
10002	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10003	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10004	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10005	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10006	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10007	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10008	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10009	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10010	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10011	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10012	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10013	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10014	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10015	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10016	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10017	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10018	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10019	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10020	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10021	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10022	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10023	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10024	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10025	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10026	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10027	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10028	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10029	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10030	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10031	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10032	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10033	TRAP N/mm2	Y	0.009	0.010	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10034	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10035	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10036	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10037	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10038	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10039	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10040	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10041	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10042	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10043	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10044	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10045	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10046	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10047	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10048	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10049	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10050	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10051	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10052	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10053	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10054	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10055	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10056	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10057	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10058	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10059	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10060	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10061	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10062	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10063	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10064	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10065	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10066	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10067	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10068	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10069	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10070	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10071	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10072	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10073	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10074	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10075	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10076	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10077	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10078	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10079	TRAP N/mm2	Y	0.009	0.010	-	-	-	-
10110	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10111	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10112	TRAP N/mm2	Y	0.010	0.013	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10113	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10114	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10115	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10116	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10117	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10118	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10119	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10120	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10121	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10122	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10123	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10124	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10125	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10126	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10127	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10128	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10129	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10130	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10131	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10132	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10133	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10134	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10135	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10136	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10137	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10138	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10139	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10140	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10141	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10142	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10143	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10144	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10145	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10146	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10147	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10148	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10149	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10150	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10151	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10152	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10153	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10154	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10155	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10156	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10157	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10158	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10159	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10160	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10161	TRAP N/mm2	Y	0.010	0.013	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10162	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10163	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10164	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10165	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10166	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10167	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10168	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10169	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10170	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10171	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10172	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10173	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10174	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10175	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10176	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10177	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10178	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10179	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10180	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10181	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10182	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10183	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10184	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10185	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10186	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10187	TRAP N/mm2	Y	0.010	0.013	-	-	-	-
10218	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10219	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10220	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10221	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10222	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10223	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10224	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10225	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10226	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10227	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10228	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10229	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10230	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10231	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10232	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10233	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10234	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10235	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10236	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10237	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10238	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10239	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10240	TRAP N/mm2	Y	0.013	0.017	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10241	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10242	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10243	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10244	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10245	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10246	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10247	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10248	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10249	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10250	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10251	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10252	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10253	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10254	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10255	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10256	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10257	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10258	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10259	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10260	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10261	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10262	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10263	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10264	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10265	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10266	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10267	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10268	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10269	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10270	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10271	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10272	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10273	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10274	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10275	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10276	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10277	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10278	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10279	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10280	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10281	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10282	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10283	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10284	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10285	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10286	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10287	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10288	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10289	TRAP N/mm2	Y	0.013	0.017	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10290	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10291	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10292	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10293	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10294	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10295	TRAP N/mm2	Y	0.013	0.017	-	-	-	-
10326	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10327	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10328	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10329	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10330	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10331	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10332	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10333	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10334	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10335	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10336	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10337	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10338	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10339	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10340	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10341	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10342	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10343	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10344	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10345	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10346	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10347	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10348	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10349	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10350	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10351	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10352	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10353	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10354	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10355	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10356	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10357	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10358	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10359	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10360	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10361	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10362	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10363	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10364	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10365	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10366	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10367	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10368	TRAP N/mm2	Y	0.017	0.024	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10369	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10370	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10371	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10372	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10373	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10374	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10375	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10376	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10377	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10378	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10379	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10380	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10381	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10382	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10383	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10384	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10385	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10386	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10387	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10388	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10389	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10390	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10391	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10392	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10393	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10394	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10395	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10396	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10397	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10398	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10399	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10400	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10401	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10402	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10403	TRAP N/mm2	Y	0.017	0.024	-	-	-	-
10404	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10405	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10406	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10407	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10408	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10409	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10410	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10411	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10412	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10413	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10414	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10415	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10416	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10417	TRAP N/mm2	Y	0.024	0.031	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10418	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10419	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10420	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10421	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10422	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10423	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10424	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10425	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10426	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10427	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10428	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10429	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10430	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10431	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10432	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10433	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10434	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10435	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10436	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10437	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10438	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10439	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10440	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10441	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10442	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10443	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10444	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10445	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10446	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10447	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10448	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10449	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10450	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10451	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10452	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10453	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10454	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10455	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10456	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10457	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10458	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10459	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10460	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10461	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10462	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10463	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10464	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10465	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10466	TRAP N/mm2	Y	0.024	0.031	-	-	-	-

4 LIVE LOAD FROM OFF HIGHWAY TRUCK (L D) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10467	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10468	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10469	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10470	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10471	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10472	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10473	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10474	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10475	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10476	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10477	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10478	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10479	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10480	TRAP N/mm2	Y	0.024	0.031	-	-	-	-
10481	TRAP N/mm2	Y	0.024	0.031	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1000	PRE N/mm2	GY	-0.020	-	-	-	-	-
1001	PRE N/mm2	GY	-0.020	-	-	-	-	-
1002	PRE N/mm2	GY	-0.020	-	-	-	-	-
1003	PRE N/mm2	GY	-0.020	-	-	-	-	-
1004	PRE N/mm2	GY	-0.020	-	-	-	-	-
1005	PRE N/mm2	GY	-0.020	-	-	-	-	-
1006	PRE N/mm2	GY	-0.020	-	-	-	-	-
1007	PRE N/mm2	GY	-0.020	-	-	-	-	-
1008	PRE N/mm2	GY	-0.020	-	-	-	-	-
1009	PRE N/mm2	GY	-0.020	-	-	-	-	-
1010	PRE N/mm2	GY	-0.020	-	-	-	-	-
1011	PRE N/mm2	GY	-0.020	-	-	-	-	-
1012	PRE N/mm2	GY	-0.020	-	-	-	-	-
1013	PRE N/mm2	GY	-0.020	-	-	-	-	-
1014	PRE N/mm2	GY	-0.020	-	-	-	-	-
1015	PRE N/mm2	GY	-0.020	-	-	-	-	-
1016	PRE N/mm2	GY	-0.020	-	-	-	-	-
1017	PRE N/mm2	GY	-0.020	-	-	-	-	-
1018	PRE N/mm2	GY	-0.020	-	-	-	-	-
1019	PRE N/mm2	GY	-0.020	-	-	-	-	-
1020	PRE N/mm2	GY	-0.020	-	-	-	-	-
1021	PRE N/mm2	GY	-0.020	-	-	-	-	-
1022	PRE N/mm2	GY	-0.020	-	-	-	-	-
1023	PRE N/mm2	GY	-0.020	-	-	-	-	-
1024	PRE N/mm2	GY	-0.020	-	-	-	-	-
1025	PRE N/mm2	GY	-0.020	-	-	-	-	-
1026	PRE N/mm2	GY	-0.020	-	-	-	-	-
1027	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1028	PRE N/mm2	GY	-0.020	-	-	-	-	-
1029	PRE N/mm2	GY	-0.020	-	-	-	-	-
1030	PRE N/mm2	GY	-0.020	-	-	-	-	-
1031	PRE N/mm2	GY	-0.020	-	-	-	-	-
1032	PRE N/mm2	GY	-0.020	-	-	-	-	-
1033	PRE N/mm2	GY	-0.020	-	-	-	-	-
1034	PRE N/mm2	GY	-0.020	-	-	-	-	-
1035	PRE N/mm2	GY	-0.020	-	-	-	-	-
1036	PRE N/mm2	GY	-0.020	-	-	-	-	-
1037	PRE N/mm2	GY	-0.020	-	-	-	-	-
1038	PRE N/mm2	GY	-0.020	-	-	-	-	-
1039	PRE N/mm2	GY	-0.020	-	-	-	-	-
1040	PRE N/mm2	GY	-0.020	-	-	-	-	-
1041	PRE N/mm2	GY	-0.020	-	-	-	-	-
1042	PRE N/mm2	GY	-0.020	-	-	-	-	-
1043	PRE N/mm2	GY	-0.020	-	-	-	-	-
1044	PRE N/mm2	GY	-0.020	-	-	-	-	-
1045	PRE N/mm2	GY	-0.020	-	-	-	-	-
1046	PRE N/mm2	GY	-0.020	-	-	-	-	-
1047	PRE N/mm2	GY	-0.020	-	-	-	-	-
1048	PRE N/mm2	GY	-0.020	-	-	-	-	-
1049	PRE N/mm2	GY	-0.020	-	-	-	-	-
1050	PRE N/mm2	GY	-0.020	-	-	-	-	-
1051	PRE N/mm2	GY	-0.020	-	-	-	-	-
1052	PRE N/mm2	GY	-0.020	-	-	-	-	-
1053	PRE N/mm2	GY	-0.020	-	-	-	-	-
1054	PRE N/mm2	GY	-0.020	-	-	-	-	-
1055	PRE N/mm2	GY	-0.020	-	-	-	-	-
1056	PRE N/mm2	GY	-0.020	-	-	-	-	-
1057	PRE N/mm2	GY	-0.020	-	-	-	-	-
1058	PRE N/mm2	GY	-0.020	-	-	-	-	-
1059	PRE N/mm2	GY	-0.020	-	-	-	-	-
1060	PRE N/mm2	GY	-0.020	-	-	-	-	-
1061	PRE N/mm2	GY	-0.020	-	-	-	-	-
1062	PRE N/mm2	GY	-0.020	-	-	-	-	-
1063	PRE N/mm2	GY	-0.020	-	-	-	-	-
1064	PRE N/mm2	GY	-0.020	-	-	-	-	-
1065	PRE N/mm2	GY	-0.020	-	-	-	-	-
1066	PRE N/mm2	GY	-0.020	-	-	-	-	-
1067	PRE N/mm2	GY	-0.020	-	-	-	-	-
1068	PRE N/mm2	GY	-0.020	-	-	-	-	-
1069	PRE N/mm2	GY	-0.020	-	-	-	-	-
1070	PRE N/mm2	GY	-0.020	-	-	-	-	-
1071	PRE N/mm2	GY	-0.020	-	-	-	-	-
1072	PRE N/mm2	GY	-0.020	-	-	-	-	-
1073	PRE N/mm2	GY	-0.020	-	-	-	-	-
1074	PRE N/mm2	GY	-0.020	-	-	-	-	-
1075	PRE N/mm2	GY	-0.020	-	-	-	-	-
1076	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1077	PRE N/mm2	GY	-0.020	-	-	-	-	-
1078	PRE N/mm2	GY	-0.020	-	-	-	-	-
1079	PRE N/mm2	GY	-0.020	-	-	-	-	-
1080	PRE N/mm2	GY	-0.020	-	-	-	-	-
1081	PRE N/mm2	GY	-0.020	-	-	-	-	-
1082	PRE N/mm2	GY	-0.020	-	-	-	-	-
1083	PRE N/mm2	GY	-0.020	-	-	-	-	-
1084	PRE N/mm2	GY	-0.020	-	-	-	-	-
1085	PRE N/mm2	GY	-0.020	-	-	-	-	-
1086	PRE N/mm2	GY	-0.020	-	-	-	-	-
1087	PRE N/mm2	GY	-0.020	-	-	-	-	-
1088	PRE N/mm2	GY	-0.020	-	-	-	-	-
1089	PRE N/mm2	GY	-0.020	-	-	-	-	-
1090	PRE N/mm2	GY	-0.020	-	-	-	-	-
1091	PRE N/mm2	GY	-0.020	-	-	-	-	-
1092	PRE N/mm2	GY	-0.020	-	-	-	-	-
1093	PRE N/mm2	GY	-0.020	-	-	-	-	-
1094	PRE N/mm2	GY	-0.020	-	-	-	-	-
1095	PRE N/mm2	GY	-0.020	-	-	-	-	-
1096	PRE N/mm2	GY	-0.020	-	-	-	-	-
1097	PRE N/mm2	GY	-0.020	-	-	-	-	-
1098	PRE N/mm2	GY	-0.020	-	-	-	-	-
1099	PRE N/mm2	GY	-0.020	-	-	-	-	-
1100	PRE N/mm2	GY	-0.020	-	-	-	-	-
1101	PRE N/mm2	GY	-0.020	-	-	-	-	-
1102	PRE N/mm2	GY	-0.020	-	-	-	-	-
1103	PRE N/mm2	GY	-0.020	-	-	-	-	-
1104	PRE N/mm2	GY	-0.020	-	-	-	-	-
1105	PRE N/mm2	GY	-0.020	-	-	-	-	-
1106	PRE N/mm2	GY	-0.020	-	-	-	-	-
1107	PRE N/mm2	GY	-0.020	-	-	-	-	-
1108	PRE N/mm2	GY	-0.020	-	-	-	-	-
1109	PRE N/mm2	GY	-0.020	-	-	-	-	-
1110	PRE N/mm2	GY	-0.020	-	-	-	-	-
1111	PRE N/mm2	GY	-0.020	-	-	-	-	-
1112	PRE N/mm2	GY	-0.020	-	-	-	-	-
1113	PRE N/mm2	GY	-0.020	-	-	-	-	-
1114	PRE N/mm2	GY	-0.020	-	-	-	-	-
1115	PRE N/mm2	GY	-0.020	-	-	-	-	-
1116	PRE N/mm2	GY	-0.020	-	-	-	-	-
1117	PRE N/mm2	GY	-0.020	-	-	-	-	-
1118	PRE N/mm2	GY	-0.020	-	-	-	-	-
1119	PRE N/mm2	GY	-0.020	-	-	-	-	-
1120	PRE N/mm2	GY	-0.020	-	-	-	-	-
1121	PRE N/mm2	GY	-0.020	-	-	-	-	-
1122	PRE N/mm2	GY	-0.020	-	-	-	-	-
1123	PRE N/mm2	GY	-0.020	-	-	-	-	-
1124	PRE N/mm2	GY	-0.020	-	-	-	-	-
1125	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1126	PRE N/mm2	GY	-0.020	-	-	-	-	-
1127	PRE N/mm2	GY	-0.020	-	-	-	-	-
1128	PRE N/mm2	GY	-0.020	-	-	-	-	-
1129	PRE N/mm2	GY	-0.020	-	-	-	-	-
1130	PRE N/mm2	GY	-0.020	-	-	-	-	-
1131	PRE N/mm2	GY	-0.020	-	-	-	-	-
1132	PRE N/mm2	GY	-0.020	-	-	-	-	-
1133	PRE N/mm2	GY	-0.020	-	-	-	-	-
1134	PRE N/mm2	GY	-0.020	-	-	-	-	-
1135	PRE N/mm2	GY	-0.020	-	-	-	-	-
1136	PRE N/mm2	GY	-0.020	-	-	-	-	-
1137	PRE N/mm2	GY	-0.020	-	-	-	-	-
1138	PRE N/mm2	GY	-0.020	-	-	-	-	-
1139	PRE N/mm2	GY	-0.020	-	-	-	-	-
1140	PRE N/mm2	GY	-0.020	-	-	-	-	-
1141	PRE N/mm2	GY	-0.020	-	-	-	-	-
1142	PRE N/mm2	GY	-0.020	-	-	-	-	-
1143	PRE N/mm2	GY	-0.020	-	-	-	-	-
1144	PRE N/mm2	GY	-0.020	-	-	-	-	-
1145	PRE N/mm2	GY	-0.020	-	-	-	-	-
1146	PRE N/mm2	GY	-0.020	-	-	-	-	-
1147	PRE N/mm2	GY	-0.020	-	-	-	-	-
1148	PRE N/mm2	GY	-0.020	-	-	-	-	-
1149	PRE N/mm2	GY	-0.020	-	-	-	-	-
1150	PRE N/mm2	GY	-0.020	-	-	-	-	-
1151	PRE N/mm2	GY	-0.020	-	-	-	-	-
1152	PRE N/mm2	GY	-0.020	-	-	-	-	-
1153	PRE N/mm2	GY	-0.020	-	-	-	-	-
1154	PRE N/mm2	GY	-0.020	-	-	-	-	-
1155	PRE N/mm2	GY	-0.020	-	-	-	-	-
1156	PRE N/mm2	GY	-0.020	-	-	-	-	-
1157	PRE N/mm2	GY	-0.020	-	-	-	-	-
1158	PRE N/mm2	GY	-0.020	-	-	-	-	-
1159	PRE N/mm2	GY	-0.020	-	-	-	-	-
1160	PRE N/mm2	GY	-0.020	-	-	-	-	-
1161	PRE N/mm2	GY	-0.020	-	-	-	-	-
1162	PRE N/mm2	GY	-0.020	-	-	-	-	-
1163	PRE N/mm2	GY	-0.020	-	-	-	-	-
1164	PRE N/mm2	GY	-0.020	-	-	-	-	-
1165	PRE N/mm2	GY	-0.020	-	-	-	-	-
1166	PRE N/mm2	GY	-0.020	-	-	-	-	-
1167	PRE N/mm2	GY	-0.020	-	-	-	-	-
1168	PRE N/mm2	GY	-0.020	-	-	-	-	-
1169	PRE N/mm2	GY	-0.020	-	-	-	-	-
1170	PRE N/mm2	GY	-0.020	-	-	-	-	-
1171	PRE N/mm2	GY	-0.020	-	-	-	-	-
1172	PRE N/mm2	GY	-0.020	-	-	-	-	-
1173	PRE N/mm2	GY	-0.020	-	-	-	-	-
1174	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1175	PRE N/mm2	GY	-0.020	-	-	-	-	-
1176	PRE N/mm2	GY	-0.020	-	-	-	-	-
1177	PRE N/mm2	GY	-0.020	-	-	-	-	-
1178	PRE N/mm2	GY	-0.020	-	-	-	-	-
1179	PRE N/mm2	GY	-0.020	-	-	-	-	-
1180	PRE N/mm2	GY	-0.020	-	-	-	-	-
1181	PRE N/mm2	GY	-0.020	-	-	-	-	-
1182	PRE N/mm2	GY	-0.020	-	-	-	-	-
1183	PRE N/mm2	GY	-0.020	-	-	-	-	-
1184	PRE N/mm2	GY	-0.020	-	-	-	-	-
1185	PRE N/mm2	GY	-0.020	-	-	-	-	-
1186	PRE N/mm2	GY	-0.020	-	-	-	-	-
1187	PRE N/mm2	GY	-0.020	-	-	-	-	-
1188	PRE N/mm2	GY	-0.020	-	-	-	-	-
1189	PRE N/mm2	GY	-0.020	-	-	-	-	-
1190	PRE N/mm2	GY	-0.020	-	-	-	-	-
1191	PRE N/mm2	GY	-0.020	-	-	-	-	-
1192	PRE N/mm2	GY	-0.020	-	-	-	-	-
1193	PRE N/mm2	GY	-0.020	-	-	-	-	-
1194	PRE N/mm2	GY	-0.020	-	-	-	-	-
1195	PRE N/mm2	GY	-0.020	-	-	-	-	-
1196	PRE N/mm2	GY	-0.020	-	-	-	-	-
1197	PRE N/mm2	GY	-0.020	-	-	-	-	-
1198	PRE N/mm2	GY	-0.020	-	-	-	-	-
1199	PRE N/mm2	GY	-0.020	-	-	-	-	-
1200	PRE N/mm2	GY	-0.020	-	-	-	-	-
1201	PRE N/mm2	GY	-0.020	-	-	-	-	-
1202	PRE N/mm2	GY	-0.020	-	-	-	-	-
1203	PRE N/mm2	GY	-0.020	-	-	-	-	-
1204	PRE N/mm2	GY	-0.020	-	-	-	-	-
1205	PRE N/mm2	GY	-0.020	-	-	-	-	-
1206	PRE N/mm2	GY	-0.020	-	-	-	-	-
1207	PRE N/mm2	GY	-0.020	-	-	-	-	-
1208	PRE N/mm2	GY	-0.020	-	-	-	-	-
1209	PRE N/mm2	GY	-0.020	-	-	-	-	-
1210	PRE N/mm2	GY	-0.020	-	-	-	-	-
1211	PRE N/mm2	GY	-0.020	-	-	-	-	-
1212	PRE N/mm2	GY	-0.020	-	-	-	-	-
1213	PRE N/mm2	GY	-0.020	-	-	-	-	-
1214	PRE N/mm2	GY	-0.020	-	-	-	-	-
1215	PRE N/mm2	GY	-0.020	-	-	-	-	-
1216	PRE N/mm2	GY	-0.020	-	-	-	-	-
1217	PRE N/mm2	GY	-0.020	-	-	-	-	-
1218	PRE N/mm2	GY	-0.020	-	-	-	-	-
1219	PRE N/mm2	GY	-0.020	-	-	-	-	-
1220	PRE N/mm2	GY	-0.020	-	-	-	-	-
1221	PRE N/mm2	GY	-0.020	-	-	-	-	-
1222	PRE N/mm2	GY	-0.020	-	-	-	-	-
1223	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1224	PRE N/mm2	GY	-0.020	-	-	-	-	-
1225	PRE N/mm2	GY	-0.020	-	-	-	-	-
1226	PRE N/mm2	GY	-0.020	-	-	-	-	-
1227	PRE N/mm2	GY	-0.020	-	-	-	-	-
1228	PRE N/mm2	GY	-0.020	-	-	-	-	-
1229	PRE N/mm2	GY	-0.020	-	-	-	-	-
1230	PRE N/mm2	GY	-0.020	-	-	-	-	-
1231	PRE N/mm2	GY	-0.020	-	-	-	-	-
1232	PRE N/mm2	GY	-0.020	-	-	-	-	-
1233	PRE N/mm2	GY	-0.020	-	-	-	-	-
1234	PRE N/mm2	GY	-0.020	-	-	-	-	-
1235	PRE N/mm2	GY	-0.020	-	-	-	-	-
1236	PRE N/mm2	GY	-0.020	-	-	-	-	-
1237	PRE N/mm2	GY	-0.020	-	-	-	-	-
1238	PRE N/mm2	GY	-0.020	-	-	-	-	-
1239	PRE N/mm2	GY	-0.020	-	-	-	-	-
1240	PRE N/mm2	GY	-0.020	-	-	-	-	-
1241	PRE N/mm2	GY	-0.020	-	-	-	-	-
1242	PRE N/mm2	GY	-0.020	-	-	-	-	-
1243	PRE N/mm2	GY	-0.020	-	-	-	-	-
1244	PRE N/mm2	GY	-0.020	-	-	-	-	-
1245	PRE N/mm2	GY	-0.020	-	-	-	-	-
1246	PRE N/mm2	GY	-0.020	-	-	-	-	-
1247	PRE N/mm2	GY	-0.020	-	-	-	-	-
1248	PRE N/mm2	GY	-0.020	-	-	-	-	-
1249	PRE N/mm2	GY	-0.020	-	-	-	-	-
1250	PRE N/mm2	GY	-0.020	-	-	-	-	-
1251	PRE N/mm2	GY	-0.020	-	-	-	-	-
1252	PRE N/mm2	GY	-0.020	-	-	-	-	-
1253	PRE N/mm2	GY	-0.020	-	-	-	-	-
1254	PRE N/mm2	GY	-0.020	-	-	-	-	-
1255	PRE N/mm2	GY	-0.020	-	-	-	-	-
1256	PRE N/mm2	GY	-0.020	-	-	-	-	-
1257	PRE N/mm2	GY	-0.020	-	-	-	-	-
1258	PRE N/mm2	GY	-0.020	-	-	-	-	-
1259	PRE N/mm2	GY	-0.020	-	-	-	-	-
1260	PRE N/mm2	GY	-0.020	-	-	-	-	-
1261	PRE N/mm2	GY	-0.020	-	-	-	-	-
1262	PRE N/mm2	GY	-0.020	-	-	-	-	-
1263	PRE N/mm2	GY	-0.020	-	-	-	-	-
1264	PRE N/mm2	GY	-0.020	-	-	-	-	-
1265	PRE N/mm2	GY	-0.020	-	-	-	-	-
1266	PRE N/mm2	GY	-0.020	-	-	-	-	-
1267	PRE N/mm2	GY	-0.020	-	-	-	-	-
1268	PRE N/mm2	GY	-0.020	-	-	-	-	-
1269	PRE N/mm2	GY	-0.020	-	-	-	-	-
1270	PRE N/mm2	GY	-0.020	-	-	-	-	-
1271	PRE N/mm2	GY	-0.020	-	-	-	-	-
1272	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1273	PRE N/mm2	GY	-0.020	-	-	-	-	-
1274	PRE N/mm2	GY	-0.020	-	-	-	-	-
1275	PRE N/mm2	GY	-0.020	-	-	-	-	-
1276	PRE N/mm2	GY	-0.020	-	-	-	-	-
1277	PRE N/mm2	GY	-0.020	-	-	-	-	-
1278	PRE N/mm2	GY	-0.020	-	-	-	-	-
1279	PRE N/mm2	GY	-0.020	-	-	-	-	-
1280	PRE N/mm2	GY	-0.020	-	-	-	-	-
1281	PRE N/mm2	GY	-0.020	-	-	-	-	-
1282	PRE N/mm2	GY	-0.020	-	-	-	-	-
1283	PRE N/mm2	GY	-0.020	-	-	-	-	-
1284	PRE N/mm2	GY	-0.020	-	-	-	-	-
1285	PRE N/mm2	GY	-0.020	-	-	-	-	-
1286	PRE N/mm2	GY	-0.020	-	-	-	-	-
1287	PRE N/mm2	GY	-0.020	-	-	-	-	-
1288	PRE N/mm2	GY	-0.020	-	-	-	-	-
1289	PRE N/mm2	GY	-0.020	-	-	-	-	-
1290	PRE N/mm2	GY	-0.020	-	-	-	-	-
1291	PRE N/mm2	GY	-0.020	-	-	-	-	-
1292	PRE N/mm2	GY	-0.020	-	-	-	-	-
1293	PRE N/mm2	GY	-0.020	-	-	-	-	-
1294	PRE N/mm2	GY	-0.020	-	-	-	-	-
1295	PRE N/mm2	GY	-0.020	-	-	-	-	-
1296	PRE N/mm2	GY	-0.020	-	-	-	-	-
1297	PRE N/mm2	GY	-0.020	-	-	-	-	-
1298	PRE N/mm2	GY	-0.020	-	-	-	-	-
1299	PRE N/mm2	GY	-0.020	-	-	-	-	-
1300	PRE N/mm2	GY	-0.020	-	-	-	-	-
1301	PRE N/mm2	GY	-0.020	-	-	-	-	-
1302	PRE N/mm2	GY	-0.020	-	-	-	-	-
1303	PRE N/mm2	GY	-0.020	-	-	-	-	-
1304	PRE N/mm2	GY	-0.020	-	-	-	-	-
1305	PRE N/mm2	GY	-0.020	-	-	-	-	-
1306	PRE N/mm2	GY	-0.020	-	-	-	-	-
1307	PRE N/mm2	GY	-0.020	-	-	-	-	-
1308	PRE N/mm2	GY	-0.020	-	-	-	-	-
1309	PRE N/mm2	GY	-0.020	-	-	-	-	-
1310	PRE N/mm2	GY	-0.020	-	-	-	-	-
1311	PRE N/mm2	GY	-0.020	-	-	-	-	-
1312	PRE N/mm2	GY	-0.020	-	-	-	-	-
1313	PRE N/mm2	GY	-0.020	-	-	-	-	-
1314	PRE N/mm2	GY	-0.020	-	-	-	-	-
1315	PRE N/mm2	GY	-0.020	-	-	-	-	-
1316	PRE N/mm2	GY	-0.020	-	-	-	-	-
1317	PRE N/mm2	GY	-0.020	-	-	-	-	-
1318	PRE N/mm2	GY	-0.020	-	-	-	-	-
1319	PRE N/mm2	GY	-0.020	-	-	-	-	-
1320	PRE N/mm2	GY	-0.020	-	-	-	-	-
1321	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1322	PRE N/mm2	GY	-0.020	-	-	-	-	-
1323	PRE N/mm2	GY	-0.020	-	-	-	-	-
1324	PRE N/mm2	GY	-0.020	-	-	-	-	-
1325	PRE N/mm2	GY	-0.020	-	-	-	-	-
1326	PRE N/mm2	GY	-0.020	-	-	-	-	-
1327	PRE N/mm2	GY	-0.020	-	-	-	-	-
1328	PRE N/mm2	GY	-0.020	-	-	-	-	-
1329	PRE N/mm2	GY	-0.020	-	-	-	-	-
1330	PRE N/mm2	GY	-0.020	-	-	-	-	-
1331	PRE N/mm2	GY	-0.020	-	-	-	-	-
1332	PRE N/mm2	GY	-0.020	-	-	-	-	-
1333	PRE N/mm2	GY	-0.020	-	-	-	-	-
1334	PRE N/mm2	GY	-0.020	-	-	-	-	-
1335	PRE N/mm2	GY	-0.020	-	-	-	-	-
1336	PRE N/mm2	GY	-0.020	-	-	-	-	-
1337	PRE N/mm2	GY	-0.020	-	-	-	-	-
1338	PRE N/mm2	GY	-0.020	-	-	-	-	-
1339	PRE N/mm2	GY	-0.020	-	-	-	-	-
1340	PRE N/mm2	GY	-0.020	-	-	-	-	-
1341	PRE N/mm2	GY	-0.020	-	-	-	-	-
1342	PRE N/mm2	GY	-0.020	-	-	-	-	-
1343	PRE N/mm2	GY	-0.020	-	-	-	-	-
1344	PRE N/mm2	GY	-0.020	-	-	-	-	-
1345	PRE N/mm2	GY	-0.020	-	-	-	-	-
1346	PRE N/mm2	GY	-0.020	-	-	-	-	-
1347	PRE N/mm2	GY	-0.020	-	-	-	-	-
1348	PRE N/mm2	GY	-0.020	-	-	-	-	-
1349	PRE N/mm2	GY	-0.020	-	-	-	-	-
1350	PRE N/mm2	GY	-0.020	-	-	-	-	-
1351	PRE N/mm2	GY	-0.020	-	-	-	-	-
1352	PRE N/mm2	GY	-0.020	-	-	-	-	-
1353	PRE N/mm2	GY	-0.020	-	-	-	-	-
1354	PRE N/mm2	GY	-0.020	-	-	-	-	-
1355	PRE N/mm2	GY	-0.020	-	-	-	-	-
1356	PRE N/mm2	GY	-0.020	-	-	-	-	-
1357	PRE N/mm2	GY	-0.020	-	-	-	-	-
1358	PRE N/mm2	GY	-0.020	-	-	-	-	-
1359	PRE N/mm2	GY	-0.020	-	-	-	-	-
1360	PRE N/mm2	GY	-0.020	-	-	-	-	-
1361	PRE N/mm2	GY	-0.020	-	-	-	-	-
1362	PRE N/mm2	GY	-0.020	-	-	-	-	-
1363	PRE N/mm2	GY	-0.020	-	-	-	-	-
1364	PRE N/mm2	GY	-0.020	-	-	-	-	-
1365	PRE N/mm2	GY	-0.020	-	-	-	-	-
1366	PRE N/mm2	GY	-0.020	-	-	-	-	-
1367	PRE N/mm2	GY	-0.020	-	-	-	-	-
1368	PRE N/mm2	GY	-0.020	-	-	-	-	-
1369	PRE N/mm2	GY	-0.020	-	-	-	-	-
1370	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1371	PRE N/mm2	GY	-0.020	-	-	-	-	-
1372	PRE N/mm2	GY	-0.020	-	-	-	-	-
1373	PRE N/mm2	GY	-0.020	-	-	-	-	-
1374	PRE N/mm2	GY	-0.020	-	-	-	-	-
1375	PRE N/mm2	GY	-0.020	-	-	-	-	-
1376	PRE N/mm2	GY	-0.020	-	-	-	-	-
1377	PRE N/mm2	GY	-0.020	-	-	-	-	-
1378	PRE N/mm2	GY	-0.020	-	-	-	-	-
1379	PRE N/mm2	GY	-0.020	-	-	-	-	-
1380	PRE N/mm2	GY	-0.020	-	-	-	-	-
1381	PRE N/mm2	GY	-0.020	-	-	-	-	-
1382	PRE N/mm2	GY	-0.020	-	-	-	-	-
1383	PRE N/mm2	GY	-0.020	-	-	-	-	-
1384	PRE N/mm2	GY	-0.020	-	-	-	-	-
1385	PRE N/mm2	GY	-0.020	-	-	-	-	-
1386	PRE N/mm2	GY	-0.020	-	-	-	-	-
1387	PRE N/mm2	GY	-0.020	-	-	-	-	-
1388	PRE N/mm2	GY	-0.020	-	-	-	-	-
1389	PRE N/mm2	GY	-0.020	-	-	-	-	-
1390	PRE N/mm2	GY	-0.020	-	-	-	-	-
1391	PRE N/mm2	GY	-0.020	-	-	-	-	-
1392	PRE N/mm2	GY	-0.020	-	-	-	-	-
1393	PRE N/mm2	GY	-0.020	-	-	-	-	-
1394	PRE N/mm2	GY	-0.020	-	-	-	-	-
1395	PRE N/mm2	GY	-0.020	-	-	-	-	-
1396	PRE N/mm2	GY	-0.020	-	-	-	-	-
1397	PRE N/mm2	GY	-0.020	-	-	-	-	-
1398	PRE N/mm2	GY	-0.020	-	-	-	-	-
1399	PRE N/mm2	GY	-0.020	-	-	-	-	-
1400	PRE N/mm2	GY	-0.020	-	-	-	-	-
1401	PRE N/mm2	GY	-0.020	-	-	-	-	-
1402	PRE N/mm2	GY	-0.020	-	-	-	-	-
1403	PRE N/mm2	GY	-0.020	-	-	-	-	-
1404	PRE N/mm2	GY	-0.020	-	-	-	-	-
1405	PRE N/mm2	GY	-0.020	-	-	-	-	-
1406	PRE N/mm2	GY	-0.020	-	-	-	-	-
1407	PRE N/mm2	GY	-0.020	-	-	-	-	-
1408	PRE N/mm2	GY	-0.020	-	-	-	-	-
1409	PRE N/mm2	GY	-0.020	-	-	-	-	-
1410	PRE N/mm2	GY	-0.020	-	-	-	-	-
1411	PRE N/mm2	GY	-0.020	-	-	-	-	-
1412	PRE N/mm2	GY	-0.020	-	-	-	-	-
1413	PRE N/mm2	GY	-0.020	-	-	-	-	-
1414	PRE N/mm2	GY	-0.020	-	-	-	-	-
1415	PRE N/mm2	GY	-0.020	-	-	-	-	-
1416	PRE N/mm2	GY	-0.020	-	-	-	-	-
1417	PRE N/mm2	GY	-0.020	-	-	-	-	-
1418	PRE N/mm2	GY	-0.020	-	-	-	-	-
1419	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1420	PRE N/mm2	GY	-0.020	-	-	-	-	-
1421	PRE N/mm2	GY	-0.020	-	-	-	-	-
1422	PRE N/mm2	GY	-0.020	-	-	-	-	-
1423	PRE N/mm2	GY	-0.020	-	-	-	-	-
1424	PRE N/mm2	GY	-0.020	-	-	-	-	-
1425	PRE N/mm2	GY	-0.020	-	-	-	-	-
1426	PRE N/mm2	GY	-0.020	-	-	-	-	-
1427	PRE N/mm2	GY	-0.020	-	-	-	-	-
1428	PRE N/mm2	GY	-0.020	-	-	-	-	-
1429	PRE N/mm2	GY	-0.020	-	-	-	-	-
1430	PRE N/mm2	GY	-0.020	-	-	-	-	-
1431	PRE N/mm2	GY	-0.020	-	-	-	-	-
1432	PRE N/mm2	GY	-0.020	-	-	-	-	-
1433	PRE N/mm2	GY	-0.020	-	-	-	-	-
1434	PRE N/mm2	GY	-0.020	-	-	-	-	-
1435	PRE N/mm2	GY	-0.020	-	-	-	-	-
1436	PRE N/mm2	GY	-0.020	-	-	-	-	-
1437	PRE N/mm2	GY	-0.020	-	-	-	-	-
1438	PRE N/mm2	GY	-0.020	-	-	-	-	-
1439	PRE N/mm2	GY	-0.020	-	-	-	-	-
1440	PRE N/mm2	GY	-0.020	-	-	-	-	-
1441	PRE N/mm2	GY	-0.020	-	-	-	-	-
1442	PRE N/mm2	GY	-0.020	-	-	-	-	-
1443	PRE N/mm2	GY	-0.020	-	-	-	-	-
1444	PRE N/mm2	GY	-0.020	-	-	-	-	-
1445	PRE N/mm2	GY	-0.020	-	-	-	-	-
1446	PRE N/mm2	GY	-0.020	-	-	-	-	-
1447	PRE N/mm2	GY	-0.020	-	-	-	-	-
1448	PRE N/mm2	GY	-0.020	-	-	-	-	-
1449	PRE N/mm2	GY	-0.020	-	-	-	-	-
1450	PRE N/mm2	GY	-0.020	-	-	-	-	-
1451	PRE N/mm2	GY	-0.020	-	-	-	-	-
1452	PRE N/mm2	GY	-0.020	-	-	-	-	-
1453	PRE N/mm2	GY	-0.020	-	-	-	-	-
1454	PRE N/mm2	GY	-0.020	-	-	-	-	-
1455	PRE N/mm2	GY	-0.020	-	-	-	-	-
1456	PRE N/mm2	GY	-0.020	-	-	-	-	-
1457	PRE N/mm2	GY	-0.020	-	-	-	-	-
1458	PRE N/mm2	GY	-0.020	-	-	-	-	-
1459	PRE N/mm2	GY	-0.020	-	-	-	-	-
1460	PRE N/mm2	GY	-0.020	-	-	-	-	-
1461	PRE N/mm2	GY	-0.020	-	-	-	-	-
1462	PRE N/mm2	GY	-0.020	-	-	-	-	-
1463	PRE N/mm2	GY	-0.020	-	-	-	-	-
1464	PRE N/mm2	GY	-0.020	-	-	-	-	-
1465	PRE N/mm2	GY	-0.020	-	-	-	-	-
1466	PRE N/mm2	GY	-0.020	-	-	-	-	-
1467	PRE N/mm2	GY	-0.020	-	-	-	-	-
1468	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1469	PRE N/mm2	GY	-0.020	-	-	-	-	-
1470	PRE N/mm2	GY	-0.020	-	-	-	-	-
1471	PRE N/mm2	GY	-0.020	-	-	-	-	-
1472	PRE N/mm2	GY	-0.020	-	-	-	-	-
1473	PRE N/mm2	GY	-0.020	-	-	-	-	-
1474	PRE N/mm2	GY	-0.020	-	-	-	-	-
1475	PRE N/mm2	GY	-0.020	-	-	-	-	-
1476	PRE N/mm2	GY	-0.020	-	-	-	-	-
1477	PRE N/mm2	GY	-0.020	-	-	-	-	-
1478	PRE N/mm2	GY	-0.020	-	-	-	-	-
1479	PRE N/mm2	GY	-0.020	-	-	-	-	-
1480	PRE N/mm2	GY	-0.020	-	-	-	-	-
1481	PRE N/mm2	GY	-0.020	-	-	-	-	-
1482	PRE N/mm2	GY	-0.020	-	-	-	-	-
1483	PRE N/mm2	GY	-0.020	-	-	-	-	-
1484	PRE N/mm2	GY	-0.020	-	-	-	-	-
1485	PRE N/mm2	GY	-0.020	-	-	-	-	-
1486	PRE N/mm2	GY	-0.020	-	-	-	-	-
1487	PRE N/mm2	GY	-0.020	-	-	-	-	-
1488	PRE N/mm2	GY	-0.020	-	-	-	-	-
1489	PRE N/mm2	GY	-0.020	-	-	-	-	-
1490	PRE N/mm2	GY	-0.020	-	-	-	-	-
1491	PRE N/mm2	GY	-0.020	-	-	-	-	-
1492	PRE N/mm2	GY	-0.020	-	-	-	-	-
1493	PRE N/mm2	GY	-0.020	-	-	-	-	-
1494	PRE N/mm2	GY	-0.020	-	-	-	-	-
1495	PRE N/mm2	GY	-0.020	-	-	-	-	-
1496	PRE N/mm2	GY	-0.020	-	-	-	-	-
1497	PRE N/mm2	GY	-0.020	-	-	-	-	-
1498	PRE N/mm2	GY	-0.020	-	-	-	-	-
1499	PRE N/mm2	GY	-0.020	-	-	-	-	-
1500	PRE N/mm2	GY	-0.020	-	-	-	-	-
1501	PRE N/mm2	GY	-0.020	-	-	-	-	-
1502	PRE N/mm2	GY	-0.020	-	-	-	-	-
1503	PRE N/mm2	GY	-0.020	-	-	-	-	-
1504	PRE N/mm2	GY	-0.020	-	-	-	-	-
1505	PRE N/mm2	GY	-0.020	-	-	-	-	-
1506	PRE N/mm2	GY	-0.020	-	-	-	-	-
1507	PRE N/mm2	GY	-0.020	-	-	-	-	-
1508	PRE N/mm2	GY	-0.020	-	-	-	-	-
1509	PRE N/mm2	GY	-0.020	-	-	-	-	-
1510	PRE N/mm2	GY	-0.020	-	-	-	-	-
1511	PRE N/mm2	GY	-0.020	-	-	-	-	-
1512	PRE N/mm2	GY	-0.020	-	-	-	-	-
1513	PRE N/mm2	GY	-0.020	-	-	-	-	-
1514	PRE N/mm2	GY	-0.020	-	-	-	-	-
1515	PRE N/mm2	GY	-0.020	-	-	-	-	-
1516	PRE N/mm2	GY	-0.020	-	-	-	-	-
1517	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1518	PRE N/mm2	GY	-0.020	-	-	-	-	-
1519	PRE N/mm2	GY	-0.020	-	-	-	-	-
1520	PRE N/mm2	GY	-0.020	-	-	-	-	-
1521	PRE N/mm2	GY	-0.020	-	-	-	-	-
1522	PRE N/mm2	GY	-0.020	-	-	-	-	-
1523	PRE N/mm2	GY	-0.020	-	-	-	-	-
1524	PRE N/mm2	GY	-0.020	-	-	-	-	-
1525	PRE N/mm2	GY	-0.020	-	-	-	-	-
1526	PRE N/mm2	GY	-0.020	-	-	-	-	-
1527	PRE N/mm2	GY	-0.020	-	-	-	-	-
1528	PRE N/mm2	GY	-0.020	-	-	-	-	-
1529	PRE N/mm2	GY	-0.020	-	-	-	-	-
1530	PRE N/mm2	GY	-0.020	-	-	-	-	-
1531	PRE N/mm2	GY	-0.020	-	-	-	-	-
1532	PRE N/mm2	GY	-0.020	-	-	-	-	-
1533	PRE N/mm2	GY	-0.020	-	-	-	-	-
1534	PRE N/mm2	GY	-0.020	-	-	-	-	-
1535	PRE N/mm2	GY	-0.020	-	-	-	-	-
1536	PRE N/mm2	GY	-0.020	-	-	-	-	-
1537	PRE N/mm2	GY	-0.020	-	-	-	-	-
1538	PRE N/mm2	GY	-0.020	-	-	-	-	-
1539	PRE N/mm2	GY	-0.020	-	-	-	-	-
1540	PRE N/mm2	GY	-0.020	-	-	-	-	-
1541	PRE N/mm2	GY	-0.020	-	-	-	-	-
1542	PRE N/mm2	GY	-0.020	-	-	-	-	-
1543	PRE N/mm2	GY	-0.020	-	-	-	-	-
1544	PRE N/mm2	GY	-0.020	-	-	-	-	-
1545	PRE N/mm2	GY	-0.020	-	-	-	-	-
1546	PRE N/mm2	GY	-0.020	-	-	-	-	-
1547	PRE N/mm2	GY	-0.020	-	-	-	-	-
1548	PRE N/mm2	GY	-0.020	-	-	-	-	-
1549	PRE N/mm2	GY	-0.020	-	-	-	-	-
1550	PRE N/mm2	GY	-0.020	-	-	-	-	-
1551	PRE N/mm2	GY	-0.020	-	-	-	-	-
1552	PRE N/mm2	GY	-0.020	-	-	-	-	-
1553	PRE N/mm2	GY	-0.020	-	-	-	-	-
1554	PRE N/mm2	GY	-0.020	-	-	-	-	-
1555	PRE N/mm2	GY	-0.020	-	-	-	-	-
1556	PRE N/mm2	GY	-0.020	-	-	-	-	-
1557	PRE N/mm2	GY	-0.020	-	-	-	-	-
1558	PRE N/mm2	GY	-0.020	-	-	-	-	-
1559	PRE N/mm2	GY	-0.020	-	-	-	-	-
1560	PRE N/mm2	GY	-0.020	-	-	-	-	-
1561	PRE N/mm2	GY	-0.020	-	-	-	-	-
1562	PRE N/mm2	GY	-0.020	-	-	-	-	-
1563	PRE N/mm2	GY	-0.020	-	-	-	-	-
1564	PRE N/mm2	GY	-0.020	-	-	-	-	-
1565	PRE N/mm2	GY	-0.020	-	-	-	-	-
1566	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1567	PRE N/mm2	GY	-0.020	-	-	-	-	-
1568	PRE N/mm2	GY	-0.020	-	-	-	-	-
1569	PRE N/mm2	GY	-0.020	-	-	-	-	-
1570	PRE N/mm2	GY	-0.020	-	-	-	-	-
1571	PRE N/mm2	GY	-0.020	-	-	-	-	-
1572	PRE N/mm2	GY	-0.020	-	-	-	-	-
1573	PRE N/mm2	GY	-0.020	-	-	-	-	-
1574	PRE N/mm2	GY	-0.020	-	-	-	-	-
1575	PRE N/mm2	GY	-0.020	-	-	-	-	-
1576	PRE N/mm2	GY	-0.020	-	-	-	-	-
1577	PRE N/mm2	GY	-0.020	-	-	-	-	-
1578	PRE N/mm2	GY	-0.020	-	-	-	-	-
1579	PRE N/mm2	GY	-0.020	-	-	-	-	-
1580	PRE N/mm2	GY	-0.020	-	-	-	-	-
1581	PRE N/mm2	GY	-0.020	-	-	-	-	-
1582	PRE N/mm2	GY	-0.020	-	-	-	-	-
1583	PRE N/mm2	GY	-0.020	-	-	-	-	-
1584	PRE N/mm2	GY	-0.020	-	-	-	-	-
1585	PRE N/mm2	GY	-0.020	-	-	-	-	-
1586	PRE N/mm2	GY	-0.020	-	-	-	-	-
1587	PRE N/mm2	GY	-0.020	-	-	-	-	-
1588	PRE N/mm2	GY	-0.020	-	-	-	-	-
1589	PRE N/mm2	GY	-0.020	-	-	-	-	-
1590	PRE N/mm2	GY	-0.020	-	-	-	-	-
1591	PRE N/mm2	GY	-0.020	-	-	-	-	-
1592	PRE N/mm2	GY	-0.020	-	-	-	-	-
1593	PRE N/mm2	GY	-0.020	-	-	-	-	-
1594	PRE N/mm2	GY	-0.020	-	-	-	-	-
1595	PRE N/mm2	GY	-0.020	-	-	-	-	-
1596	PRE N/mm2	GY	-0.020	-	-	-	-	-
1597	PRE N/mm2	GY	-0.020	-	-	-	-	-
1598	PRE N/mm2	GY	-0.020	-	-	-	-	-
1599	PRE N/mm2	GY	-0.020	-	-	-	-	-
1600	PRE N/mm2	GY	-0.020	-	-	-	-	-
1601	PRE N/mm2	GY	-0.020	-	-	-	-	-
1602	PRE N/mm2	GY	-0.020	-	-	-	-	-
1603	PRE N/mm2	GY	-0.020	-	-	-	-	-
1604	PRE N/mm2	GY	-0.020	-	-	-	-	-
1605	PRE N/mm2	GY	-0.020	-	-	-	-	-
1606	PRE N/mm2	GY	-0.020	-	-	-	-	-
1607	PRE N/mm2	GY	-0.020	-	-	-	-	-
1608	PRE N/mm2	GY	-0.020	-	-	-	-	-
1609	PRE N/mm2	GY	-0.020	-	-	-	-	-
1610	PRE N/mm2	GY	-0.020	-	-	-	-	-
1611	PRE N/mm2	GY	-0.020	-	-	-	-	-
1612	PRE N/mm2	GY	-0.020	-	-	-	-	-
1613	PRE N/mm2	GY	-0.020	-	-	-	-	-
1614	PRE N/mm2	GY	-0.020	-	-	-	-	-
1615	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1616	PRE N/mm2	GY	-0.020	-	-	-	-	-
1617	PRE N/mm2	GY	-0.020	-	-	-	-	-
1618	PRE N/mm2	GY	-0.020	-	-	-	-	-
1619	PRE N/mm2	GY	-0.020	-	-	-	-	-
1620	PRE N/mm2	GY	-0.020	-	-	-	-	-
1621	PRE N/mm2	GY	-0.020	-	-	-	-	-
1622	PRE N/mm2	GY	-0.020	-	-	-	-	-
1623	PRE N/mm2	GY	-0.020	-	-	-	-	-
1624	PRE N/mm2	GY	-0.020	-	-	-	-	-
1625	PRE N/mm2	GY	-0.020	-	-	-	-	-
1626	PRE N/mm2	GY	-0.020	-	-	-	-	-
1627	PRE N/mm2	GY	-0.020	-	-	-	-	-
1628	PRE N/mm2	GY	-0.020	-	-	-	-	-
1629	PRE N/mm2	GY	-0.020	-	-	-	-	-
1630	PRE N/mm2	GY	-0.020	-	-	-	-	-
1631	PRE N/mm2	GY	-0.020	-	-	-	-	-
1632	PRE N/mm2	GY	-0.020	-	-	-	-	-
1633	PRE N/mm2	GY	-0.020	-	-	-	-	-
1634	PRE N/mm2	GY	-0.020	-	-	-	-	-
1635	PRE N/mm2	GY	-0.020	-	-	-	-	-
1636	PRE N/mm2	GY	-0.020	-	-	-	-	-
1637	PRE N/mm2	GY	-0.020	-	-	-	-	-
1638	PRE N/mm2	GY	-0.020	-	-	-	-	-
1639	PRE N/mm2	GY	-0.020	-	-	-	-	-
1640	PRE N/mm2	GY	-0.020	-	-	-	-	-
1641	PRE N/mm2	GY	-0.020	-	-	-	-	-
1642	PRE N/mm2	GY	-0.020	-	-	-	-	-
1643	PRE N/mm2	GY	-0.020	-	-	-	-	-
1644	PRE N/mm2	GY	-0.020	-	-	-	-	-
1645	PRE N/mm2	GY	-0.020	-	-	-	-	-
1646	PRE N/mm2	GY	-0.020	-	-	-	-	-
1647	PRE N/mm2	GY	-0.020	-	-	-	-	-
1648	PRE N/mm2	GY	-0.020	-	-	-	-	-
1649	PRE N/mm2	GY	-0.020	-	-	-	-	-
1650	PRE N/mm2	GY	-0.020	-	-	-	-	-
1651	PRE N/mm2	GY	-0.020	-	-	-	-	-
1652	PRE N/mm2	GY	-0.020	-	-	-	-	-
1653	PRE N/mm2	GY	-0.020	-	-	-	-	-
1654	PRE N/mm2	GY	-0.020	-	-	-	-	-
1655	PRE N/mm2	GY	-0.020	-	-	-	-	-
1656	PRE N/mm2	GY	-0.020	-	-	-	-	-
1657	PRE N/mm2	GY	-0.020	-	-	-	-	-
1658	PRE N/mm2	GY	-0.020	-	-	-	-	-
1659	PRE N/mm2	GY	-0.020	-	-	-	-	-
1660	PRE N/mm2	GY	-0.020	-	-	-	-	-
1661	PRE N/mm2	GY	-0.020	-	-	-	-	-
1662	PRE N/mm2	GY	-0.020	-	-	-	-	-
1663	PRE N/mm2	GY	-0.020	-	-	-	-	-
1664	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1665	PRE N/mm2	GY	-0.020	-	-	-	-	-
1666	PRE N/mm2	GY	-0.020	-	-	-	-	-
1667	PRE N/mm2	GY	-0.020	-	-	-	-	-
1668	PRE N/mm2	GY	-0.020	-	-	-	-	-
1669	PRE N/mm2	GY	-0.020	-	-	-	-	-
1670	PRE N/mm2	GY	-0.020	-	-	-	-	-
1671	PRE N/mm2	GY	-0.020	-	-	-	-	-
1672	PRE N/mm2	GY	-0.020	-	-	-	-	-
1673	PRE N/mm2	GY	-0.020	-	-	-	-	-
1674	PRE N/mm2	GY	-0.020	-	-	-	-	-
1675	PRE N/mm2	GY	-0.020	-	-	-	-	-
1676	PRE N/mm2	GY	-0.020	-	-	-	-	-
1677	PRE N/mm2	GY	-0.020	-	-	-	-	-
1678	PRE N/mm2	GY	-0.020	-	-	-	-	-
1679	PRE N/mm2	GY	-0.020	-	-	-	-	-
1680	PRE N/mm2	GY	-0.020	-	-	-	-	-
1681	PRE N/mm2	GY	-0.020	-	-	-	-	-
1682	PRE N/mm2	GY	-0.020	-	-	-	-	-
1683	PRE N/mm2	GY	-0.020	-	-	-	-	-
1684	PRE N/mm2	GY	-0.020	-	-	-	-	-
1685	PRE N/mm2	GY	-0.020	-	-	-	-	-
1686	PRE N/mm2	GY	-0.020	-	-	-	-	-
1687	PRE N/mm2	GY	-0.020	-	-	-	-	-
1688	PRE N/mm2	GY	-0.020	-	-	-	-	-
1689	PRE N/mm2	GY	-0.020	-	-	-	-	-
1690	PRE N/mm2	GY	-0.020	-	-	-	-	-
1691	PRE N/mm2	GY	-0.020	-	-	-	-	-
1692	PRE N/mm2	GY	-0.020	-	-	-	-	-
1693	PRE N/mm2	GY	-0.020	-	-	-	-	-
1694	PRE N/mm2	GY	-0.020	-	-	-	-	-
1695	PRE N/mm2	GY	-0.020	-	-	-	-	-
1696	PRE N/mm2	GY	-0.020	-	-	-	-	-
1697	PRE N/mm2	GY	-0.020	-	-	-	-	-
1698	PRE N/mm2	GY	-0.020	-	-	-	-	-
1699	PRE N/mm2	GY	-0.020	-	-	-	-	-
1700	PRE N/mm2	GY	-0.020	-	-	-	-	-
1701	PRE N/mm2	GY	-0.020	-	-	-	-	-
1702	PRE N/mm2	GY	-0.020	-	-	-	-	-
1703	PRE N/mm2	GY	-0.020	-	-	-	-	-
1704	PRE N/mm2	GY	-0.020	-	-	-	-	-
1705	PRE N/mm2	GY	-0.020	-	-	-	-	-
1706	PRE N/mm2	GY	-0.020	-	-	-	-	-
1707	PRE N/mm2	GY	-0.020	-	-	-	-	-
1708	PRE N/mm2	GY	-0.020	-	-	-	-	-
1709	PRE N/mm2	GY	-0.020	-	-	-	-	-
1710	PRE N/mm2	GY	-0.020	-	-	-	-	-
1711	PRE N/mm2	GY	-0.020	-	-	-	-	-
1712	PRE N/mm2	GY	-0.020	-	-	-	-	-
1713	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1714	PRE N/mm2	GY	-0.020	-	-	-	-	-
1715	PRE N/mm2	GY	-0.020	-	-	-	-	-
1716	PRE N/mm2	GY	-0.020	-	-	-	-	-
1717	PRE N/mm2	GY	-0.020	-	-	-	-	-
1718	PRE N/mm2	GY	-0.020	-	-	-	-	-
1719	PRE N/mm2	GY	-0.020	-	-	-	-	-
1720	PRE N/mm2	GY	-0.020	-	-	-	-	-
1721	PRE N/mm2	GY	-0.020	-	-	-	-	-
1722	PRE N/mm2	GY	-0.020	-	-	-	-	-
1723	PRE N/mm2	GY	-0.020	-	-	-	-	-
1724	PRE N/mm2	GY	-0.020	-	-	-	-	-
1725	PRE N/mm2	GY	-0.020	-	-	-	-	-
1726	PRE N/mm2	GY	-0.020	-	-	-	-	-
1727	PRE N/mm2	GY	-0.020	-	-	-	-	-
1728	PRE N/mm2	GY	-0.020	-	-	-	-	-
1729	PRE N/mm2	GY	-0.020	-	-	-	-	-
1730	PRE N/mm2	GY	-0.020	-	-	-	-	-
1731	PRE N/mm2	GY	-0.020	-	-	-	-	-
1732	PRE N/mm2	GY	-0.020	-	-	-	-	-
1733	PRE N/mm2	GY	-0.020	-	-	-	-	-
1734	PRE N/mm2	GY	-0.020	-	-	-	-	-
1735	PRE N/mm2	GY	-0.020	-	-	-	-	-
1736	PRE N/mm2	GY	-0.020	-	-	-	-	-
1737	PRE N/mm2	GY	-0.020	-	-	-	-	-
1738	PRE N/mm2	GY	-0.020	-	-	-	-	-
1739	PRE N/mm2	GY	-0.020	-	-	-	-	-
1740	PRE N/mm2	GY	-0.020	-	-	-	-	-
1741	PRE N/mm2	GY	-0.020	-	-	-	-	-
1742	PRE N/mm2	GY	-0.020	-	-	-	-	-
1743	PRE N/mm2	GY	-0.020	-	-	-	-	-
1744	PRE N/mm2	GY	-0.020	-	-	-	-	-
1745	PRE N/mm2	GY	-0.020	-	-	-	-	-
1746	PRE N/mm2	GY	-0.020	-	-	-	-	-
1747	PRE N/mm2	GY	-0.020	-	-	-	-	-
1748	PRE N/mm2	GY	-0.020	-	-	-	-	-
1749	PRE N/mm2	GY	-0.020	-	-	-	-	-
1750	PRE N/mm2	GY	-0.020	-	-	-	-	-
1751	PRE N/mm2	GY	-0.020	-	-	-	-	-
1752	PRE N/mm2	GY	-0.020	-	-	-	-	-
1753	PRE N/mm2	GY	-0.020	-	-	-	-	-
1754	PRE N/mm2	GY	-0.020	-	-	-	-	-
1755	PRE N/mm2	GY	-0.020	-	-	-	-	-
1756	PRE N/mm2	GY	-0.020	-	-	-	-	-
1757	PRE N/mm2	GY	-0.020	-	-	-	-	-
1758	PRE N/mm2	GY	-0.020	-	-	-	-	-
1759	PRE N/mm2	GY	-0.020	-	-	-	-	-
1760	PRE N/mm2	GY	-0.020	-	-	-	-	-
1761	PRE N/mm2	GY	-0.020	-	-	-	-	-
1762	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1763	PRE N/mm2	GY	-0.020	-	-	-	-	-
1764	PRE N/mm2	GY	-0.020	-	-	-	-	-
1765	PRE N/mm2	GY	-0.020	-	-	-	-	-
1766	PRE N/mm2	GY	-0.020	-	-	-	-	-
1767	PRE N/mm2	GY	-0.020	-	-	-	-	-
1768	PRE N/mm2	GY	-0.020	-	-	-	-	-
1769	PRE N/mm2	GY	-0.020	-	-	-	-	-
1770	PRE N/mm2	GY	-0.020	-	-	-	-	-
1771	PRE N/mm2	GY	-0.020	-	-	-	-	-
1772	PRE N/mm2	GY	-0.020	-	-	-	-	-
1773	PRE N/mm2	GY	-0.020	-	-	-	-	-
1774	PRE N/mm2	GY	-0.020	-	-	-	-	-
1775	PRE N/mm2	GY	-0.020	-	-	-	-	-
1776	PRE N/mm2	GY	-0.020	-	-	-	-	-
1777	PRE N/mm2	GY	-0.020	-	-	-	-	-
1778	PRE N/mm2	GY	-0.020	-	-	-	-	-
1779	PRE N/mm2	GY	-0.020	-	-	-	-	-
1780	PRE N/mm2	GY	-0.020	-	-	-	-	-
1781	PRE N/mm2	GY	-0.020	-	-	-	-	-
1782	PRE N/mm2	GY	-0.020	-	-	-	-	-
1783	PRE N/mm2	GY	-0.020	-	-	-	-	-
1784	PRE N/mm2	GY	-0.020	-	-	-	-	-
1785	PRE N/mm2	GY	-0.020	-	-	-	-	-
1786	PRE N/mm2	GY	-0.020	-	-	-	-	-
1787	PRE N/mm2	GY	-0.020	-	-	-	-	-
1788	PRE N/mm2	GY	-0.020	-	-	-	-	-
1789	PRE N/mm2	GY	-0.020	-	-	-	-	-
1790	PRE N/mm2	GY	-0.020	-	-	-	-	-
1791	PRE N/mm2	GY	-0.020	-	-	-	-	-
1792	PRE N/mm2	GY	-0.020	-	-	-	-	-
1793	PRE N/mm2	GY	-0.020	-	-	-	-	-
1794	PRE N/mm2	GY	-0.020	-	-	-	-	-
1795	PRE N/mm2	GY	-0.020	-	-	-	-	-
1796	PRE N/mm2	GY	-0.020	-	-	-	-	-
1797	PRE N/mm2	GY	-0.020	-	-	-	-	-
1798	PRE N/mm2	GY	-0.020	-	-	-	-	-
1799	PRE N/mm2	GY	-0.020	-	-	-	-	-
1800	PRE N/mm2	GY	-0.020	-	-	-	-	-
1801	PRE N/mm2	GY	-0.020	-	-	-	-	-
1802	PRE N/mm2	GY	-0.020	-	-	-	-	-
1803	PRE N/mm2	GY	-0.020	-	-	-	-	-
1804	PRE N/mm2	GY	-0.020	-	-	-	-	-
1805	PRE N/mm2	GY	-0.020	-	-	-	-	-
1806	PRE N/mm2	GY	-0.020	-	-	-	-	-
1807	PRE N/mm2	GY	-0.020	-	-	-	-	-
1808	PRE N/mm2	GY	-0.020	-	-	-	-	-
1809	PRE N/mm2	GY	-0.020	-	-	-	-	-
1810	PRE N/mm2	GY	-0.020	-	-	-	-	-
1811	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1812	PRE N/mm2	GY	-0.020	-	-	-	-	-
1813	PRE N/mm2	GY	-0.020	-	-	-	-	-
1814	PRE N/mm2	GY	-0.020	-	-	-	-	-
1815	PRE N/mm2	GY	-0.020	-	-	-	-	-
1816	PRE N/mm2	GY	-0.020	-	-	-	-	-
1817	PRE N/mm2	GY	-0.020	-	-	-	-	-
1818	PRE N/mm2	GY	-0.020	-	-	-	-	-
1819	PRE N/mm2	GY	-0.020	-	-	-	-	-
1820	PRE N/mm2	GY	-0.020	-	-	-	-	-
1821	PRE N/mm2	GY	-0.020	-	-	-	-	-
1822	PRE N/mm2	GY	-0.020	-	-	-	-	-
1823	PRE N/mm2	GY	-0.020	-	-	-	-	-
1824	PRE N/mm2	GY	-0.020	-	-	-	-	-
1825	PRE N/mm2	GY	-0.020	-	-	-	-	-
1826	PRE N/mm2	GY	-0.020	-	-	-	-	-
1827	PRE N/mm2	GY	-0.020	-	-	-	-	-
1828	PRE N/mm2	GY	-0.020	-	-	-	-	-
1829	PRE N/mm2	GY	-0.020	-	-	-	-	-
1830	PRE N/mm2	GY	-0.020	-	-	-	-	-
1831	PRE N/mm2	GY	-0.020	-	-	-	-	-
1832	PRE N/mm2	GY	-0.020	-	-	-	-	-
1833	PRE N/mm2	GY	-0.020	-	-	-	-	-
1834	PRE N/mm2	GY	-0.020	-	-	-	-	-
1835	PRE N/mm2	GY	-0.020	-	-	-	-	-
1836	PRE N/mm2	GY	-0.020	-	-	-	-	-
1837	PRE N/mm2	GY	-0.020	-	-	-	-	-
1838	PRE N/mm2	GY	-0.020	-	-	-	-	-
1839	PRE N/mm2	GY	-0.020	-	-	-	-	-
1840	PRE N/mm2	GY	-0.020	-	-	-	-	-
1841	PRE N/mm2	GY	-0.020	-	-	-	-	-
1842	PRE N/mm2	GY	-0.020	-	-	-	-	-
1843	PRE N/mm2	GY	-0.020	-	-	-	-	-
1844	PRE N/mm2	GY	-0.020	-	-	-	-	-
1845	PRE N/mm2	GY	-0.020	-	-	-	-	-
1846	PRE N/mm2	GY	-0.020	-	-	-	-	-
1847	PRE N/mm2	GY	-0.020	-	-	-	-	-
1848	PRE N/mm2	GY	-0.020	-	-	-	-	-
1849	PRE N/mm2	GY	-0.020	-	-	-	-	-
1850	PRE N/mm2	GY	-0.020	-	-	-	-	-
1851	PRE N/mm2	GY	-0.020	-	-	-	-	-
1852	PRE N/mm2	GY	-0.020	-	-	-	-	-
1853	PRE N/mm2	GY	-0.020	-	-	-	-	-
1854	PRE N/mm2	GY	-0.020	-	-	-	-	-
1855	PRE N/mm2	GY	-0.020	-	-	-	-	-
1856	PRE N/mm2	GY	-0.020	-	-	-	-	-
1857	PRE N/mm2	GY	-0.020	-	-	-	-	-
1858	PRE N/mm2	GY	-0.020	-	-	-	-	-
1859	PRE N/mm2	GY	-0.020	-	-	-	-	-
1860	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1861	PRE N/mm2	GY	-0.020	-	-	-	-	-
1862	PRE N/mm2	GY	-0.020	-	-	-	-	-
1863	PRE N/mm2	GY	-0.020	-	-	-	-	-
1864	PRE N/mm2	GY	-0.020	-	-	-	-	-
1865	PRE N/mm2	GY	-0.020	-	-	-	-	-
1866	PRE N/mm2	GY	-0.020	-	-	-	-	-
1867	PRE N/mm2	GY	-0.020	-	-	-	-	-
1868	PRE N/mm2	GY	-0.020	-	-	-	-	-
1869	PRE N/mm2	GY	-0.020	-	-	-	-	-
1870	PRE N/mm2	GY	-0.020	-	-	-	-	-
1871	PRE N/mm2	GY	-0.020	-	-	-	-	-
1872	PRE N/mm2	GY	-0.020	-	-	-	-	-
1873	PRE N/mm2	GY	-0.020	-	-	-	-	-
1874	PRE N/mm2	GY	-0.020	-	-	-	-	-
1875	PRE N/mm2	GY	-0.020	-	-	-	-	-
1876	PRE N/mm2	GY	-0.020	-	-	-	-	-
1877	PRE N/mm2	GY	-0.020	-	-	-	-	-
1878	PRE N/mm2	GY	-0.020	-	-	-	-	-
1879	PRE N/mm2	GY	-0.020	-	-	-	-	-
1880	PRE N/mm2	GY	-0.020	-	-	-	-	-
1881	PRE N/mm2	GY	-0.020	-	-	-	-	-
1882	PRE N/mm2	GY	-0.020	-	-	-	-	-
1883	PRE N/mm2	GY	-0.020	-	-	-	-	-
1884	PRE N/mm2	GY	-0.020	-	-	-	-	-
1885	PRE N/mm2	GY	-0.020	-	-	-	-	-
1886	PRE N/mm2	GY	-0.020	-	-	-	-	-
1887	PRE N/mm2	GY	-0.020	-	-	-	-	-
1888	PRE N/mm2	GY	-0.020	-	-	-	-	-
1889	PRE N/mm2	GY	-0.020	-	-	-	-	-
1890	PRE N/mm2	GY	-0.020	-	-	-	-	-
1891	PRE N/mm2	GY	-0.020	-	-	-	-	-
1892	PRE N/mm2	GY	-0.020	-	-	-	-	-
1893	PRE N/mm2	GY	-0.020	-	-	-	-	-
1894	PRE N/mm2	GY	-0.020	-	-	-	-	-
1895	PRE N/mm2	GY	-0.020	-	-	-	-	-
1896	PRE N/mm2	GY	-0.020	-	-	-	-	-
1897	PRE N/mm2	GY	-0.020	-	-	-	-	-
1898	PRE N/mm2	GY	-0.020	-	-	-	-	-
1899	PRE N/mm2	GY	-0.020	-	-	-	-	-
1900	PRE N/mm2	GY	-0.020	-	-	-	-	-
1901	PRE N/mm2	GY	-0.020	-	-	-	-	-
1902	PRE N/mm2	GY	-0.020	-	-	-	-	-
1903	PRE N/mm2	GY	-0.020	-	-	-	-	-
1904	PRE N/mm2	GY	-0.020	-	-	-	-	-
1905	PRE N/mm2	GY	-0.020	-	-	-	-	-
1906	PRE N/mm2	GY	-0.020	-	-	-	-	-
1907	PRE N/mm2	GY	-0.020	-	-	-	-	-
1908	PRE N/mm2	GY	-0.020	-	-	-	-	-
1909	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1910	PRE N/mm2	GY	-0.020	-	-	-	-	-
1911	PRE N/mm2	GY	-0.020	-	-	-	-	-
1912	PRE N/mm2	GY	-0.020	-	-	-	-	-
1913	PRE N/mm2	GY	-0.020	-	-	-	-	-
1914	PRE N/mm2	GY	-0.020	-	-	-	-	-
1915	PRE N/mm2	GY	-0.020	-	-	-	-	-
1916	PRE N/mm2	GY	-0.020	-	-	-	-	-
1917	PRE N/mm2	GY	-0.020	-	-	-	-	-
1918	PRE N/mm2	GY	-0.020	-	-	-	-	-
1919	PRE N/mm2	GY	-0.020	-	-	-	-	-
1920	PRE N/mm2	GY	-0.020	-	-	-	-	-
1921	PRE N/mm2	GY	-0.020	-	-	-	-	-
1922	PRE N/mm2	GY	-0.020	-	-	-	-	-
1923	PRE N/mm2	GY	-0.020	-	-	-	-	-
1924	PRE N/mm2	GY	-0.020	-	-	-	-	-
1925	PRE N/mm2	GY	-0.020	-	-	-	-	-
1926	PRE N/mm2	GY	-0.020	-	-	-	-	-
1927	PRE N/mm2	GY	-0.020	-	-	-	-	-
1928	PRE N/mm2	GY	-0.020	-	-	-	-	-
1929	PRE N/mm2	GY	-0.020	-	-	-	-	-
1930	PRE N/mm2	GY	-0.020	-	-	-	-	-
1931	PRE N/mm2	GY	-0.020	-	-	-	-	-
1932	PRE N/mm2	GY	-0.020	-	-	-	-	-
1933	PRE N/mm2	GY	-0.020	-	-	-	-	-
1934	PRE N/mm2	GY	-0.020	-	-	-	-	-
1935	PRE N/mm2	GY	-0.020	-	-	-	-	-
1936	PRE N/mm2	GY	-0.020	-	-	-	-	-
1937	PRE N/mm2	GY	-0.020	-	-	-	-	-
1938	PRE N/mm2	GY	-0.020	-	-	-	-	-
1939	PRE N/mm2	GY	-0.020	-	-	-	-	-
1940	PRE N/mm2	GY	-0.020	-	-	-	-	-
1941	PRE N/mm2	GY	-0.020	-	-	-	-	-
1942	PRE N/mm2	GY	-0.020	-	-	-	-	-
1943	PRE N/mm2	GY	-0.020	-	-	-	-	-
1944	PRE N/mm2	GY	-0.020	-	-	-	-	-
1945	PRE N/mm2	GY	-0.020	-	-	-	-	-
1946	PRE N/mm2	GY	-0.020	-	-	-	-	-
1947	PRE N/mm2	GY	-0.020	-	-	-	-	-
1948	PRE N/mm2	GY	-0.020	-	-	-	-	-
1949	PRE N/mm2	GY	-0.020	-	-	-	-	-
1950	PRE N/mm2	GY	-0.020	-	-	-	-	-
1951	PRE N/mm2	GY	-0.020	-	-	-	-	-
1952	PRE N/mm2	GY	-0.020	-	-	-	-	-
1953	PRE N/mm2	GY	-0.020	-	-	-	-	-
1954	PRE N/mm2	GY	-0.020	-	-	-	-	-
1955	PRE N/mm2	GY	-0.020	-	-	-	-	-
1956	PRE N/mm2	GY	-0.020	-	-	-	-	-
1957	PRE N/mm2	GY	-0.020	-	-	-	-	-
1958	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1959	PRE N/mm2	GY	-0.020	-	-	-	-	-
1960	PRE N/mm2	GY	-0.020	-	-	-	-	-
1961	PRE N/mm2	GY	-0.020	-	-	-	-	-
1962	PRE N/mm2	GY	-0.020	-	-	-	-	-
1963	PRE N/mm2	GY	-0.020	-	-	-	-	-
1964	PRE N/mm2	GY	-0.020	-	-	-	-	-
1965	PRE N/mm2	GY	-0.020	-	-	-	-	-
1966	PRE N/mm2	GY	-0.020	-	-	-	-	-
1967	PRE N/mm2	GY	-0.020	-	-	-	-	-
1968	PRE N/mm2	GY	-0.020	-	-	-	-	-
1969	PRE N/mm2	GY	-0.020	-	-	-	-	-
1970	PRE N/mm2	GY	-0.020	-	-	-	-	-
1971	PRE N/mm2	GY	-0.020	-	-	-	-	-
1972	PRE N/mm2	GY	-0.020	-	-	-	-	-
1973	PRE N/mm2	GY	-0.020	-	-	-	-	-
1974	PRE N/mm2	GY	-0.020	-	-	-	-	-
1975	PRE N/mm2	GY	-0.020	-	-	-	-	-
1976	PRE N/mm2	GY	-0.020	-	-	-	-	-
1977	PRE N/mm2	GY	-0.020	-	-	-	-	-
1978	PRE N/mm2	GY	-0.020	-	-	-	-	-
1979	PRE N/mm2	GY	-0.020	-	-	-	-	-
1980	PRE N/mm2	GY	-0.020	-	-	-	-	-
1981	PRE N/mm2	GY	-0.020	-	-	-	-	-
1982	PRE N/mm2	GY	-0.020	-	-	-	-	-
1983	PRE N/mm2	GY	-0.020	-	-	-	-	-
1984	PRE N/mm2	GY	-0.020	-	-	-	-	-
1985	PRE N/mm2	GY	-0.020	-	-	-	-	-
1986	PRE N/mm2	GY	-0.020	-	-	-	-	-
1987	PRE N/mm2	GY	-0.020	-	-	-	-	-
1988	PRE N/mm2	GY	-0.020	-	-	-	-	-
1989	PRE N/mm2	GY	-0.020	-	-	-	-	-
1990	PRE N/mm2	GY	-0.020	-	-	-	-	-
1991	PRE N/mm2	GY	-0.020	-	-	-	-	-
1992	PRE N/mm2	GY	-0.020	-	-	-	-	-
1993	PRE N/mm2	GY	-0.020	-	-	-	-	-
1994	PRE N/mm2	GY	-0.020	-	-	-	-	-
1995	PRE N/mm2	GY	-0.020	-	-	-	-	-
1996	PRE N/mm2	GY	-0.020	-	-	-	-	-
1997	PRE N/mm2	GY	-0.020	-	-	-	-	-
1998	PRE N/mm2	GY	-0.020	-	-	-	-	-
1999	PRE N/mm2	GY	-0.020	-	-	-	-	-
2000	PRE N/mm2	GY	-0.020	-	-	-	-	-
2001	PRE N/mm2	GY	-0.020	-	-	-	-	-
2002	PRE N/mm2	GY	-0.020	-	-	-	-	-
2003	PRE N/mm2	GY	-0.020	-	-	-	-	-
2004	PRE N/mm2	GY	-0.020	-	-	-	-	-
2005	PRE N/mm2	GY	-0.020	-	-	-	-	-
2006	PRE N/mm2	GY	-0.020	-	-	-	-	-
2007	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2008	PRE N/mm2	GY	-0.020	-	-	-	-	-
2009	PRE N/mm2	GY	-0.020	-	-	-	-	-
2010	PRE N/mm2	GY	-0.020	-	-	-	-	-
2011	PRE N/mm2	GY	-0.020	-	-	-	-	-
2012	PRE N/mm2	GY	-0.020	-	-	-	-	-
2013	PRE N/mm2	GY	-0.020	-	-	-	-	-
2014	PRE N/mm2	GY	-0.020	-	-	-	-	-
2015	PRE N/mm2	GY	-0.020	-	-	-	-	-
2016	PRE N/mm2	GY	-0.020	-	-	-	-	-
2017	PRE N/mm2	GY	-0.020	-	-	-	-	-
2018	PRE N/mm2	GY	-0.020	-	-	-	-	-
2019	PRE N/mm2	GY	-0.020	-	-	-	-	-
2020	PRE N/mm2	GY	-0.020	-	-	-	-	-
2021	PRE N/mm2	GY	-0.020	-	-	-	-	-
2022	PRE N/mm2	GY	-0.020	-	-	-	-	-
2023	PRE N/mm2	GY	-0.020	-	-	-	-	-
2024	PRE N/mm2	GY	-0.020	-	-	-	-	-
2025	PRE N/mm2	GY	-0.020	-	-	-	-	-
2026	PRE N/mm2	GY	-0.020	-	-	-	-	-
2027	PRE N/mm2	GY	-0.020	-	-	-	-	-
2028	PRE N/mm2	GY	-0.020	-	-	-	-	-
2029	PRE N/mm2	GY	-0.020	-	-	-	-	-
2030	PRE N/mm2	GY	-0.020	-	-	-	-	-
2031	PRE N/mm2	GY	-0.020	-	-	-	-	-
2032	PRE N/mm2	GY	-0.020	-	-	-	-	-
2033	PRE N/mm2	GY	-0.020	-	-	-	-	-
2034	PRE N/mm2	GY	-0.020	-	-	-	-	-
2035	PRE N/mm2	GY	-0.020	-	-	-	-	-
2036	PRE N/mm2	GY	-0.020	-	-	-	-	-
2037	PRE N/mm2	GY	-0.020	-	-	-	-	-
2038	PRE N/mm2	GY	-0.020	-	-	-	-	-
2039	PRE N/mm2	GY	-0.020	-	-	-	-	-
2040	PRE N/mm2	GY	-0.020	-	-	-	-	-
2041	PRE N/mm2	GY	-0.020	-	-	-	-	-
2042	PRE N/mm2	GY	-0.020	-	-	-	-	-
2043	PRE N/mm2	GY	-0.020	-	-	-	-	-
2044	PRE N/mm2	GY	-0.020	-	-	-	-	-
2045	PRE N/mm2	GY	-0.020	-	-	-	-	-
2046	PRE N/mm2	GY	-0.020	-	-	-	-	-
2047	PRE N/mm2	GY	-0.020	-	-	-	-	-
2048	PRE N/mm2	GY	-0.020	-	-	-	-	-
2049	PRE N/mm2	GY	-0.020	-	-	-	-	-
2050	PRE N/mm2	GY	-0.020	-	-	-	-	-
2051	PRE N/mm2	GY	-0.020	-	-	-	-	-
2052	PRE N/mm2	GY	-0.020	-	-	-	-	-
2053	PRE N/mm2	GY	-0.020	-	-	-	-	-
2054	PRE N/mm2	GY	-0.020	-	-	-	-	-
2055	PRE N/mm2	GY	-0.020	-	-	-	-	-
2056	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2057	PRE N/mm2	GY	-0.020	-	-	-	-	-
2058	PRE N/mm2	GY	-0.020	-	-	-	-	-
2059	PRE N/mm2	GY	-0.020	-	-	-	-	-
2060	PRE N/mm2	GY	-0.020	-	-	-	-	-
2061	PRE N/mm2	GY	-0.020	-	-	-	-	-
2062	PRE N/mm2	GY	-0.020	-	-	-	-	-
2063	PRE N/mm2	GY	-0.020	-	-	-	-	-
2064	PRE N/mm2	GY	-0.020	-	-	-	-	-
2065	PRE N/mm2	GY	-0.020	-	-	-	-	-
2066	PRE N/mm2	GY	-0.020	-	-	-	-	-
2067	PRE N/mm2	GY	-0.020	-	-	-	-	-
2068	PRE N/mm2	GY	-0.020	-	-	-	-	-
2069	PRE N/mm2	GY	-0.020	-	-	-	-	-
2070	PRE N/mm2	GY	-0.020	-	-	-	-	-
2071	PRE N/mm2	GY	-0.020	-	-	-	-	-
2072	PRE N/mm2	GY	-0.020	-	-	-	-	-
2073	PRE N/mm2	GY	-0.020	-	-	-	-	-
2074	PRE N/mm2	GY	-0.020	-	-	-	-	-
2075	PRE N/mm2	GY	-0.020	-	-	-	-	-
2076	PRE N/mm2	GY	-0.020	-	-	-	-	-
2077	PRE N/mm2	GY	-0.020	-	-	-	-	-
2078	PRE N/mm2	GY	-0.020	-	-	-	-	-
2079	PRE N/mm2	GY	-0.020	-	-	-	-	-
2080	PRE N/mm2	GY	-0.020	-	-	-	-	-
2081	PRE N/mm2	GY	-0.020	-	-	-	-	-
2082	PRE N/mm2	GY	-0.020	-	-	-	-	-
2083	PRE N/mm2	GY	-0.020	-	-	-	-	-
2084	PRE N/mm2	GY	-0.020	-	-	-	-	-
2085	PRE N/mm2	GY	-0.020	-	-	-	-	-
2086	PRE N/mm2	GY	-0.020	-	-	-	-	-
2087	PRE N/mm2	GY	-0.020	-	-	-	-	-
2088	PRE N/mm2	GY	-0.020	-	-	-	-	-
2089	PRE N/mm2	GY	-0.020	-	-	-	-	-
2090	PRE N/mm2	GY	-0.020	-	-	-	-	-
2091	PRE N/mm2	GY	-0.020	-	-	-	-	-
2092	PRE N/mm2	GY	-0.020	-	-	-	-	-
2093	PRE N/mm2	GY	-0.020	-	-	-	-	-
2094	PRE N/mm2	GY	-0.020	-	-	-	-	-
2095	PRE N/mm2	GY	-0.020	-	-	-	-	-
2096	PRE N/mm2	GY	-0.020	-	-	-	-	-
2097	PRE N/mm2	GY	-0.020	-	-	-	-	-
2098	PRE N/mm2	GY	-0.020	-	-	-	-	-
2099	PRE N/mm2	GY	-0.020	-	-	-	-	-
2100	PRE N/mm2	GY	-0.020	-	-	-	-	-
2101	PRE N/mm2	GY	-0.020	-	-	-	-	-
2102	PRE N/mm2	GY	-0.020	-	-	-	-	-
2103	PRE N/mm2	GY	-0.020	-	-	-	-	-
2104	PRE N/mm2	GY	-0.020	-	-	-	-	-
2105	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2106	PRE N/mm2	GY	-0.020	-	-	-	-	-
2107	PRE N/mm2	GY	-0.020	-	-	-	-	-
2108	PRE N/mm2	GY	-0.020	-	-	-	-	-
2109	PRE N/mm2	GY	-0.020	-	-	-	-	-
2110	PRE N/mm2	GY	-0.020	-	-	-	-	-
2111	PRE N/mm2	GY	-0.020	-	-	-	-	-
2112	PRE N/mm2	GY	-0.020	-	-	-	-	-
2113	PRE N/mm2	GY	-0.020	-	-	-	-	-
2114	PRE N/mm2	GY	-0.020	-	-	-	-	-
2115	PRE N/mm2	GY	-0.020	-	-	-	-	-
2116	PRE N/mm2	GY	-0.020	-	-	-	-	-
2117	PRE N/mm2	GY	-0.020	-	-	-	-	-
2118	PRE N/mm2	GY	-0.020	-	-	-	-	-
2119	PRE N/mm2	GY	-0.020	-	-	-	-	-
2120	PRE N/mm2	GY	-0.020	-	-	-	-	-
2121	PRE N/mm2	GY	-0.020	-	-	-	-	-
2122	PRE N/mm2	GY	-0.020	-	-	-	-	-
2123	PRE N/mm2	GY	-0.020	-	-	-	-	-
2124	PRE N/mm2	GY	-0.020	-	-	-	-	-
2125	PRE N/mm2	GY	-0.020	-	-	-	-	-
2126	PRE N/mm2	GY	-0.020	-	-	-	-	-
2127	PRE N/mm2	GY	-0.020	-	-	-	-	-
2128	PRE N/mm2	GY	-0.020	-	-	-	-	-
2129	PRE N/mm2	GY	-0.020	-	-	-	-	-
2130	PRE N/mm2	GY	-0.020	-	-	-	-	-
2131	PRE N/mm2	GY	-0.020	-	-	-	-	-
2132	PRE N/mm2	GY	-0.020	-	-	-	-	-
2133	PRE N/mm2	GY	-0.020	-	-	-	-	-
2134	PRE N/mm2	GY	-0.020	-	-	-	-	-
2135	PRE N/mm2	GY	-0.020	-	-	-	-	-
2136	PRE N/mm2	GY	-0.020	-	-	-	-	-
2137	PRE N/mm2	GY	-0.020	-	-	-	-	-
2138	PRE N/mm2	GY	-0.020	-	-	-	-	-
2139	PRE N/mm2	GY	-0.020	-	-	-	-	-
2140	PRE N/mm2	GY	-0.020	-	-	-	-	-
2141	PRE N/mm2	GY	-0.020	-	-	-	-	-
2142	PRE N/mm2	GY	-0.020	-	-	-	-	-
2143	PRE N/mm2	GY	-0.020	-	-	-	-	-
2144	PRE N/mm2	GY	-0.020	-	-	-	-	-
2145	PRE N/mm2	GY	-0.020	-	-	-	-	-
2146	PRE N/mm2	GY	-0.020	-	-	-	-	-
2147	PRE N/mm2	GY	-0.020	-	-	-	-	-
2148	PRE N/mm2	GY	-0.020	-	-	-	-	-
2149	PRE N/mm2	GY	-0.020	-	-	-	-	-
2150	PRE N/mm2	GY	-0.020	-	-	-	-	-
2151	PRE N/mm2	GY	-0.020	-	-	-	-	-
2152	PRE N/mm2	GY	-0.020	-	-	-	-	-
2153	PRE N/mm2	GY	-0.020	-	-	-	-	-
2154	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2155	PRE N/mm2	GY	-0.020	-	-	-	-	-
2156	PRE N/mm2	GY	-0.020	-	-	-	-	-
2157	PRE N/mm2	GY	-0.020	-	-	-	-	-
2158	PRE N/mm2	GY	-0.020	-	-	-	-	-
2159	PRE N/mm2	GY	-0.020	-	-	-	-	-
2160	PRE N/mm2	GY	-0.020	-	-	-	-	-
2161	PRE N/mm2	GY	-0.020	-	-	-	-	-
2162	PRE N/mm2	GY	-0.020	-	-	-	-	-
2163	PRE N/mm2	GY	-0.020	-	-	-	-	-
2164	PRE N/mm2	GY	-0.020	-	-	-	-	-
2165	PRE N/mm2	GY	-0.020	-	-	-	-	-
2166	PRE N/mm2	GY	-0.020	-	-	-	-	-
2167	PRE N/mm2	GY	-0.020	-	-	-	-	-
2168	PRE N/mm2	GY	-0.020	-	-	-	-	-
2169	PRE N/mm2	GY	-0.020	-	-	-	-	-
2170	PRE N/mm2	GY	-0.020	-	-	-	-	-
2171	PRE N/mm2	GY	-0.020	-	-	-	-	-
2172	PRE N/mm2	GY	-0.020	-	-	-	-	-
2173	PRE N/mm2	GY	-0.020	-	-	-	-	-
2174	PRE N/mm2	GY	-0.020	-	-	-	-	-
2175	PRE N/mm2	GY	-0.020	-	-	-	-	-
2176	PRE N/mm2	GY	-0.020	-	-	-	-	-
2177	PRE N/mm2	GY	-0.020	-	-	-	-	-
2178	PRE N/mm2	GY	-0.020	-	-	-	-	-
2179	PRE N/mm2	GY	-0.020	-	-	-	-	-
2180	PRE N/mm2	GY	-0.020	-	-	-	-	-
2181	PRE N/mm2	GY	-0.020	-	-	-	-	-
2182	PRE N/mm2	GY	-0.020	-	-	-	-	-
2183	PRE N/mm2	GY	-0.020	-	-	-	-	-
2184	PRE N/mm2	GY	-0.020	-	-	-	-	-
2185	PRE N/mm2	GY	-0.020	-	-	-	-	-
2186	PRE N/mm2	GY	-0.020	-	-	-	-	-
2187	PRE N/mm2	GY	-0.020	-	-	-	-	-
2188	PRE N/mm2	GY	-0.020	-	-	-	-	-
2189	PRE N/mm2	GY	-0.020	-	-	-	-	-
2190	PRE N/mm2	GY	-0.020	-	-	-	-	-
2191	PRE N/mm2	GY	-0.020	-	-	-	-	-
2192	PRE N/mm2	GY	-0.020	-	-	-	-	-
2193	PRE N/mm2	GY	-0.020	-	-	-	-	-
2194	PRE N/mm2	GY	-0.020	-	-	-	-	-
2195	PRE N/mm2	GY	-0.020	-	-	-	-	-
2196	PRE N/mm2	GY	-0.020	-	-	-	-	-
2197	PRE N/mm2	GY	-0.020	-	-	-	-	-
2198	PRE N/mm2	GY	-0.020	-	-	-	-	-
2199	PRE N/mm2	GY	-0.020	-	-	-	-	-
2200	PRE N/mm2	GY	-0.020	-	-	-	-	-
2201	PRE N/mm2	GY	-0.020	-	-	-	-	-
2202	PRE N/mm2	GY	-0.020	-	-	-	-	-
2203	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2204	PRE N/mm2	GY	-0.020	-	-	-	-	-
2205	PRE N/mm2	GY	-0.020	-	-	-	-	-
2206	PRE N/mm2	GY	-0.020	-	-	-	-	-
2207	PRE N/mm2	GY	-0.020	-	-	-	-	-
2208	PRE N/mm2	GY	-0.020	-	-	-	-	-
2209	PRE N/mm2	GY	-0.020	-	-	-	-	-
2210	PRE N/mm2	GY	-0.020	-	-	-	-	-
2211	PRE N/mm2	GY	-0.020	-	-	-	-	-
2212	PRE N/mm2	GY	-0.020	-	-	-	-	-
2213	PRE N/mm2	GY	-0.020	-	-	-	-	-
2214	PRE N/mm2	GY	-0.020	-	-	-	-	-
2215	PRE N/mm2	GY	-0.020	-	-	-	-	-
2216	PRE N/mm2	GY	-0.020	-	-	-	-	-
2217	PRE N/mm2	GY	-0.020	-	-	-	-	-
2218	PRE N/mm2	GY	-0.020	-	-	-	-	-
2219	PRE N/mm2	GY	-0.020	-	-	-	-	-
2220	PRE N/mm2	GY	-0.020	-	-	-	-	-
2221	PRE N/mm2	GY	-0.020	-	-	-	-	-
2222	PRE N/mm2	GY	-0.020	-	-	-	-	-
2223	PRE N/mm2	GY	-0.020	-	-	-	-	-
2224	PRE N/mm2	GY	-0.020	-	-	-	-	-
2225	PRE N/mm2	GY	-0.020	-	-	-	-	-
2226	PRE N/mm2	GY	-0.020	-	-	-	-	-
2227	PRE N/mm2	GY	-0.020	-	-	-	-	-
2228	PRE N/mm2	GY	-0.020	-	-	-	-	-
2229	PRE N/mm2	GY	-0.020	-	-	-	-	-
2230	PRE N/mm2	GY	-0.020	-	-	-	-	-
2231	PRE N/mm2	GY	-0.020	-	-	-	-	-
2232	PRE N/mm2	GY	-0.020	-	-	-	-	-
2233	PRE N/mm2	GY	-0.020	-	-	-	-	-
2234	PRE N/mm2	GY	-0.020	-	-	-	-	-
2235	PRE N/mm2	GY	-0.020	-	-	-	-	-
2236	PRE N/mm2	GY	-0.020	-	-	-	-	-
2237	PRE N/mm2	GY	-0.020	-	-	-	-	-
2238	PRE N/mm2	GY	-0.020	-	-	-	-	-
2239	PRE N/mm2	GY	-0.020	-	-	-	-	-
2240	PRE N/mm2	GY	-0.020	-	-	-	-	-
2241	PRE N/mm2	GY	-0.020	-	-	-	-	-
2242	PRE N/mm2	GY	-0.020	-	-	-	-	-
2243	PRE N/mm2	GY	-0.020	-	-	-	-	-
2244	PRE N/mm2	GY	-0.020	-	-	-	-	-
2245	PRE N/mm2	GY	-0.020	-	-	-	-	-
2246	PRE N/mm2	GY	-0.020	-	-	-	-	-
2247	PRE N/mm2	GY	-0.020	-	-	-	-	-
2248	PRE N/mm2	GY	-0.020	-	-	-	-	-
2249	PRE N/mm2	GY	-0.020	-	-	-	-	-
2250	PRE N/mm2	GY	-0.020	-	-	-	-	-
2251	PRE N/mm2	GY	-0.020	-	-	-	-	-
2252	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2253	PRE N/mm2	GY	-0.020	-	-	-	-	-
2254	PRE N/mm2	GY	-0.020	-	-	-	-	-
2255	PRE N/mm2	GY	-0.020	-	-	-	-	-
2256	PRE N/mm2	GY	-0.020	-	-	-	-	-
2257	PRE N/mm2	GY	-0.020	-	-	-	-	-
2258	PRE N/mm2	GY	-0.020	-	-	-	-	-
2259	PRE N/mm2	GY	-0.020	-	-	-	-	-
2260	PRE N/mm2	GY	-0.020	-	-	-	-	-
2261	PRE N/mm2	GY	-0.020	-	-	-	-	-
2262	PRE N/mm2	GY	-0.020	-	-	-	-	-
2263	PRE N/mm2	GY	-0.020	-	-	-	-	-
2264	PRE N/mm2	GY	-0.020	-	-	-	-	-
2265	PRE N/mm2	GY	-0.020	-	-	-	-	-
2266	PRE N/mm2	GY	-0.020	-	-	-	-	-
2267	PRE N/mm2	GY	-0.020	-	-	-	-	-
2268	PRE N/mm2	GY	-0.020	-	-	-	-	-
2269	PRE N/mm2	GY	-0.020	-	-	-	-	-
2270	PRE N/mm2	GY	-0.020	-	-	-	-	-
2271	PRE N/mm2	GY	-0.020	-	-	-	-	-
2272	PRE N/mm2	GY	-0.020	-	-	-	-	-
2273	PRE N/mm2	GY	-0.020	-	-	-	-	-
2274	PRE N/mm2	GY	-0.020	-	-	-	-	-
2275	PRE N/mm2	GY	-0.020	-	-	-	-	-
2276	PRE N/mm2	GY	-0.020	-	-	-	-	-
2277	PRE N/mm2	GY	-0.020	-	-	-	-	-
2278	PRE N/mm2	GY	-0.020	-	-	-	-	-
2279	PRE N/mm2	GY	-0.020	-	-	-	-	-
2280	PRE N/mm2	GY	-0.020	-	-	-	-	-
2281	PRE N/mm2	GY	-0.020	-	-	-	-	-
2282	PRE N/mm2	GY	-0.020	-	-	-	-	-
2283	PRE N/mm2	GY	-0.020	-	-	-	-	-
2284	PRE N/mm2	GY	-0.020	-	-	-	-	-
2285	PRE N/mm2	GY	-0.020	-	-	-	-	-
2286	PRE N/mm2	GY	-0.020	-	-	-	-	-
2287	PRE N/mm2	GY	-0.020	-	-	-	-	-
2288	PRE N/mm2	GY	-0.020	-	-	-	-	-
2289	PRE N/mm2	GY	-0.020	-	-	-	-	-
2290	PRE N/mm2	GY	-0.020	-	-	-	-	-
2291	PRE N/mm2	GY	-0.020	-	-	-	-	-
2292	PRE N/mm2	GY	-0.020	-	-	-	-	-
2293	PRE N/mm2	GY	-0.020	-	-	-	-	-
2294	PRE N/mm2	GY	-0.020	-	-	-	-	-
2295	PRE N/mm2	GY	-0.020	-	-	-	-	-
2296	PRE N/mm2	GY	-0.020	-	-	-	-	-
2297	PRE N/mm2	GY	-0.020	-	-	-	-	-
2298	PRE N/mm2	GY	-0.020	-	-	-	-	-
2299	PRE N/mm2	GY	-0.020	-	-	-	-	-
2300	PRE N/mm2	GY	-0.020	-	-	-	-	-
2301	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2302	PRE N/mm2	GY	-0.020	-	-	-	-	-
2303	PRE N/mm2	GY	-0.020	-	-	-	-	-
2304	PRE N/mm2	GY	-0.020	-	-	-	-	-
2305	PRE N/mm2	GY	-0.020	-	-	-	-	-
2306	PRE N/mm2	GY	-0.020	-	-	-	-	-
2307	PRE N/mm2	GY	-0.020	-	-	-	-	-
2308	PRE N/mm2	GY	-0.020	-	-	-	-	-
2309	PRE N/mm2	GY	-0.020	-	-	-	-	-
2310	PRE N/mm2	GY	-0.020	-	-	-	-	-
2311	PRE N/mm2	GY	-0.020	-	-	-	-	-
2312	PRE N/mm2	GY	-0.020	-	-	-	-	-
2313	PRE N/mm2	GY	-0.020	-	-	-	-	-
2314	PRE N/mm2	GY	-0.020	-	-	-	-	-
2315	PRE N/mm2	GY	-0.020	-	-	-	-	-
2316	PRE N/mm2	GY	-0.020	-	-	-	-	-
2317	PRE N/mm2	GY	-0.020	-	-	-	-	-
2318	PRE N/mm2	GY	-0.020	-	-	-	-	-
2319	PRE N/mm2	GY	-0.020	-	-	-	-	-
2320	PRE N/mm2	GY	-0.020	-	-	-	-	-
2321	PRE N/mm2	GY	-0.020	-	-	-	-	-
2322	PRE N/mm2	GY	-0.020	-	-	-	-	-
2323	PRE N/mm2	GY	-0.020	-	-	-	-	-
2324	PRE N/mm2	GY	-0.020	-	-	-	-	-
2325	PRE N/mm2	GY	-0.020	-	-	-	-	-
2326	PRE N/mm2	GY	-0.020	-	-	-	-	-
2327	PRE N/mm2	GY	-0.020	-	-	-	-	-
2328	PRE N/mm2	GY	-0.020	-	-	-	-	-
2329	PRE N/mm2	GY	-0.020	-	-	-	-	-
2330	PRE N/mm2	GY	-0.020	-	-	-	-	-
2331	PRE N/mm2	GY	-0.020	-	-	-	-	-
2332	PRE N/mm2	GY	-0.020	-	-	-	-	-
2333	PRE N/mm2	GY	-0.020	-	-	-	-	-
2334	PRE N/mm2	GY	-0.020	-	-	-	-	-
2335	PRE N/mm2	GY	-0.020	-	-	-	-	-
2336	PRE N/mm2	GY	-0.020	-	-	-	-	-
2337	PRE N/mm2	GY	-0.020	-	-	-	-	-
2338	PRE N/mm2	GY	-0.020	-	-	-	-	-
2339	PRE N/mm2	GY	-0.020	-	-	-	-	-
2340	PRE N/mm2	GY	-0.020	-	-	-	-	-
2341	PRE N/mm2	GY	-0.020	-	-	-	-	-
2342	PRE N/mm2	GY	-0.020	-	-	-	-	-
2343	PRE N/mm2	GY	-0.020	-	-	-	-	-
2344	PRE N/mm2	GY	-0.020	-	-	-	-	-
2345	PRE N/mm2	GY	-0.020	-	-	-	-	-
2346	PRE N/mm2	GY	-0.020	-	-	-	-	-
2347	PRE N/mm2	GY	-0.020	-	-	-	-	-
2348	PRE N/mm2	GY	-0.020	-	-	-	-	-
2349	PRE N/mm2	GY	-0.020	-	-	-	-	-
2350	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2351	PRE N/mm2	GY	-0.020	-	-	-	-	-
2352	PRE N/mm2	GY	-0.020	-	-	-	-	-
2353	PRE N/mm2	GY	-0.020	-	-	-	-	-
2354	PRE N/mm2	GY	-0.020	-	-	-	-	-
2355	PRE N/mm2	GY	-0.020	-	-	-	-	-
2356	PRE N/mm2	GY	-0.020	-	-	-	-	-
2357	PRE N/mm2	GY	-0.020	-	-	-	-	-
2358	PRE N/mm2	GY	-0.020	-	-	-	-	-
2359	PRE N/mm2	GY	-0.020	-	-	-	-	-
2360	PRE N/mm2	GY	-0.020	-	-	-	-	-
2361	PRE N/mm2	GY	-0.020	-	-	-	-	-
2362	PRE N/mm2	GY	-0.020	-	-	-	-	-
2363	PRE N/mm2	GY	-0.020	-	-	-	-	-
2364	PRE N/mm2	GY	-0.020	-	-	-	-	-
2365	PRE N/mm2	GY	-0.020	-	-	-	-	-
2366	PRE N/mm2	GY	-0.020	-	-	-	-	-
2367	PRE N/mm2	GY	-0.020	-	-	-	-	-
2368	PRE N/mm2	GY	-0.020	-	-	-	-	-
2369	PRE N/mm2	GY	-0.020	-	-	-	-	-
2370	PRE N/mm2	GY	-0.020	-	-	-	-	-
2371	PRE N/mm2	GY	-0.020	-	-	-	-	-
2372	PRE N/mm2	GY	-0.020	-	-	-	-	-
2373	PRE N/mm2	GY	-0.020	-	-	-	-	-
2374	PRE N/mm2	GY	-0.020	-	-	-	-	-
2375	PRE N/mm2	GY	-0.020	-	-	-	-	-
2376	PRE N/mm2	GY	-0.020	-	-	-	-	-
2377	PRE N/mm2	GY	-0.020	-	-	-	-	-
2378	PRE N/mm2	GY	-0.020	-	-	-	-	-
2379	PRE N/mm2	GY	-0.020	-	-	-	-	-
2380	PRE N/mm2	GY	-0.020	-	-	-	-	-
2381	PRE N/mm2	GY	-0.020	-	-	-	-	-
2382	PRE N/mm2	GY	-0.020	-	-	-	-	-
2383	PRE N/mm2	GY	-0.020	-	-	-	-	-
2384	PRE N/mm2	GY	-0.020	-	-	-	-	-
2385	PRE N/mm2	GY	-0.020	-	-	-	-	-
2386	PRE N/mm2	GY	-0.020	-	-	-	-	-
2387	PRE N/mm2	GY	-0.020	-	-	-	-	-
2388	PRE N/mm2	GY	-0.020	-	-	-	-	-
2389	PRE N/mm2	GY	-0.020	-	-	-	-	-
2390	PRE N/mm2	GY	-0.020	-	-	-	-	-
2391	PRE N/mm2	GY	-0.020	-	-	-	-	-
2392	PRE N/mm2	GY	-0.020	-	-	-	-	-
2393	PRE N/mm2	GY	-0.020	-	-	-	-	-
2394	PRE N/mm2	GY	-0.020	-	-	-	-	-
2395	PRE N/mm2	GY	-0.020	-	-	-	-	-
2396	PRE N/mm2	GY	-0.020	-	-	-	-	-
2397	PRE N/mm2	GY	-0.020	-	-	-	-	-
2398	PRE N/mm2	GY	-0.020	-	-	-	-	-
2399	PRE N/mm2	GY	-0.020	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2400	PRE N/mm2	GY	-0.020	-	-	-	-	-
2401	PRE N/mm2	GY	-0.020	-	-	-	-	-
2402	PRE N/mm2	GY	-0.020	-	-	-	-	-
2403	PRE N/mm2	GY	-0.020	-	-	-	-	-
2560	PRE N/mm2	GY	-0.010	-	-	-	-	-
2561	PRE N/mm2	GY	-0.010	-	-	-	-	-
2562	PRE N/mm2	GY	-0.010	-	-	-	-	-
2563	PRE N/mm2	GY	-0.010	-	-	-	-	-
2564	PRE N/mm2	GY	-0.010	-	-	-	-	-
2565	PRE N/mm2	GY	-0.010	-	-	-	-	-
2566	PRE N/mm2	GY	-0.010	-	-	-	-	-
2567	PRE N/mm2	GY	-0.010	-	-	-	-	-
2568	PRE N/mm2	GY	-0.010	-	-	-	-	-
2569	PRE N/mm2	GY	-0.010	-	-	-	-	-
2570	PRE N/mm2	GY	-0.010	-	-	-	-	-
2571	PRE N/mm2	GY	-0.010	-	-	-	-	-
2572	PRE N/mm2	GY	-0.010	-	-	-	-	-
2573	PRE N/mm2	GY	-0.010	-	-	-	-	-
2574	PRE N/mm2	GY	-0.010	-	-	-	-	-
2575	PRE N/mm2	GY	-0.010	-	-	-	-	-
2576	PRE N/mm2	GY	-0.010	-	-	-	-	-
2577	PRE N/mm2	GY	-0.010	-	-	-	-	-
2578	PRE N/mm2	GY	-0.010	-	-	-	-	-
2579	PRE N/mm2	GY	-0.010	-	-	-	-	-
2580	PRE N/mm2	GY	-0.010	-	-	-	-	-
2581	PRE N/mm2	GY	-0.010	-	-	-	-	-
2582	PRE N/mm2	GY	-0.010	-	-	-	-	-
2583	PRE N/mm2	GY	-0.010	-	-	-	-	-
2584	PRE N/mm2	GY	-0.010	-	-	-	-	-
2585	PRE N/mm2	GY	-0.010	-	-	-	-	-
2586	PRE N/mm2	GY	-0.010	-	-	-	-	-
2587	PRE N/mm2	GY	-0.010	-	-	-	-	-
2588	PRE N/mm2	GY	-0.010	-	-	-	-	-
2589	PRE N/mm2	GY	-0.010	-	-	-	-	-
2590	PRE N/mm2	GY	-0.010	-	-	-	-	-
2591	PRE N/mm2	GY	-0.010	-	-	-	-	-
2592	PRE N/mm2	GY	-0.010	-	-	-	-	-
2593	PRE N/mm2	GY	-0.010	-	-	-	-	-
2594	PRE N/mm2	GY	-0.010	-	-	-	-	-
2595	PRE N/mm2	GY	-0.010	-	-	-	-	-
2596	PRE N/mm2	GY	-0.010	-	-	-	-	-
2597	PRE N/mm2	GY	-0.010	-	-	-	-	-
2598	PRE N/mm2	GY	-0.010	-	-	-	-	-
2599	PRE N/mm2	GY	-0.010	-	-	-	-	-
2600	PRE N/mm2	GY	-0.010	-	-	-	-	-
2601	PRE N/mm2	GY	-0.010	-	-	-	-	-
2602	PRE N/mm2	GY	-0.010	-	-	-	-	-
2603	PRE N/mm2	GY	-0.010	-	-	-	-	-
2604	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2605	PRE N/mm2	GY	-0.010	-	-	-	-	-
2606	PRE N/mm2	GY	-0.010	-	-	-	-	-
2607	PRE N/mm2	GY	-0.010	-	-	-	-	-
2608	PRE N/mm2	GY	-0.010	-	-	-	-	-
2609	PRE N/mm2	GY	-0.010	-	-	-	-	-
2610	PRE N/mm2	GY	-0.010	-	-	-	-	-
2611	PRE N/mm2	GY	-0.010	-	-	-	-	-
2612	PRE N/mm2	GY	-0.010	-	-	-	-	-
2613	PRE N/mm2	GY	-0.010	-	-	-	-	-
2614	PRE N/mm2	GY	-0.010	-	-	-	-	-
2615	PRE N/mm2	GY	-0.010	-	-	-	-	-
2616	PRE N/mm2	GY	-0.010	-	-	-	-	-
2617	PRE N/mm2	GY	-0.010	-	-	-	-	-
2618	PRE N/mm2	GY	-0.010	-	-	-	-	-
2619	PRE N/mm2	GY	-0.010	-	-	-	-	-
2620	PRE N/mm2	GY	-0.010	-	-	-	-	-
2621	PRE N/mm2	GY	-0.010	-	-	-	-	-
2622	PRE N/mm2	GY	-0.010	-	-	-	-	-
2623	PRE N/mm2	GY	-0.010	-	-	-	-	-
2624	PRE N/mm2	GY	-0.010	-	-	-	-	-
2625	PRE N/mm2	GY	-0.010	-	-	-	-	-
2626	PRE N/mm2	GY	-0.010	-	-	-	-	-
2627	PRE N/mm2	GY	-0.010	-	-	-	-	-
2628	PRE N/mm2	GY	-0.010	-	-	-	-	-
2629	PRE N/mm2	GY	-0.010	-	-	-	-	-
2630	PRE N/mm2	GY	-0.010	-	-	-	-	-
2631	PRE N/mm2	GY	-0.010	-	-	-	-	-
2632	PRE N/mm2	GY	-0.010	-	-	-	-	-
2633	PRE N/mm2	GY	-0.010	-	-	-	-	-
2634	PRE N/mm2	GY	-0.010	-	-	-	-	-
2635	PRE N/mm2	GY	-0.010	-	-	-	-	-
2636	PRE N/mm2	GY	-0.010	-	-	-	-	-
2637	PRE N/mm2	GY	-0.010	-	-	-	-	-
2638	PRE N/mm2	GY	-0.010	-	-	-	-	-
2639	PRE N/mm2	GY	-0.010	-	-	-	-	-
2640	PRE N/mm2	GY	-0.010	-	-	-	-	-
2641	PRE N/mm2	GY	-0.010	-	-	-	-	-
2642	PRE N/mm2	GY	-0.010	-	-	-	-	-
2643	PRE N/mm2	GY	-0.010	-	-	-	-	-
2644	PRE N/mm2	GY	-0.010	-	-	-	-	-
2645	PRE N/mm2	GY	-0.010	-	-	-	-	-
2646	PRE N/mm2	GY	-0.010	-	-	-	-	-
2647	PRE N/mm2	GY	-0.010	-	-	-	-	-
2648	PRE N/mm2	GY	-0.010	-	-	-	-	-
2649	PRE N/mm2	GY	-0.010	-	-	-	-	-
2650	PRE N/mm2	GY	-0.010	-	-	-	-	-
2651	PRE N/mm2	GY	-0.010	-	-	-	-	-
2652	PRE N/mm2	GY	-0.010	-	-	-	-	-
2653	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2654	PRE N/mm2	GY	-0.010	-	-	-	-	-
2655	PRE N/mm2	GY	-0.010	-	-	-	-	-
2656	PRE N/mm2	GY	-0.010	-	-	-	-	-
2657	PRE N/mm2	GY	-0.010	-	-	-	-	-
2658	PRE N/mm2	GY	-0.010	-	-	-	-	-
2659	PRE N/mm2	GY	-0.010	-	-	-	-	-
2660	PRE N/mm2	GY	-0.010	-	-	-	-	-
2661	PRE N/mm2	GY	-0.010	-	-	-	-	-
2662	PRE N/mm2	GY	-0.010	-	-	-	-	-
2663	PRE N/mm2	GY	-0.010	-	-	-	-	-
2664	PRE N/mm2	GY	-0.010	-	-	-	-	-
2665	PRE N/mm2	GY	-0.010	-	-	-	-	-
2666	PRE N/mm2	GY	-0.010	-	-	-	-	-
2667	PRE N/mm2	GY	-0.010	-	-	-	-	-
2668	PRE N/mm2	GY	-0.010	-	-	-	-	-
2669	PRE N/mm2	GY	-0.010	-	-	-	-	-
2670	PRE N/mm2	GY	-0.010	-	-	-	-	-
2671	PRE N/mm2	GY	-0.010	-	-	-	-	-
2672	PRE N/mm2	GY	-0.010	-	-	-	-	-
2673	PRE N/mm2	GY	-0.010	-	-	-	-	-
2674	PRE N/mm2	GY	-0.010	-	-	-	-	-
2675	PRE N/mm2	GY	-0.010	-	-	-	-	-
2676	PRE N/mm2	GY	-0.010	-	-	-	-	-
2677	PRE N/mm2	GY	-0.010	-	-	-	-	-
2678	PRE N/mm2	GY	-0.010	-	-	-	-	-
2679	PRE N/mm2	GY	-0.010	-	-	-	-	-
2680	PRE N/mm2	GY	-0.010	-	-	-	-	-
2681	PRE N/mm2	GY	-0.010	-	-	-	-	-
2682	PRE N/mm2	GY	-0.010	-	-	-	-	-
2683	PRE N/mm2	GY	-0.010	-	-	-	-	-
2684	PRE N/mm2	GY	-0.010	-	-	-	-	-
2685	PRE N/mm2	GY	-0.010	-	-	-	-	-
2686	PRE N/mm2	GY	-0.010	-	-	-	-	-
2687	PRE N/mm2	GY	-0.010	-	-	-	-	-
2688	PRE N/mm2	GY	-0.010	-	-	-	-	-
2689	PRE N/mm2	GY	-0.010	-	-	-	-	-
2690	PRE N/mm2	GY	-0.010	-	-	-	-	-
2691	PRE N/mm2	GY	-0.010	-	-	-	-	-
2692	PRE N/mm2	GY	-0.010	-	-	-	-	-
2693	PRE N/mm2	GY	-0.010	-	-	-	-	-
2694	PRE N/mm2	GY	-0.010	-	-	-	-	-
2695	PRE N/mm2	GY	-0.010	-	-	-	-	-
2696	PRE N/mm2	GY	-0.010	-	-	-	-	-
2697	PRE N/mm2	GY	-0.010	-	-	-	-	-
2698	PRE N/mm2	GY	-0.010	-	-	-	-	-
2699	PRE N/mm2	GY	-0.010	-	-	-	-	-
2700	PRE N/mm2	GY	-0.010	-	-	-	-	-
2701	PRE N/mm2	GY	-0.010	-	-	-	-	-
2702	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2703	PRE N/mm2	GY	-0.010	-	-	-	-	-
2704	PRE N/mm2	GY	-0.010	-	-	-	-	-
2705	PRE N/mm2	GY	-0.010	-	-	-	-	-
2706	PRE N/mm2	GY	-0.010	-	-	-	-	-
2707	PRE N/mm2	GY	-0.010	-	-	-	-	-
2708	PRE N/mm2	GY	-0.010	-	-	-	-	-
2709	PRE N/mm2	GY	-0.010	-	-	-	-	-
2710	PRE N/mm2	GY	-0.010	-	-	-	-	-
2711	PRE N/mm2	GY	-0.010	-	-	-	-	-
2712	PRE N/mm2	GY	-0.010	-	-	-	-	-
2713	PRE N/mm2	GY	-0.010	-	-	-	-	-
2714	PRE N/mm2	GY	-0.010	-	-	-	-	-
2715	PRE N/mm2	GY	-0.010	-	-	-	-	-
2716	PRE N/mm2	GY	-0.010	-	-	-	-	-
2717	PRE N/mm2	GY	-0.010	-	-	-	-	-
2718	PRE N/mm2	GY	-0.010	-	-	-	-	-
2719	PRE N/mm2	GY	-0.010	-	-	-	-	-
2720	PRE N/mm2	GY	-0.010	-	-	-	-	-
2721	PRE N/mm2	GY	-0.010	-	-	-	-	-
2722	PRE N/mm2	GY	-0.010	-	-	-	-	-
2723	PRE N/mm2	GY	-0.010	-	-	-	-	-
2724	PRE N/mm2	GY	-0.010	-	-	-	-	-
2725	PRE N/mm2	GY	-0.010	-	-	-	-	-
2726	PRE N/mm2	GY	-0.010	-	-	-	-	-
2727	PRE N/mm2	GY	-0.010	-	-	-	-	-
2728	PRE N/mm2	GY	-0.010	-	-	-	-	-
2729	PRE N/mm2	GY	-0.010	-	-	-	-	-
2730	PRE N/mm2	GY	-0.010	-	-	-	-	-
2731	PRE N/mm2	GY	-0.010	-	-	-	-	-
2732	PRE N/mm2	GY	-0.010	-	-	-	-	-
2733	PRE N/mm2	GY	-0.010	-	-	-	-	-
2734	PRE N/mm2	GY	-0.010	-	-	-	-	-
2735	PRE N/mm2	GY	-0.010	-	-	-	-	-
2736	PRE N/mm2	GY	-0.010	-	-	-	-	-
2737	PRE N/mm2	GY	-0.010	-	-	-	-	-
2738	PRE N/mm2	GY	-0.010	-	-	-	-	-
2739	PRE N/mm2	GY	-0.010	-	-	-	-	-
2740	PRE N/mm2	GY	-0.010	-	-	-	-	-
2741	PRE N/mm2	GY	-0.010	-	-	-	-	-
2742	PRE N/mm2	GY	-0.010	-	-	-	-	-
2743	PRE N/mm2	GY	-0.010	-	-	-	-	-
2744	PRE N/mm2	GY	-0.010	-	-	-	-	-
2745	PRE N/mm2	GY	-0.010	-	-	-	-	-
2746	PRE N/mm2	GY	-0.010	-	-	-	-	-
2747	PRE N/mm2	GY	-0.010	-	-	-	-	-
2748	PRE N/mm2	GY	-0.010	-	-	-	-	-
2749	PRE N/mm2	GY	-0.010	-	-	-	-	-
2750	PRE N/mm2	GY	-0.010	-	-	-	-	-
2751	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2752	PRE N/mm2	GY	-0.010	-	-	-	-	-
2753	PRE N/mm2	GY	-0.010	-	-	-	-	-
2754	PRE N/mm2	GY	-0.010	-	-	-	-	-
2755	PRE N/mm2	GY	-0.010	-	-	-	-	-
2756	PRE N/mm2	GY	-0.010	-	-	-	-	-
2757	PRE N/mm2	GY	-0.010	-	-	-	-	-
2758	PRE N/mm2	GY	-0.010	-	-	-	-	-
2759	PRE N/mm2	GY	-0.010	-	-	-	-	-
2760	PRE N/mm2	GY	-0.010	-	-	-	-	-
2761	PRE N/mm2	GY	-0.010	-	-	-	-	-
2762	PRE N/mm2	GY	-0.010	-	-	-	-	-
2763	PRE N/mm2	GY	-0.010	-	-	-	-	-
2764	PRE N/mm2	GY	-0.010	-	-	-	-	-
2765	PRE N/mm2	GY	-0.010	-	-	-	-	-
2766	PRE N/mm2	GY	-0.010	-	-	-	-	-
2767	PRE N/mm2	GY	-0.010	-	-	-	-	-
2768	PRE N/mm2	GY	-0.010	-	-	-	-	-
2769	PRE N/mm2	GY	-0.010	-	-	-	-	-
2770	PRE N/mm2	GY	-0.010	-	-	-	-	-
2771	PRE N/mm2	GY	-0.010	-	-	-	-	-
2772	PRE N/mm2	GY	-0.010	-	-	-	-	-
2773	PRE N/mm2	GY	-0.010	-	-	-	-	-
2774	PRE N/mm2	GY	-0.010	-	-	-	-	-
2775	PRE N/mm2	GY	-0.010	-	-	-	-	-
2776	PRE N/mm2	GY	-0.010	-	-	-	-	-
2777	PRE N/mm2	GY	-0.010	-	-	-	-	-
2778	PRE N/mm2	GY	-0.010	-	-	-	-	-
2779	PRE N/mm2	GY	-0.010	-	-	-	-	-
2780	PRE N/mm2	GY	-0.010	-	-	-	-	-
2781	PRE N/mm2	GY	-0.010	-	-	-	-	-
2782	PRE N/mm2	GY	-0.010	-	-	-	-	-
2783	PRE N/mm2	GY	-0.010	-	-	-	-	-
2784	PRE N/mm2	GY	-0.010	-	-	-	-	-
2785	PRE N/mm2	GY	-0.010	-	-	-	-	-
2786	PRE N/mm2	GY	-0.010	-	-	-	-	-
2787	PRE N/mm2	GY	-0.010	-	-	-	-	-
2788	PRE N/mm2	GY	-0.010	-	-	-	-	-
2789	PRE N/mm2	GY	-0.010	-	-	-	-	-
2790	PRE N/mm2	GY	-0.010	-	-	-	-	-
2791	PRE N/mm2	GY	-0.010	-	-	-	-	-
2792	PRE N/mm2	GY	-0.010	-	-	-	-	-
2793	PRE N/mm2	GY	-0.010	-	-	-	-	-
2794	PRE N/mm2	GY	-0.010	-	-	-	-	-
2795	PRE N/mm2	GY	-0.010	-	-	-	-	-
2796	PRE N/mm2	GY	-0.010	-	-	-	-	-
2797	PRE N/mm2	GY	-0.010	-	-	-	-	-
2798	PRE N/mm2	GY	-0.010	-	-	-	-	-
2799	PRE N/mm2	GY	-0.010	-	-	-	-	-
2800	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2801	PRE N/mm2	GY	-0.010	-	-	-	-	-
2802	PRE N/mm2	GY	-0.010	-	-	-	-	-
2803	PRE N/mm2	GY	-0.010	-	-	-	-	-
2804	PRE N/mm2	GY	-0.010	-	-	-	-	-
2805	PRE N/mm2	GY	-0.010	-	-	-	-	-
2806	PRE N/mm2	GY	-0.010	-	-	-	-	-
2807	PRE N/mm2	GY	-0.010	-	-	-	-	-
2808	PRE N/mm2	GY	-0.010	-	-	-	-	-
2809	PRE N/mm2	GY	-0.010	-	-	-	-	-
2810	PRE N/mm2	GY	-0.010	-	-	-	-	-
2811	PRE N/mm2	GY	-0.010	-	-	-	-	-
2812	PRE N/mm2	GY	-0.010	-	-	-	-	-
2813	PRE N/mm2	GY	-0.010	-	-	-	-	-
2814	PRE N/mm2	GY	-0.010	-	-	-	-	-
2815	PRE N/mm2	GY	-0.010	-	-	-	-	-
2816	PRE N/mm2	GY	-0.010	-	-	-	-	-
2817	PRE N/mm2	GY	-0.010	-	-	-	-	-
2818	PRE N/mm2	GY	-0.010	-	-	-	-	-
2819	PRE N/mm2	GY	-0.010	-	-	-	-	-
2820	PRE N/mm2	GY	-0.010	-	-	-	-	-
2821	PRE N/mm2	GY	-0.010	-	-	-	-	-
2822	PRE N/mm2	GY	-0.010	-	-	-	-	-
2823	PRE N/mm2	GY	-0.010	-	-	-	-	-
2824	PRE N/mm2	GY	-0.010	-	-	-	-	-
2825	PRE N/mm2	GY	-0.010	-	-	-	-	-
2826	PRE N/mm2	GY	-0.010	-	-	-	-	-
2827	PRE N/mm2	GY	-0.010	-	-	-	-	-
2828	PRE N/mm2	GY	-0.010	-	-	-	-	-
2829	PRE N/mm2	GY	-0.010	-	-	-	-	-
2830	PRE N/mm2	GY	-0.010	-	-	-	-	-
2831	PRE N/mm2	GY	-0.010	-	-	-	-	-
2832	PRE N/mm2	GY	-0.010	-	-	-	-	-
2833	PRE N/mm2	GY	-0.010	-	-	-	-	-
2834	PRE N/mm2	GY	-0.010	-	-	-	-	-
2835	PRE N/mm2	GY	-0.010	-	-	-	-	-
2836	PRE N/mm2	GY	-0.010	-	-	-	-	-
2837	PRE N/mm2	GY	-0.010	-	-	-	-	-
2838	PRE N/mm2	GY	-0.010	-	-	-	-	-
2839	PRE N/mm2	GY	-0.010	-	-	-	-	-
2840	PRE N/mm2	GY	-0.010	-	-	-	-	-
2841	PRE N/mm2	GY	-0.010	-	-	-	-	-
2842	PRE N/mm2	GY	-0.010	-	-	-	-	-
2843	PRE N/mm2	GY	-0.010	-	-	-	-	-
2844	PRE N/mm2	GY	-0.010	-	-	-	-	-
2845	PRE N/mm2	GY	-0.010	-	-	-	-	-
2846	PRE N/mm2	GY	-0.010	-	-	-	-	-
2847	PRE N/mm2	GY	-0.010	-	-	-	-	-
2848	PRE N/mm2	GY	-0.010	-	-	-	-	-
2849	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2850	PRE N/mm2	GY	-0.010	-	-	-	-	-
2851	PRE N/mm2	GY	-0.010	-	-	-	-	-
2852	PRE N/mm2	GY	-0.010	-	-	-	-	-
2853	PRE N/mm2	GY	-0.010	-	-	-	-	-
2854	PRE N/mm2	GY	-0.010	-	-	-	-	-
2855	PRE N/mm2	GY	-0.010	-	-	-	-	-
2856	PRE N/mm2	GY	-0.010	-	-	-	-	-
2857	PRE N/mm2	GY	-0.010	-	-	-	-	-
2858	PRE N/mm2	GY	-0.010	-	-	-	-	-
2859	PRE N/mm2	GY	-0.010	-	-	-	-	-
2860	PRE N/mm2	GY	-0.010	-	-	-	-	-
2861	PRE N/mm2	GY	-0.010	-	-	-	-	-
2862	PRE N/mm2	GY	-0.010	-	-	-	-	-
2863	PRE N/mm2	GY	-0.010	-	-	-	-	-
2864	PRE N/mm2	GY	-0.010	-	-	-	-	-
2865	PRE N/mm2	GY	-0.010	-	-	-	-	-
2866	PRE N/mm2	GY	-0.010	-	-	-	-	-
2867	PRE N/mm2	GY	-0.010	-	-	-	-	-
2868	PRE N/mm2	GY	-0.010	-	-	-	-	-
2869	PRE N/mm2	GY	-0.010	-	-	-	-	-
2870	PRE N/mm2	GY	-0.010	-	-	-	-	-
2871	PRE N/mm2	GY	-0.010	-	-	-	-	-
2872	PRE N/mm2	GY	-0.010	-	-	-	-	-
2873	PRE N/mm2	GY	-0.010	-	-	-	-	-
2874	PRE N/mm2	GY	-0.010	-	-	-	-	-
2875	PRE N/mm2	GY	-0.010	-	-	-	-	-
2876	PRE N/mm2	GY	-0.010	-	-	-	-	-
2877	PRE N/mm2	GY	-0.010	-	-	-	-	-
2878	PRE N/mm2	GY	-0.010	-	-	-	-	-
2879	PRE N/mm2	GY	-0.010	-	-	-	-	-
2880	PRE N/mm2	GY	-0.010	-	-	-	-	-
2881	PRE N/mm2	GY	-0.010	-	-	-	-	-
2882	PRE N/mm2	GY	-0.010	-	-	-	-	-
2883	PRE N/mm2	GY	-0.010	-	-	-	-	-
2884	PRE N/mm2	GY	-0.010	-	-	-	-	-
2885	PRE N/mm2	GY	-0.010	-	-	-	-	-
2886	PRE N/mm2	GY	-0.010	-	-	-	-	-
2887	PRE N/mm2	GY	-0.010	-	-	-	-	-
2888	PRE N/mm2	GY	-0.010	-	-	-	-	-
2889	PRE N/mm2	GY	-0.010	-	-	-	-	-
2890	PRE N/mm2	GY	-0.010	-	-	-	-	-
2891	PRE N/mm2	GY	-0.010	-	-	-	-	-
2892	PRE N/mm2	GY	-0.010	-	-	-	-	-
2893	PRE N/mm2	GY	-0.010	-	-	-	-	-
2894	PRE N/mm2	GY	-0.010	-	-	-	-	-
2895	PRE N/mm2	GY	-0.010	-	-	-	-	-
2896	PRE N/mm2	GY	-0.010	-	-	-	-	-
2897	PRE N/mm2	GY	-0.010	-	-	-	-	-
2898	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2899	PRE N/mm2	GY	-0.010	-	-	-	-	-
2900	PRE N/mm2	GY	-0.010	-	-	-	-	-
2901	PRE N/mm2	GY	-0.010	-	-	-	-	-
2902	PRE N/mm2	GY	-0.010	-	-	-	-	-
2903	PRE N/mm2	GY	-0.010	-	-	-	-	-
2904	PRE N/mm2	GY	-0.010	-	-	-	-	-
2905	PRE N/mm2	GY	-0.010	-	-	-	-	-
2906	PRE N/mm2	GY	-0.010	-	-	-	-	-
2907	PRE N/mm2	GY	-0.010	-	-	-	-	-
2908	PRE N/mm2	GY	-0.010	-	-	-	-	-
2909	PRE N/mm2	GY	-0.010	-	-	-	-	-
2910	PRE N/mm2	GY	-0.010	-	-	-	-	-
2911	PRE N/mm2	GY	-0.010	-	-	-	-	-
2912	PRE N/mm2	GY	-0.010	-	-	-	-	-
2913	PRE N/mm2	GY	-0.010	-	-	-	-	-
2914	PRE N/mm2	GY	-0.010	-	-	-	-	-
2915	PRE N/mm2	GY	-0.010	-	-	-	-	-
2916	PRE N/mm2	GY	-0.010	-	-	-	-	-
2917	PRE N/mm2	GY	-0.010	-	-	-	-	-
2918	PRE N/mm2	GY	-0.010	-	-	-	-	-
2919	PRE N/mm2	GY	-0.010	-	-	-	-	-
2920	PRE N/mm2	GY	-0.010	-	-	-	-	-
2921	PRE N/mm2	GY	-0.010	-	-	-	-	-
2922	PRE N/mm2	GY	-0.010	-	-	-	-	-
2923	PRE N/mm2	GY	-0.010	-	-	-	-	-
2924	PRE N/mm2	GY	-0.010	-	-	-	-	-
2925	PRE N/mm2	GY	-0.010	-	-	-	-	-
2926	PRE N/mm2	GY	-0.010	-	-	-	-	-
2927	PRE N/mm2	GY	-0.010	-	-	-	-	-
2928	PRE N/mm2	GY	-0.010	-	-	-	-	-
2929	PRE N/mm2	GY	-0.010	-	-	-	-	-
2930	PRE N/mm2	GY	-0.010	-	-	-	-	-
2931	PRE N/mm2	GY	-0.010	-	-	-	-	-
2932	PRE N/mm2	GY	-0.010	-	-	-	-	-
2933	PRE N/mm2	GY	-0.010	-	-	-	-	-
2934	PRE N/mm2	GY	-0.010	-	-	-	-	-
2935	PRE N/mm2	GY	-0.010	-	-	-	-	-
2936	PRE N/mm2	GY	-0.010	-	-	-	-	-
2937	PRE N/mm2	GY	-0.010	-	-	-	-	-
2938	PRE N/mm2	GY	-0.010	-	-	-	-	-
2939	PRE N/mm2	GY	-0.010	-	-	-	-	-
2940	PRE N/mm2	GY	-0.010	-	-	-	-	-
2941	PRE N/mm2	GY	-0.010	-	-	-	-	-
2942	PRE N/mm2	GY	-0.010	-	-	-	-	-
2943	PRE N/mm2	GY	-0.010	-	-	-	-	-
2944	PRE N/mm2	GY	-0.010	-	-	-	-	-
2945	PRE N/mm2	GY	-0.010	-	-	-	-	-
2946	PRE N/mm2	GY	-0.010	-	-	-	-	-
2947	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2948	PRE N/mm2	GY	-0.010	-	-	-	-	-
2949	PRE N/mm2	GY	-0.010	-	-	-	-	-
2950	PRE N/mm2	GY	-0.010	-	-	-	-	-
2951	PRE N/mm2	GY	-0.010	-	-	-	-	-
2952	PRE N/mm2	GY	-0.010	-	-	-	-	-
2953	PRE N/mm2	GY	-0.010	-	-	-	-	-
2954	PRE N/mm2	GY	-0.010	-	-	-	-	-
2955	PRE N/mm2	GY	-0.010	-	-	-	-	-
2956	PRE N/mm2	GY	-0.010	-	-	-	-	-
2957	PRE N/mm2	GY	-0.010	-	-	-	-	-
2958	PRE N/mm2	GY	-0.010	-	-	-	-	-
2959	PRE N/mm2	GY	-0.010	-	-	-	-	-
2960	PRE N/mm2	GY	-0.010	-	-	-	-	-
2961	PRE N/mm2	GY	-0.010	-	-	-	-	-
2962	PRE N/mm2	GY	-0.010	-	-	-	-	-
2963	PRE N/mm2	GY	-0.010	-	-	-	-	-
2964	PRE N/mm2	GY	-0.010	-	-	-	-	-
2965	PRE N/mm2	GY	-0.010	-	-	-	-	-
2966	PRE N/mm2	GY	-0.010	-	-	-	-	-
2967	PRE N/mm2	GY	-0.010	-	-	-	-	-
2968	PRE N/mm2	GY	-0.010	-	-	-	-	-
2969	PRE N/mm2	GY	-0.010	-	-	-	-	-
2970	PRE N/mm2	GY	-0.010	-	-	-	-	-
2971	PRE N/mm2	GY	-0.010	-	-	-	-	-
2972	PRE N/mm2	GY	-0.010	-	-	-	-	-
2973	PRE N/mm2	GY	-0.010	-	-	-	-	-
2974	PRE N/mm2	GY	-0.010	-	-	-	-	-
2975	PRE N/mm2	GY	-0.010	-	-	-	-	-
2976	PRE N/mm2	GY	-0.010	-	-	-	-	-
2977	PRE N/mm2	GY	-0.010	-	-	-	-	-
2978	PRE N/mm2	GY	-0.010	-	-	-	-	-
2979	PRE N/mm2	GY	-0.010	-	-	-	-	-
2980	PRE N/mm2	GY	-0.010	-	-	-	-	-
2981	PRE N/mm2	GY	-0.010	-	-	-	-	-
2982	PRE N/mm2	GY	-0.010	-	-	-	-	-
2983	PRE N/mm2	GY	-0.010	-	-	-	-	-
2984	PRE N/mm2	GY	-0.010	-	-	-	-	-
2985	PRE N/mm2	GY	-0.010	-	-	-	-	-
2986	PRE N/mm2	GY	-0.010	-	-	-	-	-
2987	PRE N/mm2	GY	-0.010	-	-	-	-	-
2988	PRE N/mm2	GY	-0.010	-	-	-	-	-
2989	PRE N/mm2	GY	-0.010	-	-	-	-	-
2990	PRE N/mm2	GY	-0.010	-	-	-	-	-
2991	PRE N/mm2	GY	-0.010	-	-	-	-	-
2992	PRE N/mm2	GY	-0.010	-	-	-	-	-
2993	PRE N/mm2	GY	-0.010	-	-	-	-	-
2994	PRE N/mm2	GY	-0.010	-	-	-	-	-
2995	PRE N/mm2	GY	-0.010	-	-	-	-	-
2996	PRE N/mm2	GY	-0.010	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2997	PRE N/mm2	GY	-0.010	-	-	-	-	-
2998	PRE N/mm2	GY	-0.010	-	-	-	-	-
2999	PRE N/mm2	GY	-0.010	-	-	-	-	-
3000	PRE N/mm2	GY	-0.010	-	-	-	-	-
3001	PRE N/mm2	GY	-0.010	-	-	-	-	-
3002	PRE N/mm2	GY	-0.010	-	-	-	-	-
3003	PRE N/mm2	GY	-0.010	-	-	-	-	-
3004	PRE N/mm2	GY	-0.010	-	-	-	-	-
3005	PRE N/mm2	GY	-0.010	-	-	-	-	-
3006	PRE N/mm2	GY	-0.010	-	-	-	-	-
3007	PRE N/mm2	GY	-0.010	-	-	-	-	-
3008	PRE N/mm2	GY	-0.010	-	-	-	-	-
3009	PRE N/mm2	GY	-0.010	-	-	-	-	-
3010	PRE N/mm2	GY	-0.010	-	-	-	-	-
3011	PRE N/mm2	GY	-0.010	-	-	-	-	-
3012	PRE N/mm2	GY	-0.010	-	-	-	-	-
3013	PRE N/mm2	GY	-0.010	-	-	-	-	-
3014	PRE N/mm2	GY	-0.010	-	-	-	-	-
3015	PRE N/mm2	GY	-0.010	-	-	-	-	-
3016	PRE N/mm2	GY	-0.010	-	-	-	-	-
3017	PRE N/mm2	GY	-0.010	-	-	-	-	-
3018	PRE N/mm2	GY	-0.010	-	-	-	-	-
3019	PRE N/mm2	GY	-0.010	-	-	-	-	-
3020	PRE N/mm2	GY	-0.010	-	-	-	-	-
3021	PRE N/mm2	GY	-0.010	-	-	-	-	-
3022	PRE N/mm2	GY	-0.010	-	-	-	-	-
3023	PRE N/mm2	GY	-0.010	-	-	-	-	-
3024	PRE N/mm2	GY	-0.010	-	-	-	-	-
3025	PRE N/mm2	GY	-0.010	-	-	-	-	-
3026	PRE N/mm2	GY	-0.010	-	-	-	-	-
3027	PRE N/mm2	GY	-0.010	-	-	-	-	-
3904	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3905	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3906	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3907	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3908	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3909	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3910	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3911	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3912	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3913	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3914	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3915	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3916	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3917	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3918	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3919	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3920	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3921	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3922	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3923	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3924	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3925	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3926	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3927	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3928	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3929	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3930	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3931	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3932	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3933	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3934	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3935	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3936	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3937	PRE N/mm2	Z	-0.003	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3937	PRE N/mm2	Z	0.005	-	-	-	-	-
3938	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3939	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3940	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3941	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3942	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3943	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3944	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3945	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3946	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3947	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3948	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3949	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3950	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3951	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3952	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3953	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3954	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3955	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3956	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3957	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3958	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3959	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3960	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3961	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3962	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3963	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3964	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3965	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3966	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3967	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3968	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3969	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3970	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3971	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3972	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3973	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3974	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3975	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3976	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3977	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3978	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3979	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3980	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
3981	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4232	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4233	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4234	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4235	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4236	PRE N/mm2	Z	-0.003	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4236	PRE N/mm2	Z	0.005	-	-	-	-	-
4237	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4238	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4239	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4240	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4241	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4242	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4243	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4244	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4245	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4246	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4247	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4248	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4249	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4250	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4251	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4252	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4253	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4254	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4255	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4256	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4257	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4258	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4259	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4260	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4261	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4262	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4263	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4264	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4265	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4266	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4267	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4268	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4269	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4270	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4271	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4272	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4273	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4274	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4275	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4276	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4277	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4278	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4279	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4280	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4281	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4282	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4283	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4284	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4285	PRE N/mm2	Z	-0.003	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4285	PRE N/mm2	Z	0.005	-	-	-	-	-
4286	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4287	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4288	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4289	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4290	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4291	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4292	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4293	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4294	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4295	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4296	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4297	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4298	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4299	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4300	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4301	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4302	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4303	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4304	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4305	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4306	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4307	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4308	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4309	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4540	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4541	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4542	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4543	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4544	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4545	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4546	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4547	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4548	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4549	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4550	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4551	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4552	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4553	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4554	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4555	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4556	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4557	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4558	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4559	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4560	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4561	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4562	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4563	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4564	PRE N/mm2	Z	-0.003	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4564	PRE N/mm2	Z	0.005	-	-	-	-	-
4565	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4566	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4567	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4568	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4569	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4570	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4571	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4572	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4573	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4574	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4575	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4576	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4577	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4578	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4579	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4580	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4581	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4582	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4583	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4584	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4585	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4586	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4587	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4588	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4589	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4590	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4591	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4592	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4593	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4594	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4595	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4596	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4597	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4598	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4599	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4600	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4601	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4602	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4603	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4604	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4605	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4606	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4607	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4608	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4609	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4610	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4611	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4612	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4613	PRE N/mm2	Z	-0.003	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4613	PRE N/mm2	Z	0.005	-	-	-	-	-
4614	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4615	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4616	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4617	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4838	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4839	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4840	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4841	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4842	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4843	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4844	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4845	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4846	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4847	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4848	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4849	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4850	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4851	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4852	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4853	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4854	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4855	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4856	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4857	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4858	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4859	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4860	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4861	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4862	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4863	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4864	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4865	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4866	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4867	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4868	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4869	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4870	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4871	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4872	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4873	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4874	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4875	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4876	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4877	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4878	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4879	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4880	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4881	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4882	PRE N/mm2	Z	-0.003	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4882	PRE N/mm2	Z	0.005	-	-	-	-	-
4883	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4884	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4885	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4886	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4887	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4888	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4889	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4890	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4891	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4892	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4893	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4894	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4895	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4896	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4897	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4898	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4899	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4900	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4901	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4902	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4903	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4904	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4905	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4906	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4907	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4908	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4909	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4910	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4911	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4912	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4913	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4914	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
4915	PRE N/mm2	Z	-0.003	-	-	-	-	-
	PRE N/mm2	Z	0.005	-	-	-	-	-
5116	PRE N/mm2	Z	0.005	-	-	-	-	-
5117	PRE N/mm2	Z	0.005	-	-	-	-	-
5118	PRE N/mm2	Z	0.005	-	-	-	-	-
5119	PRE N/mm2	Z	0.005	-	-	-	-	-
5120	PRE N/mm2	Z	0.005	-	-	-	-	-
5121	PRE N/mm2	Z	0.005	-	-	-	-	-
5122	PRE N/mm2	Z	0.005	-	-	-	-	-
5123	PRE N/mm2	Z	0.005	-	-	-	-	-
5124	PRE N/mm2	Z	0.005	-	-	-	-	-
5125	PRE N/mm2	Z	0.005	-	-	-	-	-
5126	PRE N/mm2	Z	0.005	-	-	-	-	-
5127	PRE N/mm2	Z	0.005	-	-	-	-	-
5128	PRE N/mm2	Z	0.005	-	-	-	-	-
5129	PRE N/mm2	Z	0.005	-	-	-	-	-
5130	PRE N/mm2	Z	0.005	-	-	-	-	-
5131	PRE N/mm2	Z	0.005	-	-	-	-	-
5132	PRE N/mm2	Z	0.005	-	-	-	-	-
5133	PRE N/mm2	Z	0.005	-	-	-	-	-
5134	PRE N/mm2	Z	0.005	-	-	-	-	-
5135	PRE N/mm2	Z	0.005	-	-	-	-	-
5136	PRE N/mm2	Z	0.005	-	-	-	-	-
5137	PRE N/mm2	Z	0.005	-	-	-	-	-
5138	PRE N/mm2	Z	0.005	-	-	-	-	-
5139	PRE N/mm2	Z	0.005	-	-	-	-	-
5140	PRE N/mm2	Z	0.005	-	-	-	-	-
5141	PRE N/mm2	Z	0.005	-	-	-	-	-
5142	PRE N/mm2	Z	0.005	-	-	-	-	-
5143	PRE N/mm2	Z	0.005	-	-	-	-	-
5144	PRE N/mm2	Z	0.005	-	-	-	-	-
5145	PRE N/mm2	Z	0.005	-	-	-	-	-
5146	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5147	PRE N/mm2	Z	0.005	-	-	-	-	-
5148	PRE N/mm2	Z	0.005	-	-	-	-	-
5149	PRE N/mm2	Z	0.005	-	-	-	-	-
5150	PRE N/mm2	Z	0.005	-	-	-	-	-
5151	PRE N/mm2	Z	0.005	-	-	-	-	-
5152	PRE N/mm2	Z	0.005	-	-	-	-	-
5153	PRE N/mm2	Z	0.005	-	-	-	-	-
5154	PRE N/mm2	Z	0.005	-	-	-	-	-
5155	PRE N/mm2	Z	0.005	-	-	-	-	-
5156	PRE N/mm2	Z	0.005	-	-	-	-	-
5157	PRE N/mm2	Z	0.005	-	-	-	-	-
5158	PRE N/mm2	Z	0.005	-	-	-	-	-
5159	PRE N/mm2	Z	0.005	-	-	-	-	-
5160	PRE N/mm2	Z	0.005	-	-	-	-	-
5161	PRE N/mm2	Z	0.005	-	-	-	-	-
5162	PRE N/mm2	Z	0.005	-	-	-	-	-
5163	PRE N/mm2	Z	0.005	-	-	-	-	-
5164	PRE N/mm2	Z	0.005	-	-	-	-	-
5165	PRE N/mm2	Z	0.005	-	-	-	-	-
5166	PRE N/mm2	Z	0.005	-	-	-	-	-
5167	PRE N/mm2	Z	0.005	-	-	-	-	-
5168	PRE N/mm2	Z	0.005	-	-	-	-	-
5169	PRE N/mm2	Z	0.005	-	-	-	-	-
5170	PRE N/mm2	Z	0.005	-	-	-	-	-
5171	PRE N/mm2	Z	0.005	-	-	-	-	-
5172	PRE N/mm2	Z	0.005	-	-	-	-	-
5173	PRE N/mm2	Z	0.005	-	-	-	-	-
5174	PRE N/mm2	Z	0.005	-	-	-	-	-
5175	PRE N/mm2	Z	0.005	-	-	-	-	-
5176	PRE N/mm2	Z	0.005	-	-	-	-	-
5177	PRE N/mm2	Z	0.005	-	-	-	-	-
5178	PRE N/mm2	Z	0.005	-	-	-	-	-
5179	PRE N/mm2	Z	0.005	-	-	-	-	-
5180	PRE N/mm2	Z	0.005	-	-	-	-	-
5181	PRE N/mm2	Z	0.005	-	-	-	-	-
5182	PRE N/mm2	Z	0.005	-	-	-	-	-
5183	PRE N/mm2	Z	0.005	-	-	-	-	-
5184	PRE N/mm2	Z	0.005	-	-	-	-	-
5185	PRE N/mm2	Z	0.005	-	-	-	-	-
5186	PRE N/mm2	Z	0.005	-	-	-	-	-
5187	PRE N/mm2	Z	0.005	-	-	-	-	-
5188	PRE N/mm2	Z	0.005	-	-	-	-	-
5189	PRE N/mm2	Z	0.005	-	-	-	-	-
5190	PRE N/mm2	Z	0.005	-	-	-	-	-
5191	PRE N/mm2	Z	0.005	-	-	-	-	-
5192	PRE N/mm2	Z	0.005	-	-	-	-	-
5193	PRE N/mm2	Z	0.005	-	-	-	-	-
5374	PRE N/mm2	Z	0.005	-	-	-	-	-
5375	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5376	PRE N/mm2	Z	0.005	-	-	-	-	-
5377	PRE N/mm2	Z	0.005	-	-	-	-	-
5378	PRE N/mm2	Z	0.005	-	-	-	-	-
5379	PRE N/mm2	Z	0.005	-	-	-	-	-
5380	PRE N/mm2	Z	0.005	-	-	-	-	-
5381	PRE N/mm2	Z	0.005	-	-	-	-	-
5382	PRE N/mm2	Z	0.005	-	-	-	-	-
5383	PRE N/mm2	Z	0.005	-	-	-	-	-
5384	PRE N/mm2	Z	0.005	-	-	-	-	-
5385	PRE N/mm2	Z	0.005	-	-	-	-	-
5386	PRE N/mm2	Z	0.005	-	-	-	-	-
5387	PRE N/mm2	Z	0.005	-	-	-	-	-
5388	PRE N/mm2	Z	0.005	-	-	-	-	-
5389	PRE N/mm2	Z	0.005	-	-	-	-	-
5390	PRE N/mm2	Z	0.005	-	-	-	-	-
5391	PRE N/mm2	Z	0.005	-	-	-	-	-
5392	PRE N/mm2	Z	0.005	-	-	-	-	-
5393	PRE N/mm2	Z	0.005	-	-	-	-	-
5394	PRE N/mm2	Z	0.005	-	-	-	-	-
5395	PRE N/mm2	Z	0.005	-	-	-	-	-
5396	PRE N/mm2	Z	0.005	-	-	-	-	-
5397	PRE N/mm2	Z	0.005	-	-	-	-	-
5398	PRE N/mm2	Z	0.005	-	-	-	-	-
5399	PRE N/mm2	Z	0.005	-	-	-	-	-
5400	PRE N/mm2	Z	0.005	-	-	-	-	-
5401	PRE N/mm2	Z	0.005	-	-	-	-	-
5402	PRE N/mm2	Z	0.005	-	-	-	-	-
5403	PRE N/mm2	Z	0.005	-	-	-	-	-
5404	PRE N/mm2	Z	0.005	-	-	-	-	-
5405	PRE N/mm2	Z	0.005	-	-	-	-	-
5406	PRE N/mm2	Z	0.005	-	-	-	-	-
5407	PRE N/mm2	Z	0.005	-	-	-	-	-
5408	PRE N/mm2	Z	0.005	-	-	-	-	-
5409	PRE N/mm2	Z	0.005	-	-	-	-	-
5410	PRE N/mm2	Z	0.005	-	-	-	-	-
5411	PRE N/mm2	Z	0.005	-	-	-	-	-
5412	PRE N/mm2	Z	0.005	-	-	-	-	-
5413	PRE N/mm2	Z	0.005	-	-	-	-	-
5414	PRE N/mm2	Z	0.005	-	-	-	-	-
5415	PRE N/mm2	Z	0.005	-	-	-	-	-
5416	PRE N/mm2	Z	0.005	-	-	-	-	-
5417	PRE N/mm2	Z	0.005	-	-	-	-	-
5418	PRE N/mm2	Z	0.005	-	-	-	-	-
5419	PRE N/mm2	Z	0.005	-	-	-	-	-
5420	PRE N/mm2	Z	0.005	-	-	-	-	-
5421	PRE N/mm2	Z	0.005	-	-	-	-	-
5422	PRE N/mm2	Z	0.005	-	-	-	-	-
5423	PRE N/mm2	Z	0.005	-	-	-	-	-
5424	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5425	PRE N/mm2	Z	0.005	-	-	-	-	-
5426	PRE N/mm2	Z	0.005	-	-	-	-	-
5427	PRE N/mm2	Z	0.005	-	-	-	-	-
5428	PRE N/mm2	Z	0.005	-	-	-	-	-
5429	PRE N/mm2	Z	0.005	-	-	-	-	-
5430	PRE N/mm2	Z	0.005	-	-	-	-	-
5431	PRE N/mm2	Z	0.005	-	-	-	-	-
5432	PRE N/mm2	Z	0.005	-	-	-	-	-
5433	PRE N/mm2	Z	0.005	-	-	-	-	-
5434	PRE N/mm2	Z	0.005	-	-	-	-	-
5435	PRE N/mm2	Z	0.005	-	-	-	-	-
5436	PRE N/mm2	Z	0.005	-	-	-	-	-
5437	PRE N/mm2	Z	0.005	-	-	-	-	-
5438	PRE N/mm2	Z	0.005	-	-	-	-	-
5439	PRE N/mm2	Z	0.005	-	-	-	-	-
5440	PRE N/mm2	Z	0.005	-	-	-	-	-
5441	PRE N/mm2	Z	0.005	-	-	-	-	-
5442	PRE N/mm2	Z	0.005	-	-	-	-	-
5443	PRE N/mm2	Z	0.005	-	-	-	-	-
5444	PRE N/mm2	Z	0.005	-	-	-	-	-
5445	PRE N/mm2	Z	0.005	-	-	-	-	-
5446	PRE N/mm2	Z	0.005	-	-	-	-	-
5447	PRE N/mm2	Z	0.005	-	-	-	-	-
5448	PRE N/mm2	Z	0.005	-	-	-	-	-
5449	PRE N/mm2	Z	0.005	-	-	-	-	-
5450	PRE N/mm2	Z	0.005	-	-	-	-	-
5451	PRE N/mm2	Z	0.005	-	-	-	-	-
5612	PRE N/mm2	Z	0.005	-	-	-	-	-
5613	PRE N/mm2	Z	0.005	-	-	-	-	-
5614	PRE N/mm2	Z	0.005	-	-	-	-	-
5615	PRE N/mm2	Z	0.005	-	-	-	-	-
5616	PRE N/mm2	Z	0.005	-	-	-	-	-
5617	PRE N/mm2	Z	0.005	-	-	-	-	-
5618	PRE N/mm2	Z	0.005	-	-	-	-	-
5619	PRE N/mm2	Z	0.005	-	-	-	-	-
5620	PRE N/mm2	Z	0.005	-	-	-	-	-
5621	PRE N/mm2	Z	0.005	-	-	-	-	-
5622	PRE N/mm2	Z	0.005	-	-	-	-	-
5623	PRE N/mm2	Z	0.005	-	-	-	-	-
5624	PRE N/mm2	Z	0.005	-	-	-	-	-
5625	PRE N/mm2	Z	0.005	-	-	-	-	-
5626	PRE N/mm2	Z	0.005	-	-	-	-	-
5627	PRE N/mm2	Z	0.005	-	-	-	-	-
5628	PRE N/mm2	Z	0.005	-	-	-	-	-
5629	PRE N/mm2	Z	0.005	-	-	-	-	-
5630	PRE N/mm2	Z	0.005	-	-	-	-	-
5631	PRE N/mm2	Z	0.005	-	-	-	-	-
5632	PRE N/mm2	Z	0.005	-	-	-	-	-
5633	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5634	PRE N/mm2	Z	0.005	-	-	-	-	-
5635	PRE N/mm2	Z	0.005	-	-	-	-	-
5636	PRE N/mm2	Z	0.005	-	-	-	-	-
5637	PRE N/mm2	Z	0.005	-	-	-	-	-
5638	PRE N/mm2	Z	0.005	-	-	-	-	-
5639	PRE N/mm2	Z	0.005	-	-	-	-	-
5640	PRE N/mm2	Z	0.005	-	-	-	-	-
5641	PRE N/mm2	Z	0.005	-	-	-	-	-
5642	PRE N/mm2	Z	0.005	-	-	-	-	-
5643	PRE N/mm2	Z	0.005	-	-	-	-	-
5644	PRE N/mm2	Z	0.005	-	-	-	-	-
5645	PRE N/mm2	Z	0.005	-	-	-	-	-
5646	PRE N/mm2	Z	0.005	-	-	-	-	-
5647	PRE N/mm2	Z	0.005	-	-	-	-	-
5648	PRE N/mm2	Z	0.005	-	-	-	-	-
5649	PRE N/mm2	Z	0.005	-	-	-	-	-
5650	PRE N/mm2	Z	0.005	-	-	-	-	-
5651	PRE N/mm2	Z	0.005	-	-	-	-	-
5652	PRE N/mm2	Z	0.005	-	-	-	-	-
5653	PRE N/mm2	Z	0.005	-	-	-	-	-
5654	PRE N/mm2	Z	0.005	-	-	-	-	-
5655	PRE N/mm2	Z	0.005	-	-	-	-	-
5656	PRE N/mm2	Z	0.005	-	-	-	-	-
5657	PRE N/mm2	Z	0.005	-	-	-	-	-
5658	PRE N/mm2	Z	0.005	-	-	-	-	-
5659	PRE N/mm2	Z	0.005	-	-	-	-	-
5660	PRE N/mm2	Z	0.005	-	-	-	-	-
5661	PRE N/mm2	Z	0.005	-	-	-	-	-
5662	PRE N/mm2	Z	0.005	-	-	-	-	-
5663	PRE N/mm2	Z	0.005	-	-	-	-	-
5664	PRE N/mm2	Z	0.005	-	-	-	-	-
5665	PRE N/mm2	Z	0.005	-	-	-	-	-
5666	PRE N/mm2	Z	0.005	-	-	-	-	-
5667	PRE N/mm2	Z	0.005	-	-	-	-	-
5668	PRE N/mm2	Z	0.005	-	-	-	-	-
5669	PRE N/mm2	Z	0.005	-	-	-	-	-
5670	PRE N/mm2	Z	0.005	-	-	-	-	-
5671	PRE N/mm2	Z	0.005	-	-	-	-	-
5672	PRE N/mm2	Z	0.005	-	-	-	-	-
5673	PRE N/mm2	Z	0.005	-	-	-	-	-
5674	PRE N/mm2	Z	0.005	-	-	-	-	-
5675	PRE N/mm2	Z	0.005	-	-	-	-	-
5676	PRE N/mm2	Z	0.005	-	-	-	-	-
5677	PRE N/mm2	Z	0.005	-	-	-	-	-
5678	PRE N/mm2	Z	0.005	-	-	-	-	-
5679	PRE N/mm2	Z	0.005	-	-	-	-	-
5680	PRE N/mm2	Z	0.005	-	-	-	-	-
5681	PRE N/mm2	Z	0.005	-	-	-	-	-
5682	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5683	PRE N/mm2	Z	0.005	-	-	-	-	-
5684	PRE N/mm2	Z	0.005	-	-	-	-	-
5685	PRE N/mm2	Z	0.005	-	-	-	-	-
5686	PRE N/mm2	Z	0.005	-	-	-	-	-
5687	PRE N/mm2	Z	0.005	-	-	-	-	-
5688	PRE N/mm2	Z	0.005	-	-	-	-	-
5689	PRE N/mm2	Z	0.005	-	-	-	-	-
5850	PRE N/mm2	Z	0.005	-	-	-	-	-
5851	PRE N/mm2	Z	0.005	-	-	-	-	-
5852	PRE N/mm2	Z	0.005	-	-	-	-	-
5853	PRE N/mm2	Z	0.005	-	-	-	-	-
5854	PRE N/mm2	Z	0.005	-	-	-	-	-
5855	PRE N/mm2	Z	0.005	-	-	-	-	-
5856	PRE N/mm2	Z	0.005	-	-	-	-	-
5857	PRE N/mm2	Z	0.005	-	-	-	-	-
5858	PRE N/mm2	Z	0.005	-	-	-	-	-
5859	PRE N/mm2	Z	0.005	-	-	-	-	-
5860	PRE N/mm2	Z	0.005	-	-	-	-	-
5861	PRE N/mm2	Z	0.005	-	-	-	-	-
5862	PRE N/mm2	Z	0.005	-	-	-	-	-
5863	PRE N/mm2	Z	0.005	-	-	-	-	-
5864	PRE N/mm2	Z	0.005	-	-	-	-	-
5865	PRE N/mm2	Z	0.005	-	-	-	-	-
5866	PRE N/mm2	Z	0.005	-	-	-	-	-
5867	PRE N/mm2	Z	0.005	-	-	-	-	-
5868	PRE N/mm2	Z	0.005	-	-	-	-	-
5869	PRE N/mm2	Z	0.005	-	-	-	-	-
5870	PRE N/mm2	Z	0.005	-	-	-	-	-
5871	PRE N/mm2	Z	0.005	-	-	-	-	-
5872	PRE N/mm2	Z	0.005	-	-	-	-	-
5873	PRE N/mm2	Z	0.005	-	-	-	-	-
5874	PRE N/mm2	Z	0.005	-	-	-	-	-
5875	PRE N/mm2	Z	0.005	-	-	-	-	-
5876	PRE N/mm2	Z	0.005	-	-	-	-	-
5877	PRE N/mm2	Z	0.005	-	-	-	-	-
5878	PRE N/mm2	Z	0.005	-	-	-	-	-
5879	PRE N/mm2	Z	0.005	-	-	-	-	-
5880	PRE N/mm2	Z	0.005	-	-	-	-	-
5881	PRE N/mm2	Z	0.005	-	-	-	-	-
5882	PRE N/mm2	Z	0.005	-	-	-	-	-
5883	PRE N/mm2	Z	0.005	-	-	-	-	-
5884	PRE N/mm2	Z	0.005	-	-	-	-	-
5885	PRE N/mm2	Z	0.005	-	-	-	-	-
5886	PRE N/mm2	Z	0.005	-	-	-	-	-
5887	PRE N/mm2	Z	0.005	-	-	-	-	-
5888	PRE N/mm2	Z	0.005	-	-	-	-	-
5889	PRE N/mm2	Z	0.005	-	-	-	-	-
5890	PRE N/mm2	Z	0.005	-	-	-	-	-
5891	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5892	PRE N/mm2	Z	0.005	-	-	-	-	-
5893	PRE N/mm2	Z	0.005	-	-	-	-	-
5894	PRE N/mm2	Z	0.005	-	-	-	-	-
5895	PRE N/mm2	Z	0.005	-	-	-	-	-
5896	PRE N/mm2	Z	0.005	-	-	-	-	-
5897	PRE N/mm2	Z	0.005	-	-	-	-	-
5898	PRE N/mm2	Z	0.005	-	-	-	-	-
5899	PRE N/mm2	Z	0.005	-	-	-	-	-
5900	PRE N/mm2	Z	0.005	-	-	-	-	-
5901	PRE N/mm2	Z	0.005	-	-	-	-	-
5902	PRE N/mm2	Z	0.005	-	-	-	-	-
5903	PRE N/mm2	Z	0.005	-	-	-	-	-
5904	PRE N/mm2	Z	0.005	-	-	-	-	-
5905	PRE N/mm2	Z	0.005	-	-	-	-	-
5906	PRE N/mm2	Z	0.005	-	-	-	-	-
5907	PRE N/mm2	Z	0.005	-	-	-	-	-
5908	PRE N/mm2	Z	0.005	-	-	-	-	-
5909	PRE N/mm2	Z	0.005	-	-	-	-	-
5910	PRE N/mm2	Z	0.005	-	-	-	-	-
5911	PRE N/mm2	Z	0.005	-	-	-	-	-
5912	PRE N/mm2	Z	0.005	-	-	-	-	-
5913	PRE N/mm2	Z	0.005	-	-	-	-	-
5914	PRE N/mm2	Z	0.005	-	-	-	-	-
5915	PRE N/mm2	Z	0.005	-	-	-	-	-
5916	PRE N/mm2	Z	0.005	-	-	-	-	-
5917	PRE N/mm2	Z	0.005	-	-	-	-	-
5918	PRE N/mm2	Z	0.005	-	-	-	-	-
5919	PRE N/mm2	Z	0.005	-	-	-	-	-
5920	PRE N/mm2	Z	0.005	-	-	-	-	-
5921	PRE N/mm2	Z	0.005	-	-	-	-	-
5922	PRE N/mm2	Z	0.005	-	-	-	-	-
5923	PRE N/mm2	Z	0.005	-	-	-	-	-
5924	PRE N/mm2	Z	0.005	-	-	-	-	-
5925	PRE N/mm2	Z	0.005	-	-	-	-	-
5926	PRE N/mm2	Z	0.005	-	-	-	-	-
5927	PRE N/mm2	Z	0.005	-	-	-	-	-
6078	PRE N/mm2	Z	0.005	-	-	-	-	-
6079	PRE N/mm2	Z	0.005	-	-	-	-	-
6080	PRE N/mm2	Z	0.005	-	-	-	-	-
6081	PRE N/mm2	Z	0.005	-	-	-	-	-
6082	PRE N/mm2	Z	0.005	-	-	-	-	-
6083	PRE N/mm2	Z	0.005	-	-	-	-	-
6084	PRE N/mm2	Z	0.005	-	-	-	-	-
6085	PRE N/mm2	Z	0.005	-	-	-	-	-
6086	PRE N/mm2	Z	0.005	-	-	-	-	-
6087	PRE N/mm2	Z	0.005	-	-	-	-	-
6088	PRE N/mm2	Z	0.005	-	-	-	-	-
6089	PRE N/mm2	Z	0.005	-	-	-	-	-
6090	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6091	PRE N/mm2	Z	0.005	-	-	-	-	-
6092	PRE N/mm2	Z	0.005	-	-	-	-	-
6093	PRE N/mm2	Z	0.005	-	-	-	-	-
6094	PRE N/mm2	Z	0.005	-	-	-	-	-
6095	PRE N/mm2	Z	0.005	-	-	-	-	-
6096	PRE N/mm2	Z	0.005	-	-	-	-	-
6097	PRE N/mm2	Z	0.005	-	-	-	-	-
6098	PRE N/mm2	Z	0.005	-	-	-	-	-
6099	PRE N/mm2	Z	0.005	-	-	-	-	-
6100	PRE N/mm2	Z	0.005	-	-	-	-	-
6101	PRE N/mm2	Z	0.005	-	-	-	-	-
6102	PRE N/mm2	Z	0.005	-	-	-	-	-
6103	PRE N/mm2	Z	0.005	-	-	-	-	-
6104	PRE N/mm2	Z	0.005	-	-	-	-	-
6105	PRE N/mm2	Z	0.005	-	-	-	-	-
6106	PRE N/mm2	Z	0.005	-	-	-	-	-
6107	PRE N/mm2	Z	0.005	-	-	-	-	-
6108	PRE N/mm2	Z	0.005	-	-	-	-	-
6109	PRE N/mm2	Z	0.005	-	-	-	-	-
6110	PRE N/mm2	Z	0.005	-	-	-	-	-
6111	PRE N/mm2	Z	0.005	-	-	-	-	-
6112	PRE N/mm2	Z	0.005	-	-	-	-	-
6113	PRE N/mm2	Z	0.005	-	-	-	-	-
6114	PRE N/mm2	Z	0.005	-	-	-	-	-
6115	PRE N/mm2	Z	0.005	-	-	-	-	-
6116	PRE N/mm2	Z	0.005	-	-	-	-	-
6117	PRE N/mm2	Z	0.005	-	-	-	-	-
6118	PRE N/mm2	Z	0.005	-	-	-	-	-
6119	PRE N/mm2	Z	0.005	-	-	-	-	-
6120	PRE N/mm2	Z	0.005	-	-	-	-	-
6121	PRE N/mm2	Z	0.005	-	-	-	-	-
6122	PRE N/mm2	Z	0.005	-	-	-	-	-
6123	PRE N/mm2	Z	0.005	-	-	-	-	-
6124	PRE N/mm2	Z	0.005	-	-	-	-	-
6125	PRE N/mm2	Z	0.005	-	-	-	-	-
6126	PRE N/mm2	Z	0.005	-	-	-	-	-
6127	PRE N/mm2	Z	0.005	-	-	-	-	-
6128	PRE N/mm2	Z	0.005	-	-	-	-	-
6129	PRE N/mm2	Z	0.005	-	-	-	-	-
6130	PRE N/mm2	Z	0.005	-	-	-	-	-
6131	PRE N/mm2	Z	0.005	-	-	-	-	-
6132	PRE N/mm2	Z	0.005	-	-	-	-	-
6133	PRE N/mm2	Z	0.005	-	-	-	-	-
6134	PRE N/mm2	Z	0.005	-	-	-	-	-
6135	PRE N/mm2	Z	0.005	-	-	-	-	-
6136	PRE N/mm2	Z	0.005	-	-	-	-	-
6137	PRE N/mm2	Z	0.005	-	-	-	-	-
6138	PRE N/mm2	Z	0.005	-	-	-	-	-
6139	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6140	PRE N/mm2	Z	0.005	-	-	-	-	-
6141	PRE N/mm2	Z	0.005	-	-	-	-	-
6142	PRE N/mm2	Z	0.005	-	-	-	-	-
6143	PRE N/mm2	Z	0.005	-	-	-	-	-
6144	PRE N/mm2	Z	0.005	-	-	-	-	-
6145	PRE N/mm2	Z	0.005	-	-	-	-	-
6146	PRE N/mm2	Z	0.005	-	-	-	-	-
6147	PRE N/mm2	Z	0.005	-	-	-	-	-
6148	PRE N/mm2	Z	0.005	-	-	-	-	-
6149	PRE N/mm2	Z	0.005	-	-	-	-	-
6150	PRE N/mm2	Z	0.005	-	-	-	-	-
6151	PRE N/mm2	Z	0.005	-	-	-	-	-
6152	PRE N/mm2	Z	0.005	-	-	-	-	-
6153	PRE N/mm2	Z	0.005	-	-	-	-	-
6154	PRE N/mm2	Z	0.005	-	-	-	-	-
6155	PRE N/mm2	Z	0.005	-	-	-	-	-
6306	PRE N/mm2	Z	0.005	-	-	-	-	-
6307	PRE N/mm2	Z	0.005	-	-	-	-	-
6308	PRE N/mm2	Z	0.005	-	-	-	-	-
6309	PRE N/mm2	Z	0.005	-	-	-	-	-
6310	PRE N/mm2	Z	0.005	-	-	-	-	-
6311	PRE N/mm2	Z	0.005	-	-	-	-	-
6312	PRE N/mm2	Z	0.005	-	-	-	-	-
6313	PRE N/mm2	Z	0.005	-	-	-	-	-
6314	PRE N/mm2	Z	0.005	-	-	-	-	-
6315	PRE N/mm2	Z	0.005	-	-	-	-	-
6316	PRE N/mm2	Z	0.005	-	-	-	-	-
6317	PRE N/mm2	Z	0.005	-	-	-	-	-
6318	PRE N/mm2	Z	0.005	-	-	-	-	-
6319	PRE N/mm2	Z	0.005	-	-	-	-	-
6320	PRE N/mm2	Z	0.005	-	-	-	-	-
6321	PRE N/mm2	Z	0.005	-	-	-	-	-
6322	PRE N/mm2	Z	0.005	-	-	-	-	-
6323	PRE N/mm2	Z	0.005	-	-	-	-	-
6324	PRE N/mm2	Z	0.005	-	-	-	-	-
6325	PRE N/mm2	Z	0.005	-	-	-	-	-
6326	PRE N/mm2	Z	0.005	-	-	-	-	-
6327	PRE N/mm2	Z	0.005	-	-	-	-	-
6328	PRE N/mm2	Z	0.005	-	-	-	-	-
6329	PRE N/mm2	Z	0.005	-	-	-	-	-
6330	PRE N/mm2	Z	0.005	-	-	-	-	-
6331	PRE N/mm2	Z	0.005	-	-	-	-	-
6332	PRE N/mm2	Z	0.005	-	-	-	-	-
6333	PRE N/mm2	Z	0.005	-	-	-	-	-
6334	PRE N/mm2	Z	0.005	-	-	-	-	-
6335	PRE N/mm2	Z	0.005	-	-	-	-	-
6336	PRE N/mm2	Z	0.005	-	-	-	-	-
6337	PRE N/mm2	Z	0.005	-	-	-	-	-
6338	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6339	PRE N/mm2	Z	0.005	-	-	-	-	-
6340	PRE N/mm2	Z	0.005	-	-	-	-	-
6341	PRE N/mm2	Z	0.005	-	-	-	-	-
6342	PRE N/mm2	Z	0.005	-	-	-	-	-
6343	PRE N/mm2	Z	0.005	-	-	-	-	-
6344	PRE N/mm2	Z	0.005	-	-	-	-	-
6345	PRE N/mm2	Z	0.005	-	-	-	-	-
6346	PRE N/mm2	Z	0.005	-	-	-	-	-
6347	PRE N/mm2	Z	0.005	-	-	-	-	-
6348	PRE N/mm2	Z	0.005	-	-	-	-	-
6349	PRE N/mm2	Z	0.005	-	-	-	-	-
6350	PRE N/mm2	Z	0.005	-	-	-	-	-
6351	PRE N/mm2	Z	0.005	-	-	-	-	-
6352	PRE N/mm2	Z	0.005	-	-	-	-	-
6353	PRE N/mm2	Z	0.005	-	-	-	-	-
6354	PRE N/mm2	Z	0.005	-	-	-	-	-
6355	PRE N/mm2	Z	0.005	-	-	-	-	-
6356	PRE N/mm2	Z	0.005	-	-	-	-	-
6357	PRE N/mm2	Z	0.005	-	-	-	-	-
6358	PRE N/mm2	Z	0.005	-	-	-	-	-
6359	PRE N/mm2	Z	0.005	-	-	-	-	-
6360	PRE N/mm2	Z	0.005	-	-	-	-	-
6361	PRE N/mm2	Z	0.005	-	-	-	-	-
6362	PRE N/mm2	Z	0.005	-	-	-	-	-
6363	PRE N/mm2	Z	0.005	-	-	-	-	-
6364	PRE N/mm2	Z	0.005	-	-	-	-	-
6365	PRE N/mm2	Z	0.005	-	-	-	-	-
6366	PRE N/mm2	Z	0.005	-	-	-	-	-
6367	PRE N/mm2	Z	0.005	-	-	-	-	-
6368	PRE N/mm2	Z	0.005	-	-	-	-	-
6369	PRE N/mm2	Z	0.005	-	-	-	-	-
6370	PRE N/mm2	Z	0.005	-	-	-	-	-
6371	PRE N/mm2	Z	0.005	-	-	-	-	-
6372	PRE N/mm2	Z	0.005	-	-	-	-	-
6373	PRE N/mm2	Z	0.005	-	-	-	-	-
6374	PRE N/mm2	Z	0.005	-	-	-	-	-
6375	PRE N/mm2	Z	0.005	-	-	-	-	-
6376	PRE N/mm2	Z	0.005	-	-	-	-	-
6377	PRE N/mm2	Z	0.005	-	-	-	-	-
6378	PRE N/mm2	Z	0.005	-	-	-	-	-
6379	PRE N/mm2	Z	0.005	-	-	-	-	-
6380	PRE N/mm2	Z	0.005	-	-	-	-	-
6381	PRE N/mm2	Z	0.005	-	-	-	-	-
6382	PRE N/mm2	Z	0.005	-	-	-	-	-
6383	PRE N/mm2	Z	0.005	-	-	-	-	-
6524	PRE N/mm2	Z	0.005	-	-	-	-	-
6525	PRE N/mm2	Z	0.005	-	-	-	-	-
6526	PRE N/mm2	Z	0.005	-	-	-	-	-
6527	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6528	PRE N/mm2	Z	0.005	-	-	-	-	-
6529	PRE N/mm2	Z	0.005	-	-	-	-	-
6530	PRE N/mm2	Z	0.005	-	-	-	-	-
6531	PRE N/mm2	Z	0.005	-	-	-	-	-
6532	PRE N/mm2	Z	0.005	-	-	-	-	-
6533	PRE N/mm2	Z	0.005	-	-	-	-	-
6534	PRE N/mm2	Z	0.005	-	-	-	-	-
6535	PRE N/mm2	Z	0.005	-	-	-	-	-
6536	PRE N/mm2	Z	0.005	-	-	-	-	-
6537	PRE N/mm2	Z	0.005	-	-	-	-	-
6538	PRE N/mm2	Z	0.005	-	-	-	-	-
6539	PRE N/mm2	Z	0.005	-	-	-	-	-
6540	PRE N/mm2	Z	0.005	-	-	-	-	-
6541	PRE N/mm2	Z	0.005	-	-	-	-	-
6542	PRE N/mm2	Z	0.005	-	-	-	-	-
6543	PRE N/mm2	Z	0.005	-	-	-	-	-
6544	PRE N/mm2	Z	0.005	-	-	-	-	-
6545	PRE N/mm2	Z	0.005	-	-	-	-	-
6546	PRE N/mm2	Z	0.005	-	-	-	-	-
6547	PRE N/mm2	Z	0.005	-	-	-	-	-
6548	PRE N/mm2	Z	0.005	-	-	-	-	-
6549	PRE N/mm2	Z	0.005	-	-	-	-	-
6550	PRE N/mm2	Z	0.005	-	-	-	-	-
6551	PRE N/mm2	Z	0.005	-	-	-	-	-
6552	PRE N/mm2	Z	0.005	-	-	-	-	-
6553	PRE N/mm2	Z	0.005	-	-	-	-	-
6554	PRE N/mm2	Z	0.005	-	-	-	-	-
6555	PRE N/mm2	Z	0.005	-	-	-	-	-
6556	PRE N/mm2	Z	0.005	-	-	-	-	-
6557	PRE N/mm2	Z	0.005	-	-	-	-	-
6558	PRE N/mm2	Z	0.005	-	-	-	-	-
6559	PRE N/mm2	Z	0.005	-	-	-	-	-
6560	PRE N/mm2	Z	0.005	-	-	-	-	-
6561	PRE N/mm2	Z	0.005	-	-	-	-	-
6562	PRE N/mm2	Z	0.005	-	-	-	-	-
6563	PRE N/mm2	Z	0.005	-	-	-	-	-
6564	PRE N/mm2	Z	0.005	-	-	-	-	-
6565	PRE N/mm2	Z	0.005	-	-	-	-	-
6566	PRE N/mm2	Z	0.005	-	-	-	-	-
6567	PRE N/mm2	Z	0.005	-	-	-	-	-
6568	PRE N/mm2	Z	0.005	-	-	-	-	-
6569	PRE N/mm2	Z	0.005	-	-	-	-	-
6570	PRE N/mm2	Z	0.005	-	-	-	-	-
6571	PRE N/mm2	Z	0.005	-	-	-	-	-
6572	PRE N/mm2	Z	0.005	-	-	-	-	-
6573	PRE N/mm2	Z	0.005	-	-	-	-	-
6574	PRE N/mm2	Z	0.005	-	-	-	-	-
6575	PRE N/mm2	Z	0.005	-	-	-	-	-
6576	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6577	PRE N/mm2	Z	0.005	-	-	-	-	-
6578	PRE N/mm2	Z	0.005	-	-	-	-	-
6579	PRE N/mm2	Z	0.005	-	-	-	-	-
6580	PRE N/mm2	Z	0.005	-	-	-	-	-
6581	PRE N/mm2	Z	0.005	-	-	-	-	-
6582	PRE N/mm2	Z	0.005	-	-	-	-	-
6583	PRE N/mm2	Z	0.005	-	-	-	-	-
6584	PRE N/mm2	Z	0.005	-	-	-	-	-
6585	PRE N/mm2	Z	0.005	-	-	-	-	-
6586	PRE N/mm2	Z	0.005	-	-	-	-	-
6587	PRE N/mm2	Z	0.005	-	-	-	-	-
6588	PRE N/mm2	Z	0.005	-	-	-	-	-
6589	PRE N/mm2	Z	0.005	-	-	-	-	-
6590	PRE N/mm2	Z	0.005	-	-	-	-	-
6591	PRE N/mm2	Z	0.005	-	-	-	-	-
6592	PRE N/mm2	Z	0.005	-	-	-	-	-
6593	PRE N/mm2	Z	0.005	-	-	-	-	-
6594	PRE N/mm2	Z	0.005	-	-	-	-	-
6595	PRE N/mm2	Z	0.005	-	-	-	-	-
6596	PRE N/mm2	Z	0.005	-	-	-	-	-
6597	PRE N/mm2	Z	0.005	-	-	-	-	-
6598	PRE N/mm2	Z	0.005	-	-	-	-	-
6599	PRE N/mm2	Z	0.005	-	-	-	-	-
6600	PRE N/mm2	Z	0.005	-	-	-	-	-
6601	PRE N/mm2	Z	0.005	-	-	-	-	-
6742	PRE N/mm2	Z	0.005	-	-	-	-	-
6743	PRE N/mm2	Z	0.005	-	-	-	-	-
6744	PRE N/mm2	Z	0.005	-	-	-	-	-
6745	PRE N/mm2	Z	0.005	-	-	-	-	-
6746	PRE N/mm2	Z	0.005	-	-	-	-	-
6747	PRE N/mm2	Z	0.005	-	-	-	-	-
6748	PRE N/mm2	Z	0.005	-	-	-	-	-
6749	PRE N/mm2	Z	0.005	-	-	-	-	-
6750	PRE N/mm2	Z	0.005	-	-	-	-	-
6751	PRE N/mm2	Z	0.005	-	-	-	-	-
6752	PRE N/mm2	Z	0.005	-	-	-	-	-
6753	PRE N/mm2	Z	0.005	-	-	-	-	-
6754	PRE N/mm2	Z	0.005	-	-	-	-	-
6755	PRE N/mm2	Z	0.005	-	-	-	-	-
6756	PRE N/mm2	Z	0.005	-	-	-	-	-
6757	PRE N/mm2	Z	0.005	-	-	-	-	-
6758	PRE N/mm2	Z	0.005	-	-	-	-	-
6759	PRE N/mm2	Z	0.005	-	-	-	-	-
6760	PRE N/mm2	Z	0.005	-	-	-	-	-
6761	PRE N/mm2	Z	0.005	-	-	-	-	-
6762	PRE N/mm2	Z	0.005	-	-	-	-	-
6763	PRE N/mm2	Z	0.005	-	-	-	-	-
6764	PRE N/mm2	Z	0.005	-	-	-	-	-
6765	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6766	PRE N/mm2	Z	0.005	-	-	-	-	-
6767	PRE N/mm2	Z	0.005	-	-	-	-	-
6768	PRE N/mm2	Z	0.005	-	-	-	-	-
6769	PRE N/mm2	Z	0.005	-	-	-	-	-
6770	PRE N/mm2	Z	0.005	-	-	-	-	-
6771	PRE N/mm2	Z	0.005	-	-	-	-	-
6772	PRE N/mm2	Z	0.005	-	-	-	-	-
6773	PRE N/mm2	Z	0.005	-	-	-	-	-
6774	PRE N/mm2	Z	0.005	-	-	-	-	-
6775	PRE N/mm2	Z	0.005	-	-	-	-	-
6776	PRE N/mm2	Z	0.005	-	-	-	-	-
6777	PRE N/mm2	Z	0.005	-	-	-	-	-
6778	PRE N/mm2	Z	0.005	-	-	-	-	-
6779	PRE N/mm2	Z	0.005	-	-	-	-	-
6780	PRE N/mm2	Z	0.005	-	-	-	-	-
6781	PRE N/mm2	Z	0.005	-	-	-	-	-
6782	PRE N/mm2	Z	0.005	-	-	-	-	-
6783	PRE N/mm2	Z	0.005	-	-	-	-	-
6784	PRE N/mm2	Z	0.005	-	-	-	-	-
6785	PRE N/mm2	Z	0.005	-	-	-	-	-
6786	PRE N/mm2	Z	0.005	-	-	-	-	-
6787	PRE N/mm2	Z	0.005	-	-	-	-	-
6788	PRE N/mm2	Z	0.005	-	-	-	-	-
6789	PRE N/mm2	Z	0.005	-	-	-	-	-
6790	PRE N/mm2	Z	0.005	-	-	-	-	-
6791	PRE N/mm2	Z	0.005	-	-	-	-	-
6792	PRE N/mm2	Z	0.005	-	-	-	-	-
6793	PRE N/mm2	Z	0.005	-	-	-	-	-
6794	PRE N/mm2	Z	0.005	-	-	-	-	-
6795	PRE N/mm2	Z	0.005	-	-	-	-	-
6796	PRE N/mm2	Z	0.005	-	-	-	-	-
6797	PRE N/mm2	Z	0.005	-	-	-	-	-
6798	PRE N/mm2	Z	0.005	-	-	-	-	-
6799	PRE N/mm2	Z	0.005	-	-	-	-	-
6800	PRE N/mm2	Z	0.005	-	-	-	-	-
6801	PRE N/mm2	Z	0.005	-	-	-	-	-
6802	PRE N/mm2	Z	0.005	-	-	-	-	-
6803	PRE N/mm2	Z	0.005	-	-	-	-	-
6804	PRE N/mm2	Z	0.005	-	-	-	-	-
6805	PRE N/mm2	Z	0.005	-	-	-	-	-
6806	PRE N/mm2	Z	0.005	-	-	-	-	-
6807	PRE N/mm2	Z	0.005	-	-	-	-	-
6808	PRE N/mm2	Z	0.005	-	-	-	-	-
6809	PRE N/mm2	Z	0.005	-	-	-	-	-
6810	PRE N/mm2	Z	0.005	-	-	-	-	-
6811	PRE N/mm2	Z	0.005	-	-	-	-	-
6812	PRE N/mm2	Z	0.005	-	-	-	-	-
6813	PRE N/mm2	Z	0.005	-	-	-	-	-
6814	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6815	PRE N/mm2	Z	0.005	-	-	-	-	-
6816	PRE N/mm2	Z	0.005	-	-	-	-	-
6817	PRE N/mm2	Z	0.005	-	-	-	-	-
6818	PRE N/mm2	Z	0.005	-	-	-	-	-
6819	PRE N/mm2	Z	0.005	-	-	-	-	-
6950	PRE N/mm2	Z	0.005	-	-	-	-	-
6951	PRE N/mm2	Z	0.005	-	-	-	-	-
6952	PRE N/mm2	Z	0.005	-	-	-	-	-
6953	PRE N/mm2	Z	0.005	-	-	-	-	-
6954	PRE N/mm2	Z	0.005	-	-	-	-	-
6955	PRE N/mm2	Z	0.005	-	-	-	-	-
6956	PRE N/mm2	Z	0.005	-	-	-	-	-
6957	PRE N/mm2	Z	0.005	-	-	-	-	-
6958	PRE N/mm2	Z	0.005	-	-	-	-	-
6959	PRE N/mm2	Z	0.005	-	-	-	-	-
6960	PRE N/mm2	Z	0.005	-	-	-	-	-
6961	PRE N/mm2	Z	0.005	-	-	-	-	-
6962	PRE N/mm2	Z	0.005	-	-	-	-	-
6963	PRE N/mm2	Z	0.005	-	-	-	-	-
6964	PRE N/mm2	Z	0.005	-	-	-	-	-
6965	PRE N/mm2	Z	0.005	-	-	-	-	-
6966	PRE N/mm2	Z	0.005	-	-	-	-	-
6967	PRE N/mm2	Z	0.005	-	-	-	-	-
6968	PRE N/mm2	Z	0.005	-	-	-	-	-
6969	PRE N/mm2	Z	0.005	-	-	-	-	-
6970	PRE N/mm2	Z	0.005	-	-	-	-	-
6971	PRE N/mm2	Z	0.005	-	-	-	-	-
6972	PRE N/mm2	Z	0.005	-	-	-	-	-
6973	PRE N/mm2	Z	0.005	-	-	-	-	-
6974	PRE N/mm2	Z	0.005	-	-	-	-	-
6975	PRE N/mm2	Z	0.005	-	-	-	-	-
6976	PRE N/mm2	Z	0.005	-	-	-	-	-
6977	PRE N/mm2	Z	0.005	-	-	-	-	-
6978	PRE N/mm2	Z	0.005	-	-	-	-	-
6979	PRE N/mm2	Z	0.005	-	-	-	-	-
6980	PRE N/mm2	Z	0.005	-	-	-	-	-
6981	PRE N/mm2	Z	0.005	-	-	-	-	-
6982	PRE N/mm2	Z	0.005	-	-	-	-	-
6983	PRE N/mm2	Z	0.005	-	-	-	-	-
6984	PRE N/mm2	Z	0.005	-	-	-	-	-
6985	PRE N/mm2	Z	0.005	-	-	-	-	-
6986	PRE N/mm2	Z	0.005	-	-	-	-	-
6987	PRE N/mm2	Z	0.005	-	-	-	-	-
6988	PRE N/mm2	Z	0.005	-	-	-	-	-
6989	PRE N/mm2	Z	0.005	-	-	-	-	-
6990	PRE N/mm2	Z	0.005	-	-	-	-	-
6991	PRE N/mm2	Z	0.005	-	-	-	-	-
6992	PRE N/mm2	Z	0.005	-	-	-	-	-
6993	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6994	PRE N/mm2	Z	0.005	-	-	-	-	-
6995	PRE N/mm2	Z	0.005	-	-	-	-	-
6996	PRE N/mm2	Z	0.005	-	-	-	-	-
6997	PRE N/mm2	Z	0.005	-	-	-	-	-
6998	PRE N/mm2	Z	0.005	-	-	-	-	-
6999	PRE N/mm2	Z	0.005	-	-	-	-	-
7000	PRE N/mm2	Z	0.005	-	-	-	-	-
7001	PRE N/mm2	Z	0.005	-	-	-	-	-
7002	PRE N/mm2	Z	0.005	-	-	-	-	-
7003	PRE N/mm2	Z	0.005	-	-	-	-	-
7004	PRE N/mm2	Z	0.005	-	-	-	-	-
7005	PRE N/mm2	Z	0.005	-	-	-	-	-
7006	PRE N/mm2	Z	0.005	-	-	-	-	-
7007	PRE N/mm2	Z	0.005	-	-	-	-	-
7008	PRE N/mm2	Z	0.005	-	-	-	-	-
7009	PRE N/mm2	Z	0.005	-	-	-	-	-
7010	PRE N/mm2	Z	0.005	-	-	-	-	-
7011	PRE N/mm2	Z	0.005	-	-	-	-	-
7012	PRE N/mm2	Z	0.005	-	-	-	-	-
7013	PRE N/mm2	Z	0.005	-	-	-	-	-
7014	PRE N/mm2	Z	0.005	-	-	-	-	-
7015	PRE N/mm2	Z	0.005	-	-	-	-	-
7016	PRE N/mm2	Z	0.005	-	-	-	-	-
7017	PRE N/mm2	Z	0.005	-	-	-	-	-
7018	PRE N/mm2	Z	0.005	-	-	-	-	-
7019	PRE N/mm2	Z	0.005	-	-	-	-	-
7020	PRE N/mm2	Z	0.005	-	-	-	-	-
7021	PRE N/mm2	Z	0.005	-	-	-	-	-
7022	PRE N/mm2	Z	0.005	-	-	-	-	-
7023	PRE N/mm2	Z	0.005	-	-	-	-	-
7024	PRE N/mm2	Z	0.005	-	-	-	-	-
7025	PRE N/mm2	Z	0.005	-	-	-	-	-
7026	PRE N/mm2	Z	0.005	-	-	-	-	-
7027	PRE N/mm2	Z	0.005	-	-	-	-	-
7158	PRE N/mm2	Z	0.005	-	-	-	-	-
7159	PRE N/mm2	Z	0.005	-	-	-	-	-
7160	PRE N/mm2	Z	0.005	-	-	-	-	-
7161	PRE N/mm2	Z	0.005	-	-	-	-	-
7162	PRE N/mm2	Z	0.005	-	-	-	-	-
7163	PRE N/mm2	Z	0.005	-	-	-	-	-
7164	PRE N/mm2	Z	0.005	-	-	-	-	-
7165	PRE N/mm2	Z	0.005	-	-	-	-	-
7166	PRE N/mm2	Z	0.005	-	-	-	-	-
7167	PRE N/mm2	Z	0.005	-	-	-	-	-
7168	PRE N/mm2	Z	0.005	-	-	-	-	-
7169	PRE N/mm2	Z	0.005	-	-	-	-	-
7170	PRE N/mm2	Z	0.005	-	-	-	-	-
7171	PRE N/mm2	Z	0.005	-	-	-	-	-
7172	PRE N/mm2	Z	0.005	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7173	PRE N/mm2	Z	0.005	-	-	-	-	-
7174	PRE N/mm2	Z	0.005	-	-	-	-	-
7175	PRE N/mm2	Z	0.005	-	-	-	-	-
7176	PRE N/mm2	Z	0.005	-	-	-	-	-
7177	PRE N/mm2	Z	0.005	-	-	-	-	-
7178	PRE N/mm2	Z	0.005	-	-	-	-	-
7179	PRE N/mm2	Z	0.005	-	-	-	-	-
7180	PRE N/mm2	Z	0.005	-	-	-	-	-
7181	PRE N/mm2	Z	0.005	-	-	-	-	-
7182	PRE N/mm2	Z	0.005	-	-	-	-	-
7183	PRE N/mm2	Z	0.005	-	-	-	-	-
7184	PRE N/mm2	Z	0.005	-	-	-	-	-
7185	PRE N/mm2	Z	0.005	-	-	-	-	-
7186	PRE N/mm2	Z	0.005	-	-	-	-	-
7187	PRE N/mm2	Z	0.005	-	-	-	-	-
7188	PRE N/mm2	Z	0.005	-	-	-	-	-
7189	PRE N/mm2	Z	0.005	-	-	-	-	-
7190	PRE N/mm2	Z	0.005	-	-	-	-	-
7191	PRE N/mm2	Z	0.005	-	-	-	-	-
7192	PRE N/mm2	Z	0.005	-	-	-	-	-
7193	PRE N/mm2	Z	0.005	-	-	-	-	-
7194	PRE N/mm2	Z	0.005	-	-	-	-	-
7195	PRE N/mm2	Z	0.005	-	-	-	-	-
7196	PRE N/mm2	Z	0.005	-	-	-	-	-
7197	PRE N/mm2	Z	0.005	-	-	-	-	-
7198	PRE N/mm2	Z	0.005	-	-	-	-	-
7199	PRE N/mm2	Z	0.005	-	-	-	-	-
7200	PRE N/mm2	Z	0.005	-	-	-	-	-
7201	PRE N/mm2	Z	0.005	-	-	-	-	-
7202	PRE N/mm2	Z	0.005	-	-	-	-	-
7203	PRE N/mm2	Z	0.005	-	-	-	-	-
7204	PRE N/mm2	Z	0.005	-	-	-	-	-
7205	PRE N/mm2	Z	0.005	-	-	-	-	-
7206	PRE N/mm2	Z	0.005	-	-	-	-	-
7207	PRE N/mm2	Z	0.005	-	-	-	-	-
7208	PRE N/mm2	Z	0.005	-	-	-	-	-
7209	PRE N/mm2	Z	0.005	-	-	-	-	-
7210	PRE N/mm2	Z	0.005	-	-	-	-	-
7211	PRE N/mm2	Z	0.005	-	-	-	-	-
7212	PRE N/mm2	Z	0.005	-	-	-	-	-
7213	PRE N/mm2	Z	0.005	-	-	-	-	-
7214	PRE N/mm2	Z	0.005	-	-	-	-	-
7215	PRE N/mm2	Z	0.005	-	-	-	-	-
7216	PRE N/mm2	Z	0.005	-	-	-	-	-
7217	PRE N/mm2	Z	0.005	-	-	-	-	-
7218	PRE N/mm2	Z	0.005	-	-	-	-	-
7219	PRE N/mm2	Z	0.005	-	-	-	-	-
7220	PRE N/mm2	Z	0.005	-	-	-	-	-
7221	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7222	PRE N/mm2	Z	0.005	-	-	-	-	-
7223	PRE N/mm2	Z	0.005	-	-	-	-	-
7224	PRE N/mm2	Z	0.005	-	-	-	-	-
7225	PRE N/mm2	Z	0.005	-	-	-	-	-
7226	PRE N/mm2	Z	0.005	-	-	-	-	-
7227	PRE N/mm2	Z	0.005	-	-	-	-	-
7228	PRE N/mm2	Z	0.005	-	-	-	-	-
7229	PRE N/mm2	Z	0.005	-	-	-	-	-
7230	PRE N/mm2	Z	0.005	-	-	-	-	-
7231	PRE N/mm2	Z	0.005	-	-	-	-	-
7232	PRE N/mm2	Z	0.005	-	-	-	-	-
7233	PRE N/mm2	Z	0.005	-	-	-	-	-
7234	PRE N/mm2	Z	0.005	-	-	-	-	-
7235	PRE N/mm2	Z	0.005	-	-	-	-	-
7356	PRE N/mm2	Z	0.005	-	-	-	-	-
7357	PRE N/mm2	Z	0.005	-	-	-	-	-
7358	PRE N/mm2	Z	0.005	-	-	-	-	-
7359	PRE N/mm2	Z	0.005	-	-	-	-	-
7360	PRE N/mm2	Z	0.005	-	-	-	-	-
7361	PRE N/mm2	Z	0.005	-	-	-	-	-
7362	PRE N/mm2	Z	0.005	-	-	-	-	-
7363	PRE N/mm2	Z	0.005	-	-	-	-	-
7364	PRE N/mm2	Z	0.005	-	-	-	-	-
7365	PRE N/mm2	Z	0.005	-	-	-	-	-
7366	PRE N/mm2	Z	0.005	-	-	-	-	-
7367	PRE N/mm2	Z	0.005	-	-	-	-	-
7368	PRE N/mm2	Z	0.005	-	-	-	-	-
7369	PRE N/mm2	Z	0.005	-	-	-	-	-
7370	PRE N/mm2	Z	0.005	-	-	-	-	-
7371	PRE N/mm2	Z	0.005	-	-	-	-	-
7372	PRE N/mm2	Z	0.005	-	-	-	-	-
7373	PRE N/mm2	Z	0.005	-	-	-	-	-
7374	PRE N/mm2	Z	0.005	-	-	-	-	-
7375	PRE N/mm2	Z	0.005	-	-	-	-	-
7376	PRE N/mm2	Z	0.005	-	-	-	-	-
7377	PRE N/mm2	Z	0.005	-	-	-	-	-
7378	PRE N/mm2	Z	0.005	-	-	-	-	-
7379	PRE N/mm2	Z	0.005	-	-	-	-	-
7380	PRE N/mm2	Z	0.005	-	-	-	-	-
7381	PRE N/mm2	Z	0.005	-	-	-	-	-
7382	PRE N/mm2	Z	0.005	-	-	-	-	-
7383	PRE N/mm2	Z	0.005	-	-	-	-	-
7384	PRE N/mm2	Z	0.005	-	-	-	-	-
7385	PRE N/mm2	Z	0.005	-	-	-	-	-
7386	PRE N/mm2	Z	0.005	-	-	-	-	-
7387	PRE N/mm2	Z	0.005	-	-	-	-	-
7388	PRE N/mm2	Z	0.005	-	-	-	-	-
7389	PRE N/mm2	Z	0.005	-	-	-	-	-
7390	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7391	PRE N/mm2	Z	0.005	-	-	-	-	-
7392	PRE N/mm2	Z	0.005	-	-	-	-	-
7393	PRE N/mm2	Z	0.005	-	-	-	-	-
7394	PRE N/mm2	Z	0.005	-	-	-	-	-
7395	PRE N/mm2	Z	0.005	-	-	-	-	-
7396	PRE N/mm2	Z	0.005	-	-	-	-	-
7397	PRE N/mm2	Z	0.005	-	-	-	-	-
7398	PRE N/mm2	Z	0.005	-	-	-	-	-
7399	PRE N/mm2	Z	0.005	-	-	-	-	-
7400	PRE N/mm2	Z	0.005	-	-	-	-	-
7401	PRE N/mm2	Z	0.005	-	-	-	-	-
7402	PRE N/mm2	Z	0.005	-	-	-	-	-
7403	PRE N/mm2	Z	0.005	-	-	-	-	-
7404	PRE N/mm2	Z	0.005	-	-	-	-	-
7405	PRE N/mm2	Z	0.005	-	-	-	-	-
7406	PRE N/mm2	Z	0.005	-	-	-	-	-
7407	PRE N/mm2	Z	0.005	-	-	-	-	-
7408	PRE N/mm2	Z	0.005	-	-	-	-	-
7409	PRE N/mm2	Z	0.005	-	-	-	-	-
7410	PRE N/mm2	Z	0.005	-	-	-	-	-
7411	PRE N/mm2	Z	0.005	-	-	-	-	-
7412	PRE N/mm2	Z	0.005	-	-	-	-	-
7413	PRE N/mm2	Z	0.005	-	-	-	-	-
7414	PRE N/mm2	Z	0.005	-	-	-	-	-
7415	PRE N/mm2	Z	0.005	-	-	-	-	-
7416	PRE N/mm2	Z	0.005	-	-	-	-	-
7417	PRE N/mm2	Z	0.005	-	-	-	-	-
7418	PRE N/mm2	Z	0.005	-	-	-	-	-
7419	PRE N/mm2	Z	0.005	-	-	-	-	-
7420	PRE N/mm2	Z	0.005	-	-	-	-	-
7421	PRE N/mm2	Z	0.005	-	-	-	-	-
7422	PRE N/mm2	Z	0.005	-	-	-	-	-
7423	PRE N/mm2	Z	0.005	-	-	-	-	-
7424	PRE N/mm2	Z	0.005	-	-	-	-	-
7425	PRE N/mm2	Z	0.005	-	-	-	-	-
7426	PRE N/mm2	Z	0.005	-	-	-	-	-
7427	PRE N/mm2	Z	0.005	-	-	-	-	-
7428	PRE N/mm2	Z	0.005	-	-	-	-	-
7429	PRE N/mm2	Z	0.005	-	-	-	-	-
7430	PRE N/mm2	Z	0.005	-	-	-	-	-
7431	PRE N/mm2	Z	0.005	-	-	-	-	-
7432	PRE N/mm2	Z	0.005	-	-	-	-	-
7433	PRE N/mm2	Z	0.005	-	-	-	-	-
7554	PRE N/mm2	Z	0.005	-	-	-	-	-
7555	PRE N/mm2	Z	0.005	-	-	-	-	-
7556	PRE N/mm2	Z	0.005	-	-	-	-	-
7557	PRE N/mm2	Z	0.005	-	-	-	-	-
7558	PRE N/mm2	Z	0.005	-	-	-	-	-
7559	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7560	PRE N/mm2	Z	0.005	-	-	-	-	-
7561	PRE N/mm2	Z	0.005	-	-	-	-	-
7562	PRE N/mm2	Z	0.005	-	-	-	-	-
7563	PRE N/mm2	Z	0.005	-	-	-	-	-
7564	PRE N/mm2	Z	0.005	-	-	-	-	-
7565	PRE N/mm2	Z	0.005	-	-	-	-	-
7566	PRE N/mm2	Z	0.005	-	-	-	-	-
7567	PRE N/mm2	Z	0.005	-	-	-	-	-
7568	PRE N/mm2	Z	0.005	-	-	-	-	-
7569	PRE N/mm2	Z	0.005	-	-	-	-	-
7570	PRE N/mm2	Z	0.005	-	-	-	-	-
7571	PRE N/mm2	Z	0.005	-	-	-	-	-
7572	PRE N/mm2	Z	0.005	-	-	-	-	-
7573	PRE N/mm2	Z	0.005	-	-	-	-	-
7574	PRE N/mm2	Z	0.005	-	-	-	-	-
7575	PRE N/mm2	Z	0.005	-	-	-	-	-
7576	PRE N/mm2	Z	0.005	-	-	-	-	-
7577	PRE N/mm2	Z	0.005	-	-	-	-	-
7578	PRE N/mm2	Z	0.005	-	-	-	-	-
7579	PRE N/mm2	Z	0.005	-	-	-	-	-
7580	PRE N/mm2	Z	0.005	-	-	-	-	-
7581	PRE N/mm2	Z	0.005	-	-	-	-	-
7582	PRE N/mm2	Z	0.005	-	-	-	-	-
7583	PRE N/mm2	Z	0.005	-	-	-	-	-
7584	PRE N/mm2	Z	0.005	-	-	-	-	-
7585	PRE N/mm2	Z	0.005	-	-	-	-	-
7586	PRE N/mm2	Z	0.005	-	-	-	-	-
7587	PRE N/mm2	Z	0.005	-	-	-	-	-
7588	PRE N/mm2	Z	0.005	-	-	-	-	-
7589	PRE N/mm2	Z	0.005	-	-	-	-	-
7590	PRE N/mm2	Z	0.005	-	-	-	-	-
7591	PRE N/mm2	Z	0.005	-	-	-	-	-
7592	PRE N/mm2	Z	0.005	-	-	-	-	-
7593	PRE N/mm2	Z	0.005	-	-	-	-	-
7594	PRE N/mm2	Z	0.005	-	-	-	-	-
7595	PRE N/mm2	Z	0.005	-	-	-	-	-
7596	PRE N/mm2	Z	0.005	-	-	-	-	-
7597	PRE N/mm2	Z	0.005	-	-	-	-	-
7598	PRE N/mm2	Z	0.005	-	-	-	-	-
7599	PRE N/mm2	Z	0.005	-	-	-	-	-
7600	PRE N/mm2	Z	0.005	-	-	-	-	-
7601	PRE N/mm2	Z	0.005	-	-	-	-	-
7602	PRE N/mm2	Z	0.005	-	-	-	-	-
7603	PRE N/mm2	Z	0.005	-	-	-	-	-
7604	PRE N/mm2	Z	0.005	-	-	-	-	-
7605	PRE N/mm2	Z	0.005	-	-	-	-	-
7606	PRE N/mm2	Z	0.005	-	-	-	-	-
7607	PRE N/mm2	Z	0.005	-	-	-	-	-
7608	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7609	PRE N/mm2	Z	0.005	-	-	-	-	-
7610	PRE N/mm2	Z	0.005	-	-	-	-	-
7611	PRE N/mm2	Z	0.005	-	-	-	-	-
7612	PRE N/mm2	Z	0.005	-	-	-	-	-
7613	PRE N/mm2	Z	0.005	-	-	-	-	-
7614	PRE N/mm2	Z	0.005	-	-	-	-	-
7615	PRE N/mm2	Z	0.005	-	-	-	-	-
7616	PRE N/mm2	Z	0.005	-	-	-	-	-
7617	PRE N/mm2	Z	0.005	-	-	-	-	-
7618	PRE N/mm2	Z	0.005	-	-	-	-	-
7619	PRE N/mm2	Z	0.005	-	-	-	-	-
7620	PRE N/mm2	Z	0.005	-	-	-	-	-
7621	PRE N/mm2	Z	0.005	-	-	-	-	-
7622	PRE N/mm2	Z	0.005	-	-	-	-	-
7623	PRE N/mm2	Z	0.005	-	-	-	-	-
7624	PRE N/mm2	Z	0.005	-	-	-	-	-
7625	PRE N/mm2	Z	0.005	-	-	-	-	-
7626	PRE N/mm2	Z	0.005	-	-	-	-	-
7627	PRE N/mm2	Z	0.005	-	-	-	-	-
7628	PRE N/mm2	Z	0.005	-	-	-	-	-
7629	PRE N/mm2	Z	0.005	-	-	-	-	-
7630	PRE N/mm2	Z	0.005	-	-	-	-	-
7631	PRE N/mm2	Z	0.005	-	-	-	-	-
7742	PRE N/mm2	Z	0.005	-	-	-	-	-
7743	PRE N/mm2	Z	0.005	-	-	-	-	-
7744	PRE N/mm2	Z	0.005	-	-	-	-	-
7745	PRE N/mm2	Z	0.005	-	-	-	-	-
7746	PRE N/mm2	Z	0.005	-	-	-	-	-
7747	PRE N/mm2	Z	0.005	-	-	-	-	-
7748	PRE N/mm2	Z	0.005	-	-	-	-	-
7749	PRE N/mm2	Z	0.005	-	-	-	-	-
7750	PRE N/mm2	Z	0.005	-	-	-	-	-
7751	PRE N/mm2	Z	0.005	-	-	-	-	-
7752	PRE N/mm2	Z	0.005	-	-	-	-	-
7753	PRE N/mm2	Z	0.005	-	-	-	-	-
7754	PRE N/mm2	Z	0.005	-	-	-	-	-
7755	PRE N/mm2	Z	0.005	-	-	-	-	-
7756	PRE N/mm2	Z	0.005	-	-	-	-	-
7757	PRE N/mm2	Z	0.005	-	-	-	-	-
7758	PRE N/mm2	Z	0.005	-	-	-	-	-
7759	PRE N/mm2	Z	0.005	-	-	-	-	-
7760	PRE N/mm2	Z	0.005	-	-	-	-	-
7761	PRE N/mm2	Z	0.005	-	-	-	-	-
7762	PRE N/mm2	Z	0.005	-	-	-	-	-
7763	PRE N/mm2	Z	0.005	-	-	-	-	-
7764	PRE N/mm2	Z	0.005	-	-	-	-	-
7765	PRE N/mm2	Z	0.005	-	-	-	-	-
7766	PRE N/mm2	Z	0.005	-	-	-	-	-
7767	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7768	PRE N/mm2	Z	0.005	-	-	-	-	-
7769	PRE N/mm2	Z	0.005	-	-	-	-	-
7770	PRE N/mm2	Z	0.005	-	-	-	-	-
7771	PRE N/mm2	Z	0.005	-	-	-	-	-
7772	PRE N/mm2	Z	0.005	-	-	-	-	-
7773	PRE N/mm2	Z	0.005	-	-	-	-	-
7774	PRE N/mm2	Z	0.005	-	-	-	-	-
7775	PRE N/mm2	Z	0.005	-	-	-	-	-
7776	PRE N/mm2	Z	0.005	-	-	-	-	-
7777	PRE N/mm2	Z	0.005	-	-	-	-	-
7778	PRE N/mm2	Z	0.005	-	-	-	-	-
7779	PRE N/mm2	Z	0.005	-	-	-	-	-
7780	PRE N/mm2	Z	0.005	-	-	-	-	-
7781	PRE N/mm2	Z	0.005	-	-	-	-	-
7782	PRE N/mm2	Z	0.005	-	-	-	-	-
7783	PRE N/mm2	Z	0.005	-	-	-	-	-
7784	PRE N/mm2	Z	0.005	-	-	-	-	-
7785	PRE N/mm2	Z	0.005	-	-	-	-	-
7786	PRE N/mm2	Z	0.005	-	-	-	-	-
7787	PRE N/mm2	Z	0.005	-	-	-	-	-
7788	PRE N/mm2	Z	0.005	-	-	-	-	-
7789	PRE N/mm2	Z	0.005	-	-	-	-	-
7790	PRE N/mm2	Z	0.005	-	-	-	-	-
7791	PRE N/mm2	Z	0.005	-	-	-	-	-
7792	PRE N/mm2	Z	0.005	-	-	-	-	-
7793	PRE N/mm2	Z	0.005	-	-	-	-	-
7794	PRE N/mm2	Z	0.005	-	-	-	-	-
7795	PRE N/mm2	Z	0.005	-	-	-	-	-
7796	PRE N/mm2	Z	0.005	-	-	-	-	-
7797	PRE N/mm2	Z	0.005	-	-	-	-	-
7798	PRE N/mm2	Z	0.005	-	-	-	-	-
7799	PRE N/mm2	Z	0.005	-	-	-	-	-
7800	PRE N/mm2	Z	0.005	-	-	-	-	-
7801	PRE N/mm2	Z	0.005	-	-	-	-	-
7802	PRE N/mm2	Z	0.005	-	-	-	-	-
7803	PRE N/mm2	Z	0.005	-	-	-	-	-
7804	PRE N/mm2	Z	0.005	-	-	-	-	-
7805	PRE N/mm2	Z	0.005	-	-	-	-	-
7806	PRE N/mm2	Z	0.005	-	-	-	-	-
7807	PRE N/mm2	Z	0.005	-	-	-	-	-
7808	PRE N/mm2	Z	0.005	-	-	-	-	-
7809	PRE N/mm2	Z	0.005	-	-	-	-	-
7810	PRE N/mm2	Z	0.005	-	-	-	-	-
7811	PRE N/mm2	Z	0.005	-	-	-	-	-
7812	PRE N/mm2	Z	0.005	-	-	-	-	-
7813	PRE N/mm2	Z	0.005	-	-	-	-	-
7814	PRE N/mm2	Z	0.005	-	-	-	-	-
7815	PRE N/mm2	Z	0.005	-	-	-	-	-
7816	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7817	PRE N/mm2	Z	0.005	-	-	-	-	-
7818	PRE N/mm2	Z	0.005	-	-	-	-	-
7819	PRE N/mm2	Z	0.005	-	-	-	-	-
7930	PRE N/mm2	Z	0.005	-	-	-	-	-
7931	PRE N/mm2	Z	0.005	-	-	-	-	-
7932	PRE N/mm2	Z	0.005	-	-	-	-	-
7933	PRE N/mm2	Z	0.005	-	-	-	-	-
7934	PRE N/mm2	Z	0.005	-	-	-	-	-
7935	PRE N/mm2	Z	0.005	-	-	-	-	-
7936	PRE N/mm2	Z	0.005	-	-	-	-	-
7937	PRE N/mm2	Z	0.005	-	-	-	-	-
7938	PRE N/mm2	Z	0.005	-	-	-	-	-
7939	PRE N/mm2	Z	0.005	-	-	-	-	-
7940	PRE N/mm2	Z	0.005	-	-	-	-	-
7941	PRE N/mm2	Z	0.005	-	-	-	-	-
7942	PRE N/mm2	Z	0.005	-	-	-	-	-
7943	PRE N/mm2	Z	0.005	-	-	-	-	-
7944	PRE N/mm2	Z	0.005	-	-	-	-	-
7945	PRE N/mm2	Z	0.005	-	-	-	-	-
7946	PRE N/mm2	Z	0.005	-	-	-	-	-
7947	PRE N/mm2	Z	0.005	-	-	-	-	-
7948	PRE N/mm2	Z	0.005	-	-	-	-	-
7949	PRE N/mm2	Z	0.005	-	-	-	-	-
7950	PRE N/mm2	Z	0.005	-	-	-	-	-
7951	PRE N/mm2	Z	0.005	-	-	-	-	-
7952	PRE N/mm2	Z	0.005	-	-	-	-	-
7953	PRE N/mm2	Z	0.005	-	-	-	-	-
7954	PRE N/mm2	Z	0.005	-	-	-	-	-
7955	PRE N/mm2	Z	0.005	-	-	-	-	-
7956	PRE N/mm2	Z	0.005	-	-	-	-	-
7957	PRE N/mm2	Z	0.005	-	-	-	-	-
7958	PRE N/mm2	Z	0.005	-	-	-	-	-
7959	PRE N/mm2	Z	0.005	-	-	-	-	-
7960	PRE N/mm2	Z	0.005	-	-	-	-	-
7961	PRE N/mm2	Z	0.005	-	-	-	-	-
7962	PRE N/mm2	Z	0.005	-	-	-	-	-
7963	PRE N/mm2	Z	0.005	-	-	-	-	-
7964	PRE N/mm2	Z	0.005	-	-	-	-	-
7965	PRE N/mm2	Z	0.005	-	-	-	-	-
7966	PRE N/mm2	Z	0.005	-	-	-	-	-
7967	PRE N/mm2	Z	0.005	-	-	-	-	-
7968	PRE N/mm2	Z	0.005	-	-	-	-	-
7969	PRE N/mm2	Z	0.005	-	-	-	-	-
7970	PRE N/mm2	Z	0.005	-	-	-	-	-
7971	PRE N/mm2	Z	0.005	-	-	-	-	-
7972	PRE N/mm2	Z	0.005	-	-	-	-	-
7973	PRE N/mm2	Z	0.005	-	-	-	-	-
7974	PRE N/mm2	Z	0.005	-	-	-	-	-
7975	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7976	PRE N/mm2	Z	0.005	-	-	-	-	-
7977	PRE N/mm2	Z	0.005	-	-	-	-	-
7978	PRE N/mm2	Z	0.005	-	-	-	-	-
7979	PRE N/mm2	Z	0.005	-	-	-	-	-
7980	PRE N/mm2	Z	0.005	-	-	-	-	-
7981	PRE N/mm2	Z	0.005	-	-	-	-	-
7982	PRE N/mm2	Z	0.005	-	-	-	-	-
7983	PRE N/mm2	Z	0.005	-	-	-	-	-
7984	PRE N/mm2	Z	0.005	-	-	-	-	-
7985	PRE N/mm2	Z	0.005	-	-	-	-	-
7986	PRE N/mm2	Z	0.005	-	-	-	-	-
7987	PRE N/mm2	Z	0.005	-	-	-	-	-
7988	PRE N/mm2	Z	0.005	-	-	-	-	-
7989	PRE N/mm2	Z	0.005	-	-	-	-	-
7990	PRE N/mm2	Z	0.005	-	-	-	-	-
7991	PRE N/mm2	Z	0.005	-	-	-	-	-
7992	PRE N/mm2	Z	0.005	-	-	-	-	-
7993	PRE N/mm2	Z	0.005	-	-	-	-	-
7994	PRE N/mm2	Z	0.005	-	-	-	-	-
7995	PRE N/mm2	Z	0.005	-	-	-	-	-
7996	PRE N/mm2	Z	0.005	-	-	-	-	-
7997	PRE N/mm2	Z	0.005	-	-	-	-	-
7998	PRE N/mm2	Z	0.005	-	-	-	-	-
7999	PRE N/mm2	Z	0.005	-	-	-	-	-
8000	PRE N/mm2	Z	0.005	-	-	-	-	-
8001	PRE N/mm2	Z	0.005	-	-	-	-	-
8002	PRE N/mm2	Z	0.005	-	-	-	-	-
8003	PRE N/mm2	Z	0.005	-	-	-	-	-
8004	PRE N/mm2	Z	0.005	-	-	-	-	-
8005	PRE N/mm2	Z	0.005	-	-	-	-	-
8006	PRE N/mm2	Z	0.005	-	-	-	-	-
8007	PRE N/mm2	Z	0.005	-	-	-	-	-
8108	PRE N/mm2	Z	0.005	-	-	-	-	-
8109	PRE N/mm2	Z	0.005	-	-	-	-	-
8110	PRE N/mm2	Z	0.005	-	-	-	-	-
8111	PRE N/mm2	Z	0.005	-	-	-	-	-
8112	PRE N/mm2	Z	0.005	-	-	-	-	-
8113	PRE N/mm2	Z	0.005	-	-	-	-	-
8114	PRE N/mm2	Z	0.005	-	-	-	-	-
8115	PRE N/mm2	Z	0.005	-	-	-	-	-
8116	PRE N/mm2	Z	0.005	-	-	-	-	-
8117	PRE N/mm2	Z	0.005	-	-	-	-	-
8118	PRE N/mm2	Z	0.005	-	-	-	-	-
8119	PRE N/mm2	Z	0.005	-	-	-	-	-
8120	PRE N/mm2	Z	0.005	-	-	-	-	-
8121	PRE N/mm2	Z	0.005	-	-	-	-	-
8122	PRE N/mm2	Z	0.005	-	-	-	-	-
8123	PRE N/mm2	Z	0.005	-	-	-	-	-
8124	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8125	PRE N/mm2	Z	0.005	-	-	-	-	-
8126	PRE N/mm2	Z	0.005	-	-	-	-	-
8127	PRE N/mm2	Z	0.005	-	-	-	-	-
8128	PRE N/mm2	Z	0.005	-	-	-	-	-
8129	PRE N/mm2	Z	0.005	-	-	-	-	-
8130	PRE N/mm2	Z	0.005	-	-	-	-	-
8131	PRE N/mm2	Z	0.005	-	-	-	-	-
8132	PRE N/mm2	Z	0.005	-	-	-	-	-
8133	PRE N/mm2	Z	0.005	-	-	-	-	-
8134	PRE N/mm2	Z	0.005	-	-	-	-	-
8135	PRE N/mm2	Z	0.005	-	-	-	-	-
8136	PRE N/mm2	Z	0.005	-	-	-	-	-
8137	PRE N/mm2	Z	0.005	-	-	-	-	-
8138	PRE N/mm2	Z	0.005	-	-	-	-	-
8139	PRE N/mm2	Z	0.005	-	-	-	-	-
8140	PRE N/mm2	Z	0.005	-	-	-	-	-
8141	PRE N/mm2	Z	0.005	-	-	-	-	-
8142	PRE N/mm2	Z	0.005	-	-	-	-	-
8143	PRE N/mm2	Z	0.005	-	-	-	-	-
8144	PRE N/mm2	Z	0.005	-	-	-	-	-
8145	PRE N/mm2	Z	0.005	-	-	-	-	-
8146	PRE N/mm2	Z	0.005	-	-	-	-	-
8147	PRE N/mm2	Z	0.005	-	-	-	-	-
8148	PRE N/mm2	Z	0.005	-	-	-	-	-
8149	PRE N/mm2	Z	0.005	-	-	-	-	-
8150	PRE N/mm2	Z	0.005	-	-	-	-	-
8151	PRE N/mm2	Z	0.005	-	-	-	-	-
8152	PRE N/mm2	Z	0.005	-	-	-	-	-
8153	PRE N/mm2	Z	0.005	-	-	-	-	-
8154	PRE N/mm2	Z	0.005	-	-	-	-	-
8155	PRE N/mm2	Z	0.005	-	-	-	-	-
8156	PRE N/mm2	Z	0.005	-	-	-	-	-
8157	PRE N/mm2	Z	0.005	-	-	-	-	-
8158	PRE N/mm2	Z	0.005	-	-	-	-	-
8159	PRE N/mm2	Z	0.005	-	-	-	-	-
8160	PRE N/mm2	Z	0.005	-	-	-	-	-
8161	PRE N/mm2	Z	0.005	-	-	-	-	-
8162	PRE N/mm2	Z	0.005	-	-	-	-	-
8163	PRE N/mm2	Z	0.005	-	-	-	-	-
8164	PRE N/mm2	Z	0.005	-	-	-	-	-
8165	PRE N/mm2	Z	0.005	-	-	-	-	-
8166	PRE N/mm2	Z	0.005	-	-	-	-	-
8167	PRE N/mm2	Z	0.005	-	-	-	-	-
8168	PRE N/mm2	Z	0.005	-	-	-	-	-
8169	PRE N/mm2	Z	0.005	-	-	-	-	-
8170	PRE N/mm2	Z	0.005	-	-	-	-	-
8171	PRE N/mm2	Z	0.005	-	-	-	-	-
8172	PRE N/mm2	Z	0.005	-	-	-	-	-
8173	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8174	PRE N/mm2	Z	0.005	-	-	-	-	-
8175	PRE N/mm2	Z	0.005	-	-	-	-	-
8176	PRE N/mm2	Z	0.005	-	-	-	-	-
8177	PRE N/mm2	Z	0.005	-	-	-	-	-
8178	PRE N/mm2	Z	0.005	-	-	-	-	-
8179	PRE N/mm2	Z	0.005	-	-	-	-	-
8180	PRE N/mm2	Z	0.005	-	-	-	-	-
8181	PRE N/mm2	Z	0.005	-	-	-	-	-
8182	PRE N/mm2	Z	0.005	-	-	-	-	-
8183	PRE N/mm2	Z	0.005	-	-	-	-	-
8184	PRE N/mm2	Z	0.005	-	-	-	-	-
8185	PRE N/mm2	Z	0.005	-	-	-	-	-
8286	PRE N/mm2	Z	0.005	-	-	-	-	-
8287	PRE N/mm2	Z	0.005	-	-	-	-	-
8288	PRE N/mm2	Z	0.005	-	-	-	-	-
8289	PRE N/mm2	Z	0.005	-	-	-	-	-
8290	PRE N/mm2	Z	0.005	-	-	-	-	-
8291	PRE N/mm2	Z	0.005	-	-	-	-	-
8292	PRE N/mm2	Z	0.005	-	-	-	-	-
8293	PRE N/mm2	Z	0.005	-	-	-	-	-
8294	PRE N/mm2	Z	0.005	-	-	-	-	-
8295	PRE N/mm2	Z	0.005	-	-	-	-	-
8296	PRE N/mm2	Z	0.005	-	-	-	-	-
8297	PRE N/mm2	Z	0.005	-	-	-	-	-
8298	PRE N/mm2	Z	0.005	-	-	-	-	-
8299	PRE N/mm2	Z	0.005	-	-	-	-	-
8300	PRE N/mm2	Z	0.005	-	-	-	-	-
8301	PRE N/mm2	Z	0.005	-	-	-	-	-
8302	PRE N/mm2	Z	0.005	-	-	-	-	-
8303	PRE N/mm2	Z	0.005	-	-	-	-	-
8304	PRE N/mm2	Z	0.005	-	-	-	-	-
8305	PRE N/mm2	Z	0.005	-	-	-	-	-
8306	PRE N/mm2	Z	0.005	-	-	-	-	-
8307	PRE N/mm2	Z	0.005	-	-	-	-	-
8308	PRE N/mm2	Z	0.005	-	-	-	-	-
8309	PRE N/mm2	Z	0.005	-	-	-	-	-
8310	PRE N/mm2	Z	0.005	-	-	-	-	-
8311	PRE N/mm2	Z	0.005	-	-	-	-	-
8312	PRE N/mm2	Z	0.005	-	-	-	-	-
8313	PRE N/mm2	Z	0.005	-	-	-	-	-
8314	PRE N/mm2	Z	0.005	-	-	-	-	-
8315	PRE N/mm2	Z	0.005	-	-	-	-	-
8316	PRE N/mm2	Z	0.005	-	-	-	-	-
8317	PRE N/mm2	Z	0.005	-	-	-	-	-
8318	PRE N/mm2	Z	0.005	-	-	-	-	-
8319	PRE N/mm2	Z	0.005	-	-	-	-	-
8320	PRE N/mm2	Z	0.005	-	-	-	-	-
8321	PRE N/mm2	Z	0.005	-	-	-	-	-
8322	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8323	PRE N/mm2	Z	0.005	-	-	-	-	-
8324	PRE N/mm2	Z	0.005	-	-	-	-	-
8325	PRE N/mm2	Z	0.005	-	-	-	-	-
8326	PRE N/mm2	Z	0.005	-	-	-	-	-
8327	PRE N/mm2	Z	0.005	-	-	-	-	-
8328	PRE N/mm2	Z	0.005	-	-	-	-	-
8329	PRE N/mm2	Z	0.005	-	-	-	-	-
8330	PRE N/mm2	Z	0.005	-	-	-	-	-
8331	PRE N/mm2	Z	0.005	-	-	-	-	-
8332	PRE N/mm2	Z	0.005	-	-	-	-	-
8333	PRE N/mm2	Z	0.005	-	-	-	-	-
8334	PRE N/mm2	Z	0.005	-	-	-	-	-
8335	PRE N/mm2	Z	0.005	-	-	-	-	-
8336	PRE N/mm2	Z	0.005	-	-	-	-	-
8337	PRE N/mm2	Z	0.005	-	-	-	-	-
8338	PRE N/mm2	Z	0.005	-	-	-	-	-
8339	PRE N/mm2	Z	0.005	-	-	-	-	-
8340	PRE N/mm2	Z	0.005	-	-	-	-	-
8341	PRE N/mm2	Z	0.005	-	-	-	-	-
8342	PRE N/mm2	Z	0.005	-	-	-	-	-
8343	PRE N/mm2	Z	0.005	-	-	-	-	-
8344	PRE N/mm2	Z	0.005	-	-	-	-	-
8345	PRE N/mm2	Z	0.005	-	-	-	-	-
8346	PRE N/mm2	Z	0.005	-	-	-	-	-
8347	PRE N/mm2	Z	0.005	-	-	-	-	-
8348	PRE N/mm2	Z	0.005	-	-	-	-	-
8349	PRE N/mm2	Z	0.005	-	-	-	-	-
8350	PRE N/mm2	Z	0.005	-	-	-	-	-
8351	PRE N/mm2	Z	0.005	-	-	-	-	-
8352	PRE N/mm2	Z	0.005	-	-	-	-	-
8353	PRE N/mm2	Z	0.005	-	-	-	-	-
8354	PRE N/mm2	Z	0.005	-	-	-	-	-
8355	PRE N/mm2	Z	0.005	-	-	-	-	-
8356	PRE N/mm2	Z	0.005	-	-	-	-	-
8357	PRE N/mm2	Z	0.005	-	-	-	-	-
8358	PRE N/mm2	Z	0.005	-	-	-	-	-
8359	PRE N/mm2	Z	0.005	-	-	-	-	-
8360	PRE N/mm2	Z	0.005	-	-	-	-	-
8361	PRE N/mm2	Z	0.005	-	-	-	-	-
8362	PRE N/mm2	Z	0.005	-	-	-	-	-
8363	PRE N/mm2	Z	0.005	-	-	-	-	-
8454	PRE N/mm2	Z	0.005	-	-	-	-	-
8455	PRE N/mm2	Z	0.005	-	-	-	-	-
8456	PRE N/mm2	Z	0.005	-	-	-	-	-
8457	PRE N/mm2	Z	0.005	-	-	-	-	-
8458	PRE N/mm2	Z	0.005	-	-	-	-	-
8459	PRE N/mm2	Z	0.005	-	-	-	-	-
8460	PRE N/mm2	Z	0.005	-	-	-	-	-
8461	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8462	PRE N/mm2	Z	0.005	-	-	-	-	-
8463	PRE N/mm2	Z	0.005	-	-	-	-	-
8464	PRE N/mm2	Z	0.005	-	-	-	-	-
8465	PRE N/mm2	Z	0.005	-	-	-	-	-
8466	PRE N/mm2	Z	0.005	-	-	-	-	-
8467	PRE N/mm2	Z	0.005	-	-	-	-	-
8468	PRE N/mm2	Z	0.005	-	-	-	-	-
8469	PRE N/mm2	Z	0.005	-	-	-	-	-
8470	PRE N/mm2	Z	0.005	-	-	-	-	-
8471	PRE N/mm2	Z	0.005	-	-	-	-	-
8472	PRE N/mm2	Z	0.005	-	-	-	-	-
8473	PRE N/mm2	Z	0.005	-	-	-	-	-
8474	PRE N/mm2	Z	0.005	-	-	-	-	-
8475	PRE N/mm2	Z	0.005	-	-	-	-	-
8476	PRE N/mm2	Z	0.005	-	-	-	-	-
8477	PRE N/mm2	Z	0.005	-	-	-	-	-
8478	PRE N/mm2	Z	0.005	-	-	-	-	-
8479	PRE N/mm2	Z	0.005	-	-	-	-	-
8480	PRE N/mm2	Z	0.005	-	-	-	-	-
8481	PRE N/mm2	Z	0.005	-	-	-	-	-
8482	PRE N/mm2	Z	0.005	-	-	-	-	-
8483	PRE N/mm2	Z	0.005	-	-	-	-	-
8484	PRE N/mm2	Z	0.005	-	-	-	-	-
8485	PRE N/mm2	Z	0.005	-	-	-	-	-
8486	PRE N/mm2	Z	0.005	-	-	-	-	-
8487	PRE N/mm2	Z	0.005	-	-	-	-	-
8488	PRE N/mm2	Z	0.005	-	-	-	-	-
8489	PRE N/mm2	Z	0.005	-	-	-	-	-
8490	PRE N/mm2	Z	0.005	-	-	-	-	-
8491	PRE N/mm2	Z	0.005	-	-	-	-	-
8492	PRE N/mm2	Z	0.005	-	-	-	-	-
8493	PRE N/mm2	Z	0.005	-	-	-	-	-
8494	PRE N/mm2	Z	0.005	-	-	-	-	-
8495	PRE N/mm2	Z	0.005	-	-	-	-	-
8496	PRE N/mm2	Z	0.005	-	-	-	-	-
8497	PRE N/mm2	Z	0.005	-	-	-	-	-
8498	PRE N/mm2	Z	0.005	-	-	-	-	-
8499	PRE N/mm2	Z	0.005	-	-	-	-	-
8500	PRE N/mm2	Z	0.005	-	-	-	-	-
8501	PRE N/mm2	Z	0.005	-	-	-	-	-
8502	PRE N/mm2	Z	0.005	-	-	-	-	-
8503	PRE N/mm2	Z	0.005	-	-	-	-	-
8504	PRE N/mm2	Z	0.005	-	-	-	-	-
8505	PRE N/mm2	Z	0.005	-	-	-	-	-
8506	PRE N/mm2	Z	0.005	-	-	-	-	-
8507	PRE N/mm2	Z	0.005	-	-	-	-	-
8508	PRE N/mm2	Z	0.005	-	-	-	-	-
8509	PRE N/mm2	Z	0.005	-	-	-	-	-
8510	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8511	PRE N/mm2	Z	0.005	-	-	-	-	-
8512	PRE N/mm2	Z	0.005	-	-	-	-	-
8513	PRE N/mm2	Z	0.005	-	-	-	-	-
8514	PRE N/mm2	Z	0.005	-	-	-	-	-
8515	PRE N/mm2	Z	0.005	-	-	-	-	-
8516	PRE N/mm2	Z	0.005	-	-	-	-	-
8517	PRE N/mm2	Z	0.005	-	-	-	-	-
8518	PRE N/mm2	Z	0.005	-	-	-	-	-
8519	PRE N/mm2	Z	0.005	-	-	-	-	-
8520	PRE N/mm2	Z	0.005	-	-	-	-	-
8521	PRE N/mm2	Z	0.005	-	-	-	-	-
8522	PRE N/mm2	Z	0.005	-	-	-	-	-
8523	PRE N/mm2	Z	0.005	-	-	-	-	-
8524	PRE N/mm2	Z	0.005	-	-	-	-	-
8525	PRE N/mm2	Z	0.005	-	-	-	-	-
8526	PRE N/mm2	Z	0.005	-	-	-	-	-
8527	PRE N/mm2	Z	0.005	-	-	-	-	-
8528	PRE N/mm2	Z	0.005	-	-	-	-	-
8529	PRE N/mm2	Z	0.005	-	-	-	-	-
8530	PRE N/mm2	Z	0.005	-	-	-	-	-
8531	PRE N/mm2	Z	0.005	-	-	-	-	-
8622	PRE N/mm2	Z	0.005	-	-	-	-	-
8623	PRE N/mm2	Z	0.005	-	-	-	-	-
8624	PRE N/mm2	Z	0.005	-	-	-	-	-
8625	PRE N/mm2	Z	0.005	-	-	-	-	-
8626	PRE N/mm2	Z	0.005	-	-	-	-	-
8627	PRE N/mm2	Z	0.005	-	-	-	-	-
8628	PRE N/mm2	Z	0.005	-	-	-	-	-
8629	PRE N/mm2	Z	0.005	-	-	-	-	-
8630	PRE N/mm2	Z	0.005	-	-	-	-	-
8631	PRE N/mm2	Z	0.005	-	-	-	-	-
8632	PRE N/mm2	Z	0.005	-	-	-	-	-
8633	PRE N/mm2	Z	0.005	-	-	-	-	-
8634	PRE N/mm2	Z	0.005	-	-	-	-	-
8635	PRE N/mm2	Z	0.005	-	-	-	-	-
8636	PRE N/mm2	Z	0.005	-	-	-	-	-
8637	PRE N/mm2	Z	0.005	-	-	-	-	-
8638	PRE N/mm2	Z	0.005	-	-	-	-	-
8639	PRE N/mm2	Z	0.005	-	-	-	-	-
8640	PRE N/mm2	Z	0.005	-	-	-	-	-
8641	PRE N/mm2	Z	0.005	-	-	-	-	-
8642	PRE N/mm2	Z	0.005	-	-	-	-	-
8643	PRE N/mm2	Z	0.005	-	-	-	-	-
8644	PRE N/mm2	Z	0.005	-	-	-	-	-
8645	PRE N/mm2	Z	0.005	-	-	-	-	-
8646	PRE N/mm2	Z	0.005	-	-	-	-	-
8647	PRE N/mm2	Z	0.005	-	-	-	-	-
8648	PRE N/mm2	Z	0.005	-	-	-	-	-
8649	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8650	PRE N/mm2	Z	0.005	-	-	-	-	-
8651	PRE N/mm2	Z	0.005	-	-	-	-	-
8652	PRE N/mm2	Z	0.005	-	-	-	-	-
8653	PRE N/mm2	Z	0.005	-	-	-	-	-
8654	PRE N/mm2	Z	0.005	-	-	-	-	-
8655	PRE N/mm2	Z	0.005	-	-	-	-	-
8656	PRE N/mm2	Z	0.005	-	-	-	-	-
8657	PRE N/mm2	Z	0.005	-	-	-	-	-
8658	PRE N/mm2	Z	0.005	-	-	-	-	-
8659	PRE N/mm2	Z	0.005	-	-	-	-	-
8660	PRE N/mm2	Z	0.005	-	-	-	-	-
8661	PRE N/mm2	Z	0.005	-	-	-	-	-
8662	PRE N/mm2	Z	0.005	-	-	-	-	-
8663	PRE N/mm2	Z	0.005	-	-	-	-	-
8664	PRE N/mm2	Z	0.005	-	-	-	-	-
8665	PRE N/mm2	Z	0.005	-	-	-	-	-
8666	PRE N/mm2	Z	0.005	-	-	-	-	-
8667	PRE N/mm2	Z	0.005	-	-	-	-	-
8668	PRE N/mm2	Z	0.005	-	-	-	-	-
8669	PRE N/mm2	Z	0.005	-	-	-	-	-
8670	PRE N/mm2	Z	0.005	-	-	-	-	-
8671	PRE N/mm2	Z	0.005	-	-	-	-	-
8672	PRE N/mm2	Z	0.005	-	-	-	-	-
8673	PRE N/mm2	Z	0.005	-	-	-	-	-
8674	PRE N/mm2	Z	0.005	-	-	-	-	-
8675	PRE N/mm2	Z	0.005	-	-	-	-	-
8676	PRE N/mm2	Z	0.005	-	-	-	-	-
8677	PRE N/mm2	Z	0.005	-	-	-	-	-
8678	PRE N/mm2	Z	0.005	-	-	-	-	-
8679	PRE N/mm2	Z	0.005	-	-	-	-	-
8680	PRE N/mm2	Z	0.005	-	-	-	-	-
8681	PRE N/mm2	Z	0.005	-	-	-	-	-
8682	PRE N/mm2	Z	0.005	-	-	-	-	-
8683	PRE N/mm2	Z	0.005	-	-	-	-	-
8684	PRE N/mm2	Z	0.005	-	-	-	-	-
8685	PRE N/mm2	Z	0.005	-	-	-	-	-
8686	PRE N/mm2	Z	0.005	-	-	-	-	-
8687	PRE N/mm2	Z	0.005	-	-	-	-	-
8688	PRE N/mm2	Z	0.005	-	-	-	-	-
8689	PRE N/mm2	Z	0.005	-	-	-	-	-
8690	PRE N/mm2	Z	0.005	-	-	-	-	-
8691	PRE N/mm2	Z	0.005	-	-	-	-	-
8692	PRE N/mm2	Z	0.005	-	-	-	-	-
8693	PRE N/mm2	Z	0.005	-	-	-	-	-
8694	PRE N/mm2	Z	0.005	-	-	-	-	-
8695	PRE N/mm2	Z	0.005	-	-	-	-	-
8696	PRE N/mm2	Z	0.005	-	-	-	-	-
8697	PRE N/mm2	Z	0.005	-	-	-	-	-
8698	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8699	PRE N/mm2	Z	0.005	-	-	-	-	-
8780	PRE N/mm2	Z	0.005	-	-	-	-	-
8781	PRE N/mm2	Z	0.005	-	-	-	-	-
8782	PRE N/mm2	Z	0.005	-	-	-	-	-
8783	PRE N/mm2	Z	0.005	-	-	-	-	-
8784	PRE N/mm2	Z	0.005	-	-	-	-	-
8785	PRE N/mm2	Z	0.005	-	-	-	-	-
8786	PRE N/mm2	Z	0.005	-	-	-	-	-
8787	PRE N/mm2	Z	0.005	-	-	-	-	-
8788	PRE N/mm2	Z	0.005	-	-	-	-	-
8789	PRE N/mm2	Z	0.005	-	-	-	-	-
8790	PRE N/mm2	Z	0.005	-	-	-	-	-
8791	PRE N/mm2	Z	0.005	-	-	-	-	-
8792	PRE N/mm2	Z	0.005	-	-	-	-	-
8793	PRE N/mm2	Z	0.005	-	-	-	-	-
8794	PRE N/mm2	Z	0.005	-	-	-	-	-
8795	PRE N/mm2	Z	0.005	-	-	-	-	-
8796	PRE N/mm2	Z	0.005	-	-	-	-	-
8797	PRE N/mm2	Z	0.005	-	-	-	-	-
8798	PRE N/mm2	Z	0.005	-	-	-	-	-
8799	PRE N/mm2	Z	0.005	-	-	-	-	-
8800	PRE N/mm2	Z	0.005	-	-	-	-	-
8801	PRE N/mm2	Z	0.005	-	-	-	-	-
8802	PRE N/mm2	Z	0.005	-	-	-	-	-
8803	PRE N/mm2	Z	0.005	-	-	-	-	-
8804	PRE N/mm2	Z	0.005	-	-	-	-	-
8805	PRE N/mm2	Z	0.005	-	-	-	-	-
8806	PRE N/mm2	Z	0.005	-	-	-	-	-
8807	PRE N/mm2	Z	0.005	-	-	-	-	-
8808	PRE N/mm2	Z	0.005	-	-	-	-	-
8809	PRE N/mm2	Z	0.005	-	-	-	-	-
8810	PRE N/mm2	Z	0.005	-	-	-	-	-
8811	PRE N/mm2	Z	0.005	-	-	-	-	-
8812	PRE N/mm2	Z	0.005	-	-	-	-	-
8813	PRE N/mm2	Z	0.005	-	-	-	-	-
8814	PRE N/mm2	Z	0.005	-	-	-	-	-
8815	PRE N/mm2	Z	0.005	-	-	-	-	-
8816	PRE N/mm2	Z	0.005	-	-	-	-	-
8817	PRE N/mm2	Z	0.005	-	-	-	-	-
8818	PRE N/mm2	Z	0.005	-	-	-	-	-
8819	PRE N/mm2	Z	0.005	-	-	-	-	-
8820	PRE N/mm2	Z	0.005	-	-	-	-	-
8821	PRE N/mm2	Z	0.005	-	-	-	-	-
8822	PRE N/mm2	Z	0.005	-	-	-	-	-
8823	PRE N/mm2	Z	0.005	-	-	-	-	-
8824	PRE N/mm2	Z	0.005	-	-	-	-	-
8825	PRE N/mm2	Z	0.005	-	-	-	-	-
8826	PRE N/mm2	Z	0.005	-	-	-	-	-
8827	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8828	PRE N/mm2	Z	0.005	-	-	-	-	-
8829	PRE N/mm2	Z	0.005	-	-	-	-	-
8830	PRE N/mm2	Z	0.005	-	-	-	-	-
8831	PRE N/mm2	Z	0.005	-	-	-	-	-
8832	PRE N/mm2	Z	0.005	-	-	-	-	-
8833	PRE N/mm2	Z	0.005	-	-	-	-	-
8834	PRE N/mm2	Z	0.005	-	-	-	-	-
8835	PRE N/mm2	Z	0.005	-	-	-	-	-
8836	PRE N/mm2	Z	0.005	-	-	-	-	-
8837	PRE N/mm2	Z	0.005	-	-	-	-	-
8838	PRE N/mm2	Z	0.005	-	-	-	-	-
8839	PRE N/mm2	Z	0.005	-	-	-	-	-
8840	PRE N/mm2	Z	0.005	-	-	-	-	-
8841	PRE N/mm2	Z	0.005	-	-	-	-	-
8842	PRE N/mm2	Z	0.005	-	-	-	-	-
8843	PRE N/mm2	Z	0.005	-	-	-	-	-
8844	PRE N/mm2	Z	0.005	-	-	-	-	-
8845	PRE N/mm2	Z	0.005	-	-	-	-	-
8846	PRE N/mm2	Z	0.005	-	-	-	-	-
8847	PRE N/mm2	Z	0.005	-	-	-	-	-
8848	PRE N/mm2	Z	0.005	-	-	-	-	-
8849	PRE N/mm2	Z	0.005	-	-	-	-	-
8850	PRE N/mm2	Z	0.005	-	-	-	-	-
8851	PRE N/mm2	Z	0.005	-	-	-	-	-
8852	PRE N/mm2	Z	0.005	-	-	-	-	-
8853	PRE N/mm2	Z	0.005	-	-	-	-	-
8854	PRE N/mm2	Z	0.005	-	-	-	-	-
8855	PRE N/mm2	Z	0.005	-	-	-	-	-
8856	PRE N/mm2	Z	0.005	-	-	-	-	-
8857	PRE N/mm2	Z	0.005	-	-	-	-	-
8938	PRE N/mm2	Z	0.005	-	-	-	-	-
8939	PRE N/mm2	Z	0.005	-	-	-	-	-
8940	PRE N/mm2	Z	0.005	-	-	-	-	-
8941	PRE N/mm2	Z	0.005	-	-	-	-	-
8942	PRE N/mm2	Z	0.005	-	-	-	-	-
8943	PRE N/mm2	Z	0.005	-	-	-	-	-
8944	PRE N/mm2	Z	0.005	-	-	-	-	-
8945	PRE N/mm2	Z	0.005	-	-	-	-	-
8946	PRE N/mm2	Z	0.005	-	-	-	-	-
8947	PRE N/mm2	Z	0.005	-	-	-	-	-
8948	PRE N/mm2	Z	0.005	-	-	-	-	-
8949	PRE N/mm2	Z	0.005	-	-	-	-	-
8950	PRE N/mm2	Z	0.005	-	-	-	-	-
8951	PRE N/mm2	Z	0.005	-	-	-	-	-
8952	PRE N/mm2	Z	0.005	-	-	-	-	-
8953	PRE N/mm2	Z	0.005	-	-	-	-	-
8954	PRE N/mm2	Z	0.005	-	-	-	-	-
8955	PRE N/mm2	Z	0.005	-	-	-	-	-
8956	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8957	PRE N/mm2	Z	0.005	-	-	-	-	-
8958	PRE N/mm2	Z	0.005	-	-	-	-	-
8959	PRE N/mm2	Z	0.005	-	-	-	-	-
8960	PRE N/mm2	Z	0.005	-	-	-	-	-
8961	PRE N/mm2	Z	0.005	-	-	-	-	-
8962	PRE N/mm2	Z	0.005	-	-	-	-	-
8963	PRE N/mm2	Z	0.005	-	-	-	-	-
8964	PRE N/mm2	Z	0.005	-	-	-	-	-
8965	PRE N/mm2	Z	0.005	-	-	-	-	-
8966	PRE N/mm2	Z	0.005	-	-	-	-	-
8967	PRE N/mm2	Z	0.005	-	-	-	-	-
8968	PRE N/mm2	Z	0.005	-	-	-	-	-
8969	PRE N/mm2	Z	0.005	-	-	-	-	-
8970	PRE N/mm2	Z	0.005	-	-	-	-	-
8971	PRE N/mm2	Z	0.005	-	-	-	-	-
8972	PRE N/mm2	Z	0.005	-	-	-	-	-
8973	PRE N/mm2	Z	0.005	-	-	-	-	-
8974	PRE N/mm2	Z	0.005	-	-	-	-	-
8975	PRE N/mm2	Z	0.005	-	-	-	-	-
8976	PRE N/mm2	Z	0.005	-	-	-	-	-
8977	PRE N/mm2	Z	0.005	-	-	-	-	-
8978	PRE N/mm2	Z	0.005	-	-	-	-	-
8979	PRE N/mm2	Z	0.005	-	-	-	-	-
8980	PRE N/mm2	Z	0.005	-	-	-	-	-
8981	PRE N/mm2	Z	0.005	-	-	-	-	-
8982	PRE N/mm2	Z	0.005	-	-	-	-	-
8983	PRE N/mm2	Z	0.005	-	-	-	-	-
8984	PRE N/mm2	Z	0.005	-	-	-	-	-
8985	PRE N/mm2	Z	0.005	-	-	-	-	-
8986	PRE N/mm2	Z	0.005	-	-	-	-	-
8987	PRE N/mm2	Z	0.005	-	-	-	-	-
8988	PRE N/mm2	Z	0.005	-	-	-	-	-
8989	PRE N/mm2	Z	0.005	-	-	-	-	-
8990	PRE N/mm2	Z	0.005	-	-	-	-	-
8991	PRE N/mm2	Z	0.005	-	-	-	-	-
8992	PRE N/mm2	Z	0.005	-	-	-	-	-
8993	PRE N/mm2	Z	0.005	-	-	-	-	-
8994	PRE N/mm2	Z	0.005	-	-	-	-	-
8995	PRE N/mm2	Z	0.005	-	-	-	-	-
8996	PRE N/mm2	Z	0.005	-	-	-	-	-
8997	PRE N/mm2	Z	0.005	-	-	-	-	-
8998	PRE N/mm2	Z	0.005	-	-	-	-	-
8999	PRE N/mm2	Z	0.005	-	-	-	-	-
9000	PRE N/mm2	Z	0.005	-	-	-	-	-
9001	PRE N/mm2	Z	0.005	-	-	-	-	-
9002	PRE N/mm2	Z	0.005	-	-	-	-	-
9003	PRE N/mm2	Z	0.005	-	-	-	-	-
9004	PRE N/mm2	Z	0.005	-	-	-	-	-
9005	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9006	PRE N/mm2	Z	0.005	-	-	-	-	-
9007	PRE N/mm2	Z	0.005	-	-	-	-	-
9008	PRE N/mm2	Z	0.005	-	-	-	-	-
9009	PRE N/mm2	Z	0.005	-	-	-	-	-
9010	PRE N/mm2	Z	0.005	-	-	-	-	-
9011	PRE N/mm2	Z	0.005	-	-	-	-	-
9012	PRE N/mm2	Z	0.005	-	-	-	-	-
9013	PRE N/mm2	Z	0.005	-	-	-	-	-
9014	PRE N/mm2	Z	0.005	-	-	-	-	-
9015	PRE N/mm2	Z	0.005	-	-	-	-	-
9086	PRE N/mm2	Z	0.005	-	-	-	-	-
9087	PRE N/mm2	Z	0.005	-	-	-	-	-
9088	PRE N/mm2	Z	0.005	-	-	-	-	-
9089	PRE N/mm2	Z	0.005	-	-	-	-	-
9090	PRE N/mm2	Z	0.005	-	-	-	-	-
9091	PRE N/mm2	Z	0.005	-	-	-	-	-
9092	PRE N/mm2	Z	0.005	-	-	-	-	-
9093	PRE N/mm2	Z	0.005	-	-	-	-	-
9094	PRE N/mm2	Z	0.005	-	-	-	-	-
9095	PRE N/mm2	Z	0.005	-	-	-	-	-
9096	PRE N/mm2	Z	0.005	-	-	-	-	-
9097	PRE N/mm2	Z	0.005	-	-	-	-	-
9098	PRE N/mm2	Z	0.005	-	-	-	-	-
9099	PRE N/mm2	Z	0.005	-	-	-	-	-
9100	PRE N/mm2	Z	0.005	-	-	-	-	-
9101	PRE N/mm2	Z	0.005	-	-	-	-	-
9102	PRE N/mm2	Z	0.005	-	-	-	-	-
9103	PRE N/mm2	Z	0.005	-	-	-	-	-
9104	PRE N/mm2	Z	0.005	-	-	-	-	-
9105	PRE N/mm2	Z	0.005	-	-	-	-	-
9106	PRE N/mm2	Z	0.005	-	-	-	-	-
9107	PRE N/mm2	Z	0.005	-	-	-	-	-
9108	PRE N/mm2	Z	0.005	-	-	-	-	-
9109	PRE N/mm2	Z	0.005	-	-	-	-	-
9110	PRE N/mm2	Z	0.005	-	-	-	-	-
9111	PRE N/mm2	Z	0.005	-	-	-	-	-
9112	PRE N/mm2	Z	0.005	-	-	-	-	-
9113	PRE N/mm2	Z	0.005	-	-	-	-	-
9114	PRE N/mm2	Z	0.005	-	-	-	-	-
9115	PRE N/mm2	Z	0.005	-	-	-	-	-
9116	PRE N/mm2	Z	0.005	-	-	-	-	-
9117	PRE N/mm2	Z	0.005	-	-	-	-	-
9118	PRE N/mm2	Z	0.005	-	-	-	-	-
9119	PRE N/mm2	Z	0.005	-	-	-	-	-
9120	PRE N/mm2	Z	0.005	-	-	-	-	-
9121	PRE N/mm2	Z	0.005	-	-	-	-	-
9122	PRE N/mm2	Z	0.005	-	-	-	-	-
9123	PRE N/mm2	Z	0.005	-	-	-	-	-
9124	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9125	PRE N/mm2	Z	0.005	-	-	-	-	-
9126	PRE N/mm2	Z	0.005	-	-	-	-	-
9127	PRE N/mm2	Z	0.005	-	-	-	-	-
9128	PRE N/mm2	Z	0.005	-	-	-	-	-
9129	PRE N/mm2	Z	0.005	-	-	-	-	-
9130	PRE N/mm2	Z	0.005	-	-	-	-	-
9131	PRE N/mm2	Z	0.005	-	-	-	-	-
9132	PRE N/mm2	Z	0.005	-	-	-	-	-
9133	PRE N/mm2	Z	0.005	-	-	-	-	-
9134	PRE N/mm2	Z	0.005	-	-	-	-	-
9135	PRE N/mm2	Z	0.005	-	-	-	-	-
9136	PRE N/mm2	Z	0.005	-	-	-	-	-
9137	PRE N/mm2	Z	0.005	-	-	-	-	-
9138	PRE N/mm2	Z	0.005	-	-	-	-	-
9139	PRE N/mm2	Z	0.005	-	-	-	-	-
9140	PRE N/mm2	Z	0.005	-	-	-	-	-
9141	PRE N/mm2	Z	0.005	-	-	-	-	-
9142	PRE N/mm2	Z	0.005	-	-	-	-	-
9143	PRE N/mm2	Z	0.005	-	-	-	-	-
9144	PRE N/mm2	Z	0.005	-	-	-	-	-
9145	PRE N/mm2	Z	0.005	-	-	-	-	-
9146	PRE N/mm2	Z	0.005	-	-	-	-	-
9147	PRE N/mm2	Z	0.005	-	-	-	-	-
9148	PRE N/mm2	Z	0.005	-	-	-	-	-
9149	PRE N/mm2	Z	0.005	-	-	-	-	-
9150	PRE N/mm2	Z	0.005	-	-	-	-	-
9151	PRE N/mm2	Z	0.005	-	-	-	-	-
9152	PRE N/mm2	Z	0.005	-	-	-	-	-
9153	PRE N/mm2	Z	0.005	-	-	-	-	-
9154	PRE N/mm2	Z	0.005	-	-	-	-	-
9155	PRE N/mm2	Z	0.005	-	-	-	-	-
9156	PRE N/mm2	Z	0.005	-	-	-	-	-
9157	PRE N/mm2	Z	0.005	-	-	-	-	-
9158	PRE N/mm2	Z	0.005	-	-	-	-	-
9159	PRE N/mm2	Z	0.005	-	-	-	-	-
9160	PRE N/mm2	Z	0.005	-	-	-	-	-
9161	PRE N/mm2	Z	0.005	-	-	-	-	-
9162	PRE N/mm2	Z	0.005	-	-	-	-	-
9163	PRE N/mm2	Z	0.005	-	-	-	-	-
9234	PRE N/mm2	Z	0.005	-	-	-	-	-
9235	PRE N/mm2	Z	0.005	-	-	-	-	-
9236	PRE N/mm2	Z	0.005	-	-	-	-	-
9237	PRE N/mm2	Z	0.005	-	-	-	-	-
9238	PRE N/mm2	Z	0.005	-	-	-	-	-
9239	PRE N/mm2	Z	0.005	-	-	-	-	-
9240	PRE N/mm2	Z	0.005	-	-	-	-	-
9241	PRE N/mm2	Z	0.005	-	-	-	-	-
9242	PRE N/mm2	Z	0.005	-	-	-	-	-
9243	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9244	PRE N/mm2	Z	0.005	-	-	-	-	-
9245	PRE N/mm2	Z	0.005	-	-	-	-	-
9246	PRE N/mm2	Z	0.005	-	-	-	-	-
9247	PRE N/mm2	Z	0.005	-	-	-	-	-
9248	PRE N/mm2	Z	0.005	-	-	-	-	-
9249	PRE N/mm2	Z	0.005	-	-	-	-	-
9250	PRE N/mm2	Z	0.005	-	-	-	-	-
9251	PRE N/mm2	Z	0.005	-	-	-	-	-
9252	PRE N/mm2	Z	0.005	-	-	-	-	-
9253	PRE N/mm2	Z	0.005	-	-	-	-	-
9254	PRE N/mm2	Z	0.005	-	-	-	-	-
9255	PRE N/mm2	Z	0.005	-	-	-	-	-
9256	PRE N/mm2	Z	0.005	-	-	-	-	-
9257	PRE N/mm2	Z	0.005	-	-	-	-	-
9258	PRE N/mm2	Z	0.005	-	-	-	-	-
9259	PRE N/mm2	Z	0.005	-	-	-	-	-
9260	PRE N/mm2	Z	0.005	-	-	-	-	-
9261	PRE N/mm2	Z	0.005	-	-	-	-	-
9262	PRE N/mm2	Z	0.005	-	-	-	-	-
9263	PRE N/mm2	Z	0.005	-	-	-	-	-
9264	PRE N/mm2	Z	0.005	-	-	-	-	-
9265	PRE N/mm2	Z	0.005	-	-	-	-	-
9266	PRE N/mm2	Z	0.005	-	-	-	-	-
9267	PRE N/mm2	Z	0.005	-	-	-	-	-
9268	PRE N/mm2	Z	0.005	-	-	-	-	-
9269	PRE N/mm2	Z	0.005	-	-	-	-	-
9270	PRE N/mm2	Z	0.005	-	-	-	-	-
9271	PRE N/mm2	Z	0.005	-	-	-	-	-
9272	PRE N/mm2	Z	0.005	-	-	-	-	-
9273	PRE N/mm2	Z	0.005	-	-	-	-	-
9274	PRE N/mm2	Z	0.005	-	-	-	-	-
9275	PRE N/mm2	Z	0.005	-	-	-	-	-
9276	PRE N/mm2	Z	0.005	-	-	-	-	-
9277	PRE N/mm2	Z	0.005	-	-	-	-	-
9278	PRE N/mm2	Z	0.005	-	-	-	-	-
9279	PRE N/mm2	Z	0.005	-	-	-	-	-
9280	PRE N/mm2	Z	0.005	-	-	-	-	-
9281	PRE N/mm2	Z	0.005	-	-	-	-	-
9282	PRE N/mm2	Z	0.005	-	-	-	-	-
9283	PRE N/mm2	Z	0.005	-	-	-	-	-
9284	PRE N/mm2	Z	0.005	-	-	-	-	-
9285	PRE N/mm2	Z	0.005	-	-	-	-	-
9286	PRE N/mm2	Z	0.005	-	-	-	-	-
9287	PRE N/mm2	Z	0.005	-	-	-	-	-
9288	PRE N/mm2	Z	0.005	-	-	-	-	-
9289	PRE N/mm2	Z	0.005	-	-	-	-	-
9290	PRE N/mm2	Z	0.005	-	-	-	-	-
9291	PRE N/mm2	Z	0.005	-	-	-	-	-
9292	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9293	PRE N/mm2	Z	0.005	-	-	-	-	-
9294	PRE N/mm2	Z	0.005	-	-	-	-	-
9295	PRE N/mm2	Z	0.005	-	-	-	-	-
9296	PRE N/mm2	Z	0.005	-	-	-	-	-
9297	PRE N/mm2	Z	0.005	-	-	-	-	-
9298	PRE N/mm2	Z	0.005	-	-	-	-	-
9299	PRE N/mm2	Z	0.005	-	-	-	-	-
9300	PRE N/mm2	Z	0.005	-	-	-	-	-
9301	PRE N/mm2	Z	0.005	-	-	-	-	-
9302	PRE N/mm2	Z	0.005	-	-	-	-	-
9303	PRE N/mm2	Z	0.005	-	-	-	-	-
9304	PRE N/mm2	Z	0.005	-	-	-	-	-
9305	PRE N/mm2	Z	0.005	-	-	-	-	-
9306	PRE N/mm2	Z	0.005	-	-	-	-	-
9307	PRE N/mm2	Z	0.005	-	-	-	-	-
9308	PRE N/mm2	Z	0.005	-	-	-	-	-
9309	PRE N/mm2	Z	0.005	-	-	-	-	-
9310	PRE N/mm2	Z	0.005	-	-	-	-	-
9311	PRE N/mm2	Z	0.005	-	-	-	-	-
9372	PRE N/mm2	Z	0.005	-	-	-	-	-
9373	PRE N/mm2	Z	0.005	-	-	-	-	-
9374	PRE N/mm2	Z	0.005	-	-	-	-	-
9375	PRE N/mm2	Z	0.005	-	-	-	-	-
9376	PRE N/mm2	Z	0.005	-	-	-	-	-
9377	PRE N/mm2	Z	0.005	-	-	-	-	-
9378	PRE N/mm2	Z	0.005	-	-	-	-	-
9379	PRE N/mm2	Z	0.005	-	-	-	-	-
9380	PRE N/mm2	Z	0.005	-	-	-	-	-
9381	PRE N/mm2	Z	0.005	-	-	-	-	-
9382	PRE N/mm2	Z	0.005	-	-	-	-	-
9383	PRE N/mm2	Z	0.005	-	-	-	-	-
9384	PRE N/mm2	Z	0.005	-	-	-	-	-
9385	PRE N/mm2	Z	0.005	-	-	-	-	-
9386	PRE N/mm2	Z	0.005	-	-	-	-	-
9387	PRE N/mm2	Z	0.005	-	-	-	-	-
9388	PRE N/mm2	Z	0.005	-	-	-	-	-
9389	PRE N/mm2	Z	0.005	-	-	-	-	-
9390	PRE N/mm2	Z	0.005	-	-	-	-	-
9391	PRE N/mm2	Z	0.005	-	-	-	-	-
9392	PRE N/mm2	Z	0.005	-	-	-	-	-
9393	PRE N/mm2	Z	0.005	-	-	-	-	-
9394	PRE N/mm2	Z	0.005	-	-	-	-	-
9395	PRE N/mm2	Z	0.005	-	-	-	-	-
9396	PRE N/mm2	Z	0.005	-	-	-	-	-
9397	PRE N/mm2	Z	0.005	-	-	-	-	-
9398	PRE N/mm2	Z	0.005	-	-	-	-	-
9399	PRE N/mm2	Z	0.005	-	-	-	-	-
9400	PRE N/mm2	Z	0.005	-	-	-	-	-
9401	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9402	PRE N/mm2	Z	0.005	-	-	-	-	-
9403	PRE N/mm2	Z	0.005	-	-	-	-	-
9404	PRE N/mm2	Z	0.005	-	-	-	-	-
9405	PRE N/mm2	Z	0.005	-	-	-	-	-
9406	PRE N/mm2	Z	0.005	-	-	-	-	-
9407	PRE N/mm2	Z	0.005	-	-	-	-	-
9408	PRE N/mm2	Z	0.005	-	-	-	-	-
9409	PRE N/mm2	Z	0.005	-	-	-	-	-
9410	PRE N/mm2	Z	0.005	-	-	-	-	-
9411	PRE N/mm2	Z	0.005	-	-	-	-	-
9412	PRE N/mm2	Z	0.005	-	-	-	-	-
9413	PRE N/mm2	Z	0.005	-	-	-	-	-
9414	PRE N/mm2	Z	0.005	-	-	-	-	-
9415	PRE N/mm2	Z	0.005	-	-	-	-	-
9416	PRE N/mm2	Z	0.005	-	-	-	-	-
9417	PRE N/mm2	Z	0.005	-	-	-	-	-
9418	PRE N/mm2	Z	0.005	-	-	-	-	-
9419	PRE N/mm2	Z	0.005	-	-	-	-	-
9420	PRE N/mm2	Z	0.005	-	-	-	-	-
9421	PRE N/mm2	Z	0.005	-	-	-	-	-
9422	PRE N/mm2	Z	0.005	-	-	-	-	-
9423	PRE N/mm2	Z	0.005	-	-	-	-	-
9424	PRE N/mm2	Z	0.005	-	-	-	-	-
9425	PRE N/mm2	Z	0.005	-	-	-	-	-
9426	PRE N/mm2	Z	0.005	-	-	-	-	-
9427	PRE N/mm2	Z	0.005	-	-	-	-	-
9428	PRE N/mm2	Z	0.005	-	-	-	-	-
9429	PRE N/mm2	Z	0.005	-	-	-	-	-
9430	PRE N/mm2	Z	0.005	-	-	-	-	-
9431	PRE N/mm2	Z	0.005	-	-	-	-	-
9432	PRE N/mm2	Z	0.005	-	-	-	-	-
9433	PRE N/mm2	Z	0.005	-	-	-	-	-
9434	PRE N/mm2	Z	0.005	-	-	-	-	-
9435	PRE N/mm2	Z	0.005	-	-	-	-	-
9436	PRE N/mm2	Z	0.005	-	-	-	-	-
9437	PRE N/mm2	Z	0.005	-	-	-	-	-
9438	PRE N/mm2	Z	0.005	-	-	-	-	-
9439	PRE N/mm2	Z	0.005	-	-	-	-	-
9440	PRE N/mm2	Z	0.005	-	-	-	-	-
9441	PRE N/mm2	Z	0.005	-	-	-	-	-
9442	PRE N/mm2	Z	0.005	-	-	-	-	-
9443	PRE N/mm2	Z	0.005	-	-	-	-	-
9444	PRE N/mm2	Z	0.005	-	-	-	-	-
9445	PRE N/mm2	Z	0.005	-	-	-	-	-
9446	PRE N/mm2	Z	0.005	-	-	-	-	-
9447	PRE N/mm2	Z	0.005	-	-	-	-	-
9448	PRE N/mm2	Z	0.005	-	-	-	-	-
9449	PRE N/mm2	Z	0.005	-	-	-	-	-
9510	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9511	PRE N/mm2	Z	0.005	-	-	-	-	-
9512	PRE N/mm2	Z	0.005	-	-	-	-	-
9513	PRE N/mm2	Z	0.005	-	-	-	-	-
9514	PRE N/mm2	Z	0.005	-	-	-	-	-
9515	PRE N/mm2	Z	0.005	-	-	-	-	-
9516	PRE N/mm2	Z	0.005	-	-	-	-	-
9517	PRE N/mm2	Z	0.005	-	-	-	-	-
9518	PRE N/mm2	Z	0.005	-	-	-	-	-
9519	PRE N/mm2	Z	0.005	-	-	-	-	-
9520	PRE N/mm2	Z	0.005	-	-	-	-	-
9521	PRE N/mm2	Z	0.005	-	-	-	-	-
9522	PRE N/mm2	Z	0.005	-	-	-	-	-
9523	PRE N/mm2	Z	0.005	-	-	-	-	-
9524	PRE N/mm2	Z	0.005	-	-	-	-	-
9525	PRE N/mm2	Z	0.005	-	-	-	-	-
9526	PRE N/mm2	Z	0.005	-	-	-	-	-
9527	PRE N/mm2	Z	0.005	-	-	-	-	-
9528	PRE N/mm2	Z	0.005	-	-	-	-	-
9529	PRE N/mm2	Z	0.005	-	-	-	-	-
9530	PRE N/mm2	Z	0.005	-	-	-	-	-
9531	PRE N/mm2	Z	0.005	-	-	-	-	-
9532	PRE N/mm2	Z	0.005	-	-	-	-	-
9533	PRE N/mm2	Z	0.005	-	-	-	-	-
9534	PRE N/mm2	Z	0.005	-	-	-	-	-
9535	PRE N/mm2	Z	0.005	-	-	-	-	-
9536	PRE N/mm2	Z	0.005	-	-	-	-	-
9537	PRE N/mm2	Z	0.005	-	-	-	-	-
9538	PRE N/mm2	Z	0.005	-	-	-	-	-
9539	PRE N/mm2	Z	0.005	-	-	-	-	-
9540	PRE N/mm2	Z	0.005	-	-	-	-	-
9541	PRE N/mm2	Z	0.005	-	-	-	-	-
9542	PRE N/mm2	Z	0.005	-	-	-	-	-
9543	PRE N/mm2	Z	0.005	-	-	-	-	-
9544	PRE N/mm2	Z	0.005	-	-	-	-	-
9545	PRE N/mm2	Z	0.005	-	-	-	-	-
9546	PRE N/mm2	Z	0.005	-	-	-	-	-
9547	PRE N/mm2	Z	0.005	-	-	-	-	-
9548	PRE N/mm2	Z	0.005	-	-	-	-	-
9549	PRE N/mm2	Z	0.005	-	-	-	-	-
9550	PRE N/mm2	Z	0.005	-	-	-	-	-
9551	PRE N/mm2	Z	0.005	-	-	-	-	-
9552	PRE N/mm2	Z	0.005	-	-	-	-	-
9553	PRE N/mm2	Z	0.005	-	-	-	-	-
9554	PRE N/mm2	Z	0.005	-	-	-	-	-
9555	PRE N/mm2	Z	0.005	-	-	-	-	-
9556	PRE N/mm2	Z	0.005	-	-	-	-	-
9557	PRE N/mm2	Z	0.005	-	-	-	-	-
9558	PRE N/mm2	Z	0.005	-	-	-	-	-
9559	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9560	PRE N/mm2	Z	0.005	-	-	-	-	-
9561	PRE N/mm2	Z	0.005	-	-	-	-	-
9562	PRE N/mm2	Z	0.005	-	-	-	-	-
9563	PRE N/mm2	Z	0.005	-	-	-	-	-
9564	PRE N/mm2	Z	0.005	-	-	-	-	-
9565	PRE N/mm2	Z	0.005	-	-	-	-	-
9566	PRE N/mm2	Z	0.005	-	-	-	-	-
9567	PRE N/mm2	Z	0.005	-	-	-	-	-
9568	PRE N/mm2	Z	0.005	-	-	-	-	-
9569	PRE N/mm2	Z	0.005	-	-	-	-	-
9570	PRE N/mm2	Z	0.005	-	-	-	-	-
9571	PRE N/mm2	Z	0.005	-	-	-	-	-
9572	PRE N/mm2	Z	0.005	-	-	-	-	-
9573	PRE N/mm2	Z	0.005	-	-	-	-	-
9574	PRE N/mm2	Z	0.005	-	-	-	-	-
9575	PRE N/mm2	Z	0.005	-	-	-	-	-
9576	PRE N/mm2	Z	0.005	-	-	-	-	-
9577	PRE N/mm2	Z	0.005	-	-	-	-	-
9578	PRE N/mm2	Z	0.005	-	-	-	-	-
9579	PRE N/mm2	Z	0.005	-	-	-	-	-
9580	PRE N/mm2	Z	0.005	-	-	-	-	-
9581	PRE N/mm2	Z	0.005	-	-	-	-	-
9582	PRE N/mm2	Z	0.005	-	-	-	-	-
9583	PRE N/mm2	Z	0.005	-	-	-	-	-
9584	PRE N/mm2	Z	0.005	-	-	-	-	-
9585	PRE N/mm2	Z	0.005	-	-	-	-	-
9586	PRE N/mm2	Z	0.005	-	-	-	-	-
9587	PRE N/mm2	Z	0.005	-	-	-	-	-
9638	PRE N/mm2	Z	0.005	-	-	-	-	-
9639	PRE N/mm2	Z	0.005	-	-	-	-	-
9640	PRE N/mm2	Z	0.005	-	-	-	-	-
9641	PRE N/mm2	Z	0.005	-	-	-	-	-
9642	PRE N/mm2	Z	0.005	-	-	-	-	-
9643	PRE N/mm2	Z	0.005	-	-	-	-	-
9644	PRE N/mm2	Z	0.005	-	-	-	-	-
9645	PRE N/mm2	Z	0.005	-	-	-	-	-
9646	PRE N/mm2	Z	0.005	-	-	-	-	-
9647	PRE N/mm2	Z	0.005	-	-	-	-	-
9648	PRE N/mm2	Z	0.005	-	-	-	-	-
9649	PRE N/mm2	Z	0.005	-	-	-	-	-
9650	PRE N/mm2	Z	0.005	-	-	-	-	-
9651	PRE N/mm2	Z	0.005	-	-	-	-	-
9652	PRE N/mm2	Z	0.005	-	-	-	-	-
9653	PRE N/mm2	Z	0.005	-	-	-	-	-
9654	PRE N/mm2	Z	0.005	-	-	-	-	-
9655	PRE N/mm2	Z	0.005	-	-	-	-	-
9656	PRE N/mm2	Z	0.005	-	-	-	-	-
9657	PRE N/mm2	Z	0.005	-	-	-	-	-
9658	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9659	PRE N/mm2	Z	0.005	-	-	-	-	-
9660	PRE N/mm2	Z	0.005	-	-	-	-	-
9661	PRE N/mm2	Z	0.005	-	-	-	-	-
9662	PRE N/mm2	Z	0.005	-	-	-	-	-
9663	PRE N/mm2	Z	0.005	-	-	-	-	-
9664	PRE N/mm2	Z	0.005	-	-	-	-	-
9665	PRE N/mm2	Z	0.005	-	-	-	-	-
9666	PRE N/mm2	Z	0.005	-	-	-	-	-
9667	PRE N/mm2	Z	0.005	-	-	-	-	-
9668	PRE N/mm2	Z	0.005	-	-	-	-	-
9669	PRE N/mm2	Z	0.005	-	-	-	-	-
9670	PRE N/mm2	Z	0.005	-	-	-	-	-
9671	PRE N/mm2	Z	0.005	-	-	-	-	-
9672	PRE N/mm2	Z	0.005	-	-	-	-	-
9673	PRE N/mm2	Z	0.005	-	-	-	-	-
9674	PRE N/mm2	Z	0.005	-	-	-	-	-
9675	PRE N/mm2	Z	0.005	-	-	-	-	-
9676	PRE N/mm2	Z	0.005	-	-	-	-	-
9677	PRE N/mm2	Z	0.005	-	-	-	-	-
9678	PRE N/mm2	Z	0.005	-	-	-	-	-
9679	PRE N/mm2	Z	0.005	-	-	-	-	-
9680	PRE N/mm2	Z	0.005	-	-	-	-	-
9681	PRE N/mm2	Z	0.005	-	-	-	-	-
9682	PRE N/mm2	Z	0.005	-	-	-	-	-
9683	PRE N/mm2	Z	0.005	-	-	-	-	-
9684	PRE N/mm2	Z	0.005	-	-	-	-	-
9685	PRE N/mm2	Z	0.005	-	-	-	-	-
9686	PRE N/mm2	Z	0.005	-	-	-	-	-
9687	PRE N/mm2	Z	0.005	-	-	-	-	-
9688	PRE N/mm2	Z	0.005	-	-	-	-	-
9689	PRE N/mm2	Z	0.005	-	-	-	-	-
9690	PRE N/mm2	Z	0.005	-	-	-	-	-
9691	PRE N/mm2	Z	0.005	-	-	-	-	-
9692	PRE N/mm2	Z	0.005	-	-	-	-	-
9693	PRE N/mm2	Z	0.005	-	-	-	-	-
9694	PRE N/mm2	Z	0.005	-	-	-	-	-
9695	PRE N/mm2	Z	0.005	-	-	-	-	-
9696	PRE N/mm2	Z	0.005	-	-	-	-	-
9697	PRE N/mm2	Z	0.005	-	-	-	-	-
9698	PRE N/mm2	Z	0.005	-	-	-	-	-
9699	PRE N/mm2	Z	0.005	-	-	-	-	-
9700	PRE N/mm2	Z	0.005	-	-	-	-	-
9701	PRE N/mm2	Z	0.005	-	-	-	-	-
9702	PRE N/mm2	Z	0.005	-	-	-	-	-
9703	PRE N/mm2	Z	0.005	-	-	-	-	-
9704	PRE N/mm2	Z	0.005	-	-	-	-	-
9705	PRE N/mm2	Z	0.005	-	-	-	-	-
9706	PRE N/mm2	Z	0.005	-	-	-	-	-
9707	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9708	PRE N/mm2	Z	0.005	-	-	-	-	-
9709	PRE N/mm2	Z	0.005	-	-	-	-	-
9710	PRE N/mm2	Z	0.005	-	-	-	-	-
9711	PRE N/mm2	Z	0.005	-	-	-	-	-
9712	PRE N/mm2	Z	0.005	-	-	-	-	-
9713	PRE N/mm2	Z	0.005	-	-	-	-	-
9714	PRE N/mm2	Z	0.005	-	-	-	-	-
9715	PRE N/mm2	Z	0.005	-	-	-	-	-
9766	PRE N/mm2	Z	0.005	-	-	-	-	-
9767	PRE N/mm2	Z	0.005	-	-	-	-	-
9768	PRE N/mm2	Z	0.005	-	-	-	-	-
9769	PRE N/mm2	Z	0.005	-	-	-	-	-
9770	PRE N/mm2	Z	0.005	-	-	-	-	-
9771	PRE N/mm2	Z	0.005	-	-	-	-	-
9772	PRE N/mm2	Z	0.005	-	-	-	-	-
9773	PRE N/mm2	Z	0.005	-	-	-	-	-
9774	PRE N/mm2	Z	0.005	-	-	-	-	-
9775	PRE N/mm2	Z	0.005	-	-	-	-	-
9776	PRE N/mm2	Z	0.005	-	-	-	-	-
9777	PRE N/mm2	Z	0.005	-	-	-	-	-
9778	PRE N/mm2	Z	0.005	-	-	-	-	-
9779	PRE N/mm2	Z	0.005	-	-	-	-	-
9780	PRE N/mm2	Z	0.005	-	-	-	-	-
9781	PRE N/mm2	Z	0.005	-	-	-	-	-
9782	PRE N/mm2	Z	0.005	-	-	-	-	-
9783	PRE N/mm2	Z	0.005	-	-	-	-	-
9784	PRE N/mm2	Z	0.005	-	-	-	-	-
9785	PRE N/mm2	Z	0.005	-	-	-	-	-
9786	PRE N/mm2	Z	0.005	-	-	-	-	-
9787	PRE N/mm2	Z	0.005	-	-	-	-	-
9788	PRE N/mm2	Z	0.005	-	-	-	-	-
9789	PRE N/mm2	Z	0.005	-	-	-	-	-
9790	PRE N/mm2	Z	0.005	-	-	-	-	-
9791	PRE N/mm2	Z	0.005	-	-	-	-	-
9792	PRE N/mm2	Z	0.005	-	-	-	-	-
9793	PRE N/mm2	Z	0.005	-	-	-	-	-
9794	PRE N/mm2	Z	0.005	-	-	-	-	-
9795	PRE N/mm2	Z	0.005	-	-	-	-	-
9796	PRE N/mm2	Z	0.005	-	-	-	-	-
9797	PRE N/mm2	Z	0.005	-	-	-	-	-
9798	PRE N/mm2	Z	0.005	-	-	-	-	-
9799	PRE N/mm2	Z	0.005	-	-	-	-	-
9800	PRE N/mm2	Z	0.005	-	-	-	-	-
9801	PRE N/mm2	Z	0.005	-	-	-	-	-
9802	PRE N/mm2	Z	0.005	-	-	-	-	-
9803	PRE N/mm2	Z	0.005	-	-	-	-	-
9804	PRE N/mm2	Z	0.005	-	-	-	-	-
9805	PRE N/mm2	Z	0.005	-	-	-	-	-
9806	PRE N/mm2	Z	0.005	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9807	PRE N/mm2	Z	0.005	-	-	-	-	-
9808	PRE N/mm2	Z	0.005	-	-	-	-	-
9809	PRE N/mm2	Z	0.005	-	-	-	-	-
9810	PRE N/mm2	Z	0.005	-	-	-	-	-
9811	PRE N/mm2	Z	0.005	-	-	-	-	-
9812	PRE N/mm2	Z	0.005	-	-	-	-	-
9813	PRE N/mm2	Z	0.005	-	-	-	-	-
9814	PRE N/mm2	Z	0.005	-	-	-	-	-
9815	PRE N/mm2	Z	0.005	-	-	-	-	-
9816	PRE N/mm2	Z	0.005	-	-	-	-	-
9817	PRE N/mm2	Z	0.005	-	-	-	-	-
9818	PRE N/mm2	Z	0.005	-	-	-	-	-
9819	PRE N/mm2	Z	0.005	-	-	-	-	-
9820	PRE N/mm2	Z	0.005	-	-	-	-	-
9821	PRE N/mm2	Z	0.005	-	-	-	-	-
9822	PRE N/mm2	Z	0.005	-	-	-	-	-
9823	PRE N/mm2	Z	0.005	-	-	-	-	-
9824	PRE N/mm2	Z	0.005	-	-	-	-	-
9825	PRE N/mm2	Z	0.005	-	-	-	-	-
9826	PRE N/mm2	Z	0.005	-	-	-	-	-
9827	PRE N/mm2	Z	0.005	-	-	-	-	-
9828	PRE N/mm2	Z	0.005	-	-	-	-	-
9829	PRE N/mm2	Z	0.005	-	-	-	-	-
9830	PRE N/mm2	Z	0.005	-	-	-	-	-
9831	PRE N/mm2	Z	0.005	-	-	-	-	-
9832	PRE N/mm2	Z	0.005	-	-	-	-	-
9833	PRE N/mm2	Z	0.005	-	-	-	-	-
9834	PRE N/mm2	Z	0.005	-	-	-	-	-
9835	PRE N/mm2	Z	0.005	-	-	-	-	-
9836	PRE N/mm2	Z	0.005	-	-	-	-	-
9837	PRE N/mm2	Z	0.005	-	-	-	-	-
9838	PRE N/mm2	Z	0.005	-	-	-	-	-
9839	PRE N/mm2	Z	0.005	-	-	-	-	-
9840	PRE N/mm2	Z	0.005	-	-	-	-	-
9841	PRE N/mm2	Z	0.005	-	-	-	-	-
9842	PRE N/mm2	Z	0.005	-	-	-	-	-
9843	PRE N/mm2	Z	0.005	-	-	-	-	-
9884	PRE N/mm2	Z	0.005	-	-	-	-	-
9885	PRE N/mm2	Z	0.005	-	-	-	-	-
9886	PRE N/mm2	Z	0.005	-	-	-	-	-
9887	PRE N/mm2	Z	0.005	-	-	-	-	-
9888	PRE N/mm2	Z	0.005	-	-	-	-	-
9889	PRE N/mm2	Z	0.005	-	-	-	-	-
9890	PRE N/mm2	Z	0.005	-	-	-	-	-
9891	PRE N/mm2	Z	0.005	-	-	-	-	-
9892	PRE N/mm2	Z	0.005	-	-	-	-	-
9893	PRE N/mm2	Z	0.005	-	-	-	-	-
9894	PRE N/mm2	Z	0.005	-	-	-	-	-
9895	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9896	PRE N/mm2	Z	0.005	-	-	-	-	-
9897	PRE N/mm2	Z	0.005	-	-	-	-	-
9898	PRE N/mm2	Z	0.005	-	-	-	-	-
9899	PRE N/mm2	Z	0.005	-	-	-	-	-
9900	PRE N/mm2	Z	0.005	-	-	-	-	-
9901	PRE N/mm2	Z	0.005	-	-	-	-	-
9902	PRE N/mm2	Z	0.005	-	-	-	-	-
9903	PRE N/mm2	Z	0.005	-	-	-	-	-
9904	PRE N/mm2	Z	0.005	-	-	-	-	-
9905	PRE N/mm2	Z	0.005	-	-	-	-	-
9906	PRE N/mm2	Z	0.005	-	-	-	-	-
9907	PRE N/mm2	Z	0.005	-	-	-	-	-
9908	PRE N/mm2	Z	0.005	-	-	-	-	-
9909	PRE N/mm2	Z	0.005	-	-	-	-	-
9910	PRE N/mm2	Z	0.005	-	-	-	-	-
9911	PRE N/mm2	Z	0.005	-	-	-	-	-
9912	PRE N/mm2	Z	0.005	-	-	-	-	-
9913	PRE N/mm2	Z	0.005	-	-	-	-	-
9914	PRE N/mm2	Z	0.005	-	-	-	-	-
9915	PRE N/mm2	Z	0.005	-	-	-	-	-
9916	PRE N/mm2	Z	0.005	-	-	-	-	-
9917	PRE N/mm2	Z	0.005	-	-	-	-	-
9918	PRE N/mm2	Z	0.005	-	-	-	-	-
9919	PRE N/mm2	Z	0.005	-	-	-	-	-
9920	PRE N/mm2	Z	0.005	-	-	-	-	-
9921	PRE N/mm2	Z	0.005	-	-	-	-	-
9922	PRE N/mm2	Z	0.005	-	-	-	-	-
9923	PRE N/mm2	Z	0.005	-	-	-	-	-
9924	PRE N/mm2	Z	0.005	-	-	-	-	-
9925	PRE N/mm2	Z	0.005	-	-	-	-	-
9926	PRE N/mm2	Z	0.005	-	-	-	-	-
9927	PRE N/mm2	Z	0.005	-	-	-	-	-
9928	PRE N/mm2	Z	0.005	-	-	-	-	-
9929	PRE N/mm2	Z	0.005	-	-	-	-	-
9930	PRE N/mm2	Z	0.005	-	-	-	-	-
9931	PRE N/mm2	Z	0.005	-	-	-	-	-
9932	PRE N/mm2	Z	0.005	-	-	-	-	-
9933	PRE N/mm2	Z	0.005	-	-	-	-	-
9934	PRE N/mm2	Z	0.005	-	-	-	-	-
9935	PRE N/mm2	Z	0.005	-	-	-	-	-
9936	PRE N/mm2	Z	0.005	-	-	-	-	-
9937	PRE N/mm2	Z	0.005	-	-	-	-	-
9938	PRE N/mm2	Z	0.005	-	-	-	-	-
9939	PRE N/mm2	Z	0.005	-	-	-	-	-
9940	PRE N/mm2	Z	0.005	-	-	-	-	-
9941	PRE N/mm2	Z	0.005	-	-	-	-	-
9942	PRE N/mm2	Z	0.005	-	-	-	-	-
9943	PRE N/mm2	Z	0.005	-	-	-	-	-
9944	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9945	PRE N/mm2	Z	0.005	-	-	-	-	-
9946	PRE N/mm2	Z	0.005	-	-	-	-	-
9947	PRE N/mm2	Z	0.005	-	-	-	-	-
9948	PRE N/mm2	Z	0.005	-	-	-	-	-
9949	PRE N/mm2	Z	0.005	-	-	-	-	-
9950	PRE N/mm2	Z	0.005	-	-	-	-	-
9951	PRE N/mm2	Z	0.005	-	-	-	-	-
9952	PRE N/mm2	Z	0.005	-	-	-	-	-
9953	PRE N/mm2	Z	0.005	-	-	-	-	-
9954	PRE N/mm2	Z	0.005	-	-	-	-	-
9955	PRE N/mm2	Z	0.005	-	-	-	-	-
9956	PRE N/mm2	Z	0.005	-	-	-	-	-
9957	PRE N/mm2	Z	0.005	-	-	-	-	-
9958	PRE N/mm2	Z	0.005	-	-	-	-	-
9959	PRE N/mm2	Z	0.005	-	-	-	-	-
9960	PRE N/mm2	Z	0.005	-	-	-	-	-
9961	PRE N/mm2	Z	0.005	-	-	-	-	-
10002	PRE N/mm2	Z	0.005	-	-	-	-	-
10003	PRE N/mm2	Z	0.005	-	-	-	-	-
10004	PRE N/mm2	Z	0.005	-	-	-	-	-
10005	PRE N/mm2	Z	0.005	-	-	-	-	-
10006	PRE N/mm2	Z	0.005	-	-	-	-	-
10007	PRE N/mm2	Z	0.005	-	-	-	-	-
10008	PRE N/mm2	Z	0.005	-	-	-	-	-
10009	PRE N/mm2	Z	0.005	-	-	-	-	-
10010	PRE N/mm2	Z	0.005	-	-	-	-	-
10011	PRE N/mm2	Z	0.005	-	-	-	-	-
10012	PRE N/mm2	Z	0.005	-	-	-	-	-
10013	PRE N/mm2	Z	0.005	-	-	-	-	-
10014	PRE N/mm2	Z	0.005	-	-	-	-	-
10015	PRE N/mm2	Z	0.005	-	-	-	-	-
10016	PRE N/mm2	Z	0.005	-	-	-	-	-
10017	PRE N/mm2	Z	0.005	-	-	-	-	-
10018	PRE N/mm2	Z	0.005	-	-	-	-	-
10019	PRE N/mm2	Z	0.005	-	-	-	-	-
10020	PRE N/mm2	Z	0.005	-	-	-	-	-
10021	PRE N/mm2	Z	0.005	-	-	-	-	-
10022	PRE N/mm2	Z	0.005	-	-	-	-	-
10023	PRE N/mm2	Z	0.005	-	-	-	-	-
10024	PRE N/mm2	Z	0.005	-	-	-	-	-
10025	PRE N/mm2	Z	0.005	-	-	-	-	-
10026	PRE N/mm2	Z	0.005	-	-	-	-	-
10027	PRE N/mm2	Z	0.005	-	-	-	-	-
10028	PRE N/mm2	Z	0.005	-	-	-	-	-
10029	PRE N/mm2	Z	0.005	-	-	-	-	-
10030	PRE N/mm2	Z	0.005	-	-	-	-	-
10031	PRE N/mm2	Z	0.005	-	-	-	-	-
10032	PRE N/mm2	Z	0.005	-	-	-	-	-
10033	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10034	PRE N/mm2	Z	0.005	-	-	-	-	-
10035	PRE N/mm2	Z	0.005	-	-	-	-	-
10036	PRE N/mm2	Z	0.005	-	-	-	-	-
10037	PRE N/mm2	Z	0.005	-	-	-	-	-
10038	PRE N/mm2	Z	0.005	-	-	-	-	-
10039	PRE N/mm2	Z	0.005	-	-	-	-	-
10040	PRE N/mm2	Z	0.005	-	-	-	-	-
10041	PRE N/mm2	Z	0.005	-	-	-	-	-
10042	PRE N/mm2	Z	0.005	-	-	-	-	-
10043	PRE N/mm2	Z	0.005	-	-	-	-	-
10044	PRE N/mm2	Z	0.005	-	-	-	-	-
10045	PRE N/mm2	Z	0.005	-	-	-	-	-
10046	PRE N/mm2	Z	0.005	-	-	-	-	-
10047	PRE N/mm2	Z	0.005	-	-	-	-	-
10048	PRE N/mm2	Z	0.005	-	-	-	-	-
10049	PRE N/mm2	Z	0.005	-	-	-	-	-
10050	PRE N/mm2	Z	0.005	-	-	-	-	-
10051	PRE N/mm2	Z	0.005	-	-	-	-	-
10052	PRE N/mm2	Z	0.005	-	-	-	-	-
10053	PRE N/mm2	Z	0.005	-	-	-	-	-
10054	PRE N/mm2	Z	0.005	-	-	-	-	-
10055	PRE N/mm2	Z	0.005	-	-	-	-	-
10056	PRE N/mm2	Z	0.005	-	-	-	-	-
10057	PRE N/mm2	Z	0.005	-	-	-	-	-
10058	PRE N/mm2	Z	0.005	-	-	-	-	-
10059	PRE N/mm2	Z	0.005	-	-	-	-	-
10060	PRE N/mm2	Z	0.005	-	-	-	-	-
10061	PRE N/mm2	Z	0.005	-	-	-	-	-
10062	PRE N/mm2	Z	0.005	-	-	-	-	-
10063	PRE N/mm2	Z	0.005	-	-	-	-	-
10064	PRE N/mm2	Z	0.005	-	-	-	-	-
10065	PRE N/mm2	Z	0.005	-	-	-	-	-
10066	PRE N/mm2	Z	0.005	-	-	-	-	-
10067	PRE N/mm2	Z	0.005	-	-	-	-	-
10068	PRE N/mm2	Z	0.005	-	-	-	-	-
10069	PRE N/mm2	Z	0.005	-	-	-	-	-
10070	PRE N/mm2	Z	0.005	-	-	-	-	-
10071	PRE N/mm2	Z	0.005	-	-	-	-	-
10072	PRE N/mm2	Z	0.005	-	-	-	-	-
10073	PRE N/mm2	Z	0.005	-	-	-	-	-
10074	PRE N/mm2	Z	0.005	-	-	-	-	-
10075	PRE N/mm2	Z	0.005	-	-	-	-	-
10076	PRE N/mm2	Z	0.005	-	-	-	-	-
10077	PRE N/mm2	Z	0.005	-	-	-	-	-
10078	PRE N/mm2	Z	0.005	-	-	-	-	-
10079	PRE N/mm2	Z	0.005	-	-	-	-	-
10110	PRE N/mm2	Z	0.005	-	-	-	-	-
10111	PRE N/mm2	Z	0.005	-	-	-	-	-
10112	PRE N/mm2	Z	0.005	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10113	PRE N/mm2	Z	0.005	-	-	-	-	-
10114	PRE N/mm2	Z	0.005	-	-	-	-	-
10115	PRE N/mm2	Z	0.005	-	-	-	-	-
10116	PRE N/mm2	Z	0.005	-	-	-	-	-
10117	PRE N/mm2	Z	0.005	-	-	-	-	-
10118	PRE N/mm2	Z	0.005	-	-	-	-	-
10119	PRE N/mm2	Z	0.005	-	-	-	-	-
10120	PRE N/mm2	Z	0.005	-	-	-	-	-
10121	PRE N/mm2	Z	0.005	-	-	-	-	-
10122	PRE N/mm2	Z	0.005	-	-	-	-	-
10123	PRE N/mm2	Z	0.005	-	-	-	-	-
10124	PRE N/mm2	Z	0.005	-	-	-	-	-
10125	PRE N/mm2	Z	0.005	-	-	-	-	-
10126	PRE N/mm2	Z	0.005	-	-	-	-	-
10127	PRE N/mm2	Z	0.005	-	-	-	-	-
10128	PRE N/mm2	Z	0.005	-	-	-	-	-
10129	PRE N/mm2	Z	0.005	-	-	-	-	-
10130	PRE N/mm2	Z	0.005	-	-	-	-	-
10131	PRE N/mm2	Z	0.005	-	-	-	-	-
10132	PRE N/mm2	Z	0.005	-	-	-	-	-
10133	PRE N/mm2	Z	0.005	-	-	-	-	-
10134	PRE N/mm2	Z	0.005	-	-	-	-	-
10135	PRE N/mm2	Z	0.005	-	-	-	-	-
10136	PRE N/mm2	Z	0.005	-	-	-	-	-
10137	PRE N/mm2	Z	0.005	-	-	-	-	-
10138	PRE N/mm2	Z	0.005	-	-	-	-	-
10139	PRE N/mm2	Z	0.005	-	-	-	-	-
10140	PRE N/mm2	Z	0.005	-	-	-	-	-
10141	PRE N/mm2	Z	0.005	-	-	-	-	-
10142	PRE N/mm2	Z	0.005	-	-	-	-	-
10143	PRE N/mm2	Z	0.005	-	-	-	-	-
10144	PRE N/mm2	Z	0.005	-	-	-	-	-
10145	PRE N/mm2	Z	0.005	-	-	-	-	-
10146	PRE N/mm2	Z	0.005	-	-	-	-	-
10147	PRE N/mm2	Z	0.005	-	-	-	-	-
10148	PRE N/mm2	Z	0.005	-	-	-	-	-
10149	PRE N/mm2	Z	0.005	-	-	-	-	-
10150	PRE N/mm2	Z	0.005	-	-	-	-	-
10151	PRE N/mm2	Z	0.005	-	-	-	-	-
10152	PRE N/mm2	Z	0.005	-	-	-	-	-
10153	PRE N/mm2	Z	0.005	-	-	-	-	-
10154	PRE N/mm2	Z	0.005	-	-	-	-	-
10155	PRE N/mm2	Z	0.005	-	-	-	-	-
10156	PRE N/mm2	Z	0.005	-	-	-	-	-
10157	PRE N/mm2	Z	0.005	-	-	-	-	-
10158	PRE N/mm2	Z	0.005	-	-	-	-	-
10159	PRE N/mm2	Z	0.005	-	-	-	-	-
10160	PRE N/mm2	Z	0.005	-	-	-	-	-
10161	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10162	PRE N/mm2	Z	0.005	-	-	-	-	-
10163	PRE N/mm2	Z	0.005	-	-	-	-	-
10164	PRE N/mm2	Z	0.005	-	-	-	-	-
10165	PRE N/mm2	Z	0.005	-	-	-	-	-
10166	PRE N/mm2	Z	0.005	-	-	-	-	-
10167	PRE N/mm2	Z	0.005	-	-	-	-	-
10168	PRE N/mm2	Z	0.005	-	-	-	-	-
10169	PRE N/mm2	Z	0.005	-	-	-	-	-
10170	PRE N/mm2	Z	0.005	-	-	-	-	-
10171	PRE N/mm2	Z	0.005	-	-	-	-	-
10172	PRE N/mm2	Z	0.005	-	-	-	-	-
10173	PRE N/mm2	Z	0.005	-	-	-	-	-
10174	PRE N/mm2	Z	0.005	-	-	-	-	-
10175	PRE N/mm2	Z	0.005	-	-	-	-	-
10176	PRE N/mm2	Z	0.005	-	-	-	-	-
10177	PRE N/mm2	Z	0.005	-	-	-	-	-
10178	PRE N/mm2	Z	0.005	-	-	-	-	-
10179	PRE N/mm2	Z	0.005	-	-	-	-	-
10180	PRE N/mm2	Z	0.005	-	-	-	-	-
10181	PRE N/mm2	Z	0.005	-	-	-	-	-
10182	PRE N/mm2	Z	0.005	-	-	-	-	-
10183	PRE N/mm2	Z	0.005	-	-	-	-	-
10184	PRE N/mm2	Z	0.005	-	-	-	-	-
10185	PRE N/mm2	Z	0.005	-	-	-	-	-
10186	PRE N/mm2	Z	0.005	-	-	-	-	-
10187	PRE N/mm2	Z	0.005	-	-	-	-	-
10218	PRE N/mm2	Z	0.005	-	-	-	-	-
10219	PRE N/mm2	Z	0.005	-	-	-	-	-
10220	PRE N/mm2	Z	0.005	-	-	-	-	-
10221	PRE N/mm2	Z	0.005	-	-	-	-	-
10222	PRE N/mm2	Z	0.005	-	-	-	-	-
10223	PRE N/mm2	Z	0.005	-	-	-	-	-
10224	PRE N/mm2	Z	0.005	-	-	-	-	-
10225	PRE N/mm2	Z	0.005	-	-	-	-	-
10226	PRE N/mm2	Z	0.005	-	-	-	-	-
10227	PRE N/mm2	Z	0.005	-	-	-	-	-
10228	PRE N/mm2	Z	0.005	-	-	-	-	-
10229	PRE N/mm2	Z	0.005	-	-	-	-	-
10230	PRE N/mm2	Z	0.005	-	-	-	-	-
10231	PRE N/mm2	Z	0.005	-	-	-	-	-
10232	PRE N/mm2	Z	0.005	-	-	-	-	-
10233	PRE N/mm2	Z	0.005	-	-	-	-	-
10234	PRE N/mm2	Z	0.005	-	-	-	-	-
10235	PRE N/mm2	Z	0.005	-	-	-	-	-
10236	PRE N/mm2	Z	0.005	-	-	-	-	-
10237	PRE N/mm2	Z	0.005	-	-	-	-	-
10238	PRE N/mm2	Z	0.005	-	-	-	-	-
10239	PRE N/mm2	Z	0.005	-	-	-	-	-
10240	PRE N/mm2	Z	0.005	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10241	PRE N/mm2	Z	0.005	-	-	-	-	-
10242	PRE N/mm2	Z	0.005	-	-	-	-	-
10243	PRE N/mm2	Z	0.005	-	-	-	-	-
10244	PRE N/mm2	Z	0.005	-	-	-	-	-
10245	PRE N/mm2	Z	0.005	-	-	-	-	-
10246	PRE N/mm2	Z	0.005	-	-	-	-	-
10247	PRE N/mm2	Z	0.005	-	-	-	-	-
10248	PRE N/mm2	Z	0.005	-	-	-	-	-
10249	PRE N/mm2	Z	0.005	-	-	-	-	-
10250	PRE N/mm2	Z	0.005	-	-	-	-	-
10251	PRE N/mm2	Z	0.005	-	-	-	-	-
10252	PRE N/mm2	Z	0.005	-	-	-	-	-
10253	PRE N/mm2	Z	0.005	-	-	-	-	-
10254	PRE N/mm2	Z	0.005	-	-	-	-	-
10255	PRE N/mm2	Z	0.005	-	-	-	-	-
10256	PRE N/mm2	Z	0.005	-	-	-	-	-
10257	PRE N/mm2	Z	0.005	-	-	-	-	-
10258	PRE N/mm2	Z	0.005	-	-	-	-	-
10259	PRE N/mm2	Z	0.005	-	-	-	-	-
10260	PRE N/mm2	Z	0.005	-	-	-	-	-
10261	PRE N/mm2	Z	0.005	-	-	-	-	-
10262	PRE N/mm2	Z	0.005	-	-	-	-	-
10263	PRE N/mm2	Z	0.005	-	-	-	-	-
10264	PRE N/mm2	Z	0.005	-	-	-	-	-
10265	PRE N/mm2	Z	0.005	-	-	-	-	-
10266	PRE N/mm2	Z	0.005	-	-	-	-	-
10267	PRE N/mm2	Z	0.005	-	-	-	-	-
10268	PRE N/mm2	Z	0.005	-	-	-	-	-
10269	PRE N/mm2	Z	0.005	-	-	-	-	-
10270	PRE N/mm2	Z	0.005	-	-	-	-	-
10271	PRE N/mm2	Z	0.005	-	-	-	-	-
10272	PRE N/mm2	Z	0.005	-	-	-	-	-
10273	PRE N/mm2	Z	0.005	-	-	-	-	-
10274	PRE N/mm2	Z	0.005	-	-	-	-	-
10275	PRE N/mm2	Z	0.005	-	-	-	-	-
10276	PRE N/mm2	Z	0.005	-	-	-	-	-
10277	PRE N/mm2	Z	0.005	-	-	-	-	-
10278	PRE N/mm2	Z	0.005	-	-	-	-	-
10279	PRE N/mm2	Z	0.005	-	-	-	-	-
10280	PRE N/mm2	Z	0.005	-	-	-	-	-
10281	PRE N/mm2	Z	0.005	-	-	-	-	-
10282	PRE N/mm2	Z	0.005	-	-	-	-	-
10283	PRE N/mm2	Z	0.005	-	-	-	-	-
10284	PRE N/mm2	Z	0.005	-	-	-	-	-
10285	PRE N/mm2	Z	0.005	-	-	-	-	-
10286	PRE N/mm2	Z	0.005	-	-	-	-	-
10287	PRE N/mm2	Z	0.005	-	-	-	-	-
10288	PRE N/mm2	Z	0.005	-	-	-	-	-
10289	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10290	PRE N/mm2	Z	0.005	-	-	-	-	-
10291	PRE N/mm2	Z	0.005	-	-	-	-	-
10292	PRE N/mm2	Z	0.005	-	-	-	-	-
10293	PRE N/mm2	Z	0.005	-	-	-	-	-
10294	PRE N/mm2	Z	0.005	-	-	-	-	-
10295	PRE N/mm2	Z	0.005	-	-	-	-	-
10326	PRE N/mm2	Z	0.005	-	-	-	-	-
10327	PRE N/mm2	Z	0.005	-	-	-	-	-
10328	PRE N/mm2	Z	0.005	-	-	-	-	-
10329	PRE N/mm2	Z	0.005	-	-	-	-	-
10330	PRE N/mm2	Z	0.005	-	-	-	-	-
10331	PRE N/mm2	Z	0.005	-	-	-	-	-
10332	PRE N/mm2	Z	0.005	-	-	-	-	-
10333	PRE N/mm2	Z	0.005	-	-	-	-	-
10334	PRE N/mm2	Z	0.005	-	-	-	-	-
10335	PRE N/mm2	Z	0.005	-	-	-	-	-
10336	PRE N/mm2	Z	0.005	-	-	-	-	-
10337	PRE N/mm2	Z	0.005	-	-	-	-	-
10338	PRE N/mm2	Z	0.005	-	-	-	-	-
10339	PRE N/mm2	Z	0.005	-	-	-	-	-
10340	PRE N/mm2	Z	0.005	-	-	-	-	-
10341	PRE N/mm2	Z	0.005	-	-	-	-	-
10342	PRE N/mm2	Z	0.005	-	-	-	-	-
10343	PRE N/mm2	Z	0.005	-	-	-	-	-
10344	PRE N/mm2	Z	0.005	-	-	-	-	-
10345	PRE N/mm2	Z	0.005	-	-	-	-	-
10346	PRE N/mm2	Z	0.005	-	-	-	-	-
10347	PRE N/mm2	Z	0.005	-	-	-	-	-
10348	PRE N/mm2	Z	0.005	-	-	-	-	-
10349	PRE N/mm2	Z	0.005	-	-	-	-	-
10350	PRE N/mm2	Z	0.005	-	-	-	-	-
10351	PRE N/mm2	Z	0.005	-	-	-	-	-
10352	PRE N/mm2	Z	0.005	-	-	-	-	-
10353	PRE N/mm2	Z	0.005	-	-	-	-	-
10354	PRE N/mm2	Z	0.005	-	-	-	-	-
10355	PRE N/mm2	Z	0.005	-	-	-	-	-
10356	PRE N/mm2	Z	0.005	-	-	-	-	-
10357	PRE N/mm2	Z	0.005	-	-	-	-	-
10358	PRE N/mm2	Z	0.005	-	-	-	-	-
10359	PRE N/mm2	Z	0.005	-	-	-	-	-
10360	PRE N/mm2	Z	0.005	-	-	-	-	-
10361	PRE N/mm2	Z	0.005	-	-	-	-	-
10362	PRE N/mm2	Z	0.005	-	-	-	-	-
10363	PRE N/mm2	Z	0.005	-	-	-	-	-
10364	PRE N/mm2	Z	0.005	-	-	-	-	-
10365	PRE N/mm2	Z	0.005	-	-	-	-	-
10366	PRE N/mm2	Z	0.005	-	-	-	-	-
10367	PRE N/mm2	Z	0.005	-	-	-	-	-
10368	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10369	PRE N/mm2	Z	0.005	-	-	-	-	-
10370	PRE N/mm2	Z	0.005	-	-	-	-	-
10371	PRE N/mm2	Z	0.005	-	-	-	-	-
10372	PRE N/mm2	Z	0.005	-	-	-	-	-
10373	PRE N/mm2	Z	0.005	-	-	-	-	-
10374	PRE N/mm2	Z	0.005	-	-	-	-	-
10375	PRE N/mm2	Z	0.005	-	-	-	-	-
10376	PRE N/mm2	Z	0.005	-	-	-	-	-
10377	PRE N/mm2	Z	0.005	-	-	-	-	-
10378	PRE N/mm2	Z	0.005	-	-	-	-	-
10379	PRE N/mm2	Z	0.005	-	-	-	-	-
10380	PRE N/mm2	Z	0.005	-	-	-	-	-
10381	PRE N/mm2	Z	0.005	-	-	-	-	-
10382	PRE N/mm2	Z	0.005	-	-	-	-	-
10383	PRE N/mm2	Z	0.005	-	-	-	-	-
10384	PRE N/mm2	Z	0.005	-	-	-	-	-
10385	PRE N/mm2	Z	0.005	-	-	-	-	-
10386	PRE N/mm2	Z	0.005	-	-	-	-	-
10387	PRE N/mm2	Z	0.005	-	-	-	-	-
10388	PRE N/mm2	Z	0.005	-	-	-	-	-
10389	PRE N/mm2	Z	0.005	-	-	-	-	-
10390	PRE N/mm2	Z	0.005	-	-	-	-	-
10391	PRE N/mm2	Z	0.005	-	-	-	-	-
10392	PRE N/mm2	Z	0.005	-	-	-	-	-
10393	PRE N/mm2	Z	0.005	-	-	-	-	-
10394	PRE N/mm2	Z	0.005	-	-	-	-	-
10395	PRE N/mm2	Z	0.005	-	-	-	-	-
10396	PRE N/mm2	Z	0.005	-	-	-	-	-
10397	PRE N/mm2	Z	0.005	-	-	-	-	-
10398	PRE N/mm2	Z	0.005	-	-	-	-	-
10399	PRE N/mm2	Z	0.005	-	-	-	-	-
10400	PRE N/mm2	Z	0.005	-	-	-	-	-
10401	PRE N/mm2	Z	0.005	-	-	-	-	-
10402	PRE N/mm2	Z	0.005	-	-	-	-	-
10403	PRE N/mm2	Z	0.005	-	-	-	-	-
10404	PRE N/mm2	Z	0.005	-	-	-	-	-
10405	PRE N/mm2	Z	0.005	-	-	-	-	-
10406	PRE N/mm2	Z	0.005	-	-	-	-	-
10407	PRE N/mm2	Z	0.005	-	-	-	-	-
10408	PRE N/mm2	Z	0.005	-	-	-	-	-
10409	PRE N/mm2	Z	0.005	-	-	-	-	-
10410	PRE N/mm2	Z	0.005	-	-	-	-	-
10411	PRE N/mm2	Z	0.005	-	-	-	-	-
10412	PRE N/mm2	Z	0.005	-	-	-	-	-
10413	PRE N/mm2	Z	0.005	-	-	-	-	-
10414	PRE N/mm2	Z	0.005	-	-	-	-	-
10415	PRE N/mm2	Z	0.005	-	-	-	-	-
10416	PRE N/mm2	Z	0.005	-	-	-	-	-
10417	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10418	PRE N/mm2	Z	0.005	-	-	-	-	-
10419	PRE N/mm2	Z	0.005	-	-	-	-	-
10420	PRE N/mm2	Z	0.005	-	-	-	-	-
10421	PRE N/mm2	Z	0.005	-	-	-	-	-
10422	PRE N/mm2	Z	0.005	-	-	-	-	-
10423	PRE N/mm2	Z	0.005	-	-	-	-	-
10424	PRE N/mm2	Z	0.005	-	-	-	-	-
10425	PRE N/mm2	Z	0.005	-	-	-	-	-
10426	PRE N/mm2	Z	0.005	-	-	-	-	-
10427	PRE N/mm2	Z	0.005	-	-	-	-	-
10428	PRE N/mm2	Z	0.005	-	-	-	-	-
10429	PRE N/mm2	Z	0.005	-	-	-	-	-
10430	PRE N/mm2	Z	0.005	-	-	-	-	-
10431	PRE N/mm2	Z	0.005	-	-	-	-	-
10432	PRE N/mm2	Z	0.005	-	-	-	-	-
10433	PRE N/mm2	Z	0.005	-	-	-	-	-
10434	PRE N/mm2	Z	0.005	-	-	-	-	-
10435	PRE N/mm2	Z	0.005	-	-	-	-	-
10436	PRE N/mm2	Z	0.005	-	-	-	-	-
10437	PRE N/mm2	Z	0.005	-	-	-	-	-
10438	PRE N/mm2	Z	0.005	-	-	-	-	-
10439	PRE N/mm2	Z	0.005	-	-	-	-	-
10440	PRE N/mm2	Z	0.005	-	-	-	-	-
10441	PRE N/mm2	Z	0.005	-	-	-	-	-
10442	PRE N/mm2	Z	0.005	-	-	-	-	-
10443	PRE N/mm2	Z	0.005	-	-	-	-	-
10444	PRE N/mm2	Z	0.005	-	-	-	-	-
10445	PRE N/mm2	Z	0.005	-	-	-	-	-
10446	PRE N/mm2	Z	0.005	-	-	-	-	-
10447	PRE N/mm2	Z	0.005	-	-	-	-	-
10448	PRE N/mm2	Z	0.005	-	-	-	-	-
10449	PRE N/mm2	Z	0.005	-	-	-	-	-
10450	PRE N/mm2	Z	0.005	-	-	-	-	-
10451	PRE N/mm2	Z	0.005	-	-	-	-	-
10452	PRE N/mm2	Z	0.005	-	-	-	-	-
10453	PRE N/mm2	Z	0.005	-	-	-	-	-
10454	PRE N/mm2	Z	0.005	-	-	-	-	-
10455	PRE N/mm2	Z	0.005	-	-	-	-	-
10456	PRE N/mm2	Z	0.005	-	-	-	-	-
10457	PRE N/mm2	Z	0.005	-	-	-	-	-
10458	PRE N/mm2	Z	0.005	-	-	-	-	-
10459	PRE N/mm2	Z	0.005	-	-	-	-	-
10460	PRE N/mm2	Z	0.005	-	-	-	-	-
10461	PRE N/mm2	Z	0.005	-	-	-	-	-
10462	PRE N/mm2	Z	0.005	-	-	-	-	-
10463	PRE N/mm2	Z	0.005	-	-	-	-	-
10464	PRE N/mm2	Z	0.005	-	-	-	-	-
10465	PRE N/mm2	Z	0.005	-	-	-	-	-
10466	PRE N/mm2	Z	0.005	-	-	-	-	-

5 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10467	PRE N/mm2	Z	0.005	-	-	-	-	-
10468	PRE N/mm2	Z	0.005	-	-	-	-	-
10469	PRE N/mm2	Z	0.005	-	-	-	-	-
10470	PRE N/mm2	Z	0.005	-	-	-	-	-
10471	PRE N/mm2	Z	0.005	-	-	-	-	-
10472	PRE N/mm2	Z	0.005	-	-	-	-	-
10473	PRE N/mm2	Z	0.005	-	-	-	-	-
10474	PRE N/mm2	Z	0.005	-	-	-	-	-
10475	PRE N/mm2	Z	0.005	-	-	-	-	-
10476	PRE N/mm2	Z	0.005	-	-	-	-	-
10477	PRE N/mm2	Z	0.005	-	-	-	-	-
10478	PRE N/mm2	Z	0.005	-	-	-	-	-
10479	PRE N/mm2	Z	0.005	-	-	-	-	-
10480	PRE N/mm2	Z	0.005	-	-	-	-	-
10481	PRE N/mm2	Z	0.005	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5116	PRE N/mm2	Z	0.001	-	-	-	-	-
5117	PRE N/mm2	Z	0.001	-	-	-	-	-
5118	PRE N/mm2	Z	0.001	-	-	-	-	-
5119	PRE N/mm2	Z	0.001	-	-	-	-	-
5120	PRE N/mm2	Z	0.001	-	-	-	-	-
5121	PRE N/mm2	Z	0.001	-	-	-	-	-
5122	PRE N/mm2	Z	0.001	-	-	-	-	-
5123	PRE N/mm2	Z	0.001	-	-	-	-	-
5124	PRE N/mm2	Z	0.001	-	-	-	-	-
5125	PRE N/mm2	Z	0.001	-	-	-	-	-
5126	PRE N/mm2	Z	0.001	-	-	-	-	-
5127	PRE N/mm2	Z	0.001	-	-	-	-	-
5128	PRE N/mm2	Z	0.001	-	-	-	-	-
5129	PRE N/mm2	Z	0.001	-	-	-	-	-
5130	PRE N/mm2	Z	0.001	-	-	-	-	-
5131	PRE N/mm2	Z	0.001	-	-	-	-	-
5132	PRE N/mm2	Z	0.001	-	-	-	-	-
5133	PRE N/mm2	Z	0.001	-	-	-	-	-
5134	PRE N/mm2	Z	0.001	-	-	-	-	-
5135	PRE N/mm2	Z	0.001	-	-	-	-	-
5136	PRE N/mm2	Z	0.001	-	-	-	-	-
5137	PRE N/mm2	Z	0.001	-	-	-	-	-
5138	PRE N/mm2	Z	0.001	-	-	-	-	-
5139	PRE N/mm2	Z	0.001	-	-	-	-	-
5140	PRE N/mm2	Z	0.001	-	-	-	-	-
5141	PRE N/mm2	Z	0.001	-	-	-	-	-
5142	PRE N/mm2	Z	0.001	-	-	-	-	-
5143	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5144	PRE N/mm2	Z	0.001	-	-	-	-	-
5145	PRE N/mm2	Z	0.001	-	-	-	-	-
5146	PRE N/mm2	Z	0.001	-	-	-	-	-
5147	PRE N/mm2	Z	0.001	-	-	-	-	-
5148	PRE N/mm2	Z	0.001	-	-	-	-	-
5149	PRE N/mm2	Z	0.001	-	-	-	-	-
5150	PRE N/mm2	Z	0.001	-	-	-	-	-
5151	PRE N/mm2	Z	0.001	-	-	-	-	-
5152	PRE N/mm2	Z	0.001	-	-	-	-	-
5153	PRE N/mm2	Z	0.001	-	-	-	-	-
5154	PRE N/mm2	Z	0.001	-	-	-	-	-
5155	PRE N/mm2	Z	0.001	-	-	-	-	-
5156	PRE N/mm2	Z	0.001	-	-	-	-	-
5157	PRE N/mm2	Z	0.001	-	-	-	-	-
5158	PRE N/mm2	Z	0.001	-	-	-	-	-
5159	PRE N/mm2	Z	0.001	-	-	-	-	-
5160	PRE N/mm2	Z	0.001	-	-	-	-	-
5161	PRE N/mm2	Z	0.001	-	-	-	-	-
5162	PRE N/mm2	Z	0.001	-	-	-	-	-
5163	PRE N/mm2	Z	0.001	-	-	-	-	-
5164	PRE N/mm2	Z	0.001	-	-	-	-	-
5165	PRE N/mm2	Z	0.001	-	-	-	-	-
5166	PRE N/mm2	Z	0.001	-	-	-	-	-
5167	PRE N/mm2	Z	0.001	-	-	-	-	-
5168	PRE N/mm2	Z	0.001	-	-	-	-	-
5169	PRE N/mm2	Z	0.001	-	-	-	-	-
5170	PRE N/mm2	Z	0.001	-	-	-	-	-
5171	PRE N/mm2	Z	0.001	-	-	-	-	-
5172	PRE N/mm2	Z	0.001	-	-	-	-	-
5173	PRE N/mm2	Z	0.001	-	-	-	-	-
5174	PRE N/mm2	Z	0.001	-	-	-	-	-
5175	PRE N/mm2	Z	0.001	-	-	-	-	-
5176	PRE N/mm2	Z	0.001	-	-	-	-	-
5177	PRE N/mm2	Z	0.001	-	-	-	-	-
5178	PRE N/mm2	Z	0.001	-	-	-	-	-
5179	PRE N/mm2	Z	0.001	-	-	-	-	-
5180	PRE N/mm2	Z	0.001	-	-	-	-	-
5181	PRE N/mm2	Z	0.001	-	-	-	-	-
5182	PRE N/mm2	Z	0.001	-	-	-	-	-
5183	PRE N/mm2	Z	0.001	-	-	-	-	-
5184	PRE N/mm2	Z	0.001	-	-	-	-	-
5185	PRE N/mm2	Z	0.001	-	-	-	-	-
5186	PRE N/mm2	Z	0.001	-	-	-	-	-
5187	PRE N/mm2	Z	0.001	-	-	-	-	-
5188	PRE N/mm2	Z	0.001	-	-	-	-	-
5189	PRE N/mm2	Z	0.001	-	-	-	-	-
5190	PRE N/mm2	Z	0.001	-	-	-	-	-
5191	PRE N/mm2	Z	0.001	-	-	-	-	-
5192	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5193	PRE N/mm2	Z	0.001	-	-	-	-	-
5374	PRE N/mm2	Z	0.001	-	-	-	-	-
5375	PRE N/mm2	Z	0.001	-	-	-	-	-
5376	PRE N/mm2	Z	0.001	-	-	-	-	-
5377	PRE N/mm2	Z	0.001	-	-	-	-	-
5378	PRE N/mm2	Z	0.001	-	-	-	-	-
5379	PRE N/mm2	Z	0.001	-	-	-	-	-
5380	PRE N/mm2	Z	0.001	-	-	-	-	-
5381	PRE N/mm2	Z	0.001	-	-	-	-	-
5382	PRE N/mm2	Z	0.001	-	-	-	-	-
5383	PRE N/mm2	Z	0.001	-	-	-	-	-
5384	PRE N/mm2	Z	0.001	-	-	-	-	-
5385	PRE N/mm2	Z	0.001	-	-	-	-	-
5386	PRE N/mm2	Z	0.001	-	-	-	-	-
5387	PRE N/mm2	Z	0.001	-	-	-	-	-
5388	PRE N/mm2	Z	0.001	-	-	-	-	-
5389	PRE N/mm2	Z	0.001	-	-	-	-	-
5390	PRE N/mm2	Z	0.001	-	-	-	-	-
5391	PRE N/mm2	Z	0.001	-	-	-	-	-
5392	PRE N/mm2	Z	0.001	-	-	-	-	-
5393	PRE N/mm2	Z	0.001	-	-	-	-	-
5394	PRE N/mm2	Z	0.001	-	-	-	-	-
5395	PRE N/mm2	Z	0.001	-	-	-	-	-
5396	PRE N/mm2	Z	0.001	-	-	-	-	-
5397	PRE N/mm2	Z	0.001	-	-	-	-	-
5398	PRE N/mm2	Z	0.001	-	-	-	-	-
5399	PRE N/mm2	Z	0.001	-	-	-	-	-
5400	PRE N/mm2	Z	0.001	-	-	-	-	-
5401	PRE N/mm2	Z	0.001	-	-	-	-	-
5402	PRE N/mm2	Z	0.001	-	-	-	-	-
5403	PRE N/mm2	Z	0.001	-	-	-	-	-
5404	PRE N/mm2	Z	0.001	-	-	-	-	-
5405	PRE N/mm2	Z	0.001	-	-	-	-	-
5406	PRE N/mm2	Z	0.001	-	-	-	-	-
5407	PRE N/mm2	Z	0.001	-	-	-	-	-
5408	PRE N/mm2	Z	0.001	-	-	-	-	-
5409	PRE N/mm2	Z	0.001	-	-	-	-	-
5410	PRE N/mm2	Z	0.001	-	-	-	-	-
5411	PRE N/mm2	Z	0.001	-	-	-	-	-
5412	PRE N/mm2	Z	0.001	-	-	-	-	-
5413	PRE N/mm2	Z	0.001	-	-	-	-	-
5414	PRE N/mm2	Z	0.001	-	-	-	-	-
5415	PRE N/mm2	Z	0.001	-	-	-	-	-
5416	PRE N/mm2	Z	0.001	-	-	-	-	-
5417	PRE N/mm2	Z	0.001	-	-	-	-	-
5418	PRE N/mm2	Z	0.001	-	-	-	-	-
5419	PRE N/mm2	Z	0.001	-	-	-	-	-
5420	PRE N/mm2	Z	0.001	-	-	-	-	-
5421	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5422	PRE N/mm2	Z	0.001	-	-	-	-	-
5423	PRE N/mm2	Z	0.001	-	-	-	-	-
5424	PRE N/mm2	Z	0.001	-	-	-	-	-
5425	PRE N/mm2	Z	0.001	-	-	-	-	-
5426	PRE N/mm2	Z	0.001	-	-	-	-	-
5427	PRE N/mm2	Z	0.001	-	-	-	-	-
5428	PRE N/mm2	Z	0.001	-	-	-	-	-
5429	PRE N/mm2	Z	0.001	-	-	-	-	-
5430	PRE N/mm2	Z	0.001	-	-	-	-	-
5431	PRE N/mm2	Z	0.001	-	-	-	-	-
5432	PRE N/mm2	Z	0.001	-	-	-	-	-
5433	PRE N/mm2	Z	0.001	-	-	-	-	-
5434	PRE N/mm2	Z	0.001	-	-	-	-	-
5435	PRE N/mm2	Z	0.001	-	-	-	-	-
5436	PRE N/mm2	Z	0.001	-	-	-	-	-
5437	PRE N/mm2	Z	0.001	-	-	-	-	-
5438	PRE N/mm2	Z	0.001	-	-	-	-	-
5439	PRE N/mm2	Z	0.001	-	-	-	-	-
5440	PRE N/mm2	Z	0.001	-	-	-	-	-
5441	PRE N/mm2	Z	0.001	-	-	-	-	-
5442	PRE N/mm2	Z	0.001	-	-	-	-	-
5443	PRE N/mm2	Z	0.001	-	-	-	-	-
5444	PRE N/mm2	Z	0.001	-	-	-	-	-
5445	PRE N/mm2	Z	0.001	-	-	-	-	-
5446	PRE N/mm2	Z	0.001	-	-	-	-	-
5447	PRE N/mm2	Z	0.001	-	-	-	-	-
5448	PRE N/mm2	Z	0.001	-	-	-	-	-
5449	PRE N/mm2	Z	0.001	-	-	-	-	-
5450	PRE N/mm2	Z	0.001	-	-	-	-	-
5451	PRE N/mm2	Z	0.001	-	-	-	-	-
5612	PRE N/mm2	Z	0.001	-	-	-	-	-
5613	PRE N/mm2	Z	0.001	-	-	-	-	-
5614	PRE N/mm2	Z	0.001	-	-	-	-	-
5615	PRE N/mm2	Z	0.001	-	-	-	-	-
5616	PRE N/mm2	Z	0.001	-	-	-	-	-
5617	PRE N/mm2	Z	0.001	-	-	-	-	-
5618	PRE N/mm2	Z	0.001	-	-	-	-	-
5619	PRE N/mm2	Z	0.001	-	-	-	-	-
5620	PRE N/mm2	Z	0.001	-	-	-	-	-
5621	PRE N/mm2	Z	0.001	-	-	-	-	-
5622	PRE N/mm2	Z	0.001	-	-	-	-	-
5623	PRE N/mm2	Z	0.001	-	-	-	-	-
5624	PRE N/mm2	Z	0.001	-	-	-	-	-
5625	PRE N/mm2	Z	0.001	-	-	-	-	-
5626	PRE N/mm2	Z	0.001	-	-	-	-	-
5627	PRE N/mm2	Z	0.001	-	-	-	-	-
5628	PRE N/mm2	Z	0.001	-	-	-	-	-
5629	PRE N/mm2	Z	0.001	-	-	-	-	-
5630	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5631	PRE N/mm2	Z	0.001	-	-	-	-	-
5632	PRE N/mm2	Z	0.001	-	-	-	-	-
5633	PRE N/mm2	Z	0.001	-	-	-	-	-
5634	PRE N/mm2	Z	0.001	-	-	-	-	-
5635	PRE N/mm2	Z	0.001	-	-	-	-	-
5636	PRE N/mm2	Z	0.001	-	-	-	-	-
5637	PRE N/mm2	Z	0.001	-	-	-	-	-
5638	PRE N/mm2	Z	0.001	-	-	-	-	-
5639	PRE N/mm2	Z	0.001	-	-	-	-	-
5640	PRE N/mm2	Z	0.001	-	-	-	-	-
5641	PRE N/mm2	Z	0.001	-	-	-	-	-
5642	PRE N/mm2	Z	0.001	-	-	-	-	-
5643	PRE N/mm2	Z	0.001	-	-	-	-	-
5644	PRE N/mm2	Z	0.001	-	-	-	-	-
5645	PRE N/mm2	Z	0.001	-	-	-	-	-
5646	PRE N/mm2	Z	0.001	-	-	-	-	-
5647	PRE N/mm2	Z	0.001	-	-	-	-	-
5648	PRE N/mm2	Z	0.001	-	-	-	-	-
5649	PRE N/mm2	Z	0.001	-	-	-	-	-
5650	PRE N/mm2	Z	0.001	-	-	-	-	-
5651	PRE N/mm2	Z	0.001	-	-	-	-	-
5652	PRE N/mm2	Z	0.001	-	-	-	-	-
5653	PRE N/mm2	Z	0.001	-	-	-	-	-
5654	PRE N/mm2	Z	0.001	-	-	-	-	-
5655	PRE N/mm2	Z	0.001	-	-	-	-	-
5656	PRE N/mm2	Z	0.001	-	-	-	-	-
5657	PRE N/mm2	Z	0.001	-	-	-	-	-
5658	PRE N/mm2	Z	0.001	-	-	-	-	-
5659	PRE N/mm2	Z	0.001	-	-	-	-	-
5660	PRE N/mm2	Z	0.001	-	-	-	-	-
5661	PRE N/mm2	Z	0.001	-	-	-	-	-
5662	PRE N/mm2	Z	0.001	-	-	-	-	-
5663	PRE N/mm2	Z	0.001	-	-	-	-	-
5664	PRE N/mm2	Z	0.001	-	-	-	-	-
5665	PRE N/mm2	Z	0.001	-	-	-	-	-
5666	PRE N/mm2	Z	0.001	-	-	-	-	-
5667	PRE N/mm2	Z	0.001	-	-	-	-	-
5668	PRE N/mm2	Z	0.001	-	-	-	-	-
5669	PRE N/mm2	Z	0.001	-	-	-	-	-
5670	PRE N/mm2	Z	0.001	-	-	-	-	-
5671	PRE N/mm2	Z	0.001	-	-	-	-	-
5672	PRE N/mm2	Z	0.001	-	-	-	-	-
5673	PRE N/mm2	Z	0.001	-	-	-	-	-
5674	PRE N/mm2	Z	0.001	-	-	-	-	-
5675	PRE N/mm2	Z	0.001	-	-	-	-	-
5676	PRE N/mm2	Z	0.001	-	-	-	-	-
5677	PRE N/mm2	Z	0.001	-	-	-	-	-
5678	PRE N/mm2	Z	0.001	-	-	-	-	-
5679	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5680	PRE N/mm2	Z	0.001	-	-	-	-	-
5681	PRE N/mm2	Z	0.001	-	-	-	-	-
5682	PRE N/mm2	Z	0.001	-	-	-	-	-
5683	PRE N/mm2	Z	0.001	-	-	-	-	-
5684	PRE N/mm2	Z	0.001	-	-	-	-	-
5685	PRE N/mm2	Z	0.001	-	-	-	-	-
5686	PRE N/mm2	Z	0.001	-	-	-	-	-
5687	PRE N/mm2	Z	0.001	-	-	-	-	-
5688	PRE N/mm2	Z	0.001	-	-	-	-	-
5689	PRE N/mm2	Z	0.001	-	-	-	-	-
5850	PRE N/mm2	Z	0.001	-	-	-	-	-
5851	PRE N/mm2	Z	0.001	-	-	-	-	-
5852	PRE N/mm2	Z	0.001	-	-	-	-	-
5853	PRE N/mm2	Z	0.001	-	-	-	-	-
5854	PRE N/mm2	Z	0.001	-	-	-	-	-
5855	PRE N/mm2	Z	0.001	-	-	-	-	-
5856	PRE N/mm2	Z	0.001	-	-	-	-	-
5857	PRE N/mm2	Z	0.001	-	-	-	-	-
5858	PRE N/mm2	Z	0.001	-	-	-	-	-
5859	PRE N/mm2	Z	0.001	-	-	-	-	-
5860	PRE N/mm2	Z	0.001	-	-	-	-	-
5861	PRE N/mm2	Z	0.001	-	-	-	-	-
5862	PRE N/mm2	Z	0.001	-	-	-	-	-
5863	PRE N/mm2	Z	0.001	-	-	-	-	-
5864	PRE N/mm2	Z	0.001	-	-	-	-	-
5865	PRE N/mm2	Z	0.001	-	-	-	-	-
5866	PRE N/mm2	Z	0.001	-	-	-	-	-
5867	PRE N/mm2	Z	0.001	-	-	-	-	-
5868	PRE N/mm2	Z	0.001	-	-	-	-	-
5869	PRE N/mm2	Z	0.001	-	-	-	-	-
5870	PRE N/mm2	Z	0.001	-	-	-	-	-
5871	PRE N/mm2	Z	0.001	-	-	-	-	-
5872	PRE N/mm2	Z	0.001	-	-	-	-	-
5873	PRE N/mm2	Z	0.001	-	-	-	-	-
5874	PRE N/mm2	Z	0.001	-	-	-	-	-
5875	PRE N/mm2	Z	0.001	-	-	-	-	-
5876	PRE N/mm2	Z	0.001	-	-	-	-	-
5877	PRE N/mm2	Z	0.001	-	-	-	-	-
5878	PRE N/mm2	Z	0.001	-	-	-	-	-
5879	PRE N/mm2	Z	0.001	-	-	-	-	-
5880	PRE N/mm2	Z	0.001	-	-	-	-	-
5881	PRE N/mm2	Z	0.001	-	-	-	-	-
5882	PRE N/mm2	Z	0.001	-	-	-	-	-
5883	PRE N/mm2	Z	0.001	-	-	-	-	-
5884	PRE N/mm2	Z	0.001	-	-	-	-	-
5885	PRE N/mm2	Z	0.001	-	-	-	-	-
5886	PRE N/mm2	Z	0.001	-	-	-	-	-
5887	PRE N/mm2	Z	0.001	-	-	-	-	-
5888	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5889	PRE N/mm2	Z	0.001	-	-	-	-	-
5890	PRE N/mm2	Z	0.001	-	-	-	-	-
5891	PRE N/mm2	Z	0.001	-	-	-	-	-
5892	PRE N/mm2	Z	0.001	-	-	-	-	-
5893	PRE N/mm2	Z	0.001	-	-	-	-	-
5894	PRE N/mm2	Z	0.001	-	-	-	-	-
5895	PRE N/mm2	Z	0.001	-	-	-	-	-
5896	PRE N/mm2	Z	0.001	-	-	-	-	-
5897	PRE N/mm2	Z	0.001	-	-	-	-	-
5898	PRE N/mm2	Z	0.001	-	-	-	-	-
5899	PRE N/mm2	Z	0.001	-	-	-	-	-
5900	PRE N/mm2	Z	0.001	-	-	-	-	-
5901	PRE N/mm2	Z	0.001	-	-	-	-	-
5902	PRE N/mm2	Z	0.001	-	-	-	-	-
5903	PRE N/mm2	Z	0.001	-	-	-	-	-
5904	PRE N/mm2	Z	0.001	-	-	-	-	-
5905	PRE N/mm2	Z	0.001	-	-	-	-	-
5906	PRE N/mm2	Z	0.001	-	-	-	-	-
5907	PRE N/mm2	Z	0.001	-	-	-	-	-
5908	PRE N/mm2	Z	0.001	-	-	-	-	-
5909	PRE N/mm2	Z	0.001	-	-	-	-	-
5910	PRE N/mm2	Z	0.001	-	-	-	-	-
5911	PRE N/mm2	Z	0.001	-	-	-	-	-
5912	PRE N/mm2	Z	0.001	-	-	-	-	-
5913	PRE N/mm2	Z	0.001	-	-	-	-	-
5914	PRE N/mm2	Z	0.001	-	-	-	-	-
5915	PRE N/mm2	Z	0.001	-	-	-	-	-
5916	PRE N/mm2	Z	0.001	-	-	-	-	-
5917	PRE N/mm2	Z	0.001	-	-	-	-	-
5918	PRE N/mm2	Z	0.001	-	-	-	-	-
5919	PRE N/mm2	Z	0.001	-	-	-	-	-
5920	PRE N/mm2	Z	0.001	-	-	-	-	-
5921	PRE N/mm2	Z	0.001	-	-	-	-	-
5922	PRE N/mm2	Z	0.001	-	-	-	-	-
5923	PRE N/mm2	Z	0.001	-	-	-	-	-
5924	PRE N/mm2	Z	0.001	-	-	-	-	-
5925	PRE N/mm2	Z	0.001	-	-	-	-	-
5926	PRE N/mm2	Z	0.001	-	-	-	-	-
5927	PRE N/mm2	Z	0.001	-	-	-	-	-
6078	PRE N/mm2	Z	0.001	-	-	-	-	-
6079	PRE N/mm2	Z	0.001	-	-	-	-	-
6080	PRE N/mm2	Z	0.001	-	-	-	-	-
6081	PRE N/mm2	Z	0.001	-	-	-	-	-
6082	PRE N/mm2	Z	0.001	-	-	-	-	-
6083	PRE N/mm2	Z	0.001	-	-	-	-	-
6084	PRE N/mm2	Z	0.001	-	-	-	-	-
6085	PRE N/mm2	Z	0.001	-	-	-	-	-
6086	PRE N/mm2	Z	0.001	-	-	-	-	-
6087	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6088	PRE N/mm2	Z	0.001	-	-	-	-	-
6089	PRE N/mm2	Z	0.001	-	-	-	-	-
6090	PRE N/mm2	Z	0.001	-	-	-	-	-
6091	PRE N/mm2	Z	0.001	-	-	-	-	-
6092	PRE N/mm2	Z	0.001	-	-	-	-	-
6093	PRE N/mm2	Z	0.001	-	-	-	-	-
6094	PRE N/mm2	Z	0.001	-	-	-	-	-
6095	PRE N/mm2	Z	0.001	-	-	-	-	-
6096	PRE N/mm2	Z	0.001	-	-	-	-	-
6097	PRE N/mm2	Z	0.001	-	-	-	-	-
6098	PRE N/mm2	Z	0.001	-	-	-	-	-
6099	PRE N/mm2	Z	0.001	-	-	-	-	-
6100	PRE N/mm2	Z	0.001	-	-	-	-	-
6101	PRE N/mm2	Z	0.001	-	-	-	-	-
6102	PRE N/mm2	Z	0.001	-	-	-	-	-
6103	PRE N/mm2	Z	0.001	-	-	-	-	-
6104	PRE N/mm2	Z	0.001	-	-	-	-	-
6105	PRE N/mm2	Z	0.001	-	-	-	-	-
6106	PRE N/mm2	Z	0.001	-	-	-	-	-
6107	PRE N/mm2	Z	0.001	-	-	-	-	-
6108	PRE N/mm2	Z	0.001	-	-	-	-	-
6109	PRE N/mm2	Z	0.001	-	-	-	-	-
6110	PRE N/mm2	Z	0.001	-	-	-	-	-
6111	PRE N/mm2	Z	0.001	-	-	-	-	-
6112	PRE N/mm2	Z	0.001	-	-	-	-	-
6113	PRE N/mm2	Z	0.001	-	-	-	-	-
6114	PRE N/mm2	Z	0.001	-	-	-	-	-
6115	PRE N/mm2	Z	0.001	-	-	-	-	-
6116	PRE N/mm2	Z	0.001	-	-	-	-	-
6117	PRE N/mm2	Z	0.001	-	-	-	-	-
6118	PRE N/mm2	Z	0.001	-	-	-	-	-
6119	PRE N/mm2	Z	0.001	-	-	-	-	-
6120	PRE N/mm2	Z	0.001	-	-	-	-	-
6121	PRE N/mm2	Z	0.001	-	-	-	-	-
6122	PRE N/mm2	Z	0.001	-	-	-	-	-
6123	PRE N/mm2	Z	0.001	-	-	-	-	-
6124	PRE N/mm2	Z	0.001	-	-	-	-	-
6125	PRE N/mm2	Z	0.001	-	-	-	-	-
6126	PRE N/mm2	Z	0.001	-	-	-	-	-
6127	PRE N/mm2	Z	0.001	-	-	-	-	-
6128	PRE N/mm2	Z	0.001	-	-	-	-	-
6129	PRE N/mm2	Z	0.001	-	-	-	-	-
6130	PRE N/mm2	Z	0.001	-	-	-	-	-
6131	PRE N/mm2	Z	0.001	-	-	-	-	-
6132	PRE N/mm2	Z	0.001	-	-	-	-	-
6133	PRE N/mm2	Z	0.001	-	-	-	-	-
6134	PRE N/mm2	Z	0.001	-	-	-	-	-
6135	PRE N/mm2	Z	0.001	-	-	-	-	-
6136	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6137	PRE N/mm2	Z	0.001	-	-	-	-	-
6138	PRE N/mm2	Z	0.001	-	-	-	-	-
6139	PRE N/mm2	Z	0.001	-	-	-	-	-
6140	PRE N/mm2	Z	0.001	-	-	-	-	-
6141	PRE N/mm2	Z	0.001	-	-	-	-	-
6142	PRE N/mm2	Z	0.001	-	-	-	-	-
6143	PRE N/mm2	Z	0.001	-	-	-	-	-
6144	PRE N/mm2	Z	0.001	-	-	-	-	-
6145	PRE N/mm2	Z	0.001	-	-	-	-	-
6146	PRE N/mm2	Z	0.001	-	-	-	-	-
6147	PRE N/mm2	Z	0.001	-	-	-	-	-
6148	PRE N/mm2	Z	0.001	-	-	-	-	-
6149	PRE N/mm2	Z	0.001	-	-	-	-	-
6150	PRE N/mm2	Z	0.001	-	-	-	-	-
6151	PRE N/mm2	Z	0.001	-	-	-	-	-
6152	PRE N/mm2	Z	0.001	-	-	-	-	-
6153	PRE N/mm2	Z	0.001	-	-	-	-	-
6154	PRE N/mm2	Z	0.001	-	-	-	-	-
6155	PRE N/mm2	Z	0.001	-	-	-	-	-
6306	PRE N/mm2	Z	0.001	-	-	-	-	-
6307	PRE N/mm2	Z	0.001	-	-	-	-	-
6308	PRE N/mm2	Z	0.001	-	-	-	-	-
6309	PRE N/mm2	Z	0.001	-	-	-	-	-
6310	PRE N/mm2	Z	0.001	-	-	-	-	-
6311	PRE N/mm2	Z	0.001	-	-	-	-	-
6312	PRE N/mm2	Z	0.001	-	-	-	-	-
6313	PRE N/mm2	Z	0.001	-	-	-	-	-
6314	PRE N/mm2	Z	0.001	-	-	-	-	-
6315	PRE N/mm2	Z	0.001	-	-	-	-	-
6316	PRE N/mm2	Z	0.001	-	-	-	-	-
6317	PRE N/mm2	Z	0.001	-	-	-	-	-
6318	PRE N/mm2	Z	0.001	-	-	-	-	-
6319	PRE N/mm2	Z	0.001	-	-	-	-	-
6320	PRE N/mm2	Z	0.001	-	-	-	-	-
6321	PRE N/mm2	Z	0.001	-	-	-	-	-
6322	PRE N/mm2	Z	0.001	-	-	-	-	-
6323	PRE N/mm2	Z	0.001	-	-	-	-	-
6324	PRE N/mm2	Z	0.001	-	-	-	-	-
6325	PRE N/mm2	Z	0.001	-	-	-	-	-
6326	PRE N/mm2	Z	0.001	-	-	-	-	-
6327	PRE N/mm2	Z	0.001	-	-	-	-	-
6328	PRE N/mm2	Z	0.001	-	-	-	-	-
6329	PRE N/mm2	Z	0.001	-	-	-	-	-
6330	PRE N/mm2	Z	0.001	-	-	-	-	-
6331	PRE N/mm2	Z	0.001	-	-	-	-	-
6332	PRE N/mm2	Z	0.001	-	-	-	-	-
6333	PRE N/mm2	Z	0.001	-	-	-	-	-
6334	PRE N/mm2	Z	0.001	-	-	-	-	-
6335	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6336	PRE N/mm2	Z	0.001	-	-	-	-	-
6337	PRE N/mm2	Z	0.001	-	-	-	-	-
6338	PRE N/mm2	Z	0.001	-	-	-	-	-
6339	PRE N/mm2	Z	0.001	-	-	-	-	-
6340	PRE N/mm2	Z	0.001	-	-	-	-	-
6341	PRE N/mm2	Z	0.001	-	-	-	-	-
6342	PRE N/mm2	Z	0.001	-	-	-	-	-
6343	PRE N/mm2	Z	0.001	-	-	-	-	-
6344	PRE N/mm2	Z	0.001	-	-	-	-	-
6345	PRE N/mm2	Z	0.001	-	-	-	-	-
6346	PRE N/mm2	Z	0.001	-	-	-	-	-
6347	PRE N/mm2	Z	0.001	-	-	-	-	-
6348	PRE N/mm2	Z	0.001	-	-	-	-	-
6349	PRE N/mm2	Z	0.001	-	-	-	-	-
6350	PRE N/mm2	Z	0.001	-	-	-	-	-
6351	PRE N/mm2	Z	0.001	-	-	-	-	-
6352	PRE N/mm2	Z	0.001	-	-	-	-	-
6353	PRE N/mm2	Z	0.001	-	-	-	-	-
6354	PRE N/mm2	Z	0.001	-	-	-	-	-
6355	PRE N/mm2	Z	0.001	-	-	-	-	-
6356	PRE N/mm2	Z	0.001	-	-	-	-	-
6357	PRE N/mm2	Z	0.001	-	-	-	-	-
6358	PRE N/mm2	Z	0.001	-	-	-	-	-
6359	PRE N/mm2	Z	0.001	-	-	-	-	-
6360	PRE N/mm2	Z	0.001	-	-	-	-	-
6361	PRE N/mm2	Z	0.001	-	-	-	-	-
6362	PRE N/mm2	Z	0.001	-	-	-	-	-
6363	PRE N/mm2	Z	0.001	-	-	-	-	-
6364	PRE N/mm2	Z	0.001	-	-	-	-	-
6365	PRE N/mm2	Z	0.001	-	-	-	-	-
6366	PRE N/mm2	Z	0.001	-	-	-	-	-
6367	PRE N/mm2	Z	0.001	-	-	-	-	-
6368	PRE N/mm2	Z	0.001	-	-	-	-	-
6369	PRE N/mm2	Z	0.001	-	-	-	-	-
6370	PRE N/mm2	Z	0.001	-	-	-	-	-
6371	PRE N/mm2	Z	0.001	-	-	-	-	-
6372	PRE N/mm2	Z	0.001	-	-	-	-	-
6373	PRE N/mm2	Z	0.001	-	-	-	-	-
6374	PRE N/mm2	Z	0.001	-	-	-	-	-
6375	PRE N/mm2	Z	0.001	-	-	-	-	-
6376	PRE N/mm2	Z	0.001	-	-	-	-	-
6377	PRE N/mm2	Z	0.001	-	-	-	-	-
6378	PRE N/mm2	Z	0.001	-	-	-	-	-
6379	PRE N/mm2	Z	0.001	-	-	-	-	-
6380	PRE N/mm2	Z	0.001	-	-	-	-	-
6381	PRE N/mm2	Z	0.001	-	-	-	-	-
6382	PRE N/mm2	Z	0.001	-	-	-	-	-
6383	PRE N/mm2	Z	0.001	-	-	-	-	-
6524	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6525	PRE N/mm2	Z	0.001	-	-	-	-	-
6526	PRE N/mm2	Z	0.001	-	-	-	-	-
6527	PRE N/mm2	Z	0.001	-	-	-	-	-
6528	PRE N/mm2	Z	0.001	-	-	-	-	-
6529	PRE N/mm2	Z	0.001	-	-	-	-	-
6530	PRE N/mm2	Z	0.001	-	-	-	-	-
6531	PRE N/mm2	Z	0.001	-	-	-	-	-
6532	PRE N/mm2	Z	0.001	-	-	-	-	-
6533	PRE N/mm2	Z	0.001	-	-	-	-	-
6534	PRE N/mm2	Z	0.001	-	-	-	-	-
6535	PRE N/mm2	Z	0.001	-	-	-	-	-
6536	PRE N/mm2	Z	0.001	-	-	-	-	-
6537	PRE N/mm2	Z	0.001	-	-	-	-	-
6538	PRE N/mm2	Z	0.001	-	-	-	-	-
6539	PRE N/mm2	Z	0.001	-	-	-	-	-
6540	PRE N/mm2	Z	0.001	-	-	-	-	-
6541	PRE N/mm2	Z	0.001	-	-	-	-	-
6542	PRE N/mm2	Z	0.001	-	-	-	-	-
6543	PRE N/mm2	Z	0.001	-	-	-	-	-
6544	PRE N/mm2	Z	0.001	-	-	-	-	-
6545	PRE N/mm2	Z	0.001	-	-	-	-	-
6546	PRE N/mm2	Z	0.001	-	-	-	-	-
6547	PRE N/mm2	Z	0.001	-	-	-	-	-
6548	PRE N/mm2	Z	0.001	-	-	-	-	-
6549	PRE N/mm2	Z	0.001	-	-	-	-	-
6550	PRE N/mm2	Z	0.001	-	-	-	-	-
6551	PRE N/mm2	Z	0.001	-	-	-	-	-
6552	PRE N/mm2	Z	0.001	-	-	-	-	-
6553	PRE N/mm2	Z	0.001	-	-	-	-	-
6554	PRE N/mm2	Z	0.001	-	-	-	-	-
6555	PRE N/mm2	Z	0.001	-	-	-	-	-
6556	PRE N/mm2	Z	0.001	-	-	-	-	-
6557	PRE N/mm2	Z	0.001	-	-	-	-	-
6558	PRE N/mm2	Z	0.001	-	-	-	-	-
6559	PRE N/mm2	Z	0.001	-	-	-	-	-
6560	PRE N/mm2	Z	0.001	-	-	-	-	-
6561	PRE N/mm2	Z	0.001	-	-	-	-	-
6562	PRE N/mm2	Z	0.001	-	-	-	-	-
6563	PRE N/mm2	Z	0.001	-	-	-	-	-
6564	PRE N/mm2	Z	0.001	-	-	-	-	-
6565	PRE N/mm2	Z	0.001	-	-	-	-	-
6566	PRE N/mm2	Z	0.001	-	-	-	-	-
6567	PRE N/mm2	Z	0.001	-	-	-	-	-
6568	PRE N/mm2	Z	0.001	-	-	-	-	-
6569	PRE N/mm2	Z	0.001	-	-	-	-	-
6570	PRE N/mm2	Z	0.001	-	-	-	-	-
6571	PRE N/mm2	Z	0.001	-	-	-	-	-
6572	PRE N/mm2	Z	0.001	-	-	-	-	-
6573	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6574	PRE N/mm2	Z	0.001	-	-	-	-	-
6575	PRE N/mm2	Z	0.001	-	-	-	-	-
6576	PRE N/mm2	Z	0.001	-	-	-	-	-
6577	PRE N/mm2	Z	0.001	-	-	-	-	-
6578	PRE N/mm2	Z	0.001	-	-	-	-	-
6579	PRE N/mm2	Z	0.001	-	-	-	-	-
6580	PRE N/mm2	Z	0.001	-	-	-	-	-
6581	PRE N/mm2	Z	0.001	-	-	-	-	-
6582	PRE N/mm2	Z	0.001	-	-	-	-	-
6583	PRE N/mm2	Z	0.001	-	-	-	-	-
6584	PRE N/mm2	Z	0.001	-	-	-	-	-
6585	PRE N/mm2	Z	0.001	-	-	-	-	-
6586	PRE N/mm2	Z	0.001	-	-	-	-	-
6587	PRE N/mm2	Z	0.001	-	-	-	-	-
6588	PRE N/mm2	Z	0.001	-	-	-	-	-
6589	PRE N/mm2	Z	0.001	-	-	-	-	-
6590	PRE N/mm2	Z	0.001	-	-	-	-	-
6591	PRE N/mm2	Z	0.001	-	-	-	-	-
6592	PRE N/mm2	Z	0.001	-	-	-	-	-
6593	PRE N/mm2	Z	0.001	-	-	-	-	-
6594	PRE N/mm2	Z	0.001	-	-	-	-	-
6595	PRE N/mm2	Z	0.001	-	-	-	-	-
6596	PRE N/mm2	Z	0.001	-	-	-	-	-
6597	PRE N/mm2	Z	0.001	-	-	-	-	-
6598	PRE N/mm2	Z	0.001	-	-	-	-	-
6599	PRE N/mm2	Z	0.001	-	-	-	-	-
6600	PRE N/mm2	Z	0.001	-	-	-	-	-
6601	PRE N/mm2	Z	0.001	-	-	-	-	-
6742	PRE N/mm2	Z	0.001	-	-	-	-	-
6743	PRE N/mm2	Z	0.001	-	-	-	-	-
6744	PRE N/mm2	Z	0.001	-	-	-	-	-
6745	PRE N/mm2	Z	0.001	-	-	-	-	-
6746	PRE N/mm2	Z	0.001	-	-	-	-	-
6747	PRE N/mm2	Z	0.001	-	-	-	-	-
6748	PRE N/mm2	Z	0.001	-	-	-	-	-
6749	PRE N/mm2	Z	0.001	-	-	-	-	-
6750	PRE N/mm2	Z	0.001	-	-	-	-	-
6751	PRE N/mm2	Z	0.001	-	-	-	-	-
6752	PRE N/mm2	Z	0.001	-	-	-	-	-
6753	PRE N/mm2	Z	0.001	-	-	-	-	-
6754	PRE N/mm2	Z	0.001	-	-	-	-	-
6755	PRE N/mm2	Z	0.001	-	-	-	-	-
6756	PRE N/mm2	Z	0.001	-	-	-	-	-
6757	PRE N/mm2	Z	0.001	-	-	-	-	-
6758	PRE N/mm2	Z	0.001	-	-	-	-	-
6759	PRE N/mm2	Z	0.001	-	-	-	-	-
6760	PRE N/mm2	Z	0.001	-	-	-	-	-
6761	PRE N/mm2	Z	0.001	-	-	-	-	-
6762	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6763	PRE N/mm2	Z	0.001	-	-	-	-	-
6764	PRE N/mm2	Z	0.001	-	-	-	-	-
6765	PRE N/mm2	Z	0.001	-	-	-	-	-
6766	PRE N/mm2	Z	0.001	-	-	-	-	-
6767	PRE N/mm2	Z	0.001	-	-	-	-	-
6768	PRE N/mm2	Z	0.001	-	-	-	-	-
6769	PRE N/mm2	Z	0.001	-	-	-	-	-
6770	PRE N/mm2	Z	0.001	-	-	-	-	-
6771	PRE N/mm2	Z	0.001	-	-	-	-	-
6772	PRE N/mm2	Z	0.001	-	-	-	-	-
6773	PRE N/mm2	Z	0.001	-	-	-	-	-
6774	PRE N/mm2	Z	0.001	-	-	-	-	-
6775	PRE N/mm2	Z	0.001	-	-	-	-	-
6776	PRE N/mm2	Z	0.001	-	-	-	-	-
6777	PRE N/mm2	Z	0.001	-	-	-	-	-
6778	PRE N/mm2	Z	0.001	-	-	-	-	-
6779	PRE N/mm2	Z	0.001	-	-	-	-	-
6780	PRE N/mm2	Z	0.001	-	-	-	-	-
6781	PRE N/mm2	Z	0.001	-	-	-	-	-
6782	PRE N/mm2	Z	0.001	-	-	-	-	-
6783	PRE N/mm2	Z	0.001	-	-	-	-	-
6784	PRE N/mm2	Z	0.001	-	-	-	-	-
6785	PRE N/mm2	Z	0.001	-	-	-	-	-
6786	PRE N/mm2	Z	0.001	-	-	-	-	-
6787	PRE N/mm2	Z	0.001	-	-	-	-	-
6788	PRE N/mm2	Z	0.001	-	-	-	-	-
6789	PRE N/mm2	Z	0.001	-	-	-	-	-
6790	PRE N/mm2	Z	0.001	-	-	-	-	-
6791	PRE N/mm2	Z	0.001	-	-	-	-	-
6792	PRE N/mm2	Z	0.001	-	-	-	-	-
6793	PRE N/mm2	Z	0.001	-	-	-	-	-
6794	PRE N/mm2	Z	0.001	-	-	-	-	-
6795	PRE N/mm2	Z	0.001	-	-	-	-	-
6796	PRE N/mm2	Z	0.001	-	-	-	-	-
6797	PRE N/mm2	Z	0.001	-	-	-	-	-
6798	PRE N/mm2	Z	0.001	-	-	-	-	-
6799	PRE N/mm2	Z	0.001	-	-	-	-	-
6800	PRE N/mm2	Z	0.001	-	-	-	-	-
6801	PRE N/mm2	Z	0.001	-	-	-	-	-
6802	PRE N/mm2	Z	0.001	-	-	-	-	-
6803	PRE N/mm2	Z	0.001	-	-	-	-	-
6804	PRE N/mm2	Z	0.001	-	-	-	-	-
6805	PRE N/mm2	Z	0.001	-	-	-	-	-
6806	PRE N/mm2	Z	0.001	-	-	-	-	-
6807	PRE N/mm2	Z	0.001	-	-	-	-	-
6808	PRE N/mm2	Z	0.001	-	-	-	-	-
6809	PRE N/mm2	Z	0.001	-	-	-	-	-
6810	PRE N/mm2	Z	0.001	-	-	-	-	-
6811	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6812	PRE N/mm2	Z	0.001	-	-	-	-	-
6813	PRE N/mm2	Z	0.001	-	-	-	-	-
6814	PRE N/mm2	Z	0.001	-	-	-	-	-
6815	PRE N/mm2	Z	0.001	-	-	-	-	-
6816	PRE N/mm2	Z	0.001	-	-	-	-	-
6817	PRE N/mm2	Z	0.001	-	-	-	-	-
6818	PRE N/mm2	Z	0.001	-	-	-	-	-
6819	PRE N/mm2	Z	0.001	-	-	-	-	-
6950	PRE N/mm2	Z	0.001	-	-	-	-	-
6951	PRE N/mm2	Z	0.001	-	-	-	-	-
6952	PRE N/mm2	Z	0.001	-	-	-	-	-
6953	PRE N/mm2	Z	0.001	-	-	-	-	-
6954	PRE N/mm2	Z	0.001	-	-	-	-	-
6955	PRE N/mm2	Z	0.001	-	-	-	-	-
6956	PRE N/mm2	Z	0.001	-	-	-	-	-
6957	PRE N/mm2	Z	0.001	-	-	-	-	-
6958	PRE N/mm2	Z	0.001	-	-	-	-	-
6959	PRE N/mm2	Z	0.001	-	-	-	-	-
6960	PRE N/mm2	Z	0.001	-	-	-	-	-
6961	PRE N/mm2	Z	0.001	-	-	-	-	-
6962	PRE N/mm2	Z	0.001	-	-	-	-	-
6963	PRE N/mm2	Z	0.001	-	-	-	-	-
6964	PRE N/mm2	Z	0.001	-	-	-	-	-
6965	PRE N/mm2	Z	0.001	-	-	-	-	-
6966	PRE N/mm2	Z	0.001	-	-	-	-	-
6967	PRE N/mm2	Z	0.001	-	-	-	-	-
6968	PRE N/mm2	Z	0.001	-	-	-	-	-
6969	PRE N/mm2	Z	0.001	-	-	-	-	-
6970	PRE N/mm2	Z	0.001	-	-	-	-	-
6971	PRE N/mm2	Z	0.001	-	-	-	-	-
6972	PRE N/mm2	Z	0.001	-	-	-	-	-
6973	PRE N/mm2	Z	0.001	-	-	-	-	-
6974	PRE N/mm2	Z	0.001	-	-	-	-	-
6975	PRE N/mm2	Z	0.001	-	-	-	-	-
6976	PRE N/mm2	Z	0.001	-	-	-	-	-
6977	PRE N/mm2	Z	0.001	-	-	-	-	-
6978	PRE N/mm2	Z	0.001	-	-	-	-	-
6979	PRE N/mm2	Z	0.001	-	-	-	-	-
6980	PRE N/mm2	Z	0.001	-	-	-	-	-
6981	PRE N/mm2	Z	0.001	-	-	-	-	-
6982	PRE N/mm2	Z	0.001	-	-	-	-	-
6983	PRE N/mm2	Z	0.001	-	-	-	-	-
6984	PRE N/mm2	Z	0.001	-	-	-	-	-
6985	PRE N/mm2	Z	0.001	-	-	-	-	-
6986	PRE N/mm2	Z	0.001	-	-	-	-	-
6987	PRE N/mm2	Z	0.001	-	-	-	-	-
6988	PRE N/mm2	Z	0.001	-	-	-	-	-
6989	PRE N/mm2	Z	0.001	-	-	-	-	-
6990	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6991	PRE N/mm2	Z	0.001	-	-	-	-	-
6992	PRE N/mm2	Z	0.001	-	-	-	-	-
6993	PRE N/mm2	Z	0.001	-	-	-	-	-
6994	PRE N/mm2	Z	0.001	-	-	-	-	-
6995	PRE N/mm2	Z	0.001	-	-	-	-	-
6996	PRE N/mm2	Z	0.001	-	-	-	-	-
6997	PRE N/mm2	Z	0.001	-	-	-	-	-
6998	PRE N/mm2	Z	0.001	-	-	-	-	-
6999	PRE N/mm2	Z	0.001	-	-	-	-	-
7000	PRE N/mm2	Z	0.001	-	-	-	-	-
7001	PRE N/mm2	Z	0.001	-	-	-	-	-
7002	PRE N/mm2	Z	0.001	-	-	-	-	-
7003	PRE N/mm2	Z	0.001	-	-	-	-	-
7004	PRE N/mm2	Z	0.001	-	-	-	-	-
7005	PRE N/mm2	Z	0.001	-	-	-	-	-
7006	PRE N/mm2	Z	0.001	-	-	-	-	-
7007	PRE N/mm2	Z	0.001	-	-	-	-	-
7008	PRE N/mm2	Z	0.001	-	-	-	-	-
7009	PRE N/mm2	Z	0.001	-	-	-	-	-
7010	PRE N/mm2	Z	0.001	-	-	-	-	-
7011	PRE N/mm2	Z	0.001	-	-	-	-	-
7012	PRE N/mm2	Z	0.001	-	-	-	-	-
7013	PRE N/mm2	Z	0.001	-	-	-	-	-
7014	PRE N/mm2	Z	0.001	-	-	-	-	-
7015	PRE N/mm2	Z	0.001	-	-	-	-	-
7016	PRE N/mm2	Z	0.001	-	-	-	-	-
7017	PRE N/mm2	Z	0.001	-	-	-	-	-
7018	PRE N/mm2	Z	0.001	-	-	-	-	-
7019	PRE N/mm2	Z	0.001	-	-	-	-	-
7020	PRE N/mm2	Z	0.001	-	-	-	-	-
7021	PRE N/mm2	Z	0.001	-	-	-	-	-
7022	PRE N/mm2	Z	0.001	-	-	-	-	-
7023	PRE N/mm2	Z	0.001	-	-	-	-	-
7024	PRE N/mm2	Z	0.001	-	-	-	-	-
7025	PRE N/mm2	Z	0.001	-	-	-	-	-
7026	PRE N/mm2	Z	0.001	-	-	-	-	-
7027	PRE N/mm2	Z	0.001	-	-	-	-	-
7158	PRE N/mm2	Z	0.001	-	-	-	-	-
7159	PRE N/mm2	Z	0.001	-	-	-	-	-
7160	PRE N/mm2	Z	0.001	-	-	-	-	-
7161	PRE N/mm2	Z	0.001	-	-	-	-	-
7162	PRE N/mm2	Z	0.001	-	-	-	-	-
7163	PRE N/mm2	Z	0.001	-	-	-	-	-
7164	PRE N/mm2	Z	0.001	-	-	-	-	-
7165	PRE N/mm2	Z	0.001	-	-	-	-	-
7166	PRE N/mm2	Z	0.001	-	-	-	-	-
7167	PRE N/mm2	Z	0.001	-	-	-	-	-
7168	PRE N/mm2	Z	0.001	-	-	-	-	-
7169	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7170	PRE N/mm2	Z	0.001	-	-	-	-	-
7171	PRE N/mm2	Z	0.001	-	-	-	-	-
7172	PRE N/mm2	Z	0.001	-	-	-	-	-
7173	PRE N/mm2	Z	0.001	-	-	-	-	-
7174	PRE N/mm2	Z	0.001	-	-	-	-	-
7175	PRE N/mm2	Z	0.001	-	-	-	-	-
7176	PRE N/mm2	Z	0.001	-	-	-	-	-
7177	PRE N/mm2	Z	0.001	-	-	-	-	-
7178	PRE N/mm2	Z	0.001	-	-	-	-	-
7179	PRE N/mm2	Z	0.001	-	-	-	-	-
7180	PRE N/mm2	Z	0.001	-	-	-	-	-
7181	PRE N/mm2	Z	0.001	-	-	-	-	-
7182	PRE N/mm2	Z	0.001	-	-	-	-	-
7183	PRE N/mm2	Z	0.001	-	-	-	-	-
7184	PRE N/mm2	Z	0.001	-	-	-	-	-
7185	PRE N/mm2	Z	0.001	-	-	-	-	-
7186	PRE N/mm2	Z	0.001	-	-	-	-	-
7187	PRE N/mm2	Z	0.001	-	-	-	-	-
7188	PRE N/mm2	Z	0.001	-	-	-	-	-
7189	PRE N/mm2	Z	0.001	-	-	-	-	-
7190	PRE N/mm2	Z	0.001	-	-	-	-	-
7191	PRE N/mm2	Z	0.001	-	-	-	-	-
7192	PRE N/mm2	Z	0.001	-	-	-	-	-
7193	PRE N/mm2	Z	0.001	-	-	-	-	-
7194	PRE N/mm2	Z	0.001	-	-	-	-	-
7195	PRE N/mm2	Z	0.001	-	-	-	-	-
7196	PRE N/mm2	Z	0.001	-	-	-	-	-
7197	PRE N/mm2	Z	0.001	-	-	-	-	-
7198	PRE N/mm2	Z	0.001	-	-	-	-	-
7199	PRE N/mm2	Z	0.001	-	-	-	-	-
7200	PRE N/mm2	Z	0.001	-	-	-	-	-
7201	PRE N/mm2	Z	0.001	-	-	-	-	-
7202	PRE N/mm2	Z	0.001	-	-	-	-	-
7203	PRE N/mm2	Z	0.001	-	-	-	-	-
7204	PRE N/mm2	Z	0.001	-	-	-	-	-
7205	PRE N/mm2	Z	0.001	-	-	-	-	-
7206	PRE N/mm2	Z	0.001	-	-	-	-	-
7207	PRE N/mm2	Z	0.001	-	-	-	-	-
7208	PRE N/mm2	Z	0.001	-	-	-	-	-
7209	PRE N/mm2	Z	0.001	-	-	-	-	-
7210	PRE N/mm2	Z	0.001	-	-	-	-	-
7211	PRE N/mm2	Z	0.001	-	-	-	-	-
7212	PRE N/mm2	Z	0.001	-	-	-	-	-
7213	PRE N/mm2	Z	0.001	-	-	-	-	-
7214	PRE N/mm2	Z	0.001	-	-	-	-	-
7215	PRE N/mm2	Z	0.001	-	-	-	-	-
7216	PRE N/mm2	Z	0.001	-	-	-	-	-
7217	PRE N/mm2	Z	0.001	-	-	-	-	-
7218	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7219	PRE N/mm2	Z	0.001	-	-	-	-	-
7220	PRE N/mm2	Z	0.001	-	-	-	-	-
7221	PRE N/mm2	Z	0.001	-	-	-	-	-
7222	PRE N/mm2	Z	0.001	-	-	-	-	-
7223	PRE N/mm2	Z	0.001	-	-	-	-	-
7224	PRE N/mm2	Z	0.001	-	-	-	-	-
7225	PRE N/mm2	Z	0.001	-	-	-	-	-
7226	PRE N/mm2	Z	0.001	-	-	-	-	-
7227	PRE N/mm2	Z	0.001	-	-	-	-	-
7228	PRE N/mm2	Z	0.001	-	-	-	-	-
7229	PRE N/mm2	Z	0.001	-	-	-	-	-
7230	PRE N/mm2	Z	0.001	-	-	-	-	-
7231	PRE N/mm2	Z	0.001	-	-	-	-	-
7232	PRE N/mm2	Z	0.001	-	-	-	-	-
7233	PRE N/mm2	Z	0.001	-	-	-	-	-
7234	PRE N/mm2	Z	0.001	-	-	-	-	-
7235	PRE N/mm2	Z	0.001	-	-	-	-	-
7356	PRE N/mm2	Z	0.001	-	-	-	-	-
7357	PRE N/mm2	Z	0.001	-	-	-	-	-
7358	PRE N/mm2	Z	0.001	-	-	-	-	-
7359	PRE N/mm2	Z	0.001	-	-	-	-	-
7360	PRE N/mm2	Z	0.001	-	-	-	-	-
7361	PRE N/mm2	Z	0.001	-	-	-	-	-
7362	PRE N/mm2	Z	0.001	-	-	-	-	-
7363	PRE N/mm2	Z	0.001	-	-	-	-	-
7364	PRE N/mm2	Z	0.001	-	-	-	-	-
7365	PRE N/mm2	Z	0.001	-	-	-	-	-
7366	PRE N/mm2	Z	0.001	-	-	-	-	-
7367	PRE N/mm2	Z	0.001	-	-	-	-	-
7368	PRE N/mm2	Z	0.001	-	-	-	-	-
7369	PRE N/mm2	Z	0.001	-	-	-	-	-
7370	PRE N/mm2	Z	0.001	-	-	-	-	-
7371	PRE N/mm2	Z	0.001	-	-	-	-	-
7372	PRE N/mm2	Z	0.001	-	-	-	-	-
7373	PRE N/mm2	Z	0.001	-	-	-	-	-
7374	PRE N/mm2	Z	0.001	-	-	-	-	-
7375	PRE N/mm2	Z	0.001	-	-	-	-	-
7376	PRE N/mm2	Z	0.001	-	-	-	-	-
7377	PRE N/mm2	Z	0.001	-	-	-	-	-
7378	PRE N/mm2	Z	0.001	-	-	-	-	-
7379	PRE N/mm2	Z	0.001	-	-	-	-	-
7380	PRE N/mm2	Z	0.001	-	-	-	-	-
7381	PRE N/mm2	Z	0.001	-	-	-	-	-
7382	PRE N/mm2	Z	0.001	-	-	-	-	-
7383	PRE N/mm2	Z	0.001	-	-	-	-	-
7384	PRE N/mm2	Z	0.001	-	-	-	-	-
7385	PRE N/mm2	Z	0.001	-	-	-	-	-
7386	PRE N/mm2	Z	0.001	-	-	-	-	-
7387	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7388	PRE N/mm2	Z	0.001	-	-	-	-	-
7389	PRE N/mm2	Z	0.001	-	-	-	-	-
7390	PRE N/mm2	Z	0.001	-	-	-	-	-
7391	PRE N/mm2	Z	0.001	-	-	-	-	-
7392	PRE N/mm2	Z	0.001	-	-	-	-	-
7393	PRE N/mm2	Z	0.001	-	-	-	-	-
7394	PRE N/mm2	Z	0.001	-	-	-	-	-
7395	PRE N/mm2	Z	0.001	-	-	-	-	-
7396	PRE N/mm2	Z	0.001	-	-	-	-	-
7397	PRE N/mm2	Z	0.001	-	-	-	-	-
7398	PRE N/mm2	Z	0.001	-	-	-	-	-
7399	PRE N/mm2	Z	0.001	-	-	-	-	-
7400	PRE N/mm2	Z	0.001	-	-	-	-	-
7401	PRE N/mm2	Z	0.001	-	-	-	-	-
7402	PRE N/mm2	Z	0.001	-	-	-	-	-
7403	PRE N/mm2	Z	0.001	-	-	-	-	-
7404	PRE N/mm2	Z	0.001	-	-	-	-	-
7405	PRE N/mm2	Z	0.001	-	-	-	-	-
7406	PRE N/mm2	Z	0.001	-	-	-	-	-
7407	PRE N/mm2	Z	0.001	-	-	-	-	-
7408	PRE N/mm2	Z	0.001	-	-	-	-	-
7409	PRE N/mm2	Z	0.001	-	-	-	-	-
7410	PRE N/mm2	Z	0.001	-	-	-	-	-
7411	PRE N/mm2	Z	0.001	-	-	-	-	-
7412	PRE N/mm2	Z	0.001	-	-	-	-	-
7413	PRE N/mm2	Z	0.001	-	-	-	-	-
7414	PRE N/mm2	Z	0.001	-	-	-	-	-
7415	PRE N/mm2	Z	0.001	-	-	-	-	-
7416	PRE N/mm2	Z	0.001	-	-	-	-	-
7417	PRE N/mm2	Z	0.001	-	-	-	-	-
7418	PRE N/mm2	Z	0.001	-	-	-	-	-
7419	PRE N/mm2	Z	0.001	-	-	-	-	-
7420	PRE N/mm2	Z	0.001	-	-	-	-	-
7421	PRE N/mm2	Z	0.001	-	-	-	-	-
7422	PRE N/mm2	Z	0.001	-	-	-	-	-
7423	PRE N/mm2	Z	0.001	-	-	-	-	-
7424	PRE N/mm2	Z	0.001	-	-	-	-	-
7425	PRE N/mm2	Z	0.001	-	-	-	-	-
7426	PRE N/mm2	Z	0.001	-	-	-	-	-
7427	PRE N/mm2	Z	0.001	-	-	-	-	-
7428	PRE N/mm2	Z	0.001	-	-	-	-	-
7429	PRE N/mm2	Z	0.001	-	-	-	-	-
7430	PRE N/mm2	Z	0.001	-	-	-	-	-
7431	PRE N/mm2	Z	0.001	-	-	-	-	-
7432	PRE N/mm2	Z	0.001	-	-	-	-	-
7433	PRE N/mm2	Z	0.001	-	-	-	-	-
7554	PRE N/mm2	Z	0.001	-	-	-	-	-
7555	PRE N/mm2	Z	0.001	-	-	-	-	-
7556	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7557	PRE N/mm2	Z	0.001	-	-	-	-	-
7558	PRE N/mm2	Z	0.001	-	-	-	-	-
7559	PRE N/mm2	Z	0.001	-	-	-	-	-
7560	PRE N/mm2	Z	0.001	-	-	-	-	-
7561	PRE N/mm2	Z	0.001	-	-	-	-	-
7562	PRE N/mm2	Z	0.001	-	-	-	-	-
7563	PRE N/mm2	Z	0.001	-	-	-	-	-
7564	PRE N/mm2	Z	0.001	-	-	-	-	-
7565	PRE N/mm2	Z	0.001	-	-	-	-	-
7566	PRE N/mm2	Z	0.001	-	-	-	-	-
7567	PRE N/mm2	Z	0.001	-	-	-	-	-
7568	PRE N/mm2	Z	0.001	-	-	-	-	-
7569	PRE N/mm2	Z	0.001	-	-	-	-	-
7570	PRE N/mm2	Z	0.001	-	-	-	-	-
7571	PRE N/mm2	Z	0.001	-	-	-	-	-
7572	PRE N/mm2	Z	0.001	-	-	-	-	-
7573	PRE N/mm2	Z	0.001	-	-	-	-	-
7574	PRE N/mm2	Z	0.001	-	-	-	-	-
7575	PRE N/mm2	Z	0.001	-	-	-	-	-
7576	PRE N/mm2	Z	0.001	-	-	-	-	-
7577	PRE N/mm2	Z	0.001	-	-	-	-	-
7578	PRE N/mm2	Z	0.001	-	-	-	-	-
7579	PRE N/mm2	Z	0.001	-	-	-	-	-
7580	PRE N/mm2	Z	0.001	-	-	-	-	-
7581	PRE N/mm2	Z	0.001	-	-	-	-	-
7582	PRE N/mm2	Z	0.001	-	-	-	-	-
7583	PRE N/mm2	Z	0.001	-	-	-	-	-
7584	PRE N/mm2	Z	0.001	-	-	-	-	-
7585	PRE N/mm2	Z	0.001	-	-	-	-	-
7586	PRE N/mm2	Z	0.001	-	-	-	-	-
7587	PRE N/mm2	Z	0.001	-	-	-	-	-
7588	PRE N/mm2	Z	0.001	-	-	-	-	-
7589	PRE N/mm2	Z	0.001	-	-	-	-	-
7590	PRE N/mm2	Z	0.001	-	-	-	-	-
7591	PRE N/mm2	Z	0.001	-	-	-	-	-
7592	PRE N/mm2	Z	0.001	-	-	-	-	-
7593	PRE N/mm2	Z	0.001	-	-	-	-	-
7594	PRE N/mm2	Z	0.001	-	-	-	-	-
7595	PRE N/mm2	Z	0.001	-	-	-	-	-
7596	PRE N/mm2	Z	0.001	-	-	-	-	-
7597	PRE N/mm2	Z	0.001	-	-	-	-	-
7598	PRE N/mm2	Z	0.001	-	-	-	-	-
7599	PRE N/mm2	Z	0.001	-	-	-	-	-
7600	PRE N/mm2	Z	0.001	-	-	-	-	-
7601	PRE N/mm2	Z	0.001	-	-	-	-	-
7602	PRE N/mm2	Z	0.001	-	-	-	-	-
7603	PRE N/mm2	Z	0.001	-	-	-	-	-
7604	PRE N/mm2	Z	0.001	-	-	-	-	-
7605	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7606	PRE N/mm2	Z	0.001	-	-	-	-	-
7607	PRE N/mm2	Z	0.001	-	-	-	-	-
7608	PRE N/mm2	Z	0.001	-	-	-	-	-
7609	PRE N/mm2	Z	0.001	-	-	-	-	-
7610	PRE N/mm2	Z	0.001	-	-	-	-	-
7611	PRE N/mm2	Z	0.001	-	-	-	-	-
7612	PRE N/mm2	Z	0.001	-	-	-	-	-
7613	PRE N/mm2	Z	0.001	-	-	-	-	-
7614	PRE N/mm2	Z	0.001	-	-	-	-	-
7615	PRE N/mm2	Z	0.001	-	-	-	-	-
7616	PRE N/mm2	Z	0.001	-	-	-	-	-
7617	PRE N/mm2	Z	0.001	-	-	-	-	-
7618	PRE N/mm2	Z	0.001	-	-	-	-	-
7619	PRE N/mm2	Z	0.001	-	-	-	-	-
7620	PRE N/mm2	Z	0.001	-	-	-	-	-
7621	PRE N/mm2	Z	0.001	-	-	-	-	-
7622	PRE N/mm2	Z	0.001	-	-	-	-	-
7623	PRE N/mm2	Z	0.001	-	-	-	-	-
7624	PRE N/mm2	Z	0.001	-	-	-	-	-
7625	PRE N/mm2	Z	0.001	-	-	-	-	-
7626	PRE N/mm2	Z	0.001	-	-	-	-	-
7627	PRE N/mm2	Z	0.001	-	-	-	-	-
7628	PRE N/mm2	Z	0.001	-	-	-	-	-
7629	PRE N/mm2	Z	0.001	-	-	-	-	-
7630	PRE N/mm2	Z	0.001	-	-	-	-	-
7631	PRE N/mm2	Z	0.001	-	-	-	-	-
7742	PRE N/mm2	Z	0.001	-	-	-	-	-
7743	PRE N/mm2	Z	0.001	-	-	-	-	-
7744	PRE N/mm2	Z	0.001	-	-	-	-	-
7745	PRE N/mm2	Z	0.001	-	-	-	-	-
7746	PRE N/mm2	Z	0.001	-	-	-	-	-
7747	PRE N/mm2	Z	0.001	-	-	-	-	-
7748	PRE N/mm2	Z	0.001	-	-	-	-	-
7749	PRE N/mm2	Z	0.001	-	-	-	-	-
7750	PRE N/mm2	Z	0.001	-	-	-	-	-
7751	PRE N/mm2	Z	0.001	-	-	-	-	-
7752	PRE N/mm2	Z	0.001	-	-	-	-	-
7753	PRE N/mm2	Z	0.001	-	-	-	-	-
7754	PRE N/mm2	Z	0.001	-	-	-	-	-
7755	PRE N/mm2	Z	0.001	-	-	-	-	-
7756	PRE N/mm2	Z	0.001	-	-	-	-	-
7757	PRE N/mm2	Z	0.001	-	-	-	-	-
7758	PRE N/mm2	Z	0.001	-	-	-	-	-
7759	PRE N/mm2	Z	0.001	-	-	-	-	-
7760	PRE N/mm2	Z	0.001	-	-	-	-	-
7761	PRE N/mm2	Z	0.001	-	-	-	-	-
7762	PRE N/mm2	Z	0.001	-	-	-	-	-
7763	PRE N/mm2	Z	0.001	-	-	-	-	-
7764	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7765	PRE N/mm2	Z	0.001	-	-	-	-	-
7766	PRE N/mm2	Z	0.001	-	-	-	-	-
7767	PRE N/mm2	Z	0.001	-	-	-	-	-
7768	PRE N/mm2	Z	0.001	-	-	-	-	-
7769	PRE N/mm2	Z	0.001	-	-	-	-	-
7770	PRE N/mm2	Z	0.001	-	-	-	-	-
7771	PRE N/mm2	Z	0.001	-	-	-	-	-
7772	PRE N/mm2	Z	0.001	-	-	-	-	-
7773	PRE N/mm2	Z	0.001	-	-	-	-	-
7774	PRE N/mm2	Z	0.001	-	-	-	-	-
7775	PRE N/mm2	Z	0.001	-	-	-	-	-
7776	PRE N/mm2	Z	0.001	-	-	-	-	-
7777	PRE N/mm2	Z	0.001	-	-	-	-	-
7778	PRE N/mm2	Z	0.001	-	-	-	-	-
7779	PRE N/mm2	Z	0.001	-	-	-	-	-
7780	PRE N/mm2	Z	0.001	-	-	-	-	-
7781	PRE N/mm2	Z	0.001	-	-	-	-	-
7782	PRE N/mm2	Z	0.001	-	-	-	-	-
7783	PRE N/mm2	Z	0.001	-	-	-	-	-
7784	PRE N/mm2	Z	0.001	-	-	-	-	-
7785	PRE N/mm2	Z	0.001	-	-	-	-	-
7786	PRE N/mm2	Z	0.001	-	-	-	-	-
7787	PRE N/mm2	Z	0.001	-	-	-	-	-
7788	PRE N/mm2	Z	0.001	-	-	-	-	-
7789	PRE N/mm2	Z	0.001	-	-	-	-	-
7790	PRE N/mm2	Z	0.001	-	-	-	-	-
7791	PRE N/mm2	Z	0.001	-	-	-	-	-
7792	PRE N/mm2	Z	0.001	-	-	-	-	-
7793	PRE N/mm2	Z	0.001	-	-	-	-	-
7794	PRE N/mm2	Z	0.001	-	-	-	-	-
7795	PRE N/mm2	Z	0.001	-	-	-	-	-
7796	PRE N/mm2	Z	0.001	-	-	-	-	-
7797	PRE N/mm2	Z	0.001	-	-	-	-	-
7798	PRE N/mm2	Z	0.001	-	-	-	-	-
7799	PRE N/mm2	Z	0.001	-	-	-	-	-
7800	PRE N/mm2	Z	0.001	-	-	-	-	-
7801	PRE N/mm2	Z	0.001	-	-	-	-	-
7802	PRE N/mm2	Z	0.001	-	-	-	-	-
7803	PRE N/mm2	Z	0.001	-	-	-	-	-
7804	PRE N/mm2	Z	0.001	-	-	-	-	-
7805	PRE N/mm2	Z	0.001	-	-	-	-	-
7806	PRE N/mm2	Z	0.001	-	-	-	-	-
7807	PRE N/mm2	Z	0.001	-	-	-	-	-
7808	PRE N/mm2	Z	0.001	-	-	-	-	-
7809	PRE N/mm2	Z	0.001	-	-	-	-	-
7810	PRE N/mm2	Z	0.001	-	-	-	-	-
7811	PRE N/mm2	Z	0.001	-	-	-	-	-
7812	PRE N/mm2	Z	0.001	-	-	-	-	-
7813	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7814	PRE N/mm2	Z	0.001	-	-	-	-	-
7815	PRE N/mm2	Z	0.001	-	-	-	-	-
7816	PRE N/mm2	Z	0.001	-	-	-	-	-
7817	PRE N/mm2	Z	0.001	-	-	-	-	-
7818	PRE N/mm2	Z	0.001	-	-	-	-	-
7819	PRE N/mm2	Z	0.001	-	-	-	-	-
7930	PRE N/mm2	Z	0.001	-	-	-	-	-
7931	PRE N/mm2	Z	0.001	-	-	-	-	-
7932	PRE N/mm2	Z	0.001	-	-	-	-	-
7933	PRE N/mm2	Z	0.001	-	-	-	-	-
7934	PRE N/mm2	Z	0.001	-	-	-	-	-
7935	PRE N/mm2	Z	0.001	-	-	-	-	-
7936	PRE N/mm2	Z	0.001	-	-	-	-	-
7937	PRE N/mm2	Z	0.001	-	-	-	-	-
7938	PRE N/mm2	Z	0.001	-	-	-	-	-
7939	PRE N/mm2	Z	0.001	-	-	-	-	-
7940	PRE N/mm2	Z	0.001	-	-	-	-	-
7941	PRE N/mm2	Z	0.001	-	-	-	-	-
7942	PRE N/mm2	Z	0.001	-	-	-	-	-
7943	PRE N/mm2	Z	0.001	-	-	-	-	-
7944	PRE N/mm2	Z	0.001	-	-	-	-	-
7945	PRE N/mm2	Z	0.001	-	-	-	-	-
7946	PRE N/mm2	Z	0.001	-	-	-	-	-
7947	PRE N/mm2	Z	0.001	-	-	-	-	-
7948	PRE N/mm2	Z	0.001	-	-	-	-	-
7949	PRE N/mm2	Z	0.001	-	-	-	-	-
7950	PRE N/mm2	Z	0.001	-	-	-	-	-
7951	PRE N/mm2	Z	0.001	-	-	-	-	-
7952	PRE N/mm2	Z	0.001	-	-	-	-	-
7953	PRE N/mm2	Z	0.001	-	-	-	-	-
7954	PRE N/mm2	Z	0.001	-	-	-	-	-
7955	PRE N/mm2	Z	0.001	-	-	-	-	-
7956	PRE N/mm2	Z	0.001	-	-	-	-	-
7957	PRE N/mm2	Z	0.001	-	-	-	-	-
7958	PRE N/mm2	Z	0.001	-	-	-	-	-
7959	PRE N/mm2	Z	0.001	-	-	-	-	-
7960	PRE N/mm2	Z	0.001	-	-	-	-	-
7961	PRE N/mm2	Z	0.001	-	-	-	-	-
7962	PRE N/mm2	Z	0.001	-	-	-	-	-
7963	PRE N/mm2	Z	0.001	-	-	-	-	-
7964	PRE N/mm2	Z	0.001	-	-	-	-	-
7965	PRE N/mm2	Z	0.001	-	-	-	-	-
7966	PRE N/mm2	Z	0.001	-	-	-	-	-
7967	PRE N/mm2	Z	0.001	-	-	-	-	-
7968	PRE N/mm2	Z	0.001	-	-	-	-	-
7969	PRE N/mm2	Z	0.001	-	-	-	-	-
7970	PRE N/mm2	Z	0.001	-	-	-	-	-
7971	PRE N/mm2	Z	0.001	-	-	-	-	-
7972	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7973	PRE N/mm2	Z	0.001	-	-	-	-	-
7974	PRE N/mm2	Z	0.001	-	-	-	-	-
7975	PRE N/mm2	Z	0.001	-	-	-	-	-
7976	PRE N/mm2	Z	0.001	-	-	-	-	-
7977	PRE N/mm2	Z	0.001	-	-	-	-	-
7978	PRE N/mm2	Z	0.001	-	-	-	-	-
7979	PRE N/mm2	Z	0.001	-	-	-	-	-
7980	PRE N/mm2	Z	0.001	-	-	-	-	-
7981	PRE N/mm2	Z	0.001	-	-	-	-	-
7982	PRE N/mm2	Z	0.001	-	-	-	-	-
7983	PRE N/mm2	Z	0.001	-	-	-	-	-
7984	PRE N/mm2	Z	0.001	-	-	-	-	-
7985	PRE N/mm2	Z	0.001	-	-	-	-	-
7986	PRE N/mm2	Z	0.001	-	-	-	-	-
7987	PRE N/mm2	Z	0.001	-	-	-	-	-
7988	PRE N/mm2	Z	0.001	-	-	-	-	-
7989	PRE N/mm2	Z	0.001	-	-	-	-	-
7990	PRE N/mm2	Z	0.001	-	-	-	-	-
7991	PRE N/mm2	Z	0.001	-	-	-	-	-
7992	PRE N/mm2	Z	0.001	-	-	-	-	-
7993	PRE N/mm2	Z	0.001	-	-	-	-	-
7994	PRE N/mm2	Z	0.001	-	-	-	-	-
7995	PRE N/mm2	Z	0.001	-	-	-	-	-
7996	PRE N/mm2	Z	0.001	-	-	-	-	-
7997	PRE N/mm2	Z	0.001	-	-	-	-	-
7998	PRE N/mm2	Z	0.001	-	-	-	-	-
7999	PRE N/mm2	Z	0.001	-	-	-	-	-
8000	PRE N/mm2	Z	0.001	-	-	-	-	-
8001	PRE N/mm2	Z	0.001	-	-	-	-	-
8002	PRE N/mm2	Z	0.001	-	-	-	-	-
8003	PRE N/mm2	Z	0.001	-	-	-	-	-
8004	PRE N/mm2	Z	0.001	-	-	-	-	-
8005	PRE N/mm2	Z	0.001	-	-	-	-	-
8006	PRE N/mm2	Z	0.001	-	-	-	-	-
8007	PRE N/mm2	Z	0.001	-	-	-	-	-
8108	PRE N/mm2	Z	0.001	-	-	-	-	-
8109	PRE N/mm2	Z	0.001	-	-	-	-	-
8110	PRE N/mm2	Z	0.001	-	-	-	-	-
8111	PRE N/mm2	Z	0.001	-	-	-	-	-
8112	PRE N/mm2	Z	0.001	-	-	-	-	-
8113	PRE N/mm2	Z	0.001	-	-	-	-	-
8114	PRE N/mm2	Z	0.001	-	-	-	-	-
8115	PRE N/mm2	Z	0.001	-	-	-	-	-
8116	PRE N/mm2	Z	0.001	-	-	-	-	-
8117	PRE N/mm2	Z	0.001	-	-	-	-	-
8118	PRE N/mm2	Z	0.001	-	-	-	-	-
8119	PRE N/mm2	Z	0.001	-	-	-	-	-
8120	PRE N/mm2	Z	0.001	-	-	-	-	-
8121	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8122	PRE N/mm2	Z	0.001	-	-	-	-	-
8123	PRE N/mm2	Z	0.001	-	-	-	-	-
8124	PRE N/mm2	Z	0.001	-	-	-	-	-
8125	PRE N/mm2	Z	0.001	-	-	-	-	-
8126	PRE N/mm2	Z	0.001	-	-	-	-	-
8127	PRE N/mm2	Z	0.001	-	-	-	-	-
8128	PRE N/mm2	Z	0.001	-	-	-	-	-
8129	PRE N/mm2	Z	0.001	-	-	-	-	-
8130	PRE N/mm2	Z	0.001	-	-	-	-	-
8131	PRE N/mm2	Z	0.001	-	-	-	-	-
8132	PRE N/mm2	Z	0.001	-	-	-	-	-
8133	PRE N/mm2	Z	0.001	-	-	-	-	-
8134	PRE N/mm2	Z	0.001	-	-	-	-	-
8135	PRE N/mm2	Z	0.001	-	-	-	-	-
8136	PRE N/mm2	Z	0.001	-	-	-	-	-
8137	PRE N/mm2	Z	0.001	-	-	-	-	-
8138	PRE N/mm2	Z	0.001	-	-	-	-	-
8139	PRE N/mm2	Z	0.001	-	-	-	-	-
8140	PRE N/mm2	Z	0.001	-	-	-	-	-
8141	PRE N/mm2	Z	0.001	-	-	-	-	-
8142	PRE N/mm2	Z	0.001	-	-	-	-	-
8143	PRE N/mm2	Z	0.001	-	-	-	-	-
8144	PRE N/mm2	Z	0.001	-	-	-	-	-
8145	PRE N/mm2	Z	0.001	-	-	-	-	-
8146	PRE N/mm2	Z	0.001	-	-	-	-	-
8147	PRE N/mm2	Z	0.001	-	-	-	-	-
8148	PRE N/mm2	Z	0.001	-	-	-	-	-
8149	PRE N/mm2	Z	0.001	-	-	-	-	-
8150	PRE N/mm2	Z	0.001	-	-	-	-	-
8151	PRE N/mm2	Z	0.001	-	-	-	-	-
8152	PRE N/mm2	Z	0.001	-	-	-	-	-
8153	PRE N/mm2	Z	0.001	-	-	-	-	-
8154	PRE N/mm2	Z	0.001	-	-	-	-	-
8155	PRE N/mm2	Z	0.001	-	-	-	-	-
8156	PRE N/mm2	Z	0.001	-	-	-	-	-
8157	PRE N/mm2	Z	0.001	-	-	-	-	-
8158	PRE N/mm2	Z	0.001	-	-	-	-	-
8159	PRE N/mm2	Z	0.001	-	-	-	-	-
8160	PRE N/mm2	Z	0.001	-	-	-	-	-
8161	PRE N/mm2	Z	0.001	-	-	-	-	-
8162	PRE N/mm2	Z	0.001	-	-	-	-	-
8163	PRE N/mm2	Z	0.001	-	-	-	-	-
8164	PRE N/mm2	Z	0.001	-	-	-	-	-
8165	PRE N/mm2	Z	0.001	-	-	-	-	-
8166	PRE N/mm2	Z	0.001	-	-	-	-	-
8167	PRE N/mm2	Z	0.001	-	-	-	-	-
8168	PRE N/mm2	Z	0.001	-	-	-	-	-
8169	PRE N/mm2	Z	0.001	-	-	-	-	-
8170	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8171	PRE N/mm2	Z	0.001	-	-	-	-	-
8172	PRE N/mm2	Z	0.001	-	-	-	-	-
8173	PRE N/mm2	Z	0.001	-	-	-	-	-
8174	PRE N/mm2	Z	0.001	-	-	-	-	-
8175	PRE N/mm2	Z	0.001	-	-	-	-	-
8176	PRE N/mm2	Z	0.001	-	-	-	-	-
8177	PRE N/mm2	Z	0.001	-	-	-	-	-
8178	PRE N/mm2	Z	0.001	-	-	-	-	-
8179	PRE N/mm2	Z	0.001	-	-	-	-	-
8180	PRE N/mm2	Z	0.001	-	-	-	-	-
8181	PRE N/mm2	Z	0.001	-	-	-	-	-
8182	PRE N/mm2	Z	0.001	-	-	-	-	-
8183	PRE N/mm2	Z	0.001	-	-	-	-	-
8184	PRE N/mm2	Z	0.001	-	-	-	-	-
8185	PRE N/mm2	Z	0.001	-	-	-	-	-
8286	PRE N/mm2	Z	0.001	-	-	-	-	-
8287	PRE N/mm2	Z	0.001	-	-	-	-	-
8288	PRE N/mm2	Z	0.001	-	-	-	-	-
8289	PRE N/mm2	Z	0.001	-	-	-	-	-
8290	PRE N/mm2	Z	0.001	-	-	-	-	-
8291	PRE N/mm2	Z	0.001	-	-	-	-	-
8292	PRE N/mm2	Z	0.001	-	-	-	-	-
8293	PRE N/mm2	Z	0.001	-	-	-	-	-
8294	PRE N/mm2	Z	0.001	-	-	-	-	-
8295	PRE N/mm2	Z	0.001	-	-	-	-	-
8296	PRE N/mm2	Z	0.001	-	-	-	-	-
8297	PRE N/mm2	Z	0.001	-	-	-	-	-
8298	PRE N/mm2	Z	0.001	-	-	-	-	-
8299	PRE N/mm2	Z	0.001	-	-	-	-	-
8300	PRE N/mm2	Z	0.001	-	-	-	-	-
8301	PRE N/mm2	Z	0.001	-	-	-	-	-
8302	PRE N/mm2	Z	0.001	-	-	-	-	-
8303	PRE N/mm2	Z	0.001	-	-	-	-	-
8304	PRE N/mm2	Z	0.001	-	-	-	-	-
8305	PRE N/mm2	Z	0.001	-	-	-	-	-
8306	PRE N/mm2	Z	0.001	-	-	-	-	-
8307	PRE N/mm2	Z	0.001	-	-	-	-	-
8308	PRE N/mm2	Z	0.001	-	-	-	-	-
8309	PRE N/mm2	Z	0.001	-	-	-	-	-
8310	PRE N/mm2	Z	0.001	-	-	-	-	-
8311	PRE N/mm2	Z	0.001	-	-	-	-	-
8312	PRE N/mm2	Z	0.001	-	-	-	-	-
8313	PRE N/mm2	Z	0.001	-	-	-	-	-
8314	PRE N/mm2	Z	0.001	-	-	-	-	-
8315	PRE N/mm2	Z	0.001	-	-	-	-	-
8316	PRE N/mm2	Z	0.001	-	-	-	-	-
8317	PRE N/mm2	Z	0.001	-	-	-	-	-
8318	PRE N/mm2	Z	0.001	-	-	-	-	-
8319	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8320	PRE N/mm2	Z	0.001	-	-	-	-	-
8321	PRE N/mm2	Z	0.001	-	-	-	-	-
8322	PRE N/mm2	Z	0.001	-	-	-	-	-
8323	PRE N/mm2	Z	0.001	-	-	-	-	-
8324	PRE N/mm2	Z	0.001	-	-	-	-	-
8325	PRE N/mm2	Z	0.001	-	-	-	-	-
8326	PRE N/mm2	Z	0.001	-	-	-	-	-
8327	PRE N/mm2	Z	0.001	-	-	-	-	-
8328	PRE N/mm2	Z	0.001	-	-	-	-	-
8329	PRE N/mm2	Z	0.001	-	-	-	-	-
8330	PRE N/mm2	Z	0.001	-	-	-	-	-
8331	PRE N/mm2	Z	0.001	-	-	-	-	-
8332	PRE N/mm2	Z	0.001	-	-	-	-	-
8333	PRE N/mm2	Z	0.001	-	-	-	-	-
8334	PRE N/mm2	Z	0.001	-	-	-	-	-
8335	PRE N/mm2	Z	0.001	-	-	-	-	-
8336	PRE N/mm2	Z	0.001	-	-	-	-	-
8337	PRE N/mm2	Z	0.001	-	-	-	-	-
8338	PRE N/mm2	Z	0.001	-	-	-	-	-
8339	PRE N/mm2	Z	0.001	-	-	-	-	-
8340	PRE N/mm2	Z	0.001	-	-	-	-	-
8341	PRE N/mm2	Z	0.001	-	-	-	-	-
8342	PRE N/mm2	Z	0.001	-	-	-	-	-
8343	PRE N/mm2	Z	0.001	-	-	-	-	-
8344	PRE N/mm2	Z	0.001	-	-	-	-	-
8345	PRE N/mm2	Z	0.001	-	-	-	-	-
8346	PRE N/mm2	Z	0.001	-	-	-	-	-
8347	PRE N/mm2	Z	0.001	-	-	-	-	-
8348	PRE N/mm2	Z	0.001	-	-	-	-	-
8349	PRE N/mm2	Z	0.001	-	-	-	-	-
8350	PRE N/mm2	Z	0.001	-	-	-	-	-
8351	PRE N/mm2	Z	0.001	-	-	-	-	-
8352	PRE N/mm2	Z	0.001	-	-	-	-	-
8353	PRE N/mm2	Z	0.001	-	-	-	-	-
8354	PRE N/mm2	Z	0.001	-	-	-	-	-
8355	PRE N/mm2	Z	0.001	-	-	-	-	-
8356	PRE N/mm2	Z	0.001	-	-	-	-	-
8357	PRE N/mm2	Z	0.001	-	-	-	-	-
8358	PRE N/mm2	Z	0.001	-	-	-	-	-
8359	PRE N/mm2	Z	0.001	-	-	-	-	-
8360	PRE N/mm2	Z	0.001	-	-	-	-	-
8361	PRE N/mm2	Z	0.001	-	-	-	-	-
8362	PRE N/mm2	Z	0.001	-	-	-	-	-
8363	PRE N/mm2	Z	0.001	-	-	-	-	-
8454	PRE N/mm2	Z	0.001	-	-	-	-	-
8455	PRE N/mm2	Z	0.001	-	-	-	-	-
8456	PRE N/mm2	Z	0.001	-	-	-	-	-
8457	PRE N/mm2	Z	0.001	-	-	-	-	-
8458	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8459	PRE N/mm2	Z	0.001	-	-	-	-	-
8460	PRE N/mm2	Z	0.001	-	-	-	-	-
8461	PRE N/mm2	Z	0.001	-	-	-	-	-
8462	PRE N/mm2	Z	0.001	-	-	-	-	-
8463	PRE N/mm2	Z	0.001	-	-	-	-	-
8464	PRE N/mm2	Z	0.001	-	-	-	-	-
8465	PRE N/mm2	Z	0.001	-	-	-	-	-
8466	PRE N/mm2	Z	0.001	-	-	-	-	-
8467	PRE N/mm2	Z	0.001	-	-	-	-	-
8468	PRE N/mm2	Z	0.001	-	-	-	-	-
8469	PRE N/mm2	Z	0.001	-	-	-	-	-
8470	PRE N/mm2	Z	0.001	-	-	-	-	-
8471	PRE N/mm2	Z	0.001	-	-	-	-	-
8472	PRE N/mm2	Z	0.001	-	-	-	-	-
8473	PRE N/mm2	Z	0.001	-	-	-	-	-
8474	PRE N/mm2	Z	0.001	-	-	-	-	-
8475	PRE N/mm2	Z	0.001	-	-	-	-	-
8476	PRE N/mm2	Z	0.001	-	-	-	-	-
8477	PRE N/mm2	Z	0.001	-	-	-	-	-
8478	PRE N/mm2	Z	0.001	-	-	-	-	-
8479	PRE N/mm2	Z	0.001	-	-	-	-	-
8480	PRE N/mm2	Z	0.001	-	-	-	-	-
8481	PRE N/mm2	Z	0.001	-	-	-	-	-
8482	PRE N/mm2	Z	0.001	-	-	-	-	-
8483	PRE N/mm2	Z	0.001	-	-	-	-	-
8484	PRE N/mm2	Z	0.001	-	-	-	-	-
8485	PRE N/mm2	Z	0.001	-	-	-	-	-
8486	PRE N/mm2	Z	0.001	-	-	-	-	-
8487	PRE N/mm2	Z	0.001	-	-	-	-	-
8488	PRE N/mm2	Z	0.001	-	-	-	-	-
8489	PRE N/mm2	Z	0.001	-	-	-	-	-
8490	PRE N/mm2	Z	0.001	-	-	-	-	-
8491	PRE N/mm2	Z	0.001	-	-	-	-	-
8492	PRE N/mm2	Z	0.001	-	-	-	-	-
8493	PRE N/mm2	Z	0.001	-	-	-	-	-
8494	PRE N/mm2	Z	0.001	-	-	-	-	-
8495	PRE N/mm2	Z	0.001	-	-	-	-	-
8496	PRE N/mm2	Z	0.001	-	-	-	-	-
8497	PRE N/mm2	Z	0.001	-	-	-	-	-
8498	PRE N/mm2	Z	0.001	-	-	-	-	-
8499	PRE N/mm2	Z	0.001	-	-	-	-	-
8500	PRE N/mm2	Z	0.001	-	-	-	-	-
8501	PRE N/mm2	Z	0.001	-	-	-	-	-
8502	PRE N/mm2	Z	0.001	-	-	-	-	-
8503	PRE N/mm2	Z	0.001	-	-	-	-	-
8504	PRE N/mm2	Z	0.001	-	-	-	-	-
8505	PRE N/mm2	Z	0.001	-	-	-	-	-
8506	PRE N/mm2	Z	0.001	-	-	-	-	-
8507	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8508	PRE N/mm2	Z	0.001	-	-	-	-	-
8509	PRE N/mm2	Z	0.001	-	-	-	-	-
8510	PRE N/mm2	Z	0.001	-	-	-	-	-
8511	PRE N/mm2	Z	0.001	-	-	-	-	-
8512	PRE N/mm2	Z	0.001	-	-	-	-	-
8513	PRE N/mm2	Z	0.001	-	-	-	-	-
8514	PRE N/mm2	Z	0.001	-	-	-	-	-
8515	PRE N/mm2	Z	0.001	-	-	-	-	-
8516	PRE N/mm2	Z	0.001	-	-	-	-	-
8517	PRE N/mm2	Z	0.001	-	-	-	-	-
8518	PRE N/mm2	Z	0.001	-	-	-	-	-
8519	PRE N/mm2	Z	0.001	-	-	-	-	-
8520	PRE N/mm2	Z	0.001	-	-	-	-	-
8521	PRE N/mm2	Z	0.001	-	-	-	-	-
8522	PRE N/mm2	Z	0.001	-	-	-	-	-
8523	PRE N/mm2	Z	0.001	-	-	-	-	-
8524	PRE N/mm2	Z	0.001	-	-	-	-	-
8525	PRE N/mm2	Z	0.001	-	-	-	-	-
8526	PRE N/mm2	Z	0.001	-	-	-	-	-
8527	PRE N/mm2	Z	0.001	-	-	-	-	-
8528	PRE N/mm2	Z	0.001	-	-	-	-	-
8529	PRE N/mm2	Z	0.001	-	-	-	-	-
8530	PRE N/mm2	Z	0.001	-	-	-	-	-
8531	PRE N/mm2	Z	0.001	-	-	-	-	-
8622	PRE N/mm2	Z	0.001	-	-	-	-	-
8623	PRE N/mm2	Z	0.001	-	-	-	-	-
8624	PRE N/mm2	Z	0.001	-	-	-	-	-
8625	PRE N/mm2	Z	0.001	-	-	-	-	-
8626	PRE N/mm2	Z	0.001	-	-	-	-	-
8627	PRE N/mm2	Z	0.001	-	-	-	-	-
8628	PRE N/mm2	Z	0.001	-	-	-	-	-
8629	PRE N/mm2	Z	0.001	-	-	-	-	-
8630	PRE N/mm2	Z	0.001	-	-	-	-	-
8631	PRE N/mm2	Z	0.001	-	-	-	-	-
8632	PRE N/mm2	Z	0.001	-	-	-	-	-
8633	PRE N/mm2	Z	0.001	-	-	-	-	-
8634	PRE N/mm2	Z	0.001	-	-	-	-	-
8635	PRE N/mm2	Z	0.001	-	-	-	-	-
8636	PRE N/mm2	Z	0.001	-	-	-	-	-
8637	PRE N/mm2	Z	0.001	-	-	-	-	-
8638	PRE N/mm2	Z	0.001	-	-	-	-	-
8639	PRE N/mm2	Z	0.001	-	-	-	-	-
8640	PRE N/mm2	Z	0.001	-	-	-	-	-
8641	PRE N/mm2	Z	0.001	-	-	-	-	-
8642	PRE N/mm2	Z	0.001	-	-	-	-	-
8643	PRE N/mm2	Z	0.001	-	-	-	-	-
8644	PRE N/mm2	Z	0.001	-	-	-	-	-
8645	PRE N/mm2	Z	0.001	-	-	-	-	-
8646	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8647	PRE N/mm2	Z	0.001	-	-	-	-	-
8648	PRE N/mm2	Z	0.001	-	-	-	-	-
8649	PRE N/mm2	Z	0.001	-	-	-	-	-
8650	PRE N/mm2	Z	0.001	-	-	-	-	-
8651	PRE N/mm2	Z	0.001	-	-	-	-	-
8652	PRE N/mm2	Z	0.001	-	-	-	-	-
8653	PRE N/mm2	Z	0.001	-	-	-	-	-
8654	PRE N/mm2	Z	0.001	-	-	-	-	-
8655	PRE N/mm2	Z	0.001	-	-	-	-	-
8656	PRE N/mm2	Z	0.001	-	-	-	-	-
8657	PRE N/mm2	Z	0.001	-	-	-	-	-
8658	PRE N/mm2	Z	0.001	-	-	-	-	-
8659	PRE N/mm2	Z	0.001	-	-	-	-	-
8660	PRE N/mm2	Z	0.001	-	-	-	-	-
8661	PRE N/mm2	Z	0.001	-	-	-	-	-
8662	PRE N/mm2	Z	0.001	-	-	-	-	-
8663	PRE N/mm2	Z	0.001	-	-	-	-	-
8664	PRE N/mm2	Z	0.001	-	-	-	-	-
8665	PRE N/mm2	Z	0.001	-	-	-	-	-
8666	PRE N/mm2	Z	0.001	-	-	-	-	-
8667	PRE N/mm2	Z	0.001	-	-	-	-	-
8668	PRE N/mm2	Z	0.001	-	-	-	-	-
8669	PRE N/mm2	Z	0.001	-	-	-	-	-
8670	PRE N/mm2	Z	0.001	-	-	-	-	-
8671	PRE N/mm2	Z	0.001	-	-	-	-	-
8672	PRE N/mm2	Z	0.001	-	-	-	-	-
8673	PRE N/mm2	Z	0.001	-	-	-	-	-
8674	PRE N/mm2	Z	0.001	-	-	-	-	-
8675	PRE N/mm2	Z	0.001	-	-	-	-	-
8676	PRE N/mm2	Z	0.001	-	-	-	-	-
8677	PRE N/mm2	Z	0.001	-	-	-	-	-
8678	PRE N/mm2	Z	0.001	-	-	-	-	-
8679	PRE N/mm2	Z	0.001	-	-	-	-	-
8680	PRE N/mm2	Z	0.001	-	-	-	-	-
8681	PRE N/mm2	Z	0.001	-	-	-	-	-
8682	PRE N/mm2	Z	0.001	-	-	-	-	-
8683	PRE N/mm2	Z	0.001	-	-	-	-	-
8684	PRE N/mm2	Z	0.001	-	-	-	-	-
8685	PRE N/mm2	Z	0.001	-	-	-	-	-
8686	PRE N/mm2	Z	0.001	-	-	-	-	-
8687	PRE N/mm2	Z	0.001	-	-	-	-	-
8688	PRE N/mm2	Z	0.001	-	-	-	-	-
8689	PRE N/mm2	Z	0.001	-	-	-	-	-
8690	PRE N/mm2	Z	0.001	-	-	-	-	-
8691	PRE N/mm2	Z	0.001	-	-	-	-	-
8692	PRE N/mm2	Z	0.001	-	-	-	-	-
8693	PRE N/mm2	Z	0.001	-	-	-	-	-
8694	PRE N/mm2	Z	0.001	-	-	-	-	-
8695	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8696	PRE N/mm2	Z	0.001	-	-	-	-	-
8697	PRE N/mm2	Z	0.001	-	-	-	-	-
8698	PRE N/mm2	Z	0.001	-	-	-	-	-
8699	PRE N/mm2	Z	0.001	-	-	-	-	-
8780	PRE N/mm2	Z	0.001	-	-	-	-	-
8781	PRE N/mm2	Z	0.001	-	-	-	-	-
8782	PRE N/mm2	Z	0.001	-	-	-	-	-
8783	PRE N/mm2	Z	0.001	-	-	-	-	-
8784	PRE N/mm2	Z	0.001	-	-	-	-	-
8785	PRE N/mm2	Z	0.001	-	-	-	-	-
8786	PRE N/mm2	Z	0.001	-	-	-	-	-
8787	PRE N/mm2	Z	0.001	-	-	-	-	-
8788	PRE N/mm2	Z	0.001	-	-	-	-	-
8789	PRE N/mm2	Z	0.001	-	-	-	-	-
8790	PRE N/mm2	Z	0.001	-	-	-	-	-
8791	PRE N/mm2	Z	0.001	-	-	-	-	-
8792	PRE N/mm2	Z	0.001	-	-	-	-	-
8793	PRE N/mm2	Z	0.001	-	-	-	-	-
8794	PRE N/mm2	Z	0.001	-	-	-	-	-
8795	PRE N/mm2	Z	0.001	-	-	-	-	-
8796	PRE N/mm2	Z	0.001	-	-	-	-	-
8797	PRE N/mm2	Z	0.001	-	-	-	-	-
8798	PRE N/mm2	Z	0.001	-	-	-	-	-
8799	PRE N/mm2	Z	0.001	-	-	-	-	-
8800	PRE N/mm2	Z	0.001	-	-	-	-	-
8801	PRE N/mm2	Z	0.001	-	-	-	-	-
8802	PRE N/mm2	Z	0.001	-	-	-	-	-
8803	PRE N/mm2	Z	0.001	-	-	-	-	-
8804	PRE N/mm2	Z	0.001	-	-	-	-	-
8805	PRE N/mm2	Z	0.001	-	-	-	-	-
8806	PRE N/mm2	Z	0.001	-	-	-	-	-
8807	PRE N/mm2	Z	0.001	-	-	-	-	-
8808	PRE N/mm2	Z	0.001	-	-	-	-	-
8809	PRE N/mm2	Z	0.001	-	-	-	-	-
8810	PRE N/mm2	Z	0.001	-	-	-	-	-
8811	PRE N/mm2	Z	0.001	-	-	-	-	-
8812	PRE N/mm2	Z	0.001	-	-	-	-	-
8813	PRE N/mm2	Z	0.001	-	-	-	-	-
8814	PRE N/mm2	Z	0.001	-	-	-	-	-
8815	PRE N/mm2	Z	0.001	-	-	-	-	-
8816	PRE N/mm2	Z	0.001	-	-	-	-	-
8817	PRE N/mm2	Z	0.001	-	-	-	-	-
8818	PRE N/mm2	Z	0.001	-	-	-	-	-
8819	PRE N/mm2	Z	0.001	-	-	-	-	-
8820	PRE N/mm2	Z	0.001	-	-	-	-	-
8821	PRE N/mm2	Z	0.001	-	-	-	-	-
8822	PRE N/mm2	Z	0.001	-	-	-	-	-
8823	PRE N/mm2	Z	0.001	-	-	-	-	-
8824	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8825	PRE N/mm2	Z	0.001	-	-	-	-	-
8826	PRE N/mm2	Z	0.001	-	-	-	-	-
8827	PRE N/mm2	Z	0.001	-	-	-	-	-
8828	PRE N/mm2	Z	0.001	-	-	-	-	-
8829	PRE N/mm2	Z	0.001	-	-	-	-	-
8830	PRE N/mm2	Z	0.001	-	-	-	-	-
8831	PRE N/mm2	Z	0.001	-	-	-	-	-
8832	PRE N/mm2	Z	0.001	-	-	-	-	-
8833	PRE N/mm2	Z	0.001	-	-	-	-	-
8834	PRE N/mm2	Z	0.001	-	-	-	-	-
8835	PRE N/mm2	Z	0.001	-	-	-	-	-
8836	PRE N/mm2	Z	0.001	-	-	-	-	-
8837	PRE N/mm2	Z	0.001	-	-	-	-	-
8838	PRE N/mm2	Z	0.001	-	-	-	-	-
8839	PRE N/mm2	Z	0.001	-	-	-	-	-
8840	PRE N/mm2	Z	0.001	-	-	-	-	-
8841	PRE N/mm2	Z	0.001	-	-	-	-	-
8842	PRE N/mm2	Z	0.001	-	-	-	-	-
8843	PRE N/mm2	Z	0.001	-	-	-	-	-
8844	PRE N/mm2	Z	0.001	-	-	-	-	-
8845	PRE N/mm2	Z	0.001	-	-	-	-	-
8846	PRE N/mm2	Z	0.001	-	-	-	-	-
8847	PRE N/mm2	Z	0.001	-	-	-	-	-
8848	PRE N/mm2	Z	0.001	-	-	-	-	-
8849	PRE N/mm2	Z	0.001	-	-	-	-	-
8850	PRE N/mm2	Z	0.001	-	-	-	-	-
8851	PRE N/mm2	Z	0.001	-	-	-	-	-
8852	PRE N/mm2	Z	0.001	-	-	-	-	-
8853	PRE N/mm2	Z	0.001	-	-	-	-	-
8854	PRE N/mm2	Z	0.001	-	-	-	-	-
8855	PRE N/mm2	Z	0.001	-	-	-	-	-
8856	PRE N/mm2	Z	0.001	-	-	-	-	-
8857	PRE N/mm2	Z	0.001	-	-	-	-	-
8938	PRE N/mm2	Z	0.001	-	-	-	-	-
8939	PRE N/mm2	Z	0.001	-	-	-	-	-
8940	PRE N/mm2	Z	0.001	-	-	-	-	-
8941	PRE N/mm2	Z	0.001	-	-	-	-	-
8942	PRE N/mm2	Z	0.001	-	-	-	-	-
8943	PRE N/mm2	Z	0.001	-	-	-	-	-
8944	PRE N/mm2	Z	0.001	-	-	-	-	-
8945	PRE N/mm2	Z	0.001	-	-	-	-	-
8946	PRE N/mm2	Z	0.001	-	-	-	-	-
8947	PRE N/mm2	Z	0.001	-	-	-	-	-
8948	PRE N/mm2	Z	0.001	-	-	-	-	-
8949	PRE N/mm2	Z	0.001	-	-	-	-	-
8950	PRE N/mm2	Z	0.001	-	-	-	-	-
8951	PRE N/mm2	Z	0.001	-	-	-	-	-
8952	PRE N/mm2	Z	0.001	-	-	-	-	-
8953	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8954	PRE N/mm2	Z	0.001	-	-	-	-	-
8955	PRE N/mm2	Z	0.001	-	-	-	-	-
8956	PRE N/mm2	Z	0.001	-	-	-	-	-
8957	PRE N/mm2	Z	0.001	-	-	-	-	-
8958	PRE N/mm2	Z	0.001	-	-	-	-	-
8959	PRE N/mm2	Z	0.001	-	-	-	-	-
8960	PRE N/mm2	Z	0.001	-	-	-	-	-
8961	PRE N/mm2	Z	0.001	-	-	-	-	-
8962	PRE N/mm2	Z	0.001	-	-	-	-	-
8963	PRE N/mm2	Z	0.001	-	-	-	-	-
8964	PRE N/mm2	Z	0.001	-	-	-	-	-
8965	PRE N/mm2	Z	0.001	-	-	-	-	-
8966	PRE N/mm2	Z	0.001	-	-	-	-	-
8967	PRE N/mm2	Z	0.001	-	-	-	-	-
8968	PRE N/mm2	Z	0.001	-	-	-	-	-
8969	PRE N/mm2	Z	0.001	-	-	-	-	-
8970	PRE N/mm2	Z	0.001	-	-	-	-	-
8971	PRE N/mm2	Z	0.001	-	-	-	-	-
8972	PRE N/mm2	Z	0.001	-	-	-	-	-
8973	PRE N/mm2	Z	0.001	-	-	-	-	-
8974	PRE N/mm2	Z	0.001	-	-	-	-	-
8975	PRE N/mm2	Z	0.001	-	-	-	-	-
8976	PRE N/mm2	Z	0.001	-	-	-	-	-
8977	PRE N/mm2	Z	0.001	-	-	-	-	-
8978	PRE N/mm2	Z	0.001	-	-	-	-	-
8979	PRE N/mm2	Z	0.001	-	-	-	-	-
8980	PRE N/mm2	Z	0.001	-	-	-	-	-
8981	PRE N/mm2	Z	0.001	-	-	-	-	-
8982	PRE N/mm2	Z	0.001	-	-	-	-	-
8983	PRE N/mm2	Z	0.001	-	-	-	-	-
8984	PRE N/mm2	Z	0.001	-	-	-	-	-
8985	PRE N/mm2	Z	0.001	-	-	-	-	-
8986	PRE N/mm2	Z	0.001	-	-	-	-	-
8987	PRE N/mm2	Z	0.001	-	-	-	-	-
8988	PRE N/mm2	Z	0.001	-	-	-	-	-
8989	PRE N/mm2	Z	0.001	-	-	-	-	-
8990	PRE N/mm2	Z	0.001	-	-	-	-	-
8991	PRE N/mm2	Z	0.001	-	-	-	-	-
8992	PRE N/mm2	Z	0.001	-	-	-	-	-
8993	PRE N/mm2	Z	0.001	-	-	-	-	-
8994	PRE N/mm2	Z	0.001	-	-	-	-	-
8995	PRE N/mm2	Z	0.001	-	-	-	-	-
8996	PRE N/mm2	Z	0.001	-	-	-	-	-
8997	PRE N/mm2	Z	0.001	-	-	-	-	-
8998	PRE N/mm2	Z	0.001	-	-	-	-	-
8999	PRE N/mm2	Z	0.001	-	-	-	-	-
9000	PRE N/mm2	Z	0.001	-	-	-	-	-
9001	PRE N/mm2	Z	0.001	-	-	-	-	-
9002	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9003	PRE N/mm2	Z	0.001	-	-	-	-	-
9004	PRE N/mm2	Z	0.001	-	-	-	-	-
9005	PRE N/mm2	Z	0.001	-	-	-	-	-
9006	PRE N/mm2	Z	0.001	-	-	-	-	-
9007	PRE N/mm2	Z	0.001	-	-	-	-	-
9008	PRE N/mm2	Z	0.001	-	-	-	-	-
9009	PRE N/mm2	Z	0.001	-	-	-	-	-
9010	PRE N/mm2	Z	0.001	-	-	-	-	-
9011	PRE N/mm2	Z	0.001	-	-	-	-	-
9012	PRE N/mm2	Z	0.001	-	-	-	-	-
9013	PRE N/mm2	Z	0.001	-	-	-	-	-
9014	PRE N/mm2	Z	0.001	-	-	-	-	-
9015	PRE N/mm2	Z	0.001	-	-	-	-	-
9086	PRE N/mm2	Z	0.001	-	-	-	-	-
9087	PRE N/mm2	Z	0.001	-	-	-	-	-
9088	PRE N/mm2	Z	0.001	-	-	-	-	-
9089	PRE N/mm2	Z	0.001	-	-	-	-	-
9090	PRE N/mm2	Z	0.001	-	-	-	-	-
9091	PRE N/mm2	Z	0.001	-	-	-	-	-
9092	PRE N/mm2	Z	0.001	-	-	-	-	-
9093	PRE N/mm2	Z	0.001	-	-	-	-	-
9094	PRE N/mm2	Z	0.001	-	-	-	-	-
9095	PRE N/mm2	Z	0.001	-	-	-	-	-
9096	PRE N/mm2	Z	0.001	-	-	-	-	-
9097	PRE N/mm2	Z	0.001	-	-	-	-	-
9098	PRE N/mm2	Z	0.001	-	-	-	-	-
9099	PRE N/mm2	Z	0.001	-	-	-	-	-
9100	PRE N/mm2	Z	0.001	-	-	-	-	-
9101	PRE N/mm2	Z	0.001	-	-	-	-	-
9102	PRE N/mm2	Z	0.001	-	-	-	-	-
9103	PRE N/mm2	Z	0.001	-	-	-	-	-
9104	PRE N/mm2	Z	0.001	-	-	-	-	-
9105	PRE N/mm2	Z	0.001	-	-	-	-	-
9106	PRE N/mm2	Z	0.001	-	-	-	-	-
9107	PRE N/mm2	Z	0.001	-	-	-	-	-
9108	PRE N/mm2	Z	0.001	-	-	-	-	-
9109	PRE N/mm2	Z	0.001	-	-	-	-	-
9110	PRE N/mm2	Z	0.001	-	-	-	-	-
9111	PRE N/mm2	Z	0.001	-	-	-	-	-
9112	PRE N/mm2	Z	0.001	-	-	-	-	-
9113	PRE N/mm2	Z	0.001	-	-	-	-	-
9114	PRE N/mm2	Z	0.001	-	-	-	-	-
9115	PRE N/mm2	Z	0.001	-	-	-	-	-
9116	PRE N/mm2	Z	0.001	-	-	-	-	-
9117	PRE N/mm2	Z	0.001	-	-	-	-	-
9118	PRE N/mm2	Z	0.001	-	-	-	-	-
9119	PRE N/mm2	Z	0.001	-	-	-	-	-
9120	PRE N/mm2	Z	0.001	-	-	-	-	-
9121	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9122	PRE N/mm2	Z	0.001	-	-	-	-	-
9123	PRE N/mm2	Z	0.001	-	-	-	-	-
9124	PRE N/mm2	Z	0.001	-	-	-	-	-
9125	PRE N/mm2	Z	0.001	-	-	-	-	-
9126	PRE N/mm2	Z	0.001	-	-	-	-	-
9127	PRE N/mm2	Z	0.001	-	-	-	-	-
9128	PRE N/mm2	Z	0.001	-	-	-	-	-
9129	PRE N/mm2	Z	0.001	-	-	-	-	-
9130	PRE N/mm2	Z	0.001	-	-	-	-	-
9131	PRE N/mm2	Z	0.001	-	-	-	-	-
9132	PRE N/mm2	Z	0.001	-	-	-	-	-
9133	PRE N/mm2	Z	0.001	-	-	-	-	-
9134	PRE N/mm2	Z	0.001	-	-	-	-	-
9135	PRE N/mm2	Z	0.001	-	-	-	-	-
9136	PRE N/mm2	Z	0.001	-	-	-	-	-
9137	PRE N/mm2	Z	0.001	-	-	-	-	-
9138	PRE N/mm2	Z	0.001	-	-	-	-	-
9139	PRE N/mm2	Z	0.001	-	-	-	-	-
9140	PRE N/mm2	Z	0.001	-	-	-	-	-
9141	PRE N/mm2	Z	0.001	-	-	-	-	-
9142	PRE N/mm2	Z	0.001	-	-	-	-	-
9143	PRE N/mm2	Z	0.001	-	-	-	-	-
9144	PRE N/mm2	Z	0.001	-	-	-	-	-
9145	PRE N/mm2	Z	0.001	-	-	-	-	-
9146	PRE N/mm2	Z	0.001	-	-	-	-	-
9147	PRE N/mm2	Z	0.001	-	-	-	-	-
9148	PRE N/mm2	Z	0.001	-	-	-	-	-
9149	PRE N/mm2	Z	0.001	-	-	-	-	-
9150	PRE N/mm2	Z	0.001	-	-	-	-	-
9151	PRE N/mm2	Z	0.001	-	-	-	-	-
9152	PRE N/mm2	Z	0.001	-	-	-	-	-
9153	PRE N/mm2	Z	0.001	-	-	-	-	-
9154	PRE N/mm2	Z	0.001	-	-	-	-	-
9155	PRE N/mm2	Z	0.001	-	-	-	-	-
9156	PRE N/mm2	Z	0.001	-	-	-	-	-
9157	PRE N/mm2	Z	0.001	-	-	-	-	-
9158	PRE N/mm2	Z	0.001	-	-	-	-	-
9159	PRE N/mm2	Z	0.001	-	-	-	-	-
9160	PRE N/mm2	Z	0.001	-	-	-	-	-
9161	PRE N/mm2	Z	0.001	-	-	-	-	-
9162	PRE N/mm2	Z	0.001	-	-	-	-	-
9163	PRE N/mm2	Z	0.001	-	-	-	-	-
9234	PRE N/mm2	Z	0.001	-	-	-	-	-
9235	PRE N/mm2	Z	0.001	-	-	-	-	-
9236	PRE N/mm2	Z	0.001	-	-	-	-	-
9237	PRE N/mm2	Z	0.001	-	-	-	-	-
9238	PRE N/mm2	Z	0.001	-	-	-	-	-
9239	PRE N/mm2	Z	0.001	-	-	-	-	-
9240	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9241	PRE N/mm2	Z	0.001	-	-	-	-	-
9242	PRE N/mm2	Z	0.001	-	-	-	-	-
9243	PRE N/mm2	Z	0.001	-	-	-	-	-
9244	PRE N/mm2	Z	0.001	-	-	-	-	-
9245	PRE N/mm2	Z	0.001	-	-	-	-	-
9246	PRE N/mm2	Z	0.001	-	-	-	-	-
9247	PRE N/mm2	Z	0.001	-	-	-	-	-
9248	PRE N/mm2	Z	0.001	-	-	-	-	-
9249	PRE N/mm2	Z	0.001	-	-	-	-	-
9250	PRE N/mm2	Z	0.001	-	-	-	-	-
9251	PRE N/mm2	Z	0.001	-	-	-	-	-
9252	PRE N/mm2	Z	0.001	-	-	-	-	-
9253	PRE N/mm2	Z	0.001	-	-	-	-	-
9254	PRE N/mm2	Z	0.001	-	-	-	-	-
9255	PRE N/mm2	Z	0.001	-	-	-	-	-
9256	PRE N/mm2	Z	0.001	-	-	-	-	-
9257	PRE N/mm2	Z	0.001	-	-	-	-	-
9258	PRE N/mm2	Z	0.001	-	-	-	-	-
9259	PRE N/mm2	Z	0.001	-	-	-	-	-
9260	PRE N/mm2	Z	0.001	-	-	-	-	-
9261	PRE N/mm2	Z	0.001	-	-	-	-	-
9262	PRE N/mm2	Z	0.001	-	-	-	-	-
9263	PRE N/mm2	Z	0.001	-	-	-	-	-
9264	PRE N/mm2	Z	0.001	-	-	-	-	-
9265	PRE N/mm2	Z	0.001	-	-	-	-	-
9266	PRE N/mm2	Z	0.001	-	-	-	-	-
9267	PRE N/mm2	Z	0.001	-	-	-	-	-
9268	PRE N/mm2	Z	0.001	-	-	-	-	-
9269	PRE N/mm2	Z	0.001	-	-	-	-	-
9270	PRE N/mm2	Z	0.001	-	-	-	-	-
9271	PRE N/mm2	Z	0.001	-	-	-	-	-
9272	PRE N/mm2	Z	0.001	-	-	-	-	-
9273	PRE N/mm2	Z	0.001	-	-	-	-	-
9274	PRE N/mm2	Z	0.001	-	-	-	-	-
9275	PRE N/mm2	Z	0.001	-	-	-	-	-
9276	PRE N/mm2	Z	0.001	-	-	-	-	-
9277	PRE N/mm2	Z	0.001	-	-	-	-	-
9278	PRE N/mm2	Z	0.001	-	-	-	-	-
9279	PRE N/mm2	Z	0.001	-	-	-	-	-
9280	PRE N/mm2	Z	0.001	-	-	-	-	-
9281	PRE N/mm2	Z	0.001	-	-	-	-	-
9282	PRE N/mm2	Z	0.001	-	-	-	-	-
9283	PRE N/mm2	Z	0.001	-	-	-	-	-
9284	PRE N/mm2	Z	0.001	-	-	-	-	-
9285	PRE N/mm2	Z	0.001	-	-	-	-	-
9286	PRE N/mm2	Z	0.001	-	-	-	-	-
9287	PRE N/mm2	Z	0.001	-	-	-	-	-
9288	PRE N/mm2	Z	0.001	-	-	-	-	-
9289	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9290	PRE N/mm2	Z	0.001	-	-	-	-	-
9291	PRE N/mm2	Z	0.001	-	-	-	-	-
9292	PRE N/mm2	Z	0.001	-	-	-	-	-
9293	PRE N/mm2	Z	0.001	-	-	-	-	-
9294	PRE N/mm2	Z	0.001	-	-	-	-	-
9295	PRE N/mm2	Z	0.001	-	-	-	-	-
9296	PRE N/mm2	Z	0.001	-	-	-	-	-
9297	PRE N/mm2	Z	0.001	-	-	-	-	-
9298	PRE N/mm2	Z	0.001	-	-	-	-	-
9299	PRE N/mm2	Z	0.001	-	-	-	-	-
9300	PRE N/mm2	Z	0.001	-	-	-	-	-
9301	PRE N/mm2	Z	0.001	-	-	-	-	-
9302	PRE N/mm2	Z	0.001	-	-	-	-	-
9303	PRE N/mm2	Z	0.001	-	-	-	-	-
9304	PRE N/mm2	Z	0.001	-	-	-	-	-
9305	PRE N/mm2	Z	0.001	-	-	-	-	-
9306	PRE N/mm2	Z	0.001	-	-	-	-	-
9307	PRE N/mm2	Z	0.001	-	-	-	-	-
9308	PRE N/mm2	Z	0.001	-	-	-	-	-
9309	PRE N/mm2	Z	0.001	-	-	-	-	-
9310	PRE N/mm2	Z	0.001	-	-	-	-	-
9311	PRE N/mm2	Z	0.001	-	-	-	-	-
9372	PRE N/mm2	Z	0.001	-	-	-	-	-
9373	PRE N/mm2	Z	0.001	-	-	-	-	-
9374	PRE N/mm2	Z	0.001	-	-	-	-	-
9375	PRE N/mm2	Z	0.001	-	-	-	-	-
9376	PRE N/mm2	Z	0.001	-	-	-	-	-
9377	PRE N/mm2	Z	0.001	-	-	-	-	-
9378	PRE N/mm2	Z	0.001	-	-	-	-	-
9379	PRE N/mm2	Z	0.001	-	-	-	-	-
9380	PRE N/mm2	Z	0.001	-	-	-	-	-
9381	PRE N/mm2	Z	0.001	-	-	-	-	-
9382	PRE N/mm2	Z	0.001	-	-	-	-	-
9383	PRE N/mm2	Z	0.001	-	-	-	-	-
9384	PRE N/mm2	Z	0.001	-	-	-	-	-
9385	PRE N/mm2	Z	0.001	-	-	-	-	-
9386	PRE N/mm2	Z	0.001	-	-	-	-	-
9387	PRE N/mm2	Z	0.001	-	-	-	-	-
9388	PRE N/mm2	Z	0.001	-	-	-	-	-
9389	PRE N/mm2	Z	0.001	-	-	-	-	-
9390	PRE N/mm2	Z	0.001	-	-	-	-	-
9391	PRE N/mm2	Z	0.001	-	-	-	-	-
9392	PRE N/mm2	Z	0.001	-	-	-	-	-
9393	PRE N/mm2	Z	0.001	-	-	-	-	-
9394	PRE N/mm2	Z	0.001	-	-	-	-	-
9395	PRE N/mm2	Z	0.001	-	-	-	-	-
9396	PRE N/mm2	Z	0.001	-	-	-	-	-
9397	PRE N/mm2	Z	0.001	-	-	-	-	-
9398	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9399	PRE N/mm2	Z	0.001	-	-	-	-	-
9400	PRE N/mm2	Z	0.001	-	-	-	-	-
9401	PRE N/mm2	Z	0.001	-	-	-	-	-
9402	PRE N/mm2	Z	0.001	-	-	-	-	-
9403	PRE N/mm2	Z	0.001	-	-	-	-	-
9404	PRE N/mm2	Z	0.001	-	-	-	-	-
9405	PRE N/mm2	Z	0.001	-	-	-	-	-
9406	PRE N/mm2	Z	0.001	-	-	-	-	-
9407	PRE N/mm2	Z	0.001	-	-	-	-	-
9408	PRE N/mm2	Z	0.001	-	-	-	-	-
9409	PRE N/mm2	Z	0.001	-	-	-	-	-
9410	PRE N/mm2	Z	0.001	-	-	-	-	-
9411	PRE N/mm2	Z	0.001	-	-	-	-	-
9412	PRE N/mm2	Z	0.001	-	-	-	-	-
9413	PRE N/mm2	Z	0.001	-	-	-	-	-
9414	PRE N/mm2	Z	0.001	-	-	-	-	-
9415	PRE N/mm2	Z	0.001	-	-	-	-	-
9416	PRE N/mm2	Z	0.001	-	-	-	-	-
9417	PRE N/mm2	Z	0.001	-	-	-	-	-
9418	PRE N/mm2	Z	0.001	-	-	-	-	-
9419	PRE N/mm2	Z	0.001	-	-	-	-	-
9420	PRE N/mm2	Z	0.001	-	-	-	-	-
9421	PRE N/mm2	Z	0.001	-	-	-	-	-
9422	PRE N/mm2	Z	0.001	-	-	-	-	-
9423	PRE N/mm2	Z	0.001	-	-	-	-	-
9424	PRE N/mm2	Z	0.001	-	-	-	-	-
9425	PRE N/mm2	Z	0.001	-	-	-	-	-
9426	PRE N/mm2	Z	0.001	-	-	-	-	-
9427	PRE N/mm2	Z	0.001	-	-	-	-	-
9428	PRE N/mm2	Z	0.001	-	-	-	-	-
9429	PRE N/mm2	Z	0.001	-	-	-	-	-
9430	PRE N/mm2	Z	0.001	-	-	-	-	-
9431	PRE N/mm2	Z	0.001	-	-	-	-	-
9432	PRE N/mm2	Z	0.001	-	-	-	-	-
9433	PRE N/mm2	Z	0.001	-	-	-	-	-
9434	PRE N/mm2	Z	0.001	-	-	-	-	-
9435	PRE N/mm2	Z	0.001	-	-	-	-	-
9436	PRE N/mm2	Z	0.001	-	-	-	-	-
9437	PRE N/mm2	Z	0.001	-	-	-	-	-
9438	PRE N/mm2	Z	0.001	-	-	-	-	-
9439	PRE N/mm2	Z	0.001	-	-	-	-	-
9440	PRE N/mm2	Z	0.001	-	-	-	-	-
9441	PRE N/mm2	Z	0.001	-	-	-	-	-
9442	PRE N/mm2	Z	0.001	-	-	-	-	-
9443	PRE N/mm2	Z	0.001	-	-	-	-	-
9444	PRE N/mm2	Z	0.001	-	-	-	-	-
9445	PRE N/mm2	Z	0.001	-	-	-	-	-
9446	PRE N/mm2	Z	0.001	-	-	-	-	-
9447	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9448	PRE N/mm2	Z	0.001	-	-	-	-	-
9449	PRE N/mm2	Z	0.001	-	-	-	-	-
9510	PRE N/mm2	Z	0.001	-	-	-	-	-
9511	PRE N/mm2	Z	0.001	-	-	-	-	-
9512	PRE N/mm2	Z	0.001	-	-	-	-	-
9513	PRE N/mm2	Z	0.001	-	-	-	-	-
9514	PRE N/mm2	Z	0.001	-	-	-	-	-
9515	PRE N/mm2	Z	0.001	-	-	-	-	-
9516	PRE N/mm2	Z	0.001	-	-	-	-	-
9517	PRE N/mm2	Z	0.001	-	-	-	-	-
9518	PRE N/mm2	Z	0.001	-	-	-	-	-
9519	PRE N/mm2	Z	0.001	-	-	-	-	-
9520	PRE N/mm2	Z	0.001	-	-	-	-	-
9521	PRE N/mm2	Z	0.001	-	-	-	-	-
9522	PRE N/mm2	Z	0.001	-	-	-	-	-
9523	PRE N/mm2	Z	0.001	-	-	-	-	-
9524	PRE N/mm2	Z	0.001	-	-	-	-	-
9525	PRE N/mm2	Z	0.001	-	-	-	-	-
9526	PRE N/mm2	Z	0.001	-	-	-	-	-
9527	PRE N/mm2	Z	0.001	-	-	-	-	-
9528	PRE N/mm2	Z	0.001	-	-	-	-	-
9529	PRE N/mm2	Z	0.001	-	-	-	-	-
9530	PRE N/mm2	Z	0.001	-	-	-	-	-
9531	PRE N/mm2	Z	0.001	-	-	-	-	-
9532	PRE N/mm2	Z	0.001	-	-	-	-	-
9533	PRE N/mm2	Z	0.001	-	-	-	-	-
9534	PRE N/mm2	Z	0.001	-	-	-	-	-
9535	PRE N/mm2	Z	0.001	-	-	-	-	-
9536	PRE N/mm2	Z	0.001	-	-	-	-	-
9537	PRE N/mm2	Z	0.001	-	-	-	-	-
9538	PRE N/mm2	Z	0.001	-	-	-	-	-
9539	PRE N/mm2	Z	0.001	-	-	-	-	-
9540	PRE N/mm2	Z	0.001	-	-	-	-	-
9541	PRE N/mm2	Z	0.001	-	-	-	-	-
9542	PRE N/mm2	Z	0.001	-	-	-	-	-
9543	PRE N/mm2	Z	0.001	-	-	-	-	-
9544	PRE N/mm2	Z	0.001	-	-	-	-	-
9545	PRE N/mm2	Z	0.001	-	-	-	-	-
9546	PRE N/mm2	Z	0.001	-	-	-	-	-
9547	PRE N/mm2	Z	0.001	-	-	-	-	-
9548	PRE N/mm2	Z	0.001	-	-	-	-	-
9549	PRE N/mm2	Z	0.001	-	-	-	-	-
9550	PRE N/mm2	Z	0.001	-	-	-	-	-
9551	PRE N/mm2	Z	0.001	-	-	-	-	-
9552	PRE N/mm2	Z	0.001	-	-	-	-	-
9553	PRE N/mm2	Z	0.001	-	-	-	-	-
9554	PRE N/mm2	Z	0.001	-	-	-	-	-
9555	PRE N/mm2	Z	0.001	-	-	-	-	-
9556	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9557	PRE N/mm2	Z	0.001	-	-	-	-	-
9558	PRE N/mm2	Z	0.001	-	-	-	-	-
9559	PRE N/mm2	Z	0.001	-	-	-	-	-
9560	PRE N/mm2	Z	0.001	-	-	-	-	-
9561	PRE N/mm2	Z	0.001	-	-	-	-	-
9562	PRE N/mm2	Z	0.001	-	-	-	-	-
9563	PRE N/mm2	Z	0.001	-	-	-	-	-
9564	PRE N/mm2	Z	0.001	-	-	-	-	-
9565	PRE N/mm2	Z	0.001	-	-	-	-	-
9566	PRE N/mm2	Z	0.001	-	-	-	-	-
9567	PRE N/mm2	Z	0.001	-	-	-	-	-
9568	PRE N/mm2	Z	0.001	-	-	-	-	-
9569	PRE N/mm2	Z	0.001	-	-	-	-	-
9570	PRE N/mm2	Z	0.001	-	-	-	-	-
9571	PRE N/mm2	Z	0.001	-	-	-	-	-
9572	PRE N/mm2	Z	0.001	-	-	-	-	-
9573	PRE N/mm2	Z	0.001	-	-	-	-	-
9574	PRE N/mm2	Z	0.001	-	-	-	-	-
9575	PRE N/mm2	Z	0.001	-	-	-	-	-
9576	PRE N/mm2	Z	0.001	-	-	-	-	-
9577	PRE N/mm2	Z	0.001	-	-	-	-	-
9578	PRE N/mm2	Z	0.001	-	-	-	-	-
9579	PRE N/mm2	Z	0.001	-	-	-	-	-
9580	PRE N/mm2	Z	0.001	-	-	-	-	-
9581	PRE N/mm2	Z	0.001	-	-	-	-	-
9582	PRE N/mm2	Z	0.001	-	-	-	-	-
9583	PRE N/mm2	Z	0.001	-	-	-	-	-
9584	PRE N/mm2	Z	0.001	-	-	-	-	-
9585	PRE N/mm2	Z	0.001	-	-	-	-	-
9586	PRE N/mm2	Z	0.001	-	-	-	-	-
9587	PRE N/mm2	Z	0.001	-	-	-	-	-
9638	PRE N/mm2	Z	0.001	-	-	-	-	-
9639	PRE N/mm2	Z	0.001	-	-	-	-	-
9640	PRE N/mm2	Z	0.001	-	-	-	-	-
9641	PRE N/mm2	Z	0.001	-	-	-	-	-
9642	PRE N/mm2	Z	0.001	-	-	-	-	-
9643	PRE N/mm2	Z	0.001	-	-	-	-	-
9644	PRE N/mm2	Z	0.001	-	-	-	-	-
9645	PRE N/mm2	Z	0.001	-	-	-	-	-
9646	PRE N/mm2	Z	0.001	-	-	-	-	-
9647	PRE N/mm2	Z	0.001	-	-	-	-	-
9648	PRE N/mm2	Z	0.001	-	-	-	-	-
9649	PRE N/mm2	Z	0.001	-	-	-	-	-
9650	PRE N/mm2	Z	0.001	-	-	-	-	-
9651	PRE N/mm2	Z	0.001	-	-	-	-	-
9652	PRE N/mm2	Z	0.001	-	-	-	-	-
9653	PRE N/mm2	Z	0.001	-	-	-	-	-
9654	PRE N/mm2	Z	0.001	-	-	-	-	-
9655	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9656	PRE N/mm2	Z	0.001	-	-	-	-	-
9657	PRE N/mm2	Z	0.001	-	-	-	-	-
9658	PRE N/mm2	Z	0.001	-	-	-	-	-
9659	PRE N/mm2	Z	0.001	-	-	-	-	-
9660	PRE N/mm2	Z	0.001	-	-	-	-	-
9661	PRE N/mm2	Z	0.001	-	-	-	-	-
9662	PRE N/mm2	Z	0.001	-	-	-	-	-
9663	PRE N/mm2	Z	0.001	-	-	-	-	-
9664	PRE N/mm2	Z	0.001	-	-	-	-	-
9665	PRE N/mm2	Z	0.001	-	-	-	-	-
9666	PRE N/mm2	Z	0.001	-	-	-	-	-
9667	PRE N/mm2	Z	0.001	-	-	-	-	-
9668	PRE N/mm2	Z	0.001	-	-	-	-	-
9669	PRE N/mm2	Z	0.001	-	-	-	-	-
9670	PRE N/mm2	Z	0.001	-	-	-	-	-
9671	PRE N/mm2	Z	0.001	-	-	-	-	-
9672	PRE N/mm2	Z	0.001	-	-	-	-	-
9673	PRE N/mm2	Z	0.001	-	-	-	-	-
9674	PRE N/mm2	Z	0.001	-	-	-	-	-
9675	PRE N/mm2	Z	0.001	-	-	-	-	-
9676	PRE N/mm2	Z	0.001	-	-	-	-	-
9677	PRE N/mm2	Z	0.001	-	-	-	-	-
9678	PRE N/mm2	Z	0.001	-	-	-	-	-
9679	PRE N/mm2	Z	0.001	-	-	-	-	-
9680	PRE N/mm2	Z	0.001	-	-	-	-	-
9681	PRE N/mm2	Z	0.001	-	-	-	-	-
9682	PRE N/mm2	Z	0.001	-	-	-	-	-
9683	PRE N/mm2	Z	0.001	-	-	-	-	-
9684	PRE N/mm2	Z	0.001	-	-	-	-	-
9685	PRE N/mm2	Z	0.001	-	-	-	-	-
9686	PRE N/mm2	Z	0.001	-	-	-	-	-
9687	PRE N/mm2	Z	0.001	-	-	-	-	-
9688	PRE N/mm2	Z	0.001	-	-	-	-	-
9689	PRE N/mm2	Z	0.001	-	-	-	-	-
9690	PRE N/mm2	Z	0.001	-	-	-	-	-
9691	PRE N/mm2	Z	0.001	-	-	-	-	-
9692	PRE N/mm2	Z	0.001	-	-	-	-	-
9693	PRE N/mm2	Z	0.001	-	-	-	-	-
9694	PRE N/mm2	Z	0.001	-	-	-	-	-
9695	PRE N/mm2	Z	0.001	-	-	-	-	-
9696	PRE N/mm2	Z	0.001	-	-	-	-	-
9697	PRE N/mm2	Z	0.001	-	-	-	-	-
9698	PRE N/mm2	Z	0.001	-	-	-	-	-
9699	PRE N/mm2	Z	0.001	-	-	-	-	-
9700	PRE N/mm2	Z	0.001	-	-	-	-	-
9701	PRE N/mm2	Z	0.001	-	-	-	-	-
9702	PRE N/mm2	Z	0.001	-	-	-	-	-
9703	PRE N/mm2	Z	0.001	-	-	-	-	-
9704	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9705	PRE N/mm2	Z	0.001	-	-	-	-	-
9706	PRE N/mm2	Z	0.001	-	-	-	-	-
9707	PRE N/mm2	Z	0.001	-	-	-	-	-
9708	PRE N/mm2	Z	0.001	-	-	-	-	-
9709	PRE N/mm2	Z	0.001	-	-	-	-	-
9710	PRE N/mm2	Z	0.001	-	-	-	-	-
9711	PRE N/mm2	Z	0.001	-	-	-	-	-
9712	PRE N/mm2	Z	0.001	-	-	-	-	-
9713	PRE N/mm2	Z	0.001	-	-	-	-	-
9714	PRE N/mm2	Z	0.001	-	-	-	-	-
9715	PRE N/mm2	Z	0.001	-	-	-	-	-
9766	PRE N/mm2	Z	0.001	-	-	-	-	-
9767	PRE N/mm2	Z	0.001	-	-	-	-	-
9768	PRE N/mm2	Z	0.001	-	-	-	-	-
9769	PRE N/mm2	Z	0.001	-	-	-	-	-
9770	PRE N/mm2	Z	0.001	-	-	-	-	-
9771	PRE N/mm2	Z	0.001	-	-	-	-	-
9772	PRE N/mm2	Z	0.001	-	-	-	-	-
9773	PRE N/mm2	Z	0.001	-	-	-	-	-
9774	PRE N/mm2	Z	0.001	-	-	-	-	-
9775	PRE N/mm2	Z	0.001	-	-	-	-	-
9776	PRE N/mm2	Z	0.001	-	-	-	-	-
9777	PRE N/mm2	Z	0.001	-	-	-	-	-
9778	PRE N/mm2	Z	0.001	-	-	-	-	-
9779	PRE N/mm2	Z	0.001	-	-	-	-	-
9780	PRE N/mm2	Z	0.001	-	-	-	-	-
9781	PRE N/mm2	Z	0.001	-	-	-	-	-
9782	PRE N/mm2	Z	0.001	-	-	-	-	-
9783	PRE N/mm2	Z	0.001	-	-	-	-	-
9784	PRE N/mm2	Z	0.001	-	-	-	-	-
9785	PRE N/mm2	Z	0.001	-	-	-	-	-
9786	PRE N/mm2	Z	0.001	-	-	-	-	-
9787	PRE N/mm2	Z	0.001	-	-	-	-	-
9788	PRE N/mm2	Z	0.001	-	-	-	-	-
9789	PRE N/mm2	Z	0.001	-	-	-	-	-
9790	PRE N/mm2	Z	0.001	-	-	-	-	-
9791	PRE N/mm2	Z	0.001	-	-	-	-	-
9792	PRE N/mm2	Z	0.001	-	-	-	-	-
9793	PRE N/mm2	Z	0.001	-	-	-	-	-
9794	PRE N/mm2	Z	0.001	-	-	-	-	-
9795	PRE N/mm2	Z	0.001	-	-	-	-	-
9796	PRE N/mm2	Z	0.001	-	-	-	-	-
9797	PRE N/mm2	Z	0.001	-	-	-	-	-
9798	PRE N/mm2	Z	0.001	-	-	-	-	-
9799	PRE N/mm2	Z	0.001	-	-	-	-	-
9800	PRE N/mm2	Z	0.001	-	-	-	-	-
9801	PRE N/mm2	Z	0.001	-	-	-	-	-
9802	PRE N/mm2	Z	0.001	-	-	-	-	-
9803	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9804	PRE N/mm2	Z	0.001	-	-	-	-	-
9805	PRE N/mm2	Z	0.001	-	-	-	-	-
9806	PRE N/mm2	Z	0.001	-	-	-	-	-
9807	PRE N/mm2	Z	0.001	-	-	-	-	-
9808	PRE N/mm2	Z	0.001	-	-	-	-	-
9809	PRE N/mm2	Z	0.001	-	-	-	-	-
9810	PRE N/mm2	Z	0.001	-	-	-	-	-
9811	PRE N/mm2	Z	0.001	-	-	-	-	-
9812	PRE N/mm2	Z	0.001	-	-	-	-	-
9813	PRE N/mm2	Z	0.001	-	-	-	-	-
9814	PRE N/mm2	Z	0.001	-	-	-	-	-
9815	PRE N/mm2	Z	0.001	-	-	-	-	-
9816	PRE N/mm2	Z	0.001	-	-	-	-	-
9817	PRE N/mm2	Z	0.001	-	-	-	-	-
9818	PRE N/mm2	Z	0.001	-	-	-	-	-
9819	PRE N/mm2	Z	0.001	-	-	-	-	-
9820	PRE N/mm2	Z	0.001	-	-	-	-	-
9821	PRE N/mm2	Z	0.001	-	-	-	-	-
9822	PRE N/mm2	Z	0.001	-	-	-	-	-
9823	PRE N/mm2	Z	0.001	-	-	-	-	-
9824	PRE N/mm2	Z	0.001	-	-	-	-	-
9825	PRE N/mm2	Z	0.001	-	-	-	-	-
9826	PRE N/mm2	Z	0.001	-	-	-	-	-
9827	PRE N/mm2	Z	0.001	-	-	-	-	-
9828	PRE N/mm2	Z	0.001	-	-	-	-	-
9829	PRE N/mm2	Z	0.001	-	-	-	-	-
9830	PRE N/mm2	Z	0.001	-	-	-	-	-
9831	PRE N/mm2	Z	0.001	-	-	-	-	-
9832	PRE N/mm2	Z	0.001	-	-	-	-	-
9833	PRE N/mm2	Z	0.001	-	-	-	-	-
9834	PRE N/mm2	Z	0.001	-	-	-	-	-
9835	PRE N/mm2	Z	0.001	-	-	-	-	-
9836	PRE N/mm2	Z	0.001	-	-	-	-	-
9837	PRE N/mm2	Z	0.001	-	-	-	-	-
9838	PRE N/mm2	Z	0.001	-	-	-	-	-
9839	PRE N/mm2	Z	0.001	-	-	-	-	-
9840	PRE N/mm2	Z	0.001	-	-	-	-	-
9841	PRE N/mm2	Z	0.001	-	-	-	-	-
9842	PRE N/mm2	Z	0.001	-	-	-	-	-
9843	PRE N/mm2	Z	0.001	-	-	-	-	-
9884	PRE N/mm2	Z	0.001	-	-	-	-	-
9885	PRE N/mm2	Z	0.001	-	-	-	-	-
9886	PRE N/mm2	Z	0.001	-	-	-	-	-
9887	PRE N/mm2	Z	0.001	-	-	-	-	-
9888	PRE N/mm2	Z	0.001	-	-	-	-	-
9889	PRE N/mm2	Z	0.001	-	-	-	-	-
9890	PRE N/mm2	Z	0.001	-	-	-	-	-
9891	PRE N/mm2	Z	0.001	-	-	-	-	-
9892	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9893	PRE N/mm2	Z	0.001	-	-	-	-	-
9894	PRE N/mm2	Z	0.001	-	-	-	-	-
9895	PRE N/mm2	Z	0.001	-	-	-	-	-
9896	PRE N/mm2	Z	0.001	-	-	-	-	-
9897	PRE N/mm2	Z	0.001	-	-	-	-	-
9898	PRE N/mm2	Z	0.001	-	-	-	-	-
9899	PRE N/mm2	Z	0.001	-	-	-	-	-
9900	PRE N/mm2	Z	0.001	-	-	-	-	-
9901	PRE N/mm2	Z	0.001	-	-	-	-	-
9902	PRE N/mm2	Z	0.001	-	-	-	-	-
9903	PRE N/mm2	Z	0.001	-	-	-	-	-
9904	PRE N/mm2	Z	0.001	-	-	-	-	-
9905	PRE N/mm2	Z	0.001	-	-	-	-	-
9906	PRE N/mm2	Z	0.001	-	-	-	-	-
9907	PRE N/mm2	Z	0.001	-	-	-	-	-
9908	PRE N/mm2	Z	0.001	-	-	-	-	-
9909	PRE N/mm2	Z	0.001	-	-	-	-	-
9910	PRE N/mm2	Z	0.001	-	-	-	-	-
9911	PRE N/mm2	Z	0.001	-	-	-	-	-
9912	PRE N/mm2	Z	0.001	-	-	-	-	-
9913	PRE N/mm2	Z	0.001	-	-	-	-	-
9914	PRE N/mm2	Z	0.001	-	-	-	-	-
9915	PRE N/mm2	Z	0.001	-	-	-	-	-
9916	PRE N/mm2	Z	0.001	-	-	-	-	-
9917	PRE N/mm2	Z	0.001	-	-	-	-	-
9918	PRE N/mm2	Z	0.001	-	-	-	-	-
9919	PRE N/mm2	Z	0.001	-	-	-	-	-
9920	PRE N/mm2	Z	0.001	-	-	-	-	-
9921	PRE N/mm2	Z	0.001	-	-	-	-	-
9922	PRE N/mm2	Z	0.001	-	-	-	-	-
9923	PRE N/mm2	Z	0.001	-	-	-	-	-
9924	PRE N/mm2	Z	0.001	-	-	-	-	-
9925	PRE N/mm2	Z	0.001	-	-	-	-	-
9926	PRE N/mm2	Z	0.001	-	-	-	-	-
9927	PRE N/mm2	Z	0.001	-	-	-	-	-
9928	PRE N/mm2	Z	0.001	-	-	-	-	-
9929	PRE N/mm2	Z	0.001	-	-	-	-	-
9930	PRE N/mm2	Z	0.001	-	-	-	-	-
9931	PRE N/mm2	Z	0.001	-	-	-	-	-
9932	PRE N/mm2	Z	0.001	-	-	-	-	-
9933	PRE N/mm2	Z	0.001	-	-	-	-	-
9934	PRE N/mm2	Z	0.001	-	-	-	-	-
9935	PRE N/mm2	Z	0.001	-	-	-	-	-
9936	PRE N/mm2	Z	0.001	-	-	-	-	-
9937	PRE N/mm2	Z	0.001	-	-	-	-	-
9938	PRE N/mm2	Z	0.001	-	-	-	-	-
9939	PRE N/mm2	Z	0.001	-	-	-	-	-
9940	PRE N/mm2	Z	0.001	-	-	-	-	-
9941	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9942	PRE N/mm2	Z	0.001	-	-	-	-	-
9943	PRE N/mm2	Z	0.001	-	-	-	-	-
9944	PRE N/mm2	Z	0.001	-	-	-	-	-
9945	PRE N/mm2	Z	0.001	-	-	-	-	-
9946	PRE N/mm2	Z	0.001	-	-	-	-	-
9947	PRE N/mm2	Z	0.001	-	-	-	-	-
9948	PRE N/mm2	Z	0.001	-	-	-	-	-
9949	PRE N/mm2	Z	0.001	-	-	-	-	-
9950	PRE N/mm2	Z	0.001	-	-	-	-	-
9951	PRE N/mm2	Z	0.001	-	-	-	-	-
9952	PRE N/mm2	Z	0.001	-	-	-	-	-
9953	PRE N/mm2	Z	0.001	-	-	-	-	-
9954	PRE N/mm2	Z	0.001	-	-	-	-	-
9955	PRE N/mm2	Z	0.001	-	-	-	-	-
9956	PRE N/mm2	Z	0.001	-	-	-	-	-
9957	PRE N/mm2	Z	0.001	-	-	-	-	-
9958	PRE N/mm2	Z	0.001	-	-	-	-	-
9959	PRE N/mm2	Z	0.001	-	-	-	-	-
9960	PRE N/mm2	Z	0.001	-	-	-	-	-
9961	PRE N/mm2	Z	0.001	-	-	-	-	-
10002	PRE N/mm2	Z	0.001	-	-	-	-	-
10003	PRE N/mm2	Z	0.001	-	-	-	-	-
10004	PRE N/mm2	Z	0.001	-	-	-	-	-
10005	PRE N/mm2	Z	0.001	-	-	-	-	-
10006	PRE N/mm2	Z	0.001	-	-	-	-	-
10007	PRE N/mm2	Z	0.001	-	-	-	-	-
10008	PRE N/mm2	Z	0.001	-	-	-	-	-
10009	PRE N/mm2	Z	0.001	-	-	-	-	-
10010	PRE N/mm2	Z	0.001	-	-	-	-	-
10011	PRE N/mm2	Z	0.001	-	-	-	-	-
10012	PRE N/mm2	Z	0.001	-	-	-	-	-
10013	PRE N/mm2	Z	0.001	-	-	-	-	-
10014	PRE N/mm2	Z	0.001	-	-	-	-	-
10015	PRE N/mm2	Z	0.001	-	-	-	-	-
10016	PRE N/mm2	Z	0.001	-	-	-	-	-
10017	PRE N/mm2	Z	0.001	-	-	-	-	-
10018	PRE N/mm2	Z	0.001	-	-	-	-	-
10019	PRE N/mm2	Z	0.001	-	-	-	-	-
10020	PRE N/mm2	Z	0.001	-	-	-	-	-
10021	PRE N/mm2	Z	0.001	-	-	-	-	-
10022	PRE N/mm2	Z	0.001	-	-	-	-	-
10023	PRE N/mm2	Z	0.001	-	-	-	-	-
10024	PRE N/mm2	Z	0.001	-	-	-	-	-
10025	PRE N/mm2	Z	0.001	-	-	-	-	-
10026	PRE N/mm2	Z	0.001	-	-	-	-	-
10027	PRE N/mm2	Z	0.001	-	-	-	-	-
10028	PRE N/mm2	Z	0.001	-	-	-	-	-
10029	PRE N/mm2	Z	0.001	-	-	-	-	-
10030	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10031	PRE N/mm2	Z	0.001	-	-	-	-	-
10032	PRE N/mm2	Z	0.001	-	-	-	-	-
10033	PRE N/mm2	Z	0.001	-	-	-	-	-
10034	PRE N/mm2	Z	0.001	-	-	-	-	-
10035	PRE N/mm2	Z	0.001	-	-	-	-	-
10036	PRE N/mm2	Z	0.001	-	-	-	-	-
10037	PRE N/mm2	Z	0.001	-	-	-	-	-
10038	PRE N/mm2	Z	0.001	-	-	-	-	-
10039	PRE N/mm2	Z	0.001	-	-	-	-	-
10040	PRE N/mm2	Z	0.001	-	-	-	-	-
10041	PRE N/mm2	Z	0.001	-	-	-	-	-
10042	PRE N/mm2	Z	0.001	-	-	-	-	-
10043	PRE N/mm2	Z	0.001	-	-	-	-	-
10044	PRE N/mm2	Z	0.001	-	-	-	-	-
10045	PRE N/mm2	Z	0.001	-	-	-	-	-
10046	PRE N/mm2	Z	0.001	-	-	-	-	-
10047	PRE N/mm2	Z	0.001	-	-	-	-	-
10048	PRE N/mm2	Z	0.001	-	-	-	-	-
10049	PRE N/mm2	Z	0.001	-	-	-	-	-
10050	PRE N/mm2	Z	0.001	-	-	-	-	-
10051	PRE N/mm2	Z	0.001	-	-	-	-	-
10052	PRE N/mm2	Z	0.001	-	-	-	-	-
10053	PRE N/mm2	Z	0.001	-	-	-	-	-
10054	PRE N/mm2	Z	0.001	-	-	-	-	-
10055	PRE N/mm2	Z	0.001	-	-	-	-	-
10056	PRE N/mm2	Z	0.001	-	-	-	-	-
10057	PRE N/mm2	Z	0.001	-	-	-	-	-
10058	PRE N/mm2	Z	0.001	-	-	-	-	-
10059	PRE N/mm2	Z	0.001	-	-	-	-	-
10060	PRE N/mm2	Z	0.001	-	-	-	-	-
10061	PRE N/mm2	Z	0.001	-	-	-	-	-
10062	PRE N/mm2	Z	0.001	-	-	-	-	-
10063	PRE N/mm2	Z	0.001	-	-	-	-	-
10064	PRE N/mm2	Z	0.001	-	-	-	-	-
10065	PRE N/mm2	Z	0.001	-	-	-	-	-
10066	PRE N/mm2	Z	0.001	-	-	-	-	-
10067	PRE N/mm2	Z	0.001	-	-	-	-	-
10068	PRE N/mm2	Z	0.001	-	-	-	-	-
10069	PRE N/mm2	Z	0.001	-	-	-	-	-
10070	PRE N/mm2	Z	0.001	-	-	-	-	-
10071	PRE N/mm2	Z	0.001	-	-	-	-	-
10072	PRE N/mm2	Z	0.001	-	-	-	-	-
10073	PRE N/mm2	Z	0.001	-	-	-	-	-
10074	PRE N/mm2	Z	0.001	-	-	-	-	-
10075	PRE N/mm2	Z	0.001	-	-	-	-	-
10076	PRE N/mm2	Z	0.001	-	-	-	-	-
10077	PRE N/mm2	Z	0.001	-	-	-	-	-
10078	PRE N/mm2	Z	0.001	-	-	-	-	-
10079	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10110	PRE N/mm2	Z	0.001	-	-	-	-	-
10111	PRE N/mm2	Z	0.001	-	-	-	-	-
10112	PRE N/mm2	Z	0.001	-	-	-	-	-
10113	PRE N/mm2	Z	0.001	-	-	-	-	-
10114	PRE N/mm2	Z	0.001	-	-	-	-	-
10115	PRE N/mm2	Z	0.001	-	-	-	-	-
10116	PRE N/mm2	Z	0.001	-	-	-	-	-
10117	PRE N/mm2	Z	0.001	-	-	-	-	-
10118	PRE N/mm2	Z	0.001	-	-	-	-	-
10119	PRE N/mm2	Z	0.001	-	-	-	-	-
10120	PRE N/mm2	Z	0.001	-	-	-	-	-
10121	PRE N/mm2	Z	0.001	-	-	-	-	-
10122	PRE N/mm2	Z	0.001	-	-	-	-	-
10123	PRE N/mm2	Z	0.001	-	-	-	-	-
10124	PRE N/mm2	Z	0.001	-	-	-	-	-
10125	PRE N/mm2	Z	0.001	-	-	-	-	-
10126	PRE N/mm2	Z	0.001	-	-	-	-	-
10127	PRE N/mm2	Z	0.001	-	-	-	-	-
10128	PRE N/mm2	Z	0.001	-	-	-	-	-
10129	PRE N/mm2	Z	0.001	-	-	-	-	-
10130	PRE N/mm2	Z	0.001	-	-	-	-	-
10131	PRE N/mm2	Z	0.001	-	-	-	-	-
10132	PRE N/mm2	Z	0.001	-	-	-	-	-
10133	PRE N/mm2	Z	0.001	-	-	-	-	-
10134	PRE N/mm2	Z	0.001	-	-	-	-	-
10135	PRE N/mm2	Z	0.001	-	-	-	-	-
10136	PRE N/mm2	Z	0.001	-	-	-	-	-
10137	PRE N/mm2	Z	0.001	-	-	-	-	-
10138	PRE N/mm2	Z	0.001	-	-	-	-	-
10139	PRE N/mm2	Z	0.001	-	-	-	-	-
10140	PRE N/mm2	Z	0.001	-	-	-	-	-
10141	PRE N/mm2	Z	0.001	-	-	-	-	-
10142	PRE N/mm2	Z	0.001	-	-	-	-	-
10143	PRE N/mm2	Z	0.001	-	-	-	-	-
10144	PRE N/mm2	Z	0.001	-	-	-	-	-
10145	PRE N/mm2	Z	0.001	-	-	-	-	-
10146	PRE N/mm2	Z	0.001	-	-	-	-	-
10147	PRE N/mm2	Z	0.001	-	-	-	-	-
10148	PRE N/mm2	Z	0.001	-	-	-	-	-
10149	PRE N/mm2	Z	0.001	-	-	-	-	-
10150	PRE N/mm2	Z	0.001	-	-	-	-	-
10151	PRE N/mm2	Z	0.001	-	-	-	-	-
10152	PRE N/mm2	Z	0.001	-	-	-	-	-
10153	PRE N/mm2	Z	0.001	-	-	-	-	-
10154	PRE N/mm2	Z	0.001	-	-	-	-	-
10155	PRE N/mm2	Z	0.001	-	-	-	-	-
10156	PRE N/mm2	Z	0.001	-	-	-	-	-
10157	PRE N/mm2	Z	0.001	-	-	-	-	-
10158	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10159	PRE N/mm2	Z	0.001	-	-	-	-	-
10160	PRE N/mm2	Z	0.001	-	-	-	-	-
10161	PRE N/mm2	Z	0.001	-	-	-	-	-
10162	PRE N/mm2	Z	0.001	-	-	-	-	-
10163	PRE N/mm2	Z	0.001	-	-	-	-	-
10164	PRE N/mm2	Z	0.001	-	-	-	-	-
10165	PRE N/mm2	Z	0.001	-	-	-	-	-
10166	PRE N/mm2	Z	0.001	-	-	-	-	-
10167	PRE N/mm2	Z	0.001	-	-	-	-	-
10168	PRE N/mm2	Z	0.001	-	-	-	-	-
10169	PRE N/mm2	Z	0.001	-	-	-	-	-
10170	PRE N/mm2	Z	0.001	-	-	-	-	-
10171	PRE N/mm2	Z	0.001	-	-	-	-	-
10172	PRE N/mm2	Z	0.001	-	-	-	-	-
10173	PRE N/mm2	Z	0.001	-	-	-	-	-
10174	PRE N/mm2	Z	0.001	-	-	-	-	-
10175	PRE N/mm2	Z	0.001	-	-	-	-	-
10176	PRE N/mm2	Z	0.001	-	-	-	-	-
10177	PRE N/mm2	Z	0.001	-	-	-	-	-
10178	PRE N/mm2	Z	0.001	-	-	-	-	-
10179	PRE N/mm2	Z	0.001	-	-	-	-	-
10180	PRE N/mm2	Z	0.001	-	-	-	-	-
10181	PRE N/mm2	Z	0.001	-	-	-	-	-
10182	PRE N/mm2	Z	0.001	-	-	-	-	-
10183	PRE N/mm2	Z	0.001	-	-	-	-	-
10184	PRE N/mm2	Z	0.001	-	-	-	-	-
10185	PRE N/mm2	Z	0.001	-	-	-	-	-
10186	PRE N/mm2	Z	0.001	-	-	-	-	-
10187	PRE N/mm2	Z	0.001	-	-	-	-	-
10218	PRE N/mm2	Z	0.001	-	-	-	-	-
10219	PRE N/mm2	Z	0.001	-	-	-	-	-
10220	PRE N/mm2	Z	0.001	-	-	-	-	-
10221	PRE N/mm2	Z	0.001	-	-	-	-	-
10222	PRE N/mm2	Z	0.001	-	-	-	-	-
10223	PRE N/mm2	Z	0.001	-	-	-	-	-
10224	PRE N/mm2	Z	0.001	-	-	-	-	-
10225	PRE N/mm2	Z	0.001	-	-	-	-	-
10226	PRE N/mm2	Z	0.001	-	-	-	-	-
10227	PRE N/mm2	Z	0.001	-	-	-	-	-
10228	PRE N/mm2	Z	0.001	-	-	-	-	-
10229	PRE N/mm2	Z	0.001	-	-	-	-	-
10230	PRE N/mm2	Z	0.001	-	-	-	-	-
10231	PRE N/mm2	Z	0.001	-	-	-	-	-
10232	PRE N/mm2	Z	0.001	-	-	-	-	-
10233	PRE N/mm2	Z	0.001	-	-	-	-	-
10234	PRE N/mm2	Z	0.001	-	-	-	-	-
10235	PRE N/mm2	Z	0.001	-	-	-	-	-
10236	PRE N/mm2	Z	0.001	-	-	-	-	-
10237	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10238	PRE N/mm2	Z	0.001	-	-	-	-	-
10239	PRE N/mm2	Z	0.001	-	-	-	-	-
10240	PRE N/mm2	Z	0.001	-	-	-	-	-
10241	PRE N/mm2	Z	0.001	-	-	-	-	-
10242	PRE N/mm2	Z	0.001	-	-	-	-	-
10243	PRE N/mm2	Z	0.001	-	-	-	-	-
10244	PRE N/mm2	Z	0.001	-	-	-	-	-
10245	PRE N/mm2	Z	0.001	-	-	-	-	-
10246	PRE N/mm2	Z	0.001	-	-	-	-	-
10247	PRE N/mm2	Z	0.001	-	-	-	-	-
10248	PRE N/mm2	Z	0.001	-	-	-	-	-
10249	PRE N/mm2	Z	0.001	-	-	-	-	-
10250	PRE N/mm2	Z	0.001	-	-	-	-	-
10251	PRE N/mm2	Z	0.001	-	-	-	-	-
10252	PRE N/mm2	Z	0.001	-	-	-	-	-
10253	PRE N/mm2	Z	0.001	-	-	-	-	-
10254	PRE N/mm2	Z	0.001	-	-	-	-	-
10255	PRE N/mm2	Z	0.001	-	-	-	-	-
10256	PRE N/mm2	Z	0.001	-	-	-	-	-
10257	PRE N/mm2	Z	0.001	-	-	-	-	-
10258	PRE N/mm2	Z	0.001	-	-	-	-	-
10259	PRE N/mm2	Z	0.001	-	-	-	-	-
10260	PRE N/mm2	Z	0.001	-	-	-	-	-
10261	PRE N/mm2	Z	0.001	-	-	-	-	-
10262	PRE N/mm2	Z	0.001	-	-	-	-	-
10263	PRE N/mm2	Z	0.001	-	-	-	-	-
10264	PRE N/mm2	Z	0.001	-	-	-	-	-
10265	PRE N/mm2	Z	0.001	-	-	-	-	-
10266	PRE N/mm2	Z	0.001	-	-	-	-	-
10267	PRE N/mm2	Z	0.001	-	-	-	-	-
10268	PRE N/mm2	Z	0.001	-	-	-	-	-
10269	PRE N/mm2	Z	0.001	-	-	-	-	-
10270	PRE N/mm2	Z	0.001	-	-	-	-	-
10271	PRE N/mm2	Z	0.001	-	-	-	-	-
10272	PRE N/mm2	Z	0.001	-	-	-	-	-
10273	PRE N/mm2	Z	0.001	-	-	-	-	-
10274	PRE N/mm2	Z	0.001	-	-	-	-	-
10275	PRE N/mm2	Z	0.001	-	-	-	-	-
10276	PRE N/mm2	Z	0.001	-	-	-	-	-
10277	PRE N/mm2	Z	0.001	-	-	-	-	-
10278	PRE N/mm2	Z	0.001	-	-	-	-	-
10279	PRE N/mm2	Z	0.001	-	-	-	-	-
10280	PRE N/mm2	Z	0.001	-	-	-	-	-
10281	PRE N/mm2	Z	0.001	-	-	-	-	-
10282	PRE N/mm2	Z	0.001	-	-	-	-	-
10283	PRE N/mm2	Z	0.001	-	-	-	-	-
10284	PRE N/mm2	Z	0.001	-	-	-	-	-
10285	PRE N/mm2	Z	0.001	-	-	-	-	-
10286	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10287	PRE N/mm2	Z	0.001	-	-	-	-	-
10288	PRE N/mm2	Z	0.001	-	-	-	-	-
10289	PRE N/mm2	Z	0.001	-	-	-	-	-
10290	PRE N/mm2	Z	0.001	-	-	-	-	-
10291	PRE N/mm2	Z	0.001	-	-	-	-	-
10292	PRE N/mm2	Z	0.001	-	-	-	-	-
10293	PRE N/mm2	Z	0.001	-	-	-	-	-
10294	PRE N/mm2	Z	0.001	-	-	-	-	-
10295	PRE N/mm2	Z	0.001	-	-	-	-	-
10326	PRE N/mm2	Z	0.001	-	-	-	-	-
10327	PRE N/mm2	Z	0.001	-	-	-	-	-
10328	PRE N/mm2	Z	0.001	-	-	-	-	-
10329	PRE N/mm2	Z	0.001	-	-	-	-	-
10330	PRE N/mm2	Z	0.001	-	-	-	-	-
10331	PRE N/mm2	Z	0.001	-	-	-	-	-
10332	PRE N/mm2	Z	0.001	-	-	-	-	-
10333	PRE N/mm2	Z	0.001	-	-	-	-	-
10334	PRE N/mm2	Z	0.001	-	-	-	-	-
10335	PRE N/mm2	Z	0.001	-	-	-	-	-
10336	PRE N/mm2	Z	0.001	-	-	-	-	-
10337	PRE N/mm2	Z	0.001	-	-	-	-	-
10338	PRE N/mm2	Z	0.001	-	-	-	-	-
10339	PRE N/mm2	Z	0.001	-	-	-	-	-
10340	PRE N/mm2	Z	0.001	-	-	-	-	-
10341	PRE N/mm2	Z	0.001	-	-	-	-	-
10342	PRE N/mm2	Z	0.001	-	-	-	-	-
10343	PRE N/mm2	Z	0.001	-	-	-	-	-
10344	PRE N/mm2	Z	0.001	-	-	-	-	-
10345	PRE N/mm2	Z	0.001	-	-	-	-	-
10346	PRE N/mm2	Z	0.001	-	-	-	-	-
10347	PRE N/mm2	Z	0.001	-	-	-	-	-
10348	PRE N/mm2	Z	0.001	-	-	-	-	-
10349	PRE N/mm2	Z	0.001	-	-	-	-	-
10350	PRE N/mm2	Z	0.001	-	-	-	-	-
10351	PRE N/mm2	Z	0.001	-	-	-	-	-
10352	PRE N/mm2	Z	0.001	-	-	-	-	-
10353	PRE N/mm2	Z	0.001	-	-	-	-	-
10354	PRE N/mm2	Z	0.001	-	-	-	-	-
10355	PRE N/mm2	Z	0.001	-	-	-	-	-
10356	PRE N/mm2	Z	0.001	-	-	-	-	-
10357	PRE N/mm2	Z	0.001	-	-	-	-	-
10358	PRE N/mm2	Z	0.001	-	-	-	-	-
10359	PRE N/mm2	Z	0.001	-	-	-	-	-
10360	PRE N/mm2	Z	0.001	-	-	-	-	-
10361	PRE N/mm2	Z	0.001	-	-	-	-	-
10362	PRE N/mm2	Z	0.001	-	-	-	-	-
10363	PRE N/mm2	Z	0.001	-	-	-	-	-
10364	PRE N/mm2	Z	0.001	-	-	-	-	-
10365	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10366	PRE N/mm2	Z	0.001	-	-	-	-	-
10367	PRE N/mm2	Z	0.001	-	-	-	-	-
10368	PRE N/mm2	Z	0.001	-	-	-	-	-
10369	PRE N/mm2	Z	0.001	-	-	-	-	-
10370	PRE N/mm2	Z	0.001	-	-	-	-	-
10371	PRE N/mm2	Z	0.001	-	-	-	-	-
10372	PRE N/mm2	Z	0.001	-	-	-	-	-
10373	PRE N/mm2	Z	0.001	-	-	-	-	-
10374	PRE N/mm2	Z	0.001	-	-	-	-	-
10375	PRE N/mm2	Z	0.001	-	-	-	-	-
10376	PRE N/mm2	Z	0.001	-	-	-	-	-
10377	PRE N/mm2	Z	0.001	-	-	-	-	-
10378	PRE N/mm2	Z	0.001	-	-	-	-	-
10379	PRE N/mm2	Z	0.001	-	-	-	-	-
10380	PRE N/mm2	Z	0.001	-	-	-	-	-
10381	PRE N/mm2	Z	0.001	-	-	-	-	-
10382	PRE N/mm2	Z	0.001	-	-	-	-	-
10383	PRE N/mm2	Z	0.001	-	-	-	-	-
10384	PRE N/mm2	Z	0.001	-	-	-	-	-
10385	PRE N/mm2	Z	0.001	-	-	-	-	-
10386	PRE N/mm2	Z	0.001	-	-	-	-	-
10387	PRE N/mm2	Z	0.001	-	-	-	-	-
10388	PRE N/mm2	Z	0.001	-	-	-	-	-
10389	PRE N/mm2	Z	0.001	-	-	-	-	-
10390	PRE N/mm2	Z	0.001	-	-	-	-	-
10391	PRE N/mm2	Z	0.001	-	-	-	-	-
10392	PRE N/mm2	Z	0.001	-	-	-	-	-
10393	PRE N/mm2	Z	0.001	-	-	-	-	-
10394	PRE N/mm2	Z	0.001	-	-	-	-	-
10395	PRE N/mm2	Z	0.001	-	-	-	-	-
10396	PRE N/mm2	Z	0.001	-	-	-	-	-
10397	PRE N/mm2	Z	0.001	-	-	-	-	-
10398	PRE N/mm2	Z	0.001	-	-	-	-	-
10399	PRE N/mm2	Z	0.001	-	-	-	-	-
10400	PRE N/mm2	Z	0.001	-	-	-	-	-
10401	PRE N/mm2	Z	0.001	-	-	-	-	-
10402	PRE N/mm2	Z	0.001	-	-	-	-	-
10403	PRE N/mm2	Z	0.001	-	-	-	-	-
10404	PRE N/mm2	Z	0.001	-	-	-	-	-
10405	PRE N/mm2	Z	0.001	-	-	-	-	-
10406	PRE N/mm2	Z	0.001	-	-	-	-	-
10407	PRE N/mm2	Z	0.001	-	-	-	-	-
10408	PRE N/mm2	Z	0.001	-	-	-	-	-
10409	PRE N/mm2	Z	0.001	-	-	-	-	-
10410	PRE N/mm2	Z	0.001	-	-	-	-	-
10411	PRE N/mm2	Z	0.001	-	-	-	-	-
10412	PRE N/mm2	Z	0.001	-	-	-	-	-
10413	PRE N/mm2	Z	0.001	-	-	-	-	-
10414	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10415	PRE N/mm2	Z	0.001	-	-	-	-	-
10416	PRE N/mm2	Z	0.001	-	-	-	-	-
10417	PRE N/mm2	Z	0.001	-	-	-	-	-
10418	PRE N/mm2	Z	0.001	-	-	-	-	-
10419	PRE N/mm2	Z	0.001	-	-	-	-	-
10420	PRE N/mm2	Z	0.001	-	-	-	-	-
10421	PRE N/mm2	Z	0.001	-	-	-	-	-
10422	PRE N/mm2	Z	0.001	-	-	-	-	-
10423	PRE N/mm2	Z	0.001	-	-	-	-	-
10424	PRE N/mm2	Z	0.001	-	-	-	-	-
10425	PRE N/mm2	Z	0.001	-	-	-	-	-
10426	PRE N/mm2	Z	0.001	-	-	-	-	-
10427	PRE N/mm2	Z	0.001	-	-	-	-	-
10428	PRE N/mm2	Z	0.001	-	-	-	-	-
10429	PRE N/mm2	Z	0.001	-	-	-	-	-
10430	PRE N/mm2	Z	0.001	-	-	-	-	-
10431	PRE N/mm2	Z	0.001	-	-	-	-	-
10432	PRE N/mm2	Z	0.001	-	-	-	-	-
10433	PRE N/mm2	Z	0.001	-	-	-	-	-
10434	PRE N/mm2	Z	0.001	-	-	-	-	-
10435	PRE N/mm2	Z	0.001	-	-	-	-	-
10436	PRE N/mm2	Z	0.001	-	-	-	-	-
10437	PRE N/mm2	Z	0.001	-	-	-	-	-
10438	PRE N/mm2	Z	0.001	-	-	-	-	-
10439	PRE N/mm2	Z	0.001	-	-	-	-	-
10440	PRE N/mm2	Z	0.001	-	-	-	-	-
10441	PRE N/mm2	Z	0.001	-	-	-	-	-
10442	PRE N/mm2	Z	0.001	-	-	-	-	-
10443	PRE N/mm2	Z	0.001	-	-	-	-	-
10444	PRE N/mm2	Z	0.001	-	-	-	-	-
10445	PRE N/mm2	Z	0.001	-	-	-	-	-
10446	PRE N/mm2	Z	0.001	-	-	-	-	-
10447	PRE N/mm2	Z	0.001	-	-	-	-	-
10448	PRE N/mm2	Z	0.001	-	-	-	-	-
10449	PRE N/mm2	Z	0.001	-	-	-	-	-
10450	PRE N/mm2	Z	0.001	-	-	-	-	-
10451	PRE N/mm2	Z	0.001	-	-	-	-	-
10452	PRE N/mm2	Z	0.001	-	-	-	-	-
10453	PRE N/mm2	Z	0.001	-	-	-	-	-
10454	PRE N/mm2	Z	0.001	-	-	-	-	-
10455	PRE N/mm2	Z	0.001	-	-	-	-	-
10456	PRE N/mm2	Z	0.001	-	-	-	-	-
10457	PRE N/mm2	Z	0.001	-	-	-	-	-
10458	PRE N/mm2	Z	0.001	-	-	-	-	-
10459	PRE N/mm2	Z	0.001	-	-	-	-	-
10460	PRE N/mm2	Z	0.001	-	-	-	-	-
10461	PRE N/mm2	Z	0.001	-	-	-	-	-
10462	PRE N/mm2	Z	0.001	-	-	-	-	-
10463	PRE N/mm2	Z	0.001	-	-	-	-	-

6 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10464	PRE N/mm2	Z	0.001	-	-	-	-	-
10465	PRE N/mm2	Z	0.001	-	-	-	-	-
10466	PRE N/mm2	Z	0.001	-	-	-	-	-
10467	PRE N/mm2	Z	0.001	-	-	-	-	-
10468	PRE N/mm2	Z	0.001	-	-	-	-	-
10469	PRE N/mm2	Z	0.001	-	-	-	-	-
10470	PRE N/mm2	Z	0.001	-	-	-	-	-
10471	PRE N/mm2	Z	0.001	-	-	-	-	-
10472	PRE N/mm2	Z	0.001	-	-	-	-	-
10473	PRE N/mm2	Z	0.001	-	-	-	-	-
10474	PRE N/mm2	Z	0.001	-	-	-	-	-
10475	PRE N/mm2	Z	0.001	-	-	-	-	-
10476	PRE N/mm2	Z	0.001	-	-	-	-	-
10477	PRE N/mm2	Z	0.001	-	-	-	-	-
10478	PRE N/mm2	Z	0.001	-	-	-	-	-
10479	PRE N/mm2	Z	0.001	-	-	-	-	-
10480	PRE N/mm2	Z	0.001	-	-	-	-	-
10481	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3218	PRE N/mm2	Z	0.001	-	-	-	-	-
3219	PRE N/mm2	Z	0.001	-	-	-	-	-
3220	PRE N/mm2	Z	0.001	-	-	-	-	-
3221	PRE N/mm2	Z	0.001	-	-	-	-	-
3222	PRE N/mm2	Z	0.001	-	-	-	-	-
3223	PRE N/mm2	Z	0.001	-	-	-	-	-
3224	PRE N/mm2	Z	0.001	-	-	-	-	-
3225	PRE N/mm2	Z	0.001	-	-	-	-	-
3226	PRE N/mm2	Z	0.001	-	-	-	-	-
3227	PRE N/mm2	Z	0.001	-	-	-	-	-
3228	PRE N/mm2	Z	0.001	-	-	-	-	-
3229	PRE N/mm2	Z	0.001	-	-	-	-	-
3230	PRE N/mm2	Z	0.001	-	-	-	-	-
3231	PRE N/mm2	Z	0.001	-	-	-	-	-
3232	PRE N/mm2	Z	0.001	-	-	-	-	-
3233	PRE N/mm2	Z	0.001	-	-	-	-	-
3234	PRE N/mm2	Z	0.001	-	-	-	-	-
3235	PRE N/mm2	Z	0.001	-	-	-	-	-
3236	PRE N/mm2	Z	0.001	-	-	-	-	-
3237	PRE N/mm2	Z	0.001	-	-	-	-	-
3238	PRE N/mm2	Z	0.001	-	-	-	-	-
3239	PRE N/mm2	Z	0.001	-	-	-	-	-
3240	PRE N/mm2	Z	0.001	-	-	-	-	-
3241	PRE N/mm2	Z	0.001	-	-	-	-	-
3242	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3243	PRE N/mm2	Z	0.001	-	-	-	-	-
3244	PRE N/mm2	Z	0.001	-	-	-	-	-
3245	PRE N/mm2	Z	0.001	-	-	-	-	-
3246	PRE N/mm2	Z	0.001	-	-	-	-	-
3247	PRE N/mm2	Z	0.001	-	-	-	-	-
3248	PRE N/mm2	Z	0.001	-	-	-	-	-
3249	PRE N/mm2	Z	0.001	-	-	-	-	-
3250	PRE N/mm2	Z	0.001	-	-	-	-	-
3251	PRE N/mm2	Z	0.001	-	-	-	-	-
3252	PRE N/mm2	Z	0.001	-	-	-	-	-
3253	PRE N/mm2	Z	0.001	-	-	-	-	-
3254	PRE N/mm2	Z	0.001	-	-	-	-	-
3255	PRE N/mm2	Z	0.001	-	-	-	-	-
3256	PRE N/mm2	Z	0.001	-	-	-	-	-
3257	PRE N/mm2	Z	0.001	-	-	-	-	-
3258	PRE N/mm2	Z	0.001	-	-	-	-	-
3259	PRE N/mm2	Z	0.001	-	-	-	-	-
3260	PRE N/mm2	Z	0.001	-	-	-	-	-
3261	PRE N/mm2	Z	0.001	-	-	-	-	-
3262	PRE N/mm2	Z	0.001	-	-	-	-	-
3263	PRE N/mm2	Z	0.001	-	-	-	-	-
3264	PRE N/mm2	Z	0.001	-	-	-	-	-
3265	PRE N/mm2	Z	0.001	-	-	-	-	-
3266	PRE N/mm2	Z	0.001	-	-	-	-	-
3267	PRE N/mm2	Z	0.001	-	-	-	-	-
3268	PRE N/mm2	Z	0.001	-	-	-	-	-
3269	PRE N/mm2	Z	0.001	-	-	-	-	-
3270	PRE N/mm2	Z	0.001	-	-	-	-	-
3271	PRE N/mm2	Z	0.001	-	-	-	-	-
3272	PRE N/mm2	Z	0.001	-	-	-	-	-
3273	PRE N/mm2	Z	0.001	-	-	-	-	-
3274	PRE N/mm2	Z	0.001	-	-	-	-	-
3275	PRE N/mm2	Z	0.001	-	-	-	-	-
3276	PRE N/mm2	Z	0.001	-	-	-	-	-
3277	PRE N/mm2	Z	0.001	-	-	-	-	-
3278	PRE N/mm2	Z	0.001	-	-	-	-	-
3279	PRE N/mm2	Z	0.001	-	-	-	-	-
3280	PRE N/mm2	Z	0.001	-	-	-	-	-
3281	PRE N/mm2	Z	0.001	-	-	-	-	-
3282	PRE N/mm2	Z	0.001	-	-	-	-	-
3283	PRE N/mm2	Z	0.001	-	-	-	-	-
3284	PRE N/mm2	Z	0.001	-	-	-	-	-
3285	PRE N/mm2	Z	0.001	-	-	-	-	-
3286	PRE N/mm2	Z	0.001	-	-	-	-	-
3287	PRE N/mm2	Z	0.001	-	-	-	-	-
3288	PRE N/mm2	Z	0.001	-	-	-	-	-
3289	PRE N/mm2	Z	0.001	-	-	-	-	-
3290	PRE N/mm2	Z	0.001	-	-	-	-	-
3291	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3292	PRE N/mm2	Z	0.001	-	-	-	-	-
3293	PRE N/mm2	Z	0.001	-	-	-	-	-
3294	PRE N/mm2	Z	0.001	-	-	-	-	-
3295	PRE N/mm2	Z	0.001	-	-	-	-	-
3566	PRE N/mm2	Z	0.001	-	-	-	-	-
3567	PRE N/mm2	Z	0.001	-	-	-	-	-
3568	PRE N/mm2	Z	0.001	-	-	-	-	-
3569	PRE N/mm2	Z	0.001	-	-	-	-	-
3570	PRE N/mm2	Z	0.001	-	-	-	-	-
3571	PRE N/mm2	Z	0.001	-	-	-	-	-
3572	PRE N/mm2	Z	0.001	-	-	-	-	-
3573	PRE N/mm2	Z	0.001	-	-	-	-	-
3574	PRE N/mm2	Z	0.001	-	-	-	-	-
3575	PRE N/mm2	Z	0.001	-	-	-	-	-
3576	PRE N/mm2	Z	0.001	-	-	-	-	-
3577	PRE N/mm2	Z	0.001	-	-	-	-	-
3578	PRE N/mm2	Z	0.001	-	-	-	-	-
3579	PRE N/mm2	Z	0.001	-	-	-	-	-
3580	PRE N/mm2	Z	0.001	-	-	-	-	-
3581	PRE N/mm2	Z	0.001	-	-	-	-	-
3582	PRE N/mm2	Z	0.001	-	-	-	-	-
3583	PRE N/mm2	Z	0.001	-	-	-	-	-
3584	PRE N/mm2	Z	0.001	-	-	-	-	-
3585	PRE N/mm2	Z	0.001	-	-	-	-	-
3586	PRE N/mm2	Z	0.001	-	-	-	-	-
3587	PRE N/mm2	Z	0.001	-	-	-	-	-
3588	PRE N/mm2	Z	0.001	-	-	-	-	-
3589	PRE N/mm2	Z	0.001	-	-	-	-	-
3590	PRE N/mm2	Z	0.001	-	-	-	-	-
3591	PRE N/mm2	Z	0.001	-	-	-	-	-
3592	PRE N/mm2	Z	0.001	-	-	-	-	-
3593	PRE N/mm2	Z	0.001	-	-	-	-	-
3594	PRE N/mm2	Z	0.001	-	-	-	-	-
3595	PRE N/mm2	Z	0.001	-	-	-	-	-
3596	PRE N/mm2	Z	0.001	-	-	-	-	-
3597	PRE N/mm2	Z	0.001	-	-	-	-	-
3598	PRE N/mm2	Z	0.001	-	-	-	-	-
3599	PRE N/mm2	Z	0.001	-	-	-	-	-
3600	PRE N/mm2	Z	0.001	-	-	-	-	-
3601	PRE N/mm2	Z	0.001	-	-	-	-	-
3602	PRE N/mm2	Z	0.001	-	-	-	-	-
3603	PRE N/mm2	Z	0.001	-	-	-	-	-
3604	PRE N/mm2	Z	0.001	-	-	-	-	-
3605	PRE N/mm2	Z	0.001	-	-	-	-	-
3606	PRE N/mm2	Z	0.001	-	-	-	-	-
3607	PRE N/mm2	Z	0.001	-	-	-	-	-
3608	PRE N/mm2	Z	0.001	-	-	-	-	-
3609	PRE N/mm2	Z	0.001	-	-	-	-	-
3610	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3611	PRE N/mm2	Z	0.001	-	-	-	-	-
3612	PRE N/mm2	Z	0.001	-	-	-	-	-
3613	PRE N/mm2	Z	0.001	-	-	-	-	-
3614	PRE N/mm2	Z	0.001	-	-	-	-	-
3615	PRE N/mm2	Z	0.001	-	-	-	-	-
3616	PRE N/mm2	Z	0.001	-	-	-	-	-
3617	PRE N/mm2	Z	0.001	-	-	-	-	-
3618	PRE N/mm2	Z	0.001	-	-	-	-	-
3619	PRE N/mm2	Z	0.001	-	-	-	-	-
3620	PRE N/mm2	Z	0.001	-	-	-	-	-
3621	PRE N/mm2	Z	0.001	-	-	-	-	-
3622	PRE N/mm2	Z	0.001	-	-	-	-	-
3623	PRE N/mm2	Z	0.001	-	-	-	-	-
3624	PRE N/mm2	Z	0.001	-	-	-	-	-
3625	PRE N/mm2	Z	0.001	-	-	-	-	-
3626	PRE N/mm2	Z	0.001	-	-	-	-	-
3627	PRE N/mm2	Z	0.001	-	-	-	-	-
3628	PRE N/mm2	Z	0.001	-	-	-	-	-
3629	PRE N/mm2	Z	0.001	-	-	-	-	-
3630	PRE N/mm2	Z	0.001	-	-	-	-	-
3631	PRE N/mm2	Z	0.001	-	-	-	-	-
3632	PRE N/mm2	Z	0.001	-	-	-	-	-
3633	PRE N/mm2	Z	0.001	-	-	-	-	-
3634	PRE N/mm2	Z	0.001	-	-	-	-	-
3635	PRE N/mm2	Z	0.001	-	-	-	-	-
3636	PRE N/mm2	Z	0.001	-	-	-	-	-
3637	PRE N/mm2	Z	0.001	-	-	-	-	-
3638	PRE N/mm2	Z	0.001	-	-	-	-	-
3639	PRE N/mm2	Z	0.001	-	-	-	-	-
3640	PRE N/mm2	Z	0.001	-	-	-	-	-
3641	PRE N/mm2	Z	0.001	-	-	-	-	-
3642	PRE N/mm2	Z	0.001	-	-	-	-	-
3643	PRE N/mm2	Z	0.001	-	-	-	-	-
3904	PRE N/mm2	Z	0.001	-	-	-	-	-
3905	PRE N/mm2	Z	0.001	-	-	-	-	-
3906	PRE N/mm2	Z	0.001	-	-	-	-	-
3907	PRE N/mm2	Z	0.001	-	-	-	-	-
3908	PRE N/mm2	Z	0.001	-	-	-	-	-
3909	PRE N/mm2	Z	0.001	-	-	-	-	-
3910	PRE N/mm2	Z	0.001	-	-	-	-	-
3911	PRE N/mm2	Z	0.001	-	-	-	-	-
3912	PRE N/mm2	Z	0.001	-	-	-	-	-
3913	PRE N/mm2	Z	0.001	-	-	-	-	-
3914	PRE N/mm2	Z	0.001	-	-	-	-	-
3915	PRE N/mm2	Z	0.001	-	-	-	-	-
3916	PRE N/mm2	Z	0.001	-	-	-	-	-
3917	PRE N/mm2	Z	0.001	-	-	-	-	-
3918	PRE N/mm2	Z	0.001	-	-	-	-	-
3919	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3920	PRE N/mm2	Z	0.001	-	-	-	-	-
3921	PRE N/mm2	Z	0.001	-	-	-	-	-
3922	PRE N/mm2	Z	0.001	-	-	-	-	-
3923	PRE N/mm2	Z	0.001	-	-	-	-	-
3924	PRE N/mm2	Z	0.001	-	-	-	-	-
3925	PRE N/mm2	Z	0.001	-	-	-	-	-
3926	PRE N/mm2	Z	0.001	-	-	-	-	-
3927	PRE N/mm2	Z	0.001	-	-	-	-	-
3928	PRE N/mm2	Z	0.001	-	-	-	-	-
3929	PRE N/mm2	Z	0.001	-	-	-	-	-
3930	PRE N/mm2	Z	0.001	-	-	-	-	-
3931	PRE N/mm2	Z	0.001	-	-	-	-	-
3932	PRE N/mm2	Z	0.001	-	-	-	-	-
3933	PRE N/mm2	Z	0.001	-	-	-	-	-
3934	PRE N/mm2	Z	0.001	-	-	-	-	-
3935	PRE N/mm2	Z	0.001	-	-	-	-	-
3936	PRE N/mm2	Z	0.001	-	-	-	-	-
3937	PRE N/mm2	Z	0.001	-	-	-	-	-
3938	PRE N/mm2	Z	0.001	-	-	-	-	-
3939	PRE N/mm2	Z	0.001	-	-	-	-	-
3940	PRE N/mm2	Z	0.001	-	-	-	-	-
3941	PRE N/mm2	Z	0.001	-	-	-	-	-
3942	PRE N/mm2	Z	0.001	-	-	-	-	-
3943	PRE N/mm2	Z	0.001	-	-	-	-	-
3944	PRE N/mm2	Z	0.001	-	-	-	-	-
3945	PRE N/mm2	Z	0.001	-	-	-	-	-
3946	PRE N/mm2	Z	0.001	-	-	-	-	-
3947	PRE N/mm2	Z	0.001	-	-	-	-	-
3948	PRE N/mm2	Z	0.001	-	-	-	-	-
3949	PRE N/mm2	Z	0.001	-	-	-	-	-
3950	PRE N/mm2	Z	0.001	-	-	-	-	-
3951	PRE N/mm2	Z	0.001	-	-	-	-	-
3952	PRE N/mm2	Z	0.001	-	-	-	-	-
3953	PRE N/mm2	Z	0.001	-	-	-	-	-
3954	PRE N/mm2	Z	0.001	-	-	-	-	-
3955	PRE N/mm2	Z	0.001	-	-	-	-	-
3956	PRE N/mm2	Z	0.001	-	-	-	-	-
3957	PRE N/mm2	Z	0.001	-	-	-	-	-
3958	PRE N/mm2	Z	0.001	-	-	-	-	-
3959	PRE N/mm2	Z	0.001	-	-	-	-	-
3960	PRE N/mm2	Z	0.001	-	-	-	-	-
3961	PRE N/mm2	Z	0.001	-	-	-	-	-
3962	PRE N/mm2	Z	0.001	-	-	-	-	-
3963	PRE N/mm2	Z	0.001	-	-	-	-	-
3964	PRE N/mm2	Z	0.001	-	-	-	-	-
3965	PRE N/mm2	Z	0.001	-	-	-	-	-
3966	PRE N/mm2	Z	0.001	-	-	-	-	-
3967	PRE N/mm2	Z	0.001	-	-	-	-	-
3968	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3969	PRE N/mm2	Z	0.001	-	-	-	-	-
3970	PRE N/mm2	Z	0.001	-	-	-	-	-
3971	PRE N/mm2	Z	0.001	-	-	-	-	-
3972	PRE N/mm2	Z	0.001	-	-	-	-	-
3973	PRE N/mm2	Z	0.001	-	-	-	-	-
3974	PRE N/mm2	Z	0.001	-	-	-	-	-
3975	PRE N/mm2	Z	0.001	-	-	-	-	-
3976	PRE N/mm2	Z	0.001	-	-	-	-	-
3977	PRE N/mm2	Z	0.001	-	-	-	-	-
3978	PRE N/mm2	Z	0.001	-	-	-	-	-
3979	PRE N/mm2	Z	0.001	-	-	-	-	-
3980	PRE N/mm2	Z	0.001	-	-	-	-	-
3981	PRE N/mm2	Z	0.001	-	-	-	-	-
4232	PRE N/mm2	Z	0.001	-	-	-	-	-
4233	PRE N/mm2	Z	0.001	-	-	-	-	-
4234	PRE N/mm2	Z	0.001	-	-	-	-	-
4235	PRE N/mm2	Z	0.001	-	-	-	-	-
4236	PRE N/mm2	Z	0.001	-	-	-	-	-
4237	PRE N/mm2	Z	0.001	-	-	-	-	-
4238	PRE N/mm2	Z	0.001	-	-	-	-	-
4239	PRE N/mm2	Z	0.001	-	-	-	-	-
4240	PRE N/mm2	Z	0.001	-	-	-	-	-
4241	PRE N/mm2	Z	0.001	-	-	-	-	-
4242	PRE N/mm2	Z	0.001	-	-	-	-	-
4243	PRE N/mm2	Z	0.001	-	-	-	-	-
4244	PRE N/mm2	Z	0.001	-	-	-	-	-
4245	PRE N/mm2	Z	0.001	-	-	-	-	-
4246	PRE N/mm2	Z	0.001	-	-	-	-	-
4247	PRE N/mm2	Z	0.001	-	-	-	-	-
4248	PRE N/mm2	Z	0.001	-	-	-	-	-
4249	PRE N/mm2	Z	0.001	-	-	-	-	-
4250	PRE N/mm2	Z	0.001	-	-	-	-	-
4251	PRE N/mm2	Z	0.001	-	-	-	-	-
4252	PRE N/mm2	Z	0.001	-	-	-	-	-
4253	PRE N/mm2	Z	0.001	-	-	-	-	-
4254	PRE N/mm2	Z	0.001	-	-	-	-	-
4255	PRE N/mm2	Z	0.001	-	-	-	-	-
4256	PRE N/mm2	Z	0.001	-	-	-	-	-
4257	PRE N/mm2	Z	0.001	-	-	-	-	-
4258	PRE N/mm2	Z	0.001	-	-	-	-	-
4259	PRE N/mm2	Z	0.001	-	-	-	-	-
4260	PRE N/mm2	Z	0.001	-	-	-	-	-
4261	PRE N/mm2	Z	0.001	-	-	-	-	-
4262	PRE N/mm2	Z	0.001	-	-	-	-	-
4263	PRE N/mm2	Z	0.001	-	-	-	-	-
4264	PRE N/mm2	Z	0.001	-	-	-	-	-
4265	PRE N/mm2	Z	0.001	-	-	-	-	-
4266	PRE N/mm2	Z	0.001	-	-	-	-	-
4267	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4268	PRE N/mm2	Z	0.001	-	-	-	-	-
4269	PRE N/mm2	Z	0.001	-	-	-	-	-
4270	PRE N/mm2	Z	0.001	-	-	-	-	-
4271	PRE N/mm2	Z	0.001	-	-	-	-	-
4272	PRE N/mm2	Z	0.001	-	-	-	-	-
4273	PRE N/mm2	Z	0.001	-	-	-	-	-
4274	PRE N/mm2	Z	0.001	-	-	-	-	-
4275	PRE N/mm2	Z	0.001	-	-	-	-	-
4276	PRE N/mm2	Z	0.001	-	-	-	-	-
4277	PRE N/mm2	Z	0.001	-	-	-	-	-
4278	PRE N/mm2	Z	0.001	-	-	-	-	-
4279	PRE N/mm2	Z	0.001	-	-	-	-	-
4280	PRE N/mm2	Z	0.001	-	-	-	-	-
4281	PRE N/mm2	Z	0.001	-	-	-	-	-
4282	PRE N/mm2	Z	0.001	-	-	-	-	-
4283	PRE N/mm2	Z	0.001	-	-	-	-	-
4284	PRE N/mm2	Z	0.001	-	-	-	-	-
4285	PRE N/mm2	Z	0.001	-	-	-	-	-
4286	PRE N/mm2	Z	0.001	-	-	-	-	-
4287	PRE N/mm2	Z	0.001	-	-	-	-	-
4288	PRE N/mm2	Z	0.001	-	-	-	-	-
4289	PRE N/mm2	Z	0.001	-	-	-	-	-
4290	PRE N/mm2	Z	0.001	-	-	-	-	-
4291	PRE N/mm2	Z	0.001	-	-	-	-	-
4292	PRE N/mm2	Z	0.001	-	-	-	-	-
4293	PRE N/mm2	Z	0.001	-	-	-	-	-
4294	PRE N/mm2	Z	0.001	-	-	-	-	-
4295	PRE N/mm2	Z	0.001	-	-	-	-	-
4296	PRE N/mm2	Z	0.001	-	-	-	-	-
4297	PRE N/mm2	Z	0.001	-	-	-	-	-
4298	PRE N/mm2	Z	0.001	-	-	-	-	-
4299	PRE N/mm2	Z	0.001	-	-	-	-	-
4300	PRE N/mm2	Z	0.001	-	-	-	-	-
4301	PRE N/mm2	Z	0.001	-	-	-	-	-
4302	PRE N/mm2	Z	0.001	-	-	-	-	-
4303	PRE N/mm2	Z	0.001	-	-	-	-	-
4304	PRE N/mm2	Z	0.001	-	-	-	-	-
4305	PRE N/mm2	Z	0.001	-	-	-	-	-
4306	PRE N/mm2	Z	0.001	-	-	-	-	-
4307	PRE N/mm2	Z	0.001	-	-	-	-	-
4308	PRE N/mm2	Z	0.001	-	-	-	-	-
4309	PRE N/mm2	Z	0.001	-	-	-	-	-
4540	PRE N/mm2	Z	0.001	-	-	-	-	-
4541	PRE N/mm2	Z	0.001	-	-	-	-	-
4542	PRE N/mm2	Z	0.001	-	-	-	-	-
4543	PRE N/mm2	Z	0.001	-	-	-	-	-
4544	PRE N/mm2	Z	0.001	-	-	-	-	-
4545	PRE N/mm2	Z	0.001	-	-	-	-	-
4546	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4547	PRE N/mm2	Z	0.001	-	-	-	-	-
4548	PRE N/mm2	Z	0.001	-	-	-	-	-
4549	PRE N/mm2	Z	0.001	-	-	-	-	-
4550	PRE N/mm2	Z	0.001	-	-	-	-	-
4551	PRE N/mm2	Z	0.001	-	-	-	-	-
4552	PRE N/mm2	Z	0.001	-	-	-	-	-
4553	PRE N/mm2	Z	0.001	-	-	-	-	-
4554	PRE N/mm2	Z	0.001	-	-	-	-	-
4555	PRE N/mm2	Z	0.001	-	-	-	-	-
4556	PRE N/mm2	Z	0.001	-	-	-	-	-
4557	PRE N/mm2	Z	0.001	-	-	-	-	-
4558	PRE N/mm2	Z	0.001	-	-	-	-	-
4559	PRE N/mm2	Z	0.001	-	-	-	-	-
4560	PRE N/mm2	Z	0.001	-	-	-	-	-
4561	PRE N/mm2	Z	0.001	-	-	-	-	-
4562	PRE N/mm2	Z	0.001	-	-	-	-	-
4563	PRE N/mm2	Z	0.001	-	-	-	-	-
4564	PRE N/mm2	Z	0.001	-	-	-	-	-
4565	PRE N/mm2	Z	0.001	-	-	-	-	-
4566	PRE N/mm2	Z	0.001	-	-	-	-	-
4567	PRE N/mm2	Z	0.001	-	-	-	-	-
4568	PRE N/mm2	Z	0.001	-	-	-	-	-
4569	PRE N/mm2	Z	0.001	-	-	-	-	-
4570	PRE N/mm2	Z	0.001	-	-	-	-	-
4571	PRE N/mm2	Z	0.001	-	-	-	-	-
4572	PRE N/mm2	Z	0.001	-	-	-	-	-
4573	PRE N/mm2	Z	0.001	-	-	-	-	-
4574	PRE N/mm2	Z	0.001	-	-	-	-	-
4575	PRE N/mm2	Z	0.001	-	-	-	-	-
4576	PRE N/mm2	Z	0.001	-	-	-	-	-
4577	PRE N/mm2	Z	0.001	-	-	-	-	-
4578	PRE N/mm2	Z	0.001	-	-	-	-	-
4579	PRE N/mm2	Z	0.001	-	-	-	-	-
4580	PRE N/mm2	Z	0.001	-	-	-	-	-
4581	PRE N/mm2	Z	0.001	-	-	-	-	-
4582	PRE N/mm2	Z	0.001	-	-	-	-	-
4583	PRE N/mm2	Z	0.001	-	-	-	-	-
4584	PRE N/mm2	Z	0.001	-	-	-	-	-
4585	PRE N/mm2	Z	0.001	-	-	-	-	-
4586	PRE N/mm2	Z	0.001	-	-	-	-	-
4587	PRE N/mm2	Z	0.001	-	-	-	-	-
4588	PRE N/mm2	Z	0.001	-	-	-	-	-
4589	PRE N/mm2	Z	0.001	-	-	-	-	-
4590	PRE N/mm2	Z	0.001	-	-	-	-	-
4591	PRE N/mm2	Z	0.001	-	-	-	-	-
4592	PRE N/mm2	Z	0.001	-	-	-	-	-
4593	PRE N/mm2	Z	0.001	-	-	-	-	-
4594	PRE N/mm2	Z	0.001	-	-	-	-	-
4595	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4596	PRE N/mm2	Z	0.001	-	-	-	-	-
4597	PRE N/mm2	Z	0.001	-	-	-	-	-
4598	PRE N/mm2	Z	0.001	-	-	-	-	-
4599	PRE N/mm2	Z	0.001	-	-	-	-	-
4600	PRE N/mm2	Z	0.001	-	-	-	-	-
4601	PRE N/mm2	Z	0.001	-	-	-	-	-
4602	PRE N/mm2	Z	0.001	-	-	-	-	-
4603	PRE N/mm2	Z	0.001	-	-	-	-	-
4604	PRE N/mm2	Z	0.001	-	-	-	-	-
4605	PRE N/mm2	Z	0.001	-	-	-	-	-
4606	PRE N/mm2	Z	0.001	-	-	-	-	-
4607	PRE N/mm2	Z	0.001	-	-	-	-	-
4608	PRE N/mm2	Z	0.001	-	-	-	-	-
4609	PRE N/mm2	Z	0.001	-	-	-	-	-
4610	PRE N/mm2	Z	0.001	-	-	-	-	-
4611	PRE N/mm2	Z	0.001	-	-	-	-	-
4612	PRE N/mm2	Z	0.001	-	-	-	-	-
4613	PRE N/mm2	Z	0.001	-	-	-	-	-
4614	PRE N/mm2	Z	0.001	-	-	-	-	-
4615	PRE N/mm2	Z	0.001	-	-	-	-	-
4616	PRE N/mm2	Z	0.001	-	-	-	-	-
4617	PRE N/mm2	Z	0.001	-	-	-	-	-
4838	PRE N/mm2	Z	0.001	-	-	-	-	-
4839	PRE N/mm2	Z	0.001	-	-	-	-	-
4840	PRE N/mm2	Z	0.001	-	-	-	-	-
4841	PRE N/mm2	Z	0.001	-	-	-	-	-
4842	PRE N/mm2	Z	0.001	-	-	-	-	-
4843	PRE N/mm2	Z	0.001	-	-	-	-	-
4844	PRE N/mm2	Z	0.001	-	-	-	-	-
4845	PRE N/mm2	Z	0.001	-	-	-	-	-
4846	PRE N/mm2	Z	0.001	-	-	-	-	-
4847	PRE N/mm2	Z	0.001	-	-	-	-	-
4848	PRE N/mm2	Z	0.001	-	-	-	-	-
4849	PRE N/mm2	Z	0.001	-	-	-	-	-
4850	PRE N/mm2	Z	0.001	-	-	-	-	-
4851	PRE N/mm2	Z	0.001	-	-	-	-	-
4852	PRE N/mm2	Z	0.001	-	-	-	-	-
4853	PRE N/mm2	Z	0.001	-	-	-	-	-
4854	PRE N/mm2	Z	0.001	-	-	-	-	-
4855	PRE N/mm2	Z	0.001	-	-	-	-	-
4856	PRE N/mm2	Z	0.001	-	-	-	-	-
4857	PRE N/mm2	Z	0.001	-	-	-	-	-
4858	PRE N/mm2	Z	0.001	-	-	-	-	-
4859	PRE N/mm2	Z	0.001	-	-	-	-	-
4860	PRE N/mm2	Z	0.001	-	-	-	-	-
4861	PRE N/mm2	Z	0.001	-	-	-	-	-
4862	PRE N/mm2	Z	0.001	-	-	-	-	-
4863	PRE N/mm2	Z	0.001	-	-	-	-	-
4864	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4865	PRE N/mm2	Z	0.001	-	-	-	-	-
4866	PRE N/mm2	Z	0.001	-	-	-	-	-
4867	PRE N/mm2	Z	0.001	-	-	-	-	-
4868	PRE N/mm2	Z	0.001	-	-	-	-	-
4869	PRE N/mm2	Z	0.001	-	-	-	-	-
4870	PRE N/mm2	Z	0.001	-	-	-	-	-
4871	PRE N/mm2	Z	0.001	-	-	-	-	-
4872	PRE N/mm2	Z	0.001	-	-	-	-	-
4873	PRE N/mm2	Z	0.001	-	-	-	-	-
4874	PRE N/mm2	Z	0.001	-	-	-	-	-
4875	PRE N/mm2	Z	0.001	-	-	-	-	-
4876	PRE N/mm2	Z	0.001	-	-	-	-	-
4877	PRE N/mm2	Z	0.001	-	-	-	-	-
4878	PRE N/mm2	Z	0.001	-	-	-	-	-
4879	PRE N/mm2	Z	0.001	-	-	-	-	-
4880	PRE N/mm2	Z	0.001	-	-	-	-	-
4881	PRE N/mm2	Z	0.001	-	-	-	-	-
4882	PRE N/mm2	Z	0.001	-	-	-	-	-
4883	PRE N/mm2	Z	0.001	-	-	-	-	-
4884	PRE N/mm2	Z	0.001	-	-	-	-	-
4885	PRE N/mm2	Z	0.001	-	-	-	-	-
4886	PRE N/mm2	Z	0.001	-	-	-	-	-
4887	PRE N/mm2	Z	0.001	-	-	-	-	-
4888	PRE N/mm2	Z	0.001	-	-	-	-	-
4889	PRE N/mm2	Z	0.001	-	-	-	-	-
4890	PRE N/mm2	Z	0.001	-	-	-	-	-
4891	PRE N/mm2	Z	0.001	-	-	-	-	-
4892	PRE N/mm2	Z	0.001	-	-	-	-	-
4893	PRE N/mm2	Z	0.001	-	-	-	-	-
4894	PRE N/mm2	Z	0.001	-	-	-	-	-
4895	PRE N/mm2	Z	0.001	-	-	-	-	-
4896	PRE N/mm2	Z	0.001	-	-	-	-	-
4897	PRE N/mm2	Z	0.001	-	-	-	-	-
4898	PRE N/mm2	Z	0.001	-	-	-	-	-
4899	PRE N/mm2	Z	0.001	-	-	-	-	-
4900	PRE N/mm2	Z	0.001	-	-	-	-	-
4901	PRE N/mm2	Z	0.001	-	-	-	-	-
4902	PRE N/mm2	Z	0.001	-	-	-	-	-
4903	PRE N/mm2	Z	0.001	-	-	-	-	-
4904	PRE N/mm2	Z	0.001	-	-	-	-	-
4905	PRE N/mm2	Z	0.001	-	-	-	-	-
4906	PRE N/mm2	Z	0.001	-	-	-	-	-
4907	PRE N/mm2	Z	0.001	-	-	-	-	-
4908	PRE N/mm2	Z	0.001	-	-	-	-	-
4909	PRE N/mm2	Z	0.001	-	-	-	-	-
4910	PRE N/mm2	Z	0.001	-	-	-	-	-
4911	PRE N/mm2	Z	0.001	-	-	-	-	-
4912	PRE N/mm2	Z	0.001	-	-	-	-	-
4913	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4914	PRE N/mm2	Z	0.001	-	-	-	-	-
4915	PRE N/mm2	Z	0.001	-	-	-	-	-
5116	PRE N/mm2	Z	0.001	-	-	-	-	-
5117	PRE N/mm2	Z	0.001	-	-	-	-	-
5118	PRE N/mm2	Z	0.001	-	-	-	-	-
5119	PRE N/mm2	Z	0.001	-	-	-	-	-
5120	PRE N/mm2	Z	0.001	-	-	-	-	-
5121	PRE N/mm2	Z	0.001	-	-	-	-	-
5122	PRE N/mm2	Z	0.001	-	-	-	-	-
5123	PRE N/mm2	Z	0.001	-	-	-	-	-
5124	PRE N/mm2	Z	0.001	-	-	-	-	-
5125	PRE N/mm2	Z	0.001	-	-	-	-	-
5126	PRE N/mm2	Z	0.001	-	-	-	-	-
5127	PRE N/mm2	Z	0.001	-	-	-	-	-
5128	PRE N/mm2	Z	0.001	-	-	-	-	-
5129	PRE N/mm2	Z	0.001	-	-	-	-	-
5130	PRE N/mm2	Z	0.001	-	-	-	-	-
5131	PRE N/mm2	Z	0.001	-	-	-	-	-
5132	PRE N/mm2	Z	0.001	-	-	-	-	-
5133	PRE N/mm2	Z	0.001	-	-	-	-	-
5134	PRE N/mm2	Z	0.001	-	-	-	-	-
5135	PRE N/mm2	Z	0.001	-	-	-	-	-
5136	PRE N/mm2	Z	0.001	-	-	-	-	-
5137	PRE N/mm2	Z	0.001	-	-	-	-	-
5138	PRE N/mm2	Z	0.001	-	-	-	-	-
5139	PRE N/mm2	Z	0.001	-	-	-	-	-
5140	PRE N/mm2	Z	0.001	-	-	-	-	-
5141	PRE N/mm2	Z	0.001	-	-	-	-	-
5142	PRE N/mm2	Z	0.001	-	-	-	-	-
5143	PRE N/mm2	Z	0.001	-	-	-	-	-
5144	PRE N/mm2	Z	0.001	-	-	-	-	-
5145	PRE N/mm2	Z	0.001	-	-	-	-	-
5146	PRE N/mm2	Z	0.001	-	-	-	-	-
5147	PRE N/mm2	Z	0.001	-	-	-	-	-
5148	PRE N/mm2	Z	0.001	-	-	-	-	-
5149	PRE N/mm2	Z	0.001	-	-	-	-	-
5150	PRE N/mm2	Z	0.001	-	-	-	-	-
5151	PRE N/mm2	Z	0.001	-	-	-	-	-
5152	PRE N/mm2	Z	0.001	-	-	-	-	-
5153	PRE N/mm2	Z	0.001	-	-	-	-	-
5154	PRE N/mm2	Z	0.001	-	-	-	-	-
5155	PRE N/mm2	Z	0.001	-	-	-	-	-
5156	PRE N/mm2	Z	0.001	-	-	-	-	-
5157	PRE N/mm2	Z	0.001	-	-	-	-	-
5158	PRE N/mm2	Z	0.001	-	-	-	-	-
5159	PRE N/mm2	Z	0.001	-	-	-	-	-
5160	PRE N/mm2	Z	0.001	-	-	-	-	-
5161	PRE N/mm2	Z	0.001	-	-	-	-	-
5162	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5163	PRE N/mm2	Z	0.001	-	-	-	-	-
5164	PRE N/mm2	Z	0.001	-	-	-	-	-
5165	PRE N/mm2	Z	0.001	-	-	-	-	-
5166	PRE N/mm2	Z	0.001	-	-	-	-	-
5167	PRE N/mm2	Z	0.001	-	-	-	-	-
5168	PRE N/mm2	Z	0.001	-	-	-	-	-
5169	PRE N/mm2	Z	0.001	-	-	-	-	-
5170	PRE N/mm2	Z	0.001	-	-	-	-	-
5171	PRE N/mm2	Z	0.001	-	-	-	-	-
5172	PRE N/mm2	Z	0.001	-	-	-	-	-
5173	PRE N/mm2	Z	0.001	-	-	-	-	-
5174	PRE N/mm2	Z	0.001	-	-	-	-	-
5175	PRE N/mm2	Z	0.001	-	-	-	-	-
5176	PRE N/mm2	Z	0.001	-	-	-	-	-
5177	PRE N/mm2	Z	0.001	-	-	-	-	-
5178	PRE N/mm2	Z	0.001	-	-	-	-	-
5179	PRE N/mm2	Z	0.001	-	-	-	-	-
5180	PRE N/mm2	Z	0.001	-	-	-	-	-
5181	PRE N/mm2	Z	0.001	-	-	-	-	-
5182	PRE N/mm2	Z	0.001	-	-	-	-	-
5183	PRE N/mm2	Z	0.001	-	-	-	-	-
5184	PRE N/mm2	Z	0.001	-	-	-	-	-
5185	PRE N/mm2	Z	0.001	-	-	-	-	-
5186	PRE N/mm2	Z	0.001	-	-	-	-	-
5187	PRE N/mm2	Z	0.001	-	-	-	-	-
5188	PRE N/mm2	Z	0.001	-	-	-	-	-
5189	PRE N/mm2	Z	0.001	-	-	-	-	-
5190	PRE N/mm2	Z	0.001	-	-	-	-	-
5191	PRE N/mm2	Z	0.001	-	-	-	-	-
5192	PRE N/mm2	Z	0.001	-	-	-	-	-
5193	PRE N/mm2	Z	0.001	-	-	-	-	-
5374	PRE N/mm2	Z	0.001	-	-	-	-	-
5375	PRE N/mm2	Z	0.001	-	-	-	-	-
5376	PRE N/mm2	Z	0.001	-	-	-	-	-
5377	PRE N/mm2	Z	0.001	-	-	-	-	-
5378	PRE N/mm2	Z	0.001	-	-	-	-	-
5379	PRE N/mm2	Z	0.001	-	-	-	-	-
5380	PRE N/mm2	Z	0.001	-	-	-	-	-
5381	PRE N/mm2	Z	0.001	-	-	-	-	-
5382	PRE N/mm2	Z	0.001	-	-	-	-	-
5383	PRE N/mm2	Z	0.001	-	-	-	-	-
5384	PRE N/mm2	Z	0.001	-	-	-	-	-
5385	PRE N/mm2	Z	0.001	-	-	-	-	-
5386	PRE N/mm2	Z	0.001	-	-	-	-	-
5387	PRE N/mm2	Z	0.001	-	-	-	-	-
5388	PRE N/mm2	Z	0.001	-	-	-	-	-
5389	PRE N/mm2	Z	0.001	-	-	-	-	-
5390	PRE N/mm2	Z	0.001	-	-	-	-	-
5391	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5392	PRE N/mm2	Z	0.001	-	-	-	-	-
5393	PRE N/mm2	Z	0.001	-	-	-	-	-
5394	PRE N/mm2	Z	0.001	-	-	-	-	-
5395	PRE N/mm2	Z	0.001	-	-	-	-	-
5396	PRE N/mm2	Z	0.001	-	-	-	-	-
5397	PRE N/mm2	Z	0.001	-	-	-	-	-
5398	PRE N/mm2	Z	0.001	-	-	-	-	-
5399	PRE N/mm2	Z	0.001	-	-	-	-	-
5400	PRE N/mm2	Z	0.001	-	-	-	-	-
5401	PRE N/mm2	Z	0.001	-	-	-	-	-
5402	PRE N/mm2	Z	0.001	-	-	-	-	-
5403	PRE N/mm2	Z	0.001	-	-	-	-	-
5404	PRE N/mm2	Z	0.001	-	-	-	-	-
5405	PRE N/mm2	Z	0.001	-	-	-	-	-
5406	PRE N/mm2	Z	0.001	-	-	-	-	-
5407	PRE N/mm2	Z	0.001	-	-	-	-	-
5408	PRE N/mm2	Z	0.001	-	-	-	-	-
5409	PRE N/mm2	Z	0.001	-	-	-	-	-
5410	PRE N/mm2	Z	0.001	-	-	-	-	-
5411	PRE N/mm2	Z	0.001	-	-	-	-	-
5412	PRE N/mm2	Z	0.001	-	-	-	-	-
5413	PRE N/mm2	Z	0.001	-	-	-	-	-
5414	PRE N/mm2	Z	0.001	-	-	-	-	-
5415	PRE N/mm2	Z	0.001	-	-	-	-	-
5416	PRE N/mm2	Z	0.001	-	-	-	-	-
5417	PRE N/mm2	Z	0.001	-	-	-	-	-
5418	PRE N/mm2	Z	0.001	-	-	-	-	-
5419	PRE N/mm2	Z	0.001	-	-	-	-	-
5420	PRE N/mm2	Z	0.001	-	-	-	-	-
5421	PRE N/mm2	Z	0.001	-	-	-	-	-
5422	PRE N/mm2	Z	0.001	-	-	-	-	-
5423	PRE N/mm2	Z	0.001	-	-	-	-	-
5424	PRE N/mm2	Z	0.001	-	-	-	-	-
5425	PRE N/mm2	Z	0.001	-	-	-	-	-
5426	PRE N/mm2	Z	0.001	-	-	-	-	-
5427	PRE N/mm2	Z	0.001	-	-	-	-	-
5428	PRE N/mm2	Z	0.001	-	-	-	-	-
5429	PRE N/mm2	Z	0.001	-	-	-	-	-
5430	PRE N/mm2	Z	0.001	-	-	-	-	-
5431	PRE N/mm2	Z	0.001	-	-	-	-	-
5432	PRE N/mm2	Z	0.001	-	-	-	-	-
5433	PRE N/mm2	Z	0.001	-	-	-	-	-
5434	PRE N/mm2	Z	0.001	-	-	-	-	-
5435	PRE N/mm2	Z	0.001	-	-	-	-	-
5436	PRE N/mm2	Z	0.001	-	-	-	-	-
5437	PRE N/mm2	Z	0.001	-	-	-	-	-
5438	PRE N/mm2	Z	0.001	-	-	-	-	-
5439	PRE N/mm2	Z	0.001	-	-	-	-	-
5440	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5441	PRE N/mm2	Z	0.001	-	-	-	-	-
5442	PRE N/mm2	Z	0.001	-	-	-	-	-
5443	PRE N/mm2	Z	0.001	-	-	-	-	-
5444	PRE N/mm2	Z	0.001	-	-	-	-	-
5445	PRE N/mm2	Z	0.001	-	-	-	-	-
5446	PRE N/mm2	Z	0.001	-	-	-	-	-
5447	PRE N/mm2	Z	0.001	-	-	-	-	-
5448	PRE N/mm2	Z	0.001	-	-	-	-	-
5449	PRE N/mm2	Z	0.001	-	-	-	-	-
5450	PRE N/mm2	Z	0.001	-	-	-	-	-
5451	PRE N/mm2	Z	0.001	-	-	-	-	-
5612	PRE N/mm2	Z	0.001	-	-	-	-	-
5613	PRE N/mm2	Z	0.001	-	-	-	-	-
5614	PRE N/mm2	Z	0.001	-	-	-	-	-
5615	PRE N/mm2	Z	0.001	-	-	-	-	-
5616	PRE N/mm2	Z	0.001	-	-	-	-	-
5617	PRE N/mm2	Z	0.001	-	-	-	-	-
5618	PRE N/mm2	Z	0.001	-	-	-	-	-
5619	PRE N/mm2	Z	0.001	-	-	-	-	-
5620	PRE N/mm2	Z	0.001	-	-	-	-	-
5621	PRE N/mm2	Z	0.001	-	-	-	-	-
5622	PRE N/mm2	Z	0.001	-	-	-	-	-
5623	PRE N/mm2	Z	0.001	-	-	-	-	-
5624	PRE N/mm2	Z	0.001	-	-	-	-	-
5625	PRE N/mm2	Z	0.001	-	-	-	-	-
5626	PRE N/mm2	Z	0.001	-	-	-	-	-
5627	PRE N/mm2	Z	0.001	-	-	-	-	-
5628	PRE N/mm2	Z	0.001	-	-	-	-	-
5629	PRE N/mm2	Z	0.001	-	-	-	-	-
5630	PRE N/mm2	Z	0.001	-	-	-	-	-
5631	PRE N/mm2	Z	0.001	-	-	-	-	-
5632	PRE N/mm2	Z	0.001	-	-	-	-	-
5633	PRE N/mm2	Z	0.001	-	-	-	-	-
5634	PRE N/mm2	Z	0.001	-	-	-	-	-
5635	PRE N/mm2	Z	0.001	-	-	-	-	-
5636	PRE N/mm2	Z	0.001	-	-	-	-	-
5637	PRE N/mm2	Z	0.001	-	-	-	-	-
5638	PRE N/mm2	Z	0.001	-	-	-	-	-
5639	PRE N/mm2	Z	0.001	-	-	-	-	-
5640	PRE N/mm2	Z	0.001	-	-	-	-	-
5641	PRE N/mm2	Z	0.001	-	-	-	-	-
5642	PRE N/mm2	Z	0.001	-	-	-	-	-
5643	PRE N/mm2	Z	0.001	-	-	-	-	-
5644	PRE N/mm2	Z	0.001	-	-	-	-	-
5645	PRE N/mm2	Z	0.001	-	-	-	-	-
5646	PRE N/mm2	Z	0.001	-	-	-	-	-
5647	PRE N/mm2	Z	0.001	-	-	-	-	-
5648	PRE N/mm2	Z	0.001	-	-	-	-	-
5649	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5650	PRE N/mm2	Z	0.001	-	-	-	-	-
5651	PRE N/mm2	Z	0.001	-	-	-	-	-
5652	PRE N/mm2	Z	0.001	-	-	-	-	-
5653	PRE N/mm2	Z	0.001	-	-	-	-	-
5654	PRE N/mm2	Z	0.001	-	-	-	-	-
5655	PRE N/mm2	Z	0.001	-	-	-	-	-
5656	PRE N/mm2	Z	0.001	-	-	-	-	-
5657	PRE N/mm2	Z	0.001	-	-	-	-	-
5658	PRE N/mm2	Z	0.001	-	-	-	-	-
5659	PRE N/mm2	Z	0.001	-	-	-	-	-
5660	PRE N/mm2	Z	0.001	-	-	-	-	-
5661	PRE N/mm2	Z	0.001	-	-	-	-	-
5662	PRE N/mm2	Z	0.001	-	-	-	-	-
5663	PRE N/mm2	Z	0.001	-	-	-	-	-
5664	PRE N/mm2	Z	0.001	-	-	-	-	-
5665	PRE N/mm2	Z	0.001	-	-	-	-	-
5666	PRE N/mm2	Z	0.001	-	-	-	-	-
5667	PRE N/mm2	Z	0.001	-	-	-	-	-
5668	PRE N/mm2	Z	0.001	-	-	-	-	-
5669	PRE N/mm2	Z	0.001	-	-	-	-	-
5670	PRE N/mm2	Z	0.001	-	-	-	-	-
5671	PRE N/mm2	Z	0.001	-	-	-	-	-
5672	PRE N/mm2	Z	0.001	-	-	-	-	-
5673	PRE N/mm2	Z	0.001	-	-	-	-	-
5674	PRE N/mm2	Z	0.001	-	-	-	-	-
5675	PRE N/mm2	Z	0.001	-	-	-	-	-
5676	PRE N/mm2	Z	0.001	-	-	-	-	-
5677	PRE N/mm2	Z	0.001	-	-	-	-	-
5678	PRE N/mm2	Z	0.001	-	-	-	-	-
5679	PRE N/mm2	Z	0.001	-	-	-	-	-
5680	PRE N/mm2	Z	0.001	-	-	-	-	-
5681	PRE N/mm2	Z	0.001	-	-	-	-	-
5682	PRE N/mm2	Z	0.001	-	-	-	-	-
5683	PRE N/mm2	Z	0.001	-	-	-	-	-
5684	PRE N/mm2	Z	0.001	-	-	-	-	-
5685	PRE N/mm2	Z	0.001	-	-	-	-	-
5686	PRE N/mm2	Z	0.001	-	-	-	-	-
5687	PRE N/mm2	Z	0.001	-	-	-	-	-
5688	PRE N/mm2	Z	0.001	-	-	-	-	-
5689	PRE N/mm2	Z	0.001	-	-	-	-	-
5850	PRE N/mm2	Z	0.001	-	-	-	-	-
5851	PRE N/mm2	Z	0.001	-	-	-	-	-
5852	PRE N/mm2	Z	0.001	-	-	-	-	-
5853	PRE N/mm2	Z	0.001	-	-	-	-	-
5854	PRE N/mm2	Z	0.001	-	-	-	-	-
5855	PRE N/mm2	Z	0.001	-	-	-	-	-
5856	PRE N/mm2	Z	0.001	-	-	-	-	-
5857	PRE N/mm2	Z	0.001	-	-	-	-	-
5858	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5859	PRE N/mm2	Z	0.001	-	-	-	-	-
5860	PRE N/mm2	Z	0.001	-	-	-	-	-
5861	PRE N/mm2	Z	0.001	-	-	-	-	-
5862	PRE N/mm2	Z	0.001	-	-	-	-	-
5863	PRE N/mm2	Z	0.001	-	-	-	-	-
5864	PRE N/mm2	Z	0.001	-	-	-	-	-
5865	PRE N/mm2	Z	0.001	-	-	-	-	-
5866	PRE N/mm2	Z	0.001	-	-	-	-	-
5867	PRE N/mm2	Z	0.001	-	-	-	-	-
5868	PRE N/mm2	Z	0.001	-	-	-	-	-
5869	PRE N/mm2	Z	0.001	-	-	-	-	-
5870	PRE N/mm2	Z	0.001	-	-	-	-	-
5871	PRE N/mm2	Z	0.001	-	-	-	-	-
5872	PRE N/mm2	Z	0.001	-	-	-	-	-
5873	PRE N/mm2	Z	0.001	-	-	-	-	-
5874	PRE N/mm2	Z	0.001	-	-	-	-	-
5875	PRE N/mm2	Z	0.001	-	-	-	-	-
5876	PRE N/mm2	Z	0.001	-	-	-	-	-
5877	PRE N/mm2	Z	0.001	-	-	-	-	-
5878	PRE N/mm2	Z	0.001	-	-	-	-	-
5879	PRE N/mm2	Z	0.001	-	-	-	-	-
5880	PRE N/mm2	Z	0.001	-	-	-	-	-
5881	PRE N/mm2	Z	0.001	-	-	-	-	-
5882	PRE N/mm2	Z	0.001	-	-	-	-	-
5883	PRE N/mm2	Z	0.001	-	-	-	-	-
5884	PRE N/mm2	Z	0.001	-	-	-	-	-
5885	PRE N/mm2	Z	0.001	-	-	-	-	-
5886	PRE N/mm2	Z	0.001	-	-	-	-	-
5887	PRE N/mm2	Z	0.001	-	-	-	-	-
5888	PRE N/mm2	Z	0.001	-	-	-	-	-
5889	PRE N/mm2	Z	0.001	-	-	-	-	-
5890	PRE N/mm2	Z	0.001	-	-	-	-	-
5891	PRE N/mm2	Z	0.001	-	-	-	-	-
5892	PRE N/mm2	Z	0.001	-	-	-	-	-
5893	PRE N/mm2	Z	0.001	-	-	-	-	-
5894	PRE N/mm2	Z	0.001	-	-	-	-	-
5895	PRE N/mm2	Z	0.001	-	-	-	-	-
5896	PRE N/mm2	Z	0.001	-	-	-	-	-
5897	PRE N/mm2	Z	0.001	-	-	-	-	-
5898	PRE N/mm2	Z	0.001	-	-	-	-	-
5899	PRE N/mm2	Z	0.001	-	-	-	-	-
5900	PRE N/mm2	Z	0.001	-	-	-	-	-
5901	PRE N/mm2	Z	0.001	-	-	-	-	-
5902	PRE N/mm2	Z	0.001	-	-	-	-	-
5903	PRE N/mm2	Z	0.001	-	-	-	-	-
5904	PRE N/mm2	Z	0.001	-	-	-	-	-
5905	PRE N/mm2	Z	0.001	-	-	-	-	-
5906	PRE N/mm2	Z	0.001	-	-	-	-	-
5907	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
5908	PRE N/mm2	Z	0.001	-	-	-	-	-
5909	PRE N/mm2	Z	0.001	-	-	-	-	-
5910	PRE N/mm2	Z	0.001	-	-	-	-	-
5911	PRE N/mm2	Z	0.001	-	-	-	-	-
5912	PRE N/mm2	Z	0.001	-	-	-	-	-
5913	PRE N/mm2	Z	0.001	-	-	-	-	-
5914	PRE N/mm2	Z	0.001	-	-	-	-	-
5915	PRE N/mm2	Z	0.001	-	-	-	-	-
5916	PRE N/mm2	Z	0.001	-	-	-	-	-
5917	PRE N/mm2	Z	0.001	-	-	-	-	-
5918	PRE N/mm2	Z	0.001	-	-	-	-	-
5919	PRE N/mm2	Z	0.001	-	-	-	-	-
5920	PRE N/mm2	Z	0.001	-	-	-	-	-
5921	PRE N/mm2	Z	0.001	-	-	-	-	-
5922	PRE N/mm2	Z	0.001	-	-	-	-	-
5923	PRE N/mm2	Z	0.001	-	-	-	-	-
5924	PRE N/mm2	Z	0.001	-	-	-	-	-
5925	PRE N/mm2	Z	0.001	-	-	-	-	-
5926	PRE N/mm2	Z	0.001	-	-	-	-	-
5927	PRE N/mm2	Z	0.001	-	-	-	-	-
6078	PRE N/mm2	Z	0.001	-	-	-	-	-
6079	PRE N/mm2	Z	0.001	-	-	-	-	-
6080	PRE N/mm2	Z	0.001	-	-	-	-	-
6081	PRE N/mm2	Z	0.001	-	-	-	-	-
6082	PRE N/mm2	Z	0.001	-	-	-	-	-
6083	PRE N/mm2	Z	0.001	-	-	-	-	-
6084	PRE N/mm2	Z	0.001	-	-	-	-	-
6085	PRE N/mm2	Z	0.001	-	-	-	-	-
6086	PRE N/mm2	Z	0.001	-	-	-	-	-
6087	PRE N/mm2	Z	0.001	-	-	-	-	-
6088	PRE N/mm2	Z	0.001	-	-	-	-	-
6089	PRE N/mm2	Z	0.001	-	-	-	-	-
6090	PRE N/mm2	Z	0.001	-	-	-	-	-
6091	PRE N/mm2	Z	0.001	-	-	-	-	-
6092	PRE N/mm2	Z	0.001	-	-	-	-	-
6093	PRE N/mm2	Z	0.001	-	-	-	-	-
6094	PRE N/mm2	Z	0.001	-	-	-	-	-
6095	PRE N/mm2	Z	0.001	-	-	-	-	-
6096	PRE N/mm2	Z	0.001	-	-	-	-	-
6097	PRE N/mm2	Z	0.001	-	-	-	-	-
6098	PRE N/mm2	Z	0.001	-	-	-	-	-
6099	PRE N/mm2	Z	0.001	-	-	-	-	-
6100	PRE N/mm2	Z	0.001	-	-	-	-	-
6101	PRE N/mm2	Z	0.001	-	-	-	-	-
6102	PRE N/mm2	Z	0.001	-	-	-	-	-
6103	PRE N/mm2	Z	0.001	-	-	-	-	-
6104	PRE N/mm2	Z	0.001	-	-	-	-	-
6105	PRE N/mm2	Z	0.001	-	-	-	-	-
6106	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6107	PRE N/mm2	Z	0.001	-	-	-	-	-
6108	PRE N/mm2	Z	0.001	-	-	-	-	-
6109	PRE N/mm2	Z	0.001	-	-	-	-	-
6110	PRE N/mm2	Z	0.001	-	-	-	-	-
6111	PRE N/mm2	Z	0.001	-	-	-	-	-
6112	PRE N/mm2	Z	0.001	-	-	-	-	-
6113	PRE N/mm2	Z	0.001	-	-	-	-	-
6114	PRE N/mm2	Z	0.001	-	-	-	-	-
6115	PRE N/mm2	Z	0.001	-	-	-	-	-
6116	PRE N/mm2	Z	0.001	-	-	-	-	-
6117	PRE N/mm2	Z	0.001	-	-	-	-	-
6118	PRE N/mm2	Z	0.001	-	-	-	-	-
6119	PRE N/mm2	Z	0.001	-	-	-	-	-
6120	PRE N/mm2	Z	0.001	-	-	-	-	-
6121	PRE N/mm2	Z	0.001	-	-	-	-	-
6122	PRE N/mm2	Z	0.001	-	-	-	-	-
6123	PRE N/mm2	Z	0.001	-	-	-	-	-
6124	PRE N/mm2	Z	0.001	-	-	-	-	-
6125	PRE N/mm2	Z	0.001	-	-	-	-	-
6126	PRE N/mm2	Z	0.001	-	-	-	-	-
6127	PRE N/mm2	Z	0.001	-	-	-	-	-
6128	PRE N/mm2	Z	0.001	-	-	-	-	-
6129	PRE N/mm2	Z	0.001	-	-	-	-	-
6130	PRE N/mm2	Z	0.001	-	-	-	-	-
6131	PRE N/mm2	Z	0.001	-	-	-	-	-
6132	PRE N/mm2	Z	0.001	-	-	-	-	-
6133	PRE N/mm2	Z	0.001	-	-	-	-	-
6134	PRE N/mm2	Z	0.001	-	-	-	-	-
6135	PRE N/mm2	Z	0.001	-	-	-	-	-
6136	PRE N/mm2	Z	0.001	-	-	-	-	-
6137	PRE N/mm2	Z	0.001	-	-	-	-	-
6138	PRE N/mm2	Z	0.001	-	-	-	-	-
6139	PRE N/mm2	Z	0.001	-	-	-	-	-
6140	PRE N/mm2	Z	0.001	-	-	-	-	-
6141	PRE N/mm2	Z	0.001	-	-	-	-	-
6142	PRE N/mm2	Z	0.001	-	-	-	-	-
6143	PRE N/mm2	Z	0.001	-	-	-	-	-
6144	PRE N/mm2	Z	0.001	-	-	-	-	-
6145	PRE N/mm2	Z	0.001	-	-	-	-	-
6146	PRE N/mm2	Z	0.001	-	-	-	-	-
6147	PRE N/mm2	Z	0.001	-	-	-	-	-
6148	PRE N/mm2	Z	0.001	-	-	-	-	-
6149	PRE N/mm2	Z	0.001	-	-	-	-	-
6150	PRE N/mm2	Z	0.001	-	-	-	-	-
6151	PRE N/mm2	Z	0.001	-	-	-	-	-
6152	PRE N/mm2	Z	0.001	-	-	-	-	-
6153	PRE N/mm2	Z	0.001	-	-	-	-	-
6154	PRE N/mm2	Z	0.001	-	-	-	-	-
6155	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6306	PRE N/mm2	Z	0.001	-	-	-	-	-
6307	PRE N/mm2	Z	0.001	-	-	-	-	-
6308	PRE N/mm2	Z	0.001	-	-	-	-	-
6309	PRE N/mm2	Z	0.001	-	-	-	-	-
6310	PRE N/mm2	Z	0.001	-	-	-	-	-
6311	PRE N/mm2	Z	0.001	-	-	-	-	-
6312	PRE N/mm2	Z	0.001	-	-	-	-	-
6313	PRE N/mm2	Z	0.001	-	-	-	-	-
6314	PRE N/mm2	Z	0.001	-	-	-	-	-
6315	PRE N/mm2	Z	0.001	-	-	-	-	-
6316	PRE N/mm2	Z	0.001	-	-	-	-	-
6317	PRE N/mm2	Z	0.001	-	-	-	-	-
6318	PRE N/mm2	Z	0.001	-	-	-	-	-
6319	PRE N/mm2	Z	0.001	-	-	-	-	-
6320	PRE N/mm2	Z	0.001	-	-	-	-	-
6321	PRE N/mm2	Z	0.001	-	-	-	-	-
6322	PRE N/mm2	Z	0.001	-	-	-	-	-
6323	PRE N/mm2	Z	0.001	-	-	-	-	-
6324	PRE N/mm2	Z	0.001	-	-	-	-	-
6325	PRE N/mm2	Z	0.001	-	-	-	-	-
6326	PRE N/mm2	Z	0.001	-	-	-	-	-
6327	PRE N/mm2	Z	0.001	-	-	-	-	-
6328	PRE N/mm2	Z	0.001	-	-	-	-	-
6329	PRE N/mm2	Z	0.001	-	-	-	-	-
6330	PRE N/mm2	Z	0.001	-	-	-	-	-
6331	PRE N/mm2	Z	0.001	-	-	-	-	-
6332	PRE N/mm2	Z	0.001	-	-	-	-	-
6333	PRE N/mm2	Z	0.001	-	-	-	-	-
6334	PRE N/mm2	Z	0.001	-	-	-	-	-
6335	PRE N/mm2	Z	0.001	-	-	-	-	-
6336	PRE N/mm2	Z	0.001	-	-	-	-	-
6337	PRE N/mm2	Z	0.001	-	-	-	-	-
6338	PRE N/mm2	Z	0.001	-	-	-	-	-
6339	PRE N/mm2	Z	0.001	-	-	-	-	-
6340	PRE N/mm2	Z	0.001	-	-	-	-	-
6341	PRE N/mm2	Z	0.001	-	-	-	-	-
6342	PRE N/mm2	Z	0.001	-	-	-	-	-
6343	PRE N/mm2	Z	0.001	-	-	-	-	-
6344	PRE N/mm2	Z	0.001	-	-	-	-	-
6345	PRE N/mm2	Z	0.001	-	-	-	-	-
6346	PRE N/mm2	Z	0.001	-	-	-	-	-
6347	PRE N/mm2	Z	0.001	-	-	-	-	-
6348	PRE N/mm2	Z	0.001	-	-	-	-	-
6349	PRE N/mm2	Z	0.001	-	-	-	-	-
6350	PRE N/mm2	Z	0.001	-	-	-	-	-
6351	PRE N/mm2	Z	0.001	-	-	-	-	-
6352	PRE N/mm2	Z	0.001	-	-	-	-	-
6353	PRE N/mm2	Z	0.001	-	-	-	-	-
6354	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6355	PRE N/mm2	Z	0.001	-	-	-	-	-
6356	PRE N/mm2	Z	0.001	-	-	-	-	-
6357	PRE N/mm2	Z	0.001	-	-	-	-	-
6358	PRE N/mm2	Z	0.001	-	-	-	-	-
6359	PRE N/mm2	Z	0.001	-	-	-	-	-
6360	PRE N/mm2	Z	0.001	-	-	-	-	-
6361	PRE N/mm2	Z	0.001	-	-	-	-	-
6362	PRE N/mm2	Z	0.001	-	-	-	-	-
6363	PRE N/mm2	Z	0.001	-	-	-	-	-
6364	PRE N/mm2	Z	0.001	-	-	-	-	-
6365	PRE N/mm2	Z	0.001	-	-	-	-	-
6366	PRE N/mm2	Z	0.001	-	-	-	-	-
6367	PRE N/mm2	Z	0.001	-	-	-	-	-
6368	PRE N/mm2	Z	0.001	-	-	-	-	-
6369	PRE N/mm2	Z	0.001	-	-	-	-	-
6370	PRE N/mm2	Z	0.001	-	-	-	-	-
6371	PRE N/mm2	Z	0.001	-	-	-	-	-
6372	PRE N/mm2	Z	0.001	-	-	-	-	-
6373	PRE N/mm2	Z	0.001	-	-	-	-	-
6374	PRE N/mm2	Z	0.001	-	-	-	-	-
6375	PRE N/mm2	Z	0.001	-	-	-	-	-
6376	PRE N/mm2	Z	0.001	-	-	-	-	-
6377	PRE N/mm2	Z	0.001	-	-	-	-	-
6378	PRE N/mm2	Z	0.001	-	-	-	-	-
6379	PRE N/mm2	Z	0.001	-	-	-	-	-
6380	PRE N/mm2	Z	0.001	-	-	-	-	-
6381	PRE N/mm2	Z	0.001	-	-	-	-	-
6382	PRE N/mm2	Z	0.001	-	-	-	-	-
6383	PRE N/mm2	Z	0.001	-	-	-	-	-
6524	PRE N/mm2	Z	0.001	-	-	-	-	-
6525	PRE N/mm2	Z	0.001	-	-	-	-	-
6526	PRE N/mm2	Z	0.001	-	-	-	-	-
6527	PRE N/mm2	Z	0.001	-	-	-	-	-
6528	PRE N/mm2	Z	0.001	-	-	-	-	-
6529	PRE N/mm2	Z	0.001	-	-	-	-	-
6530	PRE N/mm2	Z	0.001	-	-	-	-	-
6531	PRE N/mm2	Z	0.001	-	-	-	-	-
6532	PRE N/mm2	Z	0.001	-	-	-	-	-
6533	PRE N/mm2	Z	0.001	-	-	-	-	-
6534	PRE N/mm2	Z	0.001	-	-	-	-	-
6535	PRE N/mm2	Z	0.001	-	-	-	-	-
6536	PRE N/mm2	Z	0.001	-	-	-	-	-
6537	PRE N/mm2	Z	0.001	-	-	-	-	-
6538	PRE N/mm2	Z	0.001	-	-	-	-	-
6539	PRE N/mm2	Z	0.001	-	-	-	-	-
6540	PRE N/mm2	Z	0.001	-	-	-	-	-
6541	PRE N/mm2	Z	0.001	-	-	-	-	-
6542	PRE N/mm2	Z	0.001	-	-	-	-	-
6543	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6544	PRE N/mm2	Z	0.001	-	-	-	-	-
6545	PRE N/mm2	Z	0.001	-	-	-	-	-
6546	PRE N/mm2	Z	0.001	-	-	-	-	-
6547	PRE N/mm2	Z	0.001	-	-	-	-	-
6548	PRE N/mm2	Z	0.001	-	-	-	-	-
6549	PRE N/mm2	Z	0.001	-	-	-	-	-
6550	PRE N/mm2	Z	0.001	-	-	-	-	-
6551	PRE N/mm2	Z	0.001	-	-	-	-	-
6552	PRE N/mm2	Z	0.001	-	-	-	-	-
6553	PRE N/mm2	Z	0.001	-	-	-	-	-
6554	PRE N/mm2	Z	0.001	-	-	-	-	-
6555	PRE N/mm2	Z	0.001	-	-	-	-	-
6556	PRE N/mm2	Z	0.001	-	-	-	-	-
6557	PRE N/mm2	Z	0.001	-	-	-	-	-
6558	PRE N/mm2	Z	0.001	-	-	-	-	-
6559	PRE N/mm2	Z	0.001	-	-	-	-	-
6560	PRE N/mm2	Z	0.001	-	-	-	-	-
6561	PRE N/mm2	Z	0.001	-	-	-	-	-
6562	PRE N/mm2	Z	0.001	-	-	-	-	-
6563	PRE N/mm2	Z	0.001	-	-	-	-	-
6564	PRE N/mm2	Z	0.001	-	-	-	-	-
6565	PRE N/mm2	Z	0.001	-	-	-	-	-
6566	PRE N/mm2	Z	0.001	-	-	-	-	-
6567	PRE N/mm2	Z	0.001	-	-	-	-	-
6568	PRE N/mm2	Z	0.001	-	-	-	-	-
6569	PRE N/mm2	Z	0.001	-	-	-	-	-
6570	PRE N/mm2	Z	0.001	-	-	-	-	-
6571	PRE N/mm2	Z	0.001	-	-	-	-	-
6572	PRE N/mm2	Z	0.001	-	-	-	-	-
6573	PRE N/mm2	Z	0.001	-	-	-	-	-
6574	PRE N/mm2	Z	0.001	-	-	-	-	-
6575	PRE N/mm2	Z	0.001	-	-	-	-	-
6576	PRE N/mm2	Z	0.001	-	-	-	-	-
6577	PRE N/mm2	Z	0.001	-	-	-	-	-
6578	PRE N/mm2	Z	0.001	-	-	-	-	-
6579	PRE N/mm2	Z	0.001	-	-	-	-	-
6580	PRE N/mm2	Z	0.001	-	-	-	-	-
6581	PRE N/mm2	Z	0.001	-	-	-	-	-
6582	PRE N/mm2	Z	0.001	-	-	-	-	-
6583	PRE N/mm2	Z	0.001	-	-	-	-	-
6584	PRE N/mm2	Z	0.001	-	-	-	-	-
6585	PRE N/mm2	Z	0.001	-	-	-	-	-
6586	PRE N/mm2	Z	0.001	-	-	-	-	-
6587	PRE N/mm2	Z	0.001	-	-	-	-	-
6588	PRE N/mm2	Z	0.001	-	-	-	-	-
6589	PRE N/mm2	Z	0.001	-	-	-	-	-
6590	PRE N/mm2	Z	0.001	-	-	-	-	-
6591	PRE N/mm2	Z	0.001	-	-	-	-	-
6592	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6593	PRE N/mm2	Z	0.001	-	-	-	-	-
6594	PRE N/mm2	Z	0.001	-	-	-	-	-
6595	PRE N/mm2	Z	0.001	-	-	-	-	-
6596	PRE N/mm2	Z	0.001	-	-	-	-	-
6597	PRE N/mm2	Z	0.001	-	-	-	-	-
6598	PRE N/mm2	Z	0.001	-	-	-	-	-
6599	PRE N/mm2	Z	0.001	-	-	-	-	-
6600	PRE N/mm2	Z	0.001	-	-	-	-	-
6601	PRE N/mm2	Z	0.001	-	-	-	-	-
6742	PRE N/mm2	Z	0.001	-	-	-	-	-
6743	PRE N/mm2	Z	0.001	-	-	-	-	-
6744	PRE N/mm2	Z	0.001	-	-	-	-	-
6745	PRE N/mm2	Z	0.001	-	-	-	-	-
6746	PRE N/mm2	Z	0.001	-	-	-	-	-
6747	PRE N/mm2	Z	0.001	-	-	-	-	-
6748	PRE N/mm2	Z	0.001	-	-	-	-	-
6749	PRE N/mm2	Z	0.001	-	-	-	-	-
6750	PRE N/mm2	Z	0.001	-	-	-	-	-
6751	PRE N/mm2	Z	0.001	-	-	-	-	-
6752	PRE N/mm2	Z	0.001	-	-	-	-	-
6753	PRE N/mm2	Z	0.001	-	-	-	-	-
6754	PRE N/mm2	Z	0.001	-	-	-	-	-
6755	PRE N/mm2	Z	0.001	-	-	-	-	-
6756	PRE N/mm2	Z	0.001	-	-	-	-	-
6757	PRE N/mm2	Z	0.001	-	-	-	-	-
6758	PRE N/mm2	Z	0.001	-	-	-	-	-
6759	PRE N/mm2	Z	0.001	-	-	-	-	-
6760	PRE N/mm2	Z	0.001	-	-	-	-	-
6761	PRE N/mm2	Z	0.001	-	-	-	-	-
6762	PRE N/mm2	Z	0.001	-	-	-	-	-
6763	PRE N/mm2	Z	0.001	-	-	-	-	-
6764	PRE N/mm2	Z	0.001	-	-	-	-	-
6765	PRE N/mm2	Z	0.001	-	-	-	-	-
6766	PRE N/mm2	Z	0.001	-	-	-	-	-
6767	PRE N/mm2	Z	0.001	-	-	-	-	-
6768	PRE N/mm2	Z	0.001	-	-	-	-	-
6769	PRE N/mm2	Z	0.001	-	-	-	-	-
6770	PRE N/mm2	Z	0.001	-	-	-	-	-
6771	PRE N/mm2	Z	0.001	-	-	-	-	-
6772	PRE N/mm2	Z	0.001	-	-	-	-	-
6773	PRE N/mm2	Z	0.001	-	-	-	-	-
6774	PRE N/mm2	Z	0.001	-	-	-	-	-
6775	PRE N/mm2	Z	0.001	-	-	-	-	-
6776	PRE N/mm2	Z	0.001	-	-	-	-	-
6777	PRE N/mm2	Z	0.001	-	-	-	-	-
6778	PRE N/mm2	Z	0.001	-	-	-	-	-
6779	PRE N/mm2	Z	0.001	-	-	-	-	-
6780	PRE N/mm2	Z	0.001	-	-	-	-	-
6781	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6782	PRE N/mm2	Z	0.001	-	-	-	-	-
6783	PRE N/mm2	Z	0.001	-	-	-	-	-
6784	PRE N/mm2	Z	0.001	-	-	-	-	-
6785	PRE N/mm2	Z	0.001	-	-	-	-	-
6786	PRE N/mm2	Z	0.001	-	-	-	-	-
6787	PRE N/mm2	Z	0.001	-	-	-	-	-
6788	PRE N/mm2	Z	0.001	-	-	-	-	-
6789	PRE N/mm2	Z	0.001	-	-	-	-	-
6790	PRE N/mm2	Z	0.001	-	-	-	-	-
6791	PRE N/mm2	Z	0.001	-	-	-	-	-
6792	PRE N/mm2	Z	0.001	-	-	-	-	-
6793	PRE N/mm2	Z	0.001	-	-	-	-	-
6794	PRE N/mm2	Z	0.001	-	-	-	-	-
6795	PRE N/mm2	Z	0.001	-	-	-	-	-
6796	PRE N/mm2	Z	0.001	-	-	-	-	-
6797	PRE N/mm2	Z	0.001	-	-	-	-	-
6798	PRE N/mm2	Z	0.001	-	-	-	-	-
6799	PRE N/mm2	Z	0.001	-	-	-	-	-
6800	PRE N/mm2	Z	0.001	-	-	-	-	-
6801	PRE N/mm2	Z	0.001	-	-	-	-	-
6802	PRE N/mm2	Z	0.001	-	-	-	-	-
6803	PRE N/mm2	Z	0.001	-	-	-	-	-
6804	PRE N/mm2	Z	0.001	-	-	-	-	-
6805	PRE N/mm2	Z	0.001	-	-	-	-	-
6806	PRE N/mm2	Z	0.001	-	-	-	-	-
6807	PRE N/mm2	Z	0.001	-	-	-	-	-
6808	PRE N/mm2	Z	0.001	-	-	-	-	-
6809	PRE N/mm2	Z	0.001	-	-	-	-	-
6810	PRE N/mm2	Z	0.001	-	-	-	-	-
6811	PRE N/mm2	Z	0.001	-	-	-	-	-
6812	PRE N/mm2	Z	0.001	-	-	-	-	-
6813	PRE N/mm2	Z	0.001	-	-	-	-	-
6814	PRE N/mm2	Z	0.001	-	-	-	-	-
6815	PRE N/mm2	Z	0.001	-	-	-	-	-
6816	PRE N/mm2	Z	0.001	-	-	-	-	-
6817	PRE N/mm2	Z	0.001	-	-	-	-	-
6818	PRE N/mm2	Z	0.001	-	-	-	-	-
6819	PRE N/mm2	Z	0.001	-	-	-	-	-
6950	PRE N/mm2	Z	0.001	-	-	-	-	-
6951	PRE N/mm2	Z	0.001	-	-	-	-	-
6952	PRE N/mm2	Z	0.001	-	-	-	-	-
6953	PRE N/mm2	Z	0.001	-	-	-	-	-
6954	PRE N/mm2	Z	0.001	-	-	-	-	-
6955	PRE N/mm2	Z	0.001	-	-	-	-	-
6956	PRE N/mm2	Z	0.001	-	-	-	-	-
6957	PRE N/mm2	Z	0.001	-	-	-	-	-
6958	PRE N/mm2	Z	0.001	-	-	-	-	-
6959	PRE N/mm2	Z	0.001	-	-	-	-	-
6960	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
6961	PRE N/mm2	Z	0.001	-	-	-	-	-
6962	PRE N/mm2	Z	0.001	-	-	-	-	-
6963	PRE N/mm2	Z	0.001	-	-	-	-	-
6964	PRE N/mm2	Z	0.001	-	-	-	-	-
6965	PRE N/mm2	Z	0.001	-	-	-	-	-
6966	PRE N/mm2	Z	0.001	-	-	-	-	-
6967	PRE N/mm2	Z	0.001	-	-	-	-	-
6968	PRE N/mm2	Z	0.001	-	-	-	-	-
6969	PRE N/mm2	Z	0.001	-	-	-	-	-
6970	PRE N/mm2	Z	0.001	-	-	-	-	-
6971	PRE N/mm2	Z	0.001	-	-	-	-	-
6972	PRE N/mm2	Z	0.001	-	-	-	-	-
6973	PRE N/mm2	Z	0.001	-	-	-	-	-
6974	PRE N/mm2	Z	0.001	-	-	-	-	-
6975	PRE N/mm2	Z	0.001	-	-	-	-	-
6976	PRE N/mm2	Z	0.001	-	-	-	-	-
6977	PRE N/mm2	Z	0.001	-	-	-	-	-
6978	PRE N/mm2	Z	0.001	-	-	-	-	-
6979	PRE N/mm2	Z	0.001	-	-	-	-	-
6980	PRE N/mm2	Z	0.001	-	-	-	-	-
6981	PRE N/mm2	Z	0.001	-	-	-	-	-
6982	PRE N/mm2	Z	0.001	-	-	-	-	-
6983	PRE N/mm2	Z	0.001	-	-	-	-	-
6984	PRE N/mm2	Z	0.001	-	-	-	-	-
6985	PRE N/mm2	Z	0.001	-	-	-	-	-
6986	PRE N/mm2	Z	0.001	-	-	-	-	-
6987	PRE N/mm2	Z	0.001	-	-	-	-	-
6988	PRE N/mm2	Z	0.001	-	-	-	-	-
6989	PRE N/mm2	Z	0.001	-	-	-	-	-
6990	PRE N/mm2	Z	0.001	-	-	-	-	-
6991	PRE N/mm2	Z	0.001	-	-	-	-	-
6992	PRE N/mm2	Z	0.001	-	-	-	-	-
6993	PRE N/mm2	Z	0.001	-	-	-	-	-
6994	PRE N/mm2	Z	0.001	-	-	-	-	-
6995	PRE N/mm2	Z	0.001	-	-	-	-	-
6996	PRE N/mm2	Z	0.001	-	-	-	-	-
6997	PRE N/mm2	Z	0.001	-	-	-	-	-
6998	PRE N/mm2	Z	0.001	-	-	-	-	-
6999	PRE N/mm2	Z	0.001	-	-	-	-	-
7000	PRE N/mm2	Z	0.001	-	-	-	-	-
7001	PRE N/mm2	Z	0.001	-	-	-	-	-
7002	PRE N/mm2	Z	0.001	-	-	-	-	-
7003	PRE N/mm2	Z	0.001	-	-	-	-	-
7004	PRE N/mm2	Z	0.001	-	-	-	-	-
7005	PRE N/mm2	Z	0.001	-	-	-	-	-
7006	PRE N/mm2	Z	0.001	-	-	-	-	-
7007	PRE N/mm2	Z	0.001	-	-	-	-	-
7008	PRE N/mm2	Z	0.001	-	-	-	-	-
7009	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7010	PRE N/mm2	Z	0.001	-	-	-	-	-
7011	PRE N/mm2	Z	0.001	-	-	-	-	-
7012	PRE N/mm2	Z	0.001	-	-	-	-	-
7013	PRE N/mm2	Z	0.001	-	-	-	-	-
7014	PRE N/mm2	Z	0.001	-	-	-	-	-
7015	PRE N/mm2	Z	0.001	-	-	-	-	-
7016	PRE N/mm2	Z	0.001	-	-	-	-	-
7017	PRE N/mm2	Z	0.001	-	-	-	-	-
7018	PRE N/mm2	Z	0.001	-	-	-	-	-
7019	PRE N/mm2	Z	0.001	-	-	-	-	-
7020	PRE N/mm2	Z	0.001	-	-	-	-	-
7021	PRE N/mm2	Z	0.001	-	-	-	-	-
7022	PRE N/mm2	Z	0.001	-	-	-	-	-
7023	PRE N/mm2	Z	0.001	-	-	-	-	-
7024	PRE N/mm2	Z	0.001	-	-	-	-	-
7025	PRE N/mm2	Z	0.001	-	-	-	-	-
7026	PRE N/mm2	Z	0.001	-	-	-	-	-
7027	PRE N/mm2	Z	0.001	-	-	-	-	-
7158	PRE N/mm2	Z	0.001	-	-	-	-	-
7159	PRE N/mm2	Z	0.001	-	-	-	-	-
7160	PRE N/mm2	Z	0.001	-	-	-	-	-
7161	PRE N/mm2	Z	0.001	-	-	-	-	-
7162	PRE N/mm2	Z	0.001	-	-	-	-	-
7163	PRE N/mm2	Z	0.001	-	-	-	-	-
7164	PRE N/mm2	Z	0.001	-	-	-	-	-
7165	PRE N/mm2	Z	0.001	-	-	-	-	-
7166	PRE N/mm2	Z	0.001	-	-	-	-	-
7167	PRE N/mm2	Z	0.001	-	-	-	-	-
7168	PRE N/mm2	Z	0.001	-	-	-	-	-
7169	PRE N/mm2	Z	0.001	-	-	-	-	-
7170	PRE N/mm2	Z	0.001	-	-	-	-	-
7171	PRE N/mm2	Z	0.001	-	-	-	-	-
7172	PRE N/mm2	Z	0.001	-	-	-	-	-
7173	PRE N/mm2	Z	0.001	-	-	-	-	-
7174	PRE N/mm2	Z	0.001	-	-	-	-	-
7175	PRE N/mm2	Z	0.001	-	-	-	-	-
7176	PRE N/mm2	Z	0.001	-	-	-	-	-
7177	PRE N/mm2	Z	0.001	-	-	-	-	-
7178	PRE N/mm2	Z	0.001	-	-	-	-	-
7179	PRE N/mm2	Z	0.001	-	-	-	-	-
7180	PRE N/mm2	Z	0.001	-	-	-	-	-
7181	PRE N/mm2	Z	0.001	-	-	-	-	-
7182	PRE N/mm2	Z	0.001	-	-	-	-	-
7183	PRE N/mm2	Z	0.001	-	-	-	-	-
7184	PRE N/mm2	Z	0.001	-	-	-	-	-
7185	PRE N/mm2	Z	0.001	-	-	-	-	-
7186	PRE N/mm2	Z	0.001	-	-	-	-	-
7187	PRE N/mm2	Z	0.001	-	-	-	-	-
7188	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7189	PRE N/mm2	Z	0.001	-	-	-	-	-
7190	PRE N/mm2	Z	0.001	-	-	-	-	-
7191	PRE N/mm2	Z	0.001	-	-	-	-	-
7192	PRE N/mm2	Z	0.001	-	-	-	-	-
7193	PRE N/mm2	Z	0.001	-	-	-	-	-
7194	PRE N/mm2	Z	0.001	-	-	-	-	-
7195	PRE N/mm2	Z	0.001	-	-	-	-	-
7196	PRE N/mm2	Z	0.001	-	-	-	-	-
7197	PRE N/mm2	Z	0.001	-	-	-	-	-
7198	PRE N/mm2	Z	0.001	-	-	-	-	-
7199	PRE N/mm2	Z	0.001	-	-	-	-	-
7200	PRE N/mm2	Z	0.001	-	-	-	-	-
7201	PRE N/mm2	Z	0.001	-	-	-	-	-
7202	PRE N/mm2	Z	0.001	-	-	-	-	-
7203	PRE N/mm2	Z	0.001	-	-	-	-	-
7204	PRE N/mm2	Z	0.001	-	-	-	-	-
7205	PRE N/mm2	Z	0.001	-	-	-	-	-
7206	PRE N/mm2	Z	0.001	-	-	-	-	-
7207	PRE N/mm2	Z	0.001	-	-	-	-	-
7208	PRE N/mm2	Z	0.001	-	-	-	-	-
7209	PRE N/mm2	Z	0.001	-	-	-	-	-
7210	PRE N/mm2	Z	0.001	-	-	-	-	-
7211	PRE N/mm2	Z	0.001	-	-	-	-	-
7212	PRE N/mm2	Z	0.001	-	-	-	-	-
7213	PRE N/mm2	Z	0.001	-	-	-	-	-
7214	PRE N/mm2	Z	0.001	-	-	-	-	-
7215	PRE N/mm2	Z	0.001	-	-	-	-	-
7216	PRE N/mm2	Z	0.001	-	-	-	-	-
7217	PRE N/mm2	Z	0.001	-	-	-	-	-
7218	PRE N/mm2	Z	0.001	-	-	-	-	-
7219	PRE N/mm2	Z	0.001	-	-	-	-	-
7220	PRE N/mm2	Z	0.001	-	-	-	-	-
7221	PRE N/mm2	Z	0.001	-	-	-	-	-
7222	PRE N/mm2	Z	0.001	-	-	-	-	-
7223	PRE N/mm2	Z	0.001	-	-	-	-	-
7224	PRE N/mm2	Z	0.001	-	-	-	-	-
7225	PRE N/mm2	Z	0.001	-	-	-	-	-
7226	PRE N/mm2	Z	0.001	-	-	-	-	-
7227	PRE N/mm2	Z	0.001	-	-	-	-	-
7228	PRE N/mm2	Z	0.001	-	-	-	-	-
7229	PRE N/mm2	Z	0.001	-	-	-	-	-
7230	PRE N/mm2	Z	0.001	-	-	-	-	-
7231	PRE N/mm2	Z	0.001	-	-	-	-	-
7232	PRE N/mm2	Z	0.001	-	-	-	-	-
7233	PRE N/mm2	Z	0.001	-	-	-	-	-
7234	PRE N/mm2	Z	0.001	-	-	-	-	-
7235	PRE N/mm2	Z	0.001	-	-	-	-	-
7356	PRE N/mm2	Z	0.001	-	-	-	-	-
7357	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7358	PRE N/mm2	Z	0.001	-	-	-	-	-
7359	PRE N/mm2	Z	0.001	-	-	-	-	-
7360	PRE N/mm2	Z	0.001	-	-	-	-	-
7361	PRE N/mm2	Z	0.001	-	-	-	-	-
7362	PRE N/mm2	Z	0.001	-	-	-	-	-
7363	PRE N/mm2	Z	0.001	-	-	-	-	-
7364	PRE N/mm2	Z	0.001	-	-	-	-	-
7365	PRE N/mm2	Z	0.001	-	-	-	-	-
7366	PRE N/mm2	Z	0.001	-	-	-	-	-
7367	PRE N/mm2	Z	0.001	-	-	-	-	-
7368	PRE N/mm2	Z	0.001	-	-	-	-	-
7369	PRE N/mm2	Z	0.001	-	-	-	-	-
7370	PRE N/mm2	Z	0.001	-	-	-	-	-
7371	PRE N/mm2	Z	0.001	-	-	-	-	-
7372	PRE N/mm2	Z	0.001	-	-	-	-	-
7373	PRE N/mm2	Z	0.001	-	-	-	-	-
7374	PRE N/mm2	Z	0.001	-	-	-	-	-
7375	PRE N/mm2	Z	0.001	-	-	-	-	-
7376	PRE N/mm2	Z	0.001	-	-	-	-	-
7377	PRE N/mm2	Z	0.001	-	-	-	-	-
7378	PRE N/mm2	Z	0.001	-	-	-	-	-
7379	PRE N/mm2	Z	0.001	-	-	-	-	-
7380	PRE N/mm2	Z	0.001	-	-	-	-	-
7381	PRE N/mm2	Z	0.001	-	-	-	-	-
7382	PRE N/mm2	Z	0.001	-	-	-	-	-
7383	PRE N/mm2	Z	0.001	-	-	-	-	-
7384	PRE N/mm2	Z	0.001	-	-	-	-	-
7385	PRE N/mm2	Z	0.001	-	-	-	-	-
7386	PRE N/mm2	Z	0.001	-	-	-	-	-
7387	PRE N/mm2	Z	0.001	-	-	-	-	-
7388	PRE N/mm2	Z	0.001	-	-	-	-	-
7389	PRE N/mm2	Z	0.001	-	-	-	-	-
7390	PRE N/mm2	Z	0.001	-	-	-	-	-
7391	PRE N/mm2	Z	0.001	-	-	-	-	-
7392	PRE N/mm2	Z	0.001	-	-	-	-	-
7393	PRE N/mm2	Z	0.001	-	-	-	-	-
7394	PRE N/mm2	Z	0.001	-	-	-	-	-
7395	PRE N/mm2	Z	0.001	-	-	-	-	-
7396	PRE N/mm2	Z	0.001	-	-	-	-	-
7397	PRE N/mm2	Z	0.001	-	-	-	-	-
7398	PRE N/mm2	Z	0.001	-	-	-	-	-
7399	PRE N/mm2	Z	0.001	-	-	-	-	-
7400	PRE N/mm2	Z	0.001	-	-	-	-	-
7401	PRE N/mm2	Z	0.001	-	-	-	-	-
7402	PRE N/mm2	Z	0.001	-	-	-	-	-
7403	PRE N/mm2	Z	0.001	-	-	-	-	-
7404	PRE N/mm2	Z	0.001	-	-	-	-	-
7405	PRE N/mm2	Z	0.001	-	-	-	-	-
7406	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7407	PRE N/mm2	Z	0.001	-	-	-	-	-
7408	PRE N/mm2	Z	0.001	-	-	-	-	-
7409	PRE N/mm2	Z	0.001	-	-	-	-	-
7410	PRE N/mm2	Z	0.001	-	-	-	-	-
7411	PRE N/mm2	Z	0.001	-	-	-	-	-
7412	PRE N/mm2	Z	0.001	-	-	-	-	-
7413	PRE N/mm2	Z	0.001	-	-	-	-	-
7414	PRE N/mm2	Z	0.001	-	-	-	-	-
7415	PRE N/mm2	Z	0.001	-	-	-	-	-
7416	PRE N/mm2	Z	0.001	-	-	-	-	-
7417	PRE N/mm2	Z	0.001	-	-	-	-	-
7418	PRE N/mm2	Z	0.001	-	-	-	-	-
7419	PRE N/mm2	Z	0.001	-	-	-	-	-
7420	PRE N/mm2	Z	0.001	-	-	-	-	-
7421	PRE N/mm2	Z	0.001	-	-	-	-	-
7422	PRE N/mm2	Z	0.001	-	-	-	-	-
7423	PRE N/mm2	Z	0.001	-	-	-	-	-
7424	PRE N/mm2	Z	0.001	-	-	-	-	-
7425	PRE N/mm2	Z	0.001	-	-	-	-	-
7426	PRE N/mm2	Z	0.001	-	-	-	-	-
7427	PRE N/mm2	Z	0.001	-	-	-	-	-
7428	PRE N/mm2	Z	0.001	-	-	-	-	-
7429	PRE N/mm2	Z	0.001	-	-	-	-	-
7430	PRE N/mm2	Z	0.001	-	-	-	-	-
7431	PRE N/mm2	Z	0.001	-	-	-	-	-
7432	PRE N/mm2	Z	0.001	-	-	-	-	-
7433	PRE N/mm2	Z	0.001	-	-	-	-	-
7554	PRE N/mm2	Z	0.001	-	-	-	-	-
7555	PRE N/mm2	Z	0.001	-	-	-	-	-
7556	PRE N/mm2	Z	0.001	-	-	-	-	-
7557	PRE N/mm2	Z	0.001	-	-	-	-	-
7558	PRE N/mm2	Z	0.001	-	-	-	-	-
7559	PRE N/mm2	Z	0.001	-	-	-	-	-
7560	PRE N/mm2	Z	0.001	-	-	-	-	-
7561	PRE N/mm2	Z	0.001	-	-	-	-	-
7562	PRE N/mm2	Z	0.001	-	-	-	-	-
7563	PRE N/mm2	Z	0.001	-	-	-	-	-
7564	PRE N/mm2	Z	0.001	-	-	-	-	-
7565	PRE N/mm2	Z	0.001	-	-	-	-	-
7566	PRE N/mm2	Z	0.001	-	-	-	-	-
7567	PRE N/mm2	Z	0.001	-	-	-	-	-
7568	PRE N/mm2	Z	0.001	-	-	-	-	-
7569	PRE N/mm2	Z	0.001	-	-	-	-	-
7570	PRE N/mm2	Z	0.001	-	-	-	-	-
7571	PRE N/mm2	Z	0.001	-	-	-	-	-
7572	PRE N/mm2	Z	0.001	-	-	-	-	-
7573	PRE N/mm2	Z	0.001	-	-	-	-	-
7574	PRE N/mm2	Z	0.001	-	-	-	-	-
7575	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7576	PRE N/mm2	Z	0.001	-	-	-	-	-
7577	PRE N/mm2	Z	0.001	-	-	-	-	-
7578	PRE N/mm2	Z	0.001	-	-	-	-	-
7579	PRE N/mm2	Z	0.001	-	-	-	-	-
7580	PRE N/mm2	Z	0.001	-	-	-	-	-
7581	PRE N/mm2	Z	0.001	-	-	-	-	-
7582	PRE N/mm2	Z	0.001	-	-	-	-	-
7583	PRE N/mm2	Z	0.001	-	-	-	-	-
7584	PRE N/mm2	Z	0.001	-	-	-	-	-
7585	PRE N/mm2	Z	0.001	-	-	-	-	-
7586	PRE N/mm2	Z	0.001	-	-	-	-	-
7587	PRE N/mm2	Z	0.001	-	-	-	-	-
7588	PRE N/mm2	Z	0.001	-	-	-	-	-
7589	PRE N/mm2	Z	0.001	-	-	-	-	-
7590	PRE N/mm2	Z	0.001	-	-	-	-	-
7591	PRE N/mm2	Z	0.001	-	-	-	-	-
7592	PRE N/mm2	Z	0.001	-	-	-	-	-
7593	PRE N/mm2	Z	0.001	-	-	-	-	-
7594	PRE N/mm2	Z	0.001	-	-	-	-	-
7595	PRE N/mm2	Z	0.001	-	-	-	-	-
7596	PRE N/mm2	Z	0.001	-	-	-	-	-
7597	PRE N/mm2	Z	0.001	-	-	-	-	-
7598	PRE N/mm2	Z	0.001	-	-	-	-	-
7599	PRE N/mm2	Z	0.001	-	-	-	-	-
7600	PRE N/mm2	Z	0.001	-	-	-	-	-
7601	PRE N/mm2	Z	0.001	-	-	-	-	-
7602	PRE N/mm2	Z	0.001	-	-	-	-	-
7603	PRE N/mm2	Z	0.001	-	-	-	-	-
7604	PRE N/mm2	Z	0.001	-	-	-	-	-
7605	PRE N/mm2	Z	0.001	-	-	-	-	-
7606	PRE N/mm2	Z	0.001	-	-	-	-	-
7607	PRE N/mm2	Z	0.001	-	-	-	-	-
7608	PRE N/mm2	Z	0.001	-	-	-	-	-
7609	PRE N/mm2	Z	0.001	-	-	-	-	-
7610	PRE N/mm2	Z	0.001	-	-	-	-	-
7611	PRE N/mm2	Z	0.001	-	-	-	-	-
7612	PRE N/mm2	Z	0.001	-	-	-	-	-
7613	PRE N/mm2	Z	0.001	-	-	-	-	-
7614	PRE N/mm2	Z	0.001	-	-	-	-	-
7615	PRE N/mm2	Z	0.001	-	-	-	-	-
7616	PRE N/mm2	Z	0.001	-	-	-	-	-
7617	PRE N/mm2	Z	0.001	-	-	-	-	-
7618	PRE N/mm2	Z	0.001	-	-	-	-	-
7619	PRE N/mm2	Z	0.001	-	-	-	-	-
7620	PRE N/mm2	Z	0.001	-	-	-	-	-
7621	PRE N/mm2	Z	0.001	-	-	-	-	-
7622	PRE N/mm2	Z	0.001	-	-	-	-	-
7623	PRE N/mm2	Z	0.001	-	-	-	-	-
7624	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7625	PRE N/mm2	Z	0.001	-	-	-	-	-
7626	PRE N/mm2	Z	0.001	-	-	-	-	-
7627	PRE N/mm2	Z	0.001	-	-	-	-	-
7628	PRE N/mm2	Z	0.001	-	-	-	-	-
7629	PRE N/mm2	Z	0.001	-	-	-	-	-
7630	PRE N/mm2	Z	0.001	-	-	-	-	-
7631	PRE N/mm2	Z	0.001	-	-	-	-	-
7742	PRE N/mm2	Z	0.001	-	-	-	-	-
7743	PRE N/mm2	Z	0.001	-	-	-	-	-
7744	PRE N/mm2	Z	0.001	-	-	-	-	-
7745	PRE N/mm2	Z	0.001	-	-	-	-	-
7746	PRE N/mm2	Z	0.001	-	-	-	-	-
7747	PRE N/mm2	Z	0.001	-	-	-	-	-
7748	PRE N/mm2	Z	0.001	-	-	-	-	-
7749	PRE N/mm2	Z	0.001	-	-	-	-	-
7750	PRE N/mm2	Z	0.001	-	-	-	-	-
7751	PRE N/mm2	Z	0.001	-	-	-	-	-
7752	PRE N/mm2	Z	0.001	-	-	-	-	-
7753	PRE N/mm2	Z	0.001	-	-	-	-	-
7754	PRE N/mm2	Z	0.001	-	-	-	-	-
7755	PRE N/mm2	Z	0.001	-	-	-	-	-
7756	PRE N/mm2	Z	0.001	-	-	-	-	-
7757	PRE N/mm2	Z	0.001	-	-	-	-	-
7758	PRE N/mm2	Z	0.001	-	-	-	-	-
7759	PRE N/mm2	Z	0.001	-	-	-	-	-
7760	PRE N/mm2	Z	0.001	-	-	-	-	-
7761	PRE N/mm2	Z	0.001	-	-	-	-	-
7762	PRE N/mm2	Z	0.001	-	-	-	-	-
7763	PRE N/mm2	Z	0.001	-	-	-	-	-
7764	PRE N/mm2	Z	0.001	-	-	-	-	-
7765	PRE N/mm2	Z	0.001	-	-	-	-	-
7766	PRE N/mm2	Z	0.001	-	-	-	-	-
7767	PRE N/mm2	Z	0.001	-	-	-	-	-
7768	PRE N/mm2	Z	0.001	-	-	-	-	-
7769	PRE N/mm2	Z	0.001	-	-	-	-	-
7770	PRE N/mm2	Z	0.001	-	-	-	-	-
7771	PRE N/mm2	Z	0.001	-	-	-	-	-
7772	PRE N/mm2	Z	0.001	-	-	-	-	-
7773	PRE N/mm2	Z	0.001	-	-	-	-	-
7774	PRE N/mm2	Z	0.001	-	-	-	-	-
7775	PRE N/mm2	Z	0.001	-	-	-	-	-
7776	PRE N/mm2	Z	0.001	-	-	-	-	-
7777	PRE N/mm2	Z	0.001	-	-	-	-	-
7778	PRE N/mm2	Z	0.001	-	-	-	-	-
7779	PRE N/mm2	Z	0.001	-	-	-	-	-
7780	PRE N/mm2	Z	0.001	-	-	-	-	-
7781	PRE N/mm2	Z	0.001	-	-	-	-	-
7782	PRE N/mm2	Z	0.001	-	-	-	-	-
7783	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7784	PRE N/mm2	Z	0.001	-	-	-	-	-
7785	PRE N/mm2	Z	0.001	-	-	-	-	-
7786	PRE N/mm2	Z	0.001	-	-	-	-	-
7787	PRE N/mm2	Z	0.001	-	-	-	-	-
7788	PRE N/mm2	Z	0.001	-	-	-	-	-
7789	PRE N/mm2	Z	0.001	-	-	-	-	-
7790	PRE N/mm2	Z	0.001	-	-	-	-	-
7791	PRE N/mm2	Z	0.001	-	-	-	-	-
7792	PRE N/mm2	Z	0.001	-	-	-	-	-
7793	PRE N/mm2	Z	0.001	-	-	-	-	-
7794	PRE N/mm2	Z	0.001	-	-	-	-	-
7795	PRE N/mm2	Z	0.001	-	-	-	-	-
7796	PRE N/mm2	Z	0.001	-	-	-	-	-
7797	PRE N/mm2	Z	0.001	-	-	-	-	-
7798	PRE N/mm2	Z	0.001	-	-	-	-	-
7799	PRE N/mm2	Z	0.001	-	-	-	-	-
7800	PRE N/mm2	Z	0.001	-	-	-	-	-
7801	PRE N/mm2	Z	0.001	-	-	-	-	-
7802	PRE N/mm2	Z	0.001	-	-	-	-	-
7803	PRE N/mm2	Z	0.001	-	-	-	-	-
7804	PRE N/mm2	Z	0.001	-	-	-	-	-
7805	PRE N/mm2	Z	0.001	-	-	-	-	-
7806	PRE N/mm2	Z	0.001	-	-	-	-	-
7807	PRE N/mm2	Z	0.001	-	-	-	-	-
7808	PRE N/mm2	Z	0.001	-	-	-	-	-
7809	PRE N/mm2	Z	0.001	-	-	-	-	-
7810	PRE N/mm2	Z	0.001	-	-	-	-	-
7811	PRE N/mm2	Z	0.001	-	-	-	-	-
7812	PRE N/mm2	Z	0.001	-	-	-	-	-
7813	PRE N/mm2	Z	0.001	-	-	-	-	-
7814	PRE N/mm2	Z	0.001	-	-	-	-	-
7815	PRE N/mm2	Z	0.001	-	-	-	-	-
7816	PRE N/mm2	Z	0.001	-	-	-	-	-
7817	PRE N/mm2	Z	0.001	-	-	-	-	-
7818	PRE N/mm2	Z	0.001	-	-	-	-	-
7819	PRE N/mm2	Z	0.001	-	-	-	-	-
7930	PRE N/mm2	Z	0.001	-	-	-	-	-
7931	PRE N/mm2	Z	0.001	-	-	-	-	-
7932	PRE N/mm2	Z	0.001	-	-	-	-	-
7933	PRE N/mm2	Z	0.001	-	-	-	-	-
7934	PRE N/mm2	Z	0.001	-	-	-	-	-
7935	PRE N/mm2	Z	0.001	-	-	-	-	-
7936	PRE N/mm2	Z	0.001	-	-	-	-	-
7937	PRE N/mm2	Z	0.001	-	-	-	-	-
7938	PRE N/mm2	Z	0.001	-	-	-	-	-
7939	PRE N/mm2	Z	0.001	-	-	-	-	-
7940	PRE N/mm2	Z	0.001	-	-	-	-	-
7941	PRE N/mm2	Z	0.001	-	-	-	-	-
7942	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7943	PRE N/mm2	Z	0.001	-	-	-	-	-
7944	PRE N/mm2	Z	0.001	-	-	-	-	-
7945	PRE N/mm2	Z	0.001	-	-	-	-	-
7946	PRE N/mm2	Z	0.001	-	-	-	-	-
7947	PRE N/mm2	Z	0.001	-	-	-	-	-
7948	PRE N/mm2	Z	0.001	-	-	-	-	-
7949	PRE N/mm2	Z	0.001	-	-	-	-	-
7950	PRE N/mm2	Z	0.001	-	-	-	-	-
7951	PRE N/mm2	Z	0.001	-	-	-	-	-
7952	PRE N/mm2	Z	0.001	-	-	-	-	-
7953	PRE N/mm2	Z	0.001	-	-	-	-	-
7954	PRE N/mm2	Z	0.001	-	-	-	-	-
7955	PRE N/mm2	Z	0.001	-	-	-	-	-
7956	PRE N/mm2	Z	0.001	-	-	-	-	-
7957	PRE N/mm2	Z	0.001	-	-	-	-	-
7958	PRE N/mm2	Z	0.001	-	-	-	-	-
7959	PRE N/mm2	Z	0.001	-	-	-	-	-
7960	PRE N/mm2	Z	0.001	-	-	-	-	-
7961	PRE N/mm2	Z	0.001	-	-	-	-	-
7962	PRE N/mm2	Z	0.001	-	-	-	-	-
7963	PRE N/mm2	Z	0.001	-	-	-	-	-
7964	PRE N/mm2	Z	0.001	-	-	-	-	-
7965	PRE N/mm2	Z	0.001	-	-	-	-	-
7966	PRE N/mm2	Z	0.001	-	-	-	-	-
7967	PRE N/mm2	Z	0.001	-	-	-	-	-
7968	PRE N/mm2	Z	0.001	-	-	-	-	-
7969	PRE N/mm2	Z	0.001	-	-	-	-	-
7970	PRE N/mm2	Z	0.001	-	-	-	-	-
7971	PRE N/mm2	Z	0.001	-	-	-	-	-
7972	PRE N/mm2	Z	0.001	-	-	-	-	-
7973	PRE N/mm2	Z	0.001	-	-	-	-	-
7974	PRE N/mm2	Z	0.001	-	-	-	-	-
7975	PRE N/mm2	Z	0.001	-	-	-	-	-
7976	PRE N/mm2	Z	0.001	-	-	-	-	-
7977	PRE N/mm2	Z	0.001	-	-	-	-	-
7978	PRE N/mm2	Z	0.001	-	-	-	-	-
7979	PRE N/mm2	Z	0.001	-	-	-	-	-
7980	PRE N/mm2	Z	0.001	-	-	-	-	-
7981	PRE N/mm2	Z	0.001	-	-	-	-	-
7982	PRE N/mm2	Z	0.001	-	-	-	-	-
7983	PRE N/mm2	Z	0.001	-	-	-	-	-
7984	PRE N/mm2	Z	0.001	-	-	-	-	-
7985	PRE N/mm2	Z	0.001	-	-	-	-	-
7986	PRE N/mm2	Z	0.001	-	-	-	-	-
7987	PRE N/mm2	Z	0.001	-	-	-	-	-
7988	PRE N/mm2	Z	0.001	-	-	-	-	-
7989	PRE N/mm2	Z	0.001	-	-	-	-	-
7990	PRE N/mm2	Z	0.001	-	-	-	-	-
7991	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
7992	PRE N/mm2	Z	0.001	-	-	-	-	-
7993	PRE N/mm2	Z	0.001	-	-	-	-	-
7994	PRE N/mm2	Z	0.001	-	-	-	-	-
7995	PRE N/mm2	Z	0.001	-	-	-	-	-
7996	PRE N/mm2	Z	0.001	-	-	-	-	-
7997	PRE N/mm2	Z	0.001	-	-	-	-	-
7998	PRE N/mm2	Z	0.001	-	-	-	-	-
7999	PRE N/mm2	Z	0.001	-	-	-	-	-
8000	PRE N/mm2	Z	0.001	-	-	-	-	-
8001	PRE N/mm2	Z	0.001	-	-	-	-	-
8002	PRE N/mm2	Z	0.001	-	-	-	-	-
8003	PRE N/mm2	Z	0.001	-	-	-	-	-
8004	PRE N/mm2	Z	0.001	-	-	-	-	-
8005	PRE N/mm2	Z	0.001	-	-	-	-	-
8006	PRE N/mm2	Z	0.001	-	-	-	-	-
8007	PRE N/mm2	Z	0.001	-	-	-	-	-
8108	PRE N/mm2	Z	0.001	-	-	-	-	-
8109	PRE N/mm2	Z	0.001	-	-	-	-	-
8110	PRE N/mm2	Z	0.001	-	-	-	-	-
8111	PRE N/mm2	Z	0.001	-	-	-	-	-
8112	PRE N/mm2	Z	0.001	-	-	-	-	-
8113	PRE N/mm2	Z	0.001	-	-	-	-	-
8114	PRE N/mm2	Z	0.001	-	-	-	-	-
8115	PRE N/mm2	Z	0.001	-	-	-	-	-
8116	PRE N/mm2	Z	0.001	-	-	-	-	-
8117	PRE N/mm2	Z	0.001	-	-	-	-	-
8118	PRE N/mm2	Z	0.001	-	-	-	-	-
8119	PRE N/mm2	Z	0.001	-	-	-	-	-
8120	PRE N/mm2	Z	0.001	-	-	-	-	-
8121	PRE N/mm2	Z	0.001	-	-	-	-	-
8122	PRE N/mm2	Z	0.001	-	-	-	-	-
8123	PRE N/mm2	Z	0.001	-	-	-	-	-
8124	PRE N/mm2	Z	0.001	-	-	-	-	-
8125	PRE N/mm2	Z	0.001	-	-	-	-	-
8126	PRE N/mm2	Z	0.001	-	-	-	-	-
8127	PRE N/mm2	Z	0.001	-	-	-	-	-
8128	PRE N/mm2	Z	0.001	-	-	-	-	-
8129	PRE N/mm2	Z	0.001	-	-	-	-	-
8130	PRE N/mm2	Z	0.001	-	-	-	-	-
8131	PRE N/mm2	Z	0.001	-	-	-	-	-
8132	PRE N/mm2	Z	0.001	-	-	-	-	-
8133	PRE N/mm2	Z	0.001	-	-	-	-	-
8134	PRE N/mm2	Z	0.001	-	-	-	-	-
8135	PRE N/mm2	Z	0.001	-	-	-	-	-
8136	PRE N/mm2	Z	0.001	-	-	-	-	-
8137	PRE N/mm2	Z	0.001	-	-	-	-	-
8138	PRE N/mm2	Z	0.001	-	-	-	-	-
8139	PRE N/mm2	Z	0.001	-	-	-	-	-
8140	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8141	PRE N/mm2	Z	0.001	-	-	-	-	-
8142	PRE N/mm2	Z	0.001	-	-	-	-	-
8143	PRE N/mm2	Z	0.001	-	-	-	-	-
8144	PRE N/mm2	Z	0.001	-	-	-	-	-
8145	PRE N/mm2	Z	0.001	-	-	-	-	-
8146	PRE N/mm2	Z	0.001	-	-	-	-	-
8147	PRE N/mm2	Z	0.001	-	-	-	-	-
8148	PRE N/mm2	Z	0.001	-	-	-	-	-
8149	PRE N/mm2	Z	0.001	-	-	-	-	-
8150	PRE N/mm2	Z	0.001	-	-	-	-	-
8151	PRE N/mm2	Z	0.001	-	-	-	-	-
8152	PRE N/mm2	Z	0.001	-	-	-	-	-
8153	PRE N/mm2	Z	0.001	-	-	-	-	-
8154	PRE N/mm2	Z	0.001	-	-	-	-	-
8155	PRE N/mm2	Z	0.001	-	-	-	-	-
8156	PRE N/mm2	Z	0.001	-	-	-	-	-
8157	PRE N/mm2	Z	0.001	-	-	-	-	-
8158	PRE N/mm2	Z	0.001	-	-	-	-	-
8159	PRE N/mm2	Z	0.001	-	-	-	-	-
8160	PRE N/mm2	Z	0.001	-	-	-	-	-
8161	PRE N/mm2	Z	0.001	-	-	-	-	-
8162	PRE N/mm2	Z	0.001	-	-	-	-	-
8163	PRE N/mm2	Z	0.001	-	-	-	-	-
8164	PRE N/mm2	Z	0.001	-	-	-	-	-
8165	PRE N/mm2	Z	0.001	-	-	-	-	-
8166	PRE N/mm2	Z	0.001	-	-	-	-	-
8167	PRE N/mm2	Z	0.001	-	-	-	-	-
8168	PRE N/mm2	Z	0.001	-	-	-	-	-
8169	PRE N/mm2	Z	0.001	-	-	-	-	-
8170	PRE N/mm2	Z	0.001	-	-	-	-	-
8171	PRE N/mm2	Z	0.001	-	-	-	-	-
8172	PRE N/mm2	Z	0.001	-	-	-	-	-
8173	PRE N/mm2	Z	0.001	-	-	-	-	-
8174	PRE N/mm2	Z	0.001	-	-	-	-	-
8175	PRE N/mm2	Z	0.001	-	-	-	-	-
8176	PRE N/mm2	Z	0.001	-	-	-	-	-
8177	PRE N/mm2	Z	0.001	-	-	-	-	-
8178	PRE N/mm2	Z	0.001	-	-	-	-	-
8179	PRE N/mm2	Z	0.001	-	-	-	-	-
8180	PRE N/mm2	Z	0.001	-	-	-	-	-
8181	PRE N/mm2	Z	0.001	-	-	-	-	-
8182	PRE N/mm2	Z	0.001	-	-	-	-	-
8183	PRE N/mm2	Z	0.001	-	-	-	-	-
8184	PRE N/mm2	Z	0.001	-	-	-	-	-
8185	PRE N/mm2	Z	0.001	-	-	-	-	-
8286	PRE N/mm2	Z	0.001	-	-	-	-	-
8287	PRE N/mm2	Z	0.001	-	-	-	-	-
8288	PRE N/mm2	Z	0.001	-	-	-	-	-
8289	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8290	PRE N/mm2	Z	0.001	-	-	-	-	-
8291	PRE N/mm2	Z	0.001	-	-	-	-	-
8292	PRE N/mm2	Z	0.001	-	-	-	-	-
8293	PRE N/mm2	Z	0.001	-	-	-	-	-
8294	PRE N/mm2	Z	0.001	-	-	-	-	-
8295	PRE N/mm2	Z	0.001	-	-	-	-	-
8296	PRE N/mm2	Z	0.001	-	-	-	-	-
8297	PRE N/mm2	Z	0.001	-	-	-	-	-
8298	PRE N/mm2	Z	0.001	-	-	-	-	-
8299	PRE N/mm2	Z	0.001	-	-	-	-	-
8300	PRE N/mm2	Z	0.001	-	-	-	-	-
8301	PRE N/mm2	Z	0.001	-	-	-	-	-
8302	PRE N/mm2	Z	0.001	-	-	-	-	-
8303	PRE N/mm2	Z	0.001	-	-	-	-	-
8304	PRE N/mm2	Z	0.001	-	-	-	-	-
8305	PRE N/mm2	Z	0.001	-	-	-	-	-
8306	PRE N/mm2	Z	0.001	-	-	-	-	-
8307	PRE N/mm2	Z	0.001	-	-	-	-	-
8308	PRE N/mm2	Z	0.001	-	-	-	-	-
8309	PRE N/mm2	Z	0.001	-	-	-	-	-
8310	PRE N/mm2	Z	0.001	-	-	-	-	-
8311	PRE N/mm2	Z	0.001	-	-	-	-	-
8312	PRE N/mm2	Z	0.001	-	-	-	-	-
8313	PRE N/mm2	Z	0.001	-	-	-	-	-
8314	PRE N/mm2	Z	0.001	-	-	-	-	-
8315	PRE N/mm2	Z	0.001	-	-	-	-	-
8316	PRE N/mm2	Z	0.001	-	-	-	-	-
8317	PRE N/mm2	Z	0.001	-	-	-	-	-
8318	PRE N/mm2	Z	0.001	-	-	-	-	-
8319	PRE N/mm2	Z	0.001	-	-	-	-	-
8320	PRE N/mm2	Z	0.001	-	-	-	-	-
8321	PRE N/mm2	Z	0.001	-	-	-	-	-
8322	PRE N/mm2	Z	0.001	-	-	-	-	-
8323	PRE N/mm2	Z	0.001	-	-	-	-	-
8324	PRE N/mm2	Z	0.001	-	-	-	-	-
8325	PRE N/mm2	Z	0.001	-	-	-	-	-
8326	PRE N/mm2	Z	0.001	-	-	-	-	-
8327	PRE N/mm2	Z	0.001	-	-	-	-	-
8328	PRE N/mm2	Z	0.001	-	-	-	-	-
8329	PRE N/mm2	Z	0.001	-	-	-	-	-
8330	PRE N/mm2	Z	0.001	-	-	-	-	-
8331	PRE N/mm2	Z	0.001	-	-	-	-	-
8332	PRE N/mm2	Z	0.001	-	-	-	-	-
8333	PRE N/mm2	Z	0.001	-	-	-	-	-
8334	PRE N/mm2	Z	0.001	-	-	-	-	-
8335	PRE N/mm2	Z	0.001	-	-	-	-	-
8336	PRE N/mm2	Z	0.001	-	-	-	-	-
8337	PRE N/mm2	Z	0.001	-	-	-	-	-
8338	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8339	PRE N/mm2	Z	0.001	-	-	-	-	-
8340	PRE N/mm2	Z	0.001	-	-	-	-	-
8341	PRE N/mm2	Z	0.001	-	-	-	-	-
8342	PRE N/mm2	Z	0.001	-	-	-	-	-
8343	PRE N/mm2	Z	0.001	-	-	-	-	-
8344	PRE N/mm2	Z	0.001	-	-	-	-	-
8345	PRE N/mm2	Z	0.001	-	-	-	-	-
8346	PRE N/mm2	Z	0.001	-	-	-	-	-
8347	PRE N/mm2	Z	0.001	-	-	-	-	-
8348	PRE N/mm2	Z	0.001	-	-	-	-	-
8349	PRE N/mm2	Z	0.001	-	-	-	-	-
8350	PRE N/mm2	Z	0.001	-	-	-	-	-
8351	PRE N/mm2	Z	0.001	-	-	-	-	-
8352	PRE N/mm2	Z	0.001	-	-	-	-	-
8353	PRE N/mm2	Z	0.001	-	-	-	-	-
8354	PRE N/mm2	Z	0.001	-	-	-	-	-
8355	PRE N/mm2	Z	0.001	-	-	-	-	-
8356	PRE N/mm2	Z	0.001	-	-	-	-	-
8357	PRE N/mm2	Z	0.001	-	-	-	-	-
8358	PRE N/mm2	Z	0.001	-	-	-	-	-
8359	PRE N/mm2	Z	0.001	-	-	-	-	-
8360	PRE N/mm2	Z	0.001	-	-	-	-	-
8361	PRE N/mm2	Z	0.001	-	-	-	-	-
8362	PRE N/mm2	Z	0.001	-	-	-	-	-
8363	PRE N/mm2	Z	0.001	-	-	-	-	-
8454	PRE N/mm2	Z	0.001	-	-	-	-	-
8455	PRE N/mm2	Z	0.001	-	-	-	-	-
8456	PRE N/mm2	Z	0.001	-	-	-	-	-
8457	PRE N/mm2	Z	0.001	-	-	-	-	-
8458	PRE N/mm2	Z	0.001	-	-	-	-	-
8459	PRE N/mm2	Z	0.001	-	-	-	-	-
8460	PRE N/mm2	Z	0.001	-	-	-	-	-
8461	PRE N/mm2	Z	0.001	-	-	-	-	-
8462	PRE N/mm2	Z	0.001	-	-	-	-	-
8463	PRE N/mm2	Z	0.001	-	-	-	-	-
8464	PRE N/mm2	Z	0.001	-	-	-	-	-
8465	PRE N/mm2	Z	0.001	-	-	-	-	-
8466	PRE N/mm2	Z	0.001	-	-	-	-	-
8467	PRE N/mm2	Z	0.001	-	-	-	-	-
8468	PRE N/mm2	Z	0.001	-	-	-	-	-
8469	PRE N/mm2	Z	0.001	-	-	-	-	-
8470	PRE N/mm2	Z	0.001	-	-	-	-	-
8471	PRE N/mm2	Z	0.001	-	-	-	-	-
8472	PRE N/mm2	Z	0.001	-	-	-	-	-
8473	PRE N/mm2	Z	0.001	-	-	-	-	-
8474	PRE N/mm2	Z	0.001	-	-	-	-	-
8475	PRE N/mm2	Z	0.001	-	-	-	-	-
8476	PRE N/mm2	Z	0.001	-	-	-	-	-
8477	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8478	PRE N/mm2	Z	0.001	-	-	-	-	-
8479	PRE N/mm2	Z	0.001	-	-	-	-	-
8480	PRE N/mm2	Z	0.001	-	-	-	-	-
8481	PRE N/mm2	Z	0.001	-	-	-	-	-
8482	PRE N/mm2	Z	0.001	-	-	-	-	-
8483	PRE N/mm2	Z	0.001	-	-	-	-	-
8484	PRE N/mm2	Z	0.001	-	-	-	-	-
8485	PRE N/mm2	Z	0.001	-	-	-	-	-
8486	PRE N/mm2	Z	0.001	-	-	-	-	-
8487	PRE N/mm2	Z	0.001	-	-	-	-	-
8488	PRE N/mm2	Z	0.001	-	-	-	-	-
8489	PRE N/mm2	Z	0.001	-	-	-	-	-
8490	PRE N/mm2	Z	0.001	-	-	-	-	-
8491	PRE N/mm2	Z	0.001	-	-	-	-	-
8492	PRE N/mm2	Z	0.001	-	-	-	-	-
8493	PRE N/mm2	Z	0.001	-	-	-	-	-
8494	PRE N/mm2	Z	0.001	-	-	-	-	-
8495	PRE N/mm2	Z	0.001	-	-	-	-	-
8496	PRE N/mm2	Z	0.001	-	-	-	-	-
8497	PRE N/mm2	Z	0.001	-	-	-	-	-
8498	PRE N/mm2	Z	0.001	-	-	-	-	-
8499	PRE N/mm2	Z	0.001	-	-	-	-	-
8500	PRE N/mm2	Z	0.001	-	-	-	-	-
8501	PRE N/mm2	Z	0.001	-	-	-	-	-
8502	PRE N/mm2	Z	0.001	-	-	-	-	-
8503	PRE N/mm2	Z	0.001	-	-	-	-	-
8504	PRE N/mm2	Z	0.001	-	-	-	-	-
8505	PRE N/mm2	Z	0.001	-	-	-	-	-
8506	PRE N/mm2	Z	0.001	-	-	-	-	-
8507	PRE N/mm2	Z	0.001	-	-	-	-	-
8508	PRE N/mm2	Z	0.001	-	-	-	-	-
8509	PRE N/mm2	Z	0.001	-	-	-	-	-
8510	PRE N/mm2	Z	0.001	-	-	-	-	-
8511	PRE N/mm2	Z	0.001	-	-	-	-	-
8512	PRE N/mm2	Z	0.001	-	-	-	-	-
8513	PRE N/mm2	Z	0.001	-	-	-	-	-
8514	PRE N/mm2	Z	0.001	-	-	-	-	-
8515	PRE N/mm2	Z	0.001	-	-	-	-	-
8516	PRE N/mm2	Z	0.001	-	-	-	-	-
8517	PRE N/mm2	Z	0.001	-	-	-	-	-
8518	PRE N/mm2	Z	0.001	-	-	-	-	-
8519	PRE N/mm2	Z	0.001	-	-	-	-	-
8520	PRE N/mm2	Z	0.001	-	-	-	-	-
8521	PRE N/mm2	Z	0.001	-	-	-	-	-
8522	PRE N/mm2	Z	0.001	-	-	-	-	-
8523	PRE N/mm2	Z	0.001	-	-	-	-	-
8524	PRE N/mm2	Z	0.001	-	-	-	-	-
8525	PRE N/mm2	Z	0.001	-	-	-	-	-
8526	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8527	PRE N/mm2	Z	0.001	-	-	-	-	-
8528	PRE N/mm2	Z	0.001	-	-	-	-	-
8529	PRE N/mm2	Z	0.001	-	-	-	-	-
8530	PRE N/mm2	Z	0.001	-	-	-	-	-
8531	PRE N/mm2	Z	0.001	-	-	-	-	-
8622	PRE N/mm2	Z	0.001	-	-	-	-	-
8623	PRE N/mm2	Z	0.001	-	-	-	-	-
8624	PRE N/mm2	Z	0.001	-	-	-	-	-
8625	PRE N/mm2	Z	0.001	-	-	-	-	-
8626	PRE N/mm2	Z	0.001	-	-	-	-	-
8627	PRE N/mm2	Z	0.001	-	-	-	-	-
8628	PRE N/mm2	Z	0.001	-	-	-	-	-
8629	PRE N/mm2	Z	0.001	-	-	-	-	-
8630	PRE N/mm2	Z	0.001	-	-	-	-	-
8631	PRE N/mm2	Z	0.001	-	-	-	-	-
8632	PRE N/mm2	Z	0.001	-	-	-	-	-
8633	PRE N/mm2	Z	0.001	-	-	-	-	-
8634	PRE N/mm2	Z	0.001	-	-	-	-	-
8635	PRE N/mm2	Z	0.001	-	-	-	-	-
8636	PRE N/mm2	Z	0.001	-	-	-	-	-
8637	PRE N/mm2	Z	0.001	-	-	-	-	-
8638	PRE N/mm2	Z	0.001	-	-	-	-	-
8639	PRE N/mm2	Z	0.001	-	-	-	-	-
8640	PRE N/mm2	Z	0.001	-	-	-	-	-
8641	PRE N/mm2	Z	0.001	-	-	-	-	-
8642	PRE N/mm2	Z	0.001	-	-	-	-	-
8643	PRE N/mm2	Z	0.001	-	-	-	-	-
8644	PRE N/mm2	Z	0.001	-	-	-	-	-
8645	PRE N/mm2	Z	0.001	-	-	-	-	-
8646	PRE N/mm2	Z	0.001	-	-	-	-	-
8647	PRE N/mm2	Z	0.001	-	-	-	-	-
8648	PRE N/mm2	Z	0.001	-	-	-	-	-
8649	PRE N/mm2	Z	0.001	-	-	-	-	-
8650	PRE N/mm2	Z	0.001	-	-	-	-	-
8651	PRE N/mm2	Z	0.001	-	-	-	-	-
8652	PRE N/mm2	Z	0.001	-	-	-	-	-
8653	PRE N/mm2	Z	0.001	-	-	-	-	-
8654	PRE N/mm2	Z	0.001	-	-	-	-	-
8655	PRE N/mm2	Z	0.001	-	-	-	-	-
8656	PRE N/mm2	Z	0.001	-	-	-	-	-
8657	PRE N/mm2	Z	0.001	-	-	-	-	-
8658	PRE N/mm2	Z	0.001	-	-	-	-	-
8659	PRE N/mm2	Z	0.001	-	-	-	-	-
8660	PRE N/mm2	Z	0.001	-	-	-	-	-
8661	PRE N/mm2	Z	0.001	-	-	-	-	-
8662	PRE N/mm2	Z	0.001	-	-	-	-	-
8663	PRE N/mm2	Z	0.001	-	-	-	-	-
8664	PRE N/mm2	Z	0.001	-	-	-	-	-
8665	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8666	PRE N/mm2	Z	0.001	-	-	-	-	-
8667	PRE N/mm2	Z	0.001	-	-	-	-	-
8668	PRE N/mm2	Z	0.001	-	-	-	-	-
8669	PRE N/mm2	Z	0.001	-	-	-	-	-
8670	PRE N/mm2	Z	0.001	-	-	-	-	-
8671	PRE N/mm2	Z	0.001	-	-	-	-	-
8672	PRE N/mm2	Z	0.001	-	-	-	-	-
8673	PRE N/mm2	Z	0.001	-	-	-	-	-
8674	PRE N/mm2	Z	0.001	-	-	-	-	-
8675	PRE N/mm2	Z	0.001	-	-	-	-	-
8676	PRE N/mm2	Z	0.001	-	-	-	-	-
8677	PRE N/mm2	Z	0.001	-	-	-	-	-
8678	PRE N/mm2	Z	0.001	-	-	-	-	-
8679	PRE N/mm2	Z	0.001	-	-	-	-	-
8680	PRE N/mm2	Z	0.001	-	-	-	-	-
8681	PRE N/mm2	Z	0.001	-	-	-	-	-
8682	PRE N/mm2	Z	0.001	-	-	-	-	-
8683	PRE N/mm2	Z	0.001	-	-	-	-	-
8684	PRE N/mm2	Z	0.001	-	-	-	-	-
8685	PRE N/mm2	Z	0.001	-	-	-	-	-
8686	PRE N/mm2	Z	0.001	-	-	-	-	-
8687	PRE N/mm2	Z	0.001	-	-	-	-	-
8688	PRE N/mm2	Z	0.001	-	-	-	-	-
8689	PRE N/mm2	Z	0.001	-	-	-	-	-
8690	PRE N/mm2	Z	0.001	-	-	-	-	-
8691	PRE N/mm2	Z	0.001	-	-	-	-	-
8692	PRE N/mm2	Z	0.001	-	-	-	-	-
8693	PRE N/mm2	Z	0.001	-	-	-	-	-
8694	PRE N/mm2	Z	0.001	-	-	-	-	-
8695	PRE N/mm2	Z	0.001	-	-	-	-	-
8696	PRE N/mm2	Z	0.001	-	-	-	-	-
8697	PRE N/mm2	Z	0.001	-	-	-	-	-
8698	PRE N/mm2	Z	0.001	-	-	-	-	-
8699	PRE N/mm2	Z	0.001	-	-	-	-	-
8780	PRE N/mm2	Z	0.001	-	-	-	-	-
8781	PRE N/mm2	Z	0.001	-	-	-	-	-
8782	PRE N/mm2	Z	0.001	-	-	-	-	-
8783	PRE N/mm2	Z	0.001	-	-	-	-	-
8784	PRE N/mm2	Z	0.001	-	-	-	-	-
8785	PRE N/mm2	Z	0.001	-	-	-	-	-
8786	PRE N/mm2	Z	0.001	-	-	-	-	-
8787	PRE N/mm2	Z	0.001	-	-	-	-	-
8788	PRE N/mm2	Z	0.001	-	-	-	-	-
8789	PRE N/mm2	Z	0.001	-	-	-	-	-
8790	PRE N/mm2	Z	0.001	-	-	-	-	-
8791	PRE N/mm2	Z	0.001	-	-	-	-	-
8792	PRE N/mm2	Z	0.001	-	-	-	-	-
8793	PRE N/mm2	Z	0.001	-	-	-	-	-
8794	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8795	PRE N/mm2	Z	0.001	-	-	-	-	-
8796	PRE N/mm2	Z	0.001	-	-	-	-	-
8797	PRE N/mm2	Z	0.001	-	-	-	-	-
8798	PRE N/mm2	Z	0.001	-	-	-	-	-
8799	PRE N/mm2	Z	0.001	-	-	-	-	-
8800	PRE N/mm2	Z	0.001	-	-	-	-	-
8801	PRE N/mm2	Z	0.001	-	-	-	-	-
8802	PRE N/mm2	Z	0.001	-	-	-	-	-
8803	PRE N/mm2	Z	0.001	-	-	-	-	-
8804	PRE N/mm2	Z	0.001	-	-	-	-	-
8805	PRE N/mm2	Z	0.001	-	-	-	-	-
8806	PRE N/mm2	Z	0.001	-	-	-	-	-
8807	PRE N/mm2	Z	0.001	-	-	-	-	-
8808	PRE N/mm2	Z	0.001	-	-	-	-	-
8809	PRE N/mm2	Z	0.001	-	-	-	-	-
8810	PRE N/mm2	Z	0.001	-	-	-	-	-
8811	PRE N/mm2	Z	0.001	-	-	-	-	-
8812	PRE N/mm2	Z	0.001	-	-	-	-	-
8813	PRE N/mm2	Z	0.001	-	-	-	-	-
8814	PRE N/mm2	Z	0.001	-	-	-	-	-
8815	PRE N/mm2	Z	0.001	-	-	-	-	-
8816	PRE N/mm2	Z	0.001	-	-	-	-	-
8817	PRE N/mm2	Z	0.001	-	-	-	-	-
8818	PRE N/mm2	Z	0.001	-	-	-	-	-
8819	PRE N/mm2	Z	0.001	-	-	-	-	-
8820	PRE N/mm2	Z	0.001	-	-	-	-	-
8821	PRE N/mm2	Z	0.001	-	-	-	-	-
8822	PRE N/mm2	Z	0.001	-	-	-	-	-
8823	PRE N/mm2	Z	0.001	-	-	-	-	-
8824	PRE N/mm2	Z	0.001	-	-	-	-	-
8825	PRE N/mm2	Z	0.001	-	-	-	-	-
8826	PRE N/mm2	Z	0.001	-	-	-	-	-
8827	PRE N/mm2	Z	0.001	-	-	-	-	-
8828	PRE N/mm2	Z	0.001	-	-	-	-	-
8829	PRE N/mm2	Z	0.001	-	-	-	-	-
8830	PRE N/mm2	Z	0.001	-	-	-	-	-
8831	PRE N/mm2	Z	0.001	-	-	-	-	-
8832	PRE N/mm2	Z	0.001	-	-	-	-	-
8833	PRE N/mm2	Z	0.001	-	-	-	-	-
8834	PRE N/mm2	Z	0.001	-	-	-	-	-
8835	PRE N/mm2	Z	0.001	-	-	-	-	-
8836	PRE N/mm2	Z	0.001	-	-	-	-	-
8837	PRE N/mm2	Z	0.001	-	-	-	-	-
8838	PRE N/mm2	Z	0.001	-	-	-	-	-
8839	PRE N/mm2	Z	0.001	-	-	-	-	-
8840	PRE N/mm2	Z	0.001	-	-	-	-	-
8841	PRE N/mm2	Z	0.001	-	-	-	-	-
8842	PRE N/mm2	Z	0.001	-	-	-	-	-
8843	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8844	PRE N/mm2	Z	0.001	-	-	-	-	-
8845	PRE N/mm2	Z	0.001	-	-	-	-	-
8846	PRE N/mm2	Z	0.001	-	-	-	-	-
8847	PRE N/mm2	Z	0.001	-	-	-	-	-
8848	PRE N/mm2	Z	0.001	-	-	-	-	-
8849	PRE N/mm2	Z	0.001	-	-	-	-	-
8850	PRE N/mm2	Z	0.001	-	-	-	-	-
8851	PRE N/mm2	Z	0.001	-	-	-	-	-
8852	PRE N/mm2	Z	0.001	-	-	-	-	-
8853	PRE N/mm2	Z	0.001	-	-	-	-	-
8854	PRE N/mm2	Z	0.001	-	-	-	-	-
8855	PRE N/mm2	Z	0.001	-	-	-	-	-
8856	PRE N/mm2	Z	0.001	-	-	-	-	-
8857	PRE N/mm2	Z	0.001	-	-	-	-	-
8938	PRE N/mm2	Z	0.001	-	-	-	-	-
8939	PRE N/mm2	Z	0.001	-	-	-	-	-
8940	PRE N/mm2	Z	0.001	-	-	-	-	-
8941	PRE N/mm2	Z	0.001	-	-	-	-	-
8942	PRE N/mm2	Z	0.001	-	-	-	-	-
8943	PRE N/mm2	Z	0.001	-	-	-	-	-
8944	PRE N/mm2	Z	0.001	-	-	-	-	-
8945	PRE N/mm2	Z	0.001	-	-	-	-	-
8946	PRE N/mm2	Z	0.001	-	-	-	-	-
8947	PRE N/mm2	Z	0.001	-	-	-	-	-
8948	PRE N/mm2	Z	0.001	-	-	-	-	-
8949	PRE N/mm2	Z	0.001	-	-	-	-	-
8950	PRE N/mm2	Z	0.001	-	-	-	-	-
8951	PRE N/mm2	Z	0.001	-	-	-	-	-
8952	PRE N/mm2	Z	0.001	-	-	-	-	-
8953	PRE N/mm2	Z	0.001	-	-	-	-	-
8954	PRE N/mm2	Z	0.001	-	-	-	-	-
8955	PRE N/mm2	Z	0.001	-	-	-	-	-
8956	PRE N/mm2	Z	0.001	-	-	-	-	-
8957	PRE N/mm2	Z	0.001	-	-	-	-	-
8958	PRE N/mm2	Z	0.001	-	-	-	-	-
8959	PRE N/mm2	Z	0.001	-	-	-	-	-
8960	PRE N/mm2	Z	0.001	-	-	-	-	-
8961	PRE N/mm2	Z	0.001	-	-	-	-	-
8962	PRE N/mm2	Z	0.001	-	-	-	-	-
8963	PRE N/mm2	Z	0.001	-	-	-	-	-
8964	PRE N/mm2	Z	0.001	-	-	-	-	-
8965	PRE N/mm2	Z	0.001	-	-	-	-	-
8966	PRE N/mm2	Z	0.001	-	-	-	-	-
8967	PRE N/mm2	Z	0.001	-	-	-	-	-
8968	PRE N/mm2	Z	0.001	-	-	-	-	-
8969	PRE N/mm2	Z	0.001	-	-	-	-	-
8970	PRE N/mm2	Z	0.001	-	-	-	-	-
8971	PRE N/mm2	Z	0.001	-	-	-	-	-
8972	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
8973	PRE N/mm2	Z	0.001	-	-	-	-	-
8974	PRE N/mm2	Z	0.001	-	-	-	-	-
8975	PRE N/mm2	Z	0.001	-	-	-	-	-
8976	PRE N/mm2	Z	0.001	-	-	-	-	-
8977	PRE N/mm2	Z	0.001	-	-	-	-	-
8978	PRE N/mm2	Z	0.001	-	-	-	-	-
8979	PRE N/mm2	Z	0.001	-	-	-	-	-
8980	PRE N/mm2	Z	0.001	-	-	-	-	-
8981	PRE N/mm2	Z	0.001	-	-	-	-	-
8982	PRE N/mm2	Z	0.001	-	-	-	-	-
8983	PRE N/mm2	Z	0.001	-	-	-	-	-
8984	PRE N/mm2	Z	0.001	-	-	-	-	-
8985	PRE N/mm2	Z	0.001	-	-	-	-	-
8986	PRE N/mm2	Z	0.001	-	-	-	-	-
8987	PRE N/mm2	Z	0.001	-	-	-	-	-
8988	PRE N/mm2	Z	0.001	-	-	-	-	-
8989	PRE N/mm2	Z	0.001	-	-	-	-	-
8990	PRE N/mm2	Z	0.001	-	-	-	-	-
8991	PRE N/mm2	Z	0.001	-	-	-	-	-
8992	PRE N/mm2	Z	0.001	-	-	-	-	-
8993	PRE N/mm2	Z	0.001	-	-	-	-	-
8994	PRE N/mm2	Z	0.001	-	-	-	-	-
8995	PRE N/mm2	Z	0.001	-	-	-	-	-
8996	PRE N/mm2	Z	0.001	-	-	-	-	-
8997	PRE N/mm2	Z	0.001	-	-	-	-	-
8998	PRE N/mm2	Z	0.001	-	-	-	-	-
8999	PRE N/mm2	Z	0.001	-	-	-	-	-
9000	PRE N/mm2	Z	0.001	-	-	-	-	-
9001	PRE N/mm2	Z	0.001	-	-	-	-	-
9002	PRE N/mm2	Z	0.001	-	-	-	-	-
9003	PRE N/mm2	Z	0.001	-	-	-	-	-
9004	PRE N/mm2	Z	0.001	-	-	-	-	-
9005	PRE N/mm2	Z	0.001	-	-	-	-	-
9006	PRE N/mm2	Z	0.001	-	-	-	-	-
9007	PRE N/mm2	Z	0.001	-	-	-	-	-
9008	PRE N/mm2	Z	0.001	-	-	-	-	-
9009	PRE N/mm2	Z	0.001	-	-	-	-	-
9010	PRE N/mm2	Z	0.001	-	-	-	-	-
9011	PRE N/mm2	Z	0.001	-	-	-	-	-
9012	PRE N/mm2	Z	0.001	-	-	-	-	-
9013	PRE N/mm2	Z	0.001	-	-	-	-	-
9014	PRE N/mm2	Z	0.001	-	-	-	-	-
9015	PRE N/mm2	Z	0.001	-	-	-	-	-
9086	PRE N/mm2	Z	0.001	-	-	-	-	-
9087	PRE N/mm2	Z	0.001	-	-	-	-	-
9088	PRE N/mm2	Z	0.001	-	-	-	-	-
9089	PRE N/mm2	Z	0.001	-	-	-	-	-
9090	PRE N/mm2	Z	0.001	-	-	-	-	-
9091	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9092	PRE N/mm2	Z	0.001	-	-	-	-	-
9093	PRE N/mm2	Z	0.001	-	-	-	-	-
9094	PRE N/mm2	Z	0.001	-	-	-	-	-
9095	PRE N/mm2	Z	0.001	-	-	-	-	-
9096	PRE N/mm2	Z	0.001	-	-	-	-	-
9097	PRE N/mm2	Z	0.001	-	-	-	-	-
9098	PRE N/mm2	Z	0.001	-	-	-	-	-
9099	PRE N/mm2	Z	0.001	-	-	-	-	-
9100	PRE N/mm2	Z	0.001	-	-	-	-	-
9101	PRE N/mm2	Z	0.001	-	-	-	-	-
9102	PRE N/mm2	Z	0.001	-	-	-	-	-
9103	PRE N/mm2	Z	0.001	-	-	-	-	-
9104	PRE N/mm2	Z	0.001	-	-	-	-	-
9105	PRE N/mm2	Z	0.001	-	-	-	-	-
9106	PRE N/mm2	Z	0.001	-	-	-	-	-
9107	PRE N/mm2	Z	0.001	-	-	-	-	-
9108	PRE N/mm2	Z	0.001	-	-	-	-	-
9109	PRE N/mm2	Z	0.001	-	-	-	-	-
9110	PRE N/mm2	Z	0.001	-	-	-	-	-
9111	PRE N/mm2	Z	0.001	-	-	-	-	-
9112	PRE N/mm2	Z	0.001	-	-	-	-	-
9113	PRE N/mm2	Z	0.001	-	-	-	-	-
9114	PRE N/mm2	Z	0.001	-	-	-	-	-
9115	PRE N/mm2	Z	0.001	-	-	-	-	-
9116	PRE N/mm2	Z	0.001	-	-	-	-	-
9117	PRE N/mm2	Z	0.001	-	-	-	-	-
9118	PRE N/mm2	Z	0.001	-	-	-	-	-
9119	PRE N/mm2	Z	0.001	-	-	-	-	-
9120	PRE N/mm2	Z	0.001	-	-	-	-	-
9121	PRE N/mm2	Z	0.001	-	-	-	-	-
9122	PRE N/mm2	Z	0.001	-	-	-	-	-
9123	PRE N/mm2	Z	0.001	-	-	-	-	-
9124	PRE N/mm2	Z	0.001	-	-	-	-	-
9125	PRE N/mm2	Z	0.001	-	-	-	-	-
9126	PRE N/mm2	Z	0.001	-	-	-	-	-
9127	PRE N/mm2	Z	0.001	-	-	-	-	-
9128	PRE N/mm2	Z	0.001	-	-	-	-	-
9129	PRE N/mm2	Z	0.001	-	-	-	-	-
9130	PRE N/mm2	Z	0.001	-	-	-	-	-
9131	PRE N/mm2	Z	0.001	-	-	-	-	-
9132	PRE N/mm2	Z	0.001	-	-	-	-	-
9133	PRE N/mm2	Z	0.001	-	-	-	-	-
9134	PRE N/mm2	Z	0.001	-	-	-	-	-
9135	PRE N/mm2	Z	0.001	-	-	-	-	-
9136	PRE N/mm2	Z	0.001	-	-	-	-	-
9137	PRE N/mm2	Z	0.001	-	-	-	-	-
9138	PRE N/mm2	Z	0.001	-	-	-	-	-
9139	PRE N/mm2	Z	0.001	-	-	-	-	-
9140	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9141	PRE N/mm2	Z	0.001	-	-	-	-	-
9142	PRE N/mm2	Z	0.001	-	-	-	-	-
9143	PRE N/mm2	Z	0.001	-	-	-	-	-
9144	PRE N/mm2	Z	0.001	-	-	-	-	-
9145	PRE N/mm2	Z	0.001	-	-	-	-	-
9146	PRE N/mm2	Z	0.001	-	-	-	-	-
9147	PRE N/mm2	Z	0.001	-	-	-	-	-
9148	PRE N/mm2	Z	0.001	-	-	-	-	-
9149	PRE N/mm2	Z	0.001	-	-	-	-	-
9150	PRE N/mm2	Z	0.001	-	-	-	-	-
9151	PRE N/mm2	Z	0.001	-	-	-	-	-
9152	PRE N/mm2	Z	0.001	-	-	-	-	-
9153	PRE N/mm2	Z	0.001	-	-	-	-	-
9154	PRE N/mm2	Z	0.001	-	-	-	-	-
9155	PRE N/mm2	Z	0.001	-	-	-	-	-
9156	PRE N/mm2	Z	0.001	-	-	-	-	-
9157	PRE N/mm2	Z	0.001	-	-	-	-	-
9158	PRE N/mm2	Z	0.001	-	-	-	-	-
9159	PRE N/mm2	Z	0.001	-	-	-	-	-
9160	PRE N/mm2	Z	0.001	-	-	-	-	-
9161	PRE N/mm2	Z	0.001	-	-	-	-	-
9162	PRE N/mm2	Z	0.001	-	-	-	-	-
9163	PRE N/mm2	Z	0.001	-	-	-	-	-
9234	PRE N/mm2	Z	0.001	-	-	-	-	-
9235	PRE N/mm2	Z	0.001	-	-	-	-	-
9236	PRE N/mm2	Z	0.001	-	-	-	-	-
9237	PRE N/mm2	Z	0.001	-	-	-	-	-
9238	PRE N/mm2	Z	0.001	-	-	-	-	-
9239	PRE N/mm2	Z	0.001	-	-	-	-	-
9240	PRE N/mm2	Z	0.001	-	-	-	-	-
9241	PRE N/mm2	Z	0.001	-	-	-	-	-
9242	PRE N/mm2	Z	0.001	-	-	-	-	-
9243	PRE N/mm2	Z	0.001	-	-	-	-	-
9244	PRE N/mm2	Z	0.001	-	-	-	-	-
9245	PRE N/mm2	Z	0.001	-	-	-	-	-
9246	PRE N/mm2	Z	0.001	-	-	-	-	-
9247	PRE N/mm2	Z	0.001	-	-	-	-	-
9248	PRE N/mm2	Z	0.001	-	-	-	-	-
9249	PRE N/mm2	Z	0.001	-	-	-	-	-
9250	PRE N/mm2	Z	0.001	-	-	-	-	-
9251	PRE N/mm2	Z	0.001	-	-	-	-	-
9252	PRE N/mm2	Z	0.001	-	-	-	-	-
9253	PRE N/mm2	Z	0.001	-	-	-	-	-
9254	PRE N/mm2	Z	0.001	-	-	-	-	-
9255	PRE N/mm2	Z	0.001	-	-	-	-	-
9256	PRE N/mm2	Z	0.001	-	-	-	-	-
9257	PRE N/mm2	Z	0.001	-	-	-	-	-
9258	PRE N/mm2	Z	0.001	-	-	-	-	-
9259	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9260	PRE N/mm2	Z	0.001	-	-	-	-	-
9261	PRE N/mm2	Z	0.001	-	-	-	-	-
9262	PRE N/mm2	Z	0.001	-	-	-	-	-
9263	PRE N/mm2	Z	0.001	-	-	-	-	-
9264	PRE N/mm2	Z	0.001	-	-	-	-	-
9265	PRE N/mm2	Z	0.001	-	-	-	-	-
9266	PRE N/mm2	Z	0.001	-	-	-	-	-
9267	PRE N/mm2	Z	0.001	-	-	-	-	-
9268	PRE N/mm2	Z	0.001	-	-	-	-	-
9269	PRE N/mm2	Z	0.001	-	-	-	-	-
9270	PRE N/mm2	Z	0.001	-	-	-	-	-
9271	PRE N/mm2	Z	0.001	-	-	-	-	-
9272	PRE N/mm2	Z	0.001	-	-	-	-	-
9273	PRE N/mm2	Z	0.001	-	-	-	-	-
9274	PRE N/mm2	Z	0.001	-	-	-	-	-
9275	PRE N/mm2	Z	0.001	-	-	-	-	-
9276	PRE N/mm2	Z	0.001	-	-	-	-	-
9277	PRE N/mm2	Z	0.001	-	-	-	-	-
9278	PRE N/mm2	Z	0.001	-	-	-	-	-
9279	PRE N/mm2	Z	0.001	-	-	-	-	-
9280	PRE N/mm2	Z	0.001	-	-	-	-	-
9281	PRE N/mm2	Z	0.001	-	-	-	-	-
9282	PRE N/mm2	Z	0.001	-	-	-	-	-
9283	PRE N/mm2	Z	0.001	-	-	-	-	-
9284	PRE N/mm2	Z	0.001	-	-	-	-	-
9285	PRE N/mm2	Z	0.001	-	-	-	-	-
9286	PRE N/mm2	Z	0.001	-	-	-	-	-
9287	PRE N/mm2	Z	0.001	-	-	-	-	-
9288	PRE N/mm2	Z	0.001	-	-	-	-	-
9289	PRE N/mm2	Z	0.001	-	-	-	-	-
9290	PRE N/mm2	Z	0.001	-	-	-	-	-
9291	PRE N/mm2	Z	0.001	-	-	-	-	-
9292	PRE N/mm2	Z	0.001	-	-	-	-	-
9293	PRE N/mm2	Z	0.001	-	-	-	-	-
9294	PRE N/mm2	Z	0.001	-	-	-	-	-
9295	PRE N/mm2	Z	0.001	-	-	-	-	-
9296	PRE N/mm2	Z	0.001	-	-	-	-	-
9297	PRE N/mm2	Z	0.001	-	-	-	-	-
9298	PRE N/mm2	Z	0.001	-	-	-	-	-
9299	PRE N/mm2	Z	0.001	-	-	-	-	-
9300	PRE N/mm2	Z	0.001	-	-	-	-	-
9301	PRE N/mm2	Z	0.001	-	-	-	-	-
9302	PRE N/mm2	Z	0.001	-	-	-	-	-
9303	PRE N/mm2	Z	0.001	-	-	-	-	-
9304	PRE N/mm2	Z	0.001	-	-	-	-	-
9305	PRE N/mm2	Z	0.001	-	-	-	-	-
9306	PRE N/mm2	Z	0.001	-	-	-	-	-
9307	PRE N/mm2	Z	0.001	-	-	-	-	-
9308	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9309	PRE N/mm2	Z	0.001	-	-	-	-	-
9310	PRE N/mm2	Z	0.001	-	-	-	-	-
9311	PRE N/mm2	Z	0.001	-	-	-	-	-
9372	PRE N/mm2	Z	0.001	-	-	-	-	-
9373	PRE N/mm2	Z	0.001	-	-	-	-	-
9374	PRE N/mm2	Z	0.001	-	-	-	-	-
9375	PRE N/mm2	Z	0.001	-	-	-	-	-
9376	PRE N/mm2	Z	0.001	-	-	-	-	-
9377	PRE N/mm2	Z	0.001	-	-	-	-	-
9378	PRE N/mm2	Z	0.001	-	-	-	-	-
9379	PRE N/mm2	Z	0.001	-	-	-	-	-
9380	PRE N/mm2	Z	0.001	-	-	-	-	-
9381	PRE N/mm2	Z	0.001	-	-	-	-	-
9382	PRE N/mm2	Z	0.001	-	-	-	-	-
9383	PRE N/mm2	Z	0.001	-	-	-	-	-
9384	PRE N/mm2	Z	0.001	-	-	-	-	-
9385	PRE N/mm2	Z	0.001	-	-	-	-	-
9386	PRE N/mm2	Z	0.001	-	-	-	-	-
9387	PRE N/mm2	Z	0.001	-	-	-	-	-
9388	PRE N/mm2	Z	0.001	-	-	-	-	-
9389	PRE N/mm2	Z	0.001	-	-	-	-	-
9390	PRE N/mm2	Z	0.001	-	-	-	-	-
9391	PRE N/mm2	Z	0.001	-	-	-	-	-
9392	PRE N/mm2	Z	0.001	-	-	-	-	-
9393	PRE N/mm2	Z	0.001	-	-	-	-	-
9394	PRE N/mm2	Z	0.001	-	-	-	-	-
9395	PRE N/mm2	Z	0.001	-	-	-	-	-
9396	PRE N/mm2	Z	0.001	-	-	-	-	-
9397	PRE N/mm2	Z	0.001	-	-	-	-	-
9398	PRE N/mm2	Z	0.001	-	-	-	-	-
9399	PRE N/mm2	Z	0.001	-	-	-	-	-
9400	PRE N/mm2	Z	0.001	-	-	-	-	-
9401	PRE N/mm2	Z	0.001	-	-	-	-	-
9402	PRE N/mm2	Z	0.001	-	-	-	-	-
9403	PRE N/mm2	Z	0.001	-	-	-	-	-
9404	PRE N/mm2	Z	0.001	-	-	-	-	-
9405	PRE N/mm2	Z	0.001	-	-	-	-	-
9406	PRE N/mm2	Z	0.001	-	-	-	-	-
9407	PRE N/mm2	Z	0.001	-	-	-	-	-
9408	PRE N/mm2	Z	0.001	-	-	-	-	-
9409	PRE N/mm2	Z	0.001	-	-	-	-	-
9410	PRE N/mm2	Z	0.001	-	-	-	-	-
9411	PRE N/mm2	Z	0.001	-	-	-	-	-
9412	PRE N/mm2	Z	0.001	-	-	-	-	-
9413	PRE N/mm2	Z	0.001	-	-	-	-	-
9414	PRE N/mm2	Z	0.001	-	-	-	-	-
9415	PRE N/mm2	Z	0.001	-	-	-	-	-
9416	PRE N/mm2	Z	0.001	-	-	-	-	-
9417	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9418	PRE N/mm2	Z	0.001	-	-	-	-	-
9419	PRE N/mm2	Z	0.001	-	-	-	-	-
9420	PRE N/mm2	Z	0.001	-	-	-	-	-
9421	PRE N/mm2	Z	0.001	-	-	-	-	-
9422	PRE N/mm2	Z	0.001	-	-	-	-	-
9423	PRE N/mm2	Z	0.001	-	-	-	-	-
9424	PRE N/mm2	Z	0.001	-	-	-	-	-
9425	PRE N/mm2	Z	0.001	-	-	-	-	-
9426	PRE N/mm2	Z	0.001	-	-	-	-	-
9427	PRE N/mm2	Z	0.001	-	-	-	-	-
9428	PRE N/mm2	Z	0.001	-	-	-	-	-
9429	PRE N/mm2	Z	0.001	-	-	-	-	-
9430	PRE N/mm2	Z	0.001	-	-	-	-	-
9431	PRE N/mm2	Z	0.001	-	-	-	-	-
9432	PRE N/mm2	Z	0.001	-	-	-	-	-
9433	PRE N/mm2	Z	0.001	-	-	-	-	-
9434	PRE N/mm2	Z	0.001	-	-	-	-	-
9435	PRE N/mm2	Z	0.001	-	-	-	-	-
9436	PRE N/mm2	Z	0.001	-	-	-	-	-
9437	PRE N/mm2	Z	0.001	-	-	-	-	-
9438	PRE N/mm2	Z	0.001	-	-	-	-	-
9439	PRE N/mm2	Z	0.001	-	-	-	-	-
9440	PRE N/mm2	Z	0.001	-	-	-	-	-
9441	PRE N/mm2	Z	0.001	-	-	-	-	-
9442	PRE N/mm2	Z	0.001	-	-	-	-	-
9443	PRE N/mm2	Z	0.001	-	-	-	-	-
9444	PRE N/mm2	Z	0.001	-	-	-	-	-
9445	PRE N/mm2	Z	0.001	-	-	-	-	-
9446	PRE N/mm2	Z	0.001	-	-	-	-	-
9447	PRE N/mm2	Z	0.001	-	-	-	-	-
9448	PRE N/mm2	Z	0.001	-	-	-	-	-
9449	PRE N/mm2	Z	0.001	-	-	-	-	-
9510	PRE N/mm2	Z	0.001	-	-	-	-	-
9511	PRE N/mm2	Z	0.001	-	-	-	-	-
9512	PRE N/mm2	Z	0.001	-	-	-	-	-
9513	PRE N/mm2	Z	0.001	-	-	-	-	-
9514	PRE N/mm2	Z	0.001	-	-	-	-	-
9515	PRE N/mm2	Z	0.001	-	-	-	-	-
9516	PRE N/mm2	Z	0.001	-	-	-	-	-
9517	PRE N/mm2	Z	0.001	-	-	-	-	-
9518	PRE N/mm2	Z	0.001	-	-	-	-	-
9519	PRE N/mm2	Z	0.001	-	-	-	-	-
9520	PRE N/mm2	Z	0.001	-	-	-	-	-
9521	PRE N/mm2	Z	0.001	-	-	-	-	-
9522	PRE N/mm2	Z	0.001	-	-	-	-	-
9523	PRE N/mm2	Z	0.001	-	-	-	-	-
9524	PRE N/mm2	Z	0.001	-	-	-	-	-
9525	PRE N/mm2	Z	0.001	-	-	-	-	-
9526	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9527	PRE N/mm2	Z	0.001	-	-	-	-	-
9528	PRE N/mm2	Z	0.001	-	-	-	-	-
9529	PRE N/mm2	Z	0.001	-	-	-	-	-
9530	PRE N/mm2	Z	0.001	-	-	-	-	-
9531	PRE N/mm2	Z	0.001	-	-	-	-	-
9532	PRE N/mm2	Z	0.001	-	-	-	-	-
9533	PRE N/mm2	Z	0.001	-	-	-	-	-
9534	PRE N/mm2	Z	0.001	-	-	-	-	-
9535	PRE N/mm2	Z	0.001	-	-	-	-	-
9536	PRE N/mm2	Z	0.001	-	-	-	-	-
9537	PRE N/mm2	Z	0.001	-	-	-	-	-
9538	PRE N/mm2	Z	0.001	-	-	-	-	-
9539	PRE N/mm2	Z	0.001	-	-	-	-	-
9540	PRE N/mm2	Z	0.001	-	-	-	-	-
9541	PRE N/mm2	Z	0.001	-	-	-	-	-
9542	PRE N/mm2	Z	0.001	-	-	-	-	-
9543	PRE N/mm2	Z	0.001	-	-	-	-	-
9544	PRE N/mm2	Z	0.001	-	-	-	-	-
9545	PRE N/mm2	Z	0.001	-	-	-	-	-
9546	PRE N/mm2	Z	0.001	-	-	-	-	-
9547	PRE N/mm2	Z	0.001	-	-	-	-	-
9548	PRE N/mm2	Z	0.001	-	-	-	-	-
9549	PRE N/mm2	Z	0.001	-	-	-	-	-
9550	PRE N/mm2	Z	0.001	-	-	-	-	-
9551	PRE N/mm2	Z	0.001	-	-	-	-	-
9552	PRE N/mm2	Z	0.001	-	-	-	-	-
9553	PRE N/mm2	Z	0.001	-	-	-	-	-
9554	PRE N/mm2	Z	0.001	-	-	-	-	-
9555	PRE N/mm2	Z	0.001	-	-	-	-	-
9556	PRE N/mm2	Z	0.001	-	-	-	-	-
9557	PRE N/mm2	Z	0.001	-	-	-	-	-
9558	PRE N/mm2	Z	0.001	-	-	-	-	-
9559	PRE N/mm2	Z	0.001	-	-	-	-	-
9560	PRE N/mm2	Z	0.001	-	-	-	-	-
9561	PRE N/mm2	Z	0.001	-	-	-	-	-
9562	PRE N/mm2	Z	0.001	-	-	-	-	-
9563	PRE N/mm2	Z	0.001	-	-	-	-	-
9564	PRE N/mm2	Z	0.001	-	-	-	-	-
9565	PRE N/mm2	Z	0.001	-	-	-	-	-
9566	PRE N/mm2	Z	0.001	-	-	-	-	-
9567	PRE N/mm2	Z	0.001	-	-	-	-	-
9568	PRE N/mm2	Z	0.001	-	-	-	-	-
9569	PRE N/mm2	Z	0.001	-	-	-	-	-
9570	PRE N/mm2	Z	0.001	-	-	-	-	-
9571	PRE N/mm2	Z	0.001	-	-	-	-	-
9572	PRE N/mm2	Z	0.001	-	-	-	-	-
9573	PRE N/mm2	Z	0.001	-	-	-	-	-
9574	PRE N/mm2	Z	0.001	-	-	-	-	-
9575	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9576	PRE N/mm2	Z	0.001	-	-	-	-	-
9577	PRE N/mm2	Z	0.001	-	-	-	-	-
9578	PRE N/mm2	Z	0.001	-	-	-	-	-
9579	PRE N/mm2	Z	0.001	-	-	-	-	-
9580	PRE N/mm2	Z	0.001	-	-	-	-	-
9581	PRE N/mm2	Z	0.001	-	-	-	-	-
9582	PRE N/mm2	Z	0.001	-	-	-	-	-
9583	PRE N/mm2	Z	0.001	-	-	-	-	-
9584	PRE N/mm2	Z	0.001	-	-	-	-	-
9585	PRE N/mm2	Z	0.001	-	-	-	-	-
9586	PRE N/mm2	Z	0.001	-	-	-	-	-
9587	PRE N/mm2	Z	0.001	-	-	-	-	-
9638	PRE N/mm2	Z	0.001	-	-	-	-	-
9639	PRE N/mm2	Z	0.001	-	-	-	-	-
9640	PRE N/mm2	Z	0.001	-	-	-	-	-
9641	PRE N/mm2	Z	0.001	-	-	-	-	-
9642	PRE N/mm2	Z	0.001	-	-	-	-	-
9643	PRE N/mm2	Z	0.001	-	-	-	-	-
9644	PRE N/mm2	Z	0.001	-	-	-	-	-
9645	PRE N/mm2	Z	0.001	-	-	-	-	-
9646	PRE N/mm2	Z	0.001	-	-	-	-	-
9647	PRE N/mm2	Z	0.001	-	-	-	-	-
9648	PRE N/mm2	Z	0.001	-	-	-	-	-
9649	PRE N/mm2	Z	0.001	-	-	-	-	-
9650	PRE N/mm2	Z	0.001	-	-	-	-	-
9651	PRE N/mm2	Z	0.001	-	-	-	-	-
9652	PRE N/mm2	Z	0.001	-	-	-	-	-
9653	PRE N/mm2	Z	0.001	-	-	-	-	-
9654	PRE N/mm2	Z	0.001	-	-	-	-	-
9655	PRE N/mm2	Z	0.001	-	-	-	-	-
9656	PRE N/mm2	Z	0.001	-	-	-	-	-
9657	PRE N/mm2	Z	0.001	-	-	-	-	-
9658	PRE N/mm2	Z	0.001	-	-	-	-	-
9659	PRE N/mm2	Z	0.001	-	-	-	-	-
9660	PRE N/mm2	Z	0.001	-	-	-	-	-
9661	PRE N/mm2	Z	0.001	-	-	-	-	-
9662	PRE N/mm2	Z	0.001	-	-	-	-	-
9663	PRE N/mm2	Z	0.001	-	-	-	-	-
9664	PRE N/mm2	Z	0.001	-	-	-	-	-
9665	PRE N/mm2	Z	0.001	-	-	-	-	-
9666	PRE N/mm2	Z	0.001	-	-	-	-	-
9667	PRE N/mm2	Z	0.001	-	-	-	-	-
9668	PRE N/mm2	Z	0.001	-	-	-	-	-
9669	PRE N/mm2	Z	0.001	-	-	-	-	-
9670	PRE N/mm2	Z	0.001	-	-	-	-	-
9671	PRE N/mm2	Z	0.001	-	-	-	-	-
9672	PRE N/mm2	Z	0.001	-	-	-	-	-
9673	PRE N/mm2	Z	0.001	-	-	-	-	-
9674	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9675	PRE N/mm2	Z	0.001	-	-	-	-	-
9676	PRE N/mm2	Z	0.001	-	-	-	-	-
9677	PRE N/mm2	Z	0.001	-	-	-	-	-
9678	PRE N/mm2	Z	0.001	-	-	-	-	-
9679	PRE N/mm2	Z	0.001	-	-	-	-	-
9680	PRE N/mm2	Z	0.001	-	-	-	-	-
9681	PRE N/mm2	Z	0.001	-	-	-	-	-
9682	PRE N/mm2	Z	0.001	-	-	-	-	-
9683	PRE N/mm2	Z	0.001	-	-	-	-	-
9684	PRE N/mm2	Z	0.001	-	-	-	-	-
9685	PRE N/mm2	Z	0.001	-	-	-	-	-
9686	PRE N/mm2	Z	0.001	-	-	-	-	-
9687	PRE N/mm2	Z	0.001	-	-	-	-	-
9688	PRE N/mm2	Z	0.001	-	-	-	-	-
9689	PRE N/mm2	Z	0.001	-	-	-	-	-
9690	PRE N/mm2	Z	0.001	-	-	-	-	-
9691	PRE N/mm2	Z	0.001	-	-	-	-	-
9692	PRE N/mm2	Z	0.001	-	-	-	-	-
9693	PRE N/mm2	Z	0.001	-	-	-	-	-
9694	PRE N/mm2	Z	0.001	-	-	-	-	-
9695	PRE N/mm2	Z	0.001	-	-	-	-	-
9696	PRE N/mm2	Z	0.001	-	-	-	-	-
9697	PRE N/mm2	Z	0.001	-	-	-	-	-
9698	PRE N/mm2	Z	0.001	-	-	-	-	-
9699	PRE N/mm2	Z	0.001	-	-	-	-	-
9700	PRE N/mm2	Z	0.001	-	-	-	-	-
9701	PRE N/mm2	Z	0.001	-	-	-	-	-
9702	PRE N/mm2	Z	0.001	-	-	-	-	-
9703	PRE N/mm2	Z	0.001	-	-	-	-	-
9704	PRE N/mm2	Z	0.001	-	-	-	-	-
9705	PRE N/mm2	Z	0.001	-	-	-	-	-
9706	PRE N/mm2	Z	0.001	-	-	-	-	-
9707	PRE N/mm2	Z	0.001	-	-	-	-	-
9708	PRE N/mm2	Z	0.001	-	-	-	-	-
9709	PRE N/mm2	Z	0.001	-	-	-	-	-
9710	PRE N/mm2	Z	0.001	-	-	-	-	-
9711	PRE N/mm2	Z	0.001	-	-	-	-	-
9712	PRE N/mm2	Z	0.001	-	-	-	-	-
9713	PRE N/mm2	Z	0.001	-	-	-	-	-
9714	PRE N/mm2	Z	0.001	-	-	-	-	-
9715	PRE N/mm2	Z	0.001	-	-	-	-	-
9766	PRE N/mm2	Z	0.001	-	-	-	-	-
9767	PRE N/mm2	Z	0.001	-	-	-	-	-
9768	PRE N/mm2	Z	0.001	-	-	-	-	-
9769	PRE N/mm2	Z	0.001	-	-	-	-	-
9770	PRE N/mm2	Z	0.001	-	-	-	-	-
9771	PRE N/mm2	Z	0.001	-	-	-	-	-
9772	PRE N/mm2	Z	0.001	-	-	-	-	-
9773	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9774	PRE N/mm2	Z	0.001	-	-	-	-	-
9775	PRE N/mm2	Z	0.001	-	-	-	-	-
9776	PRE N/mm2	Z	0.001	-	-	-	-	-
9777	PRE N/mm2	Z	0.001	-	-	-	-	-
9778	PRE N/mm2	Z	0.001	-	-	-	-	-
9779	PRE N/mm2	Z	0.001	-	-	-	-	-
9780	PRE N/mm2	Z	0.001	-	-	-	-	-
9781	PRE N/mm2	Z	0.001	-	-	-	-	-
9782	PRE N/mm2	Z	0.001	-	-	-	-	-
9783	PRE N/mm2	Z	0.001	-	-	-	-	-
9784	PRE N/mm2	Z	0.001	-	-	-	-	-
9785	PRE N/mm2	Z	0.001	-	-	-	-	-
9786	PRE N/mm2	Z	0.001	-	-	-	-	-
9787	PRE N/mm2	Z	0.001	-	-	-	-	-
9788	PRE N/mm2	Z	0.001	-	-	-	-	-
9789	PRE N/mm2	Z	0.001	-	-	-	-	-
9790	PRE N/mm2	Z	0.001	-	-	-	-	-
9791	PRE N/mm2	Z	0.001	-	-	-	-	-
9792	PRE N/mm2	Z	0.001	-	-	-	-	-
9793	PRE N/mm2	Z	0.001	-	-	-	-	-
9794	PRE N/mm2	Z	0.001	-	-	-	-	-
9795	PRE N/mm2	Z	0.001	-	-	-	-	-
9796	PRE N/mm2	Z	0.001	-	-	-	-	-
9797	PRE N/mm2	Z	0.001	-	-	-	-	-
9798	PRE N/mm2	Z	0.001	-	-	-	-	-
9799	PRE N/mm2	Z	0.001	-	-	-	-	-
9800	PRE N/mm2	Z	0.001	-	-	-	-	-
9801	PRE N/mm2	Z	0.001	-	-	-	-	-
9802	PRE N/mm2	Z	0.001	-	-	-	-	-
9803	PRE N/mm2	Z	0.001	-	-	-	-	-
9804	PRE N/mm2	Z	0.001	-	-	-	-	-
9805	PRE N/mm2	Z	0.001	-	-	-	-	-
9806	PRE N/mm2	Z	0.001	-	-	-	-	-
9807	PRE N/mm2	Z	0.001	-	-	-	-	-
9808	PRE N/mm2	Z	0.001	-	-	-	-	-
9809	PRE N/mm2	Z	0.001	-	-	-	-	-
9810	PRE N/mm2	Z	0.001	-	-	-	-	-
9811	PRE N/mm2	Z	0.001	-	-	-	-	-
9812	PRE N/mm2	Z	0.001	-	-	-	-	-
9813	PRE N/mm2	Z	0.001	-	-	-	-	-
9814	PRE N/mm2	Z	0.001	-	-	-	-	-
9815	PRE N/mm2	Z	0.001	-	-	-	-	-
9816	PRE N/mm2	Z	0.001	-	-	-	-	-
9817	PRE N/mm2	Z	0.001	-	-	-	-	-
9818	PRE N/mm2	Z	0.001	-	-	-	-	-
9819	PRE N/mm2	Z	0.001	-	-	-	-	-
9820	PRE N/mm2	Z	0.001	-	-	-	-	-
9821	PRE N/mm2	Z	0.001	-	-	-	-	-
9822	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9823	PRE N/mm2	Z	0.001	-	-	-	-	-
9824	PRE N/mm2	Z	0.001	-	-	-	-	-
9825	PRE N/mm2	Z	0.001	-	-	-	-	-
9826	PRE N/mm2	Z	0.001	-	-	-	-	-
9827	PRE N/mm2	Z	0.001	-	-	-	-	-
9828	PRE N/mm2	Z	0.001	-	-	-	-	-
9829	PRE N/mm2	Z	0.001	-	-	-	-	-
9830	PRE N/mm2	Z	0.001	-	-	-	-	-
9831	PRE N/mm2	Z	0.001	-	-	-	-	-
9832	PRE N/mm2	Z	0.001	-	-	-	-	-
9833	PRE N/mm2	Z	0.001	-	-	-	-	-
9834	PRE N/mm2	Z	0.001	-	-	-	-	-
9835	PRE N/mm2	Z	0.001	-	-	-	-	-
9836	PRE N/mm2	Z	0.001	-	-	-	-	-
9837	PRE N/mm2	Z	0.001	-	-	-	-	-
9838	PRE N/mm2	Z	0.001	-	-	-	-	-
9839	PRE N/mm2	Z	0.001	-	-	-	-	-
9840	PRE N/mm2	Z	0.001	-	-	-	-	-
9841	PRE N/mm2	Z	0.001	-	-	-	-	-
9842	PRE N/mm2	Z	0.001	-	-	-	-	-
9843	PRE N/mm2	Z	0.001	-	-	-	-	-
9884	PRE N/mm2	Z	0.001	-	-	-	-	-
9885	PRE N/mm2	Z	0.001	-	-	-	-	-
9886	PRE N/mm2	Z	0.001	-	-	-	-	-
9887	PRE N/mm2	Z	0.001	-	-	-	-	-
9888	PRE N/mm2	Z	0.001	-	-	-	-	-
9889	PRE N/mm2	Z	0.001	-	-	-	-	-
9890	PRE N/mm2	Z	0.001	-	-	-	-	-
9891	PRE N/mm2	Z	0.001	-	-	-	-	-
9892	PRE N/mm2	Z	0.001	-	-	-	-	-
9893	PRE N/mm2	Z	0.001	-	-	-	-	-
9894	PRE N/mm2	Z	0.001	-	-	-	-	-
9895	PRE N/mm2	Z	0.001	-	-	-	-	-
9896	PRE N/mm2	Z	0.001	-	-	-	-	-
9897	PRE N/mm2	Z	0.001	-	-	-	-	-
9898	PRE N/mm2	Z	0.001	-	-	-	-	-
9899	PRE N/mm2	Z	0.001	-	-	-	-	-
9900	PRE N/mm2	Z	0.001	-	-	-	-	-
9901	PRE N/mm2	Z	0.001	-	-	-	-	-
9902	PRE N/mm2	Z	0.001	-	-	-	-	-
9903	PRE N/mm2	Z	0.001	-	-	-	-	-
9904	PRE N/mm2	Z	0.001	-	-	-	-	-
9905	PRE N/mm2	Z	0.001	-	-	-	-	-
9906	PRE N/mm2	Z	0.001	-	-	-	-	-
9907	PRE N/mm2	Z	0.001	-	-	-	-	-
9908	PRE N/mm2	Z	0.001	-	-	-	-	-
9909	PRE N/mm2	Z	0.001	-	-	-	-	-
9910	PRE N/mm2	Z	0.001	-	-	-	-	-
9911	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9912	PRE N/mm2	Z	0.001	-	-	-	-	-
9913	PRE N/mm2	Z	0.001	-	-	-	-	-
9914	PRE N/mm2	Z	0.001	-	-	-	-	-
9915	PRE N/mm2	Z	0.001	-	-	-	-	-
9916	PRE N/mm2	Z	0.001	-	-	-	-	-
9917	PRE N/mm2	Z	0.001	-	-	-	-	-
9918	PRE N/mm2	Z	0.001	-	-	-	-	-
9919	PRE N/mm2	Z	0.001	-	-	-	-	-
9920	PRE N/mm2	Z	0.001	-	-	-	-	-
9921	PRE N/mm2	Z	0.001	-	-	-	-	-
9922	PRE N/mm2	Z	0.001	-	-	-	-	-
9923	PRE N/mm2	Z	0.001	-	-	-	-	-
9924	PRE N/mm2	Z	0.001	-	-	-	-	-
9925	PRE N/mm2	Z	0.001	-	-	-	-	-
9926	PRE N/mm2	Z	0.001	-	-	-	-	-
9927	PRE N/mm2	Z	0.001	-	-	-	-	-
9928	PRE N/mm2	Z	0.001	-	-	-	-	-
9929	PRE N/mm2	Z	0.001	-	-	-	-	-
9930	PRE N/mm2	Z	0.001	-	-	-	-	-
9931	PRE N/mm2	Z	0.001	-	-	-	-	-
9932	PRE N/mm2	Z	0.001	-	-	-	-	-
9933	PRE N/mm2	Z	0.001	-	-	-	-	-
9934	PRE N/mm2	Z	0.001	-	-	-	-	-
9935	PRE N/mm2	Z	0.001	-	-	-	-	-
9936	PRE N/mm2	Z	0.001	-	-	-	-	-
9937	PRE N/mm2	Z	0.001	-	-	-	-	-
9938	PRE N/mm2	Z	0.001	-	-	-	-	-
9939	PRE N/mm2	Z	0.001	-	-	-	-	-
9940	PRE N/mm2	Z	0.001	-	-	-	-	-
9941	PRE N/mm2	Z	0.001	-	-	-	-	-
9942	PRE N/mm2	Z	0.001	-	-	-	-	-
9943	PRE N/mm2	Z	0.001	-	-	-	-	-
9944	PRE N/mm2	Z	0.001	-	-	-	-	-
9945	PRE N/mm2	Z	0.001	-	-	-	-	-
9946	PRE N/mm2	Z	0.001	-	-	-	-	-
9947	PRE N/mm2	Z	0.001	-	-	-	-	-
9948	PRE N/mm2	Z	0.001	-	-	-	-	-
9949	PRE N/mm2	Z	0.001	-	-	-	-	-
9950	PRE N/mm2	Z	0.001	-	-	-	-	-
9951	PRE N/mm2	Z	0.001	-	-	-	-	-
9952	PRE N/mm2	Z	0.001	-	-	-	-	-
9953	PRE N/mm2	Z	0.001	-	-	-	-	-
9954	PRE N/mm2	Z	0.001	-	-	-	-	-
9955	PRE N/mm2	Z	0.001	-	-	-	-	-
9956	PRE N/mm2	Z	0.001	-	-	-	-	-
9957	PRE N/mm2	Z	0.001	-	-	-	-	-
9958	PRE N/mm2	Z	0.001	-	-	-	-	-
9959	PRE N/mm2	Z	0.001	-	-	-	-	-
9960	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
9961	PRE N/mm2	Z	0.001	-	-	-	-	-
10002	PRE N/mm2	Z	0.001	-	-	-	-	-
10003	PRE N/mm2	Z	0.001	-	-	-	-	-
10004	PRE N/mm2	Z	0.001	-	-	-	-	-
10005	PRE N/mm2	Z	0.001	-	-	-	-	-
10006	PRE N/mm2	Z	0.001	-	-	-	-	-
10007	PRE N/mm2	Z	0.001	-	-	-	-	-
10008	PRE N/mm2	Z	0.001	-	-	-	-	-
10009	PRE N/mm2	Z	0.001	-	-	-	-	-
10010	PRE N/mm2	Z	0.001	-	-	-	-	-
10011	PRE N/mm2	Z	0.001	-	-	-	-	-
10012	PRE N/mm2	Z	0.001	-	-	-	-	-
10013	PRE N/mm2	Z	0.001	-	-	-	-	-
10014	PRE N/mm2	Z	0.001	-	-	-	-	-
10015	PRE N/mm2	Z	0.001	-	-	-	-	-
10016	PRE N/mm2	Z	0.001	-	-	-	-	-
10017	PRE N/mm2	Z	0.001	-	-	-	-	-
10018	PRE N/mm2	Z	0.001	-	-	-	-	-
10019	PRE N/mm2	Z	0.001	-	-	-	-	-
10020	PRE N/mm2	Z	0.001	-	-	-	-	-
10021	PRE N/mm2	Z	0.001	-	-	-	-	-
10022	PRE N/mm2	Z	0.001	-	-	-	-	-
10023	PRE N/mm2	Z	0.001	-	-	-	-	-
10024	PRE N/mm2	Z	0.001	-	-	-	-	-
10025	PRE N/mm2	Z	0.001	-	-	-	-	-
10026	PRE N/mm2	Z	0.001	-	-	-	-	-
10027	PRE N/mm2	Z	0.001	-	-	-	-	-
10028	PRE N/mm2	Z	0.001	-	-	-	-	-
10029	PRE N/mm2	Z	0.001	-	-	-	-	-
10030	PRE N/mm2	Z	0.001	-	-	-	-	-
10031	PRE N/mm2	Z	0.001	-	-	-	-	-
10032	PRE N/mm2	Z	0.001	-	-	-	-	-
10033	PRE N/mm2	Z	0.001	-	-	-	-	-
10034	PRE N/mm2	Z	0.001	-	-	-	-	-
10035	PRE N/mm2	Z	0.001	-	-	-	-	-
10036	PRE N/mm2	Z	0.001	-	-	-	-	-
10037	PRE N/mm2	Z	0.001	-	-	-	-	-
10038	PRE N/mm2	Z	0.001	-	-	-	-	-
10039	PRE N/mm2	Z	0.001	-	-	-	-	-
10040	PRE N/mm2	Z	0.001	-	-	-	-	-
10041	PRE N/mm2	Z	0.001	-	-	-	-	-
10042	PRE N/mm2	Z	0.001	-	-	-	-	-
10043	PRE N/mm2	Z	0.001	-	-	-	-	-
10044	PRE N/mm2	Z	0.001	-	-	-	-	-
10045	PRE N/mm2	Z	0.001	-	-	-	-	-
10046	PRE N/mm2	Z	0.001	-	-	-	-	-
10047	PRE N/mm2	Z	0.001	-	-	-	-	-
10048	PRE N/mm2	Z	0.001	-	-	-	-	-
10049	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10050	PRE N/mm2	Z	0.001	-	-	-	-	-
10051	PRE N/mm2	Z	0.001	-	-	-	-	-
10052	PRE N/mm2	Z	0.001	-	-	-	-	-
10053	PRE N/mm2	Z	0.001	-	-	-	-	-
10054	PRE N/mm2	Z	0.001	-	-	-	-	-
10055	PRE N/mm2	Z	0.001	-	-	-	-	-
10056	PRE N/mm2	Z	0.001	-	-	-	-	-
10057	PRE N/mm2	Z	0.001	-	-	-	-	-
10058	PRE N/mm2	Z	0.001	-	-	-	-	-
10059	PRE N/mm2	Z	0.001	-	-	-	-	-
10060	PRE N/mm2	Z	0.001	-	-	-	-	-
10061	PRE N/mm2	Z	0.001	-	-	-	-	-
10062	PRE N/mm2	Z	0.001	-	-	-	-	-
10063	PRE N/mm2	Z	0.001	-	-	-	-	-
10064	PRE N/mm2	Z	0.001	-	-	-	-	-
10065	PRE N/mm2	Z	0.001	-	-	-	-	-
10066	PRE N/mm2	Z	0.001	-	-	-	-	-
10067	PRE N/mm2	Z	0.001	-	-	-	-	-
10068	PRE N/mm2	Z	0.001	-	-	-	-	-
10069	PRE N/mm2	Z	0.001	-	-	-	-	-
10070	PRE N/mm2	Z	0.001	-	-	-	-	-
10071	PRE N/mm2	Z	0.001	-	-	-	-	-
10072	PRE N/mm2	Z	0.001	-	-	-	-	-
10073	PRE N/mm2	Z	0.001	-	-	-	-	-
10074	PRE N/mm2	Z	0.001	-	-	-	-	-
10075	PRE N/mm2	Z	0.001	-	-	-	-	-
10076	PRE N/mm2	Z	0.001	-	-	-	-	-
10077	PRE N/mm2	Z	0.001	-	-	-	-	-
10078	PRE N/mm2	Z	0.001	-	-	-	-	-
10079	PRE N/mm2	Z	0.001	-	-	-	-	-
10110	PRE N/mm2	Z	0.001	-	-	-	-	-
10111	PRE N/mm2	Z	0.001	-	-	-	-	-
10112	PRE N/mm2	Z	0.001	-	-	-	-	-
10113	PRE N/mm2	Z	0.001	-	-	-	-	-
10114	PRE N/mm2	Z	0.001	-	-	-	-	-
10115	PRE N/mm2	Z	0.001	-	-	-	-	-
10116	PRE N/mm2	Z	0.001	-	-	-	-	-
10117	PRE N/mm2	Z	0.001	-	-	-	-	-
10118	PRE N/mm2	Z	0.001	-	-	-	-	-
10119	PRE N/mm2	Z	0.001	-	-	-	-	-
10120	PRE N/mm2	Z	0.001	-	-	-	-	-
10121	PRE N/mm2	Z	0.001	-	-	-	-	-
10122	PRE N/mm2	Z	0.001	-	-	-	-	-
10123	PRE N/mm2	Z	0.001	-	-	-	-	-
10124	PRE N/mm2	Z	0.001	-	-	-	-	-
10125	PRE N/mm2	Z	0.001	-	-	-	-	-
10126	PRE N/mm2	Z	0.001	-	-	-	-	-
10127	PRE N/mm2	Z	0.001	-	-	-	-	-
10128	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10129	PRE N/mm2	Z	0.001	-	-	-	-	-
10130	PRE N/mm2	Z	0.001	-	-	-	-	-
10131	PRE N/mm2	Z	0.001	-	-	-	-	-
10132	PRE N/mm2	Z	0.001	-	-	-	-	-
10133	PRE N/mm2	Z	0.001	-	-	-	-	-
10134	PRE N/mm2	Z	0.001	-	-	-	-	-
10135	PRE N/mm2	Z	0.001	-	-	-	-	-
10136	PRE N/mm2	Z	0.001	-	-	-	-	-
10137	PRE N/mm2	Z	0.001	-	-	-	-	-
10138	PRE N/mm2	Z	0.001	-	-	-	-	-
10139	PRE N/mm2	Z	0.001	-	-	-	-	-
10140	PRE N/mm2	Z	0.001	-	-	-	-	-
10141	PRE N/mm2	Z	0.001	-	-	-	-	-
10142	PRE N/mm2	Z	0.001	-	-	-	-	-
10143	PRE N/mm2	Z	0.001	-	-	-	-	-
10144	PRE N/mm2	Z	0.001	-	-	-	-	-
10145	PRE N/mm2	Z	0.001	-	-	-	-	-
10146	PRE N/mm2	Z	0.001	-	-	-	-	-
10147	PRE N/mm2	Z	0.001	-	-	-	-	-
10148	PRE N/mm2	Z	0.001	-	-	-	-	-
10149	PRE N/mm2	Z	0.001	-	-	-	-	-
10150	PRE N/mm2	Z	0.001	-	-	-	-	-
10151	PRE N/mm2	Z	0.001	-	-	-	-	-
10152	PRE N/mm2	Z	0.001	-	-	-	-	-
10153	PRE N/mm2	Z	0.001	-	-	-	-	-
10154	PRE N/mm2	Z	0.001	-	-	-	-	-
10155	PRE N/mm2	Z	0.001	-	-	-	-	-
10156	PRE N/mm2	Z	0.001	-	-	-	-	-
10157	PRE N/mm2	Z	0.001	-	-	-	-	-
10158	PRE N/mm2	Z	0.001	-	-	-	-	-
10159	PRE N/mm2	Z	0.001	-	-	-	-	-
10160	PRE N/mm2	Z	0.001	-	-	-	-	-
10161	PRE N/mm2	Z	0.001	-	-	-	-	-
10162	PRE N/mm2	Z	0.001	-	-	-	-	-
10163	PRE N/mm2	Z	0.001	-	-	-	-	-
10164	PRE N/mm2	Z	0.001	-	-	-	-	-
10165	PRE N/mm2	Z	0.001	-	-	-	-	-
10166	PRE N/mm2	Z	0.001	-	-	-	-	-
10167	PRE N/mm2	Z	0.001	-	-	-	-	-
10168	PRE N/mm2	Z	0.001	-	-	-	-	-
10169	PRE N/mm2	Z	0.001	-	-	-	-	-
10170	PRE N/mm2	Z	0.001	-	-	-	-	-
10171	PRE N/mm2	Z	0.001	-	-	-	-	-
10172	PRE N/mm2	Z	0.001	-	-	-	-	-
10173	PRE N/mm2	Z	0.001	-	-	-	-	-
10174	PRE N/mm2	Z	0.001	-	-	-	-	-
10175	PRE N/mm2	Z	0.001	-	-	-	-	-
10176	PRE N/mm2	Z	0.001	-	-	-	-	-
10177	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10178	PRE N/mm2	Z	0.001	-	-	-	-	-
10179	PRE N/mm2	Z	0.001	-	-	-	-	-
10180	PRE N/mm2	Z	0.001	-	-	-	-	-
10181	PRE N/mm2	Z	0.001	-	-	-	-	-
10182	PRE N/mm2	Z	0.001	-	-	-	-	-
10183	PRE N/mm2	Z	0.001	-	-	-	-	-
10184	PRE N/mm2	Z	0.001	-	-	-	-	-
10185	PRE N/mm2	Z	0.001	-	-	-	-	-
10186	PRE N/mm2	Z	0.001	-	-	-	-	-
10187	PRE N/mm2	Z	0.001	-	-	-	-	-
10218	PRE N/mm2	Z	0.001	-	-	-	-	-
10219	PRE N/mm2	Z	0.001	-	-	-	-	-
10220	PRE N/mm2	Z	0.001	-	-	-	-	-
10221	PRE N/mm2	Z	0.001	-	-	-	-	-
10222	PRE N/mm2	Z	0.001	-	-	-	-	-
10223	PRE N/mm2	Z	0.001	-	-	-	-	-
10224	PRE N/mm2	Z	0.001	-	-	-	-	-
10225	PRE N/mm2	Z	0.001	-	-	-	-	-
10226	PRE N/mm2	Z	0.001	-	-	-	-	-
10227	PRE N/mm2	Z	0.001	-	-	-	-	-
10228	PRE N/mm2	Z	0.001	-	-	-	-	-
10229	PRE N/mm2	Z	0.001	-	-	-	-	-
10230	PRE N/mm2	Z	0.001	-	-	-	-	-
10231	PRE N/mm2	Z	0.001	-	-	-	-	-
10232	PRE N/mm2	Z	0.001	-	-	-	-	-
10233	PRE N/mm2	Z	0.001	-	-	-	-	-
10234	PRE N/mm2	Z	0.001	-	-	-	-	-
10235	PRE N/mm2	Z	0.001	-	-	-	-	-
10236	PRE N/mm2	Z	0.001	-	-	-	-	-
10237	PRE N/mm2	Z	0.001	-	-	-	-	-
10238	PRE N/mm2	Z	0.001	-	-	-	-	-
10239	PRE N/mm2	Z	0.001	-	-	-	-	-
10240	PRE N/mm2	Z	0.001	-	-	-	-	-
10241	PRE N/mm2	Z	0.001	-	-	-	-	-
10242	PRE N/mm2	Z	0.001	-	-	-	-	-
10243	PRE N/mm2	Z	0.001	-	-	-	-	-
10244	PRE N/mm2	Z	0.001	-	-	-	-	-
10245	PRE N/mm2	Z	0.001	-	-	-	-	-
10246	PRE N/mm2	Z	0.001	-	-	-	-	-
10247	PRE N/mm2	Z	0.001	-	-	-	-	-
10248	PRE N/mm2	Z	0.001	-	-	-	-	-
10249	PRE N/mm2	Z	0.001	-	-	-	-	-
10250	PRE N/mm2	Z	0.001	-	-	-	-	-
10251	PRE N/mm2	Z	0.001	-	-	-	-	-
10252	PRE N/mm2	Z	0.001	-	-	-	-	-
10253	PRE N/mm2	Z	0.001	-	-	-	-	-
10254	PRE N/mm2	Z	0.001	-	-	-	-	-
10255	PRE N/mm2	Z	0.001	-	-	-	-	-
10256	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10257	PRE N/mm2	Z	0.001	-	-	-	-	-
10258	PRE N/mm2	Z	0.001	-	-	-	-	-
10259	PRE N/mm2	Z	0.001	-	-	-	-	-
10260	PRE N/mm2	Z	0.001	-	-	-	-	-
10261	PRE N/mm2	Z	0.001	-	-	-	-	-
10262	PRE N/mm2	Z	0.001	-	-	-	-	-
10263	PRE N/mm2	Z	0.001	-	-	-	-	-
10264	PRE N/mm2	Z	0.001	-	-	-	-	-
10265	PRE N/mm2	Z	0.001	-	-	-	-	-
10266	PRE N/mm2	Z	0.001	-	-	-	-	-
10267	PRE N/mm2	Z	0.001	-	-	-	-	-
10268	PRE N/mm2	Z	0.001	-	-	-	-	-
10269	PRE N/mm2	Z	0.001	-	-	-	-	-
10270	PRE N/mm2	Z	0.001	-	-	-	-	-
10271	PRE N/mm2	Z	0.001	-	-	-	-	-
10272	PRE N/mm2	Z	0.001	-	-	-	-	-
10273	PRE N/mm2	Z	0.001	-	-	-	-	-
10274	PRE N/mm2	Z	0.001	-	-	-	-	-
10275	PRE N/mm2	Z	0.001	-	-	-	-	-
10276	PRE N/mm2	Z	0.001	-	-	-	-	-
10277	PRE N/mm2	Z	0.001	-	-	-	-	-
10278	PRE N/mm2	Z	0.001	-	-	-	-	-
10279	PRE N/mm2	Z	0.001	-	-	-	-	-
10280	PRE N/mm2	Z	0.001	-	-	-	-	-
10281	PRE N/mm2	Z	0.001	-	-	-	-	-
10282	PRE N/mm2	Z	0.001	-	-	-	-	-
10283	PRE N/mm2	Z	0.001	-	-	-	-	-
10284	PRE N/mm2	Z	0.001	-	-	-	-	-
10285	PRE N/mm2	Z	0.001	-	-	-	-	-
10286	PRE N/mm2	Z	0.001	-	-	-	-	-
10287	PRE N/mm2	Z	0.001	-	-	-	-	-
10288	PRE N/mm2	Z	0.001	-	-	-	-	-
10289	PRE N/mm2	Z	0.001	-	-	-	-	-
10290	PRE N/mm2	Z	0.001	-	-	-	-	-
10291	PRE N/mm2	Z	0.001	-	-	-	-	-
10292	PRE N/mm2	Z	0.001	-	-	-	-	-
10293	PRE N/mm2	Z	0.001	-	-	-	-	-
10294	PRE N/mm2	Z	0.001	-	-	-	-	-
10295	PRE N/mm2	Z	0.001	-	-	-	-	-
10326	PRE N/mm2	Z	0.001	-	-	-	-	-
10327	PRE N/mm2	Z	0.001	-	-	-	-	-
10328	PRE N/mm2	Z	0.001	-	-	-	-	-
10329	PRE N/mm2	Z	0.001	-	-	-	-	-
10330	PRE N/mm2	Z	0.001	-	-	-	-	-
10331	PRE N/mm2	Z	0.001	-	-	-	-	-
10332	PRE N/mm2	Z	0.001	-	-	-	-	-
10333	PRE N/mm2	Z	0.001	-	-	-	-	-
10334	PRE N/mm2	Z	0.001	-	-	-	-	-
10335	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10336	PRE N/mm2	Z	0.001	-	-	-	-	-
10337	PRE N/mm2	Z	0.001	-	-	-	-	-
10338	PRE N/mm2	Z	0.001	-	-	-	-	-
10339	PRE N/mm2	Z	0.001	-	-	-	-	-
10340	PRE N/mm2	Z	0.001	-	-	-	-	-
10341	PRE N/mm2	Z	0.001	-	-	-	-	-
10342	PRE N/mm2	Z	0.001	-	-	-	-	-
10343	PRE N/mm2	Z	0.001	-	-	-	-	-
10344	PRE N/mm2	Z	0.001	-	-	-	-	-
10345	PRE N/mm2	Z	0.001	-	-	-	-	-
10346	PRE N/mm2	Z	0.001	-	-	-	-	-
10347	PRE N/mm2	Z	0.001	-	-	-	-	-
10348	PRE N/mm2	Z	0.001	-	-	-	-	-
10349	PRE N/mm2	Z	0.001	-	-	-	-	-
10350	PRE N/mm2	Z	0.001	-	-	-	-	-
10351	PRE N/mm2	Z	0.001	-	-	-	-	-
10352	PRE N/mm2	Z	0.001	-	-	-	-	-
10353	PRE N/mm2	Z	0.001	-	-	-	-	-
10354	PRE N/mm2	Z	0.001	-	-	-	-	-
10355	PRE N/mm2	Z	0.001	-	-	-	-	-
10356	PRE N/mm2	Z	0.001	-	-	-	-	-
10357	PRE N/mm2	Z	0.001	-	-	-	-	-
10358	PRE N/mm2	Z	0.001	-	-	-	-	-
10359	PRE N/mm2	Z	0.001	-	-	-	-	-
10360	PRE N/mm2	Z	0.001	-	-	-	-	-
10361	PRE N/mm2	Z	0.001	-	-	-	-	-
10362	PRE N/mm2	Z	0.001	-	-	-	-	-
10363	PRE N/mm2	Z	0.001	-	-	-	-	-
10364	PRE N/mm2	Z	0.001	-	-	-	-	-
10365	PRE N/mm2	Z	0.001	-	-	-	-	-
10366	PRE N/mm2	Z	0.001	-	-	-	-	-
10367	PRE N/mm2	Z	0.001	-	-	-	-	-
10368	PRE N/mm2	Z	0.001	-	-	-	-	-
10369	PRE N/mm2	Z	0.001	-	-	-	-	-
10370	PRE N/mm2	Z	0.001	-	-	-	-	-
10371	PRE N/mm2	Z	0.001	-	-	-	-	-
10372	PRE N/mm2	Z	0.001	-	-	-	-	-
10373	PRE N/mm2	Z	0.001	-	-	-	-	-
10374	PRE N/mm2	Z	0.001	-	-	-	-	-
10375	PRE N/mm2	Z	0.001	-	-	-	-	-
10376	PRE N/mm2	Z	0.001	-	-	-	-	-
10377	PRE N/mm2	Z	0.001	-	-	-	-	-
10378	PRE N/mm2	Z	0.001	-	-	-	-	-
10379	PRE N/mm2	Z	0.001	-	-	-	-	-
10380	PRE N/mm2	Z	0.001	-	-	-	-	-
10381	PRE N/mm2	Z	0.001	-	-	-	-	-
10382	PRE N/mm2	Z	0.001	-	-	-	-	-
10383	PRE N/mm2	Z	0.001	-	-	-	-	-
10384	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10385	PRE N/mm2	Z	0.001	-	-	-	-	-
10386	PRE N/mm2	Z	0.001	-	-	-	-	-
10387	PRE N/mm2	Z	0.001	-	-	-	-	-
10388	PRE N/mm2	Z	0.001	-	-	-	-	-
10389	PRE N/mm2	Z	0.001	-	-	-	-	-
10390	PRE N/mm2	Z	0.001	-	-	-	-	-
10391	PRE N/mm2	Z	0.001	-	-	-	-	-
10392	PRE N/mm2	Z	0.001	-	-	-	-	-
10393	PRE N/mm2	Z	0.001	-	-	-	-	-
10394	PRE N/mm2	Z	0.001	-	-	-	-	-
10395	PRE N/mm2	Z	0.001	-	-	-	-	-
10396	PRE N/mm2	Z	0.001	-	-	-	-	-
10397	PRE N/mm2	Z	0.001	-	-	-	-	-
10398	PRE N/mm2	Z	0.001	-	-	-	-	-
10399	PRE N/mm2	Z	0.001	-	-	-	-	-
10400	PRE N/mm2	Z	0.001	-	-	-	-	-
10401	PRE N/mm2	Z	0.001	-	-	-	-	-
10402	PRE N/mm2	Z	0.001	-	-	-	-	-
10403	PRE N/mm2	Z	0.001	-	-	-	-	-
10404	PRE N/mm2	Z	0.001	-	-	-	-	-
10405	PRE N/mm2	Z	0.001	-	-	-	-	-
10406	PRE N/mm2	Z	0.001	-	-	-	-	-
10407	PRE N/mm2	Z	0.001	-	-	-	-	-
10408	PRE N/mm2	Z	0.001	-	-	-	-	-
10409	PRE N/mm2	Z	0.001	-	-	-	-	-
10410	PRE N/mm2	Z	0.001	-	-	-	-	-
10411	PRE N/mm2	Z	0.001	-	-	-	-	-
10412	PRE N/mm2	Z	0.001	-	-	-	-	-
10413	PRE N/mm2	Z	0.001	-	-	-	-	-
10414	PRE N/mm2	Z	0.001	-	-	-	-	-
10415	PRE N/mm2	Z	0.001	-	-	-	-	-
10416	PRE N/mm2	Z	0.001	-	-	-	-	-
10417	PRE N/mm2	Z	0.001	-	-	-	-	-
10418	PRE N/mm2	Z	0.001	-	-	-	-	-
10419	PRE N/mm2	Z	0.001	-	-	-	-	-
10420	PRE N/mm2	Z	0.001	-	-	-	-	-
10421	PRE N/mm2	Z	0.001	-	-	-	-	-
10422	PRE N/mm2	Z	0.001	-	-	-	-	-
10423	PRE N/mm2	Z	0.001	-	-	-	-	-
10424	PRE N/mm2	Z	0.001	-	-	-	-	-
10425	PRE N/mm2	Z	0.001	-	-	-	-	-
10426	PRE N/mm2	Z	0.001	-	-	-	-	-
10427	PRE N/mm2	Z	0.001	-	-	-	-	-
10428	PRE N/mm2	Z	0.001	-	-	-	-	-
10429	PRE N/mm2	Z	0.001	-	-	-	-	-
10430	PRE N/mm2	Z	0.001	-	-	-	-	-
10431	PRE N/mm2	Z	0.001	-	-	-	-	-
10432	PRE N/mm2	Z	0.001	-	-	-	-	-
10433	PRE N/mm2	Z	0.001	-	-	-	-	-

7 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
10434	PRE N/mm2	Z	0.001	-	-	-	-	-
10435	PRE N/mm2	Z	0.001	-	-	-	-	-
10436	PRE N/mm2	Z	0.001	-	-	-	-	-
10437	PRE N/mm2	Z	0.001	-	-	-	-	-
10438	PRE N/mm2	Z	0.001	-	-	-	-	-
10439	PRE N/mm2	Z	0.001	-	-	-	-	-
10440	PRE N/mm2	Z	0.001	-	-	-	-	-
10441	PRE N/mm2	Z	0.001	-	-	-	-	-
10442	PRE N/mm2	Z	0.001	-	-	-	-	-
10443	PRE N/mm2	Z	0.001	-	-	-	-	-
10444	PRE N/mm2	Z	0.001	-	-	-	-	-
10445	PRE N/mm2	Z	0.001	-	-	-	-	-
10446	PRE N/mm2	Z	0.001	-	-	-	-	-
10447	PRE N/mm2	Z	0.001	-	-	-	-	-
10448	PRE N/mm2	Z	0.001	-	-	-	-	-
10449	PRE N/mm2	Z	0.001	-	-	-	-	-
10450	PRE N/mm2	Z	0.001	-	-	-	-	-
10451	PRE N/mm2	Z	0.001	-	-	-	-	-
10452	PRE N/mm2	Z	0.001	-	-	-	-	-
10453	PRE N/mm2	Z	0.001	-	-	-	-	-
10454	PRE N/mm2	Z	0.001	-	-	-	-	-
10455	PRE N/mm2	Z	0.001	-	-	-	-	-
10456	PRE N/mm2	Z	0.001	-	-	-	-	-
10457	PRE N/mm2	Z	0.001	-	-	-	-	-
10458	PRE N/mm2	Z	0.001	-	-	-	-	-
10459	PRE N/mm2	Z	0.001	-	-	-	-	-
10460	PRE N/mm2	Z	0.001	-	-	-	-	-
10461	PRE N/mm2	Z	0.001	-	-	-	-	-
10462	PRE N/mm2	Z	0.001	-	-	-	-	-
10463	PRE N/mm2	Z	0.001	-	-	-	-	-
10464	PRE N/mm2	Z	0.001	-	-	-	-	-
10465	PRE N/mm2	Z	0.001	-	-	-	-	-
10466	PRE N/mm2	Z	0.001	-	-	-	-	-
10467	PRE N/mm2	Z	0.001	-	-	-	-	-
10468	PRE N/mm2	Z	0.001	-	-	-	-	-
10469	PRE N/mm2	Z	0.001	-	-	-	-	-
10470	PRE N/mm2	Z	0.001	-	-	-	-	-
10471	PRE N/mm2	Z	0.001	-	-	-	-	-
10472	PRE N/mm2	Z	0.001	-	-	-	-	-
10473	PRE N/mm2	Z	0.001	-	-	-	-	-
10474	PRE N/mm2	Z	0.001	-	-	-	-	-
10475	PRE N/mm2	Z	0.001	-	-	-	-	-
10476	PRE N/mm2	Z	0.001	-	-	-	-	-
10477	PRE N/mm2	Z	0.001	-	-	-	-	-
10478	PRE N/mm2	Z	0.001	-	-	-	-	-
10479	PRE N/mm2	Z	0.001	-	-	-	-	-
10480	PRE N/mm2	Z	0.001	-	-	-	-	-
10481	PRE N/mm2	Z	0.001	-	-	-	-	-

8 FREQUENCY CALCULATION : Selfweight

Direction	Factor	Assigned Geometry
X	1.000	ALL
Y	1.000	ALL
Z	1.000	ALL

101 1.0*(D_S+D_E)+1.0*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
2	DEAD LOAD OF EARTH (D_E)	1.000
3	LATERIAL EARTH PRESSURE DUE TO E	1.000

102 1.0*(D_S+D_E)+1.0*(L_D+L_S)+1.0*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
2	DEAD LOAD OF EARTH (D_E)	1.000
3	LATERIAL EARTH PRESSURE DUE TO E	1.000
4	LIVE LOAD FROM OFF HIGHWAY TRUCI	1.000
5	LIVE LOAD DUE TO SRCHARGE (L_S)	1.000

103 1.0*(D_S+D_E)+1.0*H+0.7*E : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
2	DEAD LOAD OF EARTH (D_E)	1.000
3	LATERIAL EARTH PRESSURE DUE TO E	1.000
7	SEISMIC LOAD (E)	0.700

104 0.6*(D_S+D_E)+1.0*H+0.7*E : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	0.600
2	DEAD LOAD OF EARTH (D_E)	0.600
3	LATERIAL EARTH PRESSURE DUE TO E	1.000
7	SEISMIC LOAD (E)	0.700

105 1.0*D_S+1.0*W : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
6	WIND LOAD (W)	1.000

106 1.0*D S-1.0*W : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
6	WIND LOAD (W)	-1.000

201 1.4*(D S) : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.400

202 1.4*(D S+D E)+1.7*(L D+L S)+1.7*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.400
2	DEAD LOAD OF EARTH (D_E)	1.400
3	LATERIAL EARTH PRESSURE DUE TO E	1.700
4	LIVE LOAD FROM OFF HIGHWAY TRUC	1.700
5	LIVE LOAD DUE TO SRCHARGE (L_S)	1.700

203 0.9*(D S+D E)+1.0*E+1.6*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	0.900
2	DEAD LOAD OF EARTH (D_E)	0.900
3	LATERIAL EARTH PRESSURE DUE TO E	1.600
7	SEISMIC LOAD (E)	1.000

204 1.2*(D S+D E)+1.0*E+0.5*(L S) : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.200
2	DEAD LOAD OF EARTH (D_E)	1.200
5	LIVE LOAD DUE TO SRCHARGE (L_S)	0.500
7	SEISMIC LOAD (E)	1.000

18.2 APPENDIX - D

STAAD Input

Side Wing Wall Portion

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Job Information

	Engineer	Checked	Approved
Name:	SUE	BDA	AG
Date:	17-DEC-19		

Project ID	
Project Name	

Structure Type	SPACE FRAME

Number of Nodes	3607	Highest Node	3607
Number of Elements	45	Highest Beam	144
Number of Plates	3613	Highest Plate	4612

Number of Basic Load Cases	16
Number of Combination Load Cases	0

Included in this printout are data for:

All	The Whole Structure

Included in this printout are results for load cases:

Type	L/C	Name
Primary	1	DEAD LOAD OF STRUCTURE (D_S)
Primary	2	DEAD LOAD OF EARTH (D_E)
Primary	3	LATERIAL EARTH PRESSURE DUE TO E
Primary	4	LIVE LOAD DUE TO SRCHARGE (L_S)
Primary	5	WIND LOAD (W)
Primary	6	SEISMIC LOAD (E)
Primary	101	1.0*(D_S+D_E)+1.0*H
Primary	102	1.0*(D_S+D_E)+1.0*(L_S)+1.0*H
Primary	103	1.0*(D_S+D_E)+1.0*H+0.7*E
Primary	104	0.6*(D_S+D_E)+1.0*H+0.7*E
Primary	105	1.0*D_S+1.0*W
Primary	106	1.0*D_S-1.0*W
Primary	201	1.4*(D_S)
Primary	202	1.4*(D_S+D_E)+1.7*(L_S)+1.7*H
Primary	203	0.9*(D_S+D_E)+1.0*E+1.6*H
Primary	204	1.2*(D_S+D_E)+1.0*E+0.5*(L_S)

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes

Node	X (m)	Y (m)	Z (m)
1	24.425	910.000	-5.850
2	23.500	910.000	-5.752
3	23.250	910.000	-5.653
4	23.000	910.000	-5.569
5	22.350	910.000	-5.486
6	21.750	910.000	-5.402
7	24.425	910.000	-5.330
8	21.250	910.000	-5.318
9	23.500	910.000	-5.241
10	20.650	910.000	-5.234
11	23.250	910.000	-5.153
12	20.000	910.000	-5.150
13	23.000	910.000	-5.077
14	19.750	910.000	-5.067
15	22.350	910.000	-5.002
16	19.500	910.000	-4.983
17	21.750	910.000	-4.927
18	18.850	910.000	-4.899
19	21.250	910.000	-4.851
20	18.250	910.000	-4.815
21	24.425	910.000	-4.810
22	20.650	910.000	-4.776
23	17.750	910.000	-4.732
24	23.500	910.000	-4.731
25	20.000	910.000	-4.700
26	23.250	910.000	-4.652
27	17.150	910.000	-4.648
28	19.750	910.000	-4.625
29	23.000	910.000	-4.585
30	16.500	910.000	-4.564
31	19.500	910.000	-4.550
32	22.350	910.000	-4.518
33	16.250	910.000	-4.480
34	18.850	910.000	-4.474
35	21.750	910.000	-4.451
36	18.250	910.000	-4.399
37	16.000	910.000	-4.396
38	21.250	910.000	-4.384
39	17.750	910.000	-4.323
40	20.650	910.000	-4.317
41	15.350	910.000	-4.313
42	24.425	910.000	-4.290
43	20.000	910.000	-4.250
44	17.150	910.000	-4.248
45	14.750	910.000	-4.229
46	23.500	910.000	-4.221
47	19.750	910.000	-4.183
48	16.500	910.000	-4.173
49	23.250	910.000	-4.152

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
50	14.250	910.000	-4.145
51	19.500	910.000	-4.116
52	16.250	910.000	-4.097
53	23.000	910.000	-4.094
54	13.650	910.000	-4.061
55	18.850	910.000	-4.049
56	22.350	910.000	-4.035
57	16.000	910.000	-4.022
58	18.250	910.000	-3.982
59	13.000	910.000	-3.977
60	21.750	910.000	-3.976
61	15.350	910.000	-3.946
62	21.250	910.000	-3.918
63	17.750	910.000	-3.915
64	12.750	910.000	-3.894
65	14.750	910.000	-3.871
66	20.650	910.000	-3.859
67	17.150	910.000	-3.848
68	12.500	910.000	-3.810
69	20.000	910.000	-3.800
70	14.250	910.000	-3.796
71	16.500	910.000	-3.781
72	24.425	910.000	-3.770
73	19.750	910.000	-3.742
74	11.850	910.000	-3.726
75	13.650	910.000	-3.720
76	16.250	910.000	-3.714
77	23.500	910.000	-3.711
78	19.500	910.000	-3.683
79	23.250	910.000	-3.652
80	16.000	910.000	-3.647
81	13.000	910.000	-3.645
82	11.250	910.000	-3.642
83	18.850	910.000	-3.624
84	23.000	910.000	-3.602
85	15.350	910.000	-3.580
86	12.750	910.000	-3.569
87	18.250	910.000	-3.566
88	10.750	910.000	-3.559
89	22.350	910.000	-3.551
90	14.750	910.000	-3.513
91	17.750	910.000	-3.507
92	21.750	910.000	-3.501
93	12.500	910.000	-3.494
94	10.150	910.000	-3.475
95	21.250	910.000	-3.451
96	17.150	910.000	-3.448
97	14.250	910.000	-3.446
98	11.850	910.000	-3.419

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
99	20.650	910.000	-3.401
100	9.500	910.000	-3.391
101	16.500	910.000	-3.390
102	13.650	910.000	-3.379
103	20.000	910.000	-3.350
104	11.250	910.000	-3.343
105	16.250	910.000	-3.331
106	13.000	910.000	-3.312
107	9.250	910.000	-3.307
108	19.750	910.000	-3.300
109	16.000	910.000	-3.272
110	10.750	910.000	-3.268
111	24.425	910.000	-3.250
112	19.500	910.000	-3.250
113	12.750	910.000	-3.245
114	9.000	910.000	-3.223
115	15.350	910.000	-3.214
116	23.500	910.000	-3.201
117	18.850	910.000	-3.199
118	10.150	910.000	-3.192
119	12.500	910.000	-3.178
120	14.750	910.000	-3.155
121	23.250	910.000	-3.152
122	18.250	910.000	-3.149
123	8.350	910.000	-3.140
124	9.500	910.000	-3.117
125	11.850	910.000	-3.111
126	23.000	910.000	-3.110
127	17.750	910.000	-3.099
128	14.250	910.000	-3.097
129	22.350	910.000	-3.068
130	7.750	910.000	-3.056
131	17.150	910.000	-3.049
132	11.250	910.000	-3.044
133	9.250	910.000	-3.042
134	13.650	910.000	-3.038
135	21.750	910.000	-3.026
136	16.500	910.000	-2.998
137	21.250	910.000	-2.984
138	13.000	910.000	-2.979
139	10.750	910.000	-2.977
140	7.250	910.000	-2.972
141	9.000	910.000	-2.966
142	16.250	910.000	-2.948
143	20.650	910.000	-2.942
144	12.750	910.000	-2.921
145	10.150	910.000	-2.910
146	20.000	910.000	-2.900
147	16.000	910.000	-2.898

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
148	8.350	910.000	-2.891
149	6.650	910.000	-2.888
150	12.500	910.000	-2.862
151	19.750	910.000	-2.858
152	15.350	910.000	-2.848
153	9.500	910.000	-2.843
154	19.500	910.000	-2.816
155	7.750	910.000	-2.815
156	6.000	910.000	-2.805
157	11.850	910.000	-2.803
158	14.750	910.000	-2.797
159	9.250	910.000	-2.776
160	18.850	910.000	-2.775
161	14.250	910.000	-2.747
162	11.250	910.000	-2.745
163	7.250	910.000	-2.740
164	18.250	910.000	-2.733
165	24.425	910.000	-2.730
166	5.750	910.000	-2.721
167	9.000	910.000	-2.709
168	13.650	910.000	-2.697
169	17.750	910.000	-2.691
170	23.500	910.000	-2.691
171	10.750	910.000	-2.686
172	6.650	910.000	-2.665
173	23.250	910.000	-2.651
174	17.150	910.000	-2.649
175	13.000	910.000	-2.647
176	8.350	910.000	-2.642
177	5.500	910.000	-2.637
178	10.150	910.000	-2.627
179	23.000	910.000	-2.618
180	16.500	910.000	-2.607
181	12.750	910.000	-2.596
182	6.000	910.000	-2.589
183	22.350	910.000	-2.584
184	7.750	910.000	-2.575
185	9.500	910.000	-2.569
186	16.250	910.000	-2.565
187	4.850	910.000	-2.553
188	21.750	910.000	-2.551
189	12.500	910.000	-2.546
190	16.000	910.000	-2.523
191	21.250	910.000	-2.517
192	5.750	910.000	-2.514
193	9.250	910.000	-2.510
194	7.250	910.000	-2.508
195	11.850	910.000	-2.496
196	20.650	910.000	-2.484

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
197	15.350	910.000	-2.481
198	4.250	910.000	-2.469
199	9.000	910.000	-2.451
200	20.000	910.000	-2.450
201	11.250	910.000	-2.445
202	6.650	910.000	-2.441
203	14.750	910.000	-2.439
204	5.500	910.000	-2.438
205	19.750	910.000	-2.417
206	14.250	910.000	-2.398
207	10.750	910.000	-2.395
208	8.350	910.000	-2.393
209	3.750	910.000	-2.386
210	19.500	910.000	-2.383
211	6.000	910.000	-2.374
212	4.850	910.000	-2.363
213	13.650	910.000	-2.356
214	18.850	910.000	-2.350
215	10.150	910.000	-2.345
216	7.750	910.000	-2.334
217	18.250	910.000	-2.316
218	13.000	910.000	-2.314
219	5.750	910.000	-2.307
220	3.150	910.000	-2.302
221	9.500	910.000	-2.295
222	4.250	910.000	-2.287
223	17.750	910.000	-2.283
224	7.250	910.000	-2.275
225	12.750	910.000	-2.272
226	17.150	910.000	-2.249
227	9.250	910.000	-2.244
228	5.500	910.000	-2.240
229	12.500	910.000	-2.230
230	2.500	910.000	-2.218
231	6.650	910.000	-2.217
232	16.500	910.000	-2.216
233	3.750	910.000	-2.212
234	24.425	910.000	-2.210
235	9.000	910.000	-2.194
236	11.850	910.000	-2.188
237	16.250	910.000	-2.182
238	23.500	910.000	-2.180
239	4.850	910.000	-2.173
240	6.000	910.000	-2.158
241	23.250	910.000	-2.151
242	16.000	910.000	-2.149
243	11.250	910.000	-2.146
244	8.350	910.000	-2.144
245	3.150	910.000	-2.137

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
246	2.250	910.000	-2.134
247	23.000	910.000	-2.126
248	15.350	910.000	-2.115
249	4.250	910.000	-2.106
250	10.750	910.000	-2.104
251	22.350	910.000	-2.101
252	5.750	910.000	-2.100
253	7.750	910.000	-2.094
254	14.750	910.000	-2.082
255	21.750	910.000	-2.076
256	10.150	910.000	-2.062
257	2.500	910.000	-2.061
258	2.050	910.000	-2.059
259	21.250	910.000	-2.050
260	14.250	910.000	-2.048
261	7.250	910.000	-2.043
262	5.500	910.000	-2.041
263	3.750	910.000	-2.039
264	20.650	910.000	-2.025
265	9.500	910.000	-2.021
266	13.650	910.000	-2.015
267	20.000	910.000	-2.000
268	6.650	910.000	-1.993
269	2.250	910.000	-1.986
270	1.450	910.000	-1.984
271	4.850	910.000	-1.982
272	13.000	910.000	-1.981
273	9.250	910.000	-1.979
274	19.750	910.000	-1.975
275	3.150	910.000	-1.972
276	19.500	910.000	-1.950
277	12.750	910.000	-1.947
278	6.000	910.000	-1.943
279	9.000	910.000	-1.937
280	18.850	910.000	-1.925
281	4.250	910.000	-1.924
282	2.050	910.000	-1.918
283	12.500	910.000	-1.914
284	0.900	910.000	-1.908
285	2.500	910.000	-1.904
286	18.250	910.000	-1.900
287	8.350	910.000	-1.895
288	5.750	910.000	-1.892
289	11.850	910.000	-1.880
290	17.750	910.000	-1.874
291	3.750	910.000	-1.865
292	7.750	910.000	-1.853
293	1.450	910.000	-1.850
294	17.150	910.000	-1.849

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
295	11.250	910.000	-1.847
296	5.500	910.000	-1.842
297	2.250	910.000	-1.837
298	0.450	910.000	-1.833
299	16.500	910.000	-1.824
300	10.750	910.000	-1.813
301	7.250	910.000	-1.811
302	3.150	910.000	-1.806
303	16.250	910.000	-1.799
304	4.850	910.000	-1.792
305	0.900	910.000	-1.782
306	10.150	910.000	-1.780
307	2.050	910.000	-1.777
308	16.000	910.000	-1.774
309	6.650	910.000	-1.769
310	0	910.000	-1.757
311	15.350	910.000	-1.749
312	2.500	910.000	-1.748
313	9.500	910.000	-1.746
314	4.250	910.000	-1.742
315	6.000	910.000	-1.727
316	14.750	910.000	-1.724
317	1.450	910.000	-1.717
318	0.450	910.000	-1.714
319	9.250	910.000	-1.713
320	14.250	910.000	-1.699
321	3.750	910.000	-1.691
322	24.425	910.000	-1.690
323	2.250	910.000	-1.689
324	5.750	910.000	-1.685
325	9.000	910.000	-1.679
326	13.650	910.000	-1.673
327	23.500	910.000	-1.670
328	0.900	910.000	-1.656
329	23.250	910.000	-1.651
330	13.000	910.000	-1.648
331	0	910.000	-1.647
332	8.350	910.000	-1.646
333	5.500	910.000	-1.643
334	3.150	910.000	-1.641
335	2.050	910.000	-1.636
336	23.000	910.000	-1.634
337	12.750	910.000	-1.623
338	22.350	910.000	-1.617
339	7.750	910.000	-1.612
340	4.850	910.000	-1.602
341	21.750	910.000	-1.600
342	12.500	910.000	-1.598
343	-0.953	910.000	-1.598

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
344	0.450	910.000	-1.596
345	2.500	910.000	-1.591
346	21.250	910.000	-1.584
347	1.450	910.000	-1.583
348	7.250	910.000	-1.579
349	11.850	910.000	-1.573
350	-1.251	910.000	-1.573
351	-1.101	910.000	-1.573
352	20.650	910.000	-1.567
353	4.250	910.000	-1.560
354	20.000	910.000	-1.550
355	11.250	910.000	-1.548
356	6.650	910.000	-1.545
357	2.250	910.000	-1.541
358	0	910.000	-1.536
359	19.750	910.000	-1.533
360	0.900	910.000	-1.531
361	10.750	910.000	-1.523
362	3.750	910.000	-1.518
363	19.500	910.000	-1.517
364	6.000	910.000	-1.512
365	18.850	910.000	-1.500
366	10.150	910.000	-1.497
367	2.050	910.000	-1.495
368	-0.880	910.000	-1.491
369	18.250	910.000	-1.483
370	5.750	910.000	-1.478
371	0.450	910.000	-1.478
372	3.150	910.000	-1.476
373	9.500	910.000	-1.472
374	-1.178	910.000	-1.469
375	-1.028	910.000	-1.469
376	17.750	910.000	-1.466
377	1.450	910.000	-1.450
378	17.150	910.000	-1.450
379	9.250	910.000	-1.447
380	5.500	910.000	-1.445
381	2.500	910.000	-1.434
382	16.500	910.000	-1.433
383	0	910.000	-1.425
384	9.000	910.000	-1.422
385	16.250	910.000	-1.416
386	4.850	910.000	-1.411
387	0.900	910.000	-1.405
388	16.000	910.000	-1.399
389	8.350	910.000	-1.397
390	2.250	910.000	-1.392
391	-0.807	910.000	-1.385
392	15.350	910.000	-1.383

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
393	4.250	910.000	-1.378
394	7.750	910.000	-1.372
395	14.750	910.000	-1.366
396	-1.106	910.000	-1.365
397	-0.956	910.000	-1.365
398	0.450	910.000	-1.360
399	2.050	910.000	-1.354
400	14.250	910.000	-1.349
401	7.250	910.000	-1.347
402	3.750	910.000	-1.344
403	13.650	910.000	-1.332
404	6.650	910.000	-1.321
405	1.450	910.000	-1.317
406	13.000	910.000	-1.316
407	0	910.000	-1.314
408	3.150	910.000	-1.311
409	12.750	910.000	-1.299
410	6.000	910.000	-1.296
411	12.500	910.000	-1.282
412	0.900	910.000	-1.279
413	-0.734	910.000	-1.278
414	2.500	910.000	-1.277
415	5.750	910.000	-1.271
416	11.850	910.000	-1.265
417	-1.033	910.000	-1.261
418	-0.883	910.000	-1.261
419	11.250	910.000	-1.248
420	5.500	910.000	-1.246
421	2.250	910.000	-1.244
422	0.450	910.000	-1.241
423	10.750	910.000	-1.232
424	4.850	910.000	-1.221
425	10.150	910.000	-1.215
426	2.050	910.000	-1.214
427	0	910.000	-1.204
428	9.500	910.000	-1.198
429	4.250	910.000	-1.196
430	1.450	910.000	-1.183
431	9.250	910.000	-1.181
432	-0.661	910.000	-1.172
433	3.750	910.000	-1.171
434	24.425	910.000	-1.170
435	9.000	910.000	-1.165
436	23.500	910.000	-1.160
437	-0.960	910.000	-1.157
438	-0.810	910.000	-1.157
439	0.900	910.000	-1.153
440	23.250	910.000	-1.150
441	8.350	910.000	-1.148

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
442	3.150	910.000	-1.146
443	23.000	910.000	-1.142
444	22.350	910.000	-1.134
445	7.750	910.000	-1.131
446	21.750	910.000	-1.125
447	0.450	910.000	-1.123
448	2.500	910.000	-1.120
449	21.250	910.000	-1.117
450	7.250	910.000	-1.114
451	20.650	910.000	-1.108
452	20.000	910.000	-1.100
453	6.650	910.000	-1.098
454	2.250	910.000	-1.095
455	0	910.000	-1.093
456	19.750	910.000	-1.092
457	19.500	910.000	-1.083
458	6.000	910.000	-1.081
459	18.850	910.000	-1.075
460	2.050	910.000	-1.073
461	18.250	910.000	-1.067
462	-0.588	910.000	-1.065
463	5.750	910.000	-1.064
464	17.750	910.000	-1.058
465	-0.887	910.000	-1.053
466	-0.737	910.000	-1.053
467	1.450	910.000	-1.050
468	17.150	910.000	-1.050
469	5.500	910.000	-1.047
470	16.500	910.000	-1.041
471	16.250	910.000	-1.033
472	4.850	910.000	-1.031
473	0.900	910.000	-1.027
474	16.000	910.000	-1.025
475	15.350	910.000	-1.016
476	4.250	910.000	-1.014
477	14.750	910.000	-1.008
478	0.450	910.000	-1.005
479	14.250	910.000	-1.000
480	3.750	910.000	-0.997
481	13.650	910.000	-0.991
482	13.000	910.000	-0.983
483	0	910.000	-0.982
484	3.150	910.000	-0.980
485	12.750	910.000	-0.974
486	12.500	910.000	-0.966
487	2.500	910.000	-0.964
488	-0.515	910.000	-0.958
489	11.850	910.000	-0.958
490	11.250	910.000	-0.949

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
491	-0.814	910.000	-0.949
492	-0.664	910.000	-0.949
493	2.250	910.000	-0.947
494	10.750	910.000	-0.941
495	10.150	910.000	-0.932
496	2.050	910.000	-0.932
497	9.500	910.000	-0.924
498	1.450	910.000	-0.917
499	9.250	910.000	-0.916
500	9.000	910.000	-0.907
501	0.900	910.000	-0.902
502	8.350	910.000	-0.899
503	7.750	910.000	-0.891
504	0.450	910.000	-0.887
505	7.250	910.000	-0.882
506	6.650	910.000	-0.874
507	0	910.000	-0.871
508	6.000	910.000	-0.865
509	5.750	910.000	-0.857
510	-0.442	910.000	-0.852
511	5.500	910.000	-0.849
512	-0.741	910.000	-0.845
513	-0.591	910.000	-0.845
514	4.850	910.000	-0.840
515	4.250	910.000	-0.832
516	3.750	910.000	-0.824
517	3.150	910.000	-0.815
518	2.500	910.000	-0.807
519	2.250	910.000	-0.798
520	2.050	910.000	-0.791
521	1.450	910.000	-0.783
522	0.900	910.000	-0.776
523	0.450	910.000	-0.768
524	0	910.000	-0.761
525	-0.369	910.000	-0.745
526	-0.669	910.000	-0.741
527	-0.519	910.000	-0.741
528	0	910.000	-0.650
529	0.450	910.000	-0.650
530	0.900	910.000	-0.650
531	1.450	910.000	-0.650
532	2.050	910.000	-0.650
533	2.250	910.000	-0.650
534	2.500	910.000	-0.650
535	3.150	910.000	-0.650
536	3.750	910.000	-0.650
537	4.250	910.000	-0.650
538	4.850	910.000	-0.650
539	5.500	910.000	-0.650

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
540	5.750	910.000	-0.650
541	6.000	910.000	-0.650
542	6.650	910.000	-0.650
543	7.250	910.000	-0.650
544	7.750	910.000	-0.650
545	8.350	910.000	-0.650
546	9.000	910.000	-0.650
547	9.250	910.000	-0.650
548	9.500	910.000	-0.650
549	10.150	910.000	-0.650
550	10.750	910.000	-0.650
551	11.250	910.000	-0.650
552	11.850	910.000	-0.650
553	12.500	910.000	-0.650
554	12.750	910.000	-0.650
555	13.000	910.000	-0.650
556	13.650	910.000	-0.650
557	14.250	910.000	-0.650
558	14.750	910.000	-0.650
559	15.350	910.000	-0.650
560	16.000	910.000	-0.650
561	16.250	910.000	-0.650
562	16.500	910.000	-0.650
563	17.150	910.000	-0.650
564	17.750	910.000	-0.650
565	18.250	910.000	-0.650
566	18.850	910.000	-0.650
567	19.500	910.000	-0.650
568	19.750	910.000	-0.650
569	20.000	910.000	-0.650
570	20.650	910.000	-0.650
571	21.250	910.000	-0.650
572	21.750	910.000	-0.650
573	22.350	910.000	-0.650
574	23.000	910.000	-0.650
575	23.250	910.000	-0.650
576	23.500	910.000	-0.650
577	24.425	910.000	-0.650
578	-0.296	910.000	-0.639
579	-0.596	910.000	-0.636
580	-0.446	910.000	-0.636
581	-0.523	910.000	-0.532
582	-0.373	910.000	-0.532
583	-0.223	910.000	-0.532
584	0	910.000	-0.150
585	0.450	910.000	-0.150
586	0.900	910.000	-0.150
587	1.450	910.000	-0.150
588	2.050	910.000	-0.150

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
589	2.250	910.000	-0.150
590	2.500	910.000	-0.150
591	3.150	910.000	-0.150
592	3.750	910.000	-0.150
593	4.250	910.000	-0.150
594	4.850	910.000	-0.150
595	5.500	910.000	-0.150
596	5.750	910.000	-0.150
597	6.000	910.000	-0.150
598	6.650	910.000	-0.150
599	7.250	910.000	-0.150
600	7.750	910.000	-0.150
601	8.350	910.000	-0.150
602	9.000	910.000	-0.150
603	9.250	910.000	-0.150
604	9.500	910.000	-0.150
605	10.150	910.000	-0.150
606	10.750	910.000	-0.150
607	11.250	910.000	-0.150
608	11.850	910.000	-0.150
609	12.500	910.000	-0.150
610	12.750	910.000	-0.150
611	13.000	910.000	-0.150
612	13.650	910.000	-0.150
613	14.250	910.000	-0.150
614	14.750	910.000	-0.150
615	15.350	910.000	-0.150
616	16.000	910.000	-0.150
617	16.250	910.000	-0.150
618	16.500	910.000	-0.150
619	17.150	910.000	-0.150
620	17.750	910.000	-0.150
621	18.250	910.000	-0.150
622	18.850	910.000	-0.150
623	19.500	910.000	-0.150
624	19.750	910.000	-0.150
625	20.000	910.000	-0.150
626	20.650	910.000	-0.150
627	21.250	910.000	-0.150
628	21.750	910.000	-0.150
629	22.350	910.000	-0.150
630	23.000	910.000	-0.150
631	23.250	910.000	-0.150
632	23.500	910.000	-0.150
633	24.425	910.000	-0.150
634	-0.236	910.000	-0.123
635	-0.086	910.000	-0.123
636	-0.150	910.000	0
637	0	910.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
638	0.450	910.000	0
639	0.900	910.000	0
640	1.450	910.000	0
641	2.050	910.000	0
642	2.250	910.000	0
643	2.500	910.000	0
644	3.150	910.000	0
645	3.750	910.000	0
646	4.250	910.000	0
647	4.850	910.000	0
648	5.500	910.000	0
649	5.750	910.000	0
650	6.000	910.000	0
651	6.650	910.000	0
652	7.250	910.000	0
653	7.750	910.000	0
654	8.350	910.000	0
655	9.000	910.000	0
656	9.250	910.000	0
657	9.500	910.000	0
658	10.150	910.000	0
659	10.750	910.000	0
660	11.250	910.000	0
661	11.850	910.000	0
662	12.500	910.000	0
663	12.750	910.000	0
664	13.000	910.000	0
665	13.650	910.000	0
666	14.250	910.000	0
667	14.750	910.000	0
668	15.350	910.000	0
669	16.000	910.000	0
670	16.250	910.000	0
671	16.500	910.000	0
672	17.150	910.000	0
673	17.750	910.000	0
674	18.250	910.000	0
675	18.850	910.000	0
676	19.500	910.000	0
677	19.750	910.000	0
678	20.000	910.000	0
679	20.650	910.000	0
680	21.250	910.000	0
681	21.750	910.000	0
682	22.350	910.000	0
683	23.000	910.000	0
684	23.250	910.000	0
685	23.500	910.000	0
686	24.425	910.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
687	-0.045	910.000	0.150
688	0.105	910.000	0.150
689	0.534	910.000	0.150
690	0.963	910.000	0.150
691	1.492	910.000	0.150
692	2.071	910.000	0.150
693	2.250	910.000	0.150
694	2.500	910.000	0.150
695	3.150	910.000	0.150
696	3.750	910.000	0.150
697	4.250	910.000	0.150
698	4.850	910.000	0.150
699	5.500	910.000	0.150
700	5.750	910.000	0.150
701	6.000	910.000	0.150
702	6.650	910.000	0.150
703	7.250	910.000	0.150
704	7.750	910.000	0.150
705	8.350	910.000	0.150
706	9.000	910.000	0.150
707	9.250	910.000	0.150
708	9.500	910.000	0.150
709	10.150	910.000	0.150
710	10.750	910.000	0.150
711	11.250	910.000	0.150
712	11.850	910.000	0.150
713	12.500	910.000	0.150
714	12.750	910.000	0.150
715	13.000	910.000	0.150
716	13.650	910.000	0.150
717	14.250	910.000	0.150
718	14.750	910.000	0.150
719	15.350	910.000	0.150
720	16.000	910.000	0.150
721	16.250	910.000	0.150
722	16.500	910.000	0.150
723	17.150	910.000	0.150
724	17.750	910.000	0.150
725	18.250	910.000	0.150
726	18.850	910.000	0.150
727	19.500	910.000	0.150
728	19.750	910.000	0.150
729	20.000	910.000	0.150
730	20.650	910.000	0.150
731	21.250	910.000	0.150
732	21.750	910.000	0.150
733	22.350	910.000	0.150
734	23.000	910.000	0.150
735	23.250	910.000	0.150

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
736	23.500	910.000	0.150
737	24.425	910.000	0.150
738	0.305	910.000	0.650
739	0.455	910.000	0.650
740	0.814	910.000	0.650
741	1.173	910.000	0.650
742	1.632	910.000	0.650
743	1.991	910.000	0.650
744	2.250	910.000	0.650
745	2.500	910.000	0.650
746	3.150	910.000	0.650
747	3.750	910.000	0.650
748	4.250	910.000	0.650
749	4.850	910.000	0.650
750	5.500	910.000	0.650
751	5.750	910.000	0.650
752	6.000	910.000	0.650
753	6.650	910.000	0.650
754	7.250	910.000	0.650
755	7.750	910.000	0.650
756	8.350	910.000	0.650
757	9.000	910.000	0.650
758	9.250	910.000	0.650
759	9.500	910.000	0.650
760	10.150	910.000	0.650
761	10.750	910.000	0.650
762	11.250	910.000	0.650
763	11.850	910.000	0.650
764	12.500	910.000	0.650
765	12.750	910.000	0.650
766	13.000	910.000	0.650
767	13.650	910.000	0.650
768	14.250	910.000	0.650
769	14.750	910.000	0.650
770	15.350	910.000	0.650
771	16.000	910.000	0.650
772	16.250	910.000	0.650
773	16.500	910.000	0.650
774	17.150	910.000	0.650
775	17.750	910.000	0.650
776	18.250	910.000	0.650
777	18.850	910.000	0.650
778	19.500	910.000	0.650
779	19.750	910.000	0.650
780	20.000	910.000	0.650
781	20.650	910.000	0.650
782	21.250	910.000	0.650
783	21.750	910.000	0.650
784	22.350	910.000	0.650

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
785	23.000	910.000	0.650
786	23.250	910.000	0.650
787	23.500	910.000	0.650
788	24.425	910.000	0.650
789	0.370	910.000	0.743
790	0.520	910.000	0.743
791	0.866	910.000	0.752
792	1.212	910.000	0.761
793	1.658	910.000	0.770
794	2.004	910.000	0.779
795	2.250	910.000	0.789
796	2.500	910.000	0.802
797	3.150	910.000	0.816
798	3.750	910.000	0.830
799	4.250	910.000	0.844
800	4.850	910.000	0.858
801	5.500	910.000	0.871
802	5.750	910.000	0.885
803	6.000	910.000	0.899
804	6.650	910.000	0.913
805	7.250	910.000	0.927
806	7.750	910.000	0.940
807	8.350	910.000	0.954
808	9.000	910.000	0.968
809	9.250	910.000	0.982
810	9.500	910.000	0.995
811	10.150	910.000	1.009
812	10.750	910.000	1.023
813	11.250	910.000	1.037
814	11.850	910.000	1.051
815	12.500	910.000	1.064
816	12.750	910.000	1.078
817	0.535	910.000	1.086
818	0.685	910.000	1.086
819	13.000	910.000	1.092
820	0.918	910.000	1.104
821	13.650	910.000	1.106
822	14.250	910.000	1.119
823	1.251	910.000	1.122
824	14.750	910.000	1.133
825	1.684	910.000	1.141
826	15.350	910.000	1.147
827	2.017	910.000	1.159
828	16.000	910.000	1.161
829	16.250	910.000	1.175
830	2.250	910.000	1.177
831	16.500	910.000	1.188
832	17.150	910.000	1.202
833	2.500	910.000	1.205

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
834	17.750	910.000	1.216
835	18.250	910.000	1.230
836	3.150	910.000	1.232
837	18.850	910.000	1.244
838	19.500	910.000	1.257
839	3.750	910.000	1.260
840	19.750	910.000	1.271
841	20.000	910.000	1.285
842	4.250	910.000	1.288
843	20.650	910.000	1.299
844	21.250	910.000	1.312
845	4.850	910.000	1.315
846	21.750	910.000	1.326
847	22.350	910.000	1.340
848	5.500	910.000	1.343
849	23.000	910.000	1.354
850	23.250	910.000	1.368
851	5.750	910.000	1.370
852	23.500	910.000	1.384
853	6.000	910.000	1.398
854	24.425	910.000	1.400
855	6.650	910.000	1.425
856	7.250	910.000	1.453
857	7.750	910.000	1.481
858	8.350	910.000	1.508
859	9.000	910.000	1.536
860	9.250	910.000	1.563
861	9.500	910.000	1.591
862	10.150	910.000	1.618
863	10.750	910.000	1.646
864	11.250	910.000	1.674
865	11.850	910.000	1.701
866	12.500	910.000	1.729
867	12.750	910.000	1.756
868	13.000	910.000	1.784
869	13.650	910.000	1.811
870	14.250	910.000	1.839
871	14.750	910.000	1.867
872	15.350	910.000	1.894
873	16.000	910.000	1.922
874	16.250	910.000	1.949
875	16.500	910.000	1.977
876	17.150	910.000	2.004
877	17.750	910.000	2.032
878	18.250	910.000	2.060
879	18.850	910.000	2.087
880	19.500	910.000	2.115
881	19.750	910.000	2.142
882	20.000	910.000	2.170

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
883	20.650	910.000	2.197
884	21.250	910.000	2.225
885	21.750	910.000	2.253
886	22.350	910.000	2.280
887	23.000	910.000	2.308
888	23.250	910.000	2.335
889	23.500	910.000	2.368
890	24.425	910.000	2.400
891	23.250	910.350	-5.653
892	23.250	910.350	-5.153
893	19.750	910.350	-5.067
894	23.250	910.350	-4.652
895	19.750	910.350	-4.625
896	16.250	910.350	-4.480
897	19.750	910.350	-4.183
898	23.250	910.350	-4.152
899	16.250	910.350	-4.097
900	12.750	910.350	-3.894
901	19.750	910.350	-3.742
902	16.250	910.350	-3.714
903	23.250	910.350	-3.652
904	12.750	910.350	-3.569
905	16.250	910.350	-3.331
906	9.250	910.350	-3.307
907	19.750	910.350	-3.300
908	12.750	910.350	-3.245
909	23.250	910.350	-3.152
910	9.250	910.350	-3.042
911	16.250	910.350	-2.948
912	12.750	910.350	-2.921
913	19.750	910.350	-2.858
914	9.250	910.350	-2.776
915	5.750	910.350	-2.721
916	23.250	910.350	-2.651
917	12.750	910.350	-2.596
918	16.250	910.350	-2.565
919	5.750	910.350	-2.514
920	9.250	910.350	-2.510
921	19.750	910.350	-2.417
922	5.750	910.350	-2.307
923	12.750	910.350	-2.272
924	9.250	910.350	-2.244
925	16.250	910.350	-2.182
926	23.250	910.350	-2.151
927	2.250	910.350	-2.134
928	5.750	910.350	-2.100
929	2.250	910.350	-1.986
930	9.250	910.350	-1.979
931	19.750	910.350	-1.975

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
932	12.750	910.350	-1.947
933	5.750	910.350	-1.892
934	2.250	910.350	-1.837
935	16.250	910.350	-1.799
936	9.250	910.350	-1.713
937	2.250	910.350	-1.689
938	5.750	910.350	-1.685
939	23.250	910.350	-1.651
940	12.750	910.350	-1.623
941	-1.101	910.350	-1.573
942	2.250	910.350	-1.541
943	19.750	910.350	-1.533
944	5.750	910.350	-1.478
945	-1.028	910.350	-1.469
946	9.250	910.350	-1.447
947	16.250	910.350	-1.416
948	2.250	910.350	-1.392
949	-0.956	910.350	-1.365
950	12.750	910.350	-1.299
951	5.750	910.350	-1.271
952	-0.883	910.350	-1.261
953	2.250	910.350	-1.244
954	9.250	910.350	-1.181
955	-0.810	910.350	-1.157
956	23.250	910.350	-1.150
957	2.250	910.350	-1.095
958	19.750	910.350	-1.092
959	5.750	910.350	-1.064
960	-0.737	910.350	-1.053
961	16.250	910.350	-1.033
962	12.750	910.350	-0.974
963	-0.664	910.350	-0.949
964	2.250	910.350	-0.947
965	9.250	910.350	-0.916
966	5.750	910.350	-0.857
967	-0.591	910.350	-0.845
968	2.250	910.350	-0.798
969	-0.519	910.350	-0.741
970	2.250	910.350	-0.650
971	5.750	910.350	-0.650
972	9.250	910.350	-0.650
973	12.750	910.350	-0.650
974	16.250	910.350	-0.650
975	19.750	910.350	-0.650
976	23.250	910.350	-0.650
977	-0.446	910.350	-0.636
978	-0.373	910.350	-0.532
979	2.250	910.350	-0.150
980	5.750	910.350	-0.150

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
981	9.250	910.350	-0.150
982	12.750	910.350	-0.150
983	16.250	910.350	-0.150
984	19.750	910.350	-0.150
985	23.250	910.350	-0.150
986	-0.086	910.350	-0.123
987	0	910.350	0
988	0.450	910.350	0
989	0.900	910.350	0
990	1.450	910.350	0
991	2.050	910.350	0
992	2.250	910.350	0
993	2.500	910.350	0
994	3.150	910.350	0
995	3.750	910.350	0
996	4.250	910.350	0
997	4.850	910.350	0
998	5.500	910.350	0
999	5.750	910.350	0
1000	6.000	910.350	0
1001	6.650	910.350	0
1002	7.250	910.350	0
1003	7.750	910.350	0
1004	8.350	910.350	0
1005	9.000	910.350	0
1006	9.250	910.350	0
1007	9.500	910.350	0
1008	10.150	910.350	0
1009	10.750	910.350	0
1010	11.250	910.350	0
1011	11.850	910.350	0
1012	12.500	910.350	0
1013	12.750	910.350	0
1014	13.000	910.350	0
1015	13.650	910.350	0
1016	14.250	910.350	0
1017	14.750	910.350	0
1018	15.350	910.350	0
1019	16.000	910.350	0
1020	16.250	910.350	0
1021	16.500	910.350	0
1022	17.150	910.350	0
1023	17.750	910.350	0
1024	18.250	910.350	0
1025	18.850	910.350	0
1026	19.500	910.350	0
1027	19.750	910.350	0
1028	20.000	910.350	0
1029	20.650	910.350	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1030	21.250	910.350	0
1031	21.750	910.350	0
1032	22.350	910.350	0
1033	23.000	910.350	0
1034	23.250	910.350	0
1035	23.500	910.350	0
1036	24.425	910.350	0
1037	2.250	910.350	0.150
1038	5.750	910.350	0.150
1039	9.250	910.350	0.150
1040	12.750	910.350	0.150
1041	16.250	910.350	0.150
1042	19.750	910.350	0.150
1043	23.250	910.350	0.150
1044	2.250	910.350	0.650
1045	5.750	910.350	0.650
1046	9.250	910.350	0.650
1047	12.750	910.350	0.650
1048	16.250	910.350	0.650
1049	19.750	910.350	0.650
1050	23.250	910.350	0.650
1051	2.250	910.350	0.789
1052	5.750	910.350	0.885
1053	9.250	910.350	0.982
1054	12.750	910.350	1.078
1055	16.250	910.350	1.175
1056	2.250	910.350	1.177
1057	19.750	910.350	1.271
1058	23.250	910.350	1.368
1059	5.750	910.350	1.370
1060	9.250	910.350	1.563
1061	12.750	910.350	1.756
1062	16.250	910.350	1.949
1063	19.750	910.350	2.142
1064	23.250	910.350	2.335
1065	23.250	910.700	-5.653
1066	23.250	910.700	-5.153
1067	19.750	910.700	-5.067
1068	23.250	910.700	-4.652
1069	19.750	910.700	-4.625
1070	16.250	910.700	-4.480
1071	19.750	910.700	-4.183
1072	23.250	910.700	-4.152
1073	16.250	910.700	-4.097
1074	12.750	910.700	-3.894
1075	19.750	910.700	-3.742
1076	16.250	910.700	-3.714
1077	23.250	910.700	-3.652
1078	12.750	910.700	-3.569

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1079	16.250	910.700	-3.331
1080	9.250	910.700	-3.307
1081	19.750	910.700	-3.300
1082	12.750	910.700	-3.245
1083	23.250	910.700	-3.152
1084	9.250	910.700	-3.042
1085	16.250	910.700	-2.948
1086	12.750	910.700	-2.921
1087	19.750	910.700	-2.858
1088	9.250	910.700	-2.776
1089	5.750	910.700	-2.721
1090	23.250	910.700	-2.651
1091	12.750	910.700	-2.596
1092	16.250	910.700	-2.565
1093	5.750	910.700	-2.514
1094	9.250	910.700	-2.510
1095	19.750	910.700	-2.417
1096	5.750	910.700	-2.307
1097	12.750	910.700	-2.272
1098	9.250	910.700	-2.244
1099	16.250	910.700	-2.182
1100	23.250	910.700	-2.151
1101	2.250	910.700	-2.134
1102	5.750	910.700	-2.100
1103	2.250	910.700	-1.986
1104	9.250	910.700	-1.979
1105	19.750	910.700	-1.975
1106	12.750	910.700	-1.947
1107	5.750	910.700	-1.892
1108	2.250	910.700	-1.837
1109	16.250	910.700	-1.799
1110	9.250	910.700	-1.713
1111	2.250	910.700	-1.689
1112	5.750	910.700	-1.685
1113	23.250	910.700	-1.651
1114	12.750	910.700	-1.623
1115	-1.101	910.700	-1.573
1116	2.250	910.700	-1.541
1117	19.750	910.700	-1.533
1118	5.750	910.700	-1.478
1119	-1.028	910.700	-1.469
1120	9.250	910.700	-1.447
1121	16.250	910.700	-1.416
1122	2.250	910.700	-1.392
1123	-0.956	910.700	-1.365
1124	12.750	910.700	-1.299
1125	5.750	910.700	-1.271
1126	-0.883	910.700	-1.261
1127	2.250	910.700	-1.244

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1128	9.250	910.700	-1.181
1129	-0.810	910.700	-1.157
1130	23.250	910.700	-1.150
1131	2.250	910.700	-1.095
1132	19.750	910.700	-1.092
1133	5.750	910.700	-1.064
1134	-0.737	910.700	-1.053
1135	16.250	910.700	-1.033
1136	12.750	910.700	-0.974
1137	-0.664	910.700	-0.949
1138	2.250	910.700	-0.947
1139	9.250	910.700	-0.916
1140	5.750	910.700	-0.857
1141	-0.591	910.700	-0.845
1142	2.250	910.700	-0.798
1143	-0.519	910.700	-0.741
1144	2.250	910.700	-0.650
1145	5.750	910.700	-0.650
1146	9.250	910.700	-0.650
1147	12.750	910.700	-0.650
1148	16.250	910.700	-0.650
1149	19.750	910.700	-0.650
1150	23.250	910.700	-0.650
1151	-0.446	910.700	-0.636
1152	-0.373	910.700	-0.532
1153	2.250	910.700	-0.150
1154	5.750	910.700	-0.150
1155	9.250	910.700	-0.150
1156	12.750	910.700	-0.150
1157	16.250	910.700	-0.150
1158	19.750	910.700	-0.150
1159	23.250	910.700	-0.150
1160	-0.086	910.700	-0.123
1161	0	910.700	0
1162	0.450	910.700	0
1163	0.900	910.700	0
1164	1.450	910.700	0
1165	2.050	910.700	0
1166	2.250	910.700	0
1167	2.500	910.700	0
1168	3.150	910.700	0
1169	3.750	910.700	0
1170	4.250	910.700	0
1171	4.850	910.700	0
1172	5.500	910.700	0
1173	5.750	910.700	0
1174	6.000	910.700	0
1175	6.650	910.700	0
1176	7.250	910.700	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1177	7.750	910.700	0
1178	8.350	910.700	0
1179	9.000	910.700	0
1180	9.250	910.700	0
1181	9.500	910.700	0
1182	10.150	910.700	0
1183	10.750	910.700	0
1184	11.250	910.700	0
1185	11.850	910.700	0
1186	12.500	910.700	0
1187	12.750	910.700	0
1188	13.000	910.700	0
1189	13.650	910.700	0
1190	14.250	910.700	0
1191	14.750	910.700	0
1192	15.350	910.700	0
1193	16.000	910.700	0
1194	16.250	910.700	0
1195	16.500	910.700	0
1196	17.150	910.700	0
1197	17.750	910.700	0
1198	18.250	910.700	0
1199	18.850	910.700	0
1200	19.500	910.700	0
1201	19.750	910.700	0
1202	20.000	910.700	0
1203	20.650	910.700	0
1204	21.250	910.700	0
1205	21.750	910.700	0
1206	22.350	910.700	0
1207	23.000	910.700	0
1208	23.250	910.700	0
1209	23.500	910.700	0
1210	24.425	910.700	0
1211	2.250	910.700	0.150
1212	5.750	910.700	0.150
1213	9.250	910.700	0.150
1214	12.750	910.700	0.150
1215	16.250	910.700	0.150
1216	19.750	910.700	0.150
1217	23.250	910.700	0.150
1218	2.250	910.700	0.650
1219	5.750	910.700	0.650
1220	9.250	910.700	0.650
1221	12.750	910.700	0.650
1222	16.250	910.700	0.650
1223	19.750	910.700	0.650
1224	23.250	910.700	0.650
1225	2.250	910.700	0.789

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1226	5.750	910.700	0.885
1227	9.250	910.700	0.982
1228	12.750	910.700	1.078
1229	16.250	910.700	1.175
1230	2.250	910.700	1.177
1231	19.750	910.700	1.271
1232	23.250	910.700	1.368
1233	5.750	910.700	1.370
1234	9.250	910.700	1.563
1235	12.750	910.700	1.756
1236	16.250	910.700	1.949
1237	19.750	910.700	2.142
1238	23.250	910.700	2.335
1239	23.250	911.300	-5.653
1240	23.250	911.300	-5.153
1241	19.750	911.300	-5.067
1242	23.250	911.300	-4.652
1243	19.750	911.300	-4.625
1244	16.250	911.300	-4.480
1245	19.750	911.300	-4.183
1246	23.250	911.300	-4.152
1247	16.250	911.300	-4.097
1248	12.750	911.300	-3.894
1249	19.750	911.300	-3.742
1250	16.250	911.300	-3.714
1251	23.250	911.300	-3.652
1252	12.750	911.300	-3.569
1253	16.250	911.300	-3.331
1254	9.250	911.300	-3.307
1255	19.750	911.300	-3.300
1256	12.750	911.300	-3.245
1257	23.250	911.300	-3.152
1258	9.250	911.300	-3.042
1259	16.250	911.300	-2.948
1260	12.750	911.300	-2.921
1261	19.750	911.300	-2.858
1262	9.250	911.300	-2.776
1263	5.750	911.300	-2.721
1264	23.250	911.300	-2.651
1265	12.750	911.300	-2.596
1266	16.250	911.300	-2.565
1267	5.750	911.300	-2.514
1268	9.250	911.300	-2.510
1269	19.750	911.300	-2.417
1270	5.750	911.300	-2.307
1271	12.750	911.300	-2.272
1272	9.250	911.300	-2.244
1273	16.250	911.300	-2.182
1274	23.250	911.300	-2.151

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1275	2.250	911.300	-2.134
1276	5.750	911.300	-2.100
1277	2.250	911.300	-1.986
1278	9.250	911.300	-1.979
1279	19.750	911.300	-1.975
1280	12.750	911.300	-1.947
1281	5.750	911.300	-1.892
1282	2.250	911.300	-1.837
1283	16.250	911.300	-1.799
1284	9.250	911.300	-1.713
1285	2.250	911.300	-1.689
1286	5.750	911.300	-1.685
1287	23.250	911.300	-1.651
1288	12.750	911.300	-1.623
1289	-1.101	911.300	-1.573
1290	2.250	911.300	-1.541
1291	19.750	911.300	-1.533
1292	5.750	911.300	-1.478
1293	-1.028	911.300	-1.469
1294	9.250	911.300	-1.447
1295	16.250	911.300	-1.416
1296	2.250	911.300	-1.392
1297	-0.956	911.300	-1.365
1298	12.750	911.300	-1.299
1299	5.750	911.300	-1.271
1300	-0.883	911.300	-1.261
1301	2.250	911.300	-1.244
1302	9.250	911.300	-1.181
1303	-0.810	911.300	-1.157
1304	23.250	911.300	-1.150
1305	2.250	911.300	-1.095
1306	19.750	911.300	-1.092
1307	5.750	911.300	-1.064
1308	-0.737	911.300	-1.053
1309	16.250	911.300	-1.033
1310	12.750	911.300	-0.974
1311	-0.664	911.300	-0.949
1312	2.250	911.300	-0.947
1313	9.250	911.300	-0.916
1314	5.750	911.300	-0.857
1315	-0.591	911.300	-0.845
1316	2.250	911.300	-0.798
1317	-0.519	911.300	-0.741
1318	2.250	911.300	-0.650
1319	5.750	911.300	-0.650
1320	9.250	911.300	-0.650
1321	12.750	911.300	-0.650
1322	16.250	911.300	-0.650
1323	19.750	911.300	-0.650

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1324	23.250	911.300	-0.650
1325	-0.446	911.300	-0.636
1326	-0.373	911.300	-0.532
1327	2.250	911.300	-0.150
1328	5.750	911.300	-0.150
1329	9.250	911.300	-0.150
1330	12.750	911.300	-0.150
1331	16.250	911.300	-0.150
1332	19.750	911.300	-0.150
1333	23.250	911.300	-0.150
1334	-0.086	911.300	-0.123
1335	0	911.300	0
1336	0.450	911.300	0
1337	0.900	911.300	0
1338	1.450	911.300	0
1339	2.050	911.300	0
1340	2.250	911.300	0
1341	2.500	911.300	0
1342	3.150	911.300	0
1343	3.750	911.300	0
1344	4.250	911.300	0
1345	4.850	911.300	0
1346	5.500	911.300	0
1347	5.750	911.300	0
1348	6.000	911.300	0
1349	6.650	911.300	0
1350	7.250	911.300	0
1351	7.750	911.300	0
1352	8.350	911.300	0
1353	9.000	911.300	0
1354	9.250	911.300	0
1355	9.500	911.300	0
1356	10.150	911.300	0
1357	10.750	911.300	0
1358	11.250	911.300	0
1359	11.850	911.300	0
1360	12.500	911.300	0
1361	12.750	911.300	0
1362	13.000	911.300	0
1363	13.650	911.300	0
1364	14.250	911.300	0
1365	14.750	911.300	0
1366	15.350	911.300	0
1367	16.000	911.300	0
1368	16.250	911.300	0
1369	16.500	911.300	0
1370	17.150	911.300	0
1371	17.750	911.300	0
1372	18.250	911.300	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1373	18.850	911.300	0
1374	19.500	911.300	0
1375	19.750	911.300	0
1376	20.000	911.300	0
1377	20.650	911.300	0
1378	21.250	911.300	0
1379	21.750	911.300	0
1380	22.350	911.300	0
1381	23.000	911.300	0
1382	23.250	911.300	0
1383	23.500	911.300	0
1384	24.425	911.300	0
1385	2.250	911.300	0.150
1386	5.750	911.300	0.150
1387	9.250	911.300	0.150
1388	12.750	911.300	0.150
1389	16.250	911.300	0.150
1390	19.750	911.300	0.150
1391	23.250	911.300	0.150
1392	2.250	911.300	0.650
1393	5.750	911.300	0.650
1394	9.250	911.300	0.650
1395	12.750	911.300	0.650
1396	16.250	911.300	0.650
1397	19.750	911.300	0.650
1398	23.250	911.300	0.650
1399	2.250	911.300	0.789
1400	5.750	911.300	0.885
1401	9.250	911.300	0.982
1402	12.750	911.300	1.078
1403	16.250	911.300	1.175
1404	19.750	911.300	1.271
1405	23.250	911.300	1.368
1406	23.250	911.850	-5.653
1407	23.250	911.850	-5.153
1408	19.750	911.850	-5.067
1409	23.250	911.850	-4.652
1410	19.750	911.850	-4.625
1411	16.250	911.850	-4.480
1412	19.750	911.850	-4.183
1413	23.250	911.850	-4.152
1414	16.250	911.850	-4.097
1415	12.750	911.850	-3.894
1416	19.750	911.850	-3.742
1417	16.250	911.850	-3.714
1418	23.250	911.850	-3.652
1419	12.750	911.850	-3.569
1420	16.250	911.850	-3.331
1421	9.250	911.850	-3.307

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1422	19.750	911.850	-3.300
1423	12.750	911.850	-3.245
1424	23.250	911.850	-3.152
1425	9.250	911.850	-3.042
1426	16.250	911.850	-2.948
1427	12.750	911.850	-2.921
1428	19.750	911.850	-2.858
1429	9.250	911.850	-2.776
1430	5.750	911.850	-2.721
1431	23.250	911.850	-2.651
1432	12.750	911.850	-2.596
1433	16.250	911.850	-2.565
1434	5.750	911.850	-2.514
1435	9.250	911.850	-2.510
1436	19.750	911.850	-2.417
1437	5.750	911.850	-2.307
1438	12.750	911.850	-2.272
1439	9.250	911.850	-2.244
1440	16.250	911.850	-2.182
1441	23.250	911.850	-2.151
1442	2.250	911.850	-2.134
1443	5.750	911.850	-2.100
1444	2.250	911.850	-1.986
1445	9.250	911.850	-1.979
1446	19.750	911.850	-1.975
1447	12.750	911.850	-1.947
1448	5.750	911.850	-1.892
1449	2.250	911.850	-1.837
1450	16.250	911.850	-1.799
1451	9.250	911.850	-1.713
1452	2.250	911.850	-1.689
1453	5.750	911.850	-1.685
1454	23.250	911.850	-1.651
1455	12.750	911.850	-1.623
1456	-1.101	911.850	-1.573
1457	2.250	911.850	-1.541
1458	19.750	911.850	-1.533
1459	5.750	911.850	-1.478
1460	-1.028	911.850	-1.469
1461	9.250	911.850	-1.447
1462	16.250	911.850	-1.416
1463	2.250	911.850	-1.392
1464	-0.956	911.850	-1.365
1465	12.750	911.850	-1.299
1466	5.750	911.850	-1.271
1467	-0.883	911.850	-1.261
1468	2.250	911.850	-1.244
1469	9.250	911.850	-1.181
1470	-0.810	911.850	-1.157

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1471	23.250	911.850	-1.150
1472	2.250	911.850	-1.095
1473	19.750	911.850	-1.092
1474	5.750	911.850	-1.064
1475	-0.737	911.850	-1.053
1476	16.250	911.850	-1.033
1477	12.750	911.850	-0.974
1478	-0.664	911.850	-0.949
1479	2.250	911.850	-0.947
1480	9.250	911.850	-0.916
1481	5.750	911.850	-0.857
1482	-0.591	911.850	-0.845
1483	2.250	911.850	-0.798
1484	-0.519	911.850	-0.741
1485	2.250	911.850	-0.650
1486	5.750	911.850	-0.650
1487	9.250	911.850	-0.650
1488	12.750	911.850	-0.650
1489	16.250	911.850	-0.650
1490	19.750	911.850	-0.650
1491	23.250	911.850	-0.650
1492	-0.446	911.850	-0.636
1493	-0.373	911.850	-0.532
1494	2.250	911.850	-0.150
1495	5.750	911.850	-0.150
1496	9.250	911.850	-0.150
1497	12.750	911.850	-0.150
1498	16.250	911.850	-0.150
1499	19.750	911.850	-0.150
1500	23.250	911.850	-0.150
1501	-0.086	911.850	-0.123
1502	0	911.850	0
1503	0.450	911.850	0
1504	0.900	911.850	0
1505	1.450	911.850	0
1506	2.050	911.850	0
1507	2.250	911.850	0
1508	2.500	911.850	0
1509	3.150	911.850	0
1510	3.750	911.850	0
1511	4.250	911.850	0
1512	4.850	911.850	0
1513	5.500	911.850	0
1514	5.750	911.850	0
1515	6.000	911.850	0
1516	6.650	911.850	0
1517	7.250	911.850	0
1518	7.750	911.850	0
1519	8.350	911.850	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1520	9.000	911.850	0
1521	9.250	911.850	0
1522	9.500	911.850	0
1523	10.150	911.850	0
1524	10.750	911.850	0
1525	11.250	911.850	0
1526	11.850	911.850	0
1527	12.500	911.850	0
1528	12.750	911.850	0
1529	13.000	911.850	0
1530	13.650	911.850	0
1531	14.250	911.850	0
1532	14.750	911.850	0
1533	15.350	911.850	0
1534	16.000	911.850	0
1535	16.250	911.850	0
1536	16.500	911.850	0
1537	17.150	911.850	0
1538	17.750	911.850	0
1539	18.250	911.850	0
1540	18.850	911.850	0
1541	19.500	911.850	0
1542	19.750	911.850	0
1543	20.000	911.850	0
1544	20.650	911.850	0
1545	21.250	911.850	0
1546	21.750	911.850	0
1547	22.350	911.850	0
1548	23.000	911.850	0
1549	23.250	911.850	0
1550	23.500	911.850	0
1551	24.425	911.850	0
1552	2.250	911.850	0.150
1553	5.750	911.850	0.150
1554	9.250	911.850	0.150
1555	12.750	911.850	0.150
1556	16.250	911.850	0.150
1557	19.750	911.850	0.150
1558	23.250	911.850	0.150
1559	2.250	911.850	0.650
1560	5.750	911.850	0.650
1561	9.250	911.850	0.650
1562	12.750	911.850	0.650
1563	16.250	911.850	0.650
1564	19.750	911.850	0.650
1565	23.250	911.850	0.650
1566	23.250	912.500	-5.508
1567	23.250	912.500	-5.022
1568	19.750	912.500	-4.919

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1569	23.250	912.500	-4.536
1570	19.750	912.500	-4.492
1571	16.250	912.500	-4.329
1572	19.750	912.500	-4.065
1573	23.250	912.500	-4.051
1574	16.250	912.500	-3.961
1575	12.750	912.500	-3.737
1576	19.750	912.500	-3.638
1577	16.250	912.500	-3.593
1578	23.250	912.500	-3.565
1579	12.750	912.500	-3.428
1580	16.250	912.500	-3.225
1581	19.750	912.500	-3.211
1582	9.250	912.500	-3.142
1583	12.750	912.500	-3.120
1584	23.250	912.500	-3.079
1585	9.250	912.500	-2.893
1586	16.250	912.500	-2.857
1587	12.750	912.500	-2.811
1588	19.750	912.500	-2.784
1589	9.250	912.500	-2.644
1590	23.250	912.500	-2.593
1591	5.750	912.500	-2.541
1592	12.750	912.500	-2.502
1593	16.250	912.500	-2.489
1594	9.250	912.500	-2.395
1595	19.750	912.500	-2.358
1596	5.750	912.500	-2.352
1597	12.750	912.500	-2.194
1598	5.750	912.500	-2.163
1599	9.250	912.500	-2.145
1600	16.250	912.500	-2.121
1601	23.250	912.500	-2.107
1602	5.750	912.500	-1.974
1603	19.750	912.500	-1.931
1604	2.250	912.500	-1.921
1605	9.250	912.500	-1.896
1606	12.750	912.500	-1.885
1607	2.250	912.500	-1.794
1608	5.750	912.500	-1.785
1609	16.250	912.500	-1.754
1610	2.250	912.500	-1.667
1611	9.250	912.500	-1.647
1612	23.250	912.500	-1.622
1613	5.750	912.500	-1.596
1614	12.750	912.500	-1.576
1615	-1.101	912.500	-1.573
1616	2.250	912.500	-1.539
1617	19.750	912.500	-1.504

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1618	-1.028	912.500	-1.469
1619	2.250	912.500	-1.412
1620	5.750	912.500	-1.406
1621	9.250	912.500	-1.398
1622	16.250	912.500	-1.386
1623	-0.956	912.500	-1.365
1624	2.250	912.500	-1.285
1625	12.750	912.500	-1.267
1626	-0.883	912.500	-1.261
1627	5.750	912.500	-1.217
1628	2.250	912.500	-1.158
1629	-0.810	912.500	-1.157
1630	9.250	912.500	-1.148
1631	23.250	912.500	-1.136
1632	19.750	912.500	-1.077
1633	-0.737	912.500	-1.053
1634	2.250	912.500	-1.031
1635	5.750	912.500	-1.028
1636	16.250	912.500	-1.018
1637	12.750	912.500	-0.959
1638	-0.664	912.500	-0.949
1639	2.250	912.500	-0.904
1640	9.250	912.500	-0.899
1641	-0.591	912.500	-0.845
1642	5.750	912.500	-0.839
1643	2.250	912.500	-0.777
1644	-0.519	912.500	-0.741
1645	2.250	912.500	-0.650
1646	5.750	912.500	-0.650
1647	9.250	912.500	-0.650
1648	12.750	912.500	-0.650
1649	16.250	912.500	-0.650
1650	19.750	912.500	-0.650
1651	23.250	912.500	-0.650
1652	-0.446	912.500	-0.636
1653	-0.373	912.500	-0.532
1654	2.250	912.500	-0.150
1655	5.750	912.500	-0.150
1656	9.250	912.500	-0.150
1657	12.750	912.500	-0.150
1658	16.250	912.500	-0.150
1659	19.750	912.500	-0.150
1660	23.250	912.500	-0.150
1661	-0.086	912.500	-0.123
1662	0	912.500	0
1663	0.450	912.500	0
1664	0.900	912.500	0
1665	1.450	912.500	0
1666	2.050	912.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1667	2.250	912.500	0
1668	2.500	912.500	0
1669	3.150	912.500	0
1670	3.750	912.500	0
1671	4.250	912.500	0
1672	4.850	912.500	0
1673	5.500	912.500	0
1674	5.750	912.500	0
1675	6.000	912.500	0
1676	6.650	912.500	0
1677	7.250	912.500	0
1678	7.750	912.500	0
1679	8.350	912.500	0
1680	9.000	912.500	0
1681	9.250	912.500	0
1682	9.500	912.500	0
1683	10.150	912.500	0
1684	10.750	912.500	0
1685	11.250	912.500	0
1686	11.850	912.500	0
1687	12.500	912.500	0
1688	12.750	912.500	0
1689	13.000	912.500	0
1690	13.650	912.500	0
1691	14.250	912.500	0
1692	14.750	912.500	0
1693	15.350	912.500	0
1694	16.000	912.500	0
1695	16.250	912.500	0
1696	16.500	912.500	0
1697	17.150	912.500	0
1698	17.750	912.500	0
1699	18.250	912.500	0
1700	18.850	912.500	0
1701	19.500	912.500	0
1702	19.750	912.500	0
1703	20.000	912.500	0
1704	20.650	912.500	0
1705	21.250	912.500	0
1706	21.750	912.500	0
1707	22.350	912.500	0
1708	23.000	912.500	0
1709	23.250	912.500	0
1710	23.500	912.500	0
1711	24.425	912.500	0
1712	2.250	912.500	0.150
1713	5.750	912.500	0.150
1714	9.250	912.500	0.150
1715	12.750	912.500	0.150

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1716	16.250	912.500	0.150
1717	19.750	912.500	0.150
1718	23.250	912.500	0.150
1719	23.250	913.000	-5.363
1720	23.250	913.000	-4.891
1721	19.750	913.000	-4.771
1722	23.250	913.000	-4.420
1723	19.750	913.000	-4.359
1724	16.250	913.000	-4.177
1725	23.250	913.000	-3.949
1726	19.750	913.000	-3.947
1727	16.250	913.000	-3.825
1728	12.750	913.000	-3.580
1729	19.750	913.000	-3.535
1730	23.250	913.000	-3.478
1731	16.250	913.000	-3.472
1732	12.750	913.000	-3.287
1733	19.750	913.000	-3.123
1734	16.250	913.000	-3.119
1735	23.250	913.000	-3.006
1736	12.750	913.000	-2.994
1737	9.250	913.000	-2.978
1738	16.250	913.000	-2.766
1739	9.250	913.000	-2.745
1740	19.750	913.000	-2.710
1741	12.750	913.000	-2.701
1742	23.250	913.000	-2.535
1743	9.250	913.000	-2.512
1744	16.250	913.000	-2.414
1745	12.750	913.000	-2.408
1746	5.750	913.000	-2.362
1747	19.750	913.000	-2.298
1748	9.250	913.000	-2.279
1749	5.750	913.000	-2.191
1750	12.750	913.000	-2.115
1751	23.250	913.000	-2.064
1752	16.250	913.000	-2.061
1753	9.250	913.000	-2.047
1754	5.750	913.000	-2.019
1755	19.750	913.000	-1.886
1756	5.750	913.000	-1.848
1757	12.750	913.000	-1.822
1758	9.250	913.000	-1.814
1759	16.250	913.000	-1.708
1760	2.250	913.000	-1.707
1761	5.750	913.000	-1.677
1762	2.250	913.000	-1.601
1763	23.250	913.000	-1.593
1764	9.250	913.000	-1.581

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1765	-1.101	913.000	-1.573
1766	12.750	913.000	-1.529
1767	5.750	913.000	-1.506
1768	2.250	913.000	-1.496
1769	19.750	913.000	-1.474
1770	-1.028	913.000	-1.469
1771	2.250	913.000	-1.390
1772	-0.956	913.000	-1.365
1773	16.250	913.000	-1.355
1774	9.250	913.000	-1.348
1775	5.750	913.000	-1.335
1776	2.250	913.000	-1.284
1777	-0.883	913.000	-1.261
1778	12.750	913.000	-1.236
1779	2.250	913.000	-1.179
1780	5.750	913.000	-1.164
1781	-0.810	913.000	-1.157
1782	23.250	913.000	-1.121
1783	9.250	913.000	-1.116
1784	2.250	913.000	-1.073
1785	19.750	913.000	-1.062
1786	-0.737	913.000	-1.053
1787	16.250	913.000	-1.003
1788	5.750	913.000	-0.992
1789	2.250	913.000	-0.967
1790	-0.664	913.000	-0.949
1791	12.750	913.000	-0.943
1792	9.250	913.000	-0.883
1793	2.250	913.000	-0.861
1794	-0.591	913.000	-0.845
1795	5.750	913.000	-0.821
1796	2.250	913.000	-0.756
1797	-0.519	913.000	-0.741
1798	2.250	913.000	-0.650
1799	5.750	913.000	-0.650
1800	9.250	913.000	-0.650
1801	12.750	913.000	-0.650
1802	16.250	913.000	-0.650
1803	19.750	913.000	-0.650
1804	23.250	913.000	-0.650
1805	-0.446	913.000	-0.636
1806	-0.373	913.000	-0.532
1807	2.250	913.000	-0.150
1808	5.750	913.000	-0.150
1809	9.250	913.000	-0.150
1810	12.750	913.000	-0.150
1811	16.250	913.000	-0.150
1812	19.750	913.000	-0.150
1813	23.250	913.000	-0.150

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1814	-0.086	913.000	-0.123
1815	0	913.000	0
1816	0.450	913.000	0
1817	0.900	913.000	0
1818	1.450	913.000	0
1819	2.050	913.000	0
1820	2.250	913.000	0
1821	2.500	913.000	0
1822	3.150	913.000	0
1823	3.750	913.000	0
1824	4.250	913.000	0
1825	4.850	913.000	0
1826	5.500	913.000	0
1827	5.750	913.000	0
1828	6.000	913.000	0
1829	6.650	913.000	0
1830	7.250	913.000	0
1831	7.750	913.000	0
1832	8.350	913.000	0
1833	9.000	913.000	0
1834	9.250	913.000	0
1835	9.500	913.000	0
1836	10.150	913.000	0
1837	10.750	913.000	0
1838	11.250	913.000	0
1839	11.850	913.000	0
1840	12.500	913.000	0
1841	12.750	913.000	0
1842	13.000	913.000	0
1843	13.650	913.000	0
1844	14.250	913.000	0
1845	14.750	913.000	0
1846	15.350	913.000	0
1847	16.000	913.000	0
1848	16.250	913.000	0
1849	16.500	913.000	0
1850	17.150	913.000	0
1851	17.750	913.000	0
1852	18.250	913.000	0
1853	18.850	913.000	0
1854	19.500	913.000	0
1855	19.750	913.000	0
1856	20.000	913.000	0
1857	20.650	913.000	0
1858	21.250	913.000	0
1859	21.750	913.000	0
1860	22.350	913.000	0
1861	23.000	913.000	0
1862	23.250	913.000	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1863	23.500	913.000	0
1864	24.425	913.000	0
1865	23.250	913.550	-5.218
1866	23.250	913.550	-4.761
1867	19.750	913.550	-4.623
1868	23.250	913.550	-4.304
1869	19.750	913.550	-4.226
1870	16.250	913.550	-4.026
1871	23.250	913.550	-3.847
1872	19.750	913.550	-3.829
1873	16.250	913.550	-3.688
1874	19.750	913.550	-3.431
1875	12.750	913.550	-3.424
1876	23.250	913.550	-3.391
1877	16.250	913.550	-3.351
1878	12.750	913.550	-3.146
1879	19.750	913.550	-3.034
1880	16.250	913.550	-3.013
1881	23.250	913.550	-2.934
1882	12.750	913.550	-2.869
1883	9.250	913.550	-2.813
1884	16.250	913.550	-2.675
1885	19.750	913.550	-2.637
1886	9.250	913.550	-2.596
1887	12.750	913.550	-2.592
1888	23.250	913.550	-2.477
1889	9.250	913.550	-2.380
1890	16.250	913.550	-2.338
1891	12.750	913.550	-2.314
1892	19.750	913.550	-2.239
1893	5.750	913.550	-2.182
1894	9.250	913.550	-2.164
1895	12.750	913.550	-2.037
1896	5.750	913.550	-2.029
1897	23.250	913.550	-2.020
1898	16.250	913.550	-2.000
1899	9.250	913.550	-1.948
1900	5.750	913.550	-1.876
1901	19.750	913.550	-1.842
1902	12.750	913.550	-1.759
1903	9.250	913.550	-1.731
1904	5.750	913.550	-1.723
1905	16.250	913.550	-1.663
1906	-1.101	913.550	-1.573
1907	5.750	913.550	-1.569
1908	23.250	913.550	-1.564
1909	9.250	913.550	-1.515
1910	2.250	913.550	-1.493
1911	12.750	913.550	-1.482

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1912	-1.028	913.550	-1.469
1913	19.750	913.550	-1.445
1914	5.750	913.550	-1.416
1915	2.250	913.550	-1.409
1916	-0.956	913.550	-1.365
1917	16.250	913.550	-1.325
1918	2.250	913.550	-1.325
1919	9.250	913.550	-1.299
1920	5.750	913.550	-1.263
1921	-0.883	913.550	-1.261
1922	2.250	913.550	-1.240
1923	12.750	913.550	-1.205
1924	-0.810	913.550	-1.157
1925	2.250	913.550	-1.156
1926	5.750	913.550	-1.110
1927	23.250	913.550	-1.107
1928	9.250	913.550	-1.083
1929	2.250	913.550	-1.072
1930	-0.737	913.550	-1.053
1931	19.750	913.550	-1.047
1932	16.250	913.550	-0.988
1933	2.250	913.550	-0.987
1934	5.750	913.550	-0.956
1935	-0.664	913.550	-0.949
1936	12.750	913.550	-0.927
1937	2.250	913.550	-0.903
1938	9.250	913.550	-0.866
1939	-0.591	913.550	-0.845
1940	2.250	913.550	-0.819
1941	5.750	913.550	-0.803
1942	-0.519	913.550	-0.741
1943	2.250	913.550	-0.734
1944	2.250	913.550	-0.650
1945	5.750	913.550	-0.650
1946	9.250	913.550	-0.650
1947	12.750	913.550	-0.650
1948	16.250	913.550	-0.650
1949	19.750	913.550	-0.650
1950	23.250	913.550	-0.650
1951	-0.446	913.550	-0.636
1952	-0.373	913.550	-0.532
1953	2.250	913.550	-0.150
1954	5.750	913.550	-0.150
1955	9.250	913.550	-0.150
1956	12.750	913.550	-0.150
1957	16.250	913.550	-0.150
1958	19.750	913.550	-0.150
1959	23.250	913.550	-0.150
1960	-0.086	913.550	-0.123

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
1961	0	913.550	0
1962	0.450	913.550	0
1963	0.900	913.550	0
1964	1.450	913.550	0
1965	2.050	913.550	0
1966	2.250	913.550	0
1967	2.500	913.550	0
1968	3.150	913.550	0
1969	3.750	913.550	0
1970	4.250	913.550	0
1971	4.850	913.550	0
1972	5.500	913.550	0
1973	5.750	913.550	0
1974	6.000	913.550	0
1975	6.650	913.550	0
1976	7.250	913.550	0
1977	7.750	913.550	0
1978	8.350	913.550	0
1979	9.000	913.550	0
1980	9.250	913.550	0
1981	9.500	913.550	0
1982	10.150	913.550	0
1983	10.750	913.550	0
1984	11.250	913.550	0
1985	11.850	913.550	0
1986	12.500	913.550	0
1987	12.750	913.550	0
1988	13.000	913.550	0
1989	13.650	913.550	0
1990	14.250	913.550	0
1991	14.750	913.550	0
1992	15.350	913.550	0
1993	16.000	913.550	0
1994	16.250	913.550	0
1995	16.500	913.550	0
1996	17.150	913.550	0
1997	17.750	913.550	0
1998	18.250	913.550	0
1999	18.850	913.550	0
2000	19.500	913.550	0
2001	19.750	913.550	0
2002	20.000	913.550	0
2003	20.650	913.550	0
2004	21.250	913.550	0
2005	21.750	913.550	0
2006	22.350	913.550	0
2007	23.000	913.550	0
2008	23.250	913.550	0
2009	23.500	913.550	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2010	24.425	913.550	0
2011	23.250	914.050	-5.072
2012	23.250	914.050	-4.630
2013	19.750	914.050	-4.475
2014	23.250	914.050	-4.188
2015	19.750	914.050	-4.093
2016	16.250	914.050	-3.874
2017	23.250	914.050	-3.746
2018	19.750	914.050	-3.710
2019	16.250	914.050	-3.552
2020	19.750	914.050	-3.328
2021	23.250	914.050	-3.303
2022	12.750	914.050	-3.267
2023	16.250	914.050	-3.230
2024	12.750	914.050	-3.005
2025	19.750	914.050	-2.945
2026	16.250	914.050	-2.907
2027	23.250	914.050	-2.861
2028	12.750	914.050	-2.744
2029	9.250	914.050	-2.648
2030	16.250	914.050	-2.585
2031	19.750	914.050	-2.563
2032	12.750	914.050	-2.482
2033	9.250	914.050	-2.448
2034	23.250	914.050	-2.419
2035	16.250	914.050	-2.262
2036	9.250	914.050	-2.248
2037	12.750	914.050	-2.220
2038	19.750	914.050	-2.180
2039	9.250	914.050	-2.048
2040	5.750	914.050	-2.003
2041	23.250	914.050	-1.977
2042	12.750	914.050	-1.959
2043	16.250	914.050	-1.940
2044	5.750	914.050	-1.867
2045	9.250	914.050	-1.849
2046	19.750	914.050	-1.798
2047	5.750	914.050	-1.732
2048	12.750	914.050	-1.697
2049	9.250	914.050	-1.649
2050	16.250	914.050	-1.617
2051	5.750	914.050	-1.597
2052	-1.101	914.050	-1.573
2053	23.250	914.050	-1.534
2054	-1.028	914.050	-1.469
2055	5.750	914.050	-1.462
2056	9.250	914.050	-1.449
2057	12.750	914.050	-1.435
2058	19.750	914.050	-1.415

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2059	-0.956	914.050	-1.365
2060	5.750	914.050	-1.326
2061	16.250	914.050	-1.295
2062	2.250	914.050	-1.280
2063	-0.883	914.050	-1.261
2064	9.250	914.050	-1.249
2065	2.250	914.050	-1.217
2066	5.750	914.050	-1.191
2067	12.750	914.050	-1.173
2068	-0.810	914.050	-1.157
2069	2.250	914.050	-1.154
2070	23.250	914.050	-1.092
2071	2.250	914.050	-1.091
2072	5.750	914.050	-1.056
2073	-0.737	914.050	-1.053
2074	9.250	914.050	-1.050
2075	19.750	914.050	-1.033
2076	2.250	914.050	-1.028
2077	16.250	914.050	-0.972
2078	2.250	914.050	-0.965
2079	-0.664	914.050	-0.949
2080	5.750	914.050	-0.921
2081	12.750	914.050	-0.912
2082	2.250	914.050	-0.902
2083	9.250	914.050	-0.850
2084	-0.591	914.050	-0.845
2085	2.250	914.050	-0.839
2086	5.750	914.050	-0.785
2087	2.250	914.050	-0.776
2088	-0.519	914.050	-0.741
2089	2.250	914.050	-0.713
2090	2.250	914.050	-0.650
2091	5.750	914.050	-0.650
2092	9.250	914.050	-0.650
2093	12.750	914.050	-0.650
2094	16.250	914.050	-0.650
2095	19.750	914.050	-0.650
2096	23.250	914.050	-0.650
2097	-0.446	914.050	-0.636
2098	-0.373	914.050	-0.532
2099	2.250	914.050	-0.150
2100	5.750	914.050	-0.150
2101	9.250	914.050	-0.150
2102	12.750	914.050	-0.150
2103	16.250	914.050	-0.150
2104	19.750	914.050	-0.150
2105	23.250	914.050	-0.150
2106	-0.086	914.050	-0.123
2107	0	914.050	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2108	0.450	914.050	0
2109	0.900	914.050	0
2110	1.450	914.050	0
2111	2.050	914.050	0
2112	2.250	914.050	0
2113	2.500	914.050	0
2114	3.150	914.050	0
2115	3.750	914.050	0
2116	4.250	914.050	0
2117	4.850	914.050	0
2118	5.500	914.050	0
2119	5.750	914.050	0
2120	6.000	914.050	0
2121	6.650	914.050	0
2122	7.250	914.050	0
2123	7.750	914.050	0
2124	8.350	914.050	0
2125	9.000	914.050	0
2126	9.250	914.050	0
2127	9.500	914.050	0
2128	10.150	914.050	0
2129	10.750	914.050	0
2130	11.250	914.050	0
2131	11.850	914.050	0
2132	12.500	914.050	0
2133	12.750	914.050	0
2134	13.000	914.050	0
2135	13.650	914.050	0
2136	14.250	914.050	0
2137	14.750	914.050	0
2138	15.350	914.050	0
2139	16.000	914.050	0
2140	16.250	914.050	0
2141	16.500	914.050	0
2142	17.150	914.050	0
2143	17.750	914.050	0
2144	18.250	914.050	0
2145	18.850	914.050	0
2146	19.500	914.050	0
2147	19.750	914.050	0
2148	20.000	914.050	0
2149	20.650	914.050	0
2150	21.250	914.050	0
2151	21.750	914.050	0
2152	22.350	914.050	0
2153	23.000	914.050	0
2154	23.250	914.050	0
2155	23.500	914.050	0
2156	24.425	914.050	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2157	23.250	914.500	-4.927
2158	23.250	914.500	-4.499
2159	19.750	914.500	-4.327
2160	23.250	914.500	-4.072
2161	19.750	914.500	-3.960
2162	16.250	914.500	-3.723
2163	23.250	914.500	-3.644
2164	19.750	914.500	-3.592
2165	16.250	914.500	-3.416
2166	19.750	914.500	-3.224
2167	23.250	914.500	-3.216
2168	12.750	914.500	-3.110
2169	16.250	914.500	-3.108
2170	12.750	914.500	-2.864
2171	19.750	914.500	-2.856
2172	16.250	914.500	-2.801
2173	23.250	914.500	-2.789
2174	12.750	914.500	-2.618
2175	16.250	914.500	-2.494
2176	19.750	914.500	-2.489
2177	9.250	914.500	-2.483
2178	12.750	914.500	-2.372
2179	23.250	914.500	-2.361
2180	9.250	914.500	-2.300
2181	16.250	914.500	-2.186
2182	12.750	914.500	-2.126
2183	19.750	914.500	-2.121
2184	9.250	914.500	-2.116
2185	23.250	914.500	-1.933
2186	9.250	914.500	-1.933
2187	12.750	914.500	-1.880
2188	16.250	914.500	-1.879
2189	5.750	914.500	-1.823
2190	19.750	914.500	-1.753
2191	9.250	914.500	-1.750
2192	5.750	914.500	-1.706
2193	12.750	914.500	-1.634
2194	5.750	914.500	-1.588
2195	-1.101	914.500	-1.573
2196	16.250	914.500	-1.572
2197	9.250	914.500	-1.566
2198	23.250	914.500	-1.505
2199	5.750	914.500	-1.471
2200	-1.028	914.500	-1.469
2201	12.750	914.500	-1.388
2202	19.750	914.500	-1.385
2203	9.250	914.500	-1.383
2204	-0.956	914.500	-1.365
2205	5.750	914.500	-1.354

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2206	16.250	914.500	-1.265
2207	-0.883	914.500	-1.261
2208	5.750	914.500	-1.237
2209	9.250	914.500	-1.200
2210	-0.810	914.500	-1.157
2211	12.750	914.500	-1.142
2212	5.750	914.500	-1.119
2213	23.250	914.500	-1.078
2214	2.250	914.500	-1.066
2215	-0.737	914.500	-1.053
2216	2.250	914.500	-1.025
2217	19.750	914.500	-1.018
2218	9.250	914.500	-1.017
2219	5.750	914.500	-1.002
2220	2.250	914.500	-0.983
2221	16.250	914.500	-0.957
2222	-0.664	914.500	-0.949
2223	2.250	914.500	-0.941
2224	2.250	914.500	-0.900
2225	12.750	914.500	-0.896
2226	5.750	914.500	-0.885
2227	2.250	914.500	-0.858
2228	-0.591	914.500	-0.845
2229	9.250	914.500	-0.833
2230	2.250	914.500	-0.816
2231	2.250	914.500	-0.775
2232	5.750	914.500	-0.767
2233	-0.519	914.500	-0.741
2234	2.250	914.500	-0.733
2235	2.250	914.500	-0.692
2236	2.250	914.500	-0.650
2237	5.750	914.500	-0.650
2238	9.250	914.500	-0.650
2239	12.750	914.500	-0.650
2240	16.250	914.500	-0.650
2241	19.750	914.500	-0.650
2242	23.250	914.500	-0.650
2243	-0.446	914.500	-0.636
2244	-0.373	914.500	-0.532
2245	2.250	914.500	-0.150
2246	5.750	914.500	-0.150
2247	9.250	914.500	-0.150
2248	12.750	914.500	-0.150
2249	16.250	914.500	-0.150
2250	19.750	914.500	-0.150
2251	23.250	914.500	-0.150
2252	-0.086	914.500	-0.123
2253	0	914.500	0
2254	0.450	914.500	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2255	0.900	914.500	0
2256	1.450	914.500	0
2257	2.050	914.500	0
2258	2.250	914.500	0
2259	2.500	914.500	0
2260	3.150	914.500	0
2261	3.750	914.500	0
2262	4.250	914.500	0
2263	4.850	914.500	0
2264	5.500	914.500	0
2265	5.750	914.500	0
2266	6.000	914.500	0
2267	6.650	914.500	0
2268	7.250	914.500	0
2269	7.750	914.500	0
2270	8.350	914.500	0
2271	9.000	914.500	0
2272	9.250	914.500	0
2273	9.500	914.500	0
2274	10.150	914.500	0
2275	10.750	914.500	0
2276	11.250	914.500	0
2277	11.850	914.500	0
2278	12.500	914.500	0
2279	12.750	914.500	0
2280	13.000	914.500	0
2281	13.650	914.500	0
2282	14.250	914.500	0
2283	14.750	914.500	0
2284	15.350	914.500	0
2285	16.000	914.500	0
2286	16.250	914.500	0
2287	16.500	914.500	0
2288	17.150	914.500	0
2289	17.750	914.500	0
2290	18.250	914.500	0
2291	18.850	914.500	0
2292	19.500	914.500	0
2293	19.750	914.500	0
2294	20.000	914.500	0
2295	20.650	914.500	0
2296	21.250	914.500	0
2297	21.750	914.500	0
2298	22.350	914.500	0
2299	23.000	914.500	0
2300	23.250	914.500	0
2301	23.500	914.500	0
2302	24.425	914.500	0
2303	0.450	914.529	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2304	0.900	914.546	0
2305	0.450	914.559	0
2306	1.450	914.563	0
2307	2.050	914.580	0
2308	0.450	914.588	0
2309	0.900	914.593	0
2310	2.250	914.597	-1.025
2311	2.250	914.597	-0.987
2312	2.250	914.597	-0.950
2313	2.250	914.597	-0.912
2314	2.250	914.597	-0.875
2315	2.250	914.597	-0.837
2316	2.250	914.597	-0.800
2317	2.250	914.597	-0.762
2318	2.250	914.597	-0.725
2319	2.250	914.597	-0.687
2320	2.250	914.597	-0.650
2321	2.250	914.597	-0.150
2322	2.250	914.597	0
2323	0.450	914.618	0
2324	1.450	914.627	0
2325	2.500	914.630	0
2326	0.900	914.639	0
2327	0.450	914.647	0
2328	2.050	914.661	0
2329	3.150	914.663	0
2330	0.450	914.677	0
2331	0.900	914.686	0
2332	1.450	914.690	0
2333	2.250	914.695	-0.983
2334	2.250	914.695	-0.950
2335	2.250	914.695	-0.916
2336	2.250	914.695	-0.883
2337	2.250	914.695	-0.850
2338	2.250	914.695	-0.816
2339	2.250	914.695	-0.783
2340	2.250	914.695	-0.750
2341	2.250	914.695	-0.717
2342	2.250	914.695	-0.683
2343	2.250	914.695	-0.650
2344	2.250	914.695	-0.150
2345	2.250	914.695	0
2346	3.750	914.696	0
2347	0.450	914.706	0
2348	4.250	914.728	0
2349	0.900	914.732	0
2350	0.450	914.736	0
2351	2.050	914.741	0
2352	1.450	914.754	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2353	2.500	914.760	0
2354	4.850	914.761	0
2355	0.450	914.765	0
2356	0.900	914.779	0
2357	2.250	914.792	-0.941
2358	2.250	914.792	-0.912
2359	2.250	914.792	-0.883
2360	2.250	914.792	-0.854
2361	2.250	914.792	-0.825
2362	2.250	914.792	-0.796
2363	2.250	914.792	-0.767
2364	2.250	914.792	-0.737
2365	2.250	914.792	-0.708
2366	2.250	914.792	-0.679
2367	2.250	914.792	-0.650
2368	2.250	914.792	-0.150
2369	2.250	914.792	0
2370	5.500	914.794	0
2371	0.450	914.795	0
2372	1.450	914.817	0
2373	2.050	914.822	0
2374	0.900	914.825	0
2375	3.150	914.826	0
2376	5.750	914.827	-1.706
2377	5.750	914.827	-1.600
2378	5.750	914.827	-1.495
2379	5.750	914.827	-1.389
2380	5.750	914.827	-1.283
2381	5.750	914.827	-1.178
2382	5.750	914.827	-1.072
2383	5.750	914.827	-0.967
2384	5.750	914.827	-0.861
2385	5.750	914.827	-0.756
2386	5.750	914.827	-0.650
2387	5.750	914.827	-0.150
2388	5.750	914.827	0
2389	6.000	914.859	0
2390	0.900	914.872	0
2391	1.450	914.881	0
2392	2.250	914.890	-0.900
2393	2.250	914.890	-0.875
2394	2.250	914.890	-0.850
2395	2.250	914.890	-0.825
2396	2.250	914.890	-0.800
2397	2.250	914.890	-0.775
2398	2.250	914.890	-0.750
2399	2.250	914.890	-0.725
2400	2.250	914.890	-0.700
2401	2.250	914.890	-0.675

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2402	2.250	914.890	-0.650
2403	2.250	914.890	-0.150
2404	2.250	914.890	0
2405	2.500	914.890	0
2406	3.750	914.891	0
2407	6.650	914.892	0
2408	2.050	914.902	0
2409	0.900	914.918	0
2410	7.250	914.925	0
2411	1.450	914.944	0
2412	4.250	914.957	0
2413	7.750	914.958	0
2414	0.900	914.965	0
2415	2.050	914.982	0
2416	2.250	914.987	-0.858
2417	2.250	914.987	-0.837
2418	2.250	914.987	-0.816
2419	2.250	914.987	-0.796
2420	2.250	914.987	-0.775
2421	2.250	914.987	-0.754
2422	2.250	914.987	-0.733
2423	2.250	914.987	-0.712
2424	2.250	914.987	-0.692
2425	2.250	914.987	-0.671
2426	2.250	914.987	-0.650
2427	2.250	914.987	-0.150
2428	2.250	914.987	0
2429	3.150	914.989	0
2430	8.350	914.990	0
2431	1.450	915.007	0
2432	2.500	915.021	0
2433	4.850	915.022	0
2434	9.000	915.023	0
2435	9.250	915.056	-2.300
2436	9.250	915.056	-2.135
2437	9.250	915.056	-1.970
2438	9.250	915.056	-1.805
2439	9.250	915.056	-1.640
2440	9.250	915.056	-1.475
2441	9.250	915.056	-1.310
2442	9.250	915.056	-1.145
2443	9.250	915.056	-0.980
2444	9.250	915.056	-0.815
2445	9.250	915.056	-0.650
2446	9.250	915.056	-0.150
2447	9.250	915.056	0
2448	2.050	915.063	0
2449	1.450	915.071	0
2450	2.250	915.084	-0.816

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2451	2.250	915.084	-0.800
2452	2.250	915.084	-0.783
2453	2.250	915.084	-0.767
2454	2.250	915.084	-0.750
2455	2.250	915.084	-0.733
2456	2.250	915.084	-0.717
2457	2.250	915.084	-0.700
2458	2.250	915.084	-0.683
2459	2.250	915.084	-0.667
2460	2.250	915.084	-0.650
2461	2.250	915.084	-0.150
2462	2.250	915.084	0
2463	3.750	915.087	0
2464	5.500	915.088	0
2465	9.500	915.089	0
2466	10.150	915.121	0
2467	1.450	915.134	0
2468	2.050	915.143	0
2469	2.500	915.151	0
2470	3.150	915.152	0
2471	5.750	915.153	-1.588
2472	5.750	915.153	-1.495
2473	5.750	915.153	-1.401
2474	5.750	915.153	-1.307
2475	5.750	915.153	-1.213
2476	5.750	915.153	-1.119
2477	5.750	915.153	-1.025
2478	5.750	915.153	-0.932
2479	5.750	915.153	-0.838
2480	5.750	915.153	-0.744
2481	5.750	915.153	-0.650
2482	5.750	915.153	-0.150
2483	5.750	915.153	0
2484	10.750	915.154	0
2485	2.250	915.182	-0.775
2486	2.250	915.182	-0.762
2487	2.250	915.182	-0.750
2488	2.250	915.182	-0.737
2489	2.250	915.182	-0.725
2490	2.250	915.182	-0.712
2491	2.250	915.182	-0.700
2492	2.250	915.182	-0.687
2493	2.250	915.182	-0.675
2494	2.250	915.182	-0.662
2495	2.250	915.182	-0.650
2496	2.250	915.182	-0.150
2497	2.250	915.182	0
2498	4.250	915.185	0
2499	11.250	915.187	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2500	14.750	915.216	0
2501	6.000	915.219	0
2502	11.850	915.220	0
2503	2.050	915.224	0
2504	14.250	915.233	0
2505	12.750	915.235	-2.864
2506	12.750	915.235	-2.643
2507	12.750	915.235	-2.421
2508	12.750	915.235	-2.200
2509	12.750	915.235	-1.979
2510	12.750	915.235	-1.757
2511	12.750	915.235	-1.536
2512	12.750	915.235	-1.314
2513	12.750	915.235	-1.093
2514	12.750	915.235	-0.871
2515	12.750	915.235	-0.650
2516	12.750	915.235	-0.150
2517	12.750	915.235	0
2518	15.350	915.249	0
2519	13.650	915.251	0
2520	12.500	915.252	0
2521	13.000	915.268	0
2522	2.250	915.279	-0.733
2523	2.250	915.279	-0.725
2524	2.250	915.279	-0.717
2525	2.250	915.279	-0.708
2526	2.250	915.279	-0.700
2527	2.250	915.279	-0.692
2528	2.250	915.279	-0.683
2529	2.250	915.279	-0.675
2530	2.250	915.279	-0.667
2531	2.250	915.279	-0.658
2532	2.250	915.279	-0.650
2533	2.250	915.279	-0.150
2534	2.250	915.279	0
2535	2.500	915.281	0
2536	16.000	915.282	0
2537	3.750	915.283	0
2538	4.850	915.283	0
2539	6.650	915.284	0
2540	2.050	915.304	0
2541	3.150	915.314	0
2542	16.250	915.314	0
2543	16.250	915.315	-3.416
2544	16.250	915.315	-3.139
2545	16.250	915.315	-2.863
2546	16.250	915.315	-2.586
2547	16.250	915.315	-2.309
2548	16.250	915.315	-2.033

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2549	16.250	915.315	-1.756
2550	16.250	915.315	-1.480
2551	16.250	915.315	-1.203
2552	16.250	915.315	-0.927
2553	16.250	915.315	-0.650
2554	16.250	915.315	-0.150
2555	16.500	915.347	0
2556	7.250	915.350	0
2557	2.250	915.376	0
2558	2.250	915.377	-0.692
2559	2.250	915.377	-0.687
2560	2.250	915.377	-0.683
2561	2.250	915.377	-0.679
2562	2.250	915.377	-0.675
2563	2.250	915.377	-0.671
2564	2.250	915.377	-0.667
2565	2.250	915.377	-0.662
2566	2.250	915.377	-0.658
2567	2.250	915.377	-0.654
2568	2.250	915.377	-0.650
2569	2.250	915.377	-0.150
2570	17.150	915.380	0
2571	5.500	915.382	0
2572	2.500	915.411	0
2573	17.750	915.413	0
2574	4.250	915.414	0
2575	7.750	915.415	0
2576	18.250	915.446	0
2577	2.250	915.474	-0.650
2578	2.250	915.474	-0.150
2579	2.250	915.474	0
2580	3.150	915.477	0
2581	3.750	915.478	0
2582	18.850	915.478	0
2583	5.750	915.480	-1.471
2584	5.750	915.480	-1.389
2585	5.750	915.480	-1.307
2586	5.750	915.480	-1.225
2587	5.750	915.480	-1.143
2588	5.750	915.480	-1.061
2589	5.750	915.480	-0.978
2590	5.750	915.480	-0.896
2591	5.750	915.480	-0.814
2592	5.750	915.480	-0.732
2593	5.750	915.480	-0.650
2594	5.750	915.480	-0.150
2595	5.750	915.480	0
2596	8.350	915.481	0
2597	19.500	915.511	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2598	2.500	915.541	0
2599	19.750	915.544	-3.960
2600	19.750	915.544	-3.629
2601	19.750	915.544	-3.298
2602	19.750	915.544	-2.967
2603	19.750	915.544	-2.636
2604	19.750	915.544	-2.305
2605	19.750	915.544	-1.974
2606	19.750	915.544	-1.643
2607	19.750	915.544	-1.312
2608	19.750	915.544	-0.981
2609	19.750	915.544	-0.650
2610	19.750	915.544	-0.150
2611	19.750	915.544	0
2612	4.850	915.545	0
2613	9.000	915.546	0
2614	20.000	915.577	0
2615	6.000	915.578	0
2616	20.650	915.609	0
2617	9.250	915.612	-2.116
2618	9.250	915.612	-1.970
2619	9.250	915.612	-1.823
2620	9.250	915.612	-1.676
2621	9.250	915.612	-1.530
2622	9.250	915.612	-1.383
2623	9.250	915.612	-1.237
2624	9.250	915.612	-1.090
2625	9.250	915.612	-0.943
2626	9.250	915.612	-0.797
2627	9.250	915.612	-0.650
2628	9.250	915.612	-0.150
2629	9.250	915.612	0
2630	3.150	915.640	0
2631	4.250	915.642	0
2632	21.250	915.642	0
2633	2.500	915.671	0
2634	3.750	915.674	0
2635	21.750	915.675	0
2636	5.500	915.676	0
2637	6.650	915.677	0
2638	9.500	915.677	0
2639	22.350	915.708	0
2640	23.000	915.740	0
2641	10.150	915.743	0
2642	23.250	915.773	-4.499
2643	23.250	915.773	-4.115
2644	23.250	915.773	-3.730
2645	23.250	915.773	-3.345
2646	23.250	915.773	-2.960

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2647	23.250	915.773	-2.575
2648	23.250	915.773	-2.190
2649	23.250	915.773	-1.805
2650	23.250	915.773	-1.420
2651	23.250	915.773	-1.035
2652	23.250	915.773	-0.650
2653	23.250	915.773	-0.150
2654	23.250	915.773	0
2655	7.250	915.775	0
2656	2.500	915.801	0
2657	3.150	915.803	0
2658	4.850	915.806	0
2659	5.750	915.807	-1.354
2660	5.750	915.807	-1.283
2661	5.750	915.807	-1.213
2662	5.750	915.807	-1.143
2663	5.750	915.807	-1.072
2664	5.750	915.807	-1.002
2665	5.750	915.807	-0.932
2666	5.750	915.807	-0.861
2667	5.750	915.807	-0.791
2668	5.750	915.807	-0.720
2669	5.750	915.807	-0.650
2670	5.750	915.807	-0.150
2671	5.750	915.807	0
2672	10.750	915.808	0
2673	23.500	915.811	0
2674	24.425	915.850	0
2675	3.750	915.870	0
2676	4.250	915.870	0
2677	7.750	915.873	0
2678	11.250	915.874	0
2679	6.000	915.938	0
2680	11.850	915.939	0
2681	3.150	915.966	0
2682	5.500	915.970	0
2683	8.350	915.971	0
2684	2.250	915.974	0
2685	12.500	916.005	0
2686	12.750	916.020	-2.618
2687	12.750	916.020	-2.421
2688	12.750	916.020	-2.225
2689	12.750	916.020	-2.028
2690	12.750	916.020	-1.831
2691	12.750	916.020	-1.634
2692	12.750	916.020	-1.437
2693	12.750	916.020	-1.240
2694	12.750	916.020	-1.044
2695	12.750	916.020	-0.847

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2696	12.750	916.020	-0.650
2697	12.750	916.020	-0.150
2698	12.750	916.020	0
2699	16.000	916.064	0
2700	3.750	916.065	0
2701	4.850	916.067	0
2702	6.650	916.069	0
2703	9.000	916.070	0
2704	13.000	916.086	0
2705	15.350	916.098	0
2706	4.250	916.099	0
2707	13.650	916.101	0
2708	14.250	916.117	0
2709	16.250	916.129	-3.108
2710	16.250	916.129	-2.863
2711	16.250	916.129	-2.617
2712	16.250	916.129	-2.371
2713	16.250	916.129	-2.125
2714	16.250	916.129	-1.879
2715	16.250	916.129	-1.633
2716	16.250	916.129	-1.388
2717	16.250	916.129	-1.142
2718	16.250	916.129	-0.896
2719	16.250	916.129	-0.650
2720	16.250	916.129	-0.150
2721	3.150	916.129	0
2722	16.250	916.129	0
2723	14.750	916.132	0
2724	5.750	916.133	-1.237
2725	5.750	916.133	-1.178
2726	5.750	916.133	-1.119
2727	5.750	916.133	-1.061
2728	5.750	916.133	-1.002
2729	5.750	916.133	-0.943
2730	5.750	916.133	-0.885
2731	5.750	916.133	-0.826
2732	5.750	916.133	-0.767
2733	5.750	916.133	-0.709
2734	5.750	916.133	0
2735	5.750	916.134	-0.650
2736	5.750	916.134	-0.150
2737	9.250	916.168	-1.933
2738	9.250	916.168	-1.805
2739	9.250	916.168	-1.676
2740	9.250	916.168	-1.548
2741	9.250	916.168	-1.420
2742	9.250	916.168	-1.292
2743	9.250	916.168	-1.163
2744	9.250	916.168	-1.035

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2745	9.250	916.168	-0.907
2746	9.250	916.168	-0.778
2747	9.250	916.168	-0.650
2748	9.250	916.168	-0.150
2749	9.250	916.168	0
2750	16.500	916.194	0
2751	7.250	916.200	0
2752	2.500	916.201	0
2753	17.150	916.260	0
2754	3.750	916.261	0
2755	5.500	916.263	0
2756	9.500	916.266	0
2757	6.000	916.297	0
2758	17.750	916.325	0
2759	4.250	916.327	0
2760	4.850	916.328	0
2761	7.750	916.331	0
2762	10.150	916.364	0
2763	18.250	916.391	0
2764	3.750	916.456	0
2765	18.850	916.457	0
2766	5.750	916.460	-1.119
2767	5.750	916.460	-1.072
2768	5.750	916.460	-1.025
2769	5.750	916.460	-0.978
2770	5.750	916.460	-0.932
2771	5.750	916.460	-0.885
2772	5.750	916.460	-0.838
2773	5.750	916.460	-0.791
2774	5.750	916.460	-0.744
2775	5.750	916.460	-0.697
2776	5.750	916.460	-0.650
2777	5.750	916.460	-0.150
2778	5.750	916.460	0
2779	6.650	916.461	0
2780	8.350	916.462	0
2781	10.750	916.463	0
2782	19.500	916.522	0
2783	4.250	916.556	0
2784	5.500	916.557	0
2785	11.250	916.561	0
2786	19.750	916.587	-3.592
2787	19.750	916.587	-3.298
2788	19.750	916.587	-3.004
2789	19.750	916.587	-2.709
2790	19.750	916.587	-2.415
2791	19.750	916.587	-2.121
2792	19.750	916.587	-1.827
2793	19.750	916.587	-1.533

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2794	19.750	916.587	-1.238
2795	19.750	916.587	-0.944
2796	19.750	916.587	-0.650
2797	19.750	916.587	-0.150
2798	19.750	916.587	0
2799	4.850	916.589	0
2800	9.000	916.593	0
2801	7.250	916.625	0
2802	3.150	916.629	0
2803	20.000	916.653	0
2804	6.000	916.657	0
2805	11.850	916.659	0
2806	20.650	916.719	0
2807	9.250	916.724	-1.750
2808	9.250	916.724	-1.640
2809	9.250	916.724	-1.530
2810	9.250	916.724	-1.420
2811	9.250	916.724	-1.310
2812	9.250	916.724	-1.200
2813	9.250	916.724	-1.090
2814	9.250	916.724	-0.980
2815	9.250	916.724	-0.870
2816	9.250	916.724	-0.760
2817	9.250	916.724	-0.650
2818	9.250	916.724	-0.150
2819	9.250	916.724	0
2820	12.500	916.757	0
2821	4.250	916.784	0
2822	21.250	916.784	0
2823	5.750	916.787	-1.002
2824	5.750	916.787	-0.967
2825	5.750	916.787	-0.932
2826	5.750	916.787	-0.896
2827	5.750	916.787	-0.861
2828	5.750	916.787	-0.826
2829	5.750	916.787	-0.791
2830	5.750	916.787	-0.756
2831	5.750	916.787	-0.720
2832	5.750	916.787	-0.685
2833	5.750	916.787	-0.650
2834	5.750	916.787	-0.150
2835	5.750	916.787	0
2836	7.750	916.788	0
2837	12.750	916.806	-2.372
2838	12.750	916.806	-2.200
2839	12.750	916.806	-2.028
2840	12.750	916.806	-1.856
2841	12.750	916.806	-1.683
2842	12.750	916.806	-1.511

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2843	12.750	916.806	-1.339
2844	12.750	916.806	-1.167
2845	12.750	916.806	-0.994
2846	12.750	916.806	-0.822
2847	12.750	916.806	-0.650
2848	12.750	916.806	-0.150
2849	12.750	916.806	0
2850	4.850	916.850	0
2851	21.750	916.850	0
2852	5.500	916.851	0
2853	6.650	916.853	0
2854	9.500	916.855	0
2855	13.000	916.904	0
2856	22.350	916.915	0
2857	8.350	916.952	0
2858	13.650	916.952	0
2859	3.750	916.956	0
2860	23.000	916.981	0
2861	10.150	916.986	0
2862	14.250	917.000	0
2863	6.000	917.016	0
2864	16.500	917.042	0
2865	16.250	917.043	0
2866	16.250	917.044	-2.801
2867	16.250	917.044	-2.586
2868	16.250	917.044	-2.371
2869	16.250	917.044	-2.156
2870	16.250	917.044	-1.941
2871	16.250	917.044	-1.726
2872	16.250	917.044	-1.510
2873	16.250	917.044	-1.295
2874	16.250	917.044	-1.080
2875	16.250	917.044	-0.865
2876	16.250	917.044	-0.650
2877	16.250	917.044	-0.150
2878	16.000	917.045	0
2879	23.250	917.046	-4.072
2880	23.250	917.046	-3.730
2881	23.250	917.046	-3.387
2882	23.250	917.046	-3.045
2883	23.250	917.046	-2.703
2884	23.250	917.046	-2.361
2885	23.250	917.046	-2.019
2886	23.250	917.046	-1.677
2887	23.250	917.046	-1.334
2888	23.250	917.046	-0.992
2889	23.250	917.046	-0.650
2890	23.250	917.046	-0.150
2891	23.250	917.046	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2892	15.350	917.047	0
2893	14.750	917.049	0
2894	7.250	917.050	0
2895	4.850	917.112	0
2896	5.750	917.113	0
2897	5.750	917.114	-0.885
2898	5.750	917.114	-0.861
2899	5.750	917.114	-0.838
2900	5.750	917.114	-0.814
2901	5.750	917.114	-0.791
2902	5.750	917.114	-0.767
2903	5.750	917.114	-0.744
2904	5.750	917.114	-0.720
2905	5.750	917.114	-0.697
2906	5.750	917.114	-0.673
2907	5.750	917.114	-0.650
2908	5.750	917.114	-0.150
2909	9.000	917.116	0
2910	10.750	917.117	0
2911	23.500	917.123	0
2912	17.150	917.140	0
2913	5.500	917.145	0
2914	24.425	917.200	0
2915	17.750	917.238	0
2916	6.650	917.245	0
2917	7.750	917.246	0
2918	11.250	917.248	0
2919	9.250	917.279	-1.566
2920	9.250	917.279	-1.475
2921	9.250	917.279	-1.383
2922	9.250	917.279	-1.292
2923	9.250	917.279	-1.200
2924	9.250	917.279	-1.108
2925	9.250	917.279	-1.017
2926	9.250	917.279	-0.925
2927	9.250	917.279	-0.833
2928	9.250	917.279	-0.742
2929	9.250	917.280	-0.650
2930	9.250	917.280	-0.150
2931	9.250	917.280	0
2932	4.250	917.284	0
2933	18.250	917.336	0
2934	6.000	917.375	0
2935	11.850	917.379	0
2936	18.850	917.435	0
2937	5.500	917.439	0
2938	5.750	917.440	-0.767
2939	5.750	917.440	-0.756
2940	5.750	917.440	-0.744

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2941	5.750	917.440	-0.732
2942	5.750	917.440	-0.720
2943	5.750	917.440	-0.709
2944	5.750	917.440	-0.697
2945	5.750	917.440	-0.685
2946	5.750	917.440	-0.673
2947	5.750	917.440	-0.662
2948	5.750	917.440	-0.650
2949	5.750	917.440	-0.150
2950	5.750	917.440	0
2951	8.350	917.443	0
2952	9.500	917.443	0
2953	7.250	917.474	0
2954	12.500	917.510	0
2955	19.500	917.533	0
2956	12.750	917.591	-2.126
2957	12.750	917.591	-1.979
2958	12.750	917.591	-1.831
2959	12.750	917.591	-1.683
2960	12.750	917.591	-1.536
2961	12.750	917.591	-1.388
2962	12.750	917.591	-1.240
2963	12.750	917.591	-1.093
2964	12.750	917.591	-0.945
2965	12.750	917.591	-0.798
2966	12.750	917.591	-0.650
2967	12.750	917.591	-0.150
2968	12.750	917.591	0
2969	10.150	917.607	0
2970	4.850	917.612	0
2971	19.750	917.631	-3.224
2972	19.750	917.631	-2.967
2973	19.750	917.631	-2.709
2974	19.750	917.631	-2.452
2975	19.750	917.631	-2.195
2976	19.750	917.631	-1.937
2977	19.750	917.631	-1.680
2978	19.750	917.631	-1.422
2979	19.750	917.631	-1.165
2980	19.750	917.631	-0.907
2981	19.750	917.631	-0.650
2982	19.750	917.631	-0.150
2983	19.750	917.631	0
2984	6.650	917.637	0
2985	9.000	917.639	0
2986	7.750	917.704	0
2987	13.000	917.722	0
2988	20.000	917.730	0
2989	6.000	917.735	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
2990	5.750	917.767	-0.650
2991	5.750	917.767	-0.150
2992	5.750	917.767	0
2993	10.750	917.771	0
2994	13.650	917.803	0
2995	20.650	917.828	0
2996	9.250	917.835	-1.383
2997	9.250	917.835	-1.310
2998	9.250	917.835	-1.237
2999	9.250	917.835	-1.163
3000	9.250	917.835	-1.090
3001	9.250	917.835	-1.017
3002	9.250	917.835	-0.943
3003	9.250	917.835	-0.870
3004	9.250	917.835	-0.797
3005	9.250	917.835	-0.723
3006	9.250	917.835	-0.650
3007	9.250	917.835	-0.150
3008	9.250	917.836	0
3009	14.250	917.884	0
3010	7.250	917.899	0
3011	21.250	917.926	0
3012	8.350	917.933	0
3013	11.250	917.935	0
3014	14.750	917.965	0
3015	15.350	917.996	0
3016	21.750	918.024	0
3017	16.000	918.027	0
3018	6.650	918.030	0
3019	9.500	918.032	0
3020	5.500	918.039	0
3021	16.250	918.058	-2.494
3022	16.250	918.058	-2.309
3023	16.250	918.058	-2.125
3024	16.250	918.058	-1.941
3025	16.250	918.058	-1.756
3026	16.250	918.058	-1.572
3027	16.250	918.058	-1.388
3028	16.250	918.058	-1.203
3029	16.250	918.058	-1.019
3030	16.250	918.058	-0.834
3031	16.250	918.058	-0.650
3032	16.250	918.058	-0.150
3033	16.250	918.058	0
3034	16.500	918.089	0
3035	6.000	918.094	0
3036	11.850	918.099	0
3037	17.150	918.120	0
3038	22.350	918.123	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3039	17.750	918.151	0
3040	7.750	918.161	0
3041	9.000	918.162	0
3042	23.000	918.221	0
3043	10.150	918.229	0
3044	12.500	918.262	0
3045	5.750	918.267	0
3046	18.250	918.282	0
3047	23.250	918.319	-3.644
3048	23.250	918.319	-3.345
3049	23.250	918.319	-3.045
3050	23.250	918.319	-2.746
3051	23.250	918.319	-2.446
3052	23.250	918.319	-2.147
3053	23.250	918.319	-1.848
3054	23.250	918.319	-1.548
3055	23.250	918.319	-1.249
3056	23.250	918.319	-0.949
3057	23.250	918.319	-0.650
3058	23.250	918.319	-0.150
3059	23.250	918.319	0
3060	7.250	918.324	0
3061	12.750	918.376	-1.880
3062	12.750	918.376	-1.757
3063	12.750	918.376	-1.634
3064	12.750	918.376	-1.511
3065	12.750	918.376	-1.388
3066	12.750	918.376	-1.265
3067	12.750	918.376	-1.142
3068	12.750	918.376	-1.019
3069	12.750	918.376	-0.896
3070	12.750	918.376	-0.773
3071	12.750	918.376	-0.650
3072	12.750	918.376	-0.150
3073	12.750	918.376	0
3074	9.250	918.391	-1.200
3075	9.250	918.391	-1.145
3076	9.250	918.391	-1.090
3077	9.250	918.391	-1.035
3078	9.250	918.391	-0.980
3079	9.250	918.391	-0.925
3080	9.250	918.391	-0.870
3081	9.250	918.391	-0.815
3082	9.250	918.391	-0.760
3083	9.250	918.391	-0.705
3084	9.250	918.391	-0.650
3085	9.250	918.391	-0.150
3086	9.250	918.392	0
3087	18.850	918.413	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3088	6.650	918.422	0
3089	8.350	918.423	0
3090	10.750	918.425	0
3091	23.500	918.435	0
3092	6.000	918.494	0
3093	13.000	918.540	0
3094	19.500	918.544	0
3095	24.425	918.550	0
3096	7.750	918.619	0
3097	9.500	918.621	0
3098	11.250	918.622	0
3099	13.650	918.654	0
3100	19.750	918.675	-2.856
3101	19.750	918.675	-2.636
3102	19.750	918.675	-2.415
3103	19.750	918.675	-2.195
3104	19.750	918.675	-1.974
3105	19.750	918.675	-1.753
3106	19.750	918.675	-1.533
3107	19.750	918.675	-1.312
3108	19.750	918.675	-1.091
3109	19.750	918.675	-0.871
3110	19.750	918.675	-0.650
3111	19.750	918.675	-0.150
3112	19.750	918.675	0
3113	9.000	918.685	0
3114	7.250	918.749	0
3115	14.250	918.767	0
3116	20.000	918.806	0
3117	11.850	918.818	0
3118	10.150	918.850	0
3119	14.750	918.881	0
3120	8.350	918.914	0
3121	6.650	918.922	0
3122	20.650	918.937	0
3123	15.350	918.945	0
3124	9.250	918.947	-1.017
3125	9.250	918.947	-0.980
3126	9.250	918.947	-0.943
3127	9.250	918.947	-0.907
3128	9.250	918.947	-0.870
3129	9.250	918.947	-0.833
3130	9.250	918.947	-0.797
3131	9.250	918.947	-0.760
3132	9.250	918.947	-0.723
3133	9.250	918.947	-0.687
3134	9.250	918.947	-0.650
3135	9.250	918.947	-0.150
3136	9.250	918.948	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3137	16.000	919.009	0
3138	12.500	919.015	0
3139	21.250	919.068	0
3140	16.250	919.072	0
3141	16.250	919.073	-2.186
3142	16.250	919.073	-2.033
3143	16.250	919.073	-1.879
3144	16.250	919.073	-1.726
3145	16.250	919.073	-1.572
3146	16.250	919.073	-1.418
3147	16.250	919.073	-1.265
3148	16.250	919.073	-1.111
3149	16.250	919.073	-0.957
3150	16.250	919.073	-0.804
3151	16.250	919.073	-0.650
3152	16.250	919.073	-0.150
3153	7.750	919.077	0
3154	10.750	919.079	0
3155	16.500	919.136	0
3156	12.750	919.161	-1.634
3157	12.750	919.161	-1.536
3158	12.750	919.161	-1.437
3159	12.750	919.161	-1.339
3160	12.750	919.161	-1.240
3161	12.750	919.161	-1.142
3162	12.750	919.161	-1.044
3163	12.750	919.161	-0.945
3164	12.750	919.161	-0.847
3165	12.750	919.161	-0.748
3166	12.750	919.161	-0.650
3167	12.750	919.161	-0.150
3168	12.750	919.161	0
3169	21.750	919.199	0
3170	17.150	919.200	0
3171	9.000	919.209	0
3172	9.500	919.210	0
3173	7.250	919.249	0
3174	17.750	919.264	0
3175	11.250	919.309	0
3176	18.250	919.327	0
3177	22.350	919.330	0
3178	13.000	919.358	0
3179	18.850	919.391	0
3180	8.350	919.404	0
3181	23.000	919.461	0
3182	10.150	919.472	0
3183	9.250	919.503	-0.833
3184	9.250	919.503	-0.815
3185	9.250	919.503	-0.797

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3186	9.250	919.503	-0.778
3187	9.250	919.503	-0.760
3188	9.250	919.503	-0.742
3189	9.250	919.503	-0.723
3190	9.250	919.503	-0.705
3191	9.250	919.503	-0.687
3192	9.250	919.503	-0.668
3193	9.250	919.503	-0.650
3194	9.250	919.503	-0.150
3195	9.250	919.503	0
3196	13.650	919.504	0
3197	11.850	919.538	0
3198	19.500	919.555	0
3199	7.750	919.577	0
3200	23.250	919.592	-3.216
3201	23.250	919.592	-2.960
3202	23.250	919.592	-2.703
3203	23.250	919.592	-2.446
3204	23.250	919.592	-2.190
3205	23.250	919.592	-1.933
3206	23.250	919.592	-1.677
3207	23.250	919.592	-1.420
3208	23.250	919.592	-1.163
3209	23.250	919.592	-0.907
3210	23.250	919.592	-0.650
3211	23.250	919.592	-0.150
3212	23.250	919.592	0
3213	14.250	919.651	0
3214	19.750	919.719	-2.489
3215	19.750	919.719	-2.305
3216	19.750	919.719	-2.121
3217	19.750	919.719	-1.937
3218	19.750	919.719	-1.753
3219	19.750	919.719	-1.569
3220	19.750	919.719	-1.385
3221	19.750	919.719	-1.202
3222	19.750	919.719	-1.018
3223	19.750	919.719	-0.834
3224	19.750	919.719	-0.650
3225	19.750	919.719	-0.150
3226	19.750	919.719	0
3227	9.000	919.732	0
3228	10.750	919.734	0
3229	23.500	919.746	0
3230	12.500	919.767	0
3231	14.750	919.797	0
3232	9.500	919.798	0
3233	20.000	919.883	0
3234	15.350	919.894	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3235	24.425	919.900	0
3236	8.350	919.904	0
3237	12.750	919.946	-1.388
3238	12.750	919.946	-1.314
3239	12.750	919.946	-1.240
3240	12.750	919.946	-1.167
3241	12.750	919.946	-1.093
3242	12.750	919.946	-1.019
3243	12.750	919.946	-0.945
3244	12.750	919.946	-0.871
3245	12.750	919.946	-0.798
3246	12.750	919.946	-0.724
3247	12.750	919.946	-0.650
3248	12.750	919.946	-0.150
3249	12.750	919.946	0
3250	16.000	919.990	0
3251	11.250	919.996	0
3252	20.650	920.046	0
3253	9.250	920.059	-0.650
3254	9.250	920.059	-0.150
3255	9.250	920.059	0
3256	16.250	920.087	-1.879
3257	16.250	920.087	-1.756
3258	16.250	920.087	-1.633
3259	16.250	920.087	-1.510
3260	16.250	920.087	-1.388
3261	16.250	920.087	-1.265
3262	16.250	920.087	-1.142
3263	16.250	920.087	-1.019
3264	16.250	920.087	-0.896
3265	16.250	920.087	-0.773
3266	16.250	920.087	-0.650
3267	16.250	920.087	-0.150
3268	16.250	920.087	0
3269	10.150	920.093	0
3270	13.000	920.176	0
3271	16.500	920.183	0
3272	21.250	920.210	0
3273	11.850	920.258	0
3274	17.150	920.280	0
3275	9.000	920.332	0
3276	13.650	920.355	0
3277	21.750	920.374	0
3278	17.750	920.376	0
3279	9.500	920.387	0
3280	10.750	920.388	0
3281	18.250	920.473	0
3282	12.500	920.520	0
3283	14.250	920.534	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3284	22.350	920.538	0
3285	9.250	920.559	0
3286	18.850	920.569	0
3287	19.500	920.666	0
3288	11.250	920.683	0
3289	23.000	920.701	0
3290	10.150	920.714	0
3291	14.750	920.714	0
3292	12.750	920.732	-1.142
3293	12.750	920.732	-1.093
3294	12.750	920.732	-1.044
3295	12.750	920.732	-0.994
3296	12.750	920.732	-0.945
3297	12.750	920.732	-0.896
3298	12.750	920.732	-0.847
3299	12.750	920.732	-0.798
3300	12.750	920.732	-0.748
3301	12.750	920.732	-0.699
3302	12.750	920.732	-0.650
3303	12.750	920.732	-0.150
3304	12.750	920.732	0
3305	19.750	920.763	-2.121
3306	19.750	920.763	-1.974
3307	19.750	920.763	-1.827
3308	19.750	920.763	-1.680
3309	19.750	920.763	-1.533
3310	19.750	920.763	-1.385
3311	19.750	920.763	-1.238
3312	19.750	920.763	-1.091
3313	19.750	920.763	-0.944
3314	19.750	920.763	-0.797
3315	19.750	920.763	-0.650
3316	19.750	920.763	-0.150
3317	19.750	920.763	0
3318	9.500	920.787	0
3319	15.350	920.843	0
3320	23.250	920.865	-2.789
3321	23.250	920.865	-2.575
3322	23.250	920.865	-2.361
3323	23.250	920.865	-2.147
3324	23.250	920.865	-1.933
3325	23.250	920.865	-1.719
3326	23.250	920.865	-1.505
3327	23.250	920.865	-1.292
3328	23.250	920.865	-1.078
3329	23.250	920.865	-0.864
3330	23.250	920.865	-0.650
3331	23.250	920.865	-0.150
3332	23.250	920.865	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3333	20.000	920.959	0
3334	16.000	920.972	0
3335	11.850	920.977	0
3336	13.000	920.994	0
3337	10.750	921.042	0
3338	23.500	921.058	0
3339	16.250	921.101	0
3340	16.250	921.102	-1.572
3341	16.250	921.102	-1.480
3342	16.250	921.102	-1.388
3343	16.250	921.102	-1.295
3344	16.250	921.102	-1.203
3345	16.250	921.102	-1.111
3346	16.250	921.102	-1.019
3347	16.250	921.102	-0.927
3348	16.250	921.102	-0.834
3349	16.250	921.102	-0.742
3350	16.250	921.102	-0.650
3351	16.250	921.102	-0.150
3352	20.650	921.156	0
3353	13.650	921.206	0
3354	10.150	921.214	0
3355	16.500	921.231	0
3356	24.425	921.250	0
3357	12.500	921.272	0
3358	21.250	921.352	0
3359	17.150	921.360	0
3360	11.250	921.370	0
3361	14.250	921.418	0
3362	17.750	921.489	0
3363	12.750	921.517	-0.896
3364	12.750	921.517	-0.871
3365	12.750	921.517	-0.847
3366	12.750	921.517	-0.822
3367	12.750	921.517	-0.798
3368	12.750	921.517	-0.773
3369	12.750	921.517	-0.748
3370	12.750	921.517	-0.724
3371	12.750	921.517	-0.699
3372	12.750	921.517	-0.675
3373	12.750	921.517	-0.650
3374	12.750	921.517	-0.150
3375	12.750	921.517	0
3376	10.750	921.542	0
3377	21.750	921.549	0
3378	18.250	921.618	0
3379	14.750	921.630	0
3380	11.850	921.697	0
3381	22.350	921.745	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3382	18.850	921.748	0
3383	15.350	921.792	0
3384	13.000	921.812	0
3385	11.250	921.870	0
3386	19.500	921.877	0
3387	23.000	921.942	0
3388	16.000	921.954	0
3389	19.750	922.006	-1.753
3390	19.750	922.006	-1.643
3391	19.750	922.006	-1.533
3392	19.750	922.006	-1.422
3393	19.750	922.006	-1.312
3394	19.750	922.006	-1.202
3395	19.750	922.006	-1.091
3396	19.750	922.006	-0.981
3397	19.750	922.006	-0.871
3398	19.750	922.006	-0.760
3399	19.750	922.006	-0.650
3400	19.750	922.006	-0.150
3401	19.750	922.006	0
3402	12.500	922.025	0
3403	13.650	922.056	0
3404	16.250	922.116	-1.265
3405	16.250	922.116	-1.203
3406	16.250	922.116	-1.142
3407	16.250	922.116	-1.080
3408	16.250	922.116	-1.019
3409	16.250	922.116	-0.957
3410	16.250	922.116	-0.896
3411	16.250	922.116	-0.834
3412	16.250	922.116	-0.773
3413	16.250	922.116	-0.711
3414	16.250	922.116	-0.650
3415	16.250	922.116	-0.150
3416	16.250	922.116	0
3417	20.000	922.136	0
3418	23.250	922.138	-2.361
3419	23.250	922.138	-2.190
3420	23.250	922.138	-2.019
3421	23.250	922.138	-1.848
3422	23.250	922.138	-1.677
3423	23.250	922.138	-1.505
3424	23.250	922.138	-1.334
3425	23.250	922.138	-1.163
3426	23.250	922.138	-0.992
3427	23.250	922.138	-0.821
3428	23.250	922.138	-0.650
3429	23.250	922.138	-0.150
3430	23.250	922.138	0

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3431	11.850	922.197	0
3432	20.650	922.265	0
3433	16.500	922.278	0
3434	14.250	922.301	0
3435	12.750	922.302	-0.650
3436	12.750	922.302	-0.150
3437	12.750	922.302	0
3438	23.500	922.369	0
3439	17.150	922.440	0
3440	21.250	922.494	0
3441	14.750	922.546	0
3442	24.425	922.600	0
3443	17.750	922.602	0
3444	12.500	922.625	0
3445	13.000	922.630	0
3446	21.750	922.723	0
3447	15.350	922.741	0
3448	18.250	922.764	0
3449	12.750	922.802	0
3450	13.650	922.907	0
3451	18.850	922.926	0
3452	16.000	922.936	0
3453	22.350	922.953	0
3454	13.000	923.030	0
3455	19.500	923.088	0
3456	16.250	923.130	-0.957
3457	16.250	923.130	-0.927
3458	16.250	923.130	-0.896
3459	16.250	923.130	-0.865
3460	16.250	923.130	-0.834
3461	16.250	923.130	-0.804
3462	16.250	923.130	-0.773
3463	16.250	923.130	-0.742
3464	16.250	923.130	-0.711
3465	16.250	923.130	-0.681
3466	16.250	923.130	-0.650
3467	16.250	923.130	-0.150
3468	16.250	923.130	0
3469	23.000	923.182	0
3470	14.250	923.185	0
3471	19.750	923.250	-1.385
3472	19.750	923.250	-1.312
3473	19.750	923.250	-1.238
3474	19.750	923.250	-1.165
3475	19.750	923.250	-1.091
3476	19.750	923.250	-1.018
3477	19.750	923.250	-0.944
3478	19.750	923.250	-0.871
3479	19.750	923.250	-0.797

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3480	19.750	923.250	-0.724
3481	19.750	923.250	-0.650
3482	19.750	923.250	-0.150
3483	19.750	923.250	0
3484	16.500	923.325	0
3485	13.650	923.407	0
3486	23.250	923.411	-1.933
3487	23.250	923.411	-1.805
3488	23.250	923.411	-1.677
3489	23.250	923.411	-1.548
3490	23.250	923.411	-1.420
3491	23.250	923.411	-1.292
3492	23.250	923.411	-1.163
3493	23.250	923.411	-1.035
3494	23.250	923.411	-0.907
3495	23.250	923.411	-0.778
3496	23.250	923.411	-0.650
3497	23.250	923.411	-0.150
3498	23.250	923.411	0
3499	20.000	923.412	0
3500	14.750	923.462	0
3501	17.150	923.520	0
3502	20.650	923.574	0
3503	23.500	923.681	0
3504	14.250	923.685	0
3505	15.350	923.690	0
3506	17.750	923.715	0
3507	21.250	923.736	0
3508	21.750	923.898	0
3509	18.250	923.909	0
3510	16.000	923.917	0
3511	24.425	923.950	0
3512	14.750	923.962	0
3513	18.850	924.104	0
3514	16.250	924.145	-0.650
3515	16.250	924.145	-0.150
3516	16.250	924.145	0
3517	22.350	924.160	0
3518	15.350	924.190	0
3519	19.500	924.299	0
3520	16.500	924.372	0
3521	23.000	924.422	0
3522	19.750	924.494	-1.018
3523	19.750	924.494	-0.981
3524	19.750	924.494	-0.944
3525	19.750	924.494	-0.907
3526	19.750	924.494	-0.871
3527	19.750	924.494	-0.834
3528	19.750	924.494	-0.797

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3529	19.750	924.494	-0.760
3530	19.750	924.494	-0.724
3531	19.750	924.494	-0.687
3532	19.750	924.494	-0.650
3533	19.750	924.494	-0.150
3534	19.750	924.494	0
3535	16.000	924.517	0
3536	17.150	924.600	0
3537	16.250	924.645	0
3538	23.250	924.684	-1.505
3539	23.250	924.684	-1.420
3540	23.250	924.684	-1.334
3541	23.250	924.684	-1.249
3542	23.250	924.684	-1.163
3543	23.250	924.684	-1.078
3544	23.250	924.684	-0.992
3545	23.250	924.684	-0.907
3546	23.250	924.684	-0.821
3547	23.250	924.684	-0.736
3548	23.250	924.684	-0.650
3549	23.250	924.684	-0.150
3550	23.250	924.684	0
3551	20.000	924.689	0
3552	16.500	924.772	0
3553	17.750	924.827	0
3554	20.650	924.883	0
3555	23.500	924.992	0
3556	18.250	925.055	0
3557	21.250	925.078	0
3558	17.150	925.100	0
3559	21.750	925.273	0
3560	18.850	925.282	0
3561	24.425	925.300	0
3562	17.750	925.327	0
3563	22.350	925.468	0
3564	19.500	925.510	0
3565	18.250	925.555	0
3566	23.000	925.663	0
3567	19.750	925.738	-0.650
3568	19.750	925.738	-0.150
3569	19.750	925.738	0
3570	18.850	925.782	0
3571	23.250	925.857	-1.078
3572	23.250	925.857	-1.035
3573	23.250	925.857	-0.992
3574	23.250	925.857	-0.949
3575	23.250	925.857	-0.907
3576	23.250	925.857	-0.864
3577	23.250	925.857	-0.821

Nodes Cont...

Node	X (m)	Y (m)	Z (m)
3578	23.250	925.857	-0.778
3579	23.250	925.857	-0.736
3580	23.250	925.857	-0.693
3581	23.250	925.857	-0.650
3582	23.250	925.857	-0.150
3583	23.250	925.857	0
3584	20.000	925.965	0
3585	19.500	926.110	0
3586	20.650	926.193	0
3587	23.500	926.204	0
3588	19.750	926.238	0
3589	20.000	926.365	0
3590	21.250	926.420	0
3591	24.425	926.550	0
3592	21.750	926.648	0
3593	20.650	926.693	0
3594	22.350	926.875	0
3595	21.250	926.920	0
3596	23.000	927.103	0
3597	21.750	927.148	0
3598	23.250	927.330	-0.650
3599	23.250	927.330	-0.150
3600	23.250	927.330	0
3601	22.350	927.375	0
3602	23.500	927.615	0
3603	23.000	927.703	0
3604	23.250	927.830	0
3605	24.425	928.000	0
3606	23.500	928.015	0
3607	24.425	928.500	0

Beams

Beam	Node A	Node B	Length (m)	Property	β (degrees)
100	9	7	0.929	11	0
101	11	9	0.266	11	0
102	13	11	0.261	11	0
103	15	13	0.654	11	0
104	17	15	0.605	11	0
105	19	17	0.506	11	0
106	22	19	0.605	11	0
107	25	22	0.654	11	0
108	28	25	0.261	11	0
109	31	28	0.261	11	0
110	34	31	0.654	11	0
111	36	34	0.605	11	0
112	39	36	0.506	11	0

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Beams Cont...

Beam	Node A	Node B	Length (m)	Property	β (degrees)
113	44	39	0.605	11	0
114	48	44	0.654	11	0
115	52	48	0.261	11	0
116	57	52	0.261	11	0
117	61	57	0.654	11	0
118	65	61	0.605	11	0
119	70	65	0.506	11	0
120	75	70	0.605	11	0
121	81	75	0.654	11	0
122	86	81	0.261	11	0
123	93	86	0.261	11	0
124	98	93	0.654	11	0
125	104	98	0.605	11	0
126	110	104	0.506	11	0
127	118	110	0.605	11	0
128	124	118	0.654	11	0
129	133	124	0.261	11	0
130	141	133	0.261	11	0
131	148	141	0.654	11	0
132	155	148	0.605	11	0
133	163	155	0.506	11	0
134	172	163	0.605	11	0
135	182	172	0.654	11	0
136	192	182	0.261	11	0
137	204	192	0.261	11	0
138	212	204	0.654	11	0
139	222	212	0.605	11	0
140	233	222	0.506	11	0
141	245	233	0.605	11	0
142	257	245	0.654	11	0
143	269	257	0.261	11	0
144	282	269	0.211	11	0

Plates

Plate	Node A	Node B	Node C	Node D	Property
1000	9	7	1	2	1
1001	11	9	2	3	1
1002	13	11	3	4	1
1003	15	13	4	5	1
1004	17	15	5	6	1
1005	19	17	6	8	1
1006	22	19	8	10	1
1007	24	21	7	9	1
1008	25	22	10	12	1
1009	26	24	9	11	1
1010	28	25	12	14	1
1011	29	26	11	13	1
1012	31	28	14	16	1
1013	32	29	13	15	1
1014	34	31	16	18	1
1015	35	32	15	17	1
1016	38	35	17	19	1
1017	36	34	18	20	1
1018	40	38	19	22	1
1019	39	36	20	23	1
1020	46	42	21	24	1
1021	43	40	22	25	1
1022	44	39	23	27	1
1023	47	43	25	28	1
1024	49	46	24	26	1
1025	48	44	27	30	1
1026	53	49	26	29	1
1027	51	47	28	31	1
1028	52	48	30	33	1
1029	56	53	29	32	1
1030	55	51	31	34	1
1031	57	52	33	37	1
1032	60	56	32	35	1
1033	58	55	34	36	1
1034	62	60	35	38	1
1035	61	57	37	41	1
1036	63	58	36	39	1
1037	66	62	38	40	1
1038	65	61	41	45	1
1039	67	63	39	44	1
1040	69	66	40	43	1
1041	71	67	44	48	1
1042	70	65	45	50	1
1043	77	72	42	46	1
1044	73	69	43	47	1
1045	76	71	48	52	1
1046	79	77	46	49	1
1047	78	73	47	51	1
1048	75	70	50	54	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1049	84	79	49	53	1
1050	80	76	52	57	1
1051	83	78	51	55	1
1052	81	75	54	59	1
1053	89	84	53	56	1
1054	87	83	55	58	1
1055	85	80	57	61	1
1056	86	81	59	64	1
1057	92	89	56	60	1
1058	91	87	58	63	1
1059	90	85	61	65	1
1060	95	92	60	62	1
1061	93	86	64	68	1
1062	96	91	63	67	1
1063	99	95	62	66	1
1064	97	90	65	70	1
1065	101	96	67	71	1
1066	98	93	68	74	1
1067	103	99	66	69	1
1068	102	97	70	75	1
1069	105	101	71	76	1
1070	108	103	69	73	1
1071	104	98	74	82	1
1072	106	102	75	81	1
1073	112	108	73	78	1
1074	109	105	76	80	1
1075	116	111	72	77	1
1076	110	104	82	88	1
1077	113	106	81	86	1
1078	117	112	78	83	1
1079	121	116	77	79	1
1080	115	109	80	85	1
1081	122	117	83	87	1
1082	126	121	79	84	1
1083	118	110	88	94	1
1084	119	113	86	93	1
1085	120	115	85	90	1
1086	129	126	84	89	1
1087	127	122	87	91	1
1088	128	120	90	97	1
1089	125	119	93	98	1
1090	124	118	94	100	1
1091	135	129	89	92	1
1092	131	127	91	96	1
1093	137	135	92	95	1
1094	134	128	97	102	1
1095	132	125	98	104	1
1096	136	131	96	101	1
1097	133	124	100	107	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1098	143	137	95	99	1
1099	138	134	102	106	1
1100	142	136	101	105	1
1101	139	132	104	110	1
1102	146	143	99	103	1
1103	141	133	107	114	1
1104	144	138	106	113	1
1105	147	142	105	109	1
1106	151	146	103	108	1
1107	145	139	110	118	1
1108	152	147	109	115	1
1109	154	151	108	112	1
1110	148	141	114	123	1
1111	150	144	113	119	1
1112	153	145	118	124	1
1113	160	154	112	117	1
1114	158	152	115	120	1
1115	157	150	119	125	1
1116	155	148	123	130	1
1117	170	165	111	116	1
1118	164	160	117	122	1
1119	161	158	120	128	1
1120	159	153	124	133	1
1121	162	157	125	132	1
1122	173	170	116	121	1
1123	169	164	122	127	1
1124	163	155	130	140	1
1125	168	161	128	134	1
1126	179	173	121	126	1
1127	167	159	133	141	1
1128	174	169	127	131	1
1129	171	162	132	139	1
1130	183	179	126	129	1
1131	175	168	134	138	1
1132	180	174	131	136	1
1133	172	163	140	149	1
1134	188	183	129	135	1
1135	176	167	141	148	1
1136	178	171	139	145	1
1137	181	175	138	144	1
1138	186	180	136	142	1
1139	191	188	135	137	1
1140	185	178	145	153	1
1141	182	172	149	156	1
1142	190	186	142	147	1
1143	196	191	137	143	1
1144	189	181	144	150	1
1145	184	176	148	155	1
1146	200	196	143	146	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1147	197	190	147	152	1
1148	195	189	150	157	1
1149	193	185	153	159	1
1150	194	184	155	163	1
1151	192	182	156	166	1
1152	205	200	146	151	1
1153	203	197	152	158	1
1154	201	195	157	162	1
1155	210	205	151	154	1
1156	199	193	159	167	1
1157	206	203	158	161	1
1158	202	194	163	172	1
1159	214	210	154	160	1
1160	204	192	166	177	1
1161	207	201	162	171	1
1162	213	206	161	168	1
1163	208	199	167	176	1
1164	217	214	160	164	1
1165	211	202	172	182	1
1166	215	207	171	178	1
1167	223	217	164	169	1
1168	218	213	168	175	1
1169	212	204	177	187	1
1170	216	208	176	184	1
1171	226	223	169	174	1
1172	221	215	178	185	1
1173	225	218	175	181	1
1174	238	234	165	170	1
1175	219	211	182	192	1
1176	232	226	174	180	1
1177	224	216	184	194	1
1178	241	238	170	173	1
1179	222	212	187	198	1
1180	229	225	181	189	1
1181	227	221	185	193	1
1182	237	232	180	186	1
1183	247	241	173	179	1
1184	228	219	192	204	1
1185	236	229	189	195	1
1186	231	224	194	202	1
1187	251	247	179	183	1
1188	242	237	186	190	1
1189	235	227	193	199	1
1190	233	222	198	209	1
1191	255	251	183	188	1
1192	243	236	195	201	1
1193	248	242	190	197	1
1194	239	228	204	212	1
1195	259	255	188	191	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1196	240	231	202	211	1
1197	244	235	199	208	1
1198	254	248	197	203	1
1199	250	243	201	207	1
1200	264	259	191	196	1
1201	245	233	209	220	1
1202	260	254	203	206	1
1203	253	244	208	216	1
1204	267	264	196	200	1
1205	252	240	211	219	1
1206	249	239	212	222	1
1207	256	250	207	215	1
1208	274	267	200	205	1
1209	266	260	206	213	1
1210	261	253	216	224	1
1211	276	274	205	210	1
1212	265	256	215	221	1
1213	257	245	220	230	1
1214	262	252	219	228	1
1215	272	266	213	218	1
1216	263	249	222	233	1
1217	280	276	210	214	1
1218	273	265	221	227	1
1219	268	261	224	231	1
1220	277	272	218	225	1
1221	286	280	214	217	1
1222	271	262	228	239	1
1223	269	257	230	246	1
1224	290	286	217	223	1
1225	283	277	225	229	1
1226	275	263	233	245	1
1227	279	273	227	235	1
1228	278	268	231	240	1
1229	294	290	223	226	1
1230	289	283	229	236	1
1231	281	271	239	249	1
1232	287	279	235	244	1
1233	299	294	226	232	1
1234	282	269	246	258	1
1235	288	278	240	252	1
1236	285	275	245	257	1
1237	295	289	236	243	1
1238	303	299	232	237	1
1239	292	287	244	253	1
1240	291	281	249	263	1
1241	300	295	243	250	1
1242	308	303	237	242	1
1243	296	288	252	262	1
1244	293	282	258	270	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1245	301	292	253	261	1
1246	297	285	257	269	1
1247	311	308	242	248	1
1248	306	300	250	256	1
1249	327	322	234	238	1
1250	302	291	263	275	1
1251	316	311	248	254	1
1252	304	296	262	271	1
1253	329	327	238	241	1
1254	309	301	261	268	1
1255	313	306	256	265	1
1256	336	329	241	247	1
1257	320	316	254	260	1
1258	305	293	270	284	1
1259	307	297	269	282	1
1260	338	336	247	251	1
1261	319	313	265	273	1
1262	314	304	271	281	1
1263	326	320	260	266	1
1264	315	309	268	278	1
1265	312	302	275	285	1
1266	341	338	251	255	1
1267	330	326	266	272	1
1268	346	341	255	259	1
1269	325	319	273	279	1
1270	317	307	282	293	1
1271	324	315	278	288	1
1272	318	305	284	298	1
1273	352	346	259	264	1
1274	321	314	281	291	1
1275	337	330	272	277	1
1276	323	312	285	297	1
1277	332	325	279	287	1
1278	354	352	264	267	1
1279	342	337	277	283	1
1280	333	324	288	296	1
1281	359	354	267	274	1
1282	339	332	287	292	1
1283	328	317	293	305	1
1284	334	321	291	302	1
1285	363	359	274	276	1
1286	349	342	283	289	1
1287	331	318	298	310	1
1288	335	323	297	307	1
1289	365	363	276	280	1
1290	340	333	296	304	1
1291	348	339	292	301	1
1292	355	349	289	295	1
1293	369	365	280	286	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1294	345	334	302	312	1
1295	344	328	305	318	1
1296	361	355	295	300	1
1297	376	369	286	290	1
1298	347	335	307	317	1
1299	356	348	301	309	1
1300	353	340	304	314	1
1301	378	376	290	294	1
1302	366	361	300	306	1
1303	357	345	312	323	1
1304	382	378	294	299	1
1305	364	356	309	315	1
1306	362	353	314	321	1
1307	373	366	306	313	1
1308	358	344	318	331	1
1309	343	368	331	310	1
1310	360	347	317	328	1
1311	385	382	299	303	1
1312	370	364	315	324	1
1313	388	385	303	308	1
1314	379	373	313	319	1
1315	367	357	323	335	1
1316	372	362	321	334	1
1317	392	388	308	311	1
1318	384	379	319	325	1
1319	371	360	328	344	1
1320	380	370	324	333	1
1321	395	392	311	316	1
1322	377	367	335	347	1
1323	389	384	325	332	1
1324	381	372	334	345	1
1325	400	395	316	320	1
1326	351	375	368	343	1
1327	386	380	333	340	1
1328	350	374	375	351	1
1329	368	391	358	331	1
1330	403	400	320	326	1
1331	383	371	344	358	1
1332	394	389	332	339	1
1333	406	403	326	330	1
1334	387	377	347	360	1
1335	390	381	345	357	1
1336	393	386	340	353	1
1337	401	394	339	348	1
1338	409	406	330	337	1
1339	411	409	337	342	1
1340	402	393	353	362	1
1341	404	401	348	356	1
1342	399	390	357	367	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1343	398	387	360	371	1
1344	416	411	342	349	1
1345	375	397	391	368	1
1346	436	434	322	327	1
1347	410	404	356	364	1
1348	374	396	397	375	1
1349	408	402	362	372	1
1350	419	416	349	355	1
1351	440	436	327	329	1
1352	391	413	383	358	1
1353	405	399	367	377	1
1354	407	398	371	383	1
1355	443	440	329	336	1
1356	415	410	364	370	1
1357	423	419	355	361	1
1358	444	443	336	338	1
1359	414	408	372	381	1
1360	446	444	338	341	1
1361	425	423	361	366	1
1362	412	405	377	387	1
1363	420	415	370	380	1
1364	449	446	341	346	1
1365	428	425	366	373	1
1366	451	449	346	352	1
1367	421	414	381	390	1
1368	452	451	352	354	1
1369	424	420	380	386	1
1370	431	428	373	379	1
1371	397	418	413	391	1
1372	422	412	387	398	1
1373	456	452	354	359	1
1374	396	417	418	397	1
1375	457	456	359	363	1
1376	435	431	379	384	1
1377	429	424	386	393	1
1378	426	421	390	399	1
1379	413	432	407	383	1
1380	459	457	363	365	1
1381	441	435	384	389	1
1382	461	459	365	369	1
1383	427	422	398	407	1
1384	433	429	393	402	1
1385	464	461	369	376	1
1386	430	426	399	405	1
1387	445	441	389	394	1
1388	468	464	376	378	1
1389	470	468	378	382	1
1390	442	433	402	408	1
1391	450	445	394	401	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1392	439	430	405	412	1
1393	471	470	382	385	1
1394	453	450	401	404	1
1395	474	471	385	388	1
1396	418	438	432	413	1
1397	448	442	408	414	1
1398	417	437	438	418	1
1399	475	474	388	392	1
1400	447	439	412	422	1
1401	458	453	404	410	1
1402	477	475	392	395	1
1403	432	462	427	407	1
1404	454	448	414	421	1
1405	479	477	395	400	1
1406	463	458	410	415	1
1407	481	479	400	403	1
1408	455	447	422	427	1
1409	469	463	415	420	1
1410	460	454	421	426	1
1411	482	481	403	406	1
1412	485	482	406	409	1
1413	472	469	420	424	1
1414	486	485	409	411	1
1415	467	460	426	430	1
1416	489	486	411	416	1
1417	476	472	424	429	1
1418	438	466	462	432	1
1419	490	489	416	419	1
1420	437	465	466	438	1
1421	473	467	430	439	1
1422	480	476	429	433	1
1423	494	490	419	423	1
1424	462	488	455	427	1
1425	495	494	423	425	1
1426	478	473	439	447	1
1427	484	480	433	442	1
1428	497	495	425	428	1
1429	499	497	428	431	1
1430	487	484	442	448	1
1431	483	478	447	455	1
1432	500	499	431	435	1
1433	493	487	448	454	1
1434	502	500	435	441	1
1435	503	502	441	445	1
1436	496	493	454	460	1
1437	466	492	488	462	1
1438	505	503	445	450	1
1439	465	491	492	466	1
1440	498	496	460	467	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1441	506	505	450	453	1
1442	508	506	453	458	1
1443	501	498	467	473	1
1444	488	510	483	455	1
1445	509	508	458	463	1
1446	504	501	473	478	1
1447	511	509	463	469	1
1448	514	511	469	472	1
1449	507	504	478	483	1
1450	515	514	472	476	1
1451	516	515	476	480	1
1452	576	577	434	436	1
1453	517	516	480	484	1
1454	575	576	436	440	1
1455	492	513	510	488	1
1456	574	575	440	443	1
1457	491	512	513	492	1
1458	573	574	443	444	1
1459	518	517	484	487	1
1460	572	573	444	446	1
1461	571	572	446	449	1
1462	570	571	449	451	1
1463	519	518	487	493	1
1464	569	570	451	452	1
1465	568	569	452	456	1
1466	567	568	456	457	1
1467	520	519	493	496	1
1468	566	567	457	459	1
1469	510	525	507	483	1
1470	565	566	459	461	1
1471	564	565	461	464	1
1472	521	520	496	498	1
1473	563	564	464	468	1
1474	562	563	468	470	1
1475	522	521	498	501	1
1476	561	562	470	471	1
1477	560	561	471	474	1
1478	559	560	474	475	1
1479	523	522	501	504	1
1480	558	559	475	477	1
1481	557	558	477	479	1
1482	556	557	479	481	1
1483	524	523	504	507	1
1484	555	556	481	482	1
1485	554	555	482	485	1
1486	553	554	485	486	1
1487	552	553	486	489	1
1488	551	552	489	490	1
1489	550	551	490	494	1

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1490	513	527	525	510	1
1491	549	550	494	495	1
1492	512	526	527	513	1
1493	548	549	495	497	1
1494	547	548	497	499	1
1495	546	547	499	500	1
1496	545	546	500	502	1
1497	544	545	502	503	1
1498	543	544	503	505	1
1499	542	543	505	506	1
1500	541	542	506	508	1
1501	540	541	508	509	1
1502	525	578	524	507	1
1503	539	540	509	511	1
1504	538	539	511	514	1
1505	537	538	514	515	1
1506	536	537	515	516	1
1507	535	536	516	517	1
1508	534	535	517	518	1
1509	533	534	518	519	1
1510	532	533	519	520	1
1511	531	532	520	521	1
1512	530	531	521	522	1
1513	529	530	522	523	1
1514	528	529	523	524	1
1515	527	580	578	525	1
1516	526	579	580	527	1
1517	578	583	528	524	1
1518	580	582	583	578	1
1519	579	581	582	580	1
1520	583	584	528		1
1521	584	585	529	528	2
1522	585	586	530	529	2
1523	586	587	531	530	2
1524	587	588	532	531	2
1525	588	589	533	532	2
1526	589	590	534	533	2
1527	590	591	535	534	2
1528	591	592	536	535	2
1529	592	593	537	536	2
1530	593	594	538	537	2
1531	594	595	539	538	2
1532	595	596	540	539	2
1533	596	597	541	540	2
1534	597	598	542	541	2
1535	598	599	543	542	2
1536	599	600	544	543	2
1537	600	601	545	544	2
1538	601	602	546	545	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1539	602	603	547	546	2
1540	603	604	548	547	2
1541	604	605	549	548	2
1542	605	606	550	549	2
1543	606	607	551	550	2
1544	607	608	552	551	2
1545	608	609	553	552	2
1546	609	610	554	553	2
1547	610	611	555	554	2
1548	611	612	556	555	2
1549	612	613	557	556	2
1550	613	614	558	557	2
1551	614	615	559	558	2
1552	615	616	560	559	2
1553	616	617	561	560	2
1554	617	618	562	561	2
1555	618	619	563	562	2
1556	619	620	564	563	2
1557	620	621	565	564	2
1558	621	622	566	565	2
1559	622	623	567	566	2
1560	623	624	568	567	2
1561	624	625	569	568	2
1562	625	626	570	569	2
1563	626	627	571	570	2
1564	627	628	572	571	2
1565	628	629	573	572	2
1566	629	630	574	573	2
1567	630	631	575	574	2
1568	631	632	576	575	1
1569	632	633	577	576	1
1570	582	635	584	583	1
1571	581	634	635	582	1
1572	635	637	584		1
1573	637	638	585	584	2
1574	638	639	586	585	2
1575	639	640	587	586	2
1576	640	641	588	587	2
1577	641	642	589	588	2
1578	642	643	590	589	1
1579	643	644	591	590	1
1580	644	645	592	591	1
1581	645	646	593	592	1
1582	646	647	594	593	1
1583	647	648	595	594	1
1584	648	649	596	595	2
1585	649	650	597	596	2
1586	650	651	598	597	2
1587	651	652	599	598	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1588	652	653	600	599	2
1589	653	654	601	600	2
1590	654	655	602	601	2
1591	655	656	603	602	2
1592	656	657	604	603	2
1593	657	658	605	604	2
1594	658	659	606	605	2
1595	659	660	607	606	2
1596	660	661	608	607	2
1597	661	662	609	608	2
1598	662	663	610	609	2
1599	663	664	611	610	2
1600	664	665	612	611	2
1601	665	666	613	612	2
1602	666	667	614	613	2
1603	667	668	615	614	2
1604	668	669	616	615	2
1605	669	670	617	616	2
1606	670	671	618	617	2
1607	671	672	619	618	2
1608	672	673	620	619	2
1609	673	674	621	620	2
1610	674	675	622	621	2
1611	675	676	623	622	2
1612	676	677	624	623	2
1613	677	678	625	624	2
1614	678	679	626	625	2
1615	679	680	627	626	2
1616	680	681	628	627	2
1617	681	682	629	628	2
1618	682	683	630	629	2
1619	683	684	631	630	2
1620	684	685	632	631	2
1621	685	686	633	632	2
1622	634	636	637	635	1
1623	636	687	688	637	1
1624	688	689	638	637	2
1625	689	690	639	638	2
1626	690	691	640	639	2
1627	691	692	641	640	2
1628	692	693	642	641	2
1629	693	694	643	642	2
1630	694	695	644	643	2
1631	695	696	645	644	2
1632	696	697	646	645	2
1633	697	698	647	646	2
1634	698	699	648	647	2
1635	699	700	649	648	2
1636	700	701	650	649	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1637	701	702	651	650	2
1638	702	703	652	651	2
1639	703	704	653	652	2
1640	704	705	654	653	2
1641	705	706	655	654	2
1642	706	707	656	655	2
1643	707	708	657	656	2
1644	708	709	658	657	2
1645	709	710	659	658	2
1646	710	711	660	659	2
1647	711	712	661	660	2
1648	712	713	662	661	2
1649	713	714	663	662	2
1650	714	715	664	663	2
1651	715	716	665	664	2
1652	716	717	666	665	2
1653	717	718	667	666	2
1654	718	719	668	667	2
1655	719	720	669	668	2
1656	720	721	670	669	2
1657	721	722	671	670	2
1658	722	723	672	671	2
1659	723	724	673	672	2
1660	724	725	674	673	2
1661	725	726	675	674	2
1662	726	727	676	675	2
1663	727	728	677	676	2
1664	728	729	678	677	2
1665	729	730	679	678	2
1666	730	731	680	679	2
1667	731	732	681	680	2
1668	732	733	682	681	2
1669	733	734	683	682	2
1670	734	735	684	683	2
1671	735	736	685	684	2
1672	736	737	686	685	2
1673	687	738	739	688	1
1674	739	740	689	688	2
1675	740	741	690	689	2
1676	741	742	691	690	2
1677	742	743	692	691	2
1678	743	744	693	692	2
1679	744	745	694	693	2
1680	745	746	695	694	2
1681	746	747	696	695	2
1682	747	748	697	696	2
1683	748	749	698	697	2
1684	749	750	699	698	2
1685	750	751	700	699	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1686	751	752	701	700	2
1687	752	753	702	701	2
1688	753	754	703	702	2
1689	754	755	704	703	2
1690	755	756	705	704	2
1691	756	757	706	705	2
1692	757	758	707	706	2
1693	758	759	708	707	2
1694	759	760	709	708	2
1695	760	761	710	709	2
1696	761	762	711	710	2
1697	762	763	712	711	2
1698	763	764	713	712	2
1699	764	765	714	713	2
1700	765	766	715	714	2
1701	766	767	716	715	2
1702	767	768	717	716	2
1703	768	769	718	717	2
1704	769	770	719	718	2
1705	770	771	720	719	2
1706	771	772	721	720	2
1707	772	773	722	721	2
1708	773	774	723	722	2
1709	774	775	724	723	2
1710	775	776	725	724	2
1711	776	777	726	725	2
1712	777	778	727	726	2
1713	778	779	728	727	2
1714	779	780	729	728	2
1715	780	781	730	729	2
1716	781	782	731	730	2
1717	782	783	732	731	2
1718	783	784	733	732	2
1719	784	785	734	733	2
1720	785	786	735	734	2
1721	786	787	736	735	2
1722	787	788	737	736	2
1723	789	790	739	738	2
1724	790	791	740	739	2
1725	791	792	741	740	2
1726	792	793	742	741	2
1727	793	794	743	742	2
1728	794	795	744	743	2
1729	795	796	745	744	2
1730	796	797	746	745	2
1731	797	798	747	746	2
1732	798	799	748	747	2
1733	799	800	749	748	2
1734	800	801	750	749	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1735	801	802	751	750	2
1736	802	803	752	751	2
1737	803	804	753	752	2
1738	804	805	754	753	2
1739	805	806	755	754	2
1740	806	807	756	755	2
1741	807	808	757	756	2
1742	808	809	758	757	2
1743	809	810	759	758	2
1744	810	811	760	759	2
1745	811	812	761	760	2
1746	812	813	762	761	2
1747	813	814	763	762	2
1748	814	815	764	763	2
1749	815	816	765	764	2
1750	816	819	766	765	2
1751	819	821	767	766	2
1752	821	822	768	767	2
1753	822	824	769	768	2
1754	824	826	770	769	2
1755	826	828	771	770	2
1756	828	829	772	771	2
1757	817	818	790	789	2
1758	829	831	773	772	2
1759	818	820	791	790	2
1760	831	832	774	773	2
1761	832	834	775	774	2
1762	820	823	792	791	2
1763	834	835	776	775	2
1764	835	837	777	776	2
1765	823	825	793	792	2
1766	837	838	778	777	2
1767	838	840	779	778	2
1768	825	827	794	793	2
1769	840	841	780	779	2
1770	841	843	781	780	2
1771	827	830	795	794	2
1772	843	844	782	781	2
1773	844	846	783	782	2
1774	846	847	784	783	2
1775	830	833	796	795	2
1776	847	849	785	784	2
1777	849	850	786	785	2
1778	850	852	787	786	2
1779	833	836	797	796	2
1780	852	854	788	787	2
1781	836	839	798	797	2
1782	839	842	799	798	2
1783	842	845	800	799	2

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1784	845	848	801	800	2
1785	848	851	802	801	2
1786	851	853	803	802	2
1787	853	855	804	803	2
1788	855	856	805	804	2
1789	856	857	806	805	2
1790	857	858	807	806	2
1791	858	859	808	807	2
1792	859	860	809	808	2
1793	860	861	810	809	2
1794	861	862	811	810	2
1795	862	863	812	811	2
1796	863	864	813	812	2
1797	864	865	814	813	2
1798	865	866	815	814	2
1799	866	867	816	815	2
1800	867	868	819	816	2
1801	868	869	821	819	2
1802	869	870	822	821	2
1803	870	871	824	822	2
1804	871	872	826	824	2
1805	872	873	828	826	2
1806	873	874	829	828	2
1807	874	875	831	829	2
1808	875	876	832	831	2
1809	876	877	834	832	2
1810	877	878	835	834	2
1811	878	879	837	835	2
1812	879	880	838	837	2
1813	880	881	840	838	2
1814	881	882	841	840	2
1815	882	883	843	841	2
1816	883	884	844	843	2
1817	884	885	846	844	2
1818	885	886	847	846	2
1819	886	887	849	847	2
1820	887	888	850	849	2
1821	888	889	852	850	2
1822	889	890	854	852	2
1823	3	11	892	891	3
1824	11	26	894	892	3
1825	14	28	895	893	3
1826	28	47	897	895	3
1827	26	49	898	894	3
1828	33	52	899	896	3
1829	47	73	901	897	3
1830	52	76	902	899	3
1831	49	79	903	898	3
1832	64	86	904	900	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1833	76	105	905	902	3
1834	73	108	907	901	3
1835	86	113	908	904	3
1836	79	121	909	903	3
1837	107	133	910	906	3
1838	105	142	911	905	3
1839	113	144	912	908	3
1840	108	151	913	907	3
1841	133	159	914	910	3
1842	121	173	916	909	3
1843	144	181	917	912	3
1844	142	186	918	911	3
1845	159	193	920	914	3
1846	151	205	921	913	3
1847	166	192	919	915	5
1848	181	225	923	917	3
1849	192	219	922	919	5
1850	173	241	926	916	3
1851	193	227	924	920	3
1852	186	237	925	918	3
1853	219	252	928	922	5
1854	205	274	931	921	3
1855	227	273	930	924	3
1856	225	277	932	923	3
1857	246	269	929	927	5
1858	252	288	933	928	5
1859	237	303	935	925	3
1860	269	297	934	929	5
1861	241	329	939	926	3
1862	273	319	936	930	3
1863	288	324	938	933	5
1864	277	337	940	932	3
1865	297	323	937	934	5
1866	274	359	943	931	3
1867	323	357	942	937	5
1868	303	385	947	935	3
1869	324	370	944	938	5
1870	319	379	946	936	3
1871	351	375	945	941	8
1872	357	390	948	942	5
1873	337	409	950	940	3
1874	375	397	949	945	8
1875	329	440	956	939	3
1876	370	415	951	944	5
1877	390	421	953	948	5
1878	379	431	954	946	3
1879	397	418	952	949	8
1880	359	456	958	943	3
1881	385	471	961	947	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1882	418	438	955	952	8
1883	421	454	957	953	5
1884	415	463	959	951	5
1885	409	485	962	950	3
1886	438	466	960	955	8
1887	431	499	965	954	3
1888	454	493	964	957	5
1889	466	492	963	960	8
1890	463	509	966	959	5
1891	440	575	976	956	3
1892	492	513	967	963	8
1893	493	519	968	964	5
1894	456	568	975	958	3
1895	471	561	974	961	3
1896	485	554	973	962	3
1897	513	527	969	967	8
1898	499	547	972	965	3
1899	509	540	971	966	5
1900	519	533	970	968	5
1901	527	580	977	969	8
1902	580	582	978	977	8
1903	533	589	979	970	5
1904	540	596	980	971	5
1905	547	603	981	972	3
1906	554	610	982	973	3
1907	561	617	983	974	3
1908	568	624	984	975	3
1909	575	631	985	976	3
1910	582	635	986	978	8
1911	589	642	992	979	5
1912	596	649	999	980	5
1913	603	656	1006	981	3
1914	610	663	1013	982	3
1915	617	670	1020	983	3
1916	624	677	1027	984	3
1917	631	684	1034	985	3
1918	635	637	987	986	8
1919	637	638	988	987	8
1920	638	639	989	988	8
1921	639	640	990	989	8
1922	640	641	991	990	8
1923	641	642	992	991	8
1924	642	643	993	992	8
1925	643	644	994	993	8
1926	644	645	995	994	8
1927	645	646	996	995	8
1928	646	647	997	996	8
1929	647	648	998	997	8
1930	648	649	999	998	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1931	649	650	1000	999	8
1932	650	651	1001	1000	8
1933	651	652	1002	1001	8
1934	652	653	1003	1002	8
1935	653	654	1004	1003	8
1936	654	655	1005	1004	8
1937	655	656	1006	1005	8
1938	656	657	1007	1006	8
1939	657	658	1008	1007	8
1940	658	659	1009	1008	8
1941	659	660	1010	1009	8
1942	660	661	1011	1010	8
1943	661	662	1012	1011	8
1944	662	663	1013	1012	8
1945	663	664	1014	1013	8
1946	664	665	1015	1014	8
1947	665	666	1016	1015	8
1948	666	667	1017	1016	8
1949	667	668	1018	1017	8
1950	668	669	1019	1018	8
1951	669	670	1020	1019	8
1952	670	671	1021	1020	8
1953	671	672	1022	1021	8
1954	672	673	1023	1022	8
1955	673	674	1024	1023	8
1956	674	675	1025	1024	8
1957	675	676	1026	1025	8
1958	676	677	1027	1026	8
1959	677	678	1028	1027	8
1960	678	679	1029	1028	8
1961	679	680	1030	1029	8
1962	680	681	1031	1030	8
1963	681	682	1032	1031	8
1964	682	683	1033	1032	8
1965	683	684	1034	1033	8
1966	684	685	1035	1034	8
1967	685	686	1036	1035	8
1968	642	693	1037	992	5
1969	649	700	1038	999	5
1970	656	707	1039	1006	5
1971	663	714	1040	1013	5
1972	670	721	1041	1020	5
1973	677	728	1042	1027	5
1974	684	735	1043	1034	5
1975	693	744	1044	1037	5
1976	700	751	1045	1038	5
1977	707	758	1046	1039	5
1978	714	765	1047	1040	5
1979	721	772	1048	1041	5

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
1980	728	779	1049	1042	5
1981	735	786	1050	1043	5
1982	744	795	1051	1044	5
1983	751	802	1052	1045	5
1984	758	809	1053	1046	5
1985	765	816	1054	1047	5
1986	772	829	1055	1048	5
1987	779	840	1057	1049	5
1988	795	830	1056	1051	5
1989	786	850	1058	1050	5
1990	802	851	1059	1052	5
1991	809	860	1060	1053	5
1992	816	867	1061	1054	5
1993	829	874	1062	1055	5
1994	840	881	1063	1057	5
1995	850	888	1064	1058	5
1996	891	892	1066	1065	3
1997	892	894	1068	1066	3
1998	893	895	1069	1067	3
1999	895	897	1071	1069	3
2000	894	898	1072	1068	3
2001	896	899	1073	1070	3
2002	897	901	1075	1071	3
2003	899	902	1076	1073	3
2004	898	903	1077	1072	3
2005	900	904	1078	1074	3
2006	902	905	1079	1076	3
2007	901	907	1081	1075	3
2008	904	908	1082	1078	3
2009	903	909	1083	1077	3
2010	906	910	1084	1080	3
2011	905	911	1085	1079	3
2012	908	912	1086	1082	3
2013	907	913	1087	1081	3
2014	910	914	1088	1084	3
2015	909	916	1090	1083	3
2016	912	917	1091	1086	3
2017	911	918	1092	1085	3
2018	914	920	1094	1088	3
2019	913	921	1095	1087	3
2020	915	919	1093	1089	5
2021	917	923	1097	1091	3
2022	919	922	1096	1093	5
2023	916	926	1100	1090	3
2024	920	924	1098	1094	3
2025	918	925	1099	1092	3
2026	922	928	1102	1096	5
2027	921	931	1105	1095	3
2028	924	930	1104	1098	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2029	923	932	1106	1097	3
2030	927	929	1103	1101	5
2031	928	933	1107	1102	5
2032	925	935	1109	1099	3
2033	929	934	1108	1103	5
2034	926	939	1113	1100	3
2035	930	936	1110	1104	3
2036	933	938	1112	1107	5
2037	932	940	1114	1106	3
2038	934	937	1111	1108	5
2039	931	943	1117	1105	3
2040	937	942	1116	1111	5
2041	935	947	1121	1109	3
2042	938	944	1118	1112	5
2043	936	946	1120	1110	3
2044	941	945	1119	1115	8
2045	942	948	1122	1116	5
2046	940	950	1124	1114	3
2047	945	949	1123	1119	8
2048	939	956	1130	1113	3
2049	944	951	1125	1118	5
2050	948	953	1127	1122	5
2051	946	954	1128	1120	3
2052	949	952	1126	1123	8
2053	943	958	1132	1117	3
2054	947	961	1135	1121	3
2055	952	955	1129	1126	8
2056	953	957	1131	1127	5
2057	951	959	1133	1125	5
2058	950	962	1136	1124	3
2059	955	960	1134	1129	8
2060	954	965	1139	1128	3
2061	957	964	1138	1131	5
2062	960	963	1137	1134	8
2063	959	966	1140	1133	5
2064	956	976	1150	1130	3
2065	963	967	1141	1137	8
2066	964	968	1142	1138	5
2067	958	975	1149	1132	3
2068	961	974	1148	1135	3
2069	962	973	1147	1136	3
2070	967	969	1143	1141	8
2071	965	972	1146	1139	3
2072	966	971	1145	1140	5
2073	968	970	1144	1142	5
2074	969	977	1151	1143	8
2075	977	978	1152	1151	8
2076	970	979	1153	1144	5
2077	971	980	1154	1145	5

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2078	972	981	1155	1146	3
2079	973	982	1156	1147	3
2080	974	983	1157	1148	3
2081	975	984	1158	1149	3
2082	976	985	1159	1150	3
2083	978	986	1160	1152	8
2084	979	992	1166	1153	5
2085	980	999	1173	1154	5
2086	981	1006	1180	1155	3
2087	982	1013	1187	1156	3
2088	983	1020	1194	1157	3
2089	984	1027	1201	1158	3
2090	985	1034	1208	1159	3
2091	986	987	1161	1160	8
2092	987	988	1162	1161	8
2093	988	989	1163	1162	8
2094	989	990	1164	1163	8
2095	990	991	1165	1164	8
2096	991	992	1166	1165	8
2097	992	993	1167	1166	8
2098	993	994	1168	1167	8
2099	994	995	1169	1168	8
2100	995	996	1170	1169	8
2101	996	997	1171	1170	8
2102	997	998	1172	1171	8
2103	998	999	1173	1172	8
2104	999	1000	1174	1173	8
2105	1000	1001	1175	1174	8
2106	1001	1002	1176	1175	8
2107	1002	1003	1177	1176	8
2108	1003	1004	1178	1177	8
2109	1004	1005	1179	1178	8
2110	1005	1006	1180	1179	8
2111	1006	1007	1181	1180	8
2112	1007	1008	1182	1181	8
2113	1008	1009	1183	1182	8
2114	1009	1010	1184	1183	8
2115	1010	1011	1185	1184	8
2116	1011	1012	1186	1185	8
2117	1012	1013	1187	1186	8
2118	1013	1014	1188	1187	8
2119	1014	1015	1189	1188	8
2120	1015	1016	1190	1189	8
2121	1016	1017	1191	1190	8
2122	1017	1018	1192	1191	8
2123	1018	1019	1193	1192	8
2124	1019	1020	1194	1193	8
2125	1020	1021	1195	1194	8
2126	1021	1022	1196	1195	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2127	1022	1023	1197	1196	8
2128	1023	1024	1198	1197	8
2129	1024	1025	1199	1198	8
2130	1025	1026	1200	1199	8
2131	1026	1027	1201	1200	8
2132	1027	1028	1202	1201	8
2133	1028	1029	1203	1202	8
2134	1029	1030	1204	1203	8
2135	1030	1031	1205	1204	8
2136	1031	1032	1206	1205	8
2137	1032	1033	1207	1206	8
2138	1033	1034	1208	1207	8
2139	1034	1035	1209	1208	8
2140	1035	1036	1210	1209	8
2141	992	1037	1211	1166	5
2142	999	1038	1212	1173	5
2143	1006	1039	1213	1180	5
2144	1013	1040	1214	1187	5
2145	1020	1041	1215	1194	5
2146	1027	1042	1216	1201	5
2147	1034	1043	1217	1208	5
2148	1037	1044	1218	1211	5
2149	1038	1045	1219	1212	5
2150	1039	1046	1220	1213	5
2151	1040	1047	1221	1214	5
2152	1041	1048	1222	1215	5
2153	1042	1049	1223	1216	5
2154	1043	1050	1224	1217	5
2155	1044	1051	1225	1218	5
2156	1045	1052	1226	1219	5
2157	1046	1053	1227	1220	5
2158	1047	1054	1228	1221	5
2159	1048	1055	1229	1222	5
2160	1049	1057	1231	1223	5
2161	1051	1056	1230	1225	5
2162	1050	1058	1232	1224	5
2163	1052	1059	1233	1226	5
2164	1053	1060	1234	1227	5
2165	1054	1061	1235	1228	5
2166	1055	1062	1236	1229	5
2167	1057	1063	1237	1231	5
2168	1058	1064	1238	1232	5
2169	1225	1230	1399		6
2170	1226	1233	1400		6
2171	1227	1234	1401		6
2172	1228	1235	1402		6
2173	1229	1236	1403		6
2174	1231	1237	1404		6
2175	1232	1238	1405		6

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2176	1065	1066	1240	1239	3
2177	1066	1068	1242	1240	3
2178	1067	1069	1243	1241	3
2179	1069	1071	1245	1243	3
2180	1068	1072	1246	1242	3
2181	1070	1073	1247	1244	3
2182	1071	1075	1249	1245	3
2183	1073	1076	1250	1247	3
2184	1072	1077	1251	1246	3
2185	1074	1078	1252	1248	3
2186	1076	1079	1253	1250	3
2187	1075	1081	1255	1249	3
2188	1078	1082	1256	1252	3
2189	1077	1083	1257	1251	3
2190	1080	1084	1258	1254	3
2191	1079	1085	1259	1253	3
2192	1082	1086	1260	1256	3
2193	1081	1087	1261	1255	3
2194	1084	1088	1262	1258	3
2195	1083	1090	1264	1257	3
2196	1086	1091	1265	1260	3
2197	1085	1092	1266	1259	3
2198	1088	1094	1268	1262	3
2199	1087	1095	1269	1261	3
2200	1089	1093	1267	1263	5
2201	1091	1097	1271	1265	3
2202	1093	1096	1270	1267	5
2203	1090	1100	1274	1264	3
2204	1094	1098	1272	1268	3
2205	1092	1099	1273	1266	3
2206	1096	1102	1276	1270	5
2207	1095	1105	1279	1269	3
2208	1098	1104	1278	1272	3
2209	1097	1106	1280	1271	3
2210	1101	1103	1277	1275	5
2211	1102	1107	1281	1276	5
2212	1099	1109	1283	1273	3
2213	1103	1108	1282	1277	5
2214	1100	1113	1287	1274	3
2215	1104	1110	1284	1278	3
2216	1107	1112	1286	1281	5
2217	1106	1114	1288	1280	3
2218	1108	1111	1285	1282	5
2219	1105	1117	1291	1279	3
2220	1111	1116	1290	1285	5
2221	1109	1121	1295	1283	3
2222	1112	1118	1292	1286	5
2223	1110	1120	1294	1284	3
2224	1115	1119	1293	1289	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2225	1116	1122	1296	1290	5
2226	1114	1124	1298	1288	3
2227	1119	1123	1297	1293	8
2228	1113	1130	1304	1287	3
2229	1118	1125	1299	1292	5
2230	1122	1127	1301	1296	5
2231	1120	1128	1302	1294	3
2232	1123	1126	1300	1297	8
2233	1117	1132	1306	1291	3
2234	1121	1135	1309	1295	3
2235	1126	1129	1303	1300	8
2236	1127	1131	1305	1301	5
2237	1125	1133	1307	1299	5
2238	1124	1136	1310	1298	3
2239	1129	1134	1308	1303	8
2240	1128	1139	1313	1302	3
2241	1131	1138	1312	1305	5
2242	1134	1137	1311	1308	8
2243	1133	1140	1314	1307	5
2244	1130	1150	1324	1304	3
2245	1137	1141	1315	1311	8
2246	1138	1142	1316	1312	5
2247	1132	1149	1323	1306	3
2248	1135	1148	1322	1309	3
2249	1136	1147	1321	1310	3
2250	1141	1143	1317	1315	8
2251	1139	1146	1320	1313	3
2252	1140	1145	1319	1314	5
2253	1142	1144	1318	1316	5
2254	1143	1151	1325	1317	8
2255	1151	1152	1326	1325	8
2256	1144	1153	1327	1318	5
2257	1145	1154	1328	1319	5
2258	1146	1155	1329	1320	3
2259	1147	1156	1330	1321	3
2260	1148	1157	1331	1322	3
2261	1149	1158	1332	1323	3
2262	1150	1159	1333	1324	3
2263	1152	1160	1334	1326	8
2264	1153	1166	1340	1327	5
2265	1154	1173	1347	1328	5
2266	1155	1180	1354	1329	3
2267	1156	1187	1361	1330	3
2268	1157	1194	1368	1331	3
2269	1158	1201	1375	1332	3
2270	1159	1208	1382	1333	3
2271	1160	1161	1335	1334	8
2272	1161	1162	1336	1335	8
2273	1162	1163	1337	1336	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2274	1163	1164	1338	1337	8
2275	1164	1165	1339	1338	8
2276	1165	1166	1340	1339	8
2277	1166	1167	1341	1340	8
2278	1167	1168	1342	1341	8
2279	1168	1169	1343	1342	8
2280	1169	1170	1344	1343	8
2281	1170	1171	1345	1344	8
2282	1171	1172	1346	1345	8
2283	1172	1173	1347	1346	8
2284	1173	1174	1348	1347	8
2285	1174	1175	1349	1348	8
2286	1175	1176	1350	1349	8
2287	1176	1177	1351	1350	8
2288	1177	1178	1352	1351	8
2289	1178	1179	1353	1352	8
2290	1179	1180	1354	1353	8
2291	1180	1181	1355	1354	8
2292	1181	1182	1356	1355	8
2293	1182	1183	1357	1356	8
2294	1183	1184	1358	1357	8
2295	1184	1185	1359	1358	8
2296	1185	1186	1360	1359	8
2297	1186	1187	1361	1360	8
2298	1187	1188	1362	1361	8
2299	1188	1189	1363	1362	8
2300	1189	1190	1364	1363	8
2301	1190	1191	1365	1364	8
2302	1191	1192	1366	1365	8
2303	1192	1193	1367	1366	8
2304	1193	1194	1368	1367	8
2305	1194	1195	1369	1368	8
2306	1195	1196	1370	1369	8
2307	1196	1197	1371	1370	8
2308	1197	1198	1372	1371	8
2309	1198	1199	1373	1372	8
2310	1199	1200	1374	1373	8
2311	1200	1201	1375	1374	8
2312	1201	1202	1376	1375	8
2313	1202	1203	1377	1376	8
2314	1203	1204	1378	1377	8
2315	1204	1205	1379	1378	8
2316	1205	1206	1380	1379	8
2317	1206	1207	1381	1380	8
2318	1207	1208	1382	1381	8
2319	1208	1209	1383	1382	8
2320	1209	1210	1384	1383	8
2321	1166	1211	1385	1340	5
2322	1173	1212	1386	1347	5

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2323	1180	1213	1387	1354	5
2324	1187	1214	1388	1361	5
2325	1194	1215	1389	1368	5
2326	1201	1216	1390	1375	5
2327	1208	1217	1391	1382	5
2328	1211	1218	1392	1385	5
2329	1212	1219	1393	1386	5
2330	1213	1220	1394	1387	5
2331	1214	1221	1395	1388	5
2332	1215	1222	1396	1389	5
2333	1216	1223	1397	1390	5
2334	1217	1224	1398	1391	5
2335	1218	1225	1399	1392	5
2336	1219	1226	1400	1393	5
2337	1220	1227	1401	1394	5
2338	1221	1228	1402	1395	5
2339	1222	1229	1403	1396	5
2340	1223	1231	1404	1397	5
2341	1224	1232	1405	1398	5
2342	1392	1399	1559		6
2343	1393	1400	1560		6
2344	1394	1401	1561		6
2345	1395	1402	1562		6
2346	1396	1403	1563		6
2347	1397	1404	1564		6
2348	1398	1405	1565		6
2349	1239	1240	1407	1406	3
2350	1240	1242	1409	1407	3
2351	1241	1243	1410	1408	3
2352	1243	1245	1412	1410	3
2353	1242	1246	1413	1409	3
2354	1244	1247	1414	1411	3
2355	1245	1249	1416	1412	3
2356	1247	1250	1417	1414	3
2357	1246	1251	1418	1413	3
2358	1248	1252	1419	1415	3
2359	1250	1253	1420	1417	3
2360	1249	1255	1422	1416	3
2361	1252	1256	1423	1419	3
2362	1251	1257	1424	1418	3
2363	1254	1258	1425	1421	3
2364	1253	1259	1426	1420	3
2365	1256	1260	1427	1423	3
2366	1255	1261	1428	1422	3
2367	1258	1262	1429	1425	3
2368	1257	1264	1431	1424	3
2369	1260	1265	1432	1427	3
2370	1259	1266	1433	1426	3
2371	1262	1268	1435	1429	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2372	1261	1269	1436	1428	3
2373	1263	1267	1434	1430	5
2374	1265	1271	1438	1432	3
2375	1267	1270	1437	1434	5
2376	1264	1274	1441	1431	3
2377	1268	1272	1439	1435	3
2378	1266	1273	1440	1433	3
2379	1270	1276	1443	1437	5
2380	1269	1279	1446	1436	3
2381	1272	1278	1445	1439	3
2382	1271	1280	1447	1438	3
2383	1275	1277	1444	1442	5
2384	1276	1281	1448	1443	5
2385	1273	1283	1450	1440	3
2386	1277	1282	1449	1444	5
2387	1274	1287	1454	1441	3
2388	1278	1284	1451	1445	3
2389	1281	1286	1453	1448	5
2390	1280	1288	1455	1447	3
2391	1282	1285	1452	1449	5
2392	1279	1291	1458	1446	3
2393	1285	1290	1457	1452	5
2394	1283	1295	1462	1450	3
2395	1286	1292	1459	1453	5
2396	1284	1294	1461	1451	3
2397	1289	1293	1460	1456	8
2398	1290	1296	1463	1457	5
2399	1288	1298	1465	1455	3
2400	1293	1297	1464	1460	8
2401	1287	1304	1471	1454	3
2402	1292	1299	1466	1459	5
2403	1296	1301	1468	1463	5
2404	1294	1302	1469	1461	3
2405	1297	1300	1467	1464	8
2406	1291	1306	1473	1458	3
2407	1295	1309	1476	1462	3
2408	1300	1303	1470	1467	8
2409	1301	1305	1472	1468	5
2410	1299	1307	1474	1466	5
2411	1298	1310	1477	1465	3
2412	1303	1308	1475	1470	8
2413	1302	1313	1480	1469	3
2414	1305	1312	1479	1472	5
2415	1308	1311	1478	1475	8
2416	1307	1314	1481	1474	5
2417	1304	1324	1491	1471	3
2418	1311	1315	1482	1478	8
2419	1312	1316	1483	1479	5
2420	1306	1323	1490	1473	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2421	1309	1322	1489	1476	3
2422	1310	1321	1488	1477	3
2423	1315	1317	1484	1482	8
2424	1313	1320	1487	1480	3
2425	1314	1319	1486	1481	5
2426	1316	1318	1485	1483	5
2427	1317	1325	1492	1484	8
2428	1325	1326	1493	1492	8
2429	1318	1327	1494	1485	5
2430	1319	1328	1495	1486	5
2431	1320	1329	1496	1487	3
2432	1321	1330	1497	1488	3
2433	1322	1331	1498	1489	3
2434	1323	1332	1499	1490	3
2435	1324	1333	1500	1491	3
2436	1326	1334	1501	1493	8
2437	1327	1340	1507	1494	5
2438	1328	1347	1514	1495	5
2439	1329	1354	1521	1496	3
2440	1330	1361	1528	1497	3
2441	1331	1368	1535	1498	3
2442	1332	1375	1542	1499	3
2443	1333	1382	1549	1500	3
2444	1334	1335	1502	1501	8
2445	1335	1336	1503	1502	8
2446	1336	1337	1504	1503	8
2447	1337	1338	1505	1504	8
2448	1338	1339	1506	1505	8
2449	1339	1340	1507	1506	8
2450	1340	1341	1508	1507	8
2451	1341	1342	1509	1508	8
2452	1342	1343	1510	1509	8
2453	1343	1344	1511	1510	8
2454	1344	1345	1512	1511	8
2455	1345	1346	1513	1512	8
2456	1346	1347	1514	1513	8
2457	1347	1348	1515	1514	8
2458	1348	1349	1516	1515	8
2459	1349	1350	1517	1516	8
2460	1350	1351	1518	1517	8
2461	1351	1352	1519	1518	8
2462	1352	1353	1520	1519	8
2463	1353	1354	1521	1520	8
2464	1354	1355	1522	1521	8
2465	1355	1356	1523	1522	8
2466	1356	1357	1524	1523	8
2467	1357	1358	1525	1524	8
2468	1358	1359	1526	1525	8
2469	1359	1360	1527	1526	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2470	1360	1361	1528	1527	8
2471	1361	1362	1529	1528	8
2472	1362	1363	1530	1529	8
2473	1363	1364	1531	1530	8
2474	1364	1365	1532	1531	8
2475	1365	1366	1533	1532	8
2476	1366	1367	1534	1533	8
2477	1367	1368	1535	1534	8
2478	1368	1369	1536	1535	8
2479	1369	1370	1537	1536	8
2480	1370	1371	1538	1537	8
2481	1371	1372	1539	1538	8
2482	1372	1373	1540	1539	8
2483	1373	1374	1541	1540	8
2484	1374	1375	1542	1541	8
2485	1375	1376	1543	1542	8
2486	1376	1377	1544	1543	8
2487	1377	1378	1545	1544	8
2488	1378	1379	1546	1545	8
2489	1379	1380	1547	1546	8
2490	1380	1381	1548	1547	8
2491	1381	1382	1549	1548	8
2492	1382	1383	1550	1549	8
2493	1383	1384	1551	1550	8
2494	1340	1385	1552	1507	5
2495	1347	1386	1553	1514	5
2496	1354	1387	1554	1521	5
2497	1361	1388	1555	1528	5
2498	1368	1389	1556	1535	5
2499	1375	1390	1557	1542	5
2500	1382	1391	1558	1549	5
2501	1385	1392	1559	1552	5
2502	1386	1393	1560	1553	5
2503	1387	1394	1561	1554	5
2504	1388	1395	1562	1555	5
2505	1389	1396	1563	1556	5
2506	1390	1397	1564	1557	5
2507	1391	1398	1565	1558	5
2508	1552	1559	1712		6
2509	1553	1560	1713		6
2510	1554	1561	1714		6
2511	1555	1562	1715		6
2512	1556	1563	1716		6
2513	1557	1564	1717		6
2514	1558	1565	1718		6
2515	1406	1407	1567	1566	3
2516	1407	1409	1569	1567	3
2517	1408	1410	1570	1568	3
2518	1409	1413	1573	1569	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2519	1410	1412	1572	1570	3
2520	1411	1414	1574	1571	3
2521	1412	1416	1576	1572	3
2522	1413	1418	1578	1573	3
2523	1414	1417	1577	1574	3
2524	1415	1419	1579	1575	3
2525	1416	1422	1581	1576	3
2526	1417	1420	1580	1577	3
2527	1418	1424	1584	1578	3
2528	1419	1423	1583	1579	3
2529	1421	1425	1585	1582	3
2530	1420	1426	1586	1580	3
2531	1422	1428	1588	1581	3
2532	1423	1427	1587	1583	3
2533	1424	1431	1590	1584	3
2534	1425	1429	1589	1585	5
2535	1426	1433	1593	1586	3
2536	1427	1432	1592	1587	3
2537	1428	1436	1595	1588	3
2538	1429	1435	1594	1589	5
2539	1430	1434	1596	1591	5
2540	1432	1438	1597	1592	3
2541	1431	1441	1601	1590	3
2542	1433	1440	1600	1593	3
2543	1434	1437	1598	1596	5
2544	1435	1439	1599	1594	5
2545	1436	1446	1603	1595	3
2546	1437	1443	1602	1598	5
2547	1438	1447	1606	1597	3
2548	1439	1445	1605	1599	5
2549	1440	1450	1609	1600	3
2550	1442	1444	1607	1604	5
2551	1443	1448	1608	1602	5
2552	1441	1454	1612	1601	3
2553	1444	1449	1610	1607	5
2554	1445	1451	1611	1605	5
2555	1447	1455	1614	1606	3
2556	1448	1453	1613	1608	5
2557	1446	1458	1617	1603	3
2558	1449	1452	1616	1610	5
2559	1450	1462	1622	1609	3
2560	1451	1461	1621	1611	5
2561	1452	1457	1619	1616	5
2562	1453	1459	1620	1613	5
2563	1456	1460	1618	1615	8
2564	1455	1465	1625	1614	3
2565	1460	1464	1623	1618	8
2566	1457	1463	1624	1619	5
2567	1454	1471	1631	1612	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2568	1459	1466	1627	1620	5
2569	1464	1467	1626	1623	8
2570	1458	1473	1632	1617	3
2571	1461	1469	1630	1621	5
2572	1463	1468	1628	1624	5
2573	1462	1476	1636	1622	3
2574	1467	1470	1629	1626	8
2575	1466	1474	1635	1627	5
2576	1468	1472	1634	1628	5
2577	1465	1477	1637	1625	3
2578	1470	1475	1633	1629	8
2579	1469	1480	1640	1630	5
2580	1475	1478	1638	1633	8
2581	1472	1479	1639	1634	5
2582	1474	1481	1642	1635	5
2583	1478	1482	1641	1638	8
2584	1471	1491	1651	1631	3
2585	1473	1490	1650	1632	3
2586	1479	1483	1643	1639	5
2587	1476	1489	1649	1636	3
2588	1477	1488	1648	1637	3
2589	1482	1484	1644	1641	8
2590	1480	1487	1647	1640	5
2591	1481	1486	1646	1642	5
2592	1483	1485	1645	1643	5
2593	1484	1492	1652	1644	8
2594	1492	1493	1653	1652	8
2595	1485	1494	1654	1645	5
2596	1486	1495	1655	1646	5
2597	1487	1496	1656	1647	3
2598	1488	1497	1657	1648	3
2599	1489	1498	1658	1649	3
2600	1490	1499	1659	1650	3
2601	1491	1500	1660	1651	3
2602	1493	1501	1661	1653	8
2603	1494	1507	1667	1654	5
2604	1495	1514	1674	1655	5
2605	1496	1521	1681	1656	3
2606	1497	1528	1688	1657	3
2607	1498	1535	1695	1658	3
2608	1499	1542	1702	1659	3
2609	1500	1549	1709	1660	3
2610	1501	1502	1662	1661	8
2611	1502	1503	1663	1662	8
2612	1503	1504	1664	1663	8
2613	1504	1505	1665	1664	8
2614	1505	1506	1666	1665	8
2615	1506	1507	1667	1666	8
2616	1507	1508	1668	1667	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2617	1508	1509	1669	1668	8
2618	1509	1510	1670	1669	8
2619	1510	1511	1671	1670	8
2620	1511	1512	1672	1671	8
2621	1512	1513	1673	1672	8
2622	1513	1514	1674	1673	8
2623	1514	1515	1675	1674	8
2624	1515	1516	1676	1675	8
2625	1516	1517	1677	1676	8
2626	1517	1518	1678	1677	8
2627	1518	1519	1679	1678	8
2628	1519	1520	1680	1679	8
2629	1520	1521	1681	1680	8
2630	1521	1522	1682	1681	8
2631	1522	1523	1683	1682	8
2632	1523	1524	1684	1683	8
2633	1524	1525	1685	1684	8
2634	1525	1526	1686	1685	8
2635	1526	1527	1687	1686	8
2636	1527	1528	1688	1687	8
2637	1528	1529	1689	1688	8
2638	1529	1530	1690	1689	8
2639	1530	1531	1691	1690	8
2640	1531	1532	1692	1691	8
2641	1532	1533	1693	1692	8
2642	1533	1534	1694	1693	8
2643	1534	1535	1695	1694	8
2644	1535	1536	1696	1695	8
2645	1536	1537	1697	1696	8
2646	1537	1538	1698	1697	8
2647	1538	1539	1699	1698	8
2648	1539	1540	1700	1699	8
2649	1540	1541	1701	1700	8
2650	1541	1542	1702	1701	8
2651	1542	1543	1703	1702	8
2652	1543	1544	1704	1703	8
2653	1544	1545	1705	1704	8
2654	1545	1546	1706	1705	8
2655	1546	1547	1707	1706	8
2656	1547	1548	1708	1707	8
2657	1548	1549	1709	1708	8
2658	1549	1550	1710	1709	8
2659	1550	1551	1711	1710	8
2660	1507	1552	1712	1667	6
2661	1514	1553	1713	1674	6
2662	1521	1554	1714	1681	6
2663	1528	1555	1715	1688	6
2664	1535	1556	1716	1695	6
2665	1542	1557	1717	1702	6

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2666	1549	1558	1718	1709	6
2667	1566	1567	1720	1719	3
2668	1567	1569	1722	1720	3
2669	1568	1570	1723	1721	3
2670	1569	1573	1725	1722	3
2671	1570	1572	1726	1723	3
2672	1571	1574	1727	1724	3
2673	1572	1576	1729	1726	3
2674	1573	1578	1730	1725	3
2675	1574	1577	1731	1727	3
2676	1575	1579	1732	1728	3
2677	1576	1581	1733	1729	3
2678	1577	1580	1734	1731	3
2679	1578	1584	1735	1730	3
2680	1579	1583	1736	1732	3
2681	1580	1586	1738	1734	3
2682	1581	1588	1740	1733	3
2683	1582	1585	1739	1737	5
2684	1583	1587	1741	1736	3
2685	1584	1590	1742	1735	3
2686	1585	1589	1743	1739	5
2687	1586	1593	1744	1738	3
2688	1587	1592	1745	1741	3
2689	1588	1595	1747	1740	3
2690	1589	1594	1748	1743	5
2691	1591	1596	1749	1746	5
2692	1590	1601	1751	1742	3
2693	1592	1597	1750	1745	3
2694	1593	1600	1752	1744	3
2695	1594	1599	1753	1748	5
2696	1596	1598	1754	1749	5
2697	1595	1603	1755	1747	3
2698	1597	1606	1757	1750	3
2699	1598	1602	1756	1754	5
2700	1599	1605	1758	1753	5
2701	1600	1609	1759	1752	3
2702	1601	1612	1763	1751	3
2703	1602	1608	1761	1756	5
2704	1604	1607	1762	1760	5
2705	1605	1611	1764	1758	5
2706	1606	1614	1766	1757	3
2707	1603	1617	1769	1755	3
2708	1608	1613	1767	1761	5
2709	1607	1610	1768	1762	5
2710	1609	1622	1773	1759	3
2711	1610	1616	1771	1768	5
2712	1615	1618	1770	1765	8
2713	1611	1621	1774	1764	5
2714	1613	1620	1775	1767	5

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2715	1618	1623	1772	1770	8
2716	1616	1619	1776	1771	5
2717	1614	1625	1778	1766	3
2718	1612	1631	1782	1763	3
2719	1623	1626	1777	1772	8
2720	1619	1624	1779	1776	5
2721	1620	1627	1780	1775	5
2722	1617	1632	1785	1769	3
2723	1621	1630	1783	1774	5
2724	1626	1629	1781	1777	8
2725	1622	1636	1787	1773	3
2726	1624	1628	1784	1779	5
2727	1629	1633	1786	1781	8
2728	1625	1637	1791	1778	3
2729	1627	1635	1788	1780	5
2730	1628	1634	1789	1784	5
2731	1630	1640	1792	1783	5
2732	1633	1638	1790	1786	8
2733	1634	1639	1793	1789	5
2734	1635	1642	1795	1788	5
2735	1638	1641	1794	1790	8
2736	1631	1651	1804	1782	3
2737	1632	1650	1803	1785	3
2738	1636	1649	1802	1787	3
2739	1639	1643	1796	1793	5
2740	1637	1648	1801	1791	3
2741	1641	1644	1797	1794	8
2742	1640	1647	1800	1792	5
2743	1642	1646	1799	1795	5
2744	1643	1645	1798	1796	5
2745	1644	1652	1805	1797	8
2746	1652	1653	1806	1805	8
2747	1645	1654	1807	1798	5
2748	1646	1655	1808	1799	5
2749	1647	1656	1809	1800	3
2750	1648	1657	1810	1801	3
2751	1649	1658	1811	1802	3
2752	1650	1659	1812	1803	3
2753	1651	1660	1813	1804	3
2754	1653	1661	1814	1806	8
2755	1654	1667	1820	1807	5
2756	1655	1674	1827	1808	5
2757	1656	1681	1834	1809	3
2758	1657	1688	1841	1810	3
2759	1658	1695	1848	1811	3
2760	1659	1702	1855	1812	3
2761	1660	1709	1862	1813	3
2762	1661	1662	1815	1814	8
2763	1662	1663	1816	1815	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2764	1663	1664	1817	1816	8
2765	1664	1665	1818	1817	8
2766	1665	1666	1819	1818	8
2767	1666	1667	1820	1819	8
2768	1667	1668	1821	1820	8
2769	1668	1669	1822	1821	8
2770	1669	1670	1823	1822	8
2771	1670	1671	1824	1823	8
2772	1671	1672	1825	1824	8
2773	1672	1673	1826	1825	8
2774	1673	1674	1827	1826	8
2775	1674	1675	1828	1827	8
2776	1675	1676	1829	1828	8
2777	1676	1677	1830	1829	8
2778	1677	1678	1831	1830	8
2779	1678	1679	1832	1831	8
2780	1679	1680	1833	1832	8
2781	1680	1681	1834	1833	8
2782	1681	1682	1835	1834	8
2783	1682	1683	1836	1835	8
2784	1683	1684	1837	1836	8
2785	1684	1685	1838	1837	8
2786	1685	1686	1839	1838	8
2787	1686	1687	1840	1839	8
2788	1687	1688	1841	1840	8
2789	1688	1689	1842	1841	8
2790	1689	1690	1843	1842	8
2791	1690	1691	1844	1843	8
2792	1691	1692	1845	1844	8
2793	1692	1693	1846	1845	8
2794	1693	1694	1847	1846	8
2795	1694	1695	1848	1847	8
2796	1695	1696	1849	1848	8
2797	1696	1697	1850	1849	8
2798	1697	1698	1851	1850	8
2799	1698	1699	1852	1851	8
2800	1699	1700	1853	1852	8
2801	1700	1701	1854	1853	8
2802	1701	1702	1855	1854	8
2803	1702	1703	1856	1855	8
2804	1703	1704	1857	1856	8
2805	1704	1705	1858	1857	8
2806	1705	1706	1859	1858	8
2807	1706	1707	1860	1859	8
2808	1707	1708	1861	1860	8
2809	1708	1709	1862	1861	8
2810	1709	1710	1863	1862	8
2811	1710	1711	1864	1863	8
2812	1719	1720	1866	1865	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2813	1720	1722	1868	1866	3
2814	1721	1723	1869	1867	3
2815	1722	1725	1871	1868	3
2816	1723	1726	1872	1869	3
2817	1724	1727	1873	1870	3
2818	1726	1729	1874	1872	3
2819	1725	1730	1876	1871	3
2820	1727	1731	1877	1873	3
2821	1728	1732	1878	1875	3
2822	1729	1733	1879	1874	3
2823	1731	1734	1880	1877	3
2824	1730	1735	1881	1876	3
2825	1732	1736	1882	1878	3
2826	1734	1738	1884	1880	3
2827	1733	1740	1885	1879	3
2828	1736	1741	1887	1882	3
2829	1737	1739	1886	1883	5
2830	1735	1742	1888	1881	3
2831	1739	1743	1889	1886	5
2832	1738	1744	1890	1884	3
2833	1741	1745	1891	1887	3
2834	1740	1747	1892	1885	3
2835	1743	1748	1894	1889	5
2836	1742	1751	1897	1888	3
2837	1745	1750	1895	1891	3
2838	1744	1752	1898	1890	3
2839	1746	1749	1896	1893	5
2840	1748	1753	1899	1894	5
2841	1747	1755	1901	1892	3
2842	1749	1754	1900	1896	5
2843	1750	1757	1902	1895	3
2844	1753	1758	1903	1899	5
2845	1754	1756	1904	1900	5
2846	1752	1759	1905	1898	3
2847	1751	1763	1908	1897	3
2848	1756	1761	1907	1904	5
2849	1755	1769	1913	1901	3
2850	1758	1764	1909	1903	5
2851	1757	1766	1911	1902	3
2852	1760	1762	1915	1910	5
2853	1761	1767	1914	1907	5
2854	1765	1770	1912	1906	8
2855	1759	1773	1917	1905	3
2856	1762	1768	1918	1915	5
2857	1764	1774	1919	1909	5
2858	1770	1772	1916	1912	8
2859	1767	1775	1920	1914	5
2860	1766	1778	1923	1911	3
2861	1768	1771	1922	1918	5

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2862	1763	1782	1927	1908	3
2863	1772	1777	1921	1916	8
2864	1771	1776	1925	1922	5
2865	1769	1785	1931	1913	3
2866	1775	1780	1926	1920	5
2867	1774	1783	1928	1919	5
2868	1777	1781	1924	1921	8
2869	1776	1779	1929	1925	5
2870	1773	1787	1932	1917	3
2871	1781	1786	1930	1924	8
2872	1778	1791	1936	1923	3
2873	1779	1784	1933	1929	5
2874	1780	1788	1934	1926	5
2875	1786	1790	1935	1930	8
2876	1783	1792	1938	1928	5
2877	1784	1789	1937	1933	5
2878	1790	1794	1939	1935	8
2879	1788	1795	1941	1934	5
2880	1789	1793	1940	1937	5
2881	1782	1804	1950	1927	3
2882	1785	1803	1949	1931	3
2883	1787	1802	1948	1932	3
2884	1791	1801	1947	1936	3
2885	1793	1796	1943	1940	5
2886	1794	1797	1942	1939	8
2887	1792	1800	1946	1938	5
2888	1795	1799	1945	1941	5
2889	1796	1798	1944	1943	5
2890	1797	1805	1951	1942	8
2891	1805	1806	1952	1951	8
2892	1798	1807	1953	1944	5
2893	1799	1808	1954	1945	5
2894	1800	1809	1955	1946	3
2895	1801	1810	1956	1947	3
2896	1802	1811	1957	1948	3
2897	1803	1812	1958	1949	3
2898	1804	1813	1959	1950	3
2899	1806	1814	1960	1952	8
2900	1807	1820	1966	1953	5
2901	1808	1827	1973	1954	5
2902	1809	1834	1980	1955	3
2903	1810	1841	1987	1956	3
2904	1811	1848	1994	1957	3
2905	1812	1855	2001	1958	3
2906	1813	1862	2008	1959	3
2907	1814	1815	1961	1960	8
2908	1815	1816	1962	1961	8
2909	1816	1817	1963	1962	8
2910	1817	1818	1964	1963	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2911	1818	1819	1965	1964	8
2912	1819	1820	1966	1965	8
2913	1820	1821	1967	1966	8
2914	1821	1822	1968	1967	8
2915	1822	1823	1969	1968	8
2916	1823	1824	1970	1969	8
2917	1824	1825	1971	1970	8
2918	1825	1826	1972	1971	8
2919	1826	1827	1973	1972	8
2920	1827	1828	1974	1973	8
2921	1828	1829	1975	1974	8
2922	1829	1830	1976	1975	8
2923	1830	1831	1977	1976	8
2924	1831	1832	1978	1977	8
2925	1832	1833	1979	1978	8
2926	1833	1834	1980	1979	8
2927	1834	1835	1981	1980	8
2928	1835	1836	1982	1981	8
2929	1836	1837	1983	1982	8
2930	1837	1838	1984	1983	8
2931	1838	1839	1985	1984	8
2932	1839	1840	1986	1985	8
2933	1840	1841	1987	1986	8
2934	1841	1842	1988	1987	8
2935	1842	1843	1989	1988	8
2936	1843	1844	1990	1989	8
2937	1844	1845	1991	1990	8
2938	1845	1846	1992	1991	8
2939	1846	1847	1993	1992	8
2940	1847	1848	1994	1993	8
2941	1848	1849	1995	1994	8
2942	1849	1850	1996	1995	8
2943	1850	1851	1997	1996	8
2944	1851	1852	1998	1997	8
2945	1852	1853	1999	1998	8
2946	1853	1854	2000	1999	8
2947	1854	1855	2001	2000	8
2948	1855	1856	2002	2001	8
2949	1856	1857	2003	2002	8
2950	1857	1858	2004	2003	8
2951	1858	1859	2005	2004	8
2952	1859	1860	2006	2005	8
2953	1860	1861	2007	2006	8
2954	1861	1862	2008	2007	8
2955	1862	1863	2009	2008	8
2956	1863	1864	2010	2009	8
2957	1865	1866	2012	2011	3
2958	1866	1868	2014	2012	3
2959	1867	1869	2015	2013	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
2960	1868	1871	2017	2014	3
2961	1869	1872	2018	2015	3
2962	1870	1873	2019	2016	3
2963	1872	1874	2020	2018	3
2964	1871	1876	2021	2017	3
2965	1873	1877	2023	2019	3
2966	1875	1878	2024	2022	3
2967	1874	1879	2025	2020	3
2968	1877	1880	2026	2023	3
2969	1876	1881	2027	2021	3
2970	1878	1882	2028	2024	3
2971	1880	1884	2030	2026	3
2972	1879	1885	2031	2025	3
2973	1881	1888	2034	2027	3
2974	1882	1887	2032	2028	3
2975	1883	1886	2033	2029	5
2976	1884	1890	2035	2030	3
2977	1886	1889	2036	2033	5
2978	1885	1892	2038	2031	3
2979	1887	1891	2037	2032	3
2980	1888	1897	2041	2034	3
2981	1889	1894	2039	2036	5
2982	1890	1898	2043	2035	3
2983	1891	1895	2042	2037	3
2984	1893	1896	2044	2040	5
2985	1892	1901	2046	2038	3
2986	1894	1899	2045	2039	5
2987	1896	1900	2047	2044	5
2988	1895	1902	2048	2042	3
2989	1898	1905	2050	2043	3
2990	1899	1903	2049	2045	5
2991	1897	1908	2053	2041	3
2992	1900	1904	2051	2047	5
2993	1901	1913	2058	2046	3
2994	1902	1911	2057	2048	3
2995	1904	1907	2055	2051	5
2996	1903	1909	2056	2049	5
2997	1906	1912	2054	2052	8
2998	1905	1917	2061	2050	3
2999	1907	1914	2060	2055	5
3000	1912	1916	2059	2054	8
3001	1909	1919	2064	2056	5
3002	1910	1915	2065	2062	5
3003	1908	1927	2070	2053	3
3004	1911	1923	2067	2057	3
3005	1916	1921	2063	2059	8
3006	1914	1920	2066	2060	5
3007	1915	1918	2069	2065	5
3008	1913	1931	2075	2058	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3009	1921	1924	2068	2063	8
3010	1918	1922	2071	2069	5
3011	1919	1928	2074	2064	5
3012	1920	1926	2072	2066	5
3013	1917	1932	2077	2061	3
3014	1922	1925	2076	2071	5
3015	1924	1930	2073	2068	8
3016	1925	1929	2078	2076	5
3017	1923	1936	2081	2067	3
3018	1926	1934	2080	2072	5
3019	1930	1935	2079	2073	8
3020	1929	1933	2082	2078	5
3021	1928	1938	2083	2074	5
3022	1933	1937	2085	2082	5
3023	1935	1939	2084	2079	8
3024	1927	1950	2096	2070	3
3025	1934	1941	2086	2080	5
3026	1931	1949	2095	2075	3
3027	1937	1940	2087	2085	5
3028	1932	1948	2094	2077	3
3029	1939	1942	2088	2084	8
3030	1936	1947	2093	2081	3
3031	1940	1943	2089	2087	5
3032	1938	1946	2092	2083	5
3033	1941	1945	2091	2086	5
3034	1942	1951	2097	2088	8
3035	1943	1944	2090	2089	5
3036	1951	1952	2098	2097	8
3037	1944	1953	2099	2090	5
3038	1945	1954	2100	2091	5
3039	1946	1955	2101	2092	3
3040	1947	1956	2102	2093	3
3041	1948	1957	2103	2094	3
3042	1949	1958	2104	2095	3
3043	1950	1959	2105	2096	3
3044	1952	1960	2106	2098	8
3045	1953	1966	2112	2099	5
3046	1954	1973	2119	2100	5
3047	1955	1980	2126	2101	3
3048	1956	1987	2133	2102	3
3049	1957	1994	2140	2103	3
3050	1958	2001	2147	2104	3
3051	1959	2008	2154	2105	3
3052	1960	1961	2107	2106	8
3053	1961	1962	2108	2107	8
3054	1962	1963	2109	2108	8
3055	1963	1964	2110	2109	8
3056	1964	1965	2111	2110	8
3057	1965	1966	2112	2111	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3058	1966	1967	2113	2112	8
3059	1967	1968	2114	2113	8
3060	1968	1969	2115	2114	8
3061	1969	1970	2116	2115	8
3062	1970	1971	2117	2116	8
3063	1971	1972	2118	2117	8
3064	1972	1973	2119	2118	8
3065	1973	1974	2120	2119	8
3066	1974	1975	2121	2120	8
3067	1975	1976	2122	2121	8
3068	1976	1977	2123	2122	8
3069	1977	1978	2124	2123	8
3070	1978	1979	2125	2124	8
3071	1979	1980	2126	2125	8
3072	1980	1981	2127	2126	8
3073	1981	1982	2128	2127	8
3074	1982	1983	2129	2128	8
3075	1983	1984	2130	2129	8
3076	1984	1985	2131	2130	8
3077	1985	1986	2132	2131	8
3078	1986	1987	2133	2132	8
3079	1987	1988	2134	2133	8
3080	1988	1989	2135	2134	8
3081	1989	1990	2136	2135	8
3082	1990	1991	2137	2136	8
3083	1991	1992	2138	2137	8
3084	1992	1993	2139	2138	8
3085	1993	1994	2140	2139	8
3086	1994	1995	2141	2140	8
3087	1995	1996	2142	2141	8
3088	1996	1997	2143	2142	8
3089	1997	1998	2144	2143	8
3090	1998	1999	2145	2144	8
3091	1999	2000	2146	2145	8
3092	2000	2001	2147	2146	8
3093	2001	2002	2148	2147	8
3094	2002	2003	2149	2148	8
3095	2003	2004	2150	2149	8
3096	2004	2005	2151	2150	8
3097	2005	2006	2152	2151	8
3098	2006	2007	2153	2152	8
3099	2007	2008	2154	2153	8
3100	2008	2009	2155	2154	8
3101	2009	2010	2156	2155	8
3102	2011	2012	2158	2157	3
3103	2012	2014	2160	2158	3
3104	2013	2015	2161	2159	3
3105	2014	2017	2163	2160	3
3106	2015	2018	2164	2161	3

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3107	2016	2019	2165	2162	3
3108	2017	2021	2167	2163	3
3109	2018	2020	2166	2164	3
3110	2019	2023	2169	2165	3
3111	2020	2025	2171	2166	3
3112	2022	2024	2170	2168	3
3113	2021	2027	2173	2167	3
3114	2023	2026	2172	2169	3
3115	2024	2028	2174	2170	3
3116	2025	2031	2176	2171	3
3117	2026	2030	2175	2172	3
3118	2027	2034	2179	2173	3
3119	2028	2032	2178	2174	3
3120	2029	2033	2180	2177	5
3121	2030	2035	2181	2175	3
3122	2031	2038	2183	2176	3
3123	2032	2037	2182	2178	3
3124	2033	2036	2184	2180	5
3125	2034	2041	2185	2179	3
3126	2036	2039	2186	2184	5
3127	2035	2043	2188	2181	3
3128	2037	2042	2187	2182	3
3129	2038	2046	2190	2183	3
3130	2039	2045	2191	2186	5
3131	2040	2044	2192	2189	5
3132	2042	2048	2193	2187	3
3133	2043	2050	2196	2188	3
3134	2041	2053	2198	2185	3
3135	2044	2047	2194	2192	5
3136	2045	2049	2197	2191	5
3137	2047	2051	2199	2194	5
3138	2046	2058	2202	2190	3
3139	2048	2057	2201	2193	4
3140	2052	2054	2200	2195	8
3141	2049	2056	2203	2197	5
3142	2051	2055	2205	2199	5
3143	2050	2061	2206	2196	4
3144	2054	2059	2204	2200	8
3145	2055	2060	2208	2205	5
3146	2056	2064	2209	2203	5
3147	2059	2063	2207	2204	8
3148	2053	2070	2213	2198	4
3149	2057	2067	2211	2201	4
3150	2060	2066	2212	2208	5
3151	2058	2075	2217	2202	4
3152	2063	2068	2210	2207	8
3153	2062	2065	2216	2214	5
3154	2064	2074	2218	2209	5
3155	2061	2077	2221	2206	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3156	2068	2073	2215	2210	8
3157	2065	2069	2220	2216	5
3158	2066	2072	2219	2212	5
3159	2069	2071	2223	2220	5
3160	2067	2081	2225	2211	4
3161	2073	2079	2222	2215	8
3162	2071	2076	2224	2223	5
3163	2072	2080	2226	2219	5
3164	2076	2078	2227	2224	5
3165	2074	2083	2229	2218	5
3166	2079	2084	2228	2222	8
3167	2078	2082	2230	2227	5
3168	2070	2096	2242	2213	4
3169	2080	2086	2232	2226	5
3170	2075	2095	2241	2217	4
3171	2082	2085	2231	2230	5
3172	2077	2094	2240	2221	4
3173	2084	2088	2233	2228	8
3174	2085	2087	2234	2231	5
3175	2081	2093	2239	2225	4
3176	2083	2092	2238	2229	5
3177	2087	2089	2235	2234	5
3178	2086	2091	2237	2232	5
3179	2088	2097	2243	2233	8
3180	2089	2090	2236	2235	5
3181	2097	2098	2244	2243	8
3182	2090	2099	2245	2236	5
3183	2091	2100	2246	2237	5
3184	2092	2101	2247	2238	4
3185	2093	2102	2248	2239	4
3186	2094	2103	2249	2240	4
3187	2095	2104	2250	2241	4
3188	2096	2105	2251	2242	4
3189	2098	2106	2252	2244	8
3190	2099	2112	2258	2245	5
3191	2100	2119	2265	2246	5
3192	2101	2126	2272	2247	4
3193	2102	2133	2279	2248	4
3194	2103	2140	2286	2249	4
3195	2104	2147	2293	2250	4
3196	2105	2154	2300	2251	4
3197	2106	2107	2253	2252	8
3198	2107	2108	2254	2253	8
3199	2108	2109	2255	2254	8
3200	2109	2110	2256	2255	8
3201	2110	2111	2257	2256	8
3202	2111	2112	2258	2257	8
3203	2112	2113	2259	2258	8
3204	2113	2114	2260	2259	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3205	2114	2115	2261	2260	8
3206	2115	2116	2262	2261	8
3207	2116	2117	2263	2262	8
3208	2117	2118	2264	2263	8
3209	2118	2119	2265	2264	8
3210	2119	2120	2266	2265	8
3211	2120	2121	2267	2266	8
3212	2121	2122	2268	2267	8
3213	2122	2123	2269	2268	8
3214	2123	2124	2270	2269	8
3215	2124	2125	2271	2270	8
3216	2125	2126	2272	2271	8
3217	2126	2127	2273	2272	8
3218	2127	2128	2274	2273	8
3219	2128	2129	2275	2274	8
3220	2129	2130	2276	2275	8
3221	2130	2131	2277	2276	8
3222	2131	2132	2278	2277	8
3223	2132	2133	2279	2278	8
3224	2133	2134	2280	2279	8
3225	2134	2135	2281	2280	8
3226	2135	2136	2282	2281	8
3227	2136	2137	2283	2282	8
3228	2137	2138	2284	2283	8
3229	2138	2139	2285	2284	8
3230	2139	2140	2286	2285	8
3231	2140	2141	2287	2286	8
3232	2141	2142	2288	2287	8
3233	2142	2143	2289	2288	8
3234	2143	2144	2290	2289	8
3235	2144	2145	2291	2290	8
3236	2145	2146	2292	2291	8
3237	2146	2147	2293	2292	8
3238	2147	2148	2294	2293	8
3239	2148	2149	2295	2294	8
3240	2149	2150	2296	2295	8
3241	2150	2151	2297	2296	8
3242	2151	2152	2298	2297	8
3243	2152	2153	2299	2298	8
3244	2153	2154	2300	2299	8
3245	2154	2155	2301	2300	8
3246	2155	2156	2302	2301	8
3247	2254	2255	2304	2303	8
3248	2255	2256	2306	2304	8
3249	2256	2257	2307	2306	8
3250	2257	2258	2322	2307	8
3251	2214	2216	2311	2310	6
3252	2216	2220	2312	2311	6
3253	2220	2223	2313	2312	6

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3254	2223	2224	2314	2313	6
3255	2224	2227	2315	2314	6
3256	2227	2230	2316	2315	6
3257	2230	2231	2317	2316	6
3258	2231	2234	2318	2317	6
3259	2234	2235	2319	2318	6
3260	2235	2236	2320	2319	6
3261	2236	2245	2321	2320	6
3262	2245	2258	2322	2321	6
3263	2303	2304	2309	2305	8
3264	2258	2259	2325	2322	8
3265	2259	2260	2329	2325	8
3266	2304	2306	2324	2309	8
3267	2260	2261	2346	2329	8
3268	2305	2309	2326	2308	8
3269	2253	2254	2371		8
3270	2261	2262	2348	2346	8
3271	2306	2307	2328	2324	8
3272	2262	2263	2354	2348	8
3273	2308	2326	2331	2323	8
3274	2307	2322	2345	2328	8
3275	2309	2324	2332	2326	8
3276	2263	2264	2370	2354	8
3277	2310	2311	2334	2333	6
3278	2311	2312	2335	2334	7
3279	2312	2313	2336	2335	7
3280	2313	2314	2337	2336	7
3281	2314	2315	2338	2337	7
3282	2315	2316	2339	2338	7
3283	2316	2317	2340	2339	7
3284	2317	2318	2341	2340	7
3285	2318	2319	2342	2341	7
3286	2319	2320	2343	2342	7
3287	2320	2321	2344	2343	7
3288	2321	2322	2345	2344	7
3289	2264	2265	2388	2370	8
3290	2189	2192	2377	2376	7
3291	2192	2194	2378	2377	7
3292	2194	2199	2379	2378	7
3293	2199	2205	2380	2379	7
3294	2205	2208	2381	2380	7
3295	2208	2212	2382	2381	7
3296	2212	2219	2383	2382	7
3297	2219	2226	2384	2383	7
3298	2226	2232	2385	2384	7
3299	2232	2237	2386	2385	7
3300	2237	2246	2387	2386	7
3301	2246	2265	2388	2387	7
3302	2322	2325	2353	2345	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3303	2323	2331	2349	2327	8
3304	2265	2266	2389	2388	8
3305	2324	2328	2351	2332	8
3306	2266	2267	2407	2389	8
3307	2326	2332	2352	2331	8
3308	2267	2268	2410	2407	8
3309	2327	2349	2356	2330	8
3310	2325	2329	2375	2353	8
3311	2268	2269	2413	2410	8
3312	2328	2345	2369	2351	8
3313	2269	2270	2430	2413	8
3314	2333	2334	2358	2357	7
3315	2334	2335	2359	2358	7
3316	2335	2336	2360	2359	7
3317	2336	2337	2361	2360	7
3318	2337	2338	2362	2361	7
3319	2338	2339	2363	2362	7
3320	2339	2340	2364	2363	7
3321	2340	2341	2365	2364	7
3322	2341	2342	2366	2365	7
3323	2342	2343	2367	2366	7
3324	2343	2344	2368	2367	7
3325	2344	2345	2369	2368	7
3326	2330	2356	2374	2347	8
3327	2331	2352	2372	2349	8
3328	2332	2351	2373	2352	8
3329	2270	2271	2434	2430	8
3330	2329	2346	2406	2375	8
3331	2271	2272	2447	2434	8
3332	2177	2180	2436	2435	7
3333	2180	2184	2437	2436	7
3334	2184	2186	2438	2437	7
3335	2186	2191	2439	2438	7
3336	2191	2197	2440	2439	7
3337	2197	2203	2441	2440	7
3338	2203	2209	2442	2441	7
3339	2209	2218	2443	2442	7
3340	2218	2229	2444	2443	7
3341	2229	2238	2445	2444	7
3342	2238	2247	2446	2445	4
3343	2247	2272	2447	2446	4
3344	2345	2353	2405	2369	8
3345	2347	2374	2390	2350	8
3346	2272	2273	2465	2447	8
3347	2349	2372	2391	2356	8
3348	2273	2274	2466	2465	8
3349	2351	2369	2404	2373	8
3350	2346	2348	2412	2406	8
3351	2274	2275	2484	2466	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3352	2350	2390	2409	2355	8
3353	2352	2373	2408	2372	8
3354	2275	2276	2499	2484	8
3355	2357	2358	2393	2392	7
3356	2358	2359	2394	2393	7
3357	2359	2360	2395	2394	7
3358	2360	2361	2396	2395	7
3359	2361	2362	2397	2396	7
3360	2362	2363	2398	2397	7
3361	2363	2364	2399	2398	7
3362	2364	2365	2400	2399	7
3363	2365	2366	2401	2400	7
3364	2366	2367	2402	2401	7
3365	2367	2368	2403	2402	7
3366	2368	2369	2404	2403	7
3367	2276	2277	2502	2499	8
3368	2356	2391	2411	2374	8
3369	2355	2409	2414	2371	8
3370	2282	2283	2500	2504	8
3371	2353	2375	2429	2405	8
3372	2283	2284	2518	2500	8
3373	2348	2354	2433	2412	8
3374	2168	2170	2506	2505	4
3375	2170	2174	2507	2506	4
3376	2174	2178	2508	2507	4
3377	2178	2182	2509	2508	4
3378	2182	2187	2510	2509	4
3379	2187	2193	2511	2510	4
3380	2193	2201	2512	2511	4
3381	2201	2211	2513	2512	4
3382	2211	2225	2514	2513	4
3383	2225	2239	2515	2514	4
3384	2239	2248	2516	2515	4
3385	2248	2279	2517	2516	4
3386	2277	2278	2520	2502	8
3387	2281	2282	2504	2519	8
3388	2278	2279	2517	2520	8
3389	2279	2280	2521	2517	8
3390	2280	2281	2519	2521	8
3391	2284	2285	2536	2518	8
3392	2372	2408	2415	2391	8
3393	2369	2405	2432	2404	8
3394	2285	2286	2542	2536	8
3395	2373	2404	2428	2408	8
3396	2249	2286	2542	2554	4
3397	2162	2165	2544	2543	4
3398	2165	2169	2545	2544	4
3399	2169	2172	2546	2545	4
3400	2172	2175	2547	2546	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3401	2175	2181	2548	2547	4
3402	2181	2188	2549	2548	4
3403	2188	2196	2550	2549	4
3404	2196	2206	2551	2550	4
3405	2206	2221	2552	2551	4
3406	2221	2240	2553	2552	4
3407	2240	2249	2554	2553	4
3408	2374	2411	2431	2390	8
3409	2286	2287	2555	2542	8
3410	2354	2370	2464	2433	8
3411	2287	2288	2570	2555	8
3412	2392	2393	2417	2416	7
3413	2393	2394	2418	2417	7
3414	2394	2395	2419	2418	7
3415	2395	2396	2420	2419	7
3416	2396	2397	2421	2420	7
3417	2397	2398	2422	2421	7
3418	2398	2399	2423	2422	7
3419	2399	2400	2424	2423	7
3420	2400	2401	2425	2424	7
3421	2401	2402	2426	2425	7
3422	2402	2403	2427	2426	7
3423	2403	2404	2428	2427	7
3424	2375	2406	2463	2429	8
3425	2288	2289	2573	2570	8
3426	2289	2290	2576	2573	8
3427	2370	2388	2483	2464	8
3428	2390	2431	2449	2409	8
3429	2391	2415	2448	2411	8
3430	2290	2291	2582	2576	8
3431	2408	2428	2462	2415	8
3432	2376	2377	2472	2471	7
3433	2377	2378	2473	2472	7
3434	2378	2379	2474	2473	7
3435	2379	2380	2475	2474	7
3436	2380	2381	2476	2475	7
3437	2381	2382	2477	2476	7
3438	2382	2383	2478	2477	7
3439	2383	2384	2479	2478	7
3440	2384	2385	2480	2479	7
3441	2385	2386	2481	2480	7
3442	2386	2387	2482	2481	7
3443	2387	2388	2483	2482	7
3444	2291	2292	2597	2582	8
3445	2404	2432	2469	2428	8
3446	2405	2429	2470	2432	8
3447	2292	2293	2611	2597	8
3448	2388	2389	2501	2483	8
3449	2159	2161	2600	2599	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3450	2161	2164	2601	2600	4
3451	2164	2166	2602	2601	4
3452	2166	2171	2603	2602	4
3453	2171	2176	2604	2603	4
3454	2176	2183	2605	2604	4
3455	2183	2190	2606	2605	4
3456	2190	2202	2607	2606	4
3457	2202	2217	2608	2607	4
3458	2217	2241	2609	2608	4
3459	2241	2250	2610	2609	4
3460	2250	2293	2611	2610	4
3461	2409	2449	2467	2414	8
3462	2406	2412	2498	2463	8
3463	2293	2294	2614	2611	8
3464	2416	2417	2451	2450	7
3465	2417	2418	2452	2451	7
3466	2418	2419	2453	2452	7
3467	2419	2420	2454	2453	7
3468	2420	2421	2455	2454	7
3469	2421	2422	2456	2455	7
3470	2422	2423	2457	2456	7
3471	2423	2424	2458	2457	7
3472	2424	2425	2459	2458	7
3473	2425	2426	2460	2459	7
3474	2426	2427	2461	2460	7
3475	2427	2428	2462	2461	7
3476	2411	2448	2468	2431	8
3477	2294	2295	2616	2614	8
3478	2295	2296	2632	2616	8
3479	2389	2407	2539	2501	8
3480	2415	2462	2497	2448	8
3481	2296	2297	2635	2632	8
3482	2297	2298	2639	2635	8
3483	2431	2468	2503	2449	8
3484	2412	2433	2538	2498	8
3485	2298	2299	2640	2639	8
3486	2407	2410	2556	2539	8
3487	2428	2469	2535	2462	8
3488	2429	2463	2537	2470	8
3489	2299	2300	2654	2640	8
3490	2450	2451	2486	2485	7
3491	2451	2452	2487	2486	7
3492	2452	2453	2488	2487	7
3493	2453	2454	2489	2488	7
3494	2454	2455	2490	2489	7
3495	2455	2456	2491	2490	7
3496	2456	2457	2492	2491	7
3497	2457	2458	2493	2492	7
3498	2458	2459	2494	2493	7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3499	2459	2460	2495	2494	7
3500	2460	2461	2496	2495	7
3501	2461	2462	2497	2496	7
3502	2157	2158	2643	2642	4
3503	2158	2160	2644	2643	4
3504	2160	2163	2645	2644	4
3505	2163	2167	2646	2645	4
3506	2167	2173	2647	2646	4
3507	2173	2179	2648	2647	4
3508	2179	2185	2649	2648	4
3509	2185	2198	2650	2649	4
3510	2198	2213	2651	2650	4
3511	2213	2242	2652	2651	4
3512	2242	2251	2653	2652	4
3513	2251	2300	2654	2653	4
3514	2300	2301	2673	2654	8
3515	2432	2470	2541	2469	8
3516	2410	2413	2575	2556	8
3517	2301	2302	2674	2673	8
3518	2448	2497	2534	2468	8
3519	2449	2503	2540	2467	8
3520	2433	2464	2571	2538	8
3521	2413	2430	2596	2575	8
3522	2485	2486	2523	2522	7
3523	2486	2487	2524	2523	7
3524	2487	2488	2525	2524	7
3525	2488	2489	2526	2525	7
3526	2489	2490	2527	2526	7
3527	2490	2491	2528	2527	7
3528	2491	2492	2529	2528	7
3529	2492	2493	2530	2529	7
3530	2493	2494	2531	2530	7
3531	2494	2495	2532	2531	7
3532	2495	2496	2533	2532	7
3533	2496	2497	2534	2533	7
3534	2462	2535	2572	2497	8
3535	2463	2498	2574	2537	8
3536	2468	2534	2557	2503	8
3537	2430	2434	2613	2596	8
3538	2464	2483	2595	2571	8
3539	2469	2541	2580	2535	8
3540	2470	2537	2581	2541	8
3541	2434	2447	2629	2613	8
3542	2471	2472	2584	2583	7
3543	2472	2473	2585	2584	7
3544	2473	2474	2586	2585	7
3545	2474	2475	2587	2586	7
3546	2475	2476	2588	2587	7
3547	2476	2477	2589	2588	7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3548	2477	2478	2590	2589	7
3549	2478	2479	2591	2590	7
3550	2479	2480	2592	2591	7
3551	2480	2481	2593	2592	7
3552	2481	2482	2594	2593	7
3553	2482	2483	2595	2594	7
3554	2533	2534	2557	2569	7
3555	2522	2523	2559	2558	7
3556	2523	2524	2560	2559	7
3557	2524	2525	2561	2560	7
3558	2525	2526	2562	2561	7
3559	2526	2527	2563	2562	7
3560	2527	2528	2564	2563	7
3561	2528	2529	2565	2564	7
3562	2529	2530	2566	2565	7
3563	2530	2531	2567	2566	7
3564	2531	2532	2568	2567	7
3565	2532	2533	2569	2568	7
3566	2435	2436	2618	2617	7
3567	2436	2437	2619	2618	7
3568	2437	2438	2620	2619	7
3569	2438	2439	2621	2620	7
3570	2439	2440	2622	2621	7
3571	2440	2441	2623	2622	7
3572	2441	2442	2624	2623	7
3573	2442	2443	2625	2624	7
3574	2443	2444	2626	2625	7
3575	2444	2445	2627	2626	7
3576	2445	2446	2628	2627	4
3577	2446	2447	2629	2628	4
3578	2503	2557	2579	2540	8
3579	2497	2572	2598	2534	8
3580	2498	2538	2612	2574	8
3581	2483	2501	2615	2595	8
3582	2447	2465	2638	2629	8
3583	2465	2466	2641	2638	8
3584	2558	2559	2577		7
3585	2559	2560	2577		7
3586	2560	2561	2577		7
3587	2561	2562	2577		7
3588	2562	2563	2577		7
3589	2563	2564	2577		7
3590	2564	2565	2577		7
3591	2565	2566	2577		7
3592	2566	2567	2577		7
3593	2567	2568	2577		7
3594	2371	2579	2684		8
3595	2569	2557	2579	2578	7
3596	2568	2569	2578	2577	7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3597	2501	2539	2637	2615	8
3598	2535	2580	2630	2572	8
3599	2537	2574	2631	2581	8
3600	2466	2484	2672	2641	8
3601	2534	2598	2633	2557	8
3602	2538	2571	2636	2612	8
3603	2541	2581	2634	2580	8
3604	2484	2499	2678	2672	8
3605	2539	2556	2655	2637	8
3606	2499	2502	2680	2678	8
3607	2557	2633	2656	2579	8
3608	2571	2595	2671	2636	8
3609	2572	2630	2657	2598	8
3610	2574	2612	2658	2631	8
3611	2556	2575	2677	2655	8
3612	2502	2520	2685	2680	8
3613	2505	2506	2687	2686	4
3614	2506	2507	2688	2687	4
3615	2507	2508	2689	2688	4
3616	2508	2509	2690	2689	4
3617	2509	2510	2691	2690	4
3618	2510	2511	2692	2691	4
3619	2511	2512	2693	2692	4
3620	2512	2513	2694	2693	4
3621	2513	2514	2695	2694	4
3622	2514	2515	2696	2695	4
3623	2515	2516	2697	2696	4
3624	2516	2517	2698	2697	4
3625	2520	2517	2698	2685	8
3626	2583	2584	2660	2659	7
3627	2584	2585	2661	2660	7
3628	2585	2586	2662	2661	7
3629	2586	2587	2663	2662	7
3630	2587	2588	2664	2663	7
3631	2588	2589	2665	2664	7
3632	2589	2590	2666	2665	7
3633	2590	2591	2667	2666	7
3634	2591	2592	2668	2667	7
3635	2592	2593	2669	2668	7
3636	2593	2594	2670	2669	7
3637	2594	2595	2671	2670	7
3638	2517	2521	2704	2698	8
3639	2580	2634	2675	2630	8
3640	2581	2631	2676	2634	8
3641	2518	2536	2699	2705	8
3642	2500	2518	2705	2723	8
3643	2504	2500	2723	2708	8
3644	2519	2504	2708	2707	8
3645	2521	2519	2707	2704	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3646	2575	2596	2683	2677	8
3647	2536	2542	2722	2699	8
3648	2595	2615	2679	2671	8
3649	2554	2542	2722	2720	4
3650	2543	2544	2710	2709	4
3651	2544	2545	2711	2710	4
3652	2545	2546	2712	2711	4
3653	2546	2547	2713	2712	4
3654	2547	2548	2714	2713	4
3655	2548	2549	2715	2714	4
3656	2549	2550	2716	2715	4
3657	2550	2551	2717	2716	4
3658	2551	2552	2718	2717	4
3659	2552	2553	2719	2718	4
3660	2553	2554	2720	2719	4
3661	2598	2657	2681	2633	8
3662	2542	2555	2750	2722	8
3663	2612	2636	2682	2658	8
3664	2596	2613	2703	2683	8
3665	2555	2570	2753	2750	8
3666	2615	2637	2702	2679	8
3667	2630	2675	2700	2657	8
3668	2570	2573	2758	2753	8
3669	2631	2658	2701	2676	8
3670	2613	2629	2749	2703	8
3671	2579	2656	2752	2684	8
3672	2634	2676	2706	2675	8
3673	2617	2618	2738	2737	7
3674	2618	2619	2739	2738	7
3675	2619	2620	2740	2739	7
3676	2620	2621	2741	2740	7
3677	2621	2622	2742	2741	7
3678	2622	2623	2743	2742	7
3679	2623	2624	2744	2743	7
3680	2624	2625	2745	2744	7
3681	2625	2626	2746	2745	7
3682	2626	2627	2747	2746	7
3683	2627	2628	2748	2747	4
3684	2628	2629	2749	2748	4
3685	2633	2681	2721	2656	8
3686	2573	2576	2763	2758	8
3687	2636	2671	2734	2682	8
3688	2637	2655	2751	2702	8
3689	2629	2638	2756	2749	8
3690	2576	2582	2765	2763	8
3691	2659	2660	2725	2724	7
3692	2660	2661	2726	2725	7
3693	2661	2662	2727	2726	7
3694	2662	2663	2728	2727	7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3695	2663	2664	2729	2728	7
3696	2664	2665	2730	2729	7
3697	2665	2666	2731	2730	7
3698	2666	2667	2732	2731	7
3699	2667	2668	2733	2732	7
3700	2668	2669	2735	2733	7
3701	2670	2671	2734	2736	7
3702	2669	2670	2736	2735	7
3703	2582	2597	2782	2765	8
3704	2638	2641	2762	2756	8
3705	2657	2700	2754	2681	8
3706	2658	2682	2755	2701	8
3707	2597	2611	2798	2782	8
3708	2671	2679	2757	2734	8
3709	2655	2677	2761	2751	8
3710	2599	2600	2787	2786	4
3711	2600	2601	2788	2787	4
3712	2601	2602	2789	2788	4
3713	2602	2603	2790	2789	4
3714	2603	2604	2791	2790	4
3715	2604	2605	2792	2791	4
3716	2605	2606	2793	2792	4
3717	2606	2607	2794	2793	4
3718	2607	2608	2795	2794	4
3719	2608	2609	2796	2795	4
3720	2609	2610	2797	2796	4
3721	2610	2611	2798	2797	4
3722	2675	2706	2759	2700	8
3723	2611	2614	2803	2798	8
3724	2676	2701	2760	2706	8
3725	2641	2672	2781	2762	8
3726	2614	2616	2806	2803	8
3727	2677	2683	2780	2761	8
3728	2672	2678	2785	2781	8
3729	2616	2632	2822	2806	8
3730	2656	2721	2802	2752	8
3731	2679	2702	2779	2757	8
3732	2681	2754	2764	2721	8
3733	2682	2734	2778	2755	8
3734	2632	2635	2851	2822	8
3735	2678	2680	2805	2785	8
3736	2683	2703	2800	2780	8
3737	2635	2639	2856	2851	8
3738	2724	2725	2767	2766	7
3739	2725	2726	2768	2767	7
3740	2726	2727	2769	2768	7
3741	2727	2728	2770	2769	7
3742	2728	2729	2771	2770	7
3743	2729	2730	2772	2771	7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3744	2730	2731	2773	2772	7
3745	2731	2732	2774	2773	7
3746	2732	2733	2775	2774	7
3747	2733	2735	2776	2775	7
3748	2736	2734	2778	2777	7
3749	2735	2736	2777	2776	7
3750	2700	2759	2783	2754	8
3751	2701	2755	2784	2760	8
3752	2706	2760	2799	2759	8
3753	2639	2640	2860	2856	8
3754	2702	2751	2801	2779	8
3755	2680	2685	2820	2805	8
3756	2640	2654	2891	2860	8
3757	2734	2757	2804	2778	8
3758	2703	2749	2819	2800	8
3759	2685	2698	2849	2820	8
3760	2642	2643	2880	2879	4
3761	2643	2644	2881	2880	4
3762	2644	2645	2882	2881	4
3763	2645	2646	2883	2882	4
3764	2646	2647	2884	2883	4
3765	2647	2648	2885	2884	4
3766	2648	2649	2886	2885	4
3767	2649	2650	2887	2886	4
3768	2650	2651	2888	2887	4
3769	2651	2652	2889	2888	4
3770	2652	2653	2890	2889	4
3771	2653	2654	2891	2890	4
3772	2686	2687	2838	2837	4
3773	2687	2688	2839	2838	4
3774	2688	2689	2840	2839	4
3775	2689	2690	2841	2840	4
3776	2690	2691	2842	2841	4
3777	2691	2692	2843	2842	4
3778	2692	2693	2844	2843	4
3779	2693	2694	2845	2844	4
3780	2694	2695	2846	2845	4
3781	2695	2696	2847	2846	4
3782	2696	2697	2848	2847	4
3783	2697	2698	2849	2848	4
3784	2654	2673	2911	2891	8
3785	2737	2738	2808	2807	7
3786	2738	2739	2809	2808	7
3787	2739	2740	2810	2809	7
3788	2740	2741	2811	2810	7
3789	2741	2742	2812	2811	7
3790	2742	2743	2813	2812	7
3791	2743	2744	2814	2813	7
3792	2744	2745	2815	2814	7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3793	2745	2746	2816	2815	7
3794	2746	2747	2817	2816	7
3795	2747	2748	2818	2817	4
3796	2748	2749	2819	2818	4
3797	2698	2704	2855	2849	8
3798	2751	2761	2836	2801	8
3799	2673	2674	2914	2911	8
3800	2749	2756	2854	2819	8
3801	2704	2707	2858	2855	8
3802	2754	2783	2821	2764	8
3803	2755	2778	2835	2784	8
3804	2721	2764	2859	2802	8
3805	2707	2708	2862	2858	8
3806	2705	2699	2878	2892	8
3807	2757	2779	2853	2804	8
3808	2699	2722	2865	2878	8
3809	2708	2723	2893	2862	8
3810	2759	2799	2850	2783	8
3811	2760	2784	2852	2799	8
3812	2723	2705	2892	2893	8
3813	2720	2722	2865	2877	4
3814	2709	2710	2867	2866	4
3815	2710	2711	2868	2867	4
3816	2711	2712	2869	2868	4
3817	2712	2713	2870	2869	4
3818	2713	2714	2871	2870	4
3819	2714	2715	2872	2871	4
3820	2715	2716	2873	2872	4
3821	2716	2717	2874	2873	4
3822	2717	2718	2875	2874	4
3823	2718	2719	2876	2875	4
3824	2719	2720	2877	2876	4
3825	2722	2750	2864	2865	8
3826	2756	2762	2861	2854	8
3827	2766	2767	2824	2823	7
3828	2767	2768	2825	2824	7
3829	2768	2769	2826	2825	7
3830	2769	2770	2827	2826	7
3831	2770	2771	2828	2827	7
3832	2771	2772	2829	2828	7
3833	2772	2773	2830	2829	7
3834	2773	2774	2831	2830	7
3835	2774	2775	2832	2831	7
3836	2775	2776	2833	2832	7
3837	2776	2777	2834	2833	7
3838	2777	2778	2835	2834	7
3839	2761	2780	2857	2836	8
3840	2750	2753	2912	2864	8
3841	2778	2804	2863	2835	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3842	2762	2781	2910	2861	8
3843	2753	2758	2915	2912	8
3844	2779	2801	2894	2853	8
3845	2780	2800	2909	2857	8
3846	2758	2763	2933	2915	8
3847	2783	2850	2895	2821	8
3848	2784	2835	2896	2852	8
3849	2781	2785	2918	2910	8
3850	2799	2852	2913	2850	8
3851	2764	2821	2932	2859	8
3852	2763	2765	2936	2933	8
3853	2801	2836	2917	2894	8
3854	2800	2819	2931	2909	8
3855	2804	2853	2916	2863	8
3856	2834	2835	2896	2908	7
3857	2823	2824	2898	2897	7
3858	2824	2825	2899	2898	7
3859	2825	2826	2900	2899	7
3860	2826	2827	2901	2900	7
3861	2827	2828	2902	2901	7
3862	2828	2829	2903	2902	7
3863	2829	2830	2904	2903	7
3864	2830	2831	2905	2904	7
3865	2831	2832	2906	2905	7
3866	2832	2833	2907	2906	7
3867	2833	2834	2908	2907	7
3868	2785	2805	2935	2918	8
3869	2765	2782	2955	2936	8
3870	2807	2808	2920	2919	7
3871	2808	2809	2921	2920	7
3872	2809	2810	2922	2921	7
3873	2810	2811	2923	2922	7
3874	2811	2812	2924	2923	7
3875	2812	2813	2925	2924	7
3876	2813	2814	2926	2925	7
3877	2814	2815	2927	2926	7
3878	2815	2816	2928	2927	7
3879	2816	2817	2929	2928	7
3880	2817	2818	2930	2929	4
3881	2818	2819	2931	2930	4
3882	2782	2798	2983	2955	8
3883	2835	2863	2934	2896	8
3884	2819	2854	2952	2931	8
3885	2805	2820	2954	2935	8
3886	2836	2857	2951	2917	8
3887	2786	2787	2972	2971	4
3888	2787	2788	2973	2972	4
3889	2788	2789	2974	2973	4
3890	2789	2790	2975	2974	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3891	2790	2791	2976	2975	4
3892	2791	2792	2977	2976	4
3893	2792	2793	2978	2977	4
3894	2793	2794	2979	2978	4
3895	2794	2795	2980	2979	4
3896	2795	2796	2981	2980	4
3897	2796	2797	2982	2981	4
3898	2797	2798	2983	2982	4
3899	2850	2913	2937	2895	8
3900	2852	2896	2950	2913	8
3901	2798	2803	2988	2983	8
3902	2853	2894	2953	2916	8
3903	2820	2849	2968	2954	8
3904	2821	2895	2970	2932	8
3905	2837	2838	2957	2956	4
3906	2838	2839	2958	2957	4
3907	2839	2840	2959	2958	4
3908	2840	2841	2960	2959	4
3909	2841	2842	2961	2960	4
3910	2842	2843	2962	2961	4
3911	2843	2844	2963	2962	4
3912	2844	2845	2964	2963	4
3913	2845	2846	2965	2964	4
3914	2846	2847	2966	2965	4
3915	2847	2848	2967	2966	4
3916	2848	2849	2968	2967	4
3917	2854	2861	2969	2952	8
3918	2803	2806	2995	2988	8
3919	2849	2855	2987	2968	8
3920	2908	2896	2950	2949	7
3921	2897	2898	2939	2938	7
3922	2898	2899	2940	2939	7
3923	2899	2900	2941	2940	7
3924	2900	2901	2942	2941	7
3925	2901	2902	2943	2942	7
3926	2902	2903	2944	2943	7
3927	2903	2904	2945	2944	7
3928	2904	2905	2946	2945	7
3929	2905	2906	2947	2946	7
3930	2906	2907	2948	2947	7
3931	2907	2908	2949	2948	7
3932	2857	2909	2985	2951	8
3933	2806	2822	3011	2995	8
3934	2863	2916	2984	2934	8
3935	2855	2858	2994	2987	8
3936	2894	2917	2986	2953	8
3937	2861	2910	2993	2969	8
3938	2822	2851	3016	3011	8
3939	2858	2862	3009	2994	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3940	2896	2934	2989	2950	8
3941	2913	2950	2992	2937	8
3942	2909	2931	3008	2985	8
3943	2862	2893	3014	3009	8
3944	2851	2856	3038	3016	8
3945	2893	2892	3015	3014	8
3946	2910	2918	3013	2993	8
3947	2892	2878	3017	3015	8
3948	2878	2865	3033	3017	8
3949	2938	2939	2990		7
3950	2939	2940	2990		7
3951	2940	2941	2990		7
3952	2941	2942	2990		7
3953	2942	2943	2990		7
3954	2943	2944	2990		7
3955	2944	2945	2990		7
3956	2945	2946	2990		7
3957	2946	2947	2990		7
3958	2947	2948	2990		7
3959	2895	2937	3020	2970	8
3960	2877	2865	3033	3032	4
3961	2866	2867	3022	3021	4
3962	2867	2868	3023	3022	4
3963	2868	2869	3024	3023	4
3964	2869	2870	3025	3024	4
3965	2870	2871	3026	3025	4
3966	2871	2872	3027	3026	4
3967	2872	2873	3028	3027	4
3968	2873	2874	3029	3028	4
3969	2874	2875	3030	3029	4
3970	2875	2876	3031	3030	4
3971	2876	2877	3032	3031	4
3972	2919	2920	2997	2996	7
3973	2920	2921	2998	2997	7
3974	2921	2922	2999	2998	7
3975	2922	2923	3000	2999	7
3976	2923	2924	3001	3000	7
3977	2924	2925	3002	3001	7
3978	2925	2926	3003	3002	7
3979	2926	2927	3004	3003	7
3980	2927	2928	3005	3004	7
3981	2928	2929	3006	3005	7
3982	2929	2930	3007	3006	4
3983	2930	2931	3008	3007	4
3984	2865	2864	3034	3033	8
3985	2856	2860	3042	3038	8
3986	2916	2953	3010	2984	8
3987	2917	2951	3012	2986	8
3988	2864	2912	3037	3034	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
3989	2948	2949	2991	2990	7
3990	2949	2950	2992	2991	7
3991	2860	2891	3059	3042	8
3992	2931	2952	3019	3008	8
3993	2912	2915	3039	3037	8
3994	2918	2935	3036	3013	8
3995	2879	2880	3048	3047	4
3996	2880	2881	3049	3048	4
3997	2881	2882	3050	3049	4
3998	2882	2883	3051	3050	4
3999	2883	2884	3052	3051	4
4000	2884	2885	3053	3052	4
4001	2885	2886	3054	3053	4
4002	2886	2887	3055	3054	4
4003	2887	2888	3056	3055	4
4004	2888	2889	3057	3056	4
4005	2889	2890	3058	3057	4
4006	2890	2891	3059	3058	4
4007	2934	2984	3018	2989	8
4008	2891	2911	3091	3059	8
4009	2915	2933	3046	3039	8
4010	2950	2989	3035	2992	8
4011	2951	2985	3041	3012	8
4012	2953	2986	3040	3010	8
4013	2935	2954	3044	3036	8
4014	2911	2914	3095	3091	8
4015	2952	2969	3043	3019	8
4016	2933	2936	3087	3046	8
4017	2937	2992	3045	3020	8
4018	2954	2968	3073	3044	8
4019	2984	3010	3060	3018	8
4020	2936	2955	3094	3087	8
4021	2956	2957	3062	3061	4
4022	2957	2958	3063	3062	4
4023	2958	2959	3064	3063	4
4024	2959	2960	3065	3064	4
4025	2960	2961	3066	3065	4
4026	2961	2962	3067	3066	4
4027	2962	2963	3068	3067	4
4028	2963	2964	3069	3068	4
4029	2964	2965	3070	3069	4
4030	2965	2966	3071	3070	4
4031	2966	2967	3072	3071	4
4032	2967	2968	3073	3072	4
4033	2985	3008	3086	3041	8
4034	2969	2993	3090	3043	8
4035	2986	3012	3089	3040	8
4036	2968	2987	3093	3073	8
4037	2989	3018	3088	3035	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4038	2955	2983	3112	3094	8
4039	2996	2997	3075	3074	7
4040	2997	2998	3076	3075	7
4041	2998	2999	3077	3076	7
4042	2999	3000	3078	3077	7
4043	3000	3001	3079	3078	7
4044	3001	3002	3080	3079	7
4045	3002	3003	3081	3080	7
4046	3003	3004	3082	3081	7
4047	3004	3005	3083	3082	7
4048	3005	3006	3084	3083	7
4049	3006	3007	3085	3084	4
4050	3007	3008	3086	3085	4
4051	2971	2972	3101	3100	4
4052	2972	2973	3102	3101	4
4053	2973	2974	3103	3102	4
4054	2974	2975	3104	3103	4
4055	2975	2976	3105	3104	4
4056	2976	2977	3106	3105	4
4057	2977	2978	3107	3106	4
4058	2978	2979	3108	3107	4
4059	2979	2980	3109	3108	4
4060	2980	2981	3110	3109	4
4061	2981	2982	3111	3110	4
4062	2982	2983	3112	3111	4
4063	2992	3035	3092	3045	8
4064	2987	2994	3099	3093	8
4065	2993	3013	3098	3090	8
4066	2983	2988	3116	3112	8
4067	3008	3019	3097	3086	8
4068	3010	3040	3096	3060	8
4069	2994	3009	3115	3099	8
4070	3012	3041	3113	3089	8
4071	2988	2995	3122	3116	8
4072	3013	3036	3117	3098	8
4073	3009	3014	3119	3115	8
4074	3018	3060	3114	3088	8
4075	3019	3043	3118	3097	8
4076	2995	3011	3139	3122	8
4077	3014	3015	3123	3119	8
4078	3035	3088	3121	3092	8
4079	3015	3017	3137	3123	8
4080	3040	3089	3120	3096	8
4081	3017	3033	3140	3137	8
4082	3041	3086	3136	3113	8
4083	3036	3044	3138	3117	8
4084	3011	3016	3169	3139	8
4085	3032	3033	3140	3152	4
4086	3021	3022	3142	3141	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4087	3022	3023	3143	3142	4
4088	3023	3024	3144	3143	4
4089	3024	3025	3145	3144	4
4090	3025	3026	3146	3145	4
4091	3026	3027	3147	3146	4
4092	3027	3028	3148	3147	4
4093	3028	3029	3149	3148	4
4094	3029	3030	3150	3149	4
4095	3030	3031	3151	3150	4
4096	3031	3032	3152	3151	4
4097	3033	3034	3155	3140	8
4098	3034	3037	3170	3155	8
4099	3043	3090	3154	3118	8
4100	3074	3075	3125	3124	7
4101	3075	3076	3126	3125	7
4102	3076	3077	3127	3126	7
4103	3077	3078	3128	3127	7
4104	3078	3079	3129	3128	7
4105	3079	3080	3130	3129	7
4106	3080	3081	3131	3130	7
4107	3081	3082	3132	3131	7
4108	3082	3083	3133	3132	7
4109	3083	3084	3134	3133	7
4110	3084	3085	3135	3134	4
4111	3016	3038	3177	3169	8
4112	3085	3086	3136	3135	4
4113	3037	3039	3174	3170	8
4114	3060	3096	3153	3114	8
4115	3044	3073	3168	3138	8
4116	3039	3046	3176	3174	8
4117	3061	3062	3157	3156	4
4118	3062	3063	3158	3157	4
4119	3063	3064	3159	3158	4
4120	3064	3065	3160	3159	4
4121	3065	3066	3161	3160	4
4122	3066	3067	3162	3161	4
4123	3067	3068	3163	3162	4
4124	3068	3069	3164	3163	4
4125	3069	3070	3165	3164	4
4126	3070	3071	3166	3165	4
4127	3071	3072	3167	3166	4
4128	3072	3073	3168	3167	4
4129	3038	3042	3181	3177	8
4130	3086	3097	3172	3136	8
4131	3089	3113	3171	3120	8
4132	3088	3114	3173	3121	8
4133	3046	3087	3179	3176	8
4134	3090	3098	3175	3154	8
4135	3073	3093	3178	3168	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4136	3042	3059	3212	3181	8
4137	3047	3048	3201	3200	4
4138	3048	3049	3202	3201	4
4139	3049	3050	3203	3202	4
4140	3050	3051	3204	3203	4
4141	3051	3052	3205	3204	4
4142	3052	3053	3206	3205	4
4143	3053	3054	3207	3206	4
4144	3054	3055	3208	3207	4
4145	3055	3056	3209	3208	4
4146	3056	3057	3210	3209	4
4147	3057	3058	3211	3210	4
4148	3058	3059	3212	3211	4
4149	3087	3094	3198	3179	8
4150	3096	3120	3180	3153	8
4151	3093	3099	3196	3178	8
4152	3059	3091	3229	3212	8
4153	3097	3118	3182	3172	8
4154	3098	3117	3197	3175	8
4155	3113	3136	3195	3171	8
4156	3094	3112	3226	3198	8
4157	3099	3115	3213	3196	8
4158	3091	3095	3235	3229	8
4159	3114	3153	3199	3173	8
4160	3100	3101	3215	3214	4
4161	3101	3102	3216	3215	4
4162	3102	3103	3217	3216	4
4163	3103	3104	3218	3217	4
4164	3104	3105	3219	3218	4
4165	3105	3106	3220	3219	4
4166	3106	3107	3221	3220	4
4167	3107	3108	3222	3221	4
4168	3108	3109	3223	3222	4
4169	3109	3110	3224	3223	4
4170	3110	3111	3225	3224	4
4171	3111	3112	3226	3225	4
4172	3124	3125	3184	3183	7
4173	3125	3126	3185	3184	7
4174	3126	3127	3186	3185	7
4175	3127	3128	3187	3186	7
4176	3128	3129	3188	3187	7
4177	3129	3130	3189	3188	7
4178	3130	3131	3190	3189	7
4179	3131	3132	3191	3190	7
4180	3132	3133	3192	3191	7
4181	3133	3134	3193	3192	7
4182	3134	3135	3194	3193	4
4183	3135	3136	3195	3194	4
4184	3112	3116	3233	3226	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4185	3115	3119	3231	3213	8
4186	3118	3154	3228	3182	8
4187	3117	3138	3230	3197	8
4188	3120	3171	3227	3180	8
4189	3136	3172	3232	3195	8
4190	3119	3123	3234	3231	8
4191	3116	3122	3252	3233	8
4192	3123	3137	3250	3234	8
4193	3138	3168	3249	3230	8
4194	3153	3180	3236	3199	8
4195	3154	3175	3251	3228	8
4196	3137	3140	3268	3250	8
4197	3156	3157	3238	3237	4
4198	3157	3158	3239	3238	4
4199	3158	3159	3240	3239	4
4200	3159	3160	3241	3240	4
4201	3160	3161	3242	3241	4
4202	3161	3162	3243	3242	4
4203	3162	3163	3244	3243	4
4204	3163	3164	3245	3244	4
4205	3164	3165	3246	3245	4
4206	3165	3166	3247	3246	4
4207	3166	3167	3248	3247	4
4208	3167	3168	3249	3248	4
4209	3122	3139	3272	3252	8
4210	3152	3140	3268	3267	4
4211	3141	3142	3257	3256	4
4212	3142	3143	3258	3257	4
4213	3143	3144	3259	3258	4
4214	3144	3145	3260	3259	4
4215	3145	3146	3261	3260	4
4216	3146	3147	3262	3261	4
4217	3147	3148	3263	3262	4
4218	3148	3149	3264	3263	4
4219	3149	3150	3265	3264	4
4220	3150	3151	3266	3265	4
4221	3151	3152	3267	3266	4
4222	3140	3155	3271	3268	8
4223	3171	3195	3255	3227	8
4224	3172	3182	3269	3232	8
4225	3168	3178	3270	3249	8
4226	3183	3184	3253		7
4227	3184	3185	3253		7
4228	3185	3186	3253		7
4229	3186	3187	3253		7
4230	3187	3188	3253		7
4231	3188	3189	3253		7
4232	3189	3190	3253		7
4233	3190	3191	3253		7

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4234	3191	3192	3253		7
4235	3192	3193	3253		7
4236	3155	3170	3274	3271	8
4237	3139	3169	3277	3272	8
4238	3175	3197	3273	3251	8
4239	3170	3174	3278	3274	8
4240	3193	3194	3254	3253	4
4241	3194	3195	3255	3254	4
4242	3180	3227	3275	3236	8
4243	3178	3196	3276	3270	8
4244	3174	3176	3281	3278	8
4245	3169	3177	3284	3277	8
4246	3182	3228	3280	3269	8
4247	3195	3232	3279	3255	8
4248	3176	3179	3286	3281	8
4249	3177	3181	3289	3284	8
4250	3196	3213	3283	3276	8
4251	3197	3230	3282	3273	8
4252	3179	3198	3287	3286	8
4253	3181	3212	3332	3289	8
4254	3227	3255	3285	3275	8
4255	3213	3231	3291	3283	8
4256	3198	3226	3317	3287	8
4257	3228	3251	3288	3280	8
4258	3200	3201	3321	3320	4
4259	3201	3202	3322	3321	4
4260	3202	3203	3323	3322	4
4261	3203	3204	3324	3323	4
4262	3204	3205	3325	3324	4
4263	3205	3206	3326	3325	4
4264	3206	3207	3327	3326	4
4265	3207	3208	3328	3327	4
4266	3208	3209	3329	3328	4
4267	3209	3210	3330	3329	4
4268	3210	3211	3331	3330	4
4269	3211	3212	3332	3331	4
4270	3214	3215	3306	3305	4
4271	3215	3216	3307	3306	4
4272	3216	3217	3308	3307	4
4273	3217	3218	3309	3308	4
4274	3218	3219	3310	3309	4
4275	3219	3220	3311	3310	4
4276	3220	3221	3312	3311	4
4277	3221	3222	3313	3312	4
4278	3222	3223	3314	3313	4
4279	3223	3224	3315	3314	4
4280	3224	3225	3316	3315	4
4281	3225	3226	3317	3316	4
4282	3230	3249	3304	3282	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4283	3232	3269	3290	3279	8
4284	3231	3234	3319	3291	8
4285	3212	3229	3338	3332	8
4286	3226	3233	3333	3317	8
4287	3237	3238	3293	3292	4
4288	3238	3239	3294	3293	4
4289	3239	3240	3295	3294	4
4290	3240	3241	3296	3295	4
4291	3241	3242	3297	3296	4
4292	3242	3243	3298	3297	4
4293	3243	3244	3299	3298	4
4294	3244	3245	3300	3299	4
4295	3245	3246	3301	3300	4
4296	3246	3247	3302	3301	4
4297	3247	3248	3303	3302	4
4298	3248	3249	3304	3303	4
4299	3234	3250	3334	3319	8
4300	3255	3279	3318	3285	8
4301	3249	3270	3336	3304	8
4302	3251	3273	3335	3288	8
4303	3229	3235	3356	3338	8
4304	3233	3252	3352	3333	8
4305	3250	3268	3339	3334	8
4306	3269	3280	3337	3290	8
4307	3267	3268	3339	3351	4
4308	3256	3257	3341	3340	4
4309	3257	3258	3342	3341	4
4310	3258	3259	3343	3342	4
4311	3259	3260	3344	3343	4
4312	3260	3261	3345	3344	4
4313	3261	3262	3346	3345	4
4314	3262	3263	3347	3346	4
4315	3263	3264	3348	3347	4
4316	3264	3265	3349	3348	4
4317	3265	3266	3350	3349	4
4318	3266	3267	3351	3350	4
4319	3268	3271	3355	3339	8
4320	3270	3276	3353	3336	8
4321	3252	3272	3358	3352	8
4322	3273	3282	3357	3335	8
4323	3271	3274	3359	3355	8
4324	3279	3290	3354	3318	8
4325	3280	3288	3360	3337	8
4326	3272	3277	3377	3358	8
4327	3274	3278	3362	3359	8
4328	3276	3283	3361	3353	8
4329	3278	3281	3378	3362	8
4330	3282	3304	3375	3357	8
4331	3277	3284	3381	3377	8

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4332	3283	3291	3379	3361	8
4333	3281	3286	3382	3378	8
4334	3292	3293	3364	3363	4
4335	3293	3294	3365	3364	4
4336	3294	3295	3366	3365	4
4337	3295	3296	3367	3366	4
4338	3296	3297	3368	3367	4
4339	3297	3298	3369	3368	4
4340	3298	3299	3370	3369	4
4341	3299	3300	3371	3370	4
4342	3300	3301	3372	3371	4
4343	3301	3302	3373	3372	4
4344	3302	3303	3374	3373	4
4345	3303	3304	3375	3374	4
4346	3290	3337	3376	3354	8
4347	3288	3335	3380	3360	8
4348	3286	3287	3386	3382	8
4349	3284	3289	3387	3381	8
4350	3291	3319	3383	3379	8
4351	3304	3336	3384	3375	8
4352	3287	3317	3401	3386	8
4353	3305	3306	3390	3389	4
4354	3306	3307	3391	3390	4
4355	3307	3308	3392	3391	4
4356	3308	3309	3393	3392	4
4357	3309	3310	3394	3393	4
4358	3310	3311	3395	3394	4
4359	3311	3312	3396	3395	4
4360	3312	3313	3397	3396	4
4361	3313	3314	3398	3397	4
4362	3314	3315	3399	3398	4
4363	3315	3316	3400	3399	4
4364	3316	3317	3401	3400	4
4365	3319	3334	3388	3383	8
4366	3289	3332	3430	3387	8
4367	3337	3360	3385	3376	8
4368	3317	3333	3417	3401	8
4369	3335	3357	3402	3380	8
4370	3320	3321	3419	3418	4
4371	3321	3322	3420	3419	4
4372	3322	3323	3421	3420	4
4373	3323	3324	3422	3421	4
4374	3324	3325	3423	3422	4
4375	3325	3326	3424	3423	4
4376	3326	3327	3425	3424	4
4377	3327	3328	3426	3425	4
4378	3328	3329	3427	3426	4
4379	3329	3330	3428	3427	4
4380	3330	3331	3429	3428	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4381	3331	3332	3430	3429	4
4382	3336	3353	3403	3384	8
4383	3334	3339	3416	3388	8
4384	3332	3338	3438	3430	8
4385	3351	3339	3416	3415	4
4386	3340	3341	3405	3404	4
4387	3341	3342	3406	3405	4
4388	3342	3343	3407	3406	4
4389	3343	3344	3408	3407	4
4390	3344	3345	3409	3408	4
4391	3345	3346	3410	3409	4
4392	3346	3347	3411	3410	4
4393	3347	3348	3412	3411	4
4394	3348	3349	3413	3412	4
4395	3349	3350	3414	3413	4
4396	3350	3351	3415	3414	4
4397	3333	3352	3432	3417	8
4398	3339	3355	3433	3416	8
4399	3353	3361	3434	3403	8
4400	3363	3364	3435		4
4401	3364	3365	3435		4
4402	3365	3366	3435		4
4403	3366	3367	3435		4
4404	3367	3368	3435		4
4405	3368	3369	3435		4
4406	3369	3370	3435		4
4407	3370	3371	3435		4
4408	3371	3372	3435		4
4409	3372	3373	3435		4
4410	3357	3375	3437	3402	8
4411	3360	3380	3431	3385	9
4412	3352	3358	3440	3432	9
4413	3338	3356	3442	3438	9
4414	3355	3359	3439	3433	9
4415	3373	3374	3436	3435	4
4416	3374	3375	3437	3436	4
4417	3359	3362	3443	3439	10
4418	3361	3379	3441	3434	10
4419	3358	3377	3446	3440	10
4420	3375	3384	3445	3437	10
4421	3362	3378	3448	3443	10
4422	3380	3402	3444	3431	10
4423	3379	3383	3447	3441	10
4424	3377	3381	3453	3446	10
4425	3378	3382	3451	3448	10
4426	3384	3403	3450	3445	10
4427	3383	3388	3452	3447	10
4428	3382	3386	3455	3451	10
4429	3402	3437	3449	3444	10

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4430	3381	3387	3469	3453	10
4431	3388	3416	3468	3452	10
4432	3386	3401	3483	3455	10
4433	3403	3434	3470	3450	10
4434	3404	3405	3457	3456	4
4435	3405	3406	3458	3457	4
4436	3406	3407	3459	3458	4
4437	3407	3408	3460	3459	4
4438	3408	3409	3461	3460	4
4439	3409	3410	3462	3461	4
4440	3410	3411	3463	3462	4
4441	3411	3412	3464	3463	4
4442	3412	3413	3465	3464	4
4443	3413	3414	3466	3465	4
4444	3414	3415	3467	3466	4
4445	3415	3416	3468	3467	4
4446	3389	3390	3472	3471	4
4447	3390	3391	3473	3472	4
4448	3391	3392	3474	3473	4
4449	3392	3393	3475	3474	4
4450	3393	3394	3476	3475	4
4451	3394	3395	3477	3476	4
4452	3395	3396	3478	3477	4
4453	3396	3397	3479	3478	4
4454	3397	3398	3480	3479	4
4455	3398	3399	3481	3480	4
4456	3399	3400	3482	3481	4
4457	3400	3401	3483	3482	4
4458	3387	3430	3498	3469	10
4459	3437	3445	3454	3449	10
4460	3401	3417	3499	3483	10
4461	3416	3433	3484	3468	10
4462	3418	3419	3487	3486	4
4463	3419	3420	3488	3487	4
4464	3420	3421	3489	3488	4
4465	3421	3422	3490	3489	4
4466	3422	3423	3491	3490	4
4467	3423	3424	3492	3491	4
4468	3424	3425	3493	3492	4
4469	3425	3426	3494	3493	4
4470	3426	3427	3495	3494	4
4471	3427	3428	3496	3495	4
4472	3428	3429	3497	3496	4
4473	3429	3430	3498	3497	4
4474	3417	3432	3502	3499	10
4475	3434	3441	3500	3470	10
4476	3433	3439	3501	3484	10
4477	3430	3438	3503	3498	10
4478	3445	3450	3485	3454	10

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4479	3432	3440	3507	3502	10
4480	3439	3443	3506	3501	10
4481	3441	3447	3505	3500	10
4482	3438	3442	3511	3503	10
4483	3440	3446	3508	3507	10
4484	3443	3448	3509	3506	10
4485	3450	3470	3504	3485	10
4486	3447	3452	3510	3505	10
4487	3448	3451	3513	3509	10
4488	3446	3453	3517	3508	10
4489	3456	3457	3514		4
4490	3457	3458	3514		4
4491	3458	3459	3514		4
4492	3459	3460	3514		4
4493	3460	3461	3514		4
4494	3461	3462	3514		4
4495	3462	3463	3514		4
4496	3463	3464	3514		4
4497	3464	3465	3514		4
4498	3465	3466	3514		4
4499	3452	3468	3516	3510	10
4500	3470	3500	3512	3504	10
4501	3451	3455	3519	3513	10
4502	3466	3467	3515	3514	4
4503	3467	3468	3516	3515	4
4504	3453	3469	3521	3517	10
4505	3468	3484	3520	3516	10
4506	3455	3483	3534	3519	10
4507	3500	3505	3518	3512	10
4508	3471	3472	3523	3522	4
4509	3472	3473	3524	3523	4
4510	3473	3474	3525	3524	4
4511	3474	3475	3526	3525	4
4512	3475	3476	3527	3526	4
4513	3476	3477	3528	3527	4
4514	3477	3478	3529	3528	4
4515	3478	3479	3530	3529	4
4516	3479	3480	3531	3530	4
4517	3480	3481	3532	3531	4
4518	3481	3482	3533	3532	4
4519	3482	3483	3534	3533	4
4520	3469	3498	3550	3521	10
4521	3484	3501	3536	3520	10
4522	3483	3499	3551	3534	10
4523	3486	3487	3539	3538	4
4524	3487	3488	3540	3539	4
4525	3488	3489	3541	3540	4
4526	3489	3490	3542	3541	4
4527	3490	3491	3543	3542	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4528	3491	3492	3544	3543	4
4529	3492	3493	3545	3544	4
4530	3493	3494	3546	3545	4
4531	3494	3495	3547	3546	4
4532	3495	3496	3548	3547	4
4533	3496	3497	3549	3548	4
4534	3497	3498	3550	3549	4
4535	3505	3510	3535	3518	10
4536	3499	3502	3554	3551	10
4537	3501	3506	3553	3536	10
4538	3498	3503	3555	3550	10
4539	3510	3516	3537	3535	10
4540	3502	3507	3557	3554	10
4541	3506	3509	3556	3553	10
4542	3503	3511	3561	3555	10
4543	3516	3520	3552	3537	10
4544	3507	3508	3559	3557	10
4545	3509	3513	3560	3556	10
4546	3508	3517	3563	3559	10
4547	3520	3536	3558	3552	10
4548	3513	3519	3564	3560	10
4549	3522	3523	3567		4
4550	3523	3524	3567		4
4551	3524	3525	3567		4
4552	3525	3526	3567		4
4553	3526	3527	3567		4
4554	3527	3528	3567		4
4555	3528	3529	3567		4
4556	3529	3530	3567		4
4557	3530	3531	3567		4
4558	3531	3532	3567		4
4559	3517	3521	3566	3563	10
4560	3536	3553	3562	3558	10
4561	3519	3534	3569	3564	10
4562	3532	3533	3568	3567	4
4563	3533	3534	3569	3568	4
4564	3521	3550	3583	3566	10
4565	3553	3556	3565	3562	10
4566	3534	3551	3584	3569	10
4567	3538	3539	3572	3571	4
4568	3539	3540	3573	3572	4
4569	3540	3541	3574	3573	4
4570	3541	3542	3575	3574	4
4571	3542	3543	3576	3575	4
4572	3543	3544	3577	3576	4
4573	3544	3545	3578	3577	4
4574	3545	3546	3579	3578	4
4575	3546	3547	3580	3579	4
4576	3547	3548	3581	3580	4

Plates Cont...

Plate	Node A	Node B	Node C	Node D	Property
4577	3548	3549	3582	3581	4
4578	3549	3550	3583	3582	4
4579	3556	3560	3570	3565	10
4580	3551	3554	3586	3584	10
4581	3550	3555	3587	3583	10
4582	3554	3557	3590	3586	10
4583	3560	3564	3585	3570	10
4584	3555	3561	3591	3587	10
4585	3557	3559	3592	3590	10
4586	3564	3569	3588	3585	10
4587	3559	3563	3594	3592	10
4588	3569	3584	3589	3588	10
4589	3563	3566	3596	3594	10
4590	3584	3586	3593	3589	10
4591	3571	3572	3598		4
4592	3572	3573	3598		4
4593	3573	3574	3598		4
4594	3574	3575	3598		4
4595	3575	3576	3598		4
4596	3576	3577	3598		4
4597	3577	3578	3598		4
4598	3578	3579	3598		4
4599	3579	3580	3598		4
4600	3580	3581	3598		4
4601	3566	3583	3600	3596	10
4602	3586	3590	3595	3593	10
4603	3581	3582	3599	3598	4
4604	3582	3583	3600	3599	4
4605	3583	3587	3602	3600	10
4606	3590	3592	3597	3595	10
4607	3592	3594	3601	3597	10
4608	3587	3591	3605	3602	10
4609	3594	3596	3603	3601	10
4610	3596	3600	3604	3603	10
4611	3600	3602	3606	3604	10
4612	3602	3605	3607	3606	10

Section Properties

Prop	Section	Area (cm^2)	I_{yy} (cm^4)	I_{zz} (cm^4)	J (cm^4)	Material
11	Rect 0.80x0.60	4.8E+3	1.44E+6	2.56E+6	3.11E+6	CONCRETE

Plate Thickness

Prop	Node A (cm)	Node B (cm)	Node C (cm)	Node D (cm)	Material
1	70.000	70.000	70.000	70.000	CONCRETE
2	70.000	70.000	70.000	70.000	CONCRETE
3	50.000	50.000	50.000	50.000	CONCRETE
4	50.000	50.000	50.000	50.000	CONCRETE
5	50.000	50.000	50.000	50.000	CONCRETE
6	50.000	50.000	50.000	50.000	CONCRETE
7	50.000	50.000	50.000	50.000	CONCRETE
8	30.000	30.000	30.000	30.000	CONCRETE
9	30.000	30.000	30.000	30.000	CONCRETE
10	30.000	30.000	30.000	30.000	CONCRETE

Materials

Mat	Name	E (kN/mm^2)	ν	Density (kg/m^3)	α (/°C)
1	CONCRETE	21.718	0.170	2.4E+3	10E -6
2	ALUMINUM	68.948	0.330	2.71E+3	23E -6
3	STEEL_50_KSI	199.948	0.300	7.83E+3	11.7E -6
4	STAINLESSSTEEL	197.930	0.300	7.83E+3	18E -6
5	STEEL_36_KSI	199.948	0.300	7.83E+3	11.7E -6
6	STEEL_275_NMM2	205.000	0.300	7.85E+3	12E -6
7	STEEL	205.000	0.300	7.83E+3	12E -6
8	STEEL_355_NMM2	205.000	0.300	7.85E+3	12E -6

Supports

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
1	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
2	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
3	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
4	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
5	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
6	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
7	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
8	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
9	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
10	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
11	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
12	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
13	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
14	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
15	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
16	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
17	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
18	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
19	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
20	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
21	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
22	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
23	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
24	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
25	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
26	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
27	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
28	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
29	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
30	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
31	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
32	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
33	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
34	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
35	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
36	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
37	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
38	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
39	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
40	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
41	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
42	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
43	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
44	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
45	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
46	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
47	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
48	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
49	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
50	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
51	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
52	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
53	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
54	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
55	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
56	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
57	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
58	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
59	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
60	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
61	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
62	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
63	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
64	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
65	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
66	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
67	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
68	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
69	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
70	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
71	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
72	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
73	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
74	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
75	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
76	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
77	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
78	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
79	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
80	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
81	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
82	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
83	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
84	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
85	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
86	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
87	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
88	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
89	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
90	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
91	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
92	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
93	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
94	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
95	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
96	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
97	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
98	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
99	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
100	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
101	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
102	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
103	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
104	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
105	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
106	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
107	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
108	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
109	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
110	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
111	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
112	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
113	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
114	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
115	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
116	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
117	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
118	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
119	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
120	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
121	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
122	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
123	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
124	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
125	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
126	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
127	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
128	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
129	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
130	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
131	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
132	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
133	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
134	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
135	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
136	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
137	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
138	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
139	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
140	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
141	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
142	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
143	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
144	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
145	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
146	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
147	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
148	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
149	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
150	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
151	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
152	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
153	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
154	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
155	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
156	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
157	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
158	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
159	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
160	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
161	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
162	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
163	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
164	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
165	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
166	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
167	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
168	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
169	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
170	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
171	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
172	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
173	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
174	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
175	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
176	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
177	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
178	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
179	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
180	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
181	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
182	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
183	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
184	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
185	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
186	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
187	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
188	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
189	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
190	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
191	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
192	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
193	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
194	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
195	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
196	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
197	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
198	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
199	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
200	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
201	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
202	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
203	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
204	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
205	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
206	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
207	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
208	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
209	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
210	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
211	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
212	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
213	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
214	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
215	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
216	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
217	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
218	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
219	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
220	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
221	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
222	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
223	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
224	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
225	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
226	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
227	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
228	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
229	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
230	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
231	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
232	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
233	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
234	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
235	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
236	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
237	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
238	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
239	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
240	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
241	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
242	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
243	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
244	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
245	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
246	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
247	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
248	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
249	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
250	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
251	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
252	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
253	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
254	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
255	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
256	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
257	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
258	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
259	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
260	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
261	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
262	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
263	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
264	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
265	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
266	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
267	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
268	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
269	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
270	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
271	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
272	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
273	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
274	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
275	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
276	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
277	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
278	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
279	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
280	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
281	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
282	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
283	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
284	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
285	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
286	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
287	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
288	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
289	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
290	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
291	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
292	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
293	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
294	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
295	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
296	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
297	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
298	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
299	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
300	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
301	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
302	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
303	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
304	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
305	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
306	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
307	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
308	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
309	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
310	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
311	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
312	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
313	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
314	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
315	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
316	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
317	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
318	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
319	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
320	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
321	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
322	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
323	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
324	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
325	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
326	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
327	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
328	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
329	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
330	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
331	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
332	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
333	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
334	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
335	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
336	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
337	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
338	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
339	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
340	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
341	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
342	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
343	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
344	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
345	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
346	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
347	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
348	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
349	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
350	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
351	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
352	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
353	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
354	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
355	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
356	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
357	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
358	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
359	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
360	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
361	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
362	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
363	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
364	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
365	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
366	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
367	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
368	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
369	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
370	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
371	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
372	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
373	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
374	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
375	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
376	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
377	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
378	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
379	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
380	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
381	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
382	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
383	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
384	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
385	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
386	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
387	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
388	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
389	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
390	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
391	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
392	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
393	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
394	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
395	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
396	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
397	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
398	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
399	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
400	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
401	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
402	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
403	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
404	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
405	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
406	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
407	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
408	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
409	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
410	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
411	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
412	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
413	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
414	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
415	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
416	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
417	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
418	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
419	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
420	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
421	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
422	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
423	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
424	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
425	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
426	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
427	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
428	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
429	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
430	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
431	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
432	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
433	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
434	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
435	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
436	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
437	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
438	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
439	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
440	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
441	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
442	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
443	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
444	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
445	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
446	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
447	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
448	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
449	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
450	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
451	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
452	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
453	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
454	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
455	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
456	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
457	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
458	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
459	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
460	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
461	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
462	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
463	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
464	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
465	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
466	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
467	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
468	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
469	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
470	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
471	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
472	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
473	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
474	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
475	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
476	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
477	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
478	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
479	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
480	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
481	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
482	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
483	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
484	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
485	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
486	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
487	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
488	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
489	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
490	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
491	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
492	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
493	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
494	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
495	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
496	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
497	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
498	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
499	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
500	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
501	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
502	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
503	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
504	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
505	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
506	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
507	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
508	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
509	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
510	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
511	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
512	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
513	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
514	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
515	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
516	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
517	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
518	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
519	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
520	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
521	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
522	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
523	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
524	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
525	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
526	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
527	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
528	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
529	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
530	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
531	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
532	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
533	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
534	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
535	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
536	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
537	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
538	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
539	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
540	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
541	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
542	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
543	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
544	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
545	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
546	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
547	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
548	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
549	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
550	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
551	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
552	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
553	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
554	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
555	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
556	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
557	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
558	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
559	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
560	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
561	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
562	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
563	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
564	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
565	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
566	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
567	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
568	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
569	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
570	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
571	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
572	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
573	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
574	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
575	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
576	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
577	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
578	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
579	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
580	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
581	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
582	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
583	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
584	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
585	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
586	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
587	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
588	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
589	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
590	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
591	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
592	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
593	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
594	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
595	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
596	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
597	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
598	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
599	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
600	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
601	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
602	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
603	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
604	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
605	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
606	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
607	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
608	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
609	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
610	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
611	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
612	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
613	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
614	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
615	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
616	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
617	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
618	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
619	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
620	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
621	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
622	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
623	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
624	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
625	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
626	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
627	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
628	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
629	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
630	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
631	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
632	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
633	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
634	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
635	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
636	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
637	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
638	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
639	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
640	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
641	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
642	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
643	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
644	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
645	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
646	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
647	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
648	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
649	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
650	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
651	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
652	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
653	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
654	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
655	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
656	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
657	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
658	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
659	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
660	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
661	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
662	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
663	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
664	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
665	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
666	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
667	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
668	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
669	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
670	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
671	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
672	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
673	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
674	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
675	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
676	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
677	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
678	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
679	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
680	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
681	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
682	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
683	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
684	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
685	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
686	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
687	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
688	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
689	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
690	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
691	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
692	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
693	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
694	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
695	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
696	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
697	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
698	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
699	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
700	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
701	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
702	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
703	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
704	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
705	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
706	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
707	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
708	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
709	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
710	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
711	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
712	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
713	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
714	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
715	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
716	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
717	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
718	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
719	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
720	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
721	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
722	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
723	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
724	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
725	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
726	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
727	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
728	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
729	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
730	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
731	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
732	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
733	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
734	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
735	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
736	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
737	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
738	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
739	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
740	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
741	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
742	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
743	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
744	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
745	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
746	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
747	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
748	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
749	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
750	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
751	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
752	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
753	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
754	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
755	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
756	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
757	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
758	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
759	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
760	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
761	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
762	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
763	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
764	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
765	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
766	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
767	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
768	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
769	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
770	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
771	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
772	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
773	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
774	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
775	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
776	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
777	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
778	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
779	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
780	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
781	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
782	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
783	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
784	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
785	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
786	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
787	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
788	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
789	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
790	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
791	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
792	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
793	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
794	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
795	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
796	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
797	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
798	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
799	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
800	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
801	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
802	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
803	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
804	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
805	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
806	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
807	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
808	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
809	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
810	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
811	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
812	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
813	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
814	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
815	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
816	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
817	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
818	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
819	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
820	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
821	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
822	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
823	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
824	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
825	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
826	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
827	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
828	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
829	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
830	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
831	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
832	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
833	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
834	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
835	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
836	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
837	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
838	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
839	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
840	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
841	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
842	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
843	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
844	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
845	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
846	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
847	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
848	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
849	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
850	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
851	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
852	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
853	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Supports Cont...

Node	X (kN/mm)	Y (kN/mm)	Z (kN/mm)	rX (kN-m/deg)	rY (kN-m/deg)	rZ (kN-m/deg)
854	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
855	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
856	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
857	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
858	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
859	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
860	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
861	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
862	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
863	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
864	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
865	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
866	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
867	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
868	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
869	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
870	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
871	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
872	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
873	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
874	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
875	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
876	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
877	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
878	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
879	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
880	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
881	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
882	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
883	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
884	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
885	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
886	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
887	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
888	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
889	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
890	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

Releases

There is no data of this type.

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

Primary Load Cases

Number	Name	Type
1	DEAD LOAD OF STRUCTURE (D_S)	None
2	DEAD LOAD OF EARTH (D_E)	None
3	LATERIAL EARTH PRESSURE DUE TO E	None
4	LIVE LOAD DUE TO SRCHARGE (L_S)	None
5	WIND LOAD (W)	None
6	SEISMIC LOAD (E)	None
101	1.0*(D_S+D_E)+1.0*H	None
102	1.0*(D_S+D_E)+1.0*(L_S)+1.0*H	None
103	1.0*(D_S+D_E)+1.0*H+0.7*E	None
104	0.6*(D_S+D_E)+1.0*H+0.7*E	None
105	1.0*D_S+1.0*W	None
106	1.0*D_S-1.0*W	None
201	1.4*(D_S)	None
202	1.4*(D_S+D_E)+1.7*(L_S)+1.7*H	None
203	0.9*(D_S+D_E)+1.0*E+1.6*H	None
204	1.2*(D_S+D_E)+1.0*E+0.5*(L_S)	None

Combination Load Cases

There is no data of this type.

Load Generators

There is no data of this type.

1 DEAD LOAD OF STRUCTURE (D_S) : Selfweight

Direction	Factor	Assigned Geometry
Y	-1.000	ALL

2 DEAD LOAD OF EARTH (D_E) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1000	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1001	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1002	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1003	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1004	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1005	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1006	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1006	PRE N/mm2	GY	-0.242	-	-	-	-	-
1007	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1008	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1009	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1010	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1011	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1012	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1013	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1014	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1015	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1016	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1017	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1018	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1019	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1020	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1021	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1022	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1023	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1024	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1025	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1026	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1027	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1028	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1029	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1030	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1031	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1032	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1033	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1034	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1035	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1036	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1037	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1038	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1039	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1040	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1041	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1042	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1043	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1044	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1045	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1046	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1047	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1048	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1049	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1050	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1051	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1052	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1053	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1054	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1055	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1055	PRE N/mm2	GY	-0.183	-	-	-	-	-
1056	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1057	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1058	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1059	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1060	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1061	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1062	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1063	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1064	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1065	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1066	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1067	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1068	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1069	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1070	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1071	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1072	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1073	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1074	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1075	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1076	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1077	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1078	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1079	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1080	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1081	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1082	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1083	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1084	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1085	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1086	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1087	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1088	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1089	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1090	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1091	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1092	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1093	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1094	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1095	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1096	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1097	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1098	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1099	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1100	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1101	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1102	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1103	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1104	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1104	PRE N/mm2	GY	-0.157	-	-	-	-	-
1105	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1106	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1107	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1108	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1109	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1110	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1111	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1112	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1113	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1114	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1115	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1116	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1117	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1118	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1119	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1120	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1121	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1122	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1123	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1124	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1125	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1126	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1127	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1128	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1129	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1130	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1131	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1132	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1133	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1134	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1135	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1136	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1137	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1138	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1139	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1140	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1141	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1142	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1143	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1144	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1145	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1146	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1147	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1148	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1149	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1150	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1151	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1152	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1153	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1153	PRE N/mm2	GY	-0.178	-	-	-	-	-
1154	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1155	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1156	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1157	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1158	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1159	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1160	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1161	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1162	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1163	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1164	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1165	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1166	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1167	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1168	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1169	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1170	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1171	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1172	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1173	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1174	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1175	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1176	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1177	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1178	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1179	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1180	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1181	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1182	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1183	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1184	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1185	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1186	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1187	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1188	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1189	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1190	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1191	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1192	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1193	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1194	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1195	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1196	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1197	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1198	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1199	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1200	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1201	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1202	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1202	PRE N/mm2	GY	-0.173	-	-	-	-	-
1203	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1204	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1205	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1206	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1207	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1208	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1209	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1210	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1211	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1212	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1213	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1214	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1215	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1216	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1217	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1218	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1219	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1220	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1221	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1222	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1223	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1224	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1225	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1226	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1227	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1228	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1229	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1230	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1231	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1232	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1233	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1234	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1235	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1236	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1237	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1238	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1239	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1240	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1241	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1242	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1243	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1244	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1245	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1246	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1247	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1248	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1249	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1250	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1251	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1251	PRE N/mm2	GY	-0.178	-	-	-	-	-
1252	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1253	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1254	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1255	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1256	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1257	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1258	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1259	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1260	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1261	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1262	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1263	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1264	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1265	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1266	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1267	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1268	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1269	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1270	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1271	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1272	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1273	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1274	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1275	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1276	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1277	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1278	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1279	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1280	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1281	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1282	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1283	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1284	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1285	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1286	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1287	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1288	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1289	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1290	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1291	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1292	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1293	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1294	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1295	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1296	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1297	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1298	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1299	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1300	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1300	PRE N/mm2	GY	-0.066	-	-	-	-	-
1301	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1302	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1303	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1304	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1305	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1306	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1307	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1308	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1309	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1310	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1311	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1312	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1313	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1314	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1315	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1316	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1317	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1318	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1319	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1320	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1321	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1322	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1323	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1324	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1325	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1327	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1329	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1330	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1331	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1332	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1333	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1334	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1335	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1336	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1337	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1338	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1339	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1340	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1341	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1342	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1343	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1344	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1346	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1347	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1349	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1350	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1351	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1352	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1353	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1353	PRE N/mm2	GY	-0.035	-	-	-	-	-
1354	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1355	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1356	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1357	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1358	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1359	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1360	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1361	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1362	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1363	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1364	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1365	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1366	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1367	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1368	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1369	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1370	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1372	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1373	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1375	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1376	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1377	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1378	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1379	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1380	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1381	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1382	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1383	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1384	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1385	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1386	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1387	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1388	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1389	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1390	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1391	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1392	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1393	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1394	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1395	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1397	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1399	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1400	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1401	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1402	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1403	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1404	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1405	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1406	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1406	PRE N/mm2	GY	-0.082	-	-	-	-	-
1407	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1408	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1409	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1410	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1411	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1412	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1413	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1414	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1415	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1416	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1417	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1419	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1421	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1422	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1423	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1424	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1425	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1426	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1427	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1428	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1429	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1430	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1431	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1432	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1433	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1434	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1435	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1436	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1438	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1440	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1441	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1442	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1443	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1444	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1445	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1446	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1447	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1448	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1449	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1450	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1451	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1452	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1453	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1454	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1456	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1458	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1459	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1460	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.253	-	-	-	-	-
1461	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1461	PRE N/mm2	GY	-0.247	-	-	-	-	-
1462	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1463	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1464	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1465	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1466	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1467	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1468	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1469	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1470	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1471	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1472	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1473	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1474	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1475	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1476	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1477	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1478	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1479	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1480	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1481	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1482	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1483	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1484	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1485	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1486	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1487	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1488	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1489	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1491	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1493	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1494	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-
1495	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1496	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1497	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1498	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1499	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1500	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1501	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1502	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1503	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1504	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1505	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1506	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1507	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1508	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1509	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1510	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1511	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1512	PRE N/mm2	GY	-0.030	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1512	PRE N/mm2	GY	-0.034	-	-	-	-	-
1513	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1514	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1517	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1520	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1521	PRE N/mm2	GY	-0.019	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1522	PRE N/mm2	GY	-0.025	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1523	PRE N/mm2	GY	-0.030	-	-	-	-	-
	PRE N/mm2	GY	-0.034	-	-	-	-	-
1524	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.035	-	-	-	-	-
1525	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.040	-	-	-	-	-
1526	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.045	-	-	-	-	-
1527	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.050	-	-	-	-	-
1528	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.055	-	-	-	-	-
1529	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.061	-	-	-	-	-
1530	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.066	-	-	-	-	-
1531	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.071	-	-	-	-	-
1532	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.077	-	-	-	-	-
1533	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.082	-	-	-	-	-
1534	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.087	-	-	-	-	-
1535	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.093	-	-	-	-	-
1536	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.098	-	-	-	-	-
1537	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.103	-	-	-	-	-
1538	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.109	-	-	-	-	-
1539	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.114	-	-	-	-	-
1540	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.119	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1541	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.125	-	-	-	-	-
1542	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.130	-	-	-	-	-
1543	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.135	-	-	-	-	-
1544	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.141	-	-	-	-	-
1545	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.146	-	-	-	-	-
1546	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.151	-	-	-	-	-
1547	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.157	-	-	-	-	-
1548	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.162	-	-	-	-	-
1549	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.167	-	-	-	-	-
1550	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.173	-	-	-	-	-
1551	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.178	-	-	-	-	-
1552	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.183	-	-	-	-	-
1553	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.189	-	-	-	-	-
1554	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.194	-	-	-	-	-
1555	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.199	-	-	-	-	-
1556	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.205	-	-	-	-	-
1557	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.210	-	-	-	-	-
1558	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.215	-	-	-	-	-
1559	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.221	-	-	-	-	-
1560	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.226	-	-	-	-	-
1561	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.231	-	-	-	-	-
1562	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.237	-	-	-	-	-
1563	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.242	-	-	-	-	-
1564	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.247	-	-	-	-	-
1565	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1565	PRE N/mm2	GY	-0.253	-	-	-	-	-
1566	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.258	-	-	-	-	-
1567	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.263	-	-	-	-	-
1568	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.271	-	-	-	-	-
1569	PRE N/mm2	GY	-0.034	-	-	-	-	-
	PRE N/mm2	GY	-0.279	-	-	-	-	-
1673	PRE N/mm2	GY	-0.034	-	-	-	-	-
1674	PRE N/mm2	GY	-0.034	-	-	-	-	-
1675	PRE N/mm2	GY	-0.034	-	-	-	-	-
1676	PRE N/mm2	GY	-0.034	-	-	-	-	-
1677	PRE N/mm2	GY	-0.034	-	-	-	-	-
1678	PRE N/mm2	GY	-0.034	-	-	-	-	-
1679	PRE N/mm2	GY	-0.034	-	-	-	-	-
1680	PRE N/mm2	GY	-0.034	-	-	-	-	-
1681	PRE N/mm2	GY	-0.034	-	-	-	-	-
1682	PRE N/mm2	GY	-0.034	-	-	-	-	-
1683	PRE N/mm2	GY	-0.034	-	-	-	-	-
1684	PRE N/mm2	GY	-0.034	-	-	-	-	-
1685	PRE N/mm2	GY	-0.034	-	-	-	-	-
1686	PRE N/mm2	GY	-0.034	-	-	-	-	-
1687	PRE N/mm2	GY	-0.034	-	-	-	-	-
1688	PRE N/mm2	GY	-0.034	-	-	-	-	-
1689	PRE N/mm2	GY	-0.034	-	-	-	-	-
1690	PRE N/mm2	GY	-0.034	-	-	-	-	-
1691	PRE N/mm2	GY	-0.034	-	-	-	-	-
1692	PRE N/mm2	GY	-0.034	-	-	-	-	-
1693	PRE N/mm2	GY	-0.034	-	-	-	-	-
1694	PRE N/mm2	GY	-0.034	-	-	-	-	-
1695	PRE N/mm2	GY	-0.034	-	-	-	-	-
1696	PRE N/mm2	GY	-0.034	-	-	-	-	-
1697	PRE N/mm2	GY	-0.034	-	-	-	-	-
1698	PRE N/mm2	GY	-0.034	-	-	-	-	-
1699	PRE N/mm2	GY	-0.034	-	-	-	-	-
1700	PRE N/mm2	GY	-0.034	-	-	-	-	-
1701	PRE N/mm2	GY	-0.034	-	-	-	-	-
1702	PRE N/mm2	GY	-0.034	-	-	-	-	-
1703	PRE N/mm2	GY	-0.034	-	-	-	-	-
1704	PRE N/mm2	GY	-0.034	-	-	-	-	-
1705	PRE N/mm2	GY	-0.034	-	-	-	-	-
1706	PRE N/mm2	GY	-0.034	-	-	-	-	-
1707	PRE N/mm2	GY	-0.034	-	-	-	-	-
1708	PRE N/mm2	GY	-0.034	-	-	-	-	-
1709	PRE N/mm2	GY	-0.034	-	-	-	-	-
1710	PRE N/mm2	GY	-0.034	-	-	-	-	-
1711	PRE N/mm2	GY	-0.034	-	-	-	-	-
1712	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1713	PRE N/mm2	GY	-0.034	-	-	-	-	-
1714	PRE N/mm2	GY	-0.034	-	-	-	-	-
1715	PRE N/mm2	GY	-0.034	-	-	-	-	-
1716	PRE N/mm2	GY	-0.034	-	-	-	-	-
1717	PRE N/mm2	GY	-0.034	-	-	-	-	-
1718	PRE N/mm2	GY	-0.034	-	-	-	-	-
1719	PRE N/mm2	GY	-0.034	-	-	-	-	-
1720	PRE N/mm2	GY	-0.034	-	-	-	-	-
1721	PRE N/mm2	GY	-0.034	-	-	-	-	-
1722	PRE N/mm2	GY	-0.034	-	-	-	-	-
1724	PRE N/mm2	GY	-0.034	-	-	-	-	-
1725	PRE N/mm2	GY	-0.034	-	-	-	-	-
1726	PRE N/mm2	GY	-0.034	-	-	-	-	-
1727	PRE N/mm2	GY	-0.034	-	-	-	-	-
1728	PRE N/mm2	GY	-0.034	-	-	-	-	-
1729	PRE N/mm2	GY	-0.034	-	-	-	-	-
1730	PRE N/mm2	GY	-0.034	-	-	-	-	-
1731	PRE N/mm2	GY	-0.034	-	-	-	-	-
1732	PRE N/mm2	GY	-0.034	-	-	-	-	-
1733	PRE N/mm2	GY	-0.034	-	-	-	-	-
1734	PRE N/mm2	GY	-0.034	-	-	-	-	-
1735	PRE N/mm2	GY	-0.034	-	-	-	-	-
1736	PRE N/mm2	GY	-0.034	-	-	-	-	-
1737	PRE N/mm2	GY	-0.034	-	-	-	-	-
1738	PRE N/mm2	GY	-0.034	-	-	-	-	-
1739	PRE N/mm2	GY	-0.034	-	-	-	-	-
1740	PRE N/mm2	GY	-0.034	-	-	-	-	-
1741	PRE N/mm2	GY	-0.034	-	-	-	-	-
1742	PRE N/mm2	GY	-0.034	-	-	-	-	-
1743	PRE N/mm2	GY	-0.034	-	-	-	-	-
1744	PRE N/mm2	GY	-0.034	-	-	-	-	-
1745	PRE N/mm2	GY	-0.034	-	-	-	-	-
1746	PRE N/mm2	GY	-0.034	-	-	-	-	-
1747	PRE N/mm2	GY	-0.034	-	-	-	-	-
1748	PRE N/mm2	GY	-0.034	-	-	-	-	-
1749	PRE N/mm2	GY	-0.034	-	-	-	-	-
1750	PRE N/mm2	GY	-0.034	-	-	-	-	-
1751	PRE N/mm2	GY	-0.034	-	-	-	-	-
1752	PRE N/mm2	GY	-0.034	-	-	-	-	-
1753	PRE N/mm2	GY	-0.034	-	-	-	-	-
1754	PRE N/mm2	GY	-0.034	-	-	-	-	-
1755	PRE N/mm2	GY	-0.034	-	-	-	-	-
1756	PRE N/mm2	GY	-0.034	-	-	-	-	-
1758	PRE N/mm2	GY	-0.034	-	-	-	-	-
1759	PRE N/mm2	GY	-0.034	-	-	-	-	-
1760	PRE N/mm2	GY	-0.034	-	-	-	-	-
1761	PRE N/mm2	GY	-0.034	-	-	-	-	-
1762	PRE N/mm2	GY	-0.034	-	-	-	-	-
1763	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1764	PRE N/mm2	GY	-0.034	-	-	-	-	-
1765	PRE N/mm2	GY	-0.034	-	-	-	-	-
1766	PRE N/mm2	GY	-0.034	-	-	-	-	-
1767	PRE N/mm2	GY	-0.034	-	-	-	-	-
1768	PRE N/mm2	GY	-0.034	-	-	-	-	-
1769	PRE N/mm2	GY	-0.034	-	-	-	-	-
1770	PRE N/mm2	GY	-0.034	-	-	-	-	-
1771	PRE N/mm2	GY	-0.034	-	-	-	-	-
1772	PRE N/mm2	GY	-0.034	-	-	-	-	-
1773	PRE N/mm2	GY	-0.034	-	-	-	-	-
1774	PRE N/mm2	GY	-0.034	-	-	-	-	-
1775	PRE N/mm2	GY	-0.034	-	-	-	-	-
1776	PRE N/mm2	GY	-0.034	-	-	-	-	-
1777	PRE N/mm2	GY	-0.034	-	-	-	-	-
1778	PRE N/mm2	GY	-0.034	-	-	-	-	-
1779	PRE N/mm2	GY	-0.034	-	-	-	-	-
1780	PRE N/mm2	GY	-0.034	-	-	-	-	-
1781	PRE N/mm2	GY	-0.034	-	-	-	-	-
1782	PRE N/mm2	GY	-0.034	-	-	-	-	-
1783	PRE N/mm2	GY	-0.034	-	-	-	-	-
1784	PRE N/mm2	GY	-0.034	-	-	-	-	-
1785	PRE N/mm2	GY	-0.034	-	-	-	-	-
1786	PRE N/mm2	GY	-0.034	-	-	-	-	-
1787	PRE N/mm2	GY	-0.034	-	-	-	-	-
1788	PRE N/mm2	GY	-0.034	-	-	-	-	-
1789	PRE N/mm2	GY	-0.034	-	-	-	-	-
1790	PRE N/mm2	GY	-0.034	-	-	-	-	-
1791	PRE N/mm2	GY	-0.034	-	-	-	-	-
1792	PRE N/mm2	GY	-0.034	-	-	-	-	-
1793	PRE N/mm2	GY	-0.034	-	-	-	-	-
1794	PRE N/mm2	GY	-0.034	-	-	-	-	-
1795	PRE N/mm2	GY	-0.034	-	-	-	-	-
1796	PRE N/mm2	GY	-0.034	-	-	-	-	-
1797	PRE N/mm2	GY	-0.034	-	-	-	-	-
1798	PRE N/mm2	GY	-0.034	-	-	-	-	-
1799	PRE N/mm2	GY	-0.034	-	-	-	-	-
1800	PRE N/mm2	GY	-0.034	-	-	-	-	-
1801	PRE N/mm2	GY	-0.034	-	-	-	-	-
1802	PRE N/mm2	GY	-0.034	-	-	-	-	-
1803	PRE N/mm2	GY	-0.034	-	-	-	-	-
1804	PRE N/mm2	GY	-0.034	-	-	-	-	-
1805	PRE N/mm2	GY	-0.034	-	-	-	-	-
1806	PRE N/mm2	GY	-0.034	-	-	-	-	-
1807	PRE N/mm2	GY	-0.034	-	-	-	-	-
1808	PRE N/mm2	GY	-0.034	-	-	-	-	-
1809	PRE N/mm2	GY	-0.034	-	-	-	-	-
1810	PRE N/mm2	GY	-0.034	-	-	-	-	-
1811	PRE N/mm2	GY	-0.034	-	-	-	-	-
1812	PRE N/mm2	GY	-0.034	-	-	-	-	-

2 DEAD LOAD OF EARTH (D_E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1813	PRE N/mm2	GY	-0.034	-	-	-	-	-
1814	PRE N/mm2	GY	-0.034	-	-	-	-	-
1815	PRE N/mm2	GY	-0.034	-	-	-	-	-
1816	PRE N/mm2	GY	-0.034	-	-	-	-	-
1817	PRE N/mm2	GY	-0.034	-	-	-	-	-
1818	PRE N/mm2	GY	-0.034	-	-	-	-	-
1819	PRE N/mm2	GY	-0.034	-	-	-	-	-
1820	PRE N/mm2	GY	-0.034	-	-	-	-	-
1821	PRE N/mm2	GY	-0.034	-	-	-	-	-
1822	PRE N/mm2	GY	-0.034	-	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2224	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2227	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2232	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2235	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2239	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2242	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2245	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2250	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2254	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2255	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2263	TRAP N/mm2	Z	0.013239	0.013239	-	-	-	-
2272	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
2273	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
2274	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
2275	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
2276	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
2277	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
2278	TRAP N/mm2	Z	0.023	0.023	-	-	-	-
2279	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2280	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2281	TRAP N/mm2	Z	0.027	0.027	-	-	-	-
2282	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
2283	TRAP N/mm2	Z	0.02942	0.02942	-	-	-	-
2284	TRAP N/mm2	Z	0.02942	0.02942	-	-	-	-
2285	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
2286	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
2287	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
2288	TRAP N/mm2	Z	0.037	0.037	-	-	-	-
2289	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
2290	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
2291	TRAP N/mm2	Z	0.040	0.040	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2292	TRAP N/mm2	Z	0.043	0.043	-	-	-	-
2293	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
2294	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
2295	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
2296	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
2297	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
2298	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
2299	TRAP N/mm2	Z	0.053152	0.053152	-	-	-	-
2300	TRAP N/mm2	Z	0.054623	0.054623	-	-	-	-
2301	TRAP N/mm2	Z	0.056	0.056	-	-	-	-
2302	TRAP N/mm2	Z	0.057	0.057	-	-	-	-
2303	TRAP N/mm2	Z	0.059	0.059	-	-	-	-
2304	TRAP N/mm2	Z	0.060	0.060	-	-	-	-
2305	TRAP N/mm2	Z	0.060	0.060	-	-	-	-
2306	TRAP N/mm2	Z	0.063	0.063	-	-	-	-
2307	TRAP N/mm2	Z	0.065	0.065	-	-	-	-
2308	TRAP N/mm2	Z	0.066	0.066	-	-	-	-
2309	TRAP N/mm2	Z	0.068	0.068	-	-	-	-
2310	TRAP N/mm2	Z	0.069	0.069	-	-	-	-
2311	TRAP N/mm2	Z	0.072	0.072	-	-	-	-
2312	TRAP N/mm2	Z	0.073	0.073	-	-	-	-
2313	TRAP N/mm2	Z	0.075	0.075	-	-	-	-
2314	TRAP N/mm2	Z	0.076	0.076	-	-	-	-
2315	TRAP N/mm2	Z	0.077	0.077	-	-	-	-
2316	TRAP N/mm2	Z	0.078	0.078	-	-	-	-
2317	TRAP N/mm2	Z	0.081	0.081	-	-	-	-
2318	TRAP N/mm2	Z	0.082	0.082	-	-	-	-
2319	TRAP N/mm2	Z	0.083	0.083	-	-	-	-
2320	TRAP N/mm2	Z	0.085	0.085	-	-	-	-
2397	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2400	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2405	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2408	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2412	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2415	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2418	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2423	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2427	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2428	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2436	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2445	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
2446	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
2447	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
2448	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
2449	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
2450	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
2451	TRAP N/mm2	Z	0.020	0.020	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2452	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
2453	TRAP N/mm2	Z	0.023	0.023	-	-	-	-
2454	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2455	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
2456	TRAP N/mm2	Z	0.027	0.027	-	-	-	-
2457	TRAP N/mm2	Z	0.027	0.027	-	-	-	-
2458	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
2459	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
2460	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
2461	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
2462	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
2463	TRAP N/mm2	Z	0.037717	0.037717	-	-	-	-
2464	TRAP N/mm2	Z	0.037717	0.037717	-	-	-	-
2465	TRAP N/mm2	Z	0.040564	0.040564	-	-	-	-
2466	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
2467	TRAP N/mm2	Z	0.043	0.043	-	-	-	-
2468	TRAP N/mm2	Z	0.045	0.045	-	-	-	-
2469	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
2470	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
2471	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
2472	TRAP N/mm2	Z	0.051	0.051	-	-	-	-
2473	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
2474	TRAP N/mm2	Z	0.05327	0.05327	-	-	-	-
2475	TRAP N/mm2	Z	0.054	0.054	-	-	-	-
2476	TRAP N/mm2	Z	0.056	0.056	-	-	-	-
2477	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
2478	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
2479	TRAP N/mm2	Z	0.061	0.061	-	-	-	-
2480	TRAP N/mm2	Z	0.062	0.062	-	-	-	-
2481	TRAP N/mm2	Z	0.063	0.063	-	-	-	-
2482	TRAP N/mm2	Z	0.065	0.065	-	-	-	-
2483	TRAP N/mm2	Z	0.066	0.066	-	-	-	-
2484	TRAP N/mm2	Z	0.069	0.069	-	-	-	-
2485	TRAP N/mm2	Z	0.070	0.070	-	-	-	-
2486	TRAP N/mm2	Z	0.072	0.072	-	-	-	-
2487	TRAP N/mm2	Z	0.073	0.073	-	-	-	-
2488	TRAP N/mm2	Z	0.074558	0.074558	-	-	-	-
2489	TRAP N/mm2	Z	0.076	0.076	-	-	-	-
2490	TRAP N/mm2	Z	0.078	0.078	-	-	-	-
2491	TRAP N/mm2	Z	0.079	0.079	-	-	-	-
2492	TRAP N/mm2	Z	0.080	0.080	-	-	-	-
2493	TRAP N/mm2	Z	0.082	0.082	-	-	-	-
2563	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2565	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2569	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2574	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2578	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2580	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2583	TRAP N/mm2	Z	0.009	0.009	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2589	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2593	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2594	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2602	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2611	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2612	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
2613	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
2614	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
2615	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
2616	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
2617	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
2618	TRAP N/mm2	Z	0.02001	0.02001	-	-	-	-
2619	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
2620	TRAP N/mm2	Z	0.022534	0.022534	-	-	-	-
2621	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
2622	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2623	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2624	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
2625	TRAP N/mm2	Z	0.029	0.029	-	-	-	-
2626	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
2627	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
2628	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
2629	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
2630	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
2631	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
2632	TRAP N/mm2	Z	0.039223	0.039223	-	-	-	-
2633	TRAP N/mm2	Z	0.041	0.041	-	-	-	-
2634	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
2635	TRAP N/mm2	Z	0.043	0.043	-	-	-	-
2636	TRAP N/mm2	Z	0.045193	0.045193	-	-	-	-
2637	TRAP N/mm2	Z	0.045193	0.045193	-	-	-	-
2638	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
2639	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
2640	TRAP N/mm2	Z	0.050861	0.050861	-	-	-	-
2641	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
2642	TRAP N/mm2	Z	0.054	0.054	-	-	-	-
2643	TRAP N/mm2	Z	0.055	0.055	-	-	-	-
2644	TRAP N/mm2	Z	0.055	0.055	-	-	-	-
2645	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
2646	TRAP N/mm2	Z	0.059	0.059	-	-	-	-
2647	TRAP N/mm2	Z	0.060441	0.060441	-	-	-	-
2648	TRAP N/mm2	Z	0.062	0.062	-	-	-	-
2649	TRAP N/mm2	Z	0.063	0.063	-	-	-	-
2650	TRAP N/mm2	Z	0.066	0.066	-	-	-	-
2651	TRAP N/mm2	Z	0.067	0.067	-	-	-	-
2652	TRAP N/mm2	Z	0.069	0.069	-	-	-	-
2653	TRAP N/mm2	Z	0.071	0.071	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2654	TRAP N/mm2	Z	0.072	0.072	-	-	-	-
2655	TRAP N/mm2	Z	0.073	0.073	-	-	-	-
2656	TRAP N/mm2	Z	0.075	0.075	-	-	-	-
2657	TRAP N/mm2	Z	0.076	0.076	-	-	-	-
2658	TRAP N/mm2	Z	0.078	0.078	-	-	-	-
2659	TRAP N/mm2	Z	0.079	0.079	-	-	-	-
2712	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2715	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2719	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2724	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2727	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2732	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2735	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2741	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2745	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2746	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2754	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2763	TRAP N/mm2	Z	0.008	0.008	-	-	-	-
2764	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
2765	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2766	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
2767	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
2768	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
2769	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
2770	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
2771	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
2772	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
2773	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
2774	TRAP N/mm2	Z	0.022258	0.022258	-	-	-	-
2775	TRAP N/mm2	Z	0.022258	0.022258	-	-	-	-
2776	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2777	TRAP N/mm2	Z	0.027	0.027	-	-	-	-
2778	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
2779	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
2780	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
2781	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
2782	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
2783	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
2784	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
2785	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
2786	TRAP N/mm2	Z	0.039	0.039	-	-	-	-
2787	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
2788	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
2789	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
2790	TRAP N/mm2	Z	0.045	0.045	-	-	-	-
2791	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
2792	TRAP N/mm2	Z	0.048	0.048	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2793	TRAP N/mm2	Z	0.049	0.049	-	-	-	-
2794	TRAP N/mm2	Z	0.051	0.051	-	-	-	-
2795	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
2796	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
2797	TRAP N/mm2	Z	0.055	0.055	-	-	-	-
2798	TRAP N/mm2	Z	0.056	0.056	-	-	-	-
2799	TRAP N/mm2	Z	0.057	0.057	-	-	-	-
2800	TRAP N/mm2	Z	0.059	0.059	-	-	-	-
2801	TRAP N/mm2	Z	0.060	0.060	-	-	-	-
2802	TRAP N/mm2	Z	0.063	0.063	-	-	-	-
2803	TRAP N/mm2	Z	0.064	0.064	-	-	-	-
2804	TRAP N/mm2	Z	0.066	0.066	-	-	-	-
2805	TRAP N/mm2	Z	0.067	0.067	-	-	-	-
2806	TRAP N/mm2	Z	0.069	0.069	-	-	-	-
2807	TRAP N/mm2	Z	0.070	0.070	-	-	-	-
2808	TRAP N/mm2	Z	0.072	0.072	-	-	-	-
2809	TRAP N/mm2	Z	0.073	0.073	-	-	-	-
2810	TRAP N/mm2	Z	0.074	0.074	-	-	-	-
2811	TRAP N/mm2	Z	0.076	0.076	-	-	-	-
2854	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2858	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2863	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2868	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2871	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2875	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2878	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2886	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2890	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2891	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2899	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
2908	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
2909	TRAP N/mm2	Z	0.008	0.008	-	-	-	-
2910	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
2911	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
2912	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
	TRAP N/mm2	Z	0.012	0.012	-	-	-	-
2913	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
	TRAP N/mm2	Z	0.012	0.012	-	-	-	-
2914	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
2915	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
2916	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
2917	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
2918	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
2919	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
2920	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
2921	TRAP N/mm2	Z	0.022723	0.022723	-	-	-	-
2922	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
2923	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
2924	TRAP N/mm2	Z	0.027	0.027	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2925	TRAP N/mm2	Z	0.029	0.029	-	-	-	-
2926	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
2927	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
2928	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
2929	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
2930	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
2931	TRAP N/mm2	Z	0.037227	0.037227	-	-	-	-
2932	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
2933	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
2934	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
2935	TRAP N/mm2	Z	0.043	0.043	-	-	-	-
2936	TRAP N/mm2	Z	0.045	0.045	-	-	-	-
2937	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
2938	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
2939	TRAP N/mm2	Z	0.049	0.049	-	-	-	-
2940	TRAP N/mm2	Z	0.050165	0.050165	-	-	-	-
2941	TRAP N/mm2	Z	0.050165	0.050165	-	-	-	-
2942	TRAP N/mm2	Z	0.053	0.053	-	-	-	-
2943	TRAP N/mm2	Z	0.054	0.054	-	-	-	-
2944	TRAP N/mm2	Z	0.055	0.055	-	-	-	-
2945	TRAP N/mm2	Z	0.057	0.057	-	-	-	-
2946	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
2947	TRAP N/mm2	Z	0.061	0.061	-	-	-	-
2948	TRAP N/mm2	Z	0.061982	0.061982	-	-	-	-
2949	TRAP N/mm2	Z	0.064	0.064	-	-	-	-
2950	TRAP N/mm2	Z	0.065	0.065	-	-	-	-
2951	TRAP N/mm2	Z	0.066	0.066	-	-	-	-
2952	TRAP N/mm2	Z	0.067	0.067	-	-	-	-
2953	TRAP N/mm2	Z	0.069	0.069	-	-	-	-
2954	TRAP N/mm2	Z	0.071	0.071	-	-	-	-
2955	TRAP N/mm2	Z	0.072	0.072	-	-	-	-
2956	TRAP N/mm2	Z	0.07355	0.07355	-	-	-	-
2997	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3000	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3005	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3009	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3015	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3019	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3023	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3029	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3034	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3036	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3044	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3053	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3054	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3055	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3056	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3057	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
	TRAP N/mm2	Z	0.010	0.010	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3058	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3059	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
3060	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
3061	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
3062	TRAP N/mm2	Z	0.015254	0.015254	-	-	-	-
3063	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
3064	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3065	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3066	TRAP N/mm2	Z	0.020418	0.020418	-	-	-	-
3067	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
3068	TRAP N/mm2	Z	0.023	0.023	-	-	-	-
3069	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
3070	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
3071	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
3072	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
3073	TRAP N/mm2	Z	0.030869	0.030869	-	-	-	-
3074	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
3075	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
3076	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
3077	TRAP N/mm2	Z	0.03596	0.03596	-	-	-	-
3078	TRAP N/mm2	Z	0.038066	0.038066	-	-	-	-
3079	TRAP N/mm2	Z	0.038066	0.038066	-	-	-	-
3080	TRAP N/mm2	Z	0.041	0.041	-	-	-	-
3081	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
3082	TRAP N/mm2	Z	0.043	0.043	-	-	-	-
3083	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
3084	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
3085	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
3086	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
3087	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
3088	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
3089	TRAP N/mm2	Z	0.053	0.053	-	-	-	-
3090	TRAP N/mm2	Z	0.054	0.054	-	-	-	-
3091	TRAP N/mm2	Z	0.055	0.055	-	-	-	-
3092	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
3093	TRAP N/mm2	Z	0.059	0.059	-	-	-	-
3094	TRAP N/mm2	Z	0.061	0.061	-	-	-	-
3095	TRAP N/mm2	Z	0.062	0.062	-	-	-	-
3096	TRAP N/mm2	Z	0.064	0.064	-	-	-	-
3097	TRAP N/mm2	Z	0.06463	0.06463	-	-	-	-
3098	TRAP N/mm2	Z	0.067	0.067	-	-	-	-
3099	TRAP N/mm2	Z	0.068	0.068	-	-	-	-
3100	TRAP N/mm2	Z	0.069	0.069	-	-	-	-
3101	TRAP N/mm2	Z	0.071	0.071	-	-	-	-
3198	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3199	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3200	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3201	TRAP N/mm2	Z	0.007	0.007	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3202	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3203	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3204	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3205	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
3206	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
3207	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
3208	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
3209	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
3210	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
3211	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3212	TRAP N/mm2	Z	0.020038	0.020038	-	-	-	-
3213	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
3214	TRAP N/mm2	Z	0.023	0.023	-	-	-	-
3215	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
3216	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
3217	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
3218	TRAP N/mm2	Z	0.029	0.029	-	-	-	-
3219	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
3220	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
3221	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
3222	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
3223	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
3224	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
3225	TRAP N/mm2	Z	0.039	0.039	-	-	-	-
3226	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
3227	TRAP N/mm2	Z	0.041	0.041	-	-	-	-
3228	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
3229	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
3230	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
3231	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
3232	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
3233	TRAP N/mm2	Z	0.049	0.049	-	-	-	-
3234	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
3235	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
3236	TRAP N/mm2	Z	0.053	0.053	-	-	-	-
3237	TRAP N/mm2	Z	0.056	0.056	-	-	-	-
3238	TRAP N/mm2	Z	0.057	0.057	-	-	-	-
3239	TRAP N/mm2	Z	0.059	0.059	-	-	-	-
3240	TRAP N/mm2	Z	0.060	0.060	-	-	-	-
3241	TRAP N/mm2	Z	0.061199	0.061199	-	-	-	-
3242	TRAP N/mm2	Z	0.062	0.062	-	-	-	-
3243	TRAP N/mm2	Z	0.064	0.064	-	-	-	-
3244	TRAP N/mm2	Z	0.065	0.065	-	-	-	-
3245	TRAP N/mm2	Z	0.067	0.067	-	-	-	-
3246	TRAP N/mm2	Z	0.068	0.068	-	-	-	-
3247	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3248	TRAP N/mm2	Z	0.003	0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3249	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3250	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3263	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3264	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3265	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3266	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3267	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3268	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3270	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3271	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3272	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
3273	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3274	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3275	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3276	TRAP N/mm2	Z	0.012403	0.012403	-	-	-	-
3289	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
3302	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3303	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3304	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
3305	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3306	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
3307	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3308	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3309	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3310	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3311	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
3312	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3313	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
3326	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3327	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3328	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3329	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
3330	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3331	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
3344	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3345	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3346	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
3347	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3348	TRAP N/mm2	Z	0.027	0.027	-	-	-	-
3349	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3350	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3351	TRAP N/mm2	Z	0.028	0.028	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3352	TRAP N/mm2	Z	0.001	0.000	-	-	-	-
3353	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3354	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
3367	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
3368	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3369	TRAP N/mm2	Z	0.001	0.000	-	-	-	-
3370	TRAP N/mm2	Z	0.039	0.039	-	-	-	-
3371	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
3372	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
3373	TRAP N/mm2	Z	0.010	0.010068	-	-	-	-
3386	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
3387	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
3388	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
3389	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
3390	TRAP N/mm2	Z	0.036606	0.036606	-	-	-	-
3391	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
3392	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3393	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3394	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
3395	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
	TRAP N/mm2	Z	0.004	0.004	-	-	-	-
3408	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3409	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
3410	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
3411	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
3424	TRAP N/mm2	Z	0.008	0.008	-	-	-	-
3425	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
3426	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
3427	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
3428	TRAP N/mm2	Z	0.001	0.001	-	-	-	-
3429	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3430	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
3431	TRAP N/mm2	Z	0.003	0.003	-	-	-	-
	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3444	TRAP N/mm2	Z	0.051033	0.051033	-	-	-	-
3445	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3446	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3447	TRAP N/mm2	Z	0.054	0.054	-	-	-	-
3448	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
3461	TRAP N/mm2	Z	0.001	0.000	-	-	-	-
3462	TRAP N/mm2	Z	0.008	0.008	-	-	-	-
3463	TRAP N/mm2	Z	0.055	0.055	-	-	-	-
3476	TRAP N/mm2	Z	0.003	0.003	-	-	-	-
3477	TRAP N/mm2	Z	0.056	0.056	-	-	-	-
3478	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
3479	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
3480	TRAP N/mm2	Z	0.003	0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3480	TRAP N/mm2	Z	0.003	0.003	-	-	-	-
3481	TRAP N/mm2	Z	0.059	0.059	-	-	-	-
3482	TRAP N/mm2	Z	0.060	0.060	-	-	-	-
3483	TRAP N/mm2	Z	0.003	0.003	-	-	-	-
3484	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3485	TRAP N/mm2	Z	0.062	0.062	-	-	-	-
3486	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
3487	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
	TRAP N/mm2	Z	0.003	0.003	-	-	-	-
3488	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
3489	TRAP N/mm2	Z	0.063	0.063	-	-	-	-
3514	TRAP N/mm2	Z	0.065	0.065	-	-	-	-
3515	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3516	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
3517	TRAP N/mm2	Z	0.066	0.066	-	-	-	-
3518	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
	TRAP N/mm2	Z	0.003	0.003	-	-	-	-
3519	TRAP N/mm2	Z	0.002807	0.002	-	-	-	-
3520	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3521	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
3534	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3535	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3536	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3537	TRAP N/mm2	Z	0.02008	0.020	-	-	-	-
3538	TRAP N/mm2	Z	0.012	0.012	-	-	-	-
3539	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3540	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3541	TRAP N/mm2	Z	0.022264	0.022127	-	-	-	-
3578	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
	TRAP N/mm2	Z	0.002	0.002	-	-	-	-
3579	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3580	TRAP N/mm2	Z	0.008	0.008	-	-	-	-
3581	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
3582	TRAP N/mm2	Z	0.022127	0.022	-	-	-	-
3583	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
3597	TRAP N/mm2	Z	0.013	0.013151	-	-	-	-
3598	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3599	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3600	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
3601	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3602	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3603	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3604	TRAP N/mm2	Z	0.027	0.027	-	-	-	-
3605	TRAP N/mm2	Z	0.015	0.014	-	-	-	-
3606	TRAP N/mm2	Z	0.028	0.028	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3607	TRAP N/mm2	Z	0.002	0.000	-	-	-	-
	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3608	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
3609	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3610	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3611	TRAP N/mm2	Z	0.016	0.015	-	-	-	-
3612	TRAP N/mm2	Z	0.029	0.029	-	-	-	-
3625	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
3638	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
3639	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
3640	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
3641	TRAP N/mm2	Z	0.039	0.038	-	-	-	-
3642	TRAP N/mm2	Z	0.037	0.037	-	-	-	-
3643	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
3644	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
3645	TRAP N/mm2	Z	0.033	0.033336	-	-	-	-
3646	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
3647	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
3648	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3661	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3662	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
3663	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
3664	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3665	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
3666	TRAP N/mm2	Z	0.012	0.011504	-	-	-	-
3667	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3668	TRAP N/mm2	Z	0.043	0.043	-	-	-	-
3669	TRAP N/mm2	Z	0.006	0.006	-	-	-	-
3670	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
3672	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3685	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3686	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
3687	TRAP N/mm2	Z	0.010	0.009	-	-	-	-
3688	TRAP N/mm2	Z	0.0131	0.012682	-	-	-	-
3689	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
3690	TRAP N/mm2	Z	0.046	0.045	-	-	-	-
3703	TRAP N/mm2	Z	0.046	0.046347	-	-	-	-
3704	TRAP N/mm2	Z	0.022	0.021	-	-	-	-
3705	TRAP N/mm2	Z	0.005	0.003	-	-	-	-
3706	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
3707	TRAP N/mm2	Z	0.049	0.049	-	-	-	-
3708	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
3709	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
3722	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3723	TRAP N/mm2	Z	0.050	0.050	-	-	-	-
3724	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3725	TRAP N/mm2	Z	0.023	0.022	-	-	-	-
3726	TRAP N/mm2	Z	0.051	0.051	-	-	-	-
3727	TRAP N/mm2	Z	0.015	0.014698	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3728	TRAP N/mm2	Z	0.024	0.023741	-	-	-	-
3729	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
3731	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3732	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3733	TRAP N/mm2	Z	0.008	0.008	-	-	-	-
3734	TRAP N/mm2	Z	0.053	0.053305	-	-	-	-
3735	TRAP N/mm2	Z	0.024925	0.025	-	-	-	-
3736	TRAP N/mm2	Z	0.016	0.016	-	-	-	-
3737	TRAP N/mm2	Z	0.054	0.054163	-	-	-	-
3750	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3751	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
3752	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3753	TRAP N/mm2	Z	0.056	0.056	-	-	-	-
3754	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
3755	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
3756	TRAP N/mm2	Z	0.057	0.057	-	-	-	-
3757	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
3758	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3759	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
3784	TRAP N/mm2	Z	0.058	0.058	-	-	-	-
3797	TRAP N/mm2	Z	0.028	0.027	-	-	-	-
3798	TRAP N/mm2	Z	0.012	0.012	-	-	-	-
3799	TRAP N/mm2	Z	0.060	0.060	-	-	-	-
3800	TRAP N/mm2	Z	0.018	0.017105	-	-	-	-
3801	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
3802	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3803	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3804	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3805	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
3806	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
3807	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
3808	TRAP N/mm2	Z	0.037	0.036	-	-	-	-
3809	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
3810	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
3811	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3812	TRAP N/mm2	Z	0.033	0.033	-	-	-	-
3825	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
3826	TRAP N/mm2	Z	0.019166	0.019	-	-	-	-
3839	TRAP N/mm2	Z	0.013	0.012596	-	-	-	-
3840	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
3841	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
3842	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
3843	TRAP N/mm2	Z	0.039	0.039	-	-	-	-
3844	TRAP N/mm2	Z	0.010	0.009	-	-	-	-
3845	TRAP N/mm2	Z	0.014	0.013292	-	-	-	-
3846	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
3847	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3848	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
3849	TRAP N/mm2	Z	0.021	0.021	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3850	TRAP N/mm2	Z	0.004	0.002	-	-	-	-
3852	TRAP N/mm2	Z	0.041	0.041	-	-	-	-
3853	TRAP N/mm2	Z	0.010	0.010	-	-	-	-
3854	TRAP N/mm2	Z	0.016	0.015	-	-	-	-
3855	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
3868	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
3869	TRAP N/mm2	Z	0.042	0.042	-	-	-	-
3882	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
3883	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3884	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
3885	TRAP N/mm2	Z	0.023	0.022	-	-	-	-
3886	TRAP N/mm2	Z	0.0112	0.010	-	-	-	-
3899	TRAP N/mm2	Z	0.002	0.001	-	-	-	-
3900	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
3901	TRAP N/mm2	Z	0.045	0.045	-	-	-	-
3902	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
3903	TRAP N/mm2	Z	0.025	0.024	-	-	-	-
3917	TRAP N/mm2	Z	0.017	0.016	-	-	-	-
3918	TRAP N/mm2	Z	0.046	0.046	-	-	-	-
3919	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
3932	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
3933	TRAP N/mm2	Z	0.047	0.047	-	-	-	-
3934	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
3935	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
3936	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
3937	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
3938	TRAP N/mm2	Z	0.048	0.048	-	-	-	-
3939	TRAP N/mm2	Z	0.027	0.02706	-	-	-	-
3940	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3941	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
3942	TRAP N/mm2	Z	0.014	0.012896	-	-	-	-
3943	TRAP N/mm2	Z	0.028	0.028089	-	-	-	-
3944	TRAP N/mm2	Z	0.049	0.048	-	-	-	-
3945	TRAP N/mm2	Z	0.029	0.029	-	-	-	-
3946	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
3947	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
3948	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
3984	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
3985	TRAP N/mm2	Z	0.050007	0.050	-	-	-	-
3986	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
3987	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
3988	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
3991	TRAP N/mm2	Z	0.051	0.050638	-	-	-	-
3992	TRAP N/mm2	Z	0.012896	0.012	-	-	-	-
3993	TRAP N/mm2	Z	0.035	0.035	-	-	-	-
3994	TRAP N/mm2	Z	0.019	0.018	-	-	-	-
4007	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
4008	TRAP N/mm2	Z	0.052	0.052	-	-	-	-
4009	TRAP N/mm2	Z	0.036	0.035	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4010	TRAP N/mm2	Z	0.003	0.001	-	-	-	-
4011	TRAP N/mm2	Z	0.010	0.009	-	-	-	-
4012	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4013	TRAP N/mm2	Z	0.020	0.019	-	-	-	-
4014	TRAP N/mm2	Z	0.053	0.053	-	-	-	-
4015	TRAP N/mm2	Z	0.014	0.013	-	-	-	-
4016	TRAP N/mm2	Z	0.037	0.036413	-	-	-	-
4018	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
4019	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4020	TRAP N/mm2	Z	0.037	0.037	-	-	-	-
4033	TRAP N/mm2	Z	0.011	0.011	-	-	-	-
4034	TRAP N/mm2	Z	0.015	0.014	-	-	-	-
4035	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4036	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
4037	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
4038	TRAP N/mm2	Z	0.039	0.039	-	-	-	-
4064	TRAP N/mm2	Z	0.023	0.022224	-	-	-	-
4065	TRAP N/mm2	Z	0.016	0.015	-	-	-	-
4066	TRAP N/mm2	Z	0.041	0.040209	-	-	-	-
4067	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4068	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4069	TRAP N/mm2	Z	0.024	0.023	-	-	-	-
4070	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4071	TRAP N/mm2	Z	0.041	0.040	-	-	-	-
4072	TRAP N/mm2	Z	0.016	0.015401	-	-	-	-
4073	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
4074	TRAP N/mm2	Z	0.003066	0.002	-	-	-	-
4075	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
4076	TRAP N/mm2	Z	0.041647	0.041	-	-	-	-
4077	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
4079	TRAP N/mm2	Z	0.026	0.026	-	-	-	-
4080	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4081	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
4082	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
4083	TRAP N/mm2	Z	0.017	0.016	-	-	-	-
4084	TRAP N/mm2	Z	0.042	0.041894	-	-	-	-
4097	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
4098	TRAP N/mm2	Z	0.030	0.029	-	-	-	-
4099	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
4111	TRAP N/mm2	Z	0.043	0.042	-	-	-	-
4113	TRAP N/mm2	Z	0.031	0.031	-	-	-	-
4114	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
4115	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
4116	TRAP N/mm2	Z	0.032	0.031	-	-	-	-
4129	TRAP N/mm2	Z	0.044	0.044	-	-	-	-
4130	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4131	TRAP N/mm2	Z	0.006	0.004	-	-	-	-
4133	TRAP N/mm2	Z	0.032	0.032	-	-	-	-
4134	TRAP N/mm2	Z	0.013	0.012	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4135	TRAP N/mm2	Z	0.018	0.017	-	-	-	-
4136	TRAP N/mm2	Z	0.045	0.044	-	-	-	-
4149	TRAP N/mm2	Z	0.033	0.032	-	-	-	-
4150	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
4151	TRAP N/mm2	Z	0.019015	0.019	-	-	-	-
4152	TRAP N/mm2	Z	0.046	0.045	-	-	-	-
4153	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
4154	TRAP N/mm2	Z	0.013	0.012	-	-	-	-
4155	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4156	TRAP N/mm2	Z	0.034	0.034	-	-	-	-
4157	TRAP N/mm2	Z	0.020	0.019329	-	-	-	-
4158	TRAP N/mm2	Z	0.047	0.046	-	-	-	-
4184	TRAP N/mm2	Z	0.035859	0.035	-	-	-	-
4185	TRAP N/mm2	Z	0.021	0.020	-	-	-	-
4186	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
4187	TRAP N/mm2	Z	0.014	0.013	-	-	-	-
4188	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
4189	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4190	TRAP N/mm2	Z	0.021057	0.021	-	-	-	-
4191	TRAP N/mm2	Z	0.036	0.035	-	-	-	-
4192	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
4193	TRAP N/mm2	Z	0.015	0.014543	-	-	-	-
4195	TRAP N/mm2	Z	0.010	0.009	-	-	-	-
4196	TRAP N/mm2	Z	0.024	0.023	-	-	-	-
4209	TRAP N/mm2	Z	0.036	0.036	-	-	-	-
4222	TRAP N/mm2	Z	0.023	0.023	-	-	-	-
4223	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4224	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4225	TRAP N/mm2	Z	0.014543	0.014	-	-	-	-
4236	TRAP N/mm2	Z	0.025	0.025	-	-	-	-
4237	TRAP N/mm2	Z	0.037	0.036	-	-	-	-
4238	TRAP N/mm2	Z	0.010	0.009	-	-	-	-
4239	TRAP N/mm2	Z	0.026	0.025	-	-	-	-
4243	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
4244	TRAP N/mm2	Z	0.027	0.026	-	-	-	-
4245	TRAP N/mm2	Z	0.037	0.037	-	-	-	-
4246	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4247	TRAP N/mm2	Z	0.004	0.002	-	-	-	-
4248	TRAP N/mm2	Z	0.028	0.027	-	-	-	-
4249	TRAP N/mm2	Z	0.038	0.038	-	-	-	-
4250	TRAP N/mm2	Z	0.016	0.015	-	-	-	-
4251	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4252	TRAP N/mm2	Z	0.028	0.028	-	-	-	-
4253	TRAP N/mm2	Z	0.039	0.038	-	-	-	-
4255	TRAP N/mm2	Z	0.017	0.016	-	-	-	-
4256	TRAP N/mm2	Z	0.030	0.029	-	-	-	-
4257	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4282	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
4283	TRAP N/mm2	Z	0.004	0.003	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4284	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
4285	TRAP N/mm2	Z	0.040	0.039	-	-	-	-
4286	TRAP N/mm2	Z	0.031	0.030	-	-	-	-
4299	TRAP N/mm2	Z	0.018	0.017	-	-	-	-
4301	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4302	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4303	TRAP N/mm2	Z	0.040	0.040	-	-	-	-
4304	TRAP N/mm2	Z	0.030	0.030	-	-	-	-
4305	TRAP N/mm2	Z	0.019	0.019	-	-	-	-
4306	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
4319	TRAP N/mm2	Z	0.019	0.018479	-	-	-	-
4320	TRAP N/mm2	Z	0.012	0.011112	-	-	-	-
4321	TRAP N/mm2	Z	0.031	0.030	-	-	-	-
4322	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4323	TRAP N/mm2	Z	0.020	0.020	-	-	-	-
4325	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
4326	TRAP N/mm2	Z	0.031	0.030	-	-	-	-
4327	TRAP N/mm2	Z	0.021	0.020	-	-	-	-
4328	TRAP N/mm2	Z	0.012	0.012	-	-	-	-
4329	TRAP N/mm2	Z	0.021	0.021	-	-	-	-
4330	TRAP N/mm2	Z	0.009	0.007957	-	-	-	-
4331	TRAP N/mm2	Z	0.032	0.031	-	-	-	-
4332	TRAP N/mm2	Z	0.013	0.012	-	-	-	-
4333	TRAP N/mm2	Z	0.022	0.022	-	-	-	-
4347	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
4348	TRAP N/mm2	Z	0.023	0.022	-	-	-	-
4349	TRAP N/mm2	Z	0.032	0.031	-	-	-	-
4350	TRAP N/mm2	Z	0.013	0.012	-	-	-	-
4351	TRAP N/mm2	Z	0.007957	0.007	-	-	-	-
4352	TRAP N/mm2	Z	0.024	0.024	-	-	-	-
4365	TRAP N/mm2	Z	0.014	0.013	-	-	-	-
4366	TRAP N/mm2	Z	0.033	0.032	-	-	-	-
4368	TRAP N/mm2	Z	0.026	0.025	-	-	-	-
4369	TRAP N/mm2	Z	0.004	0.003	-	-	-	-
4382	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4383	TRAP N/mm2	Z	0.015	0.014	-	-	-	-
4384	TRAP N/mm2	Z	0.033	0.032	-	-	-	-
4397	TRAP N/mm2	Z	0.025245	0.024	-	-	-	-
4398	TRAP N/mm2	Z	0.014	0.014	-	-	-	-
4399	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
4410	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4412	TRAP N/mm2	Z	0.026	0.025	-	-	-	-
4413	TRAP N/mm2	Z	0.034039	0.033	-	-	-	-
4414	TRAP N/mm2	Z	0.015	0.015	-	-	-	-
4417	TRAP N/mm2	Z	0.016	0.015	-	-	-	-
4418	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
4419	TRAP N/mm2	Z	0.026	0.02477	-	-	-	-
4420	TRAP N/mm2	Z	0.005	0.003	-	-	-	-
4421	TRAP N/mm2	Z	0.016	0.016	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4423	TRAP N/mm2	Z	0.00902	0.008	-	-	-	-
4424	TRAP N/mm2	Z	0.026	0.025	-	-	-	-
4425	TRAP N/mm2	Z	0.017	0.016	-	-	-	-
4426	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4427	TRAP N/mm2	Z	0.009	0.009	-	-	-	-
4428	TRAP N/mm2	Z	0.017	0.017	-	-	-	-
4430	TRAP N/mm2	Z	0.026	0.025	-	-	-	-
4431	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4432	TRAP N/mm2	Z	0.018	0.018	-	-	-	-
4433	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4458	TRAP N/mm2	Z	0.027	0.026	-	-	-	-
4460	TRAP N/mm2	Z	0.021	0.020	-	-	-	-
4461	TRAP N/mm2	Z	0.010	0.009	-	-	-	-
4474	TRAP N/mm2	Z	0.019568	0.019	-	-	-	-
4475	TRAP N/mm2	Z	0.005085	0.004	-	-	-	-
4476	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4477	TRAP N/mm2	Z	0.027	0.025852	-	-	-	-
4479	TRAP N/mm2	Z	0.020	0.019	-	-	-	-
4480	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4481	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4482	TRAP N/mm2	Z	0.028	0.026	-	-	-	-
4483	TRAP N/mm2	Z	0.020	0.019	-	-	-	-
4484	TRAP N/mm2	Z	0.011	0.010	-	-	-	-
4486	TRAP N/mm2	Z	0.005	0.004	-	-	-	-
4487	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
4488	TRAP N/mm2	Z	0.020	0.019	-	-	-	-
4499	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4501	TRAP N/mm2	Z	0.012	0.011	-	-	-	-
4504	TRAP N/mm2	Z	0.02037	0.019	-	-	-	-
4505	TRAP N/mm2	Z	0.005	0.005	-	-	-	-
4506	TRAP N/mm2	Z	0.013	0.012	-	-	-	-
4520	TRAP N/mm2	Z	0.020	0.019297	-	-	-	-
4521	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4522	TRAP N/mm2	Z	0.015	0.014	-	-	-	-
4536	TRAP N/mm2	Z	0.013	0.013	-	-	-	-
4537	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4538	TRAP N/mm2	Z	0.021	0.019	-	-	-	-
4540	TRAP N/mm2	Z	0.014	0.013	-	-	-	-
4541	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4542	TRAP N/mm2	Z	0.021	0.020	-	-	-	-
4544	TRAP N/mm2	Z	0.014	0.013359	-	-	-	-
4545	TRAP N/mm2	Z	0.006	0.005	-	-	-	-
4546	TRAP N/mm2	Z	0.014	0.013	-	-	-	-
4548	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4559	TRAP N/mm2	Z	0.014	0.013	-	-	-	-
4561	TRAP N/mm2	Z	0.007	0.006	-	-	-	-
4564	TRAP N/mm2	Z	0.014319	0.013	-	-	-	-
4566	TRAP N/mm2	Z	0.009	0.008	-	-	-	-
4580	TRAP N/mm2	Z	0.007	0.006	-	-	-	-

3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H) : Plate Loads Cont

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4581	TRAP N/mm2	Z	0.014	0.012926	-	-	-	-
4582	TRAP N/mm2	Z	0.007	0.007	-	-	-	-
4584	TRAP N/mm2	Z	0.015	0.013	-	-	-	-
4585	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4587	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4588	TRAP N/mm2	Z	0.003	0.002	-	-	-	-
4589	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4601	TRAP N/mm2	Z	0.008	0.007	-	-	-	-
4605	TRAP N/mm2	Z	0.009	0.007	-	-	-	-
4608	TRAP N/mm2	Z	0.009	0.007	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1000	PRE N/mm2	GY	0.010	-	-	-	-	-
1001	PRE N/mm2	GY	0.010	-	-	-	-	-
1002	PRE N/mm2	GY	0.010	-	-	-	-	-
1003	PRE N/mm2	GY	0.010	-	-	-	-	-
1004	PRE N/mm2	GY	0.010	-	-	-	-	-
1005	PRE N/mm2	GY	0.010	-	-	-	-	-
1006	PRE N/mm2	GY	0.010	-	-	-	-	-
1007	PRE N/mm2	GY	0.010	-	-	-	-	-
1008	PRE N/mm2	GY	0.010	-	-	-	-	-
1009	PRE N/mm2	GY	0.010	-	-	-	-	-
1010	PRE N/mm2	GY	0.010	-	-	-	-	-
1011	PRE N/mm2	GY	0.010	-	-	-	-	-
1012	PRE N/mm2	GY	0.010	-	-	-	-	-
1013	PRE N/mm2	GY	0.010	-	-	-	-	-
1014	PRE N/mm2	GY	0.010	-	-	-	-	-
1015	PRE N/mm2	GY	0.010	-	-	-	-	-
1016	PRE N/mm2	GY	0.010	-	-	-	-	-
1017	PRE N/mm2	GY	0.010	-	-	-	-	-
1018	PRE N/mm2	GY	0.010	-	-	-	-	-
1019	PRE N/mm2	GY	0.010	-	-	-	-	-
1020	PRE N/mm2	GY	0.010	-	-	-	-	-
1021	PRE N/mm2	GY	0.010	-	-	-	-	-
1022	PRE N/mm2	GY	0.010	-	-	-	-	-
1023	PRE N/mm2	GY	0.010	-	-	-	-	-
1024	PRE N/mm2	GY	0.010	-	-	-	-	-
1025	PRE N/mm2	GY	0.010	-	-	-	-	-
1026	PRE N/mm2	GY	0.010	-	-	-	-	-
1027	PRE N/mm2	GY	0.010	-	-	-	-	-
1028	PRE N/mm2	GY	0.010	-	-	-	-	-
1029	PRE N/mm2	GY	0.010	-	-	-	-	-
1030	PRE N/mm2	GY	0.010	-	-	-	-	-
1031	PRE N/mm2	GY	0.010	-	-	-	-	-
1032	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1033	PRE N/mm2	GY	0.010	-	-	-	-	-
1034	PRE N/mm2	GY	0.010	-	-	-	-	-
1035	PRE N/mm2	GY	0.010	-	-	-	-	-
1036	PRE N/mm2	GY	0.010	-	-	-	-	-
1037	PRE N/mm2	GY	0.010	-	-	-	-	-
1038	PRE N/mm2	GY	0.010	-	-	-	-	-
1039	PRE N/mm2	GY	0.010	-	-	-	-	-
1040	PRE N/mm2	GY	0.010	-	-	-	-	-
1041	PRE N/mm2	GY	0.010	-	-	-	-	-
1042	PRE N/mm2	GY	0.010	-	-	-	-	-
1043	PRE N/mm2	GY	0.010	-	-	-	-	-
1044	PRE N/mm2	GY	0.010	-	-	-	-	-
1045	PRE N/mm2	GY	0.010	-	-	-	-	-
1046	PRE N/mm2	GY	0.010	-	-	-	-	-
1047	PRE N/mm2	GY	0.010	-	-	-	-	-
1048	PRE N/mm2	GY	0.010	-	-	-	-	-
1049	PRE N/mm2	GY	0.010	-	-	-	-	-
1050	PRE N/mm2	GY	0.010	-	-	-	-	-
1051	PRE N/mm2	GY	0.010	-	-	-	-	-
1052	PRE N/mm2	GY	0.010	-	-	-	-	-
1053	PRE N/mm2	GY	0.010	-	-	-	-	-
1054	PRE N/mm2	GY	0.010	-	-	-	-	-
1055	PRE N/mm2	GY	0.010	-	-	-	-	-
1056	PRE N/mm2	GY	0.010	-	-	-	-	-
1057	PRE N/mm2	GY	0.010	-	-	-	-	-
1058	PRE N/mm2	GY	0.010	-	-	-	-	-
1059	PRE N/mm2	GY	0.010	-	-	-	-	-
1060	PRE N/mm2	GY	0.010	-	-	-	-	-
1061	PRE N/mm2	GY	0.010	-	-	-	-	-
1062	PRE N/mm2	GY	0.010	-	-	-	-	-
1063	PRE N/mm2	GY	0.010	-	-	-	-	-
1064	PRE N/mm2	GY	0.010	-	-	-	-	-
1065	PRE N/mm2	GY	0.010	-	-	-	-	-
1066	PRE N/mm2	GY	0.010	-	-	-	-	-
1067	PRE N/mm2	GY	0.010	-	-	-	-	-
1068	PRE N/mm2	GY	0.010	-	-	-	-	-
1069	PRE N/mm2	GY	0.010	-	-	-	-	-
1070	PRE N/mm2	GY	0.010	-	-	-	-	-
1071	PRE N/mm2	GY	0.010	-	-	-	-	-
1072	PRE N/mm2	GY	0.010	-	-	-	-	-
1073	PRE N/mm2	GY	0.010	-	-	-	-	-
1074	PRE N/mm2	GY	0.010	-	-	-	-	-
1075	PRE N/mm2	GY	0.010	-	-	-	-	-
1076	PRE N/mm2	GY	0.010	-	-	-	-	-
1077	PRE N/mm2	GY	0.010	-	-	-	-	-
1078	PRE N/mm2	GY	0.010	-	-	-	-	-
1079	PRE N/mm2	GY	0.010	-	-	-	-	-
1080	PRE N/mm2	GY	0.010	-	-	-	-	-
1081	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1082	PRE N/mm2	GY	0.010	-	-	-	-	-
1083	PRE N/mm2	GY	0.010	-	-	-	-	-
1084	PRE N/mm2	GY	0.010	-	-	-	-	-
1085	PRE N/mm2	GY	0.010	-	-	-	-	-
1086	PRE N/mm2	GY	0.010	-	-	-	-	-
1087	PRE N/mm2	GY	0.010	-	-	-	-	-
1088	PRE N/mm2	GY	0.010	-	-	-	-	-
1089	PRE N/mm2	GY	0.010	-	-	-	-	-
1090	PRE N/mm2	GY	0.010	-	-	-	-	-
1091	PRE N/mm2	GY	0.010	-	-	-	-	-
1092	PRE N/mm2	GY	0.010	-	-	-	-	-
1093	PRE N/mm2	GY	0.010	-	-	-	-	-
1094	PRE N/mm2	GY	0.010	-	-	-	-	-
1095	PRE N/mm2	GY	0.010	-	-	-	-	-
1096	PRE N/mm2	GY	0.010	-	-	-	-	-
1097	PRE N/mm2	GY	0.010	-	-	-	-	-
1098	PRE N/mm2	GY	0.010	-	-	-	-	-
1099	PRE N/mm2	GY	0.010	-	-	-	-	-
1100	PRE N/mm2	GY	0.010	-	-	-	-	-
1101	PRE N/mm2	GY	0.010	-	-	-	-	-
1102	PRE N/mm2	GY	0.010	-	-	-	-	-
1103	PRE N/mm2	GY	0.010	-	-	-	-	-
1104	PRE N/mm2	GY	0.010	-	-	-	-	-
1105	PRE N/mm2	GY	0.010	-	-	-	-	-
1106	PRE N/mm2	GY	0.010	-	-	-	-	-
1107	PRE N/mm2	GY	0.010	-	-	-	-	-
1108	PRE N/mm2	GY	0.010	-	-	-	-	-
1109	PRE N/mm2	GY	0.010	-	-	-	-	-
1110	PRE N/mm2	GY	0.010	-	-	-	-	-
1111	PRE N/mm2	GY	0.010	-	-	-	-	-
1112	PRE N/mm2	GY	0.010	-	-	-	-	-
1113	PRE N/mm2	GY	0.010	-	-	-	-	-
1114	PRE N/mm2	GY	0.010	-	-	-	-	-
1115	PRE N/mm2	GY	0.010	-	-	-	-	-
1116	PRE N/mm2	GY	0.010	-	-	-	-	-
1117	PRE N/mm2	GY	0.010	-	-	-	-	-
1118	PRE N/mm2	GY	0.010	-	-	-	-	-
1119	PRE N/mm2	GY	0.010	-	-	-	-	-
1120	PRE N/mm2	GY	0.010	-	-	-	-	-
1121	PRE N/mm2	GY	0.010	-	-	-	-	-
1122	PRE N/mm2	GY	0.010	-	-	-	-	-
1123	PRE N/mm2	GY	0.010	-	-	-	-	-
1124	PRE N/mm2	GY	0.010	-	-	-	-	-
1125	PRE N/mm2	GY	0.010	-	-	-	-	-
1126	PRE N/mm2	GY	0.010	-	-	-	-	-
1127	PRE N/mm2	GY	0.010	-	-	-	-	-
1128	PRE N/mm2	GY	0.010	-	-	-	-	-
1129	PRE N/mm2	GY	0.010	-	-	-	-	-
1130	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1131	PRE N/mm2	GY	0.010	-	-	-	-	-
1132	PRE N/mm2	GY	0.010	-	-	-	-	-
1133	PRE N/mm2	GY	0.010	-	-	-	-	-
1134	PRE N/mm2	GY	0.010	-	-	-	-	-
1135	PRE N/mm2	GY	0.010	-	-	-	-	-
1136	PRE N/mm2	GY	0.010	-	-	-	-	-
1137	PRE N/mm2	GY	0.010	-	-	-	-	-
1138	PRE N/mm2	GY	0.010	-	-	-	-	-
1139	PRE N/mm2	GY	0.010	-	-	-	-	-
1140	PRE N/mm2	GY	0.010	-	-	-	-	-
1141	PRE N/mm2	GY	0.010	-	-	-	-	-
1142	PRE N/mm2	GY	0.010	-	-	-	-	-
1143	PRE N/mm2	GY	0.010	-	-	-	-	-
1144	PRE N/mm2	GY	0.010	-	-	-	-	-
1145	PRE N/mm2	GY	0.010	-	-	-	-	-
1146	PRE N/mm2	GY	0.010	-	-	-	-	-
1147	PRE N/mm2	GY	0.010	-	-	-	-	-
1148	PRE N/mm2	GY	0.010	-	-	-	-	-
1149	PRE N/mm2	GY	0.010	-	-	-	-	-
1150	PRE N/mm2	GY	0.010	-	-	-	-	-
1151	PRE N/mm2	GY	0.010	-	-	-	-	-
1152	PRE N/mm2	GY	0.010	-	-	-	-	-
1153	PRE N/mm2	GY	0.010	-	-	-	-	-
1154	PRE N/mm2	GY	0.010	-	-	-	-	-
1155	PRE N/mm2	GY	0.010	-	-	-	-	-
1156	PRE N/mm2	GY	0.010	-	-	-	-	-
1157	PRE N/mm2	GY	0.010	-	-	-	-	-
1158	PRE N/mm2	GY	0.010	-	-	-	-	-
1159	PRE N/mm2	GY	0.010	-	-	-	-	-
1160	PRE N/mm2	GY	0.010	-	-	-	-	-
1161	PRE N/mm2	GY	0.010	-	-	-	-	-
1162	PRE N/mm2	GY	0.010	-	-	-	-	-
1163	PRE N/mm2	GY	0.010	-	-	-	-	-
1164	PRE N/mm2	GY	0.010	-	-	-	-	-
1165	PRE N/mm2	GY	0.010	-	-	-	-	-
1166	PRE N/mm2	GY	0.010	-	-	-	-	-
1167	PRE N/mm2	GY	0.010	-	-	-	-	-
1168	PRE N/mm2	GY	0.010	-	-	-	-	-
1169	PRE N/mm2	GY	0.010	-	-	-	-	-
1170	PRE N/mm2	GY	0.010	-	-	-	-	-
1171	PRE N/mm2	GY	0.010	-	-	-	-	-
1172	PRE N/mm2	GY	0.010	-	-	-	-	-
1173	PRE N/mm2	GY	0.010	-	-	-	-	-
1174	PRE N/mm2	GY	0.010	-	-	-	-	-
1175	PRE N/mm2	GY	0.010	-	-	-	-	-
1176	PRE N/mm2	GY	0.010	-	-	-	-	-
1177	PRE N/mm2	GY	0.010	-	-	-	-	-
1178	PRE N/mm2	GY	0.010	-	-	-	-	-
1179	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1180	PRE N/mm2	GY	0.010	-	-	-	-	-
1181	PRE N/mm2	GY	0.010	-	-	-	-	-
1182	PRE N/mm2	GY	0.010	-	-	-	-	-
1183	PRE N/mm2	GY	0.010	-	-	-	-	-
1184	PRE N/mm2	GY	0.010	-	-	-	-	-
1185	PRE N/mm2	GY	0.010	-	-	-	-	-
1186	PRE N/mm2	GY	0.010	-	-	-	-	-
1187	PRE N/mm2	GY	0.010	-	-	-	-	-
1188	PRE N/mm2	GY	0.010	-	-	-	-	-
1189	PRE N/mm2	GY	0.010	-	-	-	-	-
1190	PRE N/mm2	GY	0.010	-	-	-	-	-
1191	PRE N/mm2	GY	0.010	-	-	-	-	-
1192	PRE N/mm2	GY	0.010	-	-	-	-	-
1193	PRE N/mm2	GY	0.010	-	-	-	-	-
1194	PRE N/mm2	GY	0.010	-	-	-	-	-
1195	PRE N/mm2	GY	0.010	-	-	-	-	-
1196	PRE N/mm2	GY	0.010	-	-	-	-	-
1197	PRE N/mm2	GY	0.010	-	-	-	-	-
1198	PRE N/mm2	GY	0.010	-	-	-	-	-
1199	PRE N/mm2	GY	0.010	-	-	-	-	-
1200	PRE N/mm2	GY	0.010	-	-	-	-	-
1201	PRE N/mm2	GY	0.010	-	-	-	-	-
1202	PRE N/mm2	GY	0.010	-	-	-	-	-
1203	PRE N/mm2	GY	0.010	-	-	-	-	-
1204	PRE N/mm2	GY	0.010	-	-	-	-	-
1205	PRE N/mm2	GY	0.010	-	-	-	-	-
1206	PRE N/mm2	GY	0.010	-	-	-	-	-
1207	PRE N/mm2	GY	0.010	-	-	-	-	-
1208	PRE N/mm2	GY	0.010	-	-	-	-	-
1209	PRE N/mm2	GY	0.010	-	-	-	-	-
1210	PRE N/mm2	GY	0.010	-	-	-	-	-
1211	PRE N/mm2	GY	0.010	-	-	-	-	-
1212	PRE N/mm2	GY	0.010	-	-	-	-	-
1213	PRE N/mm2	GY	0.010	-	-	-	-	-
1214	PRE N/mm2	GY	0.010	-	-	-	-	-
1215	PRE N/mm2	GY	0.010	-	-	-	-	-
1216	PRE N/mm2	GY	0.010	-	-	-	-	-
1217	PRE N/mm2	GY	0.010	-	-	-	-	-
1218	PRE N/mm2	GY	0.010	-	-	-	-	-
1219	PRE N/mm2	GY	0.010	-	-	-	-	-
1220	PRE N/mm2	GY	0.010	-	-	-	-	-
1221	PRE N/mm2	GY	0.010	-	-	-	-	-
1222	PRE N/mm2	GY	0.010	-	-	-	-	-
1223	PRE N/mm2	GY	0.010	-	-	-	-	-
1224	PRE N/mm2	GY	0.010	-	-	-	-	-
1225	PRE N/mm2	GY	0.010	-	-	-	-	-
1226	PRE N/mm2	GY	0.010	-	-	-	-	-
1227	PRE N/mm2	GY	0.010	-	-	-	-	-
1228	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1229	PRE N/mm2	GY	0.010	-	-	-	-	-
1230	PRE N/mm2	GY	0.010	-	-	-	-	-
1231	PRE N/mm2	GY	0.010	-	-	-	-	-
1232	PRE N/mm2	GY	0.010	-	-	-	-	-
1233	PRE N/mm2	GY	0.010	-	-	-	-	-
1234	PRE N/mm2	GY	0.010	-	-	-	-	-
1235	PRE N/mm2	GY	0.010	-	-	-	-	-
1236	PRE N/mm2	GY	0.010	-	-	-	-	-
1237	PRE N/mm2	GY	0.010	-	-	-	-	-
1238	PRE N/mm2	GY	0.010	-	-	-	-	-
1239	PRE N/mm2	GY	0.010	-	-	-	-	-
1240	PRE N/mm2	GY	0.010	-	-	-	-	-
1241	PRE N/mm2	GY	0.010	-	-	-	-	-
1242	PRE N/mm2	GY	0.010	-	-	-	-	-
1243	PRE N/mm2	GY	0.010	-	-	-	-	-
1244	PRE N/mm2	GY	0.010	-	-	-	-	-
1245	PRE N/mm2	GY	0.010	-	-	-	-	-
1246	PRE N/mm2	GY	0.010	-	-	-	-	-
1247	PRE N/mm2	GY	0.010	-	-	-	-	-
1248	PRE N/mm2	GY	0.010	-	-	-	-	-
1249	PRE N/mm2	GY	0.010	-	-	-	-	-
1250	PRE N/mm2	GY	0.010	-	-	-	-	-
1251	PRE N/mm2	GY	0.010	-	-	-	-	-
1252	PRE N/mm2	GY	0.010	-	-	-	-	-
1253	PRE N/mm2	GY	0.010	-	-	-	-	-
1254	PRE N/mm2	GY	0.010	-	-	-	-	-
1255	PRE N/mm2	GY	0.010	-	-	-	-	-
1256	PRE N/mm2	GY	0.010	-	-	-	-	-
1257	PRE N/mm2	GY	0.010	-	-	-	-	-
1258	PRE N/mm2	GY	0.010	-	-	-	-	-
1259	PRE N/mm2	GY	0.010	-	-	-	-	-
1260	PRE N/mm2	GY	0.010	-	-	-	-	-
1261	PRE N/mm2	GY	0.010	-	-	-	-	-
1262	PRE N/mm2	GY	0.010	-	-	-	-	-
1263	PRE N/mm2	GY	0.010	-	-	-	-	-
1264	PRE N/mm2	GY	0.010	-	-	-	-	-
1265	PRE N/mm2	GY	0.010	-	-	-	-	-
1266	PRE N/mm2	GY	0.010	-	-	-	-	-
1267	PRE N/mm2	GY	0.010	-	-	-	-	-
1268	PRE N/mm2	GY	0.010	-	-	-	-	-
1269	PRE N/mm2	GY	0.010	-	-	-	-	-
1270	PRE N/mm2	GY	0.010	-	-	-	-	-
1271	PRE N/mm2	GY	0.010	-	-	-	-	-
1272	PRE N/mm2	GY	0.010	-	-	-	-	-
1273	PRE N/mm2	GY	0.010	-	-	-	-	-
1274	PRE N/mm2	GY	0.010	-	-	-	-	-
1275	PRE N/mm2	GY	0.010	-	-	-	-	-
1276	PRE N/mm2	GY	0.010	-	-	-	-	-
1277	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1278	PRE N/mm2	GY	0.010	-	-	-	-	-
1279	PRE N/mm2	GY	0.010	-	-	-	-	-
1280	PRE N/mm2	GY	0.010	-	-	-	-	-
1281	PRE N/mm2	GY	0.010	-	-	-	-	-
1282	PRE N/mm2	GY	0.010	-	-	-	-	-
1283	PRE N/mm2	GY	0.010	-	-	-	-	-
1284	PRE N/mm2	GY	0.010	-	-	-	-	-
1285	PRE N/mm2	GY	0.010	-	-	-	-	-
1286	PRE N/mm2	GY	0.010	-	-	-	-	-
1287	PRE N/mm2	GY	0.010	-	-	-	-	-
1288	PRE N/mm2	GY	0.010	-	-	-	-	-
1289	PRE N/mm2	GY	0.010	-	-	-	-	-
1290	PRE N/mm2	GY	0.010	-	-	-	-	-
1291	PRE N/mm2	GY	0.010	-	-	-	-	-
1292	PRE N/mm2	GY	0.010	-	-	-	-	-
1293	PRE N/mm2	GY	0.010	-	-	-	-	-
1294	PRE N/mm2	GY	0.010	-	-	-	-	-
1295	PRE N/mm2	GY	0.010	-	-	-	-	-
1296	PRE N/mm2	GY	0.010	-	-	-	-	-
1297	PRE N/mm2	GY	0.010	-	-	-	-	-
1298	PRE N/mm2	GY	0.010	-	-	-	-	-
1299	PRE N/mm2	GY	0.010	-	-	-	-	-
1300	PRE N/mm2	GY	0.010	-	-	-	-	-
1301	PRE N/mm2	GY	0.010	-	-	-	-	-
1302	PRE N/mm2	GY	0.010	-	-	-	-	-
1303	PRE N/mm2	GY	0.010	-	-	-	-	-
1304	PRE N/mm2	GY	0.010	-	-	-	-	-
1305	PRE N/mm2	GY	0.010	-	-	-	-	-
1306	PRE N/mm2	GY	0.010	-	-	-	-	-
1307	PRE N/mm2	GY	0.010	-	-	-	-	-
1308	PRE N/mm2	GY	0.010	-	-	-	-	-
1309	PRE N/mm2	GY	0.010	-	-	-	-	-
1310	PRE N/mm2	GY	0.010	-	-	-	-	-
1311	PRE N/mm2	GY	0.010	-	-	-	-	-
1312	PRE N/mm2	GY	0.010	-	-	-	-	-
1313	PRE N/mm2	GY	0.010	-	-	-	-	-
1314	PRE N/mm2	GY	0.010	-	-	-	-	-
1315	PRE N/mm2	GY	0.010	-	-	-	-	-
1316	PRE N/mm2	GY	0.010	-	-	-	-	-
1317	PRE N/mm2	GY	0.010	-	-	-	-	-
1318	PRE N/mm2	GY	0.010	-	-	-	-	-
1319	PRE N/mm2	GY	0.010	-	-	-	-	-
1320	PRE N/mm2	GY	0.010	-	-	-	-	-
1321	PRE N/mm2	GY	0.010	-	-	-	-	-
1322	PRE N/mm2	GY	0.010	-	-	-	-	-
1323	PRE N/mm2	GY	0.010	-	-	-	-	-
1324	PRE N/mm2	GY	0.010	-	-	-	-	-
1325	PRE N/mm2	GY	0.010	-	-	-	-	-
1327	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1329	PRE N/mm2	GY	0.010	-	-	-	-	-
1330	PRE N/mm2	GY	0.010	-	-	-	-	-
1331	PRE N/mm2	GY	0.010	-	-	-	-	-
1332	PRE N/mm2	GY	0.010	-	-	-	-	-
1333	PRE N/mm2	GY	0.010	-	-	-	-	-
1334	PRE N/mm2	GY	0.010	-	-	-	-	-
1335	PRE N/mm2	GY	0.010	-	-	-	-	-
1336	PRE N/mm2	GY	0.010	-	-	-	-	-
1337	PRE N/mm2	GY	0.010	-	-	-	-	-
1338	PRE N/mm2	GY	0.010	-	-	-	-	-
1339	PRE N/mm2	GY	0.010	-	-	-	-	-
1340	PRE N/mm2	GY	0.010	-	-	-	-	-
1341	PRE N/mm2	GY	0.010	-	-	-	-	-
1342	PRE N/mm2	GY	0.010	-	-	-	-	-
1343	PRE N/mm2	GY	0.010	-	-	-	-	-
1344	PRE N/mm2	GY	0.010	-	-	-	-	-
1346	PRE N/mm2	GY	0.010	-	-	-	-	-
1347	PRE N/mm2	GY	0.010	-	-	-	-	-
1349	PRE N/mm2	GY	0.010	-	-	-	-	-
1350	PRE N/mm2	GY	0.010	-	-	-	-	-
1351	PRE N/mm2	GY	0.010	-	-	-	-	-
1352	PRE N/mm2	GY	0.010	-	-	-	-	-
1353	PRE N/mm2	GY	0.010	-	-	-	-	-
1354	PRE N/mm2	GY	0.010	-	-	-	-	-
1355	PRE N/mm2	GY	0.010	-	-	-	-	-
1356	PRE N/mm2	GY	0.010	-	-	-	-	-
1357	PRE N/mm2	GY	0.010	-	-	-	-	-
1358	PRE N/mm2	GY	0.010	-	-	-	-	-
1359	PRE N/mm2	GY	0.010	-	-	-	-	-
1360	PRE N/mm2	GY	0.010	-	-	-	-	-
1361	PRE N/mm2	GY	0.010	-	-	-	-	-
1362	PRE N/mm2	GY	0.010	-	-	-	-	-
1363	PRE N/mm2	GY	0.010	-	-	-	-	-
1364	PRE N/mm2	GY	0.010	-	-	-	-	-
1365	PRE N/mm2	GY	0.010	-	-	-	-	-
1366	PRE N/mm2	GY	0.010	-	-	-	-	-
1367	PRE N/mm2	GY	0.010	-	-	-	-	-
1368	PRE N/mm2	GY	0.010	-	-	-	-	-
1369	PRE N/mm2	GY	0.010	-	-	-	-	-
1370	PRE N/mm2	GY	0.010	-	-	-	-	-
1372	PRE N/mm2	GY	0.010	-	-	-	-	-
1373	PRE N/mm2	GY	0.010	-	-	-	-	-
1375	PRE N/mm2	GY	0.010	-	-	-	-	-
1376	PRE N/mm2	GY	0.010	-	-	-	-	-
1377	PRE N/mm2	GY	0.010	-	-	-	-	-
1378	PRE N/mm2	GY	0.010	-	-	-	-	-
1379	PRE N/mm2	GY	0.010	-	-	-	-	-
1380	PRE N/mm2	GY	0.010	-	-	-	-	-
1381	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1382	PRE N/mm2	GY	0.010	-	-	-	-	-
1383	PRE N/mm2	GY	0.010	-	-	-	-	-
1384	PRE N/mm2	GY	0.010	-	-	-	-	-
1385	PRE N/mm2	GY	0.010	-	-	-	-	-
1386	PRE N/mm2	GY	0.010	-	-	-	-	-
1387	PRE N/mm2	GY	0.010	-	-	-	-	-
1388	PRE N/mm2	GY	0.010	-	-	-	-	-
1389	PRE N/mm2	GY	0.010	-	-	-	-	-
1390	PRE N/mm2	GY	0.010	-	-	-	-	-
1391	PRE N/mm2	GY	0.010	-	-	-	-	-
1392	PRE N/mm2	GY	0.010	-	-	-	-	-
1393	PRE N/mm2	GY	0.010	-	-	-	-	-
1394	PRE N/mm2	GY	0.010	-	-	-	-	-
1395	PRE N/mm2	GY	0.010	-	-	-	-	-
1397	PRE N/mm2	GY	0.010	-	-	-	-	-
1399	PRE N/mm2	GY	0.010	-	-	-	-	-
1400	PRE N/mm2	GY	0.010	-	-	-	-	-
1401	PRE N/mm2	GY	0.010	-	-	-	-	-
1402	PRE N/mm2	GY	0.010	-	-	-	-	-
1403	PRE N/mm2	GY	0.010	-	-	-	-	-
1404	PRE N/mm2	GY	0.010	-	-	-	-	-
1405	PRE N/mm2	GY	0.010	-	-	-	-	-
1406	PRE N/mm2	GY	0.010	-	-	-	-	-
1407	PRE N/mm2	GY	0.010	-	-	-	-	-
1408	PRE N/mm2	GY	0.010	-	-	-	-	-
1409	PRE N/mm2	GY	0.010	-	-	-	-	-
1410	PRE N/mm2	GY	0.010	-	-	-	-	-
1411	PRE N/mm2	GY	0.010	-	-	-	-	-
1412	PRE N/mm2	GY	0.010	-	-	-	-	-
1413	PRE N/mm2	GY	0.010	-	-	-	-	-
1414	PRE N/mm2	GY	0.010	-	-	-	-	-
1415	PRE N/mm2	GY	0.010	-	-	-	-	-
1416	PRE N/mm2	GY	0.010	-	-	-	-	-
1417	PRE N/mm2	GY	0.010	-	-	-	-	-
1419	PRE N/mm2	GY	0.010	-	-	-	-	-
1421	PRE N/mm2	GY	0.010	-	-	-	-	-
1422	PRE N/mm2	GY	0.010	-	-	-	-	-
1423	PRE N/mm2	GY	0.010	-	-	-	-	-
1424	PRE N/mm2	GY	0.010	-	-	-	-	-
1425	PRE N/mm2	GY	0.010	-	-	-	-	-
1426	PRE N/mm2	GY	0.010	-	-	-	-	-
1427	PRE N/mm2	GY	0.010	-	-	-	-	-
1428	PRE N/mm2	GY	0.010	-	-	-	-	-
1429	PRE N/mm2	GY	0.010	-	-	-	-	-
1430	PRE N/mm2	GY	0.010	-	-	-	-	-
1431	PRE N/mm2	GY	0.010	-	-	-	-	-
1432	PRE N/mm2	GY	0.010	-	-	-	-	-
1433	PRE N/mm2	GY	0.010	-	-	-	-	-
1434	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1435	PRE N/mm2	GY	0.010	-	-	-	-	-
1436	PRE N/mm2	GY	0.010	-	-	-	-	-
1438	PRE N/mm2	GY	0.010	-	-	-	-	-
1440	PRE N/mm2	GY	0.010	-	-	-	-	-
1441	PRE N/mm2	GY	0.010	-	-	-	-	-
1442	PRE N/mm2	GY	0.010	-	-	-	-	-
1443	PRE N/mm2	GY	0.010	-	-	-	-	-
1444	PRE N/mm2	GY	0.010	-	-	-	-	-
1445	PRE N/mm2	GY	0.010	-	-	-	-	-
1446	PRE N/mm2	GY	0.010	-	-	-	-	-
1447	PRE N/mm2	GY	0.010	-	-	-	-	-
1448	PRE N/mm2	GY	0.010	-	-	-	-	-
1449	PRE N/mm2	GY	0.010	-	-	-	-	-
1450	PRE N/mm2	GY	0.010	-	-	-	-	-
1451	PRE N/mm2	GY	0.010	-	-	-	-	-
1452	PRE N/mm2	GY	0.010	-	-	-	-	-
1453	PRE N/mm2	GY	0.010	-	-	-	-	-
1454	PRE N/mm2	GY	0.010	-	-	-	-	-
1456	PRE N/mm2	GY	0.010	-	-	-	-	-
1458	PRE N/mm2	GY	0.010	-	-	-	-	-
1459	PRE N/mm2	GY	0.010	-	-	-	-	-
1460	PRE N/mm2	GY	0.010	-	-	-	-	-
1461	PRE N/mm2	GY	0.010	-	-	-	-	-
1462	PRE N/mm2	GY	0.010	-	-	-	-	-
1463	PRE N/mm2	GY	0.010	-	-	-	-	-
1464	PRE N/mm2	GY	0.010	-	-	-	-	-
1465	PRE N/mm2	GY	0.010	-	-	-	-	-
1466	PRE N/mm2	GY	0.010	-	-	-	-	-
1467	PRE N/mm2	GY	0.010	-	-	-	-	-
1468	PRE N/mm2	GY	0.010	-	-	-	-	-
1469	PRE N/mm2	GY	0.010	-	-	-	-	-
1470	PRE N/mm2	GY	0.010	-	-	-	-	-
1471	PRE N/mm2	GY	0.010	-	-	-	-	-
1472	PRE N/mm2	GY	0.010	-	-	-	-	-
1473	PRE N/mm2	GY	0.010	-	-	-	-	-
1474	PRE N/mm2	GY	0.010	-	-	-	-	-
1475	PRE N/mm2	GY	0.010	-	-	-	-	-
1476	PRE N/mm2	GY	0.010	-	-	-	-	-
1477	PRE N/mm2	GY	0.010	-	-	-	-	-
1478	PRE N/mm2	GY	0.010	-	-	-	-	-
1479	PRE N/mm2	GY	0.010	-	-	-	-	-
1480	PRE N/mm2	GY	0.010	-	-	-	-	-
1481	PRE N/mm2	GY	0.010	-	-	-	-	-
1482	PRE N/mm2	GY	0.010	-	-	-	-	-
1483	PRE N/mm2	GY	0.010	-	-	-	-	-
1484	PRE N/mm2	GY	0.010	-	-	-	-	-
1485	PRE N/mm2	GY	0.010	-	-	-	-	-
1486	PRE N/mm2	GY	0.010	-	-	-	-	-
1487	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1488	PRE N/mm2	GY	0.010	-	-	-	-	-
1489	PRE N/mm2	GY	0.010	-	-	-	-	-
1491	PRE N/mm2	GY	0.010	-	-	-	-	-
1493	PRE N/mm2	GY	0.010	-	-	-	-	-
1494	PRE N/mm2	GY	0.010	-	-	-	-	-
1495	PRE N/mm2	GY	0.010	-	-	-	-	-
1496	PRE N/mm2	GY	0.010	-	-	-	-	-
1497	PRE N/mm2	GY	0.010	-	-	-	-	-
1498	PRE N/mm2	GY	0.010	-	-	-	-	-
1499	PRE N/mm2	GY	0.010	-	-	-	-	-
1500	PRE N/mm2	GY	0.010	-	-	-	-	-
1501	PRE N/mm2	GY	0.010	-	-	-	-	-
1502	PRE N/mm2	GY	0.010	-	-	-	-	-
1503	PRE N/mm2	GY	0.010	-	-	-	-	-
1504	PRE N/mm2	GY	0.010	-	-	-	-	-
1505	PRE N/mm2	GY	0.010	-	-	-	-	-
1506	PRE N/mm2	GY	0.010	-	-	-	-	-
1507	PRE N/mm2	GY	0.010	-	-	-	-	-
1508	PRE N/mm2	GY	0.010	-	-	-	-	-
1509	PRE N/mm2	GY	0.010	-	-	-	-	-
1510	PRE N/mm2	GY	0.010	-	-	-	-	-
1511	PRE N/mm2	GY	0.010	-	-	-	-	-
1512	PRE N/mm2	GY	0.010	-	-	-	-	-
1513	PRE N/mm2	GY	0.010	-	-	-	-	-
1514	PRE N/mm2	GY	0.010	-	-	-	-	-
1517	PRE N/mm2	GY	0.010	-	-	-	-	-
1520	PRE N/mm2	GY	0.010	-	-	-	-	-
1521	PRE N/mm2	GY	0.010	-	-	-	-	-
1522	PRE N/mm2	GY	0.010	-	-	-	-	-
1523	PRE N/mm2	GY	0.010	-	-	-	-	-
1524	PRE N/mm2	GY	0.010	-	-	-	-	-
1525	PRE N/mm2	GY	0.010	-	-	-	-	-
1526	PRE N/mm2	GY	0.010	-	-	-	-	-
1527	PRE N/mm2	GY	0.010	-	-	-	-	-
1528	PRE N/mm2	GY	0.010	-	-	-	-	-
1529	PRE N/mm2	GY	0.010	-	-	-	-	-
1530	PRE N/mm2	GY	0.010	-	-	-	-	-
1531	PRE N/mm2	GY	0.010	-	-	-	-	-
1532	PRE N/mm2	GY	0.010	-	-	-	-	-
1533	PRE N/mm2	GY	0.010	-	-	-	-	-
1534	PRE N/mm2	GY	0.010	-	-	-	-	-
1535	PRE N/mm2	GY	0.010	-	-	-	-	-
1536	PRE N/mm2	GY	0.010	-	-	-	-	-
1537	PRE N/mm2	GY	0.010	-	-	-	-	-
1538	PRE N/mm2	GY	0.010	-	-	-	-	-
1539	PRE N/mm2	GY	0.010	-	-	-	-	-
1540	PRE N/mm2	GY	0.010	-	-	-	-	-
1541	PRE N/mm2	GY	0.010	-	-	-	-	-
1542	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1543	PRE N/mm2	GY	0.010	-	-	-	-	-
1544	PRE N/mm2	GY	0.010	-	-	-	-	-
1545	PRE N/mm2	GY	0.010	-	-	-	-	-
1546	PRE N/mm2	GY	0.010	-	-	-	-	-
1547	PRE N/mm2	GY	0.010	-	-	-	-	-
1548	PRE N/mm2	GY	0.010	-	-	-	-	-
1549	PRE N/mm2	GY	0.010	-	-	-	-	-
1550	PRE N/mm2	GY	0.010	-	-	-	-	-
1551	PRE N/mm2	GY	0.010	-	-	-	-	-
1552	PRE N/mm2	GY	0.010	-	-	-	-	-
1553	PRE N/mm2	GY	0.010	-	-	-	-	-
1554	PRE N/mm2	GY	0.010	-	-	-	-	-
1555	PRE N/mm2	GY	0.010	-	-	-	-	-
1556	PRE N/mm2	GY	0.010	-	-	-	-	-
1557	PRE N/mm2	GY	0.010	-	-	-	-	-
1558	PRE N/mm2	GY	0.010	-	-	-	-	-
1559	PRE N/mm2	GY	0.010	-	-	-	-	-
1560	PRE N/mm2	GY	0.010	-	-	-	-	-
1561	PRE N/mm2	GY	0.010	-	-	-	-	-
1562	PRE N/mm2	GY	0.010	-	-	-	-	-
1563	PRE N/mm2	GY	0.010	-	-	-	-	-
1564	PRE N/mm2	GY	0.010	-	-	-	-	-
1565	PRE N/mm2	GY	0.010	-	-	-	-	-
1566	PRE N/mm2	GY	0.010	-	-	-	-	-
1567	PRE N/mm2	GY	0.010	-	-	-	-	-
1568	PRE N/mm2	GY	0.010	-	-	-	-	-
1569	PRE N/mm2	GY	0.010	-	-	-	-	-
1674	PRE N/mm2	GY	0.010	-	-	-	-	-
1675	PRE N/mm2	GY	0.010	-	-	-	-	-
1676	PRE N/mm2	GY	0.010	-	-	-	-	-
1677	PRE N/mm2	GY	0.010	-	-	-	-	-
1678	PRE N/mm2	GY	0.010	-	-	-	-	-
1679	PRE N/mm2	GY	0.010	-	-	-	-	-
1680	PRE N/mm2	GY	0.010	-	-	-	-	-
1681	PRE N/mm2	GY	0.010	-	-	-	-	-
1682	PRE N/mm2	GY	0.010	-	-	-	-	-
1683	PRE N/mm2	GY	0.010	-	-	-	-	-
1684	PRE N/mm2	GY	0.010	-	-	-	-	-
1685	PRE N/mm2	GY	0.010	-	-	-	-	-
1686	PRE N/mm2	GY	0.010	-	-	-	-	-
1687	PRE N/mm2	GY	0.010	-	-	-	-	-
1688	PRE N/mm2	GY	0.010	-	-	-	-	-
1689	PRE N/mm2	GY	0.010	-	-	-	-	-
1690	PRE N/mm2	GY	0.010	-	-	-	-	-
1691	PRE N/mm2	GY	0.010	-	-	-	-	-
1692	PRE N/mm2	GY	0.010	-	-	-	-	-
1693	PRE N/mm2	GY	0.010	-	-	-	-	-
1694	PRE N/mm2	GY	0.010	-	-	-	-	-
1695	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1696	PRE N/mm2	GY	0.010	-	-	-	-	-
1697	PRE N/mm2	GY	0.010	-	-	-	-	-
1698	PRE N/mm2	GY	0.010	-	-	-	-	-
1699	PRE N/mm2	GY	0.010	-	-	-	-	-
1700	PRE N/mm2	GY	0.010	-	-	-	-	-
1701	PRE N/mm2	GY	0.010	-	-	-	-	-
1702	PRE N/mm2	GY	0.010	-	-	-	-	-
1703	PRE N/mm2	GY	0.010	-	-	-	-	-
1704	PRE N/mm2	GY	0.010	-	-	-	-	-
1705	PRE N/mm2	GY	0.010	-	-	-	-	-
1706	PRE N/mm2	GY	0.010	-	-	-	-	-
1707	PRE N/mm2	GY	0.010	-	-	-	-	-
1708	PRE N/mm2	GY	0.010	-	-	-	-	-
1709	PRE N/mm2	GY	0.010	-	-	-	-	-
1710	PRE N/mm2	GY	0.010	-	-	-	-	-
1711	PRE N/mm2	GY	0.010	-	-	-	-	-
1712	PRE N/mm2	GY	0.010	-	-	-	-	-
1713	PRE N/mm2	GY	0.010	-	-	-	-	-
1714	PRE N/mm2	GY	0.010	-	-	-	-	-
1715	PRE N/mm2	GY	0.010	-	-	-	-	-
1716	PRE N/mm2	GY	0.010	-	-	-	-	-
1717	PRE N/mm2	GY	0.010	-	-	-	-	-
1718	PRE N/mm2	GY	0.010	-	-	-	-	-
1719	PRE N/mm2	GY	0.010	-	-	-	-	-
1720	PRE N/mm2	GY	0.010	-	-	-	-	-
1721	PRE N/mm2	GY	0.010	-	-	-	-	-
1722	PRE N/mm2	GY	0.010	-	-	-	-	-
1724	PRE N/mm2	GY	0.010	-	-	-	-	-
1725	PRE N/mm2	GY	0.010	-	-	-	-	-
1726	PRE N/mm2	GY	0.010	-	-	-	-	-
1727	PRE N/mm2	GY	0.010	-	-	-	-	-
1728	PRE N/mm2	GY	0.010	-	-	-	-	-
1729	PRE N/mm2	GY	0.010	-	-	-	-	-
1730	PRE N/mm2	GY	0.010	-	-	-	-	-
1731	PRE N/mm2	GY	0.010	-	-	-	-	-
1732	PRE N/mm2	GY	0.010	-	-	-	-	-
1733	PRE N/mm2	GY	0.010	-	-	-	-	-
1734	PRE N/mm2	GY	0.010	-	-	-	-	-
1735	PRE N/mm2	GY	0.010	-	-	-	-	-
1736	PRE N/mm2	GY	0.010	-	-	-	-	-
1737	PRE N/mm2	GY	0.010	-	-	-	-	-
1738	PRE N/mm2	GY	0.010	-	-	-	-	-
1739	PRE N/mm2	GY	0.010	-	-	-	-	-
1740	PRE N/mm2	GY	0.010	-	-	-	-	-
1741	PRE N/mm2	GY	0.010	-	-	-	-	-
1742	PRE N/mm2	GY	0.010	-	-	-	-	-
1743	PRE N/mm2	GY	0.010	-	-	-	-	-
1744	PRE N/mm2	GY	0.010	-	-	-	-	-
1745	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1746	PRE N/mm2	GY	0.010	-	-	-	-	-
1747	PRE N/mm2	GY	0.010	-	-	-	-	-
1748	PRE N/mm2	GY	0.010	-	-	-	-	-
1749	PRE N/mm2	GY	0.010	-	-	-	-	-
1750	PRE N/mm2	GY	0.010	-	-	-	-	-
1751	PRE N/mm2	GY	0.010	-	-	-	-	-
1752	PRE N/mm2	GY	0.010	-	-	-	-	-
1753	PRE N/mm2	GY	0.010	-	-	-	-	-
1754	PRE N/mm2	GY	0.010	-	-	-	-	-
1755	PRE N/mm2	GY	0.010	-	-	-	-	-
1756	PRE N/mm2	GY	0.010	-	-	-	-	-
1758	PRE N/mm2	GY	0.010	-	-	-	-	-
1759	PRE N/mm2	GY	0.010	-	-	-	-	-
1760	PRE N/mm2	GY	0.010	-	-	-	-	-
1761	PRE N/mm2	GY	0.010	-	-	-	-	-
1762	PRE N/mm2	GY	0.010	-	-	-	-	-
1763	PRE N/mm2	GY	0.010	-	-	-	-	-
1764	PRE N/mm2	GY	0.010	-	-	-	-	-
1765	PRE N/mm2	GY	0.010	-	-	-	-	-
1766	PRE N/mm2	GY	0.010	-	-	-	-	-
1767	PRE N/mm2	GY	0.010	-	-	-	-	-
1768	PRE N/mm2	GY	0.010	-	-	-	-	-
1769	PRE N/mm2	GY	0.010	-	-	-	-	-
1770	PRE N/mm2	GY	0.010	-	-	-	-	-
1771	PRE N/mm2	GY	0.010	-	-	-	-	-
1772	PRE N/mm2	GY	0.010	-	-	-	-	-
1773	PRE N/mm2	GY	0.010	-	-	-	-	-
1774	PRE N/mm2	GY	0.010	-	-	-	-	-
1775	PRE N/mm2	GY	0.010	-	-	-	-	-
1776	PRE N/mm2	GY	0.010	-	-	-	-	-
1777	PRE N/mm2	GY	0.010	-	-	-	-	-
1778	PRE N/mm2	GY	0.010	-	-	-	-	-
1779	PRE N/mm2	GY	0.010	-	-	-	-	-
1780	PRE N/mm2	GY	0.010	-	-	-	-	-
1781	PRE N/mm2	GY	0.010	-	-	-	-	-
1782	PRE N/mm2	GY	0.010	-	-	-	-	-
1783	PRE N/mm2	GY	0.010	-	-	-	-	-
1784	PRE N/mm2	GY	0.010	-	-	-	-	-
1785	PRE N/mm2	GY	0.010	-	-	-	-	-
1786	PRE N/mm2	GY	0.010	-	-	-	-	-
1787	PRE N/mm2	GY	0.010	-	-	-	-	-
1788	PRE N/mm2	GY	0.010	-	-	-	-	-
1789	PRE N/mm2	GY	0.010	-	-	-	-	-
1790	PRE N/mm2	GY	0.010	-	-	-	-	-
1791	PRE N/mm2	GY	0.010	-	-	-	-	-
1792	PRE N/mm2	GY	0.010	-	-	-	-	-
1793	PRE N/mm2	GY	0.010	-	-	-	-	-
1794	PRE N/mm2	GY	0.010	-	-	-	-	-
1795	PRE N/mm2	GY	0.010	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1796	PRE N/mm2	GY	0.010	-	-	-	-	-
1797	PRE N/mm2	GY	0.010	-	-	-	-	-
1798	PRE N/mm2	GY	0.010	-	-	-	-	-
1799	PRE N/mm2	GY	0.010	-	-	-	-	-
1800	PRE N/mm2	GY	0.010	-	-	-	-	-
1801	PRE N/mm2	GY	0.010	-	-	-	-	-
1802	PRE N/mm2	GY	0.010	-	-	-	-	-
1803	PRE N/mm2	GY	0.010	-	-	-	-	-
1804	PRE N/mm2	GY	0.010	-	-	-	-	-
1805	PRE N/mm2	GY	0.010	-	-	-	-	-
1806	PRE N/mm2	GY	0.010	-	-	-	-	-
1807	PRE N/mm2	GY	0.010	-	-	-	-	-
1808	PRE N/mm2	GY	0.010	-	-	-	-	-
1809	PRE N/mm2	GY	0.010	-	-	-	-	-
1810	PRE N/mm2	GY	0.010	-	-	-	-	-
1811	PRE N/mm2	GY	0.010	-	-	-	-	-
1812	PRE N/mm2	GY	0.010	-	-	-	-	-
1813	PRE N/mm2	GY	0.010	-	-	-	-	-
1814	PRE N/mm2	GY	0.010	-	-	-	-	-
1815	PRE N/mm2	GY	0.010	-	-	-	-	-
1816	PRE N/mm2	GY	0.010	-	-	-	-	-
1817	PRE N/mm2	GY	0.010	-	-	-	-	-
1818	PRE N/mm2	GY	0.010	-	-	-	-	-
1819	PRE N/mm2	GY	0.010	-	-	-	-	-
1820	PRE N/mm2	GY	0.010	-	-	-	-	-
1821	PRE N/mm2	GY	0.010	-	-	-	-	-
1822	PRE N/mm2	GY	0.010	-	-	-	-	-
2224	PRE N/mm2	Z	0.003	-	-	-	-	-
2227	PRE N/mm2	Z	0.003	-	-	-	-	-
2232	PRE N/mm2	Z	0.003	-	-	-	-	-
2235	PRE N/mm2	Z	0.003	-	-	-	-	-
2239	PRE N/mm2	Z	0.003	-	-	-	-	-
2242	PRE N/mm2	Z	0.003	-	-	-	-	-
2245	PRE N/mm2	Z	0.003	-	-	-	-	-
2250	PRE N/mm2	Z	0.003	-	-	-	-	-
2254	PRE N/mm2	Z	0.003	-	-	-	-	-
2255	PRE N/mm2	Z	0.003	-	-	-	-	-
2263	PRE N/mm2	Z	0.003	-	-	-	-	-
2271	PRE N/mm2	Z	0.003	-	-	-	-	-
2272	PRE N/mm2	Z	0.003	-	-	-	-	-
2273	PRE N/mm2	Z	0.003	-	-	-	-	-
2274	PRE N/mm2	Z	0.003	-	-	-	-	-
2275	PRE N/mm2	Z	0.003	-	-	-	-	-
2276	PRE N/mm2	Z	0.003	-	-	-	-	-
2277	PRE N/mm2	Z	0.003	-	-	-	-	-
2278	PRE N/mm2	Z	0.003	-	-	-	-	-
2279	PRE N/mm2	Z	0.003	-	-	-	-	-
2280	PRE N/mm2	Z	0.003	-	-	-	-	-
2281	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2282	PRE N/mm2	Z	0.003	-	-	-	-	-
2283	PRE N/mm2	Z	0.003	-	-	-	-	-
2284	PRE N/mm2	Z	0.003	-	-	-	-	-
2285	PRE N/mm2	Z	0.003	-	-	-	-	-
2286	PRE N/mm2	Z	0.003	-	-	-	-	-
2287	PRE N/mm2	Z	0.003	-	-	-	-	-
2288	PRE N/mm2	Z	0.003	-	-	-	-	-
2289	PRE N/mm2	Z	0.003	-	-	-	-	-
2290	PRE N/mm2	Z	0.003	-	-	-	-	-
2291	PRE N/mm2	Z	0.003	-	-	-	-	-
2292	PRE N/mm2	Z	0.003	-	-	-	-	-
2293	PRE N/mm2	Z	0.003	-	-	-	-	-
2294	PRE N/mm2	Z	0.003	-	-	-	-	-
2295	PRE N/mm2	Z	0.003	-	-	-	-	-
2296	PRE N/mm2	Z	0.003	-	-	-	-	-
2297	PRE N/mm2	Z	0.003	-	-	-	-	-
2298	PRE N/mm2	Z	0.003	-	-	-	-	-
2299	PRE N/mm2	Z	0.003	-	-	-	-	-
2300	PRE N/mm2	Z	0.003	-	-	-	-	-
2301	PRE N/mm2	Z	0.003	-	-	-	-	-
2302	PRE N/mm2	Z	0.003	-	-	-	-	-
2303	PRE N/mm2	Z	0.003	-	-	-	-	-
2304	PRE N/mm2	Z	0.003	-	-	-	-	-
2305	PRE N/mm2	Z	0.003	-	-	-	-	-
2306	PRE N/mm2	Z	0.003	-	-	-	-	-
2307	PRE N/mm2	Z	0.003	-	-	-	-	-
2308	PRE N/mm2	Z	0.003	-	-	-	-	-
2309	PRE N/mm2	Z	0.003	-	-	-	-	-
2310	PRE N/mm2	Z	0.003	-	-	-	-	-
2311	PRE N/mm2	Z	0.003	-	-	-	-	-
2312	PRE N/mm2	Z	0.003	-	-	-	-	-
2313	PRE N/mm2	Z	0.003	-	-	-	-	-
2314	PRE N/mm2	Z	0.003	-	-	-	-	-
2315	PRE N/mm2	Z	0.003	-	-	-	-	-
2316	PRE N/mm2	Z	0.003	-	-	-	-	-
2317	PRE N/mm2	Z	0.003	-	-	-	-	-
2318	PRE N/mm2	Z	0.003	-	-	-	-	-
2319	PRE N/mm2	Z	0.003	-	-	-	-	-
2320	PRE N/mm2	Z	0.003	-	-	-	-	-
2397	PRE N/mm2	Z	0.003	-	-	-	-	-
2400	PRE N/mm2	Z	0.003	-	-	-	-	-
2405	PRE N/mm2	Z	0.003	-	-	-	-	-
2408	PRE N/mm2	Z	0.003	-	-	-	-	-
2412	PRE N/mm2	Z	0.003	-	-	-	-	-
2415	PRE N/mm2	Z	0.003	-	-	-	-	-
2418	PRE N/mm2	Z	0.003	-	-	-	-	-
2423	PRE N/mm2	Z	0.003	-	-	-	-	-
2427	PRE N/mm2	Z	0.003	-	-	-	-	-
2428	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2436	PRE N/mm2	Z	0.003	-	-	-	-	-
2444	PRE N/mm2	Z	0.003	-	-	-	-	-
2445	PRE N/mm2	Z	0.003	-	-	-	-	-
2446	PRE N/mm2	Z	0.003	-	-	-	-	-
2447	PRE N/mm2	Z	0.003	-	-	-	-	-
2448	PRE N/mm2	Z	0.003	-	-	-	-	-
2449	PRE N/mm2	Z	0.003	-	-	-	-	-
2450	PRE N/mm2	Z	0.003	-	-	-	-	-
2451	PRE N/mm2	Z	0.003	-	-	-	-	-
2452	PRE N/mm2	Z	0.003	-	-	-	-	-
2453	PRE N/mm2	Z	0.003	-	-	-	-	-
2454	PRE N/mm2	Z	0.003	-	-	-	-	-
2455	PRE N/mm2	Z	0.003	-	-	-	-	-
2456	PRE N/mm2	Z	0.003	-	-	-	-	-
2457	PRE N/mm2	Z	0.003	-	-	-	-	-
2458	PRE N/mm2	Z	0.003	-	-	-	-	-
2459	PRE N/mm2	Z	0.003	-	-	-	-	-
2460	PRE N/mm2	Z	0.003	-	-	-	-	-
2461	PRE N/mm2	Z	0.003	-	-	-	-	-
2462	PRE N/mm2	Z	0.003	-	-	-	-	-
2463	PRE N/mm2	Z	0.003	-	-	-	-	-
2464	PRE N/mm2	Z	0.003	-	-	-	-	-
2465	PRE N/mm2	Z	0.003	-	-	-	-	-
2466	PRE N/mm2	Z	0.003	-	-	-	-	-
2467	PRE N/mm2	Z	0.003	-	-	-	-	-
2468	PRE N/mm2	Z	0.003	-	-	-	-	-
2469	PRE N/mm2	Z	0.003	-	-	-	-	-
2470	PRE N/mm2	Z	0.003	-	-	-	-	-
2471	PRE N/mm2	Z	0.003	-	-	-	-	-
2472	PRE N/mm2	Z	0.003	-	-	-	-	-
2473	PRE N/mm2	Z	0.003	-	-	-	-	-
2474	PRE N/mm2	Z	0.003	-	-	-	-	-
2475	PRE N/mm2	Z	0.003	-	-	-	-	-
2476	PRE N/mm2	Z	0.003	-	-	-	-	-
2477	PRE N/mm2	Z	0.003	-	-	-	-	-
2478	PRE N/mm2	Z	0.003	-	-	-	-	-
2479	PRE N/mm2	Z	0.003	-	-	-	-	-
2480	PRE N/mm2	Z	0.003	-	-	-	-	-
2481	PRE N/mm2	Z	0.003	-	-	-	-	-
2482	PRE N/mm2	Z	0.003	-	-	-	-	-
2483	PRE N/mm2	Z	0.003	-	-	-	-	-
2484	PRE N/mm2	Z	0.003	-	-	-	-	-
2485	PRE N/mm2	Z	0.003	-	-	-	-	-
2486	PRE N/mm2	Z	0.003	-	-	-	-	-
2487	PRE N/mm2	Z	0.003	-	-	-	-	-
2488	PRE N/mm2	Z	0.003	-	-	-	-	-
2489	PRE N/mm2	Z	0.003	-	-	-	-	-
2490	PRE N/mm2	Z	0.003	-	-	-	-	-
2491	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2492	PRE N/mm2	Z	0.003	-	-	-	-	-
2493	PRE N/mm2	Z	0.003	-	-	-	-	-
2563	PRE N/mm2	Z	0.003	-	-	-	-	-
2565	PRE N/mm2	Z	0.003	-	-	-	-	-
2569	PRE N/mm2	Z	0.003	-	-	-	-	-
2574	PRE N/mm2	Z	0.003	-	-	-	-	-
2578	PRE N/mm2	Z	0.003	-	-	-	-	-
2580	PRE N/mm2	Z	0.003	-	-	-	-	-
2583	PRE N/mm2	Z	0.003	-	-	-	-	-
2589	PRE N/mm2	Z	0.003	-	-	-	-	-
2593	PRE N/mm2	Z	0.003	-	-	-	-	-
2594	PRE N/mm2	Z	0.003	-	-	-	-	-
2602	PRE N/mm2	Z	0.003	-	-	-	-	-
2610	PRE N/mm2	Z	0.003	-	-	-	-	-
2611	PRE N/mm2	Z	0.003	-	-	-	-	-
2612	PRE N/mm2	Z	0.003	-	-	-	-	-
2613	PRE N/mm2	Z	0.003	-	-	-	-	-
2614	PRE N/mm2	Z	0.003	-	-	-	-	-
2615	PRE N/mm2	Z	0.003	-	-	-	-	-
2616	PRE N/mm2	Z	0.003	-	-	-	-	-
2617	PRE N/mm2	Z	0.003	-	-	-	-	-
2618	PRE N/mm2	Z	0.003	-	-	-	-	-
2619	PRE N/mm2	Z	0.003	-	-	-	-	-
2620	PRE N/mm2	Z	0.003	-	-	-	-	-
2621	PRE N/mm2	Z	0.003	-	-	-	-	-
2622	PRE N/mm2	Z	0.003	-	-	-	-	-
2623	PRE N/mm2	Z	0.003	-	-	-	-	-
2624	PRE N/mm2	Z	0.003	-	-	-	-	-
2625	PRE N/mm2	Z	0.003	-	-	-	-	-
2626	PRE N/mm2	Z	0.003	-	-	-	-	-
2627	PRE N/mm2	Z	0.003	-	-	-	-	-
2628	PRE N/mm2	Z	0.003	-	-	-	-	-
2629	PRE N/mm2	Z	0.003	-	-	-	-	-
2630	PRE N/mm2	Z	0.003	-	-	-	-	-
2631	PRE N/mm2	Z	0.003	-	-	-	-	-
2632	PRE N/mm2	Z	0.003	-	-	-	-	-
2633	PRE N/mm2	Z	0.003	-	-	-	-	-
2634	PRE N/mm2	Z	0.003	-	-	-	-	-
2635	PRE N/mm2	Z	0.003	-	-	-	-	-
2636	PRE N/mm2	Z	0.003	-	-	-	-	-
2637	PRE N/mm2	Z	0.003	-	-	-	-	-
2638	PRE N/mm2	Z	0.003	-	-	-	-	-
2639	PRE N/mm2	Z	0.003	-	-	-	-	-
2640	PRE N/mm2	Z	0.003	-	-	-	-	-
2641	PRE N/mm2	Z	0.003	-	-	-	-	-
2642	PRE N/mm2	Z	0.003	-	-	-	-	-
2643	PRE N/mm2	Z	0.003	-	-	-	-	-
2644	PRE N/mm2	Z	0.003	-	-	-	-	-
2645	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2646	PRE N/mm2	Z	0.003	-	-	-	-	-
2647	PRE N/mm2	Z	0.003	-	-	-	-	-
2648	PRE N/mm2	Z	0.003	-	-	-	-	-
2649	PRE N/mm2	Z	0.003	-	-	-	-	-
2650	PRE N/mm2	Z	0.003	-	-	-	-	-
2651	PRE N/mm2	Z	0.003	-	-	-	-	-
2652	PRE N/mm2	Z	0.003	-	-	-	-	-
2653	PRE N/mm2	Z	0.003	-	-	-	-	-
2654	PRE N/mm2	Z	0.003	-	-	-	-	-
2655	PRE N/mm2	Z	0.003	-	-	-	-	-
2656	PRE N/mm2	Z	0.003	-	-	-	-	-
2657	PRE N/mm2	Z	0.003	-	-	-	-	-
2658	PRE N/mm2	Z	0.003	-	-	-	-	-
2659	PRE N/mm2	Z	0.003	-	-	-	-	-
2712	PRE N/mm2	Z	0.003	-	-	-	-	-
2715	PRE N/mm2	Z	0.003	-	-	-	-	-
2719	PRE N/mm2	Z	0.003	-	-	-	-	-
2724	PRE N/mm2	Z	0.003	-	-	-	-	-
2727	PRE N/mm2	Z	0.003	-	-	-	-	-
2732	PRE N/mm2	Z	0.003	-	-	-	-	-
2735	PRE N/mm2	Z	0.003	-	-	-	-	-
2741	PRE N/mm2	Z	0.003	-	-	-	-	-
2745	PRE N/mm2	Z	0.003	-	-	-	-	-
2746	PRE N/mm2	Z	0.003	-	-	-	-	-
2754	PRE N/mm2	Z	0.003	-	-	-	-	-
2762	PRE N/mm2	Z	0.003	-	-	-	-	-
2763	PRE N/mm2	Z	0.003	-	-	-	-	-
2764	PRE N/mm2	Z	0.003	-	-	-	-	-
2765	PRE N/mm2	Z	0.003	-	-	-	-	-
2766	PRE N/mm2	Z	0.003	-	-	-	-	-
2767	PRE N/mm2	Z	0.003	-	-	-	-	-
2768	PRE N/mm2	Z	0.003	-	-	-	-	-
2769	PRE N/mm2	Z	0.003	-	-	-	-	-
2770	PRE N/mm2	Z	0.003	-	-	-	-	-
2771	PRE N/mm2	Z	0.003	-	-	-	-	-
2772	PRE N/mm2	Z	0.003	-	-	-	-	-
2773	PRE N/mm2	Z	0.003	-	-	-	-	-
2774	PRE N/mm2	Z	0.003	-	-	-	-	-
2775	PRE N/mm2	Z	0.003	-	-	-	-	-
2776	PRE N/mm2	Z	0.003	-	-	-	-	-
2777	PRE N/mm2	Z	0.003	-	-	-	-	-
2778	PRE N/mm2	Z	0.003	-	-	-	-	-
2779	PRE N/mm2	Z	0.003	-	-	-	-	-
2780	PRE N/mm2	Z	0.003	-	-	-	-	-
2781	PRE N/mm2	Z	0.003	-	-	-	-	-
2782	PRE N/mm2	Z	0.003	-	-	-	-	-
2783	PRE N/mm2	Z	0.003	-	-	-	-	-
2784	PRE N/mm2	Z	0.003	-	-	-	-	-
2785	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2786	PRE N/mm2	Z	0.003	-	-	-	-	-
2787	PRE N/mm2	Z	0.003	-	-	-	-	-
2788	PRE N/mm2	Z	0.003	-	-	-	-	-
2789	PRE N/mm2	Z	0.003	-	-	-	-	-
2790	PRE N/mm2	Z	0.003	-	-	-	-	-
2791	PRE N/mm2	Z	0.003	-	-	-	-	-
2792	PRE N/mm2	Z	0.003	-	-	-	-	-
2793	PRE N/mm2	Z	0.003	-	-	-	-	-
2794	PRE N/mm2	Z	0.003	-	-	-	-	-
2795	PRE N/mm2	Z	0.003	-	-	-	-	-
2796	PRE N/mm2	Z	0.003	-	-	-	-	-
2797	PRE N/mm2	Z	0.003	-	-	-	-	-
2798	PRE N/mm2	Z	0.003	-	-	-	-	-
2799	PRE N/mm2	Z	0.003	-	-	-	-	-
2800	PRE N/mm2	Z	0.003	-	-	-	-	-
2801	PRE N/mm2	Z	0.003	-	-	-	-	-
2802	PRE N/mm2	Z	0.003	-	-	-	-	-
2803	PRE N/mm2	Z	0.003	-	-	-	-	-
2804	PRE N/mm2	Z	0.003	-	-	-	-	-
2805	PRE N/mm2	Z	0.003	-	-	-	-	-
2806	PRE N/mm2	Z	0.003	-	-	-	-	-
2807	PRE N/mm2	Z	0.003	-	-	-	-	-
2808	PRE N/mm2	Z	0.003	-	-	-	-	-
2809	PRE N/mm2	Z	0.003	-	-	-	-	-
2810	PRE N/mm2	Z	0.003	-	-	-	-	-
2811	PRE N/mm2	Z	0.003	-	-	-	-	-
2854	PRE N/mm2	Z	0.003	-	-	-	-	-
2858	PRE N/mm2	Z	0.003	-	-	-	-	-
2863	PRE N/mm2	Z	0.003	-	-	-	-	-
2868	PRE N/mm2	Z	0.003	-	-	-	-	-
2871	PRE N/mm2	Z	0.003	-	-	-	-	-
2875	PRE N/mm2	Z	0.003	-	-	-	-	-
2878	PRE N/mm2	Z	0.003	-	-	-	-	-
2886	PRE N/mm2	Z	0.003	-	-	-	-	-
2890	PRE N/mm2	Z	0.003	-	-	-	-	-
2891	PRE N/mm2	Z	0.003	-	-	-	-	-
2899	PRE N/mm2	Z	0.003	-	-	-	-	-
2907	PRE N/mm2	Z	0.003	-	-	-	-	-
2908	PRE N/mm2	Z	0.003	-	-	-	-	-
2909	PRE N/mm2	Z	0.003	-	-	-	-	-
2910	PRE N/mm2	Z	0.003	-	-	-	-	-
2911	PRE N/mm2	Z	0.003	-	-	-	-	-
2912	PRE N/mm2	Z	0.003	-	-	-	-	-
2913	PRE N/mm2	Z	0.003	-	-	-	-	-
2914	PRE N/mm2	Z	0.003	-	-	-	-	-
2915	PRE N/mm2	Z	0.003	-	-	-	-	-
2916	PRE N/mm2	Z	0.003	-	-	-	-	-
2917	PRE N/mm2	Z	0.003	-	-	-	-	-
2918	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2919	PRE N/mm2	Z	0.003	-	-	-	-	-
2920	PRE N/mm2	Z	0.003	-	-	-	-	-
2921	PRE N/mm2	Z	0.003	-	-	-	-	-
2922	PRE N/mm2	Z	0.003	-	-	-	-	-
2923	PRE N/mm2	Z	0.003	-	-	-	-	-
2924	PRE N/mm2	Z	0.003	-	-	-	-	-
2925	PRE N/mm2	Z	0.003	-	-	-	-	-
2926	PRE N/mm2	Z	0.003	-	-	-	-	-
2927	PRE N/mm2	Z	0.003	-	-	-	-	-
2928	PRE N/mm2	Z	0.003	-	-	-	-	-
2929	PRE N/mm2	Z	0.003	-	-	-	-	-
2930	PRE N/mm2	Z	0.003	-	-	-	-	-
2931	PRE N/mm2	Z	0.003	-	-	-	-	-
2932	PRE N/mm2	Z	0.003	-	-	-	-	-
2933	PRE N/mm2	Z	0.003	-	-	-	-	-
2934	PRE N/mm2	Z	0.003	-	-	-	-	-
2935	PRE N/mm2	Z	0.003	-	-	-	-	-
2936	PRE N/mm2	Z	0.003	-	-	-	-	-
2937	PRE N/mm2	Z	0.003	-	-	-	-	-
2938	PRE N/mm2	Z	0.003	-	-	-	-	-
2939	PRE N/mm2	Z	0.003	-	-	-	-	-
2940	PRE N/mm2	Z	0.003	-	-	-	-	-
2941	PRE N/mm2	Z	0.003	-	-	-	-	-
2942	PRE N/mm2	Z	0.003	-	-	-	-	-
2943	PRE N/mm2	Z	0.003	-	-	-	-	-
2944	PRE N/mm2	Z	0.003	-	-	-	-	-
2945	PRE N/mm2	Z	0.003	-	-	-	-	-
2946	PRE N/mm2	Z	0.003	-	-	-	-	-
2947	PRE N/mm2	Z	0.003	-	-	-	-	-
2948	PRE N/mm2	Z	0.003	-	-	-	-	-
2949	PRE N/mm2	Z	0.003	-	-	-	-	-
2950	PRE N/mm2	Z	0.003	-	-	-	-	-
2951	PRE N/mm2	Z	0.003	-	-	-	-	-
2952	PRE N/mm2	Z	0.003	-	-	-	-	-
2953	PRE N/mm2	Z	0.003	-	-	-	-	-
2954	PRE N/mm2	Z	0.003	-	-	-	-	-
2955	PRE N/mm2	Z	0.003	-	-	-	-	-
2956	PRE N/mm2	Z	0.003	-	-	-	-	-
2997	PRE N/mm2	Z	0.003	-	-	-	-	-
3000	PRE N/mm2	Z	0.003	-	-	-	-	-
3005	PRE N/mm2	Z	0.003	-	-	-	-	-
3009	PRE N/mm2	Z	0.003	-	-	-	-	-
3015	PRE N/mm2	Z	0.003	-	-	-	-	-
3019	PRE N/mm2	Z	0.003	-	-	-	-	-
3023	PRE N/mm2	Z	0.003	-	-	-	-	-
3029	PRE N/mm2	Z	0.003	-	-	-	-	-
3034	PRE N/mm2	Z	0.003	-	-	-	-	-
3036	PRE N/mm2	Z	0.003	-	-	-	-	-
3044	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3052	PRE N/mm2	Z	0.003	-	-	-	-	-
3053	PRE N/mm2	Z	0.003	-	-	-	-	-
3054	PRE N/mm2	Z	0.003	-	-	-	-	-
3055	PRE N/mm2	Z	0.003	-	-	-	-	-
3056	PRE N/mm2	Z	0.003	-	-	-	-	-
3057	PRE N/mm2	Z	0.003	-	-	-	-	-
3058	PRE N/mm2	Z	0.003	-	-	-	-	-
3059	PRE N/mm2	Z	0.003	-	-	-	-	-
3060	PRE N/mm2	Z	0.003	-	-	-	-	-
3061	PRE N/mm2	Z	0.003	-	-	-	-	-
3062	PRE N/mm2	Z	0.003	-	-	-	-	-
3063	PRE N/mm2	Z	0.003	-	-	-	-	-
3064	PRE N/mm2	Z	0.003	-	-	-	-	-
3065	PRE N/mm2	Z	0.003	-	-	-	-	-
3066	PRE N/mm2	Z	0.003	-	-	-	-	-
3067	PRE N/mm2	Z	0.003	-	-	-	-	-
3068	PRE N/mm2	Z	0.003	-	-	-	-	-
3069	PRE N/mm2	Z	0.003	-	-	-	-	-
3070	PRE N/mm2	Z	0.003	-	-	-	-	-
3071	PRE N/mm2	Z	0.003	-	-	-	-	-
3072	PRE N/mm2	Z	0.003	-	-	-	-	-
3073	PRE N/mm2	Z	0.003	-	-	-	-	-
3074	PRE N/mm2	Z	0.003	-	-	-	-	-
3075	PRE N/mm2	Z	0.003	-	-	-	-	-
3076	PRE N/mm2	Z	0.003	-	-	-	-	-
3077	PRE N/mm2	Z	0.003	-	-	-	-	-
3078	PRE N/mm2	Z	0.003	-	-	-	-	-
3079	PRE N/mm2	Z	0.003	-	-	-	-	-
3080	PRE N/mm2	Z	0.003	-	-	-	-	-
3081	PRE N/mm2	Z	0.003	-	-	-	-	-
3082	PRE N/mm2	Z	0.003	-	-	-	-	-
3083	PRE N/mm2	Z	0.003	-	-	-	-	-
3084	PRE N/mm2	Z	0.003	-	-	-	-	-
3085	PRE N/mm2	Z	0.003	-	-	-	-	-
3086	PRE N/mm2	Z	0.003	-	-	-	-	-
3087	PRE N/mm2	Z	0.003	-	-	-	-	-
3088	PRE N/mm2	Z	0.003	-	-	-	-	-
3089	PRE N/mm2	Z	0.003	-	-	-	-	-
3090	PRE N/mm2	Z	0.003	-	-	-	-	-
3091	PRE N/mm2	Z	0.003	-	-	-	-	-
3092	PRE N/mm2	Z	0.003	-	-	-	-	-
3093	PRE N/mm2	Z	0.003	-	-	-	-	-
3094	PRE N/mm2	Z	0.003	-	-	-	-	-
3095	PRE N/mm2	Z	0.003	-	-	-	-	-
3096	PRE N/mm2	Z	0.003	-	-	-	-	-
3097	PRE N/mm2	Z	0.003	-	-	-	-	-
3098	PRE N/mm2	Z	0.003	-	-	-	-	-
3099	PRE N/mm2	Z	0.003	-	-	-	-	-
3100	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3101	PRE N/mm2	Z	0.003	-	-	-	-	-
3140	PRE N/mm2	Z	0.003	-	-	-	-	-
3144	PRE N/mm2	Z	0.003	-	-	-	-	-
3147	PRE N/mm2	Z	0.003	-	-	-	-	-
3152	PRE N/mm2	Z	0.003	-	-	-	-	-
3156	PRE N/mm2	Z	0.003	-	-	-	-	-
3161	PRE N/mm2	Z	0.003	-	-	-	-	-
3166	PRE N/mm2	Z	0.003	-	-	-	-	-
3173	PRE N/mm2	Z	0.003	-	-	-	-	-
3179	PRE N/mm2	Z	0.003	-	-	-	-	-
3181	PRE N/mm2	Z	0.003	-	-	-	-	-
3189	PRE N/mm2	Z	0.003	-	-	-	-	-
3197	PRE N/mm2	Z	0.003	-	-	-	-	-
3198	PRE N/mm2	Z	0.003	-	-	-	-	-
3199	PRE N/mm2	Z	0.003	-	-	-	-	-
3200	PRE N/mm2	Z	0.003	-	-	-	-	-
3201	PRE N/mm2	Z	0.003	-	-	-	-	-
3202	PRE N/mm2	Z	0.003	-	-	-	-	-
3203	PRE N/mm2	Z	0.003	-	-	-	-	-
3204	PRE N/mm2	Z	0.003	-	-	-	-	-
3205	PRE N/mm2	Z	0.003	-	-	-	-	-
3206	PRE N/mm2	Z	0.003	-	-	-	-	-
3207	PRE N/mm2	Z	0.003	-	-	-	-	-
3208	PRE N/mm2	Z	0.003	-	-	-	-	-
3209	PRE N/mm2	Z	0.003	-	-	-	-	-
3210	PRE N/mm2	Z	0.003	-	-	-	-	-
3211	PRE N/mm2	Z	0.003	-	-	-	-	-
3212	PRE N/mm2	Z	0.003	-	-	-	-	-
3213	PRE N/mm2	Z	0.003	-	-	-	-	-
3214	PRE N/mm2	Z	0.003	-	-	-	-	-
3215	PRE N/mm2	Z	0.003	-	-	-	-	-
3216	PRE N/mm2	Z	0.003	-	-	-	-	-
3217	PRE N/mm2	Z	0.003	-	-	-	-	-
3218	PRE N/mm2	Z	0.003	-	-	-	-	-
3219	PRE N/mm2	Z	0.003	-	-	-	-	-
3220	PRE N/mm2	Z	0.003	-	-	-	-	-
3221	PRE N/mm2	Z	0.003	-	-	-	-	-
3222	PRE N/mm2	Z	0.003	-	-	-	-	-
3223	PRE N/mm2	Z	0.003	-	-	-	-	-
3224	PRE N/mm2	Z	0.003	-	-	-	-	-
3225	PRE N/mm2	Z	0.003	-	-	-	-	-
3226	PRE N/mm2	Z	0.003	-	-	-	-	-
3227	PRE N/mm2	Z	0.003	-	-	-	-	-
3228	PRE N/mm2	Z	0.003	-	-	-	-	-
3229	PRE N/mm2	Z	0.003	-	-	-	-	-
3230	PRE N/mm2	Z	0.003	-	-	-	-	-
3231	PRE N/mm2	Z	0.003	-	-	-	-	-
3232	PRE N/mm2	Z	0.003	-	-	-	-	-
3233	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3234	PRE N/mm2	Z	0.003	-	-	-	-	-
3235	PRE N/mm2	Z	0.003	-	-	-	-	-
3236	PRE N/mm2	Z	0.003	-	-	-	-	-
3237	PRE N/mm2	Z	0.003	-	-	-	-	-
3238	PRE N/mm2	Z	0.003	-	-	-	-	-
3239	PRE N/mm2	Z	0.003	-	-	-	-	-
3240	PRE N/mm2	Z	0.003	-	-	-	-	-
3241	PRE N/mm2	Z	0.003	-	-	-	-	-
3242	PRE N/mm2	Z	0.003	-	-	-	-	-
3243	PRE N/mm2	Z	0.003	-	-	-	-	-
3244	PRE N/mm2	Z	0.003	-	-	-	-	-
3245	PRE N/mm2	Z	0.003	-	-	-	-	-
3246	PRE N/mm2	Z	0.003	-	-	-	-	-
3247	PRE N/mm2	Z	0.003	-	-	-	-	-
3248	PRE N/mm2	Z	0.003	-	-	-	-	-
3249	PRE N/mm2	Z	0.003	-	-	-	-	-
3250	PRE N/mm2	Z	0.003	-	-	-	-	-
3263	PRE N/mm2	Z	0.003	-	-	-	-	-
3264	PRE N/mm2	Z	0.003	-	-	-	-	-
3265	PRE N/mm2	Z	0.003	-	-	-	-	-
3266	PRE N/mm2	Z	0.003	-	-	-	-	-
3267	PRE N/mm2	Z	0.003	-	-	-	-	-
3268	PRE N/mm2	Z	0.003	-	-	-	-	-
3269	PRE N/mm2	Z	0.003	-	-	-	-	-
3270	PRE N/mm2	Z	0.003	-	-	-	-	-
3271	PRE N/mm2	Z	0.003	-	-	-	-	-
3272	PRE N/mm2	Z	0.003	-	-	-	-	-
3273	PRE N/mm2	Z	0.003	-	-	-	-	-
3274	PRE N/mm2	Z	0.003	-	-	-	-	-
3275	PRE N/mm2	Z	0.003	-	-	-	-	-
3276	PRE N/mm2	Z	0.003	-	-	-	-	-
3289	PRE N/mm2	Z	0.003	-	-	-	-	-
3302	PRE N/mm2	Z	0.003	-	-	-	-	-
3303	PRE N/mm2	Z	0.003	-	-	-	-	-
3304	PRE N/mm2	Z	0.003	-	-	-	-	-
3305	PRE N/mm2	Z	0.003	-	-	-	-	-
3306	PRE N/mm2	Z	0.003	-	-	-	-	-
3307	PRE N/mm2	Z	0.003	-	-	-	-	-
3308	PRE N/mm2	Z	0.003	-	-	-	-	-
3309	PRE N/mm2	Z	0.003	-	-	-	-	-
3310	PRE N/mm2	Z	0.003	-	-	-	-	-
3311	PRE N/mm2	Z	0.003	-	-	-	-	-
3312	PRE N/mm2	Z	0.003	-	-	-	-	-
3313	PRE N/mm2	Z	0.003	-	-	-	-	-
3326	PRE N/mm2	Z	0.003	-	-	-	-	-
3327	PRE N/mm2	Z	0.003	-	-	-	-	-
3328	PRE N/mm2	Z	0.003	-	-	-	-	-
3329	PRE N/mm2	Z	0.003	-	-	-	-	-
3330	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3331	PRE N/mm2	Z	0.003	-	-	-	-	-
3344	PRE N/mm2	Z	0.003	-	-	-	-	-
3345	PRE N/mm2	Z	0.003	-	-	-	-	-
3346	PRE N/mm2	Z	0.003	-	-	-	-	-
3347	PRE N/mm2	Z	0.003	-	-	-	-	-
3348	PRE N/mm2	Z	0.003	-	-	-	-	-
3349	PRE N/mm2	Z	0.003	-	-	-	-	-
3350	PRE N/mm2	Z	0.003	-	-	-	-	-
3351	PRE N/mm2	Z	0.003	-	-	-	-	-
3352	PRE N/mm2	Z	0.003	-	-	-	-	-
3353	PRE N/mm2	Z	0.003	-	-	-	-	-
3354	PRE N/mm2	Z	0.003	-	-	-	-	-
3367	PRE N/mm2	Z	0.003	-	-	-	-	-
3368	PRE N/mm2	Z	0.003	-	-	-	-	-
3369	PRE N/mm2	Z	0.003	-	-	-	-	-
3370	PRE N/mm2	Z	0.003	-	-	-	-	-
3371	PRE N/mm2	Z	0.003	-	-	-	-	-
3372	PRE N/mm2	Z	0.003	-	-	-	-	-
3373	PRE N/mm2	Z	0.003	-	-	-	-	-
3386	PRE N/mm2	Z	0.003	-	-	-	-	-
3387	PRE N/mm2	Z	0.003	-	-	-	-	-
3388	PRE N/mm2	Z	0.003	-	-	-	-	-
3389	PRE N/mm2	Z	0.003	-	-	-	-	-
3390	PRE N/mm2	Z	0.003	-	-	-	-	-
3391	PRE N/mm2	Z	0.003	-	-	-	-	-
3392	PRE N/mm2	Z	0.003	-	-	-	-	-
3393	PRE N/mm2	Z	0.003	-	-	-	-	-
3394	PRE N/mm2	Z	0.003	-	-	-	-	-
3395	PRE N/mm2	Z	0.003	-	-	-	-	-
3408	PRE N/mm2	Z	0.003	-	-	-	-	-
3409	PRE N/mm2	Z	0.003	-	-	-	-	-
3410	PRE N/mm2	Z	0.003	-	-	-	-	-
3411	PRE N/mm2	Z	0.003	-	-	-	-	-
3424	PRE N/mm2	Z	0.003	-	-	-	-	-
3425	PRE N/mm2	Z	0.003	-	-	-	-	-
3426	PRE N/mm2	Z	0.003	-	-	-	-	-
3427	PRE N/mm2	Z	0.003	-	-	-	-	-
3428	PRE N/mm2	Z	0.003	-	-	-	-	-
3429	PRE N/mm2	Z	0.003	-	-	-	-	-
3430	PRE N/mm2	Z	0.003	-	-	-	-	-
3431	PRE N/mm2	Z	0.003	-	-	-	-	-
3444	PRE N/mm2	Z	0.003	-	-	-	-	-
3445	PRE N/mm2	Z	0.003	-	-	-	-	-
3446	PRE N/mm2	Z	0.003	-	-	-	-	-
3447	PRE N/mm2	Z	0.003	-	-	-	-	-
3448	PRE N/mm2	Z	0.003	-	-	-	-	-
3461	PRE N/mm2	Z	0.003	-	-	-	-	-
3462	PRE N/mm2	Z	0.003	-	-	-	-	-
3463	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3476	PRE N/mm2	Z	0.003	-	-	-	-	-
3477	PRE N/mm2	Z	0.003	-	-	-	-	-
3478	PRE N/mm2	Z	0.003	-	-	-	-	-
3479	PRE N/mm2	Z	0.003	-	-	-	-	-
3480	PRE N/mm2	Z	0.003	-	-	-	-	-
3481	PRE N/mm2	Z	0.003	-	-	-	-	-
3482	PRE N/mm2	Z	0.003	-	-	-	-	-
3483	PRE N/mm2	Z	0.003	-	-	-	-	-
3484	PRE N/mm2	Z	0.003	-	-	-	-	-
3485	PRE N/mm2	Z	0.003	-	-	-	-	-
3486	PRE N/mm2	Z	0.003	-	-	-	-	-
3487	PRE N/mm2	Z	0.003	-	-	-	-	-
3488	PRE N/mm2	Z	0.003	-	-	-	-	-
3489	PRE N/mm2	Z	0.003	-	-	-	-	-
3514	PRE N/mm2	Z	0.003	-	-	-	-	-
3515	PRE N/mm2	Z	0.003	-	-	-	-	-
3516	PRE N/mm2	Z	0.003	-	-	-	-	-
3517	PRE N/mm2	Z	0.003	-	-	-	-	-
3518	PRE N/mm2	Z	0.003	-	-	-	-	-
3519	PRE N/mm2	Z	0.003	-	-	-	-	-
3520	PRE N/mm2	Z	0.003	-	-	-	-	-
3521	PRE N/mm2	Z	0.003	-	-	-	-	-
3534	PRE N/mm2	Z	0.003	-	-	-	-	-
3535	PRE N/mm2	Z	0.003	-	-	-	-	-
3536	PRE N/mm2	Z	0.003	-	-	-	-	-
3537	PRE N/mm2	Z	0.003	-	-	-	-	-
3538	PRE N/mm2	Z	0.003	-	-	-	-	-
3539	PRE N/mm2	Z	0.003	-	-	-	-	-
3540	PRE N/mm2	Z	0.003	-	-	-	-	-
3541	PRE N/mm2	Z	0.003	-	-	-	-	-
3578	PRE N/mm2	Z	0.003	-	-	-	-	-
3579	PRE N/mm2	Z	0.003	-	-	-	-	-
3580	PRE N/mm2	Z	0.003	-	-	-	-	-
3581	PRE N/mm2	Z	0.003	-	-	-	-	-
3582	PRE N/mm2	Z	0.003	-	-	-	-	-
3583	PRE N/mm2	Z	0.003	-	-	-	-	-
3594	PRE N/mm2	Z	0.003	-	-	-	-	-
3597	PRE N/mm2	Z	0.003	-	-	-	-	-
3598	PRE N/mm2	Z	0.003	-	-	-	-	-
3599	PRE N/mm2	Z	0.003	-	-	-	-	-
3600	PRE N/mm2	Z	0.003	-	-	-	-	-
3601	PRE N/mm2	Z	0.003	-	-	-	-	-
3602	PRE N/mm2	Z	0.003	-	-	-	-	-
3603	PRE N/mm2	Z	0.003	-	-	-	-	-
3604	PRE N/mm2	Z	0.003	-	-	-	-	-
3605	PRE N/mm2	Z	0.003	-	-	-	-	-
3606	PRE N/mm2	Z	0.003	-	-	-	-	-
3607	PRE N/mm2	Z	0.003	-	-	-	-	-
3608	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3609	PRE N/mm2	Z	0.003	-	-	-	-	-
3610	PRE N/mm2	Z	0.003	-	-	-	-	-
3611	PRE N/mm2	Z	0.003	-	-	-	-	-
3612	PRE N/mm2	Z	0.003	-	-	-	-	-
3625	PRE N/mm2	Z	0.003	-	-	-	-	-
3638	PRE N/mm2	Z	0.003	-	-	-	-	-
3639	PRE N/mm2	Z	0.003	-	-	-	-	-
3640	PRE N/mm2	Z	0.003	-	-	-	-	-
3641	PRE N/mm2	Z	0.003	-	-	-	-	-
3642	PRE N/mm2	Z	0.003	-	-	-	-	-
3643	PRE N/mm2	Z	0.003	-	-	-	-	-
3644	PRE N/mm2	Z	0.003	-	-	-	-	-
3645	PRE N/mm2	Z	0.003	-	-	-	-	-
3646	PRE N/mm2	Z	0.003	-	-	-	-	-
3647	PRE N/mm2	Z	0.003	-	-	-	-	-
3648	PRE N/mm2	Z	0.003	-	-	-	-	-
3661	PRE N/mm2	Z	0.003	-	-	-	-	-
3662	PRE N/mm2	Z	0.003	-	-	-	-	-
3663	PRE N/mm2	Z	0.003	-	-	-	-	-
3664	PRE N/mm2	Z	0.003	-	-	-	-	-
3665	PRE N/mm2	Z	0.003	-	-	-	-	-
3666	PRE N/mm2	Z	0.003	-	-	-	-	-
3667	PRE N/mm2	Z	0.003	-	-	-	-	-
3668	PRE N/mm2	Z	0.003	-	-	-	-	-
3669	PRE N/mm2	Z	0.003	-	-	-	-	-
3670	PRE N/mm2	Z	0.003	-	-	-	-	-
3671	PRE N/mm2	Z	0.003	-	-	-	-	-
3672	PRE N/mm2	Z	0.003	-	-	-	-	-
3685	PRE N/mm2	Z	0.003	-	-	-	-	-
3686	PRE N/mm2	Z	0.003	-	-	-	-	-
3687	PRE N/mm2	Z	0.003	-	-	-	-	-
3688	PRE N/mm2	Z	0.003	-	-	-	-	-
3689	PRE N/mm2	Z	0.003	-	-	-	-	-
3690	PRE N/mm2	Z	0.003	-	-	-	-	-
3703	PRE N/mm2	Z	0.003	-	-	-	-	-
3704	PRE N/mm2	Z	0.003	-	-	-	-	-
3705	PRE N/mm2	Z	0.003	-	-	-	-	-
3706	PRE N/mm2	Z	0.003	-	-	-	-	-
3707	PRE N/mm2	Z	0.003	-	-	-	-	-
3708	PRE N/mm2	Z	0.003	-	-	-	-	-
3709	PRE N/mm2	Z	0.003	-	-	-	-	-
3722	PRE N/mm2	Z	0.003	-	-	-	-	-
3723	PRE N/mm2	Z	0.003	-	-	-	-	-
3724	PRE N/mm2	Z	0.003	-	-	-	-	-
3725	PRE N/mm2	Z	0.003	-	-	-	-	-
3726	PRE N/mm2	Z	0.003	-	-	-	-	-
3727	PRE N/mm2	Z	0.003	-	-	-	-	-
3728	PRE N/mm2	Z	0.003	-	-	-	-	-
3729	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3730	PRE N/mm2	Z	0.003	-	-	-	-	-
3731	PRE N/mm2	Z	0.003	-	-	-	-	-
3732	PRE N/mm2	Z	0.003	-	-	-	-	-
3733	PRE N/mm2	Z	0.003	-	-	-	-	-
3734	PRE N/mm2	Z	0.003	-	-	-	-	-
3735	PRE N/mm2	Z	0.003	-	-	-	-	-
3736	PRE N/mm2	Z	0.003	-	-	-	-	-
3737	PRE N/mm2	Z	0.003	-	-	-	-	-
3750	PRE N/mm2	Z	0.003	-	-	-	-	-
3751	PRE N/mm2	Z	0.003	-	-	-	-	-
3752	PRE N/mm2	Z	0.003	-	-	-	-	-
3753	PRE N/mm2	Z	0.003	-	-	-	-	-
3754	PRE N/mm2	Z	0.003	-	-	-	-	-
3755	PRE N/mm2	Z	0.003	-	-	-	-	-
3756	PRE N/mm2	Z	0.003	-	-	-	-	-
3757	PRE N/mm2	Z	0.003	-	-	-	-	-
3758	PRE N/mm2	Z	0.003	-	-	-	-	-
3759	PRE N/mm2	Z	0.003	-	-	-	-	-
3784	PRE N/mm2	Z	0.003	-	-	-	-	-
3797	PRE N/mm2	Z	0.003	-	-	-	-	-
3798	PRE N/mm2	Z	0.003	-	-	-	-	-
3799	PRE N/mm2	Z	0.003	-	-	-	-	-
3800	PRE N/mm2	Z	0.003	-	-	-	-	-
3801	PRE N/mm2	Z	0.003	-	-	-	-	-
3802	PRE N/mm2	Z	0.003	-	-	-	-	-
3803	PRE N/mm2	Z	0.003	-	-	-	-	-
3804	PRE N/mm2	Z	0.003	-	-	-	-	-
3805	PRE N/mm2	Z	0.003	-	-	-	-	-
3806	PRE N/mm2	Z	0.003	-	-	-	-	-
3807	PRE N/mm2	Z	0.003	-	-	-	-	-
3808	PRE N/mm2	Z	0.003	-	-	-	-	-
3809	PRE N/mm2	Z	0.003	-	-	-	-	-
3810	PRE N/mm2	Z	0.003	-	-	-	-	-
3811	PRE N/mm2	Z	0.003	-	-	-	-	-
3812	PRE N/mm2	Z	0.003	-	-	-	-	-
3825	PRE N/mm2	Z	0.003	-	-	-	-	-
3826	PRE N/mm2	Z	0.003	-	-	-	-	-
3839	PRE N/mm2	Z	0.003	-	-	-	-	-
3840	PRE N/mm2	Z	0.003	-	-	-	-	-
3841	PRE N/mm2	Z	0.003	-	-	-	-	-
3842	PRE N/mm2	Z	0.003	-	-	-	-	-
3843	PRE N/mm2	Z	0.003	-	-	-	-	-
3844	PRE N/mm2	Z	0.003	-	-	-	-	-
3845	PRE N/mm2	Z	0.003	-	-	-	-	-
3846	PRE N/mm2	Z	0.003	-	-	-	-	-
3847	PRE N/mm2	Z	0.003	-	-	-	-	-
3848	PRE N/mm2	Z	0.003	-	-	-	-	-
3849	PRE N/mm2	Z	0.003	-	-	-	-	-
3850	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3851	PRE N/mm2	Z	0.003	-	-	-	-	-
3852	PRE N/mm2	Z	0.003	-	-	-	-	-
3853	PRE N/mm2	Z	0.003	-	-	-	-	-
3854	PRE N/mm2	Z	0.003	-	-	-	-	-
3855	PRE N/mm2	Z	0.003	-	-	-	-	-
3868	PRE N/mm2	Z	0.003	-	-	-	-	-
3869	PRE N/mm2	Z	0.003	-	-	-	-	-
3882	PRE N/mm2	Z	0.003	-	-	-	-	-
3883	PRE N/mm2	Z	0.003	-	-	-	-	-
3884	PRE N/mm2	Z	0.003	-	-	-	-	-
3885	PRE N/mm2	Z	0.003	-	-	-	-	-
3886	PRE N/mm2	Z	0.003	-	-	-	-	-
3899	PRE N/mm2	Z	0.003	-	-	-	-	-
3900	PRE N/mm2	Z	0.003	-	-	-	-	-
3901	PRE N/mm2	Z	0.003	-	-	-	-	-
3902	PRE N/mm2	Z	0.003	-	-	-	-	-
3903	PRE N/mm2	Z	0.003	-	-	-	-	-
3904	PRE N/mm2	Z	0.003	-	-	-	-	-
3917	PRE N/mm2	Z	0.003	-	-	-	-	-
3918	PRE N/mm2	Z	0.003	-	-	-	-	-
3919	PRE N/mm2	Z	0.003	-	-	-	-	-
3932	PRE N/mm2	Z	0.003	-	-	-	-	-
3933	PRE N/mm2	Z	0.003	-	-	-	-	-
3934	PRE N/mm2	Z	0.003	-	-	-	-	-
3935	PRE N/mm2	Z	0.003	-	-	-	-	-
3936	PRE N/mm2	Z	0.003	-	-	-	-	-
3937	PRE N/mm2	Z	0.003	-	-	-	-	-
3938	PRE N/mm2	Z	0.003	-	-	-	-	-
3939	PRE N/mm2	Z	0.003	-	-	-	-	-
3940	PRE N/mm2	Z	0.003	-	-	-	-	-
3941	PRE N/mm2	Z	0.003	-	-	-	-	-
3942	PRE N/mm2	Z	0.003	-	-	-	-	-
3943	PRE N/mm2	Z	0.003	-	-	-	-	-
3944	PRE N/mm2	Z	0.003	-	-	-	-	-
3945	PRE N/mm2	Z	0.003	-	-	-	-	-
3946	PRE N/mm2	Z	0.003	-	-	-	-	-
3947	PRE N/mm2	Z	0.003	-	-	-	-	-
3948	PRE N/mm2	Z	0.003	-	-	-	-	-
3959	PRE N/mm2	Z	0.003	-	-	-	-	-
3984	PRE N/mm2	Z	0.003	-	-	-	-	-
3985	PRE N/mm2	Z	0.003	-	-	-	-	-
3986	PRE N/mm2	Z	0.003	-	-	-	-	-
3987	PRE N/mm2	Z	0.003	-	-	-	-	-
3988	PRE N/mm2	Z	0.003	-	-	-	-	-
3991	PRE N/mm2	Z	0.003	-	-	-	-	-
3992	PRE N/mm2	Z	0.003	-	-	-	-	-
3993	PRE N/mm2	Z	0.003	-	-	-	-	-
3994	PRE N/mm2	Z	0.003	-	-	-	-	-
4007	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L_S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4008	PRE N/mm2	Z	0.003	-	-	-	-	-
4009	PRE N/mm2	Z	0.003	-	-	-	-	-
4010	PRE N/mm2	Z	0.003	-	-	-	-	-
4011	PRE N/mm2	Z	0.003	-	-	-	-	-
4012	PRE N/mm2	Z	0.003	-	-	-	-	-
4013	PRE N/mm2	Z	0.003	-	-	-	-	-
4014	PRE N/mm2	Z	0.003	-	-	-	-	-
4015	PRE N/mm2	Z	0.003	-	-	-	-	-
4016	PRE N/mm2	Z	0.003	-	-	-	-	-
4017	PRE N/mm2	Z	0.003	-	-	-	-	-
4018	PRE N/mm2	Z	0.003	-	-	-	-	-
4019	PRE N/mm2	Z	0.003	-	-	-	-	-
4020	PRE N/mm2	Z	0.003	-	-	-	-	-
4033	PRE N/mm2	Z	0.003	-	-	-	-	-
4034	PRE N/mm2	Z	0.003	-	-	-	-	-
4035	PRE N/mm2	Z	0.003	-	-	-	-	-
4036	PRE N/mm2	Z	0.003	-	-	-	-	-
4037	PRE N/mm2	Z	0.003	-	-	-	-	-
4038	PRE N/mm2	Z	0.003	-	-	-	-	-
4063	PRE N/mm2	Z	0.003	-	-	-	-	-
4064	PRE N/mm2	Z	0.003	-	-	-	-	-
4065	PRE N/mm2	Z	0.003	-	-	-	-	-
4066	PRE N/mm2	Z	0.003	-	-	-	-	-
4067	PRE N/mm2	Z	0.003	-	-	-	-	-
4068	PRE N/mm2	Z	0.003	-	-	-	-	-
4069	PRE N/mm2	Z	0.003	-	-	-	-	-
4070	PRE N/mm2	Z	0.003	-	-	-	-	-
4071	PRE N/mm2	Z	0.003	-	-	-	-	-
4072	PRE N/mm2	Z	0.003	-	-	-	-	-
4073	PRE N/mm2	Z	0.003	-	-	-	-	-
4074	PRE N/mm2	Z	0.003	-	-	-	-	-
4075	PRE N/mm2	Z	0.003	-	-	-	-	-
4076	PRE N/mm2	Z	0.003	-	-	-	-	-
4077	PRE N/mm2	Z	0.003	-	-	-	-	-
4078	PRE N/mm2	Z	0.003	-	-	-	-	-
4079	PRE N/mm2	Z	0.003	-	-	-	-	-
4080	PRE N/mm2	Z	0.003	-	-	-	-	-
4081	PRE N/mm2	Z	0.003	-	-	-	-	-
4082	PRE N/mm2	Z	0.003	-	-	-	-	-
4083	PRE N/mm2	Z	0.003	-	-	-	-	-
4084	PRE N/mm2	Z	0.003	-	-	-	-	-
4097	PRE N/mm2	Z	0.003	-	-	-	-	-
4098	PRE N/mm2	Z	0.003	-	-	-	-	-
4099	PRE N/mm2	Z	0.003	-	-	-	-	-
4111	PRE N/mm2	Z	0.003	-	-	-	-	-
4113	PRE N/mm2	Z	0.003	-	-	-	-	-
4114	PRE N/mm2	Z	0.003	-	-	-	-	-
4115	PRE N/mm2	Z	0.003	-	-	-	-	-
4116	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4129	PRE N/mm2	Z	0.003	-	-	-	-	-
4130	PRE N/mm2	Z	0.003	-	-	-	-	-
4131	PRE N/mm2	Z	0.003	-	-	-	-	-
4132	PRE N/mm2	Z	0.003	-	-	-	-	-
4133	PRE N/mm2	Z	0.003	-	-	-	-	-
4134	PRE N/mm2	Z	0.003	-	-	-	-	-
4135	PRE N/mm2	Z	0.003	-	-	-	-	-
4136	PRE N/mm2	Z	0.003	-	-	-	-	-
4149	PRE N/mm2	Z	0.003	-	-	-	-	-
4150	PRE N/mm2	Z	0.003	-	-	-	-	-
4151	PRE N/mm2	Z	0.003	-	-	-	-	-
4152	PRE N/mm2	Z	0.003	-	-	-	-	-
4153	PRE N/mm2	Z	0.003	-	-	-	-	-
4154	PRE N/mm2	Z	0.003	-	-	-	-	-
4155	PRE N/mm2	Z	0.003	-	-	-	-	-
4156	PRE N/mm2	Z	0.003	-	-	-	-	-
4157	PRE N/mm2	Z	0.003	-	-	-	-	-
4158	PRE N/mm2	Z	0.003	-	-	-	-	-
4159	PRE N/mm2	Z	0.003	-	-	-	-	-
4184	PRE N/mm2	Z	0.003	-	-	-	-	-
4185	PRE N/mm2	Z	0.003	-	-	-	-	-
4186	PRE N/mm2	Z	0.003	-	-	-	-	-
4187	PRE N/mm2	Z	0.003	-	-	-	-	-
4188	PRE N/mm2	Z	0.003	-	-	-	-	-
4189	PRE N/mm2	Z	0.003	-	-	-	-	-
4190	PRE N/mm2	Z	0.003	-	-	-	-	-
4191	PRE N/mm2	Z	0.003	-	-	-	-	-
4192	PRE N/mm2	Z	0.003	-	-	-	-	-
4193	PRE N/mm2	Z	0.003	-	-	-	-	-
4194	PRE N/mm2	Z	0.003	-	-	-	-	-
4195	PRE N/mm2	Z	0.003	-	-	-	-	-
4196	PRE N/mm2	Z	0.003	-	-	-	-	-
4209	PRE N/mm2	Z	0.003	-	-	-	-	-
4222	PRE N/mm2	Z	0.003	-	-	-	-	-
4223	PRE N/mm2	Z	0.003	-	-	-	-	-
4224	PRE N/mm2	Z	0.003	-	-	-	-	-
4225	PRE N/mm2	Z	0.003	-	-	-	-	-
4236	PRE N/mm2	Z	0.003	-	-	-	-	-
4237	PRE N/mm2	Z	0.003	-	-	-	-	-
4238	PRE N/mm2	Z	0.003	-	-	-	-	-
4239	PRE N/mm2	Z	0.003	-	-	-	-	-
4242	PRE N/mm2	Z	0.003	-	-	-	-	-
4243	PRE N/mm2	Z	0.003	-	-	-	-	-
4244	PRE N/mm2	Z	0.003	-	-	-	-	-
4245	PRE N/mm2	Z	0.003	-	-	-	-	-
4246	PRE N/mm2	Z	0.003	-	-	-	-	-
4247	PRE N/mm2	Z	0.003	-	-	-	-	-
4248	PRE N/mm2	Z	0.003	-	-	-	-	-
4249	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4250	PRE N/mm2	Z	0.003	-	-	-	-	-
4251	PRE N/mm2	Z	0.003	-	-	-	-	-
4252	PRE N/mm2	Z	0.003	-	-	-	-	-
4253	PRE N/mm2	Z	0.003	-	-	-	-	-
4254	PRE N/mm2	Z	0.003	-	-	-	-	-
4255	PRE N/mm2	Z	0.003	-	-	-	-	-
4256	PRE N/mm2	Z	0.003	-	-	-	-	-
4257	PRE N/mm2	Z	0.003	-	-	-	-	-
4282	PRE N/mm2	Z	0.003	-	-	-	-	-
4283	PRE N/mm2	Z	0.003	-	-	-	-	-
4284	PRE N/mm2	Z	0.003	-	-	-	-	-
4285	PRE N/mm2	Z	0.003	-	-	-	-	-
4286	PRE N/mm2	Z	0.003	-	-	-	-	-
4299	PRE N/mm2	Z	0.003	-	-	-	-	-
4300	PRE N/mm2	Z	0.003	-	-	-	-	-
4301	PRE N/mm2	Z	0.003	-	-	-	-	-
4302	PRE N/mm2	Z	0.003	-	-	-	-	-
4303	PRE N/mm2	Z	0.003	-	-	-	-	-
4304	PRE N/mm2	Z	0.003	-	-	-	-	-
4305	PRE N/mm2	Z	0.003	-	-	-	-	-
4306	PRE N/mm2	Z	0.003	-	-	-	-	-
4319	PRE N/mm2	Z	0.003	-	-	-	-	-
4320	PRE N/mm2	Z	0.003	-	-	-	-	-
4321	PRE N/mm2	Z	0.003	-	-	-	-	-
4322	PRE N/mm2	Z	0.003	-	-	-	-	-
4323	PRE N/mm2	Z	0.003	-	-	-	-	-
4324	PRE N/mm2	Z	0.003	-	-	-	-	-
4325	PRE N/mm2	Z	0.003	-	-	-	-	-
4326	PRE N/mm2	Z	0.003	-	-	-	-	-
4327	PRE N/mm2	Z	0.003	-	-	-	-	-
4328	PRE N/mm2	Z	0.003	-	-	-	-	-
4329	PRE N/mm2	Z	0.003	-	-	-	-	-
4330	PRE N/mm2	Z	0.003	-	-	-	-	-
4331	PRE N/mm2	Z	0.003	-	-	-	-	-
4332	PRE N/mm2	Z	0.003	-	-	-	-	-
4333	PRE N/mm2	Z	0.003	-	-	-	-	-
4346	PRE N/mm2	Z	0.003	-	-	-	-	-
4347	PRE N/mm2	Z	0.003	-	-	-	-	-
4348	PRE N/mm2	Z	0.003	-	-	-	-	-
4349	PRE N/mm2	Z	0.003	-	-	-	-	-
4350	PRE N/mm2	Z	0.003	-	-	-	-	-
4351	PRE N/mm2	Z	0.003	-	-	-	-	-
4352	PRE N/mm2	Z	0.003	-	-	-	-	-
4365	PRE N/mm2	Z	0.003	-	-	-	-	-
4366	PRE N/mm2	Z	0.003	-	-	-	-	-
4367	PRE N/mm2	Z	0.003	-	-	-	-	-
4368	PRE N/mm2	Z	0.003	-	-	-	-	-
4369	PRE N/mm2	Z	0.003	-	-	-	-	-
4382	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4383	PRE N/mm2	Z	0.003	-	-	-	-	-
4384	PRE N/mm2	Z	0.003	-	-	-	-	-
4397	PRE N/mm2	Z	0.003	-	-	-	-	-
4398	PRE N/mm2	Z	0.003	-	-	-	-	-
4399	PRE N/mm2	Z	0.003	-	-	-	-	-
4410	PRE N/mm2	Z	0.003	-	-	-	-	-
4411	PRE N/mm2	Z	0.003	-	-	-	-	-
4412	PRE N/mm2	Z	0.003	-	-	-	-	-
4413	PRE N/mm2	Z	0.003	-	-	-	-	-
4414	PRE N/mm2	Z	0.003	-	-	-	-	-
4417	PRE N/mm2	Z	0.003	-	-	-	-	-
4418	PRE N/mm2	Z	0.003	-	-	-	-	-
4419	PRE N/mm2	Z	0.003	-	-	-	-	-
4420	PRE N/mm2	Z	0.003	-	-	-	-	-
4421	PRE N/mm2	Z	0.003	-	-	-	-	-
4422	PRE N/mm2	Z	0.003	-	-	-	-	-
4423	PRE N/mm2	Z	0.003	-	-	-	-	-
4424	PRE N/mm2	Z	0.003	-	-	-	-	-
4425	PRE N/mm2	Z	0.003	-	-	-	-	-
4426	PRE N/mm2	Z	0.003	-	-	-	-	-
4427	PRE N/mm2	Z	0.003	-	-	-	-	-
4428	PRE N/mm2	Z	0.003	-	-	-	-	-
4429	PRE N/mm2	Z	0.003	-	-	-	-	-
4430	PRE N/mm2	Z	0.003	-	-	-	-	-
4431	PRE N/mm2	Z	0.003	-	-	-	-	-
4432	PRE N/mm2	Z	0.003	-	-	-	-	-
4433	PRE N/mm2	Z	0.003	-	-	-	-	-
4458	PRE N/mm2	Z	0.003	-	-	-	-	-
4459	PRE N/mm2	Z	0.003	-	-	-	-	-
4460	PRE N/mm2	Z	0.003	-	-	-	-	-
4461	PRE N/mm2	Z	0.003	-	-	-	-	-
4474	PRE N/mm2	Z	0.003	-	-	-	-	-
4475	PRE N/mm2	Z	0.003	-	-	-	-	-
4476	PRE N/mm2	Z	0.003	-	-	-	-	-
4477	PRE N/mm2	Z	0.003	-	-	-	-	-
4478	PRE N/mm2	Z	0.003	-	-	-	-	-
4479	PRE N/mm2	Z	0.003	-	-	-	-	-
4480	PRE N/mm2	Z	0.003	-	-	-	-	-
4481	PRE N/mm2	Z	0.003	-	-	-	-	-
4482	PRE N/mm2	Z	0.003	-	-	-	-	-
4483	PRE N/mm2	Z	0.003	-	-	-	-	-
4484	PRE N/mm2	Z	0.003	-	-	-	-	-
4485	PRE N/mm2	Z	0.003	-	-	-	-	-
4486	PRE N/mm2	Z	0.003	-	-	-	-	-
4487	PRE N/mm2	Z	0.003	-	-	-	-	-
4488	PRE N/mm2	Z	0.003	-	-	-	-	-
4499	PRE N/mm2	Z	0.003	-	-	-	-	-
4500	PRE N/mm2	Z	0.003	-	-	-	-	-
4501	PRE N/mm2	Z	0.003	-	-	-	-	-

4 LIVE LOAD DUE TO SRCHARGE (L S) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4504	PRE N/mm2	Z	0.003	-	-	-	-	-
4505	PRE N/mm2	Z	0.003	-	-	-	-	-
4506	PRE N/mm2	Z	0.003	-	-	-	-	-
4507	PRE N/mm2	Z	0.003	-	-	-	-	-
4520	PRE N/mm2	Z	0.003	-	-	-	-	-
4521	PRE N/mm2	Z	0.003	-	-	-	-	-
4522	PRE N/mm2	Z	0.003	-	-	-	-	-
4535	PRE N/mm2	Z	0.003	-	-	-	-	-
4536	PRE N/mm2	Z	0.003	-	-	-	-	-
4537	PRE N/mm2	Z	0.003	-	-	-	-	-
4538	PRE N/mm2	Z	0.003	-	-	-	-	-
4539	PRE N/mm2	Z	0.003	-	-	-	-	-
4540	PRE N/mm2	Z	0.003	-	-	-	-	-
4541	PRE N/mm2	Z	0.003	-	-	-	-	-
4542	PRE N/mm2	Z	0.003	-	-	-	-	-
4543	PRE N/mm2	Z	0.003	-	-	-	-	-
4544	PRE N/mm2	Z	0.003	-	-	-	-	-
4545	PRE N/mm2	Z	0.003	-	-	-	-	-
4546	PRE N/mm2	Z	0.003	-	-	-	-	-
4547	PRE N/mm2	Z	0.003	-	-	-	-	-
4548	PRE N/mm2	Z	0.003	-	-	-	-	-
4559	PRE N/mm2	Z	0.003	-	-	-	-	-
4560	PRE N/mm2	Z	0.003	-	-	-	-	-
4561	PRE N/mm2	Z	0.003	-	-	-	-	-
4564	PRE N/mm2	Z	0.003	-	-	-	-	-
4565	PRE N/mm2	Z	0.003	-	-	-	-	-
4566	PRE N/mm2	Z	0.003	-	-	-	-	-
4579	PRE N/mm2	Z	0.003	-	-	-	-	-
4580	PRE N/mm2	Z	0.003	-	-	-	-	-
4581	PRE N/mm2	Z	0.003	-	-	-	-	-
4582	PRE N/mm2	Z	0.003	-	-	-	-	-
4583	PRE N/mm2	Z	0.003	-	-	-	-	-
4584	PRE N/mm2	Z	0.003	-	-	-	-	-
4585	PRE N/mm2	Z	0.003	-	-	-	-	-
4586	PRE N/mm2	Z	0.003	-	-	-	-	-
4587	PRE N/mm2	Z	0.003	-	-	-	-	-
4588	PRE N/mm2	Z	0.003	-	-	-	-	-
4589	PRE N/mm2	Z	0.003	-	-	-	-	-
4590	PRE N/mm2	Z	0.003	-	-	-	-	-
4601	PRE N/mm2	Z	0.003	-	-	-	-	-
4602	PRE N/mm2	Z	0.003	-	-	-	-	-
4605	PRE N/mm2	Z	0.003	-	-	-	-	-
4606	PRE N/mm2	Z	0.003	-	-	-	-	-
4607	PRE N/mm2	Z	0.003	-	-	-	-	-
4608	PRE N/mm2	Z	0.003	-	-	-	-	-
4609	PRE N/mm2	Z	0.003	-	-	-	-	-
4610	PRE N/mm2	Z	0.003	-	-	-	-	-
4611	PRE N/mm2	Z	0.003	-	-	-	-	-
4612	PRE N/mm2	Z	0.003	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2712	PRE N/mm2	Z	0.001	-	-	-	-	-
2715	PRE N/mm2	Z	0.001	-	-	-	-	-
2719	PRE N/mm2	Z	0.001	-	-	-	-	-
2724	PRE N/mm2	Z	0.001	-	-	-	-	-
2727	PRE N/mm2	Z	0.001	-	-	-	-	-
2732	PRE N/mm2	Z	0.001	-	-	-	-	-
2735	PRE N/mm2	Z	0.001	-	-	-	-	-
2741	PRE N/mm2	Z	0.001	-	-	-	-	-
2745	PRE N/mm2	Z	0.001	-	-	-	-	-
2746	PRE N/mm2	Z	0.001	-	-	-	-	-
2754	PRE N/mm2	Z	0.001	-	-	-	-	-
2762	PRE N/mm2	Z	0.001	-	-	-	-	-
2763	PRE N/mm2	Z	0.001	-	-	-	-	-
2764	PRE N/mm2	Z	0.001	-	-	-	-	-
2765	PRE N/mm2	Z	0.001	-	-	-	-	-
2766	PRE N/mm2	Z	0.001	-	-	-	-	-
2767	PRE N/mm2	Z	0.001	-	-	-	-	-
2768	PRE N/mm2	Z	0.001	-	-	-	-	-
2769	PRE N/mm2	Z	0.001	-	-	-	-	-
2770	PRE N/mm2	Z	0.001	-	-	-	-	-
2771	PRE N/mm2	Z	0.001	-	-	-	-	-
2772	PRE N/mm2	Z	0.001	-	-	-	-	-
2773	PRE N/mm2	Z	0.001	-	-	-	-	-
2774	PRE N/mm2	Z	0.001	-	-	-	-	-
2775	PRE N/mm2	Z	0.001	-	-	-	-	-
2776	PRE N/mm2	Z	0.001	-	-	-	-	-
2777	PRE N/mm2	Z	0.001	-	-	-	-	-
2778	PRE N/mm2	Z	0.001	-	-	-	-	-
2779	PRE N/mm2	Z	0.001	-	-	-	-	-
2780	PRE N/mm2	Z	0.001	-	-	-	-	-
2781	PRE N/mm2	Z	0.001	-	-	-	-	-
2782	PRE N/mm2	Z	0.001	-	-	-	-	-
2783	PRE N/mm2	Z	0.001	-	-	-	-	-
2784	PRE N/mm2	Z	0.001	-	-	-	-	-
2785	PRE N/mm2	Z	0.001	-	-	-	-	-
2786	PRE N/mm2	Z	0.001	-	-	-	-	-
2787	PRE N/mm2	Z	0.001	-	-	-	-	-
2788	PRE N/mm2	Z	0.001	-	-	-	-	-
2789	PRE N/mm2	Z	0.001	-	-	-	-	-
2790	PRE N/mm2	Z	0.001	-	-	-	-	-
2791	PRE N/mm2	Z	0.001	-	-	-	-	-
2792	PRE N/mm2	Z	0.001	-	-	-	-	-
2793	PRE N/mm2	Z	0.001	-	-	-	-	-
2794	PRE N/mm2	Z	0.001	-	-	-	-	-
2795	PRE N/mm2	Z	0.001	-	-	-	-	-
2796	PRE N/mm2	Z	0.001	-	-	-	-	-
2797	PRE N/mm2	Z	0.001	-	-	-	-	-
2798	PRE N/mm2	Z	0.001	-	-	-	-	-
2799	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2800	PRE N/mm2	Z	0.001	-	-	-	-	-
2801	PRE N/mm2	Z	0.001	-	-	-	-	-
2802	PRE N/mm2	Z	0.001	-	-	-	-	-
2803	PRE N/mm2	Z	0.001	-	-	-	-	-
2804	PRE N/mm2	Z	0.001	-	-	-	-	-
2805	PRE N/mm2	Z	0.001	-	-	-	-	-
2806	PRE N/mm2	Z	0.001	-	-	-	-	-
2807	PRE N/mm2	Z	0.001	-	-	-	-	-
2808	PRE N/mm2	Z	0.001	-	-	-	-	-
2809	PRE N/mm2	Z	0.001	-	-	-	-	-
2810	PRE N/mm2	Z	0.001	-	-	-	-	-
2811	PRE N/mm2	Z	0.001	-	-	-	-	-
2854	PRE N/mm2	Z	0.001	-	-	-	-	-
2858	PRE N/mm2	Z	0.001	-	-	-	-	-
2863	PRE N/mm2	Z	0.001	-	-	-	-	-
2868	PRE N/mm2	Z	0.001	-	-	-	-	-
2871	PRE N/mm2	Z	0.001	-	-	-	-	-
2875	PRE N/mm2	Z	0.001	-	-	-	-	-
2878	PRE N/mm2	Z	0.001	-	-	-	-	-
2886	PRE N/mm2	Z	0.001	-	-	-	-	-
2890	PRE N/mm2	Z	0.001	-	-	-	-	-
2891	PRE N/mm2	Z	0.001	-	-	-	-	-
2899	PRE N/mm2	Z	0.001	-	-	-	-	-
2907	PRE N/mm2	Z	0.001	-	-	-	-	-
2908	PRE N/mm2	Z	0.001	-	-	-	-	-
2909	PRE N/mm2	Z	0.001	-	-	-	-	-
2910	PRE N/mm2	Z	0.001	-	-	-	-	-
2911	PRE N/mm2	Z	0.001	-	-	-	-	-
2912	PRE N/mm2	Z	0.001	-	-	-	-	-
2913	PRE N/mm2	Z	0.001	-	-	-	-	-
2914	PRE N/mm2	Z	0.001	-	-	-	-	-
2915	PRE N/mm2	Z	0.001	-	-	-	-	-
2916	PRE N/mm2	Z	0.001	-	-	-	-	-
2917	PRE N/mm2	Z	0.001	-	-	-	-	-
2918	PRE N/mm2	Z	0.001	-	-	-	-	-
2919	PRE N/mm2	Z	0.001	-	-	-	-	-
2920	PRE N/mm2	Z	0.001	-	-	-	-	-
2921	PRE N/mm2	Z	0.001	-	-	-	-	-
2922	PRE N/mm2	Z	0.001	-	-	-	-	-
2923	PRE N/mm2	Z	0.001	-	-	-	-	-
2924	PRE N/mm2	Z	0.001	-	-	-	-	-
2925	PRE N/mm2	Z	0.001	-	-	-	-	-
2926	PRE N/mm2	Z	0.001	-	-	-	-	-
2927	PRE N/mm2	Z	0.001	-	-	-	-	-
2928	PRE N/mm2	Z	0.001	-	-	-	-	-
2929	PRE N/mm2	Z	0.001	-	-	-	-	-
2930	PRE N/mm2	Z	0.001	-	-	-	-	-
2931	PRE N/mm2	Z	0.001	-	-	-	-	-
2932	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2933	PRE N/mm2	Z	0.001	-	-	-	-	-
2934	PRE N/mm2	Z	0.001	-	-	-	-	-
2935	PRE N/mm2	Z	0.001	-	-	-	-	-
2936	PRE N/mm2	Z	0.001	-	-	-	-	-
2937	PRE N/mm2	Z	0.001	-	-	-	-	-
2938	PRE N/mm2	Z	0.001	-	-	-	-	-
2939	PRE N/mm2	Z	0.001	-	-	-	-	-
2940	PRE N/mm2	Z	0.001	-	-	-	-	-
2941	PRE N/mm2	Z	0.001	-	-	-	-	-
2942	PRE N/mm2	Z	0.001	-	-	-	-	-
2943	PRE N/mm2	Z	0.001	-	-	-	-	-
2944	PRE N/mm2	Z	0.001	-	-	-	-	-
2945	PRE N/mm2	Z	0.001	-	-	-	-	-
2946	PRE N/mm2	Z	0.001	-	-	-	-	-
2947	PRE N/mm2	Z	0.001	-	-	-	-	-
2948	PRE N/mm2	Z	0.001	-	-	-	-	-
2949	PRE N/mm2	Z	0.001	-	-	-	-	-
2950	PRE N/mm2	Z	0.001	-	-	-	-	-
2951	PRE N/mm2	Z	0.001	-	-	-	-	-
2952	PRE N/mm2	Z	0.001	-	-	-	-	-
2953	PRE N/mm2	Z	0.001	-	-	-	-	-
2954	PRE N/mm2	Z	0.001	-	-	-	-	-
2955	PRE N/mm2	Z	0.001	-	-	-	-	-
2956	PRE N/mm2	Z	0.001	-	-	-	-	-
2997	PRE N/mm2	Z	0.001	-	-	-	-	-
3000	PRE N/mm2	Z	0.001	-	-	-	-	-
3005	PRE N/mm2	Z	0.001	-	-	-	-	-
3009	PRE N/mm2	Z	0.001	-	-	-	-	-
3015	PRE N/mm2	Z	0.001	-	-	-	-	-
3019	PRE N/mm2	Z	0.001	-	-	-	-	-
3023	PRE N/mm2	Z	0.001	-	-	-	-	-
3029	PRE N/mm2	Z	0.001	-	-	-	-	-
3034	PRE N/mm2	Z	0.001	-	-	-	-	-
3036	PRE N/mm2	Z	0.001	-	-	-	-	-
3044	PRE N/mm2	Z	0.001	-	-	-	-	-
3052	PRE N/mm2	Z	0.001	-	-	-	-	-
3053	PRE N/mm2	Z	0.001	-	-	-	-	-
3054	PRE N/mm2	Z	0.001	-	-	-	-	-
3055	PRE N/mm2	Z	0.001	-	-	-	-	-
3056	PRE N/mm2	Z	0.001	-	-	-	-	-
3057	PRE N/mm2	Z	0.001	-	-	-	-	-
3058	PRE N/mm2	Z	0.001	-	-	-	-	-
3059	PRE N/mm2	Z	0.001	-	-	-	-	-
3060	PRE N/mm2	Z	0.001	-	-	-	-	-
3061	PRE N/mm2	Z	0.001	-	-	-	-	-
3062	PRE N/mm2	Z	0.001	-	-	-	-	-
3063	PRE N/mm2	Z	0.001	-	-	-	-	-
3064	PRE N/mm2	Z	0.001	-	-	-	-	-
3065	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3066	PRE N/mm2	Z	0.001	-	-	-	-	-
3067	PRE N/mm2	Z	0.001	-	-	-	-	-
3068	PRE N/mm2	Z	0.001	-	-	-	-	-
3069	PRE N/mm2	Z	0.001	-	-	-	-	-
3070	PRE N/mm2	Z	0.001	-	-	-	-	-
3071	PRE N/mm2	Z	0.001	-	-	-	-	-
3072	PRE N/mm2	Z	0.001	-	-	-	-	-
3073	PRE N/mm2	Z	0.001	-	-	-	-	-
3074	PRE N/mm2	Z	0.001	-	-	-	-	-
3075	PRE N/mm2	Z	0.001	-	-	-	-	-
3076	PRE N/mm2	Z	0.001	-	-	-	-	-
3077	PRE N/mm2	Z	0.001	-	-	-	-	-
3078	PRE N/mm2	Z	0.001	-	-	-	-	-
3079	PRE N/mm2	Z	0.001	-	-	-	-	-
3080	PRE N/mm2	Z	0.001	-	-	-	-	-
3081	PRE N/mm2	Z	0.001	-	-	-	-	-
3082	PRE N/mm2	Z	0.001	-	-	-	-	-
3083	PRE N/mm2	Z	0.001	-	-	-	-	-
3084	PRE N/mm2	Z	0.001	-	-	-	-	-
3085	PRE N/mm2	Z	0.001	-	-	-	-	-
3086	PRE N/mm2	Z	0.001	-	-	-	-	-
3087	PRE N/mm2	Z	0.001	-	-	-	-	-
3088	PRE N/mm2	Z	0.001	-	-	-	-	-
3089	PRE N/mm2	Z	0.001	-	-	-	-	-
3090	PRE N/mm2	Z	0.001	-	-	-	-	-
3091	PRE N/mm2	Z	0.001	-	-	-	-	-
3092	PRE N/mm2	Z	0.001	-	-	-	-	-
3093	PRE N/mm2	Z	0.001	-	-	-	-	-
3094	PRE N/mm2	Z	0.001	-	-	-	-	-
3095	PRE N/mm2	Z	0.001	-	-	-	-	-
3096	PRE N/mm2	Z	0.001	-	-	-	-	-
3097	PRE N/mm2	Z	0.001	-	-	-	-	-
3098	PRE N/mm2	Z	0.001	-	-	-	-	-
3099	PRE N/mm2	Z	0.001	-	-	-	-	-
3100	PRE N/mm2	Z	0.001	-	-	-	-	-
3101	PRE N/mm2	Z	0.001	-	-	-	-	-
3140	PRE N/mm2	Z	0.001	-	-	-	-	-
3144	PRE N/mm2	Z	0.001	-	-	-	-	-
3147	PRE N/mm2	Z	0.001	-	-	-	-	-
3152	PRE N/mm2	Z	0.001	-	-	-	-	-
3156	PRE N/mm2	Z	0.001	-	-	-	-	-
3161	PRE N/mm2	Z	0.001	-	-	-	-	-
3166	PRE N/mm2	Z	0.001	-	-	-	-	-
3173	PRE N/mm2	Z	0.001	-	-	-	-	-
3179	PRE N/mm2	Z	0.001	-	-	-	-	-
3181	PRE N/mm2	Z	0.001	-	-	-	-	-
3189	PRE N/mm2	Z	0.001	-	-	-	-	-
3197	PRE N/mm2	Z	0.001	-	-	-	-	-
3198	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3199	PRE N/mm2	Z	0.001	-	-	-	-	-
3200	PRE N/mm2	Z	0.001	-	-	-	-	-
3201	PRE N/mm2	Z	0.001	-	-	-	-	-
3202	PRE N/mm2	Z	0.001	-	-	-	-	-
3203	PRE N/mm2	Z	0.001	-	-	-	-	-
3204	PRE N/mm2	Z	0.001	-	-	-	-	-
3205	PRE N/mm2	Z	0.001	-	-	-	-	-
3206	PRE N/mm2	Z	0.001	-	-	-	-	-
3207	PRE N/mm2	Z	0.001	-	-	-	-	-
3208	PRE N/mm2	Z	0.001	-	-	-	-	-
3209	PRE N/mm2	Z	0.001	-	-	-	-	-
3210	PRE N/mm2	Z	0.001	-	-	-	-	-
3211	PRE N/mm2	Z	0.001	-	-	-	-	-
3212	PRE N/mm2	Z	0.001	-	-	-	-	-
3213	PRE N/mm2	Z	0.001	-	-	-	-	-
3214	PRE N/mm2	Z	0.001	-	-	-	-	-
3215	PRE N/mm2	Z	0.001	-	-	-	-	-
3216	PRE N/mm2	Z	0.001	-	-	-	-	-
3217	PRE N/mm2	Z	0.001	-	-	-	-	-
3218	PRE N/mm2	Z	0.001	-	-	-	-	-
3219	PRE N/mm2	Z	0.001	-	-	-	-	-
3220	PRE N/mm2	Z	0.001	-	-	-	-	-
3221	PRE N/mm2	Z	0.001	-	-	-	-	-
3222	PRE N/mm2	Z	0.001	-	-	-	-	-
3223	PRE N/mm2	Z	0.001	-	-	-	-	-
3224	PRE N/mm2	Z	0.001	-	-	-	-	-
3225	PRE N/mm2	Z	0.001	-	-	-	-	-
3226	PRE N/mm2	Z	0.001	-	-	-	-	-
3227	PRE N/mm2	Z	0.001	-	-	-	-	-
3228	PRE N/mm2	Z	0.001	-	-	-	-	-
3229	PRE N/mm2	Z	0.001	-	-	-	-	-
3230	PRE N/mm2	Z	0.001	-	-	-	-	-
3231	PRE N/mm2	Z	0.001	-	-	-	-	-
3232	PRE N/mm2	Z	0.001	-	-	-	-	-
3233	PRE N/mm2	Z	0.001	-	-	-	-	-
3234	PRE N/mm2	Z	0.001	-	-	-	-	-
3235	PRE N/mm2	Z	0.001	-	-	-	-	-
3236	PRE N/mm2	Z	0.001	-	-	-	-	-
3237	PRE N/mm2	Z	0.001	-	-	-	-	-
3238	PRE N/mm2	Z	0.001	-	-	-	-	-
3239	PRE N/mm2	Z	0.001	-	-	-	-	-
3240	PRE N/mm2	Z	0.001	-	-	-	-	-
3241	PRE N/mm2	Z	0.001	-	-	-	-	-
3242	PRE N/mm2	Z	0.001	-	-	-	-	-
3243	PRE N/mm2	Z	0.001	-	-	-	-	-
3244	PRE N/mm2	Z	0.001	-	-	-	-	-
3245	PRE N/mm2	Z	0.001	-	-	-	-	-
3246	PRE N/mm2	Z	0.001	-	-	-	-	-
3302	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3303	PRE N/mm2	Z	0.001	-	-	-	-	-
3304	PRE N/mm2	Z	0.001	-	-	-	-	-
3305	PRE N/mm2	Z	0.001	-	-	-	-	-
3306	PRE N/mm2	Z	0.001	-	-	-	-	-
3307	PRE N/mm2	Z	0.001	-	-	-	-	-
3308	PRE N/mm2	Z	0.001	-	-	-	-	-
3309	PRE N/mm2	Z	0.001	-	-	-	-	-
3310	PRE N/mm2	Z	0.001	-	-	-	-	-
3311	PRE N/mm2	Z	0.001	-	-	-	-	-
3312	PRE N/mm2	Z	0.001	-	-	-	-	-
3313	PRE N/mm2	Z	0.001	-	-	-	-	-
3326	PRE N/mm2	Z	0.001	-	-	-	-	-
3327	PRE N/mm2	Z	0.001	-	-	-	-	-
3328	PRE N/mm2	Z	0.001	-	-	-	-	-
3329	PRE N/mm2	Z	0.001	-	-	-	-	-
3330	PRE N/mm2	Z	0.001	-	-	-	-	-
3331	PRE N/mm2	Z	0.001	-	-	-	-	-
3344	PRE N/mm2	Z	0.001	-	-	-	-	-
3345	PRE N/mm2	Z	0.001	-	-	-	-	-
3346	PRE N/mm2	Z	0.001	-	-	-	-	-
3347	PRE N/mm2	Z	0.001	-	-	-	-	-
3348	PRE N/mm2	Z	0.001	-	-	-	-	-
3349	PRE N/mm2	Z	0.001	-	-	-	-	-
3350	PRE N/mm2	Z	0.001	-	-	-	-	-
3351	PRE N/mm2	Z	0.001	-	-	-	-	-
3352	PRE N/mm2	Z	0.001	-	-	-	-	-
3353	PRE N/mm2	Z	0.001	-	-	-	-	-
3354	PRE N/mm2	Z	0.001	-	-	-	-	-
3367	PRE N/mm2	Z	0.001	-	-	-	-	-
3368	PRE N/mm2	Z	0.001	-	-	-	-	-
3369	PRE N/mm2	Z	0.001	-	-	-	-	-
3370	PRE N/mm2	Z	0.001	-	-	-	-	-
3371	PRE N/mm2	Z	0.001	-	-	-	-	-
3372	PRE N/mm2	Z	0.001	-	-	-	-	-
3373	PRE N/mm2	Z	0.001	-	-	-	-	-
3386	PRE N/mm2	Z	0.001	-	-	-	-	-
3387	PRE N/mm2	Z	0.001	-	-	-	-	-
3388	PRE N/mm2	Z	0.001	-	-	-	-	-
3389	PRE N/mm2	Z	0.001	-	-	-	-	-
3390	PRE N/mm2	Z	0.001	-	-	-	-	-
3391	PRE N/mm2	Z	0.001	-	-	-	-	-
3392	PRE N/mm2	Z	0.001	-	-	-	-	-
3393	PRE N/mm2	Z	0.001	-	-	-	-	-
3394	PRE N/mm2	Z	0.001	-	-	-	-	-
3395	PRE N/mm2	Z	0.001	-	-	-	-	-
3408	PRE N/mm2	Z	0.001	-	-	-	-	-
3409	PRE N/mm2	Z	0.001	-	-	-	-	-
3410	PRE N/mm2	Z	0.001	-	-	-	-	-
3411	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3424	PRE N/mm2	Z	0.001	-	-	-	-	-
3425	PRE N/mm2	Z	0.001	-	-	-	-	-
3426	PRE N/mm2	Z	0.001	-	-	-	-	-
3427	PRE N/mm2	Z	0.001	-	-	-	-	-
3428	PRE N/mm2	Z	0.001	-	-	-	-	-
3429	PRE N/mm2	Z	0.001	-	-	-	-	-
3430	PRE N/mm2	Z	0.001	-	-	-	-	-
3431	PRE N/mm2	Z	0.001	-	-	-	-	-
3444	PRE N/mm2	Z	0.001	-	-	-	-	-
3445	PRE N/mm2	Z	0.001	-	-	-	-	-
3446	PRE N/mm2	Z	0.001	-	-	-	-	-
3447	PRE N/mm2	Z	0.001	-	-	-	-	-
3448	PRE N/mm2	Z	0.001	-	-	-	-	-
3461	PRE N/mm2	Z	0.001	-	-	-	-	-
3462	PRE N/mm2	Z	0.001	-	-	-	-	-
3463	PRE N/mm2	Z	0.001	-	-	-	-	-
3476	PRE N/mm2	Z	0.001	-	-	-	-	-
3477	PRE N/mm2	Z	0.001	-	-	-	-	-
3478	PRE N/mm2	Z	0.001	-	-	-	-	-
3479	PRE N/mm2	Z	0.001	-	-	-	-	-
3480	PRE N/mm2	Z	0.001	-	-	-	-	-
3481	PRE N/mm2	Z	0.001	-	-	-	-	-
3482	PRE N/mm2	Z	0.001	-	-	-	-	-
3483	PRE N/mm2	Z	0.001	-	-	-	-	-
3484	PRE N/mm2	Z	0.001	-	-	-	-	-
3485	PRE N/mm2	Z	0.001	-	-	-	-	-
3486	PRE N/mm2	Z	0.001	-	-	-	-	-
3487	PRE N/mm2	Z	0.001	-	-	-	-	-
3488	PRE N/mm2	Z	0.001	-	-	-	-	-
3489	PRE N/mm2	Z	0.001	-	-	-	-	-
3514	PRE N/mm2	Z	0.001	-	-	-	-	-
3515	PRE N/mm2	Z	0.001	-	-	-	-	-
3516	PRE N/mm2	Z	0.001	-	-	-	-	-
3517	PRE N/mm2	Z	0.001	-	-	-	-	-
3518	PRE N/mm2	Z	0.001	-	-	-	-	-
3519	PRE N/mm2	Z	0.001	-	-	-	-	-
3520	PRE N/mm2	Z	0.001	-	-	-	-	-
3521	PRE N/mm2	Z	0.001	-	-	-	-	-
3534	PRE N/mm2	Z	0.001	-	-	-	-	-
3535	PRE N/mm2	Z	0.001	-	-	-	-	-
3536	PRE N/mm2	Z	0.001	-	-	-	-	-
3537	PRE N/mm2	Z	0.001	-	-	-	-	-
3538	PRE N/mm2	Z	0.001	-	-	-	-	-
3539	PRE N/mm2	Z	0.001	-	-	-	-	-
3540	PRE N/mm2	Z	0.001	-	-	-	-	-
3541	PRE N/mm2	Z	0.001	-	-	-	-	-
3578	PRE N/mm2	Z	0.001	-	-	-	-	-
3579	PRE N/mm2	Z	0.001	-	-	-	-	-
3580	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3581	PRE N/mm2	Z	0.001	-	-	-	-	-
3582	PRE N/mm2	Z	0.001	-	-	-	-	-
3583	PRE N/mm2	Z	0.001	-	-	-	-	-
3594	PRE N/mm2	Z	0.001	-	-	-	-	-
3597	PRE N/mm2	Z	0.001	-	-	-	-	-
3598	PRE N/mm2	Z	0.001	-	-	-	-	-
3599	PRE N/mm2	Z	0.001	-	-	-	-	-
3600	PRE N/mm2	Z	0.001	-	-	-	-	-
3601	PRE N/mm2	Z	0.001	-	-	-	-	-
3602	PRE N/mm2	Z	0.001	-	-	-	-	-
3603	PRE N/mm2	Z	0.001	-	-	-	-	-
3604	PRE N/mm2	Z	0.001	-	-	-	-	-
3605	PRE N/mm2	Z	0.001	-	-	-	-	-
3606	PRE N/mm2	Z	0.001	-	-	-	-	-
3607	PRE N/mm2	Z	0.001	-	-	-	-	-
3608	PRE N/mm2	Z	0.001	-	-	-	-	-
3609	PRE N/mm2	Z	0.001	-	-	-	-	-
3610	PRE N/mm2	Z	0.001	-	-	-	-	-
3611	PRE N/mm2	Z	0.001	-	-	-	-	-
3612	PRE N/mm2	Z	0.001	-	-	-	-	-
3625	PRE N/mm2	Z	0.001	-	-	-	-	-
3638	PRE N/mm2	Z	0.001	-	-	-	-	-
3639	PRE N/mm2	Z	0.001	-	-	-	-	-
3640	PRE N/mm2	Z	0.001	-	-	-	-	-
3641	PRE N/mm2	Z	0.001	-	-	-	-	-
3642	PRE N/mm2	Z	0.001	-	-	-	-	-
3643	PRE N/mm2	Z	0.001	-	-	-	-	-
3644	PRE N/mm2	Z	0.001	-	-	-	-	-
3645	PRE N/mm2	Z	0.001	-	-	-	-	-
3646	PRE N/mm2	Z	0.001	-	-	-	-	-
3647	PRE N/mm2	Z	0.001	-	-	-	-	-
3648	PRE N/mm2	Z	0.001	-	-	-	-	-
3661	PRE N/mm2	Z	0.001	-	-	-	-	-
3662	PRE N/mm2	Z	0.001	-	-	-	-	-
3663	PRE N/mm2	Z	0.001	-	-	-	-	-
3664	PRE N/mm2	Z	0.001	-	-	-	-	-
3665	PRE N/mm2	Z	0.001	-	-	-	-	-
3666	PRE N/mm2	Z	0.001	-	-	-	-	-
3667	PRE N/mm2	Z	0.001	-	-	-	-	-
3668	PRE N/mm2	Z	0.001	-	-	-	-	-
3669	PRE N/mm2	Z	0.001	-	-	-	-	-
3670	PRE N/mm2	Z	0.001	-	-	-	-	-
3671	PRE N/mm2	Z	0.001	-	-	-	-	-
3672	PRE N/mm2	Z	0.001	-	-	-	-	-
3685	PRE N/mm2	Z	0.001	-	-	-	-	-
3686	PRE N/mm2	Z	0.001	-	-	-	-	-
3687	PRE N/mm2	Z	0.001	-	-	-	-	-
3688	PRE N/mm2	Z	0.001	-	-	-	-	-
3689	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3690	PRE N/mm2	Z	0.001	-	-	-	-	-
3703	PRE N/mm2	Z	0.001	-	-	-	-	-
3704	PRE N/mm2	Z	0.001	-	-	-	-	-
3705	PRE N/mm2	Z	0.001	-	-	-	-	-
3706	PRE N/mm2	Z	0.001	-	-	-	-	-
3707	PRE N/mm2	Z	0.001	-	-	-	-	-
3708	PRE N/mm2	Z	0.001	-	-	-	-	-
3709	PRE N/mm2	Z	0.001	-	-	-	-	-
3722	PRE N/mm2	Z	0.001	-	-	-	-	-
3723	PRE N/mm2	Z	0.001	-	-	-	-	-
3724	PRE N/mm2	Z	0.001	-	-	-	-	-
3725	PRE N/mm2	Z	0.001	-	-	-	-	-
3726	PRE N/mm2	Z	0.001	-	-	-	-	-
3727	PRE N/mm2	Z	0.001	-	-	-	-	-
3728	PRE N/mm2	Z	0.001	-	-	-	-	-
3729	PRE N/mm2	Z	0.001	-	-	-	-	-
3730	PRE N/mm2	Z	0.001	-	-	-	-	-
3731	PRE N/mm2	Z	0.001	-	-	-	-	-
3732	PRE N/mm2	Z	0.001	-	-	-	-	-
3733	PRE N/mm2	Z	0.001	-	-	-	-	-
3734	PRE N/mm2	Z	0.001	-	-	-	-	-
3735	PRE N/mm2	Z	0.001	-	-	-	-	-
3736	PRE N/mm2	Z	0.001	-	-	-	-	-
3737	PRE N/mm2	Z	0.001	-	-	-	-	-
3750	PRE N/mm2	Z	0.001	-	-	-	-	-
3751	PRE N/mm2	Z	0.001	-	-	-	-	-
3752	PRE N/mm2	Z	0.001	-	-	-	-	-
3753	PRE N/mm2	Z	0.001	-	-	-	-	-
3754	PRE N/mm2	Z	0.001	-	-	-	-	-
3755	PRE N/mm2	Z	0.001	-	-	-	-	-
3756	PRE N/mm2	Z	0.001	-	-	-	-	-
3757	PRE N/mm2	Z	0.001	-	-	-	-	-
3758	PRE N/mm2	Z	0.001	-	-	-	-	-
3759	PRE N/mm2	Z	0.001	-	-	-	-	-
3784	PRE N/mm2	Z	0.001	-	-	-	-	-
3797	PRE N/mm2	Z	0.001	-	-	-	-	-
3798	PRE N/mm2	Z	0.001	-	-	-	-	-
3799	PRE N/mm2	Z	0.001	-	-	-	-	-
3800	PRE N/mm2	Z	0.001	-	-	-	-	-
3801	PRE N/mm2	Z	0.001	-	-	-	-	-
3802	PRE N/mm2	Z	0.001	-	-	-	-	-
3803	PRE N/mm2	Z	0.001	-	-	-	-	-
3804	PRE N/mm2	Z	0.001	-	-	-	-	-
3805	PRE N/mm2	Z	0.001	-	-	-	-	-
3806	PRE N/mm2	Z	0.001	-	-	-	-	-
3807	PRE N/mm2	Z	0.001	-	-	-	-	-
3808	PRE N/mm2	Z	0.001	-	-	-	-	-
3809	PRE N/mm2	Z	0.001	-	-	-	-	-
3810	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3811	PRE N/mm2	Z	0.001	-	-	-	-	-
3812	PRE N/mm2	Z	0.001	-	-	-	-	-
3825	PRE N/mm2	Z	0.001	-	-	-	-	-
3826	PRE N/mm2	Z	0.001	-	-	-	-	-
3839	PRE N/mm2	Z	0.001	-	-	-	-	-
3840	PRE N/mm2	Z	0.001	-	-	-	-	-
3841	PRE N/mm2	Z	0.001	-	-	-	-	-
3842	PRE N/mm2	Z	0.001	-	-	-	-	-
3843	PRE N/mm2	Z	0.001	-	-	-	-	-
3844	PRE N/mm2	Z	0.001	-	-	-	-	-
3845	PRE N/mm2	Z	0.001	-	-	-	-	-
3846	PRE N/mm2	Z	0.001	-	-	-	-	-
3847	PRE N/mm2	Z	0.001	-	-	-	-	-
3848	PRE N/mm2	Z	0.001	-	-	-	-	-
3849	PRE N/mm2	Z	0.001	-	-	-	-	-
3850	PRE N/mm2	Z	0.001	-	-	-	-	-
3851	PRE N/mm2	Z	0.001	-	-	-	-	-
3852	PRE N/mm2	Z	0.001	-	-	-	-	-
3853	PRE N/mm2	Z	0.001	-	-	-	-	-
3854	PRE N/mm2	Z	0.001	-	-	-	-	-
3855	PRE N/mm2	Z	0.001	-	-	-	-	-
3868	PRE N/mm2	Z	0.001	-	-	-	-	-
3869	PRE N/mm2	Z	0.001	-	-	-	-	-
3882	PRE N/mm2	Z	0.001	-	-	-	-	-
3883	PRE N/mm2	Z	0.001	-	-	-	-	-
3884	PRE N/mm2	Z	0.001	-	-	-	-	-
3885	PRE N/mm2	Z	0.001	-	-	-	-	-
3886	PRE N/mm2	Z	0.001	-	-	-	-	-
3899	PRE N/mm2	Z	0.001	-	-	-	-	-
3900	PRE N/mm2	Z	0.001	-	-	-	-	-
3901	PRE N/mm2	Z	0.001	-	-	-	-	-
3902	PRE N/mm2	Z	0.001	-	-	-	-	-
3903	PRE N/mm2	Z	0.001	-	-	-	-	-
3904	PRE N/mm2	Z	0.001	-	-	-	-	-
3917	PRE N/mm2	Z	0.001	-	-	-	-	-
3918	PRE N/mm2	Z	0.001	-	-	-	-	-
3919	PRE N/mm2	Z	0.001	-	-	-	-	-
3932	PRE N/mm2	Z	0.001	-	-	-	-	-
3933	PRE N/mm2	Z	0.001	-	-	-	-	-
3934	PRE N/mm2	Z	0.001	-	-	-	-	-
3935	PRE N/mm2	Z	0.001	-	-	-	-	-
3936	PRE N/mm2	Z	0.001	-	-	-	-	-
3937	PRE N/mm2	Z	0.001	-	-	-	-	-
3938	PRE N/mm2	Z	0.001	-	-	-	-	-
3939	PRE N/mm2	Z	0.001	-	-	-	-	-
3940	PRE N/mm2	Z	0.001	-	-	-	-	-
3941	PRE N/mm2	Z	0.001	-	-	-	-	-
3942	PRE N/mm2	Z	0.001	-	-	-	-	-
3943	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3944	PRE N/mm2	Z	0.001	-	-	-	-	-
3945	PRE N/mm2	Z	0.001	-	-	-	-	-
3946	PRE N/mm2	Z	0.001	-	-	-	-	-
3947	PRE N/mm2	Z	0.001	-	-	-	-	-
3948	PRE N/mm2	Z	0.001	-	-	-	-	-
3959	PRE N/mm2	Z	0.001	-	-	-	-	-
3984	PRE N/mm2	Z	0.001	-	-	-	-	-
3985	PRE N/mm2	Z	0.001	-	-	-	-	-
3986	PRE N/mm2	Z	0.001	-	-	-	-	-
3987	PRE N/mm2	Z	0.001	-	-	-	-	-
3988	PRE N/mm2	Z	0.001	-	-	-	-	-
3991	PRE N/mm2	Z	0.001	-	-	-	-	-
3992	PRE N/mm2	Z	0.001	-	-	-	-	-
3993	PRE N/mm2	Z	0.001	-	-	-	-	-
3994	PRE N/mm2	Z	0.001	-	-	-	-	-
4007	PRE N/mm2	Z	0.001	-	-	-	-	-
4008	PRE N/mm2	Z	0.001	-	-	-	-	-
4009	PRE N/mm2	Z	0.001	-	-	-	-	-
4010	PRE N/mm2	Z	0.001	-	-	-	-	-
4011	PRE N/mm2	Z	0.001	-	-	-	-	-
4012	PRE N/mm2	Z	0.001	-	-	-	-	-
4013	PRE N/mm2	Z	0.001	-	-	-	-	-
4014	PRE N/mm2	Z	0.001	-	-	-	-	-
4015	PRE N/mm2	Z	0.001	-	-	-	-	-
4016	PRE N/mm2	Z	0.001	-	-	-	-	-
4017	PRE N/mm2	Z	0.001	-	-	-	-	-
4018	PRE N/mm2	Z	0.001	-	-	-	-	-
4019	PRE N/mm2	Z	0.001	-	-	-	-	-
4020	PRE N/mm2	Z	0.001	-	-	-	-	-
4033	PRE N/mm2	Z	0.001	-	-	-	-	-
4034	PRE N/mm2	Z	0.001	-	-	-	-	-
4035	PRE N/mm2	Z	0.001	-	-	-	-	-
4036	PRE N/mm2	Z	0.001	-	-	-	-	-
4037	PRE N/mm2	Z	0.001	-	-	-	-	-
4038	PRE N/mm2	Z	0.001	-	-	-	-	-
4063	PRE N/mm2	Z	0.001	-	-	-	-	-
4064	PRE N/mm2	Z	0.001	-	-	-	-	-
4065	PRE N/mm2	Z	0.001	-	-	-	-	-
4066	PRE N/mm2	Z	0.001	-	-	-	-	-
4067	PRE N/mm2	Z	0.001	-	-	-	-	-
4068	PRE N/mm2	Z	0.001	-	-	-	-	-
4069	PRE N/mm2	Z	0.001	-	-	-	-	-
4070	PRE N/mm2	Z	0.001	-	-	-	-	-
4071	PRE N/mm2	Z	0.001	-	-	-	-	-
4072	PRE N/mm2	Z	0.001	-	-	-	-	-
4073	PRE N/mm2	Z	0.001	-	-	-	-	-
4074	PRE N/mm2	Z	0.001	-	-	-	-	-
4075	PRE N/mm2	Z	0.001	-	-	-	-	-
4076	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4077	PRE N/mm2	Z	0.001	-	-	-	-	-
4078	PRE N/mm2	Z	0.001	-	-	-	-	-
4079	PRE N/mm2	Z	0.001	-	-	-	-	-
4080	PRE N/mm2	Z	0.001	-	-	-	-	-
4081	PRE N/mm2	Z	0.001	-	-	-	-	-
4082	PRE N/mm2	Z	0.001	-	-	-	-	-
4083	PRE N/mm2	Z	0.001	-	-	-	-	-
4084	PRE N/mm2	Z	0.001	-	-	-	-	-
4097	PRE N/mm2	Z	0.001	-	-	-	-	-
4098	PRE N/mm2	Z	0.001	-	-	-	-	-
4099	PRE N/mm2	Z	0.001	-	-	-	-	-
4111	PRE N/mm2	Z	0.001	-	-	-	-	-
4113	PRE N/mm2	Z	0.001	-	-	-	-	-
4114	PRE N/mm2	Z	0.001	-	-	-	-	-
4115	PRE N/mm2	Z	0.001	-	-	-	-	-
4116	PRE N/mm2	Z	0.001	-	-	-	-	-
4129	PRE N/mm2	Z	0.001	-	-	-	-	-
4130	PRE N/mm2	Z	0.001	-	-	-	-	-
4131	PRE N/mm2	Z	0.001	-	-	-	-	-
4132	PRE N/mm2	Z	0.001	-	-	-	-	-
4133	PRE N/mm2	Z	0.001	-	-	-	-	-
4134	PRE N/mm2	Z	0.001	-	-	-	-	-
4135	PRE N/mm2	Z	0.001	-	-	-	-	-
4136	PRE N/mm2	Z	0.001	-	-	-	-	-
4149	PRE N/mm2	Z	0.001	-	-	-	-	-
4150	PRE N/mm2	Z	0.001	-	-	-	-	-
4151	PRE N/mm2	Z	0.001	-	-	-	-	-
4152	PRE N/mm2	Z	0.001	-	-	-	-	-
4153	PRE N/mm2	Z	0.001	-	-	-	-	-
4154	PRE N/mm2	Z	0.001	-	-	-	-	-
4155	PRE N/mm2	Z	0.001	-	-	-	-	-
4156	PRE N/mm2	Z	0.001	-	-	-	-	-
4157	PRE N/mm2	Z	0.001	-	-	-	-	-
4158	PRE N/mm2	Z	0.001	-	-	-	-	-
4159	PRE N/mm2	Z	0.001	-	-	-	-	-
4184	PRE N/mm2	Z	0.001	-	-	-	-	-
4185	PRE N/mm2	Z	0.001	-	-	-	-	-
4186	PRE N/mm2	Z	0.001	-	-	-	-	-
4187	PRE N/mm2	Z	0.001	-	-	-	-	-
4188	PRE N/mm2	Z	0.001	-	-	-	-	-
4189	PRE N/mm2	Z	0.001	-	-	-	-	-
4190	PRE N/mm2	Z	0.001	-	-	-	-	-
4191	PRE N/mm2	Z	0.001	-	-	-	-	-
4192	PRE N/mm2	Z	0.001	-	-	-	-	-
4193	PRE N/mm2	Z	0.001	-	-	-	-	-
4194	PRE N/mm2	Z	0.001	-	-	-	-	-
4195	PRE N/mm2	Z	0.001	-	-	-	-	-
4196	PRE N/mm2	Z	0.001	-	-	-	-	-
4209	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4222	PRE N/mm2	Z	0.001	-	-	-	-	-
4223	PRE N/mm2	Z	0.001	-	-	-	-	-
	PRE N/mm2	Z	0.001	-	-	-	-	-
4224	PRE N/mm2	Z	0.001	-	-	-	-	-
4225	PRE N/mm2	Z	0.001	-	-	-	-	-
4236	PRE N/mm2	Z	0.001	-	-	-	-	-
4237	PRE N/mm2	Z	0.001	-	-	-	-	-
4238	PRE N/mm2	Z	0.001	-	-	-	-	-
4239	PRE N/mm2	Z	0.001	-	-	-	-	-
4242	PRE N/mm2	Z	0.001	-	-	-	-	-
4243	PRE N/mm2	Z	0.001	-	-	-	-	-
4244	PRE N/mm2	Z	0.001	-	-	-	-	-
4245	PRE N/mm2	Z	0.001	-	-	-	-	-
4247	PRE N/mm2	Z	0.001	-	-	-	-	-
4248	PRE N/mm2	Z	0.001	-	-	-	-	-
4249	PRE N/mm2	Z	0.001	-	-	-	-	-
4250	PRE N/mm2	Z	0.001	-	-	-	-	-
4252	PRE N/mm2	Z	0.001	-	-	-	-	-
4253	PRE N/mm2	Z	0.001	-	-	-	-	-
4254	PRE N/mm2	Z	0.001	-	-	-	-	-
4255	PRE N/mm2	Z	0.001	-	-	-	-	-
4256	PRE N/mm2	Z	0.001	-	-	-	-	-
4257	PRE N/mm2	Z	0.001	-	-	-	-	-
4282	PRE N/mm2	Z	0.001	-	-	-	-	-
4283	PRE N/mm2	Z	0.001	-	-	-	-	-
4284	PRE N/mm2	Z	0.001	-	-	-	-	-
4285	PRE N/mm2	Z	0.001	-	-	-	-	-
4286	PRE N/mm2	Z	0.001	-	-	-	-	-
4299	PRE N/mm2	Z	0.001	-	-	-	-	-
4300	PRE N/mm2	Z	0.001	-	-	-	-	-
4301	PRE N/mm2	Z	0.001	-	-	-	-	-
4302	PRE N/mm2	Z	0.001	-	-	-	-	-
4303	PRE N/mm2	Z	0.001	-	-	-	-	-
4304	PRE N/mm2	Z	0.001	-	-	-	-	-
4305	PRE N/mm2	Z	0.001	-	-	-	-	-
4306	PRE N/mm2	Z	0.001	-	-	-	-	-
4319	PRE N/mm2	Z	0.001	-	-	-	-	-
4320	PRE N/mm2	Z	0.001	-	-	-	-	-
4321	PRE N/mm2	Z	0.001	-	-	-	-	-
4322	PRE N/mm2	Z	0.001	-	-	-	-	-
4323	PRE N/mm2	Z	0.001	-	-	-	-	-
4324	PRE N/mm2	Z	0.001	-	-	-	-	-
4325	PRE N/mm2	Z	0.001	-	-	-	-	-
4326	PRE N/mm2	Z	0.001	-	-	-	-	-
4327	PRE N/mm2	Z	0.001	-	-	-	-	-
4328	PRE N/mm2	Z	0.001	-	-	-	-	-
4329	PRE N/mm2	Z	0.001	-	-	-	-	-
4330	PRE N/mm2	Z	0.001	-	-	-	-	-
4331	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4332	PRE N/mm2	Z	0.001	-	-	-	-	-
4333	PRE N/mm2	Z	0.001	-	-	-	-	-
4346	PRE N/mm2	Z	0.001	-	-	-	-	-
4347	PRE N/mm2	Z	0.001	-	-	-	-	-
4348	PRE N/mm2	Z	0.001	-	-	-	-	-
4349	PRE N/mm2	Z	0.001	-	-	-	-	-
4350	PRE N/mm2	Z	0.001	-	-	-	-	-
4351	PRE N/mm2	Z	0.001	-	-	-	-	-
4352	PRE N/mm2	Z	0.001	-	-	-	-	-
4365	PRE N/mm2	Z	0.001	-	-	-	-	-
4366	PRE N/mm2	Z	0.001	-	-	-	-	-
4367	PRE N/mm2	Z	0.001	-	-	-	-	-
4368	PRE N/mm2	Z	0.001	-	-	-	-	-
4369	PRE N/mm2	Z	0.001	-	-	-	-	-
4382	PRE N/mm2	Z	0.001	-	-	-	-	-
4383	PRE N/mm2	Z	0.001	-	-	-	-	-
4384	PRE N/mm2	Z	0.001	-	-	-	-	-
4397	PRE N/mm2	Z	0.001	-	-	-	-	-
4398	PRE N/mm2	Z	0.001	-	-	-	-	-
4399	PRE N/mm2	Z	0.001	-	-	-	-	-
4410	PRE N/mm2	Z	0.001	-	-	-	-	-
4411	PRE N/mm2	Z	0.001	-	-	-	-	-
4412	PRE N/mm2	Z	0.001	-	-	-	-	-
4413	PRE N/mm2	Z	0.001	-	-	-	-	-
4414	PRE N/mm2	Z	0.001	-	-	-	-	-
4417	PRE N/mm2	Z	0.001	-	-	-	-	-
4418	PRE N/mm2	Z	0.001	-	-	-	-	-
4419	PRE N/mm2	Z	0.001	-	-	-	-	-
4420	PRE N/mm2	Z	0.001	-	-	-	-	-
4421	PRE N/mm2	Z	0.001	-	-	-	-	-
4422	PRE N/mm2	Z	0.001	-	-	-	-	-
4423	PRE N/mm2	Z	0.001	-	-	-	-	-
4424	PRE N/mm2	Z	0.001	-	-	-	-	-
4425	PRE N/mm2	Z	0.001	-	-	-	-	-
4426	PRE N/mm2	Z	0.001	-	-	-	-	-
4427	PRE N/mm2	Z	0.001	-	-	-	-	-
4428	PRE N/mm2	Z	0.001	-	-	-	-	-
4429	PRE N/mm2	Z	0.001	-	-	-	-	-
4430	PRE N/mm2	Z	0.001	-	-	-	-	-
4431	PRE N/mm2	Z	0.001	-	-	-	-	-
4432	PRE N/mm2	Z	0.001	-	-	-	-	-
4433	PRE N/mm2	Z	0.001	-	-	-	-	-
4458	PRE N/mm2	Z	0.001	-	-	-	-	-
4459	PRE N/mm2	Z	0.001	-	-	-	-	-
4460	PRE N/mm2	Z	0.001	-	-	-	-	-
4461	PRE N/mm2	Z	0.001	-	-	-	-	-
4474	PRE N/mm2	Z	0.001	-	-	-	-	-
4475	PRE N/mm2	Z	0.001	-	-	-	-	-
4476	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4477	PRE N/mm2	Z	0.001	-	-	-	-	-
4478	PRE N/mm2	Z	0.001	-	-	-	-	-
4479	PRE N/mm2	Z	0.001	-	-	-	-	-
4480	PRE N/mm2	Z	0.001	-	-	-	-	-
4481	PRE N/mm2	Z	0.001	-	-	-	-	-
4482	PRE N/mm2	Z	0.001	-	-	-	-	-
4483	PRE N/mm2	Z	0.001	-	-	-	-	-
4484	PRE N/mm2	Z	0.001	-	-	-	-	-
4485	PRE N/mm2	Z	0.001	-	-	-	-	-
4486	PRE N/mm2	Z	0.001	-	-	-	-	-
4487	PRE N/mm2	Z	0.001	-	-	-	-	-
4488	PRE N/mm2	Z	0.001	-	-	-	-	-
4499	PRE N/mm2	Z	0.001	-	-	-	-	-
4500	PRE N/mm2	Z	0.001	-	-	-	-	-
4501	PRE N/mm2	Z	0.001	-	-	-	-	-
4504	PRE N/mm2	Z	0.001	-	-	-	-	-
4505	PRE N/mm2	Z	0.001	-	-	-	-	-
4506	PRE N/mm2	Z	0.001	-	-	-	-	-
4507	PRE N/mm2	Z	0.001	-	-	-	-	-
4520	PRE N/mm2	Z	0.001	-	-	-	-	-
4521	PRE N/mm2	Z	0.001	-	-	-	-	-
4522	PRE N/mm2	Z	0.001	-	-	-	-	-
4535	PRE N/mm2	Z	0.001	-	-	-	-	-
4536	PRE N/mm2	Z	0.001	-	-	-	-	-
4537	PRE N/mm2	Z	0.001	-	-	-	-	-
4538	PRE N/mm2	Z	0.001	-	-	-	-	-
4539	PRE N/mm2	Z	0.001	-	-	-	-	-
4540	PRE N/mm2	Z	0.001	-	-	-	-	-
4541	PRE N/mm2	Z	0.001	-	-	-	-	-
4542	PRE N/mm2	Z	0.001	-	-	-	-	-
4543	PRE N/mm2	Z	0.001	-	-	-	-	-
4544	PRE N/mm2	Z	0.001	-	-	-	-	-
4545	PRE N/mm2	Z	0.001	-	-	-	-	-
4546	PRE N/mm2	Z	0.001	-	-	-	-	-
4547	PRE N/mm2	Z	0.001	-	-	-	-	-
4548	PRE N/mm2	Z	0.001	-	-	-	-	-
4559	PRE N/mm2	Z	0.001	-	-	-	-	-
4560	PRE N/mm2	Z	0.001	-	-	-	-	-
4561	PRE N/mm2	Z	0.001	-	-	-	-	-
4564	PRE N/mm2	Z	0.001	-	-	-	-	-
4565	PRE N/mm2	Z	0.001	-	-	-	-	-
4566	PRE N/mm2	Z	0.001	-	-	-	-	-
4579	PRE N/mm2	Z	0.001	-	-	-	-	-
4580	PRE N/mm2	Z	0.001	-	-	-	-	-
4581	PRE N/mm2	Z	0.001	-	-	-	-	-
4582	PRE N/mm2	Z	0.001	-	-	-	-	-
4583	PRE N/mm2	Z	0.001	-	-	-	-	-
4584	PRE N/mm2	Z	0.001	-	-	-	-	-
4585	PRE N/mm2	Z	0.001	-	-	-	-	-

5 WIND LOAD (W) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4586	PRE N/mm2	Z	0.001	-	-	-	-	-
4587	PRE N/mm2	Z	0.001	-	-	-	-	-
4588	PRE N/mm2	Z	0.001	-	-	-	-	-
4589	PRE N/mm2	Z	0.001	-	-	-	-	-
4590	PRE N/mm2	Z	0.001	-	-	-	-	-
4601	PRE N/mm2	Z	0.001	-	-	-	-	-
4602	PRE N/mm2	Z	0.001	-	-	-	-	-
4605	PRE N/mm2	Z	0.001	-	-	-	-	-
4606	PRE N/mm2	Z	0.001	-	-	-	-	-
4607	PRE N/mm2	Z	0.001	-	-	-	-	-
4608	PRE N/mm2	Z	0.001	-	-	-	-	-
4609	PRE N/mm2	Z	0.001	-	-	-	-	-
4610	PRE N/mm2	Z	0.001	-	-	-	-	-
4611	PRE N/mm2	Z	0.001	-	-	-	-	-
4612	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1871	PRE N/mm2	Z	0.001	-	-	-	-	-
1874	PRE N/mm2	Z	0.001	-	-	-	-	-
1879	PRE N/mm2	Z	0.001	-	-	-	-	-
1882	PRE N/mm2	Z	0.001	-	-	-	-	-
1886	PRE N/mm2	Z	0.001	-	-	-	-	-
1889	PRE N/mm2	Z	0.001	-	-	-	-	-
1892	PRE N/mm2	Z	0.001	-	-	-	-	-
1897	PRE N/mm2	Z	0.001	-	-	-	-	-
1901	PRE N/mm2	Z	0.001	-	-	-	-	-
1902	PRE N/mm2	Z	0.001	-	-	-	-	-
1910	PRE N/mm2	Z	0.001	-	-	-	-	-
1918	PRE N/mm2	Z	0.001	-	-	-	-	-
1919	PRE N/mm2	Z	0.001	-	-	-	-	-
1920	PRE N/mm2	Z	0.001	-	-	-	-	-
1921	PRE N/mm2	Z	0.001	-	-	-	-	-
1922	PRE N/mm2	Z	0.001	-	-	-	-	-
1923	PRE N/mm2	Z	0.001	-	-	-	-	-
1924	PRE N/mm2	Z	0.001	-	-	-	-	-
1925	PRE N/mm2	Z	0.001	-	-	-	-	-
1926	PRE N/mm2	Z	0.001	-	-	-	-	-
1928	PRE N/mm2	Z	0.001	-	-	-	-	-
1929	PRE N/mm2	Z	0.001	-	-	-	-	-
1930	PRE N/mm2	Z	0.001	-	-	-	-	-
1931	PRE N/mm2	Z	0.001	-	-	-	-	-
1932	PRE N/mm2	Z	0.001	-	-	-	-	-
1933	PRE N/mm2	Z	0.001	-	-	-	-	-
1934	PRE N/mm2	Z	0.001	-	-	-	-	-
1935	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
1936	PRE N/mm2	Z	0.001	-	-	-	-	-
1937	PRE N/mm2	Z	0.001	-	-	-	-	-
1938	PRE N/mm2	Z	0.001	-	-	-	-	-
1939	PRE N/mm2	Z	0.001	-	-	-	-	-
1940	PRE N/mm2	Z	0.001	-	-	-	-	-
1941	PRE N/mm2	Z	0.001	-	-	-	-	-
1942	PRE N/mm2	Z	0.001	-	-	-	-	-
1943	PRE N/mm2	Z	0.001	-	-	-	-	-
1944	PRE N/mm2	Z	0.001	-	-	-	-	-
1945	PRE N/mm2	Z	0.001	-	-	-	-	-
1946	PRE N/mm2	Z	0.001	-	-	-	-	-
1947	PRE N/mm2	Z	0.001	-	-	-	-	-
1948	PRE N/mm2	Z	0.001	-	-	-	-	-
1949	PRE N/mm2	Z	0.001	-	-	-	-	-
1950	PRE N/mm2	Z	0.001	-	-	-	-	-
1951	PRE N/mm2	Z	0.001	-	-	-	-	-
1952	PRE N/mm2	Z	0.001	-	-	-	-	-
1953	PRE N/mm2	Z	0.001	-	-	-	-	-
1954	PRE N/mm2	Z	0.001	-	-	-	-	-
1955	PRE N/mm2	Z	0.001	-	-	-	-	-
1956	PRE N/mm2	Z	0.001	-	-	-	-	-
1957	PRE N/mm2	Z	0.001	-	-	-	-	-
1958	PRE N/mm2	Z	0.001	-	-	-	-	-
1959	PRE N/mm2	Z	0.001	-	-	-	-	-
1960	PRE N/mm2	Z	0.001	-	-	-	-	-
1961	PRE N/mm2	Z	0.001	-	-	-	-	-
1962	PRE N/mm2	Z	0.001	-	-	-	-	-
1963	PRE N/mm2	Z	0.001	-	-	-	-	-
1964	PRE N/mm2	Z	0.001	-	-	-	-	-
1965	PRE N/mm2	Z	0.001	-	-	-	-	-
1966	PRE N/mm2	Z	0.001	-	-	-	-	-
1967	PRE N/mm2	Z	0.001	-	-	-	-	-
2044	PRE N/mm2	Z	0.001	-	-	-	-	-
2047	PRE N/mm2	Z	0.001	-	-	-	-	-
2052	PRE N/mm2	Z	0.001	-	-	-	-	-
2055	PRE N/mm2	Z	0.001	-	-	-	-	-
2059	PRE N/mm2	Z	0.001	-	-	-	-	-
2062	PRE N/mm2	Z	0.001	-	-	-	-	-
2065	PRE N/mm2	Z	0.001	-	-	-	-	-
2070	PRE N/mm2	Z	0.001	-	-	-	-	-
2074	PRE N/mm2	Z	0.001	-	-	-	-	-
2075	PRE N/mm2	Z	0.001	-	-	-	-	-
2083	PRE N/mm2	Z	0.001	-	-	-	-	-
2091	PRE N/mm2	Z	0.001	-	-	-	-	-
2092	PRE N/mm2	Z	0.001	-	-	-	-	-
2093	PRE N/mm2	Z	0.001	-	-	-	-	-
2094	PRE N/mm2	Z	0.001	-	-	-	-	-
2095	PRE N/mm2	Z	0.001	-	-	-	-	-
2096	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2097	PRE N/mm2	Z	0.001	-	-	-	-	-
2098	PRE N/mm2	Z	0.001	-	-	-	-	-
2099	PRE N/mm2	Z	0.001	-	-	-	-	-
2101	PRE N/mm2	Z	0.001	-	-	-	-	-
2102	PRE N/mm2	Z	0.001	-	-	-	-	-
2103	PRE N/mm2	Z	0.001	-	-	-	-	-
2104	PRE N/mm2	Z	0.001	-	-	-	-	-
2105	PRE N/mm2	Z	0.001	-	-	-	-	-
2106	PRE N/mm2	Z	0.001	-	-	-	-	-
2107	PRE N/mm2	Z	0.001	-	-	-	-	-
2108	PRE N/mm2	Z	0.001	-	-	-	-	-
2109	PRE N/mm2	Z	0.001	-	-	-	-	-
2110	PRE N/mm2	Z	0.001	-	-	-	-	-
2111	PRE N/mm2	Z	0.001	-	-	-	-	-
2112	PRE N/mm2	Z	0.001	-	-	-	-	-
2113	PRE N/mm2	Z	0.001	-	-	-	-	-
2114	PRE N/mm2	Z	0.001	-	-	-	-	-
2115	PRE N/mm2	Z	0.001	-	-	-	-	-
2116	PRE N/mm2	Z	0.001	-	-	-	-	-
2117	PRE N/mm2	Z	0.001	-	-	-	-	-
2118	PRE N/mm2	Z	0.001	-	-	-	-	-
2119	PRE N/mm2	Z	0.001	-	-	-	-	-
2120	PRE N/mm2	Z	0.001	-	-	-	-	-
2121	PRE N/mm2	Z	0.001	-	-	-	-	-
2122	PRE N/mm2	Z	0.001	-	-	-	-	-
2123	PRE N/mm2	Z	0.001	-	-	-	-	-
2124	PRE N/mm2	Z	0.001	-	-	-	-	-
2125	PRE N/mm2	Z	0.001	-	-	-	-	-
2126	PRE N/mm2	Z	0.001	-	-	-	-	-
2127	PRE N/mm2	Z	0.001	-	-	-	-	-
2128	PRE N/mm2	Z	0.001	-	-	-	-	-
2129	PRE N/mm2	Z	0.001	-	-	-	-	-
2130	PRE N/mm2	Z	0.001	-	-	-	-	-
2131	PRE N/mm2	Z	0.001	-	-	-	-	-
2132	PRE N/mm2	Z	0.001	-	-	-	-	-
2133	PRE N/mm2	Z	0.001	-	-	-	-	-
2134	PRE N/mm2	Z	0.001	-	-	-	-	-
2135	PRE N/mm2	Z	0.001	-	-	-	-	-
2136	PRE N/mm2	Z	0.001	-	-	-	-	-
2137	PRE N/mm2	Z	0.001	-	-	-	-	-
2138	PRE N/mm2	Z	0.001	-	-	-	-	-
2139	PRE N/mm2	Z	0.001	-	-	-	-	-
2140	PRE N/mm2	Z	0.001	-	-	-	-	-
2224	PRE N/mm2	Z	0.001	-	-	-	-	-
2227	PRE N/mm2	Z	0.001	-	-	-	-	-
2232	PRE N/mm2	Z	0.001	-	-	-	-	-
2235	PRE N/mm2	Z	0.001	-	-	-	-	-
2239	PRE N/mm2	Z	0.001	-	-	-	-	-
2242	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2245	PRE N/mm2	Z	0.001	-	-	-	-	-
2250	PRE N/mm2	Z	0.001	-	-	-	-	-
2254	PRE N/mm2	Z	0.001	-	-	-	-	-
2255	PRE N/mm2	Z	0.001	-	-	-	-	-
2263	PRE N/mm2	Z	0.001	-	-	-	-	-
2271	PRE N/mm2	Z	0.001	-	-	-	-	-
2272	PRE N/mm2	Z	0.001	-	-	-	-	-
2273	PRE N/mm2	Z	0.001	-	-	-	-	-
2274	PRE N/mm2	Z	0.001	-	-	-	-	-
2275	PRE N/mm2	Z	0.001	-	-	-	-	-
2276	PRE N/mm2	Z	0.001	-	-	-	-	-
2277	PRE N/mm2	Z	0.001	-	-	-	-	-
2278	PRE N/mm2	Z	0.001	-	-	-	-	-
2279	PRE N/mm2	Z	0.001	-	-	-	-	-
2281	PRE N/mm2	Z	0.001	-	-	-	-	-
2282	PRE N/mm2	Z	0.001	-	-	-	-	-
2283	PRE N/mm2	Z	0.001	-	-	-	-	-
2284	PRE N/mm2	Z	0.001	-	-	-	-	-
2285	PRE N/mm2	Z	0.001	-	-	-	-	-
2286	PRE N/mm2	Z	0.001	-	-	-	-	-
2287	PRE N/mm2	Z	0.001	-	-	-	-	-
2288	PRE N/mm2	Z	0.001	-	-	-	-	-
2289	PRE N/mm2	Z	0.001	-	-	-	-	-
2290	PRE N/mm2	Z	0.001	-	-	-	-	-
2291	PRE N/mm2	Z	0.001	-	-	-	-	-
2292	PRE N/mm2	Z	0.001	-	-	-	-	-
2293	PRE N/mm2	Z	0.001	-	-	-	-	-
2294	PRE N/mm2	Z	0.001	-	-	-	-	-
2295	PRE N/mm2	Z	0.001	-	-	-	-	-
2296	PRE N/mm2	Z	0.001	-	-	-	-	-
2297	PRE N/mm2	Z	0.001	-	-	-	-	-
2298	PRE N/mm2	Z	0.001	-	-	-	-	-
2299	PRE N/mm2	Z	0.001	-	-	-	-	-
2300	PRE N/mm2	Z	0.001	-	-	-	-	-
2301	PRE N/mm2	Z	0.001	-	-	-	-	-
2302	PRE N/mm2	Z	0.001	-	-	-	-	-
2303	PRE N/mm2	Z	0.001	-	-	-	-	-
2304	PRE N/mm2	Z	0.001	-	-	-	-	-
2305	PRE N/mm2	Z	0.001	-	-	-	-	-
2306	PRE N/mm2	Z	0.001	-	-	-	-	-
2307	PRE N/mm2	Z	0.001	-	-	-	-	-
2308	PRE N/mm2	Z	0.001	-	-	-	-	-
2309	PRE N/mm2	Z	0.001	-	-	-	-	-
2310	PRE N/mm2	Z	0.001	-	-	-	-	-
2311	PRE N/mm2	Z	0.001	-	-	-	-	-
2312	PRE N/mm2	Z	0.001	-	-	-	-	-
2313	PRE N/mm2	Z	0.001	-	-	-	-	-
2314	PRE N/mm2	Z	0.001	-	-	-	-	-
2315	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2316	PRE N/mm2	Z	0.001	-	-	-	-	-
2317	PRE N/mm2	Z	0.001	-	-	-	-	-
2318	PRE N/mm2	Z	0.001	-	-	-	-	-
2319	PRE N/mm2	Z	0.001	-	-	-	-	-
2320	PRE N/mm2	Z	0.001	-	-	-	-	-
2397	PRE N/mm2	Z	0.001	-	-	-	-	-
2400	PRE N/mm2	Z	0.001	-	-	-	-	-
2405	PRE N/mm2	Z	0.001	-	-	-	-	-
2408	PRE N/mm2	Z	0.001	-	-	-	-	-
2412	PRE N/mm2	Z	0.001	-	-	-	-	-
2415	PRE N/mm2	Z	0.001	-	-	-	-	-
2418	PRE N/mm2	Z	0.001	-	-	-	-	-
2423	PRE N/mm2	Z	0.001	-	-	-	-	-
2427	PRE N/mm2	Z	0.001	-	-	-	-	-
2428	PRE N/mm2	Z	0.001	-	-	-	-	-
2436	PRE N/mm2	Z	0.001	-	-	-	-	-
2444	PRE N/mm2	Z	0.001	-	-	-	-	-
2445	PRE N/mm2	Z	0.001	-	-	-	-	-
2446	PRE N/mm2	Z	0.001	-	-	-	-	-
2447	PRE N/mm2	Z	0.001	-	-	-	-	-
2448	PRE N/mm2	Z	0.001	-	-	-	-	-
2449	PRE N/mm2	Z	0.001	-	-	-	-	-
2450	PRE N/mm2	Z	0.001	-	-	-	-	-
2451	PRE N/mm2	Z	0.001	-	-	-	-	-
2452	PRE N/mm2	Z	0.001	-	-	-	-	-
2454	PRE N/mm2	Z	0.001	-	-	-	-	-
2455	PRE N/mm2	Z	0.001	-	-	-	-	-
2456	PRE N/mm2	Z	0.001	-	-	-	-	-
2457	PRE N/mm2	Z	0.001	-	-	-	-	-
2458	PRE N/mm2	Z	0.001	-	-	-	-	-
2459	PRE N/mm2	Z	0.001	-	-	-	-	-
2460	PRE N/mm2	Z	0.001	-	-	-	-	-
2461	PRE N/mm2	Z	0.001	-	-	-	-	-
2462	PRE N/mm2	Z	0.001	-	-	-	-	-
2463	PRE N/mm2	Z	0.001	-	-	-	-	-
2464	PRE N/mm2	Z	0.001	-	-	-	-	-
2465	PRE N/mm2	Z	0.001	-	-	-	-	-
2466	PRE N/mm2	Z	0.001	-	-	-	-	-
2467	PRE N/mm2	Z	0.001	-	-	-	-	-
2468	PRE N/mm2	Z	0.001	-	-	-	-	-
2469	PRE N/mm2	Z	0.001	-	-	-	-	-
2470	PRE N/mm2	Z	0.001	-	-	-	-	-
2471	PRE N/mm2	Z	0.001	-	-	-	-	-
2472	PRE N/mm2	Z	0.001	-	-	-	-	-
2473	PRE N/mm2	Z	0.001	-	-	-	-	-
2474	PRE N/mm2	Z	0.001	-	-	-	-	-
2475	PRE N/mm2	Z	0.001	-	-	-	-	-
2476	PRE N/mm2	Z	0.001	-	-	-	-	-
2477	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2478	PRE N/mm2	Z	0.001	-	-	-	-	-
2479	PRE N/mm2	Z	0.001	-	-	-	-	-
2480	PRE N/mm2	Z	0.001	-	-	-	-	-
2481	PRE N/mm2	Z	0.001	-	-	-	-	-
2482	PRE N/mm2	Z	0.001	-	-	-	-	-
2483	PRE N/mm2	Z	0.001	-	-	-	-	-
2484	PRE N/mm2	Z	0.001	-	-	-	-	-
2485	PRE N/mm2	Z	0.001	-	-	-	-	-
2486	PRE N/mm2	Z	0.001	-	-	-	-	-
2487	PRE N/mm2	Z	0.001	-	-	-	-	-
2488	PRE N/mm2	Z	0.001	-	-	-	-	-
2489	PRE N/mm2	Z	0.001	-	-	-	-	-
2490	PRE N/mm2	Z	0.001	-	-	-	-	-
2491	PRE N/mm2	Z	0.001	-	-	-	-	-
2492	PRE N/mm2	Z	0.001	-	-	-	-	-
2493	PRE N/mm2	Z	0.001	-	-	-	-	-
2563	PRE N/mm2	Z	0.001	-	-	-	-	-
2565	PRE N/mm2	Z	0.001	-	-	-	-	-
2569	PRE N/mm2	Z	0.001	-	-	-	-	-
2574	PRE N/mm2	Z	0.001	-	-	-	-	-
2578	PRE N/mm2	Z	0.001	-	-	-	-	-
2580	PRE N/mm2	Z	0.001	-	-	-	-	-
2583	PRE N/mm2	Z	0.001	-	-	-	-	-
2589	PRE N/mm2	Z	0.001	-	-	-	-	-
2593	PRE N/mm2	Z	0.001	-	-	-	-	-
2594	PRE N/mm2	Z	0.001	-	-	-	-	-
2602	PRE N/mm2	Z	0.001	-	-	-	-	-
2610	PRE N/mm2	Z	0.001	-	-	-	-	-
2611	PRE N/mm2	Z	0.001	-	-	-	-	-
2612	PRE N/mm2	Z	0.001	-	-	-	-	-
2613	PRE N/mm2	Z	0.001	-	-	-	-	-
2614	PRE N/mm2	Z	0.001	-	-	-	-	-
2615	PRE N/mm2	Z	0.001	-	-	-	-	-
2616	PRE N/mm2	Z	0.001	-	-	-	-	-
2617	PRE N/mm2	Z	0.001	-	-	-	-	-
2618	PRE N/mm2	Z	0.001	-	-	-	-	-
2620	PRE N/mm2	Z	0.001	-	-	-	-	-
2621	PRE N/mm2	Z	0.001	-	-	-	-	-
2622	PRE N/mm2	Z	0.001	-	-	-	-	-
2623	PRE N/mm2	Z	0.001	-	-	-	-	-
2624	PRE N/mm2	Z	0.001	-	-	-	-	-
2625	PRE N/mm2	Z	0.001	-	-	-	-	-
2626	PRE N/mm2	Z	0.001	-	-	-	-	-
2627	PRE N/mm2	Z	0.001	-	-	-	-	-
2628	PRE N/mm2	Z	0.001	-	-	-	-	-
2629	PRE N/mm2	Z	0.001	-	-	-	-	-
2630	PRE N/mm2	Z	0.001	-	-	-	-	-
2631	PRE N/mm2	Z	0.001	-	-	-	-	-
2632	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2633	PRE N/mm2	Z	0.001	-	-	-	-	-
2634	PRE N/mm2	Z	0.001	-	-	-	-	-
2635	PRE N/mm2	Z	0.001	-	-	-	-	-
2636	PRE N/mm2	Z	0.001	-	-	-	-	-
2637	PRE N/mm2	Z	0.001	-	-	-	-	-
2638	PRE N/mm2	Z	0.001	-	-	-	-	-
2639	PRE N/mm2	Z	0.001	-	-	-	-	-
2640	PRE N/mm2	Z	0.001	-	-	-	-	-
2641	PRE N/mm2	Z	0.001	-	-	-	-	-
2642	PRE N/mm2	Z	0.001	-	-	-	-	-
2643	PRE N/mm2	Z	0.001	-	-	-	-	-
2644	PRE N/mm2	Z	0.001	-	-	-	-	-
2645	PRE N/mm2	Z	0.001	-	-	-	-	-
2646	PRE N/mm2	Z	0.001	-	-	-	-	-
2647	PRE N/mm2	Z	0.001	-	-	-	-	-
2648	PRE N/mm2	Z	0.001	-	-	-	-	-
2649	PRE N/mm2	Z	0.001	-	-	-	-	-
2650	PRE N/mm2	Z	0.001	-	-	-	-	-
2651	PRE N/mm2	Z	0.001	-	-	-	-	-
2652	PRE N/mm2	Z	0.001	-	-	-	-	-
2653	PRE N/mm2	Z	0.001	-	-	-	-	-
2654	PRE N/mm2	Z	0.001	-	-	-	-	-
2655	PRE N/mm2	Z	0.001	-	-	-	-	-
2656	PRE N/mm2	Z	0.001	-	-	-	-	-
2657	PRE N/mm2	Z	0.001	-	-	-	-	-
2658	PRE N/mm2	Z	0.001	-	-	-	-	-
2659	PRE N/mm2	Z	0.001	-	-	-	-	-
2712	PRE N/mm2	Z	0.001	-	-	-	-	-
2715	PRE N/mm2	Z	0.001	-	-	-	-	-
2719	PRE N/mm2	Z	0.001	-	-	-	-	-
2724	PRE N/mm2	Z	0.001	-	-	-	-	-
2727	PRE N/mm2	Z	0.001	-	-	-	-	-
2732	PRE N/mm2	Z	0.001	-	-	-	-	-
2735	PRE N/mm2	Z	0.001	-	-	-	-	-
2741	PRE N/mm2	Z	0.001	-	-	-	-	-
2745	PRE N/mm2	Z	0.001	-	-	-	-	-
2746	PRE N/mm2	Z	0.001	-	-	-	-	-
2754	PRE N/mm2	Z	0.001	-	-	-	-	-
2762	PRE N/mm2	Z	0.001	-	-	-	-	-
2763	PRE N/mm2	Z	0.001	-	-	-	-	-
2764	PRE N/mm2	Z	0.001	-	-	-	-	-
2765	PRE N/mm2	Z	0.001	-	-	-	-	-
2766	PRE N/mm2	Z	0.001	-	-	-	-	-
2767	PRE N/mm2	Z	0.001	-	-	-	-	-
2768	PRE N/mm2	Z	0.001	-	-	-	-	-
2769	PRE N/mm2	Z	0.001	-	-	-	-	-
2770	PRE N/mm2	Z	0.001	-	-	-	-	-
2772	PRE N/mm2	Z	0.001	-	-	-	-	-
2773	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2774	PRE N/mm2	Z	0.001	-	-	-	-	-
2775	PRE N/mm2	Z	0.001	-	-	-	-	-
2776	PRE N/mm2	Z	0.001	-	-	-	-	-
2777	PRE N/mm2	Z	0.001	-	-	-	-	-
2778	PRE N/mm2	Z	0.001	-	-	-	-	-
2779	PRE N/mm2	Z	0.001	-	-	-	-	-
2780	PRE N/mm2	Z	0.001	-	-	-	-	-
2781	PRE N/mm2	Z	0.001	-	-	-	-	-
2782	PRE N/mm2	Z	0.001	-	-	-	-	-
2783	PRE N/mm2	Z	0.001	-	-	-	-	-
2784	PRE N/mm2	Z	0.001	-	-	-	-	-
2785	PRE N/mm2	Z	0.001	-	-	-	-	-
2786	PRE N/mm2	Z	0.001	-	-	-	-	-
2787	PRE N/mm2	Z	0.001	-	-	-	-	-
2788	PRE N/mm2	Z	0.001	-	-	-	-	-
2789	PRE N/mm2	Z	0.001	-	-	-	-	-
2790	PRE N/mm2	Z	0.001	-	-	-	-	-
2791	PRE N/mm2	Z	0.001	-	-	-	-	-
2792	PRE N/mm2	Z	0.001	-	-	-	-	-
2793	PRE N/mm2	Z	0.001	-	-	-	-	-
2794	PRE N/mm2	Z	0.001	-	-	-	-	-
2795	PRE N/mm2	Z	0.001	-	-	-	-	-
2796	PRE N/mm2	Z	0.001	-	-	-	-	-
2797	PRE N/mm2	Z	0.001	-	-	-	-	-
2798	PRE N/mm2	Z	0.001	-	-	-	-	-
2799	PRE N/mm2	Z	0.001	-	-	-	-	-
2800	PRE N/mm2	Z	0.001	-	-	-	-	-
2801	PRE N/mm2	Z	0.001	-	-	-	-	-
2802	PRE N/mm2	Z	0.001	-	-	-	-	-
2803	PRE N/mm2	Z	0.001	-	-	-	-	-
2804	PRE N/mm2	Z	0.001	-	-	-	-	-
2805	PRE N/mm2	Z	0.001	-	-	-	-	-
2806	PRE N/mm2	Z	0.001	-	-	-	-	-
2807	PRE N/mm2	Z	0.001	-	-	-	-	-
2808	PRE N/mm2	Z	0.001	-	-	-	-	-
2809	PRE N/mm2	Z	0.001	-	-	-	-	-
2810	PRE N/mm2	Z	0.001	-	-	-	-	-
2811	PRE N/mm2	Z	0.001	-	-	-	-	-
2854	PRE N/mm2	Z	0.001	-	-	-	-	-
2858	PRE N/mm2	Z	0.001	-	-	-	-	-
2863	PRE N/mm2	Z	0.001	-	-	-	-	-
2868	PRE N/mm2	Z	0.001	-	-	-	-	-
2871	PRE N/mm2	Z	0.001	-	-	-	-	-
2875	PRE N/mm2	Z	0.001	-	-	-	-	-
2878	PRE N/mm2	Z	0.001	-	-	-	-	-
2886	PRE N/mm2	Z	0.001	-	-	-	-	-
2890	PRE N/mm2	Z	0.001	-	-	-	-	-
2891	PRE N/mm2	Z	0.001	-	-	-	-	-
2899	PRE N/mm2	Z	0.001	-	-	-	-	-

Software licensed to STAAD.Pro Advanced
CONNECTED User: Suman Podder

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2907	PRE N/mm2	Z	0.001	-	-	-	-	-
2908	PRE N/mm2	Z	0.001	-	-	-	-	-
2909	PRE N/mm2	Z	0.001	-	-	-	-	-
2910	PRE N/mm2	Z	0.001	-	-	-	-	-
2911	PRE N/mm2	Z	0.001	-	-	-	-	-
2912	PRE N/mm2	Z	0.001	-	-	-	-	-
2913	PRE N/mm2	Z	0.001	-	-	-	-	-
2914	PRE N/mm2	Z	0.001	-	-	-	-	-
2915	PRE N/mm2	Z	0.001	-	-	-	-	-
2917	PRE N/mm2	Z	0.001	-	-	-	-	-
2918	PRE N/mm2	Z	0.001	-	-	-	-	-
2919	PRE N/mm2	Z	0.001	-	-	-	-	-
2920	PRE N/mm2	Z	0.001	-	-	-	-	-
2921	PRE N/mm2	Z	0.001	-	-	-	-	-
2922	PRE N/mm2	Z	0.001	-	-	-	-	-
2923	PRE N/mm2	Z	0.001	-	-	-	-	-
2924	PRE N/mm2	Z	0.001	-	-	-	-	-
2925	PRE N/mm2	Z	0.001	-	-	-	-	-
2926	PRE N/mm2	Z	0.001	-	-	-	-	-
2927	PRE N/mm2	Z	0.001	-	-	-	-	-
2928	PRE N/mm2	Z	0.001	-	-	-	-	-
2929	PRE N/mm2	Z	0.001	-	-	-	-	-
2930	PRE N/mm2	Z	0.001	-	-	-	-	-
2931	PRE N/mm2	Z	0.001	-	-	-	-	-
2932	PRE N/mm2	Z	0.001	-	-	-	-	-
2933	PRE N/mm2	Z	0.001	-	-	-	-	-
2934	PRE N/mm2	Z	0.001	-	-	-	-	-
2935	PRE N/mm2	Z	0.001	-	-	-	-	-
2936	PRE N/mm2	Z	0.001	-	-	-	-	-
2937	PRE N/mm2	Z	0.001	-	-	-	-	-
2938	PRE N/mm2	Z	0.001	-	-	-	-	-
2939	PRE N/mm2	Z	0.001	-	-	-	-	-
2940	PRE N/mm2	Z	0.001	-	-	-	-	-
2941	PRE N/mm2	Z	0.001	-	-	-	-	-
2942	PRE N/mm2	Z	0.001	-	-	-	-	-
2943	PRE N/mm2	Z	0.001	-	-	-	-	-
2944	PRE N/mm2	Z	0.001	-	-	-	-	-
2945	PRE N/mm2	Z	0.001	-	-	-	-	-
2946	PRE N/mm2	Z	0.001	-	-	-	-	-
2947	PRE N/mm2	Z	0.001	-	-	-	-	-
2948	PRE N/mm2	Z	0.001	-	-	-	-	-
2949	PRE N/mm2	Z	0.001	-	-	-	-	-
2950	PRE N/mm2	Z	0.001	-	-	-	-	-
2951	PRE N/mm2	Z	0.001	-	-	-	-	-
2952	PRE N/mm2	Z	0.001	-	-	-	-	-
2953	PRE N/mm2	Z	0.001	-	-	-	-	-
2954	PRE N/mm2	Z	0.001	-	-	-	-	-
2955	PRE N/mm2	Z	0.001	-	-	-	-	-
2956	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
2997	PRE N/mm2	Z	0.001	-	-	-	-	-
3000	PRE N/mm2	Z	0.001	-	-	-	-	-
3005	PRE N/mm2	Z	0.001	-	-	-	-	-
3009	PRE N/mm2	Z	0.001	-	-	-	-	-
3015	PRE N/mm2	Z	0.001	-	-	-	-	-
3019	PRE N/mm2	Z	0.001	-	-	-	-	-
3023	PRE N/mm2	Z	0.001	-	-	-	-	-
3029	PRE N/mm2	Z	0.001	-	-	-	-	-
3034	PRE N/mm2	Z	0.001	-	-	-	-	-
3036	PRE N/mm2	Z	0.001	-	-	-	-	-
3044	PRE N/mm2	Z	0.001	-	-	-	-	-
3052	PRE N/mm2	Z	0.001	-	-	-	-	-
3053	PRE N/mm2	Z	0.001	-	-	-	-	-
3054	PRE N/mm2	Z	0.001	-	-	-	-	-
3055	PRE N/mm2	Z	0.001	-	-	-	-	-
3056	PRE N/mm2	Z	0.001	-	-	-	-	-
3057	PRE N/mm2	Z	0.001	-	-	-	-	-
3058	PRE N/mm2	Z	0.001	-	-	-	-	-
3059	PRE N/mm2	Z	0.001	-	-	-	-	-
3060	PRE N/mm2	Z	0.001	-	-	-	-	-
3062	PRE N/mm2	Z	0.001	-	-	-	-	-
3063	PRE N/mm2	Z	0.001	-	-	-	-	-
3064	PRE N/mm2	Z	0.001	-	-	-	-	-
3065	PRE N/mm2	Z	0.001	-	-	-	-	-
3066	PRE N/mm2	Z	0.001	-	-	-	-	-
3067	PRE N/mm2	Z	0.001	-	-	-	-	-
3068	PRE N/mm2	Z	0.001	-	-	-	-	-
3069	PRE N/mm2	Z	0.001	-	-	-	-	-
3070	PRE N/mm2	Z	0.001	-	-	-	-	-
3071	PRE N/mm2	Z	0.001	-	-	-	-	-
3072	PRE N/mm2	Z	0.001	-	-	-	-	-
3073	PRE N/mm2	Z	0.001	-	-	-	-	-
3074	PRE N/mm2	Z	0.001	-	-	-	-	-
3075	PRE N/mm2	Z	0.001	-	-	-	-	-
3076	PRE N/mm2	Z	0.001	-	-	-	-	-
3077	PRE N/mm2	Z	0.001	-	-	-	-	-
3078	PRE N/mm2	Z	0.001	-	-	-	-	-
3079	PRE N/mm2	Z	0.001	-	-	-	-	-
3080	PRE N/mm2	Z	0.001	-	-	-	-	-
3081	PRE N/mm2	Z	0.001	-	-	-	-	-
3082	PRE N/mm2	Z	0.001	-	-	-	-	-
3083	PRE N/mm2	Z	0.001	-	-	-	-	-
3084	PRE N/mm2	Z	0.001	-	-	-	-	-
3085	PRE N/mm2	Z	0.001	-	-	-	-	-
3086	PRE N/mm2	Z	0.001	-	-	-	-	-
3087	PRE N/mm2	Z	0.001	-	-	-	-	-
3088	PRE N/mm2	Z	0.001	-	-	-	-	-
3089	PRE N/mm2	Z	0.001	-	-	-	-	-
3090	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3091	PRE N/mm2	Z	0.001	-	-	-	-	-
3092	PRE N/mm2	Z	0.001	-	-	-	-	-
3093	PRE N/mm2	Z	0.001	-	-	-	-	-
3094	PRE N/mm2	Z	0.001	-	-	-	-	-
3095	PRE N/mm2	Z	0.001	-	-	-	-	-
3096	PRE N/mm2	Z	0.001	-	-	-	-	-
3097	PRE N/mm2	Z	0.001	-	-	-	-	-
3098	PRE N/mm2	Z	0.001	-	-	-	-	-
3099	PRE N/mm2	Z	0.001	-	-	-	-	-
3100	PRE N/mm2	Z	0.001	-	-	-	-	-
3101	PRE N/mm2	Z	0.001	-	-	-	-	-
3140	PRE N/mm2	Z	0.001	-	-	-	-	-
3144	PRE N/mm2	Z	0.001	-	-	-	-	-
3147	PRE N/mm2	Z	0.001	-	-	-	-	-
3152	PRE N/mm2	Z	0.001	-	-	-	-	-
3156	PRE N/mm2	Z	0.001	-	-	-	-	-
3161	PRE N/mm2	Z	0.001	-	-	-	-	-
3166	PRE N/mm2	Z	0.001	-	-	-	-	-
3173	PRE N/mm2	Z	0.001	-	-	-	-	-
3179	PRE N/mm2	Z	0.001	-	-	-	-	-
3181	PRE N/mm2	Z	0.001	-	-	-	-	-
3189	PRE N/mm2	Z	0.001	-	-	-	-	-
3197	PRE N/mm2	Z	0.001	-	-	-	-	-
3198	PRE N/mm2	Z	0.001	-	-	-	-	-
3199	PRE N/mm2	Z	0.001	-	-	-	-	-
3200	PRE N/mm2	Z	0.001	-	-	-	-	-
3201	PRE N/mm2	Z	0.001	-	-	-	-	-
3202	PRE N/mm2	Z	0.001	-	-	-	-	-
3203	PRE N/mm2	Z	0.001	-	-	-	-	-
3204	PRE N/mm2	Z	0.001	-	-	-	-	-
3205	PRE N/mm2	Z	0.001	-	-	-	-	-
3207	PRE N/mm2	Z	0.001	-	-	-	-	-
3208	PRE N/mm2	Z	0.001	-	-	-	-	-
3209	PRE N/mm2	Z	0.001	-	-	-	-	-
3210	PRE N/mm2	Z	0.001	-	-	-	-	-
3211	PRE N/mm2	Z	0.001	-	-	-	-	-
3212	PRE N/mm2	Z	0.001	-	-	-	-	-
3213	PRE N/mm2	Z	0.001	-	-	-	-	-
3214	PRE N/mm2	Z	0.001	-	-	-	-	-
3215	PRE N/mm2	Z	0.001	-	-	-	-	-
3216	PRE N/mm2	Z	0.001	-	-	-	-	-
3217	PRE N/mm2	Z	0.001	-	-	-	-	-
3218	PRE N/mm2	Z	0.001	-	-	-	-	-
3219	PRE N/mm2	Z	0.001	-	-	-	-	-
3220	PRE N/mm2	Z	0.001	-	-	-	-	-
3221	PRE N/mm2	Z	0.001	-	-	-	-	-
3222	PRE N/mm2	Z	0.001	-	-	-	-	-
3223	PRE N/mm2	Z	0.001	-	-	-	-	-
3224	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3225	PRE N/mm2	Z	0.001	-	-	-	-	-
3226	PRE N/mm2	Z	0.001	-	-	-	-	-
3227	PRE N/mm2	Z	0.001	-	-	-	-	-
3228	PRE N/mm2	Z	0.001	-	-	-	-	-
3229	PRE N/mm2	Z	0.001	-	-	-	-	-
3230	PRE N/mm2	Z	0.001	-	-	-	-	-
3231	PRE N/mm2	Z	0.001	-	-	-	-	-
3232	PRE N/mm2	Z	0.001	-	-	-	-	-
3233	PRE N/mm2	Z	0.001	-	-	-	-	-
3234	PRE N/mm2	Z	0.001	-	-	-	-	-
3235	PRE N/mm2	Z	0.001	-	-	-	-	-
3236	PRE N/mm2	Z	0.001	-	-	-	-	-
3237	PRE N/mm2	Z	0.001	-	-	-	-	-
3238	PRE N/mm2	Z	0.001	-	-	-	-	-
3239	PRE N/mm2	Z	0.001	-	-	-	-	-
3240	PRE N/mm2	Z	0.001	-	-	-	-	-
3241	PRE N/mm2	Z	0.001	-	-	-	-	-
3242	PRE N/mm2	Z	0.001	-	-	-	-	-
3243	PRE N/mm2	Z	0.001	-	-	-	-	-
3244	PRE N/mm2	Z	0.001	-	-	-	-	-
3245	PRE N/mm2	Z	0.001	-	-	-	-	-
3246	PRE N/mm2	Z	0.001	-	-	-	-	-
3247	PRE N/mm2	Z	0.001	-	-	-	-	-
3248	PRE N/mm2	Z	0.001	-	-	-	-	-
3249	PRE N/mm2	Z	0.001	-	-	-	-	-
3250	PRE N/mm2	Z	0.001	-	-	-	-	-
3263	PRE N/mm2	Z	0.001	-	-	-	-	-
3264	PRE N/mm2	Z	0.001	-	-	-	-	-
3265	PRE N/mm2	Z	0.001	-	-	-	-	-
3266	PRE N/mm2	Z	0.001	-	-	-	-	-
3267	PRE N/mm2	Z	0.001	-	-	-	-	-
3268	PRE N/mm2	Z	0.001	-	-	-	-	-
3269	PRE N/mm2	Z	0.001	-	-	-	-	-
3271	PRE N/mm2	Z	0.001	-	-	-	-	-
3272	PRE N/mm2	Z	0.001	-	-	-	-	-
3273	PRE N/mm2	Z	0.001	-	-	-	-	-
3274	PRE N/mm2	Z	0.001	-	-	-	-	-
3275	PRE N/mm2	Z	0.001	-	-	-	-	-
3276	PRE N/mm2	Z	0.001	-	-	-	-	-
3289	PRE N/mm2	Z	0.001	-	-	-	-	-
3302	PRE N/mm2	Z	0.001	-	-	-	-	-
3303	PRE N/mm2	Z	0.001	-	-	-	-	-
3304	PRE N/mm2	Z	0.001	-	-	-	-	-
3305	PRE N/mm2	Z	0.001	-	-	-	-	-
3306	PRE N/mm2	Z	0.001	-	-	-	-	-
3307	PRE N/mm2	Z	0.001	-	-	-	-	-
3308	PRE N/mm2	Z	0.001	-	-	-	-	-
3309	PRE N/mm2	Z	0.001	-	-	-	-	-
3310	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3311	PRE N/mm2	Z	0.001	-	-	-	-	-
3312	PRE N/mm2	Z	0.001	-	-	-	-	-
3313	PRE N/mm2	Z	0.001	-	-	-	-	-
3326	PRE N/mm2	Z	0.001	-	-	-	-	-
3327	PRE N/mm2	Z	0.001	-	-	-	-	-
3328	PRE N/mm2	Z	0.001	-	-	-	-	-
3329	PRE N/mm2	Z	0.001	-	-	-	-	-
3330	PRE N/mm2	Z	0.001	-	-	-	-	-
3331	PRE N/mm2	Z	0.001	-	-	-	-	-
3344	PRE N/mm2	Z	0.001	-	-	-	-	-
3345	PRE N/mm2	Z	0.001	-	-	-	-	-
3346	PRE N/mm2	Z	0.001	-	-	-	-	-
3347	PRE N/mm2	Z	0.001	-	-	-	-	-
3348	PRE N/mm2	Z	0.001	-	-	-	-	-
3349	PRE N/mm2	Z	0.001	-	-	-	-	-
3351	PRE N/mm2	Z	0.001	-	-	-	-	-
3352	PRE N/mm2	Z	0.001	-	-	-	-	-
3353	PRE N/mm2	Z	0.001	-	-	-	-	-
3354	PRE N/mm2	Z	0.001	-	-	-	-	-
3367	PRE N/mm2	Z	0.001	-	-	-	-	-
3368	PRE N/mm2	Z	0.001	-	-	-	-	-
3369	PRE N/mm2	Z	0.001	-	-	-	-	-
3370	PRE N/mm2	Z	0.001	-	-	-	-	-
3371	PRE N/mm2	Z	0.001	-	-	-	-	-
3372	PRE N/mm2	Z	0.001	-	-	-	-	-
3373	PRE N/mm2	Z	0.001	-	-	-	-	-
3386	PRE N/mm2	Z	0.001	-	-	-	-	-
3387	PRE N/mm2	Z	0.001	-	-	-	-	-
3388	PRE N/mm2	Z	0.001	-	-	-	-	-
3389	PRE N/mm2	Z	0.001	-	-	-	-	-
3390	PRE N/mm2	Z	0.001	-	-	-	-	-
3391	PRE N/mm2	Z	0.001	-	-	-	-	-
3392	PRE N/mm2	Z	0.001	-	-	-	-	-
3393	PRE N/mm2	Z	0.001	-	-	-	-	-
3394	PRE N/mm2	Z	0.001	-	-	-	-	-
3395	PRE N/mm2	Z	0.001	-	-	-	-	-
3408	PRE N/mm2	Z	0.001	-	-	-	-	-
3409	PRE N/mm2	Z	0.001	-	-	-	-	-
3410	PRE N/mm2	Z	0.001	-	-	-	-	-
3411	PRE N/mm2	Z	0.001	-	-	-	-	-
3424	PRE N/mm2	Z	0.001	-	-	-	-	-
3425	PRE N/mm2	Z	0.001	-	-	-	-	-
3426	PRE N/mm2	Z	0.001	-	-	-	-	-
3427	PRE N/mm2	Z	0.001	-	-	-	-	-
3428	PRE N/mm2	Z	0.001	-	-	-	-	-
3429	PRE N/mm2	Z	0.001	-	-	-	-	-
3430	PRE N/mm2	Z	0.001	-	-	-	-	-
3431	PRE N/mm2	Z	0.001	-	-	-	-	-
3444	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3445	PRE N/mm2	Z	0.001	-	-	-	-	-
3446	PRE N/mm2	Z	0.001	-	-	-	-	-
3447	PRE N/mm2	Z	0.001	-	-	-	-	-
3448	PRE N/mm2	Z	0.001	-	-	-	-	-
3461	PRE N/mm2	Z	0.001	-	-	-	-	-
3463	PRE N/mm2	Z	0.001	-	-	-	-	-
3476	PRE N/mm2	Z	0.001	-	-	-	-	-
3477	PRE N/mm2	Z	0.001	-	-	-	-	-
3478	PRE N/mm2	Z	0.001	-	-	-	-	-
3479	PRE N/mm2	Z	0.001	-	-	-	-	-
3480	PRE N/mm2	Z	0.001	-	-	-	-	-
3481	PRE N/mm2	Z	0.001	-	-	-	-	-
3482	PRE N/mm2	Z	0.001	-	-	-	-	-
3483	PRE N/mm2	Z	0.001	-	-	-	-	-
3484	PRE N/mm2	Z	0.001	-	-	-	-	-
3485	PRE N/mm2	Z	0.001	-	-	-	-	-
3486	PRE N/mm2	Z	0.001	-	-	-	-	-
3487	PRE N/mm2	Z	0.001	-	-	-	-	-
3488	PRE N/mm2	Z	0.001	-	-	-	-	-
3489	PRE N/mm2	Z	0.001	-	-	-	-	-
3514	PRE N/mm2	Z	0.001	-	-	-	-	-
3515	PRE N/mm2	Z	0.001	-	-	-	-	-
3516	PRE N/mm2	Z	0.001	-	-	-	-	-
3517	PRE N/mm2	Z	0.001	-	-	-	-	-
3518	PRE N/mm2	Z	0.001	-	-	-	-	-
3519	PRE N/mm2	Z	0.001	-	-	-	-	-
3520	PRE N/mm2	Z	0.001	-	-	-	-	-
3521	PRE N/mm2	Z	0.001	-	-	-	-	-
3534	PRE N/mm2	Z	0.001	-	-	-	-	-
3536	PRE N/mm2	Z	0.001	-	-	-	-	-
3537	PRE N/mm2	Z	0.001	-	-	-	-	-
3538	PRE N/mm2	Z	0.001	-	-	-	-	-
3539	PRE N/mm2	Z	0.001	-	-	-	-	-
3540	PRE N/mm2	Z	0.001	-	-	-	-	-
3541	PRE N/mm2	Z	0.001	-	-	-	-	-
3578	PRE N/mm2	Z	0.001	-	-	-	-	-
3579	PRE N/mm2	Z	0.001	-	-	-	-	-
3580	PRE N/mm2	Z	0.001	-	-	-	-	-
3581	PRE N/mm2	Z	0.001	-	-	-	-	-
3582	PRE N/mm2	Z	0.001	-	-	-	-	-
3583	PRE N/mm2	Z	0.001	-	-	-	-	-
3594	PRE N/mm2	Z	0.001	-	-	-	-	-
3597	PRE N/mm2	Z	0.001	-	-	-	-	-
3598	PRE N/mm2	Z	0.001	-	-	-	-	-
3600	PRE N/mm2	Z	0.001	-	-	-	-	-
3601	PRE N/mm2	Z	0.001	-	-	-	-	-
3602	PRE N/mm2	Z	0.001	-	-	-	-	-
3603	PRE N/mm2	Z	0.001	-	-	-	-	-
3604	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3605	PRE N/mm2	Z	0.001	-	-	-	-	-
3606	PRE N/mm2	Z	0.001	-	-	-	-	-
3607	PRE N/mm2	Z	0.001	-	-	-	-	-
3608	PRE N/mm2	Z	0.001	-	-	-	-	-
3609	PRE N/mm2	Z	0.001	-	-	-	-	-
3610	PRE N/mm2	Z	0.001	-	-	-	-	-
3611	PRE N/mm2	Z	0.001	-	-	-	-	-
3612	PRE N/mm2	Z	0.001	-	-	-	-	-
3625	PRE N/mm2	Z	0.001	-	-	-	-	-
3638	PRE N/mm2	Z	0.001	-	-	-	-	-
3639	PRE N/mm2	Z	0.001	-	-	-	-	-
3641	PRE N/mm2	Z	0.001	-	-	-	-	-
3642	PRE N/mm2	Z	0.001	-	-	-	-	-
3643	PRE N/mm2	Z	0.001	-	-	-	-	-
3644	PRE N/mm2	Z	0.001	-	-	-	-	-
3645	PRE N/mm2	Z	0.001	-	-	-	-	-
3646	PRE N/mm2	Z	0.001	-	-	-	-	-
3647	PRE N/mm2	Z	0.001	-	-	-	-	-
3648	PRE N/mm2	Z	0.001	-	-	-	-	-
3661	PRE N/mm2	Z	0.001	-	-	-	-	-
3662	PRE N/mm2	Z	0.001	-	-	-	-	-
3663	PRE N/mm2	Z	0.001	-	-	-	-	-
3664	PRE N/mm2	Z	0.001	-	-	-	-	-
3665	PRE N/mm2	Z	0.001	-	-	-	-	-
3666	PRE N/mm2	Z	0.001	-	-	-	-	-
3667	PRE N/mm2	Z	0.001	-	-	-	-	-
3668	PRE N/mm2	Z	0.001	-	-	-	-	-
3669	PRE N/mm2	Z	0.001	-	-	-	-	-
3670	PRE N/mm2	Z	0.001	-	-	-	-	-
3671	PRE N/mm2	Z	0.001	-	-	-	-	-
3685	PRE N/mm2	Z	0.001	-	-	-	-	-
3686	PRE N/mm2	Z	0.001	-	-	-	-	-
3687	PRE N/mm2	Z	0.001	-	-	-	-	-
3688	PRE N/mm2	Z	0.001	-	-	-	-	-
3689	PRE N/mm2	Z	0.001	-	-	-	-	-
3690	PRE N/mm2	Z	0.001	-	-	-	-	-
3703	PRE N/mm2	Z	0.001	-	-	-	-	-
3704	PRE N/mm2	Z	0.001	-	-	-	-	-
3705	PRE N/mm2	Z	0.001	-	-	-	-	-
3706	PRE N/mm2	Z	0.001	-	-	-	-	-
3707	PRE N/mm2	Z	0.001	-	-	-	-	-
3708	PRE N/mm2	Z	0.001	-	-	-	-	-
3709	PRE N/mm2	Z	0.001	-	-	-	-	-
3723	PRE N/mm2	Z	0.001	-	-	-	-	-
3724	PRE N/mm2	Z	0.001	-	-	-	-	-
3725	PRE N/mm2	Z	0.001	-	-	-	-	-
3726	PRE N/mm2	Z	0.001	-	-	-	-	-
3727	PRE N/mm2	Z	0.001	-	-	-	-	-
3728	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3729	PRE N/mm2	Z	0.001	-	-	-	-	-
3730	PRE N/mm2	Z	0.001	-	-	-	-	-
3731	PRE N/mm2	Z	0.001	-	-	-	-	-
3732	PRE N/mm2	Z	0.001	-	-	-	-	-
3733	PRE N/mm2	Z	0.001	-	-	-	-	-
3734	PRE N/mm2	Z	0.001	-	-	-	-	-
3735	PRE N/mm2	Z	0.001	-	-	-	-	-
3736	PRE N/mm2	Z	0.001	-	-	-	-	-
3737	PRE N/mm2	Z	0.001	-	-	-	-	-
3751	PRE N/mm2	Z	0.001	-	-	-	-	-
3752	PRE N/mm2	Z	0.001	-	-	-	-	-
3753	PRE N/mm2	Z	0.001	-	-	-	-	-
3754	PRE N/mm2	Z	0.001	-	-	-	-	-
3755	PRE N/mm2	Z	0.001	-	-	-	-	-
3756	PRE N/mm2	Z	0.001	-	-	-	-	-
3757	PRE N/mm2	Z	0.001	-	-	-	-	-
3758	PRE N/mm2	Z	0.001	-	-	-	-	-
3759	PRE N/mm2	Z	0.001	-	-	-	-	-
3784	PRE N/mm2	Z	0.001	-	-	-	-	-
3797	PRE N/mm2	Z	0.001	-	-	-	-	-
3798	PRE N/mm2	Z	0.001	-	-	-	-	-
3799	PRE N/mm2	Z	0.001	-	-	-	-	-
3800	PRE N/mm2	Z	0.001	-	-	-	-	-
3801	PRE N/mm2	Z	0.001	-	-	-	-	-
3803	PRE N/mm2	Z	0.001	-	-	-	-	-
3804	PRE N/mm2	Z	0.001	-	-	-	-	-
3805	PRE N/mm2	Z	0.001	-	-	-	-	-
3806	PRE N/mm2	Z	0.001	-	-	-	-	-
3807	PRE N/mm2	Z	0.001	-	-	-	-	-
3808	PRE N/mm2	Z	0.001	-	-	-	-	-
3809	PRE N/mm2	Z	0.001	-	-	-	-	-
3810	PRE N/mm2	Z	0.001	-	-	-	-	-
3811	PRE N/mm2	Z	0.001	-	-	-	-	-
3812	PRE N/mm2	Z	0.001	-	-	-	-	-
3825	PRE N/mm2	Z	0.001	-	-	-	-	-
3826	PRE N/mm2	Z	0.001	-	-	-	-	-
3839	PRE N/mm2	Z	0.001	-	-	-	-	-
3840	PRE N/mm2	Z	0.001	-	-	-	-	-
3841	PRE N/mm2	Z	0.001	-	-	-	-	-
3842	PRE N/mm2	Z	0.001	-	-	-	-	-
3843	PRE N/mm2	Z	0.001	-	-	-	-	-
3844	PRE N/mm2	Z	0.001	-	-	-	-	-
3845	PRE N/mm2	Z	0.001	-	-	-	-	-
3846	PRE N/mm2	Z	0.001	-	-	-	-	-
3847	PRE N/mm2	Z	0.001	-	-	-	-	-
3848	PRE N/mm2	Z	0.001	-	-	-	-	-
3849	PRE N/mm2	Z	0.001	-	-	-	-	-
3850	PRE N/mm2	Z	0.001	-	-	-	-	-
3852	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
3853	PRE N/mm2	Z	0.001	-	-	-	-	-
3854	PRE N/mm2	Z	0.001	-	-	-	-	-
3855	PRE N/mm2	Z	0.001	-	-	-	-	-
3868	PRE N/mm2	Z	0.001	-	-	-	-	-
3869	PRE N/mm2	Z	0.001	-	-	-	-	-
3882	PRE N/mm2	Z	0.001	-	-	-	-	-
3883	PRE N/mm2	Z	0.001	-	-	-	-	-
3884	PRE N/mm2	Z	0.001	-	-	-	-	-
3885	PRE N/mm2	Z	0.001	-	-	-	-	-
3886	PRE N/mm2	Z	0.001	-	-	-	-	-
3899	PRE N/mm2	Z	0.001	-	-	-	-	-
3900	PRE N/mm2	Z	0.001	-	-	-	-	-
3901	PRE N/mm2	Z	0.001	-	-	-	-	-
3902	PRE N/mm2	Z	0.001	-	-	-	-	-
3903	PRE N/mm2	Z	0.001	-	-	-	-	-
3904	PRE N/mm2	Z	0.001	-	-	-	-	-
3917	PRE N/mm2	Z	0.001	-	-	-	-	-
3918	PRE N/mm2	Z	0.001	-	-	-	-	-
3919	PRE N/mm2	Z	0.001	-	-	-	-	-
3932	PRE N/mm2	Z	0.001	-	-	-	-	-
3933	PRE N/mm2	Z	0.001	-	-	-	-	-
3934	PRE N/mm2	Z	0.001	-	-	-	-	-
3935	PRE N/mm2	Z	0.001	-	-	-	-	-
3936	PRE N/mm2	Z	0.001	-	-	-	-	-
3937	PRE N/mm2	Z	0.001	-	-	-	-	-
3938	PRE N/mm2	Z	0.001	-	-	-	-	-
3939	PRE N/mm2	Z	0.001	-	-	-	-	-
3940	PRE N/mm2	Z	0.001	-	-	-	-	-
3941	PRE N/mm2	Z	0.001	-	-	-	-	-
3942	PRE N/mm2	Z	0.001	-	-	-	-	-
3943	PRE N/mm2	Z	0.001	-	-	-	-	-
3944	PRE N/mm2	Z	0.001	-	-	-	-	-
3945	PRE N/mm2	Z	0.001	-	-	-	-	-
3946	PRE N/mm2	Z	0.001	-	-	-	-	-
3947	PRE N/mm2	Z	0.001	-	-	-	-	-
3948	PRE N/mm2	Z	0.001	-	-	-	-	-
3959	PRE N/mm2	Z	0.001	-	-	-	-	-
3984	PRE N/mm2	Z	0.001	-	-	-	-	-
3985	PRE N/mm2	Z	0.001	-	-	-	-	-
3986	PRE N/mm2	Z	0.001	-	-	-	-	-
3987	PRE N/mm2	Z	0.001	-	-	-	-	-
3988	PRE N/mm2	Z	0.001	-	-	-	-	-
3991	PRE N/mm2	Z	0.001	-	-	-	-	-
3992	PRE N/mm2	Z	0.001	-	-	-	-	-
3993	PRE N/mm2	Z	0.001	-	-	-	-	-
3994	PRE N/mm2	Z	0.001	-	-	-	-	-
4007	PRE N/mm2	Z	0.001	-	-	-	-	-
4008	PRE N/mm2	Z	0.001	-	-	-	-	-
4009	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4010	PRE N/mm2	Z	0.001	-	-	-	-	-
4011	PRE N/mm2	Z	0.001	-	-	-	-	-
4012	PRE N/mm2	Z	0.001	-	-	-	-	-
4013	PRE N/mm2	Z	0.001	-	-	-	-	-
4014	PRE N/mm2	Z	0.001	-	-	-	-	-
4015	PRE N/mm2	Z	0.001	-	-	-	-	-
4016	PRE N/mm2	Z	0.001	-	-	-	-	-
4017	PRE N/mm2	Z	0.001	-	-	-	-	-
4018	PRE N/mm2	Z	0.001	-	-	-	-	-
4019	PRE N/mm2	Z	0.001	-	-	-	-	-
4020	PRE N/mm2	Z	0.001	-	-	-	-	-
4033	PRE N/mm2	Z	0.001	-	-	-	-	-
4034	PRE N/mm2	Z	0.001	-	-	-	-	-
4035	PRE N/mm2	Z	0.001	-	-	-	-	-
4036	PRE N/mm2	Z	0.001	-	-	-	-	-
4037	PRE N/mm2	Z	0.001	-	-	-	-	-
4038	PRE N/mm2	Z	0.001	-	-	-	-	-
4063	PRE N/mm2	Z	0.001	-	-	-	-	-
4064	PRE N/mm2	Z	0.001	-	-	-	-	-
4065	PRE N/mm2	Z	0.001	-	-	-	-	-
4066	PRE N/mm2	Z	0.001	-	-	-	-	-
4067	PRE N/mm2	Z	0.001	-	-	-	-	-
4068	PRE N/mm2	Z	0.001	-	-	-	-	-
4069	PRE N/mm2	Z	0.001	-	-	-	-	-
4070	PRE N/mm2	Z	0.001	-	-	-	-	-
4071	PRE N/mm2	Z	0.001	-	-	-	-	-
4072	PRE N/mm2	Z	0.001	-	-	-	-	-
4073	PRE N/mm2	Z	0.001	-	-	-	-	-
4074	PRE N/mm2	Z	0.001	-	-	-	-	-
4075	PRE N/mm2	Z	0.001	-	-	-	-	-
4076	PRE N/mm2	Z	0.001	-	-	-	-	-
4077	PRE N/mm2	Z	0.001	-	-	-	-	-
4078	PRE N/mm2	Z	0.001	-	-	-	-	-
4079	PRE N/mm2	Z	0.001	-	-	-	-	-
4080	PRE N/mm2	Z	0.001	-	-	-	-	-
4081	PRE N/mm2	Z	0.001	-	-	-	-	-
4082	PRE N/mm2	Z	0.001	-	-	-	-	-
4083	PRE N/mm2	Z	0.001	-	-	-	-	-
4084	PRE N/mm2	Z	0.001	-	-	-	-	-
4097	PRE N/mm2	Z	0.001	-	-	-	-	-
4098	PRE N/mm2	Z	0.001	-	-	-	-	-
4099	PRE N/mm2	Z	0.001	-	-	-	-	-
4111	PRE N/mm2	Z	0.001	-	-	-	-	-
4113	PRE N/mm2	Z	0.001	-	-	-	-	-
4114	PRE N/mm2	Z	0.001	-	-	-	-	-
4115	PRE N/mm2	Z	0.001	-	-	-	-	-
4116	PRE N/mm2	Z	0.001	-	-	-	-	-
4129	PRE N/mm2	Z	0.001	-	-	-	-	-
4130	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4131	PRE N/mm2	Z	0.001	-	-	-	-	-
4132	PRE N/mm2	Z	0.001	-	-	-	-	-
4133	PRE N/mm2	Z	0.001	-	-	-	-	-
4134	PRE N/mm2	Z	0.001	-	-	-	-	-
4135	PRE N/mm2	Z	0.001	-	-	-	-	-
4136	PRE N/mm2	Z	0.001	-	-	-	-	-
4149	PRE N/mm2	Z	0.001	-	-	-	-	-
4150	PRE N/mm2	Z	0.001	-	-	-	-	-
4151	PRE N/mm2	Z	0.001	-	-	-	-	-
4152	PRE N/mm2	Z	0.001	-	-	-	-	-
4153	PRE N/mm2	Z	0.001	-	-	-	-	-
4154	PRE N/mm2	Z	0.001	-	-	-	-	-
4155	PRE N/mm2	Z	0.001	-	-	-	-	-
4156	PRE N/mm2	Z	0.001	-	-	-	-	-
4157	PRE N/mm2	Z	0.001	-	-	-	-	-
4158	PRE N/mm2	Z	0.001	-	-	-	-	-
4159	PRE N/mm2	Z	0.001	-	-	-	-	-
4184	PRE N/mm2	Z	0.001	-	-	-	-	-
4185	PRE N/mm2	Z	0.001	-	-	-	-	-
4186	PRE N/mm2	Z	0.001	-	-	-	-	-
4187	PRE N/mm2	Z	0.001	-	-	-	-	-
4188	PRE N/mm2	Z	0.001	-	-	-	-	-
4189	PRE N/mm2	Z	0.001	-	-	-	-	-
4190	PRE N/mm2	Z	0.001	-	-	-	-	-
4191	PRE N/mm2	Z	0.001	-	-	-	-	-
4192	PRE N/mm2	Z	0.001	-	-	-	-	-
4193	PRE N/mm2	Z	0.001	-	-	-	-	-
4194	PRE N/mm2	Z	0.001	-	-	-	-	-
4195	PRE N/mm2	Z	0.001	-	-	-	-	-
4196	PRE N/mm2	Z	0.001	-	-	-	-	-
4209	PRE N/mm2	Z	0.001	-	-	-	-	-
4222	PRE N/mm2	Z	0.001	-	-	-	-	-
4223	PRE N/mm2	Z	0.001	-	-	-	-	-
4224	PRE N/mm2	Z	0.001	-	-	-	-	-
4225	PRE N/mm2	Z	0.001	-	-	-	-	-
4236	PRE N/mm2	Z	0.001	-	-	-	-	-
4237	PRE N/mm2	Z	0.001	-	-	-	-	-
4238	PRE N/mm2	Z	0.001	-	-	-	-	-
4239	PRE N/mm2	Z	0.001	-	-	-	-	-
4242	PRE N/mm2	Z	0.001	-	-	-	-	-
4243	PRE N/mm2	Z	0.001	-	-	-	-	-
4244	PRE N/mm2	Z	0.001	-	-	-	-	-
4245	PRE N/mm2	Z	0.001	-	-	-	-	-
4246	PRE N/mm2	Z	0.001	-	-	-	-	-
4247	PRE N/mm2	Z	0.001	-	-	-	-	-
4248	PRE N/mm2	Z	0.001	-	-	-	-	-
4249	PRE N/mm2	Z	0.001	-	-	-	-	-
4250	PRE N/mm2	Z	0.001	-	-	-	-	-
4251	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4252	PRE N/mm2	Z	0.001	-	-	-	-	-
4253	PRE N/mm2	Z	0.001	-	-	-	-	-
4254	PRE N/mm2	Z	0.001	-	-	-	-	-
4255	PRE N/mm2	Z	0.001	-	-	-	-	-
4256	PRE N/mm2	Z	0.001	-	-	-	-	-
4257	PRE N/mm2	Z	0.001	-	-	-	-	-
4282	PRE N/mm2	Z	0.001	-	-	-	-	-
4283	PRE N/mm2	Z	0.001	-	-	-	-	-
4284	PRE N/mm2	Z	0.001	-	-	-	-	-
4285	PRE N/mm2	Z	0.001	-	-	-	-	-
4286	PRE N/mm2	Z	0.001	-	-	-	-	-
4299	PRE N/mm2	Z	0.001	-	-	-	-	-
4300	PRE N/mm2	Z	0.001	-	-	-	-	-
4301	PRE N/mm2	Z	0.001	-	-	-	-	-
4302	PRE N/mm2	Z	0.001	-	-	-	-	-
4303	PRE N/mm2	Z	0.001	-	-	-	-	-
4304	PRE N/mm2	Z	0.001	-	-	-	-	-
4305	PRE N/mm2	Z	0.001	-	-	-	-	-
4306	PRE N/mm2	Z	0.001	-	-	-	-	-
4319	PRE N/mm2	Z	0.001	-	-	-	-	-
4320	PRE N/mm2	Z	0.001	-	-	-	-	-
4321	PRE N/mm2	Z	0.001	-	-	-	-	-
4322	PRE N/mm2	Z	0.001	-	-	-	-	-
4323	PRE N/mm2	Z	0.001	-	-	-	-	-
4324	PRE N/mm2	Z	0.001	-	-	-	-	-
4325	PRE N/mm2	Z	0.001	-	-	-	-	-
4326	PRE N/mm2	Z	0.001	-	-	-	-	-
4327	PRE N/mm2	Z	0.001	-	-	-	-	-
4328	PRE N/mm2	Z	0.001	-	-	-	-	-
4329	PRE N/mm2	Z	0.001	-	-	-	-	-
4330	PRE N/mm2	Z	0.001	-	-	-	-	-
4331	PRE N/mm2	Z	0.001	-	-	-	-	-
4332	PRE N/mm2	Z	0.001	-	-	-	-	-
4333	PRE N/mm2	Z	0.001	-	-	-	-	-
4346	PRE N/mm2	Z	0.001	-	-	-	-	-
4347	PRE N/mm2	Z	0.001	-	-	-	-	-
4348	PRE N/mm2	Z	0.001	-	-	-	-	-
4349	PRE N/mm2	Z	0.001	-	-	-	-	-
4350	PRE N/mm2	Z	0.001	-	-	-	-	-
4351	PRE N/mm2	Z	0.001	-	-	-	-	-
4352	PRE N/mm2	Z	0.001	-	-	-	-	-
4365	PRE N/mm2	Z	0.001	-	-	-	-	-
4366	PRE N/mm2	Z	0.001	-	-	-	-	-
4367	PRE N/mm2	Z	0.001	-	-	-	-	-
4368	PRE N/mm2	Z	0.001	-	-	-	-	-
4369	PRE N/mm2	Z	0.001	-	-	-	-	-
4382	PRE N/mm2	Z	0.001	-	-	-	-	-
4383	PRE N/mm2	Z	0.001	-	-	-	-	-
4384	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4397	PRE N/mm2	Z	0.001	-	-	-	-	-
4398	PRE N/mm2	Z	0.001	-	-	-	-	-
4399	PRE N/mm2	Z	0.001	-	-	-	-	-
4410	PRE N/mm2	Z	0.001	-	-	-	-	-
4411	PRE N/mm2	Z	0.001	-	-	-	-	-
4412	PRE N/mm2	Z	0.001	-	-	-	-	-
4413	PRE N/mm2	Z	0.001	-	-	-	-	-
4414	PRE N/mm2	Z	0.001	-	-	-	-	-
4417	PRE N/mm2	Z	0.001	-	-	-	-	-
4418	PRE N/mm2	Z	0.001	-	-	-	-	-
4419	PRE N/mm2	Z	0.001	-	-	-	-	-
4420	PRE N/mm2	Z	0.001	-	-	-	-	-
4421	PRE N/mm2	Z	0.001	-	-	-	-	-
4422	PRE N/mm2	Z	0.001	-	-	-	-	-
4423	PRE N/mm2	Z	0.001	-	-	-	-	-
4424	PRE N/mm2	Z	0.001	-	-	-	-	-
4425	PRE N/mm2	Z	0.001	-	-	-	-	-
4426	PRE N/mm2	Z	0.001	-	-	-	-	-
4427	PRE N/mm2	Z	0.001	-	-	-	-	-
4428	PRE N/mm2	Z	0.001	-	-	-	-	-
4429	PRE N/mm2	Z	0.001	-	-	-	-	-
4430	PRE N/mm2	Z	0.001	-	-	-	-	-
4431	PRE N/mm2	Z	0.001	-	-	-	-	-
4432	PRE N/mm2	Z	0.001	-	-	-	-	-
4433	PRE N/mm2	Z	0.001	-	-	-	-	-
4458	PRE N/mm2	Z	0.001	-	-	-	-	-
4459	PRE N/mm2	Z	0.001	-	-	-	-	-
4460	PRE N/mm2	Z	0.001	-	-	-	-	-
4461	PRE N/mm2	Z	0.001	-	-	-	-	-
4474	PRE N/mm2	Z	0.001	-	-	-	-	-
4475	PRE N/mm2	Z	0.001	-	-	-	-	-
4476	PRE N/mm2	Z	0.001	-	-	-	-	-
4477	PRE N/mm2	Z	0.001	-	-	-	-	-
4478	PRE N/mm2	Z	0.001	-	-	-	-	-
4479	PRE N/mm2	Z	0.001	-	-	-	-	-
4480	PRE N/mm2	Z	0.001	-	-	-	-	-
4481	PRE N/mm2	Z	0.001	-	-	-	-	-
4482	PRE N/mm2	Z	0.001	-	-	-	-	-
4483	PRE N/mm2	Z	0.001	-	-	-	-	-
4484	PRE N/mm2	Z	0.001	-	-	-	-	-
4485	PRE N/mm2	Z	0.001	-	-	-	-	-
4486	PRE N/mm2	Z	0.001	-	-	-	-	-
4487	PRE N/mm2	Z	0.001	-	-	-	-	-
4488	PRE N/mm2	Z	0.001	-	-	-	-	-
4499	PRE N/mm2	Z	0.001	-	-	-	-	-
4500	PRE N/mm2	Z	0.001	-	-	-	-	-
4501	PRE N/mm2	Z	0.001	-	-	-	-	-
4504	PRE N/mm2	Z	0.001	-	-	-	-	-
4505	PRE N/mm2	Z	0.001	-	-	-	-	-

6 SEISMIC LOAD (E) : Plate Loads Cont...

Plate	Type	Direction	Fa	Fb	X1 (m)	Y1 (m)	X2 (m)	Y2 (m)
4506	PRE N/mm2	Z	0.001	-	-	-	-	-
4507	PRE N/mm2	Z	0.001	-	-	-	-	-
4520	PRE N/mm2	Z	0.001	-	-	-	-	-
4521	PRE N/mm2	Z	0.001	-	-	-	-	-
4522	PRE N/mm2	Z	0.001	-	-	-	-	-
4535	PRE N/mm2	Z	0.001	-	-	-	-	-
4536	PRE N/mm2	Z	0.001	-	-	-	-	-
4537	PRE N/mm2	Z	0.001	-	-	-	-	-
4538	PRE N/mm2	Z	0.001	-	-	-	-	-
4539	PRE N/mm2	Z	0.001	-	-	-	-	-
4540	PRE N/mm2	Z	0.001	-	-	-	-	-
4541	PRE N/mm2	Z	0.001	-	-	-	-	-
4542	PRE N/mm2	Z	0.001	-	-	-	-	-
4543	PRE N/mm2	Z	0.001	-	-	-	-	-
4544	PRE N/mm2	Z	0.001	-	-	-	-	-
4545	PRE N/mm2	Z	0.001	-	-	-	-	-
4546	PRE N/mm2	Z	0.001	-	-	-	-	-
4547	PRE N/mm2	Z	0.001	-	-	-	-	-
4548	PRE N/mm2	Z	0.001	-	-	-	-	-
4559	PRE N/mm2	Z	0.001	-	-	-	-	-
4560	PRE N/mm2	Z	0.001	-	-	-	-	-
4561	PRE N/mm2	Z	0.001	-	-	-	-	-
4564	PRE N/mm2	Z	0.001	-	-	-	-	-
4565	PRE N/mm2	Z	0.001	-	-	-	-	-
4566	PRE N/mm2	Z	0.001	-	-	-	-	-
4579	PRE N/mm2	Z	0.001	-	-	-	-	-
4580	PRE N/mm2	Z	0.001	-	-	-	-	-
4581	PRE N/mm2	Z	0.001	-	-	-	-	-
4582	PRE N/mm2	Z	0.001	-	-	-	-	-
4583	PRE N/mm2	Z	0.001	-	-	-	-	-
4584	PRE N/mm2	Z	0.001	-	-	-	-	-
4585	PRE N/mm2	Z	0.001	-	-	-	-	-
4586	PRE N/mm2	Z	0.001	-	-	-	-	-
4587	PRE N/mm2	Z	0.001	-	-	-	-	-
4588	PRE N/mm2	Z	0.001	-	-	-	-	-
4589	PRE N/mm2	Z	0.001	-	-	-	-	-
4590	PRE N/mm2	Z	0.001	-	-	-	-	-
4601	PRE N/mm2	Z	0.001	-	-	-	-	-
4602	PRE N/mm2	Z	0.001	-	-	-	-	-
4605	PRE N/mm2	Z	0.001	-	-	-	-	-
4606	PRE N/mm2	Z	0.001	-	-	-	-	-
4607	PRE N/mm2	Z	0.001	-	-	-	-	-
4608	PRE N/mm2	Z	0.001	-	-	-	-	-
4609	PRE N/mm2	Z	0.001	-	-	-	-	-
4610	PRE N/mm2	Z	0.001	-	-	-	-	-
4611	PRE N/mm2	Z	0.001	-	-	-	-	-
4612	PRE N/mm2	Z	0.001	-	-	-	-	-

101 1.0*(D_S+D_E)+1.0*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
2	DEAD LOAD OF EARTH (D_E)	1.000
3	LATERIAL EARTH PRESSURE DUE TO E	1.000

102 1.0*(D_S+D_E)+1.0*(L_S)+1.0*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
2	DEAD LOAD OF EARTH (D_E)	1.000
3	LATERIAL EARTH PRESSURE DUE TO E	1.000
4	LIVE LOAD DUE TO SRCHARGE (L_S)	1.000

103 1.0*(D_S+D_E)+1.0*H+0.7*E : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
2	DEAD LOAD OF EARTH (D_E)	1.000
3	LATERIAL EARTH PRESSURE DUE TO E	1.000
6	SEISMIC LOAD (E)	0.700

104 0.6*(D_S+D_E)+1.0*H+0.7*E : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	0.600
2	DEAD LOAD OF EARTH (D_E)	0.600
3	LATERIAL EARTH PRESSURE DUE TO E	1.000
6	SEISMIC LOAD (E)	0.700

105 1.0*D_S+1.0*W : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
5	WIND LOAD (W)	1.000

106 1.0*D_S-1.0*W : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.000
5	WIND LOAD (W)	-1.000

201 1.4*(D_S) : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.400

202 1.4*(D_S+D_E)+1.7*(L_S)+1.7*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.400
2	DEAD LOAD OF EARTH (D_E)	1.400
3	LATERIAL EARTH PRESSURE DUE TO E	1.700
4	LIVE LOAD DUE TO SRCHARGE (L_S)	1.700

203 0.9*(D_S+D_E)+1.0*E+1.6*H : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	0.900
2	DEAD LOAD OF EARTH (D_E)	0.900
3	LATERIAL EARTH PRESSURE DUE TO E	1.600
6	SEISMIC LOAD (E)	1.000

204 1.2*(D_S+D_E)+1.0*E+0.5*(L_S) : Repeat Loads

Ref	Name	Factor
1	DEAD LOAD OF STRUCTURE (D_S)	1.200
2	DEAD LOAD OF EARTH (D_E)	1.200
4	LIVE LOAD DUE TO SRCHARGE (L_S)	0.500
6	SEISMIC LOAD (E)	1.000

19.1 APPENDIX - D

STAAD Output

Main Middle Portion

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

PAGE NO. 1

```
            ****************************************************
            *                                                  *
            *          STAAD.Pro CONNECT Edition               *
            *          Version  22.00.00.15                    *
            *          Proprietary Program of                  *
            *          Bentley Systems, Inc.                   *
            *          Date=    MAR  7, 2020                   *
            *          Time=    16:13: 9                       *
            *                                                  *
            *  Licensed to: Larsen & Toubro Ltd.               *
            ****************************************************



    1. STAAD SPACE
INPUT FILE: D:\MAADEN-GOLD-O19045\3110 ROM RETAINING WALL\CIVIL\LATEST\STAAD\ROM RETAINING WALL_MAIN P.. .STD
    2. START JOB INFORMATION
    3. ENGINEER DATE 17-DEC-19
    4. JOB NAME MMGP
    5. JOB CLIENT MAADEN
    6. JOB NO O19045
    7. JOB PART ROM RETAINING WALL
    8. ENGINEER NAME SUE
    9. CHECKER NAME BDA
   10. APPROVED NAME AG
   11. JOB REV A02
   12. END JOB INFORMATION
   13. INPUT WIDTH 79
   14. SET NL 20
   15. SET ITERLIM 20
   16. SET PRINT 1
   17. UNIT METER MTON
   18. JOINT COORDINATES
   19. 1 -1.3 910 -7.19964; 2 -0.8 910 -7.19964; 3 -0.3 910 -7.19964
   20. 4 0 910 -7.19964; 5 0.3 910 -7.19964; 6 1 910 -7.19964; 7 1.5 910 -7.19964
   21. 8 2 910 -7.19964; 9 2.5 910 -7.19964; 10 3 910 -7.19964; 11 3.7 910 -7.19964
   22. 12 4 910 -7.19964; 13 4.3 910 -7.19964; 14 5 910 -7.19964; 15 5.5 910 -7.19964
   23. 16 6 910 -7.19964; 17 6.5 910 -7.19964; 18 7 910 -7.19964; 19 7.7 910 -7.19964
   24. 20 8 910 -7.19964; 21 8.3 910 -7.19964; 22 9 910 -7.19964; 23 9.5 910 -7.19964
   25. 24 10 910 -7.19964; 25 10.5 910 -7.19964; 26 11 910 -7.19964
   26. 27 11.7 910 -7.19964; 28 12 910 -7.19964; 29 12.3 910 -7.19964
   27. 30 13 910 -7.19964; 31 13.5 910 -7.19964; 32 14 910 -7.19964
   28. 33 14.5 910 -7.19964; 34 15 910 -7.19964; 35 15.7 910 -7.19964
   29. 36 16 910 -7.19964; 37 16.3 910 -7.19964; 38 17 910 -7.19964
   30. 39 17.5 910 -7.19964; 40 18 910 -7.19964; 41 18.5 910 -7.19964
   31. 42 19 910 -7.19964; 43 19.7 910 -7.19964; 44 20 910 -7.19964
   32. 45 20.3 910 -7.19964; 46 21 910 -7.19964; 47 21.5 910 -7.19964
   33. 48 22 910 -7.19964; 49 22.5 910 -7.19964; 50 23 910 -7.19964
   34. 51 23.7 910 -7.19964; 52 24 910 -7.19964; 53 24.3 910 -7.19964
   35. 54 25 910 -7.19964; 55 25.5 910 -7.19964; 56 26 910 -7.19964
   36. 57 26.5 910 -7.19964; 58 27 910 -7.19964; 59 27.7 910 -7.19964
   37. 60 28 910 -7.19964; 61 28.3 910 -7.19964; 62 29 910 -7.19964
   38. 63 29.5 910 -7.19964; 64 30 910 -7.19964; 65 30.5 910 -7.19964
```


STAAD SPACE -- PAGE NO. 2

```
   39. 66 31 910 -7.19964; 67 31.7 910 -7.19964; 68 32 910 -7.19964
   40. 69 32.3 910 -7.19964; 70 33 910 -7.19964; 71 33.5 910 -7.19964
   41. 72 34 910 -7.19964; 73 34.5 910 -7.19964; 74 35 910 -7.19964
   42. 75 35.7 910 -7.19964; 76 36 910 -7.19964; 77 36.3 910 -7.19964
   43. 78 36.8 910 -7.19964; 79 37.3 910 -7.19964; 80 -1.3 910 -6.75
   44. 81 -0.8 910 -6.75; 82 -0.3 910 -6.75; 83 0 910 -6.75; 84 0.3 910 -6.75
   45. 85 1 910 -6.75; 86 1.5 910 -6.75; 87 2 910 -6.75; 88 2.5 910 -6.75
   46. 89 3 910 -6.75; 90 3.7 910 -6.75; 91 4 910 -6.75; 92 4.3 910 -6.75
   47. 93 5 910 -6.75; 94 5.5 910 -6.75; 95 6 910 -6.75; 96 6.5 910 -6.75
   48. 97 7 910 -6.75; 98 7.7 910 -6.75; 99 8 910 -6.75; 100 8.3 910 -6.75
   49. 101 9 910 -6.75; 102 9.5 910 -6.75; 103 10 910 -6.75; 104 10.5 910 -6.75
   50. 105 11 910 -6.75; 106 11.7 910 -6.75; 107 12 910 -6.75; 108 12.3 910 -6.75
   51. 109 13 910 -6.75; 110 13.5 910 -6.75; 111 14 910 -6.75; 112 14.5 910 -6.75
   52. 113 15 910 -6.75; 114 15.7 910 -6.75; 115 16 910 -6.75; 116 16.3 910 -6.75
   53. 117 17 910 -6.75; 118 17.5 910 -6.75; 119 18 910 -6.75; 120 18.5 910 -6.75
   54. 121 19 910 -6.75; 122 19.7 910 -6.75; 123 20 910 -6.75; 124 20.3 910 -6.75
   55. 125 21 910 -6.75; 126 21.5 910 -6.75; 127 22 910 -6.75; 128 22.5 910 -6.75
   56. 129 23 910 -6.75; 130 23.7 910 -6.75; 131 24 910 -6.75; 132 24.3 910 -6.75
   57. 133 25 910 -6.75; 134 25.5 910 -6.75; 135 26 910 -6.75; 136 26.5 910 -6.75
   58. 137 27 910 -6.75; 138 27.7 910 -6.75; 139 28 910 -6.75; 140 28.3 910 -6.75
   59. 141 29 910 -6.75; 142 29.5 910 -6.75; 143 30 910 -6.75; 144 30.5 910 -6.75
   60. 145 31 910 -6.75; 146 31.7 910 -6.75; 147 32 910 -6.75; 148 32.3 910 -6.75
   61. 149 33 910 -6.75; 150 33.5 910 -6.75; 151 34 910 -6.75; 152 34.5 910 -6.75
   62. 153 35 910 -6.75; 154 35.7 910 -6.75; 155 36 910 -6.75; 156 36.3 910 -6.75
   63. 157 36.8 910 -6.75; 158 37.3 910 -6.75; 159 -1.3 910 -6.38636
   64. 160 -0.8 910 -6.38636; 161 -0.3 910 -6.38636; 162 0 910 -6.38636
   65. 163 0.3 910 -6.38636; 164 1 910 -6.38636; 165 1.5 910 -6.38636
   66. 166 2 910 -6.38636; 167 2.5 910 -6.38636; 168 3 910 -6.38636
   67. 169 3.7 910 -6.38636; 170 4 910 -6.38636; 171 4.3 910 -6.38636
   68. 172 5 910 -6.38636; 173 5.5 910 -6.38636; 174 6 910 -6.38636
   69. 175 6.5 910 -6.38636; 176 7 910 -6.38636; 177 7.7 910 -6.38636
   70. 178 8 910 -6.38636; 179 8.3 910 -6.38636; 180 9 910 -6.38636
   71. 181 9.5 910 -6.38636; 182 10 910 -6.38636; 183 10.5 910 -6.38636
   72. 184 11 910 -6.38636; 185 11.7 910 -6.38636; 186 12 910 -6.38636
   73. 187 12.3 910 -6.38636; 188 13 910 -6.38636; 189 13.5 910 -6.38636
   74. 190 14 910 -6.38636; 191 14.5 910 -6.38636; 192 15 910 -6.38636
   75. 193 15.7 910 -6.38636; 194 16 910 -6.38636; 195 16.3 910 -6.38636
   76. 196 17 910 -6.38636; 197 17.5 910 -6.38636; 198 18 910 -6.38636
   77. 199 18.5 910 -6.38636; 200 19 910 -6.38636; 201 19.7 910 -6.38636
   78. 202 20 910 -6.38636; 203 20.3 910 -6.38636; 204 21 910 -6.38636
   79. 205 21.5 910 -6.38636; 206 22 910 -6.38636; 207 22.5 910 -6.38636
   80. 208 23 910 -6.38636; 209 23.7 910 -6.38636; 210 24 910 -6.38636
   81. 211 24.3 910 -6.38636; 212 25 910 -6.38636; 213 25.5 910 -6.38636
   82. 214 26 910 -6.38636; 215 26.5 910 -6.38636; 216 27 910 -6.38636
   83. 217 27.7 910 -6.38636; 218 28 910 -6.38636; 219 28.3 910 -6.38636
   84. 220 29 910 -6.38636; 221 29.5 910 -6.38636; 222 30 910 -6.38636
   85. 223 30.5 910 -6.38636; 224 31 910 -6.38636; 225 31.7 910 -6.38636
   86. 226 32 910 -6.38636; 227 32.3 910 -6.38636; 228 33 910 -6.38636
   87. 229 33.5 910 -6.38636; 230 34 910 -6.38636; 231 34.5 910 -6.38636
   88. 232 35 910 -6.38636; 233 35.7 910 -6.38636; 234 36 910 -6.38636
   89. 235 36.3 910 -6.38636; 236 36.8 910 -6.38636; 237 37.3 910 -6.38636
   90. 238 -1.3 910 -6.02273; 239 -0.8 910 -6.02273; 240 -0.3 910 -6.02273
   91. 241 0 910 -6.02273; 242 0.3 910 -6.02273; 243 1 910 -6.02273
   92. 244 1.5 910 -6.02273; 245 2 910 -6.02273; 246 2.5 910 -6.02273
   93. 247 3 910 -6.02273; 248 3.7 910 -6.02273; 249 4 910 -6.02273
   94. 250 4.3 910 -6.02273; 251 5 910 -6.02273; 252 5.5 910 -6.02273
```

95. 253 6 910 -6.02273; 254 6.5 910 -6.02273; 255 7 910 -6.02273
96. 256 7.7 910 -6.02273; 257 8 910 -6.02273; 258 8.3 910 -6.02273
97. 259 9 910 -6.02273; 260 9.5 910 -6.02273; 261 10 910 -6.02273
98. 262 10.5 910 -6.02273; 263 11 910 -6.02273; 264 11.7 910 -6.02273
99. 265 12 910 -6.02273; 266 12.3 910 -6.02273; 267 13 910 -6.02273
100. 268 13.5 910 -6.02273; 269 14 910 -6.02273; 270 14.5 910 -6.02273
101. 271 15 910 -6.02273; 272 15.7 910 -6.02273; 273 16 910 -6.02273
102. 274 16.3 910 -6.02273; 275 17 910 -6.02273; 276 17.5 910 -6.02273
103. 277 18 910 -6.02273; 278 18.5 910 -6.02273; 279 19 910 -6.02273
104. 280 19.7 910 -6.02273; 281 20 910 -6.02273; 282 20.3 910 -6.02273
105. 283 21 910 -6.02273; 284 21.5 910 -6.02273; 285 22 910 -6.02273
106. 286 22.5 910 -6.02273; 287 23 910 -6.02273; 288 23.7 910 -6.02273
107. 289 24 910 -6.02273; 290 24.3 910 -6.02273; 291 25 910 -6.02273
108. 292 25.5 910 -6.02273; 293 26 910 -6.02273; 294 26.5 910 -6.02273
109. 295 27 910 -6.02273; 296 27.7 910 -6.02273; 297 28 910 -6.02273
110. 298 28.3 910 -6.02273; 299 29 910 -6.02273; 300 29.5 910 -6.02273
111. 301 30 910 -6.02273; 302 30.5 910 -6.02273; 303 31 910 -6.02273
112. 304 31.7 910 -6.02273; 305 32 910 -6.02273; 306 32.3 910 -6.02273
113. 307 33 910 -6.02273; 308 33.5 910 -6.02273; 309 34 910 -6.02273
114. 310 34.5 910 -6.02273; 311 35 910 -6.02273; 312 35.7 910 -6.02273
115. 313 36 910 -6.02273; 314 36.3 910 -6.02273; 315 36.8 910 -6.02273
116. 316 37.3 910 -6.02273; 317 -1.3 910 -5.65909; 318 -0.8 910 -5.65909
117. 319 -0.3 910 -5.65909; 320 0 910 -5.65909; 321 0.3 910 -5.65909
118. 322 1 910 -5.65909; 323 1.5 910 -5.65909; 324 2 910 -5.65909
119. 325 2.5 910 -5.65909; 326 3 910 -5.65909; 327 3.7 910 -5.65909
120. 328 4 910 -5.65909; 329 4.3 910 -5.65909; 330 5 910 -5.65909
121. 331 5.5 910 -5.65909; 332 6 910 -5.65909; 333 6.5 910 -5.65909
122. 334 7 910 -5.65909; 335 7.7 910 -5.65909; 336 8 910 -5.65909
123. 337 8.3 910 -5.65909; 338 9 910 -5.65909; 339 9.5 910 -5.65909
124. 340 10 910 -5.65909; 341 10.5 910 -5.65909; 342 11 910 -5.65909
125. 343 11.7 910 -5.65909; 344 12 910 -5.65909; 345 12.3 910 -5.65909
126. 346 13 910 -5.65909; 347 13.5 910 -5.65909; 348 14 910 -5.65909
127. 349 14.5 910 -5.65909; 350 15 910 -5.65909; 351 15.7 910 -5.65909
128. 352 16 910 -5.65909; 353 16.3 910 -5.65909; 354 17 910 -5.65909
129. 355 17.5 910 -5.65909; 356 18 910 -5.65909; 357 18.5 910 -5.65909
130. 358 19 910 -5.65909; 359 19.7 910 -5.65909; 360 20 910 -5.65909
131. 361 20.3 910 -5.65909; 362 21 910 -5.65909; 363 21.5 910 -5.65909
132. 364 22 910 -5.65909; 365 22.5 910 -5.65909; 366 23 910 -5.65909
133. 367 23.7 910 -5.65909; 368 24 910 -5.65909; 369 24.3 910 -5.65909
134. 370 25 910 -5.65909; 371 25.5 910 -5.65909; 372 26 910 -5.65909
135. 373 26.5 910 -5.65909; 374 27 910 -5.65909; 375 27.7 910 -5.65909
136. 376 28 910 -5.65909; 377 28.3 910 -5.65909; 378 29 910 -5.65909
137. 379 29.5 910 -5.65909; 380 30 910 -5.65909; 381 30.5 910 -5.65909
138. 382 31 910 -5.65909; 383 31.7 910 -5.65909; 384 32 910 -5.65909
139. 385 32.3 910 -5.65909; 386 33 910 -5.65909; 387 33.5 910 -5.65909
140. 388 34 910 -5.65909; 389 34.5 910 -5.65909; 390 35 910 -5.65909
141. 391 35.7 910 -5.65909; 392 36 910 -5.65909; 393 36.3 910 -5.65909
142. 394 36.8 910 -5.65909; 395 37.3 910 -5.65909; 396 -1.3 910 -5.29545
143. 397 -0.8 910 -5.29545; 398 -0.3 910 -5.29545; 399 0 910 -5.29545
144. 400 0.3 910 -5.29545; 401 1 910 -5.29545; 402 1.5 910 -5.29545
145. 403 2 910 -5.29545; 404 2.5 910 -5.29545; 405 3 910 -5.29545
146. 406 3.7 910 -5.29545; 407 4 910 -5.29545; 408 4.3 910 -5.29545
147. 409 5 910 -5.29545; 410 5.5 910 -5.29545; 411 6 910 -5.29545
148. 412 6.5 910 -5.29545; 413 7 910 -5.29545; 414 7.7 910 -5.29545
149. 415 8 910 -5.29545; 416 8.3 910 -5.29545; 417 9 910 -5.29545
150. 418 9.5 910 -5.29545; 419 10 910 -5.29545; 420 10.5 910 -5.29545

151. 421 11 910 -5.29545; 422 11.7 910 -5.29545; 423 12 910 -5.29545
152. 424 12.3 910 -5.29545; 425 13 910 -5.29545; 426 13.5 910 -5.29545
153. 427 14 910 -5.29545; 428 14.5 910 -5.29545; 429 15 910 -5.29545
154. 430 15.7 910 -5.29545; 431 16 910 -5.29545; 432 16.3 910 -5.29545
155. 433 17 910 -5.29545; 434 17.5 910 -5.29545; 435 18 910 -5.29545
156. 436 18.5 910 -5.29545; 437 19 910 -5.29545; 438 19.7 910 -5.29545
157. 439 20 910 -5.29545; 440 20.3 910 -5.29545; 441 21 910 -5.29545
158. 442 21.5 910 -5.29545; 443 22 910 -5.29545; 444 22.5 910 -5.29545
159. 445 23 910 -5.29545; 446 23.7 910 -5.29545; 447 24 910 -5.29545
160. 448 24.3 910 -5.29545; 449 25 910 -5.29545; 450 25.5 910 -5.29545
161. 451 26 910 -5.29545; 452 26.5 910 -5.29545; 453 27 910 -5.29545
162. 454 27.7 910 -5.29545; 455 28 910 -5.29545; 456 28.3 910 -5.29545
163. 457 29 910 -5.29545; 458 29.5 910 -5.29545; 459 30 910 -5.29545
164. 460 30.5 910 -5.29545; 461 31 910 -5.29545; 462 31.7 910 -5.29545
165. 463 32 910 -5.29545; 464 32.3 910 -5.29545; 465 33 910 -5.29545
166. 466 33.5 910 -5.29545; 467 34 910 -5.29545; 468 34.5 910 -5.29545
167. 469 35 910 -5.29545; 470 35.7 910 -5.29545; 471 36 910 -5.29545
168. 472 36.3 910 -5.29545; 473 36.8 910 -5.29545; 474 37.3 910 -5.29545
169. 475 -1.3 910 -4.93182; 476 -0.8 910 -4.93182; 477 -0.3 910 -4.93182
170. 478 0 910 -4.93182; 479 0.3 910 -4.93182; 480 1 910 -4.93182
171. 481 1.5 910 -4.93182; 482 2 910 -4.93182; 483 2.5 910 -4.93182
172. 484 3 910 -4.93182; 485 3.7 910 -4.93182; 486 4 910 -4.93182
173. 487 4.3 910 -4.93182; 488 5 910 -4.93182; 489 5.5 910 -4.93182
174. 490 6 910 -4.93182; 491 6.5 910 -4.93182; 492 7 910 -4.93182
175. 493 7.7 910 -4.93182; 494 8 910 -4.93182; 495 8.3 910 -4.93182
176. 496 9 910 -4.93182; 497 9.5 910 -4.93182; 498 10 910 -4.93182
177. 499 10.5 910 -4.93182; 500 11 910 -4.93182; 501 11.7 910 -4.93182
178. 502 12 910 -4.93182; 503 12.3 910 -4.93182; 504 13 910 -4.93182
179. 505 13.5 910 -4.93182; 506 14 910 -4.93182; 507 14.5 910 -4.93182
180. 508 15 910 -4.93182; 509 15.7 910 -4.93182; 510 16 910 -4.93182
181. 511 16.3 910 -4.93182; 512 17 910 -4.93182; 513 17.5 910 -4.93182
182. 514 18 910 -4.93182; 515 18.5 910 -4.93182; 516 19 910 -4.93182
183. 517 19.7 910 -4.93182; 518 20 910 -4.93182; 519 20.3 910 -4.93182
184. 520 21 910 -4.93182; 521 21.5 910 -4.93182; 522 22 910 -4.93182
185. 523 22.5 910 -4.93182; 524 23 910 -4.93182; 525 23.7 910 -4.93182
186. 526 24 910 -4.93182; 527 24.3 910 -4.93182; 528 25 910 -4.93182
187. 529 25.5 910 -4.93182; 530 26 910 -4.93182; 531 26.5 910 -4.93182
188. 532 27 910 -4.93182; 533 27.7 910 -4.93182; 534 28 910 -4.93182
189. 535 28.3 910 -4.93182; 536 29 910 -4.93182; 537 29.5 910 -4.93182
190. 538 30 910 -4.93182; 539 30.5 910 -4.93182; 540 31 910 -4.93182
191. 541 31.7 910 -4.93182; 542 32 910 -4.93182; 543 32.3 910 -4.93182
192. 544 33 910 -4.93182; 545 33.5 910 -4.93182; 546 34 910 -4.93182
193. 547 34.5 910 -4.93182; 548 35 910 -4.93182; 549 35.7 910 -4.93182
194. 550 36 910 -4.93182; 551 36.3 910 -4.93182; 552 36.8 910 -4.93182
195. 553 37.3 910 -4.93182; 554 -1.3 910 -4.56818; 555 -0.8 910 -4.56818
196. 556 -0.3 910 -4.56818; 557 0 910 -4.56818; 558 0.3 910 -4.56818
197. 559 1 910 -4.56818; 560 1.5 910 -4.56818; 561 2 910 -4.56818
198. 562 2.5 910 -4.56818; 563 3 910 -4.56818; 564 3.7 910 -4.56818
199. 565 4 910 -4.56818; 566 4.3 910 -4.56818; 567 5 910 -4.56818
200. 568 5.5 910 -4.56818; 569 6 910 -4.56818; 570 6.5 910 -4.56818
201. 571 7 910 -4.56818; 572 7.7 910 -4.56818; 573 8 910 -4.56818
202. 574 8.3 910 -4.56818; 575 9 910 -4.56818; 576 9.5 910 -4.56818
203. 577 10 910 -4.56818; 578 10.5 910 -4.56818; 579 11 910 -4.56818
204. 580 11.7 910 -4.56818; 581 12 910 -4.56818; 582 12.3 910 -4.56818
205. 583 13 910 -4.56818; 584 13.5 910 -4.56818; 585 14 910 -4.56818
206. 586 14.5 910 -4.56818; 587 15 910 -4.56818; 588 15.7 910 -4.56818

207. 589 16 910 -4.56818; 590 16.3 910 -4.56818; 591 17 910 -4.56818
208. 592 17.5 910 -4.56818; 593 18 910 -4.56818; 594 18.5 910 -4.56818
209. 595 19 910 -4.56818; 596 19.7 910 -4.56818; 597 20 910 -4.56818
210. 598 20.3 910 -4.56818; 599 21 910 -4.56818; 600 21.5 910 -4.56818
211. 601 22 910 -4.56818; 602 22.5 910 -4.56818; 603 23 910 -4.56818
212. 604 23.7 910 -4.56818; 605 24 910 -4.56818; 606 24.3 910 -4.56818
213. 607 25 910 -4.56818; 608 25.5 910 -4.56818; 609 26 910 -4.56818
214. 610 26.5 910 -4.56818; 611 27 910 -4.56818; 612 27.7 910 -4.56818
215. 613 28 910 -4.56818; 614 28.3 910 -4.56818; 615 29 910 -4.56818
216. 616 29.5 910 -4.56818; 617 30 910 -4.56818; 618 30.5 910 -4.56818
217. 619 31 910 -4.56818; 620 31.7 910 -4.56818; 621 32 910 -4.56818
218. 622 32.3 910 -4.56818; 623 33 910 -4.56818; 624 33.5 910 -4.56818
219. 625 34 910 -4.56818; 626 34.5 910 -4.56818; 627 35 910 -4.56818
220. 628 35.7 910 -4.56818; 629 36 910 -4.56818; 630 36.3 910 -4.56818
221. 631 36.8 910 -4.56818; 632 37.3 910 -4.56818; 633 -1.3 910 -4.20455
222. 634 -0.8 910 -4.20455; 635 -0.3 910 -4.20455; 636 0 910 -4.20455
223. 637 0.3 910 -4.20455; 638 1 910 -4.20455; 639 1.5 910 -4.20455
224. 640 2 910 -4.20455; 641 2.5 910 -4.20455; 642 3 910 -4.20455
225. 643 3.7 910 -4.20455; 644 4 910 -4.20455; 645 4.3 910 -4.20455
226. 646 5 910 -4.20455; 647 5.5 910 -4.20455; 648 6 910 -4.20455
227. 649 6.5 910 -4.20455; 650 7 910 -4.20455; 651 7.7 910 -4.20455
228. 652 8 910 -4.20455; 653 8.3 910 -4.20455; 654 9 910 -4.20455
229. 655 9.5 910 -4.20455; 656 10 910 -4.20455; 657 10.5 910 -4.20455
230. 658 11 910 -4.20455; 659 11.7 910 -4.20455; 660 12 910 -4.20455
231. 661 12.3 910 -4.20455; 662 13 910 -4.20455; 663 13.5 910 -4.20455
232. 664 14 910 -4.20455; 665 14.5 910 -4.20455; 666 15 910 -4.20455
233. 667 15.7 910 -4.20455; 668 16 910 -4.20455; 669 16.3 910 -4.20455
234. 670 17 910 -4.20455; 671 17.5 910 -4.20455; 672 18 910 -4.20455
235. 673 18.5 910 -4.20455; 674 19 910 -4.20455; 675 19.7 910 -4.20455
236. 676 20 910 -4.20455; 677 20.3 910 -4.20455; 678 21 910 -4.20455
237. 679 21.5 910 -4.20455; 680 22 910 -4.20455; 681 22.5 910 -4.20455
238. 682 23 910 -4.20455; 683 23.7 910 -4.20455; 684 24 910 -4.20455
239. 685 24.3 910 -4.20455; 686 25 910 -4.20455; 687 25.5 910 -4.20455
240. 688 26 910 -4.20455; 689 26.5 910 -4.20455; 690 27 910 -4.20455
241. 691 27.7 910 -4.20455; 692 28 910 -4.20455; 693 28.3 910 -4.20455
242. 694 29 910 -4.20455; 695 29.5 910 -4.20455; 696 30 910 -4.20455
243. 697 30.5 910 -4.20455; 698 31 910 -4.20455; 699 31.7 910 -4.20455
244. 700 32 910 -4.20455; 701 32.3 910 -4.20455; 702 33 910 -4.20455
245. 703 33.5 910 -4.20455; 704 34 910 -4.20455; 705 34.5 910 -4.20455
246. 706 35 910 -4.20455; 707 35.7 910 -4.20455; 708 36 910 -4.20455
247. 709 36.3 910 -4.20455; 710 36.8 910 -4.20455; 711 37.3 910 -4.20455
248. 712 -1.3 910 -3.84091; 713 -0.8 910 -3.84091; 714 -0.3 910 -3.84091
249. 715 0 910 -3.84091; 716 0.3 910 -3.84091; 717 1 910 -3.84091
250. 718 1.5 910 -3.84091; 719 2 910 -3.84091; 720 2.5 910 -3.84091
251. 721 3 910 -3.84091; 722 3.7 910 -3.84091; 723 4 910 -3.84091
252. 724 4.3 910 -3.84091; 725 5 910 -3.84091; 726 5.5 910 -3.84091
253. 727 6 910 -3.84091; 728 6.5 910 -3.84091; 729 7 910 -3.84091
254. 730 7.7 910 -3.84091; 731 8 910 -3.84091; 732 8.3 910 -3.84091
255. 733 9 910 -3.84091; 734 9.5 910 -3.84091; 735 10 910 -3.84091
256. 736 10.5 910 -3.84091; 737 11 910 -3.84091; 738 11.7 910 -3.84091
257. 739 12 910 -3.84091; 740 12.3 910 -3.84091; 741 13 910 -3.84091
258. 742 13.5 910 -3.84091; 743 14 910 -3.84091; 744 14.5 910 -3.84091
259. 745 15 910 -3.84091; 746 15.7 910 -3.84091; 747 16 910 -3.84091
260. 748 16.3 910 -3.84091; 749 17 910 -3.84091; 750 17.5 910 -3.84091
261. 751 18 910 -3.84091; 752 18.5 910 -3.84091; 753 19 910 -3.84091
262. 754 19.7 910 -3.84091; 755 20 910 -3.84091; 756 20.3 910 -3.84091

263. 757 21 910 -3.84091; 758 21.5 910 -3.84091; 759 22 910 -3.84091
264. 760 22.5 910 -3.84091; 761 23 910 -3.84091; 762 23.7 910 -3.84091
265. 763 24 910 -3.84091; 764 24.3 910 -3.84091; 765 25 910 -3.84091
266. 766 25.5 910 -3.84091; 767 26 910 -3.84091; 768 26.5 910 -3.84091
267. 769 27 910 -3.84091; 770 27.7 910 -3.84091; 771 28 910 -3.84091
268. 772 28.3 910 -3.84091; 773 29 910 -3.84091; 774 29.5 910 -3.84091
269. 775 30 910 -3.84091; 776 30.5 910 -3.84091; 777 31 910 -3.84091
270. 778 31.7 910 -3.84091; 779 32 910 -3.84091; 780 32.3 910 -3.84091
271. 781 33 910 -3.84091; 782 33.5 910 -3.84091; 783 34 910 -3.84091
272. 784 34.5 910 -3.84091; 785 35 910 -3.84091; 786 35.7 910 -3.84091
273. 787 36 910 -3.84091; 788 36.3 910 -3.84091; 789 36.8 910 -3.84091
274. 790 37.3 910 -3.84091; 791 -1.3 910 -3.47727; 792 -0.8 910 -3.47727
275. 793 -0.3 910 -3.47727; 794 0 910 -3.47727; 795 0.3 910 -3.47727
276. 796 1 910 -3.47727; 797 1.5 910 -3.47727; 798 2 910 -3.47727
277. 799 2.5 910 -3.47727; 800 3 910 -3.47727; 801 3.7 910 -3.47727
278. 802 4 910 -3.47727; 803 4.3 910 -3.47727; 804 5 910 -3.47727
279. 805 5.5 910 -3.47727; 806 6 910 -3.47727; 807 6.5 910 -3.47727
280. 808 7 910 -3.47727; 809 7.7 910 -3.47727; 810 8 910 -3.47727
281. 811 8.3 910 -3.47727; 812 9 910 -3.47727; 813 9.5 910 -3.47727
282. 814 10 910 -3.47727; 815 10.5 910 -3.47727; 816 11 910 -3.47727
283. 817 11.7 910 -3.47727; 818 12 910 -3.47727; 819 12.3 910 -3.47727
284. 820 13 910 -3.47727; 821 13.5 910 -3.47727; 822 14 910 -3.47727
285. 823 14.5 910 -3.47727; 824 15 910 -3.47727; 825 15.7 910 -3.47727
286. 826 16 910 -3.47727; 827 16.3 910 -3.47727; 828 17 910 -3.47727
287. 829 17.5 910 -3.47727; 830 18 910 -3.47727; 831 18.5 910 -3.47727
288. 832 19 910 -3.47727; 833 19.7 910 -3.47727; 834 20 910 -3.47727
289. 835 20.3 910 -3.47727; 836 21 910 -3.47727; 837 21.5 910 -3.47727
290. 838 22 910 -3.47727; 839 22.5 910 -3.47727; 840 23 910 -3.47727
291. 841 23.7 910 -3.47727; 842 24 910 -3.47727; 843 24.3 910 -3.47727
292. 844 25 910 -3.47727; 845 25.5 910 -3.47727; 846 26 910 -3.47727
293. 847 26.5 910 -3.47727; 848 27 910 -3.47727; 849 27.7 910 -3.47727
294. 850 28 910 -3.47727; 851 28.3 910 -3.47727; 852 29 910 -3.47727
295. 853 29.5 910 -3.47727; 854 30 910 -3.47727; 855 30.5 910 -3.47727
296. 856 31 910 -3.47727; 857 31.7 910 -3.47727; 858 32 910 -3.47727
297. 859 32.3 910 -3.47727; 860 33 910 -3.47727; 861 33.5 910 -3.47727
298. 862 34 910 -3.47727; 863 34.5 910 -3.47727; 864 35 910 -3.47727
299. 865 35.7 910 -3.47727; 866 36 910 -3.47727; 867 36.3 910 -3.47727
300. 868 36.8 910 -3.47727; 869 37.3 910 -3.47727; 870 -1.3 910 -3.11364
301. 871 -0.8 910 -3.11364; 872 -0.3 910 -3.11364; 873 0 910 -3.11364
302. 874 0.3 910 -3.11364; 875 1 910 -3.11364; 876 1.5 910 -3.11364
303. 877 2 910 -3.11364; 878 2.5 910 -3.11364; 879 3 910 -3.11364
304. 880 3.7 910 -3.11364; 881 4 910 -3.11364; 882 4.3 910 -3.11364
305. 883 5 910 -3.11364; 884 5.5 910 -3.11364; 885 6 910 -3.11364
306. 886 6.5 910 -3.11364; 887 7 910 -3.11364; 888 7.7 910 -3.11364
307. 889 8 910 -3.11364; 890 8.3 910 -3.11364; 891 9 910 -3.11364
308. 892 9.5 910 -3.11364; 893 10 910 -3.11364; 894 10.5 910 -3.11364
309. 895 11 910 -3.11364; 896 11.7 910 -3.11364; 897 12 910 -3.11364
310. 898 12.3 910 -3.11364; 899 13 910 -3.11364; 900 13.5 910 -3.11364
311. 901 14 910 -3.11364; 902 14.5 910 -3.11364; 903 15 910 -3.11364
312. 904 15.7 910 -3.11364; 905 16 910 -3.11364; 906 16.3 910 -3.11364
313. 907 17 910 -3.11364; 908 17.5 910 -3.11364; 909 18 910 -3.11364
314. 910 18.5 910 -3.11364; 911 19 910 -3.11364; 912 19.7 910 -3.11364
315. 913 20 910 -3.11364; 914 20.3 910 -3.11364; 915 21 910 -3.11364
316. 916 21.5 910 -3.11364; 917 22 910 -3.11364; 918 22.5 910 -3.11364
317. 919 23 910 -3.11364; 920 23.7 910 -3.11364; 921 24 910 -3.11364
318. 922 24.3 910 -3.11364; 923 25 910 -3.11364; 924 25.5 910 -3.11364

319. 925 26 910 -3.11364; 926 26.5 910 -3.11364; 927 27 910 -3.11364
320. 928 27.7 910 -3.11364; 929 28 910 -3.11364; 930 28.3 910 -3.11364
321. 931 29 910 -3.11364; 932 29.5 910 -3.11364; 933 30 910 -3.11364
322. 934 30.5 910 -3.11364; 935 31 910 -3.11364; 936 31.7 910 -3.11364
323. 937 32 910 -3.11364; 938 32.3 910 -3.11364; 939 33 910 -3.11364
324. 940 33.5 910 -3.11364; 941 34 910 -3.11364; 942 34.5 910 -3.11364
325. 943 35 910 -3.11364; 944 35.7 910 -3.11364; 945 36 910 -3.11364
326. 946 36.3 910 -3.11364; 947 36.8 910 -3.11364; 948 37.3 910 -3.11364
327. 949 -1.3 910 -2.75; 950 -0.8 910 -2.75; 951 -0.3 910 -2.75; 952 0 910 -2.75
328. 953 0.3 910 -2.75; 954 1 910 -2.75; 955 1.5 910 -2.75; 956 2 910 -2.75
329. 957 2.5 910 -2.75; 958 3 910 -2.75; 959 3.7 910 -2.75; 960 4 910 -2.75
330. 961 4.3 910 -2.75; 962 5 910 -2.75; 963 5.5 910 -2.75; 964 6 910 -2.75
331. 965 6.5 910 -2.75; 966 7 910 -2.75; 967 7.7 910 -2.75; 968 8 910 -2.75
332. 969 8.3 910 -2.75; 970 9 910 -2.75; 971 9.5 910 -2.75; 972 10 910 -2.75
333. 973 10.5 910 -2.75; 974 11 910 -2.75; 975 11.7 910 -2.75; 976 12 910 -2.75
334. 977 12.3 910 -2.75; 978 13 910 -2.75; 979 13.5 910 -2.75; 980 14 910 -2.75
335. 981 14.5 910 -2.75; 982 15 910 -2.75; 983 15.7 910 -2.75; 984 16 910 -2.75
336. 985 16.3 910 -2.75; 986 17 910 -2.75; 987 17.5 910 -2.75; 988 18 910 -2.75
337. 989 18.5 910 -2.75; 990 19 910 -2.75; 991 19.7 910 -2.75; 992 20 910 -2.75
338. 993 20.3 910 -2.75; 994 21 910 -2.75; 995 21.5 910 -2.75; 996 22 910 -2.75
339. 997 22.5 910 -2.75; 998 23 910 -2.75; 999 23.7 910 -2.75; 1000 24 910 -2.75
340. 1001 24.3 910 -2.75; 1002 25 910 -2.75; 1003 25.5 910 -2.75; 1004 26 910 -2.75
341. 1005 26.5 910 -2.75; 1006 27 910 -2.75; 1007 27.7 910 -2.75; 1008 28 910 -2.75
342. 1009 28.3 910 -2.75; 1010 29 910 -2.75; 1011 29.5 910 -2.75; 1012 30 910 -2.75
343. 1013 30.5 910 -2.75; 1014 31 910 -2.75; 1015 31.7 910 -2.75; 1016 32 910 -2.75
344. 1017 32.3 910 -2.75; 1018 33 910 -2.75; 1019 33.5 910 -2.75; 1020 34 910 -2.75
345. 1021 34.5 910 -2.75; 1022 35 910 -2.75; 1023 35.7 910 -2.75; 1024 36 910 -2.75
346. 1025 36.3 910 -2.75; 1026 36.8 910 -2.75; 1027 37.3 910 -2.75
347. 1028 -1.3 910 -2.38636; 1029 -0.8 910 -2.38636; 1030 -0.3 910 -2.38636
348. 1031 0 910 -2.38636; 1032 0.3 910 -2.38636; 1033 1 910 -2.38636
349. 1034 1.5 910 -2.38636; 1035 2 910 -2.38636; 1036 2.5 910 -2.38636
350. 1037 3 910 -2.38636; 1038 3.7 910 -2.38636; 1039 4 910 -2.38636
351. 1040 4.3 910 -2.38636; 1041 5 910 -2.38636; 1042 5.5 910 -2.38636
352. 1043 6 910 -2.38636; 1044 6.5 910 -2.38636; 1045 7 910 -2.38636
353. 1046 7.7 910 -2.38636; 1047 8 910 -2.38636; 1048 8.3 910 -2.38636
354. 1049 9 910 -2.38636; 1050 9.5 910 -2.38636; 1051 10 910 -2.38636
355. 1052 10.5 910 -2.38636; 1053 11 910 -2.38636; 1054 11.7 910 -2.38636
356. 1055 12 910 -2.38636; 1056 12.3 910 -2.38636; 1057 13 910 -2.38636
357. 1058 13.5 910 -2.38636; 1059 14 910 -2.38636; 1060 14.5 910 -2.38636
358. 1061 15 910 -2.38636; 1062 15.7 910 -2.38636; 1063 16 910 -2.38636
359. 1064 16.3 910 -2.38636; 1065 17 910 -2.38636; 1066 17.5 910 -2.38636
360. 1067 18 910 -2.38636; 1068 18.5 910 -2.38636; 1069 19 910 -2.38636
361. 1070 19.7 910 -2.38636; 1071 20 910 -2.38636; 1072 20.3 910 -2.38636
362. 1073 21 910 -2.38636; 1074 21.5 910 -2.38636; 1075 22 910 -2.38636
363. 1076 22.5 910 -2.38636; 1077 23 910 -2.38636; 1078 23.7 910 -2.38636
364. 1079 24 910 -2.38636; 1080 24.3 910 -2.38636; 1081 25 910 -2.38636
365. 1082 25.5 910 -2.38636; 1083 26 910 -2.38636; 1084 26.5 910 -2.38636
366. 1085 27 910 -2.38636; 1086 27.7 910 -2.38636; 1087 28 910 -2.38636
367. 1088 28.3 910 -2.38636; 1089 29 910 -2.38636; 1090 29.5 910 -2.38636
368. 1091 30 910 -2.38636; 1092 30.5 910 -2.38636; 1093 31 910 -2.38636
369. 1094 31.7 910 -2.38636; 1095 32 910 -2.38636; 1096 32.3 910 -2.38636
370. 1097 33 910 -2.38636; 1098 33.5 910 -2.38636; 1099 34 910 -2.38636
371. 1100 34.5 910 -2.38636; 1101 35 910 -2.38636; 1102 35.7 910 -2.38636
372. 1103 36 910 -2.38636; 1104 36.3 910 -2.38636; 1105 36.8 910 -2.38636
373. 1106 37.3 910 -2.38636; 1107 -1.3 910 -2.02273; 1108 -0.8 910 -2.02273
374. 1109 -0.3 910 -2.02273; 1110 0 910 -2.02273; 1111 0.3 910 -2.02273

375. 1112 1 910 -2.02273; 1113 1.5 910 -2.02273; 1114 2 910 -2.02273
376. 1115 2.5 910 -2.02273; 1116 3 910 -2.02273; 1117 3.7 910 -2.02273
377. 1118 4 910 -2.02273; 1119 4.3 910 -2.02273; 1120 5 910 -2.02273
378. 1121 5.5 910 -2.02273; 1122 6 910 -2.02273; 1123 6.5 910 -2.02273
379. 1124 7 910 -2.02273; 1125 7.7 910 -2.02273; 1126 8 910 -2.02273
380. 1127 8.3 910 -2.02273; 1128 9 910 -2.02273; 1129 9.5 910 -2.02273
381. 1130 10 910 -2.02273; 1131 10.5 910 -2.02273; 1132 11 910 -2.02273
382. 1133 11.7 910 -2.02273; 1134 12 910 -2.02273; 1135 12.3 910 -2.02273
383. 1136 13 910 -2.02273; 1137 13.5 910 -2.02273; 1138 14 910 -2.02273
384. 1139 14.5 910 -2.02273; 1140 15 910 -2.02273; 1141 15.7 910 -2.02273
385. 1142 16 910 -2.02273; 1143 16.3 910 -2.02273; 1144 17 910 -2.02273
386. 1145 17.5 910 -2.02273; 1146 18 910 -2.02273; 1147 18.5 910 -2.02273
387. 1148 19 910 -2.02273; 1149 19.7 910 -2.02273; 1150 20 910 -2.02273
388. 1151 20.3 910 -2.02273; 1152 21 910 -2.02273; 1153 21.5 910 -2.02273
389. 1154 22 910 -2.02273; 1155 22.5 910 -2.02273; 1156 23 910 -2.02273
390. 1157 23.7 910 -2.02273; 1158 24 910 -2.02273; 1159 24.3 910 -2.02273
391. 1160 25 910 -2.02273; 1161 25.5 910 -2.02273; 1162 26 910 -2.02273
392. 1163 26.5 910 -2.02273; 1164 27 910 -2.02273; 1165 27.7 910 -2.02273
393. 1166 28 910 -2.02273; 1167 28.3 910 -2.02273; 1168 29 910 -2.02273
394. 1169 29.5 910 -2.02273; 1170 30 910 -2.02273; 1171 30.5 910 -2.02273
395. 1172 31 910 -2.02273; 1173 31.7 910 -2.02273; 1174 32 910 -2.02273
396. 1175 32.3 910 -2.02273; 1176 33 910 -2.02273; 1177 33.5 910 -2.02273
397. 1178 34 910 -2.02273; 1179 34.5 910 -2.02273; 1180 35 910 -2.02273
398. 1181 35.7 910 -2.02273; 1182 36 910 -2.02273; 1183 36.3 910 -2.02273
399. 1184 36.8 910 -2.02273; 1185 37.3 910 -2.02273; 1186 -1.3 910 -1.65909
400. 1187 -0.8 910 -1.65909; 1188 -0.3 910 -1.65909; 1189 0 910 -1.65909
401. 1190 0.3 910 -1.65909; 1191 1 910 -1.65909; 1192 1.5 910 -1.65909
402. 1193 2 910 -1.65909; 1194 2.5 910 -1.65909; 1195 3 910 -1.65909
403. 1196 3.7 910 -1.65909; 1197 4 910 -1.65909; 1198 4.3 910 -1.65909
404. 1199 5 910 -1.65909; 1200 5.5 910 -1.65909; 1201 6 910 -1.65909
405. 1202 6.5 910 -1.65909; 1203 7 910 -1.65909; 1204 7.7 910 -1.65909
406. 1205 8 910 -1.65909; 1206 8.3 910 -1.65909; 1207 9 910 -1.65909
407. 1208 9.5 910 -1.65909; 1209 10 910 -1.65909; 1210 10.5 910 -1.65909
408. 1211 11 910 -1.65909; 1212 11.7 910 -1.65909; 1213 12 910 -1.65909
409. 1214 12.3 910 -1.65909; 1215 13 910 -1.65909; 1216 13.5 910 -1.65909
410. 1217 14 910 -1.65909; 1218 14.5 910 -1.65909; 1219 15 910 -1.65909
411. 1220 15.7 910 -1.65909; 1221 16 910 -1.65909; 1222 16.3 910 -1.65909
412. 1223 17 910 -1.65909; 1224 17.5 910 -1.65909; 1225 18 910 -1.65909
413. 1226 18.5 910 -1.65909; 1227 19 910 -1.65909; 1228 19.7 910 -1.65909
414. 1229 20 910 -1.65909; 1230 20.3 910 -1.65909; 1231 21 910 -1.65909
415. 1232 21.5 910 -1.65909; 1233 22 910 -1.65909; 1234 22.5 910 -1.65909
416. 1235 23 910 -1.65909; 1236 23.7 910 -1.65909; 1237 24 910 -1.65909
417. 1238 24.3 910 -1.65909; 1239 25 910 -1.65909; 1240 25.5 910 -1.65909
418. 1241 26 910 -1.65909; 1242 26.5 910 -1.65909; 1243 27 910 -1.65909
419. 1244 27.7 910 -1.65909; 1245 28 910 -1.65909; 1246 28.3 910 -1.65909
420. 1247 29 910 -1.65909; 1248 29.5 910 -1.65909; 1249 30 910 -1.65909
421. 1250 30.5 910 -1.65909; 1251 31 910 -1.65909; 1252 31.7 910 -1.65909
422. 1253 32 910 -1.65909; 1254 32.3 910 -1.65909; 1255 33 910 -1.65909
423. 1256 33.5 910 -1.65909; 1257 34 910 -1.65909; 1258 34.5 910 -1.65909
424. 1259 35 910 -1.65909; 1260 35.7 910 -1.65909; 1261 36 910 -1.65909
425. 1262 36.3 910 -1.65909; 1263 36.8 910 -1.65909; 1264 37.3 910 -1.65909
426. 1265 -1.3 910 -1.29545; 1266 -0.8 910 -1.29545; 1267 -0.3 910 -1.29545
427. 1268 0 910 -1.29545; 1269 0.3 910 -1.29545; 1270 1 910 -1.29545
428. 1271 1.5 910 -1.29545; 1272 2 910 -1.29545; 1273 2.5 910 -1.29545
429. 1274 3 910 -1.29545; 1275 3.7 910 -1.29545; 1276 4 910 -1.29545
430. 1277 4.3 910 -1.29545; 1278 5 910 -1.29545; 1279 5.5 910 -1.29545

STAAD SPACE -- PAGE NO. 9

431. 1280 6 910 -1.29545; 1281 6.5 910 -1.29545; 1282 7 910 -1.29545
432. 1283 7.7 910 -1.29545; 1284 8 910 -1.29545; 1285 8.3 910 -1.29545
433. 1286 9 910 -1.29545; 1287 9.5 910 -1.29545; 1288 10 910 -1.29545
434. 1289 10.5 910 -1.29545; 1290 11 910 -1.29545; 1291 11.7 910 -1.29545
435. 1292 12 910 -1.29545; 1293 12.3 910 -1.29545; 1294 13 910 -1.29545
436. 1295 13.5 910 -1.29545; 1296 14 910 -1.29545; 1297 14.5 910 -1.29545
437. 1298 15 910 -1.29545; 1299 15.7 910 -1.29545; 1300 16 910 -1.29545
438. 1301 16.3 910 -1.29545; 1302 17 910 -1.29545; 1303 17.5 910 -1.29545
439. 1304 18 910 -1.29545; 1305 18.5 910 -1.29545; 1306 19 910 -1.29545
440. 1307 19.7 910 -1.29545; 1308 20 910 -1.29545; 1309 20.3 910 -1.29545
441. 1310 21 910 -1.29545; 1311 21.5 910 -1.29545; 1312 22 910 -1.29545
442. 1313 22.5 910 -1.29545; 1314 23 910 -1.29545; 1315 23.7 910 -1.29545
443. 1316 24 910 -1.29545; 1317 24.3 910 -1.29545; 1318 25 910 -1.29545
444. 1319 25.5 910 -1.29545; 1320 26 910 -1.29545; 1321 26.5 910 -1.29545
445. 1322 27 910 -1.29545; 1323 27.7 910 -1.29545; 1324 28 910 -1.29545
446. 1325 28.3 910 -1.29545; 1326 29 910 -1.29545; 1327 29.5 910 -1.29545
447. 1328 30 910 -1.29545; 1329 30.5 910 -1.29545; 1330 31 910 -1.29545
448. 1331 31.7 910 -1.29545; 1332 32 910 -1.29545; 1333 32.3 910 -1.29545
449. 1334 33 910 -1.29545; 1335 33.5 910 -1.29545; 1336 34 910 -1.29545
450. 1337 34.5 910 -1.29545; 1338 35 910 -1.29545; 1339 35.7 910 -1.29545
451. 1340 36 910 -1.29545; 1341 36.3 910 -1.29545; 1342 36.8 910 -1.29545
452. 1343 37.3 910 -1.29545; 1344 -1.3 910 -0.75; 1345 -0.8 910 -0.75
453. 1346 -0.3 910 -0.75; 1347 0 910 -0.75; 1348 0.3 910 -0.75; 1349 1 910 -0.75
454. 1350 1.5 910 -0.75; 1351 2 910 -0.75; 1352 2.5 910 -0.75; 1353 3 910 -0.75
455. 1354 3.7 910 -0.75; 1355 4 910 -0.75; 1356 4.3 910 -0.75; 1357 5 910 -0.75
456. 1358 5.5 910 -0.75; 1359 6 910 -0.75; 1360 6.5 910 -0.75; 1361 7 910 -0.75
457. 1362 7.7 910 -0.75; 1363 8 910 -0.75; 1364 8.3 910 -0.75; 1365 9 910 -0.75
458. 1366 9.5 910 -0.75; 1367 10 910 -0.75; 1368 10.5 910 -0.75; 1369 11 910 -0.75
459. 1370 11.7 910 -0.75; 1371 12 910 -0.75; 1372 12.3 910 -0.75; 1373 13 910 -0.75
460. 1374 13.5 910 -0.75; 1375 14 910 -0.75; 1376 14.5 910 -0.75; 1377 15 910 -0.75
461. 1378 15.7 910 -0.75; 1379 16 910 -0.75; 1380 16.3 910 -0.75; 1381 17 910 -0.75
462. 1382 17.5 910 -0.75; 1383 18 910 -0.75; 1384 18.5 910 -0.75; 1385 19 910 -0.75
463. 1386 19.7 910 -0.75; 1387 20 910 -0.75; 1388 20.3 910 -0.75; 1389 21 910 -0.75
464. 1390 21.5 910 -0.75; 1391 22 910 -0.75; 1392 22.5 910 -0.75; 1393 23 910 -0.75
465. 1394 23.7 910 -0.75; 1395 24 910 -0.75; 1396 24.3 910 -0.75; 1397 25 910 -0.75
466. 1398 25.5 910 -0.75; 1399 26 910 -0.75; 1400 26.5 910 -0.75; 1401 27 910 -0.75
467. 1402 27.7 910 -0.75; 1403 28 910 -0.75; 1404 28.3 910 -0.75; 1405 29 910 -0.75
468. 1406 29.5 910 -0.75; 1407 30 910 -0.75; 1408 30.5 910 -0.75; 1409 31 910 -0.75
469. 1410 31.7 910 -0.75; 1411 32 910 -0.75; 1412 32.3 910 -0.75; 1413 33 910 -0.75
470. 1414 33.5 910 -0.75; 1415 34 910 -0.75; 1416 34.5 910 -0.75; 1417 35 910 -0.75
471. 1418 35.7 910 -0.75; 1419 36 910 -0.75; 1420 36.3 910 -0.75
472. 1421 36.8 910 -0.75; 1422 37.3 910 -0.75; 1423 -1.3 910 -0.2
473. 1424 -0.8 910 -0.2; 1425 -0.3 910 -0.2; 1426 0 910 -0.2; 1427 0.3 910 -0.2
474. 1428 1 910 -0.2; 1429 1.5 910 -0.2; 1430 2 910 -0.2; 1431 2.5 910 -0.2
475. 1432 3 910 -0.2; 1433 3.7 910 -0.2; 1434 4 910 -0.2; 1435 4.3 910 -0.2
476. 1436 5 910 -0.2; 1437 5.5 910 -0.2; 1438 6 910 -0.2; 1439 6.5 910 -0.2
477. 1440 7 910 -0.2; 1441 7.7 910 -0.2; 1442 8 910 -0.2; 1443 8.3 910 -0.2
478. 1444 9 910 -0.2; 1445 9.5 910 -0.2; 1446 10 910 -0.2; 1447 10.5 910 -0.2
479. 1448 11 910 -0.2; 1449 11.7 910 -0.2; 1450 12 910 -0.2; 1451 12.3 910 -0.2
480. 1452 13 910 -0.2; 1453 13.5 910 -0.2; 1454 14 910 -0.2; 1455 14.5 910 -0.2
481. 1456 15 910 -0.2; 1457 15.7 910 -0.2; 1458 16 910 -0.2; 1459 16.3 910 -0.2
482. 1460 17 910 -0.2; 1461 17.5 910 -0.2; 1462 18 910 -0.2; 1463 18.5 910 -0.2
483. 1464 19 910 -0.2; 1465 19.7 910 -0.2; 1466 20 910 -0.2; 1467 20.3 910 -0.2
484. 1468 21 910 -0.2; 1469 21.5 910 -0.2; 1470 22 910 -0.2; 1471 22.5 910 -0.2
485. 1472 23 910 -0.2; 1473 23.7 910 -0.2; 1474 24 910 -0.2; 1475 24.3 910 -0.2
486. 1476 25 910 -0.2; 1477 25.5 910 -0.2; 1478 26 910 -0.2; 1479 26.5 910 -0.2

STAAD SPACE -- PAGE NO. 10

487. 1480 27 910 -0.2; 1481 27.7 910 -0.2; 1482 28 910 -0.2; 1483 28.3 910 -0.2
488. 1484 29 910 -0.2; 1485 29.5 910 -0.2; 1486 30 910 -0.2; 1487 30.5 910 -0.2
489. 1488 31 910 -0.2; 1489 31.7 910 -0.2; 1490 32 910 -0.2; 1491 32.3 910 -0.2
490. 1492 33 910 -0.2; 1493 33.5 910 -0.2; 1494 34 910 -0.2; 1495 34.5 910 -0.2
491. 1496 35 910 -0.2; 1497 35.7 910 -0.2; 1498 36 910 -0.2; 1499 36.3 910 -0.2
492. 1500 36.8 910 -0.2; 1501 37.3 910 -0.2; 1502 -1.3 910 0; 1503 -0.8 910 0
493. 1504 -0.3 910 0; 1505 0 910 0; 1506 0.3 910 0; 1507 1 910 0; 1508 1.5 910 0
494. 1509 2 910 0; 1510 2.5 910 0; 1511 3 910 0; 1512 3.7 910 0; 1513 4 910 0
495. 1514 4.3 910 0; 1515 5 910 0; 1516 5.5 910 0; 1517 6 910 0; 1518 6.5 910 0
496. 1519 7 910 0; 1520 7.7 910 0; 1521 8 910 0; 1522 8.3 910 0; 1523 9 910 0
497. 1524 9.5 910 0; 1525 10 910 0; 1526 10.5 910 0; 1527 11 910 0; 1528 11.7 910 0
498. 1529 12 910 0; 1530 12.3 910 0; 1531 13 910 0; 1532 13.5 910 0; 1533 14 910 0
499. 1534 14.5 910 0; 1535 15 910 0; 1536 15.7 910 0; 1537 16 910 0
500. 1538 16.3 910 0; 1539 17 910 0; 1540 17.5 910 0; 1541 18 910 0
501. 1542 18.5 910 0; 1543 19 910 0; 1544 19.7 910 0; 1545 20 910 0
502. 1546 20.3 910 0; 1547 21 910 0; 1548 21.5 910 0; 1549 22 910 0
503. 1550 22.5 910 0; 1551 23 910 0; 1552 23.7 910 0; 1553 24 910 0
504. 1554 24.3 910 0; 1555 25 910 0; 1556 25.5 910 0; 1557 26 910 0
505. 1558 26.5 910 0; 1559 27 910 0; 1560 27.7 910 0; 1561 28 910 0
506. 1562 28.3 910 0; 1563 29 910 0; 1564 29.5 910 0; 1565 30 910 0
507. 1566 30.5 910 0; 1567 31 910 0; 1568 31.7 910 0; 1569 32 910 0
508. 1570 32.3 910 0; 1571 33 910 0; 1572 33.5 910 0; 1573 34 910 0
509. 1574 34.5 910 0; 1575 35 910 0; 1576 35.7 910 0; 1577 36 910 0
510. 1578 36.3 910 0; 1579 36.8 910 0; 1580 37.3 910 0; 1581 -1.3 910 0.2
511. 1582 -0.8 910 0.2; 1583 -0.3 910 0.2; 1584 0 910 0.2; 1585 0.3 910 0.2
512. 1586 1 910 0.2; 1587 1.5 910 0.2; 1588 2 910 0.2; 1589 2.5 910 0.2
513. 1590 3 910 0.2; 1591 3.7 910 0.2; 1592 4 910 0.2; 1593 4.3 910 0.2
514. 1594 5 910 0.2; 1595 5.5 910 0.2; 1596 6 910 0.2; 1597 6.5 910 0.2
515. 1598 7 910 0.2; 1599 7.7 910 0.2; 1600 8 910 0.2; 1601 8.3 910 0.2
516. 1602 9 910 0.2; 1603 9.5 910 0.2; 1604 10 910 0.2; 1605 10.5 910 0.2
517. 1606 11 910 0.2; 1607 11.7 910 0.2; 1608 12 910 0.2; 1609 12.3 910 0.2
518. 1610 13 910 0.2; 1611 13.5 910 0.2; 1612 14 910 0.2; 1613 14.5 910 0.2
519. 1614 15 910 0.2; 1615 15.7 910 0.2; 1616 16 910 0.2; 1617 16.3 910 0.2
520. 1618 17 910 0.2; 1619 17.5 910 0.2; 1620 18 910 0.2; 1621 18.5 910 0.2
521. 1622 19 910 0.2; 1623 19.7 910 0.2; 1624 20 910 0.2; 1625 20.3 910 0.2
522. 1626 21 910 0.2; 1627 21.5 910 0.2; 1628 22 910 0.2; 1629 22.5 910 0.2
523. 1630 23 910 0.2; 1631 23.7 910 0.2; 1632 24 910 0.2; 1633 24.3 910 0.2
524. 1634 25 910 0.2; 1635 25.5 910 0.2; 1636 26 910 0.2; 1637 26.5 910 0.2
525. 1638 27 910 0.2; 1639 27.7 910 0.2; 1640 28 910 0.2; 1641 28.3 910 0.2
526. 1642 29 910 0.2; 1643 29.5 910 0.2; 1644 30 910 0.2; 1645 30.5 910 0.2
527. 1646 31 910 0.2; 1647 31.7 910 0.2; 1648 32 910 0.2; 1649 32.3 910 0.2
528. 1650 33 910 0.2; 1651 33.5 910 0.2; 1652 34 910 0.2; 1653 34.5 910 0.2
529. 1654 35 910 0.2; 1655 35.7 910 0.2; 1656 36 910 0.2; 1657 36.3 910 0.2
530. 1658 36.8 910 0.2; 1659 37.3 910 0.2; 1660 -1.3 910 0.9; 1661 -0.8 910 0.9
531. 1662 -0.3 910 0.9; 1663 0 910 0.9; 1664 0.3 910 0.9; 1665 1 910 0.9
532. 1666 1.5 910 0.9; 1667 2 910 0.9; 1668 2.5 910 0.9; 1669 3 910 0.9
533. 1670 3.7 910 0.9; 1671 4 910 0.9; 1672 4.3 910 0.9; 1673 5 910 0.9
534. 1674 5.5 910 0.9; 1675 6 910 0.9; 1676 6.5 910 0.9; 1677 7 910 0.9
535. 1678 7.7 910 0.9; 1679 8 910 0.9; 1680 8.3 910 0.9; 1681 9 910 0.9
536. 1682 9.5 910 0.9; 1683 10 910 0.9; 1684 10.5 910 0.9; 1685 11 910 0.9
537. 1686 11.7 910 0.9; 1687 12 910 0.9; 1688 12.3 910 0.9; 1689 13 910 0.9
538. 1690 13.5 910 0.9; 1691 14 910 0.9; 1692 14.5 910 0.9; 1693 15 910 0.9
539. 1694 15.7 910 0.9; 1695 16 910 0.9; 1696 16.3 910 0.9; 1697 17 910 0.9
540. 1698 17.5 910 0.9; 1699 18 910 0.9; 1700 18.5 910 0.9; 1701 19 910 0.9
541. 1702 19.7 910 0.9; 1703 20 910 0.9; 1704 20.3 910 0.9; 1705 21 910 0.9
542. 1706 21.5 910 0.9; 1707 22 910 0.9; 1708 22.5 910 0.9; 1709 23 910 0.9

STAAD SPACE -- PAGE NO. 11

543. 1710 23.7 910 0.9; 1711 24 910 0.9; 1712 24.3 910 0.9; 1713 25 910 0.9
544. 1714 25.5 910 0.9; 1715 26 910 0.9; 1716 26.5 910 0.9; 1717 27 910 0.9
545. 1718 27.7 910 0.9; 1719 28 910 0.9; 1720 28.3 910 0.9; 1721 29 910 0.9
546. 1722 29.5 910 0.9; 1723 30 910 0.9; 1724 30.5 910 0.9; 1725 31 910 0.9
547. 1726 31.7 910 0.9; 1727 32 910 0.9; 1728 32.3 910 0.9; 1729 33 910 0.9
548. 1730 33.5 910 0.9; 1731 34 910 0.9; 1732 34.5 910 0.9; 1733 35 910 0.9
549. 1734 35.7 910 0.9; 1735 36 910 0.9; 1736 36.3 910 0.9; 1737 36.8 910 0.9
550. 1738 37.3 910 0.9; 1739 -1.3 910 1.3; 1740 -0.8 910 1.3; 1741 -0.3 910 1.3
551. 1742 0 910 1.3; 1743 0.3 910 1.3; 1744 1 910 1.3; 1745 1.5 910 1.3
552. 1746 2 910 1.3; 1747 2.5 910 1.3; 1748 3 910 1.3; 1749 3.7 910 1.3
553. 1750 4 910 1.3; 1751 4.3 910 1.3; 1752 5 910 1.3; 1753 5.5 910 1.3
554. 1754 6 910 1.3; 1755 6.5 910 1.3; 1756 7 910 1.3; 1757 7.7 910 1.3
555. 1758 8 910 1.3; 1759 8.3 910 1.3; 1760 9 910 1.3; 1761 9.5 910 1.3
556. 1762 10 910 1.3; 1763 10.5 910 1.3; 1764 11 910 1.3; 1765 11.7 910 1.3
557. 1766 12 910 1.3; 1767 12.3 910 1.3; 1768 13 910 1.3; 1769 13.5 910 1.3
558. 1770 14 910 1.3; 1771 14.5 910 1.3; 1772 15 910 1.3; 1773 15.7 910 1.3
559. 1774 16 910 1.3; 1775 16.3 910 1.3; 1776 17 910 1.3; 1777 17.5 910 1.3
560. 1778 18 910 1.3; 1779 18.5 910 1.3; 1780 19 910 1.3; 1781 19.7 910 1.3
561. 1782 20 910 1.3; 1783 20.3 910 1.3; 1784 21 910 1.3; 1785 21.5 910 1.3
562. 1786 22 910 1.3; 1787 22.5 910 1.3; 1788 23 910 1.3; 1789 23.7 910 1.3
563. 1790 24 910 1.3; 1791 24.3 910 1.3; 1792 25 910 1.3; 1793 25.5 910 1.3
564. 1794 26 910 1.3; 1795 26.5 910 1.3; 1796 27 910 1.3; 1797 27.7 910 1.3
565. 1798 28 910 1.3; 1799 28.3 910 1.3; 1800 29 910 1.3; 1801 29.5 910 1.3
566. 1802 30 910 1.3; 1803 30.5 910 1.3; 1804 31 910 1.3; 1805 31.7 910 1.3
567. 1806 32 910 1.3; 1807 32.3 910 1.3; 1808 33 910 1.3; 1809 33.5 910 1.3
568. 1810 34 910 1.3; 1811 34.5 910 1.3; 1812 35 910 1.3; 1813 35.7 910 1.3
569. 1814 36 910 1.3; 1815 36.3 910 1.3; 1816 36.8 910 1.3; 1817 37.3 910 1.3
570. 1818 -1.3 910 1.7; 1819 -0.8 910 1.7; 1820 -0.3 910 1.7; 1821 0 910 1.7
571. 1822 0.3 910 1.7; 1823 1 910 1.7; 1824 1.5 910 1.7; 1825 2 910 1.7
572. 1826 2.5 910 1.7; 1827 3 910 1.7; 1828 3.7 910 1.7; 1829 4 910 1.7
573. 1830 4.3 910 1.7; 1831 5 910 1.7; 1832 5.5 910 1.7; 1833 6 910 1.7
574. 1834 6.5 910 1.7; 1835 7 910 1.7; 1836 7.7 910 1.7; 1837 8 910 1.7
575. 1838 8.3 910 1.7; 1839 9 910 1.7; 1840 9.5 910 1.7; 1841 10 910 1.7
576. 1842 10.5 910 1.7; 1843 11 910 1.7; 1844 11.7 910 1.7; 1845 12 910 1.7
577. 1846 12.3 910 1.7; 1847 13 910 1.7; 1848 13.5 910 1.7; 1849 14 910 1.7
578. 1850 14.5 910 1.7; 1851 15 910 1.7; 1852 15.7 910 1.7; 1853 16 910 1.7
579. 1854 16.3 910 1.7; 1855 17 910 1.7; 1856 17.5 910 1.7; 1857 18 910 1.7
580. 1858 18.5 910 1.7; 1859 19 910 1.7; 1860 19.7 910 1.7; 1861 20 910 1.7
581. 1862 20.3 910 1.7; 1863 21 910 1.7; 1864 21.5 910 1.7; 1865 22 910 1.7
582. 1866 22.5 910 1.7; 1867 23 910 1.7; 1868 23.7 910 1.7; 1869 24 910 1.7
583. 1870 24.3 910 1.7; 1871 25 910 1.7; 1872 25.5 910 1.7; 1873 26 910 1.7
584. 1874 26.5 910 1.7; 1875 27 910 1.7; 1876 27.7 910 1.7; 1877 28 910 1.7
585. 1878 28.3 910 1.7; 1879 29 910 1.7; 1880 29.5 910 1.7; 1881 30 910 1.7
586. 1882 30.5 910 1.7; 1883 31 910 1.7; 1884 31.7 910 1.7; 1885 32 910 1.7
587. 1886 32.3 910 1.7; 1887 33 910 1.7; 1888 33.5 910 1.7; 1889 34 910 1.7
588. 1890 34.5 910 1.7; 1891 35 910 1.7; 1892 35.7 910 1.7; 1893 36 910 1.7
589. 1894 36.3 910 1.7; 1895 36.8 910 1.7; 1896 37.3 910 1.7; 1897 -1.3 910 2.1
590. 1898 -0.8 910 2.1; 1899 -0.3 910 2.1; 1900 0 910 2.1; 1901 0.3 910 2.1
591. 1902 1 910 2.1; 1903 1.5 910 2.1; 1904 2 910 2.1; 1905 2.5 910 2.1
592. 1906 3 910 2.1; 1907 3.7 910 2.1; 1908 4 910 2.1; 1909 4.3 910 2.1
593. 1910 5 910 2.1; 1911 5.5 910 2.1; 1912 6 910 2.1; 1913 6.5 910 2.1
594. 1914 7 910 2.1; 1915 7.7 910 2.1; 1916 8 910 2.1; 1917 8.3 910 2.1
595. 1918 9 910 2.1; 1919 9.5 910 2.1; 1920 10 910 2.1; 1921 10.5 910 2.1
596. 1922 11 910 2.1; 1923 11.7 910 2.1; 1924 12 910 2.1; 1925 12.3 910 2.1
597. 1926 13 910 2.1; 1927 13.5 910 2.1; 1928 14 910 2.1; 1929 14.5 910 2.1
598. 1930 15 910 2.1; 1931 15.7 910 2.1; 1932 16 910 2.1; 1933 16.3 910 2.1

STAAD SPACE -- PAGE NO. 12

599. 1934 17 910 2.1; 1935 17.5 910 2.1; 1936 18 910 2.1; 1937 18.5 910 2.1
600. 1938 19 910 2.1; 1939 19.7 910 2.1; 1940 20 910 2.1; 1941 20.3 910 2.1
601. 1942 21 910 2.1; 1943 21.5 910 2.1; 1944 22 910 2.1; 1945 22.5 910 2.1
602. 1946 23 910 2.1; 1947 23.7 910 2.1; 1948 24 910 2.1; 1949 24.3 910 2.1
603. 1950 25 910 2.1; 1951 25.5 910 2.1; 1952 26 910 2.1; 1953 26.5 910 2.1
604. 1954 27 910 2.1; 1955 27.7 910 2.1; 1956 28 910 2.1; 1957 28.3 910 2.1
605. 1958 29 910 2.1; 1959 29.5 910 2.1; 1960 30 910 2.1; 1961 30.5 910 2.1
606. 1962 31 910 2.1; 1963 31.7 910 2.1; 1964 32 910 2.1; 1965 32.3 910 2.1
607. 1966 33 910 2.1; 1967 33.5 910 2.1; 1968 34 910 2.1; 1969 34.5 910 2.1
608. 1970 35 910 2.1; 1971 35.7 910 2.1; 1972 36 910 2.1; 1973 36.3 910 2.1
609. 1974 36.8 910 2.1; 1975 37.3 910 2.1; 1976 -1.3 910 2.45; 1977 -0.8 910 2.45
610. 1978 -0.3 910 2.45; 1979 0 910 2.45; 1980 0.3 910 2.45; 1981 1 910 2.45
611. 1982 1.5 910 2.45; 1983 2 910 2.45; 1984 2.5 910 2.45; 1985 3 910 2.45
612. 1986 3.7 910 2.45; 1987 4 910 2.45; 1988 4.3 910 2.45; 1989 5 910 2.45
613. 1990 5.5 910 2.45; 1991 6 910 2.45; 1992 6.5 910 2.45; 1993 7 910 2.45
614. 1994 7.7 910 2.45; 1995 8 910 2.45; 1996 8.3 910 2.45; 1997 9 910 2.45
615. 1998 9.5 910 2.45; 1999 10 910 2.45; 2000 10.5 910 2.45; 2001 11 910 2.45
616. 2002 11.7 910 2.45; 2003 12 910 2.45; 2004 12.3 910 2.45; 2005 13 910 2.45
617. 2006 13.5 910 2.45; 2007 14 910 2.45; 2008 14.5 910 2.45; 2009 15 910 2.45
618. 2010 15.7 910 2.45; 2011 16 910 2.45; 2012 16.3 910 2.45; 2013 17 910 2.45
619. 2014 17.5 910 2.45; 2015 18 910 2.45; 2016 18.5 910 2.45; 2017 19 910 2.45
620. 2018 19.7 910 2.45; 2019 20 910 2.45; 2020 20.3 910 2.45; 2021 21 910 2.45
621. 2022 21.5 910 2.45; 2023 22 910 2.45; 2024 22.5 910 2.45; 2025 23 910 2.45
622. 2026 23.7 910 2.45; 2027 24 910 2.45; 2028 24.3 910 2.45; 2029 25 910 2.45
623. 2030 25.5 910 2.45; 2031 26 910 2.45; 2032 26.5 910 2.45; 2033 27 910 2.45
624. 2034 27.7 910 2.45; 2035 28 910 2.45; 2036 28.3 910 2.45; 2037 29 910 2.45
625. 2038 29.5 910 2.45; 2039 30 910 2.45; 2040 30.5 910 2.45; 2041 31 910 2.45
626. 2042 31.7 910 2.45; 2043 32 910 2.45; 2044 32.3 910 2.45; 2045 33 910 2.45
627. 2046 33.5 910 2.45; 2047 34 910 2.45; 2048 34.5 910 2.45; 2049 35 910 2.45
628. 2050 35.7 910 2.45; 2051 36 910 2.45; 2052 36.3 910 2.45; 2053 36.8 910 2.45
629. 2054 37.3 910 2.45; 2055 -1.3 910 2.8; 2056 -0.8 910 2.8; 2057 -0.3 910 2.8
630. 2058 0 910 2.8; 2059 0.3 910 2.8; 2060 1 910 2.8; 2061 1.5 910 2.8
631. 2062 2 910 2.8; 2063 2.5 910 2.8; 2064 3 910 2.8; 2065 3.7 910 2.8
632. 2066 4 910 2.8; 2067 4.3 910 2.8; 2068 5 910 2.8; 2069 5.5 910 2.8
633. 2070 6 910 2.8; 2071 6.5 910 2.8; 2072 7 910 2.8; 2073 7.7 910 2.8
634. 2074 8 910 2.8; 2075 8.3 910 2.8; 2076 9 910 2.8; 2077 9.5 910 2.8
635. 2078 10 910 2.8; 2079 10.5 910 2.8; 2080 11 910 2.8; 2081 11.7 910 2.8
636. 2082 12 910 2.8; 2083 12.3 910 2.8; 2084 13 910 2.8; 2085 13.5 910 2.8
637. 2086 14 910 2.8; 2087 14.5 910 2.8; 2088 15 910 2.8; 2089 15.7 910 2.8
638. 2090 16 910 2.8; 2091 16.3 910 2.8; 2092 17 910 2.8; 2093 17.5 910 2.8
639. 2094 18 910 2.8; 2095 18.5 910 2.8; 2096 19 910 2.8; 2097 19.7 910 2.8
640. 2098 20 910 2.8; 2099 20.3 910 2.8; 2100 21 910 2.8; 2101 21.5 910 2.8
641. 2102 22 910 2.8; 2103 22.5 910 2.8; 2104 23 910 2.8; 2105 23.7 910 2.8
642. 2106 24 910 2.8; 2107 24.3 910 2.8; 2108 25 910 2.8; 2109 25.5 910 2.8
643. 2110 26 910 2.8; 2111 26.5 910 2.8; 2112 27 910 2.8; 2113 27.7 910 2.8
644. 2114 28 910 2.8; 2115 28.3 910 2.8; 2116 29 910 2.8; 2117 29.5 910 2.8
645. 2118 30 910 2.8; 2119 30.5 910 2.8; 2120 31 910 2.8; 2121 31.7 910 2.8
646. 2122 32 910 2.8; 2123 32.3 910 2.8; 2124 33 910 2.8; 2125 33.5 910 2.8
647. 2126 34 910 2.8; 2127 34.5 910 2.8; 2128 35 910 2.8; 2129 35.7 910 2.8
648. 2130 36 910 2.8; 2131 36.3 910 2.8; 2132 36.8 910 2.8; 2133 37.3 910 2.8
649. 2134 0 910.5 -7.2; 2135 4 910.5 -7.2; 2136 8 910.5 -7.2; 2137 12 910.5 -7.2
650. 2138 16 910.5 -7.2; 2139 20 910.5 -7.2; 2140 24 910.5 -7.2; 2141 28 910.5 -7.2
651. 2142 32 910.5 -7.2; 2143 36 910.5 -7.2; 2144 0 910.5 -6.75; 2145 4 910.5 -6.75
652. 2146 8 910.5 -6.75; 2147 12 910.5 -6.75; 2148 16 910.5 -6.75
653. 2149 20 910.5 -6.75; 2150 24 910.5 -6.75; 2151 28 910.5 -6.75
654. 2152 32 910.5 -6.75; 2153 36 910.5 -6.75; 2154 0 910.5 -6.38636

655. 2155 4 910.5 -6.38636; 2156 8 910.5 -6.38636; 2157 12 910.5 -6.38636
656. 2158 16 910.5 -6.38636; 2159 20 910.5 -6.38636; 2160 24 910.5 -6.38636
657. 2161 28 910.5 -6.38636; 2162 32 910.5 -6.38636; 2163 36 910.5 -6.38636
658. 2164 0 910.5 -6.02273; 2165 4 910.5 -6.02273; 2166 8 910.5 -6.02273
659. 2167 12 910.5 -6.02273; 2168 16 910.5 -6.02273; 2169 20 910.5 -6.02273
660. 2170 24 910.5 -6.02273; 2171 28 910.5 -6.02273; 2172 32 910.5 -6.02273
661. 2173 36 910.5 -6.02273; 2174 0 910.5 -5.65909; 2175 4 910.5 -5.65909
662. 2176 8 910.5 -5.65909; 2177 12 910.5 -5.65909; 2178 16 910.5 -5.65909
663. 2179 20 910.5 -5.65909; 2180 24 910.5 -5.65909; 2181 28 910.5 -5.65909
664. 2182 32 910.5 -5.65909; 2183 36 910.5 -5.65909; 2184 0 910.5 -5.29545
665. 2185 4 910.5 -5.29545; 2186 8 910.5 -5.29545; 2187 12 910.5 -5.29545
666. 2188 16 910.5 -5.29545; 2189 20 910.5 -5.29545; 2190 24 910.5 -5.29545
667. 2191 28 910.5 -5.29545; 2192 32 910.5 -5.29545; 2193 36 910.5 -5.29545
668. 2194 0 910.5 -4.93182; 2195 4 910.5 -4.93182; 2196 8 910.5 -4.93182
669. 2197 12 910.5 -4.93182; 2198 16 910.5 -4.93182; 2199 20 910.5 -4.93182
670. 2200 24 910.5 -4.93182; 2201 28 910.5 -4.93182; 2202 32 910.5 -4.93182
671. 2203 36 910.5 -4.93182; 2204 0 910.5 -4.56818; 2205 4 910.5 -4.56818
672. 2206 8 910.5 -4.56818; 2207 12 910.5 -4.56818; 2208 16 910.5 -4.56818
673. 2209 20 910.5 -4.56818; 2210 24 910.5 -4.56818; 2211 28 910.5 -4.56818
674. 2212 32 910.5 -4.56818; 2213 36 910.5 -4.56818; 2214 0 910.5 -4.20455
675. 2215 4 910.5 -4.20455; 2216 8 910.5 -4.20455; 2217 12 910.5 -4.20455
676. 2218 16 910.5 -4.20455; 2219 20 910.5 -4.20455; 2220 24 910.5 -4.20455
677. 2221 28 910.5 -4.20455; 2222 32 910.5 -4.20455; 2223 36 910.5 -4.20455
678. 2224 0 910.5 -3.84091; 2225 4 910.5 -3.84091; 2226 8 910.5 -3.84091
679. 2227 12 910.5 -3.84091; 2228 16 910.5 -3.84091; 2229 20 910.5 -3.84091
680. 2230 24 910.5 -3.84091; 2231 28 910.5 -3.84091; 2232 32 910.5 -3.84091
681. 2233 36 910.5 -3.84091; 2234 0 910.5 -3.47727; 2235 4 910.5 -3.47727
682. 2236 8 910.5 -3.47727; 2237 12 910.5 -3.47727; 2238 16 910.5 -3.47727
683. 2239 20 910.5 -3.47727; 2240 24 910.5 -3.47727; 2241 28 910.5 -3.47727
684. 2242 32 910.5 -3.47727; 2243 36 910.5 -3.47727; 2244 0 910.5 -3.11364
685. 2245 4 910.5 -3.11364; 2246 8 910.5 -3.11364; 2247 12 910.5 -3.11364
686. 2248 16 910.5 -3.11364; 2249 20 910.5 -3.11364; 2250 24 910.5 -3.11364
687. 2251 28 910.5 -3.11364; 2252 32 910.5 -3.11364; 2253 36 910.5 -3.11364
688. 2254 0 910.5 -2.75; 2255 4 910.5 -2.75; 2256 8 910.5 -2.75
689. 2257 12 910.5 -2.75; 2258 16 910.5 -2.75; 2259 20 910.5 -2.75
690. 2260 24 910.5 -2.75; 2261 28 910.5 -2.75; 2262 32 910.5 -2.75
691. 2263 36 910.5 -2.75; 2264 0 910.5 -2.38636; 2265 4 910.5 -2.38636
692. 2266 8 910.5 -2.38636; 2267 12 910.5 -2.38636; 2268 16 910.5 -2.38636
693. 2269 20 910.5 -2.38636; 2270 24 910.5 -2.38636; 2271 28 910.5 -2.38636
694. 2272 32 910.5 -2.38636; 2273 36 910.5 -2.38636; 2274 0 910.5 -2.02273
695. 2275 4 910.5 -2.02273; 2276 8 910.5 -2.02273; 2277 12 910.5 -2.02273
696. 2278 16 910.5 -2.02273; 2279 20 910.5 -2.02273; 2280 24 910.5 -2.02273
697. 2281 28 910.5 -2.02273; 2282 32 910.5 -2.02273; 2283 36 910.5 -2.02273
698. 2284 0 910.5 -1.65909; 2285 4 910.5 -1.65909; 2286 8 910.5 -1.65909
699. 2287 12 910.5 -1.65909; 2288 16 910.5 -1.65909; 2289 20 910.5 -1.65909
700. 2290 24 910.5 -1.65909; 2291 28 910.5 -1.65909; 2292 32 910.5 -1.65909
701. 2293 36 910.5 -1.65909; 2294 0 910.5 -1.29545; 2295 4 910.5 -1.29545
702. 2296 8 910.5 -1.29545; 2297 12 910.5 -1.29545; 2298 16 910.5 -1.29545
703. 2299 20 910.5 -1.29545; 2300 24 910.5 -1.29545; 2301 28 910.5 -1.29545
704. 2302 32 910.5 -1.29545; 2303 36 910.5 -1.29545; 2304 0 910.5 -0.75
705. 2305 4 910.5 -0.75; 2306 8 910.5 -0.75; 2307 12 910.5 -0.75
706. 2308 16 910.5 -0.75; 2309 20 910.5 -0.75; 2310 24 910.5 -0.75
707. 2311 28 910.5 -0.75; 2312 32 910.5 -0.75; 2313 36 910.5 -0.75
708. 2314 0 910.5 -0.2; 2315 4 910.5 -0.2; 2316 8 910.5 -0.2; 2317 12 910.5 -0.2
709. 2318 16 910.5 -0.2; 2319 20 910.5 -0.2; 2320 24 910.5 -0.2; 2321 28 910.5 -0.2
710. 2322 32 910.5 -0.2; 2323 36 910.5 -0.2; 2324 -1.3 910.5 0; 2325 -0.8 910.5 0

711. 2326 -0.3 910.5 0; 2327 0 910.5 0; 2328 0.3 910.5 0; 2329 1 910.5 0
712. 2330 1.5 910.5 0; 2331 2 910.5 0; 2332 2.5 910.5 0; 2333 3 910.5 0
713. 2334 3.7 910.5 0; 2335 4 910.5 0; 2336 4.3 910.5 0; 2337 5 910.5 0
714. 2338 5.5 910.5 0; 2339 6 910.5 0; 2340 6.5 910.5 0; 2341 7 910.5 0
715. 2342 7.7 910.5 0; 2343 8 910.5 0; 2344 8.3 910.5 0; 2345 9 910.5 0
716. 2346 9.5 910.5 0; 2347 10 910.5 0; 2348 10.5 910.5 0; 2349 11 910.5 0
717. 2350 11.7 910.5 0; 2351 12 910.5 0; 2352 12.3 910.5 0; 2353 13 910.5 0
718. 2354 13.5 910.5 0; 2355 14 910.5 0; 2356 14.5 910.5 0; 2357 15 910.5 0
719. 2358 15.7 910.5 0; 2359 16 910.5 0; 2360 16.3 910.5 0; 2361 17 910.5 0
720. 2362 17.5 910.5 0; 2363 18 910.5 0; 2364 18.5 910.5 0; 2365 19 910.5 0
721. 2366 19.7 910.5 0; 2367 20 910.5 0; 2368 20.3 910.5 0; 2369 21 910.5 0
722. 2370 21.5 910.5 0; 2371 22 910.5 0; 2372 22.5 910.5 0; 2373 23 910.5 0
723. 2374 23.7 910.5 0; 2375 24 910.5 0; 2376 24.3 910.5 0; 2377 25 910.5 0
724. 2378 25.5 910.5 0; 2379 26 910.5 0; 2380 26.5 910.5 0; 2381 27 910.5 0
725. 2382 27.7 910.5 0; 2383 28 910.5 0; 2384 28.3 910.5 0; 2385 29 910.5 0
726. 2386 29.5 910.5 0; 2387 30 910.5 0; 2388 30.5 910.5 0; 2389 31 910.5 0
727. 2390 31.7 910.5 0; 2391 32 910.5 0; 2392 32.3 910.5 0; 2393 33 910.5 0
728. 2394 33.5 910.5 0; 2395 34 910.5 0; 2396 34.5 910.5 0; 2397 35 910.5 0
729. 2398 35.7 910.5 0; 2399 36 910.5 0; 2400 36.3 910.5 0; 2401 36.8 910.5 0
730. 2402 37.3 910.5 0; 2403 0 910.5 0.2; 2404 4 910.5 0.2; 2405 8 910.5 0.2
731. 2406 12 910.5 0.2; 2407 16 910.5 0.2; 2408 20 910.5 0.2; 2409 24 910.5 0.2
732. 2410 28 910.5 0.2; 2411 32 910.5 0.2; 2412 36 910.5 0.2; 2413 0 910.5 0.9
733. 2414 4 910.5 0.9; 2415 8 910.5 0.9; 2416 12 910.5 0.9; 2417 16 910.5 0.9
734. 2418 20 910.5 0.9; 2419 24 910.5 0.9; 2420 28 910.5 0.9; 2421 32 910.5 0.9
735. 2422 36 910.5 0.9; 2423 0 910.5 1.3; 2424 4 910.5 1.3; 2425 8 910.5 1.3
736. 2426 12 910.5 1.3; 2427 16 910.5 1.3; 2428 20 910.5 1.3; 2429 24 910.5 1.3
737. 2430 28 910.5 1.3; 2431 32 910.5 1.3; 2432 36 910.5 1.3; 2433 0 910.5 1.7
738. 2434 4 910.5 1.7; 2435 8 910.5 1.7; 2436 12 910.5 1.7; 2437 16 910.5 1.7
739. 2438 20 910.5 1.7; 2439 24 910.5 1.7; 2440 28 910.5 1.7; 2441 32 910.5 1.7
740. 2442 36 910.5 1.7; 2443 0 910.5 2.1; 2444 4 910.5 2.1; 2445 8 910.5 2.1
741. 2446 12 910.5 2.1; 2447 16 910.5 2.1; 2448 20 910.5 2.1; 2449 24 910.5 2.1
742. 2450 28 910.5 2.1; 2451 32 910.5 2.1; 2452 36 910.5 2.1; 2453 0 910.5 2.45
743. 2454 4 910.5 2.45; 2455 8 910.5 2.45; 2456 12 910.5 2.45; 2457 16 910.5 2.45
744. 2458 20 910.5 2.45; 2459 24 910.5 2.45; 2460 28 910.5 2.45; 2461 32 910.5 2.45
745. 2462 36 910.5 2.45; 2463 0 910.5 2.8; 2464 4 910.5 2.8; 2465 8 910.5 2.8
746. 2466 12 910.5 2.8; 2467 16 910.5 2.8; 2468 20 910.5 2.8; 2469 24 910.5 2.8
747. 2470 28 910.5 2.8; 2471 32 910.5 2.8; 2472 36 910.5 2.8; 2473 0 910.8 -7.2
748. 2474 4 910.8 -7.2; 2475 8 910.8 -7.2; 2476 12 910.8 -7.2; 2477 16 910.8 -7.2
749. 2478 20 910.8 -7.2; 2479 24 910.8 -7.2; 2480 28 910.8 -7.2; 2481 32 910.8 -7.2
750. 2482 36 910.8 -7.2; 2483 0 910.8 -6.75; 2484 4 910.8 -6.75; 2485 8 910.8 -6.75
751. 2486 12 910.8 -6.75; 2487 16 910.8 -6.75; 2488 20 910.8 -6.75
752. 2489 24 910.8 -6.75; 2490 28 910.8 -6.75; 2491 32 910.8 -6.75
753. 2492 36 910.8 -6.75; 2493 0 910.8 -6.38636; 2494 4 910.8 -6.38636
754. 2495 8 910.8 -6.38636; 2496 12 910.8 -6.38636; 2497 16 910.8 -6.38636
755. 2498 20 910.8 -6.38636; 2499 24 910.8 -6.38636; 2500 28 910.8 -6.38636
756. 2501 32 910.8 -6.38636; 2502 36 910.8 -6.38636; 2503 0 910.8 -6.02273
757. 2504 4 910.8 -6.02273; 2505 8 910.8 -6.02273; 2506 12 910.8 -6.02273
758. 2507 16 910.8 -6.02273; 2508 20 910.8 -6.02273; 2509 24 910.8 -6.02273
759. 2510 28 910.8 -6.02273; 2511 32 910.8 -6.02273; 2512 36 910.8 -6.02273
760. 2513 0 910.8 -5.65909; 2514 4 910.8 -5.65909; 2515 8 910.8 -5.65909
761. 2516 12 910.8 -5.65909; 2517 16 910.8 -5.65909; 2518 20 910.8 -5.65909
762. 2519 24 910.8 -5.65909; 2520 28 910.8 -5.65909; 2521 32 910.8 -5.65909
763. 2522 36 910.8 -5.65909; 2523 0 910.8 -5.29545; 2524 4 910.8 -5.29545
764. 2525 8 910.8 -5.29545; 2526 12 910.8 -5.29545; 2527 16 910.8 -5.29545
765. 2528 20 910.8 -5.29545; 2529 24 910.8 -5.29545; 2530 28 910.8 -5.29545
766. 2531 32 910.8 -5.29545; 2532 36 910.8 -5.29545; 2533 0 910.8 -4.93182

STAAD SPACE -- PAGE NO. 15

767. 2534 4 910.8 -4.93182; 2535 8 910.8 -4.93182; 2536 12 910.8 -4.93182
768. 2537 16 910.8 -4.93182; 2538 20 910.8 -4.93182; 2539 24 910.8 -4.93182
769. 2540 28 910.8 -4.93182; 2541 32 910.8 -4.93182; 2542 36 910.8 -4.93182
770. 2543 0 910.8 -4.56818; 2544 4 910.8 -4.56818; 2545 8 910.8 -4.56818
771. 2546 12 910.8 -4.56818; 2547 16 910.8 -4.56818; 2548 20 910.8 -4.56818
772. 2549 24 910.8 -4.56818; 2550 28 910.8 -4.56818; 2551 32 910.8 -4.56818
773. 2552 36 910.8 -4.56818; 2553 0 910.8 -4.20455; 2554 4 910.8 -4.20455
774. 2555 8 910.8 -4.20455; 2556 12 910.8 -4.20455; 2557 16 910.8 -4.20455
775. 2558 20 910.8 -4.20455; 2559 24 910.8 -4.20455; 2560 28 910.8 -4.20455
776. 2561 32 910.8 -4.20455; 2562 36 910.8 -4.20455; 2563 0 910.8 -3.84091
777. 2564 4 910.8 -3.84091; 2565 8 910.8 -3.84091; 2566 12 910.8 -3.84091
778. 2567 16 910.8 -3.84091; 2568 20 910.8 -3.84091; 2569 24 910.8 -3.84091
779. 2570 28 910.8 -3.84091; 2571 32 910.8 -3.84091; 2572 36 910.8 -3.84091
780. 2573 0 910.8 -3.47727; 2574 4 910.8 -3.47727; 2575 8 910.8 -3.47727
781. 2576 12 910.8 -3.47727; 2577 16 910.8 -3.47727; 2578 20 910.8 -3.47727
782. 2579 24 910.8 -3.47727; 2580 28 910.8 -3.47727; 2581 32 910.8 -3.47727
783. 2582 36 910.8 -3.47727; 2583 0 910.8 -3.11364; 2584 4 910.8 -3.11364
784. 2585 8 910.8 -3.11364; 2586 12 910.8 -3.11364; 2587 16 910.8 -3.11364
785. 2588 20 910.8 -3.11364; 2589 24 910.8 -3.11364; 2590 28 910.8 -3.11364
786. 2591 32 910.8 -3.11364; 2592 36 910.8 -3.11364; 2593 0 910.8 -2.75
787. 2594 4 910.8 -2.75; 2595 8 910.8 -2.75; 2596 12 910.8 -2.75
788. 2597 16 910.8 -2.75; 2598 20 910.8 -2.75; 2599 24 910.8 -2.75
789. 2600 28 910.8 -2.75; 2601 32 910.8 -2.75; 2602 36 910.8 -2.75
790. 2603 0 910.8 -2.38636; 2604 4 910.8 -2.38636; 2605 8 910.8 -2.38636
791. 2606 12 910.8 -2.38636; 2607 16 910.8 -2.38636; 2608 20 910.8 -2.38636
792. 2609 24 910.8 -2.38636; 2610 28 910.8 -2.38636; 2611 32 910.8 -2.38636
793. 2612 36 910.8 -2.38636; 2613 0 910.8 -2.02273; 2614 4 910.8 -2.02273
794. 2615 8 910.8 -2.02273; 2616 12 910.8 -2.02273; 2617 16 910.8 -2.02273
795. 2618 20 910.8 -2.02273; 2619 24 910.8 -2.02273; 2620 28 910.8 -2.02273
796. 2621 32 910.8 -2.02273; 2622 36 910.8 -2.02273; 2623 0 910.8 -1.65909
797. 2624 4 910.8 -1.65909; 2625 8 910.8 -1.65909; 2626 12 910.8 -1.65909
798. 2627 16 910.8 -1.65909; 2628 20 910.8 -1.65909; 2629 24 910.8 -1.65909
799. 2630 28 910.8 -1.65909; 2631 32 910.8 -1.65909; 2632 36 910.8 -1.65909
800. 2633 0 910.8 -1.29545; 2634 4 910.8 -1.29545; 2635 8 910.8 -1.29545
801. 2636 12 910.8 -1.29545; 2637 16 910.8 -1.29545; 2638 20 910.8 -1.29545
802. 2639 24 910.8 -1.29545; 2640 28 910.8 -1.29545; 2641 32 910.8 -1.29545
803. 2642 36 910.8 -1.29545; 2643 0 910.8 -0.75; 2644 4 910.8 -0.75
804. 2645 8 910.8 -0.75; 2646 12 910.8 -0.75; 2647 16 910.8 -0.75
805. 2648 20 910.8 -0.75; 2649 24 910.8 -0.75; 2650 28 910.8 -0.75
806. 2651 32 910.8 -0.75; 2652 36 910.8 -0.75; 2653 0 910.8 -0.2; 2654 4 910.8 -0.2
807. 2655 8 910.8 -0.2; 2656 12 910.8 -0.2; 2657 16 910.8 -0.2; 2658 20 910.8 -0.2
808. 2659 24 910.8 -0.2; 2660 28 910.8 -0.2; 2661 32 910.8 -0.2; 2662 36 910.8 -0.2
809. 2663 -1.3 910.8 0; 2664 -0.8 910.8 0; 2665 -0.3 910.8 0; 2666 0 910.8 0
810. 2667 0.3 910.8 0; 2668 1 910.8 0; 2669 1.5 910.8 0; 2670 2 910.8 0
811. 2671 2.5 910.8 0; 2672 3 910.8 0; 2673 3.7 910.8 0; 2674 4 910.8 0
812. 2675 4.3 910.8 0; 2676 5 910.8 0; 2677 5.5 910.8 0; 2678 6 910.8 0
813. 2679 6.5 910.8 0; 2680 7 910.8 0; 2681 7.7 910.8 0; 2682 8 910.8 0
814. 2683 8.3 910.8 0; 2684 9 910.8 0; 2685 9.5 910.8 0; 2686 10 910.8 0
815. 2687 10.5 910.8 0; 2688 11 910.8 0; 2689 11.7 910.8 0; 2690 12 910.8 0
816. 2691 12.3 910.8 0; 2692 13 910.8 0; 2693 13.5 910.8 0; 2694 14 910.8 0
817. 2695 14.5 910.8 0; 2696 15 910.8 0; 2697 15.7 910.8 0; 2698 16 910.8 0
818. 2699 16.3 910.8 0; 2700 17 910.8 0; 2701 17.5 910.8 0; 2702 18 910.8 0
819. 2703 18.5 910.8 0; 2704 19 910.8 0; 2705 19.7 910.8 0; 2706 20 910.8 0
820. 2707 20.3 910.8 0; 2708 21 910.8 0; 2709 21.5 910.8 0; 2710 22 910.8 0
821. 2711 22.5 910.8 0; 2712 23 910.8 0; 2713 23.7 910.8 0; 2714 24 910.8 0
822. 2715 24.3 910.8 0; 2716 25 910.8 0; 2717 25.5 910.8 0; 2718 26 910.8 0

STAAD SPACE -- PAGE NO. 16

823. 2719 26.5 910.8 0; 2720 27 910.8 0; 2721 27.7 910.8 0; 2722 28 910.8 0
824. 2723 28.3 910.8 0; 2724 29 910.8 0; 2725 29.5 910.8 0; 2726 30 910.8 0
825. 2727 30.5 910.8 0; 2728 31 910.8 0; 2729 31.7 910.8 0; 2730 32 910.8 0
826. 2731 32.3 910.8 0; 2732 33 910.8 0; 2733 33.5 910.8 0; 2734 34 910.8 0
827. 2735 34.5 910.8 0; 2736 35 910.8 0; 2737 35.7 910.8 0; 2738 36 910.8 0
828. 2739 36.3 910.8 0; 2740 36.8 910.8 0; 2741 37.3 910.8 0; 2742 0 910.8 0.2
829. 2743 4 910.8 0.2; 2744 8 910.8 0.2; 2745 12 910.8 0.2; 2746 16 910.8 0.2
830. 2747 20 910.8 0.2; 2748 24 910.8 0.2; 2749 28 910.8 0.2; 2750 32 910.8 0.2
831. 2751 36 910.8 0.2; 2752 0 910.8 0.9; 2753 4 910.8 0.9; 2754 8 910.8 0.9
832. 2755 12 910.8 0.9; 2756 16 910.8 0.9; 2757 20 910.8 0.9; 2758 24 910.8 0.9
833. 2759 28 910.8 0.9; 2760 32 910.8 0.9; 2761 36 910.8 0.9; 2762 0 910.8 1.3
834. 2763 4 910.8 1.3; 2764 8 910.8 1.3; 2765 12 910.8 1.3; 2766 16 910.8 1.3
835. 2767 20 910.8 1.3; 2768 24 910.8 1.3; 2769 28 910.8 1.3; 2770 32 910.8 1.3
836. 2771 36 910.8 1.3; 2772 0 910.8 1.7; 2773 4 910.8 1.7; 2774 8 910.8 1.7
837. 2775 12 910.8 1.7; 2776 16 910.8 1.7; 2777 20 910.8 1.7; 2778 24 910.8 1.7
838. 2779 28 910.8 1.7; 2780 32 910.8 1.7; 2781 36 910.8 1.7; 2782 0 910.8 2.1
839. 2783 4 910.8 2.1; 2784 8 910.8 2.1; 2785 12 910.8 2.1; 2786 16 910.8 2.1
840. 2787 20 910.8 2.1; 2788 24 910.8 2.1; 2789 28 910.8 2.1; 2790 32 910.8 2.1
841. 2791 36 910.8 2.1; 2792 0 910.8 2.45; 2793 4 910.8 2.45; 2794 8 910.8 2.45
842. 2795 12 910.8 2.45; 2796 16 910.8 2.45; 2797 20 910.8 2.45; 2798 24 910.8 2.45
843. 2799 28 910.8 2.45; 2800 32 910.8 2.45; 2801 36 910.8 2.45; 2802 0 911.15 -7.2
844. 2803 4 911.15 -7.2; 2804 8 911.15 -7.2; 2805 12 911.15 -7.2
845. 2806 16 911.15 -7.2; 2807 20 911.15 -7.2; 2808 24 911.15 -7.2
846. 2809 28 911.15 -7.2; 2810 32 911.15 -7.2; 2811 36 911.15 -7.2
847. 2812 0 911.15 -6.75; 2813 4 911.15 -6.75; 2814 8 911.15 -6.75
848. 2815 12 911.15 -6.75; 2816 16 911.15 -6.75; 2817 20 911.15 -6.75
849. 2818 24 911.15 -6.75; 2819 28 911.15 -6.75; 2820 32 911.15 -6.75
850. 2821 36 911.15 -6.75; 2822 0 911.15 -6.38636; 2823 4 911.15 -6.38636
851. 2824 8 911.15 -6.38636; 2825 12 911.15 -6.38636; 2826 16 911.15 -6.38636
852. 2827 20 911.15 -6.38636; 2828 24 911.15 -6.38636; 2829 28 911.15 -6.38636
853. 2830 32 911.15 -6.38636; 2831 36 911.15 -6.38636; 2832 0 911.15 -6.02273
854. 2833 4 911.15 -6.02273; 2834 8 911.15 -6.02273; 2835 12 911.15 -6.02273
855. 2836 16 911.15 -6.02273; 2837 20 911.15 -6.02273; 2838 24 911.15 -6.02273
856. 2839 28 911.15 -6.02273; 2840 32 911.15 -6.02273; 2841 36 911.15 -6.02273
857. 2842 0 911.15 -5.65909; 2843 4 911.15 -5.65909; 2844 8 911.15 -5.65909
858. 2845 12 911.15 -5.65909; 2846 16 911.15 -5.65909; 2847 20 911.15 -5.65909
859. 2848 24 911.15 -5.65909; 2849 28 911.15 -5.65909; 2850 32 911.15 -5.65909
860. 2851 36 911.15 -5.65909; 2852 0 911.15 -5.29545; 2853 4 911.15 -5.29545
861. 2854 8 911.15 -5.29545; 2855 12 911.15 -5.29545; 2856 16 911.15 -5.29545
862. 2857 20 911.15 -5.29545; 2858 24 911.15 -5.29545; 2859 28 911.15 -5.29545
863. 2860 32 911.15 -5.29545; 2861 36 911.15 -5.29545; 2862 0 911.15 -4.93182
864. 2863 4 911.15 -4.93182; 2864 8 911.15 -4.93182; 2865 12 911.15 -4.93182
865. 2866 16 911.15 -4.93182; 2867 20 911.15 -4.93182; 2868 24 911.15 -4.93182
866. 2869 28 911.15 -4.93182; 2870 32 911.15 -4.93182; 2871 36 911.15 -4.93182
867. 2872 0 911.15 -4.56818; 2873 4 911.15 -4.56818; 2874 8 911.15 -4.56818
868. 2875 12 911.15 -4.56818; 2876 16 911.15 -4.56818; 2877 20 911.15 -4.56818
869. 2878 24 911.15 -4.56818; 2879 28 911.15 -4.56818; 2880 32 911.15 -4.56818
870. 2881 36 911.15 -4.56818; 2882 0 911.15 -4.20455; 2883 4 911.15 -4.20455
871. 2884 8 911.15 -4.20455; 2885 12 911.15 -4.20455; 2886 16 911.15 -4.20455
872. 2887 20 911.15 -4.20455; 2888 24 911.15 -4.20455; 2889 28 911.15 -4.20455
873. 2890 32 911.15 -4.20455; 2891 36 911.15 -4.20455; 2892 0 911.15 -3.84091
874. 2893 4 911.15 -3.84091; 2894 8 911.15 -3.84091; 2895 12 911.15 -3.84091
875. 2896 16 911.15 -3.84091; 2897 20 911.15 -3.84091; 2898 24 911.15 -3.84091
876. 2899 28 911.15 -3.84091; 2900 32 911.15 -3.84091; 2901 36 911.15 -3.84091
877. 2902 0 911.15 -3.47727; 2903 4 911.15 -3.47727; 2904 8 911.15 -3.47727
878. 2905 12 911.15 -3.47727; 2906 16 911.15 -3.47727; 2907 20 911.15 -3.47727

879. 2908 24 911.15 -3.47727; 2909 28 911.15 -3.47727; 2910 32 911.15 -3.47727
880. 2911 36 911.15 -3.47727; 2912 0 911.15 -3.11364; 2913 4 911.15 -3.11364
881. 2914 8 911.15 -3.11364; 2915 12 911.15 -3.11364; 2916 16 911.15 -3.11364
882. 2917 20 911.15 -3.11364; 2918 24 911.15 -3.11364; 2919 28 911.15 -3.11364
883. 2920 32 911.15 -3.11364; 2921 36 911.15 -3.11364; 2922 0 911.15 -2.75
884. 2923 4 911.15 -2.75; 2924 8 911.15 -2.75; 2925 12 911.15 -2.75
885. 2926 16 911.15 -2.75; 2927 20 911.15 -2.75; 2928 24 911.15 -2.75
886. 2929 28 911.15 -2.75; 2930 32 911.15 -2.75; 2931 36 911.15 -2.75
887. 2932 0 911.15 -2.38636; 2933 4 911.15 -2.38636; 2934 8 911.15 -2.38636
888. 2935 12 911.15 -2.38636; 2936 16 911.15 -2.38636; 2937 20 911.15 -2.38636
889. 2938 24 911.15 -2.38636; 2939 28 911.15 -2.38636; 2940 32 911.15 -2.38636
890. 2941 36 911.15 -2.38636; 2942 0 911.15 -2.02273; 2943 4 911.15 -2.02273
891. 2944 8 911.15 -2.02273; 2945 12 911.15 -2.02273; 2946 16 911.15 -2.02273
892. 2947 20 911.15 -2.02273; 2948 24 911.15 -2.02273; 2949 28 911.15 -2.02273
893. 2950 32 911.15 -2.02273; 2951 36 911.15 -2.02273; 2952 0 911.15 -1.65909
894. 2953 4 911.15 -1.65909; 2954 8 911.15 -1.65909; 2955 12 911.15 -1.65909
895. 2956 16 911.15 -1.65909; 2957 20 911.15 -1.65909; 2958 24 911.15 -1.65909
896. 2959 28 911.15 -1.65909; 2960 32 911.15 -1.65909; 2961 36 911.15 -1.65909
897. 2962 0 911.15 -1.29545; 2963 4 911.15 -1.29545; 2964 8 911.15 -1.29545
898. 2965 12 911.15 -1.29545; 2966 16 911.15 -1.29545; 2967 20 911.15 -1.29545
899. 2968 24 911.15 -1.29545; 2969 28 911.15 -1.29545; 2970 32 911.15 -1.29545
900. 2971 36 911.15 -1.29545; 2972 0 911.15 -0.75; 2973 4 911.15 -0.75
901. 2974 8 911.15 -0.75; 2975 12 911.15 -0.75; 2976 16 911.15 -0.75
902. 2977 20 911.15 -0.75; 2978 24 911.15 -0.75; 2979 28 911.15 -0.75
903. 2980 32 911.15 -0.75; 2981 36 911.15 -0.75; 2982 0 911.15 -0.2
904. 2983 4 911.15 -0.2; 2984 8 911.15 -0.2; 2985 12 911.15 -0.2
905. 2986 16 911.15 -0.2; 2987 20 911.15 -0.2; 2988 24 911.15 -0.2
906. 2989 28 911.15 -0.2; 2990 32 911.15 -0.2; 2991 36 911.15 -0.2
907. 2992 -1.3 911.15 0; 2993 -0.8 911.15 0; 2994 -0.3 911.15 0; 2995 0 911.15 0
908. 2996 0.3 911.15 0; 2997 1 911.15 0; 2998 1.5 911.15 0; 2999 2 911.15 0
909. 3000 2.5 911.15 0; 3001 3 911.15 0; 3002 3.7 911.15 0; 3003 4 911.15 0
910. 3004 4.3 911.15 0; 3005 5 911.15 0; 3006 5.5 911.15 0; 3007 6 911.15 0
911. 3008 6.5 911.15 0; 3009 7 911.15 0; 3010 7.7 911.15 0; 3011 8 911.15 0
912. 3012 8.3 911.15 0; 3013 9 911.15 0; 3014 9.5 911.15 0; 3015 10 911.15 0
913. 3016 10.5 911.15 0; 3017 11 911.15 0; 3018 11.7 911.15 0; 3019 12 911.15 0
914. 3020 12.3 911.15 0; 3021 13 911.15 0; 3022 13.5 911.15 0; 3023 14 911.15 0
915. 3024 14.5 911.15 0; 3025 15 911.15 0; 3026 15.7 911.15 0; 3027 16 911.15 0
916. 3028 16.3 911.15 0; 3029 17 911.15 0; 3030 17.5 911.15 0; 3031 18 911.15 0
917. 3032 18.5 911.15 0; 3033 19 911.15 0; 3034 19.7 911.15 0; 3035 20 911.15 0
918. 3036 20.3 911.15 0; 3037 21 911.15 0; 3038 21.5 911.15 0; 3039 22 911.15 0
919. 3040 22.5 911.15 0; 3041 23 911.15 0; 3042 23.7 911.15 0; 3043 24 911.15 0
920. 3044 24.3 911.15 0; 3045 25 911.15 0; 3046 25.5 911.15 0; 3047 26 911.15 0
921. 3048 26.5 911.15 0; 3049 27 911.15 0; 3050 27.7 911.15 0; 3051 28 911.15 0
922. 3052 28.3 911.15 0; 3053 29 911.15 0; 3054 29.5 911.15 0; 3055 30 911.15 0
923. 3056 30.5 911.15 0; 3057 31 911.15 0; 3058 31.7 911.15 0; 3059 32 911.15 0
924. 3060 32.3 911.15 0; 3061 33 911.15 0; 3062 33.5 911.15 0; 3063 34 911.15 0
925. 3064 34.5 911.15 0; 3065 35 911.15 0; 3066 35.7 911.15 0; 3067 36 911.15 0
926. 3068 36.3 911.15 0; 3069 36.8 911.15 0; 3070 37.3 911.15 0; 3071 0 911.15 0.2
927. 3072 4 911.15 0.2; 3073 8 911.15 0.2; 3074 12 911.15 0.2; 3075 16 911.15 0.2
928. 3076 20 911.15 0.2; 3077 24 911.15 0.2; 3078 28 911.15 0.2; 3079 32 911.15 0.2
929. 3080 36 911.15 0.2; 3081 0 911.15 0.9; 3082 4 911.15 0.9; 3083 8 911.15 0.9
930. 3084 12 911.15 0.9; 3085 16 911.15 0.9; 3086 20 911.15 0.9; 3087 24 911.15 0.9
931. 3088 28 911.15 0.9; 3089 32 911.15 0.9; 3090 36 911.15 0.9; 3091 0 911.15 1.3
932. 3092 4 911.15 1.3; 3093 8 911.15 1.3; 3094 12 911.15 1.3; 3095 16 911.15 1.3
933. 3096 20 911.15 1.3; 3097 24 911.15 1.3; 3098 28 911.15 1.3; 3099 32 911.15 1.3
934. 3100 36 911.15 1.3; 3101 0 911.15 1.7; 3102 4 911.15 1.7; 3103 8 911.15 1.7

935. 3104 12 911.15 1.7; 3105 16 911.15 1.7; 3106 20 911.15 1.7; 3107 24 911.15 1.7
936. 3108 28 911.15 1.7; 3109 32 911.15 1.7; 3110 36 911.15 1.7; 3111 0 911.15 2.1
937. 3112 4 911.15 2.1; 3113 8 911.15 2.1; 3114 12 911.15 2.1; 3115 16 911.15 2.1
938. 3116 20 911.15 2.1; 3117 24 911.15 2.1; 3118 28 911.15 2.1; 3119 32 911.15 2.1
939. 3120 36 911.15 2.1; 3121 0 911.5 -6.75; 3122 4 911.5 -6.75; 3123 8 911.5 -6.75
940. 3124 12 911.5 -6.75; 3125 16 911.5 -6.75; 3126 20 911.5 -6.75
941. 3127 24 911.5 -6.75; 3128 28 911.5 -6.75; 3129 32 911.5 -6.75
942. 3130 36 911.5 -6.75; 3131 0 911.5 -6.38636; 3132 4 911.5 -6.38636
943. 3133 8 911.5 -6.38636; 3134 12 911.5 -6.38636; 3135 16 911.5 -6.38636
944. 3136 20 911.5 -6.38636; 3137 24 911.5 -6.38636; 3138 28 911.5 -6.38636
945. 3139 32 911.5 -6.38636; 3140 36 911.5 -6.38636; 3141 0 911.5 -6.02273
946. 3142 4 911.5 -6.02273; 3143 8 911.5 -6.02273; 3144 12 911.5 -6.02273
947. 3145 16 911.5 -6.02273; 3146 20 911.5 -6.02273; 3147 24 911.5 -6.02273
948. 3148 28 911.5 -6.02273; 3149 32 911.5 -6.02273; 3150 36 911.5 -6.02273
949. 3151 0 911.5 -5.65909; 3152 4 911.5 -5.65909; 3153 8 911.5 -5.65909
950. 3154 12 911.5 -5.65909; 3155 16 911.5 -5.65909; 3156 20 911.5 -5.65909
951. 3157 24 911.5 -5.65909; 3158 28 911.5 -5.65909; 3159 32 911.5 -5.65909
952. 3160 36 911.5 -5.65909; 3161 0 911.5 -5.29545; 3162 4 911.5 -5.29545
953. 3163 8 911.5 -5.29545; 3164 12 911.5 -5.29545; 3165 16 911.5 -5.29545
954. 3166 20 911.5 -5.29545; 3167 24 911.5 -5.29545; 3168 28 911.5 -5.29545
955. 3169 32 911.5 -5.29545; 3170 36 911.5 -5.29545; 3171 0 911.5 -4.93182
956. 3172 4 911.5 -4.93182; 3173 8 911.5 -4.93182; 3174 12 911.5 -4.93182
957. 3175 16 911.5 -4.93182; 3176 20 911.5 -4.93182; 3177 24 911.5 -4.93182
958. 3178 28 911.5 -4.93182; 3179 32 911.5 -4.93182; 3180 36 911.5 -4.93182
959. 3181 0 911.5 -4.56818; 3182 4 911.5 -4.56818; 3183 8 911.5 -4.56818
960. 3184 12 911.5 -4.56818; 3185 16 911.5 -4.56818; 3186 20 911.5 -4.56818
961. 3187 24 911.5 -4.56818; 3188 28 911.5 -4.56818; 3189 32 911.5 -4.56818
962. 3190 36 911.5 -4.56818; 3191 0 911.5 -4.20455; 3192 4 911.5 -4.20455
963. 3193 8 911.5 -4.20455; 3194 12 911.5 -4.20455; 3195 16 911.5 -4.20455
964. 3196 20 911.5 -4.20455; 3197 24 911.5 -4.20455; 3198 28 911.5 -4.20455
965. 3199 32 911.5 -4.20455; 3200 36 911.5 -4.20455; 3201 0 911.5 -3.84091
966. 3202 4 911.5 -3.84091; 3203 8 911.5 -3.84091; 3204 12 911.5 -3.84091
967. 3205 16 911.5 -3.84091; 3206 20 911.5 -3.84091; 3207 24 911.5 -3.84091
968. 3208 28 911.5 -3.84091; 3209 32 911.5 -3.84091; 3210 36 911.5 -3.84091
969. 3211 0 911.5 -3.47727; 3212 4 911.5 -3.47727; 3213 8 911.5 -3.47727
970. 3214 12 911.5 -3.47727; 3215 16 911.5 -3.47727; 3216 20 911.5 -3.47727
971. 3217 24 911.5 -3.47727; 3218 28 911.5 -3.47727; 3219 32 911.5 -3.47727
972. 3220 36 911.5 -3.47727; 3221 0 911.5 -3.11364; 3222 4 911.5 -3.11364
973. 3223 8 911.5 -3.11364; 3224 12 911.5 -3.11364; 3225 16 911.5 -3.11364
974. 3226 20 911.5 -3.11364; 3227 24 911.5 -3.11364; 3228 28 911.5 -3.11364
975. 3229 32 911.5 -3.11364; 3230 36 911.5 -3.11364; 3231 0 911.5 -2.75
976. 3232 4 911.5 -2.75; 3233 8 911.5 -2.75; 3234 12 911.5 -2.75
977. 3235 16 911.5 -2.75; 3236 20 911.5 -2.75; 3237 24 911.5 -2.75
978. 3238 28 911.5 -2.75; 3239 32 911.5 -2.75; 3240 36 911.5 -2.75
979. 3241 0 911.5 -2.38636; 3242 4 911.5 -2.38636; 3243 8 911.5 -2.38636
980. 3244 12 911.5 -2.38636; 3245 16 911.5 -2.38636; 3246 20 911.5 -2.38636
981. 3247 24 911.5 -2.38636; 3248 28 911.5 -2.38636; 3249 32 911.5 -2.38636
982. 3250 36 911.5 -2.38636; 3251 0 911.5 -2.02273; 3252 4 911.5 -2.02273
983. 3253 8 911.5 -2.02273; 3254 12 911.5 -2.02273; 3255 16 911.5 -2.02273
984. 3256 20 911.5 -2.02273; 3257 24 911.5 -2.02273; 3258 28 911.5 -2.02273
985. 3259 32 911.5 -2.02273; 3260 36 911.5 -2.02273; 3261 0 911.5 -1.65909
986. 3262 4 911.5 -1.65909; 3263 8 911.5 -1.65909; 3264 12 911.5 -1.65909
987. 3265 16 911.5 -1.65909; 3266 20 911.5 -1.65909; 3267 24 911.5 -1.65909
988. 3268 28 911.5 -1.65909; 3269 32 911.5 -1.65909; 3270 36 911.5 -1.65909
989. 3271 0 911.5 -1.29545; 3272 4 911.5 -1.29545; 3273 8 911.5 -1.29545
990. 3274 12 911.5 -1.29545; 3275 16 911.5 -1.29545; 3276 20 911.5 -1.29545

991. 3277 24 911.5 -1.29545; 3278 28 911.5 -1.29545; 3279 32 911.5 -1.29545
992. 3280 36 911.5 -1.29545; 3281 0 911.5 -0.75; 3282 4 911.5 -0.75
993. 3283 8 911.5 -0.75; 3284 12 911.5 -0.75; 3285 16 911.5 -0.75
994. 3286 20 911.5 -0.75; 3287 24 911.5 -0.75; 3288 28 911.5 -0.75
995. 3289 32 911.5 -0.75; 3290 36 911.5 -0.75; 3291 0 911.5 -0.2; 3292 4 911.5 -0.2
996. 3293 8 911.5 -0.2; 3294 12 911.5 -0.2; 3295 16 911.5 -0.2; 3296 20 911.5 -0.2
997. 3297 24 911.5 -0.2; 3298 28 911.5 -0.2; 3299 32 911.5 -0.2; 3300 36 911.5 -0.2
998. 3301 -1.3 911.5 0; 3302 -0.8 911.5 0; 3303 -0.3 911.5 0; 3304 0 911.5 0
999. 3305 0.3 911.5 0; 3306 1 911.5 0; 3307 1.5 911.5 0; 3308 2 911.5 0
1000. 3309 2.5 911.5 0; 3310 3 911.5 0; 3311 3.7 911.5 0; 3312 4 911.5 0
1001. 3313 4.3 911.5 0; 3314 5 911.5 0; 3315 5.5 911.5 0; 3316 6 911.5 0
1002. 3317 6.5 911.5 0; 3318 7 911.5 0; 3319 7.7 911.5 0; 3320 8 911.5 0
1003. 3321 8.3 911.5 0; 3322 9 911.5 0; 3323 9.5 911.5 0; 3324 10 911.5 0
1004. 3325 10.5 911.5 0; 3326 11 911.5 0; 3327 11.7 911.5 0; 3328 12 911.5 0
1005. 3329 12.3 911.5 0; 3330 13 911.5 0; 3331 13.5 911.5 0; 3332 14 911.5 0
1006. 3333 14.5 911.5 0; 3334 15 911.5 0; 3335 15.7 911.5 0; 3336 16 911.5 0
1007. 3337 16.3 911.5 0; 3338 17 911.5 0; 3339 17.5 911.5 0; 3340 18 911.5 0
1008. 3341 18.5 911.5 0; 3342 19 911.5 0; 3343 19.7 911.5 0; 3344 20 911.5 0
1009. 3345 20.3 911.5 0; 3346 21 911.5 0; 3347 21.5 911.5 0; 3348 22 911.5 0
1010. 3349 22.5 911.5 0; 3350 23 911.5 0; 3351 23.7 911.5 0; 3352 24 911.5 0
1011. 3353 24.3 911.5 0; 3354 25 911.5 0; 3355 25.5 911.5 0; 3356 26 911.5 0
1012. 3357 26.5 911.5 0; 3358 27 911.5 0; 3359 27.7 911.5 0; 3360 28 911.5 0
1013. 3361 28.3 911.5 0; 3362 29 911.5 0; 3363 29.5 911.5 0; 3364 30 911.5 0
1014. 3365 30.5 911.5 0; 3366 31 911.5 0; 3367 31.7 911.5 0; 3368 32 911.5 0
1015. 3369 32.3 911.5 0; 3370 33 911.5 0; 3371 33.5 911.5 0; 3372 34 911.5 0
1016. 3373 34.5 911.5 0; 3374 35 911.5 0; 3375 35.7 911.5 0; 3376 36 911.5 0
1017. 3377 36.3 911.5 0; 3378 36.8 911.5 0; 3379 37.3 911.5 0; 3380 0 911.5 0.2
1018. 3381 4 911.5 0.2; 3382 8 911.5 0.2; 3383 12 911.5 0.2; 3384 16 911.5 0.2
1019. 3385 20 911.5 0.2; 3386 24 911.5 0.2; 3387 28 911.5 0.2; 3388 32 911.5 0.2
1020. 3389 36 911.5 0.2; 3390 0 911.5 0.9; 3391 4 911.5 0.9; 3392 8 911.5 0.9
1021. 3393 12 911.5 0.9; 3394 16 911.5 0.9; 3395 20 911.5 0.9; 3396 24 911.5 0.9
1022. 3397 28 911.5 0.9; 3398 32 911.5 0.9; 3399 36 911.5 0.9; 3400 0 911.5 1.3
1023. 3401 4 911.5 1.3; 3402 8 911.5 1.3; 3403 12 911.5 1.3; 3404 16 911.5 1.3
1024. 3405 20 911.5 1.3; 3406 24 911.5 1.3; 3407 28 911.5 1.3; 3408 32 911.5 1.3
1025. 3409 36 911.5 1.3; 3410 0 911.5 1.7; 3411 4 911.5 1.7; 3412 8 911.5 1.7
1026. 3413 12 911.5 1.7; 3414 16 911.5 1.7; 3415 20 911.5 1.7; 3416 24 911.5 1.7
1027. 3417 28 911.5 1.7; 3418 32 911.5 1.7; 3419 36 911.5 1.7; 3420 0 912 -6.56818
1028. 3421 4 912 -6.56818; 3422 8 912 -6.56818; 3423 12 912 -6.56818
1029. 3424 16 912 -6.56818; 3425 20 912 -6.56818; 3426 24 912 -6.56818
1030. 3427 28 912 -6.56818; 3428 32 912 -6.56818; 3429 36 912 -6.56818
1031. 3430 0 912 -6.38636; 3431 4 912 -6.38636; 3432 8 912 -6.38636
1032. 3433 12 912 -6.38636; 3434 16 912 -6.38636; 3435 20 912 -6.38636
1033. 3436 24 912 -6.38636; 3437 28 912 -6.38636; 3438 32 912 -6.38636
1034. 3439 36 912 -6.38636; 3440 0 912 -6.02273; 3441 4 912 -6.02273
1035. 3442 8 912 -6.02273; 3443 12 912 -6.02273; 3444 16 912 -6.02273
1036. 3445 20 912 -6.02273; 3446 24 912 -6.02273; 3447 28 912 -6.02273
1037. 3448 32 912 -6.02273; 3449 36 912 -6.02273; 3450 0 912 -5.65909
1038. 3451 4 912 -5.65909; 3452 8 912 -5.65909; 3453 12 912 -5.65909
1039. 3454 16 912 -5.65909; 3455 20 912 -5.65909; 3456 24 912 -5.65909
1040. 3457 28 912 -5.65909; 3458 32 912 -5.65909; 3459 36 912 -5.65909
1041. 3460 0 912 -5.29545; 3461 4 912 -5.29545; 3462 8 912 -5.29545
1042. 3463 12 912 -5.29545; 3464 16 912 -5.29545; 3465 20 912 -5.29545
1043. 3466 24 912 -5.29545; 3467 28 912 -5.29545; 3468 32 912 -5.29545
1044. 3469 36 912 -5.29545; 3470 0 912 -4.93182; 3471 4 912 -4.93182
1045. 3472 8 912 -4.93182; 3473 12 912 -4.93182; 3474 16 912 -4.93182
1046. 3475 20 912 -4.93182; 3476 24 912 -4.93182; 3477 28 912 -4.93182

1047. 3478 32 912 -4.93182; 3479 36 912 -4.93182; 3480 0 912 -4.56818
1048. 3481 4 912 -4.56818; 3482 8 912 -4.56818; 3483 12 912 -4.56818
1049. 3484 16 912 -4.56818; 3485 20 912 -4.56818; 3486 24 912 -4.56818
1050. 3487 28 912 -4.56818; 3488 32 912 -4.56818; 3489 36 912 -4.56818
1051. 3490 0 912 -4.20455; 3491 4 912 -4.20455; 3492 8 912 -4.20455
1052. 3493 12 912 -4.20455; 3494 16 912 -4.20455; 3495 20 912 -4.20455
1053. 3496 24 912 -4.20455; 3497 28 912 -4.20455; 3498 32 912 -4.20455
1054. 3499 36 912 -4.20455; 3500 0 912 -3.84091; 3501 4 912 -3.84091
1055. 3502 8 912 -3.84091; 3503 12 912 -3.84091; 3504 16 912 -3.84091
1056. 3505 20 912 -3.84091; 3506 24 912 -3.84091; 3507 28 912 -3.84091
1057. 3508 32 912 -3.84091; 3509 36 912 -3.84091; 3510 0 912 -3.47727
1058. 3511 4 912 -3.47727; 3512 8 912 -3.47727; 3513 12 912 -3.47727
1059. 3514 16 912 -3.47727; 3515 20 912 -3.47727; 3516 24 912 -3.47727
1060. 3517 28 912 -3.47727; 3518 32 912 -3.47727; 3519 36 912 -3.47727
1061. 3520 0 912 -3.11364; 3521 4 912 -3.11364; 3522 8 912 -3.11364
1062. 3523 12 912 -3.11364; 3524 16 912 -3.11364; 3525 20 912 -3.11364
1063. 3526 24 912 -3.11364; 3527 28 912 -3.11364; 3528 32 912 -3.11364
1064. 3529 36 912 -3.11364; 3530 0 912 -2.75; 3531 4 912 -2.75; 3532 8 912 -2.75
1065. 3533 12 912 -2.75; 3534 16 912 -2.75; 3535 20 912 -2.75; 3536 24 912 -2.75
1066. 3537 28 912 -2.75; 3538 32 912 -2.75; 3539 36 912 -2.75; 3540 0 912 -2.38636
1067. 3541 4 912 -2.38636; 3542 8 912 -2.38636; 3543 12 912 -2.38636
1068. 3544 16 912 -2.38636; 3545 20 912 -2.38636; 3546 24 912 -2.38636
1069. 3547 28 912 -2.38636; 3548 32 912 -2.38636; 3549 36 912 -2.38636
1070. 3550 0 912 -2.02273; 3551 4 912 -2.02273; 3552 8 912 -2.02273
1071. 3553 12 912 -2.02273; 3554 16 912 -2.02273; 3555 20 912 -2.02273
1072. 3556 24 912 -2.02273; 3557 28 912 -2.02273; 3558 32 912 -2.02273
1073. 3559 36 912 -2.02273; 3560 0 912 -1.65909; 3561 4 912 -1.65909
1074. 3562 8 912 -1.65909; 3563 12 912 -1.65909; 3564 16 912 -1.65909
1075. 3565 20 912 -1.65909; 3566 24 912 -1.65909; 3567 28 912 -1.65909
1076. 3568 32 912 -1.65909; 3569 36 912 -1.65909; 3570 0 912 -1.29545
1077. 3571 4 912 -1.29545; 3572 8 912 -1.29545; 3573 12 912 -1.29545
1078. 3574 16 912 -1.29545; 3575 20 912 -1.29545; 3576 24 912 -1.29545
1079. 3577 28 912 -1.29545; 3578 32 912 -1.29545; 3579 36 912 -1.29545
1080. 3580 0 912 -0.75; 3581 4 912 -0.75; 3582 8 912 -0.75; 3583 12 912 -0.75
1081. 3584 16 912 -0.75; 3585 20 912 -0.75; 3586 24 912 -0.75; 3587 28 912 -0.75
1082. 3588 32 912 -0.75; 3589 36 912 -0.75; 3590 0 912 -0.2; 3591 4 912 -0.2
1083. 3592 8 912 -0.2; 3593 12 912 -0.2; 3594 16 912 -0.2; 3595 20 912 -0.2
1084. 3596 24 912 -0.2; 3597 28 912 -0.2; 3598 32 912 -0.2; 3599 36 912 -0.2
1085. 3600 -1.3 912 0; 3601 -0.8 912 0; 3602 -0.3 912 0; 3603 0 912 0
1086. 3604 0.3 912 0; 3605 1 912 0; 3606 1.5 912 0; 3607 2 912 0; 3608 2.5 912 0
1087. 3609 3 912 0; 3610 3.7 912 0; 3611 4 912 0; 3612 4.3 912 0; 3613 5 912 0
1088. 3614 5.5 912 0; 3615 6 912 0; 3616 6.5 912 0; 3617 7 912 0; 3618 7.7 912 0
1089. 3619 8 912 0; 3620 8.3 912 0; 3621 9 912 0; 3622 9.5 912 0; 3623 10 912 0
1090. 3624 10.5 912 0; 3625 11 912 0; 3626 11.7 912 0; 3627 12 912 0
1091. 3628 12.3 912 0; 3629 13 912 0; 3630 13.5 912 0; 3631 14 912 0
1092. 3632 14.5 912 0; 3633 15 912 0; 3634 15.7 912 0; 3635 16 912 0
1093. 3636 16.3 912 0; 3637 17 912 0; 3638 17.5 912 0; 3639 18 912 0
1094. 3640 18.5 912 0; 3641 19 912 0; 3642 19.7 912 0; 3643 20 912 0
1095. 3644 20.3 912 0; 3645 21 912 0; 3646 21.5 912 0; 3647 22 912 0
1096. 3648 22.5 912 0; 3649 23 912 0; 3650 23.7 912 0; 3651 24 912 0
1097. 3652 24.3 912 0; 3653 25 912 0; 3654 25.5 912 0; 3655 26 912 0
1098. 3656 26.5 912 0; 3657 27 912 0; 3658 27.7 912 0; 3659 28 912 0
1099. 3660 28.3 912 0; 3661 29 912 0; 3662 29.5 912 0; 3663 30 912 0
1100. 3664 30.5 912 0; 3665 31 912 0; 3666 31.7 912 0; 3667 32 912 0
1101. 3668 32.3 912 0; 3669 33 912 0; 3670 33.5 912 0; 3671 34 912 0
1102. 3672 34.5 912 0; 3673 35 912 0; 3674 35.7 912 0; 3675 36 912 0

STAAD SPACE -- PAGE NO. 21

1103. 3676 36.3 912 0; 3677 36.8 912 0; 3678 37.3 912 0; 3679 0 912 0.2
1104. 3680 4 912 0.2; 3681 8 912 0.2; 3682 12 912 0.2; 3683 16 912 0.2
1105. 3684 20 912 0.2; 3685 24 912 0.2; 3686 28 912 0.2; 3687 32 912 0.2
1106. 3688 36 912 0.2; 3689 0 912 0.9; 3690 4 912 0.9; 3691 8 912 0.9
1107. 3692 12 912 0.9; 3693 16 912 0.9; 3694 20 912 0.9; 3695 24 912 0.9
1108. 3696 28 912 0.9; 3697 32 912 0.9; 3698 36 912 0.9; 3699 0 912 1.3
1109. 3700 4 912 1.3; 3701 8 912 1.3; 3702 12 912 1.3; 3703 16 912 1.3
1110. 3704 20 912 1.3; 3705 24 912 1.3; 3706 28 912 1.3; 3707 32 912 1.3
1111. 3708 36 912 1.3; 3709 0 912.5 -6.38636; 3710 4 912.5 -6.38636
1112. 3711 8 912.5 -6.38636; 3712 12 912.5 -6.38636; 3713 16 912.5 -6.38636
1113. 3714 20 912.5 -6.38636; 3715 24 912.5 -6.38636; 3716 28 912.5 -6.38636
1114. 3717 32 912.5 -6.38636; 3718 36 912.5 -6.38636; 3719 0 912.5 -6.02273
1115. 3720 4 912.5 -6.02273; 3721 8 912.5 -6.02273; 3722 12 912.5 -6.02273
1116. 3723 16 912.5 -6.02273; 3724 20 912.5 -6.02273; 3725 24 912.5 -6.02273
1117. 3726 28 912.5 -6.02273; 3727 32 912.5 -6.02273; 3728 36 912.5 -6.02273
1118. 3729 0 912.5 -5.65909; 3730 4 912.5 -5.65909; 3731 8 912.5 -5.65909
1119. 3732 12 912.5 -5.65909; 3733 16 912.5 -5.65909; 3734 20 912.5 -5.65909
1120. 3735 24 912.5 -5.65909; 3736 28 912.5 -5.65909; 3737 32 912.5 -5.65909
1121. 3738 36 912.5 -5.65909; 3739 0 912.5 -5.29545; 3740 4 912.5 -5.29545
1122. 3741 8 912.5 -5.29545; 3742 12 912.5 -5.29545; 3743 16 912.5 -5.29545
1123. 3744 20 912.5 -5.29545; 3745 24 912.5 -5.29545; 3746 28 912.5 -5.29545
1124. 3747 32 912.5 -5.29545; 3748 36 912.5 -5.29545; 3749 0 912.5 -4.93182
1125. 3750 4 912.5 -4.93182; 3751 8 912.5 -4.93182; 3752 12 912.5 -4.93182
1126. 3753 16 912.5 -4.93182; 3754 20 912.5 -4.93182; 3755 24 912.5 -4.93182
1127. 3756 28 912.5 -4.93182; 3757 32 912.5 -4.93182; 3758 36 912.5 -4.93182
1128. 3759 0 912.5 -4.56818; 3760 4 912.5 -4.56818; 3761 8 912.5 -4.56818
1129. 3762 12 912.5 -4.56818; 3763 16 912.5 -4.56818; 3764 20 912.5 -4.56818
1130. 3765 24 912.5 -4.56818; 3766 28 912.5 -4.56818; 3767 32 912.5 -4.56818
1131. 3768 36 912.5 -4.56818; 3769 0 912.5 -4.20455; 3770 4 912.5 -4.20455
1132. 3771 8 912.5 -4.20455; 3772 12 912.5 -4.20455; 3773 16 912.5 -4.20455
1133. 3774 20 912.5 -4.20455; 3775 24 912.5 -4.20455; 3776 28 912.5 -4.20455
1134. 3777 32 912.5 -4.20455; 3778 36 912.5 -4.20455; 3779 0 912.5 -3.84091
1135. 3780 4 912.5 -3.84091; 3781 8 912.5 -3.84091; 3782 12 912.5 -3.84091
1136. 3783 16 912.5 -3.84091; 3784 20 912.5 -3.84091; 3785 24 912.5 -3.84091
1137. 3786 28 912.5 -3.84091; 3787 32 912.5 -3.84091; 3788 36 912.5 -3.84091
1138. 3789 0 912.5 -3.47727; 3790 4 912.5 -3.47727; 3791 8 912.5 -3.47727
1139. 3792 12 912.5 -3.47727; 3793 16 912.5 -3.47727; 3794 20 912.5 -3.47727
1140. 3795 24 912.5 -3.47727; 3796 28 912.5 -3.47727; 3797 32 912.5 -3.47727
1141. 3798 36 912.5 -3.47727; 3799 0 912.5 -3.11364; 3800 4 912.5 -3.11364
1142. 3801 8 912.5 -3.11364; 3802 12 912.5 -3.11364; 3803 16 912.5 -3.11364
1143. 3804 20 912.5 -3.11364; 3805 24 912.5 -3.11364; 3806 28 912.5 -3.11364
1144. 3807 32 912.5 -3.11364; 3808 36 912.5 -3.11364; 3809 0 912.5 -2.75
1145. 3810 4 912.5 -2.75; 3811 8 912.5 -2.75; 3812 12 912.5 -2.75
1146. 3813 16 912.5 -2.75; 3814 20 912.5 -2.75; 3815 24 912.5 -2.75
1147. 3816 28 912.5 -2.75; 3817 32 912.5 -2.75; 3818 36 912.5 -2.75
1148. 3819 0 912.5 -2.38636; 3820 4 912.5 -2.38636; 3821 8 912.5 -2.38636
1149. 3822 12 912.5 -2.38636; 3823 16 912.5 -2.38636; 3824 20 912.5 -2.38636
1150. 3825 24 912.5 -2.38636; 3826 28 912.5 -2.38636; 3827 32 912.5 -2.38636
1151. 3828 36 912.5 -2.38636; 3829 0 912.5 -2.02273; 3830 4 912.5 -2.02273
1152. 3831 8 912.5 -2.02273; 3832 12 912.5 -2.02273; 3833 16 912.5 -2.02273
1153. 3834 20 912.5 -2.02273; 3835 24 912.5 -2.02273; 3836 28 912.5 -2.02273
1154. 3837 32 912.5 -2.02273; 3838 36 912.5 -2.02273; 3839 0 912.5 -1.65909
1155. 3840 4 912.5 -1.65909; 3841 8 912.5 -1.65909; 3842 12 912.5 -1.65909
1156. 3843 16 912.5 -1.65909; 3844 20 912.5 -1.65909; 3845 24 912.5 -1.65909
1157. 3846 28 912.5 -1.65909; 3847 32 912.5 -1.65909; 3848 36 912.5 -1.65909
1158. 3849 0 912.5 -1.29545; 3850 4 912.5 -1.29545; 3851 8 912.5 -1.29545

STAAD SPACE -- PAGE NO. 22

1159. 3852 12 912.5 -1.29545; 3853 16 912.5 -1.29545; 3854 20 912.5 -1.29545
1160. 3855 24 912.5 -1.29545; 3856 28 912.5 -1.29545; 3857 32 912.5 -1.29545
1161. 3858 36 912.5 -1.29545; 3859 0 912.5 -0.75; 3860 4 912.5 -0.75
1162. 3861 8 912.5 -0.75; 3862 12 912.5 -0.75; 3863 16 912.5 -0.75
1163. 3864 20 912.5 -0.75; 3865 24 912.5 -0.75; 3866 28 912.5 -0.75
1164. 3867 32 912.5 -0.75; 3868 36 912.5 -0.75; 3869 0 912.5 -0.2; 3870 4 912.5 -0.2
1165. 3871 8 912.5 -0.2; 3872 12 912.5 -0.2; 3873 16 912.5 -0.2; 3874 20 912.5 -0.2
1166. 3875 24 912.5 -0.2; 3876 28 912.5 -0.2; 3877 32 912.5 -0.2; 3878 36 912.5 -0.2
1167. 3879 -1.3 912.5 0; 3880 -0.8 912.5 0; 3881 -0.3 912.5 0; 3882 0 912.5 0
1168. 3883 0.3 912.5 0; 3884 1 912.5 0; 3885 1.5 912.5 0; 3886 2 912.5 0
1169. 3887 2.5 912.5 0; 3888 3 912.5 0; 3889 3.7 912.5 0; 3890 4 912.5 0
1170. 3891 4.3 912.5 0; 3892 5 912.5 0; 3893 5.5 912.5 0; 3894 6 912.5 0
1171. 3895 6.5 912.5 0; 3896 7 912.5 0; 3897 7.7 912.5 0; 3898 8 912.5 0
1172. 3899 8.3 912.5 0; 3900 9 912.5 0; 3901 9.5 912.5 0; 3902 10 912.5 0
1173. 3903 10.5 912.5 0; 3904 11 912.5 0; 3905 11.7 912.5 0; 3906 12 912.5 0
1174. 3907 12.3 912.5 0; 3908 13 912.5 0; 3909 13.5 912.5 0; 3910 14 912.5 0
1175. 3911 14.5 912.5 0; 3912 15 912.5 0; 3913 15.7 912.5 0; 3914 16 912.5 0
1176. 3915 16.3 912.5 0; 3916 17 912.5 0; 3917 17.5 912.5 0; 3918 18 912.5 0
1177. 3919 18.5 912.5 0; 3920 19 912.5 0; 3921 19.7 912.5 0; 3922 20 912.5 0
1178. 3923 20.3 912.5 0; 3924 21 912.5 0; 3925 21.5 912.5 0; 3926 22 912.5 0
1179. 3927 22.5 912.5 0; 3928 23 912.5 0; 3929 23.7 912.5 0; 3930 24 912.5 0
1180. 3931 24.3 912.5 0; 3932 25 912.5 0; 3933 25.5 912.5 0; 3934 26 912.5 0
1181. 3935 26.5 912.5 0; 3936 27 912.5 0; 3937 27.7 912.5 0; 3938 28 912.5 0
1182. 3939 28.3 912.5 0; 3940 29 912.5 0; 3941 29.5 912.5 0; 3942 30 912.5 0
1183. 3943 30.5 912.5 0; 3944 31 912.5 0; 3945 31.7 912.5 0; 3946 32 912.5 0
1184. 3947 32.3 912.5 0; 3948 33 912.5 0; 3949 33.5 912.5 0; 3950 34 912.5 0
1185. 3951 34.5 912.5 0; 3952 35 912.5 0; 3953 35.7 912.5 0; 3954 36 912.5 0
1186. 3955 36.3 912.5 0; 3956 36.8 912.5 0; 3957 37.3 912.5 0; 3958 0 912.5 0.2
1187. 3959 4 912.5 0.2; 3960 8 912.5 0.2; 3961 12 912.5 0.2; 3962 16 912.5 0.2
1188. 3963 20 912.5 0.2; 3964 24 912.5 0.2; 3965 28 912.5 0.2; 3966 32 912.5 0.2
1189. 3967 36 912.5 0.2; 3968 0 912.5 0.9; 3969 4 912.5 0.9; 3970 8 912.5 0.9
1190. 3971 12 912.5 0.9; 3972 16 912.5 0.9; 3973 20 912.5 0.9; 3974 24 912.5 0.9
1191. 3975 28 912.5 0.9; 3976 32 912.5 0.9; 3977 36 912.5 0.9; 3978 0 913 -6.20455
1192. 3979 4 913 -6.20455; 3980 8 913 -6.20455; 3981 12 913 -6.20455
1193. 3982 16 913 -6.20455; 3983 20 913 -6.20455; 3984 24 913 -6.20455
1194. 3985 28 913 -6.20455; 3986 32 913 -6.20455; 3987 36 913 -6.20455
1195. 3988 0 913 -6.02273; 3989 4 913 -6.02273; 3990 8 913 -6.02273
1196. 3991 12 913 -6.02273; 3992 16 913 -6.02273; 3993 20 913 -6.02273
1197. 3994 24 913 -6.02273; 3995 28 913 -6.02273; 3996 32 913 -6.02273
1198. 3997 36 913 -6.02273; 3998 0 913 -5.65909; 3999 4 913 -5.65909
1199. 4000 8 913 -5.65909; 4001 12 913 -5.65909; 4002 16 913 -5.65909
1200. 4003 20 913 -5.65909; 4004 24 913 -5.65909; 4005 28 913 -5.65909
1201. 4006 32 913 -5.65909; 4007 36 913 -5.65909; 4008 0 913 -5.29545
1202. 4009 4 913 -5.29545; 4010 8 913 -5.29545; 4011 12 913 -5.29545
1203. 4012 16 913 -5.29545; 4013 20 913 -5.29545; 4014 24 913 -5.29545
1204. 4015 28 913 -5.29545; 4016 32 913 -5.29545; 4017 36 913 -5.29545
1205. 4018 0 913 -4.93182; 4019 4 913 -4.93182; 4020 8 913 -4.93182
1206. 4021 12 913 -4.93182; 4022 16 913 -4.93182; 4023 20 913 -4.93182
1207. 4024 24 913 -4.93182; 4025 28 913 -4.93182; 4026 32 913 -4.93182
1208. 4027 36 913 -4.93182; 4028 0 913 -4.56818; 4029 4 913 -4.56818
1209. 4030 8 913 -4.56818; 4031 12 913 -4.56818; 4032 16 913 -4.56818
1210. 4033 20 913 -4.56818; 4034 24 913 -4.56818; 4035 28 913 -4.56818
1211. 4036 32 913 -4.56818; 4037 36 913 -4.56818; 4038 0 913 -4.20455
1212. 4039 4 913 -4.20455; 4040 8 913 -4.20455; 4041 12 913 -4.20455
1213. 4042 16 913 -4.20455; 4043 20 913 -4.20455; 4044 24 913 -4.20455
1214. 4045 28 913 -4.20455; 4046 32 913 -4.20455; 4047 36 913 -4.20455

1215. 4048 0 913 -3.84091; 4049 4 913 -3.84091; 4050 8 913 -3.84091
1216. 4051 12 913 -3.84091; 4052 16 913 -3.84091; 4053 20 913 -3.84091
1217. 4054 24 913 -3.84091; 4055 28 913 -3.84091; 4056 32 913 -3.84091
1218. 4057 36 913 -3.84091; 4058 0 913 -3.47727; 4059 4 913 -3.47727
1219. 4060 8 913 -3.47727; 4061 12 913 -3.47727; 4062 16 913 -3.47727
1220. 4063 20 913 -3.47727; 4064 24 913 -3.47727; 4065 28 913 -3.47727
1221. 4066 32 913 -3.47727; 4067 36 913 -3.47727; 4068 0 913 -3.11364
1222. 4069 4 913 -3.11364; 4070 8 913 -3.11364; 4071 12 913 -3.11364
1223. 4072 16 913 -3.11364; 4073 20 913 -3.11364; 4074 24 913 -3.11364
1224. 4075 28 913 -3.11364; 4076 32 913 -3.11364; 4077 36 913 -3.11364
1225. 4078 0 913 -2.75; 4079 4 913 -2.75; 4080 8 913 -2.75; 4081 12 913 -2.75
1226. 4082 16 913 -2.75; 4083 20 913 -2.75; 4084 24 913 -2.75; 4085 28 913 -2.75
1227. 4086 32 913 -2.75; 4087 36 913 -2.75; 4088 0 913 -2.38636; 4089 4 913 -2.38636
1228. 4090 8 913 -2.38636; 4091 12 913 -2.38636; 4092 16 913 -2.38636
1229. 4093 20 913 -2.38636; 4094 24 913 -2.38636; 4095 28 913 -2.38636
1230. 4096 32 913 -2.38636; 4097 36 913 -2.38636; 4098 0 913 -2.02273
1231. 4099 4 913 -2.02273; 4100 8 913 -2.02273; 4101 12 913 -2.02273
1232. 4102 16 913 -2.02273; 4103 20 913 -2.02273; 4104 24 913 -2.02273
1233. 4105 28 913 -2.02273; 4106 32 913 -2.02273; 4107 36 913 -2.02273
1234. 4108 0 913 -1.65909; 4109 4 913 -1.65909; 4110 8 913 -1.65909
1235. 4111 12 913 -1.65909; 4112 16 913 -1.65909; 4113 20 913 -1.65909
1236. 4114 24 913 -1.65909; 4115 28 913 -1.65909; 4116 32 913 -1.65909
1237. 4117 36 913 -1.65909; 4118 0 913 -1.29545; 4119 4 913 -1.29545
1238. 4120 8 913 -1.29545; 4121 12 913 -1.29545; 4122 16 913 -1.29545
1239. 4123 20 913 -1.29545; 4124 24 913 -1.29545; 4125 28 913 -1.29545
1240. 4126 32 913 -1.29545; 4127 36 913 -1.29545; 4128 0 913 -0.75; 4129 4 913 -0.75
1241. 4130 8 913 -0.75; 4131 12 913 -0.75; 4132 16 913 -0.75; 4133 20 913 -0.75
1242. 4134 24 913 -0.75; 4135 28 913 -0.75; 4136 32 913 -0.75; 4137 36 913 -0.75
1243. 4138 0 913 -0.2; 4139 4 913 -0.2; 4140 8 913 -0.2; 4141 12 913 -0.2
1244. 4142 16 913 -0.2; 4143 20 913 -0.2; 4144 24 913 -0.2; 4145 28 913 -0.2
1245. 4146 32 913 -0.2; 4147 36 913 -0.2; 4148 -1.3 913 0; 4149 -0.8 913 0
1246. 4150 -0.3 913 0; 4151 0 913 0; 4152 0.3 913 0; 4153 1 913 0; 4154 1.5 913 0
1247. 4155 2 913 0; 4156 2.5 913 0; 4157 3 913 0; 4158 3.7 913 0; 4159 4 913 0
1248. 4160 4.3 913 0; 4161 5 913 0; 4162 5.5 913 0; 4163 6 913 0; 4164 6.5 913 0
1249. 4165 7 913 0; 4166 7.7 913 0; 4167 8 913 0; 4168 8.3 913 0; 4169 9 913 0
1250. 4170 9.5 913 0; 4171 10 913 0; 4172 10.5 913 0; 4173 11 913 0; 4174 11.7 913 0
1251. 4175 12 913 0; 4176 12.3 913 0; 4177 13 913 0; 4178 13.5 913 0; 4179 14 913 0
1252. 4180 14.5 913 0; 4181 15 913 0; 4182 15.7 913 0; 4183 16 913 0
1253. 4184 16.3 913 0; 4185 17 913 0; 4186 17.5 913 0; 4187 18 913 0
1254. 4188 18.5 913 0; 4189 19 913 0; 4190 19.7 913 0; 4191 20 913 0
1255. 4192 20.3 913 0; 4193 21 913 0; 4194 21.5 913 0; 4195 22 913 0
1256. 4196 22.5 913 0; 4197 23 913 0; 4198 23.7 913 0; 4199 24 913 0
1257. 4200 24.3 913 0; 4201 25 913 0; 4202 25.5 913 0; 4203 26 913 0
1258. 4204 26.5 913 0; 4205 27 913 0; 4206 27.7 913 0; 4207 28 913 0
1259. 4208 28.3 913 0; 4209 29 913 0; 4210 29.5 913 0; 4211 30 913 0
1260. 4212 30.5 913 0; 4213 31 913 0; 4214 31.7 913 0; 4215 32 913 0
1261. 4216 32.3 913 0; 4217 33 913 0; 4218 33.5 913 0; 4219 34 913 0
1262. 4220 34.5 913 0; 4221 35 913 0; 4222 35.7 913 0; 4223 36 913 0
1263. 4224 36.3 913 0; 4225 36.8 913 0; 4226 37.3 913 0; 4227 0 913 0.2
1264. 4228 4 913 0.2; 4229 8 913 0.2; 4230 12 913 0.2; 4231 16 913 0.2
1265. 4232 20 913 0.2; 4233 24 913 0.2; 4234 28 913 0.2; 4235 32 913 0.2
1266. 4236 36 913 0.2; 4237 0 913.5 -6.02273; 4238 4 913.5 -6.02273
1267. 4239 8 913.5 -6.02273; 4240 12 913.5 -6.02273; 4241 16 913.5 -6.02273
1268. 4242 20 913.5 -6.02273; 4243 24 913.5 -6.02273; 4244 28 913.5 -6.02273
1269. 4245 32 913.5 -6.02273; 4246 36 913.5 -6.02273; 4247 0 913.5 -5.65909
1270. 4248 4 913.5 -5.65909; 4249 8 913.5 -5.65909; 4250 12 913.5 -5.65909

1271. 4251 16 913.5 -5.65909; 4252 20 913.5 -5.65909; 4253 24 913.5 -5.65909
1272. 4254 28 913.5 -5.65909; 4255 32 913.5 -5.65909; 4256 36 913.5 -5.65909
1273. 4257 0 913.5 -5.29545; 4258 4 913.5 -5.29545; 4259 8 913.5 -5.29545
1274. 4260 12 913.5 -5.29545; 4261 16 913.5 -5.29545; 4262 20 913.5 -5.29545
1275. 4263 24 913.5 -5.29545; 4264 28 913.5 -5.29545; 4265 32 913.5 -5.29545
1276. 4266 36 913.5 -5.29545; 4267 0 913.5 -4.93182; 4268 4 913.5 -4.93182
1277. 4269 8 913.5 -4.93182; 4270 12 913.5 -4.93182; 4271 16 913.5 -4.93182
1278. 4272 20 913.5 -4.93182; 4273 24 913.5 -4.93182; 4274 28 913.5 -4.93182
1279. 4275 32 913.5 -4.93182; 4276 36 913.5 -4.93182; 4277 0 913.5 -4.56818
1280. 4278 4 913.5 -4.56818; 4279 8 913.5 -4.56818; 4280 12 913.5 -4.56818
1281. 4281 16 913.5 -4.56818; 4282 20 913.5 -4.56818; 4283 24 913.5 -4.56818
1282. 4284 28 913.5 -4.56818; 4285 32 913.5 -4.56818; 4286 36 913.5 -4.56818
1283. 4287 0 913.5 -4.20455; 4288 4 913.5 -4.20455; 4289 8 913.5 -4.20455
1284. 4290 12 913.5 -4.20455; 4291 16 913.5 -4.20455; 4292 20 913.5 -4.20455
1285. 4293 24 913.5 -4.20455; 4294 28 913.5 -4.20455; 4295 32 913.5 -4.20455
1286. 4296 36 913.5 -4.20455; 4297 0 913.5 -3.84091; 4298 4 913.5 -3.84091
1287. 4299 8 913.5 -3.84091; 4300 12 913.5 -3.84091; 4301 16 913.5 -3.84091
1288. 4302 20 913.5 -3.84091; 4303 24 913.5 -3.84091; 4304 28 913.5 -3.84091
1289. 4305 32 913.5 -3.84091; 4306 36 913.5 -3.84091; 4307 0 913.5 -3.47727
1290. 4308 4 913.5 -3.47727; 4309 8 913.5 -3.47727; 4310 12 913.5 -3.47727
1291. 4311 16 913.5 -3.47727; 4312 20 913.5 -3.47727; 4313 24 913.5 -3.47727
1292. 4314 28 913.5 -3.47727; 4315 32 913.5 -3.47727; 4316 36 913.5 -3.47727
1293. 4317 0 913.5 -3.11364; 4318 4 913.5 -3.11364; 4319 8 913.5 -3.11364
1294. 4320 12 913.5 -3.11364; 4321 16 913.5 -3.11364; 4322 20 913.5 -3.11364
1295. 4323 24 913.5 -3.11364; 4324 28 913.5 -3.11364; 4325 32 913.5 -3.11364
1296. 4326 36 913.5 -3.11364; 4327 0 913.5 -2.75; 4328 4 913.5 -2.75
1297. 4329 8 913.5 -2.75; 4330 12 913.5 -2.75; 4331 16 913.5 -2.75
1298. 4332 20 913.5 -2.75; 4333 24 913.5 -2.75; 4334 28 913.5 -2.75
1299. 4335 32 913.5 -2.75; 4336 36 913.5 -2.75; 4337 0 913.5 -2.38636
1300. 4338 4 913.5 -2.38636; 4339 8 913.5 -2.38636; 4340 12 913.5 -2.38636
1301. 4341 16 913.5 -2.38636; 4342 20 913.5 -2.38636; 4343 24 913.5 -2.38636
1302. 4344 28 913.5 -2.38636; 4345 32 913.5 -2.38636; 4346 36 913.5 -2.38636
1303. 4347 0 913.5 -2.02273; 4348 4 913.5 -2.02273; 4349 8 913.5 -2.02273
1304. 4350 12 913.5 -2.02273; 4351 16 913.5 -2.02273; 4352 20 913.5 -2.02273
1305. 4353 24 913.5 -2.02273; 4354 28 913.5 -2.02273; 4355 32 913.5 -2.02273
1306. 4356 36 913.5 -2.02273; 4357 0 913.5 -1.65909; 4358 4 913.5 -1.65909
1307. 4359 8 913.5 -1.65909; 4360 12 913.5 -1.65909; 4361 16 913.5 -1.65909
1308. 4362 20 913.5 -1.65909; 4363 24 913.5 -1.65909; 4364 28 913.5 -1.65909
1309. 4365 32 913.5 -1.65909; 4366 36 913.5 -1.65909; 4367 0 913.5 -1.29545
1310. 4368 4 913.5 -1.29545; 4369 8 913.5 -1.29545; 4370 12 913.5 -1.29545
1311. 4371 16 913.5 -1.29545; 4372 20 913.5 -1.29545; 4373 24 913.5 -1.29545
1312. 4374 28 913.5 -1.29545; 4375 32 913.5 -1.29545; 4376 36 913.5 -1.29545
1313. 4377 0 913.5 -0.75; 4378 4 913.5 -0.75; 4379 8 913.5 -0.75
1314. 4380 12 913.5 -0.75; 4381 16 913.5 -0.75; 4382 20 913.5 -0.75
1315. 4383 24 913.5 -0.75; 4384 28 913.5 -0.75; 4385 32 913.5 -0.75
1316. 4386 36 913.5 -0.75; 4387 0 913.5 -0.2; 4388 4 913.5 -0.2; 4389 8 913.5 -0.2
1317. 4390 12 913.5 -0.2; 4391 16 913.5 -0.2; 4392 20 913.5 -0.2; 4393 24 913.5 -0.2
1318. 4394 28 913.5 -0.2; 4395 32 913.5 -0.2; 4396 36 913.5 -0.2; 4397 -1.3 913.5 0
1319. 4398 -0.8 913.5 0; 4399 -0.3 913.5 0; 4400 0 913.5 0; 4401 0.3 913.5 0
1320. 4402 1 913.5 0; 4403 1.5 913.5 0; 4404 2 913.5 0; 4405 2.5 913.5 0
1321. 4406 3 913.5 0; 4407 3.7 913.5 0; 4408 4 913.5 0; 4409 4.3 913.5 0
1322. 4410 5 913.5 0; 4411 5.5 913.5 0; 4412 6 913.5 0; 4413 6.5 913.5 0
1323. 4414 7 913.5 0; 4415 7.7 913.5 0; 4416 8 913.5 0; 4417 8.3 913.5 0
1324. 4418 9 913.5 0; 4419 9.5 913.5 0; 4420 10 913.5 0; 4421 10.5 913.5 0
1325. 4422 11 913.5 0; 4423 11.7 913.5 0; 4424 12 913.5 0; 4425 12.3 913.5 0
1326. 4426 13 913.5 0; 4427 13.5 913.5 0; 4428 14 913.5 0; 4429 14.5 913.5 0

STAAD SPACE -- PAGE NO. 25

1327. 4430 15 913.5 0; 4431 15.7 913.5 0; 4432 16 913.5 0; 4433 16.3 913.5 0
1328. 4434 17 913.5 0; 4435 17.5 913.5 0; 4436 18 913.5 0; 4437 18.5 913.5 0
1329. 4438 19 913.5 0; 4439 19.7 913.5 0; 4440 20 913.5 0; 4441 20.3 913.5 0
1330. 4442 21 913.5 0; 4443 21.5 913.5 0; 4444 22 913.5 0; 4445 22.5 913.5 0
1331. 4446 23 913.5 0; 4447 23.7 913.5 0; 4448 24 913.5 0; 4449 24.3 913.5 0
1332. 4450 25 913.5 0; 4451 25.5 913.5 0; 4452 26 913.5 0; 4453 26.5 913.5 0
1333. 4454 27 913.5 0; 4455 27.7 913.5 0; 4456 28 913.5 0; 4457 28.3 913.5 0
1334. 4458 29 913.5 0; 4459 29.5 913.5 0; 4460 30 913.5 0; 4461 30.5 913.5 0
1335. 4462 31 913.5 0; 4463 31.7 913.5 0; 4464 32 913.5 0; 4465 32.3 913.5 0
1336. 4466 33 913.5 0; 4467 33.5 913.5 0; 4468 34 913.5 0; 4469 34.5 913.5 0
1337. 4470 35 913.5 0; 4471 35.7 913.5 0; 4472 36 913.5 0; 4473 36.3 913.5 0
1338. 4474 36.8 913.5 0; 4475 37.3 913.5 0; 4476 0 914 -5.84091; 4477 4 914 -5.84091
1339. 4478 8 914 -5.84091; 4479 12 914 -5.84091; 4480 16 914 -5.84091
1340. 4481 20 914 -5.84091; 4482 24 914 -5.84091; 4483 28 914 -5.84091
1341. 4484 32 914 -5.84091; 4485 36 914 -5.84091; 4486 0 914 -5.65909
1342. 4487 4 914 -5.65909; 4488 8 914 -5.65909; 4489 12 914 -5.65909
1343. 4490 16 914 -5.65909; 4491 20 914 -5.65909; 4492 24 914 -5.65909
1344. 4493 28 914 -5.65909; 4494 32 914 -5.65909; 4495 36 914 -5.65909
1345. 4496 0 914 -5.29545; 4497 4 914 -5.29545; 4498 8 914 -5.29545
1346. 4499 12 914 -5.29545; 4500 16 914 -5.29545; 4501 20 914 -5.29545
1347. 4502 24 914 -5.29545; 4503 28 914 -5.29545; 4504 32 914 -5.29545
1348. 4505 36 914 -5.29545; 4506 0 914 -4.93182; 4507 4 914 -4.93182
1349. 4508 8 914 -4.93182; 4509 12 914 -4.93182; 4510 16 914 -4.93182
1350. 4511 20 914 -4.93182; 4512 24 914 -4.93182; 4513 28 914 -4.93182
1351. 4514 32 914 -4.93182; 4515 36 914 -4.93182; 4516 0 914 -4.56818
1352. 4517 4 914 -4.56818; 4518 8 914 -4.56818; 4519 12 914 -4.56818
1353. 4520 16 914 -4.56818; 4521 20 914 -4.56818; 4522 24 914 -4.56818
1354. 4523 28 914 -4.56818; 4524 32 914 -4.56818; 4525 36 914 -4.56818
1355. 4526 0 914 -4.20455; 4527 4 914 -4.20455; 4528 8 914 -4.20455
1356. 4529 12 914 -4.20455; 4530 16 914 -4.20455; 4531 20 914 -4.20455
1357. 4532 24 914 -4.20455; 4533 28 914 -4.20455; 4534 32 914 -4.20455
1358. 4535 36 914 -4.20455; 4536 0 914 -3.84091; 4537 4 914 -3.84091
1359. 4538 8 914 -3.84091; 4539 12 914 -3.84091; 4540 16 914 -3.84091
1360. 4541 20 914 -3.84091; 4542 24 914 -3.84091; 4543 28 914 -3.84091
1361. 4544 32 914 -3.84091; 4545 36 914 -3.84091; 4546 0 914 -3.47727
1362. 4547 4 914 -3.47727; 4548 8 914 -3.47727; 4549 12 914 -3.47727
1363. 4550 16 914 -3.47727; 4551 20 914 -3.47727; 4552 24 914 -3.47727
1364. 4553 28 914 -3.47727; 4554 32 914 -3.47727; 4555 36 914 -3.47727
1365. 4556 0 914 -3.11364; 4557 4 914 -3.11364; 4558 8 914 -3.11364
1366. 4559 12 914 -3.11364; 4560 16 914 -3.11364; 4561 20 914 -3.11364
1367. 4562 24 914 -3.11364; 4563 28 914 -3.11364; 4564 32 914 -3.11364
1368. 4565 36 914 -3.11364; 4566 0 914 -2.75; 4567 4 914 -2.75; 4568 8 914 -2.75
1369. 4569 12 914 -2.75; 4570 16 914 -2.75; 4571 20 914 -2.75; 4572 24 914 -2.75
1370. 4573 28 914 -2.75; 4574 32 914 -2.75; 4575 36 914 -2.75; 4576 0 914 -2.38636
1371. 4577 4 914 -2.38636; 4578 8 914 -2.38636; 4579 12 914 -2.38636
1372. 4580 16 914 -2.38636; 4581 20 914 -2.38636; 4582 24 914 -2.38636
1373. 4583 28 914 -2.38636; 4584 32 914 -2.38636; 4585 36 914 -2.38636
1374. 4586 0 914 -2.02273; 4587 4 914 -2.02273; 4588 8 914 -2.02273
1375. 4589 12 914 -2.02273; 4590 16 914 -2.02273; 4591 20 914 -2.02273
1376. 4592 24 914 -2.02273; 4593 28 914 -2.02273; 4594 32 914 -2.02273
1377. 4595 36 914 -2.02273; 4596 0 914 -1.65909; 4597 4 914 -1.65909
1378. 4598 8 914 -1.65909; 4599 12 914 -1.65909; 4600 16 914 -1.65909
1379. 4601 20 914 -1.65909; 4602 24 914 -1.65909; 4603 28 914 -1.65909
1380. 4604 32 914 -1.65909; 4605 36 914 -1.65909; 4606 0 914 -1.29545
1381. 4607 4 914 -1.29545; 4608 8 914 -1.29545; 4609 12 914 -1.29545
1382. 4610 16 914 -1.29545; 4611 20 914 -1.29545; 4612 24 914 -1.29545

STAAD SPACE -- PAGE NO. 26

1383. 4613 28 914 -1.29545; 4614 32 914 -1.29545; 4615 36 914 -1.29545
1384. 4616 0 914 -0.75; 4617 4 914 -0.75; 4618 8 914 -0.75; 4619 12 914 -0.75
1385. 4620 16 914 -0.75; 4621 20 914 -0.75; 4622 24 914 -0.75; 4623 28 914 -0.75
1386. 4624 32 914 -0.75; 4625 36 914 -0.75; 4626 0 914 -0.2; 4627 4 914 -0.2
1387. 4628 8 914 -0.2; 4629 12 914 -0.2; 4630 16 914 -0.2; 4631 20 914 -0.2
1388. 4632 24 914 -0.2; 4633 28 914 -0.2; 4634 32 914 -0.2; 4635 36 914 -0.2
1389. 4636 -1.3 914 0; 4637 -0.8 914 0; 4638 -0.3 914 0; 4639 0 914 0
1390. 4640 0.3 914 0; 4641 1 914 0; 4642 1.5 914 0; 4643 2 914 0; 4644 2.5 914 0
1391. 4645 3 914 0; 4646 3.7 914 0; 4647 4 914 0; 4648 4.3 914 0; 4649 5 914 0
1392. 4650 5.5 914 0; 4651 6 914 0; 4652 6.5 914 0; 4653 7 914 0; 4654 7.7 914 0
1393. 4655 8 914 0; 4656 8.3 914 0; 4657 9 914 0; 4658 9.5 914 0; 4659 10 914 0
1394. 4660 10.5 914 0; 4661 11 914 0; 4662 11.7 914 0; 4663 12 914 0
1395. 4664 12.3 914 0; 4665 13 914 0; 4666 13.5 914 0; 4667 14 914 0
1396. 4668 14.5 914 0; 4669 15 914 0; 4670 15.7 914 0; 4671 16 914 0
1397. 4672 16.3 914 0; 4673 17 914 0; 4674 17.5 914 0; 4675 18 914 0
1398. 4676 18.5 914 0; 4677 19 914 0; 4678 19.7 914 0; 4679 20 914 0
1399. 4680 20.3 914 0; 4681 21 914 0; 4682 21.5 914 0; 4683 22 914 0
1400. 4684 22.5 914 0; 4685 23 914 0; 4686 23.7 914 0; 4687 24 914 0
1401. 4688 24.3 914 0; 4689 25 914 0; 4690 25.5 914 0; 4691 26 914 0
1402. 4692 26.5 914 0; 4693 27 914 0; 4694 27.7 914 0; 4695 28 914 0
1403. 4696 28.3 914 0; 4697 29 914 0; 4698 29.5 914 0; 4699 30 914 0
1404. 4700 30.5 914 0; 4701 31 914 0; 4702 31.7 914 0; 4703 32 914 0
1405. 4704 32.3 914 0; 4705 33 914 0; 4706 33.5 914 0; 4707 34 914 0
1406. 4708 34.5 914 0; 4709 35 914 0; 4710 35.7 914 0; 4711 36 914 0
1407. 4712 36.3 914 0; 4713 36.8 914 0; 4714 37.3 914 0; 4715 0 914.5 -5.65909
1408. 4716 4 914.5 -5.65909; 4717 8 914.5 -5.65909; 4718 12 914.5 -5.65909
1409. 4719 16 914.5 -5.65909; 4720 20 914.5 -5.65909; 4721 24 914.5 -5.65909
1410. 4722 28 914.5 -5.65909; 4723 32 914.5 -5.65909; 4724 36 914.5 -5.65909
1411. 4725 0 914.5 -5.29545; 4726 4 914.5 -5.29545; 4727 8 914.5 -5.29545
1412. 4728 12 914.5 -5.29545; 4729 16 914.5 -5.29545; 4730 20 914.5 -5.29545
1413. 4731 24 914.5 -5.29545; 4732 28 914.5 -5.29545; 4733 32 914.5 -5.29545
1414. 4734 36 914.5 -5.29545; 4735 0 914.5 -4.93182; 4736 4 914.5 -4.93182
1415. 4737 8 914.5 -4.93182; 4738 12 914.5 -4.93182; 4739 16 914.5 -4.93182
1416. 4740 20 914.5 -4.93182; 4741 24 914.5 -4.93182; 4742 28 914.5 -4.93182
1417. 4743 32 914.5 -4.93182; 4744 36 914.5 -4.93182; 4745 0 914.5 -4.56818
1418. 4746 4 914.5 -4.56818; 4747 8 914.5 -4.56818; 4748 12 914.5 -4.56818
1419. 4749 16 914.5 -4.56818; 4750 20 914.5 -4.56818; 4751 24 914.5 -4.56818
1420. 4752 28 914.5 -4.56818; 4753 32 914.5 -4.56818; 4754 36 914.5 -4.56818
1421. 4755 0 914.5 -4.20455; 4756 4 914.5 -4.20455; 4757 8 914.5 -4.20455
1422. 4758 12 914.5 -4.20455; 4759 16 914.5 -4.20455; 4760 20 914.5 -4.20455
1423. 4761 24 914.5 -4.20455; 4762 28 914.5 -4.20455; 4763 32 914.5 -4.20455
1424. 4764 36 914.5 -4.20455; 4765 0 914.5 -3.84091; 4766 4 914.5 -3.84091
1425. 4767 8 914.5 -3.84091; 4768 12 914.5 -3.84091; 4769 16 914.5 -3.84091
1426. 4770 20 914.5 -3.84091; 4771 24 914.5 -3.84091; 4772 28 914.5 -3.84091
1427. 4773 32 914.5 -3.84091; 4774 36 914.5 -3.84091; 4775 0 914.5 -3.47727
1428. 4776 4 914.5 -3.47727; 4777 8 914.5 -3.47727; 4778 12 914.5 -3.47727
1429. 4779 16 914.5 -3.47727; 4780 20 914.5 -3.47727; 4781 24 914.5 -3.47727
1430. 4782 28 914.5 -3.47727; 4783 32 914.5 -3.47727; 4784 36 914.5 -3.47727
1431. 4785 0 914.5 -3.11364; 4786 4 914.5 -3.11364; 4787 8 914.5 -3.11364
1432. 4788 12 914.5 -3.11364; 4789 16 914.5 -3.11364; 4790 20 914.5 -3.11364
1433. 4791 24 914.5 -3.11364; 4792 28 914.5 -3.11364; 4793 32 914.5 -3.11364
1434. 4794 36 914.5 -3.11364; 4795 0 914.5 -2.75; 4796 4 914.5 -2.75
1435. 4797 8 914.5 -2.75; 4798 12 914.5 -2.75; 4799 16 914.5 -2.75
1436. 4800 20 914.5 -2.75; 4801 24 914.5 -2.75; 4802 28 914.5 -2.75
1437. 4803 32 914.5 -2.75; 4804 36 914.5 -2.75; 4805 0 914.5 -2.38636
1438. 4806 4 914.5 -2.38636; 4807 8 914.5 -2.38636; 4808 12 914.5 -2.38636

1439. 4809 16 914.5 -2.38636; 4810 20 914.5 -2.38636; 4811 24 914.5 -2.38636
1440. 4812 28 914.5 -2.38636; 4813 32 914.5 -2.38636; 4814 36 914.5 -2.38636
1441. 4815 0 914.5 -2.02273; 4816 4 914.5 -2.02273; 4817 8 914.5 -2.02273
1442. 4818 12 914.5 -2.02273; 4819 16 914.5 -2.02273; 4820 20 914.5 -2.02273
1443. 4821 24 914.5 -2.02273; 4822 28 914.5 -2.02273; 4823 32 914.5 -2.02273
1444. 4824 36 914.5 -2.02273; 4825 0 914.5 -1.65909; 4826 4 914.5 -1.65909
1445. 4827 8 914.5 -1.65909; 4828 12 914.5 -1.65909; 4829 16 914.5 -1.65909
1446. 4830 20 914.5 -1.65909; 4831 24 914.5 -1.65909; 4832 28 914.5 -1.65909
1447. 4833 32 914.5 -1.65909; 4834 36 914.5 -1.65909; 4835 0 914.5 -1.29545
1448. 4836 4 914.5 -1.29545; 4837 8 914.5 -1.29545; 4838 12 914.5 -1.29545
1449. 4839 16 914.5 -1.29545; 4840 20 914.5 -1.29545; 4841 24 914.5 -1.29545
1450. 4842 28 914.5 -1.29545; 4843 32 914.5 -1.29545; 4844 36 914.5 -1.29545
1451. 4845 0 914.5 -0.75; 4846 4 914.5 -0.75; 4847 8 914.5 -0.75
1452. 4848 12 914.5 -0.75; 4849 16 914.5 -0.75; 4850 20 914.5 -0.75
1453. 4851 24 914.5 -0.75; 4852 28 914.5 -0.75; 4853 32 914.5 -0.75
1454. 4854 36 914.5 -0.75; 4855 0 914.5 -0.2; 4856 4 914.5 -0.2; 4857 8 914.5 -0.2
1455. 4858 12 914.5 -0.2; 4859 16 914.5 -0.2; 4860 20 914.5 -0.2; 4861 24 914.5 -0.2
1456. 4862 28 914.5 -0.2; 4863 32 914.5 -0.2; 4864 36 914.5 -0.2; 4865 -1.3 914.5 0
1457. 4866 -0.8 914.5 0; 4867 -0.3 914.5 0; 4868 0 914.5 0; 4869 0.3 914.5 0
1458. 4870 1 914.5 0; 4871 1.5 914.5 0; 4872 2 914.5 0; 4873 2.5 914.5 0
1459. 4874 3 914.5 0; 4875 3.7 914.5 0; 4876 4 914.5 0; 4877 4.3 914.5 0
1460. 4878 5 914.5 0; 4879 5.5 914.5 0; 4880 6 914.5 0; 4881 6.5 914.5 0
1461. 4882 7 914.5 0; 4883 7.7 914.5 0; 4884 8 914.5 0; 4885 8.3 914.5 0
1462. 4886 9 914.5 0; 4887 9.5 914.5 0; 4888 10 914.5 0; 4889 10.5 914.5 0
1463. 4890 11 914.5 0; 4891 11.7 914.5 0; 4892 12 914.5 0; 4893 12.3 914.5 0
1464. 4894 13 914.5 0; 4895 13.5 914.5 0; 4896 14 914.5 0; 4897 14.5 914.5 0
1465. 4898 15 914.5 0; 4899 15.7 914.5 0; 4900 16 914.5 0; 4901 16.3 914.5 0
1466. 4902 17 914.5 0; 4903 17.5 914.5 0; 4904 18 914.5 0; 4905 18.5 914.5 0
1467. 4906 19 914.5 0; 4907 19.7 914.5 0; 4908 20 914.5 0; 4909 20.3 914.5 0
1468. 4910 21 914.5 0; 4911 21.5 914.5 0; 4912 22 914.5 0; 4913 22.5 914.5 0
1469. 4914 23 914.5 0; 4915 23.7 914.5 0; 4916 24 914.5 0; 4917 24.3 914.5 0
1470. 4918 25 914.5 0; 4919 25.5 914.5 0; 4920 26 914.5 0; 4921 26.5 914.5 0
1471. 4922 27 914.5 0; 4923 27.7 914.5 0; 4924 28 914.5 0; 4925 28.3 914.5 0
1472. 4926 29 914.5 0; 4927 29.5 914.5 0; 4928 30 914.5 0; 4929 30.5 914.5 0
1473. 4930 31 914.5 0; 4931 31.7 914.5 0; 4932 32 914.5 0; 4933 32.3 914.5 0
1474. 4934 33 914.5 0; 4935 33.5 914.5 0; 4936 34 914.5 0; 4937 34.5 914.5 0
1475. 4938 35 914.5 0; 4939 35.7 914.5 0; 4940 36 914.5 0; 4941 36.3 914.5 0
1476. 4942 36.8 914.5 0; 4943 37.3 914.5 0; 4944 0 915 -5.47727; 4945 4 915 -5.47727
1477. 4946 8 915 -5.47727; 4947 12 915 -5.47727; 4948 16 915 -5.47727
1478. 4949 20 915 -5.47727; 4950 24 915 -5.47727; 4951 28 915 -5.47727
1479. 4952 32 915 -5.47727; 4953 36 915 -5.47727; 4954 0 915 -5.29545
1480. 4955 4 915 -5.29545; 4956 8 915 -5.29545; 4957 12 915 -5.29545
1481. 4958 16 915 -5.29545; 4959 20 915 -5.29545; 4960 24 915 -5.29545
1482. 4961 28 915 -5.29545; 4962 32 915 -5.29545; 4963 36 915 -5.29545
1483. 4964 0 915 -4.93182; 4965 4 915 -4.93182; 4966 8 915 -4.93182
1484. 4967 12 915 -4.93182; 4968 16 915 -4.93182; 4969 20 915 -4.93182
1485. 4970 24 915 -4.93182; 4971 28 915 -4.93182; 4972 32 915 -4.93182
1486. 4973 36 915 -4.93182; 4974 0 915 -4.56818; 4975 4 915 -4.56818
1487. 4976 8 915 -4.56818; 4977 12 915 -4.56818; 4978 16 915 -4.56818
1488. 4979 20 915 -4.56818; 4980 24 915 -4.56818; 4981 28 915 -4.56818
1489. 4982 32 915 -4.56818; 4983 36 915 -4.56818; 4984 0 915 -4.20455
1490. 4985 4 915 -4.20455; 4986 8 915 -4.20455; 4987 12 915 -4.20455
1491. 4988 16 915 -4.20455; 4989 20 915 -4.20455; 4990 24 915 -4.20455
1492. 4991 28 915 -4.20455; 4992 32 915 -4.20455; 4993 36 915 -4.20455
1493. 4994 0 915 -3.84091; 4995 4 915 -3.84091; 4996 8 915 -3.84091
1494. 4997 12 915 -3.84091; 4998 16 915 -3.84091; 4999 20 915 -3.84091

1495. 5000 24 915 -3.84091; 5001 28 915 -3.84091; 5002 32 915 -3.84091
1496. 5003 36 915 -3.84091; 5004 0 915 -3.47727; 5005 4 915 -3.47727
1497. 5006 8 915 -3.47727; 5007 12 915 -3.47727; 5008 16 915 -3.47727
1498. 5009 20 915 -3.47727; 5010 24 915 -3.47727; 5011 28 915 -3.47727
1499. 5012 32 915 -3.47727; 5013 36 915 -3.47727; 5014 0 915 -3.11364
1500. 5015 4 915 -3.11364; 5016 8 915 -3.11364; 5017 12 915 -3.11364
1501. 5018 16 915 -3.11364; 5019 20 915 -3.11364; 5020 24 915 -3.11364
1502. 5021 28 915 -3.11364; 5022 32 915 -3.11364; 5023 36 915 -3.11364
1503. 5024 0 915 -2.75; 5025 4 915 -2.75; 5026 8 915 -2.75; 5027 12 915 -2.75
1504. 5028 16 915 -2.75; 5029 20 915 -2.75; 5030 24 915 -2.75; 5031 28 915 -2.75
1505. 5032 32 915 -2.75; 5033 36 915 -2.75; 5034 0 915 -2.38636; 5035 4 915 -2.38636
1506. 5036 8 915 -2.38636; 5037 12 915 -2.38636; 5038 16 915 -2.38636
1507. 5039 20 915 -2.38636; 5040 24 915 -2.38636; 5041 28 915 -2.38636
1508. 5042 32 915 -2.38636; 5043 36 915 -2.38636; 5044 0 915 -2.02273
1509. 5045 4 915 -2.02273; 5046 8 915 -2.02273; 5047 12 915 -2.02273
1510. 5048 16 915 -2.02273; 5049 20 915 -2.02273; 5050 24 915 -2.02273
1511. 5051 28 915 -2.02273; 5052 32 915 -2.02273; 5053 36 915 -2.02273
1512. 5054 0 915 -1.65909; 5055 4 915 -1.65909; 5056 8 915 -1.65909
1513. 5057 12 915 -1.65909; 5058 16 915 -1.65909; 5059 20 915 -1.65909
1514. 5060 24 915 -1.65909; 5061 28 915 -1.65909; 5062 32 915 -1.65909
1515. 5063 36 915 -1.65909; 5064 0 915 -1.29545; 5065 4 915 -1.29545
1516. 5066 8 915 -1.29545; 5067 12 915 -1.29545; 5068 16 915 -1.29545
1517. 5069 20 915 -1.29545; 5070 24 915 -1.29545; 5071 28 915 -1.29545
1518. 5072 32 915 -1.29545; 5073 36 915 -1.29545; 5074 0 915 -0.75; 5075 4 915 -0.75
1519. 5076 8 915 -0.75; 5077 12 915 -0.75; 5078 16 915 -0.75; 5079 20 915 -0.75
1520. 5080 24 915 -0.75; 5081 28 915 -0.75; 5082 32 915 -0.75; 5083 36 915 -0.75
1521. 5084 0 915 -0.2; 5085 4 915 -0.2; 5086 8 915 -0.2; 5087 12 915 -0.2
1522. 5088 16 915 -0.2; 5089 20 915 -0.2; 5090 24 915 -0.2; 5091 28 915 -0.2
1523. 5092 32 915 -0.2; 5093 36 915 -0.2; 5094 -1.3 915 0; 5095 -0.8 915 0
1524. 5096 -0.3 915 0; 5097 0 915 0; 5098 0.3 915 0; 5099 1 915 0; 5100 1.5 915 0
1525. 5101 2 915 0; 5102 2.5 915 0; 5103 3 915 0; 5104 3.7 915 0; 5105 4 915 0
1526. 5106 4.3 915 0; 5107 5 915 0; 5108 5.5 915 0; 5109 6 915 0; 5110 6.5 915 0
1527. 5111 7 915 0; 5112 7.7 915 0; 5113 8 915 0; 5114 8.3 915 0; 5115 9 915 0
1528. 5116 9.5 915 0; 5117 10 915 0; 5118 10.5 915 0; 5119 11 915 0; 5120 11.7 915 0
1529. 5121 12 915 0; 5122 12.3 915 0; 5123 13 915 0; 5124 13.5 915 0; 5125 14 915 0
1530. 5126 14.5 915 0; 5127 15 915 0; 5128 15.7 915 0; 5129 16 915 0
1531. 5130 16.3 915 0; 5131 17 915 0; 5132 17.5 915 0; 5133 18 915 0
1532. 5134 18.5 915 0; 5135 19 915 0; 5136 19.7 915 0; 5137 20 915 0
1533. 5138 20.3 915 0; 5139 21 915 0; 5140 21.5 915 0; 5141 22 915 0
1534. 5142 22.5 915 0; 5143 23 915 0; 5144 23.7 915 0; 5145 24 915 0
1535. 5146 24.3 915 0; 5147 25 915 0; 5148 25.5 915 0; 5149 26 915 0
1536. 5150 26.5 915 0; 5151 27 915 0; 5152 27.7 915 0; 5153 28 915 0
1537. 5154 28.3 915 0; 5155 29 915 0; 5156 29.5 915 0; 5157 30 915 0
1538. 5158 30.5 915 0; 5159 31 915 0; 5160 31.7 915 0; 5161 32 915 0
1539. 5162 32.3 915 0; 5163 33 915 0; 5164 33.5 915 0; 5165 34 915 0
1540. 5166 34.5 915 0; 5167 35 915 0; 5168 35.7 915 0; 5169 36 915 0
1541. 5170 36.3 915 0; 5171 36.8 915 0; 5172 37.3 915 0; 5173 0 915.5 -5.29545
1542. 5174 4 915.5 -5.29545; 5175 8 915.5 -5.29545; 5176 12 915.5 -5.29545
1543. 5177 16 915.5 -5.29545; 5178 20 915.5 -5.29545; 5179 24 915.5 -5.29545
1544. 5180 28 915.5 -5.29545; 5181 32 915.5 -5.29545; 5182 36 915.5 -5.29545
1545. 5183 0 915.5 -4.93182; 5184 4 915.5 -4.93182; 5185 8 915.5 -4.93182
1546. 5186 12 915.5 -4.93182; 5187 16 915.5 -4.93182; 5188 20 915.5 -4.93182
1547. 5189 24 915.5 -4.93182; 5190 28 915.5 -4.93182; 5191 32 915.5 -4.93182
1548. 5192 36 915.5 -4.93182; 5193 0 915.5 -4.56818; 5194 4 915.5 -4.56818
1549. 5195 8 915.5 -4.56818; 5196 12 915.5 -4.56818; 5197 16 915.5 -4.56818
1550. 5198 20 915.5 -4.56818; 5199 24 915.5 -4.56818; 5200 28 915.5 -4.56818

1551. 5201 32 915.5 -4.56818; 5202 36 915.5 -4.56818; 5203 0 915.5 -4.20455
1552. 5204 4 915.5 -4.20455; 5205 8 915.5 -4.20455; 5206 12 915.5 -4.20455
1553. 5207 16 915.5 -4.20455; 5208 20 915.5 -4.20455; 5209 24 915.5 -4.20455
1554. 5210 28 915.5 -4.20455; 5211 32 915.5 -4.20455; 5212 36 915.5 -4.20455
1555. 5213 0 915.5 -3.84091; 5214 4 915.5 -3.84091; 5215 8 915.5 -3.84091
1556. 5216 12 915.5 -3.84091; 5217 16 915.5 -3.84091; 5218 20 915.5 -3.84091
1557. 5219 24 915.5 -3.84091; 5220 28 915.5 -3.84091; 5221 32 915.5 -3.84091
1558. 5222 36 915.5 -3.84091; 5223 0 915.5 -3.47727; 5224 4 915.5 -3.47727
1559. 5225 8 915.5 -3.47727; 5226 12 915.5 -3.47727; 5227 16 915.5 -3.47727
1560. 5228 20 915.5 -3.47727; 5229 24 915.5 -3.47727; 5230 28 915.5 -3.47727
1561. 5231 32 915.5 -3.47727; 5232 36 915.5 -3.47727; 5233 0 915.5 -3.11364
1562. 5234 4 915.5 -3.11364; 5235 8 915.5 -3.11364; 5236 12 915.5 -3.11364
1563. 5237 16 915.5 -3.11364; 5238 20 915.5 -3.11364; 5239 24 915.5 -3.11364
1564. 5240 28 915.5 -3.11364; 5241 32 915.5 -3.11364; 5242 36 915.5 -3.11364
1565. 5243 0 915.5 -2.75; 5244 4 915.5 -2.75; 5245 8 915.5 -2.75
1566. 5246 12 915.5 -2.75; 5247 16 915.5 -2.75; 5248 20 915.5 -2.75
1567. 5249 24 915.5 -2.75; 5250 28 915.5 -2.75; 5251 32 915.5 -2.75
1568. 5252 36 915.5 -2.75; 5253 0 915.5 -2.38636; 5254 4 915.5 -2.38636
1569. 5255 8 915.5 -2.38636; 5256 12 915.5 -2.38636; 5257 16 915.5 -2.38636
1570. 5258 20 915.5 -2.38636; 5259 24 915.5 -2.38636; 5260 28 915.5 -2.38636
1571. 5261 32 915.5 -2.38636; 5262 36 915.5 -2.38636; 5263 0 915.5 -2.02273
1572. 5264 4 915.5 -2.02273; 5265 8 915.5 -2.02273; 5266 12 915.5 -2.02273
1573. 5267 16 915.5 -2.02273; 5268 20 915.5 -2.02273; 5269 24 915.5 -2.02273
1574. 5270 28 915.5 -2.02273; 5271 32 915.5 -2.02273; 5272 36 915.5 -2.02273
1575. 5273 0 915.5 -1.65909; 5274 4 915.5 -1.65909; 5275 8 915.5 -1.65909
1576. 5276 12 915.5 -1.65909; 5277 16 915.5 -1.65909; 5278 20 915.5 -1.65909
1577. 5279 24 915.5 -1.65909; 5280 28 915.5 -1.65909; 5281 32 915.5 -1.65909
1578. 5282 36 915.5 -1.65909; 5283 0 915.5 -1.29545; 5284 4 915.5 -1.29545
1579. 5285 8 915.5 -1.29545; 5286 12 915.5 -1.29545; 5287 16 915.5 -1.29545
1580. 5288 20 915.5 -1.29545; 5289 24 915.5 -1.29545; 5290 28 915.5 -1.29545
1581. 5291 32 915.5 -1.29545; 5292 36 915.5 -1.29545; 5293 0 915.5 -0.75
1582. 5294 4 915.5 -0.75; 5295 8 915.5 -0.75; 5296 12 915.5 -0.75
1583. 5297 16 915.5 -0.75; 5298 20 915.5 -0.75; 5299 24 915.5 -0.75
1584. 5300 28 915.5 -0.75; 5301 32 915.5 -0.75; 5302 36 915.5 -0.75
1585. 5303 0 915.5 -0.2; 5304 4 915.5 -0.2; 5305 8 915.5 -0.2; 5306 12 915.5 -0.2
1586. 5307 16 915.5 -0.2; 5308 20 915.5 -0.2; 5309 24 915.5 -0.2; 5310 28 915.5 -0.2
1587. 5311 32 915.5 -0.2; 5312 36 915.5 -0.2; 5313 -1.3 915.5 0; 5314 -0.8 915.5 0
1588. 5315 -0.3 915.5 0; 5316 0 915.5 0; 5317 0.3 915.5 0; 5318 1 915.5 0
1589. 5319 1.5 915.5 0; 5320 2 915.5 0; 5321 2.5 915.5 0; 5322 3 915.5 0
1590. 5323 3.7 915.5 0; 5324 4 915.5 0; 5325 4.3 915.5 0; 5326 5 915.5 0
1591. 5327 5.5 915.5 0; 5328 6 915.5 0; 5329 6.5 915.5 0; 5330 7 915.5 0
1592. 5331 7.7 915.5 0; 5332 8 915.5 0; 5333 8.3 915.5 0; 5334 9 915.5 0
1593. 5335 9.5 915.5 0; 5336 10 915.5 0; 5337 10.5 915.5 0; 5338 11 915.5 0
1594. 5339 11.7 915.5 0; 5340 12 915.5 0; 5341 12.3 915.5 0; 5342 13 915.5 0
1595. 5343 13.5 915.5 0; 5344 14 915.5 0; 5345 14.5 915.5 0; 5346 15 915.5 0
1596. 5347 15.7 915.5 0; 5348 16 915.5 0; 5349 16.3 915.5 0; 5350 17 915.5 0
1597. 5351 17.5 915.5 0; 5352 18 915.5 0; 5353 18.5 915.5 0; 5354 19 915.5 0
1598. 5355 19.7 915.5 0; 5356 20 915.5 0; 5357 20.3 915.5 0; 5358 21 915.5 0
1599. 5359 21.5 915.5 0; 5360 22 915.5 0; 5361 22.5 915.5 0; 5362 23 915.5 0
1600. 5363 23.7 915.5 0; 5364 24 915.5 0; 5365 24.3 915.5 0; 5366 25 915.5 0
1601. 5367 25.5 915.5 0; 5368 26 915.5 0; 5369 26.5 915.5 0; 5370 27 915.5 0
1602. 5371 27.7 915.5 0; 5372 28 915.5 0; 5373 28.3 915.5 0; 5374 29 915.5 0
1603. 5375 29.5 915.5 0; 5376 30 915.5 0; 5377 30.5 915.5 0; 5378 31 915.5 0
1604. 5379 31.7 915.5 0; 5380 32 915.5 0; 5381 32.3 915.5 0; 5382 33 915.5 0
1605. 5383 33.5 915.5 0; 5384 34 915.5 0; 5385 34.5 915.5 0; 5386 35 915.5 0
1606. 5387 35.7 915.5 0; 5388 36 915.5 0; 5389 36.3 915.5 0; 5390 36.8 915.5 0

1607. 5391 37.3 915.5 0; 5392 0 916 -5.11364; 5393 4 916 -5.11364
1608. 5394 8 916 -5.11364; 5395 12 916 -5.11364; 5396 16 916 -5.11364
1609. 5397 20 916 -5.11364; 5398 24 916 -5.11364; 5399 28 916 -5.11364
1610. 5400 32 916 -5.11364; 5401 36 916 -5.11364; 5402 0 916 -4.93182
1611. 5403 4 916 -4.93182; 5404 8 916 -4.93182; 5405 12 916 -4.93182
1612. 5406 16 916 -4.93182; 5407 20 916 -4.93182; 5408 24 916 -4.93182
1613. 5409 28 916 -4.93182; 5410 32 916 -4.93182; 5411 36 916 -4.93182
1614. 5412 0 916 -4.56818; 5413 4 916 -4.56818; 5414 8 916 -4.56818
1615. 5415 12 916 -4.56818; 5416 16 916 -4.56818; 5417 20 916 -4.56818
1616. 5418 24 916 -4.56818; 5419 28 916 -4.56818; 5420 32 916 -4.56818
1617. 5421 36 916 -4.56818; 5422 0 916 -4.20455; 5423 4 916 -4.20455
1618. 5424 8 916 -4.20455; 5425 12 916 -4.20455; 5426 16 916 -4.20455
1619. 5427 20 916 -4.20455; 5428 24 916 -4.20455; 5429 28 916 -4.20455
1620. 5430 32 916 -4.20455; 5431 36 916 -4.20455; 5432 0 916 -3.84091
1621. 5433 4 916 -3.84091; 5434 8 916 -3.84091; 5435 12 916 -3.84091
1622. 5436 16 916 -3.84091; 5437 20 916 -3.84091; 5438 24 916 -3.84091
1623. 5439 28 916 -3.84091; 5440 32 916 -3.84091; 5441 36 916 -3.84091
1624. 5442 0 916 -3.47727; 5443 4 916 -3.47727; 5444 8 916 -3.47727
1625. 5445 12 916 -3.47727; 5446 16 916 -3.47727; 5447 20 916 -3.47727
1626. 5448 24 916 -3.47727; 5449 28 916 -3.47727; 5450 32 916 -3.47727
1627. 5451 36 916 -3.47727; 5452 0 916 -3.11364; 5453 4 916 -3.11364
1628. 5454 8 916 -3.11364; 5455 12 916 -3.11364; 5456 16 916 -3.11364
1629. 5457 20 916 -3.11364; 5458 24 916 -3.11364; 5459 28 916 -3.11364
1630. 5460 32 916 -3.11364; 5461 36 916 -3.11364; 5462 0 916 -2.75; 5463 4 916 -2.75
1631. 5464 8 916 -2.75; 5465 12 916 -2.75; 5466 16 916 -2.75; 5467 20 916 -2.75
1632. 5468 24 916 -2.75; 5469 28 916 -2.75; 5470 32 916 -2.75; 5471 36 916 -2.75
1633. 5472 0 916 -2.38636; 5473 4 916 -2.38636; 5474 8 916 -2.38636
1634. 5475 12 916 -2.38636; 5476 16 916 -2.38636; 5477 20 916 -2.38636
1635. 5478 24 916 -2.38636; 5479 28 916 -2.38636; 5480 32 916 -2.38636
1636. 5481 36 916 -2.38636; 5482 0 916 -2.02273; 5483 4 916 -2.02273
1637. 5484 8 916 -2.02273; 5485 12 916 -2.02273; 5486 16 916 -2.02273
1638. 5487 20 916 -2.02273; 5488 24 916 -2.02273; 5489 28 916 -2.02273
1639. 5490 32 916 -2.02273; 5491 36 916 -2.02273; 5492 0 916 -1.65909
1640. 5493 4 916 -1.65909; 5494 8 916 -1.65909; 5495 12 916 -1.65909
1641. 5496 16 916 -1.65909; 5497 20 916 -1.65909; 5498 24 916 -1.65909
1642. 5499 28 916 -1.65909; 5500 32 916 -1.65909; 5501 36 916 -1.65909
1643. 5502 0 916 -1.29545; 5503 4 916 -1.29545; 5504 8 916 -1.29545
1644. 5505 12 916 -1.29545; 5506 16 916 -1.29545; 5507 20 916 -1.29545
1645. 5508 24 916 -1.29545; 5509 28 916 -1.29545; 5510 32 916 -1.29545
1646. 5511 36 916 -1.29545; 5512 0 916 -0.75; 5513 4 916 -0.75; 5514 8 916 -0.75
1647. 5515 12 916 -0.75; 5516 16 916 -0.75; 5517 20 916 -0.75; 5518 24 916 -0.75
1648. 5519 28 916 -0.75; 5520 32 916 -0.75; 5521 36 916 -0.75; 5522 0 916 -0.2
1649. 5523 4 916 -0.2; 5524 8 916 -0.2; 5525 12 916 -0.2; 5526 16 916 -0.2
1650. 5527 20 916 -0.2; 5528 24 916 -0.2; 5529 28 916 -0.2; 5530 32 916 -0.2
1651. 5531 36 916 -0.2; 5532 -1.3 916 0; 5533 -0.8 916 0; 5534 -0.3 916 0
1652. 5535 0 916 0; 5536 0.3 916 0; 5537 1 916 0; 5538 1.5 916 0; 5539 2 916 0
1653. 5540 2.5 916 0; 5541 3 916 0; 5542 3.7 916 0; 5543 4 916 0; 5544 4.3 916 0
1654. 5545 5 916 0; 5546 5.5 916 0; 5547 6 916 0; 5548 6.5 916 0; 5549 7 916 0
1655. 5550 7.7 916 0; 5551 8 916 0; 5552 8.3 916 0; 5553 9 916 0; 5554 9.5 916 0
1656. 5555 10 916 0; 5556 10.5 916 0; 5557 11 916 0; 5558 11.7 916 0; 5559 12 916 0
1657. 5560 12.3 916 0; 5561 13 916 0; 5562 13.5 916 0; 5563 14 916 0
1658. 5564 14.5 916 0; 5565 15 916 0; 5566 15.7 916 0; 5567 16 916 0
1659. 5568 16.3 916 0; 5569 17 916 0; 5570 17.5 916 0; 5571 18 916 0
1660. 5572 18.5 916 0; 5573 19 916 0; 5574 19.7 916 0; 5575 20 916 0
1661. 5576 20.3 916 0; 5577 21 916 0; 5578 21.5 916 0; 5579 22 916 0
1662. 5580 22.5 916 0; 5581 23 916 0; 5582 23.7 916 0; 5583 24 916 0

1663. 5584 24.3 916 0; 5585 25 916 0; 5586 25.5 916 0; 5587 26 916 0
1664. 5588 26.5 916 0; 5589 27 916 0; 5590 27.7 916 0; 5591 28 916 0
1665. 5592 28.3 916 0; 5593 29 916 0; 5594 29.5 916 0; 5595 30 916 0
1666. 5596 30.5 916 0; 5597 31 916 0; 5598 31.7 916 0; 5599 32 916 0
1667. 5600 32.3 916 0; 5601 33 916 0; 5602 33.5 916 0; 5603 34 916 0
1668. 5604 34.5 916 0; 5605 35 916 0; 5606 35.7 916 0; 5607 36 916 0
1669. 5608 36.3 916 0; 5609 36.8 916 0; 5610 37.3 916 0; 5611 0 916.5 -4.93182
1670. 5612 4 916.5 -4.93182; 5613 8 916.5 -4.93182; 5614 12 916.5 -4.93182
1671. 5615 16 916.5 -4.93182; 5616 20 916.5 -4.93182; 5617 24 916.5 -4.93182
1672. 5618 28 916.5 -4.93182; 5619 32 916.5 -4.93182; 5620 36 916.5 -4.93182
1673. 5621 0 916.5 -4.56818; 5622 4 916.5 -4.56818; 5623 8 916.5 -4.56818
1674. 5624 12 916.5 -4.56818; 5625 16 916.5 -4.56818; 5626 20 916.5 -4.56818
1675. 5627 24 916.5 -4.56818; 5628 28 916.5 -4.56818; 5629 32 916.5 -4.56818
1676. 5630 36 916.5 -4.56818; 5631 0 916.5 -4.20455; 5632 4 916.5 -4.20455
1677. 5633 8 916.5 -4.20455; 5634 12 916.5 -4.20455; 5635 16 916.5 -4.20455
1678. 5636 20 916.5 -4.20455; 5637 24 916.5 -4.20455; 5638 28 916.5 -4.20455
1679. 5639 32 916.5 -4.20455; 5640 36 916.5 -4.20455; 5641 0 916.5 -3.84091
1680. 5642 4 916.5 -3.84091; 5643 8 916.5 -3.84091; 5644 12 916.5 -3.84091
1681. 5645 16 916.5 -3.84091; 5646 20 916.5 -3.84091; 5647 24 916.5 -3.84091
1682. 5648 28 916.5 -3.84091; 5649 32 916.5 -3.84091; 5650 36 916.5 -3.84091
1683. 5651 0 916.5 -3.47727; 5652 4 916.5 -3.47727; 5653 8 916.5 -3.47727
1684. 5654 12 916.5 -3.47727; 5655 16 916.5 -3.47727; 5656 20 916.5 -3.47727
1685. 5657 24 916.5 -3.47727; 5658 28 916.5 -3.47727; 5659 32 916.5 -3.47727
1686. 5660 36 916.5 -3.47727; 5661 0 916.5 -3.11364; 5662 4 916.5 -3.11364
1687. 5663 8 916.5 -3.11364; 5664 12 916.5 -3.11364; 5665 16 916.5 -3.11364
1688. 5666 20 916.5 -3.11364; 5667 24 916.5 -3.11364; 5668 28 916.5 -3.11364
1689. 5669 32 916.5 -3.11364; 5670 36 916.5 -3.11364; 5671 0 916.5 -2.75
1690. 5672 4 916.5 -2.75; 5673 8 916.5 -2.75; 5674 12 916.5 -2.75
1691. 5675 16 916.5 -2.75; 5676 20 916.5 -2.75; 5677 24 916.5 -2.75
1692. 5678 28 916.5 -2.75; 5679 32 916.5 -2.75; 5680 36 916.5 -2.75
1693. 5681 0 916.5 -2.38636; 5682 4 916.5 -2.38636; 5683 8 916.5 -2.38636
1694. 5684 12 916.5 -2.38636; 5685 16 916.5 -2.38636; 5686 20 916.5 -2.38636
1695. 5687 24 916.5 -2.38636; 5688 28 916.5 -2.38636; 5689 32 916.5 -2.38636
1696. 5690 36 916.5 -2.38636; 5691 0 916.5 -2.02273; 5692 4 916.5 -2.02273
1697. 5693 8 916.5 -2.02273; 5694 12 916.5 -2.02273; 5695 16 916.5 -2.02273
1698. 5696 20 916.5 -2.02273; 5697 24 916.5 -2.02273; 5698 28 916.5 -2.02273
1699. 5699 32 916.5 -2.02273; 5700 36 916.5 -2.02273; 5701 0 916.5 -1.65909
1700. 5702 4 916.5 -1.65909; 5703 8 916.5 -1.65909; 5704 12 916.5 -1.65909
1701. 5705 16 916.5 -1.65909; 5706 20 916.5 -1.65909; 5707 24 916.5 -1.65909
1702. 5708 28 916.5 -1.65909; 5709 32 916.5 -1.65909; 5710 36 916.5 -1.65909
1703. 5711 0 916.5 -1.29545; 5712 4 916.5 -1.29545; 5713 8 916.5 -1.29545
1704. 5714 12 916.5 -1.29545; 5715 16 916.5 -1.29545; 5716 20 916.5 -1.29545
1705. 5717 24 916.5 -1.29545; 5718 28 916.5 -1.29545; 5719 32 916.5 -1.29545
1706. 5720 36 916.5 -1.29545; 5721 0 916.5 -0.75; 5722 4 916.5 -0.75
1707. 5723 8 916.5 -0.75; 5724 12 916.5 -0.75; 5725 16 916.5 -0.75
1708. 5726 20 916.5 -0.75; 5727 24 916.5 -0.75; 5728 28 916.5 -0.75
1709. 5729 32 916.5 -0.75; 5730 36 916.5 -0.75; 5731 0 916.5 -0.2; 5732 4 916.5 -0.2
1710. 5733 8 916.5 -0.2; 5734 12 916.5 -0.2; 5735 16 916.5 -0.2; 5736 20 916.5 -0.2
1711. 5737 24 916.5 -0.2; 5738 28 916.5 -0.2; 5739 32 916.5 -0.2; 5740 36 916.5 -0.2
1712. 5741 -1.3 916.5 0; 5742 -0.8 916.5 0; 5743 -0.3 916.5 0; 5744 0 916.5 0
1713. 5745 0.3 916.5 0; 5746 1 916.5 0; 5747 1.5 916.5 0; 5748 2 916.5 0
1714. 5749 2.5 916.5 0; 5750 3 916.5 0; 5751 3.7 916.5 0; 5752 4 916.5 0
1715. 5753 4.3 916.5 0; 5754 5 916.5 0; 5755 5.5 916.5 0; 5756 6 916.5 0
1716. 5757 6.5 916.5 0; 5758 7 916.5 0; 5759 7.7 916.5 0; 5760 8 916.5 0
1717. 5761 8.3 916.5 0; 5762 9 916.5 0; 5763 9.5 916.5 0; 5764 10 916.5 0
1718. 5765 10.5 916.5 0; 5766 11 916.5 0; 5767 11.7 916.5 0; 5768 12 916.5 0

1719. 5769 12.3 916.5 0; 5770 13 916.5 0; 5771 13.5 916.5 0; 5772 14 916.5 0
1720. 5773 14.5 916.5 0; 5774 15 916.5 0; 5775 15.7 916.5 0; 5776 16 916.5 0
1721. 5777 16.3 916.5 0; 5778 17 916.5 0; 5779 17.5 916.5 0; 5780 18 916.5 0
1722. 5781 18.5 916.5 0; 5782 19 916.5 0; 5783 19.7 916.5 0; 5784 20 916.5 0
1723. 5785 20.3 916.5 0; 5786 21 916.5 0; 5787 21.5 916.5 0; 5788 22 916.5 0
1724. 5789 22.5 916.5 0; 5790 23 916.5 0; 5791 23.7 916.5 0; 5792 24 916.5 0
1725. 5793 24.3 916.5 0; 5794 25 916.5 0; 5795 25.5 916.5 0; 5796 26 916.5 0
1726. 5797 26.5 916.5 0; 5798 27 916.5 0; 5799 27.7 916.5 0; 5800 28 916.5 0
1727. 5801 28.3 916.5 0; 5802 29 916.5 0; 5803 29.5 916.5 0; 5804 30 916.5 0
1728. 5805 30.5 916.5 0; 5806 31 916.5 0; 5807 31.7 916.5 0; 5808 32 916.5 0
1729. 5809 32.3 916.5 0; 5810 33 916.5 0; 5811 33.5 916.5 0; 5812 34 916.5 0
1730. 5813 34.5 916.5 0; 5814 35 916.5 0; 5815 35.7 916.5 0; 5816 36 916.5 0
1731. 5817 36.3 916.5 0; 5818 36.8 916.5 0; 5819 37.3 916.5 0; 5820 0 917 -4.75
1732. 5821 4 917 -4.75; 5822 8 917 -4.75; 5823 12 917 -4.75; 5824 16 917 -4.75
1733. 5825 20 917 -4.75; 5826 24 917 -4.75; 5827 28 917 -4.75; 5828 32 917 -4.75
1734. 5829 36 917 -4.75; 5830 0 917 -4.56818; 5831 4 917 -4.56818
1735. 5832 8 917 -4.56818; 5833 12 917 -4.56818; 5834 16 917 -4.56818
1736. 5835 20 917 -4.56818; 5836 24 917 -4.56818; 5837 28 917 -4.56818
1737. 5838 32 917 -4.56818; 5839 36 917 -4.56818; 5840 0 917 -4.20455
1738. 5841 4 917 -4.20455; 5842 8 917 -4.20455; 5843 12 917 -4.20455
1739. 5844 16 917 -4.20455; 5845 20 917 -4.20455; 5846 24 917 -4.20455
1740. 5847 28 917 -4.20455; 5848 32 917 -4.20455; 5849 36 917 -4.20455
1741. 5850 0 917 -3.84091; 5851 4 917 -3.84091; 5852 8 917 -3.84091
1742. 5853 12 917 -3.84091; 5854 16 917 -3.84091; 5855 20 917 -3.84091
1743. 5856 24 917 -3.84091; 5857 28 917 -3.84091; 5858 32 917 -3.84091
1744. 5859 36 917 -3.84091; 5860 0 917 -3.47727; 5861 4 917 -3.47727
1745. 5862 8 917 -3.47727; 5863 12 917 -3.47727; 5864 16 917 -3.47727
1746. 5865 20 917 -3.47727; 5866 24 917 -3.47727; 5867 28 917 -3.47727
1747. 5868 32 917 -3.47727; 5869 36 917 -3.47727; 5870 0 917 -3.11364
1748. 5871 4 917 -3.11364; 5872 8 917 -3.11364; 5873 12 917 -3.11364
1749. 5874 16 917 -3.11364; 5875 20 917 -3.11364; 5876 24 917 -3.11364
1750. 5877 28 917 -3.11364; 5878 32 917 -3.11364; 5879 36 917 -3.11364
1751. 5880 0 917 -2.75; 5881 4 917 -2.75; 5882 8 917 -2.75; 5883 12 917 -2.75
1752. 5884 16 917 -2.75; 5885 20 917 -2.75; 5886 24 917 -2.75; 5887 28 917 -2.75
1753. 5888 32 917 -2.75; 5889 36 917 -2.75; 5890 0 917 -2.38636; 5891 4 917 -2.38636
1754. 5892 8 917 -2.38636; 5893 12 917 -2.38636; 5894 16 917 -2.38636
1755. 5895 20 917 -2.38636; 5896 24 917 -2.38636; 5897 28 917 -2.38636
1756. 5898 32 917 -2.38636; 5899 36 917 -2.38636; 5900 0 917 -2.02273
1757. 5901 4 917 -2.02273; 5902 8 917 -2.02273; 5903 12 917 -2.02273
1758. 5904 16 917 -2.02273; 5905 20 917 -2.02273; 5906 24 917 -2.02273
1759. 5907 28 917 -2.02273; 5908 32 917 -2.02273; 5909 36 917 -2.02273
1760. 5910 0 917 -1.65909; 5911 4 917 -1.65909; 5912 8 917 -1.65909
1761. 5913 12 917 -1.65909; 5914 16 917 -1.65909; 5915 20 917 -1.65909
1762. 5916 24 917 -1.65909; 5917 28 917 -1.65909; 5918 32 917 -1.65909
1763. 5919 36 917 -1.65909; 5920 0 917 -1.29545; 5921 4 917 -1.29545
1764. 5922 8 917 -1.29545; 5923 12 917 -1.29545; 5924 16 917 -1.29545
1765. 5925 20 917 -1.29545; 5926 24 917 -1.29545; 5927 28 917 -1.29545
1766. 5928 32 917 -1.29545; 5929 36 917 -1.29545; 5930 0 917 -0.75; 5931 4 917 -0.75
1767. 5932 8 917 -0.75; 5933 12 917 -0.75; 5934 16 917 -0.75; 5935 20 917 -0.75
1768. 5936 24 917 -0.75; 5937 28 917 -0.75; 5938 32 917 -0.75; 5939 36 917 -0.75
1769. 5940 0 917 -0.2; 5941 4 917 -0.2; 5942 8 917 -0.2; 5943 12 917 -0.2
1770. 5944 16 917 -0.2; 5945 20 917 -0.2; 5946 24 917 -0.2; 5947 28 917 -0.2
1771. 5948 32 917 -0.2; 5949 36 917 -0.2; 5950 -1.3 917 0; 5951 -0.8 917 0
1772. 5952 -0.3 917 0; 5953 0 917 0; 5954 0.3 917 0; 5955 1 917 0; 5956 1.5 917 0
1773. 5957 2 917 0; 5958 2.5 917 0; 5959 3 917 0; 5960 3.7 917 0; 5961 4 917 0
1774. 5962 4.3 917 0; 5963 5 917 0; 5964 5.5 917 0; 5965 6 917 0; 5966 6.5 917 0

1775. 5967 7 917 0; 5968 7.7 917 0; 5969 8 917 0; 5970 8.3 917 0; 5971 9 917 0
1776. 5972 9.5 917 0; 5973 10 917 0; 5974 10.5 917 0; 5975 11 917 0; 5976 11.7 917 0
1777. 5977 12 917 0; 5978 12.3 917 0; 5979 13 917 0; 5980 13.5 917 0; 5981 14 917 0
1778. 5982 14.5 917 0; 5983 15 917 0; 5984 15.7 917 0; 5985 16 917 0
1779. 5986 16.3 917 0; 5987 17 917 0; 5988 17.5 917 0; 5989 18 917 0
1780. 5990 18.5 917 0; 5991 19 917 0; 5992 19.7 917 0; 5993 20 917 0
1781. 5994 20.3 917 0; 5995 21 917 0; 5996 21.5 917 0; 5997 22 917 0
1782. 5998 22.5 917 0; 5999 23 917 0; 6000 23.7 917 0; 6001 24 917 0
1783. 6002 24.3 917 0; 6003 25 917 0; 6004 25.5 917 0; 6005 26 917 0
1784. 6006 26.5 917 0; 6007 27 917 0; 6008 27.7 917 0; 6009 28 917 0
1785. 6010 28.3 917 0; 6011 29 917 0; 6012 29.5 917 0; 6013 30 917 0
1786. 6014 30.5 917 0; 6015 31 917 0; 6016 31.7 917 0; 6017 32 917 0
1787. 6018 32.3 917 0; 6019 33 917 0; 6020 33.5 917 0; 6021 34 917 0
1788. 6022 34.5 917 0; 6023 35 917 0; 6024 35.7 917 0; 6025 36 917 0
1789. 6026 36.3 917 0; 6027 36.8 917 0; 6028 37.3 917 0; 6029 0 917.5 -4.56818
1790. 6030 4 917.5 -4.56818; 6031 8 917.5 -4.56818; 6032 12 917.5 -4.56818
1791. 6033 16 917.5 -4.56818; 6034 20 917.5 -4.56818; 6035 24 917.5 -4.56818
1792. 6036 28 917.5 -4.56818; 6037 32 917.5 -4.56818; 6038 36 917.5 -4.56818
1793. 6039 0 917.5 -4.20455; 6040 4 917.5 -4.20455; 6041 8 917.5 -4.20455
1794. 6042 12 917.5 -4.20455; 6043 16 917.5 -4.20455; 6044 20 917.5 -4.20455
1795. 6045 24 917.5 -4.20455; 6046 28 917.5 -4.20455; 6047 32 917.5 -4.20455
1796. 6048 36 917.5 -4.20455; 6049 0 917.5 -3.84091; 6050 4 917.5 -3.84091
1797. 6051 8 917.5 -3.84091; 6052 12 917.5 -3.84091; 6053 16 917.5 -3.84091
1798. 6054 20 917.5 -3.84091; 6055 24 917.5 -3.84091; 6056 28 917.5 -3.84091
1799. 6057 32 917.5 -3.84091; 6058 36 917.5 -3.84091; 6059 0 917.5 -3.47727
1800. 6060 4 917.5 -3.47727; 6061 8 917.5 -3.47727; 6062 12 917.5 -3.47727
1801. 6063 16 917.5 -3.47727; 6064 20 917.5 -3.47727; 6065 24 917.5 -3.47727
1802. 6066 28 917.5 -3.47727; 6067 32 917.5 -3.47727; 6068 36 917.5 -3.47727
1803. 6069 0 917.5 -3.11364; 6070 4 917.5 -3.11364; 6071 8 917.5 -3.11364
1804. 6072 12 917.5 -3.11364; 6073 16 917.5 -3.11364; 6074 20 917.5 -3.11364
1805. 6075 24 917.5 -3.11364; 6076 28 917.5 -3.11364; 6077 32 917.5 -3.11364
1806. 6078 36 917.5 -3.11364; 6079 0 917.5 -2.75; 6080 4 917.5 -2.75
1807. 6081 8 917.5 -2.75; 6082 12 917.5 -2.75; 6083 16 917.5 -2.75
1808. 6084 20 917.5 -2.75; 6085 24 917.5 -2.75; 6086 28 917.5 -2.75
1809. 6087 32 917.5 -2.75; 6088 36 917.5 -2.75; 6089 0 917.5 -2.38636
1810. 6090 4 917.5 -2.38636; 6091 8 917.5 -2.38636; 6092 12 917.5 -2.38636
1811. 6093 16 917.5 -2.38636; 6094 20 917.5 -2.38636; 6095 24 917.5 -2.38636
1812. 6096 28 917.5 -2.38636; 6097 32 917.5 -2.38636; 6098 36 917.5 -2.38636
1813. 6099 0 917.5 -2.02273; 6100 4 917.5 -2.02273; 6101 8 917.5 -2.02273
1814. 6102 12 917.5 -2.02273; 6103 16 917.5 -2.02273; 6104 20 917.5 -2.02273
1815. 6105 24 917.5 -2.02273; 6106 28 917.5 -2.02273; 6107 32 917.5 -2.02273
1816. 6108 36 917.5 -2.02273; 6109 0 917.5 -1.65909; 6110 4 917.5 -1.65909
1817. 6111 8 917.5 -1.65909; 6112 12 917.5 -1.65909; 6113 16 917.5 -1.65909
1818. 6114 20 917.5 -1.65909; 6115 24 917.5 -1.65909; 6116 28 917.5 -1.65909
1819. 6117 32 917.5 -1.65909; 6118 36 917.5 -1.65909; 6119 0 917.5 -1.29545
1820. 6120 4 917.5 -1.29545; 6121 8 917.5 -1.29545; 6122 12 917.5 -1.29545
1821. 6123 16 917.5 -1.29545; 6124 20 917.5 -1.29545; 6125 24 917.5 -1.29545
1822. 6126 28 917.5 -1.29545; 6127 32 917.5 -1.29545; 6128 36 917.5 -1.29545
1823. 6129 0 917.5 -0.75; 6130 4 917.5 -0.75; 6131 8 917.5 -0.75
1824. 6132 12 917.5 -0.75; 6133 16 917.5 -0.75; 6134 20 917.5 -0.75
1825. 6135 24 917.5 -0.75; 6136 28 917.5 -0.75; 6137 32 917.5 -0.75
1826. 6138 36 917.5 -0.75; 6139 0 917.5 -0.2; 6140 4 917.5 -0.2; 6141 8 917.5 -0.2
1827. 6142 12 917.5 -0.2; 6143 16 917.5 -0.2; 6144 20 917.5 -0.2; 6145 24 917.5 -0.2
1828. 6146 28 917.5 -0.2; 6147 32 917.5 -0.2; 6148 36 917.5 -0.2; 6149 -1.3 917.5 0
1829. 6150 -0.8 917.5 0; 6151 -0.3 917.5 0; 6152 0 917.5 0; 6153 0.3 917.5 0
1830. 6154 1 917.5 0; 6155 1.5 917.5 0; 6156 2 917.5 0; 6157 2.5 917.5 0

1831. 6158 3 917.5 0; 6159 3.7 917.5 0; 6160 4 917.5 0; 6161 4.3 917.5 0
1832. 6162 5 917.5 0; 6163 5.5 917.5 0; 6164 6 917.5 0; 6165 6.5 917.5 0
1833. 6166 7 917.5 0; 6167 7.7 917.5 0; 6168 8 917.5 0; 6169 8.3 917.5 0
1834. 6170 9 917.5 0; 6171 9.5 917.5 0; 6172 10 917.5 0; 6173 10.5 917.5 0
1835. 6174 11 917.5 0; 6175 11.7 917.5 0; 6176 12 917.5 0; 6177 12.3 917.5 0
1836. 6178 13 917.5 0; 6179 13.5 917.5 0; 6180 14 917.5 0; 6181 14.5 917.5 0
1837. 6182 15 917.5 0; 6183 15.7 917.5 0; 6184 16 917.5 0; 6185 16.3 917.5 0
1838. 6186 17 917.5 0; 6187 17.5 917.5 0; 6188 18 917.5 0; 6189 18.5 917.5 0
1839. 6190 19 917.5 0; 6191 19.7 917.5 0; 6192 20 917.5 0; 6193 20.3 917.5 0
1840. 6194 21 917.5 0; 6195 21.5 917.5 0; 6196 22 917.5 0; 6197 22.5 917.5 0
1841. 6198 23 917.5 0; 6199 23.7 917.5 0; 6200 24 917.5 0; 6201 24.3 917.5 0
1842. 6202 25 917.5 0; 6203 25.5 917.5 0; 6204 26 917.5 0; 6205 26.5 917.5 0
1843. 6206 27 917.5 0; 6207 27.7 917.5 0; 6208 28 917.5 0; 6209 28.3 917.5 0
1844. 6210 29 917.5 0; 6211 29.5 917.5 0; 6212 30 917.5 0; 6213 30.5 917.5 0
1845. 6214 31 917.5 0; 6215 31.7 917.5 0; 6216 32 917.5 0; 6217 32.3 917.5 0
1846. 6218 33 917.5 0; 6219 33.5 917.5 0; 6220 34 917.5 0; 6221 34.5 917.5 0
1847. 6222 35 917.5 0; 6223 35.7 917.5 0; 6224 36 917.5 0; 6225 36.3 917.5 0
1848. 6226 36.8 917.5 0; 6227 37.3 917.5 0; 6228 0 918 -4.38636; 6229 4 918 -4.38636
1849. 6230 8 918 -4.38636; 6231 12 918 -4.38636; 6232 16 918 -4.38636
1850. 6233 20 918 -4.38636; 6234 24 918 -4.38636; 6235 28 918 -4.38636
1851. 6236 32 918 -4.38636; 6237 36 918 -4.38636; 6238 0 918 -4.20455
1852. 6239 4 918 -4.20455; 6240 8 918 -4.20455; 6241 12 918 -4.20455
1853. 6242 16 918 -4.20455; 6243 20 918 -4.20455; 6244 24 918 -4.20455
1854. 6245 28 918 -4.20455; 6246 32 918 -4.20455; 6247 36 918 -4.20455
1855. 6248 0 918 -3.84091; 6249 4 918 -3.84091; 6250 8 918 -3.84091
1856. 6251 12 918 -3.84091; 6252 16 918 -3.84091; 6253 20 918 -3.84091
1857. 6254 24 918 -3.84091; 6255 28 918 -3.84091; 6256 32 918 -3.84091
1858. 6257 36 918 -3.84091; 6258 0 918 -3.47727; 6259 4 918 -3.47727
1859. 6260 8 918 -3.47727; 6261 12 918 -3.47727; 6262 16 918 -3.47727
1860. 6263 20 918 -3.47727; 6264 24 918 -3.47727; 6265 28 918 -3.47727
1861. 6266 32 918 -3.47727; 6267 36 918 -3.47727; 6268 0 918 -3.11364
1862. 6269 4 918 -3.11364; 6270 8 918 -3.11364; 6271 12 918 -3.11364
1863. 6272 16 918 -3.11364; 6273 20 918 -3.11364; 6274 24 918 -3.11364
1864. 6275 28 918 -3.11364; 6276 32 918 -3.11364; 6277 36 918 -3.11364
1865. 6278 0 918 -2.75; 6279 4 918 -2.75; 6280 8 918 -2.75; 6281 12 918 -2.75
1866. 6282 16 918 -2.75; 6283 20 918 -2.75; 6284 24 918 -2.75; 6285 28 918 -2.75
1867. 6286 32 918 -2.75; 6287 36 918 -2.75; 6288 0 918 -2.38636; 6289 4 918 -2.38636
1868. 6290 8 918 -2.38636; 6291 12 918 -2.38636; 6292 16 918 -2.38636
1869. 6293 20 918 -2.38636; 6294 24 918 -2.38636; 6295 28 918 -2.38636
1870. 6296 32 918 -2.38636; 6297 36 918 -2.38636; 6298 0 918 -2.02273
1871. 6299 4 918 -2.02273; 6300 8 918 -2.02273; 6301 12 918 -2.02273
1872. 6302 16 918 -2.02273; 6303 20 918 -2.02273; 6304 24 918 -2.02273
1873. 6305 28 918 -2.02273; 6306 32 918 -2.02273; 6307 36 918 -2.02273
1874. 6308 0 918 -1.65909; 6309 4 918 -1.65909; 6310 8 918 -1.65909
1875. 6311 12 918 -1.65909; 6312 16 918 -1.65909; 6313 20 918 -1.65909
1876. 6314 24 918 -1.65909; 6315 28 918 -1.65909; 6316 32 918 -1.65909
1877. 6317 36 918 -1.65909; 6318 0 918 -1.29545; 6319 4 918 -1.29545
1878. 6320 8 918 -1.29545; 6321 12 918 -1.29545; 6322 16 918 -1.29545
1879. 6323 20 918 -1.29545; 6324 24 918 -1.29545; 6325 28 918 -1.29545
1880. 6326 32 918 -1.29545; 6327 36 918 -1.29545; 6328 0 918 -0.75; 6329 4 918 -0.75
1881. 6330 8 918 -0.75; 6331 12 918 -0.75; 6332 16 918 -0.75; 6333 20 918 -0.75
1882. 6334 24 918 -0.75; 6335 28 918 -0.75; 6336 32 918 -0.75; 6337 36 918 -0.75
1883. 6338 0 918 -0.2; 6339 4 918 -0.2; 6340 8 918 -0.2; 6341 12 918 -0.2
1884. 6342 16 918 -0.2; 6343 20 918 -0.2; 6344 24 918 -0.2; 6345 28 918 -0.2
1885. 6346 32 918 -0.2; 6347 36 918 -0.2; 6348 -1.3 918 0; 6349 -0.8 918 0
1886. 6350 -0.3 918 0; 6351 0 918 0; 6352 0.3 918 0; 6353 1 918 0; 6354 1.5 918 0

1887. 6355 2 918 0; 6356 2.5 918 0; 6357 3 918 0; 6358 3.7 918 0; 6359 4 918 0
1888. 6360 4.3 918 0; 6361 5 918 0; 6362 5.5 918 0; 6363 6 918 0; 6364 6.5 918 0
1889. 6365 7 918 0; 6366 7.7 918 0; 6367 8 918 0; 6368 8.3 918 0; 6369 9 918 0
1890. 6370 9.5 918 0; 6371 10 918 0; 6372 10.5 918 0; 6373 11 918 0; 6374 11.7 918 0
1891. 6375 12 918 0; 6376 12.3 918 0; 6377 13 918 0; 6378 13.5 918 0; 6379 14 918 0
1892. 6380 14.5 918 0; 6381 15 918 0; 6382 15.7 918 0; 6383 16 918 0
1893. 6384 16.3 918 0; 6385 17 918 0; 6386 17.5 918 0; 6387 18 918 0
1894. 6388 18.5 918 0; 6389 19 918 0; 6390 19.7 918 0; 6391 20 918 0
1895. 6392 20.3 918 0; 6393 21 918 0; 6394 21.5 918 0; 6395 22 918 0
1896. 6396 22.5 918 0; 6397 23 918 0; 6398 23.7 918 0; 6399 24 918 0
1897. 6400 24.3 918 0; 6401 25 918 0; 6402 25.5 918 0; 6403 26 918 0
1898. 6404 26.5 918 0; 6405 27 918 0; 6406 27.7 918 0; 6407 28 918 0
1899. 6408 28.3 918 0; 6409 29 918 0; 6410 29.5 918 0; 6411 30 918 0
1900. 6412 30.5 918 0; 6413 31 918 0; 6414 31.7 918 0; 6415 32 918 0
1901. 6416 32.3 918 0; 6417 33 918 0; 6418 33.5 918 0; 6419 34 918 0
1902. 6420 34.5 918 0; 6421 35 918 0; 6422 35.7 918 0; 6423 36 918 0
1903. 6424 36.3 918 0; 6425 36.8 918 0; 6426 37.3 918 0; 6427 0 918.5 -4.20455
1904. 6428 4 918.5 -4.20455; 6429 8 918.5 -4.20455; 6430 12 918.5 -4.20455
1905. 6431 16 918.5 -4.20455; 6432 20 918.5 -4.20455; 6433 24 918.5 -4.20455
1906. 6434 28 918.5 -4.20455; 6435 32 918.5 -4.20455; 6436 36 918.5 -4.20455
1907. 6437 0 918.5 -3.84091; 6438 4 918.5 -3.84091; 6439 8 918.5 -3.84091
1908. 6440 12 918.5 -3.84091; 6441 16 918.5 -3.84091; 6442 20 918.5 -3.84091
1909. 6443 24 918.5 -3.84091; 6444 28 918.5 -3.84091; 6445 32 918.5 -3.84091
1910. 6446 36 918.5 -3.84091; 6447 0 918.5 -3.47727; 6448 4 918.5 -3.47727
1911. 6449 8 918.5 -3.47727; 6450 12 918.5 -3.47727; 6451 16 918.5 -3.47727
1912. 6452 20 918.5 -3.47727; 6453 24 918.5 -3.47727; 6454 28 918.5 -3.47727
1913. 6455 32 918.5 -3.47727; 6456 36 918.5 -3.47727; 6457 0 918.5 -3.11364
1914. 6458 4 918.5 -3.11364; 6459 8 918.5 -3.11364; 6460 12 918.5 -3.11364
1915. 6461 16 918.5 -3.11364; 6462 20 918.5 -3.11364; 6463 24 918.5 -3.11364
1916. 6464 28 918.5 -3.11364; 6465 32 918.5 -3.11364; 6466 36 918.5 -3.11364
1917. 6467 0 918.5 -2.75; 6468 4 918.5 -2.75; 6469 8 918.5 -2.75
1918. 6470 12 918.5 -2.75; 6471 16 918.5 -2.75; 6472 20 918.5 -2.75
1919. 6473 24 918.5 -2.75; 6474 28 918.5 -2.75; 6475 32 918.5 -2.75
1920. 6476 36 918.5 -2.75; 6477 0 918.5 -2.38636; 6478 4 918.5 -2.38636
1921. 6479 8 918.5 -2.38636; 6480 12 918.5 -2.38636; 6481 16 918.5 -2.38636
1922. 6482 20 918.5 -2.38636; 6483 24 918.5 -2.38636; 6484 28 918.5 -2.38636
1923. 6485 32 918.5 -2.38636; 6486 36 918.5 -2.38636; 6487 0 918.5 -2.02273
1924. 6488 4 918.5 -2.02273; 6489 8 918.5 -2.02273; 6490 12 918.5 -2.02273
1925. 6491 16 918.5 -2.02273; 6492 20 918.5 -2.02273; 6493 24 918.5 -2.02273
1926. 6494 28 918.5 -2.02273; 6495 32 918.5 -2.02273; 6496 36 918.5 -2.02273
1927. 6497 0 918.5 -1.65909; 6498 4 918.5 -1.65909; 6499 8 918.5 -1.65909
1928. 6500 12 918.5 -1.65909; 6501 16 918.5 -1.65909; 6502 20 918.5 -1.65909
1929. 6503 24 918.5 -1.65909; 6504 28 918.5 -1.65909; 6505 32 918.5 -1.65909
1930. 6506 36 918.5 -1.65909; 6507 0 918.5 -1.29545; 6508 4 918.5 -1.29545
1931. 6509 8 918.5 -1.29545; 6510 12 918.5 -1.29545; 6511 16 918.5 -1.29545
1932. 6512 20 918.5 -1.29545; 6513 24 918.5 -1.29545; 6514 28 918.5 -1.29545
1933. 6515 32 918.5 -1.29545; 6516 36 918.5 -1.29545; 6517 0 918.5 -0.75
1934. 6518 4 918.5 -0.75; 6519 8 918.5 -0.75; 6520 12 918.5 -0.75
1935. 6521 16 918.5 -0.75; 6522 20 918.5 -0.75; 6523 24 918.5 -0.75
1936. 6524 28 918.5 -0.75; 6525 32 918.5 -0.75; 6526 36 918.5 -0.75
1937. 6527 0 918.5 -0.2; 6528 4 918.5 -0.2; 6529 8 918.5 -0.2; 6530 12 918.5 -0.2
1938. 6531 16 918.5 -0.2; 6532 20 918.5 -0.2; 6533 24 918.5 -0.2; 6534 28 918.5 -0.2
1939. 6535 32 918.5 -0.2; 6536 36 918.5 -0.2; 6537 -1.3 918.5 0; 6538 -0.8 918.5 0
1940. 6539 -0.3 918.5 0; 6540 0 918.5 0; 6541 0.3 918.5 0; 6542 1 918.5 0
1941. 6543 1.5 918.5 0; 6544 2 918.5 0; 6545 2.5 918.5 0; 6546 3 918.5 0
1942. 6547 3.7 918.5 0; 6548 4 918.5 0; 6549 4.3 918.5 0; 6550 5 918.5 0

1943. 6551 5.5 918.5 0; 6552 6 918.5 0; 6553 6.5 918.5 0; 6554 7 918.5 0
1944. 6555 7.7 918.5 0; 6556 8 918.5 0; 6557 8.3 918.5 0; 6558 9 918.5 0
1945. 6559 9.5 918.5 0; 6560 10 918.5 0; 6561 10.5 918.5 0; 6562 11 918.5 0
1946. 6563 11.7 918.5 0; 6564 12 918.5 0; 6565 12.3 918.5 0; 6566 13 918.5 0
1947. 6567 13.5 918.5 0; 6568 14 918.5 0; 6569 14.5 918.5 0; 6570 15 918.5 0
1948. 6571 15.7 918.5 0; 6572 16 918.5 0; 6573 16.3 918.5 0; 6574 17 918.5 0
1949. 6575 17.5 918.5 0; 6576 18 918.5 0; 6577 18.5 918.5 0; 6578 19 918.5 0
1950. 6579 19.7 918.5 0; 6580 20 918.5 0; 6581 20.3 918.5 0; 6582 21 918.5 0
1951. 6583 21.5 918.5 0; 6584 22 918.5 0; 6585 22.5 918.5 0; 6586 23 918.5 0
1952. 6587 23.7 918.5 0; 6588 24 918.5 0; 6589 24.3 918.5 0; 6590 25 918.5 0
1953. 6591 25.5 918.5 0; 6592 26 918.5 0; 6593 26.5 918.5 0; 6594 27 918.5 0
1954. 6595 27.7 918.5 0; 6596 28 918.5 0; 6597 28.3 918.5 0; 6598 29 918.5 0
1955. 6599 29.5 918.5 0; 6600 30 918.5 0; 6601 30.5 918.5 0; 6602 31 918.5 0
1956. 6603 31.7 918.5 0; 6604 32 918.5 0; 6605 32.3 918.5 0; 6606 33 918.5 0
1957. 6607 33.5 918.5 0; 6608 34 918.5 0; 6609 34.5 918.5 0; 6610 35 918.5 0
1958. 6611 35.7 918.5 0; 6612 36 918.5 0; 6613 36.3 918.5 0; 6614 36.8 918.5 0
1959. 6615 37.3 918.5 0; 6616 0 919 -4.02273; 6617 4 919 -4.02273
1960. 6618 8 919 -4.02273; 6619 12 919 -4.02273; 6620 16 919 -4.02273
1961. 6621 20 919 -4.02273; 6622 24 919 -4.02273; 6623 28 919 -4.02273
1962. 6624 32 919 -4.02273; 6625 36 919 -4.02273; 6626 0 919 -3.84091
1963. 6627 4 919 -3.84091; 6628 8 919 -3.84091; 6629 12 919 -3.84091
1964. 6630 16 919 -3.84091; 6631 20 919 -3.84091; 6632 24 919 -3.84091
1965. 6633 28 919 -3.84091; 6634 32 919 -3.84091; 6635 36 919 -3.84091
1966. 6636 0 919 -3.47727; 6637 4 919 -3.47727; 6638 8 919 -3.47727
1967. 6639 12 919 -3.47727; 6640 16 919 -3.47727; 6641 20 919 -3.47727
1968. 6642 24 919 -3.47727; 6643 28 919 -3.47727; 6644 32 919 -3.47727
1969. 6645 36 919 -3.47727; 6646 0 919 -3.11364; 6647 4 919 -3.11364
1970. 6648 8 919 -3.11364; 6649 12 919 -3.11364; 6650 16 919 -3.11364
1971. 6651 20 919 -3.11364; 6652 24 919 -3.11364; 6653 28 919 -3.11364
1972. 6654 32 919 -3.11364; 6655 36 919 -3.11364; 6656 0 919 -2.75; 6657 4 919 -2.75
1973. 6658 8 919 -2.75; 6659 12 919 -2.75; 6660 16 919 -2.75; 6661 20 919 -2.75
1974. 6662 24 919 -2.75; 6663 28 919 -2.75; 6664 32 919 -2.75; 6665 36 919 -2.75
1975. 6666 0 919 -2.38636; 6667 4 919 -2.38636; 6668 8 919 -2.38636
1976. 6669 12 919 -2.38636; 6670 16 919 -2.38636; 6671 20 919 -2.38636
1977. 6672 24 919 -2.38636; 6673 28 919 -2.38636; 6674 32 919 -2.38636
1978. 6675 36 919 -2.38636; 6676 0 919 -2.02273; 6677 4 919 -2.02273
1979. 6678 8 919 -2.02273; 6679 12 919 -2.02273; 6680 16 919 -2.02273
1980. 6681 20 919 -2.02273; 6682 24 919 -2.02273; 6683 28 919 -2.02273
1981. 6684 32 919 -2.02273; 6685 36 919 -2.02273; 6686 0 919 -1.65909
1982. 6687 4 919 -1.65909; 6688 8 919 -1.65909; 6689 12 919 -1.65909
1983. 6690 16 919 -1.65909; 6691 20 919 -1.65909; 6692 24 919 -1.65909
1984. 6693 28 919 -1.65909; 6694 32 919 -1.65909; 6695 36 919 -1.65909
1985. 6696 0 919 -1.29545; 6697 4 919 -1.29545; 6698 8 919 -1.29545
1986. 6699 12 919 -1.29545; 6700 16 919 -1.29545; 6701 20 919 -1.29545
1987. 6702 24 919 -1.29545; 6703 28 919 -1.29545; 6704 32 919 -1.29545
1988. 6705 36 919 -1.29545; 6706 0 919 -0.75; 6707 4 919 -0.75; 6708 8 919 -0.75
1989. 6709 12 919 -0.75; 6710 16 919 -0.75; 6711 20 919 -0.75; 6712 24 919 -0.75
1990. 6713 28 919 -0.75; 6714 32 919 -0.75; 6715 36 919 -0.75; 6716 0 919 -0.2
1991. 6717 4 919 -0.2; 6718 8 919 -0.2; 6719 12 919 -0.2; 6720 16 919 -0.2
1992. 6721 20 919 -0.2; 6722 24 919 -0.2; 6723 28 919 -0.2; 6724 32 919 -0.2
1993. 6725 36 919 -0.2; 6726 -1.3 919 0; 6727 -0.8 919 0; 6728 -0.3 919 0
1994. 6729 0 919 0; 6730 0.3 919 0; 6731 1 919 0; 6732 1.5 919 0; 6733 2 919 0
1995. 6734 2.5 919 0; 6735 3 919 0; 6736 3.7 919 0; 6737 4 919 0; 6738 4.3 919 0
1996. 6739 5 919 0; 6740 5.5 919 0; 6741 6 919 0; 6742 6.5 919 0; 6743 7 919 0
1997. 6744 7.7 919 0; 6745 8 919 0; 6746 8.3 919 0; 6747 9 919 0; 6748 9.5 919 0
1998. 6749 10 919 0; 6750 10.5 919 0; 6751 11 919 0; 6752 11.7 919 0; 6753 12 919 0

1999. 6754 12.3 919 0; 6755 13 919 0; 6756 13.5 919 0; 6757 14 919 0
2000. 6758 14.5 919 0; 6759 15 919 0; 6760 15.7 919 0; 6761 16 919 0
2001. 6762 16.3 919 0; 6763 17 919 0; 6764 17.5 919 0; 6765 18 919 0
2002. 6766 18.5 919 0; 6767 19 919 0; 6768 19.7 919 0; 6769 20 919 0
2003. 6770 20.3 919 0; 6771 21 919 0; 6772 21.5 919 0; 6773 22 919 0
2004. 6774 22.5 919 0; 6775 23 919 0; 6776 23.7 919 0; 6777 24 919 0
2005. 6778 24.3 919 0; 6779 25 919 0; 6780 25.5 919 0; 6781 26 919 0
2006. 6782 26.5 919 0; 6783 27 919 0; 6784 27.7 919 0; 6785 28 919 0
2007. 6786 28.3 919 0; 6787 29 919 0; 6788 29.5 919 0; 6789 30 919 0
2008. 6790 30.5 919 0; 6791 31 919 0; 6792 31.7 919 0; 6793 32 919 0
2009. 6794 32.3 919 0; 6795 33 919 0; 6796 33.5 919 0; 6797 34 919 0
2010. 6798 34.5 919 0; 6799 35 919 0; 6800 35.7 919 0; 6801 36 919 0
2011. 6802 36.3 919 0; 6803 36.8 919 0; 6804 37.3 919 0; 6805 0 919.5 -3.84091
2012. 6806 4 919.5 -3.84091; 6807 8 919.5 -3.84091; 6808 12 919.5 -3.84091
2013. 6809 16 919.5 -3.84091; 6810 20 919.5 -3.84091; 6811 24 919.5 -3.84091
2014. 6812 28 919.5 -3.84091; 6813 32 919.5 -3.84091; 6814 36 919.5 -3.84091
2015. 6815 0 919.5 -3.47727; 6816 4 919.5 -3.47727; 6817 8 919.5 -3.47727
2016. 6818 12 919.5 -3.47727; 6819 16 919.5 -3.47727; 6820 20 919.5 -3.47727
2017. 6821 24 919.5 -3.47727; 6822 28 919.5 -3.47727; 6823 32 919.5 -3.47727
2018. 6824 36 919.5 -3.47727; 6825 0 919.5 -3.11364; 6826 4 919.5 -3.11364
2019. 6827 8 919.5 -3.11364; 6828 12 919.5 -3.11364; 6829 16 919.5 -3.11364
2020. 6830 20 919.5 -3.11364; 6831 24 919.5 -3.11364; 6832 28 919.5 -3.11364
2021. 6833 32 919.5 -3.11364; 6834 36 919.5 -3.11364; 6835 0 919.5 -2.75
2022. 6836 4 919.5 -2.75; 6837 8 919.5 -2.75; 6838 12 919.5 -2.75
2023. 6839 16 919.5 -2.75; 6840 20 919.5 -2.75; 6841 24 919.5 -2.75
2024. 6842 28 919.5 -2.75; 6843 32 919.5 -2.75; 6844 36 919.5 -2.75
2025. 6845 0 919.5 -2.38636; 6846 4 919.5 -2.38636; 6847 8 919.5 -2.38636
2026. 6848 12 919.5 -2.38636; 6849 16 919.5 -2.38636; 6850 20 919.5 -2.38636
2027. 6851 24 919.5 -2.38636; 6852 28 919.5 -2.38636; 6853 32 919.5 -2.38636
2028. 6854 36 919.5 -2.38636; 6855 0 919.5 -2.02273; 6856 4 919.5 -2.02273
2029. 6857 8 919.5 -2.02273; 6858 12 919.5 -2.02273; 6859 16 919.5 -2.02273
2030. 6860 20 919.5 -2.02273; 6861 24 919.5 -2.02273; 6862 28 919.5 -2.02273
2031. 6863 32 919.5 -2.02273; 6864 36 919.5 -2.02273; 6865 0 919.5 -1.65909
2032. 6866 4 919.5 -1.65909; 6867 8 919.5 -1.65909; 6868 12 919.5 -1.65909
2033. 6869 16 919.5 -1.65909; 6870 20 919.5 -1.65909; 6871 24 919.5 -1.65909
2034. 6872 28 919.5 -1.65909; 6873 32 919.5 -1.65909; 6874 36 919.5 -1.65909
2035. 6875 0 919.5 -1.29545; 6876 4 919.5 -1.29545; 6877 8 919.5 -1.29545
2036. 6878 12 919.5 -1.29545; 6879 16 919.5 -1.29545; 6880 20 919.5 -1.29545
2037. 6881 24 919.5 -1.29545; 6882 28 919.5 -1.29545; 6883 32 919.5 -1.29545
2038. 6884 36 919.5 -1.29545; 6885 0 919.5 -0.75; 6886 4 919.5 -0.75
2039. 6887 8 919.5 -0.75; 6888 12 919.5 -0.75; 6889 16 919.5 -0.75
2040. 6890 20 919.5 -0.75; 6891 24 919.5 -0.75; 6892 28 919.5 -0.75
2041. 6893 32 919.5 -0.75; 6894 36 919.5 -0.75; 6895 0 919.5 -0.2; 6896 4 919.5 -0.2
2042. 6897 8 919.5 -0.2; 6898 12 919.5 -0.2; 6899 16 919.5 -0.2; 6900 20 919.5 -0.2
2043. 6901 24 919.5 -0.2; 6902 28 919.5 -0.2; 6903 32 919.5 -0.2; 6904 36 919.5 -0.2
2044. 6905 -1.3 919.5 0; 6906 -0.8 919.5 0; 6907 -0.3 919.5 0; 6908 0 919.5 0
2045. 6909 0.3 919.5 0; 6910 1 919.5 0; 6911 1.5 919.5 0; 6912 2 919.5 0
2046. 6913 2.5 919.5 0; 6914 3 919.5 0; 6915 3.7 919.5 0; 6916 4 919.5 0
2047. 6917 4.3 919.5 0; 6918 5 919.5 0; 6919 5.5 919.5 0; 6920 6 919.5 0
2048. 6921 6.5 919.5 0; 6922 7 919.5 0; 6923 7.7 919.5 0; 6924 8 919.5 0
2049. 6925 8.3 919.5 0; 6926 9 919.5 0; 6927 9.5 919.5 0; 6928 10 919.5 0
2050. 6929 10.5 919.5 0; 6930 11 919.5 0; 6931 11.7 919.5 0; 6932 12 919.5 0
2051. 6933 12.3 919.5 0; 6934 13 919.5 0; 6935 13.5 919.5 0; 6936 14 919.5 0
2052. 6937 14.5 919.5 0; 6938 15 919.5 0; 6939 15.7 919.5 0; 6940 16 919.5 0
2053. 6941 16.3 919.5 0; 6942 17 919.5 0; 6943 17.5 919.5 0; 6944 18 919.5 0
2054. 6945 18.5 919.5 0; 6946 19 919.5 0; 6947 19.7 919.5 0; 6948 20 919.5 0

2055. 6949 20.3 919.5 0; 6950 21 919.5 0; 6951 21.5 919.5 0; 6952 22 919.5 0
2056. 6953 22.5 919.5 0; 6954 23 919.5 0; 6955 23.7 919.5 0; 6956 24 919.5 0
2057. 6957 24.3 919.5 0; 6958 25 919.5 0; 6959 25.5 919.5 0; 6960 26 919.5 0
2058. 6961 26.5 919.5 0; 6962 27 919.5 0; 6963 27.7 919.5 0; 6964 28 919.5 0
2059. 6965 28.3 919.5 0; 6966 29 919.5 0; 6967 29.5 919.5 0; 6968 30 919.5 0
2060. 6969 30.5 919.5 0; 6970 31 919.5 0; 6971 31.7 919.5 0; 6972 32 919.5 0
2061. 6973 32.3 919.5 0; 6974 33 919.5 0; 6975 33.5 919.5 0; 6976 34 919.5 0
2062. 6977 34.5 919.5 0; 6978 35 919.5 0; 6979 35.7 919.5 0; 6980 36 919.5 0
2063. 6981 36.3 919.5 0; 6982 36.8 919.5 0; 6983 37.3 919.5 0; 6984 0 920 -3.65909
2064. 6985 4 920 -3.65909; 6986 8 920 -3.65909; 6987 12 920 -3.65909
2065. 6988 16 920 -3.65909; 6989 20 920 -3.65909; 6990 24 920 -3.65909
2066. 6991 28 920 -3.65909; 6992 32 920 -3.65909; 6993 36 920 -3.65909
2067. 6994 0 920 -3.47727; 6995 4 920 -3.47727; 6996 8 920 -3.47727
2068. 6997 12 920 -3.47727; 6998 16 920 -3.47727; 6999 20 920 -3.47727
2069. 7000 24 920 -3.47727; 7001 28 920 -3.47727; 7002 32 920 -3.47727
2070. 7003 36 920 -3.47727; 7004 0 920 -3.11364; 7005 4 920 -3.11364
2071. 7006 8 920 -3.11364; 7007 12 920 -3.11364; 7008 16 920 -3.11364
2072. 7009 20 920 -3.11364; 7010 24 920 -3.11364; 7011 28 920 -3.11364
2073. 7012 32 920 -3.11364; 7013 36 920 -3.11364; 7014 0 920 -2.75; 7015 4 920 -2.75
2074. 7016 8 920 -2.75; 7017 12 920 -2.75; 7018 16 920 -2.75; 7019 20 920 -2.75
2075. 7020 24 920 -2.75; 7021 28 920 -2.75; 7022 32 920 -2.75; 7023 36 920 -2.75
2076. 7024 0 920 -2.38636; 7025 4 920 -2.38636; 7026 8 920 -2.38636
2077. 7027 12 920 -2.38636; 7028 16 920 -2.38636; 7029 20 920 -2.38636
2078. 7030 24 920 -2.38636; 7031 28 920 -2.38636; 7032 32 920 -2.38636
2079. 7033 36 920 -2.38636; 7034 0 920 -2.02273; 7035 4 920 -2.02273
2080. 7036 8 920 -2.02273; 7037 12 920 -2.02273; 7038 16 920 -2.02273
2081. 7039 20 920 -2.02273; 7040 24 920 -2.02273; 7041 28 920 -2.02273
2082. 7042 32 920 -2.02273; 7043 36 920 -2.02273; 7044 0 920 -1.65909
2083. 7045 4 920 -1.65909; 7046 8 920 -1.65909; 7047 12 920 -1.65909
2084. 7048 16 920 -1.65909; 7049 20 920 -1.65909; 7050 24 920 -1.65909
2085. 7051 28 920 -1.65909; 7052 32 920 -1.65909; 7053 36 920 -1.65909
2086. 7054 0 920 -1.29545; 7055 4 920 -1.29545; 7056 8 920 -1.29545
2087. 7057 12 920 -1.29545; 7058 16 920 -1.29545; 7059 20 920 -1.29545
2088. 7060 24 920 -1.29545; 7061 28 920 -1.29545; 7062 32 920 -1.29545
2089. 7063 36 920 -1.29545; 7064 0 920 -0.75; 7065 4 920 -0.75; 7066 8 920 -0.75
2090. 7067 12 920 -0.75; 7068 16 920 -0.75; 7069 20 920 -0.75; 7070 24 920 -0.75
2091. 7071 28 920 -0.75; 7072 32 920 -0.75; 7073 36 920 -0.75; 7074 0 920 -0.2
2092. 7075 4 920 -0.2; 7076 8 920 -0.2; 7077 12 920 -0.2; 7078 16 920 -0.2
2093. 7079 20 920 -0.2; 7080 24 920 -0.2; 7081 28 920 -0.2; 7082 32 920 -0.2
2094. 7083 36 920 -0.2; 7084 -1.3 920 0; 7085 -0.8 920 0; 7086 -0.3 920 0
2095. 7087 0 920 0; 7088 0.3 920 0; 7089 1 920 0; 7090 1.5 920 0; 7091 2 920 0
2096. 7092 2.5 920 0; 7093 3 920 0; 7094 3.7 920 0; 7095 4 920 0; 7096 4.3 920 0
2097. 7097 5 920 0; 7098 5.5 920 0; 7099 6 920 0; 7100 6.5 920 0; 7101 7 920 0
2098. 7102 7.7 920 0; 7103 8 920 0; 7104 8.3 920 0; 7105 9 920 0; 7106 9.5 920 0
2099. 7107 10 920 0; 7108 10.5 920 0; 7109 11 920 0; 7110 11.7 920 0; 7111 12 920 0
2100. 7112 12.3 920 0; 7113 13 920 0; 7114 13.5 920 0; 7115 14 920 0
2101. 7116 14.5 920 0; 7117 15 920 0; 7118 15.7 920 0; 7119 16 920 0
2102. 7120 16.3 920 0; 7121 17 920 0; 7122 17.5 920 0; 7123 18 920 0
2103. 7124 18.5 920 0; 7125 19 920 0; 7126 19.7 920 0; 7127 20 920 0
2104. 7128 20.3 920 0; 7129 21 920 0; 7130 21.5 920 0; 7131 22 920 0
2105. 7132 22.5 920 0; 7133 23 920 0; 7134 23.7 920 0; 7135 24 920 0
2106. 7136 24.3 920 0; 7137 25 920 0; 7138 25.5 920 0; 7139 26 920 0
2107. 7140 26.5 920 0; 7141 27 920 0; 7142 27.7 920 0; 7143 28 920 0
2108. 7144 28.3 920 0; 7145 29 920 0; 7146 29.5 920 0; 7147 30 920 0
2109. 7148 30.5 920 0; 7149 31 920 0; 7150 31.7 920 0; 7151 32 920 0
2110. 7152 32.3 920 0; 7153 33 920 0; 7154 33.5 920 0; 7155 34 920 0

2111. 7156 34.5 920 0; 7157 35 920 0; 7158 35.7 920 0; 7159 36 920 0
2112. 7160 36.3 920 0; 7161 36.8 920 0; 7162 37.3 920 0; 7163 0 920.5 -3.47727
2113. 7164 4 920.5 -3.47727; 7165 8 920.5 -3.47727; 7166 12 920.5 -3.47727
2114. 7167 16 920.5 -3.47727; 7168 20 920.5 -3.47727; 7169 24 920.5 -3.47727
2115. 7170 28 920.5 -3.47727; 7171 32 920.5 -3.47727; 7172 36 920.5 -3.47727
2116. 7173 0 920.5 -3.11364; 7174 4 920.5 -3.11364; 7175 8 920.5 -3.11364
2117. 7176 12 920.5 -3.11364; 7177 16 920.5 -3.11364; 7178 20 920.5 -3.11364
2118. 7179 24 920.5 -3.11364; 7180 28 920.5 -3.11364; 7181 32 920.5 -3.11364
2119. 7182 36 920.5 -3.11364; 7183 0 920.5 -2.75; 7184 4 920.5 -2.75
2120. 7185 8 920.5 -2.75; 7186 12 920.5 -2.75; 7187 16 920.5 -2.75
2121. 7188 20 920.5 -2.75; 7189 24 920.5 -2.75; 7190 28 920.5 -2.75
2122. 7191 32 920.5 -2.75; 7192 36 920.5 -2.75; 7193 0 920.5 -2.38636
2123. 7194 4 920.5 -2.38636; 7195 8 920.5 -2.38636; 7196 12 920.5 -2.38636
2124. 7197 16 920.5 -2.38636; 7198 20 920.5 -2.38636; 7199 24 920.5 -2.38636
2125. 7200 28 920.5 -2.38636; 7201 32 920.5 -2.38636; 7202 36 920.5 -2.38636
2126. 7203 0 920.5 -2.02273; 7204 4 920.5 -2.02273; 7205 8 920.5 -2.02273
2127. 7206 12 920.5 -2.02273; 7207 16 920.5 -2.02273; 7208 20 920.5 -2.02273
2128. 7209 24 920.5 -2.02273; 7210 28 920.5 -2.02273; 7211 32 920.5 -2.02273
2129. 7212 36 920.5 -2.02273; 7213 0 920.5 -1.65909; 7214 4 920.5 -1.65909
2130. 7215 8 920.5 -1.65909; 7216 12 920.5 -1.65909; 7217 16 920.5 -1.65909
2131. 7218 20 920.5 -1.65909; 7219 24 920.5 -1.65909; 7220 28 920.5 -1.65909
2132. 7221 32 920.5 -1.65909; 7222 36 920.5 -1.65909; 7223 0 920.5 -1.29545
2133. 7224 4 920.5 -1.29545; 7225 8 920.5 -1.29545; 7226 12 920.5 -1.29545
2134. 7227 16 920.5 -1.29545; 7228 20 920.5 -1.29545; 7229 24 920.5 -1.29545
2135. 7230 28 920.5 -1.29545; 7231 32 920.5 -1.29545; 7232 36 920.5 -1.29545
2136. 7233 0 920.5 -0.75; 7234 4 920.5 -0.75; 7235 8 920.5 -0.75
2137. 7236 12 920.5 -0.75; 7237 16 920.5 -0.75; 7238 20 920.5 -0.75
2138. 7239 24 920.5 -0.75; 7240 28 920.5 -0.75; 7241 32 920.5 -0.75
2139. 7242 36 920.5 -0.75; 7243 0 920.5 -0.2; 7244 4 920.5 -0.2; 7245 8 920.5 -0.2
2140. 7246 12 920.5 -0.2; 7247 16 920.5 -0.2; 7248 20 920.5 -0.2; 7249 24 920.5 -0.2
2141. 7250 28 920.5 -0.2; 7251 32 920.5 -0.2; 7252 36 920.5 -0.2; 7253 -1.3 920.5 0
2142. 7254 -0.8 920.5 0; 7255 -0.3 920.5 0; 7256 0 920.5 0; 7257 0.3 920.5 0
2143. 7258 1 920.5 0; 7259 1.5 920.5 0; 7260 2 920.5 0; 7261 2.5 920.5 0
2144. 7262 3 920.5 0; 7263 3.7 920.5 0; 7264 4 920.5 0; 7265 4.3 920.5 0
2145. 7266 5 920.5 0; 7267 5.5 920.5 0; 7268 6 920.5 0; 7269 6.5 920.5 0
2146. 7270 7 920.5 0; 7271 7.7 920.5 0; 7272 8 920.5 0; 7273 8.3 920.5 0
2147. 7274 9 920.5 0; 7275 9.5 920.5 0; 7276 10 920.5 0; 7277 10.5 920.5 0
2148. 7278 11 920.5 0; 7279 11.7 920.5 0; 7280 12 920.5 0; 7281 12.3 920.5 0
2149. 7282 13 920.5 0; 7283 13.5 920.5 0; 7284 14 920.5 0; 7285 14.5 920.5 0
2150. 7286 15 920.5 0; 7287 15.7 920.5 0; 7288 16 920.5 0; 7289 16.3 920.5 0
2151. 7290 17 920.5 0; 7291 17.5 920.5 0; 7292 18 920.5 0; 7293 18.5 920.5 0
2152. 7294 19 920.5 0; 7295 19.7 920.5 0; 7296 20 920.5 0; 7297 20.3 920.5 0
2153. 7298 21 920.5 0; 7299 21.5 920.5 0; 7300 22 920.5 0; 7301 22.5 920.5 0
2154. 7302 23 920.5 0; 7303 23.7 920.5 0; 7304 24 920.5 0; 7305 24.3 920.5 0
2155. 7306 25 920.5 0; 7307 25.5 920.5 0; 7308 26 920.5 0; 7309 26.5 920.5 0
2156. 7310 27 920.5 0; 7311 27.7 920.5 0; 7312 28 920.5 0; 7313 28.3 920.5 0
2157. 7314 29 920.5 0; 7315 29.5 920.5 0; 7316 30 920.5 0; 7317 30.5 920.5 0
2158. 7318 31 920.5 0; 7319 31.7 920.5 0; 7320 32 920.5 0; 7321 32.3 920.5 0
2159. 7322 33 920.5 0; 7323 33.5 920.5 0; 7324 34 920.5 0; 7325 34.5 920.5 0
2160. 7326 35 920.5 0; 7327 35.7 920.5 0; 7328 36 920.5 0; 7329 36.3 920.5 0
2161. 7330 36.8 920.5 0; 7331 37.3 920.5 0; 7332 0 921 -3.29545; 7333 4 921 -3.29545
2162. 7334 8 921 -3.29545; 7335 12 921 -3.29545; 7336 16 921 -3.29545
2163. 7337 20 921 -3.29545; 7338 24 921 -3.29545; 7339 28 921 -3.29545
2164. 7340 32 921 -3.29545; 7341 36 921 -3.29545; 7342 0 921 -3.11364
2165. 7343 4 921 -3.11364; 7344 8 921 -3.11364; 7345 12 921 -3.11364
2166. 7346 16 921 -3.11364; 7347 20 921 -3.11364; 7348 24 921 -3.11364

2167. 7349 28 921 -3.11364; 7350 32 921 -3.11364; 7351 36 921 -3.11364
2168. 7352 0 921 -2.75; 7353 4 921 -2.75; 7354 8 921 -2.75; 7355 12 921 -2.75
2169. 7356 16 921 -2.75; 7357 20 921 -2.75; 7358 24 921 -2.75; 7359 28 921 -2.75
2170. 7360 32 921 -2.75; 7361 36 921 -2.75; 7362 0 921 -2.38636; 7363 4 921 -2.38636
2171. 7364 8 921 -2.38636; 7365 12 921 -2.38636; 7366 16 921 -2.38636
2172. 7367 20 921 -2.38636; 7368 24 921 -2.38636; 7369 28 921 -2.38636
2173. 7370 32 921 -2.38636; 7371 36 921 -2.38636; 7372 0 921 -2.02273
2174. 7373 4 921 -2.02273; 7374 8 921 -2.02273; 7375 12 921 -2.02273
2175. 7376 16 921 -2.02273; 7377 20 921 -2.02273; 7378 24 921 -2.02273
2176. 7379 28 921 -2.02273; 7380 32 921 -2.02273; 7381 36 921 -2.02273
2177. 7382 0 921 -1.65909; 7383 4 921 -1.65909; 7384 8 921 -1.65909
2178. 7385 12 921 -1.65909; 7386 16 921 -1.65909; 7387 20 921 -1.65909
2179. 7388 24 921 -1.65909; 7389 28 921 -1.65909; 7390 32 921 -1.65909
2180. 7391 36 921 -1.65909; 7392 0 921 -1.29545; 7393 4 921 -1.29545
2181. 7394 8 921 -1.29545; 7395 12 921 -1.29545; 7396 16 921 -1.29545
2182. 7397 20 921 -1.29545; 7398 24 921 -1.29545; 7399 28 921 -1.29545
2183. 7400 32 921 -1.29545; 7401 36 921 -1.29545; 7402 0 921 -0.75; 7403 4 921 -0.75
2184. 7404 8 921 -0.75; 7405 12 921 -0.75; 7406 16 921 -0.75; 7407 20 921 -0.75
2185. 7408 24 921 -0.75; 7409 28 921 -0.75; 7410 32 921 -0.75; 7411 36 921 -0.75
2186. 7412 0 921 -0.2; 7413 4 921 -0.2; 7414 8 921 -0.2; 7415 12 921 -0.2
2187. 7416 16 921 -0.2; 7417 20 921 -0.2; 7418 24 921 -0.2; 7419 28 921 -0.2
2188. 7420 32 921 -0.2; 7421 36 921 -0.2; 7422 -1.3 921 0; 7423 -0.8 921 0
2189. 7424 -0.3 921 0; 7425 0 921 0; 7426 0.3 921 0; 7427 1 921 0; 7428 1.5 921 0
2190. 7429 2 921 0; 7430 2.5 921 0; 7431 3 921 0; 7432 3.7 921 0; 7433 4 921 0
2191. 7434 4.3 921 0; 7435 5 921 0; 7436 5.5 921 0; 7437 6 921 0; 7438 6.5 921 0
2192. 7439 7 921 0; 7440 7.7 921 0; 7441 8 921 0; 7442 8.3 921 0; 7443 9 921 0
2193. 7444 9.5 921 0; 7445 10 921 0; 7446 10.5 921 0; 7447 11 921 0; 7448 11.7 921 0
2194. 7449 12 921 0; 7450 12.3 921 0; 7451 13 921 0; 7452 13.5 921 0; 7453 14 921 0
2195. 7454 14.5 921 0; 7455 15 921 0; 7456 15.7 921 0; 7457 16 921 0
2196. 7458 16.3 921 0; 7459 17 921 0; 7460 17.5 921 0; 7461 18 921 0
2197. 7462 18.5 921 0; 7463 19 921 0; 7464 19.7 921 0; 7465 20 921 0
2198. 7466 20.3 921 0; 7467 21 921 0; 7468 21.5 921 0; 7469 22 921 0
2199. 7470 22.5 921 0; 7471 23 921 0; 7472 23.7 921 0; 7473 24 921 0
2200. 7474 24.3 921 0; 7475 25 921 0; 7476 25.5 921 0; 7477 26 921 0
2201. 7478 26.5 921 0; 7479 27 921 0; 7480 27.7 921 0; 7481 28 921 0
2202. 7482 28.3 921 0; 7483 29 921 0; 7484 29.5 921 0; 7485 30 921 0
2203. 7486 30.5 921 0; 7487 31 921 0; 7488 31.7 921 0; 7489 32 921 0
2204. 7490 32.3 921 0; 7491 33 921 0; 7492 33.5 921 0; 7493 34 921 0
2205. 7494 34.5 921 0; 7495 35 921 0; 7496 35.7 921 0; 7497 36 921 0
2206. 7498 36.3 921 0; 7499 36.8 921 0; 7500 37.3 921 0; 7501 0 921.5 -3.11364
2207. 7502 4 921.5 -3.11364; 7503 8 921.5 -3.11364; 7504 12 921.5 -3.11364
2208. 7505 16 921.5 -3.11364; 7506 20 921.5 -3.11364; 7507 24 921.5 -3.11364
2209. 7508 28 921.5 -3.11364; 7509 32 921.5 -3.11364; 7510 36 921.5 -3.11364
2210. 7511 0 921.5 -2.75; 7512 4 921.5 -2.75; 7513 8 921.5 -2.75
2211. 7514 12 921.5 -2.75; 7515 16 921.5 -2.75; 7516 20 921.5 -2.75
2212. 7517 24 921.5 -2.75; 7518 28 921.5 -2.75; 7519 32 921.5 -2.75
2213. 7520 36 921.5 -2.75; 7521 0 921.5 -2.38636; 7522 4 921.5 -2.38636
2214. 7523 8 921.5 -2.38636; 7524 12 921.5 -2.38636; 7525 16 921.5 -2.38636
2215. 7526 20 921.5 -2.38636; 7527 24 921.5 -2.38636; 7528 28 921.5 -2.38636
2216. 7529 32 921.5 -2.38636; 7530 36 921.5 -2.38636; 7531 0 921.5 -2.02273
2217. 7532 4 921.5 -2.02273; 7533 8 921.5 -2.02273; 7534 12 921.5 -2.02273
2218. 7535 16 921.5 -2.02273; 7536 20 921.5 -2.02273; 7537 24 921.5 -2.02273
2219. 7538 28 921.5 -2.02273; 7539 32 921.5 -2.02273; 7540 36 921.5 -2.02273
2220. 7541 0 921.5 -1.65909; 7542 4 921.5 -1.65909; 7543 8 921.5 -1.65909
2221. 7544 12 921.5 -1.65909; 7545 16 921.5 -1.65909; 7546 20 921.5 -1.65909
2222. 7547 24 921.5 -1.65909; 7548 28 921.5 -1.65909; 7549 32 921.5 -1.65909

2223. 7550 36 921.5 -1.65909; 7551 0 921.5 -1.29545; 7552 4 921.5 -1.29545
2224. 7553 8 921.5 -1.29545; 7554 12 921.5 -1.29545; 7555 16 921.5 -1.29545
2225. 7556 20 921.5 -1.29545; 7557 24 921.5 -1.29545; 7558 28 921.5 -1.29545
2226. 7559 32 921.5 -1.29545; 7560 36 921.5 -1.29545; 7561 0 921.5 -0.75
2227. 7562 4 921.5 -0.75; 7563 8 921.5 -0.75; 7564 12 921.5 -0.75
2228. 7565 16 921.5 -0.75; 7566 20 921.5 -0.75; 7567 24 921.5 -0.75
2229. 7568 28 921.5 -0.75; 7569 32 921.5 -0.75; 7570 36 921.5 -0.75
2230. 7571 0 921.5 -0.2; 7572 4 921.5 -0.2; 7573 8 921.5 -0.2; 7574 12 921.5 -0.2
2231. 7575 16 921.5 -0.2; 7576 20 921.5 -0.2; 7577 24 921.5 -0.2; 7578 28 921.5 -0.2
2232. 7579 32 921.5 -0.2; 7580 36 921.5 -0.2; 7581 -1.3 921.5 0; 7582 -0.8 921.5 0
2233. 7583 -0.3 921.5 0; 7584 0 921.5 0; 7585 0.3 921.5 0; 7586 1 921.5 0
2234. 7587 1.5 921.5 0; 7588 2 921.5 0; 7589 2.5 921.5 0; 7590 3 921.5 0
2235. 7591 3.7 921.5 0; 7592 4 921.5 0; 7593 4.3 921.5 0; 7594 5 921.5 0
2236. 7595 5.5 921.5 0; 7596 6 921.5 0; 7597 6.5 921.5 0; 7598 7 921.5 0
2237. 7599 7.7 921.5 0; 7600 8 921.5 0; 7601 8.3 921.5 0; 7602 9 921.5 0
2238. 7603 9.5 921.5 0; 7604 10 921.5 0; 7605 10.5 921.5 0; 7606 11 921.5 0
2239. 7607 11.7 921.5 0; 7608 12 921.5 0; 7609 12.3 921.5 0; 7610 13 921.5 0
2240. 7611 13.5 921.5 0; 7612 14 921.5 0; 7613 14.5 921.5 0; 7614 15 921.5 0
2241. 7615 15.7 921.5 0; 7616 16 921.5 0; 7617 16.3 921.5 0; 7618 17 921.5 0
2242. 7619 17.5 921.5 0; 7620 18 921.5 0; 7621 18.5 921.5 0; 7622 19 921.5 0
2243. 7623 19.7 921.5 0; 7624 20 921.5 0; 7625 20.3 921.5 0; 7626 21 921.5 0
2244. 7627 21.5 921.5 0; 7628 22 921.5 0; 7629 22.5 921.5 0; 7630 23 921.5 0
2245. 7631 23.7 921.5 0; 7632 24 921.5 0; 7633 24.3 921.5 0; 7634 25 921.5 0
2246. 7635 25.5 921.5 0; 7636 26 921.5 0; 7637 26.5 921.5 0; 7638 27 921.5 0
2247. 7639 27.7 921.5 0; 7640 28 921.5 0; 7641 28.3 921.5 0; 7642 29 921.5 0
2248. 7643 29.5 921.5 0; 7644 30 921.5 0; 7645 30.5 921.5 0; 7646 31 921.5 0
2249. 7647 31.7 921.5 0; 7648 32 921.5 0; 7649 32.3 921.5 0; 7650 33 921.5 0
2250. 7651 33.5 921.5 0; 7652 34 921.5 0; 7653 34.5 921.5 0; 7654 35 921.5 0
2251. 7655 35.7 921.5 0; 7656 36 921.5 0; 7657 36.3 921.5 0; 7658 36.8 921.5 0
2252. 7659 37.3 921.5 0; 7660 0 922 -2.93182; 7661 4 922 -2.93182
2253. 7662 8 922 -2.93182; 7663 12 922 -2.93182; 7664 16 922 -2.93182
2254. 7665 20 922 -2.93182; 7666 24 922 -2.93182; 7667 28 922 -2.93182
2255. 7668 32 922 -2.93182; 7669 36 922 -2.93182; 7670 0 922 -2.75; 7671 4 922 -2.75
2256. 7672 8 922 -2.75; 7673 12 922 -2.75; 7674 16 922 -2.75; 7675 20 922 -2.75
2257. 7676 24 922 -2.75; 7677 28 922 -2.75; 7678 32 922 -2.75; 7679 36 922 -2.75
2258. 7680 0 922 -2.38636; 7681 4 922 -2.38636; 7682 8 922 -2.38636
2259. 7683 12 922 -2.38636; 7684 16 922 -2.38636; 7685 20 922 -2.38636
2260. 7686 24 922 -2.38636; 7687 28 922 -2.38636; 7688 32 922 -2.38636
2261. 7689 36 922 -2.38636; 7690 0 922 -2.02273; 7691 4 922 -2.02273
2262. 7692 8 922 -2.02273; 7693 12 922 -2.02273; 7694 16 922 -2.02273
2263. 7695 20 922 -2.02273; 7696 24 922 -2.02273; 7697 28 922 -2.02273
2264. 7698 32 922 -2.02273; 7699 36 922 -2.02273; 7700 0 922 -1.65909
2265. 7701 4 922 -1.65909; 7702 8 922 -1.65909; 7703 12 922 -1.65909
2266. 7704 16 922 -1.65909; 7705 20 922 -1.65909; 7706 24 922 -1.65909
2267. 7707 28 922 -1.65909; 7708 32 922 -1.65909; 7709 36 922 -1.65909
2268. 7710 0 922 -1.29545; 7711 4 922 -1.29545; 7712 8 922 -1.29545
2269. 7713 12 922 -1.29545; 7714 16 922 -1.29545; 7715 20 922 -1.29545
2270. 7716 24 922 -1.29545; 7717 28 922 -1.29545; 7718 32 922 -1.29545
2271. 7719 36 922 -1.29545; 7720 0 922 -0.75; 7721 4 922 -0.75; 7722 8 922 -0.75
2272. 7723 12 922 -0.75; 7724 16 922 -0.75; 7725 20 922 -0.75; 7726 24 922 -0.75
2273. 7727 28 922 -0.75; 7728 32 922 -0.75; 7729 36 922 -0.75; 7730 0 922 -0.2
2274. 7731 4 922 -0.2; 7732 8 922 -0.2; 7733 12 922 -0.2; 7734 16 922 -0.2
2275. 7735 20 922 -0.2; 7736 24 922 -0.2; 7737 28 922 -0.2; 7738 32 922 -0.2
2276. 7739 36 922 -0.2; 7740 -1.3 922 0; 7741 -0.8 922 0; 7742 -0.3 922 0
2277. 7743 0 922 0; 7744 0.3 922 0; 7745 1 922 0; 7746 1.5 922 0; 7747 2 922 0
2278. 7748 2.5 922 0; 7749 3 922 0; 7750 3.7 922 0; 7751 4 922 0; 7752 4.3 922 0

2279. 7753 5 922 0; 7754 5.5 922 0; 7755 6 922 0; 7756 6.5 922 0; 7757 7 922 0
2280. 7758 7.7 922 0; 7759 8 922 0; 7760 8.3 922 0; 7761 9 922 0; 7762 9.5 922 0
2281. 7763 10 922 0; 7764 10.5 922 0; 7765 11 922 0; 7766 11.7 922 0; 7767 12 922 0
2282. 7768 12.3 922 0; 7769 13 922 0; 7770 13.5 922 0; 7771 14 922 0
2283. 7772 14.5 922 0; 7773 15 922 0; 7774 15.7 922 0; 7775 16 922 0
2284. 7776 16.3 922 0; 7777 17 922 0; 7778 17.5 922 0; 7779 18 922 0
2285. 7780 18.5 922 0; 7781 19 922 0; 7782 19.7 922 0; 7783 20 922 0
2286. 7784 20.3 922 0; 7785 21 922 0; 7786 21.5 922 0; 7787 22 922 0
2287. 7788 22.5 922 0; 7789 23 922 0; 7790 23.7 922 0; 7791 24 922 0
2288. 7792 24.3 922 0; 7793 25 922 0; 7794 25.5 922 0; 7795 26 922 0
2289. 7796 26.5 922 0; 7797 27 922 0; 7798 27.7 922 0; 7799 28 922 0
2290. 7800 28.3 922 0; 7801 29 922 0; 7802 29.5 922 0; 7803 30 922 0
2291. 7804 30.5 922 0; 7805 31 922 0; 7806 31.7 922 0; 7807 32 922 0
2292. 7808 32.3 922 0; 7809 33 922 0; 7810 33.5 922 0; 7811 34 922 0
2293. 7812 34.5 922 0; 7813 35 922 0; 7814 35.7 922 0; 7815 36 922 0
2294. 7816 36.3 922 0; 7817 36.8 922 0; 7818 37.3 922 0; 7819 0 922.5 -2.75
2295. 7820 4 922.5 -2.75; 7821 8 922.5 -2.75; 7822 12 922.5 -2.75
2296. 7823 16 922.5 -2.75; 7824 20 922.5 -2.75; 7825 24 922.5 -2.75
2297. 7826 28 922.5 -2.75; 7827 32 922.5 -2.75; 7828 36 922.5 -2.75
2298. 7829 0 922.5 -2.38636; 7830 4 922.5 -2.38636; 7831 8 922.5 -2.38636
2299. 7832 12 922.5 -2.38636; 7833 16 922.5 -2.38636; 7834 20 922.5 -2.38636
2300. 7835 24 922.5 -2.38636; 7836 28 922.5 -2.38636; 7837 32 922.5 -2.38636
2301. 7838 36 922.5 -2.38636; 7839 0 922.5 -2.02273; 7840 4 922.5 -2.02273
2302. 7841 8 922.5 -2.02273; 7842 12 922.5 -2.02273; 7843 16 922.5 -2.02273
2303. 7844 20 922.5 -2.02273; 7845 24 922.5 -2.02273; 7846 28 922.5 -2.02273
2304. 7847 32 922.5 -2.02273; 7848 36 922.5 -2.02273; 7849 0 922.5 -1.65909
2305. 7850 4 922.5 -1.65909; 7851 8 922.5 -1.65909; 7852 12 922.5 -1.65909
2306. 7853 16 922.5 -1.65909; 7854 20 922.5 -1.65909; 7855 24 922.5 -1.65909
2307. 7856 28 922.5 -1.65909; 7857 32 922.5 -1.65909; 7858 36 922.5 -1.65909
2308. 7859 0 922.5 -1.29545; 7860 4 922.5 -1.29545; 7861 8 922.5 -1.29545
2309. 7862 12 922.5 -1.29545; 7863 16 922.5 -1.29545; 7864 20 922.5 -1.29545
2310. 7865 24 922.5 -1.29545; 7866 28 922.5 -1.29545; 7867 32 922.5 -1.29545
2311. 7868 36 922.5 -1.29545; 7869 0 922.5 -0.75; 7870 4 922.5 -0.75
2312. 7871 8 922.5 -0.75; 7872 12 922.5 -0.75; 7873 16 922.5 -0.75
2313. 7874 20 922.5 -0.75; 7875 24 922.5 -0.75; 7876 28 922.5 -0.75
2314. 7877 32 922.5 -0.75; 7878 36 922.5 -0.75; 7879 0 922.5 -0.2; 7880 4 922.5 -0.2
2315. 7881 8 922.5 -0.2; 7882 12 922.5 -0.2; 7883 16 922.5 -0.2; 7884 20 922.5 -0.2
2316. 7885 24 922.5 -0.2; 7886 28 922.5 -0.2; 7887 32 922.5 -0.2; 7888 36 922.5 -0.2
2317. 7889 -1.3 922.5 0; 7890 -0.8 922.5 0; 7891 -0.3 922.5 0; 7892 0 922.5 0
2318. 7893 0.3 922.5 0; 7894 1 922.5 0; 7895 1.5 922.5 0; 7896 2 922.5 0
2319. 7897 2.5 922.5 0; 7898 3 922.5 0; 7899 3.7 922.5 0; 7900 4 922.5 0
2320. 7901 4.3 922.5 0; 7902 5 922.5 0; 7903 5.5 922.5 0; 7904 6 922.5 0
2321. 7905 6.5 922.5 0; 7906 7 922.5 0; 7907 7.7 922.5 0; 7908 8 922.5 0
2322. 7909 8.3 922.5 0; 7910 9 922.5 0; 7911 9.5 922.5 0; 7912 10 922.5 0
2323. 7913 10.5 922.5 0; 7914 11 922.5 0; 7915 11.7 922.5 0; 7916 12 922.5 0
2324. 7917 12.3 922.5 0; 7918 13 922.5 0; 7919 13.5 922.5 0; 7920 14 922.5 0
2325. 7921 14.5 922.5 0; 7922 15 922.5 0; 7923 15.7 922.5 0; 7924 16 922.5 0
2326. 7925 16.3 922.5 0; 7926 17 922.5 0; 7927 17.5 922.5 0; 7928 18 922.5 0
2327. 7929 18.5 922.5 0; 7930 19 922.5 0; 7931 19.7 922.5 0; 7932 20 922.5 0
2328. 7933 20.3 922.5 0; 7934 21 922.5 0; 7935 21.5 922.5 0; 7936 22 922.5 0
2329. 7937 22.5 922.5 0; 7938 23 922.5 0; 7939 23.7 922.5 0; 7940 24 922.5 0
2330. 7941 24.3 922.5 0; 7942 25 922.5 0; 7943 25.5 922.5 0; 7944 26 922.5 0
2331. 7945 26.5 922.5 0; 7946 27 922.5 0; 7947 27.7 922.5 0; 7948 28 922.5 0
2332. 7949 28.3 922.5 0; 7950 29 922.5 0; 7951 29.5 922.5 0; 7952 30 922.5 0
2333. 7953 30.5 922.5 0; 7954 31 922.5 0; 7955 31.7 922.5 0; 7956 32 922.5 0
2334. 7957 32.3 922.5 0; 7958 33 922.5 0; 7959 33.5 922.5 0; 7960 34 922.5 0

STAAD SPACE -- PAGE NO. 43

2335. 7961 34.5 922.5 0; 7962 35 922.5 0; 7963 35.7 922.5 0; 7964 36 922.5 0
2336. 7965 36.3 922.5 0; 7966 36.8 922.5 0; 7967 37.3 922.5 0; 7968 0 923 -2.56818
2337. 7969 4 923 -2.56818; 7970 8 923 -2.56818; 7971 12 923 -2.56818
2338. 7972 16 923 -2.56818; 7973 20 923 -2.56818; 7974 24 923 -2.56818
2339. 7975 28 923 -2.56818; 7976 32 923 -2.56818; 7977 36 923 -2.56818
2340. 7978 0 923 -2.38636; 7979 4 923 -2.38636; 7980 8 923 -2.38636
2341. 7981 12 923 -2.38636; 7982 16 923 -2.38636; 7983 20 923 -2.38636
2342. 7984 24 923 -2.38636; 7985 28 923 -2.38636; 7986 32 923 -2.38636
2343. 7987 36 923 -2.38636; 7988 0 923 -2.02273; 7989 4 923 -2.02273
2344. 7990 8 923 -2.02273; 7991 12 923 -2.02273; 7992 16 923 -2.02273
2345. 7993 20 923 -2.02273; 7994 24 923 -2.02273; 7995 28 923 -2.02273
2346. 7996 32 923 -2.02273; 7997 36 923 -2.02273; 7998 0 923 -1.65909
2347. 7999 4 923 -1.65909; 8000 8 923 -1.65909; 8001 12 923 -1.65909
2348. 8002 16 923 -1.65909; 8003 20 923 -1.65909; 8004 24 923 -1.65909
2349. 8005 28 923 -1.65909; 8006 32 923 -1.65909; 8007 36 923 -1.65909
2350. 8008 0 923 -1.29545; 8009 4 923 -1.29545; 8010 8 923 -1.29545
2351. 8011 12 923 -1.29545; 8012 16 923 -1.29545; 8013 20 923 -1.29545
2352. 8014 24 923 -1.29545; 8015 28 923 -1.29545; 8016 32 923 -1.29545
2353. 8017 36 923 -1.29545; 8018 0 923 -0.75; 8019 4 923 -0.75; 8020 8 923 -0.75
2354. 8021 12 923 -0.75; 8022 16 923 -0.75; 8023 20 923 -0.75; 8024 24 923 -0.75
2355. 8025 28 923 -0.75; 8026 32 923 -0.75; 8027 36 923 -0.75; 8028 0 923 -0.2
2356. 8029 4 923 -0.2; 8030 8 923 -0.2; 8031 12 923 -0.2; 8032 16 923 -0.2
2357. 8033 20 923 -0.2; 8034 24 923 -0.2; 8035 28 923 -0.2; 8036 32 923 -0.2
2358. 8037 36 923 -0.2; 8038 -1.3 923 0; 8039 -0.8 923 0; 8040 -0.3 923 0
2359. 8041 0 923 0; 8042 0.3 923 0; 8043 1 923 0; 8044 1.5 923 0; 8045 2 923 0
2360. 8046 2.5 923 0; 8047 3 923 0; 8048 3.7 923 0; 8049 4 923 0; 8050 4.3 923 0
2361. 8051 5 923 0; 8052 5.5 923 0; 8053 6 923 0; 8054 6.5 923 0; 8055 7 923 0
2362. 8056 7.7 923 0; 8057 8 923 0; 8058 8.3 923 0; 8059 9 923 0; 8060 9.5 923 0
2363. 8061 10 923 0; 8062 10.5 923 0; 8063 11 923 0; 8064 11.7 923 0; 8065 12 923 0
2364. 8066 12.3 923 0; 8067 13 923 0; 8068 13.5 923 0; 8069 14 923 0
2365. 8070 14.5 923 0; 8071 15 923 0; 8072 15.7 923 0; 8073 16 923 0
2366. 8074 16.3 923 0; 8075 17 923 0; 8076 17.5 923 0; 8077 18 923 0
2367. 8078 18.5 923 0; 8079 19 923 0; 8080 19.7 923 0; 8081 20 923 0
2368. 8082 20.3 923 0; 8083 21 923 0; 8084 21.5 923 0; 8085 22 923 0
2369. 8086 22.5 923 0; 8087 23 923 0; 8088 23.7 923 0; 8089 24 923 0
2370. 8090 24.3 923 0; 8091 25 923 0; 8092 25.5 923 0; 8093 26 923 0
2371. 8094 26.5 923 0; 8095 27 923 0; 8096 27.7 923 0; 8097 28 923 0
2372. 8098 28.3 923 0; 8099 29 923 0; 8100 29.5 923 0; 8101 30 923 0
2373. 8102 30.5 923 0; 8103 31 923 0; 8104 31.7 923 0; 8105 32 923 0
2374. 8106 32.3 923 0; 8107 33 923 0; 8108 33.5 923 0; 8109 34 923 0
2375. 8110 34.5 923 0; 8111 35 923 0; 8112 35.7 923 0; 8113 36 923 0
2376. 8114 36.3 923 0; 8115 36.8 923 0; 8116 37.3 923 0; 8117 0 923.5 -2.38636
2377. 8118 4 923.5 -2.38636; 8119 8 923.5 -2.38636; 8120 12 923.5 -2.38636
2378. 8121 16 923.5 -2.38636; 8122 20 923.5 -2.38636; 8123 24 923.5 -2.38636
2379. 8124 28 923.5 -2.38636; 8125 32 923.5 -2.38636; 8126 36 923.5 -2.38636
2380. 8127 0 923.5 -2.02273; 8128 4 923.5 -2.02273; 8129 8 923.5 -2.02273
2381. 8130 12 923.5 -2.02273; 8131 16 923.5 -2.02273; 8132 20 923.5 -2.02273
2382. 8133 24 923.5 -2.02273; 8134 28 923.5 -2.02273; 8135 32 923.5 -2.02273
2383. 8136 36 923.5 -2.02273; 8137 0 923.5 -1.65909; 8138 4 923.5 -1.65909
2384. 8139 8 923.5 -1.65909; 8140 12 923.5 -1.65909; 8141 16 923.5 -1.65909
2385. 8142 20 923.5 -1.65909; 8143 24 923.5 -1.65909; 8144 28 923.5 -1.65909
2386. 8145 32 923.5 -1.65909; 8146 36 923.5 -1.65909; 8147 0 923.5 -1.29545
2387. 8148 4 923.5 -1.29545; 8149 8 923.5 -1.29545; 8150 12 923.5 -1.29545
2388. 8151 16 923.5 -1.29545; 8152 20 923.5 -1.29545; 8153 24 923.5 -1.29545
2389. 8154 28 923.5 -1.29545; 8155 32 923.5 -1.29545; 8156 36 923.5 -1.29545
2390. 8157 0 923.5 -0.75; 8158 4 923.5 -0.75; 8159 8 923.5 -0.75

STAAD SPACE -- PAGE NO. 44

2391. 8160 12 923.5 -0.75; 8161 16 923.5 -0.75; 8162 20 923.5 -0.75
2392. 8163 24 923.5 -0.75; 8164 28 923.5 -0.75; 8165 32 923.5 -0.75
2393. 8166 36 923.5 -0.75; 8167 0 923.5 -0.2; 8168 4 923.5 -0.2; 8169 8 923.5 -0.2
2394. 8170 12 923.5 -0.2; 8171 16 923.5 -0.2; 8172 20 923.5 -0.2; 8173 24 923.5 -0.2
2395. 8174 28 923.5 -0.2; 8175 32 923.5 -0.2; 8176 36 923.5 -0.2; 8177 -1.3 923.5 0
2396. 8178 -0.8 923.5 0; 8179 -0.3 923.5 0; 8180 0 923.5 0; 8181 0.3 923.5 0
2397. 8182 1 923.5 0; 8183 1.5 923.5 0; 8184 2 923.5 0; 8185 2.5 923.5 0
2398. 8186 3 923.5 0; 8187 3.7 923.5 0; 8188 4 923.5 0; 8189 4.3 923.5 0
2399. 8190 5 923.5 0; 8191 5.5 923.5 0; 8192 6 923.5 0; 8193 6.5 923.5 0
2400. 8194 7 923.5 0; 8195 7.7 923.5 0; 8196 8 923.5 0; 8197 8.3 923.5 0
2401. 8198 9 923.5 0; 8199 9.5 923.5 0; 8200 10 923.5 0; 8201 10.5 923.5 0
2402. 8202 11 923.5 0; 8203 11.7 923.5 0; 8204 12 923.5 0; 8205 12.3 923.5 0
2403. 8206 13 923.5 0; 8207 13.5 923.5 0; 8208 14 923.5 0; 8209 14.5 923.5 0
2404. 8210 15 923.5 0; 8211 15.7 923.5 0; 8212 16 923.5 0; 8213 16.3 923.5 0
2405. 8214 17 923.5 0; 8215 17.5 923.5 0; 8216 18 923.5 0; 8217 18.5 923.5 0
2406. 8218 19 923.5 0; 8219 19.7 923.5 0; 8220 20 923.5 0; 8221 20.3 923.5 0
2407. 8222 21 923.5 0; 8223 21.5 923.5 0; 8224 22 923.5 0; 8225 22.5 923.5 0
2408. 8226 23 923.5 0; 8227 23.7 923.5 0; 8228 24 923.5 0; 8229 24.3 923.5 0
2409. 8230 25 923.5 0; 8231 25.5 923.5 0; 8232 26 923.5 0; 8233 26.5 923.5 0
2410. 8234 27 923.5 0; 8235 27.7 923.5 0; 8236 28 923.5 0; 8237 28.3 923.5 0
2411. 8238 29 923.5 0; 8239 29.5 923.5 0; 8240 30 923.5 0; 8241 30.5 923.5 0
2412. 8242 31 923.5 0; 8243 31.7 923.5 0; 8244 32 923.5 0; 8245 32.3 923.5 0
2413. 8246 33 923.5 0; 8247 33.5 923.5 0; 8248 34 923.5 0; 8249 34.5 923.5 0
2414. 8250 35 923.5 0; 8251 35.7 923.5 0; 8252 36 923.5 0; 8253 36.3 923.5 0
2415. 8254 36.8 923.5 0; 8255 37.3 923.5 0; 8256 0 924 -2.20455; 8257 4 924 -2.20455
2416. 8258 8 924 -2.20455; 8259 12 924 -2.20455; 8260 16 924 -2.20455
2417. 8261 20 924 -2.20455; 8262 24 924 -2.20455; 8263 28 924 -2.20455
2418. 8264 32 924 -2.20455; 8265 36 924 -2.20455; 8266 0 924 -2.02273
2419. 8267 4 924 -2.02273; 8268 8 924 -2.02273; 8269 12 924 -2.02273
2420. 8270 16 924 -2.02273; 8271 20 924 -2.02273; 8272 24 924 -2.02273
2421. 8273 28 924 -2.02273; 8274 32 924 -2.02273; 8275 36 924 -2.02273
2422. 8276 0 924 -1.65909; 8277 4 924 -1.65909; 8278 8 924 -1.65909
2423. 8279 12 924 -1.65909; 8280 16 924 -1.65909; 8281 20 924 -1.65909
2424. 8282 24 924 -1.65909; 8283 28 924 -1.65909; 8284 32 924 -1.65909
2425. 8285 36 924 -1.65909; 8286 0 924 -1.29545; 8287 4 924 -1.29545
2426. 8288 8 924 -1.29545; 8289 12 924 -1.29545; 8290 16 924 -1.29545
2427. 8291 20 924 -1.29545; 8292 24 924 -1.29545; 8293 28 924 -1.29545
2428. 8294 32 924 -1.29545; 8295 36 924 -1.29545; 8296 0 924 -0.75; 8297 4 924 -0.75
2429. 8298 8 924 -0.75; 8299 12 924 -0.75; 8300 16 924 -0.75; 8301 20 924 -0.75
2430. 8302 24 924 -0.75; 8303 28 924 -0.75; 8304 32 924 -0.75; 8305 36 924 -0.75
2431. 8306 0 924 -0.2; 8307 4 924 -0.2; 8308 8 924 -0.2; 8309 12 924 -0.2
2432. 8310 16 924 -0.2; 8311 20 924 -0.2; 8312 24 924 -0.2; 8313 28 924 -0.2
2433. 8314 32 924 -0.2; 8315 36 924 -0.2; 8316 -1.3 924 0; 8317 -0.8 924 0
2434. 8318 -0.3 924 0; 8319 0 924 0; 8320 0.3 924 0; 8321 1 924 0; 8322 1.5 924 0
2435. 8323 2 924 0; 8324 2.5 924 0; 8325 3 924 0; 8326 3.7 924 0; 8327 4 924 0
2436. 8328 4.3 924 0; 8329 5 924 0; 8330 5.5 924 0; 8331 6 924 0; 8332 6.5 924 0
2437. 8333 7 924 0; 8334 7.7 924 0; 8335 8 924 0; 8336 8.3 924 0; 8337 9 924 0
2438. 8338 9.5 924 0; 8339 10 924 0; 8340 10.5 924 0; 8341 11 924 0; 8342 11.7 924 0
2439. 8343 12 924 0; 8344 12.3 924 0; 8345 13 924 0; 8346 13.5 924 0; 8347 14 924 0
2440. 8348 14.5 924 0; 8349 15 924 0; 8350 15.7 924 0; 8351 16 924 0
2441. 8352 16.3 924 0; 8353 17 924 0; 8354 17.5 924 0; 8355 18 924 0
2442. 8356 18.5 924 0; 8357 19 924 0; 8358 19.7 924 0; 8359 20 924 0
2443. 8360 20.3 924 0; 8361 21 924 0; 8362 21.5 924 0; 8363 22 924 0
2444. 8364 22.5 924 0; 8365 23 924 0; 8366 23.7 924 0; 8367 24 924 0
2445. 8368 24.3 924 0; 8369 25 924 0; 8370 25.5 924 0; 8371 26 924 0
2446. 8372 26.5 924 0; 8373 27 924 0; 8374 27.7 924 0; 8375 28 924 0

STAAD SPACE -- PAGE NO. 45

2447. 8376 28.3 924 0; 8377 29 924 0; 8378 29.5 924 0; 8379 30 924 0
2448. 8380 30.5 924 0; 8381 31 924 0; 8382 31.7 924 0; 8383 32 924 0
2449. 8384 32.3 924 0; 8385 33 924 0; 8386 33.5 924 0; 8387 34 924 0
2450. 8388 34.5 924 0; 8389 35 924 0; 8390 35.7 924 0; 8391 36 924 0
2451. 8392 36.3 924 0; 8393 36.8 924 0; 8394 37.3 924 0; 8395 0 924.5 -2.02273
2452. 8396 4 924.5 -2.02273; 8397 8 924.5 -2.02273; 8398 12 924.5 -2.02273
2453. 8399 16 924.5 -2.02273; 8400 20 924.5 -2.02273; 8401 24 924.5 -2.02273
2454. 8402 28 924.5 -2.02273; 8403 32 924.5 -2.02273; 8404 36 924.5 -2.02273
2455. 8405 0 924.5 -1.65909; 8406 4 924.5 -1.65909; 8407 8 924.5 -1.65909
2456. 8408 12 924.5 -1.65909; 8409 16 924.5 -1.65909; 8410 20 924.5 -1.65909
2457. 8411 24 924.5 -1.65909; 8412 28 924.5 -1.65909; 8413 32 924.5 -1.65909
2458. 8414 36 924.5 -1.65909; 8415 0 924.5 -1.29545; 8416 4 924.5 -1.29545
2459. 8417 8 924.5 -1.29545; 8418 12 924.5 -1.29545; 8419 16 924.5 -1.29545
2460. 8420 20 924.5 -1.29545; 8421 24 924.5 -1.29545; 8422 28 924.5 -1.29545
2461. 8423 32 924.5 -1.29545; 8424 36 924.5 -1.29545; 8425 0 924.5 -0.75
2462. 8426 4 924.5 -0.75; 8427 8 924.5 -0.75; 8428 12 924.5 -0.75
2463. 8429 16 924.5 -0.75; 8430 20 924.5 -0.75; 8431 24 924.5 -0.75
2464. 8432 28 924.5 -0.75; 8433 32 924.5 -0.75; 8434 36 924.5 -0.75
2465. 8435 0 924.5 -0.2; 8436 4 924.5 -0.2; 8437 8 924.5 -0.2; 8438 12 924.5 -0.2
2466. 8439 16 924.5 -0.2; 8440 20 924.5 -0.2; 8441 24 924.5 -0.2; 8442 28 924.5 -0.2
2467. 8443 32 924.5 -0.2; 8444 36 924.5 -0.2; 8445 -1.3 924.5 0; 8446 -0.8 924.5 0
2468. 8447 -0.3 924.5 0; 8448 0 924.5 0; 8449 0.3 924.5 0; 8450 1 924.5 0
2469. 8451 1.5 924.5 0; 8452 2 924.5 0; 8453 2.5 924.5 0; 8454 3 924.5 0
2470. 8455 3.7 924.5 0; 8456 4 924.5 0; 8457 4.3 924.5 0; 8458 5 924.5 0
2471. 8459 5.5 924.5 0; 8460 6 924.5 0; 8461 6.5 924.5 0; 8462 7 924.5 0
2472. 8463 7.7 924.5 0; 8464 8 924.5 0; 8465 8.3 924.5 0; 8466 9 924.5 0
2473. 8467 9.5 924.5 0; 8468 10 924.5 0; 8469 10.5 924.5 0; 8470 11 924.5 0
2474. 8471 11.7 924.5 0; 8472 12 924.5 0; 8473 12.3 924.5 0; 8474 13 924.5 0
2475. 8475 13.5 924.5 0; 8476 14 924.5 0; 8477 14.5 924.5 0; 8478 15 924.5 0
2476. 8479 15.7 924.5 0; 8480 16 924.5 0; 8481 16.3 924.5 0; 8482 17 924.5 0
2477. 8483 17.5 924.5 0; 8484 18 924.5 0; 8485 18.5 924.5 0; 8486 19 924.5 0
2478. 8487 19.7 924.5 0; 8488 20 924.5 0; 8489 20.3 924.5 0; 8490 21 924.5 0
2479. 8491 21.5 924.5 0; 8492 22 924.5 0; 8493 22.5 924.5 0; 8494 23 924.5 0
2480. 8495 23.7 924.5 0; 8496 24 924.5 0; 8497 24.3 924.5 0; 8498 25 924.5 0
2481. 8499 25.5 924.5 0; 8500 26 924.5 0; 8501 26.5 924.5 0; 8502 27 924.5 0
2482. 8503 27.7 924.5 0; 8504 28 924.5 0; 8505 28.3 924.5 0; 8506 29 924.5 0
2483. 8507 29.5 924.5 0; 8508 30 924.5 0; 8509 30.5 924.5 0; 8510 31 924.5 0
2484. 8511 31.7 924.5 0; 8512 32 924.5 0; 8513 32.3 924.5 0; 8514 33 924.5 0
2485. 8515 33.5 924.5 0; 8516 34 924.5 0; 8517 34.5 924.5 0; 8518 35 924.5 0
2486. 8519 35.7 924.5 0; 8520 36 924.5 0; 8521 36.3 924.5 0; 8522 36.8 924.5 0
2487. 8523 37.3 924.5 0; 8524 0 925 -1.84091; 8525 4 925 -1.84091
2488. 8526 8 925 -1.84091; 8527 12 925 -1.84091; 8528 16 925 -1.84091
2489. 8529 20 925 -1.84091; 8530 24 925 -1.84091; 8531 28 925 -1.84091
2490. 8532 32 925 -1.84091; 8533 36 925 -1.84091; 8534 0 925 -1.65909
2491. 8535 4 925 -1.65909; 8536 8 925 -1.65909; 8537 12 925 -1.65909
2492. 8538 16 925 -1.65909; 8539 20 925 -1.65909; 8540 24 925 -1.65909
2493. 8541 28 925 -1.65909; 8542 32 925 -1.65909; 8543 36 925 -1.65909
2494. 8544 0 925 -1.29545; 8545 4 925 -1.29545; 8546 8 925 -1.29545
2495. 8547 12 925 -1.29545; 8548 16 925 -1.29545; 8549 20 925 -1.29545
2496. 8550 24 925 -1.29545; 8551 28 925 -1.29545; 8552 32 925 -1.29545
2497. 8553 36 925 -1.29545; 8554 0 925 -0.75; 8555 4 925 -0.75; 8556 8 925 -0.75
2498. 8557 12 925 -0.75; 8558 16 925 -0.75; 8559 20 925 -0.75; 8560 24 925 -0.75
2499. 8561 28 925 -0.75; 8562 32 925 -0.75; 8563 36 925 -0.75; 8564 0 925 -0.2
2500. 8565 4 925 -0.2; 8566 8 925 -0.2; 8567 12 925 -0.2; 8568 16 925 -0.2
2501. 8569 20 925 -0.2; 8570 24 925 -0.2; 8571 28 925 -0.2; 8572 32 925 -0.2
2502. 8573 36 925 -0.2; 8574 -1.3 925 0; 8575 -0.8 925 0; 8576 -0.3 925 0

STAAD SPACE -- PAGE NO. 46

2503. 8577 0 925 0; 8578 0.3 925 0; 8579 1 925 0; 8580 1.5 925 0; 8581 2 925 0
2504. 8582 2.5 925 0; 8583 3 925 0; 8584 3.7 925 0; 8585 4 925 0; 8586 4.3 925 0
2505. 8587 5 925 0; 8588 5.5 925 0; 8589 6 925 0; 8590 6.5 925 0; 8591 7 925 0
2506. 8592 7.7 925 0; 8593 8 925 0; 8594 8.3 925 0; 8595 9 925 0; 8596 9.5 925 0
2507. 8597 10 925 0; 8598 10.5 925 0; 8599 11 925 0; 8600 11.7 925 0; 8601 12 925 0
2508. 8602 12.3 925 0; 8603 13 925 0; 8604 13.5 925 0; 8605 14 925 0
2509. 8606 14.5 925 0; 8607 15 925 0; 8608 15.7 925 0; 8609 16 925 0
2510. 8610 16.3 925 0; 8611 17 925 0; 8612 17.5 925 0; 8613 18 925 0
2511. 8614 18.5 925 0; 8615 19 925 0; 8616 19.7 925 0; 8617 20 925 0
2512. 8618 20.3 925 0; 8619 21 925 0; 8620 21.5 925 0; 8621 22 925 0
2513. 8622 22.5 925 0; 8623 23 925 0; 8624 23.7 925 0; 8625 24 925 0
2514. 8626 24.3 925 0; 8627 25 925 0; 8628 25.5 925 0; 8629 26 925 0
2515. 8630 26.5 925 0; 8631 27 925 0; 8632 27.7 925 0; 8633 28 925 0
2516. 8634 28.3 925 0; 8635 29 925 0; 8636 29.5 925 0; 8637 30 925 0
2517. 8638 30.5 925 0; 8639 31 925 0; 8640 31.7 925 0; 8641 32 925 0
2518. 8642 32.3 925 0; 8643 33 925 0; 8644 33.5 925 0; 8645 34 925 0
2519. 8646 34.5 925 0; 8647 35 925 0; 8648 35.7 925 0; 8649 36 925 0
2520. 8650 36.3 925 0; 8651 36.8 925 0; 8652 37.3 925 0; 8653 0 925.5 -1.65909
2521. 8654 4 925.5 -1.65909; 8655 8 925.5 -1.65909; 8656 12 925.5 -1.65909
2522. 8657 16 925.5 -1.65909; 8658 20 925.5 -1.65909; 8659 24 925.5 -1.65909
2523. 8660 28 925.5 -1.65909; 8661 32 925.5 -1.65909; 8662 36 925.5 -1.65909
2524. 8663 0 925.5 -1.29545; 8664 4 925.5 -1.29545; 8665 8 925.5 -1.29545
2525. 8666 12 925.5 -1.29545; 8667 16 925.5 -1.29545; 8668 20 925.5 -1.29545
2526. 8669 24 925.5 -1.29545; 8670 28 925.5 -1.29545; 8671 32 925.5 -1.29545
2527. 8672 36 925.5 -1.29545; 8673 0 925.5 -0.75; 8674 4 925.5 -0.75
2528. 8675 8 925.5 -0.75; 8676 12 925.5 -0.75; 8677 16 925.5 -0.75
2529. 8678 20 925.5 -0.75; 8679 24 925.5 -0.75; 8680 28 925.5 -0.75
2530. 8681 32 925.5 -0.75; 8682 36 925.5 -0.75; 8683 0 925.5 -0.2; 8684 4 925.5 -0.2
2531. 8685 8 925.5 -0.2; 8686 12 925.5 -0.2; 8687 16 925.5 -0.2; 8688 20 925.5 -0.2
2532. 8689 24 925.5 -0.2; 8690 28 925.5 -0.2; 8691 32 925.5 -0.2; 8692 36 925.5 -0.2
2533. 8693 -1.3 925.5 0; 8694 -0.8 925.5 0; 8695 -0.3 925.5 0; 8696 0 925.5 0
2534. 8697 0.3 925.5 0; 8698 1 925.5 0; 8699 1.5 925.5 0; 8700 2 925.5 0
2535. 8701 2.5 925.5 0; 8702 3 925.5 0; 8703 3.7 925.5 0; 8704 4 925.5 0
2536. 8705 4.3 925.5 0; 8706 5 925.5 0; 8707 5.5 925.5 0; 8708 6 925.5 0
2537. 8709 6.5 925.5 0; 8710 7 925.5 0; 8711 7.7 925.5 0; 8712 8 925.5 0
2538. 8713 8.3 925.5 0; 8714 9 925.5 0; 8715 9.5 925.5 0; 8716 10 925.5 0
2539. 8717 10.5 925.5 0; 8718 11 925.5 0; 8719 11.7 925.5 0; 8720 12 925.5 0
2540. 8721 12.3 925.5 0; 8722 13 925.5 0; 8723 13.5 925.5 0; 8724 14 925.5 0
2541. 8725 14.5 925.5 0; 8726 15 925.5 0; 8727 15.7 925.5 0; 8728 16 925.5 0
2542. 8729 16.3 925.5 0; 8730 17 925.5 0; 8731 17.5 925.5 0; 8732 18 925.5 0
2543. 8733 18.5 925.5 0; 8734 19 925.5 0; 8735 19.7 925.5 0; 8736 20 925.5 0
2544. 8737 20.3 925.5 0; 8738 21 925.5 0; 8739 21.5 925.5 0; 8740 22 925.5 0
2545. 8741 22.5 925.5 0; 8742 23 925.5 0; 8743 23.7 925.5 0; 8744 24 925.5 0
2546. 8745 24.3 925.5 0; 8746 25 925.5 0; 8747 25.5 925.5 0; 8748 26 925.5 0
2547. 8749 26.5 925.5 0; 8750 27 925.5 0; 8751 27.7 925.5 0; 8752 28 925.5 0
2548. 8753 28.3 925.5 0; 8754 29 925.5 0; 8755 29.5 925.5 0; 8756 30 925.5 0
2549. 8757 30.5 925.5 0; 8758 31 925.5 0; 8759 31.7 925.5 0; 8760 32 925.5 0
2550. 8761 32.3 925.5 0; 8762 33 925.5 0; 8763 33.5 925.5 0; 8764 34 925.5 0
2551. 8765 34.5 925.5 0; 8766 35 925.5 0; 8767 35.7 925.5 0; 8768 36 925.5 0
2552. 8769 36.3 925.5 0; 8770 36.8 925.5 0; 8771 37.3 925.5 0; 8772 0 926 -1.47727
2553. 8773 4 926 -1.47727; 8774 8 926 -1.47727; 8775 12 926 -1.47727
2554. 8776 16 926 -1.47727; 8777 20 926 -1.47727; 8778 24 926 -1.47727
2555. 8779 28 926 -1.47727; 8780 32 926 -1.47727; 8781 36 926 -1.47727
2556. 8782 0 926 -1.29545; 8783 4 926 -1.29545; 8784 8 926 -1.29545
2557. 8785 12 926 -1.29545; 8786 16 926 -1.29545; 8787 20 926 -1.29545
2558. 8788 24 926 -1.29545; 8789 28 926 -1.29545; 8790 32 926 -1.29545

2559. 8791 36 926 -1.29545; 8792 0 926 -0.75; 8793 4 926 -0.75; 8794 8 926 -0.75
2560. 8795 12 926 -0.75; 8796 16 926 -0.75; 8797 20 926 -0.75; 8798 24 926 -0.75
2561. 8799 28 926 -0.75; 8800 32 926 -0.75; 8801 36 926 -0.75; 8802 0 926 -0.2
2562. 8803 4 926 -0.2; 8804 8 926 -0.2; 8805 12 926 -0.2; 8806 16 926 -0.2
2563. 8807 20 926 -0.2; 8808 24 926 -0.2; 8809 28 926 -0.2; 8810 32 926 -0.2
2564. 8811 36 926 -0.2; 8812 -1.3 926 0; 8813 -0.8 926 0; 8814 -0.3 926 0
2565. 8815 0 926 0; 8816 0.3 926 0; 8817 1 926 0; 8818 1.5 926 0; 8819 2 926 0
2566. 8820 2.5 926 0; 8821 3 926 0; 8822 3.7 926 0; 8823 4 926 0; 8824 4.3 926 0
2567. 8825 5 926 0; 8826 5.5 926 0; 8827 6 926 0; 8828 6.5 926 0; 8829 7 926 0
2568. 8830 7.7 926 0; 8831 8 926 0; 8832 8.3 926 0; 8833 9 926 0; 8834 9.5 926 0
2569. 8835 10 926 0; 8836 10.5 926 0; 8837 11 926 0; 8838 11.7 926 0; 8839 12 926 0
2570. 8840 12.3 926 0; 8841 13 926 0; 8842 13.5 926 0; 8843 14 926 0
2571. 8844 14.5 926 0; 8845 15 926 0; 8846 15.7 926 0; 8847 16 926 0
2572. 8848 16.3 926 0; 8849 17 926 0; 8850 17.5 926 0; 8851 18 926 0
2573. 8852 18.5 926 0; 8853 19 926 0; 8854 19.7 926 0; 8855 20 926 0
2574. 8856 20.3 926 0; 8857 21 926 0; 8858 21.5 926 0; 8859 22 926 0
2575. 8860 22.5 926 0; 8861 23 926 0; 8862 23.7 926 0; 8863 24 926 0
2576. 8864 24.3 926 0; 8865 25 926 0; 8866 25.5 926 0; 8867 26 926 0
2577. 8868 26.5 926 0; 8869 27 926 0; 8870 27.7 926 0; 8871 28 926 0
2578. 8872 28.3 926 0; 8873 29 926 0; 8874 29.5 926 0; 8875 30 926 0
2579. 8876 30.5 926 0; 8877 31 926 0; 8878 31.7 926 0; 8879 32 926 0
2580. 8880 32.3 926 0; 8881 33 926 0; 8882 33.5 926 0; 8883 34 926 0
2581. 8884 34.5 926 0; 8885 35 926 0; 8886 35.7 926 0; 8887 36 926 0
2582. 8888 36.3 926 0; 8889 36.8 926 0; 8890 37.3 926 0; 8891 0 926.5 -1.29545
2583. 8892 4 926.5 -1.29545; 8893 8 926.5 -1.29545; 8894 12 926.5 -1.29545
2584. 8895 16 926.5 -1.29545; 8896 20 926.5 -1.29545; 8897 24 926.5 -1.29545
2585. 8898 28 926.5 -1.29545; 8899 32 926.5 -1.29545; 8900 36 926.5 -1.29545
2586. 8901 0 926.5 -0.75; 8902 4 926.5 -0.75; 8903 8 926.5 -0.75
2587. 8904 12 926.5 -0.75; 8905 16 926.5 -0.75; 8906 20 926.5 -0.75
2588. 8907 24 926.5 -0.75; 8908 28 926.5 -0.75; 8909 32 926.5 -0.75
2589. 8910 36 926.5 -0.75; 8911 0 926.5 -0.2; 8912 4 926.5 -0.2; 8913 8 926.5 -0.2
2590. 8914 12 926.5 -0.2; 8915 16 926.5 -0.2; 8916 20 926.5 -0.2; 8917 24 926.5 -0.2
2591. 8918 28 926.5 -0.2; 8919 32 926.5 -0.2; 8920 36 926.5 -0.2; 8921 -1.3 926.5 0
2592. 8922 -0.8 926.5 0; 8923 -0.3 926.5 0; 8924 0 926.5 0; 8925 0.3 926.5 0
2593. 8926 1 926.5 0; 8927 1.5 926.5 0; 8928 2 926.5 0; 8929 2.5 926.5 0
2594. 8930 3 926.5 0; 8931 3.7 926.5 0; 8932 4 926.5 0; 8933 4.3 926.5 0
2595. 8934 5 926.5 0; 8935 5.5 926.5 0; 8936 6 926.5 0; 8937 6.5 926.5 0
2596. 8938 7 926.5 0; 8939 7.7 926.5 0; 8940 8 926.5 0; 8941 8.3 926.5 0
2597. 8942 9 926.5 0; 8943 9.5 926.5 0; 8944 10 926.5 0; 8945 10.5 926.5 0
2598. 8946 11 926.5 0; 8947 11.7 926.5 0; 8948 12 926.5 0; 8949 12.3 926.5 0
2599. 8950 13 926.5 0; 8951 13.5 926.5 0; 8952 14 926.5 0; 8953 14.5 926.5 0
2600. 8954 15 926.5 0; 8955 15.7 926.5 0; 8956 16 926.5 0; 8957 16.3 926.5 0
2601. 8958 17 926.5 0; 8959 17.5 926.5 0; 8960 18 926.5 0; 8961 18.5 926.5 0
2602. 8962 19 926.5 0; 8963 19.7 926.5 0; 8964 20 926.5 0; 8965 20.3 926.5 0
2603. 8966 21 926.5 0; 8967 21.5 926.5 0; 8968 22 926.5 0; 8969 22.5 926.5 0
2604. 8970 23 926.5 0; 8971 23.7 926.5 0; 8972 24 926.5 0; 8973 24.3 926.5 0
2605. 8974 25 926.5 0; 8975 25.5 926.5 0; 8976 26 926.5 0; 8977 26.5 926.5 0
2606. 8978 27 926.5 0; 8979 27.7 926.5 0; 8980 28 926.5 0; 8981 28.3 926.5 0
2607. 8982 29 926.5 0; 8983 29.5 926.5 0; 8984 30 926.5 0; 8985 30.5 926.5 0
2608. 8986 31 926.5 0; 8987 31.7 926.5 0; 8988 32 926.5 0; 8989 32.3 926.5 0
2609. 8990 33 926.5 0; 8991 33.5 926.5 0; 8992 34 926.5 0; 8993 34.5 926.5 0
2610. 8994 35 926.5 0; 8995 35.7 926.5 0; 8996 36 926.5 0; 8997 36.3 926.5 0
2611. 8998 36.8 926.5 0; 8999 37.3 926.5 0; 9000 0 927 -1.11364; 9001 4 927 -1.11364
2612. 9002 8 927 -1.11364; 9003 12 927 -1.11364; 9004 16 927 -1.11364
2613. 9005 20 927 -1.11364; 9006 24 927 -1.11364; 9007 28 927 -1.11364
2614. 9008 32 927 -1.11364; 9009 36 927 -1.11364; 9010 0 927 -0.75; 9011 4 927 -0.75

2615. 9012 8 927 -0.75; 9013 12 927 -0.75; 9014 16 927 -0.75; 9015 20 927 -0.75
2616. 9016 24 927 -0.75; 9017 28 927 -0.75; 9018 32 927 -0.75; 9019 36 927 -0.75
2617. 9020 0 927 -0.2; 9021 4 927 -0.2; 9022 8 927 -0.2; 9023 12 927 -0.2
2618. 9024 16 927 -0.2; 9025 20 927 -0.2; 9026 24 927 -0.2; 9027 28 927 -0.2
2619. 9028 32 927 -0.2; 9029 36 927 -0.2; 9030 -1.3 927 0; 9031 -0.8 927 0
2620. 9032 -0.3 927 0; 9033 0 927 0; 9034 0.3 927 0; 9035 1 927 0; 9036 1.5 927 0
2621. 9037 2 927 0; 9038 2.5 927 0; 9039 3 927 0; 9040 3.7 927 0; 9041 4 927 0
2622. 9042 4.3 927 0; 9043 5 927 0; 9044 5.5 927 0; 9045 6 927 0; 9046 6.5 927 0
2623. 9047 7 927 0; 9048 7.7 927 0; 9049 8 927 0; 9050 8.3 927 0; 9051 9 927 0
2624. 9052 9.5 927 0; 9053 10 927 0; 9054 10.5 927 0; 9055 11 927 0; 9056 11.7 927 0
2625. 9057 12 927 0; 9058 12.3 927 0; 9059 13 927 0; 9060 13.5 927 0; 9061 14 927 0
2626. 9062 14.5 927 0; 9063 15 927 0; 9064 15.7 927 0; 9065 16 927 0
2627. 9066 16.3 927 0; 9067 17 927 0; 9068 17.5 927 0; 9069 18 927 0
2628. 9070 18.5 927 0; 9071 19 927 0; 9072 19.7 927 0; 9073 20 927 0
2629. 9074 20.3 927 0; 9075 21 927 0; 9076 21.5 927 0; 9077 22 927 0
2630. 9078 22.5 927 0; 9079 23 927 0; 9080 23.7 927 0; 9081 24 927 0
2631. 9082 24.3 927 0; 9083 25 927 0; 9084 25.5 927 0; 9085 26 927 0
2632. 9086 26.5 927 0; 9087 27 927 0; 9088 27.7 927 0; 9089 28 927 0
2633. 9090 28.3 927 0; 9091 29 927 0; 9092 29.5 927 0; 9093 30 927 0
2634. 9094 30.5 927 0; 9095 31 927 0; 9096 31.7 927 0; 9097 32 927 0
2635. 9098 32.3 927 0; 9099 33 927 0; 9100 33.5 927 0; 9101 34 927 0
2636. 9102 34.5 927 0; 9103 35 927 0; 9104 35.7 927 0; 9105 36 927 0
2637. 9106 36.3 927 0; 9107 36.8 927 0; 9108 37.3 927 0; 9109 0 927.5 -0.931818
2638. 9110 4 927.5 -0.931818; 9111 8 927.5 -0.931818; 9112 12 927.5 -0.931818
2639. 9113 16 927.5 -0.931818; 9114 20 927.5 -0.931818; 9115 24 927.5 -0.931818
2640. 9116 28 927.5 -0.931818; 9117 32 927.5 -0.931818; 9118 36 927.5 -0.931818
2641. 9119 0 927.5 -0.75; 9120 4 927.5 -0.75; 9121 8 927.5 -0.75
2642. 9122 12 927.5 -0.75; 9123 16 927.5 -0.75; 9124 20 927.5 -0.75
2643. 9125 24 927.5 -0.75; 9126 28 927.5 -0.75; 9127 32 927.5 -0.75
2644. 9128 36 927.5 -0.75; 9129 0 927.5 -0.2; 9130 4 927.5 -0.2; 9131 8 927.5 -0.2
2645. 9132 12 927.5 -0.2; 9133 16 927.5 -0.2; 9134 20 927.5 -0.2; 9135 24 927.5 -0.2
2646. 9136 28 927.5 -0.2; 9137 32 927.5 -0.2; 9138 36 927.5 -0.2; 9139 -1.3 927.5 0
2647. 9140 -0.8 927.5 0; 9141 -0.3 927.5 0; 9142 0 927.5 0; 9143 0.3 927.5 0
2648. 9144 1 927.5 0; 9145 1.5 927.5 0; 9146 2 927.5 0; 9147 2.5 927.5 0
2649. 9148 3 927.5 0; 9149 3.7 927.5 0; 9150 4 927.5 0; 9151 4.3 927.5 0
2650. 9152 5 927.5 0; 9153 5.5 927.5 0; 9154 6 927.5 0; 9155 6.5 927.5 0
2651. 9156 7 927.5 0; 9157 7.7 927.5 0; 9158 8 927.5 0; 9159 8.3 927.5 0
2652. 9160 9 927.5 0; 9161 9.5 927.5 0; 9162 10 927.5 0; 9163 10.5 927.5 0
2653. 9164 11 927.5 0; 9165 11.7 927.5 0; 9166 12 927.5 0; 9167 12.3 927.5 0
2654. 9168 13 927.5 0; 9169 13.5 927.5 0; 9170 14 927.5 0; 9171 14.5 927.5 0
2655. 9172 15 927.5 0; 9173 15.7 927.5 0; 9174 16 927.5 0; 9175 16.3 927.5 0
2656. 9176 17 927.5 0; 9177 17.5 927.5 0; 9178 18 927.5 0; 9179 18.5 927.5 0
2657. 9180 19 927.5 0; 9181 19.7 927.5 0; 9182 20 927.5 0; 9183 20.3 927.5 0
2658. 9184 21 927.5 0; 9185 21.5 927.5 0; 9186 22 927.5 0; 9187 22.5 927.5 0
2659. 9188 23 927.5 0; 9189 23.7 927.5 0; 9190 24 927.5 0; 9191 24.3 927.5 0
2660. 9192 25 927.5 0; 9193 25.5 927.5 0; 9194 26 927.5 0; 9195 26.5 927.5 0
2661. 9196 27 927.5 0; 9197 27.7 927.5 0; 9198 28 927.5 0; 9199 28.3 927.5 0
2662. 9200 29 927.5 0; 9201 29.5 927.5 0; 9202 30 927.5 0; 9203 30.5 927.5 0
2663. 9204 31 927.5 0; 9205 31.7 927.5 0; 9206 32 927.5 0; 9207 32.3 927.5 0
2664. 9208 33 927.5 0; 9209 33.5 927.5 0; 9210 34 927.5 0; 9211 34.5 927.5 0
2665. 9212 35 927.5 0; 9213 35.7 927.5 0; 9214 36 927.5 0; 9215 36.3 927.5 0
2666. 9216 36.8 927.5 0; 9217 37.3 927.5 0; 9218 0 928 -0.75; 9219 4 928 -0.75
2667. 9220 8 928 -0.75; 9221 12 928 -0.75; 9222 16 928 -0.75; 9223 20 928 -0.75
2668. 9224 24 928 -0.75; 9225 28 928 -0.75; 9226 32 928 -0.75; 9227 36 928 -0.75
2669. 9228 0 928 -0.2; 9229 4 928 -0.2; 9230 8 928 -0.2; 9231 12 928 -0.2
2670. 9232 16 928 -0.2; 9233 20 928 -0.2; 9234 24 928 -0.2; 9235 28 928 -0.2

STAAD SPACE -- PAGE NO. 49

```
2671. 9236 32 928 -0.2; 9237 36 928 -0.2; 9238 -1.3 928 0; 9239 -0.8 928 0
2672. 9240 -0.3 928 0; 9241 0 928 0; 9242 0.3 928 0; 9243 1 928 0; 9244 1.5 928 0
2673. 9245 2 928 0; 9246 2.5 928 0; 9247 3 928 0; 9248 3.7 928 0; 9249 4 928 0
2674. 9250 4.3 928 0; 9251 5 928 0; 9252 5.5 928 0; 9253 6 928 0; 9254 6.5 928 0
2675. 9255 7 928 0; 9256 7.7 928 0; 9257 8 928 0; 9258 8.3 928 0; 9259 9 928 0
2676. 9260 9.5 928 0; 9261 10 928 0; 9262 10.5 928 0; 9263 11 928 0; 9264 11.7 928 0
2677. 9265 12 928 0; 9266 12.3 928 0; 9267 13 928 0; 9268 13.5 928 0; 9269 14 928 0
2678. 9270 14.5 928 0; 9271 15 928 0; 9272 15.7 928 0; 9273 16 928 0
2679. 9274 16.3 928 0; 9275 17 928 0; 9276 17.5 928 0; 9277 18 928 0
2680. 9278 18.5 928 0; 9279 19 928 0; 9280 19.7 928 0; 9281 20 928 0
2681. 9282 20.3 928 0; 9283 21 928 0; 9284 21.5 928 0; 9285 22 928 0
2682. 9286 22.5 928 0; 9287 23 928 0; 9288 23.7 928 0; 9289 24 928 0
2683. 9290 24.3 928 0; 9291 25 928 0; 9292 25.5 928 0; 9293 26 928 0
2684. 9294 26.5 928 0; 9295 27 928 0; 9296 27.7 928 0; 9297 28 928 0
2685. 9298 28.3 928 0; 9299 29 928 0; 9300 29.5 928 0; 9301 30 928 0
2686. 9302 30.5 928 0; 9303 31 928 0; 9304 31.7 928 0; 9305 32 928 0
2687. 9306 32.3 928 0; 9307 33 928 0; 9308 33.5 928 0; 9309 34 928 0
2688. 9310 34.5 928 0; 9311 35 928 0; 9312 35.7 928 0; 9313 36 928 0
2689. 9314 36.3 928 0; 9315 36.8 928 0; 9316 37.3 928 0; 9317 -1.3 928.5 0
2690. 9318 -0.8 928.5 0; 9319 -0.3 928.5 0; 9320 0 928.5 0; 9321 0.3 928.5 0
2691. 9322 1 928.5 0; 9323 1.5 928.5 0; 9324 2 928.5 0; 9325 2.5 928.5 0
2692. 9326 3 928.5 0; 9327 3.7 928.5 0; 9328 4 928.5 0; 9329 4.3 928.5 0
2693. 9330 5 928.5 0; 9331 5.5 928.5 0; 9332 6 928.5 0; 9333 6.5 928.5 0
2694. 9334 7 928.5 0; 9335 7.7 928.5 0; 9336 8 928.5 0; 9337 8.3 928.5 0
2695. 9338 9 928.5 0; 9339 9.5 928.5 0; 9340 10 928.5 0; 9341 10.5 928.5 0
2696. 9342 11 928.5 0; 9343 11.7 928.5 0; 9344 12 928.5 0; 9345 12.3 928.5 0
2697. 9346 13 928.5 0; 9347 13.5 928.5 0; 9348 14 928.5 0; 9349 14.5 928.5 0
2698. 9350 15 928.5 0; 9351 15.7 928.5 0; 9352 16 928.5 0; 9353 16.3 928.5 0
2699. 9354 17 928.5 0; 9355 17.5 928.5 0; 9356 18 928.5 0; 9357 18.5 928.5 0
2700. 9358 19 928.5 0; 9359 19.7 928.5 0; 9360 20 928.5 0; 9361 20.3 928.5 0
2701. 9362 21 928.5 0; 9363 21.5 928.5 0; 9364 22 928.5 0; 9365 22.5 928.5 0
2702. 9366 23 928.5 0; 9367 23.7 928.5 0; 9368 24 928.5 0; 9369 24.3 928.5 0
2703. 9370 25 928.5 0; 9371 25.5 928.5 0; 9372 26 928.5 0; 9373 26.5 928.5 0
2704. 9374 27 928.5 0; 9375 27.7 928.5 0; 9376 28 928.5 0; 9377 28.3 928.5 0
2705. 9378 29 928.5 0; 9379 29.5 928.5 0; 9380 30 928.5 0; 9381 30.5 928.5 0
2706. 9382 31 928.5 0; 9383 31.7 928.5 0; 9384 32 928.5 0; 9385 32.3 928.5 0
2707. 9386 33 928.5 0; 9387 33.5 928.5 0; 9388 34 928.5 0; 9389 34.5 928.5 0
2708. 9390 35 928.5 0; 9391 35.7 928.5 0; 9392 36 928.5 0; 9393 36.3 928.5 0
2709. 9394 36.8 928.5 0; 9395 37.3 928.5 0
2710. MEMBER INCIDENCES
2711. 100 80 81; 101 81 82; 102 82 83; 103 83 84; 104 84 85; 105 85 86; 106 86 87
2712. 107 87 88; 108 88 89; 109 89 90; 110 90 91; 111 91 92; 112 92 93; 113 93 94
2713. 114 94 95; 115 95 96; 116 96 97; 117 97 98; 118 98 99; 119 99 100; 120 100 101
2714. 121 101 102; 122 102 103; 123 103 104; 124 104 105; 125 105 106; 126 106 107
2715. 127 107 108; 128 108 109; 129 109 110; 130 110 111; 131 111 112; 132 112 113
2716. 133 113 114; 134 114 115; 135 115 116; 136 116 117; 137 117 118; 138 118 119
2717. 139 119 120; 140 120 121; 141 121 122; 142 122 123; 143 123 124; 144 124 125
2718. 145 125 126; 146 126 127; 147 127 128; 148 128 129; 149 129 130; 150 130 131
2719. 151 131 132; 152 132 133; 153 133 134; 154 134 135; 155 135 136; 156 136 137
2720. 157 137 138; 158 138 139; 159 139 140; 160 140 141; 161 141 142; 162 142 143
2721. 163 143 144; 164 144 145; 165 145 146; 166 146 147; 167 147 148; 168 148 149
2722. 169 149 150; 170 150 151; 171 151 152; 172 152 153; 173 153 154; 174 154 155
2723. 175 155 156; 176 156 157; 177 157 158
2724. ELEMENT INCIDENCES SHELL
2725. 1000 80 81 2 1; 1001 81 82 3 2; 1002 82 83 4 3; 1003 83 84 5 4; 1004 84 85 6 5
2726. 1005 85 86 7 6; 1006 86 87 8 7; 1007 87 88 9 8; 1008 88 89 10 9
```


STAAD SPACE -- PAGE NO. 50

```
2727. 1009 89 90 11 10; 1010 90 91 12 11; 1011 91 92 13 12; 1012 92 93 14 13
2728. 1013 93 94 15 14; 1014 94 95 16 15; 1015 95 96 17 16; 1016 96 97 18 17
2729. 1017 97 98 19 18; 1018 98 99 20 19; 1019 99 100 21 20; 1020 100 101 22 21
2730. 1021 101 102 23 22; 1022 102 103 24 23; 1023 103 104 25 24; 1024 104 105 26 25
2731. 1025 105 106 27 26; 1026 106 107 28 27; 1027 107 108 29 28; 1028 108 109 30 29
2732. 1029 109 110 31 30; 1030 110 111 32 31; 1031 111 112 33 32; 1032 112 113 34 33
2733. 1033 113 114 35 34; 1034 114 115 36 35; 1035 115 116 37 36; 1036 116 117 38 37
2734. 1037 117 118 39 38; 1038 118 119 40 39; 1039 119 120 41 40; 1040 120 121 42 41
2735. 1041 121 122 43 42; 1042 122 123 44 43; 1043 123 124 45 44; 1044 124 125 46 45
2736. 1045 125 126 47 46; 1046 126 127 48 47; 1047 127 128 49 48; 1048 128 129 50 49
2737. 1049 129 130 51 50; 1050 130 131 52 51; 1051 131 132 53 52; 1052 132 133 54 53
2738. 1053 133 134 55 54; 1054 134 135 56 55; 1055 135 136 57 56; 1056 136 137 58 57
2739. 1057 137 138 59 58; 1058 138 139 60 59; 1059 139 140 61 60; 1060 140 141 62 61
2740. 1061 141 142 63 62; 1062 142 143 64 63; 1063 143 144 65 64; 1064 144 145 66 65
2741. 1065 145 146 67 66; 1066 146 147 68 67; 1067 147 148 69 68; 1068 148 149 70 69
2742. 1069 149 150 71 70; 1070 150 151 72 71; 1071 151 152 73 72; 1072 152 153 74 73
2743. 1073 153 154 75 74; 1074 154 155 76 75; 1075 155 156 77 76; 1076 156 157 78 77
2744. 1077 157 158 79 78; 1078 159 160 81 80; 1079 160 161 82 81; 1080 161 162 83 82
2745. 1081 162 163 84 83; 1082 163 164 85 84; 1083 164 165 86 85; 1084 165 166 87 86
2746. 1085 166 167 88 87; 1086 167 168 89 88; 1087 168 169 90 89; 1088 169 170 91 90
2747. 1089 170 171 92 91; 1090 171 172 93 92; 1091 172 173 94 93; 1092 173 174 95 94
2748. 1093 174 175 96 95; 1094 175 176 97 96; 1095 176 177 98 97; 1096 177 178 99 98
2749. 1097 178 179 100 99; 1098 179 180 101 100; 1099 180 181 102 101
2750. 1100 181 182 103 102; 1101 182 183 104 103; 1102 183 184 105 104
2751. 1103 184 185 106 105; 1104 185 186 107 106; 1105 186 187 108 107
2752. 1106 187 188 109 108; 1107 188 189 110 109; 1108 189 190 111 110
2753. 1109 190 191 112 111; 1110 191 192 113 112; 1111 192 193 114 113
2754. 1112 193 194 115 114; 1113 194 195 116 115; 1114 195 196 117 116
2755. 1115 196 197 118 117; 1116 197 198 119 118; 1117 198 199 120 119
2756. 1118 199 200 121 120; 1119 200 201 122 121; 1120 201 202 123 122
2757. 1121 202 203 124 123; 1122 203 204 125 124; 1123 204 205 126 125
2758. 1124 205 206 127 126; 1125 206 207 128 127; 1126 207 208 129 128
2759. 1127 208 209 130 129; 1128 209 210 131 130; 1129 210 211 132 131
2760. 1130 211 212 133 132; 1131 212 213 134 133; 1132 213 214 135 134
2761. 1133 214 215 136 135; 1134 215 216 137 136; 1135 216 217 138 137
2762. 1136 217 218 139 138; 1137 218 219 140 139; 1138 219 220 141 140
2763. 1139 220 221 142 141; 1140 221 222 143 142; 1141 222 223 144 143
2764. 1142 223 224 145 144; 1143 224 225 146 145; 1144 225 226 147 146
2765. 1145 226 227 148 147; 1146 227 228 149 148; 1147 228 229 150 149
2766. 1148 229 230 151 150; 1149 230 231 152 151; 1150 231 232 153 152
2767. 1151 232 233 154 153; 1152 233 234 155 154; 1153 234 235 156 155
2768. 1154 235 236 157 156; 1155 236 237 158 157; 1156 238 239 160 159
2769. 1157 239 240 161 160; 1158 240 241 162 161; 1159 241 242 163 162
2770. 1160 242 243 164 163; 1161 243 244 165 164; 1162 244 245 166 165
2771. 1163 245 246 167 166; 1164 246 247 168 167; 1165 247 248 169 168
2772. 1166 248 249 170 169; 1167 249 250 171 170; 1168 250 251 172 171
2773. 1169 251 252 173 172; 1170 252 253 174 173; 1171 253 254 175 174
2774. 1172 254 255 176 175; 1173 255 256 177 176; 1174 256 257 178 177
2775. 1175 257 258 179 178; 1176 258 259 180 179; 1177 259 260 181 180
2776. 1178 260 261 182 181; 1179 261 262 183 182; 1180 262 263 184 183
2777. 1181 263 264 185 184; 1182 264 265 186 185; 1183 265 266 187 186
2778. 1184 266 267 188 187; 1185 267 268 189 188; 1186 268 269 190 189
2779. 1187 269 270 191 190; 1188 270 271 192 191; 1189 271 272 193 192
2780. 1190 272 273 194 193; 1191 273 274 195 194; 1192 274 275 196 195
2781. 1193 275 276 197 196; 1194 276 277 198 197; 1195 277 278 199 198
2782. 1196 278 279 200 199; 1197 279 280 201 200; 1198 280 281 202 201
```

2783. 1199 281 282 203 202; 1200 282 283 204 203; 1201 283 284 205 204
2784. 1202 284 285 206 205; 1203 285 286 207 206; 1204 286 287 208 207
2785. 1205 287 288 209 208; 1206 288 289 210 209; 1207 289 290 211 210
2786. 1208 290 291 212 211; 1209 291 292 213 212; 1210 292 293 214 213
2787. 1211 293 294 215 214; 1212 294 295 216 215; 1213 295 296 217 216
2788. 1214 296 297 218 217; 1215 297 298 219 218; 1216 298 299 220 219
2789. 1217 299 300 221 220; 1218 300 301 222 221; 1219 301 302 223 222
2790. 1220 302 303 224 223; 1221 303 304 225 224; 1222 304 305 226 225
2791. 1223 305 306 227 226; 1224 306 307 228 227; 1225 307 308 229 228
2792. 1226 308 309 230 229; 1227 309 310 231 230; 1228 310 311 232 231
2793. 1229 311 312 233 232; 1230 312 313 234 233; 1231 313 314 235 234
2794. 1232 314 315 236 235; 1233 315 316 237 236; 1234 317 318 239 238
2795. 1235 318 319 240 239; 1236 319 320 241 240; 1237 320 321 242 241
2796. 1238 321 322 243 242; 1239 322 323 244 243; 1240 323 324 245 244
2797. 1241 324 325 246 245; 1242 325 326 247 246; 1243 326 327 248 247
2798. 1244 327 328 249 248; 1245 328 329 250 249; 1246 329 330 251 250
2799. 1247 330 331 252 251; 1248 331 332 253 252; 1249 332 333 254 253
2800. 1250 333 334 255 254; 1251 334 335 256 255; 1252 335 336 257 256
2801. 1253 336 337 258 257; 1254 337 338 259 258; 1255 338 339 260 259
2802. 1256 339 340 261 260; 1257 340 341 262 261; 1258 341 342 263 262
2803. 1259 342 343 264 263; 1260 343 344 265 264; 1261 344 345 266 265
2804. 1262 345 346 267 266; 1263 346 347 268 267; 1264 347 348 269 268
2805. 1265 348 349 270 269; 1266 349 350 271 270; 1267 350 351 272 271
2806. 1268 351 352 273 272; 1269 352 353 274 273; 1270 353 354 275 274
2807. 1271 354 355 276 275; 1272 355 356 277 276; 1273 356 357 278 277
2808. 1274 357 358 279 278; 1275 358 359 280 279; 1276 359 360 281 280
2809. 1277 360 361 282 281; 1278 361 362 283 282; 1279 362 363 284 283
2810. 1280 363 364 285 284; 1281 364 365 286 285; 1282 365 366 287 286
2811. 1283 366 367 288 287; 1284 367 368 289 288; 1285 368 369 290 289
2812. 1286 369 370 291 290; 1287 370 371 292 291; 1288 371 372 293 292
2813. 1289 372 373 294 293; 1290 373 374 295 294; 1291 374 375 296 295
2814. 1292 375 376 297 296; 1293 376 377 298 297; 1294 377 378 299 298
2815. 1295 378 379 300 299; 1296 379 380 301 300; 1297 380 381 302 301
2816. 1298 381 382 303 302; 1299 382 383 304 303; 1300 383 384 305 304
2817. 1301 384 385 306 305; 1302 385 386 307 306; 1303 386 387 308 307
2818. 1304 387 388 309 308; 1305 388 389 310 309; 1306 389 390 311 310
2819. 1307 390 391 312 311; 1308 391 392 313 312; 1309 392 393 314 313
2820. 1310 393 394 315 314; 1311 394 395 316 315; 1312 396 397 318 317
2821. 1313 397 398 319 318; 1314 398 399 320 319; 1315 399 400 321 320
2822. 1316 400 401 322 321; 1317 401 402 323 322; 1318 402 403 324 323
2823. 1319 403 404 325 324; 1320 404 405 326 325; 1321 405 406 327 326
2824. 1322 406 407 328 327; 1323 407 408 329 328; 1324 408 409 330 329
2825. 1325 409 410 331 330; 1326 410 411 332 331; 1327 411 412 333 332
2826. 1328 412 413 334 333; 1329 413 414 335 334; 1330 414 415 336 335
2827. 1331 415 416 337 336; 1332 416 417 338 337; 1333 417 418 339 338
2828. 1334 418 419 340 339; 1335 419 420 341 340; 1336 420 421 342 341
2829. 1337 421 422 343 342; 1338 422 423 344 343; 1339 423 424 345 344
2830. 1340 424 425 346 345; 1341 425 426 347 346; 1342 426 427 348 347
2831. 1343 427 428 349 348; 1344 428 429 350 349; 1345 429 430 351 350
2832. 1346 430 431 352 351; 1347 431 432 353 352; 1348 432 433 354 353
2833. 1349 433 434 355 354; 1350 434 435 356 355; 1351 435 436 357 356
2834. 1352 436 437 358 357; 1353 437 438 359 358; 1354 438 439 360 359
2835. 1355 439 440 361 360; 1356 440 441 362 361; 1357 441 442 363 362
2836. 1358 442 443 364 363; 1359 443 444 365 364; 1360 444 445 366 365
2837. 1361 445 446 367 366; 1362 446 447 368 367; 1363 447 448 369 368
2838. 1364 448 449 370 369; 1365 449 450 371 370; 1366 450 451 372 371

2839. 1367 451 452 373 372; 1368 452 453 374 373; 1369 453 454 375 374
2840. 1370 454 455 376 375; 1371 455 456 377 376; 1372 456 457 378 377
2841. 1373 457 458 379 378; 1374 458 459 380 379; 1375 459 460 381 380
2842. 1376 460 461 382 381; 1377 461 462 383 382; 1378 462 463 384 383
2843. 1379 463 464 385 384; 1380 464 465 386 385; 1381 465 466 387 386
2844. 1382 466 467 388 387; 1383 467 468 389 388; 1384 468 469 390 389
2845. 1385 469 470 391 390; 1386 470 471 392 391; 1387 471 472 393 392
2846. 1388 472 473 394 393; 1389 473 474 395 394; 1390 475 476 397 396
2847. 1391 476 477 398 397; 1392 477 478 399 398; 1393 478 479 400 399
2848. 1394 479 480 401 400; 1395 480 481 402 401; 1396 481 482 403 402
2849. 1397 482 483 404 403; 1398 483 484 405 404; 1399 484 485 406 405
2850. 1400 485 486 407 406; 1401 486 487 408 407; 1402 487 488 409 408
2851. 1403 488 489 410 409; 1404 489 490 411 410; 1405 490 491 412 411
2852. 1406 491 492 413 412; 1407 492 493 414 413; 1408 493 494 415 414
2853. 1409 494 495 416 415; 1410 495 496 417 416; 1411 496 497 418 417
2854. 1412 497 498 419 418; 1413 498 499 420 419; 1414 499 500 421 420
2855. 1415 500 501 422 421; 1416 501 502 423 422; 1417 502 503 424 423
2856. 1418 503 504 425 424; 1419 504 505 426 425; 1420 505 506 427 426
2857. 1421 506 507 428 427; 1422 507 508 429 428; 1423 508 509 430 429
2858. 1424 509 510 431 430; 1425 510 511 432 431; 1426 511 512 433 432
2859. 1427 512 513 434 433; 1428 513 514 435 434; 1429 514 515 436 435
2860. 1430 515 516 437 436; 1431 516 517 438 437; 1432 517 518 439 438
2861. 1433 518 519 440 439; 1434 519 520 441 440; 1435 520 521 442 441
2862. 1436 521 522 443 442; 1437 522 523 444 443; 1438 523 524 445 444
2863. 1439 524 525 446 445; 1440 525 526 447 446; 1441 526 527 448 447
2864. 1442 527 528 449 448; 1443 528 529 450 449; 1444 529 530 451 450
2865. 1445 530 531 452 451; 1446 531 532 453 452; 1447 532 533 454 453
2866. 1448 533 534 455 454; 1449 534 535 456 455; 1450 535 536 457 456
2867. 1451 536 537 458 457; 1452 537 538 459 458; 1453 538 539 460 459
2868. 1454 539 540 461 460; 1455 540 541 462 461; 1456 541 542 463 462
2869. 1457 542 543 464 463; 1458 543 544 465 464; 1459 544 545 466 465
2870. 1460 545 546 467 466; 1461 546 547 468 467; 1462 547 548 469 468
2871. 1463 548 549 470 469; 1464 549 550 471 470; 1465 550 551 472 471
2872. 1466 551 552 473 472; 1467 552 553 474 473; 1468 554 555 476 475
2873. 1469 555 556 477 476; 1470 556 557 478 477; 1471 557 558 479 478
2874. 1472 558 559 480 479; 1473 559 560 481 480; 1474 560 561 482 481
2875. 1475 561 562 483 482; 1476 562 563 484 483; 1477 563 564 485 484
2876. 1478 564 565 486 485; 1479 565 566 487 486; 1480 566 567 488 487
2877. 1481 567 568 489 488; 1482 568 569 490 489; 1483 569 570 491 490
2878. 1484 570 571 492 491; 1485 571 572 493 492; 1486 572 573 494 493
2879. 1487 573 574 495 494; 1488 574 575 496 495; 1489 575 576 497 496
2880. 1490 576 577 498 497; 1491 577 578 499 498; 1492 578 579 500 499
2881. 1493 579 580 501 500; 1494 580 581 502 501; 1495 581 582 503 502
2882. 1496 582 583 504 503; 1497 583 584 505 504; 1498 584 585 506 505
2883. 1499 585 586 507 506; 1500 586 587 508 507; 1501 587 588 509 508
2884. 1502 588 589 510 509; 1503 589 590 511 510; 1504 590 591 512 511
2885. 1505 591 592 513 512; 1506 592 593 514 513; 1507 593 594 515 514
2886. 1508 594 595 516 515; 1509 595 596 517 516; 1510 596 597 518 517
2887. 1511 597 598 519 518; 1512 598 599 520 519; 1513 599 600 521 520
2888. 1514 600 601 522 521; 1515 601 602 523 522; 1516 602 603 524 523
2889. 1517 603 604 525 524; 1518 604 605 526 525; 1519 605 606 527 526
2890. 1520 606 607 528 527; 1521 607 608 529 528; 1522 608 609 530 529
2891. 1523 609 610 531 530; 1524 610 611 532 531; 1525 611 612 533 532
2892. 1526 612 613 534 533; 1527 613 614 535 534; 1528 614 615 536 535
2893. 1529 615 616 537 536; 1530 616 617 538 537; 1531 617 618 539 538
2894. 1532 618 619 540 539; 1533 619 620 541 540; 1534 620 621 542 541

2895. 1535 621 622 543 542; 1536 622 623 544 543; 1537 623 624 545 544
2896. 1538 624 625 546 545; 1539 625 626 547 546; 1540 626 627 548 547
2897. 1541 627 628 549 548; 1542 628 629 550 549; 1543 629 630 551 550
2898. 1544 630 631 552 551; 1545 631 632 553 552; 1546 633 634 555 554
2899. 1547 634 635 556 555; 1548 635 636 557 556; 1549 636 637 558 557
2900. 1550 637 638 559 558; 1551 638 639 560 559; 1552 639 640 561 560
2901. 1553 640 641 562 561; 1554 641 642 563 562; 1555 642 643 564 563
2902. 1556 643 644 565 564; 1557 644 645 566 565; 1558 645 646 567 566
2903. 1559 646 647 568 567; 1560 647 648 569 568; 1561 648 649 570 569
2904. 1562 649 650 571 570; 1563 650 651 572 571; 1564 651 652 573 572
2905. 1565 652 653 574 573; 1566 653 654 575 574; 1567 654 655 576 575
2906. 1568 655 656 577 576; 1569 656 657 578 577; 1570 657 658 579 578
2907. 1571 658 659 580 579; 1572 659 660 581 580; 1573 660 661 582 581
2908. 1574 661 662 583 582; 1575 662 663 584 583; 1576 663 664 585 584
2909. 1577 664 665 586 585; 1578 665 666 587 586; 1579 666 667 588 587
2910. 1580 667 668 589 588; 1581 668 669 590 589; 1582 669 670 591 590
2911. 1583 670 671 592 591; 1584 671 672 593 592; 1585 672 673 594 593
2912. 1586 673 674 595 594; 1587 674 675 596 595; 1588 675 676 597 596
2913. 1589 676 677 598 597; 1590 677 678 599 598; 1591 678 679 600 599
2914. 1592 679 680 601 600; 1593 680 681 602 601; 1594 681 682 603 602
2915. 1595 682 683 604 603; 1596 683 684 605 604; 1597 684 685 606 605
2916. 1598 685 686 607 606; 1599 686 687 608 607; 1600 687 688 609 608
2917. 1601 688 689 610 609; 1602 689 690 611 610; 1603 690 691 612 611
2918. 1604 691 692 613 612; 1605 692 693 614 613; 1606 693 694 615 614
2919. 1607 694 695 616 615; 1608 695 696 617 616; 1609 696 697 618 617
2920. 1610 697 698 619 618; 1611 698 699 620 619; 1612 699 700 621 620
2921. 1613 700 701 622 621; 1614 701 702 623 622; 1615 702 703 624 623
2922. 1616 703 704 625 624; 1617 704 705 626 625; 1618 705 706 627 626
2923. 1619 706 707 628 627; 1620 707 708 629 628; 1621 708 709 630 629
2924. 1622 709 710 631 630; 1623 710 711 632 631; 1624 712 713 634 633
2925. 1625 713 714 635 634; 1626 714 715 636 635; 1627 715 716 637 636
2926. 1628 716 717 638 637; 1629 717 718 639 638; 1630 718 719 640 639
2927. 1631 719 720 641 640; 1632 720 721 642 641; 1633 721 722 643 642
2928. 1634 722 723 644 643; 1635 723 724 645 644; 1636 724 725 646 645
2929. 1637 725 726 647 646; 1638 726 727 648 647; 1639 727 728 649 648
2930. 1640 728 729 650 649; 1641 729 730 651 650; 1642 730 731 652 651
2931. 1643 731 732 653 652; 1644 732 733 654 653; 1645 733 734 655 654
2932. 1646 734 735 656 655; 1647 735 736 657 656; 1648 736 737 658 657
2933. 1649 737 738 659 658; 1650 738 739 660 659; 1651 739 740 661 660
2934. 1652 740 741 662 661; 1653 741 742 663 662; 1654 742 743 664 663
2935. 1655 743 744 665 664; 1656 744 745 666 665; 1657 745 746 667 666
2936. 1658 746 747 668 667; 1659 747 748 669 668; 1660 748 749 670 669
2937. 1661 749 750 671 670; 1662 750 751 672 671; 1663 751 752 673 672
2938. 1664 752 753 674 673; 1665 753 754 675 674; 1666 754 755 676 675
2939. 1667 755 756 677 676; 1668 756 757 678 677; 1669 757 758 679 678
2940. 1670 758 759 680 679; 1671 759 760 681 680; 1672 760 761 682 681
2941. 1673 761 762 683 682; 1674 762 763 684 683; 1675 763 764 685 684
2942. 1676 764 765 686 685; 1677 765 766 687 686; 1678 766 767 688 687
2943. 1679 767 768 689 688; 1680 768 769 690 689; 1681 769 770 691 690
2944. 1682 770 771 692 691; 1683 771 772 693 692; 1684 772 773 694 693
2945. 1685 773 774 695 694; 1686 774 775 696 695; 1687 775 776 697 696
2946. 1688 776 777 698 697; 1689 777 778 699 698; 1690 778 779 700 699
2947. 1691 779 780 701 700; 1692 780 781 702 701; 1693 781 782 703 702
2948. 1694 782 783 704 703; 1695 783 784 705 704; 1696 784 785 706 705
2949. 1697 785 786 707 706; 1698 786 787 708 707; 1699 787 788 709 708
2950. 1700 788 789 710 709; 1701 789 790 711 710; 1702 791 792 713 712

2951. 1703 792 793 714 713; 1704 793 794 715 714; 1705 794 795 716 715
2952. 1706 795 796 717 716; 1707 796 797 718 717; 1708 797 798 719 718
2953. 1709 798 799 720 719; 1710 799 800 721 720; 1711 800 801 722 721
2954. 1712 801 802 723 722; 1713 802 803 724 723; 1714 803 804 725 724
2955. 1715 804 805 726 725; 1716 805 806 727 726; 1717 806 807 728 727
2956. 1718 807 808 729 728; 1719 808 809 730 729; 1720 809 810 731 730
2957. 1721 810 811 732 731; 1722 811 812 733 732; 1723 812 813 734 733
2958. 1724 813 814 735 734; 1725 814 815 736 735; 1726 815 816 737 736
2959. 1727 816 817 738 737; 1728 817 818 739 738; 1729 818 819 740 739
2960. 1730 819 820 741 740; 1731 820 821 742 741; 1732 821 822 743 742
2961. 1733 822 823 744 743; 1734 823 824 745 744; 1735 824 825 746 745
2962. 1736 825 826 747 746; 1737 826 827 748 747; 1738 827 828 749 748
2963. 1739 828 829 750 749; 1740 829 830 751 750; 1741 830 831 752 751
2964. 1742 831 832 753 752; 1743 832 833 754 753; 1744 833 834 755 754
2965. 1745 834 835 756 755; 1746 835 836 757 756; 1747 836 837 758 757
2966. 1748 837 838 759 758; 1749 838 839 760 759; 1750 839 840 761 760
2967. 1751 840 841 762 761; 1752 841 842 763 762; 1753 842 843 764 763
2968. 1754 843 844 765 764; 1755 844 845 766 765; 1756 845 846 767 766
2969. 1757 846 847 768 767; 1758 847 848 769 768; 1759 848 849 770 769
2970. 1760 849 850 771 770; 1761 850 851 772 771; 1762 851 852 773 772
2971. 1763 852 853 774 773; 1764 853 854 775 774; 1765 854 855 776 775
2972. 1766 855 856 777 776; 1767 856 857 778 777; 1768 857 858 779 778
2973. 1769 858 859 780 779; 1770 859 860 781 780; 1771 860 861 782 781
2974. 1772 861 862 783 782; 1773 862 863 784 783; 1774 863 864 785 784
2975. 1775 864 865 786 785; 1776 865 866 787 786; 1777 866 867 788 787
2976. 1778 867 868 789 788; 1779 868 869 790 789; 1780 870 871 792 791
2977. 1781 871 872 793 792; 1782 872 873 794 793; 1783 873 874 795 794
2978. 1784 874 875 796 795; 1785 875 876 797 796; 1786 876 877 798 797
2979. 1787 877 878 799 798; 1788 878 879 800 799; 1789 879 880 801 800
2980. 1790 880 881 802 801; 1791 881 882 803 802; 1792 882 883 804 803
2981. 1793 883 884 805 804; 1794 884 885 806 805; 1795 885 886 807 806
2982. 1796 886 887 808 807; 1797 887 888 809 808; 1798 888 889 810 809
2983. 1799 889 890 811 810; 1800 890 891 812 811; 1801 891 892 813 812
2984. 1802 892 893 814 813; 1803 893 894 815 814; 1804 894 895 816 815
2985. 1805 895 896 817 816; 1806 896 897 818 817; 1807 897 898 819 818
2986. 1808 898 899 820 819; 1809 899 900 821 820; 1810 900 901 822 821
2987. 1811 901 902 823 822; 1812 902 903 824 823; 1813 903 904 825 824
2988. 1814 904 905 826 825; 1815 905 906 827 826; 1816 906 907 828 827
2989. 1817 907 908 829 828; 1818 908 909 830 829; 1819 909 910 831 830
2990. 1820 910 911 832 831; 1821 911 912 833 832; 1822 912 913 834 833
2991. 1823 913 914 835 834; 1824 914 915 836 835; 1825 915 916 837 836
2992. 1826 916 917 838 837; 1827 917 918 839 838; 1828 918 919 840 839
2993. 1829 919 920 841 840; 1830 920 921 842 841; 1831 921 922 843 842
2994. 1832 922 923 844 843; 1833 923 924 845 844; 1834 924 925 846 845
2995. 1835 925 926 847 846; 1836 926 927 848 847; 1837 927 928 849 848
2996. 1838 928 929 850 849; 1839 929 930 851 850; 1840 930 931 852 851
2997. 1841 931 932 853 852; 1842 932 933 854 853; 1843 933 934 855 854
2998. 1844 934 935 856 855; 1845 935 936 857 856; 1846 936 937 858 857
2999. 1847 937 938 859 858; 1848 938 939 860 859; 1849 939 940 861 860
3000. 1850 940 941 862 861; 1851 941 942 863 862; 1852 942 943 864 863
3001. 1853 943 944 865 864; 1854 944 945 866 865; 1855 945 946 867 866
3002. 1856 946 947 868 867; 1857 947 948 869 868; 1858 949 950 871 870
3003. 1859 950 951 872 871; 1860 951 952 873 872; 1861 952 953 874 873
3004. 1862 953 954 875 874; 1863 954 955 876 875; 1864 955 956 877 876
3005. 1865 956 957 878 877; 1866 957 958 879 878; 1867 958 959 880 879
3006. 1868 959 960 881 880; 1869 960 961 882 881; 1870 961 962 883 882

3007. 1871 962 963 884 883; 1872 963 964 885 884; 1873 964 965 886 885
3008. 1874 965 966 887 886; 1875 966 967 888 887; 1876 967 968 889 888
3009. 1877 968 969 890 889; 1878 969 970 891 890; 1879 970 971 892 891
3010. 1880 971 972 893 892; 1881 972 973 894 893; 1882 973 974 895 894
3011. 1883 974 975 896 895; 1884 975 976 897 896; 1885 976 977 898 897
3012. 1886 977 978 899 898; 1887 978 979 900 899; 1888 979 980 901 900
3013. 1889 980 981 902 901; 1890 981 982 903 902; 1891 982 983 904 903
3014. 1892 983 984 905 904; 1893 984 985 906 905; 1894 985 986 907 906
3015. 1895 986 987 908 907; 1896 987 988 909 908; 1897 988 989 910 909
3016. 1898 989 990 911 910; 1899 990 991 912 911; 1900 991 992 913 912
3017. 1901 992 993 914 913; 1902 993 994 915 914; 1903 994 995 916 915
3018. 1904 995 996 917 916; 1905 996 997 918 917; 1906 997 998 919 918
3019. 1907 998 999 920 919; 1908 999 1000 921 920; 1909 1000 1001 922 921
3020. 1910 1001 1002 923 922; 1911 1002 1003 924 923; 1912 1003 1004 925 924
3021. 1913 1004 1005 926 925; 1914 1005 1006 927 926; 1915 1006 1007 928 927
3022. 1916 1007 1008 929 928; 1917 1008 1009 930 929; 1918 1009 1010 931 930
3023. 1919 1010 1011 932 931; 1920 1011 1012 933 932; 1921 1012 1013 934 933
3024. 1922 1013 1014 935 934; 1923 1014 1015 936 935; 1924 1015 1016 937 936
3025. 1925 1016 1017 938 937; 1926 1017 1018 939 938; 1927 1018 1019 940 939
3026. 1928 1019 1020 941 940; 1929 1020 1021 942 941; 1930 1021 1022 943 942
3027. 1931 1022 1023 944 943; 1932 1023 1024 945 944; 1933 1024 1025 946 945
3028. 1934 1025 1026 947 946; 1935 1026 1027 948 947; 1936 1028 1029 950 949
3029. 1937 1029 1030 951 950; 1938 1030 1031 952 951; 1939 1031 1032 953 952
3030. 1940 1032 1033 954 953; 1941 1033 1034 955 954; 1942 1034 1035 956 955
3031. 1943 1035 1036 957 956; 1944 1036 1037 958 957; 1945 1037 1038 959 958
3032. 1946 1038 1039 960 959; 1947 1039 1040 961 960; 1948 1040 1041 962 961
3033. 1949 1041 1042 963 962; 1950 1042 1043 964 963; 1951 1043 1044 965 964
3034. 1952 1044 1045 966 965; 1953 1045 1046 967 966; 1954 1046 1047 968 967
3035. 1955 1047 1048 969 968; 1956 1048 1049 970 969; 1957 1049 1050 971 970
3036. 1958 1050 1051 972 971; 1959 1051 1052 973 972; 1960 1052 1053 974 973
3037. 1961 1053 1054 975 974; 1962 1054 1055 976 975; 1963 1055 1056 977 976
3038. 1964 1056 1057 978 977; 1965 1057 1058 979 978; 1966 1058 1059 980 979
3039. 1967 1059 1060 981 980; 1968 1060 1061 982 981; 1969 1061 1062 983 982
3040. 1970 1062 1063 984 983; 1971 1063 1064 985 984; 1972 1064 1065 986 985
3041. 1973 1065 1066 987 986; 1974 1066 1067 988 987; 1975 1067 1068 989 988
3042. 1976 1068 1069 990 989; 1977 1069 1070 991 990; 1978 1070 1071 992 991
3043. 1979 1071 1072 993 992; 1980 1072 1073 994 993; 1981 1073 1074 995 994
3044. 1982 1074 1075 996 995; 1983 1075 1076 997 996; 1984 1076 1077 998 997
3045. 1985 1077 1078 999 998; 1986 1078 1079 1000 999; 1987 1079 1080 1001 1000
3046. 1988 1080 1081 1002 1001; 1989 1081 1082 1003 1002; 1990 1082 1083 1004 1003
3047. 1991 1083 1084 1005 1004; 1992 1084 1085 1006 1005; 1993 1085 1086 1007 1006
3048. 1994 1086 1087 1008 1007; 1995 1087 1088 1009 1008; 1996 1088 1089 1010 1009
3049. 1997 1089 1090 1011 1010; 1998 1090 1091 1012 1011; 1999 1091 1092 1013 1012
3050. 2000 1092 1093 1014 1013; 2001 1093 1094 1015 1014; 2002 1094 1095 1016 1015
3051. 2003 1095 1096 1017 1016; 2004 1096 1097 1018 1017; 2005 1097 1098 1019 1018
3052. 2006 1098 1099 1020 1019; 2007 1099 1100 1021 1020; 2008 1100 1101 1022 1021
3053. 2009 1101 1102 1023 1022; 2010 1102 1103 1024 1023; 2011 1103 1104 1025 1024
3054. 2012 1104 1105 1026 1025; 2013 1105 1106 1027 1026; 2014 1107 1108 1029 1028
3055. 2015 1108 1109 1030 1029; 2016 1109 1110 1031 1030; 2017 1110 1111 1032 1031
3056. 2018 1111 1112 1033 1032; 2019 1112 1113 1034 1033; 2020 1113 1114 1035 1034
3057. 2021 1114 1115 1036 1035; 2022 1115 1116 1037 1036; 2023 1116 1117 1038 1037
3058. 2024 1117 1118 1039 1038; 2025 1118 1119 1040 1039; 2026 1119 1120 1041 1040
3059. 2027 1120 1121 1042 1041; 2028 1121 1122 1043 1042; 2029 1122 1123 1044 1043
3060. 2030 1123 1124 1045 1044; 2031 1124 1125 1046 1045; 2032 1125 1126 1047 1046
3061. 2033 1126 1127 1048 1047; 2034 1127 1128 1049 1048; 2035 1128 1129 1050 1049
3062. 2036 1129 1130 1051 1050; 2037 1130 1131 1052 1051; 2038 1131 1132 1053 1052

3063. 2039 1132 1133 1054 1053; 2040 1133 1134 1055 1054; 2041 1134 1135 1056 1055
3064. 2042 1135 1136 1057 1056; 2043 1136 1137 1058 1057; 2044 1137 1138 1059 1058
3065. 2045 1138 1139 1060 1059; 2046 1139 1140 1061 1060; 2047 1140 1141 1062 1061
3066. 2048 1141 1142 1063 1062; 2049 1142 1143 1064 1063; 2050 1143 1144 1065 1064
3067. 2051 1144 1145 1066 1065; 2052 1145 1146 1067 1066; 2053 1146 1147 1068 1067
3068. 2054 1147 1148 1069 1068; 2055 1148 1149 1070 1069; 2056 1149 1150 1071 1070
3069. 2057 1150 1151 1072 1071; 2058 1151 1152 1073 1072; 2059 1152 1153 1074 1073
3070. 2060 1153 1154 1075 1074; 2061 1154 1155 1076 1075; 2062 1155 1156 1077 1076
3071. 2063 1156 1157 1078 1077; 2064 1157 1158 1079 1078; 2065 1158 1159 1080 1079
3072. 2066 1159 1160 1081 1080; 2067 1160 1161 1082 1081; 2068 1161 1162 1083 1082
3073. 2069 1162 1163 1084 1083; 2070 1163 1164 1085 1084; 2071 1164 1165 1086 1085
3074. 2072 1165 1166 1087 1086; 2073 1166 1167 1088 1087; 2074 1167 1168 1089 1088
3075. 2075 1168 1169 1090 1089; 2076 1169 1170 1091 1090; 2077 1170 1171 1092 1091
3076. 2078 1171 1172 1093 1092; 2079 1172 1173 1094 1093; 2080 1173 1174 1095 1094
3077. 2081 1174 1175 1096 1095; 2082 1175 1176 1097 1096; 2083 1176 1177 1098 1097
3078. 2084 1177 1178 1099 1098; 2085 1178 1179 1100 1099; 2086 1179 1180 1101 1100
3079. 2087 1180 1181 1102 1101; 2088 1181 1182 1103 1102; 2089 1182 1183 1104 1103
3080. 2090 1183 1184 1105 1104; 2091 1184 1185 1106 1105; 2092 1186 1187 1108 1107
3081. 2093 1187 1188 1109 1108; 2094 1188 1189 1110 1109; 2095 1189 1190 1111 1110
3082. 2096 1190 1191 1112 1111; 2097 1191 1192 1113 1112; 2098 1192 1193 1114 1113
3083. 2099 1193 1194 1115 1114; 2100 1194 1195 1116 1115; 2101 1195 1196 1117 1116
3084. 2102 1196 1197 1118 1117; 2103 1197 1198 1119 1118; 2104 1198 1199 1120 1119
3085. 2105 1199 1200 1121 1120; 2106 1200 1201 1122 1121; 2107 1201 1202 1123 1122
3086. 2108 1202 1203 1124 1123; 2109 1203 1204 1125 1124; 2110 1204 1205 1126 1125
3087. 2111 1205 1206 1127 1126; 2112 1206 1207 1128 1127; 2113 1207 1208 1129 1128
3088. 2114 1208 1209 1130 1129; 2115 1209 1210 1131 1130; 2116 1210 1211 1132 1131
3089. 2117 1211 1212 1133 1132; 2118 1212 1213 1134 1133; 2119 1213 1214 1135 1134
3090. 2120 1214 1215 1136 1135; 2121 1215 1216 1137 1136; 2122 1216 1217 1138 1137
3091. 2123 1217 1218 1139 1138; 2124 1218 1219 1140 1139; 2125 1219 1220 1141 1140
3092. 2126 1220 1221 1142 1141; 2127 1221 1222 1143 1142; 2128 1222 1223 1144 1143
3093. 2129 1223 1224 1145 1144; 2130 1224 1225 1146 1145; 2131 1225 1226 1147 1146
3094. 2132 1226 1227 1148 1147; 2133 1227 1228 1149 1148; 2134 1228 1229 1150 1149
3095. 2135 1229 1230 1151 1150; 2136 1230 1231 1152 1151; 2137 1231 1232 1153 1152
3096. 2138 1232 1233 1154 1153; 2139 1233 1234 1155 1154; 2140 1234 1235 1156 1155
3097. 2141 1235 1236 1157 1156; 2142 1236 1237 1158 1157; 2143 1237 1238 1159 1158
3098. 2144 1238 1239 1160 1159; 2145 1239 1240 1161 1160; 2146 1240 1241 1162 1161
3099. 2147 1241 1242 1163 1162; 2148 1242 1243 1164 1163; 2149 1243 1244 1165 1164
3100. 2150 1244 1245 1166 1165; 2151 1245 1246 1167 1166; 2152 1246 1247 1168 1167
3101. 2153 1247 1248 1169 1168; 2154 1248 1249 1170 1169; 2155 1249 1250 1171 1170
3102. 2156 1250 1251 1172 1171; 2157 1251 1252 1173 1172; 2158 1252 1253 1174 1173
3103. 2159 1253 1254 1175 1174; 2160 1254 1255 1176 1175; 2161 1255 1256 1177 1176
3104. 2162 1256 1257 1178 1177; 2163 1257 1258 1179 1178; 2164 1258 1259 1180 1179
3105. 2165 1259 1260 1181 1180; 2166 1260 1261 1182 1181; 2167 1261 1262 1183 1182
3106. 2168 1262 1263 1184 1183; 2169 1263 1264 1185 1184; 2170 1265 1266 1187 1186
3107. 2171 1266 1267 1188 1187; 2172 1267 1268 1189 1188; 2173 1268 1269 1190 1189
3108. 2174 1269 1270 1191 1190; 2175 1270 1271 1192 1191; 2176 1271 1272 1193 1192
3109. 2177 1272 1273 1194 1193; 2178 1273 1274 1195 1194; 2179 1274 1275 1196 1195
3110. 2180 1275 1276 1197 1196; 2181 1276 1277 1198 1197; 2182 1277 1278 1199 1198
3111. 2183 1278 1279 1200 1199; 2184 1279 1280 1201 1200; 2185 1280 1281 1202 1201
3112. 2186 1281 1282 1203 1202; 2187 1282 1283 1204 1203; 2188 1283 1284 1205 1204
3113. 2189 1284 1285 1206 1205; 2190 1285 1286 1207 1206; 2191 1286 1287 1208 1207
3114. 2192 1287 1288 1209 1208; 2193 1288 1289 1210 1209; 2194 1289 1290 1211 1210
3115. 2195 1290 1291 1212 1211; 2196 1291 1292 1213 1212; 2197 1292 1293 1214 1213
3116. 2198 1293 1294 1215 1214; 2199 1294 1295 1216 1215; 2200 1295 1296 1217 1216
3117. 2201 1296 1297 1218 1217; 2202 1297 1298 1219 1218; 2203 1298 1299 1220 1219
3118. 2204 1299 1300 1221 1220; 2205 1300 1301 1222 1221; 2206 1301 1302 1223 1222

STAAD SPACE -- PAGE NO. 57

3119. 2207 1302 1303 1224 1223; 2208 1303 1304 1225 1224; 2209 1304 1305 1226 1225
3120. 2210 1305 1306 1227 1226; 2211 1306 1307 1228 1227; 2212 1307 1308 1229 1228
3121. 2213 1308 1309 1230 1229; 2214 1309 1310 1231 1230; 2215 1310 1311 1232 1231
3122. 2216 1311 1312 1233 1232; 2217 1312 1313 1234 1233; 2218 1313 1314 1235 1234
3123. 2219 1314 1315 1236 1235; 2220 1315 1316 1237 1236; 2221 1316 1317 1238 1237
3124. 2222 1317 1318 1239 1238; 2223 1318 1319 1240 1239; 2224 1319 1320 1241 1240
3125. 2225 1320 1321 1242 1241; 2226 1321 1322 1243 1242; 2227 1322 1323 1244 1243
3126. 2228 1323 1324 1245 1244; 2229 1324 1325 1246 1245; 2230 1325 1326 1247 1246
3127. 2231 1326 1327 1248 1247; 2232 1327 1328 1249 1248; 2233 1328 1329 1250 1249
3128. 2234 1329 1330 1251 1250; 2235 1330 1331 1252 1251; 2236 1331 1332 1253 1252
3129. 2237 1332 1333 1254 1253; 2238 1333 1334 1255 1254; 2239 1334 1335 1256 1255
3130. 2240 1335 1336 1257 1256; 2241 1336 1337 1258 1257; 2242 1337 1338 1259 1258
3131. 2243 1338 1339 1260 1259; 2244 1339 1340 1261 1260; 2245 1340 1341 1262 1261
3132. 2246 1341 1342 1263 1262; 2247 1342 1343 1264 1263; 2248 1344 1345 1266 1265
3133. 2249 1345 1346 1267 1266; 2250 1346 1347 1268 1267; 2251 1347 1348 1269 1268
3134. 2252 1348 1349 1270 1269; 2253 1349 1350 1271 1270; 2254 1350 1351 1272 1271
3135. 2255 1351 1352 1273 1272; 2256 1352 1353 1274 1273; 2257 1353 1354 1275 1274
3136. 2258 1354 1355 1276 1275; 2259 1355 1356 1277 1276; 2260 1356 1357 1278 1277
3137. 2261 1357 1358 1279 1278; 2262 1358 1359 1280 1279; 2263 1359 1360 1281 1280
3138. 2264 1360 1361 1282 1281; 2265 1361 1362 1283 1282; 2266 1362 1363 1284 1283
3139. 2267 1363 1364 1285 1284; 2268 1364 1365 1286 1285; 2269 1365 1366 1287 1286
3140. 2270 1366 1367 1288 1287; 2271 1367 1368 1289 1288; 2272 1368 1369 1290 1289
3141. 2273 1369 1370 1291 1290; 2274 1370 1371 1292 1291; 2275 1371 1372 1293 1292
3142. 2276 1372 1373 1294 1293; 2277 1373 1374 1295 1294; 2278 1374 1375 1296 1295
3143. 2279 1375 1376 1297 1296; 2280 1376 1377 1298 1297; 2281 1377 1378 1299 1298
3144. 2282 1378 1379 1300 1299; 2283 1379 1380 1301 1300; 2284 1380 1381 1302 1301
3145. 2285 1381 1382 1303 1302; 2286 1382 1383 1304 1303; 2287 1383 1384 1305 1304
3146. 2288 1384 1385 1306 1305; 2289 1385 1386 1307 1306; 2290 1386 1387 1308 1307
3147. 2291 1387 1388 1309 1308; 2292 1388 1389 1310 1309; 2293 1389 1390 1311 1310
3148. 2294 1390 1391 1312 1311; 2295 1391 1392 1313 1312; 2296 1392 1393 1314 1313
3149. 2297 1393 1394 1315 1314; 2298 1394 1395 1316 1315; 2299 1395 1396 1317 1316
3150. 2300 1396 1397 1318 1317; 2301 1397 1398 1319 1318; 2302 1398 1399 1320 1319
3151. 2303 1399 1400 1321 1320; 2304 1400 1401 1322 1321; 2305 1401 1402 1323 1322
3152. 2306 1402 1403 1324 1323; 2307 1403 1404 1325 1324; 2308 1404 1405 1326 1325
3153. 2309 1405 1406 1327 1326; 2310 1406 1407 1328 1327; 2311 1407 1408 1329 1328
3154. 2312 1408 1409 1330 1329; 2313 1409 1410 1331 1330; 2314 1410 1411 1332 1331
3155. 2315 1411 1412 1333 1332; 2316 1412 1413 1334 1333; 2317 1413 1414 1335 1334
3156. 2318 1414 1415 1336 1335; 2319 1415 1416 1337 1336; 2320 1416 1417 1338 1337
3157. 2321 1417 1418 1339 1338; 2322 1418 1419 1340 1339; 2323 1419 1420 1341 1340
3158. 2324 1420 1421 1342 1341; 2325 1421 1422 1343 1342; 2326 1423 1424 1345 1344
3159. 2327 1424 1425 1346 1345; 2328 1425 1426 1347 1346; 2329 1426 1427 1348 1347
3160. 2330 1427 1428 1349 1348; 2331 1428 1429 1350 1349; 2332 1429 1430 1351 1350
3161. 2333 1430 1431 1352 1351; 2334 1431 1432 1353 1352; 2335 1432 1433 1354 1353
3162. 2336 1433 1434 1355 1354; 2337 1434 1435 1356 1355; 2338 1435 1436 1357 1356
3163. 2339 1436 1437 1358 1357; 2340 1437 1438 1359 1358; 2341 1438 1439 1360 1359
3164. 2342 1439 1440 1361 1360; 2343 1440 1441 1362 1361; 2344 1441 1442 1363 1362
3165. 2345 1442 1443 1364 1363; 2346 1443 1444 1365 1364; 2347 1444 1445 1366 1365
3166. 2348 1445 1446 1367 1366; 2349 1446 1447 1368 1367; 2350 1447 1448 1369 1368
3167. 2351 1448 1449 1370 1369; 2352 1449 1450 1371 1370; 2353 1450 1451 1372 1371
3168. 2354 1451 1452 1373 1372; 2355 1452 1453 1374 1373; 2356 1453 1454 1375 1374
3169. 2357 1454 1455 1376 1375; 2358 1455 1456 1377 1376; 2359 1456 1457 1378 1377
3170. 2360 1457 1458 1379 1378; 2361 1458 1459 1380 1379; 2362 1459 1460 1381 1380
3171. 2363 1460 1461 1382 1381; 2364 1461 1462 1383 1382; 2365 1462 1463 1384 1383
3172. 2366 1463 1464 1385 1384; 2367 1464 1465 1386 1385; 2368 1465 1466 1387 1386
3173. 2369 1466 1467 1388 1387; 2370 1467 1468 1389 1388; 2371 1468 1469 1390 1389
3174. 2372 1469 1470 1391 1390; 2373 1470 1471 1392 1391; 2374 1471 1472 1393 1392

STAAD SPACE -- PAGE NO. 58

3175. 2375 1472 1473 1394 1393; 2376 1473 1474 1395 1394; 2377 1474 1475 1396 1395
3176. 2378 1475 1476 1397 1396; 2379 1476 1477 1398 1397; 2380 1477 1478 1399 1398
3177. 2381 1478 1479 1400 1399; 2382 1479 1480 1401 1400; 2383 1480 1481 1402 1401
3178. 2384 1481 1482 1403 1402; 2385 1482 1483 1404 1403; 2386 1483 1484 1405 1404
3179. 2387 1484 1485 1406 1405; 2388 1485 1486 1407 1406; 2389 1486 1487 1408 1407
3180. 2390 1487 1488 1409 1408; 2391 1488 1489 1410 1409; 2392 1489 1490 1411 1410
3181. 2393 1490 1491 1412 1411; 2394 1491 1492 1413 1412; 2395 1492 1493 1414 1413
3182. 2396 1493 1494 1415 1414; 2397 1494 1495 1416 1415; 2398 1495 1496 1417 1416
3183. 2399 1496 1497 1418 1417; 2400 1497 1498 1419 1418; 2401 1498 1499 1420 1419
3184. 2402 1499 1500 1421 1420; 2403 1500 1501 1422 1421; 2404 1502 1503 1424 1423
3185. 2405 1503 1504 1425 1424; 2406 1504 1505 1426 1425; 2407 1505 1506 1427 1426
3186. 2408 1506 1507 1428 1427; 2409 1507 1508 1429 1428; 2410 1508 1509 1430 1429
3187. 2411 1509 1510 1431 1430; 2412 1510 1511 1432 1431; 2413 1511 1512 1433 1432
3188. 2414 1512 1513 1434 1433; 2415 1513 1514 1435 1434; 2416 1514 1515 1436 1435
3189. 2417 1515 1516 1437 1436; 2418 1516 1517 1438 1437; 2419 1517 1518 1439 1438
3190. 2420 1518 1519 1440 1439; 2421 1519 1520 1441 1440; 2422 1520 1521 1442 1441
3191. 2423 1521 1522 1443 1442; 2424 1522 1523 1444 1443; 2425 1523 1524 1445 1444
3192. 2426 1524 1525 1446 1445; 2427 1525 1526 1447 1446; 2428 1526 1527 1448 1447
3193. 2429 1527 1528 1449 1448; 2430 1528 1529 1450 1449; 2431 1529 1530 1451 1450
3194. 2432 1530 1531 1452 1451; 2433 1531 1532 1453 1452; 2434 1532 1533 1454 1453
3195. 2435 1533 1534 1455 1454; 2436 1534 1535 1456 1455; 2437 1535 1536 1457 1456
3196. 2438 1536 1537 1458 1457; 2439 1537 1538 1459 1458; 2440 1538 1539 1460 1459
3197. 2441 1539 1540 1461 1460; 2442 1540 1541 1462 1461; 2443 1541 1542 1463 1462
3198. 2444 1542 1543 1464 1463; 2445 1543 1544 1465 1464; 2446 1544 1545 1466 1465
3199. 2447 1545 1546 1467 1466; 2448 1546 1547 1468 1467; 2449 1547 1548 1469 1468
3200. 2450 1548 1549 1470 1469; 2451 1549 1550 1471 1470; 2452 1550 1551 1472 1471
3201. 2453 1551 1552 1473 1472; 2454 1552 1553 1474 1473; 2455 1553 1554 1475 1474
3202. 2456 1554 1555 1476 1475; 2457 1555 1556 1477 1476; 2458 1556 1557 1478 1477
3203. 2459 1557 1558 1479 1478; 2460 1558 1559 1480 1479; 2461 1559 1560 1481 1480
3204. 2462 1560 1561 1482 1481; 2463 1561 1562 1483 1482; 2464 1562 1563 1484 1483
3205. 2465 1563 1564 1485 1484; 2466 1564 1565 1486 1485; 2467 1565 1566 1487 1486
3206. 2468 1566 1567 1488 1487; 2469 1567 1568 1489 1488; 2470 1568 1569 1490 1489
3207. 2471 1569 1570 1491 1490; 2472 1570 1571 1492 1491; 2473 1571 1572 1493 1492
3208. 2474 1572 1573 1494 1493; 2475 1573 1574 1495 1494; 2476 1574 1575 1496 1495
3209. 2477 1575 1576 1497 1496; 2478 1576 1577 1498 1497; 2479 1577 1578 1499 1498
3210. 2480 1578 1579 1500 1499; 2481 1579 1580 1501 1500; 2482 1581 1582 1503 1502
3211. 2483 1582 1583 1504 1503; 2484 1583 1584 1505 1504; 2485 1584 1585 1506 1505
3212. 2486 1585 1586 1507 1506; 2487 1586 1587 1508 1507; 2488 1587 1588 1509 1508
3213. 2489 1588 1589 1510 1509; 2490 1589 1590 1511 1510; 2491 1590 1591 1512 1511
3214. 2492 1591 1592 1513 1512; 2493 1592 1593 1514 1513; 2494 1593 1594 1515 1514
3215. 2495 1594 1595 1516 1515; 2496 1595 1596 1517 1516; 2497 1596 1597 1518 1517
3216. 2498 1597 1598 1519 1518; 2499 1598 1599 1520 1519; 2500 1599 1600 1521 1520
3217. 2501 1600 1601 1522 1521; 2502 1601 1602 1523 1522; 2503 1602 1603 1524 1523
3218. 2504 1603 1604 1525 1524; 2505 1604 1605 1526 1525; 2506 1605 1606 1527 1526
3219. 2507 1606 1607 1528 1527; 2508 1607 1608 1529 1528; 2509 1608 1609 1530 1529
3220. 2510 1609 1610 1531 1530; 2511 1610 1611 1532 1531; 2512 1611 1612 1533 1532
3221. 2513 1612 1613 1534 1533; 2514 1613 1614 1535 1534; 2515 1614 1615 1536 1535
3222. 2516 1615 1616 1537 1536; 2517 1616 1617 1538 1537; 2518 1617 1618 1539 1538
3223. 2519 1618 1619 1540 1539; 2520 1619 1620 1541 1540; 2521 1620 1621 1542 1541
3224. 2522 1621 1622 1543 1542; 2523 1622 1623 1544 1543; 2524 1623 1624 1545 1544
3225. 2525 1624 1625 1546 1545; 2526 1625 1626 1547 1546; 2527 1626 1627 1548 1547
3226. 2528 1627 1628 1549 1548; 2529 1628 1629 1550 1549; 2530 1629 1630 1551 1550
3227. 2531 1630 1631 1552 1551; 2532 1631 1632 1553 1552; 2533 1632 1633 1554 1553
3228. 2534 1633 1634 1555 1554; 2535 1634 1635 1556 1555; 2536 1635 1636 1557 1556
3229. 2537 1636 1637 1558 1557; 2538 1637 1638 1559 1558; 2539 1638 1639 1560 1559
3230. 2540 1639 1640 1561 1560; 2541 1640 1641 1562 1561; 2542 1641 1642 1563 1562

STAAD SPACE -- PAGE NO. 59

3231. 2543 1642 1643 1564 1563; 2544 1643 1644 1565 1564; 2545 1644 1645 1566 1565
3232. 2546 1645 1646 1567 1566; 2547 1646 1647 1568 1567; 2548 1647 1648 1569 1568
3233. 2549 1648 1649 1570 1569; 2550 1649 1650 1571 1570; 2551 1650 1651 1572 1571
3234. 2552 1651 1652 1573 1572; 2553 1652 1653 1574 1573; 2554 1653 1654 1575 1574
3235. 2555 1654 1655 1576 1575; 2556 1655 1656 1577 1576; 2557 1656 1657 1578 1577
3236. 2558 1657 1658 1579 1578; 2559 1658 1659 1580 1579; 2560 1660 1661 1582 1581
3237. 2561 1661 1662 1583 1582; 2562 1662 1663 1584 1583; 2563 1663 1664 1585 1584
3238. 2564 1664 1665 1586 1585; 2565 1665 1666 1587 1586; 2566 1666 1667 1588 1587
3239. 2567 1667 1668 1589 1588; 2568 1668 1669 1590 1589; 2569 1669 1670 1591 1590
3240. 2570 1670 1671 1592 1591; 2571 1671 1672 1593 1592; 2572 1672 1673 1594 1593
3241. 2573 1673 1674 1595 1594; 2574 1674 1675 1596 1595; 2575 1675 1676 1597 1596
3242. 2576 1676 1677 1598 1597; 2577 1677 1678 1599 1598; 2578 1678 1679 1600 1599
3243. 2579 1679 1680 1601 1600; 2580 1680 1681 1602 1601; 2581 1681 1682 1603 1602
3244. 2582 1682 1683 1604 1603; 2583 1683 1684 1605 1604; 2584 1684 1685 1606 1605
3245. 2585 1685 1686 1607 1606; 2586 1686 1687 1608 1607; 2587 1687 1688 1609 1608
3246. 2588 1688 1689 1610 1609; 2589 1689 1690 1611 1610; 2590 1690 1691 1612 1611
3247. 2591 1691 1692 1613 1612; 2592 1692 1693 1614 1613; 2593 1693 1694 1615 1614
3248. 2594 1694 1695 1616 1615; 2595 1695 1696 1617 1616; 2596 1696 1697 1618 1617
3249. 2597 1697 1698 1619 1618; 2598 1698 1699 1620 1619; 2599 1699 1700 1621 1620
3250. 2600 1700 1701 1622 1621; 2601 1701 1702 1623 1622; 2602 1702 1703 1624 1623
3251. 2603 1703 1704 1625 1624; 2604 1704 1705 1626 1625; 2605 1705 1706 1627 1626
3252. 2606 1706 1707 1628 1627; 2607 1707 1708 1629 1628; 2608 1708 1709 1630 1629
3253. 2609 1709 1710 1631 1630; 2610 1710 1711 1632 1631; 2611 1711 1712 1633 1632
3254. 2612 1712 1713 1634 1633; 2613 1713 1714 1635 1634; 2614 1714 1715 1636 1635
3255. 2615 1715 1716 1637 1636; 2616 1716 1717 1638 1637; 2617 1717 1718 1639 1638
3256. 2618 1718 1719 1640 1639; 2619 1719 1720 1641 1640; 2620 1720 1721 1642 1641
3257. 2621 1721 1722 1643 1642; 2622 1722 1723 1644 1643; 2623 1723 1724 1645 1644
3258. 2624 1724 1725 1646 1645; 2625 1725 1726 1647 1646; 2626 1726 1727 1648 1647
3259. 2627 1727 1728 1649 1648; 2628 1728 1729 1650 1649; 2629 1729 1730 1651 1650
3260. 2630 1730 1731 1652 1651; 2631 1731 1732 1653 1652; 2632 1732 1733 1654 1653
3261. 2633 1733 1734 1655 1654; 2634 1734 1735 1656 1655; 2635 1735 1736 1657 1656
3262. 2636 1736 1737 1658 1657; 2637 1737 1738 1659 1658; 2638 1739 1740 1661 1660
3263. 2639 1740 1741 1662 1661; 2640 1741 1742 1663 1662; 2641 1742 1743 1664 1663
3264. 2642 1743 1744 1665 1664; 2643 1744 1745 1666 1665; 2644 1745 1746 1667 1666
3265. 2645 1746 1747 1668 1667; 2646 1747 1748 1669 1668; 2647 1748 1749 1670 1669
3266. 2648 1749 1750 1671 1670; 2649 1750 1751 1672 1671; 2650 1751 1752 1673 1672
3267. 2651 1752 1753 1674 1673; 2652 1753 1754 1675 1674; 2653 1754 1755 1676 1675
3268. 2654 1755 1756 1677 1676; 2655 1756 1757 1678 1677; 2656 1757 1758 1679 1678
3269. 2657 1758 1759 1680 1679; 2658 1759 1760 1681 1680; 2659 1760 1761 1682 1681
3270. 2660 1761 1762 1683 1682; 2661 1762 1763 1684 1683; 2662 1763 1764 1685 1684
3271. 2663 1764 1765 1686 1685; 2664 1765 1766 1687 1686; 2665 1766 1767 1688 1687
3272. 2666 1767 1768 1689 1688; 2667 1768 1769 1690 1689; 2668 1769 1770 1691 1690
3273. 2669 1770 1771 1692 1691; 2670 1771 1772 1693 1692; 2671 1772 1773 1694 1693
3274. 2672 1773 1774 1695 1694; 2673 1774 1775 1696 1695; 2674 1775 1776 1697 1696
3275. 2675 1776 1777 1698 1697; 2676 1777 1778 1699 1698; 2677 1778 1779 1700 1699
3276. 2678 1779 1780 1701 1700; 2679 1780 1781 1702 1701; 2680 1781 1782 1703 1702
3277. 2681 1782 1783 1704 1703; 2682 1783 1784 1705 1704; 2683 1784 1785 1706 1705
3278. 2684 1785 1786 1707 1706; 2685 1786 1787 1708 1707; 2686 1787 1788 1709 1708
3279. 2687 1788 1789 1710 1709; 2688 1789 1790 1711 1710; 2689 1790 1791 1712 1711
3280. 2690 1791 1792 1713 1712; 2691 1792 1793 1714 1713; 2692 1793 1794 1715 1714
3281. 2693 1794 1795 1716 1715; 2694 1795 1796 1717 1716; 2695 1796 1797 1718 1717
3282. 2696 1797 1798 1719 1718; 2697 1798 1799 1720 1719; 2698 1799 1800 1721 1720
3283. 2699 1800 1801 1722 1721; 2700 1801 1802 1723 1722; 2701 1802 1803 1724 1723
3284. 2702 1803 1804 1725 1724; 2703 1804 1805 1726 1725; 2704 1805 1806 1727 1726
3285. 2705 1806 1807 1728 1727; 2706 1807 1808 1729 1728; 2707 1808 1809 1730 1729
3286. 2708 1809 1810 1731 1730; 2709 1810 1811 1732 1731; 2710 1811 1812 1733 1732

STAAD SPACE -- PAGE NO. 60

3287. 2711 1812 1813 1734 1733; 2712 1813 1814 1735 1734; 2713 1814 1815 1736 1735
3288. 2714 1815 1816 1737 1736; 2715 1816 1817 1738 1737; 2716 1818 1819 1740 1739
3289. 2717 1819 1820 1741 1740; 2718 1820 1821 1742 1741; 2719 1821 1822 1743 1742
3290. 2720 1822 1823 1744 1743; 2721 1823 1824 1745 1744; 2722 1824 1825 1746 1745
3291. 2723 1825 1826 1747 1746; 2724 1826 1827 1748 1747; 2725 1827 1828 1749 1748
3292. 2726 1828 1829 1750 1749; 2727 1829 1830 1751 1750; 2728 1830 1831 1752 1751
3293. 2729 1831 1832 1753 1752; 2730 1832 1833 1754 1753; 2731 1833 1834 1755 1754
3294. 2732 1834 1835 1756 1755; 2733 1835 1836 1757 1756; 2734 1836 1837 1758 1757
3295. 2735 1837 1838 1759 1758; 2736 1838 1839 1760 1759; 2737 1839 1840 1761 1760
3296. 2738 1840 1841 1762 1761; 2739 1841 1842 1763 1762; 2740 1842 1843 1764 1763
3297. 2741 1843 1844 1765 1764; 2742 1844 1845 1766 1765; 2743 1845 1846 1767 1766
3298. 2744 1846 1847 1768 1767; 2745 1847 1848 1769 1768; 2746 1848 1849 1770 1769
3299. 2747 1849 1850 1771 1770; 2748 1850 1851 1772 1771; 2749 1851 1852 1773 1772
3300. 2750 1852 1853 1774 1773; 2751 1853 1854 1775 1774; 2752 1854 1855 1776 1775
3301. 2753 1855 1856 1777 1776; 2754 1856 1857 1778 1777; 2755 1857 1858 1779 1778
3302. 2756 1858 1859 1780 1779; 2757 1859 1860 1781 1780; 2758 1860 1861 1782 1781
3303. 2759 1861 1862 1783 1782; 2760 1862 1863 1784 1783; 2761 1863 1864 1785 1784
3304. 2762 1864 1865 1786 1785; 2763 1865 1866 1787 1786; 2764 1866 1867 1788 1787
3305. 2765 1867 1868 1789 1788; 2766 1868 1869 1790 1789; 2767 1869 1870 1791 1790
3306. 2768 1870 1871 1792 1791; 2769 1871 1872 1793 1792; 2770 1872 1873 1794 1793
3307. 2771 1873 1874 1795 1794; 2772 1874 1875 1796 1795; 2773 1875 1876 1797 1796
3308. 2774 1876 1877 1798 1797; 2775 1877 1878 1799 1798; 2776 1878 1879 1800 1799
3309. 2777 1879 1880 1801 1800; 2778 1880 1881 1802 1801; 2779 1881 1882 1803 1802
3310. 2780 1882 1883 1804 1803; 2781 1883 1884 1805 1804; 2782 1884 1885 1806 1805
3311. 2783 1885 1886 1807 1806; 2784 1886 1887 1808 1807; 2785 1887 1888 1809 1808
3312. 2786 1888 1889 1810 1809; 2787 1889 1890 1811 1810; 2788 1890 1891 1812 1811
3313. 2789 1891 1892 1813 1812; 2790 1892 1893 1814 1813; 2791 1893 1894 1815 1814
3314. 2792 1894 1895 1816 1815; 2793 1895 1896 1817 1816; 2794 1897 1898 1819 1818
3315. 2795 1898 1899 1820 1819; 2796 1899 1900 1821 1820; 2797 1900 1901 1822 1821
3316. 2798 1901 1902 1823 1822; 2799 1902 1903 1824 1823; 2800 1903 1904 1825 1824
3317. 2801 1904 1905 1826 1825; 2802 1905 1906 1827 1826; 2803 1906 1907 1828 1827
3318. 2804 1907 1908 1829 1828; 2805 1908 1909 1830 1829; 2806 1909 1910 1831 1830
3319. 2807 1910 1911 1832 1831; 2808 1911 1912 1833 1832; 2809 1912 1913 1834 1833
3320. 2810 1913 1914 1835 1834; 2811 1914 1915 1836 1835; 2812 1915 1916 1837 1836
3321. 2813 1916 1917 1838 1837; 2814 1917 1918 1839 1838; 2815 1918 1919 1840 1839
3322. 2816 1919 1920 1841 1840; 2817 1920 1921 1842 1841; 2818 1921 1922 1843 1842
3323. 2819 1922 1923 1844 1843; 2820 1923 1924 1845 1844; 2821 1924 1925 1846 1845
3324. 2822 1925 1926 1847 1846; 2823 1926 1927 1848 1847; 2824 1927 1928 1849 1848
3325. 2825 1928 1929 1850 1849; 2826 1929 1930 1851 1850; 2827 1930 1931 1852 1851
3326. 2828 1931 1932 1853 1852; 2829 1932 1933 1854 1853; 2830 1933 1934 1855 1854
3327. 2831 1934 1935 1856 1855; 2832 1935 1936 1857 1856; 2833 1936 1937 1858 1857
3328. 2834 1937 1938 1859 1858; 2835 1938 1939 1860 1859; 2836 1939 1940 1861 1860
3329. 2837 1940 1941 1862 1861; 2838 1941 1942 1863 1862; 2839 1942 1943 1864 1863
3330. 2840 1943 1944 1865 1864; 2841 1944 1945 1866 1865; 2842 1945 1946 1867 1866
3331. 2843 1946 1947 1868 1867; 2844 1947 1948 1869 1868; 2845 1948 1949 1870 1869
3332. 2846 1949 1950 1871 1870; 2847 1950 1951 1872 1871; 2848 1951 1952 1873 1872
3333. 2849 1952 1953 1874 1873; 2850 1953 1954 1875 1874; 2851 1954 1955 1876 1875
3334. 2852 1955 1956 1877 1876; 2853 1956 1957 1878 1877; 2854 1957 1958 1879 1878
3335. 2855 1958 1959 1880 1879; 2856 1959 1960 1881 1880; 2857 1960 1961 1882 1881
3336. 2858 1961 1962 1883 1882; 2859 1962 1963 1884 1883; 2860 1963 1964 1885 1884
3337. 2861 1964 1965 1886 1885; 2862 1965 1966 1887 1886; 2863 1966 1967 1888 1887
3338. 2864 1967 1968 1889 1888; 2865 1968 1969 1890 1889; 2866 1969 1970 1891 1890
3339. 2867 1970 1971 1892 1891; 2868 1971 1972 1893 1892; 2869 1972 1973 1894 1893
3340. 2870 1973 1974 1895 1894; 2871 1974 1975 1896 1895; 2872 1976 1977 1898 1897
3341. 2873 1977 1978 1899 1898; 2874 1978 1979 1900 1899; 2875 1979 1980 1901 1900
3342. 2876 1980 1981 1902 1901; 2877 1981 1982 1903 1902; 2878 1982 1983 1904 1903

STAAD SPACE -- PAGE NO. 61

3343. 2879 1983 1984 1905 1904; 2880 1984 1985 1906 1905; 2881 1985 1986 1907 1906
3344. 2882 1986 1987 1908 1907; 2883 1987 1988 1909 1908; 2884 1988 1989 1910 1909
3345. 2885 1989 1990 1911 1910; 2886 1990 1991 1912 1911; 2887 1991 1992 1913 1912
3346. 2888 1992 1993 1914 1913; 2889 1993 1994 1915 1914; 2890 1994 1995 1916 1915
3347. 2891 1995 1996 1917 1916; 2892 1996 1997 1918 1917; 2893 1997 1998 1919 1918
3348. 2894 1998 1999 1920 1919; 2895 1999 2000 1921 1920; 2896 2000 2001 1922 1921
3349. 2897 2001 2002 1923 1922; 2898 2002 2003 1924 1923; 2899 2003 2004 1925 1924
3350. 2900 2004 2005 1926 1925; 2901 2005 2006 1927 1926; 2902 2006 2007 1928 1927
3351. 2903 2007 2008 1929 1928; 2904 2008 2009 1930 1929; 2905 2009 2010 1931 1930
3352. 2906 2010 2011 1932 1931; 2907 2011 2012 1933 1932; 2908 2012 2013 1934 1933
3353. 2909 2013 2014 1935 1934; 2910 2014 2015 1936 1935; 2911 2015 2016 1937 1936
3354. 2912 2016 2017 1938 1937; 2913 2017 2018 1939 1938; 2914 2018 2019 1940 1939
3355. 2915 2019 2020 1941 1940; 2916 2020 2021 1942 1941; 2917 2021 2022 1943 1942
3356. 2918 2022 2023 1944 1943; 2919 2023 2024 1945 1944; 2920 2024 2025 1946 1945
3357. 2921 2025 2026 1947 1946; 2922 2026 2027 1948 1947; 2923 2027 2028 1949 1948
3358. 2924 2028 2029 1950 1949; 2925 2029 2030 1951 1950; 2926 2030 2031 1952 1951
3359. 2927 2031 2032 1953 1952; 2928 2032 2033 1954 1953; 2929 2033 2034 1955 1954
3360. 2930 2034 2035 1956 1955; 2931 2035 2036 1957 1956; 2932 2036 2037 1958 1957
3361. 2933 2037 2038 1959 1958; 2934 2038 2039 1960 1959; 2935 2039 2040 1961 1960
3362. 2936 2040 2041 1962 1961; 2937 2041 2042 1963 1962; 2938 2042 2043 1964 1963
3363. 2939 2043 2044 1965 1964; 2940 2044 2045 1966 1965; 2941 2045 2046 1967 1966
3364. 2942 2046 2047 1968 1967; 2943 2047 2048 1969 1968; 2944 2048 2049 1970 1969
3365. 2945 2049 2050 1971 1970; 2946 2050 2051 1972 1971; 2947 2051 2052 1973 1972
3366. 2948 2052 2053 1974 1973; 2949 2053 2054 1975 1974; 2950 2055 2056 1977 1976
3367. 2951 2056 2057 1978 1977; 2952 2057 2058 1979 1978; 2953 2058 2059 1980 1979
3368. 2954 2059 2060 1981 1980; 2955 2060 2061 1982 1981; 2956 2061 2062 1983 1982
3369. 2957 2062 2063 1984 1983; 2958 2063 2064 1985 1984; 2959 2064 2065 1986 1985
3370. 2960 2065 2066 1987 1986; 2961 2066 2067 1988 1987; 2962 2067 2068 1989 1988
3371. 2963 2068 2069 1990 1989; 2964 2069 2070 1991 1990; 2965 2070 2071 1992 1991
3372. 2966 2071 2072 1993 1992; 2967 2072 2073 1994 1993; 2968 2073 2074 1995 1994
3373. 2969 2074 2075 1996 1995; 2970 2075 2076 1997 1996; 2971 2076 2077 1998 1997
3374. 2972 2077 2078 1999 1998; 2973 2078 2079 2000 1999; 2974 2079 2080 2001 2000
3375. 2975 2080 2081 2002 2001; 2976 2081 2082 2003 2002; 2977 2082 2083 2004 2003
3376. 2978 2083 2084 2005 2004; 2979 2084 2085 2006 2005; 2980 2085 2086 2007 2006
3377. 2981 2086 2087 2008 2007; 2982 2087 2088 2009 2008; 2983 2088 2089 2010 2009
3378. 2984 2089 2090 2011 2010; 2985 2090 2091 2012 2011; 2986 2091 2092 2013 2012
3379. 2987 2092 2093 2014 2013; 2988 2093 2094 2015 2014; 2989 2094 2095 2016 2015
3380. 2990 2095 2096 2017 2016; 2991 2096 2097 2018 2017; 2992 2097 2098 2019 2018
3381. 2993 2098 2099 2020 2019; 2994 2099 2100 2021 2020; 2995 2100 2101 2022 2021
3382. 2996 2101 2102 2023 2022; 2997 2102 2103 2024 2023; 2998 2103 2104 2025 2024
3383. 2999 2104 2105 2026 2025; 3000 2105 2106 2027 2026; 3001 2106 2107 2028 2027
3384. 3002 2107 2108 2029 2028; 3003 2108 2109 2030 2029; 3004 2109 2110 2031 2030
3385. 3005 2110 2111 2032 2031; 3006 2111 2112 2033 2032; 3007 2112 2113 2034 2033
3386. 3008 2113 2114 2035 2034; 3009 2114 2115 2036 2035; 3010 2115 2116 2037 2036
3387. 3011 2116 2117 2038 2037; 3012 2117 2118 2039 2038; 3013 2118 2119 2040 2039
3388. 3014 2119 2120 2041 2040; 3015 2120 2121 2042 2041; 3016 2121 2122 2043 2042
3389. 3017 2122 2123 2044 2043; 3018 2123 2124 2045 2044; 3019 2124 2125 2046 2045
3390. 3020 2125 2126 2047 2046; 3021 2126 2127 2048 2047; 3022 2127 2128 2049 2048
3391. 3023 2128 2129 2050 2049; 3024 2129 2130 2051 2050; 3025 2130 2131 2052 2051
3392. 3026 2131 2132 2053 2052; 3027 2132 2133 2054 2053; 3028 4 83 2144 2134
3393. 3029 12 91 2145 2135; 3030 20 99 2146 2136; 3031 28 107 2147 2137
3394. 3032 36 115 2148 2138; 3033 44 123 2149 2139; 3034 52 131 2150 2140
3395. 3035 60 139 2151 2141; 3036 68 147 2152 2142; 3037 76 155 2153 2143
3396. 3038 83 162 2154 2144; 3039 91 170 2155 2145; 3040 99 178 2156 2146
3397. 3041 107 186 2157 2147; 3042 115 194 2158 2148; 3043 123 202 2159 2149
3398. 3044 131 210 2160 2150; 3045 139 218 2161 2151; 3046 147 226 2162 2152

STAAD SPACE -- PAGE NO. 62

3399. 3047 155 234 2163 2153; 3048 162 241 2164 2154; 3049 170 249 2165 2155
3400. 3050 178 257 2166 2156; 3051 186 265 2167 2157; 3052 194 273 2168 2158
3401. 3053 202 281 2169 2159; 3054 210 289 2170 2160; 3055 218 297 2171 2161
3402. 3056 226 305 2172 2162; 3057 234 313 2173 2163; 3058 241 320 2174 2164
3403. 3059 249 328 2175 2165; 3060 257 336 2176 2166; 3061 265 344 2177 2167
3404. 3062 273 352 2178 2168; 3063 281 360 2179 2169; 3064 289 368 2180 2170
3405. 3065 297 376 2181 2171; 3066 305 384 2182 2172; 3067 313 392 2183 2173
3406. 3068 320 399 2184 2174; 3069 328 407 2185 2175; 3070 336 415 2186 2176
3407. 3071 344 423 2187 2177; 3072 352 431 2188 2178; 3073 360 439 2189 2179
3408. 3074 368 447 2190 2180; 3075 376 455 2191 2181; 3076 384 463 2192 2182
3409. 3077 392 471 2193 2183; 3078 399 478 2194 2184; 3079 407 486 2195 2185
3410. 3080 415 494 2196 2186; 3081 423 502 2197 2187; 3082 431 510 2198 2188
3411. 3083 439 518 2199 2189; 3084 447 526 2200 2190; 3085 455 534 2201 2191
3412. 3086 463 542 2202 2192; 3087 471 550 2203 2193; 3088 478 557 2204 2194
3413. 3089 486 565 2205 2195; 3090 494 573 2206 2196; 3091 502 581 2207 2197
3414. 3092 510 589 2208 2198; 3093 518 597 2209 2199; 3094 526 605 2210 2200
3415. 3095 534 613 2211 2201; 3096 542 621 2212 2202; 3097 550 629 2213 2203
3416. 3098 557 636 2214 2204; 3099 565 644 2215 2205; 3100 573 652 2216 2206
3417. 3101 581 660 2217 2207; 3102 589 668 2218 2208; 3103 597 676 2219 2209
3418. 3104 605 684 2220 2210; 3105 613 692 2221 2211; 3106 621 700 2222 2212
3419. 3107 629 708 2223 2213; 3108 636 715 2224 2214; 3109 644 723 2225 2215
3420. 3110 652 731 2226 2216; 3111 660 739 2227 2217; 3112 668 747 2228 2218
3421. 3113 676 755 2229 2219; 3114 684 763 2230 2220; 3115 692 771 2231 2221
3422. 3116 700 779 2232 2222; 3117 708 787 2233 2223; 3118 715 794 2234 2224
3423. 3119 723 802 2235 2225; 3120 731 810 2236 2226; 3121 739 818 2237 2227
3424. 3122 747 826 2238 2228; 3123 755 834 2239 2229; 3124 763 842 2240 2230
3425. 3125 771 850 2241 2231; 3126 779 858 2242 2232; 3127 787 866 2243 2233
3426. 3128 794 873 2244 2234; 3129 802 881 2245 2235; 3130 810 889 2246 2236
3427. 3131 818 897 2247 2237; 3132 826 905 2248 2238; 3133 834 913 2249 2239
3428. 3134 842 921 2250 2240; 3135 850 929 2251 2241; 3136 858 937 2252 2242
3429. 3137 866 945 2253 2243; 3138 873 952 2254 2244; 3139 881 960 2255 2245
3430. 3140 889 968 2256 2246; 3141 897 976 2257 2247; 3142 905 984 2258 2248
3431. 3143 913 992 2259 2249; 3144 921 1000 2260 2250; 3145 929 1008 2261 2251
3432. 3146 937 1016 2262 2252; 3147 945 1024 2263 2253; 3148 952 1031 2264 2254
3433. 3149 960 1039 2265 2255; 3150 968 1047 2266 2256; 3151 976 1055 2267 2257
3434. 3152 984 1063 2268 2258; 3153 992 1071 2269 2259; 3154 1000 1079 2270 2260
3435. 3155 1008 1087 2271 2261; 3156 1016 1095 2272 2262; 3157 1024 1103 2273 2263
3436. 3158 1031 1110 2274 2264; 3159 1039 1118 2275 2265; 3160 1047 1126 2276 2266
3437. 3161 1055 1134 2277 2267; 3162 1063 1142 2278 2268; 3163 1071 1150 2279 2269
3438. 3164 1079 1158 2280 2270; 3165 1087 1166 2281 2271; 3166 1095 1174 2282 2272
3439. 3167 1103 1182 2283 2273; 3168 1110 1189 2284 2274; 3169 1118 1197 2285 2275
3440. 3170 1126 1205 2286 2276; 3171 1134 1213 2287 2277; 3172 1142 1221 2288 2278
3441. 3173 1150 1229 2289 2279; 3174 1158 1237 2290 2280; 3175 1166 1245 2291 2281
3442. 3176 1174 1253 2292 2282; 3177 1182 1261 2293 2283; 3178 1189 1268 2294 2284
3443. 3179 1197 1276 2295 2285; 3180 1205 1284 2296 2286; 3181 1213 1292 2297 2287
3444. 3182 1221 1300 2298 2288; 3183 1229 1308 2299 2289; 3184 1237 1316 2300 2290
3445. 3185 1245 1324 2301 2291; 3186 1253 1332 2302 2292; 3187 1261 1340 2303 2293
3446. 3188 1268 1347 2304 2294; 3189 1276 1355 2305 2295; 3190 1284 1363 2306 2296
3447. 3191 1292 1371 2307 2297; 3192 1300 1379 2308 2298; 3193 1308 1387 2309 2299
3448. 3194 1316 1395 2310 2300; 3195 1324 1403 2311 2301; 3196 1332 1411 2312 2302
3449. 3197 1340 1419 2313 2303; 3198 1347 1426 2314 2304; 3199 1355 1434 2315 2305
3450. 3200 1363 1442 2316 2306; 3201 1371 1450 2317 2307; 3202 1379 1458 2318 2308
3451. 3203 1387 1466 2319 2309; 3204 1395 1474 2320 2310; 3205 1403 1482 2321 2311
3452. 3206 1411 1490 2322 2312; 3207 1419 1498 2323 2313; 3208 1426 1505 2327 2314
3453. 3209 1434 1513 2335 2315; 3210 1442 1521 2343 2316; 3211 1450 1529 2351 2317
3454. 3212 1458 1537 2359 2318; 3213 1466 1545 2367 2319; 3214 1474 1553 2375 2320

STAAD SPACE -- PAGE NO. 63

3455. 3215 1482 1561 2383 2321; 3216 1490 1569 2391 2322; 3217 1498 1577 2399 2323
3456. 3218 1502 1503 2325 2324; 3219 1503 1504 2326 2325; 3220 1504 1505 2327 2326
3457. 3221 1505 1506 2328 2327; 3222 1506 1507 2329 2328; 3223 1507 1508 2330 2329
3458. 3224 1508 1509 2331 2330; 3225 1509 1510 2332 2331; 3226 1510 1511 2333 2332
3459. 3227 1511 1512 2334 2333; 3228 1512 1513 2335 2334; 3229 1513 1514 2336 2335
3460. 3230 1514 1515 2337 2336; 3231 1515 1516 2338 2337; 3232 1516 1517 2339 2338
3461. 3233 1517 1518 2340 2339; 3234 1518 1519 2341 2340; 3235 1519 1520 2342 2341
3462. 3236 1520 1521 2343 2342; 3237 1521 1522 2344 2343; 3238 1522 1523 2345 2344
3463. 3239 1523 1524 2346 2345; 3240 1524 1525 2347 2346; 3241 1525 1526 2348 2347
3464. 3242 1526 1527 2349 2348; 3243 1527 1528 2350 2349; 3244 1528 1529 2351 2350
3465. 3245 1529 1530 2352 2351; 3246 1530 1531 2353 2352; 3247 1531 1532 2354 2353
3466. 3248 1532 1533 2355 2354; 3249 1533 1534 2356 2355; 3250 1534 1535 2357 2356
3467. 3251 1535 1536 2358 2357; 3252 1536 1537 2359 2358; 3253 1537 1538 2360 2359
3468. 3254 1538 1539 2361 2360; 3255 1539 1540 2362 2361; 3256 1540 1541 2363 2362
3469. 3257 1541 1542 2364 2363; 3258 1542 1543 2365 2364; 3259 1543 1544 2366 2365
3470. 3260 1544 1545 2367 2366; 3261 1545 1546 2368 2367; 3262 1546 1547 2369 2368
3471. 3263 1547 1548 2370 2369; 3264 1548 1549 2371 2370; 3265 1549 1550 2372 2371
3472. 3266 1550 1551 2373 2372; 3267 1551 1552 2374 2373; 3268 1552 1553 2375 2374
3473. 3269 1553 1554 2376 2375; 3270 1554 1555 2377 2376; 3271 1555 1556 2378 2377
3474. 3272 1556 1557 2379 2378; 3273 1557 1558 2380 2379; 3274 1558 1559 2381 2380
3475. 3275 1559 1560 2382 2381; 3276 1560 1561 2383 2382; 3277 1561 1562 2384 2383
3476. 3278 1562 1563 2385 2384; 3279 1563 1564 2386 2385; 3280 1564 1565 2387 2386
3477. 3281 1565 1566 2388 2387; 3282 1566 1567 2389 2388; 3283 1567 1568 2390 2389
3478. 3284 1568 1569 2391 2390; 3285 1569 1570 2392 2391; 3286 1570 1571 2393 2392
3479. 3287 1571 1572 2394 2393; 3288 1572 1573 2395 2394; 3289 1573 1574 2396 2395
3480. 3290 1574 1575 2397 2396; 3291 1575 1576 2398 2397; 3292 1576 1577 2399 2398
3481. 3293 1577 1578 2400 2399; 3294 1578 1579 2401 2400; 3295 1579 1580 2402 2401
3482. 3296 1505 1584 2403 2327; 3297 1513 1592 2404 2335; 3298 1521 1600 2405 2343
3483. 3299 1529 1608 2406 2351; 3300 1537 1616 2407 2359; 3301 1545 1624 2408 2367
3484. 3302 1553 1632 2409 2375; 3303 1561 1640 2410 2383; 3304 1569 1648 2411 2391
3485. 3305 1577 1656 2412 2399; 3306 1584 1663 2413 2403; 3307 1592 1671 2414 2404
3486. 3308 1600 1679 2415 2405; 3309 1608 1687 2416 2406; 3310 1616 1695 2417 2407
3487. 3311 1624 1703 2418 2408; 3312 1632 1711 2419 2409; 3313 1640 1719 2420 2410
3488. 3314 1648 1727 2421 2411; 3315 1656 1735 2422 2412; 3316 1663 1742 2423 2413
3489. 3317 1671 1750 2424 2414; 3318 1679 1758 2425 2415; 3319 1687 1766 2426 2416
3490. 3320 1695 1774 2427 2417; 3321 1703 1782 2428 2418; 3322 1711 1790 2429 2419
3491. 3323 1719 1798 2430 2420; 3324 1727 1806 2431 2421; 3325 1735 1814 2432 2422
3492. 3326 1742 1821 2433 2423; 3327 1750 1829 2434 2424; 3328 1758 1837 2435 2425
3493. 3329 1766 1845 2436 2426; 3330 1774 1853 2437 2427; 3331 1782 1861 2438 2428
3494. 3332 1790 1869 2439 2429; 3333 1798 1877 2440 2430; 3334 1806 1885 2441 2431
3495. 3335 1814 1893 2442 2432; 3336 1821 1900 2443 2433; 3337 1829 1908 2444 2434
3496. 3338 1837 1916 2445 2435; 3339 1845 1924 2446 2436; 3340 1853 1932 2447 2437
3497. 3341 1861 1940 2448 2438; 3342 1869 1948 2449 2439; 3343 1877 1956 2450 2440
3498. 3344 1885 1964 2451 2441; 3345 1893 1972 2452 2442; 3346 1900 1979 2453 2443
3499. 3347 1908 1987 2454 2444; 3348 1916 1995 2455 2445; 3349 1924 2003 2456 2446
3500. 3350 1932 2011 2457 2447; 3351 1940 2019 2458 2448; 3352 1948 2027 2459 2449
3501. 3353 1956 2035 2460 2450; 3354 1964 2043 2461 2451; 3355 1972 2051 2462 2452
3502. 3356 1979 2058 2463 2453; 3357 1987 2066 2464 2454; 3358 1995 2074 2465 2455
3503. 3359 2003 2082 2466 2456; 3360 2011 2090 2467 2457; 3361 2019 2098 2468 2458
3504. 3362 2027 2106 2469 2459; 3363 2035 2114 2470 2460; 3364 2043 2122 2471 2461
3505. 3365 2051 2130 2472 2462; 3366 2453 2463 2792; 3367 2454 2464 2793
3506. 3368 2455 2465 2794; 3369 2456 2466 2795; 3370 2457 2467 2796
3507. 3371 2458 2468 2797; 3372 2459 2469 2798; 3373 2460 2470 2799
3508. 3374 2461 2471 2800; 3375 2462 2472 2801; 3376 2134 2144 2483 2473
3509. 3377 2135 2145 2484 2474; 3378 2136 2146 2485 2475; 3379 2137 2147 2486 2476
3510. 3380 2138 2148 2487 2477; 3381 2139 2149 2488 2478; 3382 2140 2150 2489 2479

STAAD SPACE -- PAGE NO. 64

3511. 3383 2141 2151 2490 2480; 3384 2142 2152 2491 2481; 3385 2143 2153 2492 2482
3512. 3386 2144 2154 2493 2483; 3387 2145 2155 2494 2484; 3388 2146 2156 2495 2485
3513. 3389 2147 2157 2496 2486; 3390 2148 2158 2497 2487; 3391 2149 2159 2498 2488
3514. 3392 2150 2160 2499 2489; 3393 2151 2161 2500 2490; 3394 2152 2162 2501 2491
3515. 3395 2153 2163 2502 2492; 3396 2154 2164 2503 2493; 3397 2155 2165 2504 2494
3516. 3398 2156 2166 2505 2495; 3399 2157 2167 2506 2496; 3400 2158 2168 2507 2497
3517. 3401 2159 2169 2508 2498; 3402 2160 2170 2509 2499; 3403 2161 2171 2510 2500
3518. 3404 2162 2172 2511 2501; 3405 2163 2173 2512 2502; 3406 2164 2174 2513 2503
3519. 3407 2165 2175 2514 2504; 3408 2166 2176 2515 2505; 3409 2167 2177 2516 2506
3520. 3410 2168 2178 2517 2507; 3411 2169 2179 2518 2508; 3412 2170 2180 2519 2509
3521. 3413 2171 2181 2520 2510; 3414 2172 2182 2521 2511; 3415 2173 2183 2522 2512
3522. 3416 2174 2184 2523 2513; 3417 2175 2185 2524 2514; 3418 2176 2186 2525 2515
3523. 3419 2177 2187 2526 2516; 3420 2178 2188 2527 2517; 3421 2179 2189 2528 2518
3524. 3422 2180 2190 2529 2519; 3423 2181 2191 2530 2520; 3424 2182 2192 2531 2521
3525. 3425 2183 2193 2532 2522; 3426 2184 2194 2533 2523; 3427 2185 2195 2534 2524
3526. 3428 2186 2196 2535 2525; 3429 2187 2197 2536 2526; 3430 2188 2198 2537 2527
3527. 3431 2189 2199 2538 2528; 3432 2190 2200 2539 2529; 3433 2191 2201 2540 2530
3528. 3434 2192 2202 2541 2531; 3435 2193 2203 2542 2532; 3436 2194 2204 2543 2533
3529. 3437 2195 2205 2544 2534; 3438 2196 2206 2545 2535; 3439 2197 2207 2546 2536
3530. 3440 2198 2208 2547 2537; 3441 2199 2209 2548 2538; 3442 2200 2210 2549 2539
3531. 3443 2201 2211 2550 2540; 3444 2202 2212 2551 2541; 3445 2203 2213 2552 2542
3532. 3446 2204 2214 2553 2543; 3447 2205 2215 2554 2544; 3448 2206 2216 2555 2545
3533. 3449 2207 2217 2556 2546; 3450 2208 2218 2557 2547; 3451 2209 2219 2558 2548
3534. 3452 2210 2220 2559 2549; 3453 2211 2221 2560 2550; 3454 2212 2222 2561 2551
3535. 3455 2213 2223 2562 2552; 3456 2214 2224 2563 2553; 3457 2215 2225 2564 2554
3536. 3458 2216 2226 2565 2555; 3459 2217 2227 2566 2556; 3460 2218 2228 2567 2557
3537. 3461 2219 2229 2568 2558; 3462 2220 2230 2569 2559; 3463 2221 2231 2570 2560
3538. 3464 2222 2232 2571 2561; 3465 2223 2233 2572 2562; 3466 2224 2234 2573 2563
3539. 3467 2225 2235 2574 2564; 3468 2226 2236 2575 2565; 3469 2227 2237 2576 2566
3540. 3470 2228 2238 2577 2567; 3471 2229 2239 2578 2568; 3472 2230 2240 2579 2569
3541. 3473 2231 2241 2580 2570; 3474 2232 2242 2581 2571; 3475 2233 2243 2582 2572
3542. 3476 2234 2244 2583 2573; 3477 2235 2245 2584 2574; 3478 2236 2246 2585 2575
3543. 3479 2237 2247 2586 2576; 3480 2238 2248 2587 2577; 3481 2239 2249 2588 2578
3544. 3482 2240 2250 2589 2579; 3483 2241 2251 2590 2580; 3484 2242 2252 2591 2581
3545. 3485 2243 2253 2592 2582; 3486 2244 2254 2593 2583; 3487 2245 2255 2594 2584
3546. 3488 2246 2256 2595 2585; 3489 2247 2257 2596 2586; 3490 2248 2258 2597 2587
3547. 3491 2249 2259 2598 2588; 3492 2250 2260 2599 2589; 3493 2251 2261 2600 2590
3548. 3494 2252 2262 2601 2591; 3495 2253 2263 2602 2592; 3496 2254 2264 2603 2593
3549. 3497 2255 2265 2604 2594; 3498 2256 2266 2605 2595; 3499 2257 2267 2606 2596
3550. 3500 2258 2268 2607 2597; 3501 2259 2269 2608 2598; 3502 2260 2270 2609 2599
3551. 3503 2261 2271 2610 2600; 3504 2262 2272 2611 2601; 3505 2263 2273 2612 2602
3552. 3506 2264 2274 2613 2603; 3507 2265 2275 2614 2604; 3508 2266 2276 2615 2605
3553. 3509 2267 2277 2616 2606; 3510 2268 2278 2617 2607; 3511 2269 2279 2618 2608
3554. 3512 2270 2280 2619 2609; 3513 2271 2281 2620 2610; 3514 2272 2282 2621 2611
3555. 3515 2273 2283 2622 2612; 3516 2274 2284 2623 2613; 3517 2275 2285 2624 2614
3556. 3518 2276 2286 2625 2615; 3519 2277 2287 2626 2616; 3520 2278 2288 2627 2617
3557. 3521 2279 2289 2628 2618; 3522 2280 2290 2629 2619; 3523 2281 2291 2630 2620
3558. 3524 2282 2292 2631 2621; 3525 2283 2293 2632 2622; 3526 2284 2294 2633 2623
3559. 3527 2285 2295 2634 2624; 3528 2286 2296 2635 2625; 3529 2287 2297 2636 2626
3560. 3530 2288 2298 2637 2627; 3531 2289 2299 2638 2628; 3532 2290 2300 2639 2629
3561. 3533 2291 2301 2640 2630; 3534 2292 2302 2641 2631; 3535 2293 2303 2642 2632
3562. 3536 2294 2304 2643 2633; 3537 2295 2305 2644 2634; 3538 2296 2306 2645 2635
3563. 3539 2297 2307 2646 2636; 3540 2298 2308 2647 2637; 3541 2299 2309 2648 2638
3564. 3542 2300 2310 2649 2639; 3543 2301 2311 2650 2640; 3544 2302 2312 2651 2641
3565. 3545 2303 2313 2652 2642; 3546 2304 2314 2653 2643; 3547 2305 2315 2654 2644
3566. 3548 2306 2316 2655 2645; 3549 2307 2317 2656 2646; 3550 2308 2318 2657 2647

3567. 3551 2309 2319 2658 2648; 3552 2310 2320 2659 2649; 3553 2311 2321 2660 2650
3568. 3554 2312 2322 2661 2651; 3555 2313 2323 2662 2652; 3556 2314 2327 2666 2653
3569. 3557 2315 2335 2674 2654; 3558 2316 2343 2682 2655; 3559 2317 2351 2690 2656
3570. 3560 2318 2359 2698 2657; 3561 2319 2367 2706 2658; 3562 2320 2375 2714 2659
3571. 3563 2321 2383 2722 2660; 3564 2322 2391 2730 2661; 3565 2323 2399 2738 2662
3572. 3566 2324 2325 2664 2663; 3567 2325 2326 2665 2664; 3568 2326 2327 2666 2665
3573. 3569 2327 2328 2667 2666; 3570 2328 2329 2668 2667; 3571 2329 2330 2669 2668
3574. 3572 2330 2331 2670 2669; 3573 2331 2332 2671 2670; 3574 2332 2333 2672 2671
3575. 3575 2333 2334 2673 2672; 3576 2334 2335 2674 2673; 3577 2335 2336 2675 2674
3576. 3578 2336 2337 2676 2675; 3579 2337 2338 2677 2676; 3580 2338 2339 2678 2677
3577. 3581 2339 2340 2679 2678; 3582 2340 2341 2680 2679; 3583 2341 2342 2681 2680
3578. 3584 2342 2343 2682 2681; 3585 2343 2344 2683 2682; 3586 2344 2345 2684 2683
3579. 3587 2345 2346 2685 2684; 3588 2346 2347 2686 2685; 3589 2347 2348 2687 2686
3580. 3590 2348 2349 2688 2687; 3591 2349 2350 2689 2688; 3592 2350 2351 2690 2689
3581. 3593 2351 2352 2691 2690; 3594 2352 2353 2692 2691; 3595 2353 2354 2693 2692
3582. 3596 2354 2355 2694 2693; 3597 2355 2356 2695 2694; 3598 2356 2357 2696 2695
3583. 3599 2357 2358 2697 2696; 3600 2358 2359 2698 2697; 3601 2359 2360 2699 2698
3584. 3602 2360 2361 2700 2699; 3603 2361 2362 2701 2700; 3604 2362 2363 2702 2701
3585. 3605 2363 2364 2703 2702; 3606 2364 2365 2704 2703; 3607 2365 2366 2705 2704
3586. 3608 2366 2367 2706 2705; 3609 2367 2368 2707 2706; 3610 2368 2369 2708 2707
3587. 3611 2369 2370 2709 2708; 3612 2370 2371 2710 2709; 3613 2371 2372 2711 2710
3588. 3614 2372 2373 2712 2711; 3615 2373 2374 2713 2712; 3616 2374 2375 2714 2713
3589. 3617 2375 2376 2715 2714; 3618 2376 2377 2716 2715; 3619 2377 2378 2717 2716
3590. 3620 2378 2379 2718 2717; 3621 2379 2380 2719 2718; 3622 2380 2381 2720 2719
3591. 3623 2381 2382 2721 2720; 3624 2382 2383 2722 2721; 3625 2383 2384 2723 2722
3592. 3626 2384 2385 2724 2723; 3627 2385 2386 2725 2724; 3628 2386 2387 2726 2725
3593. 3629 2387 2388 2727 2726; 3630 2388 2389 2728 2727; 3631 2389 2390 2729 2728
3594. 3632 2390 2391 2730 2729; 3633 2391 2392 2731 2730; 3634 2392 2393 2732 2731
3595. 3635 2393 2394 2733 2732; 3636 2394 2395 2734 2733; 3637 2395 2396 2735 2734
3596. 3638 2396 2397 2736 2735; 3639 2397 2398 2737 2736; 3640 2398 2399 2738 2737
3597. 3641 2399 2400 2739 2738; 3642 2400 2401 2740 2739; 3643 2401 2402 2741 2740
3598. 3644 2327 2403 2742 2666; 3645 2335 2404 2743 2674; 3646 2343 2405 2744 2682
3599. 3647 2351 2406 2745 2690; 3648 2359 2407 2746 2698; 3649 2367 2408 2747 2706
3600. 3650 2375 2409 2748 2714; 3651 2383 2410 2749 2722; 3652 2391 2411 2750 2730
3601. 3653 2399 2412 2751 2738; 3654 2403 2413 2752 2742; 3655 2404 2414 2753 2743
3602. 3656 2405 2415 2754 2744; 3657 2406 2416 2755 2745; 3658 2407 2417 2756 2746
3603. 3659 2408 2418 2757 2747; 3660 2409 2419 2758 2748; 3661 2410 2420 2759 2749
3604. 3662 2411 2421 2760 2750; 3663 2412 2422 2761 2751; 3664 2413 2423 2762 2752
3605. 3665 2414 2424 2763 2753; 3666 2415 2425 2764 2754; 3667 2416 2426 2765 2755
3606. 3668 2417 2427 2766 2756; 3669 2418 2428 2767 2757; 3670 2419 2429 2768 2758
3607. 3671 2420 2430 2769 2759; 3672 2421 2431 2770 2760; 3673 2422 2432 2771 2761
3608. 3674 2423 2433 2772 2762; 3675 2424 2434 2773 2763; 3676 2425 2435 2774 2764
3609. 3677 2426 2436 2775 2765; 3678 2427 2437 2776 2766; 3679 2428 2438 2777 2767
3610. 3680 2429 2439 2778 2768; 3681 2430 2440 2779 2769; 3682 2431 2441 2780 2770
3611. 3683 2432 2442 2781 2771; 3684 2433 2443 2782 2772; 3685 2434 2444 2783 2773
3612. 3686 2435 2445 2784 2774; 3687 2436 2446 2785 2775; 3688 2437 2447 2786 2776
3613. 3689 2438 2448 2787 2777; 3690 2439 2449 2788 2778; 3691 2440 2450 2789 2779
3614. 3692 2441 2451 2790 2780; 3693 2442 2452 2791 2781; 3694 2443 2453 2792 2782
3615. 3695 2444 2454 2793 2783; 3696 2445 2455 2794 2784; 3697 2446 2456 2795 2785
3616. 3698 2447 2457 2796 2786; 3699 2448 2458 2797 2787; 3700 2449 2459 2798 2788
3617. 3701 2450 2460 2799 2789; 3702 2451 2461 2800 2790; 3703 2452 2462 2801 2791
3618. 3704 2782 2792 3111; 3705 2783 2793 3112; 3706 2784 2794 3113
3619. 3707 2785 2795 3114; 3708 2786 2796 3115; 3709 2787 2797 3116
3620. 3710 2788 2798 3117; 3711 2789 2799 3118; 3712 2790 2800 3119
3621. 3713 2791 2801 3120; 3714 2473 2483 2812 2802; 3715 2474 2484 2813 2803
3622. 3716 2475 2485 2814 2804; 3717 2476 2486 2815 2805; 3718 2477 2487 2816 2806

3623. 3719 2478 2488 2817 2807; 3720 2479 2489 2818 2808; 3721 2480 2490 2819 2809
3624. 3722 2481 2491 2820 2810; 3723 2482 2492 2821 2811; 3724 2483 2493 2822 2812
3625. 3725 2484 2494 2823 2813; 3726 2485 2495 2824 2814; 3727 2486 2496 2825 2815
3626. 3728 2487 2497 2826 2816; 3729 2488 2498 2827 2817; 3730 2489 2499 2828 2818
3627. 3731 2490 2500 2829 2819; 3732 2491 2501 2830 2820; 3733 2492 2502 2831 2821
3628. 3734 2493 2503 2832 2822; 3735 2494 2504 2833 2823; 3736 2495 2505 2834 2824
3629. 3737 2496 2506 2835 2825; 3738 2497 2507 2836 2826; 3739 2498 2508 2837 2827
3630. 3740 2499 2509 2838 2828; 3741 2500 2510 2839 2829; 3742 2501 2511 2840 2830
3631. 3743 2502 2512 2841 2831; 3744 2503 2513 2842 2832; 3745 2504 2514 2843 2833
3632. 3746 2505 2515 2844 2834; 3747 2506 2516 2845 2835; 3748 2507 2517 2846 2836
3633. 3749 2508 2518 2847 2837; 3750 2509 2519 2848 2838; 3751 2510 2520 2849 2839
3634. 3752 2511 2521 2850 2840; 3753 2512 2522 2851 2841; 3754 2513 2523 2852 2842
3635. 3755 2514 2524 2853 2843; 3756 2515 2525 2854 2844; 3757 2516 2526 2855 2845
3636. 3758 2517 2527 2856 2846; 3759 2518 2528 2857 2847; 3760 2519 2529 2858 2848
3637. 3761 2520 2530 2859 2849; 3762 2521 2531 2860 2850; 3763 2522 2532 2861 2851
3638. 3764 2523 2533 2862 2852; 3765 2524 2534 2863 2853; 3766 2525 2535 2864 2854
3639. 3767 2526 2536 2865 2855; 3768 2527 2537 2866 2856; 3769 2528 2538 2867 2857
3640. 3770 2529 2539 2868 2858; 3771 2530 2540 2869 2859; 3772 2531 2541 2870 2860
3641. 3773 2532 2542 2871 2861; 3774 2533 2543 2872 2862; 3775 2534 2544 2873 2863
3642. 3776 2535 2545 2874 2864; 3777 2536 2546 2875 2865; 3778 2537 2547 2876 2866
3643. 3779 2538 2548 2877 2867; 3780 2539 2549 2878 2868; 3781 2540 2550 2879 2869
3644. 3782 2541 2551 2880 2870; 3783 2542 2552 2881 2871; 3784 2543 2553 2882 2872
3645. 3785 2544 2554 2883 2873; 3786 2545 2555 2884 2874; 3787 2546 2556 2885 2875
3646. 3788 2547 2557 2886 2876; 3789 2548 2558 2887 2877; 3790 2549 2559 2888 2878
3647. 3791 2550 2560 2889 2879; 3792 2551 2561 2890 2880; 3793 2552 2562 2891 2881
3648. 3794 2553 2563 2892 2882; 3795 2554 2564 2893 2883; 3796 2555 2565 2894 2884
3649. 3797 2556 2566 2895 2885; 3798 2557 2567 2896 2886; 3799 2558 2568 2897 2887
3650. 3800 2559 2569 2898 2888; 3801 2560 2570 2899 2889; 3802 2561 2571 2900 2890
3651. 3803 2562 2572 2901 2891; 3804 2563 2573 2902 2892; 3805 2564 2574 2903 2893
3652. 3806 2565 2575 2904 2894; 3807 2566 2576 2905 2895; 3808 2567 2577 2906 2896
3653. 3809 2568 2578 2907 2897; 3810 2569 2579 2908 2898; 3811 2570 2580 2909 2899
3654. 3812 2571 2581 2910 2900; 3813 2572 2582 2911 2901; 3814 2573 2583 2912 2902
3655. 3815 2574 2584 2913 2903; 3816 2575 2585 2914 2904; 3817 2576 2586 2915 2905
3656. 3818 2577 2587 2916 2906; 3819 2578 2588 2917 2907; 3820 2579 2589 2918 2908
3657. 3821 2580 2590 2919 2909; 3822 2581 2591 2920 2910; 3823 2582 2592 2921 2911
3658. 3824 2583 2593 2922 2912; 3825 2584 2594 2923 2913; 3826 2585 2595 2924 2914
3659. 3827 2586 2596 2925 2915; 3828 2587 2597 2926 2916; 3829 2588 2598 2927 2917
3660. 3830 2589 2599 2928 2918; 3831 2590 2600 2929 2919; 3832 2591 2601 2930 2920
3661. 3833 2592 2602 2931 2921; 3834 2593 2603 2932 2922; 3835 2594 2604 2933 2923
3662. 3836 2595 2605 2934 2924; 3837 2596 2606 2935 2925; 3838 2597 2607 2936 2926
3663. 3839 2598 2608 2937 2927; 3840 2599 2609 2938 2928; 3841 2600 2610 2939 2929
3664. 3842 2601 2611 2940 2930; 3843 2602 2612 2941 2931; 3844 2603 2613 2942 2932
3665. 3845 2604 2614 2943 2933; 3846 2605 2615 2944 2934; 3847 2606 2616 2945 2935
3666. 3848 2607 2617 2946 2936; 3849 2608 2618 2947 2937; 3850 2609 2619 2948 2938
3667. 3851 2610 2620 2949 2939; 3852 2611 2621 2950 2940; 3853 2612 2622 2951 2941
3668. 3854 2613 2623 2952 2942; 3855 2614 2624 2953 2943; 3856 2615 2625 2954 2944
3669. 3857 2616 2626 2955 2945; 3858 2617 2627 2956 2946; 3859 2618 2628 2957 2947
3670. 3860 2619 2629 2958 2948; 3861 2620 2630 2959 2949; 3862 2621 2631 2960 2950
3671. 3863 2622 2632 2961 2951; 3864 2623 2633 2962 2952; 3865 2624 2634 2963 2953
3672. 3866 2625 2635 2964 2954; 3867 2626 2636 2965 2955; 3868 2627 2637 2966 2956
3673. 3869 2628 2638 2967 2957; 3870 2629 2639 2968 2958; 3871 2630 2640 2969 2959
3674. 3872 2631 2641 2970 2960; 3873 2632 2642 2971 2961; 3874 2633 2643 2972 2962
3675. 3875 2634 2644 2973 2963; 3876 2635 2645 2974 2964; 3877 2636 2646 2975 2965
3676. 3878 2637 2647 2976 2966; 3879 2638 2648 2977 2967; 3880 2639 2649 2978 2968
3677. 3881 2640 2650 2979 2969; 3882 2641 2651 2980 2970; 3883 2642 2652 2981 2971
3678. 3884 2643 2653 2982 2972; 3885 2644 2654 2983 2973; 3886 2645 2655 2984 2974

STAAD SPACE -- PAGE NO. 67

3679. 3887 2646 2656 2985 2975; 3888 2647 2657 2986 2976; 3889 2648 2658 2987 2977
3680. 3890 2649 2659 2988 2978; 3891 2650 2660 2989 2979; 3892 2651 2661 2990 2980
3681. 3893 2652 2662 2991 2981; 3894 2653 2666 2995 2982; 3895 2654 2674 3003 2983
3682. 3896 2655 2682 3011 2984; 3897 2656 2690 3019 2985; 3898 2657 2698 3027 2986
3683. 3899 2658 2706 3035 2987; 3900 2659 2714 3043 2988; 3901 2660 2722 3051 2989
3684. 3902 2661 2730 3059 2990; 3903 2662 2738 3067 2991; 3904 2663 2664 2993 2992
3685. 3905 2664 2665 2994 2993; 3906 2665 2666 2995 2994; 3907 2666 2667 2996 2995
3686. 3908 2667 2668 2997 2996; 3909 2668 2669 2998 2997; 3910 2669 2670 2999 2998
3687. 3911 2670 2671 3000 2999; 3912 2671 2672 3001 3000; 3913 2672 2673 3002 3001
3688. 3914 2673 2674 3003 3002; 3915 2674 2675 3004 3003; 3916 2675 2676 3005 3004
3689. 3917 2676 2677 3006 3005; 3918 2677 2678 3007 3006; 3919 2678 2679 3008 3007
3690. 3920 2679 2680 3009 3008; 3921 2680 2681 3010 3009; 3922 2681 2682 3011 3010
3691. 3923 2682 2683 3012 3011; 3924 2683 2684 3013 3012; 3925 2684 2685 3014 3013
3692. 3926 2685 2686 3015 3014; 3927 2686 2687 3016 3015; 3928 2687 2688 3017 3016
3693. 3929 2688 2689 3018 3017; 3930 2689 2690 3019 3018; 3931 2690 2691 3020 3019
3694. 3932 2691 2692 3021 3020; 3933 2692 2693 3022 3021; 3934 2693 2694 3023 3022
3695. 3935 2694 2695 3024 3023; 3936 2695 2696 3025 3024; 3937 2696 2697 3026 3025
3696. 3938 2697 2698 3027 3026; 3939 2698 2699 3028 3027; 3940 2699 2700 3029 3028
3697. 3941 2700 2701 3030 3029; 3942 2701 2702 3031 3030; 3943 2702 2703 3032 3031
3698. 3944 2703 2704 3033 3032; 3945 2704 2705 3034 3033; 3946 2705 2706 3035 3034
3699. 3947 2706 2707 3036 3035; 3948 2707 2708 3037 3036; 3949 2708 2709 3038 3037
3700. 3950 2709 2710 3039 3038; 3951 2710 2711 3040 3039; 3952 2711 2712 3041 3040
3701. 3953 2712 2713 3042 3041; 3954 2713 2714 3043 3042; 3955 2714 2715 3044 3043
3702. 3956 2715 2716 3045 3044; 3957 2716 2717 3046 3045; 3958 2717 2718 3047 3046
3703. 3959 2718 2719 3048 3047; 3960 2719 2720 3049 3048; 3961 2720 2721 3050 3049
3704. 3962 2721 2722 3051 3050; 3963 2722 2723 3052 3051; 3964 2723 2724 3053 3052
3705. 3965 2724 2725 3054 3053; 3966 2725 2726 3055 3054; 3967 2726 2727 3056 3055
3706. 3968 2727 2728 3057 3056; 3969 2728 2729 3058 3057; 3970 2729 2730 3059 3058
3707. 3971 2730 2731 3060 3059; 3972 2731 2732 3061 3060; 3973 2732 2733 3062 3061
3708. 3974 2733 2734 3063 3062; 3975 2734 2735 3064 3063; 3976 2735 2736 3065 3064
3709. 3977 2736 2737 3066 3065; 3978 2737 2738 3067 3066; 3979 2738 2739 3068 3067
3710. 3980 2739 2740 3069 3068; 3981 2740 2741 3070 3069; 3982 2666 2742 3071 2995
3711. 3983 2674 2743 3072 3003; 3984 2682 2744 3073 3011; 3985 2690 2745 3074 3019
3712. 3986 2698 2746 3075 3027; 3987 2706 2747 3076 3035; 3988 2714 2748 3077 3043
3713. 3989 2722 2749 3078 3051; 3990 2730 2750 3079 3059; 3991 2738 2751 3080 3067
3714. 3992 2742 2752 3081 3071; 3993 2743 2753 3082 3072; 3994 2744 2754 3083 3073
3715. 3995 2745 2755 3084 3074; 3996 2746 2756 3085 3075; 3997 2747 2757 3086 3076
3716. 3998 2748 2758 3087 3077; 3999 2749 2759 3088 3078; 4000 2750 2760 3089 3079
3717. 4001 2751 2761 3090 3080; 4002 2752 2762 3091 3081; 4003 2753 2763 3092 3082
3718. 4004 2754 2764 3093 3083; 4005 2755 2765 3094 3084; 4006 2756 2766 3095 3085
3719. 4007 2757 2767 3096 3086; 4008 2758 2768 3097 3087; 4009 2759 2769 3098 3088
3720. 4010 2760 2770 3099 3089; 4011 2761 2771 3100 3090; 4012 2762 2772 3101 3091
3721. 4013 2763 2773 3102 3092; 4014 2764 2774 3103 3093; 4015 2765 2775 3104 3094
3722. 4016 2766 2776 3105 3095; 4017 2767 2777 3106 3096; 4018 2768 2778 3107 3097
3723. 4019 2769 2779 3108 3098; 4020 2770 2780 3109 3099; 4021 2771 2781 3110 3100
3724. 4022 2772 2782 3111 3101; 4023 2773 2783 3112 3102; 4024 2774 2784 3113 3103
3725. 4025 2775 2785 3114 3104; 4026 2776 2786 3115 3105; 4027 2777 2787 3116 3106
3726. 4028 2778 2788 3117 3107; 4029 2779 2789 3118 3108; 4030 2780 2790 3119 3109
3727. 4031 2781 2791 3120 3110; 4032 2802 2812 3121; 4033 2803 2813 3122
3728. 4034 2804 2814 3123; 4035 2805 2815 3124; 4036 2806 2816 3125
3729. 4037 2807 2817 3126; 4038 2808 2818 3127; 4039 2809 2819 3128
3730. 4040 2810 2820 3129; 4041 2811 2821 3130; 4042 3101 3111 3410
3731. 4043 3102 3112 3411; 4044 3103 3113 3412; 4045 3104 3114 3413
3732. 4046 3105 3115 3414; 4047 3106 3116 3415; 4048 3107 3117 3416
3733. 4049 3108 3118 3417; 4050 3109 3119 3418; 4051 3110 3120 3419
3734. 4052 2812 2822 3131 3121; 4053 2813 2823 3132 3122; 4054 2814 2824 3133 3123

STAAD SPACE -- PAGE NO. 68

3735. 4055 2815 2825 3134 3124; 4056 2816 2826 3135 3125; 4057 2817 2827 3136 3126
3736. 4058 2818 2828 3137 3127; 4059 2819 2829 3138 3128; 4060 2820 2830 3139 3129
3737. 4061 2821 2831 3140 3130; 4062 2822 2832 3141 3131; 4063 2823 2833 3142 3132
3738. 4064 2824 2834 3143 3133; 4065 2825 2835 3144 3134; 4066 2826 2836 3145 3135
3739. 4067 2827 2837 3146 3136; 4068 2828 2838 3147 3137; 4069 2829 2839 3148 3138
3740. 4070 2830 2840 3149 3139; 4071 2831 2841 3150 3140; 4072 2832 2842 3151 3141
3741. 4073 2833 2843 3152 3142; 4074 2834 2844 3153 3143; 4075 2835 2845 3154 3144
3742. 4076 2836 2846 3155 3145; 4077 2837 2847 3156 3146; 4078 2838 2848 3157 3147
3743. 4079 2839 2849 3158 3148; 4080 2840 2850 3159 3149; 4081 2841 2851 3160 3150
3744. 4082 2842 2852 3161 3151; 4083 2843 2853 3162 3152; 4084 2844 2854 3163 3153
3745. 4085 2845 2855 3164 3154; 4086 2846 2856 3165 3155; 4087 2847 2857 3166 3156
3746. 4088 2848 2858 3167 3157; 4089 2849 2859 3168 3158; 4090 2850 2860 3169 3159
3747. 4091 2851 2861 3170 3160; 4092 2852 2862 3171 3161; 4093 2853 2863 3172 3162
3748. 4094 2854 2864 3173 3163; 4095 2855 2865 3174 3164; 4096 2856 2866 3175 3165
3749. 4097 2857 2867 3176 3166; 4098 2858 2868 3177 3167; 4099 2859 2869 3178 3168
3750. 4100 2860 2870 3179 3169; 4101 2861 2871 3180 3170; 4102 2862 2872 3181 3171
3751. 4103 2863 2873 3182 3172; 4104 2864 2874 3183 3173; 4105 2865 2875 3184 3174
3752. 4106 2866 2876 3185 3175; 4107 2867 2877 3186 3176; 4108 2868 2878 3187 3177
3753. 4109 2869 2879 3188 3178; 4110 2870 2880 3189 3179; 4111 2871 2881 3190 3180
3754. 4112 2872 2882 3191 3181; 4113 2873 2883 3192 3182; 4114 2874 2884 3193 3183
3755. 4115 2875 2885 3194 3184; 4116 2876 2886 3195 3185; 4117 2877 2887 3196 3186
3756. 4118 2878 2888 3197 3187; 4119 2879 2889 3198 3188; 4120 2880 2890 3199 3189
3757. 4121 2881 2891 3200 3190; 4122 2882 2892 3201 3191; 4123 2883 2893 3202 3192
3758. 4124 2884 2894 3203 3193; 4125 2885 2895 3204 3194; 4126 2886 2896 3205 3195
3759. 4127 2887 2897 3206 3196; 4128 2888 2898 3207 3197; 4129 2889 2899 3208 3198
3760. 4130 2890 2900 3209 3199; 4131 2891 2901 3210 3200; 4132 2892 2902 3211 3201
3761. 4133 2893 2903 3212 3202; 4134 2894 2904 3213 3203; 4135 2895 2905 3214 3204
3762. 4136 2896 2906 3215 3205; 4137 2897 2907 3216 3206; 4138 2898 2908 3217 3207
3763. 4139 2899 2909 3218 3208; 4140 2900 2910 3219 3209; 4141 2901 2911 3220 3210
3764. 4142 2902 2912 3221 3211; 4143 2903 2913 3222 3212; 4144 2904 2914 3223 3213
3765. 4145 2905 2915 3224 3214; 4146 2906 2916 3225 3215; 4147 2907 2917 3226 3216
3766. 4148 2908 2918 3227 3217; 4149 2909 2919 3228 3218; 4150 2910 2920 3229 3219
3767. 4151 2911 2921 3230 3220; 4152 2912 2922 3231 3221; 4153 2913 2923 3232 3222
3768. 4154 2914 2924 3233 3223; 4155 2915 2925 3234 3224; 4156 2916 2926 3235 3225
3769. 4157 2917 2927 3236 3226; 4158 2918 2928 3237 3227; 4159 2919 2929 3238 3228
3770. 4160 2920 2930 3239 3229; 4161 2921 2931 3240 3230; 4162 2922 2932 3241 3231
3771. 4163 2923 2933 3242 3232; 4164 2924 2934 3243 3233; 4165 2925 2935 3244 3234
3772. 4166 2926 2936 3245 3235; 4167 2927 2937 3246 3236; 4168 2928 2938 3247 3237
3773. 4169 2929 2939 3248 3238; 4170 2930 2940 3249 3239; 4171 2931 2941 3250 3240
3774. 4172 2932 2942 3251 3241; 4173 2933 2943 3252 3242; 4174 2934 2944 3253 3243
3775. 4175 2935 2945 3254 3244; 4176 2936 2946 3255 3245; 4177 2937 2947 3256 3246
3776. 4178 2938 2948 3257 3247; 4179 2939 2949 3258 3248; 4180 2940 2950 3259 3249
3777. 4181 2941 2951 3260 3250; 4182 2942 2952 3261 3251; 4183 2943 2953 3262 3252
3778. 4184 2944 2954 3263 3253; 4185 2945 2955 3264 3254; 4186 2946 2956 3265 3255
3779. 4187 2947 2957 3266 3256; 4188 2948 2958 3267 3257; 4189 2949 2959 3268 3258
3780. 4190 2950 2960 3269 3259; 4191 2951 2961 3270 3260; 4192 2952 2962 3271 3261
3781. 4193 2953 2963 3272 3262; 4194 2954 2964 3273 3263; 4195 2955 2965 3274 3264
3782. 4196 2956 2966 3275 3265; 4197 2957 2967 3276 3266; 4198 2958 2968 3277 3267
3783. 4199 2959 2969 3278 3268; 4200 2960 2970 3279 3269; 4201 2961 2971 3280 3270
3784. 4202 2962 2972 3281 3271; 4203 2963 2973 3282 3272; 4204 2964 2974 3283 3273
3785. 4205 2965 2975 3284 3274; 4206 2966 2976 3285 3275; 4207 2967 2977 3286 3276
3786. 4208 2968 2978 3287 3277; 4209 2969 2979 3288 3278; 4210 2970 2980 3289 3279
3787. 4211 2971 2981 3290 3280; 4212 2972 2982 3291 3281; 4213 2973 2983 3292 3282
3788. 4214 2974 2984 3293 3283; 4215 2975 2985 3294 3284; 4216 2976 2986 3295 3285
3789. 4217 2977 2987 3296 3286; 4218 2978 2988 3297 3287; 4219 2979 2989 3298 3288
3790. 4220 2980 2990 3299 3289; 4221 2981 2991 3300 3290; 4222 2982 2995 3304 3291

STAAD SPACE -- PAGE NO. 69

3791. 4223 2983 3003 3312 3292; 4224 2984 3011 3320 3293; 4225 2985 3019 3328 3294
3792. 4226 2986 3027 3336 3295; 4227 2987 3035 3344 3296; 4228 2988 3043 3352 3297
3793. 4229 2989 3051 3360 3298; 4230 2990 3059 3368 3299; 4231 2991 3067 3376 3300
3794. 4232 2992 2993 3302 3301; 4233 2993 2994 3303 3302; 4234 2994 2995 3304 3303
3795. 4235 2995 2996 3305 3304; 4236 2996 2997 3306 3305; 4237 2997 2998 3307 3306
3796. 4238 2998 2999 3308 3307; 4239 2999 3000 3309 3308; 4240 3000 3001 3310 3309
3797. 4241 3001 3002 3311 3310; 4242 3002 3003 3312 3311; 4243 3003 3004 3313 3312
3798. 4244 3004 3005 3314 3313; 4245 3005 3006 3315 3314; 4246 3006 3007 3316 3315
3799. 4247 3007 3008 3317 3316; 4248 3008 3009 3318 3317; 4249 3009 3010 3319 3318
3800. 4250 3010 3011 3320 3319; 4251 3011 3012 3321 3320; 4252 3012 3013 3322 3321
3801. 4253 3013 3014 3323 3322; 4254 3014 3015 3324 3323; 4255 3015 3016 3325 3324
3802. 4256 3016 3017 3326 3325; 4257 3017 3018 3327 3326; 4258 3018 3019 3328 3327
3803. 4259 3019 3020 3329 3328; 4260 3020 3021 3330 3329; 4261 3021 3022 3331 3330
3804. 4262 3022 3023 3332 3331; 4263 3023 3024 3333 3332; 4264 3024 3025 3334 3333
3805. 4265 3025 3026 3335 3334; 4266 3026 3027 3336 3335; 4267 3027 3028 3337 3336
3806. 4268 3028 3029 3338 3337; 4269 3029 3030 3339 3338; 4270 3030 3031 3340 3339
3807. 4271 3031 3032 3341 3340; 4272 3032 3033 3342 3341; 4273 3033 3034 3343 3342
3808. 4274 3034 3035 3344 3343; 4275 3035 3036 3345 3344; 4276 3036 3037 3346 3345
3809. 4277 3037 3038 3347 3346; 4278 3038 3039 3348 3347; 4279 3039 3040 3349 3348
3810. 4280 3040 3041 3350 3349; 4281 3041 3042 3351 3350; 4282 3042 3043 3352 3351
3811. 4283 3043 3044 3353 3352; 4284 3044 3045 3354 3353; 4285 3045 3046 3355 3354
3812. 4286 3046 3047 3356 3355; 4287 3047 3048 3357 3356; 4288 3048 3049 3358 3357
3813. 4289 3049 3050 3359 3358; 4290 3050 3051 3360 3359; 4291 3051 3052 3361 3360
3814. 4292 3052 3053 3362 3361; 4293 3053 3054 3363 3362; 4294 3054 3055 3364 3363
3815. 4295 3055 3056 3365 3364; 4296 3056 3057 3366 3365; 4297 3057 3058 3367 3366
3816. 4298 3058 3059 3368 3367; 4299 3059 3060 3369 3368; 4300 3060 3061 3370 3369
3817. 4301 3061 3062 3371 3370; 4302 3062 3063 3372 3371; 4303 3063 3064 3373 3372
3818. 4304 3064 3065 3374 3373; 4305 3065 3066 3375 3374; 4306 3066 3067 3376 3375
3819. 4307 3067 3068 3377 3376; 4308 3068 3069 3378 3377; 4309 3069 3070 3379 3378
3820. 4310 2995 3071 3380 3304; 4311 3003 3072 3381 3312; 4312 3011 3073 3382 3320
3821. 4313 3019 3074 3383 3328; 4314 3027 3075 3384 3336; 4315 3035 3076 3385 3344
3822. 4316 3043 3077 3386 3352; 4317 3051 3078 3387 3360; 4318 3059 3079 3388 3368
3823. 4319 3067 3080 3389 3376; 4320 3071 3081 3390 3380; 4321 3072 3082 3391 3381
3824. 4322 3073 3083 3392 3382; 4323 3074 3084 3393 3383; 4324 3075 3085 3394 3384
3825. 4325 3076 3086 3395 3385; 4326 3077 3087 3396 3386; 4327 3078 3088 3397 3387
3826. 4328 3079 3089 3398 3388; 4329 3080 3090 3399 3389; 4330 3081 3091 3400 3390
3827. 4331 3082 3092 3401 3391; 4332 3083 3093 3402 3392; 4333 3084 3094 3403 3393
3828. 4334 3085 3095 3404 3394; 4335 3086 3096 3405 3395; 4336 3087 3097 3406 3396
3829. 4337 3088 3098 3407 3397; 4338 3089 3099 3408 3398; 4339 3090 3100 3409 3399
3830. 4340 3091 3101 3410 3400; 4341 3092 3102 3411 3401; 4342 3093 3103 3412 3402
3831. 4343 3094 3104 3413 3403; 4344 3095 3105 3414 3404; 4345 3096 3106 3415 3405
3832. 4346 3097 3107 3416 3406; 4347 3098 3108 3417 3407; 4348 3099 3109 3418 3408
3833. 4349 3100 3110 3419 3409; 4350 3400 3410 3699; 4351 3401 3411 3700
3834. 4352 3402 3412 3701; 4353 3403 3413 3702; 4354 3404 3414 3703
3835. 4355 3405 3415 3704; 4356 3406 3416 3705; 4357 3407 3417 3706
3836. 4358 3408 3418 3707; 4359 3409 3419 3708; 4360 3121 3131 3430 3420
3837. 4361 3122 3132 3431 3421; 4362 3123 3133 3432 3422; 4363 3124 3134 3433 3423
3838. 4364 3125 3135 3434 3424; 4365 3126 3136 3435 3425; 4366 3127 3137 3436 3426
3839. 4367 3128 3138 3437 3427; 4368 3129 3139 3438 3428; 4369 3130 3140 3439 3429
3840. 4370 3131 3141 3440 3430; 4371 3132 3142 3441 3431; 4372 3133 3143 3442 3432
3841. 4373 3134 3144 3443 3433; 4374 3135 3145 3444 3434; 4375 3136 3146 3445 3435
3842. 4376 3137 3147 3446 3436; 4377 3138 3148 3447 3437; 4378 3139 3149 3448 3438
3843. 4379 3140 3150 3449 3439; 4380 3141 3151 3450 3440; 4381 3142 3152 3451 3441
3844. 4382 3143 3153 3452 3442; 4383 3144 3154 3453 3443; 4384 3145 3155 3454 3444
3845. 4385 3146 3156 3455 3445; 4386 3147 3157 3456 3446; 4387 3148 3158 3457 3447
3846. 4388 3149 3159 3458 3448; 4389 3150 3160 3459 3449; 4390 3151 3161 3460 3450

STAAD SPACE -- PAGE NO. 70

3847. 4391 3152 3162 3461 3451; 4392 3153 3163 3462 3452; 4393 3154 3164 3463 3453
3848. 4394 3155 3165 3464 3454; 4395 3156 3166 3465 3455; 4396 3157 3167 3466 3456
3849. 4397 3158 3168 3467 3457; 4398 3159 3169 3468 3458; 4399 3160 3170 3469 3459
3850. 4400 3161 3171 3470 3460; 4401 3162 3172 3471 3461; 4402 3163 3173 3472 3462
3851. 4403 3164 3174 3473 3463; 4404 3165 3175 3474 3464; 4405 3166 3176 3475 3465
3852. 4406 3167 3177 3476 3466; 4407 3168 3178 3477 3467; 4408 3169 3179 3478 3468
3853. 4409 3170 3180 3479 3469; 4410 3171 3181 3480 3470; 4411 3172 3182 3481 3471
3854. 4412 3173 3183 3482 3472; 4413 3174 3184 3483 3473; 4414 3175 3185 3484 3474
3855. 4415 3176 3186 3485 3475; 4416 3177 3187 3486 3476; 4417 3178 3188 3487 3477
3856. 4418 3179 3189 3488 3478; 4419 3180 3190 3489 3479; 4420 3181 3191 3490 3480
3857. 4421 3182 3192 3491 3481; 4422 3183 3193 3492 3482; 4423 3184 3194 3493 3483
3858. 4424 3185 3195 3494 3484; 4425 3186 3196 3495 3485; 4426 3187 3197 3496 3486
3859. 4427 3188 3198 3497 3487; 4428 3189 3199 3498 3488; 4429 3190 3200 3499 3489
3860. 4430 3191 3201 3500 3490; 4431 3192 3202 3501 3491; 4432 3193 3203 3502 3492
3861. 4433 3194 3204 3503 3493; 4434 3195 3205 3504 3494; 4435 3196 3206 3505 3495
3862. 4436 3197 3207 3506 3496; 4437 3198 3208 3507 3497; 4438 3199 3209 3508 3498
3863. 4439 3200 3210 3509 3499; 4440 3201 3211 3510 3500; 4441 3202 3212 3511 3501
3864. 4442 3203 3213 3512 3502; 4443 3204 3214 3513 3503; 4444 3205 3215 3514 3504
3865. 4445 3206 3216 3515 3505; 4446 3207 3217 3516 3506; 4447 3208 3218 3517 3507
3866. 4448 3209 3219 3518 3508; 4449 3210 3220 3519 3509; 4450 3211 3221 3520 3510
3867. 4451 3212 3222 3521 3511; 4452 3213 3223 3522 3512; 4453 3214 3224 3523 3513
3868. 4454 3215 3225 3524 3514; 4455 3216 3226 3525 3515; 4456 3217 3227 3526 3516
3869. 4457 3218 3228 3527 3517; 4458 3219 3229 3528 3518; 4459 3220 3230 3529 3519
3870. 4460 3221 3231 3530 3520; 4461 3222 3232 3531 3521; 4462 3223 3233 3532 3522
3871. 4463 3224 3234 3533 3523; 4464 3225 3235 3534 3524; 4465 3226 3236 3535 3525
3872. 4466 3227 3237 3536 3526; 4467 3228 3238 3537 3527; 4468 3229 3239 3538 3528
3873. 4469 3230 3240 3539 3529; 4470 3231 3241 3540 3530; 4471 3232 3242 3541 3531
3874. 4472 3233 3243 3542 3532; 4473 3234 3244 3543 3533; 4474 3235 3245 3544 3534
3875. 4475 3236 3246 3545 3535; 4476 3237 3247 3546 3536; 4477 3238 3248 3547 3537
3876. 4478 3239 3249 3548 3538; 4479 3240 3250 3549 3539; 4480 3241 3251 3550 3540
3877. 4481 3242 3252 3551 3541; 4482 3243 3253 3552 3542; 4483 3244 3254 3553 3543
3878. 4484 3245 3255 3554 3544; 4485 3246 3256 3555 3545; 4486 3247 3257 3556 3546
3879. 4487 3248 3258 3557 3547; 4488 3249 3259 3558 3548; 4489 3250 3260 3559 3549
3880. 4490 3251 3261 3560 3550; 4491 3252 3262 3561 3551; 4492 3253 3263 3562 3552
3881. 4493 3254 3264 3563 3553; 4494 3255 3265 3564 3554; 4495 3256 3266 3565 3555
3882. 4496 3257 3267 3566 3556; 4497 3258 3268 3567 3557; 4498 3259 3269 3568 3558
3883. 4499 3260 3270 3569 3559; 4500 3261 3271 3570 3560; 4501 3262 3272 3571 3561
3884. 4502 3263 3273 3572 3562; 4503 3264 3274 3573 3563; 4504 3265 3275 3574 3564
3885. 4505 3266 3276 3575 3565; 4506 3267 3277 3576 3566; 4507 3268 3278 3577 3567
3886. 4508 3269 3279 3578 3568; 4509 3270 3280 3579 3569; 4510 3271 3281 3580 3570
3887. 4511 3272 3282 3581 3571; 4512 3273 3283 3582 3572; 4513 3274 3284 3583 3573
3888. 4514 3275 3285 3584 3574; 4515 3276 3286 3585 3575; 4516 3277 3287 3586 3576
3889. 4517 3278 3288 3587 3577; 4518 3279 3289 3588 3578; 4519 3280 3290 3589 3579
3890. 4520 3281 3291 3590 3580; 4521 3282 3292 3591 3581; 4522 3283 3293 3592 3582
3891. 4523 3284 3294 3593 3583; 4524 3285 3295 3594 3584; 4525 3286 3296 3595 3585
3892. 4526 3287 3297 3596 3586; 4527 3288 3298 3597 3587; 4528 3289 3299 3598 3588
3893. 4529 3290 3300 3599 3589; 4530 3291 3304 3603 3590; 4531 3292 3312 3611 3591
3894. 4532 3293 3320 3619 3592; 4533 3294 3328 3627 3593; 4534 3295 3336 3635 3594
3895. 4535 3296 3344 3643 3595; 4536 3297 3352 3651 3596; 4537 3298 3360 3659 3597
3896. 4538 3299 3368 3667 3598; 4539 3300 3376 3675 3599; 4540 3301 3302 3601 3600
3897. 4541 3302 3303 3602 3601; 4542 3303 3304 3603 3602; 4543 3304 3305 3604 3603
3898. 4544 3305 3306 3605 3604; 4545 3306 3307 3606 3605; 4546 3307 3308 3607 3606
3899. 4547 3308 3309 3608 3607; 4548 3309 3310 3609 3608; 4549 3310 3311 3610 3609
3900. 4550 3311 3312 3611 3610; 4551 3312 3313 3612 3611; 4552 3313 3314 3613 3612
3901. 4553 3314 3315 3614 3613; 4554 3315 3316 3615 3614; 4555 3316 3317 3616 3615
3902. 4556 3317 3318 3617 3616; 4557 3318 3319 3618 3617; 4558 3319 3320 3619 3618

STAAD SPACE -- PAGE NO. 71

3903. 4559 3320 3321 3620 3619; 4560 3321 3322 3621 3620; 4561 3322 3323 3622 3621
3904. 4562 3323 3324 3623 3622; 4563 3324 3325 3624 3623; 4564 3325 3326 3625 3624
3905. 4565 3326 3327 3626 3625; 4566 3327 3328 3627 3626; 4567 3328 3329 3628 3627
3906. 4568 3329 3330 3629 3628; 4569 3330 3331 3630 3629; 4570 3331 3332 3631 3630
3907. 4571 3332 3333 3632 3631; 4572 3333 3334 3633 3632; 4573 3334 3335 3634 3633
3908. 4574 3335 3336 3635 3634; 4575 3336 3337 3636 3635; 4576 3337 3338 3637 3636
3909. 4577 3338 3339 3638 3637; 4578 3339 3340 3639 3638; 4579 3340 3341 3640 3639
3910. 4580 3341 3342 3641 3640; 4581 3342 3343 3642 3641; 4582 3343 3344 3643 3642
3911. 4583 3344 3345 3644 3643; 4584 3345 3346 3645 3644; 4585 3346 3347 3646 3645
3912. 4586 3347 3348 3647 3646; 4587 3348 3349 3648 3647; 4588 3349 3350 3649 3648
3913. 4589 3350 3351 3650 3649; 4590 3351 3352 3651 3650; 4591 3352 3353 3652 3651
3914. 4592 3353 3354 3653 3652; 4593 3354 3355 3654 3653; 4594 3355 3356 3655 3654
3915. 4595 3356 3357 3656 3655; 4596 3357 3358 3657 3656; 4597 3358 3359 3658 3657
3916. 4598 3359 3360 3659 3658; 4599 3360 3361 3660 3659; 4600 3361 3362 3661 3660
3917. 4601 3362 3363 3662 3661; 4602 3363 3364 3663 3662; 4603 3364 3365 3664 3663
3918. 4604 3365 3366 3665 3664; 4605 3366 3367 3666 3665; 4606 3367 3368 3667 3666
3919. 4607 3368 3369 3668 3667; 4608 3369 3370 3669 3668; 4609 3370 3371 3670 3669
3920. 4610 3371 3372 3671 3670; 4611 3372 3373 3672 3671; 4612 3373 3374 3673 3672
3921. 4613 3374 3375 3674 3673; 4614 3375 3376 3675 3674; 4615 3376 3377 3676 3675
3922. 4616 3377 3378 3677 3676; 4617 3378 3379 3678 3677; 4618 3304 3380 3679 3603
3923. 4619 3312 3381 3680 3611; 4620 3320 3382 3681 3619; 4621 3328 3383 3682 3627
3924. 4622 3336 3384 3683 3635; 4623 3344 3385 3684 3643; 4624 3352 3386 3685 3651
3925. 4625 3360 3387 3686 3659; 4626 3368 3388 3687 3667; 4627 3376 3389 3688 3675
3926. 4628 3380 3390 3689 3679; 4629 3381 3391 3690 3680; 4630 3382 3392 3691 3681
3927. 4631 3383 3393 3692 3682; 4632 3384 3394 3693 3683; 4633 3385 3395 3694 3684
3928. 4634 3386 3396 3695 3685; 4635 3387 3397 3696 3686; 4636 3388 3398 3697 3687
3929. 4637 3389 3399 3698 3688; 4638 3390 3400 3699 3689; 4639 3391 3401 3700 3690
3930. 4640 3392 3402 3701 3691; 4641 3393 3403 3702 3692; 4642 3394 3404 3703 3693
3931. 4643 3395 3405 3704 3694; 4644 3396 3406 3705 3695; 4645 3397 3407 3706 3696
3932. 4646 3398 3408 3707 3697; 4647 3399 3409 3708 3698; 4648 3420 3430 3709
3933. 4649 3421 3431 3710; 4650 3422 3432 3711; 4651 3423 3433 3712
3934. 4652 3424 3434 3713; 4653 3425 3435 3714; 4654 3426 3436 3715
3935. 4655 3427 3437 3716; 4656 3428 3438 3717; 4657 3429 3439 3718
3936. 4658 3689 3699 3968; 4659 3690 3700 3969; 4660 3691 3701 3970
3937. 4661 3692 3702 3971; 4662 3693 3703 3972; 4663 3694 3704 3973
3938. 4664 3695 3705 3974; 4665 3696 3706 3975; 4666 3697 3707 3976
3939. 4667 3698 3708 3977; 4668 3430 3440 3719 3709; 4669 3431 3441 3720 3710
3940. 4670 3432 3442 3721 3711; 4671 3433 3443 3722 3712; 4672 3434 3444 3723 3713
3941. 4673 3435 3445 3724 3714; 4674 3436 3446 3725 3715; 4675 3437 3447 3726 3716
3942. 4676 3438 3448 3727 3717; 4677 3439 3449 3728 3718; 4678 3440 3450 3729 3719
3943. 4679 3441 3451 3730 3720; 4680 3442 3452 3731 3721; 4681 3443 3453 3732 3722
3944. 4682 3444 3454 3733 3723; 4683 3445 3455 3734 3724; 4684 3446 3456 3735 3725
3945. 4685 3447 3457 3736 3726; 4686 3448 3458 3737 3727; 4687 3449 3459 3738 3728
3946. 4688 3450 3460 3739 3729; 4689 3451 3461 3740 3730; 4690 3452 3462 3741 3731
3947. 4691 3453 3463 3742 3732; 4692 3454 3464 3743 3733; 4693 3455 3465 3744 3734
3948. 4694 3456 3466 3745 3735; 4695 3457 3467 3746 3736; 4696 3458 3468 3747 3737
3949. 4697 3459 3469 3748 3738; 4698 3460 3470 3749 3739; 4699 3461 3471 3750 3740
3950. 4700 3462 3472 3751 3741; 4701 3463 3473 3752 3742; 4702 3464 3474 3753 3743
3951. 4703 3465 3475 3754 3744; 4704 3466 3476 3755 3745; 4705 3467 3477 3756 3746
3952. 4706 3468 3478 3757 3747; 4707 3469 3479 3758 3748; 4708 3470 3480 3759 3749
3953. 4709 3471 3481 3760 3750; 4710 3472 3482 3761 3751; 4711 3473 3483 3762 3752
3954. 4712 3474 3484 3763 3753; 4713 3475 3485 3764 3754; 4714 3476 3486 3765 3755
3955. 4715 3477 3487 3766 3756; 4716 3478 3488 3767 3757; 4717 3479 3489 3768 3758
3956. 4718 3480 3490 3769 3759; 4719 3481 3491 3770 3760; 4720 3482 3492 3771 3761
3957. 4721 3483 3493 3772 3762; 4722 3484 3494 3773 3763; 4723 3485 3495 3774 3764
3958. 4724 3486 3496 3775 3765; 4725 3487 3497 3776 3766; 4726 3488 3498 3777 3767

STAAD SPACE -- PAGE NO. 72

3959. 4727 3489 3499 3778 3768; 4728 3490 3500 3779 3769; 4729 3491 3501 3780 3770
3960. 4730 3492 3502 3781 3771; 4731 3493 3503 3782 3772; 4732 3494 3504 3783 3773
3961. 4733 3495 3505 3784 3774; 4734 3496 3506 3785 3775; 4735 3497 3507 3786 3776
3962. 4736 3498 3508 3787 3777; 4737 3499 3509 3788 3778; 4738 3500 3510 3789 3779
3963. 4739 3501 3511 3790 3780; 4740 3502 3512 3791 3781; 4741 3503 3513 3792 3782
3964. 4742 3504 3514 3793 3783; 4743 3505 3515 3794 3784; 4744 3506 3516 3795 3785
3965. 4745 3507 3517 3796 3786; 4746 3508 3518 3797 3787; 4747 3509 3519 3798 3788
3966. 4748 3510 3520 3799 3789; 4749 3511 3521 3800 3790; 4750 3512 3522 3801 3791
3967. 4751 3513 3523 3802 3792; 4752 3514 3524 3803 3793; 4753 3515 3525 3804 3794
3968. 4754 3516 3526 3805 3795; 4755 3517 3527 3806 3796; 4756 3518 3528 3807 3797
3969. 4757 3519 3529 3808 3798; 4758 3520 3530 3809 3799; 4759 3521 3531 3810 3800
3970. 4760 3522 3532 3811 3801; 4761 3523 3533 3812 3802; 4762 3524 3534 3813 3803
3971. 4763 3525 3535 3814 3804; 4764 3526 3536 3815 3805; 4765 3527 3537 3816 3806
3972. 4766 3528 3538 3817 3807; 4767 3529 3539 3818 3808; 4768 3530 3540 3819 3809
3973. 4769 3531 3541 3820 3810; 4770 3532 3542 3821 3811; 4771 3533 3543 3822 3812
3974. 4772 3534 3544 3823 3813; 4773 3535 3545 3824 3814; 4774 3536 3546 3825 3815
3975. 4775 3537 3547 3826 3816; 4776 3538 3548 3827 3817; 4777 3539 3549 3828 3818
3976. 4778 3540 3550 3829 3819; 4779 3541 3551 3830 3820; 4780 3542 3552 3831 3821
3977. 4781 3543 3553 3832 3822; 4782 3544 3554 3833 3823; 4783 3545 3555 3834 3824
3978. 4784 3546 3556 3835 3825; 4785 3547 3557 3836 3826; 4786 3548 3558 3837 3827
3979. 4787 3549 3559 3838 3828; 4788 3550 3560 3839 3829; 4789 3551 3561 3840 3830
3980. 4790 3552 3562 3841 3831; 4791 3553 3563 3842 3832; 4792 3554 3564 3843 3833
3981. 4793 3555 3565 3844 3834; 4794 3556 3566 3845 3835; 4795 3557 3567 3846 3836
3982. 4796 3558 3568 3847 3837; 4797 3559 3569 3848 3838; 4798 3560 3570 3849 3839
3983. 4799 3561 3571 3850 3840; 4800 3562 3572 3851 3841; 4801 3563 3573 3852 3842
3984. 4802 3564 3574 3853 3843; 4803 3565 3575 3854 3844; 4804 3566 3576 3855 3845
3985. 4805 3567 3577 3856 3846; 4806 3568 3578 3857 3847; 4807 3569 3579 3858 3848
3986. 4808 3570 3580 3859 3849; 4809 3571 3581 3860 3850; 4810 3572 3582 3861 3851
3987. 4811 3573 3583 3862 3852; 4812 3574 3584 3863 3853; 4813 3575 3585 3864 3854
3988. 4814 3576 3586 3865 3855; 4815 3577 3587 3866 3856; 4816 3578 3588 3867 3857
3989. 4817 3579 3589 3868 3858; 4818 3580 3590 3869 3859; 4819 3581 3591 3870 3860
3990. 4820 3582 3592 3871 3861; 4821 3583 3593 3872 3862; 4822 3584 3594 3873 3863
3991. 4823 3585 3595 3874 3864; 4824 3586 3596 3875 3865; 4825 3587 3597 3876 3866
3992. 4826 3588 3598 3877 3867; 4827 3589 3599 3878 3868; 4828 3590 3603 3882 3869
3993. 4829 3591 3611 3890 3870; 4830 3592 3619 3898 3871; 4831 3593 3627 3906 3872
3994. 4832 3594 3635 3914 3873; 4833 3595 3643 3922 3874; 4834 3596 3651 3930 3875
3995. 4835 3597 3659 3938 3876; 4836 3598 3667 3946 3877; 4837 3599 3675 3954 3878
3996. 4838 3600 3601 3880 3879; 4839 3601 3602 3881 3880; 4840 3602 3603 3882 3881
3997. 4841 3603 3604 3883 3882; 4842 3604 3605 3884 3883; 4843 3605 3606 3885 3884
3998. 4844 3606 3607 3886 3885; 4845 3607 3608 3887 3886; 4846 3608 3609 3888 3887
3999. 4847 3609 3610 3889 3888; 4848 3610 3611 3890 3889; 4849 3611 3612 3891 3890
4000. 4850 3612 3613 3892 3891; 4851 3613 3614 3893 3892; 4852 3614 3615 3894 3893
4001. 4853 3615 3616 3895 3894; 4854 3616 3617 3896 3895; 4855 3617 3618 3897 3896
4002. 4856 3618 3619 3898 3897; 4857 3619 3620 3899 3898; 4858 3620 3621 3900 3899
4003. 4859 3621 3622 3901 3900; 4860 3622 3623 3902 3901; 4861 3623 3624 3903 3902
4004. 4862 3624 3625 3904 3903; 4863 3625 3626 3905 3904; 4864 3626 3627 3906 3905
4005. 4865 3627 3628 3907 3906; 4866 3628 3629 3908 3907; 4867 3629 3630 3909 3908
4006. 4868 3630 3631 3910 3909; 4869 3631 3632 3911 3910; 4870 3632 3633 3912 3911
4007. 4871 3633 3634 3913 3912; 4872 3634 3635 3914 3913; 4873 3635 3636 3915 3914
4008. 4874 3636 3637 3916 3915; 4875 3637 3638 3917 3916; 4876 3638 3639 3918 3917
4009. 4877 3639 3640 3919 3918; 4878 3640 3641 3920 3919; 4879 3641 3642 3921 3920
4010. 4880 3642 3643 3922 3921; 4881 3643 3644 3923 3922; 4882 3644 3645 3924 3923
4011. 4883 3645 3646 3925 3924; 4884 3646 3647 3926 3925; 4885 3647 3648 3927 3926
4012. 4886 3648 3649 3928 3927; 4887 3649 3650 3929 3928; 4888 3650 3651 3930 3929
4013. 4889 3651 3652 3931 3930; 4890 3652 3653 3932 3931; 4891 3653 3654 3933 3932
4014. 4892 3654 3655 3934 3933; 4893 3655 3656 3935 3934; 4894 3656 3657 3936 3935

STAAD SPACE -- PAGE NO. 73

4015. 4895 3657 3658 3937 3936; 4896 3658 3659 3938 3937; 4897 3659 3660 3939 3938
4016. 4898 3660 3661 3940 3939; 4899 3661 3662 3941 3940; 4900 3662 3663 3942 3941
4017. 4901 3663 3664 3943 3942; 4902 3664 3665 3944 3943; 4903 3665 3666 3945 3944
4018. 4904 3666 3667 3946 3945; 4905 3667 3668 3947 3946; 4906 3668 3669 3948 3947
4019. 4907 3669 3670 3949 3948; 4908 3670 3671 3950 3949; 4909 3671 3672 3951 3950
4020. 4910 3672 3673 3952 3951; 4911 3673 3674 3953 3952; 4912 3674 3675 3954 3953
4021. 4913 3675 3676 3955 3954; 4914 3676 3677 3956 3955; 4915 3677 3678 3957 3956
4022. 4916 3603 3679 3958 3882; 4917 3611 3680 3959 3890; 4918 3619 3681 3960 3898
4023. 4919 3627 3682 3961 3906; 4920 3635 3683 3962 3914; 4921 3643 3684 3963 3922
4024. 4922 3651 3685 3964 3930; 4923 3659 3686 3965 3938; 4924 3667 3687 3966 3946
4025. 4925 3675 3688 3967 3954; 4926 3679 3689 3968 3958; 4927 3680 3690 3969 3959
4026. 4928 3681 3691 3970 3960; 4929 3682 3692 3971 3961; 4930 3683 3693 3972 3962
4027. 4931 3684 3694 3973 3963; 4932 3685 3695 3974 3964; 4933 3686 3696 3975 3965
4028. 4934 3687 3697 3976 3966; 4935 3688 3698 3977 3967; 4936 3958 3968 4227
4029. 4937 3959 3969 4228; 4938 3960 3970 4229; 4939 3961 3971 4230
4030. 4940 3962 3972 4231; 4941 3963 3973 4232; 4942 3964 3974 4233
4031. 4943 3965 3975 4234; 4944 3966 3976 4235; 4945 3967 3977 4236
4032. 4946 3709 3719 3988 3978; 4947 3710 3720 3989 3979; 4948 3711 3721 3990 3980
4033. 4949 3712 3722 3991 3981; 4950 3713 3723 3992 3982; 4951 3714 3724 3993 3983
4034. 4952 3715 3725 3994 3984; 4953 3716 3726 3995 3985; 4954 3717 3727 3996 3986
4035. 4955 3718 3728 3997 3987; 4956 3719 3729 3998 3988; 4957 3720 3730 3999 3989
4036. 4958 3721 3731 4000 3990; 4959 3722 3732 4001 3991; 4960 3723 3733 4002 3992
4037. 4961 3724 3734 4003 3993; 4962 3725 3735 4004 3994; 4963 3726 3736 4005 3995
4038. 4964 3727 3737 4006 3996; 4965 3728 3738 4007 3997; 4966 3729 3739 4008 3998
4039. 4967 3730 3740 4009 3999; 4968 3731 3741 4010 4000; 4969 3732 3742 4011 4001
4040. 4970 3733 3743 4012 4002; 4971 3734 3744 4013 4003; 4972 3735 3745 4014 4004
4041. 4973 3736 3746 4015 4005; 4974 3737 3747 4016 4006; 4975 3738 3748 4017 4007
4042. 4976 3739 3749 4018 4008; 4977 3740 3750 4019 4009; 4978 3741 3751 4020 4010
4043. 4979 3742 3752 4021 4011; 4980 3743 3753 4022 4012; 4981 3744 3754 4023 4013
4044. 4982 3745 3755 4024 4014; 4983 3746 3756 4025 4015; 4984 3747 3757 4026 4016
4045. 4985 3748 3758 4027 4017; 4986 3749 3759 4028 4018; 4987 3750 3760 4029 4019
4046. 4988 3751 3761 4030 4020; 4989 3752 3762 4031 4021; 4990 3753 3763 4032 4022
4047. 4991 3754 3764 4033 4023; 4992 3755 3765 4034 4024; 4993 3756 3766 4035 4025
4048. 4994 3757 3767 4036 4026; 4995 3758 3768 4037 4027; 4996 3759 3769 4038 4028
4049. 4997 3760 3770 4039 4029; 4998 3761 3771 4040 4030; 4999 3762 3772 4041 4031
4050. 5000 3763 3773 4042 4032; 5001 3764 3774 4043 4033; 5002 3765 3775 4044 4034
4051. 5003 3766 3776 4045 4035; 5004 3767 3777 4046 4036; 5005 3768 3778 4047 4037
4052. 5006 3769 3779 4048 4038; 5007 3770 3780 4049 4039; 5008 3771 3781 4050 4040
4053. 5009 3772 3782 4051 4041; 5010 3773 3783 4052 4042; 5011 3774 3784 4053 4043
4054. 5012 3775 3785 4054 4044; 5013 3776 3786 4055 4045; 5014 3777 3787 4056 4046
4055. 5015 3778 3788 4057 4047; 5016 3779 3789 4058 4048; 5017 3780 3790 4059 4049
4056. 5018 3781 3791 4060 4050; 5019 3782 3792 4061 4051; 5020 3783 3793 4062 4052
4057. 5021 3784 3794 4063 4053; 5022 3785 3795 4064 4054; 5023 3786 3796 4065 4055
4058. 5024 3787 3797 4066 4056; 5025 3788 3798 4067 4057; 5026 3789 3799 4068 4058
4059. 5027 3790 3800 4069 4059; 5028 3791 3801 4070 4060; 5029 3792 3802 4071 4061
4060. 5030 3793 3803 4072 4062; 5031 3794 3804 4073 4063; 5032 3795 3805 4074 4064
4061. 5033 3796 3806 4075 4065; 5034 3797 3807 4076 4066; 5035 3798 3808 4077 4067
4062. 5036 3799 3809 4078 4068; 5037 3800 3810 4079 4069; 5038 3801 3811 4080 4070
4063. 5039 3802 3812 4081 4071; 5040 3803 3813 4082 4072; 5041 3804 3814 4083 4073
4064. 5042 3805 3815 4084 4074; 5043 3806 3816 4085 4075; 5044 3807 3817 4086 4076
4065. 5045 3808 3818 4087 4077; 5046 3809 3819 4088 4078; 5047 3810 3820 4089 4079
4066. 5048 3811 3821 4090 4080; 5049 3812 3822 4091 4081; 5050 3813 3823 4092 4082
4067. 5051 3814 3824 4093 4083; 5052 3815 3825 4094 4084; 5053 3816 3826 4095 4085
4068. 5054 3817 3827 4096 4086; 5055 3818 3828 4097 4087; 5056 3819 3829 4098 4088
4069. 5057 3820 3830 4099 4089; 5058 3821 3831 4100 4090; 5059 3822 3832 4101 4091
4070. 5060 3823 3833 4102 4092; 5061 3824 3834 4103 4093; 5062 3825 3835 4104 4094

STAAD SPACE -- PAGE NO. 74

4071. 5063 3826 3836 4105 4095; 5064 3827 3837 4106 4096; 5065 3828 3838 4107 4097
4072. 5066 3829 3839 4108 4098; 5067 3830 3840 4109 4099; 5068 3831 3841 4110 4100
4073. 5069 3832 3842 4111 4101; 5070 3833 3843 4112 4102; 5071 3834 3844 4113 4103
4074. 5072 3835 3845 4114 4104; 5073 3836 3846 4115 4105; 5074 3837 3847 4116 4106
4075. 5075 3838 3848 4117 4107; 5076 3839 3849 4118 4108; 5077 3840 3850 4119 4109
4076. 5078 3841 3851 4120 4110; 5079 3842 3852 4121 4111; 5080 3843 3853 4122 4112
4077. 5081 3844 3854 4123 4113; 5082 3845 3855 4124 4114; 5083 3846 3856 4125 4115
4078. 5084 3847 3857 4126 4116; 5085 3848 3858 4127 4117; 5086 3849 3859 4128 4118
4079. 5087 3850 3860 4129 4119; 5088 3851 3861 4130 4120; 5089 3852 3862 4131 4121
4080. 5090 3853 3863 4132 4122; 5091 3854 3864 4133 4123; 5092 3855 3865 4134 4124
4081. 5093 3856 3866 4135 4125; 5094 3857 3867 4136 4126; 5095 3858 3868 4137 4127
4082. 5096 3859 3869 4138 4128; 5097 3860 3870 4139 4129; 5098 3861 3871 4140 4130
4083. 5099 3862 3872 4141 4131; 5100 3863 3873 4142 4132; 5101 3864 3874 4143 4133
4084. 5102 3865 3875 4144 4134; 5103 3866 3876 4145 4135; 5104 3867 3877 4146 4136
4085. 5105 3868 3878 4147 4137; 5106 3869 3882 4151 4138; 5107 3870 3890 4159 4139
4086. 5108 3871 3898 4167 4140; 5109 3872 3906 4175 4141; 5110 3873 3914 4183 4142
4087. 5111 3874 3922 4191 4143; 5112 3875 3930 4199 4144; 5113 3876 3938 4207 4145
4088. 5114 3877 3946 4215 4146; 5115 3878 3954 4223 4147; 5116 3879 3880 4149 4148
4089. 5117 3880 3881 4150 4149; 5118 3881 3882 4151 4150; 5119 3882 3883 4152 4151
4090. 5120 3883 3884 4153 4152; 5121 3884 3885 4154 4153; 5122 3885 3886 4155 4154
4091. 5123 3886 3887 4156 4155; 5124 3887 3888 4157 4156; 5125 3888 3889 4158 4157
4092. 5126 3889 3890 4159 4158; 5127 3890 3891 4160 4159; 5128 3891 3892 4161 4160
4093. 5129 3892 3893 4162 4161; 5130 3893 3894 4163 4162; 5131 3894 3895 4164 4163
4094. 5132 3895 3896 4165 4164; 5133 3896 3897 4166 4165; 5134 3897 3898 4167 4166
4095. 5135 3898 3899 4168 4167; 5136 3899 3900 4169 4168; 5137 3900 3901 4170 4169
4096. 5138 3901 3902 4171 4170; 5139 3902 3903 4172 4171; 5140 3903 3904 4173 4172
4097. 5141 3904 3905 4174 4173; 5142 3905 3906 4175 4174; 5143 3906 3907 4176 4175
4098. 5144 3907 3908 4177 4176; 5145 3908 3909 4178 4177; 5146 3909 3910 4179 4178
4099. 5147 3910 3911 4180 4179; 5148 3911 3912 4181 4180; 5149 3912 3913 4182 4181
4100. 5150 3913 3914 4183 4182; 5151 3914 3915 4184 4183; 5152 3915 3916 4185 4184
4101. 5153 3916 3917 4186 4185; 5154 3917 3918 4187 4186; 5155 3918 3919 4188 4187
4102. 5156 3919 3920 4189 4188; 5157 3920 3921 4190 4189; 5158 3921 3922 4191 4190
4103. 5159 3922 3923 4192 4191; 5160 3923 3924 4193 4192; 5161 3924 3925 4194 4193
4104. 5162 3925 3926 4195 4194; 5163 3926 3927 4196 4195; 5164 3927 3928 4197 4196
4105. 5165 3928 3929 4198 4197; 5166 3929 3930 4199 4198; 5167 3930 3931 4200 4199
4106. 5168 3931 3932 4201 4200; 5169 3932 3933 4202 4201; 5170 3933 3934 4203 4202
4107. 5171 3934 3935 4204 4203; 5172 3935 3936 4205 4204; 5173 3936 3937 4206 4205
4108. 5174 3937 3938 4207 4206; 5175 3938 3939 4208 4207; 5176 3939 3940 4209 4208
4109. 5177 3940 3941 4210 4209; 5178 3941 3942 4211 4210; 5179 3942 3943 4212 4211
4110. 5180 3943 3944 4213 4212; 5181 3944 3945 4214 4213; 5182 3945 3946 4215 4214
4111. 5183 3946 3947 4216 4215; 5184 3947 3948 4217 4216; 5185 3948 3949 4218 4217
4112. 5186 3949 3950 4219 4218; 5187 3950 3951 4220 4219; 5188 3951 3952 4221 4220
4113. 5189 3952 3953 4222 4221; 5190 3953 3954 4223 4222; 5191 3954 3955 4224 4223
4114. 5192 3955 3956 4225 4224; 5193 3956 3957 4226 4225; 5194 3882 3958 4227 4151
4115. 5195 3890 3959 4228 4159; 5196 3898 3960 4229 4167; 5197 3906 3961 4230 4175
4116. 5198 3914 3962 4231 4183; 5199 3922 3963 4232 4191; 5200 3930 3964 4233 4199
4117. 5201 3938 3965 4234 4207; 5202 3946 3966 4235 4215; 5203 3954 3967 4236 4223
4118. 5204 3978 3988 4237; 5205 3979 3989 4238; 5206 3980 3990 4239
4119. 5207 3981 3991 4240; 5208 3982 3992 4241; 5209 3983 3993 4242
4120. 5210 3984 3994 4243; 5211 3985 3995 4244; 5212 3986 3996 4245
4121. 5213 3987 3997 4246; 5214 3988 3998 4247 4237; 5215 3989 3999 4248 4238
4122. 5216 3990 4000 4249 4239; 5217 3991 4001 4250 4240; 5218 3992 4002 4251 4241
4123. 5219 3993 4003 4252 4242; 5220 3994 4004 4253 4243; 5221 3995 4005 4254 4244
4124. 5222 3996 4006 4255 4245; 5223 3997 4007 4256 4246; 5224 3998 4008 4257 4247
4125. 5225 3999 4009 4258 4248; 5226 4000 4010 4259 4249; 5227 4001 4011 4260 4250
4126. 5228 4002 4012 4261 4251; 5229 4003 4013 4262 4252; 5230 4004 4014 4263 4253

4127. 5231 4005 4015 4264 4254; 5232 4006 4016 4265 4255; 5233 4007 4017 4266 4256
4128. 5234 4008 4018 4267 4257; 5235 4009 4019 4268 4258; 5236 4010 4020 4269 4259
4129. 5237 4011 4021 4270 4260; 5238 4012 4022 4271 4261; 5239 4013 4023 4272 4262
4130. 5240 4014 4024 4273 4263; 5241 4015 4025 4274 4264; 5242 4016 4026 4275 4265
4131. 5243 4017 4027 4276 4266; 5244 4018 4028 4277 4267; 5245 4019 4029 4278 4268
4132. 5246 4020 4030 4279 4269; 5247 4021 4031 4280 4270; 5248 4022 4032 4281 4271
4133. 5249 4023 4033 4282 4272; 5250 4024 4034 4283 4273; 5251 4025 4035 4284 4274
4134. 5252 4026 4036 4285 4275; 5253 4027 4037 4286 4276; 5254 4028 4038 4287 4277
4135. 5255 4029 4039 4288 4278; 5256 4030 4040 4289 4279; 5257 4031 4041 4290 4280
4136. 5258 4032 4042 4291 4281; 5259 4033 4043 4292 4282; 5260 4034 4044 4293 4283
4137. 5261 4035 4045 4294 4284; 5262 4036 4046 4295 4285; 5263 4037 4047 4296 4286
4138. 5264 4038 4048 4297 4287; 5265 4039 4049 4298 4288; 5266 4040 4050 4299 4289
4139. 5267 4041 4051 4300 4290; 5268 4042 4052 4301 4291; 5269 4043 4053 4302 4292
4140. 5270 4044 4054 4303 4293; 5271 4045 4055 4304 4294; 5272 4046 4056 4305 4295
4141. 5273 4047 4057 4306 4296; 5274 4048 4058 4307 4297; 5275 4049 4059 4308 4298
4142. 5276 4050 4060 4309 4299; 5277 4051 4061 4310 4300; 5278 4052 4062 4311 4301
4143. 5279 4053 4063 4312 4302; 5280 4054 4064 4313 4303; 5281 4055 4065 4314 4304
4144. 5282 4056 4066 4315 4305; 5283 4057 4067 4316 4306; 5284 4058 4068 4317 4307
4145. 5285 4059 4069 4318 4308; 5286 4060 4070 4319 4309; 5287 4061 4071 4320 4310
4146. 5288 4062 4072 4321 4311; 5289 4063 4073 4322 4312; 5290 4064 4074 4323 4313
4147. 5291 4065 4075 4324 4314; 5292 4066 4076 4325 4315; 5293 4067 4077 4326 4316
4148. 5294 4068 4078 4327 4317; 5295 4069 4079 4328 4318; 5296 4070 4080 4329 4319
4149. 5297 4071 4081 4330 4320; 5298 4072 4082 4331 4321; 5299 4073 4083 4332 4322
4150. 5300 4074 4084 4333 4323; 5301 4075 4085 4334 4324; 5302 4076 4086 4335 4325
4151. 5303 4077 4087 4336 4326; 5304 4078 4088 4337 4327; 5305 4079 4089 4338 4328
4152. 5306 4080 4090 4339 4329; 5307 4081 4091 4340 4330; 5308 4082 4092 4341 4331
4153. 5309 4083 4093 4342 4332; 5310 4084 4094 4343 4333; 5311 4085 4095 4344 4334
4154. 5312 4086 4096 4345 4335; 5313 4087 4097 4346 4336; 5314 4088 4098 4347 4337
4155. 5315 4089 4099 4348 4338; 5316 4090 4100 4349 4339; 5317 4091 4101 4350 4340
4156. 5318 4092 4102 4351 4341; 5319 4093 4103 4352 4342; 5320 4094 4104 4353 4343
4157. 5321 4095 4105 4354 4344; 5322 4096 4106 4355 4345; 5323 4097 4107 4356 4346
4158. 5324 4098 4108 4357 4347; 5325 4099 4109 4358 4348; 5326 4100 4110 4359 4349
4159. 5327 4101 4111 4360 4350; 5328 4102 4112 4361 4351; 5329 4103 4113 4362 4352
4160. 5330 4104 4114 4363 4353; 5331 4105 4115 4364 4354; 5332 4106 4116 4365 4355
4161. 5333 4107 4117 4366 4356; 5334 4108 4118 4367 4357; 5335 4109 4119 4368 4358
4162. 5336 4110 4120 4369 4359; 5337 4111 4121 4370 4360; 5338 4112 4122 4371 4361
4163. 5339 4113 4123 4372 4362; 5340 4114 4124 4373 4363; 5341 4115 4125 4374 4364
4164. 5342 4116 4126 4375 4365; 5343 4117 4127 4376 4366; 5344 4118 4128 4377 4367
4165. 5345 4119 4129 4378 4368; 5346 4120 4130 4379 4369; 5347 4121 4131 4380 4370
4166. 5348 4122 4132 4381 4371; 5349 4123 4133 4382 4372; 5350 4124 4134 4383 4373
4167. 5351 4125 4135 4384 4374; 5352 4126 4136 4385 4375; 5353 4127 4137 4386 4376
4168. 5354 4128 4138 4387 4377; 5355 4129 4139 4388 4378; 5356 4130 4140 4389 4379
4169. 5357 4131 4141 4390 4380; 5358 4132 4142 4391 4381; 5359 4133 4143 4392 4382
4170. 5360 4134 4144 4393 4383; 5361 4135 4145 4394 4384; 5362 4136 4146 4395 4385
4171. 5363 4137 4147 4396 4386; 5364 4138 4151 4400 4387; 5365 4139 4159 4408 4388
4172. 5366 4140 4167 4416 4389; 5367 4141 4175 4424 4390; 5368 4142 4183 4432 4391
4173. 5369 4143 4191 4440 4392; 5370 4144 4199 4448 4393; 5371 4145 4207 4456 4394
4174. 5372 4146 4215 4464 4395; 5373 4147 4223 4472 4396; 5374 4148 4149 4398 4397
4175. 5375 4149 4150 4399 4398; 5376 4150 4151 4400 4399; 5377 4151 4152 4401 4400
4176. 5378 4152 4153 4402 4401; 5379 4153 4154 4403 4402; 5380 4154 4155 4404 4403
4177. 5381 4155 4156 4405 4404; 5382 4156 4157 4406 4405; 5383 4157 4158 4407 4406
4178. 5384 4158 4159 4408 4407; 5385 4159 4160 4409 4408; 5386 4160 4161 4410 4409
4179. 5387 4161 4162 4411 4410; 5388 4162 4163 4412 4411; 5389 4163 4164 4413 4412
4180. 5390 4164 4165 4414 4413; 5391 4165 4166 4415 4414; 5392 4166 4167 4416 4415
4181. 5393 4167 4168 4417 4416; 5394 4168 4169 4418 4417; 5395 4169 4170 4419 4418
4182. 5396 4170 4171 4420 4419; 5397 4171 4172 4421 4420; 5398 4172 4173 4422 4421

4183. 5399 4173 4174 4423 4422; 5400 4174 4175 4424 4423; 5401 4175 4176 4425 4424
4184. 5402 4176 4177 4426 4425; 5403 4177 4178 4427 4426; 5404 4178 4179 4428 4427
4185. 5405 4179 4180 4429 4428; 5406 4180 4181 4430 4429; 5407 4181 4182 4431 4430
4186. 5408 4182 4183 4432 4431; 5409 4183 4184 4433 4432; 5410 4184 4185 4434 4433
4187. 5411 4185 4186 4435 4434; 5412 4186 4187 4436 4435; 5413 4187 4188 4437 4436
4188. 5414 4188 4189 4438 4437; 5415 4189 4190 4439 4438; 5416 4190 4191 4440 4439
4189. 5417 4191 4192 4441 4440; 5418 4192 4193 4442 4441; 5419 4193 4194 4443 4442
4190. 5420 4194 4195 4444 4443; 5421 4195 4196 4445 4444; 5422 4196 4197 4446 4445
4191. 5423 4197 4198 4447 4446; 5424 4198 4199 4448 4447; 5425 4199 4200 4449 4448
4192. 5426 4200 4201 4450 4449; 5427 4201 4202 4451 4450; 5428 4202 4203 4452 4451
4193. 5429 4203 4204 4453 4452; 5430 4204 4205 4454 4453; 5431 4205 4206 4455 4454
4194. 5432 4206 4207 4456 4455; 5433 4207 4208 4457 4456; 5434 4208 4209 4458 4457
4195. 5435 4209 4210 4459 4458; 5436 4210 4211 4460 4459; 5437 4211 4212 4461 4460
4196. 5438 4212 4213 4462 4461; 5439 4213 4214 4463 4462; 5440 4214 4215 4464 4463
4197. 5441 4215 4216 4465 4464; 5442 4216 4217 4466 4465; 5443 4217 4218 4467 4466
4198. 5444 4218 4219 4468 4467; 5445 4219 4220 4469 4468; 5446 4220 4221 4470 4469
4199. 5447 4221 4222 4471 4470; 5448 4222 4223 4472 4471; 5449 4223 4224 4473 4472
4200. 5450 4224 4225 4474 4473; 5451 4225 4226 4475 4474; 5452 4237 4247 4486 4476
4201. 5453 4238 4248 4487 4477; 5454 4239 4249 4488 4478; 5455 4240 4250 4489 4479
4202. 5456 4241 4251 4490 4480; 5457 4242 4252 4491 4481; 5458 4243 4253 4492 4482
4203. 5459 4244 4254 4493 4483; 5460 4245 4255 4494 4484; 5461 4246 4256 4495 4485
4204. 5462 4247 4257 4496 4486; 5463 4248 4258 4497 4487; 5464 4249 4259 4498 4488
4205. 5465 4250 4260 4499 4489; 5466 4251 4261 4500 4490; 5467 4252 4262 4501 4491
4206. 5468 4253 4263 4502 4492; 5469 4254 4264 4503 4493; 5470 4255 4265 4504 4494
4207. 5471 4256 4266 4505 4495; 5472 4257 4267 4506 4496; 5473 4258 4268 4507 4497
4208. 5474 4259 4269 4508 4498; 5475 4260 4270 4509 4499; 5476 4261 4271 4510 4500
4209. 5477 4262 4272 4511 4501; 5478 4263 4273 4512 4502; 5479 4264 4274 4513 4503
4210. 5480 4265 4275 4514 4504; 5481 4266 4276 4515 4505; 5482 4267 4277 4516 4506
4211. 5483 4268 4278 4517 4507; 5484 4269 4279 4518 4508; 5485 4270 4280 4519 4509
4212. 5486 4271 4281 4520 4510; 5487 4272 4282 4521 4511; 5488 4273 4283 4522 4512
4213. 5489 4274 4284 4523 4513; 5490 4275 4285 4524 4514; 5491 4276 4286 4525 4515
4214. 5492 4277 4287 4526 4516; 5493 4278 4288 4527 4517; 5494 4279 4289 4528 4518
4215. 5495 4280 4290 4529 4519; 5496 4281 4291 4530 4520; 5497 4282 4292 4531 4521
4216. 5498 4283 4293 4532 4522; 5499 4284 4294 4533 4523; 5500 4285 4295 4534 4524
4217. 5501 4286 4296 4535 4525; 5502 4287 4297 4536 4526; 5503 4288 4298 4537 4527
4218. 5504 4289 4299 4538 4528; 5505 4290 4300 4539 4529; 5506 4291 4301 4540 4530
4219. 5507 4292 4302 4541 4531; 5508 4293 4303 4542 4532; 5509 4294 4304 4543 4533
4220. 5510 4295 4305 4544 4534; 5511 4296 4306 4545 4535; 5512 4297 4307 4546 4536
4221. 5513 4298 4308 4547 4537; 5514 4299 4309 4548 4538; 5515 4300 4310 4549 4539
4222. 5516 4301 4311 4550 4540; 5517 4302 4312 4551 4541; 5518 4303 4313 4552 4542
4223. 5519 4304 4314 4553 4543; 5520 4305 4315 4554 4544; 5521 4306 4316 4555 4545
4224. 5522 4307 4317 4556 4546; 5523 4308 4318 4557 4547; 5524 4309 4319 4558 4548
4225. 5525 4310 4320 4559 4549; 5526 4311 4321 4560 4550; 5527 4312 4322 4561 4551
4226. 5528 4313 4323 4562 4552; 5529 4314 4324 4563 4553; 5530 4315 4325 4564 4554
4227. 5531 4316 4326 4565 4555; 5532 4317 4327 4566 4556; 5533 4318 4328 4567 4557
4228. 5534 4319 4329 4568 4558; 5535 4320 4330 4569 4559; 5536 4321 4331 4570 4560
4229. 5537 4322 4332 4571 4561; 5538 4323 4333 4572 4562; 5539 4324 4334 4573 4563
4230. 5540 4325 4335 4574 4564; 5541 4326 4336 4575 4565; 5542 4327 4337 4576 4566
4231. 5543 4328 4338 4577 4567; 5544 4329 4339 4578 4568; 5545 4330 4340 4579 4569
4232. 5546 4331 4341 4580 4570; 5547 4332 4342 4581 4571; 5548 4333 4343 4582 4572
4233. 5549 4334 4344 4583 4573; 5550 4335 4345 4584 4574; 5551 4336 4346 4585 4575
4234. 5552 4337 4347 4586 4576; 5553 4338 4348 4587 4577; 5554 4339 4349 4588 4578
4235. 5555 4340 4350 4589 4579; 5556 4341 4351 4590 4580; 5557 4342 4352 4591 4581
4236. 5558 4343 4353 4592 4582; 5559 4344 4354 4593 4583; 5560 4345 4355 4594 4584
4237. 5561 4346 4356 4595 4585; 5562 4347 4357 4596 4586; 5563 4348 4358 4597 4587
4238. 5564 4349 4359 4598 4588; 5565 4350 4360 4599 4589; 5566 4351 4361 4600 4590

4239. 5567 4352 4362 4601 4591; 5568 4353 4363 4602 4592; 5569 4354 4364 4603 4593
4240. 5570 4355 4365 4604 4594; 5571 4356 4366 4605 4595; 5572 4357 4367 4606 4596
4241. 5573 4358 4368 4607 4597; 5574 4359 4369 4608 4598; 5575 4360 4370 4609 4599
4242. 5576 4361 4371 4610 4600; 5577 4362 4372 4611 4601; 5578 4363 4373 4612 4602
4243. 5579 4364 4374 4613 4603; 5580 4365 4375 4614 4604; 5581 4366 4376 4615 4605
4244. 5582 4367 4377 4616 4606; 5583 4368 4378 4617 4607; 5584 4369 4379 4618 4608
4245. 5585 4370 4380 4619 4609; 5586 4371 4381 4620 4610; 5587 4372 4382 4621 4611
4246. 5588 4373 4383 4622 4612; 5589 4374 4384 4623 4613; 5590 4375 4385 4624 4614
4247. 5591 4376 4386 4625 4615; 5592 4377 4387 4626 4616; 5593 4378 4388 4627 4617
4248. 5594 4379 4389 4628 4618; 5595 4380 4390 4629 4619; 5596 4381 4391 4630 4620
4249. 5597 4382 4392 4631 4621; 5598 4383 4393 4632 4622; 5599 4384 4394 4633 4623
4250. 5600 4385 4395 4634 4624; 5601 4386 4396 4635 4625; 5602 4387 4400 4639 4626
4251. 5603 4388 4408 4647 4627; 5604 4389 4416 4655 4628; 5605 4390 4424 4663 4629
4252. 5606 4391 4432 4671 4630; 5607 4392 4440 4679 4631; 5608 4393 4448 4687 4632
4253. 5609 4394 4456 4695 4633; 5610 4395 4464 4703 4634; 5611 4396 4472 4711 4635
4254. 5612 4397 4398 4637 4636; 5613 4398 4399 4638 4637; 5614 4399 4400 4639 4638
4255. 5615 4400 4401 4640 4639; 5616 4401 4402 4641 4640; 5617 4402 4403 4642 4641
4256. 5618 4403 4404 4643 4642; 5619 4404 4405 4644 4643; 5620 4405 4406 4645 4644
4257. 5621 4406 4407 4646 4645; 5622 4407 4408 4647 4646; 5623 4408 4409 4648 4647
4258. 5624 4409 4410 4649 4648; 5625 4410 4411 4650 4649; 5626 4411 4412 4651 4650
4259. 5627 4412 4413 4652 4651; 5628 4413 4414 4653 4652; 5629 4414 4415 4654 4653
4260. 5630 4415 4416 4655 4654; 5631 4416 4417 4656 4655; 5632 4417 4418 4657 4656
4261. 5633 4418 4419 4658 4657; 5634 4419 4420 4659 4658; 5635 4420 4421 4660 4659
4262. 5636 4421 4422 4661 4660; 5637 4422 4423 4662 4661; 5638 4423 4424 4663 4662
4263. 5639 4424 4425 4664 4663; 5640 4425 4426 4665 4664; 5641 4426 4427 4666 4665
4264. 5642 4427 4428 4667 4666; 5643 4428 4429 4668 4667; 5644 4429 4430 4669 4668
4265. 5645 4430 4431 4670 4669; 5646 4431 4432 4671 4670; 5647 4432 4433 4672 4671
4266. 5648 4433 4434 4673 4672; 5649 4434 4435 4674 4673; 5650 4435 4436 4675 4674
4267. 5651 4436 4437 4676 4675; 5652 4437 4438 4677 4676; 5653 4438 4439 4678 4677
4268. 5654 4439 4440 4679 4678; 5655 4440 4441 4680 4679; 5656 4441 4442 4681 4680
4269. 5657 4442 4443 4682 4681; 5658 4443 4444 4683 4682; 5659 4444 4445 4684 4683
4270. 5660 4445 4446 4685 4684; 5661 4446 4447 4686 4685; 5662 4447 4448 4687 4686
4271. 5663 4448 4449 4688 4687; 5664 4449 4450 4689 4688; 5665 4450 4451 4690 4689
4272. 5666 4451 4452 4691 4690; 5667 4452 4453 4692 4691; 5668 4453 4454 4693 4692
4273. 5669 4454 4455 4694 4693; 5670 4455 4456 4695 4694; 5671 4456 4457 4696 4695
4274. 5672 4457 4458 4697 4696; 5673 4458 4459 4698 4697; 5674 4459 4460 4699 4698
4275. 5675 4460 4461 4700 4699; 5676 4461 4462 4701 4700; 5677 4462 4463 4702 4701
4276. 5678 4463 4464 4703 4702; 5679 4464 4465 4704 4703; 5680 4465 4466 4705 4704
4277. 5681 4466 4467 4706 4705; 5682 4467 4468 4707 4706; 5683 4468 4469 4708 4707
4278. 5684 4469 4470 4709 4708; 5685 4470 4471 4710 4709; 5686 4471 4472 4711 4710
4279. 5687 4472 4473 4712 4711; 5688 4473 4474 4713 4712; 5689 4474 4475 4714 4713
4280. 5690 4476 4486 4715; 5691 4477 4487 4716; 5692 4478 4488 4717
4281. 5693 4479 4489 4718; 5694 4480 4490 4719; 5695 4481 4491 4720
4282. 5696 4482 4492 4721; 5697 4483 4493 4722; 5698 4484 4494 4723
4283. 5699 4485 4495 4724; 5700 4486 4496 4725 4715; 5701 4487 4497 4726 4716
4284. 5702 4488 4498 4727 4717; 5703 4489 4499 4728 4718; 5704 4490 4500 4729 4719
4285. 5705 4491 4501 4730 4720; 5706 4492 4502 4731 4721; 5707 4493 4503 4732 4722
4286. 5708 4494 4504 4733 4723; 5709 4495 4505 4734 4724; 5710 4496 4506 4735 4725
4287. 5711 4497 4507 4736 4726; 5712 4498 4508 4737 4727; 5713 4499 4509 4738 4728
4288. 5714 4500 4510 4739 4729; 5715 4501 4511 4740 4730; 5716 4502 4512 4741 4731
4289. 5717 4503 4513 4742 4732; 5718 4504 4514 4743 4733; 5719 4505 4515 4744 4734
4290. 5720 4506 4516 4745 4735; 5721 4507 4517 4746 4736; 5722 4508 4518 4747 4737
4291. 5723 4509 4519 4748 4738; 5724 4510 4520 4749 4739; 5725 4511 4521 4750 4740
4292. 5726 4512 4522 4751 4741; 5727 4513 4523 4752 4742; 5728 4514 4524 4753 4743
4293. 5729 4515 4525 4754 4744; 5730 4516 4526 4755 4745; 5731 4517 4527 4756 4746
4294. 5732 4518 4528 4757 4747; 5733 4519 4529 4758 4748; 5734 4520 4530 4759 4749

4295. 5735 4521 4531 4760 4750; 5736 4522 4532 4761 4751; 5737 4523 4533 4762 4752
4296. 5738 4524 4534 4763 4753; 5739 4525 4535 4764 4754; 5740 4526 4536 4765 4755
4297. 5741 4527 4537 4766 4756; 5742 4528 4538 4767 4757; 5743 4529 4539 4768 4758
4298. 5744 4530 4540 4769 4759; 5745 4531 4541 4770 4760; 5746 4532 4542 4771 4761
4299. 5747 4533 4543 4772 4762; 5748 4534 4544 4773 4763; 5749 4535 4545 4774 4764
4300. 5750 4536 4546 4775 4765; 5751 4537 4547 4776 4766; 5752 4538 4548 4777 4767
4301. 5753 4539 4549 4778 4768; 5754 4540 4550 4779 4769; 5755 4541 4551 4780 4770
4302. 5756 4542 4552 4781 4771; 5757 4543 4553 4782 4772; 5758 4544 4554 4783 4773
4303. 5759 4545 4555 4784 4774; 5760 4546 4556 4785 4775; 5761 4547 4557 4786 4776
4304. 5762 4548 4558 4787 4777; 5763 4549 4559 4788 4778; 5764 4550 4560 4789 4779
4305. 5765 4551 4561 4790 4780; 5766 4552 4562 4791 4781; 5767 4553 4563 4792 4782
4306. 5768 4554 4564 4793 4783; 5769 4555 4565 4794 4784; 5770 4556 4566 4795 4785
4307. 5771 4557 4567 4796 4786; 5772 4558 4568 4797 4787; 5773 4559 4569 4798 4788
4308. 5774 4560 4570 4799 4789; 5775 4561 4571 4800 4790; 5776 4562 4572 4801 4791
4309. 5777 4563 4573 4802 4792; 5778 4564 4574 4803 4793; 5779 4565 4575 4804 4794
4310. 5780 4566 4576 4805 4795; 5781 4567 4577 4806 4796; 5782 4568 4578 4807 4797
4311. 5783 4569 4579 4808 4798; 5784 4570 4580 4809 4799; 5785 4571 4581 4810 4800
4312. 5786 4572 4582 4811 4801; 5787 4573 4583 4812 4802; 5788 4574 4584 4813 4803
4313. 5789 4575 4585 4814 4804; 5790 4576 4586 4815 4805; 5791 4577 4587 4816 4806
4314. 5792 4578 4588 4817 4807; 5793 4579 4589 4818 4808; 5794 4580 4590 4819 4809
4315. 5795 4581 4591 4820 4810; 5796 4582 4592 4821 4811; 5797 4583 4593 4822 4812
4316. 5798 4584 4594 4823 4813; 5799 4585 4595 4824 4814; 5800 4586 4596 4825 4815
4317. 5801 4587 4597 4826 4816; 5802 4588 4598 4827 4817; 5803 4589 4599 4828 4818
4318. 5804 4590 4600 4829 4819; 5805 4591 4601 4830 4820; 5806 4592 4602 4831 4821
4319. 5807 4593 4603 4832 4822; 5808 4594 4604 4833 4823; 5809 4595 4605 4834 4824
4320. 5810 4596 4606 4835 4825; 5811 4597 4607 4836 4826; 5812 4598 4608 4837 4827
4321. 5813 4599 4609 4838 4828; 5814 4600 4610 4839 4829; 5815 4601 4611 4840 4830
4322. 5816 4602 4612 4841 4831; 5817 4603 4613 4842 4832; 5818 4604 4614 4843 4833
4323. 5819 4605 4615 4844 4834; 5820 4606 4616 4845 4835; 5821 4607 4617 4846 4836
4324. 5822 4608 4618 4847 4837; 5823 4609 4619 4848 4838; 5824 4610 4620 4849 4839
4325. 5825 4611 4621 4850 4840; 5826 4612 4622 4851 4841; 5827 4613 4623 4852 4842
4326. 5828 4614 4624 4853 4843; 5829 4615 4625 4854 4844; 5830 4616 4626 4855 4845
4327. 5831 4617 4627 4856 4846; 5832 4618 4628 4857 4847; 5833 4619 4629 4858 4848
4328. 5834 4620 4630 4859 4849; 5835 4621 4631 4860 4850; 5836 4622 4632 4861 4851
4329. 5837 4623 4633 4862 4852; 5838 4624 4634 4863 4853; 5839 4625 4635 4864 4854
4330. 5840 4626 4639 4868 4855; 5841 4627 4647 4876 4856; 5842 4628 4655 4884 4857
4331. 5843 4629 4663 4892 4858; 5844 4630 4671 4900 4859; 5845 4631 4679 4908 4860
4332. 5846 4632 4687 4916 4861; 5847 4633 4695 4924 4862; 5848 4634 4703 4932 4863
4333. 5849 4635 4711 4940 4864; 5850 4636 4637 4866 4865; 5851 4637 4638 4867 4866
4334. 5852 4638 4639 4868 4867; 5853 4639 4640 4869 4868; 5854 4640 4641 4870 4869
4335. 5855 4641 4642 4871 4870; 5856 4642 4643 4872 4871; 5857 4643 4644 4873 4872
4336. 5858 4644 4645 4874 4873; 5859 4645 4646 4875 4874; 5860 4646 4647 4876 4875
4337. 5861 4647 4648 4877 4876; 5862 4648 4649 4878 4877; 5863 4649 4650 4879 4878
4338. 5864 4650 4651 4880 4879; 5865 4651 4652 4881 4880; 5866 4652 4653 4882 4881
4339. 5867 4653 4654 4883 4882; 5868 4654 4655 4884 4883; 5869 4655 4656 4885 4884
4340. 5870 4656 4657 4886 4885; 5871 4657 4658 4887 4886; 5872 4658 4659 4888 4887
4341. 5873 4659 4660 4889 4888; 5874 4660 4661 4890 4889; 5875 4661 4662 4891 4890
4342. 5876 4662 4663 4892 4891; 5877 4663 4664 4893 4892; 5878 4664 4665 4894 4893
4343. 5879 4665 4666 4895 4894; 5880 4666 4667 4896 4895; 5881 4667 4668 4897 4896
4344. 5882 4668 4669 4898 4897; 5883 4669 4670 4899 4898; 5884 4670 4671 4900 4899
4345. 5885 4671 4672 4901 4900; 5886 4672 4673 4902 4901; 5887 4673 4674 4903 4902
4346. 5888 4674 4675 4904 4903; 5889 4675 4676 4905 4904; 5890 4676 4677 4906 4905
4347. 5891 4677 4678 4907 4906; 5892 4678 4679 4908 4907; 5893 4679 4680 4909 4908
4348. 5894 4680 4681 4910 4909; 5895 4681 4682 4911 4910; 5896 4682 4683 4912 4911
4349. 5897 4683 4684 4913 4912; 5898 4684 4685 4914 4913; 5899 4685 4686 4915 4914
4350. 5900 4686 4687 4916 4915; 5901 4687 4688 4917 4916; 5902 4688 4689 4918 4917

4351. 5903 4689 4690 4919 4918; 5904 4690 4691 4920 4919; 5905 4691 4692 4921 4920
4352. 5906 4692 4693 4922 4921; 5907 4693 4694 4923 4922; 5908 4694 4695 4924 4923
4353. 5909 4695 4696 4925 4924; 5910 4696 4697 4926 4925; 5911 4697 4698 4927 4926
4354. 5912 4698 4699 4928 4927; 5913 4699 4700 4929 4928; 5914 4700 4701 4930 4929
4355. 5915 4701 4702 4931 4930; 5916 4702 4703 4932 4931; 5917 4703 4704 4933 4932
4356. 5918 4704 4705 4934 4933; 5919 4705 4706 4935 4934; 5920 4706 4707 4936 4935
4357. 5921 4707 4708 4937 4936; 5922 4708 4709 4938 4937; 5923 4709 4710 4939 4938
4358. 5924 4710 4711 4940 4939; 5925 4711 4712 4941 4940; 5926 4712 4713 4942 4941
4359. 5927 4713 4714 4943 4942; 5928 4715 4725 4954 4944; 5929 4716 4726 4955 4945
4360. 5930 4717 4727 4956 4946; 5931 4718 4728 4957 4947; 5932 4719 4729 4958 4948
4361. 5933 4720 4730 4959 4949; 5934 4721 4731 4960 4950; 5935 4722 4732 4961 4951
4362. 5936 4723 4733 4962 4952; 5937 4724 4734 4963 4953; 5938 4725 4735 4964 4954
4363. 5939 4726 4736 4965 4955; 5940 4727 4737 4966 4956; 5941 4728 4738 4967 4957
4364. 5942 4729 4739 4968 4958; 5943 4730 4740 4969 4959; 5944 4731 4741 4970 4960
4365. 5945 4732 4742 4971 4961; 5946 4733 4743 4972 4962; 5947 4734 4744 4973 4963
4366. 5948 4735 4745 4974 4964; 5949 4736 4746 4975 4965; 5950 4737 4747 4976 4966
4367. 5951 4738 4748 4977 4967; 5952 4739 4749 4978 4968; 5953 4740 4750 4979 4969
4368. 5954 4741 4751 4980 4970; 5955 4742 4752 4981 4971; 5956 4743 4753 4982 4972
4369. 5957 4744 4754 4983 4973; 5958 4745 4755 4984 4974; 5959 4746 4756 4985 4975
4370. 5960 4747 4757 4986 4976; 5961 4748 4758 4987 4977; 5962 4749 4759 4988 4978
4371. 5963 4750 4760 4989 4979; 5964 4751 4761 4990 4980; 5965 4752 4762 4991 4981
4372. 5966 4753 4763 4992 4982; 5967 4754 4764 4993 4983; 5968 4755 4765 4994 4984
4373. 5969 4756 4766 4995 4985; 5970 4757 4767 4996 4986; 5971 4758 4768 4997 4987
4374. 5972 4759 4769 4998 4988; 5973 4760 4770 4999 4989; 5974 4761 4771 5000 4990
4375. 5975 4762 4772 5001 4991; 5976 4763 4773 5002 4992; 5977 4764 4774 5003 4993
4376. 5978 4765 4775 5004 4994; 5979 4766 4776 5005 4995; 5980 4767 4777 5006 4996
4377. 5981 4768 4778 5007 4997; 5982 4769 4779 5008 4998; 5983 4770 4780 5009 4999
4378. 5984 4771 4781 5010 5000; 5985 4772 4782 5011 5001; 5986 4773 4783 5012 5002
4379. 5987 4774 4784 5013 5003; 5988 4775 4785 5014 5004; 5989 4776 4786 5015 5005
4380. 5990 4777 4787 5016 5006; 5991 4778 4788 5017 5007; 5992 4779 4789 5018 5008
4381. 5993 4780 4790 5019 5009; 5994 4781 4791 5020 5010; 5995 4782 4792 5021 5011
4382. 5996 4783 4793 5022 5012; 5997 4784 4794 5023 5013; 5998 4785 4795 5024 5014
4383. 5999 4786 4796 5025 5015; 6000 4787 4797 5026 5016; 6001 4788 4798 5027 5017
4384. 6002 4789 4799 5028 5018; 6003 4790 4800 5029 5019; 6004 4791 4801 5030 5020
4385. 6005 4792 4802 5031 5021; 6006 4793 4803 5032 5022; 6007 4794 4804 5033 5023
4386. 6008 4795 4805 5034 5024; 6009 4796 4806 5035 5025; 6010 4797 4807 5036 5026
4387. 6011 4798 4808 5037 5027; 6012 4799 4809 5038 5028; 6013 4800 4810 5039 5029
4388. 6014 4801 4811 5040 5030; 6015 4802 4812 5041 5031; 6016 4803 4813 5042 5032
4389. 6017 4804 4814 5043 5033; 6018 4805 4815 5044 5034; 6019 4806 4816 5045 5035
4390. 6020 4807 4817 5046 5036; 6021 4808 4818 5047 5037; 6022 4809 4819 5048 5038
4391. 6023 4810 4820 5049 5039; 6024 4811 4821 5050 5040; 6025 4812 4822 5051 5041
4392. 6026 4813 4823 5052 5042; 6027 4814 4824 5053 5043; 6028 4815 4825 5054 5044
4393. 6029 4816 4826 5055 5045; 6030 4817 4827 5056 5046; 6031 4818 4828 5057 5047
4394. 6032 4819 4829 5058 5048; 6033 4820 4830 5059 5049; 6034 4821 4831 5060 5050
4395. 6035 4822 4832 5061 5051; 6036 4823 4833 5062 5052; 6037 4824 4834 5063 5053
4396. 6038 4825 4835 5064 5054; 6039 4826 4836 5065 5055; 6040 4827 4837 5066 5056
4397. 6041 4828 4838 5067 5057; 6042 4829 4839 5068 5058; 6043 4830 4840 5069 5059
4398. 6044 4831 4841 5070 5060; 6045 4832 4842 5071 5061; 6046 4833 4843 5072 5062
4399. 6047 4834 4844 5073 5063; 6048 4835 4845 5074 5064; 6049 4836 4846 5075 5065
4400. 6050 4837 4847 5076 5066; 6051 4838 4848 5077 5067; 6052 4839 4849 5078 5068
4401. 6053 4840 4850 5079 5069; 6054 4841 4851 5080 5070; 6055 4842 4852 5081 5071
4402. 6056 4843 4853 5082 5072; 6057 4844 4854 5083 5073; 6058 4845 4855 5084 5074
4403. 6059 4846 4856 5085 5075; 6060 4847 4857 5086 5076; 6061 4848 4858 5087 5077
4404. 6062 4849 4859 5088 5078; 6063 4850 4860 5089 5079; 6064 4851 4861 5090 5080
4405. 6065 4852 4862 5091 5081; 6066 4853 4863 5092 5082; 6067 4854 4864 5093 5083
4406. 6068 4855 4868 5097 5084; 6069 4856 4876 5105 5085; 6070 4857 4884 5113 5086

4407. 6071 4858 4892 5121 5087; 6072 4859 4900 5129 5088; 6073 4860 4908 5137 5089
4408. 6074 4861 4916 5145 5090; 6075 4862 4924 5153 5091; 6076 4863 4932 5161 5092
4409. 6077 4864 4940 5169 5093; 6078 4865 4866 5095 5094; 6079 4866 4867 5096 5095
4410. 6080 4867 4868 5097 5096; 6081 4868 4869 5098 5097; 6082 4869 4870 5099 5098
4411. 6083 4870 4871 5100 5099; 6084 4871 4872 5101 5100; 6085 4872 4873 5102 5101
4412. 6086 4873 4874 5103 5102; 6087 4874 4875 5104 5103; 6088 4875 4876 5105 5104
4413. 6089 4876 4877 5106 5105; 6090 4877 4878 5107 5106; 6091 4878 4879 5108 5107
4414. 6092 4879 4880 5109 5108; 6093 4880 4881 5110 5109; 6094 4881 4882 5111 5110
4415. 6095 4882 4883 5112 5111; 6096 4883 4884 5113 5112; 6097 4884 4885 5114 5113
4416. 6098 4885 4886 5115 5114; 6099 4886 4887 5116 5115; 6100 4887 4888 5117 5116
4417. 6101 4888 4889 5118 5117; 6102 4889 4890 5119 5118; 6103 4890 4891 5120 5119
4418. 6104 4891 4892 5121 5120; 6105 4892 4893 5122 5121; 6106 4893 4894 5123 5122
4419. 6107 4894 4895 5124 5123; 6108 4895 4896 5125 5124; 6109 4896 4897 5126 5125
4420. 6110 4897 4898 5127 5126; 6111 4898 4899 5128 5127; 6112 4899 4900 5129 5128
4421. 6113 4900 4901 5130 5129; 6114 4901 4902 5131 5130; 6115 4902 4903 5132 5131
4422. 6116 4903 4904 5133 5132; 6117 4904 4905 5134 5133; 6118 4905 4906 5135 5134
4423. 6119 4906 4907 5136 5135; 6120 4907 4908 5137 5136; 6121 4908 4909 5138 5137
4424. 6122 4909 4910 5139 5138; 6123 4910 4911 5140 5139; 6124 4911 4912 5141 5140
4425. 6125 4912 4913 5142 5141; 6126 4913 4914 5143 5142; 6127 4914 4915 5144 5143
4426. 6128 4915 4916 5145 5144; 6129 4916 4917 5146 5145; 6130 4917 4918 5147 5146
4427. 6131 4918 4919 5148 5147; 6132 4919 4920 5149 5148; 6133 4920 4921 5150 5149
4428. 6134 4921 4922 5151 5150; 6135 4922 4923 5152 5151; 6136 4923 4924 5153 5152
4429. 6137 4924 4925 5154 5153; 6138 4925 4926 5155 5154; 6139 4926 4927 5156 5155
4430. 6140 4927 4928 5157 5156; 6141 4928 4929 5158 5157; 6142 4929 4930 5159 5158
4431. 6143 4930 4931 5160 5159; 6144 4931 4932 5161 5160; 6145 4932 4933 5162 5161
4432. 6146 4933 4934 5163 5162; 6147 4934 4935 5164 5163; 6148 4935 4936 5165 5164
4433. 6149 4936 4937 5166 5165; 6150 4937 4938 5167 5166; 6151 4938 4939 5168 5167
4434. 6152 4939 4940 5169 5168; 6153 4940 4941 5170 5169; 6154 4941 4942 5171 5170
4435. 6155 4942 4943 5172 5171; 6156 4944 4954 5173; 6157 4945 4955 5174
4436. 6158 4946 4956 5175; 6159 4947 4957 5176; 6160 4948 4958 5177
4437. 6161 4949 4959 5178; 6162 4950 4960 5179; 6163 4951 4961 5180
4438. 6164 4952 4962 5181; 6165 4953 4963 5182; 6166 4954 4964 5183 5173
4439. 6167 4955 4965 5184 5174; 6168 4956 4966 5185 5175; 6169 4957 4967 5186 5176
4440. 6170 4958 4968 5187 5177; 6171 4959 4969 5188 5178; 6172 4960 4970 5189 5179
4441. 6173 4961 4971 5190 5180; 6174 4962 4972 5191 5181; 6175 4963 4973 5192 5182
4442. 6176 4964 4974 5193 5183; 6177 4965 4975 5194 5184; 6178 4966 4976 5195 5185
4443. 6179 4967 4977 5196 5186; 6180 4968 4978 5197 5187; 6181 4969 4979 5198 5188
4444. 6182 4970 4980 5199 5189; 6183 4971 4981 5200 5190; 6184 4972 4982 5201 5191
4445. 6185 4973 4983 5202 5192; 6186 4974 4984 5203 5193; 6187 4975 4985 5204 5194
4446. 6188 4976 4986 5205 5195; 6189 4977 4987 5206 5196; 6190 4978 4988 5207 5197
4447. 6191 4979 4989 5208 5198; 6192 4980 4990 5209 5199; 6193 4981 4991 5210 5200
4448. 6194 4982 4992 5211 5201; 6195 4983 4993 5212 5202; 6196 4984 4994 5213 5203
4449. 6197 4985 4995 5214 5204; 6198 4986 4996 5215 5205; 6199 4987 4997 5216 5206
4450. 6200 4988 4998 5217 5207; 6201 4989 4999 5218 5208; 6202 4990 5000 5219 5209
4451. 6203 4991 5001 5220 5210; 6204 4992 5002 5221 5211; 6205 4993 5003 5222 5212
4452. 6206 4994 5004 5223 5213; 6207 4995 5005 5224 5214; 6208 4996 5006 5225 5215
4453. 6209 4997 5007 5226 5216; 6210 4998 5008 5227 5217; 6211 4999 5009 5228 5218
4454. 6212 5000 5010 5229 5219; 6213 5001 5011 5230 5220; 6214 5002 5012 5231 5221
4455. 6215 5003 5013 5232 5222; 6216 5004 5014 5233 5223; 6217 5005 5015 5234 5224
4456. 6218 5006 5016 5235 5225; 6219 5007 5017 5236 5226; 6220 5008 5018 5237 5227
4457. 6221 5009 5019 5238 5228; 6222 5010 5020 5239 5229; 6223 5011 5021 5240 5230
4458. 6224 5012 5022 5241 5231; 6225 5013 5023 5242 5232; 6226 5014 5024 5243 5233
4459. 6227 5015 5025 5244 5234; 6228 5016 5026 5245 5235; 6229 5017 5027 5246 5236
4460. 6230 5018 5028 5247 5237; 6231 5019 5029 5248 5238; 6232 5020 5030 5249 5239
4461. 6233 5021 5031 5250 5240; 6234 5022 5032 5251 5241; 6235 5023 5033 5252 5242
4462. 6236 5024 5034 5253 5243; 6237 5025 5035 5254 5244; 6238 5026 5036 5255 5245

4463. 6239 5027 5037 5256 5246; 6240 5028 5038 5257 5247; 6241 5029 5039 5258 5248
4464. 6242 5030 5040 5259 5249; 6243 5031 5041 5260 5250; 6244 5032 5042 5261 5251
4465. 6245 5033 5043 5262 5252; 6246 5034 5044 5263 5253; 6247 5035 5045 5264 5254
4466. 6248 5036 5046 5265 5255; 6249 5037 5047 5266 5256; 6250 5038 5048 5267 5257
4467. 6251 5039 5049 5268 5258; 6252 5040 5050 5269 5259; 6253 5041 5051 5270 5260
4468. 6254 5042 5052 5271 5261; 6255 5043 5053 5272 5262; 6256 5044 5054 5273 5263
4469. 6257 5045 5055 5274 5264; 6258 5046 5056 5275 5265; 6259 5047 5057 5276 5266
4470. 6260 5048 5058 5277 5267; 6261 5049 5059 5278 5268; 6262 5050 5060 5279 5269
4471. 6263 5051 5061 5280 5270; 6264 5052 5062 5281 5271; 6265 5053 5063 5282 5272
4472. 6266 5054 5064 5283 5273; 6267 5055 5065 5284 5274; 6268 5056 5066 5285 5275
4473. 6269 5057 5067 5286 5276; 6270 5058 5068 5287 5277; 6271 5059 5069 5288 5278
4474. 6272 5060 5070 5289 5279; 6273 5061 5071 5290 5280; 6274 5062 5072 5291 5281
4475. 6275 5063 5073 5292 5282; 6276 5064 5074 5293 5283; 6277 5065 5075 5294 5284
4476. 6278 5066 5076 5295 5285; 6279 5067 5077 5296 5286; 6280 5068 5078 5297 5287
4477. 6281 5069 5079 5298 5288; 6282 5070 5080 5299 5289; 6283 5071 5081 5300 5290
4478. 6284 5072 5082 5301 5291; 6285 5073 5083 5302 5292; 6286 5074 5084 5303 5293
4479. 6287 5075 5085 5304 5294; 6288 5076 5086 5305 5295; 6289 5077 5087 5306 5296
4480. 6290 5078 5088 5307 5297; 6291 5079 5089 5308 5298; 6292 5080 5090 5309 5299
4481. 6293 5081 5091 5310 5300; 6294 5082 5092 5311 5301; 6295 5083 5093 5312 5302
4482. 6296 5084 5097 5316 5303; 6297 5085 5105 5324 5304; 6298 5086 5113 5332 5305
4483. 6299 5087 5121 5340 5306; 6300 5088 5129 5348 5307; 6301 5089 5137 5356 5308
4484. 6302 5090 5145 5364 5309; 6303 5091 5153 5372 5310; 6304 5092 5161 5380 5311
4485. 6305 5093 5169 5388 5312; 6306 5094 5095 5314 5313; 6307 5095 5096 5315 5314
4486. 6308 5096 5097 5316 5315; 6309 5097 5098 5317 5316; 6310 5098 5099 5318 5317
4487. 6311 5099 5100 5319 5318; 6312 5100 5101 5320 5319; 6313 5101 5102 5321 5320
4488. 6314 5102 5103 5322 5321; 6315 5103 5104 5323 5322; 6316 5104 5105 5324 5323
4489. 6317 5105 5106 5325 5324; 6318 5106 5107 5326 5325; 6319 5107 5108 5327 5326
4490. 6320 5108 5109 5328 5327; 6321 5109 5110 5329 5328; 6322 5110 5111 5330 5329
4491. 6323 5111 5112 5331 5330; 6324 5112 5113 5332 5331; 6325 5113 5114 5333 5332
4492. 6326 5114 5115 5334 5333; 6327 5115 5116 5335 5334; 6328 5116 5117 5336 5335
4493. 6329 5117 5118 5337 5336; 6330 5118 5119 5338 5337; 6331 5119 5120 5339 5338
4494. 6332 5120 5121 5340 5339; 6333 5121 5122 5341 5340; 6334 5122 5123 5342 5341
4495. 6335 5123 5124 5343 5342; 6336 5124 5125 5344 5343; 6337 5125 5126 5345 5344
4496. 6338 5126 5127 5346 5345; 6339 5127 5128 5347 5346; 6340 5128 5129 5348 5347
4497. 6341 5129 5130 5349 5348; 6342 5130 5131 5350 5349; 6343 5131 5132 5351 5350
4498. 6344 5132 5133 5352 5351; 6345 5133 5134 5353 5352; 6346 5134 5135 5354 5353
4499. 6347 5135 5136 5355 5354; 6348 5136 5137 5356 5355; 6349 5137 5138 5357 5356
4500. 6350 5138 5139 5358 5357; 6351 5139 5140 5359 5358; 6352 5140 5141 5360 5359
4501. 6353 5141 5142 5361 5360; 6354 5142 5143 5362 5361; 6355 5143 5144 5363 5362
4502. 6356 5144 5145 5364 5363; 6357 5145 5146 5365 5364; 6358 5146 5147 5366 5365
4503. 6359 5147 5148 5367 5366; 6360 5148 5149 5368 5367; 6361 5149 5150 5369 5368
4504. 6362 5150 5151 5370 5369; 6363 5151 5152 5371 5370; 6364 5152 5153 5372 5371
4505. 6365 5153 5154 5373 5372; 6366 5154 5155 5374 5373; 6367 5155 5156 5375 5374
4506. 6368 5156 5157 5376 5375; 6369 5157 5158 5377 5376; 6370 5158 5159 5378 5377
4507. 6371 5159 5160 5379 5378; 6372 5160 5161 5380 5379; 6373 5161 5162 5381 5380
4508. 6374 5162 5163 5382 5381; 6375 5163 5164 5383 5382; 6376 5164 5165 5384 5383
4509. 6377 5165 5166 5385 5384; 6378 5166 5167 5386 5385; 6379 5167 5168 5387 5386
4510. 6380 5168 5169 5388 5387; 6381 5169 5170 5389 5388; 6382 5170 5171 5390 5389
4511. 6383 5171 5172 5391 5390; 6384 5173 5183 5402 5392; 6385 5174 5184 5403 5393
4512. 6386 5175 5185 5404 5394; 6387 5176 5186 5405 5395; 6388 5177 5187 5406 5396
4513. 6389 5178 5188 5407 5397; 6390 5179 5189 5408 5398; 6391 5180 5190 5409 5399
4514. 6392 5181 5191 5410 5400; 6393 5182 5192 5411 5401; 6394 5183 5193 5412 5402
4515. 6395 5184 5194 5413 5403; 6396 5185 5195 5414 5404; 6397 5186 5196 5415 5405
4516. 6398 5187 5197 5416 5406; 6399 5188 5198 5417 5407; 6400 5189 5199 5418 5408
4517. 6401 5190 5200 5419 5409; 6402 5191 5201 5420 5410; 6403 5192 5202 5421 5411
4518. 6404 5193 5203 5422 5412; 6405 5194 5204 5423 5413; 6406 5195 5205 5424 5414

4519. 6407 5196 5206 5425 5415; 6408 5197 5207 5426 5416; 6409 5198 5208 5427 5417
4520. 6410 5199 5209 5428 5418; 6411 5200 5210 5429 5419; 6412 5201 5211 5430 5420
4521. 6413 5202 5212 5431 5421; 6414 5203 5213 5432 5422; 6415 5204 5214 5433 5423
4522. 6416 5205 5215 5434 5424; 6417 5206 5216 5435 5425; 6418 5207 5217 5436 5426
4523. 6419 5208 5218 5437 5427; 6420 5209 5219 5438 5428; 6421 5210 5220 5439 5429
4524. 6422 5211 5221 5440 5430; 6423 5212 5222 5441 5431; 6424 5213 5223 5442 5432
4525. 6425 5214 5224 5443 5433; 6426 5215 5225 5444 5434; 6427 5216 5226 5445 5435
4526. 6428 5217 5227 5446 5436; 6429 5218 5228 5447 5437; 6430 5219 5229 5448 5438
4527. 6431 5220 5230 5449 5439; 6432 5221 5231 5450 5440; 6433 5222 5232 5451 5441
4528. 6434 5223 5233 5452 5442; 6435 5224 5234 5453 5443; 6436 5225 5235 5454 5444
4529. 6437 5226 5236 5455 5445; 6438 5227 5237 5456 5446; 6439 5228 5238 5457 5447
4530. 6440 5229 5239 5458 5448; 6441 5230 5240 5459 5449; 6442 5231 5241 5460 5450
4531. 6443 5232 5242 5461 5451; 6444 5233 5243 5462 5452; 6445 5234 5244 5463 5453
4532. 6446 5235 5245 5464 5454; 6447 5236 5246 5465 5455; 6448 5237 5247 5466 5456
4533. 6449 5238 5248 5467 5457; 6450 5239 5249 5468 5458; 6451 5240 5250 5469 5459
4534. 6452 5241 5251 5470 5460; 6453 5242 5252 5471 5461; 6454 5243 5253 5472 5462
4535. 6455 5244 5254 5473 5463; 6456 5245 5255 5474 5464; 6457 5246 5256 5475 5465
4536. 6458 5247 5257 5476 5466; 6459 5248 5258 5477 5467; 6460 5249 5259 5478 5468
4537. 6461 5250 5260 5479 5469; 6462 5251 5261 5480 5470; 6463 5252 5262 5481 5471
4538. 6464 5253 5263 5482 5472; 6465 5254 5264 5483 5473; 6466 5255 5265 5484 5474
4539. 6467 5256 5266 5485 5475; 6468 5257 5267 5486 5476; 6469 5258 5268 5487 5477
4540. 6470 5259 5269 5488 5478; 6471 5260 5270 5489 5479; 6472 5261 5271 5490 5480
4541. 6473 5262 5272 5491 5481; 6474 5263 5273 5492 5482; 6475 5264 5274 5493 5483
4542. 6476 5265 5275 5494 5484; 6477 5266 5276 5495 5485; 6478 5267 5277 5496 5486
4543. 6479 5268 5278 5497 5487; 6480 5269 5279 5498 5488; 6481 5270 5280 5499 5489
4544. 6482 5271 5281 5500 5490; 6483 5272 5282 5501 5491; 6484 5273 5283 5502 5492
4545. 6485 5274 5284 5503 5493; 6486 5275 5285 5504 5494; 6487 5276 5286 5505 5495
4546. 6488 5277 5287 5506 5496; 6489 5278 5288 5507 5497; 6490 5279 5289 5508 5498
4547. 6491 5280 5290 5509 5499; 6492 5281 5291 5510 5500; 6493 5282 5292 5511 5501
4548. 6494 5283 5293 5512 5502; 6495 5284 5294 5513 5503; 6496 5285 5295 5514 5504
4549. 6497 5286 5296 5515 5505; 6498 5287 5297 5516 5506; 6499 5288 5298 5517 5507
4550. 6500 5289 5299 5518 5508; 6501 5290 5300 5519 5509; 6502 5291 5301 5520 5510
4551. 6503 5292 5302 5521 5511; 6504 5293 5303 5522 5512; 6505 5294 5304 5523 5513
4552. 6506 5295 5305 5524 5514; 6507 5296 5306 5525 5515; 6508 5297 5307 5526 5516
4553. 6509 5298 5308 5527 5517; 6510 5299 5309 5528 5518; 6511 5300 5310 5529 5519
4554. 6512 5301 5311 5530 5520; 6513 5302 5312 5531 5521; 6514 5303 5316 5535 5522
4555. 6515 5304 5324 5543 5523; 6516 5305 5332 5551 5524; 6517 5306 5340 5559 5525
4556. 6518 5307 5348 5567 5526; 6519 5308 5356 5575 5527; 6520 5309 5364 5583 5528
4557. 6521 5310 5372 5591 5529; 6522 5311 5380 5599 5530; 6523 5312 5388 5607 5531
4558. 6524 5313 5314 5533 5532; 6525 5314 5315 5534 5533; 6526 5315 5316 5535 5534
4559. 6527 5316 5317 5536 5535; 6528 5317 5318 5537 5536; 6529 5318 5319 5538 5537
4560. 6530 5319 5320 5539 5538; 6531 5320 5321 5540 5539; 6532 5321 5322 5541 5540
4561. 6533 5322 5323 5542 5541; 6534 5323 5324 5543 5542; 6535 5324 5325 5544 5543
4562. 6536 5325 5326 5545 5544; 6537 5326 5327 5546 5545; 6538 5327 5328 5547 5546
4563. 6539 5328 5329 5548 5547; 6540 5329 5330 5549 5548; 6541 5330 5331 5550 5549
4564. 6542 5331 5332 5551 5550; 6543 5332 5333 5552 5551; 6544 5333 5334 5553 5552
4565. 6545 5334 5335 5554 5553; 6546 5335 5336 5555 5554; 6547 5336 5337 5556 5555
4566. 6548 5337 5338 5557 5556; 6549 5338 5339 5558 5557; 6550 5339 5340 5559 5558
4567. 6551 5340 5341 5560 5559; 6552 5341 5342 5561 5560; 6553 5342 5343 5562 5561
4568. 6554 5343 5344 5563 5562; 6555 5344 5345 5564 5563; 6556 5345 5346 5565 5564
4569. 6557 5346 5347 5566 5565; 6558 5347 5348 5567 5566; 6559 5348 5349 5568 5567
4570. 6560 5349 5350 5569 5568; 6561 5350 5351 5570 5569; 6562 5351 5352 5571 5570
4571. 6563 5352 5353 5572 5571; 6564 5353 5354 5573 5572; 6565 5354 5355 5574 5573
4572. 6566 5355 5356 5575 5574; 6567 5356 5357 5576 5575; 6568 5357 5358 5577 5576
4573. 6569 5358 5359 5578 5577; 6570 5359 5360 5579 5578; 6571 5360 5361 5580 5579
4574. 6572 5361 5362 5581 5580; 6573 5362 5363 5582 5581; 6574 5363 5364 5583 5582

4575. 6575 5364 5365 5584 5583; 6576 5365 5366 5585 5584; 6577 5366 5367 5586 5585
4576. 6578 5367 5368 5587 5586; 6579 5368 5369 5588 5587; 6580 5369 5370 5589 5588
4577. 6581 5370 5371 5590 5589; 6582 5371 5372 5591 5590; 6583 5372 5373 5592 5591
4578. 6584 5373 5374 5593 5592; 6585 5374 5375 5594 5593; 6586 5375 5376 5595 5594
4579. 6587 5376 5377 5596 5595; 6588 5377 5378 5597 5596; 6589 5378 5379 5598 5597
4580. 6590 5379 5380 5599 5598; 6591 5380 5381 5600 5599; 6592 5381 5382 5601 5600
4581. 6593 5382 5383 5602 5601; 6594 5383 5384 5603 5602; 6595 5384 5385 5604 5603
4582. 6596 5385 5386 5605 5604; 6597 5386 5387 5606 5605; 6598 5387 5388 5607 5606
4583. 6599 5388 5389 5608 5607; 6600 5389 5390 5609 5608; 6601 5390 5391 5610 5609
4584. 6602 5392 5402 5611; 6603 5393 5403 5612; 6604 5394 5404 5613
4585. 6605 5395 5405 5614; 6606 5396 5406 5615; 6607 5397 5407 5616
4586. 6608 5398 5408 5617; 6609 5399 5409 5618; 6610 5400 5410 5619
4587. 6611 5401 5411 5620; 6612 5402 5412 5621 5611; 6613 5403 5413 5622 5612
4588. 6614 5404 5414 5623 5613; 6615 5405 5415 5624 5614; 6616 5406 5416 5625 5615
4589. 6617 5407 5417 5626 5616; 6618 5408 5418 5627 5617; 6619 5409 5419 5628 5618
4590. 6620 5410 5420 5629 5619; 6621 5411 5421 5630 5620; 6622 5412 5422 5631 5621
4591. 6623 5413 5423 5632 5622; 6624 5414 5424 5633 5623; 6625 5415 5425 5634 5624
4592. 6626 5416 5426 5635 5625; 6627 5417 5427 5636 5626; 6628 5418 5428 5637 5627
4593. 6629 5419 5429 5638 5628; 6630 5420 5430 5639 5629; 6631 5421 5431 5640 5630
4594. 6632 5422 5432 5641 5631; 6633 5423 5433 5642 5632; 6634 5424 5434 5643 5633
4595. 6635 5425 5435 5644 5634; 6636 5426 5436 5645 5635; 6637 5427 5437 5646 5636
4596. 6638 5428 5438 5647 5637; 6639 5429 5439 5648 5638; 6640 5430 5440 5649 5639
4597. 6641 5431 5441 5650 5640; 6642 5432 5442 5651 5641; 6643 5433 5443 5652 5642
4598. 6644 5434 5444 5653 5643; 6645 5435 5445 5654 5644; 6646 5436 5446 5655 5645
4599. 6647 5437 5447 5656 5646; 6648 5438 5448 5657 5647; 6649 5439 5449 5658 5648
4600. 6650 5440 5450 5659 5649; 6651 5441 5451 5660 5650; 6652 5442 5452 5661 5651
4601. 6653 5443 5453 5662 5652; 6654 5444 5454 5663 5653; 6655 5445 5455 5664 5654
4602. 6656 5446 5456 5665 5655; 6657 5447 5457 5666 5656; 6658 5448 5458 5667 5657
4603. 6659 5449 5459 5668 5658; 6660 5450 5460 5669 5659; 6661 5451 5461 5670 5660
4604. 6662 5452 5462 5671 5661; 6663 5453 5463 5672 5662; 6664 5454 5464 5673 5663
4605. 6665 5455 5465 5674 5664; 6666 5456 5466 5675 5665; 6667 5457 5467 5676 5666
4606. 6668 5458 5468 5677 5667; 6669 5459 5469 5678 5668; 6670 5460 5470 5679 5669
4607. 6671 5461 5471 5680 5670; 6672 5462 5472 5681 5671; 6673 5463 5473 5682 5672
4608. 6674 5464 5474 5683 5673; 6675 5465 5475 5684 5674; 6676 5466 5476 5685 5675
4609. 6677 5467 5477 5686 5676; 6678 5468 5478 5687 5677; 6679 5469 5479 5688 5678
4610. 6680 5470 5480 5689 5679; 6681 5471 5481 5690 5680; 6682 5472 5482 5691 5681
4611. 6683 5473 5483 5692 5682; 6684 5474 5484 5693 5683; 6685 5475 5485 5694 5684
4612. 6686 5476 5486 5695 5685; 6687 5477 5487 5696 5686; 6688 5478 5488 5697 5687
4613. 6689 5479 5489 5698 5688; 6690 5480 5490 5699 5689; 6691 5481 5491 5700 5690
4614. 6692 5482 5492 5701 5691; 6693 5483 5493 5702 5692; 6694 5484 5494 5703 5693
4615. 6695 5485 5495 5704 5694; 6696 5486 5496 5705 5695; 6697 5487 5497 5706 5696
4616. 6698 5488 5498 5707 5697; 6699 5489 5499 5708 5698; 6700 5490 5500 5709 5699
4617. 6701 5491 5501 5710 5700; 6702 5492 5502 5711 5701; 6703 5493 5503 5712 5702
4618. 6704 5494 5504 5713 5703; 6705 5495 5505 5714 5704; 6706 5496 5506 5715 5705
4619. 6707 5497 5507 5716 5706; 6708 5498 5508 5717 5707; 6709 5499 5509 5718 5708
4620. 6710 5500 5510 5719 5709; 6711 5501 5511 5720 5710; 6712 5502 5512 5721 5711
4621. 6713 5503 5513 5722 5712; 6714 5504 5514 5723 5713; 6715 5505 5515 5724 5714
4622. 6716 5506 5516 5725 5715; 6717 5507 5517 5726 5716; 6718 5508 5518 5727 5717
4623. 6719 5509 5519 5728 5718; 6720 5510 5520 5729 5719; 6721 5511 5521 5730 5720
4624. 6722 5512 5522 5731 5721; 6723 5513 5523 5732 5722; 6724 5514 5524 5733 5723
4625. 6725 5515 5525 5734 5724; 6726 5516 5526 5735 5725; 6727 5517 5527 5736 5726
4626. 6728 5518 5528 5737 5727; 6729 5519 5529 5738 5728; 6730 5520 5530 5739 5729
4627. 6731 5521 5531 5740 5730; 6732 5522 5535 5744 5731; 6733 5523 5543 5752 5732
4628. 6734 5524 5551 5760 5733; 6735 5525 5559 5768 5734; 6736 5526 5567 5776 5735
4629. 6737 5527 5575 5784 5736; 6738 5528 5583 5792 5737; 6739 5529 5591 5800 5738
4630. 6740 5530 5599 5808 5739; 6741 5531 5607 5816 5740; 6742 5532 5533 5742 5741

4631. 6743 5533 5534 5743 5742; 6744 5534 5535 5744 5743; 6745 5535 5536 5745 5744
4632. 6746 5536 5537 5746 5745; 6747 5537 5538 5747 5746; 6748 5538 5539 5748 5747
4633. 6749 5539 5540 5749 5748; 6750 5540 5541 5750 5749; 6751 5541 5542 5751 5750
4634. 6752 5542 5543 5752 5751; 6753 5543 5544 5753 5752; 6754 5544 5545 5754 5753
4635. 6755 5545 5546 5755 5754; 6756 5546 5547 5756 5755; 6757 5547 5548 5757 5756
4636. 6758 5548 5549 5758 5757; 6759 5549 5550 5759 5758; 6760 5550 5551 5760 5759
4637. 6761 5551 5552 5761 5760; 6762 5552 5553 5762 5761; 6763 5553 5554 5763 5762
4638. 6764 5554 5555 5764 5763; 6765 5555 5556 5765 5764; 6766 5556 5557 5766 5765
4639. 6767 5557 5558 5767 5766; 6768 5558 5559 5768 5767; 6769 5559 5560 5769 5768
4640. 6770 5560 5561 5770 5769; 6771 5561 5562 5771 5770; 6772 5562 5563 5772 5771
4641. 6773 5563 5564 5773 5772; 6774 5564 5565 5774 5773; 6775 5565 5566 5775 5774
4642. 6776 5566 5567 5776 5775; 6777 5567 5568 5777 5776; 6778 5568 5569 5778 5777
4643. 6779 5569 5570 5779 5778; 6780 5570 5571 5780 5779; 6781 5571 5572 5781 5780
4644. 6782 5572 5573 5782 5781; 6783 5573 5574 5783 5782; 6784 5574 5575 5784 5783
4645. 6785 5575 5576 5785 5784; 6786 5576 5577 5786 5785; 6787 5577 5578 5787 5786
4646. 6788 5578 5579 5788 5787; 6789 5579 5580 5789 5788; 6790 5580 5581 5790 5789
4647. 6791 5581 5582 5791 5790; 6792 5582 5583 5792 5791; 6793 5583 5584 5793 5792
4648. 6794 5584 5585 5794 5793; 6795 5585 5586 5795 5794; 6796 5586 5587 5796 5795
4649. 6797 5587 5588 5797 5796; 6798 5588 5589 5798 5797; 6799 5589 5590 5799 5798
4650. 6800 5590 5591 5800 5799; 6801 5591 5592 5801 5800; 6802 5592 5593 5802 5801
4651. 6803 5593 5594 5803 5802; 6804 5594 5595 5804 5803; 6805 5595 5596 5805 5804
4652. 6806 5596 5597 5806 5805; 6807 5597 5598 5807 5806; 6808 5598 5599 5808 5807
4653. 6809 5599 5600 5809 5808; 6810 5600 5601 5810 5809; 6811 5601 5602 5811 5810
4654. 6812 5602 5603 5812 5811; 6813 5603 5604 5813 5812; 6814 5604 5605 5814 5813
4655. 6815 5605 5606 5815 5814; 6816 5606 5607 5816 5815; 6817 5607 5608 5817 5816
4656. 6818 5608 5609 5818 5817; 6819 5609 5610 5819 5818; 6820 5611 5621 5830 5820
4657. 6821 5612 5622 5831 5821; 6822 5613 5623 5832 5822; 6823 5614 5624 5833 5823
4658. 6824 5615 5625 5834 5824; 6825 5616 5626 5835 5825; 6826 5617 5627 5836 5826
4659. 6827 5618 5628 5837 5827; 6828 5619 5629 5838 5828; 6829 5620 5630 5839 5829
4660. 6830 5621 5631 5840 5830; 6831 5622 5632 5841 5831; 6832 5623 5633 5842 5832
4661. 6833 5624 5634 5843 5833; 6834 5625 5635 5844 5834; 6835 5626 5636 5845 5835
4662. 6836 5627 5637 5846 5836; 6837 5628 5638 5847 5837; 6838 5629 5639 5848 5838
4663. 6839 5630 5640 5849 5839; 6840 5631 5641 5850 5840; 6841 5632 5642 5851 5841
4664. 6842 5633 5643 5852 5842; 6843 5634 5644 5853 5843; 6844 5635 5645 5854 5844
4665. 6845 5636 5646 5855 5845; 6846 5637 5647 5856 5846; 6847 5638 5648 5857 5847
4666. 6848 5639 5649 5858 5848; 6849 5640 5650 5859 5849; 6850 5641 5651 5860 5850
4667. 6851 5642 5652 5861 5851; 6852 5643 5653 5862 5852; 6853 5644 5654 5863 5853
4668. 6854 5645 5655 5864 5854; 6855 5646 5656 5865 5855; 6856 5647 5657 5866 5856
4669. 6857 5648 5658 5867 5857; 6858 5649 5659 5868 5858; 6859 5650 5660 5869 5859
4670. 6860 5651 5661 5870 5860; 6861 5652 5662 5871 5861; 6862 5653 5663 5872 5862
4671. 6863 5654 5664 5873 5863; 6864 5655 5665 5874 5864; 6865 5656 5666 5875 5865
4672. 6866 5657 5667 5876 5866; 6867 5658 5668 5877 5867; 6868 5659 5669 5878 5868
4673. 6869 5660 5670 5879 5869; 6870 5661 5671 5880 5870; 6871 5662 5672 5881 5871
4674. 6872 5663 5673 5882 5872; 6873 5664 5674 5883 5873; 6874 5665 5675 5884 5874
4675. 6875 5666 5676 5885 5875; 6876 5667 5677 5886 5876; 6877 5668 5678 5887 5877
4676. 6878 5669 5679 5888 5878; 6879 5670 5680 5889 5879; 6880 5671 5681 5890 5880
4677. 6881 5672 5682 5891 5881; 6882 5673 5683 5892 5882; 6883 5674 5684 5893 5883
4678. 6884 5675 5685 5894 5884; 6885 5676 5686 5895 5885; 6886 5677 5687 5896 5886
4679. 6887 5678 5688 5897 5887; 6888 5679 5689 5898 5888; 6889 5680 5690 5899 5889
4680. 6890 5681 5691 5900 5890; 6891 5682 5692 5901 5891; 6892 5683 5693 5902 5892
4681. 6893 5684 5694 5903 5893; 6894 5685 5695 5904 5894; 6895 5686 5696 5905 5895
4682. 6896 5687 5697 5906 5896; 6897 5688 5698 5907 5897; 6898 5689 5699 5908 5898
4683. 6899 5690 5700 5909 5899; 6900 5691 5701 5910 5900; 6901 5692 5702 5911 5901
4684. 6902 5693 5703 5912 5902; 6903 5694 5704 5913 5903; 6904 5695 5705 5914 5904
4685. 6905 5696 5706 5915 5905; 6906 5697 5707 5916 5906; 6907 5698 5708 5917 5907
4686. 6908 5699 5709 5918 5908; 6909 5700 5710 5919 5909; 6910 5701 5711 5920 5910

4687. 6911 5702 5712 5921 5911; 6912 5703 5713 5922 5912; 6913 5704 5714 5923 5913
4688. 6914 5705 5715 5924 5914; 6915 5706 5716 5925 5915; 6916 5707 5717 5926 5916
4689. 6917 5708 5718 5927 5917; 6918 5709 5719 5928 5918; 6919 5710 5720 5929 5919
4690. 6920 5711 5721 5930 5920; 6921 5712 5722 5931 5921; 6922 5713 5723 5932 5922
4691. 6923 5714 5724 5933 5923; 6924 5715 5725 5934 5924; 6925 5716 5726 5935 5925
4692. 6926 5717 5727 5936 5926; 6927 5718 5728 5937 5927; 6928 5719 5729 5938 5928
4693. 6929 5720 5730 5939 5929; 6930 5721 5731 5940 5930; 6931 5722 5732 5941 5931
4694. 6932 5723 5733 5942 5932; 6933 5724 5734 5943 5933; 6934 5725 5735 5944 5934
4695. 6935 5726 5736 5945 5935; 6936 5727 5737 5946 5936; 6937 5728 5738 5947 5937
4696. 6938 5729 5739 5948 5938; 6939 5730 5740 5949 5939; 6940 5731 5744 5953 5940
4697. 6941 5732 5752 5961 5941; 6942 5733 5760 5969 5942; 6943 5734 5768 5977 5943
4698. 6944 5735 5776 5985 5944; 6945 5736 5784 5993 5945; 6946 5737 5792 6001 5946
4699. 6947 5738 5800 6009 5947; 6948 5739 5808 6017 5948; 6949 5740 5816 6025 5949
4700. 6950 5741 5742 5951 5950; 6951 5742 5743 5952 5951; 6952 5743 5744 5953 5952
4701. 6953 5744 5745 5954 5953; 6954 5745 5746 5955 5954; 6955 5746 5747 5956 5955
4702. 6956 5747 5748 5957 5956; 6957 5748 5749 5958 5957; 6958 5749 5750 5959 5958
4703. 6959 5750 5751 5960 5959; 6960 5751 5752 5961 5960; 6961 5752 5753 5962 5961
4704. 6962 5753 5754 5963 5962; 6963 5754 5755 5964 5963; 6964 5755 5756 5965 5964
4705. 6965 5756 5757 5966 5965; 6966 5757 5758 5967 5966; 6967 5758 5759 5968 5967
4706. 6968 5759 5760 5969 5968; 6969 5760 5761 5970 5969; 6970 5761 5762 5971 5970
4707. 6971 5762 5763 5972 5971; 6972 5763 5764 5973 5972; 6973 5764 5765 5974 5973
4708. 6974 5765 5766 5975 5974; 6975 5766 5767 5976 5975; 6976 5767 5768 5977 5976
4709. 6977 5768 5769 5978 5977; 6978 5769 5770 5979 5978; 6979 5770 5771 5980 5979
4710. 6980 5771 5772 5981 5980; 6981 5772 5773 5982 5981; 6982 5773 5774 5983 5982
4711. 6983 5774 5775 5984 5983; 6984 5775 5776 5985 5984; 6985 5776 5777 5986 5985
4712. 6986 5777 5778 5987 5986; 6987 5778 5779 5988 5987; 6988 5779 5780 5989 5988
4713. 6989 5780 5781 5990 5989; 6990 5781 5782 5991 5990; 6991 5782 5783 5992 5991
4714. 6992 5783 5784 5993 5992; 6993 5784 5785 5994 5993; 6994 5785 5786 5995 5994
4715. 6995 5786 5787 5996 5995; 6996 5787 5788 5997 5996; 6997 5788 5789 5998 5997
4716. 6998 5789 5790 5999 5998; 6999 5790 5791 6000 5999; 7000 5791 5792 6001 6000
4717. 7001 5792 5793 6002 6001; 7002 5793 5794 6003 6002; 7003 5794 5795 6004 6003
4718. 7004 5795 5796 6005 6004; 7005 5796 5797 6006 6005; 7006 5797 5798 6007 6006
4719. 7007 5798 5799 6008 6007; 7008 5799 5800 6009 6008; 7009 5800 5801 6010 6009
4720. 7010 5801 5802 6011 6010; 7011 5802 5803 6012 6011; 7012 5803 5804 6013 6012
4721. 7013 5804 5805 6014 6013; 7014 5805 5806 6015 6014; 7015 5806 5807 6016 6015
4722. 7016 5807 5808 6017 6016; 7017 5808 5809 6018 6017; 7018 5809 5810 6019 6018
4723. 7019 5810 5811 6020 6019; 7020 5811 5812 6021 6020; 7021 5812 5813 6022 6021
4724. 7022 5813 5814 6023 6022; 7023 5814 5815 6024 6023; 7024 5815 5816 6025 6024
4725. 7025 5816 5817 6026 6025; 7026 5817 5818 6027 6026; 7027 5818 5819 6028 6027
4726. 7028 5820 5830 6029; 7029 5821 5831 6030; 7030 5822 5832 6031
4727. 7031 5823 5833 6032; 7032 5824 5834 6033; 7033 5825 5835 6034
4728. 7034 5826 5836 6035; 7035 5827 5837 6036; 7036 5828 5838 6037
4729. 7037 5829 5839 6038; 7038 5830 5840 6039 6029; 7039 5831 5841 6040 6030
4730. 7040 5832 5842 6041 6031; 7041 5833 5843 6042 6032; 7042 5834 5844 6043 6033
4731. 7043 5835 5845 6044 6034; 7044 5836 5846 6045 6035; 7045 5837 5847 6046 6036
4732. 7046 5838 5848 6047 6037; 7047 5839 5849 6048 6038; 7048 5840 5850 6049 6039
4733. 7049 5841 5851 6050 6040; 7050 5842 5852 6051 6041; 7051 5843 5853 6052 6042
4734. 7052 5844 5854 6053 6043; 7053 5845 5855 6054 6044; 7054 5846 5856 6055 6045
4735. 7055 5847 5857 6056 6046; 7056 5848 5858 6057 6047; 7057 5849 5859 6058 6048
4736. 7058 5850 5860 6059 6049; 7059 5851 5861 6060 6050; 7060 5852 5862 6061 6051
4737. 7061 5853 5863 6062 6052; 7062 5854 5864 6063 6053; 7063 5855 5865 6064 6054
4738. 7064 5856 5866 6065 6055; 7065 5857 5867 6066 6056; 7066 5858 5868 6067 6057
4739. 7067 5859 5869 6068 6058; 7068 5860 5870 6069 6059; 7069 5861 5871 6070 6060
4740. 7070 5862 5872 6071 6061; 7071 5863 5873 6072 6062; 7072 5864 5874 6073 6063
4741. 7073 5865 5875 6074 6064; 7074 5866 5876 6075 6065; 7075 5867 5877 6076 6066
4742. 7076 5868 5878 6077 6067; 7077 5869 5879 6078 6068; 7078 5870 5880 6079 6069

4743. 7079 5871 5881 6080 6070; 7080 5872 5882 6081 6071; 7081 5873 5883 6082 6072
4744. 7082 5874 5884 6083 6073; 7083 5875 5885 6084 6074; 7084 5876 5886 6085 6075
4745. 7085 5877 5887 6086 6076; 7086 5878 5888 6087 6077; 7087 5879 5889 6088 6078
4746. 7088 5880 5890 6089 6079; 7089 5881 5891 6090 6080; 7090 5882 5892 6091 6081
4747. 7091 5883 5893 6092 6082; 7092 5884 5894 6093 6083; 7093 5885 5895 6094 6084
4748. 7094 5886 5896 6095 6085; 7095 5887 5897 6096 6086; 7096 5888 5898 6097 6087
4749. 7097 5889 5899 6098 6088; 7098 5890 5900 6099 6089; 7099 5891 5901 6100 6090
4750. 7100 5892 5902 6101 6091; 7101 5893 5903 6102 6092; 7102 5894 5904 6103 6093
4751. 7103 5895 5905 6104 6094; 7104 5896 5906 6105 6095; 7105 5897 5907 6106 6096
4752. 7106 5898 5908 6107 6097; 7107 5899 5909 6108 6098; 7108 5900 5910 6109 6099
4753. 7109 5901 5911 6110 6100; 7110 5902 5912 6111 6101; 7111 5903 5913 6112 6102
4754. 7112 5904 5914 6113 6103; 7113 5905 5915 6114 6104; 7114 5906 5916 6115 6105
4755. 7115 5907 5917 6116 6106; 7116 5908 5918 6117 6107; 7117 5909 5919 6118 6108
4756. 7118 5910 5920 6119 6109; 7119 5911 5921 6120 6110; 7120 5912 5922 6121 6111
4757. 7121 5913 5923 6122 6112; 7122 5914 5924 6123 6113; 7123 5915 5925 6124 6114
4758. 7124 5916 5926 6125 6115; 7125 5917 5927 6126 6116; 7126 5918 5928 6127 6117
4759. 7127 5919 5929 6128 6118; 7128 5920 5930 6129 6119; 7129 5921 5931 6130 6120
4760. 7130 5922 5932 6131 6121; 7131 5923 5933 6132 6122; 7132 5924 5934 6133 6123
4761. 7133 5925 5935 6134 6124; 7134 5926 5936 6135 6125; 7135 5927 5937 6136 6126
4762. 7136 5928 5938 6137 6127; 7137 5929 5939 6138 6128; 7138 5930 5940 6139 6129
4763. 7139 5931 5941 6140 6130; 7140 5932 5942 6141 6131; 7141 5933 5943 6142 6132
4764. 7142 5934 5944 6143 6133; 7143 5935 5945 6144 6134; 7144 5936 5946 6145 6135
4765. 7145 5937 5947 6146 6136; 7146 5938 5948 6147 6137; 7147 5939 5949 6148 6138
4766. 7148 5940 5953 6152 6139; 7149 5941 5961 6160 6140; 7150 5942 5969 6168 6141
4767. 7151 5943 5977 6176 6142; 7152 5944 5985 6184 6143; 7153 5945 5993 6192 6144
4768. 7154 5946 6001 6200 6145; 7155 5947 6009 6208 6146; 7156 5948 6017 6216 6147
4769. 7157 5949 6025 6224 6148; 7158 5950 5951 6150 6149; 7159 5951 5952 6151 6150
4770. 7160 5952 5953 6152 6151; 7161 5953 5954 6153 6152; 7162 5954 5955 6154 6153
4771. 7163 5955 5956 6155 6154; 7164 5956 5957 6156 6155; 7165 5957 5958 6157 6156
4772. 7166 5958 5959 6158 6157; 7167 5959 5960 6159 6158; 7168 5960 5961 6160 6159
4773. 7169 5961 5962 6161 6160; 7170 5962 5963 6162 6161; 7171 5963 5964 6163 6162
4774. 7172 5964 5965 6164 6163; 7173 5965 5966 6165 6164; 7174 5966 5967 6166 6165
4775. 7175 5967 5968 6167 6166; 7176 5968 5969 6168 6167; 7177 5969 5970 6169 6168
4776. 7178 5970 5971 6170 6169; 7179 5971 5972 6171 6170; 7180 5972 5973 6172 6171
4777. 7181 5973 5974 6173 6172; 7182 5974 5975 6174 6173; 7183 5975 5976 6175 6174
4778. 7184 5976 5977 6176 6175; 7185 5977 5978 6177 6176; 7186 5978 5979 6178 6177
4779. 7187 5979 5980 6179 6178; 7188 5980 5981 6180 6179; 7189 5981 5982 6181 6180
4780. 7190 5982 5983 6182 6181; 7191 5983 5984 6183 6182; 7192 5984 5985 6184 6183
4781. 7193 5985 5986 6185 6184; 7194 5986 5987 6186 6185; 7195 5987 5988 6187 6186
4782. 7196 5988 5989 6188 6187; 7197 5989 5990 6189 6188; 7198 5990 5991 6190 6189
4783. 7199 5991 5992 6191 6190; 7200 5992 5993 6192 6191; 7201 5993 5994 6193 6192
4784. 7202 5994 5995 6194 6193; 7203 5995 5996 6195 6194; 7204 5996 5997 6196 6195
4785. 7205 5997 5998 6197 6196; 7206 5998 5999 6198 6197; 7207 5999 6000 6199 6198
4786. 7208 6000 6001 6200 6199; 7209 6001 6002 6201 6200; 7210 6002 6003 6202 6201
4787. 7211 6003 6004 6203 6202; 7212 6004 6005 6204 6203; 7213 6005 6006 6205 6204
4788. 7214 6006 6007 6206 6205; 7215 6007 6008 6207 6206; 7216 6008 6009 6208 6207
4789. 7217 6009 6010 6209 6208; 7218 6010 6011 6210 6209; 7219 6011 6012 6211 6210
4790. 7220 6012 6013 6212 6211; 7221 6013 6014 6213 6212; 7222 6014 6015 6214 6213
4791. 7223 6015 6016 6215 6214; 7224 6016 6017 6216 6215; 7225 6017 6018 6217 6216
4792. 7226 6018 6019 6218 6217; 7227 6019 6020 6219 6218; 7228 6020 6021 6220 6219
4793. 7229 6021 6022 6221 6220; 7230 6022 6023 6222 6221; 7231 6023 6024 6223 6222
4794. 7232 6024 6025 6224 6223; 7233 6025 6026 6225 6224; 7234 6026 6027 6226 6225
4795. 7235 6027 6028 6227 6226; 7236 6029 6039 6238 6228; 7237 6030 6040 6239 6229
4796. 7238 6031 6041 6240 6230; 7239 6032 6042 6241 6231; 7240 6033 6043 6242 6232
4797. 7241 6034 6044 6243 6233; 7242 6035 6045 6244 6234; 7243 6036 6046 6245 6235
4798. 7244 6037 6047 6246 6236; 7245 6038 6048 6247 6237; 7246 6039 6049 6248 6238

STAAD SPACE -- PAGE NO. 87

4799. 7247 6040 6050 6249 6239; 7248 6041 6051 6250 6240; 7249 6042 6052 6251 6241
4800. 7250 6043 6053 6252 6242; 7251 6044 6054 6253 6243; 7252 6045 6055 6254 6244
4801. 7253 6046 6056 6255 6245; 7254 6047 6057 6256 6246; 7255 6048 6058 6257 6247
4802. 7256 6049 6059 6258 6248; 7257 6050 6060 6259 6249; 7258 6051 6061 6260 6250
4803. 7259 6052 6062 6261 6251; 7260 6053 6063 6262 6252; 7261 6054 6064 6263 6253
4804. 7262 6055 6065 6264 6254; 7263 6056 6066 6265 6255; 7264 6057 6067 6266 6256
4805. 7265 6058 6068 6267 6257; 7266 6059 6069 6268 6258; 7267 6060 6070 6269 6259
4806. 7268 6061 6071 6270 6260; 7269 6062 6072 6271 6261; 7270 6063 6073 6272 6262
4807. 7271 6064 6074 6273 6263; 7272 6065 6075 6274 6264; 7273 6066 6076 6275 6265
4808. 7274 6067 6077 6276 6266; 7275 6068 6078 6277 6267; 7276 6069 6079 6278 6268
4809. 7277 6070 6080 6279 6269; 7278 6071 6081 6280 6270; 7279 6072 6082 6281 6271
4810. 7280 6073 6083 6282 6272; 7281 6074 6084 6283 6273; 7282 6075 6085 6284 6274
4811. 7283 6076 6086 6285 6275; 7284 6077 6087 6286 6276; 7285 6078 6088 6287 6277
4812. 7286 6079 6089 6288 6278; 7287 6080 6090 6289 6279; 7288 6081 6091 6290 6280
4813. 7289 6082 6092 6291 6281; 7290 6083 6093 6292 6282; 7291 6084 6094 6293 6283
4814. 7292 6085 6095 6294 6284; 7293 6086 6096 6295 6285; 7294 6087 6097 6296 6286
4815. 7295 6088 6098 6297 6287; 7296 6089 6099 6298 6288; 7297 6090 6100 6299 6289
4816. 7298 6091 6101 6300 6290; 7299 6092 6102 6301 6291; 7300 6093 6103 6302 6292
4817. 7301 6094 6104 6303 6293; 7302 6095 6105 6304 6294; 7303 6096 6106 6305 6295
4818. 7304 6097 6107 6306 6296; 7305 6098 6108 6307 6297; 7306 6099 6109 6308 6298
4819. 7307 6100 6110 6309 6299; 7308 6101 6111 6310 6300; 7309 6102 6112 6311 6301
4820. 7310 6103 6113 6312 6302; 7311 6104 6114 6313 6303; 7312 6105 6115 6314 6304
4821. 7313 6106 6116 6315 6305; 7314 6107 6117 6316 6306; 7315 6108 6118 6317 6307
4822. 7316 6109 6119 6318 6308; 7317 6110 6120 6319 6309; 7318 6111 6121 6320 6310
4823. 7319 6112 6122 6321 6311; 7320 6113 6123 6322 6312; 7321 6114 6124 6323 6313
4824. 7322 6115 6125 6324 6314; 7323 6116 6126 6325 6315; 7324 6117 6127 6326 6316
4825. 7325 6118 6128 6327 6317; 7326 6119 6129 6328 6318; 7327 6120 6130 6329 6319
4826. 7328 6121 6131 6330 6320; 7329 6122 6132 6331 6321; 7330 6123 6133 6332 6322
4827. 7331 6124 6134 6333 6323; 7332 6125 6135 6334 6324; 7333 6126 6136 6335 6325
4828. 7334 6127 6137 6336 6326; 7335 6128 6138 6337 6327; 7336 6129 6139 6338 6328
4829. 7337 6130 6140 6339 6329; 7338 6131 6141 6340 6330; 7339 6132 6142 6341 6331
4830. 7340 6133 6143 6342 6332; 7341 6134 6144 6343 6333; 7342 6135 6145 6344 6334
4831. 7343 6136 6146 6345 6335; 7344 6137 6147 6346 6336; 7345 6138 6148 6347 6337
4832. 7346 6139 6152 6351 6338; 7347 6140 6160 6359 6339; 7348 6141 6168 6367 6340
4833. 7349 6142 6176 6375 6341; 7350 6143 6184 6383 6342; 7351 6144 6192 6391 6343
4834. 7352 6145 6200 6399 6344; 7353 6146 6208 6407 6345; 7354 6147 6216 6415 6346
4835. 7355 6148 6224 6423 6347; 7356 6149 6150 6349 6348; 7357 6150 6151 6350 6349
4836. 7358 6151 6152 6351 6350; 7359 6152 6153 6352 6351; 7360 6153 6154 6353 6352
4837. 7361 6154 6155 6354 6353; 7362 6155 6156 6355 6354; 7363 6156 6157 6356 6355
4838. 7364 6157 6158 6357 6356; 7365 6158 6159 6358 6357; 7366 6159 6160 6359 6358
4839. 7367 6160 6161 6360 6359; 7368 6161 6162 6361 6360; 7369 6162 6163 6362 6361
4840. 7370 6163 6164 6363 6362; 7371 6164 6165 6364 6363; 7372 6165 6166 6365 6364
4841. 7373 6166 6167 6366 6365; 7374 6167 6168 6367 6366; 7375 6168 6169 6368 6367
4842. 7376 6169 6170 6369 6368; 7377 6170 6171 6370 6369; 7378 6171 6172 6371 6370
4843. 7379 6172 6173 6372 6371; 7380 6173 6174 6373 6372; 7381 6174 6175 6374 6373
4844. 7382 6175 6176 6375 6374; 7383 6176 6177 6376 6375; 7384 6177 6178 6377 6376
4845. 7385 6178 6179 6378 6377; 7386 6179 6180 6379 6378; 7387 6180 6181 6380 6379
4846. 7388 6181 6182 6381 6380; 7389 6182 6183 6382 6381; 7390 6183 6184 6383 6382
4847. 7391 6184 6185 6384 6383; 7392 6185 6186 6385 6384; 7393 6186 6187 6386 6385
4848. 7394 6187 6188 6387 6386; 7395 6188 6189 6388 6387; 7396 6189 6190 6389 6388
4849. 7397 6190 6191 6390 6389; 7398 6191 6192 6391 6390; 7399 6192 6193 6392 6391
4850. 7400 6193 6194 6393 6392; 7401 6194 6195 6394 6393; 7402 6195 6196 6395 6394
4851. 7403 6196 6197 6396 6395; 7404 6197 6198 6397 6396; 7405 6198 6199 6398 6397
4852. 7406 6199 6200 6399 6398; 7407 6200 6201 6400 6399; 7408 6201 6202 6401 6400
4853. 7409 6202 6203 6402 6401; 7410 6203 6204 6403 6402; 7411 6204 6205 6404 6403
4854. 7412 6205 6206 6405 6404; 7413 6206 6207 6406 6405; 7414 6207 6208 6407 6406

STAAD SPACE -- PAGE NO. 88

4855. 7415 6208 6209 6408 6407; 7416 6209 6210 6409 6408; 7417 6210 6211 6410 6409
4856. 7418 6211 6212 6411 6410; 7419 6212 6213 6412 6411; 7420 6213 6214 6413 6412
4857. 7421 6214 6215 6414 6413; 7422 6215 6216 6415 6414; 7423 6216 6217 6416 6415
4858. 7424 6217 6218 6417 6416; 7425 6218 6219 6418 6417; 7426 6219 6220 6419 6418
4859. 7427 6220 6221 6420 6419; 7428 6221 6222 6421 6420; 7429 6222 6223 6422 6421
4860. 7430 6223 6224 6423 6422; 7431 6224 6225 6424 6423; 7432 6225 6226 6425 6424
4861. 7433 6226 6227 6426 6425; 7434 6228 6238 6427; 7435 6229 6239 6428
4862. 7436 6230 6240 6429; 7437 6231 6241 6430; 7438 6232 6242 6431
4863. 7439 6233 6243 6432; 7440 6234 6244 6433; 7441 6235 6245 6434
4864. 7442 6236 6246 6435; 7443 6237 6247 6436; 7444 6238 6248 6437 6427
4865. 7445 6239 6249 6438 6428; 7446 6240 6250 6439 6429; 7447 6241 6251 6440 6430
4866. 7448 6242 6252 6441 6431; 7449 6243 6253 6442 6432; 7450 6244 6254 6443 6433
4867. 7451 6245 6255 6444 6434; 7452 6246 6256 6445 6435; 7453 6247 6257 6446 6436
4868. 7454 6248 6258 6447 6437; 7455 6249 6259 6448 6438; 7456 6250 6260 6449 6439
4869. 7457 6251 6261 6450 6440; 7458 6252 6262 6451 6441; 7459 6253 6263 6452 6442
4870. 7460 6254 6264 6453 6443; 7461 6255 6265 6454 6444; 7462 6256 6266 6455 6445
4871. 7463 6257 6267 6456 6446; 7464 6258 6268 6457 6447; 7465 6259 6269 6458 6448
4872. 7466 6260 6270 6459 6449; 7467 6261 6271 6460 6450; 7468 6262 6272 6461 6451
4873. 7469 6263 6273 6462 6452; 7470 6264 6274 6463 6453; 7471 6265 6275 6464 6454
4874. 7472 6266 6276 6465 6455; 7473 6267 6277 6466 6456; 7474 6268 6278 6467 6457
4875. 7475 6269 6279 6468 6458; 7476 6270 6280 6469 6459; 7477 6271 6281 6470 6460
4876. 7478 6272 6282 6471 6461; 7479 6273 6283 6472 6462; 7480 6274 6284 6473 6463
4877. 7481 6275 6285 6474 6464; 7482 6276 6286 6475 6465; 7483 6277 6287 6476 6466
4878. 7484 6278 6288 6477 6467; 7485 6279 6289 6478 6468; 7486 6280 6290 6479 6469
4879. 7487 6281 6291 6480 6470; 7488 6282 6292 6481 6471; 7489 6283 6293 6482 6472
4880. 7490 6284 6294 6483 6473; 7491 6285 6295 6484 6474; 7492 6286 6296 6485 6475
4881. 7493 6287 6297 6486 6476; 7494 6288 6298 6487 6477; 7495 6289 6299 6488 6478
4882. 7496 6290 6300 6489 6479; 7497 6291 6301 6490 6480; 7498 6292 6302 6491 6481
4883. 7499 6293 6303 6492 6482; 7500 6294 6304 6493 6483; 7501 6295 6305 6494 6484
4884. 7502 6296 6306 6495 6485; 7503 6297 6307 6496 6486; 7504 6298 6308 6497 6487
4885. 7505 6299 6309 6498 6488; 7506 6300 6310 6499 6489; 7507 6301 6311 6500 6490
4886. 7508 6302 6312 6501 6491; 7509 6303 6313 6502 6492; 7510 6304 6314 6503 6493
4887. 7511 6305 6315 6504 6494; 7512 6306 6316 6505 6495; 7513 6307 6317 6506 6496
4888. 7514 6308 6318 6507 6497; 7515 6309 6319 6508 6498; 7516 6310 6320 6509 6499
4889. 7517 6311 6321 6510 6500; 7518 6312 6322 6511 6501; 7519 6313 6323 6512 6502
4890. 7520 6314 6324 6513 6503; 7521 6315 6325 6514 6504; 7522 6316 6326 6515 6505
4891. 7523 6317 6327 6516 6506; 7524 6318 6328 6517 6507; 7525 6319 6329 6518 6508
4892. 7526 6320 6330 6519 6509; 7527 6321 6331 6520 6510; 7528 6322 6332 6521 6511
4893. 7529 6323 6333 6522 6512; 7530 6324 6334 6523 6513; 7531 6325 6335 6524 6514
4894. 7532 6326 6336 6525 6515; 7533 6327 6337 6526 6516; 7534 6328 6338 6527 6517
4895. 7535 6329 6339 6528 6518; 7536 6330 6340 6529 6519; 7537 6331 6341 6530 6520
4896. 7538 6332 6342 6531 6521; 7539 6333 6343 6532 6522; 7540 6334 6344 6533 6523
4897. 7541 6335 6345 6534 6524; 7542 6336 6346 6535 6525; 7543 6337 6347 6536 6526
4898. 7544 6338 6351 6540 6527; 7545 6339 6359 6548 6528; 7546 6340 6367 6556 6529
4899. 7547 6341 6375 6564 6530; 7548 6342 6383 6572 6531; 7549 6343 6391 6580 6532
4900. 7550 6344 6399 6588 6533; 7551 6345 6407 6596 6534; 7552 6346 6415 6604 6535
4901. 7553 6347 6423 6612 6536; 7554 6348 6349 6538 6537; 7555 6349 6350 6539 6538
4902. 7556 6350 6351 6540 6539; 7557 6351 6352 6541 6540; 7558 6352 6353 6542 6541
4903. 7559 6353 6354 6543 6542; 7560 6354 6355 6544 6543; 7561 6355 6356 6545 6544
4904. 7562 6356 6357 6546 6545; 7563 6357 6358 6547 6546; 7564 6358 6359 6548 6547
4905. 7565 6359 6360 6549 6548; 7566 6360 6361 6550 6549; 7567 6361 6362 6551 6550
4906. 7568 6362 6363 6552 6551; 7569 6363 6364 6553 6552; 7570 6364 6365 6554 6553
4907. 7571 6365 6366 6555 6554; 7572 6366 6367 6556 6555; 7573 6367 6368 6557 6556
4908. 7574 6368 6369 6558 6557; 7575 6369 6370 6559 6558; 7576 6370 6371 6560 6559
4909. 7577 6371 6372 6561 6560; 7578 6372 6373 6562 6561; 7579 6373 6374 6563 6562
4910. 7580 6374 6375 6564 6563; 7581 6375 6376 6565 6564; 7582 6376 6377 6566 6565

STAAD SPACE -- PAGE NO. 89

4911. 7583 6377 6378 6567 6566; 7584 6378 6379 6568 6567; 7585 6379 6380 6569 6568
4912. 7586 6380 6381 6570 6569; 7587 6381 6382 6571 6570; 7588 6382 6383 6572 6571
4913. 7589 6383 6384 6573 6572; 7590 6384 6385 6574 6573; 7591 6385 6386 6575 6574
4914. 7592 6386 6387 6576 6575; 7593 6387 6388 6577 6576; 7594 6388 6389 6578 6577
4915. 7595 6389 6390 6579 6578; 7596 6390 6391 6580 6579; 7597 6391 6392 6581 6580
4916. 7598 6392 6393 6582 6581; 7599 6393 6394 6583 6582; 7600 6394 6395 6584 6583
4917. 7601 6395 6396 6585 6584; 7602 6396 6397 6586 6585; 7603 6397 6398 6587 6586
4918. 7604 6398 6399 6588 6587; 7605 6399 6400 6589 6588; 7606 6400 6401 6590 6589
4919. 7607 6401 6402 6591 6590; 7608 6402 6403 6592 6591; 7609 6403 6404 6593 6592
4920. 7610 6404 6405 6594 6593; 7611 6405 6406 6595 6594; 7612 6406 6407 6596 6595
4921. 7613 6407 6408 6597 6596; 7614 6408 6409 6598 6597; 7615 6409 6410 6599 6598
4922. 7616 6410 6411 6600 6599; 7617 6411 6412 6601 6600; 7618 6412 6413 6602 6601
4923. 7619 6413 6414 6603 6602; 7620 6414 6415 6604 6603; 7621 6415 6416 6605 6604
4924. 7622 6416 6417 6606 6605; 7623 6417 6418 6607 6606; 7624 6418 6419 6608 6607
4925. 7625 6419 6420 6609 6608; 7626 6420 6421 6610 6609; 7627 6421 6422 6611 6610
4926. 7628 6422 6423 6612 6611; 7629 6423 6424 6613 6612; 7630 6424 6425 6614 6613
4927. 7631 6425 6426 6615 6614; 7632 6427 6437 6626 6616; 7633 6428 6438 6627 6617
4928. 7634 6429 6439 6628 6618; 7635 6430 6440 6629 6619; 7636 6431 6441 6630 6620
4929. 7637 6432 6442 6631 6621; 7638 6433 6443 6632 6622; 7639 6434 6444 6633 6623
4930. 7640 6435 6445 6634 6624; 7641 6436 6446 6635 6625; 7642 6437 6447 6636 6626
4931. 7643 6438 6448 6637 6627; 7644 6439 6449 6638 6628; 7645 6440 6450 6639 6629
4932. 7646 6441 6451 6640 6630; 7647 6442 6452 6641 6631; 7648 6443 6453 6642 6632
4933. 7649 6444 6454 6643 6633; 7650 6445 6455 6644 6634; 7651 6446 6456 6645 6635
4934. 7652 6447 6457 6646 6636; 7653 6448 6458 6647 6637; 7654 6449 6459 6648 6638
4935. 7655 6450 6460 6649 6639; 7656 6451 6461 6650 6640; 7657 6452 6462 6651 6641
4936. 7658 6453 6463 6652 6642; 7659 6454 6464 6653 6643; 7660 6455 6465 6654 6644
4937. 7661 6456 6466 6655 6645; 7662 6457 6467 6656 6646; 7663 6458 6468 6657 6647
4938. 7664 6459 6469 6658 6648; 7665 6460 6470 6659 6649; 7666 6461 6471 6660 6650
4939. 7667 6462 6472 6661 6651; 7668 6463 6473 6662 6652; 7669 6464 6474 6663 6653
4940. 7670 6465 6475 6664 6654; 7671 6466 6476 6665 6655; 7672 6467 6477 6666 6656
4941. 7673 6468 6478 6667 6657; 7674 6469 6479 6668 6658; 7675 6470 6480 6669 6659
4942. 7676 6471 6481 6670 6660; 7677 6472 6482 6671 6661; 7678 6473 6483 6672 6662
4943. 7679 6474 6484 6673 6663; 7680 6475 6485 6674 6664; 7681 6476 6486 6675 6665
4944. 7682 6477 6487 6676 6666; 7683 6478 6488 6677 6667; 7684 6479 6489 6678 6668
4945. 7685 6480 6490 6679 6669; 7686 6481 6491 6680 6670; 7687 6482 6492 6681 6671
4946. 7688 6483 6493 6682 6672; 7689 6484 6494 6683 6673; 7690 6485 6495 6684 6674
4947. 7691 6486 6496 6685 6675; 7692 6487 6497 6686 6676; 7693 6488 6498 6687 6677
4948. 7694 6489 6499 6688 6678; 7695 6490 6500 6689 6679; 7696 6491 6501 6690 6680
4949. 7697 6492 6502 6691 6681; 7698 6493 6503 6692 6682; 7699 6494 6504 6693 6683
4950. 7700 6495 6505 6694 6684; 7701 6496 6506 6695 6685; 7702 6497 6507 6696 6686
4951. 7703 6498 6508 6697 6687; 7704 6499 6509 6698 6688; 7705 6500 6510 6699 6689
4952. 7706 6501 6511 6700 6690; 7707 6502 6512 6701 6691; 7708 6503 6513 6702 6692
4953. 7709 6504 6514 6703 6693; 7710 6505 6515 6704 6694; 7711 6506 6516 6705 6695
4954. 7712 6507 6517 6706 6696; 7713 6508 6518 6707 6697; 7714 6509 6519 6708 6698
4955. 7715 6510 6520 6709 6699; 7716 6511 6521 6710 6700; 7717 6512 6522 6711 6701
4956. 7718 6513 6523 6712 6702; 7719 6514 6524 6713 6703; 7720 6515 6525 6714 6704
4957. 7721 6516 6526 6715 6705; 7722 6517 6527 6716 6706; 7723 6518 6528 6717 6707
4958. 7724 6519 6529 6718 6708; 7725 6520 6530 6719 6709; 7726 6521 6531 6720 6710
4959. 7727 6522 6532 6721 6711; 7728 6523 6533 6722 6712; 7729 6524 6534 6723 6713
4960. 7730 6525 6535 6724 6714; 7731 6526 6536 6725 6715; 7732 6527 6540 6729 6716
4961. 7733 6528 6548 6737 6717; 7734 6529 6556 6745 6718; 7735 6530 6564 6753 6719
4962. 7736 6531 6572 6761 6720; 7737 6532 6580 6769 6721; 7738 6533 6588 6777 6722
4963. 7739 6534 6596 6785 6723; 7740 6535 6604 6793 6724; 7741 6536 6612 6801 6725
4964. 7742 6537 6538 6727 6726; 7743 6538 6539 6728 6727; 7744 6539 6540 6729 6728
4965. 7745 6540 6541 6730 6729; 7746 6541 6542 6731 6730; 7747 6542 6543 6732 6731
4966. 7748 6543 6544 6733 6732; 7749 6544 6545 6734 6733; 7750 6545 6546 6735 6734

STAAD SPACE -- PAGE NO. 90

4967. 7751 6546 6547 6736 6735; 7752 6547 6548 6737 6736; 7753 6548 6549 6738 6737
4968. 7754 6549 6550 6739 6738; 7755 6550 6551 6740 6739; 7756 6551 6552 6741 6740
4969. 7757 6552 6553 6742 6741; 7758 6553 6554 6743 6742; 7759 6554 6555 6744 6743
4970. 7760 6555 6556 6745 6744; 7761 6556 6557 6746 6745; 7762 6557 6558 6747 6746
4971. 7763 6558 6559 6748 6747; 7764 6559 6560 6749 6748; 7765 6560 6561 6750 6749
4972. 7766 6561 6562 6751 6750; 7767 6562 6563 6752 6751; 7768 6563 6564 6753 6752
4973. 7769 6564 6565 6754 6753; 7770 6565 6566 6755 6754; 7771 6566 6567 6756 6755
4974. 7772 6567 6568 6757 6756; 7773 6568 6569 6758 6757; 7774 6569 6570 6759 6758
4975. 7775 6570 6571 6760 6759; 7776 6571 6572 6761 6760; 7777 6572 6573 6762 6761
4976. 7778 6573 6574 6763 6762; 7779 6574 6575 6764 6763; 7780 6575 6576 6765 6764
4977. 7781 6576 6577 6766 6765; 7782 6577 6578 6767 6766; 7783 6578 6579 6768 6767
4978. 7784 6579 6580 6769 6768; 7785 6580 6581 6770 6769; 7786 6581 6582 6771 6770
4979. 7787 6582 6583 6772 6771; 7788 6583 6584 6773 6772; 7789 6584 6585 6774 6773
4980. 7790 6585 6586 6775 6774; 7791 6586 6587 6776 6775; 7792 6587 6588 6777 6776
4981. 7793 6588 6589 6778 6777; 7794 6589 6590 6779 6778; 7795 6590 6591 6780 6779
4982. 7796 6591 6592 6781 6780; 7797 6592 6593 6782 6781; 7798 6593 6594 6783 6782
4983. 7799 6594 6595 6784 6783; 7800 6595 6596 6785 6784; 7801 6596 6597 6786 6785
4984. 7802 6597 6598 6787 6786; 7803 6598 6599 6788 6787; 7804 6599 6600 6789 6788
4985. 7805 6600 6601 6790 6789; 7806 6601 6602 6791 6790; 7807 6602 6603 6792 6791
4986. 7808 6603 6604 6793 6792; 7809 6604 6605 6794 6793; 7810 6605 6606 6795 6794
4987. 7811 6606 6607 6796 6795; 7812 6607 6608 6797 6796; 7813 6608 6609 6798 6797
4988. 7814 6609 6610 6799 6798; 7815 6610 6611 6800 6799; 7816 6611 6612 6801 6800
4989. 7817 6612 6613 6802 6801; 7818 6613 6614 6803 6802; 7819 6614 6615 6804 6803
4990. 7820 6616 6626 6805; 7821 6617 6627 6806; 7822 6618 6628 6807
4991. 7823 6619 6629 6808; 7824 6620 6630 6809; 7825 6621 6631 6810
4992. 7826 6622 6632 6811; 7827 6623 6633 6812; 7828 6624 6634 6813
4993. 7829 6625 6635 6814; 7830 6626 6636 6815 6805; 7831 6627 6637 6816 6806
4994. 7832 6628 6638 6817 6807; 7833 6629 6639 6818 6808; 7834 6630 6640 6819 6809
4995. 7835 6631 6641 6820 6810; 7836 6632 6642 6821 6811; 7837 6633 6643 6822 6812
4996. 7838 6634 6644 6823 6813; 7839 6635 6645 6824 6814; 7840 6636 6646 6825 6815
4997. 7841 6637 6647 6826 6816; 7842 6638 6648 6827 6817; 7843 6639 6649 6828 6818
4998. 7844 6640 6650 6829 6819; 7845 6641 6651 6830 6820; 7846 6642 6652 6831 6821
4999. 7847 6643 6653 6832 6822; 7848 6644 6654 6833 6823; 7849 6645 6655 6834 6824
5000. 7850 6646 6656 6835 6825; 7851 6647 6657 6836 6826; 7852 6648 6658 6837 6827
5001. 7853 6649 6659 6838 6828; 7854 6650 6660 6839 6829; 7855 6651 6661 6840 6830
5002. 7856 6652 6662 6841 6831; 7857 6653 6663 6842 6832; 7858 6654 6664 6843 6833
5003. 7859 6655 6665 6844 6834; 7860 6656 6666 6845 6835; 7861 6657 6667 6846 6836
5004. 7862 6658 6668 6847 6837; 7863 6659 6669 6848 6838; 7864 6660 6670 6849 6839
5005. 7865 6661 6671 6850 6840; 7866 6662 6672 6851 6841; 7867 6663 6673 6852 6842
5006. 7868 6664 6674 6853 6843; 7869 6665 6675 6854 6844; 7870 6666 6676 6855 6845
5007. 7871 6667 6677 6856 6846; 7872 6668 6678 6857 6847; 7873 6669 6679 6858 6848
5008. 7874 6670 6680 6859 6849; 7875 6671 6681 6860 6850; 7876 6672 6682 6861 6851
5009. 7877 6673 6683 6862 6852; 7878 6674 6684 6863 6853; 7879 6675 6685 6864 6854
5010. 7880 6676 6686 6865 6855; 7881 6677 6687 6866 6856; 7882 6678 6688 6867 6857
5011. 7883 6679 6689 6868 6858; 7884 6680 6690 6869 6859; 7885 6681 6691 6870 6860
5012. 7886 6682 6692 6871 6861; 7887 6683 6693 6872 6862; 7888 6684 6694 6873 6863
5013. 7889 6685 6695 6874 6864; 7890 6686 6696 6875 6865; 7891 6687 6697 6876 6866
5014. 7892 6688 6698 6877 6867; 7893 6689 6699 6878 6868; 7894 6690 6700 6879 6869
5015. 7895 6691 6701 6880 6870; 7896 6692 6702 6881 6871; 7897 6693 6703 6882 6872
5016. 7898 6694 6704 6883 6873; 7899 6695 6705 6884 6874; 7900 6696 6706 6885 6875
5017. 7901 6697 6707 6886 6876; 7902 6698 6708 6887 6877; 7903 6699 6709 6888 6878
5018. 7904 6700 6710 6889 6879; 7905 6701 6711 6890 6880; 7906 6702 6712 6891 6881
5019. 7907 6703 6713 6892 6882; 7908 6704 6714 6893 6883; 7909 6705 6715 6894 6884
5020. 7910 6706 6716 6895 6885; 7911 6707 6717 6896 6886; 7912 6708 6718 6897 6887
5021. 7913 6709 6719 6898 6888; 7914 6710 6720 6899 6889; 7915 6711 6721 6900 6890
5022. 7916 6712 6722 6901 6891; 7917 6713 6723 6902 6892; 7918 6714 6724 6903 6893

STAAD SPACE -- PAGE NO. 91

5023. 7919 6715 6725 6904 6894; 7920 6716 6729 6908 6895; 7921 6717 6737 6916 6896
5024. 7922 6718 6745 6924 6897; 7923 6719 6753 6932 6898; 7924 6720 6761 6940 6899
5025. 7925 6721 6769 6948 6900; 7926 6722 6777 6956 6901; 7927 6723 6785 6964 6902
5026. 7928 6724 6793 6972 6903; 7929 6725 6801 6980 6904; 7930 6726 6727 6906 6905
5027. 7931 6727 6728 6907 6906; 7932 6728 6729 6908 6907; 7933 6729 6730 6909 6908
5028. 7934 6730 6731 6910 6909; 7935 6731 6732 6911 6910; 7936 6732 6733 6912 6911
5029. 7937 6733 6734 6913 6912; 7938 6734 6735 6914 6913; 7939 6735 6736 6915 6914
5030. 7940 6736 6737 6916 6915; 7941 6737 6738 6917 6916; 7942 6738 6739 6918 6917
5031. 7943 6739 6740 6919 6918; 7944 6740 6741 6920 6919; 7945 6741 6742 6921 6920
5032. 7946 6742 6743 6922 6921; 7947 6743 6744 6923 6922; 7948 6744 6745 6924 6923
5033. 7949 6745 6746 6925 6924; 7950 6746 6747 6926 6925; 7951 6747 6748 6927 6926
5034. 7952 6748 6749 6928 6927; 7953 6749 6750 6929 6928; 7954 6750 6751 6930 6929
5035. 7955 6751 6752 6931 6930; 7956 6752 6753 6932 6931; 7957 6753 6754 6933 6932
5036. 7958 6754 6755 6934 6933; 7959 6755 6756 6935 6934; 7960 6756 6757 6936 6935
5037. 7961 6757 6758 6937 6936; 7962 6758 6759 6938 6937; 7963 6759 6760 6939 6938
5038. 7964 6760 6761 6940 6939; 7965 6761 6762 6941 6940; 7966 6762 6763 6942 6941
5039. 7967 6763 6764 6943 6942; 7968 6764 6765 6944 6943; 7969 6765 6766 6945 6944
5040. 7970 6766 6767 6946 6945; 7971 6767 6768 6947 6946; 7972 6768 6769 6948 6947
5041. 7973 6769 6770 6949 6948; 7974 6770 6771 6950 6949; 7975 6771 6772 6951 6950
5042. 7976 6772 6773 6952 6951; 7977 6773 6774 6953 6952; 7978 6774 6775 6954 6953
5043. 7979 6775 6776 6955 6954; 7980 6776 6777 6956 6955; 7981 6777 6778 6957 6956
5044. 7982 6778 6779 6958 6957; 7983 6779 6780 6959 6958; 7984 6780 6781 6960 6959
5045. 7985 6781 6782 6961 6960; 7986 6782 6783 6962 6961; 7987 6783 6784 6963 6962
5046. 7988 6784 6785 6964 6963; 7989 6785 6786 6965 6964; 7990 6786 6787 6966 6965
5047. 7991 6787 6788 6967 6966; 7992 6788 6789 6968 6967; 7993 6789 6790 6969 6968
5048. 7994 6790 6791 6970 6969; 7995 6791 6792 6971 6970; 7996 6792 6793 6972 6971
5049. 7997 6793 6794 6973 6972; 7998 6794 6795 6974 6973; 7999 6795 6796 6975 6974
5050. 8000 6796 6797 6976 6975; 8001 6797 6798 6977 6976; 8002 6798 6799 6978 6977
5051. 8003 6799 6800 6979 6978; 8004 6800 6801 6980 6979; 8005 6801 6802 6981 6980
5052. 8006 6802 6803 6982 6981; 8007 6803 6804 6983 6982; 8008 6805 6815 6994 6984
5053. 8009 6806 6816 6995 6985; 8010 6807 6817 6996 6986; 8011 6808 6818 6997 6987
5054. 8012 6809 6819 6998 6988; 8013 6810 6820 6999 6989; 8014 6811 6821 7000 6990
5055. 8015 6812 6822 7001 6991; 8016 6813 6823 7002 6992; 8017 6814 6824 7003 6993
5056. 8018 6815 6825 7004 6994; 8019 6816 6826 7005 6995; 8020 6817 6827 7006 6996
5057. 8021 6818 6828 7007 6997; 8022 6819 6829 7008 6998; 8023 6820 6830 7009 6999
5058. 8024 6821 6831 7010 7000; 8025 6822 6832 7011 7001; 8026 6823 6833 7012 7002
5059. 8027 6824 6834 7013 7003; 8028 6825 6835 7014 7004; 8029 6826 6836 7015 7005
5060. 8030 6827 6837 7016 7006; 8031 6828 6838 7017 7007; 8032 6829 6839 7018 7008
5061. 8033 6830 6840 7019 7009; 8034 6831 6841 7020 7010; 8035 6832 6842 7021 7011
5062. 8036 6833 6843 7022 7012; 8037 6834 6844 7023 7013; 8038 6835 6845 7024 7014
5063. 8039 6836 6846 7025 7015; 8040 6837 6847 7026 7016; 8041 6838 6848 7027 7017
5064. 8042 6839 6849 7028 7018; 8043 6840 6850 7029 7019; 8044 6841 6851 7030 7020
5065. 8045 6842 6852 7031 7021; 8046 6843 6853 7032 7022; 8047 6844 6854 7033 7023
5066. 8048 6845 6855 7034 7024; 8049 6846 6856 7035 7025; 8050 6847 6857 7036 7026
5067. 8051 6848 6858 7037 7027; 8052 6849 6859 7038 7028; 8053 6850 6860 7039 7029
5068. 8054 6851 6861 7040 7030; 8055 6852 6862 7041 7031; 8056 6853 6863 7042 7032
5069. 8057 6854 6864 7043 7033; 8058 6855 6865 7044 7034; 8059 6856 6866 7045 7035
5070. 8060 6857 6867 7046 7036; 8061 6858 6868 7047 7037; 8062 6859 6869 7048 7038
5071. 8063 6860 6870 7049 7039; 8064 6861 6871 7050 7040; 8065 6862 6872 7051 7041
5072. 8066 6863 6873 7052 7042; 8067 6864 6874 7053 7043; 8068 6865 6875 7054 7044
5073. 8069 6866 6876 7055 7045; 8070 6867 6877 7056 7046; 8071 6868 6878 7057 7047
5074. 8072 6869 6879 7058 7048; 8073 6870 6880 7059 7049; 8074 6871 6881 7060 7050
5075. 8075 6872 6882 7061 7051; 8076 6873 6883 7062 7052; 8077 6874 6884 7063 7053
5076. 8078 6875 6885 7064 7054; 8079 6876 6886 7065 7055; 8080 6877 6887 7066 7056
5077. 8081 6878 6888 7067 7057; 8082 6879 6889 7068 7058; 8083 6880 6890 7069 7059
5078. 8084 6881 6891 7070 7060; 8085 6882 6892 7071 7061; 8086 6883 6893 7072 7062

STAAD SPACE -- PAGE NO. 92

5079. 8087 6884 6894 7073 7063; 8088 6885 6895 7074 7064; 8089 6886 6896 7075 7065
5080. 8090 6887 6897 7076 7066; 8091 6888 6898 7077 7067; 8092 6889 6899 7078 7068
5081. 8093 6890 6900 7079 7069; 8094 6891 6901 7080 7070; 8095 6892 6902 7081 7071
5082. 8096 6893 6903 7082 7072; 8097 6894 6904 7083 7073; 8098 6895 6908 7087 7074
5083. 8099 6896 6916 7095 7075; 8100 6897 6924 7103 7076; 8101 6898 6932 7111 7077
5084. 8102 6899 6940 7119 7078; 8103 6900 6948 7127 7079; 8104 6901 6956 7135 7080
5085. 8105 6902 6964 7143 7081; 8106 6903 6972 7151 7082; 8107 6904 6980 7159 7083
5086. 8108 6905 6906 7085 7084; 8109 6906 6907 7086 7085; 8110 6907 6908 7087 7086
5087. 8111 6908 6909 7088 7087; 8112 6909 6910 7089 7088; 8113 6910 6911 7090 7089
5088. 8114 6911 6912 7091 7090; 8115 6912 6913 7092 7091; 8116 6913 6914 7093 7092
5089. 8117 6914 6915 7094 7093; 8118 6915 6916 7095 7094; 8119 6916 6917 7096 7095
5090. 8120 6917 6918 7097 7096; 8121 6918 6919 7098 7097; 8122 6919 6920 7099 7098
5091. 8123 6920 6921 7100 7099; 8124 6921 6922 7101 7100; 8125 6922 6923 7102 7101
5092. 8126 6923 6924 7103 7102; 8127 6924 6925 7104 7103; 8128 6925 6926 7105 7104
5093. 8129 6926 6927 7106 7105; 8130 6927 6928 7107 7106; 8131 6928 6929 7108 7107
5094. 8132 6929 6930 7109 7108; 8133 6930 6931 7110 7109; 8134 6931 6932 7111 7110
5095. 8135 6932 6933 7112 7111; 8136 6933 6934 7113 7112; 8137 6934 6935 7114 7113
5096. 8138 6935 6936 7115 7114; 8139 6936 6937 7116 7115; 8140 6937 6938 7117 7116
5097. 8141 6938 6939 7118 7117; 8142 6939 6940 7119 7118; 8143 6940 6941 7120 7119
5098. 8144 6941 6942 7121 7120; 8145 6942 6943 7122 7121; 8146 6943 6944 7123 7122
5099. 8147 6944 6945 7124 7123; 8148 6945 6946 7125 7124; 8149 6946 6947 7126 7125
5100. 8150 6947 6948 7127 7126; 8151 6948 6949 7128 7127; 8152 6949 6950 7129 7128
5101. 8153 6950 6951 7130 7129; 8154 6951 6952 7131 7130; 8155 6952 6953 7132 7131
5102. 8156 6953 6954 7133 7132; 8157 6954 6955 7134 7133; 8158 6955 6956 7135 7134
5103. 8159 6956 6957 7136 7135; 8160 6957 6958 7137 7136; 8161 6958 6959 7138 7137
5104. 8162 6959 6960 7139 7138; 8163 6960 6961 7140 7139; 8164 6961 6962 7141 7140
5105. 8165 6962 6963 7142 7141; 8166 6963 6964 7143 7142; 8167 6964 6965 7144 7143
5106. 8168 6965 6966 7145 7144; 8169 6966 6967 7146 7145; 8170 6967 6968 7147 7146
5107. 8171 6968 6969 7148 7147; 8172 6969 6970 7149 7148; 8173 6970 6971 7150 7149
5108. 8174 6971 6972 7151 7150; 8175 6972 6973 7152 7151; 8176 6973 6974 7153 7152
5109. 8177 6974 6975 7154 7153; 8178 6975 6976 7155 7154; 8179 6976 6977 7156 7155
5110. 8180 6977 6978 7157 7156; 8181 6978 6979 7158 7157; 8182 6979 6980 7159 7158
5111. 8183 6980 6981 7160 7159; 8184 6981 6982 7161 7160; 8185 6982 6983 7162 7161
5112. 8186 6984 6994 7163; 8187 6985 6995 7164; 8188 6986 6996 7165
5113. 8189 6987 6997 7166; 8190 6988 6998 7167; 8191 6989 6999 7168
5114. 8192 6990 7000 7169; 8193 6991 7001 7170; 8194 6992 7002 7171
5115. 8195 6993 7003 7172; 8196 6994 7004 7173 7163; 8197 6995 7005 7174 7164
5116. 8198 6996 7006 7175 7165; 8199 6997 7007 7176 7166; 8200 6998 7008 7177 7167
5117. 8201 6999 7009 7178 7168; 8202 7000 7010 7179 7169; 8203 7001 7011 7180 7170
5118. 8204 7002 7012 7181 7171; 8205 7003 7013 7182 7172; 8206 7004 7014 7183 7173
5119. 8207 7005 7015 7184 7174; 8208 7006 7016 7185 7175; 8209 7007 7017 7186 7176
5120. 8210 7008 7018 7187 7177; 8211 7009 7019 7188 7178; 8212 7010 7020 7189 7179
5121. 8213 7011 7021 7190 7180; 8214 7012 7022 7191 7181; 8215 7013 7023 7192 7182
5122. 8216 7014 7024 7193 7183; 8217 7015 7025 7194 7184; 8218 7016 7026 7195 7185
5123. 8219 7017 7027 7196 7186; 8220 7018 7028 7197 7187; 8221 7019 7029 7198 7188
5124. 8222 7020 7030 7199 7189; 8223 7021 7031 7200 7190; 8224 7022 7032 7201 7191
5125. 8225 7023 7033 7202 7192; 8226 7024 7034 7203 7193; 8227 7025 7035 7204 7194
5126. 8228 7026 7036 7205 7195; 8229 7027 7037 7206 7196; 8230 7028 7038 7207 7197
5127. 8231 7029 7039 7208 7198; 8232 7030 7040 7209 7199; 8233 7031 7041 7210 7200
5128. 8234 7032 7042 7211 7201; 8235 7033 7043 7212 7202; 8236 7034 7044 7213 7203
5129. 8237 7035 7045 7214 7204; 8238 7036 7046 7215 7205; 8239 7037 7047 7216 7206
5130. 8240 7038 7048 7217 7207; 8241 7039 7049 7218 7208; 8242 7040 7050 7219 7209
5131. 8243 7041 7051 7220 7210; 8244 7042 7052 7221 7211; 8245 7043 7053 7222 7212
5132. 8246 7044 7054 7223 7213; 8247 7045 7055 7224 7214; 8248 7046 7056 7225 7215
5133. 8249 7047 7057 7226 7216; 8250 7048 7058 7227 7217; 8251 7049 7059 7228 7218
5134. 8252 7050 7060 7229 7219; 8253 7051 7061 7230 7220; 8254 7052 7062 7231 7221

STAAD SPACE -- PAGE NO. 93

5135. 8255 7053 7063 7232 7222; 8256 7054 7064 7233 7223; 8257 7055 7065 7234 7224
5136. 8258 7056 7066 7235 7225; 8259 7057 7067 7236 7226; 8260 7058 7068 7237 7227
5137. 8261 7059 7069 7238 7228; 8262 7060 7070 7239 7229; 8263 7061 7071 7240 7230
5138. 8264 7062 7072 7241 7231; 8265 7063 7073 7242 7232; 8266 7064 7074 7243 7233
5139. 8267 7065 7075 7244 7234; 8268 7066 7076 7245 7235; 8269 7067 7077 7246 7236
5140. 8270 7068 7078 7247 7237; 8271 7069 7079 7248 7238; 8272 7070 7080 7249 7239
5141. 8273 7071 7081 7250 7240; 8274 7072 7082 7251 7241; 8275 7073 7083 7252 7242
5142. 8276 7074 7087 7256 7243; 8277 7075 7095 7264 7244; 8278 7076 7103 7272 7245
5143. 8279 7077 7111 7280 7246; 8280 7078 7119 7288 7247; 8281 7079 7127 7296 7248
5144. 8282 7080 7135 7304 7249; 8283 7081 7143 7312 7250; 8284 7082 7151 7320 7251
5145. 8285 7083 7159 7328 7252; 8286 7084 7085 7254 7253; 8287 7085 7086 7255 7254
5146. 8288 7086 7087 7256 7255; 8289 7087 7088 7257 7256; 8290 7088 7089 7258 7257
5147. 8291 7089 7090 7259 7258; 8292 7090 7091 7260 7259; 8293 7091 7092 7261 7260
5148. 8294 7092 7093 7262 7261; 8295 7093 7094 7263 7262; 8296 7094 7095 7264 7263
5149. 8297 7095 7096 7265 7264; 8298 7096 7097 7266 7265; 8299 7097 7098 7267 7266
5150. 8300 7098 7099 7268 7267; 8301 7099 7100 7269 7268; 8302 7100 7101 7270 7269
5151. 8303 7101 7102 7271 7270; 8304 7102 7103 7272 7271; 8305 7103 7104 7273 7272
5152. 8306 7104 7105 7274 7273; 8307 7105 7106 7275 7274; 8308 7106 7107 7276 7275
5153. 8309 7107 7108 7277 7276; 8310 7108 7109 7278 7277; 8311 7109 7110 7279 7278
5154. 8312 7110 7111 7280 7279; 8313 7111 7112 7281 7280; 8314 7112 7113 7282 7281
5155. 8315 7113 7114 7283 7282; 8316 7114 7115 7284 7283; 8317 7115 7116 7285 7284
5156. 8318 7116 7117 7286 7285; 8319 7117 7118 7287 7286; 8320 7118 7119 7288 7287
5157. 8321 7119 7120 7289 7288; 8322 7120 7121 7290 7289; 8323 7121 7122 7291 7290
5158. 8324 7122 7123 7292 7291; 8325 7123 7124 7293 7292; 8326 7124 7125 7294 7293
5159. 8327 7125 7126 7295 7294; 8328 7126 7127 7296 7295; 8329 7127 7128 7297 7296
5160. 8330 7128 7129 7298 7297; 8331 7129 7130 7299 7298; 8332 7130 7131 7300 7299
5161. 8333 7131 7132 7301 7300; 8334 7132 7133 7302 7301; 8335 7133 7134 7303 7302
5162. 8336 7134 7135 7304 7303; 8337 7135 7136 7305 7304; 8338 7136 7137 7306 7305
5163. 8339 7137 7138 7307 7306; 8340 7138 7139 7308 7307; 8341 7139 7140 7309 7308
5164. 8342 7140 7141 7310 7309; 8343 7141 7142 7311 7310; 8344 7142 7143 7312 7311
5165. 8345 7143 7144 7313 7312; 8346 7144 7145 7314 7313; 8347 7145 7146 7315 7314
5166. 8348 7146 7147 7316 7315; 8349 7147 7148 7317 7316; 8350 7148 7149 7318 7317
5167. 8351 7149 7150 7319 7318; 8352 7150 7151 7320 7319; 8353 7151 7152 7321 7320
5168. 8354 7152 7153 7322 7321; 8355 7153 7154 7323 7322; 8356 7154 7155 7324 7323
5169. 8357 7155 7156 7325 7324; 8358 7156 7157 7326 7325; 8359 7157 7158 7327 7326
5170. 8360 7158 7159 7328 7327; 8361 7159 7160 7329 7328; 8362 7160 7161 7330 7329
5171. 8363 7161 7162 7331 7330; 8364 7163 7173 7342 7332; 8365 7164 7174 7343 7333
5172. 8366 7165 7175 7344 7334; 8367 7166 7176 7345 7335; 8368 7167 7177 7346 7336
5173. 8369 7168 7178 7347 7337; 8370 7169 7179 7348 7338; 8371 7170 7180 7349 7339
5174. 8372 7171 7181 7350 7340; 8373 7172 7182 7351 7341; 8374 7173 7183 7352 7342
5175. 8375 7174 7184 7353 7343; 8376 7175 7185 7354 7344; 8377 7176 7186 7355 7345
5176. 8378 7177 7187 7356 7346; 8379 7178 7188 7357 7347; 8380 7179 7189 7358 7348
5177. 8381 7180 7190 7359 7349; 8382 7181 7191 7360 7350; 8383 7182 7192 7361 7351
5178. 8384 7183 7193 7362 7352; 8385 7184 7194 7363 7353; 8386 7185 7195 7364 7354
5179. 8387 7186 7196 7365 7355; 8388 7187 7197 7366 7356; 8389 7188 7198 7367 7357
5180. 8390 7189 7199 7368 7358; 8391 7190 7200 7369 7359; 8392 7191 7201 7370 7360
5181. 8393 7192 7202 7371 7361; 8394 7193 7203 7372 7362; 8395 7194 7204 7373 7363
5182. 8396 7195 7205 7374 7364; 8397 7196 7206 7375 7365; 8398 7197 7207 7376 7366
5183. 8399 7198 7208 7377 7367; 8400 7199 7209 7378 7368; 8401 7200 7210 7379 7369
5184. 8402 7201 7211 7380 7370; 8403 7202 7212 7381 7371; 8404 7203 7213 7382 7372
5185. 8405 7204 7214 7383 7373; 8406 7205 7215 7384 7374; 8407 7206 7216 7385 7375
5186. 8408 7207 7217 7386 7376; 8409 7208 7218 7387 7377; 8410 7209 7219 7388 7378
5187. 8411 7210 7220 7389 7379; 8412 7211 7221 7390 7380; 8413 7212 7222 7391 7381
5188. 8414 7213 7223 7392 7382; 8415 7214 7224 7393 7383; 8416 7215 7225 7394 7384
5189. 8417 7216 7226 7395 7385; 8418 7217 7227 7396 7386; 8419 7218 7228 7397 7387
5190. 8420 7219 7229 7398 7388; 8421 7220 7230 7399 7389; 8422 7221 7231 7400 7390

STAAD SPACE -- PAGE NO. 94

5191. 8423 7222 7232 7401 7391; 8424 7223 7233 7402 7392; 8425 7224 7234 7403 7393
5192. 8426 7225 7235 7404 7394; 8427 7226 7236 7405 7395; 8428 7227 7237 7406 7396
5193. 8429 7228 7238 7407 7397; 8430 7229 7239 7408 7398; 8431 7230 7240 7409 7399
5194. 8432 7231 7241 7410 7400; 8433 7232 7242 7411 7401; 8434 7233 7243 7412 7402
5195. 8435 7234 7244 7413 7403; 8436 7235 7245 7414 7404; 8437 7236 7246 7415 7405
5196. 8438 7237 7247 7416 7406; 8439 7238 7248 7417 7407; 8440 7239 7249 7418 7408
5197. 8441 7240 7250 7419 7409; 8442 7241 7251 7420 7410; 8443 7242 7252 7421 7411
5198. 8444 7243 7256 7425 7412; 8445 7244 7264 7433 7413; 8446 7245 7272 7441 7414
5199. 8447 7246 7280 7449 7415; 8448 7247 7288 7457 7416; 8449 7248 7296 7465 7417
5200. 8450 7249 7304 7473 7418; 8451 7250 7312 7481 7419; 8452 7251 7320 7489 7420
5201. 8453 7252 7328 7497 7421; 8454 7253 7254 7423 7422; 8455 7254 7255 7424 7423
5202. 8456 7255 7256 7425 7424; 8457 7256 7257 7426 7425; 8458 7257 7258 7427 7426
5203. 8459 7258 7259 7428 7427; 8460 7259 7260 7429 7428; 8461 7260 7261 7430 7429
5204. 8462 7261 7262 7431 7430; 8463 7262 7263 7432 7431; 8464 7263 7264 7433 7432
5205. 8465 7264 7265 7434 7433; 8466 7265 7266 7435 7434; 8467 7266 7267 7436 7435
5206. 8468 7267 7268 7437 7436; 8469 7268 7269 7438 7437; 8470 7269 7270 7439 7438
5207. 8471 7270 7271 7440 7439; 8472 7271 7272 7441 7440; 8473 7272 7273 7442 7441
5208. 8474 7273 7274 7443 7442; 8475 7274 7275 7444 7443; 8476 7275 7276 7445 7444
5209. 8477 7276 7277 7446 7445; 8478 7277 7278 7447 7446; 8479 7278 7279 7448 7447
5210. 8480 7279 7280 7449 7448; 8481 7280 7281 7450 7449; 8482 7281 7282 7451 7450
5211. 8483 7282 7283 7452 7451; 8484 7283 7284 7453 7452; 8485 7284 7285 7454 7453
5212. 8486 7285 7286 7455 7454; 8487 7286 7287 7456 7455; 8488 7287 7288 7457 7456
5213. 8489 7288 7289 7458 7457; 8490 7289 7290 7459 7458; 8491 7290 7291 7460 7459
5214. 8492 7291 7292 7461 7460; 8493 7292 7293 7462 7461; 8494 7293 7294 7463 7462
5215. 8495 7294 7295 7464 7463; 8496 7295 7296 7465 7464; 8497 7296 7297 7466 7465
5216. 8498 7297 7298 7467 7466; 8499 7298 7299 7468 7467; 8500 7299 7300 7469 7468
5217. 8501 7300 7301 7470 7469; 8502 7301 7302 7471 7470; 8503 7302 7303 7472 7471
5218. 8504 7303 7304 7473 7472; 8505 7304 7305 7474 7473; 8506 7305 7306 7475 7474
5219. 8507 7306 7307 7476 7475; 8508 7307 7308 7477 7476; 8509 7308 7309 7478 7477
5220. 8510 7309 7310 7479 7478; 8511 7310 7311 7480 7479; 8512 7311 7312 7481 7480
5221. 8513 7312 7313 7482 7481; 8514 7313 7314 7483 7482; 8515 7314 7315 7484 7483
5222. 8516 7315 7316 7485 7484; 8517 7316 7317 7486 7485; 8518 7317 7318 7487 7486
5223. 8519 7318 7319 7488 7487; 8520 7319 7320 7489 7488; 8521 7320 7321 7490 7489
5224. 8522 7321 7322 7491 7490; 8523 7322 7323 7492 7491; 8524 7323 7324 7493 7492
5225. 8525 7324 7325 7494 7493; 8526 7325 7326 7495 7494; 8527 7326 7327 7496 7495
5226. 8528 7327 7328 7497 7496; 8529 7328 7329 7498 7497; 8530 7329 7330 7499 7498
5227. 8531 7330 7331 7500 7499; 8532 7332 7342 7501; 8533 7333 7343 7502
5228. 8534 7334 7344 7503; 8535 7335 7345 7504; 8536 7336 7346 7505
5229. 8537 7337 7347 7506; 8538 7338 7348 7507; 8539 7339 7349 7508
5230. 8540 7340 7350 7509; 8541 7341 7351 7510; 8542 7342 7352 7511 7501
5231. 8543 7343 7353 7512 7502; 8544 7344 7354 7513 7503; 8545 7345 7355 7514 7504
5232. 8546 7346 7356 7515 7505; 8547 7347 7357 7516 7506; 8548 7348 7358 7517 7507
5233. 8549 7349 7359 7518 7508; 8550 7350 7360 7519 7509; 8551 7351 7361 7520 7510
5234. 8552 7352 7362 7521 7511; 8553 7353 7363 7522 7512; 8554 7354 7364 7523 7513
5235. 8555 7355 7365 7524 7514; 8556 7356 7366 7525 7515; 8557 7357 7367 7526 7516
5236. 8558 7358 7368 7527 7517; 8559 7359 7369 7528 7518; 8560 7360 7370 7529 7519
5237. 8561 7361 7371 7530 7520; 8562 7362 7372 7531 7521; 8563 7363 7373 7532 7522
5238. 8564 7364 7374 7533 7523; 8565 7365 7375 7534 7524; 8566 7366 7376 7535 7525
5239. 8567 7367 7377 7536 7526; 8568 7368 7378 7537 7527; 8569 7369 7379 7538 7528
5240. 8570 7370 7380 7539 7529; 8571 7371 7381 7540 7530; 8572 7372 7382 7541 7531
5241. 8573 7373 7383 7542 7532; 8574 7374 7384 7543 7533; 8575 7375 7385 7544 7534
5242. 8576 7376 7386 7545 7535; 8577 7377 7387 7546 7536; 8578 7378 7388 7547 7537
5243. 8579 7379 7389 7548 7538; 8580 7380 7390 7549 7539; 8581 7381 7391 7550 7540
5244. 8582 7382 7392 7551 7541; 8583 7383 7393 7552 7542; 8584 7384 7394 7553 7543
5245. 8585 7385 7395 7554 7544; 8586 7386 7396 7555 7545; 8587 7387 7397 7556 7546
5246. 8588 7388 7398 7557 7547; 8589 7389 7399 7558 7548; 8590 7390 7400 7559 7549

STAAD SPACE -- PAGE NO. 95

5247. 8591 7391 7401 7560 7550; 8592 7392 7402 7561 7551; 8593 7393 7403 7562 7552
5248. 8594 7394 7404 7563 7553; 8595 7395 7405 7564 7554; 8596 7396 7406 7565 7555
5249. 8597 7397 7407 7566 7556; 8598 7398 7408 7567 7557; 8599 7399 7409 7568 7558
5250. 8600 7400 7410 7569 7559; 8601 7401 7411 7570 7560; 8602 7402 7412 7571 7561
5251. 8603 7403 7413 7572 7562; 8604 7404 7414 7573 7563; 8605 7405 7415 7574 7564
5252. 8606 7406 7416 7575 7565; 8607 7407 7417 7576 7566; 8608 7408 7418 7577 7567
5253. 8609 7409 7419 7578 7568; 8610 7410 7420 7579 7569; 8611 7411 7421 7580 7570
5254. 8612 7412 7425 7584 7571; 8613 7413 7433 7592 7572; 8614 7414 7441 7600 7573
5255. 8615 7415 7449 7608 7574; 8616 7416 7457 7616 7575; 8617 7417 7465 7624 7576
5256. 8618 7418 7473 7632 7577; 8619 7419 7481 7640 7578; 8620 7420 7489 7648 7579
5257. 8621 7421 7497 7656 7580; 8622 7422 7423 7582 7581; 8623 7423 7424 7583 7582
5258. 8624 7424 7425 7584 7583; 8625 7425 7426 7585 7584; 8626 7426 7427 7586 7585
5259. 8627 7427 7428 7587 7586; 8628 7428 7429 7588 7587; 8629 7429 7430 7589 7588
5260. 8630 7430 7431 7590 7589; 8631 7431 7432 7591 7590; 8632 7432 7433 7592 7591
5261. 8633 7433 7434 7593 7592; 8634 7434 7435 7594 7593; 8635 7435 7436 7595 7594
5262. 8636 7436 7437 7596 7595; 8637 7437 7438 7597 7596; 8638 7438 7439 7598 7597
5263. 8639 7439 7440 7599 7598; 8640 7440 7441 7600 7599; 8641 7441 7442 7601 7600
5264. 8642 7442 7443 7602 7601; 8643 7443 7444 7603 7602; 8644 7444 7445 7604 7603
5265. 8645 7445 7446 7605 7604; 8646 7446 7447 7606 7605; 8647 7447 7448 7607 7606
5266. 8648 7448 7449 7608 7607; 8649 7449 7450 7609 7608; 8650 7450 7451 7610 7609
5267. 8651 7451 7452 7611 7610; 8652 7452 7453 7612 7611; 8653 7453 7454 7613 7612
5268. 8654 7454 7455 7614 7613; 8655 7455 7456 7615 7614; 8656 7456 7457 7616 7615
5269. 8657 7457 7458 7617 7616; 8658 7458 7459 7618 7617; 8659 7459 7460 7619 7618
5270. 8660 7460 7461 7620 7619; 8661 7461 7462 7621 7620; 8662 7462 7463 7622 7621
5271. 8663 7463 7464 7623 7622; 8664 7464 7465 7624 7623; 8665 7465 7466 7625 7624
5272. 8666 7466 7467 7626 7625; 8667 7467 7468 7627 7626; 8668 7468 7469 7628 7627
5273. 8669 7469 7470 7629 7628; 8670 7470 7471 7630 7629; 8671 7471 7472 7631 7630
5274. 8672 7472 7473 7632 7631; 8673 7473 7474 7633 7632; 8674 7474 7475 7634 7633
5275. 8675 7475 7476 7635 7634; 8676 7476 7477 7636 7635; 8677 7477 7478 7637 7636
5276. 8678 7478 7479 7638 7637; 8679 7479 7480 7639 7638; 8680 7480 7481 7640 7639
5277. 8681 7481 7482 7641 7640; 8682 7482 7483 7642 7641; 8683 7483 7484 7643 7642
5278. 8684 7484 7485 7644 7643; 8685 7485 7486 7645 7644; 8686 7486 7487 7646 7645
5279. 8687 7487 7488 7647 7646; 8688 7488 7489 7648 7647; 8689 7489 7490 7649 7648
5280. 8690 7490 7491 7650 7649; 8691 7491 7492 7651 7650; 8692 7492 7493 7652 7651
5281. 8693 7493 7494 7653 7652; 8694 7494 7495 7654 7653; 8695 7495 7496 7655 7654
5282. 8696 7496 7497 7656 7655; 8697 7497 7498 7657 7656; 8698 7498 7499 7658 7657
5283. 8699 7499 7500 7659 7658; 8700 7501 7511 7670 7660; 8701 7502 7512 7671 7661
5284. 8702 7503 7513 7672 7662; 8703 7504 7514 7673 7663; 8704 7505 7515 7674 7664
5285. 8705 7506 7516 7675 7665; 8706 7507 7517 7676 7666; 8707 7508 7518 7677 7667
5286. 8708 7509 7519 7678 7668; 8709 7510 7520 7679 7669; 8710 7511 7521 7680 7670
5287. 8711 7512 7522 7681 7671; 8712 7513 7523 7682 7672; 8713 7514 7524 7683 7673
5288. 8714 7515 7525 7684 7674; 8715 7516 7526 7685 7675; 8716 7517 7527 7686 7676
5289. 8717 7518 7528 7687 7677; 8718 7519 7529 7688 7678; 8719 7520 7530 7689 7679
5290. 8720 7521 7531 7690 7680; 8721 7522 7532 7691 7681; 8722 7523 7533 7692 7682
5291. 8723 7524 7534 7693 7683; 8724 7525 7535 7694 7684; 8725 7526 7536 7695 7685
5292. 8726 7527 7537 7696 7686; 8727 7528 7538 7697 7687; 8728 7529 7539 7698 7688
5293. 8729 7530 7540 7699 7689; 8730 7531 7541 7700 7690; 8731 7532 7542 7701 7691
5294. 8732 7533 7543 7702 7692; 8733 7534 7544 7703 7693; 8734 7535 7545 7704 7694
5295. 8735 7536 7546 7705 7695; 8736 7537 7547 7706 7696; 8737 7538 7548 7707 7697
5296. 8738 7539 7549 7708 7698; 8739 7540 7550 7709 7699; 8740 7541 7551 7710 7700
5297. 8741 7542 7552 7711 7701; 8742 7543 7553 7712 7702; 8743 7544 7554 7713 7703
5298. 8744 7545 7555 7714 7704; 8745 7546 7556 7715 7705; 8746 7547 7557 7716 7706
5299. 8747 7548 7558 7717 7707; 8748 7549 7559 7718 7708; 8749 7550 7560 7719 7709
5300. 8750 7551 7561 7720 7710; 8751 7552 7562 7721 7711; 8752 7553 7563 7722 7712
5301. 8753 7554 7564 7723 7713; 8754 7555 7565 7724 7714; 8755 7556 7566 7725 7715
5302. 8756 7557 7567 7726 7716; 8757 7558 7568 7727 7717; 8758 7559 7569 7728 7718

STAAD SPACE -- PAGE NO. 96

5303. 8759 7560 7570 7729 7719; 8760 7561 7571 7730 7720; 8761 7562 7572 7731 7721
5304. 8762 7563 7573 7732 7722; 8763 7564 7574 7733 7723; 8764 7565 7575 7734 7724
5305. 8765 7566 7576 7735 7725; 8766 7567 7577 7736 7726; 8767 7568 7578 7737 7727
5306. 8768 7569 7579 7738 7728; 8769 7570 7580 7739 7729; 8770 7571 7584 7743 7730
5307. 8771 7572 7592 7751 7731; 8772 7573 7600 7759 7732; 8773 7574 7608 7767 7733
5308. 8774 7575 7616 7775 7734; 8775 7576 7624 7783 7735; 8776 7577 7632 7791 7736
5309. 8777 7578 7640 7799 7737; 8778 7579 7648 7807 7738; 8779 7580 7656 7815 7739
5310. 8780 7581 7582 7741 7740; 8781 7582 7583 7742 7741; 8782 7583 7584 7743 7742
5311. 8783 7584 7585 7744 7743; 8784 7585 7586 7745 7744; 8785 7586 7587 7746 7745
5312. 8786 7587 7588 7747 7746; 8787 7588 7589 7748 7747; 8788 7589 7590 7749 7748
5313. 8789 7590 7591 7750 7749; 8790 7591 7592 7751 7750; 8791 7592 7593 7752 7751
5314. 8792 7593 7594 7753 7752; 8793 7594 7595 7754 7753; 8794 7595 7596 7755 7754
5315. 8795 7596 7597 7756 7755; 8796 7597 7598 7757 7756; 8797 7598 7599 7758 7757
5316. 8798 7599 7600 7759 7758; 8799 7600 7601 7760 7759; 8800 7601 7602 7761 7760
5317. 8801 7602 7603 7762 7761; 8802 7603 7604 7763 7762; 8803 7604 7605 7764 7763
5318. 8804 7605 7606 7765 7764; 8805 7606 7607 7766 7765; 8806 7607 7608 7767 7766
5319. 8807 7608 7609 7768 7767; 8808 7609 7610 7769 7768; 8809 7610 7611 7770 7769
5320. 8810 7611 7612 7771 7770; 8811 7612 7613 7772 7771; 8812 7613 7614 7773 7772
5321. 8813 7614 7615 7774 7773; 8814 7615 7616 7775 7774; 8815 7616 7617 7776 7775
5322. 8816 7617 7618 7777 7776; 8817 7618 7619 7778 7777; 8818 7619 7620 7779 7778
5323. 8819 7620 7621 7780 7779; 8820 7621 7622 7781 7780; 8821 7622 7623 7782 7781
5324. 8822 7623 7624 7783 7782; 8823 7624 7625 7784 7783; 8824 7625 7626 7785 7784
5325. 8825 7626 7627 7786 7785; 8826 7627 7628 7787 7786; 8827 7628 7629 7788 7787
5326. 8828 7629 7630 7789 7788; 8829 7630 7631 7790 7789; 8830 7631 7632 7791 7790
5327. 8831 7632 7633 7792 7791; 8832 7633 7634 7793 7792; 8833 7634 7635 7794 7793
5328. 8834 7635 7636 7795 7794; 8835 7636 7637 7796 7795; 8836 7637 7638 7797 7796
5329. 8837 7638 7639 7798 7797; 8838 7639 7640 7799 7798; 8839 7640 7641 7800 7799
5330. 8840 7641 7642 7801 7800; 8841 7642 7643 7802 7801; 8842 7643 7644 7803 7802
5331. 8843 7644 7645 7804 7803; 8844 7645 7646 7805 7804; 8845 7646 7647 7806 7805
5332. 8846 7647 7648 7807 7806; 8847 7648 7649 7808 7807; 8848 7649 7650 7809 7808
5333. 8849 7650 7651 7810 7809; 8850 7651 7652 7811 7810; 8851 7652 7653 7812 7811
5334. 8852 7653 7654 7813 7812; 8853 7654 7655 7814 7813; 8854 7655 7656 7815 7814
5335. 8855 7656 7657 7816 7815; 8856 7657 7658 7817 7816; 8857 7658 7659 7818 7817
5336. 8858 7660 7670 7819; 8859 7661 7671 7820; 8860 7662 7672 7821
5337. 8861 7663 7673 7822; 8862 7664 7674 7823; 8863 7665 7675 7824
5338. 8864 7666 7676 7825; 8865 7667 7677 7826; 8866 7668 7678 7827
5339. 8867 7669 7679 7828; 8868 7670 7680 7829 7819; 8869 7671 7681 7830 7820
5340. 8870 7672 7682 7831 7821; 8871 7673 7683 7832 7822; 8872 7674 7684 7833 7823
5341. 8873 7675 7685 7834 7824; 8874 7676 7686 7835 7825; 8875 7677 7687 7836 7826
5342. 8876 7678 7688 7837 7827; 8877 7679 7689 7838 7828; 8878 7680 7690 7839 7829
5343. 8879 7681 7691 7840 7830; 8880 7682 7692 7841 7831; 8881 7683 7693 7842 7832
5344. 8882 7684 7694 7843 7833; 8883 7685 7695 7844 7834; 8884 7686 7696 7845 7835
5345. 8885 7687 7697 7846 7836; 8886 7688 7698 7847 7837; 8887 7689 7699 7848 7838
5346. 8888 7690 7700 7849 7839; 8889 7691 7701 7850 7840; 8890 7692 7702 7851 7841
5347. 8891 7693 7703 7852 7842; 8892 7694 7704 7853 7843; 8893 7695 7705 7854 7844
5348. 8894 7696 7706 7855 7845; 8895 7697 7707 7856 7846; 8896 7698 7708 7857 7847
5349. 8897 7699 7709 7858 7848; 8898 7700 7710 7859 7849; 8899 7701 7711 7860 7850
5350. 8900 7702 7712 7861 7851; 8901 7703 7713 7862 7852; 8902 7704 7714 7863 7853
5351. 8903 7705 7715 7864 7854; 8904 7706 7716 7865 7855; 8905 7707 7717 7866 7856
5352. 8906 7708 7718 7867 7857; 8907 7709 7719 7868 7858; 8908 7710 7720 7869 7859
5353. 8909 7711 7721 7870 7860; 8910 7712 7722 7871 7861; 8911 7713 7723 7872 7862
5354. 8912 7714 7724 7873 7863; 8913 7715 7725 7874 7864; 8914 7716 7726 7875 7865
5355. 8915 7717 7727 7876 7866; 8916 7718 7728 7877 7867; 8917 7719 7729 7878 7868
5356. 8918 7720 7730 7879 7869; 8919 7721 7731 7880 7870; 8920 7722 7732 7881 7871
5357. 8921 7723 7733 7882 7872; 8922 7724 7734 7883 7873; 8923 7725 7735 7884 7874
5358. 8924 7726 7736 7885 7875; 8925 7727 7737 7886 7876; 8926 7728 7738 7887 7877

STAAD SPACE -- PAGE NO. 97

5359. 8927 7729 7739 7888 7878; 8928 7730 7743 7892 7879; 8929 7731 7751 7900 7880
5360. 8930 7732 7759 7908 7881; 8931 7733 7767 7916 7882; 8932 7734 7775 7924 7883
5361. 8933 7735 7783 7932 7884; 8934 7736 7791 7940 7885; 8935 7737 7799 7948 7886
5362. 8936 7738 7807 7956 7887; 8937 7739 7815 7964 7888; 8938 7740 7741 7890 7889
5363. 8939 7741 7742 7891 7890; 8940 7742 7743 7892 7891; 8941 7743 7744 7893 7892
5364. 8942 7744 7745 7894 7893; 8943 7745 7746 7895 7894; 8944 7746 7747 7896 7895
5365. 8945 7747 7748 7897 7896; 8946 7748 7749 7898 7897; 8947 7749 7750 7899 7898
5366. 8948 7750 7751 7900 7899; 8949 7751 7752 7901 7900; 8950 7752 7753 7902 7901
5367. 8951 7753 7754 7903 7902; 8952 7754 7755 7904 7903; 8953 7755 7756 7905 7904
5368. 8954 7756 7757 7906 7905; 8955 7757 7758 7907 7906; 8956 7758 7759 7908 7907
5369. 8957 7759 7760 7909 7908; 8958 7760 7761 7910 7909; 8959 7761 7762 7911 7910
5370. 8960 7762 7763 7912 7911; 8961 7763 7764 7913 7912; 8962 7764 7765 7914 7913
5371. 8963 7765 7766 7915 7914; 8964 7766 7767 7916 7915; 8965 7767 7768 7917 7916
5372. 8966 7768 7769 7918 7917; 8967 7769 7770 7919 7918; 8968 7770 7771 7920 7919
5373. 8969 7771 7772 7921 7920; 8970 7772 7773 7922 7921; 8971 7773 7774 7923 7922
5374. 8972 7774 7775 7924 7923; 8973 7775 7776 7925 7924; 8974 7776 7777 7926 7925
5375. 8975 7777 7778 7927 7926; 8976 7778 7779 7928 7927; 8977 7779 7780 7929 7928
5376. 8978 7780 7781 7930 7929; 8979 7781 7782 7931 7930; 8980 7782 7783 7932 7931
5377. 8981 7783 7784 7933 7932; 8982 7784 7785 7934 7933; 8983 7785 7786 7935 7934
5378. 8984 7786 7787 7936 7935; 8985 7787 7788 7937 7936; 8986 7788 7789 7938 7937
5379. 8987 7789 7790 7939 7938; 8988 7790 7791 7940 7939; 8989 7791 7792 7941 7940
5380. 8990 7792 7793 7942 7941; 8991 7793 7794 7943 7942; 8992 7794 7795 7944 7943
5381. 8993 7795 7796 7945 7944; 8994 7796 7797 7946 7945; 8995 7797 7798 7947 7946
5382. 8996 7798 7799 7948 7947; 8997 7799 7800 7949 7948; 8998 7800 7801 7950 7949
5383. 8999 7801 7802 7951 7950; 9000 7802 7803 7952 7951; 9001 7803 7804 7953 7952
5384. 9002 7804 7805 7954 7953; 9003 7805 7806 7955 7954; 9004 7806 7807 7956 7955
5385. 9005 7807 7808 7957 7956; 9006 7808 7809 7958 7957; 9007 7809 7810 7959 7958
5386. 9008 7810 7811 7960 7959; 9009 7811 7812 7961 7960; 9010 7812 7813 7962 7961
5387. 9011 7813 7814 7963 7962; 9012 7814 7815 7964 7963; 9013 7815 7816 7965 7964
5388. 9014 7816 7817 7966 7965; 9015 7817 7818 7967 7966; 9016 7819 7829 7978 7968
5389. 9017 7820 7830 7979 7969; 9018 7821 7831 7980 7970; 9019 7822 7832 7981 7971
5390. 9020 7823 7833 7982 7972; 9021 7824 7834 7983 7973; 9022 7825 7835 7984 7974
5391. 9023 7826 7836 7985 7975; 9024 7827 7837 7986 7976; 9025 7828 7838 7987 7977
5392. 9026 7829 7839 7988 7978; 9027 7830 7840 7989 7979; 9028 7831 7841 7990 7980
5393. 9029 7832 7842 7991 7981; 9030 7833 7843 7992 7982; 9031 7834 7844 7993 7983
5394. 9032 7835 7845 7994 7984; 9033 7836 7846 7995 7985; 9034 7837 7847 7996 7986
5395. 9035 7838 7848 7997 7987; 9036 7839 7849 7998 7988; 9037 7840 7850 7999 7989
5396. 9038 7841 7851 8000 7990; 9039 7842 7852 8001 7991; 9040 7843 7853 8002 7992
5397. 9041 7844 7854 8003 7993; 9042 7845 7855 8004 7994; 9043 7846 7856 8005 7995
5398. 9044 7847 7857 8006 7996; 9045 7848 7858 8007 7997; 9046 7849 7859 8008 7998
5399. 9047 7850 7860 8009 7999; 9048 7851 7861 8010 8000; 9049 7852 7862 8011 8001
5400. 9050 7853 7863 8012 8002; 9051 7854 7864 8013 8003; 9052 7855 7865 8014 8004
5401. 9053 7856 7866 8015 8005; 9054 7857 7867 8016 8006; 9055 7858 7868 8017 8007
5402. 9056 7859 7869 8018 8008; 9057 7860 7870 8019 8009; 9058 7861 7871 8020 8010
5403. 9059 7862 7872 8021 8011; 9060 7863 7873 8022 8012; 9061 7864 7874 8023 8013
5404. 9062 7865 7875 8024 8014; 9063 7866 7876 8025 8015; 9064 7867 7877 8026 8016
5405. 9065 7868 7878 8027 8017; 9066 7869 7879 8028 8018; 9067 7870 7880 8029 8019
5406. 9068 7871 7881 8030 8020; 9069 7872 7882 8031 8021; 9070 7873 7883 8032 8022
5407. 9071 7874 7884 8033 8023; 9072 7875 7885 8034 8024; 9073 7876 7886 8035 8025
5408. 9074 7877 7887 8036 8026; 9075 7878 7888 8037 8027; 9076 7879 7892 8041 8028
5409. 9077 7880 7900 8049 8029; 9078 7881 7908 8057 8030; 9079 7882 7916 8065 8031
5410. 9080 7883 7924 8073 8032; 9081 7884 7932 8081 8033; 9082 7885 7940 8089 8034
5411. 9083 7886 7948 8097 8035; 9084 7887 7956 8105 8036; 9085 7888 7964 8113 8037
5412. 9086 7889 7890 8039 8038; 9087 7890 7891 8040 8039; 9088 7891 7892 8041 8040
5413. 9089 7892 7893 8042 8041; 9090 7893 7894 8043 8042; 9091 7894 7895 8044 8043
5414. 9092 7895 7896 8045 8044; 9093 7896 7897 8046 8045; 9094 7897 7898 8047 8046

STAAD SPACE -- PAGE NO. 98

5415. 9095 7898 7899 8048 8047; 9096 7899 7900 8049 8048; 9097 7900 7901 8050 8049
5416. 9098 7901 7902 8051 8050; 9099 7902 7903 8052 8051; 9100 7903 7904 8053 8052
5417. 9101 7904 7905 8054 8053; 9102 7905 7906 8055 8054; 9103 7906 7907 8056 8055
5418. 9104 7907 7908 8057 8056; 9105 7908 7909 8058 8057; 9106 7909 7910 8059 8058
5419. 9107 7910 7911 8060 8059; 9108 7911 7912 8061 8060; 9109 7912 7913 8062 8061
5420. 9110 7913 7914 8063 8062; 9111 7914 7915 8064 8063; 9112 7915 7916 8065 8064
5421. 9113 7916 7917 8066 8065; 9114 7917 7918 8067 8066; 9115 7918 7919 8068 8067
5422. 9116 7919 7920 8069 8068; 9117 7920 7921 8070 8069; 9118 7921 7922 8071 8070
5423. 9119 7922 7923 8072 8071; 9120 7923 7924 8073 8072; 9121 7924 7925 8074 8073
5424. 9122 7925 7926 8075 8074; 9123 7926 7927 8076 8075; 9124 7927 7928 8077 8076
5425. 9125 7928 7929 8078 8077; 9126 7929 7930 8079 8078; 9127 7930 7931 8080 8079
5426. 9128 7931 7932 8081 8080; 9129 7932 7933 8082 8081; 9130 7933 7934 8083 8082
5427. 9131 7934 7935 8084 8083; 9132 7935 7936 8085 8084; 9133 7936 7937 8086 8085
5428. 9134 7937 7938 8087 8086; 9135 7938 7939 8088 8087; 9136 7939 7940 8089 8088
5429. 9137 7940 7941 8090 8089; 9138 7941 7942 8091 8090; 9139 7942 7943 8092 8091
5430. 9140 7943 7944 8093 8092; 9141 7944 7945 8094 8093; 9142 7945 7946 8095 8094
5431. 9143 7946 7947 8096 8095; 9144 7947 7948 8097 8096; 9145 7948 7949 8098 8097
5432. 9146 7949 7950 8099 8098; 9147 7950 7951 8100 8099; 9148 7951 7952 8101 8100
5433. 9149 7952 7953 8102 8101; 9150 7953 7954 8103 8102; 9151 7954 7955 8104 8103
5434. 9152 7955 7956 8105 8104; 9153 7956 7957 8106 8105; 9154 7957 7958 8107 8106
5435. 9155 7958 7959 8108 8107; 9156 7959 7960 8109 8108; 9157 7960 7961 8110 8109
5436. 9158 7961 7962 8111 8110; 9159 7962 7963 8112 8111; 9160 7963 7964 8113 8112
5437. 9161 7964 7965 8114 8113; 9162 7965 7966 8115 8114; 9163 7966 7967 8116 8115
5438. 9164 7968 7978 8117; 9165 7969 7979 8118; 9166 7970 7980 8119
5439. 9167 7971 7981 8120; 9168 7972 7982 8121; 9169 7973 7983 8122
5440. 9170 7974 7984 8123; 9171 7975 7985 8124; 9172 7976 7986 8125
5441. 9173 7977 7987 8126; 9174 7978 7988 8127 8117; 9175 7979 7989 8128 8118
5442. 9176 7980 7990 8129 8119; 9177 7981 7991 8130 8120; 9178 7982 7992 8131 8121
5443. 9179 7983 7993 8132 8122; 9180 7984 7994 8133 8123; 9181 7985 7995 8134 8124
5444. 9182 7986 7996 8135 8125; 9183 7987 7997 8136 8126; 9184 7988 7998 8137 8127
5445. 9185 7989 7999 8138 8128; 9186 7990 8000 8139 8129; 9187 7991 8001 8140 8130
5446. 9188 7992 8002 8141 8131; 9189 7993 8003 8142 8132; 9190 7994 8004 8143 8133
5447. 9191 7995 8005 8144 8134; 9192 7996 8006 8145 8135; 9193 7997 8007 8146 8136
5448. 9194 7998 8008 8147 8137; 9195 7999 8009 8148 8138; 9196 8000 8010 8149 8139
5449. 9197 8001 8011 8150 8140; 9198 8002 8012 8151 8141; 9199 8003 8013 8152 8142
5450. 9200 8004 8014 8153 8143; 9201 8005 8015 8154 8144; 9202 8006 8016 8155 8145
5451. 9203 8007 8017 8156 8146; 9204 8008 8018 8157 8147; 9205 8009 8019 8158 8148
5452. 9206 8010 8020 8159 8149; 9207 8011 8021 8160 8150; 9208 8012 8022 8161 8151
5453. 9209 8013 8023 8162 8152; 9210 8014 8024 8163 8153; 9211 8015 8025 8164 8154
5454. 9212 8016 8026 8165 8155; 9213 8017 8027 8166 8156; 9214 8018 8028 8167 8157
5455. 9215 8019 8029 8168 8158; 9216 8020 8030 8169 8159; 9217 8021 8031 8170 8160
5456. 9218 8022 8032 8171 8161; 9219 8023 8033 8172 8162; 9220 8024 8034 8173 8163
5457. 9221 8025 8035 8174 8164; 9222 8026 8036 8175 8165; 9223 8027 8037 8176 8166
5458. 9224 8028 8041 8180 8167; 9225 8029 8049 8188 8168; 9226 8030 8057 8196 8169
5459. 9227 8031 8065 8204 8170; 9228 8032 8073 8212 8171; 9229 8033 8081 8220 8172
5460. 9230 8034 8089 8228 8173; 9231 8035 8097 8236 8174; 9232 8036 8105 8244 8175
5461. 9233 8037 8113 8252 8176; 9234 8038 8039 8178 8177; 9235 8039 8040 8179 8178
5462. 9236 8040 8041 8180 8179; 9237 8041 8042 8181 8180; 9238 8042 8043 8182 8181
5463. 9239 8043 8044 8183 8182; 9240 8044 8045 8184 8183; 9241 8045 8046 8185 8184
5464. 9242 8046 8047 8186 8185; 9243 8047 8048 8187 8186; 9244 8048 8049 8188 8187
5465. 9245 8049 8050 8189 8188; 9246 8050 8051 8190 8189; 9247 8051 8052 8191 8190
5466. 9248 8052 8053 8192 8191; 9249 8053 8054 8193 8192; 9250 8054 8055 8194 8193
5467. 9251 8055 8056 8195 8194; 9252 8056 8057 8196 8195; 9253 8057 8058 8197 8196
5468. 9254 8058 8059 8198 8197; 9255 8059 8060 8199 8198; 9256 8060 8061 8200 8199
5469. 9257 8061 8062 8201 8200; 9258 8062 8063 8202 8201; 9259 8063 8064 8203 8202
5470. 9260 8064 8065 8204 8203; 9261 8065 8066 8205 8204; 9262 8066 8067 8206 8205

STAAD SPACE -- PAGE NO. 99

5471. 9263 8067 8068 8207 8206; 9264 8068 8069 8208 8207; 9265 8069 8070 8209 8208
5472. 9266 8070 8071 8210 8209; 9267 8071 8072 8211 8210; 9268 8072 8073 8212 8211
5473. 9269 8073 8074 8213 8212; 9270 8074 8075 8214 8213; 9271 8075 8076 8215 8214
5474. 9272 8076 8077 8216 8215; 9273 8077 8078 8217 8216; 9274 8078 8079 8218 8217
5475. 9275 8079 8080 8219 8218; 9276 8080 8081 8220 8219; 9277 8081 8082 8221 8220
5476. 9278 8082 8083 8222 8221; 9279 8083 8084 8223 8222; 9280 8084 8085 8224 8223
5477. 9281 8085 8086 8225 8224; 9282 8086 8087 8226 8225; 9283 8087 8088 8227 8226
5478. 9284 8088 8089 8228 8227; 9285 8089 8090 8229 8228; 9286 8090 8091 8230 8229
5479. 9287 8091 8092 8231 8230; 9288 8092 8093 8232 8231; 9289 8093 8094 8233 8232
5480. 9290 8094 8095 8234 8233; 9291 8095 8096 8235 8234; 9292 8096 8097 8236 8235
5481. 9293 8097 8098 8237 8236; 9294 8098 8099 8238 8237; 9295 8099 8100 8239 8238
5482. 9296 8100 8101 8240 8239; 9297 8101 8102 8241 8240; 9298 8102 8103 8242 8241
5483. 9299 8103 8104 8243 8242; 9300 8104 8105 8244 8243; 9301 8105 8106 8245 8244
5484. 9302 8106 8107 8246 8245; 9303 8107 8108 8247 8246; 9304 8108 8109 8248 8247
5485. 9305 8109 8110 8249 8248; 9306 8110 8111 8250 8249; 9307 8111 8112 8251 8250
5486. 9308 8112 8113 8252 8251; 9309 8113 8114 8253 8252; 9310 8114 8115 8254 8253
5487. 9311 8115 8116 8255 8254; 9312 8117 8127 8266 8256; 9313 8118 8128 8267 8257
5488. 9314 8119 8129 8268 8258; 9315 8120 8130 8269 8259; 9316 8121 8131 8270 8260
5489. 9317 8122 8132 8271 8261; 9318 8123 8133 8272 8262; 9319 8124 8134 8273 8263
5490. 9320 8125 8135 8274 8264; 9321 8126 8136 8275 8265; 9322 8127 8137 8276 8266
5491. 9323 8128 8138 8277 8267; 9324 8129 8139 8278 8268; 9325 8130 8140 8279 8269
5492. 9326 8131 8141 8280 8270; 9327 8132 8142 8281 8271; 9328 8133 8143 8282 8272
5493. 9329 8134 8144 8283 8273; 9330 8135 8145 8284 8274; 9331 8136 8146 8285 8275
5494. 9332 8137 8147 8286 8276; 9333 8138 8148 8287 8277; 9334 8139 8149 8288 8278
5495. 9335 8140 8150 8289 8279; 9336 8141 8151 8290 8280; 9337 8142 8152 8291 8281
5496. 9338 8143 8153 8292 8282; 9339 8144 8154 8293 8283; 9340 8145 8155 8294 8284
5497. 9341 8146 8156 8295 8285; 9342 8147 8157 8296 8286; 9343 8148 8158 8297 8287
5498. 9344 8149 8159 8298 8288; 9345 8150 8160 8299 8289; 9346 8151 8161 8300 8290
5499. 9347 8152 8162 8301 8291; 9348 8153 8163 8302 8292; 9349 8154 8164 8303 8293
5500. 9350 8155 8165 8304 8294; 9351 8156 8166 8305 8295; 9352 8157 8167 8306 8296
5501. 9353 8158 8168 8307 8297; 9354 8159 8169 8308 8298; 9355 8160 8170 8309 8299
5502. 9356 8161 8171 8310 8300; 9357 8162 8172 8311 8301; 9358 8163 8173 8312 8302
5503. 9359 8164 8174 8313 8303; 9360 8165 8175 8314 8304; 9361 8166 8176 8315 8305
5504. 9362 8167 8180 8319 8306; 9363 8168 8188 8327 8307; 9364 8169 8196 8335 8308
5505. 9365 8170 8204 8343 8309; 9366 8171 8212 8351 8310; 9367 8172 8220 8359 8311
5506. 9368 8173 8228 8367 8312; 9369 8174 8236 8375 8313; 9370 8175 8244 8383 8314
5507. 9371 8176 8252 8391 8315; 9372 8177 8178 8317 8316; 9373 8178 8179 8318 8317
5508. 9374 8179 8180 8319 8318; 9375 8180 8181 8320 8319; 9376 8181 8182 8321 8320
5509. 9377 8182 8183 8322 8321; 9378 8183 8184 8323 8322; 9379 8184 8185 8324 8323
5510. 9380 8185 8186 8325 8324; 9381 8186 8187 8326 8325; 9382 8187 8188 8327 8326
5511. 9383 8188 8189 8328 8327; 9384 8189 8190 8329 8328; 9385 8190 8191 8330 8329
5512. 9386 8191 8192 8331 8330; 9387 8192 8193 8332 8331; 9388 8193 8194 8333 8332
5513. 9389 8194 8195 8334 8333; 9390 8195 8196 8335 8334; 9391 8196 8197 8336 8335
5514. 9392 8197 8198 8337 8336; 9393 8198 8199 8338 8337; 9394 8199 8200 8339 8338
5515. 9395 8200 8201 8340 8339; 9396 8201 8202 8341 8340; 9397 8202 8203 8342 8341
5516. 9398 8203 8204 8343 8342; 9399 8204 8205 8344 8343; 9400 8205 8206 8345 8344
5517. 9401 8206 8207 8346 8345; 9402 8207 8208 8347 8346; 9403 8208 8209 8348 8347
5518. 9404 8209 8210 8349 8348; 9405 8210 8211 8350 8349; 9406 8211 8212 8351 8350
5519. 9407 8212 8213 8352 8351; 9408 8213 8214 8353 8352; 9409 8214 8215 8354 8353
5520. 9410 8215 8216 8355 8354; 9411 8216 8217 8356 8355; 9412 8217 8218 8357 8356
5521. 9413 8218 8219 8358 8357; 9414 8219 8220 8359 8358; 9415 8220 8221 8360 8359
5522. 9416 8221 8222 8361 8360; 9417 8222 8223 8362 8361; 9418 8223 8224 8363 8362
5523. 9419 8224 8225 8364 8363; 9420 8225 8226 8365 8364; 9421 8226 8227 8366 8365
5524. 9422 8227 8228 8367 8366; 9423 8228 8229 8368 8367; 9424 8229 8230 8369 8368
5525. 9425 8230 8231 8370 8369; 9426 8231 8232 8371 8370; 9427 8232 8233 8372 8371
5526. 9428 8233 8234 8373 8372; 9429 8234 8235 8374 8373; 9430 8235 8236 8375 8374

STAAD SPACE -- PAGE NO. 100

5527. 9431 8236 8237 8376 8375; 9432 8237 8238 8377 8376; 9433 8238 8239 8378 8377
5528. 9434 8239 8240 8379 8378; 9435 8240 8241 8380 8379; 9436 8241 8242 8381 8380
5529. 9437 8242 8243 8382 8381; 9438 8243 8244 8383 8382; 9439 8244 8245 8384 8383
5530. 9440 8245 8246 8385 8384; 9441 8246 8247 8386 8385; 9442 8247 8248 8387 8386
5531. 9443 8248 8249 8388 8387; 9444 8249 8250 8389 8388; 9445 8250 8251 8390 8389
5532. 9446 8251 8252 8391 8390; 9447 8252 8253 8392 8391; 9448 8253 8254 8393 8392
5533. 9449 8254 8255 8394 8393; 9450 8256 8266 8395; 9451 8257 8267 8396
5534. 9452 8258 8268 8397; 9453 8259 8269 8398; 9454 8260 8270 8399
5535. 9455 8261 8271 8400; 9456 8262 8272 8401; 9457 8263 8273 8402
5536. 9458 8264 8274 8403; 9459 8265 8275 8404; 9460 8266 8276 8405 8395
5537. 9461 8267 8277 8406 8396; 9462 8268 8278 8407 8397; 9463 8269 8279 8408 8398
5538. 9464 8270 8280 8409 8399; 9465 8271 8281 8410 8400; 9466 8272 8282 8411 8401
5539. 9467 8273 8283 8412 8402; 9468 8274 8284 8413 8403; 9469 8275 8285 8414 8404
5540. 9470 8276 8286 8415 8405; 9471 8277 8287 8416 8406; 9472 8278 8288 8417 8407
5541. 9473 8279 8289 8418 8408; 9474 8280 8290 8419 8409; 9475 8281 8291 8420 8410
5542. 9476 8282 8292 8421 8411; 9477 8283 8293 8422 8412; 9478 8284 8294 8423 8413
5543. 9479 8285 8295 8424 8414; 9480 8286 8296 8425 8415; 9481 8287 8297 8426 8416
5544. 9482 8288 8298 8427 8417; 9483 8289 8299 8428 8418; 9484 8290 8300 8429 8419
5545. 9485 8291 8301 8430 8420; 9486 8292 8302 8431 8421; 9487 8293 8303 8432 8422
5546. 9488 8294 8304 8433 8423; 9489 8295 8305 8434 8424; 9490 8296 8306 8435 8425
5547. 9491 8297 8307 8436 8426; 9492 8298 8308 8437 8427; 9493 8299 8309 8438 8428
5548. 9494 8300 8310 8439 8429; 9495 8301 8311 8440 8430; 9496 8302 8312 8441 8431
5549. 9497 8303 8313 8442 8432; 9498 8304 8314 8443 8433; 9499 8305 8315 8444 8434
5550. 9500 8306 8319 8448 8435; 9501 8307 8327 8456 8436; 9502 8308 8335 8464 8437
5551. 9503 8309 8343 8472 8438; 9504 8310 8351 8480 8439; 9505 8311 8359 8488 8440
5552. 9506 8312 8367 8496 8441; 9507 8313 8375 8504 8442; 9508 8314 8383 8512 8443
5553. 9509 8315 8391 8520 8444; 9510 8316 8317 8446 8445; 9511 8317 8318 8447 8446
5554. 9512 8318 8319 8448 8447; 9513 8319 8320 8449 8448; 9514 8320 8321 8450 8449
5555. 9515 8321 8322 8451 8450; 9516 8322 8323 8452 8451; 9517 8323 8324 8453 8452
5556. 9518 8324 8325 8454 8453; 9519 8325 8326 8455 8454; 9520 8326 8327 8456 8455
5557. 9521 8327 8328 8457 8456; 9522 8328 8329 8458 8457; 9523 8329 8330 8459 8458
5558. 9524 8330 8331 8460 8459; 9525 8331 8332 8461 8460; 9526 8332 8333 8462 8461
5559. 9527 8333 8334 8463 8462; 9528 8334 8335 8464 8463; 9529 8335 8336 8465 8464
5560. 9530 8336 8337 8466 8465; 9531 8337 8338 8467 8466; 9532 8338 8339 8468 8467
5561. 9533 8339 8340 8469 8468; 9534 8340 8341 8470 8469; 9535 8341 8342 8471 8470
5562. 9536 8342 8343 8472 8471; 9537 8343 8344 8473 8472; 9538 8344 8345 8474 8473
5563. 9539 8345 8346 8475 8474; 9540 8346 8347 8476 8475; 9541 8347 8348 8477 8476
5564. 9542 8348 8349 8478 8477; 9543 8349 8350 8479 8478; 9544 8350 8351 8480 8479
5565. 9545 8351 8352 8481 8480; 9546 8352 8353 8482 8481; 9547 8353 8354 8483 8482
5566. 9548 8354 8355 8484 8483; 9549 8355 8356 8485 8484; 9550 8356 8357 8486 8485
5567. 9551 8357 8358 8487 8486; 9552 8358 8359 8488 8487; 9553 8359 8360 8489 8488
5568. 9554 8360 8361 8490 8489; 9555 8361 8362 8491 8490; 9556 8362 8363 8492 8491
5569. 9557 8363 8364 8493 8492; 9558 8364 8365 8494 8493; 9559 8365 8366 8495 8494
5570. 9560 8366 8367 8496 8495; 9561 8367 8368 8497 8496; 9562 8368 8369 8498 8497
5571. 9563 8369 8370 8499 8498; 9564 8370 8371 8500 8499; 9565 8371 8372 8501 8500
5572. 9566 8372 8373 8502 8501; 9567 8373 8374 8503 8502; 9568 8374 8375 8504 8503
5573. 9569 8375 8376 8505 8504; 9570 8376 8377 8506 8505; 9571 8377 8378 8507 8506
5574. 9572 8378 8379 8508 8507; 9573 8379 8380 8509 8508; 9574 8380 8381 8510 8509
5575. 9575 8381 8382 8511 8510; 9576 8382 8383 8512 8511; 9577 8383 8384 8513 8512
5576. 9578 8384 8385 8514 8513; 9579 8385 8386 8515 8514; 9580 8386 8387 8516 8515
5577. 9581 8387 8388 8517 8516; 9582 8388 8389 8518 8517; 9583 8389 8390 8519 8518
5578. 9584 8390 8391 8520 8519; 9585 8391 8392 8521 8520; 9586 8392 8393 8522 8521
5579. 9587 8393 8394 8523 8522; 9588 8395 8405 8534 8524; 9589 8396 8406 8535 8525
5580. 9590 8397 8407 8536 8526; 9591 8398 8408 8537 8527; 9592 8399 8409 8538 8528
5581. 9593 8400 8410 8539 8529; 9594 8401 8411 8540 8530; 9595 8402 8412 8541 8531
5582. 9596 8403 8413 8542 8532; 9597 8404 8414 8543 8533; 9598 8405 8415 8544 8534

5583. 9599 8406 8416 8545 8535; 9600 8407 8417 8546 8536; 9601 8408 8418 8547 8537
5584. 9602 8409 8419 8548 8538; 9603 8410 8420 8549 8539; 9604 8411 8421 8550 8540
5585. 9605 8412 8422 8551 8541; 9606 8413 8423 8552 8542; 9607 8414 8424 8553 8543
5586. 9608 8415 8425 8554 8544; 9609 8416 8426 8555 8545; 9610 8417 8427 8556 8546
5587. 9611 8418 8428 8557 8547; 9612 8419 8429 8558 8548; 9613 8420 8430 8559 8549
5588. 9614 8421 8431 8560 8550; 9615 8422 8432 8561 8551; 9616 8423 8433 8562 8552
5589. 9617 8424 8434 8563 8553; 9618 8425 8435 8564 8554; 9619 8426 8436 8565 8555
5590. 9620 8427 8437 8566 8556; 9621 8428 8438 8567 8557; 9622 8429 8439 8568 8558
5591. 9623 8430 8440 8569 8559; 9624 8431 8441 8570 8560; 9625 8432 8442 8571 8561
5592. 9626 8433 8443 8572 8562; 9627 8434 8444 8573 8563; 9628 8435 8448 8577 8564
5593. 9629 8436 8456 8585 8565; 9630 8437 8464 8593 8566; 9631 8438 8472 8601 8567
5594. 9632 8439 8480 8609 8568; 9633 8440 8488 8617 8569; 9634 8441 8496 8625 8570
5595. 9635 8442 8504 8633 8571; 9636 8443 8512 8641 8572; 9637 8444 8520 8649 8573
5596. 9638 8445 8446 8575 8574; 9639 8446 8447 8576 8575; 9640 8447 8448 8577 8576
5597. 9641 8448 8449 8578 8577; 9642 8449 8450 8579 8578; 9643 8450 8451 8580 8579
5598. 9644 8451 8452 8581 8580; 9645 8452 8453 8582 8581; 9646 8453 8454 8583 8582
5599. 9647 8454 8455 8584 8583; 9648 8455 8456 8585 8584; 9649 8456 8457 8586 8585
5600. 9650 8457 8458 8587 8586; 9651 8458 8459 8588 8587; 9652 8459 8460 8589 8588
5601. 9653 8460 8461 8590 8589; 9654 8461 8462 8591 8590; 9655 8462 8463 8592 8591
5602. 9656 8463 8464 8593 8592; 9657 8464 8465 8594 8593; 9658 8465 8466 8595 8594
5603. 9659 8466 8467 8596 8595; 9660 8467 8468 8597 8596; 9661 8468 8469 8598 8597
5604. 9662 8469 8470 8599 8598; 9663 8470 8471 8600 8599; 9664 8471 8472 8601 8600
5605. 9665 8472 8473 8602 8601; 9666 8473 8474 8603 8602; 9667 8474 8475 8604 8603
5606. 9668 8475 8476 8605 8604; 9669 8476 8477 8606 8605; 9670 8477 8478 8607 8606
5607. 9671 8478 8479 8608 8607; 9672 8479 8480 8609 8608; 9673 8480 8481 8610 8609
5608. 9674 8481 8482 8611 8610; 9675 8482 8483 8612 8611; 9676 8483 8484 8613 8612
5609. 9677 8484 8485 8614 8613; 9678 8485 8486 8615 8614; 9679 8486 8487 8616 8615
5610. 9680 8487 8488 8617 8616; 9681 8488 8489 8618 8617; 9682 8489 8490 8619 8618
5611. 9683 8490 8491 8620 8619; 9684 8491 8492 8621 8620; 9685 8492 8493 8622 8621
5612. 9686 8493 8494 8623 8622; 9687 8494 8495 8624 8623; 9688 8495 8496 8625 8624
5613. 9689 8496 8497 8626 8625; 9690 8497 8498 8627 8626; 9691 8498 8499 8628 8627
5614. 9692 8499 8500 8629 8628; 9693 8500 8501 8630 8629; 9694 8501 8502 8631 8630
5615. 9695 8502 8503 8632 8631; 9696 8503 8504 8633 8632; 9697 8504 8505 8634 8633
5616. 9698 8505 8506 8635 8634; 9699 8506 8507 8636 8635; 9700 8507 8508 8637 8636
5617. 9701 8508 8509 8638 8637; 9702 8509 8510 8639 8638; 9703 8510 8511 8640 8639
5618. 9704 8511 8512 8641 8640; 9705 8512 8513 8642 8641; 9706 8513 8514 8643 8642
5619. 9707 8514 8515 8644 8643; 9708 8515 8516 8645 8644; 9709 8516 8517 8646 8645
5620. 9710 8517 8518 8647 8646; 9711 8518 8519 8648 8647; 9712 8519 8520 8649 8648
5621. 9713 8520 8521 8650 8649; 9714 8521 8522 8651 8650; 9715 8522 8523 8652 8651
5622. 9716 8524 8534 8653; 9717 8525 8535 8654; 9718 8526 8536 8655
5623. 9719 8527 8537 8656; 9720 8528 8538 8657; 9721 8529 8539 8658
5624. 9722 8530 8540 8659; 9723 8531 8541 8660; 9724 8532 8542 8661
5625. 9725 8533 8543 8662; 9726 8534 8544 8663 8653; 9727 8535 8545 8664 8654
5626. 9728 8536 8546 8665 8655; 9729 8537 8547 8666 8656; 9730 8538 8548 8667 8657
5627. 9731 8539 8549 8668 8658; 9732 8540 8550 8669 8659; 9733 8541 8551 8670 8660
5628. 9734 8542 8552 8671 8661; 9735 8543 8553 8672 8662; 9736 8544 8554 8673 8663
5629. 9737 8545 8555 8674 8664; 9738 8546 8556 8675 8665; 9739 8547 8557 8676 8666
5630. 9740 8548 8558 8677 8667; 9741 8549 8559 8678 8668; 9742 8550 8560 8679 8669
5631. 9743 8551 8561 8680 8670; 9744 8552 8562 8681 8671; 9745 8553 8563 8682 8672
5632. 9746 8554 8564 8683 8673; 9747 8555 8565 8684 8674; 9748 8556 8566 8685 8675
5633. 9749 8557 8567 8686 8676; 9750 8558 8568 8687 8677; 9751 8559 8569 8688 8678
5634. 9752 8560 8570 8689 8679; 9753 8561 8571 8690 8680; 9754 8562 8572 8691 8681
5635. 9755 8563 8573 8692 8682; 9756 8564 8577 8696 8683; 9757 8565 8585 8704 8684
5636. 9758 8566 8593 8712 8685; 9759 8567 8601 8720 8686; 9760 8568 8609 8728 8687
5637. 9761 8569 8617 8736 8688; 9762 8570 8625 8744 8689; 9763 8571 8633 8752 8690
5638. 9764 8572 8641 8760 8691; 9765 8573 8649 8768 8692; 9766 8574 8575 8694 8693

5639. 9767 8575 8576 8695 8694; 9768 8576 8577 8696 8695; 9769 8577 8578 8697 8696
5640. 9770 8578 8579 8698 8697; 9771 8579 8580 8699 8698; 9772 8580 8581 8700 8699
5641. 9773 8581 8582 8701 8700; 9774 8582 8583 8702 8701; 9775 8583 8584 8703 8702
5642. 9776 8584 8585 8704 8703; 9777 8585 8586 8705 8704; 9778 8586 8587 8706 8705
5643. 9779 8587 8588 8707 8706; 9780 8588 8589 8708 8707; 9781 8589 8590 8709 8708
5644. 9782 8590 8591 8710 8709; 9783 8591 8592 8711 8710; 9784 8592 8593 8712 8711
5645. 9785 8593 8594 8713 8712; 9786 8594 8595 8714 8713; 9787 8595 8596 8715 8714
5646. 9788 8596 8597 8716 8715; 9789 8597 8598 8717 8716; 9790 8598 8599 8718 8717
5647. 9791 8599 8600 8719 8718; 9792 8600 8601 8720 8719; 9793 8601 8602 8721 8720
5648. 9794 8602 8603 8722 8721; 9795 8603 8604 8723 8722; 9796 8604 8605 8724 8723
5649. 9797 8605 8606 8725 8724; 9798 8606 8607 8726 8725; 9799 8607 8608 8727 8726
5650. 9800 8608 8609 8728 8727; 9801 8609 8610 8729 8728; 9802 8610 8611 8730 8729
5651. 9803 8611 8612 8731 8730; 9804 8612 8613 8732 8731; 9805 8613 8614 8733 8732
5652. 9806 8614 8615 8734 8733; 9807 8615 8616 8735 8734; 9808 8616 8617 8736 8735
5653. 9809 8617 8618 8737 8736; 9810 8618 8619 8738 8737; 9811 8619 8620 8739 8738
5654. 9812 8620 8621 8740 8739; 9813 8621 8622 8741 8740; 9814 8622 8623 8742 8741
5655. 9815 8623 8624 8743 8742; 9816 8624 8625 8744 8743; 9817 8625 8626 8745 8744
5656. 9818 8626 8627 8746 8745; 9819 8627 8628 8747 8746; 9820 8628 8629 8748 8747
5657. 9821 8629 8630 8749 8748; 9822 8630 8631 8750 8749; 9823 8631 8632 8751 8750
5658. 9824 8632 8633 8752 8751; 9825 8633 8634 8753 8752; 9826 8634 8635 8754 8753
5659. 9827 8635 8636 8755 8754; 9828 8636 8637 8756 8755; 9829 8637 8638 8757 8756
5660. 9830 8638 8639 8758 8757; 9831 8639 8640 8759 8758; 9832 8640 8641 8760 8759
5661. 9833 8641 8642 8761 8760; 9834 8642 8643 8762 8761; 9835 8643 8644 8763 8762
5662. 9836 8644 8645 8764 8763; 9837 8645 8646 8765 8764; 9838 8646 8647 8766 8765
5663. 9839 8647 8648 8767 8766; 9840 8648 8649 8768 8767; 9841 8649 8650 8769 8768
5664. 9842 8650 8651 8770 8769; 9843 8651 8652 8771 8770; 9844 8653 8663 8782 8772
5665. 9845 8654 8664 8783 8773; 9846 8655 8665 8784 8774; 9847 8656 8666 8785 8775
5666. 9848 8657 8667 8786 8776; 9849 8658 8668 8787 8777; 9850 8659 8669 8788 8778
5667. 9851 8660 8670 8789 8779; 9852 8661 8671 8790 8780; 9853 8662 8672 8791 8781
5668. 9854 8663 8673 8792 8782; 9855 8664 8674 8793 8783; 9856 8665 8675 8794 8784
5669. 9857 8666 8676 8795 8785; 9858 8667 8677 8796 8786; 9859 8668 8678 8797 8787
5670. 9860 8669 8679 8798 8788; 9861 8670 8680 8799 8789; 9862 8671 8681 8800 8790
5671. 9863 8672 8682 8801 8791; 9864 8673 8683 8802 8792; 9865 8674 8684 8803 8793
5672. 9866 8675 8685 8804 8794; 9867 8676 8686 8805 8795; 9868 8677 8687 8806 8796
5673. 9869 8678 8688 8807 8797; 9870 8679 8689 8808 8798; 9871 8680 8690 8809 8799
5674. 9872 8681 8691 8810 8800; 9873 8682 8692 8811 8801; 9874 8683 8696 8815 8802
5675. 9875 8684 8704 8823 8803; 9876 8685 8712 8831 8804; 9877 8686 8720 8839 8805
5676. 9878 8687 8728 8847 8806; 9879 8688 8736 8855 8807; 9880 8689 8744 8863 8808
5677. 9881 8690 8752 8871 8809; 9882 8691 8760 8879 8810; 9883 8692 8768 8887 8811
5678. 9884 8693 8694 8813 8812; 9885 8694 8695 8814 8813; 9886 8695 8696 8815 8814
5679. 9887 8696 8697 8816 8815; 9888 8697 8698 8817 8816; 9889 8698 8699 8818 8817
5680. 9890 8699 8700 8819 8818; 9891 8700 8701 8820 8819; 9892 8701 8702 8821 8820
5681. 9893 8702 8703 8822 8821; 9894 8703 8704 8823 8822; 9895 8704 8705 8824 8823
5682. 9896 8705 8706 8825 8824; 9897 8706 8707 8826 8825; 9898 8707 8708 8827 8826
5683. 9899 8708 8709 8828 8827; 9900 8709 8710 8829 8828; 9901 8710 8711 8830 8829
5684. 9902 8711 8712 8831 8830; 9903 8712 8713 8832 8831; 9904 8713 8714 8833 8832
5685. 9905 8714 8715 8834 8833; 9906 8715 8716 8835 8834; 9907 8716 8717 8836 8835
5686. 9908 8717 8718 8837 8836; 9909 8718 8719 8838 8837; 9910 8719 8720 8839 8838
5687. 9911 8720 8721 8840 8839; 9912 8721 8722 8841 8840; 9913 8722 8723 8842 8841
5688. 9914 8723 8724 8843 8842; 9915 8724 8725 8844 8843; 9916 8725 8726 8845 8844
5689. 9917 8726 8727 8846 8845; 9918 8727 8728 8847 8846; 9919 8728 8729 8848 8847
5690. 9920 8729 8730 8849 8848; 9921 8730 8731 8850 8849; 9922 8731 8732 8851 8850
5691. 9923 8732 8733 8852 8851; 9924 8733 8734 8853 8852; 9925 8734 8735 8854 8853
5692. 9926 8735 8736 8855 8854; 9927 8736 8737 8856 8855; 9928 8737 8738 8857 8856
5693. 9929 8738 8739 8858 8857; 9930 8739 8740 8859 8858; 9931 8740 8741 8860 8859
5694. 9932 8741 8742 8861 8860; 9933 8742 8743 8862 8861; 9934 8743 8744 8863 8862

5695. 9935 8744 8745 8864 8863; 9936 8745 8746 8865 8864; 9937 8746 8747 8866 8865
5696. 9938 8747 8748 8867 8866; 9939 8748 8749 8868 8867; 9940 8749 8750 8869 8868
5697. 9941 8750 8751 8870 8869; 9942 8751 8752 8871 8870; 9943 8752 8753 8872 8871
5698. 9944 8753 8754 8873 8872; 9945 8754 8755 8874 8873; 9946 8755 8756 8875 8874
5699. 9947 8756 8757 8876 8875; 9948 8757 8758 8877 8876; 9949 8758 8759 8878 8877
5700. 9950 8759 8760 8879 8878; 9951 8760 8761 8880 8879; 9952 8761 8762 8881 8880
5701. 9953 8762 8763 8882 8881; 9954 8763 8764 8883 8882; 9955 8764 8765 8884 8883
5702. 9956 8765 8766 8885 8884; 9957 8766 8767 8886 8885; 9958 8767 8768 8887 8886
5703. 9959 8768 8769 8888 8887; 9960 8769 8770 8889 8888; 9961 8770 8771 8890 8889
5704. 9962 8772 8782 8891; 9963 8773 8783 8892; 9964 8774 8784 8893
5705. 9965 8775 8785 8894; 9966 8776 8786 8895; 9967 8777 8787 8896
5706. 9968 8778 8788 8897; 9969 8779 8789 8898; 9970 8780 8790 8899
5707. 9971 8781 8791 8900; 9972 8782 8792 8901 8891; 9973 8783 8793 8902 8892
5708. 9974 8784 8794 8903 8893; 9975 8785 8795 8904 8894; 9976 8786 8796 8905 8895
5709. 9977 8787 8797 8906 8896; 9978 8788 8798 8907 8897; 9979 8789 8799 8908 8898
5710. 9980 8790 8800 8909 8899; 9981 8791 8801 8910 8900; 9982 8792 8802 8911 8901
5711. 9983 8793 8803 8912 8902; 9984 8794 8804 8913 8903; 9985 8795 8805 8914 8904
5712. 9986 8796 8806 8915 8905; 9987 8797 8807 8916 8906; 9988 8798 8808 8917 8907
5713. 9989 8799 8809 8918 8908; 9990 8800 8810 8919 8909; 9991 8801 8811 8920 8910
5714. 9992 8802 8815 8924 8911; 9993 8803 8823 8932 8912; 9994 8804 8831 8940 8913
5715. 9995 8805 8839 8948 8914; 9996 8806 8847 8956 8915; 9997 8807 8855 8964 8916
5716. 9998 8808 8863 8972 8917; 9999 8809 8871 8980 8918; 10000 8810 8879 8988 8919
5717. 10001 8811 8887 8996 8920; 10002 8812 8813 8922 8921
5718. 10003 8813 8814 8923 8922; 10004 8814 8815 8924 8923
5719. 10005 8815 8816 8925 8924; 10006 8816 8817 8926 8925
5720. 10007 8817 8818 8927 8926; 10008 8818 8819 8928 8927
5721. 10009 8819 8820 8929 8928; 10010 8820 8821 8930 8929
5722. 10011 8821 8822 8931 8930; 10012 8822 8823 8932 8931
5723. 10013 8823 8824 8933 8932; 10014 8824 8825 8934 8933
5724. 10015 8825 8826 8935 8934; 10016 8826 8827 8936 8935
5725. 10017 8827 8828 8937 8936; 10018 8828 8829 8938 8937
5726. 10019 8829 8830 8939 8938; 10020 8830 8831 8940 8939
5727. 10021 8831 8832 8941 8940; 10022 8832 8833 8942 8941
5728. 10023 8833 8834 8943 8942; 10024 8834 8835 8944 8943
5729. 10025 8835 8836 8945 8944; 10026 8836 8837 8946 8945
5730. 10027 8837 8838 8947 8946; 10028 8838 8839 8948 8947
5731. 10029 8839 8840 8949 8948; 10030 8840 8841 8950 8949
5732. 10031 8841 8842 8951 8950; 10032 8842 8843 8952 8951
5733. 10033 8843 8844 8953 8952; 10034 8844 8845 8954 8953
5734. 10035 8845 8846 8955 8954; 10036 8846 8847 8956 8955
5735. 10037 8847 8848 8957 8956; 10038 8848 8849 8958 8957
5736. 10039 8849 8850 8959 8958; 10040 8850 8851 8960 8959
5737. 10041 8851 8852 8961 8960; 10042 8852 8853 8962 8961
5738. 10043 8853 8854 8963 8962; 10044 8854 8855 8964 8963
5739. 10045 8855 8856 8965 8964; 10046 8856 8857 8966 8965
5740. 10047 8857 8858 8967 8966; 10048 8858 8859 8968 8967
5741. 10049 8859 8860 8969 8968; 10050 8860 8861 8970 8969
5742. 10051 8861 8862 8971 8970; 10052 8862 8863 8972 8971
5743. 10053 8863 8864 8973 8972; 10054 8864 8865 8974 8973
5744. 10055 8865 8866 8975 8974; 10056 8866 8867 8976 8975
5745. 10057 8867 8868 8977 8976; 10058 8868 8869 8978 8977
5746. 10059 8869 8870 8979 8978; 10060 8870 8871 8980 8979
5747. 10061 8871 8872 8981 8980; 10062 8872 8873 8982 8981
5748. 10063 8873 8874 8983 8982; 10064 8874 8875 8984 8983
5749. 10065 8875 8876 8985 8984; 10066 8876 8877 8986 8985
5750. 10067 8877 8878 8987 8986; 10068 8878 8879 8988 8987

5751. 10069 8879 8880 8989 8988; 10070 8880 8881 8990 8989
5752. 10071 8881 8882 8991 8990; 10072 8882 8883 8992 8991
5753. 10073 8883 8884 8993 8992; 10074 8884 8885 8994 8993
5754. 10075 8885 8886 8995 8994; 10076 8886 8887 8996 8995
5755. 10077 8887 8888 8997 8996; 10078 8888 8889 8998 8997
5756. 10079 8889 8890 8999 8998; 10080 8891 8901 9010 9000
5757. 10081 8892 8902 9011 9001; 10082 8893 8903 9012 9002
5758. 10083 8894 8904 9013 9003; 10084 8895 8905 9014 9004
5759. 10085 8896 8906 9015 9005; 10086 8897 8907 9016 9006
5760. 10087 8898 8908 9017 9007; 10088 8899 8909 9018 9008
5761. 10089 8900 8910 9019 9009; 10090 8901 8911 9020 9010
5762. 10091 8902 8912 9021 9011; 10092 8903 8913 9022 9012
5763. 10093 8904 8914 9023 9013; 10094 8905 8915 9024 9014
5764. 10095 8906 8916 9025 9015; 10096 8907 8917 9026 9016
5765. 10097 8908 8918 9027 9017; 10098 8909 8919 9028 9018
5766. 10099 8910 8920 9029 9019; 10100 8911 8924 9033 9020
5767. 10101 8912 8932 9041 9021; 10102 8913 8940 9049 9022
5768. 10103 8914 8948 9057 9023; 10104 8915 8956 9065 9024
5769. 10105 8916 8964 9073 9025; 10106 8917 8972 9081 9026
5770. 10107 8918 8980 9089 9027; 10108 8919 8988 9097 9028
5771. 10109 8920 8996 9105 9029; 10110 8921 8922 9031 9030
5772. 10111 8922 8923 9032 9031; 10112 8923 8924 9033 9032
5773. 10113 8924 8925 9034 9033; 10114 8925 8926 9035 9034
5774. 10115 8926 8927 9036 9035; 10116 8927 8928 9037 9036
5775. 10117 8928 8929 9038 9037; 10118 8929 8930 9039 9038
5776. 10119 8930 8931 9040 9039; 10120 8931 8932 9041 9040
5777. 10121 8932 8933 9042 9041; 10122 8933 8934 9043 9042
5778. 10123 8934 8935 9044 9043; 10124 8935 8936 9045 9044
5779. 10125 8936 8937 9046 9045; 10126 8937 8938 9047 9046
5780. 10127 8938 8939 9048 9047; 10128 8939 8940 9049 9048
5781. 10129 8940 8941 9050 9049; 10130 8941 8942 9051 9050
5782. 10131 8942 8943 9052 9051; 10132 8943 8944 9053 9052
5783. 10133 8944 8945 9054 9053; 10134 8945 8946 9055 9054
5784. 10135 8946 8947 9056 9055; 10136 8947 8948 9057 9056
5785. 10137 8948 8949 9058 9057; 10138 8949 8950 9059 9058
5786. 10139 8950 8951 9060 9059; 10140 8951 8952 9061 9060
5787. 10141 8952 8953 9062 9061; 10142 8953 8954 9063 9062
5788. 10143 8954 8955 9064 9063; 10144 8955 8956 9065 9064
5789. 10145 8956 8957 9066 9065; 10146 8957 8958 9067 9066
5790. 10147 8958 8959 9068 9067; 10148 8959 8960 9069 9068
5791. 10149 8960 8961 9070 9069; 10150 8961 8962 9071 9070
5792. 10151 8962 8963 9072 9071; 10152 8963 8964 9073 9072
5793. 10153 8964 8965 9074 9073; 10154 8965 8966 9075 9074
5794. 10155 8966 8967 9076 9075; 10156 8967 8968 9077 9076
5795. 10157 8968 8969 9078 9077; 10158 8969 8970 9079 9078
5796. 10159 8970 8971 9080 9079; 10160 8971 8972 9081 9080
5797. 10161 8972 8973 9082 9081; 10162 8973 8974 9083 9082
5798. 10163 8974 8975 9084 9083; 10164 8975 8976 9085 9084
5799. 10165 8976 8977 9086 9085; 10166 8977 8978 9087 9086
5800. 10167 8978 8979 9088 9087; 10168 8979 8980 9089 9088
5801. 10169 8980 8981 9090 9089; 10170 8981 8982 9091 9090
5802. 10171 8982 8983 9092 9091; 10172 8983 8984 9093 9092
5803. 10173 8984 8985 9094 9093; 10174 8985 8986 9095 9094
5804. 10175 8986 8987 9096 9095; 10176 8987 8988 9097 9096
5805. 10177 8988 8989 9098 9097; 10178 8989 8990 9099 9098
5806. 10179 8990 8991 9100 9099; 10180 8991 8992 9101 9100

5807. 10181 8992 8993 9102 9101; 10182 8993 8994 9103 9102
5808. 10183 8994 8995 9104 9103; 10184 8995 8996 9105 9104
5809. 10185 8996 8997 9106 9105; 10186 8997 8998 9107 9106
5810. 10187 8998 8999 9108 9107; 10188 9000 9010 9119 9109
5811. 10189 9001 9011 9120 9110; 10190 9002 9012 9121 9111
5812. 10191 9003 9013 9122 9112; 10192 9004 9014 9123 9113
5813. 10193 9005 9015 9124 9114; 10194 9006 9016 9125 9115
5814. 10195 9007 9017 9126 9116; 10196 9008 9018 9127 9117
5815. 10197 9009 9019 9128 9118; 10198 9010 9020 9129 9119
5816. 10199 9011 9021 9130 9120; 10200 9012 9022 9131 9121
5817. 10201 9013 9023 9132 9122; 10202 9014 9024 9133 9123
5818. 10203 9015 9025 9134 9124; 10204 9016 9026 9135 9125
5819. 10205 9017 9027 9136 9126; 10206 9018 9028 9137 9127
5820. 10207 9019 9029 9138 9128; 10208 9020 9033 9142 9129
5821. 10209 9021 9041 9150 9130; 10210 9022 9049 9158 9131
5822. 10211 9023 9057 9166 9132; 10212 9024 9065 9174 9133
5823. 10213 9025 9073 9182 9134; 10214 9026 9081 9190 9135
5824. 10215 9027 9089 9198 9136; 10216 9028 9097 9206 9137
5825. 10217 9029 9105 9214 9138; 10218 9030 9031 9140 9139
5826. 10219 9031 9032 9141 9140; 10220 9032 9033 9142 9141
5827. 10221 9033 9034 9143 9142; 10222 9034 9035 9144 9143
5828. 10223 9035 9036 9145 9144; 10224 9036 9037 9146 9145
5829. 10225 9037 9038 9147 9146; 10226 9038 9039 9148 9147
5830. 10227 9039 9040 9149 9148; 10228 9040 9041 9150 9149
5831. 10229 9041 9042 9151 9150; 10230 9042 9043 9152 9151
5832. 10231 9043 9044 9153 9152; 10232 9044 9045 9154 9153
5833. 10233 9045 9046 9155 9154; 10234 9046 9047 9156 9155
5834. 10235 9047 9048 9157 9156; 10236 9048 9049 9158 9157
5835. 10237 9049 9050 9159 9158; 10238 9050 9051 9160 9159
5836. 10239 9051 9052 9161 9160; 10240 9052 9053 9162 9161
5837. 10241 9053 9054 9163 9162; 10242 9054 9055 9164 9163
5838. 10243 9055 9056 9165 9164; 10244 9056 9057 9166 9165
5839. 10245 9057 9058 9167 9166; 10246 9058 9059 9168 9167
5840. 10247 9059 9060 9169 9168; 10248 9060 9061 9170 9169
5841. 10249 9061 9062 9171 9170; 10250 9062 9063 9172 9171
5842. 10251 9063 9064 9173 9172; 10252 9064 9065 9174 9173
5843. 10253 9065 9066 9175 9174; 10254 9066 9067 9176 9175
5844. 10255 9067 9068 9177 9176; 10256 9068 9069 9178 9177
5845. 10257 9069 9070 9179 9178; 10258 9070 9071 9180 9179
5846. 10259 9071 9072 9181 9180; 10260 9072 9073 9182 9181
5847. 10261 9073 9074 9183 9182; 10262 9074 9075 9184 9183
5848. 10263 9075 9076 9185 9184; 10264 9076 9077 9186 9185
5849. 10265 9077 9078 9187 9186; 10266 9078 9079 9188 9187
5850. 10267 9079 9080 9189 9188; 10268 9080 9081 9190 9189
5851. 10269 9081 9082 9191 9190; 10270 9082 9083 9192 9191
5852. 10271 9083 9084 9193 9192; 10272 9084 9085 9194 9193
5853. 10273 9085 9086 9195 9194; 10274 9086 9087 9196 9195
5854. 10275 9087 9088 9197 9196; 10276 9088 9089 9198 9197
5855. 10277 9089 9090 9199 9198; 10278 9090 9091 9200 9199
5856. 10279 9091 9092 9201 9200; 10280 9092 9093 9202 9201
5857. 10281 9093 9094 9203 9202; 10282 9094 9095 9204 9203
5858. 10283 9095 9096 9205 9204; 10284 9096 9097 9206 9205
5859. 10285 9097 9098 9207 9206; 10286 9098 9099 9208 9207
5860. 10287 9099 9100 9209 9208; 10288 9100 9101 9210 9209
5861. 10289 9101 9102 9211 9210; 10290 9102 9103 9212 9211
5862. 10291 9103 9104 9213 9212; 10292 9104 9105 9214 9213

5863. 10293 9105 9106 9215 9214; 10294 9106 9107 9216 9215
5864. 10295 9107 9108 9217 9216; 10296 9109 9119 9218; 10297 9110 9120 9219
5865. 10298 9111 9121 9220; 10299 9112 9122 9221; 10300 9113 9123 9222
5866. 10301 9114 9124 9223; 10302 9115 9125 9224; 10303 9116 9126 9225
5867. 10304 9117 9127 9226; 10305 9118 9128 9227; 10306 9119 9129 9228 9218
5868. 10307 9120 9130 9229 9219; 10308 9121 9131 9230 9220
5869. 10309 9122 9132 9231 9221; 10310 9123 9133 9232 9222
5870. 10311 9124 9134 9233 9223; 10312 9125 9135 9234 9224
5871. 10313 9126 9136 9235 9225; 10314 9127 9137 9236 9226
5872. 10315 9128 9138 9237 9227; 10316 9129 9142 9241 9228
5873. 10317 9130 9150 9249 9229; 10318 9131 9158 9257 9230
5874. 10319 9132 9166 9265 9231; 10320 9133 9174 9273 9232
5875. 10321 9134 9182 9281 9233; 10322 9135 9190 9289 9234
5876. 10323 9136 9198 9297 9235; 10324 9137 9206 9305 9236
5877. 10325 9138 9214 9313 9237; 10326 9139 9140 9239 9238
5878. 10327 9140 9141 9240 9239; 10328 9141 9142 9241 9240
5879. 10329 9142 9143 9242 9241; 10330 9143 9144 9243 9242
5880. 10331 9144 9145 9244 9243; 10332 9145 9146 9245 9244
5881. 10333 9146 9147 9246 9245; 10334 9147 9148 9247 9246
5882. 10335 9148 9149 9248 9247; 10336 9149 9150 9249 9248
5883. 10337 9150 9151 9250 9249; 10338 9151 9152 9251 9250
5884. 10339 9152 9153 9252 9251; 10340 9153 9154 9253 9252
5885. 10341 9154 9155 9254 9253; 10342 9155 9156 9255 9254
5886. 10343 9156 9157 9256 9255; 10344 9157 9158 9257 9256
5887. 10345 9158 9159 9258 9257; 10346 9159 9160 9259 9258
5888. 10347 9160 9161 9260 9259; 10348 9161 9162 9261 9260
5889. 10349 9162 9163 9262 9261; 10350 9163 9164 9263 9262
5890. 10351 9164 9165 9264 9263; 10352 9165 9166 9265 9264
5891. 10353 9166 9167 9266 9265; 10354 9167 9168 9267 9266
5892. 10355 9168 9169 9268 9267; 10356 9169 9170 9269 9268
5893. 10357 9170 9171 9270 9269; 10358 9171 9172 9271 9270
5894. 10359 9172 9173 9272 9271; 10360 9173 9174 9273 9272
5895. 10361 9174 9175 9274 9273; 10362 9175 9176 9275 9274
5896. 10363 9176 9177 9276 9275; 10364 9177 9178 9277 9276
5897. 10365 9178 9179 9278 9277; 10366 9179 9180 9279 9278
5898. 10367 9180 9181 9280 9279; 10368 9181 9182 9281 9280
5899. 10369 9182 9183 9282 9281; 10370 9183 9184 9283 9282
5900. 10371 9184 9185 9284 9283; 10372 9185 9186 9285 9284
5901. 10373 9186 9187 9286 9285; 10374 9187 9188 9287 9286
5902. 10375 9188 9189 9288 9287; 10376 9189 9190 9289 9288
5903. 10377 9190 9191 9290 9289; 10378 9191 9192 9291 9290
5904. 10379 9192 9193 9292 9291; 10380 9193 9194 9293 9292
5905. 10381 9194 9195 9294 9293; 10382 9195 9196 9295 9294
5906. 10383 9196 9197 9296 9295; 10384 9197 9198 9297 9296
5907. 10385 9198 9199 9298 9297; 10386 9199 9200 9299 9298
5908. 10387 9200 9201 9300 9299; 10388 9201 9202 9301 9300
5909. 10389 9202 9203 9302 9301; 10390 9203 9204 9303 9302
5910. 10391 9204 9205 9304 9303; 10392 9205 9206 9305 9304
5911. 10393 9206 9207 9306 9305; 10394 9207 9208 9307 9306
5912. 10395 9208 9209 9308 9307; 10396 9209 9210 9309 9308
5913. 10397 9210 9211 9310 9309; 10398 9211 9212 9311 9310
5914. 10399 9212 9213 9312 9311; 10400 9213 9214 9313 9312
5915. 10401 9214 9215 9314 9313; 10402 9215 9216 9315 9314
5916. 10403 9216 9217 9316 9315; 10404 9238 9239 9318 9317
5917. 10405 9239 9240 9319 9318; 10406 9240 9241 9320 9319
5918. 10407 9241 9242 9321 9320; 10408 9242 9243 9322 9321

```
5919. 10409 9243 9244 9323 9322; 10410 9244 9245 9324 9323
5920. 10411 9245 9246 9325 9324; 10412 9246 9247 9326 9325
5921. 10413 9247 9248 9327 9326; 10414 9248 9249 9328 9327
5922. 10415 9249 9250 9329 9328; 10416 9250 9251 9330 9329
5923. 10417 9251 9252 9331 9330; 10418 9252 9253 9332 9331
5924. 10419 9253 9254 9333 9332; 10420 9254 9255 9334 9333
5925. 10421 9255 9256 9335 9334; 10422 9256 9257 9336 9335
5926. 10423 9257 9258 9337 9336; 10424 9258 9259 9338 9337
5927. 10425 9259 9260 9339 9338; 10426 9260 9261 9340 9339
5928. 10427 9261 9262 9341 9340; 10428 9262 9263 9342 9341
5929. 10429 9263 9264 9343 9342; 10430 9264 9265 9344 9343
5930. 10431 9265 9266 9345 9344; 10432 9266 9267 9346 9345
5931. 10433 9267 9268 9347 9346; 10434 9268 9269 9348 9347
5932. 10435 9269 9270 9349 9348; 10436 9270 9271 9350 9349
5933. 10437 9271 9272 9351 9350; 10438 9272 9273 9352 9351
5934. 10439 9273 9274 9353 9352; 10440 9274 9275 9354 9353
5935. 10441 9275 9276 9355 9354; 10442 9276 9277 9356 9355
5936. 10443 9277 9278 9357 9356; 10444 9278 9279 9358 9357
5937. 10445 9279 9280 9359 9358; 10446 9280 9281 9360 9359
5938. 10447 9281 9282 9361 9360; 10448 9282 9283 9362 9361
5939. 10449 9283 9284 9363 9362; 10450 9284 9285 9364 9363
5940. 10451 9285 9286 9365 9364; 10452 9286 9287 9366 9365
5941. 10453 9287 9288 9367 9366; 10454 9288 9289 9368 9367
5942. 10455 9289 9290 9369 9368; 10456 9290 9291 9370 9369
5943. 10457 9291 9292 9371 9370; 10458 9292 9293 9372 9371
5944. 10459 9293 9294 9373 9372; 10460 9294 9295 9374 9373
5945. 10461 9295 9296 9375 9374; 10462 9296 9297 9376 9375
5946. 10463 9297 9298 9377 9376; 10464 9298 9299 9378 9377
5947. 10465 9299 9300 9379 9378; 10466 9300 9301 9380 9379
5948. 10467 9301 9302 9381 9380; 10468 9302 9303 9382 9381
5949. 10469 9303 9304 9383 9382; 10470 9304 9305 9384 9383
5950. 10471 9305 9306 9385 9384; 10472 9306 9307 9386 9385
5951. 10473 9307 9308 9387 9386; 10474 9308 9309 9388 9387
5952. 10475 9309 9310 9389 9388; 10476 9310 9311 9390 9389
5953. 10477 9311 9312 9391 9390; 10478 9312 9313 9392 9391
5954. 10479 9313 9314 9393 9392; 10480 9314 9315 9394 9393
5955. 10481 9315 9316 9395 9394
5956. START GROUP DEFINITION
5957. ELEMENT
5958. _RAFT_BP 1000 TO 3027
5959. _TOE_SLAB_BM 2560 2561 2564 TO 2569 2572 TO 2577 2580 TO 2585 2590 TO 2593 -
5960. 2596 TO 2601 2604 TO 2607 2612 TO 2617 2620 TO 2625 2628 TO 2633 -
5961. 2636 TO 2639 2642 TO 2647 2650 TO 2655 2658 TO 2663 2668 TO 2671 -
5962. 2674 TO 2679 2682 TO 2685 2690 TO 2695 2698 TO 2703 2706 TO 2711 -
5963. 2714 TO 2717 2720 TO 2725 2728 TO 2733 2736 TO 2741 2744 TO 2749 -
5964. 2752 TO 2757 2760 TO 2765 2768 TO 2773 2776 TO 2781 2784 TO 2789 2792 2793
5965. _TOE_SLAB_SF 2638 2639 2643 TO 2646 2651 TO 2654 2659 TO 2662 2669 2670 2675 -
5966. 2676 TO 2678 2683 2684 2691 TO 2694 2699 TO 2702 2707 TO 2710 2714 TO 2717 -
5967. 2721 TO 2724 2729 TO 2732 2737 TO 2740 2747 2748 2753 TO 2756 2761 2762 2769 -
5968. 2770 TO 2772 2777 TO 2780 2785 TO 2788 2792 2793
5969. _TOE_CONCEAL_BEAM 2794 2795 2798 TO 2803 2806 TO 2811 2814 TO 2819 -
5970. 2822 TO 2827 2830 TO 2835 2838 TO 2843 2846 TO 2851 2854 TO 2859 -
5971. 2862 TO 2867 2870 TO 2873 2876 TO 2881 2884 TO 2889 2892 TO 2897 -
5972. 2900 TO 2905 2908 TO 2913 2916 TO 2921 2924 TO 2929 2932 TO 2937 -
5973. 2940 TO 2945 2948 TO 2951 2954 TO 2959 2962 TO 2967 2970 TO 2975 -
5974. 2978 TO 2983 2986 TO 2991 2994 TO 2999 3002 TO 3007 3010 TO 3015 -
```



```
5975. 3018 TO 3023 3026 3027
5976. _HEEL_SLAB-1 1936 1937 1940 TO 1945 1948 TO 1953 1956 TO 1961 1964 TO 1969 -
5977. 1972 TO 1977 1980 TO 1985 1988 TO 1993 1996 TO 2001 2004 TO 2009 -
5978. 2012 TO 2015 2018 TO 2023 2026 TO 2031 2034 TO 2039 2042 TO 2047 -
5979. 2050 TO 2055 2058 TO 2063 2066 TO 2071 2074 TO 2079 2082 TO 2087 -
5980. 2090 TO 2093 2096 TO 2101 2104 TO 2109 2112 TO 2117 2120 TO 2125 -
5981. 2128 TO 2133 2136 TO 2141 2144 TO 2149 2152 TO 2157 2160 TO 2165 -
5982. 2168 TO 2171 2174 TO 2179 2182 TO 2187 2190 TO 2195 2198 TO 2203 -
5983. 2206 TO 2211 2214 TO 2219 2222 TO 2227 2230 TO 2235 2238 TO 2243 -
5984. 2246 TO 2249 2252 TO 2257 2260 TO 2265 2268 TO 2273 2276 TO 2281 -
5985. 2284 TO 2289 2292 TO 2297 2300 TO 2305 2308 TO 2313 2316 TO 2321 -
5986. 2324 TO 2327 2330 TO 2335 2338 TO 2343 2346 TO 2351 2354 TO 2359 -
5987. 2362 TO 2367 2370 TO 2375 2378 TO 2383 2386 TO 2391 2394 TO 2399 2402 2403
5988. _HEEL_SLAB-2 1156 1157 1160 1165 1168 1173 1176 1181 1184 1189 1192 1197 1200 -
5989. 1205 1208 1213 1216 1221 1224 1229 1232 TO 1235 1238 1243 1246 1251 1254 -
5990. 1259 1262 1267 1270 1275 1278 1283 1286 1291 1294 1299 1302 1307 -
5991. 1310 TO 1313 1316 1321 1324 1329 1332 1337 1340 1345 1348 1353 1356 1361 -
5992. 1364 1369 1372 1377 1380 1385 1388 TO 1391 1394 1399 1402 1407 1410 1415 -
5993. 1418 1423 1426 1431 1434 1439 1442 1447 1450 1455 1458 1463 1466 TO 1469 -
5994. 1472 1477 1480 1485 1488 1493 1496 1501 1504 1509 1512 1517 1520 1525 1528 -
5995. 1533 1536 1541 1544 TO 1547 1550 1555 1558 1563 1566 1571 1574 1579 1582 -
5996. 1587 1590 1595 1598 1603 1606 1611 1614 1619 1622 TO 1625 1628 1633 1636 -
5997. 1641 1644 1649 1652 1657 1660 1665 1668 1673 1676 1681 1684 1689 1692 1697 -
5998. 1700 TO 1703 1706 1711 1714 1719 1722 1727 1730 1735 1738 1743 1746 1751 -
5999. 1754 1759 1762 1767 1770 1775 1778 TO 1781 1784 1789 1792 1797 1800 1805 -
6000. 1808 1813 1816 1821 1824 1829 1832 1837 1840 1845 1848 1853 1856 TO 1859 -
6001. 1862 1867 1870 1875 1878 1883 1886 1891 1894 1899 1902 1907 1910 1915 1918 -
6002. 1923 1926 1931 1934 1935
6003. _HEEL_SLAB-3 1169 TO 1172 1177 TO 1180 1185 TO 1188 1193 TO 1196 1201 TO 1204 -
6004. 1209 TO 1212 1217 TO 1220 1247 TO 1250 1255 TO 1258 1263 TO 1266 -
6005. 1271 TO 1274 1279 TO 1282 1287 TO 1290 1295 TO 1298 1325 TO 1328 -
6006. 1333 TO 1336 1341 TO 1344 1349 TO 1352 1357 TO 1360 1365 TO 1368 -
6007. 1373 TO 1376 1403 TO 1406 1411 TO 1414 1419 TO 1422 1427 TO 1430 -
6008. 1435 TO 1438 1443 TO 1446 1451 TO 1454 1481 TO 1484 1489 TO 1492 -
6009. 1497 TO 1500 1505 TO 1508 1513 TO 1516 1521 TO 1524 1529 TO 1532 -
6010. 1559 TO 1562 1567 TO 1570 1575 TO 1578 1583 TO 1586 1591 TO 1594 -
6011. 1599 TO 1602 1607 TO 1610 1637 TO 1640 1645 TO 1648 1653 TO 1656 -
6012. 1661 TO 1664 1669 TO 1672 1677 TO 1680 1685 TO 1688 1715 TO 1718 -
6013. 1723 TO 1726 1731 TO 1734 1739 TO 1742 1747 TO 1750 1755 TO 1758 -
6014. 1763 TO 1766 1793 TO 1796 1801 TO 1804 1809 TO 1812 1817 TO 1820 -
6015. 1825 TO 1828 1833 TO 1836 1841 TO 1844 1871 TO 1874 1879 TO 1882 -
6016. 1887 TO 1890 1895 TO 1898 1903 TO 1906 1911 TO 1914 1919 TO 1922
6017. _HEEL_SLAB-4 1161 TO 1164 1225 TO 1228 1239 TO 1242 1303 TO 1306 1317 TO 1320 -
6018. 1381 TO 1384 1395 TO 1398 1459 TO 1462 1473 TO 1476 1537 TO 1540 -
6019. 1551 TO 1554 1615 TO 1618 1629 TO 1632 1693 TO 1696 1707 TO 1710 -
6020. 1771 TO 1774 1785 TO 1788 1849 TO 1852 1863 TO 1866 1927 TO 1930
6021. _WALL_B0TTOM 3908 TO 3913 3916 TO 3921 3924 TO 3929 3932 TO 3937 3940 TO 3945 -
6022. 3948 TO 3953 3956 TO 3961 3964 TO 3969 3972 TO 3977 4236 TO 4241 -
6023. 4244 TO 4249 4252 TO 4257 4260 TO 4265 4268 TO 4273 4276 TO 4281 -
6024. 4284 TO 4289 4292 TO 4297 4300 TO 4305 4544 TO 4549 4552 TO 4557 -
6025. 4560 TO 4565 4568 TO 4573 4576 TO 4581 4584 TO 4589 4592 TO 4597 -
6026. 4600 TO 4605 4608 TO 4613 4842 TO 4847 4850 TO 4855 4858 TO 4863 -
6027. 4866 TO 4871 4874 TO 4879 4882 TO 4887 4890 TO 4895 4898 TO 4903 -
6028. 4906 TO 4911 5120 TO 5125 5128 TO 5133 5136 TO 5141 5144 TO 5149 -
6029. 5152 TO 5157 5160 TO 5165 5168 TO 5173 5176 TO 5181 5184 TO 5189 -
6030. 5378 TO 5383 5386 TO 5391 5394 TO 5399 5402 TO 5407 5410 TO 5415 -
```

STAAD SPACE -- PAGE NO. 109

```
6031. 5418 TO 5423 5426 TO 5431 5434 TO 5439 5442 TO 5447 5616 TO 5621 -
6032. 5624 TO 5629 5632 TO 5637 5640 TO 5645 5648 TO 5653 5656 TO 5661 -
6033. 5664 TO 5669 5672 TO 5677 5680 TO 5685 5854 TO 5859 5862 TO 5867 -
6034. 5870 TO 5875 5878 TO 5883 5886 TO 5891 5894 TO 5899 5902 TO 5907 -
6035. 5910 TO 5915 5918 TO 5923 6082 TO 6087 6090 TO 6095 6098 TO 6103 -
6036. 6106 TO 6111 6114 TO 6119 6122 TO 6127 6130 TO 6135 6138 TO 6143 -
6037. 6146 TO 6151 6310 TO 6315 6318 TO 6323 6326 TO 6331 6334 TO 6339 -
6038. 6342 TO 6347 6350 TO 6355 6358 TO 6363 6366 TO 6371 6374 TO 6379 -
6039. 6528 TO 6533 6536 TO 6541 6544 TO 6549 6552
6040. _WALL_B0TTOM 6553 TO 6557 6560 TO 6565 6568 TO 6573 6576 TO 6581 6584 TO 6589 -
6041. 6592 TO 6597 6746 TO 6751 6754 TO 6759 6762 TO 6767 6770 TO 6775 -
6042. 6778 TO 6783 6786 TO 6791 6794 TO 6799 6802 TO 6807 6810 TO 6815 -
6043. 6954 TO 6959 6962 TO 6967 6970 TO 6975 6978 TO 6983 6986 TO 6991 -
6044. 6994 TO 6999 7002 TO 7007 7010 TO 7015 7018 TO 7023 7162 TO 7167 -
6045. 7170 TO 7175 7178 TO 7183 7186 TO 7191 7194 TO 7199 7202 TO 7207 -
6046. 7210 TO 7215 7218 TO 7223 7226 TO 7231 7360 TO 7365 7368 TO 7373 -
6047. 7376 TO 7381 7384 TO 7389 7392 TO 7397 7400 TO 7405 7408 TO 7413 -
6048. 7416 TO 7421 7424 TO 7429 7558 TO 7563 7566 TO 7571 7574 TO 7579 -
6049. 7582 TO 7587 7590 TO 7595 7598 TO 7603 7606 TO 7611 7614 TO 7619 -
6050. 7622 TO 7627 7746 TO 7751 7754 TO 7759 7762 TO 7767 7770 TO 7775 -
6051. 7778 TO 7783 7786 TO 7791 7794 TO 7799 7802 TO 7807 7810 TO 7815 -
6052. 7934 TO 7939 7942 TO 7947 7950 TO 7955 7958 TO 7963 7966 TO 7971 -
6053. 7974 TO 7979 7982 TO 7987 7990 TO 7995 7998 TO 8003 8112 TO 8117 -
6054. 8120 TO 8125 8128 TO 8133 8136 TO 8141 8144 TO 8149 8152 TO 8157 -
6055. 8160 TO 8165 8168 TO 8173 8176 TO 8181 8290 TO 8295 8298 TO 8303 -
6056. 8306 TO 8311 8314 TO 8319 8322 TO 8327 8330 TO 8335 8338 TO 8343 -
6057. 8346 TO 8351 8354 TO 8359 8458 TO 8463 8466 TO 8471 8474 TO 8479 -
6058. 8482 TO 8487 8490 TO 8495 8498 TO 8503 8506
6059. _WALL_B0TTOM 8507 TO 8511 8514 TO 8519 8522 TO 8527 8626 TO 8631 8634 TO 8639 -
6060. 8642 TO 8647 8650 TO 8655 8658 TO 8663 8666 TO 8671 8674 TO 8679 -
6061. 8682 TO 8687 8690 TO 8695 8784 TO 8789 8792 TO 8797 8800 TO 8805 -
6062. 8808 TO 8813 8816 TO 8821 8824 TO 8829 8832 TO 8837 8840 TO 8845 -
6063. 8848 TO 8853
6064. _WALL_TOP 8942 TO 8947 8950 TO 8955 8958 TO 8963 8966 TO 8971 8974 TO 8979 -
6065. 8982 TO 8987 8990 TO 8995 8998 TO 9003 9006 TO 9011 9090 TO 9095 -
6066. 9098 TO 9103 9106 TO 9111 9114 TO 9119 9122 TO 9127 9130 TO 9135 -
6067. 9138 TO 9143 9146 TO 9151 9154 TO 9159 9238 TO 9243 9246 TO 9251 -
6068. 9254 TO 9259 9262 TO 9267 9270 TO 9275 9278 TO 9283 9286 TO 9291 -
6069. 9294 TO 9299 9302 TO 9307 9376 TO 9381 9384 TO 9389 9392 TO 9397 -
6070. 9400 TO 9405 9408 TO 9413 9416 TO 9421 9424 TO 9429 9432 TO 9437 -
6071. 9440 TO 9445 9514 TO 9519 9522 TO 9527 9530 TO 9535 9538 TO 9543 -
6072. 9546 TO 9551 9554 TO 9559 9562 TO 9567 9570 TO 9575 9578 TO 9583 -
6073. 9642 TO 9647 9650 TO 9655 9658 TO 9663 9666 TO 9671 9674 TO 9679 -
6074. 9682 TO 9687 9690 TO 9695 9698 TO 9703 9706 TO 9711 9770 TO 9775 -
6075. 9778 TO 9783 9786 TO 9791 9794 TO 9799 9802 TO 9807 9810 TO 9815 -
6076. 9818 TO 9823 9826 TO 9831 9834 TO 9839 9888 TO 9893 9896 TO 9901 -
6077. 9904 TO 9909 9912 TO 9917 9920 TO 9925 9928 TO 9933 9936 TO 9941 -
6078. 9944 TO 9949 9952 TO 9957 10006 TO 10011 10014 TO 10019 10022 TO 10027 10030 -
6079. 10031 TO 10035 10038 TO 10043 10046 TO 10051 10054 TO 10059 10062 TO 10067 -
6080. 10070 TO 10075 10114 TO 10119 10122 TO 10127 10130 TO 10135 10138 TO 10143 -
6081. 10146 TO 10151 10154 TO 10159 10162 TO 10167 10170 TO 10175 10178 TO 10183 -
6082. 10222 TO 10227 10230 TO 10235 10238 TO 10243 10246
6083. _WALL_TOP 10247 TO 10251 10254 TO 10259 10262 TO 10267 10270 TO 10275 10278 -
6084. 10279 TO 10283 10286 TO 10291 10330 TO 10335 10338 TO 10343 10346 TO 10351 -
6085. 10354 TO 10359 10362 TO 10367 10370 TO 10375 10378 TO 10383 10386 TO 10391 -
6086. 10394 TO 10399 10408 TO 10413 10416 TO 10421 10424 TO 10429 10432 TO 10437 -
```


STAAD SPACE -- PAGE NO. 110

```
6087. 10440 TO 10445 10448 TO 10453 10456 TO 10461 10464 TO 10469 10472 TO 10477
6088. END GROUP DEFINITION
6089. ELEMENT PROPERTY
6090. 1000 TO 3027 THICKNESS 0.8
6091. 3028 TO 3217 3296 TO 3565 3644 TO 3903 3982 TO 4231 4310 TO 4539 4618 TO 4837 -
6092. 4916 TO 5115 5194 TO 5373 5452 TO 5611 5690 TO 5849 5928 TO 6077 -
6093. 6156 TO 6305 6384 TO 6523 6602 TO 6741 6820 TO 6949 7028 TO 7157 -
6094. 7236 TO 7355 7434 TO 7553 7632 TO 7741 7820 TO 7929 8008 TO 8107 -
6095. 8186 TO 8285 8364 TO 8453 8532 TO 8621 8700 TO 8779 8858 TO 8937 -
6096. 9016 TO 9085 9164 TO 9233 9312 TO 9371 9450 TO 9509 9588 TO 9637 -
6097. 9716 TO 9765 9844 TO 9883 9962 TO 10001 10080 TO 10109 10188 TO 10217 10296 -
6098. 10297 TO 10325 THICKNESS 0.6
6099. 3218 TO 3295 3566 TO 3643 3904 TO 3981 4232 TO 4309 4540 TO 4617 4838 TO 4915 -
6100. 5116 TO 5193 5374 TO 5451 5612 TO 5689 5850 TO 5927 6078 TO 6155 -
6101. 6306 TO 6383 6524 TO 6601 6742 TO 6819 6950 TO 7027 7158 TO 7235 -
6102. 7356 TO 7433 7554 TO 7631 7742 TO 7819 7930 TO 8007 8108 TO 8185 -
6103. 8286 TO 8363 8454 TO 8531 8622 TO 8699 8780 TO 8857 8938 TO 9015 -
6104. 9086 TO 9163 9234 TO 9311 9372 TO 9449 9510 TO 9587 9638 TO 9715 -
6105. 9766 TO 9843 9884 TO 9961 10002 TO 10079 10110 TO 10187 10218 TO 10295 10326 -
6106. 10327 TO 10481 THICKNESS 0.4
6107. DEFINE MATERIAL START
6108. ISOTROPIC CONCRETE
6109. E 2.21467E+006
6110. POISSON 0.17
6111. DENSITY 2.40262
6112. ALPHA 1E-005
6113. DAMP 0.05
6114. TYPE CONCRETE
6115. STRENGTH FCU 2812.28
6116. END DEFINE MATERIAL
6117. MEMBER PROPERTY INDIAN
6118. 100 TO 177 PRIS YD 1 ZD 0.6
6119. CONSTANTS
6120. MATERIAL CONCRETE ALL
6121. SUPPORTS
6122. 1000 TO 3027 PLATE MAT DIRECT Y SUBGRADE 6300
6123. LOAD 1 DEAD LOAD OF STRUCTURE (D_S)
6124. SELFWEIGHT Y -1
6125. JOINT LOAD
6126. ***LOAD DUE TO CRUSHER HOUSE***
6127. ***FROM STAIR COLUMN***
6128. 1715 FY -10
6129. ELEMENT LOAD
6130. ***FROM BUILDING COLUMN = 140/1.5/1.2 = 77.77 T/M2***
6131. 2588 2589 2608 2609 2666 2667 2686 2687 2744 2745 2764 2765 PR GY -77.77
6132. LOAD 2 DEAD LOAD OF EARTH (D_E)
6133. ELEMENT LOAD
6134. ***RETAINED EARTH + SOIL LOAD = (16+1.7)*1.9 = 33.63 T/M2***
6135. 1000 TO 2403 PR GY -33.63
6136. ***SOIL LOAD = 1.7*1.9 = 3.23 T/M2***
6137. 2560 TO 3027 PR GY -3.23
6138. LOAD 3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H)
6139. ELEMENT LOAD
6140. ***SOIL LOAD = 0.271*(2.5-0.8)*1.9 = 0.875 T/M2***
6141. 4838 TO 4915 TRAP Y -0.257 0
6142. 4540 TO 4617 TRAP Y -0.514 -0.257
```

```
6143. 3904 TO 3981 4232 TO 4309 TRAP Y -0.875 -0.514
6144. ***RETAINED EARTH LOAD = 0.271*16*1.9 = 8.24 T/M2***
6145. 10404 TO 10481 TRAP Y 0.257 0
6146. 10326 TO 10403 TRAP Y 0.515 0.257
6147. 10218 TO 10295 TRAP Y 0.772 0.515
6148. 10110 TO 10187 TRAP Y 1.03 0.772
6149. 10002 TO 10079 TRAP Y 1.287 1.03
6150. 9884 TO 9961 TRAP Y 1.545 1.287
6151. 9766 TO 9843 TRAP Y 1.802 1.545
6152. 9638 TO 9715 TRAP Y 2.06 1.802
6153. 9510 TO 9587 TRAP Y 2.317 2.06
6154. 9372 TO 9449 TRAP Y 2.574 2.317
6155. 9234 TO 9311 TRAP Y 2.832 2.574
6156. 9086 TO 9163 TRAP Y 3.09 2.832
6157. 8938 TO 9015 TRAP Y 3.347 3.09
6158. 8780 TO 8857 TRAP Y 3.604 3.347
6159. 8622 TO 8699 TRAP Y 3.862 3.604
6160. 8454 TO 8531 TRAP Y 4.12 3.862
6161. 8286 TO 8363 TRAP Y 4.376 4.12
6162. 8108 TO 8185 TRAP Y 4.634 4.376
6163. 7930 TO 8007 TRAP Y 4.891 4.634
6164. 7742 TO 7819 TRAP Y 5.15 4.891
6165. 7554 TO 7631 TRAP Y 5.4 5.15
6166. 7356 TO 7433 TRAP Y 5.664 5.4
6167. 7158 TO 7235 TRAP Y 5.921 5.664
6168. 6950 TO 7027 TRAP Y 6.18 5.921
6169. 6742 TO 6819 TRAP Y 6.436 6.18
6170. 6524 TO 6601 TRAP Y 6.7 6.436
6171. 6306 TO 6383 TRAP Y 6.951 6.7
6172. 6078 TO 6155 TRAP Y 7.208 6.951
6173. 5850 TO 5927 TRAP Y 7.466 7.208
6174. 5612 TO 5689 TRAP Y 7.723 7.466
6175. 5374 TO 5451 TRAP Y 7.98 7.723
6176. 5116 TO 5193 TRAP Y 8.24 7.98
6177. ***RETAINED EARTH + SOIL LOAD = 8.24+0.271*(2.5-0.8)*1.9 = 9.115 T/M2***
6178. 4838 TO 4915 TRAP Y 8.497 8.24
6179. 4540 TO 4617 TRAP Y 8.755 8.497
6180. 3904 TO 3981 4232 TO 4309 TRAP Y 9.115 8.755
6181. LOAD 4 LOADTYPE NONE  TITLE LIVE LOAD FROM OFF HIGHWAY TRUCK (L_D)
6182. ELEMENT LOAD
6183. 10404 TO 10481 TRAP Y 2.448 3.206
6184. 10326 TO 10403 TRAP Y 1.69 2.448
6185. 10218 TO 10295 TRAP Y 1.366 1.69
6186. 10110 TO 10187 TRAP Y 1.042 1.366
6187. 10002 TO 10079 TRAP Y 0.909 1.042
6188. 9884 TO 9961 TRAP Y 0.776 0.909
6189. 9766 TO 9843 TRAP Y 0.643 0.776
6190. 9638 TO 9715 TRAP Y 0.51 0.643
6191. 9510 TO 9587 TRAP Y 0.465 0.51
6192. 9372 TO 9449 TRAP Y 0.421 0.465
6193. 9234 TO 9311 TRAP Y 0.376 0.421
6194. 9086 TO 9163 TRAP Y 0.332 0.376
6195. 8938 TO 9015 TRAP Y 0.287 0.332
6196. 8780 TO 8857 TRAP Y 0.243 0.287
6197. 8622 TO 8699 TRAP Y 0.226 0.243
6198. 8454 TO 8531 TRAP Y 0.209 0.226
```



```
6199. 8286 TO 8363 TRAP Y 0.192 0.209
6200. 8108 TO 8185 TRAP Y 0.175 0.192
6201. 7930 TO 8007 TRAP Y 0.158 0.175
6202. 7742 TO 7819 TRAP Y 0.141 0.158
6203. 3904 TO 3981 4232 TO 4309 4540 TO 4617 4838 TO 4915 5116 TO 5193 5374 TO 5451 -
6204. 5612 TO 5689 5850 TO 5927 6078 TO 6155 6306 TO 6383 6524 TO 6601 -
6205. 6742 TO 6819 6950 TO 7027 7158 TO 7235 7356 TO 7433 7554 TO 7631 PR 0.1
6206. LOAD 5 LIVE LOAD DUE TO SRCHARGE (L_S)
6207. ELEMENT LOAD
6208. ***SURCHARGE OVER TOE SLAB = 1 T/M2***
6209. 2560 TO 3027 PR GY -1.
6210. ***LATERAL LOAD DUE TO SURCHARGE = 0.271*1 = 0.271 T/M2***
6211. 3904 TO 3981 4232 TO 4309 4540 TO 4617 4838 TO 4915 PR -0.271
6212. ***SURCHARGE OVER TOE SLAB = 2 T/M2***
6213. 1000 TO 2403 PR GY -2
6214. ***LATERAL LOAD DUE TO SURCHARGE = 0.271*2 = 0.542 T/M2***
6215. 3904 TO 3981 4232 TO 4309 4540 TO 4617 4838 TO 4915 5116 TO 5193 5374 TO 5451 -
6216. 5612 TO 5689 5850 TO 5927 6078 TO 6155 6306 TO 6383 6524 TO 6601 -
6217. 6742 TO 6819 6950 TO 7027 7158 TO 7235 7356 TO 7433 7554 TO 7631 -
6218. 7742 TO 7819 7930 TO 8007 8108 TO 8185 8286 TO 8363 8454 TO 8531 -
6219. 8622 TO 8699 8780 TO 8857 8938 TO 9015 9086 TO 9163 9234 TO 9311 -
6220. 9372 TO 9449 9510 TO 9587 9638 TO 9715 9766 TO 9843 9884 TO 9961 -
6221. 10002 TO 10079 10110 TO 10187 10218 TO 10295 10326 TO 10481 PR 0.542
6222. LOAD 6 WIND LOAD (W)
6223. ELEMENT LOAD
6224. 5116 TO 5193 5374 TO 5451 5612 TO 5689 5850 TO 5927 6078 TO 6155 6306 TO 6383 -
6225. 6524 TO 6601 6742 TO 6819 6950 TO 7027 7158 TO 7235 PR 0.085
6226. 7356 TO 7433 7554 TO 7631 PR 0.09
6227. 7742 TO 7819 7930 TO 8007 8108 TO 8185 8286 TO 8363 PR 0.094
6228. 8454 TO 8531 8622 TO 8699 8780 TO 8857 8938 TO 9015 PR 0.099
6229. 9086 TO 9163 9234 TO 9311 9372 TO 9449 9510 TO 9587 PR 0.102
6230. 9638 TO 9715 9766 TO 9843 9884 TO 9961 10002 TO 10079 PR 0.105
6231. 10110 TO 10187 10218 TO 10295 10326 TO 10481 PR 0.11
6232. LOAD 7 SEISMIC LOAD (E)
6233. ELEMENT LOAD
6234. ***PRESSURE DUE TO SEISMIC LOAD = 7.684/4/18.5 = 0.104 T/M2***
6235. 3218 TO 3295 3566 TO 3643 3904 TO 3981 4232 TO 4309 4540 TO 4617 4838 TO 4915 -
6236. 5116 TO 5193 5374 TO 5451 5612 TO 5689 5850 TO 5927 6078 TO 6155 -
6237. 6306 TO 6383 6524 TO 6601 6742 TO 6819 6950 TO 7027 7158 TO 7235 -
6238. 7356 TO 7433 7554 TO 7631 7742 TO 7819 7930 TO 8007 8108 TO 8185 -
6239. 8286 TO 8363 8454 TO 8531 8622 TO 8699 8780 TO 8857 8938 TO 9015 -
6240. 9086 TO 9163 9234 TO 9311 9372 TO 9449 9510 TO 9587 9638 TO 9715 -
6241. 9766 TO 9843 9884 TO 9961 10002 TO 10079 10110 TO 10187 10218 TO 10295 10326 -
6242. 10327 TO 10481 PR 0.104
6243. LOAD 8 FREQUENCY CALCULATION
6244. SELFWEIGHT X 1
6245. SELFWEIGHT Y 1
6246. SELFWEIGHT Z 1
6247. MODAL CALCULATION REQUESTED
6248. PERFORM ANALYSIS
```

STAAD SPACE -- PAGE NO. 113

P R O B L E M S T A T I S T I C S

NUMBER OF JOINTS 9395 NUMBER OF MEMBERS 78
NUMBER OF PLATES 9482 NUMBER OF SOLIDS 0
NUMBER OF SURFACES 0 NUMBER OF SUPPORTS 2133

Using 64-bit analysis engine.

SOLVER USED IS THE IN-CORE ADVANCED MATH SOLVER

TOTAL PRIMARY LOAD CASES = 8, TOTAL DEGREES OF FREEDOM = 49971
TOTAL LOAD COMBINATION CASES = 0 SO FAR.

***NOTE: MASSES DEFINED UNDER LOAD# 8 WILL FORM
THE FINAL MASS MATRIX FOR DYNAMIC ANALYSIS.

EIGEN METHOD : SUBSPACE

NUMBER OF MODES REQUESTED = 6
NUMBER OF EXISTING MASSES IN THE MODEL = 23919
NUMBER OF MODES THAT WILL BE USED = 6

*** EIGENSOLUTION: ADVANCED METHOD ***

STAAD SPACE -- PAGE NO. 114

CALCULATED FREQUENCIES FOR LOAD CASE 8

MODE	FREQUENCY(CYCLES/SEC)	PERIOD(SEC)
1	4.975	0.20102
2	5.008	0.19968
3	6.300	0.15873
4	7.116	0.14054
5	8.221	0.12164
6	9.552	0.10469

MODE	MODAL WEIGHT (MODAL MASS TIMES g) IN MTON X	Y	Z	GENERALIZED WEIGHT
1	7.971772E+01	9.914316E-11	7.045070E-09	1.651485E+02
2	5.794191E-10	1.296420E+01	1.058921E+03	3.657634E+02
3	2.365826E-09	1.535757E-01	5.016795E-01	1.517014E+02
4	1.088053E+01	1.521801E-13	4.111537E-12	1.618940E+02
5	1.543988E-10	1.415137E-01	2.464684E-04	1.429285E+02
6	6.791790E+01	5.014142E-12	2.181525E-09	1.716838E+02

MASS PARTICIPATION FACTORS

MASS PARTICIPATION FACTORS IN PERCENT

MODE	X	Y	Z	SUMM-X	SUMM-Y	SUMM-Z
1	4.52	0.00	0.00	4.522	0.000	0.000
2	0.00	0.50	60.07	4.522	0.498	60.070
3	0.00	0.01	0.03	4.522	0.503	60.099
4	0.62	0.00	0.00	5.139	0.503	60.099
5	0.00	0.01	0.00	5.139	0.509	60.099
6	3.85	0.00	0.00	8.992	0.509	60.099

6249. CHANGE
6250. SUPPORTS
6251. 1000 TO 3027 PLATE MAT DIRECT Y SUBGRADE 6300 COMPRESSION
6252. ***UNFACTORED LOAD COMBINATION***
6253. ***FOR BASE PRESSURE CHECK***

```
6254. LOAD 101 1.0*(D_S+D_E)+1.0*H
6255. REPEAT LOAD
6256. 1 1.0 2 1.0 3 1.0
6257. LOAD 102 1.0*(D_S+D_E)+1.0*(L_D+L_S)+1.0*H
6258. REPEAT LOAD
6259. 1 1.0 2 1.0 4 1.0 5 1.0 3 1.0
6260. LOAD 103 1.0*(D_S+D_E)+1.0*H+0.7*E
6261. REPEAT LOAD
6262. 1 1.0 2 1.0 3 1.0 7 0.7
6263. LOAD 104 0.6*(D_S+D_E)+1.0*H+0.7*E
6264. REPEAT LOAD
6265. 1 0.6 2 0.6 3 1.0 7 0.7
6266. ***FOR OVERTURNING CHECK***
6267. LOAD 105 1.0*D_S+1.0*W
6268. REPEAT LOAD
6269. 1 1.0 6 1.0
6270. LOAD 106 1.0*D_S-1.0*W
6271. REPEAT LOAD
6272. 1 1.0 6 -1.0
6273. ***FACTORED LOAD COMBINATION***
6274. ***FOR REINFORCEMENT CALCULATION***
6275. LOAD 201 1.4*(D_S)
6276. REPEAT LOAD
6277. 1 1.4
6278. LOAD 202 1.4*(D_S+D_E)+1.7*(L_D+L_S)+1.7*H
6279. REPEAT LOAD
6280. 1 1.4 2 1.4 4 1.7 5 1.7 3 1.7
6281. LOAD 203 0.9*(D_S+D_E)+1.0*E+1.6*H
6282. REPEAT LOAD
6283. 1 0.9 2 0.9 7 1.0 3 1.6
6284. LOAD 204 1.2*(D_S+D_E)+1.0*E+0.5*(L_S)
6285. REPEAT LOAD
6286. 1 1.2 2 1.2 7 1.0 5 0.5
6287. PERFORM ANALYSIS PRINT STATICS CHECK
```



```
 **WARNING: TENSION/COMPRESSION REQUESTED IN
   SAME RUN THAT INCLUDES A DYNAMIC ANALYSIS.
   CHECK TO SEE IF THIS IS OK.


 **NOTE-Tension/Compression converged after  1 iterations, Case=  101



         STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO.   101
         1.0*(D_S+D_E)+1.0*H


          CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
        (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                       X =  0.180065002E+02
                       Y =  0.911079214E+03
                       Z = -0.303644236E+01

          CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
        (FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

                       X =  0.179999994E+02
                       Y =  0.916749372E+03
                       Z =  0.000000000E+00
TOTAL APPLIED LOAD   101

   ***TOTAL APPLIED LOAD ( MTON METE ) SUMMARY (LOADING   101 )
       SUMMATION FORCE-X =           0.00
       SUMMATION FORCE-Y =      -12306.15
       SUMMATION FORCE-Z =        3084.73

      SUMMATION OF MOMENTS AROUND THE ORIGIN-
      MX=     2790556.53  MY=      -55525.12  MZ=     -221590.63

TOTAL REACTION LOAD  101

   ***TOTAL REACTION LOAD( MTON METE ) SUMMARY (LOADING   101 )
       SUMMATION FORCE-X =           0.00
       SUMMATION FORCE-Y =       12306.15
       SUMMATION FORCE-Z =       -3084.73

      SUMMATION OF MOMENTS AROUND THE ORIGIN-
      MX=    -2790556.53  MY=       55525.12  MZ=      221590.63


   MAXIMUM DISPLACEMENTS (  CM  /RADIANS) (LOADING    101)
            MAXIMUMS    AT NODE
      X =  6.35677E-02    6805
      Y = -7.64274E-01    2469
      Z =  1.52193E+00    9364
      RX=  9.05720E-04    8855
      RY=  3.44845E-04    5386
      RZ= -2.46302E-04    2001
```

STAAD SPACE -- PAGE NO. 117

**NOTE-Tension/Compression converged after 1 iterations, Case= 102

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 102
1.0*(D_S+D_E)+1.0*(L_D+L_S)+1.0*H

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180061785E+02
Y = 0.911025806E+03
Z = -0.302896516E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.917711769E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 102

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 102)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -12946.88
SUMMATION FORCE-Z = 3739.90

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 3392934.07 MY= -67318.19 MZ= -233123.81

TOTAL REACTION LOAD 102

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 102)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 12946.88
SUMMATION FORCE-Z = -3739.90

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -3392934.07 MY= 67318.19 MZ= 233123.81

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 102)
MAXIMUMS AT NODE
X = 7.98097E-02 6984
Y = -9.70815E-01 2469
Z = 2.57787E+00 9364
RX= 1.72574E-03 9356
RY= -4.63883E-04 9322
RZ= -2.89810E-04 2001

**NOTE-Tension/Compression converged after 1 iterations, Case= 103

STAAD SPACE -- PAGE NO. 118

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 103
1.0*(D_S+D_E)+1.0*H+0.7*E

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180065002E+02
Y = 0.911079214E+03
Z = -0.303644236E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.916790817E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 103

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 103)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -12306.15
SUMMATION FORCE-Z = 3136.72

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2838344.92 MY= -56460.87 MZ= -221590.63

TOTAL REACTION LOAD 103

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 103)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 12306.15
SUMMATION FORCE-Z = -3136.72

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2838344.92 MY= 56460.87 MZ= 221590.63

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 103)
MAXIMUMS AT NODE
X = 6.46978E-02 6805
Y = -7.75808E-01 2469
Z = 1.58262E+00 9364
RX= 9.44244E-04 8964
RY= 3.48671E-04 5386
RZ= -2.48918E-04 2001

*** LOAD CASE 104 -- START ITERATION NO. 2
*** LOAD CASE 104 -- START ITERATION NO. 3
*** LOAD CASE 104 -- START ITERATION NO. 4

**NOTE-Tension/Compression converged after 4 iterations, Case= 104

STAAD SPACE -- PAGE NO. 119

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 104
0.6*(D_S+D_E)+1.0*H+0.7*E

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180065002E+02
Y = 0.911079214E+03
Z = -0.303644231E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.916790817E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 104

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 104)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -7383.69
SUMMATION FORCE-Z = 3136.72

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 2853291.68 MY= -56460.87 MZ= -132954.37

TOTAL REACTION LOAD 104

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 104)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 7383.69
SUMMATION FORCE-Z = -3136.72

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -2853291.68 MY= 56460.87 MZ= 132954.37

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 104)
MAXIMUMS AT NODE
X = 6.32948E-02 6805
Y = -6.85688E-01 2469
Z = 2.01411E+00 9356
RX= 1.17208E-03 8855
RY= 3.45507E-04 5167
RZ= -2.01274E-04 2001

**NOTE-Tension/Compression converged after 1 iterations, Case= 105

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 105
1.0*D_S+1.0*W

STAAD SPACE -- PAGE NO. 120

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180276274E+02
Y = 0.914586452E+03
Z = -0.146263975E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.920923085E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 105

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 105)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -2895.63
SUMMATION FORCE-Z = 59.25

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 50330.38 MY= -1066.52 MZ= -52201.25

TOTAL REACTION LOAD 105

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 105)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 2895.63
SUMMATION FORCE-Z = -59.25

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -50330.38 MY= 1066.52 MZ= 52201.25

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 105)
MAXIMUMS AT NODE
X = 1.19440E-02 7503
Y = -2.03782E-01 2469
Z = 3.51054E-01 9357
RX= 2.14316E-04 9356
RY= -7.55229E-05 9323
RZ= -1.10194E-04 2001

**NOTE-Tension/Compression converged after 1 iterations, Case= 106

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 106
1.0*D_S-1.0*W

STAAD SPACE -- PAGE NO. 121

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180276274E+02
Y = 0.914586452E+03
Z = -0.146263975E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.920923085E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 106

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 106)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -2895.63
SUMMATION FORCE-Z = -59.25

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -58800.89 MY= 1066.52 MZ= -52201.25

TOTAL REACTION LOAD 106

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 106)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 2895.63
SUMMATION FORCE-Z = 59.25

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 58800.89 MY= -1066.52 MZ= 52201.25

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 106)

	MAXIMUMS	AT NODE
X =	1.22492E-02	7503
Y =	-1.73653E-01	2104
Z =	1.86113E-01	9360
RX=	1.48046E-04	1551
RY=	-6.72797E-05	9326
RZ=	-1.03159E-04	2001

**NOTE-Tension/Compression converged after 1 iterations, Case= 201

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 201
1.4*(D_S)

STAAD SPACE -- PAGE NO. 122

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180276274E+02
Y = 0.914586452E+03
Z = -0.146263975E+01

TOTAL APPLIED LOAD 201

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 201)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -4053.88
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -5929.36 MY= 0.00 MZ= -73081.76

TOTAL REACTION LOAD 201

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 201)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 4053.88
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 5929.36 MY= 0.00 MZ= 73081.76

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 201)

	MAXIMUMS	AT NODE
X =	1.69352E-02	7503
Y =	-2.63970E-01	2104
Z =	3.75853E-01	9360
RX=	2.49606E-04	1551
RY=	-9.47268E-05	9325
RZ=	-1.49347E-04	2001

*** LOAD CASE 202 -- START ITERATION NO. 2
*** LOAD CASE 202 -- START ITERATION NO. 3
*** LOAD CASE 202 -- START ITERATION NO. 4

**NOTE-Tension/Compression converged after 4 iterations, Case= 202

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 202
1.4*(D_S+D_E)+1.7*(L_D+L_S)+1.7*H

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180061137E+02
Y = 0.911015042E+03
Z = -0.302745819E+01

STAAD SPACE -- PAGE NO. 123

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.917711769E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 202

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 202)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -18317.85
SUMMATION FORCE-Z = 6357.83

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 5779198.18 MY= -114440.92 MZ= -329833.29

TOTAL REACTION LOAD 202

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 202)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 18317.85
SUMMATION FORCE-Z = -6357.83

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -5779198.18 MY= 114440.92 MZ= 329833.29

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 202)

	MAXIMUMS	AT NODE
X =	1.34743E-01	6984
Y =	-1.58324E+00	2469
Z =	4.70741E+00	9364
RX=	3.10576E-03	9356
RY=	7.77157E-04	9390
RZ=	-4.62042E-04	2049

*** LOAD CASE 203 -- START ITERATION NO. 2
*** LOAD CASE 203 -- START ITERATION NO. 3
*** LOAD CASE 203 -- START ITERATION NO. 4

**NOTE-Tension/Compression converged after 4 iterations, Case= 203

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 203
0.9*(D_S+D_E)+1.0*E+1.6*H

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180065002E+02
Y = 0.911079214E+03
Z = -0.303644234E+01

STAAD SPACE -- PAGE NO. 124

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.916786442E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 203

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 203)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -11075.53
SUMMATION FORCE-Z = 5009.83

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 4559316.48 MY= -90176.99 MZ= -199431.57

TOTAL REACTION LOAD 203

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 203)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 11075.53
SUMMATION FORCE-Z = -5009.83

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -4559316.48 MY= 90176.99 MZ= 199431.57

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 203)

	MAXIMUMS	AT NODE
X =	1.01455E-01	6805
Y =	-1.09975E+00	2469
Z =	3.40308E+00	9356
RX=	1.97096E-03	8855
RY=	5.53095E-04	5167
RZ=	-3.19073E-04	2001

**NOTE-Tension/Compression converged after 1 iterations, Case= 204

**NOTE- DYNAMIC CASE SOLVED WHILE TENSION/COMPRESSION IS ACTIVE.

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 204
1.2*(D_S+D_E)+1.0*E+0.5*(L_S)

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.180063622E+02
Y = 0.911056300E+03
Z = -0.303323420E+01

STAAD SPACE -- PAGE NO. 125

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.179999994E+02
Y = 0.919815340E+03
Z = 0.000000000E+00

TOTAL APPLIED LOAD 204

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 204)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -15087.74
SUMMATION FORCE-Z = 250.53

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 184673.85 MY= -4509.48 MZ= -271675.34

TOTAL REACTION LOAD 204

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 204)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 15087.74
SUMMATION FORCE-Z = -250.53

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -184673.85 MY= 4509.48 MZ= 271675.34

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 204)
MAXIMUMS AT NODE
X = 1.72366E-02 8117
Y = -8.74365E-01 1
Z = -8.38393E-01 9317
RX= -6.96365E-04 1667
RY= -1.22526E-04 9322
RZ= -1.69748E-04 2001

********** END OF DATA FROM INTERNAL STORAGE **********

6288. LOAD LIST 101 TO 104
6289. PRINT SUPPORT REACTION
SUPPORT REACTION

STAAD SPACE -- PAGE NO. 126

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1	101	0.00	0.82	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	0.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
2	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	1.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
3	101	0.00	1.32	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	1.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
4	101	-0.03	0.99	-4.15	0.00	-0.03	0.00
	102	-0.10	0.27	-6.52	0.00	-0.01	0.00
	103	-0.04	0.94	-4.30	0.00	-0.02	0.00
	104	-0.07	0.00	-4.52	0.00	-0.01	0.00
5	101	0.00	1.67	0.00	0.00	0.00	0.00
	102	0.00	0.50	0.00	0.00	0.00	0.00
	103	0.00	1.58	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
6	101	0.00	2.06	0.00	0.00	0.00	0.00
	102	0.00	0.69	0.00	0.00	0.00	0.00
	103	0.00	1.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
7	101	0.00	1.74	0.00	0.00	0.00	0.00
	102	0.00	0.61	0.00	0.00	0.00	0.00
	103	0.00	1.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
8	101	0.00	1.74	0.00	0.00	0.00	0.00
	102	0.00	0.61	0.00	0.00	0.00	0.00
	103	0.00	1.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
9	101	0.00	1.72	0.00	0.00	0.00	0.00
	102	0.00	0.59	0.00	0.00	0.00	0.00
	103	0.00	1.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
10	101	0.00	2.02	0.00	0.00	0.00	0.00
	102	0.00	0.65	0.00	0.00	0.00	0.00
	103	0.00	1.92	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
11	101	0.00	1.63	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
12	101	0.05	0.96	-5.39	0.00	-0.03	0.00
	102	0.04	0.25	-8.31	0.00	-0.03	0.00

STAAD SPACE -- PAGE NO. 127

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.05	0.91	-5.57	0.00	-0.03	0.00
	104	0.04	0.00	-5.83	0.00	-0.03	0.00
13	101	0.00	1.61	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.53	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
14	101	0.00	1.97	0.00	0.00	0.00	0.00
	102	0.00	0.58	0.00	0.00	0.00	0.00
	103	0.00	1.86	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
15	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	1.57	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
16	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	1.57	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
17	101	0.00	1.64	0.00	0.00	0.00	0.00
	102	0.00	0.49	0.00	0.00	0.00	0.00
	103	0.00	1.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
18	101	0.00	1.93	0.00	0.00	0.00	0.00
	102	0.00	0.54	0.00	0.00	0.00	0.00
	103	0.00	1.83	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
19	101	0.00	1.56	0.00	0.00	0.00	0.00
	102	0.00	0.38	0.00	0.00	0.00	0.00
	103	0.00	1.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
20	101	0.04	0.92	-5.31	0.00	-0.03	0.00
	102	0.04	0.21	-8.19	0.00	-0.03	0.00
	103	0.04	0.87	-5.49	0.00	-0.03	0.00
	104	0.04	0.00	-5.62	0.00	-0.03	0.00
21	101	0.00	1.55	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	1.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
22	101	0.00	1.90	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	1.80	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
23	101	0.00	1.60	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	1.52	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 128

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
24	101	0.00	1.60	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	1.52	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
25	101	0.00	1.59	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
26	101	0.00	1.87	0.00	0.00	0.00	0.00
	102	0.00	0.48	0.00	0.00	0.00	0.00
	103	0.00	1.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
27	101	0.00	1.51	0.00	0.00	0.00	0.00
	102	0.00	0.33	0.00	0.00	0.00	0.00
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
28	101	0.02	0.90	-5.74	0.00	-0.01	0.00
	102	0.01	0.18	-8.63	0.00	-0.01	0.00
	103	0.01	0.84	-5.92	0.00	-0.01	0.00
	104	0.02	0.00	-5.83	0.00	-0.01	0.00
29	101	0.00	1.51	0.00	0.00	0.00	0.00
	102	0.00	0.33	0.00	0.00	0.00	0.00
	103	0.00	1.42	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
30	101	0.00	1.86	0.00	0.00	0.00	0.00
	102	0.00	0.47	0.00	0.00	0.00	0.00
	103	0.00	1.76	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
31	101	0.00	1.57	0.00	0.00	0.00	0.00
	102	0.00	0.43	0.00	0.00	0.00	0.00
	103	0.00	1.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
32	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
33	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	0.43	0.00	0.00	0.00	0.00
	103	0.00	1.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
34	101	0.00	1.87	0.00	0.00	0.00	0.00
	102	0.00	0.48	0.00	0.00	0.00	0.00
	103	0.00	1.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
35	101	0.00	1.52	0.00	0.00	0.00	0.00
	102	0.00	0.34	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 129

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
36	101	-0.01	0.90	-5.45	0.00	0.00	0.00
	102	-0.01	0.19	-8.34	0.00	0.01	0.00
	103	-0.01	0.85	-5.64	0.00	0.00	0.00
	104	-0.00	0.00	-5.65	0.00	0.00	0.00
37	101	0.00	1.52	0.00	0.00	0.00	0.00
	102	0.00	0.34	0.00	0.00	0.00	0.00
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
38	101	0.00	1.87	0.00	0.00	0.00	0.00
	102	0.00	0.48	0.00	0.00	0.00	0.00
	103	0.00	1.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
39	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
40	101	0.00	1.59	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	1.51	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
41	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
42	101	0.00	1.87	0.00	0.00	0.00	0.00
	102	0.00	0.48	0.00	0.00	0.00	0.00
	103	0.00	1.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
43	101	0.00	1.52	0.00	0.00	0.00	0.00
	102	0.00	0.34	0.00	0.00	0.00	0.00
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
44	101	0.01	0.90	-5.46	0.00	-0.01	0.00
	102	0.02	0.19	-8.34	0.00	-0.01	0.00
	103	0.01	0.85	-5.64	0.00	-0.01	0.00
	104	0.01	0.00	-5.65	0.00	-0.00	0.00
45	101	0.00	1.52	0.00	0.00	0.00	0.00
	102	0.00	0.34	0.00	0.00	0.00	0.00
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
46	101	0.00	1.86	0.00	0.00	0.00	0.00
	102	0.00	0.48	0.00	0.00	0.00	0.00
	103	0.00	1.76	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 130

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
47	101	0.00	1.57	0.00	0.00	0.00	0.00
	102	0.00	0.43	0.00	0.00	0.00	0.00
	103	0.00	1.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
48	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
49	101	0.00	1.57	0.00	0.00	0.00	0.00
	102	0.00	0.42	0.00	0.00	0.00	0.00
	103	0.00	1.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
50	101	0.00	1.86	0.00	0.00	0.00	0.00
	102	0.00	0.47	0.00	0.00	0.00	0.00
	103	0.00	1.75	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
51	101	0.00	1.50	0.00	0.00	0.00	0.00
	102	0.00	0.32	0.00	0.00	0.00	0.00
	103	0.00	1.42	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
52	101	-0.01	0.89	-5.76	0.00	0.01	0.00
	102	-0.01	0.18	-8.65	0.00	0.01	0.00
	103	-0.01	0.84	-5.94	0.00	0.01	0.00
	104	-0.01	0.00	-5.83	0.00	0.01	0.00
53	101	0.00	1.51	0.00	0.00	0.00	0.00
	102	0.00	0.33	0.00	0.00	0.00	0.00
	103	0.00	1.42	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
54	101	0.00	1.86	0.00	0.00	0.00	0.00
	102	0.00	0.47	0.00	0.00	0.00	0.00
	103	0.00	1.76	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
55	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	0.43	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
56	101	0.00	1.60	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	1.51	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
57	101	0.00	1.59	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	1.51	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
58	101	0.00	1.89	0.00	0.00	0.00	0.00
	102	0.00	0.50	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 131

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.79	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
59	101	0.00	1.55	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	1.46	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
60	101	-0.04	0.92	-5.33	0.00	0.03	0.00
	102	-0.04	0.21	-8.21	0.00	0.03	0.00
	103	-0.04	0.87	-5.51	0.00	0.03	0.00
	104	-0.04	0.00	-5.62	0.00	0.03	0.00
61	101	0.00	1.55	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	1.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
62	101	0.00	1.92	0.00	0.00	0.00	0.00
	102	0.00	0.53	0.00	0.00	0.00	0.00
	103	0.00	1.82	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
63	101	0.00	1.63	0.00	0.00	0.00	0.00
	102	0.00	0.49	0.00	0.00	0.00	0.00
	103	0.00	1.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
64	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	1.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
65	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	1.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
66	101	0.00	1.96	0.00	0.00	0.00	0.00
	102	0.00	0.58	0.00	0.00	0.00	0.00
	103	0.00	1.86	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
67	101	0.00	1.61	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.52	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
68	101	-0.05	0.96	-5.39	0.00	0.03	0.00
	102	-0.04	0.25	-8.31	0.00	0.03	0.00
	103	-0.05	0.91	-5.57	0.00	0.03	0.00
	104	-0.05	0.00	-5.83	0.00	0.03	0.00
69	101	0.00	1.62	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 132

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
70	101	0.00	2.02	0.00	0.00	0.00	0.00
	102	0.00	0.64	0.00	0.00	0.00	0.00
	103	0.00	1.92	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
71	101	0.00	1.71	0.00	0.00	0.00	0.00
	102	0.00	0.58	0.00	0.00	0.00	0.00
	103	0.00	1.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
72	101	0.00	1.73	0.00	0.00	0.00	0.00
	102	0.00	0.61	0.00	0.00	0.00	0.00
	103	0.00	1.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
73	101	0.00	1.73	0.00	0.00	0.00	0.00
	102	0.00	0.60	0.00	0.00	0.00	0.00
	103	0.00	1.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
74	101	0.00	2.06	0.00	0.00	0.00	0.00
	102	0.00	0.68	0.00	0.00	0.00	0.00
	103	0.00	1.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
75	101	0.00	1.67	0.00	0.00	0.00	0.00
	102	0.00	0.49	0.00	0.00	0.00	0.00
	103	0.00	1.58	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
76	101	0.03	0.99	-4.15	0.00	0.03	0.00
	102	0.10	0.27	-6.52	0.00	0.01	0.00
	103	0.04	0.93	-4.30	0.00	0.02	0.00
	104	0.07	0.00	-4.52	0.00	0.01	0.00
77	101	0.00	1.32	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	1.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
78	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	1.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
79	101	0.00	0.82	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	0.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
80	101	0.00	1.66	0.00	0.00	0.00	0.00
	102	0.00	0.69	0.00	0.00	0.00	0.00
	103	0.00	1.58	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
81	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.38	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 133

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
82	101	0.00	2.65	0.00	0.00	0.00	0.00
	102	0.00	1.11	0.00	0.00	0.00	0.00
	103	0.00	2.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
83	101	-0.36	1.99	-6.33	0.00	0.00	0.00
	102	-0.41	0.84	-9.88	0.00	0.05	0.00
	103	-0.36	1.91	-6.55	0.00	0.00	0.00
	104	-0.33	0.00	-7.05	0.00	0.03	0.00
84	101	0.00	3.35	0.00	0.00	0.00	0.00
	102	0.00	1.45	0.00	0.00	0.00	0.00
	103	0.00	3.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
85	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
86	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
87	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	1.65	0.00	0.00	0.00	0.00
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
88	101	0.00	3.43	0.00	0.00	0.00	0.00
	102	0.00	1.60	0.00	0.00	0.00	0.00
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
89	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	1.82	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
90	101	0.00	3.28	0.00	0.00	0.00	0.00
	102	0.00	1.39	0.00	0.00	0.00	0.00
	103	0.00	3.14	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
91	101	-0.12	1.95	-8.55	0.00	-0.05	0.00
	102	-0.12	0.81	-13.09	0.00	-0.05	0.00
	103	-0.12	1.87	-8.83	0.00	-0.05	0.00
	104	-0.11	0.00	-9.43	0.00	-0.05	0.00
92	101	0.00	3.25	0.00	0.00	0.00	0.00
	102	0.00	1.36	0.00	0.00	0.00	0.00
	103	0.00	3.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 134

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
93	101	0.00	3.95	0.00	0.00	0.00	0.00
	102	0.00	1.71	0.00	0.00	0.00	0.00
	103	0.00	3.79	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
94	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	1.47	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
95	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	1.48	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
96	101	0.00	3.29	0.00	0.00	0.00	0.00
	102	0.00	1.44	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
97	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.73	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
98	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	1.26	0.00	0.00	0.00	0.00
	103	0.00	3.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
99	101	-0.17	1.89	-8.38	0.00	-0.05	0.00
	102	-0.17	0.74	-12.86	0.00	-0.05	0.00
	103	-0.17	1.80	-8.66	0.00	-0.05	0.00
	104	-0.15	0.00	-9.09	0.00	-0.05	0.00
100	101	0.00	3.16	0.00	0.00	0.00	0.00
	102	0.00	1.25	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
101	101	0.00	3.85	0.00	0.00	0.00	0.00
	102	0.00	1.60	0.00	0.00	0.00	0.00
	103	0.00	3.68	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
102	101	0.00	3.23	0.00	0.00	0.00	0.00
	102	0.00	1.38	0.00	0.00	0.00	0.00
	103	0.00	3.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
103	101	0.00	3.24	0.00	0.00	0.00	0.00
	102	0.00	1.39	0.00	0.00	0.00	0.00
	103	0.00	3.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
104	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.36	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 135

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
105	101	0.00	3.80	0.00	0.00	0.00	0.00
	102	0.00	1.55	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
106	101	0.00	3.09	0.00	0.00	0.00	0.00
	102	0.00	1.18	0.00	0.00	0.00	0.00
	103	0.00	2.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
107	101	-0.06	1.84	-9.08	0.00	-0.02	0.00
	102	-0.06	0.69	-13.55	0.00	-0.02	0.00
	103	-0.06	1.76	-9.36	0.00	-0.02	0.00
	104	-0.06	0.00	-9.44	0.00	-0.02	0.00
108	101	0.00	3.09	0.00	0.00	0.00	0.00
	102	0.00	1.18	0.00	0.00	0.00	0.00
	103	0.00	2.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
109	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	1.53	0.00	0.00	0.00	0.00
	103	0.00	3.62	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
110	101	0.00	3.19	0.00	0.00	0.00	0.00
	102	0.00	1.34	0.00	0.00	0.00	0.00
	103	0.00	3.06	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
111	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.36	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
112	101	0.00	3.20	0.00	0.00	0.00	0.00
	102	0.00	1.35	0.00	0.00	0.00	0.00
	103	0.00	3.06	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
113	101	0.00	3.79	0.00	0.00	0.00	0.00
	102	0.00	1.55	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
114	101	0.00	3.10	0.00	0.00	0.00	0.00
	102	0.00	1.19	0.00	0.00	0.00	0.00
	103	0.00	2.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
115	101	0.02	1.85	-8.60	0.00	0.01	0.00
	102	0.02	0.70	-13.07	0.00	0.01	0.00
	103	0.02	1.77	-8.88	0.00	0.01	0.00
	104	0.01	0.00	-9.14	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 136

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
116	101	0.00	3.10	0.00	0.00	0.00	0.00
	102	0.00	1.19	0.00	0.00	0.00	0.00
	103	0.00	2.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
117	101	0.00	3.80	0.00	0.00	0.00	0.00
	102	0.00	1.55	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
118	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.36	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
119	101	0.00	3.22	0.00	0.00	0.00	0.00
	102	0.00	1.38	0.00	0.00	0.00	0.00
	103	0.00	3.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
120	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.35	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
121	101	0.00	3.80	0.00	0.00	0.00	0.00
	102	0.00	1.55	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
122	101	0.00	3.10	0.00	0.00	0.00	0.00
	102	0.00	1.19	0.00	0.00	0.00	0.00
	103	0.00	2.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
123	101	-0.03	1.85	-8.60	0.00	-0.01	0.00
	102	-0.03	0.70	-13.07	0.00	-0.01	0.00
	103	-0.03	1.76	-8.88	0.00	-0.01	0.00
	104	-0.02	0.00	-9.14	0.00	-0.01	0.00
124	101	0.00	3.10	0.00	0.00	0.00	0.00
	102	0.00	1.19	0.00	0.00	0.00	0.00
	103	0.00	2.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
125	101	0.00	3.79	0.00	0.00	0.00	0.00
	102	0.00	1.54	0.00	0.00	0.00	0.00
	103	0.00	3.62	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
126	101	0.00	3.19	0.00	0.00	0.00	0.00
	102	0.00	1.34	0.00	0.00	0.00	0.00
	103	0.00	3.06	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
127	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.36	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 137

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
128	101	0.00	3.19	0.00	0.00	0.00	0.00
	102	0.00	1.33	0.00	0.00	0.00	0.00
	103	0.00	3.05	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
129	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	1.53	0.00	0.00	0.00	0.00
	103	0.00	3.61	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
130	101	0.00	3.08	0.00	0.00	0.00	0.00
	102	0.00	1.17	0.00	0.00	0.00	0.00
	103	0.00	2.94	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
131	101	0.05	1.84	-9.11	0.00	0.02	0.00
	102	0.05	0.69	-13.59	0.00	0.01	0.00
	103	0.05	1.75	-9.39	0.00	0.02	0.00
	104	0.05	0.00	-9.45	0.00	0.02	0.00
132	101	0.00	3.08	0.00	0.00	0.00	0.00
	102	0.00	1.17	0.00	0.00	0.00	0.00
	103	0.00	2.94	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
133	101	0.00	3.79	0.00	0.00	0.00	0.00
	102	0.00	1.54	0.00	0.00	0.00	0.00
	103	0.00	3.62	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
134	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.35	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
135	101	0.00	3.23	0.00	0.00	0.00	0.00
	102	0.00	1.38	0.00	0.00	0.00	0.00
	103	0.00	3.09	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
136	101	0.00	3.23	0.00	0.00	0.00	0.00
	102	0.00	1.37	0.00	0.00	0.00	0.00
	103	0.00	3.09	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
137	101	0.00	3.84	0.00	0.00	0.00	0.00
	102	0.00	1.59	0.00	0.00	0.00	0.00
	103	0.00	3.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
138	101	0.00	3.15	0.00	0.00	0.00	0.00
	102	0.00	1.24	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 138

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
139	101	0.17	1.88	-8.41	0.00	0.05	0.00
	102	0.17	0.73	-12.89	0.00	0.05	0.00
	103	0.17	1.80	-8.70	0.00	0.05	0.00
	104	0.15	0.00	-9.10	0.00	0.05	0.00
140	101	0.00	3.16	0.00	0.00	0.00	0.00
	102	0.00	1.25	0.00	0.00	0.00	0.00
	103	0.00	3.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
141	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
142	101	0.00	3.29	0.00	0.00	0.00	0.00
	102	0.00	1.43	0.00	0.00	0.00	0.00
	103	0.00	3.15	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
143	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.47	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
144	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.46	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
145	101	0.00	3.95	0.00	0.00	0.00	0.00
	102	0.00	1.71	0.00	0.00	0.00	0.00
	103	0.00	3.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
146	101	0.00	3.25	0.00	0.00	0.00	0.00
	102	0.00	1.35	0.00	0.00	0.00	0.00
	103	0.00	3.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
147	101	0.12	1.95	-8.55	0.00	0.05	0.00
	102	0.12	0.81	-13.09	0.00	0.05	0.00
	103	0.12	1.86	-8.83	0.00	0.05	0.00
	104	0.12	0.00	-9.43	0.00	0.05	0.00
148	101	0.00	3.27	0.00	0.00	0.00	0.00
	102	0.00	1.38	0.00	0.00	0.00	0.00
	103	0.00	3.13	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
149	101	0.00	4.04	0.00	0.00	0.00	0.00
	102	0.00	1.82	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
150	101	0.00	3.43	0.00	0.00	0.00	0.00
	102	0.00	1.60	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 139

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
151	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
152	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
153	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
154	101	0.00	3.35	0.00	0.00	0.00	0.00
	102	0.00	1.45	0.00	0.00	0.00	0.00
	103	0.00	3.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
155	101	0.36	1.99	-6.33	0.00	-0.00	0.00
	102	0.41	0.84	-9.88	0.00	-0.05	0.00
	103	0.36	1.91	-6.55	0.00	-0.00	0.00
	104	0.33	0.00	-7.04	0.00	-0.03	0.00
156	101	0.00	2.65	0.00	0.00	0.00	0.00
	102	0.00	1.11	0.00	0.00	0.00	0.00
	103	0.00	2.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
157	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.38	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
158	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.69	0.00	0.00	0.00	0.00
	103	0.00	1.58	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
159	101	0.00	1.60	0.00	0.00	0.00	0.00
	102	0.00	0.82	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
160	101	0.00	3.20	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
161	101	0.00	2.56	0.00	0.00	0.00	0.00
	102	0.00	1.31	0.00	0.00	0.00	0.00
	103	0.00	2.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 140

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
162	101	-0.16	1.92	-7.81	0.00	0.01	0.00
	102	-0.14	0.99	-12.17	0.00	0.06	0.00
	103	-0.16	1.85	-8.08	0.00	0.02	0.00
	104	-0.12	0.00	-8.87	0.00	0.04	0.00
163	101	0.00	3.24	0.00	0.00	0.00	0.00
	102	0.00	1.70	0.00	0.00	0.00	0.00
	103	0.00	3.12	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
164	101	0.00	3.97	0.00	0.00	0.00	0.00
	102	0.00	2.17	0.00	0.00	0.00	0.00
	103	0.00	3.83	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
165	101	0.00	3.33	0.00	0.00	0.00	0.00
	102	0.00	1.86	0.00	0.00	0.00	0.00
	103	0.00	3.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
166	101	0.00	3.34	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	3.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
167	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.83	0.00	0.00	0.00	0.00
	103	0.00	3.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
168	101	0.00	3.91	0.00	0.00	0.00	0.00
	102	0.00	2.11	0.00	0.00	0.00	0.00
	103	0.00	3.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
169	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.05	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
170	101	-0.08	1.88	-10.68	0.00	-0.04	0.00
	102	-0.09	0.96	-16.33	0.00	-0.04	0.00
	103	-0.08	1.81	-11.04	0.00	-0.04	0.00
	104	-0.08	0.00	-11.99	0.00	-0.05	0.00
171	101	0.00	3.15	0.00	0.00	0.00	0.00
	102	0.00	1.61	0.00	0.00	0.00	0.00
	103	0.00	3.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
172	101	0.00	3.83	0.00	0.00	0.00	0.00
	102	0.00	2.02	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
173	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.72	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 141

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
174	101	0.00	3.22	0.00	0.00	0.00	0.00
	102	0.00	1.73	0.00	0.00	0.00	0.00
	103	0.00	3.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
175	101	0.00	3.19	0.00	0.00	0.00	0.00
	102	0.00	1.70	0.00	0.00	0.00	0.00
	103	0.00	3.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
176	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	1.96	0.00	0.00	0.00	0.00
	103	0.00	3.64	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
177	101	0.00	3.08	0.00	0.00	0.00	0.00
	102	0.00	1.53	0.00	0.00	0.00	0.00
	103	0.00	2.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
178	101	-0.10	1.83	-10.46	0.00	-0.05	0.00
	102	-0.10	0.90	-16.02	0.00	-0.05	0.00
	103	-0.10	1.76	-10.81	0.00	-0.05	0.00
	104	-0.09	0.00	-11.53	0.00	-0.04	0.00
179	101	0.00	3.07	0.00	0.00	0.00	0.00
	102	0.00	1.52	0.00	0.00	0.00	0.00
	103	0.00	2.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
180	101	0.00	3.74	0.00	0.00	0.00	0.00
	102	0.00	1.92	0.00	0.00	0.00	0.00
	103	0.00	3.60	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
181	101	0.00	3.14	0.00	0.00	0.00	0.00
	102	0.00	1.65	0.00	0.00	0.00	0.00
	103	0.00	3.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
182	101	0.00	3.15	0.00	0.00	0.00	0.00
	102	0.00	1.66	0.00	0.00	0.00	0.00
	103	0.00	3.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
183	101	0.00	3.13	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
184	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.57	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 142

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
185	101	0.00	3.02	0.00	0.00	0.00	0.00
	102	0.00	1.47	0.00	0.00	0.00	0.00
	103	0.00	2.90	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
186	101	-0.04	1.80	-11.38	0.00	-0.02	0.00
	102	-0.03	0.86	-16.93	0.00	-0.02	0.00
	103	-0.04	1.73	-11.73	0.00	-0.02	0.00
	104	-0.04	0.00	-12.00	0.00	-0.02	0.00
187	101	0.00	3.01	0.00	0.00	0.00	0.00
	102	0.00	1.47	0.00	0.00	0.00	0.00
	103	0.00	2.90	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
188	101	0.00	3.69	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
189	101	0.00	3.11	0.00	0.00	0.00	0.00
	102	0.00	1.62	0.00	0.00	0.00	0.00
	103	0.00	3.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
190	101	0.00	3.13	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
191	101	0.00	3.12	0.00	0.00	0.00	0.00
	102	0.00	1.62	0.00	0.00	0.00	0.00
	103	0.00	3.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
192	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
193	101	0.00	3.02	0.00	0.00	0.00	0.00
	102	0.00	1.48	0.00	0.00	0.00	0.00
	103	0.00	2.91	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
194	101	0.01	1.80	-10.75	0.00	0.01	0.00
	102	0.02	0.87	-16.30	0.00	0.01	0.00
	103	0.01	1.73	-11.10	0.00	0.01	0.00
	104	0.01	0.00	-11.61	0.00	0.00	0.00
195	101	0.00	3.03	0.00	0.00	0.00	0.00
	102	0.00	1.48	0.00	0.00	0.00	0.00
	103	0.00	2.91	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
196	101	0.00	3.71	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 143

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.57	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
197	101	0.00	3.12	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
198	101	0.00	3.14	0.00	0.00	0.00	0.00
	102	0.00	1.65	0.00	0.00	0.00	0.00
	103	0.00	3.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
199	101	0.00	3.12	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
200	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00
	103	0.00	3.57	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
201	101	0.00	3.02	0.00	0.00	0.00	0.00
	102	0.00	1.48	0.00	0.00	0.00	0.00
	103	0.00	2.91	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
202	101	-0.02	1.80	-10.75	0.00	-0.01	0.00
	102	-0.02	0.87	-16.30	0.00	-0.01	0.00
	103	-0.02	1.73	-11.10	0.00	-0.01	0.00
	104	-0.01	0.00	-11.61	0.00	-0.01	0.00
203	101	0.00	3.02	0.00	0.00	0.00	0.00
	102	0.00	1.48	0.00	0.00	0.00	0.00
	103	0.00	2.91	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
204	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
205	101	0.00	3.11	0.00	0.00	0.00	0.00
	102	0.00	1.62	0.00	0.00	0.00	0.00
	103	0.00	3.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
206	101	0.00	3.12	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
207	101	0.00	3.11	0.00	0.00	0.00	0.00
	102	0.00	1.61	0.00	0.00	0.00	0.00
	103	0.00	2.99	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 144

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
208	101	0.00	3.68	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
209	101	0.00	3.01	0.00	0.00	0.00	0.00
	102	0.00	1.46	0.00	0.00	0.00	0.00
	103	0.00	2.89	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
210	101	0.03	1.79	-11.42	0.00	0.02	0.00
	102	0.03	0.86	-16.97	0.00	0.01	0.00
	103	0.03	1.72	-11.77	0.00	0.02	0.00
	104	0.03	0.00	-12.02	0.00	0.02	0.00
211	101	0.00	3.01	0.00	0.00	0.00	0.00
	102	0.00	1.46	0.00	0.00	0.00	0.00
	103	0.00	2.89	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
212	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
213	101	0.00	3.12	0.00	0.00	0.00	0.00
	102	0.00	1.62	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
214	101	0.00	3.14	0.00	0.00	0.00	0.00
	102	0.00	1.65	0.00	0.00	0.00	0.00
	103	0.00	3.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
215	101	0.00	3.14	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
216	101	0.00	3.73	0.00	0.00	0.00	0.00
	102	0.00	1.91	0.00	0.00	0.00	0.00
	103	0.00	3.60	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
217	101	0.00	3.06	0.00	0.00	0.00	0.00
	102	0.00	1.51	0.00	0.00	0.00	0.00
	103	0.00	2.94	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
218	101	0.10	1.83	-10.50	0.00	0.05	0.00
	102	0.10	0.89	-16.06	0.00	0.05	0.00
	103	0.10	1.76	-10.85	0.00	0.05	0.00
	104	0.09	0.00	-11.55	0.00	0.05	0.00
219	101	0.00	3.07	0.00	0.00	0.00	0.00
	102	0.00	1.52	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 145

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	2.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
220	101	0.00	3.77	0.00	0.00	0.00	0.00
	102	0.00	1.95	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
221	101	0.00	3.19	0.00	0.00	0.00	0.00
	102	0.00	1.69	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
222	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.72	0.00	0.00	0.00	0.00
	103	0.00	3.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
223	101	0.00	3.21	0.00	0.00	0.00	0.00
	102	0.00	1.72	0.00	0.00	0.00	0.00
	103	0.00	3.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
224	101	0.00	3.82	0.00	0.00	0.00	0.00
	102	0.00	2.01	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
225	101	0.00	3.15	0.00	0.00	0.00	0.00
	102	0.00	1.61	0.00	0.00	0.00	0.00
	103	0.00	3.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
226	101	0.08	1.88	-10.68	0.00	0.04	0.00
	102	0.09	0.95	-16.34	0.00	0.05	0.00
	103	0.08	1.81	-11.04	0.00	0.04	0.00
	104	0.08	0.00	-11.99	0.00	0.05	0.00
227	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	3.05	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
228	101	0.00	3.90	0.00	0.00	0.00	0.00
	102	0.00	2.11	0.00	0.00	0.00	0.00
	103	0.00	3.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
229	101	0.00	3.30	0.00	0.00	0.00	0.00
	102	0.00	1.83	0.00	0.00	0.00	0.00
	103	0.00	3.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
230	101	0.00	3.33	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	3.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 146

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
231	101	0.00	3.33	0.00	0.00	0.00	0.00
	102	0.00	1.86	0.00	0.00	0.00	0.00
	103	0.00	3.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
232	101	0.00	3.96	0.00	0.00	0.00	0.00
	102	0.00	2.17	0.00	0.00	0.00	0.00
	103	0.00	3.83	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
233	101	0.00	3.23	0.00	0.00	0.00	0.00
	102	0.00	1.70	0.00	0.00	0.00	0.00
	103	0.00	3.12	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
234	101	0.16	1.92	-7.81	0.00	-0.01	0.00
	102	0.14	0.99	-12.17	0.00	-0.06	0.00
	103	0.16	1.85	-8.08	0.00	-0.02	0.00
	104	0.12	0.00	-8.87	0.00	-0.04	0.00
235	101	0.00	2.56	0.00	0.00	0.00	0.00
	102	0.00	1.31	0.00	0.00	0.00	0.00
	103	0.00	2.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
236	101	0.00	3.20	0.00	0.00	0.00	0.00
	102	0.00	1.64	0.00	0.00	0.00	0.00
	103	0.00	3.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
237	101	0.00	1.60	0.00	0.00	0.00	0.00
	102	0.00	0.82	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
238	101	0.00	1.72	0.00	0.00	0.00	0.00
	102	0.00	1.02	0.00	0.00	0.00	0.00
	103	0.00	1.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
239	101	0.00	3.44	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
240	101	0.00	2.75	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	2.66	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
241	101	-0.15	2.06	-6.39	0.00	0.04	0.00
	102	-0.13	1.23	-9.98	0.00	0.09	0.00
	103	-0.15	2.00	-6.63	0.00	0.04	0.00
	104	-0.11	0.00	-7.57	0.00	0.06	0.00
242	101	0.00	3.47	0.00	0.00	0.00	0.00
	102	0.00	2.10	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 147

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.37	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
243	101	0.00	4.25	0.00	0.00	0.00	0.00
	102	0.00	2.65	0.00	0.00	0.00	0.00
	103	0.00	4.13	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
244	101	0.00	3.57	0.00	0.00	0.00	0.00
	102	0.00	2.26	0.00	0.00	0.00	0.00
	103	0.00	3.47	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
245	101	0.00	3.58	0.00	0.00	0.00	0.00
	102	0.00	2.27	0.00	0.00	0.00	0.00
	103	0.00	3.47	0.00	0.00	0.00	0.00
	104	0.00	0.03	0.00	0.00	0.00	0.00
246	101	0.00	3.55	0.00	0.00	0.00	0.00
	102	0.00	2.23	0.00	0.00	0.00	0.00
	103	0.00	3.44	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
247	101	0.00	4.19	0.00	0.00	0.00	0.00
	102	0.00	2.59	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
248	101	0.00	3.41	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00
	103	0.00	3.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
249	101	-0.06	2.03	-8.88	0.00	-0.04	0.00
	102	-0.07	1.19	-13.57	0.00	-0.04	0.00
	103	-0.06	1.96	-9.18	0.00	-0.04	0.00
	104	-0.06	0.00	-10.31	0.00	-0.04	0.00
250	101	0.00	3.39	0.00	0.00	0.00	0.00
	102	0.00	2.01	0.00	0.00	0.00	0.00
	103	0.00	3.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
251	101	0.00	4.12	0.00	0.00	0.00	0.00
	102	0.00	2.50	0.00	0.00	0.00	0.00
	103	0.00	3.99	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
252	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	2.13	0.00	0.00	0.00	0.00
	103	0.00	3.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
253	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	2.13	0.00	0.00	0.00	0.00
	103	0.00	3.36	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 148

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
254	101	0.00	3.44	0.00	0.00	0.00	0.00
	102	0.00	2.10	0.00	0.00	0.00	0.00
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
255	101	0.00	4.07	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
256	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	1.93	0.00	0.00	0.00	0.00
	103	0.00	3.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
257	101	-0.07	1.98	-8.69	0.00	-0.04	0.00
	102	-0.07	1.14	-13.29	0.00	-0.04	0.00
	103	-0.07	1.91	-8.98	0.00	-0.04	0.00
	104	-0.06	0.00	-9.89	0.00	-0.04	0.00
258	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.92	0.00	0.00	0.00	0.00
	103	0.00	3.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
259	101	0.00	4.04	0.00	0.00	0.00	0.00
	102	0.00	2.41	0.00	0.00	0.00	0.00
	103	0.00	3.91	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
260	101	0.00	3.40	0.00	0.00	0.00	0.00
	102	0.00	2.06	0.00	0.00	0.00	0.00
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
261	101	0.00	3.40	0.00	0.00	0.00	0.00
	102	0.00	2.07	0.00	0.00	0.00	0.00
	103	0.00	3.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
262	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.05	0.00	0.00	0.00	0.00
	103	0.00	3.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
263	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	2.38	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
264	101	0.00	3.27	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
265	101	-0.03	1.95	-9.68	0.00	-0.02	0.00
	102	-0.02	1.11	-14.28	0.00	-0.02	0.00

STAAD SPACE -- PAGE NO. 149

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.03	1.88	-9.98	0.00	-0.02	0.00
	104	-0.03	0.00	-10.41	0.00	-0.02	0.00
266	101	0.00	3.27	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
267	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	2.37	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
268	101	0.00	3.37	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
269	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.05	0.00	0.00	0.00	0.00
	103	0.00	3.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
270	101	0.00	3.37	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
271	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	2.38	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
272	101	0.00	3.28	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
273	101	0.01	1.95	-8.99	0.00	0.01	0.00
	102	0.01	1.11	-13.59	0.00	0.01	0.00
	103	0.01	1.89	-9.29	0.00	0.01	0.00
	104	0.00	0.00	-9.99	0.00	0.00	0.00
274	101	0.00	3.28	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
275	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	2.38	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
276	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 150

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
277	101	0.00	3.39	0.00	0.00	0.00	0.00
	102	0.00	2.06	0.00	0.00	0.00	0.00
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
278	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
279	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	2.38	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
280	101	0.00	3.28	0.00	0.00	0.00	0.00
	102	0.00	1.89	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
281	101	-0.02	1.95	-8.99	0.00	-0.01	0.00
	102	-0.02	1.11	-13.59	0.00	-0.01	0.00
	103	-0.02	1.89	-9.29	0.00	-0.01	0.00
	104	-0.01	0.00	-9.99	0.00	-0.01	0.00
282	101	0.00	3.27	0.00	0.00	0.00	0.00
	102	0.00	1.88	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
283	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	2.38	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
284	101	0.00	3.37	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
285	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.05	0.00	0.00	0.00	0.00
	103	0.00	3.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
286	101	0.00	3.36	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00
	103	0.00	3.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
287	101	0.00	3.99	0.00	0.00	0.00	0.00
	102	0.00	2.36	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
288	101	0.00	3.26	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 151

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
289	101	0.02	1.95	-9.72	0.00	0.01	0.00
	102	0.02	1.10	-14.32	0.00	0.01	0.00
	103	0.02	1.88	-10.02	0.00	0.01	0.00
	104	0.02	0.00	-10.43	0.00	0.02	0.00
290	101	0.00	3.26	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
291	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	2.37	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
292	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
293	101	0.00	3.40	0.00	0.00	0.00	0.00
	102	0.00	2.07	0.00	0.00	0.00	0.00
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
294	101	0.00	3.39	0.00	0.00	0.00	0.00
	102	0.00	2.05	0.00	0.00	0.00	0.00
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
295	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	2.41	0.00	0.00	0.00	0.00
	103	0.00	3.91	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
296	101	0.00	3.31	0.00	0.00	0.00	0.00
	102	0.00	1.92	0.00	0.00	0.00	0.00
	103	0.00	3.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
297	101	0.07	1.97	-8.73	0.00	0.04	0.00
	102	0.07	1.13	-13.33	0.00	0.04	0.00
	103	0.07	1.91	-9.03	0.00	0.04	0.00
	104	0.06	0.00	-9.91	0.00	0.04	0.00
298	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	1.93	0.00	0.00	0.00	0.00
	103	0.00	3.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
299	101	0.00	4.07	0.00	0.00	0.00	0.00
	102	0.00	2.44	0.00	0.00	0.00	0.00
	103	0.00	3.94	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 152

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
300	101	0.00	3.43	0.00	0.00	0.00	0.00
	102	0.00	2.10	0.00	0.00	0.00	0.00
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
301	101	0.00	3.46	0.00	0.00	0.00	0.00
	102	0.00	2.13	0.00	0.00	0.00	0.00
	103	0.00	3.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
302	101	0.00	3.45	0.00	0.00	0.00	0.00
	102	0.00	2.12	0.00	0.00	0.00	0.00
	103	0.00	3.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
303	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	2.50	0.00	0.00	0.00	0.00
	103	0.00	3.99	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
304	101	0.00	3.38	0.00	0.00	0.00	0.00
	102	0.00	2.01	0.00	0.00	0.00	0.00
	103	0.00	3.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
305	101	0.06	2.02	-8.88	0.00	0.04	0.00
	102	0.07	1.19	-13.57	0.00	0.04	0.00
	103	0.06	1.96	-9.18	0.00	0.04	0.00
	104	0.06	0.00	-10.30	0.00	0.05	0.00
306	101	0.00	3.40	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00
	103	0.00	3.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
307	101	0.00	4.19	0.00	0.00	0.00	0.00
	102	0.00	2.59	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
308	101	0.00	3.54	0.00	0.00	0.00	0.00
	102	0.00	2.23	0.00	0.00	0.00	0.00
	103	0.00	3.44	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
309	101	0.00	3.57	0.00	0.00	0.00	0.00
	102	0.00	2.27	0.00	0.00	0.00	0.00
	103	0.00	3.47	0.00	0.00	0.00	0.00
	104	0.00	0.03	0.00	0.00	0.00	0.00
310	101	0.00	3.57	0.00	0.00	0.00	0.00
	102	0.00	2.26	0.00	0.00	0.00	0.00
	103	0.00	3.47	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
311	101	0.00	4.25	0.00	0.00	0.00	0.00
	102	0.00	2.65	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 153

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.13	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
312	101	0.00	3.47	0.00	0.00	0.00	0.00
	102	0.00	2.10	0.00	0.00	0.00	0.00
	103	0.00	3.37	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
313	101	0.15	2.06	-6.39	0.00	-0.04	0.00
	102	0.13	1.23	-9.97	0.00	-0.09	0.00
	103	0.15	2.00	-6.62	0.00	-0.04	0.00
	104	0.11	0.00	-7.57	0.00	-0.06	0.00
314	101	0.00	2.75	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	2.66	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
315	101	0.00	3.44	0.00	0.00	0.00	0.00
	102	0.00	2.05	0.00	0.00	0.00	0.00
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
316	101	0.00	1.72	0.00	0.00	0.00	0.00
	102	0.00	1.03	0.00	0.00	0.00	0.00
	103	0.00	1.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
317	101	0.00	1.84	0.00	0.00	0.00	0.00
	102	0.00	1.23	0.00	0.00	0.00	0.00
	103	0.00	1.79	0.00	0.00	0.00	0.00
	104	0.00	0.10	0.00	0.00	0.00	0.00
318	101	0.00	3.68	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.58	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
319	101	0.00	2.94	0.00	0.00	0.00	0.00
	102	0.00	1.95	0.00	0.00	0.00	0.00
	103	0.00	2.86	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
320	101	-0.14	2.21	-4.92	0.00	0.05	0.00
	102	-0.13	1.47	-7.68	0.00	0.11	0.00
	103	-0.14	2.15	-5.10	0.00	0.06	0.00
	104	-0.10	0.12	-6.30	0.00	0.08	0.00
321	101	0.00	3.71	0.00	0.00	0.00	0.00
	102	0.00	2.49	0.00	0.00	0.00	0.00
	103	0.00	3.61	0.00	0.00	0.00	0.00
	104	0.00	0.23	0.00	0.00	0.00	0.00
322	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.13	0.00	0.00	0.00	0.00
	103	0.00	4.42	0.00	0.00	0.00	0.00
	104	0.00	0.39	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 154

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
323	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.66	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.37	0.00	0.00	0.00	0.00
324	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.67	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.38	0.00	0.00	0.00	0.00
325	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.63	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.35	0.00	0.00	0.00	0.00
326	101	0.00	4.48	0.00	0.00	0.00	0.00
	102	0.00	3.06	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	0.35	0.00	0.00	0.00	0.00
327	101	0.00	3.64	0.00	0.00	0.00	0.00
	102	0.00	2.43	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
328	101	-0.05	2.17	-6.98	0.00	-0.04	0.00
	102	-0.05	1.43	-10.66	0.00	-0.04	0.00
	103	-0.05	2.11	-7.23	0.00	-0.04	0.00
	104	-0.04	0.09	-8.63	0.00	-0.05	0.00
329	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.41	0.00	0.00	0.00	0.00
	103	0.00	3.53	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
330	101	0.00	4.41	0.00	0.00	0.00	0.00
	102	0.00	2.98	0.00	0.00	0.00	0.00
	103	0.00	4.29	0.00	0.00	0.00	0.00
	104	0.00	0.27	0.00	0.00	0.00	0.00
331	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	2.53	0.00	0.00	0.00	0.00
	103	0.00	3.61	0.00	0.00	0.00	0.00
	104	0.00	0.26	0.00	0.00	0.00	0.00
332	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	2.54	0.00	0.00	0.00	0.00
	103	0.00	3.61	0.00	0.00	0.00	0.00
	104	0.00	0.27	0.00	0.00	0.00	0.00
333	101	0.00	3.68	0.00	0.00	0.00	0.00
	102	0.00	2.51	0.00	0.00	0.00	0.00
	103	0.00	3.59	0.00	0.00	0.00	0.00
	104	0.00	0.24	0.00	0.00	0.00	0.00
334	101	0.00	4.37	0.00	0.00	0.00	0.00
	102	0.00	2.93	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 155

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.25	0.00	0.00	0.00	0.00
	104	0.00	0.23	0.00	0.00	0.00	0.00
335	101	0.00	3.57	0.00	0.00	0.00	0.00
	102	0.00	2.33	0.00	0.00	0.00	0.00
	103	0.00	3.47	0.00	0.00	0.00	0.00
	104	0.00	0.10	0.00	0.00	0.00	0.00
336	101	-0.06	2.13	-6.82	0.00	-0.04	0.00
	102	-0.05	1.38	-10.42	0.00	-0.04	0.00
	103	-0.06	2.07	-7.07	0.00	-0.04	0.00
	104	-0.05	0.04	-8.27	0.00	-0.04	0.00
337	101	0.00	3.56	0.00	0.00	0.00	0.00
	102	0.00	2.33	0.00	0.00	0.00	0.00
	103	0.00	3.46	0.00	0.00	0.00	0.00
	104	0.00	0.09	0.00	0.00	0.00	0.00
338	101	0.00	4.34	0.00	0.00	0.00	0.00
	102	0.00	2.90	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
339	101	0.00	3.65	0.00	0.00	0.00	0.00
	102	0.00	2.47	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.20	0.00	0.00	0.00	0.00
340	101	0.00	3.65	0.00	0.00	0.00	0.00
	102	0.00	2.48	0.00	0.00	0.00	0.00
	103	0.00	3.56	0.00	0.00	0.00	0.00
	104	0.00	0.21	0.00	0.00	0.00	0.00
341	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.46	0.00	0.00	0.00	0.00
	103	0.00	3.54	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
342	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	4.20	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
343	101	0.00	3.52	0.00	0.00	0.00	0.00
	102	0.00	2.29	0.00	0.00	0.00	0.00
	103	0.00	3.43	0.00	0.00	0.00	0.00
	104	0.00	0.06	0.00	0.00	0.00	0.00
344	101	-0.02	2.10	-7.92	0.00	-0.02	0.00
	102	-0.02	1.36	-11.52	0.00	-0.02	0.00
	103	-0.02	2.04	-8.17	0.00	-0.02	0.00
	104	-0.02	0.02	-8.86	0.00	-0.02	0.00
345	101	0.00	3.52	0.00	0.00	0.00	0.00
	102	0.00	2.29	0.00	0.00	0.00	0.00
	103	0.00	3.42	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 156

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
346	101	0.00	4.30	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	4.19	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
347	101	0.00	3.62	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.53	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
348	101	0.00	3.64	0.00	0.00	0.00	0.00
	102	0.00	2.47	0.00	0.00	0.00	0.00
	103	0.00	3.54	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
349	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.53	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
350	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	4.19	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
351	101	0.00	3.53	0.00	0.00	0.00	0.00
	102	0.00	2.30	0.00	0.00	0.00	0.00
	103	0.00	3.43	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
352	101	0.01	2.10	-7.16	0.00	0.01	0.00
	102	0.01	1.36	-10.76	0.00	0.01	0.00
	103	0.01	2.05	-7.40	0.00	0.01	0.00
	104	0.00	0.02	-8.40	0.00	0.00	0.00
353	101	0.00	3.53	0.00	0.00	0.00	0.00
	102	0.00	2.30	0.00	0.00	0.00	0.00
	103	0.00	3.43	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
354	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	2.88	0.00	0.00	0.00	0.00
	103	0.00	4.20	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
355	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.54	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
356	101	0.00	3.64	0.00	0.00	0.00	0.00
	102	0.00	2.48	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
357	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 157

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.54	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
358	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	2.88	0.00	0.00	0.00	0.00
	103	0.00	4.20	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
359	101	0.00	3.53	0.00	0.00	0.00	0.00
	102	0.00	2.30	0.00	0.00	0.00	0.00
	103	0.00	3.43	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
360	101	-0.01	2.10	-7.16	0.00	-0.01	0.00
	102	-0.01	1.36	-10.76	0.00	-0.01	0.00
	103	-0.01	2.05	-7.40	0.00	-0.01	0.00
	104	-0.01	0.01	-8.40	0.00	-0.01	0.00
361	101	0.00	3.53	0.00	0.00	0.00	0.00
	102	0.00	2.30	0.00	0.00	0.00	0.00
	103	0.00	3.43	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
362	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	4.19	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
363	101	0.00	3.62	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.53	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
364	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.47	0.00	0.00	0.00	0.00
	103	0.00	3.54	0.00	0.00	0.00	0.00
	104	0.00	0.18	0.00	0.00	0.00	0.00
365	101	0.00	3.62	0.00	0.00	0.00	0.00
	102	0.00	2.44	0.00	0.00	0.00	0.00
	103	0.00	3.53	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
366	101	0.00	4.30	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	4.18	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
367	101	0.00	3.52	0.00	0.00	0.00	0.00
	102	0.00	2.29	0.00	0.00	0.00	0.00
	103	0.00	3.42	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
368	101	0.02	2.10	-7.97	0.00	0.01	0.00
	102	0.01	1.35	-11.57	0.00	0.01	0.00
	103	0.02	2.04	-8.22	0.00	0.01	0.00
	104	0.02	0.02	-8.88	0.00	0.01	0.00

STAAD SPACE -- PAGE NO. 158

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
369	101	0.00	3.52	0.00	0.00	0.00	0.00
	102	0.00	2.29	0.00	0.00	0.00	0.00
	103	0.00	3.42	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
370	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	4.19	0.00	0.00	0.00	0.00
	104	0.00	0.16	0.00	0.00	0.00	0.00
371	101	0.00	3.63	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.54	0.00	0.00	0.00	0.00
	104	0.00	0.18	0.00	0.00	0.00	0.00
372	101	0.00	3.65	0.00	0.00	0.00	0.00
	102	0.00	2.48	0.00	0.00	0.00	0.00
	103	0.00	3.56	0.00	0.00	0.00	0.00
	104	0.00	0.20	0.00	0.00	0.00	0.00
373	101	0.00	3.64	0.00	0.00	0.00	0.00
	102	0.00	2.46	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
374	101	0.00	4.33	0.00	0.00	0.00	0.00
	102	0.00	2.90	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
375	101	0.00	3.55	0.00	0.00	0.00	0.00
	102	0.00	2.32	0.00	0.00	0.00	0.00
	103	0.00	3.46	0.00	0.00	0.00	0.00
	104	0.00	0.09	0.00	0.00	0.00	0.00
376	101	0.06	2.12	-6.87	0.00	0.04	0.00
	102	0.05	1.38	-10.47	0.00	0.04	0.00
	103	0.06	2.06	-7.12	0.00	0.04	0.00
	104	0.05	0.04	-8.29	0.00	0.04	0.00
377	101	0.00	3.56	0.00	0.00	0.00	0.00
	102	0.00	2.33	0.00	0.00	0.00	0.00
	103	0.00	3.46	0.00	0.00	0.00	0.00
	104	0.00	0.10	0.00	0.00	0.00	0.00
378	101	0.00	4.36	0.00	0.00	0.00	0.00
	102	0.00	2.93	0.00	0.00	0.00	0.00
	103	0.00	4.25	0.00	0.00	0.00	0.00
	104	0.00	0.22	0.00	0.00	0.00	0.00
379	101	0.00	3.68	0.00	0.00	0.00	0.00
	102	0.00	2.50	0.00	0.00	0.00	0.00
	103	0.00	3.59	0.00	0.00	0.00	0.00
	104	0.00	0.24	0.00	0.00	0.00	0.00
380	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	2.53	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 159

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.61	0.00	0.00	0.00	0.00
	104	0.00	0.26	0.00	0.00	0.00	0.00
381	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	2.52	0.00	0.00	0.00	0.00
	103	0.00	3.60	0.00	0.00	0.00	0.00
	104	0.00	0.26	0.00	0.00	0.00	0.00
382	101	0.00	4.40	0.00	0.00	0.00	0.00
	102	0.00	2.98	0.00	0.00	0.00	0.00
	103	0.00	4.29	0.00	0.00	0.00	0.00
	104	0.00	0.27	0.00	0.00	0.00	0.00
383	101	0.00	3.62	0.00	0.00	0.00	0.00
	102	0.00	2.40	0.00	0.00	0.00	0.00
	103	0.00	3.53	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
384	101	0.05	2.17	-6.98	0.00	0.04	0.00
	102	0.05	1.43	-10.66	0.00	0.04	0.00
	103	0.05	2.11	-7.23	0.00	0.04	0.00
	104	0.04	0.09	-8.62	0.00	0.05	0.00
385	101	0.00	3.64	0.00	0.00	0.00	0.00
	102	0.00	2.43	0.00	0.00	0.00	0.00
	103	0.00	3.55	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
386	101	0.00	4.48	0.00	0.00	0.00	0.00
	102	0.00	3.06	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	0.34	0.00	0.00	0.00	0.00
387	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.63	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.35	0.00	0.00	0.00	0.00
388	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.67	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.38	0.00	0.00	0.00	0.00
389	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.66	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.37	0.00	0.00	0.00	0.00
390	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.13	0.00	0.00	0.00	0.00
	103	0.00	4.42	0.00	0.00	0.00	0.00
	104	0.00	0.39	0.00	0.00	0.00	0.00
391	101	0.00	3.71	0.00	0.00	0.00	0.00
	102	0.00	2.49	0.00	0.00	0.00	0.00
	103	0.00	3.61	0.00	0.00	0.00	0.00
	104	0.00	0.23	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 160

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
392	101	0.14	2.21	-4.91	0.00	-0.05	0.00
	102	0.13	1.47	-7.67	0.00	-0.11	0.00
	103	0.14	2.15	-5.10	0.00	-0.06	0.00
	104	0.10	0.12	-6.29	0.00	-0.08	0.00
393	101	0.00	2.94	0.00	0.00	0.00	0.00
	102	0.00	1.95	0.00	0.00	0.00	0.00
	103	0.00	2.86	0.00	0.00	0.00	0.00
	104	0.00	0.15	0.00	0.00	0.00	0.00
394	101	0.00	3.68	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.58	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
395	101	0.00	1.84	0.00	0.00	0.00	0.00
	102	0.00	1.23	0.00	0.00	0.00	0.00
	103	0.00	1.79	0.00	0.00	0.00	0.00
	104	0.00	0.10	0.00	0.00	0.00	0.00
396	101	0.00	1.96	0.00	0.00	0.00	0.00
	102	0.00	1.43	0.00	0.00	0.00	0.00
	103	0.00	1.92	0.00	0.00	0.00	0.00
	104	0.00	0.27	0.00	0.00	0.00	0.00
397	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	2.85	0.00	0.00	0.00	0.00
	103	0.00	3.83	0.00	0.00	0.00	0.00
	104	0.00	0.54	0.00	0.00	0.00	0.00
398	101	0.00	3.13	0.00	0.00	0.00	0.00
	102	0.00	2.27	0.00	0.00	0.00	0.00
	103	0.00	3.06	0.00	0.00	0.00	0.00
	104	0.00	0.43	0.00	0.00	0.00	0.00
399	101	-0.13	2.35	-3.55	0.00	0.07	0.00
	102	-0.11	1.71	-5.54	0.00	0.13	0.00
	103	-0.13	2.30	-3.70	0.00	0.07	0.00
	104	-0.10	0.33	-5.17	0.00	0.10	0.00
400	101	0.00	3.95	0.00	0.00	0.00	0.00
	102	0.00	2.89	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.58	0.00	0.00	0.00	0.00
401	101	0.00	4.82	0.00	0.00	0.00	0.00
	102	0.00	3.60	0.00	0.00	0.00	0.00
	103	0.00	4.72	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
402	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	3.05	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	0.72	0.00	0.00	0.00	0.00
403	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	3.06	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 161

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.97	0.00	0.00	0.00	0.00
	104	0.00	0.72	0.00	0.00	0.00	0.00
404	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	3.02	0.00	0.00	0.00	0.00
	103	0.00	3.94	0.00	0.00	0.00	0.00
	104	0.00	0.69	0.00	0.00	0.00	0.00
405	101	0.00	4.76	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.66	0.00	0.00	0.00	0.00
	104	0.00	0.76	0.00	0.00	0.00	0.00
406	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.83	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.54	0.00	0.00	0.00	0.00
407	101	-0.04	2.31	-5.26	0.00	-0.04	0.00
	102	-0.04	1.67	-7.99	0.00	-0.04	0.00
	103	-0.04	2.26	-5.46	0.00	-0.04	0.00
	104	-0.03	0.30	-7.17	0.00	-0.05	0.00
408	101	0.00	3.87	0.00	0.00	0.00	0.00
	102	0.00	2.81	0.00	0.00	0.00	0.00
	103	0.00	3.78	0.00	0.00	0.00	0.00
	104	0.00	0.52	0.00	0.00	0.00	0.00
409	101	0.00	4.70	0.00	0.00	0.00	0.00
	102	0.00	3.46	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	0.69	0.00	0.00	0.00	0.00
410	101	0.00	3.94	0.00	0.00	0.00	0.00
	102	0.00	2.93	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.61	0.00	0.00	0.00	0.00
411	101	0.00	3.95	0.00	0.00	0.00	0.00
	102	0.00	2.94	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.62	0.00	0.00	0.00	0.00
412	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	2.91	0.00	0.00	0.00	0.00
	103	0.00	3.84	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00
413	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	3.41	0.00	0.00	0.00	0.00
	103	0.00	4.56	0.00	0.00	0.00	0.00
	104	0.00	0.65	0.00	0.00	0.00	0.00
414	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.74	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.46	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 162

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
415	101	-0.05	2.27	-5.13	0.00	-0.04	0.00
	102	-0.04	1.63	-7.79	0.00	-0.04	0.00
	103	-0.05	2.22	-5.32	0.00	-0.04	0.00
	104	-0.04	0.26	-6.86	0.00	-0.04	0.00
416	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.74	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.45	0.00	0.00	0.00	0.00
417	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	3.39	0.00	0.00	0.00	0.00
	103	0.00	4.53	0.00	0.00	0.00	0.00
	104	0.00	0.62	0.00	0.00	0.00	0.00
418	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	3.81	0.00	0.00	0.00	0.00
	104	0.00	0.56	0.00	0.00	0.00	0.00
419	101	0.00	3.90	0.00	0.00	0.00	0.00
	102	0.00	2.89	0.00	0.00	0.00	0.00
	103	0.00	3.82	0.00	0.00	0.00	0.00
	104	0.00	0.57	0.00	0.00	0.00	0.00
420	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.55	0.00	0.00	0.00	0.00
421	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.37	0.00	0.00	0.00	0.00
	103	0.00	4.51	0.00	0.00	0.00	0.00
	104	0.00	0.60	0.00	0.00	0.00	0.00
422	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.71	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.42	0.00	0.00	0.00	0.00
423	101	-0.02	2.25	-6.36	0.00	-0.02	0.00
	102	-0.01	1.61	-9.03	0.00	-0.02	0.00
	103	-0.02	2.20	-6.56	0.00	-0.02	0.00
	104	-0.01	0.24	-7.56	0.00	-0.02	0.00
424	101	0.00	3.77	0.00	0.00	0.00	0.00
	102	0.00	2.70	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.42	0.00	0.00	0.00	0.00
425	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.36	0.00	0.00	0.00	0.00
	103	0.00	4.50	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00
426	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 163

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.79	0.00	0.00	0.00	0.00
	104	0.00	0.53	0.00	0.00	0.00	0.00
427	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	2.88	0.00	0.00	0.00	0.00
	103	0.00	3.81	0.00	0.00	0.00	0.00
	104	0.00	0.55	0.00	0.00	0.00	0.00
428	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	3.79	0.00	0.00	0.00	0.00
	104	0.00	0.53	0.00	0.00	0.00	0.00
429	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.36	0.00	0.00	0.00	0.00
	103	0.00	4.51	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00
430	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.71	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
431	101	0.01	2.26	-5.50	0.00	0.01	0.00
	102	0.01	1.61	-8.17	0.00	0.01	0.00
	103	0.01	2.20	-5.69	0.00	0.01	0.00
	104	0.00	0.23	-7.04	0.00	0.00	0.00
432	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.71	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
433	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.37	0.00	0.00	0.00	0.00
	103	0.00	4.51	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00
434	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.53	0.00	0.00	0.00	0.00
435	101	0.00	3.90	0.00	0.00	0.00	0.00
	102	0.00	2.88	0.00	0.00	0.00	0.00
	103	0.00	3.81	0.00	0.00	0.00	0.00
	104	0.00	0.55	0.00	0.00	0.00	0.00
436	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.53	0.00	0.00	0.00	0.00
437	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.37	0.00	0.00	0.00	0.00
	103	0.00	4.51	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 164

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
438	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.71	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
439	101	-0.01	2.26	-5.50	0.00	-0.01	0.00
	102	-0.01	1.61	-8.17	0.00	-0.01	0.00
	103	-0.01	2.20	-5.69	0.00	-0.01	0.00
	104	-0.01	0.23	-7.04	0.00	-0.01	0.00
440	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	2.71	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
441	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.36	0.00	0.00	0.00	0.00
	103	0.00	4.51	0.00	0.00	0.00	0.00
	104	0.00	0.58	0.00	0.00	0.00	0.00
442	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	3.79	0.00	0.00	0.00	0.00
	104	0.00	0.53	0.00	0.00	0.00	0.00
443	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	2.88	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.55	0.00	0.00	0.00	0.00
444	101	0.00	3.87	0.00	0.00	0.00	0.00
	102	0.00	2.85	0.00	0.00	0.00	0.00
	103	0.00	3.79	0.00	0.00	0.00	0.00
	104	0.00	0.53	0.00	0.00	0.00	0.00
445	101	0.00	4.60	0.00	0.00	0.00	0.00
	102	0.00	3.36	0.00	0.00	0.00	0.00
	103	0.00	4.50	0.00	0.00	0.00	0.00
	104	0.00	0.58	0.00	0.00	0.00	0.00
446	101	0.00	3.77	0.00	0.00	0.00	0.00
	102	0.00	2.70	0.00	0.00	0.00	0.00
	103	0.00	3.68	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
447	101	0.01	2.25	-6.42	0.00	0.01	0.00
	102	0.01	1.60	-9.08	0.00	0.01	0.00
	103	0.01	2.20	-6.61	0.00	0.01	0.00
	104	0.01	0.23	-7.59	0.00	0.01	0.00
448	101	0.00	3.77	0.00	0.00	0.00	0.00
	102	0.00	2.70	0.00	0.00	0.00	0.00
	103	0.00	3.69	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
449	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	3.36	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 165

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.51	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00
450	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.54	0.00	0.00	0.00	0.00
451	101	0.00	3.90	0.00	0.00	0.00	0.00
	102	0.00	2.89	0.00	0.00	0.00	0.00
	103	0.00	3.82	0.00	0.00	0.00	0.00
	104	0.00	0.56	0.00	0.00	0.00	0.00
452	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	3.81	0.00	0.00	0.00	0.00
	104	0.00	0.55	0.00	0.00	0.00	0.00
453	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	3.38	0.00	0.00	0.00	0.00
	103	0.00	4.53	0.00	0.00	0.00	0.00
	104	0.00	0.62	0.00	0.00	0.00	0.00
454	101	0.00	3.80	0.00	0.00	0.00	0.00
	102	0.00	2.73	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.45	0.00	0.00	0.00	0.00
455	101	0.05	2.27	-5.18	0.00	0.04	0.00
	102	0.04	1.62	-7.84	0.00	0.04	0.00
	103	0.05	2.22	-5.37	0.00	0.04	0.00
	104	0.04	0.26	-6.89	0.00	0.04	0.00
456	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	2.74	0.00	0.00	0.00	0.00
	103	0.00	3.72	0.00	0.00	0.00	0.00
	104	0.00	0.45	0.00	0.00	0.00	0.00
457	101	0.00	4.65	0.00	0.00	0.00	0.00
	102	0.00	3.41	0.00	0.00	0.00	0.00
	103	0.00	4.55	0.00	0.00	0.00	0.00
	104	0.00	0.65	0.00	0.00	0.00	0.00
458	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	2.90	0.00	0.00	0.00	0.00
	103	0.00	3.84	0.00	0.00	0.00	0.00
	104	0.00	0.59	0.00	0.00	0.00	0.00
459	101	0.00	3.94	0.00	0.00	0.00	0.00
	102	0.00	2.93	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.62	0.00	0.00	0.00	0.00
460	101	0.00	3.94	0.00	0.00	0.00	0.00
	102	0.00	2.92	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.61	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 166

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
461	101	0.00	4.69	0.00	0.00	0.00	0.00
	102	0.00	3.46	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	0.69	0.00	0.00	0.00	0.00
462	101	0.00	3.87	0.00	0.00	0.00	0.00
	102	0.00	2.81	0.00	0.00	0.00	0.00
	103	0.00	3.78	0.00	0.00	0.00	0.00
	104	0.00	0.52	0.00	0.00	0.00	0.00
463	101	0.04	2.31	-5.25	0.00	0.04	0.00
	102	0.04	1.67	-7.98	0.00	0.05	0.00
	103	0.04	2.26	-5.45	0.00	0.04	0.00
	104	0.03	0.30	-7.16	0.00	0.05	0.00
464	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	2.83	0.00	0.00	0.00	0.00
	103	0.00	3.80	0.00	0.00	0.00	0.00
	104	0.00	0.54	0.00	0.00	0.00	0.00
465	101	0.00	4.76	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.66	0.00	0.00	0.00	0.00
	104	0.00	0.76	0.00	0.00	0.00	0.00
466	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	3.02	0.00	0.00	0.00	0.00
	103	0.00	3.94	0.00	0.00	0.00	0.00
	104	0.00	0.69	0.00	0.00	0.00	0.00
467	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	3.06	0.00	0.00	0.00	0.00
	103	0.00	3.97	0.00	0.00	0.00	0.00
	104	0.00	0.72	0.00	0.00	0.00	0.00
468	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	3.05	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	0.71	0.00	0.00	0.00	0.00
469	101	0.00	4.82	0.00	0.00	0.00	0.00
	102	0.00	3.60	0.00	0.00	0.00	0.00
	103	0.00	4.72	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
470	101	0.00	3.95	0.00	0.00	0.00	0.00
	102	0.00	2.89	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.58	0.00	0.00	0.00	0.00
471	101	0.13	2.35	-3.54	0.00	-0.07	0.00
	102	0.11	1.71	-5.53	0.00	-0.13	0.00
	103	0.13	2.30	-3.68	0.00	-0.07	0.00
	104	0.10	0.33	-5.16	0.00	-0.10	0.00
472	101	0.00	3.13	0.00	0.00	0.00	0.00
	102	0.00	2.27	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 167

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.06	0.00	0.00	0.00	0.00
	104	0.00	0.43	0.00	0.00	0.00	0.00
473	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	2.85	0.00	0.00	0.00	0.00
	103	0.00	3.83	0.00	0.00	0.00	0.00
	104	0.00	0.54	0.00	0.00	0.00	0.00
474	101	0.00	1.96	0.00	0.00	0.00	0.00
	102	0.00	1.43	0.00	0.00	0.00	0.00
	103	0.00	1.92	0.00	0.00	0.00	0.00
	104	0.00	0.27	0.00	0.00	0.00	0.00
475	101	0.00	2.08	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	2.04	0.00	0.00	0.00	0.00
	104	0.00	0.45	0.00	0.00	0.00	0.00
476	101	0.00	4.16	0.00	0.00	0.00	0.00
	102	0.00	3.25	0.00	0.00	0.00	0.00
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
477	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	2.60	0.00	0.00	0.00	0.00
	103	0.00	3.26	0.00	0.00	0.00	0.00
	104	0.00	0.71	0.00	0.00	0.00	0.00
478	101	-0.12	2.49	-2.31	0.00	0.08	0.00
	102	-0.10	1.95	-3.58	0.00	0.15	0.00
	103	-0.12	2.45	-2.42	0.00	0.09	0.00
	104	-0.09	0.54	-4.15	0.00	0.12	0.00
479	101	0.00	4.18	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	0.93	0.00	0.00	0.00	0.00
480	101	0.00	5.10	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	5.01	0.00	0.00	0.00	0.00
	104	0.00	1.22	0.00	0.00	0.00	0.00
481	101	0.00	4.28	0.00	0.00	0.00	0.00
	102	0.00	3.45	0.00	0.00	0.00	0.00
	103	0.00	4.21	0.00	0.00	0.00	0.00
	104	0.00	1.06	0.00	0.00	0.00	0.00
482	101	0.00	4.28	0.00	0.00	0.00	0.00
	102	0.00	3.45	0.00	0.00	0.00	0.00
	103	0.00	4.21	0.00	0.00	0.00	0.00
	104	0.00	1.06	0.00	0.00	0.00	0.00
483	101	0.00	4.25	0.00	0.00	0.00	0.00
	102	0.00	3.42	0.00	0.00	0.00	0.00
	103	0.00	4.18	0.00	0.00	0.00	0.00
	104	0.00	1.04	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 168

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
484	101	0.00	5.04	0.00	0.00	0.00	0.00
	102	0.00	4.01	0.00	0.00	0.00	0.00
	103	0.00	4.96	0.00	0.00	0.00	0.00
	104	0.00	1.18	0.00	0.00	0.00	0.00
485	101	0.00	4.12	0.00	0.00	0.00	0.00
	102	0.00	3.23	0.00	0.00	0.00	0.00
	103	0.00	4.05	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
486	101	-0.03	2.46	-3.72	0.00	-0.04	0.00
	102	-0.03	1.91	-5.59	0.00	-0.05	0.00
	103	-0.03	2.41	-3.87	0.00	-0.04	0.00
	104	-0.03	0.51	-5.88	0.00	-0.05	0.00
487	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	3.21	0.00	0.00	0.00	0.00
	103	0.00	4.03	0.00	0.00	0.00	0.00
	104	0.00	0.87	0.00	0.00	0.00	0.00
488	101	0.00	4.98	0.00	0.00	0.00	0.00
	102	0.00	3.94	0.00	0.00	0.00	0.00
	103	0.00	4.89	0.00	0.00	0.00	0.00
	104	0.00	1.11	0.00	0.00	0.00	0.00
489	101	0.00	4.18	0.00	0.00	0.00	0.00
	102	0.00	3.32	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	0.96	0.00	0.00	0.00	0.00
490	101	0.00	4.19	0.00	0.00	0.00	0.00
	102	0.00	3.33	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	0.97	0.00	0.00	0.00	0.00
491	101	0.00	4.17	0.00	0.00	0.00	0.00
	102	0.00	3.31	0.00	0.00	0.00	0.00
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	0.94	0.00	0.00	0.00	0.00
492	101	0.00	4.95	0.00	0.00	0.00	0.00
	102	0.00	3.90	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	1.07	0.00	0.00	0.00	0.00
493	101	0.00	4.06	0.00	0.00	0.00	0.00
	102	0.00	3.15	0.00	0.00	0.00	0.00
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
494	101	-0.04	2.42	-3.61	0.00	-0.04	0.00
	102	-0.04	1.87	-5.40	0.00	-0.04	0.00
	103	-0.04	2.38	-3.76	0.00	-0.04	0.00
	104	-0.03	0.47	-5.63	0.00	-0.04	0.00
495	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	3.14	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 169

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
496	101	0.00	4.93	0.00	0.00	0.00	0.00
	102	0.00	3.87	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.05	0.00	0.00	0.00	0.00
497	101	0.00	4.14	0.00	0.00	0.00	0.00
	102	0.00	3.28	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	0.91	0.00	0.00	0.00	0.00
498	101	0.00	4.15	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	0.92	0.00	0.00	0.00	0.00
499	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	0.90	0.00	0.00	0.00	0.00
500	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.86	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.03	0.00	0.00	0.00	0.00
501	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.78	0.00	0.00	0.00	0.00
502	101	-0.01	2.41	-5.00	0.00	-0.02	0.00
	102	-0.01	1.86	-6.80	0.00	-0.02	0.00
	103	-0.01	2.36	-5.15	0.00	-0.02	0.00
	104	-0.01	0.45	-6.44	0.00	-0.02	0.00
503	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.78	0.00	0.00	0.00	0.00
504	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.85	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.02	0.00	0.00	0.00	0.00
505	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.05	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
506	101	0.00	4.14	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	0.91	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 170

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
507	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.05	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
508	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.86	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.02	0.00	0.00	0.00	0.00
509	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	0.77	0.00	0.00	0.00	0.00
510	101	0.01	2.41	-4.02	0.00	0.01	0.00
	102	0.01	1.86	-5.83	0.00	0.01	0.00
	103	0.01	2.36	-4.17	0.00	0.01	0.00
	104	0.00	0.45	-5.85	0.00	0.00	0.00
511	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.13	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	0.77	0.00	0.00	0.00	0.00
512	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.86	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.02	0.00	0.00	0.00	0.00
513	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
514	101	0.00	4.14	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	0.91	0.00	0.00	0.00	0.00
515	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
516	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.86	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.02	0.00	0.00	0.00	0.00
517	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	0.77	0.00	0.00	0.00	0.00
518	101	-0.01	2.41	-4.02	0.00	-0.01	0.00
	102	-0.01	1.86	-5.83	0.00	-0.01	0.00

STAAD SPACE -- PAGE NO. 171

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.01	2.36	-4.17	0.00	-0.01	0.00
	104	-0.01	0.45	-5.85	0.00	-0.01	0.00
519	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	0.77	0.00	0.00	0.00	0.00
520	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.86	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.01	0.00	0.00	0.00	0.00
521	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.05	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
522	101	0.00	4.14	0.00	0.00	0.00	0.00
	102	0.00	3.28	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	0.90	0.00	0.00	0.00	0.00
523	101	0.00	4.12	0.00	0.00	0.00	0.00
	102	0.00	3.26	0.00	0.00	0.00	0.00
	103	0.00	4.05	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
524	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.85	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.01	0.00	0.00	0.00	0.00
525	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.77	0.00	0.00	0.00	0.00
526	101	0.01	2.41	-5.06	0.00	0.01	0.00
	102	0.01	1.85	-6.86	0.00	0.01	0.00
	103	0.01	2.36	-5.21	0.00	0.01	0.00
	104	0.01	0.45	-6.47	0.00	0.01	0.00
527	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	0.78	0.00	0.00	0.00	0.00
528	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	3.86	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	1.02	0.00	0.00	0.00	0.00
529	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	0.90	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 172

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
530	101	0.00	4.15	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	0.92	0.00	0.00	0.00	0.00
531	101	0.00	4.14	0.00	0.00	0.00	0.00
	102	0.00	3.28	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	0.91	0.00	0.00	0.00	0.00
532	101	0.00	4.93	0.00	0.00	0.00	0.00
	102	0.00	3.87	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.04	0.00	0.00	0.00	0.00
533	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	3.14	0.00	0.00	0.00	0.00
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
534	101	0.04	2.42	-3.67	0.00	0.04	0.00
	102	0.04	1.87	-5.46	0.00	0.04	0.00
	103	0.04	2.38	-3.81	0.00	0.04	0.00
	104	0.03	0.47	-5.66	0.00	0.04	0.00
535	101	0.00	4.06	0.00	0.00	0.00	0.00
	102	0.00	3.15	0.00	0.00	0.00	0.00
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
536	101	0.00	4.95	0.00	0.00	0.00	0.00
	102	0.00	3.89	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	1.07	0.00	0.00	0.00	0.00
537	101	0.00	4.16	0.00	0.00	0.00	0.00
	102	0.00	3.30	0.00	0.00	0.00	0.00
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	0.94	0.00	0.00	0.00	0.00
538	101	0.00	4.18	0.00	0.00	0.00	0.00
	102	0.00	3.33	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	0.96	0.00	0.00	0.00	0.00
539	101	0.00	4.18	0.00	0.00	0.00	0.00
	102	0.00	3.32	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	0.96	0.00	0.00	0.00	0.00
540	101	0.00	4.98	0.00	0.00	0.00	0.00
	102	0.00	3.94	0.00	0.00	0.00	0.00
	103	0.00	4.89	0.00	0.00	0.00	0.00
	104	0.00	1.11	0.00	0.00	0.00	0.00
541	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	3.21	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 173

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.03	0.00	0.00	0.00	0.00
	104	0.00	0.87	0.00	0.00	0.00	0.00
542	101	0.03	2.46	-3.71	0.00	0.04	0.00
	102	0.03	1.91	-5.57	0.00	0.05	0.00
	103	0.03	2.41	-3.86	0.00	0.04	0.00
	104	0.03	0.51	-5.87	0.00	0.05	0.00
543	101	0.00	4.12	0.00	0.00	0.00	0.00
	102	0.00	3.23	0.00	0.00	0.00	0.00
	103	0.00	4.05	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
544	101	0.00	5.04	0.00	0.00	0.00	0.00
	102	0.00	4.01	0.00	0.00	0.00	0.00
	103	0.00	4.96	0.00	0.00	0.00	0.00
	104	0.00	1.17	0.00	0.00	0.00	0.00
545	101	0.00	4.26	0.00	0.00	0.00	0.00
	102	0.00	3.42	0.00	0.00	0.00	0.00
	103	0.00	4.18	0.00	0.00	0.00	0.00
	104	0.00	1.04	0.00	0.00	0.00	0.00
546	101	0.00	4.28	0.00	0.00	0.00	0.00
	102	0.00	3.45	0.00	0.00	0.00	0.00
	103	0.00	4.21	0.00	0.00	0.00	0.00
	104	0.00	1.06	0.00	0.00	0.00	0.00
547	101	0.00	4.28	0.00	0.00	0.00	0.00
	102	0.00	3.45	0.00	0.00	0.00	0.00
	103	0.00	4.21	0.00	0.00	0.00	0.00
	104	0.00	1.06	0.00	0.00	0.00	0.00
548	101	0.00	5.10	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	5.01	0.00	0.00	0.00	0.00
	104	0.00	1.22	0.00	0.00	0.00	0.00
549	101	0.00	4.19	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	0.93	0.00	0.00	0.00	0.00
550	101	0.12	2.49	-2.30	0.00	-0.08	0.00
	102	0.10	1.95	-3.57	0.00	-0.15	0.00
	103	0.12	2.45	-2.41	0.00	-0.09	0.00
	104	0.09	0.54	-4.14	0.00	-0.11	0.00
551	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	2.60	0.00	0.00	0.00	0.00
	103	0.00	3.26	0.00	0.00	0.00	0.00
	104	0.00	0.71	0.00	0.00	0.00	0.00
552	101	0.00	4.16	0.00	0.00	0.00	0.00
	102	0.00	3.25	0.00	0.00	0.00	0.00
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	0.90	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 174

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
553	101	0.00	2.08	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	2.05	0.00	0.00	0.00	0.00
	104	0.00	0.45	0.00	0.00	0.00	0.00
554	101	0.00	2.20	0.00	0.00	0.00	0.00
	102	0.00	1.83	0.00	0.00	0.00	0.00
	103	0.00	2.17	0.00	0.00	0.00	0.00
	104	0.00	0.62	0.00	0.00	0.00	0.00
555	101	0.00	4.40	0.00	0.00	0.00	0.00
	102	0.00	3.65	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
556	101	0.00	3.51	0.00	0.00	0.00	0.00
	102	0.00	2.92	0.00	0.00	0.00	0.00
	103	0.00	3.46	0.00	0.00	0.00	0.00
	104	0.00	0.99	0.00	0.00	0.00	0.00
557	101	-0.11	2.64	-1.21	0.00	0.10	0.00
	102	-0.10	2.19	-1.81	0.00	0.17	0.00
	103	-0.11	2.60	-1.29	0.00	0.10	0.00
	104	-0.09	0.75	-3.24	0.00	0.13	0.00
558	101	0.00	4.42	0.00	0.00	0.00	0.00
	102	0.00	3.69	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	1.28	0.00	0.00	0.00	0.00
559	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	4.55	0.00	0.00	0.00	0.00
	103	0.00	5.31	0.00	0.00	0.00	0.00
	104	0.00	1.63	0.00	0.00	0.00	0.00
560	101	0.00	4.51	0.00	0.00	0.00	0.00
	102	0.00	3.84	0.00	0.00	0.00	0.00
	103	0.00	4.45	0.00	0.00	0.00	0.00
	104	0.00	1.40	0.00	0.00	0.00	0.00
561	101	0.00	4.51	0.00	0.00	0.00	0.00
	102	0.00	3.84	0.00	0.00	0.00	0.00
	103	0.00	4.45	0.00	0.00	0.00	0.00
	104	0.00	1.40	0.00	0.00	0.00	0.00
562	101	0.00	4.49	0.00	0.00	0.00	0.00
	102	0.00	3.81	0.00	0.00	0.00	0.00
	103	0.00	4.43	0.00	0.00	0.00	0.00
	104	0.00	1.38	0.00	0.00	0.00	0.00
563	101	0.00	5.33	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	5.25	0.00	0.00	0.00	0.00
	104	0.00	1.59	0.00	0.00	0.00	0.00
564	101	0.00	4.36	0.00	0.00	0.00	0.00
	102	0.00	3.63	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 175

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.30	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
565	101	-0.03	2.60	-2.38	0.00	-0.04	0.00
	102	-0.03	2.16	-3.44	0.00	-0.05	0.00
	103	-0.03	2.56	-2.49	0.00	-0.04	0.00
	104	-0.02	0.72	-4.76	0.00	-0.05	0.00
566	101	0.00	4.35	0.00	0.00	0.00	0.00
	102	0.00	3.61	0.00	0.00	0.00	0.00
	103	0.00	4.28	0.00	0.00	0.00	0.00
	104	0.00	1.22	0.00	0.00	0.00	0.00
567	101	0.00	5.27	0.00	0.00	0.00	0.00
	102	0.00	4.41	0.00	0.00	0.00	0.00
	103	0.00	5.19	0.00	0.00	0.00	0.00
	104	0.00	1.53	0.00	0.00	0.00	0.00
568	101	0.00	4.42	0.00	0.00	0.00	0.00
	102	0.00	3.72	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	1.30	0.00	0.00	0.00	0.00
569	101	0.00	4.42	0.00	0.00	0.00	0.00
	102	0.00	3.73	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	1.31	0.00	0.00	0.00	0.00
570	101	0.00	4.41	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.34	0.00	0.00	0.00	0.00
	104	0.00	1.29	0.00	0.00	0.00	0.00
571	101	0.00	5.24	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	5.16	0.00	0.00	0.00	0.00
	104	0.00	1.49	0.00	0.00	0.00	0.00
572	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	3.56	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	1.17	0.00	0.00	0.00	0.00
573	101	-0.03	2.57	-2.28	0.00	-0.04	0.00
	102	-0.03	2.12	-3.27	0.00	-0.04	0.00
	103	-0.03	2.53	-2.39	0.00	-0.04	0.00
	104	-0.03	0.69	-4.54	0.00	-0.04	0.00
574	101	0.00	4.30	0.00	0.00	0.00	0.00
	102	0.00	3.55	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	1.16	0.00	0.00	0.00	0.00
575	101	0.00	5.23	0.00	0.00	0.00	0.00
	102	0.00	4.36	0.00	0.00	0.00	0.00
	103	0.00	5.15	0.00	0.00	0.00	0.00
	104	0.00	1.47	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 176

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
576	101	0.00	4.39	0.00	0.00	0.00	0.00
	102	0.00	3.68	0.00	0.00	0.00	0.00
	103	0.00	4.32	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
577	101	0.00	4.40	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.27	0.00	0.00	0.00	0.00
578	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.68	0.00	0.00	0.00	0.00
	103	0.00	4.32	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
579	101	0.00	5.22	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	5.14	0.00	0.00	0.00	0.00
	104	0.00	1.45	0.00	0.00	0.00	0.00
580	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
581	101	-0.01	2.56	-3.83	0.00	-0.02	0.00
	102	-0.01	2.11	-4.83	0.00	-0.02	0.00
	103	-0.01	2.52	-3.94	0.00	-0.02	0.00
	104	-0.01	0.67	-5.46	0.00	-0.02	0.00
582	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
583	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	5.13	0.00	0.00	0.00	0.00
	104	0.00	1.45	0.00	0.00	0.00	0.00
584	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.67	0.00	0.00	0.00	0.00
	103	0.00	4.31	0.00	0.00	0.00	0.00
	104	0.00	1.25	0.00	0.00	0.00	0.00
585	101	0.00	4.39	0.00	0.00	0.00	0.00
	102	0.00	3.69	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
586	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.67	0.00	0.00	0.00	0.00
	103	0.00	4.31	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
587	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 177

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.14	0.00	0.00	0.00	0.00
	104	0.00	1.44	0.00	0.00	0.00	0.00
588	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
589	101	0.01	2.56	-2.73	0.00	0.01	0.00
	102	0.01	2.11	-3.74	0.00	0.01	0.00
	103	0.01	2.52	-2.84	0.00	0.01	0.00
	104	0.00	0.67	-4.81	0.00	0.00	0.00
590	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
591	101	0.00	5.22	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	5.14	0.00	0.00	0.00	0.00
	104	0.00	1.44	0.00	0.00	0.00	0.00
592	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.68	0.00	0.00	0.00	0.00
	103	0.00	4.32	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
593	101	0.00	4.39	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
594	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.68	0.00	0.00	0.00	0.00
	103	0.00	4.32	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
595	101	0.00	5.22	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	5.14	0.00	0.00	0.00	0.00
	104	0.00	1.44	0.00	0.00	0.00	0.00
596	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
597	101	-0.01	2.56	-2.73	0.00	-0.01	0.00
	102	-0.01	2.11	-3.74	0.00	-0.01	0.00
	103	-0.01	2.52	-2.84	0.00	-0.01	0.00
	104	-0.01	0.67	-4.80	0.00	-0.01	0.00
598	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 178

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
599	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	5.14	0.00	0.00	0.00	0.00
	104	0.00	1.44	0.00	0.00	0.00	0.00
600	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.67	0.00	0.00	0.00	0.00
	103	0.00	4.31	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
601	101	0.00	4.39	0.00	0.00	0.00	0.00
	102	0.00	3.69	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
602	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.67	0.00	0.00	0.00	0.00
	103	0.00	4.31	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
603	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	4.34	0.00	0.00	0.00	0.00
	103	0.00	5.13	0.00	0.00	0.00	0.00
	104	0.00	1.44	0.00	0.00	0.00	0.00
604	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
605	101	0.01	2.56	-3.89	0.00	0.02	0.00
	102	0.01	2.11	-4.90	0.00	0.01	0.00
	103	0.01	2.52	-4.00	0.00	0.02	0.00
	104	0.01	0.67	-5.49	0.00	0.01	0.00
606	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	1.14	0.00	0.00	0.00	0.00
607	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	5.14	0.00	0.00	0.00	0.00
	104	0.00	1.45	0.00	0.00	0.00	0.00
608	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	3.68	0.00	0.00	0.00	0.00
	103	0.00	4.32	0.00	0.00	0.00	0.00
	104	0.00	1.25	0.00	0.00	0.00	0.00
609	101	0.00	4.40	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.27	0.00	0.00	0.00	0.00
610	101	0.00	4.39	0.00	0.00	0.00	0.00
	102	0.00	3.68	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 179

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.32	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
611	101	0.00	5.23	0.00	0.00	0.00	0.00
	102	0.00	4.36	0.00	0.00	0.00	0.00
	103	0.00	5.15	0.00	0.00	0.00	0.00
	104	0.00	1.47	0.00	0.00	0.00	0.00
612	101	0.00	4.30	0.00	0.00	0.00	0.00
	102	0.00	3.55	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	1.16	0.00	0.00	0.00	0.00
613	101	0.03	2.57	-2.34	0.00	0.04	0.00
	102	0.03	2.12	-3.33	0.00	0.04	0.00
	103	0.03	2.53	-2.44	0.00	0.04	0.00
	104	0.03	0.69	-4.57	0.00	0.04	0.00
614	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	3.56	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	1.17	0.00	0.00	0.00	0.00
615	101	0.00	5.24	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	5.16	0.00	0.00	0.00	0.00
	104	0.00	1.49	0.00	0.00	0.00	0.00
616	101	0.00	4.41	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.34	0.00	0.00	0.00	0.00
	104	0.00	1.29	0.00	0.00	0.00	0.00
617	101	0.00	4.42	0.00	0.00	0.00	0.00
	102	0.00	3.73	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	1.31	0.00	0.00	0.00	0.00
618	101	0.00	4.42	0.00	0.00	0.00	0.00
	102	0.00	3.72	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	1.30	0.00	0.00	0.00	0.00
619	101	0.00	5.27	0.00	0.00	0.00	0.00
	102	0.00	4.42	0.00	0.00	0.00	0.00
	103	0.00	5.20	0.00	0.00	0.00	0.00
	104	0.00	1.53	0.00	0.00	0.00	0.00
620	101	0.00	4.35	0.00	0.00	0.00	0.00
	102	0.00	3.61	0.00	0.00	0.00	0.00
	103	0.00	4.29	0.00	0.00	0.00	0.00
	104	0.00	1.22	0.00	0.00	0.00	0.00
621	101	0.03	2.60	-2.36	0.00	0.04	0.00
	102	0.03	2.16	-3.42	0.00	0.05	0.00
	103	0.03	2.57	-2.47	0.00	0.04	0.00
	104	0.02	0.72	-4.75	0.00	0.05	0.00

STAAD SPACE -- PAGE NO. 180

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
622	101	0.00	4.37	0.00	0.00	0.00	0.00
	102	0.00	3.63	0.00	0.00	0.00	0.00
	103	0.00	4.30	0.00	0.00	0.00	0.00
	104	0.00	1.24	0.00	0.00	0.00	0.00
623	101	0.00	5.33	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	5.25	0.00	0.00	0.00	0.00
	104	0.00	1.59	0.00	0.00	0.00	0.00
624	101	0.00	4.49	0.00	0.00	0.00	0.00
	102	0.00	3.81	0.00	0.00	0.00	0.00
	103	0.00	4.43	0.00	0.00	0.00	0.00
	104	0.00	1.38	0.00	0.00	0.00	0.00
625	101	0.00	4.52	0.00	0.00	0.00	0.00
	102	0.00	3.84	0.00	0.00	0.00	0.00
	103	0.00	4.45	0.00	0.00	0.00	0.00
	104	0.00	1.40	0.00	0.00	0.00	0.00
626	101	0.00	4.51	0.00	0.00	0.00	0.00
	102	0.00	3.84	0.00	0.00	0.00	0.00
	103	0.00	4.45	0.00	0.00	0.00	0.00
	104	0.00	1.40	0.00	0.00	0.00	0.00
627	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	4.55	0.00	0.00	0.00	0.00
	103	0.00	5.31	0.00	0.00	0.00	0.00
	104	0.00	1.63	0.00	0.00	0.00	0.00
628	101	0.00	4.43	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.36	0.00	0.00	0.00	0.00
	104	0.00	1.28	0.00	0.00	0.00	0.00
629	101	0.11	2.64	-1.19	0.00	-0.10	0.00
	102	0.10	2.19	-1.79	0.00	-0.17	0.00
	103	0.11	2.60	-1.27	0.00	-0.10	0.00
	104	0.09	0.75	-3.22	0.00	-0.13	0.00
630	101	0.00	3.52	0.00	0.00	0.00	0.00
	102	0.00	2.92	0.00	0.00	0.00	0.00
	103	0.00	3.46	0.00	0.00	0.00	0.00
	104	0.00	0.99	0.00	0.00	0.00	0.00
631	101	0.00	4.40	0.00	0.00	0.00	0.00
	102	0.00	3.66	0.00	0.00	0.00	0.00
	103	0.00	4.34	0.00	0.00	0.00	0.00
	104	0.00	1.25	0.00	0.00	0.00	0.00
632	101	0.00	2.20	0.00	0.00	0.00	0.00
	102	0.00	1.83	0.00	0.00	0.00	0.00
	103	0.00	2.17	0.00	0.00	0.00	0.00
	104	0.00	0.63	0.00	0.00	0.00	0.00
633	101	0.00	2.32	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 181

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	2.29	0.00	0.00	0.00	0.00
	104	0.00	0.80	0.00	0.00	0.00	0.00
634	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.06	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.59	0.00	0.00	0.00	0.00
635	101	0.00	3.71	0.00	0.00	0.00	0.00
	102	0.00	3.24	0.00	0.00	0.00	0.00
	103	0.00	3.66	0.00	0.00	0.00	0.00
	104	0.00	1.27	0.00	0.00	0.00	0.00
636	101	-0.12	2.78	-0.24	0.00	0.11	0.00
	102	-0.10	2.44	-0.20	0.00	0.19	0.00
	103	-0.12	2.75	-0.28	0.00	0.11	0.00
	104	-0.09	0.96	-2.39	0.00	0.15	0.00
637	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.61	0.00	0.00	0.00	0.00
	104	0.00	1.63	0.00	0.00	0.00	0.00
638	101	0.00	5.66	0.00	0.00	0.00	0.00
	102	0.00	5.02	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	2.04	0.00	0.00	0.00	0.00
639	101	0.00	4.74	0.00	0.00	0.00	0.00
	102	0.00	4.22	0.00	0.00	0.00	0.00
	103	0.00	4.69	0.00	0.00	0.00	0.00
	104	0.00	1.73	0.00	0.00	0.00	0.00
640	101	0.00	4.75	0.00	0.00	0.00	0.00
	102	0.00	4.23	0.00	0.00	0.00	0.00
	103	0.00	4.69	0.00	0.00	0.00	0.00
	104	0.00	1.74	0.00	0.00	0.00	0.00
641	101	0.00	4.72	0.00	0.00	0.00	0.00
	102	0.00	4.20	0.00	0.00	0.00	0.00
	103	0.00	4.67	0.00	0.00	0.00	0.00
	104	0.00	1.71	0.00	0.00	0.00	0.00
642	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	4.96	0.00	0.00	0.00	0.00
	103	0.00	5.55	0.00	0.00	0.00	0.00
	104	0.00	2.00	0.00	0.00	0.00	0.00
643	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	4.03	0.00	0.00	0.00	0.00
	103	0.00	4.55	0.00	0.00	0.00	0.00
	104	0.00	1.58	0.00	0.00	0.00	0.00
644	101	-0.02	2.75	-1.20	0.00	-0.04	0.00
	102	-0.02	2.40	-1.51	0.00	-0.05	0.00
	103	-0.02	2.72	-1.27	0.00	-0.04	0.00
	104	-0.02	0.94	-3.74	0.00	-0.05	0.00

STAAD SPACE -- PAGE NO. 182

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
645	101	0.00	4.59	0.00	0.00	0.00	0.00
	102	0.00	4.02	0.00	0.00	0.00	0.00
	103	0.00	4.54	0.00	0.00	0.00	0.00
	104	0.00	1.57	0.00	0.00	0.00	0.00
646	101	0.00	5.56	0.00	0.00	0.00	0.00
	102	0.00	4.89	0.00	0.00	0.00	0.00
	103	0.00	5.49	0.00	0.00	0.00	0.00
	104	0.00	1.94	0.00	0.00	0.00	0.00
647	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	4.12	0.00	0.00	0.00	0.00
	103	0.00	4.60	0.00	0.00	0.00	0.00
	104	0.00	1.65	0.00	0.00	0.00	0.00
648	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	4.13	0.00	0.00	0.00	0.00
	103	0.00	4.61	0.00	0.00	0.00	0.00
	104	0.00	1.65	0.00	0.00	0.00	0.00
649	101	0.00	4.65	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.63	0.00	0.00	0.00	0.00
650	101	0.00	5.53	0.00	0.00	0.00	0.00
	102	0.00	4.86	0.00	0.00	0.00	0.00
	103	0.00	5.47	0.00	0.00	0.00	0.00
	104	0.00	1.91	0.00	0.00	0.00	0.00
651	101	0.00	4.56	0.00	0.00	0.00	0.00
	102	0.00	3.97	0.00	0.00	0.00	0.00
	103	0.00	4.50	0.00	0.00	0.00	0.00
	104	0.00	1.53	0.00	0.00	0.00	0.00
652	101	-0.03	2.72	-1.10	0.00	-0.04	0.00
	102	-0.03	2.37	-1.35	0.00	-0.04	0.00
	103	-0.03	2.69	-1.17	0.00	-0.04	0.00
	104	-0.02	0.90	-3.55	0.00	-0.03	0.00
653	101	0.00	4.55	0.00	0.00	0.00	0.00
	102	0.00	3.97	0.00	0.00	0.00	0.00
	103	0.00	4.50	0.00	0.00	0.00	0.00
	104	0.00	1.52	0.00	0.00	0.00	0.00
654	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.85	0.00	0.00	0.00	0.00
	103	0.00	5.46	0.00	0.00	0.00	0.00
	104	0.00	1.89	0.00	0.00	0.00	0.00
655	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.09	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
656	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 183

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.62	0.00	0.00	0.00	0.00
657	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
658	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.88	0.00	0.00	0.00	0.00
659	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
660	101	-0.01	2.72	-2.80	0.00	-0.02	0.00
	102	-0.01	2.36	-3.06	0.00	-0.02	0.00
	103	-0.01	2.68	-2.87	0.00	-0.02	0.00
	104	-0.01	0.89	-4.57	0.00	-0.02	0.00
661	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
662	101	0.00	5.51	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
663	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.57	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
664	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
665	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.57	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
666	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
667	101	0.00	4.55	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 184

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
668	101	0.01	2.72	-1.59	0.00	0.01	0.00
	102	0.01	2.36	-1.86	0.00	0.01	0.00
	103	0.01	2.68	-1.66	0.00	0.01	0.00
	104	0.00	0.89	-3.85	0.00	0.00	0.00
669	101	0.00	4.55	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
670	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
671	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
672	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
673	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
674	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
675	101	0.00	4.55	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
676	101	-0.01	2.72	-1.59	0.00	-0.01	0.00
	102	-0.01	2.36	-1.86	0.00	-0.01	0.00
	103	-0.01	2.68	-1.66	0.00	-0.01	0.00
	104	-0.01	0.89	-3.85	0.00	-0.01	0.00
677	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
678	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
679	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 185

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.57	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
680	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
681	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.57	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
682	101	0.00	5.51	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
683	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
684	101	0.01	2.72	-2.87	0.00	0.02	0.00
	102	0.01	2.36	-3.13	0.00	0.01	0.00
	103	0.01	2.68	-2.94	0.00	0.02	0.00
	104	0.01	0.89	-4.61	0.00	0.01	0.00
685	101	0.00	4.54	0.00	0.00	0.00	0.00
	102	0.00	3.96	0.00	0.00	0.00	0.00
	103	0.00	4.49	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
686	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.45	0.00	0.00	0.00	0.00
	104	0.00	1.88	0.00	0.00	0.00	0.00
687	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
688	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.62	0.00	0.00	0.00	0.00
689	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.08	0.00	0.00	0.00	0.00
	103	0.00	4.58	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
690	101	0.00	5.52	0.00	0.00	0.00	0.00
	102	0.00	4.85	0.00	0.00	0.00	0.00
	103	0.00	5.46	0.00	0.00	0.00	0.00
	104	0.00	1.89	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 186

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
691	101	0.00	4.55	0.00	0.00	0.00	0.00
	102	0.00	3.97	0.00	0.00	0.00	0.00
	103	0.00	4.50	0.00	0.00	0.00	0.00
	104	0.00	1.52	0.00	0.00	0.00	0.00
692	101	0.03	2.72	-1.16	0.00	0.04	0.00
	102	0.03	2.37	-1.41	0.00	0.04	0.00
	103	0.03	2.69	-1.24	0.00	0.04	0.00
	104	0.02	0.90	-3.59	0.00	0.03	0.00
693	101	0.00	4.56	0.00	0.00	0.00	0.00
	102	0.00	3.97	0.00	0.00	0.00	0.00
	103	0.00	4.50	0.00	0.00	0.00	0.00
	104	0.00	1.52	0.00	0.00	0.00	0.00
694	101	0.00	5.54	0.00	0.00	0.00	0.00
	102	0.00	4.86	0.00	0.00	0.00	0.00
	103	0.00	5.47	0.00	0.00	0.00	0.00
	104	0.00	1.91	0.00	0.00	0.00	0.00
695	101	0.00	4.65	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.63	0.00	0.00	0.00	0.00
696	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	4.13	0.00	0.00	0.00	0.00
	103	0.00	4.61	0.00	0.00	0.00	0.00
	104	0.00	1.65	0.00	0.00	0.00	0.00
697	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	4.12	0.00	0.00	0.00	0.00
	103	0.00	4.61	0.00	0.00	0.00	0.00
	104	0.00	1.65	0.00	0.00	0.00	0.00
698	101	0.00	5.56	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.50	0.00	0.00	0.00	0.00
	104	0.00	1.94	0.00	0.00	0.00	0.00
699	101	0.00	4.60	0.00	0.00	0.00	0.00
	102	0.00	4.02	0.00	0.00	0.00	0.00
	103	0.00	4.54	0.00	0.00	0.00	0.00
	104	0.00	1.57	0.00	0.00	0.00	0.00
700	101	0.02	2.75	-1.18	0.00	0.04	0.00
	102	0.02	2.40	-1.49	0.00	0.05	0.00
	103	0.02	2.72	-1.25	0.00	0.04	0.00
	104	0.02	0.94	-3.73	0.00	0.05	0.00
701	101	0.00	4.61	0.00	0.00	0.00	0.00
	102	0.00	4.04	0.00	0.00	0.00	0.00
	103	0.00	4.55	0.00	0.00	0.00	0.00
	104	0.00	1.58	0.00	0.00	0.00	0.00
702	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	4.96	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 187

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.55	0.00	0.00	0.00	0.00
	104	0.00	2.00	0.00	0.00	0.00	0.00
703	101	0.00	4.72	0.00	0.00	0.00	0.00
	102	0.00	4.20	0.00	0.00	0.00	0.00
	103	0.00	4.67	0.00	0.00	0.00	0.00
	104	0.00	1.71	0.00	0.00	0.00	0.00
704	101	0.00	4.75	0.00	0.00	0.00	0.00
	102	0.00	4.23	0.00	0.00	0.00	0.00
	103	0.00	4.70	0.00	0.00	0.00	0.00
	104	0.00	1.74	0.00	0.00	0.00	0.00
705	101	0.00	4.75	0.00	0.00	0.00	0.00
	102	0.00	4.23	0.00	0.00	0.00	0.00
	103	0.00	4.70	0.00	0.00	0.00	0.00
	104	0.00	1.73	0.00	0.00	0.00	0.00
706	101	0.00	5.67	0.00	0.00	0.00	0.00
	102	0.00	5.02	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	2.04	0.00	0.00	0.00	0.00
707	101	0.00	4.67	0.00	0.00	0.00	0.00
	102	0.00	4.10	0.00	0.00	0.00	0.00
	103	0.00	4.61	0.00	0.00	0.00	0.00
	104	0.00	1.63	0.00	0.00	0.00	0.00
708	101	0.12	2.79	-0.21	0.00	-0.11	0.00
	102	0.10	2.44	-0.17	0.00	-0.19	0.00
	103	0.12	2.75	-0.26	0.00	-0.11	0.00
	104	0.09	0.96	-2.38	0.00	-0.15	0.00
709	101	0.00	3.71	0.00	0.00	0.00	0.00
	102	0.00	3.25	0.00	0.00	0.00	0.00
	103	0.00	3.67	0.00	0.00	0.00	0.00
	104	0.00	1.27	0.00	0.00	0.00	0.00
710	101	0.00	4.64	0.00	0.00	0.00	0.00
	102	0.00	4.06	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
711	101	0.00	2.32	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	2.30	0.00	0.00	0.00	0.00
	104	0.00	0.80	0.00	0.00	0.00	0.00
712	101	0.00	2.44	0.00	0.00	0.00	0.00
	102	0.00	2.24	0.00	0.00	0.00	0.00
	103	0.00	2.42	0.00	0.00	0.00	0.00
	104	0.00	0.97	0.00	0.00	0.00	0.00
713	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.47	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.94	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 188

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
714	101	0.00	3.90	0.00	0.00	0.00	0.00
	102	0.00	3.57	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	1.55	0.00	0.00	0.00	0.00
715	101	-0.12	2.93	0.61	0.00	0.12	0.00
	102	-0.11	2.68	1.25	0.00	0.20	0.00
	103	-0.12	2.90	0.60	0.00	0.13	0.00
	104	-0.11	1.17	-1.62	0.00	0.16	0.00
716	101	0.00	4.90	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	1.97	0.00	0.00	0.00	0.00
717	101	0.00	5.94	0.00	0.00	0.00	0.00
	102	0.00	5.49	0.00	0.00	0.00	0.00
	103	0.00	5.89	0.00	0.00	0.00	0.00
	104	0.00	2.45	0.00	0.00	0.00	0.00
718	101	0.00	4.98	0.00	0.00	0.00	0.00
	102	0.00	4.61	0.00	0.00	0.00	0.00
	103	0.00	4.93	0.00	0.00	0.00	0.00
	104	0.00	2.07	0.00	0.00	0.00	0.00
719	101	0.00	4.98	0.00	0.00	0.00	0.00
	102	0.00	4.62	0.00	0.00	0.00	0.00
	103	0.00	4.93	0.00	0.00	0.00	0.00
	104	0.00	2.07	0.00	0.00	0.00	0.00
720	101	0.00	4.95	0.00	0.00	0.00	0.00
	102	0.00	4.59	0.00	0.00	0.00	0.00
	103	0.00	4.91	0.00	0.00	0.00	0.00
	104	0.00	2.05	0.00	0.00	0.00	0.00
721	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	5.44	0.00	0.00	0.00	0.00
	103	0.00	5.84	0.00	0.00	0.00	0.00
	104	0.00	2.41	0.00	0.00	0.00	0.00
722	101	0.00	4.85	0.00	0.00	0.00	0.00
	102	0.00	4.44	0.00	0.00	0.00	0.00
	103	0.00	4.80	0.00	0.00	0.00	0.00
	104	0.00	1.93	0.00	0.00	0.00	0.00
723	101	-0.02	2.90	-0.17	0.00	-0.04	0.00
	102	-0.01	2.65	0.21	0.00	-0.05	0.00
	103	-0.02	2.87	-0.21	0.00	-0.04	0.00
	104	-0.01	1.15	-2.82	0.00	-0.05	0.00
724	101	0.00	4.84	0.00	0.00	0.00	0.00
	102	0.00	4.42	0.00	0.00	0.00	0.00
	103	0.00	4.79	0.00	0.00	0.00	0.00
	104	0.00	1.92	0.00	0.00	0.00	0.00
725	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	5.37	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 189

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.80	0.00	0.00	0.00	0.00
	104	0.00	2.36	0.00	0.00	0.00	0.00
726	101	0.00	4.90	0.00	0.00	0.00	0.00
	102	0.00	4.51	0.00	0.00	0.00	0.00
	103	0.00	4.85	0.00	0.00	0.00	0.00
	104	0.00	1.99	0.00	0.00	0.00	0.00
727	101	0.00	4.90	0.00	0.00	0.00	0.00
	102	0.00	4.52	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	2.00	0.00	0.00	0.00	0.00
728	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.98	0.00	0.00	0.00	0.00
729	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	5.35	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.33	0.00	0.00	0.00	0.00
730	101	0.00	4.81	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.88	0.00	0.00	0.00	0.00
731	101	-0.03	2.88	-0.08	0.00	-0.04	0.00
	102	-0.02	2.62	0.38	0.00	-0.03	0.00
	103	-0.03	2.85	-0.11	0.00	-0.03	0.00
	104	-0.02	1.12	-2.65	0.00	-0.03	0.00
732	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.88	0.00	0.00	0.00	0.00
733	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
734	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00
735	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.97	0.00	0.00	0.00	0.00
736	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 190

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
737	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
738	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.87	0.00	0.00	0.00	0.00
739	101	-0.01	2.87	-1.91	0.00	-0.02	0.00
	102	-0.01	2.62	-1.47	0.00	-0.02	0.00
	103	-0.01	2.85	-1.94	0.00	-0.02	0.00
	104	-0.01	1.11	-3.76	0.00	-0.02	0.00
740	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
741	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
742	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
743	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00
744	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
745	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.76	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
746	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
747	101	0.01	2.87	-0.59	0.00	0.01	0.00
	102	0.01	2.62	-0.16	0.00	0.01	0.00
	103	0.01	2.85	-0.63	0.00	0.01	0.00
	104	0.01	1.11	-2.98	0.00	0.01	0.00
748	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 191

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
749	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
750	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
751	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00
752	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
753	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
754	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
755	101	-0.01	2.87	-0.59	0.00	-0.01	0.00
	102	-0.02	2.62	-0.16	0.00	-0.01	0.00
	103	-0.01	2.85	-0.63	0.00	-0.01	0.00
	104	-0.01	1.11	-2.98	0.00	-0.01	0.00
756	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
757	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
758	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
759	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 192

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
760	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
761	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
762	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
763	101	0.01	2.87	-1.98	0.00	0.02	0.00
	102	0.01	2.62	-1.54	0.00	0.02	0.00
	103	0.01	2.85	-2.02	0.00	0.02	0.00
	104	0.01	1.11	-3.80	0.00	0.01	0.00
764	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
765	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
766	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00
767	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.85	0.00	0.00	0.00	0.00
	104	0.00	1.97	0.00	0.00	0.00	0.00
768	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.96	0.00	0.00	0.00	0.00
769	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.77	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
770	101	0.00	4.81	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.88	0.00	0.00	0.00	0.00
771	101	0.03	2.88	-0.14	0.00	0.04	0.00
	102	0.02	2.62	0.32	0.00	0.03	0.00

STAAD SPACE -- PAGE NO. 193

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.03	2.85	-0.18	0.00	0.04	0.00
	104	0.02	1.12	-2.68	0.00	0.03	0.00
772	101	0.00	4.81	0.00	0.00	0.00	0.00
	102	0.00	4.38	0.00	0.00	0.00	0.00
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	1.88	0.00	0.00	0.00	0.00
773	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	5.35	0.00	0.00	0.00	0.00
	103	0.00	5.78	0.00	0.00	0.00	0.00
	104	0.00	2.33	0.00	0.00	0.00	0.00
774	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.85	0.00	0.00	0.00	0.00
	104	0.00	1.98	0.00	0.00	0.00	0.00
775	101	0.00	4.90	0.00	0.00	0.00	0.00
	102	0.00	4.52	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	2.00	0.00	0.00	0.00	0.00
776	101	0.00	4.90	0.00	0.00	0.00	0.00
	102	0.00	4.51	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	1.99	0.00	0.00	0.00	0.00
777	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	5.38	0.00	0.00	0.00	0.00
	103	0.00	5.80	0.00	0.00	0.00	0.00
	104	0.00	2.36	0.00	0.00	0.00	0.00
778	101	0.00	4.84	0.00	0.00	0.00	0.00
	102	0.00	4.43	0.00	0.00	0.00	0.00
	103	0.00	4.80	0.00	0.00	0.00	0.00
	104	0.00	1.92	0.00	0.00	0.00	0.00
779	101	0.02	2.90	-0.15	0.00	0.04	0.00
	102	0.01	2.65	0.24	0.00	0.05	0.00
	103	0.02	2.87	-0.19	0.00	0.05	0.00
	104	0.01	1.15	-2.81	0.00	0.05	0.00
780	101	0.00	4.85	0.00	0.00	0.00	0.00
	102	0.00	4.44	0.00	0.00	0.00	0.00
	103	0.00	4.81	0.00	0.00	0.00	0.00
	104	0.00	1.93	0.00	0.00	0.00	0.00
781	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	5.44	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	2.41	0.00	0.00	0.00	0.00
782	101	0.00	4.96	0.00	0.00	0.00	0.00
	102	0.00	4.59	0.00	0.00	0.00	0.00
	103	0.00	4.92	0.00	0.00	0.00	0.00
	104	0.00	2.05	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 194

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
783	101	0.00	4.98	0.00	0.00	0.00	0.00
	102	0.00	4.62	0.00	0.00	0.00	0.00
	103	0.00	4.94	0.00	0.00	0.00	0.00
	104	0.00	2.07	0.00	0.00	0.00	0.00
784	101	0.00	4.98	0.00	0.00	0.00	0.00
	102	0.00	4.62	0.00	0.00	0.00	0.00
	103	0.00	4.94	0.00	0.00	0.00	0.00
	104	0.00	2.07	0.00	0.00	0.00	0.00
785	101	0.00	5.95	0.00	0.00	0.00	0.00
	102	0.00	5.50	0.00	0.00	0.00	0.00
	103	0.00	5.90	0.00	0.00	0.00	0.00
	104	0.00	2.45	0.00	0.00	0.00	0.00
786	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	1.98	0.00	0.00	0.00	0.00
787	101	0.12	2.93	0.64	0.00	-0.12	0.00
	102	0.11	2.68	1.28	0.00	-0.20	0.00
	103	0.12	2.90	0.63	0.00	-0.13	0.00
	104	0.11	1.17	-1.61	0.00	-0.16	0.00
788	101	0.00	3.91	0.00	0.00	0.00	0.00
	102	0.00	3.57	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	1.56	0.00	0.00	0.00	0.00
789	101	0.00	4.89	0.00	0.00	0.00	0.00
	102	0.00	4.47	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	1.95	0.00	0.00	0.00	0.00
790	101	0.00	2.45	0.00	0.00	0.00	0.00
	102	0.00	2.24	0.00	0.00	0.00	0.00
	103	0.00	2.42	0.00	0.00	0.00	0.00
	104	0.00	0.97	0.00	0.00	0.00	0.00
791	101	0.00	2.56	0.00	0.00	0.00	0.00
	102	0.00	2.44	0.00	0.00	0.00	0.00
	103	0.00	2.55	0.00	0.00	0.00	0.00
	104	0.00	1.15	0.00	0.00	0.00	0.00
792	101	0.00	5.12	0.00	0.00	0.00	0.00
	102	0.00	4.87	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.29	0.00	0.00	0.00	0.00
793	101	0.00	4.10	0.00	0.00	0.00	0.00
	102	0.00	3.90	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	1.83	0.00	0.00	0.00	0.00
794	101	-0.13	3.07	1.32	0.00	0.14	0.00
	102	-0.12	2.93	2.50	0.00	0.22	0.00

STAAD SPACE -- PAGE NO. 195

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.13	3.05	1.33	0.00	0.14	0.00
	104	-0.12	1.38	-0.93	0.00	0.17	0.00
795	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.11	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
796	101	0.00	6.22	0.00	0.00	0.00	0.00
	102	0.00	5.97	0.00	0.00	0.00	0.00
	103	0.00	6.18	0.00	0.00	0.00	0.00
	104	0.00	2.85	0.00	0.00	0.00	0.00
797	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	5.00	0.00	0.00	0.00	0.00
	103	0.00	5.17	0.00	0.00	0.00	0.00
	104	0.00	2.40	0.00	0.00	0.00	0.00
798	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	5.01	0.00	0.00	0.00	0.00
	103	0.00	5.18	0.00	0.00	0.00	0.00
	104	0.00	2.41	0.00	0.00	0.00	0.00
799	101	0.00	5.19	0.00	0.00	0.00	0.00
	102	0.00	4.98	0.00	0.00	0.00	0.00
	103	0.00	5.15	0.00	0.00	0.00	0.00
	104	0.00	2.39	0.00	0.00	0.00	0.00
800	101	0.00	6.18	0.00	0.00	0.00	0.00
	102	0.00	5.91	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	2.82	0.00	0.00	0.00	0.00
801	101	0.00	5.09	0.00	0.00	0.00	0.00
	102	0.00	4.85	0.00	0.00	0.00	0.00
	103	0.00	5.06	0.00	0.00	0.00	0.00
	104	0.00	2.28	0.00	0.00	0.00	0.00
802	101	-0.01	3.05	0.68	0.00	-0.04	0.00
	102	-0.00	2.89	1.72	0.00	-0.05	0.00
	103	-0.01	3.02	0.68	0.00	-0.04	0.00
	104	-0.00	1.36	-1.99	0.00	-0.05	0.00
803	101	0.00	5.08	0.00	0.00	0.00	0.00
	102	0.00	4.83	0.00	0.00	0.00	0.00
	103	0.00	5.05	0.00	0.00	0.00	0.00
	104	0.00	2.27	0.00	0.00	0.00	0.00
804	101	0.00	6.14	0.00	0.00	0.00	0.00
	102	0.00	5.86	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	2.77	0.00	0.00	0.00	0.00
805	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.33	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 196

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
806	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.92	0.00	0.00	0.00	0.00
	103	0.00	5.11	0.00	0.00	0.00	0.00
	104	0.00	2.34	0.00	0.00	0.00	0.00
807	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
808	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.75	0.00	0.00	0.00	0.00
809	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.24	0.00	0.00	0.00	0.00
810	101	-0.03	3.03	0.79	0.00	-0.03	0.00
	102	-0.02	2.87	1.90	0.00	-0.03	0.00
	103	-0.03	3.00	0.79	0.00	-0.03	0.00
	104	-0.02	1.33	-1.82	0.00	-0.03	0.00
811	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.24	0.00	0.00	0.00	0.00
812	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.74	0.00	0.00	0.00	0.00
813	101	0.00	5.12	0.00	0.00	0.00	0.00
	102	0.00	4.89	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
814	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
815	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.89	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
816	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.73	0.00	0.00	0.00	0.00
817	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 197

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.23	0.00	0.00	0.00	0.00
818	101	-0.02	3.03	-1.15	0.00	-0.02	0.00
	102	-0.01	2.87	-0.06	0.00	-0.02	0.00
	103	-0.01	3.01	-1.15	0.00	-0.02	0.00
	104	-0.01	1.33	-3.01	0.00	-0.02	0.00
819	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.03	0.00	0.00	0.00	0.00
	104	0.00	2.23	0.00	0.00	0.00	0.00
820	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.73	0.00	0.00	0.00	0.00
821	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
822	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
823	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
824	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.72	0.00	0.00	0.00	0.00
825	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.22	0.00	0.00	0.00	0.00
826	101	0.01	3.03	0.26	0.00	0.01	0.00
	102	0.01	2.87	1.34	0.00	0.01	0.00
	103	0.01	3.01	0.26	0.00	0.01	0.00
	104	0.01	1.33	-2.18	0.00	0.01	0.00
827	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.22	0.00	0.00	0.00	0.00
828	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.72	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 198

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
829	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
830	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
831	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
832	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.72	0.00	0.00	0.00	0.00
833	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.22	0.00	0.00	0.00	0.00
834	101	-0.02	3.03	0.26	0.00	-0.02	0.00
	102	-0.02	2.87	1.34	0.00	-0.02	0.00
	103	-0.02	3.01	0.26	0.00	-0.02	0.00
	104	-0.01	1.32	-2.18	0.00	-0.01	0.00
835	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.22	0.00	0.00	0.00	0.00
836	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.72	0.00	0.00	0.00	0.00
837	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
838	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
839	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
840	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 199

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.73	0.00	0.00	0.00	0.00
841	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.03	0.00	0.00	0.00	0.00
	104	0.00	2.23	0.00	0.00	0.00	0.00
842	101	0.01	3.03	-1.22	0.00	0.02	0.00
	102	0.01	2.87	-0.14	0.00	0.02	0.00
	103	0.01	3.01	-1.23	0.00	0.02	0.00
	104	0.01	1.33	-3.06	0.00	0.02	0.00
843	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.03	0.00	0.00	0.00	0.00
	104	0.00	2.23	0.00	0.00	0.00	0.00
844	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.73	0.00	0.00	0.00	0.00
845	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
846	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
847	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.89	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.31	0.00	0.00	0.00	0.00
848	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.83	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.74	0.00	0.00	0.00	0.00
849	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.24	0.00	0.00	0.00	0.00
850	101	0.03	3.03	0.72	0.00	0.03	0.00
	102	0.02	2.87	1.83	0.00	0.03	0.00
	103	0.03	3.01	0.72	0.00	0.03	0.00
	104	0.02	1.33	-1.87	0.00	0.03	0.00
851	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	2.24	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 200

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
852	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.84	0.00	0.00	0.00	0.00
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	2.75	0.00	0.00	0.00	0.00
853	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
854	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.92	0.00	0.00	0.00	0.00
	103	0.00	5.11	0.00	0.00	0.00	0.00
	104	0.00	2.34	0.00	0.00	0.00	0.00
855	101	0.00	5.14	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.11	0.00	0.00	0.00	0.00
	104	0.00	2.33	0.00	0.00	0.00	0.00
856	101	0.00	6.14	0.00	0.00	0.00	0.00
	102	0.00	5.86	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	2.77	0.00	0.00	0.00	0.00
857	101	0.00	5.09	0.00	0.00	0.00	0.00
	102	0.00	4.84	0.00	0.00	0.00	0.00
	103	0.00	5.05	0.00	0.00	0.00	0.00
	104	0.00	2.27	0.00	0.00	0.00	0.00
858	101	0.01	3.05	0.71	0.00	0.04	0.00
	102	0.00	2.89	1.75	0.00	0.05	0.00
	103	0.01	3.03	0.70	0.00	0.05	0.00
	104	0.00	1.36	-1.98	0.00	0.05	0.00
859	101	0.00	5.10	0.00	0.00	0.00	0.00
	102	0.00	4.85	0.00	0.00	0.00	0.00
	103	0.00	5.06	0.00	0.00	0.00	0.00
	104	0.00	2.29	0.00	0.00	0.00	0.00
860	101	0.00	6.19	0.00	0.00	0.00	0.00
	102	0.00	5.92	0.00	0.00	0.00	0.00
	103	0.00	6.15	0.00	0.00	0.00	0.00
	104	0.00	2.82	0.00	0.00	0.00	0.00
861	101	0.00	5.19	0.00	0.00	0.00	0.00
	102	0.00	4.98	0.00	0.00	0.00	0.00
	103	0.00	5.16	0.00	0.00	0.00	0.00
	104	0.00	2.39	0.00	0.00	0.00	0.00
862	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	5.01	0.00	0.00	0.00	0.00
	103	0.00	5.18	0.00	0.00	0.00	0.00
	104	0.00	2.41	0.00	0.00	0.00	0.00
863	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	5.01	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 201

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.18	0.00	0.00	0.00	0.00
	104	0.00	2.41	0.00	0.00	0.00	0.00
864	101	0.00	6.23	0.00	0.00	0.00	0.00
	102	0.00	5.97	0.00	0.00	0.00	0.00
	103	0.00	6.19	0.00	0.00	0.00	0.00
	104	0.00	2.86	0.00	0.00	0.00	0.00
865	101	0.00	5.15	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	5.11	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
866	101	0.13	3.08	1.35	0.00	-0.14	0.00
	102	0.12	2.93	2.54	0.00	-0.22	0.00
	103	0.13	3.06	1.36	0.00	-0.14	0.00
	104	0.12	1.38	-0.91	0.00	-0.17	0.00
867	101	0.00	4.10	0.00	0.00	0.00	0.00
	102	0.00	3.90	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	1.84	0.00	0.00	0.00	0.00
868	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	4.88	0.00	0.00	0.00	0.00
	103	0.00	5.09	0.00	0.00	0.00	0.00
	104	0.00	2.30	0.00	0.00	0.00	0.00
869	101	0.00	2.57	0.00	0.00	0.00	0.00
	102	0.00	2.44	0.00	0.00	0.00	0.00
	103	0.00	2.55	0.00	0.00	0.00	0.00
	104	0.00	1.15	0.00	0.00	0.00	0.00
870	101	0.00	2.68	0.00	0.00	0.00	0.00
	102	0.00	2.64	0.00	0.00	0.00	0.00
	103	0.00	2.67	0.00	0.00	0.00	0.00
	104	0.00	1.32	0.00	0.00	0.00	0.00
871	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.28	0.00	0.00	0.00	0.00
	103	0.00	5.34	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
872	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	4.22	0.00	0.00	0.00	0.00
	103	0.00	4.27	0.00	0.00	0.00	0.00
	104	0.00	2.12	0.00	0.00	0.00	0.00
873	101	-0.13	3.22	1.86	0.00	0.15	0.00
	102	-0.13	3.17	3.54	0.00	0.24	0.00
	103	-0.13	3.20	1.90	0.00	0.16	0.00
	104	-0.13	1.59	-0.33	0.00	0.19	0.00
874	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.67	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 202

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
875	101	0.00	6.50	0.00	0.00	0.00	0.00
	102	0.00	6.44	0.00	0.00	0.00	0.00
	103	0.00	6.48	0.00	0.00	0.00	0.00
	104	0.00	3.26	0.00	0.00	0.00	0.00
876	101	0.00	5.44	0.00	0.00	0.00	0.00
	102	0.00	5.39	0.00	0.00	0.00	0.00
	103	0.00	5.42	0.00	0.00	0.00	0.00
	104	0.00	2.74	0.00	0.00	0.00	0.00
877	101	0.00	5.44	0.00	0.00	0.00	0.00
	102	0.00	5.39	0.00	0.00	0.00	0.00
	103	0.00	5.42	0.00	0.00	0.00	0.00
	104	0.00	2.74	0.00	0.00	0.00	0.00
878	101	0.00	5.42	0.00	0.00	0.00	0.00
	102	0.00	5.37	0.00	0.00	0.00	0.00
	103	0.00	5.40	0.00	0.00	0.00	0.00
	104	0.00	2.72	0.00	0.00	0.00	0.00
879	101	0.00	6.46	0.00	0.00	0.00	0.00
	102	0.00	6.39	0.00	0.00	0.00	0.00
	103	0.00	6.44	0.00	0.00	0.00	0.00
	104	0.00	3.22	0.00	0.00	0.00	0.00
880	101	0.00	5.34	0.00	0.00	0.00	0.00
	102	0.00	5.25	0.00	0.00	0.00	0.00
	103	0.00	5.31	0.00	0.00	0.00	0.00
	104	0.00	2.63	0.00	0.00	0.00	0.00
881	101	0.00	3.19	1.35	0.00	-0.04	0.00
	102	0.01	3.14	2.98	0.00	-0.05	0.00
	103	0.00	3.18	1.37	0.00	-0.04	0.00
	104	0.01	1.57	-1.28	0.00	-0.04	0.00
882	101	0.00	5.33	0.00	0.00	0.00	0.00
	102	0.00	5.24	0.00	0.00	0.00	0.00
	103	0.00	5.30	0.00	0.00	0.00	0.00
	104	0.00	2.62	0.00	0.00	0.00	0.00
883	101	0.00	6.43	0.00	0.00	0.00	0.00
	102	0.00	6.34	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	3.18	0.00	0.00	0.00	0.00
884	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.67	0.00	0.00	0.00	0.00
885	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.68	0.00	0.00	0.00	0.00
886	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 203

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
887	101	0.00	6.41	0.00	0.00	0.00	0.00
	102	0.00	6.32	0.00	0.00	0.00	0.00
	103	0.00	6.38	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
888	101	0.00	5.31	0.00	0.00	0.00	0.00
	102	0.00	5.21	0.00	0.00	0.00	0.00
	103	0.00	5.28	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00
889	101	-0.02	3.18	1.47	0.00	-0.03	0.00
	102	-0.01	3.12	3.17	0.00	-0.03	0.00
	103	-0.02	3.16	1.50	0.00	-0.03	0.00
	104	-0.02	1.55	-1.11	0.00	-0.03	0.00
890	101	0.00	5.31	0.00	0.00	0.00	0.00
	102	0.00	5.21	0.00	0.00	0.00	0.00
	103	0.00	5.28	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00
891	101	0.00	6.41	0.00	0.00	0.00	0.00
	102	0.00	6.32	0.00	0.00	0.00	0.00
	103	0.00	6.38	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
892	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
893	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
894	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
895	101	0.00	6.42	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
896	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00
897	101	-0.02	3.19	-0.54	0.00	-0.03	0.00
	102	-0.01	3.13	1.14	0.00	-0.02	0.00
	103	-0.02	3.17	-0.51	0.00	-0.03	0.00
	104	-0.01	1.55	-2.34	0.00	-0.02	0.00

STAAD SPACE -- PAGE NO. 204

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
898	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00
899	101	0.00	6.43	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
900	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
901	101	0.00	5.39	0.00	0.00	0.00	0.00
	102	0.00	5.32	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
902	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
903	101	0.00	6.42	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	3.15	0.00	0.00	0.00	0.00
904	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.58	0.00	0.00	0.00	0.00
905	101	0.02	3.18	0.94	0.00	0.01	0.00
	102	0.02	3.12	2.61	0.00	0.01	0.00
	103	0.02	3.17	0.97	0.00	0.01	0.00
	104	0.01	1.54	-1.47	0.00	0.01	0.00
906	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.58	0.00	0.00	0.00	0.00
907	101	0.00	6.42	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	3.15	0.00	0.00	0.00	0.00
908	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
909	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.32	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 205

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
910	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
911	101	0.00	6.42	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	3.15	0.00	0.00	0.00	0.00
912	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.58	0.00	0.00	0.00	0.00
913	101	-0.02	3.18	0.95	0.00	-0.02	0.00
	102	-0.02	3.12	2.61	0.00	-0.02	0.00
	103	-0.02	3.17	0.97	0.00	-0.02	0.00
	104	-0.01	1.54	-1.47	0.00	-0.01	0.00
914	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.58	0.00	0.00	0.00	0.00
915	101	0.00	6.43	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	3.15	0.00	0.00	0.00	0.00
916	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
917	101	0.00	5.39	0.00	0.00	0.00	0.00
	102	0.00	5.32	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
918	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
919	101	0.00	6.43	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
920	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.23	0.00	0.00	0.00	0.00
	103	0.00	5.30	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 206

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
921	101	0.01	3.19	-0.61	0.00	0.02	0.00
	102	0.01	3.13	1.06	0.00	0.02	0.00
	103	0.01	3.17	-0.58	0.00	0.02	0.00
	104	0.01	1.55	-2.39	0.00	0.02	0.00
922	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.23	0.00	0.00	0.00	0.00
	103	0.00	5.30	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00
923	101	0.00	6.43	0.00	0.00	0.00	0.00
	102	0.00	6.33	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
924	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
925	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
926	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
927	101	0.00	6.42	0.00	0.00	0.00	0.00
	102	0.00	6.32	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
928	101	0.00	5.31	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.59	0.00	0.00	0.00	0.00
929	101	0.02	3.18	1.41	0.00	0.03	0.00
	102	0.02	3.12	3.10	0.00	0.03	0.00
	103	0.02	3.16	1.43	0.00	0.03	0.00
	104	0.02	1.55	-1.15	0.00	0.03	0.00
930	101	0.00	5.31	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	2.60	0.00	0.00	0.00	0.00
931	101	0.00	6.42	0.00	0.00	0.00	0.00
	102	0.00	6.32	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	3.17	0.00	0.00	0.00	0.00
932	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 207

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.67	0.00	0.00	0.00	0.00
933	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.32	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.68	0.00	0.00	0.00	0.00
934	101	0.00	5.38	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.67	0.00	0.00	0.00	0.00
935	101	0.00	6.43	0.00	0.00	0.00	0.00
	102	0.00	6.34	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	3.19	0.00	0.00	0.00	0.00
936	101	0.00	5.33	0.00	0.00	0.00	0.00
	102	0.00	5.25	0.00	0.00	0.00	0.00
	103	0.00	5.31	0.00	0.00	0.00	0.00
	104	0.00	2.63	0.00	0.00	0.00	0.00
937	101	-0.00	3.20	1.38	0.00	0.04	0.00
	102	-0.01	3.14	3.01	0.00	0.05	0.00
	103	-0.00	3.18	1.41	0.00	0.04	0.00
	104	-0.01	1.57	-1.26	0.00	0.05	0.00
938	101	0.00	5.34	0.00	0.00	0.00	0.00
	102	0.00	5.26	0.00	0.00	0.00	0.00
	103	0.00	5.32	0.00	0.00	0.00	0.00
	104	0.00	2.64	0.00	0.00	0.00	0.00
939	101	0.00	6.47	0.00	0.00	0.00	0.00
	102	0.00	6.39	0.00	0.00	0.00	0.00
	103	0.00	6.44	0.00	0.00	0.00	0.00
	104	0.00	3.23	0.00	0.00	0.00	0.00
940	101	0.00	5.43	0.00	0.00	0.00	0.00
	102	0.00	5.37	0.00	0.00	0.00	0.00
	103	0.00	5.40	0.00	0.00	0.00	0.00
	104	0.00	2.72	0.00	0.00	0.00	0.00
941	101	0.00	5.44	0.00	0.00	0.00	0.00
	102	0.00	5.40	0.00	0.00	0.00	0.00
	103	0.00	5.42	0.00	0.00	0.00	0.00
	104	0.00	2.74	0.00	0.00	0.00	0.00
942	101	0.00	5.44	0.00	0.00	0.00	0.00
	102	0.00	5.40	0.00	0.00	0.00	0.00
	103	0.00	5.42	0.00	0.00	0.00	0.00
	104	0.00	2.74	0.00	0.00	0.00	0.00
943	101	0.00	6.51	0.00	0.00	0.00	0.00
	102	0.00	6.45	0.00	0.00	0.00	0.00
	103	0.00	6.48	0.00	0.00	0.00	0.00
	104	0.00	3.26	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 208

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
944	101	0.00	5.39	0.00	0.00	0.00	0.00
	102	0.00	5.32	0.00	0.00	0.00	0.00
	103	0.00	5.36	0.00	0.00	0.00	0.00
	104	0.00	2.67	0.00	0.00	0.00	0.00
945	101	0.13	3.22	1.89	0.00	-0.15	0.00
	102	0.13	3.17	3.58	0.00	-0.24	0.00
	103	0.13	3.21	1.93	0.00	-0.16	0.00
	104	0.13	1.59	-0.31	0.00	-0.19	0.00
946	101	0.00	4.30	0.00	0.00	0.00	0.00
	102	0.00	4.23	0.00	0.00	0.00	0.00
	103	0.00	4.28	0.00	0.00	0.00	0.00
	104	0.00	2.12	0.00	0.00	0.00	0.00
947	101	0.00	5.37	0.00	0.00	0.00	0.00
	102	0.00	5.29	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	2.65	0.00	0.00	0.00	0.00
948	101	0.00	2.69	0.00	0.00	0.00	0.00
	102	0.00	2.65	0.00	0.00	0.00	0.00
	103	0.00	2.68	0.00	0.00	0.00	0.00
	104	0.00	1.33	0.00	0.00	0.00	0.00
949	101	0.00	2.81	0.00	0.00	0.00	0.00
	102	0.00	2.85	0.00	0.00	0.00	0.00
	103	0.00	2.80	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
950	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	5.69	0.00	0.00	0.00	0.00
	103	0.00	5.59	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
951	101	0.00	4.48	0.00	0.00	0.00	0.00
	102	0.00	4.55	0.00	0.00	0.00	0.00
	103	0.00	4.47	0.00	0.00	0.00	0.00
	104	0.00	2.40	0.00	0.00	0.00	0.00
952	101	-0.14	3.36	2.18	0.00	0.17	0.00
	102	-0.13	3.42	4.29	0.00	0.25	0.00
	103	-0.14	3.36	2.24	0.00	0.17	0.00
	104	-0.14	1.80	0.13	0.00	0.20	0.00
953	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.02	0.00	0.00	0.00	0.00
954	101	0.00	6.78	0.00	0.00	0.00	0.00
	102	0.00	6.91	0.00	0.00	0.00	0.00
	103	0.00	6.77	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
955	101	0.00	5.67	0.00	0.00	0.00	0.00
	102	0.00	5.78	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 209

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.66	0.00	0.00	0.00	0.00
	104	0.00	3.07	0.00	0.00	0.00	0.00
956	101	0.00	5.67	0.00	0.00	0.00	0.00
	102	0.00	5.78	0.00	0.00	0.00	0.00
	103	0.00	5.66	0.00	0.00	0.00	0.00
	104	0.00	3.07	0.00	0.00	0.00	0.00
957	101	0.00	5.65	0.00	0.00	0.00	0.00
	102	0.00	5.76	0.00	0.00	0.00	0.00
	103	0.00	5.64	0.00	0.00	0.00	0.00
	104	0.00	3.06	0.00	0.00	0.00	0.00
958	101	0.00	6.75	0.00	0.00	0.00	0.00
	102	0.00	6.86	0.00	0.00	0.00	0.00
	103	0.00	6.73	0.00	0.00	0.00	0.00
	104	0.00	3.63	0.00	0.00	0.00	0.00
959	101	0.00	5.58	0.00	0.00	0.00	0.00
	102	0.00	5.66	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.98	0.00	0.00	0.00	0.00
960	101	0.02	3.34	1.78	0.00	-0.04	0.00
	102	0.03	3.39	3.92	0.00	-0.05	0.00
	103	0.02	3.33	1.83	0.00	-0.04	0.00
	104	0.02	1.78	-0.71	0.00	-0.04	0.00
961	101	0.00	5.57	0.00	0.00	0.00	0.00
	102	0.00	5.65	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.97	0.00	0.00	0.00	0.00
962	101	0.00	6.72	0.00	0.00	0.00	0.00
	102	0.00	6.82	0.00	0.00	0.00	0.00
	103	0.00	6.70	0.00	0.00	0.00	0.00
	104	0.00	3.60	0.00	0.00	0.00	0.00
963	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
964	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.02	0.00	0.00	0.00	0.00
965	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	5.70	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
966	101	0.00	6.71	0.00	0.00	0.00	0.00
	102	0.00	6.81	0.00	0.00	0.00	0.00
	103	0.00	6.69	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 210

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
967	101	0.00	5.56	0.00	0.00	0.00	0.00
	102	0.00	5.63	0.00	0.00	0.00	0.00
	103	0.00	5.54	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
968	101	-0.02	3.33	1.92	0.00	-0.03	0.00
	102	-0.01	3.37	4.13	0.00	-0.03	0.00
	103	-0.02	3.32	1.98	0.00	-0.03	0.00
	104	-0.01	1.76	-0.53	0.00	-0.03	0.00
969	101	0.00	5.56	0.00	0.00	0.00	0.00
	102	0.00	5.63	0.00	0.00	0.00	0.00
	103	0.00	5.54	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
970	101	0.00	6.71	0.00	0.00	0.00	0.00
	102	0.00	6.81	0.00	0.00	0.00	0.00
	103	0.00	6.69	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
971	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	5.70	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
972	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
973	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
974	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.82	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
975	101	0.00	5.58	0.00	0.00	0.00	0.00
	102	0.00	5.65	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
976	101	-0.02	3.34	-0.10	0.00	-0.03	0.00
	102	-0.01	3.38	2.08	0.00	-0.03	0.00
	103	-0.02	3.33	-0.05	0.00	-0.03	0.00
	104	-0.01	1.77	-1.78	0.00	-0.02	0.00
977	101	0.00	5.58	0.00	0.00	0.00	0.00
	102	0.00	5.65	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
978	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.83	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 211

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.72	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
979	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
980	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.73	0.00	0.00	0.00	0.00
	103	0.00	5.62	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
981	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
982	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.82	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
983	101	0.00	5.57	0.00	0.00	0.00	0.00
	102	0.00	5.64	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
984	101	0.02	3.34	1.41	0.00	0.02	0.00
	102	0.02	3.38	3.59	0.00	0.02	0.00
	103	0.02	3.33	1.46	0.00	0.02	0.00
	104	0.01	1.76	-0.89	0.00	0.01	0.00
985	101	0.00	5.57	0.00	0.00	0.00	0.00
	102	0.00	5.64	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
986	101	0.00	6.72	0.00	0.00	0.00	0.00
	102	0.00	6.82	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
987	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
988	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.62	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
989	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 212

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
990	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.82	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
991	101	0.00	5.57	0.00	0.00	0.00	0.00
	102	0.00	5.64	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
992	101	-0.02	3.34	1.42	0.00	-0.02	0.00
	102	-0.02	3.38	3.59	0.00	-0.02	0.00
	103	-0.02	3.33	1.47	0.00	-0.02	0.00
	104	-0.01	1.76	-0.88	0.00	-0.01	0.00
993	101	0.00	5.57	0.00	0.00	0.00	0.00
	102	0.00	5.64	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
994	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.83	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
995	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
996	101	0.00	5.64	0.00	0.00	0.00	0.00
	102	0.00	5.73	0.00	0.00	0.00	0.00
	103	0.00	5.62	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
997	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.62	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
998	101	0.00	6.74	0.00	0.00	0.00	0.00
	102	0.00	6.83	0.00	0.00	0.00	0.00
	103	0.00	6.72	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
999	101	0.00	5.58	0.00	0.00	0.00	0.00
	102	0.00	5.65	0.00	0.00	0.00	0.00
	103	0.00	5.57	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
1000	101	0.01	3.34	-0.18	0.00	0.03	0.00
	102	0.01	3.38	2.01	0.00	0.02	0.00
	103	0.01	3.33	-0.12	0.00	0.03	0.00
	104	0.01	1.77	-1.83	0.00	0.02	0.00
1001	101	0.00	5.58	0.00	0.00	0.00	0.00
	102	0.00	5.65	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 213

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.57	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
1002	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.83	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
1003	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
1004	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
1005	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
1006	101	0.00	6.72	0.00	0.00	0.00	0.00
	102	0.00	6.81	0.00	0.00	0.00	0.00
	103	0.00	6.70	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
1007	101	0.00	5.56	0.00	0.00	0.00	0.00
	102	0.00	5.63	0.00	0.00	0.00	0.00
	103	0.00	5.55	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
1008	101	0.02	3.33	1.86	0.00	0.03	0.00
	102	0.01	3.37	4.07	0.00	0.03	0.00
	103	0.02	3.32	1.92	0.00	0.03	0.00
	104	0.01	1.77	-0.57	0.00	0.03	0.00
1009	101	0.00	5.56	0.00	0.00	0.00	0.00
	102	0.00	5.63	0.00	0.00	0.00	0.00
	103	0.00	5.55	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
1010	101	0.00	6.71	0.00	0.00	0.00	0.00
	102	0.00	6.81	0.00	0.00	0.00	0.00
	103	0.00	6.70	0.00	0.00	0.00	0.00
	104	0.00	3.59	0.00	0.00	0.00	0.00
1011	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
1012	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.02	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 214

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1013	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.02	0.00	0.00	0.00	0.00
1014	101	0.00	6.72	0.00	0.00	0.00	0.00
	102	0.00	6.83	0.00	0.00	0.00	0.00
	103	0.00	6.71	0.00	0.00	0.00	0.00
	104	0.00	3.60	0.00	0.00	0.00	0.00
1015	101	0.00	5.58	0.00	0.00	0.00	0.00
	102	0.00	5.66	0.00	0.00	0.00	0.00
	103	0.00	5.56	0.00	0.00	0.00	0.00
	104	0.00	2.98	0.00	0.00	0.00	0.00
1016	101	-0.02	3.34	1.82	0.00	0.04	0.00
	102	-0.03	3.39	3.95	0.00	0.05	0.00
	103	-0.02	3.33	1.87	0.00	0.04	0.00
	104	-0.02	1.78	-0.69	0.00	0.04	0.00
1017	101	0.00	5.59	0.00	0.00	0.00	0.00
	102	0.00	5.67	0.00	0.00	0.00	0.00
	103	0.00	5.57	0.00	0.00	0.00	0.00
	104	0.00	2.99	0.00	0.00	0.00	0.00
1018	101	0.00	6.76	0.00	0.00	0.00	0.00
	102	0.00	6.87	0.00	0.00	0.00	0.00
	103	0.00	6.74	0.00	0.00	0.00	0.00
	104	0.00	3.64	0.00	0.00	0.00	0.00
1019	101	0.00	5.66	0.00	0.00	0.00	0.00
	102	0.00	5.77	0.00	0.00	0.00	0.00
	103	0.00	5.65	0.00	0.00	0.00	0.00
	104	0.00	3.06	0.00	0.00	0.00	0.00
1020	101	0.00	5.67	0.00	0.00	0.00	0.00
	102	0.00	5.79	0.00	0.00	0.00	0.00
	103	0.00	5.66	0.00	0.00	0.00	0.00
	104	0.00	3.08	0.00	0.00	0.00	0.00
1021	101	0.00	5.68	0.00	0.00	0.00	0.00
	102	0.00	5.79	0.00	0.00	0.00	0.00
	103	0.00	5.66	0.00	0.00	0.00	0.00
	104	0.00	3.08	0.00	0.00	0.00	0.00
1022	101	0.00	6.79	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.78	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1023	101	0.00	5.63	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.61	0.00	0.00	0.00	0.00
	104	0.00	3.02	0.00	0.00	0.00	0.00
1024	101	0.14	3.37	2.22	0.00	-0.17	0.00
	102	0.13	3.42	4.33	0.00	-0.25	0.00

STAAD SPACE -- PAGE NO. 215

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.14	3.36	2.28	0.00	-0.17	0.00
	104	0.14	1.80	0.15	0.00	-0.20	0.00
1025	101	0.00	4.49	0.00	0.00	0.00	0.00
	102	0.00	4.56	0.00	0.00	0.00	0.00
	103	0.00	4.48	0.00	0.00	0.00	0.00
	104	0.00	2.40	0.00	0.00	0.00	0.00
1026	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.70	0.00	0.00	0.00	0.00
	103	0.00	5.60	0.00	0.00	0.00	0.00
	104	0.00	3.00	0.00	0.00	0.00	0.00
1027	101	0.00	2.81	0.00	0.00	0.00	0.00
	102	0.00	2.85	0.00	0.00	0.00	0.00
	103	0.00	2.80	0.00	0.00	0.00	0.00
	104	0.00	1.50	0.00	0.00	0.00	0.00
1028	101	0.00	2.93	0.00	0.00	0.00	0.00
	102	0.00	3.05	0.00	0.00	0.00	0.00
	103	0.00	2.93	0.00	0.00	0.00	0.00
	104	0.00	1.67	0.00	0.00	0.00	0.00
1029	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	6.10	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1030	101	0.00	4.68	0.00	0.00	0.00	0.00
	102	0.00	4.88	0.00	0.00	0.00	0.00
	103	0.00	4.67	0.00	0.00	0.00	0.00
	104	0.00	2.68	0.00	0.00	0.00	0.00
1031	101	-0.13	3.51	2.24	0.00	0.18	0.00
	102	-0.12	3.66	4.68	0.00	0.27	0.00
	103	-0.13	3.51	2.32	0.00	0.19	0.00
	104	-0.15	2.01	0.40	0.00	0.21	0.00
1032	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1033	101	0.00	7.06	0.00	0.00	0.00	0.00
	102	0.00	7.38	0.00	0.00	0.00	0.00
	103	0.00	7.06	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00
1034	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	6.17	0.00	0.00	0.00	0.00
	103	0.00	5.89	0.00	0.00	0.00	0.00
	104	0.00	3.41	0.00	0.00	0.00	0.00
1035	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	6.17	0.00	0.00	0.00	0.00
	103	0.00	5.89	0.00	0.00	0.00	0.00
	104	0.00	3.41	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 216

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1036	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.15	0.00	0.00	0.00	0.00
	103	0.00	5.88	0.00	0.00	0.00	0.00
	104	0.00	3.39	0.00	0.00	0.00	0.00
1037	101	0.00	7.03	0.00	0.00	0.00	0.00
	102	0.00	7.34	0.00	0.00	0.00	0.00
	103	0.00	7.03	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1038	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	6.07	0.00	0.00	0.00	0.00
	103	0.00	5.82	0.00	0.00	0.00	0.00
	104	0.00	3.33	0.00	0.00	0.00	0.00
1039	101	0.04	3.49	1.90	0.00	-0.04	0.00
	102	0.06	3.63	4.45	0.00	-0.04	0.00
	103	0.04	3.48	1.97	0.00	-0.04	0.00
	104	0.04	1.99	-0.35	0.00	-0.04	0.00
1040	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00
	103	0.00	5.81	0.00	0.00	0.00	0.00
	104	0.00	3.32	0.00	0.00	0.00	0.00
1041	101	0.00	7.00	0.00	0.00	0.00	0.00
	102	0.00	7.30	0.00	0.00	0.00	0.00
	103	0.00	7.00	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
1042	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	6.10	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1043	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	6.11	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1044	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	6.10	0.00	0.00	0.00	0.00
	103	0.00	5.84	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1045	101	0.00	7.00	0.00	0.00	0.00	0.00
	102	0.00	7.29	0.00	0.00	0.00	0.00
	103	0.00	6.99	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1046	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	6.04	0.00	0.00	0.00	0.00
	103	0.00	5.80	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1047	101	-0.01	3.48	2.07	0.00	-0.03	0.00
	102	0.01	3.62	4.69	0.00	-0.02	0.00

STAAD SPACE -- PAGE NO. 217

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.01	3.48	2.15	0.00	-0.03	0.00
	104	-0.00	1.98	-0.16	0.00	-0.02	0.00
1048	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	6.04	0.00	0.00	0.00	0.00
	103	0.00	5.80	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1049	101	0.00	7.01	0.00	0.00	0.00	0.00
	102	0.00	7.30	0.00	0.00	0.00	0.00
	103	0.00	7.00	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1050	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	6.11	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1051	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.86	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1052	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.86	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1053	101	0.00	7.03	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	7.02	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
1054	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	6.07	0.00	0.00	0.00	0.00
	103	0.00	5.83	0.00	0.00	0.00	0.00
	104	0.00	3.32	0.00	0.00	0.00	0.00
1055	101	-0.02	3.50	0.09	0.00	-0.04	0.00
	102	-0.01	3.64	2.69	0.00	-0.03	0.00
	103	-0.02	3.49	0.17	0.00	-0.04	0.00
	104	-0.01	1.99	-1.38	0.00	-0.03	0.00
1056	101	0.00	5.84	0.00	0.00	0.00	0.00
	102	0.00	6.07	0.00	0.00	0.00	0.00
	103	0.00	5.83	0.00	0.00	0.00	0.00
	104	0.00	3.32	0.00	0.00	0.00	0.00
1057	101	0.00	7.04	0.00	0.00	0.00	0.00
	102	0.00	7.33	0.00	0.00	0.00	0.00
	103	0.00	7.03	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
1058	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 218

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1059	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.88	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1060	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1061	101	0.00	7.03	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	7.02	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1062	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00
	103	0.00	5.82	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1063	101	0.02	3.49	1.60	0.00	0.02	0.00
	102	0.02	3.63	4.19	0.00	0.02	0.00
	103	0.02	3.49	1.68	0.00	0.02	0.00
	104	0.01	1.98	-0.49	0.00	0.01	0.00
1064	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00
	103	0.00	5.82	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1065	101	0.00	7.02	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	7.02	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1066	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1067	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1068	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1069	101	0.00	7.03	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	7.02	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1070	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 219

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.82	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1071	101	-0.02	3.49	1.61	0.00	-0.02	0.00
	102	-0.03	3.63	4.19	0.00	-0.03	0.00
	103	-0.03	3.49	1.68	0.00	-0.02	0.00
	104	-0.02	1.98	-0.49	0.00	-0.01	0.00
1072	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00
	103	0.00	5.83	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1073	101	0.00	7.03	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	7.03	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1074	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1075	101	0.00	5.89	0.00	0.00	0.00	0.00
	102	0.00	6.14	0.00	0.00	0.00	0.00
	103	0.00	5.88	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1076	101	0.00	5.88	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.88	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1077	101	0.00	7.04	0.00	0.00	0.00	0.00
	102	0.00	7.33	0.00	0.00	0.00	0.00
	103	0.00	7.04	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
1078	101	0.00	5.84	0.00	0.00	0.00	0.00
	102	0.00	6.08	0.00	0.00	0.00	0.00
	103	0.00	5.84	0.00	0.00	0.00	0.00
	104	0.00	3.32	0.00	0.00	0.00	0.00
1079	101	0.01	3.50	0.03	0.00	0.03	0.00
	102	0.00	3.64	2.62	0.00	0.03	0.00
	103	0.01	3.50	0.11	0.00	0.03	0.00
	104	0.01	1.99	-1.43	0.00	0.02	0.00
1080	101	0.00	5.84	0.00	0.00	0.00	0.00
	102	0.00	6.07	0.00	0.00	0.00	0.00
	103	0.00	5.83	0.00	0.00	0.00	0.00
	104	0.00	3.32	0.00	0.00	0.00	0.00
1081	101	0.00	7.03	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	7.03	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 220

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1082	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1083	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1084	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	6.11	0.00	0.00	0.00	0.00
	103	0.00	5.86	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1085	101	0.00	7.01	0.00	0.00	0.00	0.00
	102	0.00	7.31	0.00	0.00	0.00	0.00
	103	0.00	7.01	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1086	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	6.05	0.00	0.00	0.00	0.00
	103	0.00	5.81	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1087	101	0.01	3.48	2.02	0.00	0.03	0.00
	102	-0.00	3.62	4.63	0.00	0.02	0.00
	103	0.01	3.48	2.09	0.00	0.03	0.00
	104	0.01	1.98	-0.20	0.00	0.02	0.00
1088	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	6.05	0.00	0.00	0.00	0.00
	103	0.00	5.81	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
1089	101	0.00	7.01	0.00	0.00	0.00	0.00
	102	0.00	7.30	0.00	0.00	0.00	0.00
	103	0.00	7.00	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
1090	101	0.00	5.85	0.00	0.00	0.00	0.00
	102	0.00	6.11	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1091	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	6.12	0.00	0.00	0.00	0.00
	103	0.00	5.86	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1092	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	6.11	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
1093	101	0.00	7.01	0.00	0.00	0.00	0.00
	102	0.00	7.31	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 221

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.01	0.00	0.00	0.00	0.00
	104	0.00	4.02	0.00	0.00	0.00	0.00
1094	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00
	103	0.00	5.82	0.00	0.00	0.00	0.00
	104	0.00	3.33	0.00	0.00	0.00	0.00
1095	101	-0.04	3.49	1.94	0.00	0.04	0.00
	102	-0.06	3.64	4.49	0.00	0.04	0.00
	103	-0.04	3.49	2.02	0.00	0.04	0.00
	104	-0.04	1.99	-0.32	0.00	0.04	0.00
1096	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	6.07	0.00	0.00	0.00	0.00
	103	0.00	5.82	0.00	0.00	0.00	0.00
	104	0.00	3.34	0.00	0.00	0.00	0.00
1097	101	0.00	7.04	0.00	0.00	0.00	0.00
	102	0.00	7.35	0.00	0.00	0.00	0.00
	103	0.00	7.03	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1098	101	0.00	5.89	0.00	0.00	0.00	0.00
	102	0.00	6.16	0.00	0.00	0.00	0.00
	103	0.00	5.89	0.00	0.00	0.00	0.00
	104	0.00	3.40	0.00	0.00	0.00	0.00
1099	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	6.18	0.00	0.00	0.00	0.00
	103	0.00	5.90	0.00	0.00	0.00	0.00
	104	0.00	3.41	0.00	0.00	0.00	0.00
1100	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	6.18	0.00	0.00	0.00	0.00
	103	0.00	5.90	0.00	0.00	0.00	0.00
	104	0.00	3.41	0.00	0.00	0.00	0.00
1101	101	0.00	7.07	0.00	0.00	0.00	0.00
	102	0.00	7.39	0.00	0.00	0.00	0.00
	103	0.00	7.07	0.00	0.00	0.00	0.00
	104	0.00	4.08	0.00	0.00	0.00	0.00
1102	101	0.00	5.87	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	5.86	0.00	0.00	0.00	0.00
	104	0.00	3.37	0.00	0.00	0.00	0.00
1103	101	0.13	3.51	2.28	0.00	-0.18	0.00
	102	0.12	3.67	4.73	0.00	-0.27	0.00
	103	0.13	3.51	2.36	0.00	-0.19	0.00
	104	0.15	2.01	0.42	0.00	-0.21	0.00
1104	101	0.00	4.68	0.00	0.00	0.00	0.00
	102	0.00	4.89	0.00	0.00	0.00	0.00
	103	0.00	4.68	0.00	0.00	0.00	0.00
	104	0.00	2.68	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 222

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1105	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	6.11	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.35	0.00	0.00	0.00	0.00
1106	101	0.00	2.93	0.00	0.00	0.00	0.00
	102	0.00	3.06	0.00	0.00	0.00	0.00
	103	0.00	2.93	0.00	0.00	0.00	0.00
	104	0.00	1.68	0.00	0.00	0.00	0.00
1107	101	0.00	3.05	0.00	0.00	0.00	0.00
	102	0.00	3.26	0.00	0.00	0.00	0.00
	103	0.00	3.05	0.00	0.00	0.00	0.00
	104	0.00	1.85	0.00	0.00	0.00	0.00
1108	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.51	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1109	101	0.00	4.87	0.00	0.00	0.00	0.00
	102	0.00	5.20	0.00	0.00	0.00	0.00
	103	0.00	4.87	0.00	0.00	0.00	0.00
	104	0.00	2.96	0.00	0.00	0.00	0.00
1110	101	-0.12	3.65	1.93	0.00	0.20	0.00
	102	-0.09	3.90	4.59	0.00	0.29	0.00
	103	-0.12	3.65	2.02	0.00	0.21	0.00
	104	-0.14	2.22	0.41	0.00	0.23	0.00
1111	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.52	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1112	101	0.00	7.34	0.00	0.00	0.00	0.00
	102	0.00	7.85	0.00	0.00	0.00	0.00
	103	0.00	7.35	0.00	0.00	0.00	0.00
	104	0.00	4.48	0.00	0.00	0.00	0.00
1113	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.56	0.00	0.00	0.00	0.00
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.74	0.00	0.00	0.00	0.00
1114	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.55	0.00	0.00	0.00	0.00
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.74	0.00	0.00	0.00	0.00
1115	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.54	0.00	0.00	0.00	0.00
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.73	0.00	0.00	0.00	0.00
1116	101	0.00	7.31	0.00	0.00	0.00	0.00
	102	0.00	7.81	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 223

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.32	0.00	0.00	0.00	0.00
	104	0.00	4.45	0.00	0.00	0.00	0.00
1117	101	0.00	6.06	0.00	0.00	0.00	0.00
	102	0.00	6.47	0.00	0.00	0.00	0.00
	103	0.00	6.07	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
1118	101	0.07	3.63	1.62	0.00	-0.04	0.00
	102	0.10	3.88	4.44	0.00	-0.04	0.00
	103	0.07	3.63	1.71	0.00	-0.04	0.00
	104	0.06	2.20	-0.28	0.00	-0.04	0.00
1119	101	0.00	6.05	0.00	0.00	0.00	0.00
	102	0.00	6.46	0.00	0.00	0.00	0.00
	103	0.00	6.06	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1120	101	0.00	7.29	0.00	0.00	0.00	0.00
	102	0.00	7.78	0.00	0.00	0.00	0.00
	103	0.00	7.29	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1121	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.50	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1122	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.51	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1123	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.50	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.69	0.00	0.00	0.00	0.00
1124	101	0.00	7.29	0.00	0.00	0.00	0.00
	102	0.00	7.78	0.00	0.00	0.00	0.00
	103	0.00	7.29	0.00	0.00	0.00	0.00
	104	0.00	4.42	0.00	0.00	0.00	0.00
1125	101	0.00	6.05	0.00	0.00	0.00	0.00
	102	0.00	6.45	0.00	0.00	0.00	0.00
	103	0.00	6.06	0.00	0.00	0.00	0.00
	104	0.00	3.66	0.00	0.00	0.00	0.00
1126	101	0.01	3.63	1.82	0.00	-0.02	0.00
	102	0.03	3.87	4.70	0.00	-0.02	0.00
	103	0.01	3.63	1.91	0.00	-0.02	0.00
	104	0.01	2.19	-0.08	0.00	-0.02	0.00
1127	101	0.00	6.05	0.00	0.00	0.00	0.00
	102	0.00	6.46	0.00	0.00	0.00	0.00
	103	0.00	6.06	0.00	0.00	0.00	0.00
	104	0.00	3.66	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 224

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1128	101	0.00	7.30	0.00	0.00	0.00	0.00
	102	0.00	7.79	0.00	0.00	0.00	0.00
	103	0.00	7.30	0.00	0.00	0.00	0.00
	104	0.00	4.42	0.00	0.00	0.00	0.00
1129	101	0.00	6.10	0.00	0.00	0.00	0.00
	102	0.00	6.51	0.00	0.00	0.00	0.00
	103	0.00	6.11	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1130	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.52	0.00	0.00	0.00	0.00
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1131	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.52	0.00	0.00	0.00	0.00
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1132	101	0.00	7.32	0.00	0.00	0.00	0.00
	102	0.00	7.81	0.00	0.00	0.00	0.00
	103	0.00	7.33	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1133	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.49	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
1134	101	-0.01	3.65	-0.01	0.00	-0.05	0.00
	102	0.00	3.89	2.85	0.00	-0.04	0.00
	103	-0.01	3.65	0.08	0.00	-0.05	0.00
	104	-0.00	2.20	-1.22	0.00	-0.03	0.00
1135	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.49	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
1136	101	0.00	7.34	0.00	0.00	0.00	0.00
	102	0.00	7.83	0.00	0.00	0.00	0.00
	103	0.00	7.35	0.00	0.00	0.00	0.00
	104	0.00	4.44	0.00	0.00	0.00	0.00
1137	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.54	0.00	0.00	0.00	0.00
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1138	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.54	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1139	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 225

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1140	101	0.00	7.33	0.00	0.00	0.00	0.00
	102	0.00	7.82	0.00	0.00	0.00	0.00
	103	0.00	7.34	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1141	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.48	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1142	101	0.02	3.65	1.42	0.00	0.03	0.00
	102	0.02	3.88	4.27	0.00	0.03	0.00
	103	0.02	3.65	1.51	0.00	0.03	0.00
	104	0.01	2.20	-0.37	0.00	0.01	0.00
1143	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.48	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1144	101	0.00	7.32	0.00	0.00	0.00	0.00
	102	0.00	7.81	0.00	0.00	0.00	0.00
	103	0.00	7.33	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1145	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1146	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1147	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1148	101	0.00	7.32	0.00	0.00	0.00	0.00
	102	0.00	7.81	0.00	0.00	0.00	0.00
	103	0.00	7.33	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1149	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.48	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1150	101	-0.02	3.65	1.43	0.00	-0.03	0.00
	102	-0.03	3.89	4.28	0.00	-0.03	0.00
	103	-0.02	3.65	1.52	0.00	-0.03	0.00
	104	-0.02	2.20	-0.36	0.00	-0.02	0.00

STAAD SPACE -- PAGE NO. 226

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1151	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.48	0.00	0.00	0.00	0.00
	103	0.00	6.09	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1152	101	0.00	7.33	0.00	0.00	0.00	0.00
	102	0.00	7.82	0.00	0.00	0.00	0.00
	103	0.00	7.34	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1153	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.54	0.00	0.00	0.00	0.00
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1154	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.55	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1155	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.54	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1156	101	0.00	7.34	0.00	0.00	0.00	0.00
	102	0.00	7.83	0.00	0.00	0.00	0.00
	103	0.00	7.35	0.00	0.00	0.00	0.00
	104	0.00	4.44	0.00	0.00	0.00	0.00
1157	101	0.00	6.10	0.00	0.00	0.00	0.00
	102	0.00	6.50	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
1158	101	0.00	3.65	-0.07	0.00	0.04	0.00
	102	-0.01	3.89	2.79	0.00	0.04	0.00
	103	0.00	3.66	0.03	0.00	0.04	0.00
	104	0.00	2.20	-1.25	0.00	0.03	0.00
1159	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.50	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
1160	101	0.00	7.33	0.00	0.00	0.00	0.00
	102	0.00	7.82	0.00	0.00	0.00	0.00
	103	0.00	7.34	0.00	0.00	0.00	0.00
	104	0.00	4.44	0.00	0.00	0.00	0.00
1161	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1162	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.12	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1163	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.52	0.00	0.00	0.00	0.00
	103	0.00	6.11	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1164	101	0.00	7.31	0.00	0.00	0.00	0.00
	102	0.00	7.80	0.00	0.00	0.00	0.00
	103	0.00	7.31	0.00	0.00	0.00	0.00
	104	0.00	4.42	0.00	0.00	0.00	0.00
1165	101	0.00	6.06	0.00	0.00	0.00	0.00
	102	0.00	6.46	0.00	0.00	0.00	0.00
	103	0.00	6.07	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1166	101	-0.01	3.63	1.78	0.00	0.03	0.00
	102	-0.02	3.87	4.66	0.00	0.02	0.00
	103	-0.01	3.64	1.87	0.00	0.03	0.00
	104	-0.01	2.20	-0.11	0.00	0.02	0.00
1167	101	0.00	6.06	0.00	0.00	0.00	0.00
	102	0.00	6.46	0.00	0.00	0.00	0.00
	103	0.00	6.06	0.00	0.00	0.00	0.00
	104	0.00	3.66	0.00	0.00	0.00	0.00
1168	101	0.00	7.29	0.00	0.00	0.00	0.00
	102	0.00	7.79	0.00	0.00	0.00	0.00
	103	0.00	7.30	0.00	0.00	0.00	0.00
	104	0.00	4.42	0.00	0.00	0.00	0.00
1169	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.51	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1170	101	0.00	6.10	0.00	0.00	0.00	0.00
	102	0.00	6.51	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1171	101	0.00	6.09	0.00	0.00	0.00	0.00
	102	0.00	6.51	0.00	0.00	0.00	0.00
	103	0.00	6.10	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1172	101	0.00	7.30	0.00	0.00	0.00	0.00
	102	0.00	7.79	0.00	0.00	0.00	0.00
	103	0.00	7.30	0.00	0.00	0.00	0.00
	104	0.00	4.43	0.00	0.00	0.00	0.00
1173	101	0.00	6.06	0.00	0.00	0.00	0.00
	102	0.00	6.47	0.00	0.00	0.00	0.00
	103	0.00	6.07	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1174	101	-0.07	3.63	1.66	0.00	0.04	0.00
	102	-0.10	3.88	4.48	0.00	0.04	0.00
	103	-0.07	3.64	1.75	0.00	0.04	0.00
	104	-0.06	2.21	-0.25	0.00	0.04	0.00
1175	101	0.00	6.07	0.00	0.00	0.00	0.00
	102	0.00	6.48	0.00	0.00	0.00	0.00
	103	0.00	6.07	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
1176	101	0.00	7.32	0.00	0.00	0.00	0.00
	102	0.00	7.82	0.00	0.00	0.00	0.00
	103	0.00	7.33	0.00	0.00	0.00	0.00
	104	0.00	4.46	0.00	0.00	0.00	0.00
1177	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.55	0.00	0.00	0.00	0.00
	103	0.00	6.13	0.00	0.00	0.00	0.00
	104	0.00	3.73	0.00	0.00	0.00	0.00
1178	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.56	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	3.74	0.00	0.00	0.00	0.00
1179	101	0.00	6.13	0.00	0.00	0.00	0.00
	102	0.00	6.57	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	3.74	0.00	0.00	0.00	0.00
1180	101	0.00	7.35	0.00	0.00	0.00	0.00
	102	0.00	7.86	0.00	0.00	0.00	0.00
	103	0.00	7.36	0.00	0.00	0.00	0.00
	104	0.00	4.48	0.00	0.00	0.00	0.00
1181	101	0.00	6.10	0.00	0.00	0.00	0.00
	102	0.00	6.53	0.00	0.00	0.00	0.00
	103	0.00	6.11	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1182	101	0.12	3.66	1.98	0.00	-0.20	0.00
	102	0.09	3.91	4.64	0.00	-0.29	0.00
	103	0.12	3.66	2.07	0.00	-0.21	0.00
	104	0.14	2.22	0.44	0.00	-0.23	0.00
1183	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	5.21	0.00	0.00	0.00	0.00
	103	0.00	4.88	0.00	0.00	0.00	0.00
	104	0.00	2.96	0.00	0.00	0.00	0.00
1184	101	0.00	6.10	0.00	0.00	0.00	0.00
	102	0.00	6.52	0.00	0.00	0.00	0.00
	103	0.00	6.11	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1185	101	0.00	3.05	0.00	0.00	0.00	0.00
	102	0.00	3.26	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 229

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.06	0.00	0.00	0.00	0.00
	104	0.00	1.85	0.00	0.00	0.00	0.00
1186	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	3.46	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	2.03	0.00	0.00	0.00	0.00
1187	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1188	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	5.53	0.00	0.00	0.00	0.00
	103	0.00	5.07	0.00	0.00	0.00	0.00
	104	0.00	3.24	0.00	0.00	0.00	0.00
1189	101	-0.09	3.79	1.18	0.00	0.22	0.00
	102	-0.04	4.15	3.90	0.00	0.32	0.00
	103	-0.08	3.80	1.28	0.00	0.23	0.00
	104	-0.11	2.43	0.08	0.00	0.24	0.00
1190	101	0.00	6.32	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1191	101	0.00	7.61	0.00	0.00	0.00	0.00
	102	0.00	8.32	0.00	0.00	0.00	0.00
	103	0.00	7.63	0.00	0.00	0.00	0.00
	104	0.00	4.88	0.00	0.00	0.00	0.00
1192	101	0.00	6.34	0.00	0.00	0.00	0.00
	102	0.00	6.94	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00
1193	101	0.00	6.34	0.00	0.00	0.00	0.00
	102	0.00	6.94	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00
1194	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1195	101	0.00	7.58	0.00	0.00	0.00	0.00
	102	0.00	8.28	0.00	0.00	0.00	0.00
	103	0.00	7.60	0.00	0.00	0.00	0.00
	104	0.00	4.86	0.00	0.00	0.00	0.00
1196	101	0.00	6.29	0.00	0.00	0.00	0.00
	102	0.00	6.87	0.00	0.00	0.00	0.00
	103	0.00	6.31	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 230

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1197	101	0.11	3.77	0.84	0.00	-0.03	0.00
	102	0.15	4.12	3.75	0.00	-0.03	0.00
	103	0.11	3.78	0.94	0.00	-0.03	0.00
	104	0.09	2.41	-0.60	0.00	-0.03	0.00
1198	101	0.00	6.29	0.00	0.00	0.00	0.00
	102	0.00	6.86	0.00	0.00	0.00	0.00
	103	0.00	6.31	0.00	0.00	0.00	0.00
	104	0.00	4.02	0.00	0.00	0.00	0.00
1199	101	0.00	7.57	0.00	0.00	0.00	0.00
	102	0.00	8.26	0.00	0.00	0.00	0.00
	103	0.00	7.59	0.00	0.00	0.00	0.00
	104	0.00	4.84	0.00	0.00	0.00	0.00
1200	101	0.00	6.31	0.00	0.00	0.00	0.00
	102	0.00	6.89	0.00	0.00	0.00	0.00
	103	0.00	6.33	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1201	101	0.00	6.32	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1202	101	0.00	6.32	0.00	0.00	0.00	0.00
	102	0.00	6.89	0.00	0.00	0.00	0.00
	103	0.00	6.33	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1203	101	0.00	7.57	0.00	0.00	0.00	0.00
	102	0.00	8.26	0.00	0.00	0.00	0.00
	103	0.00	7.59	0.00	0.00	0.00	0.00
	104	0.00	4.83	0.00	0.00	0.00	0.00
1204	101	0.00	6.29	0.00	0.00	0.00	0.00
	102	0.00	6.86	0.00	0.00	0.00	0.00
	103	0.00	6.31	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
1205	101	0.04	3.77	1.07	0.00	-0.02	0.00
	102	0.06	4.11	4.04	0.00	-0.01	0.00
	103	0.04	3.78	1.17	0.00	-0.02	0.00
	104	0.03	2.41	-0.38	0.00	-0.02	0.00
1206	101	0.00	6.30	0.00	0.00	0.00	0.00
	102	0.00	6.86	0.00	0.00	0.00	0.00
	103	0.00	6.31	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
1207	101	0.00	7.58	0.00	0.00	0.00	0.00
	102	0.00	8.27	0.00	0.00	0.00	0.00
	103	0.00	7.60	0.00	0.00	0.00	0.00
	104	0.00	4.84	0.00	0.00	0.00	0.00
1208	101	0.00	6.34	0.00	0.00	0.00	0.00
	102	0.00	6.91	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 231

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1209	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1210	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1211	101	0.00	7.62	0.00	0.00	0.00	0.00
	102	0.00	8.30	0.00	0.00	0.00	0.00
	103	0.00	7.64	0.00	0.00	0.00	0.00
	104	0.00	4.85	0.00	0.00	0.00	0.00
1212	101	0.00	6.34	0.00	0.00	0.00	0.00
	102	0.00	6.91	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1213	101	0.01	3.80	-0.50	0.00	-0.06	0.00
	102	0.03	4.14	2.45	0.00	-0.05	0.00
	103	0.01	3.81	-0.39	0.00	-0.06	0.00
	104	0.01	2.42	-1.36	0.00	-0.04	0.00
1214	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.91	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1215	101	0.00	7.64	0.00	0.00	0.00	0.00
	102	0.00	8.32	0.00	0.00	0.00	0.00
	103	0.00	7.66	0.00	0.00	0.00	0.00
	104	0.00	4.86	0.00	0.00	0.00	0.00
1216	101	0.00	6.37	0.00	0.00	0.00	0.00
	102	0.00	6.95	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1217	101	0.00	6.37	0.00	0.00	0.00	0.00
	102	0.00	6.95	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1218	101	0.00	6.37	0.00	0.00	0.00	0.00
	102	0.00	6.94	0.00	0.00	0.00	0.00
	103	0.00	6.38	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1219	101	0.00	7.62	0.00	0.00	0.00	0.00
	102	0.00	8.31	0.00	0.00	0.00	0.00
	103	0.00	7.64	0.00	0.00	0.00	0.00
	104	0.00	4.85	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 232

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1220	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00
1221	101	0.01	3.80	0.77	0.00	0.03	0.00
	102	0.02	4.14	3.71	0.00	0.03	0.00
	103	0.02	3.81	0.87	0.00	0.03	0.00
	104	0.01	2.41	-0.61	0.00	0.02	0.00
1222	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00
1223	101	0.00	7.61	0.00	0.00	0.00	0.00
	102	0.00	8.30	0.00	0.00	0.00	0.00
	103	0.00	7.63	0.00	0.00	0.00	0.00
	104	0.00	4.85	0.00	0.00	0.00	0.00
1224	101	0.00	6.36	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1225	101	0.00	6.36	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.38	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1226	101	0.00	6.36	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1227	101	0.00	7.62	0.00	0.00	0.00	0.00
	102	0.00	8.30	0.00	0.00	0.00	0.00
	103	0.00	7.64	0.00	0.00	0.00	0.00
	104	0.00	4.85	0.00	0.00	0.00	0.00
1228	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00
1229	101	-0.02	3.80	0.78	0.00	-0.03	0.00
	102	-0.02	4.14	3.73	0.00	-0.04	0.00
	103	-0.02	3.81	0.88	0.00	-0.04	0.00
	104	-0.01	2.42	-0.61	0.00	-0.02	0.00
1230	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00
1231	101	0.00	7.63	0.00	0.00	0.00	0.00
	102	0.00	8.31	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 233

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.65	0.00	0.00	0.00	0.00
	104	0.00	4.86	0.00	0.00	0.00	0.00
1232	101	0.00	6.37	0.00	0.00	0.00	0.00
	102	0.00	6.94	0.00	0.00	0.00	0.00
	103	0.00	6.39	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1233	101	0.00	6.38	0.00	0.00	0.00	0.00
	102	0.00	6.95	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1234	101	0.00	6.38	0.00	0.00	0.00	0.00
	102	0.00	6.95	0.00	0.00	0.00	0.00
	103	0.00	6.40	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1235	101	0.00	7.64	0.00	0.00	0.00	0.00
	102	0.00	8.33	0.00	0.00	0.00	0.00
	103	0.00	7.66	0.00	0.00	0.00	0.00
	104	0.00	4.87	0.00	0.00	0.00	0.00
1236	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1237	101	-0.02	3.81	-0.53	0.00	0.05	0.00
	102	-0.03	4.15	2.42	0.00	0.05	0.00
	103	-0.02	3.82	-0.43	0.00	0.05	0.00
	104	-0.01	2.42	-1.39	0.00	0.03	0.00
1238	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.91	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1239	101	0.00	7.63	0.00	0.00	0.00	0.00
	102	0.00	8.31	0.00	0.00	0.00	0.00
	103	0.00	7.65	0.00	0.00	0.00	0.00
	104	0.00	4.86	0.00	0.00	0.00	0.00
1240	101	0.00	6.36	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.38	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1241	101	0.00	6.36	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1242	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 234

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1243	101	0.00	7.59	0.00	0.00	0.00	0.00
	102	0.00	8.28	0.00	0.00	0.00	0.00
	103	0.00	7.61	0.00	0.00	0.00	0.00
	104	0.00	4.84	0.00	0.00	0.00	0.00
1244	101	0.00	6.31	0.00	0.00	0.00	0.00
	102	0.00	6.87	0.00	0.00	0.00	0.00
	103	0.00	6.32	0.00	0.00	0.00	0.00
	104	0.00	4.02	0.00	0.00	0.00	0.00
1245	101	-0.04	3.78	1.04	0.00	0.02	0.00
	102	-0.06	4.12	4.02	0.00	0.02	0.00
	103	-0.04	3.79	1.15	0.00	0.02	0.00
	104	-0.03	2.41	-0.40	0.00	0.02	0.00
1246	101	0.00	6.30	0.00	0.00	0.00	0.00
	102	0.00	6.87	0.00	0.00	0.00	0.00
	103	0.00	6.32	0.00	0.00	0.00	0.00
	104	0.00	4.02	0.00	0.00	0.00	0.00
1247	101	0.00	7.58	0.00	0.00	0.00	0.00
	102	0.00	8.27	0.00	0.00	0.00	0.00
	103	0.00	7.60	0.00	0.00	0.00	0.00
	104	0.00	4.84	0.00	0.00	0.00	0.00
1248	101	0.00	6.32	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1249	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.91	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1250	101	0.00	6.32	0.00	0.00	0.00	0.00
	102	0.00	6.90	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	4.04	0.00	0.00	0.00	0.00
1251	101	0.00	7.58	0.00	0.00	0.00	0.00
	102	0.00	8.27	0.00	0.00	0.00	0.00
	103	0.00	7.60	0.00	0.00	0.00	0.00
	104	0.00	4.84	0.00	0.00	0.00	0.00
1252	101	0.00	6.30	0.00	0.00	0.00	0.00
	102	0.00	6.87	0.00	0.00	0.00	0.00
	103	0.00	6.32	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00
1253	101	-0.11	3.78	0.89	0.00	0.03	0.00
	102	-0.15	4.12	3.79	0.00	0.03	0.00
	103	-0.11	3.79	0.98	0.00	0.03	0.00
	104	-0.09	2.41	-0.57	0.00	0.03	0.00
1254	101	0.00	6.30	0.00	0.00	0.00	0.00
	102	0.00	6.88	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 235

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.32	0.00	0.00	0.00	0.00
	104	0.00	4.03	0.00	0.00	0.00	0.00
1255	101	0.00	7.59	0.00	0.00	0.00	0.00
	102	0.00	8.30	0.00	0.00	0.00	0.00
	103	0.00	7.61	0.00	0.00	0.00	0.00
	104	0.00	4.86	0.00	0.00	0.00	0.00
1256	101	0.00	6.34	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00
1257	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.95	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.08	0.00	0.00	0.00	0.00
1258	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.95	0.00	0.00	0.00	0.00
	103	0.00	6.37	0.00	0.00	0.00	0.00
	104	0.00	4.08	0.00	0.00	0.00	0.00
1259	101	0.00	7.62	0.00	0.00	0.00	0.00
	102	0.00	8.33	0.00	0.00	0.00	0.00
	103	0.00	7.64	0.00	0.00	0.00	0.00
	104	0.00	4.89	0.00	0.00	0.00	0.00
1260	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
1261	101	0.08	3.80	1.23	0.00	-0.22	0.00
	102	0.04	4.15	3.95	0.00	-0.32	0.00
	103	0.08	3.81	1.32	0.00	-0.23	0.00
	104	0.11	2.43	0.10	0.00	-0.24	0.00
1262	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	5.54	0.00	0.00	0.00	0.00
	103	0.00	5.08	0.00	0.00	0.00	0.00
	104	0.00	3.24	0.00	0.00	0.00	0.00
1263	101	0.00	6.34	0.00	0.00	0.00	0.00
	102	0.00	6.93	0.00	0.00	0.00	0.00
	103	0.00	6.35	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
1264	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	3.47	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	2.03	0.00	0.00	0.00	0.00
1265	101	0.00	4.10	0.00	0.00	0.00	0.00
	102	0.00	4.58	0.00	0.00	0.00	0.00
	103	0.00	4.12	0.00	0.00	0.00	0.00
	104	0.00	2.75	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 236

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1266	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	9.14	0.00	0.00	0.00	0.00
	103	0.00	8.23	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1267	101	0.00	6.55	0.00	0.00	0.00	0.00
	102	0.00	7.31	0.00	0.00	0.00	0.00
	103	0.00	6.58	0.00	0.00	0.00	0.00
	104	0.00	4.39	0.00	0.00	0.00	0.00
1268	101	-0.01	4.91	-0.62	0.00	0.32	0.00
	102	0.09	5.48	2.49	0.00	0.44	0.00
	103	-0.01	4.93	-0.51	0.00	0.33	0.00
	104	-0.05	3.29	-1.21	0.00	0.34	0.00
1269	101	0.00	8.19	0.00	0.00	0.00	0.00
	102	0.00	9.13	0.00	0.00	0.00	0.00
	103	0.00	8.22	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1270	101	0.00	9.84	0.00	0.00	0.00	0.00
	102	0.00	10.97	0.00	0.00	0.00	0.00
	103	0.00	9.88	0.00	0.00	0.00	0.00
	104	0.00	6.60	0.00	0.00	0.00	0.00
1271	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	9.15	0.00	0.00	0.00	0.00
	103	0.00	8.24	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1272	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	9.14	0.00	0.00	0.00	0.00
	103	0.00	8.23	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1273	101	0.00	8.19	0.00	0.00	0.00	0.00
	102	0.00	9.13	0.00	0.00	0.00	0.00
	103	0.00	8.22	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1274	101	0.00	9.81	0.00	0.00	0.00	0.00
	102	0.00	10.93	0.00	0.00	0.00	0.00
	103	0.00	9.85	0.00	0.00	0.00	0.00
	104	0.00	6.57	0.00	0.00	0.00	0.00
1275	101	0.00	8.15	0.00	0.00	0.00	0.00
	102	0.00	9.08	0.00	0.00	0.00	0.00
	103	0.00	8.19	0.00	0.00	0.00	0.00
	104	0.00	5.46	0.00	0.00	0.00	0.00
1276	101	0.22	4.89	-1.22	0.00	-0.02	0.00
	102	0.30	5.44	2.12	0.00	-0.02	0.00
	103	0.22	4.91	-1.11	0.00	-0.02	0.00
	104	0.19	3.27	-2.14	0.00	-0.02	0.00
1277	101	0.00	8.15	0.00	0.00	0.00	0.00
	102	0.00	9.08	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 237

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.18	0.00	0.00	0.00	0.00
	104	0.00	5.46	0.00	0.00	0.00	0.00
1278	101	0.00	9.80	0.00	0.00	0.00	0.00
	102	0.00	10.91	0.00	0.00	0.00	0.00
	103	0.00	9.84	0.00	0.00	0.00	0.00
	104	0.00	6.55	0.00	0.00	0.00	0.00
1279	101	0.00	8.17	0.00	0.00	0.00	0.00
	102	0.00	9.10	0.00	0.00	0.00	0.00
	103	0.00	8.21	0.00	0.00	0.00	0.00
	104	0.00	5.47	0.00	0.00	0.00	0.00
1280	101	0.00	8.18	0.00	0.00	0.00	0.00
	102	0.00	9.11	0.00	0.00	0.00	0.00
	103	0.00	8.21	0.00	0.00	0.00	0.00
	104	0.00	5.47	0.00	0.00	0.00	0.00
1281	101	0.00	8.18	0.00	0.00	0.00	0.00
	102	0.00	9.10	0.00	0.00	0.00	0.00
	103	0.00	8.21	0.00	0.00	0.00	0.00
	104	0.00	5.47	0.00	0.00	0.00	0.00
1282	101	0.00	9.81	0.00	0.00	0.00	0.00
	102	0.00	10.91	0.00	0.00	0.00	0.00
	103	0.00	9.85	0.00	0.00	0.00	0.00
	104	0.00	6.55	0.00	0.00	0.00	0.00
1283	101	0.00	8.16	0.00	0.00	0.00	0.00
	102	0.00	9.08	0.00	0.00	0.00	0.00
	103	0.00	8.20	0.00	0.00	0.00	0.00
	104	0.00	5.45	0.00	0.00	0.00	0.00
1284	101	0.13	4.90	-0.89	0.00	-0.01	0.00
	102	0.18	5.45	2.53	0.00	0.00	0.00
	103	0.14	4.92	-0.77	0.00	-0.01	0.00
	104	0.10	3.27	-1.85	0.00	-0.01	0.00
1285	101	0.00	8.17	0.00	0.00	0.00	0.00
	102	0.00	9.08	0.00	0.00	0.00	0.00
	103	0.00	8.20	0.00	0.00	0.00	0.00
	104	0.00	5.46	0.00	0.00	0.00	0.00
1286	101	0.00	9.83	0.00	0.00	0.00	0.00
	102	0.00	10.93	0.00	0.00	0.00	0.00
	103	0.00	9.87	0.00	0.00	0.00	0.00
	104	0.00	6.57	0.00	0.00	0.00	0.00
1287	101	0.00	8.21	0.00	0.00	0.00	0.00
	102	0.00	9.13	0.00	0.00	0.00	0.00
	103	0.00	8.24	0.00	0.00	0.00	0.00
	104	0.00	5.48	0.00	0.00	0.00	0.00
1288	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	9.15	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 238

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1289	101	0.00	8.23	0.00	0.00	0.00	0.00
	102	0.00	9.15	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1290	101	0.00	9.88	0.00	0.00	0.00	0.00
	102	0.00	10.98	0.00	0.00	0.00	0.00
	103	0.00	9.92	0.00	0.00	0.00	0.00
	104	0.00	6.59	0.00	0.00	0.00	0.00
1291	101	0.00	8.24	0.00	0.00	0.00	0.00
	102	0.00	9.15	0.00	0.00	0.00	0.00
	103	0.00	8.27	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1292	101	0.10	4.94	-2.16	0.00	-0.09	0.00
	102	0.13	5.49	1.23	0.00	-0.08	0.00
	103	0.10	4.96	-2.05	0.00	-0.09	0.00
	104	0.07	3.30	-2.66	0.00	-0.05	0.00
1293	101	0.00	8.25	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.28	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1294	101	0.00	9.92	0.00	0.00	0.00	0.00
	102	0.00	11.02	0.00	0.00	0.00	0.00
	103	0.00	9.96	0.00	0.00	0.00	0.00
	104	0.00	6.61	0.00	0.00	0.00	0.00
1295	101	0.00	8.27	0.00	0.00	0.00	0.00
	102	0.00	9.19	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1296	101	0.00	8.27	0.00	0.00	0.00	0.00
	102	0.00	9.19	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1297	101	0.00	8.26	0.00	0.00	0.00	0.00
	102	0.00	9.18	0.00	0.00	0.00	0.00
	103	0.00	8.29	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1298	101	0.00	9.89	0.00	0.00	0.00	0.00
	102	0.00	10.99	0.00	0.00	0.00	0.00
	103	0.00	9.93	0.00	0.00	0.00	0.00
	104	0.00	6.60	0.00	0.00	0.00	0.00
1299	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	9.14	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	5.48	0.00	0.00	0.00	0.00
1300	101	-0.01	4.93	-1.06	0.00	0.05	0.00
	102	-0.01	5.48	2.32	0.00	0.05	0.00

STAAD SPACE -- PAGE NO. 239

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.01	4.95	-0.95	0.00	0.05	0.00
	104	-0.01	3.29	-2.01	0.00	0.03	0.00
1301	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	9.13	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	5.48	0.00	0.00	0.00	0.00
1302	101	0.00	9.88	0.00	0.00	0.00	0.00
	102	0.00	10.98	0.00	0.00	0.00	0.00
	103	0.00	9.92	0.00	0.00	0.00	0.00
	104	0.00	6.59	0.00	0.00	0.00	0.00
1303	101	0.00	8.24	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.27	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1304	101	0.00	8.24	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.27	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1305	101	0.00	8.24	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.27	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1306	101	0.00	9.88	0.00	0.00	0.00	0.00
	102	0.00	10.98	0.00	0.00	0.00	0.00
	103	0.00	9.92	0.00	0.00	0.00	0.00
	104	0.00	6.59	0.00	0.00	0.00	0.00
1307	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	9.13	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	5.48	0.00	0.00	0.00	0.00
1308	101	0.01	4.93	-1.05	0.00	-0.05	0.00
	102	0.01	5.48	2.34	0.00	-0.05	0.00
	103	0.01	4.95	-0.93	0.00	-0.05	0.00
	104	0.00	3.29	-2.00	0.00	-0.03	0.00
1309	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	9.14	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	5.48	0.00	0.00	0.00	0.00
1310	101	0.00	9.90	0.00	0.00	0.00	0.00
	102	0.00	11.00	0.00	0.00	0.00	0.00
	103	0.00	9.94	0.00	0.00	0.00	0.00
	104	0.00	6.60	0.00	0.00	0.00	0.00
1311	101	0.00	8.26	0.00	0.00	0.00	0.00
	102	0.00	9.18	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 240

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1312	101	0.00	8.27	0.00	0.00	0.00	0.00
	102	0.00	9.20	0.00	0.00	0.00	0.00
	103	0.00	8.31	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1313	101	0.00	8.28	0.00	0.00	0.00	0.00
	102	0.00	9.20	0.00	0.00	0.00	0.00
	103	0.00	8.31	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1314	101	0.00	9.93	0.00	0.00	0.00	0.00
	102	0.00	11.03	0.00	0.00	0.00	0.00
	103	0.00	9.97	0.00	0.00	0.00	0.00
	104	0.00	6.62	0.00	0.00	0.00	0.00
1315	101	0.00	8.25	0.00	0.00	0.00	0.00
	102	0.00	9.17	0.00	0.00	0.00	0.00
	103	0.00	8.29	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1316	101	-0.10	4.95	-2.18	0.00	0.08	0.00
	102	-0.13	5.50	1.21	0.00	0.07	0.00
	103	-0.10	4.97	-2.06	0.00	0.08	0.00
	104	-0.07	3.30	-2.67	0.00	0.05	0.00
1317	101	0.00	8.25	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.28	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1318	101	0.00	9.90	0.00	0.00	0.00	0.00
	102	0.00	11.00	0.00	0.00	0.00	0.00
	103	0.00	9.94	0.00	0.00	0.00	0.00
	104	0.00	6.60	0.00	0.00	0.00	0.00
1319	101	0.00	8.24	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.28	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1320	101	0.00	8.24	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.27	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1321	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	9.14	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
1322	101	0.00	9.85	0.00	0.00	0.00	0.00
	102	0.00	10.95	0.00	0.00	0.00	0.00
	103	0.00	9.89	0.00	0.00	0.00	0.00
	104	0.00	6.57	0.00	0.00	0.00	0.00
1323	101	0.00	8.18	0.00	0.00	0.00	0.00
	102	0.00	9.10	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 241

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.21	0.00	0.00	0.00	0.00
	104	0.00	5.46	0.00	0.00	0.00	0.00
1324	101	-0.14	4.90	-0.89	0.00	0.01	0.00
	102	-0.18	5.45	2.53	0.00	0.00	0.00
	103	-0.14	4.92	-0.77	0.00	0.01	0.00
	104	-0.10	3.28	-1.85	0.00	0.01	0.00
1325	101	0.00	8.17	0.00	0.00	0.00	0.00
	102	0.00	9.09	0.00	0.00	0.00	0.00
	103	0.00	8.21	0.00	0.00	0.00	0.00
	104	0.00	5.46	0.00	0.00	0.00	0.00
1326	101	0.00	9.82	0.00	0.00	0.00	0.00
	102	0.00	10.93	0.00	0.00	0.00	0.00
	103	0.00	9.86	0.00	0.00	0.00	0.00
	104	0.00	6.56	0.00	0.00	0.00	0.00
1327	101	0.00	8.19	0.00	0.00	0.00	0.00
	102	0.00	9.11	0.00	0.00	0.00	0.00
	103	0.00	8.22	0.00	0.00	0.00	0.00
	104	0.00	5.47	0.00	0.00	0.00	0.00
1328	101	0.00	8.19	0.00	0.00	0.00	0.00
	102	0.00	9.12	0.00	0.00	0.00	0.00
	103	0.00	8.22	0.00	0.00	0.00	0.00
	104	0.00	5.48	0.00	0.00	0.00	0.00
1329	101	0.00	8.19	0.00	0.00	0.00	0.00
	102	0.00	9.11	0.00	0.00	0.00	0.00
	103	0.00	8.22	0.00	0.00	0.00	0.00
	104	0.00	5.47	0.00	0.00	0.00	0.00
1330	101	0.00	9.81	0.00	0.00	0.00	0.00
	102	0.00	10.92	0.00	0.00	0.00	0.00
	103	0.00	9.85	0.00	0.00	0.00	0.00
	104	0.00	6.56	0.00	0.00	0.00	0.00
1331	101	0.00	8.16	0.00	0.00	0.00	0.00
	102	0.00	9.09	0.00	0.00	0.00	0.00
	103	0.00	8.20	0.00	0.00	0.00	0.00
	104	0.00	5.46	0.00	0.00	0.00	0.00
1332	101	-0.22	4.90	-1.17	0.00	0.02	0.00
	102	-0.30	5.45	2.18	0.00	0.02	0.00
	103	-0.23	4.92	-1.05	0.00	0.02	0.00
	104	-0.19	3.28	-2.11	0.00	0.02	0.00
1333	101	0.00	8.17	0.00	0.00	0.00	0.00
	102	0.00	9.09	0.00	0.00	0.00	0.00
	103	0.00	8.20	0.00	0.00	0.00	0.00
	104	0.00	5.47	0.00	0.00	0.00	0.00
1334	101	0.00	9.83	0.00	0.00	0.00	0.00
	102	0.00	10.95	0.00	0.00	0.00	0.00
	103	0.00	9.87	0.00	0.00	0.00	0.00
	104	0.00	6.58	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 242

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1335	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	9.14	0.00	0.00	0.00	0.00
	103	0.00	8.24	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1336	101	0.00	8.21	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1337	101	0.00	8.21	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1338	101	0.00	9.85	0.00	0.00	0.00	0.00
	102	0.00	10.99	0.00	0.00	0.00	0.00
	103	0.00	9.90	0.00	0.00	0.00	0.00
	104	0.00	6.61	0.00	0.00	0.00	0.00
1339	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	9.15	0.00	0.00	0.00	0.00
	103	0.00	8.24	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1340	101	0.01	4.92	-0.57	0.00	-0.32	0.00
	102	-0.09	5.49	2.55	0.00	-0.44	0.00
	103	0.01	4.94	-0.46	0.00	-0.33	0.00
	104	0.04	3.30	-1.18	0.00	-0.34	0.00
1341	101	0.00	6.56	0.00	0.00	0.00	0.00
	102	0.00	7.32	0.00	0.00	0.00	0.00
	103	0.00	6.59	0.00	0.00	0.00	0.00
	104	0.00	4.40	0.00	0.00	0.00	0.00
1342	101	0.00	8.21	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
1343	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	4.59	0.00	0.00	0.00	0.00
	103	0.00	4.13	0.00	0.00	0.00	0.00
	104	0.00	2.75	0.00	0.00	0.00	0.00
1344	101	0.00	5.20	0.00	0.00	0.00	0.00
	102	0.00	5.96	0.00	0.00	0.00	0.00
	103	0.00	5.23	0.00	0.00	0.00	0.00
	104	0.00	3.70	0.00	0.00	0.00	0.00
1345	101	0.00	10.38	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.44	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1346	101	0.00	8.29	0.00	0.00	0.00	0.00
	102	0.00	9.51	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 243

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.34	0.00	0.00	0.00	0.00
	104	0.00	5.91	0.00	0.00	0.00	0.00
1347	101	0.29	6.22	-5.37	0.00	0.46	0.00
	102	0.54	7.12	-2.79	0.00	0.61	0.00
	103	0.30	6.26	-5.29	0.00	0.47	0.00
	104	0.24	4.43	-4.78	0.00	0.46	0.00
1348	101	0.00	10.36	0.00	0.00	0.00	0.00
	102	0.00	11.87	0.00	0.00	0.00	0.00
	103	0.00	10.42	0.00	0.00	0.00	0.00
	104	0.00	7.37	0.00	0.00	0.00	0.00
1349	101	0.00	12.42	0.00	0.00	0.00	0.00
	102	0.00	14.23	0.00	0.00	0.00	0.00
	103	0.00	12.50	0.00	0.00	0.00	0.00
	104	0.00	8.84	0.00	0.00	0.00	0.00
1350	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	11.85	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1351	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	11.84	0.00	0.00	0.00	0.00
	103	0.00	10.40	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1352	101	0.00	10.33	0.00	0.00	0.00	0.00
	102	0.00	11.83	0.00	0.00	0.00	0.00
	103	0.00	10.40	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1353	101	0.00	12.39	0.00	0.00	0.00	0.00
	102	0.00	14.18	0.00	0.00	0.00	0.00
	103	0.00	12.47	0.00	0.00	0.00	0.00
	104	0.00	8.81	0.00	0.00	0.00	0.00
1354	101	0.00	10.32	0.00	0.00	0.00	0.00
	102	0.00	11.81	0.00	0.00	0.00	0.00
	103	0.00	10.38	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1355	101	0.51	6.19	-6.56	0.00	-0.00	0.00
	102	0.69	7.08	-3.83	0.00	0.01	0.00
	103	0.52	6.23	-6.49	0.00	-0.00	0.00
	104	0.44	4.40	-6.22	0.00	-0.01	0.00
1356	101	0.00	10.32	0.00	0.00	0.00	0.00
	102	0.00	11.80	0.00	0.00	0.00	0.00
	103	0.00	10.38	0.00	0.00	0.00	0.00
	104	0.00	7.33	0.00	0.00	0.00	0.00
1357	101	0.00	12.39	0.00	0.00	0.00	0.00
	102	0.00	14.17	0.00	0.00	0.00	0.00
	103	0.00	12.46	0.00	0.00	0.00	0.00
	104	0.00	8.80	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 244

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1358	101	0.00	10.33	0.00	0.00	0.00	0.00
	102	0.00	11.81	0.00	0.00	0.00	0.00
	103	0.00	10.39	0.00	0.00	0.00	0.00
	104	0.00	7.33	0.00	0.00	0.00	0.00
1359	101	0.00	10.33	0.00	0.00	0.00	0.00
	102	0.00	11.81	0.00	0.00	0.00	0.00
	103	0.00	10.40	0.00	0.00	0.00	0.00
	104	0.00	7.33	0.00	0.00	0.00	0.00
1360	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	11.82	0.00	0.00	0.00	0.00
	103	0.00	10.40	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1361	101	0.00	12.41	0.00	0.00	0.00	0.00
	102	0.00	14.18	0.00	0.00	0.00	0.00
	103	0.00	12.48	0.00	0.00	0.00	0.00
	104	0.00	8.81	0.00	0.00	0.00	0.00
1362	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	11.82	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1363	101	0.45	6.21	-6.12	0.00	0.01	0.00
	102	0.55	7.09	-3.32	0.00	0.03	0.00
	103	0.45	6.25	-6.04	0.00	0.02	0.00
	104	0.33	4.41	-5.87	0.00	0.01	0.00
1364	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	11.83	0.00	0.00	0.00	0.00
	103	0.00	10.42	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1365	101	0.00	12.45	0.00	0.00	0.00	0.00
	102	0.00	14.22	0.00	0.00	0.00	0.00
	103	0.00	12.53	0.00	0.00	0.00	0.00
	104	0.00	8.83	0.00	0.00	0.00	0.00
1366	101	0.00	10.39	0.00	0.00	0.00	0.00
	102	0.00	11.86	0.00	0.00	0.00	0.00
	103	0.00	10.45	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1367	101	0.00	10.41	0.00	0.00	0.00	0.00
	102	0.00	11.88	0.00	0.00	0.00	0.00
	103	0.00	10.47	0.00	0.00	0.00	0.00
	104	0.00	7.37	0.00	0.00	0.00	0.00
1368	101	0.00	10.42	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	7.38	0.00	0.00	0.00	0.00
1369	101	0.00	12.53	0.00	0.00	0.00	0.00
	102	0.00	14.30	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 245

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	12.61	0.00	0.00	0.00	0.00
	104	0.00	8.87	0.00	0.00	0.00	0.00
1370	101	0.00	10.46	0.00	0.00	0.00	0.00
	102	0.00	11.94	0.00	0.00	0.00	0.00
	103	0.00	10.53	0.00	0.00	0.00	0.00
	104	0.00	7.41	0.00	0.00	0.00	0.00
1371	101	0.53	6.28	-6.20	0.00	-0.13	0.00
	102	0.58	7.17	-3.42	0.00	-0.12	0.00
	103	0.53	6.32	-6.12	0.00	-0.13	0.00
	104	0.35	4.45	-5.96	0.00	-0.08	0.00
1372	101	0.00	10.48	0.00	0.00	0.00	0.00
	102	0.00	11.96	0.00	0.00	0.00	0.00
	103	0.00	10.55	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00
1373	101	0.00	12.60	0.00	0.00	0.00	0.00
	102	0.00	14.37	0.00	0.00	0.00	0.00
	103	0.00	12.67	0.00	0.00	0.00	0.00
	104	0.00	8.91	0.00	0.00	0.00	0.00
1374	101	0.00	10.50	0.00	0.00	0.00	0.00
	102	0.00	11.97	0.00	0.00	0.00	0.00
	103	0.00	10.56	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
1375	101	0.00	10.49	0.00	0.00	0.00	0.00
	102	0.00	11.96	0.00	0.00	0.00	0.00
	103	0.00	10.55	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00
1376	101	0.00	10.47	0.00	0.00	0.00	0.00
	102	0.00	11.95	0.00	0.00	0.00	0.00
	103	0.00	10.54	0.00	0.00	0.00	0.00
	104	0.00	7.41	0.00	0.00	0.00	0.00
1377	101	0.00	12.55	0.00	0.00	0.00	0.00
	102	0.00	14.32	0.00	0.00	0.00	0.00
	103	0.00	12.63	0.00	0.00	0.00	0.00
	104	0.00	8.88	0.00	0.00	0.00	0.00
1378	101	0.00	10.44	0.00	0.00	0.00	0.00
	102	0.00	11.91	0.00	0.00	0.00	0.00
	103	0.00	10.50	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1379	101	-0.18	6.26	-5.98	0.00	0.07	0.00
	102	-0.16	7.14	-3.19	0.00	0.07	0.00
	103	-0.18	6.30	-5.90	0.00	0.07	0.00
	104	-0.10	4.43	-5.83	0.00	0.04	0.00
1380	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 246

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1381	101	0.00	12.51	0.00	0.00	0.00	0.00
	102	0.00	14.28	0.00	0.00	0.00	0.00
	103	0.00	12.59	0.00	0.00	0.00	0.00
	104	0.00	8.86	0.00	0.00	0.00	0.00
1382	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	7.38	0.00	0.00	0.00	0.00
1383	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	7.38	0.00	0.00	0.00	0.00
1384	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	7.38	0.00	0.00	0.00	0.00
1385	101	0.00	12.52	0.00	0.00	0.00	0.00
	102	0.00	14.28	0.00	0.00	0.00	0.00
	103	0.00	12.59	0.00	0.00	0.00	0.00
	104	0.00	8.86	0.00	0.00	0.00	0.00
1386	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	11.91	0.00	0.00	0.00	0.00
	103	0.00	10.50	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1387	101	0.19	6.26	-5.96	0.00	-0.07	0.00
	102	0.17	7.14	-3.18	0.00	-0.07	0.00
	103	0.19	6.30	-5.89	0.00	-0.07	0.00
	104	0.10	4.44	-5.82	0.00	-0.04	0.00
1388	101	0.00	10.44	0.00	0.00	0.00	0.00
	102	0.00	11.91	0.00	0.00	0.00	0.00
	103	0.00	10.51	0.00	0.00	0.00	0.00
	104	0.00	7.40	0.00	0.00	0.00	0.00
1389	101	0.00	12.56	0.00	0.00	0.00	0.00
	102	0.00	14.32	0.00	0.00	0.00	0.00
	103	0.00	12.63	0.00	0.00	0.00	0.00
	104	0.00	8.89	0.00	0.00	0.00	0.00
1390	101	0.00	10.48	0.00	0.00	0.00	0.00
	102	0.00	11.95	0.00	0.00	0.00	0.00
	103	0.00	10.54	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00
1391	101	0.00	10.50	0.00	0.00	0.00	0.00
	102	0.00	11.97	0.00	0.00	0.00	0.00
	103	0.00	10.56	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00
1392	101	0.00	10.51	0.00	0.00	0.00	0.00
	102	0.00	11.98	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 247

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	10.57	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
1393	101	0.00	12.61	0.00	0.00	0.00	0.00
	102	0.00	14.38	0.00	0.00	0.00	0.00
	103	0.00	12.69	0.00	0.00	0.00	0.00
	104	0.00	8.92	0.00	0.00	0.00	0.00
1394	101	0.00	10.50	0.00	0.00	0.00	0.00
	102	0.00	11.97	0.00	0.00	0.00	0.00
	103	0.00	10.56	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
1395	101	-0.50	6.29	-6.16	0.00	0.12	0.00
	102	-0.56	7.18	-3.37	0.00	0.11	0.00
	103	-0.50	6.33	-6.08	0.00	0.12	0.00
	104	-0.33	4.45	-5.93	0.00	0.07	0.00
1396	101	0.00	10.48	0.00	0.00	0.00	0.00
	102	0.00	11.95	0.00	0.00	0.00	0.00
	103	0.00	10.54	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00
1397	101	0.00	12.55	0.00	0.00	0.00	0.00
	102	0.00	14.32	0.00	0.00	0.00	0.00
	103	0.00	12.63	0.00	0.00	0.00	0.00
	104	0.00	8.89	0.00	0.00	0.00	0.00
1398	101	0.00	10.44	0.00	0.00	0.00	0.00
	102	0.00	11.92	0.00	0.00	0.00	0.00
	103	0.00	10.51	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1399	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	11.90	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1400	101	0.00	10.41	0.00	0.00	0.00	0.00
	102	0.00	11.89	0.00	0.00	0.00	0.00
	103	0.00	10.47	0.00	0.00	0.00	0.00
	104	0.00	7.38	0.00	0.00	0.00	0.00
1401	101	0.00	12.47	0.00	0.00	0.00	0.00
	102	0.00	14.24	0.00	0.00	0.00	0.00
	103	0.00	12.55	0.00	0.00	0.00	0.00
	104	0.00	8.84	0.00	0.00	0.00	0.00
1402	101	0.00	10.37	0.00	0.00	0.00	0.00
	102	0.00	11.85	0.00	0.00	0.00	0.00
	103	0.00	10.44	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1403	101	-0.48	6.22	-6.06	0.00	-0.01	0.00
	102	-0.58	7.10	-3.26	0.00	-0.02	0.00
	103	-0.48	6.26	-5.98	0.00	-0.01	0.00
	104	-0.35	4.41	-5.83	0.00	-0.00	0.00

STAAD SPACE -- PAGE NO. 248

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1404	101	0.00	10.36	0.00	0.00	0.00	0.00
	102	0.00	11.84	0.00	0.00	0.00	0.00
	103	0.00	10.43	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1405	101	0.00	12.43	0.00	0.00	0.00	0.00
	102	0.00	14.20	0.00	0.00	0.00	0.00
	103	0.00	12.51	0.00	0.00	0.00	0.00
	104	0.00	8.82	0.00	0.00	0.00	0.00
1406	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	11.83	0.00	0.00	0.00	0.00
	103	0.00	10.42	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1407	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	11.83	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1408	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	11.83	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1409	101	0.00	12.41	0.00	0.00	0.00	0.00
	102	0.00	14.19	0.00	0.00	0.00	0.00
	103	0.00	12.48	0.00	0.00	0.00	0.00
	104	0.00	8.81	0.00	0.00	0.00	0.00
1410	101	0.00	10.33	0.00	0.00	0.00	0.00
	102	0.00	11.82	0.00	0.00	0.00	0.00
	103	0.00	10.40	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1411	101	-0.52	6.20	-6.50	0.00	0.00	0.00
	102	-0.70	7.09	-3.77	0.00	-0.01	0.00
	103	-0.53	6.24	-6.43	0.00	0.00	0.00
	104	-0.45	4.41	-6.19	0.00	0.01	0.00
1412	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	11.82	0.00	0.00	0.00	0.00
	103	0.00	10.40	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1413	101	0.00	12.41	0.00	0.00	0.00	0.00
	102	0.00	14.20	0.00	0.00	0.00	0.00
	103	0.00	12.49	0.00	0.00	0.00	0.00
	104	0.00	8.82	0.00	0.00	0.00	0.00
1414	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	11.85	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1415	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	11.86	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 249

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	10.42	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1416	101	0.00	10.36	0.00	0.00	0.00	0.00
	102	0.00	11.86	0.00	0.00	0.00	0.00
	103	0.00	10.43	0.00	0.00	0.00	0.00
	104	0.00	7.37	0.00	0.00	0.00	0.00
1417	101	0.00	12.44	0.00	0.00	0.00	0.00
	102	0.00	14.25	0.00	0.00	0.00	0.00
	103	0.00	12.52	0.00	0.00	0.00	0.00
	104	0.00	8.85	0.00	0.00	0.00	0.00
1418	101	0.00	10.38	0.00	0.00	0.00	0.00
	102	0.00	11.89	0.00	0.00	0.00	0.00
	103	0.00	10.44	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1419	101	-0.29	6.23	-5.32	0.00	-0.46	0.00
	102	-0.54	7.14	-2.74	0.00	-0.61	0.00
	103	-0.30	6.27	-5.24	0.00	-0.47	0.00
	104	-0.24	4.43	-4.75	0.00	-0.46	0.00
1420	101	0.00	8.31	0.00	0.00	0.00	0.00
	102	0.00	9.52	0.00	0.00	0.00	0.00
	103	0.00	8.36	0.00	0.00	0.00	0.00
	104	0.00	5.91	0.00	0.00	0.00	0.00
1421	101	0.00	10.40	0.00	0.00	0.00	0.00
	102	0.00	11.92	0.00	0.00	0.00	0.00
	103	0.00	10.46	0.00	0.00	0.00	0.00
	104	0.00	7.40	0.00	0.00	0.00	0.00
1422	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	5.97	0.00	0.00	0.00	0.00
	103	0.00	5.24	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
1423	101	0.00	3.72	0.00	0.00	0.00	0.00
	102	0.00	4.37	0.00	0.00	0.00	0.00
	103	0.00	3.75	0.00	0.00	0.00	0.00
	104	0.00	2.79	0.00	0.00	0.00	0.00
1424	101	0.00	7.42	0.00	0.00	0.00	0.00
	102	0.00	8.72	0.00	0.00	0.00	0.00
	103	0.00	7.48	0.00	0.00	0.00	0.00
	104	0.00	5.57	0.00	0.00	0.00	0.00
1425	101	0.00	5.93	0.00	0.00	0.00	0.00
	102	0.00	6.96	0.00	0.00	0.00	0.00
	103	0.00	5.98	0.00	0.00	0.00	0.00
	104	0.00	4.45	0.00	0.00	0.00	0.00
1426	101	0.52	4.45	-5.73	0.00	0.29	0.00
	102	0.81	5.22	-5.03	0.00	0.37	0.00
	103	0.54	4.48	-5.73	0.00	0.30	0.00
	104	0.48	3.34	-4.75	0.00	0.29	0.00

STAAD SPACE -- PAGE NO. 250

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1427	101	0.00	7.40	0.00	0.00	0.00	0.00
	102	0.00	8.69	0.00	0.00	0.00	0.00
	103	0.00	7.46	0.00	0.00	0.00	0.00
	104	0.00	5.55	0.00	0.00	0.00	0.00
1428	101	0.00	8.85	0.00	0.00	0.00	0.00
	102	0.00	10.39	0.00	0.00	0.00	0.00
	103	0.00	8.93	0.00	0.00	0.00	0.00
	104	0.00	6.63	0.00	0.00	0.00	0.00
1429	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1430	101	0.00	7.36	0.00	0.00	0.00	0.00
	102	0.00	8.63	0.00	0.00	0.00	0.00
	103	0.00	7.42	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1431	101	0.00	7.36	0.00	0.00	0.00	0.00
	102	0.00	8.63	0.00	0.00	0.00	0.00
	103	0.00	7.42	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1432	101	0.00	8.84	0.00	0.00	0.00	0.00
	102	0.00	10.36	0.00	0.00	0.00	0.00
	103	0.00	8.91	0.00	0.00	0.00	0.00
	104	0.00	6.62	0.00	0.00	0.00	0.00
1433	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1434	101	0.69	4.43	-6.68	0.00	-0.05	0.00
	102	0.91	5.19	-5.96	0.00	-0.06	0.00
	103	0.70	4.46	-6.68	0.00	-0.05	0.00
	104	0.59	3.31	-5.75	0.00	-0.05	0.00
1435	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1436	101	0.00	8.84	0.00	0.00	0.00	0.00
	102	0.00	10.35	0.00	0.00	0.00	0.00
	103	0.00	8.91	0.00	0.00	0.00	0.00
	104	0.00	6.62	0.00	0.00	0.00	0.00
1437	101	0.00	7.36	0.00	0.00	0.00	0.00
	102	0.00	8.62	0.00	0.00	0.00	0.00
	103	0.00	7.42	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1438	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.62	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 251

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1439	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.63	0.00	0.00	0.00	0.00
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.51	0.00	0.00	0.00	0.00
1440	101	0.00	8.86	0.00	0.00	0.00	0.00
	102	0.00	10.37	0.00	0.00	0.00	0.00
	103	0.00	8.93	0.00	0.00	0.00	0.00
	104	0.00	6.63	0.00	0.00	0.00	0.00
1441	101	0.00	7.40	0.00	0.00	0.00	0.00
	102	0.00	8.66	0.00	0.00	0.00	0.00
	103	0.00	7.46	0.00	0.00	0.00	0.00
	104	0.00	5.54	0.00	0.00	0.00	0.00
1442	101	0.71	4.45	-6.43	0.00	-0.04	0.00
	102	0.85	5.20	-5.67	0.00	-0.04	0.00
	103	0.72	4.48	-6.42	0.00	-0.04	0.00
	104	0.52	3.32	-5.56	0.00	-0.03	0.00
1443	101	0.00	7.41	0.00	0.00	0.00	0.00
	102	0.00	8.67	0.00	0.00	0.00	0.00
	103	0.00	7.47	0.00	0.00	0.00	0.00
	104	0.00	5.54	0.00	0.00	0.00	0.00
1444	101	0.00	8.90	0.00	0.00	0.00	0.00
	102	0.00	10.41	0.00	0.00	0.00	0.00
	103	0.00	8.97	0.00	0.00	0.00	0.00
	104	0.00	6.65	0.00	0.00	0.00	0.00
1445	101	0.00	7.42	0.00	0.00	0.00	0.00
	102	0.00	8.68	0.00	0.00	0.00	0.00
	103	0.00	7.48	0.00	0.00	0.00	0.00
	104	0.00	5.54	0.00	0.00	0.00	0.00
1446	101	0.00	7.43	0.00	0.00	0.00	0.00
	102	0.00	8.69	0.00	0.00	0.00	0.00
	103	0.00	7.49	0.00	0.00	0.00	0.00
	104	0.00	5.55	0.00	0.00	0.00	0.00
1447	101	0.00	7.45	0.00	0.00	0.00	0.00
	102	0.00	8.70	0.00	0.00	0.00	0.00
	103	0.00	7.51	0.00	0.00	0.00	0.00
	104	0.00	5.56	0.00	0.00	0.00	0.00
1448	101	0.00	8.97	0.00	0.00	0.00	0.00
	102	0.00	10.48	0.00	0.00	0.00	0.00
	103	0.00	9.04	0.00	0.00	0.00	0.00
	104	0.00	6.69	0.00	0.00	0.00	0.00
1449	101	0.00	7.51	0.00	0.00	0.00	0.00
	102	0.00	8.77	0.00	0.00	0.00	0.00
	103	0.00	7.57	0.00	0.00	0.00	0.00
	104	0.00	5.60	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 252

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1450	101	1.07	4.52	-5.56	0.00	-0.20	0.00
	102	1.14	5.27	-4.81	0.00	-0.20	0.00
	103	1.07	4.55	-5.55	0.00	-0.20	0.00
	104	0.69	3.37	-5.06	0.00	-0.12	0.00
1451	101	0.00	7.53	0.00	0.00	0.00	0.00
	102	0.00	8.79	0.00	0.00	0.00	0.00
	103	0.00	7.59	0.00	0.00	0.00	0.00
	104	0.00	5.61	0.00	0.00	0.00	0.00
1452	101	0.00	9.05	0.00	0.00	0.00	0.00
	102	0.00	10.55	0.00	0.00	0.00	0.00
	103	0.00	9.12	0.00	0.00	0.00	0.00
	104	0.00	6.74	0.00	0.00	0.00	0.00
1453	101	0.00	7.53	0.00	0.00	0.00	0.00
	102	0.00	8.78	0.00	0.00	0.00	0.00
	103	0.00	7.59	0.00	0.00	0.00	0.00
	104	0.00	5.61	0.00	0.00	0.00	0.00
1454	101	0.00	7.51	0.00	0.00	0.00	0.00
	102	0.00	8.77	0.00	0.00	0.00	0.00
	103	0.00	7.57	0.00	0.00	0.00	0.00
	104	0.00	5.60	0.00	0.00	0.00	0.00
1455	101	0.00	7.50	0.00	0.00	0.00	0.00
	102	0.00	8.75	0.00	0.00	0.00	0.00
	103	0.00	7.56	0.00	0.00	0.00	0.00
	104	0.00	5.59	0.00	0.00	0.00	0.00
1456	101	0.00	8.99	0.00	0.00	0.00	0.00
	102	0.00	10.50	0.00	0.00	0.00	0.00
	103	0.00	9.06	0.00	0.00	0.00	0.00
	104	0.00	6.70	0.00	0.00	0.00	0.00
1457	101	0.00	7.49	0.00	0.00	0.00	0.00
	102	0.00	8.74	0.00	0.00	0.00	0.00
	103	0.00	7.54	0.00	0.00	0.00	0.00
	104	0.00	5.58	0.00	0.00	0.00	0.00
1458	101	-0.41	4.49	-6.18	0.00	0.09	0.00
	102	-0.39	5.24	-5.43	0.00	0.09	0.00
	103	-0.41	4.53	-6.18	0.00	0.09	0.00
	104	-0.23	3.35	-5.43	0.00	0.05	0.00
1459	101	0.00	7.48	0.00	0.00	0.00	0.00
	102	0.00	8.73	0.00	0.00	0.00	0.00
	103	0.00	7.54	0.00	0.00	0.00	0.00
	104	0.00	5.58	0.00	0.00	0.00	0.00
1460	101	0.00	8.95	0.00	0.00	0.00	0.00
	102	0.00	10.46	0.00	0.00	0.00	0.00
	103	0.00	9.02	0.00	0.00	0.00	0.00
	104	0.00	6.68	0.00	0.00	0.00	0.00
1461	101	0.00	7.45	0.00	0.00	0.00	0.00
	102	0.00	8.70	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 253

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.51	0.00	0.00	0.00	0.00
	104	0.00	5.56	0.00	0.00	0.00	0.00
1462	101	0.00	7.45	0.00	0.00	0.00	0.00
	102	0.00	8.70	0.00	0.00	0.00	0.00
	103	0.00	7.51	0.00	0.00	0.00	0.00
	104	0.00	5.55	0.00	0.00	0.00	0.00
1463	101	0.00	7.45	0.00	0.00	0.00	0.00
	102	0.00	8.70	0.00	0.00	0.00	0.00
	103	0.00	7.51	0.00	0.00	0.00	0.00
	104	0.00	5.56	0.00	0.00	0.00	0.00
1464	101	0.00	8.95	0.00	0.00	0.00	0.00
	102	0.00	10.46	0.00	0.00	0.00	0.00
	103	0.00	9.02	0.00	0.00	0.00	0.00
	104	0.00	6.68	0.00	0.00	0.00	0.00
1465	101	0.00	7.48	0.00	0.00	0.00	0.00
	102	0.00	8.73	0.00	0.00	0.00	0.00
	103	0.00	7.54	0.00	0.00	0.00	0.00
	104	0.00	5.58	0.00	0.00	0.00	0.00
1466	101	0.43	4.49	-6.17	0.00	-0.09	0.00
	102	0.41	5.24	-5.42	0.00	-0.09	0.00
	103	0.43	4.53	-6.17	0.00	-0.09	0.00
	104	0.24	3.35	-5.43	0.00	-0.05	0.00
1467	101	0.00	7.49	0.00	0.00	0.00	0.00
	102	0.00	8.74	0.00	0.00	0.00	0.00
	103	0.00	7.55	0.00	0.00	0.00	0.00
	104	0.00	5.59	0.00	0.00	0.00	0.00
1468	101	0.00	9.00	0.00	0.00	0.00	0.00
	102	0.00	10.50	0.00	0.00	0.00	0.00
	103	0.00	9.07	0.00	0.00	0.00	0.00
	104	0.00	6.71	0.00	0.00	0.00	0.00
1469	101	0.00	7.51	0.00	0.00	0.00	0.00
	102	0.00	8.76	0.00	0.00	0.00	0.00
	103	0.00	7.57	0.00	0.00	0.00	0.00
	104	0.00	5.59	0.00	0.00	0.00	0.00
1470	101	0.00	7.52	0.00	0.00	0.00	0.00
	102	0.00	8.77	0.00	0.00	0.00	0.00
	103	0.00	7.58	0.00	0.00	0.00	0.00
	104	0.00	5.60	0.00	0.00	0.00	0.00
1471	101	0.00	7.54	0.00	0.00	0.00	0.00
	102	0.00	8.79	0.00	0.00	0.00	0.00
	103	0.00	7.60	0.00	0.00	0.00	0.00
	104	0.00	5.61	0.00	0.00	0.00	0.00
1472	101	0.00	9.06	0.00	0.00	0.00	0.00
	102	0.00	10.57	0.00	0.00	0.00	0.00
	103	0.00	9.13	0.00	0.00	0.00	0.00
	104	0.00	6.74	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 254

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1473	101	0.00	7.55	0.00	0.00	0.00	0.00
	102	0.00	8.80	0.00	0.00	0.00	0.00
	103	0.00	7.61	0.00	0.00	0.00	0.00
	104	0.00	5.62	0.00	0.00	0.00	0.00
1474	101	-1.00	4.52	-5.50	0.00	0.19	0.00
	102	-1.08	5.28	-4.75	0.00	0.19	0.00
	103	-1.01	4.56	-5.50	0.00	0.19	0.00
	104	-0.65	3.37	-5.03	0.00	0.11	0.00
1475	101	0.00	7.53	0.00	0.00	0.00	0.00
	102	0.00	8.78	0.00	0.00	0.00	0.00
	103	0.00	7.58	0.00	0.00	0.00	0.00
	104	0.00	5.61	0.00	0.00	0.00	0.00
1476	101	0.00	8.99	0.00	0.00	0.00	0.00
	102	0.00	10.50	0.00	0.00	0.00	0.00
	103	0.00	9.06	0.00	0.00	0.00	0.00
	104	0.00	6.70	0.00	0.00	0.00	0.00
1477	101	0.00	7.47	0.00	0.00	0.00	0.00
	102	0.00	8.72	0.00	0.00	0.00	0.00
	103	0.00	7.53	0.00	0.00	0.00	0.00
	104	0.00	5.57	0.00	0.00	0.00	0.00
1478	101	0.00	7.45	0.00	0.00	0.00	0.00
	102	0.00	8.71	0.00	0.00	0.00	0.00
	103	0.00	7.51	0.00	0.00	0.00	0.00
	104	0.00	5.56	0.00	0.00	0.00	0.00
1479	101	0.00	7.44	0.00	0.00	0.00	0.00
	102	0.00	8.69	0.00	0.00	0.00	0.00
	103	0.00	7.50	0.00	0.00	0.00	0.00
	104	0.00	5.55	0.00	0.00	0.00	0.00
1480	101	0.00	8.92	0.00	0.00	0.00	0.00
	102	0.00	10.43	0.00	0.00	0.00	0.00
	103	0.00	8.99	0.00	0.00	0.00	0.00
	104	0.00	6.66	0.00	0.00	0.00	0.00
1481	101	0.00	7.43	0.00	0.00	0.00	0.00
	102	0.00	8.69	0.00	0.00	0.00	0.00
	103	0.00	7.49	0.00	0.00	0.00	0.00
	104	0.00	5.55	0.00	0.00	0.00	0.00
1482	101	-0.78	4.46	-6.37	0.00	0.05	0.00
	102	-0.92	5.21	-5.61	0.00	0.05	0.00
	103	-0.78	4.49	-6.36	0.00	0.05	0.00
	104	-0.56	3.33	-5.52	0.00	0.04	0.00
1483	101	0.00	7.42	0.00	0.00	0.00	0.00
	102	0.00	8.68	0.00	0.00	0.00	0.00
	103	0.00	7.48	0.00	0.00	0.00	0.00
	104	0.00	5.55	0.00	0.00	0.00	0.00
1484	101	0.00	8.88	0.00	0.00	0.00	0.00
	102	0.00	10.39	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 255

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.95	0.00	0.00	0.00	0.00
	104	0.00	6.64	0.00	0.00	0.00	0.00
1485	101	0.00	7.39	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.45	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1486	101	0.00	7.38	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.44	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1487	101	0.00	7.38	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.44	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1488	101	0.00	8.86	0.00	0.00	0.00	0.00
	102	0.00	10.37	0.00	0.00	0.00	0.00
	103	0.00	8.93	0.00	0.00	0.00	0.00
	104	0.00	6.63	0.00	0.00	0.00	0.00
1489	101	0.00	7.39	0.00	0.00	0.00	0.00
	102	0.00	8.65	0.00	0.00	0.00	0.00
	103	0.00	7.45	0.00	0.00	0.00	0.00
	104	0.00	5.53	0.00	0.00	0.00	0.00
1490	101	-0.71	4.43	-6.66	0.00	0.05	0.00
	102	-0.93	5.19	-5.94	0.00	0.06	0.00
	103	-0.72	4.47	-6.65	0.00	0.05	0.00
	104	-0.60	3.32	-5.74	0.00	0.05	0.00
1491	101	0.00	7.39	0.00	0.00	0.00	0.00
	102	0.00	8.65	0.00	0.00	0.00	0.00
	103	0.00	7.45	0.00	0.00	0.00	0.00
	104	0.00	5.53	0.00	0.00	0.00	0.00
1492	101	0.00	8.85	0.00	0.00	0.00	0.00
	102	0.00	10.37	0.00	0.00	0.00	0.00
	103	0.00	8.93	0.00	0.00	0.00	0.00
	104	0.00	6.63	0.00	0.00	0.00	0.00
1493	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1494	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	8.64	0.00	0.00	0.00	0.00
	103	0.00	7.43	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00
1495	101	0.00	7.38	0.00	0.00	0.00	0.00
	102	0.00	8.65	0.00	0.00	0.00	0.00
	103	0.00	7.44	0.00	0.00	0.00	0.00
	104	0.00	5.52	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 256

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1496	101	0.00	8.87	0.00	0.00	0.00	0.00
	102	0.00	10.40	0.00	0.00	0.00	0.00
	103	0.00	8.94	0.00	0.00	0.00	0.00
	104	0.00	6.64	0.00	0.00	0.00	0.00
1497	101	0.00	7.42	0.00	0.00	0.00	0.00
	102	0.00	8.70	0.00	0.00	0.00	0.00
	103	0.00	7.48	0.00	0.00	0.00	0.00
	104	0.00	5.56	0.00	0.00	0.00	0.00
1498	101	-0.53	4.46	-5.71	0.00	-0.29	0.00
	102	-0.81	5.23	-5.01	0.00	-0.37	0.00
	103	-0.54	4.49	-5.71	0.00	-0.30	0.00
	104	-0.49	3.34	-4.74	0.00	-0.29	0.00
1499	101	0.00	5.94	0.00	0.00	0.00	0.00
	102	0.00	6.98	0.00	0.00	0.00	0.00
	103	0.00	5.99	0.00	0.00	0.00	0.00
	104	0.00	4.46	0.00	0.00	0.00	0.00
1500	101	0.00	7.44	0.00	0.00	0.00	0.00
	102	0.00	8.73	0.00	0.00	0.00	0.00
	103	0.00	7.50	0.00	0.00	0.00	0.00
	104	0.00	5.58	0.00	0.00	0.00	0.00
1501	101	0.00	3.72	0.00	0.00	0.00	0.00
	102	0.00	4.37	0.00	0.00	0.00	0.00
	103	0.00	3.76	0.00	0.00	0.00	0.00
	104	0.00	2.79	0.00	0.00	0.00	0.00
1502	101	2.24	2.01	-1.37	0.00	0.23	0.00
	102	2.84	2.38	-1.34	0.00	0.25	0.00
	103	2.28	2.03	-1.39	0.00	0.24	0.00
	104	2.03	1.54	-1.37	0.00	0.21	0.00
1503	101	1.98	4.02	-2.02	0.00	-0.05	0.00
	102	2.41	4.76	-2.11	0.00	-0.02	0.00
	103	2.00	4.05	-2.06	0.00	-0.05	0.00
	104	1.81	3.07	-1.82	0.00	-0.09	0.00
1504	101	1.16	3.21	-2.13	0.00	0.05	0.00
	102	1.34	3.80	-2.46	0.00	0.07	0.00
	103	1.17	3.24	-2.16	0.00	0.05	0.00
	104	1.06	2.45	-1.75	0.00	0.03	0.00
1505	101	1.49	2.41	-14.39	0.00	0.17	0.00
	102	2.16	2.85	-16.59	0.00	0.21	0.00
	103	1.52	2.43	-14.55	0.00	0.17	0.00
	104	1.37	1.84	-12.47	0.00	0.17	0.00
1506	101	1.57	4.00	-3.45	0.00	-0.01	0.00
	102	2.68	4.74	-4.08	0.00	-0.04	0.00
	103	1.63	4.04	-3.50	0.00	-0.01	0.00
	104	1.43	3.05	-3.02	0.00	0.02	0.00
1507	101	1.59	4.78	-3.93	0.00	-0.18	0.00
	102	2.82	5.66	-4.43	0.00	-0.27	0.00

STAAD SPACE -- PAGE NO. 257

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	1.65	4.83	-4.00	0.00	-0.18	0.00
	104	1.45	3.65	-3.72	0.00	-0.11	0.00
1508	101	1.81	3.98	-4.72	0.00	-0.00	0.00
	102	2.72	4.70	-5.15	0.00	-0.04	0.00
	103	1.86	4.01	-4.80	0.00	-0.00	0.00
	104	1.64	3.03	-4.63	0.00	0.02	0.00
1509	101	2.66	3.97	-5.14	0.00	-0.02	0.00
	102	3.54	4.70	-5.57	0.00	-0.03	0.00
	103	2.71	4.01	-5.22	0.00	-0.02	0.00
	104	2.42	3.03	-5.06	0.00	-0.02	0.00
1510	101	3.39	3.97	-4.53	0.00	-0.03	0.00
	102	4.22	4.70	-4.90	0.00	-0.02	0.00
	103	3.44	4.01	-4.60	0.00	-0.03	0.00
	104	3.10	3.03	-4.43	0.00	-0.06	0.00
1511	101	4.15	4.78	-3.50	0.00	0.13	0.00
	102	4.87	5.64	-3.86	0.00	0.20	0.00
	103	4.20	4.82	-3.56	0.00	0.14	0.00
	104	3.77	3.64	-3.29	0.00	0.07	0.00
1512	101	2.38	3.99	-3.36	0.00	0.03	0.00
	102	2.64	4.71	-3.92	0.00	0.07	0.00
	103	2.40	4.02	-3.42	0.00	0.03	0.00
	104	2.16	3.04	-2.91	0.00	0.00	0.00
1513	101	2.03	2.39	-16.70	0.00	-0.02	0.00
	102	2.66	2.83	-19.26	0.00	-0.02	0.00
	103	2.07	2.41	-16.89	0.00	-0.02	0.00
	104	1.74	1.82	-14.62	0.00	-0.02	0.00
1514	101	2.09	3.99	-3.24	0.00	-0.02	0.00
	102	3.19	4.71	-3.79	0.00	-0.06	0.00
	103	2.14	4.02	-3.29	0.00	-0.02	0.00
	104	1.66	3.04	-2.79	0.00	0.00	0.00
1515	101	2.00	4.78	-3.33	0.00	-0.10	0.00
	102	3.15	5.64	-3.67	0.00	-0.17	0.00
	103	2.05	4.82	-3.39	0.00	-0.10	0.00
	104	1.49	3.64	-3.13	0.00	-0.04	0.00
1516	101	1.89	3.98	-4.34	0.00	0.05	0.00
	102	2.66	4.70	-4.67	0.00	0.03	0.00
	103	1.93	4.01	-4.41	0.00	0.05	0.00
	104	1.42	3.03	-4.25	0.00	0.07	0.00
1517	101	2.59	3.98	-4.89	0.00	0.02	0.00
	102	3.27	4.70	-5.25	0.00	0.03	0.00
	103	2.63	4.01	-4.96	0.00	0.02	0.00
	104	2.06	3.03	-4.80	0.00	0.02	0.00
1518	101	3.24	3.98	-4.39	0.00	0.00	0.00
	102	3.83	4.70	-4.73	0.00	0.02	0.00
	103	3.28	4.02	-4.46	0.00	0.00	0.00
	104	2.67	3.03	-4.30	0.00	-0.03	0.00

STAAD SPACE -- PAGE NO. 258

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1519	101	3.96	4.79	-3.48	0.00	0.16	0.00
	102	4.37	5.65	-3.83	0.00	0.23	0.00
	103	4.00	4.83	-3.54	0.00	0.16	0.00
	104	3.26	3.64	-3.26	0.00	0.09	0.00
1520	101	2.28	4.01	-3.38	0.00	0.04	0.00
	102	2.29	4.72	-3.93	0.00	0.08	0.00
	103	2.29	4.04	-3.43	0.00	0.04	0.00
	104	1.80	3.05	-2.92	0.00	0.01	0.00
1521	101	2.21	2.41	-16.55	0.00	-0.01	0.00
	102	2.61	2.84	-19.08	0.00	-0.01	0.00
	103	2.23	2.43	-16.73	0.00	-0.01	0.00
	104	1.62	1.83	-14.51	0.00	-0.01	0.00
1522	101	2.61	4.01	-3.18	0.00	-0.01	0.00
	102	3.49	4.73	-3.73	0.00	-0.04	0.00
	103	2.65	4.05	-3.23	0.00	-0.01	0.00
	104	1.77	3.05	-2.77	0.00	0.02	0.00
1523	101	2.99	4.81	-3.32	0.00	-0.06	0.00
	102	3.82	5.67	-3.67	0.00	-0.13	0.00
	103	3.02	4.85	-3.38	0.00	-0.06	0.00
	104	1.81	3.66	-3.14	0.00	-0.02	0.00
1524	101	3.09	4.01	-4.39	0.00	0.09	0.00
	102	3.58	4.73	-4.73	0.00	0.07	0.00
	103	3.11	4.05	-4.46	0.00	0.09	0.00
	104	1.91	3.05	-4.29	0.00	0.09	0.00
1525	101	4.17	4.02	-4.98	0.00	0.08	0.00
	102	4.58	4.73	-5.35	0.00	0.08	0.00
	103	4.19	4.05	-5.06	0.00	0.08	0.00
	104	2.78	3.05	-4.87	0.00	0.05	0.00
1526	101	5.23	4.03	-4.53	0.00	0.06	0.00
	102	5.55	4.74	-4.87	0.00	0.08	0.00
	103	5.25	4.06	-4.60	0.00	0.06	0.00
	104	3.64	3.06	-4.38	0.00	0.01	0.00
1527	101	6.85	4.85	-3.65	0.00	0.23	0.00
	102	6.95	5.71	-3.99	0.00	0.30	0.00
	103	6.86	4.90	-3.70	0.00	0.23	0.00
	104	4.75	3.68	-3.36	0.00	0.13	0.00
1528	101	4.65	4.07	-3.12	0.00	0.08	0.00
	102	4.44	4.79	-3.67	0.00	0.11	0.00
	103	4.64	4.10	-3.17	0.00	0.08	0.00
	104	3.05	3.09	-2.76	0.00	0.03	0.00
1529	101	3.83	2.45	-13.08	0.00	-0.09	0.00
	102	4.05	2.88	-15.60	0.00	-0.09	0.00
	103	3.84	2.47	-13.26	0.00	-0.09	0.00
	104	2.45	1.86	-12.45	0.00	-0.05	0.00
1530	101	2.39	4.08	-1.98	0.00	0.03	0.00
	102	3.06	4.80	-2.53	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 259

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	2.41	4.12	-2.03	0.00	0.03	0.00
	104	1.49	3.09	-2.07	0.00	0.04	0.00
1531	101	-0.46	4.90	-2.26	0.00	0.01	0.00
	102	0.10	5.76	-2.61	0.00	-0.06	0.00
	103	-0.45	4.95	-2.32	0.00	0.01	0.00
	104	-0.46	3.71	-2.52	0.00	0.02	0.00
1532	101	-3.24	4.08	-3.76	0.00	-0.01	0.00
	102	-2.98	4.79	-4.10	0.00	-0.03	0.00
	103	-3.23	4.11	-3.83	0.00	-0.01	0.00
	104	-2.05	3.09	-3.92	0.00	0.03	0.00
1533	101	-3.73	4.07	-4.59	0.00	-0.10	0.00
	102	-3.55	4.78	-4.96	0.00	-0.10	0.00
	103	-3.72	4.10	-4.66	0.00	-0.10	0.00
	104	-2.11	3.08	-4.64	0.00	-0.06	0.00
1534	101	-2.98	4.06	-4.22	0.00	-0.16	0.00
	102	-2.88	4.77	-4.56	0.00	-0.14	0.00
	103	-2.97	4.09	-4.29	0.00	-0.16	0.00
	104	-1.44	3.08	-4.20	0.00	-0.12	0.00
1535	101	-2.61	4.87	-3.15	0.00	-0.04	0.00
	102	-2.76	5.72	-3.50	0.00	0.03	0.00
	103	-2.61	4.91	-3.21	0.00	-0.03	0.00
	104	-1.10	3.69	-3.06	0.00	-0.03	0.00
1536	101	-2.04	4.05	-2.93	0.00	-0.04	0.00
	102	-2.41	4.77	-3.47	0.00	-0.01	0.00
	103	-2.05	4.09	-2.98	0.00	-0.04	0.00
	104	-1.08	3.08	-2.64	0.00	-0.04	0.00
1537	101	-1.35	2.43	-16.00	0.00	0.04	0.00
	102	-1.29	2.86	-18.52	0.00	0.04	0.00
	103	-1.35	2.45	-16.19	0.00	0.04	0.00
	104	-0.77	1.85	-14.21	0.00	0.02	0.00
1538	101	-0.85	4.05	-3.36	0.00	-0.04	0.00
	102	-0.33	4.76	-3.91	0.00	-0.08	0.00
	103	-0.83	4.08	-3.41	0.00	-0.04	0.00
	104	-0.56	3.07	-2.90	0.00	-0.01	0.00
1539	101	-1.69	4.84	-3.56	0.00	-0.16	0.00
	102	-1.34	5.70	-3.91	0.00	-0.23	0.00
	103	-1.68	4.88	-3.62	0.00	-0.16	0.00
	104	-1.34	3.67	-3.30	0.00	-0.09	0.00
1540	101	-0.94	4.03	-4.48	0.00	0.01	0.00
	102	-0.85	4.74	-4.82	0.00	-0.01	0.00
	103	-0.94	4.06	-4.55	0.00	0.01	0.00
	104	-0.79	3.06	-4.35	0.00	0.04	0.00
1541	101	0.04	4.03	-4.99	0.00	0.00	0.00
	102	0.04	4.74	-5.37	0.00	0.00	0.00
	103	0.04	4.06	-5.07	0.00	0.00	0.00
	104	0.02	3.05	-4.88	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 260

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1542	101	1.01	4.03	-4.48	0.00	-0.01	0.00
	102	0.93	4.74	-4.82	0.00	0.01	0.00
	103	1.01	4.06	-4.55	0.00	-0.01	0.00
	104	0.84	3.06	-4.35	0.00	-0.04	0.00
1543	101	1.78	4.84	-3.57	0.00	0.16	0.00
	102	1.43	5.70	-3.91	0.00	0.23	0.00
	103	1.77	4.88	-3.63	0.00	0.17	0.00
	104	1.39	3.68	-3.31	0.00	0.09	0.00
1544	101	0.92	4.05	-3.37	0.00	0.05	0.00
	102	0.40	4.76	-3.91	0.00	0.08	0.00
	103	0.90	4.08	-3.42	0.00	0.05	0.00
	104	0.60	3.07	-2.90	0.00	0.01	0.00
1545	101	1.42	2.43	-16.01	0.00	-0.04	0.00
	102	1.36	2.86	-18.52	0.00	-0.04	0.00
	103	1.42	2.45	-16.19	0.00	-0.04	0.00
	104	0.81	1.85	-14.22	0.00	-0.02	0.00
1546	101	2.13	4.06	-2.92	0.00	0.04	0.00
	102	2.50	4.77	-3.47	0.00	0.01	0.00
	103	2.14	4.09	-2.97	0.00	0.04	0.00
	104	1.13	3.08	-2.64	0.00	0.04	0.00
1547	101	2.74	4.87	-3.15	0.00	0.04	0.00
	102	2.89	5.73	-3.49	0.00	-0.03	0.00
	103	2.74	4.91	-3.21	0.00	0.04	0.00
	104	1.18	3.69	-3.06	0.00	0.03	0.00
1548	101	3.11	4.06	-4.22	0.00	0.16	0.00
	102	3.01	4.78	-4.56	0.00	0.14	0.00
	103	3.09	4.10	-4.29	0.00	0.16	0.00
	104	1.51	3.08	-4.20	0.00	0.13	0.00
1549	101	3.87	4.07	-4.59	0.00	0.11	0.00
	102	3.69	4.79	-4.96	0.00	0.11	0.00
	103	3.86	4.11	-4.67	0.00	0.11	0.00
	104	2.20	3.08	-4.64	0.00	0.06	0.00
1550	101	3.40	4.08	-3.77	0.00	0.01	0.00
	102	3.14	4.80	-4.11	0.00	0.04	0.00
	103	3.40	4.12	-3.84	0.00	0.01	0.00
	104	2.15	3.09	-3.93	0.00	-0.03	0.00
1551	101	0.69	4.91	-2.29	0.00	-0.00	0.00
	102	0.12	5.77	-2.63	0.00	0.07	0.00
	103	0.67	4.95	-2.35	0.00	0.00	0.00
	104	0.59	3.72	-2.53	0.00	-0.01	0.00
1552	101	-2.20	4.09	-1.99	0.00	-0.03	0.00
	102	-2.88	4.81	-2.54	0.00	0.00	0.00
	103	-2.23	4.13	-2.04	0.00	-0.03	0.00
	104	-1.38	3.10	-2.07	0.00	-0.04	0.00
1553	101	-3.61	2.45	-12.96	0.00	0.08	0.00
	102	-3.82	2.88	-15.48	0.00	0.08	0.00

STAAD SPACE -- PAGE NO. 261

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-3.62	2.47	-13.14	0.00	0.08	0.00
	104	-2.31	1.86	-12.39	0.00	0.05	0.00
1554	101	-4.36	4.08	-3.06	0.00	-0.07	0.00
	102	-4.15	4.79	-3.61	0.00	-0.10	0.00
	103	-4.35	4.11	-3.11	0.00	-0.07	0.00
	104	-2.88	3.09	-2.73	0.00	-0.03	0.00
1555	101	-6.43	4.87	-3.59	0.00	-0.21	0.00
	102	-6.53	5.72	-3.94	0.00	-0.28	0.00
	103	-6.45	4.91	-3.65	0.00	-0.21	0.00
	104	-4.49	3.69	-3.33	0.00	-0.12	0.00
1556	101	-5.00	4.04	-4.46	0.00	-0.05	0.00
	102	-5.31	4.75	-4.80	0.00	-0.07	0.00
	103	-5.02	4.07	-4.53	0.00	-0.05	0.00
	104	-3.50	3.06	-4.34	0.00	-0.00	0.00
1557	101	-4.17	4.03	-4.92	0.00	-0.08	0.00
	102	-4.58	4.74	-5.29	0.00	-0.08	0.00
	103	-4.19	4.06	-4.99	0.00	-0.08	0.00
	104	-2.78	3.06	-4.83	0.00	-0.05	0.00
1558	101	-3.33	4.02	-4.32	0.00	-0.10	0.00
	102	-3.82	4.74	-4.66	0.00	-0.08	0.00
	103	-3.35	4.06	-4.39	0.00	-0.10	0.00
	104	-2.05	3.05	-4.25	0.00	-0.10	0.00
1559	101	-3.41	4.83	-3.27	0.00	0.04	0.00
	102	-4.24	5.68	-3.62	0.00	0.11	0.00
	103	-3.44	4.87	-3.33	0.00	0.04	0.00
	104	-2.06	3.66	-3.11	0.00	0.01	0.00
1560	101	-2.90	4.02	-3.13	0.00	-0.00	0.00
	102	-3.78	4.74	-3.68	0.00	0.03	0.00
	103	-2.94	4.05	-3.18	0.00	-0.00	0.00
	104	-1.95	3.06	-2.74	0.00	-0.02	0.00
1561	101	-2.43	2.41	-16.44	0.00	0.02	0.00
	102	-2.84	2.84	-18.97	0.00	0.01	0.00
	103	-2.45	2.43	-16.62	0.00	0.02	0.00
	104	-1.75	1.83	-14.45	0.00	0.01	0.00
1562	101	-2.46	4.01	-3.38	0.00	-0.05	0.00
	102	-2.47	4.73	-3.93	0.00	-0.08	0.00
	103	-2.47	4.05	-3.43	0.00	-0.05	0.00
	104	-1.91	3.05	-2.92	0.00	-0.01	0.00
1563	101	-4.18	4.80	-3.50	0.00	-0.17	0.00
	102	-4.58	5.66	-3.85	0.00	-0.24	0.00
	103	-4.21	4.84	-3.56	0.00	-0.17	0.00
	104	-3.38	3.65	-3.28	0.00	-0.10	0.00
1564	101	-3.40	3.99	-4.41	0.00	-0.00	0.00
	102	-3.99	4.71	-4.74	0.00	-0.03	0.00
	103	-3.44	4.03	-4.47	0.00	-0.00	0.00
	104	-2.76	3.03	-4.30	0.00	0.02	0.00

STAAD SPACE -- PAGE NO. 262

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1565	101	-2.72	3.99	-4.89	0.00	-0.03	0.00
	102	-3.41	4.70	-5.26	0.00	-0.03	0.00
	103	-2.76	4.02	-4.96	0.00	-0.03	0.00
	104	-2.14	3.03	-4.81	0.00	-0.02	0.00
1566	101	-2.01	3.99	-4.34	0.00	-0.05	0.00
	102	-2.77	4.70	-4.67	0.00	-0.03	0.00
	103	-2.04	4.02	-4.41	0.00	-0.05	0.00
	104	-1.49	3.03	-4.25	0.00	-0.07	0.00
1567	101	-2.12	4.79	-3.33	0.00	0.10	0.00
	102	-3.26	5.65	-3.67	0.00	0.17	0.00
	103	-2.16	4.83	-3.39	0.00	0.10	0.00
	104	-1.56	3.64	-3.13	0.00	0.04	0.00
1568	101	-2.16	4.00	-3.24	0.00	0.02	0.00
	102	-3.27	4.72	-3.79	0.00	0.06	0.00
	103	-2.21	4.03	-3.29	0.00	0.02	0.00
	104	-1.71	3.04	-2.79	0.00	-0.00	0.00
1569	101	-2.09	2.40	-16.71	0.00	0.02	0.00
	102	-2.71	2.83	-19.27	0.00	0.02	0.00
	103	-2.12	2.42	-16.90	0.00	0.02	0.00
	104	-1.77	1.83	-14.63	0.00	0.02	0.00
1570	101	-2.42	4.00	-3.37	0.00	-0.03	0.00
	102	-2.68	4.72	-3.92	0.00	-0.07	0.00
	103	-2.44	4.03	-3.42	0.00	-0.03	0.00
	104	-2.18	3.04	-2.91	0.00	-0.00	0.00
1571	101	-4.20	4.78	-3.51	0.00	-0.13	0.00
	102	-4.92	5.65	-3.86	0.00	-0.20	0.00
	103	-4.25	4.83	-3.56	0.00	-0.14	0.00
	104	-3.80	3.64	-3.30	0.00	-0.07	0.00
1572	101	-3.43	3.98	-4.53	0.00	0.03	0.00
	102	-4.26	4.70	-4.90	0.00	0.02	0.00
	103	-3.48	4.02	-4.60	0.00	0.03	0.00
	104	-3.12	3.03	-4.44	0.00	0.06	0.00
1573	101	-2.69	3.98	-5.14	0.00	0.02	0.00
	102	-3.58	4.70	-5.57	0.00	0.03	0.00
	103	-2.74	4.02	-5.22	0.00	0.02	0.00
	104	-2.44	3.03	-5.06	0.00	0.02	0.00
1574	101	-1.84	3.99	-4.72	0.00	0.00	0.00
	102	-2.75	4.71	-5.15	0.00	0.04	0.00
	103	-1.89	4.02	-4.80	0.00	0.00	0.00
	104	-1.65	3.03	-4.63	0.00	-0.02	0.00
1575	101	-1.62	4.79	-3.93	0.00	0.18	0.00
	102	-2.84	5.67	-4.43	0.00	0.27	0.00
	103	-1.68	4.84	-4.00	0.00	0.18	0.00
	104	-1.46	3.65	-3.72	0.00	0.11	0.00
1576	101	-1.59	4.01	-3.45	0.00	0.01	0.00
	102	-2.70	4.74	-4.09	0.00	0.04	0.00

STAAD SPACE -- PAGE NO. 263

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-1.65	4.05	-3.51	0.00	0.01	0.00
	104	-1.44	3.06	-3.02	0.00	-0.02	0.00
1577	101	-1.50	2.41	-14.40	0.00	-0.17	0.00
	102	-2.18	2.85	-16.60	0.00	-0.21	0.00
	103	-1.53	2.43	-14.56	0.00	-0.17	0.00
	104	-1.38	1.84	-12.48	0.00	-0.17	0.00
1578	101	-1.16	3.22	-2.13	0.00	-0.05	0.00
	102	-1.34	3.81	-2.47	0.00	-0.07	0.00
	103	-1.17	3.25	-2.16	0.00	-0.05	0.00
	104	-1.06	2.45	-1.75	0.00	-0.03	0.00
1579	101	-1.98	4.03	-2.02	0.00	0.05	0.00
	102	-2.42	4.76	-2.11	0.00	0.02	0.00
	103	-2.01	4.06	-2.06	0.00	0.05	0.00
	104	-1.82	3.07	-1.82	0.00	0.09	0.00
1580	101	-2.25	2.02	-1.37	0.00	-0.23	0.00
	102	-2.85	2.39	-1.34	0.00	-0.25	0.00
	103	-2.29	2.03	-1.39	0.00	-0.24	0.00
	104	-2.03	1.54	-1.37	0.00	-0.21	0.00
1581	101	0.00	4.58	0.00	0.00	0.00	0.00
	102	0.00	5.46	0.00	0.00	0.00	0.00
	103	0.00	4.62	0.00	0.00	0.00	0.00
	104	0.00	3.55	0.00	0.00	0.00	0.00
1582	101	0.00	9.15	0.00	0.00	0.00	0.00
	102	0.00	10.91	0.00	0.00	0.00	0.00
	103	0.00	9.23	0.00	0.00	0.00	0.00
	104	0.00	7.09	0.00	0.00	0.00	0.00
1583	101	0.00	7.31	0.00	0.00	0.00	0.00
	102	0.00	8.72	0.00	0.00	0.00	0.00
	103	0.00	7.38	0.00	0.00	0.00	0.00
	104	0.00	5.67	0.00	0.00	0.00	0.00
1584	101	0.50	5.48	-23.01	0.00	0.48	0.00
	102	0.71	6.54	-28.37	0.00	0.60	0.00
	103	0.52	5.53	-23.34	0.00	0.48	0.00
	104	0.51	4.25	-20.42	0.00	0.46	0.00
1585	101	0.00	9.12	0.00	0.00	0.00	0.00
	102	0.00	10.86	0.00	0.00	0.00	0.00
	103	0.00	9.20	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
1586	101	0.00	10.87	0.00	0.00	0.00	0.00
	102	0.00	12.95	0.00	0.00	0.00	0.00
	103	0.00	10.97	0.00	0.00	0.00	0.00
	104	0.00	8.42	0.00	0.00	0.00	0.00
1587	101	0.00	9.03	0.00	0.00	0.00	0.00
	102	0.00	10.75	0.00	0.00	0.00	0.00
	103	0.00	9.11	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 264

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1588	101	0.00	9.02	0.00	0.00	0.00	0.00
	102	0.00	10.73	0.00	0.00	0.00	0.00
	103	0.00	9.10	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1589	101	0.00	9.02	0.00	0.00	0.00	0.00
	102	0.00	10.74	0.00	0.00	0.00	0.00
	103	0.00	9.11	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1590	101	0.00	10.85	0.00	0.00	0.00	0.00
	102	0.00	12.91	0.00	0.00	0.00	0.00
	103	0.00	10.95	0.00	0.00	0.00	0.00
	104	0.00	8.40	0.00	0.00	0.00	0.00
1591	101	0.00	9.08	0.00	0.00	0.00	0.00
	102	0.00	10.80	0.00	0.00	0.00	0.00
	103	0.00	9.16	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1592	101	0.82	5.45	-26.56	0.00	-0.02	0.00
	102	1.06	6.49	-32.62	0.00	-0.02	0.00
	103	0.83	5.51	-26.93	0.00	-0.02	0.00
	104	0.70	4.22	-23.57	0.00	-0.02	0.00
1593	101	0.00	9.08	0.00	0.00	0.00	0.00
	102	0.00	10.80	0.00	0.00	0.00	0.00
	103	0.00	9.17	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1594	101	0.00	10.86	0.00	0.00	0.00	0.00
	102	0.00	12.91	0.00	0.00	0.00	0.00
	103	0.00	10.96	0.00	0.00	0.00	0.00
	104	0.00	8.40	0.00	0.00	0.00	0.00
1595	101	0.00	9.03	0.00	0.00	0.00	0.00
	102	0.00	10.74	0.00	0.00	0.00	0.00
	103	0.00	9.12	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1596	101	0.00	9.03	0.00	0.00	0.00	0.00
	102	0.00	10.73	0.00	0.00	0.00	0.00
	103	0.00	9.12	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1597	101	0.00	9.05	0.00	0.00	0.00	0.00
	102	0.00	10.75	0.00	0.00	0.00	0.00
	103	0.00	9.13	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
1598	101	0.00	10.89	0.00	0.00	0.00	0.00
	102	0.00	12.94	0.00	0.00	0.00	0.00
	103	0.00	10.99	0.00	0.00	0.00	0.00
	104	0.00	8.42	0.00	0.00	0.00	0.00
1599	101	0.00	9.12	0.00	0.00	0.00	0.00
	102	0.00	10.84	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 265

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	9.21	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1600	101	0.97	5.48	-26.57	0.00	-0.02	0.00
	102	1.13	6.51	-32.60	0.00	-0.02	0.00
	103	0.98	5.53	-26.94	0.00	-0.02	0.00
	104	0.71	4.24	-23.58	0.00	-0.02	0.00
1601	101	0.00	9.14	0.00	0.00	0.00	0.00
	102	0.00	10.85	0.00	0.00	0.00	0.00
	103	0.00	9.22	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
1602	101	0.00	10.94	0.00	0.00	0.00	0.00
	102	0.00	12.99	0.00	0.00	0.00	0.00
	103	0.00	11.04	0.00	0.00	0.00	0.00
	104	0.00	8.45	0.00	0.00	0.00	0.00
1603	101	0.00	9.12	0.00	0.00	0.00	0.00
	102	0.00	10.82	0.00	0.00	0.00	0.00
	103	0.00	9.20	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1604	101	0.00	9.13	0.00	0.00	0.00	0.00
	102	0.00	10.83	0.00	0.00	0.00	0.00
	103	0.00	9.21	0.00	0.00	0.00	0.00
	104	0.00	7.04	0.00	0.00	0.00	0.00
1605	101	0.00	9.16	0.00	0.00	0.00	0.00
	102	0.00	10.86	0.00	0.00	0.00	0.00
	103	0.00	9.24	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
1606	101	0.00	11.05	0.00	0.00	0.00	0.00
	102	0.00	13.09	0.00	0.00	0.00	0.00
	103	0.00	11.15	0.00	0.00	0.00	0.00
	104	0.00	8.51	0.00	0.00	0.00	0.00
1607	101	0.00	9.28	0.00	0.00	0.00	0.00
	102	0.00	11.00	0.00	0.00	0.00	0.00
	103	0.00	9.37	0.00	0.00	0.00	0.00
	104	0.00	7.15	0.00	0.00	0.00	0.00
1608	101	2.23	5.59	-20.49	0.00	-0.22	0.00
	102	2.31	6.62	-26.51	0.00	-0.22	0.00
	103	2.23	5.64	-20.86	0.00	-0.22	0.00
	104	1.40	4.30	-19.97	0.00	-0.13	0.00
1609	101	0.00	9.33	0.00	0.00	0.00	0.00
	102	0.00	11.04	0.00	0.00	0.00	0.00
	103	0.00	9.42	0.00	0.00	0.00	0.00
	104	0.00	7.18	0.00	0.00	0.00	0.00
1610	101	0.00	11.20	0.00	0.00	0.00	0.00
	102	0.00	13.24	0.00	0.00	0.00	0.00
	103	0.00	11.30	0.00	0.00	0.00	0.00
	104	0.00	8.60	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 266

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1611	101	0.00	9.30	0.00	0.00	0.00	0.00
	102	0.00	11.00	0.00	0.00	0.00	0.00
	103	0.00	9.38	0.00	0.00	0.00	0.00
	104	0.00	7.14	0.00	0.00	0.00	0.00
1612	101	0.00	9.26	0.00	0.00	0.00	0.00
	102	0.00	10.96	0.00	0.00	0.00	0.00
	103	0.00	9.35	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1613	101	0.00	9.24	0.00	0.00	0.00	0.00
	102	0.00	10.94	0.00	0.00	0.00	0.00
	103	0.00	9.32	0.00	0.00	0.00	0.00
	104	0.00	7.11	0.00	0.00	0.00	0.00
1614	101	0.00	11.08	0.00	0.00	0.00	0.00
	102	0.00	13.12	0.00	0.00	0.00	0.00
	103	0.00	11.18	0.00	0.00	0.00	0.00
	104	0.00	8.53	0.00	0.00	0.00	0.00
1615	101	0.00	9.24	0.00	0.00	0.00	0.00
	102	0.00	10.95	0.00	0.00	0.00	0.00
	103	0.00	9.32	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1616	101	-0.84	5.54	-25.87	0.00	0.13	0.00
	102	-0.82	6.57	-31.88	0.00	0.13	0.00
	103	-0.84	5.59	-26.24	0.00	0.13	0.00
	104	-0.49	4.28	-23.20	0.00	0.08	0.00
1617	101	0.00	9.22	0.00	0.00	0.00	0.00
	102	0.00	10.93	0.00	0.00	0.00	0.00
	103	0.00	9.31	0.00	0.00	0.00	0.00
	104	0.00	7.11	0.00	0.00	0.00	0.00
1618	101	0.00	11.01	0.00	0.00	0.00	0.00
	102	0.00	13.05	0.00	0.00	0.00	0.00
	103	0.00	11.11	0.00	0.00	0.00	0.00
	104	0.00	8.49	0.00	0.00	0.00	0.00
1619	101	0.00	9.15	0.00	0.00	0.00	0.00
	102	0.00	10.85	0.00	0.00	0.00	0.00
	103	0.00	9.23	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1620	101	0.00	9.14	0.00	0.00	0.00	0.00
	102	0.00	10.84	0.00	0.00	0.00	0.00
	103	0.00	9.23	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1621	101	0.00	9.15	0.00	0.00	0.00	0.00
	102	0.00	10.85	0.00	0.00	0.00	0.00
	103	0.00	9.24	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
1622	101	0.00	11.01	0.00	0.00	0.00	0.00
	102	0.00	13.06	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 267

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	11.12	0.00	0.00	0.00	0.00
	104	0.00	8.49	0.00	0.00	0.00	0.00
1623	101	0.00	9.23	0.00	0.00	0.00	0.00
	102	0.00	10.94	0.00	0.00	0.00	0.00
	103	0.00	9.31	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1624	101	0.87	5.55	-25.89	0.00	-0.14	0.00
	102	0.85	6.57	-31.90	0.00	-0.14	0.00
	103	0.87	5.60	-26.26	0.00	-0.14	0.00
	104	0.50	4.28	-23.21	0.00	-0.08	0.00
1625	101	0.00	9.24	0.00	0.00	0.00	0.00
	102	0.00	10.95	0.00	0.00	0.00	0.00
	103	0.00	9.33	0.00	0.00	0.00	0.00
	104	0.00	7.13	0.00	0.00	0.00	0.00
1626	101	0.00	11.09	0.00	0.00	0.00	0.00
	102	0.00	13.13	0.00	0.00	0.00	0.00
	103	0.00	11.19	0.00	0.00	0.00	0.00
	104	0.00	8.54	0.00	0.00	0.00	0.00
1627	101	0.00	9.25	0.00	0.00	0.00	0.00
	102	0.00	10.95	0.00	0.00	0.00	0.00
	103	0.00	9.33	0.00	0.00	0.00	0.00
	104	0.00	7.11	0.00	0.00	0.00	0.00
1628	101	0.00	9.27	0.00	0.00	0.00	0.00
	102	0.00	10.97	0.00	0.00	0.00	0.00
	103	0.00	9.36	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1629	101	0.00	9.31	0.00	0.00	0.00	0.00
	102	0.00	11.01	0.00	0.00	0.00	0.00
	103	0.00	9.40	0.00	0.00	0.00	0.00
	104	0.00	7.15	0.00	0.00	0.00	0.00
1630	101	0.00	11.21	0.00	0.00	0.00	0.00
	102	0.00	13.26	0.00	0.00	0.00	0.00
	103	0.00	11.31	0.00	0.00	0.00	0.00
	104	0.00	8.61	0.00	0.00	0.00	0.00
1631	101	0.00	9.35	0.00	0.00	0.00	0.00
	102	0.00	11.06	0.00	0.00	0.00	0.00
	103	0.00	9.43	0.00	0.00	0.00	0.00
	104	0.00	7.19	0.00	0.00	0.00	0.00
1632	101	-2.09	5.60	-20.34	0.00	0.20	0.00
	102	-2.17	6.63	-26.36	0.00	0.20	0.00
	103	-2.09	5.65	-20.71	0.00	0.20	0.00
	104	-1.32	4.31	-19.88	0.00	0.12	0.00
1633	101	0.00	9.30	0.00	0.00	0.00	0.00
	102	0.00	11.01	0.00	0.00	0.00	0.00
	103	0.00	9.39	0.00	0.00	0.00	0.00
	104	0.00	7.16	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 268

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1634	101	0.00	11.08	0.00	0.00	0.00	0.00
	102	0.00	13.12	0.00	0.00	0.00	0.00
	103	0.00	11.18	0.00	0.00	0.00	0.00
	104	0.00	8.53	0.00	0.00	0.00	0.00
1635	101	0.00	9.19	0.00	0.00	0.00	0.00
	102	0.00	10.89	0.00	0.00	0.00	0.00
	103	0.00	9.27	0.00	0.00	0.00	0.00
	104	0.00	7.08	0.00	0.00	0.00	0.00
1636	101	0.00	9.16	0.00	0.00	0.00	0.00
	102	0.00	10.85	0.00	0.00	0.00	0.00
	103	0.00	9.24	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1637	101	0.00	9.14	0.00	0.00	0.00	0.00
	102	0.00	10.84	0.00	0.00	0.00	0.00
	103	0.00	9.23	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1638	101	0.00	10.97	0.00	0.00	0.00	0.00
	102	0.00	13.02	0.00	0.00	0.00	0.00
	103	0.00	11.08	0.00	0.00	0.00	0.00
	104	0.00	8.47	0.00	0.00	0.00	0.00
1639	101	0.00	9.16	0.00	0.00	0.00	0.00
	102	0.00	10.87	0.00	0.00	0.00	0.00
	103	0.00	9.24	0.00	0.00	0.00	0.00
	104	0.00	7.07	0.00	0.00	0.00	0.00
1640	101	-1.10	5.50	-26.43	0.00	0.04	0.00
	102	-1.27	6.53	-32.46	0.00	0.03	0.00
	103	-1.11	5.55	-26.80	0.00	0.04	0.00
	104	-0.79	4.25	-23.50	0.00	0.02	0.00
1641	101	0.00	9.14	0.00	0.00	0.00	0.00
	102	0.00	10.86	0.00	0.00	0.00	0.00
	103	0.00	9.23	0.00	0.00	0.00	0.00
	104	0.00	7.07	0.00	0.00	0.00	0.00
1642	101	0.00	10.91	0.00	0.00	0.00	0.00
	102	0.00	12.96	0.00	0.00	0.00	0.00
	103	0.00	11.01	0.00	0.00	0.00	0.00
	104	0.00	8.43	0.00	0.00	0.00	0.00
1643	101	0.00	9.06	0.00	0.00	0.00	0.00
	102	0.00	10.77	0.00	0.00	0.00	0.00
	103	0.00	9.15	0.00	0.00	0.00	0.00
	104	0.00	7.00	0.00	0.00	0.00	0.00
1644	101	0.00	9.05	0.00	0.00	0.00	0.00
	102	0.00	10.75	0.00	0.00	0.00	0.00
	103	0.00	9.13	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
1645	101	0.00	9.05	0.00	0.00	0.00	0.00
	102	0.00	10.76	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 269

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	9.13	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
1646	101	0.00	10.88	0.00	0.00	0.00	0.00
	102	0.00	12.93	0.00	0.00	0.00	0.00
	103	0.00	10.98	0.00	0.00	0.00	0.00
	104	0.00	8.41	0.00	0.00	0.00	0.00
1647	101	0.00	9.10	0.00	0.00	0.00	0.00
	102	0.00	10.82	0.00	0.00	0.00	0.00
	103	0.00	9.18	0.00	0.00	0.00	0.00
	104	0.00	7.04	0.00	0.00	0.00	0.00
1648	101	-0.84	5.46	-26.61	0.00	0.02	0.00
	102	-1.08	6.50	-32.68	0.00	0.02	0.00
	103	-0.85	5.52	-26.99	0.00	0.02	0.00
	104	-0.71	4.23	-23.61	0.00	0.02	0.00
1649	101	0.00	9.10	0.00	0.00	0.00	0.00
	102	0.00	10.82	0.00	0.00	0.00	0.00
	103	0.00	9.18	0.00	0.00	0.00	0.00
	104	0.00	7.04	0.00	0.00	0.00	0.00
1650	101	0.00	10.87	0.00	0.00	0.00	0.00
	102	0.00	12.93	0.00	0.00	0.00	0.00
	103	0.00	10.97	0.00	0.00	0.00	0.00
	104	0.00	8.41	0.00	0.00	0.00	0.00
1651	101	0.00	9.04	0.00	0.00	0.00	0.00
	102	0.00	10.75	0.00	0.00	0.00	0.00
	103	0.00	9.12	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
1652	101	0.00	9.03	0.00	0.00	0.00	0.00
	102	0.00	10.75	0.00	0.00	0.00	0.00
	103	0.00	9.12	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
1653	101	0.00	9.05	0.00	0.00	0.00	0.00
	102	0.00	10.77	0.00	0.00	0.00	0.00
	103	0.00	9.13	0.00	0.00	0.00	0.00
	104	0.00	7.00	0.00	0.00	0.00	0.00
1654	101	0.00	10.89	0.00	0.00	0.00	0.00
	102	0.00	12.97	0.00	0.00	0.00	0.00
	103	0.00	11.00	0.00	0.00	0.00	0.00
	104	0.00	8.43	0.00	0.00	0.00	0.00
1655	101	0.00	9.13	0.00	0.00	0.00	0.00
	102	0.00	10.88	0.00	0.00	0.00	0.00
	103	0.00	9.22	0.00	0.00	0.00	0.00
	104	0.00	7.08	0.00	0.00	0.00	0.00
1656	101	-0.51	5.49	-23.06	0.00	-0.48	0.00
	102	-0.71	6.55	-28.42	0.00	-0.60	0.00
	103	-0.52	5.55	-23.39	0.00	-0.48	0.00
	104	-0.51	4.26	-20.45	0.00	-0.46	0.00

STAAD SPACE -- PAGE NO. 270

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1657	101	0.00	7.33	0.00	0.00	0.00	0.00
	102	0.00	8.74	0.00	0.00	0.00	0.00
	103	0.00	7.40	0.00	0.00	0.00	0.00
	104	0.00	5.68	0.00	0.00	0.00	0.00
1658	101	0.00	9.17	0.00	0.00	0.00	0.00
	102	0.00	10.93	0.00	0.00	0.00	0.00
	103	0.00	9.25	0.00	0.00	0.00	0.00
	104	0.00	7.10	0.00	0.00	0.00	0.00
1659	101	0.00	4.59	0.00	0.00	0.00	0.00
	102	0.00	5.47	0.00	0.00	0.00	0.00
	103	0.00	4.63	0.00	0.00	0.00	0.00
	104	0.00	3.56	0.00	0.00	0.00	0.00
1660	101	0.00	5.79	0.00	0.00	0.00	0.00
	102	0.00	7.07	0.00	0.00	0.00	0.00
	103	0.00	5.86	0.00	0.00	0.00	0.00
	104	0.00	4.72	0.00	0.00	0.00	0.00
1661	101	0.00	11.60	0.00	0.00	0.00	0.00
	102	0.00	14.17	0.00	0.00	0.00	0.00
	103	0.00	11.73	0.00	0.00	0.00	0.00
	104	0.00	9.46	0.00	0.00	0.00	0.00
1662	101	0.00	9.30	0.00	0.00	0.00	0.00
	102	0.00	11.35	0.00	0.00	0.00	0.00
	103	0.00	9.41	0.00	0.00	0.00	0.00
	104	0.00	7.58	0.00	0.00	0.00	0.00
1663	101	0.39	6.98	-38.33	0.00	0.56	0.00
	102	0.49	8.51	-47.89	0.00	0.70	0.00
	103	0.40	7.05	-38.91	0.00	0.57	0.00
	104	0.43	5.69	-34.42	0.00	0.51	0.00
1664	101	0.00	11.56	0.00	0.00	0.00	0.00
	102	0.00	14.11	0.00	0.00	0.00	0.00
	103	0.00	11.69	0.00	0.00	0.00	0.00
	104	0.00	9.42	0.00	0.00	0.00	0.00
1665	101	0.00	13.68	0.00	0.00	0.00	0.00
	102	0.00	16.68	0.00	0.00	0.00	0.00
	103	0.00	13.83	0.00	0.00	0.00	0.00
	104	0.00	11.13	0.00	0.00	0.00	0.00
1666	101	0.00	11.31	0.00	0.00	0.00	0.00
	102	0.00	13.79	0.00	0.00	0.00	0.00
	103	0.00	11.44	0.00	0.00	0.00	0.00
	104	0.00	9.20	0.00	0.00	0.00	0.00
1667	101	0.00	11.28	0.00	0.00	0.00	0.00
	102	0.00	13.75	0.00	0.00	0.00	0.00
	103	0.00	11.41	0.00	0.00	0.00	0.00
	104	0.00	9.17	0.00	0.00	0.00	0.00
1668	101	0.00	11.30	0.00	0.00	0.00	0.00
	102	0.00	13.77	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 271

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	11.43	0.00	0.00	0.00	0.00
	104	0.00	9.19	0.00	0.00	0.00	0.00
1669	101	0.00	13.65	0.00	0.00	0.00	0.00
	102	0.00	16.62	0.00	0.00	0.00	0.00
	103	0.00	13.80	0.00	0.00	0.00	0.00
	104	0.00	11.10	0.00	0.00	0.00	0.00
1670	101	0.00	11.50	0.00	0.00	0.00	0.00
	102	0.00	14.00	0.00	0.00	0.00	0.00
	103	0.00	11.63	0.00	0.00	0.00	0.00
	104	0.00	9.36	0.00	0.00	0.00	0.00
1671	101	0.54	6.92	-44.57	0.00	-0.14	0.00
	102	0.70	8.43	-55.46	0.00	-0.18	0.00
	103	0.55	7.00	-45.24	0.00	-0.15	0.00
	104	0.46	5.64	-39.99	0.00	-0.13	0.00
1672	101	0.00	11.50	0.00	0.00	0.00	0.00
	102	0.00	14.01	0.00	0.00	0.00	0.00
	103	0.00	11.63	0.00	0.00	0.00	0.00
	104	0.00	9.36	0.00	0.00	0.00	0.00
1673	101	0.00	13.67	0.00	0.00	0.00	0.00
	102	0.00	16.63	0.00	0.00	0.00	0.00
	103	0.00	13.82	0.00	0.00	0.00	0.00
	104	0.00	11.11	0.00	0.00	0.00	0.00
1674	101	0.00	11.33	0.00	0.00	0.00	0.00
	102	0.00	13.78	0.00	0.00	0.00	0.00
	103	0.00	11.45	0.00	0.00	0.00	0.00
	104	0.00	9.21	0.00	0.00	0.00	0.00
1675	101	0.00	11.31	0.00	0.00	0.00	0.00
	102	0.00	13.76	0.00	0.00	0.00	0.00
	103	0.00	11.44	0.00	0.00	0.00	0.00
	104	0.00	9.19	0.00	0.00	0.00	0.00
1676	101	0.00	11.35	0.00	0.00	0.00	0.00
	102	0.00	13.80	0.00	0.00	0.00	0.00
	103	0.00	11.47	0.00	0.00	0.00	0.00
	104	0.00	9.22	0.00	0.00	0.00	0.00
1677	101	0.00	13.71	0.00	0.00	0.00	0.00
	102	0.00	16.68	0.00	0.00	0.00	0.00
	103	0.00	13.87	0.00	0.00	0.00	0.00
	104	0.00	11.15	0.00	0.00	0.00	0.00
1678	101	0.00	11.57	0.00	0.00	0.00	0.00
	102	0.00	14.07	0.00	0.00	0.00	0.00
	103	0.00	11.70	0.00	0.00	0.00	0.00
	104	0.00	9.41	0.00	0.00	0.00	0.00
1679	101	0.71	6.97	-44.60	0.00	-0.20	0.00
	102	0.82	8.47	-55.44	0.00	-0.22	0.00
	103	0.72	7.05	-45.26	0.00	-0.20	0.00
	104	0.53	5.67	-40.02	0.00	-0.14	0.00

STAAD SPACE -- PAGE NO. 272

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1680	101	0.00	11.59	0.00	0.00	0.00	0.00
	102	0.00	14.09	0.00	0.00	0.00	0.00
	103	0.00	11.72	0.00	0.00	0.00	0.00
	104	0.00	9.42	0.00	0.00	0.00	0.00
1681	101	0.00	13.80	0.00	0.00	0.00	0.00
	102	0.00	16.76	0.00	0.00	0.00	0.00
	103	0.00	13.95	0.00	0.00	0.00	0.00
	104	0.00	11.20	0.00	0.00	0.00	0.00
1682	101	0.00	11.45	0.00	0.00	0.00	0.00
	102	0.00	13.90	0.00	0.00	0.00	0.00
	103	0.00	11.58	0.00	0.00	0.00	0.00
	104	0.00	9.29	0.00	0.00	0.00	0.00
1683	101	0.00	11.46	0.00	0.00	0.00	0.00
	102	0.00	13.91	0.00	0.00	0.00	0.00
	103	0.00	11.59	0.00	0.00	0.00	0.00
	104	0.00	9.28	0.00	0.00	0.00	0.00
1684	101	0.00	11.53	0.00	0.00	0.00	0.00
	102	0.00	13.98	0.00	0.00	0.00	0.00
	103	0.00	11.65	0.00	0.00	0.00	0.00
	104	0.00	9.33	0.00	0.00	0.00	0.00
1685	101	0.00	13.97	0.00	0.00	0.00	0.00
	102	0.00	16.93	0.00	0.00	0.00	0.00
	103	0.00	14.12	0.00	0.00	0.00	0.00
	104	0.00	11.31	0.00	0.00	0.00	0.00
1686	101	0.00	11.84	0.00	0.00	0.00	0.00
	102	0.00	14.33	0.00	0.00	0.00	0.00
	103	0.00	11.97	0.00	0.00	0.00	0.00
	104	0.00	9.58	0.00	0.00	0.00	0.00
1687	101	2.41	7.15	-37.00	0.00	-0.64	0.00
	102	2.46	8.65	-47.81	0.00	-0.65	0.00
	103	2.41	7.23	-37.65	0.00	-0.64	0.00
	104	1.49	5.78	-35.50	0.00	-0.40	0.00
1688	101	0.00	11.94	0.00	0.00	0.00	0.00
	102	0.00	14.43	0.00	0.00	0.00	0.00
	103	0.00	12.07	0.00	0.00	0.00	0.00
	104	0.00	9.63	0.00	0.00	0.00	0.00
1689	101	0.00	14.28	0.00	0.00	0.00	0.00
	102	0.00	17.24	0.00	0.00	0.00	0.00
	103	0.00	14.44	0.00	0.00	0.00	0.00
	104	0.00	11.49	0.00	0.00	0.00	0.00
1690	101	0.00	11.81	0.00	0.00	0.00	0.00
	102	0.00	14.26	0.00	0.00	0.00	0.00
	103	0.00	11.94	0.00	0.00	0.00	0.00
	104	0.00	9.50	0.00	0.00	0.00	0.00
1691	101	0.00	11.72	0.00	0.00	0.00	0.00
	102	0.00	14.16	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 273

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	11.85	0.00	0.00	0.00	0.00
	104	0.00	9.44	0.00	0.00	0.00	0.00
1692	101	0.00	11.68	0.00	0.00	0.00	0.00
	102	0.00	14.13	0.00	0.00	0.00	0.00
	103	0.00	11.81	0.00	0.00	0.00	0.00
	104	0.00	9.43	0.00	0.00	0.00	0.00
1693	101	0.00	14.03	0.00	0.00	0.00	0.00
	102	0.00	16.99	0.00	0.00	0.00	0.00
	103	0.00	14.19	0.00	0.00	0.00	0.00
	104	0.00	11.35	0.00	0.00	0.00	0.00
1694	101	0.00	11.75	0.00	0.00	0.00	0.00
	102	0.00	14.24	0.00	0.00	0.00	0.00
	103	0.00	11.88	0.00	0.00	0.00	0.00
	104	0.00	9.52	0.00	0.00	0.00	0.00
1695	101	-0.82	7.06	-43.46	0.00	0.35	0.00
	102	-0.80	8.56	-54.26	0.00	0.35	0.00
	103	-0.82	7.14	-44.12	0.00	0.35	0.00
	104	-0.48	5.73	-39.38	0.00	0.21	0.00
1696	101	0.00	11.72	0.00	0.00	0.00	0.00
	102	0.00	14.21	0.00	0.00	0.00	0.00
	103	0.00	11.85	0.00	0.00	0.00	0.00
	104	0.00	9.50	0.00	0.00	0.00	0.00
1697	101	0.00	13.89	0.00	0.00	0.00	0.00
	102	0.00	16.84	0.00	0.00	0.00	0.00
	103	0.00	14.04	0.00	0.00	0.00	0.00
	104	0.00	11.26	0.00	0.00	0.00	0.00
1698	101	0.00	11.49	0.00	0.00	0.00	0.00
	102	0.00	13.94	0.00	0.00	0.00	0.00
	103	0.00	11.62	0.00	0.00	0.00	0.00
	104	0.00	9.32	0.00	0.00	0.00	0.00
1699	101	0.00	11.47	0.00	0.00	0.00	0.00
	102	0.00	13.91	0.00	0.00	0.00	0.00
	103	0.00	11.59	0.00	0.00	0.00	0.00
	104	0.00	9.29	0.00	0.00	0.00	0.00
1700	101	0.00	11.50	0.00	0.00	0.00	0.00
	102	0.00	13.94	0.00	0.00	0.00	0.00
	103	0.00	11.62	0.00	0.00	0.00	0.00
	104	0.00	9.32	0.00	0.00	0.00	0.00
1701	101	0.00	13.89	0.00	0.00	0.00	0.00
	102	0.00	16.85	0.00	0.00	0.00	0.00
	103	0.00	14.04	0.00	0.00	0.00	0.00
	104	0.00	11.26	0.00	0.00	0.00	0.00
1702	101	0.00	11.72	0.00	0.00	0.00	0.00
	102	0.00	14.21	0.00	0.00	0.00	0.00
	103	0.00	11.85	0.00	0.00	0.00	0.00
	104	0.00	9.51	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 274

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1703	101	0.84	7.07	-43.49	0.00	-0.35	0.00
	102	0.83	8.57	-54.29	0.00	-0.35	0.00
	103	0.84	7.14	-44.15	0.00	-0.35	0.00
	104	0.49	5.73	-39.40	0.00	-0.21	0.00
1704	101	0.00	11.76	0.00	0.00	0.00	0.00
	102	0.00	14.25	0.00	0.00	0.00	0.00
	103	0.00	11.89	0.00	0.00	0.00	0.00
	104	0.00	9.53	0.00	0.00	0.00	0.00
1705	101	0.00	14.04	0.00	0.00	0.00	0.00
	102	0.00	17.00	0.00	0.00	0.00	0.00
	103	0.00	14.20	0.00	0.00	0.00	0.00
	104	0.00	11.35	0.00	0.00	0.00	0.00
1706	101	0.00	11.69	0.00	0.00	0.00	0.00
	102	0.00	14.14	0.00	0.00	0.00	0.00
	103	0.00	11.82	0.00	0.00	0.00	0.00
	104	0.00	9.43	0.00	0.00	0.00	0.00
1707	101	0.00	11.73	0.00	0.00	0.00	0.00
	102	0.00	14.18	0.00	0.00	0.00	0.00
	103	0.00	11.86	0.00	0.00	0.00	0.00
	104	0.00	9.45	0.00	0.00	0.00	0.00
1708	101	0.00	11.83	0.00	0.00	0.00	0.00
	102	0.00	14.27	0.00	0.00	0.00	0.00
	103	0.00	11.95	0.00	0.00	0.00	0.00
	104	0.00	9.51	0.00	0.00	0.00	0.00
1709	101	0.00	14.30	0.00	0.00	0.00	0.00
	102	0.00	17.26	0.00	0.00	0.00	0.00
	103	0.00	14.46	0.00	0.00	0.00	0.00
	104	0.00	11.51	0.00	0.00	0.00	0.00
1710	101	0.00	11.96	0.00	0.00	0.00	0.00
	102	0.00	14.45	0.00	0.00	0.00	0.00
	103	0.00	12.09	0.00	0.00	0.00	0.00
	104	0.00	9.65	0.00	0.00	0.00	0.00
1711	101	-2.27	7.17	-36.79	0.00	0.60	0.00
	102	-2.32	8.67	-47.60	0.00	0.61	0.00
	103	-2.27	7.24	-37.45	0.00	0.60	0.00
	104	-1.41	5.79	-35.38	0.00	0.37	0.00
1712	101	0.00	11.87	0.00	0.00	0.00	0.00
	102	0.00	14.36	0.00	0.00	0.00	0.00
	103	0.00	12.00	0.00	0.00	0.00	0.00
	104	0.00	9.59	0.00	0.00	0.00	0.00
1713	101	0.00	14.02	0.00	0.00	0.00	0.00
	102	0.00	16.98	0.00	0.00	0.00	0.00
	103	0.00	14.17	0.00	0.00	0.00	0.00
	104	0.00	11.33	0.00	0.00	0.00	0.00
1714	101	0.00	11.58	0.00	0.00	0.00	0.00
	102	0.00	14.02	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 275

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	11.70	0.00	0.00	0.00	0.00
	104	0.00	9.36	0.00	0.00	0.00	0.00
1715	101	0.00	11.52	0.00	0.00	0.00	0.00
	102	0.00	13.97	0.00	0.00	0.00	0.00
	103	0.00	11.65	0.00	0.00	0.00	0.00
	104	0.00	9.32	0.00	0.00	0.00	0.00
1716	101	0.00	11.50	0.00	0.00	0.00	0.00
	102	0.00	13.95	0.00	0.00	0.00	0.00
	103	0.00	11.63	0.00	0.00	0.00	0.00
	104	0.00	9.32	0.00	0.00	0.00	0.00
1717	101	0.00	13.85	0.00	0.00	0.00	0.00
	102	0.00	16.81	0.00	0.00	0.00	0.00
	103	0.00	14.00	0.00	0.00	0.00	0.00
	104	0.00	11.23	0.00	0.00	0.00	0.00
1718	101	0.00	11.62	0.00	0.00	0.00	0.00
	102	0.00	14.12	0.00	0.00	0.00	0.00
	103	0.00	11.75	0.00	0.00	0.00	0.00
	104	0.00	9.44	0.00	0.00	0.00	0.00
1719	101	-0.85	6.99	-44.42	0.00	0.24	0.00
	102	-0.96	8.49	-55.26	0.00	0.26	0.00
	103	-0.86	7.07	-45.08	0.00	0.24	0.00
	104	-0.61	5.68	-39.92	0.00	0.17	0.00
1720	101	0.00	11.60	0.00	0.00	0.00	0.00
	102	0.00	14.10	0.00	0.00	0.00	0.00
	103	0.00	11.73	0.00	0.00	0.00	0.00
	104	0.00	9.43	0.00	0.00	0.00	0.00
1721	101	0.00	13.75	0.00	0.00	0.00	0.00
	102	0.00	16.71	0.00	0.00	0.00	0.00
	103	0.00	13.90	0.00	0.00	0.00	0.00
	104	0.00	11.17	0.00	0.00	0.00	0.00
1722	101	0.00	11.37	0.00	0.00	0.00	0.00
	102	0.00	13.83	0.00	0.00	0.00	0.00
	103	0.00	11.50	0.00	0.00	0.00	0.00
	104	0.00	9.23	0.00	0.00	0.00	0.00
1723	101	0.00	11.33	0.00	0.00	0.00	0.00
	102	0.00	13.78	0.00	0.00	0.00	0.00
	103	0.00	11.46	0.00	0.00	0.00	0.00
	104	0.00	9.20	0.00	0.00	0.00	0.00
1724	101	0.00	11.35	0.00	0.00	0.00	0.00
	102	0.00	13.80	0.00	0.00	0.00	0.00
	103	0.00	11.48	0.00	0.00	0.00	0.00
	104	0.00	9.22	0.00	0.00	0.00	0.00
1725	101	0.00	13.69	0.00	0.00	0.00	0.00
	102	0.00	16.66	0.00	0.00	0.00	0.00
	103	0.00	13.85	0.00	0.00	0.00	0.00
	104	0.00	11.13	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 276

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1726	101	0.00	11.52	0.00	0.00	0.00	0.00
	102	0.00	14.03	0.00	0.00	0.00	0.00
	103	0.00	11.65	0.00	0.00	0.00	0.00
	104	0.00	9.38	0.00	0.00	0.00	0.00
1727	101	-0.56	6.94	-44.67	0.00	0.15	0.00
	102	-0.71	8.45	-55.56	0.00	0.18	0.00
	103	-0.57	7.01	-45.34	0.00	0.15	0.00
	104	-0.47	5.65	-40.05	0.00	0.13	0.00
1728	101	0.00	11.52	0.00	0.00	0.00	0.00
	102	0.00	14.03	0.00	0.00	0.00	0.00
	103	0.00	11.65	0.00	0.00	0.00	0.00
	104	0.00	9.38	0.00	0.00	0.00	0.00
1729	101	0.00	13.67	0.00	0.00	0.00	0.00
	102	0.00	16.65	0.00	0.00	0.00	0.00
	103	0.00	13.83	0.00	0.00	0.00	0.00
	104	0.00	11.12	0.00	0.00	0.00	0.00
1730	101	0.00	11.32	0.00	0.00	0.00	0.00
	102	0.00	13.79	0.00	0.00	0.00	0.00
	103	0.00	11.45	0.00	0.00	0.00	0.00
	104	0.00	9.21	0.00	0.00	0.00	0.00
1731	101	0.00	11.30	0.00	0.00	0.00	0.00
	102	0.00	13.77	0.00	0.00	0.00	0.00
	103	0.00	11.43	0.00	0.00	0.00	0.00
	104	0.00	9.19	0.00	0.00	0.00	0.00
1732	101	0.00	11.34	0.00	0.00	0.00	0.00
	102	0.00	13.82	0.00	0.00	0.00	0.00
	103	0.00	11.47	0.00	0.00	0.00	0.00
	104	0.00	9.22	0.00	0.00	0.00	0.00
1733	101	0.00	13.71	0.00	0.00	0.00	0.00
	102	0.00	16.71	0.00	0.00	0.00	0.00
	103	0.00	13.86	0.00	0.00	0.00	0.00
	104	0.00	11.15	0.00	0.00	0.00	0.00
1734	101	0.00	11.59	0.00	0.00	0.00	0.00
	102	0.00	14.13	0.00	0.00	0.00	0.00
	103	0.00	11.72	0.00	0.00	0.00	0.00
	104	0.00	9.44	0.00	0.00	0.00	0.00
1735	101	-0.39	6.99	-38.42	0.00	-0.56	0.00
	102	-0.49	8.53	-47.98	0.00	-0.70	0.00
	103	-0.40	7.07	-39.00	0.00	-0.57	0.00
	104	-0.43	5.70	-34.48	0.00	-0.51	0.00
1736	101	0.00	9.32	0.00	0.00	0.00	0.00
	102	0.00	11.37	0.00	0.00	0.00	0.00
	103	0.00	9.43	0.00	0.00	0.00	0.00
	104	0.00	7.60	0.00	0.00	0.00	0.00
1737	101	0.00	11.63	0.00	0.00	0.00	0.00
	102	0.00	14.19	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 277

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	11.76	0.00	0.00	0.00	0.00
	104	0.00	9.48	0.00	0.00	0.00	0.00
1738	101	0.00	5.80	0.00	0.00	0.00	0.00
	102	0.00	7.09	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	4.73	0.00	0.00	0.00	0.00
1739	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00
	103	0.00	4.34	0.00	0.00	0.00	0.00
	104	0.00	3.59	0.00	0.00	0.00	0.00
1740	101	0.00	8.60	0.00	0.00	0.00	0.00
	102	0.00	10.64	0.00	0.00	0.00	0.00
	103	0.00	8.71	0.00	0.00	0.00	0.00
	104	0.00	7.20	0.00	0.00	0.00	0.00
1741	101	0.00	6.90	0.00	0.00	0.00	0.00
	102	0.00	8.53	0.00	0.00	0.00	0.00
	103	0.00	6.99	0.00	0.00	0.00	0.00
	104	0.00	5.78	0.00	0.00	0.00	0.00
1742	101	0.15	5.18	-30.78	0.00	0.43	0.00
	102	0.16	6.40	-38.94	0.00	0.54	0.00
	103	0.15	5.24	-31.27	0.00	0.43	0.00
	104	0.20	4.33	-27.95	0.00	0.39	0.00
1743	101	0.00	8.57	0.00	0.00	0.00	0.00
	102	0.00	10.59	0.00	0.00	0.00	0.00
	103	0.00	8.67	0.00	0.00	0.00	0.00
	104	0.00	7.17	0.00	0.00	0.00	0.00
1744	101	0.00	10.10	0.00	0.00	0.00	0.00
	102	0.00	12.47	0.00	0.00	0.00	0.00
	103	0.00	10.22	0.00	0.00	0.00	0.00
	104	0.00	8.43	0.00	0.00	0.00	0.00
1745	101	0.00	8.33	0.00	0.00	0.00	0.00
	102	0.00	10.28	0.00	0.00	0.00	0.00
	103	0.00	8.44	0.00	0.00	0.00	0.00
	104	0.00	6.96	0.00	0.00	0.00	0.00
1746	101	0.00	8.30	0.00	0.00	0.00	0.00
	102	0.00	10.24	0.00	0.00	0.00	0.00
	103	0.00	8.40	0.00	0.00	0.00	0.00
	104	0.00	6.93	0.00	0.00	0.00	0.00
1747	101	0.00	8.32	0.00	0.00	0.00	0.00
	102	0.00	10.27	0.00	0.00	0.00	0.00
	103	0.00	8.42	0.00	0.00	0.00	0.00
	104	0.00	6.95	0.00	0.00	0.00	0.00
1748	101	0.00	10.07	0.00	0.00	0.00	0.00
	102	0.00	12.42	0.00	0.00	0.00	0.00
	103	0.00	10.19	0.00	0.00	0.00	0.00
	104	0.00	8.41	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 278

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1749	101	0.00	8.51	0.00	0.00	0.00	0.00
	102	0.00	10.49	0.00	0.00	0.00	0.00
	103	0.00	8.62	0.00	0.00	0.00	0.00
	104	0.00	7.11	0.00	0.00	0.00	0.00
1750	101	0.20	5.13	-36.20	0.00	-0.06	0.00
	102	0.25	6.33	-45.56	0.00	-0.08	0.00
	103	0.21	5.19	-36.76	0.00	-0.06	0.00
	104	0.17	4.29	-32.80	0.00	-0.06	0.00
1751	101	0.00	8.51	0.00	0.00	0.00	0.00
	102	0.00	10.50	0.00	0.00	0.00	0.00
	103	0.00	8.62	0.00	0.00	0.00	0.00
	104	0.00	7.11	0.00	0.00	0.00	0.00
1752	101	0.00	10.08	0.00	0.00	0.00	0.00
	102	0.00	12.43	0.00	0.00	0.00	0.00
	103	0.00	10.21	0.00	0.00	0.00	0.00
	104	0.00	8.42	0.00	0.00	0.00	0.00
1753	101	0.00	8.34	0.00	0.00	0.00	0.00
	102	0.00	10.28	0.00	0.00	0.00	0.00
	103	0.00	8.44	0.00	0.00	0.00	0.00
	104	0.00	6.96	0.00	0.00	0.00	0.00
1754	101	0.00	8.33	0.00	0.00	0.00	0.00
	102	0.00	10.25	0.00	0.00	0.00	0.00
	103	0.00	8.43	0.00	0.00	0.00	0.00
	104	0.00	6.94	0.00	0.00	0.00	0.00
1755	101	0.00	8.36	0.00	0.00	0.00	0.00
	102	0.00	10.29	0.00	0.00	0.00	0.00
	103	0.00	8.46	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
1756	101	0.00	10.13	0.00	0.00	0.00	0.00
	102	0.00	12.46	0.00	0.00	0.00	0.00
	103	0.00	10.25	0.00	0.00	0.00	0.00
	104	0.00	8.44	0.00	0.00	0.00	0.00
1757	101	0.00	8.57	0.00	0.00	0.00	0.00
	102	0.00	10.55	0.00	0.00	0.00	0.00
	103	0.00	8.68	0.00	0.00	0.00	0.00
	104	0.00	7.15	0.00	0.00	0.00	0.00
1758	101	0.32	5.17	-36.21	0.00	-0.11	0.00
	102	0.36	6.36	-45.55	0.00	-0.12	0.00
	103	0.32	5.23	-36.77	0.00	-0.11	0.00
	104	0.24	4.31	-32.83	0.00	-0.08	0.00
1759	101	0.00	8.59	0.00	0.00	0.00	0.00
	102	0.00	10.56	0.00	0.00	0.00	0.00
	103	0.00	8.69	0.00	0.00	0.00	0.00
	104	0.00	7.16	0.00	0.00	0.00	0.00
1760	101	0.00	10.19	0.00	0.00	0.00	0.00
	102	0.00	12.53	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 279

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	10.32	0.00	0.00	0.00	0.00
	104	0.00	8.49	0.00	0.00	0.00	0.00
1761	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.38	0.00	0.00	0.00	0.00
	103	0.00	8.55	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1762	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.38	0.00	0.00	0.00	0.00
	103	0.00	8.55	0.00	0.00	0.00	0.00
	104	0.00	7.02	0.00	0.00	0.00	0.00
1763	101	0.00	8.51	0.00	0.00	0.00	0.00
	102	0.00	10.44	0.00	0.00	0.00	0.00
	103	0.00	8.61	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
1764	101	0.00	10.34	0.00	0.00	0.00	0.00
	102	0.00	12.67	0.00	0.00	0.00	0.00
	103	0.00	10.46	0.00	0.00	0.00	0.00
	104	0.00	8.58	0.00	0.00	0.00	0.00
1765	101	0.00	8.79	0.00	0.00	0.00	0.00
	102	0.00	10.77	0.00	0.00	0.00	0.00
	103	0.00	8.90	0.00	0.00	0.00	0.00
	104	0.00	7.29	0.00	0.00	0.00	0.00
1766	101	1.35	5.32	-32.54	0.00	-0.26	0.00
	102	1.37	6.51	-41.86	0.00	-0.27	0.00
	103	1.35	5.38	-33.10	0.00	-0.26	0.00
	104	0.83	4.41	-30.66	0.00	-0.17	0.00
1767	101	0.00	8.87	0.00	0.00	0.00	0.00
	102	0.00	10.84	0.00	0.00	0.00	0.00
	103	0.00	8.98	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1768	101	0.00	10.58	0.00	0.00	0.00	0.00
	102	0.00	12.92	0.00	0.00	0.00	0.00
	103	0.00	10.71	0.00	0.00	0.00	0.00
	104	0.00	8.73	0.00	0.00	0.00	0.00
1769	101	0.00	8.74	0.00	0.00	0.00	0.00
	102	0.00	10.67	0.00	0.00	0.00	0.00
	103	0.00	8.84	0.00	0.00	0.00	0.00
	104	0.00	7.20	0.00	0.00	0.00	0.00
1770	101	0.00	8.67	0.00	0.00	0.00	0.00
	102	0.00	10.59	0.00	0.00	0.00	0.00
	103	0.00	8.77	0.00	0.00	0.00	0.00
	104	0.00	7.15	0.00	0.00	0.00	0.00
1771	101	0.00	8.64	0.00	0.00	0.00	0.00
	102	0.00	10.57	0.00	0.00	0.00	0.00
	103	0.00	8.74	0.00	0.00	0.00	0.00
	104	0.00	7.15	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 280

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1772	101	0.00	10.39	0.00	0.00	0.00	0.00
	102	0.00	12.72	0.00	0.00	0.00	0.00
	103	0.00	10.51	0.00	0.00	0.00	0.00
	104	0.00	8.61	0.00	0.00	0.00	0.00
1773	101	0.00	8.72	0.00	0.00	0.00	0.00
	102	0.00	10.69	0.00	0.00	0.00	0.00
	103	0.00	8.83	0.00	0.00	0.00	0.00
	104	0.00	7.25	0.00	0.00	0.00	0.00
1774	101	-0.48	5.24	-35.33	0.00	0.22	0.00
	102	-0.47	6.43	-44.63	0.00	0.22	0.00
	103	-0.48	5.31	-35.89	0.00	0.22	0.00
	104	-0.28	4.36	-32.34	0.00	0.13	0.00
1775	101	0.00	8.69	0.00	0.00	0.00	0.00
	102	0.00	10.66	0.00	0.00	0.00	0.00
	103	0.00	8.79	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00
1776	101	0.00	10.26	0.00	0.00	0.00	0.00
	102	0.00	12.59	0.00	0.00	0.00	0.00
	103	0.00	10.38	0.00	0.00	0.00	0.00
	104	0.00	8.54	0.00	0.00	0.00	0.00
1777	101	0.00	8.48	0.00	0.00	0.00	0.00
	102	0.00	10.40	0.00	0.00	0.00	0.00
	103	0.00	8.58	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1778	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.37	0.00	0.00	0.00	0.00
	103	0.00	8.55	0.00	0.00	0.00	0.00
	104	0.00	7.02	0.00	0.00	0.00	0.00
1779	101	0.00	8.48	0.00	0.00	0.00	0.00
	102	0.00	10.40	0.00	0.00	0.00	0.00
	103	0.00	8.58	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1780	101	0.00	10.26	0.00	0.00	0.00	0.00
	102	0.00	12.60	0.00	0.00	0.00	0.00
	103	0.00	10.39	0.00	0.00	0.00	0.00
	104	0.00	8.54	0.00	0.00	0.00	0.00
1781	101	0.00	8.69	0.00	0.00	0.00	0.00
	102	0.00	10.67	0.00	0.00	0.00	0.00
	103	0.00	8.80	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00
1782	101	0.49	5.25	-35.35	0.00	-0.22	0.00
	102	0.48	6.44	-44.66	0.00	-0.22	0.00
	103	0.49	5.31	-35.91	0.00	-0.22	0.00
	104	0.29	4.36	-32.35	0.00	-0.13	0.00
1783	101	0.00	8.73	0.00	0.00	0.00	0.00
	102	0.00	10.70	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 281

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.83	0.00	0.00	0.00	0.00
	104	0.00	7.25	0.00	0.00	0.00	0.00
1784	101	0.00	10.40	0.00	0.00	0.00	0.00
	102	0.00	12.73	0.00	0.00	0.00	0.00
	103	0.00	10.52	0.00	0.00	0.00	0.00
	104	0.00	8.62	0.00	0.00	0.00	0.00
1785	101	0.00	8.65	0.00	0.00	0.00	0.00
	102	0.00	10.58	0.00	0.00	0.00	0.00
	103	0.00	8.75	0.00	0.00	0.00	0.00
	104	0.00	7.15	0.00	0.00	0.00	0.00
1786	101	0.00	8.68	0.00	0.00	0.00	0.00
	102	0.00	10.60	0.00	0.00	0.00	0.00
	103	0.00	8.78	0.00	0.00	0.00	0.00
	104	0.00	7.16	0.00	0.00	0.00	0.00
1787	101	0.00	8.75	0.00	0.00	0.00	0.00
	102	0.00	10.68	0.00	0.00	0.00	0.00
	103	0.00	8.85	0.00	0.00	0.00	0.00
	104	0.00	7.21	0.00	0.00	0.00	0.00
1788	101	0.00	10.60	0.00	0.00	0.00	0.00
	102	0.00	12.93	0.00	0.00	0.00	0.00
	103	0.00	10.72	0.00	0.00	0.00	0.00
	104	0.00	8.74	0.00	0.00	0.00	0.00
1789	101	0.00	8.89	0.00	0.00	0.00	0.00
	102	0.00	10.86	0.00	0.00	0.00	0.00
	103	0.00	8.99	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1790	101	-1.27	5.33	-32.42	0.00	0.24	0.00
	102	-1.29	6.52	-41.73	0.00	0.24	0.00
	103	-1.27	5.39	-32.98	0.00	0.24	0.00
	104	-0.78	4.41	-30.59	0.00	0.15	0.00
1791	101	0.00	8.82	0.00	0.00	0.00	0.00
	102	0.00	10.79	0.00	0.00	0.00	0.00
	103	0.00	8.92	0.00	0.00	0.00	0.00
	104	0.00	7.31	0.00	0.00	0.00	0.00
1792	101	0.00	10.38	0.00	0.00	0.00	0.00
	102	0.00	12.71	0.00	0.00	0.00	0.00
	103	0.00	10.50	0.00	0.00	0.00	0.00
	104	0.00	8.60	0.00	0.00	0.00	0.00
1793	101	0.00	8.55	0.00	0.00	0.00	0.00
	102	0.00	10.48	0.00	0.00	0.00	0.00
	103	0.00	8.65	0.00	0.00	0.00	0.00
	104	0.00	7.09	0.00	0.00	0.00	0.00
1794	101	0.00	8.49	0.00	0.00	0.00	0.00
	102	0.00	10.42	0.00	0.00	0.00	0.00
	103	0.00	8.59	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 282

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1795	101	0.00	8.49	0.00	0.00	0.00	0.00
	102	0.00	10.42	0.00	0.00	0.00	0.00
	103	0.00	8.59	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1796	101	0.00	10.23	0.00	0.00	0.00	0.00
	102	0.00	12.57	0.00	0.00	0.00	0.00
	103	0.00	10.36	0.00	0.00	0.00	0.00
	104	0.00	8.51	0.00	0.00	0.00	0.00
1797	101	0.00	8.61	0.00	0.00	0.00	0.00
	102	0.00	10.59	0.00	0.00	0.00	0.00
	103	0.00	8.72	0.00	0.00	0.00	0.00
	104	0.00	7.18	0.00	0.00	0.00	0.00
1798	101	-0.40	5.18	-36.11	0.00	0.13	0.00
	102	-0.44	6.38	-45.45	0.00	0.14	0.00
	103	-0.40	5.25	-36.67	0.00	0.13	0.00
	104	-0.28	4.32	-32.77	0.00	0.09	0.00
1799	101	0.00	8.59	0.00	0.00	0.00	0.00
	102	0.00	10.57	0.00	0.00	0.00	0.00
	103	0.00	8.70	0.00	0.00	0.00	0.00
	104	0.00	7.17	0.00	0.00	0.00	0.00
1800	101	0.00	10.15	0.00	0.00	0.00	0.00
	102	0.00	12.49	0.00	0.00	0.00	0.00
	103	0.00	10.27	0.00	0.00	0.00	0.00
	104	0.00	8.46	0.00	0.00	0.00	0.00
1801	101	0.00	8.38	0.00	0.00	0.00	0.00
	102	0.00	10.31	0.00	0.00	0.00	0.00
	103	0.00	8.48	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1802	101	0.00	8.34	0.00	0.00	0.00	0.00
	102	0.00	10.27	0.00	0.00	0.00	0.00
	103	0.00	8.45	0.00	0.00	0.00	0.00
	104	0.00	6.95	0.00	0.00	0.00	0.00
1803	101	0.00	8.36	0.00	0.00	0.00	0.00
	102	0.00	10.29	0.00	0.00	0.00	0.00
	103	0.00	8.46	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
1804	101	0.00	10.11	0.00	0.00	0.00	0.00
	102	0.00	12.45	0.00	0.00	0.00	0.00
	103	0.00	10.23	0.00	0.00	0.00	0.00
	104	0.00	8.43	0.00	0.00	0.00	0.00
1805	101	0.00	8.53	0.00	0.00	0.00	0.00
	102	0.00	10.51	0.00	0.00	0.00	0.00
	103	0.00	8.64	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1806	101	-0.21	5.14	-36.28	0.00	0.07	0.00
	102	-0.26	6.34	-45.65	0.00	0.08	0.00

STAAD SPACE -- PAGE NO. 283

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.21	5.20	-36.85	0.00	0.07	0.00
	104	-0.18	4.29	-32.85	0.00	0.06	0.00
1807	101	0.00	8.53	0.00	0.00	0.00	0.00
	102	0.00	10.51	0.00	0.00	0.00	0.00
	103	0.00	8.63	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1808	101	0.00	10.09	0.00	0.00	0.00	0.00
	102	0.00	12.44	0.00	0.00	0.00	0.00
	103	0.00	10.21	0.00	0.00	0.00	0.00
	104	0.00	8.42	0.00	0.00	0.00	0.00
1809	101	0.00	8.34	0.00	0.00	0.00	0.00
	102	0.00	10.28	0.00	0.00	0.00	0.00
	103	0.00	8.44	0.00	0.00	0.00	0.00
	104	0.00	6.96	0.00	0.00	0.00	0.00
1810	101	0.00	8.32	0.00	0.00	0.00	0.00
	102	0.00	10.26	0.00	0.00	0.00	0.00
	103	0.00	8.42	0.00	0.00	0.00	0.00
	104	0.00	6.94	0.00	0.00	0.00	0.00
1811	101	0.00	8.35	0.00	0.00	0.00	0.00
	102	0.00	10.30	0.00	0.00	0.00	0.00
	103	0.00	8.45	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
1812	101	0.00	10.12	0.00	0.00	0.00	0.00
	102	0.00	12.49	0.00	0.00	0.00	0.00
	103	0.00	10.24	0.00	0.00	0.00	0.00
	104	0.00	8.45	0.00	0.00	0.00	0.00
1813	101	0.00	8.59	0.00	0.00	0.00	0.00
	102	0.00	10.60	0.00	0.00	0.00	0.00
	103	0.00	8.69	0.00	0.00	0.00	0.00
	104	0.00	7.18	0.00	0.00	0.00	0.00
1814	101	-0.15	5.19	-30.86	0.00	-0.43	0.00
	102	-0.16	6.41	-39.02	0.00	-0.54	0.00
	103	-0.15	5.25	-31.35	0.00	-0.43	0.00
	104	-0.20	4.34	-28.00	0.00	-0.39	0.00
1815	101	0.00	6.92	0.00	0.00	0.00	0.00
	102	0.00	8.55	0.00	0.00	0.00	0.00
	103	0.00	7.00	0.00	0.00	0.00	0.00
	104	0.00	5.79	0.00	0.00	0.00	0.00
1816	101	0.00	8.62	0.00	0.00	0.00	0.00
	102	0.00	10.66	0.00	0.00	0.00	0.00
	103	0.00	8.73	0.00	0.00	0.00	0.00
	104	0.00	7.21	0.00	0.00	0.00	0.00
1817	101	0.00	4.30	0.00	0.00	0.00	0.00
	102	0.00	5.32	0.00	0.00	0.00	0.00
	103	0.00	4.35	0.00	0.00	0.00	0.00
	104	0.00	3.60	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 284

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1818	101	0.00	4.37	0.00	0.00	0.00	0.00
	102	0.00	5.47	0.00	0.00	0.00	0.00
	103	0.00	4.43	0.00	0.00	0.00	0.00
	104	0.00	3.75	0.00	0.00	0.00	0.00
1819	101	0.00	8.77	0.00	0.00	0.00	0.00
	102	0.00	10.97	0.00	0.00	0.00	0.00
	103	0.00	8.89	0.00	0.00	0.00	0.00
	104	0.00	7.52	0.00	0.00	0.00	0.00
1820	101	0.00	7.04	0.00	0.00	0.00	0.00
	102	0.00	8.80	0.00	0.00	0.00	0.00
	103	0.00	7.13	0.00	0.00	0.00	0.00
	104	0.00	6.03	0.00	0.00	0.00	0.00
1821	101	-0.05	5.28	-31.88	0.00	0.40	0.00
	102	-0.10	6.60	-40.54	0.00	0.51	0.00
	103	-0.05	5.35	-32.40	0.00	0.41	0.00
	104	0.01	4.52	-29.11	0.00	0.36	0.00
1822	101	0.00	8.73	0.00	0.00	0.00	0.00
	102	0.00	10.91	0.00	0.00	0.00	0.00
	103	0.00	8.84	0.00	0.00	0.00	0.00
	104	0.00	7.48	0.00	0.00	0.00	0.00
1823	101	0.00	10.25	0.00	0.00	0.00	0.00
	102	0.00	12.80	0.00	0.00	0.00	0.00
	103	0.00	10.39	0.00	0.00	0.00	0.00
	104	0.00	8.77	0.00	0.00	0.00	0.00
1824	101	0.00	8.44	0.00	0.00	0.00	0.00
	102	0.00	10.54	0.00	0.00	0.00	0.00
	103	0.00	8.55	0.00	0.00	0.00	0.00
	104	0.00	7.22	0.00	0.00	0.00	0.00
1825	101	0.00	8.40	0.00	0.00	0.00	0.00
	102	0.00	10.49	0.00	0.00	0.00	0.00
	103	0.00	8.51	0.00	0.00	0.00	0.00
	104	0.00	7.18	0.00	0.00	0.00	0.00
1826	101	0.00	8.43	0.00	0.00	0.00	0.00
	102	0.00	10.52	0.00	0.00	0.00	0.00
	103	0.00	8.54	0.00	0.00	0.00	0.00
	104	0.00	7.21	0.00	0.00	0.00	0.00
1827	101	0.00	10.21	0.00	0.00	0.00	0.00
	102	0.00	12.74	0.00	0.00	0.00	0.00
	103	0.00	10.35	0.00	0.00	0.00	0.00
	104	0.00	8.74	0.00	0.00	0.00	0.00
1828	101	0.00	8.66	0.00	0.00	0.00	0.00
	102	0.00	10.80	0.00	0.00	0.00	0.00
	103	0.00	8.77	0.00	0.00	0.00	0.00
	104	0.00	7.41	0.00	0.00	0.00	0.00
1829	101	0.13	5.22	-37.77	0.00	-0.06	0.00
	102	0.15	6.51	-47.77	0.00	-0.06	0.00

STAAD SPACE -- PAGE NO. 285

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.13	5.29	-38.37	0.00	-0.06	0.00
	104	0.11	4.47	-34.41	0.00	-0.05	0.00
1830	101	0.00	8.66	0.00	0.00	0.00	0.00
	102	0.00	10.80	0.00	0.00	0.00	0.00
	103	0.00	8.78	0.00	0.00	0.00	0.00
	104	0.00	7.41	0.00	0.00	0.00	0.00
1831	101	0.00	10.23	0.00	0.00	0.00	0.00
	102	0.00	12.75	0.00	0.00	0.00	0.00
	103	0.00	10.37	0.00	0.00	0.00	0.00
	104	0.00	8.75	0.00	0.00	0.00	0.00
1832	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.53	0.00	0.00	0.00	0.00
	103	0.00	8.56	0.00	0.00	0.00	0.00
	104	0.00	7.22	0.00	0.00	0.00	0.00
1833	101	0.00	8.43	0.00	0.00	0.00	0.00
	102	0.00	10.50	0.00	0.00	0.00	0.00
	103	0.00	8.54	0.00	0.00	0.00	0.00
	104	0.00	7.20	0.00	0.00	0.00	0.00
1834	101	0.00	8.47	0.00	0.00	0.00	0.00
	102	0.00	10.55	0.00	0.00	0.00	0.00
	103	0.00	8.58	0.00	0.00	0.00	0.00
	104	0.00	7.24	0.00	0.00	0.00	0.00
1835	101	0.00	10.28	0.00	0.00	0.00	0.00
	102	0.00	12.80	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	8.78	0.00	0.00	0.00	0.00
1836	101	0.00	8.72	0.00	0.00	0.00	0.00
	102	0.00	10.86	0.00	0.00	0.00	0.00
	103	0.00	8.84	0.00	0.00	0.00	0.00
	104	0.00	7.46	0.00	0.00	0.00	0.00
1837	101	0.25	5.27	-37.78	0.00	-0.11	0.00
	102	0.28	6.55	-47.77	0.00	-0.12	0.00
	103	0.25	5.33	-38.38	0.00	-0.11	0.00
	104	0.19	4.50	-34.45	0.00	-0.08	0.00
1838	101	0.00	8.74	0.00	0.00	0.00	0.00
	102	0.00	10.87	0.00	0.00	0.00	0.00
	103	0.00	8.86	0.00	0.00	0.00	0.00
	104	0.00	7.47	0.00	0.00	0.00	0.00
1839	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	12.87	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	8.83	0.00	0.00	0.00	0.00
1840	101	0.00	8.57	0.00	0.00	0.00	0.00
	102	0.00	10.65	0.00	0.00	0.00	0.00
	103	0.00	8.68	0.00	0.00	0.00	0.00
	104	0.00	7.30	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 286

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1841	101	0.00	8.57	0.00	0.00	0.00	0.00
	102	0.00	10.64	0.00	0.00	0.00	0.00
	103	0.00	8.68	0.00	0.00	0.00	0.00
	104	0.00	7.29	0.00	0.00	0.00	0.00
1842	101	0.00	8.64	0.00	0.00	0.00	0.00
	102	0.00	10.71	0.00	0.00	0.00	0.00
	103	0.00	8.75	0.00	0.00	0.00	0.00
	104	0.00	7.34	0.00	0.00	0.00	0.00
1843	101	0.00	10.51	0.00	0.00	0.00	0.00
	102	0.00	13.03	0.00	0.00	0.00	0.00
	103	0.00	10.65	0.00	0.00	0.00	0.00
	104	0.00	8.93	0.00	0.00	0.00	0.00
1844	101	0.00	8.97	0.00	0.00	0.00	0.00
	102	0.00	11.10	0.00	0.00	0.00	0.00
	103	0.00	9.08	0.00	0.00	0.00	0.00
	104	0.00	7.61	0.00	0.00	0.00	0.00
1845	101	0.83	5.43	-35.62	0.00	-0.18	0.00
	102	0.84	6.71	-45.58	0.00	-0.18	0.00
	103	0.83	5.50	-36.22	0.00	-0.18	0.00
	104	0.51	4.60	-33.18	0.00	-0.12	0.00
1846	101	0.00	9.04	0.00	0.00	0.00	0.00
	102	0.00	11.17	0.00	0.00	0.00	0.00
	103	0.00	9.16	0.00	0.00	0.00	0.00
	104	0.00	7.65	0.00	0.00	0.00	0.00
1847	101	0.00	10.75	0.00	0.00	0.00	0.00
	102	0.00	13.27	0.00	0.00	0.00	0.00
	103	0.00	10.89	0.00	0.00	0.00	0.00
	104	0.00	9.08	0.00	0.00	0.00	0.00
1848	101	0.00	8.87	0.00	0.00	0.00	0.00
	102	0.00	10.94	0.00	0.00	0.00	0.00
	103	0.00	8.98	0.00	0.00	0.00	0.00
	104	0.00	7.48	0.00	0.00	0.00	0.00
1849	101	0.00	8.80	0.00	0.00	0.00	0.00
	102	0.00	10.87	0.00	0.00	0.00	0.00
	103	0.00	8.91	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
1850	101	0.00	8.78	0.00	0.00	0.00	0.00
	102	0.00	10.85	0.00	0.00	0.00	0.00
	103	0.00	8.89	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
1851	101	0.00	10.57	0.00	0.00	0.00	0.00
	102	0.00	13.08	0.00	0.00	0.00	0.00
	103	0.00	10.71	0.00	0.00	0.00	0.00
	104	0.00	8.97	0.00	0.00	0.00	0.00
1852	101	0.00	8.89	0.00	0.00	0.00	0.00
	102	0.00	11.02	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 287

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	9.00	0.00	0.00	0.00	0.00
	104	0.00	7.56	0.00	0.00	0.00	0.00
1853	101	-0.42	5.35	-36.97	0.00	0.20	0.00
	102	-0.42	6.63	-46.92	0.00	0.20	0.00
	103	-0.42	5.42	-37.57	0.00	0.20	0.00
	104	-0.25	4.56	-34.00	0.00	0.12	0.00
1854	101	0.00	8.85	0.00	0.00	0.00	0.00
	102	0.00	10.98	0.00	0.00	0.00	0.00
	103	0.00	8.97	0.00	0.00	0.00	0.00
	104	0.00	7.54	0.00	0.00	0.00	0.00
1855	101	0.00	10.42	0.00	0.00	0.00	0.00
	102	0.00	12.94	0.00	0.00	0.00	0.00
	103	0.00	10.56	0.00	0.00	0.00	0.00
	104	0.00	8.88	0.00	0.00	0.00	0.00
1856	101	0.00	8.59	0.00	0.00	0.00	0.00
	102	0.00	10.67	0.00	0.00	0.00	0.00
	103	0.00	8.71	0.00	0.00	0.00	0.00
	104	0.00	7.32	0.00	0.00	0.00	0.00
1857	101	0.00	8.56	0.00	0.00	0.00	0.00
	102	0.00	10.63	0.00	0.00	0.00	0.00
	103	0.00	8.67	0.00	0.00	0.00	0.00
	104	0.00	7.29	0.00	0.00	0.00	0.00
1858	101	0.00	8.60	0.00	0.00	0.00	0.00
	102	0.00	10.67	0.00	0.00	0.00	0.00
	103	0.00	8.71	0.00	0.00	0.00	0.00
	104	0.00	7.32	0.00	0.00	0.00	0.00
1859	101	0.00	10.43	0.00	0.00	0.00	0.00
	102	0.00	12.94	0.00	0.00	0.00	0.00
	103	0.00	10.56	0.00	0.00	0.00	0.00
	104	0.00	8.88	0.00	0.00	0.00	0.00
1860	101	0.00	8.86	0.00	0.00	0.00	0.00
	102	0.00	10.99	0.00	0.00	0.00	0.00
	103	0.00	8.97	0.00	0.00	0.00	0.00
	104	0.00	7.55	0.00	0.00	0.00	0.00
1861	101	0.43	5.35	-37.00	0.00	-0.21	0.00
	102	0.43	6.64	-46.94	0.00	-0.21	0.00
	103	0.43	5.42	-37.60	0.00	-0.21	0.00
	104	0.25	4.56	-34.02	0.00	-0.12	0.00
1862	101	0.00	8.89	0.00	0.00	0.00	0.00
	102	0.00	11.02	0.00	0.00	0.00	0.00
	103	0.00	9.01	0.00	0.00	0.00	0.00
	104	0.00	7.57	0.00	0.00	0.00	0.00
1863	101	0.00	10.58	0.00	0.00	0.00	0.00
	102	0.00	13.09	0.00	0.00	0.00	0.00
	103	0.00	10.71	0.00	0.00	0.00	0.00
	104	0.00	8.97	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 288

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1864	101	0.00	8.79	0.00	0.00	0.00	0.00
	102	0.00	10.86	0.00	0.00	0.00	0.00
	103	0.00	8.90	0.00	0.00	0.00	0.00
	104	0.00	7.44	0.00	0.00	0.00	0.00
1865	101	0.00	8.81	0.00	0.00	0.00	0.00
	102	0.00	10.88	0.00	0.00	0.00	0.00
	103	0.00	8.92	0.00	0.00	0.00	0.00
	104	0.00	7.44	0.00	0.00	0.00	0.00
1866	101	0.00	8.88	0.00	0.00	0.00	0.00
	102	0.00	10.96	0.00	0.00	0.00	0.00
	103	0.00	8.99	0.00	0.00	0.00	0.00
	104	0.00	7.49	0.00	0.00	0.00	0.00
1867	101	0.00	10.77	0.00	0.00	0.00	0.00
	102	0.00	13.28	0.00	0.00	0.00	0.00
	103	0.00	10.90	0.00	0.00	0.00	0.00
	104	0.00	9.09	0.00	0.00	0.00	0.00
1868	101	0.00	9.06	0.00	0.00	0.00	0.00
	102	0.00	11.19	0.00	0.00	0.00	0.00
	103	0.00	9.18	0.00	0.00	0.00	0.00
	104	0.00	7.67	0.00	0.00	0.00	0.00
1869	101	-0.77	5.44	-35.54	0.00	0.16	0.00
	102	-0.78	6.73	-45.49	0.00	0.17	0.00
	103	-0.77	5.51	-36.13	0.00	0.16	0.00
	104	-0.48	4.61	-33.14	0.00	0.10	0.00
1870	101	0.00	8.99	0.00	0.00	0.00	0.00
	102	0.00	11.13	0.00	0.00	0.00	0.00
	103	0.00	9.11	0.00	0.00	0.00	0.00
	104	0.00	7.63	0.00	0.00	0.00	0.00
1871	101	0.00	10.55	0.00	0.00	0.00	0.00
	102	0.00	13.07	0.00	0.00	0.00	0.00
	103	0.00	10.69	0.00	0.00	0.00	0.00
	104	0.00	8.95	0.00	0.00	0.00	0.00
1872	101	0.00	8.67	0.00	0.00	0.00	0.00
	102	0.00	10.75	0.00	0.00	0.00	0.00
	103	0.00	8.79	0.00	0.00	0.00	0.00
	104	0.00	7.37	0.00	0.00	0.00	0.00
1873	101	0.00	8.61	0.00	0.00	0.00	0.00
	102	0.00	10.68	0.00	0.00	0.00	0.00
	103	0.00	8.72	0.00	0.00	0.00	0.00
	104	0.00	7.32	0.00	0.00	0.00	0.00
1874	101	0.00	8.61	0.00	0.00	0.00	0.00
	102	0.00	10.68	0.00	0.00	0.00	0.00
	103	0.00	8.72	0.00	0.00	0.00	0.00
	104	0.00	7.32	0.00	0.00	0.00	0.00
1875	101	0.00	10.39	0.00	0.00	0.00	0.00
	102	0.00	12.91	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 289

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	10.53	0.00	0.00	0.00	0.00
	104	0.00	8.86	0.00	0.00	0.00	0.00
1876	101	0.00	8.77	0.00	0.00	0.00	0.00
	102	0.00	10.90	0.00	0.00	0.00	0.00
	103	0.00	8.88	0.00	0.00	0.00	0.00
	104	0.00	7.49	0.00	0.00	0.00	0.00
1877	101	-0.31	5.28	-37.72	0.00	0.13	0.00
	102	-0.33	6.57	-47.70	0.00	0.13	0.00
	103	-0.31	5.35	-38.32	0.00	0.13	0.00
	104	-0.22	4.51	-34.41	0.00	0.09	0.00
1878	101	0.00	8.75	0.00	0.00	0.00	0.00
	102	0.00	10.88	0.00	0.00	0.00	0.00
	103	0.00	8.86	0.00	0.00	0.00	0.00
	104	0.00	7.47	0.00	0.00	0.00	0.00
1879	101	0.00	10.30	0.00	0.00	0.00	0.00
	102	0.00	12.82	0.00	0.00	0.00	0.00
	103	0.00	10.44	0.00	0.00	0.00	0.00
	104	0.00	8.80	0.00	0.00	0.00	0.00
1880	101	0.00	8.49	0.00	0.00	0.00	0.00
	102	0.00	10.57	0.00	0.00	0.00	0.00
	103	0.00	8.60	0.00	0.00	0.00	0.00
	104	0.00	7.25	0.00	0.00	0.00	0.00
1881	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.52	0.00	0.00	0.00	0.00
	103	0.00	8.56	0.00	0.00	0.00	0.00
	104	0.00	7.21	0.00	0.00	0.00	0.00
1882	101	0.00	8.47	0.00	0.00	0.00	0.00
	102	0.00	10.55	0.00	0.00	0.00	0.00
	103	0.00	8.58	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00
1883	101	0.00	10.25	0.00	0.00	0.00	0.00
	102	0.00	12.78	0.00	0.00	0.00	0.00
	103	0.00	10.39	0.00	0.00	0.00	0.00
	104	0.00	8.76	0.00	0.00	0.00	0.00
1884	101	0.00	8.68	0.00	0.00	0.00	0.00
	102	0.00	10.82	0.00	0.00	0.00	0.00
	103	0.00	8.79	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00
1885	101	-0.13	5.23	-37.86	0.00	0.06	0.00
	102	-0.16	6.52	-47.86	0.00	0.07	0.00
	103	-0.13	5.30	-38.46	0.00	0.06	0.00
	104	-0.11	4.48	-34.46	0.00	0.05	0.00
1886	101	0.00	8.67	0.00	0.00	0.00	0.00
	102	0.00	10.82	0.00	0.00	0.00	0.00
	103	0.00	8.79	0.00	0.00	0.00	0.00
	104	0.00	7.42	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 290

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1887	101	0.00	10.23	0.00	0.00	0.00	0.00
	102	0.00	12.76	0.00	0.00	0.00	0.00
	103	0.00	10.37	0.00	0.00	0.00	0.00
	104	0.00	8.75	0.00	0.00	0.00	0.00
1888	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.54	0.00	0.00	0.00	0.00
	103	0.00	8.56	0.00	0.00	0.00	0.00
	104	0.00	7.22	0.00	0.00	0.00	0.00
1889	101	0.00	8.42	0.00	0.00	0.00	0.00
	102	0.00	10.51	0.00	0.00	0.00	0.00
	103	0.00	8.53	0.00	0.00	0.00	0.00
	104	0.00	7.19	0.00	0.00	0.00	0.00
1890	101	0.00	8.46	0.00	0.00	0.00	0.00
	102	0.00	10.56	0.00	0.00	0.00	0.00
	103	0.00	8.57	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00
1891	101	0.00	10.27	0.00	0.00	0.00	0.00
	102	0.00	12.83	0.00	0.00	0.00	0.00
	103	0.00	10.41	0.00	0.00	0.00	0.00
	104	0.00	8.79	0.00	0.00	0.00	0.00
1892	101	0.00	8.75	0.00	0.00	0.00	0.00
	102	0.00	10.93	0.00	0.00	0.00	0.00
	103	0.00	8.86	0.00	0.00	0.00	0.00
	104	0.00	7.49	0.00	0.00	0.00	0.00
1893	101	0.05	5.29	-31.96	0.00	-0.40	0.00
	102	0.10	6.61	-40.62	0.00	-0.51	0.00
	103	0.05	5.36	-32.48	0.00	-0.41	0.00
	104	-0.01	4.53	-29.16	0.00	-0.36	0.00
1894	101	0.00	7.05	0.00	0.00	0.00	0.00
	102	0.00	8.82	0.00	0.00	0.00	0.00
	103	0.00	7.15	0.00	0.00	0.00	0.00
	104	0.00	6.04	0.00	0.00	0.00	0.00
1895	101	0.00	8.79	0.00	0.00	0.00	0.00
	102	0.00	10.99	0.00	0.00	0.00	0.00
	103	0.00	8.91	0.00	0.00	0.00	0.00
	104	0.00	7.53	0.00	0.00	0.00	0.00
1896	101	0.00	4.38	0.00	0.00	0.00	0.00
	102	0.00	5.48	0.00	0.00	0.00	0.00
	103	0.00	4.44	0.00	0.00	0.00	0.00
	104	0.00	3.75	0.00	0.00	0.00	0.00
1897	101	0.00	4.17	0.00	0.00	0.00	0.00
	102	0.00	5.28	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	3.66	0.00	0.00	0.00	0.00
1898	101	0.00	8.38	0.00	0.00	0.00	0.00
	102	0.00	10.60	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 291

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.50	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
1899	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	8.50	0.00	0.00	0.00	0.00
	103	0.00	6.82	0.00	0.00	0.00	0.00
	104	0.00	5.90	0.00	0.00	0.00	0.00
1900	101	-0.36	5.04	-29.20	0.00	0.34	0.00
	102	-0.49	6.37	-37.25	0.00	0.43	0.00
	103	-0.36	5.12	-29.68	0.00	0.34	0.00
	104	-0.28	4.42	-26.77	0.00	0.30	0.00
1901	101	0.00	8.33	0.00	0.00	0.00	0.00
	102	0.00	10.53	0.00	0.00	0.00	0.00
	103	0.00	8.45	0.00	0.00	0.00	0.00
	104	0.00	7.30	0.00	0.00	0.00	0.00
1902	101	0.00	9.75	0.00	0.00	0.00	0.00
	102	0.00	12.32	0.00	0.00	0.00	0.00
	103	0.00	9.89	0.00	0.00	0.00	0.00
	104	0.00	8.54	0.00	0.00	0.00	0.00
1903	101	0.00	8.02	0.00	0.00	0.00	0.00
	102	0.00	10.13	0.00	0.00	0.00	0.00
	103	0.00	8.13	0.00	0.00	0.00	0.00
	104	0.00	7.02	0.00	0.00	0.00	0.00
1904	101	0.00	7.97	0.00	0.00	0.00	0.00
	102	0.00	10.07	0.00	0.00	0.00	0.00
	103	0.00	8.09	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1905	101	0.00	8.00	0.00	0.00	0.00	0.00
	102	0.00	10.10	0.00	0.00	0.00	0.00
	103	0.00	8.12	0.00	0.00	0.00	0.00
	104	0.00	7.00	0.00	0.00	0.00	0.00
1906	101	0.00	9.71	0.00	0.00	0.00	0.00
	102	0.00	12.25	0.00	0.00	0.00	0.00
	103	0.00	9.85	0.00	0.00	0.00	0.00
	104	0.00	8.50	0.00	0.00	0.00	0.00
1907	101	0.00	8.25	0.00	0.00	0.00	0.00
	102	0.00	10.40	0.00	0.00	0.00	0.00
	103	0.00	8.37	0.00	0.00	0.00	0.00
	104	0.00	7.22	0.00	0.00	0.00	0.00
1908	101	0.08	4.98	-34.79	0.00	-0.05	0.00
	102	0.09	6.28	-44.12	0.00	-0.05	0.00
	103	0.08	5.05	-35.35	0.00	-0.05	0.00
	104	0.07	4.36	-31.80	0.00	-0.04	0.00
1909	101	0.00	8.25	0.00	0.00	0.00	0.00
	102	0.00	10.41	0.00	0.00	0.00	0.00
	103	0.00	8.37	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 292

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1910	101	0.00	9.73	0.00	0.00	0.00	0.00
	102	0.00	12.27	0.00	0.00	0.00	0.00
	103	0.00	9.87	0.00	0.00	0.00	0.00
	104	0.00	8.52	0.00	0.00	0.00	0.00
1911	101	0.00	8.03	0.00	0.00	0.00	0.00
	102	0.00	10.12	0.00	0.00	0.00	0.00
	103	0.00	8.14	0.00	0.00	0.00	0.00
	104	0.00	7.02	0.00	0.00	0.00	0.00
1912	101	0.00	8.00	0.00	0.00	0.00	0.00
	102	0.00	10.08	0.00	0.00	0.00	0.00
	103	0.00	8.12	0.00	0.00	0.00	0.00
	104	0.00	7.00	0.00	0.00	0.00	0.00
1913	101	0.00	8.05	0.00	0.00	0.00	0.00
	102	0.00	10.13	0.00	0.00	0.00	0.00
	103	0.00	8.16	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1914	101	0.00	9.78	0.00	0.00	0.00	0.00
	102	0.00	12.31	0.00	0.00	0.00	0.00
	103	0.00	9.92	0.00	0.00	0.00	0.00
	104	0.00	8.55	0.00	0.00	0.00	0.00
1915	101	0.00	8.32	0.00	0.00	0.00	0.00
	102	0.00	10.47	0.00	0.00	0.00	0.00
	103	0.00	8.44	0.00	0.00	0.00	0.00
	104	0.00	7.27	0.00	0.00	0.00	0.00
1916	101	0.22	5.02	-34.81	0.00	-0.10	0.00
	102	0.23	6.32	-44.13	0.00	-0.11	0.00
	103	0.22	5.10	-35.37	0.00	-0.10	0.00
	104	0.16	4.39	-31.85	0.00	-0.07	0.00
1917	101	0.00	8.34	0.00	0.00	0.00	0.00
	102	0.00	10.49	0.00	0.00	0.00	0.00
	103	0.00	8.45	0.00	0.00	0.00	0.00
	104	0.00	7.29	0.00	0.00	0.00	0.00
1918	101	0.00	9.86	0.00	0.00	0.00	0.00
	102	0.00	12.39	0.00	0.00	0.00	0.00
	103	0.00	9.99	0.00	0.00	0.00	0.00
	104	0.00	8.60	0.00	0.00	0.00	0.00
1919	101	0.00	8.15	0.00	0.00	0.00	0.00
	102	0.00	10.23	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	7.10	0.00	0.00	0.00	0.00
1920	101	0.00	8.15	0.00	0.00	0.00	0.00
	102	0.00	10.22	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	7.09	0.00	0.00	0.00	0.00
1921	101	0.00	8.22	0.00	0.00	0.00	0.00
	102	0.00	10.30	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 293

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.33	0.00	0.00	0.00	0.00
	104	0.00	7.14	0.00	0.00	0.00	0.00
1922	101	0.00	10.02	0.00	0.00	0.00	0.00
	102	0.00	12.55	0.00	0.00	0.00	0.00
	103	0.00	10.16	0.00	0.00	0.00	0.00
	104	0.00	8.70	0.00	0.00	0.00	0.00
1923	101	0.00	8.57	0.00	0.00	0.00	0.00
	102	0.00	10.71	0.00	0.00	0.00	0.00
	103	0.00	8.68	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
1924	101	0.31	5.19	-33.65	0.00	-0.13	0.00
	102	0.31	6.48	-42.94	0.00	-0.13	0.00
	103	0.31	5.26	-34.21	0.00	-0.13	0.00
	104	0.20	4.49	-31.19	0.00	-0.08	0.00
1925	101	0.00	8.63	0.00	0.00	0.00	0.00
	102	0.00	10.77	0.00	0.00	0.00	0.00
	103	0.00	8.75	0.00	0.00	0.00	0.00
	104	0.00	7.47	0.00	0.00	0.00	0.00
1926	101	0.00	10.23	0.00	0.00	0.00	0.00
	102	0.00	12.76	0.00	0.00	0.00	0.00
	103	0.00	10.37	0.00	0.00	0.00	0.00
	104	0.00	8.83	0.00	0.00	0.00	0.00
1927	101	0.00	8.43	0.00	0.00	0.00	0.00
	102	0.00	10.52	0.00	0.00	0.00	0.00
	103	0.00	8.54	0.00	0.00	0.00	0.00
	104	0.00	7.28	0.00	0.00	0.00	0.00
1928	101	0.00	8.37	0.00	0.00	0.00	0.00
	102	0.00	10.44	0.00	0.00	0.00	0.00
	103	0.00	8.48	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00
1929	101	0.00	8.36	0.00	0.00	0.00	0.00
	102	0.00	10.44	0.00	0.00	0.00	0.00
	103	0.00	8.47	0.00	0.00	0.00	0.00
	104	0.00	7.23	0.00	0.00	0.00	0.00
1930	101	0.00	10.08	0.00	0.00	0.00	0.00
	102	0.00	12.60	0.00	0.00	0.00	0.00
	103	0.00	10.21	0.00	0.00	0.00	0.00
	104	0.00	8.74	0.00	0.00	0.00	0.00
1931	101	0.00	8.49	0.00	0.00	0.00	0.00
	102	0.00	10.63	0.00	0.00	0.00	0.00
	103	0.00	8.61	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1932	101	-0.37	5.11	-34.18	0.00	0.18	0.00
	102	-0.36	6.40	-43.46	0.00	0.17	0.00
	103	-0.37	5.18	-34.73	0.00	0.18	0.00
	104	-0.21	4.45	-31.51	0.00	0.10	0.00

STAAD SPACE -- PAGE NO. 294

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1933	101	0.00	8.45	0.00	0.00	0.00	0.00
	102	0.00	10.60	0.00	0.00	0.00	0.00
	103	0.00	8.57	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1934	101	0.00	9.93	0.00	0.00	0.00	0.00
	102	0.00	12.45	0.00	0.00	0.00	0.00
	103	0.00	10.06	0.00	0.00	0.00	0.00
	104	0.00	8.65	0.00	0.00	0.00	0.00
1935	101	0.00	8.17	0.00	0.00	0.00	0.00
	102	0.00	10.25	0.00	0.00	0.00	0.00
	103	0.00	8.29	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1936	101	0.00	8.14	0.00	0.00	0.00	0.00
	102	0.00	10.21	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	7.09	0.00	0.00	0.00	0.00
1937	101	0.00	8.17	0.00	0.00	0.00	0.00
	102	0.00	10.26	0.00	0.00	0.00	0.00
	103	0.00	8.29	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1938	101	0.00	9.93	0.00	0.00	0.00	0.00
	102	0.00	12.46	0.00	0.00	0.00	0.00
	103	0.00	10.07	0.00	0.00	0.00	0.00
	104	0.00	8.65	0.00	0.00	0.00	0.00
1939	101	0.00	8.46	0.00	0.00	0.00	0.00
	102	0.00	10.60	0.00	0.00	0.00	0.00
	103	0.00	8.57	0.00	0.00	0.00	0.00
	104	0.00	7.37	0.00	0.00	0.00	0.00
1940	101	0.37	5.11	-34.20	0.00	-0.18	0.00
	102	0.37	6.41	-43.48	0.00	-0.18	0.00
	103	0.37	5.18	-34.75	0.00	-0.18	0.00
	104	0.22	4.45	-31.52	0.00	-0.11	0.00
1941	101	0.00	8.49	0.00	0.00	0.00	0.00
	102	0.00	10.64	0.00	0.00	0.00	0.00
	103	0.00	8.61	0.00	0.00	0.00	0.00
	104	0.00	7.39	0.00	0.00	0.00	0.00
1942	101	0.00	10.09	0.00	0.00	0.00	0.00
	102	0.00	12.61	0.00	0.00	0.00	0.00
	103	0.00	10.22	0.00	0.00	0.00	0.00
	104	0.00	8.75	0.00	0.00	0.00	0.00
1943	101	0.00	8.36	0.00	0.00	0.00	0.00
	102	0.00	10.45	0.00	0.00	0.00	0.00
	103	0.00	8.48	0.00	0.00	0.00	0.00
	104	0.00	7.24	0.00	0.00	0.00	0.00
1944	101	0.00	8.38	0.00	0.00	0.00	0.00
	102	0.00	10.45	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 295

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.49	0.00	0.00	0.00	0.00
	104	0.00	7.24	0.00	0.00	0.00	0.00
1945	101	0.00	8.44	0.00	0.00	0.00	0.00
	102	0.00	10.53	0.00	0.00	0.00	0.00
	103	0.00	8.56	0.00	0.00	0.00	0.00
	104	0.00	7.28	0.00	0.00	0.00	0.00
1946	101	0.00	10.25	0.00	0.00	0.00	0.00
	102	0.00	12.77	0.00	0.00	0.00	0.00
	103	0.00	10.38	0.00	0.00	0.00	0.00
	104	0.00	8.84	0.00	0.00	0.00	0.00
1947	101	0.00	8.65	0.00	0.00	0.00	0.00
	102	0.00	10.79	0.00	0.00	0.00	0.00
	103	0.00	8.77	0.00	0.00	0.00	0.00
	104	0.00	7.48	0.00	0.00	0.00	0.00
1948	101	-0.27	5.20	-33.61	0.00	0.11	0.00
	102	-0.28	6.49	-42.90	0.00	0.12	0.00
	103	-0.27	5.27	-34.16	0.00	0.11	0.00
	104	-0.18	4.50	-31.17	0.00	0.08	0.00
1949	101	0.00	8.59	0.00	0.00	0.00	0.00
	102	0.00	10.74	0.00	0.00	0.00	0.00
	103	0.00	8.71	0.00	0.00	0.00	0.00
	104	0.00	7.45	0.00	0.00	0.00	0.00
1950	101	0.00	10.06	0.00	0.00	0.00	0.00
	102	0.00	12.59	0.00	0.00	0.00	0.00
	103	0.00	10.20	0.00	0.00	0.00	0.00
	104	0.00	8.73	0.00	0.00	0.00	0.00
1951	101	0.00	8.25	0.00	0.00	0.00	0.00
	102	0.00	10.34	0.00	0.00	0.00	0.00
	103	0.00	8.37	0.00	0.00	0.00	0.00
	104	0.00	7.17	0.00	0.00	0.00	0.00
1952	101	0.00	8.18	0.00	0.00	0.00	0.00
	102	0.00	10.26	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1953	101	0.00	8.19	0.00	0.00	0.00	0.00
	102	0.00	10.27	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
1954	101	0.00	9.90	0.00	0.00	0.00	0.00
	102	0.00	12.43	0.00	0.00	0.00	0.00
	103	0.00	10.03	0.00	0.00	0.00	0.00
	104	0.00	8.63	0.00	0.00	0.00	0.00
1955	101	0.00	8.37	0.00	0.00	0.00	0.00
	102	0.00	10.51	0.00	0.00	0.00	0.00
	103	0.00	8.48	0.00	0.00	0.00	0.00
	104	0.00	7.30	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 296

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1956	101	-0.25	5.04	-34.79	0.00	0.11	0.00
	102	-0.27	6.34	-44.11	0.00	0.12	0.00
	103	-0.25	5.11	-35.34	0.00	0.11	0.00
	104	-0.18	4.40	-31.84	0.00	0.08	0.00
1957	101	0.00	8.34	0.00	0.00	0.00	0.00
	102	0.00	10.49	0.00	0.00	0.00	0.00
	103	0.00	8.46	0.00	0.00	0.00	0.00
	104	0.00	7.29	0.00	0.00	0.00	0.00
1958	101	0.00	9.80	0.00	0.00	0.00	0.00
	102	0.00	12.34	0.00	0.00	0.00	0.00
	103	0.00	9.94	0.00	0.00	0.00	0.00
	104	0.00	8.57	0.00	0.00	0.00	0.00
1959	101	0.00	8.07	0.00	0.00	0.00	0.00
	102	0.00	10.15	0.00	0.00	0.00	0.00
	103	0.00	8.18	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1960	101	0.00	8.02	0.00	0.00	0.00	0.00
	102	0.00	10.10	0.00	0.00	0.00	0.00
	103	0.00	8.13	0.00	0.00	0.00	0.00
	104	0.00	7.01	0.00	0.00	0.00	0.00
1961	101	0.00	8.04	0.00	0.00	0.00	0.00
	102	0.00	10.13	0.00	0.00	0.00	0.00
	103	0.00	8.16	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1962	101	0.00	9.75	0.00	0.00	0.00	0.00
	102	0.00	12.29	0.00	0.00	0.00	0.00
	103	0.00	9.89	0.00	0.00	0.00	0.00
	104	0.00	8.53	0.00	0.00	0.00	0.00
1963	101	0.00	8.27	0.00	0.00	0.00	0.00
	102	0.00	10.43	0.00	0.00	0.00	0.00
	103	0.00	8.39	0.00	0.00	0.00	0.00
	104	0.00	7.24	0.00	0.00	0.00	0.00
1964	101	-0.08	4.99	-34.87	0.00	0.05	0.00
	102	-0.09	6.29	-44.20	0.00	0.06	0.00
	103	-0.09	5.06	-35.43	0.00	0.05	0.00
	104	-0.07	4.37	-31.85	0.00	0.04	0.00
1965	101	0.00	8.27	0.00	0.00	0.00	0.00
	102	0.00	10.42	0.00	0.00	0.00	0.00
	103	0.00	8.38	0.00	0.00	0.00	0.00
	104	0.00	7.24	0.00	0.00	0.00	0.00
1966	101	0.00	9.73	0.00	0.00	0.00	0.00
	102	0.00	12.28	0.00	0.00	0.00	0.00
	103	0.00	9.87	0.00	0.00	0.00	0.00
	104	0.00	8.51	0.00	0.00	0.00	0.00
1967	101	0.00	8.02	0.00	0.00	0.00	0.00
	102	0.00	10.12	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 297

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.13	0.00	0.00	0.00	0.00
	104	0.00	7.02	0.00	0.00	0.00	0.00
1968	101	0.00	7.99	0.00	0.00	0.00	0.00
	102	0.00	10.09	0.00	0.00	0.00	0.00
	103	0.00	8.11	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
1969	101	0.00	8.04	0.00	0.00	0.00	0.00
	102	0.00	10.15	0.00	0.00	0.00	0.00
	103	0.00	8.15	0.00	0.00	0.00	0.00
	104	0.00	7.03	0.00	0.00	0.00	0.00
1970	101	0.00	9.77	0.00	0.00	0.00	0.00
	102	0.00	12.34	0.00	0.00	0.00	0.00
	103	0.00	9.91	0.00	0.00	0.00	0.00
	104	0.00	8.55	0.00	0.00	0.00	0.00
1971	101	0.00	8.35	0.00	0.00	0.00	0.00
	102	0.00	10.55	0.00	0.00	0.00	0.00
	103	0.00	8.47	0.00	0.00	0.00	0.00
	104	0.00	7.31	0.00	0.00	0.00	0.00
1972	101	0.36	5.05	-29.27	0.00	-0.34	0.00
	102	0.49	6.39	-37.32	0.00	-0.43	0.00
	103	0.36	5.13	-29.75	0.00	-0.34	0.00
	104	0.28	4.43	-26.82	0.00	-0.30	0.00
1973	101	0.00	6.74	0.00	0.00	0.00	0.00
	102	0.00	8.52	0.00	0.00	0.00	0.00
	103	0.00	6.84	0.00	0.00	0.00	0.00
	104	0.00	5.91	0.00	0.00	0.00	0.00
1974	101	0.00	8.40	0.00	0.00	0.00	0.00
	102	0.00	10.62	0.00	0.00	0.00	0.00
	103	0.00	8.52	0.00	0.00	0.00	0.00
	104	0.00	7.36	0.00	0.00	0.00	0.00
1975	101	0.00	4.18	0.00	0.00	0.00	0.00
	102	0.00	5.29	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
1976	101	0.00	3.96	0.00	0.00	0.00	0.00
	102	0.00	5.06	0.00	0.00	0.00	0.00
	103	0.00	4.02	0.00	0.00	0.00	0.00
	104	0.00	3.54	0.00	0.00	0.00	0.00
1977	101	0.00	7.95	0.00	0.00	0.00	0.00
	102	0.00	10.15	0.00	0.00	0.00	0.00
	103	0.00	8.07	0.00	0.00	0.00	0.00
	104	0.00	7.10	0.00	0.00	0.00	0.00
1978	101	0.00	6.38	0.00	0.00	0.00	0.00
	102	0.00	8.14	0.00	0.00	0.00	0.00
	103	0.00	6.48	0.00	0.00	0.00	0.00
	104	0.00	5.70	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 298

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1979	101	-0.47	4.79	-21.39	0.00	0.24	0.00
	102	-0.63	6.11	-27.33	0.00	0.31	0.00
	103	-0.48	4.86	-21.74	0.00	0.24	0.00
	104	-0.41	4.27	-19.66	0.00	0.21	0.00
1980	101	0.00	7.90	0.00	0.00	0.00	0.00
	102	0.00	10.07	0.00	0.00	0.00	0.00
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
1981	101	0.00	9.22	0.00	0.00	0.00	0.00
	102	0.00	11.76	0.00	0.00	0.00	0.00
	103	0.00	9.36	0.00	0.00	0.00	0.00
	104	0.00	8.23	0.00	0.00	0.00	0.00
1982	101	0.00	7.57	0.00	0.00	0.00	0.00
	102	0.00	9.66	0.00	0.00	0.00	0.00
	103	0.00	7.69	0.00	0.00	0.00	0.00
	104	0.00	6.76	0.00	0.00	0.00	0.00
1983	101	0.00	7.53	0.00	0.00	0.00	0.00
	102	0.00	9.59	0.00	0.00	0.00	0.00
	103	0.00	7.64	0.00	0.00	0.00	0.00
	104	0.00	6.71	0.00	0.00	0.00	0.00
1984	101	0.00	7.56	0.00	0.00	0.00	0.00
	102	0.00	9.63	0.00	0.00	0.00	0.00
	103	0.00	7.67	0.00	0.00	0.00	0.00
	104	0.00	6.74	0.00	0.00	0.00	0.00
1985	101	0.00	9.18	0.00	0.00	0.00	0.00
	102	0.00	11.69	0.00	0.00	0.00	0.00
	103	0.00	9.32	0.00	0.00	0.00	0.00
	104	0.00	8.19	0.00	0.00	0.00	0.00
1986	101	0.00	7.81	0.00	0.00	0.00	0.00
	102	0.00	9.95	0.00	0.00	0.00	0.00
	103	0.00	7.93	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
1987	101	0.02	4.72	-25.56	0.00	-0.04	0.00
	102	0.01	6.00	-32.46	0.00	-0.04	0.00
	103	0.02	4.79	-25.97	0.00	-0.04	0.00
	104	0.02	4.21	-23.42	0.00	-0.03	0.00
1988	101	0.00	7.82	0.00	0.00	0.00	0.00
	102	0.00	9.95	0.00	0.00	0.00	0.00
	103	0.00	7.94	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
1989	101	0.00	9.20	0.00	0.00	0.00	0.00
	102	0.00	11.70	0.00	0.00	0.00	0.00
	103	0.00	9.34	0.00	0.00	0.00	0.00
	104	0.00	8.20	0.00	0.00	0.00	0.00
1990	101	0.00	7.58	0.00	0.00	0.00	0.00
	102	0.00	9.64	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 299

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.69	0.00	0.00	0.00	0.00
	104	0.00	6.76	0.00	0.00	0.00	0.00
1991	101	0.00	7.55	0.00	0.00	0.00	0.00
	102	0.00	9.61	0.00	0.00	0.00	0.00
	103	0.00	7.67	0.00	0.00	0.00	0.00
	104	0.00	6.73	0.00	0.00	0.00	0.00
1992	101	0.00	7.60	0.00	0.00	0.00	0.00
	102	0.00	9.66	0.00	0.00	0.00	0.00
	103	0.00	7.71	0.00	0.00	0.00	0.00
	104	0.00	6.77	0.00	0.00	0.00	0.00
1993	101	0.00	9.24	0.00	0.00	0.00	0.00
	102	0.00	11.75	0.00	0.00	0.00	0.00
	103	0.00	9.38	0.00	0.00	0.00	0.00
	104	0.00	8.24	0.00	0.00	0.00	0.00
1994	101	0.00	7.88	0.00	0.00	0.00	0.00
	102	0.00	10.01	0.00	0.00	0.00	0.00
	103	0.00	8.00	0.00	0.00	0.00	0.00
	104	0.00	7.02	0.00	0.00	0.00	0.00
1995	101	0.13	4.76	-25.59	0.00	-0.08	0.00
	102	0.13	6.05	-32.49	0.00	-0.09	0.00
	103	0.13	4.83	-26.00	0.00	-0.08	0.00
	104	0.09	4.24	-23.46	0.00	-0.06	0.00
1996	101	0.00	7.90	0.00	0.00	0.00	0.00
	102	0.00	10.03	0.00	0.00	0.00	0.00
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	7.04	0.00	0.00	0.00	0.00
1997	101	0.00	9.32	0.00	0.00	0.00	0.00
	102	0.00	11.82	0.00	0.00	0.00	0.00
	103	0.00	9.46	0.00	0.00	0.00	0.00
	104	0.00	8.29	0.00	0.00	0.00	0.00
1998	101	0.00	7.70	0.00	0.00	0.00	0.00
	102	0.00	9.76	0.00	0.00	0.00	0.00
	103	0.00	7.81	0.00	0.00	0.00	0.00
	104	0.00	6.84	0.00	0.00	0.00	0.00
1999	101	0.00	7.70	0.00	0.00	0.00	0.00
	102	0.00	9.75	0.00	0.00	0.00	0.00
	103	0.00	7.81	0.00	0.00	0.00	0.00
	104	0.00	6.83	0.00	0.00	0.00	0.00
2000	101	0.00	7.77	0.00	0.00	0.00	0.00
	102	0.00	9.83	0.00	0.00	0.00	0.00
	103	0.00	7.88	0.00	0.00	0.00	0.00
	104	0.00	6.88	0.00	0.00	0.00	0.00
2001	101	0.00	9.49	0.00	0.00	0.00	0.00
	102	0.00	11.99	0.00	0.00	0.00	0.00
	103	0.00	9.62	0.00	0.00	0.00	0.00
	104	0.00	8.39	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 300

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
2002	101	0.00	8.13	0.00	0.00	0.00	0.00
	102	0.00	10.25	0.00	0.00	0.00	0.00
	103	0.00	8.25	0.00	0.00	0.00	0.00
	104	0.00	7.18	0.00	0.00	0.00	0.00
2003	101	-0.15	4.92	-24.96	0.00	-0.11	0.00
	102	-0.15	6.20	-31.84	0.00	-0.12	0.00
	103	-0.15	4.99	-25.37	0.00	-0.11	0.00
	104	-0.08	4.34	-23.11	0.00	-0.07	0.00
2004	101	0.00	8.18	0.00	0.00	0.00	0.00
	102	0.00	10.31	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	7.21	0.00	0.00	0.00	0.00
2005	101	0.00	9.67	0.00	0.00	0.00	0.00
	102	0.00	12.17	0.00	0.00	0.00	0.00
	103	0.00	9.81	0.00	0.00	0.00	0.00
	104	0.00	8.51	0.00	0.00	0.00	0.00
2006	101	0.00	7.97	0.00	0.00	0.00	0.00
	102	0.00	10.03	0.00	0.00	0.00	0.00
	103	0.00	8.08	0.00	0.00	0.00	0.00
	104	0.00	7.01	0.00	0.00	0.00	0.00
2007	101	0.00	7.91	0.00	0.00	0.00	0.00
	102	0.00	9.96	0.00	0.00	0.00	0.00
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	6.96	0.00	0.00	0.00	0.00
2008	101	0.00	7.90	0.00	0.00	0.00	0.00
	102	0.00	9.96	0.00	0.00	0.00	0.00
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
2009	101	0.00	9.54	0.00	0.00	0.00	0.00
	102	0.00	12.04	0.00	0.00	0.00	0.00
	103	0.00	9.68	0.00	0.00	0.00	0.00
	104	0.00	8.43	0.00	0.00	0.00	0.00
2010	101	0.00	8.05	0.00	0.00	0.00	0.00
	102	0.00	10.18	0.00	0.00	0.00	0.00
	103	0.00	8.17	0.00	0.00	0.00	0.00
	104	0.00	7.14	0.00	0.00	0.00	0.00
2011	101	-0.21	4.85	-25.19	0.00	0.14	0.00
	102	-0.21	6.13	-32.06	0.00	0.14	0.00
	103	-0.21	4.92	-25.60	0.00	0.14	0.00
	104	-0.12	4.30	-23.25	0.00	0.08	0.00
2012	101	0.00	8.02	0.00	0.00	0.00	0.00
	102	0.00	10.14	0.00	0.00	0.00	0.00
	103	0.00	8.13	0.00	0.00	0.00	0.00
	104	0.00	7.11	0.00	0.00	0.00	0.00
2013	101	0.00	9.39	0.00	0.00	0.00	0.00
	102	0.00	11.89	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 301

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	9.53	0.00	0.00	0.00	0.00
	104	0.00	8.34	0.00	0.00	0.00	0.00
2014	101	0.00	7.72	0.00	0.00	0.00	0.00
	102	0.00	9.78	0.00	0.00	0.00	0.00
	103	0.00	7.84	0.00	0.00	0.00	0.00
	104	0.00	6.86	0.00	0.00	0.00	0.00
2015	101	0.00	7.68	0.00	0.00	0.00	0.00
	102	0.00	9.73	0.00	0.00	0.00	0.00
	103	0.00	7.80	0.00	0.00	0.00	0.00
	104	0.00	6.83	0.00	0.00	0.00	0.00
2016	101	0.00	7.72	0.00	0.00	0.00	0.00
	102	0.00	9.78	0.00	0.00	0.00	0.00
	103	0.00	7.84	0.00	0.00	0.00	0.00
	104	0.00	6.86	0.00	0.00	0.00	0.00
2017	101	0.00	9.40	0.00	0.00	0.00	0.00
	102	0.00	11.89	0.00	0.00	0.00	0.00
	103	0.00	9.53	0.00	0.00	0.00	0.00
	104	0.00	8.34	0.00	0.00	0.00	0.00
2018	101	0.00	8.02	0.00	0.00	0.00	0.00
	102	0.00	10.14	0.00	0.00	0.00	0.00
	103	0.00	8.14	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
2019	101	0.21	4.85	-25.21	0.00	-0.14	0.00
	102	0.21	6.13	-32.08	0.00	-0.14	0.00
	103	0.21	4.92	-25.62	0.00	-0.14	0.00
	104	0.12	4.30	-23.27	0.00	-0.08	0.00
2020	101	0.00	8.06	0.00	0.00	0.00	0.00
	102	0.00	10.18	0.00	0.00	0.00	0.00
	103	0.00	8.18	0.00	0.00	0.00	0.00
	104	0.00	7.14	0.00	0.00	0.00	0.00
2021	101	0.00	9.55	0.00	0.00	0.00	0.00
	102	0.00	12.05	0.00	0.00	0.00	0.00
	103	0.00	9.69	0.00	0.00	0.00	0.00
	104	0.00	8.44	0.00	0.00	0.00	0.00
2022	101	0.00	7.91	0.00	0.00	0.00	0.00
	102	0.00	9.97	0.00	0.00	0.00	0.00
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
2023	101	0.00	7.92	0.00	0.00	0.00	0.00
	102	0.00	9.97	0.00	0.00	0.00	0.00
	103	0.00	8.03	0.00	0.00	0.00	0.00
	104	0.00	6.97	0.00	0.00	0.00	0.00
2024	101	0.00	7.98	0.00	0.00	0.00	0.00
	102	0.00	10.04	0.00	0.00	0.00	0.00
	103	0.00	8.09	0.00	0.00	0.00	0.00
	104	0.00	7.01	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 302

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
2025	101	0.00	9.69	0.00	0.00	0.00	0.00
	102	0.00	12.19	0.00	0.00	0.00	0.00
	103	0.00	9.83	0.00	0.00	0.00	0.00
	104	0.00	8.52	0.00	0.00	0.00	0.00
2026	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	10.33	0.00	0.00	0.00	0.00
	103	0.00	8.32	0.00	0.00	0.00	0.00
	104	0.00	7.22	0.00	0.00	0.00	0.00
2027	101	0.16	4.93	-24.94	0.00	0.10	0.00
	102	0.16	6.22	-31.82	0.00	0.10	0.00
	103	0.16	5.01	-25.36	0.00	0.10	0.00
	104	0.09	4.35	-23.10	0.00	0.07	0.00
2028	101	0.00	8.15	0.00	0.00	0.00	0.00
	102	0.00	10.28	0.00	0.00	0.00	0.00
	103	0.00	8.27	0.00	0.00	0.00	0.00
	104	0.00	7.19	0.00	0.00	0.00	0.00
2029	101	0.00	9.52	0.00	0.00	0.00	0.00
	102	0.00	12.02	0.00	0.00	0.00	0.00
	103	0.00	9.66	0.00	0.00	0.00	0.00
	104	0.00	8.42	0.00	0.00	0.00	0.00
2030	101	0.00	7.80	0.00	0.00	0.00	0.00
	102	0.00	9.86	0.00	0.00	0.00	0.00
	103	0.00	7.92	0.00	0.00	0.00	0.00
	104	0.00	6.90	0.00	0.00	0.00	0.00
2031	101	0.00	7.73	0.00	0.00	0.00	0.00
	102	0.00	9.78	0.00	0.00	0.00	0.00
	103	0.00	7.85	0.00	0.00	0.00	0.00
	104	0.00	6.85	0.00	0.00	0.00	0.00
2032	101	0.00	7.74	0.00	0.00	0.00	0.00
	102	0.00	9.80	0.00	0.00	0.00	0.00
	103	0.00	7.85	0.00	0.00	0.00	0.00
	104	0.00	6.86	0.00	0.00	0.00	0.00
2033	101	0.00	9.36	0.00	0.00	0.00	0.00
	102	0.00	11.86	0.00	0.00	0.00	0.00
	103	0.00	9.50	0.00	0.00	0.00	0.00
	104	0.00	8.31	0.00	0.00	0.00	0.00
2034	101	0.00	7.93	0.00	0.00	0.00	0.00
	102	0.00	10.06	0.00	0.00	0.00	0.00
	103	0.00	8.05	0.00	0.00	0.00	0.00
	104	0.00	7.05	0.00	0.00	0.00	0.00
2035	101	-0.13	4.78	-25.59	0.00	0.09	0.00
	102	-0.13	6.06	-32.49	0.00	0.10	0.00
	103	-0.13	4.85	-26.00	0.00	0.09	0.00
	104	-0.09	4.25	-23.47	0.00	0.07	0.00
2036	101	0.00	7.91	0.00	0.00	0.00	0.00
	102	0.00	10.03	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 303

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	7.04	0.00	0.00	0.00	0.00
2037	101	0.00	9.27	0.00	0.00	0.00	0.00
	102	0.00	11.77	0.00	0.00	0.00	0.00
	103	0.00	9.41	0.00	0.00	0.00	0.00
	104	0.00	8.25	0.00	0.00	0.00	0.00
2038	101	0.00	7.62	0.00	0.00	0.00	0.00
	102	0.00	9.68	0.00	0.00	0.00	0.00
	103	0.00	7.73	0.00	0.00	0.00	0.00
	104	0.00	6.78	0.00	0.00	0.00	0.00
2039	101	0.00	7.57	0.00	0.00	0.00	0.00
	102	0.00	9.62	0.00	0.00	0.00	0.00
	103	0.00	7.68	0.00	0.00	0.00	0.00
	104	0.00	6.74	0.00	0.00	0.00	0.00
2040	101	0.00	7.60	0.00	0.00	0.00	0.00
	102	0.00	9.66	0.00	0.00	0.00	0.00
	103	0.00	7.71	0.00	0.00	0.00	0.00
	104	0.00	6.77	0.00	0.00	0.00	0.00
2041	101	0.00	9.22	0.00	0.00	0.00	0.00
	102	0.00	11.72	0.00	0.00	0.00	0.00
	103	0.00	9.36	0.00	0.00	0.00	0.00
	104	0.00	8.22	0.00	0.00	0.00	0.00
2042	101	0.00	7.84	0.00	0.00	0.00	0.00
	102	0.00	9.97	0.00	0.00	0.00	0.00
	103	0.00	7.95	0.00	0.00	0.00	0.00
	104	0.00	6.99	0.00	0.00	0.00	0.00
2043	101	-0.02	4.73	-25.62	0.00	0.04	0.00
	102	-0.01	6.01	-32.52	0.00	0.05	0.00
	103	-0.02	4.80	-26.03	0.00	0.04	0.00
	104	-0.02	4.22	-23.45	0.00	0.04	0.00
2044	101	0.00	7.83	0.00	0.00	0.00	0.00
	102	0.00	9.96	0.00	0.00	0.00	0.00
	103	0.00	7.95	0.00	0.00	0.00	0.00
	104	0.00	6.98	0.00	0.00	0.00	0.00
2045	101	0.00	9.20	0.00	0.00	0.00	0.00
	102	0.00	11.71	0.00	0.00	0.00	0.00
	103	0.00	9.34	0.00	0.00	0.00	0.00
	104	0.00	8.20	0.00	0.00	0.00	0.00
2046	101	0.00	7.57	0.00	0.00	0.00	0.00
	102	0.00	9.64	0.00	0.00	0.00	0.00
	103	0.00	7.69	0.00	0.00	0.00	0.00
	104	0.00	6.75	0.00	0.00	0.00	0.00
2047	101	0.00	7.54	0.00	0.00	0.00	0.00
	102	0.00	9.61	0.00	0.00	0.00	0.00
	103	0.00	7.66	0.00	0.00	0.00	0.00
	104	0.00	6.73	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 304

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
2048	101	0.00	7.59	0.00	0.00	0.00	0.00
	102	0.00	9.67	0.00	0.00	0.00	0.00
	103	0.00	7.70	0.00	0.00	0.00	0.00
	104	0.00	6.77	0.00	0.00	0.00	0.00
2049	101	0.00	9.24	0.00	0.00	0.00	0.00
	102	0.00	11.78	0.00	0.00	0.00	0.00
	103	0.00	9.38	0.00	0.00	0.00	0.00
	104	0.00	8.25	0.00	0.00	0.00	0.00
2050	101	0.00	7.92	0.00	0.00	0.00	0.00
	102	0.00	10.09	0.00	0.00	0.00	0.00
	103	0.00	8.04	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
2051	101	0.47	4.80	-21.44	0.00	-0.24	0.00
	102	0.63	6.12	-27.39	0.00	-0.31	0.00
	103	0.48	4.87	-21.80	0.00	-0.24	0.00
	104	0.41	4.28	-19.69	0.00	-0.21	0.00
2052	101	0.00	6.40	0.00	0.00	0.00	0.00
	102	0.00	8.16	0.00	0.00	0.00	0.00
	103	0.00	6.50	0.00	0.00	0.00	0.00
	104	0.00	5.71	0.00	0.00	0.00	0.00
2053	101	0.00	7.97	0.00	0.00	0.00	0.00
	102	0.00	10.17	0.00	0.00	0.00	0.00
	103	0.00	8.09	0.00	0.00	0.00	0.00
	104	0.00	7.12	0.00	0.00	0.00	0.00
2054	101	0.00	3.97	0.00	0.00	0.00	0.00
	102	0.00	5.07	0.00	0.00	0.00	0.00
	103	0.00	4.03	0.00	0.00	0.00	0.00
	104	0.00	3.54	0.00	0.00	0.00	0.00
2055	101	0.00	2.01	0.00	0.00	0.00	0.00
	102	0.00	2.59	0.00	0.00	0.00	0.00
	103	0.00	2.05	0.00	0.00	0.00	0.00
	104	0.00	1.83	0.00	0.00	0.00	0.00
2056	101	0.00	4.04	0.00	0.00	0.00	0.00
	102	0.00	5.20	0.00	0.00	0.00	0.00
	103	0.00	4.11	0.00	0.00	0.00	0.00
	104	0.00	3.67	0.00	0.00	0.00	0.00
2057	101	0.00	3.25	0.00	0.00	0.00	0.00
	102	0.00	4.18	0.00	0.00	0.00	0.00
	103	0.00	3.30	0.00	0.00	0.00	0.00
	104	0.00	2.95	0.00	0.00	0.00	0.00
2058	101	0.09	2.44	-12.99	0.00	0.13	0.00
	102	0.11	3.14	-16.63	0.00	0.17	0.00
	103	0.10	2.48	-13.21	0.00	0.13	0.00
	104	0.09	2.22	-11.97	0.00	0.11	0.00
2059	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	5.16	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 305

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	3.65	0.00	0.00	0.00	0.00
2060	101	0.00	4.67	0.00	0.00	0.00	0.00
	102	0.00	6.01	0.00	0.00	0.00	0.00
	103	0.00	4.75	0.00	0.00	0.00	0.00
	104	0.00	4.25	0.00	0.00	0.00	0.00
2061	101	0.00	3.83	0.00	0.00	0.00	0.00
	102	0.00	4.93	0.00	0.00	0.00	0.00
	103	0.00	3.89	0.00	0.00	0.00	0.00
	104	0.00	3.48	0.00	0.00	0.00	0.00
2062	101	0.00	3.80	0.00	0.00	0.00	0.00
	102	0.00	4.89	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	3.46	0.00	0.00	0.00	0.00
2063	101	0.00	3.82	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	3.47	0.00	0.00	0.00	0.00
2064	101	0.00	4.65	0.00	0.00	0.00	0.00
	102	0.00	5.97	0.00	0.00	0.00	0.00
	103	0.00	4.72	0.00	0.00	0.00	0.00
	104	0.00	4.22	0.00	0.00	0.00	0.00
2065	101	0.00	3.97	0.00	0.00	0.00	0.00
	102	0.00	5.09	0.00	0.00	0.00	0.00
	103	0.00	4.03	0.00	0.00	0.00	0.00
	104	0.00	3.60	0.00	0.00	0.00	0.00
2066	101	-0.04	2.40	-15.51	0.00	-0.02	0.00
	102	-0.06	3.08	-19.72	0.00	-0.03	0.00
	103	-0.04	2.44	-15.76	0.00	-0.02	0.00
	104	-0.04	2.18	-14.23	0.00	-0.02	0.00
2067	101	0.00	3.97	0.00	0.00	0.00	0.00
	102	0.00	5.09	0.00	0.00	0.00	0.00
	103	0.00	4.03	0.00	0.00	0.00	0.00
	104	0.00	3.61	0.00	0.00	0.00	0.00
2068	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	5.98	0.00	0.00	0.00	0.00
	103	0.00	4.73	0.00	0.00	0.00	0.00
	104	0.00	4.23	0.00	0.00	0.00	0.00
2069	101	0.00	3.83	0.00	0.00	0.00	0.00
	102	0.00	4.92	0.00	0.00	0.00	0.00
	103	0.00	3.89	0.00	0.00	0.00	0.00
	104	0.00	3.48	0.00	0.00	0.00	0.00
2070	101	0.00	3.82	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	3.47	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 306

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
2071	101	0.00	3.84	0.00	0.00	0.00	0.00
	102	0.00	4.93	0.00	0.00	0.00	0.00
	103	0.00	3.90	0.00	0.00	0.00	0.00
	104	0.00	3.49	0.00	0.00	0.00	0.00
2072	101	0.00	4.68	0.00	0.00	0.00	0.00
	102	0.00	6.00	0.00	0.00	0.00	0.00
	103	0.00	4.75	0.00	0.00	0.00	0.00
	104	0.00	4.25	0.00	0.00	0.00	0.00
2073	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	5.13	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	3.63	0.00	0.00	0.00	0.00
2074	101	-0.05	2.42	-15.54	0.00	-0.06	0.00
	102	-0.05	3.10	-19.75	0.00	-0.06	0.00
	103	-0.05	2.46	-15.79	0.00	-0.06	0.00
	104	-0.03	2.20	-14.27	0.00	-0.04	0.00
2075	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	5.14	0.00	0.00	0.00	0.00
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	3.64	0.00	0.00	0.00	0.00
2076	101	0.00	4.72	0.00	0.00	0.00	0.00
	102	0.00	6.04	0.00	0.00	0.00	0.00
	103	0.00	4.80	0.00	0.00	0.00	0.00
	104	0.00	4.28	0.00	0.00	0.00	0.00
2077	101	0.00	3.90	0.00	0.00	0.00	0.00
	102	0.00	4.98	0.00	0.00	0.00	0.00
	103	0.00	3.96	0.00	0.00	0.00	0.00
	104	0.00	3.52	0.00	0.00	0.00	0.00
2078	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	4.98	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	3.52	0.00	0.00	0.00	0.00
2079	101	0.00	3.93	0.00	0.00	0.00	0.00
	102	0.00	5.02	0.00	0.00	0.00	0.00
	103	0.00	3.99	0.00	0.00	0.00	0.00
	104	0.00	3.55	0.00	0.00	0.00	0.00
2080	101	0.00	4.81	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	4.88	0.00	0.00	0.00	0.00
	104	0.00	4.33	0.00	0.00	0.00	0.00
2081	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	5.26	0.00	0.00	0.00	0.00
	103	0.00	4.19	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
2082	101	-0.29	2.51	-15.24	0.00	-0.07	0.00
	102	-0.29	3.19	-19.43	0.00	-0.07	0.00

STAAD SPACE -- PAGE NO. 307

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.29	2.54	-15.49	0.00	-0.07	0.00
	104	-0.18	2.25	-14.10	0.00	-0.05	0.00
2083	101	0.00	4.16	0.00	0.00	0.00	0.00
	102	0.00	5.28	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	3.73	0.00	0.00	0.00	0.00
2084	101	0.00	4.90	0.00	0.00	0.00	0.00
	102	0.00	6.22	0.00	0.00	0.00	0.00
	103	0.00	4.98	0.00	0.00	0.00	0.00
	104	0.00	4.39	0.00	0.00	0.00	0.00
2085	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	5.12	0.00	0.00	0.00	0.00
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	3.61	0.00	0.00	0.00	0.00
2086	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	5.08	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	3.59	0.00	0.00	0.00	0.00
2087	101	0.00	4.00	0.00	0.00	0.00	0.00
	102	0.00	5.09	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	3.59	0.00	0.00	0.00	0.00
2088	101	0.00	4.84	0.00	0.00	0.00	0.00
	102	0.00	6.16	0.00	0.00	0.00	0.00
	103	0.00	4.91	0.00	0.00	0.00	0.00
	104	0.00	4.35	0.00	0.00	0.00	0.00
2089	101	0.00	4.09	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	4.16	0.00	0.00	0.00	0.00
	104	0.00	3.69	0.00	0.00	0.00	0.00
2090	101	0.09	2.47	-15.38	0.00	0.09	0.00
	102	0.09	3.15	-19.57	0.00	0.09	0.00
	103	0.09	2.51	-15.63	0.00	0.09	0.00
	104	0.05	2.23	-14.19	0.00	0.05	0.00
2091	101	0.00	4.07	0.00	0.00	0.00	0.00
	102	0.00	5.20	0.00	0.00	0.00	0.00
	103	0.00	4.14	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
2092	101	0.00	4.76	0.00	0.00	0.00	0.00
	102	0.00	6.08	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	4.30	0.00	0.00	0.00	0.00
2093	101	0.00	3.91	0.00	0.00	0.00	0.00
	102	0.00	4.99	0.00	0.00	0.00	0.00
	103	0.00	3.97	0.00	0.00	0.00	0.00
	104	0.00	3.54	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 308

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
2094	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	4.97	0.00	0.00	0.00	0.00
	103	0.00	3.95	0.00	0.00	0.00	0.00
	104	0.00	3.52	0.00	0.00	0.00	0.00
2095	101	0.00	3.91	0.00	0.00	0.00	0.00
	102	0.00	4.99	0.00	0.00	0.00	0.00
	103	0.00	3.97	0.00	0.00	0.00	0.00
	104	0.00	3.54	0.00	0.00	0.00	0.00
2096	101	0.00	4.76	0.00	0.00	0.00	0.00
	102	0.00	6.08	0.00	0.00	0.00	0.00
	103	0.00	4.83	0.00	0.00	0.00	0.00
	104	0.00	4.30	0.00	0.00	0.00	0.00
2097	101	0.00	4.08	0.00	0.00	0.00	0.00
	102	0.00	5.20	0.00	0.00	0.00	0.00
	103	0.00	4.14	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
2098	101	-0.09	2.47	-15.39	0.00	-0.09	0.00
	102	-0.09	3.15	-19.58	0.00	-0.09	0.00
	103	-0.09	2.51	-15.64	0.00	-0.09	0.00
	104	-0.05	2.23	-14.20	0.00	-0.06	0.00
2099	101	0.00	4.10	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	4.16	0.00	0.00	0.00	0.00
	104	0.00	3.69	0.00	0.00	0.00	0.00
2100	101	0.00	4.84	0.00	0.00	0.00	0.00
	102	0.00	6.16	0.00	0.00	0.00	0.00
	103	0.00	4.92	0.00	0.00	0.00	0.00
	104	0.00	4.35	0.00	0.00	0.00	0.00
2101	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	5.09	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	3.59	0.00	0.00	0.00	0.00
2102	101	0.00	4.01	0.00	0.00	0.00	0.00
	102	0.00	5.09	0.00	0.00	0.00	0.00
	103	0.00	4.07	0.00	0.00	0.00	0.00
	104	0.00	3.59	0.00	0.00	0.00	0.00
2103	101	0.00	4.04	0.00	0.00	0.00	0.00
	102	0.00	5.12	0.00	0.00	0.00	0.00
	103	0.00	4.10	0.00	0.00	0.00	0.00
	104	0.00	3.61	0.00	0.00	0.00	0.00
2104	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	6.23	0.00	0.00	0.00	0.00
	103	0.00	4.99	0.00	0.00	0.00	0.00
	104	0.00	4.39	0.00	0.00	0.00	0.00
2105	101	0.00	4.17	0.00	0.00	0.00	0.00
	102	0.00	5.29	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 309

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.23	0.00	0.00	0.00	0.00
	104	0.00	3.74	0.00	0.00	0.00	0.00
2106	101	0.27	2.51	-15.24	0.00	0.06	0.00
	102	0.28	3.19	-19.44	0.00	0.07	0.00
	103	0.27	2.55	-15.49	0.00	0.06	0.00
	104	0.17	2.25	-14.11	0.00	0.04	0.00
2107	101	0.00	4.14	0.00	0.00	0.00	0.00
	102	0.00	5.27	0.00	0.00	0.00	0.00
	103	0.00	4.21	0.00	0.00	0.00	0.00
	104	0.00	3.72	0.00	0.00	0.00	0.00
2108	101	0.00	4.83	0.00	0.00	0.00	0.00
	102	0.00	6.15	0.00	0.00	0.00	0.00
	103	0.00	4.90	0.00	0.00	0.00	0.00
	104	0.00	4.34	0.00	0.00	0.00	0.00
2109	101	0.00	3.95	0.00	0.00	0.00	0.00
	102	0.00	5.04	0.00	0.00	0.00	0.00
	103	0.00	4.01	0.00	0.00	0.00	0.00
	104	0.00	3.56	0.00	0.00	0.00	0.00
2110	101	0.00	3.91	0.00	0.00	0.00	0.00
	102	0.00	4.99	0.00	0.00	0.00	0.00
	103	0.00	3.97	0.00	0.00	0.00	0.00
	104	0.00	3.53	0.00	0.00	0.00	0.00
2111	101	0.00	3.91	0.00	0.00	0.00	0.00
	102	0.00	5.00	0.00	0.00	0.00	0.00
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	3.54	0.00	0.00	0.00	0.00
2112	101	0.00	4.74	0.00	0.00	0.00	0.00
	102	0.00	6.06	0.00	0.00	0.00	0.00
	103	0.00	4.82	0.00	0.00	0.00	0.00
	104	0.00	4.29	0.00	0.00	0.00	0.00
2113	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	5.15	0.00	0.00	0.00	0.00
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	3.65	0.00	0.00	0.00	0.00
2114	101	0.06	2.43	-15.55	0.00	0.06	0.00
	102	0.07	3.11	-19.76	0.00	0.07	0.00
	103	0.06	2.47	-15.81	0.00	0.06	0.00
	104	0.04	2.20	-14.28	0.00	0.05	0.00
2115	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	5.14	0.00	0.00	0.00	0.00
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	3.64	0.00	0.00	0.00	0.00
2116	101	0.00	4.69	0.00	0.00	0.00	0.00
	102	0.00	6.01	0.00	0.00	0.00	0.00
	103	0.00	4.77	0.00	0.00	0.00	0.00
	104	0.00	4.26	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 310

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
2117	101	0.00	3.85	0.00	0.00	0.00	0.00
	102	0.00	4.94	0.00	0.00	0.00	0.00
	103	0.00	3.91	0.00	0.00	0.00	0.00
	104	0.00	3.49	0.00	0.00	0.00	0.00
2118	101	0.00	3.83	0.00	0.00	0.00	0.00
	102	0.00	4.91	0.00	0.00	0.00	0.00
	103	0.00	3.89	0.00	0.00	0.00	0.00
	104	0.00	3.47	0.00	0.00	0.00	0.00
2119	101	0.00	3.84	0.00	0.00	0.00	0.00
	102	0.00	4.93	0.00	0.00	0.00	0.00
	103	0.00	3.90	0.00	0.00	0.00	0.00
	104	0.00	3.49	0.00	0.00	0.00	0.00
2120	101	0.00	4.67	0.00	0.00	0.00	0.00
	102	0.00	5.99	0.00	0.00	0.00	0.00
	103	0.00	4.74	0.00	0.00	0.00	0.00
	104	0.00	4.24	0.00	0.00	0.00	0.00
2121	101	0.00	3.98	0.00	0.00	0.00	0.00
	102	0.00	5.10	0.00	0.00	0.00	0.00
	103	0.00	4.04	0.00	0.00	0.00	0.00
	104	0.00	3.61	0.00	0.00	0.00	0.00
2122	101	0.05	2.40	-15.54	0.00	0.03	0.00
	102	0.06	3.09	-19.75	0.00	0.03	0.00
	103	0.05	2.44	-15.80	0.00	0.03	0.00
	104	0.04	2.18	-14.26	0.00	0.02	0.00
2123	101	0.00	3.97	0.00	0.00	0.00	0.00
	102	0.00	5.10	0.00	0.00	0.00	0.00
	103	0.00	4.04	0.00	0.00	0.00	0.00
	104	0.00	3.61	0.00	0.00	0.00	0.00
2124	101	0.00	4.66	0.00	0.00	0.00	0.00
	102	0.00	5.98	0.00	0.00	0.00	0.00
	103	0.00	4.73	0.00	0.00	0.00	0.00
	104	0.00	4.23	0.00	0.00	0.00	0.00
2125	101	0.00	3.83	0.00	0.00	0.00	0.00
	102	0.00	4.92	0.00	0.00	0.00	0.00
	103	0.00	3.89	0.00	0.00	0.00	0.00
	104	0.00	3.48	0.00	0.00	0.00	0.00
2126	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	4.90	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	3.46	0.00	0.00	0.00	0.00
2127	101	0.00	3.84	0.00	0.00	0.00	0.00
	102	0.00	4.94	0.00	0.00	0.00	0.00
	103	0.00	3.90	0.00	0.00	0.00	0.00
	104	0.00	3.49	0.00	0.00	0.00	0.00
2128	101	0.00	4.68	0.00	0.00	0.00	0.00
	102	0.00	6.02	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 311

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.76	0.00	0.00	0.00	0.00
	104	0.00	4.25	0.00	0.00	0.00	0.00
2129	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	5.17	0.00	0.00	0.00	0.00
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	3.65	0.00	0.00	0.00	0.00
2130	101	-0.09	2.44	-13.02	0.00	-0.13	0.00
	102	-0.11	3.14	-16.66	0.00	-0.17	0.00
	103	-0.10	2.48	-13.24	0.00	-0.13	0.00
	104	-0.09	2.22	-11.99	0.00	-0.11	0.00
2131	101	0.00	3.25	0.00	0.00	0.00	0.00
	102	0.00	4.19	0.00	0.00	0.00	0.00
	103	0.00	3.31	0.00	0.00	0.00	0.00
	104	0.00	2.96	0.00	0.00	0.00	0.00
2132	101	0.00	4.05	0.00	0.00	0.00	0.00
	102	0.00	5.21	0.00	0.00	0.00	0.00
	103	0.00	4.12	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
2133	101	0.00	2.02	0.00	0.00	0.00	0.00
	102	0.00	2.60	0.00	0.00	0.00	0.00
	103	0.00	2.05	0.00	0.00	0.00	0.00
	104	0.00	1.83	0.00	0.00	0.00	0.00

********** END OF LATEST ANALYSIS RESULT **********

6290. PRINT JOINT DISPLACEMENTS LIST 9317 TO 9395
JOINT DISPLACE LIST 9317

STAAD SPACE -- PAGE NO. 312

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
9317	101	0.0020	-0.6927	1.3691	0.0008	-0.0002	0.0000
	102	-0.0012	-0.8400	2.3598	0.0016	-0.0003	0.0000
	103	0.0018	-0.6997	1.4269	0.0009	-0.0002	0.0000
	104	0.0003	-0.5359	1.8708	0.0011	-0.0002	0.0000
9318	101	0.0020	-0.6930	1.3800	0.0008	-0.0002	-0.0000
	102	-0.0012	-0.8407	2.3746	0.0016	-0.0003	-0.0000
	103	0.0018	-0.7001	1.4381	0.0009	-0.0002	-0.0000
	104	0.0003	-0.5362	1.8812	0.0011	-0.0002	-0.0000
9319	101	0.0019	-0.6935	1.3912	0.0008	-0.0002	-0.0000
	102	-0.0014	-0.8415	2.3908	0.0016	-0.0004	-0.0000
	103	0.0018	-0.7005	1.4496	0.0009	-0.0002	-0.0000
	104	0.0002	-0.5365	1.8920	0.0011	-0.0002	-0.0000
9320	101	0.0019	-0.6937	1.3983	0.0008	-0.0002	-0.0000
	102	-0.0017	-0.8418	2.4024	0.0016	-0.0004	-0.0000
	103	0.0018	-0.7007	1.4568	0.0009	-0.0002	-0.0000
	104	0.0002	-0.5367	1.8987	0.0011	-0.0002	-0.0000
9321	101	0.0019	-0.6938	1.4055	0.0008	-0.0002	-0.0000
	102	-0.0019	-0.8418	2.4155	0.0016	-0.0005	0.0000
	103	0.0017	-0.7009	1.4643	0.0009	-0.0003	-0.0000
	104	0.0002	-0.5368	1.9057	0.0011	-0.0002	0.0000
9322	101	0.0019	-0.6942	1.4225	0.0008	-0.0002	-0.0000
	102	-0.0019	-0.8416	2.4494	0.0016	-0.0005	0.0000
	103	0.0017	-0.7013	1.4819	0.0009	-0.0002	-0.0000
	104	0.0002	-0.5370	1.9220	0.0011	-0.0002	-0.0000
9323	101	0.0019	-0.6945	1.4338	0.0008	-0.0002	-0.0000
	102	-0.0016	-0.8416	2.4713	0.0017	-0.0004	-0.0000
	103	0.0018	-0.7016	1.4936	0.0009	-0.0002	-0.0000
	104	0.0002	-0.5372	1.9328	0.0011	-0.0002	-0.0000
9324	101	0.0020	-0.6948	1.4439	0.0009	-0.0002	-0.0000
	102	-0.0012	-0.8419	2.4880	0.0017	-0.0003	-0.0000
	103	0.0019	-0.7019	1.5039	0.0009	-0.0002	-0.0000
	104	0.0003	-0.5374	1.9422	0.0011	-0.0002	-0.0000
9325	101	0.0021	-0.6952	1.4523	0.0009	-0.0002	-0.0000
	102	-0.0009	-0.8424	2.4985	0.0017	-0.0002	-0.0000
	103	0.0020	-0.7023	1.5125	0.0009	-0.0002	-0.0000
	104	0.0004	-0.5377	1.9498	0.0011	-0.0001	-0.0000
9326	101	0.0021	-0.6956	1.4592	0.0009	-0.0001	-0.0000
	102	-0.0006	-0.8432	2.5037	0.0017	-0.0001	-0.0000
	103	0.0020	-0.7027	1.5195	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5380	1.9559	0.0011	-0.0001	-0.0000
9327	101	0.0022	-0.6962	1.4673	0.0009	-0.0001	-0.0000
	102	-0.0006	-0.8445	2.5079	0.0017	-0.0001	-0.0000
	103	0.0020	-0.7033	1.5275	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5385	1.9628	0.0011	-0.0001	-0.0000
9328	101	0.0021	-0.6964	1.4704	0.0009	-0.0001	-0.0000
	102	-0.0009	-0.8448	2.5112	0.0017	-0.0001	-0.0000

STAAD SPACE -- PAGE NO. 313

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
	103	0.0020	-0.7035	1.5307	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5387	1.9656	0.0011	-0.0001	-0.0000
9329	101	0.0021	-0.6966	1.4736	0.0009	-0.0001	-0.0000
	102	-0.0013	-0.8449	2.5159	0.0017	-0.0002	0.0000
	103	0.0020	-0.7037	1.5339	0.0009	-0.0001	-0.0000
	104	0.0003	-0.5388	1.9685	0.0011	-0.0001	-0.0000
9330	101	0.0021	-0.6969	1.4809	0.0009	-0.0001	-0.0000
	102	-0.0013	-0.8446	2.5316	0.0017	-0.0002	0.0000
	103	0.0019	-0.7040	1.5414	0.0009	-0.0001	-0.0000
	104	0.0003	-0.5390	1.9754	0.0011	-0.0001	-0.0000
9331	101	0.0021	-0.6972	1.4857	0.0009	-0.0001	-0.0000
	102	-0.0010	-0.8445	2.5417	0.0017	-0.0002	-0.0000
	103	0.0020	-0.7043	1.5464	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5391	1.9799	0.0011	-0.0001	-0.0000
9332	101	0.0022	-0.6975	1.4896	0.0009	-0.0001	-0.0000
	102	-0.0006	-0.8447	2.5478	0.0017	-0.0001	-0.0000
	103	0.0021	-0.7046	1.5503	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5393	1.9835	0.0011	-0.0001	-0.0000
9333	101	0.0022	-0.6978	1.4925	0.0009	-0.0000	-0.0000
	102	-0.0003	-0.8451	2.5490	0.0017	0.0000	-0.0000
	103	0.0021	-0.7049	1.5533	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5395	1.9862	0.0012	-0.0000	-0.0000
9334	101	0.0023	-0.6982	1.4947	0.0009	-0.0000	-0.0000
	102	0.0000	-0.8458	2.5464	0.0017	0.0001	-0.0000
	103	0.0022	-0.7053	1.5553	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5397	1.9879	0.0012	-0.0000	-0.0000
9335	101	0.0022	-0.6987	1.4975	0.0009	-0.0000	-0.0000
	102	-0.0000	-0.8470	2.5419	0.0017	0.0000	-0.0000
	103	0.0021	-0.7058	1.5578	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5401	1.9902	0.0012	-0.0000	-0.0000
9336	101	0.0022	-0.6989	1.4988	0.0009	-0.0000	-0.0000
	102	-0.0003	-0.8472	2.5423	0.0017	-0.0000	-0.0000
	103	0.0021	-0.7060	1.5592	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5402	1.9914	0.0012	-0.0000	-0.0000
9337	101	0.0021	-0.6991	1.5004	0.0009	-0.0001	-0.0000
	102	-0.0007	-0.8473	2.5447	0.0017	-0.0001	0.0000
	103	0.0020	-0.7062	1.5608	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5403	1.9929	0.0012	-0.0001	0.0000
9338	101	0.0020	-0.6994	1.5047	0.0009	-0.0001	-0.0000
	102	-0.0007	-0.8468	2.5558	0.0017	-0.0002	0.0000
	103	0.0019	-0.7064	1.5653	0.0009	-0.0001	-0.0000
	104	0.0004	-0.5404	1.9972	0.0012	-0.0001	0.0000
9339	101	0.0020	-0.6996	1.5077	0.0009	-0.0001	-0.0000
	102	-0.0004	-0.8466	2.5634	0.0017	-0.0001	0.0000
	103	0.0019	-0.7066	1.5684	0.0009	-0.0001	-0.0000
	104	0.0005	-0.5405	2.0002	0.0012	-0.0001	-0.0000

STAAD SPACE -- PAGE NO. 314

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
9340	101	0.0021	-0.6998	1.5100	0.0009	-0.0000	-0.0000
	102	-0.0000	-0.8467	2.5674	0.0017	-0.0000	-0.0000
	103	0.0020	-0.7069	1.5707	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5406	2.0024	0.0012	-0.0000	-0.0000
9341	101	0.0021	-0.7001	1.5115	0.0009	-0.0000	-0.0000
	102	0.0003	-0.8471	2.5668	0.0017	0.0000	-0.0000
	103	0.0020	-0.7071	1.5721	0.0009	-0.0000	-0.0000
	104	0.0006	-0.5408	2.0038	0.0012	-0.0000	-0.0000
9342	101	0.0021	-0.7004	1.5122	0.0009	-0.0000	-0.0000
	102	0.0006	-0.8477	2.5625	0.0017	0.0001	-0.0000
	103	0.0020	-0.7074	1.5728	0.0009	-0.0000	-0.0000
	104	0.0006	-0.5410	2.0043	0.0012	-0.0000	-0.0000
9343	101	0.0019	-0.7008	1.5131	0.0009	-0.0000	-0.0000
	102	0.0006	-0.8487	2.5560	0.0017	0.0000	-0.0000
	103	0.0019	-0.7079	1.5734	0.0009	-0.0000	-0.0000
	104	0.0006	-0.5413	2.0049	0.0012	-0.0000	-0.0000
9344	101	0.0019	-0.7009	1.5137	0.0009	-0.0000	-0.0000
	102	0.0002	-0.8490	2.5556	0.0017	-0.0000	-0.0000
	103	0.0018	-0.7080	1.5740	0.0009	-0.0000	-0.0000
	104	0.0006	-0.5414	2.0055	0.0012	-0.0000	-0.0000
9345	101	0.0018	-0.7010	1.5145	0.0009	-0.0000	0.0000
	102	-0.0001	-0.8489	2.5572	0.0017	-0.0001	0.0000
	103	0.0017	-0.7081	1.5748	0.0009	-0.0000	0.0000
	104	0.0005	-0.5414	2.0063	0.0012	-0.0000	0.0000
9346	101	0.0016	-0.7012	1.5170	0.0009	-0.0000	0.0000
	102	-0.0002	-0.8484	2.5665	0.0017	-0.0001	0.0000
	103	0.0016	-0.7083	1.5775	0.0009	-0.0000	0.0000
	104	0.0005	-0.5414	2.0089	0.0012	-0.0000	0.0000
9347	101	0.0016	-0.7013	1.5186	0.0009	-0.0000	-0.0000
	102	0.0001	-0.8481	2.5728	0.0017	-0.0001	0.0000
	103	0.0015	-0.7084	1.5792	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5415	2.0107	0.0012	-0.0000	0.0000
9348	101	0.0016	-0.7014	1.5196	0.0009	-0.0000	-0.0000
	102	0.0005	-0.8481	2.5755	0.0017	-0.0000	-0.0000
	103	0.0015	-0.7085	1.5803	0.0009	-0.0000	-0.0000
	104	0.0006	-0.5415	2.0118	0.0012	-0.0000	-0.0000
9349	101	0.0015	-0.7016	1.5198	0.0009	0.0000	-0.0000
	102	0.0008	-0.8483	2.5738	0.0017	0.0001	-0.0000
	103	0.0015	-0.7087	1.5804	0.0009	0.0000	-0.0000
	104	0.0006	-0.5416	2.0119	0.0012	0.0000	-0.0000
9350	101	0.0015	-0.7018	1.5194	0.0009	0.0000	-0.0000
	102	0.0011	-0.8489	2.5684	0.0017	0.0001	-0.0000
	103	0.0015	-0.7089	1.5799	0.0009	0.0000	-0.0000
	104	0.0006	-0.5418	2.0114	0.0012	0.0000	-0.0000
9351	101	0.0013	-0.7021	1.5187	0.0009	0.0000	-0.0000
	102	0.0010	-0.8498	2.5605	0.0017	0.0001	-0.0000

STAAD SPACE -- PAGE NO. 315

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
	103	0.0013	-0.7091	1.5790	0.0009	0.0000	-0.0000
	104	0.0006	-0.5420	2.0106	0.0012	0.0000	-0.0000
9352	101	0.0012	-0.7021	1.5187	0.0009	-0.0000	-0.0000
	102	0.0007	-0.8500	2.5596	0.0017	-0.0000	-0.0000
	103	0.0012	-0.7092	1.5789	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5420	2.0106	0.0012	-0.0000	-0.0000
9353	101	0.0011	-0.7022	1.5189	0.0009	-0.0000	0.0000
	102	0.0003	-0.8499	2.5607	0.0017	-0.0001	0.0000
	103	0.0011	-0.7093	1.5792	0.0009	-0.0000	0.0000
	104	0.0005	-0.5420	2.0109	0.0012	-0.0000	0.0000
9354	101	0.0009	-0.7022	1.5203	0.0009	-0.0000	0.0000
	102	0.0002	-0.8492	2.5690	0.0017	-0.0001	0.0000
	103	0.0009	-0.7092	1.5807	0.0009	-0.0000	0.0000
	104	0.0004	-0.5420	2.0125	0.0012	-0.0000	0.0000
9355	101	0.0009	-0.7022	1.5213	0.0009	-0.0000	0.0000
	102	0.0005	-0.8488	2.5748	0.0017	-0.0001	0.0000
	103	0.0009	-0.7092	1.5819	0.0009	-0.0000	0.0000
	104	0.0004	-0.5419	2.0136	0.0012	-0.0000	0.0000
9356	101	0.0008	-0.7022	1.5217	0.0009	-0.0000	-0.0000
	102	0.0008	-0.8487	2.5771	0.0017	-0.0000	-0.0000
	103	0.0008	-0.7092	1.5824	0.0009	-0.0000	-0.0000
	104	0.0005	-0.5419	2.0141	0.0012	-0.0000	-0.0000
9357	101	0.0008	-0.7022	1.5216	0.0009	0.0000	-0.0000
	102	0.0012	-0.8489	2.5751	0.0017	0.0001	-0.0000
	103	0.0008	-0.7093	1.5822	0.0009	0.0000	-0.0000
	104	0.0005	-0.5420	2.0138	0.0012	0.0000	-0.0000
9358	101	0.0007	-0.7023	1.5209	0.0009	0.0000	-0.0000
	102	0.0014	-0.8493	2.5696	0.0017	0.0001	-0.0000
	103	0.0007	-0.7093	1.5814	0.0009	0.0000	-0.0000
	104	0.0006	-0.5420	2.0129	0.0012	0.0000	-0.0000
9359	101	0.0005	-0.7024	1.5200	0.0009	0.0000	-0.0000
	102	0.0013	-0.8501	2.5617	0.0017	0.0001	-0.0000
	103	0.0006	-0.7095	1.5803	0.0009	0.0000	-0.0000
	104	0.0005	-0.5422	2.0117	0.0012	0.0000	-0.0000
9360	101	0.0004	-0.7024	1.5199	0.0009	-0.0000	0.0000
	102	0.0010	-0.8502	2.5608	0.0017	-0.0000	0.0000
	103	0.0004	-0.7095	1.5801	0.0009	-0.0000	0.0000
	104	0.0005	-0.5422	2.0115	0.0012	0.0000	0.0000
9361	101	0.0003	-0.7023	1.5201	0.0009	-0.0000	0.0000
	102	0.0006	-0.8501	2.5619	0.0017	-0.0001	0.0000
	103	0.0003	-0.7094	1.5804	0.0009	-0.0000	0.0000
	104	0.0004	-0.5421	2.0117	0.0012	-0.0000	0.0000
9362	101	0.0001	-0.7022	1.5212	0.0009	-0.0000	0.0000
	102	0.0005	-0.8492	2.5702	0.0017	-0.0001	0.0000
	103	0.0002	-0.7092	1.5816	0.0009	-0.0000	0.0000
	104	0.0003	-0.5420	2.0128	0.0012	-0.0000	0.0000

STAAD SPACE -- PAGE NO. 316

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
9363	101	0.0001	-0.7020	1.5219	0.0009	-0.0000	0.0000
	102	0.0008	-0.8487	2.5758	0.0017	-0.0001	0.0000
	103	0.0001	-0.7091	1.5825	0.0009	-0.0000	0.0000
	104	0.0004	-0.5419	2.0135	0.0012	-0.0000	0.0000
9364	101	0.0000	-0.7019	1.5219	0.0009	0.0000	0.0000
	102	0.0011	-0.8485	2.5779	0.0017	0.0000	0.0000
	103	0.0001	-0.7090	1.5826	0.0009	0.0000	0.0000
	104	0.0004	-0.5418	2.0136	0.0012	0.0000	0.0000
9365	101	0.0000	-0.7018	1.5212	0.0009	0.0000	0.0000
	102	0.0015	-0.8486	2.5754	0.0017	0.0001	-0.0000
	103	0.0001	-0.7089	1.5818	0.0009	0.0000	-0.0000
	104	0.0005	-0.5418	2.0127	0.0012	0.0000	-0.0000
9366	101	-0.0000	-0.7018	1.5198	0.0009	0.0000	-0.0000
	102	0.0018	-0.8489	2.5694	0.0017	0.0001	-0.0000
	103	0.0000	-0.7088	1.5803	0.0009	0.0000	-0.0000
	104	0.0005	-0.5418	2.0111	0.0012	0.0000	-0.0000
9367	101	-0.0002	-0.7017	1.5177	0.0009	0.0000	-0.0000
	102	0.0017	-0.8496	2.5604	0.0017	0.0001	-0.0000
	103	-0.0001	-0.7088	1.5780	0.0009	0.0000	-0.0000
	104	0.0005	-0.5418	2.0087	0.0012	0.0000	-0.0000
9368	101	-0.0003	-0.7016	1.5170	0.0009	0.0000	0.0000
	102	0.0013	-0.8496	2.5589	0.0017	0.0000	0.0000
	103	-0.0002	-0.7087	1.5773	0.0009	0.0000	0.0000
	104	0.0004	-0.5418	2.0080	0.0012	0.0000	0.0000
9369	101	-0.0004	-0.7015	1.5165	0.0009	0.0000	0.0000
	102	0.0010	-0.8494	2.5595	0.0017	-0.0001	0.0000
	103	-0.0003	-0.7086	1.5768	0.0009	0.0000	0.0000
	104	0.0003	-0.5417	2.0075	0.0012	0.0000	0.0000
9370	101	-0.0005	-0.7011	1.5159	0.0009	0.0000	0.0000
	102	0.0009	-0.8484	2.5662	0.0017	-0.0001	0.0000
	103	-0.0005	-0.7082	1.5765	0.0009	0.0000	0.0000
	104	0.0003	-0.5414	2.0071	0.0012	0.0000	0.0000
9371	101	-0.0005	-0.7009	1.5153	0.0009	0.0000	0.0000
	102	0.0012	-0.8479	2.5706	0.0017	-0.0001	0.0000
	103	-0.0005	-0.7079	1.5760	0.0009	0.0000	0.0000
	104	0.0003	-0.5413	2.0067	0.0012	0.0000	0.0000
9372	101	-0.0005	-0.7007	1.5140	0.0009	0.0000	0.0000
	102	0.0015	-0.8476	2.5714	0.0017	0.0000	0.0000
	103	-0.0005	-0.7077	1.5747	0.0009	0.0000	0.0000
	104	0.0004	-0.5411	2.0054	0.0012	0.0000	0.0000
9373	101	-0.0005	-0.7005	1.5118	0.0009	0.0001	0.0000
	102	0.0019	-0.8475	2.5676	0.0017	0.0001	-0.0000
	103	-0.0004	-0.7075	1.5725	0.0009	0.0001	0.0000
	104	0.0005	-0.5410	2.0033	0.0012	0.0001	0.0000
9374	101	-0.0005	-0.7003	1.5090	0.0009	0.0001	0.0000
	102	0.0022	-0.8478	2.5601	0.0017	0.0002	-0.0000

STAAD SPACE -- PAGE NO. 317

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
	103	-0.0004	-0.7074	1.5696	0.0009	0.0001	0.0000
	104	0.0005	-0.5410	2.0004	0.0012	0.0001	-0.0000
9375	101	-0.0006	-0.7001	1.5048	0.0009	0.0001	-0.0000
	102	0.0022	-0.8483	2.5491	0.0017	0.0001	-0.0000
	103	-0.0005	-0.7072	1.5652	0.0009	0.0001	-0.0000
	104	0.0005	-0.5409	1.9962	0.0012	0.0001	-0.0000
9376	101	-0.0007	-0.6999	1.5033	0.0009	0.0000	0.0000
	102	0.0018	-0.8483	2.5468	0.0017	0.0000	0.0000
	103	-0.0006	-0.7070	1.5636	0.0009	0.0000	0.0000
	104	0.0004	-0.5409	1.9947	0.0012	0.0000	0.0000
9377	101	-0.0008	-0.6998	1.5019	0.0009	0.0000	0.0000
	102	0.0015	-0.8480	2.5464	0.0017	-0.0000	0.0000
	103	-0.0007	-0.7069	1.5623	0.0009	0.0000	0.0000
	104	0.0004	-0.5407	1.9935	0.0012	0.0000	0.0000
9378	101	-0.0008	-0.6993	1.4993	0.0009	0.0000	0.0000
	102	0.0014	-0.8469	2.5509	0.0017	-0.0001	0.0000
	103	-0.0007	-0.7064	1.5599	0.0009	0.0000	0.0000
	104	0.0003	-0.5404	1.9913	0.0012	0.0000	0.0000
9379	101	-0.0008	-0.6990	1.4972	0.0009	0.0000	0.0000
	102	0.0017	-0.8462	2.5536	0.0017	-0.0000	0.0000
	103	-0.0007	-0.7060	1.5579	0.0009	0.0000	0.0000
	104	0.0004	-0.5402	1.9895	0.0012	0.0000	0.0000
9380	101	-0.0007	-0.6987	1.4943	0.0009	0.0001	0.0000
	102	0.0021	-0.8458	2.5524	0.0017	0.0001	0.0000
	103	-0.0006	-0.7057	1.5550	0.0009	0.0001	0.0000
	104	0.0004	-0.5400	1.9869	0.0012	0.0001	0.0000
9381	101	-0.0007	-0.6984	1.4904	0.0009	0.0001	0.0000
	102	0.0024	-0.8457	2.5464	0.0017	0.0002	-0.0000
	103	-0.0006	-0.7055	1.5511	0.0009	0.0001	0.0000
	104	0.0005	-0.5398	1.9833	0.0011	0.0001	0.0000
9382	101	-0.0007	-0.6982	1.4856	0.0009	0.0001	0.0000
	102	0.0027	-0.8458	2.5363	0.0017	0.0002	-0.0000
	103	-0.0005	-0.7052	1.5462	0.0009	0.0001	0.0000
	104	0.0006	-0.5397	1.9787	0.0011	0.0001	0.0000
9383	101	-0.0007	-0.6978	1.4783	0.0009	0.0001	0.0000
	102	0.0027	-0.8462	2.5207	0.0017	0.0002	-0.0000
	103	-0.0005	-0.7049	1.5386	0.0009	0.0001	0.0000
	104	0.0005	-0.5395	1.9718	0.0011	0.0001	0.0000
9384	101	-0.0007	-0.6977	1.4752	0.0009	0.0001	0.0000
	102	0.0023	-0.8461	2.5159	0.0017	0.0001	0.0000
	103	-0.0006	-0.7048	1.5354	0.0009	0.0001	0.0000
	104	0.0005	-0.5394	1.9690	0.0011	0.0001	0.0000
9385	101	-0.0008	-0.6975	1.4721	0.0009	0.0001	0.0000
	102	0.0020	-0.8458	2.5127	0.0017	0.0001	0.0000
	103	-0.0006	-0.7046	1.5323	0.0009	0.0001	0.0000
	104	0.0004	-0.5393	1.9662	0.0011	0.0001	0.0000

STAAD SPACE -- PAGE NO. 318

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
9386	101	-0.0007	-0.6969	1.4640	0.0009	0.0001	0.0000
	102	0.0020	-0.8446	2.5085	0.0017	0.0001	0.0000
	103	-0.0006	-0.7040	1.5242	0.0009	0.0001	0.0000
	104	0.0004	-0.5389	1.9592	0.0011	0.0001	0.0000
9387	101	-0.0007	-0.6966	1.4571	0.0009	0.0002	0.0000
	102	0.0023	-0.8438	2.5033	0.0017	0.0002	0.0000
	103	-0.0006	-0.7036	1.5173	0.0009	0.0002	0.0000
	104	0.0005	-0.5386	1.9531	0.0011	0.0001	0.0000
9388	101	-0.0006	-0.6962	1.4487	0.0009	0.0002	0.0000
	102	0.0026	-0.8433	2.4928	0.0017	0.0003	0.0000
	103	-0.0005	-0.7033	1.5087	0.0009	0.0002	0.0000
	104	0.0005	-0.5383	1.9455	0.0011	0.0002	0.0000
9389	101	-0.0005	-0.6960	1.4387	0.0009	0.0002	0.0000
	102	0.0030	-0.8431	2.4761	0.0017	0.0004	0.0000
	103	-0.0004	-0.7030	1.4985	0.0009	0.0002	0.0000
	104	0.0006	-0.5381	1.9361	0.0011	0.0002	0.0000
9390	101	-0.0005	-0.6957	1.4273	0.0008	0.0002	0.0000
	102	0.0033	-0.8431	2.4542	0.0016	0.0005	-0.0000
	103	-0.0004	-0.7028	1.4867	0.0009	0.0002	0.0000
	104	0.0007	-0.5379	1.9253	0.0011	0.0002	0.0000
9391	101	-0.0005	-0.6954	1.4103	0.0008	0.0002	0.0000
	102	0.0033	-0.8434	2.4203	0.0016	0.0005	-0.0000
	103	-0.0003	-0.7025	1.4691	0.0009	0.0003	0.0000
	104	0.0007	-0.5378	1.9089	0.0011	0.0002	-0.0000
9392	101	-0.0005	-0.6952	1.4031	0.0008	0.0002	0.0000
	102	0.0031	-0.8433	2.4072	0.0016	0.0004	0.0000
	103	-0.0004	-0.7023	1.4617	0.0009	0.0002	0.0000
	104	0.0007	-0.5376	1.9020	0.0011	0.0002	0.0000
9393	101	-0.0006	-0.6950	1.3961	0.0008	0.0002	0.0000
	102	0.0027	-0.8431	2.3957	0.0016	0.0004	0.0000
	103	-0.0004	-0.7021	1.4544	0.0009	0.0002	0.0000
	104	0.0006	-0.5375	1.8952	0.0011	0.0002	0.0000
9394	101	-0.0006	-0.6947	1.3849	0.0008	0.0002	0.0000
	102	0.0026	-0.8424	2.3795	0.0016	0.0003	0.0000
	103	-0.0005	-0.7017	1.4429	0.0009	0.0002	0.0000
	104	0.0006	-0.5372	1.8845	0.0011	0.0002	0.0000
9395	101	-0.0006	-0.6943	1.3739	0.0008	0.0002	-0.0000
	102	0.0026	-0.8417	2.3647	0.0016	0.0003	-0.0000
	103	-0.0004	-0.7014	1.4318	0.0009	0.0002	-0.0000
	104	0.0006	-0.5369	1.8741	0.0011	0.0002	-0.0000

STAAD SPACE -- PAGE NO. 319

********** END OF LATEST ANALYSIS RESULT **********

6291. FINISH

STAAD SPACE -- PAGE NO. 320

********** END OF THE STAAD.Pro RUN **********

**** DATE= MAR 7,2020 TIME= 16:16:52 ****


```
************************************************************
*   For technical assistance on STAAD.Pro, please visit    *
*   http://www.bentley.com/en/support/                     *
*                                                          *
*   Details about additional assistance from               *
*   Bentley and Partners can be found at program menu      *
*   Help->Technical Support                                *
*                                                          *
*      Copyright (c) 1997-2017 Bentley Systems, Inc.       *
*                http://www.bentley.com                    *
************************************************************
```

19.2 APPENDIX - D

STAAD Output

Side Wing Wall Portion

PROPRIETARY & CONFIDENTIAL

The contents of this document are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without the prior written permission of Outotec is prohibited.

This document is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

PAGE NO. 1

```
            ****************************************************
            *                                                  *
            *          STAAD.Pro CONNECT Edition               *
            *          Version  22.00.00.15                    *
            *          Proprietary Program of                  *
            *          Bentley Systems, Inc.                   *
            *          Date=    MAR  7, 2020                   *
            *          Time=    16:50:31                       *
            *                                                  *
            *  Licensed to: Larsen & Toubro Ltd.               *
            ****************************************************



     1. STAAD SPACE
INPUT FILE: D:\MAADEN-GOLD-O19045\3110 ROM RETAINING WALL\CIVIL\LATEST\STAAD\ROM RETAINING WING WALL_R.. .STD
     2. START JOB INFORMATION
     3. ENGINEER DATE 17-DEC-19
     4. JOB NAME MMGP
     5. JOB CLIENT MAADEN
     6. JOB NO O19045
     7. JOB PART ROM RETAINING WALL
     8. ENGINEER NAME SUE
     9. CHECKER NAME BDA
    10. APPROVED NAME AG
    11. JOB REV A02
    12. END JOB INFORMATION
    13. INPUT WIDTH 79
    14. SET NL 20
    15. SET ITERLIM 20
    16. SET PRINT 1
    17. UNIT METER MTON
    18. JOINT COORDINATES
    19. 1 24.425 910 -5.85; 2 23.5005 910 -5.75155; 3 23.25 910 -5.65311
    20. 4 23 910 -5.56933; 5 22.35 910 -5.48555; 6 21.75 910 -5.40177
    21. 7 24.425 910 -5.33; 8 21.25 910 -5.31799; 9 23.5005 910 -5.2414
    22. 10 20.65 910 -5.23421; 11 23.25 910 -5.1528; 12 20 910 -5.15043
    23. 13 23 910 -5.0774; 14 19.75 910 -5.06665; 15 22.35 910 -5.002
    24. 16 19.5 910 -4.98287; 17 21.75 910 -4.92659; 18 18.85 910 -4.89909
    25. 19 21.25 910 -4.85119; 20 18.25 910 -4.81531; 21 24.425 910 -4.81
    26. 22 20.65 910 -4.77579; 23 17.75 910 -4.73152; 24 23.5005 910 -4.73124
    27. 25 20 910 -4.70039; 26 23.25 910 -4.65249; 27 17.15 910 -4.64774
    28. 28 19.75 910 -4.62499; 29 23 910 -4.58546; 30 16.5 910 -4.56396
    29. 31 19.5 910 -4.54958; 32 22.35 910 -4.51844; 33 16.25 910 -4.48018
    30. 34 18.85 910 -4.47418; 35 21.75 910 -4.45142; 36 18.25 910 -4.39878
    31. 37 16 910 -4.3964; 38 21.25 910 -4.38439; 39 17.75 910 -4.32337
    32. 40 20.65 910 -4.31737; 41 15.35 910 -4.31262; 42 24.425 910 -4.29
    33. 43 20 910 -4.25034; 44 17.15 910 -4.24797; 45 14.75 910 -4.22884
    34. 46 23.5005 910 -4.22109; 47 19.75 910 -4.18332; 48 16.5 910 -4.17257
    35. 49 23.25 910 -4.15218; 50 14.25 910 -4.14506; 51 19.5 910 -4.11629
    36. 52 16.25 910 -4.09716; 53 23 910 -4.09353; 54 13.65 910 -4.06128
    37. 55 18.85 910 -4.04927; 56 22.35 910 -4.03489; 57 16 910 -4.02176
    38. 58 18.25 910 -3.98224; 59 13 910 -3.9775; 60 21.75 910 -3.97624
```


STAAD SPACE -- PAGE NO. 2

```
    39. 61 15.35 910 -3.94636; 62 21.25 910 -3.91759; 63 17.75 910 -3.91522
    40. 64 12.75 910 -3.89372; 65 14.75 910 -3.87096; 66 20.65 910 -3.85895
    41. 67 17.15 910 -3.84819; 68 12.5 910 -3.80994; 69 20 910 -3.8003
    42. 70 14.25 910 -3.79555; 71 16.5 910 -3.78117; 72 24.425 910 -3.77
    43. 73 19.75 910 -3.74166; 74 11.85 910 -3.72616; 75 13.65 910 -3.72015
    44. 76 16.25 910 -3.71414; 77 23.5005 910 -3.71093; 78 19.5 910 -3.68301
    45. 79 23.25 910 -3.65187; 80 16 910 -3.64712; 81 13 910 -3.64475
    46. 82 11.25 910 -3.64238; 83 18.85 910 -3.62436; 84 23 910 -3.6016
    47. 85 15.35 910 -3.5801; 86 12.75 910 -3.56935; 87 18.25 910 -3.56571
    48. 88 10.75 910 -3.55859; 89 22.35 910 -3.55133; 90 14.75 910 -3.51307
    49. 91 17.75 910 -3.50707; 92 21.75 910 -3.50106; 93 12.5 910 -3.49394
    50. 94 10.15 910 -3.47481; 95 21.25 910 -3.45079; 96 17.15 910 -3.44842
    51. 97 14.25 910 -3.44605; 98 11.85 910 -3.41854; 99 20.65 910 -3.40053
    52. 100 9.5 910 -3.39103; 101 16.5 910 -3.38977; 102 13.65 910 -3.37902
    53. 103 20 910 -3.35026; 104 11.25 910 -3.34314; 105 16.25 910 -3.33113
    54. 106 13 910 -3.312; 107 9.25 910 -3.30725; 108 19.75 910 -3.29999
    55. 109 16 910 -3.27248; 110 10.75 910 -3.26774; 111 24.425 910 -3.25
    56. 112 19.5 910 -3.24972; 113 12.75 910 -3.24498; 114 9 910 -3.22347
    57. 115 15.35 910 -3.21383; 116 23.5005 910 -3.20078; 117 18.85 910 -3.19945
    58. 118 10.15 910 -3.19233; 119 12.5 910 -3.17795; 120 14.75 910 -3.15519
    59. 121 23.25 910 -3.15156; 122 18.25 910 -3.14918; 123 8.35 910 -3.13969
    60. 124 9.5 910 -3.11693; 125 11.85 910 -3.11093; 126 23 910 -3.10967
    61. 127 17.75 910 -3.09891; 128 14.25 910 -3.09654; 129 22.35 910 -3.06778
    62. 130 7.75 910 -3.05591; 131 17.15 910 -3.04865; 132 11.25 910 -3.0439
    63. 133 9.25 910 -3.04153; 134 13.65 910 -3.0379; 135 21.75 910 -3.02589
    64. 136 16.5 910 -2.99838; 137 21.25 910 -2.98399; 138 13 910 -2.97925
    65. 139 10.75 910 -2.97688; 140 7.25 910 -2.97212; 141 9 910 -2.96612
    66. 142 16.25 910 -2.94811; 143 20.65 910 -2.94211; 144 12.75 910 -2.9206
    67. 145 10.15 910 -2.90985; 146 20 910 -2.90021; 147 16 910 -2.89784
    68. 148 8.35 910 -2.89072; 149 6.65 910 -2.88834; 150 12.5 910 -2.86196
    69. 151 19.75 910 -2.85833; 152 15.35 910 -2.84757; 153 9.5 910 -2.84283
    70. 154 19.5 910 -2.81643; 155 7.75 910 -2.81532; 156 6 910 -2.80456
    71. 157 11.85 910 -2.80331; 158 14.75 910 -2.7973; 159 9.25 910 -2.7758
    72. 160 18.85 910 -2.77454; 161 14.25 910 -2.74704; 162 11.25 910 -2.74466
    73. 163 7.25 910 -2.73991; 164 18.25 910 -2.73265; 165 24.425 910 -2.73
    74. 166 5.75 910 -2.72078; 167 9 910 -2.70877; 168 13.65 910 -2.69677
    75. 169 17.75 910 -2.69076; 170 23.5005 910 -2.69062; 171 10.75 910 -2.68602
    76. 172 6.65 910 -2.66451; 173 23.25 910 -2.65124; 174 17.15 910 -2.64887
    77. 175 13 910 -2.6465; 176 8.35 910 -2.64175; 177 5.5 910 -2.637
    78. 178 10.15 910 -2.62737; 179 23 910 -2.61773; 180 16.5 910 -2.60698
    79. 181 12.75 910 -2.59623; 182 6 910 -2.58911; 183 22.35 910 -2.58422
    80. 184 7.75 910 -2.57472; 185 9.5 910 -2.56872; 186 16.25 910 -2.56509
    81. 187 4.85 910 -2.55322; 188 21.75 910 -2.55071; 189 12.5 910 -2.54596
    82. 190 16 910 -2.5232; 191 21.25 910 -2.5172; 192 5.75 910 -2.5137
    83. 193 9.25 910 -2.51008; 194 7.25 910 -2.5077; 195 11.85 910 -2.49569
    84. 196 20.65 910 -2.48368; 197 15.35 910 -2.48131; 198 4.25 910 -2.46944
    85. 199 9 910 -2.45143; 200 20 910 -2.45017; 201 11.25 910 -2.44543
    86. 202 6.65 910 -2.44067; 203 14.75 910 -2.43942; 204 5.5 910 -2.4383
    87. 205 19.75 910 -2.41666; 206 14.25 910 -2.39753; 207 10.75 910 -2.39516
    88. 208 8.35 910 -2.39278; 209 3.75 910 -2.38566; 210 19.5 910 -2.38315
    89. 211 6 910 -2.37365; 212 4.85 910 -2.3629; 213 13.65 910 -2.35564
    90. 214 18.85 910 -2.34963; 215 10.15 910 -2.34489; 216 7.75 910 -2.33413
    91. 217 18.25 910 -2.31612; 218 13 910 -2.31375; 219 5.75 910 -2.30662
    92. 220 3.15 910 -2.30188; 221 9.5 910 -2.29462; 222 4.25 910 -2.2875
    93. 223 17.75 910 -2.28261; 224 7.25 910 -2.27549; 225 12.75 910 -2.27186
    94. 226 17.15 910 -2.2491; 227 9.25 910 -2.24435; 228 5.5 910 -2.2396
```

95. 229 12.5 910 -2.22997; 230 2.5 910 -2.2181; 231 6.65 910 -2.21684
96. 232 16.5 910 -2.21558; 233 3.75 910 -2.21209; 234 24.425 910 -2.21
97. 235 9 910 -2.19408; 236 11.85 910 -2.18808; 237 16.25 910 -2.18207
98. 238 23.5005 910 -2.18047; 239 4.85 910 -2.17258; 240 6 910 -2.15819
99. 241 23.25 910 -2.15093; 242 16 910 -2.14856; 243 11.25 910 -2.14619
100. 244 8.35 910 -2.14381; 245 3.15 910 -2.13669; 246 2.25 910 -2.13432
101. 247 23 910 -2.1258; 248 15.35 910 -2.11505; 249 4.25 910 -2.10555
102. 250 10.75 910 -2.1043; 251 22.35 910 -2.10067; 252 5.75 910 -2.09955
103. 253 7.75 910 -2.09354; 254 14.75 910 -2.08154; 255 21.75 910 -2.07553
104. 256 10.15 910 -2.06241; 257 2.5 910 -2.06129; 258 2.05 910 -2.05892
105. 259 21.25 910 -2.0504; 260 14.25 910 -2.04802; 261 7.25 910 -2.04327
106. 262 5.5 910 -2.0409; 263 3.75 910 -2.03853; 264 20.65 910 -2.02526
107. 265 9.5 910 -2.02052; 266 13.65 910 -2.01451; 267 20 910 -2.00013
108. 268 6.65 910 -1.99301; 269 2.25 910 -1.98589; 270 1.45 910 -1.98351
109. 271 4.85 910 -1.98225; 272 13 910 -1.981; 273 9.25 910 -1.97863
110. 274 19.75 910 -1.975; 275 3.15 910 -1.9715; 276 19.5 910 -1.94986
111. 277 12.75 910 -1.94749; 278 6 910 -1.94274; 279 9 910 -1.93673
112. 280 18.85 910 -1.92473; 281 4.25 910 -1.92361; 282 2.05 910 -1.91802
113. 283 12.5 910 -1.91398; 284 0.9 910 -1.90811; 285 2.5 910 -1.90448
114. 286 18.25 910 -1.89959; 287 8.35 910 -1.89484; 288 5.75 910 -1.89247
115. 289 11.85 910 -1.88046; 290 17.75 910 -1.87446; 291 3.75 910 -1.86496
116. 292 7.75 910 -1.85295; 293 1.45 910 -1.85016; 294 17.15 910 -1.84932
117. 295 11.25 910 -1.84695; 296 5.5 910 -1.8422; 297 2.25 910 -1.83746
118. 298 0.45 910 -1.8327; 299 16.5 910 -1.82419; 300 10.75 910 -1.81344
119. 301 7.25 910 -1.81106; 302 3.15 910 -1.80632; 303 16.25 910 -1.79905
120. 304 4.85 910 -1.79193; 305 0.9 910 -1.7823; 306 10.15 910 -1.77993
121. 307 2.05 910 -1.77713; 308 16 910 -1.77392; 309 6.65 910 -1.76917
122. 310 0 910 -1.7573; 311 15.35 910 -1.74879; 312 2.5 910 -1.74767
123. 313 9.5 910 -1.74641; 314 4.25 910 -1.74166; 315 6 910 -1.72728
124. 316 14.75 910 -1.72365; 317 1.45 910 -1.71681; 318 0.45 910 -1.71443
125. 319 9.25 910 -1.7129; 320 14.25 910 -1.69852; 321 3.75 910 -1.6914
126. 322 24.425 910 -1.69; 323 2.25 910 -1.68902; 324 5.75 910 -1.68539
127. 325 9 910 -1.67939; 326 13.65 910 -1.67338; 327 23.5005 910 -1.67031
128. 328 0.9 910 -1.65649; 329 23.25 910 -1.65062; 330 13 910 -1.64825
129. 331 0 910 -1.64657; 332 8.35 910 -1.64587; 333 5.5 910 -1.6435
130. 334 3.15 910 -1.64113; 335 2.05 910 -1.63624; 336 23 910 -1.63387
131. 337 12.75 910 -1.62312; 338 22.35 910 -1.61711; 339 7.75 910 -1.61236
132. 340 4.85 910 -1.60161; 341 21.75 910 -1.60035; 342 12.5 910 -1.59798
133. 343 -0.953332 910 -1.59756; 344 0.45 910 -1.59616; 345 2.5 910 -1.59086
134. 346 21.25 910 -1.5836; 347 1.45 910 -1.58346; 348 7.25 910 -1.57885
135. 349 11.85 910 -1.57285; 350 -1.25127 910 -1.57277; 351 -1.10127 910 -1.57277
136. 352 20.65 910 -1.56684; 353 4.25 910 -1.55972; 354 20 910 -1.55009
137. 355 11.25 910 -1.54771; 356 6.65 910 -1.54534; 357 2.25 910 -1.54059
138. 358 0 910 -1.53584; 359 19.75 910 -1.53333; 360 0.9 910 -1.53068
139. 361 10.75 910 -1.52258; 362 3.75 910 -1.51783; 363 19.5 910 -1.51657
140. 364 6 910 -1.51182; 365 18.85 910 -1.49982; 366 10.15 910 -1.49744
141. 367 2.05 910 -1.49535; 368 -0.880282 910 -1.49105; 369 18.25 910 -1.48306
142. 370 5.75 910 -1.47831; 371 0.45 910 -1.47789; 372 3.15 910 -1.47594
143. 373 9.5 910 -1.47231; 374 -1.17843 910 -1.46874; 375 -1.02843 910 -1.46874
144. 376 17.75 910 -1.4663; 377 1.45 910 -1.45011; 378 17.15 910 -1.44955
145. 379 9.25 910 -1.44718; 380 5.5 910 -1.4448; 381 2.5 910 -1.43405
146. 382 16.5 910 -1.43279; 383 0 910 -1.42511; 384 9 910 -1.42204
147. 385 16.25 910 -1.41604; 386 4.85 910 -1.41129; 387 0.9 910 -1.40486
148. 388 16 910 -1.39928; 389 8.35 910 -1.39691; 390 2.25 910 -1.39216
149. 391 -0.807231 910 -1.38454; 392 15.35 910 -1.38252; 393 4.25 910 -1.37778
150. 394 7.75 910 -1.37177; 395 14.75 910 -1.36577; 396 -1.10558 910 -1.36471

151. 397 -0.955581 910 -1.36471; 398 0.45 910 -1.35962; 399 2.05 910 -1.35446
152. 400 14.25 910 -1.34901; 401 7.25 910 -1.34664; 402 3.75 910 -1.34426
153. 403 13.65 910 -1.33226; 404 6.65 910 -1.3215; 405 1.45 910 -1.31676
154. 406 13 910 -1.3155; 407 0 910 -1.31438; 408 3.15 910 -1.31075
155. 409 12.75 910 -1.29874; 410 6 910 -1.29637; 411 12.5 910 -1.28199
156. 412 0.9 910 -1.27905; 413 -0.73418 910 -1.27803; 414 2.5 910 -1.27724
157. 415 5.75 910 -1.27123; 416 11.85 910 -1.26523; 417 -1.03274 910 -1.26067
158. 418 -0.882737 910 -1.26067; 419 11.25 910 -1.24848; 420 5.5 910 -1.2461
159. 421 2.25 910 -1.24373; 422 0.45 910 -1.24135; 423 10.75 910 -1.23172
160. 424 4.85 910 -1.22097; 425 10.15 910 -1.21496; 426 2.05 910 -1.21357
161. 427 0 910 -1.20365; 428 9.5 910 -1.19821; 429 4.25 910 -1.19583
162. 430 1.45 910 -1.1834; 431 9.25 910 -1.18145; 432 -0.66113 910 -1.17151
163. 433 3.75 910 -1.1707; 434 24.425 910 -1.17; 435 9 910 -1.16469
164. 436 23.5005 910 -1.16016; 437 -0.959892 910 -1.15664
165. 438 -0.809892 910 -1.15664; 439 0.9 910 -1.15324; 440 23.25 910 -1.15031
166. 441 8.35 910 -1.14794; 442 3.15 910 -1.14556; 443 23 910 -1.14193
167. 444 22.35 910 -1.13356; 445 7.75 910 -1.13118; 446 21.75 910 -1.12518
168. 447 0.45 910 -1.12308; 448 2.5 910 -1.12043; 449 21.25 910 -1.1168
169. 450 7.25 910 -1.11442; 451 20.65 910 -1.10842; 452 20 910 -1.10004
170. 453 6.65 910 -1.09767; 454 2.25 910 -1.0953; 455 0 910 -1.09292
171. 456 19.75 910 -1.09167; 457 19.5 910 -1.08329; 458 6 910 -1.08091
172. 459 18.85 910 -1.07491; 460 2.05 910 -1.07267; 461 18.25 910 -1.06653
173. 462 -0.588079 910 -1.065; 463 5.75 910 -1.06416; 464 17.75 910 -1.05815
174. 465 -0.887048 910 -1.05261; 466 -0.737048 910 -1.05261; 467 1.45 910 -1.05005
175. 468 17.15 910 -1.04977; 469 5.5 910 -1.0474; 470 16.5 910 -1.0414
176. 471 16.25 910 -1.03302; 472 4.85 910 -1.03064; 473 0.9 910 -1.02743
177. 474 16 910 -1.02464; 475 15.35 910 -1.01626; 476 4.25 910 -1.01389
178. 477 14.75 910 -1.00788; 478 0.45 910 -1.00481; 479 14.25 910 -0.999506
179. 480 3.75 910 -0.997132; 481 13.65 910 -0.991128; 482 13 910 -0.98275
180. 483 0 910 -0.98219; 484 3.15 910 -0.980376; 485 12.75 910 -0.974372
181. 486 12.5 910 -0.965994; 487 2.5 910 -0.96362; 488 -0.515028 910 -0.958492
182. 489 11.85 910 -0.957616; 490 11.25 910 -0.949238; 491 -0.814203 910 -0.948577
183. 492 -0.664203 910 -0.948577; 493 2.25 910 -0.946864; 494 10.75 910 -0.94086
184. 495 10.15 910 -0.932481; 496 2.05 910 -0.931783; 497 9.5 910 -0.924103
185. 498 1.45 910 -0.916702; 499 9.25 910 -0.915725; 500 9 910 -0.907347
186. 501 0.9 910 -0.901622; 502 8.35 910 -0.898969; 503 7.75 910 -0.890591
187. 504 0.45 910 -0.886541; 505 7.25 910 -0.882213; 506 6.65 910 -0.873834
188. 507 0 910 -0.87146; 508 6 910 -0.865456; 509 5.75 910 -0.857078
189. 510 -0.441978 910 -0.851981; 511 5.5 910 -0.8487; 512 -0.741359 910 -0.844545
190. 513 -0.591359 910 -0.844545; 514 4.85 910 -0.840322; 515 4.25 910 -0.831944
191. 516 3.75 910 -0.823566; 517 3.15 910 -0.815188; 518 2.5 910 -0.80681
192. 519 2.25 910 -0.798432; 520 2.05 910 -0.790892; 521 1.45 910 -0.783351
193. 522 0.9 910 -0.775811; 523 0.45 910 -0.76827; 524 0 910 -0.76073
194. 525 -0.368927 910 -0.74547; 526 -0.668515 910 -0.740513
195. 527 -0.518515 910 -0.740513; 528 0 910 -0.65; 529 0.45 910 -0.65
196. 530 0.9 910 -0.65; 531 1.45 910 -0.65; 532 2.05 910 -0.65; 533 2.25 910 -0.65
197. 534 2.5 910 -0.65; 535 3.15 910 -0.65; 536 3.75 910 -0.65; 537 4.25 910 -0.65
198. 538 4.85 910 -0.65; 539 5.5 910 -0.65; 540 5.75 910 -0.65; 541 6 910 -0.65
199. 542 6.65 910 -0.65; 543 7.25 910 -0.65; 544 7.75 910 -0.65; 545 8.35 910 -0.65
200. 546 9 910 -0.65; 547 9.25 910 -0.65; 548 9.5 910 -0.65; 549 10.15 910 -0.65
201. 550 10.75 910 -0.65; 551 11.25 910 -0.65; 552 11.85 910 -0.65
202. 553 12.5 910 -0.65; 554 12.75 910 -0.65; 555 13 910 -0.65; 556 13.65 910 -0.65
203. 557 14.25 910 -0.65; 558 14.75 910 -0.65; 559 15.35 910 -0.65
204. 560 16 910 -0.65; 561 16.25 910 -0.65; 562 16.5 910 -0.65; 563 17.15 910 -0.65
205. 564 17.75 910 -0.65; 565 18.25 910 -0.65; 566 18.85 910 -0.65
206. 567 19.5 910 -0.65; 568 19.75 910 -0.65; 569 20 910 -0.65; 570 20.65 910 -0.65

207. 571 21.25 910 -0.65; 572 21.75 910 -0.65; 573 22.35 910 -0.65
208. 574 23 910 -0.65; 575 23.25 910 -0.65; 576 23.5005 910 -0.65
209. 577 24.425 910 -0.65; 578 -0.295876 910 -0.638959; 579 -0.59567 910 -0.636481
210. 580 -0.44567 910 -0.636481; 581 -0.522826 910 -0.532448
211. 582 -0.372826 910 -0.532448; 583 -0.222826 910 -0.532448; 584 0 910 -0.15
212. 585 0.45 910 -0.15; 586 0.9 910 -0.15; 587 1.45 910 -0.15; 588 2.05 910 -0.15
213. 589 2.25 910 -0.15; 590 2.5 910 -0.15; 591 3.15 910 -0.15; 592 3.75 910 -0.15
214. 593 4.25 910 -0.15; 594 4.85 910 -0.15; 595 5.5 910 -0.15; 596 5.75 910 -0.15
215. 597 6 910 -0.15; 598 6.65 910 -0.15; 599 7.25 910 -0.15; 600 7.75 910 -0.15
216. 601 8.35 910 -0.15; 602 9 910 -0.15; 603 9.25 910 -0.15; 604 9.5 910 -0.15
217. 605 10.15 910 -0.15; 606 10.75 910 -0.15; 607 11.25 910 -0.15
218. 608 11.85 910 -0.15; 609 12.5 910 -0.15; 610 12.75 910 -0.15; 611 13 910 -0.15
219. 612 13.65 910 -0.15; 613 14.25 910 -0.15; 614 14.75 910 -0.15
220. 615 15.35 910 -0.15; 616 16 910 -0.15; 617 16.25 910 -0.15; 618 16.5 910 -0.15
221. 619 17.15 910 -0.15; 620 17.75 910 -0.15; 621 18.25 910 -0.15
222. 622 18.85 910 -0.15; 623 19.5 910 -0.15; 624 19.75 910 -0.15; 625 20 910 -0.15
223. 626 20.65 910 -0.15; 627 21.25 910 -0.15; 628 21.75 910 -0.15
224. 629 22.35 910 -0.15; 630 23 910 -0.15; 631 23.25 910 -0.15
225. 632 23.5005 910 -0.15; 633 24.425 910 -0.15; 634 -0.236037 910 -0.122873
226. 635 -0.0860368 910 -0.122873; 636 -0.15 910 0; 637 0 910 0; 638 0.45 910 0
227. 639 0.9 910 0; 640 1.45 910 0; 641 2.05 910 0; 642 2.25 910 0; 643 2.5 910 0
228. 644 3.15 910 0; 645 3.75 910 0; 646 4.25 910 0; 647 4.85 910 0; 648 5.5 910 0
229. 649 5.75 910 0; 650 6 910 0; 651 6.65 910 0; 652 7.25 910 0; 653 7.75 910 0
230. 654 8.35 910 0; 655 9 910 0; 656 9.25 910 0; 657 9.5 910 0; 658 10.15 910 0
231. 659 10.75 910 0; 660 11.25 910 0; 661 11.85 910 0; 662 12.5 910 0
232. 663 12.75 910 0; 664 13 910 0; 665 13.65 910 0; 666 14.25 910 0
233. 667 14.75 910 0; 668 15.35 910 0; 669 16 910 0; 670 16.25 910 0
234. 671 16.5 910 0; 672 17.15 910 0; 673 17.75 910 0; 674 18.25 910 0
235. 675 18.85 910 0; 676 19.5 910 0; 677 19.75 910 0; 678 20 910 0
236. 679 20.65 910 0; 680 21.25 910 0; 681 21.75 910 0; 682 22.35 910 0
237. 683 23 910 0; 684 23.25 910 0; 685 23.5005 910 0; 686 24.425 910 0
238. 687 -0.0449689 910 0.15; 688 0.105031 910 0.15; 689 0.534025 910 0.15
239. 690 0.963019 910 0.15; 691 1.49201 910 0.15; 692 2.07101 910 0.15
240. 693 2.25 910 0.15; 694 2.5 910 0.15; 695 3.15 910 0.15; 696 3.75 910 0.15
241. 697 4.25 910 0.15; 698 4.85 910 0.15; 699 5.5 910 0.15; 700 5.75 910 0.15
242. 701 6 910 0.15; 702 6.65 910 0.15; 703 7.25 910 0.15; 704 7.75 910 0.15
243. 705 8.35 910 0.15; 706 9 910 0.15; 707 9.25 910 0.15; 708 9.5 910 0.15
244. 709 10.15 910 0.15; 710 10.75 910 0.15; 711 11.25 910 0.15; 712 11.85 910 0.15
245. 713 12.5 910 0.15; 714 12.75 910 0.15; 715 13 910 0.15; 716 13.65 910 0.15
246. 717 14.25 910 0.15; 718 14.75 910 0.15; 719 15.35 910 0.15; 720 16 910 0.15
247. 721 16.25 910 0.15; 722 16.5 910 0.15; 723 17.15 910 0.15; 724 17.75 910 0.15
248. 725 18.25 910 0.15; 726 18.85 910 0.15; 727 19.5 910 0.15; 728 19.75 910 0.15
249. 729 20 910 0.15; 730 20.65 910 0.15; 731 21.25 910 0.15; 732 21.75 910 0.15
250. 733 22.35 910 0.15; 734 23 910 0.15; 735 23.25 910 0.15; 736 23.5005 910 0.15
251. 737 24.425 910 0.15; 738 0.305135 910 0.65; 739 0.455135 910 0.65
252. 740 0.814108 910 0.65; 741 1.17308 910 0.65; 742 1.63205 910 0.65
253. 743 1.99103 910 0.65; 744 2.25 910 0.65; 745 2.5 910 0.65; 746 3.15 910 0.65
254. 747 3.75 910 0.65; 748 4.25 910 0.65; 749 4.85 910 0.65; 750 5.5 910 0.65
255. 751 5.75 910 0.65; 752 6 910 0.65; 753 6.65 910 0.65; 754 7.25 910 0.65
256. 755 7.75 910 0.65; 756 8.35 910 0.65; 757 9 910 0.65; 758 9.25 910 0.65
257. 759 9.5 910 0.65; 760 10.15 910 0.65; 761 10.75 910 0.65; 762 11.25 910 0.65
258. 763 11.85 910 0.65; 764 12.5 910 0.65; 765 12.75 910 0.65; 766 13 910 0.65
259. 767 13.65 910 0.65; 768 14.25 910 0.65; 769 14.75 910 0.65; 770 15.35 910 0.65
260. 771 16 910 0.65; 772 16.25 910 0.65; 773 16.5 910 0.65; 774 17.15 910 0.65
261. 775 17.75 910 0.65; 776 18.25 910 0.65; 777 18.85 910 0.65; 778 19.5 910 0.65
262. 779 19.75 910 0.65; 780 20 910 0.65; 781 20.65 910 0.65; 782 21.25 910 0.65

263. 783 21.75 910 0.65; 784 22.35 910 0.65; 785 23 910 0.65; 786 23.25 910 0.65
264. 787 23.5005 910 0.65; 788 24.425 910 0.65; 789 0.370091 910 0.742767
265. 790 0.520091 910 0.742767; 791 0.866073 910 0.751948; 792 1.21205 910 0.761128
266. 793 1.65804 910 0.770308; 794 2.00402 910 0.779488; 795 2.25 910 0.788668
267. 796 2.5 910 0.802453; 797 3.15 910 0.816237; 798 3.75 910 0.830022
268. 799 4.25 910 0.843806; 800 4.85 910 0.857591; 801 5.5 910 0.871375
269. 802 5.75 910 0.88516; 803 6 910 0.898944; 804 6.65 910 0.912729
270. 805 7.25 910 0.926513; 806 7.75 910 0.940297; 807 8.35 910 0.954081
271. 808 9 910 0.967866; 809 9.25 910 0.98165; 810 9.5 910 0.995434
272. 811 10.15 910 1.00922; 812 10.75 910 1.023; 813 11.25 910 1.03678
273. 814 11.85 910 1.05057; 815 12.5 910 1.06435; 816 12.75 910 1.07814
274. 817 0.535048 910 1.08554; 818 0.685048 910 1.08554; 819 13 910 1.09192
275. 820 0.918038 910 1.10389; 821 13.65 910 1.1057; 822 14.25 910 1.11949
276. 823 1.25103 910 1.12226; 824 14.75 910 1.13327; 825 1.68402 910 1.14062
277. 826 15.35 910 1.14706; 827 2.01701 910 1.15898; 828 16 910 1.16084
278. 829 16.25 910 1.17462; 830 2.25 910 1.17734; 831 16.5 910 1.18841
279. 832 17.15 910 1.20219; 833 2.5 910 1.20491; 834 17.75 910 1.21598
280. 835 18.25 910 1.22976; 836 3.15 910 1.23247; 837 18.85 910 1.24355
281. 838 19.5 910 1.25733; 839 3.75 910 1.26004; 840 19.75 910 1.27112
282. 841 20 910 1.2849; 842 4.25 910 1.28761; 843 20.65 910 1.29868
283. 844 21.25 910 1.31247; 845 4.85 910 1.31518; 846 21.75 910 1.32625
284. 847 22.35 910 1.34004; 848 5.5 910 1.34275; 849 23 910 1.35382
285. 850 23.25 910 1.3676; 851 5.75 910 1.37032; 852 23.5005 910 1.3838
286. 853 6 910 1.39789; 854 24.425 910 1.4; 855 6.65 910 1.42546
287. 856 7.25 910 1.45303; 857 7.75 910 1.48059; 858 8.35 910 1.50816
288. 859 9 910 1.53573; 860 9.25 910 1.5633; 861 9.5 910 1.59087
289. 862 10.15 910 1.61843; 863 10.75 910 1.646; 864 11.25 910 1.67357
290. 865 11.85 910 1.70114; 866 12.5 910 1.7287; 867 12.75 910 1.75627
291. 868 13 910 1.78384; 869 13.65 910 1.81141; 870 14.25 910 1.83898
292. 871 14.75 910 1.86654; 872 15.35 910 1.89411; 873 16 910 1.92168
293. 874 16.25 910 1.94925; 875 16.5 910 1.97682; 876 17.15 910 2.00439
294. 877 17.75 910 2.03196; 878 18.25 910 2.05952; 879 18.85 910 2.08709
295. 880 19.5 910 2.11466; 881 19.75 910 2.14223; 882 20 910 2.1698
296. 883 20.65 910 2.19737; 884 21.25 910 2.22494; 885 21.75 910 2.2525
297. 886 22.35 910 2.28007; 887 23 910 2.30764; 888 23.25 910 2.33521
298. 889 23.5005 910 2.36761; 890 24.425 910 2.4; 891 23.25 910.35 -5.65311
299. 892 23.25 910.35 -5.1528; 893 19.75 910.35 -5.06665; 894 23.25 910.35 -4.65249
300. 895 19.75 910.35 -4.62498; 896 16.25 910.35 -4.48018
301. 897 19.75 910.35 -4.18332; 898 23.25 910.35 -4.15218
302. 899 16.25 910.35 -4.09716; 900 12.75 910.35 -3.89372
303. 901 19.75 910.35 -3.74165; 902 16.25 910.35 -3.71414
304. 903 23.25 910.35 -3.65187; 904 12.75 910.35 -3.56935
305. 905 16.25 910.35 -3.33113; 906 9.25 910.35 -3.30725; 907 19.75 910.35 -3.29999
306. 908 12.75 910.35 -3.24498; 909 23.25 910.35 -3.15156; 910 9.25 910.35 -3.04153
307. 911 16.25 910.35 -2.94811; 912 12.75 910.35 -2.9206; 913 19.75 910.35 -2.85833
308. 914 9.25 910.35 -2.7758; 915 5.75 910.35 -2.72078; 916 23.25 910.35 -2.65124
309. 917 12.75 910.35 -2.59623; 918 16.25 910.35 -2.56509; 919 5.75 910.35 -2.5137
310. 920 9.25 910.35 -2.51008; 921 19.75 910.35 -2.41666; 922 5.75 910.35 -2.30662
311. 923 12.75 910.35 -2.27186; 924 9.25 910.35 -2.24435; 925 16.25 910.35 -2.18207
312. 926 23.25 910.35 -2.15093; 927 2.25 910.35 -2.13432; 928 5.75 910.35 -2.09955
313. 929 2.25 910.35 -1.98589; 930 9.25 910.35 -1.97863; 931 19.75 910.35 -1.975
314. 932 12.75 910.35 -1.94749; 933 5.75 910.35 -1.89247; 934 2.25 910.35 -1.83746
315. 935 16.25 910.35 -1.79905; 936 9.25 910.35 -1.7129; 937 2.25 910.35 -1.68902
316. 938 5.75 910.35 -1.68539; 939 23.25 910.35 -1.65062; 940 12.75 910.35 -1.62312
317. 941 -1.10127 910.35 -1.57277; 942 2.25 910.35 -1.54059
318. 943 19.75 910.35 -1.53333; 944 5.75 910.35 -1.47831

319. 945 -1.02843 910.35 -1.46874; 946 9.25 910.35 -1.44718
320. 947 16.25 910.35 -1.41604; 948 2.25 910.35 -1.39216
321. 949 -0.955581 910.35 -1.36471; 950 12.75 910.35 -1.29874
322. 951 5.75 910.35 -1.27123; 952 -0.882737 910.35 -1.26067
323. 953 2.25 910.35 -1.24373; 954 9.25 910.35 -1.18145
324. 955 -0.809892 910.35 -1.15664; 956 23.25 910.35 -1.15031
325. 957 2.25 910.35 -1.0953; 958 19.75 910.35 -1.09166; 959 5.75 910.35 -1.06416
326. 960 -0.737048 910.35 -1.05261; 961 16.25 910.35 -1.03302
327. 962 12.75 910.35 -0.974372; 963 -0.664203 910.35 -0.948577
328. 964 2.25 910.35 -0.946864; 965 9.25 910.35 -0.915725
329. 966 5.75 910.35 -0.857078; 967 -0.591359 910.35 -0.844545
330. 968 2.25 910.35 -0.798432; 969 -0.518515 910.35 -0.740513
331. 970 2.25 910.35 -0.65; 971 5.75 910.35 -0.65; 972 9.25 910.35 -0.65
332. 973 12.75 910.35 -0.65; 974 16.25 910.35 -0.65; 975 19.75 910.35 -0.65
333. 976 23.25 910.35 -0.65; 977 -0.44567 910.35 -0.636481
334. 978 -0.372826 910.35 -0.532448; 979 2.25 910.35 -0.15; 980 5.75 910.35 -0.15
335. 981 9.25 910.35 -0.15; 982 12.75 910.35 -0.15; 983 16.25 910.35 -0.15
336. 984 19.75 910.35 -0.15; 985 23.25 910.35 -0.15
337. 986 -0.0860369 910.35 -0.122873; 987 0 910.35 0; 988 0.45 910.35 0
338. 989 0.9 910.35 0; 990 1.45 910.35 0; 991 2.05 910.35 0; 992 2.25 910.35 0
339. 993 2.5 910.35 0; 994 3.15 910.35 0; 995 3.75 910.35 0; 996 4.25 910.35 0
340. 997 4.85 910.35 0; 998 5.5 910.35 0; 999 5.75 910.35 0; 1000 6 910.35 0
341. 1001 6.65 910.35 0; 1002 7.25 910.35 0; 1003 7.75 910.35 0; 1004 8.35 910.35 0
342. 1005 9 910.35 0; 1006 9.25 910.35 0; 1007 9.5 910.35 0; 1008 10.15 910.35 0
343. 1009 10.75 910.35 0; 1010 11.25 910.35 0; 1011 11.85 910.35 0
344. 1012 12.5 910.35 0; 1013 12.75 910.35 0; 1014 13 910.35 0; 1015 13.65 910.35 0
345. 1016 14.25 910.35 0; 1017 14.75 910.35 0; 1018 15.35 910.35 0
346. 1019 16 910.35 0; 1020 16.25 910.35 0; 1021 16.5 910.35 0; 1022 17.15 910.35 0
347. 1023 17.75 910.35 0; 1024 18.25 910.35 0; 1025 18.85 910.35 0
348. 1026 19.5 910.35 0; 1027 19.75 910.35 0; 1028 20 910.35 0; 1029 20.65 910.35 0
349. 1030 21.25 910.35 0; 1031 21.75 910.35 0; 1032 22.35 910.35 0
350. 1033 23 910.35 0; 1034 23.25 910.35 0; 1035 23.5005 910.35 0
351. 1036 24.425 910.35 0; 1037 2.25 910.35 0.15; 1038 5.75 910.35 0.15
352. 1039 9.25 910.35 0.15; 1040 12.75 910.35 0.15; 1041 16.25 910.35 0.15
353. 1042 19.75 910.35 0.15; 1043 23.25 910.35 0.15; 1044 2.25 910.35 0.65
354. 1045 5.75 910.35 0.65; 1046 9.25 910.35 0.65; 1047 12.75 910.35 0.65
355. 1048 16.25 910.35 0.65; 1049 19.75 910.35 0.65; 1050 23.25 910.35 0.65
356. 1051 2.25 910.35 0.788668; 1052 5.75 910.35 0.88516; 1053 9.25 910.35 0.98165
357. 1054 12.75 910.35 1.07814; 1055 16.25 910.35 1.17462; 1056 2.25 910.35 1.17734
358. 1057 19.75 910.35 1.27112; 1058 23.25 910.35 1.3676; 1059 5.75 910.35 1.37032
359. 1060 9.25 910.35 1.5633; 1061 12.75 910.35 1.75627; 1062 16.25 910.35 1.94925
360. 1063 19.75 910.35 2.14223; 1064 23.25 910.35 2.33521
361. 1065 23.25 910.7 -5.65311; 1066 23.25 910.7 -5.1528; 1067 19.75 910.7 -5.06665
362. 1068 23.25 910.7 -4.65249; 1069 19.75 910.7 -4.62498
363. 1070 16.25 910.7 -4.48018; 1071 19.75 910.7 -4.18332
364. 1072 23.25 910.7 -4.15218; 1073 16.25 910.7 -4.09716
365. 1074 12.75 910.7 -3.89372; 1075 19.75 910.7 -3.74165
366. 1076 16.25 910.7 -3.71414; 1077 23.25 910.7 -3.65187
367. 1078 12.75 910.7 -3.56935; 1079 16.25 910.7 -3.33113; 1080 9.25 910.7 -3.30725
368. 1081 19.75 910.7 -3.29999; 1082 12.75 910.7 -3.24498
369. 1083 23.25 910.7 -3.15156; 1084 9.25 910.7 -3.04152; 1085 16.25 910.7 -2.94811
370. 1086 12.75 910.7 -2.9206; 1087 19.75 910.7 -2.85833; 1088 9.25 910.7 -2.7758
371. 1089 5.75 910.7 -2.72078; 1090 23.25 910.7 -2.65124; 1091 12.75 910.7 -2.59623
372. 1092 16.25 910.7 -2.56509; 1093 5.75 910.7 -2.5137; 1094 9.25 910.7 -2.51008
373. 1095 19.75 910.7 -2.41666; 1096 5.75 910.7 -2.30662; 1097 12.75 910.7 -2.27186
374. 1098 9.25 910.7 -2.24435; 1099 16.25 910.7 -2.18207; 1100 23.25 910.7 -2.15093

375. 1101 2.25 910.7 -2.13432; 1102 5.75 910.7 -2.09955; 1103 2.25 910.7 -1.98589
376. 1104 9.25 910.7 -1.97863; 1105 19.75 910.7 -1.975; 1106 12.75 910.7 -1.94749
377. 1107 5.75 910.7 -1.89247; 1108 2.25 910.7 -1.83746; 1109 16.25 910.7 -1.79905
378. 1110 9.25 910.7 -1.7129; 1111 2.25 910.7 -1.68902; 1112 5.75 910.7 -1.68539
379. 1113 23.25 910.7 -1.65062; 1114 12.75 910.7 -1.62312
380. 1115 -1.10127 910.7 -1.57277; 1116 2.25 910.7 -1.54059
381. 1117 19.75 910.7 -1.53333; 1118 5.75 910.7 -1.47831
382. 1119 -1.02843 910.7 -1.46874; 1120 9.25 910.7 -1.44718
383. 1121 16.25 910.7 -1.41604; 1122 2.25 910.7 -1.39216
384. 1123 -0.955581 910.7 -1.36471; 1124 12.75 910.7 -1.29874
385. 1125 5.75 910.7 -1.27123; 1126 -0.882737 910.7 -1.26067
386. 1127 2.25 910.7 -1.24373; 1128 9.25 910.7 -1.18145
387. 1129 -0.809892 910.7 -1.15664; 1130 23.25 910.7 -1.15031
388. 1131 2.25 910.7 -1.0953; 1132 19.75 910.7 -1.09166; 1133 5.75 910.7 -1.06416
389. 1134 -0.737048 910.7 -1.05261; 1135 16.25 910.7 -1.03302
390. 1136 12.75 910.7 -0.974372; 1137 -0.664203 910.7 -0.948577
391. 1138 2.25 910.7 -0.946864; 1139 9.25 910.7 -0.915725
392. 1140 5.75 910.7 -0.857078; 1141 -0.591359 910.7 -0.844545
393. 1142 2.25 910.7 -0.798432; 1143 -0.518515 910.7 -0.740513
394. 1144 2.25 910.7 -0.65; 1145 5.75 910.7 -0.65; 1146 9.25 910.7 -0.65
395. 1147 12.75 910.7 -0.65; 1148 16.25 910.7 -0.65; 1149 19.75 910.7 -0.65
396. 1150 23.25 910.7 -0.65; 1151 -0.44567 910.7 -0.63648
397. 1152 -0.372826 910.7 -0.532448; 1153 2.25 910.7 -0.15; 1154 5.75 910.7 -0.15
398. 1155 9.25 910.7 -0.15; 1156 12.75 910.7 -0.15; 1157 16.25 910.7 -0.15
399. 1158 19.75 910.7 -0.15; 1159 23.25 910.7 -0.15
400. 1160 -0.0860369 910.7 -0.122873; 1161 0 910.7 0; 1162 0.45 910.7 0
401. 1163 0.9 910.7 0; 1164 1.45 910.7 0; 1165 2.05 910.7 0; 1166 2.25 910.7 0
402. 1167 2.5 910.7 0; 1168 3.15 910.7 0; 1169 3.75 910.7 0; 1170 4.25 910.7 0
403. 1171 4.85 910.7 0; 1172 5.5 910.7 0; 1173 5.75 910.7 0; 1174 6 910.7 0
404. 1175 6.65 910.7 0; 1176 7.25 910.7 0; 1177 7.75 910.7 0; 1178 8.35 910.7 0
405. 1179 9 910.7 0; 1180 9.25 910.7 0; 1181 9.5 910.7 0; 1182 10.15 910.7 0
406. 1183 10.75 910.7 0; 1184 11.25 910.7 0; 1185 11.85 910.7 0; 1186 12.5 910.7 0
407. 1187 12.75 910.7 0; 1188 13 910.7 0; 1189 13.65 910.7 0; 1190 14.25 910.7 0
408. 1191 14.75 910.7 0; 1192 15.35 910.7 0; 1193 16 910.7 0; 1194 16.25 910.7 0
409. 1195 16.5 910.7 0; 1196 17.15 910.7 0; 1197 17.75 910.7 0; 1198 18.25 910.7 0
410. 1199 18.85 910.7 0; 1200 19.5 910.7 0; 1201 19.75 910.7 0; 1202 20 910.7 0
411. 1203 20.65 910.7 0; 1204 21.25 910.7 0; 1205 21.75 910.7 0; 1206 22.35 910.7 0
412. 1207 23 910.7 0; 1208 23.25 910.7 0; 1209 23.5005 910.7 0; 1210 24.425 910.7 0
413. 1211 2.25 910.7 0.15; 1212 5.75 910.7 0.15; 1213 9.25 910.7 0.15
414. 1214 12.75 910.7 0.15; 1215 16.25 910.7 0.15; 1216 19.75 910.7 0.15
415. 1217 23.25 910.7 0.15; 1218 2.25 910.7 0.65; 1219 5.75 910.7 0.65
416. 1220 9.25 910.7 0.65; 1221 12.75 910.7 0.65; 1222 16.25 910.7 0.65
417. 1223 19.75 910.7 0.65; 1224 23.25 910.7 0.65; 1225 2.25 910.7 0.788668
418. 1226 5.75 910.7 0.88516; 1227 9.25 910.7 0.98165; 1228 12.75 910.7 1.07814
419. 1229 16.25 910.7 1.17462; 1230 2.25 910.7 1.17734; 1231 19.75 910.7 1.27112
420. 1232 23.25 910.7 1.3676; 1233 5.75 910.7 1.37032; 1234 9.25 910.7 1.5633
421. 1235 12.75 910.7 1.75627; 1236 16.25 910.7 1.94925; 1237 19.75 910.7 2.14223
422. 1238 23.25 910.7 2.33521; 1239 23.25 911.3 -5.65311; 1240 23.25 911.3 -5.1528
423. 1241 19.75 911.3 -5.06665; 1242 23.25 911.3 -4.65249
424. 1243 19.75 911.3 -4.62498; 1244 16.25 911.3 -4.48018
425. 1245 19.75 911.3 -4.18332; 1246 23.25 911.3 -4.15218
426. 1247 16.25 911.3 -4.09716; 1248 12.75 911.3 -3.89372
427. 1249 19.75 911.3 -3.74165; 1250 16.25 911.3 -3.71414
428. 1251 23.25 911.3 -3.65187; 1252 12.75 911.3 -3.56935
429. 1253 16.25 911.3 -3.33113; 1254 9.25 911.3 -3.30725; 1255 19.75 911.3 -3.29999
430. 1256 12.75 911.3 -3.24498; 1257 23.25 911.3 -3.15156; 1258 9.25 911.3 -3.04152

431. 1259 16.25 911.3 -2.94811; 1260 12.75 911.3 -2.9206; 1261 19.75 911.3 -2.85833
432. 1262 9.25 911.3 -2.7758; 1263 5.75 911.3 -2.72078; 1264 23.25 911.3 -2.65124
433. 1265 12.75 911.3 -2.59623; 1266 16.25 911.3 -2.56509; 1267 5.75 911.3 -2.5137
434. 1268 9.25 911.3 -2.51007; 1269 19.75 911.3 -2.41666; 1270 5.75 911.3 -2.30662
435. 1271 12.75 911.3 -2.27186; 1272 9.25 911.3 -2.24435; 1273 16.25 911.3 -2.18207
436. 1274 23.25 911.3 -2.15093; 1275 2.25 911.3 -2.13432; 1276 5.75 911.3 -2.09955
437. 1277 2.25 911.3 -1.98589; 1278 9.25 911.3 -1.97862; 1279 19.75 911.3 -1.975
438. 1280 12.75 911.3 -1.94749; 1281 5.75 911.3 -1.89247; 1282 2.25 911.3 -1.83746
439. 1283 16.25 911.3 -1.79905; 1284 9.25 911.3 -1.7129; 1285 2.25 911.3 -1.68902
440. 1286 5.75 911.3 -1.68539; 1287 23.25 911.3 -1.65062; 1288 12.75 911.3 -1.62312
441. 1289 -1.10127 911.3 -1.57277; 1290 2.25 911.3 -1.54059
442. 1291 19.75 911.3 -1.53333; 1292 5.75 911.3 -1.47831
443. 1293 -1.02843 911.3 -1.46874; 1294 9.25 911.3 -1.44718
444. 1295 16.25 911.3 -1.41604; 1296 2.25 911.3 -1.39216
445. 1297 -0.955581 911.3 -1.36471; 1298 12.75 911.3 -1.29874
446. 1299 5.75 911.3 -1.27123; 1300 -0.882737 911.3 -1.26067
447. 1301 2.25 911.3 -1.24373; 1302 9.25 911.3 -1.18145
448. 1303 -0.809892 911.3 -1.15664; 1304 23.25 911.3 -1.15031
449. 1305 2.25 911.3 -1.0953; 1306 19.75 911.3 -1.09166; 1307 5.75 911.3 -1.06416
450. 1308 -0.737048 911.3 -1.05261; 1309 16.25 911.3 -1.03302
451. 1310 12.75 911.3 -0.974372; 1311 -0.664203 911.3 -0.948577
452. 1312 2.25 911.3 -0.946864; 1313 9.25 911.3 -0.915725
453. 1314 5.75 911.3 -0.857078; 1315 -0.591359 911.3 -0.844545
454. 1316 2.25 911.3 -0.798432; 1317 -0.518515 911.3 -0.740513
455. 1318 2.25 911.3 -0.65; 1319 5.75 911.3 -0.65; 1320 9.25 911.3 -0.65
456. 1321 12.75 911.3 -0.65; 1322 16.25 911.3 -0.65; 1323 19.75 911.3 -0.65
457. 1324 23.25 911.3 -0.65; 1325 -0.44567 911.3 -0.63648
458. 1326 -0.372826 911.3 -0.532448; 1327 2.25 911.3 -0.15; 1328 5.75 911.3 -0.15
459. 1329 9.25 911.3 -0.15; 1330 12.75 911.3 -0.15; 1331 16.25 911.3 -0.15
460. 1332 19.75 911.3 -0.15; 1333 23.25 911.3 -0.15
461. 1334 -0.0860368 911.3 -0.122873; 1335 0 911.3 0; 1336 0.45 911.3 0
462. 1337 0.9 911.3 0; 1338 1.45 911.3 0; 1339 2.05 911.3 0; 1340 2.25 911.3 0
463. 1341 2.5 911.3 0; 1342 3.15 911.3 0; 1343 3.75 911.3 0; 1344 4.25 911.3 0
464. 1345 4.85 911.3 0; 1346 5.5 911.3 0; 1347 5.75 911.3 0; 1348 6 911.3 0
465. 1349 6.65 911.3 0; 1350 7.25 911.3 0; 1351 7.75 911.3 0; 1352 8.35 911.3 0
466. 1353 9 911.3 0; 1354 9.25 911.3 0; 1355 9.5 911.3 0; 1356 10.15 911.3 0
467. 1357 10.75 911.3 0; 1358 11.25 911.3 0; 1359 11.85 911.3 0; 1360 12.5 911.3 0
468. 1361 12.75 911.3 0; 1362 13 911.3 0; 1363 13.65 911.3 0; 1364 14.25 911.3 0
469. 1365 14.75 911.3 0; 1366 15.35 911.3 0; 1367 16 911.3 0; 1368 16.25 911.3 0
470. 1369 16.5 911.3 0; 1370 17.15 911.3 0; 1371 17.75 911.3 0; 1372 18.25 911.3 0
471. 1373 18.85 911.3 0; 1374 19.5 911.3 0; 1375 19.75 911.3 0; 1376 20 911.3 0
472. 1377 20.65 911.3 0; 1378 21.25 911.3 0; 1379 21.75 911.3 0; 1380 22.35 911.3 0
473. 1381 23 911.3 0; 1382 23.25 911.3 0; 1383 23.5005 911.3 0; 1384 24.425 911.3 0
474. 1385 2.25 911.3 0.15; 1386 5.75 911.3 0.15; 1387 9.25 911.3 0.15
475. 1388 12.75 911.3 0.15; 1389 16.25 911.3 0.15; 1390 19.75 911.3 0.15
476. 1391 23.25 911.3 0.15; 1392 2.25 911.3 0.65; 1393 5.75 911.3 0.65
477. 1394 9.25 911.3 0.65; 1395 12.75 911.3 0.65; 1396 16.25 911.3 0.65
478. 1397 19.75 911.3 0.65; 1398 23.25 911.3 0.65; 1399 2.25 911.3 0.788668
479. 1400 5.75 911.3 0.88516; 1401 9.25 911.3 0.98165; 1402 12.75 911.3 1.07814
480. 1403 16.25 911.3 1.17462; 1404 19.75 911.3 1.27112; 1405 23.25 911.3 1.3676
481. 1406 23.25 911.85 -5.65311; 1407 23.25 911.85 -5.1528
482. 1408 19.75 911.85 -5.06665; 1409 23.25 911.85 -4.65249
483. 1410 19.75 911.85 -4.62498; 1411 16.25 911.85 -4.48018
484. 1412 19.75 911.85 -4.18332; 1413 23.25 911.85 -4.15218
485. 1414 16.25 911.85 -4.09716; 1415 12.75 911.85 -3.89372
486. 1416 19.75 911.85 -3.74165; 1417 16.25 911.85 -3.71414

487. 1418 23.25 911.85 -3.65187; 1419 12.75 911.85 -3.56935
488. 1420 16.25 911.85 -3.33113; 1421 9.25 911.85 -3.30725
489. 1422 19.75 911.85 -3.29999; 1423 12.75 911.85 -3.24498
490. 1424 23.25 911.85 -3.15156; 1425 9.25 911.85 -3.04152
491. 1426 16.25 911.85 -2.94811; 1427 12.75 911.85 -2.9206
492. 1428 19.75 911.85 -2.85833; 1429 9.25 911.85 -2.7758
493. 1430 5.75 911.85 -2.72078; 1431 23.25 911.85 -2.65124
494. 1432 12.75 911.85 -2.59623; 1433 16.25 911.85 -2.56509
495. 1434 5.75 911.85 -2.5137; 1435 9.25 911.85 -2.51007
496. 1436 19.75 911.85 -2.41666; 1437 5.75 911.85 -2.30662
497. 1438 12.75 911.85 -2.27186; 1439 9.25 911.85 -2.24435
498. 1440 16.25 911.85 -2.18207; 1441 23.25 911.85 -2.15093
499. 1442 2.25 911.85 -2.13432; 1443 5.75 911.85 -2.09955
500. 1444 2.25 911.85 -1.98589; 1445 9.25 911.85 -1.97862; 1446 19.75 911.85 -1.975
501. 1447 12.75 911.85 -1.94749; 1448 5.75 911.85 -1.89247
502. 1449 2.25 911.85 -1.83746; 1450 16.25 911.85 -1.79905
503. 1451 9.25 911.85 -1.7129; 1452 2.25 911.85 -1.68902; 1453 5.75 911.85 -1.68539
504. 1454 23.25 911.85 -1.65062; 1455 12.75 911.85 -1.62312
505. 1456 -1.10127 911.85 -1.57277; 1457 2.25 911.85 -1.54059
506. 1458 19.75 911.85 -1.53333; 1459 5.75 911.85 -1.47831
507. 1460 -1.02843 911.85 -1.46874; 1461 9.25 911.85 -1.44718
508. 1462 16.25 911.85 -1.41604; 1463 2.25 911.85 -1.39216
509. 1464 -0.955581 911.85 -1.36471; 1465 12.75 911.85 -1.29874
510. 1466 5.75 911.85 -1.27123; 1467 -0.882737 911.85 -1.26067
511. 1468 2.25 911.85 -1.24373; 1469 9.25 911.85 -1.18145
512. 1470 -0.809892 911.85 -1.15664; 1471 23.25 911.85 -1.15031
513. 1472 2.25 911.85 -1.0953; 1473 19.75 911.85 -1.09166
514. 1474 5.75 911.85 -1.06416; 1475 -0.737048 911.85 -1.05261
515. 1476 16.25 911.85 -1.03302; 1477 12.75 911.85 -0.974372
516. 1478 -0.664203 911.85 -0.948577; 1479 2.25 911.85 -0.946864
517. 1480 9.25 911.85 -0.915725; 1481 5.75 911.85 -0.857078
518. 1482 -0.591359 911.85 -0.844545; 1483 2.25 911.85 -0.798432
519. 1484 -0.518515 911.85 -0.740513; 1485 2.25 911.85 -0.65
520. 1486 5.75 911.85 -0.65; 1487 9.25 911.85 -0.65; 1488 12.75 911.85 -0.65
521. 1489 16.25 911.85 -0.65; 1490 19.75 911.85 -0.65; 1491 23.25 911.85 -0.65
522. 1492 -0.44567 911.85 -0.63648; 1493 -0.372826 911.85 -0.532448
523. 1494 2.25 911.85 -0.15; 1495 5.75 911.85 -0.15; 1496 9.25 911.85 -0.15
524. 1497 12.75 911.85 -0.15; 1498 16.25 911.85 -0.15; 1499 19.75 911.85 -0.15
525. 1500 23.25 911.85 -0.15; 1501 -0.0860368 911.85 -0.122873; 1502 0 911.85 0
526. 1503 0.45 911.85 0; 1504 0.9 911.85 0; 1505 1.45 911.85 0; 1506 2.05 911.85 0
527. 1507 2.25 911.85 0; 1508 2.5 911.85 0; 1509 3.15 911.85 0; 1510 3.75 911.85 0
528. 1511 4.25 911.85 0; 1512 4.85 911.85 0; 1513 5.5 911.85 0; 1514 5.75 911.85 0
529. 1515 6 911.85 0; 1516 6.65 911.85 0; 1517 7.25 911.85 0; 1518 7.75 911.85 0
530. 1519 8.35 911.85 0; 1520 9 911.85 0; 1521 9.25 911.85 0; 1522 9.5 911.85 0
531. 1523 10.15 911.85 0; 1524 10.75 911.85 0; 1525 11.25 911.85 0
532. 1526 11.85 911.85 0; 1527 12.5 911.85 0; 1528 12.75 911.85 0; 1529 13 911.85 0
533. 1530 13.65 911.85 0; 1531 14.25 911.85 0; 1532 14.75 911.85 0
534. 1533 15.35 911.85 0; 1534 16 911.85 0; 1535 16.25 911.85 0; 1536 16.5 911.85 0
535. 1537 17.15 911.85 0; 1538 17.75 911.85 0; 1539 18.25 911.85 0
536. 1540 18.85 911.85 0; 1541 19.5 911.85 0; 1542 19.75 911.85 0; 1543 20 911.85 0
537. 1544 20.65 911.85 0; 1545 21.25 911.85 0; 1546 21.75 911.85 0
538. 1547 22.35 911.85 0; 1548 23 911.85 0; 1549 23.25 911.85 0
539. 1550 23.5005 911.85 0; 1551 24.425 911.85 0; 1552 2.25 911.85 0.15
540. 1553 5.75 911.85 0.15; 1554 9.25 911.85 0.15; 1555 12.75 911.85 0.15
541. 1556 16.25 911.85 0.15; 1557 19.75 911.85 0.15; 1558 23.25 911.85 0.15
542. 1559 2.25 911.85 0.65; 1560 5.75 911.85 0.65; 1561 9.25 911.85 0.65

543. 1562 12.75 911.85 0.65; 1563 16.25 911.85 0.65; 1564 19.75 911.85 0.65
544. 1565 23.25 911.85 0.65; 1566 23.25 912.5 -5.50793; 1567 23.25 912.5 -5.02213
545. 1568 19.75 912.5 -4.91881; 1569 23.25 912.5 -4.53634
546. 1570 19.75 912.5 -4.49193; 1571 16.25 912.5 -4.32873
547. 1572 19.75 912.5 -4.06505; 1573 23.25 912.5 -4.05055
548. 1574 16.25 912.5 -3.96086; 1575 12.75 912.5 -3.73705
549. 1576 19.75 912.5 -3.63817; 1577 16.25 912.5 -3.59298
550. 1578 23.25 912.5 -3.56476; 1579 12.75 912.5 -3.42834
551. 1580 16.25 912.5 -3.22511; 1581 19.75 912.5 -3.21129; 1582 9.25 912.5 -3.14239
552. 1583 12.75 912.5 -3.11964; 1584 23.25 912.5 -3.07896; 1585 9.25 912.5 -2.89315
553. 1586 16.25 912.5 -2.85724; 1587 12.75 912.5 -2.81093
554. 1588 19.75 912.5 -2.78441; 1589 9.25 912.5 -2.64391; 1590 23.25 912.5 -2.59317
555. 1591 5.75 912.5 -2.54124; 1592 12.75 912.5 -2.50223; 1593 16.25 912.5 -2.48936
556. 1594 9.25 912.5 -2.39467; 1595 19.75 912.5 -2.35752; 1596 5.75 912.5 -2.35212
557. 1597 12.75 912.5 -2.19352; 1598 5.75 912.5 -2.163; 1599 9.25 912.5 -2.14543
558. 1600 16.25 912.5 -2.12149; 1601 23.25 912.5 -2.10738; 1602 5.75 912.5 -1.97387
559. 1603 19.75 912.5 -1.93064; 1604 2.25 912.5 -1.92069; 1605 9.25 912.5 -1.89619
560. 1606 12.75 912.5 -1.88482; 1607 2.25 912.5 -1.79362; 1608 5.75 912.5 -1.78475
561. 1609 16.25 912.5 -1.75362; 1610 2.25 912.5 -1.66655; 1611 9.25 912.5 -1.64696
562. 1612 23.25 912.5 -1.62159; 1613 5.75 912.5 -1.59562; 1614 12.75 912.5 -1.57611
563. 1615 -1.10127 912.5 -1.57277; 1616 2.25 912.5 -1.53948
564. 1617 19.75 912.5 -1.50376; 1618 -1.02843 912.5 -1.46874
565. 1619 2.25 912.5 -1.41241; 1620 5.75 912.5 -1.4065; 1621 9.25 912.5 -1.39772
566. 1622 16.25 912.5 -1.38575; 1623 -0.955581 912.5 -1.36471
567. 1624 2.25 912.5 -1.28534; 1625 12.75 912.5 -1.26741
568. 1626 -0.882737 912.5 -1.26067; 1627 5.75 912.5 -1.21737
569. 1628 2.25 912.5 -1.15827; 1629 -0.809892 912.5 -1.15664
570. 1630 9.25 912.5 -1.14848; 1631 23.25 912.5 -1.13579; 1632 19.75 912.5 -1.07688
571. 1633 -0.737048 912.5 -1.05261; 1634 2.25 912.5 -1.03121
572. 1635 5.75 912.5 -1.02825; 1636 16.25 912.5 -1.01787
573. 1637 12.75 912.5 -0.958705; 1638 -0.664203 912.5 -0.948577
574. 1639 2.25 912.5 -0.904137; 1640 9.25 912.5 -0.899239
575. 1641 -0.591359 912.5 -0.844545; 1642 5.75 912.5 -0.839124
576. 1643 2.25 912.5 -0.777069; 1644 -0.518515 912.5 -0.740513
577. 1645 2.25 912.5 -0.65; 1646 5.75 912.5 -0.65; 1647 9.25 912.5 -0.65
578. 1648 12.75 912.5 -0.65; 1649 16.25 912.5 -0.65; 1650 19.75 912.5 -0.65
579. 1651 23.25 912.5 -0.65; 1652 -0.44567 912.5 -0.636481
580. 1653 -0.372826 912.5 -0.532448; 1654 2.25 912.5 -0.15; 1655 5.75 912.5 -0.15
581. 1656 9.25 912.5 -0.15; 1657 12.75 912.5 -0.15; 1658 16.25 912.5 -0.15
582. 1659 19.75 912.5 -0.15; 1660 23.25 912.5 -0.15
583. 1661 -0.0860369 912.5 -0.122873; 1662 0 912.5 0; 1663 0.45 912.5 0
584. 1664 0.9 912.5 0; 1665 1.45 912.5 0; 1666 2.05 912.5 0; 1667 2.25 912.5 0
585. 1668 2.5 912.5 0; 1669 3.15 912.5 0; 1670 3.75 912.5 0; 1671 4.25 912.5 0
586. 1672 4.85 912.5 0; 1673 5.5 912.5 0; 1674 5.75 912.5 0; 1675 6 912.5 0
587. 1676 6.65 912.5 0; 1677 7.25 912.5 0; 1678 7.75 912.5 0; 1679 8.35 912.5 0
588. 1680 9 912.5 0; 1681 9.25 912.5 0; 1682 9.5 912.5 0; 1683 10.15 912.5 0
589. 1684 10.75 912.5 0; 1685 11.25 912.5 0; 1686 11.85 912.5 0; 1687 12.5 912.5 0
590. 1688 12.75 912.5 0; 1689 13 912.5 0; 1690 13.65 912.5 0; 1691 14.25 912.5 0
591. 1692 14.75 912.5 0; 1693 15.35 912.5 0; 1694 16 912.5 0; 1695 16.25 912.5 0
592. 1696 16.5 912.5 0; 1697 17.15 912.5 0; 1698 17.75 912.5 0; 1699 18.25 912.5 0
593. 1700 18.85 912.5 0; 1701 19.5 912.5 0; 1702 19.75 912.5 0; 1703 20 912.5 0
594. 1704 20.65 912.5 0; 1705 21.25 912.5 0; 1706 21.75 912.5 0; 1707 22.35 912.5 0
595. 1708 23 912.5 0; 1709 23.25 912.5 0; 1710 23.5005 912.5 0; 1711 24.425 912.5 0
596. 1712 2.25 912.5 0.15; 1713 5.75 912.5 0.15; 1714 9.25 912.5 0.15
597. 1715 12.75 912.5 0.15; 1716 16.25 912.5 0.15; 1717 19.75 912.5 0.15
598. 1718 23.25 912.5 0.15; 1719 23.25 913 -5.36274; 1720 23.25 913 -4.89147

599. 1721 19.75 913 -4.77098; 1722 23.25 913 -4.42019; 1723 19.75 913 -4.35888
600. 1724 16.25 913 -4.17728; 1725 23.25 913 -3.94892; 1726 19.75 913 -3.94678
601. 1727 16.25 913 -3.82455; 1728 12.75 913 -3.58038; 1729 19.75 913 -3.53468
602. 1730 23.25 913 -3.47765; 1731 16.25 913 -3.47182; 1732 12.75 913 -3.28734
603. 1733 19.75 913 -3.12259; 1734 16.25 913 -3.1191; 1735 23.25 913 -3.00637
604. 1736 12.75 913 -2.9943; 1737 9.25 913 -2.97753; 1738 16.25 913 -2.76637
605. 1739 9.25 913 -2.74477; 1740 19.75 913 -2.71049; 1741 12.75 913 -2.70126
606. 1742 23.25 913 -2.5351; 1743 9.25 913 -2.51202; 1744 16.25 913 -2.41364
607. 1745 12.75 913 -2.40823; 1746 5.75 913 -2.36171; 1747 19.75 913 -2.29839
608. 1748 9.25 913 -2.27927; 1749 5.75 913 -2.19054; 1750 12.75 913 -2.11519
609. 1751 23.25 913 -2.06382; 1752 16.25 913 -2.06091; 1753 9.25 913 -2.04652
610. 1754 5.75 913 -2.01937; 1755 19.75 913 -1.88629; 1756 5.75 913 -1.8482
611. 1757 12.75 913 -1.82215; 1758 9.25 913 -1.81376; 1759 16.25 913 -1.70818
612. 1760 2.25 913 -1.70705; 1761 5.75 913 -1.67702; 1762 2.25 913 -1.60135
613. 1763 23.25 913 -1.59255; 1764 9.25 913 -1.58101; 1765 -1.10127 913 -1.57277
614. 1766 12.75 913 -1.52911; 1767 5.75 913 -1.50585; 1768 2.25 913 -1.49564
615. 1769 19.75 913 -1.4742; 1770 -1.02843 913 -1.46874; 1771 2.25 913 -1.38994
616. 1772 -0.955581 913 -1.36471; 1773 16.25 913 -1.35546; 1774 9.25 913 -1.34826
617. 1775 5.75 913 -1.33468; 1776 2.25 913 -1.28423; 1777 -0.882737 913 -1.26067
618. 1778 12.75 913 -1.23608; 1779 2.25 913 -1.17853; 1780 5.75 913 -1.16351
619. 1781 -0.809892 913 -1.15664; 1782 23.25 913 -1.12127; 1783 9.25 913 -1.11551
620. 1784 2.25 913 -1.07282; 1785 19.75 913 -1.0621; 1786 -0.737048 913 -1.05261
621. 1787 16.25 913 -1.00273; 1788 5.75 913 -0.992342; 1789 2.25 913 -0.967116
622. 1790 -0.664203 913 -0.948577; 1791 12.75 913 -0.943038
623. 1792 9.25 913 -0.882753; 1793 2.25 913 -0.861411; 1794 -0.591359 913 -0.844545
624. 1795 5.75 913 -0.821171; 1796 2.25 913 -0.755705; 1797 -0.518515 913 -0.740513
625. 1798 2.25 913 -0.65; 1799 5.75 913 -0.65; 1800 9.25 913 -0.65
626. 1801 12.75 913 -0.65; 1802 16.25 913 -0.65; 1803 19.75 913 -0.65
627. 1804 23.25 913 -0.65; 1805 -0.44567 913 -0.636481
628. 1806 -0.372826 913 -0.532448; 1807 2.25 913 -0.15; 1808 5.75 913 -0.15
629. 1809 9.25 913 -0.15; 1810 12.75 913 -0.15; 1811 16.25 913 -0.15
630. 1812 19.75 913 -0.15; 1813 23.25 913 -0.15; 1814 -0.0860369 913 -0.122873
631. 1815 0 913 0; 1816 0.45 913 0; 1817 0.9 913 0; 1818 1.45 913 0
632. 1819 2.05 913 0; 1820 2.25 913 0; 1821 2.5 913 0; 1822 3.15 913 0
633. 1823 3.75 913 0; 1824 4.25 913 0; 1825 4.85 913 0; 1826 5.5 913 0
634. 1827 5.75 913 0; 1828 6 913 0; 1829 6.65 913 0; 1830 7.25 913 0
635. 1831 7.75 913 0; 1832 8.35 913 0; 1833 9 913 0; 1834 9.25 913 0
636. 1835 9.5 913 0; 1836 10.15 913 0; 1837 10.75 913 0; 1838 11.25 913 0
637. 1839 11.85 913 0; 1840 12.5 913 0; 1841 12.75 913 0; 1842 13 913 0
638. 1843 13.65 913 0; 1844 14.25 913 0; 1845 14.75 913 0; 1846 15.35 913 0
639. 1847 16 913 0; 1848 16.25 913 0; 1849 16.5 913 0; 1850 17.15 913 0
640. 1851 17.75 913 0; 1852 18.25 913 0; 1853 18.85 913 0; 1854 19.5 913 0
641. 1855 19.75 913 0; 1856 20 913 0; 1857 20.65 913 0; 1858 21.25 913 0
642. 1859 21.75 913 0; 1860 22.35 913 0; 1861 23 913 0; 1862 23.25 913 0
643. 1863 23.5005 913 0; 1864 24.425 913 0; 1865 23.25 913.55 -5.21756
644. 1866 23.25 913.55 -4.7608; 1867 19.75 913.55 -4.62314
645. 1868 23.25 913.55 -4.30405; 1869 19.75 913.55 -4.22582
646. 1870 16.25 913.55 -4.02583; 1871 23.25 913.55 -3.84729
647. 1872 19.75 913.55 -3.82851; 1873 16.25 913.55 -3.68825
648. 1874 19.75 913.55 -3.4312; 1875 12.75 913.55 -3.42371
649. 1876 23.25 913.55 -3.39054; 1877 16.25 913.55 -3.35066
650. 1878 12.75 913.55 -3.14634; 1879 19.75 913.55 -3.03388
651. 1880 16.25 913.55 -3.01308; 1881 23.25 913.55 -2.93378
652. 1882 12.75 913.55 -2.86896; 1883 9.25 913.55 -2.81266
653. 1884 16.25 913.55 -2.6755; 1885 19.75 913.55 -2.63657
654. 1886 9.25 913.55 -2.5964; 1887 12.75 913.55 -2.59159

655. 1888 23.25 913.55 -2.47702; 1889 9.25 913.55 -2.38013
656. 1890 16.25 913.55 -2.33791; 1891 12.75 913.55 -2.31422
657. 1892 19.75 913.55 -2.23926; 1893 5.75 913.55 -2.18217
658. 1894 9.25 913.55 -2.16387; 1895 12.75 913.55 -2.03685
659. 1896 5.75 913.55 -2.02895; 1897 23.25 913.55 -2.02027
660. 1898 16.25 913.55 -2.00033; 1899 9.25 913.55 -1.9476
661. 1900 5.75 913.55 -1.87574; 1901 19.75 913.55 -1.84194
662. 1902 12.75 913.55 -1.75948; 1903 9.25 913.55 -1.73133
663. 1904 5.75 913.55 -1.72252; 1905 16.25 913.55 -1.66275
664. 1906 -1.10127 913.55 -1.57277; 1907 5.75 913.55 -1.5693
665. 1908 23.25 913.55 -1.56351; 1909 9.25 913.55 -1.51507
666. 1910 2.25 913.55 -1.49342; 1911 12.75 913.55 -1.48211
667. 1912 -1.02843 913.55 -1.46874; 1913 19.75 913.55 -1.44463
668. 1914 5.75 913.55 -1.41609; 1915 2.25 913.55 -1.40908
669. 1916 -0.955581 913.55 -1.36471; 1917 16.25 913.55 -1.32517
670. 1918 2.25 913.55 -1.32474; 1919 9.25 913.55 -1.2988; 1920 5.75 913.55 -1.26287
671. 1921 -0.882737 913.55 -1.26067; 1922 2.25 913.55 -1.2404
672. 1923 12.75 913.55 -1.20474; 1924 -0.809892 913.55 -1.15664
673. 1925 2.25 913.55 -1.15605; 1926 5.75 913.55 -1.10965
674. 1927 23.25 913.55 -1.10676; 1928 9.25 913.55 -1.08253
675. 1929 2.25 913.55 -1.07171; 1930 -0.737048 913.55 -1.05261
676. 1931 19.75 913.55 -1.04731; 1932 16.25 913.55 -0.987583
677. 1933 2.25 913.55 -0.987369; 1934 5.75 913.55 -0.956434
678. 1935 -0.664203 913.55 -0.948577; 1936 12.75 913.55 -0.92737
679. 1937 2.25 913.55 -0.903027; 1938 9.25 913.55 -0.866266
680. 1939 -0.591359 913.55 -0.844545; 1940 2.25 913.55 -0.818684
681. 1941 5.75 913.55 -0.803217; 1942 -0.518515 913.55 -0.740513
682. 1943 2.25 913.55 -0.734342; 1944 2.25 913.55 -0.65; 1945 5.75 913.55 -0.65
683. 1946 9.25 913.55 -0.65; 1947 12.75 913.55 -0.65; 1948 16.25 913.55 -0.65
684. 1949 19.75 913.55 -0.65; 1950 23.25 913.55 -0.65
685. 1951 -0.44567 913.55 -0.63648; 1952 -0.372826 913.55 -0.532448
686. 1953 2.25 913.55 -0.15; 1954 5.75 913.55 -0.15; 1955 9.25 913.55 -0.15
687. 1956 12.75 913.55 -0.15; 1957 16.25 913.55 -0.15; 1958 19.75 913.55 -0.15
688. 1959 23.25 913.55 -0.15; 1960 -0.0860369 913.55 -0.122873; 1961 0 913.55 0
689. 1962 0.45 913.55 0; 1963 0.9 913.55 0; 1964 1.45 913.55 0; 1965 2.05 913.55 0
690. 1966 2.25 913.55 0; 1967 2.5 913.55 0; 1968 3.15 913.55 0; 1969 3.75 913.55 0
691. 1970 4.25 913.55 0; 1971 4.85 913.55 0; 1972 5.5 913.55 0; 1973 5.75 913.55 0
692. 1974 6 913.55 0; 1975 6.65 913.55 0; 1976 7.25 913.55 0; 1977 7.75 913.55 0
693. 1978 8.35 913.55 0; 1979 9 913.55 0; 1980 9.25 913.55 0; 1981 9.5 913.55 0
694. 1982 10.15 913.55 0; 1983 10.75 913.55 0; 1984 11.25 913.55 0
695. 1985 11.85 913.55 0; 1986 12.5 913.55 0; 1987 12.75 913.55 0; 1988 13 913.55 0
696. 1989 13.65 913.55 0; 1990 14.25 913.55 0; 1991 14.75 913.55 0
697. 1992 15.35 913.55 0; 1993 16 913.55 0; 1994 16.25 913.55 0; 1995 16.5 913.55 0
698. 1996 17.15 913.55 0; 1997 17.75 913.55 0; 1998 18.25 913.55 0
699. 1999 18.85 913.55 0; 2000 19.5 913.55 0; 2001 19.75 913.55 0; 2002 20 913.55 0
700. 2003 20.65 913.55 0; 2004 21.25 913.55 0; 2005 21.75 913.55 0
701. 2006 22.35 913.55 0; 2007 23 913.55 0; 2008 23.25 913.55 0
702. 2009 23.5005 913.55 0; 2010 24.425 913.55 0; 2011 23.25 914.05 -5.07238
703. 2012 23.25 914.05 -4.63014; 2013 19.75 914.05 -4.4753
704. 2014 23.25 914.05 -4.1879; 2015 19.75 914.05 -4.09277
705. 2016 16.25 914.05 -3.87438; 2017 23.25 914.05 -3.74566
706. 2018 19.75 914.05 -3.71024; 2019 16.25 914.05 -3.55194
707. 2020 19.75 914.05 -3.32771; 2021 23.25 914.05 -3.30343
708. 2022 12.75 914.05 -3.26703; 2023 16.25 914.05 -3.2295
709. 2024 12.75 914.05 -3.00533; 2025 19.75 914.05 -2.94518
710. 2026 16.25 914.05 -2.90707; 2027 23.25 914.05 -2.86119

711. 2028 12.75 914.05 -2.74363; 2029 9.25 914.05 -2.6478
712. 2030 16.25 914.05 -2.58463; 2031 19.75 914.05 -2.56265
713. 2032 12.75 914.05 -2.48192; 2033 9.25 914.05 -2.44802
714. 2034 23.25 914.05 -2.41895; 2035 16.25 914.05 -2.26219
715. 2036 9.25 914.05 -2.24824; 2037 12.75 914.05 -2.22022
716. 2038 19.75 914.05 -2.18012; 2039 9.25 914.05 -2.04846
717. 2040 5.75 914.05 -2.00264; 2041 23.25 914.05 -1.97671
718. 2042 12.75 914.05 -1.95852; 2043 16.25 914.05 -1.93975
719. 2044 5.75 914.05 -1.86737; 2045 9.25 914.05 -1.84868
720. 2046 19.75 914.05 -1.79759; 2047 5.75 914.05 -1.73211
721. 2048 12.75 914.05 -1.69681; 2049 9.25 914.05 -1.6489
722. 2050 16.25 914.05 -1.61731; 2051 5.75 914.05 -1.59684
723. 2052 -1.10127 914.05 -1.57277; 2053 23.25 914.05 -1.53448
724. 2054 -1.02843 914.05 -1.46874; 2055 5.75 914.05 -1.46158
725. 2056 9.25 914.05 -1.44912; 2057 12.75 914.05 -1.43511
726. 2058 19.75 914.05 -1.41506; 2059 -0.955581 914.05 -1.36471
727. 2060 5.75 914.05 -1.32632; 2061 16.25 914.05 -1.29488
728. 2062 2.25 914.05 -1.27979; 2063 -0.882737 914.05 -1.26067
729. 2064 9.25 914.05 -1.24934; 2065 2.25 914.05 -1.21681
730. 2066 5.75 914.05 -1.19105; 2067 12.75 914.05 -1.17341
731. 2068 -0.809892 914.05 -1.15664; 2069 2.25 914.05 -1.15383
732. 2070 23.25 914.05 -1.09224; 2071 2.25 914.05 -1.09085
733. 2072 5.75 914.05 -1.05579; 2073 -0.737048 914.05 -1.05261
734. 2074 9.25 914.05 -1.04956; 2075 19.75 914.05 -1.03253
735. 2076 2.25 914.05 -1.02787; 2077 16.25 914.05 -0.972438
736. 2078 2.25 914.05 -0.964894; 2079 -0.664203 914.05 -0.948577
737. 2080 5.75 914.05 -0.920527; 2081 12.75 914.05 -0.911703
738. 2082 2.25 914.05 -0.901916; 2083 9.25 914.05 -0.84978
739. 2084 -0.591359 914.05 -0.844545; 2085 2.25 914.05 -0.838937
740. 2086 5.75 914.05 -0.785263; 2087 2.25 914.05 -0.775958
741. 2088 -0.518515 914.05 -0.740513; 2089 2.25 914.05 -0.712979
742. 2090 2.25 914.05 -0.65; 2091 5.75 914.05 -0.65; 2092 9.25 914.05 -0.65
743. 2093 12.75 914.05 -0.65; 2094 16.25 914.05 -0.65; 2095 19.75 914.05 -0.65
744. 2096 23.25 914.05 -0.65; 2097 -0.44567 914.05 -0.63648
745. 2098 -0.372826 914.05 -0.532448; 2099 2.25 914.05 -0.15
746. 2100 5.75 914.05 -0.15; 2101 9.25 914.05 -0.15; 2102 12.75 914.05 -0.15
747. 2103 16.25 914.05 -0.15; 2104 19.75 914.05 -0.15; 2105 23.25 914.05 -0.15
748. 2106 -0.0860368 914.05 -0.122873; 2107 0 914.05 0; 2108 0.45 914.05 0
749. 2109 0.9 914.05 0; 2110 1.45 914.05 0; 2111 2.05 914.05 0; 2112 2.25 914.05 0
750. 2113 2.5 914.05 0; 2114 3.15 914.05 0; 2115 3.75 914.05 0; 2116 4.25 914.05 0
751. 2117 4.85 914.05 0; 2118 5.5 914.05 0; 2119 5.75 914.05 0; 2120 6 914.05 0
752. 2121 6.65 914.05 0; 2122 7.25 914.05 0; 2123 7.75 914.05 0; 2124 8.35 914.05 0
753. 2125 9 914.05 0; 2126 9.25 914.05 0; 2127 9.5 914.05 0; 2128 10.15 914.05 0
754. 2129 10.75 914.05 0; 2130 11.25 914.05 0; 2131 11.85 914.05 0
755. 2132 12.5 914.05 0; 2133 12.75 914.05 0; 2134 13 914.05 0; 2135 13.65 914.05 0
756. 2136 14.25 914.05 0; 2137 14.75 914.05 0; 2138 15.35 914.05 0
757. 2139 16 914.05 0; 2140 16.25 914.05 0; 2141 16.5 914.05 0; 2142 17.15 914.05 0
758. 2143 17.75 914.05 0; 2144 18.25 914.05 0; 2145 18.85 914.05 0
759. 2146 19.5 914.05 0; 2147 19.75 914.05 0; 2148 20 914.05 0; 2149 20.65 914.05 0
760. 2150 21.25 914.05 0; 2151 21.75 914.05 0; 2152 22.35 914.05 0
761. 2153 23 914.05 0; 2154 23.25 914.05 0; 2155 23.5005 914.05 0
762. 2156 24.425 914.05 0; 2157 23.25 914.5 -4.92719; 2158 23.25 914.5 -4.49947
763. 2159 19.75 914.5 -4.32746; 2160 23.25 914.5 -4.07175
764. 2161 19.75 914.5 -3.95972; 2162 16.25 914.5 -3.72293
765. 2163 23.25 914.5 -3.64403; 2164 19.75 914.5 -3.59197
766. 2165 16.25 914.5 -3.41564; 2166 19.75 914.5 -3.22423

767. 2167 23.25 914.5 -3.21632; 2168 12.75 914.5 -3.11036
768. 2169 16.25 914.5 -3.10834; 2170 12.75 914.5 -2.86433
769. 2171 19.75 914.5 -2.85648; 2172 16.25 914.5 -2.80105; 2173 23.25 914.5 -2.7886
770. 2174 12.75 914.5 -2.61829; 2175 16.25 914.5 -2.49376
771. 2176 19.75 914.5 -2.48873; 2177 9.25 914.5 -2.48294; 2178 12.75 914.5 -2.37225
772. 2179 23.25 914.5 -2.36088; 2180 9.25 914.5 -2.29965; 2181 16.25 914.5 -2.18646
773. 2182 12.75 914.5 -2.12622; 2183 19.75 914.5 -2.12099; 2184 9.25 914.5 -2.11635
774. 2185 23.25 914.5 -1.93316; 2186 9.25 914.5 -1.93306; 2187 12.75 914.5 -1.88018
775. 2188 16.25 914.5 -1.87917; 2189 5.75 914.5 -1.8231; 2190 19.75 914.5 -1.75324
776. 2191 9.25 914.5 -1.74976; 2192 5.75 914.5 -1.70579; 2193 12.75 914.5 -1.63415
777. 2194 5.75 914.5 -1.58848; 2195 -1.10127 914.5 -1.57277
778. 2196 16.25 914.5 -1.57188; 2197 9.25 914.5 -1.56647; 2198 23.25 914.5 -1.50544
779. 2199 5.75 914.5 -1.47117; 2200 -1.02843 914.5 -1.46874
780. 2201 12.75 914.5 -1.38811; 2202 19.75 914.5 -1.38549; 2203 9.25 914.5 -1.38318
781. 2204 -0.955581 914.5 -1.36471; 2205 5.75 914.5 -1.35386
782. 2206 16.25 914.5 -1.26459; 2207 -0.882737 914.5 -1.26067
783. 2208 5.75 914.5 -1.23655; 2209 9.25 914.5 -1.19988
784. 2210 -0.809892 914.5 -1.15664; 2211 12.75 914.5 -1.14207
785. 2212 5.75 914.5 -1.11924; 2213 23.25 914.5 -1.07772; 2214 2.25 914.5 -1.06616
786. 2215 -0.737048 914.5 -1.05261; 2216 2.25 914.5 -1.02454
787. 2217 19.75 914.5 -1.01775; 2218 9.25 914.5 -1.01659; 2219 5.75 914.5 -1.00193
788. 2220 2.25 914.5 -0.982925; 2221 16.25 914.5 -0.957293
789. 2222 -0.664203 914.5 -0.948577; 2223 2.25 914.5 -0.941309
790. 2224 2.25 914.5 -0.899694; 2225 12.75 914.5 -0.896036
791. 2226 5.75 914.5 -0.88462; 2227 2.25 914.5 -0.858078
792. 2228 -0.591359 914.5 -0.844545; 2229 9.25 914.5 -0.833294
793. 2230 2.25 914.5 -0.816462; 2231 2.25 914.5 -0.774847; 2232 5.75 914.5 -0.76731
794. 2233 -0.518515 914.5 -0.740513; 2234 2.25 914.5 -0.733231
795. 2235 2.25 914.5 -0.691616; 2236 2.25 914.5 -0.65; 2237 5.75 914.5 -0.65
796. 2238 9.25 914.5 -0.65; 2239 12.75 914.5 -0.65; 2240 16.25 914.5 -0.65
797. 2241 19.75 914.5 -0.65; 2242 23.25 914.5 -0.65; 2243 -0.44567 914.5 -0.63648
798. 2244 -0.372826 914.5 -0.532448; 2245 2.25 914.5 -0.15; 2246 5.75 914.5 -0.15
799. 2247 9.25 914.5 -0.15; 2248 12.75 914.5 -0.15; 2249 16.25 914.5 -0.15
800. 2250 19.75 914.5 -0.15; 2251 23.25 914.5 -0.15
801. 2252 -0.0860368 914.5 -0.122873; 2253 0 914.5 0; 2254 0.45 914.5 0
802. 2255 0.9 914.5 0; 2256 1.45 914.5 0; 2257 2.05 914.5 0; 2258 2.25 914.5 0
803. 2259 2.5 914.5 0; 2260 3.15 914.5 0; 2261 3.75 914.5 0; 2262 4.25 914.5 0
804. 2263 4.85 914.5 0; 2264 5.5 914.5 0; 2265 5.75 914.5 0; 2266 6 914.5 0
805. 2267 6.65 914.5 0; 2268 7.25 914.5 0; 2269 7.75 914.5 0; 2270 8.35 914.5 0
806. 2271 9 914.5 0; 2272 9.25 914.5 0; 2273 9.5 914.5 0; 2274 10.15 914.5 0
807. 2275 10.75 914.5 0; 2276 11.25 914.5 0; 2277 11.85 914.5 0; 2278 12.5 914.5 0
808. 2279 12.75 914.5 0; 2280 13 914.5 0; 2281 13.65 914.5 0; 2282 14.25 914.5 0
809. 2283 14.75 914.5 0; 2284 15.35 914.5 0; 2285 16 914.5 0; 2286 16.25 914.5 0
810. 2287 16.5 914.5 0; 2288 17.15 914.5 0; 2289 17.75 914.5 0; 2290 18.25 914.5 0
811. 2291 18.85 914.5 0; 2292 19.5 914.5 0; 2293 19.75 914.5 0; 2294 20 914.5 0
812. 2295 20.65 914.5 0; 2296 21.25 914.5 0; 2297 21.75 914.5 0; 2298 22.35 914.5 0
813. 2299 23 914.5 0; 2300 23.25 914.5 0; 2301 23.5005 914.5 0; 2302 24.425 914.5 0
814. 2303 0.45 914.529 0; 2304 0.9 914.546 0; 2305 0.45 914.559 0
815. 2306 1.45 914.563 0; 2307 2.05 914.58 0; 2308 0.45 914.588 0
816. 2309 0.9 914.593 0; 2310 2.25 914.597 -1.02454; 2311 2.25 914.597 -0.987087
817. 2312 2.25 914.597 -0.949633; 2313 2.25 914.597 -0.912179
818. 2314 2.25 914.597 -0.874725; 2315 2.25 914.597 -0.837271
819. 2316 2.25 914.597 -0.799816; 2317 2.25 914.597 -0.762362
820. 2318 2.25 914.597 -0.724908; 2319 2.25 914.597 -0.687454
821. 2320 2.25 914.597 -0.65; 2321 2.25 914.597 -0.15; 2322 2.25 914.597 0
822. 2323 0.45 914.618 0; 2324 1.45 914.627 0; 2325 2.5 914.63 0

823. 2326 0.9 914.639 0; 2327 0.45 914.647 0; 2328 2.05 914.661 0
824. 2329 3.15 914.663 0; 2330 0.45 914.677 0; 2331 0.9 914.686 0
825. 2332 1.45 914.69 0; 2333 2.25 914.695 -0.982917; 2334 2.25 914.695 -0.949633
826. 2335 2.25 914.695 -0.916341; 2336 2.25 914.695 -0.883048
827. 2337 2.25 914.695 -0.849756; 2338 2.25 914.695 -0.816463
828. 2339 2.25 914.695 -0.78317; 2340 2.25 914.695 -0.749878
829. 2341 2.25 914.695 -0.716585; 2342 2.25 914.695 -0.683293
830. 2343 2.25 914.695 -0.65; 2344 2.25 914.695 -0.15; 2345 2.25 914.695 0
831. 2346 3.75 914.696 0; 2347 0.45 914.706 0; 2348 4.25 914.728 0
832. 2349 0.9 914.732 0; 2350 0.45 914.736 0; 2351 2.05 914.741 0
833. 2352 1.45 914.754 0; 2353 2.5 914.76 0; 2354 4.85 914.761 0
834. 2355 0.45 914.765 0; 2356 0.9 914.779 0; 2357 2.25 914.792 -0.94132
835. 2358 2.25 914.792 -0.91218; 2359 2.25 914.792 -0.883049
836. 2360 2.25 914.792 -0.853918; 2361 2.25 914.792 -0.824787
837. 2362 2.25 914.792 -0.795655; 2363 2.25 914.792 -0.766524
838. 2364 2.25 914.792 -0.737393; 2365 2.25 914.792 -0.708262
839. 2366 2.25 914.792 -0.679131; 2367 2.25 914.792 -0.65; 2368 2.25 914.792 -0.15
840. 2369 2.25 914.792 0; 2370 5.5 914.794 0; 2371 0.45 914.795 0
841. 2372 1.45 914.817 0; 2373 2.05 914.822 0; 2374 0.9 914.825 0
842. 2375 3.15 914.826 0; 2376 5.75 914.827 -1.70578; 2377 5.75 914.827 -1.60021
843. 2378 5.75 914.827 -1.49463; 2379 5.75 914.827 -1.38905
844. 2380 5.75 914.827 -1.28347; 2381 5.75 914.827 -1.1779
845. 2382 5.75 914.827 -1.07232; 2383 5.75 914.827 -0.966737
846. 2384 5.75 914.827 -0.861158; 2385 5.75 914.827 -0.755579
847. 2386 5.75 914.827 -0.65; 2387 5.75 914.827 -0.15; 2388 5.75 914.827 0
848. 2389 6 914.859 0; 2390 0.9 914.872 0; 2391 1.45 914.881 0
849. 2392 2.25 914.89 -0.899699; 2393 2.25 914.89 -0.874726
850. 2394 2.25 914.89 -0.849757; 2395 2.25 914.89 -0.824787
851. 2396 2.25 914.89 -0.799818; 2397 2.25 914.89 -0.774848
852. 2398 2.25 914.89 -0.749878; 2399 2.25 914.89 -0.724909
853. 2400 2.25 914.89 -0.699939; 2401 2.25 914.89 -0.67497; 2402 2.25 914.89 -0.65
854. 2403 2.25 914.89 -0.15; 2404 2.25 914.89 0; 2405 2.5 914.89 0
855. 2406 3.75 914.891 0; 2407 6.65 914.892 0; 2408 2.05 914.902 0
856. 2409 0.9 914.918 0; 2410 7.25 914.925 0; 2411 1.45 914.944 0
857. 2412 4.25 914.957 0; 2413 7.75 914.958 0; 2414 0.9 914.965 0
858. 2415 2.05 914.982 0; 2416 2.25 914.987 -0.858078; 2417 2.25 914.987 -0.837273
859. 2418 2.25 914.987 -0.816465; 2419 2.25 914.987 -0.795657
860. 2420 2.25 914.987 -0.774849; 2421 2.25 914.987 -0.75404
861. 2422 2.25 914.987 -0.733232; 2423 2.25 914.987 -0.712424
862. 2424 2.25 914.987 -0.691616; 2425 2.25 914.987 -0.670808
863. 2426 2.25 914.987 -0.65; 2427 2.25 914.987 -0.15; 2428 2.25 914.987 0
864. 2429 3.15 914.989 0; 2430 8.35 914.99 0; 2431 1.45 915.007 0
865. 2432 2.5 915.021 0; 2433 4.85 915.022 0; 2434 9 915.023 0
866. 2435 9.25 915.056 -2.29964; 2436 9.25 915.056 -2.13468
867. 2437 9.25 915.056 -1.96972; 2438 9.25 915.056 -1.80475
868. 2439 9.25 915.056 -1.63979; 2440 9.25 915.056 -1.47482
869. 2441 9.25 915.056 -1.30986; 2442 9.25 915.056 -1.14489
870. 2443 9.25 915.056 -0.979929; 2444 9.25 915.056 -0.814965
871. 2445 9.25 915.056 -0.65; 2446 9.25 915.056 -0.15; 2447 9.25 915.056 0
872. 2448 2.05 915.063 0; 2449 1.45 915.071 0; 2450 2.25 915.084 -0.816459
873. 2451 2.25 915.084 -0.799819; 2452 2.25 915.084 -0.783173
874. 2453 2.25 915.084 -0.766526; 2454 2.25 915.084 -0.74988
875. 2455 2.25 915.084 -0.733233; 2456 2.25 915.084 -0.716586
876. 2457 2.25 915.084 -0.69994; 2458 2.25 915.084 -0.683293
877. 2459 2.25 915.084 -0.666647; 2460 2.25 915.084 -0.65; 2461 2.25 915.084 -0.15
878. 2462 2.25 915.084 0; 2463 3.75 915.087 0; 2464 5.5 915.088 0

879. 2465 9.5 915.089 0; 2466 10.15 915.121 0; 2467 1.45 915.134 0
880. 2468 2.05 915.143 0; 2469 2.5 915.151 0; 2470 3.15 915.152 0
881. 2471 5.75 915.153 -1.58849; 2472 5.75 915.153 -1.49463
882. 2473 5.75 915.153 -1.40078; 2474 5.75 915.153 -1.30694
883. 2475 5.75 915.153 -1.21309; 2476 5.75 915.153 -1.11924
884. 2477 5.75 915.153 -1.02539; 2478 5.75 915.153 -0.931544
885. 2479 5.75 915.153 -0.837696; 2480 5.75 915.153 -0.743848
886. 2481 5.75 915.153 -0.65; 2482 5.75 915.153 -0.15; 2483 5.75 915.153 0
887. 2484 10.75 915.154 0; 2485 2.25 915.182 -0.774862; 2486 2.25 915.182 -0.762366
888. 2487 2.25 915.182 -0.749881; 2488 2.25 915.182 -0.737396
889. 2489 2.25 915.182 -0.72491; 2490 2.25 915.182 -0.712425
890. 2491 2.25 915.182 -0.69994; 2492 2.25 915.182 -0.687455
891. 2493 2.25 915.182 -0.67497; 2494 2.25 915.182 -0.662485
892. 2495 2.25 915.182 -0.65; 2496 2.25 915.182 -0.15; 2497 2.25 915.182 0
893. 2498 4.25 915.185 0; 2499 11.25 915.187 0; 2500 14.75 915.216 0
894. 2501 6 915.219 0; 2502 11.85 915.22 0; 2503 2.05 915.224 0
895. 2504 14.25 915.233 0; 2505 12.75 915.235 -2.86432; 2506 12.75 915.235 -2.64289
896. 2507 12.75 915.235 -2.42146; 2508 12.75 915.235 -2.20003
897. 2509 12.75 915.235 -1.9786; 2510 12.75 915.235 -1.75716
898. 2511 12.75 915.235 -1.53573; 2512 12.75 915.235 -1.3143
899. 2513 12.75 915.235 -1.09287; 2514 12.75 915.235 -0.871433
900. 2515 12.75 915.235 -0.65; 2516 12.75 915.235 -0.15; 2517 12.75 915.235 0
901. 2518 15.35 915.249 0; 2519 13.65 915.251 0; 2520 12.5 915.252 0
902. 2521 13 915.268 0; 2522 2.25 915.279 -0.73324; 2523 2.25 915.279 -0.724912
903. 2524 2.25 915.279 -0.716589; 2525 2.25 915.279 -0.708265
904. 2526 2.25 915.279 -0.699941; 2527 2.25 915.279 -0.691618
905. 2528 2.25 915.279 -0.683294; 2529 2.25 915.279 -0.674971
906. 2530 2.25 915.279 -0.666647; 2531 2.25 915.279 -0.658324
907. 2532 2.25 915.279 -0.65; 2533 2.25 915.279 -0.15; 2534 2.25 915.279 0
908. 2535 2.5 915.281 0; 2536 16 915.282 0; 2537 3.75 915.283 0
909. 2538 4.85 915.283 0; 2539 6.65 915.284 0; 2540 2.05 915.304 0
910. 2541 3.15 915.314 0; 2542 16.25 915.314 0; 2543 16.25 915.315 -3.41564
911. 2544 16.25 915.315 -3.13907; 2545 16.25 915.315 -2.86251
912. 2546 16.25 915.315 -2.58595; 2547 16.25 915.315 -2.30938
913. 2548 16.25 915.315 -2.03282; 2549 16.25 915.315 -1.75625
914. 2550 16.25 915.315 -1.47969; 2551 16.25 915.315 -1.20313
915. 2552 16.25 915.315 -0.926564; 2553 16.25 915.315 -0.65
916. 2554 16.25 915.315 -0.15; 2555 16.5 915.347 0; 2556 7.25 915.35 0
917. 2557 2.25 915.376 0; 2558 2.25 915.377 -0.691621; 2559 2.25 915.377 -0.687459
918. 2560 2.25 915.377 -0.683297; 2561 2.25 915.377 -0.679135
919. 2562 2.25 915.377 -0.674972; 2563 2.25 915.377 -0.67081
920. 2564 2.25 915.377 -0.666648; 2565 2.25 915.377 -0.662486
921. 2566 2.25 915.377 -0.658324; 2567 2.25 915.377 -0.654162
922. 2568 2.25 915.377 -0.65; 2569 2.25 915.377 -0.15; 2570 17.15 915.38 0
923. 2571 5.5 915.382 0; 2572 2.5 915.411 0; 2573 17.75 915.413 0
924. 2574 4.25 915.414 0; 2575 7.75 915.415 0; 2576 18.25 915.446 0
925. 2577 2.25 915.474 -0.65; 2578 2.25 915.474 -0.15; 2579 2.25 915.474 0
926. 2580 3.15 915.477 0; 2581 3.75 915.478 0; 2582 18.85 915.478 0
927. 2583 5.75 915.48 -1.47117; 2584 5.75 915.48 -1.38905
928. 2585 5.75 915.48 -1.30694; 2586 5.75 915.48 -1.22482; 2587 5.75 915.48 -1.1427
929. 2588 5.75 915.48 -1.06059; 2589 5.75 915.48 -0.978469
930. 2590 5.75 915.48 -0.896351; 2591 5.75 915.48 -0.814234
931. 2592 5.75 915.48 -0.732117; 2593 5.75 915.48 -0.65; 2594 5.75 915.48 -0.15
932. 2595 5.75 915.48 0; 2596 8.35 915.481 0; 2597 19.5 915.511 0
933. 2598 2.5 915.541 0; 2599 19.75 915.544 -3.95971; 2600 19.75 915.544 -3.62875
934. 2601 19.75 915.544 -3.29778; 2602 19.75 915.544 -2.9668

935. 2603 19.75 915.544 -2.63583; 2604 19.75 915.544 -2.30486
936. 2605 19.75 915.544 -1.97389; 2606 19.75 915.544 -1.64292
937. 2607 19.75 915.544 -1.31194; 2608 19.75 915.544 -0.980972
938. 2609 19.75 915.544 -0.65; 2610 19.75 915.544 -0.15; 2611 19.75 915.544 0
939. 2612 4.85 915.545 0; 2613 9 915.546 0; 2614 20 915.577 0; 2615 6 915.578 0
940. 2616 20.65 915.609 0; 2617 9.25 915.612 -2.11635; 2618 9.25 915.612 -1.96972
941. 2619 9.25 915.612 -1.82308; 2620 9.25 915.612 -1.67645
942. 2621 9.25 915.612 -1.52981; 2622 9.25 915.612 -1.38318
943. 2623 9.25 915.612 -1.23654; 2624 9.25 915.612 -1.08991
944. 2625 9.25 915.612 -0.943271; 2626 9.25 915.612 -0.796635
945. 2627 9.25 915.612 -0.65; 2628 9.25 915.612 -0.15; 2629 9.25 915.612 0
946. 2630 3.15 915.64 0; 2631 4.25 915.642 0; 2632 21.25 915.642 0
947. 2633 2.5 915.671 0; 2634 3.75 915.674 0; 2635 21.75 915.675 0
948. 2636 5.5 915.676 0; 2637 6.65 915.677 0; 2638 9.5 915.677 0
949. 2639 22.35 915.708 0; 2640 23 915.74 0; 2641 10.15 915.743 0
950. 2642 23.25 915.773 -4.49947; 2643 23.25 915.773 -4.11453
951. 2644 23.25 915.773 -3.72958; 2645 23.25 915.773 -3.34463
952. 2646 23.25 915.773 -2.95968; 2647 23.25 915.773 -2.57474
953. 2648 23.25 915.773 -2.18979; 2649 23.25 915.773 -1.80484
954. 2650 23.25 915.773 -1.41989; 2651 23.25 915.773 -1.03495
955. 2652 23.25 915.773 -0.65; 2653 23.25 915.773 -0.15; 2654 23.25 915.773 0
956. 2655 7.25 915.775 0; 2656 2.5 915.801 0; 2657 3.15 915.803 0
957. 2658 4.85 915.806 0; 2659 5.75 915.807 -1.35386; 2660 5.75 915.807 -1.28348
958. 2661 5.75 915.807 -1.21309; 2662 5.75 915.807 -1.1427
959. 2663 5.75 915.807 -1.07232; 2664 5.75 915.807 -1.00193
960. 2665 5.75 915.807 -0.931545; 2666 5.75 915.807 -0.861159
961. 2667 5.75 915.807 -0.790772; 2668 5.75 915.807 -0.720386
962. 2669 5.75 915.807 -0.65; 2670 5.75 915.807 -0.15; 2671 5.75 915.807 0
963. 2672 10.75 915.808 0; 2673 23.5005 915.811 0; 2674 24.425 915.85 0
964. 2675 3.75 915.87 0; 2676 4.25 915.87 0; 2677 7.75 915.873 0
965. 2678 11.25 915.874 0; 2679 6 915.938 0; 2680 11.85 915.939 0
966. 2681 3.15 915.966 0; 2682 5.5 915.97 0; 2683 8.35 915.971 0
967. 2684 2.25 915.974 0; 2685 12.5 916.005 0; 2686 12.75 916.02 -2.6183
968. 2687 12.75 916.02 -2.42146; 2688 12.75 916.02 -2.22463
969. 2689 12.75 916.02 -2.0278; 2690 12.75 916.02 -1.83098
970. 2691 12.75 916.02 -1.63415; 2692 12.75 916.02 -1.43732
971. 2693 12.75 916.02 -1.24049; 2694 12.75 916.02 -1.04366
972. 2695 12.75 916.02 -0.846829; 2696 12.75 916.02 -0.65; 2697 12.75 916.02 -0.15
973. 2698 12.75 916.02 0; 2699 16 916.064 0; 2700 3.75 916.065 0
974. 2701 4.85 916.067 0; 2702 6.65 916.069 0; 2703 9 916.07 0; 2704 13 916.086 0
975. 2705 15.35 916.098 0; 2706 4.25 916.099 0; 2707 13.65 916.101 0
976. 2708 14.25 916.117 0; 2709 16.25 916.129 -3.10835; 2710 16.25 916.129 -2.86251
977. 2711 16.25 916.129 -2.61668; 2712 16.25 916.129 -2.37084
978. 2713 16.25 916.129 -2.12501; 2714 16.25 916.129 -1.87917
979. 2715 16.25 916.129 -1.63334; 2716 16.25 916.129 -1.3875
980. 2717 16.25 916.129 -1.14167; 2718 16.25 916.129 -0.895834
981. 2719 16.25 916.129 -0.65; 2720 16.25 916.129 -0.15; 2721 3.15 916.129 0
982. 2722 16.25 916.129 0; 2723 14.75 916.132 0; 2724 5.75 916.133 -1.23656
983. 2725 5.75 916.133 -1.1779; 2726 5.75 916.133 -1.11924
984. 2727 5.75 916.133 -1.06059; 2728 5.75 916.133 -1.00193
985. 2729 5.75 916.133 -0.943277; 2730 5.75 916.133 -0.884621
986. 2731 5.75 916.133 -0.825966; 2732 5.75 916.133 -0.767311
987. 2733 5.75 916.133 -0.708655; 2734 5.75 916.133 0; 2735 5.75 916.134 -0.65
988. 2736 5.75 916.134 -0.15; 2737 9.25 916.168 -1.93305
989. 2738 9.25 916.168 -1.80475; 2739 9.25 916.168 -1.67645
990. 2740 9.25 916.168 -1.54814; 2741 9.25 916.168 -1.41984

```
 991. 2742 9.25 916.168 -1.29153; 2743 9.25 916.168 -1.16322
 992. 2744 9.25 916.168 -1.03492; 2745 9.25 916.168 -0.906612
 993. 2746 9.25 916.168 -0.778306; 2747 9.25 916.168 -0.65; 2748 9.25 916.168 -0.15
 994. 2749 9.25 916.168 0; 2750 16.5 916.194 0; 2751 7.25 916.2 0
 995. 2752 2.49999 916.201 0; 2753 17.15 916.26 0; 2754 3.75 916.261 0
 996. 2755 5.5 916.263 0; 2756 9.5 916.266 0; 2757 6 916.297 0; 2758 17.75 916.325 0
 997. 2759 4.25 916.327 0; 2760 4.85 916.328 0; 2761 7.75 916.331 0
 998. 2762 10.15 916.364 0; 2763 18.25 916.391 0; 2764 3.75 916.456 0
 999. 2765 18.85 916.457 0; 2766 5.75 916.46 -1.11924; 2767 5.75 916.46 -1.07232
1000. 2768 5.75 916.46 -1.0254; 2769 5.75 916.46 -0.978471
1001. 2770 5.75 916.46 -0.931546; 2771 5.75 916.46 -0.884622
1002. 2772 5.75 916.46 -0.837698; 2773 5.75 916.46 -0.790773
1003. 2774 5.75 916.46 -0.743849; 2775 5.75 916.46 -0.696924; 2776 5.75 916.46 -0.65
1004. 2777 5.75 916.46 -0.15; 2778 5.75 916.46 0; 2779 6.65 916.461 0
1005. 2780 8.35 916.462 0; 2781 10.75 916.463 0; 2782 19.5 916.522 0
1006. 2783 4.25 916.556 0; 2784 5.5 916.557 0; 2785 11.25 916.561 0
1007. 2786 19.75 916.587 -3.59198; 2787 19.75 916.587 -3.29778
1008. 2788 19.75 916.587 -3.00358; 2789 19.75 916.587 -2.70938
1009. 2790 19.75 916.587 -2.41518; 2791 19.75 916.587 -2.12099
1010. 2792 19.75 916.587 -1.82679; 2793 19.75 916.587 -1.53259
1011. 2794 19.75 916.587 -1.23839; 2795 19.75 916.587 -0.944197
1012. 2796 19.75 916.587 -0.65; 2797 19.75 916.587 -0.15; 2798 19.75 916.587 0
1013. 2799 4.85 916.589 0; 2800 9 916.593 0; 2801 7.25 916.625 0
1014. 2802 3.15001 916.629 0; 2803 20 916.653 0; 2804 6 916.657 0
1015. 2805 11.85 916.659 0; 2806 20.65 916.719 0; 2807 9.25 916.724 -1.74976
1016. 2808 9.25 916.724 -1.63979; 2809 9.25 916.724 -1.52981
1017. 2810 9.25 916.724 -1.41984; 2811 9.25 916.724 -1.30986
1018. 2812 9.25 916.724 -1.19988; 2813 9.25 916.724 -1.08991
1019. 2814 9.25 916.724 -0.97993; 2815 9.25 916.724 -0.869953
1020. 2816 9.25 916.724 -0.759977; 2817 9.25 916.724 -0.65; 2818 9.25 916.724 -0.15
1021. 2819 9.25 916.724 0; 2820 12.5 916.757 0; 2821 4.25 916.784 0
1022. 2822 21.25 916.784 0; 2823 5.75 916.787 -1.00193; 2824 5.75 916.787 -0.966741
1023. 2825 5.75 916.787 -0.931548; 2826 5.75 916.787 -0.896354
1024. 2827 5.75 916.787 -0.861161; 2828 5.75 916.787 -0.825967
1025. 2829 5.75 916.787 -0.790774; 2830 5.75 916.787 -0.75558
1026. 2831 5.75 916.787 -0.720387; 2832 5.75 916.787 -0.685193
1027. 2833 5.75 916.787 -0.65; 2834 5.75 916.787 -0.15; 2835 5.75 916.787 0
1028. 2836 7.75 916.788 0; 2837 12.75 916.806 -2.37226; 2838 12.75 916.806 -2.20003
1029. 2839 12.75 916.806 -2.0278; 2840 12.75 916.806 -1.85558
1030. 2841 12.75 916.806 -1.68335; 2842 12.75 916.806 -1.51113
1031. 2843 12.75 916.806 -1.3389; 2844 12.75 916.806 -1.16668
1032. 2845 12.75 916.806 -0.994451; 2846 12.75 916.806 -0.822225
1033. 2847 12.75 916.806 -0.65; 2848 12.75 916.806 -0.15; 2849 12.75 916.806 0
1034. 2850 4.85 916.85 0; 2851 21.75 916.85 0; 2852 5.5 916.851 0
1035. 2853 6.65 916.853 0; 2854 9.5 916.855 0; 2855 13 916.904 0
1036. 2856 22.35 916.915 0; 2857 8.35 916.952 0; 2858 13.65 916.952 0
1037. 2859 3.74999 916.956 0; 2860 23 916.981 0; 2861 10.15 916.986 0
1038. 2862 14.25 917 0; 2863 6 917.016 0; 2864 16.5 917.042 0; 2865 16.25 917.043 0
1039. 2866 16.25 917.044 -2.80105; 2867 16.25 917.044 -2.58595
1040. 2868 16.25 917.044 -2.37084; 2869 16.25 917.044 -2.15574
1041. 2870 16.25 917.044 -1.94063; 2871 16.25 917.044 -1.72553
1042. 2872 16.25 917.044 -1.51042; 2873 16.25 917.044 -1.29532
1043. 2874 16.25 917.044 -1.08021; 2875 16.25 917.044 -0.865105
1044. 2876 16.25 917.044 -0.65; 2877 16.25 917.044 -0.15; 2878 16 917.045 0
1045. 2879 23.25 917.046 -4.07176; 2880 23.25 917.046 -3.72958
1046. 2881 23.25 917.046 -3.38741; 2882 23.25 917.046 -3.04523
```



```
1047. 2883 23.25 917.046 -2.70305; 2884 23.25 917.046 -2.36088
1048. 2885 23.25 917.046 -2.0187; 2886 23.25 917.046 -1.67653
1049. 2887 23.25 917.046 -1.33435; 2888 23.25 917.046 -0.992176
1050. 2889 23.25 917.046 -0.65; 2890 23.25 917.046 -0.15; 2891 23.25 917.046 0
1051. 2892 15.35 917.047 0; 2893 14.75 917.049 0; 2894 7.25 917.05 0
1052. 2895 4.85 917.112 0; 2896 5.75 917.113 0; 2897 5.75 917.114 -0.884632
1053. 2898 5.75 917.114 -0.861163; 2899 5.75 917.114 -0.837701
1054. 2900 5.75 917.114 -0.814238; 2901 5.75 917.114 -0.790775
1055. 2902 5.75 917.114 -0.767313; 2903 5.75 917.114 -0.74385
1056. 2904 5.75 917.114 -0.720388; 2905 5.75 917.114 -0.696925
1057. 2906 5.75 917.114 -0.673463; 2907 5.75 917.114 -0.65; 2908 5.75 917.114 -0.15
1058. 2909 9 917.116 0; 2910 10.75 917.117 0; 2911 23.5005 917.123 0
1059. 2912 17.15 917.14 0; 2913 5.5 917.145 0; 2914 24.425 917.2 0
1060. 2915 17.75 917.238 0; 2916 6.65 917.245 0; 2917 7.75 917.246 0
1061. 2918 11.25 917.248 0; 2919 9.25 917.279 -1.56648; 2920 9.25 917.279 -1.47482
1062. 2921 9.25 917.279 -1.38318; 2922 9.25 917.279 -1.29153
1063. 2923 9.25 917.279 -1.19988; 2924 9.25 917.279 -1.10824
1064. 2925 9.25 917.279 -1.01659; 2926 9.25 917.279 -0.924941
1065. 2927 9.25 917.279 -0.833294; 2928 9.25 917.279 -0.741647
1066. 2929 9.25 917.28 -0.65; 2930 9.25 917.28 -0.15; 2931 9.25 917.28 0
1067. 2932 4.25001 917.284 0; 2933 18.25 917.336 0; 2934 6 917.375 0
1068. 2935 11.85 917.379 0; 2936 18.85 917.435 0; 2937 5.5 917.439 0
1069. 2938 5.75 917.44 -0.767316; 2939 5.75 917.44 -0.755585
1070. 2940 5.75 917.44 -0.743853; 2941 5.75 917.44 -0.732122
1071. 2942 5.75 917.44 -0.72039; 2943 5.75 917.44 -0.708658
1072. 2944 5.75 917.44 -0.696927; 2945 5.75 917.44 -0.685195
1073. 2946 5.75 917.44 -0.673463; 2947 5.75 917.44 -0.661732; 2948 5.75 917.44 -0.65
1074. 2949 5.75 917.44 -0.15; 2950 5.75 917.44 0; 2951 8.35 917.443 0
1075. 2952 9.5 917.443 0; 2953 7.25 917.474 0; 2954 12.5 917.51 0
1076. 2955 19.5 917.533 0; 2956 12.75 917.591 -2.12621; 2957 12.75 917.591 -1.9786
1077. 2958 12.75 917.591 -1.83098; 2959 12.75 917.591 -1.68335
1078. 2960 12.75 917.591 -1.53573; 2961 12.75 917.591 -1.38811
1079. 2962 12.75 917.591 -1.24049; 2963 12.75 917.591 -1.09287
1080. 2964 12.75 917.591 -0.945244; 2965 12.75 917.591 -0.797622
1081. 2966 12.75 917.591 -0.65; 2967 12.75 917.591 -0.15; 2968 12.75 917.591 0
1082. 2969 10.15 917.607 0; 2970 4.84999 917.612 0; 2971 19.75 917.631 -3.22423
1083. 2972 19.75 917.631 -2.9668; 2973 19.75 917.631 -2.70938
1084. 2974 19.75 917.631 -2.45196; 2975 19.75 917.631 -2.19454
1085. 2976 19.75 917.631 -1.93711; 2977 19.75 917.631 -1.67969
1086. 2978 19.75 917.631 -1.42227; 2979 19.75 917.631 -1.16485
1087. 2980 19.75 917.631 -0.907423; 2981 19.75 917.631 -0.65
1088. 2982 19.75 917.631 -0.15; 2983 19.75 917.631 0; 2984 6.65 917.637 0
1089. 2985 9 917.639 0; 2986 7.75 917.704 0; 2987 13 917.722 0; 2988 20 917.73 0
1090. 2989 6 917.735 0; 2990 5.75 917.767 -0.65; 2991 5.75 917.767 -0.15
1091. 2992 5.75 917.767 0; 2993 10.75 917.771 0; 2994 13.65 917.803 0
1092. 2995 20.65 917.828 0; 2996 9.25 917.835 -1.38318; 2997 9.25 917.835 -1.30986
1093. 2998 9.25 917.835 -1.23654; 2999 9.25 917.835 -1.16322
1094. 3000 9.25 917.835 -1.08991; 3001 9.25 917.835 -1.01659
1095. 3002 9.25 917.835 -0.943271; 3003 9.25 917.835 -0.869953
1096. 3004 9.25 917.835 -0.796636; 3005 9.25 917.835 -0.723318
1097. 3006 9.25 917.835 -0.65; 3007 9.25 917.835 -0.15; 3008 9.25 917.836 0
1098. 3009 14.25 917.884 0; 3010 7.25 917.899 0; 3011 21.25 917.926 0
1099. 3012 8.35 917.933 0; 3013 11.25 917.935 0; 3014 14.75 917.965 0
1100. 3015 15.35 917.996 0; 3016 21.75 918.024 0; 3017 16 918.027 0
1101. 3018 6.65 918.03 0; 3019 9.5 918.032 0; 3020 5.50001 918.039 0
1102. 3021 16.25 918.058 -2.49376; 3022 16.25 918.058 -2.30938
```

1103. 3023 16.25 918.058 -2.12501; 3024 16.25 918.058 -1.94063
1104. 3025 16.25 918.058 -1.75626; 3026 16.25 918.058 -1.57188
1105. 3027 16.25 918.058 -1.3875; 3028 16.25 918.058 -1.20313
1106. 3029 16.25 918.058 -1.01875; 3030 16.25 918.058 -0.834376
1107. 3031 16.25 918.058 -0.65; 3032 16.25 918.058 -0.15; 3033 16.25 918.058 0
1108. 3034 16.5 918.089 0; 3035 6 918.094 0; 3036 11.85 918.099 0
1109. 3037 17.15 918.12 0; 3038 22.35 918.123 0; 3039 17.75 918.151 0
1110. 3040 7.75 918.161 0; 3041 9 918.162 0; 3042 23 918.221 0; 3043 10.15 918.229 0
1111. 3044 12.5 918.262 0; 3045 5.75 918.267 0; 3046 18.25 918.282 0
1112. 3047 23.25 918.319 -3.64404; 3048 23.25 918.319 -3.34464
1113. 3049 23.25 918.319 -3.04523; 3050 23.25 918.319 -2.74583
1114. 3051 23.25 918.319 -2.44642; 3052 23.25 918.319 -2.14702
1115. 3053 23.25 918.319 -1.84762; 3054 23.25 918.319 -1.54821
1116. 3055 23.25 918.319 -1.24881; 3056 23.25 918.319 -0.949404
1117. 3057 23.25 918.319 -0.65; 3058 23.25 918.319 -0.15; 3059 23.25 918.319 0
1118. 3060 7.25 918.324 0; 3061 12.75 918.376 -1.88019; 3062 12.75 918.376 -1.75717
1119. 3063 12.75 918.376 -1.63415; 3064 12.75 918.376 -1.51113
1120. 3065 12.75 918.376 -1.38811; 3066 12.75 918.376 -1.26509
1121. 3067 12.75 918.376 -1.14207; 3068 12.75 918.376 -1.01906
1122. 3069 12.75 918.376 -0.896037; 3070 12.75 918.376 -0.773018
1123. 3071 12.75 918.376 -0.65; 3072 12.75 918.376 -0.15; 3073 12.75 918.376 0
1124. 3074 9.25 918.391 -1.19989; 3075 9.25 918.391 -1.1449
1125. 3076 9.25 918.391 -1.08991; 3077 9.25 918.391 -1.03492
1126. 3078 9.25 918.391 -0.97993; 3079 9.25 918.391 -0.924942
1127. 3080 9.25 918.391 -0.869954; 3081 9.25 918.391 -0.814965
1128. 3082 9.25 918.391 -0.759977; 3083 9.25 918.391 -0.704988
1129. 3084 9.25 918.391 -0.65; 3085 9.25 918.391 -0.15; 3086 9.25 918.392 0
1130. 3087 18.85 918.413 0; 3088 6.65 918.422 0; 3089 8.35 918.423 0
1131. 3090 10.75 918.425 0; 3091 23.5005 918.435 0; 3092 5.99999 918.494 0
1132. 3093 13 918.54 0; 3094 19.5 918.544 0; 3095 24.425 918.55 0
1133. 3096 7.75 918.619 0; 3097 9.5 918.621 0; 3098 11.25 918.622 0
1134. 3099 13.65 918.654 0; 3100 19.75 918.675 -2.85648; 3101 19.75 918.675 -2.63583
1135. 3102 19.75 918.675 -2.41518; 3103 19.75 918.675 -2.19454
1136. 3104 19.75 918.675 -1.97389; 3105 19.75 918.675 -1.75324
1137. 3106 19.75 918.675 -1.53259; 3107 19.75 918.675 -1.31194
1138. 3108 19.75 918.675 -1.0913; 3109 19.75 918.675 -0.870648
1139. 3110 19.75 918.675 -0.65; 3111 19.75 918.675 -0.15; 3112 19.75 918.675 0
1140. 3113 9 918.685 0; 3114 7.25 918.749 0; 3115 14.25 918.767 0; 3116 20 918.806 0
1141. 3117 11.85 918.818 0; 3118 10.15 918.85 0; 3119 14.75 918.881 0
1142. 3120 8.35 918.914 0; 3121 6.65002 918.922 0; 3122 20.65 918.937 0
1143. 3123 15.35 918.945 0; 3124 9.25 918.947 -1.01659; 3125 9.25 918.947 -0.979931
1144. 3126 9.25 918.947 -0.943272; 3127 9.25 918.947 -0.906613
1145. 3128 9.25 918.947 -0.869954; 3129 9.25 918.947 -0.833295
1146. 3130 9.25 918.947 -0.796636; 3131 9.25 918.947 -0.759977
1147. 3132 9.25 918.947 -0.723318; 3133 9.25 918.947 -0.686659
1148. 3134 9.25 918.947 -0.65; 3135 9.25 918.947 -0.15; 3136 9.25 918.948 0
1149. 3137 16 919.009 0; 3138 12.5 919.015 0; 3139 21.25 919.068 0
1150. 3140 16.25 919.072 0; 3141 16.25 919.073 -2.18647; 3142 16.25 919.073 -2.03282
1151. 3143 16.25 919.073 -1.87917; 3144 16.25 919.073 -1.72553
1152. 3145 16.25 919.073 -1.57188; 3146 16.25 919.073 -1.41823
1153. 3147 16.25 919.073 -1.26459; 3148 16.25 919.073 -1.11094
1154. 3149 16.25 919.073 -0.957294; 3150 16.25 919.073 -0.803647
1155. 3151 16.25 919.073 -0.65; 3152 16.25 919.073 -0.15; 3153 7.75 919.077 0
1156. 3154 10.75 919.079 0; 3155 16.5 919.136 0; 3156 12.75 919.161 -1.63415
1157. 3157 12.75 919.161 -1.53573; 3158 12.75 919.161 -1.43732
1158. 3159 12.75 919.161 -1.3389; 3160 12.75 919.161 -1.24049

1159. 3161 12.75 919.161 -1.14207; 3162 12.75 919.161 -1.04366
1160. 3163 12.75 919.161 -0.945245; 3164 12.75 919.161 -0.84683
1161. 3165 12.75 919.161 -0.748415; 3166 12.75 919.161 -0.65
1162. 3167 12.75 919.161 -0.15; 3168 12.75 919.161 0; 3169 21.75 919.199 0
1163. 3170 17.15 919.2 0; 3171 9 919.209 0; 3172 9.5 919.21 0; 3173 7.25 919.249 0
1164. 3174 17.75 919.264 0; 3175 11.25 919.309 0; 3176 18.25 919.327 0
1165. 3177 22.35 919.33 0; 3178 13 919.358 0; 3179 18.85 919.391 0
1166. 3180 8.35 919.404 0; 3181 23 919.461 0; 3182 10.15 919.472 0
1167. 3183 9.25 919.503 -0.833296; 3184 9.25 919.503 -0.814966
1168. 3185 9.25 919.503 -0.796637; 3186 9.25 919.503 -0.778307
1169. 3187 9.25 919.503 -0.759978; 3188 9.25 919.503 -0.741648
1170. 3189 9.25 919.503 -0.723318; 3190 9.25 919.503 -0.704989
1171. 3191 9.25 919.503 -0.686659; 3192 9.25 919.503 -0.66833
1172. 3193 9.25 919.503 -0.65; 3194 9.25 919.503 -0.15; 3195 9.25 919.503 0
1173. 3196 13.65 919.504 0; 3197 11.85 919.538 0; 3198 19.5 919.555 0
1174. 3199 7.74999 919.577 0; 3200 23.25 919.592 -3.21632
1175. 3201 23.25 919.592 -2.95969; 3202 23.25 919.592 -2.70306
1176. 3203 23.25 919.592 -2.44643; 3204 23.25 919.592 -2.18979
1177. 3205 23.25 919.592 -1.93316; 3206 23.25 919.592 -1.67653
1178. 3207 23.25 919.592 -1.4199; 3208 23.25 919.592 -1.16326
1179. 3209 23.25 919.592 -0.906632; 3210 23.25 919.592 -0.65
1180. 3211 23.25 919.592 -0.15; 3212 23.25 919.592 0; 3213 14.25 919.651 0
1181. 3214 19.75 919.719 -2.48874; 3215 19.75 919.719 -2.30486
1182. 3216 19.75 919.719 -2.12099; 3217 19.75 919.719 -1.93711
1183. 3218 19.75 919.719 -1.75324; 3219 19.75 919.719 -1.56937
1184. 3220 19.75 919.719 -1.38549; 3221 19.75 919.719 -1.20162
1185. 3222 19.75 919.719 -1.01775; 3223 19.75 919.719 -0.833874
1186. 3224 19.75 919.719 -0.65; 3225 19.75 919.719 -0.15; 3226 19.75 919.719 0
1187. 3227 9 919.732 0; 3228 10.75 919.734 0; 3229 23.5005 919.746 0
1188. 3230 12.5 919.767 0; 3231 14.75 919.797 0; 3232 9.5 919.798 0
1189. 3233 20 919.883 0; 3234 15.35 919.894 0; 3235 24.425 919.9 0
1190. 3236 8.34999 919.904 0; 3237 12.75 919.946 -1.38811
1191. 3238 12.75 919.946 -1.3143; 3239 12.75 919.946 -1.24049
1192. 3240 12.75 919.946 -1.16668; 3241 12.75 919.946 -1.09287
1193. 3242 12.75 919.946 -1.01906; 3243 12.75 919.946 -0.945245
1194. 3244 12.75 919.946 -0.871434; 3245 12.75 919.946 -0.797623
1195. 3246 12.75 919.946 -0.723811; 3247 12.75 919.946 -0.65
1196. 3248 12.75 919.946 -0.15; 3249 12.75 919.946 0; 3250 16 919.99 0
1197. 3251 11.25 919.996 0; 3252 20.65 920.046 0; 3253 9.25 920.059 -0.65
1198. 3254 9.25 920.059 -0.15; 3255 9.25 920.059 0; 3256 16.25 920.087 -1.87918
1199. 3257 16.25 920.087 -1.75626; 3258 16.25 920.087 -1.63334
1200. 3259 16.25 920.087 -1.51042; 3260 16.25 920.087 -1.38751
1201. 3261 16.25 920.087 -1.26459; 3262 16.25 920.087 -1.14167
1202. 3263 16.25 920.087 -1.01875; 3264 16.25 920.087 -0.895835
1203. 3265 16.25 920.087 -0.772918; 3266 16.25 920.087 -0.65
1204. 3267 16.25 920.087 -0.15; 3268 16.25 920.087 0; 3269 10.15 920.093 0
1205. 3270 13 920.176 0; 3271 16.5 920.183 0; 3272 21.25 920.21 0
1206. 3273 11.85 920.258 0; 3274 17.15 920.28 0; 3275 9.00001 920.332 0
1207. 3276 13.65 920.355 0; 3277 21.75 920.374 0; 3278 17.75 920.376 0
1208. 3279 9.5 920.387 0; 3280 10.75 920.388 0; 3281 18.25 920.473 0
1209. 3282 12.5 920.52 0; 3283 14.25 920.534 0; 3284 22.35 920.538 0
1210. 3285 9.25 920.559 0; 3286 18.85 920.569 0; 3287 19.5 920.666 0
1211. 3288 11.25 920.683 0; 3289 23 920.701 0; 3290 10.15 920.714 0
1212. 3291 14.75 920.714 0; 3292 12.75 920.732 -1.14208; 3293 12.75 920.732 -1.09287
1213. 3294 12.75 920.732 -1.04366; 3295 12.75 920.732 -0.994454
1214. 3296 12.75 920.732 -0.945247; 3297 12.75 920.732 -0.896039

1215. 3298 12.75 920.732 -0.846831; 3299 12.75 920.732 -0.797623
1216. 3300 12.75 920.732 -0.748415; 3301 12.75 920.732 -0.699208
1217. 3302 12.75 920.732 -0.65; 3303 12.75 920.732 -0.15; 3304 12.75 920.732 0
1218. 3305 19.75 920.763 -2.12099; 3306 19.75 920.763 -1.97389
1219. 3307 19.75 920.763 -1.82679; 3308 19.75 920.763 -1.67969
1220. 3309 19.75 920.763 -1.53259; 3310 19.75 920.763 -1.38549
1221. 3311 19.75 920.763 -1.2384; 3312 19.75 920.763 -1.0913
1222. 3313 19.75 920.763 -0.944198; 3314 19.75 920.763 -0.797099
1223. 3315 19.75 920.763 -0.65; 3316 19.75 920.763 -0.15; 3317 19.75 920.763 0
1224. 3318 9.49999 920.787 0; 3319 15.35 920.843 0; 3320 23.25 920.865 -2.7886
1225. 3321 23.25 920.865 -2.57474; 3322 23.25 920.865 -2.36088
1226. 3323 23.25 920.865 -2.14702; 3324 23.25 920.865 -1.93316
1227. 3325 23.25 920.865 -1.7193; 3326 23.25 920.865 -1.50544
1228. 3327 23.25 920.865 -1.29158; 3328 23.25 920.865 -1.07772
1229. 3329 23.25 920.865 -0.86386; 3330 23.25 920.865 -0.65
1230. 3331 23.25 920.865 -0.15; 3332 23.25 920.865 0; 3333 20 920.959 0
1231. 3334 16 920.972 0; 3335 11.85 920.977 0; 3336 13 920.994 0
1232. 3337 10.75 921.042 0; 3338 23.5005 921.058 0; 3339 16.25 921.101 0
1233. 3340 16.25 921.102 -1.57188; 3341 16.25 921.102 -1.4797
1234. 3342 16.25 921.102 -1.38751; 3343 16.25 921.102 -1.29532
1235. 3344 16.25 921.102 -1.20313; 3345 16.25 921.102 -1.11094
1236. 3346 16.25 921.102 -1.01875; 3347 16.25 921.102 -0.926565
1237. 3348 16.25 921.102 -0.834377; 3349 16.25 921.102 -0.742188
1238. 3350 16.25 921.102 -0.65; 3351 16.25 921.102 -0.15; 3352 20.65 921.156 0
1239. 3353 13.65 921.206 0; 3354 10.15 921.214 0; 3355 16.5 921.231 0
1240. 3356 24.425 921.25 0; 3357 12.5 921.272 0; 3358 21.25 921.352 0
1241. 3359 17.15 921.36 0; 3360 11.25 921.37 0; 3361 14.25 921.418 0
1242. 3362 17.75 921.489 0; 3363 12.75 921.517 -0.896042
1243. 3364 12.75 921.517 -0.871438; 3365 12.75 921.517 -0.846834
1244. 3366 12.75 921.517 -0.822229; 3367 12.75 921.517 -0.797625
1245. 3368 12.75 921.517 -0.773021; 3369 12.75 921.517 -0.748417
1246. 3370 12.75 921.517 -0.723813; 3371 12.75 921.517 -0.699208
1247. 3372 12.75 921.517 -0.674604; 3373 12.75 921.517 -0.65
1248. 3374 12.75 921.517 -0.15; 3375 12.75 921.517 0; 3376 10.75 921.542 0
1249. 3377 21.75 921.549 0; 3378 18.25 921.618 0; 3379 14.75 921.63 0
1250. 3380 11.85 921.697 0; 3381 22.35 921.745 0; 3382 18.85 921.748 0
1251. 3383 15.35 921.792 0; 3384 13 921.812 0; 3385 11.25 921.87 0
1252. 3386 19.5 921.877 0; 3387 23 921.942 0; 3388 16 921.954 0
1253. 3389 19.75 922.006 -1.75324; 3390 19.75 922.006 -1.64292
1254. 3391 19.75 922.006 -1.53259; 3392 19.75 922.006 -1.42227
1255. 3393 19.75 922.006 -1.31195; 3394 19.75 922.006 -1.20162
1256. 3395 19.75 922.006 -1.0913; 3396 19.75 922.006 -0.980973
1257. 3397 19.75 922.006 -0.870649; 3398 19.75 922.006 -0.760324
1258. 3399 19.75 922.006 -0.65; 3400 19.75 922.006 -0.15; 3401 19.75 922.006 0
1259. 3402 12.5 922.025 0; 3403 13.65 922.056 0; 3404 16.25 922.116 -1.26459
1260. 3405 16.25 922.116 -1.20313; 3406 16.25 922.116 -1.14167
1261. 3407 16.25 922.116 -1.08021; 3408 16.25 922.116 -1.01876
1262. 3409 16.25 922.116 -0.957296; 3410 16.25 922.116 -0.895837
1263. 3411 16.25 922.116 -0.834378; 3412 16.25 922.116 -0.772918
1264. 3413 16.25 922.116 -0.711459; 3414 16.25 922.116 -0.65
1265. 3415 16.25 922.116 -0.15; 3416 16.25 922.116 0; 3417 20 922.136 0
1266. 3418 23.25 922.138 -2.36087; 3419 23.25 922.138 -2.18978
1267. 3420 23.25 922.138 -2.0187; 3421 23.25 922.138 -1.84761
1268. 3422 23.25 922.138 -1.67652; 3423 23.25 922.138 -1.50543
1269. 3424 23.25 922.138 -1.33435; 3425 23.25 922.138 -1.16326
1270. 3426 23.25 922.138 -0.992174; 3427 23.25 922.138 -0.821087

1271. 3428 23.25 922.138 -0.65; 3429 23.25 922.138 -0.15; 3430 23.25 922.138 0
1272. 3431 11.85 922.197 0; 3432 20.65 922.265 0; 3433 16.5 922.278 0
1273. 3434 14.25 922.301 0; 3435 12.75 922.302 -0.65; 3436 12.75 922.302 -0.15
1274. 3437 12.75 922.302 0; 3438 23.5005 922.369 0; 3439 17.15 922.44 0
1275. 3440 21.25 922.494 0; 3441 14.75 922.546 0; 3442 24.425 922.6 0
1276. 3443 17.75 922.602 0; 3444 12.5 922.625 0; 3445 13 922.63 0
1277. 3446 21.75 922.723 0; 3447 15.35 922.741 0; 3448 18.25 922.764 0
1278. 3449 12.75 922.802 0; 3450 13.65 922.907 0; 3451 18.85 922.926 0
1279. 3452 16 922.936 0; 3453 22.35 922.953 0; 3454 13 923.03 0; 3455 19.5 923.088 0
1280. 3456 16.25 923.13 -0.9573; 3457 16.25 923.13 -0.92657
1281. 3458 16.25 923.13 -0.89584; 3459 16.25 923.13 -0.86511
1282. 3460 16.25 923.13 -0.83438; 3461 16.25 923.13 -0.80365
1283. 3462 16.25 923.13 -0.77292; 3463 16.25 923.13 -0.74219
1284. 3464 16.25 923.13 -0.71146; 3465 16.25 923.13 -0.68073
1285. 3466 16.25 923.13 -0.65; 3467 16.25 923.13 -0.15; 3468 16.25 923.13 0
1286. 3469 23 923.182 0; 3470 14.25 923.185 0; 3471 19.75 923.25 -1.3855
1287. 3472 19.75 923.25 -1.31195; 3473 19.75 923.25 -1.2384
1288. 3474 19.75 923.25 -1.16485; 3475 19.75 923.25 -1.0913
1289. 3476 19.75 923.25 -1.01775; 3477 19.75 923.25 -0.944199
1290. 3478 19.75 923.25 -0.870649; 3479 19.75 923.25 -0.797099
1291. 3480 19.75 923.25 -0.72355; 3481 19.75 923.25 -0.65; 3482 19.75 923.25 -0.15
1292. 3483 19.75 923.25 0; 3484 16.5 923.325 0; 3485 13.65 923.407 0
1293. 3486 23.25 923.411 -1.93315; 3487 23.25 923.411 -1.80484
1294. 3488 23.25 923.411 -1.67652; 3489 23.25 923.411 -1.54821
1295. 3490 23.25 923.411 -1.41989; 3491 23.25 923.411 -1.29158
1296. 3492 23.25 923.411 -1.16326; 3493 23.25 923.411 -1.03495
1297. 3494 23.25 923.411 -0.90663; 3495 23.25 923.411 -0.778315
1298. 3496 23.25 923.411 -0.65; 3497 23.25 923.411 -0.15; 3498 23.25 923.411 0
1299. 3499 20 923.412 0; 3500 14.75 923.462 0; 3501 17.15 923.52 0
1300. 3502 20.65 923.574 0; 3503 23.5005 923.681 0; 3504 14.25 923.685 0
1301. 3505 15.35 923.69 0; 3506 17.75 923.715 0; 3507 21.25 923.736 0
1302. 3508 21.75 923.898 0; 3509 18.25 923.909 0; 3510 16 923.917 0
1303. 3511 24.425 923.95 0; 3512 14.75 923.962 0; 3513 18.85 924.104 0
1304. 3514 16.25 924.145 -0.65; 3515 16.25 924.145 -0.15; 3516 16.25 924.145 0
1305. 3517 22.35 924.16 0; 3518 15.35 924.19 0; 3519 19.5 924.299 0
1306. 3520 16.5 924.372 0; 3521 23 924.422 0; 3522 19.75 924.494 -1.01775
1307. 3523 19.75 924.494 -0.980977; 3524 19.75 924.494 -0.944201
1308. 3525 19.75 924.494 -0.907426; 3526 19.75 924.494 -0.870651
1309. 3527 19.75 924.494 -0.833876; 3528 19.75 924.494 -0.797101
1310. 3529 19.75 924.494 -0.760326; 3530 19.75 924.494 -0.72355
1311. 3531 19.75 924.494 -0.686775; 3532 19.75 924.494 -0.65
1312. 3533 19.75 924.494 -0.15; 3534 19.75 924.494 0; 3535 16 924.517 0
1313. 3536 17.15 924.6 0; 3537 16.25 924.645 0; 3538 23.25 924.684 -1.50543
1314. 3539 23.25 924.684 -1.41989; 3540 23.25 924.684 -1.33435
1315. 3541 23.25 924.684 -1.2488; 3542 23.25 924.684 -1.16326
1316. 3543 23.25 924.684 -1.07772; 3544 23.25 924.684 -0.992174
1317. 3545 23.25 924.684 -0.90663; 3546 23.25 924.684 -0.821087
1318. 3547 23.25 924.684 -0.735543; 3548 23.25 924.684 -0.65
1319. 3549 23.25 924.684 -0.15; 3550 23.25 924.684 0; 3551 20 924.689 0
1320. 3552 16.5 924.772 0; 3553 17.75 924.827 0; 3554 20.65 924.883 0
1321. 3555 23.5005 924.992 0; 3556 18.25 925.055 0; 3557 21.25 925.078 0
1322. 3558 17.15 925.1 0; 3559 21.75 925.273 0; 3560 18.85 925.282 0
1323. 3561 24.425 925.3 0; 3562 17.75 925.327 0; 3563 22.35 925.468 0
1324. 3564 19.5 925.51 0; 3565 18.25 925.555 0; 3566 23 925.663 0
1325. 3567 19.75 925.738 -0.65; 3568 19.75 925.738 -0.15; 3569 19.75 925.738 0
1326. 3570 18.85 925.782 0; 3571 23.25 925.857 -1.07772; 3572 23.25 925.857 -1.03495

1327. 3573 23.25 925.857 -0.992174; 3574 23.25 925.857 -0.949402
1328. 3575 23.25 925.857 -0.90663; 3576 23.25 925.857 -0.863859
1329. 3577 23.25 925.857 -0.821087; 3578 23.25 925.857 -0.778315
1330. 3579 23.25 925.857 -0.735543; 3580 23.25 925.857 -0.692772
1331. 3581 23.25 925.857 -0.65; 3582 23.25 925.857 -0.15; 3583 23.25 925.857 0
1332. 3584 20 925.965 0; 3585 19.5 926.11 0; 3586 20.65 926.193 0
1333. 3587 23.5005 926.204 0; 3588 19.75 926.238 0; 3589 20 926.365 0
1334. 3590 21.25 926.42 0; 3591 24.425 926.55 0; 3592 21.75 926.648 0
1335. 3593 20.65 926.693 0; 3594 22.35 926.875 0; 3595 21.25 926.92 0
1336. 3596 23 927.103 0; 3597 21.75 927.148 0; 3598 23.25 927.33 -0.65
1337. 3599 23.25 927.33 -0.15; 3600 23.25 927.33 0; 3601 22.35 927.375 0
1338. 3602 23.5005 927.615 0; 3603 23 927.703 0; 3604 23.25 927.83 0
1339. 3605 24.425 928 0; 3606 23.5005 928.015 0; 3607 24.425 928.5 0
1340. MEMBER INCIDENCES
1341. 100 9 7; 101 11 9; 102 13 11; 103 15 13; 104 17 15; 105 19 17; 106 22 19
1342. 107 25 22; 108 28 25; 109 31 28; 110 34 31; 111 36 34; 112 39 36; 113 44 39
1343. 114 48 44; 115 52 48; 116 57 52; 117 61 57; 118 65 61; 119 70 65; 120 75 70
1344. 121 81 75; 122 86 81; 123 93 86; 124 98 93; 125 104 98; 126 110 104
1345. 127 118 110; 128 124 118; 129 133 124; 130 141 133; 131 148 141; 132 155 148
1346. 133 163 155; 134 172 163; 135 182 172; 136 192 182; 137 204 192; 138 212 204
1347. 139 222 212; 140 233 222; 141 245 233; 142 257 245; 143 269 257; 144 282 269
1348. ELEMENT INCIDENCES SHELL
1349. 1000 9 7 1 2; 1001 11 9 2 3; 1002 13 11 3 4; 1003 15 13 4 5; 1004 17 15 5 6
1350. 1005 19 17 6 8; 1006 22 19 8 10; 1007 24 21 7 9; 1008 25 22 10 12
1351. 1009 26 24 9 11; 1010 28 25 12 14; 1011 29 26 11 13; 1012 31 28 14 16
1352. 1013 32 29 13 15; 1014 34 31 16 18; 1015 35 32 15 17; 1016 38 35 17 19
1353. 1017 36 34 18 20; 1018 40 38 19 22; 1019 39 36 20 23; 1020 46 42 21 24
1354. 1021 43 40 22 25; 1022 44 39 23 27; 1023 47 43 25 28; 1024 49 46 24 26
1355. 1025 48 44 27 30; 1026 53 49 26 29; 1027 51 47 28 31; 1028 52 48 30 33
1356. 1029 56 53 29 32; 1030 55 51 31 34; 1031 57 52 33 37; 1032 60 56 32 35
1357. 1033 58 55 34 36; 1034 62 60 35 38; 1035 61 57 37 41; 1036 63 58 36 39
1358. 1037 66 62 38 40; 1038 65 61 41 45; 1039 67 63 39 44; 1040 69 66 40 43
1359. 1041 71 67 44 48; 1042 70 65 45 50; 1043 77 72 42 46; 1044 73 69 43 47
1360. 1045 76 71 48 52; 1046 79 77 46 49; 1047 78 73 47 51; 1048 75 70 50 54
1361. 1049 84 79 49 53; 1050 80 76 52 57; 1051 83 78 51 55; 1052 81 75 54 59
1362. 1053 89 84 53 56; 1054 87 83 55 58; 1055 85 80 57 61; 1056 86 81 59 64
1363. 1057 92 89 56 60; 1058 91 87 58 63; 1059 90 85 61 65; 1060 95 92 60 62
1364. 1061 93 86 64 68; 1062 96 91 63 67; 1063 99 95 62 66; 1064 97 90 65 70
1365. 1065 101 96 67 71; 1066 98 93 68 74; 1067 103 99 66 69; 1068 102 97 70 75
1366. 1069 105 101 71 76; 1070 108 103 69 73; 1071 104 98 74 82; 1072 106 102 75 81
1367. 1073 112 108 73 78; 1074 109 105 76 80; 1075 116 111 72 77; 1076 110 104 82 88
1368. 1077 113 106 81 86; 1078 117 112 78 83; 1079 121 116 77 79; 1080 115 109 80 85
1369. 1081 122 117 83 87; 1082 126 121 79 84; 1083 118 110 88 94; 1084 119 113 86 93
1370. 1085 120 115 85 90; 1086 129 126 84 89; 1087 127 122 87 91; 1088 128 120 90 97
1371. 1089 125 119 93 98; 1090 124 118 94 100; 1091 135 129 89 92
1372. 1092 131 127 91 96; 1093 137 135 92 95; 1094 134 128 97 102
1373. 1095 132 125 98 104; 1096 136 131 96 101; 1097 133 124 100 107
1374. 1098 143 137 95 99; 1099 138 134 102 106; 1100 142 136 101 105
1375. 1101 139 132 104 110; 1102 146 143 99 103; 1103 141 133 107 114
1376. 1104 144 138 106 113; 1105 147 142 105 109; 1106 151 146 103 108
1377. 1107 145 139 110 118; 1108 152 147 109 115; 1109 154 151 108 112
1378. 1110 148 141 114 123; 1111 150 144 113 119; 1112 153 145 118 124
1379. 1113 160 154 112 117; 1114 158 152 115 120; 1115 157 150 119 125
1380. 1116 155 148 123 130; 1117 170 165 111 116; 1118 164 160 117 122
1381. 1119 161 158 120 128; 1120 159 153 124 133; 1121 162 157 125 132
1382. 1122 173 170 116 121; 1123 169 164 122 127; 1124 163 155 130 140

1383. 1125 168 161 128 134; 1126 179 173 121 126; 1127 167 159 133 141
1384. 1128 174 169 127 131; 1129 171 162 132 139; 1130 183 179 126 129
1385. 1131 175 168 134 138; 1132 180 174 131 136; 1133 172 163 140 149
1386. 1134 188 183 129 135; 1135 176 167 141 148; 1136 178 171 139 145
1387. 1137 181 175 138 144; 1138 186 180 136 142; 1139 191 188 135 137
1388. 1140 185 178 145 153; 1141 182 172 149 156; 1142 190 186 142 147
1389. 1143 196 191 137 143; 1144 189 181 144 150; 1145 184 176 148 155
1390. 1146 200 196 143 146; 1147 197 190 147 152; 1148 195 189 150 157
1391. 1149 193 185 153 159; 1150 194 184 155 163; 1151 192 182 156 166
1392. 1152 205 200 146 151; 1153 203 197 152 158; 1154 201 195 157 162
1393. 1155 210 205 151 154; 1156 199 193 159 167; 1157 206 203 158 161
1394. 1158 202 194 163 172; 1159 214 210 154 160; 1160 204 192 166 177
1395. 1161 207 201 162 171; 1162 213 206 161 168; 1163 208 199 167 176
1396. 1164 217 214 160 164; 1165 211 202 172 182; 1166 215 207 171 178
1397. 1167 223 217 164 169; 1168 218 213 168 175; 1169 212 204 177 187
1398. 1170 216 208 176 184; 1171 226 223 169 174; 1172 221 215 178 185
1399. 1173 225 218 175 181; 1174 238 234 165 170; 1175 219 211 182 192
1400. 1176 232 226 174 180; 1177 224 216 184 194; 1178 241 238 170 173
1401. 1179 222 212 187 198; 1180 229 225 181 189; 1181 227 221 185 193
1402. 1182 237 232 180 186; 1183 247 241 173 179; 1184 228 219 192 204
1403. 1185 236 229 189 195; 1186 231 224 194 202; 1187 251 247 179 183
1404. 1188 242 237 186 190; 1189 235 227 193 199; 1190 233 222 198 209
1405. 1191 255 251 183 188; 1192 243 236 195 201; 1193 248 242 190 197
1406. 1194 239 228 204 212; 1195 259 255 188 191; 1196 240 231 202 211
1407. 1197 244 235 199 208; 1198 254 248 197 203; 1199 250 243 201 207
1408. 1200 264 259 191 196; 1201 245 233 209 220; 1202 260 254 203 206
1409. 1203 253 244 208 216; 1204 267 264 196 200; 1205 252 240 211 219
1410. 1206 249 239 212 222; 1207 256 250 207 215; 1208 274 267 200 205
1411. 1209 266 260 206 213; 1210 261 253 216 224; 1211 276 274 205 210
1412. 1212 265 256 215 221; 1213 257 245 220 230; 1214 262 252 219 228
1413. 1215 272 266 213 218; 1216 263 249 222 233; 1217 280 276 210 214
1414. 1218 273 265 221 227; 1219 268 261 224 231; 1220 277 272 218 225
1415. 1221 286 280 214 217; 1222 271 262 228 239; 1223 269 257 230 246
1416. 1224 290 286 217 223; 1225 283 277 225 229; 1226 275 263 233 245
1417. 1227 279 273 227 235; 1228 278 268 231 240; 1229 294 290 223 226
1418. 1230 289 283 229 236; 1231 281 271 239 249; 1232 287 279 235 244
1419. 1233 299 294 226 232; 1234 282 269 246 258; 1235 288 278 240 252
1420. 1236 285 275 245 257; 1237 295 289 236 243; 1238 303 299 232 237
1421. 1239 292 287 244 253; 1240 291 281 249 263; 1241 300 295 243 250
1422. 1242 308 303 237 242; 1243 296 288 252 262; 1244 293 282 258 270
1423. 1245 301 292 253 261; 1246 297 285 257 269; 1247 311 308 242 248
1424. 1248 306 300 250 256; 1249 327 322 234 238; 1250 302 291 263 275
1425. 1251 316 311 248 254; 1252 304 296 262 271; 1253 329 327 238 241
1426. 1254 309 301 261 268; 1255 313 306 256 265; 1256 336 329 241 247
1427. 1257 320 316 254 260; 1258 305 293 270 284; 1259 307 297 269 282
1428. 1260 338 336 247 251; 1261 319 313 265 273; 1262 314 304 271 281
1429. 1263 326 320 260 266; 1264 315 309 268 278; 1265 312 302 275 285
1430. 1266 341 338 251 255; 1267 330 326 266 272; 1268 346 341 255 259
1431. 1269 325 319 273 279; 1270 317 307 282 293; 1271 324 315 278 288
1432. 1272 318 305 284 298; 1273 352 346 259 264; 1274 321 314 281 291
1433. 1275 337 330 272 277; 1276 323 312 285 297; 1277 332 325 279 287
1434. 1278 354 352 264 267; 1279 342 337 277 283; 1280 333 324 288 296
1435. 1281 359 354 267 274; 1282 339 332 287 292; 1283 328 317 293 305
1436. 1284 334 321 291 302; 1285 363 359 274 276; 1286 349 342 283 289
1437. 1287 331 318 298 310; 1288 335 323 297 307; 1289 365 363 276 280
1438. 1290 340 333 296 304; 1291 348 339 292 301; 1292 355 349 289 295

1439. 1293 369 365 280 286; 1294 345 334 302 312; 1295 344 328 305 318
1440. 1296 361 355 295 300; 1297 376 369 286 290; 1298 347 335 307 317
1441. 1299 356 348 301 309; 1300 353 340 304 314; 1301 378 376 290 294
1442. 1302 366 361 300 306; 1303 357 345 312 323; 1304 382 378 294 299
1443. 1305 364 356 309 315; 1306 362 353 314 321; 1307 373 366 306 313
1444. 1308 358 344 318 331; 1309 343 368 331 310; 1310 360 347 317 328
1445. 1311 385 382 299 303; 1312 370 364 315 324; 1313 388 385 303 308
1446. 1314 379 373 313 319; 1315 367 357 323 335; 1316 372 362 321 334
1447. 1317 392 388 308 311; 1318 384 379 319 325; 1319 371 360 328 344
1448. 1320 380 370 324 333; 1321 395 392 311 316; 1322 377 367 335 347
1449. 1323 389 384 325 332; 1324 381 372 334 345; 1325 400 395 316 320
1450. 1326 351 375 368 343; 1327 386 380 333 340; 1328 350 374 375 351
1451. 1329 368 391 358 331; 1330 403 400 320 326; 1331 383 371 344 358
1452. 1332 394 389 332 339; 1333 406 403 326 330; 1334 387 377 347 360
1453. 1335 390 381 345 357; 1336 393 386 340 353; 1337 401 394 339 348
1454. 1338 409 406 330 337; 1339 411 409 337 342; 1340 402 393 353 362
1455. 1341 404 401 348 356; 1342 399 390 357 367; 1343 398 387 360 371
1456. 1344 416 411 342 349; 1345 375 397 391 368; 1346 436 434 322 327
1457. 1347 410 404 356 364; 1348 374 396 397 375; 1349 408 402 362 372
1458. 1350 419 416 349 355; 1351 440 436 327 329; 1352 391 413 383 358
1459. 1353 405 399 367 377; 1354 407 398 371 383; 1355 443 440 329 336
1460. 1356 415 410 364 370; 1357 423 419 355 361; 1358 444 443 336 338
1461. 1359 414 408 372 381; 1360 446 444 338 341; 1361 425 423 361 366
1462. 1362 412 405 377 387; 1363 420 415 370 380; 1364 449 446 341 346
1463. 1365 428 425 366 373; 1366 451 449 346 352; 1367 421 414 381 390
1464. 1368 452 451 352 354; 1369 424 420 380 386; 1370 431 428 373 379
1465. 1371 397 418 413 391; 1372 422 412 387 398; 1373 456 452 354 359
1466. 1374 396 417 418 397; 1375 457 456 359 363; 1376 435 431 379 384
1467. 1377 429 424 386 393; 1378 426 421 390 399; 1379 413 432 407 383
1468. 1380 459 457 363 365; 1381 441 435 384 389; 1382 461 459 365 369
1469. 1383 427 422 398 407; 1384 433 429 393 402; 1385 464 461 369 376
1470. 1386 430 426 399 405; 1387 445 441 389 394; 1388 468 464 376 378
1471. 1389 470 468 378 382; 1390 442 433 402 408; 1391 450 445 394 401
1472. 1392 439 430 405 412; 1393 471 470 382 385; 1394 453 450 401 404
1473. 1395 474 471 385 388; 1396 418 438 432 413; 1397 448 442 408 414
1474. 1398 417 437 438 418; 1399 475 474 388 392; 1400 447 439 412 422
1475. 1401 458 453 404 410; 1402 477 475 392 395; 1403 432 462 427 407
1476. 1404 454 448 414 421; 1405 479 477 395 400; 1406 463 458 410 415
1477. 1407 481 479 400 403; 1408 455 447 422 427; 1409 469 463 415 420
1478. 1410 460 454 421 426; 1411 482 481 403 406; 1412 485 482 406 409
1479. 1413 472 469 420 424; 1414 486 485 409 411; 1415 467 460 426 430
1480. 1416 489 486 411 416; 1417 476 472 424 429; 1418 438 466 462 432
1481. 1419 490 489 416 419; 1420 437 465 466 438; 1421 473 467 430 439
1482. 1422 480 476 429 433; 1423 494 490 419 423; 1424 462 488 455 427
1483. 1425 495 494 423 425; 1426 478 473 439 447; 1427 484 480 433 442
1484. 1428 497 495 425 428; 1429 499 497 428 431; 1430 487 484 442 448
1485. 1431 483 478 447 455; 1432 500 499 431 435; 1433 493 487 448 454
1486. 1434 502 500 435 441; 1435 503 502 441 445; 1436 496 493 454 460
1487. 1437 466 492 488 462; 1438 505 503 445 450; 1439 465 491 492 466
1488. 1440 498 496 460 467; 1441 506 505 450 453; 1442 508 506 453 458
1489. 1443 501 498 467 473; 1444 488 510 483 455; 1445 509 508 458 463
1490. 1446 504 501 473 478; 1447 511 509 463 469; 1448 514 511 469 472
1491. 1449 507 504 478 483; 1450 515 514 472 476; 1451 516 515 476 480
1492. 1452 576 577 434 436; 1453 517 516 480 484; 1454 575 576 436 440
1493. 1455 492 513 510 488; 1456 574 575 440 443; 1457 491 512 513 492
1494. 1458 573 574 443 444; 1459 518 517 484 487; 1460 572 573 444 446

1495. 1461 571 572 446 449; 1462 570 571 449 451; 1463 519 518 487 493
1496. 1464 569 570 451 452; 1465 568 569 452 456; 1466 567 568 456 457
1497. 1467 520 519 493 496; 1468 566 567 457 459; 1469 510 525 507 483
1498. 1470 565 566 459 461; 1471 564 565 461 464; 1472 521 520 496 498
1499. 1473 563 564 464 468; 1474 562 563 468 470; 1475 522 521 498 501
1500. 1476 561 562 470 471; 1477 560 561 471 474; 1478 559 560 474 475
1501. 1479 523 522 501 504; 1480 558 559 475 477; 1481 557 558 477 479
1502. 1482 556 557 479 481; 1483 524 523 504 507; 1484 555 556 481 482
1503. 1485 554 555 482 485; 1486 553 554 485 486; 1487 552 553 486 489
1504. 1488 551 552 489 490; 1489 550 551 490 494; 1490 513 527 525 510
1505. 1491 549 550 494 495; 1492 512 526 527 513; 1493 548 549 495 497
1506. 1494 547 548 497 499; 1495 546 547 499 500; 1496 545 546 500 502
1507. 1497 544 545 502 503; 1498 543 544 503 505; 1499 542 543 505 506
1508. 1500 541 542 506 508; 1501 540 541 508 509; 1502 525 578 524 507
1509. 1503 539 540 509 511; 1504 538 539 511 514; 1505 537 538 514 515
1510. 1506 536 537 515 516; 1507 535 536 516 517; 1508 534 535 517 518
1511. 1509 533 534 518 519; 1510 532 533 519 520; 1511 531 532 520 521
1512. 1512 530 531 521 522; 1513 529 530 522 523; 1514 528 529 523 524
1513. 1515 527 580 578 525; 1516 526 579 580 527; 1517 578 583 528 524
1514. 1518 580 582 583 578; 1519 579 581 582 580; 1520 583 584 528
1515. 1521 584 585 529 528; 1522 585 586 530 529; 1523 586 587 531 530
1516. 1524 587 588 532 531; 1525 588 589 533 532; 1526 589 590 534 533
1517. 1527 590 591 535 534; 1528 591 592 536 535; 1529 592 593 537 536
1518. 1530 593 594 538 537; 1531 594 595 539 538; 1532 595 596 540 539
1519. 1533 596 597 541 540; 1534 597 598 542 541; 1535 598 599 543 542
1520. 1536 599 600 544 543; 1537 600 601 545 544; 1538 601 602 546 545
1521. 1539 602 603 547 546; 1540 603 604 548 547; 1541 604 605 549 548
1522. 1542 605 606 550 549; 1543 606 607 551 550; 1544 607 608 552 551
1523. 1545 608 609 553 552; 1546 609 610 554 553; 1547 610 611 555 554
1524. 1548 611 612 556 555; 1549 612 613 557 556; 1550 613 614 558 557
1525. 1551 614 615 559 558; 1552 615 616 560 559; 1553 616 617 561 560
1526. 1554 617 618 562 561; 1555 618 619 563 562; 1556 619 620 564 563
1527. 1557 620 621 565 564; 1558 621 622 566 565; 1559 622 623 567 566
1528. 1560 623 624 568 567; 1561 624 625 569 568; 1562 625 626 570 569
1529. 1563 626 627 571 570; 1564 627 628 572 571; 1565 628 629 573 572
1530. 1566 629 630 574 573; 1567 630 631 575 574; 1568 631 632 576 575
1531. 1569 632 633 577 576; 1570 582 635 584 583; 1571 581 634 635 582
1532. 1572 635 637 584; 1573 637 638 585 584; 1574 638 639 586 585
1533. 1575 639 640 587 586; 1576 640 641 588 587; 1577 641 642 589 588
1534. 1578 642 643 590 589; 1579 643 644 591 590; 1580 644 645 592 591
1535. 1581 645 646 593 592; 1582 646 647 594 593; 1583 647 648 595 594
1536. 1584 648 649 596 595; 1585 649 650 597 596; 1586 650 651 598 597
1537. 1587 651 652 599 598; 1588 652 653 600 599; 1589 653 654 601 600
1538. 1590 654 655 602 601; 1591 655 656 603 602; 1592 656 657 604 603
1539. 1593 657 658 605 604; 1594 658 659 606 605; 1595 659 660 607 606
1540. 1596 660 661 608 607; 1597 661 662 609 608; 1598 662 663 610 609
1541. 1599 663 664 611 610; 1600 664 665 612 611; 1601 665 666 613 612
1542. 1602 666 667 614 613; 1603 667 668 615 614; 1604 668 669 616 615
1543. 1605 669 670 617 616; 1606 670 671 618 617; 1607 671 672 619 618
1544. 1608 672 673 620 619; 1609 673 674 621 620; 1610 674 675 622 621
1545. 1611 675 676 623 622; 1612 676 677 624 623; 1613 677 678 625 624
1546. 1614 678 679 626 625; 1615 679 680 627 626; 1616 680 681 628 627
1547. 1617 681 682 629 628; 1618 682 683 630 629; 1619 683 684 631 630
1548. 1620 684 685 632 631; 1621 685 686 633 632; 1622 634 636 637 635
1549. 1623 636 687 688 637; 1624 688 689 638 637; 1625 689 690 639 638
1550. 1626 690 691 640 639; 1627 691 692 641 640; 1628 692 693 642 641

1551. 1629 693 694 643 642; 1630 694 695 644 643; 1631 695 696 645 644
1552. 1632 696 697 646 645; 1633 697 698 647 646; 1634 698 699 648 647
1553. 1635 699 700 649 648; 1636 700 701 650 649; 1637 701 702 651 650
1554. 1638 702 703 652 651; 1639 703 704 653 652; 1640 704 705 654 653
1555. 1641 705 706 655 654; 1642 706 707 656 655; 1643 707 708 657 656
1556. 1644 708 709 658 657; 1645 709 710 659 658; 1646 710 711 660 659
1557. 1647 711 712 661 660; 1648 712 713 662 661; 1649 713 714 663 662
1558. 1650 714 715 664 663; 1651 715 716 665 664; 1652 716 717 666 665
1559. 1653 717 718 667 666; 1654 718 719 668 667; 1655 719 720 669 668
1560. 1656 720 721 670 669; 1657 721 722 671 670; 1658 722 723 672 671
1561. 1659 723 724 673 672; 1660 724 725 674 673; 1661 725 726 675 674
1562. 1662 726 727 676 675; 1663 727 728 677 676; 1664 728 729 678 677
1563. 1665 729 730 679 678; 1666 730 731 680 679; 1667 731 732 681 680
1564. 1668 732 733 682 681; 1669 733 734 683 682; 1670 734 735 684 683
1565. 1671 735 736 685 684; 1672 736 737 686 685; 1673 687 738 739 688
1566. 1674 739 740 689 688; 1675 740 741 690 689; 1676 741 742 691 690
1567. 1677 742 743 692 691; 1678 743 744 693 692; 1679 744 745 694 693
1568. 1680 745 746 695 694; 1681 746 747 696 695; 1682 747 748 697 696
1569. 1683 748 749 698 697; 1684 749 750 699 698; 1685 750 751 700 699
1570. 1686 751 752 701 700; 1687 752 753 702 701; 1688 753 754 703 702
1571. 1689 754 755 704 703; 1690 755 756 705 704; 1691 756 757 706 705
1572. 1692 757 758 707 706; 1693 758 759 708 707; 1694 759 760 709 708
1573. 1695 760 761 710 709; 1696 761 762 711 710; 1697 762 763 712 711
1574. 1698 763 764 713 712; 1699 764 765 714 713; 1700 765 766 715 714
1575. 1701 766 767 716 715; 1702 767 768 717 716; 1703 768 769 718 717
1576. 1704 769 770 719 718; 1705 770 771 720 719; 1706 771 772 721 720
1577. 1707 772 773 722 721; 1708 773 774 723 722; 1709 774 775 724 723
1578. 1710 775 776 725 724; 1711 776 777 726 725; 1712 777 778 727 726
1579. 1713 778 779 728 727; 1714 779 780 729 728; 1715 780 781 730 729
1580. 1716 781 782 731 730; 1717 782 783 732 731; 1718 783 784 733 732
1581. 1719 784 785 734 733; 1720 785 786 735 734; 1721 786 787 736 735
1582. 1722 787 788 737 736; 1723 789 790 739 738; 1724 790 791 740 739
1583. 1725 791 792 741 740; 1726 792 793 742 741; 1727 793 794 743 742
1584. 1728 794 795 744 743; 1729 795 796 745 744; 1730 796 797 746 745
1585. 1731 797 798 747 746; 1732 798 799 748 747; 1733 799 800 749 748
1586. 1734 800 801 750 749; 1735 801 802 751 750; 1736 802 803 752 751
1587. 1737 803 804 753 752; 1738 804 805 754 753; 1739 805 806 755 754
1588. 1740 806 807 756 755; 1741 807 808 757 756; 1742 808 809 758 757
1589. 1743 809 810 759 758; 1744 810 811 760 759; 1745 811 812 761 760
1590. 1746 812 813 762 761; 1747 813 814 763 762; 1748 814 815 764 763
1591. 1749 815 816 765 764; 1750 816 819 766 765; 1751 819 821 767 766
1592. 1752 821 822 768 767; 1753 822 824 769 768; 1754 824 826 770 769
1593. 1755 826 828 771 770; 1756 828 829 772 771; 1757 817 818 790 789
1594. 1758 829 831 773 772; 1759 818 820 791 790; 1760 831 832 774 773
1595. 1761 832 834 775 774; 1762 820 823 792 791; 1763 834 835 776 775
1596. 1764 835 837 777 776; 1765 823 825 793 792; 1766 837 838 778 777
1597. 1767 838 840 779 778; 1768 825 827 794 793; 1769 840 841 780 779
1598. 1770 841 843 781 780; 1771 827 830 795 794; 1772 843 844 782 781
1599. 1773 844 846 783 782; 1774 846 847 784 783; 1775 830 833 796 795
1600. 1776 847 849 785 784; 1777 849 850 786 785; 1778 850 852 787 786
1601. 1779 833 836 797 796; 1780 852 854 788 787; 1781 836 839 798 797
1602. 1782 839 842 799 798; 1783 842 845 800 799; 1784 845 848 801 800
1603. 1785 848 851 802 801; 1786 851 853 803 802; 1787 853 855 804 803
1604. 1788 855 856 805 804; 1789 856 857 806 805; 1790 857 858 807 806
1605. 1791 858 859 808 807; 1792 859 860 809 808; 1793 860 861 810 809
1606. 1794 861 862 811 810; 1795 862 863 812 811; 1796 863 864 813 812

1607. 1797 864 865 814 813; 1798 865 866 815 814; 1799 866 867 816 815
1608. 1800 867 868 819 816; 1801 868 869 821 819; 1802 869 870 822 821
1609. 1803 870 871 824 822; 1804 871 872 826 824; 1805 872 873 828 826
1610. 1806 873 874 829 828; 1807 874 875 831 829; 1808 875 876 832 831
1611. 1809 876 877 834 832; 1810 877 878 835 834; 1811 878 879 837 835
1612. 1812 879 880 838 837; 1813 880 881 840 838; 1814 881 882 841 840
1613. 1815 882 883 843 841; 1816 883 884 844 843; 1817 884 885 846 844
1614. 1818 885 886 847 846; 1819 886 887 849 847; 1820 887 888 850 849
1615. 1821 888 889 852 850; 1822 889 890 854 852; 1823 3 11 892 891
1616. 1824 11 26 894 892; 1825 14 28 895 893; 1826 28 47 897 895; 1827 26 49 898 894
1617. 1828 33 52 899 896; 1829 47 73 901 897; 1830 52 76 902 899; 1831 49 79 903 898
1618. 1832 64 86 904 900; 1833 76 105 905 902; 1834 73 108 907 901
1619. 1835 86 113 908 904; 1836 79 121 909 903; 1837 107 133 910 906
1620. 1838 105 142 911 905; 1839 113 144 912 908; 1840 108 151 913 907
1621. 1841 133 159 914 910; 1842 121 173 916 909; 1843 144 181 917 912
1622. 1844 142 186 918 911; 1845 159 193 920 914; 1846 151 205 921 913
1623. 1847 166 192 919 915; 1848 181 225 923 917; 1849 192 219 922 919
1624. 1850 173 241 926 916; 1851 193 227 924 920; 1852 186 237 925 918
1625. 1853 219 252 928 922; 1854 205 274 931 921; 1855 227 273 930 924
1626. 1856 225 277 932 923; 1857 246 269 929 927; 1858 252 288 933 928
1627. 1859 237 303 935 925; 1860 269 297 934 929; 1861 241 329 939 926
1628. 1862 273 319 936 930; 1863 288 324 938 933; 1864 277 337 940 932
1629. 1865 297 323 937 934; 1866 274 359 943 931; 1867 323 357 942 937
1630. 1868 303 385 947 935; 1869 324 370 944 938; 1870 319 379 946 936
1631. 1871 351 375 945 941; 1872 357 390 948 942; 1873 337 409 950 940
1632. 1874 375 397 949 945; 1875 329 440 956 939; 1876 370 415 951 944
1633. 1877 390 421 953 948; 1878 379 431 954 946; 1879 397 418 952 949
1634. 1880 359 456 958 943; 1881 385 471 961 947; 1882 418 438 955 952
1635. 1883 421 454 957 953; 1884 415 463 959 951; 1885 409 485 962 950
1636. 1886 438 466 960 955; 1887 431 499 965 954; 1888 454 493 964 957
1637. 1889 466 492 963 960; 1890 463 509 966 959; 1891 440 575 976 956
1638. 1892 492 513 967 963; 1893 493 519 968 964; 1894 456 568 975 958
1639. 1895 471 561 974 961; 1896 485 554 973 962; 1897 513 527 969 967
1640. 1898 499 547 972 965; 1899 509 540 971 966; 1900 519 533 970 968
1641. 1901 527 580 977 969; 1902 580 582 978 977; 1903 533 589 979 970
1642. 1904 540 596 980 971; 1905 547 603 981 972; 1906 554 610 982 973
1643. 1907 561 617 983 974; 1908 568 624 984 975; 1909 575 631 985 976
1644. 1910 582 635 986 978; 1911 589 642 992 979; 1912 596 649 999 980
1645. 1913 603 656 1006 981; 1914 610 663 1013 982; 1915 617 670 1020 983
1646. 1916 624 677 1027 984; 1917 631 684 1034 985; 1918 635 637 987 986
1647. 1919 637 638 988 987; 1920 638 639 989 988; 1921 639 640 990 989
1648. 1922 640 641 991 990; 1923 641 642 992 991; 1924 642 643 993 992
1649. 1925 643 644 994 993; 1926 644 645 995 994; 1927 645 646 996 995
1650. 1928 646 647 997 996; 1929 647 648 998 997; 1930 648 649 999 998
1651. 1931 649 650 1000 999; 1932 650 651 1001 1000; 1933 651 652 1002 1001
1652. 1934 652 653 1003 1002; 1935 653 654 1004 1003; 1936 654 655 1005 1004
1653. 1937 655 656 1006 1005; 1938 656 657 1007 1006; 1939 657 658 1008 1007
1654. 1940 658 659 1009 1008; 1941 659 660 1010 1009; 1942 660 661 1011 1010
1655. 1943 661 662 1012 1011; 1944 662 663 1013 1012; 1945 663 664 1014 1013
1656. 1946 664 665 1015 1014; 1947 665 666 1016 1015; 1948 666 667 1017 1016
1657. 1949 667 668 1018 1017; 1950 668 669 1019 1018; 1951 669 670 1020 1019
1658. 1952 670 671 1021 1020; 1953 671 672 1022 1021; 1954 672 673 1023 1022
1659. 1955 673 674 1024 1023; 1956 674 675 1025 1024; 1957 675 676 1026 1025
1660. 1958 676 677 1027 1026; 1959 677 678 1028 1027; 1960 678 679 1029 1028
1661. 1961 679 680 1030 1029; 1962 680 681 1031 1030; 1963 681 682 1032 1031
1662. 1964 682 683 1033 1032; 1965 683 684 1034 1033; 1966 684 685 1035 1034

1663. 1967 685 686 1036 1035; 1968 642 693 1037 992; 1969 649 700 1038 999
1664. 1970 656 707 1039 1006; 1971 663 714 1040 1013; 1972 670 721 1041 1020
1665. 1973 677 728 1042 1027; 1974 684 735 1043 1034; 1975 693 744 1044 1037
1666. 1976 700 751 1045 1038; 1977 707 758 1046 1039; 1978 714 765 1047 1040
1667. 1979 721 772 1048 1041; 1980 728 779 1049 1042; 1981 735 786 1050 1043
1668. 1982 744 795 1051 1044; 1983 751 802 1052 1045; 1984 758 809 1053 1046
1669. 1985 765 816 1054 1047; 1986 772 829 1055 1048; 1987 779 840 1057 1049
1670. 1988 795 830 1056 1051; 1989 786 850 1058 1050; 1990 802 851 1059 1052
1671. 1991 809 860 1060 1053; 1992 816 867 1061 1054; 1993 829 874 1062 1055
1672. 1994 840 881 1063 1057; 1995 850 888 1064 1058; 1996 891 892 1066 1065
1673. 1997 892 894 1068 1066; 1998 893 895 1069 1067; 1999 895 897 1071 1069
1674. 2000 894 898 1072 1068; 2001 896 899 1073 1070; 2002 897 901 1075 1071
1675. 2003 899 902 1076 1073; 2004 898 903 1077 1072; 2005 900 904 1078 1074
1676. 2006 902 905 1079 1076; 2007 901 907 1081 1075; 2008 904 908 1082 1078
1677. 2009 903 909 1083 1077; 2010 906 910 1084 1080; 2011 905 911 1085 1079
1678. 2012 908 912 1086 1082; 2013 907 913 1087 1081; 2014 910 914 1088 1084
1679. 2015 909 916 1090 1083; 2016 912 917 1091 1086; 2017 911 918 1092 1085
1680. 2018 914 920 1094 1088; 2019 913 921 1095 1087; 2020 915 919 1093 1089
1681. 2021 917 923 1097 1091; 2022 919 922 1096 1093; 2023 916 926 1100 1090
1682. 2024 920 924 1098 1094; 2025 918 925 1099 1092; 2026 922 928 1102 1096
1683. 2027 921 931 1105 1095; 2028 924 930 1104 1098; 2029 923 932 1106 1097
1684. 2030 927 929 1103 1101; 2031 928 933 1107 1102; 2032 925 935 1109 1099
1685. 2033 929 934 1108 1103; 2034 926 939 1113 1100; 2035 930 936 1110 1104
1686. 2036 933 938 1112 1107; 2037 932 940 1114 1106; 2038 934 937 1111 1108
1687. 2039 931 943 1117 1105; 2040 937 942 1116 1111; 2041 935 947 1121 1109
1688. 2042 938 944 1118 1112; 2043 936 946 1120 1110; 2044 941 945 1119 1115
1689. 2045 942 948 1122 1116; 2046 940 950 1124 1114; 2047 945 949 1123 1119
1690. 2048 939 956 1130 1113; 2049 944 951 1125 1118; 2050 948 953 1127 1122
1691. 2051 946 954 1128 1120; 2052 949 952 1126 1123; 2053 943 958 1132 1117
1692. 2054 947 961 1135 1121; 2055 952 955 1129 1126; 2056 953 957 1131 1127
1693. 2057 951 959 1133 1125; 2058 950 962 1136 1124; 2059 955 960 1134 1129
1694. 2060 954 965 1139 1128; 2061 957 964 1138 1131; 2062 960 963 1137 1134
1695. 2063 959 966 1140 1133; 2064 956 976 1150 1130; 2065 963 967 1141 1137
1696. 2066 964 968 1142 1138; 2067 958 975 1149 1132; 2068 961 974 1148 1135
1697. 2069 962 973 1147 1136; 2070 967 969 1143 1141; 2071 965 972 1146 1139
1698. 2072 966 971 1145 1140; 2073 968 970 1144 1142; 2074 969 977 1151 1143
1699. 2075 977 978 1152 1151; 2076 970 979 1153 1144; 2077 971 980 1154 1145
1700. 2078 972 981 1155 1146; 2079 973 982 1156 1147; 2080 974 983 1157 1148
1701. 2081 975 984 1158 1149; 2082 976 985 1159 1150; 2083 978 986 1160 1152
1702. 2084 979 992 1166 1153; 2085 980 999 1173 1154; 2086 981 1006 1180 1155
1703. 2087 982 1013 1187 1156; 2088 983 1020 1194 1157; 2089 984 1027 1201 1158
1704. 2090 985 1034 1208 1159; 2091 986 987 1161 1160; 2092 987 988 1162 1161
1705. 2093 988 989 1163 1162; 2094 989 990 1164 1163; 2095 990 991 1165 1164
1706. 2096 991 992 1166 1165; 2097 992 993 1167 1166; 2098 993 994 1168 1167
1707. 2099 994 995 1169 1168; 2100 995 996 1170 1169; 2101 996 997 1171 1170
1708. 2102 997 998 1172 1171; 2103 998 999 1173 1172; 2104 999 1000 1174 1173
1709. 2105 1000 1001 1175 1174; 2106 1001 1002 1176 1175; 2107 1002 1003 1177 1176
1710. 2108 1003 1004 1178 1177; 2109 1004 1005 1179 1178; 2110 1005 1006 1180 1179
1711. 2111 1006 1007 1181 1180; 2112 1007 1008 1182 1181; 2113 1008 1009 1183 1182
1712. 2114 1009 1010 1184 1183; 2115 1010 1011 1185 1184; 2116 1011 1012 1186 1185
1713. 2117 1012 1013 1187 1186; 2118 1013 1014 1188 1187; 2119 1014 1015 1189 1188
1714. 2120 1015 1016 1190 1189; 2121 1016 1017 1191 1190; 2122 1017 1018 1192 1191
1715. 2123 1018 1019 1193 1192; 2124 1019 1020 1194 1193; 2125 1020 1021 1195 1194
1716. 2126 1021 1022 1196 1195; 2127 1022 1023 1197 1196; 2128 1023 1024 1198 1197
1717. 2129 1024 1025 1199 1198; 2130 1025 1026 1200 1199; 2131 1026 1027 1201 1200
1718. 2132 1027 1028 1202 1201; 2133 1028 1029 1203 1202; 2134 1029 1030 1204 1203

1719. 2135 1030 1031 1205 1204; 2136 1031 1032 1206 1205; 2137 1032 1033 1207 1206
1720. 2138 1033 1034 1208 1207; 2139 1034 1035 1209 1208; 2140 1035 1036 1210 1209
1721. 2141 992 1037 1211 1166; 2142 999 1038 1212 1173; 2143 1006 1039 1213 1180
1722. 2144 1013 1040 1214 1187; 2145 1020 1041 1215 1194; 2146 1027 1042 1216 1201
1723. 2147 1034 1043 1217 1208; 2148 1037 1044 1218 1211; 2149 1038 1045 1219 1212
1724. 2150 1039 1046 1220 1213; 2151 1040 1047 1221 1214; 2152 1041 1048 1222 1215
1725. 2153 1042 1049 1223 1216; 2154 1043 1050 1224 1217; 2155 1044 1051 1225 1218
1726. 2156 1045 1052 1226 1219; 2157 1046 1053 1227 1220; 2158 1047 1054 1228 1221
1727. 2159 1048 1055 1229 1222; 2160 1049 1057 1231 1223; 2161 1051 1056 1230 1225
1728. 2162 1050 1058 1232 1224; 2163 1052 1059 1233 1226; 2164 1053 1060 1234 1227
1729. 2165 1054 1061 1235 1228; 2166 1055 1062 1236 1229; 2167 1057 1063 1237 1231
1730. 2168 1058 1064 1238 1232; 2169 1225 1230 1399; 2170 1226 1233 1400
1731. 2171 1227 1234 1401; 2172 1228 1235 1402; 2173 1229 1236 1403
1732. 2174 1231 1237 1404; 2175 1232 1238 1405; 2176 1065 1066 1240 1239
1733. 2177 1066 1068 1242 1240; 2178 1067 1069 1243 1241; 2179 1069 1071 1245 1243
1734. 2180 1068 1072 1246 1242; 2181 1070 1073 1247 1244; 2182 1071 1075 1249 1245
1735. 2183 1073 1076 1250 1247; 2184 1072 1077 1251 1246; 2185 1074 1078 1252 1248
1736. 2186 1076 1079 1253 1250; 2187 1075 1081 1255 1249; 2188 1078 1082 1256 1252
1737. 2189 1077 1083 1257 1251; 2190 1080 1084 1258 1254; 2191 1079 1085 1259 1253
1738. 2192 1082 1086 1260 1256; 2193 1081 1087 1261 1255; 2194 1084 1088 1262 1258
1739. 2195 1083 1090 1264 1257; 2196 1086 1091 1265 1260; 2197 1085 1092 1266 1259
1740. 2198 1088 1094 1268 1262; 2199 1087 1095 1269 1261; 2200 1089 1093 1267 1263
1741. 2201 1091 1097 1271 1265; 2202 1093 1096 1270 1267; 2203 1090 1100 1274 1264
1742. 2204 1094 1098 1272 1268; 2205 1092 1099 1273 1266; 2206 1096 1102 1276 1270
1743. 2207 1095 1105 1279 1269; 2208 1098 1104 1278 1272; 2209 1097 1106 1280 1271
1744. 2210 1101 1103 1277 1275; 2211 1102 1107 1281 1276; 2212 1099 1109 1283 1273
1745. 2213 1103 1108 1282 1277; 2214 1100 1113 1287 1274; 2215 1104 1110 1284 1278
1746. 2216 1107 1112 1286 1281; 2217 1106 1114 1288 1280; 2218 1108 1111 1285 1282
1747. 2219 1105 1117 1291 1279; 2220 1111 1116 1290 1285; 2221 1109 1121 1295 1283
1748. 2222 1112 1118 1292 1286; 2223 1110 1120 1294 1284; 2224 1115 1119 1293 1289
1749. 2225 1116 1122 1296 1290; 2226 1114 1124 1298 1288; 2227 1119 1123 1297 1293
1750. 2228 1113 1130 1304 1287; 2229 1118 1125 1299 1292; 2230 1122 1127 1301 1296
1751. 2231 1120 1128 1302 1294; 2232 1123 1126 1300 1297; 2233 1117 1132 1306 1291
1752. 2234 1121 1135 1309 1295; 2235 1126 1129 1303 1300; 2236 1127 1131 1305 1301
1753. 2237 1125 1133 1307 1299; 2238 1124 1136 1310 1298; 2239 1129 1134 1308 1303
1754. 2240 1128 1139 1313 1302; 2241 1131 1138 1312 1305; 2242 1134 1137 1311 1308
1755. 2243 1133 1140 1314 1307; 2244 1130 1150 1324 1304; 2245 1137 1141 1315 1311
1756. 2246 1138 1142 1316 1312; 2247 1132 1149 1323 1306; 2248 1135 1148 1322 1309
1757. 2249 1136 1147 1321 1310; 2250 1141 1143 1317 1315; 2251 1139 1146 1320 1313
1758. 2252 1140 1145 1319 1314; 2253 1142 1144 1318 1316; 2254 1143 1151 1325 1317
1759. 2255 1151 1152 1326 1325; 2256 1144 1153 1327 1318; 2257 1145 1154 1328 1319
1760. 2258 1146 1155 1329 1320; 2259 1147 1156 1330 1321; 2260 1148 1157 1331 1322
1761. 2261 1149 1158 1332 1323; 2262 1150 1159 1333 1324; 2263 1152 1160 1334 1326
1762. 2264 1153 1166 1340 1327; 2265 1154 1173 1347 1328; 2266 1155 1180 1354 1329
1763. 2267 1156 1187 1361 1330; 2268 1157 1194 1368 1331; 2269 1158 1201 1375 1332
1764. 2270 1159 1208 1382 1333; 2271 1160 1161 1335 1334; 2272 1161 1162 1336 1335
1765. 2273 1162 1163 1337 1336; 2274 1163 1164 1338 1337; 2275 1164 1165 1339 1338
1766. 2276 1165 1166 1340 1339; 2277 1166 1167 1341 1340; 2278 1167 1168 1342 1341
1767. 2279 1168 1169 1343 1342; 2280 1169 1170 1344 1343; 2281 1170 1171 1345 1344
1768. 2282 1171 1172 1346 1345; 2283 1172 1173 1347 1346; 2284 1173 1174 1348 1347
1769. 2285 1174 1175 1349 1348; 2286 1175 1176 1350 1349; 2287 1176 1177 1351 1350
1770. 2288 1177 1178 1352 1351; 2289 1178 1179 1353 1352; 2290 1179 1180 1354 1353
1771. 2291 1180 1181 1355 1354; 2292 1181 1182 1356 1355; 2293 1182 1183 1357 1356
1772. 2294 1183 1184 1358 1357; 2295 1184 1185 1359 1358; 2296 1185 1186 1360 1359
1773. 2297 1186 1187 1361 1360; 2298 1187 1188 1362 1361; 2299 1188 1189 1363 1362
1774. 2300 1189 1190 1364 1363; 2301 1190 1191 1365 1364; 2302 1191 1192 1366 1365

1775. 2303 1192 1193 1367 1366; 2304 1193 1194 1368 1367; 2305 1194 1195 1369 1368
1776. 2306 1195 1196 1370 1369; 2307 1196 1197 1371 1370; 2308 1197 1198 1372 1371
1777. 2309 1198 1199 1373 1372; 2310 1199 1200 1374 1373; 2311 1200 1201 1375 1374
1778. 2312 1201 1202 1376 1375; 2313 1202 1203 1377 1376; 2314 1203 1204 1378 1377
1779. 2315 1204 1205 1379 1378; 2316 1205 1206 1380 1379; 2317 1206 1207 1381 1380
1780. 2318 1207 1208 1382 1381; 2319 1208 1209 1383 1382; 2320 1209 1210 1384 1383
1781. 2321 1166 1211 1385 1340; 2322 1173 1212 1386 1347; 2323 1180 1213 1387 1354
1782. 2324 1187 1214 1388 1361; 2325 1194 1215 1389 1368; 2326 1201 1216 1390 1375
1783. 2327 1208 1217 1391 1382; 2328 1211 1218 1392 1385; 2329 1212 1219 1393 1386
1784. 2330 1213 1220 1394 1387; 2331 1214 1221 1395 1388; 2332 1215 1222 1396 1389
1785. 2333 1216 1223 1397 1390; 2334 1217 1224 1398 1391; 2335 1218 1225 1399 1392
1786. 2336 1219 1226 1400 1393; 2337 1220 1227 1401 1394; 2338 1221 1228 1402 1395
1787. 2339 1222 1229 1403 1396; 2340 1223 1231 1404 1397; 2341 1224 1232 1405 1398
1788. 2342 1392 1399 1559; 2343 1393 1400 1560; 2344 1394 1401 1561
1789. 2345 1395 1402 1562; 2346 1396 1403 1563; 2347 1397 1404 1564
1790. 2348 1398 1405 1565; 2349 1239 1240 1407 1406; 2350 1240 1242 1409 1407
1791. 2351 1241 1243 1410 1408; 2352 1243 1245 1412 1410; 2353 1242 1246 1413 1409
1792. 2354 1244 1247 1414 1411; 2355 1245 1249 1416 1412; 2356 1247 1250 1417 1414
1793. 2357 1246 1251 1418 1413; 2358 1248 1252 1419 1415; 2359 1250 1253 1420 1417
1794. 2360 1249 1255 1422 1416; 2361 1252 1256 1423 1419; 2362 1251 1257 1424 1418
1795. 2363 1254 1258 1425 1421; 2364 1253 1259 1426 1420; 2365 1256 1260 1427 1423
1796. 2366 1255 1261 1428 1422; 2367 1258 1262 1429 1425; 2368 1257 1264 1431 1424
1797. 2369 1260 1265 1432 1427; 2370 1259 1266 1433 1426; 2371 1262 1268 1435 1429
1798. 2372 1261 1269 1436 1428; 2373 1263 1267 1434 1430; 2374 1265 1271 1438 1432
1799. 2375 1267 1270 1437 1434; 2376 1264 1274 1441 1431; 2377 1268 1272 1439 1435
1800. 2378 1266 1273 1440 1433; 2379 1270 1276 1443 1437; 2380 1269 1279 1446 1436
1801. 2381 1272 1278 1445 1439; 2382 1271 1280 1447 1438; 2383 1275 1277 1444 1442
1802. 2384 1276 1281 1448 1443; 2385 1273 1283 1450 1440; 2386 1277 1282 1449 1444
1803. 2387 1274 1287 1454 1441; 2388 1278 1284 1451 1445; 2389 1281 1286 1453 1448
1804. 2390 1280 1288 1455 1447; 2391 1282 1285 1452 1449; 2392 1279 1291 1458 1446
1805. 2393 1285 1290 1457 1452; 2394 1283 1295 1462 1450; 2395 1286 1292 1459 1453
1806. 2396 1284 1294 1461 1451; 2397 1289 1293 1460 1456; 2398 1290 1296 1463 1457
1807. 2399 1288 1298 1465 1455; 2400 1293 1297 1464 1460; 2401 1287 1304 1471 1454
1808. 2402 1292 1299 1466 1459; 2403 1296 1301 1468 1463; 2404 1294 1302 1469 1461
1809. 2405 1297 1300 1467 1464; 2406 1291 1306 1473 1458; 2407 1295 1309 1476 1462
1810. 2408 1300 1303 1470 1467; 2409 1301 1305 1472 1468; 2410 1299 1307 1474 1466
1811. 2411 1298 1310 1477 1465; 2412 1303 1308 1475 1470; 2413 1302 1313 1480 1469
1812. 2414 1305 1312 1479 1472; 2415 1308 1311 1478 1475; 2416 1307 1314 1481 1474
1813. 2417 1304 1324 1491 1471; 2418 1311 1315 1482 1478; 2419 1312 1316 1483 1479
1814. 2420 1306 1323 1490 1473; 2421 1309 1322 1489 1476; 2422 1310 1321 1488 1477
1815. 2423 1315 1317 1484 1482; 2424 1313 1320 1487 1480; 2425 1314 1319 1486 1481
1816. 2426 1316 1318 1485 1483; 2427 1317 1325 1492 1484; 2428 1325 1326 1493 1492
1817. 2429 1318 1327 1494 1485; 2430 1319 1328 1495 1486; 2431 1320 1329 1496 1487
1818. 2432 1321 1330 1497 1488; 2433 1322 1331 1498 1489; 2434 1323 1332 1499 1490
1819. 2435 1324 1333 1500 1491; 2436 1326 1334 1501 1493; 2437 1327 1340 1507 1494
1820. 2438 1328 1347 1514 1495; 2439 1329 1354 1521 1496; 2440 1330 1361 1528 1497
1821. 2441 1331 1368 1535 1498; 2442 1332 1375 1542 1499; 2443 1333 1382 1549 1500
1822. 2444 1334 1335 1502 1501; 2445 1335 1336 1503 1502; 2446 1336 1337 1504 1503
1823. 2447 1337 1338 1505 1504; 2448 1338 1339 1506 1505; 2449 1339 1340 1507 1506
1824. 2450 1340 1341 1508 1507; 2451 1341 1342 1509 1508; 2452 1342 1343 1510 1509
1825. 2453 1343 1344 1511 1510; 2454 1344 1345 1512 1511; 2455 1345 1346 1513 1512
1826. 2456 1346 1347 1514 1513; 2457 1347 1348 1515 1514; 2458 1348 1349 1516 1515
1827. 2459 1349 1350 1517 1516; 2460 1350 1351 1518 1517; 2461 1351 1352 1519 1518
1828. 2462 1352 1353 1520 1519; 2463 1353 1354 1521 1520; 2464 1354 1355 1522 1521
1829. 2465 1355 1356 1523 1522; 2466 1356 1357 1524 1523; 2467 1357 1358 1525 1524
1830. 2468 1358 1359 1526 1525; 2469 1359 1360 1527 1526; 2470 1360 1361 1528 1527

1831. 2471 1361 1362 1529 1528; 2472 1362 1363 1530 1529; 2473 1363 1364 1531 1530
1832. 2474 1364 1365 1532 1531; 2475 1365 1366 1533 1532; 2476 1366 1367 1534 1533
1833. 2477 1367 1368 1535 1534; 2478 1368 1369 1536 1535; 2479 1369 1370 1537 1536
1834. 2480 1370 1371 1538 1537; 2481 1371 1372 1539 1538; 2482 1372 1373 1540 1539
1835. 2483 1373 1374 1541 1540; 2484 1374 1375 1542 1541; 2485 1375 1376 1543 1542
1836. 2486 1376 1377 1544 1543; 2487 1377 1378 1545 1544; 2488 1378 1379 1546 1545
1837. 2489 1379 1380 1547 1546; 2490 1380 1381 1548 1547; 2491 1381 1382 1549 1548
1838. 2492 1382 1383 1550 1549; 2493 1383 1384 1551 1550; 2494 1340 1385 1552 1507
1839. 2495 1347 1386 1553 1514; 2496 1354 1387 1554 1521; 2497 1361 1388 1555 1528
1840. 2498 1368 1389 1556 1535; 2499 1375 1390 1557 1542; 2500 1382 1391 1558 1549
1841. 2501 1385 1392 1559 1552; 2502 1386 1393 1560 1553; 2503 1387 1394 1561 1554
1842. 2504 1388 1395 1562 1555; 2505 1389 1396 1563 1556; 2506 1390 1397 1564 1557
1843. 2507 1391 1398 1565 1558; 2508 1552 1559 1712; 2509 1553 1560 1713
1844. 2510 1554 1561 1714; 2511 1555 1562 1715; 2512 1556 1563 1716
1845. 2513 1557 1564 1717; 2514 1558 1565 1718; 2515 1406 1407 1567 1566
1846. 2516 1407 1409 1569 1567; 2517 1408 1410 1570 1568; 2518 1409 1413 1573 1569
1847. 2519 1410 1412 1572 1570; 2520 1411 1414 1574 1571; 2521 1412 1416 1576 1572
1848. 2522 1413 1418 1578 1573; 2523 1414 1417 1577 1574; 2524 1415 1419 1579 1575
1849. 2525 1416 1422 1581 1576; 2526 1417 1420 1580 1577; 2527 1418 1424 1584 1578
1850. 2528 1419 1423 1583 1579; 2529 1421 1425 1585 1582; 2530 1420 1426 1586 1580
1851. 2531 1422 1428 1588 1581; 2532 1423 1427 1587 1583; 2533 1424 1431 1590 1584
1852. 2534 1425 1429 1589 1585; 2535 1426 1433 1593 1586; 2536 1427 1432 1592 1587
1853. 2537 1428 1436 1595 1588; 2538 1429 1435 1594 1589; 2539 1430 1434 1596 1591
1854. 2540 1432 1438 1597 1592; 2541 1431 1441 1601 1590; 2542 1433 1440 1600 1593
1855. 2543 1434 1437 1598 1596; 2544 1435 1439 1599 1594; 2545 1436 1446 1603 1595
1856. 2546 1437 1443 1602 1598; 2547 1438 1447 1606 1597; 2548 1439 1445 1605 1599
1857. 2549 1440 1450 1609 1600; 2550 1442 1444 1607 1604; 2551 1443 1448 1608 1602
1858. 2552 1441 1454 1612 1601; 2553 1444 1449 1610 1607; 2554 1445 1451 1611 1605
1859. 2555 1447 1455 1614 1606; 2556 1448 1453 1613 1608; 2557 1446 1458 1617 1603
1860. 2558 1449 1452 1616 1610; 2559 1450 1462 1622 1609; 2560 1451 1461 1621 1611
1861. 2561 1452 1457 1619 1616; 2562 1453 1459 1620 1613; 2563 1456 1460 1618 1615
1862. 2564 1455 1465 1625 1614; 2565 1460 1464 1623 1618; 2566 1457 1463 1624 1619
1863. 2567 1454 1471 1631 1612; 2568 1459 1466 1627 1620; 2569 1464 1467 1626 1623
1864. 2570 1458 1473 1632 1617; 2571 1461 1469 1630 1621; 2572 1463 1468 1628 1624
1865. 2573 1462 1476 1636 1622; 2574 1467 1470 1629 1626; 2575 1466 1474 1635 1627
1866. 2576 1468 1472 1634 1628; 2577 1465 1477 1637 1625; 2578 1470 1475 1633 1629
1867. 2579 1469 1480 1640 1630; 2580 1475 1478 1638 1633; 2581 1472 1479 1639 1634
1868. 2582 1474 1481 1642 1635; 2583 1478 1482 1641 1638; 2584 1471 1491 1651 1631
1869. 2585 1473 1490 1650 1632; 2586 1479 1483 1643 1639; 2587 1476 1489 1649 1636
1870. 2588 1477 1488 1648 1637; 2589 1482 1484 1644 1641; 2590 1480 1487 1647 1640
1871. 2591 1481 1486 1646 1642; 2592 1483 1485 1645 1643; 2593 1484 1492 1652 1644
1872. 2594 1492 1493 1653 1652; 2595 1485 1494 1654 1645; 2596 1486 1495 1655 1646
1873. 2597 1487 1496 1656 1647; 2598 1488 1497 1657 1648; 2599 1489 1498 1658 1649
1874. 2600 1490 1499 1659 1650; 2601 1491 1500 1660 1651; 2602 1493 1501 1661 1653
1875. 2603 1494 1507 1667 1654; 2604 1495 1514 1674 1655; 2605 1496 1521 1681 1656
1876. 2606 1497 1528 1688 1657; 2607 1498 1535 1695 1658; 2608 1499 1542 1702 1659
1877. 2609 1500 1549 1709 1660; 2610 1501 1502 1662 1661; 2611 1502 1503 1663 1662
1878. 2612 1503 1504 1664 1663; 2613 1504 1505 1665 1664; 2614 1505 1506 1666 1665
1879. 2615 1506 1507 1667 1666; 2616 1507 1508 1668 1667; 2617 1508 1509 1669 1668
1880. 2618 1509 1510 1670 1669; 2619 1510 1511 1671 1670; 2620 1511 1512 1672 1671
1881. 2621 1512 1513 1673 1672; 2622 1513 1514 1674 1673; 2623 1514 1515 1675 1674
1882. 2624 1515 1516 1676 1675; 2625 1516 1517 1677 1676; 2626 1517 1518 1678 1677
1883. 2627 1518 1519 1679 1678; 2628 1519 1520 1680 1679; 2629 1520 1521 1681 1680
1884. 2630 1521 1522 1682 1681; 2631 1522 1523 1683 1682; 2632 1523 1524 1684 1683
1885. 2633 1524 1525 1685 1684; 2634 1525 1526 1686 1685; 2635 1526 1527 1687 1686
1886. 2636 1527 1528 1688 1687; 2637 1528 1529 1689 1688; 2638 1529 1530 1690 1689

1887. 2639 1530 1531 1691 1690; 2640 1531 1532 1692 1691; 2641 1532 1533 1693 1692
1888. 2642 1533 1534 1694 1693; 2643 1534 1535 1695 1694; 2644 1535 1536 1696 1695
1889. 2645 1536 1537 1697 1696; 2646 1537 1538 1698 1697; 2647 1538 1539 1699 1698
1890. 2648 1539 1540 1700 1699; 2649 1540 1541 1701 1700; 2650 1541 1542 1702 1701
1891. 2651 1542 1543 1703 1702; 2652 1543 1544 1704 1703; 2653 1544 1545 1705 1704
1892. 2654 1545 1546 1706 1705; 2655 1546 1547 1707 1706; 2656 1547 1548 1708 1707
1893. 2657 1548 1549 1709 1708; 2658 1549 1550 1710 1709; 2659 1550 1551 1711 1710
1894. 2660 1507 1552 1712 1667; 2661 1514 1553 1713 1674; 2662 1521 1554 1714 1681
1895. 2663 1528 1555 1715 1688; 2664 1535 1556 1716 1695; 2665 1542 1557 1717 1702
1896. 2666 1549 1558 1718 1709; 2667 1566 1567 1720 1719; 2668 1567 1569 1722 1720
1897. 2669 1568 1570 1723 1721; 2670 1569 1573 1725 1722; 2671 1570 1572 1726 1723
1898. 2672 1571 1574 1727 1724; 2673 1572 1576 1729 1726; 2674 1573 1578 1730 1725
1899. 2675 1574 1577 1731 1727; 2676 1575 1579 1732 1728; 2677 1576 1581 1733 1729
1900. 2678 1577 1580 1734 1731; 2679 1578 1584 1735 1730; 2680 1579 1583 1736 1732
1901. 2681 1580 1586 1738 1734; 2682 1581 1588 1740 1733; 2683 1582 1585 1739 1737
1902. 2684 1583 1587 1741 1736; 2685 1584 1590 1742 1735; 2686 1585 1589 1743 1739
1903. 2687 1586 1593 1744 1738; 2688 1587 1592 1745 1741; 2689 1588 1595 1747 1740
1904. 2690 1589 1594 1748 1743; 2691 1591 1596 1749 1746; 2692 1590 1601 1751 1742
1905. 2693 1592 1597 1750 1745; 2694 1593 1600 1752 1744; 2695 1594 1599 1753 1748
1906. 2696 1596 1598 1754 1749; 2697 1595 1603 1755 1747; 2698 1597 1606 1757 1750
1907. 2699 1598 1602 1756 1754; 2700 1599 1605 1758 1753; 2701 1600 1609 1759 1752
1908. 2702 1601 1612 1763 1751; 2703 1602 1608 1761 1756; 2704 1604 1607 1762 1760
1909. 2705 1605 1611 1764 1758; 2706 1606 1614 1766 1757; 2707 1603 1617 1769 1755
1910. 2708 1608 1613 1767 1761; 2709 1607 1610 1768 1762; 2710 1609 1622 1773 1759
1911. 2711 1610 1616 1771 1768; 2712 1615 1618 1770 1765; 2713 1611 1621 1774 1764
1912. 2714 1613 1620 1775 1767; 2715 1618 1623 1772 1770; 2716 1616 1619 1776 1771
1913. 2717 1614 1625 1778 1766; 2718 1612 1631 1782 1763; 2719 1623 1626 1777 1772
1914. 2720 1619 1624 1779 1776; 2721 1620 1627 1780 1775; 2722 1617 1632 1785 1769
1915. 2723 1621 1630 1783 1774; 2724 1626 1629 1781 1777; 2725 1622 1636 1787 1773
1916. 2726 1624 1628 1784 1779; 2727 1629 1633 1786 1781; 2728 1625 1637 1791 1778
1917. 2729 1627 1635 1788 1780; 2730 1628 1634 1789 1784; 2731 1630 1640 1792 1783
1918. 2732 1633 1638 1790 1786; 2733 1634 1639 1793 1789; 2734 1635 1642 1795 1788
1919. 2735 1638 1641 1794 1790; 2736 1631 1651 1804 1782; 2737 1632 1650 1803 1785
1920. 2738 1636 1649 1802 1787; 2739 1639 1643 1796 1793; 2740 1637 1648 1801 1791
1921. 2741 1641 1644 1797 1794; 2742 1640 1647 1800 1792; 2743 1642 1646 1799 1795
1922. 2744 1643 1645 1798 1796; 2745 1644 1652 1805 1797; 2746 1652 1653 1806 1805
1923. 2747 1645 1654 1807 1798; 2748 1646 1655 1808 1799; 2749 1647 1656 1809 1800
1924. 2750 1648 1657 1810 1801; 2751 1649 1658 1811 1802; 2752 1650 1659 1812 1803
1925. 2753 1651 1660 1813 1804; 2754 1653 1661 1814 1806; 2755 1654 1667 1820 1807
1926. 2756 1655 1674 1827 1808; 2757 1656 1681 1834 1809; 2758 1657 1688 1841 1810
1927. 2759 1658 1695 1848 1811; 2760 1659 1702 1855 1812; 2761 1660 1709 1862 1813
1928. 2762 1661 1662 1815 1814; 2763 1662 1663 1816 1815; 2764 1663 1664 1817 1816
1929. 2765 1664 1665 1818 1817; 2766 1665 1666 1819 1818; 2767 1666 1667 1820 1819
1930. 2768 1667 1668 1821 1820; 2769 1668 1669 1822 1821; 2770 1669 1670 1823 1822
1931. 2771 1670 1671 1824 1823; 2772 1671 1672 1825 1824; 2773 1672 1673 1826 1825
1932. 2774 1673 1674 1827 1826; 2775 1674 1675 1828 1827; 2776 1675 1676 1829 1828
1933. 2777 1676 1677 1830 1829; 2778 1677 1678 1831 1830; 2779 1678 1679 1832 1831
1934. 2780 1679 1680 1833 1832; 2781 1680 1681 1834 1833; 2782 1681 1682 1835 1834
1935. 2783 1682 1683 1836 1835; 2784 1683 1684 1837 1836; 2785 1684 1685 1838 1837
1936. 2786 1685 1686 1839 1838; 2787 1686 1687 1840 1839; 2788 1687 1688 1841 1840
1937. 2789 1688 1689 1842 1841; 2790 1689 1690 1843 1842; 2791 1690 1691 1844 1843
1938. 2792 1691 1692 1845 1844; 2793 1692 1693 1846 1845; 2794 1693 1694 1847 1846
1939. 2795 1694 1695 1848 1847; 2796 1695 1696 1849 1848; 2797 1696 1697 1850 1849
1940. 2798 1697 1698 1851 1850; 2799 1698 1699 1852 1851; 2800 1699 1700 1853 1852
1941. 2801 1700 1701 1854 1853; 2802 1701 1702 1855 1854; 2803 1702 1703 1856 1855
1942. 2804 1703 1704 1857 1856; 2805 1704 1705 1858 1857; 2806 1705 1706 1859 1858

1943. 2807 1706 1707 1860 1859; 2808 1707 1708 1861 1860; 2809 1708 1709 1862 1861
1944. 2810 1709 1710 1863 1862; 2811 1710 1711 1864 1863; 2812 1719 1720 1866 1865
1945. 2813 1720 1722 1868 1866; 2814 1721 1723 1869 1867; 2815 1722 1725 1871 1868
1946. 2816 1723 1726 1872 1869; 2817 1724 1727 1873 1870; 2818 1726 1729 1874 1872
1947. 2819 1725 1730 1876 1871; 2820 1727 1731 1877 1873; 2821 1728 1732 1878 1875
1948. 2822 1729 1733 1879 1874; 2823 1731 1734 1880 1877; 2824 1730 1735 1881 1876
1949. 2825 1732 1736 1882 1878; 2826 1734 1738 1884 1880; 2827 1733 1740 1885 1879
1950. 2828 1736 1741 1887 1882; 2829 1737 1739 1886 1883; 2830 1735 1742 1888 1881
1951. 2831 1739 1743 1889 1886; 2832 1738 1744 1890 1884; 2833 1741 1745 1891 1887
1952. 2834 1740 1747 1892 1885; 2835 1743 1748 1894 1889; 2836 1742 1751 1897 1888
1953. 2837 1745 1750 1895 1891; 2838 1744 1752 1898 1890; 2839 1746 1749 1896 1893
1954. 2840 1748 1753 1899 1894; 2841 1747 1755 1901 1892; 2842 1749 1754 1900 1896
1955. 2843 1750 1757 1902 1895; 2844 1753 1758 1903 1899; 2845 1754 1756 1904 1900
1956. 2846 1752 1759 1905 1898; 2847 1751 1763 1908 1897; 2848 1756 1761 1907 1904
1957. 2849 1755 1769 1913 1901; 2850 1758 1764 1909 1903; 2851 1757 1766 1911 1902
1958. 2852 1760 1762 1915 1910; 2853 1761 1767 1914 1907; 2854 1765 1770 1912 1906
1959. 2855 1759 1773 1917 1905; 2856 1762 1768 1918 1915; 2857 1764 1774 1919 1909
1960. 2858 1770 1772 1916 1912; 2859 1767 1775 1920 1914; 2860 1766 1778 1923 1911
1961. 2861 1768 1771 1922 1918; 2862 1763 1782 1927 1908; 2863 1772 1777 1921 1916
1962. 2864 1771 1776 1925 1922; 2865 1769 1785 1931 1913; 2866 1775 1780 1926 1920
1963. 2867 1774 1783 1928 1919; 2868 1777 1781 1924 1921; 2869 1776 1779 1929 1925
1964. 2870 1773 1787 1932 1917; 2871 1781 1786 1930 1924; 2872 1778 1791 1936 1923
1965. 2873 1779 1784 1933 1929; 2874 1780 1788 1934 1926; 2875 1786 1790 1935 1930
1966. 2876 1783 1792 1938 1928; 2877 1784 1789 1937 1933; 2878 1790 1794 1939 1935
1967. 2879 1788 1795 1941 1934; 2880 1789 1793 1940 1937; 2881 1782 1804 1950 1927
1968. 2882 1785 1803 1949 1931; 2883 1787 1802 1948 1932; 2884 1791 1801 1947 1936
1969. 2885 1793 1796 1943 1940; 2886 1794 1797 1942 1939; 2887 1792 1800 1946 1938
1970. 2888 1795 1799 1945 1941; 2889 1796 1798 1944 1943; 2890 1797 1805 1951 1942
1971. 2891 1805 1806 1952 1951; 2892 1798 1807 1953 1944; 2893 1799 1808 1954 1945
1972. 2894 1800 1809 1955 1946; 2895 1801 1810 1956 1947; 2896 1802 1811 1957 1948
1973. 2897 1803 1812 1958 1949; 2898 1804 1813 1959 1950; 2899 1806 1814 1960 1952
1974. 2900 1807 1820 1966 1953; 2901 1808 1827 1973 1954; 2902 1809 1834 1980 1955
1975. 2903 1810 1841 1987 1956; 2904 1811 1848 1994 1957; 2905 1812 1855 2001 1958
1976. 2906 1813 1862 2008 1959; 2907 1814 1815 1961 1960; 2908 1815 1816 1962 1961
1977. 2909 1816 1817 1963 1962; 2910 1817 1818 1964 1963; 2911 1818 1819 1965 1964
1978. 2912 1819 1820 1966 1965; 2913 1820 1821 1967 1966; 2914 1821 1822 1968 1967
1979. 2915 1822 1823 1969 1968; 2916 1823 1824 1970 1969; 2917 1824 1825 1971 1970
1980. 2918 1825 1826 1972 1971; 2919 1826 1827 1973 1972; 2920 1827 1828 1974 1973
1981. 2921 1828 1829 1975 1974; 2922 1829 1830 1976 1975; 2923 1830 1831 1977 1976
1982. 2924 1831 1832 1978 1977; 2925 1832 1833 1979 1978; 2926 1833 1834 1980 1979
1983. 2927 1834 1835 1981 1980; 2928 1835 1836 1982 1981; 2929 1836 1837 1983 1982
1984. 2930 1837 1838 1984 1983; 2931 1838 1839 1985 1984; 2932 1839 1840 1986 1985
1985. 2933 1840 1841 1987 1986; 2934 1841 1842 1988 1987; 2935 1842 1843 1989 1988
1986. 2936 1843 1844 1990 1989; 2937 1844 1845 1991 1990; 2938 1845 1846 1992 1991
1987. 2939 1846 1847 1993 1992; 2940 1847 1848 1994 1993; 2941 1848 1849 1995 1994
1988. 2942 1849 1850 1996 1995; 2943 1850 1851 1997 1996; 2944 1851 1852 1998 1997
1989. 2945 1852 1853 1999 1998; 2946 1853 1854 2000 1999; 2947 1854 1855 2001 2000
1990. 2948 1855 1856 2002 2001; 2949 1856 1857 2003 2002; 2950 1857 1858 2004 2003
1991. 2951 1858 1859 2005 2004; 2952 1859 1860 2006 2005; 2953 1860 1861 2007 2006
1992. 2954 1861 1862 2008 2007; 2955 1862 1863 2009 2008; 2956 1863 1864 2010 2009
1993. 2957 1865 1866 2012 2011; 2958 1866 1868 2014 2012; 2959 1867 1869 2015 2013
1994. 2960 1868 1871 2017 2014; 2961 1869 1872 2018 2015; 2962 1870 1873 2019 2016
1995. 2963 1872 1874 2020 2018; 2964 1871 1876 2021 2017; 2965 1873 1877 2023 2019
1996. 2966 1875 1878 2024 2022; 2967 1874 1879 2025 2020; 2968 1877 1880 2026 2023
1997. 2969 1876 1881 2027 2021; 2970 1878 1882 2028 2024; 2971 1880 1884 2030 2026
1998. 2972 1879 1885 2031 2025; 2973 1881 1888 2034 2027; 2974 1882 1887 2032 2028

1999. 2975 1883 1886 2033 2029; 2976 1884 1890 2035 2030; 2977 1886 1889 2036 2033
2000. 2978 1885 1892 2038 2031; 2979 1887 1891 2037 2032; 2980 1888 1897 2041 2034
2001. 2981 1889 1894 2039 2036; 2982 1890 1898 2043 2035; 2983 1891 1895 2042 2037
2002. 2984 1893 1896 2044 2040; 2985 1892 1901 2046 2038; 2986 1894 1899 2045 2039
2003. 2987 1896 1900 2047 2044; 2988 1895 1902 2048 2042; 2989 1898 1905 2050 2043
2004. 2990 1899 1903 2049 2045; 2991 1897 1908 2053 2041; 2992 1900 1904 2051 2047
2005. 2993 1901 1913 2058 2046; 2994 1902 1911 2057 2048; 2995 1904 1907 2055 2051
2006. 2996 1903 1909 2056 2049; 2997 1906 1912 2054 2052; 2998 1905 1917 2061 2050
2007. 2999 1907 1914 2060 2055; 3000 1912 1916 2059 2054; 3001 1909 1919 2064 2056
2008. 3002 1910 1915 2065 2062; 3003 1908 1927 2070 2053; 3004 1911 1923 2067 2057
2009. 3005 1916 1921 2063 2059; 3006 1914 1920 2066 2060; 3007 1915 1918 2069 2065
2010. 3008 1913 1931 2075 2058; 3009 1921 1924 2068 2063; 3010 1918 1922 2071 2069
2011. 3011 1919 1928 2074 2064; 3012 1920 1926 2072 2066; 3013 1917 1932 2077 2061
2012. 3014 1922 1925 2076 2071; 3015 1924 1930 2073 2068; 3016 1925 1929 2078 2076
2013. 3017 1923 1936 2081 2067; 3018 1926 1934 2080 2072; 3019 1930 1935 2079 2073
2014. 3020 1929 1933 2082 2078; 3021 1928 1938 2083 2074; 3022 1933 1937 2085 2082
2015. 3023 1935 1939 2084 2079; 3024 1927 1950 2096 2070; 3025 1934 1941 2086 2080
2016. 3026 1931 1949 2095 2075; 3027 1937 1940 2087 2085; 3028 1932 1948 2094 2077
2017. 3029 1939 1942 2088 2084; 3030 1936 1947 2093 2081; 3031 1940 1943 2089 2087
2018. 3032 1938 1946 2092 2083; 3033 1941 1945 2091 2086; 3034 1942 1951 2097 2088
2019. 3035 1943 1944 2090 2089; 3036 1951 1952 2098 2097; 3037 1944 1953 2099 2090
2020. 3038 1945 1954 2100 2091; 3039 1946 1955 2101 2092; 3040 1947 1956 2102 2093
2021. 3041 1948 1957 2103 2094; 3042 1949 1958 2104 2095; 3043 1950 1959 2105 2096
2022. 3044 1952 1960 2106 2098; 3045 1953 1966 2112 2099; 3046 1954 1973 2119 2100
2023. 3047 1955 1980 2126 2101; 3048 1956 1987 2133 2102; 3049 1957 1994 2140 2103
2024. 3050 1958 2001 2147 2104; 3051 1959 2008 2154 2105; 3052 1960 1961 2107 2106
2025. 3053 1961 1962 2108 2107; 3054 1962 1963 2109 2108; 3055 1963 1964 2110 2109
2026. 3056 1964 1965 2111 2110; 3057 1965 1966 2112 2111; 3058 1966 1967 2113 2112
2027. 3059 1967 1968 2114 2113; 3060 1968 1969 2115 2114; 3061 1969 1970 2116 2115
2028. 3062 1970 1971 2117 2116; 3063 1971 1972 2118 2117; 3064 1972 1973 2119 2118
2029. 3065 1973 1974 2120 2119; 3066 1974 1975 2121 2120; 3067 1975 1976 2122 2121
2030. 3068 1976 1977 2123 2122; 3069 1977 1978 2124 2123; 3070 1978 1979 2125 2124
2031. 3071 1979 1980 2126 2125; 3072 1980 1981 2127 2126; 3073 1981 1982 2128 2127
2032. 3074 1982 1983 2129 2128; 3075 1983 1984 2130 2129; 3076 1984 1985 2131 2130
2033. 3077 1985 1986 2132 2131; 3078 1986 1987 2133 2132; 3079 1987 1988 2134 2133
2034. 3080 1988 1989 2135 2134; 3081 1989 1990 2136 2135; 3082 1990 1991 2137 2136
2035. 3083 1991 1992 2138 2137; 3084 1992 1993 2139 2138; 3085 1993 1994 2140 2139
2036. 3086 1994 1995 2141 2140; 3087 1995 1996 2142 2141; 3088 1996 1997 2143 2142
2037. 3089 1997 1998 2144 2143; 3090 1998 1999 2145 2144; 3091 1999 2000 2146 2145
2038. 3092 2000 2001 2147 2146; 3093 2001 2002 2148 2147; 3094 2002 2003 2149 2148
2039. 3095 2003 2004 2150 2149; 3096 2004 2005 2151 2150; 3097 2005 2006 2152 2151
2040. 3098 2006 2007 2153 2152; 3099 2007 2008 2154 2153; 3100 2008 2009 2155 2154
2041. 3101 2009 2010 2156 2155; 3102 2011 2012 2158 2157; 3103 2012 2014 2160 2158
2042. 3104 2013 2015 2161 2159; 3105 2014 2017 2163 2160; 3106 2015 2018 2164 2161
2043. 3107 2016 2019 2165 2162; 3108 2017 2021 2167 2163; 3109 2018 2020 2166 2164
2044. 3110 2019 2023 2169 2165; 3111 2020 2025 2171 2166; 3112 2022 2024 2170 2168
2045. 3113 2021 2027 2173 2167; 3114 2023 2026 2172 2169; 3115 2024 2028 2174 2170
2046. 3116 2025 2031 2176 2171; 3117 2026 2030 2175 2172; 3118 2027 2034 2179 2173
2047. 3119 2028 2032 2178 2174; 3120 2029 2033 2180 2177; 3121 2030 2035 2181 2175
2048. 3122 2031 2038 2183 2176; 3123 2032 2037 2182 2178; 3124 2033 2036 2184 2180
2049. 3125 2034 2041 2185 2179; 3126 2036 2039 2186 2184; 3127 2035 2043 2188 2181
2050. 3128 2037 2042 2187 2182; 3129 2038 2046 2190 2183; 3130 2039 2045 2191 2186
2051. 3131 2040 2044 2192 2189; 3132 2042 2048 2193 2187; 3133 2043 2050 2196 2188
2052. 3134 2041 2053 2198 2185; 3135 2044 2047 2194 2192; 3136 2045 2049 2197 2191
2053. 3137 2047 2051 2199 2194; 3138 2046 2058 2202 2190; 3139 2048 2057 2201 2193
2054. 3140 2052 2054 2200 2195; 3141 2049 2056 2203 2197; 3142 2051 2055 2205 2199

2055. 3143 2050 2061 2206 2196; 3144 2054 2059 2204 2200; 3145 2055 2060 2208 2205
2056. 3146 2056 2064 2209 2203; 3147 2059 2063 2207 2204; 3148 2053 2070 2213 2198
2057. 3149 2057 2067 2211 2201; 3150 2060 2066 2212 2208; 3151 2058 2075 2217 2202
2058. 3152 2063 2068 2210 2207; 3153 2062 2065 2216 2214; 3154 2064 2074 2218 2209
2059. 3155 2061 2077 2221 2206; 3156 2068 2073 2215 2210; 3157 2065 2069 2220 2216
2060. 3158 2066 2072 2219 2212; 3159 2069 2071 2223 2220; 3160 2067 2081 2225 2211
2061. 3161 2073 2079 2222 2215; 3162 2071 2076 2224 2223; 3163 2072 2080 2226 2219
2062. 3164 2076 2078 2227 2224; 3165 2074 2083 2229 2218; 3166 2079 2084 2228 2222
2063. 3167 2078 2082 2230 2227; 3168 2070 2096 2242 2213; 3169 2080 2086 2232 2226
2064. 3170 2075 2095 2241 2217; 3171 2082 2085 2231 2230; 3172 2077 2094 2240 2221
2065. 3173 2084 2088 2233 2228; 3174 2085 2087 2234 2231; 3175 2081 2093 2239 2225
2066. 3176 2083 2092 2238 2229; 3177 2087 2089 2235 2234; 3178 2086 2091 2237 2232
2067. 3179 2088 2097 2243 2233; 3180 2089 2090 2236 2235; 3181 2097 2098 2244 2243
2068. 3182 2090 2099 2245 2236; 3183 2091 2100 2246 2237; 3184 2092 2101 2247 2238
2069. 3185 2093 2102 2248 2239; 3186 2094 2103 2249 2240; 3187 2095 2104 2250 2241
2070. 3188 2096 2105 2251 2242; 3189 2098 2106 2252 2244; 3190 2099 2112 2258 2245
2071. 3191 2100 2119 2265 2246; 3192 2101 2126 2272 2247; 3193 2102 2133 2279 2248
2072. 3194 2103 2140 2286 2249; 3195 2104 2147 2293 2250; 3196 2105 2154 2300 2251
2073. 3197 2106 2107 2253 2252; 3198 2107 2108 2254 2253; 3199 2108 2109 2255 2254
2074. 3200 2109 2110 2256 2255; 3201 2110 2111 2257 2256; 3202 2111 2112 2258 2257
2075. 3203 2112 2113 2259 2258; 3204 2113 2114 2260 2259; 3205 2114 2115 2261 2260
2076. 3206 2115 2116 2262 2261; 3207 2116 2117 2263 2262; 3208 2117 2118 2264 2263
2077. 3209 2118 2119 2265 2264; 3210 2119 2120 2266 2265; 3211 2120 2121 2267 2266
2078. 3212 2121 2122 2268 2267; 3213 2122 2123 2269 2268; 3214 2123 2124 2270 2269
2079. 3215 2124 2125 2271 2270; 3216 2125 2126 2272 2271; 3217 2126 2127 2273 2272
2080. 3218 2127 2128 2274 2273; 3219 2128 2129 2275 2274; 3220 2129 2130 2276 2275
2081. 3221 2130 2131 2277 2276; 3222 2131 2132 2278 2277; 3223 2132 2133 2279 2278
2082. 3224 2133 2134 2280 2279; 3225 2134 2135 2281 2280; 3226 2135 2136 2282 2281
2083. 3227 2136 2137 2283 2282; 3228 2137 2138 2284 2283; 3229 2138 2139 2285 2284
2084. 3230 2139 2140 2286 2285; 3231 2140 2141 2287 2286; 3232 2141 2142 2288 2287
2085. 3233 2142 2143 2289 2288; 3234 2143 2144 2290 2289; 3235 2144 2145 2291 2290
2086. 3236 2145 2146 2292 2291; 3237 2146 2147 2293 2292; 3238 2147 2148 2294 2293
2087. 3239 2148 2149 2295 2294; 3240 2149 2150 2296 2295; 3241 2150 2151 2297 2296
2088. 3242 2151 2152 2298 2297; 3243 2152 2153 2299 2298; 3244 2153 2154 2300 2299
2089. 3245 2154 2155 2301 2300; 3246 2155 2156 2302 2301; 3247 2254 2255 2304 2303
2090. 3248 2255 2256 2306 2304; 3249 2256 2257 2307 2306; 3250 2257 2258 2322 2307
2091. 3251 2214 2216 2311 2310; 3252 2216 2220 2312 2311; 3253 2220 2223 2313 2312
2092. 3254 2223 2224 2314 2313; 3255 2224 2227 2315 2314; 3256 2227 2230 2316 2315
2093. 3257 2230 2231 2317 2316; 3258 2231 2234 2318 2317; 3259 2234 2235 2319 2318
2094. 3260 2235 2236 2320 2319; 3261 2236 2245 2321 2320; 3262 2245 2258 2322 2321
2095. 3263 2303 2304 2309 2305; 3264 2258 2259 2325 2322; 3265 2259 2260 2329 2325
2096. 3266 2304 2306 2324 2309; 3267 2260 2261 2346 2329; 3268 2305 2309 2326 2308
2097. 3269 2253 2254 2371; 3270 2261 2262 2348 2346; 3271 2306 2307 2328 2324
2098. 3272 2262 2263 2354 2348; 3273 2308 2326 2331 2323; 3274 2307 2322 2345 2328
2099. 3275 2309 2324 2332 2326; 3276 2263 2264 2370 2354; 3277 2310 2311 2334 2333
2100. 3278 2311 2312 2335 2334; 3279 2312 2313 2336 2335; 3280 2313 2314 2337 2336
2101. 3281 2314 2315 2338 2337; 3282 2315 2316 2339 2338; 3283 2316 2317 2340 2339
2102. 3284 2317 2318 2341 2340; 3285 2318 2319 2342 2341; 3286 2319 2320 2343 2342
2103. 3287 2320 2321 2344 2343; 3288 2321 2322 2345 2344; 3289 2264 2265 2388 2370
2104. 3290 2189 2192 2377 2376; 3291 2192 2194 2378 2377; 3292 2194 2199 2379 2378
2105. 3293 2199 2205 2380 2379; 3294 2205 2208 2381 2380; 3295 2208 2212 2382 2381
2106. 3296 2212 2219 2383 2382; 3297 2219 2226 2384 2383; 3298 2226 2232 2385 2384
2107. 3299 2232 2237 2386 2385; 3300 2237 2246 2387 2386; 3301 2246 2265 2388 2387
2108. 3302 2322 2325 2353 2345; 3303 2323 2331 2349 2327; 3304 2265 2266 2389 2388
2109. 3305 2324 2328 2351 2332; 3306 2266 2267 2407 2389; 3307 2326 2332 2352 2331
2110. 3308 2267 2268 2410 2407; 3309 2327 2349 2356 2330; 3310 2325 2329 2375 2353

2111. 3311 2268 2269 2413 2410; 3312 2328 2345 2369 2351; 3313 2269 2270 2430 2413
2112. 3314 2333 2334 2358 2357; 3315 2334 2335 2359 2358; 3316 2335 2336 2360 2359
2113. 3317 2336 2337 2361 2360; 3318 2337 2338 2362 2361; 3319 2338 2339 2363 2362
2114. 3320 2339 2340 2364 2363; 3321 2340 2341 2365 2364; 3322 2341 2342 2366 2365
2115. 3323 2342 2343 2367 2366; 3324 2343 2344 2368 2367; 3325 2344 2345 2369 2368
2116. 3326 2330 2356 2374 2347; 3327 2331 2352 2372 2349; 3328 2332 2351 2373 2352
2117. 3329 2270 2271 2434 2430; 3330 2329 2346 2406 2375; 3331 2271 2272 2447 2434
2118. 3332 2177 2180 2436 2435; 3333 2180 2184 2437 2436; 3334 2184 2186 2438 2437
2119. 3335 2186 2191 2439 2438; 3336 2191 2197 2440 2439; 3337 2197 2203 2441 2440
2120. 3338 2203 2209 2442 2441; 3339 2209 2218 2443 2442; 3340 2218 2229 2444 2443
2121. 3341 2229 2238 2445 2444; 3342 2238 2247 2446 2445; 3343 2247 2272 2447 2446
2122. 3344 2345 2353 2405 2369; 3345 2347 2374 2390 2350; 3346 2272 2273 2465 2447
2123. 3347 2349 2372 2391 2356; 3348 2273 2274 2466 2465; 3349 2351 2369 2404 2373
2124. 3350 2346 2348 2412 2406; 3351 2274 2275 2484 2466; 3352 2350 2390 2409 2355
2125. 3353 2352 2373 2408 2372; 3354 2275 2276 2499 2484; 3355 2357 2358 2393 2392
2126. 3356 2358 2359 2394 2393; 3357 2359 2360 2395 2394; 3358 2360 2361 2396 2395
2127. 3359 2361 2362 2397 2396; 3360 2362 2363 2398 2397; 3361 2363 2364 2399 2398
2128. 3362 2364 2365 2400 2399; 3363 2365 2366 2401 2400; 3364 2366 2367 2402 2401
2129. 3365 2367 2368 2403 2402; 3366 2368 2369 2404 2403; 3367 2276 2277 2502 2499
2130. 3368 2356 2391 2411 2374; 3369 2355 2409 2414 2371; 3370 2282 2283 2500 2504
2131. 3371 2353 2375 2429 2405; 3372 2283 2284 2518 2500; 3373 2348 2354 2433 2412
2132. 3374 2168 2170 2506 2505; 3375 2170 2174 2507 2506; 3376 2174 2178 2508 2507
2133. 3377 2178 2182 2509 2508; 3378 2182 2187 2510 2509; 3379 2187 2193 2511 2510
2134. 3380 2193 2201 2512 2511; 3381 2201 2211 2513 2512; 3382 2211 2225 2514 2513
2135. 3383 2225 2239 2515 2514; 3384 2239 2248 2516 2515; 3385 2248 2279 2517 2516
2136. 3386 2277 2278 2520 2502; 3387 2281 2282 2504 2519; 3388 2278 2279 2517 2520
2137. 3389 2279 2280 2521 2517; 3390 2280 2281 2519 2521; 3391 2284 2285 2536 2518
2138. 3392 2372 2408 2415 2391; 3393 2369 2405 2432 2404; 3394 2285 2286 2542 2536
2139. 3395 2373 2404 2428 2408; 3396 2249 2286 2542 2554; 3397 2162 2165 2544 2543
2140. 3398 2165 2169 2545 2544; 3399 2169 2172 2546 2545; 3400 2172 2175 2547 2546
2141. 3401 2175 2181 2548 2547; 3402 2181 2188 2549 2548; 3403 2188 2196 2550 2549
2142. 3404 2196 2206 2551 2550; 3405 2206 2221 2552 2551; 3406 2221 2240 2553 2552
2143. 3407 2240 2249 2554 2553; 3408 2374 2411 2431 2390; 3409 2286 2287 2555 2542
2144. 3410 2354 2370 2464 2433; 3411 2287 2288 2570 2555; 3412 2392 2393 2417 2416
2145. 3413 2393 2394 2418 2417; 3414 2394 2395 2419 2418; 3415 2395 2396 2420 2419
2146. 3416 2396 2397 2421 2420; 3417 2397 2398 2422 2421; 3418 2398 2399 2423 2422
2147. 3419 2399 2400 2424 2423; 3420 2400 2401 2425 2424; 3421 2401 2402 2426 2425
2148. 3422 2402 2403 2427 2426; 3423 2403 2404 2428 2427; 3424 2375 2406 2463 2429
2149. 3425 2288 2289 2573 2570; 3426 2289 2290 2576 2573; 3427 2370 2388 2483 2464
2150. 3428 2390 2431 2449 2409; 3429 2391 2415 2448 2411; 3430 2290 2291 2582 2576
2151. 3431 2408 2428 2462 2415; 3432 2376 2377 2472 2471; 3433 2377 2378 2473 2472
2152. 3434 2378 2379 2474 2473; 3435 2379 2380 2475 2474; 3436 2380 2381 2476 2475
2153. 3437 2381 2382 2477 2476; 3438 2382 2383 2478 2477; 3439 2383 2384 2479 2478
2154. 3440 2384 2385 2480 2479; 3441 2385 2386 2481 2480; 3442 2386 2387 2482 2481
2155. 3443 2387 2388 2483 2482; 3444 2291 2292 2597 2582; 3445 2404 2432 2469 2428
2156. 3446 2405 2429 2470 2432; 3447 2292 2293 2611 2597; 3448 2388 2389 2501 2483
2157. 3449 2159 2161 2600 2599; 3450 2161 2164 2601 2600; 3451 2164 2166 2602 2601
2158. 3452 2166 2171 2603 2602; 3453 2171 2176 2604 2603; 3454 2176 2183 2605 2604
2159. 3455 2183 2190 2606 2605; 3456 2190 2202 2607 2606; 3457 2202 2217 2608 2607
2160. 3458 2217 2241 2609 2608; 3459 2241 2250 2610 2609; 3460 2250 2293 2611 2610
2161. 3461 2409 2449 2467 2414; 3462 2406 2412 2498 2463; 3463 2293 2294 2614 2611
2162. 3464 2416 2417 2451 2450; 3465 2417 2418 2452 2451; 3466 2418 2419 2453 2452
2163. 3467 2419 2420 2454 2453; 3468 2420 2421 2455 2454; 3469 2421 2422 2456 2455
2164. 3470 2422 2423 2457 2456; 3471 2423 2424 2458 2457; 3472 2424 2425 2459 2458
2165. 3473 2425 2426 2460 2459; 3474 2426 2427 2461 2460; 3475 2427 2428 2462 2461
2166. 3476 2411 2448 2468 2431; 3477 2294 2295 2616 2614; 3478 2295 2296 2632 2616

2167. 3479 2389 2407 2539 2501; 3480 2415 2462 2497 2448; 3481 2296 2297 2635 2632
2168. 3482 2297 2298 2639 2635; 3483 2431 2468 2503 2449; 3484 2412 2433 2538 2498
2169. 3485 2298 2299 2640 2639; 3486 2407 2410 2556 2539; 3487 2428 2469 2535 2462
2170. 3488 2429 2463 2537 2470; 3489 2299 2300 2654 2640; 3490 2450 2451 2486 2485
2171. 3491 2451 2452 2487 2486; 3492 2452 2453 2488 2487; 3493 2453 2454 2489 2488
2172. 3494 2454 2455 2490 2489; 3495 2455 2456 2491 2490; 3496 2456 2457 2492 2491
2173. 3497 2457 2458 2493 2492; 3498 2458 2459 2494 2493; 3499 2459 2460 2495 2494
2174. 3500 2460 2461 2496 2495; 3501 2461 2462 2497 2496; 3502 2157 2158 2643 2642
2175. 3503 2158 2160 2644 2643; 3504 2160 2163 2645 2644; 3505 2163 2167 2646 2645
2176. 3506 2167 2173 2647 2646; 3507 2173 2179 2648 2647; 3508 2179 2185 2649 2648
2177. 3509 2185 2198 2650 2649; 3510 2198 2213 2651 2650; 3511 2213 2242 2652 2651
2178. 3512 2242 2251 2653 2652; 3513 2251 2300 2654 2653; 3514 2300 2301 2673 2654
2179. 3515 2432 2470 2541 2469; 3516 2410 2413 2575 2556; 3517 2301 2302 2674 2673
2180. 3518 2448 2497 2534 2468; 3519 2449 2503 2540 2467; 3520 2433 2464 2571 2538
2181. 3521 2413 2430 2596 2575; 3522 2485 2486 2523 2522; 3523 2486 2487 2524 2523
2182. 3524 2487 2488 2525 2524; 3525 2488 2489 2526 2525; 3526 2489 2490 2527 2526
2183. 3527 2490 2491 2528 2527; 3528 2491 2492 2529 2528; 3529 2492 2493 2530 2529
2184. 3530 2493 2494 2531 2530; 3531 2494 2495 2532 2531; 3532 2495 2496 2533 2532
2185. 3533 2496 2497 2534 2533; 3534 2462 2535 2572 2497; 3535 2463 2498 2574 2537
2186. 3536 2468 2534 2557 2503; 3537 2430 2434 2613 2596; 3538 2464 2483 2595 2571
2187. 3539 2469 2541 2580 2535; 3540 2470 2537 2581 2541; 3541 2434 2447 2629 2613
2188. 3542 2471 2472 2584 2583; 3543 2472 2473 2585 2584; 3544 2473 2474 2586 2585
2189. 3545 2474 2475 2587 2586; 3546 2475 2476 2588 2587; 3547 2476 2477 2589 2588
2190. 3548 2477 2478 2590 2589; 3549 2478 2479 2591 2590; 3550 2479 2480 2592 2591
2191. 3551 2480 2481 2593 2592; 3552 2481 2482 2594 2593; 3553 2482 2483 2595 2594
2192. 3554 2533 2534 2557 2569; 3555 2522 2523 2559 2558; 3556 2523 2524 2560 2559
2193. 3557 2524 2525 2561 2560; 3558 2525 2526 2562 2561; 3559 2526 2527 2563 2562
2194. 3560 2527 2528 2564 2563; 3561 2528 2529 2565 2564; 3562 2529 2530 2566 2565
2195. 3563 2530 2531 2567 2566; 3564 2531 2532 2568 2567; 3565 2532 2533 2569 2568
2196. 3566 2435 2436 2618 2617; 3567 2436 2437 2619 2618; 3568 2437 2438 2620 2619
2197. 3569 2438 2439 2621 2620; 3570 2439 2440 2622 2621; 3571 2440 2441 2623 2622
2198. 3572 2441 2442 2624 2623; 3573 2442 2443 2625 2624; 3574 2443 2444 2626 2625
2199. 3575 2444 2445 2627 2626; 3576 2445 2446 2628 2627; 3577 2446 2447 2629 2628
2200. 3578 2503 2557 2579 2540; 3579 2497 2572 2598 2534; 3580 2498 2538 2612 2574
2201. 3581 2483 2501 2615 2595; 3582 2447 2465 2638 2629; 3583 2465 2466 2641 2638
2202. 3584 2558 2559 2577; 3585 2559 2560 2577; 3586 2560 2561 2577
2203. 3587 2561 2562 2577; 3588 2562 2563 2577; 3589 2563 2564 2577
2204. 3590 2564 2565 2577; 3591 2565 2566 2577; 3592 2566 2567 2577
2205. 3593 2567 2568 2577; 3594 2371 2579 2684; 3595 2569 2557 2579 2578
2206. 3596 2568 2569 2578 2577; 3597 2501 2539 2637 2615; 3598 2535 2580 2630 2572
2207. 3599 2537 2574 2631 2581; 3600 2466 2484 2672 2641; 3601 2534 2598 2633 2557
2208. 3602 2538 2571 2636 2612; 3603 2541 2581 2634 2580; 3604 2484 2499 2678 2672
2209. 3605 2539 2556 2655 2637; 3606 2499 2502 2680 2678; 3607 2557 2633 2656 2579
2210. 3608 2571 2595 2671 2636; 3609 2572 2630 2657 2598; 3610 2574 2612 2658 2631
2211. 3611 2556 2575 2677 2655; 3612 2502 2520 2685 2680; 3613 2505 2506 2687 2686
2212. 3614 2506 2507 2688 2687; 3615 2507 2508 2689 2688; 3616 2508 2509 2690 2689
2213. 3617 2509 2510 2691 2690; 3618 2510 2511 2692 2691; 3619 2511 2512 2693 2692
2214. 3620 2512 2513 2694 2693; 3621 2513 2514 2695 2694; 3622 2514 2515 2696 2695
2215. 3623 2515 2516 2697 2696; 3624 2516 2517 2698 2697; 3625 2520 2517 2698 2685
2216. 3626 2583 2584 2660 2659; 3627 2584 2585 2661 2660; 3628 2585 2586 2662 2661
2217. 3629 2586 2587 2663 2662; 3630 2587 2588 2664 2663; 3631 2588 2589 2665 2664
2218. 3632 2589 2590 2666 2665; 3633 2590 2591 2667 2666; 3634 2591 2592 2668 2667
2219. 3635 2592 2593 2669 2668; 3636 2593 2594 2670 2669; 3637 2594 2595 2671 2670
2220. 3638 2517 2521 2704 2698; 3639 2580 2634 2675 2630; 3640 2581 2631 2676 2634
2221. 3641 2518 2536 2699 2705; 3642 2500 2518 2705 2723; 3643 2504 2500 2723 2708
2222. 3644 2519 2504 2708 2707; 3645 2521 2519 2707 2704; 3646 2575 2596 2683 2677

2223. 3647 2536 2542 2722 2699; 3648 2595 2615 2679 2671; 3649 2554 2542 2722 2720
2224. 3650 2543 2544 2710 2709; 3651 2544 2545 2711 2710; 3652 2545 2546 2712 2711
2225. 3653 2546 2547 2713 2712; 3654 2547 2548 2714 2713; 3655 2548 2549 2715 2714
2226. 3656 2549 2550 2716 2715; 3657 2550 2551 2717 2716; 3658 2551 2552 2718 2717
2227. 3659 2552 2553 2719 2718; 3660 2553 2554 2720 2719; 3661 2598 2657 2681 2633
2228. 3662 2542 2555 2750 2722; 3663 2612 2636 2682 2658; 3664 2596 2613 2703 2683
2229. 3665 2555 2570 2753 2750; 3666 2615 2637 2702 2679; 3667 2630 2675 2700 2657
2230. 3668 2570 2573 2758 2753; 3669 2631 2658 2701 2676; 3670 2613 2629 2749 2703
2231. 3671 2579 2656 2752 2684; 3672 2634 2676 2706 2675; 3673 2617 2618 2738 2737
2232. 3674 2618 2619 2739 2738; 3675 2619 2620 2740 2739; 3676 2620 2621 2741 2740
2233. 3677 2621 2622 2742 2741; 3678 2622 2623 2743 2742; 3679 2623 2624 2744 2743
2234. 3680 2624 2625 2745 2744; 3681 2625 2626 2746 2745; 3682 2626 2627 2747 2746
2235. 3683 2627 2628 2748 2747; 3684 2628 2629 2749 2748; 3685 2633 2681 2721 2656
2236. 3686 2573 2576 2763 2758; 3687 2636 2671 2734 2682; 3688 2637 2655 2751 2702
2237. 3689 2629 2638 2756 2749; 3690 2576 2582 2765 2763; 3691 2659 2660 2725 2724
2238. 3692 2660 2661 2726 2725; 3693 2661 2662 2727 2726; 3694 2662 2663 2728 2727
2239. 3695 2663 2664 2729 2728; 3696 2664 2665 2730 2729; 3697 2665 2666 2731 2730
2240. 3698 2666 2667 2732 2731; 3699 2667 2668 2733 2732; 3700 2668 2669 2735 2733
2241. 3701 2670 2671 2734 2736; 3702 2669 2670 2736 2735; 3703 2582 2597 2782 2765
2242. 3704 2638 2641 2762 2756; 3705 2657 2700 2754 2681; 3706 2658 2682 2755 2701
2243. 3707 2597 2611 2798 2782; 3708 2671 2679 2757 2734; 3709 2655 2677 2761 2751
2244. 3710 2599 2600 2787 2786; 3711 2600 2601 2788 2787; 3712 2601 2602 2789 2788
2245. 3713 2602 2603 2790 2789; 3714 2603 2604 2791 2790; 3715 2604 2605 2792 2791
2246. 3716 2605 2606 2793 2792; 3717 2606 2607 2794 2793; 3718 2607 2608 2795 2794
2247. 3719 2608 2609 2796 2795; 3720 2609 2610 2797 2796; 3721 2610 2611 2798 2797
2248. 3722 2675 2706 2759 2700; 3723 2611 2614 2803 2798; 3724 2676 2701 2760 2706
2249. 3725 2641 2672 2781 2762; 3726 2614 2616 2806 2803; 3727 2677 2683 2780 2761
2250. 3728 2672 2678 2785 2781; 3729 2616 2632 2822 2806; 3730 2656 2721 2802 2752
2251. 3731 2679 2702 2779 2757; 3732 2681 2754 2764 2721; 3733 2682 2734 2778 2755
2252. 3734 2632 2635 2851 2822; 3735 2678 2680 2805 2785; 3736 2683 2703 2800 2780
2253. 3737 2635 2639 2856 2851; 3738 2724 2725 2767 2766; 3739 2725 2726 2768 2767
2254. 3740 2726 2727 2769 2768; 3741 2727 2728 2770 2769; 3742 2728 2729 2771 2770
2255. 3743 2729 2730 2772 2771; 3744 2730 2731 2773 2772; 3745 2731 2732 2774 2773
2256. 3746 2732 2733 2775 2774; 3747 2733 2735 2776 2775; 3748 2736 2734 2778 2777
2257. 3749 2735 2736 2777 2776; 3750 2700 2759 2783 2754; 3751 2701 2755 2784 2760
2258. 3752 2706 2760 2799 2759; 3753 2639 2640 2860 2856; 3754 2702 2751 2801 2779
2259. 3755 2680 2685 2820 2805; 3756 2640 2654 2891 2860; 3757 2734 2757 2804 2778
2260. 3758 2703 2749 2819 2800; 3759 2685 2698 2849 2820; 3760 2642 2643 2880 2879
2261. 3761 2643 2644 2881 2880; 3762 2644 2645 2882 2881; 3763 2645 2646 2883 2882
2262. 3764 2646 2647 2884 2883; 3765 2647 2648 2885 2884; 3766 2648 2649 2886 2885
2263. 3767 2649 2650 2887 2886; 3768 2650 2651 2888 2887; 3769 2651 2652 2889 2888
2264. 3770 2652 2653 2890 2889; 3771 2653 2654 2891 2890; 3772 2686 2687 2838 2837
2265. 3773 2687 2688 2839 2838; 3774 2688 2689 2840 2839; 3775 2689 2690 2841 2840
2266. 3776 2690 2691 2842 2841; 3777 2691 2692 2843 2842; 3778 2692 2693 2844 2843
2267. 3779 2693 2694 2845 2844; 3780 2694 2695 2846 2845; 3781 2695 2696 2847 2846
2268. 3782 2696 2697 2848 2847; 3783 2697 2698 2849 2848; 3784 2654 2673 2911 2891
2269. 3785 2737 2738 2808 2807; 3786 2738 2739 2809 2808; 3787 2739 2740 2810 2809
2270. 3788 2740 2741 2811 2810; 3789 2741 2742 2812 2811; 3790 2742 2743 2813 2812
2271. 3791 2743 2744 2814 2813; 3792 2744 2745 2815 2814; 3793 2745 2746 2816 2815
2272. 3794 2746 2747 2817 2816; 3795 2747 2748 2818 2817; 3796 2748 2749 2819 2818
2273. 3797 2698 2704 2855 2849; 3798 2751 2761 2836 2801; 3799 2673 2674 2914 2911
2274. 3800 2749 2756 2854 2819; 3801 2704 2707 2858 2855; 3802 2754 2783 2821 2764
2275. 3803 2755 2778 2835 2784; 3804 2721 2764 2859 2802; 3805 2707 2708 2862 2858
2276. 3806 2705 2699 2878 2892; 3807 2757 2779 2853 2804; 3808 2699 2722 2865 2878
2277. 3809 2708 2723 2893 2862; 3810 2759 2799 2850 2783; 3811 2760 2784 2852 2799
2278. 3812 2723 2705 2892 2893; 3813 2720 2722 2865 2877; 3814 2709 2710 2867 2866

2279. 3815 2710 2711 2868 2867; 3816 2711 2712 2869 2868; 3817 2712 2713 2870 2869
2280. 3818 2713 2714 2871 2870; 3819 2714 2715 2872 2871; 3820 2715 2716 2873 2872
2281. 3821 2716 2717 2874 2873; 3822 2717 2718 2875 2874; 3823 2718 2719 2876 2875
2282. 3824 2719 2720 2877 2876; 3825 2722 2750 2864 2865; 3826 2756 2762 2861 2854
2283. 3827 2766 2767 2824 2823; 3828 2767 2768 2825 2824; 3829 2768 2769 2826 2825
2284. 3830 2769 2770 2827 2826; 3831 2770 2771 2828 2827; 3832 2771 2772 2829 2828
2285. 3833 2772 2773 2830 2829; 3834 2773 2774 2831 2830; 3835 2774 2775 2832 2831
2286. 3836 2775 2776 2833 2832; 3837 2776 2777 2834 2833; 3838 2777 2778 2835 2834
2287. 3839 2761 2780 2857 2836; 3840 2750 2753 2912 2864; 3841 2778 2804 2863 2835
2288. 3842 2762 2781 2910 2861; 3843 2753 2758 2915 2912; 3844 2779 2801 2894 2853
2289. 3845 2780 2800 2909 2857; 3846 2758 2763 2933 2915; 3847 2783 2850 2895 2821
2290. 3848 2784 2835 2896 2852; 3849 2781 2785 2918 2910; 3850 2799 2852 2913 2850
2291. 3851 2764 2821 2932 2859; 3852 2763 2765 2936 2933; 3853 2801 2836 2917 2894
2292. 3854 2800 2819 2931 2909; 3855 2804 2853 2916 2863; 3856 2834 2835 2896 2908
2293. 3857 2823 2824 2898 2897; 3858 2824 2825 2899 2898; 3859 2825 2826 2900 2899
2294. 3860 2826 2827 2901 2900; 3861 2827 2828 2902 2901; 3862 2828 2829 2903 2902
2295. 3863 2829 2830 2904 2903; 3864 2830 2831 2905 2904; 3865 2831 2832 2906 2905
2296. 3866 2832 2833 2907 2906; 3867 2833 2834 2908 2907; 3868 2785 2805 2935 2918
2297. 3869 2765 2782 2955 2936; 3870 2807 2808 2920 2919; 3871 2808 2809 2921 2920
2298. 3872 2809 2810 2922 2921; 3873 2810 2811 2923 2922; 3874 2811 2812 2924 2923
2299. 3875 2812 2813 2925 2924; 3876 2813 2814 2926 2925; 3877 2814 2815 2927 2926
2300. 3878 2815 2816 2928 2927; 3879 2816 2817 2929 2928; 3880 2817 2818 2930 2929
2301. 3881 2818 2819 2931 2930; 3882 2782 2798 2983 2955; 3883 2835 2863 2934 2896
2302. 3884 2819 2854 2952 2931; 3885 2805 2820 2954 2935; 3886 2836 2857 2951 2917
2303. 3887 2786 2787 2972 2971; 3888 2787 2788 2973 2972; 3889 2788 2789 2974 2973
2304. 3890 2789 2790 2975 2974; 3891 2790 2791 2976 2975; 3892 2791 2792 2977 2976
2305. 3893 2792 2793 2978 2977; 3894 2793 2794 2979 2978; 3895 2794 2795 2980 2979
2306. 3896 2795 2796 2981 2980; 3897 2796 2797 2982 2981; 3898 2797 2798 2983 2982
2307. 3899 2850 2913 2937 2895; 3900 2852 2896 2950 2913; 3901 2798 2803 2988 2983
2308. 3902 2853 2894 2953 2916; 3903 2820 2849 2968 2954; 3904 2821 2895 2970 2932
2309. 3905 2837 2838 2957 2956; 3906 2838 2839 2958 2957; 3907 2839 2840 2959 2958
2310. 3908 2840 2841 2960 2959; 3909 2841 2842 2961 2960; 3910 2842 2843 2962 2961
2311. 3911 2843 2844 2963 2962; 3912 2844 2845 2964 2963; 3913 2845 2846 2965 2964
2312. 3914 2846 2847 2966 2965; 3915 2847 2848 2967 2966; 3916 2848 2849 2968 2967
2313. 3917 2854 2861 2969 2952; 3918 2803 2806 2995 2988; 3919 2849 2855 2987 2968
2314. 3920 2908 2896 2950 2949; 3921 2897 2898 2939 2938; 3922 2898 2899 2940 2939
2315. 3923 2899 2900 2941 2940; 3924 2900 2901 2942 2941; 3925 2901 2902 2943 2942
2316. 3926 2902 2903 2944 2943; 3927 2903 2904 2945 2944; 3928 2904 2905 2946 2945
2317. 3929 2905 2906 2947 2946; 3930 2906 2907 2948 2947; 3931 2907 2908 2949 2948
2318. 3932 2857 2909 2985 2951; 3933 2806 2822 3011 2995; 3934 2863 2916 2984 2934
2319. 3935 2855 2858 2994 2987; 3936 2894 2917 2986 2953; 3937 2861 2910 2993 2969
2320. 3938 2822 2851 3016 3011; 3939 2858 2862 3009 2994; 3940 2896 2934 2989 2950
2321. 3941 2913 2950 2992 2937; 3942 2909 2931 3008 2985; 3943 2862 2893 3014 3009
2322. 3944 2851 2856 3038 3016; 3945 2893 2892 3015 3014; 3946 2910 2918 3013 2993
2323. 3947 2892 2878 3017 3015; 3948 2878 2865 3033 3017; 3949 2938 2939 2990
2324. 3950 2939 2940 2990; 3951 2940 2941 2990; 3952 2941 2942 2990
2325. 3953 2942 2943 2990; 3954 2943 2944 2990; 3955 2944 2945 2990
2326. 3956 2945 2946 2990; 3957 2946 2947 2990; 3958 2947 2948 2990
2327. 3959 2895 2937 3020 2970; 3960 2877 2865 3033 3032; 3961 2866 2867 3022 3021
2328. 3962 2867 2868 3023 3022; 3963 2868 2869 3024 3023; 3964 2869 2870 3025 3024
2329. 3965 2870 2871 3026 3025; 3966 2871 2872 3027 3026; 3967 2872 2873 3028 3027
2330. 3968 2873 2874 3029 3028; 3969 2874 2875 3030 3029; 3970 2875 2876 3031 3030
2331. 3971 2876 2877 3032 3031; 3972 2919 2920 2997 2996; 3973 2920 2921 2998 2997
2332. 3974 2921 2922 2999 2998; 3975 2922 2923 3000 2999; 3976 2923 2924 3001 3000
2333. 3977 2924 2925 3002 3001; 3978 2925 2926 3003 3002; 3979 2926 2927 3004 3003
2334. 3980 2927 2928 3005 3004; 3981 2928 2929 3006 3005; 3982 2929 2930 3007 3006

2335. 3983 2930 2931 3008 3007; 3984 2865 2864 3034 3033; 3985 2856 2860 3042 3038
2336. 3986 2916 2953 3010 2984; 3987 2917 2951 3012 2986; 3988 2864 2912 3037 3034
2337. 3989 2948 2949 2991 2990; 3990 2949 2950 2992 2991; 3991 2860 2891 3059 3042
2338. 3992 2931 2952 3019 3008; 3993 2912 2915 3039 3037; 3994 2918 2935 3036 3013
2339. 3995 2879 2880 3048 3047; 3996 2880 2881 3049 3048; 3997 2881 2882 3050 3049
2340. 3998 2882 2883 3051 3050; 3999 2883 2884 3052 3051; 4000 2884 2885 3053 3052
2341. 4001 2885 2886 3054 3053; 4002 2886 2887 3055 3054; 4003 2887 2888 3056 3055
2342. 4004 2888 2889 3057 3056; 4005 2889 2890 3058 3057; 4006 2890 2891 3059 3058
2343. 4007 2934 2984 3018 2989; 4008 2891 2911 3091 3059; 4009 2915 2933 3046 3039
2344. 4010 2950 2989 3035 2992; 4011 2951 2985 3041 3012; 4012 2953 2986 3040 3010
2345. 4013 2935 2954 3044 3036; 4014 2911 2914 3095 3091; 4015 2952 2969 3043 3019
2346. 4016 2933 2936 3087 3046; 4017 2937 2992 3045 3020; 4018 2954 2968 3073 3044
2347. 4019 2984 3010 3060 3018; 4020 2936 2955 3094 3087; 4021 2956 2957 3062 3061
2348. 4022 2957 2958 3063 3062; 4023 2958 2959 3064 3063; 4024 2959 2960 3065 3064
2349. 4025 2960 2961 3066 3065; 4026 2961 2962 3067 3066; 4027 2962 2963 3068 3067
2350. 4028 2963 2964 3069 3068; 4029 2964 2965 3070 3069; 4030 2965 2966 3071 3070
2351. 4031 2966 2967 3072 3071; 4032 2967 2968 3073 3072; 4033 2985 3008 3086 3041
2352. 4034 2969 2993 3090 3043; 4035 2986 3012 3089 3040; 4036 2968 2987 3093 3073
2353. 4037 2989 3018 3088 3035; 4038 2955 2983 3112 3094; 4039 2996 2997 3075 3074
2354. 4040 2997 2998 3076 3075; 4041 2998 2999 3077 3076; 4042 2999 3000 3078 3077
2355. 4043 3000 3001 3079 3078; 4044 3001 3002 3080 3079; 4045 3002 3003 3081 3080
2356. 4046 3003 3004 3082 3081; 4047 3004 3005 3083 3082; 4048 3005 3006 3084 3083
2357. 4049 3006 3007 3085 3084; 4050 3007 3008 3086 3085; 4051 2971 2972 3101 3100
2358. 4052 2972 2973 3102 3101; 4053 2973 2974 3103 3102; 4054 2974 2975 3104 3103
2359. 4055 2975 2976 3105 3104; 4056 2976 2977 3106 3105; 4057 2977 2978 3107 3106
2360. 4058 2978 2979 3108 3107; 4059 2979 2980 3109 3108; 4060 2980 2981 3110 3109
2361. 4061 2981 2982 3111 3110; 4062 2982 2983 3112 3111; 4063 2992 3035 3092 3045
2362. 4064 2987 2994 3099 3093; 4065 2993 3013 3098 3090; 4066 2983 2988 3116 3112
2363. 4067 3008 3019 3097 3086; 4068 3010 3040 3096 3060; 4069 2994 3009 3115 3099
2364. 4070 3012 3041 3113 3089; 4071 2988 2995 3122 3116; 4072 3013 3036 3117 3098
2365. 4073 3009 3014 3119 3115; 4074 3018 3060 3114 3088; 4075 3019 3043 3118 3097
2366. 4076 2995 3011 3139 3122; 4077 3014 3015 3123 3119; 4078 3035 3088 3121 3092
2367. 4079 3015 3017 3137 3123; 4080 3040 3089 3120 3096; 4081 3017 3033 3140 3137
2368. 4082 3041 3086 3136 3113; 4083 3036 3044 3138 3117; 4084 3011 3016 3169 3139
2369. 4085 3032 3033 3140 3152; 4086 3021 3022 3142 3141; 4087 3022 3023 3143 3142
2370. 4088 3023 3024 3144 3143; 4089 3024 3025 3145 3144; 4090 3025 3026 3146 3145
2371. 4091 3026 3027 3147 3146; 4092 3027 3028 3148 3147; 4093 3028 3029 3149 3148
2372. 4094 3029 3030 3150 3149; 4095 3030 3031 3151 3150; 4096 3031 3032 3152 3151
2373. 4097 3033 3034 3155 3140; 4098 3034 3037 3170 3155; 4099 3043 3090 3154 3118
2374. 4100 3074 3075 3125 3124; 4101 3075 3076 3126 3125; 4102 3076 3077 3127 3126
2375. 4103 3077 3078 3128 3127; 4104 3078 3079 3129 3128; 4105 3079 3080 3130 3129
2376. 4106 3080 3081 3131 3130; 4107 3081 3082 3132 3131; 4108 3082 3083 3133 3132
2377. 4109 3083 3084 3134 3133; 4110 3084 3085 3135 3134; 4111 3016 3038 3177 3169
2378. 4112 3085 3086 3136 3135; 4113 3037 3039 3174 3170; 4114 3060 3096 3153 3114
2379. 4115 3044 3073 3168 3138; 4116 3039 3046 3176 3174; 4117 3061 3062 3157 3156
2380. 4118 3062 3063 3158 3157; 4119 3063 3064 3159 3158; 4120 3064 3065 3160 3159
2381. 4121 3065 3066 3161 3160; 4122 3066 3067 3162 3161; 4123 3067 3068 3163 3162
2382. 4124 3068 3069 3164 3163; 4125 3069 3070 3165 3164; 4126 3070 3071 3166 3165
2383. 4127 3071 3072 3167 3166; 4128 3072 3073 3168 3167; 4129 3038 3042 3181 3177
2384. 4130 3086 3097 3172 3136; 4131 3089 3113 3171 3120; 4132 3088 3114 3173 3121
2385. 4133 3046 3087 3179 3176; 4134 3090 3098 3175 3154; 4135 3073 3093 3178 3168
2386. 4136 3042 3059 3212 3181; 4137 3047 3048 3201 3200; 4138 3048 3049 3202 3201
2387. 4139 3049 3050 3203 3202; 4140 3050 3051 3204 3203; 4141 3051 3052 3205 3204
2388. 4142 3052 3053 3206 3205; 4143 3053 3054 3207 3206; 4144 3054 3055 3208 3207
2389. 4145 3055 3056 3209 3208; 4146 3056 3057 3210 3209; 4147 3057 3058 3211 3210
2390. 4148 3058 3059 3212 3211; 4149 3087 3094 3198 3179; 4150 3096 3120 3180 3153

2391. 4151 3093 3099 3196 3178; 4152 3059 3091 3229 3212; 4153 3097 3118 3182 3172
2392. 4154 3098 3117 3197 3175; 4155 3113 3136 3195 3171; 4156 3094 3112 3226 3198
2393. 4157 3099 3115 3213 3196; 4158 3091 3095 3235 3229; 4159 3114 3153 3199 3173
2394. 4160 3100 3101 3215 3214; 4161 3101 3102 3216 3215; 4162 3102 3103 3217 3216
2395. 4163 3103 3104 3218 3217; 4164 3104 3105 3219 3218; 4165 3105 3106 3220 3219
2396. 4166 3106 3107 3221 3220; 4167 3107 3108 3222 3221; 4168 3108 3109 3223 3222
2397. 4169 3109 3110 3224 3223; 4170 3110 3111 3225 3224; 4171 3111 3112 3226 3225
2398. 4172 3124 3125 3184 3183; 4173 3125 3126 3185 3184; 4174 3126 3127 3186 3185
2399. 4175 3127 3128 3187 3186; 4176 3128 3129 3188 3187; 4177 3129 3130 3189 3188
2400. 4178 3130 3131 3190 3189; 4179 3131 3132 3191 3190; 4180 3132 3133 3192 3191
2401. 4181 3133 3134 3193 3192; 4182 3134 3135 3194 3193; 4183 3135 3136 3195 3194
2402. 4184 3112 3116 3233 3226; 4185 3115 3119 3231 3213; 4186 3118 3154 3228 3182
2403. 4187 3117 3138 3230 3197; 4188 3120 3171 3227 3180; 4189 3136 3172 3232 3195
2404. 4190 3119 3123 3234 3231; 4191 3116 3122 3252 3233; 4192 3123 3137 3250 3234
2405. 4193 3138 3168 3249 3230; 4194 3153 3180 3236 3199; 4195 3154 3175 3251 3228
2406. 4196 3137 3140 3268 3250; 4197 3156 3157 3238 3237; 4198 3157 3158 3239 3238
2407. 4199 3158 3159 3240 3239; 4200 3159 3160 3241 3240; 4201 3160 3161 3242 3241
2408. 4202 3161 3162 3243 3242; 4203 3162 3163 3244 3243; 4204 3163 3164 3245 3244
2409. 4205 3164 3165 3246 3245; 4206 3165 3166 3247 3246; 4207 3166 3167 3248 3247
2410. 4208 3167 3168 3249 3248; 4209 3122 3139 3272 3252; 4210 3152 3140 3268 3267
2411. 4211 3141 3142 3257 3256; 4212 3142 3143 3258 3257; 4213 3143 3144 3259 3258
2412. 4214 3144 3145 3260 3259; 4215 3145 3146 3261 3260; 4216 3146 3147 3262 3261
2413. 4217 3147 3148 3263 3262; 4218 3148 3149 3264 3263; 4219 3149 3150 3265 3264
2414. 4220 3150 3151 3266 3265; 4221 3151 3152 3267 3266; 4222 3140 3155 3271 3268
2415. 4223 3171 3195 3255 3227; 4224 3172 3182 3269 3232; 4225 3168 3178 3270 3249
2416. 4226 3183 3184 3253; 4227 3184 3185 3253; 4228 3185 3186 3253
2417. 4229 3186 3187 3253; 4230 3187 3188 3253; 4231 3188 3189 3253
2418. 4232 3189 3190 3253; 4233 3190 3191 3253; 4234 3191 3192 3253
2419. 4235 3192 3193 3253; 4236 3155 3170 3274 3271; 4237 3139 3169 3277 3272
2420. 4238 3175 3197 3273 3251; 4239 3170 3174 3278 3274; 4240 3193 3194 3254 3253
2421. 4241 3194 3195 3255 3254; 4242 3180 3227 3275 3236; 4243 3178 3196 3276 3270
2422. 4244 3174 3176 3281 3278; 4245 3169 3177 3284 3277; 4246 3182 3228 3280 3269
2423. 4247 3195 3232 3279 3255; 4248 3176 3179 3286 3281; 4249 3177 3181 3289 3284
2424. 4250 3196 3213 3283 3276; 4251 3197 3230 3282 3273; 4252 3179 3198 3287 3286
2425. 4253 3181 3212 3332 3289; 4254 3227 3255 3285 3275; 4255 3213 3231 3291 3283
2426. 4256 3198 3226 3317 3287; 4257 3228 3251 3288 3280; 4258 3200 3201 3321 3320
2427. 4259 3201 3202 3322 3321; 4260 3202 3203 3323 3322; 4261 3203 3204 3324 3323
2428. 4262 3204 3205 3325 3324; 4263 3205 3206 3326 3325; 4264 3206 3207 3327 3326
2429. 4265 3207 3208 3328 3327; 4266 3208 3209 3329 3328; 4267 3209 3210 3330 3329
2430. 4268 3210 3211 3331 3330; 4269 3211 3212 3332 3331; 4270 3214 3215 3306 3305
2431. 4271 3215 3216 3307 3306; 4272 3216 3217 3308 3307; 4273 3217 3218 3309 3308
2432. 4274 3218 3219 3310 3309; 4275 3219 3220 3311 3310; 4276 3220 3221 3312 3311
2433. 4277 3221 3222 3313 3312; 4278 3222 3223 3314 3313; 4279 3223 3224 3315 3314
2434. 4280 3224 3225 3316 3315; 4281 3225 3226 3317 3316; 4282 3230 3249 3304 3282
2435. 4283 3232 3269 3290 3279; 4284 3231 3234 3319 3291; 4285 3212 3229 3338 3332
2436. 4286 3226 3233 3333 3317; 4287 3237 3238 3293 3292; 4288 3238 3239 3294 3293
2437. 4289 3239 3240 3295 3294; 4290 3240 3241 3296 3295; 4291 3241 3242 3297 3296
2438. 4292 3242 3243 3298 3297; 4293 3243 3244 3299 3298; 4294 3244 3245 3300 3299
2439. 4295 3245 3246 3301 3300; 4296 3246 3247 3302 3301; 4297 3247 3248 3303 3302
2440. 4298 3248 3249 3304 3303; 4299 3234 3250 3334 3319; 4300 3255 3279 3318 3285
2441. 4301 3249 3270 3336 3304; 4302 3251 3273 3335 3288; 4303 3229 3235 3356 3338
2442. 4304 3233 3252 3352 3333; 4305 3250 3268 3339 3334; 4306 3269 3280 3337 3290
2443. 4307 3267 3268 3339 3351; 4308 3256 3257 3341 3340; 4309 3257 3258 3342 3341
2444. 4310 3258 3259 3343 3342; 4311 3259 3260 3344 3343; 4312 3260 3261 3345 3344
2445. 4313 3261 3262 3346 3345; 4314 3262 3263 3347 3346; 4315 3263 3264 3348 3347
2446. 4316 3264 3265 3349 3348; 4317 3265 3266 3350 3349; 4318 3266 3267 3351 3350

2447. 4319 3268 3271 3355 3339; 4320 3270 3276 3353 3336; 4321 3252 3272 3358 3352
2448. 4322 3273 3282 3357 3335; 4323 3271 3274 3359 3355; 4324 3279 3290 3354 3318
2449. 4325 3280 3288 3360 3337; 4326 3272 3277 3377 3358; 4327 3274 3278 3362 3359
2450. 4328 3276 3283 3361 3353; 4329 3278 3281 3378 3362; 4330 3282 3304 3375 3357
2451. 4331 3277 3284 3381 3377; 4332 3283 3291 3379 3361; 4333 3281 3286 3382 3378
2452. 4334 3292 3293 3364 3363; 4335 3293 3294 3365 3364; 4336 3294 3295 3366 3365
2453. 4337 3295 3296 3367 3366; 4338 3296 3297 3368 3367; 4339 3297 3298 3369 3368
2454. 4340 3298 3299 3370 3369; 4341 3299 3300 3371 3370; 4342 3300 3301 3372 3371
2455. 4343 3301 3302 3373 3372; 4344 3302 3303 3374 3373; 4345 3303 3304 3375 3374
2456. 4346 3290 3337 3376 3354; 4347 3288 3335 3380 3360; 4348 3286 3287 3386 3382
2457. 4349 3284 3289 3387 3381; 4350 3291 3319 3383 3379; 4351 3304 3336 3384 3375
2458. 4352 3287 3317 3401 3386; 4353 3305 3306 3390 3389; 4354 3306 3307 3391 3390
2459. 4355 3307 3308 3392 3391; 4356 3308 3309 3393 3392; 4357 3309 3310 3394 3393
2460. 4358 3310 3311 3395 3394; 4359 3311 3312 3396 3395; 4360 3312 3313 3397 3396
2461. 4361 3313 3314 3398 3397; 4362 3314 3315 3399 3398; 4363 3315 3316 3400 3399
2462. 4364 3316 3317 3401 3400; 4365 3319 3334 3388 3383; 4366 3289 3332 3430 3387
2463. 4367 3337 3360 3385 3376; 4368 3317 3333 3417 3401; 4369 3335 3357 3402 3380
2464. 4370 3320 3321 3419 3418; 4371 3321 3322 3420 3419; 4372 3322 3323 3421 3420
2465. 4373 3323 3324 3422 3421; 4374 3324 3325 3423 3422; 4375 3325 3326 3424 3423
2466. 4376 3326 3327 3425 3424; 4377 3327 3328 3426 3425; 4378 3328 3329 3427 3426
2467. 4379 3329 3330 3428 3427; 4380 3330 3331 3429 3428; 4381 3331 3332 3430 3429
2468. 4382 3336 3353 3403 3384; 4383 3334 3339 3416 3388; 4384 3332 3338 3438 3430
2469. 4385 3351 3339 3416 3415; 4386 3340 3341 3405 3404; 4387 3341 3342 3406 3405
2470. 4388 3342 3343 3407 3406; 4389 3343 3344 3408 3407; 4390 3344 3345 3409 3408
2471. 4391 3345 3346 3410 3409; 4392 3346 3347 3411 3410; 4393 3347 3348 3412 3411
2472. 4394 3348 3349 3413 3412; 4395 3349 3350 3414 3413; 4396 3350 3351 3415 3414
2473. 4397 3333 3352 3432 3417; 4398 3339 3355 3433 3416; 4399 3353 3361 3434 3403
2474. 4400 3363 3364 3435; 4401 3364 3365 3435; 4402 3365 3366 3435
2475. 4403 3366 3367 3435; 4404 3367 3368 3435; 4405 3368 3369 3435
2476. 4406 3369 3370 3435; 4407 3370 3371 3435; 4408 3371 3372 3435
2477. 4409 3372 3373 3435; 4410 3357 3375 3437 3402; 4411 3360 3380 3431 3385
2478. 4412 3352 3358 3440 3432; 4413 3338 3356 3442 3438; 4414 3355 3359 3439 3433
2479. 4415 3373 3374 3436 3435; 4416 3374 3375 3437 3436; 4417 3359 3362 3443 3439
2480. 4418 3361 3379 3441 3434; 4419 3358 3377 3446 3440; 4420 3375 3384 3445 3437
2481. 4421 3362 3378 3448 3443; 4422 3380 3402 3444 3431; 4423 3379 3383 3447 3441
2482. 4424 3377 3381 3453 3446; 4425 3378 3382 3451 3448; 4426 3384 3403 3450 3445
2483. 4427 3383 3388 3452 3447; 4428 3382 3386 3455 3451; 4429 3402 3437 3449 3444
2484. 4430 3381 3387 3469 3453; 4431 3388 3416 3468 3452; 4432 3386 3401 3483 3455
2485. 4433 3403 3434 3470 3450; 4434 3404 3405 3457 3456; 4435 3405 3406 3458 3457
2486. 4436 3406 3407 3459 3458; 4437 3407 3408 3460 3459; 4438 3408 3409 3461 3460
2487. 4439 3409 3410 3462 3461; 4440 3410 3411 3463 3462; 4441 3411 3412 3464 3463
2488. 4442 3412 3413 3465 3464; 4443 3413 3414 3466 3465; 4444 3414 3415 3467 3466
2489. 4445 3415 3416 3468 3467; 4446 3389 3390 3472 3471; 4447 3390 3391 3473 3472
2490. 4448 3391 3392 3474 3473; 4449 3392 3393 3475 3474; 4450 3393 3394 3476 3475
2491. 4451 3394 3395 3477 3476; 4452 3395 3396 3478 3477; 4453 3396 3397 3479 3478
2492. 4454 3397 3398 3480 3479; 4455 3398 3399 3481 3480; 4456 3399 3400 3482 3481
2493. 4457 3400 3401 3483 3482; 4458 3387 3430 3498 3469; 4459 3437 3445 3454 3449
2494. 4460 3401 3417 3499 3483; 4461 3416 3433 3484 3468; 4462 3418 3419 3487 3486
2495. 4463 3419 3420 3488 3487; 4464 3420 3421 3489 3488; 4465 3421 3422 3490 3489
2496. 4466 3422 3423 3491 3490; 4467 3423 3424 3492 3491; 4468 3424 3425 3493 3492
2497. 4469 3425 3426 3494 3493; 4470 3426 3427 3495 3494; 4471 3427 3428 3496 3495
2498. 4472 3428 3429 3497 3496; 4473 3429 3430 3498 3497; 4474 3417 3432 3502 3499
2499. 4475 3434 3441 3500 3470; 4476 3433 3439 3501 3484; 4477 3430 3438 3503 3498
2500. 4478 3445 3450 3485 3454; 4479 3432 3440 3507 3502; 4480 3439 3443 3506 3501
2501. 4481 3441 3447 3505 3500; 4482 3438 3442 3511 3503; 4483 3440 3446 3508 3507
2502. 4484 3443 3448 3509 3506; 4485 3450 3470 3504 3485; 4486 3447 3452 3510 3505

2503. 4487 3448 3451 3513 3509; 4488 3446 3453 3517 3508; 4489 3456 3457 3514
2504. 4490 3457 3458 3514; 4491 3458 3459 3514; 4492 3459 3460 3514
2505. 4493 3460 3461 3514; 4494 3461 3462 3514; 4495 3462 3463 3514
2506. 4496 3463 3464 3514; 4497 3464 3465 3514; 4498 3465 3466 3514
2507. 4499 3452 3468 3516 3510; 4500 3470 3500 3512 3504; 4501 3451 3455 3519 3513
2508. 4502 3466 3467 3515 3514; 4503 3467 3468 3516 3515; 4504 3453 3469 3521 3517
2509. 4505 3468 3484 3520 3516; 4506 3455 3483 3534 3519; 4507 3500 3505 3518 3512
2510. 4508 3471 3472 3523 3522; 4509 3472 3473 3524 3523; 4510 3473 3474 3525 3524
2511. 4511 3474 3475 3526 3525; 4512 3475 3476 3527 3526; 4513 3476 3477 3528 3527
2512. 4514 3477 3478 3529 3528; 4515 3478 3479 3530 3529; 4516 3479 3480 3531 3530
2513. 4517 3480 3481 3532 3531; 4518 3481 3482 3533 3532; 4519 3482 3483 3534 3533
2514. 4520 3469 3498 3550 3521; 4521 3484 3501 3536 3520; 4522 3483 3499 3551 3534
2515. 4523 3486 3487 3539 3538; 4524 3487 3488 3540 3539; 4525 3488 3489 3541 3540
2516. 4526 3489 3490 3542 3541; 4527 3490 3491 3543 3542; 4528 3491 3492 3544 3543
2517. 4529 3492 3493 3545 3544; 4530 3493 3494 3546 3545; 4531 3494 3495 3547 3546
2518. 4532 3495 3496 3548 3547; 4533 3496 3497 3549 3548; 4534 3497 3498 3550 3549
2519. 4535 3505 3510 3535 3518; 4536 3499 3502 3554 3551; 4537 3501 3506 3553 3536
2520. 4538 3498 3503 3555 3550; 4539 3510 3516 3537 3535; 4540 3502 3507 3557 3554
2521. 4541 3506 3509 3556 3553; 4542 3503 3511 3561 3555; 4543 3516 3520 3552 3537
2522. 4544 3507 3508 3559 3557; 4545 3509 3513 3560 3556; 4546 3508 3517 3563 3559
2523. 4547 3520 3536 3558 3552; 4548 3513 3519 3564 3560; 4549 3522 3523 3567
2524. 4550 3523 3524 3567; 4551 3524 3525 3567; 4552 3525 3526 3567
2525. 4553 3526 3527 3567; 4554 3527 3528 3567; 4555 3528 3529 3567
2526. 4556 3529 3530 3567; 4557 3530 3531 3567; 4558 3531 3532 3567
2527. 4559 3517 3521 3566 3563; 4560 3536 3553 3562 3558; 4561 3519 3534 3569 3564
2528. 4562 3532 3533 3568 3567; 4563 3533 3534 3569 3568; 4564 3521 3550 3583 3566
2529. 4565 3553 3556 3565 3562; 4566 3534 3551 3584 3569; 4567 3538 3539 3572 3571
2530. 4568 3539 3540 3573 3572; 4569 3540 3541 3574 3573; 4570 3541 3542 3575 3574
2531. 4571 3542 3543 3576 3575; 4572 3543 3544 3577 3576; 4573 3544 3545 3578 3577
2532. 4574 3545 3546 3579 3578; 4575 3546 3547 3580 3579; 4576 3547 3548 3581 3580
2533. 4577 3548 3549 3582 3581; 4578 3549 3550 3583 3582; 4579 3556 3560 3570 3565
2534. 4580 3551 3554 3586 3584; 4581 3550 3555 3587 3583; 4582 3554 3557 3590 3586
2535. 4583 3560 3564 3585 3570; 4584 3555 3561 3591 3587; 4585 3557 3559 3592 3590
2536. 4586 3564 3569 3588 3585; 4587 3559 3563 3594 3592; 4588 3569 3584 3589 3588
2537. 4589 3563 3566 3596 3594; 4590 3584 3586 3593 3589; 4591 3571 3572 3598
2538. 4592 3572 3573 3598; 4593 3573 3574 3598; 4594 3574 3575 3598
2539. 4595 3575 3576 3598; 4596 3576 3577 3598; 4597 3577 3578 3598
2540. 4598 3578 3579 3598; 4599 3579 3580 3598; 4600 3580 3581 3598
2541. 4601 3566 3583 3600 3596; 4602 3586 3590 3595 3593; 4603 3581 3582 3599 3598
2542. 4604 3582 3583 3600 3599; 4605 3583 3587 3602 3600; 4606 3590 3592 3597 3595
2543. 4607 3592 3594 3601 3597; 4608 3587 3591 3605 3602; 4609 3594 3596 3603 3601
2544. 4610 3596 3600 3604 3603; 4611 3600 3602 3606 3604; 4612 3602 3605 3607 3606
2545. START GROUP DEFINITION

WARNING PLATE NO. 3153(JOINTS 2062 - 2065 - 2216 - 2214)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3157(JOINTS 2065 - 2069 - 2220 - 2216)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3159(JOINTS 2069 - 2071 - 2223 - 2220)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3162(JOINTS 2071 - 2076 - 2224 - 2223)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3164(JOINTS 2076 - 2078 - 2227 - 2224)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3167(JOINTS 2078 - 2082 - 2230 - 2227)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3247(JOINTS 2254 - 2255 - 2304 - 2303)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3248(JOINTS 2255 - 2256 - 2306 - 2304)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3263(JOINTS 2303 - 2304 - 2309 - 2305)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3266(JOINTS 2304 - 2306 - 2324 - 2309)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3268(JOINTS 2305 - 2309 - 2326 - 2308)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3273(JOINTS 2308 - 2326 - 2331 - 2323)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3275(JOINTS 2309 - 2324 - 2332 - 2326)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3303(JOINTS 2323 - 2331 - 2349 - 2327)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3307(JOINTS 2326 - 2332 - 2352 - 2331)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3309(JOINTS 2327 - 2349 - 2356 - 2330)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3326(JOINTS 2330 - 2356 - 2374 - 2347)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3327(JOINTS 2331 - 2352 - 2372 - 2349)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3345(JOINTS 2347 - 2374 - 2390 - 2350)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3347(JOINTS 2349 - 2372 - 2391 - 2356)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3352(JOINTS 2350 - 2390 - 2409 - 2355)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3368(JOINTS 2356 - 2391 - 2411 - 2374)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3369(JOINTS 2355 - 2409 - 2414 - 2371)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3408(JOINTS 2374 - 2411 - 2431 - 2390)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3428(JOINTS 2390 - 2431 - 2449 - 2409)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3461(JOINTS 2409 - 2449 - 2467 - 2414)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3522(JOINTS 2485 - 2486 - 2523 - 2522)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3523(JOINTS 2486 - 2487 - 2524 - 2523)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3524(JOINTS 2487 - 2488 - 2525 - 2524)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3525(JOINTS 2488 - 2489 - 2526 - 2525)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3526(JOINTS 2489 - 2490 - 2527 - 2526)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3527(JOINTS 2490 - 2491 - 2528 - 2527)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3528(JOINTS 2491 - 2492 - 2529 - 2528)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3529(JOINTS 2492 - 2493 - 2530 - 2529)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3530(JOINTS 2493 - 2494 - 2531 - 2530)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3531(JOINTS 2494 - 2495 - 2532 - 2531)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3555(JOINTS 2522 - 2523 - 2559 - 2558)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3556(JOINTS 2523 - 2524 - 2560 - 2559)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3557(JOINTS 2524 - 2525 - 2561 - 2560)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3558(JOINTS 2525 - 2526 - 2562 - 2561)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3559(JOINTS 2526 - 2527 - 2563 - 2562)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3560(JOINTS 2527 - 2528 - 2564 - 2563)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3561(JOINTS 2528 - 2529 - 2565 - 2564)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3562(JOINTS 2529 - 2530 - 2566 - 2565)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3563(JOINTS 2530 - 2531 - 2567 - 2566)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3564(JOINTS 2531 - 2532 - 2568 - 2567)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3584(JOINTS 2558 - 2559 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3585(JOINTS 2559 - 2560 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3586(JOINTS 2560 - 2561 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3587(JOINTS 2561 - 2562 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3588(JOINTS 2562 - 2563 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3589(JOINTS 2563 - 2564 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3590(JOINTS 2564 - 2565 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3591(JOINTS 2565 - 2566 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3592(JOINTS 2566 - 2567 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3593(JOINTS 2567 - 2568 - 2577 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3857(JOINTS 2823 - 2824 - 2898 - 2897)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3858(JOINTS 2824 - 2825 - 2899 - 2898)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3859(JOINTS 2825 - 2826 - 2900 - 2899)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3860(JOINTS 2826 - 2827 - 2901 - 2900)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3861(JOINTS 2827 - 2828 - 2902 - 2901)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3862(JOINTS 2828 - 2829 - 2903 - 2902)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3863(JOINTS 2829 - 2830 - 2904 - 2903)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3864(JOINTS 2830 - 2831 - 2905 - 2904)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3865(JOINTS 2831 - 2832 - 2906 - 2905)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3866(JOINTS 2832 - 2833 - 2907 - 2906)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3921(JOINTS 2897 - 2898 - 2939 - 2938)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3922(JOINTS 2898 - 2899 - 2940 - 2939)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3923(JOINTS 2899 - 2900 - 2941 - 2940)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3924(JOINTS 2900 - 2901 - 2942 - 2941)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3925(JOINTS 2901 - 2902 - 2943 - 2942)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3926(JOINTS 2902 - 2903 - 2944 - 2943)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3927(JOINTS 2903 - 2904 - 2945 - 2944)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3928(JOINTS 2904 - 2905 - 2946 - 2945)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3929(JOINTS 2905 - 2906 - 2947 - 2946)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3930(JOINTS 2906 - 2907 - 2948 - 2947)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3949(JOINTS 2938 - 2939 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3950(JOINTS 2939 - 2940 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3951(JOINTS 2940 - 2941 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3952(JOINTS 2941 - 2942 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3953(JOINTS 2942 - 2943 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3954(JOINTS 2943 - 2944 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3955(JOINTS 2944 - 2945 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3956(JOINTS 2945 - 2946 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3957(JOINTS 2946 - 2947 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 3958(JOINTS 2947 - 2948 - 2990 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4039(JOINTS 2996 - 2997 - 3075 - 3074)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4100(JOINTS 3074 - 3075 - 3125 - 3124)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4101(JOINTS 3075 - 3076 - 3126 - 3125)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4102(JOINTS 3076 - 3077 - 3127 - 3126)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4103(JOINTS 3077 - 3078 - 3128 - 3127)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4104(JOINTS 3078 - 3079 - 3129 - 3128)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4105(JOINTS 3079 - 3080 - 3130 - 3129)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4106(JOINTS 3080 - 3081 - 3131 - 3130)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4107(JOINTS 3081 - 3082 - 3132 - 3131)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4108(JOINTS 3082 - 3083 - 3133 - 3132)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4109(JOINTS 3083 - 3084 - 3134 - 3133)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4172(JOINTS 3124 - 3125 - 3184 - 3183)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4173(JOINTS 3125 - 3126 - 3185 - 3184)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4174(JOINTS 3126 - 3127 - 3186 - 3185)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4175(JOINTS 3127 - 3128 - 3187 - 3186)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4176(JOINTS 3128 - 3129 - 3188 - 3187)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4177(JOINTS 3129 - 3130 - 3189 - 3188)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4178(JOINTS 3130 - 3131 - 3190 - 3189)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4179(JOINTS 3131 - 3132 - 3191 - 3190)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4180(JOINTS 3132 - 3133 - 3192 - 3191)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4181(JOINTS 3133 - 3134 - 3193 - 3192)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4197(JOINTS 3156 - 3157 - 3238 - 3237)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4198(JOINTS 3157 - 3158 - 3239 - 3238)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4199(JOINTS 3158 - 3159 - 3240 - 3239)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4226(JOINTS 3183 - 3184 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4227(JOINTS 3184 - 3185 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4228(JOINTS 3185 - 3186 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4229(JOINTS 3186 - 3187 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4230(JOINTS 3187 - 3188 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4231(JOINTS 3188 - 3189 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4232(JOINTS 3189 - 3190 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4233(JOINTS 3190 - 3191 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4234(JOINTS 3191 - 3192 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4235(JOINTS 3192 - 3193 - 3253 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4287(JOINTS 3237 - 3238 - 3293 - 3292)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4288(JOINTS 3238 - 3239 - 3294 - 3293)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4289(JOINTS 3239 - 3240 - 3295 - 3294)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4290(JOINTS 3240 - 3241 - 3296 - 3295)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4291(JOINTS 3241 - 3242 - 3297 - 3296)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4292(JOINTS 3242 - 3243 - 3298 - 3297)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4293(JOINTS 3243 - 3244 - 3299 - 3298)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4294(JOINTS 3244 - 3245 - 3300 - 3299)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4295(JOINTS 3245 - 3246 - 3301 - 3300)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4296(JOINTS 3246 - 3247 - 3302 - 3301)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4308(JOINTS 3256 - 3257 - 3341 - 3340)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4309(JOINTS 3257 - 3258 - 3342 - 3341)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4310(JOINTS 3258 - 3259 - 3343 - 3342)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4311(JOINTS 3259 - 3260 - 3344 - 3343)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4312(JOINTS 3260 - 3261 - 3345 - 3344)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4334(JOINTS 3292 - 3293 - 3364 - 3363)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4335(JOINTS 3293 - 3294 - 3365 - 3364)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4336(JOINTS 3294 - 3295 - 3366 - 3365)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4337(JOINTS 3295 - 3296 - 3367 - 3366)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4338(JOINTS 3296 - 3297 - 3368 - 3367)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4339(JOINTS 3297 - 3298 - 3369 - 3368)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4340(JOINTS 3298 - 3299 - 3370 - 3369)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4341(JOINTS 3299 - 3300 - 3371 - 3370)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4342(JOINTS 3300 - 3301 - 3372 - 3371)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4343(JOINTS 3301 - 3302 - 3373 - 3372)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4353(JOINTS 3305 - 3306 - 3390 - 3389)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4354(JOINTS 3306 - 3307 - 3391 - 3390)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4355(JOINTS 3307 - 3308 - 3392 - 3391)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

STAAD SPACE -- PAGE NO. 55

WARNING PLATE NO. 4356(JOINTS 3308 - 3309 - 3393 - 3392)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4357(JOINTS 3309 - 3310 - 3394 - 3393)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4358(JOINTS 3310 - 3311 - 3395 - 3394)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4359(JOINTS 3311 - 3312 - 3396 - 3395)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4360(JOINTS 3312 - 3313 - 3397 - 3396)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4386(JOINTS 3340 - 3341 - 3405 - 3404)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4387(JOINTS 3341 - 3342 - 3406 - 3405)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4388(JOINTS 3342 - 3343 - 3407 - 3406)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4389(JOINTS 3343 - 3344 - 3408 - 3407)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4390(JOINTS 3344 - 3345 - 3409 - 3408)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4391(JOINTS 3345 - 3346 - 3410 - 3409)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4392(JOINTS 3346 - 3347 - 3411 - 3410)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4393(JOINTS 3347 - 3348 - 3412 - 3411)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4394(JOINTS 3348 - 3349 - 3413 - 3412)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4395(JOINTS 3349 - 3350 - 3414 - 3413)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4400(JOINTS 3363 - 3364 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4401(JOINTS 3364 - 3365 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4402(JOINTS 3365 - 3366 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

STAAD SPACE -- PAGE NO. 56

WARNING PLATE NO. 4403(JOINTS 3366 - 3367 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4404(JOINTS 3367 - 3368 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4405(JOINTS 3368 - 3369 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4406(JOINTS 3369 - 3370 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4407(JOINTS 3370 - 3371 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4408(JOINTS 3371 - 3372 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4409(JOINTS 3372 - 3373 - 3435 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4434(JOINTS 3404 - 3405 - 3457 - 3456)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4435(JOINTS 3405 - 3406 - 3458 - 3457)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4436(JOINTS 3406 - 3407 - 3459 - 3458)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4437(JOINTS 3407 - 3408 - 3460 - 3459)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4438(JOINTS 3408 - 3409 - 3461 - 3460)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4439(JOINTS 3409 - 3410 - 3462 - 3461)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4440(JOINTS 3410 - 3411 - 3463 - 3462)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4441(JOINTS 3411 - 3412 - 3464 - 3463)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4442(JOINTS 3412 - 3413 - 3465 - 3464)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4443(JOINTS 3413 - 3414 - 3466 - 3465)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4446(JOINTS 3389 - 3390 - 3472 - 3471)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4447(JOINTS 3390 - 3391 - 3473 - 3472)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4448(JOINTS 3391 - 3392 - 3474 - 3473)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4449(JOINTS 3392 - 3393 - 3475 - 3474)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4450(JOINTS 3393 - 3394 - 3476 - 3475)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4451(JOINTS 3394 - 3395 - 3477 - 3476)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4452(JOINTS 3395 - 3396 - 3478 - 3477)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4453(JOINTS 3396 - 3397 - 3479 - 3478)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4454(JOINTS 3397 - 3398 - 3480 - 3479)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4455(JOINTS 3398 - 3399 - 3481 - 3480)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4489(JOINTS 3456 - 3457 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4490(JOINTS 3457 - 3458 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4491(JOINTS 3458 - 3459 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4492(JOINTS 3459 - 3460 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4493(JOINTS 3460 - 3461 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4494(JOINTS 3461 - 3462 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4495(JOINTS 3462 - 3463 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4496(JOINTS 3463 - 3464 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4497(JOINTS 3464 - 3465 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4498(JOINTS 3465 - 3466 - 3514 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4508(JOINTS 3471 - 3472 - 3523 - 3522)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4509(JOINTS 3472 - 3473 - 3524 - 3523)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4510(JOINTS 3473 - 3474 - 3525 - 3524)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4511(JOINTS 3474 - 3475 - 3526 - 3525)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4512(JOINTS 3475 - 3476 - 3527 - 3526)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4513(JOINTS 3476 - 3477 - 3528 - 3527)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4514(JOINTS 3477 - 3478 - 3529 - 3528)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4515(JOINTS 3478 - 3479 - 3530 - 3529)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4516(JOINTS 3479 - 3480 - 3531 - 3530)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4517(JOINTS 3480 - 3481 - 3532 - 3531)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4523(JOINTS 3486 - 3487 - 3539 - 3538)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4524(JOINTS 3487 - 3488 - 3540 - 3539)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4525(JOINTS 3488 - 3489 - 3541 - 3540)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4526(JOINTS 3489 - 3490 - 3542 - 3541)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4527(JOINTS 3490 - 3491 - 3543 - 3542)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4528(JOINTS 3491 - 3492 - 3544 - 3543)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4529(JOINTS 3492 - 3493 - 3545 - 3544)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4530(JOINTS 3493 - 3494 - 3546 - 3545)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4531(JOINTS 3494 - 3495 - 3547 - 3546)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4532(JOINTS 3495 - 3496 - 3548 - 3547)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4549(JOINTS 3522 - 3523 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4550(JOINTS 3523 - 3524 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4551(JOINTS 3524 - 3525 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4552(JOINTS 3525 - 3526 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4553(JOINTS 3526 - 3527 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4554(JOINTS 3527 - 3528 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4555(JOINTS 3528 - 3529 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4556(JOINTS 3529 - 3530 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4557(JOINTS 3530 - 3531 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4558(JOINTS 3531 - 3532 - 3567 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4567(JOINTS 3538 - 3539 - 3572 - 3571)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4568(JOINTS 3539 - 3540 - 3573 - 3572)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4569(JOINTS 3540 - 3541 - 3574 - 3573)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4570(JOINTS 3541 - 3542 - 3575 - 3574)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4571(JOINTS 3542 - 3543 - 3576 - 3575)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4572(JOINTS 3543 - 3544 - 3577 - 3576)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4573(JOINTS 3544 - 3545 - 3578 - 3577)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4574(JOINTS 3545 - 3546 - 3579 - 3578)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4575(JOINTS 3546 - 3547 - 3580 - 3579)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4576(JOINTS 3547 - 3548 - 3581 - 3580)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4591(JOINTS 3571 - 3572 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4592(JOINTS 3572 - 3573 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4593(JOINTS 3573 - 3574 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4594(JOINTS 3574 - 3575 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4595(JOINTS 3575 - 3576 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4596(JOINTS 3576 - 3577 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4597(JOINTS 3577 - 3578 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4598(JOINTS 3578 - 3579 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4599(JOINTS 3579 - 3580 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

WARNING PLATE NO. 4600(JOINTS 3580 - 3581 - 3598 - 0)
IS BADLY SHAPED, WARPED, NOT CONVEX, OR NOT NUMBERED COUNTER-CLOCKWISE.

```
2546. ELEMENT
2547. _RAFT_BP 1000 TO 1822
2548. _TOE_SLAB_BM 1673 TO 1677 1680 TO 1684 1687 TO 1691 1694 TO 1698 1701 TO 1705 -
2549. 1708 TO 1712 1715 TO 1719 1722 TO 1727 1730 TO 1734 1737 TO 1741 -
2550. 1744 TO 1748 1751 TO 1755 1757 1759 TO 1766 1768 1770 1772 TO 1774 1776 1779 -
2551. 1780 TO 1784 1787 TO 1791 1794 TO 1798 1801 TO 1805
2552. _TOE_SLAB_SF 1723 TO 1726 1731 TO 1733 1738 TO 1740 1745 TO 1747 1752 TO 1754 -
2553. 1757 1759 1761 TO 1765 1772 TO 1774 1780 TO 1783 1788 TO 1790 1795 TO 1797 -
2554. 1802 TO 1804
2555. _TOE_CONCEAL_BEAM 1808 TO 1812 1815 TO 1819 1822
2556. _HEEL_SLAB 1007 1013 1015 1016 1018 1020 1021 1029 1030 1032 TO 1034 1036 -
```

```
2557. 1037 1039 1040 1043 1051 1053 1054 1057 1058 1060 1062 1063 1065 1067 1075 -
2558. 1078 1080 1081 1085 TO 1088 1091 TO 1094 1096 1098 1099 1102 1108 -
2559. 1113 TO 1115 1117 TO 1119 1121 1123 1125 1128 TO 1132 1134 1136 1139 1140 -
2560. 1143 1146 TO 1148 1153 1154 1157 1159 1161 1162 1164 1166 TO 1168 1171 1172 -
2561. 1174 1176 1185 1187 1191 TO 1193 1195 1197 TO 1200 1202 TO 1204 1207 1209 -
2562. 1210 1212 1215 1217 1219 1221 1224 1228 TO 1230 1232 1233 1237 1239 1241 -
2563. 1244 1245 1247 TO 1249 1251 1254 1255 1257 1258 1260 1263 1264 1266 TO 1268 -
2564. 1270 1272 1273 1277 1278 1282 1283 1286 1287 1289 TO 1293 1295 TO 1302 1304 -
2565. 1305 TO 1310 1316 1317 1319 1321 TO 1325 1327 1329 TO 1334 1336 1337 1340 -
2566. 1341 1343 1344 1346 1347 1349 1350 1352 TO 1354 1357 TO 1362 1364 TO 1366 -
2567. 1368 1369 1372 1377 1379 TO 1392 1394 1397 1399 TO 1403 1405 1407 1408 1411 -
2568. 1413 1415 TO 1417 1419 1421 TO 1428 1430 1431 1434 1435 1438 1440 TO 1444 -
2569. 1446 1448 TO 1453 1458 TO 1462 1464 1468 TO 1475 1478 TO 1484 1487 TO 1489 -
2570. 1491 1493 1496 TO 1500 1502 1504 TO 1508 1511 TO 1514 1517 1520 TO 1524 1527 -
2571. 1528 TO 1531 1534 TO 1538 1541 TO 1545 1548 TO 1552 1555 TO 1559 1562 TO 1566 -
2572. 1569
2573. _WALL-1 2273 TO 2275 2278 TO 2282 2285 TO 2289 2292 TO 2296 2446 TO 2448 2451 -
2574. 2452 TO 2455 2458 TO 2462 2465 TO 2469 2612 TO 2614 2617 TO 2621 2624 TO 2628 -
2575. 2631 TO 2635 2764 TO 2766 2769 TO 2773 2776 TO 2780 2783 TO 2787 -
2576. 2909 TO 2911 2914 TO 2918 2921 TO 2925 2928 TO 2932 3054 TO 3056 -
2577. 3059 TO 3063 3066 TO 3070 3073 TO 3077 3199 TO 3201 3204 TO 3208 -
2578. 3211 TO 3215 3218 TO 3222 3247 TO 3249 3263 3265 TO 3268 3270 TO 3273 3275 -
2579. 3276 3303 3305 TO 3311 3313 3326 TO 3330 3345 3347 3348 3350 TO 3354 3367 -
2580. 3368 TO 3373 3386 3387 3390 TO 3392 3408 3410 3424 3428 3429 3446 3461 3462 -
2581. 3476 3479 3483 3484 3486 3488 3515 3516 3519 TO 3521 3535 3537 3539 3540 -
2582. 3580 3583 3597 TO 3600 3602 TO 3606 3609 TO 3612 3639 TO 3646 3661 3663 3664 -
2583. 3666 3667 3669 3672 3685 3688 3704 TO 3706 3709 3722 3724 3725 3727 3728 -
2584. 3730 TO 3732 3735 3736 3750 TO 3752 3754 3755 3798 3801 3802 3804 TO 3807 -
2585. 3809 TO 3812 3826 3839 3840 3842 TO 3847 3849 TO 3853 3855 3868 3869 3885 -
2586. 3886 3899 3902 3904 3917 3932 3934 TO 3937 3939 3943 3945 TO 3947 3959 3986 -
2587. 3987 TO 3988 3993 3994 4007 4009 4011 TO 4013 4015 4016 4019 4020 4034 4035 -
2588. 4037 4064 4065 4068 TO 4070 4072 TO 4075 4077 TO 4080 4083 4098 4099 4113 -
2589. 4114 4116 4131 TO 4134 4149 TO 4151 4153 4154 4157 4159 4185 TO 4188 4190 -
2590. 4191 TO 4192 4194 4195 4209 4224 4236 TO 4239 4242 TO 4246
2591. _WALL-1 4248 TO 4252 4255 4257 4283 4284 4299 4302 TO 4304 4306 4320 TO 4329 -
2592. 4331 TO 4333 4346 TO 4350 4365 4367 4369 4382 4397 4399 4411 TO 4414 4417 -
2593. 4418 TO 4419 4421 TO 4428 4430 4433 4474 TO 4476 4478 TO 4488 4500 4501 4504 -
2594. 4507 4521 4535 TO 4537 4540 TO 4542 4544 TO 4548 4559 4560 4565 4579 4580 -
2595. 4582 TO 4585 4587 4589 4590 4602 4606 TO 4609 4612
2596. _WALL-2 2299 TO 2303 2306 TO 2310 2313 TO 2317 2320 2472 TO 2476 2479 TO 2483 -
2597. 2486 TO 2490 2493 2638 TO 2642 2645 TO 2649 2652 TO 2656 2659 2790 TO 2794 -
2598. 2797 TO 2801 2804 TO 2808 2811 2935 TO 2939 2942 TO 2946 2949 TO 2953 2956 -
2599. 3080 TO 3084 3087 TO 3091 3094 TO 3098 3101 3225 TO 3229 3232 TO 3236 3239 -
2600. 3240 TO 3243 3246 3411 3425 3426 3430 3444 3477 3478 3481 3482 3485 3517 3665 -
2601. 3668 3686 3690 3703 3726 3729 3734 3737 3753 3799 3918 3933 3938 3944 3985 -
2602. 4014 4071 4076 4084 4111 4129 4158
2603. END GROUP DEFINITION
2604. ELEMENT PROPERTY
2605. 1000 TO 1520 1568 TO 1572 1578 TO 1583 1622 1623 1673 THICKNESS 0.7
2606. 1521 TO 1567 1573 TO 1577 1584 TO 1621 1624 TO 1672 1674 TO 1822 THICKNESS 0.7
2607. 1823 TO 1846 1848 1850 TO 1852 1854 TO 1856 1859 1861 1862 1864 1866 1868 -
2608. 1870 1873 1875 1878 1880 1881 1885 1887 1891 1894 TO 1896 1898 1905 TO 1909 -
2609. 1913 TO 1917 1996 TO 2019 2021 2023 TO 2025 2027 TO 2029 2032 2034 2035 2037 -
2610. 2039 2041 2043 2046 2048 2051 2053 2054 2058 2060 2064 2067 TO 2069 2071 -
2611. 2078 TO 2082 2086 TO 2090 2176 TO 2199 2201 2203 TO 2205 2207 TO 2209 2212 -
2612. 2214 2215 2217 2219 2221 2223 2226 2228 2231 2233 2234 2238 2240 2244 2247 -
```



```
2613. 2248 TO 2249 2251 2258 TO 2262 2266 TO 2270 2349 TO 2372 2374 2376 TO 2378 -
2614. 2380 TO 2382 2385 2387 2388 2390 2392 2394 2396 2399 2401 2404 2406 2407 -
2615. 2411 2413 2417 2420 TO 2422 2424 2431 TO 2435 2439 TO 2443 2515 TO 2533 2535 -
2616. 2536 TO 2537 2540 TO 2542 2545 2547 2549 2552 2555 2557 2559 2564 2567 2570 -
2617. 2573 2577 2584 2585 2587 2588 2597 TO 2601 2605 TO 2609 2667 TO 2682 2684 -
2618. 2685 2687 TO 2689 2692 TO 2694 2697 2698 2701 2702 2706 2707 2710 2717 2718 -
2619. 2722 2725 2728 2736 TO 2738 2740 2749 TO 2753 2757 TO 2761 2812 TO 2828 2830 -
2620. 2832 TO 2834 2836 TO 2838 2841 2843 2846 2847 2849 2851 2855 2860 2862 2865 -
2621. 2870 2872 2881 TO 2884 2894 TO 2898 2902 TO 2906 2957 TO 2974 2976 -
2622. 2978 TO 2980 2982 2983 2985 2988 2989 2991 2993 2994 2998 3003 3004 3008 -
2623. 3013 3017 3024 3026 3028 3030 3039 TO 3043 3047 TO 3051 3102 TO 3119 3121 -
2624. 3122 TO 3123 3125 3127 TO 3129 3132 TO 3134 3138 THICKNESS 0.5
2625. 3139 3143 3148 3149 3151 3155 3160 3168 3170 3172 3175 3184 TO 3188 -
2626. 3192 TO 3196 3342 3343 3374 TO 3385 3396 TO 3407 3449 TO 3460 3502 TO 3513 -
2627. 3576 3577 3613 TO 3624 3649 TO 3660 3683 3684 3710 TO 3721 3760 TO 3783 3795 -
2628. 3796 3813 TO 3824 3880 3881 3887 TO 3898 3905 TO 3916 3960 TO 3971 3982 3983 -
2629. 3995 TO 4006 4021 TO 4032 4049 TO 4062 4085 TO 4096 4110 4112 4117 TO 4128 -
2630. 4137 TO 4148 4160 TO 4171 4182 4183 4197 TO 4208 4210 TO 4221 4240 4241 4258 -
2631. 4259 TO 4281 4287 TO 4298 4307 TO 4318 4334 TO 4345 4353 TO 4364 4370 TO 4381 -
2632. 4385 TO 4396 4400 TO 4409 4415 4416 4434 TO 4457 4462 TO 4473 4489 TO 4498 -
2633. 4502 4503 4508 TO 4519 4523 TO 4534 4549 TO 4558 4562 4563 4567 TO 4578 4591 -
2634. 4592 TO 4600 4603 4604 THICKNESS 0.5
2635. 1847 1849 1853 1857 1858 1860 1863 1865 1867 1869 1872 1876 1877 1883 1884 -
2636. 1888 1890 1893 1899 1900 1903 1904 1911 1912 1968 TO 1995 2020 2022 2026 -
2637. 2030 2031 2033 2036 2038 2040 2042 2045 2049 2050 2056 2057 2061 2063 2066 -
2638. 2072 2073 2076 2077 2084 2085 2141 TO 2168 2200 2202 2206 2210 2211 2213 -
2639. 2216 2218 2220 2222 2225 2229 2230 2236 2237 2241 2243 2246 2252 2253 2256 -
2640. 2257 2264 2265 2321 TO 2341 2373 2375 2379 2383 2384 2386 2389 2391 2393 -
2641. 2395 2398 2402 2403 2409 2410 2414 2416 2419 2425 2426 2429 2430 2437 2438 -
2642. 2494 TO 2507 2534 2538 2539 2543 2544 2546 2548 2550 2551 2553 2554 2556 -
2643. 2558 2560 TO 2562 2566 2568 2571 2572 2575 2576 2579 2581 2582 2586 2590 -
2644. 2591 TO 2592 2595 2596 2603 2604 2683 2686 2690 2691 2695 2696 2699 2700 2703 -
2645. 2704 TO 2705 2708 2709 2711 2713 2714 2716 2720 2721 2723 2726 2729 TO 2731 -
2646. 2733 2734 2739 2742 TO 2744 2747 2748 2755 2756 2829 2831 2835 2839 2840 -
2647. 2842 2844 2845 2848 2850 2852 2853 2856 2857 2859 2861 2864 2866 2867 2869 -
2648. 2873 2874 2876 2877 2879 2880 2885 2887 TO 2889 2892 2893 2900 2901 2975 -
2649. 2977 2981 2984 2986 2987 2990 2992 2995 2996 2999 3001 3002 3006 3007 3010 -
2650. 3011 TO 3012 3014 3016 3018 3020 TO 3022 3025 3027 3031 TO 3033 3035 3037 -
2651. 3038 3045 3046 3120 3124 3126 3130 3131 3135 TO 3137 3141 3142 3145 3146 -
2652. 3150 3153 3154 3157 TO 3159 3162 TO 3165 3167 3169 3171 3174 3176 TO 3178 -
2653. 3180 3182 3183 3190 3191 THICKNESS 0.5
2654. 2169 TO 2175 2342 TO 2348 2508 TO 2514 2660 TO 2666 3251 TO 3262 -
2655. 3277 THICKNESS 0.5
2656. 3278 TO 3288 3290 TO 3301 3314 TO 3325 3332 TO 3341 3355 TO 3366 3412 TO 3423 -
2657. 3432 TO 3443 3464 TO 3475 3490 TO 3501 3522 TO 3533 3542 TO 3575 -
2658. 3584 TO 3593 3595 3596 3626 TO 3637 3673 TO 3682 3691 TO 3702 3738 TO 3749 -
2659. 3785 TO 3794 3827 TO 3838 3856 TO 3867 3870 TO 3879 3920 TO 3931 -
2660. 3949 TO 3958 3972 TO 3981 3989 3990 4039 TO 4048 4100 TO 4109 4172 TO 4181 -
2661. 4226 TO 4235 THICKNESS 0.5
2662. 1871 1874 1879 1882 1886 1889 1892 1897 1901 1902 1910 1918 TO 1967 2044 2047 -
2663. 2052 2055 2059 2062 2065 2070 2074 2075 2083 2091 TO 2140 2224 2227 2232 -
2664. 2235 2239 2242 2245 2250 2254 2255 2263 2271 TO 2320 2397 2400 2405 2408 -
2665. 2412 2415 2418 2423 2427 2428 2436 2444 TO 2493 2563 2565 2569 2574 2578 -
2666. 2580 2583 2589 2593 2594 2602 2610 TO 2659 2712 2715 2719 2724 2727 2732 -
2667. 2735 2741 2745 2746 2754 2762 TO 2811 2854 2858 2863 2868 2871 2875 2878 -
2668. 2886 2890 2891 2899 2907 TO 2956 2997 3000 3005 3009 3015 3019 3023 3029 -
```

```
2669. 3034 3036 3044 3052 TO 3101 3140 3144 3147 3152 3156 3161 3166 3173 3179 -
2670. 3181 3189 3197 TO 3250 3263 TO 3276 3289 3302 TO 3313 3326 TO 3331 -
2671. 3344 TO 3354 3367 TO 3373 3386 TO 3395 3408 TO 3411 3424 TO 3431 -
2672. 3444 TO 3448 3461 TO 3463 3476 TO 3489 3514 TO 3521 3534 TO 3541 -
2673. 3578 TO 3583 3594 3597 TO 3612 3625 3638 TO 3648 3661 TO 3672 3685 TO 3690 -
2674. 3703 TO 3709 3722 TO 3737 3750 TO 3759 3784 3797 TO 3812 3825 3826 -
2675. 3839 TO 3855 3868 3869 3882 TO 3886 3899 TO 3904 3917 TO 3919 3932 TO 3948 -
2676. 3959 3984 TO 3988 3991 TO 3994 4007 TO 4020 4033 TO 4038 4063 TO 4084 4097 -
2677. 4098 TO 4099 4111 4113 TO 4116 4129 TO 4136 4149 TO 4159 4184 TO 4196 4209 -
2678. 4222 TO 4225 4236 TO 4239 4242 TO 4257 4282 TO 4286 4299 TO 4306 -
2679. 4319 TO 4333 4346 TO 4352 4365 TO 4369 4382 TO 4384 4397 TO 4399 -
2680. 4410 THICKNESS 0.3
2681. 4411 TO 4414 THICKNESS 0.3
2682. 4417 TO 4433 4458 TO 4461 4474 TO 4488 4499 TO 4501 4504 TO 4507 4520 TO 4522 -
2683. 4535 TO 4548 4559 TO 4561 4564 TO 4566 4579 TO 4590 4601 4602 4605 TO 4611 -
2684. 4612 THICKNESS 0.3
2685. DEFINE MATERIAL START
2686. ISOTROPIC CONCRETE
2687. E 2.21467E+006
2688. POISSON 0.17
2689. DENSITY 2.40262
2690. ALPHA 1E-005
2691. DAMP 0.05
2692. TYPE CONCRETE
2693. STRENGTH FCU 2812.28
2694. END DEFINE MATERIAL
2695. MEMBER PROPERTY INDIAN
2696. 100 TO 144 PRIS YD 0.8 ZD 0.6
2697. CONSTANTS
2698. MATERIAL CONCRETE ALL
2699. SUPPORTS
2700. 1000 TO 1822 PLATE MAT DIRECT Y SUBGRADE 6750
2701. LOAD 1 DEAD LOAD OF STRUCTURE (D_S)
2702. SELFWEIGHT Y -1
2703. LOAD 2 DEAD LOAD OF EARTH (D_E)
2704. ELEMENT LOAD
2705. ***SOIL LOAD OVER TOE & HEEL SLAB = (2.5-0.7)*1.9 = 3.42 T/M2***
2706. 1000 TO 1325 1327 1329 TO 1344 1346 1347 1349 TO 1370 1372 1373 1375 TO 1395 -
2707. 1397 1399 TO 1417 1419 1421 TO 1436 1438 1440 TO 1454 1456 1458 TO 1489 1491 -
2708. 1493 TO 1514 1517 1520 TO 1569 1673 TO 1722 1724 TO 1756 1758 TO 1821 -
2709. 1822 PR GY -3.42
2710. ***MAX. RETAINED EARTH LOAD OVER HEEL SLAB = 15*1.9 = 28.5 T/M2***
2711. ***MIN. RETAINED EARTH LOAD OVER HEEL SLAB = 1*1.9 = 1.9 T/M2***
2712. 1000 1007 1020 1043 1075 1117 1174 1249 1346 1452 1569 PR GY -28.5
2713. 1001 1009 1024 1046 1079 1122 1178 1253 1351 1454 1568 PR GY -27.61
2714. 1002 1011 1026 1049 1082 1126 1183 1256 1355 1456 1567 PR GY -26.866
2715. 1003 1013 1029 1053 1086 1130 1187 1260 1358 1458 1566 PR GY -26.321
2716. 1004 1015 1032 1057 1091 1134 1191 1266 1360 1460 1565 PR GY -25.777
2717. 1005 1016 1034 1060 1093 1139 1195 1268 1364 1461 1564 PR GY -25.232
2718. 1006 1018 1037 1063 1098 1143 1200 1273 1366 1462 1563 PR GY -24.688
2719. 1008 1021 1040 1067 1102 1146 1204 1278 1368 1464 1562 PR GY -24.143
2720. 1010 1023 1044 1070 1106 1152 1208 1281 1373 1465 1561 PR GY -23.599
2721. 1012 1027 1047 1073 1109 1155 1211 1285 1375 1466 1560 PR GY -23.054
2722. 1014 1030 1051 1078 1113 1159 1217 1289 1380 1468 1559 PR GY -22.51
2723. 1017 1033 1054 1081 1118 1164 1221 1293 1382 1470 1558 PR GY -21.965
2724. 1019 1036 1058 1087 1123 1167 1224 1297 1385 1471 1557 PR GY -21.421
```



```
2725. 1022 1039 1062 1092 1128 1171 1229 1301 1388 1473 1556 PR GY -20.876
2726. 1025 1041 1065 1096 1132 1176 1233 1304 1389 1474 1555 PR GY -20.33
2727. 1028 1045 1069 1100 1138 1182 1238 1311 1393 1476 1554 PR GY -19.787
2728. 1031 1050 1074 1105 1142 1188 1242 1313 1395 1477 1553 PR GY -19.243
2729. 1035 1055 1080 1108 1147 1193 1247 1317 1399 1478 1552 PR GY -18.698
2730. 1038 1059 1085 1114 1153 1198 1251 1321 1402 1480 1551 PR GY -18.154
2731. 1042 1064 1088 1119 1157 1202 1257 1325 1405 1481 1550 PR GY -17.609
2732. 1048 1068 1094 1125 1162 1209 1263 1330 1407 1482 1549 PR GY -17.065
2733. 1052 1072 1099 1131 1168 1215 1267 1333 1411 1484 1548 PR GY -16.52
2734. 1056 1077 1104 1137 1173 1220 1275 1338 1412 1485 1547 PR GY -15.976
2735. 1061 1084 1111 1144 1180 1225 1279 1339 1414 1486 1546 PR GY -15.431
2736. 1066 1089 1115 1148 1185 1230 1286 1344 1416 1487 1545 PR GY -14.887
2737. 1071 1095 1121 1154 1192 1237 1292 1350 1419 1488 1544 PR GY -14.342
2738. 1076 1101 1129 1161 1199 1241 1296 1357 1423 1489 1543 PR GY -13.798
2739. 1083 1107 1136 1166 1207 1248 1302 1361 1425 1491 1542 PR GY -13.253
2740. 1090 1112 1140 1172 1212 1255 1307 1365 1428 1493 1541 PR GY -12.709
2741. 1097 1120 1149 1181 1218 1261 1314 1370 1429 1494 1540 PR GY -12.164
2742. 1103 1127 1156 1189 1227 1269 1318 1376 1432 1495 1539 PR GY -11.619
2743. 1110 1135 1163 1197 1232 1277 1323 1381 1434 1496 1538 PR GY -11.075
2744. 1116 1145 1170 1203 1239 1282 1332 1387 1435 1497 1537 PR GY -10.53
2745. 1124 1150 1177 1210 1245 1291 1337 1391 1438 1498 1536 PR GY -9.986
2746. 1133 1158 1186 1219 1254 1299 1341 1394 1441 1499 1535 PR GY -9.441
2747. 1141 1165 1196 1228 1264 1305 1347 1401 1442 1500 1534 PR GY -8.897
2748. 1151 1175 1205 1235 1271 1312 1356 1406 1445 1501 1533 PR GY -8.352
2749. 1160 1184 1214 1243 1280 1320 1363 1409 1447 1503 1532 PR GY -7.808
2750. 1169 1194 1222 1252 1290 1327 1369 1413 1448 1504 1531 PR GY -7.263
2751. 1179 1206 1231 1262 1300 1336 1377 1417 1450 1505 1530 PR GY -6.719
2752. 1190 1216 1240 1274 1306 1340 1384 1422 1451 1506 1529 PR GY -6.174
2753. 1201 1226 1250 1284 1316 1349 1390 1427 1453 1507 1528 PR GY -5.629
2754. 1213 1236 1265 1294 1324 1359 1397 1430 1459 1508 1527 PR GY -5.085
2755. 1223 1246 1276 1303 1335 1367 1404 1433 1463 1509 1526 PR GY -4.54
2756. 1234 1259 1288 1315 1342 1378 1410 1436 1467 1510 1525 PR GY -4.051
2757. 1244 1270 1298 1322 1353 1386 1415 1440 1472 1511 1524 PR GY -3.56
2758. 1258 1283 1310 1334 1362 1392 1421 1443 1475 1512 1523 PR GY -3.07
2759. 1272 1295 1319 1343 1372 1400 1426 1446 1479 1513 1522 PR GY -2.58
2760. 1287 1308 1309 1329 1331 1352 1354 1379 1383 1403 1408 1424 1431 1444 1449 -
2761. 1469 1483 1502 1514 1517 1520 1521 PR GY -1.9
2762. LOAD 3 LATERIAL EARTH PRESSURE DUE TO BACKFILL (H)
2763. ELEMENT LOAD
2764. ***MAX. LATERAL PRESSURE AT HEEL SIDE = 0.271*1.9*(15+1.8) = 8.65 T/M2***
2765. ***MIN. LATERAL PRESSURE AT HEEL SIDE = 0.271*1.9*(0.8+1.8) = 1.35 T/M2***
2766. 3517 TRAP JT 6.75 6.75 6.07502 6.09452
2767. 3799 TRAP JT 6.09452 6.07502 5.4 5.43851
2768. 4014 TRAP JT 5.43851 5.4 4.72501 4.7825
2769. 4158 TRAP JT 4.7825 4.72501 4.04999 4.12702
2770. 4303 TRAP JT 4.12702 4.04999 3.375 3.47101
2771. 4413 TRAP JT 3.47101 3.375 2.70001 2.81549
2772. 4482 TRAP JT 2.81549 2.70001 2.025 2.15949
2773. 4542 TRAP JT 2.15949 2.025 1.35001 1.504
2774. 4584 TRAP JT 1.504 1.35001 0.725007 0.898011
2775. 4608 TRAP JT 0.898011 0.725007 0 0.192505
2776. 2659 TRAP JT 8.07502 8.07502 7.75001 7.75001
2777. 2811 TRAP JT 7.75001 7.75001 7.50001 7.50001
2778. 2956 TRAP JT 7.50001 7.50001 7.22501 7.22501
2779. 3101 TRAP JT 7.22501 7.22501 6.97501 6.97501
2780. 3246 TRAP JT 6.97501 6.97501 6.75 6.75
```

2781. 2320 TRAP JT 8.65 8.65 8.35001 8.35001
2782. 2493 TRAP JT 8.35001 8.35001 8.07502 8.07502
2783. 3514 TRAP JT 6.59046 6.59046 5.93167 5.95075
2784. 3784 TRAP JT 5.95075 5.93167 5.27237 5.31105
2785. 4008 TRAP JT 5.31105 5.27237 4.61307 4.67137
2786. 4152 TRAP JT 4.67137 4.61307 3.95429 4.03167
2787. 4285 TRAP JT 4.03167 3.95429 3.29498 3.39196
2788. 4384 TRAP JT 3.39196 3.29498 2.63617 2.75226
2789. 4477 TRAP JT 2.75226 2.63617 1.97687 2.11256
2790. 4538 TRAP JT 2.11256 1.97687 1.31809 1.47285
2791. 4581 TRAP JT 1.47285 1.31809 0.709052 0.883416
2792. 4605 TRAP JT 0.883416 0.709052 0 0.143203
2793. 2658 TRAP JT 7.92213 7.92213 7.59548 7.59548
2794. 2810 TRAP JT 7.59548 7.59548 7.34423 7.34423
2795. 2955 TRAP JT 7.34423 7.34423 7.06785 7.06785
2796. 3100 TRAP JT 7.06785 7.06785 6.81659 6.81659
2797. 3245 TRAP JT 6.81659 6.81659 6.59046 6.59046
2798. 2319 TRAP JT 8.5 8.5 8.1985 8.1985
2799. 2492 TRAP JT 8.1985 8.1985 7.92213 7.92213
2800. 3489 TRAP JT 6.44201 6.44201 5.80283 5.8194
2801. 3756 TRAP JT 5.8194 5.80283 5.16364 5.19628
2802. 3991 TRAP JT 5.19628 5.16364 4.52449 4.57367
2803. 4136 TRAP JT 4.57367 4.52449 3.8853 3.95107
2804. 4253 TRAP JT 3.95107 3.8853 3.24612 3.32847
2805. 4366 TRAP JT 3.32847 3.24612 2.60694 2.70534
2806. 4458 TRAP JT 2.70534 2.60694 1.96775 2.08273
2807. 4520 TRAP JT 2.08273 1.96775 1.32857 1.46013
2808. 4564 TRAP JT 1.46013 1.32857 0.739611 0.837004
2809. 4601 TRAP JT 0.837004 0.739611 0 0.113973
2810. 2318 TRAP JT 8.35 8.35 8.04875 8.04875
2811. 2491 TRAP JT 8.04875 8.04875 7.7726 7.7726
2812. 2657 TRAP JT 7.7726 7.7726 7.44622 7.44622
2813. 2809 TRAP JT 7.44622 7.44622 7.19517 7.19517
2814. 2954 TRAP JT 7.19517 7.19517 6.91902 6.91902
2815. 3099 TRAP JT 6.91902 6.91902 6.66796 6.66796
2816. 3244 TRAP JT 6.66796 6.66796 6.44201 6.44201
2817. 3485 TRAP JT 6.30804 6.30804 5.6874 5.70341
2818. 3753 TRAP JT 5.70341 5.6874 5.06625 5.0993
2819. 3985 TRAP JT 5.0993 5.06625 4.44561 4.49467
2820. 4129 TRAP JT 4.49467 4.44561 3.82497 3.89053
2821. 4249 TRAP JT 3.89053 3.82497 3.20433 3.2859
2822. 4349 TRAP JT 3.2859 3.20433 2.58318 2.68179
2823. 4430 TRAP JT 2.68179 2.58318 1.96254 2.07716
2824. 4504 TRAP JT 2.07716 1.96254 1.3419 1.47305
2825. 4559 TRAP JT 1.47305 1.3419 0.720747 0.818351
2826. 4589 TRAP JT 0.818351 0.720747 0 0.114132
2827. 2317 TRAP JT 8.21 8.21 7.9097 7.9097
2828. 2490 TRAP JT 7.9097 7.9097 7.63442 7.63442
2829. 2656 TRAP JT 7.63442 7.63442 7.30907 7.30907
2830. 2808 TRAP JT 7.30907 7.30907 7.05881 7.05881
2831. 2953 TRAP JT 7.05881 7.05881 6.78354 6.78354
2832. 3098 TRAP JT 6.78354 6.78354 6.53328 6.53328
2833. 3243 TRAP JT 6.53328 6.53328 6.30804 6.30804
2834. 3482 TRAP JT 6.12056 6.12056 5.52309 5.53942
2835. 3737 TRAP JT 5.53942 5.52309 4.92614 4.95828
2836. 3944 TRAP JT 4.95828 4.92614 4.32867 4.37763

2837. 4111 TRAP JT 4.37763 4.32867 3.73168 3.79649
2838. 4245 TRAP JT 3.79649 3.73168 3.13421 3.21532
2839. 4331 TRAP JT 3.21532 3.13421 2.53725 2.63419
2840. 4424 TRAP JT 2.63419 2.53725 1.93978 2.05353
2841. 4488 TRAP JT 2.05353 1.93978 1.34283 1.47239
2842. 4546 TRAP JT 1.47239 1.34283 0.695881 0.792329
2843. 4587 TRAP JT 0.792329 0.695881 0 0.112267
2844. 2316 TRAP JT 8 8 7.70326 7.70326
2845. 2489 TRAP JT 7.70326 7.70326 7.43124 7.43124
2846. 2655 TRAP JT 7.43124 7.43124 7.10974 7.10974
2847. 2807 TRAP JT 7.10974 7.10974 6.86245 6.86245
2848. 2952 TRAP JT 6.86245 6.86245 6.59043 6.59043
2849. 3097 TRAP JT 6.59043 6.59043 6.34313 6.34313
2850. 3242 TRAP JT 6.34313 6.34313 6.12056 6.12056
2851. 3481 TRAP JT 6.01764 6.01764 5.4356 5.45192
2852. 3734 TRAP JT 5.45192 5.4356 4.85355 4.88624
2853. 3938 TRAP JT 4.88624 4.85355 4.272 4.32052
2854. 4084 TRAP JT 4.32052 4.272 3.68995 3.75484
2855. 4237 TRAP JT 3.75484 3.68995 3.10788 3.18912
2856. 4326 TRAP JT 3.18912 3.10788 2.52584 2.62344
2857. 4419 TRAP JT 2.62344 2.52584 1.94428 2.05772
2858. 4483 TRAP JT 2.05772 1.94428 1.36224 1.44248
2859. 4544 TRAP JT 1.44248 1.36224 0.68112 0.777719
2860. 4585 TRAP JT 0.777719 0.68112 0 0.112956
2861. 2315 TRAP JT 7.9 7.9 7.6028 7.6028
2862. 2488 TRAP JT 7.6028 7.6028 7.33035 7.33035
2863. 2654 TRAP JT 7.33035 7.33035 7.00836 7.00836
2864. 2806 TRAP JT 7.00836 7.00836 6.76068 6.76068
2865. 2951 TRAP JT 6.76068 6.76068 6.48824 6.48824
2866. 3096 TRAP JT 6.48824 6.48824 6.24056 6.24056
2867. 3241 TRAP JT 6.24056 6.24056 6.01764 6.01764
2868. 3478 TRAP JT 5.89176 5.89176 5.32728 5.3436
2869. 3729 TRAP JT 5.3436 5.32728 4.76283 4.79496
2870. 3933 TRAP JT 4.79496 4.76283 4.19836 4.24681
2871. 4076 TRAP JT 4.24681 4.19836 3.63391 3.69865
2872. 4209 TRAP JT 3.69865 3.63391 3.06943 3.15049
2873. 4321 TRAP JT 3.15049 3.06943 2.50499 2.60186
2874. 4412 TRAP JT 2.60186 2.50499 1.94051 2.0537
2875. 4479 TRAP JT 2.0537 1.94051 1.32662 1.40671
2876. 4540 TRAP JT 1.40671 1.32662 0.663308 0.759696
2877. 4582 TRAP JT 0.759696 0.663308 0 0.112196
2878. 2314 TRAP JT 7.77 7.77 7.47345 7.47345
2879. 2487 TRAP JT 7.47345 7.47345 7.2016 7.2016
2880. 2653 TRAP JT 7.2016 7.2016 6.88031 6.88031
2881. 2805 TRAP JT 6.88031 6.88031 6.63317 6.63317
2882. 2950 TRAP JT 6.63317 6.63317 6.36133 6.36133
2883. 3095 TRAP JT 6.36133 6.36133 6.11419 6.11419
2884. 3240 TRAP JT 6.11419 6.11419 5.89176 5.89176
2885. 3477 TRAP JT 5.75103 5.75103 5.20558 5.22131
2886. 3726 TRAP JT 5.22131 5.20558 4.65965 4.6921
2887. 3918 TRAP JT 4.6921 4.65965 4.1142 4.16241
2888. 4071 TRAP JT 4.16241 4.1142 3.56875 3.63317
2889. 4191 TRAP JT 3.63317 3.56875 3.0233 3.10348
2890. 4304 TRAP JT 3.10348 3.0233 2.47737 2.57427
2891. 4397 TRAP JT 2.57427 2.47737 1.93192 1.99538
2892. 4474 TRAP JT 1.99538 1.93192 1.28813 1.3678

2893. 4536 TRAP JT 1.3678 1.28813 0.644303 0.739705
2894. 4580 TRAP JT 0.739705 0.644303 0 0.112122
2895. 2313 TRAP JT 7.62 7.62 7.32491 7.32491
2896. 2486 TRAP JT 7.32491 7.32491 7.05441 7.05441
2897. 2652 TRAP JT 7.05441 7.05441 6.7347 6.7347
2898. 2804 TRAP JT 6.7347 6.7347 6.48878 6.48878
2899. 2949 TRAP JT 6.48878 6.48878 6.21828 6.21828
2900. 3094 TRAP JT 6.21828 6.21828 5.97236 5.97236
2901. 3239 TRAP JT 5.97236 5.97236 5.75103 5.75103
2902. 3463 TRAP JT 5.61631 5.61631 5.11076 5.12626
2903. 3723 TRAP JT 5.12626 5.11076 4.6057 4.6367
2904. 3901 TRAP JT 4.6367 4.6057 4.10018 4.14665
2905. 4066 TRAP JT 4.14665 4.10018 3.59509 3.6566
2906. 4184 TRAP JT 3.6566 3.59509 3.08956 3.16655
2907. 4286 TRAP JT 3.16655 3.08956 2.5845 2.6765
2908. 4368 TRAP JT 2.6765 2.5845 2.03202 2.09305
2909. 4460 TRAP JT 2.09305 2.03202 1.43308 1.50911
2910. 4522 TRAP JT 1.50911 1.43308 0.833644 0.925179
2911. 4566 TRAP JT 0.925179 0.833644 0.234697 0.341273
2912. 2312 TRAP JT 7.4 7.4 7.11838 7.11838
2913. 2485 TRAP JT 7.11838 7.11838 6.86021 6.86021
2914. 2651 TRAP JT 6.86021 6.86021 6.5551 6.5551
2915. 2803 TRAP JT 6.5551 6.5551 6.3204 6.3204
2916. 2948 TRAP JT 6.3204 6.3204 6.06224 6.06224
2917. 3093 TRAP JT 6.06224 6.06224 5.82754 5.82754
2918. 3238 TRAP JT 5.82754 5.82754 5.61631 5.61631
2919. 4588 TRAP JT 0.341273 0.234697 0 0.106576
2920. 3447 TRAP JT 5.47776 5.47776 4.96888 4.98497
2921. 3707 TRAP JT 4.98497 4.96888 4.4605 4.49218
2922. 3882 TRAP JT 4.49218 4.4605 3.95162 3.99937
2923. 4038 TRAP JT 3.99937 3.95162 3.44273 3.50658
2924. 4156 TRAP JT 3.50658 3.44273 2.93385 3.01379
2925. 4256 TRAP JT 3.01379 2.93385 2.42497 2.47224
2926. 4352 TRAP JT 2.47224 2.42497 1.8191 1.88196
2927. 4432 TRAP JT 1.88196 1.8191 1.21272 1.29168
2928. 4506 TRAP JT 1.29168 1.21272 0.606346 0.701399
2929. 4561 TRAP JT 0.701399 0.606346 0 0.111118
2930. 2311 TRAP JT 7.33 7.33 7.03755 7.03755
2931. 2484 TRAP JT 7.03755 7.03755 6.76947 6.76947
2932. 2650 TRAP JT 6.76947 6.76947 6.45263 6.45263
2933. 2802 TRAP JT 6.45263 6.45263 6.20891 6.20891
2934. 2947 TRAP JT 6.20891 6.20891 5.94083 5.94083
2935. 3092 TRAP JT 5.94083 5.94083 5.69711 5.69711
2936. 3237 TRAP JT 5.69711 5.69711 5.47776 5.47776
2937. 3444 TRAP JT 5.20392 5.20392 4.72608 4.74165
2938. 3703 TRAP JT 4.74165 4.72608 4.24823 4.27895
2939. 3869 TRAP JT 4.27895 4.24823 3.77035 3.81668
2940. 4020 TRAP JT 3.81668 3.77035 3.29251 3.35442
2941. 4149 TRAP JT 3.35442 3.29251 2.81466 2.89218
2942. 4252 TRAP JT 2.89218 2.81466 2.28953 2.3354
2943. 4348 TRAP JT 2.3354 2.28953 1.71715 1.77813
2944. 4428 TRAP JT 1.77813 1.71715 1.14477 1.22133
2945. 4501 TRAP JT 1.22133 1.14477 0.572383 0.664554
2946. 4548 TRAP JT 0.664554 0.572383 0 0.107778
2947. 2310 TRAP JT 7 7 6.71642 6.71642
2948. 2483 TRAP JT 6.71642 6.71642 6.45647 6.45647

2949. 2649 TRAP JT 6.45647 6.45647 6.14923 6.14923
2950. 2801 TRAP JT 6.14923 6.14923 5.9129 5.9129
2951. 2946 TRAP JT 5.9129 5.9129 5.65295 5.65295
2952. 3091 TRAP JT 5.65295 5.65295 5.41662 5.41662
2953. 3236 TRAP JT 5.41662 5.41662 5.20392 5.20392
2954. 3430 TRAP JT 5.10189 5.10189 4.63911 4.65427
2955. 3690 TRAP JT 4.65427 4.63911 4.17588 4.2071
2956. 3852 TRAP JT 4.2071 4.17588 3.71309 3.75994
2957. 4016 TRAP JT 3.75994 3.71309 3.2503 3.31231
2958. 4133 TRAP JT 3.31231 3.2503 2.78754 2.81781
2959. 4248 TRAP JT 2.81781 2.78754 2.23014 2.27554
2960. 4333 TRAP JT 2.27554 2.23014 1.67224 1.73376
2961. 4425 TRAP JT 1.73376 1.67224 1.11481 1.19149
2962. 4487 TRAP JT 1.19149 1.11481 0.557404 0.649679
2963. 4545 TRAP JT 0.649679 0.557404 0 0.107409
2964. 2309 TRAP JT 6.9 6.9 6.6161 6.6161
2965. 2482 TRAP JT 6.6161 6.6161 6.35585 6.35585
2966. 2648 TRAP JT 6.35585 6.35585 6.04827 6.04827
2967. 2800 TRAP JT 6.04827 6.04827 5.81168 5.81168
2968. 2945 TRAP JT 5.81168 5.81168 5.55143 5.55143
2969. 3090 TRAP JT 5.55143 5.55143 5.31483 5.31483
2970. 3235 TRAP JT 5.31483 5.31483 5.10189 5.10189
2971. 3426 TRAP JT 4.92641 4.92641 4.48488 4.50026
2972. 3686 TRAP JT 4.50026 4.48488 4.04381 4.0746
2973. 3846 TRAP JT 4.0746 4.04381 3.60274 3.64849
2974. 4009 TRAP JT 3.64849 3.60274 3.16121 3.22235
2975. 4116 TRAP JT 3.22235 3.16121 2.67345 2.70288
2976. 4244 TRAP JT 2.70288 2.67345 2.13857 2.18387
2977. 4329 TRAP JT 2.18387 2.13857 1.60418 1.66437
2978. 4421 TRAP JT 1.66437 1.60418 1.0693 1.14491
2979. 4484 TRAP JT 1.14491 1.0693 0.534879 0.625412
2980. 4541 TRAP JT 0.625412 0.534879 0 0.1064
2981. 2308 TRAP JT 6.7 6.7 6.41997 6.41997
2982. 2481 TRAP JT 6.41997 6.41997 6.16327 6.16327
2983. 2647 TRAP JT 6.16327 6.16327 5.85988 5.85988
2984. 2799 TRAP JT 5.85988 5.85988 5.62651 5.62651
2985. 2944 TRAP JT 5.62651 5.62651 5.36981 5.36981
2986. 3089 TRAP JT 5.36981 5.36981 5.13644 5.13644
2987. 3234 TRAP JT 5.13644 5.13644 4.92641 4.92641
2988. 3425 TRAP JT 4.82468 4.82468 4.39813 4.41355
2989. 3668 TRAP JT 4.41355 4.39813 3.97206 4.00242
2990. 3843 TRAP JT 4.00242 3.97206 3.54553 3.5913
2991. 3993 TRAP JT 3.5913 3.54553 3.11897 3.13346
2992. 4113 TRAP JT 3.13346 3.11897 2.599 2.62888
2993. 4239 TRAP JT 2.62888 2.599 2.07949 2.12431
2994. 4327 TRAP JT 2.12431 2.07949 1.55949 1.61977
2995. 4417 TRAP JT 1.61977 1.55949 1.03951 1.11519
2996. 4480 TRAP JT 1.11519 1.03951 0.519515 0.610621
2997. 4537 TRAP JT 0.610621 0.519515 0 0.106076
2998. 2307 TRAP JT 6.6 6.6 6.3197 6.3197
2999. 2480 TRAP JT 6.3197 6.3197 6.06275 6.06275
3000. 2646 TRAP JT 6.06275 6.06275 5.75906 5.75906
3001. 2798 TRAP JT 5.75906 5.75906 5.52547 5.52547
3002. 2943 TRAP JT 5.52547 5.52547 5.26852 5.26852
3003. 3088 TRAP JT 5.26852 5.26852 5.03493 5.03493
3004. 3233 TRAP JT 5.03493 5.03493 4.82468 4.82468

3005. 3411 TRAP JT 4.68669 4.68669 4.27834 4.29367
3006. 3665 TRAP JT 4.29367 4.27834 3.86999 3.90064
3007. 3840 TRAP JT 3.90064 3.86999 3.46165 3.50713
3008. 3988 TRAP JT 3.50713 3.46165 3.00691 3.02129
3009. 4098 TRAP JT 3.02129 3.00691 2.50574 2.53545
3010. 4236 TRAP JT 2.53545 2.50574 2.00458 2.04962
3011. 4323 TRAP JT 2.04962 2.00458 1.50345 1.5633
3012. 4414 TRAP JT 1.5633 1.50345 1.00229 1.07746
3013. 4476 TRAP JT 1.07746 1.00229 0.501132 0.591621
3014. 4521 TRAP JT 0.591621 0.501132 0 0.105783
3015. 2306 TRAP JT 6.45 6.45 6.17159 6.17159
3016. 2479 TRAP JT 6.17159 6.17159 5.91638 5.91638
3017. 2645 TRAP JT 5.91638 5.91638 5.61475 5.61475
3018. 2797 TRAP JT 5.61475 5.61475 5.38274 5.38274
3019. 2942 TRAP JT 5.38274 5.38274 5.12753 5.12753
3020. 3087 TRAP JT 5.12753 5.12753 4.89551 4.89551
3021. 3232 TRAP JT 4.89551 4.89551 4.68669 4.68669
3022. 3409 TRAP JT 4.44067 4.44067 4.05968 4.0745
3023. 3662 TRAP JT 4.0745 4.05968 3.67868 3.7079
3024. 3825 TRAP JT 3.7079 3.67868 3.29722 3.29676
3025. 3984 TRAP JT 3.29676 3.29722 2.82626 2.8402
3026. 4097 TRAP JT 2.8402 2.82626 2.35529 2.38406
3027. 4222 TRAP JT 2.38406 2.35529 1.88433 1.92751
3028. 4319 TRAP JT 1.92751 1.88433 1.41289 1.47137
3029. 4398 TRAP JT 1.47137 1.41289 0.94193 1.0148
3030. 4461 TRAP JT 1.0148 0.94193 0.470965 0.558684
3031. 4505 TRAP JT 0.558684 0.470965 0 0.102106
3032. 3394 TRAP JT 4.44067 4.44067 4.0745 4.08892
3033. 3647 TRAP JT 4.08892 4.0745 3.7079 3.73713
3034. 3808 TRAP JT 3.73713 3.7079 3.29676 3.29588
3035. 3948 TRAP JT 3.29588 3.29676 2.8402 2.85415
3036. 4081 TRAP JT 2.85415 2.8402 2.38406 2.41243
3037. 4196 TRAP JT 2.41243 2.38406 1.92751 1.97114
3038. 4305 TRAP JT 1.97114 1.92751 1.47137 1.52941
3039. 4383 TRAP JT 1.52941 1.47137 1.0148 1.08769
3040. 4431 TRAP JT 1.08769 1.0148 0.558684 0.645964
3041. 4499 TRAP JT 0.645964 0.558684 0.102106 0.204678
3042. 2304 TRAP JT 6.15 6.15 5.88012 5.88012
3043. 2477 TRAP JT 5.88012 5.88012 5.63272 5.63272
3044. 2305 TRAP JT 6.15 6.15 5.88012 5.88012
3045. 2478 TRAP JT 5.88012 5.88012 5.63272 5.63272
3046. 2643 TRAP JT 5.63272 5.63272 5.34032 5.34032
3047. 2795 TRAP JT 5.34032 5.34032 5.11541 5.11541
3048. 2940 TRAP JT 5.11541 5.11541 4.86801 4.86801
3049. 3085 TRAP JT 4.86801 4.86801 4.6431 4.6431
3050. 3230 TRAP JT 4.6431 4.6431 4.44067 4.44067
3051. 2644 TRAP JT 5.63272 5.63272 5.34032 5.34032
3052. 2796 TRAP JT 5.34032 5.34032 5.11541 5.11541
3053. 2941 TRAP JT 5.11541 5.11541 4.86801 4.86801
3054. 3086 TRAP JT 4.86801 4.86801 4.6431 4.6431
3055. 3231 TRAP JT 4.6431 4.6431 4.44067 4.44067
3056. 3391 TRAP JT 4.27495 4.27495 3.91996 3.93492
3057. 3641 TRAP JT 3.93492 3.91996 3.56494 3.54951
3058. 3806 TRAP JT 3.54951 3.56494 3.11963 3.11871
3059. 3947 TRAP JT 3.11871 3.11963 2.67384 2.68792
3060. 4079 TRAP JT 2.68792 2.67384 2.22805 2.25709

3061. 4192 TRAP JT 2.25709 2.22805 1.78271 1.82629
3062. 4299 TRAP JT 1.82629 1.78271 1.33692 1.39547
3063. 4365 TRAP JT 1.39547 1.33692 0.891132 0.964668
3064. 4427 TRAP JT 0.964668 0.891132 0.445344 0.533843
3065. 4486 TRAP JT 0.533843 0.445344 0 0.103045
3066. 2303 TRAP JT 6 6 5.72763 5.72763
3067. 2476 TRAP JT 5.72763 5.72763 5.47796 5.47796
3068. 2642 TRAP JT 5.47796 5.47796 5.18287 5.18287
3069. 2794 TRAP JT 5.18287 5.18287 4.95589 4.95589
3070. 2939 TRAP JT 4.95589 4.95589 4.70622 4.70622
3071. 3084 TRAP JT 4.70622 4.70622 4.47924 4.47924
3072. 3229 TRAP JT 4.47924 4.47924 4.27495 4.27495
3073. 3372 TRAP JT 4.10331 4.10331 3.76888 3.78362
3074. 3642 TRAP JT 3.78362 3.76888 3.3898 3.37462
3075. 3812 TRAP JT 3.37462 3.3898 2.96609 2.96519
3076. 3945 TRAP JT 2.96519 2.96609 2.54237 2.55619
3077. 4077 TRAP JT 2.55619 2.54237 2.11863 2.14722
3078. 4190 TRAP JT 2.14722 2.11863 1.69491 1.73822
3079. 4284 TRAP JT 1.73822 1.69491 1.27117 1.32878
3080. 4350 TRAP JT 1.32878 1.27117 0.847457 0.919784
3081. 4423 TRAP JT 0.919784 0.847457 0.423715 0.510785
3082. 4481 TRAP JT 0.510785 0.423715 0 0.101814
3083. 2302 TRAP JT 5.8 5.8 5.53211 5.53211
3084. 2475 TRAP JT 5.53211 5.53211 5.28654 5.28654
3085. 2641 TRAP JT 5.28654 5.28654 4.99631 4.99631
3086. 2793 TRAP JT 4.99631 4.99631 4.77306 4.77306
3087. 2938 TRAP JT 4.77306 4.77306 4.52749 4.52749
3088. 3083 TRAP JT 4.52749 4.52749 4.30424 4.30424
3089. 3228 TRAP JT 4.30424 4.30424 4.10331 4.10331
3090. 3370 TRAP JT 4.00277 4.00277 3.68298 3.6754
3091. 3643 TRAP JT 3.6754 3.68298 3.27385 3.28056
3092. 3809 TRAP JT 3.28056 3.27385 2.86428 2.88617
3093. 3943 TRAP JT 2.88617 2.86428 2.45516 2.49136
3094. 4073 TRAP JT 2.49136 2.45516 2.04605 2.09695
3095. 4185 TRAP JT 2.09695 2.04605 1.63692 1.70213
3096. 4255 TRAP JT 1.70213 1.63692 1.22736 1.30775
3097. 4332 TRAP JT 1.30775 1.22736 0.818231 0.912907
3098. 4418 TRAP JT 0.912907 0.818231 0.409102 0.518526
3099. 4475 TRAP JT 0.518526 0.409102 0 0.123709
3100. 2301 TRAP JT 5.7 5.7 5.43203 5.43203
3101. 2474 TRAP JT 5.43203 5.43203 5.18638 5.18638
3102. 2640 TRAP JT 5.18638 5.18638 4.89605 4.89605
3103. 2792 TRAP JT 4.89605 4.89605 4.67273 4.67273
3104. 2937 TRAP JT 4.67273 4.67273 4.42709 4.42709
3105. 3082 TRAP JT 4.42709 4.42709 4.20377 4.20377
3106. 3227 TRAP JT 4.20377 4.20377 4.00277 4.00277
3107. 3387 TRAP JT 3.87469 3.87469 3.54768 3.53965
3108. 3644 TRAP JT 3.53965 3.54768 3.15329 3.16042
3109. 3805 TRAP JT 3.16042 3.15329 2.75935 2.78075
3110. 3939 TRAP JT 2.78075 2.75935 2.36498 2.40111
3111. 4069 TRAP JT 2.40111 2.36498 1.97101 2.02144
3112. 4157 TRAP JT 2.02144 1.97101 1.57664 1.64221
3113. 4250 TRAP JT 1.64221 1.57664 1.18271 1.26257
3114. 4328 TRAP JT 1.26257 1.18271 0.788308 0.882905
3115. 4399 TRAP JT 0.882905 0.788308 0.394372 0.503673
3116. 4433 TRAP JT 0.503673 0.394372 0 0.124033

3117. 2300 TRAP JT 5.57 5.57 5.30233 5.30233
3118. 2473 TRAP JT 5.30233 5.30233 5.05696 5.05696
3119. 2639 TRAP JT 5.05696 5.05696 4.76696 4.76696
3120. 2791 TRAP JT 4.76696 4.76696 4.54389 4.54389
3121. 2936 TRAP JT 4.54389 4.54389 4.29852 4.29852
3122. 3081 TRAP JT 4.29852 4.29852 4.07546 4.07546
3123. 3226 TRAP JT 4.07546 4.07546 3.87469 3.87469
3124. 3390 TRAP JT 3.73277 3.73277 3.39933 3.39177
3125. 3645 TRAP JT 3.39177 3.39933 3.02191 3.02858
3126. 3801 TRAP JT 3.02858 3.02191 2.64405 2.66538
3127. 3935 TRAP JT 2.66538 2.64405 2.26622 2.30218
3128. 4064 TRAP JT 2.30218 2.26622 1.88836 1.93899
3129. 4151 TRAP JT 1.93899 1.88836 1.51094 1.57579
3130. 4243 TRAP JT 1.57579 1.51094 1.13311 1.21257
3131. 4320 TRAP JT 1.21257 1.13311 0.755254 0.849373
3132. 4382 TRAP JT 0.849373 0.755254 0.37783 0.486176
3133. 4426 TRAP JT 0.486176 0.37783 0 0.12298
3134. 2299 TRAP JT 5.42 5.42 5.15361 5.15361
3135. 2472 TRAP JT 5.15361 5.15361 4.90941 4.90941
3136. 2638 TRAP JT 4.90941 4.90941 4.62079 4.62079
3137. 2790 TRAP JT 4.62079 4.62079 4.39879 4.39879
3138. 2935 TRAP JT 4.39879 4.39879 4.15459 4.15459
3139. 3080 TRAP JT 4.15459 4.15459 3.93258 3.93258
3140. 3225 TRAP JT 3.93258 3.93258 3.73277 3.73277
3141. 3389 TRAP JT 3.47553 3.47553 3.14721 3.16133
3142. 3638 TRAP JT 3.16133 3.14721 2.79752 2.82573
3143. 3797 TRAP JT 2.82573 2.79752 2.44784 2.48971
3144. 3919 TRAP JT 2.48971 2.44784 2.09815 2.15414
3145. 4036 TRAP JT 2.15414 2.09815 1.74846 1.81857
3146. 4135 TRAP JT 1.81857 1.74846 1.39877 1.48297
3147. 4225 TRAP JT 1.48297 1.39877 1.04906 1.1474
3148. 4301 TRAP JT 1.1474 1.04906 0.699374 0.811388
3149. 4351 TRAP JT 0.811388 0.699374 0.349687 0.475791
3150. 4420 TRAP JT 0.475791 0.349687 0 0.140219
3151. 3388 TRAP JT 3.47553 3.47553 3.16133 3.15405
3152. 3625 TRAP JT 3.15405 3.16133 2.82573 2.83215
3153. 3759 TRAP JT 2.83215 2.82573 2.48971 2.51067
3154. 3903 TRAP JT 2.51067 2.48971 2.15414 2.18877
3155. 4018 TRAP JT 2.18877 2.15414 1.81857 1.86729
3156. 4115 TRAP JT 1.86729 1.81857 1.48297 1.54539
3157. 4193 TRAP JT 1.54539 1.48297 1.1474 1.22391
3158. 4282 TRAP JT 1.22391 1.1474 0.811388 0.902006
3159. 4330 TRAP JT 0.902006 0.811388 0.475791 0.580551
3160. 4410 TRAP JT 0.580551 0.475791 0.140219 0.258626
3161. 2297 TRAP JT 5.1 5.1 4.84351 4.84351
3162. 2470 TRAP JT 4.84351 4.84351 4.6084 4.6084
3163. 2298 TRAP JT 5.1 5.1 4.84351 4.84351
3164. 2471 TRAP JT 4.84351 4.84351 4.6084 4.6084
3165. 2636 TRAP JT 4.6084 4.6084 4.33052 4.33052
3166. 2788 TRAP JT 4.33052 4.33052 4.11677 4.11677
3167. 2933 TRAP JT 4.11677 4.11677 3.88165 3.88165
3168. 3078 TRAP JT 3.88165 3.88165 3.66791 3.66791
3169. 3223 TRAP JT 3.66791 3.66791 3.47553 3.47553
3170. 2637 TRAP JT 4.6084 4.6084 4.33052 4.33052
3171. 2789 TRAP JT 4.33052 4.33052 4.11677 4.11677
3172. 2934 TRAP JT 4.11677 4.11677 3.88165 3.88165

3173. 3079 TRAP JT 3.88165 3.88165 3.66791 3.66791
3174. 3224 TRAP JT 3.66791 3.66791 3.47553 3.47553
3175. 3386 TRAP JT 3.25586 3.25586 2.93048 2.94435
3176. 3612 TRAP JT 2.94435 2.93048 2.60469 2.63323
3177. 3755 TRAP JT 2.63323 2.60469 2.27931 2.32172
3178. 3885 TRAP JT 2.32172 2.27931 1.95351 2.01019
3179. 4013 TRAP JT 2.01019 1.95351 1.62814 1.69868
3180. 4083 TRAP JT 1.69868 1.62814 1.30234 1.38759
3181. 4187 TRAP JT 1.38759 1.30234 0.976968 1.07605
3182. 4251 TRAP JT 1.07605 0.976968 0.651171 0.764541
3183. 4322 TRAP JT 0.764541 0.651171 0.325823 0.453454
3184. 4369 TRAP JT 0.453454 0.325823 0 0.141917
3185. 2296 TRAP JT 4.9 4.9 4.64041 4.64041
3186. 2469 TRAP JT 4.64041 4.64041 4.40244 4.40244
3187. 2635 TRAP JT 4.40244 4.40244 4.1212 4.1212
3188. 2787 TRAP JT 4.1212 4.1212 3.90486 3.90486
3189. 2932 TRAP JT 3.90486 3.90486 3.6669 3.6669
3190. 3077 TRAP JT 3.6669 3.6669 3.45056 3.45056
3191. 3222 TRAP JT 3.45056 3.45056 3.25586 3.25586
3192. 3367 TRAP JT 3.14137 3.14137 2.82712 2.8415
3193. 3606 TRAP JT 2.8415 2.82712 2.51326 2.54164
3194. 3735 TRAP JT 2.54164 2.51326 2.19901 2.24179
3195. 3868 TRAP JT 2.24179 2.19901 1.88473 1.94193
3196. 3994 TRAP JT 1.94193 1.88473 1.57047 1.64206
3197. 4072 TRAP JT 1.64206 1.57047 1.25665 1.34219
3198. 4154 TRAP JT 1.34219 1.25665 0.942364 1.04232
3199. 4238 TRAP JT 1.04232 0.942364 0.628109 0.742478
3200. 4302 TRAP JT 0.742478 0.628109 0.314281 0.44261
3201. 4347 TRAP JT 0.44261 0.314281 0 0.142741
3202. 2295 TRAP JT 4.8 4.8 4.53812 4.53812
3203. 2468 TRAP JT 4.53812 4.53812 4.29806 4.29806
3204. 2634 TRAP JT 4.29806 4.29806 4.01434 4.01434
3205. 2786 TRAP JT 4.01434 4.01434 3.7961 3.7961
3206. 2931 TRAP JT 3.7961 3.7961 3.55604 3.55604
3207. 3076 TRAP JT 3.55604 3.55604 3.3378 3.3378
3208. 3221 TRAP JT 3.3378 3.3378 3.14137 3.14137
3209. 3354 TRAP JT 3.02615 3.02615 2.72353 2.73808
3210. 3604 TRAP JT 2.73808 2.72353 2.42091 2.45
3211. 3728 TRAP JT 2.45 2.42091 2.11832 2.16147
3212. 3849 TRAP JT 2.16147 2.11832 1.8157 1.87339
3213. 3946 TRAP JT 1.87339 1.8157 1.51308 1.58532
3214. 4065 TRAP JT 1.58532 1.51308 1.21045 1.29724
3215. 4134 TRAP JT 1.29724 1.21045 0.907834 1.00917
3216. 4195 TRAP JT 1.00917 0.907834 0.605241 0.720632
3217. 4257 TRAP JT 0.720632 0.605241 0.30262 0.432557
3218. 4325 TRAP JT 0.432557 0.30262 0 0.144481
3219. 2294 TRAP JT 4.7 4.7 4.43572 4.43572
3220. 2467 TRAP JT 4.43572 4.43572 4.19345 4.19345
3221. 2633 TRAP JT 4.19345 4.19345 3.90713 3.90713
3222. 2785 TRAP JT 3.90713 3.90713 3.68688 3.68688
3223. 2930 TRAP JT 3.68688 3.68688 3.44462 3.44462
3224. 3075 TRAP JT 3.44462 3.44462 3.22438 3.22438
3225. 3220 TRAP JT 3.22438 3.22438 3.02615 3.02615
3226. 3351 TRAP JT 2.84655 2.84655 2.56199 2.57635
3227. 3600 TRAP JT 2.57635 2.56199 2.27742 2.3057
3228. 3725 TRAP JT 2.3057 2.27742 1.9924 2.03548

3229. 3842 TRAP JT 2.03548 1.9924 1.70784 1.76483
3230. 3937 TRAP JT 1.76483 1.70784 1.42328 1.49464
3231. 4034 TRAP JT 1.49464 1.42328 1.13871 1.22399
3232. 4099 TRAP JT 1.22399 1.13871 0.854146 0.95379
3233. 4186 TRAP JT 0.95379 0.854146 0.569129 0.683141
3234. 4246 TRAP JT 0.683141 0.569129 0.284565 0.412918
3235. 4306 TRAP JT 0.412918 0.284565 0 0.142721
3236. 2293 TRAP JT 4.5 4.5 4.23894 4.23894
3237. 2466 TRAP JT 4.23894 4.23894 3.99963 3.99963
3238. 2632 TRAP JT 3.99963 3.99963 3.71679 3.71679
3239. 2784 TRAP JT 3.71679 3.71679 3.49923 3.49923
3240. 2929 TRAP JT 3.49923 3.49923 3.25992 3.25992
3241. 3074 TRAP JT 3.25992 3.25992 3.04236 3.04236
3242. 3219 TRAP JT 3.04236 3.04236 2.84655 2.84655
3243. 3348 TRAP JT 2.73034 2.73034 2.45749 2.47155
3244. 3583 TRAP JT 2.47155 2.45749 2.18419 2.21318
3245. 3704 TRAP JT 2.21318 2.18419 1.91132 1.95439
3246. 3826 TRAP JT 1.95439 1.91132 1.63802 1.69559
3247. 3917 TRAP JT 1.69559 1.63802 1.36517 1.43723
3248. 4015 TRAP JT 1.43723 1.36517 1.09187 1.17844
3249. 4075 TRAP JT 1.17844 1.09187 0.819021 0.919642
3250. 4153 TRAP JT 0.919642 0.819021 0.545719 0.660822
3251. 4224 TRAP JT 0.660822 0.545719 0.272846 0.402484
3252. 4283 TRAP JT 0.402484 0.272846 0 0.143664
3253. 2292 TRAP JT 4.4 4.4 4.13638 4.13638
3254. 2465 TRAP JT 4.13638 4.13638 3.89472 3.89472
3255. 2631 TRAP JT 3.89472 3.89472 3.60911 3.60911
3256. 2783 TRAP JT 3.60911 3.60911 3.38942 3.38942
3257. 2928 TRAP JT 3.38942 3.38942 3.14776 3.14776
3258. 3073 TRAP JT 3.14776 3.14776 2.92807 2.92807
3259. 3218 TRAP JT 2.92807 2.92807 2.73034 2.73034
3260. 3346 TRAP JT 2.49167 2.49167 2.24238 2.25633
3261. 3582 TRAP JT 2.25633 2.24238 1.9935 2.02102
3262. 3689 TRAP JT 2.02102 1.9935 1.74422 1.78568
3263. 3800 TRAP JT 1.78568 1.74422 1.49493 1.55036
3264. 3884 TRAP JT 1.55036 1.49493 1.24605 1.31503
3265. 3992 TRAP JT 1.31503 1.24605 0.996765 1.07971
3266. 4067 TRAP JT 1.07971 0.996765 0.747477 0.844376
3267. 4130 TRAP JT 0.844376 0.747477 0.498163 0.609064
3268. 4189 TRAP JT 0.609064 0.498163 0.249314 0.374165
3269. 4247 TRAP JT 0.374165 0.249314 0 0.138826
3270. 3331 TRAP JT 2.49167 2.49167 2.25633 2.2703
3271. 3541 TRAP JT 2.2703 2.25633 2.02102 2.04894
3272. 3670 TRAP JT 2.04894 2.02102 1.78568 1.82716
3273. 3758 TRAP JT 1.82716 1.78568 1.55036 1.6058
3274. 3854 TRAP JT 1.6058 1.55036 1.31503 1.38444
3275. 3942 TRAP JT 1.38444 1.31503 1.07971 1.1631
3276. 4033 TRAP JT 1.1631 1.07971 0.844376 0.94174
3277. 4082 TRAP JT 0.94174 0.844376 0.609064 0.720378
3278. 4155 TRAP JT 0.720378 0.609064 0.374165 0.498602
3279. 4223 TRAP JT 0.498602 0.374165 0.138826 0.277239
3280. 2290 TRAP JT 4.1 4.1 3.84606 3.84606
3281. 2463 TRAP JT 3.84606 3.84606 3.61328 3.61328
3282. 2291 TRAP JT 4.1 4.1 3.84606 3.84606
3283. 2464 TRAP JT 3.84606 3.84606 3.61328 3.61328
3284. 2629 TRAP JT 3.61328 3.61328 3.33816 3.33816

3285. 2781 TRAP JT 3.33816 3.33816 3.12654 3.12654
3286. 2926 TRAP JT 3.12654 3.12654 2.89376 2.89376
3287. 3071 TRAP JT 2.89376 2.89376 2.68213 2.68213
3288. 3216 TRAP JT 2.68213 2.68213 2.49167 2.49167
3289. 2630 TRAP JT 3.61328 3.61328 3.33816 3.33816
3290. 2782 TRAP JT 3.33816 3.33816 3.12654 3.12654
3291. 2927 TRAP JT 3.12654 3.12654 2.89376 2.89376
3292. 3072 TRAP JT 2.89376 2.89376 2.68213 2.68213
3293. 3217 TRAP JT 2.68213 2.68213 2.49167 2.49167
3294. 3329 TRAP JT 2.25917 2.25917 2.03333 2.04759
3295. 3537 TRAP JT 2.04759 2.03333 1.8075 1.83557
3296. 3664 TRAP JT 1.83557 1.8075 1.58124 1.62399
3297. 3736 TRAP JT 1.62399 1.58124 1.35541 1.41199
3298. 3845 TRAP JT 1.41199 1.35541 1.12957 1.20039
3299. 3932 TRAP JT 1.20039 1.12957 0.903763 0.988388
3300. 4011 TRAP JT 0.988388 0.903763 0.677927 0.776811
3301. 4070 TRAP JT 0.776811 0.677927 0.452092 0.565234
3302. 4131 TRAP JT 0.565234 0.452092 0.225835 0.353209
3303. 4188 TRAP JT 0.353209 0.225835 0 0.141631
3304. 2289 TRAP JT 3.9 3.9 3.64093 3.64093
3305. 2462 TRAP JT 3.64093 3.64093 3.40345 3.40345
3306. 2628 TRAP JT 3.40345 3.40345 3.12277 3.12277
3307. 2780 TRAP JT 3.12277 3.12277 2.90687 2.90687
3308. 2925 TRAP JT 2.90687 2.90687 2.66938 2.66938
3309. 3070 TRAP JT 2.66938 2.66938 2.45348 2.45348
3310. 3215 TRAP JT 2.45348 2.45348 2.25917 2.25917
3311. 3313 TRAP JT 2.14099 2.14099 1.92707 1.94104
3312. 3521 TRAP JT 1.94104 1.92707 1.7127 1.74153
3313. 3646 TRAP JT 1.74153 1.7127 1.49878 1.54157
3314. 3727 TRAP JT 1.54157 1.49878 1.28443 1.34162
3315. 3839 TRAP JT 1.34162 1.28443 1.07048 1.14208
3316. 3886 TRAP JT 1.14208 1.07048 0.856137 0.942153
3317. 3987 TRAP JT 0.942153 0.856137 0.642216 0.742195
3318. 4035 TRAP JT 0.742195 0.642216 0.428295 0.542663
3319. 4080 TRAP JT 0.542663 0.428295 0.213921 0.342705
3320. 4150 TRAP JT 0.342705 0.213921 0 0.142747
3321. 2288 TRAP JT 3.8 3.8 3.53806 3.53806
3322. 2461 TRAP JT 3.53806 3.53806 3.29795 3.29795
3323. 2627 TRAP JT 3.29795 3.29795 3.01416 3.01416
3324. 2779 TRAP JT 3.01416 3.01416 2.79587 2.79587
3325. 2924 TRAP JT 2.79587 2.79587 2.55575 2.55575
3326. 3069 TRAP JT 2.55575 2.55575 2.33746 2.33746
3327. 3214 TRAP JT 2.33746 2.33746 2.14099 2.14099
3328. 3311 TRAP JT 1.96697 1.96697 1.77014 1.78433
3329. 3516 TRAP JT 1.78433 1.77014 1.57376 1.60169
3330. 3611 TRAP JT 1.60169 1.57376 1.37693 1.41903
3331. 3709 TRAP JT 1.41903 1.37693 1.1801 1.23639
3332. 3798 TRAP JT 1.23639 1.1801 0.983692 1.05375
3333. 3853 TRAP JT 1.05375 0.983692 0.786891 0.871115
3334. 3936 TRAP JT 0.871115 0.786891 0.590063 0.688897
3335. 4012 TRAP JT 0.688897 0.590063 0.393655 0.506259
3336. 4068 TRAP JT 0.506259 0.393655 0.196828 0.323622
3337. 4114 TRAP JT 0.323622 0.196828 0 0.140958
3338. 2287 TRAP JT 3.6 3.6 3.34216 3.34216
3339. 2460 TRAP JT 3.34216 3.34216 3.10581 3.10581
3340. 2626 TRAP JT 3.10581 3.10581 2.82646 2.82646

3341. 2778 TRAP JT 2.82646 2.82646 2.61159 2.61159
3342. 2923 TRAP JT 2.61159 2.61159 2.37523 2.37523
3343. 3068 TRAP JT 2.37523 2.37523 2.16036 2.16036
3344. 3213 TRAP JT 2.16036 2.16036 1.96697 1.96697
3345. 3308 TRAP JT 1.84763 1.84763 1.66283 1.67716
3346. 3486 TRAP JT 1.67716 1.66283 1.47803 1.50672
3347. 3605 TRAP JT 1.50672 1.47803 1.2932 1.33583
3348. 3688 TRAP JT 1.33583 1.2932 1.1084 1.16538
3349. 3754 TRAP JT 1.16538 1.1084 0.923602 0.994916
3350. 3844 TRAP JT 0.994916 0.923602 0.738802 0.824447
3351. 3902 TRAP JT 0.824447 0.738802 0.554427 0.654006
3352. 3986 TRAP JT 0.654006 0.554427 0.369627 0.483537
3353. 4019 TRAP JT 0.483537 0.369627 0.184827 0.312645
3354. 4074 TRAP JT 0.312645 0.184827 0 0.142203
3355. 2286 TRAP JT 3.5 3.5 3.23911 3.23911
3356. 2459 TRAP JT 3.23911 3.23911 2.99995 2.99995
3357. 2625 TRAP JT 2.99995 2.99995 2.7173 2.7173
3358. 2777 TRAP JT 2.7173 2.7173 2.49988 2.49988
3359. 2922 TRAP JT 2.49988 2.49988 2.26073 2.26073
3360. 3067 TRAP JT 2.26073 2.26073 2.04331 2.04331
3361. 3212 TRAP JT 2.04331 2.04331 1.84763 1.84763
3362. 3306 TRAP JT 1.67607 1.67607 1.50854 1.52265
3363. 3479 TRAP JT 1.52265 1.50854 1.34103 1.36881
3364. 3597 TRAP JT 1.36881 1.34103 1.17308 1.21538
3365. 3666 TRAP JT 1.21538 1.17308 1.00557 1.06154
3366. 3731 TRAP JT 1.06154 1.00557 0.838035 0.908121
3367. 3807 TRAP JT 0.908121 0.838035 0.670501 0.754281
3368. 3855 TRAP JT 0.754281 0.670501 0.502993 0.600858
3369. 3934 TRAP JT 0.600858 0.502993 0.335459 0.447436
3370. 4007 TRAP JT 0.447436 0.335459 0.167508 0.293595
3371. 4037 TRAP JT 0.293595 0.167508 0 0.140172
3372. 2285 TRAP JT 3.3 3.3 3.0436 3.0436
3373. 2458 TRAP JT 3.0436 3.0436 2.80856 2.80856
3374. 2624 TRAP JT 2.80856 2.80856 2.53077 2.53077
3375. 2776 TRAP JT 2.53077 2.53077 2.3171 2.3171
3376. 2921 TRAP JT 2.3171 2.3171 2.08206 2.08206
3377. 3066 TRAP JT 2.08206 2.08206 1.86838 1.86838
3378. 3211 TRAP JT 1.86838 1.86838 1.67607 1.67607
3379. 3304 TRAP JT 1.45821 1.45821 1.31255 1.32552
3380. 3448 TRAP JT 1.32552 1.31255 1.16649 1.19326
3381. 3581 TRAP JT 1.19326 1.16649 1.02083 1.0606
3382. 3648 TRAP JT 1.0606 1.02083 0.874768 0.927912
3383. 3708 TRAP JT 0.927912 0.874768 0.729105 0.795646
3384. 3757 TRAP JT 0.795646 0.729105 0.583046 0.66296
3385. 3841 TRAP JT 0.66296 0.583046 0.437384 0.530299
3386. 3883 TRAP JT 0.530299 0.437384 0.291721 0.398034
3387. 3940 TRAP JT 0.398034 0.291721 0.145663 0.265348
3388. 4010 TRAP JT 0.265348 0.145663 0 0.132661
3389. 3289 TRAP JT 1.45821 1.45821 1.32552 1.33892
3390. 3427 TRAP JT 1.33892 1.32552 1.19326 1.21963
3391. 3538 TRAP JT 1.21963 1.19326 1.0606 1.10034
3392. 3608 TRAP JT 1.10034 1.0606 0.927912 0.981055
3393. 3687 TRAP JT 0.981055 0.927912 0.795646 0.861791
3394. 3733 TRAP JT 0.861791 0.795646 0.66296 0.742899
3395. 3803 TRAP JT 0.742899 0.66296 0.530299 0.62361
3396. 3848 TRAP JT 0.62361 0.530299 0.398034 0.504321

3397. 3900 TRAP JT 0.504321 0.398034 0.265348 0.385033
3398. 3941 TRAP JT 0.385033 0.265348 0.132661 0.265744
3399. 2283 TRAP JT 3 3 2.75657 2.75657
3400. 2456 TRAP JT 2.75657 2.75657 2.53342 2.53342
3401. 2284 TRAP JT 3 3 2.75657 2.75657
3402. 2457 TRAP JT 2.75657 2.75657 2.53342 2.53342
3403. 2622 TRAP JT 2.53342 2.53342 2.26968 2.26968
3404. 2774 TRAP JT 2.26968 2.26968 2.06681 2.06681
3405. 2919 TRAP JT 2.06681 2.06681 1.84366 1.84366
3406. 3064 TRAP JT 1.84366 1.84366 1.6408 1.6408
3407. 3209 TRAP JT 1.6408 1.6408 1.45821 1.45821
3408. 2623 TRAP JT 2.53342 2.53342 2.26968 2.26968
3409. 2775 TRAP JT 2.26968 2.26968 2.06681 2.06681
3410. 2920 TRAP JT 2.06681 2.06681 1.84366 1.84366
3411. 3065 TRAP JT 1.84366 1.84366 1.6408 1.6408
3412. 3210 TRAP JT 1.6408 1.6408 1.45821 1.45821
3413. 3276 TRAP JT 1.26475 1.26475 1.13823 1.15244
3414. 3410 TRAP JT 1.15244 1.13823 1.01171 1.04013
3415. 3520 TRAP JT 1.04013 1.01171 0.885192 0.927794
3416. 3602 TRAP JT 0.927794 0.885192 0.758672 0.815064
3417. 3663 TRAP JT 0.815064 0.758672 0.632179 0.702727
3418. 3706 TRAP JT 0.702727 0.632179 0.506079 0.590417
3419. 3751 TRAP JT 0.590417 0.506079 0.379559 0.478107
3420. 3811 TRAP JT 0.478107 0.379559 0.25304 0.365796
3421. 3850 TRAP JT 0.365796 0.25304 0.12652 0.253486
3422. 3899 TRAP JT 0.253486 0.12652 0 0.140729
3423. 2282 TRAP JT 2.9 2.9 2.64181 2.64181
3424. 2455 TRAP JT 2.64181 2.64181 2.40514 2.40514
3425. 2621 TRAP JT 2.40514 2.40514 2.12541 2.12541
3426. 2773 TRAP JT 2.12541 2.12541 1.91025 1.91025
3427. 2918 TRAP JT 1.91025 1.91025 1.67357 1.67357
3428. 3063 TRAP JT 1.67357 1.67357 1.45841 1.45841
3429. 3208 TRAP JT 1.45841 1.45841 1.26475 1.26475
3430. 3272 TRAP JT 1.14061 1.14061 1.02665 1.04104
3431. 3373 TRAP JT 1.04104 1.02665 0.912677 0.941063
3432. 3484 TRAP JT 0.941063 0.912677 0.798683 0.841487
3433. 3580 TRAP JT 0.841487 0.798683 0.684288 0.741485
3434. 3610 TRAP JT 0.741485 0.684288 0.570293 0.64191
3435. 3669 TRAP JT 0.64191 0.570293 0.456325 0.542361
3436. 3724 TRAP JT 0.542361 0.456325 0.342357 0.442359
3437. 3752 TRAP JT 0.442359 0.342357 0.228389 0.342784
3438. 3810 TRAP JT 0.342784 0.228389 0.114421 0.242782
3439. 3847 TRAP JT 0.242782 0.114421 0 0.143233
3440. 2281 TRAP JT 2.8 2.8 2.538 2.538
3441. 2454 TRAP JT 2.538 2.538 2.29783 2.29783
3442. 2620 TRAP JT 2.29783 2.29783 2.01398 2.01398
3443. 2772 TRAP JT 2.01398 2.01398 1.79564 1.79564
3444. 2917 TRAP JT 1.79564 1.79564 1.55547 1.55547
3445. 3062 TRAP JT 1.55547 1.55547 1.33713 1.33713
3446. 3207 TRAP JT 1.33713 1.33713 1.14061 1.14061
3447. 3270 TRAP JT 0.976069 0.976069 0.878622 0.892315
3448. 3350 TRAP JT 0.892315 0.878622 0.780783 0.808979
3449. 3462 TRAP JT 0.808979 0.780783 0.683335 0.725225
3450. 3535 TRAP JT 0.725225 0.683335 0.58547 0.641445
3451. 3599 TRAP JT 0.641445 0.58547 0.488022 0.558108
3452. 3640 TRAP JT 0.558108 0.488022 0.3906 0.474354

3453. 3672 TRAP JT 0.474354 0.3906 0.292735 0.3906
3454. 3722 TRAP JT 0.3906 0.292735 0.195287 0.307263
3455. 3750 TRAP JT 0.307263 0.195287 0.0974217 0.223509
3456. 3802 TRAP JT 0.223509 0.0974217 0 0.140173
3457. 2280 TRAP JT 2.6 2.6 2.3436 2.3436
3458. 2453 TRAP JT 2.3436 2.3436 2.10856 2.10856
3459. 2619 TRAP JT 2.10856 2.10856 1.83077 1.83077
3460. 2771 TRAP JT 1.83077 1.83077 1.6171 1.6171
3461. 2916 TRAP JT 1.6171 1.6171 1.38206 1.38206
3462. 3061 TRAP JT 1.38206 1.38206 1.16838 1.16838
3463. 3206 TRAP JT 1.16838 1.16838 0.976069 0.976069
3464. 3267 TRAP JT 0.981458 0.981458 0.90314 0.916311
3465. 3330 TRAP JT 0.916311 0.90314 0.825211 0.851187
3466. 3424 TRAP JT 0.851187 0.825211 0.746893 0.78604
3467. 3488 TRAP JT 0.78604 0.746893 0.66855 0.720916
3468. 3540 TRAP JT 0.720916 0.66855 0.590621 0.656159
3469. 3603 TRAP JT 0.656159 0.590621 0.512303 0.591036
3470. 3639 TRAP JT 0.591036 0.512303 0.433984 0.525888
3471. 3667 TRAP JT 0.525888 0.433984 0.356056 0.460765
3472. 3705 TRAP JT 0.460765 0.356056 0.277737 0.395617
3473. 3732 TRAP JT 0.395617 0.277737 0.199809 0.33047
3474. 2279 TRAP JT 2.5 2.5 2.26024 2.26024
3475. 2452 TRAP JT 2.26024 2.26024 2.04045 2.04045
3476. 2618 TRAP JT 2.04045 2.04045 1.78069 1.78069
3477. 2770 TRAP JT 1.78069 1.78069 1.58088 1.58088
3478. 2915 TRAP JT 1.58088 1.58088 1.3611 1.3611
3479. 3060 TRAP JT 1.3611 1.3611 1.16129 1.16129
3480. 3205 TRAP JT 1.16129 1.16129 0.981458 0.981458
3481. 3804 TRAP JT 0.33047 0.199809 0 0.130661
3482. 3265 TRAP JT 0.690137 0.690137 0.621072 0.635061
3483. 3310 TRAP JT 0.635061 0.621072 0.552032 0.579984
3484. 3371 TRAP JT 0.579984 0.552032 0.482967 0.524908
3485. 3446 TRAP JT 0.524908 0.482967 0.413927 0.469417
3486. 3515 TRAP JT 0.469417 0.413927 0.345275 0.414341
3487. 3539 TRAP JT 0.414341 0.345275 0.276236 0.359264
3488. 3598 TRAP JT 0.359264 0.276236 0.20717 0.304188
3489. 3609 TRAP JT 0.304188 0.20717 0.138131 0.249111
3490. 3661 TRAP JT 0.249111 0.138131 0.0690654 0.194035
3491. 3685 TRAP JT 0.194035 0.0690654 0 0.138958
3492. 2278 TRAP JT 2.3 2.3 2.04582 2.04582
3493. 2451 TRAP JT 2.04582 2.04582 1.81282 1.81282
3494. 2617 TRAP JT 1.81282 1.81282 1.53744 1.53744
3495. 2769 TRAP JT 1.53744 1.53744 1.32561 1.32561
3496. 2914 TRAP JT 1.32561 1.32561 1.09261 1.09261
3497. 3059 TRAP JT 1.09261 1.09261 0.880784 0.880784
3498. 3204 TRAP JT 0.880784 0.880784 0.690137 0.690137
3499. 3264 TRAP JT 0.561115 0.561115 0.505046 0.519287
3500. 3302 TRAP JT 0.519287 0.505046 0.448976 0.477011
3501. 3344 TRAP JT 0.477011 0.448976 0.392907 0.435183
3502. 3393 TRAP JT 0.435183 0.392907 0.336416 0.392907
3503. 3445 TRAP JT 0.392907 0.336416 0.280347 0.351079
3504. 3487 TRAP JT 0.351079 0.280347 0.224278 0.30925
3505. 3534 TRAP JT 0.30925 0.224278 0.168208 0.266975
3506. 3579 TRAP JT 0.266975 0.168208 0.112139 0.225146
3507. 3601 TRAP JT 0.225146 0.112139 0.0560694 0.183318
3508. 3607 TRAP JT 0.183318 0.0560694 0 0.141042

3509. 2277 TRAP JT 2.2 2.2 1.94124 1.94124
3510. 2450 TRAP JT 1.94124 1.94124 1.70404 1.70404
3511. 2616 TRAP JT 1.70404 1.70404 1.42369 1.42369
3512. 2768 TRAP JT 1.42369 1.42369 1.20805 1.20805
3513. 2913 TRAP JT 1.20805 1.20805 0.970843 0.970843
3514. 3058 TRAP JT 0.970843 0.970843 0.7552 0.7552
3515. 3203 TRAP JT 0.7552 0.7552 0.561115 0.561115
3516. 2276 TRAP JT 2.2 2.2 1.94124 1.94124
3517. 2449 TRAP JT 1.94124 1.94124 1.70404 1.70404
3518. 2615 TRAP JT 1.70404 1.70404 1.42369 1.42369
3519. 2767 TRAP JT 1.42369 1.42369 1.20805 1.20805
3520. 2912 TRAP JT 1.20805 1.20805 0.970843 0.970843
3521. 3057 TRAP JT 0.970843 0.970843 0.7552 0.7552
3522. 3202 TRAP JT 0.7552 0.7552 0.561115 0.561115
3523. 3250 TRAP JT 0.561115 0.561115 0.519287 0.526605
3524. 3274 TRAP JT 0.526605 0.519287 0.477011 0.491673
3525. 3312 TRAP JT 0.491673 0.477011 0.435183 0.457163
3526. 3349 TRAP JT 0.457163 0.435183 0.392907 0.422232
3527. 3395 TRAP JT 0.422232 0.392907 0.351079 0.387748
3528. 3431 TRAP JT 0.387748 0.351079 0.30925 0.353237
3529. 3480 TRAP JT 0.353237 0.30925 0.266975 0.318306
3530. 3518 TRAP JT 0.318306 0.266975 0.225146 0.283795
3531. 3536 TRAP JT 0.283795 0.225146 0.183318 0.248864
3532. 3578 TRAP JT 0.248864 0.183318 0.141042 0.214354
3533. 3264 TRAP JT 0.510105 0.510105 0.459133 0.472079
3534. 3302 TRAP JT 0.472079 0.459133 0.40816 0.433646
3535. 3344 TRAP JT 0.433646 0.40816 0.357188 0.395621
3536. 3393 TRAP JT 0.395621 0.357188 0.305833 0.357188
3537. 3445 TRAP JT 0.357188 0.305833 0.254861 0.319162
3538. 3487 TRAP JT 0.319162 0.254861 0.203889 0.281137
3539. 3534 TRAP JT 0.281137 0.203889 0.152917 0.242704
3540. 3579 TRAP JT 0.242704 0.152917 0.101944 0.204678
3541. 3601 TRAP JT 0.204678 0.101944 0.0509722 0.166653
3542. 3607 TRAP JT 0.166653 0.0509722 0 0.12822
3543. 2277 TRAP JT 2 2 1.76476 1.76476
3544. 2450 TRAP JT 1.76476 1.76476 1.54912 1.54912
3545. 2616 TRAP JT 1.54912 1.54912 1.29426 1.29426
3546. 2768 TRAP JT 1.29426 1.29426 1.09822 1.09822
3547. 2913 TRAP JT 1.09822 1.09822 0.882584 0.882584
3548. 3058 TRAP JT 0.882584 0.882584 0.686545 0.686545
3549. 3203 TRAP JT 0.686545 0.686545 0.510105 0.510105
3550. 2275 TRAP JT 2 2 1.76476 1.76476
3551. 2276 TRAP JT 2 2 1.76476 1.76476
3552. 2448 TRAP JT 1.76476 1.76476 1.54912 1.54912
3553. 2449 TRAP JT 1.76476 1.76476 1.54912 1.54912
3554. 2614 TRAP JT 1.54912 1.54912 1.29426 1.29426
3555. 2615 TRAP JT 1.54912 1.54912 1.29426 1.29426
3556. 2766 TRAP JT 1.29426 1.29426 1.09822 1.09822
3557. 2767 TRAP JT 1.29426 1.29426 1.09822 1.09822
3558. 2911 TRAP JT 1.09822 1.09822 0.882584 0.882584
3559. 2912 TRAP JT 1.09822 1.09822 0.882584 0.882584
3560. 3056 TRAP JT 0.882584 0.882584 0.686545 0.686545
3561. 3057 TRAP JT 0.882584 0.882584 0.686545 0.686545
3562. 3201 TRAP JT 0.686545 0.686545 0.510105 0.510105
3563. 3202 TRAP JT 0.686545 0.686545 0.510105 0.510105
3564. 3249 TRAP JT 0.510105 0.510105 0.478732 0.485408

3565. 3250 TRAP JT 0.510105 0.510105 0.472079 0.478732
3566. 3271 TRAP JT 0.485408 0.478732 0.446976 0.460305
3567. 3274 TRAP JT 0.478732 0.472079 0.433646 0.446976
3568. 3305 TRAP JT 0.460305 0.446976 0.415603 0.435609
3569. 3312 TRAP JT 0.446976 0.433646 0.395621 0.415603
3570. 3328 TRAP JT 0.435609 0.415603 0.383847 0.410506
3571. 3349 TRAP JT 0.415603 0.395621 0.357188 0.383847
3572. 3353 TRAP JT 0.410506 0.383847 0.352498 0.385809
3573. 3395 TRAP JT 0.383847 0.357188 0.319162 0.352498
3574. 3392 TRAP JT 0.385809 0.352498 0.321125 0.36073
3575. 3431 TRAP JT 0.352498 0.319162 0.281137 0.321125
3576. 3429 TRAP JT 0.36073 0.321125 0.289369 0.336034
3577. 3480 TRAP JT 0.321125 0.281137 0.242704 0.289369
3578. 3476 TRAP JT 0.336034 0.289369 0.257996 0.311313
3579. 3518 TRAP JT 0.289369 0.242704 0.204678 0.257996
3580. 3483 TRAP JT 0.311313 0.257996 0.22624 0.286234
3581. 3536 TRAP JT 0.257996 0.204678 0.166653 0.22624
3582. 3519 TRAP JT 0.286234 0.22624 0.194867 0.261538
3583. 3578 TRAP JT 0.22624 0.166653 0.12822 0.194867
3584. 2274 TRAP JT 1.9 1.9 1.6429 1.6429
3585. 2447 TRAP JT 1.6429 1.6429 1.40723 1.40723
3586. 2613 TRAP JT 1.40723 1.40723 1.12869 1.12869
3587. 2765 TRAP JT 1.12869 1.12869 0.91443 0.91443
3588. 2910 TRAP JT 0.91443 0.91443 0.678755 0.678755
3589. 3055 TRAP JT 0.678755 0.678755 0.464499 0.464499
3590. 3200 TRAP JT 0.464499 0.464499 0.271664 0.271664
3591. 3248 TRAP JT 0.271664 0.271664 0.244673 0.251944
3592. 3266 TRAP JT 0.251944 0.244673 0.217237 0.231805
3593. 3275 TRAP JT 0.231805 0.217237 0.190246 0.212111
3594. 3307 TRAP JT 0.212111 0.190246 0.16281 0.191972
3595. 3327 TRAP JT 0.191972 0.16281 0.135819 0.172252
3596. 3347 TRAP JT 0.172252 0.135819 0.108409 0.152113
3597. 3368 TRAP JT 0.152113 0.108409 0.0814181 0.132393
3598. 3408 TRAP JT 0.132393 0.0814181 0.0544008 0.112254
3599. 3428 TRAP JT 0.112254 0.0544008 0.0269912 0.0925337
3600. 3461 TRAP JT 0.0925337 0.0269912 0 0.0723949
3601. 2273 TRAP JT 1.75 1.75 1.50382 1.50382
3602. 2446 TRAP JT 1.50382 1.50382 1.27815 1.27815
3603. 2612 TRAP JT 1.27815 1.27815 1.01144 1.01144
3604. 2764 TRAP JT 1.01144 1.01144 0.80628 0.80628
3605. 2909 TRAP JT 0.80628 0.80628 0.580612 0.580612
3606. 3054 TRAP JT 0.580612 0.580612 0.375454 0.375454
3607. 3199 TRAP JT 0.375454 0.375454 0.190808 0.190808
3608. 3247 TRAP JT 0.190808 0.190808 0.171925 0.178912
3609. 3263 TRAP JT 0.178912 0.171925 0.152641 0.16659
3610. 3268 TRAP JT 0.16659 0.152641 0.133783 0.154695
3611. 3273 TRAP JT 0.154695 0.133783 0.1145 0.142398
3612. 3303 TRAP JT 0.142398 0.1145 0.0956167 0.130502
3613. 3309 TRAP JT 0.130502 0.0956167 0.076333 0.118181
3614. 3326 TRAP JT 0.118181 0.076333 0.0574501 0.106285
3615. 3345 TRAP JT 0.106285 0.0574501 0.0381665 0.0939638
3616. 3352 TRAP JT 0.0939638 0.0381665 0.0192836 0.082068
3617. 3369 TRAP JT 0.082068 0.0192836 0 0.0697716
3618. 2272 TRAP JT 1.6 1.6 1.34738 1.34738
3619. 2445 TRAP JT 1.34738 1.34738 1.1158 1.1158
3620. 2611 TRAP JT 1.1158 1.1158 0.842108 0.842108

3621. 2763 TRAP JT 0.842108 0.842108 0.631581 0.631581
3622. 2908 TRAP JT 0.631581 0.631581 0.400006 0.400006
3623. 3053 TRAP JT 0.400006 0.400006 0.189479 0.189479
3624. 3198 TRAP JT 0.189479 0.189479 0 0
3625. 2224 TRAP JT 1.35 1.35 1.10822 1.10822
3626. 2227 TRAP JT 1.35 1.35 1.10822 1.10822
3627. 2232 TRAP JT 1.35 1.35 1.10822 1.10822
3628. 2235 TRAP JT 1.35 1.35 1.10822 1.10822
3629. 2239 TRAP JT 1.35 1.35 1.10822 1.10822
3630. 2242 TRAP JT 1.35 1.35 1.10822 1.10822
3631. 2245 TRAP JT 1.35 1.35 1.10822 1.10822
3632. 2250 TRAP JT 1.35 1.35 1.10822 1.10822
3633. 2254 TRAP JT 1.35 1.35 1.10822 1.10822
3634. 2255 TRAP JT 1.35 1.35 1.10822 1.10822
3635. 2397 TRAP JT 1.10822 1.10822 0.886579 0.886579
3636. 2400 TRAP JT 1.10822 1.10822 0.886579 0.886579
3637. 2405 TRAP JT 1.10822 1.10822 0.886579 0.886579
3638. 2408 TRAP JT 1.10822 1.10822 0.886579 0.886579
3639. 2412 TRAP JT 1.10822 1.10822 0.886579 0.886579
3640. 2415 TRAP JT 1.10822 1.10822 0.886579 0.886579
3641. 2418 TRAP JT 1.10822 1.10822 0.886579 0.886579
3642. 2423 TRAP JT 1.10822 1.10822 0.886579 0.886579
3643. 2427 TRAP JT 1.10822 1.10822 0.886579 0.886579
3644. 2428 TRAP JT 1.10822 1.10822 0.886579 0.886579
3645. 2563 TRAP JT 0.886579 0.886579 0.624627 0.624627
3646. 2565 TRAP JT 0.886579 0.886579 0.624627 0.624627
3647. 2569 TRAP JT 0.886579 0.886579 0.624627 0.624627
3648. 2574 TRAP JT 0.886579 0.886579 0.624627 0.624627
3649. 2578 TRAP JT 0.886579 0.886579 0.624627 0.624627
3650. 2580 TRAP JT 0.886579 0.886579 0.624627 0.624627
3651. 2583 TRAP JT 0.886579 0.886579 0.624627 0.624627
3652. 2589 TRAP JT 0.886579 0.886579 0.624627 0.624627
3653. 2593 TRAP JT 0.886579 0.886579 0.624627 0.624627
3654. 2594 TRAP JT 0.886579 0.886579 0.624627 0.624627
3655. 2712 TRAP JT 0.624627 0.624627 0.423133 0.423133
3656. 2715 TRAP JT 0.624627 0.624627 0.423133 0.423133
3657. 2719 TRAP JT 0.624627 0.624627 0.423133 0.423133
3658. 2724 TRAP JT 0.624627 0.624627 0.423133 0.423133
3659. 2727 TRAP JT 0.624627 0.624627 0.423133 0.423133
3660. 2732 TRAP JT 0.624627 0.624627 0.423133 0.423133
3661. 2735 TRAP JT 0.624627 0.624627 0.423133 0.423133
3662. 2741 TRAP JT 0.624627 0.624627 0.423133 0.423133
3663. 2745 TRAP JT 0.624627 0.624627 0.423133 0.423133
3664. 2746 TRAP JT 0.624627 0.624627 0.423133 0.423133
3665. 2854 TRAP JT 0.423133 0.423133 0.201494 0.201494
3666. 2858 TRAP JT 0.423133 0.423133 0.201494 0.201494
3667. 2863 TRAP JT 0.423133 0.423133 0.201494 0.201494
3668. 2868 TRAP JT 0.423133 0.423133 0.201494 0.201494
3669. 2871 TRAP JT 0.423133 0.423133 0.201494 0.201494
3670. 2875 TRAP JT 0.423133 0.423133 0.201494 0.201494
3671. 2878 TRAP JT 0.423133 0.423133 0.201494 0.201494
3672. 2886 TRAP JT 0.423133 0.423133 0.201494 0.201494
3673. 2890 TRAP JT 0.423133 0.423133 0.201494 0.201494
3674. 2891 TRAP JT 0.423133 0.423133 0.201494 0.201494
3675. 2997 TRAP JT 0.201494 0.201494 0 0
3676. 3000 TRAP JT 0.201494 0.201494 0 0

```
3677. 3005 TRAP JT 0.201494 0.201494 0 0
3678. 3009 TRAP JT 0.201494 0.201494 0 0
3679. 3015 TRAP JT 0.201494 0.201494 0 0
3680. 3019 TRAP JT 0.201494 0.201494 0 0
3681. 3023 TRAP JT 0.201494 0.201494 0 0
3682. 3029 TRAP JT 0.201494 0.201494 0 0
3683. 3034 TRAP JT 0.201494 0.201494 0 0
3684. 3036 TRAP JT 0.201494 0.201494 0 0
3685. 2602 TRAP JT 0.886579 0.886579 0.624627 0.624627
3686. 2754 TRAP JT 0.624627 0.624627 0.423133 0.423133
3687. 2899 TRAP JT 0.423133 0.423133 0.201494 0.201494
3688. 3044 TRAP JT 0.201494 0.201494 0 0
3689. 2263 TRAP JT 1.35 1.35 1.10822 1.10822
3690. 2436 TRAP JT 1.10822 1.10822 0.886579 0.886579
3691. LOAD 4 LIVE LOAD DUE TO SRCHARGE (L_S)
3692. ELEMENT LOAD
3693. ***SURCHARGE OVER HEEL SLAB = 1 T/M2***
3694. ***LATERAL PRESSURE AT WALL = 0.271*1 = 0.271 T/M2***
3695. 1000 TO 1325 1327 1329 TO 1344 1346 1347 1349 TO 1370 1372 1373 1375 TO 1395 -
3696. 1397 1399 TO 1417 1419 1421 TO 1436 1438 1440 TO 1454 1456 1458 TO 1489 1491 -
3697. 1493 TO 1514 1517 1520 1526 TO 1569 1679 TO 1714 PR GY 1
3698. 1521 TO 1525 1674 TO 1678 1715 TO 1722 1724 TO 1756 1758 TO 1822 PR GY 1
3699. 2224 2227 2232 2235 2239 2242 2245 2250 2254 2255 2263 2271 TO 2320 2397 2400 -
3700. 2405 2408 2412 2415 2418 2423 2427 2428 2436 2444 TO 2493 2563 2565 2569 -
3701. 2574 2578 2580 2583 2589 2593 2594 2602 2610 TO 2659 2712 2715 2719 2724 -
3702. 2727 2732 2735 2741 2745 2746 2754 2762 TO 2811 2854 2858 2863 2868 2871 -
3703. 2875 2878 2886 2890 2891 2899 2907 TO 2956 2997 3000 3005 3009 3015 3019 -
3704. 3023 3029 3034 3036 3044 3052 TO 3101 3140 3144 3147 3152 3156 3161 3166 -
3705. 3173 3179 3181 3189 3197 TO 3250 3263 TO 3276 3289 3302 TO 3313 3326 TO 3331 -
3706. 3344 TO 3354 3367 TO 3373 3386 TO 3395 3408 TO 3411 3424 TO 3431 -
3707. 3444 TO 3448 3461 TO 3463 3476 TO 3489 3514 TO 3521 3534 TO 3541 -
3708. 3578 TO 3583 3594 3597 TO 3612 3625 3638 TO 3648 3661 TO 3672 3685 TO 3690 -
3709. 3703 TO 3709 3722 TO 3737 3750 TO 3759 3784 3797 TO 3812 3825 3826 -
3710. 3839 TO 3855 3868 3869 3882 TO 3886 3899 TO 3904 3917 TO 3919 3932 TO 3948 -
3711. 3959 3984 TO 3988 3991 TO 3994 4007 TO 4020 4033 TO 4038 4063 TO 4084 4097 -
3712. 4098 TO 4099 4111 4113 TO 4116 4129 TO 4136 4149 TO 4159 4184 TO 4196 4209 -
3713. 4222 TO 4225 4236 TO 4239 4242 TO 4257 4282 TO 4286 4299 TO 4306 -
3714. 4319 TO 4333 4346 TO 4352 4365 TO 4369 4382 TO 4384 4397 TO 4399 -
3715. 4410 TO 4414 4417 TO 4433 4458 TO 4461 4474 TO 4488 4499 TO 4501 -
3716. 4504 TO 4507 4520 TO 4522 4535 TO 4548 4559 TO 4561 4564 TO 4566 PR 0.271
3717. 4579 PR 0.271
3718. 4580 TO 4590 4601 4602 4605 TO 4612 PR 0.271
3719. LOAD 5 WIND LOAD (W)
3720. ELEMENT LOAD
3721. 2712 2715 2719 2724 2727 2732 2735 2741 2745 2746 2754 2762 TO 2811 2854 2858 -
3722. 2863 2868 2871 2875 2878 2886 2890 2891 2899 2907 TO 2956 2997 3000 3005 -
3723. 3009 3015 3019 3023 3029 3034 3036 3044 3052 TO 3101 3140 3144 3147 3152 -
3724. 3156 3161 3166 3173 3179 3181 3189 3197 TO 3246 PR 0.085
3725. 3302 TO 3313 3326 TO 3331 3344 TO 3354 3367 TO 3373 3386 TO 3395 3408 TO 3411 -
3726. 3424 TO 3431 3444 TO 3448 3461 TO 3463 3476 TO 3489 3514 TO 3521 -
3727. 3534 TO 3541 3578 TO 3583 3594 3597 TO 3612 3625 3638 TO 3648 3661 TO 3672 -
3728. 3685 TO 3690 3703 TO 3709 3722 TO 3737 3750 TO 3759 3784 3797 TO 3812 3825 -
3729. 3826 3839 TO 3855 3868 3869 3882 TO 3886 3899 TO 3904 3917 TO 3919 -
3730. 3932 TO 3948 3959 3984 TO 3988 3991 TO 3994 4007 TO 4020 4033 TO 4038 4063 -
3731. 4064 TO 4084 4097 TO 4099 4111 4113 TO 4116 4129 TO 4136 4149 TO 4159 4184 -
3732. 4185 TO 4196 4209 4222 TO 4225 4236 TO 4239 PR 0.094
```



```
3733. 4223 4242 TO 4245 4247 TO 4250 4252 TO 4257 4282 TO 4286 4299 TO 4306 4319 -
3734. 4320 TO 4333 4346 TO 4352 4365 TO 4369 4382 TO 4384 4397 TO 4399 4410 TO 4414 -
3735. 4417 TO 4433 4458 TO 4461 4474 TO 4488 4499 TO 4501 4504 TO 4507 -
3736. 4520 TO 4522 4535 TO 4548 4559 TO 4561 4564 TO 4566 4579 TO 4590 4601 4602 -
3737. 4605 TO 4612 PR 0.11
3738. LOAD 6 SEISMIC LOAD (E)
3739. ELEMENT LOAD
3740. ***PRESSURE DUE TO SEISMIC LOAD = 4.761/3.5/16.925 = 0.081 T/M2***
3741. 1963 TO 1967 2136 TO 2140 2316 TO 2320 2489 TO 2493 2655 TO 2659 2807 TO 2811 -
3742. 2952 TO 2956 3097 TO 3101 3242 TO 3246 3482 3485 3489 3514 3517 3737 3753 -
3743. 3756 3784 3799 3944 3985 3991 4008 4014 4111 4129 4136 4152 4158 4245 4249 -
3744. 4253 4285 4303 4331 4349 4366 4384 4413 4424 4430 4458 4477 4482 4488 4504 -
3745. 4520 4538 4542 4546 4559 4564 4581 4584 4587 4589 4601 4605 4607 TO 4611 -
3746. 4612 PR 0.081
3747. ***PRESSURE DUE TO SEISMIC LOAD = 3.864/3.5/14.985 = 0.074 T/M2***
3748. 1956 TO 1962 2129 TO 2135 2309 TO 2315 2482 TO 2488 2648 TO 2654 2800 TO 2806 -
3749. 2945 TO 2951 3090 TO 3096 3235 TO 3241 3430 3444 3447 3463 3477 3478 3481 -
3750. 3690 3703 3707 3723 3726 3729 3734 3852 3869 3882 3901 3918 3933 3938 4016 -
3751. 4020 4038 4066 4071 4076 4084 4133 4149 4156 4184 4191 4209 4237 4248 4252 -
3752. 4256 4286 4304 4321 4326 4333 4348 4352 4368 4397 4412 4419 4425 4428 4432 -
3753. 4460 4474 4479 4483 4487 4501 4506 4522 4536 4540 4544 4545 4548 4561 4566 -
3754. 4579 4580 4582 4583 4585 4586 4588 4590 4602 4606 PR 0.074
3755. ***PRESSURE DUE TO SEISMIC LOAD = 3.256/3.5/13.05 = 0.071 T/M2***
3756. 1949 TO 1955 2122 TO 2128 2302 TO 2308 2475 TO 2481 2641 TO 2647 2793 TO 2799 -
3757. 2938 TO 2944 3083 TO 3089 3228 TO 3234 3372 3391 3394 3409 3411 3425 3426 -
3758. 3641 3642 3647 3662 3665 3668 3686 3806 3808 3812 3825 3840 3843 3846 3945 -
3759. 3947 3948 3984 3988 3993 4009 4077 4079 4081 4097 4098 4113 4116 4190 4192 -
3760. 4196 4222 4236 4239 4244 4284 4299 4305 4319 4323 4327 4329 4350 4365 4383 -
3761. 4398 4414 4417 4421 4423 4427 4431 4461 4476 4480 4481 4484 4486 4499 4505 -
3762. 4507 4521 4535 4537 4539 4541 4543 4547 4560 4565 PR 0.071
3763. ***PRESSURE DUE TO SEISMIC LOAD = 2.695/3.5/11.11 = 0.07 T/M2***
3764. 1942 TO 1948 2115 TO 2121 2295 TO 2301 2468 TO 2474 2634 TO 2640 2786 TO 2792 -
3765. 2931 TO 2937 3076 TO 3082 3221 TO 3227 3367 3370 3386 TO 3390 3606 3612 3625 -
3766. 3638 3643 TO 3645 3735 3755 3759 3797 3801 3805 3809 3868 3885 3903 3919 -
3767. 3935 3939 3943 3994 4013 4018 4036 4064 4069 4072 4073 4083 4115 4135 4151 -
3768. 4154 4157 4185 4187 4193 4225 4238 4243 4250 4251 4255 4282 4301 4302 4320 -
3769. 4322 4328 4330 4332 4347 4351 4369 4382 4399 4410 4411 4418 4420 4422 4426 -
3770. 4429 4433 4459 4475 4478 4485 4500 PR 0.07
3771. ***PRESSURE DUE TO SEISMIC LOAD = 2.161/3.5/9.17 = 0.067 T/M2***
3772. 1935 TO 1941 2108 TO 2114 2288 TO 2294 2461 TO 2467 2627 TO 2633 2779 TO 2785 -
3773. 2924 TO 2930 3069 TO 3075 3214 TO 3220 3313 3329 3331 3346 3348 3351 3354 -
3774. 3521 3537 3541 3582 3583 3600 3604 3646 3664 3670 3689 3704 3725 3727 3728 -
3775. 3736 3758 3800 3826 3839 3842 3845 3849 3854 3884 3886 3917 3932 3937 3942 -
3776. 3946 3987 3992 4011 4015 4033 TO 4035 4065 4067 4070 4075 4080 4082 4099 -
3777. 4130 4131 4134 4150 4153 4155 4186 4188 4189 4194 4195 4223 4224 4242 4246 -
3778. 4247 4254 4257 4283 4300 4306 4324 4325 4346 4367 PR 0.067
3779. ***PRESSURE DUE TO SEISMIC LOAD = 1.678/3.5/7.25 = 0.066 T/M2***
3780. 1928 TO 1934 2101 TO 2107 2281 TO 2287 2454 TO 2460 2620 TO 2626 2772 TO 2778 -
3781. 2917 TO 2923 3062 TO 3068 3207 TO 3213 3272 3276 3289 3304 3306 3308 3311 -
3782. 3373 3410 3427 3448 3479 3484 3486 3516 3520 3538 3580 3581 3597 3602 3605 -
3783. 3608 3610 3611 3648 3663 3666 3669 3687 3688 3706 3708 3709 3724 3731 3733 -
3784. 3751 3752 3754 3757 3798 3803 3807 3810 3811 3841 3844 3847 3848 3850 3853 -
3785. 3855 3883 3899 3900 3902 3904 3934 3936 3940 3941 3959 3986 4007 4010 4012 -
3786. 4017 4019 4037 4063 4068 4074 4078 4114 4132 4159 PR 0.066
3787. ***PRESSURE DUE TO SEISMIC LOAD = 1.141/3.5/5.3 = 0.061 T/M2***
3788. 1871 1874 1879 1882 1886 1889 1892 1897 1901 1902 1910 1918 TO 1926 2044 2047 -
```

STAAD SPACE -- PAGE NO. 83

```
3789. 2052 2055 2059 2062 2065 2070 2074 2075 2083 2091 TO 2099 2224 2227 2232 -
3790. 2235 2239 2242 2245 2250 2254 2255 2263 2271 TO 2279 2397 2400 2405 2408 -
3791. 2412 2415 2418 2423 2427 2428 2436 2444 TO 2452 2563 2565 2569 2574 2578 -
3792. 2580 2583 2589 2593 2594 2602 2610 TO 2618 2712 2715 2719 2724 2727 2732 -
3793. 2735 2741 2745 2746 2754 2762 TO 2770 2854 2858 2863 2868 2871 2875 2878 -
3794. 2886 2890 2891 2899 2907 TO 2915 2997 3000 3005 3009 3015 3019 3023 3029 -
3795. 3034 3036 3044 3052 TO 3060 3140 3144 3147 3152 3156 3161 3166 3173 3179 -
3796. 3181 3189 3197 TO 3205 3247 TO 3250 3263 TO 3269 3271 3273 TO 3275 3302 3303 -
3797. 3305 3307 3309 3310 3312 3326 TO 3328 3330 3344 3345 3347 3349 3352 3353 -
3798. 3368 3369 3371 3392 3393 3395 3408 3424 3428 3429 3431 3445 3446 3461 3476 -
3799. 3480 3483 3487 3488 3515 3518 3519 3534 3536 3539 3540 3578 3579 3594 3598 -
3800. 3601 3603 3607 3609 3639 3661 3667 3671 3685 3705 3730 3732 3804 PR 0.061
3801. PERFORM ANALYSIS



         P R O B L E M   S T A T I S T I C S
         -----------------------------------

   NUMBER OF JOINTS       3607  NUMBER OF MEMBERS      45
   NUMBER OF PLATES       3613  NUMBER OF SOLIDS        0
   NUMBER OF SURFACES        0  NUMBER OF SUPPORTS    890

         Using 64-bit analysis engine.

         SOLVER USED IS THE IN-CORE ADVANCED MATH SOLVER

 TOTAL      PRIMARY LOAD CASES =     6, TOTAL DEGREES OF FREEDOM =   18972
 TOTAL LOAD COMBINATION  CASES =     0  SO FAR.



3802. CHANGE
3803. SUPPORTS
3804. 1000 TO 1822 PLATE MAT DIRECT Y SUBGRADE 6750 COMPRESSION
3805. ***UNFACTORED LOAD COMBINATION***
3806. ***FOR BASE PRESSURE CHECK***
3807. LOAD 101 1.0*(D_S+D_E)+1.0*H
3808. REPEAT LOAD
3809. 1 1.0 2 1.0 3 1.0
3810. LOAD 102 1.0*(D_S+D_E)+1.0*(L_S)+1.0*H
3811. REPEAT LOAD
3812. 1 1.0 2 1.0 4 1.0 3 1.0
3813. LOAD 103 1.0*(D_S+D_E)+1.0*H+0.7*E
3814. REPEAT LOAD
3815. 1 1.0 2 1.0 3 1.0 6 0.7
3816. LOAD 104 0.6*(D_S+D_E)+1.0*H+0.7*E
3817. REPEAT LOAD
3818. 1 0.6 2 0.6 3 1.0 6 0.7
3819. ***FOR OVERTURNING CHECK***
3820. LOAD 105 1.0*D_S+1.0*W
3821. REPEAT LOAD
3822. 1 1.0 5 1.0
```


STAAD SPACE -- PAGE NO. 84

```
3823. LOAD 106 1.0*D_S-1.0*W
3824. REPEAT LOAD
3825. 1 1.0 5 -1.0
3826. ***FACTORED LOAD COMBINATION***
3827. ***FOR REINFORCEMENT CALCULATION***
3828. LOAD 201 1.4*(D_S)
3829. REPEAT LOAD
3830. 1 1.4
3831. LOAD 202 1.4*(D_S+D_E)+1.7*(L_S)+1.7*H
3832. REPEAT LOAD
3833. 1 1.4 2 1.4 3 1.7 4 1.7
3834. LOAD 203 0.9*(D_S+D_E)+1.0*E+1.6*H
3835. REPEAT LOAD
3836. 1 0.9 2 0.9 6 1.0 3 1.6
3837. LOAD 204 1.2*(D_S+D_E)+1.0*E+0.5*(L_S)
3838. REPEAT LOAD
3839. 1 1.2 2 1.2 6 1.0 4 0.5
3840. PERFORM ANALYSIS PRINT STATICS CHECK
```

STAAD SPACE -- PAGE NO. 85

**NOTE-Tension/Compression converged after 1 iterations, Case= 101

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 101
1.0*(D_S+D_E)+1.0*H

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.593653633E+00
Y = 0.911816679E+03
Z = -0.847821484E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.161315177E+02
Y = 0.911031402E+03
Z = -0.184189758E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.168410074E+02
Y = 0.915239173E+03
Z = -0.247071998E-02

TOTAL APPLIED LOAD 101

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 101)
SUMMATION FORCE-X = -3.28
SUMMATION FORCE-Y = -2782.77
SUMMATION FORCE-Z = 787.75

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 715855.37 MY= -13263.75 MZ= -41900.80

TOTAL REACTION LOAD 101

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 101)
SUMMATION FORCE-X = 3.28
SUMMATION FORCE-Y = 2782.77
SUMMATION FORCE-Z = -787.75

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -715855.37 MY= 13263.75 MZ= 41900.80

STAAD SPACE -- PAGE NO. 86

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 101)
MAXIMUMS AT NODE
X = 4.12006E-01 3607
Y = -7.76332E-01 890
Z = 2.29096E+00 3607
RX= 1.34388E-03 3486
RY= -4.66042E-04 3318
RZ= -3.93013E-04 886

*** LOAD CASE 102 -- START ITERATION NO. 2
*** LOAD CASE 102 -- START ITERATION NO. 3
*** LOAD CASE 102 -- START ITERATION NO. 4

**NOTE-Tension/Compression converged after 4 iterations, Case= 102

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 102
1.0*(D_S+D_E)+1.0*(L_S)+1.0*H

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.579429116E+00
Y = 0.912075696E+03
Z = -0.827506862E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.162204897E+02
Y = 0.911081181E+03
Z = -0.187177064E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.166352444E+02
Y = 0.915396858E+03
Z = -0.328530095E-02

TOTAL APPLIED LOAD 102

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 102)
SUMMATION FORCE-X = -4.90
SUMMATION FORCE-Y = -2654.64
SUMMATION FORCE-Z = 863.89

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 785832.99 MY= -14366.96 MZ= -38592.06

TOTAL REACTION LOAD 102

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 102)
SUMMATION FORCE-X = 4.90
SUMMATION FORCE-Y = 2654.64
SUMMATION FORCE-Z = -863.89

STAAD SPACE -- PAGE NO. 87

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -785832.99 MY= 14366.96 MZ= 38592.06

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 102)

	MAXIMUMS	AT NODE
X =	4.28189E-01	3607
Y =	-8.28884E-01	890
Z =	2.69697E+00	3607
RX=	1.61642E-03	3607
RY=	4.71286E-04	2152
RZ=	-4.12338E-04	886

**NOTE-Tension/Compression converged after 1 iterations, Case= 103

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 103
1.0*(D_S+D_E)+1.0*H+0.7*E

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.590022979E+00
Y = 0.911853251E+03
Z = -0.842636397E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.161315177E+02
Y = 0.911031402E+03
Z = -0.184189758E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.168065776E+02
Y = 0.915267848E+03
Z = -0.263282194E-02

TOTAL APPLIED LOAD 103

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 103)
SUMMATION FORCE-X = -3.58
SUMMATION FORCE-Y = -2782.77
SUMMATION FORCE-Z = 802.45

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 729334.61 MY= -13483.49 MZ= -41625.12

STAAD SPACE -- PAGE NO. 88

TOTAL REACTION LOAD 103

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 103)
SUMMATION FORCE-X = 3.58
SUMMATION FORCE-Y = 2782.77
SUMMATION FORCE-Z = -802.45

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -729334.61 MY= 13483.49 MZ= 41625.12

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 103)

	MAXIMUMS	AT NODE
X =	4.15922E-01	3607
Y =	-7.88883E-01	890
Z =	2.36722E+00	3607
RX=	1.39244E-03	3605
RY=	-4.68546E-04	3318
RZ=	-3.97496E-04	886

*** LOAD CASE 104 -- START ITERATION NO. 2
*** LOAD CASE 104 -- START ITERATION NO. 3
*** LOAD CASE 104 -- START ITERATION NO. 4
*** LOAD CASE 104 -- START ITERATION NO. 5

**NOTE-Tension/Compression converged after 5 iterations, Case= 104

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 104
0.6*(D_S+D_E)+1.0*H+0.7*E

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.590022979E+00
Y = 0.911853251E+03
Z = -0.842636397E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.161315177E+02
Y = 0.911031402E+03
Z = -0.184189758E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.168065776E+02
Y = 0.915267848E+03
Z = -0.263282194E-02

STAAD SPACE -- PAGE NO. 89

TOTAL APPLIED LOAD 104

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 104)
SUMMATION FORCE-X = -3.58
SUMMATION FORCE-Y = -1669.66
SUMMATION FORCE-Z = 802.45

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 731384.83 MY= -13483.49 MZ= -23669.03

TOTAL REACTION LOAD 104

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 104)
SUMMATION FORCE-X = 3.58
SUMMATION FORCE-Y = 1669.66
SUMMATION FORCE-Z = -802.45

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -731384.83 MY= 13483.49 MZ= 23669.03

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 104)
MAXIMUMS AT NODE
X = 3.21856E-01 3607
Y = -8.79900E-01 890
Z = 4.39565E+00 3607
RX= 2.48602E-03 3486
RY= -8.52326E-04 3354
RZ= -3.89405E-04 886

**NOTE-Tension/Compression converged after 1 iterations, Case= 105

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 105
1.0*D_S+1.0*W

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.550635132E+00
Y = 0.913499976E+03
Z = -0.786384983E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.149070856E+02
Y = 0.913731520E+03
Z = -0.105326843E+01

STAAD SPACE -- PAGE NO. 90

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.153929594E+02
Y = 0.918441706E+03
Z = -0.649426597E-02

TOTAL APPLIED LOAD 105

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 105)
SUMMATION FORCE-X = -0.27
SUMMATION FORCE-Y = -769.15
SUMMATION FORCE-Z = 22.67

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 20011.31 MY= -348.75 MZ= -11221.47

TOTAL REACTION LOAD 105

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 105)
SUMMATION FORCE-X = 0.27
SUMMATION FORCE-Y = 769.15
SUMMATION FORCE-Z = -22.67

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -20011.31 MY= 348.75 MZ= 11221.47

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 105)
MAXIMUMS AT NODE
X = 5.09931E-02 3607
Y = -1.41005E-01 3607
Z = 2.55991E-01 3607
RX= 1.88531E-04 3558
RY= 6.81415E-05 3597
RZ= -5.11417E-05 3607

**NOTE-Tension/Compression converged after 1 iterations, Case= 106

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 106
1.0*D_S-1.0*W

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.550635132E+00
Y = 0.913499976E+03
Z = -0.786384983E+00

STAAD SPACE -- PAGE NO. 91

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.149070856E+02
Y = 0.913731520E+03
Z = -0.105326843E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.153929594E+02
Y = 0.918441706E+03
Z = -0.649426597E-02

TOTAL APPLIED LOAD 106

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 106)
SUMMATION FORCE-X = 0.27
SUMMATION FORCE-Y = -769.15
SUMMATION FORCE-Z = -22.67

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -21631.55 MY= 348.75 MZ= -11709.97

TOTAL REACTION LOAD 106

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 106)
SUMMATION FORCE-X = -0.27
SUMMATION FORCE-Y = 769.15
SUMMATION FORCE-Z = 22.67

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 21631.55 MY= -348.75 MZ= 11709.97

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 106)
MAXIMUMS AT NODE
X = 3.57550E-02 3607
Y = -1.11805E-01 3607
Z = -4.45204E-02 3354
RX= -7.49581E-05 1615
RY= -4.57924E-05 3512
RZ= -4.63416E-05 129

**NOTE-Tension/Compression converged after 1 iterations, Case= 201

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 201
1.4*(D_S)

STAAD SPACE -- PAGE NO. 92

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.149070856E+02
Y = 0.913731520E+03
Z = -0.105326843E+01

TOTAL APPLIED LOAD 201

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 201)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = -1076.80
SUMMATION FORCE-Z = 0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1134.16 MY= 0.00 MZ= -16052.00

TOTAL REACTION LOAD 201

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 201)
SUMMATION FORCE-X = 0.00
SUMMATION FORCE-Y = 1076.80
SUMMATION FORCE-Z = -0.00

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1134.16 MY= 0.00 MZ= 16052.00

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 201)
MAXIMUMS AT NODE
X = 6.07236E-02 3607
Y = -1.76967E-01 3607
Z = 1.55652E-01 3607
RX= 1.23353E-04 3568
RY= 4.46079E-05 3592
RZ= -6.81151E-05 129

*** LOAD CASE 202 -- START ITERATION NO. 2
*** LOAD CASE 202 -- START ITERATION NO. 3
*** LOAD CASE 202 -- START ITERATION NO. 4
*** LOAD CASE 202 -- START ITERATION NO. 5

**NOTE-Tension/Compression converged after 5 iterations, Case= 202

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 202
1.4*(D_S+D_E)+1.7*(L_S)+1.7*H

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.579429115E+00
Y = 0.912075696E+03
Z = -0.827506861E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.162406842E+02
Y = 0.911092480E+03
Z = -0.187855110E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.166352444E+02
Y = 0.915396858E+03
Z = -0.328530088E-02

TOTAL APPLIED LOAD 202

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 202)
SUMMATION FORCE-X = -8.33
SUMMATION FORCE-Y = -3678.06
SUMMATION FORCE-Z = 1468.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1337453.80 MY= -24423.84 MZ= -52139.43

TOTAL REACTION LOAD 202

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 202)
SUMMATION FORCE-X = 8.33
SUMMATION FORCE-Y = 3678.06
SUMMATION FORCE-Z = -1468.61

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1337453.80 MY= 24423.84 MZ= 52139.43

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 202)

	MAXIMUMS	AT NODE
X =	6.75674E-01	3607
Y =	-1.43106E+00	890
Z =	5.54998E+00	3607
RX=	3.26221E-03	3607
RY=	-9.45273E-04	3318
RZ=	-6.84135E-04	886

*** LOAD CASE 203 -- START ITERATION NO. 2
*** LOAD CASE 203 -- START ITERATION NO. 3
*** LOAD CASE 203 -- START ITERATION NO. 4
*** LOAD CASE 203 -- START ITERATION NO. 5
*** LOAD CASE 203 -- START ITERATION NO. 6

**NOTE-Tension/Compression converged after 6 iterations, Case= 203

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 203
0.9*(D_S+D_E)+1.0*E+1.6*H

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.590382397E+00
Y = 0.911849631E+03
Z = -0.843149697E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.161315177E+02
Y = 0.911031402E+03
Z = -0.184189757E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.168102061E+02
Y = 0.915264826E+03
Z = -0.261573855E-02

TOTAL APPLIED LOAD 203

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 203)
SUMMATION FORCE-X = -5.68
SUMMATION FORCE-Y = -2504.49
SUMMATION FORCE-Z = 1281.41

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 1168212.56 MY= -21535.91 MZ= -35224.29

TOTAL REACTION LOAD 203

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 203)
SUMMATION FORCE-X = 5.68
SUMMATION FORCE-Y = 2504.49
SUMMATION FORCE-Z = -1281.41

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -1168212.56 MY= 21535.91 MZ= 35224.29

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 203)

	MAXIMUMS	AT NODE
X =	4.74540E-01	3607
Y =	1.76474E+00	1
Z =	8.39612E+00	3607
RX=	4.71787E-03	3486
RY=	-1.52200E-03	3354
RZ=	-6.29897E-04	886

**NOTE-Tension/Compression converged after 1 iterations, Case= 204

STATIC LOAD/REACTION/EQUILIBRIUM SUMMARY FOR CASE NO. 204
1.2*(D_S+D_E)+1.0*E+0.5*(L_S)

STAAD SPACE -- PAGE NO. 95

CENTER OF FORCE BASED ON X FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = -0.550635135E+00
Y = 0.912478308E+03
Z = -0.786384985E+00

CENTER OF FORCE BASED ON Y FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.161675742E+02
Y = 0.911051575E+03
Z = -0.185400384E+01

CENTER OF FORCE BASED ON Z FORCES ONLY (METE).
(FORCES IN NON-GLOBAL DIRECTIONS WILL INVALIDATE RESULTS)

X = 0.146683022E+02
Y = 0.916948651E+03
Z = -0.115727718E-01

TOTAL APPLIED LOAD 204

***TOTAL APPLIED LOAD (MTON METE) SUMMARY (LOADING 204)
SUMMATION FORCE-X = -1.24
SUMMATION FORCE-Y = -3275.26
SUMMATION FORCE-Z = 59.07

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= 48094.18 MY= -865.52 MZ= -51820.06

TOTAL REACTION LOAD 204

***TOTAL REACTION LOAD(MTON METE) SUMMARY (LOADING 204)
SUMMATION FORCE-X = 1.24
SUMMATION FORCE-Y = 3275.26
SUMMATION FORCE-Z = -59.07

SUMMATION OF MOMENTS AROUND THE ORIGIN-
MX= -48094.18 MY= 865.52 MZ= 51820.06

MAXIMUM DISPLACEMENTS (CM /RADIANS) (LOADING 204)
MAXIMUMS AT NODE
X = 2.36328E-01 3607
Y = -7.58611E-01 1
Z = -9.68461E-01 3607
RX= -7.02351E-04 783
RY= 2.02125E-04 3597
RZ= -2.00470E-04 5

********** END OF DATA FROM INTERNAL STORAGE **********

3841. LOAD LIST 101 TO 104
3842. PRINT SUPPORT REACTION
SUPPORT REACTION

STAAD SPACE -- PAGE NO. 96

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
1	101	0.00	0.30	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
2	101	0.00	0.25	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
3	101	0.59	0.12	-2.51	0.00	0.13	0.00
	102	0.65	0.00	-2.58	0.00	0.16	0.00
	103	0.61	0.06	-2.58	0.00	0.14	0.00
	104	0.57	0.00	-0.70	0.00	0.07	0.00
4	101	0.00	0.27	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
5	101	0.00	0.42	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
6	101	0.00	0.38	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
7	101	0.00	1.46	0.00	0.00	0.00	0.00
	102	0.00	0.17	0.00	0.00	0.00	0.00
	103	0.00	1.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
8	101	0.00	0.37	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
9	101	0.00	1.57	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	1.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
10	101	0.00	0.34	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
11	101	0.01	0.69	-3.59	0.00	0.02	0.00
	102	0.10	0.02	-3.72	0.00	0.04	0.00
	103	0.02	0.59	-3.69	0.00	0.02	0.00
	104	-0.16	0.00	-0.55	0.00	-0.06	0.00
12	101	0.00	0.16	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
13	101	0.00	1.29	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	1.13	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
14	101	0.48	0.09	-2.78	0.00	0.13	0.00
	102	0.51	0.00	-3.02	0.00	0.17	0.00
	103	0.49	0.04	-2.87	0.00	0.13	0.00
	104	0.45	0.00	-0.80	0.00	0.02	0.00
15	101	0.00	1.83	0.00	0.00	0.00	0.00
	102	0.00	0.27	0.00	0.00	0.00	0.00
	103	0.00	1.61	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
16	101	0.00	0.19	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
17	101	0.00	1.60	0.00	0.00	0.00	0.00
	102	0.00	0.26	0.00	0.00	0.00	0.00
	103	0.00	1.41	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
18	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
19	101	0.00	1.54	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	1.36	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
20	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
21	101	0.00	2.32	0.00	0.00	0.00	0.00
	102	0.00	1.19	0.00	0.00	0.00	0.00
	103	0.00	2.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
22	101	0.00	1.56	0.00	0.00	0.00	0.00
	102	0.00	0.08	0.00	0.00	0.00	0.00
	103	0.00	1.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
23	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
24	101	0.00	2.63	0.00	0.00	0.00	0.00
	102	0.00	1.20	0.00	0.00	0.00	0.00
	103	0.00	2.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
25	101	0.00	0.94	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.79	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
26	101	-0.07	1.12	-3.59	0.00	-0.02	0.00
	102	-0.02	0.53	-3.81	0.00	-0.01	0.00
	103	-0.07	1.04	-3.69	0.00	-0.02	0.00
	104	-0.16	0.00	0.28	0.00	-0.07	0.00
27	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
28	101	-0.47	0.52	-4.19	0.00	0.08	0.00
	102	-0.35	0.00	-4.55	0.00	0.13	0.00
	103	-0.46	0.44	-4.31	0.00	0.09	0.00
	104	-1.03	0.00	-1.16	0.00	-0.07	0.00
29	101	0.00	2.04	0.00	0.00	0.00	0.00
	102	0.00	1.02	0.00	0.00	0.00	0.00
	103	0.00	1.90	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
30	101	0.00	0.14	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
31	101	0.00	0.96	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.82	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
32	101	0.00	2.84	0.00	0.00	0.00	0.00
	102	0.00	1.46	0.00	0.00	0.00	0.00
	103	0.00	2.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
33	101	0.40	0.08	-1.98	0.00	0.06	0.00
	102	0.45	0.00	-2.21	0.00	0.09	0.00
	103	0.41	0.04	-2.06	0.00	0.06	0.00
	104	0.44	0.00	-0.33	0.00	-0.07	0.00
34	101	0.00	1.32	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	1.13	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
35	101	0.00	2.45	0.00	0.00	0.00	0.00
	102	0.00	1.27	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 99

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	2.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
36	101	0.00	1.16	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	1.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
37	101	0.00	0.17	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
38	101	0.00	2.35	0.00	0.00	0.00	0.00
	102	0.00	1.20	0.00	0.00	0.00	0.00
	103	0.00	2.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
39	101	0.00	1.13	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.97	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
40	101	0.00	2.44	0.00	0.00	0.00	0.00
	102	0.00	1.14	0.00	0.00	0.00	0.00
	103	0.00	2.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
41	101	0.00	0.27	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
42	101	0.00	3.18	0.00	0.00	0.00	0.00
	102	0.00	2.21	0.00	0.00	0.00	0.00
	103	0.00	3.05	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
43	101	0.00	1.55	0.00	0.00	0.00	0.00
	102	0.00	0.61	0.00	0.00	0.00	0.00
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
44	101	0.00	1.17	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	1.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
45	101	0.00	0.25	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
46	101	0.00	3.69	0.00	0.00	0.00	0.00
	102	0.00	2.45	0.00	0.00	0.00	0.00
	103	0.00	3.52	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 100

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
47	101	-0.30	0.84	-4.51	0.00	0.06	0.00
	102	-0.22	0.33	-4.92	0.00	0.10	0.00
	103	-0.30	0.77	-4.64	0.00	0.06	0.00
	104	-0.59	0.00	-0.91	0.00	-0.08	0.00
48	101	0.00	0.73	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.60	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
49	101	-0.02	1.55	-1.57	0.00	-0.06	0.00
	102	0.02	1.04	-1.66	0.00	-0.05	0.00
	103	-0.02	1.48	-1.62	0.00	-0.06	0.00
	104	-0.12	0.00	2.55	0.00	-0.10	0.00
50	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
51	101	0.00	1.53	0.00	0.00	0.00	0.00
	102	0.00	0.64	0.00	0.00	0.00	0.00
	103	0.00	1.41	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
52	101	-0.63	0.41	-2.96	0.00	0.00	0.00
	102	-0.51	0.00	-3.28	0.00	0.04	0.00
	103	-0.62	0.34	-3.06	0.00	0.01	0.00
	104	-1.40	0.00	-0.68	0.00	-0.19	0.00
53	101	0.00	2.79	0.00	0.00	0.00	0.00
	102	0.00	1.91	0.00	0.00	0.00	0.00
	103	0.00	2.68	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
54	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
55	101	0.00	2.08	0.00	0.00	0.00	0.00
	102	0.00	0.88	0.00	0.00	0.00	0.00
	103	0.00	1.93	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
56	101	0.00	3.84	0.00	0.00	0.00	0.00
	102	0.00	2.65	0.00	0.00	0.00	0.00
	103	0.00	3.68	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
57	101	0.00	0.76	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
58	101	0.00	1.80	0.00	0.00	0.00	0.00
	102	0.00	0.77	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 101

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.66	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
59	101	0.00	0.17	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.12	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
60	101	0.00	3.29	0.00	0.00	0.00	0.00
	102	0.00	2.27	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
61	101	0.00	1.07	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.92	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
62	101	0.00	3.16	0.00	0.00	0.00	0.00
	102	0.00	2.16	0.00	0.00	0.00	0.00
	103	0.00	3.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
63	101	0.00	1.74	0.00	0.00	0.00	0.00
	102	0.00	0.73	0.00	0.00	0.00	0.00
	103	0.00	1.61	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
64	101	0.30	0.10	-1.43	0.00	-0.00	0.00
	102	0.34	0.00	-1.69	0.00	0.03	0.00
	103	0.31	0.07	-1.49	0.00	0.00	0.00
	104	0.35	0.00	-0.21	0.00	-0.13	0.00
65	101	0.00	0.95	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.82	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
66	101	0.00	3.33	0.00	0.00	0.00	0.00
	102	0.00	2.19	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
67	101	0.00	1.83	0.00	0.00	0.00	0.00
	102	0.00	0.69	0.00	0.00	0.00	0.00
	103	0.00	1.68	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
68	101	0.00	0.20	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.15	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
69	101	0.00	2.17	0.00	0.00	0.00	0.00
	102	0.00	1.35	0.00	0.00	0.00	0.00
	103	0.00	2.06	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 102

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
70	101	0.00	0.94	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.82	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
71	101	0.00	1.18	0.00	0.00	0.00	0.00
	102	0.00	0.36	0.00	0.00	0.00	0.00
	103	0.00	1.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
72	101	0.00	4.03	0.00	0.00	0.00	0.00
	102	0.00	3.21	0.00	0.00	0.00	0.00
	103	0.00	3.93	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
73	101	-0.21	1.17	-2.51	0.00	0.04	0.00
	102	-0.15	0.73	-2.71	0.00	0.08	0.00
	103	-0.21	1.12	-2.58	0.00	0.04	0.00
	104	-0.38	0.00	1.09	0.00	-0.09	0.00
74	101	0.00	0.30	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.23	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
75	101	0.00	1.00	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
76	101	-0.42	0.64	-3.27	0.00	-0.02	0.00
	102	-0.34	0.21	-3.63	0.00	0.02	0.00
	103	-0.41	0.59	-3.38	0.00	-0.01	0.00
	104	-0.89	0.00	-0.65	0.00	-0.19	0.00
77	101	0.00	4.75	0.00	0.00	0.00	0.00
	102	0.00	3.70	0.00	0.00	0.00	0.00
	103	0.00	4.62	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
78	101	0.00	2.10	0.00	0.00	0.00	0.00
	102	0.00	1.32	0.00	0.00	0.00	0.00
	103	0.00	2.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
79	101	-0.00	1.99	-0.38	0.00	-0.09	0.00
	102	0.02	1.56	-0.38	0.00	-0.08	0.00
	103	-0.00	1.93	-0.40	0.00	-0.09	0.00
	104	-0.11	0.00	3.74	0.00	-0.13	0.00
80	101	0.00	1.17	0.00	0.00	0.00	0.00
	102	0.00	0.42	0.00	0.00	0.00	0.00
	103	0.00	1.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
81	101	0.00	0.65	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 103

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
82	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
83	101	0.00	2.84	0.00	0.00	0.00	0.00
	102	0.00	1.80	0.00	0.00	0.00	0.00
	103	0.00	2.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
84	101	0.00	3.54	0.00	0.00	0.00	0.00
	102	0.00	2.79	0.00	0.00	0.00	0.00
	103	0.00	3.45	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
85	101	0.00	1.62	0.00	0.00	0.00	0.00
	102	0.00	0.59	0.00	0.00	0.00	0.00
	103	0.00	1.48	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
86	101	-0.85	0.36	-2.16	0.00	-0.05	0.00
	102	-0.77	0.00	-2.53	0.00	-0.02	0.00
	103	-0.84	0.31	-2.25	0.00	-0.05	0.00
	104	-1.73	0.00	-0.67	0.00	-0.23	0.00
87	101	0.00	2.43	0.00	0.00	0.00	0.00
	102	0.00	1.53	0.00	0.00	0.00	0.00
	103	0.00	2.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
88	101	0.00	0.29	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.23	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
89	101	0.00	4.83	0.00	0.00	0.00	0.00
	102	0.00	3.82	0.00	0.00	0.00	0.00
	103	0.00	4.70	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
90	101	0.00	1.40	0.00	0.00	0.00	0.00
	102	0.00	0.53	0.00	0.00	0.00	0.00
	103	0.00	1.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
91	101	0.00	2.34	0.00	0.00	0.00	0.00
	102	0.00	1.46	0.00	0.00	0.00	0.00
	103	0.00	2.23	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
92	101	0.00	4.12	0.00	0.00	0.00	0.00
	102	0.00	3.26	0.00	0.00	0.00	0.00
	103	0.00	4.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 104

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
93	101	0.00	0.68	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.59	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
94	101	0.00	0.32	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
95	101	0.00	3.96	0.00	0.00	0.00	0.00
	102	0.00	3.11	0.00	0.00	0.00	0.00
	103	0.00	3.86	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
96	101	0.00	2.48	0.00	0.00	0.00	0.00
	102	0.00	1.49	0.00	0.00	0.00	0.00
	103	0.00	2.36	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
97	101	0.00	1.37	0.00	0.00	0.00	0.00
	102	0.00	0.52	0.00	0.00	0.00	0.00
	103	0.00	1.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
98	101	0.00	0.95	0.00	0.00	0.00	0.00
	102	0.00	0.04	0.00	0.00	0.00	0.00
	103	0.00	0.83	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
99	101	0.00	4.21	0.00	0.00	0.00	0.00
	102	0.00	3.24	0.00	0.00	0.00	0.00
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
100	101	0.00	0.21	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
101	101	0.00	1.63	0.00	0.00	0.00	0.00
	102	0.00	0.92	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
102	101	0.00	1.46	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	1.33	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
103	101	0.00	2.79	0.00	0.00	0.00	0.00
	102	0.00	2.09	0.00	0.00	0.00	0.00
	103	0.00	2.70	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
104	101	0.00	0.84	0.00	0.00	0.00	0.00
	102	0.00	0.08	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 105

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.74	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
105	101	-0.30	0.89	-1.90	0.00	-0.02	0.00
	102	-0.23	0.50	-2.07	0.00	0.01	0.00
	103	-0.29	0.84	-1.96	0.00	-0.02	0.00
	104	-0.61	0.00	0.65	0.00	-0.18	0.00
106	101	0.00	0.96	0.00	0.00	0.00	0.00
	102	0.00	0.29	0.00	0.00	0.00	0.00
	103	0.00	0.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
107	101	0.15	0.12	-0.92	0.00	-0.04	0.00
	102	0.19	0.00	-1.18	0.00	-0.02	0.00
	103	0.16	0.10	-0.97	0.00	-0.04	0.00
	104	0.18	0.00	-0.15	0.00	-0.15	0.00
108	101	-0.17	1.50	-1.46	0.00	0.03	0.00
	102	-0.13	1.12	-1.55	0.00	0.07	0.00
	103	-0.17	1.46	-1.49	0.00	0.03	0.00
	104	-0.28	0.00	1.99	0.00	-0.09	0.00
109	101	0.00	1.59	0.00	0.00	0.00	0.00
	102	0.00	0.92	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
110	101	0.00	0.84	0.00	0.00	0.00	0.00
	102	0.00	0.11	0.00	0.00	0.00	0.00
	103	0.00	0.74	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
111	101	0.00	4.88	0.00	0.00	0.00	0.00
	102	0.00	4.21	0.00	0.00	0.00	0.00
	103	0.00	4.81	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
112	101	0.00	2.67	0.00	0.00	0.00	0.00
	102	0.00	2.01	0.00	0.00	0.00	0.00
	103	0.00	2.59	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
113	101	-0.57	0.52	-2.50	0.00	-0.06	0.00
	102	-0.52	0.17	-2.90	0.00	-0.04	0.00
	103	-0.57	0.48	-2.59	0.00	-0.06	0.00
	104	-1.16	0.00	-0.83	0.00	-0.24	0.00
114	101	0.00	0.22	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
115	101	0.00	2.16	0.00	0.00	0.00	0.00
	102	0.00	1.26	0.00	0.00	0.00	0.00
	103	0.00	2.05	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 106

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
116	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	4.95	0.00	0.00	0.00	0.00
	103	0.00	5.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
117	101	0.00	3.60	0.00	0.00	0.00	0.00
	102	0.00	2.70	0.00	0.00	0.00	0.00
	103	0.00	3.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
118	101	0.00	0.91	0.00	0.00	0.00	0.00
	102	0.00	0.11	0.00	0.00	0.00	0.00
	103	0.00	0.81	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
119	101	0.00	0.95	0.00	0.00	0.00	0.00
	102	0.00	0.34	0.00	0.00	0.00	0.00
	103	0.00	0.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
120	101	0.00	1.85	0.00	0.00	0.00	0.00
	102	0.00	1.08	0.00	0.00	0.00	0.00
	103	0.00	1.76	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
121	101	0.01	2.42	0.58	0.00	-0.11	0.00
	102	0.03	2.07	0.69	0.00	-0.11	0.00
	103	0.01	2.38	0.60	0.00	-0.11	0.00
	104	-0.11	0.00	4.19	0.00	-0.16	0.00
122	101	0.00	3.07	0.00	0.00	0.00	0.00
	102	0.00	2.29	0.00	0.00	0.00	0.00
	103	0.00	2.97	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
123	101	0.00	0.32	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
124	101	0.00	0.60	0.00	0.00	0.00	0.00
	102	0.00	0.04	0.00	0.00	0.00	0.00
	103	0.00	0.53	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
125	101	0.00	1.30	0.00	0.00	0.00	0.00
	102	0.00	0.49	0.00	0.00	0.00	0.00
	103	0.00	1.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
126	101	0.00	4.29	0.00	0.00	0.00	0.00
	102	0.00	3.67	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
127	101	0.00	2.94	0.00	0.00	0.00	0.00
	102	0.00	2.19	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 107

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	2.86	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
128	101	0.00	1.79	0.00	0.00	0.00	0.00
	102	0.00	1.04	0.00	0.00	0.00	0.00
	103	0.00	1.70	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
129	101	0.00	5.81	0.00	0.00	0.00	0.00
	102	0.00	4.98	0.00	0.00	0.00	0.00
	103	0.00	5.72	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
130	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
131	101	0.00	3.14	0.00	0.00	0.00	0.00
	102	0.00	2.28	0.00	0.00	0.00	0.00
	103	0.00	3.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
132	101	0.00	1.13	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	1.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
133	101	-0.91	0.34	-1.39	0.00	-0.07	0.00
	102	-0.87	0.04	-1.75	0.00	-0.05	0.00
	103	-0.91	0.30	-1.46	0.00	-0.07	0.00
	104	-1.71	0.00	-0.56	0.00	-0.21	0.00
134	101	0.00	1.90	0.00	0.00	0.00	0.00
	102	0.00	1.07	0.00	0.00	0.00	0.00
	103	0.00	1.80	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
135	101	0.00	4.95	0.00	0.00	0.00	0.00
	102	0.00	4.23	0.00	0.00	0.00	0.00
	103	0.00	4.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
136	101	0.00	2.09	0.00	0.00	0.00	0.00
	102	0.00	1.47	0.00	0.00	0.00	0.00
	103	0.00	2.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
137	101	0.00	4.75	0.00	0.00	0.00	0.00
	102	0.00	4.05	0.00	0.00	0.00	0.00
	103	0.00	4.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
138	101	0.00	1.26	0.00	0.00	0.00	0.00
	102	0.00	0.67	0.00	0.00	0.00	0.00
	103	0.00	1.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 108

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
139	101	0.00	1.10	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	1.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
140	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
141	101	0.00	0.61	0.00	0.00	0.00	0.00
	102	0.00	0.11	0.00	0.00	0.00	0.00
	103	0.00	0.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
142	101	-0.23	1.13	-1.24	0.00	-0.03	0.00
	102	-0.18	0.79	-1.32	0.00	0.00	0.00
	103	-0.22	1.09	-1.27	0.00	-0.03	0.00
	104	-0.45	0.00	1.16	0.00	-0.18	0.00
143	101	0.00	5.08	0.00	0.00	0.00	0.00
	102	0.00	4.28	0.00	0.00	0.00	0.00
	103	0.00	4.99	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
144	101	-0.42	0.68	-1.61	0.00	-0.06	0.00
	102	-0.38	0.37	-1.83	0.00	-0.04	0.00
	103	-0.42	0.64	-1.67	0.00	-0.05	0.00
	104	-0.84	0.00	-0.05	0.00	-0.22	0.00
145	101	0.00	1.19	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	1.09	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
146	101	0.00	3.41	0.00	0.00	0.00	0.00
	102	0.00	2.82	0.00	0.00	0.00	0.00
	103	0.00	3.34	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
147	101	0.00	2.00	0.00	0.00	0.00	0.00
	102	0.00	1.42	0.00	0.00	0.00	0.00
	103	0.00	1.93	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
148	101	0.00	0.83	0.00	0.00	0.00	0.00
	102	0.00	0.17	0.00	0.00	0.00	0.00
	103	0.00	0.75	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
149	101	0.00	0.30	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
150	101	0.00	1.22	0.00	0.00	0.00	0.00
	102	0.00	0.68	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 109

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.15	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
151	101	-0.15	1.84	-0.73	0.00	0.02	0.00
	102	-0.12	1.52	-0.72	0.00	0.06	0.00
	103	-0.15	1.80	-0.74	0.00	0.03	0.00
	104	-0.24	0.00	2.21	0.00	-0.08	0.00
152	101	0.00	2.69	0.00	0.00	0.00	0.00
	102	0.00	1.92	0.00	0.00	0.00	0.00
	103	0.00	2.60	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
153	101	0.00	0.79	0.00	0.00	0.00	0.00
	102	0.00	0.28	0.00	0.00	0.00	0.00
	103	0.00	0.73	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
154	101	0.00	3.24	0.00	0.00	0.00	0.00
	102	0.00	2.69	0.00	0.00	0.00	0.00
	103	0.00	3.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
155	101	0.00	0.72	0.00	0.00	0.00	0.00
	102	0.00	0.17	0.00	0.00	0.00	0.00
	103	0.00	0.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
156	101	0.00	0.20	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
157	101	0.00	1.65	0.00	0.00	0.00	0.00
	102	0.00	0.93	0.00	0.00	0.00	0.00
	103	0.00	1.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
158	101	0.00	2.29	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	2.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
159	101	-0.62	0.43	-1.69	0.00	-0.08	0.00
	102	-0.58	0.16	-2.08	0.00	-0.07	0.00
	103	-0.62	0.40	-1.76	0.00	-0.08	0.00
	104	-1.16	0.00	-0.80	0.00	-0.23	0.00
160	101	0.00	4.35	0.00	0.00	0.00	0.00
	102	0.00	3.60	0.00	0.00	0.00	0.00
	103	0.00	4.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
161	101	0.00	2.20	0.00	0.00	0.00	0.00
	102	0.00	1.56	0.00	0.00	0.00	0.00
	103	0.00	2.13	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 110

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
162	101	0.00	1.41	0.00	0.00	0.00	0.00
	102	0.00	0.81	0.00	0.00	0.00	0.00
	103	0.00	1.34	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
163	101	0.00	0.70	0.00	0.00	0.00	0.00
	102	0.00	0.18	0.00	0.00	0.00	0.00
	103	0.00	0.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
164	101	0.00	3.69	0.00	0.00	0.00	0.00
	102	0.00	3.05	0.00	0.00	0.00	0.00
	103	0.00	3.62	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
165	101	0.00	5.73	0.00	0.00	0.00	0.00
	102	0.00	5.21	0.00	0.00	0.00	0.00
	103	0.00	5.68	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
166	101	0.03	0.11	-0.59	0.00	-0.05	0.00
	102	0.06	0.00	-0.83	0.00	-0.03	0.00
	103	0.03	0.09	-0.63	0.00	-0.05	0.00
	104	0.01	0.00	-0.20	0.00	-0.11	0.00
167	101	0.00	0.77	0.00	0.00	0.00	0.00
	102	0.00	0.31	0.00	0.00	0.00	0.00
	103	0.00	0.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
168	101	0.00	2.35	0.00	0.00	0.00	0.00
	102	0.00	1.63	0.00	0.00	0.00	0.00
	103	0.00	2.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
169	101	0.00	3.54	0.00	0.00	0.00	0.00
	102	0.00	2.91	0.00	0.00	0.00	0.00
	103	0.00	3.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
170	101	0.00	6.86	0.00	0.00	0.00	0.00
	102	0.00	6.19	0.00	0.00	0.00	0.00
	103	0.00	6.80	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
171	101	0.00	1.37	0.00	0.00	0.00	0.00
	102	0.00	0.78	0.00	0.00	0.00	0.00
	103	0.00	1.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
172	101	0.00	0.74	0.00	0.00	0.00	0.00
	102	0.00	0.18	0.00	0.00	0.00	0.00
	103	0.00	0.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
173	101	0.04	2.85	1.30	0.00	-0.14	0.00
	102	0.05	2.57	1.54	0.00	-0.13	0.00

STAAD SPACE -- PAGE NO. 111

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.04	2.83	1.35	0.00	-0.14	0.00
	104	-0.10	0.00	3.84	0.00	-0.19	0.00
174	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	3.07	0.00	0.00	0.00	0.00
	103	0.00	3.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
175	101	0.00	1.56	0.00	0.00	0.00	0.00
	102	0.00	1.05	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
176	101	0.00	1.03	0.00	0.00	0.00	0.00
	102	0.00	0.43	0.00	0.00	0.00	0.00
	103	0.00	0.96	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
177	101	0.00	0.19	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
178	101	0.00	1.46	0.00	0.00	0.00	0.00
	102	0.00	0.82	0.00	0.00	0.00	0.00
	103	0.00	1.38	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
179	101	0.00	5.03	0.00	0.00	0.00	0.00
	102	0.00	4.55	0.00	0.00	0.00	0.00
	103	0.00	4.99	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
180	101	0.00	2.54	0.00	0.00	0.00	0.00
	102	0.00	2.02	0.00	0.00	0.00	0.00
	103	0.00	2.48	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
181	101	-0.32	0.84	-1.24	0.00	-0.06	0.00
	102	-0.29	0.57	-1.38	0.00	-0.04	0.00
	103	-0.32	0.81	-1.27	0.00	-0.06	0.00
	104	-0.64	0.00	0.19	0.00	-0.22	0.00
182	101	0.00	0.49	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.44	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
183	101	0.00	6.78	0.00	0.00	0.00	0.00
	102	0.00	6.13	0.00	0.00	0.00	0.00
	103	0.00	6.72	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
184	101	0.00	0.88	0.00	0.00	0.00	0.00
	102	0.00	0.38	0.00	0.00	0.00	0.00
	103	0.00	0.82	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 112

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
185	101	0.00	0.97	0.00	0.00	0.00	0.00
	102	0.00	0.52	0.00	0.00	0.00	0.00
	103	0.00	0.92	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
186	101	-0.19	1.37	-0.88	0.00	-0.04	0.00
	102	-0.15	1.09	-0.89	0.00	-0.01	0.00
	103	-0.18	1.34	-0.89	0.00	-0.03	0.00
	104	-0.37	0.00	1.16	0.00	-0.18	0.00
187	101	0.00	0.25	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
188	101	0.00	5.76	0.00	0.00	0.00	0.00
	102	0.00	5.20	0.00	0.00	0.00	0.00
	103	0.00	5.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
189	101	0.00	1.49	0.00	0.00	0.00	0.00
	102	0.00	1.02	0.00	0.00	0.00	0.00
	103	0.00	1.43	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
190	101	0.00	2.41	0.00	0.00	0.00	0.00
	102	0.00	1.92	0.00	0.00	0.00	0.00
	103	0.00	2.36	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
191	101	0.00	5.53	0.00	0.00	0.00	0.00
	102	0.00	4.98	0.00	0.00	0.00	0.00
	103	0.00	5.48	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
192	101	-0.68	0.26	-0.82	0.00	-0.05	0.00
	102	-0.64	0.06	-1.11	0.00	-0.03	0.00
	103	-0.69	0.24	-0.86	0.00	-0.05	0.00
	104	-1.20	0.00	-0.45	0.00	-0.12	0.00
193	101	-0.48	0.52	-1.20	0.00	-0.07	0.00
	102	-0.45	0.28	-1.44	0.00	-0.06	0.00
	103	-0.48	0.49	-1.24	0.00	-0.07	0.00
	104	-0.89	0.00	-0.39	0.00	-0.20	0.00
194	101	0.00	0.84	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	0.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
195	101	0.00	2.00	0.00	0.00	0.00	0.00
	102	0.00	1.37	0.00	0.00	0.00	0.00
	103	0.00	1.93	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
196	101	0.00	5.95	0.00	0.00	0.00	0.00
	102	0.00	5.31	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 113

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.89	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
197	101	0.00	3.23	0.00	0.00	0.00	0.00
	102	0.00	2.57	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
198	101	0.00	0.21	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
199	101	0.00	0.92	0.00	0.00	0.00	0.00
	102	0.00	0.52	0.00	0.00	0.00	0.00
	103	0.00	0.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
200	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	3.56	0.00	0.00	0.00	0.00
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
201	101	0.00	1.70	0.00	0.00	0.00	0.00
	102	0.00	1.16	0.00	0.00	0.00	0.00
	103	0.00	1.63	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
202	101	0.00	0.89	0.00	0.00	0.00	0.00
	102	0.00	0.38	0.00	0.00	0.00	0.00
	103	0.00	0.83	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
203	101	0.00	2.73	0.00	0.00	0.00	0.00
	102	0.00	2.17	0.00	0.00	0.00	0.00
	103	0.00	2.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
204	101	0.00	0.47	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	0.42	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
205	101	-0.14	2.17	-0.29	0.00	0.02	0.00
	102	-0.12	1.91	-0.18	0.00	0.05	0.00
	103	-0.14	2.14	-0.27	0.00	0.02	0.00
	104	-0.22	0.00	1.74	0.00	-0.08	0.00
206	101	0.00	2.62	0.00	0.00	0.00	0.00
	102	0.00	2.07	0.00	0.00	0.00	0.00
	103	0.00	2.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
207	101	0.00	1.63	0.00	0.00	0.00	0.00
	102	0.00	1.11	0.00	0.00	0.00	0.00
	103	0.00	1.57	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 114

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
208	101	0.00	1.23	0.00	0.00	0.00	0.00
	102	0.00	0.69	0.00	0.00	0.00	0.00
	103	0.00	1.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
209	101	0.00	0.19	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
210	101	0.00	3.81	0.00	0.00	0.00	0.00
	102	0.00	3.37	0.00	0.00	0.00	0.00
	103	0.00	3.77	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
211	101	0.00	0.59	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	0.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
212	101	0.00	0.60	0.00	0.00	0.00	0.00
	102	0.00	0.16	0.00	0.00	0.00	0.00
	103	0.00	0.55	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
213	101	0.00	2.79	0.00	0.00	0.00	0.00
	102	0.00	2.18	0.00	0.00	0.00	0.00
	103	0.00	2.73	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
214	101	0.00	5.09	0.00	0.00	0.00	0.00
	102	0.00	4.50	0.00	0.00	0.00	0.00
	103	0.00	5.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
215	101	0.00	1.73	0.00	0.00	0.00	0.00
	102	0.00	1.17	0.00	0.00	0.00	0.00
	103	0.00	1.67	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
216	101	0.00	1.04	0.00	0.00	0.00	0.00
	102	0.00	0.59	0.00	0.00	0.00	0.00
	103	0.00	0.98	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
217	101	0.00	4.31	0.00	0.00	0.00	0.00
	102	0.00	3.79	0.00	0.00	0.00	0.00
	103	0.00	4.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
218	101	0.00	1.87	0.00	0.00	0.00	0.00
	102	0.00	1.43	0.00	0.00	0.00	0.00
	103	0.00	1.82	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
219	101	-0.45	0.31	-1.06	0.00	-0.06	0.00
	102	-0.42	0.13	-1.39	0.00	-0.05	0.00

STAAD SPACE -- PAGE NO. 115

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.45	0.29	-1.11	0.00	-0.06	0.00
	104	-0.80	0.00	-0.67	0.00	-0.14	0.00
220	101	0.00	0.19	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
221	101	0.00	1.16	0.00	0.00	0.00	0.00
	102	0.00	0.76	0.00	0.00	0.00	0.00
	103	0.00	1.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
222	101	0.00	0.49	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	0.45	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
223	101	0.00	4.13	0.00	0.00	0.00	0.00
	102	0.00	3.62	0.00	0.00	0.00	0.00
	103	0.00	4.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
224	101	0.00	0.99	0.00	0.00	0.00	0.00
	102	0.00	0.56	0.00	0.00	0.00	0.00
	103	0.00	0.94	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
225	101	-0.26	1.00	-1.10	0.00	-0.06	0.00
	102	-0.23	0.77	-1.19	0.00	-0.04	0.00
	103	-0.26	0.98	-1.12	0.00	-0.06	0.00
	104	-0.51	0.00	0.08	0.00	-0.22	0.00
226	101	0.00	4.43	0.00	0.00	0.00	0.00
	102	0.00	3.85	0.00	0.00	0.00	0.00
	103	0.00	4.38	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
227	101	-0.37	0.62	-1.03	0.00	-0.07	0.00
	102	-0.35	0.41	-1.20	0.00	-0.06	0.00
	103	-0.37	0.59	-1.06	0.00	-0.07	0.00
	104	-0.69	0.00	-0.33	0.00	-0.19	0.00
228	101	0.00	0.55	0.00	0.00	0.00	0.00
	102	0.00	0.24	0.00	0.00	0.00	0.00
	103	0.00	0.51	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
229	101	0.00	1.76	0.00	0.00	0.00	0.00
	102	0.00	1.36	0.00	0.00	0.00	0.00
	103	0.00	1.72	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
230	101	0.00	0.12	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 116

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
231	101	0.00	1.04	0.00	0.00	0.00	0.00
	102	0.00	0.58	0.00	0.00	0.00	0.00
	103	0.00	0.99	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
232	101	0.00	2.99	0.00	0.00	0.00	0.00
	102	0.00	2.57	0.00	0.00	0.00	0.00
	103	0.00	2.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
233	101	0.00	0.45	0.00	0.00	0.00	0.00
	102	0.00	0.12	0.00	0.00	0.00	0.00
	103	0.00	0.41	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
234	101	0.00	6.57	0.00	0.00	0.00	0.00
	102	0.00	6.20	0.00	0.00	0.00	0.00
	103	0.00	6.55	0.00	0.00	0.00	0.00
	104	0.00	0.16	0.00	0.00	0.00	0.00
235	101	0.00	1.08	0.00	0.00	0.00	0.00
	102	0.00	0.72	0.00	0.00	0.00	0.00
	103	0.00	1.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
236	101	0.00	2.35	0.00	0.00	0.00	0.00
	102	0.00	1.81	0.00	0.00	0.00	0.00
	103	0.00	2.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
237	101	-0.16	1.61	-0.74	0.00	-0.04	0.00
	102	-0.12	1.38	-0.70	0.00	-0.01	0.00
	103	-0.15	1.58	-0.74	0.00	-0.03	0.00
	104	-0.31	0.00	0.70	0.00	-0.18	0.00
238	101	0.00	7.91	0.00	0.00	0.00	0.00
	102	0.00	7.43	0.00	0.00	0.00	0.00
	103	0.00	7.88	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
239	101	0.00	0.70	0.00	0.00	0.00	0.00
	102	0.00	0.30	0.00	0.00	0.00	0.00
	103	0.00	0.66	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
240	101	0.00	0.68	0.00	0.00	0.00	0.00
	102	0.00	0.36	0.00	0.00	0.00	0.00
	103	0.00	0.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
241	101	0.07	3.28	1.58	0.00	-0.16	0.00
	102	0.08	3.08	1.96	0.00	-0.16	0.00
	103	0.07	3.27	1.66	0.00	-0.16	0.00
	104	-0.10	0.02	2.59	0.00	-0.23	0.00
242	101	0.00	2.82	0.00	0.00	0.00	0.00
	102	0.00	2.42	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 117

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	2.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
243	101	0.00	1.98	0.00	0.00	0.00	0.00
	102	0.00	1.52	0.00	0.00	0.00	0.00
	103	0.00	1.93	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
244	101	0.00	1.43	0.00	0.00	0.00	0.00
	102	0.00	0.96	0.00	0.00	0.00	0.00
	103	0.00	1.38	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
245	101	0.00	0.46	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.41	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
246	101	-0.05	0.06	-0.38	0.00	-0.02	0.00
	102	-0.04	0.00	-0.55	0.00	-0.01	0.00
	103	-0.05	0.05	-0.40	0.00	-0.02	0.00
	104	-0.08	0.00	-0.20	0.00	-0.04	0.00
247	101	0.00	5.77	0.00	0.00	0.00	0.00
	102	0.00	5.42	0.00	0.00	0.00	0.00
	103	0.00	5.75	0.00	0.00	0.00	0.00
	104	0.00	0.09	0.00	0.00	0.00	0.00
248	101	0.00	3.76	0.00	0.00	0.00	0.00
	102	0.00	3.22	0.00	0.00	0.00	0.00
	103	0.00	3.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
249	101	0.00	0.57	0.00	0.00	0.00	0.00
	102	0.00	0.24	0.00	0.00	0.00	0.00
	103	0.00	0.53	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
250	101	0.00	1.88	0.00	0.00	0.00	0.00
	102	0.00	1.44	0.00	0.00	0.00	0.00
	103	0.00	1.84	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
251	101	0.00	7.75	0.00	0.00	0.00	0.00
	102	0.00	7.28	0.00	0.00	0.00	0.00
	103	0.00	7.72	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
252	101	-0.37	0.36	-0.80	0.00	-0.05	0.00
	102	-0.34	0.19	-1.02	0.00	-0.04	0.00
	103	-0.37	0.34	-0.84	0.00	-0.05	0.00
	104	-0.65	0.00	-0.44	0.00	-0.12	0.00
253	101	0.00	1.19	0.00	0.00	0.00	0.00
	102	0.00	0.80	0.00	0.00	0.00	0.00
	103	0.00	1.15	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 118

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
254	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	2.71	0.00	0.00	0.00	0.00
	103	0.00	3.12	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
255	101	0.00	6.57	0.00	0.00	0.00	0.00
	102	0.00	6.16	0.00	0.00	0.00	0.00
	103	0.00	6.54	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
256	101	0.00	2.01	0.00	0.00	0.00	0.00
	102	0.00	1.52	0.00	0.00	0.00	0.00
	103	0.00	1.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
257	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.04	0.00	0.00	0.00	0.00
	103	0.00	0.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
258	101	0.00	0.09	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
259	101	0.00	6.31	0.00	0.00	0.00	0.00
	102	0.00	5.90	0.00	0.00	0.00	0.00
	103	0.00	6.29	0.00	0.00	0.00	0.00
	104	0.00	0.16	0.00	0.00	0.00	0.00
260	101	0.00	3.02	0.00	0.00	0.00	0.00
	102	0.00	2.58	0.00	0.00	0.00	0.00
	103	0.00	2.98	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
261	101	0.00	1.13	0.00	0.00	0.00	0.00
	102	0.00	0.75	0.00	0.00	0.00	0.00
	103	0.00	1.09	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
262	101	0.00	0.63	0.00	0.00	0.00	0.00
	102	0.00	0.35	0.00	0.00	0.00	0.00
	103	0.00	0.60	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
263	101	0.00	0.52	0.00	0.00	0.00	0.00
	102	0.00	0.21	0.00	0.00	0.00	0.00
	103	0.00	0.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
264	101	0.00	6.81	0.00	0.00	0.00	0.00
	102	0.00	6.34	0.00	0.00	0.00	0.00
	103	0.00	6.78	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
265	101	0.00	1.34	0.00	0.00	0.00	0.00
	102	0.00	0.99	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 119

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
266	101	0.00	3.23	0.00	0.00	0.00	0.00
	102	0.00	2.73	0.00	0.00	0.00	0.00
	103	0.00	3.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
267	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.29	0.00	0.00	0.00	0.00
	103	0.00	4.61	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
268	101	0.00	1.19	0.00	0.00	0.00	0.00
	102	0.00	0.78	0.00	0.00	0.00	0.00
	103	0.00	1.14	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
269	101	-0.28	0.13	-0.41	0.00	-0.00	0.00
	102	-0.21	0.02	-0.60	0.00	0.01	0.00
	103	-0.28	0.12	-0.44	0.00	-0.00	0.00
	104	-0.49	0.00	-0.26	0.00	-0.02	0.00
270	101	0.00	0.12	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
271	101	0.00	0.80	0.00	0.00	0.00	0.00
	102	0.00	0.44	0.00	0.00	0.00	0.00
	103	0.00	0.76	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
272	101	0.00	2.17	0.00	0.00	0.00	0.00
	102	0.00	1.81	0.00	0.00	0.00	0.00
	103	0.00	2.14	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
273	101	-0.30	0.71	-1.01	0.00	-0.07	0.00
	102	-0.28	0.53	-1.15	0.00	-0.06	0.00
	103	-0.30	0.69	-1.04	0.00	-0.07	0.00
	104	-0.56	0.00	-0.48	0.00	-0.19	0.00
274	101	-0.13	2.49	-0.25	0.00	0.02	0.00
	102	-0.11	2.31	-0.04	0.00	0.05	0.00
	103	-0.13	2.48	-0.21	0.00	0.02	0.00
	104	-0.23	0.00	0.56	0.00	-0.07	0.00
275	101	0.00	0.53	0.00	0.00	0.00	0.00
	102	0.00	0.20	0.00	0.00	0.00	0.00
	103	0.00	0.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
276	101	0.00	4.37	0.00	0.00	0.00	0.00
	102	0.00	4.04	0.00	0.00	0.00	0.00
	103	0.00	4.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 120

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
277	101	-0.21	1.16	-1.11	0.00	-0.06	0.00
	102	-0.19	0.97	-1.16	0.00	-0.04	0.00
	103	-0.21	1.14	-1.13	0.00	-0.06	0.00
	104	-0.43	0.00	-0.31	0.00	-0.21	0.00
278	101	0.00	0.78	0.00	0.00	0.00	0.00
	102	0.00	0.49	0.00	0.00	0.00	0.00
	103	0.00	0.75	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
279	101	0.00	1.24	0.00	0.00	0.00	0.00
	102	0.00	0.93	0.00	0.00	0.00	0.00
	103	0.00	1.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
280	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	5.38	0.00	0.00	0.00	0.00
	103	0.00	5.80	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
281	101	0.00	0.65	0.00	0.00	0.00	0.00
	102	0.00	0.35	0.00	0.00	0.00	0.00
	103	0.00	0.61	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
282	101	0.00	0.22	0.00	0.00	0.00	0.00
	102	0.00	0.04	0.00	0.00	0.00	0.00
	103	0.00	0.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
283	101	0.00	2.03	0.00	0.00	0.00	0.00
	102	0.00	1.69	0.00	0.00	0.00	0.00
	103	0.00	2.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
284	101	0.00	0.08	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
285	101	0.00	0.33	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
286	101	0.00	4.92	0.00	0.00	0.00	0.00
	102	0.00	4.53	0.00	0.00	0.00	0.00
	103	0.00	4.90	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
287	101	0.00	1.63	0.00	0.00	0.00	0.00
	102	0.00	1.22	0.00	0.00	0.00	0.00
	103	0.00	1.59	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
288	101	-0.30	0.41	-0.74	0.00	-0.04	0.00
	102	-0.27	0.26	-0.91	0.00	-0.03	0.00

STAAD SPACE -- PAGE NO. 121

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.30	0.40	-0.77	0.00	-0.04	0.00
	104	-0.52	0.00	-0.44	0.00	-0.11	0.00
289	101	0.00	2.69	0.00	0.00	0.00	0.00
	102	0.00	2.24	0.00	0.00	0.00	0.00
	103	0.00	2.65	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
290	101	0.00	4.71	0.00	0.00	0.00	0.00
	102	0.00	4.33	0.00	0.00	0.00	0.00
	103	0.00	4.69	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
291	101	0.00	0.59	0.00	0.00	0.00	0.00
	102	0.00	0.31	0.00	0.00	0.00	0.00
	103	0.00	0.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
292	101	0.00	1.35	0.00	0.00	0.00	0.00
	102	0.00	1.01	0.00	0.00	0.00	0.00
	103	0.00	1.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
293	101	0.00	0.27	0.00	0.00	0.00	0.00
	102	0.00	0.03	0.00	0.00	0.00	0.00
	103	0.00	0.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
294	101	0.00	5.07	0.00	0.00	0.00	0.00
	102	0.00	4.63	0.00	0.00	0.00	0.00
	103	0.00	5.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
295	101	0.00	2.25	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	2.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
296	101	0.00	0.71	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	0.68	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
297	101	-0.17	0.15	-0.55	0.00	-0.00	0.00
	102	-0.12	0.05	-0.76	0.00	0.01	0.00
	103	-0.17	0.14	-0.59	0.00	0.00	0.00
	104	-0.29	0.00	-0.39	0.00	-0.03	0.00
298	101	0.00	0.06	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.06	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
299	101	0.00	3.44	0.00	0.00	0.00	0.00
	102	0.00	3.11	0.00	0.00	0.00	0.00
	103	0.00	3.41	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 122

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
300	101	0.00	2.14	0.00	0.00	0.00	0.00
	102	0.00	1.77	0.00	0.00	0.00	0.00
	103	0.00	2.11	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
301	101	0.00	1.27	0.00	0.00	0.00	0.00
	102	0.00	0.94	0.00	0.00	0.00	0.00
	103	0.00	1.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
302	101	0.00	0.60	0.00	0.00	0.00	0.00
	102	0.00	0.30	0.00	0.00	0.00	0.00
	103	0.00	0.56	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
303	101	-0.13	1.84	-0.89	0.00	-0.03	0.00
	102	-0.10	1.67	-0.81	0.00	-0.01	0.00
	103	-0.12	1.83	-0.88	0.00	-0.03	0.00
	104	-0.28	0.00	-0.24	0.00	-0.17	0.00
304	101	0.00	0.90	0.00	0.00	0.00	0.00
	102	0.00	0.57	0.00	0.00	0.00	0.00
	103	0.00	0.87	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
305	101	0.00	0.20	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
306	101	0.00	2.28	0.00	0.00	0.00	0.00
	102	0.00	1.87	0.00	0.00	0.00	0.00
	103	0.00	2.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
307	101	0.00	0.25	0.00	0.00	0.00	0.00
	102	0.00	0.09	0.00	0.00	0.00	0.00
	103	0.00	0.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
308	101	0.00	3.22	0.00	0.00	0.00	0.00
	102	0.00	2.92	0.00	0.00	0.00	0.00
	103	0.00	3.20	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
309	101	0.00	1.33	0.00	0.00	0.00	0.00
	102	0.00	0.97	0.00	0.00	0.00	0.00
	103	0.00	1.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
310	101	0.00	0.08	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.07	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
311	101	0.00	4.28	0.00	0.00	0.00	0.00
	102	0.00	3.87	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 123

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
312	101	0.00	0.37	0.00	0.00	0.00	0.00
	102	0.00	0.17	0.00	0.00	0.00	0.00
	103	0.00	0.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
313	101	0.00	1.52	0.00	0.00	0.00	0.00
	102	0.00	1.23	0.00	0.00	0.00	0.00
	103	0.00	1.49	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
314	101	0.00	0.73	0.00	0.00	0.00	0.00
	102	0.00	0.46	0.00	0.00	0.00	0.00
	103	0.00	0.70	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
315	101	0.00	0.88	0.00	0.00	0.00	0.00
	102	0.00	0.62	0.00	0.00	0.00	0.00
	103	0.00	0.85	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
316	101	0.00	3.60	0.00	0.00	0.00	0.00
	102	0.00	3.24	0.00	0.00	0.00	0.00
	103	0.00	3.57	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
317	101	0.00	0.32	0.00	0.00	0.00	0.00
	102	0.00	0.09	0.00	0.00	0.00	0.00
	103	0.00	0.29	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
318	101	0.00	0.15	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.14	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
319	101	-0.24	0.81	-1.08	0.00	-0.07	0.00
	102	-0.22	0.65	-1.19	0.00	-0.06	0.00
	103	-0.24	0.79	-1.10	0.00	-0.07	0.00
	104	-0.46	0.00	-0.76	0.00	-0.19	0.00
320	101	0.00	3.43	0.00	0.00	0.00	0.00
	102	0.00	3.08	0.00	0.00	0.00	0.00
	103	0.00	3.41	0.00	0.00	0.00	0.00
	104	0.00	0.04	0.00	0.00	0.00	0.00
321	101	0.00	0.66	0.00	0.00	0.00	0.00
	102	0.00	0.41	0.00	0.00	0.00	0.00
	103	0.00	0.64	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
322	101	0.00	7.41	0.00	0.00	0.00	0.00
	102	0.00	7.19	0.00	0.00	0.00	0.00
	103	0.00	7.42	0.00	0.00	0.00	0.00
	104	0.00	1.94	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 124

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
323	101	-0.17	0.17	-0.43	0.00	0.01	0.00
	102	-0.13	0.08	-0.57	0.00	0.02	0.00
	103	-0.16	0.16	-0.45	0.00	0.01	0.00
	104	-0.27	0.00	-0.28	0.00	-0.02	0.00
324	101	-0.24	0.46	-0.76	0.00	-0.04	0.00
	102	-0.22	0.33	-0.90	0.00	-0.03	0.00
	103	-0.24	0.45	-0.78	0.00	-0.04	0.00
	104	-0.42	0.00	-0.54	0.00	-0.11	0.00
325	101	0.00	1.40	0.00	0.00	0.00	0.00
	102	0.00	1.13	0.00	0.00	0.00	0.00
	103	0.00	1.37	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
326	101	0.00	3.67	0.00	0.00	0.00	0.00
	102	0.00	3.27	0.00	0.00	0.00	0.00
	103	0.00	3.64	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
327	101	0.00	8.95	0.00	0.00	0.00	0.00
	102	0.00	8.65	0.00	0.00	0.00	0.00
	103	0.00	8.95	0.00	0.00	0.00	0.00
	104	0.00	2.19	0.00	0.00	0.00	0.00
328	101	0.00	0.23	0.00	0.00	0.00	0.00
	102	0.00	0.05	0.00	0.00	0.00	0.00
	103	0.00	0.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
329	101	0.08	3.70	1.02	0.00	-0.18	0.00
	102	0.09	3.58	1.50	0.00	-0.19	0.00
	103	0.08	3.70	1.12	0.00	-0.19	0.00
	104	-0.09	0.91	0.63	0.00	-0.26	0.00
330	101	0.00	2.47	0.00	0.00	0.00	0.00
	102	0.00	2.19	0.00	0.00	0.00	0.00
	103	0.00	2.45	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
331	101	0.00	0.19	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
332	101	0.00	1.83	0.00	0.00	0.00	0.00
	102	0.00	1.48	0.00	0.00	0.00	0.00
	103	0.00	1.79	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
333	101	0.00	0.79	0.00	0.00	0.00	0.00
	102	0.00	0.57	0.00	0.00	0.00	0.00
	103	0.00	0.76	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
334	101	0.00	0.67	0.00	0.00	0.00	0.00
	102	0.00	0.40	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 125

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.64	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
335	101	0.00	0.29	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	0.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
336	101	0.00	6.49	0.00	0.00	0.00	0.00
	102	0.00	6.28	0.00	0.00	0.00	0.00
	103	0.00	6.50	0.00	0.00	0.00	0.00
	104	0.00	1.64	0.00	0.00	0.00	0.00
337	101	-0.17	1.32	-1.30	0.00	-0.06	0.00
	102	-0.15	1.17	-1.33	0.00	-0.04	0.00
	103	-0.17	1.31	-1.31	0.00	-0.06	0.00
	104	-0.37	0.00	-0.98	0.00	-0.21	0.00
338	101	0.00	8.70	0.00	0.00	0.00	0.00
	102	0.00	8.41	0.00	0.00	0.00	0.00
	103	0.00	8.70	0.00	0.00	0.00	0.00
	104	0.00	2.23	0.00	0.00	0.00	0.00
339	101	0.00	1.51	0.00	0.00	0.00	0.00
	102	0.00	1.21	0.00	0.00	0.00	0.00
	103	0.00	1.48	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
340	101	0.00	1.00	0.00	0.00	0.00	0.00
	102	0.00	0.71	0.00	0.00	0.00	0.00
	103	0.00	0.97	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
341	101	0.00	7.36	0.00	0.00	0.00	0.00
	102	0.00	7.10	0.00	0.00	0.00	0.00
	103	0.00	7.37	0.00	0.00	0.00	0.00
	104	0.00	1.90	0.00	0.00	0.00	0.00
342	101	0.00	2.30	0.00	0.00	0.00	0.00
	102	0.00	2.03	0.00	0.00	0.00	0.00
	103	0.00	2.28	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
343	101	0.00	0.04	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
344	101	0.00	0.18	0.00	0.00	0.00	0.00
	102	0.00	0.03	0.00	0.00	0.00	0.00
	103	0.00	0.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
345	101	0.00	0.42	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	0.40	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 126

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
346	101	0.00	7.07	0.00	0.00	0.00	0.00
	102	0.00	6.81	0.00	0.00	0.00	0.00
	103	0.00	7.08	0.00	0.00	0.00	0.00
	104	0.00	1.81	0.00	0.00	0.00	0.00
347	101	0.00	0.36	0.00	0.00	0.00	0.00
	102	0.00	0.15	0.00	0.00	0.00	0.00
	103	0.00	0.34	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
348	101	0.00	1.41	0.00	0.00	0.00	0.00
	102	0.00	1.13	0.00	0.00	0.00	0.00
	103	0.00	1.39	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
349	101	0.00	3.03	0.00	0.00	0.00	0.00
	102	0.00	2.67	0.00	0.00	0.00	0.00
	103	0.00	3.00	0.00	0.00	0.00	0.00
	104	0.00	0.07	0.00	0.00	0.00	0.00
350	101	0.00	0.00	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.00	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
351	101	0.00	0.01	-0.17	0.00	0.02	0.00
	102	0.01	0.00	-0.23	0.00	0.04	0.00
	103	0.00	0.01	-0.18	0.00	0.03	0.00
	104	-0.00	0.00	-0.18	0.00	0.03	0.00
352	101	0.00	7.66	0.00	0.00	0.00	0.00
	102	0.00	7.36	0.00	0.00	0.00	0.00
	103	0.00	7.66	0.00	0.00	0.00	0.00
	104	0.00	1.86	0.00	0.00	0.00	0.00
353	101	0.00	0.80	0.00	0.00	0.00	0.00
	102	0.00	0.56	0.00	0.00	0.00	0.00
	103	0.00	0.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
354	101	0.00	5.23	0.00	0.00	0.00	0.00
	102	0.00	5.01	0.00	0.00	0.00	0.00
	103	0.00	5.23	0.00	0.00	0.00	0.00
	104	0.00	1.18	0.00	0.00	0.00	0.00
355	101	0.00	2.53	0.00	0.00	0.00	0.00
	102	0.00	2.22	0.00	0.00	0.00	0.00
	103	0.00	2.51	0.00	0.00	0.00	0.00
	104	0.00	0.09	0.00	0.00	0.00	0.00
356	101	0.00	1.48	0.00	0.00	0.00	0.00
	102	0.00	1.17	0.00	0.00	0.00	0.00
	103	0.00	1.45	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
357	101	-0.15	0.19	-0.43	0.00	0.01	0.00
	102	-0.12	0.11	-0.53	0.00	0.02	0.00

STAAD SPACE -- PAGE NO. 127

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.14	0.18	-0.45	0.00	0.01	0.00
	104	-0.23	0.00	-0.30	0.00	-0.01	0.00
358	101	0.00	0.21	0.00	0.00	0.00	0.00
	102	0.00	0.02	0.00	0.00	0.00	0.00
	103	0.00	0.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
359	101	-0.13	2.82	-0.85	0.00	0.03	0.00
	102	-0.11	2.69	-0.58	0.00	0.06	0.00
	103	-0.13	2.82	-0.80	0.00	0.03	0.00
	104	-0.23	0.63	-1.21	0.00	-0.05	0.00
360	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
361	101	0.00	2.39	0.00	0.00	0.00	0.00
	102	0.00	2.10	0.00	0.00	0.00	0.00
	103	0.00	2.37	0.00	0.00	0.00	0.00
	104	0.00	0.11	0.00	0.00	0.00	0.00
362	101	0.00	0.73	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	0.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
363	101	0.00	4.93	0.00	0.00	0.00	0.00
	102	0.00	4.71	0.00	0.00	0.00	0.00
	103	0.00	4.92	0.00	0.00	0.00	0.00
	104	0.00	1.13	0.00	0.00	0.00	0.00
364	101	0.00	0.97	0.00	0.00	0.00	0.00
	102	0.00	0.76	0.00	0.00	0.00	0.00
	103	0.00	0.95	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
365	101	0.00	6.56	0.00	0.00	0.00	0.00
	102	0.00	6.26	0.00	0.00	0.00	0.00
	103	0.00	6.56	0.00	0.00	0.00	0.00
	104	0.00	1.52	0.00	0.00	0.00	0.00
366	101	0.00	2.55	0.00	0.00	0.00	0.00
	102	0.00	2.21	0.00	0.00	0.00	0.00
	103	0.00	2.52	0.00	0.00	0.00	0.00
	104	0.00	0.11	0.00	0.00	0.00	0.00
367	101	0.00	0.32	0.00	0.00	0.00	0.00
	102	0.00	0.18	0.00	0.00	0.00	0.00
	103	0.00	0.31	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
368	101	0.00	0.12	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.10	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 128

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
369	101	0.00	5.53	0.00	0.00	0.00	0.00
	102	0.00	5.26	0.00	0.00	0.00	0.00
	103	0.00	5.52	0.00	0.00	0.00	0.00
	104	0.00	1.30	0.00	0.00	0.00	0.00
370	101	-0.20	0.51	-0.81	0.00	-0.04	0.00
	102	-0.18	0.40	-0.94	0.00	-0.03	0.00
	103	-0.20	0.50	-0.83	0.00	-0.04	0.00
	104	-0.35	0.00	-0.70	0.00	-0.11	0.00
371	101	0.00	0.20	0.00	0.00	0.00	0.00
	102	0.00	0.07	0.00	0.00	0.00	0.00
	103	0.00	0.19	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
372	101	0.00	0.74	0.00	0.00	0.00	0.00
	102	0.00	0.50	0.00	0.00	0.00	0.00
	103	0.00	0.71	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
373	101	0.00	1.70	0.00	0.00	0.00	0.00
	102	0.00	1.46	0.00	0.00	0.00	0.00
	103	0.00	1.68	0.00	0.00	0.00	0.00
	104	0.00	0.06	0.00	0.00	0.00	0.00
374	101	0.00	0.01	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
375	101	0.17	0.03	-0.22	0.00	-0.00	0.00
	102	0.26	0.00	-0.32	0.00	-0.00	0.00
	103	0.19	0.02	-0.24	0.00	-0.00	0.00
	104	0.18	0.00	-0.24	0.00	-0.00	0.00
376	101	0.00	5.29	0.00	0.00	0.00	0.00
	102	0.00	5.03	0.00	0.00	0.00	0.00
	103	0.00	5.29	0.00	0.00	0.00	0.00
	104	0.00	1.23	0.00	0.00	0.00	0.00
377	101	0.00	0.40	0.00	0.00	0.00	0.00
	102	0.00	0.21	0.00	0.00	0.00	0.00
	103	0.00	0.38	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
378	101	0.00	5.70	0.00	0.00	0.00	0.00
	102	0.00	5.40	0.00	0.00	0.00	0.00
	103	0.00	5.70	0.00	0.00	0.00	0.00
	104	0.00	1.27	0.00	0.00	0.00	0.00
379	101	-0.20	0.90	-1.22	0.00	-0.07	0.00
	102	-0.18	0.78	-1.33	0.00	-0.05	0.00
	103	-0.20	0.89	-1.25	0.00	-0.07	0.00
	104	-0.39	0.04	-1.16	0.00	-0.18	0.00
380	101	0.00	0.87	0.00	0.00	0.00	0.00
	102	0.00	0.68	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 129

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.85	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
381	101	0.00	0.46	0.00	0.00	0.00	0.00
	102	0.00	0.30	0.00	0.00	0.00	0.00
	103	0.00	0.45	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
382	101	0.00	3.88	0.00	0.00	0.00	0.00
	102	0.00	3.65	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	0.81	0.00	0.00	0.00	0.00
383	101	0.00	0.23	0.00	0.00	0.00	0.00
	102	0.00	0.06	0.00	0.00	0.00	0.00
	103	0.00	0.21	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
384	101	0.00	1.55	0.00	0.00	0.00	0.00
	102	0.00	1.34	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.08	0.00	0.00	0.00	0.00
385	101	-0.10	2.08	-1.45	0.00	-0.03	0.00
	102	-0.07	1.96	-1.35	0.00	-0.00	0.00
	103	-0.10	2.08	-1.43	0.00	-0.02	0.00
	104	-0.25	0.43	-1.58	0.00	-0.15	0.00
386	101	0.00	1.10	0.00	0.00	0.00	0.00
	102	0.00	0.85	0.00	0.00	0.00	0.00
	103	0.00	1.08	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
387	101	0.00	0.30	0.00	0.00	0.00	0.00
	102	0.00	0.15	0.00	0.00	0.00	0.00
	103	0.00	0.28	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
388	101	0.00	3.62	0.00	0.00	0.00	0.00
	102	0.00	3.41	0.00	0.00	0.00	0.00
	103	0.00	3.62	0.00	0.00	0.00	0.00
	104	0.00	0.78	0.00	0.00	0.00	0.00
389	101	0.00	2.02	0.00	0.00	0.00	0.00
	102	0.00	1.73	0.00	0.00	0.00	0.00
	103	0.00	2.00	0.00	0.00	0.00	0.00
	104	0.00	0.13	0.00	0.00	0.00	0.00
390	101	-0.13	0.21	-0.45	0.00	0.01	0.00
	102	-0.10	0.14	-0.54	0.00	0.02	0.00
	103	-0.12	0.21	-0.47	0.00	0.01	0.00
	104	-0.19	0.00	-0.35	0.00	-0.01	0.00
391	101	0.00	0.14	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.12	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 130

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
392	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.51	0.00	0.00	0.00	0.00
	103	0.00	4.79	0.00	0.00	0.00	0.00
	104	0.00	1.06	0.00	0.00	0.00	0.00
393	101	0.00	0.88	0.00	0.00	0.00	0.00
	102	0.00	0.67	0.00	0.00	0.00	0.00
	103	0.00	0.86	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
394	101	0.00	1.66	0.00	0.00	0.00	0.00
	102	0.00	1.42	0.00	0.00	0.00	0.00
	103	0.00	1.64	0.00	0.00	0.00	0.00
	104	0.00	0.13	0.00	0.00	0.00	0.00
395	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	3.77	0.00	0.00	0.00	0.00
	103	0.00	4.02	0.00	0.00	0.00	0.00
	104	0.00	0.91	0.00	0.00	0.00	0.00
396	101	0.00	0.02	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.01	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
397	101	0.14	0.04	-0.24	0.00	-0.00	0.00
	102	0.24	0.00	-0.33	0.00	-0.01	0.00
	103	0.16	0.03	-0.26	0.00	-0.00	0.00
	104	0.16	0.00	-0.24	0.00	-0.00	0.00
398	101	0.00	0.23	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.22	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
399	101	0.00	0.35	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	0.34	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
400	101	0.00	3.83	0.00	0.00	0.00	0.00
	102	0.00	3.58	0.00	0.00	0.00	0.00
	103	0.00	3.82	0.00	0.00	0.00	0.00
	104	0.00	0.87	0.00	0.00	0.00	0.00
401	101	0.00	1.55	0.00	0.00	0.00	0.00
	102	0.00	1.32	0.00	0.00	0.00	0.00
	103	0.00	1.54	0.00	0.00	0.00	0.00
	104	0.00	0.13	0.00	0.00	0.00	0.00
402	101	0.00	0.80	0.00	0.00	0.00	0.00
	102	0.00	0.60	0.00	0.00	0.00	0.00
	103	0.00	0.78	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
403	101	0.00	4.11	0.00	0.00	0.00	0.00
	102	0.00	3.82	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 131

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	4.09	0.00	0.00	0.00	0.00
	104	0.00	0.90	0.00	0.00	0.00	0.00
404	101	0.00	1.63	0.00	0.00	0.00	0.00
	102	0.00	1.37	0.00	0.00	0.00	0.00
	103	0.00	1.61	0.00	0.00	0.00	0.00
	104	0.00	0.13	0.00	0.00	0.00	0.00
405	101	0.00	0.44	0.00	0.00	0.00	0.00
	102	0.00	0.27	0.00	0.00	0.00	0.00
	103	0.00	0.42	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
406	101	0.00	2.77	0.00	0.00	0.00	0.00
	102	0.00	2.56	0.00	0.00	0.00	0.00
	103	0.00	2.76	0.00	0.00	0.00	0.00
	104	0.00	0.58	0.00	0.00	0.00	0.00
407	101	0.00	0.25	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.23	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
408	101	0.00	0.81	0.00	0.00	0.00	0.00
	102	0.00	0.59	0.00	0.00	0.00	0.00
	103	0.00	0.79	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
409	101	-0.14	1.48	-1.70	0.00	-0.05	0.00
	102	-0.11	1.37	-1.73	0.00	-0.04	0.00
	103	-0.13	1.47	-1.71	0.00	-0.05	0.00
	104	-0.32	0.31	-1.84	0.00	-0.20	0.00
410	101	0.00	1.07	0.00	0.00	0.00	0.00
	102	0.00	0.89	0.00	0.00	0.00	0.00
	103	0.00	1.05	0.00	0.00	0.00	0.00
	104	0.00	0.07	0.00	0.00	0.00	0.00
411	101	0.00	2.56	0.00	0.00	0.00	0.00
	102	0.00	2.36	0.00	0.00	0.00	0.00
	103	0.00	2.55	0.00	0.00	0.00	0.00
	104	0.00	0.56	0.00	0.00	0.00	0.00
412	101	0.00	0.33	0.00	0.00	0.00	0.00
	102	0.00	0.19	0.00	0.00	0.00	0.00
	103	0.00	0.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
413	101	0.00	0.16	0.00	0.00	0.00	0.00
	102	0.00	0.03	0.00	0.00	0.00	0.00
	103	0.00	0.14	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
414	101	0.00	0.51	0.00	0.00	0.00	0.00
	102	0.00	0.36	0.00	0.00	0.00	0.00
	103	0.00	0.50	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 132

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
415	101	-0.16	0.56	-0.89	0.00	-0.04	0.00
	102	-0.14	0.46	-1.02	0.00	-0.03	0.00
	103	-0.16	0.55	-0.91	0.00	-0.04	0.00
	104	-0.30	0.04	-0.89	0.00	-0.10	0.00
416	101	0.00	3.37	0.00	0.00	0.00	0.00
	102	0.00	3.10	0.00	0.00	0.00	0.00
	103	0.00	3.36	0.00	0.00	0.00	0.00
	104	0.00	0.76	0.00	0.00	0.00	0.00
417	101	0.00	0.02	0.00	0.00	0.00	0.00
	102	0.00	0.00	0.00	0.00	0.00	0.00
	103	0.00	0.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
418	101	0.10	0.05	-0.25	0.00	-0.00	0.00
	102	0.19	0.01	-0.33	0.00	-0.01	0.00
	103	0.11	0.04	-0.27	0.00	-0.00	0.00
	104	0.12	0.00	-0.24	0.00	-0.00	0.00
419	101	0.00	2.80	0.00	0.00	0.00	0.00
	102	0.00	2.57	0.00	0.00	0.00	0.00
	103	0.00	2.79	0.00	0.00	0.00	0.00
	104	0.00	0.65	0.00	0.00	0.00	0.00
420	101	0.00	0.95	0.00	0.00	0.00	0.00
	102	0.00	0.78	0.00	0.00	0.00	0.00
	103	0.00	0.93	0.00	0.00	0.00	0.00
	104	0.00	0.07	0.00	0.00	0.00	0.00
421	101	-0.11	0.23	-0.48	0.00	0.01	0.00
	102	-0.08	0.17	-0.57	0.00	0.02	0.00
	103	-0.10	0.23	-0.50	0.00	0.01	0.00
	104	-0.16	0.00	-0.42	0.00	-0.01	0.00
422	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.14	0.00	0.00	0.00	0.00
	103	0.00	0.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
423	101	0.00	2.65	0.00	0.00	0.00	0.00
	102	0.00	2.42	0.00	0.00	0.00	0.00
	103	0.00	2.64	0.00	0.00	0.00	0.00
	104	0.00	0.62	0.00	0.00	0.00	0.00
424	101	0.00	1.20	0.00	0.00	0.00	0.00
	102	0.00	0.98	0.00	0.00	0.00	0.00
	103	0.00	1.18	0.00	0.00	0.00	0.00
	104	0.00	0.08	0.00	0.00	0.00	0.00
425	101	0.00	2.81	0.00	0.00	0.00	0.00
	102	0.00	2.56	0.00	0.00	0.00	0.00
	103	0.00	2.80	0.00	0.00	0.00	0.00
	104	0.00	0.65	0.00	0.00	0.00	0.00
426	101	0.00	0.38	0.00	0.00	0.00	0.00
	102	0.00	0.27	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 133

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.37	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
427	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	0.24	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
428	101	0.00	1.88	0.00	0.00	0.00	0.00
	102	0.00	1.70	0.00	0.00	0.00	0.00
	103	0.00	1.87	0.00	0.00	0.00	0.00
	104	0.00	0.42	0.00	0.00	0.00	0.00
429	101	0.00	0.96	0.00	0.00	0.00	0.00
	102	0.00	0.78	0.00	0.00	0.00	0.00
	103	0.00	0.94	0.00	0.00	0.00	0.00
	104	0.00	0.06	0.00	0.00	0.00	0.00
430	101	0.00	0.48	0.00	0.00	0.00	0.00
	102	0.00	0.33	0.00	0.00	0.00	0.00
	103	0.00	0.47	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
431	101	-0.16	1.00	-1.46	0.00	-0.06	0.00
	102	-0.14	0.90	-1.56	0.00	-0.05	0.00
	103	-0.16	0.99	-1.48	0.00	-0.06	0.00
	104	-0.34	0.22	-1.63	0.00	-0.18	0.00
432	101	0.00	0.17	0.00	0.00	0.00	0.00
	102	0.00	0.06	0.00	0.00	0.00	0.00
	103	0.00	0.16	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
433	101	0.00	0.87	0.00	0.00	0.00	0.00
	102	0.00	0.70	0.00	0.00	0.00	0.00
	103	0.00	0.86	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
434	101	0.00	8.23	0.00	0.00	0.00	0.00
	102	0.00	8.16	0.00	0.00	0.00	0.00
	103	0.00	8.26	0.00	0.00	0.00	0.00
	104	0.00	3.69	0.00	0.00	0.00	0.00
435	101	0.00	1.71	0.00	0.00	0.00	0.00
	102	0.00	1.54	0.00	0.00	0.00	0.00
	103	0.00	1.70	0.00	0.00	0.00	0.00
	104	0.00	0.39	0.00	0.00	0.00	0.00
436	101	0.00	9.96	0.00	0.00	0.00	0.00
	102	0.00	9.86	0.00	0.00	0.00	0.00
	103	0.00	10.00	0.00	0.00	0.00	0.00
	104	0.00	4.35	0.00	0.00	0.00	0.00
437	101	0.00	0.02	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.02	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 134

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
438	101	0.06	0.05	-0.26	0.00	-0.00	0.00
	102	0.13	0.02	-0.33	0.00	-0.01	0.00
	103	0.07	0.05	-0.27	0.00	-0.00	0.00
	104	0.08	0.00	-0.25	0.00	-0.00	0.00
439	101	0.00	0.36	0.00	0.00	0.00	0.00
	102	0.00	0.24	0.00	0.00	0.00	0.00
	103	0.00	0.35	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
440	101	0.03	4.12	-1.00	0.00	-0.21	0.00
	102	0.03	4.07	-0.56	0.00	-0.22	0.00
	103	0.03	4.13	-0.91	0.00	-0.21	0.00
	104	-0.13	1.80	-2.13	0.00	-0.30	0.00
441	101	0.00	2.22	0.00	0.00	0.00	0.00
	102	0.00	1.99	0.00	0.00	0.00	0.00
	103	0.00	2.21	0.00	0.00	0.00	0.00
	104	0.00	0.52	0.00	0.00	0.00	0.00
442	101	0.00	0.88	0.00	0.00	0.00	0.00
	102	0.00	0.69	0.00	0.00	0.00	0.00
	103	0.00	0.86	0.00	0.00	0.00	0.00
	104	0.00	0.03	0.00	0.00	0.00	0.00
443	101	0.00	7.21	0.00	0.00	0.00	0.00
	102	0.00	7.13	0.00	0.00	0.00	0.00
	103	0.00	7.23	0.00	0.00	0.00	0.00
	104	0.00	3.16	0.00	0.00	0.00	0.00
444	101	0.00	9.63	0.00	0.00	0.00	0.00
	102	0.00	9.51	0.00	0.00	0.00	0.00
	103	0.00	9.67	0.00	0.00	0.00	0.00
	104	0.00	4.24	0.00	0.00	0.00	0.00
445	101	0.00	1.82	0.00	0.00	0.00	0.00
	102	0.00	1.62	0.00	0.00	0.00	0.00
	103	0.00	1.81	0.00	0.00	0.00	0.00
	104	0.00	0.44	0.00	0.00	0.00	0.00
446	101	0.00	8.14	0.00	0.00	0.00	0.00
	102	0.00	8.03	0.00	0.00	0.00	0.00
	103	0.00	8.17	0.00	0.00	0.00	0.00
	104	0.00	3.58	0.00	0.00	0.00	0.00
447	101	0.00	0.28	0.00	0.00	0.00	0.00
	102	0.00	0.18	0.00	0.00	0.00	0.00
	103	0.00	0.27	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
448	101	0.00	0.55	0.00	0.00	0.00	0.00
	102	0.00	0.43	0.00	0.00	0.00	0.00
	103	0.00	0.54	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
449	101	0.00	7.82	0.00	0.00	0.00	0.00
	102	0.00	7.71	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 135

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.85	0.00	0.00	0.00	0.00
	104	0.00	3.42	0.00	0.00	0.00	0.00
450	101	0.00	1.69	0.00	0.00	0.00	0.00
	102	0.00	1.51	0.00	0.00	0.00	0.00
	103	0.00	1.68	0.00	0.00	0.00	0.00
	104	0.00	0.41	0.00	0.00	0.00	0.00
451	101	0.00	8.49	0.00	0.00	0.00	0.00
	102	0.00	8.35	0.00	0.00	0.00	0.00
	103	0.00	8.52	0.00	0.00	0.00	0.00
	104	0.00	3.64	0.00	0.00	0.00	0.00
452	101	0.00	5.83	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	2.43	0.00	0.00	0.00	0.00
453	101	0.00	1.77	0.00	0.00	0.00	0.00
	102	0.00	1.56	0.00	0.00	0.00	0.00
	103	0.00	1.76	0.00	0.00	0.00	0.00
	104	0.00	0.42	0.00	0.00	0.00	0.00
454	101	-0.09	0.25	-0.52	0.00	0.01	0.00
	102	-0.07	0.19	-0.60	0.00	0.02	0.00
	103	-0.09	0.25	-0.53	0.00	0.01	0.00
	104	-0.14	0.00	-0.49	0.00	-0.01	0.00
455	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.16	0.00	0.00	0.00	0.00
	103	0.00	0.25	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
456	101	-0.13	3.14	-2.46	0.00	0.04	0.00
	102	-0.11	3.08	-2.24	0.00	0.07	0.00
	103	-0.13	3.15	-2.42	0.00	0.04	0.00
	104	-0.23	1.30	-3.55	0.00	-0.04	0.00
457	101	0.00	5.47	0.00	0.00	0.00	0.00
	102	0.00	5.37	0.00	0.00	0.00	0.00
	103	0.00	5.49	0.00	0.00	0.00	0.00
	104	0.00	2.28	0.00	0.00	0.00	0.00
458	101	0.00	1.17	0.00	0.00	0.00	0.00
	102	0.00	1.02	0.00	0.00	0.00	0.00
	103	0.00	1.16	0.00	0.00	0.00	0.00
	104	0.00	0.26	0.00	0.00	0.00	0.00
459	101	0.00	7.28	0.00	0.00	0.00	0.00
	102	0.00	7.12	0.00	0.00	0.00	0.00
	103	0.00	7.30	0.00	0.00	0.00	0.00
	104	0.00	3.03	0.00	0.00	0.00	0.00
460	101	0.00	0.42	0.00	0.00	0.00	0.00
	102	0.00	0.32	0.00	0.00	0.00	0.00
	103	0.00	0.41	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 136

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
461	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	5.98	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	2.55	0.00	0.00	0.00	0.00
462	101	0.00	0.18	0.00	0.00	0.00	0.00
	102	0.00	0.09	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
463	101	-0.14	0.61	-1.00	0.00	-0.04	0.00
	102	-0.11	0.53	-1.12	0.00	-0.03	0.00
	103	-0.14	0.60	-1.02	0.00	-0.04	0.00
	104	-0.25	0.13	-1.10	0.00	-0.10	0.00
464	101	0.00	5.86	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.87	0.00	0.00	0.00	0.00
	104	0.00	2.43	0.00	0.00	0.00	0.00
465	101	0.00	0.03	0.00	0.00	0.00	0.00
	102	0.00	0.01	0.00	0.00	0.00	0.00
	103	0.00	0.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
466	101	0.02	0.06	-0.27	0.00	-0.00	0.00
	102	0.08	0.03	-0.34	0.00	-0.00	0.00
	103	0.03	0.06	-0.28	0.00	-0.00	0.00
	104	0.04	0.00	-0.26	0.00	-0.00	0.00
467	101	0.00	0.52	0.00	0.00	0.00	0.00
	102	0.00	0.39	0.00	0.00	0.00	0.00
	103	0.00	0.51	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
468	101	0.00	6.33	0.00	0.00	0.00	0.00
	102	0.00	6.16	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	2.58	0.00	0.00	0.00	0.00
469	101	0.00	1.03	0.00	0.00	0.00	0.00
	102	0.00	0.89	0.00	0.00	0.00	0.00
	103	0.00	1.02	0.00	0.00	0.00	0.00
	104	0.00	0.23	0.00	0.00	0.00	0.00
470	101	0.00	4.32	0.00	0.00	0.00	0.00
	102	0.00	4.19	0.00	0.00	0.00	0.00
	103	0.00	4.33	0.00	0.00	0.00	0.00
	104	0.00	1.71	0.00	0.00	0.00	0.00
471	101	-0.06	2.31	-2.56	0.00	-0.01	0.00
	102	-0.03	2.24	-2.49	0.00	0.01	0.00
	103	-0.06	2.32	-2.54	0.00	-0.01	0.00
	104	-0.21	0.91	-3.23	0.00	-0.13	0.00
472	101	0.00	1.30	0.00	0.00	0.00	0.00
	102	0.00	1.12	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 137

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.29	0.00	0.00	0.00	0.00
	104	0.00	0.28	0.00	0.00	0.00	0.00
473	101	0.00	0.39	0.00	0.00	0.00	0.00
	102	0.00	0.28	0.00	0.00	0.00	0.00
	103	0.00	0.38	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
474	101	0.00	4.02	0.00	0.00	0.00	0.00
	102	0.00	3.90	0.00	0.00	0.00	0.00
	103	0.00	4.03	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
475	101	0.00	5.32	0.00	0.00	0.00	0.00
	102	0.00	5.14	0.00	0.00	0.00	0.00
	103	0.00	5.33	0.00	0.00	0.00	0.00
	104	0.00	2.12	0.00	0.00	0.00	0.00
476	101	0.00	1.03	0.00	0.00	0.00	0.00
	102	0.00	0.89	0.00	0.00	0.00	0.00
	103	0.00	1.03	0.00	0.00	0.00	0.00
	104	0.00	0.21	0.00	0.00	0.00	0.00
477	101	0.00	4.45	0.00	0.00	0.00	0.00
	102	0.00	4.29	0.00	0.00	0.00	0.00
	103	0.00	4.45	0.00	0.00	0.00	0.00
	104	0.00	1.78	0.00	0.00	0.00	0.00
478	101	0.00	0.31	0.00	0.00	0.00	0.00
	102	0.00	0.21	0.00	0.00	0.00	0.00
	103	0.00	0.30	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
479	101	0.00	4.23	0.00	0.00	0.00	0.00
	102	0.00	4.07	0.00	0.00	0.00	0.00
	103	0.00	4.24	0.00	0.00	0.00	0.00
	104	0.00	1.68	0.00	0.00	0.00	0.00
480	101	0.00	0.94	0.00	0.00	0.00	0.00
	102	0.00	0.80	0.00	0.00	0.00	0.00
	103	0.00	0.93	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
481	101	0.00	4.53	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	4.54	0.00	0.00	0.00	0.00
	104	0.00	1.78	0.00	0.00	0.00	0.00
482	101	0.00	3.07	0.00	0.00	0.00	0.00
	102	0.00	2.94	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	1.18	0.00	0.00	0.00	0.00
483	101	0.00	0.27	0.00	0.00	0.00	0.00
	102	0.00	0.18	0.00	0.00	0.00	0.00
	103	0.00	0.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 138

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
484	101	0.00	0.95	0.00	0.00	0.00	0.00
	102	0.00	0.79	0.00	0.00	0.00	0.00
	103	0.00	0.94	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
485	101	-0.09	1.64	-2.36	0.00	-0.04	0.00
	102	-0.06	1.56	-2.42	0.00	-0.03	0.00
	103	-0.09	1.64	-2.37	0.00	-0.04	0.00
	104	-0.27	0.63	-2.84	0.00	-0.18	0.00
486	101	0.00	2.83	0.00	0.00	0.00	0.00
	102	0.00	2.70	0.00	0.00	0.00	0.00
	103	0.00	2.83	0.00	0.00	0.00	0.00
	104	0.00	1.09	0.00	0.00	0.00	0.00
487	101	0.00	0.60	0.00	0.00	0.00	0.00
	102	0.00	0.49	0.00	0.00	0.00	0.00
	103	0.00	0.59	0.00	0.00	0.00	0.00
	104	0.00	0.08	0.00	0.00	0.00	0.00
488	101	0.00	0.18	0.00	0.00	0.00	0.00
	102	0.00	0.11	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
489	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	3.53	0.00	0.00	0.00	0.00
	103	0.00	3.71	0.00	0.00	0.00	0.00
	104	0.00	1.43	0.00	0.00	0.00	0.00
490	101	0.00	3.07	0.00	0.00	0.00	0.00
	102	0.00	2.92	0.00	0.00	0.00	0.00
	103	0.00	3.07	0.00	0.00	0.00	0.00
	104	0.00	1.19	0.00	0.00	0.00	0.00
491	101	0.00	0.03	0.00	0.00	0.00	0.00
	102	0.00	0.02	0.00	0.00	0.00	0.00
	103	0.00	0.03	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
492	101	-0.01	0.07	-0.28	0.00	-0.00	0.00
	102	0.04	0.04	-0.34	0.00	-0.00	0.00
	103	-0.00	0.07	-0.29	0.00	-0.00	0.00
	104	0.01	0.00	-0.27	0.00	-0.00	0.00
493	101	-0.08	0.27	-0.55	0.00	0.01	0.00
	102	-0.06	0.22	-0.63	0.00	0.02	0.00
	103	-0.08	0.27	-0.57	0.00	0.01	0.00
	104	-0.12	0.04	-0.57	0.00	-0.01	0.00
494	101	0.00	2.90	0.00	0.00	0.00	0.00
	102	0.00	2.74	0.00	0.00	0.00	0.00
	103	0.00	2.90	0.00	0.00	0.00	0.00
	104	0.00	1.13	0.00	0.00	0.00	0.00
495	101	0.00	3.08	0.00	0.00	0.00	0.00
	102	0.00	2.90	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 139

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.08	0.00	0.00	0.00	0.00
	104	0.00	1.18	0.00	0.00	0.00	0.00
496	101	0.00	0.45	0.00	0.00	0.00	0.00
	102	0.00	0.36	0.00	0.00	0.00	0.00
	103	0.00	0.44	0.00	0.00	0.00	0.00
	104	0.00	0.06	0.00	0.00	0.00	0.00
497	101	0.00	2.06	0.00	0.00	0.00	0.00
	102	0.00	1.93	0.00	0.00	0.00	0.00
	103	0.00	2.06	0.00	0.00	0.00	0.00
	104	0.00	0.77	0.00	0.00	0.00	0.00
498	101	0.00	0.56	0.00	0.00	0.00	0.00
	102	0.00	0.45	0.00	0.00	0.00	0.00
	103	0.00	0.56	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
499	101	-0.12	1.09	-1.78	0.00	-0.06	0.00
	102	-0.10	1.02	-1.90	0.00	-0.04	0.00
	103	-0.12	1.09	-1.81	0.00	-0.05	0.00
	104	-0.29	0.41	-2.13	0.00	-0.16	0.00
500	101	0.00	1.86	0.00	0.00	0.00	0.00
	102	0.00	1.74	0.00	0.00	0.00	0.00
	103	0.00	1.86	0.00	0.00	0.00	0.00
	104	0.00	0.70	0.00	0.00	0.00	0.00
501	101	0.00	0.42	0.00	0.00	0.00	0.00
	102	0.00	0.33	0.00	0.00	0.00	0.00
	103	0.00	0.42	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
502	101	0.00	2.41	0.00	0.00	0.00	0.00
	102	0.00	2.25	0.00	0.00	0.00	0.00
	103	0.00	2.41	0.00	0.00	0.00	0.00
	104	0.00	0.91	0.00	0.00	0.00	0.00
503	101	0.00	1.97	0.00	0.00	0.00	0.00
	102	0.00	1.83	0.00	0.00	0.00	0.00
	103	0.00	1.97	0.00	0.00	0.00	0.00
	104	0.00	0.74	0.00	0.00	0.00	0.00
504	101	0.00	0.33	0.00	0.00	0.00	0.00
	102	0.00	0.25	0.00	0.00	0.00	0.00
	103	0.00	0.32	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
505	101	0.00	1.83	0.00	0.00	0.00	0.00
	102	0.00	1.69	0.00	0.00	0.00	0.00
	103	0.00	1.83	0.00	0.00	0.00	0.00
	104	0.00	0.69	0.00	0.00	0.00	0.00
506	101	0.00	1.92	0.00	0.00	0.00	0.00
	102	0.00	1.76	0.00	0.00	0.00	0.00
	103	0.00	1.91	0.00	0.00	0.00	0.00
	104	0.00	0.70	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 140

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
507	101	0.00	0.27	0.00	0.00	0.00	0.00
	102	0.00	0.19	0.00	0.00	0.00	0.00
	103	0.00	0.26	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
508	101	0.00	1.26	0.00	0.00	0.00	0.00
	102	0.00	1.15	0.00	0.00	0.00	0.00
	103	0.00	1.26	0.00	0.00	0.00	0.00
	104	0.00	0.45	0.00	0.00	0.00	0.00
509	101	-0.11	0.66	-1.12	0.00	-0.03	0.00
	102	-0.09	0.60	-1.25	0.00	-0.02	0.00
	103	-0.11	0.65	-1.14	0.00	-0.03	0.00
	104	-0.22	0.23	-1.31	0.00	-0.09	0.00
510	101	0.00	0.18	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
511	101	0.00	1.11	0.00	0.00	0.00	0.00
	102	0.00	1.00	0.00	0.00	0.00	0.00
	103	0.00	1.10	0.00	0.00	0.00	0.00
	104	0.00	0.39	0.00	0.00	0.00	0.00
512	101	0.00	0.04	0.00	0.00	0.00	0.00
	102	0.00	0.02	0.00	0.00	0.00	0.00
	103	0.00	0.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
513	101	-0.04	0.08	-0.28	0.00	-0.00	0.00
	102	0.00	0.05	-0.35	0.00	-0.00	0.00
	103	-0.03	0.08	-0.30	0.00	-0.00	0.00
	104	-0.02	0.00	-0.28	0.00	-0.00	0.00
514	101	0.00	1.40	0.00	0.00	0.00	0.00
	102	0.00	1.26	0.00	0.00	0.00	0.00
	103	0.00	1.39	0.00	0.00	0.00	0.00
	104	0.00	0.48	0.00	0.00	0.00	0.00
515	101	0.00	1.11	0.00	0.00	0.00	0.00
	102	0.00	0.99	0.00	0.00	0.00	0.00
	103	0.00	1.11	0.00	0.00	0.00	0.00
	104	0.00	0.37	0.00	0.00	0.00	0.00
516	101	0.00	1.00	0.00	0.00	0.00	0.00
	102	0.00	0.89	0.00	0.00	0.00	0.00
	103	0.00	1.00	0.00	0.00	0.00	0.00
	104	0.00	0.32	0.00	0.00	0.00	0.00
517	101	0.00	1.02	0.00	0.00	0.00	0.00
	102	0.00	0.89	0.00	0.00	0.00	0.00
	103	0.00	1.01	0.00	0.00	0.00	0.00
	104	0.00	0.30	0.00	0.00	0.00	0.00
518	101	0.00	0.64	0.00	0.00	0.00	0.00
	102	0.00	0.55	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 141

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.64	0.00	0.00	0.00	0.00
	104	0.00	0.17	0.00	0.00	0.00	0.00
519	101	-0.07	0.29	-0.58	0.00	0.01	0.00
	102	-0.05	0.25	-0.66	0.00	0.02	0.00
	103	-0.06	0.29	-0.60	0.00	0.01	0.00
	104	-0.10	0.08	-0.63	0.00	-0.01	0.00
520	101	0.00	0.48	0.00	0.00	0.00	0.00
	102	0.00	0.41	0.00	0.00	0.00	0.00
	103	0.00	0.48	0.00	0.00	0.00	0.00
	104	0.00	0.12	0.00	0.00	0.00	0.00
521	101	0.00	0.60	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	0.60	0.00	0.00	0.00	0.00
	104	0.00	0.13	0.00	0.00	0.00	0.00
522	101	0.00	0.46	0.00	0.00	0.00	0.00
	102	0.00	0.37	0.00	0.00	0.00	0.00
	103	0.00	0.45	0.00	0.00	0.00	0.00
	104	0.00	0.08	0.00	0.00	0.00	0.00
523	101	0.00	0.36	0.00	0.00	0.00	0.00
	102	0.00	0.29	0.00	0.00	0.00	0.00
	103	0.00	0.35	0.00	0.00	0.00	0.00
	104	0.00	0.05	0.00	0.00	0.00	0.00
524	101	0.00	0.26	0.00	0.00	0.00	0.00
	102	0.00	0.20	0.00	0.00	0.00	0.00
	103	0.00	0.26	0.00	0.00	0.00	0.00
	104	0.00	0.02	0.00	0.00	0.00	0.00
525	101	0.00	0.18	0.00	0.00	0.00	0.00
	102	0.00	0.13	0.00	0.00	0.00	0.00
	103	0.00	0.18	0.00	0.00	0.00	0.00
	104	0.00	0.01	0.00	0.00	0.00	0.00
526	101	0.00	0.04	0.00	0.00	0.00	0.00
	102	0.00	0.03	0.00	0.00	0.00	0.00
	103	0.00	0.04	0.00	0.00	0.00	0.00
	104	0.00	0.00	0.00	0.00	0.00	0.00
527	101	-0.06	0.09	-0.29	0.00	-0.00	0.00
	102	-0.03	0.06	-0.35	0.00	-0.00	0.00
	103	-0.05	0.09	-0.30	0.00	-0.00	0.00
	104	-0.05	0.00	-0.29	0.00	-0.00	0.00
528	101	0.00	0.62	0.00	0.00	0.00	0.00
	102	0.00	0.51	0.00	0.00	0.00	0.00
	103	0.00	0.62	0.00	0.00	0.00	0.00
	104	0.00	0.13	0.00	0.00	0.00	0.00
529	101	0.00	0.99	0.00	0.00	0.00	0.00
	102	0.00	0.84	0.00	0.00	0.00	0.00
	103	0.00	0.99	0.00	0.00	0.00	0.00
	104	0.00	0.26	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 142

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
530	101	0.00	1.21	0.00	0.00	0.00	0.00
	102	0.00	1.04	0.00	0.00	0.00	0.00
	103	0.00	1.20	0.00	0.00	0.00	0.00
	104	0.00	0.36	0.00	0.00	0.00	0.00
531	101	0.00	1.53	0.00	0.00	0.00	0.00
	102	0.00	1.34	0.00	0.00	0.00	0.00
	103	0.00	1.53	0.00	0.00	0.00	0.00
	104	0.00	0.51	0.00	0.00	0.00	0.00
532	101	0.00	1.17	0.00	0.00	0.00	0.00
	102	0.00	1.04	0.00	0.00	0.00	0.00
	103	0.00	1.17	0.00	0.00	0.00	0.00
	104	0.00	0.42	0.00	0.00	0.00	0.00
533	101	-0.11	0.69	-1.56	0.00	0.02	0.00
	102	-0.07	0.61	-1.78	0.00	0.04	0.00
	103	-0.10	0.68	-1.60	0.00	0.02	0.00
	104	-0.17	0.25	-1.79	0.00	-0.02	0.00
534	101	0.00	1.44	0.00	0.00	0.00	0.00
	102	0.00	1.29	0.00	0.00	0.00	0.00
	103	0.00	1.44	0.00	0.00	0.00	0.00
	104	0.00	0.55	0.00	0.00	0.00	0.00
535	101	0.00	2.19	0.00	0.00	0.00	0.00
	102	0.00	1.99	0.00	0.00	0.00	0.00
	103	0.00	2.19	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
536	101	0.00	2.08	0.00	0.00	0.00	0.00
	102	0.00	1.91	0.00	0.00	0.00	0.00
	103	0.00	2.08	0.00	0.00	0.00	0.00
	104	0.00	0.89	0.00	0.00	0.00	0.00
537	101	0.00	2.22	0.00	0.00	0.00	0.00
	102	0.00	2.06	0.00	0.00	0.00	0.00
	103	0.00	2.22	0.00	0.00	0.00	0.00
	104	0.00	0.98	0.00	0.00	0.00	0.00
538	101	0.00	2.71	0.00	0.00	0.00	0.00
	102	0.00	2.52	0.00	0.00	0.00	0.00
	103	0.00	2.71	0.00	0.00	0.00	0.00
	104	0.00	1.22	0.00	0.00	0.00	0.00
539	101	0.00	2.09	0.00	0.00	0.00	0.00
	102	0.00	1.96	0.00	0.00	0.00	0.00
	103	0.00	2.09	0.00	0.00	0.00	0.00
	104	0.00	0.96	0.00	0.00	0.00	0.00
540	101	-0.12	1.20	-2.44	0.00	-0.05	0.00
	102	-0.07	1.13	-2.71	0.00	-0.03	0.00
	103	-0.12	1.21	-2.49	0.00	-0.05	0.00
	104	-0.29	0.56	-2.89	0.00	-0.14	0.00
541	101	0.00	2.25	0.00	0.00	0.00	0.00
	102	0.00	2.12	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 143

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	2.25	0.00	0.00	0.00	0.00
	104	0.00	1.05	0.00	0.00	0.00	0.00
542	101	0.00	3.33	0.00	0.00	0.00	0.00
	102	0.00	3.16	0.00	0.00	0.00	0.00
	103	0.00	3.34	0.00	0.00	0.00	0.00
	104	0.00	1.60	0.00	0.00	0.00	0.00
543	101	0.00	3.11	0.00	0.00	0.00	0.00
	102	0.00	2.96	0.00	0.00	0.00	0.00
	103	0.00	3.12	0.00	0.00	0.00	0.00
	104	0.00	1.52	0.00	0.00	0.00	0.00
544	101	0.00	3.27	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	3.27	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
545	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	3.76	0.00	0.00	0.00	0.00
	103	0.00	3.93	0.00	0.00	0.00	0.00
	104	0.00	1.94	0.00	0.00	0.00	0.00
546	101	0.00	2.98	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	2.99	0.00	0.00	0.00	0.00
	104	0.00	1.49	0.00	0.00	0.00	0.00
547	101	-0.08	1.70	-3.56	0.00	-0.06	0.00
	102	-0.03	1.64	-3.83	0.00	-0.04	0.00
	103	-0.07	1.71	-3.61	0.00	-0.05	0.00
	104	-0.31	0.85	-4.23	0.00	-0.21	0.00
548	101	0.00	3.16	0.00	0.00	0.00	0.00
	102	0.00	3.05	0.00	0.00	0.00	0.00
	103	0.00	3.17	0.00	0.00	0.00	0.00
	104	0.00	1.59	0.00	0.00	0.00	0.00
549	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	4.49	0.00	0.00	0.00	0.00
	103	0.00	4.64	0.00	0.00	0.00	0.00
	104	0.00	2.37	0.00	0.00	0.00	0.00
550	101	0.00	4.27	0.00	0.00	0.00	0.00
	102	0.00	4.16	0.00	0.00	0.00	0.00
	103	0.00	4.29	0.00	0.00	0.00	0.00
	104	0.00	2.21	0.00	0.00	0.00	0.00
551	101	0.00	4.46	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	4.47	0.00	0.00	0.00	0.00
	104	0.00	2.32	0.00	0.00	0.00	0.00
552	101	0.00	5.30	0.00	0.00	0.00	0.00
	102	0.00	5.18	0.00	0.00	0.00	0.00
	103	0.00	5.32	0.00	0.00	0.00	0.00
	104	0.00	2.76	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 144

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
553	101	0.00	3.99	0.00	0.00	0.00	0.00
	102	0.00	3.91	0.00	0.00	0.00	0.00
	103	0.00	4.01	0.00	0.00	0.00	0.00
	104	0.00	2.09	0.00	0.00	0.00	0.00
554	101	-0.02	2.28	-4.67	0.00	-0.03	0.00
	102	0.02	2.23	-4.89	0.00	-0.00	0.00
	103	-0.01	2.29	-4.71	0.00	-0.02	0.00
	104	-0.25	1.19	-5.53	0.00	-0.19	0.00
555	101	0.00	4.20	0.00	0.00	0.00	0.00
	102	0.00	4.13	0.00	0.00	0.00	0.00
	103	0.00	4.22	0.00	0.00	0.00	0.00
	104	0.00	2.21	0.00	0.00	0.00	0.00
556	101	0.00	6.11	0.00	0.00	0.00	0.00
	102	0.00	6.02	0.00	0.00	0.00	0.00
	103	0.00	6.14	0.00	0.00	0.00	0.00
	104	0.00	3.26	0.00	0.00	0.00	0.00
557	101	0.00	5.61	0.00	0.00	0.00	0.00
	102	0.00	5.54	0.00	0.00	0.00	0.00
	103	0.00	5.64	0.00	0.00	0.00	0.00
	104	0.00	3.03	0.00	0.00	0.00	0.00
558	101	0.00	5.82	0.00	0.00	0.00	0.00
	102	0.00	5.75	0.00	0.00	0.00	0.00
	103	0.00	5.85	0.00	0.00	0.00	0.00
	104	0.00	3.15	0.00	0.00	0.00	0.00
559	101	0.00	6.88	0.00	0.00	0.00	0.00
	102	0.00	6.81	0.00	0.00	0.00	0.00
	103	0.00	6.92	0.00	0.00	0.00	0.00
	104	0.00	3.74	0.00	0.00	0.00	0.00
560	101	0.00	5.16	0.00	0.00	0.00	0.00
	102	0.00	5.11	0.00	0.00	0.00	0.00
	103	0.00	5.19	0.00	0.00	0.00	0.00
	104	0.00	2.81	0.00	0.00	0.00	0.00
561	101	-0.02	2.93	-5.50	0.00	0.01	0.00
	102	0.02	2.91	-5.63	0.00	0.04	0.00
	103	-0.01	2.95	-5.52	0.00	0.01	0.00
	104	-0.17	1.60	-6.60	0.00	-0.11	0.00
562	101	0.00	5.40	0.00	0.00	0.00	0.00
	102	0.00	5.36	0.00	0.00	0.00	0.00
	103	0.00	5.43	0.00	0.00	0.00	0.00
	104	0.00	2.96	0.00	0.00	0.00	0.00
563	101	0.00	7.81	0.00	0.00	0.00	0.00
	102	0.00	7.77	0.00	0.00	0.00	0.00
	103	0.00	7.85	0.00	0.00	0.00	0.00
	104	0.00	4.34	0.00	0.00	0.00	0.00
564	101	0.00	7.13	0.00	0.00	0.00	0.00
	102	0.00	7.11	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 145

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.18	0.00	0.00	0.00	0.00
	104	0.00	4.00	0.00	0.00	0.00	0.00
565	101	0.00	7.37	0.00	0.00	0.00	0.00
	102	0.00	7.35	0.00	0.00	0.00	0.00
	103	0.00	7.41	0.00	0.00	0.00	0.00
	104	0.00	4.16	0.00	0.00	0.00	0.00
566	101	0.00	8.68	0.00	0.00	0.00	0.00
	102	0.00	8.67	0.00	0.00	0.00	0.00
	103	0.00	8.73	0.00	0.00	0.00	0.00
	104	0.00	4.91	0.00	0.00	0.00	0.00
567	101	0.00	6.48	0.00	0.00	0.00	0.00
	102	0.00	6.48	0.00	0.00	0.00	0.00
	103	0.00	6.52	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
568	101	-0.15	3.67	-6.24	0.00	0.06	0.00
	102	-0.14	3.68	-6.24	0.00	0.09	0.00
	103	-0.15	3.70	-6.24	0.00	0.06	0.00
	104	-0.23	2.09	-7.68	0.00	-0.01	0.00
569	101	0.00	6.75	0.00	0.00	0.00	0.00
	102	0.00	6.76	0.00	0.00	0.00	0.00
	103	0.00	6.79	0.00	0.00	0.00	0.00
	104	0.00	3.86	0.00	0.00	0.00	0.00
570	101	0.00	9.72	0.00	0.00	0.00	0.00
	102	0.00	9.75	0.00	0.00	0.00	0.00
	103	0.00	9.78	0.00	0.00	0.00	0.00
	104	0.00	5.63	0.00	0.00	0.00	0.00
571	101	0.00	8.85	0.00	0.00	0.00	0.00
	102	0.00	8.89	0.00	0.00	0.00	0.00
	103	0.00	8.91	0.00	0.00	0.00	0.00
	104	0.00	5.17	0.00	0.00	0.00	0.00
572	101	0.00	9.12	0.00	0.00	0.00	0.00
	102	0.00	9.16	0.00	0.00	0.00	0.00
	103	0.00	9.18	0.00	0.00	0.00	0.00
	104	0.00	5.35	0.00	0.00	0.00	0.00
573	101	0.00	10.71	0.00	0.00	0.00	0.00
	102	0.00	10.77	0.00	0.00	0.00	0.00
	103	0.00	10.78	0.00	0.00	0.00	0.00
	104	0.00	6.30	0.00	0.00	0.00	0.00
574	101	0.00	7.97	0.00	0.00	0.00	0.00
	102	0.00	8.02	0.00	0.00	0.00	0.00
	103	0.00	8.02	0.00	0.00	0.00	0.00
	104	0.00	4.70	0.00	0.00	0.00	0.00
575	101	-0.14	4.52	-5.43	0.00	-0.23	0.00
	102	-0.16	4.55	-5.26	0.00	-0.24	0.00
	103	-0.15	4.55	-5.40	0.00	-0.23	0.00
	104	-0.28	2.66	-6.67	0.00	-0.33	0.00

STAAD SPACE -- PAGE NO. 146

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
576	101	0.00	10.82	0.00	0.00	0.00	0.00
	102	0.00	10.90	0.00	0.00	0.00	0.00
	103	0.00	10.90	0.00	0.00	0.00	0.00
	104	0.00	6.40	0.00	0.00	0.00	0.00
577	101	0.00	8.87	0.00	0.00	0.00	0.00
	102	0.00	8.95	0.00	0.00	0.00	0.00
	103	0.00	8.93	0.00	0.00	0.00	0.00
	104	0.00	5.32	0.00	0.00	0.00	0.00
578	101	0.00	0.17	0.00	0.00	0.00	0.00
	102	0.00	0.14	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.03	0.00	0.00	0.00	0.00
579	101	0.00	0.05	0.00	0.00	0.00	0.00
	102	0.00	0.04	0.00	0.00	0.00	0.00
	103	0.00	0.04	0.00	0.00	0.00	0.00
	104	0.00	0.01	0.00	0.00	0.00	0.00
580	101	-0.08	0.09	-0.29	0.00	-0.00	0.00
	102	-0.05	0.08	-0.36	0.00	0.00	0.00
	103	-0.07	0.09	-0.31	0.00	-0.00	0.00
	104	-0.07	0.02	-0.30	0.00	0.00	0.00
581	101	0.00	0.12	0.00	0.00	0.00	0.00
	102	0.00	0.10	0.00	0.00	0.00	0.00
	103	0.00	0.12	0.00	0.00	0.00	0.00
	104	0.00	0.03	0.00	0.00	0.00	0.00
582	101	-0.31	0.24	-0.75	0.00	0.01	0.00
	102	-0.29	0.21	-0.94	0.00	0.02	0.00
	103	-0.31	0.24	-0.78	0.00	0.01	0.00
	104	-0.33	0.07	-0.82	0.00	0.01	0.00
583	101	0.00	0.30	0.00	0.00	0.00	0.00
	102	0.00	0.25	0.00	0.00	0.00	0.00
	103	0.00	0.30	0.00	0.00	0.00	0.00
	104	0.00	0.09	0.00	0.00	0.00	0.00
584	101	0.00	0.90	0.00	0.00	0.00	0.00
	102	0.00	0.87	0.00	0.00	0.00	0.00
	103	0.00	0.91	0.00	0.00	0.00	0.00
	104	0.00	0.56	0.00	0.00	0.00	0.00
585	101	0.00	1.34	0.00	0.00	0.00	0.00
	102	0.00	1.31	0.00	0.00	0.00	0.00
	103	0.00	1.35	0.00	0.00	0.00	0.00
	104	0.00	0.85	0.00	0.00	0.00	0.00
586	101	0.00	1.58	0.00	0.00	0.00	0.00
	102	0.00	1.55	0.00	0.00	0.00	0.00
	103	0.00	1.59	0.00	0.00	0.00	0.00
	104	0.00	1.01	0.00	0.00	0.00	0.00
587	101	0.00	1.95	0.00	0.00	0.00	0.00
	102	0.00	1.91	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 147

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.97	0.00	0.00	0.00	0.00
	104	0.00	1.26	0.00	0.00	0.00	0.00
588	101	0.00	1.45	0.00	0.00	0.00	0.00
	102	0.00	1.43	0.00	0.00	0.00	0.00
	103	0.00	1.47	0.00	0.00	0.00	0.00
	104	0.00	0.95	0.00	0.00	0.00	0.00
589	101	-0.05	0.84	-1.43	0.00	0.04	0.00
	102	-0.02	0.83	-1.63	0.00	0.05	0.00
	103	-0.05	0.84	-1.47	0.00	0.04	0.00
	104	-0.08	0.55	-1.68	0.00	0.01	0.00
590	101	0.00	1.72	0.00	0.00	0.00	0.00
	102	0.00	1.70	0.00	0.00	0.00	0.00
	103	0.00	1.73	0.00	0.00	0.00	0.00
	104	0.00	1.13	0.00	0.00	0.00	0.00
591	101	0.00	2.55	0.00	0.00	0.00	0.00
	102	0.00	2.53	0.00	0.00	0.00	0.00
	103	0.00	2.57	0.00	0.00	0.00	0.00
	104	0.00	1.69	0.00	0.00	0.00	0.00
592	101	0.00	2.37	0.00	0.00	0.00	0.00
	102	0.00	2.36	0.00	0.00	0.00	0.00
	103	0.00	2.40	0.00	0.00	0.00	0.00
	104	0.00	1.59	0.00	0.00	0.00	0.00
593	101	0.00	2.49	0.00	0.00	0.00	0.00
	102	0.00	2.48	0.00	0.00	0.00	0.00
	103	0.00	2.51	0.00	0.00	0.00	0.00
	104	0.00	1.67	0.00	0.00	0.00	0.00
594	101	0.00	2.98	0.00	0.00	0.00	0.00
	102	0.00	2.98	0.00	0.00	0.00	0.00
	103	0.00	3.01	0.00	0.00	0.00	0.00
	104	0.00	2.02	0.00	0.00	0.00	0.00
595	101	0.00	2.27	0.00	0.00	0.00	0.00
	102	0.00	2.27	0.00	0.00	0.00	0.00
	103	0.00	2.30	0.00	0.00	0.00	0.00
	104	0.00	1.54	0.00	0.00	0.00	0.00
596	101	0.01	1.29	-2.21	0.00	-0.02	0.00
	102	0.07	1.29	-2.47	0.00	-0.01	0.00
	103	0.02	1.30	-2.26	0.00	-0.02	0.00
	104	-0.06	0.88	-2.61	0.00	-0.08	0.00
597	101	0.00	2.37	0.00	0.00	0.00	0.00
	102	0.00	2.37	0.00	0.00	0.00	0.00
	103	0.00	2.39	0.00	0.00	0.00	0.00
	104	0.00	1.61	0.00	0.00	0.00	0.00
598	101	0.00	3.45	0.00	0.00	0.00	0.00
	102	0.00	3.46	0.00	0.00	0.00	0.00
	103	0.00	3.48	0.00	0.00	0.00	0.00
	104	0.00	2.36	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 148

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
599	101	0.00	3.17	0.00	0.00	0.00	0.00
	102	0.00	3.18	0.00	0.00	0.00	0.00
	103	0.00	3.20	0.00	0.00	0.00	0.00
	104	0.00	2.17	0.00	0.00	0.00	0.00
600	101	0.00	3.28	0.00	0.00	0.00	0.00
	102	0.00	3.30	0.00	0.00	0.00	0.00
	103	0.00	3.31	0.00	0.00	0.00	0.00
	104	0.00	2.26	0.00	0.00	0.00	0.00
601	101	0.00	3.89	0.00	0.00	0.00	0.00
	102	0.00	3.92	0.00	0.00	0.00	0.00
	103	0.00	3.93	0.00	0.00	0.00	0.00
	104	0.00	2.68	0.00	0.00	0.00	0.00
602	101	0.00	2.93	0.00	0.00	0.00	0.00
	102	0.00	2.95	0.00	0.00	0.00	0.00
	103	0.00	2.96	0.00	0.00	0.00	0.00
	104	0.00	2.02	0.00	0.00	0.00	0.00
603	101	0.10	1.66	-3.20	0.00	-0.03	0.00
	102	0.15	1.67	-3.47	0.00	-0.02	0.00
	103	0.11	1.67	-3.26	0.00	-0.03	0.00
	104	-0.02	1.14	-3.74	0.00	-0.12	0.00
604	101	0.00	3.03	0.00	0.00	0.00	0.00
	102	0.00	3.05	0.00	0.00	0.00	0.00
	103	0.00	3.05	0.00	0.00	0.00	0.00
	104	0.00	2.09	0.00	0.00	0.00	0.00
605	101	0.00	4.37	0.00	0.00	0.00	0.00
	102	0.00	4.41	0.00	0.00	0.00	0.00
	103	0.00	4.41	0.00	0.00	0.00	0.00
	104	0.00	3.03	0.00	0.00	0.00	0.00
606	101	0.00	3.98	0.00	0.00	0.00	0.00
	102	0.00	4.02	0.00	0.00	0.00	0.00
	103	0.00	4.01	0.00	0.00	0.00	0.00
	104	0.00	2.76	0.00	0.00	0.00	0.00
607	101	0.00	4.09	0.00	0.00	0.00	0.00
	102	0.00	4.14	0.00	0.00	0.00	0.00
	103	0.00	4.13	0.00	0.00	0.00	0.00
	104	0.00	2.85	0.00	0.00	0.00	0.00
608	101	0.00	4.82	0.00	0.00	0.00	0.00
	102	0.00	4.88	0.00	0.00	0.00	0.00
	103	0.00	4.86	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
609	101	0.00	3.60	0.00	0.00	0.00	0.00
	102	0.00	3.65	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	2.51	0.00	0.00	0.00	0.00
610	101	0.13	2.03	-4.20	0.00	-0.01	0.00
	102	0.16	2.05	-4.46	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 149

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.14	2.05	-4.25	0.00	-0.01	0.00
	104	0.03	1.41	-4.85	0.00	-0.10	0.00
611	101	0.00	3.70	0.00	0.00	0.00	0.00
	102	0.00	3.75	0.00	0.00	0.00	0.00
	103	0.00	3.73	0.00	0.00	0.00	0.00
	104	0.00	2.58	0.00	0.00	0.00	0.00
612	101	0.00	5.30	0.00	0.00	0.00	0.00
	102	0.00	5.37	0.00	0.00	0.00	0.00
	103	0.00	5.34	0.00	0.00	0.00	0.00
	104	0.00	3.71	0.00	0.00	0.00	0.00
613	101	0.00	4.80	0.00	0.00	0.00	0.00
	102	0.00	4.87	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	3.36	0.00	0.00	0.00	0.00
614	101	0.00	4.91	0.00	0.00	0.00	0.00
	102	0.00	4.99	0.00	0.00	0.00	0.00
	103	0.00	4.96	0.00	0.00	0.00	0.00
	104	0.00	3.45	0.00	0.00	0.00	0.00
615	101	0.00	5.75	0.00	0.00	0.00	0.00
	102	0.00	5.84	0.00	0.00	0.00	0.00
	103	0.00	5.80	0.00	0.00	0.00	0.00
	104	0.00	4.05	0.00	0.00	0.00	0.00
616	101	0.00	4.27	0.00	0.00	0.00	0.00
	102	0.00	4.35	0.00	0.00	0.00	0.00
	103	0.00	4.31	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00
617	101	0.05	2.40	-5.05	0.00	0.02	0.00
	102	0.06	2.44	-5.29	0.00	0.04	0.00
	103	0.06	2.42	-5.09	0.00	0.02	0.00
	104	0.02	1.69	-5.81	0.00	-0.05	0.00
618	101	0.00	4.37	0.00	0.00	0.00	0.00
	102	0.00	4.44	0.00	0.00	0.00	0.00
	103	0.00	4.41	0.00	0.00	0.00	0.00
	104	0.00	3.08	0.00	0.00	0.00	0.00
619	101	0.00	6.23	0.00	0.00	0.00	0.00
	102	0.00	6.34	0.00	0.00	0.00	0.00
	103	0.00	6.29	0.00	0.00	0.00	0.00
	104	0.00	4.41	0.00	0.00	0.00	0.00
620	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.72	0.00	0.00	0.00	0.00
	103	0.00	5.67	0.00	0.00	0.00	0.00
	104	0.00	3.98	0.00	0.00	0.00	0.00
621	101	0.00	5.74	0.00	0.00	0.00	0.00
	102	0.00	5.84	0.00	0.00	0.00	0.00
	103	0.00	5.79	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 150

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
622	101	0.00	6.69	0.00	0.00	0.00	0.00
	102	0.00	6.82	0.00	0.00	0.00	0.00
	103	0.00	6.75	0.00	0.00	0.00	0.00
	104	0.00	4.75	0.00	0.00	0.00	0.00
623	101	0.00	4.96	0.00	0.00	0.00	0.00
	102	0.00	5.05	0.00	0.00	0.00	0.00
	103	0.00	5.00	0.00	0.00	0.00	0.00
	104	0.00	3.52	0.00	0.00	0.00	0.00
624	101	-0.14	2.78	-5.86	0.00	0.07	0.00
	102	-0.16	2.84	-6.06	0.00	0.08	0.00
	103	-0.15	2.81	-5.90	0.00	0.07	0.00
	104	-0.13	1.98	-6.74	0.00	0.03	0.00
625	101	0.00	5.05	0.00	0.00	0.00	0.00
	102	0.00	5.15	0.00	0.00	0.00	0.00
	103	0.00	5.10	0.00	0.00	0.00	0.00
	104	0.00	3.60	0.00	0.00	0.00	0.00
626	101	0.00	7.18	0.00	0.00	0.00	0.00
	102	0.00	7.33	0.00	0.00	0.00	0.00
	103	0.00	7.25	0.00	0.00	0.00	0.00
	104	0.00	5.12	0.00	0.00	0.00	0.00
627	101	0.00	6.46	0.00	0.00	0.00	0.00
	102	0.00	6.59	0.00	0.00	0.00	0.00
	103	0.00	6.52	0.00	0.00	0.00	0.00
	104	0.00	4.62	0.00	0.00	0.00	0.00
628	101	0.00	6.58	0.00	0.00	0.00	0.00
	102	0.00	6.72	0.00	0.00	0.00	0.00
	103	0.00	6.64	0.00	0.00	0.00	0.00
	104	0.00	4.71	0.00	0.00	0.00	0.00
629	101	0.00	7.66	0.00	0.00	0.00	0.00
	102	0.00	7.82	0.00	0.00	0.00	0.00
	103	0.00	7.73	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
630	101	0.00	5.66	0.00	0.00	0.00	0.00
	102	0.00	5.79	0.00	0.00	0.00	0.00
	103	0.00	5.71	0.00	0.00	0.00	0.00
	104	0.00	4.06	0.00	0.00	0.00	0.00
631	101	-0.26	3.18	-5.59	0.00	-0.13	0.00
	102	-0.30	3.25	-5.70	0.00	-0.13	0.00
	103	-0.26	3.21	-5.61	0.00	-0.13	0.00
	104	-0.32	2.28	-6.23	0.00	-0.18	0.00
632	101	0.00	7.53	0.00	0.00	0.00	0.00
	102	0.00	7.70	0.00	0.00	0.00	0.00
	103	0.00	7.60	0.00	0.00	0.00	0.00
	104	0.00	5.40	0.00	0.00	0.00	0.00
633	101	0.00	6.12	0.00	0.00	0.00	0.00
	102	0.00	6.25	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 151

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.17	0.00	0.00	0.00	0.00
	104	0.00	4.40	0.00	0.00	0.00	0.00
634	101	0.00	0.17	0.00	0.00	0.00	0.00
	102	0.00	0.16	0.00	0.00	0.00	0.00
	103	0.00	0.17	0.00	0.00	0.00	0.00
	104	0.00	0.11	0.00	0.00	0.00	0.00
635	101	-0.35	0.29	-0.76	0.00	-0.01	0.00
	102	-0.36	0.28	-1.01	0.00	-0.02	0.00
	103	-0.35	0.29	-0.81	0.00	-0.02	0.00
	104	-0.37	0.19	-0.85	0.00	-0.01	0.00
636	101	0.00	0.09	0.00	0.00	0.00	0.00
	102	0.00	0.09	0.00	0.00	0.00	0.00
	103	0.00	0.09	0.00	0.00	0.00	0.00
	104	0.00	0.07	0.00	0.00	0.00	0.00
637	101	-0.46	0.42	-0.92	0.00	0.02	0.00
	102	-0.63	0.42	-1.40	0.00	0.03	0.00
	103	-0.48	0.43	-1.00	0.00	0.03	0.00
	104	-0.54	0.30	-1.03	0.00	0.03	0.00
638	101	-0.51	0.65	-0.59	0.00	-0.03	0.00
	102	-0.77	0.66	-0.90	0.00	-0.07	0.00
	103	-0.54	0.66	-0.65	0.00	-0.04	0.00
	104	-0.62	0.47	-0.69	0.00	-0.03	0.00
639	101	0.07	0.77	-0.45	0.00	0.01	0.00
	102	-0.05	0.77	-0.56	0.00	-0.02	0.00
	103	0.06	0.78	-0.48	0.00	0.00	0.00
	104	-0.03	0.55	-0.53	0.00	0.02	0.00
640	101	0.51	0.95	-0.36	0.00	0.01	0.00
	102	0.49	0.95	-0.39	0.00	-0.00	0.00
	103	0.51	0.96	-0.38	0.00	0.01	0.00
	104	0.39	0.68	-0.48	0.00	0.04	0.00
641	101	0.36	0.70	-0.32	0.00	0.01	0.00
	102	0.38	0.71	-0.35	0.00	0.00	0.00
	103	0.36	0.71	-0.34	0.00	0.01	0.00
	104	0.29	0.51	-0.44	0.00	0.01	0.00
642	101	0.03	0.40	-1.65	0.00	0.03	0.00
	102	0.03	0.41	-1.99	0.00	0.03	0.00
	103	0.03	0.41	-1.71	0.00	0.03	0.00
	104	0.10	0.29	-1.92	0.00	0.02	0.00
643	101	-0.36	0.83	-0.39	0.00	0.03	0.00
	102	-0.35	0.84	-0.52	0.00	0.02	0.00
	103	-0.36	0.84	-0.42	0.00	0.03	0.00
	104	-0.14	0.60	-0.38	0.00	0.04	0.00
644	101	-0.42	1.23	-0.84	0.00	0.06	0.00
	102	-0.38	1.25	-1.00	0.00	0.05	0.00
	103	-0.41	1.25	-0.87	0.00	0.06	0.00
	104	-0.09	0.89	-0.83	0.00	0.10	0.00

STAAD SPACE -- PAGE NO. 152

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
645	101	0.15	1.15	-1.22	0.00	0.04	0.00
	102	0.26	1.16	-1.40	0.00	0.03	0.00
	103	0.17	1.16	-1.25	0.00	0.04	0.00
	104	0.36	0.83	-1.28	0.00	0.09	0.00
646	101	0.83	1.20	-1.26	0.00	0.06	0.00
	102	1.03	1.21	-1.42	0.00	0.06	0.00
	103	0.86	1.21	-1.29	0.00	0.06	0.00
	104	0.93	0.87	-1.38	0.00	0.12	0.00
647	101	1.49	1.44	-1.00	0.00	0.05	0.00
	102	1.76	1.46	-1.10	0.00	0.04	0.00
	103	1.53	1.45	-1.03	0.00	0.05	0.00
	104	1.48	1.05	-1.25	0.00	0.13	0.00
648	101	0.98	1.09	-0.72	0.00	0.02	0.00
	102	1.15	1.11	-0.80	0.00	0.02	0.00
	103	1.01	1.11	-0.75	0.00	0.02	0.00
	104	0.96	0.80	-1.01	0.00	0.05	0.00
649	101	0.38	0.62	-3.03	0.00	0.01	0.00
	102	0.47	0.63	-3.51	0.00	0.01	0.00
	103	0.39	0.63	-3.11	0.00	0.01	0.00
	104	0.50	0.45	-3.46	0.00	-0.01	0.00
650	101	-0.08	1.14	-0.54	0.00	0.04	0.00
	102	0.01	1.16	-0.68	0.00	0.03	0.00
	103	-0.06	1.15	-0.56	0.00	0.04	0.00
	104	0.22	0.83	-0.45	0.00	0.06	0.00
651	101	-0.02	1.65	-1.08	0.00	0.11	0.00
	102	0.11	1.68	-1.24	0.00	0.09	0.00
	103	0.01	1.67	-1.12	0.00	0.11	0.00
	104	0.40	1.21	-1.00	0.00	0.19	0.00
652	101	0.65	1.52	-1.70	0.00	0.07	0.00
	102	0.80	1.54	-1.88	0.00	0.05	0.00
	103	0.67	1.54	-1.75	0.00	0.07	0.00
	104	0.86	1.12	-1.77	0.00	0.15	0.00
653	101	1.51	1.57	-1.79	0.00	0.09	0.00
	102	1.72	1.60	-1.95	0.00	0.09	0.00
	103	1.55	1.59	-1.83	0.00	0.10	0.00
	104	1.54	1.16	-1.95	0.00	0.19	0.00
654	101	2.31	1.86	-1.43	0.00	0.07	0.00
	102	2.56	1.90	-1.53	0.00	0.06	0.00
	103	2.35	1.89	-1.47	0.00	0.07	0.00
	104	2.16	1.37	-1.79	0.00	0.19	0.00
655	101	1.42	1.40	-1.12	0.00	0.03	0.00
	102	1.55	1.43	-1.22	0.00	0.03	0.00
	103	1.44	1.42	-1.14	0.00	0.03	0.00
	104	1.28	1.04	-1.54	0.00	0.06	0.00
656	101	0.62	0.79	-4.83	0.00	0.01	0.00
	102	0.70	0.81	-5.42	0.00	0.01	0.00

STAAD SPACE -- PAGE NO. 153

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.64	0.80	-4.94	0.00	0.01	0.00
	104	0.72	0.59	-5.48	0.00	-0.02	0.00
657	101	0.11	1.45	-0.89	0.00	0.03	0.00
	102	0.18	1.48	-1.06	0.00	0.03	0.00
	103	0.12	1.46	-0.93	0.00	0.03	0.00
	104	0.46	1.07	-0.80	0.00	0.06	0.00
658	101	0.13	2.09	-1.50	0.00	0.10	0.00
	102	0.20	2.13	-1.67	0.00	0.08	0.00
	103	0.15	2.11	-1.54	0.00	0.10	0.00
	104	0.61	1.54	-1.38	0.00	0.19	0.00
659	101	0.82	1.90	-2.26	0.00	0.05	0.00
	102	0.89	1.94	-2.43	0.00	0.03	0.00
	103	0.83	1.92	-2.30	0.00	0.05	0.00
	104	1.04	1.40	-2.32	0.00	0.14	0.00
660	101	1.78	1.95	-2.32	0.00	0.08	0.00
	102	1.90	1.99	-2.48	0.00	0.08	0.00
	103	1.81	1.97	-2.37	0.00	0.08	0.00
	104	1.75	1.45	-2.51	0.00	0.19	0.00
661	101	2.58	2.30	-1.79	0.00	0.05	0.00
	102	2.72	2.35	-1.89	0.00	0.04	0.00
	103	2.62	2.32	-1.82	0.00	0.05	0.00
	104	2.32	1.70	-2.19	0.00	0.18	0.00
662	101	1.48	1.72	-1.44	0.00	0.02	0.00
	102	1.52	1.75	-1.55	0.00	0.02	0.00
	103	1.49	1.74	-1.46	0.00	0.02	0.00
	104	1.25	1.27	-1.93	0.00	0.06	0.00
663	101	0.61	0.97	-6.83	0.00	0.01	0.00
	102	0.63	0.99	-7.52	0.00	0.02	0.00
	103	0.61	0.98	-6.95	0.00	0.01	0.00
	104	0.73	0.72	-7.72	0.00	-0.02	0.00
664	101	0.01	1.76	-1.35	0.00	0.02	0.00
	102	0.03	1.80	-1.54	0.00	0.01	0.00
	103	0.01	1.78	-1.39	0.00	0.02	0.00
	104	0.49	1.31	-1.33	0.00	0.04	0.00
665	101	-0.22	2.52	-1.97	0.00	0.07	0.00
	102	-0.25	2.58	-2.15	0.00	0.04	0.00
	103	-0.22	2.55	-2.02	0.00	0.06	0.00
	104	0.46	1.87	-1.90	0.00	0.14	0.00
666	101	0.45	2.28	-2.81	0.00	0.01	0.00
	102	0.43	2.33	-2.99	0.00	-0.01	0.00
	103	0.45	2.30	-2.85	0.00	0.01	0.00
	104	0.81	1.70	-2.89	0.00	0.09	0.00
667	101	1.45	2.34	-2.83	0.00	0.05	0.00
	102	1.46	2.39	-2.99	0.00	0.04	0.00
	103	1.46	2.36	-2.88	0.00	0.05	0.00
	104	1.48	1.74	-3.03	0.00	0.14	0.00

STAAD SPACE -- PAGE NO. 154

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
668	101	2.17	2.73	-2.10	0.00	0.00	0.00
	102	2.18	2.80	-2.19	0.00	-0.01	0.00
	103	2.18	2.76	-2.13	0.00	0.00	0.00
	104	1.90	2.04	-2.47	0.00	0.12	0.00
669	101	1.10	2.03	-1.70	0.00	0.01	0.00
	102	1.06	2.08	-1.81	0.00	0.01	0.00
	103	1.10	2.05	-1.73	0.00	0.01	0.00
	104	0.86	1.51	-2.19	0.00	0.05	0.00
670	101	0.32	1.14	-8.83	0.00	0.02	0.00
	102	0.29	1.17	-9.58	0.00	0.03	0.00
	103	0.32	1.15	-8.97	0.00	0.02	0.00
	104	0.50	0.85	-9.95	0.00	-0.00	0.00
671	101	-0.34	2.08	-1.80	0.00	0.01	0.00
	102	-0.36	2.12	-2.00	0.00	0.00	0.00
	103	-0.34	2.10	-1.84	0.00	0.01	0.00
	104	0.33	1.55	-1.89	0.00	0.02	0.00
672	101	-0.97	2.96	-2.44	0.00	0.03	0.00
	102	-1.09	3.02	-2.62	0.00	0.01	0.00
	103	-0.99	2.99	-2.49	0.00	0.03	0.00
	104	-0.02	2.21	-2.44	0.00	0.07	0.00
673	101	-0.31	2.66	-3.33	0.00	-0.03	0.00
	102	-0.42	2.72	-3.51	0.00	-0.05	0.00
	103	-0.33	2.69	-3.38	0.00	-0.03	0.00
	104	0.22	1.99	-3.45	0.00	0.02	0.00
674	101	0.69	2.72	-3.31	0.00	0.02	0.00
	102	0.61	2.78	-3.47	0.00	0.01	0.00
	103	0.68	2.74	-3.36	0.00	0.02	0.00
	104	0.80	2.03	-3.51	0.00	0.09	0.00
675	101	1.27	3.17	-2.37	0.00	-0.04	0.00
	102	1.16	3.24	-2.46	0.00	-0.05	0.00
	103	1.26	3.20	-2.41	0.00	-0.04	0.00
	104	1.01	2.37	-2.69	0.00	0.05	0.00
676	101	0.41	2.35	-1.96	0.00	0.00	0.00
	102	0.29	2.40	-2.07	0.00	0.00	0.00
	103	0.40	2.37	-1.99	0.00	0.00	0.00
	104	0.17	1.76	-2.41	0.00	0.03	0.00
677	101	-0.21	1.32	-10.92	0.00	0.04	0.00
	102	-0.29	1.35	-11.71	0.00	0.04	0.00
	103	-0.22	1.33	-11.06	0.00	0.04	0.00
	104	-0.01	0.99	-12.19	0.00	0.02	0.00
678	101	-0.97	2.39	-2.22	0.00	0.01	0.00
	102	-1.05	2.45	-2.42	0.00	-0.00	0.00
	103	-0.99	2.41	-2.26	0.00	0.01	0.00
	104	-0.24	1.79	-2.42	0.00	0.00	0.00
679	101	-2.13	3.39	-2.96	0.00	0.03	0.00
	102	-2.34	3.48	-3.14	0.00	0.01	0.00

STAAD SPACE -- PAGE NO. 155

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-2.17	3.43	-3.00	0.00	0.03	0.00
	104	-1.14	2.54	-3.04	0.00	0.04	0.00
680	101	-1.38	3.05	-4.04	0.00	-0.03	0.00
	102	-1.57	3.12	-4.23	0.00	-0.05	0.00
	103	-1.41	3.08	-4.09	0.00	-0.04	0.00
	104	-0.90	2.28	-4.20	0.00	-0.01	0.00
681	101	-0.24	3.10	-4.10	0.00	0.03	0.00
	102	-0.39	3.18	-4.28	0.00	0.03	0.00
	103	-0.26	3.13	-4.16	0.00	0.03	0.00
	104	-0.30	2.33	-4.32	0.00	0.08	0.00
682	101	0.44	3.61	-3.12	0.00	-0.04	0.00
	102	0.28	3.70	-3.25	0.00	-0.04	0.00
	103	0.42	3.65	-3.16	0.00	-0.04	0.00
	104	-0.14	2.71	-3.42	0.00	0.04	0.00
683	101	-0.05	2.67	-2.33	0.00	-0.02	0.00
	102	-0.19	2.74	-2.47	0.00	-0.02	0.00
	103	-0.07	2.70	-2.37	0.00	-0.02	0.00
	104	-0.54	2.01	-2.73	0.00	0.01	0.00
684	101	-0.55	1.50	-11.14	0.00	-0.06	0.00
	102	-0.65	1.54	-11.86	0.00	-0.07	0.00
	103	-0.56	1.51	-11.28	0.00	-0.06	0.00
	104	-0.55	1.13	-12.23	0.00	-0.08	0.00
685	101	-1.52	3.55	-2.63	0.00	0.24	0.00
	102	-1.62	3.64	-2.80	0.00	0.25	0.00
	103	-1.54	3.59	-2.67	0.00	0.25	0.00
	104	-0.86	2.67	-2.81	0.00	0.24	0.00
686	101	-3.43	2.88	-2.36	0.00	-0.36	0.00
	102	-3.69	2.96	-2.44	0.00	-0.38	0.00
	103	-3.49	2.91	-2.39	0.00	-0.36	0.00
	104	-2.62	2.17	-2.38	0.00	-0.37	0.00
687	101	0.00	0.24	0.00	0.00	0.00	0.00
	102	0.00	0.24	0.00	0.00	0.00	0.00
	103	0.00	0.24	0.00	0.00	0.00	0.00
	104	0.00	0.19	0.00	0.00	0.00	0.00
688	101	0.00	0.91	0.00	0.00	0.00	0.00
	102	0.00	0.94	0.00	0.00	0.00	0.00
	103	0.00	0.93	0.00	0.00	0.00	0.00
	104	0.00	0.72	0.00	0.00	0.00	0.00
689	101	0.00	1.41	0.00	0.00	0.00	0.00
	102	0.00	1.45	0.00	0.00	0.00	0.00
	103	0.00	1.44	0.00	0.00	0.00	0.00
	104	0.00	1.12	0.00	0.00	0.00	0.00
690	101	0.00	1.66	0.00	0.00	0.00	0.00
	102	0.00	1.71	0.00	0.00	0.00	0.00
	103	0.00	1.69	0.00	0.00	0.00	0.00
	104	0.00	1.31	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 156

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
691	101	0.00	2.00	0.00	0.00	0.00	0.00
	102	0.00	2.06	0.00	0.00	0.00	0.00
	103	0.00	2.03	0.00	0.00	0.00	0.00
	104	0.00	1.57	0.00	0.00	0.00	0.00
692	101	0.00	1.48	0.00	0.00	0.00	0.00
	102	0.00	1.52	0.00	0.00	0.00	0.00
	103	0.00	1.50	0.00	0.00	0.00	0.00
	104	0.00	1.16	0.00	0.00	0.00	0.00
693	101	0.10	0.92	-1.91	0.00	0.06	0.00
	102	0.06	0.94	-2.36	0.00	0.07	0.00
	103	0.09	0.93	-1.98	0.00	0.06	0.00
	104	0.20	0.72	-2.25	0.00	0.04	0.00
694	101	0.00	1.89	0.00	0.00	0.00	0.00
	102	0.00	1.95	0.00	0.00	0.00	0.00
	103	0.00	1.92	0.00	0.00	0.00	0.00
	104	0.00	1.48	0.00	0.00	0.00	0.00
695	101	0.00	2.79	0.00	0.00	0.00	0.00
	102	0.00	2.87	0.00	0.00	0.00	0.00
	103	0.00	2.83	0.00	0.00	0.00	0.00
	104	0.00	2.18	0.00	0.00	0.00	0.00
696	101	0.00	2.59	0.00	0.00	0.00	0.00
	102	0.00	2.66	0.00	0.00	0.00	0.00
	103	0.00	2.62	0.00	0.00	0.00	0.00
	104	0.00	2.02	0.00	0.00	0.00	0.00
697	101	0.00	2.70	0.00	0.00	0.00	0.00
	102	0.00	2.78	0.00	0.00	0.00	0.00
	103	0.00	2.74	0.00	0.00	0.00	0.00
	104	0.00	2.11	0.00	0.00	0.00	0.00
698	101	0.00	3.24	0.00	0.00	0.00	0.00
	102	0.00	3.33	0.00	0.00	0.00	0.00
	103	0.00	3.28	0.00	0.00	0.00	0.00
	104	0.00	2.53	0.00	0.00	0.00	0.00
699	101	0.00	2.47	0.00	0.00	0.00	0.00
	102	0.00	2.54	0.00	0.00	0.00	0.00
	103	0.00	2.50	0.00	0.00	0.00	0.00
	104	0.00	1.93	0.00	0.00	0.00	0.00
700	101	0.30	1.40	-3.72	0.00	0.02	0.00
	102	0.32	1.44	-4.38	0.00	0.03	0.00
	103	0.31	1.42	-3.83	0.00	0.02	0.00
	104	0.52	1.09	-4.21	0.00	-0.03	0.00
701	101	0.00	2.56	0.00	0.00	0.00	0.00
	102	0.00	2.63	0.00	0.00	0.00	0.00
	103	0.00	2.59	0.00	0.00	0.00	0.00
	104	0.00	2.00	0.00	0.00	0.00	0.00
702	101	0.00	3.72	0.00	0.00	0.00	0.00
	102	0.00	3.82	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 157

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.76	0.00	0.00	0.00	0.00
	104	0.00	2.90	0.00	0.00	0.00	0.00
703	101	0.00	3.40	0.00	0.00	0.00	0.00
	102	0.00	3.50	0.00	0.00	0.00	0.00
	103	0.00	3.45	0.00	0.00	0.00	0.00
	104	0.00	2.66	0.00	0.00	0.00	0.00
704	101	0.00	3.53	0.00	0.00	0.00	0.00
	102	0.00	3.62	0.00	0.00	0.00	0.00
	103	0.00	3.57	0.00	0.00	0.00	0.00
	104	0.00	2.75	0.00	0.00	0.00	0.00
705	101	0.00	4.18	0.00	0.00	0.00	0.00
	102	0.00	4.30	0.00	0.00	0.00	0.00
	103	0.00	4.23	0.00	0.00	0.00	0.00
	104	0.00	3.27	0.00	0.00	0.00	0.00
706	101	0.00	3.15	0.00	0.00	0.00	0.00
	102	0.00	3.24	0.00	0.00	0.00	0.00
	103	0.00	3.19	0.00	0.00	0.00	0.00
	104	0.00	2.46	0.00	0.00	0.00	0.00
707	101	0.40	1.78	-6.25	0.00	0.02	0.00
	102	0.41	1.83	-7.09	0.00	0.03	0.00
	103	0.41	1.80	-6.39	0.00	0.02	0.00
	104	0.64	1.39	-6.97	0.00	-0.06	0.00
708	101	0.00	3.25	0.00	0.00	0.00	0.00
	102	0.00	3.34	0.00	0.00	0.00	0.00
	103	0.00	3.29	0.00	0.00	0.00	0.00
	104	0.00	2.54	0.00	0.00	0.00	0.00
709	101	0.00	4.67	0.00	0.00	0.00	0.00
	102	0.00	4.80	0.00	0.00	0.00	0.00
	103	0.00	4.72	0.00	0.00	0.00	0.00
	104	0.00	3.65	0.00	0.00	0.00	0.00
710	101	0.00	4.24	0.00	0.00	0.00	0.00
	102	0.00	4.36	0.00	0.00	0.00	0.00
	103	0.00	4.29	0.00	0.00	0.00	0.00
	104	0.00	3.31	0.00	0.00	0.00	0.00
711	101	0.00	4.36	0.00	0.00	0.00	0.00
	102	0.00	4.48	0.00	0.00	0.00	0.00
	103	0.00	4.41	0.00	0.00	0.00	0.00
	104	0.00	3.41	0.00	0.00	0.00	0.00
712	101	0.00	5.13	0.00	0.00	0.00	0.00
	102	0.00	5.28	0.00	0.00	0.00	0.00
	103	0.00	5.19	0.00	0.00	0.00	0.00
	104	0.00	4.02	0.00	0.00	0.00	0.00
713	101	0.00	3.84	0.00	0.00	0.00	0.00
	102	0.00	3.95	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	3.01	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 158

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
714	101	0.32	2.16	-9.21	0.00	0.04	0.00
	102	0.31	2.23	-10.26	0.00	0.05	0.00
	103	0.32	2.19	-9.39	0.00	0.04	0.00
	104	0.55	1.69	-10.25	0.00	-0.04	0.00
715	101	0.00	3.94	0.00	0.00	0.00	0.00
	102	0.00	4.05	0.00	0.00	0.00	0.00
	103	0.00	3.98	0.00	0.00	0.00	0.00
	104	0.00	3.08	0.00	0.00	0.00	0.00
716	101	0.00	5.62	0.00	0.00	0.00	0.00
	102	0.00	5.78	0.00	0.00	0.00	0.00
	103	0.00	5.68	0.00	0.00	0.00	0.00
	104	0.00	4.40	0.00	0.00	0.00	0.00
717	101	0.00	5.07	0.00	0.00	0.00	0.00
	102	0.00	5.22	0.00	0.00	0.00	0.00
	103	0.00	5.13	0.00	0.00	0.00	0.00
	104	0.00	3.97	0.00	0.00	0.00	0.00
718	101	0.00	5.19	0.00	0.00	0.00	0.00
	102	0.00	5.34	0.00	0.00	0.00	0.00
	103	0.00	5.25	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00
719	101	0.00	6.08	0.00	0.00	0.00	0.00
	102	0.00	6.26	0.00	0.00	0.00	0.00
	103	0.00	6.15	0.00	0.00	0.00	0.00
	104	0.00	4.76	0.00	0.00	0.00	0.00
720	101	0.00	4.52	0.00	0.00	0.00	0.00
	102	0.00	4.65	0.00	0.00	0.00	0.00
	103	0.00	4.57	0.00	0.00	0.00	0.00
	104	0.00	3.55	0.00	0.00	0.00	0.00
721	101	0.12	2.54	-12.36	0.00	0.07	0.00
	102	0.07	2.62	-13.57	0.00	0.08	0.00
	103	0.11	2.57	-12.57	0.00	0.07	0.00
	104	0.33	1.99	-13.68	0.00	0.00	0.00
722	101	0.00	4.62	0.00	0.00	0.00	0.00
	102	0.00	4.75	0.00	0.00	0.00	0.00
	103	0.00	4.67	0.00	0.00	0.00	0.00
	104	0.00	3.62	0.00	0.00	0.00	0.00
723	101	0.00	6.56	0.00	0.00	0.00	0.00
	102	0.00	6.75	0.00	0.00	0.00	0.00
	103	0.00	6.63	0.00	0.00	0.00	0.00
	104	0.00	5.14	0.00	0.00	0.00	0.00
724	101	0.00	5.90	0.00	0.00	0.00	0.00
	102	0.00	6.07	0.00	0.00	0.00	0.00
	103	0.00	5.96	0.00	0.00	0.00	0.00
	104	0.00	4.62	0.00	0.00	0.00	0.00
725	101	0.00	6.02	0.00	0.00	0.00	0.00
	102	0.00	6.19	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 159

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	6.08	0.00	0.00	0.00	0.00
	104	0.00	4.71	0.00	0.00	0.00	0.00
726	101	0.00	7.02	0.00	0.00	0.00	0.00
	102	0.00	7.22	0.00	0.00	0.00	0.00
	103	0.00	7.09	0.00	0.00	0.00	0.00
	104	0.00	5.50	0.00	0.00	0.00	0.00
727	101	0.00	5.20	0.00	0.00	0.00	0.00
	102	0.00	5.35	0.00	0.00	0.00	0.00
	103	0.00	5.26	0.00	0.00	0.00	0.00
	104	0.00	4.08	0.00	0.00	0.00	0.00
728	101	-0.14	2.92	-15.65	0.00	0.10	0.00
	102	-0.21	3.00	-16.99	0.00	0.12	0.00
	103	-0.15	2.95	-15.89	0.00	0.10	0.00
	104	0.04	2.29	-17.13	0.00	0.06	0.00
729	101	0.00	5.30	0.00	0.00	0.00	0.00
	102	0.00	5.45	0.00	0.00	0.00	0.00
	103	0.00	5.35	0.00	0.00	0.00	0.00
	104	0.00	4.15	0.00	0.00	0.00	0.00
730	101	0.00	7.50	0.00	0.00	0.00	0.00
	102	0.00	7.72	0.00	0.00	0.00	0.00
	103	0.00	7.58	0.00	0.00	0.00	0.00
	104	0.00	5.87	0.00	0.00	0.00	0.00
731	101	0.00	6.73	0.00	0.00	0.00	0.00
	102	0.00	6.92	0.00	0.00	0.00	0.00
	103	0.00	6.80	0.00	0.00	0.00	0.00
	104	0.00	5.26	0.00	0.00	0.00	0.00
732	101	0.00	6.85	0.00	0.00	0.00	0.00
	102	0.00	7.05	0.00	0.00	0.00	0.00
	103	0.00	6.92	0.00	0.00	0.00	0.00
	104	0.00	5.36	0.00	0.00	0.00	0.00
733	101	0.00	7.98	0.00	0.00	0.00	0.00
	102	0.00	8.21	0.00	0.00	0.00	0.00
	103	0.00	8.06	0.00	0.00	0.00	0.00
	104	0.00	6.24	0.00	0.00	0.00	0.00
734	101	0.00	5.91	0.00	0.00	0.00	0.00
	102	0.00	6.08	0.00	0.00	0.00	0.00
	103	0.00	5.97	0.00	0.00	0.00	0.00
	104	0.00	4.62	0.00	0.00	0.00	0.00
735	101	-0.26	3.32	-16.40	0.00	-0.14	0.00
	102	-0.31	3.42	-17.67	0.00	-0.15	0.00
	103	-0.27	3.35	-16.64	0.00	-0.15	0.00
	104	-0.19	2.60	-17.68	0.00	-0.19	0.00
736	101	0.00	7.85	0.00	0.00	0.00	0.00
	102	0.00	8.08	0.00	0.00	0.00	0.00
	103	0.00	7.93	0.00	0.00	0.00	0.00
	104	0.00	6.15	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 160

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
737	101	0.00	6.35	0.00	0.00	0.00	0.00
	102	0.00	6.54	0.00	0.00	0.00	0.00
	103	0.00	6.42	0.00	0.00	0.00	0.00
	104	0.00	4.97	0.00	0.00	0.00	0.00
738	101	0.00	0.27	0.00	0.00	0.00	0.00
	102	0.00	0.29	0.00	0.00	0.00	0.00
	103	0.00	0.27	0.00	0.00	0.00	0.00
	104	0.00	0.26	0.00	0.00	0.00	0.00
739	101	0.00	0.95	0.00	0.00	0.00	0.00
	102	0.00	1.04	0.00	0.00	0.00	0.00
	103	0.00	0.98	0.00	0.00	0.00	0.00
	104	0.00	0.93	0.00	0.00	0.00	0.00
740	101	0.00	1.43	0.00	0.00	0.00	0.00
	102	0.00	1.56	0.00	0.00	0.00	0.00
	103	0.00	1.46	0.00	0.00	0.00	0.00
	104	0.00	1.39	0.00	0.00	0.00	0.00
741	101	0.00	1.70	0.00	0.00	0.00	0.00
	102	0.00	1.86	0.00	0.00	0.00	0.00
	103	0.00	1.74	0.00	0.00	0.00	0.00
	104	0.00	1.65	0.00	0.00	0.00	0.00
742	101	0.00	1.87	0.00	0.00	0.00	0.00
	102	0.00	2.04	0.00	0.00	0.00	0.00
	103	0.00	1.92	0.00	0.00	0.00	0.00
	104	0.00	1.80	0.00	0.00	0.00	0.00
743	101	0.00	1.45	0.00	0.00	0.00	0.00
	102	0.00	1.57	0.00	0.00	0.00	0.00
	103	0.00	1.48	0.00	0.00	0.00	0.00
	104	0.00	1.38	0.00	0.00	0.00	0.00
744	101	0.17	1.15	-2.60	0.00	0.04	0.00
	102	0.10	1.25	-3.24	0.00	0.06	0.00
	103	0.16	1.18	-2.69	0.00	0.04	0.00
	104	0.34	1.10	-3.02	0.00	0.00	0.00
745	101	0.00	2.20	0.00	0.00	0.00	0.00
	102	0.00	2.38	0.00	0.00	0.00	0.00
	103	0.00	2.25	0.00	0.00	0.00	0.00
	104	0.00	2.08	0.00	0.00	0.00	0.00
746	101	0.00	3.26	0.00	0.00	0.00	0.00
	102	0.00	3.51	0.00	0.00	0.00	0.00
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	3.06	0.00	0.00	0.00	0.00
747	101	0.00	3.07	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	3.13	0.00	0.00	0.00	0.00
	104	0.00	2.86	0.00	0.00	0.00	0.00
748	101	0.00	3.26	0.00	0.00	0.00	0.00
	102	0.00	3.50	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 161

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	3.33	0.00	0.00	0.00	0.00
	104	0.00	3.03	0.00	0.00	0.00	0.00
749	101	0.00	3.98	0.00	0.00	0.00	0.00
	102	0.00	4.26	0.00	0.00	0.00	0.00
	103	0.00	4.06	0.00	0.00	0.00	0.00
	104	0.00	3.68	0.00	0.00	0.00	0.00
750	101	0.00	3.08	0.00	0.00	0.00	0.00
	102	0.00	3.29	0.00	0.00	0.00	0.00
	103	0.00	3.14	0.00	0.00	0.00	0.00
	104	0.00	2.84	0.00	0.00	0.00	0.00
751	101	0.44	1.78	-5.70	0.00	-0.02	0.00
	102	0.42	1.90	-6.75	0.00	-0.01	0.00
	103	0.45	1.82	-5.87	0.00	-0.02	0.00
	104	0.85	1.64	-6.40	0.00	-0.12	0.00
752	101	0.00	3.32	0.00	0.00	0.00	0.00
	102	0.00	3.54	0.00	0.00	0.00	0.00
	103	0.00	3.38	0.00	0.00	0.00	0.00
	104	0.00	3.05	0.00	0.00	0.00	0.00
753	101	0.00	4.86	0.00	0.00	0.00	0.00
	102	0.00	5.17	0.00	0.00	0.00	0.00
	103	0.00	4.95	0.00	0.00	0.00	0.00
	104	0.00	4.45	0.00	0.00	0.00	0.00
754	101	0.00	4.51	0.00	0.00	0.00	0.00
	102	0.00	4.79	0.00	0.00	0.00	0.00
	103	0.00	4.59	0.00	0.00	0.00	0.00
	104	0.00	4.12	0.00	0.00	0.00	0.00
755	101	0.00	4.76	0.00	0.00	0.00	0.00
	102	0.00	5.04	0.00	0.00	0.00	0.00
	103	0.00	4.84	0.00	0.00	0.00	0.00
	104	0.00	4.33	0.00	0.00	0.00	0.00
756	101	0.00	5.74	0.00	0.00	0.00	0.00
	102	0.00	6.08	0.00	0.00	0.00	0.00
	103	0.00	5.84	0.00	0.00	0.00	0.00
	104	0.00	5.23	0.00	0.00	0.00	0.00
757	101	0.00	4.40	0.00	0.00	0.00	0.00
	102	0.00	4.66	0.00	0.00	0.00	0.00
	103	0.00	4.47	0.00	0.00	0.00	0.00
	104	0.00	4.01	0.00	0.00	0.00	0.00
758	101	0.58	2.53	-10.67	0.00	-0.03	0.00
	102	0.55	2.68	-12.18	0.00	-0.01	0.00
	103	0.58	2.57	-10.92	0.00	-0.03	0.00
	104	1.08	2.30	-11.90	0.00	-0.17	0.00
759	101	0.00	4.69	0.00	0.00	0.00	0.00
	102	0.00	4.96	0.00	0.00	0.00	0.00
	103	0.00	4.77	0.00	0.00	0.00	0.00
	104	0.00	4.27	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 162

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
760	101	0.00	6.79	0.00	0.00	0.00	0.00
	102	0.00	7.17	0.00	0.00	0.00	0.00
	103	0.00	6.90	0.00	0.00	0.00	0.00
	104	0.00	6.15	0.00	0.00	0.00	0.00
761	101	0.00	6.24	0.00	0.00	0.00	0.00
	102	0.00	6.58	0.00	0.00	0.00	0.00
	103	0.00	6.34	0.00	0.00	0.00	0.00
	104	0.00	5.65	0.00	0.00	0.00	0.00
762	101	0.00	6.52	0.00	0.00	0.00	0.00
	102	0.00	6.86	0.00	0.00	0.00	0.00
	103	0.00	6.62	0.00	0.00	0.00	0.00
	104	0.00	5.90	0.00	0.00	0.00	0.00
763	101	0.00	7.81	0.00	0.00	0.00	0.00
	102	0.00	8.21	0.00	0.00	0.00	0.00
	103	0.00	7.92	0.00	0.00	0.00	0.00
	104	0.00	7.06	0.00	0.00	0.00	0.00
764	101	0.00	5.93	0.00	0.00	0.00	0.00
	102	0.00	6.24	0.00	0.00	0.00	0.00
	103	0.00	6.02	0.00	0.00	0.00	0.00
	104	0.00	5.37	0.00	0.00	0.00	0.00
765	101	0.46	3.40	-17.50	0.00	0.02	0.00
	102	0.40	3.57	-19.59	0.00	0.05	0.00
	103	0.45	3.45	-17.86	0.00	0.03	0.00
	104	0.96	3.07	-19.59	0.00	-0.13	0.00
766	101	0.00	6.27	0.00	0.00	0.00	0.00
	102	0.00	6.59	0.00	0.00	0.00	0.00
	103	0.00	6.36	0.00	0.00	0.00	0.00
	104	0.00	5.67	0.00	0.00	0.00	0.00
767	101	0.00	9.00	0.00	0.00	0.00	0.00
	102	0.00	9.44	0.00	0.00	0.00	0.00
	103	0.00	9.12	0.00	0.00	0.00	0.00
	104	0.00	8.10	0.00	0.00	0.00	0.00
768	101	0.00	8.20	0.00	0.00	0.00	0.00
	102	0.00	8.59	0.00	0.00	0.00	0.00
	103	0.00	8.31	0.00	0.00	0.00	0.00
	104	0.00	7.37	0.00	0.00	0.00	0.00
769	101	0.00	8.51	0.00	0.00	0.00	0.00
	102	0.00	8.91	0.00	0.00	0.00	0.00
	103	0.00	8.62	0.00	0.00	0.00	0.00
	104	0.00	7.64	0.00	0.00	0.00	0.00
770	101	0.00	10.12	0.00	0.00	0.00	0.00
	102	0.00	10.58	0.00	0.00	0.00	0.00
	103	0.00	10.25	0.00	0.00	0.00	0.00
	104	0.00	9.09	0.00	0.00	0.00	0.00
771	101	0.00	7.64	0.00	0.00	0.00	0.00
	102	0.00	7.99	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 163

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	7.74	0.00	0.00	0.00	0.00
	104	0.00	6.86	0.00	0.00	0.00	0.00
772	101	0.19	4.36	-26.17	0.00	0.12	0.00
	102	0.10	4.56	-28.87	0.00	0.16	0.00
	103	0.18	4.42	-26.64	0.00	0.12	0.00
	104	0.61	3.92	-29.26	0.00	-0.02	0.00
773	101	0.00	8.02	0.00	0.00	0.00	0.00
	102	0.00	8.38	0.00	0.00	0.00	0.00
	103	0.00	8.12	0.00	0.00	0.00	0.00
	104	0.00	7.19	0.00	0.00	0.00	0.00
774	101	0.00	11.43	0.00	0.00	0.00	0.00
	102	0.00	11.93	0.00	0.00	0.00	0.00
	103	0.00	11.57	0.00	0.00	0.00	0.00
	104	0.00	10.21	0.00	0.00	0.00	0.00
775	101	0.00	10.35	0.00	0.00	0.00	0.00
	102	0.00	10.80	0.00	0.00	0.00	0.00
	103	0.00	10.48	0.00	0.00	0.00	0.00
	104	0.00	9.23	0.00	0.00	0.00	0.00
776	101	0.00	10.69	0.00	0.00	0.00	0.00
	102	0.00	11.14	0.00	0.00	0.00	0.00
	103	0.00	10.82	0.00	0.00	0.00	0.00
	104	0.00	9.52	0.00	0.00	0.00	0.00
777	101	0.00	12.64	0.00	0.00	0.00	0.00
	102	0.00	13.18	0.00	0.00	0.00	0.00
	103	0.00	12.80	0.00	0.00	0.00	0.00
	104	0.00	11.25	0.00	0.00	0.00	0.00
778	101	0.00	9.50	0.00	0.00	0.00	0.00
	102	0.00	9.90	0.00	0.00	0.00	0.00
	103	0.00	9.62	0.00	0.00	0.00	0.00
	104	0.00	8.45	0.00	0.00	0.00	0.00
779	101	-0.07	5.41	-36.95	0.00	0.23	0.00
	102	-0.17	5.64	-40.30	0.00	0.27	0.00
	103	-0.08	5.48	-37.56	0.00	0.23	0.00
	104	0.26	4.81	-41.00	0.00	0.13	0.00
780	101	0.00	9.92	0.00	0.00	0.00	0.00
	102	0.00	10.34	0.00	0.00	0.00	0.00
	103	0.00	10.04	0.00	0.00	0.00	0.00
	104	0.00	8.82	0.00	0.00	0.00	0.00
781	101	0.00	14.08	0.00	0.00	0.00	0.00
	102	0.00	14.66	0.00	0.00	0.00	0.00
	103	0.00	14.26	0.00	0.00	0.00	0.00
	104	0.00	12.47	0.00	0.00	0.00	0.00
782	101	0.00	12.71	0.00	0.00	0.00	0.00
	102	0.00	13.22	0.00	0.00	0.00	0.00
	103	0.00	12.87	0.00	0.00	0.00	0.00
	104	0.00	11.22	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 164

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
783	101	0.00	13.09	0.00	0.00	0.00	0.00
	102	0.00	13.61	0.00	0.00	0.00	0.00
	103	0.00	13.25	0.00	0.00	0.00	0.00
	104	0.00	11.54	0.00	0.00	0.00	0.00
784	101	0.00	15.45	0.00	0.00	0.00	0.00
	102	0.00	16.07	0.00	0.00	0.00	0.00
	103	0.00	15.64	0.00	0.00	0.00	0.00
	104	0.00	13.61	0.00	0.00	0.00	0.00
785	101	0.00	11.61	0.00	0.00	0.00	0.00
	102	0.00	12.07	0.00	0.00	0.00	0.00
	103	0.00	11.74	0.00	0.00	0.00	0.00
	104	0.00	10.22	0.00	0.00	0.00	0.00
786	101	-0.32	6.62	-42.73	0.00	-0.22	0.00
	102	-0.39	6.88	-46.28	0.00	-0.23	0.00
	103	-0.33	6.69	-43.40	0.00	-0.22	0.00
	104	-0.12	5.83	-47.09	0.00	-0.33	0.00
787	101	0.00	15.87	0.00	0.00	0.00	0.00
	102	0.00	16.51	0.00	0.00	0.00	0.00
	103	0.00	16.06	0.00	0.00	0.00	0.00
	104	0.00	13.96	0.00	0.00	0.00	0.00
788	101	0.00	12.84	0.00	0.00	0.00	0.00
	102	0.00	13.35	0.00	0.00	0.00	0.00
	103	0.00	12.99	0.00	0.00	0.00	0.00
	104	0.00	11.26	0.00	0.00	0.00	0.00
789	101	0.00	0.20	0.00	0.00	0.00	0.00
	102	0.00	0.23	0.00	0.00	0.00	0.00
	103	0.00	0.21	0.00	0.00	0.00	0.00
	104	0.00	0.21	0.00	0.00	0.00	0.00
790	101	0.00	0.65	0.00	0.00	0.00	0.00
	102	0.00	0.72	0.00	0.00	0.00	0.00
	103	0.00	0.67	0.00	0.00	0.00	0.00
	104	0.00	0.66	0.00	0.00	0.00	0.00
791	101	0.00	0.99	0.00	0.00	0.00	0.00
	102	0.00	1.10	0.00	0.00	0.00	0.00
	103	0.00	1.02	0.00	0.00	0.00	0.00
	104	0.00	1.00	0.00	0.00	0.00	0.00
792	101	0.00	1.27	0.00	0.00	0.00	0.00
	102	0.00	1.40	0.00	0.00	0.00	0.00
	103	0.00	1.30	0.00	0.00	0.00	0.00
	104	0.00	1.27	0.00	0.00	0.00	0.00
793	101	0.00	1.38	0.00	0.00	0.00	0.00
	102	0.00	1.52	0.00	0.00	0.00	0.00
	103	0.00	1.41	0.00	0.00	0.00	0.00
	104	0.00	1.37	0.00	0.00	0.00	0.00
794	101	0.00	1.11	0.00	0.00	0.00	0.00
	102	0.00	1.22	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 165

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	1.14	0.00	0.00	0.00	0.00
	104	0.00	1.10	0.00	0.00	0.00	0.00
795	101	0.21	0.99	-1.35	0.00	0.05	0.00
	102	0.13	1.09	-1.70	0.00	0.05	0.00
	103	0.20	1.02	-1.40	0.00	0.05	0.00
	104	0.37	0.98	-1.54	0.00	0.04	0.00
796	101	0.00	1.95	0.00	0.00	0.00	0.00
	102	0.00	2.14	0.00	0.00	0.00	0.00
	103	0.00	2.00	0.00	0.00	0.00	0.00
	104	0.00	1.93	0.00	0.00	0.00	0.00
797	101	0.00	2.97	0.00	0.00	0.00	0.00
	102	0.00	3.24	0.00	0.00	0.00	0.00
	103	0.00	3.04	0.00	0.00	0.00	0.00
	104	0.00	2.91	0.00	0.00	0.00	0.00
798	101	0.00	2.87	0.00	0.00	0.00	0.00
	102	0.00	3.12	0.00	0.00	0.00	0.00
	103	0.00	2.93	0.00	0.00	0.00	0.00
	104	0.00	2.80	0.00	0.00	0.00	0.00
799	101	0.00	3.13	0.00	0.00	0.00	0.00
	102	0.00	3.40	0.00	0.00	0.00	0.00
	103	0.00	3.20	0.00	0.00	0.00	0.00
	104	0.00	3.06	0.00	0.00	0.00	0.00
800	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	4.25	0.00	0.00	0.00	0.00
	103	0.00	4.00	0.00	0.00	0.00	0.00
	104	0.00	3.82	0.00	0.00	0.00	0.00
801	101	0.00	3.10	0.00	0.00	0.00	0.00
	102	0.00	3.36	0.00	0.00	0.00	0.00
	103	0.00	3.16	0.00	0.00	0.00	0.00
	104	0.00	3.02	0.00	0.00	0.00	0.00
802	101	0.48	1.84	-4.64	0.00	0.02	0.00
	102	0.43	1.99	-5.53	0.00	0.03	0.00
	103	0.48	1.88	-4.78	0.00	0.02	0.00
	104	0.97	1.79	-5.17	0.00	-0.03	0.00
803	101	0.00	3.51	0.00	0.00	0.00	0.00
	102	0.00	3.80	0.00	0.00	0.00	0.00
	103	0.00	3.58	0.00	0.00	0.00	0.00
	104	0.00	3.42	0.00	0.00	0.00	0.00
804	101	0.00	5.21	0.00	0.00	0.00	0.00
	102	0.00	5.62	0.00	0.00	0.00	0.00
	103	0.00	5.31	0.00	0.00	0.00	0.00
	104	0.00	5.08	0.00	0.00	0.00	0.00
805	101	0.00	4.92	0.00	0.00	0.00	0.00
	102	0.00	5.30	0.00	0.00	0.00	0.00
	103	0.00	5.02	0.00	0.00	0.00	0.00
	104	0.00	4.79	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 166

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
806	101	0.00	5.28	0.00	0.00	0.00	0.00
	102	0.00	5.68	0.00	0.00	0.00	0.00
	103	0.00	5.38	0.00	0.00	0.00	0.00
	104	0.00	5.15	0.00	0.00	0.00	0.00
807	101	0.00	6.50	0.00	0.00	0.00	0.00
	102	0.00	6.99	0.00	0.00	0.00	0.00
	103	0.00	6.62	0.00	0.00	0.00	0.00
	104	0.00	6.35	0.00	0.00	0.00	0.00
808	101	0.00	5.06	0.00	0.00	0.00	0.00
	102	0.00	5.44	0.00	0.00	0.00	0.00
	103	0.00	5.16	0.00	0.00	0.00	0.00
	104	0.00	4.96	0.00	0.00	0.00	0.00
809	101	0.63	2.97	-11.19	0.00	0.01	0.00
	102	0.56	3.19	-12.86	0.00	0.03	0.00
	103	0.63	3.02	-11.47	0.00	0.01	0.00
	104	1.35	2.91	-12.51	0.00	-0.10	0.00
810	101	0.00	5.59	0.00	0.00	0.00	0.00
	102	0.00	6.00	0.00	0.00	0.00	0.00
	103	0.00	5.69	0.00	0.00	0.00	0.00
	104	0.00	5.49	0.00	0.00	0.00	0.00
811	101	0.00	8.16	0.00	0.00	0.00	0.00
	102	0.00	8.74	0.00	0.00	0.00	0.00
	103	0.00	8.30	0.00	0.00	0.00	0.00
	104	0.00	8.01	0.00	0.00	0.00	0.00
812	101	0.00	7.58	0.00	0.00	0.00	0.00
	102	0.00	8.11	0.00	0.00	0.00	0.00
	103	0.00	7.72	0.00	0.00	0.00	0.00
	104	0.00	7.45	0.00	0.00	0.00	0.00
813	101	0.00	8.03	0.00	0.00	0.00	0.00
	102	0.00	8.58	0.00	0.00	0.00	0.00
	103	0.00	8.17	0.00	0.00	0.00	0.00
	104	0.00	7.91	0.00	0.00	0.00	0.00
814	101	0.00	9.76	0.00	0.00	0.00	0.00
	102	0.00	10.41	0.00	0.00	0.00	0.00
	103	0.00	9.92	0.00	0.00	0.00	0.00
	104	0.00	9.63	0.00	0.00	0.00	0.00
815	101	0.00	7.51	0.00	0.00	0.00	0.00
	102	0.00	8.02	0.00	0.00	0.00	0.00
	103	0.00	7.64	0.00	0.00	0.00	0.00
	104	0.00	7.43	0.00	0.00	0.00	0.00
816	101	0.46	4.36	-21.55	0.00	0.06	0.00
	102	0.35	4.66	-24.24	0.00	0.09	0.00
	103	0.44	4.44	-22.01	0.00	0.06	0.00
	104	1.23	4.33	-24.36	0.00	-0.10	0.00
817	101	0.00	0.18	0.00	0.00	0.00	0.00
	102	0.00	0.20	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 167

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	0.19	0.00	0.00	0.00	0.00
	104	0.00	0.20	0.00	0.00	0.00	0.00
818	101	0.00	0.50	0.00	0.00	0.00	0.00
	102	0.00	0.56	0.00	0.00	0.00	0.00
	103	0.00	0.51	0.00	0.00	0.00	0.00
	104	0.00	0.54	0.00	0.00	0.00	0.00
819	101	0.00	8.15	0.00	0.00	0.00	0.00
	102	0.00	8.69	0.00	0.00	0.00	0.00
	103	0.00	8.28	0.00	0.00	0.00	0.00
	104	0.00	8.08	0.00	0.00	0.00	0.00
820	101	0.00	0.76	0.00	0.00	0.00	0.00
	102	0.00	0.86	0.00	0.00	0.00	0.00
	103	0.00	0.78	0.00	0.00	0.00	0.00
	104	0.00	0.83	0.00	0.00	0.00	0.00
821	101	0.00	11.73	0.00	0.00	0.00	0.00
	102	0.00	12.49	0.00	0.00	0.00	0.00
	103	0.00	11.93	0.00	0.00	0.00	0.00
	104	0.00	11.64	0.00	0.00	0.00	0.00
822	101	0.00	10.77	0.00	0.00	0.00	0.00
	102	0.00	11.45	0.00	0.00	0.00	0.00
	103	0.00	10.94	0.00	0.00	0.00	0.00
	104	0.00	10.69	0.00	0.00	0.00	0.00
823	101	0.00	1.05	0.00	0.00	0.00	0.00
	102	0.00	1.19	0.00	0.00	0.00	0.00
	103	0.00	1.08	0.00	0.00	0.00	0.00
	104	0.00	1.15	0.00	0.00	0.00	0.00
824	101	0.00	11.29	0.00	0.00	0.00	0.00
	102	0.00	11.99	0.00	0.00	0.00	0.00
	103	0.00	11.47	0.00	0.00	0.00	0.00
	104	0.00	11.22	0.00	0.00	0.00	0.00
825	101	0.00	1.13	0.00	0.00	0.00	0.00
	102	0.00	1.27	0.00	0.00	0.00	0.00
	103	0.00	1.16	0.00	0.00	0.00	0.00
	104	0.00	1.22	0.00	0.00	0.00	0.00
826	101	0.00	13.58	0.00	0.00	0.00	0.00
	102	0.00	14.41	0.00	0.00	0.00	0.00
	103	0.00	13.79	0.00	0.00	0.00	0.00
	104	0.00	13.51	0.00	0.00	0.00	0.00
827	101	0.00	0.89	0.00	0.00	0.00	0.00
	102	0.00	1.00	0.00	0.00	0.00	0.00
	103	0.00	0.91	0.00	0.00	0.00	0.00
	104	0.00	0.96	0.00	0.00	0.00	0.00
828	101	0.00	10.37	0.00	0.00	0.00	0.00
	102	0.00	11.00	0.00	0.00	0.00	0.00
	103	0.00	10.53	0.00	0.00	0.00	0.00
	104	0.00	10.33	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 168

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
829	101	0.11	5.98	-35.76	0.00	0.17	0.00
	102	-0.03	6.34	-39.63	0.00	0.22	0.00
	103	0.09	6.07	-36.43	0.00	0.18	0.00
	104	0.76	5.97	-40.67	0.00	0.01	0.00
830	101	0.17	0.79	-1.89	0.00	0.00	0.00
	102	0.13	0.90	-2.39	0.00	0.02	0.00
	103	0.17	0.82	-1.96	0.00	0.01	0.00
	104	0.26	0.86	-2.16	0.00	-0.02	0.00
831	101	0.00	11.09	0.00	0.00	0.00	0.00
	102	0.00	11.76	0.00	0.00	0.00	0.00
	103	0.00	11.26	0.00	0.00	0.00	0.00
	104	0.00	11.09	0.00	0.00	0.00	0.00
832	101	0.00	15.82	0.00	0.00	0.00	0.00
	102	0.00	16.75	0.00	0.00	0.00	0.00
	103	0.00	16.06	0.00	0.00	0.00	0.00
	104	0.00	15.80	0.00	0.00	0.00	0.00
833	101	0.00	1.56	0.00	0.00	0.00	0.00
	102	0.00	1.76	0.00	0.00	0.00	0.00
	103	0.00	1.60	0.00	0.00	0.00	0.00
	104	0.00	1.69	0.00	0.00	0.00	0.00
834	101	0.00	14.38	0.00	0.00	0.00	0.00
	102	0.00	15.21	0.00	0.00	0.00	0.00
	103	0.00	14.60	0.00	0.00	0.00	0.00
	104	0.00	14.35	0.00	0.00	0.00	0.00
835	101	0.00	14.96	0.00	0.00	0.00	0.00
	102	0.00	15.81	0.00	0.00	0.00	0.00
	103	0.00	15.18	0.00	0.00	0.00	0.00
	104	0.00	14.94	0.00	0.00	0.00	0.00
836	101	0.00	2.33	0.00	0.00	0.00	0.00
	102	0.00	2.61	0.00	0.00	0.00	0.00
	103	0.00	2.39	0.00	0.00	0.00	0.00
	104	0.00	2.51	0.00	0.00	0.00	0.00
837	101	0.00	17.86	0.00	0.00	0.00	0.00
	102	0.00	18.87	0.00	0.00	0.00	0.00
	103	0.00	18.13	0.00	0.00	0.00	0.00
	104	0.00	17.85	0.00	0.00	0.00	0.00
838	101	0.00	13.55	0.00	0.00	0.00	0.00
	102	0.00	14.31	0.00	0.00	0.00	0.00
	103	0.00	13.75	0.00	0.00	0.00	0.00
	104	0.00	13.56	0.00	0.00	0.00	0.00
839	101	0.00	2.22	0.00	0.00	0.00	0.00
	102	0.00	2.48	0.00	0.00	0.00	0.00
	103	0.00	2.27	0.00	0.00	0.00	0.00
	104	0.00	2.38	0.00	0.00	0.00	0.00
840	101	-0.10	7.78	-54.09	0.00	0.31	0.00
	102	-0.24	8.22	-59.25	0.00	0.37	0.00

STAAD SPACE -- PAGE NO. 169

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	-0.12	7.90	-55.02	0.00	0.32	0.00
	104	0.37	7.80	-61.42	0.00	0.19	0.00
841	101	0.00	14.36	0.00	0.00	0.00	0.00
	102	0.00	15.17	0.00	0.00	0.00	0.00
	103	0.00	14.57	0.00	0.00	0.00	0.00
	104	0.00	14.40	0.00	0.00	0.00	0.00
842	101	0.00	2.39	0.00	0.00	0.00	0.00
	102	0.00	2.67	0.00	0.00	0.00	0.00
	103	0.00	2.45	0.00	0.00	0.00	0.00
	104	0.00	2.57	0.00	0.00	0.00	0.00
843	101	0.00	20.36	0.00	0.00	0.00	0.00
	102	0.00	21.47	0.00	0.00	0.00	0.00
	103	0.00	20.65	0.00	0.00	0.00	0.00
	104	0.00	20.36	0.00	0.00	0.00	0.00
844	101	0.00	18.40	0.00	0.00	0.00	0.00
	102	0.00	19.39	0.00	0.00	0.00	0.00
	103	0.00	18.66	0.00	0.00	0.00	0.00
	104	0.00	18.38	0.00	0.00	0.00	0.00
845	101	0.00	2.96	0.00	0.00	0.00	0.00
	102	0.00	3.30	0.00	0.00	0.00	0.00
	103	0.00	3.04	0.00	0.00	0.00	0.00
	104	0.00	3.17	0.00	0.00	0.00	0.00
846	101	0.00	19.06	0.00	0.00	0.00	0.00
	102	0.00	20.07	0.00	0.00	0.00	0.00
	103	0.00	19.33	0.00	0.00	0.00	0.00
	104	0.00	19.03	0.00	0.00	0.00	0.00
847	101	0.00	22.70	0.00	0.00	0.00	0.00
	102	0.00	23.91	0.00	0.00	0.00	0.00
	103	0.00	23.02	0.00	0.00	0.00	0.00
	104	0.00	22.68	0.00	0.00	0.00	0.00
848	101	0.00	2.33	0.00	0.00	0.00	0.00
	102	0.00	2.58	0.00	0.00	0.00	0.00
	103	0.00	2.38	0.00	0.00	0.00	0.00
	104	0.00	2.49	0.00	0.00	0.00	0.00
849	101	0.00	17.23	0.00	0.00	0.00	0.00
	102	0.00	18.15	0.00	0.00	0.00	0.00
	103	0.00	17.47	0.00	0.00	0.00	0.00
	104	0.00	17.22	0.00	0.00	0.00	0.00
850	101	0.16	9.90	-64.44	0.00	-0.17	0.00
	102	0.13	10.43	-70.09	0.00	-0.16	0.00
	103	0.16	10.04	-65.51	0.00	-0.17	0.00
	104	0.52	9.91	-73.43	0.00	-0.30	0.00
851	101	0.18	1.37	-4.20	0.00	-0.03	0.00
	102	0.13	1.52	-5.03	0.00	-0.01	0.00
	103	0.18	1.40	-4.33	0.00	-0.03	0.00
	104	0.38	1.47	-4.68	0.00	-0.11	0.00

STAAD SPACE -- PAGE NO. 170

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
852	101	0.00	23.92	0.00	0.00	0.00	0.00
	102	0.00	25.21	0.00	0.00	0.00	0.00
	103	0.00	24.26	0.00	0.00	0.00	0.00
	104	0.00	23.96	0.00	0.00	0.00	0.00
853	101	0.00	2.58	0.00	0.00	0.00	0.00
	102	0.00	2.86	0.00	0.00	0.00	0.00
	103	0.00	2.64	0.00	0.00	0.00	0.00
	104	0.00	2.77	0.00	0.00	0.00	0.00
854	101	0.00	19.30	0.00	0.00	0.00	0.00
	102	0.00	20.33	0.00	0.00	0.00	0.00
	103	0.00	19.57	0.00	0.00	0.00	0.00
	104	0.00	19.27	0.00	0.00	0.00	0.00
855	101	0.00	3.79	0.00	0.00	0.00	0.00
	102	0.00	4.19	0.00	0.00	0.00	0.00
	103	0.00	3.88	0.00	0.00	0.00	0.00
	104	0.00	4.07	0.00	0.00	0.00	0.00
856	101	0.00	3.55	0.00	0.00	0.00	0.00
	102	0.00	3.91	0.00	0.00	0.00	0.00
	103	0.00	3.63	0.00	0.00	0.00	0.00
	104	0.00	3.82	0.00	0.00	0.00	0.00
857	101	0.00	3.78	0.00	0.00	0.00	0.00
	102	0.00	4.16	0.00	0.00	0.00	0.00
	103	0.00	3.87	0.00	0.00	0.00	0.00
	104	0.00	4.08	0.00	0.00	0.00	0.00
858	101	0.00	4.63	0.00	0.00	0.00	0.00
	102	0.00	5.09	0.00	0.00	0.00	0.00
	103	0.00	4.73	0.00	0.00	0.00	0.00
	104	0.00	5.00	0.00	0.00	0.00	0.00
859	101	0.00	3.60	0.00	0.00	0.00	0.00
	102	0.00	3.95	0.00	0.00	0.00	0.00
	103	0.00	3.68	0.00	0.00	0.00	0.00
	104	0.00	3.90	0.00	0.00	0.00	0.00
860	101	0.12	2.10	-8.09	0.00	-0.03	0.00
	102	0.06	2.30	-9.34	0.00	0.00	0.00
	103	0.11	2.15	-8.30	0.00	-0.02	0.00
	104	0.37	2.28	-9.08	0.00	-0.16	0.00
861	101	0.00	3.92	0.00	0.00	0.00	0.00
	102	0.00	4.30	0.00	0.00	0.00	0.00
	103	0.00	4.01	0.00	0.00	0.00	0.00
	104	0.00	4.27	0.00	0.00	0.00	0.00
862	101	0.00	5.66	0.00	0.00	0.00	0.00
	102	0.00	6.20	0.00	0.00	0.00	0.00
	103	0.00	5.78	0.00	0.00	0.00	0.00
	104	0.00	6.18	0.00	0.00	0.00	0.00
863	101	0.00	5.23	0.00	0.00	0.00	0.00
	102	0.00	5.71	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 171

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	5.33	0.00	0.00	0.00	0.00
	104	0.00	5.72	0.00	0.00	0.00	0.00
864	101	0.00	5.51	0.00	0.00	0.00	0.00
	102	0.00	6.01	0.00	0.00	0.00	0.00
	103	0.00	5.62	0.00	0.00	0.00	0.00
	104	0.00	6.04	0.00	0.00	0.00	0.00
865	101	0.00	6.68	0.00	0.00	0.00	0.00
	102	0.00	7.27	0.00	0.00	0.00	0.00
	103	0.00	6.82	0.00	0.00	0.00	0.00
	104	0.00	7.35	0.00	0.00	0.00	0.00
866	101	0.00	5.15	0.00	0.00	0.00	0.00
	102	0.00	5.60	0.00	0.00	0.00	0.00
	103	0.00	5.25	0.00	0.00	0.00	0.00
	104	0.00	5.68	0.00	0.00	0.00	0.00
867	101	-0.07	2.98	-13.69	0.00	0.05	0.00
	102	-0.14	3.24	-15.45	0.00	0.09	0.00
	103	-0.08	3.04	-13.99	0.00	0.05	0.00
	104	0.16	3.30	-15.58	0.00	-0.11	0.00
868	101	0.00	5.53	0.00	0.00	0.00	0.00
	102	0.00	6.01	0.00	0.00	0.00	0.00
	103	0.00	5.64	0.00	0.00	0.00	0.00
	104	0.00	6.13	0.00	0.00	0.00	0.00
869	101	0.00	7.88	0.00	0.00	0.00	0.00
	102	0.00	8.54	0.00	0.00	0.00	0.00
	103	0.00	8.03	0.00	0.00	0.00	0.00
	104	0.00	8.75	0.00	0.00	0.00	0.00
870	101	0.00	7.18	0.00	0.00	0.00	0.00
	102	0.00	7.77	0.00	0.00	0.00	0.00
	103	0.00	7.31	0.00	0.00	0.00	0.00
	104	0.00	7.99	0.00	0.00	0.00	0.00
871	101	0.00	7.49	0.00	0.00	0.00	0.00
	102	0.00	8.10	0.00	0.00	0.00	0.00
	103	0.00	7.63	0.00	0.00	0.00	0.00
	104	0.00	8.36	0.00	0.00	0.00	0.00
872	101	0.00	9.01	0.00	0.00	0.00	0.00
	102	0.00	9.73	0.00	0.00	0.00	0.00
	103	0.00	9.17	0.00	0.00	0.00	0.00
	104	0.00	10.07	0.00	0.00	0.00	0.00
873	101	0.00	6.89	0.00	0.00	0.00	0.00
	102	0.00	7.44	0.00	0.00	0.00	0.00
	103	0.00	7.01	0.00	0.00	0.00	0.00
	104	0.00	7.71	0.00	0.00	0.00	0.00
874	101	-0.27	3.97	-20.91	0.00	0.17	0.00
	102	-0.35	4.29	-23.24	0.00	0.23	0.00
	103	-0.28	4.04	-21.31	0.00	0.18	0.00
	104	-0.12	4.46	-24.05	0.00	0.03	0.00

STAAD SPACE -- PAGE NO. 172

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
875	101	0.00	7.31	0.00	0.00	0.00	0.00
	102	0.00	7.89	0.00	0.00	0.00	0.00
	103	0.00	7.44	0.00	0.00	0.00	0.00
	104	0.00	8.22	0.00	0.00	0.00	0.00
876	101	0.00	10.31	0.00	0.00	0.00	0.00
	102	0.00	11.10	0.00	0.00	0.00	0.00
	103	0.00	10.49	0.00	0.00	0.00	0.00
	104	0.00	11.60	0.00	0.00	0.00	0.00
877	101	0.00	9.30	0.00	0.00	0.00	0.00
	102	0.00	10.00	0.00	0.00	0.00	0.00
	103	0.00	9.46	0.00	0.00	0.00	0.00
	104	0.00	10.48	0.00	0.00	0.00	0.00
878	101	0.00	9.64	0.00	0.00	0.00	0.00
	102	0.00	10.35	0.00	0.00	0.00	0.00
	103	0.00	9.81	0.00	0.00	0.00	0.00
	104	0.00	10.88	0.00	0.00	0.00	0.00
879	101	0.00	11.51	0.00	0.00	0.00	0.00
	102	0.00	12.35	0.00	0.00	0.00	0.00
	103	0.00	11.71	0.00	0.00	0.00	0.00
	104	0.00	13.00	0.00	0.00	0.00	0.00
880	101	0.00	8.76	0.00	0.00	0.00	0.00
	102	0.00	9.39	0.00	0.00	0.00	0.00
	103	0.00	8.91	0.00	0.00	0.00	0.00
	104	0.00	9.90	0.00	0.00	0.00	0.00
881	101	-0.37	5.03	-29.83	0.00	0.29	0.00
	102	-0.45	5.39	-32.75	0.00	0.35	0.00
	103	-0.38	5.11	-30.35	0.00	0.29	0.00
	104	-0.30	5.69	-34.39	0.00	0.19	0.00
882	101	0.00	9.22	0.00	0.00	0.00	0.00
	102	0.00	9.88	0.00	0.00	0.00	0.00
	103	0.00	9.37	0.00	0.00	0.00	0.00
	104	0.00	10.46	0.00	0.00	0.00	0.00
883	101	0.00	12.90	0.00	0.00	0.00	0.00
	102	0.00	13.81	0.00	0.00	0.00	0.00
	103	0.00	13.11	0.00	0.00	0.00	0.00
	104	0.00	14.63	0.00	0.00	0.00	0.00
884	101	0.00	11.57	0.00	0.00	0.00	0.00
	102	0.00	12.37	0.00	0.00	0.00	0.00
	103	0.00	11.76	0.00	0.00	0.00	0.00
	104	0.00	13.13	0.00	0.00	0.00	0.00
885	101	0.00	11.96	0.00	0.00	0.00	0.00
	102	0.00	12.78	0.00	0.00	0.00	0.00
	103	0.00	12.15	0.00	0.00	0.00	0.00
	104	0.00	13.57	0.00	0.00	0.00	0.00
886	101	0.00	14.27	0.00	0.00	0.00	0.00
	102	0.00	15.24	0.00	0.00	0.00	0.00

STAAD SPACE -- PAGE NO. 173

SUPPORT REACTIONS -UNIT MTON METE STRUCTURE TYPE = SPACE

JOINT	LOAD	FORCE-X	FORCE-Y	FORCE-Z	MOM-X	MOM-Y	MOM Z
	103	0.00	14.50	0.00	0.00	0.00	0.00
	104	0.00	16.19	0.00	0.00	0.00	0.00
887	101	0.00	10.89	0.00	0.00	0.00	0.00
	102	0.00	11.64	0.00	0.00	0.00	0.00
	103	0.00	11.07	0.00	0.00	0.00	0.00
	104	0.00	12.35	0.00	0.00	0.00	0.00
888	101	-0.16	6.26	-33.63	0.00	-0.02	0.00
	102	-0.18	6.69	-36.68	0.00	-0.01	0.00
	103	-0.16	6.36	-34.21	0.00	-0.02	0.00
	104	-0.10	7.11	-39.22	0.00	-0.12	0.00
889	101	0.00	15.07	0.00	0.00	0.00	0.00
	102	0.00	16.10	0.00	0.00	0.00	0.00
	103	0.00	15.32	0.00	0.00	0.00	0.00
	104	0.00	17.14	0.00	0.00	0.00	0.00
890	101	0.00	12.06	0.00	0.00	0.00	0.00
	102	0.00	12.88	0.00	0.00	0.00	0.00
	103	0.00	12.26	0.00	0.00	0.00	0.00
	104	0.00	13.67	0.00	0.00	0.00	0.00

********** END OF LATEST ANALYSIS RESULT **********

```
 3843. PRINT JOINT DISPLACEMENTS LIST 2195 2200 2204 2207 2210 2215 2222 2228 2233 -
JOINT    DISPLACE LIST     2195
 3844. 2243 2244 2252 2253 2371 2684 2752 2802 2859 2932 2970 3020 3045 3092 3121 -
 3845. 3173 3199 3236 3275 3285 3318 3354 3376 3385 3431 3444 3449 3454 3485 3504 -
 3846. 3512 3518 3535 3537 3552 3558 3562 3565 3570 3585 3588 3589 3593 3595 3597 -
 3847. 3601 3603 3604 3606 3607
```


STAAD SPACE -- PAGE NO. 174

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
2195	101	0.0750	-0.0188	0.2880	0.0006	0.0001	-0.0002
	102	0.0587	0.0273	0.4345	0.0009	0.0002	-0.0002
	103	0.0727	-0.0136	0.3106	0.0006	0.0001	-0.0002
	104	0.0531	0.1072	0.5527	0.0012	0.0001	-0.0002
2200	101	0.0760	-0.0266	0.2873	0.0006	0.0001	-0.0002
	102	0.0609	0.0163	0.4330	0.0009	0.0002	-0.0002
	103	0.0739	-0.0218	0.3097	0.0006	0.0001	-0.0002
	104	0.0541	0.0936	0.5520	0.0012	0.0001	-0.0002
2204	101	0.0770	-0.0344	0.2866	0.0006	0.0001	-0.0002
	102	0.0631	0.0054	0.4315	0.0009	0.0002	-0.0002
	103	0.0751	-0.0301	0.3089	0.0006	0.0001	-0.0002
	104	0.0552	0.0801	0.5513	0.0012	0.0001	-0.0002
2207	101	0.0780	-0.0422	0.2859	0.0006	0.0001	-0.0002
	102	0.0653	-0.0055	0.4299	0.0009	0.0002	-0.0002
	103	0.0763	-0.0384	0.3081	0.0006	0.0001	-0.0002
	104	0.0562	0.0665	0.5506	0.0012	0.0001	-0.0002
2210	101	0.0790	-0.0500	0.2852	0.0006	0.0001	-0.0002
	102	0.0675	-0.0165	0.4284	0.0009	0.0002	-0.0002
	103	0.0774	-0.0467	0.3073	0.0006	0.0001	-0.0002
	104	0.0572	0.0529	0.5498	0.0012	0.0001	-0.0002
2215	101	0.0799	-0.0578	0.2846	0.0006	0.0001	-0.0002
	102	0.0697	-0.0274	0.4269	0.0009	0.0002	-0.0002
	103	0.0786	-0.0550	0.3064	0.0006	0.0001	-0.0002
	104	0.0583	0.0394	0.5491	0.0012	0.0001	-0.0002
2222	101	0.0809	-0.0656	0.2839	0.0006	0.0001	-0.0002
	102	0.0719	-0.0383	0.4253	0.0009	0.0002	-0.0002
	103	0.0797	-0.0633	0.3056	0.0006	0.0001	-0.0002
	104	0.0593	0.0258	0.5484	0.0012	0.0001	-0.0002
2228	101	0.0818	-0.0734	0.2832	0.0006	0.0001	-0.0002
	102	0.0740	-0.0492	0.4238	0.0009	0.0002	-0.0002
	103	0.0809	-0.0716	0.3048	0.0006	0.0001	-0.0002
	104	0.0602	0.0122	0.5477	0.0012	0.0001	-0.0002
2233	101	0.0827	-0.0812	0.2826	0.0006	0.0001	-0.0002
	102	0.0762	-0.0602	0.4222	0.0009	0.0002	-0.0002
	103	0.0820	-0.0798	0.3040	0.0006	0.0001	-0.0002
	104	0.0612	-0.0013	0.5470	0.0012	0.0001	-0.0002
2243	101	0.0836	-0.0890	0.2819	0.0006	0.0001	-0.0002
	102	0.0783	-0.0711	0.4207	0.0009	0.0002	-0.0002
	103	0.0830	-0.0881	0.3033	0.0006	0.0001	-0.0002
	104	0.0621	-0.0149	0.5463	0.0012	0.0001	-0.0002
2244	101	0.0844	-0.0968	0.2813	0.0006	0.0001	-0.0002
	102	0.0804	-0.0819	0.4192	0.0009	0.0002	-0.0002
	103	0.0840	-0.0964	0.3025	0.0006	0.0001	-0.0002
	104	0.0629	-0.0284	0.5457	0.0012	0.0001	-0.0002
2252	101	0.0869	-0.1273	0.2795	0.0006	0.0000	-0.0002
	102	0.0877	-0.1247	0.4140	0.0009	0.0002	-0.0002

STAAD SPACE -- PAGE NO. 175

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
	103	0.0873	-0.1287	0.3001	0.0006	0.0001	-0.0002
	104	0.0655	-0.0816	0.5438	0.0012	0.0000	-0.0002
2253	101	0.0873	-0.1363	0.2791	0.0006	0.0000	-0.0002
	102	0.0895	-0.1374	0.4127	0.0009	0.0001	-0.0002
	103	0.0879	-0.1384	0.2997	0.0006	0.0000	-0.0002
	104	0.0659	-0.0975	0.5435	0.0012	0.0000	-0.0002
2371	101	0.0934	-0.1452	0.2962	0.0006	-0.0000	-0.0002
	102	0.0959	-0.1465	0.4339	0.0009	0.0001	-0.0002
	103	0.0941	-0.1473	0.3173	0.0006	0.0000	-0.0002
	104	0.0706	-0.1042	0.5782	0.0012	-0.0000	-0.0002
2684	101	0.1180	-0.1804	0.3803	0.0007	-0.0002	-0.0002
	102	0.1216	-0.1828	0.5422	0.0009	-0.0002	-0.0002
	103	0.1190	-0.1828	0.4052	0.0007	-0.0002	-0.0002
	104	0.0896	-0.1308	0.7385	0.0013	-0.0002	-0.0002
2752	101	0.1228	-0.1853	0.3993	0.0007	-0.0002	-0.0002
	102	0.1265	-0.1879	0.5682	0.0010	-0.0002	-0.0002
	103	0.1238	-0.1877	0.4253	0.0007	-0.0002	-0.0002
	104	0.0933	-0.1345	0.7736	0.0013	-0.0003	-0.0002
2802	101	0.1320	-0.1982	0.4396	0.0007	-0.0002	-0.0002
	102	0.1362	-0.2012	0.6213	0.0010	-0.0002	-0.0002
	103	0.1331	-0.2007	0.4676	0.0007	-0.0002	-0.0002
	104	0.1005	-0.1443	0.8478	0.0013	-0.0003	-0.0002
2859	101	0.1393	-0.2103	0.4726	0.0007	-0.0002	-0.0002
	102	0.1438	-0.2137	0.6628	0.0010	-0.0001	-0.0002
	103	0.1405	-0.2129	0.5022	0.0007	-0.0002	-0.0002
	104	0.1062	-0.1535	0.9093	0.0013	-0.0003	-0.0002
2932	101	0.1467	-0.2205	0.5044	0.0007	-0.0002	-0.0002
	102	0.1515	-0.2244	0.7022	0.0010	-0.0001	-0.0002
	103	0.1479	-0.2232	0.5353	0.0007	-0.0002	-0.0002
	104	0.1120	-0.1613	0.9692	0.0014	-0.0003	-0.0002
2970	101	0.1542	-0.2329	0.5397	0.0007	-0.0002	-0.0002
	102	0.1594	-0.2373	0.7444	0.0010	-0.0002	-0.0002
	103	0.1555	-0.2358	0.5720	0.0008	-0.0002	-0.0002
	104	0.1179	-0.1709	1.0349	0.0014	-0.0004	-0.0002
3020	101	0.1639	-0.2465	0.5873	0.0008	-0.0003	-0.0002
	102	0.1695	-0.2516	0.8025	0.0011	-0.0003	-0.0002
	103	0.1653	-0.2495	0.6216	0.0008	-0.0003	-0.0002
	104	0.1256	-0.1815	1.1218	0.0015	-0.0005	-0.0002
3045	101	0.1690	-0.2517	0.6126	0.0008	-0.0003	-0.0002
	102	0.1748	-0.2570	0.8345	0.0011	-0.0003	-0.0002
	103	0.1704	-0.2547	0.6481	0.0008	-0.0003	-0.0002
	104	0.1295	-0.1855	1.1677	0.0015	-0.0005	-0.0002
3092	101	0.1741	-0.2569	0.6392	0.0008	-0.0003	-0.0002
	102	0.1801	-0.2624	0.8680	0.0011	-0.0004	-0.0002
	103	0.1756	-0.2600	0.6759	0.0009	-0.0004	-0.0002
	104	0.1335	-0.1895	1.2160	0.0015	-0.0006	-0.0002

STAAD SPACE -- PAGE NO. 176

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
3121	101	0.1840	-0.2707	0.6984	0.0008	-0.0004	-0.0002
	102	0.1904	-0.2767	0.9402	0.0011	-0.0004	-0.0002
	103	0.1855	-0.2739	0.7376	0.0009	-0.0004	-0.0002
	104	0.1413	-0.2000	1.3231	0.0016	-0.0006	-0.0002
3173	101	0.1917	-0.2835	0.7489	0.0009	-0.0004	-0.0002
	102	0.1985	-0.2901	0.9992	0.0012	-0.0003	-0.0002
	103	0.1933	-0.2869	0.7897	0.0009	-0.0004	-0.0002
	104	0.1474	-0.2100	1.4148	0.0016	-0.0006	-0.0002
3199	101	0.1994	-0.2944	0.7961	0.0009	-0.0004	-0.0002
	102	0.2066	-0.3015	1.0541	0.0012	-0.0003	-0.0003
	103	0.2012	-0.2979	0.8384	0.0009	-0.0004	-0.0002
	104	0.1536	-0.2185	1.5014	0.0017	-0.0006	-0.0002
3236	101	0.2072	-0.3076	0.8479	0.0009	-0.0004	-0.0002
	102	0.2147	-0.3153	1.1126	0.0012	-0.0003	-0.0003
	103	0.2090	-0.3113	0.8915	0.0010	-0.0004	-0.0002
	104	0.1598	-0.2289	1.5957	0.0017	-0.0007	-0.0002
3275	101	0.2174	-0.3221	0.9135	0.0010	-0.0004	-0.0002
	102	0.2253	-0.3305	1.1884	0.0012	-0.0004	-0.0003
	103	0.2193	-0.3259	0.9590	0.0010	-0.0004	-0.0002
	104	0.1678	-0.2403	1.7143	0.0018	-0.0007	-0.0002
3285	101	0.2226	-0.3276	0.9463	0.0010	-0.0005	-0.0002
	102	0.2307	-0.3363	1.2279	0.0013	-0.0004	-0.0002
	103	0.2246	-0.3315	0.9930	0.0010	-0.0005	-0.0002
	104	0.1719	-0.2446	1.7738	0.0018	-0.0008	-0.0002
3318	101	0.2280	-0.3332	0.9805	0.0010	-0.0005	-0.0002
	102	0.2363	-0.3420	1.2690	0.0013	-0.0005	-0.0002
	103	0.2300	-0.3371	1.0285	0.0011	-0.0005	-0.0002
	104	0.1761	-0.2488	1.8359	0.0018	-0.0008	-0.0002
3354	101	0.2381	-0.3477	1.0549	0.0010	-0.0005	-0.0002
	102	0.2469	-0.3571	1.3559	0.0013	-0.0004	-0.0003
	103	0.2402	-0.3517	1.1052	0.0011	-0.0005	-0.0002
	104	0.1842	-0.2601	1.9718	0.0019	-0.0009	-0.0002
3376	101	0.2460	-0.3612	1.1169	0.0011	-0.0004	-0.0002
	102	0.2552	-0.3713	1.4258	0.0014	-0.0004	-0.0003
	103	0.2482	-0.3654	1.1687	0.0011	-0.0004	-0.0002
	104	0.1905	-0.2707	2.0863	0.0019	-0.0008	-0.0002
3385	101	0.2539	-0.3727	1.1736	0.0011	-0.0004	-0.0002
	102	0.2634	-0.3832	1.4895	0.0014	-0.0004	-0.0003
	103	0.2562	-0.3770	1.2267	0.0011	-0.0004	-0.0003
	104	0.1968	-0.2797	2.1918	0.0020	-0.0008	-0.0002
3431	101	0.2618	-0.3865	1.2340	0.0011	-0.0004	-0.0002
	102	0.2717	-0.3978	1.5557	0.0014	-0.0003	-0.0003
	103	0.2642	-0.3910	1.2883	0.0011	-0.0004	-0.0003
	104	0.2031	-0.2906	2.3045	0.0020	-0.0008	-0.0002
3444	101	0.2720	-0.4016	1.3085	0.0011	-0.0004	-0.0002
	102	0.2823	-0.4136	1.6393	0.0014	-0.0004	-0.0003

STAAD SPACE -- PAGE NO. 177

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
	103	0.2745	-0.4062	1.3645	0.0012	-0.0004	-0.0002
	104	0.2112	-0.3026	2.4422	0.0021	-0.0008	-0.0002
3449	101	0.2762	-0.4074	1.3394	0.0011	-0.0004	-0.0002
	102	0.2866	-0.4196	1.6748	0.0015	-0.0004	-0.0002
	103	0.2787	-0.4120	1.3963	0.0012	-0.0004	-0.0002
	104	0.2145	-0.3071	2.4993	0.0021	-0.0008	-0.0002
3454	101	0.2816	-0.4131	1.3768	0.0012	-0.0004	-0.0002
	102	0.2922	-0.4256	1.7185	0.0015	-0.0004	-0.0002
	103	0.2842	-0.4178	1.4349	0.0012	-0.0004	-0.0002
	104	0.2187	-0.3116	2.5685	0.0021	-0.0008	-0.0002
3485	101	0.2906	-0.4281	1.4496	0.0012	-0.0004	-0.0002
	102	0.3016	-0.4412	1.8005	0.0015	-0.0004	-0.0003
	103	0.2933	-0.4330	1.5094	0.0012	-0.0004	-0.0002
	104	0.2259	-0.3233	2.7048	0.0022	-0.0008	-0.0002
3504	101	0.2974	-0.4421	1.5072	0.0012	-0.0004	-0.0002
	102	0.3087	-0.4557	1.8631	0.0015	-0.0003	-0.0003
	103	0.3001	-0.4471	1.5681	0.0013	-0.0004	-0.0003
	104	0.2312	-0.3343	2.8146	0.0022	-0.0008	-0.0002
3512	101	0.3040	-0.4538	1.5592	0.0012	-0.0004	-0.0003
	102	0.3157	-0.4680	1.9194	0.0015	-0.0003	-0.0003
	103	0.3068	-0.4589	1.6211	0.0013	-0.0003	-0.0003
	104	0.2366	-0.3435	2.9141	0.0022	-0.0007	-0.0002
3518	101	0.3095	-0.4679	1.6078	0.0012	-0.0003	-0.0003
	102	0.3214	-0.4827	1.9692	0.0015	-0.0002	-0.0003
	103	0.3124	-0.4732	1.6701	0.0013	-0.0003	-0.0003
	104	0.2409	-0.3547	3.0080	0.0022	-0.0007	-0.0002
3535	101	0.3173	-0.4832	1.6699	0.0013	-0.0003	-0.0002
	102	0.3295	-0.4988	2.0355	0.0015	-0.0003	-0.0003
	103	0.3203	-0.4887	1.7332	0.0013	-0.0003	-0.0003
	104	0.2471	-0.3669	3.1261	0.0023	-0.0007	-0.0002
3537	101	0.3203	-0.4891	1.6943	0.0013	-0.0003	-0.0002
	102	0.3326	-0.5049	2.0621	0.0016	-0.0003	-0.0002
	103	0.3233	-0.4946	1.7581	0.0013	-0.0003	-0.0002
	104	0.2495	-0.3715	3.1723	0.0023	-0.0007	-0.0002
3552	101	0.3233	-0.4949	1.7188	0.0013	-0.0003	-0.0002
	102	0.3357	-0.5110	2.0889	0.0016	-0.0003	-0.0002
	103	0.3263	-0.5005	1.7831	0.0013	-0.0003	-0.0002
	104	0.2518	-0.3761	3.2187	0.0023	-0.0007	-0.0002
3558	101	0.3312	-0.5100	1.7819	0.0013	-0.0003	-0.0002
	102	0.3439	-0.5267	2.1578	0.0016	-0.0002	-0.0002
	103	0.3342	-0.5158	1.8476	0.0013	-0.0003	-0.0002
	104	0.2580	-0.3880	3.3391	0.0024	-0.0006	-0.0002
3562	101	0.3366	-0.5241	1.8284	0.0013	-0.0003	-0.0002
	102	0.3496	-0.5414	2.2063	0.0016	-0.0002	-0.0002
	103	0.3398	-0.5300	1.8949	0.0013	-0.0002	-0.0002
	104	0.2624	-0.3991	3.4300	0.0024	-0.0006	-0.0002

STAAD SPACE -- PAGE NO. 178

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
3565	101	0.3421	-0.5359	1.8702	0.0013	-0.0002	-0.0002
	102	0.3554	-0.5537	2.2499	0.0016	-0.0001	-0.0003
	103	0.3453	-0.5419	1.9373	0.0014	-0.0002	-0.0002
	104	0.2667	-0.4084	3.5121	0.0024	-0.0005	-0.0002
3570	101	0.3475	-0.5501	1.9124	0.0013	-0.0002	-0.0002
	102	0.3610	-0.5686	2.2921	0.0016	-0.0001	-0.0003
	103	0.3508	-0.5562	1.9799	0.0014	-0.0002	-0.0002
	104	0.2710	-0.4196	3.5962	0.0024	-0.0005	-0.0002
3585	101	0.3552	-0.5655	1.9673	0.0013	-0.0002	-0.0002
	102	0.3690	-0.5847	2.3500	0.0016	-0.0001	-0.0003
	103	0.3586	-0.5718	2.0357	0.0014	-0.0001	-0.0002
	104	0.2771	-0.4318	3.7040	0.0024	-0.0004	-0.0002
3588	101	0.3582	-0.5714	1.9882	0.0013	-0.0001	-0.0002
	102	0.3721	-0.5908	2.3727	0.0016	-0.0001	-0.0002
	103	0.3616	-0.5777	2.0572	0.0014	-0.0001	-0.0002
	104	0.2794	-0.4365	3.7453	0.0024	-0.0004	-0.0002
3589	101	0.3612	-0.5772	2.0085	0.0013	-0.0001	-0.0002
	102	0.3752	-0.5969	2.3949	0.0016	-0.0001	-0.0002
	103	0.3646	-0.5836	2.0780	0.0014	-0.0001	-0.0002
	104	0.2818	-0.4410	3.7860	0.0024	-0.0004	-0.0002
3593	101	0.3690	-0.5924	2.0584	0.0013	-0.0001	-0.0002
	102	0.3834	-0.6127	2.4495	0.0016	0.0000	-0.0002
	103	0.3725	-0.5990	2.1293	0.0014	-0.0001	-0.0002
	104	0.2880	-0.4530	3.8885	0.0024	-0.0003	-0.0002
3595	101	0.3745	-0.6066	2.0904	0.0013	-0.0000	-0.0002
	102	0.3891	-0.6275	2.4824	0.0016	0.0001	-0.0002
	103	0.3780	-0.6133	2.1619	0.0014	0.0000	-0.0002
	104	0.2923	-0.4641	3.9599	0.0024	-0.0002	-0.0002
3597	101	0.3799	-0.6184	2.1197	0.0013	0.0000	-0.0002
	102	0.3948	-0.6398	2.5124	0.0016	0.0001	-0.0003
	103	0.3835	-0.6253	2.1917	0.0014	0.0000	-0.0002
	104	0.2966	-0.4735	4.0254	0.0024	-0.0002	-0.0002
3601	101	0.3853	-0.6327	2.1470	0.0013	0.0001	-0.0002
	102	0.4005	-0.6548	2.5387	0.0016	0.0002	-0.0003
	103	0.3890	-0.6397	2.2192	0.0014	0.0001	-0.0002
	104	0.3009	-0.4848	4.0899	0.0024	-0.0001	-0.0002
3603	101	0.3930	-0.6481	2.1875	0.0013	0.0000	-0.0002
	102	0.4085	-0.6710	2.5809	0.0016	0.0001	-0.0003
	103	0.3968	-0.6553	2.2605	0.0014	0.0000	-0.0002
	104	0.3070	-0.4970	4.1786	0.0025	-0.0001	-0.0002
3604	101	0.3961	-0.6540	2.2036	0.0013	0.0000	-0.0003
	102	0.4116	-0.6772	2.5984	0.0016	0.0001	-0.0003
	103	0.3998	-0.6613	2.2770	0.0014	0.0000	-0.0003
	104	0.3093	-0.5016	4.2132	0.0025	-0.0001	-0.0002
3606	101	0.4004	-0.6600	2.2277	0.0013	0.0000	-0.0003
	102	0.4161	-0.6833	2.6258	0.0016	0.0001	-0.0003

STAAD SPACE -- PAGE NO. 179

JOINT DISPLACEMENT (CM RADIANS) STRUCTURE TYPE = SPACE

JOINT	LOAD	X-TRANS	Y-TRANS	Z-TRANS	X-ROTAN	Y-ROTAN	Z-ROTAN
	103	0.4042	-0.6673	2.3019	0.0014	0.0000	-0.0003
	104	0.3127	-0.5063	4.2623	0.0025	-0.0001	-0.0002
3607	101	0.4120	-0.6819	2.2910	0.0013	0.0000	-0.0003
	102	0.4282	-0.7061	2.6970	0.0016	0.0001	-0.0003
	103	0.4159	-0.6894	2.3672	0.0014	0.0000	-0.0003
	104	0.3219	-0.5236	4.3956	0.0025	-0.0002	-0.0002

********** END OF LATEST ANALYSIS RESULT **********

3848. FINISH

STAAD SPACE -- PAGE NO. 180

********** END OF THE STAAD.Pro RUN **********

**** DATE= MAR 7,2020 TIME= 16:51:55 ****

****
* For technical assistance on STAAD.Pro, please visit *
* http://www.bentley.com/en/support/ *
* *
* Details about additional assistance from *
* Bentley and Partners can be found at program menu *
* Help->Technical Support *
* *
* Copyright (c) 1997-2017 Bentley Systems, Inc. *
* http://www.bentley.com *
****