

DRAWING NUMBER MD-216-3830-EG-CV-DED-1422 REV D01




SECTION : A-A

SCALE 1:40




SECTION : B-B

SCALE 1:40




SECTION : C-C

SCALE 1:40




RC. DETAIL OF FOUNDATION MKD F2B

SCALE 1:40




SECTION : D-D

SCALE 1:40




SECTION : E-E

SCALE 1:40




RC. DETAIL OF FOUNDATION MKD F1, F1A, FIC & F1D

SCALE 1:40




RC. DETAIL OF FOUNDATION MKD F1B

SCALE 1:40




RC. DETAIL OF FOUNDATION MKD F2 & 2A

SCALE 1:40




RC. DETAIL OF FOUNDATION MKD F3

SCALE 1:40




RC. DETAIL OF FOUNDATION MKD F4

SCALE 1:40




RC. DETAILS OF FOUNDATION MKD. F6 & F7

SCALE 1:30




RC. DETAIL OF P1, P2

SCALE 1:20




SECTION : G-G

SCALE 1:30




SECTION : F-F

SCALE 1:40




RC. DET. OF C1

SCALE 1:20




RC. DET. OF C2

SCALE 1:20




RC. DETAIL OF FOUNDATION MKD F5, F5A & F5B

SCALE 1:40



RC. DET. OF C4

SCALE 1:20



RC. DET. OF C3

SCALE 1:20

LEGEND :-

R.L. - REDUCED LEVEL
T.O.C. - TOP OF CONCRETE.
F.G.L. - FINISHED GROUND LEVEL.
TYP. - TYPICAL.
P.C.C - PLAIN CEMENT CONCRETE
BOTTOM REINF.(B) - ————
TOP REINF.(T) - – – – – –
MKD. - MARKED
℄ - CENTRE LINE
B.O.F. - BOTTOM OF FOUNDATION
THK. - THICK
FDN. - FOUNDATION
RCC - REINFORCED CEMENT CONCRETE
CJ - CONSTRUCTION JOINT
RC - REINFORCED CONCRETE
Ø - DIAMETER

NOTES :-

1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS AND CO-ORDINATES ARE IN METRES. UNLESS OTHERWISE STATED.
2. GRADE OF CONCRETE SHALL BE C35 (35MPa) FOR FOUNDATION & COLUMN.
3. GRADE OF REINFORCEMENT SHALL BE DEFORMED BAR ASTM A615 - GRADE 60 (fy = 420 MPa).
4. CLEAR COVER TO MAIN REINFORCEMENT SHALL BE AS
   a) FOUNDATION = 50 mm (BOTTOM & SIDE) 50 mm. (TOP)
   b) COLUMN = 50mm
5. IF ANY PART OF FOUNDATION COMES ON BACKFILL ZONE OF ADJACENT FOUNDATION OR ANY LOOSE SOIL ARE ENCOUNTERED BELOW FOUNDATION LEVEL THE SAME SHALL BE REMOVED AND FILLED WITH PCC.
6. FOR STANDARD REINFORCEMENT DETAIL & GENERAL NOTES FOR CIVIL WORKS REFER DRAWING NO, MD-216-1000-EG-CV-DED-1005 &1001.
7. READ THIS DRAWING IN CONJUNCTION WITH DRAWING NO MD-216-3830-EG-CV-GAD-1419 &1420.

DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
		D01	03/07/2023	AS - BUILT	PML	SJM	SOR	AG	
MD-216-3830-EG-ST-GAD-2349	FLOTATION REAGENTS BUILDING	C02	18/01/2021	ISSUED FOR CONSTRUCTION & REVISED AS MARKED (02)	PML	SJM	SOR	AG	
	ANCHOR BOLT PLAN AND DETAILS	C01	17/11/2020	ISSUED FOR CONSTRUCTION & REVISED AS MARKED (01)	PML	SJM	SOR	AG	
		A01	20/10/2020	ISSUED FOR REFERENCE	PML	SJM	SOR	AG	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO DRAWING NUMBER 019045_450_C_D_24418_001 — REVISION 3

OUTOTEC DRAWING NUMBER 900707__GAU01__AA02__CTB17__38303 — DOCUMENT ID OU100696994 — REVISION 3

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

DRAWN	PML	15/10/2020	MANSOURAH - MASSARAH GOLD PROJECT
CHECKED	SJM	17/10/2020	DETAIL DRAWING
ENGINEER	SOR	15/10/2020	REAGENTS - FLOTATION REAGENTS BUILDING
APPROVED	AG	20/10/2020	RCC DETAILS OF FOUNDATION
EMPLOYER			
SCALE 1:50, 1:10		A1	DRAWING NUMBER MD-216-3830-EG-CV-DED-1422 — REV D01