


DRAWING NUMBER MD-216-3510-EG-CV-DED-1279 REV D01




SECTION : 2-2
(SCALE 1:25)




DETAIL OF COLUMN BASE
FOR COLUMN MKD. - C1
(SCALE-1:25)




DETAIL OF COLUMN BASE
FOR COLUMN MKD. - C3
(SCALE-1:25)




DETAIL OF COLUMN BASE
FOR COLUMN MKD. - C2
(SCALE-1:25)




DETAIL OF COLUMN BASE
FOR COLUMN MKD. - C1A
(SCALE-1:25)




SECTION 9B-9B
(SCALE 1:25)




TYPICAL R.C.C
DETAIL OF CANAL
(SCALE 1:30)




TYPICAL R.C.C
DETAIL OF CANAL
(SCALE 1:30)




TYPICAL R.C.C
DETAIL OF CANAL
(SCALE 1:30)




TYPICAL R.C.C
DETAIL OF PIT
(SCALE 1:30)




SECTION 8-8
(SCALE 1:75)




SECTION 9-9
(SCALE 1:75)




SECTION 9A-9A
(SCALE 1:75)




SECTION 10-10
(SCALE 1:75)




SECTION 11-11
(SCALE 1:75)




SECTION 12A-12A
(SCALE 1:75)




SECTION 12-12
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F7
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F8
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F8A
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F9
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F10
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F11
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F11A
(SCALE 1:75)




SECTION 1-1
(SCALE 1:75)




SECTION 3-3
(SCALE 1:75)




SECTION 4-4
(SCALE 1:75)




SECTION 5-5
(SCALE 1:75)




SECTION 6-6
(SCALE 1:75)




SECTION 7-7
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F1
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F2
(SCALE 1:75)




R.C.C DETAIL OF FOUNDATION MKD. F3
(SCALE 1:75)



R.C.C DETAIL OF FOUNDATION MKD. F4
(SCALE 1:75)



R.C.C DETAIL OF FOUNDATION MKD. F5
(SCALE 1:75)



R.C.C DETAIL OF FOUNDATION MKD. F6
(SCALE 1:75)

LEGEND.:-

R.L. - REDUCED LEVEL
T.O.C - TOP OF CONCRETE
B.O.F - BOTTOM OF FOUNDATION
F.G.L - FINISHED GROUND LEVEL
P.C.C - PLAIN CEMENT CONCRETE
TYP - TYPICAL
MKD - MARKED
℄ - CENTRE LINE
B - BOTTOM REINFORCEMENT SHOWN THUS ————
T - TOP REINFORCEMENT SHOWN THUS – – – – –
SBC - SAFE BEARING CAPACITY
MIN. - MINIMUM
REF. - REFER
GA - GENERAL ARRANGEMENT
DRG. - DRAWING
R.C.C. - REINFORCED CEMENT CONCRETE
REINF. - REINFORCEMENT
THK. - THICK
DIA. - DIAMETER

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS ARE IN METRES UNLESS OTHERWISE STATED.
2. GRADE OF CONCRETE SHALL BE C35 UNLESS NOTED OTHERWISE.
3. GRADE OF REINFORCEMENT SHALL BE DEFORMED BAR ASTM A615-GRADE 60 (fy=420 MPa)
4. CLEAR COVER TO MAIN REINFORCEMENT SHALL BE AS FOLLOWS:
   a) FOUNDATION : 75 mm. (BOTTOM & SIDE)
   b) FOUNDATION : 50 mm. (TOP)
   c) COLUMN & PEDESTAL : 50 mm.
   d) PIT : 50 mm.
5. FOR STANDARD REINF. DETAIL REFER DRG. NO : MD-216-1000-EG-CV-DED-1005.
6. FOR GA DRAWING REFER DRG. NO. MD - 216 - 3510 - EG - CV - GAD - 1277.
   MD - 216 - 3510 - EG - CV - GAD - 1278.
   MD - 216 - 3510 - EG - CV - GAD - 1279.
   MD - 216 - 3510 - EG - CV - GAD - 1280.

DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
		D01	18/02/2023	AS-BUILT	NAEW-SN	BDA	STY	AG	
		C03	04/01/2021	ISSUED FOR CONSTRUCTION AND REVISED AS MARKED C03	SBH	BDA	STY	AG	
		C02	07/11/2020	ISSUED FOR CONSTRUCTION AND REVISED AS MARKED C02	SBH	BDA	STY	AG	
		C01	04/07/2020	ISSUED FOR CONSTRUCTION	APM	BDA	STY	AG	
MD-216-3510-EG-CV-GAD-1002	PLAN AT RL. 912.5 GRID D-G / 1-5	A02	30/05/2020	REVISED AS PER EMPLOYER COMMENTS	APM	BDA	STY	AG	
MD-216-3510-EG-CV-GAD-1001	PLAN AT RL. 912.5 GRID A-D / 1-5			ON 30/04/2020 & REVISED AS MKD. A02					
MD-216-3510-EG-ME-GAD-1025	CCD CIRCUIT STEEL STRUCTURE LOADING DIAGRAM	A01	30/03/2020	ISSUED FOR REFERENCE	APM	BDA	STY	AG	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة المعادن العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

LARSEN & TOUBRO DRAWING NUMBER			REVISION
019045_450_C_D_24117_002			5
OUTOTEC DRAWING NUMBER		DOCUMENT ID	REVISION
900707__GAU01__ST61__CTB17__35101		OU100673101	5
DRAWN	APM	26/03/2020	MANSOURAH - MASSARAH GOLD PROJECT
CHECKED	BDA	27/03/2020	DETAIL DRAWING
ENGINEER	STY	26/03/2020	COUNTER CURRENT DECANTATION
APPROVED	AG	30/03/2020	GRADE SLAB & PIPE RACK FOUNDATION
EMPLOYER			
SCALE 1:100, 1:50	A1		DRAWING NUMBER: MD-216-3510-EG-CV-DED-1279 REV: D01