





DETAIL 1 – WALL CORNER REINFORCEMENT - 1 LAYER




DETAIL 2 – WALL CORNER REINFORCEMENT - 2 LAYERS




DETAIL 3 – WALL JUNCTION REINFORCEMENT - 1 LAYER



DETAIL 4 – WALL JUNCTION REINFORCEMENT - 2 LAYERS




DETAIL 5 – STAIR LANDING PLINTH ON GROUND



DETAIL 6 – STAIR LANDING PLINTH ON SLAB

(DETAILS ARE FOR PLINTH ON GROUND UNLESS NOTED OTHERWISE)



DETAIL 7 – STAIR ON FILL

FOR RISE AND TREAD REFER DESIGN DRAWING PREFERRED 200 RISE, 250 TREAD. MUST COMPLY WITH THE REQUIREMENT OUTLINED IN PIP STF05511

NOTES:

1. FOR CONCRETE GENERAL NOTES REFER DRAWING MD-101-SMEM-EG-ST-DST-0001.
2. FOR DETAILS OF REINFORCEMENT REFER DESIGN DRAWINGS.
3. FOR WALL THICKNESS REFER DESIGN DRAWINGS.
4. VBM INDICATES POLYTHENE VAPOUR BARRIER MEMBRANE REFER CONCRETE NOTES ON DRAWING MD-101-SMEM-EG-ST-DST-0001.
5. DETAILS OF GRADE TO SLAB STAIRS TO BE SPECIFIED BY DESIGNER

DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	MD

This drawing and all the information contained herein it is the proprietary property of Ma'aden and is subject to confidentiality restrictions between Ma'aden and the recipient. The information contained herein is provided for a limited purpose and must be returned on request. Ma'aden makes no respresentations or warranties that this information is complete or fit for any particular purpose. Neither this drawing nor any information concerning it may be copied, exhibited or furnished to others. Nor may photographs be taken of any article fabricated or assembled from this drawing, without Ma'aden prior written consent.

REV C01 PREPARED FOR MA'ADEN BY HATCH ASSOCIATES H332701-0000-35-041-0003_C

MA'ADEN معادن Saudi Arabian Mining Company

DRAWN	J BADAL	01.03.11
CHECKED	J EDWARDS	31.03.11
ENGINEER	D KIRKWOOD	31.03.11
APPROVED	R COVELLA	11.05.11
MA'ADEN		
SCALE NTS		A1

MA'ADEN ENGINEERING MANUAL
ALL AREAS
STRUCTURAL STANDARDS
CONCRETE DETAILS SHEET 2

DRAWING NUMBER MD-101-SMEM-EG-ST-DST-0003 REV C01

$FILE$ $TIME$ $DATE$