




SECTION : 9-9
(SCALE 1:50)




REINF. DETAIL OF
FOUNDATION MKD. F14A
(1 NO. REQD.)
(SCALE 1:50)




SECTION : 11-11
(SCALE 1:50)




REINF. DETAIL OF
FOUNDATION MKD. F15
(1 NO. REQD.)
(SCALE 1:50)




SECTION : 13-13
(SCALE 1:50)




REINF. DETAIL OF
FOUNDATION MKD. F16
(1 NO. REQD.)
(SCALE 1:50)




SECTION : 14-14
(SCALE 1:50)




REINF. DETAIL OF
FOUNDATION MKD. F17
(1 NO. REQD.)
(SCALE 1:50)




SECTION : 12-12
(SCALE 1:25)




SECTION : 3-3
(SCALE 1:25)




SECTION : 2-2
(SCALE 1:25)




SECTION : 7-7
(SCALE 1:25)




SECTION : 10-10
(SCALE 1:25)




SECTION : 1-1
(SCALE 1:50)




SECTION : 4-4
(SCALE 1:50)




SECTION : 5-5
(SCALE 1:50)




SECTION : 6-6
(SCALE 1:50)




SECTION : 8-8
(SCALE 1:50)




REINF. DETAIL OF FOUNDATION MKD. F12
(1 NO. REQD.)
(SCALE 1:50)




REINF. DETAIL OF FOUNDATION MKD. F12A
(2 NOS. REQD.)
(SCALE 1:50)



REINF. DETAIL OF FOUNDATION MKD. F12B
(2 NOS. REQD.)
(SCALE 1:50)



REINF. DETAIL OF
FOUNDATION MKD. F13
(2 NOS. REQD.)
(SCALE 1:50)



REINF. DETAIL OF
FOUNDATION MKD. F14
(1 NO. REQD.)
(SCALE 1:50)

LEGEND :-

R.L. - REDUCED LEVEL
℄ - CENTRE LINE
T.O.C. - TOP OF CONCRETE
F.G.L. - FINISHED GROUND LEVEL
B.O.F. - BOTTOM OF FOUNDATION
TYP. - TYPICAL
P.C.D. - PITCH CIRCLE DIAMETER
R.C.C - REINFORCED CEMENT CONCRETE
P.C.C - PLAIN CEMENT CONCRETE
BOTTOM REINF.(B) - – – – – –
TOP REINF.(T) - ————
MKD. - MARKED
THK. - THICK
REINF. - REINFORCEMENT

NOTES:-

1. GRADE OF CONCRETE SHALL BE 35 MPa FOR RCC, 15 MPa FOR BLINDING CONCRETE.
2. GRADE OF REINFORCEMENT SHALL BE DEFORMED BAR 420 MPa (GRADE 60) - ASTM A615/A615M.
3. CLEAR COVER TO REINFORCEMENT SHALL BE COLUMN - 50MM., FOUNDATION - 50 MM.
4. FOR ALL OTHER NOTES, REFER DRAWING NO. MD-216-3310-EG-CV-GAD-1173, MD-216-3310-EG-CV-GAD-1178.
5. FOR LAP & BENDING OF REINFORCEMENT REFER DRAWING NO. MD-216-1000-EG-CV-DED-1005.

DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
MD-216-3310-EG-CV-GAD-1178	DETAILS OF MISCELLANEOUS FOUNDATION	D01	29/06/2020	AS -BUILT					
MD-216-3310-EG-CV-GAD-1173	LAYOUT & DETAIL OF FOUNDATION	C01	02/05/2020	ISSUED FOR CONSTRUCTION & REVISED AS MKD. C01	JYM	AVG	MMJ	SJM	
MD-216-3310-EG-ST-GAD-2163	ROUGHER AND SCAVENGER FLOTATION	A01	07/04/2020	ISSUED FOR REFERENCE	JYM	AVG	MMJ	SJM	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO DRAWING NUMBER 019045_450_C_D_24148_002 — REVISION 2

OUTOTEC DRAWING NUMBER 900707__GAU01__ZF01__CTB17__33102 — DOCUMENT ID OU100680955 — REVISION 2

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة المعادن العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

DRAWN	JYM	03/04/2020	MANSOURAH - MASSARAH GOLD PROJECT
CHECKED	AVG	06/04/2020	DETAIL DRAWING
ENGINEER	MMJ	02/04/2020	ROUGHER AND SCAVENGER FLOTATION
APPROVED	SJM	07/04/2020	RC DETAILS OF MISCELLANEOUS FOUNDATION
EMPLOYER			
SCALE 1:50, 1:25		A1	DRAWING NUMBER MD-216-3310-EG-CV-DED-1212 — REV D01