


DRAWING NUMBER MD-216-3130-EG-CV-GAD-1008 REV D01




DETAIL 'A' & 'D'
(SCALE 1:20)




DETAIL - 'B'
(SCALE-1:25)




TYP. DET.OF KERB ANGLE
(FOR CUTOUT LOCATION)
(SCALE 1:10)




DETAIL OF COLUMN BASE
FOR PEDASTAL MKD. P1
(SCALE-1:25)




DETAIL OF COLUMN BASE
FOR PEDASTAL MKD. P2
(SCALE-1:25)




TYP. DET. OF 150 THK. GRADE SLAB
(SCALE 1:10)



SECTION A1-A1
(SCALE 1:20)




SECTION B1-B1
(SCALE-1:25)




SECTION 4-4
(SCALE 1:20)

SCHEDULE OF INSERT PLATE


INSERT PLATE MKD.	SIZE	PURPOSE
IP1	200x200x10 THK.	FOR EQUIPMENT
IP2	100x100x10 THK.	
IP3	320x320x10 THK.	
IP4	410x410x10 THK.	
IP9	410x410x10 THK.	
IP10	300x200x10 THK.	
IP11	2735x100x10 THK.	
IP12	2880x100x10 THK.	
IP5	200x200x10 THK.	FOR CABLE SUPPORT
IP6	300x200x10 THK.	FOR DUCT SUPPORT
IP7	200x200x10 THK.	FOR CABLE SUPPORT
IP8	400x250x10 THK.	FOR MONORAIL SUPPORT
IP8A	400x250x10 THK.	




DETAIL OF INSERT PLATE - IP1,IP5,IP7
(SCALE 1:10)




SECTION 5-5
(SCALE 1:10)



DETAIL OF INSERT PLATE - IP4 & IP9
(SCALE 1:10)




SECTION 8-8
(SCALE 1:10)




TYP. DETAIL OF BOLT

SCHEDULE OF BOLTS


D BOLT DIA. MM	BxB BOTTOM PLATE (SQUARE) SQ MM	DIMENSIONS (MM)				
		L	A	C	T	H
20	60x60	450	160	110	10	30
24	75x75	600	175	125	12	30
32	100x100	800	190	140	16	35




DETAIL OF INSERT PLATE - IP2
(SCALE 1:10)




SECTION 6-6
(SCALE 1:10)




DETAIL OF INSERT PLATE - IP6 & IP10
(SCALE 1:10)




SECTION 9-9
(SCALE 1:10)




DETAIL OF INSERT PLATE - IP3
(SCALE 1:10)




SECTION 7-7
(SCALE 1:10)




DETAIL OF INSERT PLATE - IP8 & IP8A
(SCALE 1:10)



SECTION 14-14
(SCALE 1:10)



DETAIL OF INSERT PLATE - IP11 & IP12
(SCALE 1:10)



SECTION 15-15
(SCALE 1:10)

LEGENDS :-

RL. - REDUCED LEVEL
℄ - CENTRE LINE
T.O.C. - TOP OF CONCRETE.
F.G.L. - FINISHED GROUND LEVEL.
B.O.F. - BOTTOM OF FOUNDATION
B.O.B. - BOTTOM OF BEAM
TYP. - TYPICAL.
R.C.C - REINFORCED CEMENT CONCRETE
P.C.C - PLAIN CEMENT CONCRETE
MKD. - MARKED
THK. - THICK
MR. - MONORAIL
B.O.M.R. - BOTTOM OF MONORAIL
SEC. - SECTION
IP - INSERT PLATE
MM - MILLIMETER
SQ. - SQUARE

NOTES :-

1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS AND CO-ORDINATES ARE IN METRES. UNLESS OTHERWISE STATED.
2. GRADE OF CONCRETE SHALL BE C35 FOR FOUNDATION.
3. GRADE OF REINFORCEMENT SHALL BE DEFORMED BAR ASTM A615 - GRADE 60 (fy = 420 MPa).
4. NET SAFE BEARING CAPACITY OF SOIL AT BOTTOM OF FOUNDATION CONSIDERED 500KN/SQ. M.
5. CLEAR COVER TO MAIN REINFORCEMENT SHALL BE AS a) FOUNDATION = 75mm (BOTTOM & SIDE) 50 mm (TOP) b) TIE BEAM = 50 mm c) COLUMN = 50mm d) BEAM = 50mm e) SLAB = 40mm
6. FOR MINIMUM LAP LENGTH OF REINFORCEMENT REFER STANDARD DRAWING NO. MD-216-1000-EG-CV-DED-1001
7. THIS DRG. SHALL BE READ IN CONJUNCTION WITH DRG. NO. MD-216-3130-EG-CV-GAD-1007 & MD-216-3130-EG-CV-DED-1007
8. FOR DETAIL OF HANDRAIL FIXING REFER STANDARD DRAWING.

DOCUMENT NUMBER	REFERENCE DOCUMENTS	REV	DATE	REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
MD-216-3130-EG-ME-LPX-1009	TERTIARY CRUSHER HOUSE-PLAN VIEW								
MD-216-3130-EG-ME-LPX-1010	TERTIARY CRUSHER HOUSE-PLAN VIEW	D01	10/03/2023	AS-BUILT	HSK	SBY	RPK	AG	
MD-216-3130-EG-ME-LPX-1012	TERTIARY CRUSHER HOUSE-PLAN VIEW	C03	07/01/2021	ISSUED FOR CONSTRUCTION & REVISED AS MKD. C03	HSK	SBY	RPK	AG	
MD-216-3130-EG-ME-LPX-1013	TERTIARY CRUSHER HOUSE-PLAN VIEW	C02	21/08/2020	ISSUED FOR CONSTRUCTION & REVISED AS MKD. C02	HSK	SBY	RPK	AG	
MD-216-3130-EG-ME-LPX-1014	TERTIARY CRUSHER HOUSE-PLAN VIEW	C01	09/04/2020	ISSUED FOR CONSTRUCTION, REVISED AS PER EMPLOYER					
MD-216-3130-EG-ME-ELV-1017	TERTIARY CRUSHER HOUSE-ELEVATION			COMMENTS DATED 04/04/2020 & REVISED AS MKD. C01	HSK	SBY	RPK	AG	
MD-216-3130-EG-ME-ELV-1018	TERTIARY CRUSHER HOUSE-ELEVATION	A01	12/03/2020	ISSUED FOR REFERENCE	HSK	SBY	RPK	AG	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO DRAWING NUMBER: O19045_100_C_G_24065_002 — REVISION: 4
OUTOTEC DRAWING NUMBER: 900707__GAU01__ZC01__MTL01__31383 — DOCUMENT ID: OU100675149 — REVISION: 4

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة المعادن العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

DRAWN	HSK	10/01/2020	MANSOURAH - MASSARAH GOLD PROJECT
CHECKED	SBY	21/01/2020	GENERAL ARRANGEMENT DRAWING
ENGINEER	RPK	20/01/2020	TERTIARY CRUSHING
APPROVED	AG	12/03/2020	DETAILS & SECTIONS
EMPLOYER			
SCALE 1:25,1:20,1:10		A1	DRAWING NUMBER: MD-216-3130-EG-CV-GAD-1008 — REV: D01